



PLAN

NOTES:


1. THERE ARE SEVERAL DIFFERENT TYPES OF BLOCKS AVAILABLE. WE SUGGEST THAT A BLOCK SUCH AS WITH A STRAIGHT FACE THAT CAN BE PLACED VERTICAL BE USED SUCH AS THE KEYSTONE BLOCK. BY KEYSTONE RETAINING WALL SYSTEMS.
KEYSTONE RETAINING WALL SYSTEMS
4444 W. 78TH ST.
MINNEAPOLIS MN 55435
E-MAIL: KEYSTONE@KEYSTONEWALL.COM
WEB HTTP://WWW.KEYSTONEWALLS.COM
2. SUBGRADE FOR THE RETAINING WALL SHALL BE CONSTRUCTED ACCORDING TO MANUFACTURES SPECIFICATIONS.
3. BLOCKS SHALL BE SET ACCORDING TO MANUFACTURES SPECIFICATIONS.
4. SURFACING SHALL BE FINISHED IN ACCORDANCE WITH SOIL STABILIZER FOR USE ON UNIVERSALLY ACCESSIBLE TRAILS. SEE TECH TIP SOIL STABILIZER FOR USE ON UNIVERSALLY ACCESSIBLE TRAILS. 9523 1804-SDTDC.




CAP
4" x 18" x 12"



8" x 18" x 12"




SECTION A-A



FRONT ELEVATION

LENGTH = 40' FOR 5% AND 24" RISE
LENGTH = 50' FOR 5% AND 30" RISE



STRUCTURAL SECTION THRU CENTERLINE

SURFACING AND BASE SEE NOTE 4.

REPLACE DISTURBED PAVEMENT WITH A LIKE PRODUCT

Copies of these drawings have been distributed for review. Final approval and signature are pending.

DRAFT

These files are public property and are not for resale. Users of these files are presumed to be professional personnel adequately trained to interpret and adopt them according to local conditions and current and applicable State and local codes. The user assumes all liability for the suitability of their use.

UNLESS OTHERWISE SPECIFIED	DATE	REVISION	BY
TOLERANCES: FRACTIONS +/- DECIMALS +/- ANGLES +/- DIMENSIONS ARE IN INCHES BREAK SHARP EDGES			
DRAWN D.MUCCI		U. S. DEPT. OF AGRICULTURE FOREST SERVICE TECHNOLOGY & DEVELOPMENT CENTER MISSOULA, MONTANA	
DESIGNED M.UCCI/ORAVETZ		TITLE	
CHECKED S.ORAVETZ		ACCESSIBLE BOAT RAMP FOR DRY LAND LOADING & UNLOADING	
APPROVED S.ORAVETZ			
SCALE NONE	979-4		
DATE JAN 2000	SHEET 4 OF 8	MTDC- 979	