

References

Selected Chapter 7 references

- Alexander, R.B., Smith, R.A., Schwarz, G.E., Boyer, E.W., Nolan, J.V., and Brakebill, J.W., 2008, Differences in phosphorus and nitrogen delivery to the Gulf of Mexico from the Mississippi River Basin, *Environ. Sci. Technol.*, 42, 3, 822-830, 10.1021/es0716103
- Ambrose, R.B., Jr., S.I. Hill, and L.A. Mulkey. 1983. *User=s Manual for the Chemical Transport and Fate Model (TOXIWASP), Version I*. U.S. Environmental Protection Agency, Office of Research and Development, Environmental Research Laboratory, Athens, Georgia. EPA-600/3-83-005, 178 pp.
- Ambrose, R.B., T.A. Wool, J.P. Connolly, and R.W. Schanz. 1988. *WASP4, A Hydrodynamic and Water Quality Model - Model Theory, User=s Manual and Programmer=s Guide*. U.S. Environmental Protection Agency, Office of Research and Development, ERL-Athens, Georgia. EPA-600/3-87-039, 297 pp.
- Ambrose, R.B., J.L. Martin, and T.A. Wool. 1993. *WASP5, A Hydrodynamic and Water Quality Model - Model Theory, User=s Manual and Programmer=s Guide*. U.S. Environmental Protection Agency, Office of Research and Development, ERL-Athens, Georgia.
- Bamford, H.A., D.L. Poster and J.E. Baker. 2000. Henry's Law Constant of polychlorinated biphenyl congeners and their variation with temperature. *J. Chem. Engin. Data* 45:1069-1074.
- Bamford, H.A., D.L. Poster and J.E. Baker. 2002. Using extrathermodynamic relationships to model temperature dependence of Henry's Law Constants of 209 PCB congeners. *Environ. Sci. Technol.* 36: 4395-4402.
- Beletsky, D., W.P. O=Connor, and D.J. Schwab. 1997. Hydrodynamic Modeling for the Lake Michigan Mass Balance Project. In: G. Delic and M.F. Wheeler (eds.), *Next Generation Environmental Models and computational Methods*, Chapter 13, pp. 125-128. Soc. Industr. Appl. Mathemat., Philadelphia, PA.
- Bertram, P., G.Warren and P. Horvatin. 2000. Lake Michigan (USA) Mass Balance Study: modeling fate, transport and bioaccumulation of PCBs, atrazine, trans-nonachlor and mercury. *Verh. Internat. Verein. Limnol.* 27:795-799.
- Endicott, D.D., W.L. Richardson, and D.J. Kandt. 2005. 1992 MICTOX: A Mass Balance and Bioaccumulation Model for Toxic Chemicals in Lake Michigan. Part 1 in Rossmann, R. (ed.), *MICTOX: A mass balance and bioaccumulation model for toxic chemicals in Lake Michigan*. U.S. Environmental Protection Agency, Office of Research and Development, National Health and Environmental Effects Laboratory, Mid-Continent Ecology Division, Large Lakes Research Station, Grosse Ile, Michigan. EPA/600/R-05/158, 140 pp.
- Endicott, D.D. 2005. 2002 Lake Michigan Mass Balance Project: modeling total polychlorinated biphenyls in using the MICTOX model. Part 2 in Rossmann, R. (ed.), *MICTOX: A mass balance and bioaccumulation model for toxic chemicals in Lake Michigan*. U.S. Environmental Protection Agency, Office of Research and Development, National Health and Environmental Effects Laboratory, Mid-Continent Ecology Division, Large Lakes Research Station, Grosse Ile, Michigan. EPA/600/R-05/158, 140 pp.
- Franz, T.P.; Eisenreich, S.J.; Holsen, T. 1998. Dry deposition of particulate polychlorinated biphenyls and polycyclic aromatic hydrocarbons to Lake Michigan. *Environ. Sci. Technol.* 32(23): 3681-3688.

- Green, M.L.; DePinto, J.V.; Sweet, C.W.; Hornbuckle, K.C. 2000. Regional Spatial and Temporal Interpolation of Atmospheric PCBs: Interpretation of Lake Michigan Mass Balance Data. *Environ. Sci. Technol.* 34(9): 1833-1850.
- Hall, D.W. and D. Robertson. 1998. Estimation of Contaminant Loading from Monitored and Unmonitored Tributaries to Lake Michigan for the USEPA, Lake Michigan Mass Balance Study. Quality Systems and Implementation plan. Report to the USEPA Great Lakes National Program Office, Chicago, IL. U.S. Geological Survey, Middleton, WI., 19pp.
- Hall, D.W.; Behrendt, T.E.; Hughes, P.E. 1998. Temperature, pH, conductance, and dissolved oxygen in cross-sections of 11 Lake Michigan Tributaries, 1994-5. U.S. Geological Survey Open-File Report 98-567, 85pp.
- Hall, D.W. 2000a. Lake Michigan Mass Balance Tributary Loads: Atrazine and Metabolites. Data Report/Spreadsheet to the USEPA Great Lakes National Program Office, Chicago, IL. U.S. Geological Survey, Middleton, WI.
- Hall, D.W. 2000b. Lake Michigan Mass Balance Tributary Loads: Nutrients, Suspended Solids, Carbon, Chlorophyll, and Chloride. Data Report/Spreadsheet to the USEPA Great Lakes National Program Office, Chicago, IL. U.S. Geological Survey, Middleton, WI.
- Hall, D.W. 2000c. Lake Michigan Mass Balance Tributary Loads: Regression, Stratified Beale Ratio Estimator, and Descriptive Statistics for all parameters with the exception of mercury and PCB congeners. Data Report/Spreadsheet to the USEPA Great Lakes National Program Office, Chicago, IL. U.S. Geological Survey, Middleton, WI.
- Hall, D.W., F. Blondin, and G.J. Warren. 2001. Lake Michigan Mass Balance Tributary Loads: PCB congeners. Data Report/Spreadsheet to the USEPA Great Lakes National Program Office, Chicago, IL. U.S. Geological Survey, Middleton, WI.
- Hawley, N. 1999. Sediment resuspension and transport in Lake Michigan. Final report to the USEPA, Office of Research and Development, NHEERL, MED- Duluth, MN and Grosse Ile, MI. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Ann Arbor, MI. 240 pp.
- Holson, T.M.; Keeler, G.J.; Noll, K.N.; Fang, G.; Lee, W.; Lin, J. 1993. Dry Deposition and Particle Size Distributions Measured during the Lake Michigan Urban Air Toxics Study. *Environ. Sci. Technol.* 27(7): 1327-1333.
- Hornbuckle, K.C.; Sweet, C.W.; Pearson, R.F.; Swackhamer, D.L.; Eisenreich, S.J. 1995. Assessing annual water-air fluxes of polychlorinated biphenyls in Lake Michigan. *Environ. Sci. Technol.* 29(4): 869.
- HydroQual, Inc. 1996. Green Bay food chain model documentation. Report to the U.S. Environmental Protection Agency, Office of Research and Development, NHEERL, Mid-Continent Ecology Division-Duluth, Large Lakes Research Station, Grosse Ile, Michigan, 107pp.
- Madenjian, C.P.; DeSorcie, T.J.; Stedman, R.M.; Brown, Jr., E.H.; Eck, G.W.; Schmidt, L.J.; Hesselberg, R.J.; Chernyak, S.M.; Passino-Reader, D.R. 1999. Spatial Patterns in PCB Concentrations of Lake Michigan Lake Trout. *J. Great Lakes Res.* 25(1): 149-159
- Madenjian, C.P.; Hesselberg, R.J.; Desorcie, T.J.; Schmidt, L.J.; Stedman, R.M.; Quintal, R.T.; Begnoche, L.J.; Passino-Reader, D. 1998. Estimate of Net Trophic Transfer Efficiency of PCBs to Lake Michigan Lake Trout from Their Prey. *Environ. Sci. Technol.* 32(7): 886-891.
- Miller, S.M.; Sweet, C.W.; DePinto, J.V.; Hornbuckle, K.C. 2000. Atrazine and Nutrients in Precipitation: Results from the Lake Michigan Mass Balance Study. *Environ. Sci. Technol.* 34(1): 55-61.

- Miller, S.M., M.L. Green, J.V. DePinto and K.C. Hornbuckle. 2001. Results from the Lake Michigan Mass Balance Study: Concentrations and fluxes of atmospheric polychlorinated biphenyls and trans-nonachlor. *Environ. Sci. Technol.* 35: 278-285.
- Pauer, J.J., W. Melendez, K.W. Taunt, and R.G. Kreis, Jr. 2006. Resurrections of the Lake Michigan Eutrophication Model, MICH1. Submitted to the *Journal of Great Lakes Research*.
- Richardson, W.L., D.D. Endicott, R.G. Kreis, Jr., and K.R. Rygwelski. 1999 (2004). *Quality Assurance Plan for Mathematical Modeling - The Lake Michigan Mass Balance Project*. USEPA, Office of Research and Development, NHEERL, MED, Community-Based Scientific Support Staff, Large Lakes Research Station, Grosse Ile, MI, 233 pp.
- Richardson, W.L., D.D. Endicott, and R.G. Kreis, Jr. 1999. *Managing Toxic Substances in the Great Lakes: The Lower Fox River/Green Bay Mass Balance Study*. USEPA Report, ERL-Duluth, LLRS, Grosse Ile. In Internal Review.
- Robbins, J.A., N.R. Morehead, R.W. Rood, D.N. Edginton, and S. Meyer. 1999. Accumulation and near-surface mixing of sediments in Lake Michigan as determined for the Lake Michigan Mass Balance Program, Volumes 1 and 2. Project Report. Final report to the USEPA, Office of Research and Development, NHEERL, MED- Duluth, MN and Grosse Ile, MI. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Ann Arbor, MI.
- Rodgers, P.W. and D. Salisbury. 1981. Water Quality Modeling of Lake Michigan and Consideration of the Anomalous Ice Cover of 1976-1977. *J. Great Lakes Res.*, 7(4):467-480.
- Rygwelski, K. R., W. L. Richardson, and D. D. Endicott, 1999. A screening-level model evaluation of atrazine in the Lake Michigan basin. *J. Great Lakes Res.* 25:94-106.
- Schwab, D. And D. Beletsky. 1998. Lake Michigan Mass Balance Study: Hydrodynamic modeling project. Final report to the USEPA, Office of Research and Development, NHEERL, MED- Duluth, MN and Grosse Ile, MI. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Ann Arbor, MI. 53 pp.
- Stow, C.A. 1995. Factors associated with PCB concentrations in Lake Michigan salmonids. *Environ. Sci. Technol.* 34: 361-367.
- Stow, C.A., S.R. Carpenter, and L.A. Eby. 1995. Evidence that PCBs are approaching stable concentrations in Lake Michigan fishes. *Ecological Applications* 5(1):248-260.
- Tierney, D.P., P.A. Nelson, B.R. Cristensen, and S.M.K. Watson. 1999. Predicted atrazine concentrations in the Great Lakes: implications for biological effects. *Journal of Great Lakes Research* 25(3): 455-467.
- Thomann, R.V. and J.P. Connolly. 1984. Model of PCB in the Lake Michigan Lake Trout Food Chain. *Environ. Sci Technol.*, 18(2):65-71.
- U.S. EPA. 1993. *Reducing Uncertainty in Mass Balance Models of Toxics in the Great Lakes B Lake Ontario Case Study*. Great Lakes Program, State University of New York at Buffalo.
- USEPA, 1995. *Lake Michigan Mass Balance Project: Modeling Work Plan*. Office of Research and Development, National Health and Environmental Effects Research Laboratory, Mid-Continent Ecology Division, Community-Based Science Support Staff, Large Lakes Research Station, Grosse Ile, Michigan, 37 pp.
- U.S. Environmental Protection Agency. October 1997. *Lake Michigan Mass Budget/Mass Balance Work Plan*. USEPA Great Lakes National Program Office., Chicago, IL. EPA-905-R-97-016, 145pp.

- U.S. Environmental Protection Agency. June 1997. *Lake Michigan Mass Balance Study (LMMB) Methods Compendium Volume 1: Sample Collection Techniques*. Great Lakes National Program Office, Chicago, IL. EPA 905-R-97-012a, 403pp.
- U.S. Environmental Protection Agency. June 1997. *Lake Michigan Mass Balance Study (LMMB) Methods Compendium Volume 2: Organic and Mercury Sample Analysis Techniques*. Great Lakes National Program Office, Chicago, IL. EPA 905-R-97-012b, 532pp.
- U.S. Environmental Protection Agency. June 1997. *Lake Michigan Mass Balance Study (LMMB) Methods Compendium Volume 3: Metals, Conventional, Radiochemistry, and Biomonitoring Sample Analysis Techniques*. Great Lakes National Program Office, Chicago, IL. EPA 905-R-97-012c, 505pp.
- U.S. Environmental Protection Agency. October 1997. *Lake Michigan Enhanced Monitoring Quality Assurance Program Plan*. Great Lakes National Program Office, Chicago, IL. EPA 905-R-97-017, 134pp.
- U.S. Environmental Protection Agency. 2001. *Results of the Lake Michigan Mass Balance Study: Atrazine Data Report*, December 2001, USEPA Great Lakes National Program Office, Chicago, IL. 905R-01-010
- U.S. Environmental Protection Agency. 2001. *Results of the Lake Michigan Mass Balance Study: Polychlorinated Biphenyls and trans-Nonachlor Data Report*, December 2001, USEPA Great Lakes National Program Office, 905R-01-011
- U.S. Environmental Protection Agency. 2001. *The Lake Michigan Mass Balance Study: Quality Assurance Report*, December 2001, USEPA Great Lakes National Program Office, 905R-01-013
- U.S. Environmental Protection Agency. 2004. R. Rossmann (ed..) *Results of the Lake Michigan Mass Balance Project: PCB Modeling Report*. USEPA, Office of Research and Development, NHEERL, MED - Duluth, MN and Grosse Ile, MI. In revision.
- Van Hoof, P. 2000. *PCBs in Lake Michigan Surficial Sediments*. Report to the USEPA Great Lakes National Program Office, Chicago, IL. U.S. Department of Commerce, National Atmospheric and Oceanic Administration, Ann Arbor, MI.
- Velleux, M. L. and D. Endicott, 1994. Development of a mass balance model for estimating PCB export from the Lower Fox River to Green Bay. *J. Great Lakes Res.* 20(2):416-434.
- Velleux, M., D. Endicott, J. Steuer, S. Jaegar, and D. Patterson, 1995. Long-term simulation of PCB export from the Fox River to Green Bay. *J. Great Lakes Res.* 21(3):359-372.
- Velleux, M. S. Westenbroek, J. Ruppel, M. Settles, and D.E. Endicott. 2001. *A User's Guide to IPX, the In-Place Pollutant Export Water Quality Modeling Framework, Version 2.7.4*. U.S. Environmental Protection Agency, Office of Research and Development, NHEERL, MED, Grosse Ile, MI. EPA/600/R-01/074, 179 pp.
- Wanninkhoff, R.J. 1992. Relationship between gas exchange and wind speed over the ocean. *J. Geophys. Res.*, 97: 7373-7381.

SOURCES OF INFORMATION RELATED TO THE LAKE MICHIGAN MASS BALANCE STUDY

HOME PAGES:

Lake Michigan Mass Balance Study
<http://www.epa.gov/glnpo/lmmb/index.html>

U.S. EPA Great Lakes National Program Office
<http://www.epa.gov/glnpo>

U.S. EPA Large Lakes and Rivers Forecasting Research Branch
http://www.epa.gov/med/grosseile_site/index.html

Lake Michigan Lakewide Management Plan
<http://www.epa.gov/glnpo/michigan.html>

LAKE MICHIGAN MASS BALANCE STUDY REPORTS AND PUBLICATIONS

Lake Michigan Mass Balance Study Project Reports:

The Lake Michigan Mass Balance Project: Quality Assurance Plan for Mathematical Modeling, 1999
(March 2004)
http://www.epa.gov/med/grosseile_site/qa_lmmbp.pdf

Results of the Lake Michigan Mass Balance Study: Polychlorinated Biphenyls and trans-Nonachlor Data
Report. April 2004
<http://www.epa.gov/glnpo/lmmb/results/pcb/index.html>

Results of the Lake Michigan Mass Balance Study: Atrazine Data Report. December 2001
http://www.epa.gov/glnpo/lmmb/results/atra_datarpt.html

Lake Michigan Mass Balance Methods Compendium
<http://www.epa.gov/glnpo/lmmb/methods/index.html>

Links to other peer-reviewed journal publications (citations and abstracts) that resulted from the Lake Michigan
Mass Balance Study:

<http://www.epa.gov/glnpo/lmmb/results/pubs.html>

