

SANTEE RIVER BASIN

481

350110080502045 CRN31

LOCATION.--Lat 35°01'11", long 80°50'17", North American Datum of 1983, Mecklenburg County, Hydrologic Unit 03050103, Elon Homes for Children, Ardrey-Kell Road, Charlotte, NC.

PERIOD OF RECORD.--February 1996 to current year. Records for period February 1996 to September 1998 published in USGS OFR 98-67 and 99-273.

GAGE.--Tipping-bucket raingage and electronic datalogger. Radio telemetry at station.

REMARKS.--Gage is operated as part of Charlotte/Mecklenburg Rainfall Runoff Network. Collection of frozen precipitation during January 2002 is not reflected in daily or monthly totals.

PRECIPITATION, TOTAL, INCHES, WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002  
DAILY SUM VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.35	0.00	0.69	0.00	0.04
2	0.00	0.06	0.00	0.00	0.00	1.45	0.00	0.00	0.00	0.00	0.19	0.00
3	0.00	0.00	0.00	---	0.01	0.34	0.00	0.40	0.00	---	0.01	0.00
4	0.00	0.00	0.00	---	0.00	0.00	0.00	1.36	0.00	---	0.00	0.00
5	0.00	0.00	0.00	---	0.00	0.00	0.00	0.00	0.00	---	0.00	0.00
6	0.85	0.00	0.00	---	0.68	0.00	0.00	0.00	0.43	0.00	0.00	0.00
7	0.00	0.00	0.00	0.01	0.54	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.01	0.14	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	1.25	0.00	0.13	0.00	0.10	0.01	0.00	0.22	0.00	0.00
11	0.00	0.00	0.03	0.00	0.01	0.00	0.00	0.60	0.00	0.00	0.00	0.00
12	0.00	0.00	0.01	0.19	0.00	0.45	0.18	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.13	0.01	0.00	0.36	0.00	0.78	0.00	1.91	0.00	0.00
14	0.51	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	---	0.00	1.26
15	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	---	0.51	1.02
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	---	0.51	0.00
17	0.00	0.00	0.48	0.00	0.00	0.77	0.00	0.09	0.00	---	0.04	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.57	0.00	---	0.00	0.01
19	0.00	0.00	0.00	1.65	0.00	0.04	0.00	0.00	0.00	---	0.18	0.01
20	0.00	0.00	0.00	0.00	0.07	0.32	0.00	0.00	0.00	---	0.00	0.00
21	0.00	0.00	0.00	0.24	0.00	0.46	0.00	0.00	0.00	---	0.00	0.02
22	0.00	0.00	0.00	0.05	0.00	0.00	0.00	0.00	0.12	---	0.00	0.00
23	0.00	0.43	0.05	0.78	0.00	0.00	0.00	0.00	0.00	---	0.00	0.00
24	0.00	0.27	0.02	0.55	0.00	0.00	0.00	0.00	0.00	---	0.06	0.00
25	0.00	0.01	0.00	0.08	0.00	0.00	0.08	0.00	0.00	---	0.31	0.06
26	0.00	0.00	0.00	0.00	0.00	0.16	0.00	0.00	0.09	---	0.38	0.52
27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.00	0.02	0.31
28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.92	0.00
29	0.00	0.00	0.00	0.00	---	0.00	0.00	0.00	0.00	0.00	0.13	0.00
30	0.00	0.07	0.00	0.00	---	0.27	0.00	0.64	0.07	0.00	0.08	0.00
31	0.00	---	0.00	0.10	---	0.90	---	0.00	---	0.00	3.40	---
TOTAL	1.36	0.84	1.98	---	1.46	5.54	0.51	4.80	0.78	---	6.74	3.25

