

CAPE FEAR RIVER BASIN

02097314 NEW HOPE CREEK NEAR BLANDS, NC--Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD.--Water years 1983-86, 1989-1995, 1997-1999, 2001.

PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: December 1982 to September 1985.

WATER TEMPERATURE: December 1982 to September 1985.

INSTRUMENTATION.--Water-quality monitor from October 1982 to September 1985.

REMARKS.--Station operated to define water quality as part of a six-county regional surface-water quality assessment.

EXTREMES FOR PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: Maximum, 535 microsiemens, Sept. 30, 1984; minimum, 38 microsiemens. Mar. 6, 7, 1984.

WATER TEMPERATURE: Maximum, 27.5°C, Aug. 23, 1983; minimum, 0.0°C, Jan. 21, 22, 1985.

WATER-QUALITY DATA, WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001

DATE	TIME	DIS-CHARGE, INST. CUBIC FEET PER SECOND (00061)	SPE-CIFIC CON-DUCT-ANCE (US/CM) (00095)	PH WATER WHOLE FIELD (STAND-ARD UNITS) (00400)	TEMPER-ATURE WATER (DEG C) (00010)	COLOR (PLAT-INUM-COBALT UNITS) (00080)	BARO-METRIC PRES-SURE (MM OF HG) (00025)	OXYGEN, DIS-SOLVED (PER-CENT SATUR-ATION) (MG/L) (00300)	OXYGEN, DIS-SOLVED (PER-CENT SATUR-ATION) (MG/L) (00301)	HARD-NESS TOTAL (MG/L AS CACO3) (00900)	CALCIUM DIS-SOLVED (MG/L AS CA) (00915)	MAGNE-SIUM, DIS-SOLVED (MG/L AS MG) (00925)	SODIUM, DIS-SOLVED (MG/L AS NA) (00930)	
MAR 15...	1130	34	245	6.9	13.6	50	753	8.1	79	55	14.8	4.36	25.3	
DATE	SODIUM PERCENT (00932)	NITRO-GEN, AM-MONIA + NITRO-GEN, TOTAL (MG/L AS N) (00605)	POTAS-SIUM, DIS-SORP-TION RATIO (00931)	POTAS-SIUM, DIS-SOLVED (MG/L AS K) (00935)	BICAR-BONATE IT-FLD (MG/L AS HCO3) (99440)	ANC WATER UNFLTRD IT FIELD (MG/L AS MG/L AS CACO3) (00419)	SULFATE DIS-SOLVED (MG/L AS SO4) (00945)	CHLO-RIDE, DIS-SOLVED (MG/L AS CL) (00940)	FLUO-RIDE, DIS-SOLVED (MG/L AS F) (00950)	SILICA, DIS-SOLVED (MG/L AS SIO2) (00955)	SOLIDS, RESIDUE AT 180 DEG. C DIS-SOLVED (MG/L) (70300)	NITRO-GEN, NITRITE DIS-SOLVED (MG/L AS N) (00613)	NITRO-GEN, NO2+NO3 DIS-SOLVED (MG/L AS N) (00631)	NITRO-GEN, AMMONIA DIS-SOLVED (MG/L AS N) (00608)
MAR 15...	47	1	5.03	54	44	20.5	24.9	.5	9.4	162	.004	2.42	.020	
DATE	NITRO-GEN, ORGANIC TOTAL (MG/L AS N) (00605)	NITRO-GEN, AM-MONIA + NITRO-GEN, TOTAL (MG/L AS N) (00625)	NITRO-GEN, TOTAL (MG/L AS N) (00600)	PHOS-PHORUS TOTAL (MG/L AS P) (00665)	PHOS-PHORUS ORTHO, DIS-SOLVED (MG/L AS P) (00671)	ALUM-INUM, TOTAL RECOV-ERABLE (UG/L AS AL) (01105)	ARSENIC TOTAL (UG/L AS AS) (01002)	CADMIUM WATER UNFLTRD TOTAL (UG/L AS CD) (01027)	CHRO-MIUM, TOTAL RECOV-ERABLE (UG/L AS CR) (01034)	COBALT, TOTAL RECOV-ERABLE (UG/L AS CO) (01037)	COPPER, TOTAL RECOV-ERABLE (UG/L AS CU) (01042)	IRON, TOTAL RECOV-ERABLE (UG/L AS FE) (01045)	LEAD, TOTAL RECOV-ERABLE (UG/L AS PB) (01051)	
MAR 15...	.60	.62	3.0	.169	.113	411	<2	<.11	M	<2	2.1	1060	1	
DATE	MANGA-NESE, TOTAL RECOV-ERABLE (UG/L AS MN) (01055)	MERCURY TOTAL RECOV-ERABLE (UG/L AS HG) (71900)	MOLYB-DENUM, TOTAL RECOV-ERABLE (UG/L AS MO) (01062)	NICKEL, TOTAL RECOV-ERABLE (UG/L AS NI) (01067)	SELE-NIUM, TOTAL RECOV-ERABLE (UG/L AS SE) (01147)	SILVER, TOTAL RECOV-ERABLE (UG/L AS AG) (01077)	ZINC, TOTAL RECOV-ERABLE (UG/L AS ZN) (01092)	CARBON, ORGANIC TOTAL (MG/L AS C) (00680)	SEDI-MENT, SUS-PENDED (MG/L) (80154)	SEDI-MENT, DIS-CHARGE, SUS-PENDED (T/DAY) (80155)				
MAR 15...	145	<.14	2.9	3	<2.6	<.43	E26	7.2	59	5.4				