

ICARIS-2

The Second Injury Control and Risk Survey

*United States Department of Health and Human Services  
Centers for Disease Control and Prevention  
National Center for Injury Prevention and Control*

Documentation—Public-use data set

## Terms of Use

- Bibliographic Citation:** Publications based on ICARIS-2 data collections should acknowledge those sources by means of bibliographic citations. Citations must appear in footnotes or in the reference section of the publications in order to ensure that source attributions are captured for social science bibliographic utilities. The bibliographic citation for this data collection is:
- United States Department of Health and Human Services, Centers for Disease Control and Prevention, Second Injury Control and Risk Survey (ICARIS-2) [Computer File]. OMB Number 200-1996-00599. Atlanta, GA.
- Request for Information on use of ICARIS-2 Resources:** Users of ICARIS-2 data are requested to send ICARIS-2 bibliographic citations for each completed manuscript or thesis abstract to the funding agency. Bibliographic citations should be e-mailed to ICARIS2@CDC.GOV.
- Data Disclaimer:** The original collector of the data bears no responsibility for uses of this collection or for interpretations or inferences based upon such uses.
- Responsible Use Statement:** Any intentional identification or disclosure of a person violates the assurances of confidentiality given to providers of the information collected in this survey. Therefore, users of these data agree to:
- Use these data solely for statistical analysis and reporting of aggregate information.
  - Make no use of the identity of any person discovered inadvertently.
  - Produce no links among this and any other datasets that could identify individuals.
- Redistribution:** ICARIS-2 data may not be redistributed to other individuals, institutions, or organizations, without the written agreement of the funding agency.

### **Bibliographic Description**

OMB Number: 200-1996-00599

Title: The Second Injury Control and Risk Survey (ICARIS-2)

Principal Investigator: United States Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Injury Prevention and Control

Funding Agency: United States Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Injury Prevention and Control

Bibliographic Citation: United States Department of Health and Human Services, Centers for Disease Control and Prevention, Second Injury Control and Risk Survey (ICARIS-2) [Computer File]. OMB Number 200-1996-00599. Atlanta, GA.

### **Scope of Study**

Summary: The Second Injury Control and Risk Survey (ICARIS-2) entered the field on July 23, 2001. In addition to a telephone screener and modules on person and household demographics, the survey collected information on selected topics in the area of unintentional injury (residential fire prevention, sports and recreation, falls among the elderly, recent alcohol consumption, counseling by healthcare providers, motor vehicles, child pedestrian and bicycle helmet safety, water recreation, and dog bites) as well as violence-related injury topics (family, interpersonal, and sexual violence; stalking; firearm storage practices; and suicide). Questions were also asked regarding respondents' views to being asked sensitive questions (family, interpersonal, and sexual violence; stalking) on surveys of this type. A module was added to the survey (fielded on January 10, 2002) to include questions about posttraumatic stress disorder (PTSD) after the terrorist attacks in the United States on September 11, 2001.

Geographic Coverage: United States (the 50 States and the District of Columbia)

Dates of Collection: July 23, 2001, through February 7, 2003

Universe: English- or Spanish-speaking population of adults (age 18 years or older) in the 50 states and the District of Columbia, living in eligible households with at least one landline telephone

Data Type: Interview data

### **Methodology**

Sample: Data were collected through a cross-sectional, list-assisted random-digit-dial (RDD) telephone survey of English- or Spanish-speaking adults (age 18 years or older) in all 50 U.S. states and the District of Columbia living in eligible households as defined by the U.S. Bureau of the Census. The sampling frame was the GENESYS Sampling Systems' "1+ banks" comprised of blocks of 100 telephone numbers, with each block containing at least one residential directory listing. Telephone exchanges were stratified into high- ( $\geq 10\%$  African American or Hispanic households) and low-minority (all others) strata. Seventy

percent of the ICARIS-2 sample was drawn from the high-minority stratum. One adult (aged 18 or older) was selected from each eligible household. In households with both male and female adults, a gender category was selected with a higher probability of choosing a male. In households with multiple eligible adults of the selected gender, the adult with the most recent birthday was chosen. Data collection took place in six rounds or waves. Following the addition of the PTSD module in January of 2002, the sample design was modified to add a 10% oversample in both NY City CMSA and DC PMSA (waves 3–6). The same criteria regarding high- and low-minority sampling was applied to the oversample.

Data Source: Telephone interviews with adult respondents selected for interview as described above

### **Access and Availability**

Extent of Collection: One SAS V9.1 data set with variable labels and formats  
Also available: one SAS V9.1 data set stripped of formats, along with a SAS program to create a format library and the SAS code to link variables to formats

Data Format: The ICARIS-2 public-use data set was generated using SAS version 9.1 on 2/3/2007. The data, structured as 1 record per interviewed respondent (9,684 completed interviews), contains 334 SAS variables. The unique identifier for each record is the Respondent ID (R\_ID).

### **Acknowledgements<sup>1</sup>**

Project Core Group: Jieru Chen, M.S.; Ann M. Dellinger, Ph.D., M.P.H.; Marcie-jo Kresnow, M.S.; Chester L. Pogostin, D.V.M., M.P.A.; and Thomas R. Simon, Ph.D. of the National Center for Injury Prevention and Control (NCIPC), Centers for Disease Control and Prevention (CDC); Robert Black, M.P.H.; Diane Burkom, M.A. of Battelle Centers for Public Health Research and Evaluation (Battelle)

Project Associates: Ileana Arias, Ph.D.; Kim Blindauer, D.V.M., M.P.H.; Christine Branche Ph.D., Alex E. Crosby, M.D., M.P.H.; Linda L. Dahlberg, Ph.D.; Megan Davies, M.D.; Julie Gilchrist, M.D.; John Horan, M.D., M.P.H.; Dafna Kanny, Ph.D.; Robin M. Ikeda, M.D., M.P.H.; Bruce Jones, M.D., M.P.H.; Scott Kegler, Ph.D.; Joanne Klevens, Ph.D.; James A. Mercy, Ph.D.; Sarah J. Olson, M.S., CHES; Linda Saltzman, Ph.D.; Rich Schieber, M.D., M.P.H.; Gene Shelley, Ph.D.; David Sleet, Ph.D.; Judy Stevens, Ph.D.; Martie Thompson, Ph.D.; and Dionne D. White, M.P.S. of NCIPC; Jeffrey J. Sacks, M.D., M.P.H. of the National Center for Chronic Disease Prevention and Health Promotion, CDC; and Charles Wolters, M.S.; and Carol Oppenheim, B.A. of Battelle.

### **Publications**

ICARIS-2 Publications: Publications using data from the Second Injury Control and Risk Survey can be located by searching the literature using the keyword ICARIS-2.

---

<sup>1</sup>Acknowledges the contribution of members of the ICARIS-2 (Second Injury Control and Risk Survey) project, who designed and conducted the survey from which these data were obtained.

---

## Contents

---

Section/Description	Page(s)
I. Data Collection	1
II. Using the Data	1–2
III. Weighting	2–5
IV. File Structure	5–6
V. Contact Information	6
VI. List of Variables: ICARIS-2 Public-use data set	LV-1 to LV-11
VII. Codebook: ICARIS-2 Public-use data set	CB-1 to CB-63

---

### **List of Appendices (located in separate electronic files)**

- A. Response Rate Computation
- B. Comparison of the ICARIS-2 Sample with the Population
- C. Data Quality Log
- D. Questionnaire
- E. “Other Specify” Questionnaire Responses
- F. Census 2000 Poverty Threshold Levels

## I. DATA COLLECTION

The Second Injury Control and Risk Survey (ICARIS-2) was sponsored by the National Center for Injury Prevention and Control (NCIPC), Centers for Disease Control and Prevention (CDC). The survey was initially designed to obtain survey responses on a variety of injury issues from adults in 8,500 randomly selected households (1 adult respondent per household), representative of the English- or Spanish-speaking population of the United States and the District of Columbia (DC). The survey oversampled by gender and minority concentration (high/low). Data collection took place in six rounds or waves. Topics included residential fire safety, sports and recreation, falls among the elderly, counseling by a health care provider, motor vehicle, child pedestrian and bicycle helmet safety, water recreation, dogs and dog bites, family violence, lifetime stalking, interpersonal violence, sexual violence, firearm storage and injury, and suicide. Information was also collected on past 30-day alcohol consumption, on respondents' reactions to being asked sensitive questions (on family, interpersonal, and sexual violence and lifetime stalking) and on selected person- and household-level demographics. The study was fielded on July 23, 2001. Interviews were conducted by Battelle Centers for Public Health Research and Evaluation.

After the terrorist attacks on the World Trade Center and the Pentagon (September 11, 2001) the scope of the survey was broadened and a questionnaire module was added seeking information about symptoms of posttraumatic stress disorder (PTSD) and exposure to the events of 9/11/2001. At this time, the study design was modified and a 10% oversample of telephone numbers from both the New York-New Jersey-Connecticut-Pennsylvania Consolidated Metropolitan Statistical Area (NY City CMSA) and the District of Columbia-Maryland-Virginia-West Virginia Primary Metropolitan Statistical Area (DC PMSA) was added to the telephone numbers already in the sample (waves 3–6). The PTSD module was fielded on January 10, 2002. Interview data from the last case was collected on February 7, 2003, resulting in 9,684 completed interviews. The response rate for this study was 48% (Appendix A) using standard formulas from the American Association for Public Opinion Research.<sup>2</sup>

## II. USING THE DATA

While all 9,684 respondents are eligible to be asked the lead question and other nonskip-pattern questions in most modules, there are selected modules or portions of selected modules for which only a subset of respondents are eligible to be asked nonskip-pattern questions. These subsets include 1,709 respondents age 65 years or older (for questions on falls among the elderly and selected questions on self-restricted driving), 2,214 respondents living in households with at least 1 child aged 0–9 years (question K4), 3,156 respondents living in households with at least 1 child age 4–18 years (question FA16), and 7,235 respondents interviewed on or after January 10, 2002 (for questions on PTSD following the events of 9/11/2001). Note that additional restrictions may further reduce these subset totals. For example, question FA16 (number of children in household age 4–18 who ever attended a firearm safety workshop) was further limited to those reporting a firearm in or around the home in the past 12 months (FA1 = 1 and at least 1 child age 4–18 years or 926 respondents). In addition, several modules required respondents to provide proxy information on a randomly selected child as follows: questions about child counseling by a health care provider and selected questions in the motor vehicle module (3,019 households with at least 1 child age 0–14 years); and questions on child pedestrians walking to school and questions about child bicycle helmet safety (2,409 households with at least 1 child age 5–14 years). As mentioned above, additional restrictions may apply.

---

<sup>2</sup>American Association for Public Opinion Research. Standard definitions: final dispositions of case codes and outcome rates for surveys. 3<sup>rd</sup> edition. Lenexa, Kansas: AAPOR; 2004.

Sample weights are essential for computing national estimates using these data. Each sample weight is composed of the inverse of the selection probability for a given record, adjusted for nonresponse at various levels of the selection procedure and poststratified as described in the section on weighting below.

Several sample weights are provided on the public-use data set. The choice of weight is dependent on the unit of analysis for the outcome variable of interest. For most analyses, the adult respondent weight (WT\_RESP) or the household weight (WT\_HH) will be the appropriate choice. The various weights available appear in Section III (Weighting). While national (point) estimates can be obtained using most software packages as long as a weight can be specified, standard errors and statistical testing must be generated using SUDAAN software, SAS software (procedures specific to producing estimates from sample survey data such as SURVEYMEANS, SURVEYLOGISTIC), or some other software package that can take into account the complexity of the survey design. When analyzing these data using PC SAS-Callable SUDAAN, the SUDAAN DESIGN variable is WR (with replacement) and the SUDAAN NEST variable is NewStrat. If SAS is the software of choice, the SAS STRATA variable is NewStrat. In either case, refer to the most recent version of the manual for analysis options and procedures.

Note that although estimated national totals or percentages may be large, the actual count upon which these estimates are based may be quite small. Estimates will be based on 9,684 records or some subset of this number, depending on the subgroup one wishes to analyze or on the rarity of the item of interest. The statistical criteria used to decide if a national estimate is unstable or unreliable is as follows: if the coefficient of variation (CV) is greater than 30%, the estimate should be suppressed as unstable. In addition, the user may wish to consider estimates based on fewer than some number, for example 20 respondents, to be unstable regardless of the CV.

### III. WEIGHTING

Several weight variables were developed for the public-use data set. These include a poststratified household weight, a poststratified adult respondent weight, a poststratified randomly selected child age 0–14 years weight, a poststratified randomly selected child age 5–14 years weight, poststratified individual child weights (for each child age 0–14 years living in the household), and a poststratified household weight and a poststratified adult respondent weight (for the subset of respondents who were administered the module on posttraumatic stress disorder).<sup>3</sup>

Numerous steps were taken to develop these weights including adjustments for varying selection probabilities, varying levels of nonresponse, and poststratification adjustments. The different types of adjustments are briefly described below.

#### *Selection Probabilities*

All weights were adjusted for the probability of selecting a telephone number and for multiple telephone lines within the household. Weights for adult respondents were also adjusted for multiple adults of the selected gender living in the household while weights for the randomly selected child were adjusted for multiple children of the selected age range (0–14 years and 5–14 years) living in the household.

---

<sup>3</sup>An interim weight for the randomly selected dog in the household was also created. In addition to the adjustments made for selecting the household, an adjustment for multiple dogs residing in the household was also applied. However, these weights have yet to be poststratified to a dog population for producing national estimates.

### *Nonresponse*

In order to determine eligibility, first at the household level and then at the respondent or child level, several steps had to take place. First, the interviewer needed to determine if the number dialed was indeed a residence. Next, the interviewer needed to determine if there were adults living in the household, and if so, select an adult respondent for interview. Also, in households with children, the interviewer needed to randomly select a child in the age range of interest for selected questions. Failure to collect any of these bits of information resulted in the need for an adjustment.

### *Poststratification*

Household weights were poststratified to the Census 2000 household counts and then updated to household counts from the March 2002 Current Population Survey. Weights for adult respondents and for children in the household were poststratified by age group, sex, race, and Hispanic origin to the July 2002 Bridged Census File. A second set of household- and respondent-level poststratified weights were computed for analysis of the module on posttraumatic stress disorder, due to the late start date in the field (fielded January 10, 2002; see Section I. Data Collection).

Each of these adjustments, when applied to the data, combine to produce weighted national estimates (totals, percentages) of persons reporting selected injuries or injury risk factors.



Available weights and their uses are summarized below.

<b>Weight</b>	<b>Definition / Use</b>
<b><u>Respondent Weights</u></b>	
WT_Resp	Final poststratified adult respondent weight. Use for all analyses where the adult respondent is the unit of analysis, with the exception of variables from the module on posttraumatic stress disorder.
WT_Resp_P	Final poststratified adult respondent weight. Use for all analyses where the adult respondent is the unit of analysis and data from the module on posttraumatic stress disorder (Module 20) are being analyzed.
<b><u>Household Weights</u></b>	
WT_HH	Final poststratified household weight. Use for all analyses where the household is the unit of analysis, with the exception of variables from the module on posttraumatic stress disorder.
WT_HH_P	Final poststratified household weight. Use for all analyses where the household is the unit of analysis and data from the module on posttraumatic stress disorder (Module 20) are being analyzed.
<b><u>Randomly Selected Child Weights</u></b>	
WT_RSCh0014	Final poststratified weight for the randomly selected child age 0–14 years. Use for analysis of selected variables from the module on Counseling by Health Care Providers (Module 7, questions C3 and C4a–e) and analysis of selected variables from the module on Motor Vehicles (Module 8, questions MV11, MV12a–c, and MV13).
WT_RSCh0514	Final poststratified weight for the randomly selected child age 5–14 years. Use for analysis of all questions in the module on Child Pedestrians Walking to School (Module 9) and all questions in the module on Child Bicycle Safety Helmet Use (Module 10).
<b><u>Individual Child Weights</u></b>	
WT_Kid01	Final poststratified weight for the oldest child in the household under 15 years of age. Use for analysis of dog bites and medically treated dog bites for the oldest child in the household under age 15 years (Module 12, questions DB2_01 and DB4_01, respectively).
WT_Kid02	Final poststratified weight for the next oldest child in the household under 15 years of age. Use for analysis of dog bites and medically treated dog bites for the next oldest child in the household under age 15 years (Module 12, questions DB2_02 and DB4_02, respectively).
:	
:	
WT_Kid07	Final poststratified weight for the youngest child in the household under 15 years of age. Use for analysis of dog bites and medically treated dog bites for the next oldest child in the household under age 15 years (Module 12, questions DB2_07 and DB4_07, respectively).
<b><u>Randomly Selected Dog Weight</u></b>	
RSDogWt	Interim weight for the randomly selected dog living in the household. Must be poststratified to some population control total (to be identified by the user) before using. Once a final poststratified analysis weight for the randomly selected dog in the household is developed, these data may be used to analyze characteristics of dogs collected in the module on Dogs and Dog Bites (Module 12, questions DB6–DB8).

Below is a table of unweighted and weighted (national) point estimates for selected variables using selected weights described above. Note the weight chosen is dependent upon the unit of analysis for the outcome variable of interest. The user is encouraged to replicate these estimates as a check that the data are being used correctly.

Unit of Analysis [Weight]	Response	Sample Count	Weighted Count	Weighted Percent
<b><i>Fire Module: F1. Are there any smoke alarms or smoke detectors installed in your home?</i></b>				
Household [WT_HH]	Yes	9,192	103,602,244	94.79
	No	475	5,548,752	5.08
	Don't Know	17	147,005	0.13
	Total	9,684	109,298,000	100.00
<b><i>Alcohol Consumption: A1. During the past 30 days, that is since [MONTH AND DAY], have you had at least one drink of any alcoholic beverage such as beer, wine, wine cooler, or liquor?</i></b>				
Adult Respondent [WT_Resp]	Yes	4,811	102,721,748	47.67
	No	1,903	46,618,592	21.64
	Nondrinker	2,951	65,775,063	30.53
	Don't Know	8	134,134	0.06
	Refused	11	224,686	0.10
	Total	9,684	215,474,223	100.00
<b><i>Bicycle Helmets: Bike1. Does [NAME OF RANDOMLY SELECTED CHILD AGE 5-14 YEARS LIVING IN THE HOUSEHOLD] ever ride a bicycle?</i></b>				
Randomly Selected Child age 5-14 years [WT_RSCh0514]	Yes	1,945	33,962,341	82.76
	No	457	6,990,781	17.04
	Don't Know	4	58,865	0.14
	Refused	3	25,299	0.06
Total <sup>a</sup>		2,409	41,037,286	100.00

<sup>a</sup> Sample count is limited to proxy data for 2,409 randomly selected children between the ages of 5 and 14 years. Weighted counts and percentages are produced based on analysis of proxy data for these 2,409 children.

#### IV. FILE STRUCTURE

The public-use data set was created on 2/3/2007 using SAS version 9.1. The data file is structured as one record per interviewed respondent per household and contains 334 formatted and labeled SAS variables for the 9,684 respondents who completed the interview. The unique identifier for each record is the Respondent ID (R\_ID). This data structure will support analyses of all modules with the exception of dog bites and medically treated dog bites among children (Module 12). For these latter analyses, the user will need to restructure the data as 1 record per child per household for households with 1 or more children age 0–14 years (and carry along the appropriate child age, sex, weight, dog bite, and treated dog bit status, along with respondent or household characteristics of interest; see Section VI below) and 1 record per household for households with no children age 0–14 years. Respondent ID will serve as the unique household identifier for these analyses, and a sequential counter will need to be created to distinguish between multiple records (children) within a given household.

As an alternative to the formatted and labeled data set, users may download a SAS Version 9.1 public-use data set stripped of SAS formats along with two additional programs or program segments: a program to create the SAS format library and a program segment of SAS code linking formats to variables. These programs and/or program segments can be edited as desired (for example, to shorten format values) and then run to create the users own public-use data set.

## **V. CONTACT INFORMATION -**

Requests for the public-use data set and specific questions regarding the Second Injury Control and Risk Survey should be sent via e-mail to [ICARIS2@CDC.GOV](mailto:ICARIS2@CDC.GOV).

## **VI. LIST OF VARIABLES on the ICARIS-2 Public-Use data set**

## VI. LIST OF VARIABLES on the ICARIS-2 Public-Use Data Set

*The information in brackets [ ] reflects skip patterns employed.*

### Administrative Variables

R_ID	Respondent Unique Identifier
IntDate	Interview Date (formatted as mmddyyyy)
IntLang	Language in which interview was conducted
TotalMin	Length of Interview, minutes (formatted as mmm-computed)
TotalSec	Length of Interview, seconds (formatted as ss-computed)
NewStrat	Stratum variable (for use in complex survey analysis)
PSU	Primary Sampling Unit variable, same as R_ID (for use in complex survey analysis)

### Analysis Weights (for most analyses, unless otherwise specified)

WT_Resp	Unit of analysis is Respondent—Final Analysis Weight (for analysis of non-PTSD respondent variables)
WT_HH	Unit of analysis is Household—Final Analysis Weight (for analysis of non-PTSD household variables)

### Census Variables

FIPS	State and County FIPs Code (5 digits, formatted SSCCC)
MSAFIPS	Metropolitan Statistical Area FIPs Code (4 digits)
CntySize	County Size (4 levels)
CenReg	Census Region (4 levels)
CenDiv	Census Division (10 levels)

### Telephone Screener

SC2	Number of men in household age 18+ years
SC3	Number of women in household age 18+ years
SC4	Number of children in household < 18 years
SC5	Are any people in household related?

### Module 1—Demographics and Home

DH1	Respondent sex
DH2	Respondent year of birth (YYYY)
DH2a	Respondent younger than age 65 years? [Ask only if DH2 = 9998, 9999]
DH3	Respondent month of birth (MM)
DH3a	Respondent already had birthday this year? [Ask only if DH3 = 98, 99]
DH3b	Respondent already had birthday this month? [Ask only if DH3 = Interview Month]
RespAge	Respondent age in years (computed)
DH4	Number of children < 14 years old living in the household [Ask only if SC4 > 0]
DH5	Type of residence (structure)
DH6	Does more than one telephone number ring in the home?
DH7	Number of nonbusiness telephone numbers that ring in the home [Ask only if DH6 = 1]

**Module 2—Residential Fire Safety**

F1	Any smoke alarms/detectors installed in the home?
F2	1+ working smoke detector on each floor in the home? [Ask only if F1 = 1]
F3	Smoke detector in/outside the area where you sleep? [Ask only if F1 = 1]
F4	How often test smoke detectors? [Ask only if F1 = 1]
F5	Uncontrolled fire in the home, past 12 months?
F6	Anyone injured in this fire, past 12 months? [Ask only if F5 = 1]
F7	Respondent and family designed a fire escape plan?
F8	How often respondent and family practice fire escape plan? [Ask only if F7 = 1]

**Module 3—Sports and Recreation**

SR1	Physical activity/exercise done most, past 30 days
SR1Code	Physical activity/exercise done most, past 30 days—Other Specify [Ask only if SR1 = 40]
SR2	Injured in exercise, past 30 days, and changed daily activities/sought medical care? [Ask only if SR1 < 41]
SR3	Place sought medical care for exercise injury, past 30 days [Ask only if SR2 = 1]
SR3Code	Place sought medical care for exercise injury, past 30 days—Other Specify [Ask only if SR3 = 8]
SR4	How often stretch muscles before exercising? [Ask only if SR1 < 41]

**Module 4—Falls among the Elderly**

FE1	Rate (1–5) fear of falling [Ask only if age 65+]
FE2	Rate (1–5) importance of physical activity in preventing falls [Ask only if 65+]
FE3	Doctor/pharmacist reviewed with you each medication you are taking, past 12 months? [Ask only if 65+]
FE4	Fallen, past 3 months? [Ask only if 65+]
FE5	Injured, most recent fall, past 3 months? [Ask only if 65+ and FE4 = 1]
FE6	Medical treatment for injury, most recent fall, past 3 months? [Ask only if 65+ and FE5 = 1]
FE7	After fall change physical activity to prevent falling again? [Ask only if 65+ and FE4 = 1]
FE8	Changes made to home environment to prevent falling again? [Ask only if 65+ and FE4 = 1]
FE9	Doctor change medications because they may have been associated with fall? [Ask only if 65+ and FE3 = 1, 2 and FE4 = 1]

**Module 5—Enumeration of Children age < 15 years living in the household**

K2U_01	Child 01—Age Units [Ask only if DH4 > 0]
K2_01	Child 01—Age [Ask only if DH4 > 0]
K3_01	Child 01—Sex [Ask only if DH4 > 0]
WT_Kid01	Unit of analysis is Child 01—Final Analysis Weight (for analysis of dog bites/medically treated dog bites)
K2U_02	Child 02—Age Units [Ask only if DH4 > 1]
K2_02	Child 02—Age [Ask only if DH4 > 1]
K3_02	Child 02—Sex [Ask only if DH4 > 1]
WT_Kid02	Unit of analysis is Child 02—Final Analysis Weight (for analysis of dog bites/medically treated dog bites)

**Module 5—Enumeration of Children age < 15 years living in household (continued)**

K2U_03	Child 03—Age Units [Ask only if DH4 > 2]
K2_03	Child 03—Age [Ask only if DH4 > 2]
K3_03	Child 03—Sex [Ask only if DH4 > 2]
WT_Kid03	Unit of analysis is Child 03—Final Analysis Weight (for analysis of dog bites/medically treated dog bites)
K2U_04	Child 04—Age Units [Ask only if DH4 > 3]
K2_04	Child 04—Age [Ask only if DH4 > 3]
K3_04	Child 04—Sex [Ask only if DH4 > 3]
WT_Kid04	Unit of analysis is Child 04—Final Analysis Weight (for analysis of dog bites/medically treated dog bites)
K2U_05	Child 05—Age Units [Ask only if DH4 > 4]
K2_05	Child 05—Age [Ask only if DH4 > 4]
K3_05	Child 05—Sex [Ask only if DH4 > 4]
WT_Kid05	Unit of analysis is Child 05—Final Analysis Weight (for analysis of dog bites/medically treated dog bites)
K2U_06	Child 06—Age Units [Ask only if DH4 > 5]
K2_06	Child 06—Age [Ask only if DH4 > 5]
K3_06	Child 06—Sex [Ask only if DH4 > 5]
WT_Kid06	Unit of analysis is Child 06—Final Analysis Weight (for analysis of dog bites/medically treated dog bites)
K2U_07	Child 07—Age Units [Ask only if DH4 > 6]
K2_07	Child 07—Age [Ask only if DH4 > 6]
K3_07	Child 07—Sex [Ask only if DH4 > 6]
WT_Kid07	Unit of analysis is Child 07—Final Analysis Weight (for analysis of dog bites/medically treated dog bites)
K4	Poison Control Number posted near telephone? [Ask only if Child < age 10 in household]

**Age-specific child counters**

NK0514Y	Number of children in household age 5 to 14 years (computed)
NK0014Y	Number of children in household age 0 to 14 years (computed)
NK0009Y	Number of children in household age 0 to 9 years (computed)
NK0418Y	Number of children in household age 4 to 18 years (computed)

**Randomly Selected Child Age 0–14 Years**

RSChAge0014	Age of Randomly Selected Child ages 0 to 14 years (created) (for analysis of C3, C4a–e, MV11–13)
RSChSex0014	Sex of Randomly Selected Child ages 0 to 14 years (created) (for analysis of C3, C4a–e, MV11–13)
WT_RSCh0014	Unit of analysis is Randomly Selected Child age 0 to 14yrs—Final Analysis Weight (for analysis of C3, C4a–e, MV11–13)
RSChAge0514	Age of Randomly Selected Child ages 5 to 14 years (created) (for analysis of Ped1–Ped3, PeD3Code, Bike1–Bike6)
RSChSex0514	Sex of Randomly Selected Child ages 5 to 14 years (created) (for analysis of Ped1–Ped3, PeD3Code, Bike1–Bike6)
WT_RSCh0415	Unit of analysis is Randomly Selected Child age 5 to 14yrs—Final Analysis Weight (for analysis of Ped1–Ped3, PeD3Code, Bike1–Bike6)

## Module 6—Alcohol Consumption

- A1 One or more alcoholic drinks, past 30 days?
- A2U Units, Number of days drink alcohol on average, past 30 days (per week, month)  
[Ask only if A1 = 1]
- A2 Number of days drink alcohol on average, past 30 days [Ask only if A1 = 1 and A2U ≠ 98, 99]
- A3 Average number of alcoholic drinks per day on days that you drink  
[Ask only if A1 = 1 and A2 > 0 and A2U = 1, 2]
- A4 Number of times had 5+ alcoholic drinks on an occasion, past 12 months [Ask only if A1 = 1]

## Module 7—Counseling by a Health Care Provider

- C1 Number of visits to health care provider, past 12 months
- C2a Respondent counseled about seat belt use? [Ask only if C1 = 1–95]
- C2b Respondent counseled about drinking and driving? [Ask only if C1 = 1–95]
- C2c Respondent counseled about smoke detectors/alarms? [Ask only if C1 = 1–95]
- C2d Respondent counseled about proper firearm storage? [Ask only if C1 = 1–95]
- C2e Respondent counseled about family violence? [Ask only if C1 = 1–95]
- C2f Respondent counseled about suicide? [Ask only if C1 = 1–95]
- C3CN Child number (01,02,...,07) of randomly selected (RS) child age 0–14 [Ask only if DH4 ≠ 0, 97]
- C3 Number of RS Child visits to a health care provider, past 12 months  
[Ask only if RS Child age 0–14, 99 and C3 = 1–95]
- C4a RS Child or adult counseled on seat belt use during child visit?  
[Ask only if RS Child age 0–14, 99 and C3 = 1–95]
- C4b RS Child or adult counseled on smoke detectors during child visit?  
[Ask only if RS Child age 0–14, 99 and C3 = 1–95]
- C4c RS Child or adult counseled on poison control center number during  
child visit? [Ask only if RS Child age 0–6, 99 and C3 = 1–95]
- C4d RS Child or adult counseled on proper firearm storage during child visit?  
[Ask only if RS Child age 2–14, 99 and C3 = 1–95]
- C4e RS Child or adult counseled on bicycle safety helmets?  
[Ask only if RS Child age 2–14, 99 and C3 = 1–95]
- C5 Any health care coverage?

## Module 8—Motor Vehicle

- MV1 Frequency of seat belt use when driving a motor vehicle, past 30 days
- MV2 Frequency of seat belt use when riding as a passenger in a motor vehicle, past 30 days
- MV3a Avoid driving at night? [Ask only if MV1 ≠ 7]
- MV3b Tend to avoid driving in bad weather? [Ask only if MV1 ≠ 7]
- MV3c Tend to avoid driving on highways/high speed roads? [Ask only if MV1 ≠ 7]
- MV3d Tend to avoid driving on long trips? [Ask only if Age 65+ and MV1 ≠ 7]
- MV3e Tend to avoid driving in congested traffic? [Ask only if Age 65+ and MV1 ≠ 7]
- MV4 Involved in a motor vehicle crash as either a passenger or a driver, past 12 months?
- MV5 Seek medical treatment for motor vehicle crash injury, past 12 months? [Ask only if MV4 = 1]
- MV6 Miles driven during the past 12 months, in thousands (continuous) [Ask only if MV1 ≠ 7]
- MV6a Miles driven, past year [MV1 ≠ 7, MV6 = 998, 999]
- MV6Conf Miles driven during the past 12 months, confirmation screen (added to the survey 04/15/2002)



**Module 8—Motor Module 11—Water Recreation**

W1	Number of days drove/rode in a motorboat, past 12 months
W2	Drink alcohol when drove/rode in a motor boat or within 2 hrs, most recent time? [Ask only if W1 ≠ 0 and A1 ≠ 3]
W3	Access to an outdoor swimming pool where you live?
W4	Pool fenced with gate that closes/latches automatically? [Ask only if W3 = 1]
W5	Any child under 5 years alone inside pool area without adult knowledge or supervision, past 12 months? [Ask only if W3 = 1]

**Module 12—Dogs and Dog Bites**

DB1	Anyone living in household bitten by a dog, past 12 months?
DB2_01	Child 01—Bitten by a dog, past 12 months? [Ask only if DB1 = 1 and DH4 > 0]
DB2_02	Child 02—Bitten by a dog, past 12 months? [Ask only if DB1 = 1 and DH4 > 1]
DB2_03	Child 03—Bitten by a dog, past 12 months? [Ask only if DB1 = 1 and DH4 > 2]
DB2_04	Child 04—Bitten by a dog, past 12 months? [Ask only if DB1 = 1 and DH4 > 3]
DB2_05	Child 05—Bitten by a dog, past 12 months? [Ask only if DB1 = 1 and DH4 > 4]
DB2_06	Child 06—Bitten by a dog, past 12 months? [Ask only if DB1 = 1 and DH4 > 5]
DB2_07	Child 07—Bitten by a dog, past 12 months? [Ask only if DB1 = 1 and DH4 > 6]
DB2_11	Child > 15 years—Bitten by a dog, past 12 months? [Ask only if DB1 = 1 and SC4 > DH4]
DB2_12	Respondent—Bitten by a dog, past 12 months? [Ask only if DB1 = 1]
DB2_13	Other Adult in the household—Bitten by a dog, past 12 months? [Ask only if DB1 = 1 and SUM(SC2,SC3) > 1]
DB3	Anyone living in household who was bitten get medical treatment for the dog bite? [Ask only if DB1 = 1]
DB4_01	Child 01—Medically treated for a dog bite, past 12 months? [Ask only if DB3 = 1 and DB2_01 = 1 and DH4 > 0]
DB4_02	Child 02—Medically treated for a dog bite, past 12 months? [Ask only if DB3 = 1 and DB2_02 = 1 and DH4 > 1]
DB4_03	Child 03—Medically treated for a dog bite, past 12 months? [Ask only if DB3 = 1 and DB2_03 = 1 and DH4 > 2]
DB4_04	Child 04—Medically treated for a dog bite, past 12 months? [Ask only if DB3 = 1 and DB2_04 = 1 and DH4 > 3]
DB4_05	Child 05—Medically treated for a dog bite, past 12 months? [Ask only if DB3 = 1 and DB2_05 = 1 and DH4 > 4]
DB4_06	Child 06—Medically treated for a dog bite, past 12 months? [Ask only if DB3 = 1 and DB2_06 = 1 and DH4 > 5]
DB4_07	Child 07—Medically treated for a dog bite, past 12 months? [Ask only if DB3 = 1 and DB2_07 = 1 and DH4 > 6]
DB4_11	Child > 14—Medically treated for a dog bite, past 12 months? [Ask only if DB3 = 1 and DB2_11 = 1 and SC4 > DH4]
DB4_12	Respondent—Medically treated for a dog bite, past 12 months? [Ask only if DB3 = 1 and DB2_12 = 1]
DB4_13	Other Adult in the household—Medically treated for a dog bite, past 12 months? [Ask only if DB3 = 1 and DB2_13 = 1 and SUM(SC2,SC3) > 1]
DB5	Number of dogs in the home
DB6	Breed of a randomly selected dog in the household [Ask only if DB5 ≠ 0]
DB6Code	Breed of a randomly selected dog in the household—Other Specify [Ask only if DB5 ≠ 0 and DB6 = 163]

**Module 12—Dogs and Dog Bites (continued)**

DB7	Sex of the randomly selected dog [Ask only if DB5 ≠ 0]
DB8	Is the randomly selected dog neutered/spayed? [Ask only if DB5 ≠ 0]
RSDogWt	Unit of analysis is Randomly Selected Dog—INTERIM WEIGHT, NOT YET POSTSTRATIFIED (for analysis of dog breed)

**Module 13—Family Violence**

FV1	Frightened for self/family because of threats from an intimate partner/family member, past 12 months?
FV2	Relationship to the person who frightened you [Ask only if FV1 = 1]
FV2Code	Relationship to the person who frightened you—Other Specify [Ask only if FV1 = 1 and FV2 = 55, 95]
FV2SR	Relationship to the person who frightened you—Soft Refusal Option [Ask only if FV1 = 1 and FV2 = 98, 99]
FV3	As a child, ever witness parent/guardian abuse by their spouse/partner?
FV4	As a child, ever injured as a result of being spanked, struck, or shoved by a parent/guardian or their partners?

**Module 14—Lifetime Stalking**

ST1	Ever stalked for more than 1 month?
ST2	Seriousness of stalking on the most recent occasion [Ask only if ST1 = 1]

**Module 15—Interpersonal Violence**

V1	Struck (slapped, punched, kicked, hit) by another person over the age of 12, past 12 months?
V2a	Perpetrator 1—Relationship to person who struck you, most recent occasion, past 12 months [Ask only if V1 = 1]
V2aCount	Perpetrator 1—Number of people if struck by multiple persons, most recent occasion, past 12 months [Ask only if V1 = 1 and V2a = 95]
V2aCode	Perpetrator 1—Relationship to person who struck you, most recent occasion, past 12 months—Other Specify [Ask only if V1 = 1 and V2a = 55, 95]
V2aSR	Perpetrator 1—Relationship to person who struck you, most recent occasion, past 12 months—Soft Refusal Option [Ask only if V1 = 1 and V2a = 98, 99]
V3a	Perpetrator 1—Number of occasions struck by this person, past 12 months [Ask only if V1 = 1]
V4a	Perpetrator 1—Main reason this person usually struck [Ask only if V1 = 1]
V4aCode	Perpetrator 1—Main reason this person usually struck—Other Specify [Ask only if V1 = 1 and V4a = 5]
V5a	Perpetrator 1—Number of times physically injured by this person, past 12 months [Ask only if V1 = 1]
V6a	Perpetrator 1—Number of times sought medical treatment for injuries caused by this person, past 12 months [Ask only if V1 = 1 and V5a = 1]
V7a	Perpetrator 1—Number of times you struck this person first, past 12 months [Ask only if V1 = 1]
V8a	Struck (slapped, punched, kicked, hit) by anyone else, past 12 months? (if yes, loop through the "b" series of questions)
V2b	Perpetrator 2—Relationship to person who struck you, next occasion, past 12 months [Ask only if V1 = 1 and V8a = 1]
V2bCount	Perpetrator 2—Number of people if struck by multiple persons on this occasion, past 12 months [Ask only if V1 = 1, V8a = 1 and V2b = 95]
V2bCode	Perpetrator 2—Relationship to person who struck you, next occasion, past 12 months—Other Specify [Ask only if V1 = 1, V8a = 1 and V2b = 55, 95]

**Module 15—Interpersonal Violence (continued)**

V2bSR	Perpetrator 2—Relationship to person who struck you, next occasion, past 12 months— Soft Refusal Option [Ask only V1 = 1, V8a = 1 and V2b = 98, 99]
V3b	Perpetrator 2—Number of occasions struck by this person, past 12 months [Ask only if V1 = 1 and V8a = 1]
V4b	Perpetrator 2—Main reason this person usually struck [Ask only if V1 = 1 and V8a = 1]
V4bCode	Perpetrator 2—Main reason this person usually struck—Other Specify [Ask only if V1 = 1 and V8a = 1 and V4b = 5]
V5b	Perpetrator 2—Number of times physically injured by this person, past 12 months [Ask only if V1 = 1 and V8a = 1]
V6b	Perpetrator 2—Number of times sought medical treatment for injuries caused by this person, past 12 months [Ask only if V1 = 1, V8a = 1 and V5b = 1]
V7b	Perpetrator 2—Number of times you struck this person first, past 12 months [Ask only if V1 = 1 and V8a = 1]
V8b	Struck (slapped, punched, kicked, hit) by anyone else, past 12 months? (if yes, loop through the "c" series of questions)
V2c	Perpetrator 3—Relationship to person who struck you, next occasion, past 12 months [Ask only if V1 = 1 and V8b = 1]
V2cCount	Perpetrator 3—Number of people if struck by multiple persons on this occasion, past 12 months [Ask only if V1 = 1, V8b = 1 and V2c = 95]
V2cCode	Perpetrator 3—Relationship to person who struck you, next occasion, past 12 months— Other Specify [Ask only if V1 = 1, V8b = 1 and V2c = 55, 95]
V2cSR	Perpetrator 3—Relationship to person who struck you, next occasion, past 12 months— Soft Refusal Option [Ask only if V1 = 1, V8b = 1 and V2c = 98, 99]
V3c	Perpetrator 3—Number of occasions struck by this person, past 12 months [Ask only if V1 = 1 and V8b = 1]
V4c	Perpetrator 3—Main reason this person usually struck [Ask only if V1 = 1 and V8b = 1]
V4cCode	Perpetrator 3—Main reason this person usually struck—Other Specify [Ask only if V8 = 1, V8b = 1 and V4c = 5]
V5c	Perpetrator 3—Number of times physically injured by this person, past 12 months [Ask only if V1 = 1 and V8b = 1]
V6c	Perpetrator 3—Number of times sought medical treatment for injuries caused by this person, past 12 months [Ask only if V1 = 1 and V8b = 1 and V5c = 1]
V7c	Perpetrator 3—Number of times you struck this person first, past 12 months [Ask only if V1 = 1 and V8b = 1]
V8c	Struck (slapped, punched, kicked, hit) by anyone else, past 12 months? (if yes, loop through the "d" series of questions)
V2d	Perpetrator 4—Relationship to person who struck you, next occasion, past 12 months [Ask only if V1 = 1 and V8c = 1]
V2dCount	Perpetrator 4—Number of people if struck by multiple persons on this occasion, past 12 months [Ask only if V1 = 1, V8c = 1, and V2d = 95]
V2dCode	Perpetrator 4—Relationship to person who struck you, next occasion, past 12 months— Other Specify [Ask only if V1 = 1, V8c = 1, and V2d = 55, 95]
V2dSR	Perpetrator 4—Relationship to person who struck you, next occasion, past 12 months— Soft Refusal Option [Ask only if V1 = 1, V8c = 1, and V2d = 98, 99]
V3d	Perpetrator 4—Number of occasions struck by this person, past 12 months [Ask only if V1 = 1 and V8c = 1]

**Module 15—Interpersonal Violence (continued)**

V4d	Perpetrator 4—Main reason this person usually struck [Ask only if V21 = 1 and V8c = 1]
V4dCode	Perpetrator 4—Main reason this person usually struck—Other Specify [Ask only if V1 = 1, V8c = 1, and V4d = 5]
V5d	Perpetrator 4—Number of times physically injured by this person, past 12 months [Ask only V1 = 1 and V8c = 1]
V6d	Perpetrator 4—Number of times sought medical treatment for injuries caused by this person, past 12 months [Ask only if V1 = 1, V8c = 1, and V5d = 1]
V7d	Perpetrator 4—Number of times you struck this person first, past 12 months [Ask only if V1 = 1 and V8c = 1]

**Module 16—Sexual Violence**

SV1	Experienced any unwanted sexual activity, including touch that made you uncomfortable, past 12 months?
SV2	Ever forced to have sex?
SV3	Age first time forced to have sex [Ask only if SV2 = 1]
SV4	Perpetrator 1—Relationship to person who forced sex the first time [Ask only if SV2 = 1]
SV4Code	Perpetrator 1—Relationship to person who forced sex the first time—Other Specify [Ask only if SV2 = 1 and SV4 = 55, 95]
SV4SR	Perpetrator 1—Relationship to person who forced sex the first time—Soft Refusal Option [Ask only if SV2 = 1 and SV4 = 98, 99]
SV5	Number of other persons who forced sex [Ask only if SV2 = 1]
SV6	Perpetrator 2—Relationship to person who forced sex the next time [Ask only if SV2 = 1 and SV5 = 1]
SV6Code	Perpetrator 2—Relationship to person who forced sex the next time—Other Specify [Ask only if SV2 = 1, SV5 = 1, and SV6 = 55, 95]
SV6SR	Perpetrator 2—Relationship to person who forced sex the next time—Soft Refusal Option [Ask only if SV2 = 1, SV5 = 1, and SV6 = 98, 99]
SV7a	If multiple others—Were any of these perpetrators an intimate partner (current/former spouse, partner, or date)? [Ask only if SV2 = 1 and SV5 = 1–95]
SV7b	If multiple others—Were any of these perpetrators other family members? [Ask only if SV2 = 1 and SV5 = 1–95]
SV7c	If multiple others—Were any of these perpetrators strangers? [Ask only if SV2 = 1 and SV5 = 1–95]

**Module 17—Respondent's Reactions to being asked Sensitive Questions**

VMA1	Should a survey like this ask questions about violence by intimate partners, family members, sexual violence, and stalking?
VMA2	Were questions upsetting because they reminded you of a past victimization experience?
VMA3	Did questions make you feel afraid that someone might hear your answers and hurt you in any way?

**Module 18—Firearms**

FA1	Any firearms kept in/around home, past 12 months?
FA2	Any of the firearms in/around home, past 12 months, handguns (pistols, revolvers)? [Ask only if FA1 = 1]
FA3	Any firearms in/around the home, past 12 months, belong to you personally? [Ask only if FA1 = 1]

**Module 18—Firearms (continued)**

FA4	Any firearms kept loaded and unlocked in/around home, past 12 months? [Ask only if FA1 = 1]
FA5	How often carry loaded firearm on your person or in car while away from home for protection, past 12 months?
FA6	Number of occasions firearm from home accidentally fired, past 12 months [Ask only if FA1 = 1]
FA7	What was person doing at the time of the accidental firing, past 12 months? [Ask only if FA1 = 1 and FA6 ≠ 0, 98, 99]
FA7Code	What was person doing at the time of the accidental firing, past 12 months—Other Specify [Ask only if FA1 = 1, FA6 ≠ 0, 98, 99, and FA7 = 6]
FA8	How did the accidental firing actually happen, past 12 months? [Ask only if FA1 = 1 and FA6 ≠ 0, 98, 99]
FA8Code	How did the accidental firing actually happen, past 12 months—Other Specify [Ask only if FA1 = 1, FA6 ≠ 0, 98, 99, and FA8 = 15]
FA9	Any victim of accidental shooting under age 18 years, past 12 months? [Ask only of FA1 = 1 and FA6 ≠ 0, 98, 99]
FA10	Number of occasions firearm from home fired on purpose, past 12 months [Ask only if FA1 = 1]
FA11a	Number of intimates (of the shooter) fired at on purpose, past 12 months [Ask only if FA1 = 1 and FA10 ≠ 0, 98, 99]
FA11b	Number of other relatives (of the shooter) fired at on purpose, past 12 months [Ask only if FA1 = 1 and FA10 ≠ 0, 98, 99]
FA11c	Number of other persons fired at on purpose, past 12 months [Ask only if FA1 = 1 and FA10 ≠ 0, 98, 99]
FA11Code	Specify other persons fired at on purpose, past 12 months [Ask only if FA1 = 1 and FA10 ≠ 0, 98, 99 and FA11c = 1 to 95]
FA12	Number of purposeful firings that were for protection of the shooter, someone else, property, past 12 months [Ask only if FA1 = 1 and FA10 ≠ 0, 98, 99]
FA13	Number of persons hit by bullet when fired upon on purpose, past 12 months [Ask only if FA1 = 1 and FA10 ≠ 0, 98, 99]
FA14	Respondent confronted someone with a firearm to protect self, someone else, property, past 12 months?
FA15	Number of adults in household who ever attended a firearm safety workshop [Ask only if FA1 = 1]
FA16	Number children in household age 4–18 years who ever attended a firearm safety workshop [Ask only if FA1 = 1 and Child in home age 4–18 years]
FA17	Rate (1–4) police protection in community
FA18	Working electronic security system in the home?
FA19	Number of times respondent/other adult in household victim of crime, past 12 months

**Module 19—Suicide**

S1	Thoughts of taking own life, even if really would not, past 12 months?
S2	Make a specific plan for how to take own life, past 12 months?
S3a	First method planned to use to take own life, past 12 months [Ask only if S2 = 1]
S3aCode	First method planned to use to take own life, past 12 months—Other Specify [Ask only if S2 = 1 and S3a = 14]
S3b	Second method planned to use to take own life, past 12 months [Ask only if S2 = 1]
S3bCode	Second method planned to use to take own life, past 12 months—Other Specify [Ask only if S2 = 1 and S3b = 14]
S4	Ever made an attempt to take own life?

**Module 19—Suicide (continued)**

S5	Number of attempts made to take own life, past 12 months [Ask only if S4 = 1]
S6	Suffer injury, poisoning, illness on any attempt to take own life, past 12 months? [Ask only if S4 = 1 and S5 ≠ 0]
S7	See a medical/mental health professional due to any suicide attempt, past 12 months? [Ask only if S4 = 1, S5 ≠ 0 and S6 = 1, 2]
S8	Suffer injury, poisoning, illness on any attempt to take own life during lifetime? [Ask only if S4 = 1 and S6 ≠ 1]
S9	Primary Method used in the most recent attempt to take own life [Ask only if S4 = 1]
S9Code	Primary Method used in the most recent attempt to take own life—Other Specify [Ask only S9 = 14]
S10	Number of people known personally who have taken their own life, past 12 months
S11	Emotionally close to any people who died from suicide, past 12 months? [Ask only if S10 ≠ 0, 98, 99]
S12	Rate (from 1–4) Can really talk to someone about things that are important
S13	Rate (from 1–4) Can count on someone for understanding and advice
S14	If felt life not worth living, what would you most likely do?
S14Code	If felt life not worth living, what would you most likely do—Other Specify [Ask only if S14 = 9]
Script	Connect to suicide hotline/continue with interview [Added to the interview in September, 2001]

**Module 20—Posttraumatic Stress Disorder (Fielded January 10, 2002)**

P1	Fear family member/close friend killed/injured/missing when first heard about the 9/11 crashes?
P2	Family member/close friend killed/injured/missing as a result of the 9/11 crashes?
P3	Relationship of family member/close friend killed/injured/missing as a result of the 9/11/2001 crashes [Ask only if P2 = 1]
P3Code	Relationship of family member/close friend killed/injured/missing—Other/Multiple People, Specify [Ask only if P2 = 1 and P3 = 10, 95]
P4	Anyone else know personally killed/injured/missing as a result of the 9/11 crashes?
P5	Relationship of other persons(s) killed/injured/missing as a result of the 9/11 crashes [Ask only if P4 = 1]
P5Code	Relationship of other person(s) killed/injured/missing—Other/Multiple People, Specify [Ask only if P4 = 1 and P5 = 5, 95]
P6	Know someone with family member/close friend killed/injured/missing as a result of the 9/11 crashes?
P7	Personal exposure to any of the 9/11 plane crashes or World Trade Center towers collapsing
P8	Television exposure to any of the 9/11 plane crashes or the World Trade Center towers collapsing
P9	Feel at risk of being killed/injured as a result of exposure to these events?
P10	Approximate total hours television coverage of the 9/11 terrorist attacks watched in the 7 days following the attacks
P11	Avoid being reminded of experience by staying away from certain places/people/activities after 9/11?
P12	Lose interest in activities that were once important or enjoyable after 9/11?
P13	Begin to feel more isolated or distant from other people after 9/11?
P14	Find it hard to have love or affection for other people after 9/11?
P15	Begin to feel there was no point in planning for future after 9/11?
P16	Have more trouble than usual falling asleep or staying asleep after 9/11?
P17	Become jumpy or get easily startled by ordinary noises or movements after 9/11?

**Module 20—Posttraumatic Stress Disorder (Fielded January 10, 2002) (continued)**

- P18 How soon after the 9/11 crashes did these reactions begin? [Ask only if Yes to 4+ of P11–P17]
- P18M How many months after the 9/11 crashes did these reactions begin?  
[Ask only if Yes to 4+ of P11–P17 and P18 = 5]
- P19 Currently having these reactions at least a few times a week? [Ask only if Yes to 4+ of P11–P17]
- P20 How long after reactions started did they continue at least a few times a week?  
[Ask only if Yes to 4+ of P11–P17 and P19 = 2, 8, 9]
- P21 Discussed reactions with a doctor, nurse, psychologist, or other health professional?  
[Ask only if Yes to 4+ of P11–P17]

**Analysis Weights—Posttraumatic Stress Disorder**

- WT\_Resp\_P Unit of analysis is Respondent—Final Analysis Weight  
(for analysis of PTSD subset of records, respondent variables)
- WT\_HH\_P Unit of analysis is Household—Final Analysis Weight  
(for analysis of PTSD subset of records, household variables)

**Module 21—Additional Demographics**

- D1 Highest grade or year of education respondent completed
- D2 Highest grade or year of education anyone in household completed  
[Ask only if SUM(SC2,SC3) > 1]
- D3 Current employment status
- D4 Consider yourself of Hispanic origin—Mexican, Latin American, Puerto Rican, or Cuban?
- D5\_01 Race—American Indian/Alaskan Native?
- D5\_02 Race—Asian?
- D5\_03 Race—Black or African American?
- D5\_04 Race—Native Hawaiian or Other Pacific Islander?
- D5\_05 Race—White?
- D6 Current marital status
- D7 Ownership status of current home
- D7Code Ownership status of current home—Something Else, Specify [Ask only if D7 = 4]
- D8 Total pre-tax HH income, all HH members, past 12 months, LT or GE \$20,000
- D9 Total pre-tax HH income, all HH members, past 12 months, LT or GE \$10,000  
[Ask only if D8 = 1]
- D10 Total pre-tax HH income, all HH members, past 12 months, LT or GE \$35,000  
[Ask only if D8 = 2]
- D11 Total pre-tax HH income, all HH members, past 12 months, LT or GE \$50,000  
[Ask only if D10 = 2]
- D12 Total pre-tax HH income, all HH members, past 12 months, LT or GE Poverty Threshold  
dollar amount
- PovThrsh Poverty Threshold dollar amount based on size of family unit and number of related children  
under age 18 (from 2000 Census)

## **VII. CODEBOOK for the ICARIS-2 Public-Use Data Set**



## VII. CODEBOOK for the ICARIS-2 Public-Use Data Set

<u>Variable Name</u>	<u>Type:</u> <u>Length</u>	<u>Format</u> <u>Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
<b>Administrative variables (added to the data file)</b>			
<b>R_ID</b>	<b>Char:5</b>	<b>** None **</b>	<b>Respondent Unique Identifier</b>
<b>IntDate</b>	<b>Num:8</b>	<b>** None **</b>	<b>Interview Date (formatted as mmddyyyy)</b>
<b>IntLang</b>	<b>Num:8</b>	<b>INTLANG</b>	<b>Language in which the interview was conducted</b> 1: English 2: Spanish
<b>TotalMin</b>	<b>Num:8</b>	<b>TOTALMIN</b>	<b>Length of Interview, minutes (formatted as mmm-computed)</b> Range = 2 to 119 minutes
<b>TotalSec</b>	<b>Num:8</b>	<b>TOTALSEC</b>	<b>Length of Interview, seconds (formatted as ss-computed)</b> Range = 0 to 59 seconds
<b>NewStrat</b>	<b>Num:3</b>	<b>STRTFMT</b>	<b>Stratum variable (for use in complex survey analysis)</b> 1: Balance of U.S./High Minority 2: Balance of U.S./Low Minority 3: NY-NJ-CT-PA CMSA/ High Minority 4: NY-NJ-CT-PA CMSA/ Low Minority 5: DC-MD-VA-WV PMSA/ High Minority 6: DC-MD-VA-WV PMSA/ Low Minority
<b>PSU</b>	<b>Num:8</b>	<b>** None **</b>	<b>Primary Sampling Unit variable (same as R_ID)</b> <i>(for use in complex survey analysis)</i>

### Analysis Weights

↓ Note: *The weight variables specified below should be used for all adult respondent analyses with the exception of analysis of the posttraumatic stress disorder variables—Module 20*

<b>WT_Resp</b>	<b>Num:8</b>	<b>F17.7</b>	<b>Final Analysis Weight when unit of analysis is the adult respondent</b>
<b>WT_HH</b>	<b>Num:8</b>	<b>F17.7</b>	<b>Final Analysis Weight when unit of analysis is the household</b>

<u>Variable Name</u>	<u>Type: Length</u>	<u>Format Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
<b>Census Variables (added to the data file)</b>			
<b>FIPS</b>	<b>Char:5</b>	<b>** None **</b>	<b>State and County FIPS Code (5 digits, formatted SSCCC)</b>
<b>MSAFIPS</b>	<b>Char:4</b>	<b>** None **</b>	<b>Metropolitan Statistical Area (MSA) FIPS Code (4 digits)</b>
<b>CntySize</b>	<b>Num:8</b>	<b>CNTYSIZE</b>	<b>County Size (4 levels)</b> 1: 21 Largest MSAs 2: MSA > 85,000 HH 3: MSA > 20000 HH (and < 85,000) 4: Other (MSA ≤ 20,000)
<b>CenReg</b>	<b>Num:8</b>	<b>CENREG</b>	<b>Census Region (4 levels)</b> 1: Northeast 2: North Central 3: South 4: West
<b>CenDiv</b>	<b>Num:8</b>	<b>CENDIV</b>	<b>Census Division (10 levels)</b> <i>Code 1 not used</i> 2: New England 3: Mid-Atlantic 4: East North Central 5: West North Central 6: South Atlantic 7: East South Central 8: West South Central 9: Mountain 10: Pacific

### Telephone Screener Module

↓ Note: Because response to question SC1 "Is this a residence?" and question SC6 "Is this a good time to continue with the interview?" must be "yes" in order to continue with the interview, these questions were dropped from the data set.

<b>SC2</b>	<b>Num:8</b>	<b>SC2X</b>	<b>Number of men age 18 years or older living in the household</b> Range = 1 to 14, 23 0: None 98: DON'T KNOW 99: REFUSED
<b>SC3</b>	<b>Num:8</b>	<b>SC3X</b>	<b>Number of women age 18 years or older living in the household</b> Range = 1 to 12, 23 0: None 98: DON'T KNOW 99: REFUSED

<u>Variable Name</u>	<u>Type:</u> <u>Length</u>	<u>Format</u> <u>Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
<b>Telephone Screener Module, continued</b>			
<b>SC4</b>	<b>Num:8</b>	<b>SC4X</b>	<b>Number of children under 18 years of age living in the household</b> Range = 1 to 14, 30, 32 0: None 98: DON'T KNOW 99: REFUSED
<p>↑ <i>Note:</i> While values of 10 and higher for variables SC2, SC3, and SC4 appear unusual, the contractor was not able to determine if these were real or typographical errors.</p>			
<b>SC5</b>	<b>Num:8</b>	<b>YN89X</b>	<b>SC: Are any people in household related?</b> 1: Yes 2: No 8: DON'T KNOW 9: REFUSED
<b>Module 1: Demographics and Home</b>			
<b>DH1</b>	<b>Num:8</b>	<b>DH1X</b>	<b>Respondent sex</b> 1: Male 2: Female
<b>DH2</b>	<b>Num:8</b>	<b>DH2X</b>	<b>Respondent year of birth (YYYY)</b> Range = 1906 to 1984 9998: DON'T KNOW 9999: REFUSED
<b>DH2a</b>	<b>Num:8</b>	<b>YN789X</b>	<b>Respondent younger than age 65 years? [Ask only if DH2 = 998 or 999]</b> 1: Yes 2: No 7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED
<b>DH3</b>	<b>Num:8</b>	<b>DH3X</b>	<b>Respondent month of birth [Ask only if DH2 = 998 or 999]</b> Range = 1 to 12 where... 1: January 2: February : 12: December 97: NOT APPLICABLE 98: DON'T KNOW 99: REFUSED

<u>Variable Name</u>	<u>Type:</u> <u>Length</u>	<u>Format</u> <u>Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
<b>Module 1: Demographics and Home, continued</b>			
<b>DH3a</b>	<b>Num:8</b>	<b>YN789X</b>	<b>Respondent already had birthday this year?</b> <i>[Ask only if DH3 = 98 or 99]</i> 1: Yes 2: No 7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED
<b>DH3b</b>	<b>Num:8</b>	<b>YN789X</b>	<b>Respondent already had birthday this month?</b> <i>[Ask only if DH3 = INTERVIEW MONTH]</i> 1: Yes 2: No 7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED
<b>RespAge</b>	<b>Num:8</b>	<b>RESPAGE</b>	<b>Respondent age in years (computed)</b> Range = 18 to 96 98: DON'T KNOW 99: REFUSED
<b>DH4</b>	<b>Num:8</b>	<b>DH4X</b>	<b>Number of children &lt; 14 years old living in the household</b> <i>[Ask only if SC4 &gt; 0]</i> Range = 1 to 7 0: None 97: NOT APPLICABLE 98: DON'T KNOW 99: REFUSED
<b>DH5</b>	<b>Num:8</b>	<b>DH5X</b>	<b>Type of residence (structure)</b> 1: One Family House not Attached 2: One Family House Attached 3: Mobile Home or Trailer 4: Building, Only 2 Apartments 5: Building, 3 to 4 Apartments 6: Building, 5 or More Apartments 7: Something Else 98: DON'T KNOW 99: REFUSED
<b>DH6</b>	<b>Num:8</b>	<b>YN89X</b>	<b>Does more than one telephone number ring in the home?</b> 1: Yes 2: No 8: DON'T KNOW 9: REFUSED

<u>Variable Name</u>	<u>Type: Length</u>	<u>Format Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
----------------------	---------------------	--------------------	---

**Module 1: Demographics and Home, continued**

<b>DH7</b>	<b>Num:8</b>	<b>DH7X</b>	<b>Number of nonbusiness telephone numbers that ring in the home</b> <i>[Ask only if DH6 = 1]</i>
			Range = 2 to 23, 90
			97: NOT APPLICABLE
			98: DON'T KNOW
			99: REFUSED

↑ *Note:* While values of 6 and higher for variable DH7 appear unusual, the contractor was not able to determine if these were real or typographical errors.

**Module 2: Residential Fire Safety**

<b>F1</b>	<b>Num:8</b>	<b>YN89X</b>	<b>Any smoke alarms/detectors installed in the home?</b>
			1: Yes
			2: No
			8: DON'T KNOW
			9: REFUSED
<b>F2</b>	<b>Num:8</b>	<b>YN789X</b>	<b>1+ working smoke detector on each floor in the home?</b> <i>[Ask only if F1 = 1]</i>
			1: Yes
			2: No
			7: NOT APPLICABLE
			8: DON'T KNOW
			9: REFUSED
<b>F3</b>	<b>Num:8</b>	<b>YN7892X</b>	<b>Smoke detector in/outside the area where you sleep?</b> <i>[Ask only if F1 = 1]</i>
			1: Yes
			2: No
			7: NOT APPLICABLE
			8: DON'T KNOW
			9: REFUSED
<b>F4</b>	<b>Num:8</b>	<b>F4F8X</b>	<b>How often test smoke detectors? <i>[Ask only if F1 = 1]</i></b>
			1: Once a Year
			2: Every Six Months
			3: Once a Month
			4: Never
			5: OTHER
			7: NOT APPLICABLE
			8: DON'T KNOW
			9: REFUSED

<u>Variable Name</u>	<u>Type:</u> <u>Length</u>	<u>Format</u> <u>Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
<b>Module 2: Residential Fire Safety, continued</b>			
<b>F5</b>	<b>Num:8</b>	<b>YN89X</b>	<b>Uncontrolled fire in the home, past 12 months?</b> 1: Yes 2: No 8: DON'T KNOW 9: REFUSED
<b>F6</b>	<b>Num:8</b>	<b>YN789X</b>	<b>Anyone injured in this fire, past 12 months? [Ask only if F5 = 1]</b> 1: Yes 2: No 7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED
<b>F7</b>	<b>Num:8</b>	<b>YN89X</b>	<b>Respondent and family designed a fire escape plan?</b> 1: Yes 2: No 8: DON'T KNOW 9: REFUSED
<b>F8</b>	<b>Num:8</b>	<b>F4F8X</b>	<b>How often respondent and family practice fire escape plan? [Ask only if F7 = 1]</b> 1: Once a Year 2: Every Six Months 3: Once a Month 4: Never 5: OTHER 7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED

**Module 3: Sports and Recreation (in the 30 days prior to interview)**

<b>SR1</b>	<b>Num:8</b>	<b>SR1X</b>	<b>Physical activity/exercise done most, past 30 days</b> 1: Aerobic Dance 2: Aerobics (step) 3: Badminton 4: Baseball 5: Basketball 6: Bicycling 7: Mountain Biking 8: Fitness Walking 9: Football (touch) 22: Racquetball 23: Roller Hockey 24: Roller Skating (2X2) 25: Roller Skating (in line) 26: Running/Jogging 27: Skateboarding 28: Skiing Cross-Country 29: Skiing Downhill 30: Snowboarding
------------	--------------	-------------	---

( Codes continue on the next page )



<u>Variable Name</u>	<u>Type: Length</u>	<u>Format Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
<b>Module 3: Sports and Recreation (in the 30 days prior to interview), continued</b>			
<b>SR1Code, continued</b>			57: Hunting 58: Manual labor/Work Physical Activity 59: Kayaking/canoeing 60: Kickboxing 61: Martial arts 62: Playing drums 63: Playing pool 64: Shopping 65: Stretching/Physical Therapy Coordination exercises 66: Surfing/body-boarding 67: Traveling 83: Racing motorcycles/ Motorcycling 84: Archery 85: Competitive gun-shooting 86: Sailing 87: Recreational ball playing 88: Squash 89: Church activities 90: Kite flying 91: Painting 92: Trampoline 93: Sex 97: NOT APPLICABLE
<b>SR2</b>	<b>Num:8</b>	<b>YN789X</b>	<b>Injured in exercise, past 30 days, and changed daily activities/sought medical care? [Ask only if SR1 LT 41]</b> 1: Yes 2: No 7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED
<b>SR3</b>	<b>Num:8</b>	<b>SR3X</b>	<b>Place sought medical care for the exercise injury [Ask only if SR2 = 1]</b> 1: Urgent Care Clinic 2: Emergency Department 3: Sports Medicine Clinic 4: Orthopedic Physician's Office 5: Personal Physician's Office 6: Chiropractor's Office 7: Did Not Seek Care 8: Other (Specify) 97: NOT APPLICABLE 98: DON'T KNOW 99: REFUSED
<b>SR3Code</b>	<b>Num:8</b>	<b>SR3CODE</b>	<b>Place sought medical care for the exercise injury—Other (Specify) [Ask only if SR3 = 8]</b> 9: Acupuncturist 10: Podiatrist 97: NOT APPLICABLE



<b>Variable Name</b>	<b>Type: Length</b>	<b>Format Name</b>	<b>Variable Description</b> <b>Possible Value: Formatted Value</b>
----------------------	---------------------	--------------------	---

**Module 3: Sports and Recreation (in the 30 days prior to interview), continued**

<b>SR4</b>	<b>Num:8</b>	<b>SR4X</b>	<b>How often stretch muscles before exercising? [Ask only if SR1 &lt; 41]</b>
			1: Always Stretch
			2: More Than Half the Time
			3: About Half the Time
			4: Less Than Half the Time
			5: Never Stretch
			7: NOT APPLICABLE
			8: DON'T KNOW
			9: REFUSED

**Module 4: Falls among the Elderly**

↓ *Note:* Module only asked of those respondents age 65 years and older. The contractor noted two respondents age 65 or older for whom questions in this module were inadvertently skipped (R\_IDs 18029 and 59020).

<b>FE1</b>	<b>Num:8</b>	<b>FE1FE2X</b>	<b>Rate (on a scale of 1 to 5) fear of falling [Ask only if age 65+]</b>
			Range = 1 to 5, where
			1: Not at All (Afraid)
			:
			5: Extremely (Afraid)
			7: NOT APPLICABLE
			8: DON'T KNOW
			9: REFUSED
			.: INADVERTENT SKIP (2)

<b>FE2</b>	<b>Num:8</b>	<b>FE1FE2X</b>	<b>Rate (on a scale of 1 to 5) importance of physical activity in preventing falls [Ask only if 65+]</b>
			Range = 1 to 5, where
			1: Not at All (Important)
			:
			5: Extremely (Important)
			7: NOT APPLICABLE
			8: DON'T KNOW
			9: REFUSED
			.: INADVERTENT SKIP (2)

<b>FE3</b>	<b>Num:8</b>	<b>FE3X</b>	<b>Did doctor/pharmacist review each medication you are taking with you, past 12 months? [Ask only if 65+]</b>
			1: Yes
			2: No
			3: No Medicines
			7: NOT APPLICABLE
			8: DON'T KNOW
			9: REFUSED
			.: INADVERTENT SKIP (2)

<u>Variable Name</u>	<u>Type:</u> <u>Length</u>	<u>Format</u> <u>Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
<b>Module 4: Falls among the Elderly, continued</b>			
<b>FE4</b>	<b>Num:8</b>	<b>YN789I</b>	<b>Fallen, past 3 months? <i>[Ask only if 65+]</i></b> 1: Yes 2: No 7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED . : INADVERTENT SKIP (2)
<b>FE5</b>	<b>Num:8</b>	<b>YN789I</b>	<b>Injured, most recent fall, past 3 months? <i>[Ask only if 65+ and FE4 = 1]</i></b> 1: Yes 2: No 7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED . : INADVERTENT SKIP (2)
<b>FE6</b>	<b>Num:8</b>	<b>YN789I</b>	<b>Medical treatment for injury, most recent fall, past 3 months? <i>[Ask only if 65+ and FE5 = 1]</i></b> 1: Yes 2: No 7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED . : INADVERTENT SKIP (2)
<b>FE7</b>	<b>Num:8</b>	<b>FE7X</b>	<b>After fall change physical activity to prevent falling again? <i>[Ask only if 65+ and FE4 = 1]</i></b> 1: Increased 2: No Change 3: Decreased 4: Not Recovered 7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED . : INADVERTENT SKIP (2)
<b>FE8</b>	<b>Num:8</b>	<b>YN789I</b>	<b>Changes made to home environment to prevent falling again? <i>[Ask only if 65+ and FE4 = 1]</i></b> 1: Yes 2: No 7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED . : INADVERTENT SKIP (2)

<u>Variable Name</u>	<u>Type:</u> <u>Length</u>	<u>Format</u> <u>Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
<b>Module 4: Falls among the Elderly, continued</b>			
<b>FE9</b>	<b>Num:8</b>	<b>YN789I</b>	<b>Doctor change medications that may have been associated with fall?</b> <i>[Ask only if 65+, and FE3 = 1 or 2, and FE4 = 1]</i> 1: Yes 2: No 7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED . : INADVERTENT SKIP (2)

**Module 5: Enumeration of Children in the Household (under age 15 years, begin with the oldest child)**

↓ *Note:* Module only asked of those respondents with one or more children under 15 years of age living in the household. While space was allotted to collect information on up to ten children age 0–14 years living in the household, no respondent listed more than seven children in this age range living in their home; therefore, variables for children 8, 9 and 10 ( \_08, \_09, and \_10) were dropped from the data set.

**Block of variables for Child 01**

<b>K2_01</b>	<b>Num:8</b>	<b>NADKRF</b>	<b>Age of oldest (or only) child</b> <i>[Ask only if DH4 &gt; 0]</i> Range = 2 to 14 (if in years) Range = 0 to 23 (if in months) 97: NOT APPLICABLE 98: DON'T KNOW 99: REFUSED
<b>K2U_01</b>	<b>Num:8</b>	<b>K2U</b>	<b>Age units of oldest (or only) child</b> <i>[Ask only if DH4 &gt; 0]</i> 1: Years 2: Months 7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED
<b>K3_01</b>	<b>Num:8</b>	<b>K3X</b>	<b>Sex of oldest (or only) child</b> <i>[Ask only if DH4 &gt; 0]</i> 1: Boy 2: Girl 7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED
<b>WT_Kid01</b>	<b>Num:8</b>	<b>F17.7</b>	<b>Final Analysis Weight of oldest (or only) child</b> <i>(Use when the unit of analysis is Child 01)</i>

<u>Variable Name</u>	<u>Type: Length</u>	<u>Format Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
----------------------	---------------------	--------------------	---

**Module 5: Enumeration of Children in the Household, continued**

***Block of variables for Child 02***

<b>K2_02</b>	<b>Num:8</b>	<b>NADKRF</b>	<b>Age of next oldest child [Ask only if DH4 &gt; 1]</b> Range = 2 to 14 (if in years) 97: NOT APPLICABLE Range = 0 to 23 (if in months) 98: DON'T KNOW 99: REFUSED
--------------	--------------	---------------	--

<b>K2U_02</b>	<b>Num:8</b>	<b>K2U</b>	<b>Age units of next oldest child [Ask only if DH4 &gt; 1]</b> 1: Years 7: NOT APPLICABLE 2: Months 8: DON'T KNOW 9: REFUSED
---------------	--------------	------------	---

<b>K3_02</b>	<b>Num:8</b>	<b>K3X</b>	<b>Sex of next oldest child [Ask only if DH4 &gt; 1]</b> 1: Boy 7: NOT APPLICABLE 2: Girl 8: DON'T KNOW 9: REFUSED
--------------	--------------	------------	---

<b>WT_Kid02</b>	<b>Num:8</b>	<b>F17.7</b>	<b>Final Analysis Weight for the next (second) oldest child</b> <i>(Use when the unit of analysis is Child 02)</i>
-----------------	--------------	--------------	---

↑ Note: This block of questions also asked of child 3 through 7. Variables K2\_03, K2U\_03, K3\_03 [Ask only if DH4 > 2]; K2\_04, K2U\_04, K3\_04 [Ask only if DH4 > 3]; K2\_05, K2U\_05, K3\_05 [Ask only if DH4 > 4]; K2\_06, K2U\_06, K3\_06 [Ask only if DH4 > 5]; K2\_06, K2U\_06, K3\_06 [Ask only if DH4 > 5]. Corresponding Final Analysis Weights (WT\_Kid0-WT\_Kid07) were also created.

<b>K4</b>	<b>Num:8</b>	<b>YN789X</b>	<b>Poison Control Number posted near telephone?</b> <i>[Ask only if at least one child &lt; age 9 living in the household]</i> 1: Yes 7: NOT APPLICABLE 2: No 8: DON'T KNOW 9: REFUSED
-----------	--------------	---------------	--

<u>Variable Name</u>	<u>Type</u> <u>Length</u>	<u>Format</u> <u>Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
----------------------	------------------------------	------------------------------	---

**Module 5: Enumeration of Children in the Household, continued**

**Counters**

↓ *Note:* The “NK” (Number of Kids) or “Counter” variables below were created using information from variables SC4, DH4, and the age of each enumerated child under 15 years living in the household.

<b>NK0014Y</b>	<b>Num:8</b>	<b>NKIDS</b>	<b>Number of children age 0 to 14 years living in the household</b> Range = 1 to 7 children      97: NOT APPLICABLE 0: None
<b>NK0514Y</b>	<b>Num:8</b>	<b>NKIDS</b>	<b>Number of children age 5 to 14 years living in the household</b> Range = 1 to 5 children      97: NOT APPLICABLE 0: None
<b>NK0009Y</b>	<b>Num:8</b>	<b>NKIDS</b>	<b>Number of children age 0 to 9 years living in the household</b> <i>(Used as a restriction for question K4, below)</i> Range = 1 to 6 children      97: NOT APPLICABLE 0: None
<b>NK0418Y</b>	<b>Num:8</b>	<b>NKIDS</b>	<b>Number of children age 4 to 18 years living in the household</b> <i>(Used as a restriction for question FA16, Module 18)</i> Range = 1 to 13, 30, 32 children      97: NOT APPLICABLE 0: None

↑ *Note:* While values of 30 and higher for variable NK0418Y appear unusual, the contractor was not able to determine if these were real or typographical errors.

**Randomly Selected Child**

↓ *Note:* Data for one randomly selected (RS) child under 15 years of age living in the household were collected for analysis of Child Counseling by a Health Care Provider (Module 7—variables C3, C4a–e) and Child Safety Seat, Booster Seat, and Seat Belt Use (Module 8—variables MV11–13). The contractor noted that information on age of the randomly selected child was inadvertently skipped for two records (R\_IDs 10067 and 26363).

Data for one randomly selected child 5 to 14 years of age living in the household were collected for analysis of Child Pedestrians Walking to School (Module 9, variables Ped1–Ped3, Ped3Code) and Child Bicycle Helmet Safety (Module 10, variables Bike1–Bike6).

The age and sex variables for the randomly selected child were created by linking the selected child number (variable C3CN for child 0–14 years, Ped1CN for child 5–14 years. Child 01, 02, ..., 07) with the corresponding K2\_XX, K2U\_XX, and K3\_XX variables (XX = 01 to 07).

<u>Variable Name</u>	<u>Type</u> <u>Length</u>	<u>Format</u> <u>Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
----------------------	------------------------------	------------------------------	---

**Module 5: Enumeration of Children in the Household, continued**

Child 0–14 years

<b>RSCh</b> <b>Age0014</b>	<b>Num:8</b>	<b>KIDAGEY</b>	<b>Age of randomly Selected Child ages 0 to 14 years (continuous)</b> <i>(for analysis of C3, C4a–e, MV11–13)</i>  Range = 1 to 14 years 0: Less than 1 year	97: NOT APPLICABLE 98: DON'T KNOW 99: REFUSED . : INADVERTENT SKIP (2)
-------------------------------	--------------	----------------	--	---

<b>RSCh</b> <b>Sex0014</b>	<b>Num:8</b>	<b>K3X</b>	<b>Sex of randomly selected child ages 0 to 14 years</b> <i>(for analysis of C3, C4a–e, MV11–13)</i>  1:Boy 2:Girl	7: NOT APPLICABLE
-------------------------------	--------------	------------	--	-------------------

<b>WT_</b> <b>RSCh0014</b>	<b>Num:8</b>	<b>F17.7</b>	<b>Final Analysis Weight when unit of analysis is the randomly selected child age 0–14 years</b> <i>(for analysis of Child Counseling by a Health Care Provider (Module 7, variables C3, C4a–e) and Child Seat Belt Use (Module 8, variables MV11–13))</i>	
-------------------------------	--------------	--------------	--	--

Child 5–14 years

<b>RSCh</b> <b>Age0514</b>	<b>Num:3</b>	<b>KIDAGEY</b>	<b>Age of randomly selected child age 5 to 14 years</b> <i>(for analysis of Ped1–Ped3, Ped3Code, and Bike1–Bike6)</i>  Range = 5 to 14 years	97: NOT APPLICABLE
-------------------------------	--------------	----------------	---	--------------------

<b>RSCh</b> <b>Sex0514</b>	<b>Num:3</b>	<b>K3X</b>	<b>Sex of randomly selected child age 5 to 14 years</b> <i>(for analysis of Ped1–Ped3, Ped3Code, and Bike1–Bike6)</i>  1:Boy 2:Girl	7: NOT APPLICABLE
-------------------------------	--------------	------------	--	-------------------

<b>WT_</b> <b>RSCh0514</b>	<b>Num:8</b>	<b>F17.7</b>	<b>Final Analysis Weight when the unit of analysis is the randomly selected child age 5–14 years</b> <i>(for analysis of Child Pedestrians Walking to School (Module 9, variables Ped1–Ped3 Ped3Code) and Child Bicycle Helmet Safety (Module 10, variables Bike1–Bike6))</i>	
-------------------------------	--------------	--------------	---	--

<u>Variable Name</u>	<u>Type:</u> <u>Length</u>	<u>Format</u> <u>Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
<b>Module 6: Alcohol Consumption (past 30 day drinkers)</b>			
<b>A1</b>	<b>Num:8</b>	<b>A1X</b>	<b>One or more alcoholic drinks, past 30 days?</b> 1: Yes 2: No 3: Nondrinker 8: DON'T KNOW 9: REFUSED
<div style="border: 1px solid black; padding: 5px;">           ↑ <i>Note:</i> A response of “nondrinker” for variable A1 was coded only if offered by the respondent. Some nondrinkers may have responded “no” (no alcoholic beverage in the past 30 days).         </div>			
<b>A2U</b>	<b>Num:8</b>	<b>A2U</b>	<b>Units, number days drink alcohol on average, past 30 days</b> <i>[Ask only if A1 = 1]</i> 1: Units in Days/Week 2: Units in Days/Month 7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED
<b>A2</b>	<b>Num:8</b>	<b>A2X</b>	<b>Number of days drink alcohol on average, past 30 days</b> <i>[Ask only if A1 = 1 and A2U ≠ 8 or 9]</i> Range = 1 to 30 97: NOT APPLICABLE 98: DON'T KNOW 99: REFUSED
<b>A3</b>	<b>Num:8</b>	<b>A3X</b>	<b>Average number of alcoholic drinks per day on days drink</b> <i>[Ask only if A1 = 1 and A2 &gt; 0 and A2U = 1 or 2]</i> Range = 1 to 63 drinks 97: NOT APPLICABLE 98: DON'T KNOW 99: REFUSED
<b>A4</b>	<b>Num:8</b>	<b>A4X</b>	<b>Number of times had 5+ alcoholic drinks on an occasion, past 12 months</b> <i>[Ask only if A1 = 1]</i> Range = 1 to 95 times 0: None 97: NOT APPLICABLE 98: DON'T KNOW 99: REFUSED

<u>Variable Name</u>	<u>Type:</u> <u>Length</u>	<u>Format</u> <u>Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
<b>Module 7: Counseling by a Healthcare Provider in the past 12 months</b>			
<b><u>Adult Respondents</u></b>			
<b>C1</b>	<b>Num:8</b>	<b>C1X</b>	<b>Number of visits to health care provider, past 12 months</b> Range = 1 to 94 95: 95 or more visits 0: None 98: DON'T KNOW 99: REFUSED
<b>C2a</b>	<b>Num:8</b>	<b>YN789X</b>	<b>Respondent counseled about seat belt use during any visit?</b> <i>[Ask only if C1 = 1-95]</i> 1: Yes 2: No 7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED
<b>C2b</b>	<b>Num:8</b>	<b>YN789X</b>	<b>Respondent counseled about drinking and driving during any visit?</b> <i>[Ask only if C1 = 1-95]</i> 1: Yes 2: No 7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED
<b>C2c</b>	<b>Num:8</b>	<b>YN789X</b>	<b>Respondent counseled about smoke detectors/alarms during any visit?</b> <i>[Ask only if C1 = 1-95]</i> 1: Yes 2: No 7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED
<b>C2d</b>	<b>Num:8</b>	<b>YN789X</b>	<b>Respondent counseled about proper firearm storage during any visit?</b> <i>[Ask only if C1 = 1-95]</i> 1: Yes 2: No 7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED
<b>C2e</b>	<b>Num:8</b>	<b>YN789X</b>	<b>Respondent counseled about family violence during any visit?</b> <i>[Ask only if C1 = 1-95]</i> 1: Yes 2: No 7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED



<u>Variable Name</u>	<u>Type:</u> <u>Length</u>	<u>Format</u> <u>Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
----------------------	-------------------------------	------------------------------	---

**Module 7: Counseling by a Healthcare Provider in the past 12 months, continued**

**Adult Respondents, continued**

<b>C2f</b>	<b>Num:8</b>	<b>YN789X</b>	<b>Respondent counseled about suicide during any visit?</b> <i>[Ask only if C1 = 1-95]</i>
			1: Yes
			2: No
			7: NOT APPLICABLE
			8: DON'T KNOW
			9: REFUSED

**Randomly Selected (RS) Child 0-14 years**

↓ Note: In households where there were 1 or more children age 0-14 years, a child for whom the respondent answered questions was randomly selected (C3CN). The age (RSChAge0014), sex (RSChSex0014), and appropriate analysis weight (WT\_RSChAge0014) variables that link to the child randomly selected below (C3CN) are described in the Child Enumeration Section of the codebook (Module 5). When age is not known, assume age 2-6 years. The contractor noted two instances in which no child was selected and these questions (C3, C4a-e) were inadvertently skipped (R\_IDs 10067 and 26363)

<b>C3CN</b>	<b>Num:8</b>	<b>NADKRF</b>	<b>Identifier (Child 01,02,....,07) of randomly selected child age 0-14 years</b> <i>[Ask only if DH4 ≠ 0 or 97]</i>
			Range = 1 to 7
			97: NOT APPLICABLE
			. : INADVERTENT SKIP (2)

<b>C3</b>	<b>Num:8</b>	<b>C3X</b>	<b>During the past 12 months, how many times have you taken (RS CHILD 0-14YEARS) to see a doctor, nurse, or healthcare provider about a health related issue?</b> <i>[Ask only if RS child age 0-14 years or 99 and C3 = 1-95]</i>
			Range = 1 to 60
			0: None
			97: NOT APPLICABLE
			98: DON'T KNOW
			99: REFUSED
			. : INADVERTENT SKIP (2)

<b>C4a</b>	<b>Num:8</b>	<b>YN789I</b>	<b>RS child or adult counseled on seat belt use during child visit?</b> <i>[Ask only if RS Child age 0-14 years or 99 and C3 = 1-95]</i>
			1: Yes
			2: No
			7: NOT APPLICABLE
			8: DON'T KNOW
			9: REFUSED
			. : INADVERTENT SKIP (2)

<u>Variable Name</u>	<u>Type:</u> <u>Length</u>	<u>Format</u> <u>Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
----------------------	-------------------------------	------------------------------	---

**Module 7: Counseling by a Healthcare Provider in the past 12 months, continued.**

<b>C4b</b>	<b>Num:8</b>	<b>YN789I</b>	<b>RS child or adult counseled on smoke detectors during child visit?</b> <i>[Ask only if RS child age 0–14 years or 99 and C3 = 1–95]</i>
			1: Yes
			2: No
			7: NOT APPLICABLE
			8: DON'T KNOW
			9: REFUSED
			. : INADVERTENT SKIP (2)

**If the Randomly Selected Child is 0–6 years**

<b>C4c</b>	<b>Num:8</b>	<b>YN789I</b>	<b>RS child or adult counseled on poison control center number during child visit?</b> <i>[Ask only if RS child age 0–6 years or 99 and C3 = 1–95]</i>
			1: Yes
			2: No
			7: NOT APPLICABLE
			8: DON'T KNOW
			9: REFUSED
			. : INADVERTENT SKIP (2)

**If the Randomly Selected Child is 2–14 years**

<b>C4d</b>	<b>Num:8</b>	<b>YN789I</b>	<b>RS child or adult counseled on proper firearm storage during child visit?</b> <i>[Ask only if RS child age 2–14 years or 99 and C3 = 1–95]</i>
			1: Yes
			2: No
			7: NOT APPLICABLE
			8: DON'T KNOW
			9: REFUSED
			. : INADVERTENT SKIP (25)

<b>C4e</b>	<b>Num:8</b>	<b>YN789I</b>	<b>RS child or adult counseled on bicycle safety helmets during child visit?</b> <i>[Ask only if RS Child age 2–14 years or 99 and C3 = 1–95]</i>
			1:Yes
			2:No
			7: NOT APPLICABLE
			8: DON'T KNOW
			9: REFUSED
			. : INADVERTENT SKIP (25)

↑ Note: Note, in addition to the two instances in which no child was selected and these questions were inadvertently skipped (R\_IDs 10067 and 26363), questions C4d and C4e were inadvertently skipped for 23 instances in which the age of the randomly selected child was not known (R\_IDs 02363, 07070, 10088, 12068, 13339, 20238, 23940, 24004, 25125, 29727, 37547, 37743, 40097, 41032, 42792, 44214, 47476, 50518, 55358, 56482, 58229, 60286, 68142).

<u>Variable Name</u>	<u>Type</u> <u>Length</u>	<u>Format Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
----------------------	------------------------------	--------------------	---

**Module 7: Counseling by a Healthcare Provider in the past 12 months, continued.**

**Adult Respondents**

<b>C5</b>	<b>Num:8</b>	<b>YN89X</b>	<b>Do you (the adult respondent) have any health care coverage?</b>
			1: Yes
			2: No
			8: DON'T KNOW
			9: REFUSED

**Module 8: Motor Vehicle**

<b>MV1</b>	<b>Num:8</b>	<b>MV1X</b>	<b>Frequency of seat belt use when driving a motor vehicle, past 30 days</b>
			1: Always (use seatbelt)
			2: More Than Half Time
			3: Half the Time
			4: Less Than Half Time
			5: Never (use seatbelt)
			6: DID NOT DRIVE, PAST 30 DAYS
			7: DO NOT DRIVE/ NO LICENSE
			98: DON'T KNOW
			99: REFUSED

<b>MV2</b>	<b>Num:8</b>	<b>MV2X</b>	<b>Frequency of seat belt use when riding as a passenger in a motor vehicle, past 30 days</b>
			1: Always (use seatbelt)
			2: More Than Half Time
			3: Half the Time
			4: Less Than Half Time
			5: Never (use seatbelt)
			6: DID NOT RIDE, PAST 30 DAYS
			98: DON'T KNOW
			99: REFUSED

<b>MV3a</b>	<b>Num:8</b>	<b>YN789X</b>	<b>Tend to avoid driving at night? [Ask only if MV1 ≠ 7]</b>
			1: Yes
			2: No
			7: NOT APPLICABLE
			8: DON'T KNOW
			9: REFUSED

<b>MV3b</b>	<b>Num:8</b>	<b>YN789X</b>	<b>Tend to avoid driving in bad weather? [Ask only if MV1 ≠ 7]</b>
			1: Yes
			2: No
			7: NOT APPLICABLE
			8: DON'T KNOW
			9: REFUSED

<u>Variable Name</u>	<u>Type</u> <u>Length</u>	<u>Format</u> <u>Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
<b>Module 8: Motor Vehicle, continued</b>			
<b>MV3c</b>	<b>Num:8</b>	<b>YN789X</b>	<b>Tend to avoid driving on highways/high speed roads?</b> <i>[Ask only if MV1 ≠ 7]</i> 1: Yes 2: No 7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED
<div style="border: 1px solid black; padding: 5px;"> <p>↓ <i>Note:</i> Questions MV3d and MV3e below were asked only of those respondents age 65+ years old. The contractor noted 1 respondent age 65+ years for whom these questions were inadvertently skipped (R_ID 18029).</p> </div>			
<b>MV3d</b>	<b>Num:8</b>	<b>YN789I</b>	<b>Tend to avoid driving on long trips?</b> <i>[Ask only if Age 65+ and MV1 ≠ 7]</i> 1: Yes 2: No 7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED . : INADVERTENT SKIP (1)
<b>MV3e</b>	<b>Num:8</b>	<b>YN789I</b>	<b>Tend to avoid driving in congested traffic?</b> <i>[Ask only if Age 65+ and MV1 ≠ 7?]</i> 1: Yes 2: No 7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED . : INADVERTENT SKIP (1)
<b>MV4</b>	<b>Num:8</b>	<b>YN89X</b>	<b>Involved in a motor vehicle crash as either a passenger or a driver, past 12 months?</b> 1: Yes 2: No 8: DON'T KNOW 9: REFUSED
<b>MV5</b>	<b>Num:8</b>	<b>YN789X</b>	<b>Seek medical treatment for motor vehicle crash injury, past 12 months? <i>[Ask only if MV4 = 1]</i></b> 1: Yes 2: No 7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED

<u>Variable Name</u>	<u>Type:</u> <u>Length</u>	<u>Format</u> <u>Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
<b>Module 8: Motor Vehicles, continued</b>			
<b>MV6</b>	<b>Num:8</b>	<b>MV6X</b>	<b>Miles driven during the past 12 months, in thousands (continuous)</b> <i>[Ask only if MV1 ≠ 7]</i> Range = 1 to 994 (thousand)      997: NOT APPLICABLE 995: LT 1,000 miles                      998: DON'T KNOW 0: Did not drive, past 12 months                      999: REFUSED
<div style="border: 1px solid black; padding: 5px;"> <p>↓ <i>Note:</i> Because some of the responses coded for MV6 in the first 9 months of the study seemed unlikely (too high), a confirmation screen question (MV6Conf) was added to the interview process on 04/15/2002 to check responses to MV6. Even with the addition of the confirmation screen, many of the responses seem high.</p> </div>			
<b>MV6Conf</b>	<b>Num:8</b>	<b>MV6CONF</b>	<b>Confirmation Screen for variable MV6</b> <i>[Present only if interviewed on or after 04/15/2002]</i> 1: Yes    7: NOT APPLICABLE
<b>MV6a</b>	<b>Num:8</b>	<b>MV6A</b>	<b>Miles driven during the past 12 months, in thousands</b> <i>[Ask only if MV1 ≠ 7 and MV6 = 998 or 999]</i> 1: < 1,000 Miles                              97: NOT APPLICABLE 2: < 5,000 Miles                              98: DON'T KNOW 3: <10,000 Miles                              99: REFUSED 4: <15,000 Miles 5: <20,000 Miles 6: 20,000+ Miles
<div style="border: 1px solid black; padding: 5px;"> <p>↓ <i>Note:</i> Questions MV7, MV8, and MV8Code below were asked only of those respondents age 65+ years old. The contractor noted one instance in which a respondent age 65+ years was not asked questions MV7 and MV8—they were inadvertently skipped (R_ID 18029).</p> </div>			
<b>MV7</b>	<b>Num:8</b>	<b>MV7X</b>	<b>Decrease driving due to a physical problem, past 12 months?</b> <i>[Ask only if MV1 ≠ 7, MV6 ≠ 0, and age 65+]</i> 1: Yes    7: NOT APPLICABLE 2: No    8: DON'T KNOW 3: Haven't Driven past 12 months                      9: REFUSED .: INADVERTENT SKIP (1)

<u>Variable Name</u>	<u>Type: Length</u>	<u>Format Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
<b>Module 8: Motor Vehicle, continued</b>			
<b>MV8</b>	<b>Num:8</b>	<b>MV8X</b>	<b>Problem that caused decrease in driving</b> <i>[Ask only if MV1 ≠7, MV6 ≠0, MV7 = 1, and age 65+]</i>
			1: Arthritis 2: Cannot Walk 3: Falling 4: Foot Problems 5: Forgetfulness 6: Get Confused 7: Heart Attack/Problems/ Blood Pressure 8: Pain 9: Parkinson's Disease 10 :Black Outs (Syncope) 11: Slowed Reactions 12: Stroke 13: Too Old 14: Too Nervous 15: Trouble Breathing 16: Trouble Getting In/Out Car 17: Trouble Steering 18: Trouble Seeing/Vision Problems 19: Other (Specify) 97: NOT APPLICABLE 98: DON'T KNOW 99: REFUSED . : INADVERTENT SKIP (1)
<b>MV8Code</b>	<b>Num:8</b>	<b>MV8CODE</b>	<b>Problem that caused decrease in driving—Other (Specify)</b> <i>[Ask only if MV1 ≠7, MV6 ≠0, MV7 = 1, MV8 = 19, and age 65+]</i>
			20: Cancer 21: Diabetes 22: Medication 23: Old injury 24: Recent surgery 25: Tire too easily 26: Grief/depression 27: Leg problems 28: Too sick 29: Chronic Obstructive Pulmonary Disease (COPD) 30: Vertigo 97: NOT APPLICABLE
<b>MV9</b>	<b>Num:8</b>	<b>MV9MV10X</b>	<b>Number of times ridden with a driver who perhaps had too much alcohol to drink, past 30 days</b> <i>[Ask only if MV2 = 1–5]</i>
			Range = 1 to 40 times 0: None 97: NOT APPLICABLE 98: DON'T KNOW 99: REFUSED

<u>Variable Name</u>	<u>Type:</u> <u>Length</u>	<u>Format</u> <u>Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
<b>Module 8: Motor Vehicle, continued</b>			
<b>MV10</b>	<b>Num:8</b>	<b>MV9MV10X</b>	<b>Number of times driven when perhaps had too much alcohol to drink, past 30 days</b> <i>[Ask only of MV1 = 1–5 and A1 = 1,8 or 9]</i> Range = 1 to 40 times 0: None
			97: NOT APPLICABLE 98: DON'T KNOW 99: REFUSED

**Randomly Selected Child Age 0–14 Years**

↓ Note: The questions in the remainder of this module (MV11, MV12a–c, MV13) refer to the same randomly selected (RS) child age 0–14 years that was selected for the Module on Counseling by a Healthcare Provider (C3CN, Module 7). The age (RSChAge0014), sex (RSChSex0014), and appropriate analysis weight (WT\_RSChAge0014) variables for the randomly selected child age 0–14 years are described in the Child Enumeration Section of the codebook (Module 5). The contractor noted two instances in which no child was selected and these questions (C3, C4a–e) were inadvertently skipped (R\_IDs 10067 and 26363).

<b>MV11</b>	<b>Num:8</b>	<b>MV11X</b>	<b>How often did RS child use child safety seat, booster seat, or seat belt when riding in a motor vehicle, past 30 days?</b> <i>[Ask only about RS child age 0–14 years]</i> 1: Always 2: More Than Half Time 3: Half the Time 4: Less Than Half Time 5: Never
			6: DID NOT RIDE PAST 30 DAYS 97: NOT APPLICABLE 98: DON'T KNOW 99: REFUSED . : INADVERTENT SKIP (2)

**If Randomly Selected Child is Age 0–10 Years**

<b>MV12a</b>	<b>Num:8</b>	<b>YN789I</b>	<b>Did RS child use safety seat when riding in a motor vehicle, past 30 days?</b> <i>[Ask only if age of RS child is 0–10 years or 98 or 99, and MV11 = 1–4]</i> 1: Yes 2: No
			7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED . : INADVERTENT SKIP (4)

<u>Variable Name</u>	<u>Type:</u> <u>Length</u>	<u>Format</u> <u>Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
----------------------	-------------------------------	------------------------------	---

**Module 8: Motor Vehicle, continued**

**If Randomly Selected Child is Age 0–10 Years, continued**

<b>MV12b</b>	<b>Num:8</b>	<b>YN789I</b>	<b>Did RS child use booster seat when riding in a motor vehicle, past 30 days?</b> <i>[Ask only if age of RS child is 0–10 years or 98 or 99, and MV11 = 1–4]</i>
			1: Yes
			2: No
			7: NOT APPLICABLE
			8: DON'T KNOW
			9: REFUSED
			. : INADVERTENT SKIP (4)

↑ Note: In addition to the two instances in which no child was selected and these questions were inadvertently skipped (R\_IDs 10067 and 26363), the contractor noted two additional instances in which questions MV12a and MV12b were inadvertently skipped for a selected child (R\_IDs 35006 and 40097).

**If Randomly Selected Child is Age 11–14 Years**

<b>MV12c</b>	<b>Num:8</b>	<b>YN789I</b>	<b>Did RS Child use seat belt when riding in a motor vehicle, past 30 days?</b> <i>[Ask only if RS Child 11–14 years and MV11 = 1–4]</i>
			1: Yes
			2: No
			7: NOT APPLICABLE
			8: DON'T KNOW
			9: REFUSED
			. : INADVERTENT SKIP (2)

<b>MV13</b>	<b>Num:8</b>	<b>MV13X</b>	<b>How often did RS child ride in the back seat when riding in a motor vehicle, past 30 days?</b> <i>[Ask only if RS child 0–14 years and MV11 ≠ 6]</i>
			1: Always (rides in back)
			2: More Than Half the Time
			3: Half the Time
			4: Less Than Half the Time
			5: Never (rides in back)
			6: NO BACK SEAT
			97: NOT APPLICABLE
			98: DON'T KNOW
			99: REFUSED
			. : INADVERTENT SKIP (2)

↑ Note: A response of “no back seat” for variable MV13 was coded only if offered by the respondent. Some with no back seat may have responded “Never” (never rode in the back seat when riding in a motor vehicle in the past 30 days).



<u>Variable Name</u>	<u>Type Length</u>	<u>Format Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
----------------------	--------------------	--------------------	---

**Module 9: Child Pedestrians (Walking to School)**

**Randomly Selected Child 5–14 years**

↓ Note: In households where there were 1 or more children age 5–14 years, a child for whom the respondent answered questions was randomly selected (Ped1CN). The age (RSChAge0514), sex (RSChSex0514), and appropriate analysis weight (WT\_RSChAge0514) variables that link to the child randomly selected below (Ped1CN) are described in the Child Enumeration Section of the codebook (Module 5).

<b>Ped1CN</b>	<b>Num:8</b>	<b>NADKRF</b>	<b>Identifier (Child 01,02,...,07) of randomly selected child age 5–14 years</b> <i>[Ask only if child in home age 5–14 years]</i>
			Range = 1 to 5 97: NOT APPLICABLE 98: DON'T KNOW 99: REFUSED
<b>Ped1</b>	<b>Num:8</b>	<b>PED1X</b>	<b>How RS child usually gets to school most days of the week</b> <i>[Ask only if RS child age 5–14 years]</i>
			1: Family Car 2: Carpool 3: School Bus 4: Bicycle 5: Walking 6: Train 7: Home-Schooled 8: Drop-Out 9: Other (Specify) 97: NOT APPLICABLE 98: DON'T KNOW 99: REFUSED
<b>Ped1Code</b>	<b>Num:8</b>	<b>PED1CODE</b>	<b>How RS child usually gets to school—Other (Specify)</b> <i>[Ask only if RS child age 5–14 years and Ped1 = 9]</i>
			10: Combination drive/walk 11: Not in school 12: Public transportation 13: Various ways 14: Taxi 15: Just moved, not yet enrolled 97: NOT APPLICABLE
<b>Ped2</b>	<b>Num:8</b>	<b>PED2X</b>	<b>Number of days per week RS child usually walks to school in good weather</b> <i>[Ask only if RS child age 5–14 years]</i>
			Range = 1 to 5 days 0: None 97: NOT APPLICABLE 98: DON'T KNOW 99: REFUSED

<u>Variable Name</u>	<u>Type: Length</u>	<u>Format Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
----------------------	---------------------	--------------------	---

**Module 9: Child Pedestrians (Walking to School)**

**Randomly Selected Child 5–14 years**

<b>Ped3</b>	<b>Num:8</b>	<b>PED3X</b>	<b>Main reason RS child does not walk to school more often</b> <i>[Ask only if RS child age 5–14 years and PED2 = 1 to 3]</i>
			1: Afraid Someone Might Harm      6: No Sidewalks
			2: Too Far to Walk                      7: Other (Specify)
			3: Too Dangerous, Traffic              97: NOT APPLICABLE
			4: More Convenient to Drop Off      98: DON'T KNOW
			5: Friends Take the Bus                99: REFUSED

<b>Ped3Code</b>	<b>Num:8</b>	<b>PED3CODE</b>	<b>Main reason RS child does not walk to school more often—Other (Specify)</b> <i>[Ask only if RS child 5–14 years and Ped3 = 7]</i>
			8: Against school policy                15: Transportation used is more convenient
			9: All of the above
			10: Child's preference                  16: Weather
			11: Not in school                        17: It's on a moose trail
			12: Disability/chronic physical problem      18: Construction in community
			13: Parental preference                19: Musical instrument too heavy to carry
			14: Too young                              20: Unfamiliar with area
			97: NOT APPLICABLE

**Module 10: Child Bicycle Helmet Safety**

↓ *Note:* The questions in this module refer to the same randomly selected (RS) child age 5–14 years that was selected for the Module on Child Pedestrians Walking to School (Ped1CN, Module 9). The age (RSChAge0514), sex (RSChSex0514), and appropriate analysis weight (WT\_RSChAge0514) variables for the randomly selected child age 5–14 years are described in the Child Enumeration Section of the codebook (Module 5).

**Randomly Selected Child Age 5–14 Years**

<b>Bike1</b>	<b>Num:8</b>	<b>YN789X</b>	<b>Does RS child ever ride bike?</b> <i>[Ask only if RS Child age 5–14 years]</i>
			1: Yes                                        7: NOT APPLICABLE
			2: No                                         8: DON'T KNOW
			9: REFUSED

<u>Variable Name</u>	<u>Type: Length</u>	<u>Format Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
----------------------	---------------------	--------------------	---

**Module 10: Child Bicycle Helmet Safety, continued.**

***Randomly Selected Child Age 5–14 Years, continued***

<b>Bike2</b>	<b>Num:8</b>	<b>BIKE2X</b>	<p><b>How often did RS child wear helmet when bicycling, past 30 days?</b>  <i>[Ask only if RS child 5–14 years and Bike1 = 1]</i></p> <p>1: Always (wears a helmet)      97: NOT APPLICABLE            2: More Than Half the Time      98: DON'T KNOW            3: Half the Time      99: REFUSED            4: Less Than Half the Time            5: Never (wears a helmet)            6: DID NOT RIDE PAST 30 DAYS</p>
<b>Bike3</b>	<b>Num:8</b>	<b>BIKE3X</b>	<p><b>Number of days per week RS child usually bikes to school in good weather</b>  <i>[Ask only if RS child 5–14, Bike1 = 1, Ped1 ≠ 7 or 8, and Ped2 ≠ 5]</i></p> <p>Range = 1 to 5 days      7: NOT APPLICABLE            0: None      8: DON'T KNOW            9: REFUSED</p>
<b>Bike4</b>	<b>Num:8</b>	<b>BIKE4X</b>	<p><b>How often does RS child wear a helmet when biking to school in good weather?</b> <i>[Ask only if RS child 5–14, Bike1 = 1, and Bike3 ≠ 0 or 9]</i></p> <p>1: Always (wears a helmet)      97: NOT APPLICABLE            2: More Than Half the Time      98: DON'T KNOW            3: Half the Time      99: REFUSED            4: Less Than Half the Time            5: Never (wears a helmet)</p>
<b>Bike5</b>	<b>Num:8</b>	<b>BIKE5X</b>	<p><b>Number of days per week RS child usually bikes in the neighborhood in good weather</b> <i>[Ask only if RS child 5–14 years and Bike1 = 1]</i></p> <p>Range = 1 to 7 days      97: NOT APPLICABLE            0: None      98: DON'T KNOW            99: REFUSED</p>

<u>Variable Name</u>	<u>Type: Length</u>	<u>Format Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
----------------------	---------------------	--------------------	---

**Module 10: Child Bicycle Helmet Safety, continued.**

***Randomly Selected Child Age 5–14 Years, continued***

<b>Bike6</b>	<b>Num:8</b>	<b>BIKE6X</b>	<b>How often does RS child wear a helmet when biking in the neighborhood in good weather? [Ask only if RS child 5–14 years, Bike1 = 1, and Bike5 ≠ 0 or 99]</b>
			1: Always (wears a helmet)      97: NOT APPLICABLE
			2: More Than Half the Time      98: DON'T KNOW
			3: Half the Time      99: REFUSED
			4: Less Than Half the Time      . : INADVERTENT SKIP (12)
			5: Never (wears a helmet)

↑ *Note:* The contractor noted 12 instances in which question Bike6 was inadvertently skipped (R\_IDs 000726, 01318, 01591, 03034, 03623, 07856, 09314, 10066, 12833, 14733, 17843, 19318).

**Module 11: Water Recreation**

<b>W1</b>	<b>Num:8</b>	<b>W1X</b>	<b>Number of days drove/rode in a motorboat, past 12 months</b> Range = 1 to 365 days      998: DON'T KNOW 0: None      999: REFUSED
<b>W2</b>	<b>Num:8</b>	<b>YN789X</b>	<b>Drink any alcoholic beverages while on or within 2 hours before driving/riding in motor boat, last time? [Ask only if W1 ≠ 0 and A1 ≠ 3]</b> 1: Yes      7: NOT APPLICABLE 2: No      8: DON'T KNOW 9: REFUSED
<b>W3</b>	<b>Num:8</b>	<b>YN89X</b>	<b>Access to an outdoor swimming pool where you live?</b> 1: Yes      8: DON'T KNOW 2: No      9: REFUSED
<b>W4</b>	<b>Num:8</b>	<b>YN789X</b>	<b>Pool fenced with gate that closes/latches automatically? [Ask only if W3 = 1]</b> 1: Yes      7: NOT APPLICABLE 2: No      8: DON'T KNOW 9: REFUSED

<u>Variable Name</u>	<u>Type:</u> <u>Length</u>	<u>Format</u> <u>Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
<b>Module 11: Water Recreation, continued.</b>			
<b>W5</b>	<b>Num:8</b>	<b>YN789X</b>	<b>Did you find any child under 5 years alone inside pool area without adult knowledge or supervision, past 12 months? [Ask only if W3 = 1]</b> 1: Yes 2: No 7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED

**Module 12: Dogs and Dog Bites**

*Dog Bites*

<b>DB1</b>	<b>Num:8</b>	<b>YN89X</b>	<b>Anyone living in household bitten by a dog, past 12 months?</b> 1: Yes 2: No 8: DON'T KNOW 9: REFUSED
------------	--------------	--------------	--

↓ Note: *If anyone living in the household was bitten (DB1 = 1), the contractor then went on to collect dog bite status (yes/no) for every child under the age of 15 years living in the household, one child age 15–17 years living in the household, the adult respondent, and one other adult living in the household. While space was allotted to collect information on up to ten children age 0–14 years living in the household, no respondent listed more than seven children in this age range living in their home; therefore, variables for children 8, 9 and 10 ( \_08, \_09, and \_10) were dropped from the data set.*

<b>DB2_01</b>	<b>Num:8</b>	<b>YN789X</b>	<b>Oldest (or only) child age 0–14 years bitten by a dog, past 12 months? [Ask only if DB1 = 1 and DH4 &gt; 0]</b> 1: Yes 2: No 7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED
---------------	--------------	---------------	---

<b>DB2_02</b>	<b>Num:8</b>	<b>YN789X</b>	<b>Next oldest child age 0–14 years bitten by a dog, past 12 months? [Ask only if DB1 = 1 and DH4 &gt; 1]</b> 1: Yes 2: No 7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED
---------------	--------------	---------------	--

↑ Note: *This question also asked of child 3 through 7. Variables DB2\_03 [Ask only if DB1 = 1 and DH4 > 2]; DB2\_04 [Ask only if DB1 = 1 and DH4 > 3]; DB2\_05 [Ask only if DB1 = 1 and DH4 > 4]; DB2\_06 [Ask only if DB1 = 1 and DH4 > 5]; DB2\_07 [Ask only if DB1 = 1 and DH4 > 6].*

<u>Variable Name</u>	<u>Type</u> <u>Length</u>	<u>Format</u> <u>Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
----------------------	------------------------------	------------------------------	---

**Module 12: Dogs and Dog Bites, continued.**

**Dog Bites, continued**

↑ Note: For analysis of dog bites among children living in the household, the data set will need to be restructured as 1 record per household for homes with 0 or 1 child aged 0–14 years, and 1 record per child per household for homes with more than 1 child aged 0–14 years. The appropriate weight for each child should be attached to the restructured data set (see Codebook Module 5: Enumeration of Children in the Household—variables WT\_Kid01 through WT\_Kid07), along with the child's age, sex, and any other household characteristics to be analyzed.

<b>DB2_11</b>	<b>Num:8</b>	<b>YN789X</b>	<b>Child 15 to 17 years bitten by a dog, past 12 months?</b> <i>[Ask only if DB1 = 1 and SC4 &gt; DH4]</i>
			1: Yes
			2: No
			7: NOT APPLICABLE
			8: DON'T KNOW
			9: REFUSED

↑ Note: Because not all children ages 15–17 years living in the household were enumerated, these data do not provide an estimate of dog bites in this subset of the population.

<b>DB2_12</b>	<b>Num:8</b>	<b>YN789X</b>	<b>Respondent bitten by a dog, past 12 months?</b> <i>[Ask only if DB1 = 1]</i>
			1: Yes
			2: No
			7: NOT APPLICABLE
			8: DON'T KNOW
			9: REFUSED

<b>DB2_13</b>	<b>Num:8</b>	<b>YN789X</b>	<b>Other Adult in the household—Bitten by a dog, past 12 months?</b> <i>[Ask only if DB1 = 1 and SUM(SC2,SC3) &gt; 1]</i>
			1: Yes
			2: No
			7: NOT APPLICABLE
			8: DON'T KNOW
			9: REFUSED

↑ Note: Because not all adults living in the household were enumerated, the adult respondent's answers (DB2\_12) should be used to estimate dog bites among adults.

**Medically Treated Dog Bites**

<b>DB3</b>	<b>Num:8</b>	<b>YN789X</b>	<b>Anyone living in household who was bitten get medical treatment for the dog bite?</b> <i>[Ask only if DB1 = 1]</i>
			1: Yes
			2: No
			7: NOT APPLICABLE
			8: DON'T KNOW
			9: REFUSED

Variable Name	Type Length	Format Name	Variable Description Possible Value: Formatted Value
---------------	-------------	-------------	--

**Module 12: Dogs and Dog Bites, continued.**

**Medically Treated Dog Bites, continued**

↓ Note: If anyone living in the household was treated for a dog bite (DB3), the contractor then went on to collect dog bite medical treatment status (yes/no) for all those bitten. While space was allotted to collect information on up to ten children age 0–14 years living in the household, no respondent listed more than seven children in this age range living in their home; therefore, variables for children 8, 9 and 10 ( \_08, \_09, and \_10) were dropped from the data set.

<b>DB4_01</b>	<b>Num:8 YN789X</b>	<b>Oldest (or only) child age 0–14 years medically treated for a dog bite, past 12 months? [Ask only if DB3 = 1, DB2_01 = 1, and DH4 &gt; 0]</b>
		1: Yes 2: No
		7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED

<b>DB4_02</b>	<b>Num:8 YN789X</b>	<b>Next oldest child age 0–14 years medically treated for a dog bite, past 12 months? [Ask only if DB3 = 1, DB2_02 = 1, and DH4 &gt; 1]</b>
		1: Yes 2: No
		7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED

↑ Note: This question also asked of child 3 through 7 if DB3 = 1. Variables DB4\_03 [Ask only if DB3 = 1, DB2\_03 = 1, and DH4 > 2]; DB4\_04 [Ask only if DB3 = 1, DB2\_04 = 1, and DH4 > 3]; DB4\_05 [Ask only if DB3 = 1, DB2\_05 = 1, and DH4 > 4]; DB4\_06 [Ask only if DB3 = 1, DB2\_06 = 1, and DH4 > 5]; DB4\_07 [Ask only if DB3 = 1, DB2\_07 = 1, and DH4 > 6].

For analysis of medically treated dog bites among children living in the household, the data set will need to be restructured as 1 record per household for homes with 0 or 1 child aged 0–14 years, and 1 record per child per household for homes with more than 1 child aged 0–14 years. The appropriate weight for each child should be attached to the restructured data set (see Codebook Module 5: Enumeration of Children in the Household—variables WT\_Kid01 through WT\_Kid07), along with the child's age, sex, and any other household characteristics to be analyzed.

<b>DB4_11</b>	<b>Num:8 YN789X</b>	<b>Child 15–17 years medically treated for a dog bite, past 12 months? [Ask only if DB3 = 1, DB2_11 = 1, and SC4 &gt; DH4]</b>
		1: Yes 2: No
		7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED

↑ Note: Because not all children ages 15–17 years living in the household were enumerated, these data do not provide an estimate of medically treated dog bites in this subset of the population.

<u>Variable Name</u>	<u>Type</u> <u>Length</u>	<u>Format</u> <u>Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
----------------------	------------------------------	------------------------------	---

**Module 12: Dogs and Dog Bites, continued.**

**Medically Treated Dog Bites, continued**

<b>DB4_12</b>	<b>Num:8</b>	<b>YN789X</b>	<b>Respondent medically treated for a dog bit, past 12 months?</b> <i>[Ask only if DB3 = 1 and DB2_12 = 1]</i>
			1: Yes
			2: No
			7: NOT APPLICABLE
			8: DON'T KNOW
			9: REFUSED
<b>DB4_13</b>	<b>Num:8</b>	<b>YN789X</b>	<b>Other adult in the household medically treated for a dog bite, past 12 months?</b> <i>[Ask only if DB3 = 1, DB2_13 = 1, and SUM(SC2,SC3) &gt; 1]</i>
			1: Yes
			2: No
			7: NOT APPLICABLE
			8: DON'T KNOW
			9: REFUSED

↑ *Note:* Because not all adults living in the household were enumerated, the adult respondent's answers (DB4\_12) should be used to estimate medically treated dog bites among adults.

**Dogs**

<b>DB5</b>	<b>Num:8</b>	<b>DB5X</b>	<b>Number of dogs in the home</b>
			Range = 1 to 30
			0: None
			98: DON'T KNOW
			99: REFUSED

↓ *Note:* Respondents were asked to provide answers about one randomly selected dog in the household for the remainder of the questions in this module (DB6, DB6Code, DB7, DB8).

<b>DB6</b>	<b>Num:8</b>	<b>DB6X</b>	<b>Breed of a randomly selected dog in the household</b> <i>[Ask only if DB5 ≠ 0]</i>
001: Affenpinscher			055: Irish Terrier
002: Afghan Hound			056: Irish Wolfhound
003: Airedale Terrier			057: Italian Greyhound
004: Alaskan Malamute			058: Japanese Spaniel
005: Australian Shepherd			059: Keeshond
006: Australian Terrier			060: Kerry Blue Terrier
007: Basenji			061: Komondor
008: American Staffordshire Terrier			062: Kuvasz
009: Beagle			063: Lakeland Terrier
010: Bedlington Terrier			064: Lhasa Apso
011: Belgian Malinois			065: Maltese
			066: Manchester Terrier
			112: Spaniel, Brittany
			113: Spaniel, Clumber
			114: Spaniel, Cocker
			115: Spaniel, English Cocker
			116: Spaniel, English Springer
			117: Spaniel, Field
			118: Spaniel, Irish Water
			119: Spaniel, Sussex
			120: Spaniel, Welsh Springer
			121: Spitz, Finnish
			122: Staffordshire Terrier
			123: Vizsla

(Codes continue on next page)



<u>Variable Name</u>	<u>Type: Length</u>	<u>Format Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
<b>Module 12: Dogs and Dog Bites, continued.</b>			
<b>DB6, continued</b>			
012: Belgian Sheepdog			067: Manchester Terrier, Toy
013: Belgian Tervuren			068: Mastiff
014: Bernese Mountain Dog			069: Newfoundland
015: Bloodhound			070: Norwegian Elkhound
016: Blue Tick Hound			071: Norwich Terrier
017: Border Collie			072: Old English Sheepdog
018: Border Terrier			073: Otter Hound
019: Borzoi			074: Papillon
020: Boston Terrier			075: Pekinese
021: Bouvier des Flandres			076: Pinscher, Miniature
022: Boxer			077: Pointer
023: Briard			078: Pointer, German Shorthaired
024: Bulldog			079: Pointer, German Wirehaired
025: Bull Mastiff			080: Pomeranian
026: Bull Terrier			081: Poodle, Miniature
027: Cairn Terrier			082: Poodle, Standard
028: Chihuahua			083: Poodle, Toy
029: Chinese Crested			084: Pug
030: Chow Chow			085: Puli
031: Collie			086: Red Bone Hound
032: Coonhound, Black and Tan			087: Retriever, Chesapeake Bay
033: Dachshund			088: Retriever, Curly-coated
034: Dachshund, Miniature			089: Retriever, Flat-coated
035: Dalmation			090: Retriever, Golden
036: Dandie Dinmont Terrier			091: Retriever, Labrador
037: Deerhound, Scottish			092: Rhodesian Ridgeback
038: Doberman Pinscher			093: Rottweiler
039: Drahtthaak			094: Russian Wolfhound
040: English Toy Spaniel (King Charles)			095: Saint Bernard
041: Eskimo			096: Saluki
042: Foxhound, American			097: Samoyed
043: Foxhound, English			098: Schipperke
044: Fox terrier (Wirehaired Terrier)			099: Schnauzer, Miniature
045: Fox Terrier, Toy			100: Schnauzer, Standard
046: French Bulldog			101: Scottish Terrier
047: German Shepherd			102: Sealyham Terrier
048: Giant Schnauzer			103: Setter, English
049: Great Dane			104: Setter, Gordon
050: Great Pyrenees			105: Setter, Irish
051: Griffon, Brussels			106: Shetland Sheepdog (Sheltie)
052: Griffon, Wirehaired Pointing			107: Shih Tzu
053: Greyhound			108: Siberian Husky
054: Harrier			109: Silky Terrier
			110: Skye Terrier
			111: Spaniel, American Water
			124: Walker Hound
			125: Weimaraner
			126: Welsh Corgi, Cardigan
			127: Welsh Corgi, Pembroke
			128: Welsh Terrier
			129: West Highland White Terrier
			130: Whippet
			131: Yorkshire Terrier
			*** code 132 was not used ***
			133: Tibetan Mastiff
			134: Tibetan Spaniel
			135: Tibetan Terrier
			136: Australian Heeler
			137: Akita
			138: Australian Kelpie
			139: Bichon Frise
			140: English Shepherd
			141: Ibizan Hound
			142: Pointer, Spanish
			143: Tolling Dog
			144: Welsh Sheepdog
			145: English Coonhound
			146: McNab
			147: Plott Hound
			148: Ainu
			149: Catahoula Hog Dog
			150: Bearded Collie
			151: Hungarian Sheepdog
			152: Belgian Wolfhound
			153: Soft-coated Wheaten Terrier
			154: Glen of Imaal Terrier
			155: Shar-pei
			156: Swiss Mountain Dog
			157: Pharaoh Hound
			158: Canaan
			159: Jack Russell Terrier
			160: Wolf or Wolf Mix
			161: Jindo Korean
			162: Pit Bull, Not otherwise specified
			163: Other (Specify)
			555: Mutt/Mix/Mongrel
			997: NOT APPLICABLE
			998: DON'T KNOW
			999: REFUSED

<u>Variable Name</u>	<u>Type:</u> <u>Length</u>	<u>Format</u> <u>Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
<b>Module 12: Dogs and Dog Bites, continued.</b>			
<b>DB6Code</b>	<b>Num:8</b>	<b>DB6CODE</b>	<b>Breed of a randomly selected dog in the household—Other (Specify)</b> <i>[Ask only if DB5 ≠ 0 and DB6 = 163]</i>
			164: Basset Hound
			165: Blue Heeler
			166: Italian Spinoni
			167: Siberian Shepherd
			168: Teacup Poodle
			169: Cavalier Spaniel
			170: Rat terrier
			171: Guamanian "Boonie Dog" (semiferal)
			172: Coyote
			173: Portuguese Water Dog
			174: Petit Basset Griffon Vendeen
			997: NOT APPLICABLE
<b>DB7</b>	<b>Num:8</b>	<b>DB7X</b>	<b>Sex of the randomly selected dog</b> <i>[Ask only if DB5 ≠ 0]</i>
			1: Male
			2: Female
			7: NOT APPLICABLE
			8: DON'T KNOW
			9: REFUSED
<b>DB8</b>	<b>Num:8</b>	<b>YN789X</b>	<b>Is the randomly selected dog neutered/spayed?</b> <i>[Ask only if DB5 ≠ 0]</i>
			1: Yes
			2: No
			7: NOT APPLICABLE
			8: DON'T KNOW
			9: REFUSED
<b>RSDogWt</b>	<b>Num:8</b>	<b>F17.7</b>	<b>Interim weight for analysis of dogs. This is not a final analysis weight as it has yet to be poststratified.</b>

### Module 13: Family Violence

<b>FV1</b>	<b>Num:8</b>	<b>YN89X</b>	<b>Frightened for self/family because of threats from an intimate partner/family member, past 12 months?</b>
			1: Yes
			2: No
			8: DON'T KNOW
			9: REFUSED

<u>Variable Name</u>	<u>Type:</u> <u>Length</u>	<u>Format</u> <u>Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
----------------------	-------------------------------	------------------------------	---

**Module 13: Family Violence, continued.**

<b>FV2</b>	<b>Num:8</b>	<b>FV2X</b>	<b>Relationship to the person who frightened you [Ask only if FV1 = 1]</b>
			1: Current Husband
			2: Current Wife
			3: Ex-Husband
			4: Ex-Wife
			5: Current Boyfriend
			6: Current Girlfriend
			7: Ex-Boyfriend
			8: Ex-Girlfriend
			10: Mother
			11: Father
			12: Brother
			13: Sister
			14: Stepmother
			15: Stepfather
			20: Son
			21: Daughter
			22: Stepson
			23: Stepdaughter
			30: Cousin
			31: Aunt
			32: Uncle
			33: Niece
			34: Nephew
			35: Grandmother
			36: Grandfather
			37: Grandchild
			38: Other Family Member
			55: Other (Specify)
			95: Multiple People (Specify)
			97: NOT APPLICABLE
			98: DON'T KNOW
			99: REFUSED

<b>FV2Code</b>	<b>Num:8</b>	<b>FV2CODE</b>	<b>Relationship to the person who frightened you—Other (Specify) [Ask only if FV1 = 1 and FV2 = 55 or 95]</b>
			57: Date
			65: Lover/Significant other
			92: Multiple Other Family
			97: NOT APPLICABLE

↓ *Note:* The soft refusal (SR) option below was included in the interview as a means for allowing the respondent to feel more comfortable in identifying the perpetrator of family violence. In this format, each relationship is read and the respondent replies with a “yes” or “no.” No additional information is requested if the respondent replies “Other(55)” or “Multiple People(95).”

<b>FV2SR</b>	<b>Num:8</b>	<b>FV2SR</b>	<b>Relationship to the person who frightened you—Soft Refusal Option [Ask only if FV1 = 1 and FV2 = 98 or 99]</b>
			1: Current Husband
			2: Current Wife
			3: Ex-Husband
			4: Ex-Wife
			12: Brother
			13: Sister
			20: Son
			32: Uncle

( Codes continue on the next page )

<u>Variable Name</u>	<u>Type</u> <u>Length</u>	<u>Format</u> <u>Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
<b>Module 13: Family Violence, continued.</b>			
<b>FV2SR, continued</b>			5: Current Boyfriend 6: Current Girlfriend 7: Ex-Boyfriend 8: Ex-Girlfriend 11: Father 38: Other Family Member 55: Other 95: Multiple People 97: NOT APPLICABLE 98: DON'T KNOW 99: REFUSED
<b>FV3</b>	<b>Num:8</b>	<b>YN89X</b>	<b>As a child, did you ever witness parent/guardian abuse by their spouse/partner?</b> 1: Yes 2: No 8: DON'T KNOW 9: REFUSED
<b>FV4</b>	<b>Num:8</b>	<b>YN89X</b>	<b>As a child, were you ever injured as a result of being spanked, struck, or shoved by a parent/guardian or their partners?</b> 1: Yes 2: No 8: DON'T KNOW 9: REFUSED
<b>Module 14: Lifetime Stalking</b>			
<b>ST1</b>	<b>Num:8</b>	<b>YN89</b>	<b>Ever stalked (followed, spied on, communicated with against your will) for more than 1 month?</b> 1: Yes 2: No 8: DON'T KNOW 9: REFUSED
↑ <i>Note:</i> Stalking does not include bill collectors or sales people.			
<b>ST2</b>	<b>Num:8</b>	<b>ST2X</b>	<b>Seriousness of stalking on the most recent occasion</b> <i>[Ask only if ST1 = 1]</i> 1: Not of Concern 2: Annoying 3: Somewhat Dangerous 4: Life Threatening 7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED

<u>Variable Name</u>	<u>Type: Length</u>	<u>Format Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
<b>Module 15: Interpersonal Violence</b>			
<b>V1</b>	<b>Num:8</b>	<b>V1X</b>	<b>Struck (slapped, punched, kicked, or hit) by another person over the age of 12, past 12 months?</b>
			1: Yes
			2: No
			3: Raped, Hit or Struck
			4: Raped, Not Hit or Struck
			8: DON'T KNOW
			9: REFUSED

**Most recent occasion**

<b>V2a</b>	<b>Num:8</b>	<b>RELATE</b>	<b>Relationship to person who struck you, most recent occasion, past 12 months [Ask only if V1 = 1]</b>
<b>(Same format for V2b–V2d)</b>			1: Current Husband
			2: Current Wife
			3: Ex-Husband
			4: Ex-Wife
			5: Current Boyfriend
			6: Current Girlfriend
			7: Ex-Boyfriend
			8: Ex-Girlfriend
			10: Mother
			11: Father
			12: Brother
			13: Sister
			14: Stepmother
			15: Stepfather
			20: Son
			21: Daughter
			22: Stepson
			23: Stepdaughter
			30: Cousin
			31: Aunt
			32: Uncle
			33: Niece
			34: Nephew
			35: Grandmother
			36: Grandfather
			37: Grandchild
			38: Other Family Member
			40: Roommate
			41: Close Friend
			42: Neighbor
			43: Acquaintance
			44: Stranger
			45: Friend
			46: Co-Worker
			47: Student
			51: Patient
			52: Police/Bouncer
			53: Ex-Intimate's Friend
			54: Clergy
			55: Other (Specify)
			95: Multiple People (Specify)
			97: NOT APPLICABLE
			98: DON'T KNOW
			99: REFUSED

<u>Variable Name</u>	<u>Type: Length</u>	<u>Format Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
----------------------	---------------------	--------------------	---

**Module 15: Interpersonal Violence, continued.**

Most recent occasion, continued.

<b>V2aCount</b>	<b>Num:8</b>	<b>VCOUNT</b>	<b>Number of people if struck by multiple persons on most recent occasion, past 12 months [Ask only if V1 = 1 and V2a = 95]</b>
<b>(Same format for V2bCount–V2dCount)</b>			2: Two people 3: Three people 4: Four or more people 97: NOT APPLICABLE

<b>V2aCode</b>	<b>Num:8</b>	<b>RELCODE</b>	<b>Relationship to person who struck you, most recent occasion, past 12 months—Other (Specify) [Ask only if V1 = 1 and V2a = 55 or 95]</b>
<b>(Same format for V2bCode–V2dCode)</b>			56: Babysitter 57: Date 58: Employer/boss 59: Landlord 60: Male in foster home 61: Nurse 62: Teacher 63: Customer/client 64: Inmate in prison 65: Lover/significant other 66: Shoplifter 67: Soldier, in training 68: Cruise director 69: Camp counselor 70: Gang member 71: School janitor 72: Opponent in contact sport 78: Friends and stepfather 90: Acquaintances 91: Students 92: Multiple other family 93: Customers at bar he tends 94: Friends 97: NOT APPLICABLE

↓ Note: The soft refusal (SR) option below was included in the interview as a means for allowing the respondent to feel more comfortable in identifying the perpetrator of interpersonal violence. In this format, each relationship is read and the respondent replies with a “yes” or “no.” No additional information is requested if the respondent replies “Other(55)” or “Multiple People(95).”

<b>V2aSR</b>	<b>Num:8</b>	<b>RELATESR</b>	<b>Relationship to person who struck you, most recent occasion, past 12 months—Soft Refusal Option [Ask only if V1 = 1 and V2a = 98 or 99]</b>
			1: Current Husband 2: Current Wife 3: Ex-Husband 4: Ex-Wife 5: Current Boyfriend 6: Current Girlfriend 7: Ex-Boyfriend 32: Uncle 38: Other Family Member 43: Acquaintance 44: Stranger 45: Friend 46: Co-Worker 47: Student

( Codes continue on the next page )

<u>Variable Name</u>	<u>Type: Length</u>	<u>Format Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
----------------------	---------------------	--------------------	---

**Module 15: Interpersonal Violence, continued.**

**Most recent occasion, continued.**

<b>V2aSR, Continued</b>	8: Ex-Girlfriend	51: Patient
	11: Father	55: Other
	12: Brother	95: Multiple People
	13: Sister	97: NOT APPLICABLE
	20: Son	98: DON'T KNOW
		99: REFUSED

<b>V3a</b>	<b>Num:8</b>	<b>VTIMES</b>	<b>Number of occasions struck by this person(s), past 12 months</b> <i>[Ask only if V1 = 1]</i>
<b>(Same format as V3b–V3d)</b>			Range = 1 to 70 occasions
			97: NOT APPLICABLE
			95: 95 or more occasions
			98: DON'T KNOW
			99: REFUSED

<b>V4a</b>	<b>Num:8</b>	<b>V4ABCD</b>	<b>Main reason this person(s) usually struck</b> <i>[Ask only if V1 = 1]</i>
<b>(Same format for V4b–V4d)</b>			1: Joking Around
			5: Other (Specify)
			2: Normal part of a Sport
			97: NOT APPLICABLE
			3: Intend to Strike, not Injure
			98: DON'T KNOW
			4: Intend to Strike and Injure
			99: REFUSED

<b>V4aCode</b>	<b>Num:8</b>	<b>V4CODE</b>	<b>Main reason this person(s) usually struck—Other (Specify)</b> <i>[Ask only if V1 = 1 and V4a = 5]</i>
<b>(Same format for V4bCode–V4dCode)</b>			6: Emotional outburst
			9: Got involved in a fight between others
			7: Unaware/mentally incapacitated
			10: Self defense
			8: Work-related
			11: Did not intend to strike you
			97: NOT APPLICABLE

↑ Note: Additional respondent-specific information for those who said the person who struck them did so because they were “unaware/mentally incapacitated” (V4aCode = 7) appears below. Responses apply to V4bCode–V4dCode as well.

<u>Variable Name</u>	<u>Type</u> <u>Length</u>	<u>Format</u> <u>Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
----------------------	------------------------------	------------------------------	---

**Module 15: Interpersonal Violence, continued.**

Most recent occasion, continued.

<i>R_ID</i>	<i>Response</i>	<i>R_ID</i>	<i>Response</i>
02584	Mental illness	20002	They are sick and it was unintentional
06933	Respondent and friend were drunk	21828	Recovering from a drug problem
08610	Husband had a stroke and suffered brain damage	28283	Out of confusion and not comprehending
10627	Mental disability	36102	Father has Alzheimer disease
10711	Drinking alcohol	40829	On drugs
12553	Alcohol related	49133	Involuntary motion
14147	Elderly person was confused	52844	They were drunk
16846	Person was drunk	56308	Drinking too much
18041	Psychiatric patient off of medication	64313	Intoxicated
		65829	Intoxicated
		68840	Intoxicated

**V5a**            **Num:8**   **VTIMES**    **Number of times physically injured by person(s), past 12 months**  
*[Ask only if V1 = 1]*

(Same format for V5b–V5d)            Range = 1 to 10 occasions            97: NOT APPLICABLE  
0: None            98: DON'T KNOW  
95: 95 or more occasions            99: REFUSED

**V6a**            **Num:8**   **VTIMES**    **Number of times sought medical treatment for injuries caused by person(s), past 12 months**  
*[Ask only if V1 = 1 and V5a = 1]*

(Same format for V6b–V6d)            Range = 1 to 4 occasions            97: NOT APPLICABLE  
0: None            98: DON'T KNOW  
95: 95 or more occasions            99: REFUSED

**V7a**            **Num:8**   **VTIMES**    **Number of times you struck person(s) first, past 12 months**  
*[Ask only if V1 = 1]*

(Same format for V7b–V7d)            Range = 1 to 4 times            97: NOT APPLICABLE  
0: None            98: DON'T KNOW  
95: 95 or more times            99: REFUSED



<u>Variable Name</u>	<u>Type:</u> <u>Length</u>	<u>Format</u> <u>Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
----------------------	-------------------------------	------------------------------	---

**Module 15: Interpersonal Violence, continued.**

<b>V8a</b>	<b>Num:8</b>	<b>V8ABC</b>	<b>Struck (slapped, punched, kicked, or hit) by anyone else, past 12 months? [Ask only if V1 = 1]</b>
<b>(Same format for V8b–V8c)</b>			1: Yes
			2: No
			7: NOT APPLICABLE
			8: DON'T KNOW

↑ Note: The respondent may loop through the V2–V7 series of questions up to four times as follows:

If V8a is “Yes,” ask the same set of questions regarding the next (second) most recent occasion in which the respondent was struck [Ask only if V1 = 1 and V8a = 1]—Perpetrator 2. This is the “b” series of questions (V2b, V2bCount [If V2b = 95], V2bCode [if V2b = 55 or 95], V2bSR [If V2b = 98 or 99], V3b, V4b, V4bCode [If V4b = 5], V5b, V6b [If V5b = 1], V7b, and V8b).

If V8b is “Yes,” ask the same set of questions regarding the next (third) most recent occasion in which the respondent was struck [Ask only if V1 = 1 and V8b = 1]—Perpetrator 3. This is the “c” series of questions (V2c, V2cCount [If V2c = 95], V2cCode [if V2c = 55 or 95], V2cSR [If V2c = 98 or 99], V3c, V4c, V4cCode [If V4c = 5], V5c, V6c [If V5c = 1], V7c, and V8c).

If V8c is “Yes,” ask the same set of questions regarding the next (fourth) most recent occasion in which the respondent was struck [Ask only if V1 = 1 and V8c = 1]—Perpetrator 4. This is the “d” series of questions (V2d, V2dCount [If V2d = 95], V2dCode [if V2d = 55 or 95], V2dSR [If V2d = 98 or 99], V3d, V4d, V4dCode [If V4d = 5], V5d, V6d [If V5d = 1], and V7d).

**Module 16: Sexual Violence**

<b>SV1</b>	<b>Num:8</b>	<b>YN89X</b>	<b>Experienced any unwanted sexual activity, including touch that made you uncomfortable, past 12 months?</b>
			1: Yes
			2: No
			8: DON'T KNOW
			9: REFUSED
<b>SV2</b>	<b>Num:8</b>	<b>YN89X</b>	<b>Ever forced to have sex?</b>
			1: Yes
			2: No
			8: DON'T KNOW
			9: REFUSED
<b>SV3</b>	<b>Num:8</b>	<b>SV3X</b>	<b>Age first time forced to have sex [Ask only if SV2 = 1]</b>
			Range = 1 to 79 years old
			0: < 1 year
			97: NOT APPLICABLE
			98: DON'T KNOW
			99: REFUSED

<u>Variable Name</u>	<u>Type: Length</u>	<u>Format Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
----------------------	---------------------	--------------------	---

**Module 16: Sexual Violence, continued.**

**First incident of forced sex**

<b>SV4</b>	<b>Num:8</b>	<b>RELATE</b>	<b>Relationship to person who forced sex the first time</b> <i>[Ask only if SV2 = 1]</i>
<b>(Same format for SV6)</b>			1: Current Husband
			2: Current Wife
			3: Ex-Husband
			4: Ex-Wife
			5: Current Boyfriend
			6: Current Girlfriend
			7: Ex-Boyfriend
			8: Ex-Girlfriend
			10: Mother
			11: Father
			12: Brother
			13: Sister
			14: Stepmother
			15: Stepfather
			20: Son
			21: Daughter
			22: Stepson
			23: Stepdaughter
			30: Cousin
			31: Aunt
			32: Uncle
			33: Niece
			34: Nephew
			35: Grandmother
			36: Grandfather
			37: Grandchild
			38: Other Family Member
			40: Roommate
			41: Close Friend
			42: Neighbor
			43: Acquaintance
			44: Stranger
			45: Friend
			46: Co-Worker
			47: Student
			51: Patient
			52: Police/Bouncer
			53: Ex-Intimate's Friend
			54: Clergy
			55: Other (Specify)
			95: Multiple People (Specify)
			97: NOT APPLICABLE
			98: DON'T KNOW
			99: REFUSED

<b>SV4Code</b>	<b>Num:8</b>	<b>RELCODE</b>	<b>Relationship to person who forced sex the first time—Other (Specify)</b> <i>[Ask only if SV2 = 1 and SV4 = 55 or 95]</i>
<b>(Same format for SV6Code)</b>			56: Babysitter
			57: Date
			58: Employer/boss
			59: Landlord
			60: Male in foster home
			68: Cruise director
			69: Camp counselor
			70: Gang member
			71: School janitor
			72: Opponent in contact sport

( Codes continue on the next page )

<u>Variable Name</u>	<u>Type:</u> <u>Length</u>	<u>Format</u> <u>Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
----------------------	-------------------------------	------------------------------	---

**Module 16: Sexual Violence, continued.**

**First incident of forced sex, continued**

<b>SV4Code, continued</b>	61: Nurse	89: Friends and stepfather
	62: Teacher	90: Acquaintances
	63: Customer/client	91: Students
	64: Inmate in prison	92: Multiple other family
	65: Lover/significant other	93: Customers at bar he tends
	66: Shoplifter	94: Friends
	67: Soldier, in training	97: NOT APPLICABLE

↓ *Note:* The soft refusal (SR) option below was included in the interview as a means for allowing the respondent to feel more comfortable in identifying the perpetrator of sexual violence. In this format, each relationship is read and the respondent replies with a “yes” or “no.” No additional information is requested if the respondent replies “Other (55)” or “Multiple People (95).”

**SV4SR Num:8 RELATESR Relationship to person who forced sex the first time—Soft Refusal Option [Ask only if SV2 = 1 and SV4 = 98 or 99]**

**(Same format for SV6SR)**

1: Current Husband	32: Uncle
2: Current Wife	38: Other Family Member
3: Ex-Husband	43: Acquaintance
4: Ex-Wife	44: Stranger
5: Current Boyfriend	45: Friend
6: Current Girlfriend	46: Co-Worker
7: Ex-Boyfriend	47: Student
8: Ex-Girlfriend	51: Patient
11: Father	55: Other
12: Brother	95: Multiple People
13: Sister	97: NOT APPLICABLE
20: Son	98: DON'T KNOW
	99: REFUSED

**SV5 Num:8 SV5X Not including the first person, number of other persons who forced sex [Ask only if SV2 = 1]**

Range = 1 to 25 persons	97: NOT APPLICABLE
96: Nobody Else	98: DON'T KNOW
	99: REFUSED

<u>Variable Name</u>	<u>Type: Length</u>	<u>Format Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
----------------------	---------------------	--------------------	---

**Module 16: Sexual Violence, continued.**

*Next incident of or person who forced sex (if just one more)*

<b>SV6</b>	<b>Num:8</b>	<b>RELATE</b>	<b>Relationship to other person who forced sex (different person from the first) [Ask only if SV2 = 1 and SV5 = 1]</b>
			Use same relationship codes as in SV4
			97:NOT APPLICABLE
			98:DON'T KNOW
			55:Other (Specify)
			99:REFUSED
			95:Multiple People (Specify)

<b>SV6Code</b>	<b>Num:8</b>	<b>RELCODE</b>	<b>Relationship to other person who forced sex—Other (Specify) [Ask only if SV2 = 1, SV5 = 1, and SV6 = 55 or 95]</b>
			Use Same relationship codes as in SV4Code
			97: NOT APPLICABLE

↓ Note: See note above (SV4SR) regarding the soft refusal (SR) option below.

<b>Num:8</b>	<b>RELATESR</b>	<b>Relationship to person who forced sex the next time—Soft Refusal Option [Ask only if SV2 = 1, SV5 = 1, and SV6 = 98 or 99]</b>
		Use same relationship codes as in SV4SR
		97:NOT APPLICABLE
		98:DON'T KNOW
		55: Other
		99:REFUSED
		95: Multiple People

*Summary of multiple other incidents or persons*

<b>SV7a</b>	<b>Num:8</b>	<b>YN789X</b>	<b>If multiple others, were any of these perpetrators an intimate partner (current/former spouse, partner or date)? [Ask only if SV2 = 1 and SV5 = 2–95]</b>
			1: Yes
			7: NOT APPLICABLE
			2: No
			8: DON'T KNOW
			9: REFUSED

<b>SV7b</b>	<b>Num:8</b>	<b>YN789X</b>	<b>If multiple others, were any of these perpetrators another family member? [Ask only if SV2 = 1 and SV5 = 2–95]</b>
			1: Yes
			7: NOT APPLICABLE
			2: No
			8: DON'T KNOW
			9: REFUSED

Variable Name	Type Length	Format Name	Variable Description Possible Value: Formatted Value
---------------	-------------	-------------	--

**Module 16: Sexual Violence, continued.**

**Summary of multiple other incidents or persons, continued**

SV7c	Num:8	YN789X	<b>If multiple others, were any of these perpetrators strangers? [Ask only if SV2 = 1 and SV5 = 2–95]</b>
			1: Yes
			2: No
			7: NOT APPLICABLE
			8: DON'T KNOW
			9: REFUSED

↑ Note: The SV7a–c series of questions is limited in that it does not specifically ask about friends/acquaintances. In addition, there is no way to separate “date” from intimate partner (V7a).

**Module 17: Respondent’s Views Regarding Sensitive Questions  
(Refers to questions about family violence, stalking, interpersonal violence, and sexual violence)**

↓ Note: The term “sensitive questions” refers to those questions asked in the modules on family violence (13), stalking (14), interpersonal violence (15), and sexual violence (16).

VMA1	Num:8	VMA1X	<b>Should a survey like this ask questions about violence by intimate partners, family members, sexual violence, and stalking?</b>
			1: Should Not Ask
			2: Should Ask
			8: DON'T KNOW
			9: REFUSED
VMA2	Num:8	YN89X	<b>Were questions upsetting because they reminded you of a past victimization experience?</b>
			1: Yes
			2: No
			8: DON'T KNOW
			9: REFUSED
VMA3	Num:8	YN89X	<b>Did questions make you feel afraid that someone might hear your answers and hurt you in any way?</b>
			1: Yes
			2: No
			8: DON'T KNOW
			9: REFUSED

<u>Variable Name</u>	<u>Type:</u> <u>Length</u>	<u>Format</u> <u>Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
<b>Module 18: Firearm Storage and Injury</b>			
<b>FA1</b>	<b>Num:8</b>	<b>YN89X</b>	<b>Any firearms kept in/around home, past 12 months?</b> 1: Yes 2: No 8: DON'T KNOW 9: REFUSED
<b>FA2</b>	<b>Num:8</b>	<b>YN789X</b>	<b>Any of the firearms in/around home, past 12 months, handguns (pistols, revolvers)? [Ask only if FA1 = 1]</b> 1: Yes 2: No 7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED
<b>FA3</b>	<b>Num:8</b>	<b>YN789X</b>	<b>Any firearms in/around the home, past 12 months, belong to your personally? [Ask only if FA1 = 1]</b> 1: Yes 2: No 7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED
<b>FA4</b>	<b>Num:8</b>	<b>YN789X</b>	<b>Any firearms kept loaded and unlocked in/around home, past 12 months? [Ask only if FA1 = 1]</b> 1: Yes 2: No 7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED
↓ <i>Note:</i> Questions FA5 through FA14, below, do not include firearm-use while performing one's job.			
<b>FA5</b>	<b>Num:8</b>	<b>FA5X</b>	<b>How often carry loaded firearm on your person or in car while away from home for protection, past 12 months?</b> 1: Almost Every Day 2: More Than Half the Time 3: Less Than Half Time 4: Rarely 5: Never 8: DON'T KNOW 9: REFUSED
<b>FA6</b>	<b>Num:8</b>	<b>FA6FA10X</b>	<b>Number of occasions firearm from home accidentally fired, past 12 months [Ask only if FA1 = 1]</b> Range = 1 to 4 times 0: None 97: NOT APPLICABLE 98: DON'T KNOW 99: REFUSED

<u>Variable Name</u>	<u>Type</u> <u>Length</u>	<u>Format</u> <u>Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
<b>Module 18: Firearm Storage and Injury, continued.</b>			
<b>FA7</b>	<b>Num:8</b>	<b>FA7X</b>	<b>What was person doing at the time of the accidental firing (past 12 months)?</b> <i>[Ask only if FA1 = 1 and FA6 ≠ 0 or 98 or 99]</i> 1: Hunting 2: Target Shooting 3: Protective Use 4: Playing with Firearm 5: Routine Cleaning 6: Handling for Other Purpose 97: NOT APPLICABLE 98: DON'T KNOW 99: REFUSED
<b>FA7Code</b>	<b>Num:8</b>	<b>FA7CODE</b>	<b>What was person doing at the time of the accidental firing (past 12 months)—Other (Specify)</b> <i>[Ask only if FA1 = 1, FA6 ≠ 0 or 98 or 99, and FA7 = 6]</i> 7: Checking the magazine 97: NOT APPLICABLE
<b>FA8</b>	<b>Num:8</b>	<b>FA8X</b>	<b>How did the accidental firing (past 12 months) actually happen?</b> <i>[Ask only if FA1 = 1 and FA6 ≠ 0 or 98 or 99]</i> 1: Cleaning Gun 2: Mistaken for a Toy 3: Holstering/Unholstering 4: Gun was Dropped 5: Loading or Unloading 6: Gun Misfired 7: Thought Safety was On 8: Thought Gun was Unloaded 9: Gun Defect, Malfunction 10: Accidentally Squeezed Trigger 11: Trying to Put Safety On 12: Showing Gun to Others 13: Celebratory Firing 14: Aim for Non-Person Target 15: Other (Specify) 97: NOT APPLICABLE 98: DON'T KNOW 99: REFUSED
<b>FA8Code</b>	<b>Num:8</b>	<b>FA8CODE</b>	<b>How did the accidental firing (past 12 months) actually happen—Other (Specify)</b> <i>[Ask only if FA1 = 1, FA6 ≠ 0 or 98 or 99, and FA8 = 15]</i> 16:High on drugs 97: NOT APPLICABLE
<b>FA9</b>	<b>Num:8</b>	<b>YN789X</b>	<b>Any person accidentally shooting firearm (past 12 months) under age 18 years?</b> <i>[Ask only of FA1 = 1 and FA6 ≠ 0 or 98 or 99]</i> 1: Yes 2: No 7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED

<u>Variable Name</u>	<u>Type:</u> <u>Length</u>	<u>Format</u> <u>Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
<b>Module 18: Firearm Storage and Injury, continued.</b>			
<b>FA10</b>	<b>Num:8</b>	<b>FA6FA10X</b>	<b>Number of occasions firearm from home fired on purpose, past 12 months</b> <i>[Ask only if FA1 = 1]</i>  Range = 1 to 4 times 0: None  97: NOT APPLICABLE 98: DON'T KNOW 99: REFUSED
<b>FA11a</b>	<b>Num:8</b>	<b>FAPEOPLE</b>	<b>Number of intimates (of the shooter) fired at on purpose, past 12 months</b> <i>[Ask only if FA1 = 1 and FA10 ≠ 0 or 98 or 99]</i>  1: 1 Person 0: None  97: NOT APPLICABLE 98: DON'T KNOW 99: REFUSED
<b>FA11b</b>	<b>Num:8</b>	<b>FAPEOPLE</b>	<b>Number of other relatives (of the shooter) fired at on purpose, past 12 months</b> <i>[Ask only if FA1 = 1 and FA10 ≠ 0 or 98 or 99]</i>  Range = 1 to 3 persons 0: None  97: NOT APPLICABLE 98: DON'T KNOW 99: REFUSED
<b>FA11c</b>	<b>Num:8</b>	<b>FAPEOPLE</b>	<b>Number of other persons fired at on purpose, past 12 months</b> <i>[Ask only if FA1 = 1 and FA10 ≠ 0 or 98 or 99]</i>  Range = 1 to 3 persons 0: None  97: NOT APPLICABLE 98: DON'T KNOW 99: REFUSED
<b>FA11Code</b>	<b>Num:8</b>	<b>FA11CODE</b>	<b>Specify other persons fired at on purpose, past 12 months</b> <i>[Ask only if FA1 = 1, FA10 ≠ 0 or 98 or 99, and FA11c = 1 to 95]</i>  1: Don't know 2: Burglar/break-in  3: Stranger 4: Friend  97: NOT APPLICABLE
<b>FA12</b>	<b>Num:8</b>	<b>FA12X</b>	<b>Number of purposeful firings were for protection of the shooter, someone else, property, past 12 months</b> <i>[Ask only if FA1 = 1 and FA10 ≠ 0 or 98 or 99]</i>  Range = 1 to 3 firings 0: None  97: NOT APPLICABLE 98: DON'T KNOW 99: REFUSED



<u>Variable Name</u>	<u>Type:</u> <u>Length</u>	<u>Format</u> <u>Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
<b>Module 18: Firearm Storage and Injury, continued.</b>			
<b>FA13</b>	<b>Num:8</b>	<b>FAPEOPLE</b>	<b>Number of persons hit by bullet when fired upon on purpose, past 12 months</b> <i>[Ask only if FA1 = 1 and FA10 ≠ 0 or 98 or 99]</i> 0: None 97: NOT APPLICABLE 98: DON'T KNOW 99: REFUSED
<p>↑ <i>Note:</i> Although a numbered response was possible, none of the respondents interviewed indicated that anyone was hit with a bullet during a purposeful firing from a firearm in their home.</p>			
<b>FA14</b>	<b>Num:8</b>	<b>YN89X</b>	<b>Respondent confronted someone with a firearm to protect self, someone else, property, past 12 months?</b> 1: Yes 2: No 8: DON'T KNOW 9: REFUSED
<b>FA15</b>	<b>Num:8</b>	<b>FA15X</b>	<b>Number adults in household who ever attend firearm safety workshop</b> <i>[Ask only if FA1 = 1]</i> Range = 1 to 14 adults 0: None 97: NOT APPLICABLE 98: DON'T KNOW 99: REFUSED
<b>FA16</b>	<b>Num:8</b>	<b>FA16X</b>	<b>Number children age 4–18 years in household who ever attended a firearm safety workshop</b> <i>[Ask only if FA1 = 1 and at least one child in the home age 4–18 years]</i> Range = 1 to 4 children 0: None 97: NOT APPLICABLE 98: DON'T KNOW 99: REFUSED
<b>FA17</b>	<b>Num:8</b>	<b>FA17X</b>	<b>How well do you think the police in your community protect you and your family from crime?</b> 1: Very Well 2: Somewhat Well 3: Not Very Well 4: Not at All Well 8: DON'T KNOW 9: REFUSED
<b>FA18</b>	<b>Num:8</b>	<b>YN789X</b>	<b>Do you have a working electronic security system in your residence?</b> 1:Yes 2:No 8:DON'T KNOW 9:REFUSED

<u>Variable Name</u>	<u>Type</u> <u>Length</u>	<u>Format Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
----------------------	------------------------------	--------------------	---

**Module 18: Firearm Storage and Injury, continued.**

<b>FA19</b>	<b>Num:8</b>	<b>FA19X</b>	<b>Number of times respondent/other adult in household victim of crime, past 12 months</b>
			Range = 1 to 46 times
			0: None
			98: DON'T KNOW
			99: REFUSED

**Module 19: Suicide**

<b>S1</b>	<b>Num:8</b>	<b>YN89X</b>	<b>Thoughts of taking own life, even if really would not, past 12 months?</b>
			1: Yes
			2: No
			8: DON'T KNOW
			9: REFUSED

↓ Note: The contractor noted 18 instances in which questions S2, S3a, and S3b were inadvertently skipped (Respondent IDs 01591, 07957, 08966, 15298, 18043, 22560, 23179, 29348, 33568, 40924, 44494, 45826, 45922, 46357, 50186, 53667, 62597, 68550).

<b>S2</b>	<b>Num:8</b>	<b>S2X</b>	<b>Make a specific plan for how to take own life, past 12 months?</b>
			1: Yes
			2: No
			8: DON'T KNOW
			9: REFUSED
			. : INADVERTENT SKIP (18)

<b>S3a</b>	<b>Num:8</b>	<b>SMETHOD</b>	<b>First method planned to use to take own life, past 12 months</b> <i>[Ask only if S2 = 1]</i>
<b>(Same format for S3b and S9)</b>			1: Gun
			2: Hang
			3: Drown
			4: Jump From High Place
			5: Jump Into Traffic
			6: Car Crash
			7: Car Exhaust
			8: Pills/Alcohol Overdose
			9: Cut or Stab Self
			10: Electrocutation
			11: Asphyxiate
			12: Poison
			13: Fire/Explosion
			14: Other (Specify)
			97: NOT APPLICABLE
			98: DON'T KNOW
			99: REFUSED
			. : INADVERTENT SKIP (18)

<u>Variable Name</u>	<u>Type:</u> <u>Length</u>	<u>Format</u> <u>Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
<b>Module 19: Suicide, continued.</b>			
<b>S3aCode</b>	<b>Num:8</b>	<b>SADDMETH</b>	<b>First method planned to use to take own life, past 12 months—Other (Specify) [Ask only if S2 = 1 and S3a = 14]</b>
<b>(Same format for S3bCode and S9Code)</b>			15: Pull the plug if on life support 16: Throw self in front of a 17: Starvation 18: Drive car off a cliff 97: NOT APPLICABLE . : INADVERTENT SKIP (18)
<b>S3b</b>	<b>Num:8</b>	<b>SMETHOD</b>	<b>Second method planned to use to take own life, past 12 months [Ask only if S2 = 1]</b>
			Use same codes as for S3a 14: Other (Specify) 95: No second method 97: NOT APPLICABLE 98: DON'T KNOW 99: REFUSED . : INADVERTENT SKIP (18)
<b>S3bCode</b>	<b>Num:8</b>	<b>SADDMETH</b>	<b>Second method planned to use to take own life, past 12 months—Other (Specify) [Ask only if S2 = 1 and S3b = 14]</b>
			Use same codes as for S3aCode 97: NOT APPLICABLE . : INADVERTENT SKIP (18)
<b>S4</b>	<b>Num:8</b>	<b>YN89X</b>	<b>Ever made an attempt to take own life?</b>
			1: Yes 2: No 8: DON'T KNOW 9: REFUSED
<b>S5</b>	<b>Num:8</b>	<b>S5X</b>	<b>Number attempts made to take own life, past 12 months [Ask only if S4 = 1]</b>
			Range = 1 to 4 times 0: None 97: NOT APPLICABLE 98: DON'T KNOW 99: REFUSED
<b>S6</b>	<b>Num:8</b>	<b>YN789X</b>	<b>Suffer injury, poisoning, illness on any attempt to take own life, past 12 months? [Ask only if S4 = 1 and S5 ≠ 0]</b>
			1: Yes 2: No 7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED

<u>Variable Name</u>	<u>Type:</u> <u>Length</u>	<u>Format</u> <u>Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
<b>Module 19: Suicide, continued.</b>			
<b>S7</b>	<b>Num:8</b>	<b>YN789X</b>	<p><b>See a medical/mental health professional due to any suicide attempt, past 12 months? [Ask only if S4 = 1, S5 ≠ 0, and S6 = 1 or 2]</b></p> <p>1: Yes 2: No</p> <p>7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED</p>
<b>S8</b>	<b>Num:8</b>	<b>YN789X</b>	<p><b>Suffer injury, poisoning, illness on any attempt to take own life during lifetime? [Ask only if S4 = 1 and S6 ≠ 1]</b></p> <p>1: Yes 2: No</p> <p>7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED</p>
<b>S9</b>	<b>Num:8</b>	<b>SMETHOD</b>	<p><b>Primary Method used in the most recent attempt (to take own life) [Ask only if S4 = 1]</b></p> <p>Use same codes as S3a 14: Other (Specify)</p> <p>97: NOT APPLICABLE 98: DON'T KNOW 99: REFUSED</p>
<b>S9Code</b>	<b>Num:8</b>	<b>SADDMETH</b>	<p><b>Primary Method used in the most recent attempt (to take own life)—Other (Specify) [Ask only S9 = 14]</b></p> <p>Use same codes as S3aCode</p> <p>97: NOT APPLICABLE</p>
<b>S10</b>	<b>Num:8</b>	<b>S10X</b>	<p><b>Number of people known personally who have taken their own life, past 12 months</b></p> <p>Range = 1 to 12 people 0: None</p> <p>98: DON'T KNOW 99: REFUSED</p>
<b>S11</b>	<b>Num:8</b>	<b>YN789X</b>	<p><b>Emotionally close to any of these people who died from suicide, past 12 months? [Ask only if S10 ≠ 0 or 98 or 99]</b></p> <p>1:Yes 2:No</p> <p>7:NOT APPLICABLE 8:DON'T KNOW 9:REFUSED</p>

<u>Variable Name</u>	<u>Type:</u> <u>Length</u>	<u>Format</u> <u>Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
<b>Module 19: Suicide, continued.</b>			
<b>S12</b>	<b>Num:8</b>	<b>S12S13X</b>	<b>Have someone can really talk to about things that are important</b> 1: Strongly Agree 2: Somewhat Agree 3: Somewhat Disagree 4: Strongly Disagree 8: DON'T KNOW 9: REFUSED
<b>S13</b>	<b>Num:8</b>	<b>S12S13X</b>	<b>Have someone can count on for understanding and advice</b> 1: Strongly Agree 2: Somewhat Agree 3: Somewhat Disagree 4: Strongly Disagree 8: DON'T KNOW 9: REFUSED
<b>S14</b>	<b>Num:8</b>	<b>S14X</b>	<b>If feeling life not worth living, which would you most likely to do?</b> 1: Seek Help from a Mental Health Professional 2: Seek Help from Clergy 3: Seek Help from a Physician or Other Medical Practitioner 4: Call a Crisis Hotline 5: Go to a Self Help Group 6: Seek Help from a Friend or Relative 7: Prefer to Cope by Yourself 8: Ignore It 9: or Something Else (Specify) 98: DON'T KNOW 99: REFUSED
<b>S14Code</b>	<b>Num:8</b>	<b>S14CODE</b>	<b>If feeling life not worth living, which would you most likely to do—            Something Else (Specify) [Ask only if S14 = 9]</b> 10: Call 911/talk to police 11: Commit suicide 12: Prayer/religion 13: All of the above 14: Seek help through employer 15: Become a drug dealer 16: Talk to lawyer 97: NOT APPLICABLE
↓ <i>Note:</i> Although the “script” was always read, indication of whether or not the respondent requested connection to the hotline was added to the interview in September, 2001.			
<b>Script</b>	<b>Num:8</b>	<b>SCRIPT</b>	<b>Connect to suicide hotline/continue with interview            [Added to the interview in September, 2001]</b> 1: Connect to Hotline Now 2: Continue with Interview 7: NOT APPLICABLE (Variable not present at time of interview)

Variable Name	Type Length	Format Name	Variable Description Possible Value: Formatted Value
---------------	-------------	-------------	--

**Module 20: Posttraumatic Stress Disorder (PTSD)**

↓ *Note:* This module was administered to adult respondents interviewed on or after January 10, 2002, the date on which this module was fielded. Those interviewed prior to that time have variable values of .P—MODULE NOT ASKED. Analysis of the variables in this section requires use of weights developed specifically for this module. These weights appear below.

<b>WT_Resp_P</b>	<b>Num:8</b>	<b>F17.7</b>	<b>Final Analysis Weight (for analysis of PTSD subset of records) when the unit of analysis is the respondent.</b>
------------------	--------------	--------------	--

<b>WT_HH_P</b>	<b>Num:8</b>	<b>F17.7</b>	<b>Final Analysis Weight (for analysis of PTSD subset of records) when the unit of analysis is the household.</b>
----------------	--------------	--------------	---

↓ *Note:* The questions below are about the terrorist attacks on September 11<sup>th</sup> involving the plane crashes at the World Trade Center, the Pentagon, and in Somerset County, Pennsylvania.

<b>P1</b>	<b>Num:8</b>	<b>YN89P</b>	<b>Fear family member/close friend killed/injured/missing when first heard about the 9/11 crashes?</b>		
			1: Yes		8: DON'T KNOW
			2: No		9: REFUSED
					.P: MODULE NOT ASKED (2449)

<b>P2</b>	<b>Num:8</b>	<b>YN89P</b>	<b>Family member/close friend killed/injured/missing as a result of the 9/11 crashes?</b>		
			1: Yes		8: DON'T KNOW
			2: No		9: REFUSED
					.P: MODULE NOT ASKED (2449)

<b>P3</b>	<b>Num:8</b>	<b>P3X</b>	<b>Relationship of family member/close friend killed/injured/missing as a result of 9/11 crashes? [Ask only if P2 = 1]</b>		
			1: Current or Former Spouse		7: Grandchild
			2: Current or Former Boyfriend or Girlfriend		8: Other Family Member
					9: Close Friend
			3: Parent or Step-Parent		10: Other (Specify)
			4: Sibling/Step-Sibling		95: Multiple People (Specify)
			5: Child/Step-Child		97: NOT APPLICABLE
			6: Grandparent		98: DON'T KNOW
					99: REFUSED
					.P: MODULE NOT ASKED (2449)

<u>Variable Name</u>	<u>Type:</u> <u>Length</u>	<u>Format</u> <u>Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
<b>Module 20: Posttraumatic Stress Disorder (PTSD)</b>			
<b>P3Code</b>	<b>Num:8</b>	<b>P3CODE</b>	<b>Relationship of family member/close friend killed/injured/missing— Other or Multiple People (Specify)</b> <i>[Ask only if P2 = 1 and P3 = 10 or 95]</i> 94: Multiple other family members 97: NOT APPLICABLE . P: MODULE NOT ASKED (2449)
<b>P4</b>	<b>Num:8</b>	<b>YN89P</b>	<b>Anyone else know personally killed/injured/missing as a result of the 9/11 crashes?</b> 1: Yes 2: No 8: DON'T KNOW 9: REFUSED . P: MODULE NOT ASKED (2449)
<b>P5</b>	<b>Num:8</b>	<b>P5X</b>	<b>Relationship of other person killed/injured/missing as a result of the 9/11 crashes</b> <i>[Ask only if P4 = 1]</i> 1: Friend 2: Neighbor 3: Co-Worker 4: Acquaintance 5: Other (Specify) 95: Multiple People (Specify) 97: NOT APPLICABLE 98: DON'T KNOW 99: REFUSED . P: MODULE NOT ASKED (2449)
<b>P5Code</b>	<b>Num:8</b>	<b>P5CODE</b>	<b>Relationship of other person killed/injured/missing as a result of the 9/11 crashes—Other or Multiple People (Specify)</b> <i>[Ask only if P4 = 1 and P5 = 5 or 95]</i> 6: Student/former student 83: Students 84: Acquaintances 85: Church members 86: Business associates colleagues 87: Neighbors and Business colleagues 88: Friends and business associates 89: Friend and coach 90: Friend and co-worker 91: Friends 92: Coworkers 93: Friends and co-worker 94: Neighbors 97: NOT APPLICABLE . P: MODULE NOT ASKED (2449)

<u>Variable Name</u>	<u>Type:</u> <u>Length</u>	<u>Format</u> <u>Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
<b>Module 20: Posttraumatic Stress Disorder (PTSD)</b>			
<b>P6</b>	<b>Num:8</b>	<b>YN89P</b>	<b>Know someone with family member/close friend killed/injured/missing as a result of the 9/11 crashes?</b> 1: Yes 2: No 8: DON'T KNOW 9: REFUSED .P: MODULE NOT ASKED (2449)
<b>P7</b>	<b>Num:8</b>	<b>P7X</b>	<b>Personal exposure to any of the plane crashes or the World Trade Center towers collapsing?</b> 1: In/around crash site, saw some events happen 2: In/around crash site, did not see events happen 3: Not in/around crash sites 8: DON'T KNOW 9: REFUSED .P: MODULE NOT ASKED (2449)
<b>P8</b>	<b>Num:8</b>	<b>P8X</b>	<b>Television exposure to any of the plane crashes or the World Trade Center towers collapsing?</b> 1: Saw (at least some televised images) as occurring 2: Saw (at least some televised images) after occurring, before knew (about events) 3: Saw (at least some televised images) after knew (about events) 4: Did not see televised images 8: DON'T KNOW 9: REFUSED .P: MODULE NOT ASKED (2449)
<b>P9</b>	<b>Num:8</b>	<b>YN89P</b>	<b>Feel at risk of being injured/killed as a result of exposure to these events?</b> 1: Yes 2: No 8: DON'T KNOW 9: REFUSED .P: MODULE NOT ASKED (2449)



<u>Variable Name</u>	<u>Type:</u> <u>Length</u>	<u>Format</u> <u>Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
<b>Module 20: Posttraumatic Stress Disorder (PTSD), continued.</b>			
<b>P10</b>	<b>Num:8</b>	<b>P10X</b>	<b>Approximate total hours television coverage of the 9/11 terrorist attacks watched in the 7 days following attacks?</b> 0: None 1: < 10 hours 2: 10–19 hours 3: 20–29 hours 4: 30–39 hours 5 : 40–49 hours 6: 50+ hours 98: DON'T KNOW 99: REFUSED .P: MODULE NOT ASKED (2449)
↓ <i>Note:</i> The remaining questions in this module are about the time after the plane crashes on September 11 <sup>th</sup> .			
<b>P11</b>	<b>Num:8</b>	<b>YN89P</b>	<b>Avoid being reminded of this experience by staying away from certain places, people, or activities after 9/11?</b> 1: Yes 2: No 8: DON'T KNOW 9: REFUSED .P: MODULE NOT ASKED (2449)
<b>P12</b>	<b>Num:8</b>	<b>YN89P</b>	<b>Lose interest in activities that were once important or enjoyable after 9/11?</b> 1: Yes 2: No 8: DON'T KNOW 9: REFUSED . P: MODULE NOT ASKED (2449)
<b>P13</b>	<b>Num:8</b>	<b>YN89P</b>	<b>Begin to feel more isolated or distant from other people after 9/11?</b> 1: Yes 2: No 8: DON'T KNOW 9: REFUSED .P: MODULE NOT ASKED (2449)
<b>P14</b>	<b>Num:8</b>	<b>YN89P</b>	<b>Find it hard to have love or affection for other people after 9/11?</b> 1: Yes 2: No 8: DON'T KNOW 9: REFUSED .P: MODULE NOT ASKED (2449)

<u>Variable Name</u>	<u>Type: Length</u>	<u>Format Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
<b>Module 20: Posttraumatic Stress Disorder (PTSD), continued.</b>			
<b>P15</b>	<b>Num:8</b>	<b>YN89P</b>	<b>Begin to feel there was no point in planning for the future after 9/11?</b> 1: Yes 2: No 8: DON'T KNOW 9: REFUSED .P: MODULE NOT ASKED (2449)
<b>P16</b>	<b>Num:8</b>	<b>YN89P</b>	<b>After this experience, have more trouble than usual falling asleep or staying asleep after 9/11?</b> 1: Yes 2: No 8: DON'T KNOW 9: REFUSED .P: MODULE NOT ASKED (2449)
<b>P17</b>	<b>Num:8</b>	<b>YN89P</b>	<b>Become jumpy or get easily startled by ordinary noises or movements after 9/11?</b> 1: Yes 2: No 8: DON'T KNOW 9: REFUSED .P: MODULE NOT ASKED (2449)
<p>↑ <i>Note:</i> Items P11–P17 make up a short screening scale for DSM-IV PTSD. For more information, see the article Short Screening Scale for DSM-IV Posttraumatic Stress Disorder (Breslau N, Peterson EL, Kessle, RC, and Shultz LR. American Journal of Psychiatry, 156:6, June 1999, pages 908–911).</p> <p>The remainder of this module (P18–P21) was only asked on those respondents who answered “yes” to four or more of P11–P17. The contractor noted three instances in which these questions were inadvertently skipped (Respondent IDs 16697, 17203, 22480).</p>			
<b>P18</b>	<b>Num:8</b>	<b>P18X</b>	<b>How soon after the 9/11 crashes did these reactions begin?</b> <i>[Ask only if Yes to 4 or more of P11–P17]</i> 1: Within the first 24 hours 2: Within the first 48 hours 3: Within the first week 4: Within the first month 5: Longer than a month after the crashes 7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED .P: MODULE NOT ASKED (2449) . : INADVERTENT SKIP (3)

<u>Variable Name</u>	<u>Type:</u> <u>Length</u>	<u>Format</u> <u>Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
<b>Module 20: Posttraumatic Stress Disorder (PTSD), continued.</b>			
<b>P18M</b>	<b>Num:8</b>	<b>P18M</b>	<p><b>How many months after the 9/11 crashes did these reactions begin?</b>  <i>[Ask only if Yes to 4 or more of P11–P17 and P18 = 5]</i></p> <p>2: Two months  5: Five months</p> <p>97: NOT APPLICABLE  98: DON'T KNOW  99: REFUSED  .P: MODULE NOT ASKED (2449)  . : INADVERTENT SKIP (3)</p>
<p>↑ <i>Note:</i> Space was allotted to capture partial months in terms of weeks. However, since no respondent provided information on weeks, that variable (P18W) was dropped from the data set.</p>			
<b>P19</b>	<b>Num:8</b>	<b>P19P21X</b>	<p><b>Currently having these reactions at least a few times a week?</b>  <i>[Ask only if Yes to 4 or more of P11–P17]</i></p> <p>1: Yes  2: No</p> <p>7: NOT APPLICABLE  8: DON'T KNOW  9: REFUSED  .P: MODULE NOT ASKED (2449)  . : INADVERTENT SKIP (3)</p>
<b>P20</b>	<b>Num:8</b>	<b>P20X</b>	<p><b>How long after reactions started did they continue at least a few times a week?</b> <i>[Ask only if Yes to 4 or more of P11–P17 and P19 = 2 or 8 or 9]</i></p> <p>1: Less than one month  2: One to two months  3: Three months or longer</p> <p>7: NOT APPLICABLE  8: DON'T KNOW  9: REFUSED  .P: MODULE NOT ASKED (2449)  . : INADVERTENT SKIP (3)</p>
<b>P21</b>	<b>Num:8</b>	<b>P19P21X</b>	<p><b>Discussed reactions with a doctor, nurse, psychologist, or other health professional?</b> <i>[Ask only if Yes to 4 or more of P11–P17]</i></p> <p>1: Yes  2: No</p> <p>7: NOT APPLICABLE  8: DON'T KNOW  9: REFUSED  .P: MODULE NOT ASKED (2449)  . : INADVERTENT SKIP (3)</p>

<u>Variable Name</u>	<u>Type:</u> <u>Length</u>	<u>Format</u> <u>Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
<b>Module 21: Additional Demographics</b>			
<b>D1</b>	<b>Num:8</b>	<b>D1D2X</b>	<p><b>Highest grade or year of education respondent completed?</b></p> <p>1: Post Grad Education/Degree      5: Some High School  2: College Grad (Assoc/Bachelors)    6: Eighth Grade or Less  3: Some Post High School                7: Something Else (Specify)  4: High School Grad/GED                98: DON'T KNOW  99: REFUSED</p>
<b>D2</b>	<b>Num:8</b>	<b>D1D2X</b>	<p><b>Highest grade or year of education anyone in household completed?</b>  <i>[Ask only if SUM(SC2,SC3) &gt; 1]</i></p> <p>Use same codes as D1                    98: DON'T KNOW  7: Something Else (Specify)            99: REFUSED</p>
<p>↑ <i>Note:</i> Because no one replied "Something Else" to either the respondent or household education-level variables, the corresponding variables in which this additional information would be specified (D1Code and D2Code) were removed from the data set.</p>			
<b>D3</b>	<b>Num:8</b>	<b>D3X</b>	<p><b>Current employment status</b></p> <p>1: Employed/Self-Employed, Full-Time      5: Student  6: Student and Employed  2: Employed/Self-Employed, Part-Time      7: Retired  98: DON'T KNOW  3: Homemaker/Caregiver                99: REFUSED  4: Out of Work/Unable to Work</p>
<b>D4</b>	<b>Num:8</b>	<b>YN89X</b>	<p><b>Consider yourself of Hispanic origin—Mexican, Latin American, Puerto Rican, or Cuban?</b></p> <p>1: Yes                                        8: DON'T KNOW  2: No                                         9: REFUSED</p>
<p>↓ <i>Note:</i> For questions on race below (D5_01–D5_05), race categories were read and respondents were asked to select all race categories that applied to them. Therefore, race variables are not mutually exclusive.</p>			
<b>D5_01</b>	<b>Num:8</b>	<b>YN89X</b>	<p><b>Race, American Indian or Alaskan Native?</b></p> <p>1: Yes                                        8: DON'T KNOW  2: No                                         9: REFUSED</p>

<u>Variable Name</u>	<u>Type:</u> <u>Length</u>	<u>Format</u> <u>Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
<b>Module 21: Additional Demographics, continued.</b>			
<b>D5_02</b>	<b>Num:8</b>	<b>YN89X</b>	<b>Race, Asian?</b> 1: Yes 2: No 8: DON'T KNOW 9: REFUSED
<b>D5_03</b>	<b>Num:8</b>	<b>YN89X</b>	<b>Race, Black or African American?</b> 1: Yes 2: No 8: DON'T KNOW 9: REFUSED
<b>D5_04</b>	<b>Num:8</b>	<b>YN89X</b>	<b>Race, Native Hawaiian or Other Pacific Islander?</b> 1: Yes 2: No 8: DON'T KNOW 9: REFUSED
<b>D5_05</b>	<b>Num:8</b>	<b>YN89X</b>	<b>Race, White?</b> 1: Yes 2: No 8: DON'T KNOW 9: REFUSED
<b>D6</b>	<b>Num:8</b>	<b>D6X</b>	<b>Current marital Status</b> 1: Married 2: Divorced 3: Widowed 4: Separated 5: Never Married 6: Member of an Unmarried Couple 98: DON'T KNOW 99: REFUSED
<b>D7</b>	<b>Num:8</b>	<b>D7X</b>	<b>Ownership status of current home</b> 1: Owned by you or someone else in the home 2: Rented by you or someone else in the home 3: Military Housing 4: or Something Else (Specify) 8: DON'T KNOW 9: REFUSED

<u>Variable Name</u>	<u>Type: Length</u>	<u>Format Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
<b>Module 21: Additional Demographics, continued</b>			
<b>D7Code</b>	<b>Num:8</b>	<b>D7CODE</b>	<b>Ownership status of current home—Something Else (Specify)</b> <i>[Ask only if D7 = 4]</i> <p>5: Church parsonage/clergy housing</p> <p>6: Government housing, ownership/rental status not known</p> <p>7: Home on reservation, ownership/rental status not known</p> <p>8: Lives with family member, ownership/rental status not known</p> <p>9: Owned by employer, employer provides housing</p> <p>10: Owned by family member not in home, no rent paid</p> <p>11: Owned by family member, unknown where owner lives, rental status not known</p> <p>12: Owned by friend/acquaintance, unknown where owner lives, rental status not known</p> <p>13: Owned by religious establishment, rental status not known</p> <p>14: Rented by family member not in the home, resident does not pay rent</p> <p>15: Resident has partnership in building</p> <p>16: Retirement center, ownership/rental status not known</p> <p>17: Veteran's housing</p> <p>18: Owned by someone not in the home, rental status not known</p> <p>19: Owned by family member, unknown where owner lives, no rent paid</p> <p>20: Co-op</p> <p>21: Owned by family member not in the home, rental status not known</p> <p>22: Rented by someone not in the home, rental status not known</p> <p>97: NOT APPLICABLE</p>
<b>D8</b>	<b>Num:8</b>	<b>D8X</b>	<b>Total pre-tax household income, all household members, past 12 months, under \$20,000 or \$20,000+?</b> <p>1: Under \$20,000</p> <p>2: \$20,000+</p> <p>8: DON'T KNOW</p> <p>9: REFUSED</p>

<u>Variable Name</u>	<u>Type: Length</u>	<u>Format Name</u>	<u>Variable Description</u> <u>Possible Value: Formatted Value</u>
<b>Module 21: Additional Demographics, continued</b>			
<b>D9</b>	<b>Num:8</b>	<b>D9X</b>	<b>Total pre-tax household income, all household members, past 12 months, under \$10,000 or \$10,000+?</b> <i>[Ask only if D8 = 1]</i> 1: Under \$10,000 2: \$10,000+ 7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED
<b>D10</b>	<b>Num:8</b>	<b>D10X</b>	<b>Total pre-tax household income, all household members, past 12 months, under \$35,000 or \$35,000+?</b> <i>[Ask only if D8 = 2]</i> 1: Under \$35,000 2: \$35,000+ 7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED
<b>D11</b>	<b>Num:8</b>	<b>D11X</b>	<b>Total pre-tax household income, all household members, past 12 months, under \$50,000 or \$50,000+?</b> <i>[Ask only if D10 = 2]</i> 1: Under \$50,000 2: \$50,000+ 7: NOT APPLICABLE 8: DON'T KNOW 9: REFUSED
<b>PovThrsh</b>	<b>Num:8</b>	<b>DOLLAR</b>	<b>Poverty threshold dollar amount (based on size of family unit and number of related children under age 18) from the 2000 Census</b> (See table of poverty threshold values, next page)
<b>D12</b>	<b>Num:8</b>	<b>D12X</b>	<b>Total pre-tax household income, all household members, past 12 months, under or at/above (INTERVIEWER—INSERT THE POVERTY THRESHOLD DOLLAR AMOUNT)?</b> <i>[Ask only if cannot be determined using D8–D11 above]</i> 1: Below Poverty Threshold 2: At/Above Poverty Threshold 8: DON'T KNOW 9: REFUSED