





Prepared in cooperation with the Afghanistan Geological Survey under the auspices of the U.S. Agency for International Development

Preliminary Non-Fuel Mineral Resource Assessment of Afghanistan

By Stephen G. Peters, Stephen D. Ludington, Greta J. Orris, David M. Sutphin, James D. Bliss, and James J. Rytuba, eds., and the U.S. Geological Survey-Afghanistan Ministry of Mines Joint Mineral Resource Assessment Team*

USGS Open-File Report 2007–1214 Afghanistan Geological Survey Open-File Report 2007-1214 *USGS Afghanistan Project Product No. 157*

*Stephen G. Peters¹ (Team Leader), Stephen D. Ludington², Greta J. Orris³, David M. Sutphin¹, James D. Bliss³, James J. Rytuba², Jared Abraham⁴, Mohammad Bashir⁵, Robert G. Bohannon⁴, Karen Sue Bolm³, Jeff L. Doebrich¹, Robert G. Eppinger⁴, Carol A. Finn⁴, Bernard E. Hubbard¹, Bruce R. Lipin¹, Walter J. Bawiec¹, Keith R. Long³, John C. Mars¹, Mohammad Saleh⁵, Lawrence W. Snee⁴, Douglas B. Stoeser⁴, Cliff D. Taylor⁴, Mohammad Omar Younusi⁵, Mohammad Asif Yousof⁵, Abdul Wasy⁵, and Gulraihan Waziri⁵.

¹U.S. Geological Survey, Reston , VA; ²U.S. Geological Survey, Menlo Park , CA; ³U.S. Geological Survey, Tucson, AZ; ⁴U.S. Geological Survey, Denver CO; ⁵Afghanistan Geological Survey, Kabul, Afghanistan

U.S. Department of the Interior U.S. Geological Survey

U.S. Department of the Interior

DIRK KEMPTHORNE, Secretary

U.S. Geological Survey

Mark D. Myers, Director

U.S. Geological Survey, Reston, Virginia: 2007

For product and ordering information: World Wide Web: http://www.usgs.gov/pubprod Telephone: 1-888-ASK-USGS

For more information on the USGS—the Federal source for science about the Earth, its natural and living resources, natural hazards, and the environment: World Wide Web: http://www.usgs.gov Telephone: 1-888-ASK-USGS

Suggested citation:

Peters, S.G., Ludington, S.D., Orris, G.J., Sutphin, D.M., and Bliss, J.D., eds.,, 2007, Preliminary Non-Fuel Mineral Resource Assessment of Afghanistan: U.S. Geological Survey Open–File Report 2007-1214

Any use of trade, product, or firm names is for descriptive purposes only and does not imply endorsement by the U.S. Government.

Although this report is in the public domain, permission must be secured from the individual copyright owners to reproduce any copyrighted material contained within this report.

Contents

Summary	xxviii
1.0 Introduction	1
1.1 Background	1
1.2 Past Development	2
1.3 Assessment Methods	3
1.4 Geologic History	11
1.5 Metallogeny	13
1.6 Acknowledgements	17
2.0 Deposits related to mafic igneous rocks	21
2.1 Podiform Chromite	21
2.1.1 Chromite Mineral Occurrences	21
2.1.2 Description of Podiform Chromite Deposit Models	21
Previous Investigations	22
Logar Province	23
2.1.3 Description of Mineral-Resource Tracts and Areas of Interest	25
Tract ID: umf01A—Eocene Ultramafic Rocks of Logar Valley	25
Parwan province	32
Tract ID: umf01B—Eocene Ultramafic Rocks Near Khost	37
Area ID: umf01C—Eocene Ultramafic Rocks of Paktia, Province, North of Khost, Area of Interes	st43
Area ID: umf01D—Ghazni to Kandahar Valley Area of Interest	44
Additional Areas of Interest of Ultramafic-Hosted Mineral Deposits	46
Area ID: umf02—Proterozoic Ultramafic Rock Area of Interest	46
Area ID: umf03—Paleozoic Ultramafic Rocks Area of Interest	47
Area ID: umf04—Mesozoic Ultramafic Rocks Area of Interest	48
2.2 Ultramafic-Hosted Talc-Magnesite	52
2.2.1 Talc-Magnesite Deposit Models	52
Tract ID: umf01A—Eocene Age Ultramafic Rocks of Logar Valley	57
Tract ID: umf01B—Eocene Age Mafic and Ultramafic Rocks of the Khost Area	61
2.3 Serpentine-Hosted Asbestos	66
Health concerns	66
2.3.1 Serpentine-Hosted Asbestos Deposit Models	67
Mineral Resource Tracts and Areas of Interest	73
Tract ID: umf01A—Eocene Age Ultramafic Rocks of Logar Valley	73
Tract ID: umf01B—Eocene Age Mafic and Ultramafic Rocks of the Khost Area	78
2.3.2 Description of tracts for Older Serpentine-Hosted Asbestos and Ultramafic-Hosted Talc-	
Magnesite	82
Tract ID: mir01—Asbestos, magnesite, and talc in Proterozoic age mafic and ultramafic	
intrusive rocks	83
Tract ID: mir02—Asbestos, magnesite, and talc Mississippian (Lower Carboniferous) and	
Permian age mafic and ultramafic intrusive rocks	85

Tract ID: mir03—Asbestos, magnesite, and talc Mesozoic age mafic and ultramafic intrusive	07
Tocks	8/
rocks	89
Favorable tract mirM-f1	03 Q1
Prospective tract mirM-n1	
Favorable tract mirΩ4-f2	 92
3.0 Deposits related to alkaline intrusions	95
3.1 Carbonatite (U-Th- REE-apatite)	95
3.1.1 Descriptive model of carbonatite (U-Th- REE-apatite)	95
3.2 Carbonatite (U-Th- REE-apatite) Tract Descriptions	96
Permissive tract cb01 Helmand basin	96
4 0 Deposits related to felsic phanerocrystalling intrusive rocks	106
4.0 Deposits related to relate phaneroerystamine initiasive rooks immediate initinitiasive rooks immediate initiasive rooks immed	106
A 1 1 Descriptive models for tip and tungsten deposits	100
4.1.2 Tract Descriptions	107
A 2 Sedimentary rock-hosted fluorite (fluorspar)	118
A 2 1 Eluorite voin denosit model	118
4.2.1 Fluorite Tract Description	118
Permissive tract fluor01—Bakhud	118
4.3 Permatites	123
4.3.1 Description of pegmatite deposit models	123
4.3.2 Pegmatite Mineral-Resource Tract	127
5.0 Deposits related to felsic to intermediate porphyritic igneous rocks	129
5.1 Porphyry copper and associated deposits	129
5.1.1 Descriptive Models	130
5.1.2 Tract Descriptions	133
Chagai east tract (ppycu01)	135
Chagai west tract (ppycu02)	140
Spin Boldak tract (ppycu03)	145
Saindak north tract (ppycu04)	150
Kundalyan-Zarkhashan tract (ppycu05)	155
Arghandab tract (ppycu06)	163
Katawaz tract (ppycu07)	168
Feroz Koh tract (ppycu08)	172
Farah Rod tract (ppycu09)	177
West Hindu Kush tract (ppycu10)	182
West Badakhshan tract (ppycu11)	187
Helmand tract (ppycu12)	188
5.2 Pluton-related gold deposits	194
5.2-1 Description of tracts for pluton-related gold deposits	195
Permissive tract—gold03 Kandahar-Zabul-Ghanzi gold	195

Favaorable tract gold03-f1	
Prospective tract gold03-p1-Kundalyan-gold	
Prospective tract gold03-p2	
Favorable tract gold03-f2	201
Prospective tract gold03-p3 Bolo gold	201
Prospective tract gold03-p3 Dynamitic	201
C O Denesite veleted to falsis to intermediate systematics reals	200
6.0 Deposits related to reisic to intermediate extrusive rocks	
6.1 1 Deservintive Medels for Enithermal Denseits and Associated Medels	
6.1.1 Descriptive Models for Epithermal Deposits and Associated Models	
0.2.1 Epitherinal Deposit Mact Descriptions	
Presencetive tract epiger Kallak-Kalla ny	ZZ I
Prospective tract eping01-p1 Zamaruan	
Prospective tract epiger-pz houe-buze	ZZ4
Prospective tract epiger-p5 Durbas	ZZ4
Prospective tract epiger-p4 diturnia	ZZ4
Prospective tract epiger-p5 citasiinak-iviusiikan	ZZ4
Prospective tract epiger-po Galiba	ZZ1
Prospective tract epigor-p7 Kildillak-Kalijal	ZZI
Fiuspective tract epigur-po Darwaza-Surkir-Jui-Baruesir	
Favorable tract epigor-iz Solynoi-Sewak	
Permissive Tract epigoz North Silalua mercury	230 2/10
Pormissive Tract epigos Tilak inercury	240 2/12
Permissive Tract epingo4 Nayak mercury	
6.2 Volcanogonic massivo sulfido donosite	
6.2.1 Volcanogonic massive sulfide denosit models	
6.2.2.1 Volcanogenic massive sulfide deposit models	
0.2.2 voicanogenic massive sunde deposit nact descriptions	204
Pormissive Tract VMS-01 Late Thassic Daikitab-0a20yilei	250
Pormissive Tract VMS-02 Late Sulassic-Latry Cretaceous	
Pormissive Tract VMS-03 Locene-Oligocene	200
7.0 Deposits associated with sedimentary processes or rocks	
7.1 Sediment-hosted copper	
7.1.1 Description of sediment-hosted copper deposit models	
7.1.2 Description of sediment-hosted copper assessment tracts	
Permissive Tract sedcu01 Aynak area	
Favorable tract sedcu01-f1	
Propective tracts within tract sedcuf1	
Prospective tract sedcu01-p1 Yagh-Darra-Ghuldarra	
Prospective tract sedcu01-p2	
Prospective tract sedcu01-p3 Aynak	
Prospective tract sedcu01-p4 Kawkhar-Darband-Kuhundara	
Favorable tract sedcu01-f2 Khaidarabad-Sultan Padshah	

7.2 Sediment-hosted lead-zinc deposits 7 7.2.1 Descriptive Models for Sediment-hosted lead-zinc deposits and Associated Models 7 7.2.2 Sediment-hosted lead-zinc tract descriptions 7 Permissive tract pbzn01 Sediment-hosted Lead Zinc-Phanerozoic 7 Favorable tract pbzn01-17 Nalbandon 7 Favorable tract pbzn01-13 East Ghor 7 Geochemical anomalous areas in tract pbzn01 7 Permissive tract pbzn02 Sediment-hosted Lead Zinc-Cretaceous 7 Permissive tract pbzn03 Sediment-hosted lead-zinc Proterozoic 7 7.3.1 Brick and refractory clays 7 7.3.2 Dorcelain 7 7.3.3 Adobe clay 7 7.4 Limestone 7 7.4 Limestone Tract Description 7 Permissive tract—lms01 8 8.0 Chemical-sedimentary cock-hosted iron deposits 8 8.1 Description of sedimentary rock-hosted iron deposit models 8 8.1.2 Description of sedimentary rock-hosted iron deposit models 8 8.1.2 Description of sedimentary rock-hosted iron deposit models 8 8.1.2 Description of sedimentary rock-hosted iron deposit models 8 8.1.2 Description of sedimentary rock-hosted iron deposit models	Permissive Tract—sedcu02 Kundalyan sedimentary copper	294
7.2.1 Descriptive Models for Sediment-hosted lead-zinc deposits and Associated Models 7.2.2 Sediment-hosted lead-zinc tract descriptions Permissive tract pbzn01 Sediment-hosted Lead Zinc-Phanerozoic 7.2.4 Sediment-hosted Lead Zinc-Phanerozoic Favorable tract pbzn01-12 Gharghanavl-Gavmazar 7.2.5 Sediment-hosted Lead Zinc-Cretaceous Favorable tract pbzn01-13 East Ghor. 7.3 Geochemical anomalous areas in tract pbzn01. Permissive tract pbzn02 Sediment-hosted Lead Zinc-Cretaceous. 7.2.7 Permissive tract pbzn03 Sediment-hosted Lead Zinc-Cretaceous. 7.3.1 Brick and refractory clays. 7.3.1 Brick and refractory clays. 7.3.2 Porcelain 7.3.2 Adobe clay. 7.4.1 Imestone 7.4.1 Descriptive deposit model. 7.4.2 Limestone Tract Description. 7.4.2 Limestone Tract Description. Permissive tract – Ims01 8.0 Chemical-sedimentary rock-hosted iron deposit models. 8.1.1 Description of sedimentary rock-hosted iron deposit models. 7.8.2 8.1.2 Description of sedimentary rock-hosted iron deposit models. 7.3.2 8.1.2 Description of sedimentary rock-hosted iron deposit models. 7.8.2 8.1.2 Description of sedimentary rock-hosted iron deposit models. 7.8.2 8.1.2 Description of sedimentary manganese tracts. 7.9.2 Permissive tract sedFe-02 Paleoproterozoic. 7.9.2	7.2 Sediment-hosted lead-zinc deposits	299
7.2.2 Sediment-hosted lead-zinc tract descriptions	7.2.1 Descriptive Models for Sediment-hosted lead-zinc deposits and Associated Models	299
Permissive tract pbzn01 Sediment-hosted Lead Zinc-Phanerozoic Image: Sectember 2011 Sediment-hosted Lead Zinc-Phanerozoic Favorable tract pbzn01-13 East Ghor Image: Sectember 2011 S	7.2.2 Sediment-hosted lead-zinc tract descriptions	
Favorable tract pbzn01-f1 Nalbandon	Permissive tract pbzn01 Sediment-hosted Lead Zinc-Phanerozoic	
Favorable tract pbzn01-f2 Gharghanawl-Gawmazar 5 Favorable tract pbzn01-r3 East Ghor 5 Geochemical anomalous areas in tract pbzn01 5 Permissive tract pbzn02 Sediment-hosted Lead Zinc-Cretaceous 5 Permissive tract pbzn03 Sediment-hosted Lead Zinc-Cretaceous 5 7.3 Clays 5 7.3 Larkick and refractory clays 5 7.3.1 Brick and refractory clays 7 7.3.2 Porcelain 5 7.3.3 Adobe clay 5 7.4 Limestone 5 7.4.1 Descriptive deposit model 5 7.4.2 Limestone Tract Description 5 Permissive tract—Ims01 5 8.0 Chemical-sedimentary deposits 5 8.1 Description of sedimentary rock-hosted iron deposit models 5 8.1.2 Description of sedimentary rock-hosted iron tracts 5 Permissive tract sedFe-01 Haji Gak Neoproterozoic 5 8.2 Description of Sedimentary Mn model 5 8.2.1 Description of Sedimentary Mn model 5 8.2.1 Description of Sedimentary Mn model 5 8.2 Description of Sedimentary maganese tracts 5 Permissive tract SedFe-01 5	Favorable tract pbzn01-f1 Nalbandon	311
Favorable tract pbzn01-f3 East Ghor	Favorable tract pbzn01-f2 Gharghanawl-Gawmazar	313
Geochemical anomalous areas in tract pbzn01 1 Permissive tract pbzn02 Sediment-hosted Lead Zinc Cretaceous 1 7.3 Clays 1 7.3.1 Brick and refractory clays 1 7.3.2 Porcelain 1 7.3.3 Adobe clay 1 7.4 Limestone 1 7.4.1 Descriptive deposit model 1 7.4.2 Limestone Tract Description 1 Permissive tract—Ims01 1 8.0 Chemical-sedimentary deposits 1 8.1 Sedimentary rock-hosted iron deposits 1 8.1.1 Description of sedimentary rock-hosted iron deposit models 1 8.1.2 Description of sedimentary rock-hosted iron deposit models 1 8.1.2 Description of sedimentary rock-hosted iron deposit models 1 8.1.2 Description of sedimentary rock-hosted iron tracts 1 Permissive tract sedFe-01 Haji Gak Neoproterozoic 1 Permissive tract sedFe-03 Mesoproterozoic 1 8.2 Description of se	Favorable tract pbzn01-f3 East Ghor	315
Permissive tract pbzn02 Sediment-hosted Lead Zinc-Cretaceous. Sediment-hosted lead-zinc Proterozoic. 7.3 Clays. Sediment-hosted lead-zinc Proterozoic. 7.3.1 Brick and refractory clays. Sediment-hosted lead-zinc Proterozoic. 7.3.2 Porcelain. Sediment-hosted lead-zinc Proterozoic. 7.3.3 Adobe clay. Sedimentary Sedimentary Sedimentary Sedimentary Sedimentary Sedimentary Sedimentary Sedimentary Sedimentary rock-hosted iron deposit models. 8.1 Description of sedimentary rock-hosted iron deposit models. Sedimentary sedimentary rock-hosted iron deposit models. 8.1.2 Description of sedimentary rock-hosted iron tracts. Sedimentary Sedimentary rock-hosted iron tracts. Permissive tract sedFe-01 Haji Gak Neoproterozoic. Sedimentary Sedimentary rock-hosted iron tracts. Permissive tract sedFe-02 Paleoproterozoic. Sedimentary Sedimentary manganese tracts. 8.2 Description of Sedimentary manganese tracts. Sedimentary Sedimentary Sedimentary Sedimentary Sedimentary. 8.3 A Potash SaA.1 Descriptive deposit model. SaB.3 A Sedimentary Sedimentary Sedimentary Sedimentary. 8.3 A Potash SaB.1 Descriptive deposit model. SaB.1 Descriptive deposit model. 8.3 A Potash SaB.1 Descriptive deposit model. SaB.3 A Sedimentary Proceshosterozic. Permissive tract—sedMn01 SaB.3 A Sedimentary Sedimentary Sedimentary Sedimentary Sediment	Geochemical anomalous areas in tract pbzn01	316
Permissive tract pbzn03 Sediment-hosted lead-zinc Proterozoic 1 7.3 Clays 1 7.3.1 Brick and refractory clays 1 7.3.2 Porcelain 1 7.3.3 Adobe clay 1 7.4 Limestone 1 7.4.1 Descriptive deposit model 1 7.4.2 Limestone Tract Description 1 Permissive tract—lms01 1 8.0 Chemical-sedimentary deposits 1 8.1 Sedimentary rock-hosted Iron deposits 1 8.1.1 Description of sedimentary rock-hosted iron deposit models 1 8.1.2 Description of sedimentary rock-hosted iron tracts 1 Permissive tract sedFe-01 Haji Gak Neoproterozoic 1 Permissive tract sedFe-02 Paleoproterozoic 1 Permissive tract sedFe-03 Mesoproterozoic 1 8.2 Bedded Manganese 1 8.2.1 Description of Sedimentary Mn model 1 8.2.2 Description of Sedimentary Mn model 1 8.3 A Potash 1 8.3 A Potash 1 8.3 A Potash 1 8.3 B.1 Descriptive deposit model 1 8.3 B.1 Descriptive deposit models 1 8.3	Permissive tract pbzn02 Sediment-hosted Lead Zinc-Cretaceous	320
7.3 Clays 2 7.3.1 Brick and refractory clays 2 7.3.2 Porcelain 2 7.3.3 Adobe clay 2 7.4 Limestone 2 7.4.1 Descriptive deposit model 2 7.4.2 Limestone Tract Description 2 Permissive tract—Ims01 2 8.0 Chemical-sedimentary deposits 2 8.1 Sedimentary rock-hosted Iron deposits 2 8.1.1 Description of sedimentary rock-hosted iron tracts 2 Permissive tract sedFe-01 Haji Gak Neoproterozoic 2 Permissive tract sedFe-02 Paleoproterozoic 2 Permissive tract sedFe-03 Mesoproterozoic 2 Permissive tract sedFe-03 Mesoproterozoic 2 Permissive tract sedFe-03 Mesoproterozoic 2 Resorption of Sedimentary Mn model 2 8.2.1 Description of Sedimentary manganese tracts 2 Permissive Tract sedFe-03 Mesoproterozoic 2 Pataporite Deposits 3 8.3.4 Descriptive deposit model 2 8.3.5 A Potash 2 8.3.6 Noirerat Resource Tracts 2 Permissive Tract AFK-01 2 8.3.8 Halit	Permissive tract pbzn03 Sediment-hosted lead-zinc Proterozoic	322
7.3.1 Brick and refractory clays. 2 7.3.2 Porcelain 2 7.3.3 Adobe clay 2 7.4 Limestone 2 7.4.1 Descriptive deposit model. 2 7.4.2 Limestone Tract Description. 2 Permissive tract—lms01 2 8.0 Chemical-sedimentary deposits 2 8.1 Sedimentary rock-hosted Iron deposit models 2 8.1.1 Description of sedimentary rock-hosted iron deposit models 2 8.1.2 Description of sedimentary rock-hosted iron deposit models 2 8.1.2 Description of sedimentary rock-hosted iron tracts 2 Permissive tract sedFe-01 Haji Gak Neoproterozoic 2 Permissive tract sedFe-02 Paleoproterozoic 2 Permissive tract sedFe-03 Mesoproterozoic 2 8.2 Bedded Manganese. 2 8.2.1 Description of Sedimentary Mn model. 2 8.2.2 Description of sedimentary manganese tracts. 2 Permissive tract — sedMn01 2 8.3 A Descriptive deposit model. 2 8.3 A Descriptive deposit model. 2 8.3 A.1 Descriptive deposit model. 2 8.3 B.1 Descriptive deposit models. 2 <	7.3 Clays	327
7.3.2 Porcelain. 2 7.4 Limestone 2 7.4.1 Descriptive deposit model. 2 7.4.2 Limestone Tract Description. 2 Permissive tract—lms01 2 8.0 Chemical-sedimentary deposits 2 8.1 Sedimentary rock-hosted Iron deposits 2 8.1.1 Description of sedimentary rock-hosted iron deposit models 2 8.1.2 Description of sedimentary rock-hosted iron tracts 2 Permissive tract sedFe-01 Haji Gak Neoproterozoic 2 Permissive tract sedFe-02 Paleoproterozoic 2 Permissive tract sedFe-03 Mesoproterozoic 2 Permissive tract sedFe-03 Mesoproterozoic 2 8.2.1 Description of Sedimentary Mn model 3 8.2.2 Description of Sedimentary manganese tracts 2 Permissive tract—sedMn01 3 8.3 Evaporite Deposits 3 8.3.4.1 Descriptive deposit model 3 8.3.5.1 Descriptive deposit models 2 8.3.8.1 Descriptive deposit models 3 8.3.8.1 Descriptive deposit models 3 8.3.8.2 Mineral Resource Tracts 2 Permissive Tract AFK-01 2 8.3.8.1 De	7.3.1 Brick and refractory clays	327
7.3.3 Adobe clay 2 7.4 Limestone 2 7.4.1 Descriptive deposit model 2 7.4.2 Limestone Tract Description 2 Permissive tract—Ims01 2 8.0 Chemical-sedimentary deposits 2 8.1 Sedimentary rock-hosted Iron deposits 2 8.1.1 Description of sedimentary rock-hosted iron deposit models 2 8.1.2 Description of sedimentary rock-hosted iron tracts 2 Permissive tract sedFe-01 Haji Gak Neoproterozoic 2 Permissive tract sedFe-02 Paleoproterozoic 2 Permissive tract sedFe-03 Mesoproterozoic 2 8.2.1 Description of Sedimentary manganese tracts 2 8.2.2 Description of Sedimentary manganese tracts 2 Permissive tract—sedMn01 2 8.3 A Potash 2 8.3.4.1 Descriptive deposit model 2 8.3.4.2 Mineral Resource Tracts 2 Permissive Tract AFK-01 2 8.3.8.1 Descriptive deposit models 2 8.3.8.2 Mineral Resource Tracts 2 8.3.8.1 Descriptive deposit models 2 8.3.8.2 Mineral Resource Tracts 2 8.4 Sedimentary phosphorite	7.3.2 Porcelain	332
7.4 Limestone 7.4.1 Descriptive deposit model 7.4.2 Limestone Tract Description 7.4.2 Limestone Tract Description Permissive tract—Ims01 7.4.2 Limestone Tract Description 8.0 Chemical-sedimentary deposits 7.4.1 Description of sedimentary rock-hosted Iron deposit models 8.1 Sedimentary rock-hosted Iron deposits 7.4.1 Description of sedimentary rock-hosted iron deposit models 8.1.1 Description of sedimentary rock-hosted iron tracts 7.4.2 Permissive tract sedFe-01 Haji Gak Neoproterozoic Permissive tract sedFe-02 Paleoproterozoic 7.4.2 Permissive tract sedFe-02 Paleoproterozoic Permissive tract sedFe-03 Mesoproterozoic 7.4.2 Permissive tract sedFe-03 Mesoproterozoic 8.2 Bedded Manganese 7.4.2 Permissive tract—sedMn01 8.2.1 Description of Sedimentary Mn model 7.4.2.2 Permissive tract—sedMn01 8.3 Evaporite Deposits 7.4.2 Permissive tract AFK-01 8.3 A Potash 7.4.2 Permissive Tract AFK-01 8.3 A.1 Descriptive deposit model 7.4.2 Permissive Tract AFK-01 8.3 B.1 Descriptive deposit models 7.4.1 Description of phosphorite deposit models 8.3 B.2 Mineral Resource Tracts 7.4 Permissive Tract AFK-01 8.3 B.1 Descriptions of phosphorite deposit models 7.4.1 Descriptions of phosphorite deposit models 8.4.1 Descriptions of phospho	7.3.3 Adobe clay	332
7.4.1 Descriptive deposit model. 2 7.4.2 Limestone Tract Description. 2 Permissive tract—lms01 2 8.0 Chemical-sedimentary deposits 2 8.1 Sedimentary rock-hosted Iron deposits 2 8.1.1 Description of sedimentary rock-hosted iron deposit models 2 8.1.2 Description of sedimentary rock-hosted iron tracts 2 Permissive tract sedFe-01 Haji Gak Neoproterozoic 2 Permissive tract sedFe-02 Paleoproterozoic 2 Permissive tract sedFe-03 Mesoproterozoic 2 Permissive tract sedFe-03 Mesoproterozoic 2 8.2.1 Description of Sedimentary Mn model 2 8.2.2 Description of Sedimentary Mn model 2 8.2.2 Description of sedimentary Mn model 2 8.3.4 Descriptive deposit model 2 8.3.5 Descriptive deposit model 2 8.3.4 Descriptive deposit model 2 8.3.4.1 Descriptive deposit models 2 8.3.4.1 Descriptive deposit models 2 8.3.5 Descriptive deposit models 2 8.3.6 Descriptive deposit models 2 8.3.7 Descriptive deposit models 2 8.3.8 Descriptive deposit models <td>7.4 Limestone</td> <td>337</td>	7.4 Limestone	337
7.4.2 Limestone Tract Description Permissive tract Permissive tract Ims01 8.0 Chemical-sedimentary deposits Ims01 8.1 Sedimentary rock-hosted Iron deposits Ims01 8.1.1 Description of sedimentary rock-hosted iron deposit models Ims02 8.1.2 Description of sedimentary rock-hosted iron tracts Ims02 Permissive tract sedFe-01 Haji Gak Neoproterozoic Ims02 Permissive tract sedFe-02 Paleoproterozoic Ims02 Permissive tract sedFe-03 Mesoproterozoic Ims02 8.2 Bedded Manganese Ims02 8.2.1 Description of Sedimentary Mn model Ims02 8.2.2 Description of sedimentary manganese tracts Ims02 Permissive tract Ims04 8.3 A Potash Ims02 8.3 A Potash Ims02 8.3 A Potash Ims02 8.3 A Potash Ims02 8.3 B L Descriptive deposit model Ims02 8.3 B.1 Descriptive deposit models Ims02 8.3 B.2 Mineral Resource Tracts Ims02 8.3 B.2 Mineral Resource Tracts Ims02 8.3 B.2 Mineral Resource Tracts Ims02 8.4 Sedimentary phosphorite Ims02	7.4.1 Descriptive deposit model	337
Permissive tract—Ims01 3 8.0 Chemical-sedimentary deposits 3 8.1 Sedimentary rock-hosted Iron deposit 3 8.1.1 Description of sedimentary rock-hosted iron deposit models 3 8.1.2 Description of sedimentary rock-hosted iron tracts 3 Permissive tract sedFe-01 Haji Gak Neoproterozoic 3 Permissive tract sedFe-02 Paleoproterozoic 3 Permissive tract sedFe-03 Mesoproterozoic 3 Permissive tract sedFe-04 Mesoproterozoic 3 8.2 Bedded Manganese 3 8.2.1 Description of Sedimentary Mn model 3 8.2.2 Description of sedimentary manganese tracts 3 Permissive tract—sedMn01 3 8.3 Evaporite Deposits 3 8.3 A Potash 3 8.3 A Potash 3 8.3 A.1 Descriptive deposit model 3 8.3 A.2 Mineral Resource Tracts 3 Permissive Tract AFK-01 3 8.3 B.1 Descriptive deposit models 3 8.3 B.2 Mineral Resource Tracts 3 8.4 Sedimentary phosphorite 3 8.4.1 Descriptive deposit models 3 8.4.2 Known sedimentary phosphorite occu	7.4.2 Limestone Tract Description	338
8.0 Chemical-sedimentary deposits 3 8.1 Sedimentary rock-hosted Iron deposits 3 8.1.1 Description of sedimentary rock-hosted iron deposit models 3 8.1.2 Description of sedimentary rock-hosted iron tracts 3 Permissive tract sedFe-01 Haji Gak Neoproterozoic 3 Permissive tract sedFe-02 Paleoproterozoic 3 Permissive tract sedFe-03 Mesoproterozoic 3 Permissive tract sedFe-03 Mesoproterozoic 3 8.2 Bedded Manganese 3 8.2.1 Description of Sedimentary Mn model 3 8.2.2 Description of Sedimentary manganese tracts 3 Permissive tract—sedMn01 3 8.3 A Potash 3 8.3A.1 Descriptive deposit model 3 8.3A.2 Mineral Resource Tracts 3 Permissive Tract AFK-01 3 8.3B Halite 3 8.3B.2 Mineral Resource Tracts 3 8.4 Sedimentary phosphorite deposit models 3 8.4.1 Descriptive deposit models 3 8.4.2 Known sedimentary phosphorite deposit models 3 8.4.2 Known sedimentary phosphorite occurrences 3 8.5.1 Description of celestite deposit model 3	Permissive tract—Ims01	
8.1 Sedimentary rock-hosted Iron deposits	8.0 Chemical-sedimentary deposits	344
8.1.1 Description of sedimentary rock-hosted iron deposit models 5 8.1.2 Description of sedimentary rock-hosted iron tracts 5 Permissive tract sedFe-01 Haji Gak Neoproterozoic 5 Permissive tract sedFe-02 Paleoproterozoic 5 Permissive tract sedFe-03 Mesoproterozoic 5 Permissive tract sedFe-03 Mesoproterozoic 5 Redded Manganese 5 8.2.1 Description of Sedimentary Mn model 5 8.2.2 Description of sedimentary manganese tracts 5 Permissive tract—sedMn01 5 8.3 Evaporite Deposits 5 8.3 A Potash 5 8.3 A Potash 5 8.3 A I Descriptive deposit model 5 8.3 A.1 Descriptive deposit model 5 8.3 B Halite 5 8.3 B Halite 5 8.3 B.1 Descriptive deposit models 5 8.4 Sedimentary phosphorite 5 8.4.1 Descriptions of phosphorite deposit models 5 8.4.2 Known sedimentary phosphorite occurrences 5 8.5 Celestite 5 8.5 Celestite 5 8.6 Barite (including bedded and vein barite) 5	8.1 Sedimentary rock-hosted Iron deposits	344
8.1.2 Description of sedimentary rock-hosted iron tracts Permissive tract sedFe-01 Haji Gak Neoproterozoic Permissive tract sedFe-02 Paleoproterozoic Permissive tract sedFe-03 Mesoproterozoic Permissive tract sedFe-03 Mesoproterozoic Permissive tract sedFe-03 Mesoproterozoic 8.2 Bedded Manganese 2 8.2.1 Description of Sedimentary Mn model 2 8.2.2 Description of sedimentary manganese tracts 2 Permissive tract—sedMn01 2 8.3 Evaporite Deposits 2 8.3 A Potash 2 8.3 A.1 Descriptive deposit model 2 8.3 A.2 Mineral Resource Tracts 2 Permissive Tract AFK-01 2 8.3 B Halite 2 8.3 B.1 Descriptive deposit models 2 8.4 Sedimentary phosphorite 2 8.4.2 Known sedimentary phosphorite 2 8.4.2 Known sedimentary phosphorite occurrences 2 8.5.1 Description of celestite deposit model 2 8.5.1 Description of celestite deposit model 2 8.5.1 Description of phosphorite 2 8.5.1 Description of celestite deposit model 2 8.5.1 Description of celestite deposit model 2 <	8.1.1 Description of sedimentary rock-hosted iron deposit models	344
Permissive tract sedFe-01 Haji Gak Neoproterozoic Image: Constraint of the set of the	8.1.2 Description of sedimentary rock-hosted iron tracts	348
Permissive tract sedFe-02 Paleoproterozoic Image: Construct and the set of	Permissive tract sedFe-01 Haji Gak Neoproterozoic	349
Permissive tract sedFe-03 Mesoproterozoic 3 8.2 Bedded Manganese 3 8.2.1 Description of Sedimentary Mn model 3 8.2.2 Description of sedimentary manganese tracts 3 Permissive tract—sedMn01 3 8.3 Evaporite Deposits 3 8.3A Potash 3 8.3A.1 Descriptive deposit model 3 8.3A.2 Mineral Resource Tracts 3 Permissive Tract AFK-01 3 8.3B Halite 3 8.3B.2 Mineral Resource Tracts 3 8.3B.2 Mineral Resource Tracts 3 8.4 Sedimentary phosphorite 3 8.4 Sedimentary phosphorite 3 8.4.2 Known sedimentary phosphorite occurrences 3 8.5 Celestite 3 8.5 L Description of celestite deposit model 3 8.5 L Description of celestite deposit model 3 8.5 L Description of celestite deposit model 3 8.5 Barite (including bedded and vein barite) 3	Permissive tract sedFe-02 Paleoproterozoic	355
8.2 Bedded Manganese	Permissive tract sedFe-03 Mesoproterozoic	361
8.2.1 Description of Sedimentary Mn model 3 8.2.2 Description of sedimentary manganese tracts 3 Permissive tract—sedMn01 3 8.3 Evaporite Deposits 3 8.3A Potash 3 8.3A.1 Descriptive deposit model 3 8.3A.2 Mineral Resource Tracts 3 Permissive Tract AFK-01 3 8.3B.1 Descriptive deposit models 3 8.3B.2 Mineral Resource Tracts 3 8.3B.2 Mineral Resource Tracts 3 8.3B.4 Ide 3 8.3B.1 Descriptive deposit models 3 8.3B.2 Mineral Resource Tracts 3 8.4 Sedimentary phosphorite 3 8.4 Sedimentary phosphorite 3 8.4.1 Descriptions of phosphorite deposit models 3 8.4.2 Known sedimentary phosphorite occurrences 3 8.5 Celestite 3 8.5.1 Description of celestite deposit model 3 8.6 Barite (including bedded and vein barite) 3	8.2 Bedded Manganese	
8.2.2 Description of sedimentary manganese tracts Permissive tract—sedMn01 8.3 Evaporite Deposits 8 8.3 A Potash 8 8.3A.1 Descriptive deposit model 8 8.3A.2 Mineral Resource Tracts 8 Permissive Tract AFK-01 8 8.3B.1 Descriptive deposit models 8 8.3B.2 Mineral Resource Tracts 8 8.3B.3 Descriptive deposit models 8 8.4 Sedimentary phosphorite 8 8.4.1 Descriptions of phosphorite deposit models 8 8.4.2 Known sedimentary phosphorite occurrences 8 8.5 Celestite 8 8.5.1 Description of celestite deposit model 3 8.5 Barite (including bedded and vein barite) 3	8.2.1 Description of Sedimentary Mn model	
Permissive tract—sedMn01	8.2.2 Description of sedimentary manganese tracts	
8.3 Evaporite Deposits	Permissive tract—sedMn01	367
8.3A Potash 3 8.3A.1 Descriptive deposit model 3 8.3A.2 Mineral Resource Tracts 3 Permissive Tract AFK-01 3 8.3B Halite 3 8.3B.1 Descriptive deposit models 3 8.3B.2 Mineral Resource Tracts 3 8.4 Sedimentary phosphorite 3 8.4.1 Descriptions of phosphorite deposit models 3 8.4.2 Known sedimentary phosphorite occurrences 3 8.5 Celestite 3 8.5.1 Description of celestite deposit model 3 8.6 Barite (including bedded and vein barite) 3	8.3 Evaporite Deposits	370
8.3A.1 Descriptive deposit model	8.3A Potash	370
 8.3A.2 Mineral Resource Tracts	8.3A.1 Descriptive deposit model	370
Permissive Tract AFK-01. 8.3B Halite 8.3B.1 Descriptive deposit models 8.3B.2 Mineral Resource Tracts 8.4 Sedimentary phosphorite 8.4.1 Descriptions of phosphorite deposit models 8.4.2 Known sedimentary phosphorite occurrences 8.5 Celestite 8.5.1 Description of celestite deposit model 8.6 Barite (including bedded and vein barite).	8.3A.2 Mineral Resource Tracts	371
8.3B Halite 3 8.3B.1 Descriptive deposit models 3 8.3B.2 Mineral Resource Tracts 3 8.4 Sedimentary phosphorite 3 8.4.1 Descriptions of phosphorite deposit models 3 8.4.2 Known sedimentary phosphorite occurrences 3 8.5 Celestite 3 8.5.1 Description of celestite deposit model 3 8.6 Barite (including bedded and vein barite) 3	Permissive Tract AFK-01	371
8.3B.1 Descriptive deposit models. 3 8.3B.2 Mineral Resource Tracts. 3 8.4 Sedimentary phosphorite 3 8.4.1 Descriptions of phosphorite deposit models. 3 8.4.2 Known sedimentary phosphorite occurrences 3 8.5 Celestite. 3 8.5.1 Description of celestite deposit model 3 8.6 Barite (including bedded and vein barite). 3	8.3B Halite	378
8.3B.2 Mineral Resource Tracts	8.3B.1 Descriptive deposit models	378
 8.4 Sedimentary phosphorite	8.3B.2 Mineral Resource Tracts	379
8.4.1 Descriptions of phosphorite deposit models 3 8.4.2 Known sedimentary phosphorite occurrences 3 8.5 Celestite 3 8.5.1 Description of celestite deposit model 3 8.6 Barite (including bedded and vein barite) 3	8.4 Sedimentary phosphorite	
8.4.2 Known sedimentary phosphorite occurrences	8.4.1 Descriptions of phosphorite deposit models	
8.5 Celestite 8.5.1 Description of celestite deposit model 8.6 Barite (including bedded and vein barite)	8.4.2 Known sedimentary phosphorite occurrences	384
8.5.1 Description of celestite deposit model 8.6 Barite (including bedded and vein barite)	8.5 Celestite	
8.6 Barite (including bedded and vein barite)	8.5.1 Description of celestite deposit model	
	8.6 Barite (including bedded and vein barite)	

8.6.1 Bedded Barite and deposit models	
8.6.2 Description of barite deposits and occurrences	
8.7 Native Sulfur	
8.7.1 Descriptive deposit models for native sulfur	
8.7.2 Description of Sulfur Occurrences and Deposits	400
8.7.3 Description of Sulfur Tracts	401
Permissive tract—sulf01	401
8.8 Gypsum	408
8.8.1 Descriptive gypsum deposit models	408
8.8.2 Gypsum tract description	408
Permissive tract—AFGy-01 (Preliminary)	408
8.9 Borates	413
8.9.1 Geology of Borate Deposits	413
Lacustrine borate permissive area	414
9.0 Deposits related to regionally metamorphosed rocks	420
9.1 Low-sulfide gold-quartz	420
9.1.1 Descriptions of low-sulfide gold-quartz vein deposit model	420
9.1.2 Description of low-sulfide gold-quartz vein tracts	421
Permissive tract—gold01 Badakhshan	423
Favorable tract gold01-f1	425
Prospective tract gold01-p1 Chilkorshar	425
Favorable tract gold01-f2	325
Prospective tract gold01-p2 Shengan	425
Favorable tract gold-f3	427
Prospective tract gold01-p3 Kadar-Neshebdu-Vekadur	427
Prospective tract gold01-p4 Furmorah-Nakhchir-Par	427
Favorable tract gold01-f4	429
Permissive tract—gold02 Pusida	429
Permissive tract—gold04 Archean	431
9.2 Natural Graphite	434
9.2.1 Description of Graphite Deposit Descriptive Models	435
9.2.2 Description of Graphite Assessment Tracts	437
Tract ID: dvg01—Natural graphite in Archean age high-grade metamorphic rocks	437
Tract ID: dvg02— Natural graphite in Middle Proterozoic to Cambrian age high-grade	
metamorphic rocks	444
Tract ID mcg01— Microcrystalline graphite in contact metamorphic rocks	446
9.3 Metasomatic and Metamorphic Talc and Magnesite	456
9.3.1 Talc and Magnesite Deposit Models	456
9.3.2 Permissive tract for metasomatic talc-magnesite	457
10.0 Deposits related to surficial processes and unconformities.	462
10.1 Bauxite	462
10.1.1 Description of Bauxite Deposit Models	462
10.1.2 Description of Bauxite Assessment Areas	466

Tract ID: bxt01—Laterite-type bauxite areas	467
Tract ID: bxt02—Karst-type bauxite areas	470
10.2 Placer gold deposits	473
10.2.1 Description of placer gold deposit model	473
10.2.2 Description of placer gold tracts	474
Permissive tract—pgold01 Takhar	476
Permissive tract—pgold02 Zarkashan	480
10.3 Preliminary assessment of sand and gravel resources of Afghanistan	484
10.3.1 Summary of methodology	484
Sand and gravel deposits types	487
Models used for assessment	487
Monte Carlo Simulation (MCS)	491
Sand and gravel assessment limitations	493
10.3.2 Sand and Gravel Assessment by Basins in Afghanistan	
11.0 Dimension Stone	677
11.1 Description of dimension stone deposit models	679
11.2 Description of dimension stone tracts	680
11.2.1 Granite	
Tract ID: dms01 granite permissive tract	
Iract ID: dms01-f1 Granite favorable tract	
11.2.2 Limestone	
Tract ID: dmsU2 limestone permissive tract	
Iract ID: dmsUI-fT limestone favorable tract	
The st ID, desc02 monthle monthle is the st	
Tract ID: dms03 marble permissive tract	
11.2.4 Trovertine	
Tract ID, dmc04 Traverting permissive tract	091
Tract ID: dms04 f1 Travertine feverable tract	092
11 2 5 Sandetono	094 609
Tract ID: dms05 sandstone normissive tract	090. 803
Favorable tract dms05-f1 sandstone favorable tract	090 003
12.0 Precious and Semi-Precious Stones	
12.1 Emeralds	
12.1.1 Description of emerald veins model	
12.1.2 Emerald tract description	
Permissive tract (area of interest)—gem01	704
12.2 Ruby, sapphire, and spinel	
12.3 Lazurite (lapis lazuli)	708
12.4 Gems in pegmatites	711
12.4.1 Tourmaline	713
13.0 General References	720

Figures

Figure 1. Map of Afghanistan showing location of known mineral occurrence and 20 prioritized	
areasxx	xxiv
Figure 2. Map showing location and names of promising mineralized areas resulting for analysis of	
the preliminary assessment of non-fuel mineral resources in Afghanistanx	XXV
Figure 1.0-1. Diagram showing how permissive rock covered by less than 1 km is included in permissive	
tracts. After Singer (1996)	4
Figure 1.0-2. Flow chart of the 3-part USGS Mineral Assessment Methodology	7
Figure 1.0-3. Pictures of USGS-AGS Assessment Team, Denver Colorado, January, 2007	9
Figure 1.0-4. Pictures of Assessment Team Meeting, Denver, Colorado	10
Figure 1.0-5. Map of Afghanistan showing major structural blocks, plutonic belts, and faults	12
Figure 1.0-6. Legend of Mineral symbols used in this report	20
Figure 2.1-1. Graph showing estimated tonnages of Afghan podiform chromite occurrences plotted on the major podiform chromite tonnage curve (after Singer and others, 1986)	22
Figure 2.1-2. Locations of known podiform chromite and other mineral occurrences in Logar Valley	
south of Kabul	24
Figure 2.1-3. Maps showing locations of tracts, areas of interest, and ultramafic-related deposits in	
Afghanistan.	26
Figure 2.1-4. Map view and cross sections of one deposit in Logar Valley, Afghanistan (Volin, 1950)	28
Figure 2.1-5. Location of a known chromite deposit in the Logar Valley, Afghanistan (Volin, 1950)	28
Figure 2.1-6. Location of a known chromite deposit in Logar Valley, Afghanistan (Volin, 1950)	29
Figure 2.1-7. Map of a known chromite deposit in Logar Valley, Afghanistan (Volin, 1950)	29
Figure 2.1-8. Map of a known chromite deposit in Logar Valley, Afghanistan (Volin, 1950)	30
Figure 2.1-9. Location of a known chromite deposit in Logar Valley, Afghanistan (Volin, 1950)	30
Figure 2.1-10. Vertical cross section of a known chromite deposit in Logar Valley, Afghanistan (Volin,	
1950)	31
Figure 2.1-11. Vertical cross sections and three dimensional view of a known chromite deposit in Logar	
Valley, Afghanistan (Volin, 1950)	31
Figure 2.1-12. Three dimensional representation of ore blocks in a known chromite deposit in Logar	
Valley, Afghanistan (Volin, 1950)	32
Figure 2.1-13. Location of the Jurgati chromite occurrence, Parwan Province, Afghanistan	33
Figure 2.1-14. Cumulative distributions for chromite, platinum-group elements, and rocks for the	
probabilistic estimates of umf01A, the Eocene Ultramafic Rocks of Logar Valley permissive	
tract	34
Figure 2.1-15. Histograms of estimated contained chromite, palladium, iridium, and mineralized rock for	
undiscovered podiform deposits for the probabilistic estimate for umf01A, the Eocene	
Ultramafic Rocks of Logar Valley permissive tract.	35
Figure 2.1-16. Location of the Sperkaw and Shodal chromite occurrences in tract umf01B and areas	
tavorable and prospective for the occurrence of podiform chromite deposits in Paktia	
Province, Atghanistan	39

Figure 2.1-17. Cumulative distributions for chromite, platinum-group elements, and rocks for the probabilistic estimates of tract umf01B, the Eocene Ultramafic Rocks near Khost permissive	40
Figure 2.1-18. Histograms of estimated contained chromite, palladium, iridium, and mineralized rock for undiscovered podiform deposits for the probabilistic estimate for tract umf01B the Eocene	40
Ultramafic Rocks near Khost permissive tract Figure 2.1-19 Location of tract umf01C and favorable areas in Paktia Province, Afghanistan. No	
estimates of undiscovered ultramafic-related deposits were made	44
Figure 2.1-20. Location of tract umf01D in southern Afghanistan	45
Figure 2.1-21. Location of umf02, the Proterozoic Ultramafic Rock area of interest for ultramafic-hosted	47
Figure 2.1-22 Area of interest umf03 the Paleozoic Illtramatic Bocks Area of Interest based on the	47
presence of Paleozoic age ultramafic rocks	48
Figure 2.1-23. Area of interest umf04 where Mesozoic age mafic and ultramafic rocks are permissive to	
host deposits that occur in those types of rocks	49
Figure 2.2-1. Known talc-magnesite occurrences in Afghanistan and tracts and areas of interest nermissive for their presence.	54
Figure 2.2-2. Locations of ultramafic-hosted talc-magnesite occurrences and ultramafic mineral	
resource tracts and areas of interest in southeast Afghanistan	56
Figure 2.2-3. Location of talc-magnesite and other ultramafic-hosted occurrences in Logar Valley south	57
Figure 2.2-4. Output of Monte Carlo simulation for mineralized rock in undiscovered ultramafic talc	
deposits of Tract A, Afghanistan.	59
Figure 2.2-5. Output of Monte Carlo simulation for talc in undiscovered ultramafic talc deposits of Tract	60
Figure 2.2-6. Output of Monte Carlo simulation for mineralized rock in undiscovered ultramafic talc	00
deposits of Tract B, Afghanistan	62
Figure 2.2-7. Output of Monte Carlo simulation for talc in undiscovered ultramafic talc deposits of Tract	
B, Afghanistan	63
Figure 2.3-1. Locations of serpentine-hosted asbestos occurrences in Afghanistan with known	00
ultramatic intrusions and ultramatic tracts and areas of interest	68
Figure 2.3-2. Wineral resource tracts and areas of interest in Logar Valley and near Knost in eastern	69
Figure 2.3-3. Serpentine-hosted asbestos occurrences of tract umf01A, the Eocene Ultramafic Bocks of	05
Logar Valley permissive tract, with prospective and favorable areas	70
Figure 2.3-4 Location of serpentine-hosted asbestos occurrences and favorable and prospective areas	
in tract umf01B, Khost and Paktia Provinces, Afghanistan	72
Figure2.3-5. Serpentine-hosted asbestos occurrences north of Kandahar and north of area of interest	73
Figure 2.3-6. Histograms of estimated contained asbestos and mineralized rock for undiscovered	
serpentine-hosted asbestos deposits for the probabilistic estimate for the Eocene Ultramafic	
Rocks of Logar Valley permissive tract	75
Figure 2.3-7. Cumulative distributions for asbestos and rocks for the probabilistic estimates of the tract	
umf01B, Eocene Ultramafic Rocks near Khost permissive tract	76

Figure 2.3-8. Cumulative distributions for asbestos and mineralized rocks for the probabilistic estimates	79
Figure 2.3-9 Histograms of estimated contained ashestos and mineralized rock for undiscovered	.75
serpentine-hosted asbestos denosits for the probabilistic estimate for tract umf01B—Focene	
Ultramafic Rocks near Khost permissive tract	.80
Figure 2.3-10. Locations of permissive tracts mir01-mir04 and favorable and prospective areas of	
interest for undiscovered serpentine-hosted asbestos deposits in Afghanistan.	.82
Figure 2.3-11. Locations of tract mir01 comprised of Proterozoic age mafic and ultramafic intrusive	
rocks permissive for undiscovered serpentine-hosted asbestos deposits in Afghanistan.	.84
Figure 2.3-12. Location of tract mir02 delineating Mississippian age mafic and ultramafic intrusive rocks	
permissive for undiscovered serpentine-hosted asbestos deposits in Afghanistan.	.86
Figure 2.3-13. Location of tract mir03 of Mesozoic mafic and ultramafic intrusive rocks determined to be	
permissive for undiscovered serpentine-hosted asbestos deposits in Afghanistan	.88
Figure 2.3-14. Location of tract mir04 of Eocene age mafic and ultramafic intrusive rocks determined to	
be permissive, favorable, or prospective for undiscovered serpentine-hosted asbestos	
deposits in Afghanistan	.90
Figure 2.3-15. Locations of tracts of Eocene age mafic and ultramafic intrusive rocks determined to be	
favorable, or prospective for undiscovered serpentine-hosted asbestos deposits in	
Afghanistan	.91
Figure 3.0-1. Map showing Tract cb01 Helmand Basing and the eight possible areas where carbonatite	
centers might be present within the tract, based on aeromagnetic data from Sweeney and	
others (2006)	.99
Figure 3.0-2. Map showing ranking of tracts in the carbonatite area of Khanneshin	00
Figure 3.0-3. Maps showing volcanic complex with the three Khanneshin carbonatite (U-Th- REE-	
apatite) mineral occurrences	01
Figure 3.0-4. Cumulative distributions of phosphorous, REE, niobium and rocks for the probabilistic	
estimate of the Khanneshin Carbonatite permissive tract cb01 Helmand Basin, Helmand	
Province1	02
Figure 3.0-5. Histograms of estimated contained metal and mineralized rock for undiscovered	
carbonatite deposits containing phosphorous, REE, niobium and rocks for the probabilistic	
estimate of the Khanneshin Carbonatite permissive tract cb01 Helmand Basin	03
Figure 4.1-1. Map showing location of areas in Afghanistan that may contain deposits of tin and (or)	
tungsten. Permissive tract snw01 (Anar Dara) is delineated specifically for vein, stockwork,	100
and porphyry deposits	109
Figure 4.1-2. Map showing Anar Dara (shwor) permissive tract in west Arghanistan, showing mineral	110
prospects and occurrences, geochemical halos, and outcrops of granitic rock.	10
Figure 4.1-5. LANDSAT IIIIage (Datus 1, 2, and 5) showing granite stock associated with Sh-Dearing	112
Figure 4.1.4. LANDSAT image (bands 7.2. and 1), showing grapitic pluton and the leastion of the	112
rigure 4.1-4. LANDOAT innage (Danus 7, 3, anu 1), showing grannuc pluton and the location of interact	
Daylamur, Danu, Mayuan-Anu, anu Auamkner prospeciis, Arynanuab area or interest, Afabanistan	111
Aigitallistall	114
Inguis 4.2-1. Execution of permissive tractinuoron baking for unuiscovered indonce deposits, showing	121
100 autori di uconicininai nan andinance	121

Figure 4.2-2. Map showing features of fluorite occurrences in south central Afghanistan	122
Figure 4.3-1. Area permissive for pegmatites affiliated with Oligocene plutons in Afghanistan	125
Figure 5.1-1. Map of Afghanistan, showing the location and identification of assessment tracts for	
porphyry copper deposits	134
Figure 5.1-2. Map showing the Chagai east permissive tract (ppycu01) for undiscovered porphyry	
copper deposits and skarn copper deposits	136
Figure 5.1-3. Cumulative distribution of estimated contained metal and mineralized rock in the Chagai	
east nermissive tract (nnvcu01)	138
Figure 5.1-4 Histograms of estimated contained metal and mineralized rock in the Chagai east	
nermissive tract (nnvcu01)	139
Figure 5.1-5 Man showing the Chagai west permissive tract (ppycu02) for undiscovered porphyry	
conner and skarn conner denosits	141
Figure 5.1-6. Cumulative distribution of estimated contained metal and mineralized rock in the Chagai	
west nermissive tract (nnvcu02)	143
Figure 5.1-7 Histograms of estimated contained metal and mineralized rock in the Chagai west	
nermissive tract (nnycu02)	144
Figure 5.1-8 Man showing the Spin Boldak permissive tract (ppycu03) for undiscovered porphyry	
conner denosits and skarn conner denosits	146
Figure 5.1-9 Cumulative distribution of estimated contained metal and mineralized rock in the Spin	
Boldak nermissive tract (nnvcu03)	148
Figure 5 1-10 Histograms of estimated contained metal and mineralized rock in the Spin Boldak	
nermissive tract (nnvcull3)	149
Figure 5 1-11 Man showing the Saindak north permissive tract (nnvcu04) for undiscovered norphyry	
conner and skarn conner denosits	151
Figure 5.1-12 Cumulative distribution of estimated contained metal and mineralized rock in the Saindak	
north permissive tract (novcu02)	153
Figure 5 1-13 Histograms of estimated contained metal and mineralized rock in the Saindak north	
nermissive tract (nnycu02)	15/
Figure 5 1-14 Man showing the Kundalvan-Zarkashan permissive tract (ppycu05) for undiscovered	
nornhyry conner and skarn conner denosits	156
Figure 5 1-15 Man of the Zarkashan part of the Kundalvan-Zarkashan pornbyry conner tract	157
Figure 5.1-16. Map of the Kundalvan part of the Kundalvan-Zarkashan porphyry copper fract.	
tract	150
Figure 5.1-17 Agrial view of Kundalvan area, Barron subdued slopes are man unit KP abm	150
Figure 5.1-17. Actual view of Kundalyan area. Darren subducu slopes are map unit Kr ₁ ybin	160
Figure 5.1-10. Evidence of mineral exploration in the Kundalyan area	
Kundalvan Zarkachan normissiva traat (nnvau05)	161
Figure 5.1.20. Histograms of estimated contained metal and mineralized rock in the Kundalyan	101
7 arkashan normissiyo tract (nnyou05)	162
Eigure 5.1-21 Man showing the Argandhab normissive tract (prycu06) for undiscovered perphyru	102
conner denosite and sharn conner denosite	16/
Eigure 5.1.22 Cumulative distribution of estimated contained metal and mineralized reak in the	104
Argandbab permissive tract (ppycu06)	166
∽i ganunab permissive i aci (ppycuou)	

Figure 5.1-23. Histograms of estimated contained metal and mineralized rock in the Argandhab	167
Figure 5.1-24. Map showing the Katawaz permissive tract (ppycu07) for undiscovered porphyry copper	100
Figure 5.1-25. Cumulative distribution of estimated contained metal and mineralized rock in the Katawaz	170
Figure 5.1-26. Histograms of estimated contained metal and mineralized rock in the Katawaz permissive tract (ppycu07).	171
Figure 5.1-27. Map showing the Feroz Koh permissive tract (ppycu08) for undiscovered porphyry copper deposits and skarn copper deposits	174
Figure 5.1-28. Cumulative distribution of estimated contained metal and mineralized rock in the Feroz Koh permissive tract (ppycu08)1	175
Figure 5.1-29. Histograms of estimated contained metal and mineralized rock in the Feroz Koh permissive tract (ppycu08)1	176
Figure 5.1-30. Map showing the Farah Rod permissive tract (ppycu09) for undiscovered porphyry copper deposits and skarn copper deposits1	179
Figure 5.1-31. Cumulative distribution of estimated contained metal and mineralized rock in the Farah Rod permissive tract (ppycu09).	180
Figure 5.1-32. Histograms of estimated contained metal and mineralized rock in the Farah Rod	181
Figure 5.1-33. Map showing the West Hindu Kush permissive tract (ppycu10) for undiscovered porphyry	184
Figure 5.1-34. Cumulative distribution of estimated contained metal and mineralized rock in the West Hindu Kush permissive tract (ppycu10)	185
Figure 5.1-35. Histograms of estimated contained metal and mineralized rock in the West Hindu Kush	186
Figure 5.1-36. Map showing the West Badakhshan permissive tract (ppycu11) for undiscovered	187
Figure 5.1-37. Map showing the Helmand permissive tract (ppycu12) for undiscovered porphyry copper and skarp copper deposits	189
Figure 5.1-38. Cumulative distribution of estimated contained metal and mineralized rock in the	190
Figure 5.1-39. Histograms of estimated contained metal and mineralized rock in the Helmand permissive tract (ppycu12).	191
Figure 5.2-1. Map showing location of tracts for lode gold deposits in Afghanistan. Section 5.2 discusses the pluton-related gold veins and skarps in Kandahar. Zabul and Ghazni Provinces1	94
Figure 5.2-2. Map showing location of permissive tract gold03 and two internal favorable tracts	196
Figure 5.2-3. Map showing location of favorable tract gold03-f1 in Kandahar and Zabul provinces with	198
Figure 5.2-4. Maps showing parts of tract permissive gold03-f1 where aeromagnetic data were	190
Figure 5.2-5. Map showing location of prospective tracts gold03-p1 and gold03-p2 in Zabul Province2	200
gold deposits and location of internal prospective tracts gold03-p3 and gold03-p42	202

Figure 5.2-7. Maps showing location of Prospective tracts gold03-p3 and gold01-p4 in Ghazni Province...203

Figure 6.1-1. Permissive, favorable and prospective tracts for undiscovered epithermal mercury deposits in Afghanistan	.209
Figure 6.1-2. Location of permissive tract for epithermal (mercury) deposits, ephg01 Taywara mercury, showing province boundaries and shaded relief and internal favorable and prospective tracts.	220
Figure 6.1-3. Location of prospective tract ephg01-p1 in northern Farah province, showing location of the Zarmardan mercury occurrence.	.223
Figure 6.1-4. Location of prospective tracts ephg01-p2, p3, and p4 containing vein and contact-related base-metal occurrences associated with Eocene to Oligocene plutons and stocks.	.225
Figure 6.1-5. Prospective tract ephg01-p5 in northeastern Farah Province, showing the location of the three known mercury-bearing mineral occurrences there	.226
Figure 6.1-6. Prospective tracts ephg01-p6 and ephg01-p7 within favorable tract ephg01-f1 and permissive tract epgh01, for undiscovered mercury deposits in southwest Ghor Province	.229
Figure 6.1-7. Clusters of mercury occurrences, many with ancient workings, in the southwest lobe of prospective tract ephg01-p7 south of Taywara in southwest Ghor Province. This is the most	
highly mineralized area known in Afghanistan for mercury Figure 6.1-8. Prospects and shape of northeast part of the prospective tract ephg01-p7 for mercury	.230
Figure 6.1-9. Map showing location of prospective tract ephg01-p8 containing the Darwaza mercury occurrence and two other occurrences. The tract lies at the northeastern tip of the favorable	.232
tract ephg01-f1 Figure 6.1-10. Map showing location of favorable mercury epithermal tract ephg01-f2 in Bamyan Province within permissive tract ephg01. The three mineral occurrences also lie provimal to	.233
elongate Cretaceous dunite bodies.	.234
Figure 6.1-11. Histogram of estimated contained metal and mineralized rock in tract ephg01 Figure 6.1-12. Cumulative distributions of estimated contained metal and mineralized rock in the	.235
Figure 6.1-13. Location of permissive tract ephg02 for undiscovered mercury epithermal deposits and related precious-metal epithermal deposits in Herat Province	.236
Figure 6.1-14. Location of the permissive tract ephg03 Tilak for hot-spring mercury deposits in Ghowr Province and location of known mercury mineral occurrences and geochemical anomalous	
halos Figure 6.1-15. Permissive tract ephg04 Nayak for undiscovered epithermal mercury and precious-metal deposits in Herat Province	.241
Figure 6.1-16. Permissive tract ephg05 Katawaz for undiscovered epithermal mercury deposits and precious-metal epithermal deposits in southeast Afghanistan	.246
Figure 6.1-17. Map of Spira-Zanda Gharay area in eastern Paktika and western Khost Provinces on the faulted eastern margin of permissive tract ephg03 Katawaz mercury	.247
Figure 6.1-18. Area in west part of permissive tract ephg05 for undiscovered epithermal mercury deposits showing Miocene intrusive rocks (reddish color), and ASTER alteration patches from Mars and Rowan (2006)	.248
Figure 6.1-19. ASTER anomaly along northeast-striking linear zone coinciding with a mercury anomaly in part of tract ephg05 in the Katawaz Basin near Sharah Woluswal	.249

Figure 6.2-1. Map showing total permissive tracts for volcanogenic massive sulfide deposits in Afghanistan.	.255
Figure 6.2-2. Map showing location of the four (4) parts of permissive tract VMS-01 Late Triassic	
Balkhab-Gazoghel (yellow) for undiscovered volcanogenic massive sulfide deposits	.257
Figure 6.2-3. Landsat imagery showing the location of the Balkhab volcanogenic massive sulfide	
occurrence in Sari Pul Province (VMS01a).	.258
Figure 6.2-4. Map showing geology and location of western part of permissive tract VMS-01-Triassic	200
Balkhah-Gazoghel for undiscovered volcanogenic massive sulfide deposits and the location	
of the Balkhah mineral occurrence	259
Figure 6.2-5 Man showing location of two volcanogenic massive sulfide occurrences Gazoghel and	200
Gazondel Lin central Bandlan Province in the eastern part of a central part of permissive tract	
VMS-01 Late Triassic Balkbab-Gazebel (VMS-01b) for undiscovered velcanogenic massive	
sulfide denosite	260
Figure 6.2.6 Man aboving location and three parts of parmianing tract VMS 0.2 Late Jurageia Farly	.200
Figure 6.2-6. Map showing location and three parts of permissive tract viviS-62 Late Jurassic-Early	202
Cretaceous for undiscovered voicanogenic massive suifide deposits	.202
Figure 6.2-7. Maps showing the western most part of the permissive tract VMS-U2 Late Jurassic-Early	
Cretaceous for undiscovered volcanogenic massive sulfide deposits in Herat Province.	.263
Figure 6.2-8. Map showing the central part of permissive tract VMS-02 Upper Jurassic-Lower	
Cretaceous containing the Shaida VMS occurrence and also showing the eastern parts of the	
tract	.265
Figure 6.2-9. Map showing location of parts of permissive tract VMS-03 Eocene-Oligocene for	
undiscovered volcanogenic massive sulfide deposits	.268
Figure 6.2-10. LANDSAT image of the Durbas area in Farah Province within permissive tract VMS-03	.269
Figure 6.2-11. Distribution of the part of tract VMS-03 Eocene-Oligocene in Farah Province in the	
Durbas area	.270
Figure 6.2-12. Map showing distribution of permissive tract VMS-04 Precambrian for undiscovered	
volcanogenic massive sulfide deposits in Afghanistan.	.272
Figure 7.1-1. Map showing location of tracts sedcu01 and sedcu02 where undiscovered sediment-	
hosted copper deposits might be present	.277
Figure 7.1-2. Map showing version one of permissive tract sedcu01 and locations of known deposits	
and prospects (orange squares) from Ludington and others (2007).	.279
Figure 7.1-3. Maps showing modified location of permissive tract sedcu01 after subtraction of Logar	-
Eocene intrusive dunite body in the south-central parts and extension of a western limb, south	
of the city of Kabul	280
Figure 7.1-4 Man showing location of central parts of permissive tract sedcu01 Avnak including two	200
internal favorable tracts sedcu01-f1 and sedcu01-f2	286
Figure 7.1-5 Maps showing location of favorable tract sed $cu01$ -f1 and prospective tracts sed $cu01$ -n1	200
n2 n3 and n/ Kabul and Logar Provinces	287
Figure 7.1.6 Map showing location of stratabound conport occurrences in southern Kabul and perthern	.207
Logar Provinces	200
LUYAI FIUVIIIUES.	.200
rigure 7.1-7. deviogic maps and sections of the (a) Darband and (b) Aynak sediment-nosted copper	000
ueposits in the Kabul district (Afghanistan Geological Survey, 2006a and b)	.289
Figure 7.1-8. Cumulative distribution of estimated contained metal and mineralized rock in permissive	
tract seacuul Aynak for undiscovered sediment-hosted deposits, assuming the Aynak-type	

deposits have the same grade-tonnage distribution as sediment-hosted reduced-facies conner deposits.	.290
Figure 7.1-9. Histograms of estimated contained metal and mineralized rock in permissive tract sedcu01 Aynak for undiscovered sediment-hosted deposits, assuming that the Aynak-type deposits	
have the same grade-tonnage distribution as that for sediment-hosted reduced-facies copper deposits.	.291
Figure 7.1-10. Map showing location of favorable tract sedcu01-f2 Khaidarabad-Sultan Padshah within permissive tract sedcu01 Aynak area for undiscovered sediment-hosted copper deposits in	202
Figure 7.1-11. Map showing location of multiple parts of permissive tract sedcu02 for undiscovered sediment-hosted copper deposits	.293
Figure 7.2-1. Map showing location of permissive and favorable tracts for sediment-hosted lead-zinc deposits in Afghanistan.	.306
Figure 7.2-2. Maps showing location of total permissive tracts for sediment-hosted lead-zinc deposits in Afghanistan	.307
Figure 7.2-3. Map showing location of permissive tract pbzn01 Phanerozoic sediment-hosted lead- zinc	.309
Figure 7.2-4. Central parts of permissive tract pbzn01 Phanerozoic sediment-hosted lead-zinc in Ghor Province, showing the location of favorable tracts pbzn01-f1 Nalbandon, -f2 Gharghanawl- Commazer, and, f2 East Char	210
Figure 7.2-5. Map showing location of favorable tract pbzn01-f1 in three parts, one of which contains the Nalbandon deposit.	.310
Figure 7.2-6. Favorable tract pbzn01-f2 Gharghanawl-Gawmazar in Ghor Province containing the Gharghanaw, Hasan Sansalaghay, Shekhlawas, and Gawmazar lead-zinc occurrences.	.314
Figure 7.2-7. Favorable tract pbzn01-f3 in east-central Ghor Province Figure 7.2-8. Four areas within eastern Afghanistan that contain permissive stratigraphy for the occurrence of stratabound sediment-hosted lead-zinc deposits in rocks of Paleozoic and Farly Mesozoic age	.315
Figure 7.2-9. Map showing location of areas of interest 1 and 2 for undiscovered lead and zinc deposits.	.317
Figure 7.2-10. Map showing location of areas of interest 3 and 4 for undiscovered lead and zinc deposits.	.318
Figure 7.2-11. Map showing location of area 5 within permissive tract pbzn01 (yellow) in relation to geochemical halo anomaly for lead in Herat Province.	.319
Figure 7.2-12. (a) Map showing location of permissive tract pbzn02 for sediment-hosted lead zinc deposits within Lower Cretaceous sedimentary rocks (b) Location of the Talah lead-zinc occurrence within permissive tract pbzn02 in Uruzgan Province in the eastern parts of the tract.	.321
Figure 7.2-13. Permissive tract pbzn03Proterozoic (and al Precambrian) rocks in Afghanistan that may	200
Figure 7.2-14. Map of parts of permissive tract pbzn03 for sediment-hosted lead-zinc deposits in Proterozoic rocks in Parwan Province	.323
Figure 7.3-1. Maps showing location of some map units that host clay deposits in Afghanistan	.328
sedimentary rocks, map unit Q_2a .	.329

Figure 7.3-3. Maps showing distribution of clay deposits and occurrences in Mesozoic rocks in	220
Figure 7.3-4 Mans showing distribution of clay occurrences in eastern Afghanistan hosted in Canozoic	. 330
sedimentary rocks	331
Figure 7 4-1 Distribution of limestone-bearing units within Afghanistan	.001
Figure 7.4-2. Map showing tract Ims01 and some important known limestone deposits and prospects.	.342
Figure 7.4-3. Map showing map units from Doebrich and Wahl, in which limestone is a minor	
component	.343
F igure 8.1-1. Photographs of out crops of the Haji Gak sedimentary rock-hosted iron deposit in Bamyan	
and Wardak Provinces	.345
Figure 8.1-2. Photographs of out crops of the Haji Gak sedimentary rock-hosted iron deposit in Bamyan	
and Wardak Provinces	.346
Figure 8.1-3. Map of permissive tract sedfe01— Haji Gak Neoproterozoic for undiscovered sedimentary	
rock-hosted iron deposits	.351
Figure 8.1-4. Map showing parts of permissive tract sedfe01—Haji Gak Neoproterozoic containing the	
Haji Gak and related deposits	.352
Figure 8.1-5. Maps showing the location of the favorable tract sedfe01-f1 Haji Gak Neoproterozoic	
within larger permissive tract sedfe01	.353
Figure 8.1-6. Map showing southern parts of tract sedfe01 Haji Gak Neopoterozoic which is permissive	
for undiscovered sedimentary rock-hosted iron deposits	.354
Figure 8.1-7. Map showing location of permissive tract sedfe02—Paleoproterozoic in eastern and	
northern Afghanistan for undiscovered sedimentary rock-hosted iron deposits	.357
Figure 8.1-8. Maps showing location of the three-part favorable tract sedfe02-f1 in central Parwan	
Province	.358
Figure 8.1-9. Map of favorable tract sedfe02-f2 in eastern Parwan Province showing location of known	
iron mineral occurrences and permissive tract sedfe-02—Paleoproterozoic	.359
Figure 8.1-10. Maps of ASTER imagery of the area included in favorable tract sedfe02-f1 in central	
Parwan Province	.360
Figure 8.1-11. Map showing the location of permissive tract sedfe03—Mesoproterozoic for	000
undiscovered sedimentary rock-hosted iron deposits	.362
Figure 8.1-12. Maps showing the location of iron mineral occurrences in the western parts of	202
permissive tract seate-us for undiscovered sedimentary rock-nosted iron deposits	.303
Figure 8.2-1. Maps of Phanerozoic and Proterozoic tracts for sedimentary manganese	.308
Figure 8.2-2. Map showing parts of permissive tract sedivinul that contains the Farenjai manganese	260
and barrie occurrences in Parwan Province.	.309
Figure. 6.3A-1. Map showing tract AFK-01, the area considered permissive for the occurrence of	070
Figure 9.2A. 2. Cumulative distribution for notoch based on the probabilistic estimates of undiscovered	.3/3
deposite for tract AEV 01, the permissive tract for Jurgenia evenerities of the Afghen Toilk	
herein	27/
Figure 8 3A-3 Histogram of estimated potech and mineralized rock for undiscovered potech bearing	.574
hedded salt denosits hased on the probabilistic estimated for Jurassic evanorities of the	
Afnhan-Taiik hasin	374

Figure 8.3B-1. Map showing tract AFBS-01, the area considered permissive for the occurrence of Jurassic bedded salt	382
Figure 8.4-1. Geologic map showing location of the Kotal-i-Sebzak sedimentary phosphate occurrence (light blue dot) on the Heart-Badghis Province boundary within Cretaceous phosphate-	
bearing clay layers	.385
Figure 8.5-1. Cumulative distribution of sedimentary celestite tonnages for well-explored deposits	200
Figure 8 5-2 Cumulative distribution of sedimentary colestite denosite grades (Orris, 1992)	220
Figure 8.5-2. Cumulative distribution of sedimentary celestice deposits grades (OFTS, 1352)	.000
distribution of Maestrichtian-Paleocene sedimentary rocks. Inset shows area of two known celestite occurrences	390
Figure 8.5-4 Man showing location of known celestite denosits Tangi-Murch in Baghlan Province and	.000
Kunduz in Kunduz Province northern Afghanistan	391
Figure 8.6-1. Map showing permissive tract for the location of undiscovered epigenetic barite (and	
stratabound) and lead and zinc deposits in Afghanistan.	.395
Figure 8.6.2. Maps showing location of barite occurrences and permissive tract for undiscovered barite	
deposits in the Herat area, Western Afghanistan	.396
Figure 8.6-3. Maps showing location of barite occurrences in the Farenjal barite area along the Herat	
fault zone in Parwan Province	.397
Figure 8.7-1. Output of Monte Carlo simulation for sulfur resources in stratabound sulfur deposits of Afghanistan.	403
Figure 8.7-2. Maps showing location of sulfur occurrences and deposits in Afghanistan	404
Figure 8.7-3. Maps showing details of the northern stratabound occurrences (Alburz area) of sulfur in Afghanistan.	405
Figure 8.7-4. Maps showing location of the Dasht-i-Safed occurrence (arrow) area and other industrial	
mineral proximal occurrences and deposits of clay, gypsum and base metals	.406
Figure 8.8-1 Tract AFGy-01, the area considered permissive for the occurrence of gypsum	.410
Figure 8.8-2. Map showing age of gypsum-bearing rocks in Afghanistan.	.411
Figure 8.9-1. Locations of mineral deposit types having bedded minerals, such as barite, celestite,	
gypsum, and halite, which may give clues to borate mineralization in Afghanistan	.415
Figure 8.9-2. Permissive tract for the occurrence of undiscovered lacustrine borate deposits. Dark blue	
lines are water drainages into playas	.416
Figure 8.9-3. Part of the permissive area for boron-bearing pegmatites veins in eastern Afghanistan	.417
Figure 9.1-1. Map showing location of Permissive tracts gold01, gold02, and gold 03 in northern	
Afghanistan.	.422
Figure 9.1-2. Map showing location of Permissive tract gold01 and favorable and prospective tracts	
within it in northern Afghanistan in Badakhshan Province.	.424
Figure 9.1-3. Maps showing locations of favorable tracts on the western side of permissive tract	400
goldul	.426
Figure 9.1-4. Waps snowing location of prospective tracts goldU1-p3 and goldU1-p4 in Badakhshan	400
Frovince, northern Argnanistan that lie in favorable tract goldul-t3	.428
Figure 9.1-5. Ivialy snowing location of permissive tract golduz and location of numerous gold halo	100
nimeral-geochemical anomanes within and adjacent to the tract.	.430

Figure 9.1-6. Map showing location of permissive tract gold04 Archean for undiscovered low-sulfide gold-quartz vein deposits in Badakshan Province and locationo f geochemical mineral halo	400
anomalies Figure 9.2-1 Locations of the six known graphite occurrences in Afghanistan	.432
Figure 9.2-7. And showing location of tract dya01, which is permissive for the occurrence of	.400
disseminated flake and vein graphite deposits in Archean age metamorphic rocks in	
Afghanistan.	.440
Figure 9.2-3. Cumulative distributions for flake graphite and rocks for the probabilistic estimates of the	
Badakhshan Archean permissive tract	.441
Figure 9.2-4. Histograms of estimated contained flake graphite and mineralized rock for undiscovered	
disseminated flake graphite deposits for the probabilistic estimate for the Badakhshan	
Archean disseminated flake graphite tract	.442
Figure 9.2-5. Location of permissive tract dvg02, which was delineated on the presence of Middle	
Proterozoic to Cambrian age high-grade metamorphic rocks	.445
Figure 9.2-6. Permissive and favorable tracts for the occurrence of microcrystalline graphite deposits in	
Afghanistan with reported graphite, coal, and peat occurrences	.447
Figure 9.2-7. Map of the Shere-Arman area, an area of interest for microcrystalline graphite where	
organic-rich beds and younger intrusions occur together in Badghis and Herat Provinces.	
Figure 9.2-8. Palowana area, an area of interest for microcrystalline graphite where organic-rich beds	
and younger intrusions occur together in Herat Provinces.	.450
Figure 9.2-9. Map of the Charkh graphite area showing permissive and favorable tracts in an area of	
interest for the occurrence of microcrystalline graphite deposits in Afghanistan in the vicinity	
of the Charkh microcrystalline graphite occurrence	.451
Figure 9.2-10. Map of the Bazarak area showing permissive, favorable, and prospective tracts for the	
occurrence of microcrystalline graphite deposits in Afghanistan with the Charkh graphite	450
OCCUFFENCE.	.453
rigure 9.3-1. Known taid-magnesite occurrences in Argnanistan and tracts and areas of interest	150
Figure 0.3.2 Detail view of fig. 0.3.1 The largest known magnesite denosit in Afghanistan, Achin, is	.409
nresent within the delineated tract	160
present within the defineated tract	.400
Figure 10.1-1 Tonnages of laterite-type bauxite deposits. Individual digits represent number of deposits.	
(Mosier, 1986)	.463
Figure 10.1-2. Alumina grades of laterite-type bauxite deposits. Individual digits represent number of	
deposits (Mosier, 1986)	.464
Figure 10.1-3. Tonnages of karst-type bauxite deposits (Mosier, 1986).	.465
Figure 10.1-4. Alumina grades of karst-type bauxite deposits (Mosier, 1986)	.466
Figure 10.1-5. Tract bxt01, rocks permissive for the occurrence of laterite-type bauxite deposits in	
Afghanistan.	.468
Figure 10.1-6. Parts of tract bxt01 showing areas in Baghlan and Samangan Provinces permissive for	
the occurrence of laterite-type bauxite deposits in Afghanistan	.469
Figure 10.1-7. Known bauxite occurrences and trct bxt02, rocks permissive for the occurrence of karst-	
type bauxite deposits in Afghanistan	.471
Figure 10.2-1. Location of two tracts permissive for undiscovered placer gold deposits	.475

Figure 10.2-2. Map showing location of upper and lower parts of permissive tract pgold01 for	
undiscovered placer deposits in Takhar and Badakhshan Province	477
Figure 10.2-3. Map showing location of upper and lower parts of permissive tract pgold01 for	
undiscovered placer deposits in Takhar and Badakhshan Provinces on top of shaded relief	
and also showing the known lode gold deposits	478
Figure 10.2-4. Maps showing location of parts of pgold01tract permissive for undiscovered placer gold	
deposits in the perched upper reaches of the tract in Badakhshan Province	479
Figure 10.2-5. Map showing location of pgold02 permissive tract for undiscovered placer deposits in	
Kandahar, Zabul and Ghazni Provinces	481
Figure 10.2-6. Maps showing location of southern parts of permissive tract pgold02	482
Figure 10.3-1. Basins and areas in Afghanistan used in assessment of sand and gravel resources	486
Figure 10.3.1-1. Empirical model of non-sand and gravel facies in sand and gravel deposits that can	
occur as interbedded silts and fine-grain overburden as well as other unsuitable materials	
(peat, etc)	488
Figure 10.3.1-2. Empirical model of mineral deposit densities for fluvial sand and gravel deposits and	
sand deposits in areas that are expected to have been well explored	490
Figure 10.3-2. Outline of Basin 1 showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees	
(red) that are both permissive for fluvial sand and gravel deposits	496
Figure 10.3-2 <i>c</i> . Outline of Basin 1 showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green)	
and greater than 10 degrees where only areas in green are permissive for sand and gravel	
deposits in alluvial fans	497
Figure 10.3-3. Distribution of sand and gravel resources in fluvial sand and gravel deposits in tracts in	
Basin 1	499
Figure 10.3-4. Distribution of sand and gravel resources in fluvial sand and gravel deposits in buffer	
zones in Basin 1 tracts	500
Figure 10.3-5. Distribution of sand and gravel resources in deposits in alluvial fans in Basin 1	502
Figure 10.3-6. Outline of Basin 2 showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees	
(red) that are both permissive for fluvial sand and gravel deposits	504
Figure 10.3-6 <i>c</i> . Outline of Basin 2 showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green)	
and greater than 10 degrees where only areas in green are permissive for sand and gravel	
deposits in alluvial fans	505
Figure 10.3-7. Distribution of sand and gravel resources in fluvial sand and gravel deposits in buffer	
zones in Basin 2 tracts	506
Figure 10.3-8. Distribution of sand and gravel resources in fluvial sand and gravel deposits in tracts in	
Basin 2 buffer zones	508
Figure 10.3-9. Distribution of sand and gravel resources in alluvial fans in Basin 2	510
Figure 10.3-10. Outline of Basin 3 showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees	
(red) that are both permissive for fluvial sand and gravel deposits	512
Figure 10.3-10 <i>c</i> . Outline of Basin 3 showing areas with slopes of 0-1 degrees (tan), >1-10 degrees	
(green) and greater than 10 degrees where only areas in green are permissive for sand and	
gravel deposits in alluvial fans	513
Figure 10.3-11. Distribution of sand and gravel resources in fluvial sand and gravel deposits in tracts in	
the assessment zone in Basin 3	515
Figure 10.3-12. Distribution of sand and gravel resources in sand and gravel deposits in alluvial fans in	
Basin 3	517

Figure 10.3-13. Outline of Basin 4 showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits	519
Figure 10.3-13c. Outline of Basin 4 showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and	
gravel deposits in alluvial fans	520
Figure 10.3-14. Distribution of sand and gravel resources in fluvial sand and gravel deposits in tracts in Basin 4.	522
Figure 10.3-15. Distribution of sand and gravel resources in fluvial sand and gravel deposits in buffer zones in Basin 4 tracts	523
Figure 10.3-16 Distribution of sand and gravel resources in sand and gravel deposits in alluvial fans in Basin 4.	525
Figure 10.3-17. Outline of Basin 5 showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits	527
Figure 10.3-17c. Outline of Basin 5 showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and gravel deposits in alluvial fans.	528
Figure 10.3-18. Distribution of sand and gravel resources in fluvial sand and gravel deposits in Basin 5 tracts.	530
Figure 10.3-19. Distribution of sand and gravel resources in fluvial sand and gravel deposits in buffer xones in Basin 5 tracts.	531
Figure 10.3-20. Distribution of sand and gravel resources in sand and gravel deposits in alluvial fans in Basin 5.	533
Figure 10.3-21. Outline of Basin 6 showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits	535
Figure 10.3-21 c. Outline of Basin 6 showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and gravel deposits in alluvial fans	536
Figure 10.3-22. Distribution of sand and gravel resources in fluvial sand and gravel deposits in tracts in Basin 6.	538
Figure 10.3-23. Distribution of sand and gravel resources in fluvial sand and gravel deposits in buffer zones in Basin 6 tracts	539
Figure 10.3-24. Distribution of sand and gravel resources in sand and gravel deposits in alluvial fans in Basin 6.	541
Figure 10.3-25. Outline of Basin 7 showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits	543
Figure 10.3-25 <i>c</i> . Outline of Basin 7 showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and gravel deposits in alluvial fans	544
Figure 10.3-26. Distribution of sand and gravel resources in fluvial sand and gravel deposits in Basin 7 tracts.	546
Figure 10.3-27. Distribution of sand and gravel resources in fluvial sand and gravel deposits in tracts in Basin 7 buffer zones	547
Figure 10.3-28. Distribution of sand and gravel resources in sand and gravel deposits in alluvial fans in Basin 7.	549

Figure 10.3-29. Outline of Basin 8 showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits	.551
Figure 10.3-29 <i>c</i> . Outline of Basin 8 showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and gravel deposits in alluvial fans	.552
Figure 10.3-30. Distribution of sand and gravel resources in fluvial sand and gravel deposits in Basin 8 tracts.	.554
Figure 10.3-31. Distribution of sand and gravel resources in fluvial sand and gravel deposits in buffer zones in Basin 8 tracts	.555
Figure 10.3-32. Distribution of sand and gravel resources in sand and gravel deposits in alluvial fans in Basin 8.	.557
Figure 10.3-33. Outline of Basin 9 showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits	.559
Figure 10.3-33 <i>c</i> . Outline of Basin 9 showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and gravel deposits in alluvial fans	.560
Figure 10.3-34. Distribution of sand and gravel resources in fluvial sand and gravel deposits in Basin 9 tracts	.562
Figure 10.3-35. Distribution of sand and gravel resources in fluvial sand and gravel deposits in buffer zones in Basin 9 tracts	.563
Figure 10.3-36. Distribution of sand and gravel resources in sand and gravel deposits in alluvial fans in Basin 9.	.565
Figure 10.3-37. Outline of Basin 10 showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits	.567
Figure 10.3-37 c. Outline of Basin 10 showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and gravel deposits in alluvial fans	.568
Figure 10.3-38. Distribution of sand and gravel resources in fluvial sand and gravel deposits in Basin 10 tracts.	.570
Figure 10.3-39. Distribution of sand and gravel resources in fluvial sand and gravel deposits in buffer zones in Basin 10 tracts	.571
Figure 10.3-40. Distribution of sand and gravel resources in sand and gravel deposits in alluvial fans in Basin 10.	.573
Figure 10.3-41. Outline of Basin 11 showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits	.575
Figure 10.3-41 c. Outline of Basin 11 showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and gravel deposits in alluvial fans	.576
Figure 10.3-42. Distribution of sand and gravel resources in fluvial sand and gravel deposits in Basin 11 tracts.	.578
Figure 10.3-43. Distribution of sand and gravel resources in fluvial sand and gravel deposits in buffer zones in Basin 11 tracts	.579
Figure 10.3-44. Distribution of sand and gravel resources in sand and gravel deposits in Basin 11 alluvial fans	.581

Figure 10.3-45. Outline of Basin 12 showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits	.583
Figure 10.3-45 c. Outline of Basin 12 showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and	E01
Figure 10.3-46. Distribution of sand and gravel resources in fluvial sand and gravel deposits in Basin 12 tracts.	.586
Figure 10.3-47. Distribution of sand and gravel resources in fluvial sand and gravel deposits in buffer zones in Basin 12 tracts	.587
Figure 10.3-48. Distribution of sand and gravel resources in sand and gravel deposits in Basin 12 alluvial fans	.587
Figure 10.3-49. Outline of Basin 13 showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits	.591
Figure 10.3-49 <i>c</i> . Outline of Basin 13 showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and gravel deposits in alluvial fans.	
Figure 10.3-50. Distribution of sand and gravel resources in fluvial sand and gravel deposits in Basin 13 tracts.	.594
Figure 10.3-51. Distribution of sand and gravel resources in fluvial sand and gravel deposits in Basin 13 buffer zones.	.595
Figure 10.3-52. Distribution of sand and gravel resources in sand and gravel deposits in Basin 13 alluvial fans	.597
Figure 10.3-53. Outline of Basin 14 showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits	.598
Figure 10.3-53 <i>c</i> . Outline of Basin 14 showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and gravel deposits in alluvial fans	.599
Figure 10.3-54. Distribution of sand and gravel resources in fluvial sand and gravel deposits in Basin 14 tracts	.601
Figure 10.3-55. Distribution of sand and gravel resources in fluvial sand and gravel deposits in tracts in Basin 14 buffer zones	.603
Figure 10.3-56. Distribution of sand and gravel resources in sand and gravel deposits in Basin 14 alluvial fans	.605
Figure 10.3-57. Outline of Basin 15 showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits	.607
Figure 10.3-57 c. Outline of Basin 15 showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and gravel deposits in alluvial fans	.608
Figure 10.3-58. Distribution of sand and gravel resources in fluvial sand and gravel deposits in Basin 15 tracts.	.610
Figure 10.3-59. Distribution of sand and gravel resources in fluvial sand and gravel deposits in buffer zones in Basin 15 tracts	.611
Figure 10.3-60. Distribution of sand and gravel resources in sand and gravel deposits in Basin 15 alluvial fans	.613

Figure 10.3-61. Outline of Basin 16 showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits	615
Figure 10.3-61 c. Outline of Basin 16 showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and	
gravel deposits in alluvial fans	.616
Figure 10.3-62. Distribution of sand and gravel resources in fluvial sand and gravel deposits in Basin 16 tracts.	618
Figure 10.3-63. Distribution of sand and gravel resources in fluvial sand and gravel deposits in buffer zones in Basin 16 tracts	619
Figure 10.3-64. Distribution of sand and gravel resources in sand and gravel deposits in alluvial fans in Basin 16.	621
Figure 10.3-65. Outline of Basin 17 showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits	623
Figure 10.3-65 <i>c</i> . Outline of Basin 17 showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and	
gravel deposits in alluvial fans	.624
Figure 10.3-66. Distribution of sand and gravel resources in fluvial sand and gravel deposits in Basin 17 tracts.	626
Figure 10.3-67. Distribution of sand and gravel resources in fluvial sand and gravel deposits in Basin 17 buffer zones.	.627
Figure 10.3-68. Distribution of sand and gravel resources in sand and gravel deposits in Basin 17 alluvia fans	l 629
Figure 10.3-69. Outline of Basin 18 showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits	631
Figure 10.3-69 <i>c</i> . Outline of Basin 18 showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and gravel deposits in alluvial fans	632
Figure 10.3-70. Distribution of sand and gravel resources in fluvial sand and gravel deposits in Basin 18 tracts.	634
Figure 10.3-71. Distribution of sand and gravel resources in fluvial sand and gravel deposits in tracts in buffer zones in Basin 18.	635
Figure 10.3-72. Distribution of sand and gravel resources in sand and gravel deposits in Basin 18 alluvia fans	l 637
Figure 10.3-73. Outline of Area A showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits	639
Figure 10.3-73 <i>c</i> . Outline of Area A showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and gravel deposits in alluvial fans	640
Figure 10.3-74. Distribution of sand and gravel resources in fluvial sand and gravel deposits in tracts in Area A	642
Figure 10.3-75. Distribution of sand and gravel resources in fluvial sand and gravel deposits in tracts in Area A buffer zones.	643
Figure 10.3-76. Outline of Area B showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits	645

Figure 10.3-76 c. Outline of Area B showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and	
gravel deposits in alluvial fans Figure 10.3-77. Distribution of sand and gravel resources in fluvial sand and gravel deposits in Area B	.646 648
Figure 10.3-78. Distribution of sand and gravel resources in fluvial sand and gravel deposits in tracts in Area B buffer zones.	.649
Figure 10.3-79. Distribution of sand and gravel resources in sand and gravel deposits in alluvial fans in Area B	.651
Figure 10.3-80. Outline of Area C showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits	.652
Figure 10.3-80 c. Outline of Area C showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and gravel deposits in alluvial fans	.653
Figure 10.3-81. Distribution of sand and gravel resources in fluvial sand and gravel deposits in Area C tracts	.655
Figure 10.3-82. Outline of Area D showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits and not permissive areas with slopes greater than 10 degrees (blue.)	.658
Figure 10.3-83. Outline of Area E showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits	.661
Figure 10.3-83 <i>c</i> . Outline of Area E showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and gravel deposits in alluvial fans	.662
Figure 10.3-84. Distribution of sand and gravel resources in fluvial sand and gravel deposits in Area E tracts.	.664
Figure 10.3-85. Distribution of sand and gravel resources in fluvial sand and gravel deposits in tracts in Area E buffer zones.	.665
Figure 10.3-86. Distribution of sand and gravel resources in sand and gravel deposits in alluvial fans in Area E.	.667
Figure 10.3-87. Outline of Area F showing areas with slopes of 0-5 degrees (yellow) and 5-10 degrees (red) that are both permissive for fluvial sand and gravel deposits	.669
Figure 10.3-87 c. Outline of Area F showing areas with slopes of 0-1 degrees (tan), >1-10 degrees (green) and greater than 10 degrees where only areas in green are permissive for sand and gravel deposits in alluvial fans.	.670
Figure 10.3-88. Distribution of sand and gravel resources in fluvial sand and gravel deposits in Area F tracts.	.672
Figure 10.3-89. Distribution of sand and gravel resources in fluvial sand and gravel deposits in Area F buffer zones.	.673
Figure 10.3-90. Distribution of sand and gravel resources in sand and gravel deposits in alluvial fans in Area F	.675
Figure 11.1-1. Photograph typical building stones	.681
Figure 11.2.1-1. Tracts permissive (yellow) and favorable (orange) for the occurrence of undiscovered granite dimension stone deposits in Afghanistan.	.684

Figure 11.2-1. Areas permissive and favorable for the occurrence of limestone deposits in Afghanistan. Figure 11.4-2. Areas permissive and favorable for the occurrence of limestone deposits in	
Afghanistan.	686
Figure 11.3-1. Afghanistan cities with known marble processing factories and the numbers of those factories in the cities (after USAID and others, 2006)	787
Figure 11.3-2. Tracts permissive and favorable for the occurrence of undiscovered marble dimension stone deposits in Afghanistan.	690
Figure 11.4-1. Tracts permissive and favorable for the occurrence of undiscovered travertine dimension stone deposits in Afghanistan	693
Figure 11.4-2 An area of interest within tract dms04 is in Helmand Province along the Pakistan border. In this area, travertine is mined and carved into small figurines and made into other objects	696
known travertine deposit and travertine has been produced	697
Figure 11.5-1. Tracts permissive and favorable for the occurrence of undiscovered sandstone dimension stone deposits in Afghanistan	700
Figure 12.1-1. Location of area of interest for undiscovered emerald deposits in the Panjsher Valley area, showing location of known emerald deposits and main geologic units from Doebrich and Wahl, (2006).	706
Laghman Province	707
Figure 12.2-2. Location of the Ab-i-Panja (Balal) gem area in northern Badakhshan Province, Ishkashim District.	708
Figure 12.3-1. Map showing location of the Sary-Sang Lapis Lazuli Mine and associated prospects in the Kokoschka River Valley.	709
Figure 12.3-2. Example of Lapis lazuli specimens and other minerals from the Sary-Sang Lapis Lazuli Mine and associated prospects in the Kokoschka River Valley	710
Figure 12.4-1. Maps showing location of pegmatite fields in Afghanistan modified from those described by Abdullah and others (1977).	712
Figure 12.4-2. Map showing location of tourmaline occurrences (pink diamonds) in pegmatite fields (yellow) in northeastern Afghanistan.	713
Figure 12.4-3. Map showing location of Nilaw-Kolum and Kulam tourmaline-kunzite occurrences in Nuristan Province, Mandol district, containing large areas of kunzite with associated amounts	-
of tourmaline, beryllium, cesium, tantalum, rubidium and quartz	715

Tables

Table 1. Summary of known resources and estimated undiscovered resources for selected	
commodities in Afghanistan identified by the U.S. Com (1977) ered (metric tonnes)	
MEAluminum 4,535,000 metric tons at 50.5 Geological Survey-Afghanistan Geological Survey	
Joint Mineral Resource Assessment Teamxx	xiii
Table 1.0-1 Classification of mineral deposit models by deposit environment	13
Table 1.0-2. Metallogenic character of Afghanistan plutonic belts depicted on figure 1.0-3.	14
Table 2.1-1. Probability estimates of undiscovered podiform chromite deposits in tract umf01A	27
Table 2.1-2 Table showing probabilistic distribution of estimated contained metal and mineralized rock	
for undiscovered podiform chromite deposits for the probabilistic estimates of the Eocene	36
Table 2.1-3. Consensus probability estimates of undiscovered podiform chromite deposits in tract umf01B	38
Table 2.1-4 Table showing probabilistic distribution of estimated contained metal and mineralized rock	
for undiscovered podiform chromite deposits for the probabilistic estimates of tract umf01B	
the Eocene Ultramafic Rocks near Khost permissive tract	42
Table 2.2-1. Ultramafic talc and magnesite occurrences in Afghanistan and talc-magnesite of uncertain affiliation (indicated by "*")	55
Table 2.2-2. Probability estimate of undiscovered ultramafic-hosted talc-magnesite deposits in tract	
umf01A	58
Table 2.3-1. Probability estimates of undiscovered serpentine-hosted asbestos deposits in tract	
umf01A	74
Table 2.3-2. Table showing probabilistic distribution of estimated contained asbestos and mineralized	
rock for undiscovered serpentine-hosted asbestos deposits for the probabilistic estimates of	
tract umf01A—Eocene Ultramafic Rocks of Logar Valley permissive tract	77
Table 2.3-3. Probability estimates of undiscovered serpentine-hosted asbestos deposits in tract	
umf01A	78
Table 2.3-4. Table showing probabilistic distribution of estimated contained asbestos and mineralized	
rock for undiscovered serpentine-hosted asbestos deposits for the probabilistic estimates of	
tract umf01B—Eocene Ultramafic Rocks Near Khost permissive tract	81
Table 3.0-1. Assessment team estimates of undiscovered carbonatite deposits in the cb01 Helmund	
Basin permissive tract	98
Table 3.0-2. Mean estimates of metric tons of undiscovered phosphate, REE, niobium, and rock in undiscovered carbonatite tract	98
Table 3.0-3. Table showing probabilistic distribution of estimated contained metal and mineralized rock	
for undiscovered carbonatite deposits containing phosphorous, REE , niobium, and rocks for the probabilistic estimate of the Khanneshin Carbonatite permissive tract cb01 Helmand	
Basin	104
Table 4.1-1. Median tonnage and grade for tin and tungsten occurrence models	106

Table 4.3-1. Pegmatite fields in Afghanistan.	.125
Table 5.1-1. Median tonnage and grade for porphyry copper and associated deposit models.	.130
Table 5.1-2. Table summarizing statistical parameters for the assessment of the Chagai east permissive	
tract (ppycu01). The mean number of expected deposits is 1.3.	.137
Table 5.1-3. Table summarizing statistical parameters for the assessment of the Chagai west	-
permissive tract (ppvcu02). The mean number of expected deposits is 1.0	.142
Table 5.1-4. Table summarizing statistical parameters for the assessment of the Spin Boldak permissive	
tract (ppycu03). The mean number of expected deposits is 0.6.	.147
Table 5.1-5. Table summarizing statistical parameters for the assessment of the Saindak north	
permissive tract (ppycu04). The mean expected number of deposits is 0.9	.152
Table 5.1-6. Table summarizing statistical parameters for the assessment of the Kundalvan-Zarkashan	
permissive tract (ppycu05). The mean expected number of deposits is 1.0	.161
Table 5.1-7. Table summarizing statistical parameters for the assessment of the Argandhab permissive	
tract (ppycu06). The mean expected number of deposits is 0.6.	.165
Table 5.1-8. Table summarizing statistical parameters for the assessment of the Katawaz permissive	
tract (ppycu07). The mean expected number of deposits is 0.6.	.169
Table 5.1-9. Table summarizing statistical parameters for the assessment of the Feroz Koh permissive	
tract (ppycu08). The mean expected number of deposits is 0.6.	.173
Table 5.1-10. Table summarizing statistical parameters for the assessment of the Farah Rod permissive	
tract (ppycu09). The mean expected number of deposits is 1.3.	.178
Table 5.1-11. Table summarizing statistical parameters for the assessment of the West Hindu Kush	
permissive tract (ppycu10). The mean expected number of deposits is 0.3	.183
Table 5.1-12. Table summarizing statistical parameters for the assessment of the Helmand permissive	
tract (ppycu12). The mean expected number of deposits is 0.3	.189
Table 5.1-13. Summary of Estimates of undiscovered porphyry copper deposits in Afghanistan	.193
Table 6.1-1. Mercury-rich mineral occurrences of Afghanistan.	.210
Table 6.1-2. Table showing probabilistic distribution of estimated contained metal and mineralized rock	
for undiscovered hot-spring mercury deposits permissive tract ephg01 Karnak-Kanja Hg	.237
Table 7.1-1. Table of output for permissive tract sedcu01 Aynak for undiscovered sediment-hosted	
deposits, assuming that the Aynak-type deposits have the same grade-tonnage distribution as	;
that for sediment-hosted reduced-facies copper deposits	.292
Table 8.3A-1. Probability estimates for undiscovered potash-bearing bedded halite deposits in tract	
AFK-01	.372
Table 8.3A-2. Table showing probabilistic distribution of estimated contained asbestos and mineralized	
rock for undiscovered potash-bearing bedded halite deposits for the probabilistic estimated	
for Jurassic evaporites of the Afghan-Tajik basin	.376
Table 0.0.1 Decksbillts activates of an discourse delivery instal field and the second state of the	400
Table 9.2-1. Probability estimates of undiscovered disseminated flake graphite deposits in tract dvgU1	.438
Table 9.2-2. Table snowing probabilistic distribution of contained metal and mineralized rock for	
unuiscovered disseminated tiake graphite deposits for the probabilistic estimates of the	440
badaknsnan Archean permissive tract	.443

Table 9.3-1. Some metasomatic talc-magnesite occurrences in Afghanistan.	.457
Table 10.2-1. Gold placer deposits and estimated known resources of Afghanistan (Abdullah and others, 1977).	.473
Table 10.3-1. Summary of the amount of sand and gravel (in million cubic meters) expected in both discovered and undiscovered deposits for fluvial sand and gravel deposit type and alluvial fan sand and gravel type for 24 river basins and other areas in Afghanistan	102
Table 10.3-2. Estimated number of fluvial sand and gravel deposits in Basin 1, both discovered and undiscovered calculated using the MDD model	498
Table 10.3-3. Estimated number of fluvial sand and gravel deposits, both discovered and undiscovered, in buffer zone tracts calculated using the MDD model	.499
Table 10.3-4. Estimated number of sand and gravel deposits both discovered and undiscovered in alluvial fans in Basin 1	.501
Table 10.3-5. Estimated number of fluvial sand and gravel deposits in Basin 2, both discovered and undiscovered, calculated using the MDD model.	.506
Table 10.3-6. Estimated number of fluvial sand and gravel deposits, both discovered and undiscovered, in buffer zone tracts calculated using the MDD model	.507
Table 10.3-7. Estimate number of sand and gravel deposits both discovered and undiscovered in alluvial fans in Basin 2.	.509
Table 10.3-8. Estimated number of fluvial sand and gravel deposits in Basin 3 assessment zone, both discovered and undiscovered, calculated using the MDD model.	.514
Table 10.3-9. Estimate number of sand and gravel deposits both discovered and undiscovered in alluvial fans in Basin 3. Table 10.0 Figure 10.0 Fi	.516
Table 10.3-10. Estimated number of fluvial sand and gravel deposits in Basin 4, both discovered and undiscovered, calculated using the MDD model. Table 10.2 11. Estimated number of fluvial sand and gravel deposits in basin 4, both discovered and undiscovered, calculated using the MDD model.	521
in buffer zone tracts calculated using the MDD model	.520
alluvial fans in Basin 4.	.524
undiscovered, calculated using the MDD model.	529
in buffer zone tracts calculated using the MDD model	.530
alluvial fans in Basin 5. Table 10.3-16. Estimated number of fluvial sand and gravel deposits in Basin 6. both discovered and	532
undiscovered, calculated using the MDD model Table 10.3-17. Estimated number of fluvial sand and gravel deposits, both discovered and undiscovered,	537
in buffer zone tracts calculated using the MDD model Table 10.3-18. Estimated number of sand and gravel deposits both discovered and undiscovered, in	538
alluvial fans in Basin 6 Table 10.3-19. Estimated number of fluvial sand and gravel deposits in Basin 7, both discovered and	.540
undiscovered, calculated using the MDD model Table 10.3-20. Estimated number of fluvial sand and gravel deposits, both discovered and undiscovered,	545
in buffer zone tracts calculated using the MDD model	546

Table 10.3-21. Estimated number of fluvial sand and gravel deposits both discovered and undiscovered	E 4 0
In alluvial lans in Basin 7	. 348
undiscovered, calculated using the MDD model.	.553
Table 10.3-23. Estimated number of fluvial sand and gravel deposits, both discovered and undiscovered,	
in buffer zone tracts calculated using the MDD model	.554
Table 10.3-24. Estimated number of sand and gravel deposits both discovered and undiscovered in	FFO
alluvial fails in Dasili 6.	. 330
undiscovered, calculated using the MDD model.	.561
Table 10.3-26. Estimated number of fluvial sand and gravel deposits, both discovered and undiscovered.	
in buffer zone tracts calculated using the MDD model	.562
Table 10.3-27. Estimated number of sand and gravel deposits both discovered and undiscovered in	
alluvial fans in Basin 9.	.564
Table 10.3-28. Estimated number of fluvial sand and gravel deposits in Basin 10, both discovered and	
undiscovered, calculated using the MDD model.	.569
Table 10.3-29. Estimated number of fluvial sand and gravel deposits, both discovered and undiscovered,	
in buffer zone tracts calculated using the MDD model	.570
Table 10.3-30. Estimated number of sand and gravel deposits both discovered and undiscovered in	
alluvial fans in Basin 10	.572
Table 10.3-31. Estimated number of fluvial sand and gravel deposits in Basin 11, both discovered and	
undiscovered, calculated using the MDD model.	.577
Table 10.3-32. Estimated number of fluvial sand and gravel deposits, both discovered and undiscovered,	
in buffer zone tracts calculated using the MDD model	.578
Table 10.3-33. Estimated number of sand and gravel deposits both discovered and undiscovered in	
alluvial fans in Basin 11	.580
Table 10.3-34. Estimated number of fluvial sand and gravel deposits in Basin 12, both discovered and	
undiscovered, calculated using the MDD model.	.585
Table 10.3-35. Estimated number of fluvial sand and gravel deposits, both discovered and undiscovered,	
in buffer zone tracts calculated using the MDD model	.586
Table 10.3-36. Estimated number of sand and gravel deposits, both discovered and undiscovered, in	
alluvial fans in Basin 12	.588
Table 10.3-37. Estimated number of fluvial sand and gravel deposits in Basin 13, both discovered and	
undiscovered, calculated using the MDD model	.593
Table 10.3-38. Estimated number of fluvial sand and gravel deposits, both discovered and undiscovered,	
in buffer zones calculated using the MDD model	.594
Table 10.3-39. Estimated number of sand and gravel deposits, both discovered and undiscovered, in	
alluvial fans in Basin 13	.596
Table 10.3-40. Estimated number of fluvial sand and gravel deposits in Basin 14, both discovered and	
undiscovered, calculated using the MDD model	.601
Table 10.3-41. Estimated number of fluvial sand and gravel deposits, both discovered and undiscovered,	
in buffer zones calculated using the MDD model	.602
Table 10.3-42. Estimated number of sand and gravel deposits, both discovered and undiscovered, in	
alluvial fans in Basin 14	.604

Table 10.3-43. Estimated number of fluvial sand and gravel deposits in Basin 15, both discovered and undiscovered, calculated using the MDD model.	.609
Table 10.3-44. Estimated number of fluvial sand and gravel deposits, both discovered and undiscovered, in buffer zones calculated using the MDD model	610
Table 10.3-45. Estimated number of sand and gravel deposits, both discovered and undiscovered, in alluvial fans in Basin 15	612
Table 10.3-46. Estimated number of fluvial sand and gravel deposits in Basin 16, both discovered and undiscovered, calculated using the MDD model.	.617
Table 10.3-47. Estimated number of fluvial sand and gravel deposits, both discovered and undiscovered, in buffer zones calculated using the MDD model.	.618
Table 10.3-48. Estimate number of fluvial sand and gravel deposits both discovered and undiscovered in alluvial fans in Basin 16.	.620
Table 10.3-49. Estimated number of fluvial sand and gravel deposits in Basin 17, both discovered and undiscovered, calculated using the MDD model.	.625
Table 10.3-50. Estimated number of fluvial sand and gravel deposits, both discovered and undiscovered, in buffer zones calculated using the MDD model.	.626
Table 10.3-51. Estimated number of sand and gravel deposits both discovered and undiscovered in alluvial fans in Basin 17.	.628
Table 10.3-52. Estimated number of fluvial sand and gravel deposits in Basin 18, both discovered and undiscovered, calculated using the MDD model.	.633
Table 10.3-53. Estimated number of fluvial sand and gravel deposits, both discovered and undiscovered, in buffer zones in Basin 18 calculated using the MDD model	.634
Table 10.3-54. Estimated number of sand and gravel deposits, both discovered and undiscovered, in alluvial fans in Basin 18.	.636
Table 10.3-55. Estimated number of fluvial sand and gravel deposits in Area A, both discovered and undiscovered, calculated using the MDD model.	.641
Table 10.3-56. Estimated number of fluvial sand and gravel deposits, both discovered and undiscovered, in buffer zones calculated using the MDD model.	.642
Table 10.3-57. Estimated number of fluvial sand and gravel deposits in Area B, both discovered and undiscovered, calculated using the MDD model.	.647
Table 10.3-58. Estimated number of fluvial sand and gravel deposits, both discovered and undiscovered, in buffer zones calculated using the MDD model	648
Table 10.3-59. Estimated number of alluvial sand and gravel deposits, both discovered and undiscovered in alluvial fans in Area B	650
Table 10.3-60. Estimated number of fluvial sand and gravel deposits in Area C, both discovered and undiscovered, calculated using the MDD model	654
Table 10.3-61. Estimated number of fluvial sand and gravel deposits in Area E, both discovered and undiscovered, calculated using the MDD model	663
Table 10.3-62. Estimated number of fluvial sand and gravel deposits, both discovered and undiscovered,	664
Table 10.3-63. Estimated number of fluvial sand and gravel deposits both discovered and undiscovered in alluvial fans in Area E	-004
Table 10.3-64. Estimated number of fluvial sand and gravel deposits in Area F, both discovered and undiscovered calculated using the MDD model	.000
טווטופרטעפויפט, טמוטעומנפט טפוווע נוופ ועושט וווטעפו	.0/1

Table 10.3-65. Estimated number of fluvial sand and gravel deposits, both discovered and undiscovered,	,
in buffer zones calculated using the MDD model	.672
Table 10.3-66. Estimated number of fluvial sand and gravel deposits both discovered and undiscovered	
in alluvial fans in Area F	.674

Appendix

Appendix 1 Geographic Information System (GIS) Project to Accompany the Non-Fuel Mineral Resource Assessment of Afghanistan