

\$	4			B
<p>\$1.00 7:10 \$100,000 7:5, 11 \$25,000 7:7 \$5,001 7:7 \$50,000 7:10 \$52,000 7:5</p>	<p>4,000 34:20 40 9:13; 14:1; 21:10; 28:20 400 10:10 45 9:14; 21:11 49 14:19; 15:5; 20:12 4:39 42:4</p>	<p>across 25:19, 23 active 12:8 actual 11:4; 12:6; 13:11; 21:5 add 13:15; 22:12 added 31:14 additional 18:3; 33:2, 7, 10; 36:17 address 7:19 addresses 6:18 adequate 26:2; 34:8 adequately 12:17; 32:21 ADHD 17:6 adjourned 42:5 adjunct 34:1, 7; 39:9, 19 adjustment 17:7 administered 9:24; 30:5 adolescent 17:21; 18:20; 38:14, 16 adolescents 20:5 adult 10:18; 14:9; 19:24; 28:4 adulthood 34:7 adults 8:23; 10:15; 11:15; 16:1; 27:3; 29:4, 14, 16; 33:22; 35:5, 9; 37:3 adverse 4:16; 8:2; 11:5, 6, 14, 15; 12:9; 13:3; 14:10, 11; 15:4, 21; 16:14, 15, 18; 29:2; 33:17; 35:2; 39:1, 5, 6, 17; 41:4 adverse-event 7:25; 8:8, 12; 12:4; 13:21; 14:1, 7, 20; 16:6, 25; 26:23; 28:20; 29:1; 32:7; 37:20 Advisory 8:17 advocate 38:22 AERS 12:6; 13:8, 10, 22; 23:11; 25:22; 32:15; 33:3; 36:17 affected 20:1 affecting 14:14 afternoon 4:12; 7:24; 8:3; 40:2 again 22:7; 23:11; 25:21; 29:16, 23; 32:15; 35:17; 36:14; 37:17; 40:16; 41:19 age 9:3; 10:14; 13:17; 14:21; 28:5, 7, 9, 10; 30:4; 34:3, 22, 23; 35:6, 8 agency 39:22 agenda 7:14 agent 27:3; 33:22 agents 25:6 ages 10:3; 27:12, 16; 28:2; 30:3; 34:18; 35:4 aggravated 29:18 aggression 15:13; 18:7; 29:9 agitation 29:22 ago 18:2 agonist 30:17 agree 41:11 agrees 33:10</p>	<p>ahead 24:20 alarmed 41:17 alone 13:21, 25; 25:11; 39:4 Although 17:5; 19:5; 20:12; 29:6 Among 13:25; 14:22; 22:25; 23:2 amount 26:2 analysis 14:5; 29:24 ANDREASON 6:5, 5; 25:12, 16; 26:9 Andy 26:7, 7, 9 anger 18:6; 29:9 anniversary 24:8 announcement 6:18 anomalies 26:14, 17 anomaly 16:21; 23:7 anticholinergic 27:3 antidiuretic 30:16 antispasmodic 27:2 anxiety 9:1; 17:7; 29:9 anxious 31:25 Apo 34:2 appearance 6:20 appearances 9:18; 10:21; 27:24; 34:21 appears 17:5 appetite 11:23 applies 33:4 apply 21:10 appreciate 36:19; 40:8 approach 32:21 appropriate 39:9, 14, 19 approved 17:3, 3; 23:24, 25; 24:13, 14; 27:10; 33:22; 37:3 approximately 9:14 around 4:18; 21:24; 25:3 ascertained 12:22 aspect 32:22 assess 12:17 assisted 40:19 Associate 4:20 associated 27:5; 34:5 association 26:16; 27:8 assume 20:23; 26:7 asterisk 14:13; 29:3 Atarax 32:3 attempt 19:13 attention 14:18; 19:10; 39:15 attributed 32:12; 35:21 attribution 13:7; 32:16 Audit 9:9; 22:16 authorized 9:23 available 18:4; 36:10 aware 7:15; 26:18</p>	<p>B 21:1; 34:2 baby 17:14, 16; 36:1, 2 background 13:6; 42:1 badly 41:14 based 13:7; 15:4; 24:4; 34:15 became 18:4; 31:5, 14, 17 bed 31:13, 19, 22 beforehand 41:9 begin 40:14 behavior 29:8 behavioral 18:6; 31:11 behind 21:5 Benadryl 30:24 benefit 23:20 best 13:9; 23:12; 26:15 better 41:10 bias 12:13 bifida 27:9 Biostatistics 6:11 Bipolar 38:14, 16, 18, 22, 24 birth 16:22; 22:23; 23:9; 26:2 birth-defect 23:15 bit 11:6; 22:13; 40:15 bladder 27:4, 6; 28:12, 12, 13, 13; 30:11 board 25:23; 38:13, 15 born 17:14; 31:10 both 33:4, 11; 35:22 boys 34:2 BPCA 8:18; 23:25 brain 31:11 briefly 30:14 bring 19:10 brings 38:5; 40:1</p>
<p>1</p>	<p>5</p>			
<p>1 8:22; 34:5; 37:15 1,249 13:24 1,309 35:4 105 28:1 12,000 38:18 13 15:16 138 28:1 14,000 37:14 160 34:10 17 8:18 18 6:25 18.5 34:17 19 29:14 190 34:9 1975 29:13 1997 18:1 1998 10:4; 27:14; 34:17</p>	<p>5 30:5 500 34:5 51 14:1</p>			
<p>2</p>	<p>6</p>			
<p>2 17:21 2,000 9:20 2000 10:13; 28:1; 34:24; 37:14 2001 34:24 2002 8:22; 10:5, 11, 13, 18; 17:25; 27:2, 14, 16, 21; 28:1; 33:21; 34:17, 20; 36:25; 37:10, 14 2003 29:14 208(b)(3) 6:25 21 10:4; 15:2 22 24:15; 33:21; 36:25 22,000 9:12 24.8 37:9 26 16:10 27 15:2 28.8 34:17</p>	<p>6 27:12 6.5 27:16 65.7 37:9</p>			
<p>3</p>	<p>7</p>			
<p>3 27:2 3,000 9:20 3.5 27:15 30 21:2, 3 31 10:4 37.5 30:6 392,000 20:22</p>	<p>70 28:2 700,000 10:19 74 29:14 745 29:14 75 29:25</p>			
<p>3</p>	<p>8</p>			
<p>3 27:2 3,000 9:20 3.5 27:15 30 21:2, 3 31 10:4 37.5 30:6 392,000 20:22</p>	<p>8 10:20 82,000 27:21, 25 847 13:24</p>			
<p>3</p>	<p>9</p>			
<p>3 27:2 3,000 9:20 3.5 27:15 30 21:2, 3 31 10:4 37.5 30:6 392,000 20:22</p>	<p>9,000 37:14 966 37:20 98 27:16; 37:9</p>			
<p>3</p>	<p>A</p>			
<p>3 27:2 3,000 9:20 3.5 27:15 30 21:2, 3 31 10:4 37.5 30:6 392,000 20:22</p>	<p>abnormal 29:8, 22 abnormalities 25:8; 26:6, 8 above 36:12 absorbing 41:10 accident 15:22 accidental 15:25; 16:3; 17:10 accompany 19:16 accordance 6:25 according 14:8 accounted 10:7; 27:20 accuracy 21:19 acknowledge 20:18</p>			<p>C</p> <p>C-section 35:23 calculate 21:13; 22:9 calculated 21:21 calculation 21:23; 22:4 Call 4:2 came 22:24 can 4:8, 10; 9:22; 11:1; 12:23; 14:23; 20:3; 21:1, 18, 23; 22:7; 26:13; 36:18; 38:20; 39:10; 40:24 Cancer 5:6 capture 20:25 cardiac 23:5 Cardiology 5:14 careful 13:19; 35:7 Carol 20:18 case 15:5; 16:2, 25; 17:19; 18:17; 19:6; 29:24;</p>

30:9; 31:10, 25; 35:7, 24
cases 15:5, 16, 24; 16:2, 4; 17:13; 23:2; 25:21, 22; 35:13, 22
juries 15:7
categorized 14:7
category 14:24; 16:5
catheterization 31:7
causal 13:7; 20:7; 23:4, 13; 36:9
causality 32:16, 19
causally 19:7; 20:14
cause 32:18
causes 38:23
CDER 4:21
Center 5:6, 15, 22; 6:4
certain 24:7
Chair/Committee 39:25
chance 24:23
change 40:14
changes 31:16
characterized 15:12
CHEN 4:19, 19; 22:3, 12
CHESNEY 4:3, 17; 5:20, 20; 6:13; 7:3, 23; 20:21; 22:21; 23:16, 23; 24:19; 33:6; 36:18; 38:1, 4, 7; 39:21; 40:1; 41:1, 23
Chicago 5:4
child 17:21; 18:20; 30:15, 20; 31:2, 10; 32:1; 38:14, 19
children 9:2; 10:13, 16, 17, 20; 12:2; 15:1; 16:1; 27:6, 11; 28:1; 33:24; 37:3; 38:18, 24; 39:16
Children's 5:3, 10, 18; 39:12
cholesterol 34:1
City 6:1
clarifications 20:15
class 26:19
Clinic 5:6
clinical 12:24; 32:17
clinicians 39:13
close 10:10, 18; 19:15; 40:2
colleagues 40:4
combination 9:25
comment 7:21
comments 20:15; 33:13; 39:25
committed 17:22; 18:20; 40:21
committee 5:4, 12, 24; 20:11; 32:25; 36:14, 19; 40:15
common 29:5, 16; 37:16
cononest 17:1
cononly 15:12
company 7:9
compare 13:1
compared 42:2

comparison 21:22
competing 6:23; 7:6
completed 16:2; 24:16
complication 14:15
complications 20:2; 36:6
concentration 20:4
concomitant 32:13; 35:25; 36:4, 7
condition 18:15; 27:9; 29:18; 34:4
conditions 32:11, 14; 36:8
confidence 21:24
conflict 6:18; 12:16
conflict-of 6:14
confounding 15:9; 19:23; 32:14; 36:8
congenital 15:16, 18; 16:21; 26:17
consider 33:2; 36:16
considering 32:17
consistent 19:18
constant 25:19
constantly 39:3
context 15:17; 40:16, 22
Continental 9:21
continue 39:24
continued 39:18
Continuing 4:17
contraindicated 23:18, 19

contribute 26:13
contributions 20:19
control 13:1
convincing 25:10
cooperated 40:20
Cornelius 38:15
coronary 33:23; 34:6
correctly 25:12
country 21:11
counts 13:18; 35:2
coverage 9:15
covers 21:10
covers-so 21:22
cranial-facial 26:5, 8, 14
Creighton 5:15
critical-care 5:18
Cummins 4:8
current 7:20
CV 8:25
CVD 34:12

D

damage 31:11
DANFORD 5:13, 13; 22:21, 22
danger 31:15
data 8:11; 9:7, 8, 9, 11, 20; 10:2; 13:8, 8; 21:7, 8; 22:5, 6, 8, 13; 24:17;

27:14; 32:16; 34:15; 37:7; 39:14
database 9:16; 11:7; 13:11; 20:25; 21:14, 21; 23:12; 25:22
databases 10:24; 22:17
date 18:13; 24:7; 26:18; 29:13
dates 24:4
David 5:13
day 8:5; 30:6; 31:8; 36:25; 41:10
days 18:2, 24
death 14:2; 16:17; 17:18; 19:8; 35:10, 16; 36:5
deaths 14:3, 5; 16:9; 17:14; 28:23
deceased 18:20
deciliter 34:10, 11
decreased 11:23; 27:25
decreasing 14:10; 29:1
dedicated 40:18
defect 16:22
defects 22:23; 23:5, 9
defined 16:15
definition 16:14
delivered 35:23
demographic 10:25
demographics 14:19
denominator 22:8
denominators 12:20, 23
depart 24:23
Department 5:13; 6:3
Departments 6:10
depending 24:10
depleted 4:6
depressed 17:24; 31:18
depression 17:1, 3, 23; 18:15, 25; 20:6, 7; 29:7
depressive 8:24; 18:11; 19:13
depth 13:4
Deputy 4:25
described 14:12; 20:1; 29:2
Desmopressin 30:16, 21
detailed 29:24
detecting 13:4
detector 13:3
determination 24:6
Detrol 31:20
detrusor 27:7; 30:11
developed 31:11, 15; 32:2
developing 17:17
Development 4:14
diagnosis 16:24; 30:8; 38:25
Diane 41:11
died 17:16
diet 34:1
dietary 34:8

differences 28:5
different 11:9; 16:6
difficult 12:17; 21:14; 25:25; 32:16
directly 26:1
Director 4:20, 25; 5:9
Directors 38:13, 16
disability 16:21
discontinuation 25:14, 15, 17, 18, 24, 25; 26:4
discontinued 31:6, 16, 21; 32:4
discrepancies 25:8
discuss 7:25; 17:13; 30:14
discussed 6:23; 8:19; 36:11
discussions 7:3, 12
Disease 9:16; 33:23; 34:6, 12
Diseases 5:21
disorder 8:25, 25; 9:1, 1, 2, 3; 17:6, 7, 8; 18:11; 19:14; 29:21; 38:19, 22
disorders 15:10, 16; 19:24; 38:24
dispensed 9:10; 10:3, 10; 21:9; 27:15, 17, 21; 34:16; 37:8
distress 35:23
distribution 14:21
Ditropan 7:9; 8:13; 26:24; 27:1, 7; 28:16; 30:9, 15, 23, 25; 31:4, 5, 13, 21; 32:1, 3, 12
divide 21:2
Division 4:14, 25; 5:20; 6:6, 9
domestic 35:5
Don 6:2
done 11:24; 22:1; 24:6
dose 16:16; 19:6; 31:17
doses 30:5
double 21:16
down 27:25
DR 4:3, 7, 7, 10, 12, 17, 19, 22, 24; 5:2, 5, 8, 13, 17, 20, 25; 6:2, 3, 5, 8, 10, 13; 7:3, 8, 23, 24; 8:3; 20:21, 21, 22; 21:7, 15, 18; 22:3, 3, 10, 12, 14, 14, 21, 21, 22; 23:2, 16, 16, 17, 19, 23, 23, 24; 24:2, 19, 21; 25:4, 12, 15, 16; 26:9, 12, 21; 33:4, 6, 12; 36:18, 21; 38:1, 3, 4, 7; 39:21, 23; 40:1, 4, 10; 41:1, 19, 23
Drug 4:14, 20; 5:1; 6:7; 9:6, 22, 24; 10:19; 11:2; 12:11, 12, 14, 18; 15:8; 16:15, 18; 18:12; 19:23; 20:14; 22:13; 23:1, 9, 15, 17, 21; 26:3, 11; 27:23; 29:4, 16; 32:13, 18; 33:20; 34:20, 23; 36:24; 37:2, 12, 25; 39:1; 40:20; 41:5

drug-abuse 19:4
drug-approval 29:13
drug-event 39:17
drug-therapy 39:4
drug-use 10:24; 27:14
drugs 8:1, 9; 12:24; 14:14; 20:1; 23:24, 25; 24:1, 3, 5, 13; 26:10; 33:11
due 11:1; 15:22; 19:3
duplicate 13:18; 14:3
duplicates 13:19
during 8:19; 9:18; 10:8, 10, 11; 17:16, 24, 25; 18:22; 27:21, 24; 28:19; 31:8; 33:18; 34:23; 35:2; 37:16, 19, 22
dwelt 11:6; 12:4
dysfunction 28:12

E

earlier 36:9
early 41:12
early-onset 38:22
easy 13:19; 42:2
educate 38:21
effect 23:9, 10
effects 23:15; 30:20; 41:4
effort 40:8, 21
eight 35:6
either 15:22; 17:10; 22:23
eleven 28:2, 7; 30:4
Ellicott 6:1
Emergency 5:3
emotional 17:7; 18:6
emphasized 15:7
end 41:10, 22
Endocrine 5:1
England 6:4
entities 12:14
enuresis 30:10, 10, 18; 32:1
epidemiologic 32:19
epidemiology 4:15; 6:11
equal 34:9, 10
ER 30:25
error 15:23
especially 13:5
establish 23:4, 12
established 26:17
estimate 12:21; 22:5, 7
estimated 12:25
estimates 21:25; 22:19
even 6:20; 20:3; 40:6
event 7:12; 8:2; 12:18; 13:6; 16:14; 18:9, 14, 24; 19:2; 32:18
events 4:16; 11:5, 6, 14, 16; 12:9, 21; 13:3; 14:10, 11; 15:4, 12, 14, 15, 17, 22; 16:12; 19:22, 25; 20:1, 8; 28:22; 29:2, 5, 7, 10, 15,

17, 19, 21; 30:23; 31:12;
32:9, 12; 33:17, 17; 35:2,
15, 18, 21; 36:11; 39:5, 6
eventually 31:22
everybody 33:9; 41:20
examination 16:8
example 10:25; 12:14;
24:13
except 20:1; 39:23
exclude 7:16
exclusion 7:17
exclusivity 8:22; 13:23;
14:21; 24:4, 5, 9; 27:1;
28:19; 33:19, 20; 35:3;
36:25; 37:19
Executive 5:23
exhibited 18:5
existing 16:19
experience 16:15, 18
exposed 35:22, 24
exposure 12:22; 14:15;
15:17; 20:2; 22:5, 8; 23:4;
36:3
exposures 14:25; 17:9;
19:23
extended-release 27:11
extensive 24:11
extent 12:10; 26:20
extrapyramidal 15:15

F

face 23:6
facial 25:7
factors 34:13
fairly 25:18
fairness 7:19
fall 14:24
familiar 33:25
families 38:18, 21; 39:8,
13
Family 10:5; 34:11
far 22:7; 26:5
fatal 16:2
FDA 6:7; 7:14; 11:8; 18:1;
33:18; 35:19
February 8:22; 24:14, 14;
27:2; 33:21; 36:25
feedback 20:11; 40:10
feel 33:6; 39:12; 41:14
female 30:4
females 10:17; 15:2;
28:4, 10
fetal 22:23; 35:23
fetus 14:14, 25; 20:2
fever 11:17; 19:3
few 17:5; 29:10; 35:17;
36:9
final 14:5; 39:25; 40:3
financial 7:14, 20
find 41:6
firm 7:5, 21

firms 7:13
First 13:16, 16; 35:24, 24
fit 16:5
five 14:2; 15:6, 23; 27:11;
28:21; 30:2, 14; 32:6; 37:1;
38:11
fluoxetine 26:15
follow 33:3, 8, 9, 11;
36:17, 20
follow-up 40:5
followed 25:24
following 6:17; 7:1; 15:6;
16:17; 17:22; 28:19; 31:21
foreign 35:5, 19
form 27:11, 17, 17
formal 39:7
formulating 41:9
Fortunately 13:18
Foundation 38:14, 17
four 8:1, 9; 14:4; 16:4, 9;
17:14; 23:2; 24:1, 15; 31:7;
35:8, 9, 10, 14
fragile 31:2
free 31:1
frequency 9:10, 18;
10:11; 14:10; 27:23; 28:8;
29:2; 37:12
frequent 28:25
frequently 9:6; 14:9
FUCHS 5:2, 2
full 8:12

G

G 31:4
gain 30:20
gathered 9:11, 20
gave 41:8
gender 28:5
general 16:5
generally 11:14; 15:6;
19:24; 38:10
generated 13:23
generator 13:2
gentlemen 24:23
George 5:11
girls 34:3
given 9:24; 23:8, 21; 24:6
glad 41:15
Good 4:12; 8:3; 13:2;
19:18; 21:24
GORMAN 5:25, 25; 7:8;
23:23, 24; 25:4, 15
Governale 20:19; 22:14
granted 7:1; 8:21; 27:1;
33:19, 20; 36:24; 37:20
granting 13:23; 24:8
great 29:23
group 25:19; 34:22
group--l 40:11
groups 13:1; 35:7
growth 12:1

guess 20:24; 22:10
guide 39:14
guys 25:1; 41:21

H

half 8:7; 14:25; 31:17
half-life 25:20
hallucinations 15:13;
19:1; 29:8
hand 14:4
hard 25:21
head 26:12
Health 5:22; 9:8
healthy 36:1
hear 40:25; 41:15
heard 25:12
hearing 38:5, 6, 8
heart 33:23; 34:6, 12
Hello 4:19
help 39:14; 40:20
helping 39:11
**hematologist-
oncologist** 5:9
heterozygous 33:25
high 13:6; 18:23
high-risk 19:15
higher 28:3
highlighted 41:6, 7
hint 25:19
HIRSCH 4:22, 22
history 18:25; 20:6, 7;
31:3; 34:11
HIV-positive 17:14
home 19:3
hopeful 39:18
hormone 30:17
Hospital 5:4, 10, 18
hospitalization 16:19,
20
hospitalizations 16:10
hospitalized 30:19
hostility 15:13
hour 8:7
human 23:10, 13
hung 41:21
hyperactive 28:12
hypercholesteremia
33:23
hypercholesterolemia
33:25; 37:17
hyperkinesia 11:16
Hyperlipidemia 34:24
hypomania 11:20
hyponatremia 30:19

I

idea 21:16
ideation 18:7
imagine 38:20

impairment 14:16; 20:3,
3, 4
important 10:23; 12:5, 9;
16:12; 39:10, 13; 40:7
importantly 39:12
improve 39:11, 16
improved 31:18, 22
IMS 9:8
in-patient 16:18
incapacity 16:21
incidence 12:21
include 13:17, 18
included 11:16; 15:18
includes 14:13
including 18:6, 13; 35:4,
16
incontinence 28:10
increase 10:8
increased 10:4, 12;
27:15; 31:7; 34:6, 16;
38:23; 39:15
increasing 37:9, 14
Index 9:17
indicated 8:24; 9:2;
11:17; 27:3, 7; 32:8; 33:24
indicates 10:2; 35:20
indication 16:24; 17:1,
10; 34:25; 37:17
indications 28:6, 8, 11;
37:3
ineffective 29:4, 17
infants 14:22
Infectious 5:21
information 10:25;
11:10, 14, 23; 18:3, 5, 13;
19:6; 23:8; 30:12; 31:6;
36:11; 38:2; 40:5, 7; 41:2,
7; 42:1
ingestions 15:25
inherent 19:13
inhibited 27:6
inhibitor 8:23
inhibitors 25:10
initial 18:1; 19:16
initiation 18:8
insert 41:6
intention 18:22
intentional 15:23, 25
interest 6:15, 19; 7:15, 19
interested 22:22
interests 6:22
internal 10:5; 27:18
interpretation 35:18
interventions 16:11
into 11:4; 12:6, 15; 16:5,
6; 24:12, 18; 40:9
introduce 4:8, 11
introduced 18:23
introduction 13:10
Introductions 4:2, 4
invite 20:14
involve 7:12; 19:23

involved 15:8; 36:3
involvement 7:16, 20
involving 26:24
IP 6:3, 3
irritability 27:4
issue 6:18
IYASU 4:12, 13; 7:25; 8:3;
21:7, 18; 22:14; 23:2, 19;
24:2; 26:21; 33:12; 36:21;
38:3; 40:4

J

Joan 5:20; 7:3
job 42:2
Joint 5:14
Judith 5:5; 38:15

K

kind 12:25; 23:11; 25:22
Knowing 40:22
known 18:10

L

label 11:13, 19; 14:12;
18:12; 19:11, 11; 29:3;
37:2
labeled 18:11; 19:25;
29:7
labeling 11:10
labels 11:12
Laboratories 5:10
ladies 24:23; 41:21
large 17:8; 32:23
last 8:11, 19; 24:22;
33:16; 36:22; 40:12
late 8:5
later 41:24
Laura 20:19; 22:12
law 24:2
LDC-C 34:8
lead 34:24
leader 4:13, 23; 6:6
leading 28:6, 8, 11
least 21:2, 3, 4, 15, 16, 17
leaving 24:22; 35:9
led 17:13
left 4:5
length 12:11
less 11:2; 14:22, 25;
37:15
level 22:18
levels 34:2
life-threatening 16:11,
17
light 22:24
limb 23:6
limb-length 25:8
limitation 12:10, 12

limitations 10:23; 11:7, 7; 12:5; 32:15
limited 32:22; 40:17
limits 21:24
 business 41:24
 ... 36:10
lipid-lowering 33:21
Lipitor 7:4; 8:14; 36:24; 37:8, 9
lipoproteins 34:2
list 24:7
listed 29:1
literature 26:16
litigation 18:4
little 11:6; 14:25; 20:13; 22:13; 40:14
lives 39:12
longer 25:20
look 25:9
looked 29:12; 39:19
looking 13:14; 14:21; 39:24
looks 4:5; 25:10
loosely 14:24
loss 11:20, 24
low 21:4; 30:19; 36:16
low-density 34:1
LUBAN 5:8, 8; 23:16, 17

M

7:24
major 8:24; 18:10; 19:13
makes 7:6; 12:16; 32:16
male 10:16; 30:5
males 15:2; 28:4, 7
malformations 15:18; 23:3
management 19:19
mandated 8:18
mania 11:20
many 12:23; 21:13; 23:24, 25; 25:20; 26:10; 39:8; 40:7, 19
March 29:13
Mark 4:22
marked 14:12; 29:3
market 12:12, 15
Mary 4:24
Maryland 6:1
maternal 14:14, 15, 24; 15:17; 20:1, 2; 23:3; 36:1, 4
MATTISON 6:2, 2
matured 31:23
may 7:21; 12:11; 13:2, 18; 19:14; 30:20
M... 22:12; 41:11
... 5:6
McDONALD 38:12, 12
meaningful 35:17
medical 4:23; 5:15; 6:4,

8; 15:9; 19:24; 32:14; 36:8
medically 16:12; 30:22
medication 12:2; 15:23
medications 36:1, 4, 7; 39:15
Medicine 5:3, 10, 11, 18; 10:5, 5; 27:18
meds 17:16
meeting 6:15, 16, 19, 21; 8:11, 19; 42:4
member 5:4, 12; 38:13, 15
Memorial 5:3
memory 14:15; 20:3, 3
Memphis 5:22
mention 9:22
mentioned 11:21; 21:8
mentions 9:18; 10:11, 15, 19, 21; 27:23; 34:21, 23; 37:12, 16
Metabolic 4:25
middle 41:13
milligrams 30:6; 34:9, 11
million 10:4, 4; 27:16, 16; 34:17, 17; 37:9, 10
Min 4:19
Minnesota 5:7
minor 14:4
minutes 37:1; 38:11
mission 38:20
monitoring 12:1
month 14:23, 23; 32:4
months 18:8; 24:10; 31:12
more 10:16; 12:13; 15:8; 22:10, 13; 24:24; 25:4, 10; 34:9, 10, 12; 38:1; 40:16, 24; 41:14
morning 19:2, 4
Mosholder 26:9, 12
most 10:7; 14:9; 15:8, 12, 14; 19:22, 25; 20:20; 21:2; 27:19; 28:25; 29:4, 16; 32:9; 35:5; 37:16
mostly 30:20
mother 17:15
move 4:8, 10
movement 15:15
much 25:17; 28:3; 38:4; 41:20, 25; 42:3
multiple 17:15; 19:23; 36:4
Murphy 4:7, 10; 24:21; 33:4; 39:23; 40:10; 41:19
muscle 27:8; 30:11
must 15:7

N

name 4:12, 19; 38:12
Naomi 5:8
National 9:8, 16; 21:1, 16, 21; 22:15, 18; 38:17

nationally 22:19
nature 38:23
NDTI 10:25
Nebraska 5:15
necessary 21:10
need 4:8, 11; 7:15; 24:16; 39:13; 41:17
NELSON 5:17, 17; 20:21, 22; 21:15; 22:10
Nelson's 22:3
neonatal 15:19; 25:5, 15, 16, 17
nephrology 28:17
neurogenic 27:6, 9; 28:13; 30:11
neurologic 15:14
neuropharm 24:21
Neuropharmacological 6:7
Neuropharmacology 6:9
new 4:4; 6:4; 12:14; 39:9
NEWMAN 6:10, 10
next 8:7; 22:21; 31:2, 10, 25; 33:13; 36:24; 37:7
nice 41:2
NICHD 6:2
night 19:1
nine 14:22; 15:21
nineteen 16:10
nobody 38:7
nocturnal 30:10, 18; 32:1
nonfatal 15:24
normal 36:2
Note 14:11
noted 7:17
NPA 10:2, 24; 34:15
number 17:8; 20:23; 21:4, 4, 5, 6; 22:16, 17; 29:9; 32:23; 33:1; 35:16; 36:15
numbers 13:15, 20; 22:18; 29:23
numerators 12:19, 22

O

O'FALLON 5:5, 5
obliged 24:9
obsessive-compulsive 9:3
occurred 39:1
occurrence 14:11
occurring 16:15
occurs 19:15; 34:4
OCD 17:4, 6
Off 26:12
Office 4:20; 9:24; 26:11; 40:20
office-based 9:19, 21; 10:12; 27:25; 28:15; 34:21; 37:13

officer 6:9
Often 12:15; 13:8, 9
old 14:23, 23
older 9:4; 15:1; 27:11, 12
Omaha 5:16
Once 32:15
one 12:25; 13:22; 14:22, 23; 15:8; 16:2; 20:6; 21:1; 23:6; 24:16; 25:4; 26:6; 30:10, 12; 32:17; 33:2, 3, 13, 18; 35:10, 16; 37:19; 40:11, 13, 17
one's 31:15
one-week 17:22
one-year 8:8; 13:13; 14:20
only 12:23; 21:2, 10; 29:16; 31:6; 35:12, 25
open 38:5, 6, 8; 40:2
opposed 12:7; 21:6
opposite 10:17
oral 27:17
Order 4:2; 19:19; 29:1
organization 38:17
osmolality 30:19
others 26:19; 31:15
out 13:19; 24:25; 26:3; 37:1; 41:13
outcomes 16:8, 17; 28:22; 32:7; 35:16
over 28:2
overactivity 27:8
Overall 28:3
overdose 15:22; 19:5, 20
overdoses 15:24; 16:1
overdosing 32:14
owing 7:3, 5, 8
oxybutynin 26:24

P

p.m 42:4
package 11:12; 37:2
packet 11:11
painless 8:6
Pamer 20:18
panel 9:20
panic 8:25; 29:8
paralysis 28:13
parent 7:9
parentheses 13:20
Parents 38:25; 39:2
PARKS 4:24, 24
part 6:20
participant 7:14
participants 6:21; 7:1, 15, 18
participate 7:2
particular 20:25; 22:24
particularly 41:3, 17, 20
past 20:23
patient 9:19; 10:11;

17:21, 23; 18:3, 5, 25; 19:3, 19; 27:24; 30:12, 18, 24; 31:1, 5, 14, 17, 20, 22; 32:3
patients 11:16; 13:25; 14:14; 15:11, 14, 21; 17:2; 19:16; 27:5; 28:4, 21; 29:6, 20; 30:3; 32:10; 37:13
pattern 22:24; 25:5
Paul 6:5
Paxil 31:14, 16, 20
Pediatric 4:14; 5:2, 8, 14, 17, 21; 8:17; 10:9; 11:13, 16, 22, 25; 14:3, 5, 10, 13, 19; 15:5; 16:9; 19:22; 27:20, 24; 28:4, 21, 22, 23; 29:6, 14, 20; 30:15; 32:6, 11; 33:19; 34:22; 35:6, 9, 10, 13, 18; 36:7, 16; 37:12, 15, 21; 41:4, 5
pediatric-age 13:25
pediatric-aged 10:19
pediatrician 4:15; 5:25
Pediatrics 5:14; 6:4, 11; 28:17
peds 40:18
people 4:4; 21:5; 40:19; 41:15
per 21:3; 30:6; 34:9, 11
percent 9:14, 15; 10:20; 21:11, 12; 28:2; 37:15
PEREZ 5:23, 23; 6:14, 17
period 10:8; 18:22; 30:3
permit 7:2
persist 19:14
persisted 31:19
persistent 16:20
person 40:18
person-year 22:4, 7
personality 29:21; 31:16
pharmacies 9:11, 12, 13; 21:11
pharmacy 9:14; 21:8; 22:17
Philadelphia 5:19
Physician 5:3; 28:16
physicians 9:21
picture 24:12
pills 21:3
place 23:12
plans 21:2
Plus 9:9; 10:2, 24; 24:16; 34:15
pneumothorax 17:17
point 24:25; 25:25; 26:20
polyuria 28:9
poor 12:16; 13:4
population 10:18; 11:25
population-based 32:20
pose 20:10
possibility 19:12
possible 8:6; 12:20; 15:9; 19:5; 32:10, 13; 41:8, 12
post-exclusivity 8:8;

30:2
post-traumatic 8:25
Postmarketing 32:22
postmenarchal 34:3
postnatal 36:5
practice 6:1; 9:19; 10:12; 27:25; 34:21
pragmatic 41:1
precaution 11:19; 22; 19:12
precautions 11:21; 18:12
preclude 6:20
predominant 15:4; 27:17
preferred 14:8
pregnancy 17:16
pregnant 23:18, 21, 22
preliminary 8:10, 13; 35:13, 14, 20
premature 17:14; 34:6, 12
prematurity 36:5, 6
premenstrual 9:1
preschool 31:10
preschool-age 31:2
prescribing 10:7; 28:16
Prescription 9:9, 15, 23; 18:21; 21:3; 22:6, 16, 20
prescriptions 9:10; 10:3, 10; 19:17; 20:22, 24; 21:5, 6, 9, 12; 22:16; 27:15, 19, 21; 34:16; 37:8
present 8:12; 9:7; 34:13; 35:12
presentation 33:16
presentations 24:18
presented 8:10
presenting 8:7; 17:19
presents 14:8
presume 23:17
Pretty 25:17
prevalence 34:4
prevalent 11:2
previous 7:20
previously 14:12; 19:25; 22:15; 29:2
primarily 32:9
primary 30:18
prior 18:8, 24, 25
private 6:1
probably 17:18; 19:4; 20:4; 21:14; 40:13
problem 23:1
problems 18:6; 22:23
PROCEEDINGS 4:1
product 6:22; 7:6, 21; 11:5; 20:16
Products 5:1; 6:7, 23; 7:13; 33:5
professionals 38:21
profiles 16:6
projected 9:10, 17; 12:23; 22:18, 19; 34:20

projection 22:6
projections 11:1
prolongation 16:19
provide 10:24; 24:3, 9
provided 17:25; 18:1, 2
provides 9:9, 17
pruritus 29:17
psychiatric 15:12; 29:21; 31:12; 32:2, 9, 11
psychiatry 10:6
psychopharm 6:6
public 38:5, 6, 8, 9, 21
public-health 32:19
put 21:23; 24:7; 31:20; 32:1, 3; 40:9
putting 16:6

Q

quality 12:15; 39:11
quantity 19:18
questionable 13:8
quoted 22:19

R

raising 38:18
randomly 9:12
ranged 30:5
rare 13:3
rate 12:21; 13:6; 34:5
reaction 29:8
reactions 39:1
read 6:14
real 12:19
really 21:9, 20, 22; 35:14; 40:8
reasons 13:16
recall 8:10; 17:2
recently 18:14
recognize 22:25
recommendations 11:25
record 6:20; 7:17
recorded 16:25; 30:9
reduce 19:19; 34:1
reduction 23:6
refill 9:23
regarding 11:13; 18:3
regular 12:1
regulatory 16:13
related 6:22; 18:14; 19:8; 20:14; 23:3
relationship 12:17; 20:8; 23:5, 13
relative 18:19; 20:25; 21:4
relatively 36:16
reliably 12:25
remained 17:23
remains 34:9

remarks 40:3
reminder 16:13
remission 19:15
report 13:11, 13, 14; 14:3; 17:25; 18:1, 19; 19:6; 20:11, 16; 35:14; 36:22; 37:22; 38:25; 39:2, 8; 41:8
reported 11:5; 14:9; 15:5; 19:2; 25:6, 22; 29:5, 6; 32:10; 33:18; 35:18; 39:3, 6; 41:4
reportedly 19:1
reporting 8:16; 12:5, 13; 39:17
reports 8:1, 2, 13, 17; 12:13, 16; 13:17, 18, 21, 24; 14:1, 2, 7, 20, 22, 23; 15:1, 8; 16:25; 20:13; 26:24; 28:20; 29:1, 12, 15, 25; 30:2, 9, 15; 32:6, 22; 33:1; 35:4, 6, 8, 9, 17; 36:7, 9, 15; 37:21, 21
represent 9:13; 25:23
representatives 24:22
represented 28:2; 40:6
representing 10:20
represents 37:15
required 16:11
requires 32:20
research 38:23
resources 40:17, 23
respect 6:19; 7:18
respond 39:22
responsible 10:9; 27:19
rest 36:6, 18
result 9:22; 18:4; 39:3
resulted 36:5
results 8:14; 16:16
resumed 30:25; 31:17
retail 9:11
reuptake 25:10
revealed 16:8; 35:8
review 8:9, 12; 11:4; 12:6; 13:20; 14:4, 4; 20:20; 24:1, 3, 10, 11, 17; 26:23; 29:24; 33:16; 35:7, 10, 13, 20
reviewed 26:10
reviewing 8:16
Rich 5:25
Richard 7:8
right 4:6; 22:9; 23:19
risk 11:20; 12:22, 25; 18:10; 19:12, 19; 23:20; 34:6, 12
Robert 5:17; 6:8
Rochester 5:6
role 18:16
rough 21:23; 22:7
roughly 21:17
row 13:16

S

Safety 4:20; 20:20; 26:11; 39:13, 16; 40:18, 20
same 20:4; 25:7; 26:19; 36:25; 37:24
sample 9:11, 13, 23; 11:1
saw 40:17
School 5:11
school-age 30:15, 23; 31:25
Science 5:22
screened 6:22
search 13:22
second 9:16; 13:17; 26:23; 36:3
Secretary 5:23
Section 5:14; 8:18; 11:19, 22, 22; 18:12; 19:12
seizure 11:21; 30:24; 31:1
selected 9:12; 24:1, 17
selection 24:4
selective 8:22; 25:9
self 31:15
send 39:7
sense 41:2
septic 17:17
serious 13:3; 14:2; 16:14; 18:5; 28:22; 32:7; 35:15; 39:1
serotonin 25:9
serotonin-reactive 8:23
Sertraline 8:21; 17:23; 18:16; 19:7
session 40:2; 41:12, 13
setting 28:15; 34:25
settings 37:13
seventeen 34:3
several 17:9; 29:6, 20; 32:2, 7
Sheila 38:12
shock 17:17
showing 25:20; 26:1
shows 27:14; 28:25; 29:15; 30:8; 35:3
shunt 31:3
side 4:5
signal 13:2, 5; 23:14
signals 32:23
signed 38:8
significant 16:20; 19:14; 30:22; 40:21
significantly 17:24
similar 11:14; 19:24; 37:4
simvastatin 33:17, 21
single 39:4
situation 19:4
six 9:4; 18:8, 21; 31:7, 12
sixteen 10:13; 17:2; 28:9, 11; 34:22

size 11:2
Slide 8:4, 15, 20; 9:5; 10:1, 22; 11:3, 9, 18; 12:3; 13:12; 14:6, 8, 17; 15:3, 20; 16:7, 23; 17:12, 20; 18:18; 19:9, 21; 20:9, 17; 26:22, 25; 27:13, 22; 28:14, 18, 24, 25; 29:11, 15; 30:1, 7, 8, 13; 31:9, 24; 32:5, 24; 33:15; 34:14, 19; 35:1, 11; 36:13, 23; 37:4, 6, 11, 18, 23
slides 37:7
slightly 10:12
small 11:1; 33:1; 36:15
smallest 19:18
social 9:1; 18:7
soft 13:8
solely 32:12; 35:21
Solomon 4:11, 13; 7:25
sometimes 26:1
sophisticated 22:11
Sorry 25:1
sort 13:19
sounds 41:16
sources 9:8; 35:5, 19
spasms 30:11
speak 26:8; 36:18; 38:9
speaker 7:24
specialists 27:19
specialties 10:6; 28:16
specialty 10:9; 27:20
specific 22:25
specifics 22:13
spina 27:9
sponsor 7:4, 9; 18:2
sponsors 6:23, 24
spontaneous 12:7
SSRIs 25:20; 26:14; 39:4, 10, 18, 24
stabilization 39:10
standpoint 32:19
Stanley 6:3
start 4:3, 6
STASKO 6:8, 8
stated 22:14; 36:8
statement 6:15, 16
states 24:2
stating 22:11
statins 24:14
statistician 5:6
stayed 19:3; 41:24
staying 25:2
stock 7:3, 5, 7, 8, 10
stores 9:14
straightforward 22:2
strength 13:5
stress 17:6
strongly 33:6
student 18:24
studied 23:22; 26:15, 19
studies 11:24; 23:10, 14;

39:16
Subcommittee 8:17
suggest 20:13; 23:10;
40:14
 jections 40:15
 suggestive 18:14
 suggests 18:5; 23:14
 suicidal 31:18
 suicide 11:21; 15:23;
17:22; 18:7, 10, 20; 19:11;
13
 suicides 16:2; 20:5
 summarized 15:6; 37:4
 summary 11:12; 17:19;
19:22; 32:6; 35:12
 supervision 19:15
 sure 21:18; 25:1; 26:6,
13, 18
 surveillance 12:8
 Susan 5:2
 suspect 12:18; 32:18
 symptoms 26:1; 31:18;
32:2
 syndrome 25:5; 26:4
 syndromes 15:19;
25:13, 18
 synthetic 30:16
 syrup 27:10; 31:4
 system 12:5, 7, 8; 39:7,
17

T

table 4:5, 6, 18; 13:14, 15,
20
tablet 27:10
tablets 19:18; 21:13
talk 26:23
talking 4:15
team 4:13, 23
ten 14:9; 15:13; 18:24;
28:25; 34:3
ten-year 18:22
tend 12:13; 40:13
Tennessee 5:22
term 36:2
terms 14:8; 26:17; 32:7
Therapeutic 9:17
therapy 17:24; 18:8;
19:16; 31:8; 34:7, 8; 39:10
Therefore 12:8, 20;
13:22
thinking 29:22
thirds 10:15
thirteen 15:11; 22:23
though 40:6
three 10:6; 15:24; 16:1;
2 28:15; 30:4, 22;
3.
times 18:22; 31:8
today 4:16; 8:11; 24:1;
25:7; 35:12

Tom 5:23; 6:10
took 41:6
tool 39:11
top 10:6; 14:9; 26:12;
27:18; 28:15
total 9:18; 10:3, 20;
13:23; 27:15; 28:20; 34:1,
15; 35:4; 37:8, 20
totally 40:18
totals 13:16
toxicity 16:3; 25:24
tracheostomy 31:3
Transfusion 5:9
treated 30:25
treatment 8:24; 9:3; 27:4,
7; 30:17; 31:13; 33:24;
38:24; 39:4, 9, 19
trial 17:22; 34:8
trials 12:24
trimester 35:25
true 10:17; 12:21
try 8:6; 21:13; 23:12
tube 31:4
turn 13:13; 14:18; 16:24
twelve 15:1; 28:9; 31:12
twitching 11:17
two 9:8; 10:15; 13:16;
15:25; 16:2; 18:2; 20:5, 8,
24; 23:5; 24:13, 15; 27:18;
28:2, 7, 10; 30:3, 4; 32:10;
34:12; 35:22; 37:7

U

U.S. 9:12, 21; 13:21, 25
U.S.C 6:25
UCSF 6:12
unclear 18:16; 19:7; 20:8
unconscious 31:5
under 14:23, 24
underlying 15:9; 18:15;
32:11
underreporting 12:9, 11
understood 25:2; 41:23
unduplicated 14:5, 19;
16:9; 20:12; 35:15
unexpected 23:11
uninterpretable 29:10
University 5:11, 15, 16,
21
unknown 13:6, 17; 17:11
unlabeled 13:3; 29:5, 15,
19; 32:8; 35:15
unless 32:23
Unlike 12:24
unlimited 40:23
unrelated 17:18
unstable 11:1
up 13:15; 33:3, 8, 9, 11;
36:17, 20; 38:8
update 17:25
upon 7:21; 14:3

urge 39:15
urination 28:8
urine 28:10
urology 4:23; 27:18;
28:17
usage 21:1, 17
use 11:2; 15:17; 16:25;
17:1, 10; 21:10; 22:13;
28:3, 3, 6; 32:12, 13;
33:22; 35:21; 36:16; 37:7,
15; 39:14; 41:5
used 9:6; 10:16; 17:6;
21:7; 22:8; 30:9, 17; 34:7
useful 40:16, 24
using 17:15; 18:21
utero 17:8; 35:22; 36:3

V

validity 21:19
value 7:4
valued 7:7, 10
vary 12:11
ventricle-peritoneal
31:3
veracity 13:7
via 31:4
violent 31:14
visits 9:19; 10:12; 27:24
vocal-cord 17:6
voiding 27:5
volume 22:20
voluntary 12:7

W

waivers 7:2
wash 26:3
Washington 5:11
way 22:11; 40:24
we-it 41:16
website 39:2
weighed 23:20
weight 11:20, 24; 12:1;
30:20; 36:2
wetting 31:13, 19, 22
Whenever 39:5
Whereupon 42:4
whose 15:21
wish 7:21
withdrawal 15:19; 18:7;
25:5, 13; 26:4
within 24:10; 40:22
without 18:21; 20:7
women 23:18, 21, 22
words 33:8
work 41:25
worldwide 13:24
written 9:23; 19:17

Y

year 8:12; 13:23; 20:23;
24:16; 28:19; 33:2, 3, 7, 9,
10, 18; 35:3; 36:17, 20;
37:16, 19, 22
years 9:4; 10:14; 15:2;
27:11; 28:7, 11; 30:4; 34:3,
22

Z

zero 10:13; 34:22
Zocor 8:14; 33:17; 34:16;
35:21, 24; 36:10; 37:1, 5
Zoloft 7:4, 6; 8:11, 13, 21;
10:7, 11, 16, 21; 17:2, 15,
18; 18:21, 23; 19:11, 17;
24:24; 25:11; 37:16; 41:7

Lawyer's Notes
