# U.S. Crude Oil, Natural Gas, and Natural Gas Liquids Reserves 2000 Annual Report

December 2001

**Energy Information Administration** 

Office of Oil and Gas U.S. Department of Energy Washington, DC 20585

This report was prepared by the Energy Information Administration, the independent statistical and analytical agency within the U.S. Department of Energy. The information contained herein should be attributed to the Energy Information Administration and should not be construed as advocating or reflecting any policy position of the Department of Energy or any other organization.

# **Preface**

The U.S. Crude Oil, Natural Gas, and Natural Gas Liquids Reserves 2000 Annual Report is the 24th prepared by the Energy Information Administration (EIA) to fulfill its responsibility to gather and report annual proved reserves estimates. The EIA annual reserves report series is the only source of comprehensive domestic proved reserves estimates. This publication is used by the Congress, Federal and State agencies, industry, and other interested parties to obtain accurate estimates of the Nation's proved reserves of crude oil, natural gas, and natural gas liquids. These data are essential to the development, implementation, and evaluation of energy policy and legislation.

This report presents estimates of proved reserves of crude oil, natural gas, and natural gas liquids as of December 31, 2000, as well as production volumes for the United States and selected States and State subdivisions for the year 2000. Estimates are presented for the following four categories of natural gas: total gas (wet after lease separation), nonassociated gas and associated-dissolved gas (which are the two major types of wet natural gas), and total dry gas (wet gas adjusted for the removal of liquids at natural gas processing plants). In addition, reserve estimates for two types of natural gas liquids, lease condensate and natural gas plant liquids, are presented. The estimates are based upon data obtained from two annual EIA surveys: Form EIA-23, "Annual Survey of Domestic Oil and Gas Reserves" and Form EIA-64A, "Annual Report of the Origin of Natural Gas Liquids Production." Also included is information on indicated additional crude oil reserves and crude oil, natural gas, and lease condensate reserves in nonproducing reservoirs. A discussion of notable oil and gas exploration and development activities during 2000 is provided.

The appendices contain data by operator production size class for crude oil and natural gas reserves and production; the top 100 U.S. fields ranked within an oil or gas proved reserves group for 2000; report Table 1 converted to metric units; historical State data; a summary of survey operations; a discussion

of statistical considerations; methods used to develop the estimates provided in this report; maps of selected State subdivisions; and examples of the survey forms. A glossary of the terms used in this report and in survey Forms EIA–23 and EIA–64A is provided to assist readers in more fully understanding the data.

This annual reserves report was prepared by the Reserves and Production Division (located in Dallas, Texas), Office of Oil and Gas, Energy Information Administration. General information regarding preparation of the report may be obtained from Kenneth A. Vagts, Director, Office of Oil and Gas and John H. Wood, Director, Reserves and Production Division (214·720·6160).

Authors were John H. Wood, Steven G. Grape and Rhonda S. Green. Technical contributions were made by Rafi M. Zeinalpour and Jack Perrin and technical editing was provided by David F. Morehouse.

Address questions on specific sections of the publication to the following analyst/author:

 Executive Summary and Appendices F and G John H. Wood

Phone: 214·720·6160

E-mail: jwood@eia.doe.gov

Fax: 214·720·6155

Chapter 1, 2, 3, 4, 5
 Steven G. Grape
 Phone: 214·720·6174

E-mail: sgrape@eia.doe.gov

Fax: 214·720·6155

 Appendices A, B, C, D, E, H, and I Rhonda S. Green
 Phone: 214-720-6161
 Empily regron@pip.doc.gov

E-mail: rgreen@eia.doe.gov

Fax 214·720·6155

 Field-level Reserves Quality Assurance Rafi M. Zeinalpour

Phone: 214-720-6191

E-mail: rzeinalp@eia.doe.gov

Fax 214·720·6155

#### **Internet Site Services**

Visit the Energy Information Administration web site: http://www.eia.doe.gov

The web site offers nearly all EIA publications. Users can view or download selected pages or entire reports, search for information, download EIA data and analysis applications, and find out about new EIA information products and services.

EIA's CD-ROM, *Energy InfoDisc*, contains most EIA publications and major energy database applications. The *Energy InfoDisc*, produced quarterly, is available for a fee from STAT-USA, Department of Commerce, 1-800-STAT-USA.

#### Other EIA Oil and Gas Publications

Other reports published by the Energy Information Administration (EIA) offer additional information and analysis related to domestic oil and gas supply. They may be obtained from the Government Printing Office in the same manner as this oil and gas reserves report.

Annual Energy Review 2000, DOE/EIA-0384(2000), August 2001.

Natural Gas Annual 2000, DOE/EIA-0131(2000), November 2001

Petroleum Supply Annual 2000, DOE/EIA-0340(2000), June 2001

These annual reports provide comprehensive statistics on supply, disposition, and prices of natural gas and petroleum in the United States.

## **Contents**

F	Page
Executive Summary	ix
1. Introduction	1
Background	1
Survey Overview	1
Form EIA-23	1
Form EIA-64A	2
Data Collection Operations	2
2. Overview	3
National Summary.	3
Crude Oil	3
Natural Gas	7
Natural Gas Liquids	7
Reserves Changes Since 1977	7
Economics and Drilling	11
Mergers and Acquisitions	11
Reserve-to-Production Ratios and Ultimate Recovery	14
R/P Ratios	14
Proved Ultimate Recovery	14
International Perspective	17
International Reserves	17
Petroleum Consumption	17
Dependence on Imports	17
List of Appendices	18
3. Crude Oil Statistics	19
Proved Reserves	19
Discussion of Reserves Changes	19
Total Discoveries	19
Extensions	22
New Field Discoveries	22
New Reservoir Discoveries in Old Fields	22
Revisions and Adjustments	22
Sales and Acquisitions	22
Production	22
Areas of Note: Large Discoveries and Reserve Additions	23
Gulf of Mexico Federal Offshore	23
Other Gain Areas	24 24
California	24
Louisiana	24
Texas	24
Other Decline Areas	24
Reserves in Nonproducing Reservoirs	24
	07
4. Natural Gas Statistics	27
Dry Natural Gas	27
Proved Reserves	27
Discussion of Reserves Changes	27
Discoveries	27
Revisions and Adjustments	30 30
Sales and Acquisitions	30
Wet Natural Gas	30
Nonassociated Natural Gas	34
Proved Reserves	34
Discoveries	34
Production	34

		Sociated-Dissolved Natural Gas	34
		Proved Reserves	34 34
		Production	34
		Proved Reserves	34
		Production	36
		eas of Note: Large Discoveries and Reserves Additions	36
		Wyoming	36
		Texas	36
		New Mexico	37
		Colorado	37
		eas of Note: Large Reserves Declines	37
		Alaska	37
		Kansas	37
	Re	serves in Nonproducing Reservoirs	37
5. N	atu	ıral Gas Liquids Statistics	39
		itural Gas Liquids	39
		Proved Reserves	39
		Discoveries	39
		Revisions and Adjustments	39
		Sales and Acquisitions	39
		Production	39
		ıtural Gas Plant Liquids	43
		Proved Reserves	43
		Production	43
		ase Condensate	43
		Proved Reserves	43
		Production	43 43
		serves in Nonproducing Reservoirs	43
Refe	ere	nces	45
۸nn	on	dices	
		Operator Data by Size Class	49
	В.	Top 100 Oil and Gas Fields for 2000	59
,	C.	Conversion to the Metric System	67
	D.	Historical Reserves Statistics	71
	E.		101
	 F.	·	109
	_		127
	G.		
	Н.		137
	I.	Annual Survey Forms for Domestic Oil and Gas Reserves	147
Glos	ssa	ıry	155
0.00	<b>,</b>	<b>",</b>	100
Tab	le	S	
	1	U.S. Proved Reserves of Crude Oil, Dry Natural Gas, and Natural Gas Liquids, 1990-2000	4
			4
	2.	Reserves Changes, 1977-2000	9
	3.	U.S. Average Annual First Purchase Prices for Crude Oil, Domestic Wellhead Prices for Natural Gas, and the	
	٠.	Average Number of Active Rotary Drilling Rigs, 1977-2000	10
	4.	U.S. Exploratory and Development Well Completions, 1970-2000	12
		г	2000
		F	Page
	5	International Oil and Natural Gas Reserves as of December 31, 2000	16
	J.		
	6.	Crude Oil Proved Reserves, Reserves Changes, and Production, 2000	20
	7	Reported Reserves in Nonproducing Reservoirs for Crude Oil, 2000	25
	8.	Dry Natural Gas Proved Reserves. Reserves Changes, and Production, 2000	28

9.	Natural Gas Proved Reserves, Reserves Changes, and Production, Wet After Lease Separation, 2000	31
10.	Nonassociated Natural Gas Proved Reserves, Reserves Changes, and Production,	
	Wet After Lease Separation, 2000	32
11.	Associated-Dissolved Natural Gas Proved Reserves, Reserves Changes, and Production, Wet After Lease Separation, 2000	33
12	U.S. Coalbed Methane Proved Reserves and Production, 1989-2000	35
	Natural Gas Liquids Proved Reserves, Reserves Changes, and Production, 2000	40
		41
	Natural Gas Plant Liquids Proved Reserves and Production, 2000	
15.	Lease Condensate Proved Reserves and Production, 2000	42
Figur	es	
1.	U.S. Crude Oil Proved Reserves, 1990-2000	5
2.	Components of Reserves Changes for Crude Oil, 1990-2000	5
3.	U.S. Dry Natural Gas Proved Reserves, 1990-2000	6
4.	Components of Reserves Changes for Dry Natural Gas, 1990-2000	6
5.	U.S. Natural Gas Liquids Proved Reserves, 1990-2000	8
6.	Components of Reserves Changes for Natural Gas Liquids, 1990-2000	8
7.	U.S. Exploratory Gas Well Completions, 1977-2000	13
8.	U.S. Exploratory Oil Well Completions, 1977-2000	13
9.	U.S. Total Discoveries of Dry Natural Gas per Exploratory Gas Well Completion, 1977-2000	13
10.	U.S. Total Discoveries of Crude Oil per Exploratory Oil Well Completion, 1977-2000	13
11.	Reserves-to-Production Ratios for Crude Oil, 1945-2000	15
12.	Reserves-to-Production Ratios for Wet Natural Gas, 1945-2000	15
13.	Components of Ultimate Recovery for Crude Oil and Lease Condensate, 1977-2000	15
14.	Components of Ultimate Recovery for Wet Natural Gas, 1977-2000	15
15	Reserve Additions Replace 115 Percent of 2000 U.S. Oil Production	19
16.	2000 Crude Oil Proved Reserves by Area	21
17.	Changes in Crude Oil Proved Reserves by Area, 1999 to 2000	21
18.	Reserve Additions Replace 152 Percent of 2000 U.S. Dry Gas Production	27
19.	2000 Dry Natural Gas Proved Reserves by Area	29
20.	Changes in Dry Natural Gas Proved Reserves by Area, 1999 to 2000	29
21.	Coalbed Methane Proved Reserves, 1989-2000	36

# Executive Summary: U.S. Crude Oil, Natural Gas, and Natural Gas Liquids Reserves 2000 Annual Report

U.S. crude oil, natural gas, and natural gas liquids proved reserves estimates increased in 2000. Exploratory and development drilling was focused on natural gas in 2000. Natural gas proved reserves additions replaced 152 percent of gas production. Such unusually large increases should not be expected very often in the future, because the number of frontier areas is diminishing. In addition, the combination of a large increase in the number of exploratory wells and a large increase in the total discoveries per exploratory well is, in itself, quite unusual.

The majority of natural gas proved reserves additions came from Texas and New Mexico in the Southwest, and from States with large increases in coalbed methane reserves like Wyoming, Colorado, and Utah. Natural gas liquids reserves increased in proportion with natural gas reserves.

As of December 31, 2000 proved	I reserves were:
Crude Oil (million barrels)	
1999	21,765
2000	22,045
Increase	1.3%
Dry Natural Gas (billion cubic f	eet)
1999	167,406
2000	177,427
Increase	6.0%
Natural Gas Liquids (million ba	arrels)
1999	7,906
2000	8,345
Increase	5.6%

U.S. crude oil proved reserves increased by 1.3 percent, replacing 115 percent of oil production. The majority of crude oil proved reserves additions came from the deepwater Gulf of Mexico Federal Offshore frontier area.

Proved reserves are the estimated quantities, which geological and engineering data demonstrate with

reasonable certainty to be recoverable in future years from known reservoirs under existing economic and operating conditions. Petroleum engineering and geological judgment are required in estimating proved reserves, therefore the results are not precise measurements. This report of 2000 U.S. proved reserves of crude oil, natural gas, and natural gas liquids is the 24th in an annual series prepared by the Energy Information Administration.

#### **Crude Oil**

Total discoveries of crude oil in 2000 resulted mainly from exploration in the deepwater Gulf of Mexico Federal Offshore and the Alaskan North Slope.

Total discoveries are those reserves attributable to field extensions, new field discoveries, and new reservoir discoveries in old fields. They result from the drilling of exploratory wells. Total discoveries of crude oil were 1,291 million barrels in 2000, about 72 percent more than the prior 10-year average and 78 percent more than those in 1999.

Most crude oil total discoveries in 2000 were from extensions to existing fields, which accounted for 766 million barrels of crude oil reserves additions. This was a 96 percent increase over 1999 extensions.

New field discoveries of 276 million barrels were 14 percent lower than those of 1999 and 34 percent higher than the prior 10-year average.

New reservoir discoveries in old fields were 249 million barrels, 72 percent more than in 1999 and 78 percent more than the prior 10-year average.

Reserves additions are the sum of total discoveries, revisions and adjustments, and sales and acquisitions. The net of revisions and adjustments were 889 million barrels, about 41 percent of crude oil reserves additions.

This report is the first to separately account for sales and acquisitions of proved reserves. The availability of sales and acquisitions volumes provide more insight into why proved reserves change. The sales component of the crude oil reserves changes (5,328 million barrels) was larger than the revision

decreases component, and acquisitions were larger than revision increases. While sales and acquisitions of crude oil proved reserves were both large, the net of sales and acquisitions of crude oil proved reserves was only a negative 20 million barrels.

Other 2000 crude oil events of note:

- The annual average domestic first purchase price for crude oil increased 71 percent from the 1999 level to \$26.73 per barrel.
- Exploratory and development oil completions were up 14 percent from 1999, but total oil well completions remain below the levels of 2 years ago (7,064 in 1998).
- Total discoveries per exploratory oil well were much higher in 2000 because of the large total discoveries in the less maturely explored Gulf of Mexico and Alaskan North Slope where fewer wells can provide larger discoveries. Higher oil prices in December 2000 also brought back some of the oil reserves that remained uneconomic in 1999.

#### **Natural Gas**

Operators added 6 percent to proved reserves of dry natural gas in 2000, by far the largest increase since EIA has been estimating the Nation's proved gas reserves. Reserves additions replaced 152 percent of U.S. dry natural gas production. U.S. natural gas proved reserves have increased in six of the last seven years.

Most of the reserve increases were in Texas, New Mexico, Colorado, Wyoming, and Utah. Oklahoma and the Gulf of Mexico, which had significant gas reserve declines in 1999, rebounded in 2000.

Natural gas prices were up 66 percent in 2000 to an average of \$3.60 per thousand cubic feet at the wellhead, as compared to \$2.17 per thousand cubic feet in 1999. Year-end average prices were an exceptionally high \$6.35 per thousand cubic feet.

U.S. total discoveries of dry gas reserves were 19,138 billion cubic feet in 2000. This was 75 percent more than the prior 10-year average and 77 percent more than in 1999.

New field discoveries were 1,983 billion cubic feet, 27 percent more than the volume discovered in 1999 and 35 percent more than the prior 10-year average.

Field extensions were 14,787 billion cubic feet, more than twice the extensions in 1999 and also more than twice the prior 10-year average of 7,119 billion cubic feet

New reservoir discoveries in old fields were 2,368 billion cubic feet, up 8 percent from 1999 and 1 percent more than the prior 10-year average.

Natural gas net revisions and adjustments were 6,071 billion cubic feet. The net of sales and acquisitions of dry natural gas proved reserves was 4,031 billion cubic feet.

Coalbed methane proved reserves and production continued to grow in 2000. Coalbed methane accounted for 9 percent of proved dry gas reserves. Coalbed methane production in 2000 was 7 percent of total U.S. dry gas production.

Other 2000 natural gas events of note:

- Exploratory gas well completions increased 34 percent in 2000 and development well drilling was up 45 percent.
- The average of total discoveries per exploratory gas well was up 30 percent in 2000. This average was increased by exploratory extension wells in relatively new coalbed methane fields and recent improvements in drilling and completion technology.
- U.S. gas production increased by over 1 percent in 2000.

#### **Natural Gas Liquids**

U.S. natural gas liquids proved reserves increased 6 percent to 8,345 million barrels in 2000. Natural gas liquids reserves are the sum of natural gas plant liquids and lease condensate reserves.

Total proved reserves of liquid hydrocarbons (crude oil plus natural gas liquids) were 30,390 million barrels in 2000, a 2 percent increase from the 1999 level. Natural gas liquids represented 27 percent of total liquid hydrocarbon proved reserves in 2000.

#### Data

These estimates are based upon analysis of data from Form EIA-23, Annual Survey of Domestic Oil and Gas Reserves, filed by 2,101 operators of oil and gas wells, and Form EIA-64A, Annual Report of the Origin of Natural Gas Liquids Production, filed by operators of 524 active natural gas processing plants. The U.S. proved reserves estimates for crude oil and natural gas are associated with sampling errors of less than 1 percent.

# 1. Introduction

# **Background**

The principal focus of this report is to provide accurate annual estimates of U.S. proved reserves of crude oil, natural gas, and natural gas liquids. These estimates are essential to the development, implementation, and evaluation of national energy policy and legislation. In the past, the Government and the public relied upon industry estimates of proved reserves. However, the industry ceased publication of reserve estimates after its 1979 report.

In response to a recognized need for credible annual proved reserves estimates, Congress, in 1977, required the Department of Energy to prepare such estimates. To meet this requirement, the Energy Information Administration (EIA) developed a program that established a unified, verifiable, comprehensive, and continuing annual statistical series for proved reserves of crude oil and natural gas. It was expanded to include proved reserves of natural gas liquids for the 1979 and subsequent reports.

# **Survey Overview**

EIA defines proved reserves, the major topic of this report, as those volumes of oil and gas that geological and engineering data demonstrate with reasonable certainty to be recoverable in future years from known reservoirs under existing economic and operating conditions. There are other categories of reserves, but by definition they are more speculative and less precise than proved reserves. Readers who are unfamiliar with the distinctions between types of reserves or with how reserves fit in the description of overall oil and gas resources should see Appendix G.

This report provides proved reserves estimates for calendar year 2000. It is based on data filed by large, intermediate, and a select group of small operators of oil and gas wells on Form EIA-23, "Annual Survey of Domestic Oil and Gas Reserves," and by operators of all natural gas processing plants on Form EIA-64A, "Annual Report of the Origin of Natural Gas Liquids Production." The U.S. crude oil and natural gas proved reserves estimates are associated with sampling errors of less than 1 percent at a 95-percent confidence level.

#### Form EIA-23

On Form EIA-23, an operator is defined as an organization or person responsible for the management and day-to-day operation of oil and/or gas wells. This definition eliminates responses from royalty owners, working interest owners (unless they are also operators), and others not directly responsible for oil and gas production operations.

Operator size categories are based upon operator annual production as indicated in various Federal, State, and commercial records. Large operators are those that produced at least 1.5 million barrels of crude oil or 15 billion cubic feet of natural gas, or both, during the report year. Intermediate operators produced less than large operators, but more than 400,000 barrels of crude oil or 2 billion cubic feet of natural gas, or both during the report year. Small operators are those that produced less than intermediate operators. All data are reported on a total operated basis, encompassing all proved reserves and production associated with wells operated by an individual operator within a field. This concept is also called the "gross operated" or "8/8ths" basis.

Large operators (Category I) and most intermediate size operators (Category II) report reserves balance data on Form EIA-23 to show how and why reserves components changed during the year on a field-by-field basis. Intermediate size operators who do not keep reserves data were not asked to provide estimates of reserves at the beginning of the year or annual changes to proved reserves by component of change; i.e., revisions, extensions, and new discoveries. These volumes were estimated using statistical calculations that preserved the relative relationships between these items within each State or State subdivision, as reported by large and intermediate operators.

A sample selected from the large group of small (Category III) operators are requested to provide annual production and, if available, year ending reserves volumes. Details on the selection of these operators and the determination of the reserves volumes is found in Appendix F.

The published reserve estimates include an additional term, adjustments, calculated by the EIA, that

1

preserves an exact annual reserves balance of the form: Adjustments are the annual changes in the published reserve estimates that cannot be attributed to the estimates for other reserve change categories. They result from the survey and statistical estimation methods employed. For example, variations caused by changes in the operator frame, different random samples, changes in reserve estimates following ownership changes, incorrectly reported data, or imputations for missing or unreported reserve changes

Published Proved Reserves at End of Previous Report Year

- + Adjustments
- + Revision Increases
- Revision Decreases
- Sales
- + Acquisitions
- + Extensions
- + New Field Discoveries
- + New Reservoir Discoveries in Old Fields
- Report Year Production
- = Published Proved Reserves at End of Report Year

can contribute to adjustments.

#### Form EIA-64A

Form EIA-64A data were first collected for the 1979 survey year in order to develop estimates for total natural gas liquids reserves. Data on liquids recovered from natural gas, as reported by natural gas processing plant operators, are combined with lease condensate data collected on Form EIA-23 to provide the total natural gas liquids reserves estimates.

#### **Data Collection Operations**

An intensive effort is made each year to maintain an accurate and complete survey frame consisting of operators of oil and gas wells and of natural gas processing plants. The Form EIA-23 operator frame

contained 22,125 probable active operators and the Form EIA-64A plant frame contained 554 probable active natural gas processing plants in the United States when the 2000 surveys were initiated. As usual, additional operators were added to the survey as it progressed, and many operators initially in the sample frame were found to be inactive in 2000.

For the report year 2000, EIA mailed 632 EIA-23 forms to known large and intermediate size oil and gas well operators that were believed to be active during 2000. Ninety-three (93) of the 632 companies were additions or new companies. Forty-three (43) of the 632 ceased operating oil and/or gas properties (became non-operator) during the survey year. In addition, 27 of the 632 operators were reduced in size from Category I or II to Category III. An additional 29 companies (over and above the 632) increased in size from Category III to Category II. EIA mailed 583 EIA-64A forms to natural gas processing plant operators. More than one form is received for a plant that has more than one operator during the year. Forms were received from 100 percent of the operators of the 524 unique active natural gas processing plants in the Form EIA-64A survey.

National estimates of the production volumes for crude oil, lease condensate, natural gas liquids, and dry natural gas based on Form EIA-23 and Form EIA-64A were compared with corresponding official production volumes published by EIA, which are obtained from non-survey based State sources. For report year 2000, the Form EIA-23 National production estimates were 2 percent lower than the comparable *Petroleum Supply Annual (PSA) 2000* volumes for crude oil and lease condensate combined, and were 4 percent lower than the comparable *Natural Gas Annual 2000* volume for 2000 dry natural gas. For report year 2000, the Form EIA-64A National estimates were 1 percent higher than the *PSA 2000* volume for natural gas plant liquids production.

Accuracy in reserves reporting is EIA's first and foremost goal for this report. Estimates of production within this report may differ from those made specifically to estimate oil or gas production like those in the *PSA*.

# 2. Overview

# **National Summary**

The United States had the following proved reserves as of December 31, 2000:

- Crude Oil 22,045 million barrels
- Dry Natural Gas 177,427 billion cubic feet
- Natural Gas Liquids 8,345 million barrels.

This Overview summarizes the 2000 proved reserves balances of crude oil, dry natural gas, and natural gas liquids on a National level and provides historical comparisons between 2000 and prior years.

**Table 1** lists the estimated annual reserve balances since 1990 for crude oil, dry natural gas, and natural gas liquids. A new column, *Net of Sales and Acquisitions* (4), has been added to Table 1 for the 2000 report. It is the sum of two new reserves components, *Sales* and *Acquisitions*.

EIA expanded its 2000 EIA-23 survey to include two new reserves components; *Sales* -- the volume of proved reserves deducted from an operator's total when selling a field or properties, and *Acquisitions* -- the volume of proved reserves gained by the purchase of an existing field or properties. In prior years, these data would have been rolled into other categories such as Adjustments, Revision Increases, or Revision Decreases. Due to the large increase in acquisitions and divestitures in the petroleum industry in recent years, these data now warrant separation as components of proved reserves change.

Since operators have different engineering staffs and resources, or different development plans or schedules, the estimate of proved reserves for a field can change with a change in ownership. Because of this, *sales* and *acquisitions* are not equal volumes.

#### **Crude Oil**

Proved reserves of crude oil increased by 280 million barrels in 2000. **Figure 1** shows the crude oil proved reserves levels by major region and **Figure 2** shows the components of reserves changes from 1990 through 2000.

As indicated in **Figure 1**, U.S. crude oil proved reserves increased in 2000 due to reserves additions in the Lower 48 States offshore.

The components of reserves changes for crude oil are shown in **Figure 2**. For report year 2000, EIA has defined 2 new components, *sales* and *acquisitions*, in addition to the previously established components; *adjustments*, *revision increases*, *revision decreases*, *extensions*, *new field discoveries*, *new reservoir discoveries in old fields*, and *estimated production*. The availability of *sales* and *acquisitions* volumes provides more insight into why proved reserves change. These components are discussed below.

Total discoveries are those reserves attributable to field extensions, new field discoveries, and new reservoir discoveries in old fields. They result from the drilling of exploratory wells. Total discoveries of crude oil were 1,291 million barrels in 2000, about 71 percent more than the prior 10-year average (753 million barrels) and 78 percent more than those in 1999 (725 million barrels).

Most crude oil *total discoveries* in 2000 were from *extensions* to existing fields, which accounted for 766 million barrels of crude oil reserves additions. This was almost triple the volume of 1999 extensions (259 million barrels).

New field discoveries of 276 million barrels were 14 percent lower than those of 1999 (321 million barrels) and 35 percent higher than the prior 10-year average (205 million barrels).

New reservoir discoveries in old fields were 249 million barrels, 72 percent more than in 1999 (145 million barrels) and 78 percent more than the prior 10-year average (140 million barrels).

Reserves additions are the sum of total discoveries, revisions and adjustments, and sales and acquisitions. The 2000 net of revisions and adjustments was 889 million barrels, about 41 percent of crude oil reserves additions.

The sales component of the crude oil reserves changes (5,328 million barrels) was larger than the *revision decreases* component, and *acquisitions* were larger than *revision increases*. While sales and acquisitions of crude oil proved reserves were both large, the net of sales and

Table 1. Total U.S. Proved Reserves of Crude Oil, Dry Natural Gas, and Natural Gas Liquids, 1990-2000

Year	Adjustments (1)	Net Revisions (2)	Revisions <sup>a</sup> and Adjustments (3)	Net of Sales and Acquisitions (4)	Extensions (5)	New Field Discoveries (6)	New Reservoir Discoveries in Old Fields (7)	Total <sup>b</sup> Discoveries (8)	Estimated Production (9)	Proved <sup>C</sup> Reserves 12/31 (10)	Change from Prior Year (11)			
	Crude Oil (million barrels of 42 U.S. gallons)													
1990	86	1,483	1,569	NA	456	98	135	689	2,505	26,254	-247			
1991	163	223	386	NA	365	97	92	554	2,512	24,682	-1,572			
1992	290	735	1,025	NA	391	8	85	484	2,446	23,745	-937			
1993	271	495	766	NA	356	319	110	785	2,339	22,957	-788			
1994	189	1,007	1,196	NA	397	64	111	572	2,268	22,457	-500			
1995	122	1,028	1,150	NA	500	114	343	957	2,213	22,351	-106			
1996	175	737	912	NA	543	243	141	927	2,173	22,017	-334			
1997	520	914	1,434	NA	477	637	119	1,233	2,138	22,546	+529			
1998	-638	518	-120	NA	327	152	120	599	1,991	21,034	-1,512			
1999	139	1,819	1958	NA	259	321	145	725	1,952	21,765	+731			
2000	143	746	889	-20	766	276	249	1,291	1,880	22,045	+280			
				Dry Natura	I <b>I Gas</b> (billior	n cubic feet,	14.73 psia, 60°	' Fahrenheit)						
1990	1,557	5,538	7,095	NA	7,952	2,004	2,412	12,368	17,233	169,346	+2,230			
1991	2,960	4,416	7,376	NA	5,090	848	1,604	7,542	17,202	167,062	-2,284			
1992	2,235	6,093	8,328	NA	4,675	649	1,724	7,048	17,423	165,015	-2,047			
1993	972	5,349	6,321	NA	6,103	899	1,866	8,868	17,789	162,415	-2,600			
1994	1,945	5,484	7,429	NA	6,941	1,894	3,480	12,315	18,322	163,837	+1,422			
1995	580	7,734	8,314	NA	6,843	1,666	2,452	10,961	17,966	165,146	+1,309			
1996	3,785	4,086	7,871	NA	7,757	1,451	3,110	12,318	18,861	166,474	+1,328			
1997	-590	4,902	4,312	NA	10,585	2,681	2,382	15,648	19,211	167,223	+749			
1998	-1,635	5,740	4,105	NA	8,197	1,074	2,162	11,433	18,720	164,041	-3,182			
1999	982	10,504	11,486	NA	7,043	1,568	2,196	10,807	18,928	167,406	+3,365			
2000	-891	6,962	6,071	4,031	14,787	1,983	2,368	19,138	19,219	177,427	+10,021			
				Natural	Gas Liquid	s (million ba	rrels of 42 U.S	. gallons)						
1990	-83	221	138	NA	299	39	73	411	732	7,586	-183			
1991	233	130	363	NA	189	25	55	269	754	7,464	-122			
1992	225	261	486	NA	190	20	64	274	773	7,451	-13			
1993	102	124	226	NA	245	24	64	333	788	7,222	-229			
1994	43	197	240	NA	314	54	131	499	791	7,170	-52			
1995	192	277	469	NA	432	52	67	551	791	7,170	+229			
1996	474	175	649	NA	451	65	109	625	850	7,823	+424			
1997	-15	289	274	NA	535	114	90	739	864	7,973	+150			
1998	-361	208	-153	NA	383	66	88	537	833	7,524	-449			
1998	-361 99	208 727	-153 826	NA NA	313	51	88	452	896	7,524 7,906	+382			
2000	-83	727 459	376	145	645	92	102	839	921	7,906 8,345	+382			
2000	<del>-</del> 03	409	3/0	140	040	92	102	039	921	0,343	T438			

<sup>&</sup>lt;sup>a</sup>Revisions and adjustments = Col. 1 + Col. 2.


Notes: Old means discovered in a prior year. New means discovered during the report year. The production estimates in this table are based on data reported on Form EIA-23, "Annual Survey of Domestic Oil and Gas Reserves" and Form EIA-64A, "Annual Report of the Origin of Natural Gas Liquids Production." They may differ from the official EIA production data for crude oil, natural gas, and natural gas liquids for 2000 contained in the *Petroleum Supply Annual 2000*, DOE/EIA-0340(00) and the *Natural Gas Annual 2000*, DOE/EIA-0131(00).


Sources: U.S. Crude Oil, Natural Gas, and Natural Gas Liquids Reserves, 1990 through 2000 annual reports, DOE/EIA-0216.

<sup>&</sup>lt;sup>b</sup>Total discoveries = Col. 5 + Col. 6 + Col. 7.


<sup>&</sup>lt;sup>c</sup>Proved reserves = Col. 10 from prior year + Col. 3 + Col. 4 + Col. 8 - Col. 9.

NA=Not available.






Source: U.S. Crude Oil, Natural Gas, and Natural Gas Liquids Reserves, 1990-2000 annual reports, DOE/EIA-0216.{13-23}



Dry Natural Gas, Trillion Cubic Feet 



Source: U.S. Crude Oil, Natural Gas, and Natural Gas Liquids Reserves, 1990-2000 annual reports, DOE/EIA-0216.{13-23}

acquisitions of crude oil proved reserves was only a negative 20 million barrels.

Production of crude oil was an estimated 1,880 million barrels in 2000 (lease condensate not included, see Natural Gas Liquids section below for condensate volumes). This was down 4 percent from 1999's level (1,952 million barrels) and down 17 percent from the prior 10-year average (2,254 million barrels). Operators replaced 115% of crude oil production with reserves additions in 2000.

#### **Natural Gas**

Dry natural gas proved reserves increased by 10,021 billion cubic feet in 2000. **Figure 3** shows the dry natural gas proved reserves levels by major region. **Figure 4** shows the components of reserves changes from 1990 through 2000.

U.S. *total discoveries* of dry gas reserves were 19,138 billion cubic feet in 2000. This was 75 percent more than the prior 10-year average (10,931 billion cubic feet) and 77 percent more than in 1999 (10,807 billion cubic feet).

Field *extensions* were 14,787 billion cubic feet, more than twice the extensions in 1999 and also more than twice the prior 10-year average of 7,119 billion cubic feet.

New field discoveries were 1,983 billion cubic feet, 27 percent more than the volume discovered in 1999 (1,568 billion cubic feet) and 35 percent more than the prior 10-year average (1,473 billion cubic feet).

New reservoir discoveries in old fields were 2,368 billion cubic feet, up 8 percent from 1999 (2,196 billion cubic feet) and 1 percent more than the prior 10-year average.

Natural gas net revisions and adjustments were 6,071 billion cubic feet. The net of sales and acquisitions of dry natural gas proved reserves was 4,031 billion cubic feet.

*Production* removed an estimated 19,219 billion cubic feet of proved reserves from the National total. Dry gas production increased by 1.5 percent compared to 1999. Operators replaced 152 percent of dry natural gas production with reserves additions.

Coalbed methane production and reserves are included in the 2000 totals. However, EIA separately

tracks these reserves in order to record the development and performance of this gas source. Coalbed methane reserves increased in 2000 to a volume of 15,708 billion cubic feet. Coalbed methane accounted for 9 percent of 2000 U.S. dry natural gas reserves and 7 percent of 2000 U.S. dry gas production.

### **Natural Gas Liquids**

Proved reserves of natural gas liquids increased 439 million barrels to 8,345 million barrels during 2000— a 6 percent increase from 1999 levels. **Figure 5** shows the natural gas liquids proved reserves levels by major region and **Figure 6** shows the components of reserves changes from 1990 through 2000.

Operators replaced 148 percent of their 1999 natural gas liquids production with reserve additions. *Total discoveries* added 839 million barrels (primarily from *extensions*), net *revisions and adjustments* added 376 million barrels, and net *sales and acquisitions* added 145 million barrels.


Total proved reserves of liquid hydrocarbons (crude oil plus natural gas liquids) were 30,390 million barrels in 2000—a 2 percent increase from the 1999 level. Natural gas liquids represented 27 percent of total liquid hydrocarbon proved reserves in 2000.


# **Reserves Changes Since 1977**


EIA has collected oil and gas reserves estimates annually since 1977. **Table 2** lists the cumulative totals of the components of reserves changes for crude oil and dry natural gas from 1977 through 2000. **Table 2** has two sections, one for the lower 48 States and another for the U.S. total (which includes Alaska's contribution). Annual averages for each component of reserves changes are also listed, along with the percentage of that particular component's impact on total U.S. proved reserves. In this section, we compare these averages to the 2000 proved reserves estimates as a means of gauging the past year against history.

**Crude Oil:** Since 1977 U.S. operators have:

- discovered an average of 820 million barrels per year of new reserves
- had proved reserves additions of an average 2,125 million barrels per year from total discoveries, net revisions and adjustments, and net sales and acquisitions.







Source: U.S. Crude Oil, Natural Gas, and Natural Gas Liquids Reserves, 1990-2000 annual reports, DOE/EIA-0216.{13-23}

Table 2. Reserves Changes, 1977-2000

	L	ower 48 Sta	ates		U.S. T	otal
Components of Change	Volume	Average per Year	Percent of Reserves Additions	Volume	Average per Year	Percent of Reserves Additions
		Crud	le Oil (million ba	rrels of 42 U.S	S. gallons)	
Proved Reserves as of 12/31/76	24,928	_		33,502		
New Field Discoveries	3,561	148	8.6	4,231	176	8.3
New Reservoir Discoveries in Old Fields	3,301	138	8.0	3,423	143	6.7
Extensions	10,649	444	25.8	12,030	501	23.6
Total Discoveries	17,511	730	42.4	19,684	820	38.6
Revisions, Adjustments, Sales & Acquisitions	23,805	992	57.6	31,327	1,305	61.4
Total Reserves Additions	41,316	1,722	100.0	51,011	2,125	100.0
Production	48,996	2,042	118.6	62,468	2,603	122.5
Net Reserves Change	-7,680	-320	-18.6	-11,457	-477	-22.5
	Dry I	Natural Gas	(billion cubic fee	et at 14.73 psi	a and 60° F	ahrenheit)
Proved Reserves as of 12/31/76	180,838	_	_	213,278		
New Field Discoveries	46,132	1,922	11.4	46,280	1,928	11.8
New Reservoir Discoveries in Old Fields	60,828	2,535	15.0	61,229	2,551	15.7
Extensions	184,134	7,672	45.4	187,002	7,792	47.8
Total Discoveries	291,094	12,129	71.7	294,511	12,271	75.3
Revisions, Adjustments, Sales & Acquisitions	114,863	4,786	28.3	96,702	4,029	24.7
Total Reserves Additions	405,957	16,915	100.0	391,213	16,301	100.0
Production	418,605	17,442	103.1	427,064	17,794	109.2
Net Reserves Change	-12,648	-527	-3.1	-35,851	-1,494	-9.2

Source: U.S. Crude Oil, Natural Gas, and Natural Gas Liquids Reserves 1977-2000 annual reports, DOE/EIA-0216.{1-23}

 ended each year with an average net reduction in U.S. proved reserves of 477 million barrels (the difference between post-1976 average annual production and post-1976 average annual reserve additions) because production has outpaced reserve additions.

Since 1977, crude oil reserves have been primarily sustained by proved ultimate recovery appreciation in existing fields rather than the discovery of new oil fields. Only 8 percent of reserves additions since 1976 were booked as *new field discoveries*. Proved ultimate recovery appreciation is the sum of net revisions, adjustments, net sales and acquisitions, extensions, and new reservoir discoveries in old fields (see the Proved Ultimate Recovery section later in this chapter.) Since 1977, the 19,684 million barrels of *total discoveries* accounted for 39 percent of reserves additions.

Compared to the averages of reserves changes since 1977, 2000 was an up year for crude oil discoveries. *Total discoveries* of crude oil (1,291 million barrels) in 2000 were 57 percent more than the post-1976 U.S. average (820 million barrels per year).

Looking at the components of *total discoveries* in 2000:

- new field discoveries and new reservoir discoveries in old fields exceeded the post-1976 averages for crude oil, and
- 2000's extensions greatly exceeded the post-1976 average. Extensions in 2000 accounted for 35 percent of reserves additions, a larger share than the historical 24 percent.

**Dry Natural Gas:** Since 1977, U.S. operators:

- discovered an average of 12,271 billion cubic feet per year of new reserves
- had proved reserves additions of an average 4,029 billion cubic feet per year from *total* discoveries, net revisions and adjustments, and net sales and acquisitions.
- had an average net reduction in U.S. reserves of 1,494 billion cubic feet per year.

Like crude oil reserves, natural gas reserves have been sustained primarily by proved ultimate recovery appreciation since 1977. Usually *extensions* rather than net *revisions* and adjustments are the largest component.

Table 3. U.S. Average Annual Domestic First Purchase Prices for Crude Oil, Wellhead Prices for Natural Gas, and the Average Number of Active Rotary Drilling Rigs, 1977-2000

			rude Oil	Nat	tural Gas	
Year		Current	2000 Constant	Current	2000 Constant	
		(dolla	rs per barrel)	(dollars per th	ousand cubic feet)	Number of Rigs
1977		8.57	20.38	0.79	1.88	2,001
1978		9.00	19.98	0.91	2.02	2,259
1979		12.64	25.90	1.18	2.42	2,177
1980		21.59	40.51	1.59	2.98	2,909
1981		31.77	54.53	1.98	3.40	3,970
1982		28.52	46.07	2.46	3.97	3,105
1983		26.19	40.70	2.59	4.03	2,232
1984		25.88	38.78	2.66	3.99	2,428
1985		24.09	34.99	2.51	3.65	1,980
1986		12.51	17.78	1.94	2.76	964
1987		15.40	21.25	1.67	2.30	936
1988		12.58	16.79	1.69	2.26	936
1989		15.86	20.39	1.69	2.17	869
1990		20.03	24.78	1.71	2.12	1,010
1991		16.54	19.75	1.64	1.96	860
1992		15.99	18.64	1.74	2.03	721
1993		14.25	16.22	2.04	2.32	754
1994		13.19	14.71	1.85	2.06	775
1995		14.62	15.95	1.55	1.69	723
1996		18.46	19.76	2.17	2.32	779
1997		17.23	18.09	2.32	2.44	943
1998		10.87	11.27	1.94	2.01	827
1999	January	8.57	8.82	1.84	1.89	587
1000	February	8.60	8.84	1.75	1.80	542
	March	10.76	11.05	1.68	1.73	526
	April	12.82	13.15	1.86	1.91	496
	May	13.92	14.27	2.16	2.21	516
	June	14.39	14.73	2.12	2.17	558
	July	16.12	16.48	2.18	2.23	588
	August	17.58	17.95	2.49	2.54	639
	September	20.03	20.43	2.61	2.66	696
	October	19.71	20.08	2.50	2.55	741
	November	21.35	21.71	2.67	2.72	782
	December	22.55	22.87	2.20	2.23	798
1999	December	15.56	15.91	2.17	2.22	625
2000	January	23.53	23.76	2.12	2.14	775
2000	February	25.48	25.67	2.30	2.32	763
	March	26.19	26.32	2.36	2.37	773
	April	23.20	23.29	2.55	2.56	805
	May	25.58	25.63	2.90	2.91	844
	June	27.62	27.63	3.73	3.73	878
	July	26.81	26.78	3.70	3.70	942
	August	27.91	27.84	3.67	3.66	987
	September	29.72	29.60	4.26	4.24	1,011
	October	29.72 29.65	29.50	4.26 4.61	4.59	1,055
	November			4.62	4.59 4.59	
		30.36	30.15			1,067
2000	December	24.46	24.24	6.35	6.29	1,097
2000		26.72	26.72	3.60	3.60	918

<sup>=</sup>Revised data

Sources: Current dollars and number of rigs: *Monthly Energy Review October 2001*, DOE/EIA-0035(2001/10). 2000 constant dollars: U.S. Department of Commerce, Bureau of Economic Analysis, Gross Domestic Product Implicit Price Deflators, October 2001.

Extensions account for 48 percent while net revisions and adjustments account for only 25 percent of all reserves additions since 1977. In 2000, net revisions, adjustments, sales, and acquisitions were 35 percent of all reserves additions. In 2000, extensions were 51 percent of all reserves additions.

Compared to the averages of reserves changes since 1977, 2000 was an up year for natural gas reserves additions from *total discoveries*. Operators reported 19,138 billion cubic feet of *total discoveries* of dry natural gas proved reserves—56 percent more than the post-1976 average (12,271 billion cubic feet). Also, *net revisions, adjustments, sales, and acquisitions* were up in 2000 (10,102 billion cubic feet) compared to the post-1976 U.S. average (4,029 billion cubic feet per year). Before 2000, the net of sales and acquisitions were captured in the net of revisions and adjustments.

# **Economics and Drilling**

**Economics:** This section describes the price behavior in 2000 and the following section addresses drilling.

**Table 3** lists the average annual domestic wellhead prices of crude oil and natural gas, as well as the average number of active rotary drilling rigs, from 1977 to 2000.

The U.S. crude oil first purchase price started at an average of \$22.55 per barrel in December 1999, then rose during the year, reaching \$30.36 per barrel in November 2000. The average U.S. crude oil first purchase price increased from an average \$15.56 in 1999 to \$26.72 per barrel in 2000.

Oil prices vary by region. In Texas the average 2000 crude oil first purchase price was \$28.60 per barrel, while in California it was \$24.82 per barrel, and only \$23.62 per barrel on the Alaskan North Slope. The lowest average crude oil first purchase price in 2000 was for Federal Offshore California oil—\$23.32 per barrel.{24}

The average annual wellhead natural gas price increased from \$2.17 in 1999 to \$3.60 per thousand cubic feet in 2000. Natural gas prices started at \$2.12 per thousand cubic feet in January 2000 and rose to \$6.35 per thousand cubic feet by December 2000 (the highest average price of the year). {25}

**Drilling:** From 1999 to 2000, the annual average active rig count increased from 625 to 918 (**Table 3**), a 47 percent increase in active rigs. Operators are now using

significantly improved drilling and seismic exploration technology to dramatically increase their drilling success rate.

Looking first at exploratory wells, there were 2,949 exploratory wells drilled in 2000 (**Table 4**). Of these, 7 percent were completed as oil wells, 25 percent were completed as gas wells, and 68 percent were dry holes. The total (which includes dry holes) was 39 percent more than in 1999. In 2000, there were 27 percent more completed exploratory oil and gas wells (**Figures 7 and 8**) than in 1999.

**Figures 9 and 10** show the average volume of discoveries per exploratory well for dry natural gas and oil, respectively, since 1977. The average volume of discoveries per exploratory well increased significantly for both.

The number of successful development wells increased 14 percent for oil and increased 45 percent for gas from 1999. Altogether there were an estimated 25,140 exploratory and development wells drilled in 2000. This is 38 percent more than in 1999 and 3 percent more than the average number of wells drilled annually in the prior 10 years (24,358).

For the eighth year in a row, the number of gas well completions exceeded the number of oil well completions in both the exploratory and development categories.

# **Mergers and Acquisitions**

The following large mergers were announced in 2000, and are expected to have a major impact on the energy industry in the future:

On April 14, 2000, BP Amoco received approval from the Federal Trade Commission for its \$28 billion merger with Atlantic Richfield Corporation (ARCO). As part of the approval, ARCO agreed to sell its crude oil production operations in Alaska to Phillips Petroleum. {26}

On April 26, 2000, Phillips Petroleum Company completed its acquisition of ARCO's Alaskan businesses. Phillips Alaska Inc. will include ARCO's Alaskan businesses, plus all of Phillips' current Alaska operations, including the Kenai liquefied natural gas plant. Net daily production from the assets in 2000 is now expected to be 340,000 barrels of oil equivalent, and Phillips will add a total of 2.2 billion barrels of oil equivalent to its reserve base. As previously

Table 4. U.S. Exploratory and Development Well Completions, a 1970-2000

		Ex	kploratory <sup>b</sup>		Total Exploratory and Development <sup>b</sup>					
Year	Oil	Gas	Dry	Total	Oil	Gas	Dry	Total		
1970	763	478	6,193	7,434	13,043	4,031	11,099	28,173		
1971	664	472	5,995	7,131	11,903	3,983	10,382	26,268		
1972	690	659	6,202	7,551	11,437	5,484	11,013	27,934		
1973	642	1,067	5,952	7,661	10,167	6,933	10,320	27,420		
1974	859	1,190	6,833	8,882	13,647	7,138	12,116	32,901		
1975	982	1,248	7,129	9,359	16,948	8,127	13,646	38,721		
1976	1,086	1,346	6,772	9,204	17,688	9,409	13,758	40,855		
1977	1,164	1,548	7,283	9,995	18,745	12,122	14,985	45,852		
1978	1,171	1,771	7,965	10,907	19,181	14,413	16,551	50,145		
1979	1,321	1,907	7,437	10,665	20,851	15,254	16,099	52,204		
1980	1,764	2,081	9,039	12,884	32,639	17,333	20,638	70,610		
1981	2,636	2,514	12,349	17,499	43,598	20,166	27,789	91,553		
1982	2,431	2,125	11,247	15,803	39,199	18,979	26,219	84,397		
1983	2,023	1,593	10,148	13,764	37,120	14,564	24,153	75,837		
1984	2,198	1,521	11,278	14,997	42,605	17,127	25,681	85,413		
1985	1,679	1,190	8,924	11,793	35,118	14,168	21,056	70,342		
1986	1,084	793	5,549	7,426	19,097	8,516	12,678	40,291		
1987	925	754	5,049	6,728	16,164	8,055	11,112	35,331		
1988	855	732	4,693	6,280	13,636	8,555	10,041	32,232		
1989	607	705	3,924	5,236	10,204	9,539	8,188	27,931		
1990	654	689	3,715	5,058	12,198	11,044	8,313	31,555		
1991	592	534	3,314	4,440	11,770	9,526	7,596	28,892		
1992	493	423	2,513	3,429	8,757	8,209	6,118	23,084		
1993	502	548	2,469	3,519	8,407	10,017	6,328	24,752		
1994	570	726	2,405	3,701	6,721	9,538	5,307	21,566		
1995	542	570	2,198	3,310	7,627	8,354	5,075	21,056		
1996	483	570	2,136	3,189	8,314	9,302	5,282	22,898		
1997	428	536	2,110	3,074	10,436	11,327	5,702	27,465		
1998	303	579	1,816	2,698	7,064	12,106	4,913	24,083		
1999	151	583	1,389	2,123	4,136	10,513	3,580	18,229		
2000	192	740	2,017	2,949	4,731	15,206	5,203	25,140		

<sup>&</sup>lt;sup>a</sup>Excludes service wells and stratigraphic and core testing.

announced, Phillips will pay BP \$6.5 billion in cash and up to an additional \$500 million based on a formula tied to the price of crude oil. {27}

On July 14, 2000, Anadarko Petroleum Corporation closed the merger transaction involving Union Pacific Resources Group Inc. Shareholders of each company approved the merger on July 13, 2000, making UPR a wholly owned subsidiary of Anadarko. {28}

On October 16, 2000, Chevron Corporation and Texaco Incorporated announced their intention to merge, conditioned on shareholder approval for both companies, pooling accounting treatment for the merger and regulatory approvals of government

bAll drilling counts for the years 1973-1999 have been revised.

Notes: Estimates include only the original drilling of a hole intended to discover of further develop already discovered oil or gas re-Notes. Estimates include only the original drilling of a hole interided to discover of future develop already discovered on original wells sources. Other drilling activities, such as drilling and old well deeper, drilling of laterals from the original well, drilling of service and injection wells, and drilling for resources other than oil and gas are excluded.

Sources: Years 1970-1972: Energy Information Administration, Office of Oil and Gas. Years 1973-2000: EIA *Monthly Energy Review October 2001*, DOE/EIA-0035(2000/10).

Figure 7. U.S. Exploratory Gas Well Completions, 1977-2000





Figure 8. U.S. Exploratory Oil Well Completions, 1977-2000



Source: Energy Information Administration, Office of Oil and Gas.

Figure 9. U.S. Total Discoveries of Dry Natural Gas per Exploratory Gas Well Completion, 1977-2000





Figure 10. U.S. Total Discoveries of Crude Oil per Exploratory Oil Well Completion, 1977-2000



agencies such as the U.S. Federal Trade Commission. Upon completion of the merger, the new company would be named ChevronTexaco Corporation. {29}

On November 3, 2000, Russia's Lukoil announced it would purchase Getty Petroleum Marketing of the United States for \$71 million. Lukoil eventually intends to switch Getty's 1,300 retail outlets in the Northeastern and Middle Atlantic states to the Lukoil brand name. The purchase represents the first takeover of a publicly traded American company by a Russian firm. {30}

# Reserve-to-Production Ratio and Ultimate Recovery

#### **R/P Ratios**

The relationship between proved reserves and production levels, expressed as the ratio of reserves to production (R/P ratio) is often used in analyses. For a mature producing area, the R/P ratio tends to be reasonably stable, so that the proved reserves at the end of a year serve as a rough guide to the production level that can be maintained during the following year. Operators report data which yield R/P ratios that vary widely by area depending upon:

- category of operator
- geology and economics
- number and size of new discoveries
- amount of drilling that has occurred.

R/P ratios are an indication of the state of development in an area and, over time, the ratios change. For example, when the Alaskan North Slope oil reserves were booked, the U.S. R/P ratio for crude oil increased because significant production from these reserves did not begin until 7 years after booking due to the need to first build the Trans Alaska pipeline. The U.S. R/P ratio for crude oil decreased from 11.1-to-1 to 9.4-to-1 between 1977 and 1982, as Alaskan North Slope oil production reached high levels.

In 2000, U.S. crude oil proved reserves increased, while oil production decreased—resulting in an upward shift in the National average R/P ratio from 11.1 to 11.7.

**Figure 11** shows the U.S. R/P ratio trend for crude oil since 1945. After World War II, increased drilling and discoveries led to a greater R/P ratio. Later, when drilling found fewer reserves than were produced, the ratio became smaller. R/P ratios also vary geographically, because of differences in development

history and reservoir conditions. The 2000 National average R/P ratio for crude oil was 11.7-to-1. Areas with relatively high R/P ratios are the Permian Basin of Texas and New Mexico, and California, where enhanced oil recovery techniques such as carbon dioxide (CO<sub>2</sub>) injection or steamflooding have improved recoverability of oil in old, mature fields. Areas that have the lowest R/P ratios, like the Mid-Continent region, usually have many older fields. There, new technologies such as horizontal drilling have helped add reserves equivalent to the annual production, keeping the regional reserves and R/P ratio for oil relatively stable.

**Figure 12** shows the historical R/P ratio for wet natural gas since 1945. Prior to 1945, R/P ratios were very high since the interstate pipeline infrastructure was not well developed. The market for and production of natural gas grew rapidly after World War II, lowering the R/P ratio. The U.S. average R/P ratio for natural gas increased from 8.9 to 9.2 in 2000, as reserves increased 6 percent Nationally while production had a 1.5 percent increase.

Different marketing, transportation, and production characteristics for gas are seen when looking at regional average R/P ratios, compared to the 2000 U.S. average R/P ratio of about 9.2-to-1. Areas with a higher range of R/P ratios than the National average were the Pacific offshore and the Rockies, and also include areas such as Alabama and Colorado where considerable booking of coalbed methane reserves has recently occurred. Several major gas producing areas have R/P ratios below the National average, particularly Texas, the Gulf of Mexico Federal Offshore, and Oklahoma.

#### **Proved Ultimate Recovery**

EIA has in past reports defined Ultimate Recovery as the sum of proved reserves and cumulative production. However, despite EIA's clear definition, the volume presented by EIA has often been misused or misinterpreted as the maximum recoverable volume of resources for an area. This neglects the addition of proved reserves over time through ultimate recovery appreciation (a.k.a. reserves growth or field growth) and has led some to make overly-pessimistic resource assessments for the United States. EIA therefore introduced the term, *Proved Ultimate Recovery*:

**Proved Ultimate Recovery** is the sum of proved reserves and cumulative production. It is expected to change over time for any field, group of fields, State, or Country. Proved Ultimate

Figure 11. Reserves-to-Production Ratios for Crude Oil, 1945-2000




Figure 13. Components of Proved Ultimate Recovery for Crude Oil and Lease Condensate, 1977-2000




Figure 12. Reserves-to-Production Ratios for Wet Natural Gas, 1945-2000





Figure 14. Components of Proved Ultimate Recovery for Wet Natural Gas, 1977-2000



Sources: Annual reserves and production - American Petroleum Institute and American Gas Association (1945–1976) {31} and Energy Information Administration, Office of Oil and Gas (1977–2000){1-23}. Cumulative production: *U.S. Oil and Gas Reserves by Year of Field Discovery* (1977-1988).{32}

Table 5. International Oil and Natural Gas Reserves as of December 31, 2000

	Oil (million ba	rrels)		Natural Gas (billion cubic feet)						
Rank	c <sup>a</sup> Country	Oil & Gas Journal	World Oil	Rank	<sub>(</sub> b	Country	Oil & Gas Journal	World Oil		
1 2	Saudi Arabia <sup>C</sup>	<sup>d</sup> 261,700 112,500	<sup>d</sup> 265,325 115,000	1 2		r U.S.S.R	1,977,530 812,300	1,929,404 929,130		
3 4	Kuwait <sup>c</sup> Iran <sup>c</sup>	<sup>d</sup> 96,500 89,700	<sup>d</sup> 98,825 96,400	3	United	Arab Emirates <sup>C</sup>	605,930 d <sub>213,800</sub>	604,050 d <sub>214,000</sub>		
5	United Arab Emirates <sup>C</sup> .	110,957	68,395	5	United	States	<sup>e</sup> 167,406	170,755		
6 7	Venezuela <sup>C</sup> Former U.S.S.R	76,862 57,009	47,620 64,496	6 7	Algeria Venezu	c uela <sup>c</sup>	159,700 146,800	155,586 147,583		
8	Libya <sup>C</sup>	29,500	30,000	8		ı <sup>c</sup>	124,000	125,000		
9	Mexico	28,260	26,940	9 10	Iraq .		109,800 72,268	112,600		
10 China		24,000 <b>886,988</b>	30,600 <b>843,601</b>			· · · · · · · · · · · · · · · · · · ·	4,389,534	146,882 <b>4,534,990</b>		
11	Nigeria <sup>C</sup>	22,500	24,075	11		sia	81,700	81,730		
12	United States	<sup>e</sup> 21,765	21,330	12	•	a	61,010	62,200		
13	Algeria <sup>C</sup>	9,200	12,680	13		lands	62,542	58,420		
14	Norway	9,447	10,125	14		C	<sup>d</sup> 52,700	<sup>d</sup> 56,600		
15	Brazil	8,100	8,465	15	Libya <sup>C</sup>		46,400	46,400		
16	Indonesia <sup>C</sup>	4,980	9,665	16	China		48,300	42,039		
17	Angola	5,412	9,000	17	Austral	lia	44,638	44,000		
18	Oman	5,506	5,848	18	Norwa	y	44,037	41,783		
19	Canada	4,706	5,622	19	Egypt		35,180	50,600		
20	United Kingdom	5,003	4,740	20	Mexico	)	30,394	41,383		
21	Malaysia	3,900	5,050	21	Oman		28,280	30,320		
22	India	4,728	3,339	22		ina	26,420	27,387		
23	Egypt	2,948	3,622	23		Kingdom	26,839	25,956		
24	Yemen	4,000	2,100	24		an	21,600	25,078		
25	Argentina	3,071	2,963	25	Trinida	d and Tobago	21,351	23,450		
Top 2	25 Total	1,002,254	972,225	Top 2	25 Total		5,020,925	5,192,336		
OPE	C Total	814,399	767,985	OPE	C Total		2,343,698	2,537,831		
World	d Total	1,028,276	1,003,412	World	d Total		5,277,483	5,443,535		

<sup>&</sup>lt;sup>a</sup>Rank is based on an average of oil reserves reported by Oil & Gas Journal and World Oil.

Sources: PennWell Publishing Company, Oil and Gas Journal, December, 2000. Gulf Publishing Company, World Oil, August, 2001.

bRank is based on an average of natural gas reserves reported by Oil & Gas Journal and World Oil.

CMember of the Organization of Petroleum Exporting Countries (OPEC).
dIncludes one-half of the reserves in the Neutral Zone.

<sup>&</sup>lt;sup>e</sup>Energy Information Administration proved reserves as of December 31, 1999 were published by the Oil & Gas Journal as its estimates as of December 31, 2000.

Note: The Energy Information Administration does not certify these international reserves data, but reproduces the information as a matter of convenience for the reader.

Recovery does not represent the maximum recoverable volume of resources for an area. It is instead a gauge of how much has already been produced plus proved reserves. Proved reserves of crude oil or natural gas are the estimated quantities of petroleum which geological and engineering data demonstrate with reasonable certainty to be recoverable in future years from known reservoirs under existing economic and operating conditions. When deterministic proved reserves estimation methods are used, the term reasonable certainty is intended to express a high degree of confidence that the estimated quantities will be recovered. When probabilistic methods are used there should be at least a 90 percent probability that the actual quantities recovered will exceed the estimate.

**Figures 13 and 14** show successive estimates of proved ultimate recovery and its components, proved reserves and cumulative production, for crude oil plus lease condensate, and wet natural gas, from 1977 through 2000. They illustrate the continued appreciation (growth) of proved ultimate recovery over time.

In 1977, U.S. crude oil and lease condensate proved reserves were 33,615 million barrels. Cumulative production of crude oil and lease condensate for 1977 through 2000 was 62,468 million barrels. This substantially exceeds the 1977 proved reserves, but at the end of 2000 there were still 23,513 million barrels of crude oil and lease condensate proved reserves. Therefore, the Nation's estimated proved ultimate recovery of crude oil was fundamentally increased during this period owing to the *proved ultimate recovery* appreciation process (continued development of old fields). In fact, only 8 percent of proved reserves additions of crude oil were booked as new field discoveries from 1976 through 2000. The rest was from proved reserves categories related to the proved ultimate recovery appreciation process.

Similarly, the 1977 wet natural gas proved reserves were 209,490 billion cubic feet, but more than twice this amount of gas was produced from 1977 through 2000 and there were still 186,510 billion cubic feet of wet natural gas proved reserves in 2000. Only 12 percent of proved reserve additions of natural gas were booked as new field discoveries from 1976 through 2000.

### **International Perspective**

#### International Reserves

The EIA estimates domestic oil and gas reserves but does not systematically estimate worldwide reserves. As shown in **Table 5**, international reserves estimates are presented in two widely circulated trade publications. The world's total reserves are estimated to be roughly 1 trillion barrels of oil and 5.3 quadrillion cubic feet of gas.

The United States ranked 12th in the world for proved reserves of crude oil and 5th for natural gas in 2000. A comparison of EIA's U.S. proved reserves estimates with worldwide estimates obtained from other sources shows that the United States had about 2 percent of the world's total crude oil proved reserves and over 3 percent of the world's total natural gas proved reserves at the end of 2000. There are sometimes substantial differences between the estimates from these sources. The Oil & Gas Journal reported oil reserves for the United Arab Emirates at about 111 billion barrels. This is about 63 percent higher than the World Oil estimate of 68 billion. One reason (among many) for these differences is that condensate is often included in foreign oil reserve estimates.

The Oil & Gas Journal [33] estimate for world oil reserves increased 1 percent in 2000, while the World Oil [34] estimate increased 2 percent. For world gas reserves, the Oil & Gas Journal reported a 3 percent increase, while World Oil reported a 5 percent increase.

Several foreign countries have oil reserves considerably larger than those of the United States. Saudi Arabian oil reserves are the largest in the world, dwarfing U.S. oil reserves. Iraqi oil reserves are almost 5 times U.S. reserves. Closer to home, Venezuela has triple and Mexico has around 25 percent more than the United States' oil reserves. (Based on averages of the World Oil and Oil & Gas Journal estimates).

# **Petroleum Consumption**

The United States is the world's largest energy consumer. The EIA estimates energy consumption and publishes it in its *Annual Energy Review*. [35] In 2000:

- The U.S. consumed 98,498,000,000,000,000 Btu of energy (98.5 quadrillion Btu).
- 62 percent of U.S. energy consumption was provided by petroleum and natural gas—crude

- oil and natural gas liquids combined (38 percent), and natural gas (24 percent).
- U.S. petroleum consumption was about 19.5 million barrels of oil and natural gas liquids and 62.2 billion cubic feet of dry gas per day.

#### **Dependence on Imports**

The United States remains heavily dependent on imported oil and gas to satisfy its ever-increasing appetite for energy. In 2000, crude oil imports made up 60 percent of the U.S. crude oil supply.

Net gas imports increased slightly in 2000 to 3.73 trillion cubic feet, which is approximately 16 percent of consumption. Almost all of this gas was pipelined from Canada. Some came from Mexico, though Mexico remains a net importer of natural gas from the U.S., and liquefied natural gas was imported from Algeria and Australia.

Canada, Saudi Arabia, Venezuela, and Mexico were the primary foreign suppliers of petroleum to the United States. [36]

# **List Of Appendices**

Appendix A: Reserves by Operator Production Size Class - How much of the National total of proved reserves are owned and operated by the large oil and gas corporations? Appendix A separates the large operators from the small and presents reserves data according to operator production size classes.

Appendix B: Top 100 Oil and Gas Fields - What fields have the most reserves and production in the United States? The top 100 fields for oil and natural gas out of the inventory of more than 45,000 oil and gas fields are listed in Appendix B. These fields hold two-thirds of U.S. crude oil proved reserves. Table B3 in Appendix B lists the top U.S. operators by reported 2000 production and indicates pending mergers announced in 2000 with linked arrows.

Appendix C: Conversion to the Metric System - To simplify international comparisons, a summary of U.S. Crude Oil, Natural Gas, and Natural Gas Liquids Reserves expressed in metric units is included as Appendix C.

**Appendix D: Historical Reserves Statistics -** Appendix D contains selected historical reserves data

presented at the State and National level. Readers interested in a historical look at one specific State or region can review these tables. We have again included Table D9, Deepwater Production and Proved Reserves of the Gulf of Mexico Federal Offshore 1992-2000, due to expressed interest from the industry regarding this area. Table D9 contains the production and proved reserves for 1992-2000 for the Gulf of Mexico Federal Offshore region by water depths greater than 200 meters, and less than 200 meters.

Appendix E: Summary of Data Collection Operations - This report is based on two EIA surveys. Proved reserves data is collected annually from U.S. oil and gas field operators on Form EIA-23. Natural gas liquids production data is collected annually from U.S. natural gas plant operators on Form EIA-64A. Appendix E describes survey designs, response statistics, reporting requirements, and sampling frame maintenance.

Appendix F: Statistical Considerations - The EIA strives to maintain or improve the accuracy of its reports. Since complete coverage of all oil and gas operators is impractical, the EIA has adopted sound statistical methods to impute data for those operators not sampled and for those data elements that smaller operators are not required to file. These methods are described in Appendix F.

Appendix G: Estimation of Reserves and Resources-Reserves are not measured directly. Reserves are estimated on the basis of the best geological, engineering, and economic data available to the estimator. Appendix G describes reserve estimation techniques commonly used by oil and gas field operators and EIA personnel when in the field performing quality assurance checks. A discussion of the relationship of reserves to overall U.S. oil and gas resources is also included.

Appendix H: Maps of Selected State Subdivisions - Certain large producing States have been subdivided into smaller regions to allow more specific reporting of reserves data. Maps of these States identifying the smaller regions are provided in Appendix H.

Appendix I: Annual Survey Forms of Domestic Oil and Gas Reserves - Samples of Form EIA-23 and Form EIA-64A are presented in Appendix I.

**Glossary -** Contains definitions of many of the technical terms used in this report.

# 3. Crude Oil Statistics


The United States had 22,045 million barrels of crude oil proved reserves as of December 31, 2000. This is 1.3 percent (280 million barrels) more than in 1999, and marks the second year in a row that crude oil proved reserves have increased.

Total discoveries of crude oil in 2000 resulted mainly from exploration in the deepwater Gulf of Mexico Federal Offshore and the Alaskan North Slope. Operators replaced 115 percent of 2000 oil production with proved reserves additions (**Figure 15**).

#### **Proved Reserves**

**Table 6** presents the U.S. proved reserves of crude oil as of December 31, 2000, by selected States and State subdivisions.

Figure 15. Reserve Additions Replace 115% of 2000 U.S. Crude Oil Production.



Source: Energy Information Administration, Office of Oil and Gas.

**Figure 16** maps 2000 crude oil proved reserves by area. The following four areas account for 77 percent of U.S. crude oil proved reserves:

Area	Percent of U.S. Oil Reserves
Texas	24
Alaska	22
California	17
Gulf of Mexico Federal Offs	shore 14
Area Total	77

Of these four areas, only the Gulf of Mexico had an increase in crude oil proved reserves in 2000.

# **Discussion of Reserves Changes**

**Figure 17** maps the change in crude oil proved reserves from 1999 to 2000 by area. Here's how the top four areas fared compared to the total United States:

Area	Change in U.S. Oil Reserves (million barrels)
Texas	-66
Alaska	-39
California	-121
Gulf of Mexico Federal Offsl	hore +430
Area Total	+204
U.S. Total	+280

**Figure 2** in Chapter 2 shows the components of the changes in crude oil proved reserves for 2000 and the preceding 10 years.

#### **Total Discoveries**

Total discoveries are those new reserves attributable to extensions of existing fields, new field discoveries, and new reservoir discoveries in old fields. They result from the drilling of exploratory wells.

*Total discoveries* of crude oil were 1,291 million barrels in 2000, 78 percent more than those of 1999. Only five areas had *total discoveries* exceeding 30 million barrels:

 The Gulf of Mexico Federal Offshore had 702 million barrels of total discoveries, 54 percent of the National total.

Table 6. Crude Oil Proved Reserves, Reserves Changes, and Production, 2000 (Million Barrels of 42 U.S. Gallons)

	Changes in Reserves During 2000										
	Published Proved Reserves 12/31/99	Adjustments (+,-)	Revision Increases (+)	Revision Decreases (-)	Sales (–)	Acquisitions (+)	Extensions (+)	New Field Discoveries (+)	New Reservoir Discoveries in Old Fields (+)	Estimated	Proved Reserves 12/31/00
Alaska	4,900	-1	125	1	2,990	2,838	226	0	92	328	4,861
Lower 48 States	16,865	144	1,704	1,082	2,338	2,470	540	276	157	1,552	17,184
Alabama	49	-3	1	7	2	4	0	0	0	8	34
Arkansas	48	5	4	3	1	1	0	0	0	6	48
California	3,934	-21	294	235	29	62	76	0	0	268	3,813
Coastal Region Onshore	491	0	9	40	1	14	0	0	0	18	455
Los Angeles Basin Onshore	297	-22	44	18	4	4	7	0	0	16	292
San Joaquin Basin Onshore	2,949	13	211	177	24	44	69	0	0	215	2,870
State Offshore	197	-12	30	0	0	0	0	0	0	19	196
Colorado		-2	36	2	5	3	1	0	0	17	217
Florida	85	0	0	5	0	0	0	0	0	4	76
Illinois	100	21	6	8	24	25	1	0	0	10	111
Indiana	10	7	1	1	1	1	0	0	0	2	15
Kansas	175	75	30	21	17	16	9	1	0	31	237
Kentucky	24	2	1	2	0	1	0	0	0	a <sub>2</sub>	<sup>a</sup> 24
Louisiana	600	-12	75	103	66	63	16	19	12	75	529
North	108	6	17	21	3	4	1	0	0	15	97
South Onshore	384	-16	50	73	47	39	7	1	9	44	310
State Offshore	108	-2	8	9	16	20	8	18	3	16	122
Michigan	52	10	5	5	1	2	1	0	0	8	56
Mississippi	163	10	36	16	5	10	2	0	0	18	182
Montana	207	13	23	15	6	9	19	0	0	15	235
Nebraska	17	2	2	1	2	3	0	0	0	a <sub>3</sub>	<sup>a</sup> 18
New Mexico	718	-20	79	38	126	138	21	1	3	57	719
East	705	-20	77	37	125	138	19	1	3	56	705
West	13	0	2	1	1	0	2	0	0	1	14
North Dakota	262	1	34	14	11	21	8	0	0	31	270
Ohio	51	10	11	10	2	3	0	0	0	4	59
Oklahoma	621	31	60	41	30	11	15	0	0	57	610
Pennsylvania	16	0	1	1	8	7	1	0	0	1	15
Texas	5,339	-2	515	221	1,642	1,636	50	1	6	409	5,273
RRC District 1	66	34	6	9	4	3	0	0	0	9	87
RRC District 2 Onshore	53	5	5	4	19	20	1	0	0	7	54
RRC District 3 Onshore	221	5	39	30	11	11	10	1	1	34	213
RRC District 4 Onshore	42	1	5	9	2	2	1	0	0	6	34
RRC District 5	37	3	8	9	8	16	5	0	0	8	44
RRC District 6	245	11	16	14	33	15	1	0	1	29	213
RRC District 7B	123	-5	11	6	8	23	1	0	0	15	124
RRC District 7C	209	-11	24	13	9	20	4	0	0	18	206
RRC District 8	2,067	-25	204	69	394	392	20	0	4	126	2,073
RRC District 8A	2,089	-14	165	43	1,139	1,093	4	0	0	133	2,022
RRC District 9	123	-15	21	8	10	35	1	0	0	16	131
RRC District 10	61	6	11	7	4	5	2	0	0	7	67
State Offshore	. 3	3	0	0	1	1	0	0	0	1	5
Utah	268	11	9	11	3	20	3	0	0	14	283
West Virginia	21	-1	1	1	11	5	0	0	0	2	<sup>a</sup> 12
Wyoming		-1	49	34	26	33	4	0	0	54	561
Federal Offshore		6	429	286	320	396	312	254	136	454	3,770
Pacific (California)	553	1	79	6	20	24	0	0	0	35	596
Gulf of Mexico (Louisiana)		3	328	242	289	341	251	171	127	381	2,751
Gulf of Mexico (Texas)		2	22	38	11	31	61	83	9	38	423
Miscellaneous <sup>a</sup>	15	2	2	1	0	0	1	0	0	2	17
U.S. Total		143	1,829	1,083	5,328	5,308	766	276	249	1,880	22,045

Source: Energy Information Administration, Office of Oil and Gas.

a Indicates the estimate is associated with a sampling error (95 percent confidence interval) that exceeds 20 percent of the estimated value. b Includes Arizona, Missouri, Nevada, New York, South Dakota, Tennessee, and Virginia.

Note: The production estimates in this table are based on data reported on Form EIA-23, "Annual Survey of Domestic Oil and Gas Reserves." They may differ from the official Energy Information Administration production data for crude oil for 2000 contained in the Petroleum Supply Annual 2000, DOE/EIA-0340(00).

Figure 16. 2000 Crude Oil Proved Reserves by Area





Figure 17. Changes in Crude Oil Proved Reserves by Area, 1999 to 2000



Source: Energy Information Administration, Office of Oil and Gas.

- Alaska had 318 million barrels of total discoveries,
   25 percent of the National total.
- California had 76 million barrels of total discoveries, 6 percent of the National total.
- Texas had 57 million barrels of total discoveries, 4 percent of the National total.
- Louisiana had 47 million barrels of total discoveries, 4 percent of the National total.

The United States discovered an average of 753 million barrels of new crude oil proved reserves per year in the prior 10 years (1990 through 2000). *Total discoveries* in 2000 were 71 percent more than that average.

#### **Extensions**

Operators reported 766 million barrels of *extensions* in 2000. The highest volume of *extensions* was reported in the Gulf of Mexico Federal Offshore (312 million barrels). Operators in Alaska reported 226 million barrels of *extensions*. California was third with 76 million barrels, followed by Texas with 50 million barrels.

In the prior 10 years, U.S. operators reported an average of 407 million barrels of *extensions* per year. The 2000 *extensions* were almost twice that average.

#### **New Field Discoveries**

There were 276 million barrels of *new field discoveries* reported in 2000. Only five areas in the United States reported any *new field discoveries*, and only two contributed more than 1 percent to the total:

- Gulf of Mexico Federal Offshore (92 percent; 254 million barrels)
- Louisiana (7 percent; 19 million barrels).

In the prior 10 years, U.S. operators reported an average of 205 million barrels of reserves from *new field discoveries* per year. Reserves from *new field discoveries* in 2000 were 35 percent more than that average volume.

#### **New Reservoir Discoveries in Old Fields**

Operators in the United States reported 249 million barrels of crude oil reserves from *new reservoir discoveries in old fields* in 2000. As with *new field discoveries*, the most significant portion of the *new reservoir discoveries in old fields* came from the Gulf of Mexico Federal Offshore—136 million barrels or 55 percent of the total. Alaska had 92 million barrels (37)

percent). Louisiana had 12 million barrels (5 percent) and Texas had 6 million barrels (2 percent). In the prior 10 years, U.S. operators reported an average of 140 million barrels of reserves from *new reservoir discoveries in old fields* per year. Reserves from *new reservoir discoveries in old fields* in 2000 were 78 percent above that average.

#### **Revisions and Adjustments**

Thousands of positive and negative *revisions* to proved reserves occur each year as infill wells are drilled, well performance is analyzed, new technology is applied, or economic conditions change. *Adjustments* are the annual changes in the published reserve estimates that cannot be directly attributed to the estimates for other reserve change categories because of the survey and statistical estimation methods employed.

There were 1,829 million barrels of revision increases, 1,083 million barrels of revision decreases, and 143 million barrels of adjustments in 2000. Combined, there were 889 million barrels of net *revisions and adjustments* for crude oil in 2000.

#### **Sales and Acquisitions**

Sales represents that volume of crude oil proved reserves deducted from an operator's total by selling existing oil fields or properties to another operator (not a volume of production "sold" at the wellhead). Similarly, *acquisitions* are that volume of proved reserves added to an operator's total through purchase of an existing oil field or properties.

Fundamentally, tracking *sales* and *acquisitions* seems like an exercise in accounting, but it is not that simple. Since operators have different engineering staffs and resources, or different development plans or schedules, the estimate of proved reserves for a field can change with a change in ownership.

In 2000, there were 5,328 million barrels of sales transactions between operators, and 5,308 million barrels of acquisitions -- yielding a net difference of -20 million barrels in 2000. It is interesting to note that the volume of *sales* and *acquisitions* transactions is more than double that of *revision increases* and *decreases*.

#### **Production**

U.S. *production* of crude oil in 2000 was an estimated 1,880 million barrels. This volume does not include

lease condensate. This was 4 percent lower than 1999's production of 1,952 million barrels. U.S. crude oil *production* has declined nine years in a row. The Gulf of Mexico Federal Offshore remains the largest producing area in the United States in 2000 with 419 million barrels of production (22 percent of the National total). Texas and Alaska are second and third with 22 percent and 17 percent of the total, respectively. California is fourth with 14 percent.

In 2000, the Form EIA-23 National production estimates were 2 percent less than the comparable *Petroleum Supply Annual (PSA) 2000* volumes for crude oil and lease condensate production combined (2,131 million barrels).

# Areas of Note: Large Discoveries and Reserves Additions

The following State and area discussions summarize notable activities during 2000 concerning expected new field reserves, development plans, and possible production rates as reported in various trade publications. The citations do not necessarily reflect EIA's concurrence, but are considered important enough to be brought to the reader's attention.

The following areas were the major success stories for crude oil reserves and production for 2000.

#### **Gulf of Mexico Federal Offshore**

In 2000, the Gulf of Mexico Federal Offshore led the Nation in *total discoveries* of crude oil proved reserves – 702 million barrels of *total discoveries*, which is 55 percent of the National total.

■ Na Kika: On September 27, 2000, Shell Exploration & Production Company announced final approval to develop its Na Kika project, estimated to recover ultimately over 300 million barrels of oil equivalent. The Na Kika development will consist of six subsea production systems servicing satellite fields tied back to a centrally-located floating production facility, an industry first for the deepwater Gulf of Mexico. The host facility will be permanently moored in the Mississippi Canyon area. Initially, the Na Kika development will produce hydrocarbons from five fields: Ariel, East Anstey, Fourier, Herschel, and Kepler. Coulomb, a sixth field solely owned by Shell Exploration & Production Company, will be tied back to the

- host facility as production capacity becomes available. The fields are located in water depths ranging from 5,800 to 7,600 feet. {37}
- Tanzanite: On January 29, 2001, Anadarko Petroleum Corporation announced that it had recently begun production from the Tanzanite and Hickory fields, two sub-salt discoveries made in 1998 off the coast of Louisiana in the Gulf of Mexico. Tanzanite produces oil and gas, while Hickory is a gas field. The two fields began producing from one well each in the final week of December 2000. Currently Tanzanite is producing more than 10,000 barrels of oil and 23 million cubic feet (MMcf) of gas per day from the first completed well, the EI 346 A-1. A second well went on production in February 2001. Anadarko owns a 100 percent working interest in this field, which is located in Eugene Island Block 346 in 314 feet of water. With both wells on-line, oil production from the Tanzanite field is expected to reach 15,000 barrels per day, the platform's capacity for oil, plus about 50 MMcf per day of natural gas. Initially this field is expected to produce crude oil at high rates from the main reservoir, but oil production will decline over time and be replaced by rising natural gas production from the gas cap. The Tanzanite platform has the capacity to produce as much as 200 MMcf a day of gas.{38}
- Oregano and Serrano: On September 13, 2000, Shell Exploration and Production Company announced its plans to develop the Oregano and Serrano discoveries located in the Gulf of Mexico in 3,400 feet of water. A subsea production system, tied back to Shell's Auger tension-leg platform in 2,860 feet of water, will be used to develop the two discoveries. Each development is estimated to recover about 50 million barrels of oil equivalent. Reserves at Oregano are primarily oil, while Serrano's reserves are primarily gas. Although Serrano and Oregano are separate fields, the development activities are being executed through a single integrated plan. At each field Shell plans to initially complete two wells, set a flowline sled, and install a single 6-inch by 10-inch pipe-in-pipe insulated flowline which will tie back to Shell's Auger tension-leg platform. {39}

Corporation, to install a multi-purpose tension leg platform (TLP) for the Prince development prospect located in the Ewing Bank (EW) Block 958 unit in the Gulf of Mexico. After drilling a fourth well to a depth of 13,850 feet, El Paso Production Company believes that it has encountered over 200 feet of net hydrocarbon pay. Based on the results of this well and the expanded size and scope of the field development plan, El Paso Energy Partners will proceed with construction of the TLP. El Paso Energy Partners has initiated construction of the TLP under its contract with Modec International LLC, a jointly owned company of FMC Corporation and Mitsui group. The TLP will be installed in 1,500 feet of water, and will be capable of handling up to 50,000 barrels of oil per day and 80 million cubic feet of natural gas per day. Delivery of the platform is planned for April 2001, with first production from the Prince development estimated in June 2001.{40}

#### Other Gain Areas

**Kansas:** Kansas' proved oil reserves increased by 35 percent (62 million barrels). A year 2000 adjustment of 75 million barrels mostly offsets a negative adjustment of -97 million barrels applied in 1999.

**Pacific Federal Offshore:** The proved oil reserves in the Pacific Federal Offshore increased by 8 percent (43 million barrels) in 2000 compared to 1999.

**Montana:** Montana's proved oil reserves increased by 14 percent (28 million barrels).

# Areas of Note: Large Reserves Declines

The following areas had large declines in crude oil proved reserves due to downward revisions or unreplaced production.

#### California

California's crude oil proved reserves declined 121 million barrels in 2000. California was third in the Nation with *extensions* (76 million barrels) in 2000, but this did not offset California's oil production—an estimated 268 million barrels in 2000. California's production declined 4 percent from its 1999 level (279 million barrels production).

#### Louisiana

Louisiana's crude oil proved reserves declined 12 percent (71 million barrels) in 2000. Operators also reported a production decline of 14 percent (12 million barrels) from 1999.

#### **Texas**

There was a net decline of 66 million barrels of crude oil proved reserves in Texas in 2000. Texas' production declined less than 2 percent from its 1999 level.

#### Other Decline Areas

In the following areas of the United States, development of existing or new oil fields was outpaced by crude oil production.

**Alaska:** Proved oil reserves decreased by 1 percent (39 million barrels).

**Wyoming:** Proved oil reserves decreased by 5 percent (29 million barrels).

# Reserves in Nonproducing Reservoirs

Not all proved reserves of crude oil were contained in reservoirs that were producing. Operators reported 4,019 million barrels of proved reserves in nonproducing reservoirs, 4 percent less than reported in 1999 (4,206 million barrels). Nonproducing crude oil reserves (not including lease condensate) are listed in **Table 7**.

Nonproducing reserves are those waiting for well workovers, drilling additional development or replacement wells, installing production or pipeline facilities, and awaiting depletion of other zones or reservoirs before recompletion in reservoirs not currently open to production.

Table 7. Reported Reserves in Nonproducing Reservoirs for Crude Oil, 2000 <sup>a</sup> (Million Barrels of 42 U.S. Gallons)

State and Subdivision	Nonproducing Crude Oil Reserves	State and Subdivision	Nonproducing Crude Oill Reserves
Alaska	511	North Dakota	29
Lower 48 States	3.508	Ohio	10
Alabama	2	Oklahoma	111
Arkansas	7	Pennsylvania	1
California	464	Texas	750
Coastal Region Onshore		RRC District 1	12
Los Angeles Basin Onshore		RRC District 2 Onshore	9
San Joaquin Basin Onshore	234	RRC District 3 Onshore	34
State Offshore	32	RRC District 4 Onshore	8
Colorado	49	RRC District 5	6
Florida	49	RRC District 6	9
	9	RRC District 7B	5
Illinois	0	RRC District 7C	34
IndianaKansas.	13	RRC District 8	280
		RRC District 8A	335
Kentucky	0	RRC District 9	11
Louisiana	204	RRC District 10	7
North	31	State Offshore	0
South Onshore	123	Utah	91
State Offshore	50	Virginia	0
Michigan	4	West Virginia	0
Mississippi	38	Wyoming	63
Montana	36	Federal Offshore	1,531
Nebraska	0	Pacific (California)	42
New Mexico	91	Gulf of Mexico (Louisiana)	1,267
East	91	Gulf of Mexico (Texas)	222
West	0	Miscellaneous b	1
New York	0	U.S. Total	4,019

<sup>&</sup>lt;sup>a</sup>Includes only those operators who produced 400,000 barrels of crude oil or 2 billion cubic feet of natural gas, or both, during the report year (Category I or Category II operators).

<sup>b</sup>Includes Arizona, Missouri, Nevada, South Dakota, and Tennessee.

Source: Form EIA-23, "Annual Survey of Domestic Oil and Gas Reserves," 2000.

# 4. Natural Gas Statistics

# **Dry Natural Gas**


#### **Proved Reserves**

As of December 31, 2000, U.S. operators had 177,427 billion cubic feet of dry natural gas reserves. This was a 6 percent increase from the 1999 dry natural gas reserves and the largest increase since EIA has been reporting estimates of the Nation's proved gas reserves (**Table 8**). All natural gas proved reserves data shown in this report exclude natural gas held in underground storage.

Most of the reserve increases were in Texas, New Mexico, Colorado, Wyoming, and Utah. Oklahoma and the Gulf of Mexico, which had significant gas reserves declines in 1999, rebounded in 2000.

Additions to dry gas reserves in 2000 were 29,240 billion cubic feet, up 31 percent compared to 1999. Operators replaced 152 percent of dry gas production (**Figure 18**). U.S. *total discoveries* of dry natural gas

Figure 18. Reserve Additions Replace 152% of 2000 U.S. Dry Natural Gas Production.



Source: Energy Information Administration, Office of Oil and Gas.

reserves were 19,138 billion cubic feet in 2000, up 77 percent from 1999 (10,807 billion cubic feet).

Proved reserves by State are shown on the map in **Figure 19**. Six areas account for 71 percent of the Nation's dry natural gas proved reserves:

Area	Percent of U.S. Gas Reserves
Texas	23.7
Gulf of Mexico Federal Offshore	14.8
New Mexico	9.8
Wyoming	9.1
Oklahoma	7.7
Colorado	5.9
Area Total	71.0

In all six areas, dry natural gas proved reserves increased in 2000.

#### **Discussion of Reserves Changes**

**Figure 20** maps the change in dry gas proved reserves from 1999 to 2000 by area. Here's how the top six areas fared, compared to the total United States:

Area	Change in U.S. Gas Reserves (billion cubic feet)
Texas	+1,925
Gulf of Mexico Federal Offshor	re +721
New Mexico	+1,873
Wyoming	+1,932
Oklahoma	+1,156
Colorado	+1,441
Area Total	+9,048
U.S. Total	+10,021

**Figure 4** in Chapter 2 shows the components of change in dry natural gas proved reserves for 2000 and the preceding 10 years.

#### **Discoveries**

Total discoveries are those reserves attributable to field extensions, new field discoveries, and new reservoir discoveries in old fields; they result from drilling

Table 8. Dry Natural Gas Proved Reserves, Reserves Changes, and Production, 2000

(Billion Cubic Feet at 14.73 psia and 60° Fahrenheit)

		Changes in Reserves During 2000									
	Published								New Reservoir		
	Proved	Adjustments	Revision	Revision Decreases	Sales	Acquisitions	Extensions	New Field Discoveries	Discoveries in Old Fields		Proved Reserves
State and Subdivision	12/31/99	(+,-)	(+)	( <del>-</del> )	(–)	(+)	(+)	(+)	(+)	( <del>-</del> )	12/31/00
Alaska	9.734	23	300	2,093	4,531	4,348	1,949	0	13	506	9,237
Lower 48 States	-, -	-914	22,888	14,133	15,847	20,061	12,838	1,983	2,355	18,713	168,190
Alabama		-56	74	69	140	237	175	0	0	359	4,149
Arkansas		-3	207	48	336	343	14	0	16	154	1,581
California	,	-72	733	121	51	131	112	7	5	282	2,849
Coastal Region Onshore		30	14	14	0	22	0	0	0	10	234
Los Angeles Basin Onshore	168	-7	51	16	0	0	5	0	0	8	193
San Joaquin Basin Onshore		-79	629	91	51	109	107	7	5	256	2,331
State Offshore		-16	39	0	0	0	0	0	0	8	2,331
Colorado		-88	1,825	360	1,049	1,598	274	0	0	759	10,428
	,		1,023	0			0	0	0	6	82
Florida		4	262		0 190	0 170	58	3	0	491	
Kansas		84		350				ა 5	27		5,299
Kentucky		-4	363	77	432	508	2			67	1,760
Louisiana		-107	1,645	1,277	597	758 277	596	45	377	1,443	9,239
North		-20	459	298	138	277	301	6	16	384	3,298
South Onshore		-154	1,079	852	374	383	228	21	311	932	5,245
State Offshore		67	107	127	85	98	67	18	50	127	696
Michigan		217	422	176	479	665	143	15	0	333	2,729
Mississippi		-20	84	39	96	35	53	1	1	78	618
Montana		13	130	133	9	12	57	0	41	67	885
New Mexico		18	1,748	684	649	1,087	1,836	11	14	1,508	17,322
East		-221	641	322	387	587	625	11	13	447	3,537
West	,	239	1,107	362	262	500	1,211	0	1	1,061	13,785
New York		59	29	12	1	6	20	10	5	15	322
North Dakota		21	43	15	7	9	3	0	5	42	433
Ohio		1	243	156	124	115	4	0	2	79	1,185
Oklahoma		424	2,498	1,331	1,243	1,325	894	20	42	1,473	13,699
Pennsylvania		-194	417	184	124	160	11	0	0	117	1,741
Texas		-1,036	5,797	4,054	4,402	5,873	3,782	303	734	5,072	42,082
Texas RRC District 1	1,008	34	107	62	167	132	32	33	1	86	1,032
Texas RRC District 2 Onshore.	1,881	262	411	533	284	362	176	14	52	361	1,980
Texas RRC District 3 Onshore.	3,913	-102	659	437	190	360	388	88	77	883	3,873
Texas RRC District 4 Onshore.	8,915	122	1,039	1,095	930	1,378	1,032	95	378	1,289	9,645
Texas RRC District 5	2,319	-138	293	222	32	474	738	10	29	303	3,168
Texas RRC District 6	5,857	-251	817	367	280	431	319	5	20	575	5,976
Texas RRC District 7B	416	-160	74	21	31	73	2	13	1	55	312
Texas RRC District 7C	3,178	-437	498	150	350	835	225	0	1	296	3,504
Texas RRC District 8	5,434	-168	864	561	989	1,022	169	4	160	547	5,388
Texas RRC District 8A	1,257	122	197	47	937	594	2	0	0	87	1,101
Texas RRC District 9	1,137	-53	142	21	10	83	492	0	0	144	1,626
Texas RRC District 10	4,424	-273	597	467	145	93	191	41	4	386	4,079
State Offshore	418	6	99	71	57	36	16	0	11	60	398
Utah	3,213	4	177	110	568	1,464	266	0	15	226	4,235
Virginia	2,017	-10	65	295	28	17	0	0	9	71	1,704
West Virginia	2,936	-99	668	390	875	798	5	0	33	176	2,900
Wyoming		-20	1,339	753	1,780	1,720	2,486	8	2	1,070	16,158
Federal Offshore <sup>a</sup>	25,987	-28	4,112	3,495	2,663	3,027	2,045	1,555	1,027	4,819	26,748
Pacific (California)		15	86	16	12	13	0	0	0	46	576
Gulf of Mexico (Louisiana) <sup>a</sup>	19,598	-232	3,211	2,746	2,118	2,247	1,393	1,234	827	3,626	19,788
Gulf of Mexico (Texas)	5,853	189	815	733	533	767	652	321	200	1,147	6,384
Miscellaneous <sup>b</sup>	66	-22	7	4	4	3	2	0	0	<sup>c</sup> 6	c <sub>42</sub>
U.S. Total		-891	23,188	16,226	20,378	24,409	14,787	1,983	2,368	19,219	177,427
	,			• -	,	,	, -	,	,		

Source: Energy Information Administration, Office of Oil and Gas.

<sup>&</sup>lt;sup>a</sup>Includes Federal offshore Alabama. <sup>b</sup>Includes Arizona, Illinois, Indiana, Maryland, Missouri, Nebraska, Nevada, Oregon, South Dakota, and Tennessee.

CIndicates the estimate is associated with a sampling error (95 percent confidence interval) that exceeds 20 percent of the estimated value. Note: The production estimates in this table are based on data reported on Form EIA-23, "Annual Survey of Domestic Oil and Gas Reserves," and Form EIA-64A, "Annual Report of the Origin of Natural Gas Liquids Production." They may differ from the official Energy Information Administration production data for natural gas for 2000 contained in the *Natural Gas Annual 2000*, DOE/EIA-0131(00).

Figure 19. 2000 Dry Natural Gas Proved Reserves by Area





Figure 20. Changes in Dry Natural Gas Proved Reserves by Area, 1999 to 2000



Source: Energy Information Administration, Office of Oil and Gas.

exploratory wells. *Total discoveries* of dry natural gas reserves were 19,138 billion cubic feet in 2000, a 77 percent increase from the level reported in 1999. About 25 percent of the *total discoveries* were in Texas, 24 percent were in the Gulf of Mexico Federal Offshore, 13 percent were in Wyoming, and 10 percent were in Alaska.

*Extensions* were 14,787 billion cubic feet, more than twice the volume of 1999 and the prior 10-year average (7,119 billion cubic feet). Areas with the largest *extensions* and their percentage of total *extensions* were:

- Texas had 3,782 billion cubic feet of extensions (26 percent of the total)
- Wyoming had 2,486 billion cubic feet (17 percent)
- Gulf of Mexico Federal Offshore had 2,045 billion cubic feet (14 percent)
- Alaska had 1,949 billion cubic feet (13 percent)
- New Mexico had 1,836 billion cubic feet (12 percent)
- Oklahoma had 894 billion cubic feet (6 percent).

New field discoveries were 1,983 billion cubic feet in 2000—26 percent more than in 1999. The areas with the largest new field discoveries were the Gulf of Mexico Federal Offshore (with 1,555 billion cubic feet of new field discoveries, 78 percent of the total), Texas (303 billion cubic feet, 15 percent), and Lousiana (45 billion cubic feet, 2 percent). In the prior 10 years, U.S. operators reported an average of 1,473 billion cubic feet of reserves from new field discoveries per year. Reserves from new field discoveries in 2000 were 35 percent higher than that average.

New reservoir discoveries in old fields were 2,368 billion cubic feet, 8 percent higher than 1999. Among the areas with the largest *new reservoir discoveries in old fields* and their percentage of the total were:

- Gulf of Mexico Federal Offshore (1,027 billion cubic feet, 43 percent)
- Texas (734 billion cubic feet, 31 percent)
- Louisiana (377 billion cubic feet, 16 percent).

In the prior 10 years, U.S. operators reported an average of 2,339 billion cubic feet of reserves from *new* reservoirs discovered in old fields per year. Reserves from new reservoirs discovered in old fields in 2000 were 1 percent higher than that average.

#### **Revisions and Adjustments**

There were 23,188 billion cubic feet of *revision increases*, 16,226 billion cubic feet of *revision decreases*, and -891 billion cubic feet of *adjustments* in 2000. Combined, there were 6,071 billion cubic feet of net revisions and adjustments in 2000, excluding reserves additions from net *sales* and *acquisitions*.

#### Sales and Acquisitions

Sales represents that volume of dry natural gas proved reserves deducted from an operator's total through sale of an existing gas field or properties to another operator (not a volume of production "sold" at the wellhead). Similarly, *acquisitions* are that volume of proved reserves added to an operator's total by purchase of an existing gas field or properties.

In 2000, there were 20,378 billion cubic feet of sales transactions between operators, and 24,409 billion cubic feet of acquisitions. The net difference of 4,031 billion cubic feet was added to the National total of dry natural gas reserves in 2000.

#### **Production**

The estimated 2000 U.S. dry natural gas production was 19,219 billion cubic feet, an increase of almost 2 percent from 1999 (**Table 8**). Areas with the largest production and their percentage of total *production* were:

- Texas had 5,072 billion cubic feet of production (26 percent of the total)
- Gulf of Mexico Federal Offshore had 4,773 billion cubic feet (25 percent)
- New Mexico had 1,508 billion cubic feet (8 percent)
- Oklahoma had 1,473 billion cubic feet (8 percent)
- Louisiana had 1,443 billion cubic feet (8 percent)
- Wyoming had 1,070 billion cubic feet (6 percent).

#### **Wet Natural Gas**

U. S. proved reserves of wet natural gas as of December 31, 2000 were 186,510 billion cubic feet, a 6 percent increase from the volume reported in 1999 (**Table 9**). At year-end 2000, proved wet natural gas reserves for the lower 48 States had increased by 7 percent compared to 1999, while those of Alaska had decreased by 5 percent.

Table 9. Natural Gas Proved Reserves, Reserves Changes, and Production, Wet After Lease Separation, 2000 (Billion Cubic Feet at 14.73 psia and 60° Fahrenheit)

						Changes in	Reserves	During 2000			
State and Subdivision	Published Proved Reserves 12/31/99	Adjustments		Revision Decreases	Sales	•		New Field Discoveries		Estimated Production	Proved Reserves 12/31/00
		(+,-)	(+)	(-)	(-)	(+)	(+)	(+)	(+)	(-)	
Alaska		-1	301	2,118	4,583	4,398	1,976	0	13	510	9,331
Lower 48 States	,	-1,294	24,093	14,820	16,772	21,243	13,574	2,055	2,450	19,654	177,179
Alabama		-23	79	70	151	256	184	0	0	371	4,269
Arkansas		-3	208	49	337	343	14	0	16	154	1,584
California		-103	758	126	53	136	116	7	5	293	2,952
Coastal Region Onshore		0	14	15	0	23	0	0	0	11	244
Los Angeles Basin Onshore		-3	54	17	0	0	5	0	0	9	204
San Joaquin Basin Onshore .		-83	651	94	53	113	111	7	5	265	2,413
State Offshore		-17	39	0	0	0	0	0	0	8	91
Colorado		-125	1,897	374	1,090	1,661	285	0	0	789	10,837
Florida		0	0	0	0	0	0	0	0	7	93
Kansas		10	281	375	204	182	63	3	0	526	5,682
Kentucky		-36	379	80	451	530	2	5	28	70	1,837
Louisiana		-239	1,697	1,318	616	781	612	48	391	1,490	9,512
North		-25	465	302	140	281	305	7	16	390	3,344
South Onshore	,	-271 -7	1,121	885	388	398	237	22	323	968	5,447
State Offshore		57	111	131	88	102	70	19	52 0	132	721
Michigan		198	428	179	486	676	146	15		339	2,772
Mississippi		-21	84	39	96	35	53	1	1	79	620
Montana		10	131	134	9	12	58	0 12	41	68	892
New Mexico		-249	1,890	745	714	1,191	1,981		16	1,623	18,509
East		-182 67	725	364	438	664	706	12 0	15	506	3,998
West		-67 50	1,165 29	381	276 1	527 6	1,275		1 5	1,117 15	14,511 322
New York		59 16	48	12 17	7	10	20 4	10 0	5	47	487
Ohio		2	244	157	124	115	4	0	2	79	1,186
Oklahoma		278	2,652	1,414	1,319	1,406	949	21	44	1,564	14,543
Pennsylvania		-211	419	1,414	1,319	1,406	11	0	0	1,364	1,740
Texas		-1,155	6,267	4,332	4,810	6,397	4,039	319	780	5,436	45,419
Texas RRC District 1		-1,133	115	4,332	179	142	35	35	1	92	1,106
Texas RRC District 2 Onshore	,	242	424	551	293	374	181	14	53	373	2,045
Texas RRC District 3 Onshore	,	-154	687	456	198	376	405	92	80	922	4,042
Texas RRC District 4 Onshore	,	128	1,090	1,148	976	1,446	1,083	100	396	1,352	10,118
Texas RRC District 5	,	-136	298	226	32	481	750	100	30	308	3,217
Texas RRC District 6	,	-135	870	391	298	459	339	5	21	612	6,365
Texas RRC District 7B	,	-172	85	24	36	84	2	14	1	63	356
Texas RRC District 7C		-359	587	177	412	984	265	0	1	350	4,132
Texas RRC District 8	,	-125	983	639	1,126	1,164	193	5	182	623	6,136
Texas RRC District 8A		-35	218	52	1,034	655	2	0	0	96	1,215
Texas RRC District 9	,	-124	162	24	11	95	560	0	0	164	1,854
Texas RRC District 10	4,688	-176	649	507	158	101	208	44	4	420	4,433
State Offshore	,	8	99	71	57	36	16	0	11	61	400
Utah		26	187	117	600	1,546	281	0	16	238	4,472
Virginia		-10	65	295	28	17	0	0	9	71	1,704
West Virginia		-67	697	407	913	833	6	0	34	184	3,062
Wyoming		324	1,426	802	1,896	1,832	2,648	8	2	1,140	17,211
Federal Offshore <sup>a</sup>		60	4,220	3,590	2,737	3,106	2,096	1,606	1,055	4,947	27,467
Pacific (California)		15	86	16	12	13	0	0	0	46	576
Gulf of Mexico (Louisiana) <sup>a</sup>		-147	3,314	2,836	2,188	2,321	1,440	1,283	854	3,747	20,466
Gulf of Mexico (Texas)		192	820	738	537	772	656	323	201	1,154	6,425
Miscellaneous b	. 67	-23	7	4	5	4	2	0	0	c <sub>6</sub>	°42
U.S. Total		-1,295	24,394	16,938	21,355	25,641	15,550	2,055	2,463	20,164	186,510
		.,200	2-1,007	. 0,000	2.,000	20,071	.0,000	2,555	2,700	20,107	

Note: The prouction estimates in this table are based on data reported on Form EIA-23, "Annual Survey of Domestic Oil and Gas Reserves." They may differ from the official Energy Information Administration production data for natural gas for 2000 contained in the Natural Gas Annual 2000, DOE/EIA-0131(00).

alncludes Federal offshore Alabama.
blincludes Arizona, Illinois, Indiana, Maryland, Missouri, Nebraska, Nevada, Oregon, South Dakota, and Tennessee.
clindicates the estimate is associated with a sampling error (95 percent confidence interval) that exceeds 20 percent of the estimated value.

Table 10. Nonassociated Natural Gas Proved Reserves, Reserves Changes, and Production, Wet After Lease Separation, 2000 (Billion Cubic Feet at 14.73 psia and 60° Fahrenheit)

			Changes in Reserves During 2000									
	Published Proved Reserves 12/31/99	Adjustments (+,-)	Revision Increases (+)	Revision Decreases (-)	Sales (-)	Acquisitions (+)	Extensions (+)	New Field Discoveries (+)	New Reservoir Discoveries in Old Fields (+)	Estimated	Proved Reserves 12/31/00	
Alaska	2,646	145	224	249	842	825	0	0	13	198	2,564	
Lower 48 States		-816	20,281	12,145	13,594	18,226	12,866	1,664	2,198	16,665	154,113	
Alabama	4,338	-23	78	68	149	246	184	0	0	365	4,241	
Arkansas	1,505	-2	204	48	337	343	14	0	16	150	1,545	
California	355	58	371	38	4	63	19	5	5	80	754	
Coastal Region Onshore	0	0	0	0	0	0	0	0	0	0	0	
Los Angeles Basin Onshore	0	0	1	0	0	0	0	0	0	0	1	
San Joaquin Basin Onshore	336	72	369	38	4	63	19	5	5	79	748	
State Offshore	19	-14	1	0	0	0	0	0	0	1	5	
Colorado	8,591	-81	1,591	362	1,074	1,655	282	0	0	725	9,877	
Florida	0	0	0	0	0	0	0	0	0	0	0	
Kansas	6,196	16	274	366	202	181	58	3	0	519	5,641	
Kentucky	1,501	-35	379	80	451	530	2	5	28	69	1,810	
Louisiana	8,667	-193	1,498	1,072	539	702	584	36	369	1,348	8,704	
North	2,867	-1	416	236	138	279	304	6	12	351	3,158	
South Onshore	5,259	-253	1,006	736	325	340	221	21	308	887	4,954	
State Offshore	541	61	76	100	76	83	59	9	49	110	592	
Michigan	2,086	165	410	152	473	664	143	15	0	300	2,558	
Mississippi	650	-22	78	32	92	25	49	1	1	73	585	
Montana	784	10	121	125	6	6	53	0	41	62	822	
New Mexico	15,172	-194	1,611	602	473	862	1,932	8	6	1,400	16,922	
East		-108	461	230	200	338	666	8	5	294	2,526	
West	,	-86	1,150	372	273	524	1,266	0	1	1,106	14,396	
New York	212	67	28	12	1	5	20	10	5	14	320	
North Dakota	225	4	4	2	1	1	0	0	5	13	223	
Ohio	777	-9	126	117	100	84	3	0	1	48	717	
Oklahoma		312	2,458	1,262	1,221	1,312	931	16	44	1,412	13,430	
Pennsylvania		-226	358	167	122	160	3	0	0	107	1,583	
Texas		-953	5,184	3,406	2,947	4,853	3,904	312	745	4,577	38,585	
Texas RRC District 1	1,165	-116	102	64	156	121	34	35	1	85	1,037	
Texas RRC District 2 Onshore.	1,772	216	397	455	257	352	178	13	51	337	1,930	
Texas RRC District 3 Onshore.	3,218	-90	565	315	179	347	375	90	79	686	3,404	
Texas RRC District 4 Onshore.	9,169	127	1,054	1,123	972	1,440	1,082	99	396	1,330	9,942	
Texas RRC District 5	2,301	-137	272	219	21	423	739	9	1	279	3,089	
Texas RRC District 6	,	-129	850	329	272	443	337	4	21	586	5,901	
Texas RRC District 7B	275	-84	63	16	31	62	2	14	1	44	242	
Texas RRC District 7C	, -	-359	456	121	370	886	243	0	1	274	3,439	
Texas RRC District 8	2,947	-42	609	206	483	565	147	4	179	375	3,345	
Texas RRC District 8A	44	-10	37	5	3	13	0	0	0	7	69	
Texas RRC District 9		-123	107	16	7	73	559	0 44	0	128	1,645	
Texas RRC District 10	4,447	-213	573	468	142	92	192		4	386	4,143	
State Offshore		7	99	69 105	54 507	36 4 539	16	0	11	60	399	
	,	34	144	105	597	1,528	273	0	16	218	4,125	
Virginia		-10	65 670	295	28	17	0	0 0	9	71 179	1,704	
West Virginia		-77 324	670 1 366	380 759	900 1.876	803 1.804	5 2,644	8	34 2	178 1.050	2,929 16,550	
Federal Offshore <sup>a</sup>			1,366		1,876	1,804			871	1,050	16,559	
Pacific (California)		11	3,259	2,695	2,001	2,382	1,761 0	1,245		3,882	20,456	
Gulf of Mexico (Louisiana) <sup>a</sup>		14	19	0	1 576	1 666		1 093	0	5 2.005	76 15 250	
Gulf of Mexico (Louisiana) Gulf of Mexico (Texas)		-188 185	2,522	2,065	1,576	1,666 716	1,179 582	1,083	684 197	2,905	15,350	
Miscellaneous b		185 8	718 4	630 0	425 0	716 0	582 2	162 0	187 0	972 4	5,030 23	
U.S. Total		-671	20,505	12,394	14,436	19,051	12,866	1,664	<b>2,211</b>	16,863	156,677	

<sup>&</sup>lt;sup>a</sup>Includes Federal offshore Alabama.
<sup>b</sup>Includes Arizona, Illinois, Indiana, Maryland, Missouri, Nebraska, Nevada, Oregon, South Dakota, and Tennessee.

Note: The prouction estimates in this table are based on data reported on Form EIA-23, "Annual Survey of Domestic Oil and Gas Reserves." They may differ from the official Energy Information Administration production data for natural gas for 2000 contained in the *Natural Gas Annual 2000*, DOE/EIA-0131(00).

Table 11. Associated-Dissolved Natural Gas Proved Reserves, Reserves Changes, and Production, 2000 (Billion Cubic Feet at 14.73 psia and 60° Fahrenheit)

		Changes in Reserves During 2000									
	Published Proved Reserves 12/31/99	Adjustments	Revision Increases (+)	Revision Decreases (-)	Sales (-)	Acquisitions (+)	Extensions (+)	New Field Discoveries (+)	New Reservoir Discoveries in Old Fields (+)	Estimated	Proved Reserves 12/31/00
Alaska		-145 <b>-460</b>	77 <b>3,807</b>	1,869 <b>2,677</b>	3,741 <b>3,180</b>	3,573 <b>3,013</b>	1,976 <b>707</b>	0 <b>387</b>	0 <b>249</b>	312 <b>2,987</b>	6,768 <b>23,065</b>
Alabama	,	- <del>400</del>	3,807 1	2,077	3,100	10	0	0	0	<b>2,367</b>	23,003
Arkansas		-1	4	1	0	0	0	0	0	4	39
California		-160	387	89	49	72	97	2	0	212	2,198
Coastal Region Onshore	,	-100	14	15	0	23	0	0	0	10	2,190
Los Angeles Basin Onshore		-3	53	17	0	0	5	0	0	9	203
San Joaquin Basin Onshore		-153	282	57	49	49	92	2	0	186	1,665
State Offshore		-3	38	0	0	0	0	0	0	7	86
Colorado		-43	306	12	17	6	3	0	0	64	960
Florida		0	0	0	0	0	0	0	0	7	93
Kansas		-6	7	9	2	1	4	0	0	7	40
Kentucky		-1	0	0	0	0	0	0	0	1	27
Louisiana		-45	199	248	77	80	28	11	22	142	807
North		-23	49	67	2	3	1	0	4	39	186
South Onshore		-18	115	149	63	58	16	1	15	82	492
State Offshore		-4	35	32	12	19	11	10	3	21	129
Michigan		33	18	27	13	12	3	0	0	39	214
Mississippi		-1	6	7	3	11	4	0	0	6	35
Montana		1	9	10	2	6	5	0	0	6	70
New Mexico		-54	279	143	240	329	49	4	9	223	1,588
East		-72	264	134	238	326	40	4	9	212	1,473
West	,	18	15	9	2	3	9	0	0	11	115
New York		-8	0	0	0	1	0	0	0	0	2
North Dakota		14	44	16	7	9	4	0	0	34	264
Ohio		11	118	40	24	31	2	0	0	31	469
Oklahoma		-36	194	152	98	95	18	5	1	152	1,113
Pennsylvania		21	61	17	3	3	7	0	0	11	157
Texas		-196	1,080	926	1,865	1,544	136	5	33	858	6,833
Texas RRC District 1	67	-1	13	2	22	21	0	0	0	7	69
Texas RRC District 2 Onshore.	202	25	27	95	36	22	3	1	2	36	115
Texas RRC District 3 Onshore.	914	-64	123	142	20	30	30	2	1	236	638
Texas RRC District 4 Onshore.	182	2	36	25	4	6	1	0	0	22	176
Texas RRC District 5	49	3	25	7	11	58	11	1	28	29	128
Texas RRC District 6	545	-5	20	62	26	16	3	0	0	27	464
Texas RRC District 7B	190	-88	21	8	5	22	1	0	0	19	114
Texas RRC District 7C	616	1	130	56	43	98	23	0	0	76	693
Texas RRC District 8	3,175	-81	375	433	643	598	45	1	2	248	2,791
Texas RRC District 8A	1,513	-24	180	47	1,030	642	1	0	0	89	1,146
Texas RRC District 9	180	-1	54	8	5	22	2	0	0	35	209
Texas RRC District 10	241	36	76	39	16	9	16	0	0	34	289
State Offshore	6	1	0	2	4	0	0	0	0	0	1
Utah	321	-8	42	11	3	19	8	0	0	20	348
Virginia	0	0	0	0	0	0	0	0	0	0	0
West Virginia	88	0	27	26	14	29	0	0	0	6	98
Wyoming		0	60	43	20	28	4	0	0	90	652
Federal Offshore <sup>a</sup>	7,093	49	962	894	736	723	335	360	184	1,066	7,010
Pacific (California)		1	67	16	12	13	0	0	0	41	500
Gulf of Mexico (Louisiana) <sup>a</sup>		41	792	770	612	654	261	199	170	842	5,115
Gulf of Mexico (Texas)	1,383	7	103	108	112	56	74	161	14	183	1,395
Miscellaneous <sup>b</sup>	54	-31	3	4	5	4	0	0	0	2	19
U.S. Total	31,415	-605	3,884	4,546	6,921	6,586	2,683	387	249	3,299	29,833

alncludes Federal offshore Alabama.
blincludes Arizona, Illinois, Indiana, Maryland, Missouri, Nebraska, Nevada, Oregon, South Dakota, and Tennessee.

Note: The production estimates in this table are based on data reported on Form EIA-23, "Annual Survey of Domestic Oil and Gas Reserves." They may differ from the official Energy Information Administration production data for natural gas for 2000 contained in the *Natural Gas Annual 2000*, DOE/EIA-0131(00).

The volumetric differences between the estimates reported in **Table 8** (dry) and **Table 9** (wet) result from the removal of natural gas liquids at natural gas processing plants. A discussion of the methodology used to generate wet and dry natural gas reserves tables in this report appears in Appendix F.

#### **Nonassociated Natural Gas**

#### **Proved Reserves**

Proved reserves of nonassociated (NA) natural gas, wet after lease separation, in the United States increased by 8 percent (11,933 billion cubic feet) in 2000 to 156,677 billion cubic feet (**Table 10**). The lower 48 States' NA wet natural gas proved reserves increased 8 percent to a level of 154,113 billion cubic feet, while Alaska had a 3 percent decline to a level of 2,564 billion cubic feet of NA wet natural gas proved reserves in 2000. Those States with the largest increases in NA wet natural gas reserves were Texas, Wyoming, New Mexico, Colorado, and Oklahoma.

#### **Discoveries**

NA wet natural gas *total discoveries* of 16,741 billion cubic feet in 2000 increased 69 percent compared to 1999's total of 9,884 billion cubic feet. Areas with the most *total discoveries* in 2000 were Texas (4,961 billion cubic feet), the Gulf of Mexico Federal Offshore (3,877 billion cubic feet), Wyoming (2,654 billion cubic feet), and New Mexico (1,946 billion cubic feet).

#### **Production**

U.S. production of NA wet natural gas increased 2 percent from an estimated 16,543 billion cubic feet in 1999 to 16,863 billion cubic feet in 2000. The five leading producing areas were: Texas (27 percent), the Gulf of Mexico Federal Offshore (23 percent), Oklahoma (8 percent), New Mexico (8 percent), and Louisiana (8 percent).

#### Associated-Dissolved Natural Gas

#### **Proved Reserves**

Proved reserves of associated-dissolved (AD) natural gas, wet after lease separation, in the United States declined 5 percent (-1,582 billion cubic feet) to 29,833

billion cubic feet in 2000 (**Table 11**). Proved reserves of AD wet natural gas in the lower 48 States decreased by 5 percent (-1,141 billion cubic feet) to 23,065 billion cubic feet, and in Alaska declined 6 percent (-441 billion cubic feet) to 6,768 billion cubic feet in 2000. Those areas of the country with the largest AD wet natural gas reserves and their percentage of the total were:

- Texas (23 percent)
- Alaska (23 percent)
- Gulf of Mexico Federal Offshore (22 percent)
- California (7 percent)
- New Mexico (5 percent).

These areas logically correspond to the areas of the country with the largest volumes of crude oil reserves.

#### **Production**

U.S. production of AD wet natural gas decreased slightly from an estimated 3,313 billion cubic feet in 1999 to 3,299 billion cubic feet in 2000 (**Table 11**). Production of AD wet natural gas in the lower 48 States decreased from 3,050 billion cubic feet to 2,987 billion cubic feet in 2000, a decline of 2 percent. Those areas of the country with the largest AD wet natural gas production and their percentage of the total were:

- Gulf of Mexico Federal Offshore (31 percent)
- Texas (26 percent)
- Alaska (9 percent)
- New Mexico (7 percent)
- California (6 percent).

Again, these areas logically correspond to the areas of the country with the largest volumes of crude oil production.

#### **Coalbed Methane**

#### **Proved Reserves**

In 2000, proved reserves of coalbed methane increased to 15,708 billion cubic feet, a 19 percent increase from 1999's level (13,229 billion cubic feet). Coalbed methane accounted for 9 percent of all 2000 dry natural gas reserves (**Table 12**). EIA estimates that the 2000 proved gas reserves of fields identified as having coalbed methane are now more than quadruple the volume reported in 1989 (**Figure 21**). Three States (New Mexico, Colorado, and Alabama) currently have the majority

Table 12. Coalbed Methane Proved Reserves and Production for 1989–2000


(Billion Cubic Feet at 14.73 psia and 60° Fahrenheit)

			New			Eastern	Western		United
Year	Alabama	Colorado	Mexico	Utah	Wyoming	States <sup>a</sup>	States <sup>b</sup>	Others <sup>c</sup>	States
				R	eserves				
1989	537	1,117	2,022	NA	NA	NA	NA	0	3,676
1990	1,224	1,320	2,510	NA	NA	NA	NA	33	5,087
1991	1,714	2,076	4,206	NA	NA	NA	NA	167	8,163
1992	1,968	2,716	4,724	NA	NA	NA	NA	626	10,034
1993	1,237	3,107	4,775	NA	NA	NA	NA	1,065	10,184
1994	976	2,913	4,137	NA	NA	NA	NA	1,686	9,712
1995	972	3,461	4,299	NA	NA	NA	NA	1,767	10,499
1996	823	3,711	4,180	NA	NA	NA	NA	1,852	10,566
1997	1,077	3,890	4,351	NA	NA	NA	NA	2,144	11,462
1998	1,029	4,211	4,232	NA	NA	NA	NA	2,707	12,179
1999	1,060	4,826	4,080	NA	NA	NA	NA	3,263	13,229
2000	1,241	5,617	4,278	1,592	1,540	1,399	41		15,708
				Pro	oduction				
1989	23	12	56	NA	NA	NA	NA	0	91
1990	36	26	133	NA	NA	NA	NA	1	196
1991	68	48	229	NA	NA	NA	NA	3	348
1992	89	82	358	NA	NA	NA	NA	10	539
1993	103	125	486	NA	NA	NA	NA	18	752
1994	108	179	530	NA	NA	NA	NA	34	851
1995	109	226	574	NA	NA	NA	NA	47	956
1996	98	274	575	NA	NA	NA	NA	56	1,003
1997	111	312	597	NA	NA	NA	NA	70	1,090
1998	123	401	571	NA	NA	NA	NA	99	1,194
1999	108	432	582	NA	NA	NA	NA	130	1,252
2000	109	451	550	74	133	58	4		1,379

<sup>&</sup>lt;sup>a</sup>Includes Pennsylvania, Virginia, and West Virginia.

Source: Energy Information Administration, Office of Oil and Gas.

Figure 21. Coalbed Methane Proved Reserves 1990-2000



Source: Energy Information Administration, Office of Oil and Gas.

(71 percent) of U.S. Coalbed methane proved reserves. Estimates of proved coalbed methane reserves increased 16 percent in Colorado (+791 billion cubic feet), 5 percent in New Mexico (+198 billion cubic feet), and 17 percent in Alabama (+181 billion cubic feet) in 2000.

#### **Production**

U.S. coalbed methane production grew 10 percent in 2000 to 1,379 billion cubic feet—about 7 percent of U.S. dry gas production.

#### Areas of Note: Large Discoveries and Reserves Additions

The following State or area discussions summarize notable activities during the year concerning expected new field reserves, development plans, and possible production rates as extracted from various trade

blincludes Kansas, Montana, and Oklahoma.

<sup>&</sup>lt;sup>C</sup>Includes Oklahoma, Pennsylvania, Utah, Virginia, West Virginia, and Wyoming; these states are individually listed or grouped in Eastern States and Western States for 2000.

NA -- Not available.

publications and company reports. The citations do not necessarily reflect EIA's concurrence, but are considered important enough to be brought to the reader's attention.

#### Wyoming

The State of Wyoming had the largest increase in dry natural gas proved reserves of any state in 2000. Wyoming dry natural gas reserves increased by 1,932 billion cubic feet. This was the result of development of coalbed methane fields in the Powder River Basin and other existing natural gas fields.

Jonah Field: Alberta Energy Corporation announced on May 2, 2000, that its subsidiary, AEC Oil & Gas (USA) Inc. had acquired McMurray Oil Company and other private interests (McMurry et al) -- the companies that owned a major interest in the Jonah Field in Wyoming. Geologically, the Jonah field consists of deep, low permeability, high-pressure gas trapped in over 3,000 feet of multi-zone sands. Production was 140 million cubic feet per day in 2000, and AEC plans further development that would raise production to 180 million per day in 2001, and to 220 million in 2002. {41}

#### **Texas**

Texas had a net increase of 1,925 billion cubic feet of dry natural gas proved reserves in 2000. Development of gas fields in the Barnett Shale and the Lobo Trend boosted reserves additions for this State. Texas could have had the largest increase in dry gas proved reserves in 2000, but a decrease in its associated dissolved gas reserves volume offset reserves additions of nonassociated gas.

Barnett Shale and Lobo Trend: The Barnett shale is located in the Fort Worth Basin, in Texas RRC District 5. Light sand fracture technology has produced dramatic results in the Barnett Shale play in North Texas, an area estimated by a 1998 U.S. Geological Survey to hold 10 trillion cubic feet of recoverable resources, the equivalent of a 1.67 billion barrel oil field. This technology has made it economic to expand the limits of Mitchell Energy and Development Corporation's Newark East Barnett field and to increase the recoverable reserves from each well. Based on current engineering evaluations, the field contains 2,460

proved, probable and possible undrilled well locations on 55-acre spacing. The company's drilling plans for 2001 call for a total of 405 new wells, including 296 in the Barnett, an increase of 82 percent over last year's pace. {42}

The Lobo Trend is located in the lower Rio Grande Valley of south Texas (RRC District 4). The trend occurs primarily in Webb and Zapata counties and contains four producing horizons, the Wilcox, Expanded Wilcox, Frio, and Lobo. Unlike some other parts of the country, one or two fields do not dominate the area. RRC District 4 increased its dry natural gas reserves by 730 billion cubic feet in 2000. This district accounts for 23 percent of all reserves of dry natural gas in the State and leads the State in gas production (25 percent of the State total). RRC District 4's dry gas production decreased 4 percent from 1999 to 2000.

#### **New Mexico**

New Mexico had a net increase of 1,873 billion cubic feet of dry natural gas proved reserves in 2000. Development of coalbed methane fields in the San Juan Basin and other existing conventional gas fields boosted the reserves additions for this State.

#### Colorado

Colorado had a net increase of 1,441 billion cubic feet of dry natural gas proved reserves in 2000. This was the result of development of coalbed methane fields and gas fields within the San Juan, Piceance, and Raton Basins.

#### Areas of Note: Large Reserves Declines

The following areas had large declines in dry natural gas proved reserves due to downward revisions or unreplaced production.

#### Alaska

Alaska's proved dry natural gas reserves decreased by 5 percent (497 billion cubic feet) in 2000. Production increased from 459 billion cubic feet in 1999 to 506 billion cubic feet in 2000.

#### **Kansas**

Kansas' proved dry natural gas reserves decreased by 8 percent (454 billion cubic feet) in 2000. Production in Kansas increased 1 percent in 2000.

# Reserves in Nonproducing Reservoirs

Nonproducing proved natural gas reserves (wet after lease separation) of 42,834 billion cubic feet were reported in 2000, 16 percent more than the 36,873 billion cubic feet reported in 1999 (**Appendix D**, **Table** 

**D10**). About 27 percent of the reserves in nonproducing reservoirs are located in the Gulf of Mexico Federal Offshore area. Much of the new deepwater reserves are in the nonproducing category. Wells or reservoirs are nonproducing due to any of several operational reasons. These include:

- waiting for well workovers
- waiting for additional development or replacement wells to be drilled
- production or pipeline facilities not yet installed
- awaiting depletion of other zones or reservoirs before recompletion in reservoirs not currently open to production (called "behind pipe" reserves).

### 5. Natural Gas Liquids Statistics

#### **Natural Gas Liquids**

#### **Proved Reserves**

U.S. natural gas liquids proved reserves increased 5.6 percent to 8,345 million barrels in 2000 (**Table 13**). Reserve additions replaced 148 percent of 2000 natural gas liquids production.

The reserves of six areas account for 83 percent of the Nation's natural gas liquids proved reserves.

Area	Percent of U.S. NGL Reserves
Texas	34
Gulf of Mexico Federal Offs	shore 13
Utah - Wyoming	11
New Mexico	11
Oklahoma	9
Louisiana	5
Area Total	83

The volumes of natural gas liquids proved reserves and production shown in **Table 13** are the sum of the natural gas plant liquid volumes listed in **Table 14** and the lease condensate volumes listed in **Table 15**.

#### **Discoveries**

Total discoveries of natural gas liquids reserves were 839 million barrels in 2000, an increase of 86 percent from 1999 (452 million barrels). Areas with the largest total discoveries were:

- Texas (31 percent)
- Gulf of Mexico Federal Offshore (22 percent)
- Utah & Wyoming (16 percent)
- New Mexico (15 percent)
- Louisiana (7 percent)
- Oklahoma (7 percent).

New field discoveries in 2000 (92 million barrels) were 80 percent higher than in 1999. Areas with the largest *new field discoveries* were the Gulf of Mexico Federal Offshore (77 percent of 2000 new field discoveries) and Texas (18 percent).

New reservoir discoveries in old fields (102 million barrels) were 16 percent higher than they were in 1999. Areas with the largest new reservoir discoveries in old fields were the Gulf of Mexico Federal Offshore (36 percent of 2000 new reservoir discoveries in old fields), Texas (36 percent), and Louisiana (21 percent).

Extensions were 645 million barrels in 2000, more than twice the 1999 volume of exstensions (313 million). Areas with the largest extensions were Texas (31 percent), Utah & Wyoming (20 percent), and New Mexico (19 percent).

#### **Revisions and Adjustments**

In 2000, there were 1,183 million barrels of *revision increases*, 724 million barrels of *revision decreases* and -83 million barrels of *adjustments*. This added a net volume of 376 million barrels of natural gas liquids proved reserves.

#### Sales and Acquisitions

There were 1,051 million barrels of *acquisitions*, and 906 million barrels of *sales* in 2000. The net of these trnasactions added 145 million barrels of natural gas liquids proved reserves.

#### **Production**

Natural gas liquids production was an estimated 921 million barrels in 2000, an increase of 3 percent from 1999. Alaska production increased 5 percent to 22 million barrels in 2000, while lower 48 States production increased 6 percent to 899 million barrels in 2000.

Six areas accounted for about 88 percent of the Nation's natural gas liquids production.

- Texas (34 percent)
- Gulf of Mexico Federal Offshore (22 percent)
- New Mexico (9 percent)
- Oklahoma (8 percent)
- Louisiana (8 percent)
- Utah-Wyoming (7 percent).

Table 13. Natural Gas Liquids Proved Reserves, Reserves Changes, and Production, Wet After Lease Separation, 2000 (Million Barrels of 42 U.S. Gallons)

		Changes in Reserves During 2000										
State and Subdivision	Published Proved Reserves 12/31/99	Adjustments (+,-)	Revision Increases (+)	Revision Decreases (-)	Sales (-)	Acquisitions (+)	Extensions (+)	New Field Discoveries (+)	New Reservoi Discoveries in Old Fields (+)	Estimated	Proved Reserves 12/31/00	
Alaska	299	0	0	0	0	0	0	0	0	22	277	
Lower 48 States		9	1,183	724	906	1,051	645	92	102	899	8,068	
Alabama	,	39	7	1	11	16	8	0	0	15	150	
Arkansas		0	1	0	1	1	0	0	0	1	5	
California		-14	22	5	1	6	3	0	0	8	101	
Coastal Region Onshore		-6	2	2	0	3	0	0	0	1	27	
Los Angeles Basin Onshore		1	3	1	0	0	0	0	0	0	10	
San Joaquin Basin Onshore		-9	17	2	1	3	3	0	0	7	64	
State Offshore		0	0	0	0	0	0	0	0	0	0	
Colorado		-31	55	11	29	45	8	0	0	24	316	
Florida		-4	0	0	0	0	0	0	0	1	11	
Kansas		-21	16	21	12	10	4	0	0	28	306	
Kentucky		-24	12	2	14	16	0	0	1	20	56	
Louisiana		-44	102	66	29	31	34	2	21	72	436	
North		-3	16	9	23	3	4	0	0	9	61	
South Onshore		-46	80	49	22	21	26	1	18	56	337	
State Offshore		5	6	8	5	7	4	1	3	7	38	
		-14	5	3	7	8	2	0	0	4	35	
Michigan		-14 -1	2	3 1	2	1	1	0	0	2	8	
Mississippi		-1 -4		•			0	0	0	0		
Montana			1	1	0	0		1	1		4	
New Mexico		-192	122	60	45	74	125			84	896	
East		14	63	34	35	54	57	1	1	43	333	
West		-206	59	26	10	20	68	0	0	41	563	
North Dakota		1	6	2	1	1	0	0	1	5	54	
Oklahoma		-59	139	77	65	69	52	1	2	77	734	
Texas	,	76	425	258	450	494	203	17	37	309	2,819	
Texas RRC District 1		-113	7	3	8	6	2	2	0	5	55	
Texas RRC District 2 Onshore.		-3	18	18	10	13	6	1	2	13	72	
Texas RRC District 3 Onshore		-17	34	26	11	20	21	5	4	47	209	
Texas RRC District 4 Onshore		-2	48	52	69	55	41	4	14	55	406	
Texas RRC District 5		3	5	4	1	9	9	0	0	4	49	
Texas RRC District 6		35	47	20	14	23	15	0	1	27	283	
Texas RRC District 7B		-8	9	2	4	8	0	1	0	6	34	
Texas RRC District 7C		17	62	21	41	120	27	0	0	35	434	
Texas RRC District 8		12	87	57	93	103	17	0	15	53	526	
Texas RRC District 8A		48	39	9	184	117	0	0	0	17	217	
Texas RRC District 9		-52	15	2	1	9	48	0	0	14	161	
Texas RRC District 10	. 217	157	53	43	14	11	17	4	0	33	369	
State Offshore	. 4	-1	1	1	0	0	0	0	1	0	4	
Utah and Wyoming	615	203	77	49	114	146	130	0	1	62	947	
West Virginia		30	24	14	32	29	0	0	1	6	105	
Federal Offshore <sup>a</sup>	998	70	166	152	91	103	75	71	37	199	1,078	
Pacific (California)	. 4	0	0	0	0	0	0	0	0	0	4	
Gulf of Mexico (Louisiana) <sup>a</sup>	833	68	151	131	87	92	61	67	31	164	921	
Gulf of Mexico (Texas)	. 161	2	15	21	4	11	14	4	6	35	153	
Miscellaneous <sup>b</sup>	. 10	0	0	1	2	1	0	0	0	0	7	
U.S. Total	7,906	-83	1,183	724	906	1,051	645	92	102	921	8,345	

<sup>&</sup>lt;sup>a</sup>Includes Federal offshore Alabama.

blncludes Arizona, Illinois, Indiana, Maryland, Missouri, Nebraska, Nevada, New York, Ohio, Oregon, Pennsylvania, South Dakota, Tennessee, and Virginia.

Note: The production estimates in this table are based on data reported on Form EIA-23, "Annual Survey of Domestic Oil and Gas Reserves," and Form EIA-64A, "Annual Report of the Origin of Natural Gas Liquids Production." They may differ from the official Energy Information Administration production data for natural gas and natural gas liquids for 2000 contained in the publications *Petroleum Supply Annual 2000*, DOE/EIA-0340(00) and *Natural Gas Annual 2000* DOE/EIA-0131(00).

Table 14. Natural Gas Plant Liquids Proved Reserves and Production, 2000 (Million Barrels of 42 U.S. Gallons)

State and Subdivision	2000 Reserves	2000 Production	State and Subdivision	2000 Reserves	2000 Production
Alaska	277	22	North Dakota	47	5
Lower 48 States	6,596	688	Oklahoma	639	69
Alabama	104	10	Texas	2,479	268
Arkansas	3	0	RRC District 1	49	4
California	100	8	RRC District 2 Onshore	59	11
Coastal Region Onshore	27	1	RRC District 3 Onshore	140	32
Los Angeles Basin Onshore	10	0	RRC District 4 Onshore	316	42
San Joaquin Basin Onshore	63	7	RRC District 5	24	4
State Offshore	0	0	RRC District 6	182	22
Colorado	288	21	RRC District 7B	34	6
Florida	11	1	RRC District 7C	291	33
Kansas	303	28	RRC District 8	479	51
Kentucky	56	2	RRC District 8A	222	17
		41	RRC District 9	156	14
Louisiana	241		RRC District 10	191	32
North	35	4	State Offshore	1	0
South Onshore	178	32	Utah and Wyoming	858	55
State Offshore	28	5	West Virginia	104	6
Michigan	32	4	Federal Offshore <sup>a</sup>	515	93
Mississippi	2	0	Pacific (California)	1	0
Montana	3	0	Gulf of Mexico (Louisiana) <sup>a</sup>	487	88
New Mexico	804	77	Gulf of Mexico (Texas)	27	5
East	302	38	Miscellaneous <sup>b</sup>	7	0
West	502	39	U.S. Total	6,873	710

<sup>&</sup>lt;sup>a</sup>Includes Federal Offshore Alabama.

blincludes Arizona, Illinois, Indiana, Maryland, Missouri, Nebraska, Nevada, New York, Ohio, Oregon, Pennsylvania, South Dakota, Tennessee, and Virginia.

Note: The production estimates in this table are based on data reported on Form EIA-23, "Annual Survey of Domestic Oil and Gas Reserves," and Form EIA-64A, "Annual Report of the Origin of Natural Gas Liquids Production." They may differ from the official Energy Information Administration production data for natural gas plant liquids for 2000 contained in the publications *Petroleum Supply Annual 2000*, DOE/EIA-0340(2000) and *Natural Gas Annual 2000*, DOE/EIA-0131(2000).

Table 15. Lease Condensate Proved Reserves and Production, 2000

(Million Barrels of 42 U.S. Gallons)

State and Subdivision	2000 Reserves	2000 Production	State and Subdivision	2000 Reserves	2000 Production
Alaska	0	0	North Dakota	7	0
Lower 48 States	1,472	208	Oklahoma	96	8
Alabama	46	5	Texas	340	40
Arkansas	2	0	RRC District 1	6	1
California	0	0	RRC District 2 Onshore	13	2
Coastal Region Onshore	0	0	RRC District 3 Onshore	69	15
Los Angeles Basin Onshore	0	Ō	RRC District 4 Onshore	90	13
San Joaquin Basin Onshore	0	0	RRC District 5	11	1
State Offshore	0	0	RRC District 6	51	4
Colorado	28	3	RRC District 7B	2	0
Florida	0	0	RRC District 7C	39	1
Kansas	3	0	RRC District 8	25	2
	0	0	RRC District 8A	1	0
Kentucky	105	o .	RRC District 9	3	0
Louisiana	195	31	RRC District 10	27	1
North	26	5	State Offshore	3	0
South Onshore	159	25	Utah and Wyoming	89	7
State Offshore	10	1	West Virginia	1	0
Michigan	3	0	Federal Offshore <sup>a</sup>	564	106
Mississippi	6	1	Pacific (California)	4	0
Montana	0	0	Gulf of Mexico (Louisiana) <sup>a</sup>	433	76
New Mexico	92	7	Gulf of Mexico (Texas)	127	30
East	31	5	Miscellaneous <sup>b</sup>	0	0
West	61	2	U.S. Total	1,472	208

Note: The estimates in this table are based on data reported on Form EIA-23, "Annual Survey of Domestic Oil and Gas Reserves" 2000. Source: Energy Information Administration, Office of Oil and Gas.

a Includes Federal Offshore Alabama.

b Includes Arizona, Illinois, Indiana, Maryland, Missouri, Nebraska, Nevada, New York, Ohio, Oregon, Pennsylvania, South Dakota, Tennessee, and Virginia.

#### **Natural Gas Plant Liquids**

#### **Proved Reserves**

Natural gas plant liquids proved reserves increased in 2000 to 6,873 million barrels, a 6 percent increase from 1999's level (6,503 million barrels) (**Table 14**). Six areas accounted for about 80 percent of the Nation's natural gas plant liquids proved reserves:

	Percent of
Area	U.S. Gas Plant Liquids
Texas	36
Utah-Wyoming	12
New Mexico	12
Oklahoma	9
Gulf of Mexico Federal Offs	hore 7
Kansas	4
Area Total	80

#### **Production**

Natural gas plant liquids production increased 2 percent in 2000—from 697 million barrels in 1999 to 710 million barrels of production (**Table 14**). The top six areas for proved reserves of natural gas plant liquids accounted for about 84 percent of the Nation's natural gas plant liquids production:

- Texas (38 percent)
- Gulf of Mexico Federal Offshore (13 percent)
- New Mexico (11 percent)
- Oklahoma (10 percent)
- Utah and Wyoming (8 percent)
- Kansas (4 percent).

Natural gas processing plants are usually located in the same general area where the natural gas is produced. Table E4 in Appendix E lists the volumes of natural gas produced and processed in the same State, and the volumes of liquids extracted.

#### **Lease Condensate**

#### **Proved Reserves**

Proved reserves of lease condensate in the United States were 1,472 million barrels in 2000 (**Table 15**). This was 5 percent more than the volume reported in 1999 (1,403 million barrels). The reserves of five areas account for about 87 percent of the Nation's lease condensate proved reserves.

Area	Percent of U.S. Condensate Reserves
Gulf of Mexico Federal Of	ffshore 38
Texas	23
Louisiana	13
Oklahoma	7
Utah-Wyoming	6
Area Total	87

#### **Production**

Production of lease condensate was 208 million barrels in 2000, an increase of 5 percent from 1999's production. The production of five areas account for about 93 percent of the Nation's lease condensate production.

- Gulf of Mexico Federal Offshore (51 percent)
- Texas (19 percent)
- Louisiana (15 percent)
- Oklahoma (4 percent)
- New Mexico (3 percent).

# Reserves in Nonproducing Reservoirs

Like crude oil and natural gas, not all lease condensate proved reserves were contained in reservoirs that were producing during 2000. Proved reserves of 498 million barrels of lease condensate, an increase of 19 percent from 1999, were reported in nonproducing reservoirs in 2000 (**Appendix D, Table D10**). About 52 percent of the nonproducing lease condensate reserves were located in the Gulf of Mexico Federal Offshore.

### References

- 1. Energy Information Administration. February 1980. U.S. Crude Oil and Natural Gas Reserves 1977 Annual Report. DOE/EIA-0216(77). Washington, DC.
- 2. Energy Information Administration. September 1980. U.S. Crude Oil and Natural Gas Reserves 1978 Annual Report. DOE/EIA-0216(78). Washington, DC.
- 3. Energy Information Administration. August 1981. *U.S. Crude Oil, Natural Gas, and Natural Gas Liquids Reserves 1979 Annual Report*. DOE/EIA-0216(79). Washington, DC.
- 4. Energy Information Administration. October 1981. *U.S. Crude Oil, Natural Gas, and Natural Gas Liquids Reserves 1980 Annual Report*. DOE/EIA-0216(80). Washington, DC.
- 5. Energy Information Administration. August 1982. *U.S. Crude Oil, Natural Gas, and Natural Gas Liquids Reserves 1981 Annual Report.* DOE/EIA-0216(81). Washington, DC.
- 6. Energy Information Administration. August 1983. *U.S. Crude Oil, Natural Gas, and Natural Gas Liquids Reserves 1982 Annual Report.* DOE/EIA-0216(82). Washington, DC.
- 7. Energy Information Administration. October 1984. *U.S. Crude Oil, Natural Gas, and Natural Gas Liquids Reserves 1983 Annual Report*. DOE/EIA-0216(83). Washington, DC.
- 8. Energy Information Administration. October 1985. U.S. Crude Oil, Natural Gas, and Natural Gas Liquids Reserves 1984 Annual Report. DOE/EIA-0216(84). Washington, DC.
- 9. Energy Information Administration. October 1986. *U.S. Crude Oil, Natural Gas, and Natural Gas Liquids Reserves 1985 Annual Report.* DOE/EIA-0216(85). Washington, DC.
- Energy Information Administration. October 1987.
   U.S. Crude Oil, Natural Gas, and Natural Gas Liquids Reserves 1986 Annual Report. DOE/EIA-0216(86).
   Washington, DC.

- 11. Energy Information Administration. October 1988. *U.S. Crude Oil, Natural Gas, and Natural Gas Liquids Reserves 1987 Annual Report*. DOE/EIA-0216(87). Washington, DC.
- 12. Energy Information Administration. September 1989. U.S. Crude Oil, Natural Gas, and Natural Gas Liquids Reserves 1988 Annual Report. DOE/EIA-0216(88). Washington, DC.
- 13. Energy Information Administration. October 1990. *U.S. Crude Oil, Natural Gas, and Natural Gas Liquids Reserves* 1989 *Annual Report*. DOE/EIA-0216(89). Washington, DC.
- 14. Energy Information Administration. September 1991. U.S. Crude Oil, Natural Gas, and Natural Gas Liquids Reserves 1990 Annual Report. DOE/EIA-0216(90). Washington, DC.
- 15. Energy Information Administration. November 1992. U.S. Crude Oil, Natural Gas, and Natural Gas Liquids Reserves 1991 Annual Report. DOE/EIA-0216(91). Washington, DC.
- 16. Energy Information Administration. October 1993. *U.S. Crude Oil, Natural Gas, and Natural Gas Liquids Reserves* 1992 *Annual Report*. DOE/EIA-0216(92). Washington, DC.
- 17. Energy Information Administration. October 1994. *U.S. Crude Oil, Natural Gas, and Natural Gas Liquids Reserves* 1993 *Annual Report*. DOE/EIA-0216(93). Washington, DC.
- 18. Energy Information Administration. October 1995. U.S. Crude Oil, Natural Gas, and Natural Gas Liquids Reserves 1994 Annual Report. DOE/EIA-0216(94). Washington, DC.
- 19. Energy Information Administration. November 1996. U.S. Crude Oil, Natural Gas, and Natural Gas Liquids Reserves 1995 Annual Report. DOE/EIA-0216(95). Washington, DC.
- 20. Energy Information Administration. December 1997. U.S. Crude Oil, Natural Gas, and Natural Gas Liquids Reserves 1996 Annual Report. DOE/EIA-0216(96). Washington, DC.

- 21. Energy Information Administration. December 1998. U.S. Crude Oil, Natural Gas, and Natural Gas Liquids Reserves 1997 Annual Report. DOE/EIA-0216(97). Washington, DC.
- 22. Energy Information Administration. December 1999. U.S. Crude Oil, Natural Gas, and Natural Gas Liquids Reserves 1998 Annual Report. DOE/EIA-0216(98). Washington, DC.
- 23. Energy Information Administration. December 1999. U.S. Crude Oil, Natural Gas, and Natural Gas Liquids Reserves 1999 Annual Report. DOE/EIA-0216(99). Washington, DC.
- 24. Energy Information Administration. October 2001. *Petroleum Marketing Monthly*. DOE/EIA-0380(2001/10). Washington, DC.
- 25. Energy Information Administration. October 2001. *Natural Gas Monthly*. DOE/EIA-0130(2001/08). Washington, DC.
- 26. Wall Street Journal. April 14, 2000. Dow Jones and Company Inc., New York, New York.
- 27. Phillips Petroleum Company. Bartlesville, OK. Press Release, April 26, 2000.
- 28. Anadarko Petroleum Corporation. Houston, TX. Press Release, July 14, 2000.
- 29. Chevron Corporation. San Francisco, CA. Press Release, October 16, 2000.
- 30. Lukoil Oil Company. Moscow, Russia. Press Release, November 3, 2000.
- 31. American Petroleum Institute, American Gas Association, and Canadian Petroleum Association. Reserves of Crude Oil, Natural Gas Liquids, and Natural Gas in the United States and Canada as of December 31, 1979. Vol. 34. June 1980. Washington, DC.
- 32. Energy Information Administration, August 1990. *U.S. Oil and Gas Reserves by Year of Field Discovery*. DOE/EIA-0534. Washington, DC.

- 33. Oil & Gas Journal. December 2000. "Worldwide Look and Reserves and Production". Vol. 97, No. 52. Tulsa, OK.
- 34. World Oil. August 2001. "World Trends". Houston, TX.
- 35. Energy Information Administration. August 2001. 2000 Annual Energy Review. DOE/EIA-0384(2000). Washington, DC, Table 1.3.
- 36. Energy Information Administration. August 2001. 2000 Annual Energy Review. DOE/EIA-0384(2000). Washington, DC, Table 5.7.
- 37. Shell Exploration and Production Company, Houston, TX. Press Release, September 27, 2000.
- 38. Anadarko Petroleum Corporation, Houston, TX. Press Release, January 29, 2001.
- 39. Shell Exploration and Production Company. Houston, TX. Press Release, September 13, 2000.
- 40. El Paso Energy Partners. Houston, TX. Press Release, May 2, 2000.
- 41. Alberta Energy Company LTD. Calgary, Alberta, Canada. Press Release, May 2, 2000.
- 42. Mitchell Energy & Development Corporation, The Woodlands, TX. Areas of Operations Infosheet. Downloaded from http://www.mitchellenergy.com.
- 43. U.S. Department of Energy. *DOE This Month.* Vol. 15, No. 8. Washington, DC, August 1992. p. 13.
- 44. U.S. Department of the Interior. 1995. *National Assessment of the United States Oil and Gas Resources*. U.S. Geological Survey Circular 1118. Denver, CO, pp. 5-6.
- 45. U.S. Department of the Interior, Minerals Management Service, Gulf of Mexico OCS Regional Office. August 1995. Estimated Proved Oil and Gas Reserves, Gulf of Mexico, December 31, 1994. OCS Report MMS 94-0045. New Orleans, LA, pp. 5-6.

## Appendix A

## **Operator Data by Size Class**

#### Appendix A

### **Operator Data by Size Class**

To remain competitive in the domestic oil and gas industry, companies have to reduce costs and look for areas of profitable growth. Over the past few years, we have seen companies restructure to focus on their core areas of profit. This restructuring has taken many forms, for example, mega-mergers, laying off employees, early retirements and buyouts, flattening management structure, selective sales of marginally profitable properties, and acquisitions. Documenting some of these changes is important.

Appendix A is a series of tables of the proved reserves and production by production size class for the years 1995 through 2000 for oil and gas well operators. The tables show the volumetric change and percent change from the previous year and from 1995. In addition they show the 2000 average per operator in each class. All companies that reported to EIA were ranked by production size for each of the 6 years. We computed company production size classes as the sum of the barrel oil equivalent of the crude oil production, lease condensate production, and wet gas production for each operator. The companies were then placed in the following production size classes: 1–10, 11–20, 21–100, 101–500, and all "other" oil and gas operators. The "other" category contains 22,102 small operators. We estimate production and reserves for small operators each year from a sample of approximately 6 percent or less of these operators.

Class 1–10 contains the 10 highest producing companies each year on a barrel oil equivalent basis. These companies are not necessarily the same 10 companies each year.

We also include statistics for operator Category sizes at the bottom portion of tables in this appendix. These are the categories used by EIA in processing and assessing reserves surveys and are presented here as additional perspective. For further explanation of categories sizes see definitions and descriptions in Appendix E.

#### **Natural Gas**

#### **Proved Reserves**

The wet natural gas proved reserves reported for 1995 through 2000 have changed from 173,476 billion cubic feet to 186,510 billion cubic feet (Table A1). These proved reserves are highly concentrated in the larger companies. In 2000, the top 20 operators (Class 1-10 and Class 11–20) producing companies had 56 percent of the proved reserves of natural gas. The next two size classes contain 80 and 400 companies and account for 26 and 12 percent of the U.S. natural gas proved reserves, respectively. The top 20 operators had an increase of 4 percent in their natural gas proved reserves from 1995 to 2000. While the rest of the operators in (Class 21-100, Class 101-500, and Class Other) had an increase of 13 percent in their reserves. In 2000, the top 20 operators' natural gas reserves increased by 17 percent from 1999.

#### **Production**

Wet natural gas production has increased from 19,856 billion cubic feet in 1999 to 20,164 billion cubic feet in 2000 (Table A2). In 2000, the top 20 producing companies had 56 percent of the proved reserves and production of wet natural gas. The next two size classes have 25 and 14 percent of the wet natural gas production, respectively. The top 20 operators had an increase of 11 percent in their wet natural gas production from 1995 to 2000. The rest of the operators had an increase of 2 percent from 1995 to 2000. The top 20 operators' wet natural gas production had a increase of 9 percent in 2000 from 1999.

#### **Crude Oil**

#### **Proved Reserves**

Proved reserves of crude oil are more highly concentrated in a few companies than those of natural gas. The 20 largest oil and gas producing companies in 2000 had 70 percent of U.S. proved reserves of crude oil (Table A3), in contrast to wet natural gas where these same companies operated 56 percent of the total proved reserves.

U.S. proved reserves of crude oil increased 1.3 percent in 2000. The top 20 producing companies proved reserves of crude oil during 2000 increased 13 percent.

The top 20 class had a decline of 5 percent in their crude oil proved reserves from 1995 to 2000.

#### **Production**

Crude oil production reported for 1995 to 2000 has decreased from 2,213 million barrels to 1,880 million barrels (Table A4). The 20 largest oil and gas producing companies had 67 percent of U.S. production of crude oil in 2000. In 1995 they also accounted for 67 percent of production. This is in contrast to wet natural gas where these same companies produced only 56 percent of the total. U.S. production of crude oil declined by 15 percent from 1995 to 2000. The top 20 operators had a decline of 15 percent in their oil production during the same period. U.S. production of crude oil declined by 4 percent from 1999 to 2000, while the top 20 operators production decreased by 4 percent.

#### **Fields**

The number of fields in which Category I and Category II operators were active dropped during the 1995–2000 period (Table A5). From 1995-2000, the number of fields in which the top 20 operators were active in dropped by 518 (9 percent), while in 2000 the number increased by 1,294 (32 percent) from 1999.

Table A1. Natural Gas Proved Reserves, Wet After Lease Separation, by Operator Production Size Class, 1995–2000

(Billion Cubic Feet at 14.73 psia and 60° Fahrenheit)

Size Class	1995	1996	1997	1998	1999	2000	1999–2000 Volume and Percent Change	1995–2000 Volume and Percent Change	2000 Average Reserves per Operator
Class 1–10	75,856	72,606	68,876	64,336	64,320	81,437	17,117	5,581	8,143.703
Percent of Total	43.7%	41.5%	39.2%	37.3%	36.5%	43.7%	26.6%	7.4%	
Class 11–20	24,648	25,416	27,705	28,338	24,925	22,590	-2,335	-2,058	2,259.034
Percent of Total	14.2%	14.5%	15.8%	16.4%	14.1%	12.1%	-9.4%	-8.3%	
Class 21–100	42,604	43,300	45,593	47,009	52,160	48,832	-3,328	6,228	610.402
Percent of Total	24.6%	24.7%	25.9%	27.3%	29.6%	26.2%	-6.4%	14.6%	
Class 101–500	20,150	22,483	23,338	24,471	25,967	22,620	-3,347	2,470	56.551
Percent of Total	11.6%	12.8%	13.3%	14.2%	14.7%	12.1%	-12.9%	12.3%	
Class Other (22,102) Percent of Total	10,218 5.9%	11,342 6.5%	10,209 5.8%	8,289 4.8%	8,787 5.0%	11,030 5.9%	2,243 25.5%	812 7.9%	0.513
Category I (175) Percent of Total	148,233 85.4%	146,601 83.7%	147,491 83.9%	146,458 84.9%	145,922 82.8%	162,144 86.9%	16,222 11.1%	13,911 9.4%	926.535
Category II (436)	15,828	18,382	17,764	18,033	21,979	13,123	-8,856	-2,705	30.100
Percent of Total	9.1%	10.5%	10.1%	10.5%	12.5%	7.0%	-40.3%	-17.1%	
Category III (21,491)	9,416	10,164	10,466	7,952	8,257	10,817	2,560	1,401	0.503
Percent of Total	5.4%	5.8%	6.0%	4.6%	4.7%	5.8%	24.7%	14.9%	
Total Published	173,476	175,147	175,721	172,443	176,159	186,510	10,351	13,034	8.439
Percent of Total	100.0%	100.0%	100.0%	100.0%	100.00%	100.00%	5.9%	7.5%	

Table A2. Natural Gas Production, Wet After Lease Separation, by Operator Production Size Class, 1995-2000

(Billion Cubic Feet at 14.73 psia and 60° Fahrenheit)

Size Class	1995	1996	1997	1998	1999	2000	1999–2000 Volume and Percent Change	1995–2000 Volume and Percent Change	2000 Average Production per Operator
Class 1–10	7,174	7,448	7,178	6,954	6,881	8,495	1,614	1,321	849.466
Percent of Total	38.0%	37.5%	35.7%	35.4%	34.7%	42.1%	23.5%	18.4%	
Class 11–20	3,101	3,002	3,286	3,317	3,560	2,886	-674	-215	288.587
Percent of Total	16.4%	15.1%	16.3%	16.9%	17.9%	14.3%	-18.9%	-6.9%	
Class 21–100	4,871	5,316	5,729	5,595	5,523	4,965	-558	94	62.063
Percent of Total	25.8%	26.7%	28.4%	28.5%	27.8%	24.6%	-10.1%	1.9%	
Class 101–500	2,477	2,623	2,665	2,721	2,793	2,780	-13	303	6.951
Percent of Total	13.1%	13.2%	13.2%	13.9%	14.1%	13.8%	-0.5%	12.2%	
Class Other (22,102) Percent of Total	1,251 6.6%	1,484 7.5%	1,276 6.3%	1,035 5.3%	1,099 5.5%	1,038 5.1%	-61 -5.5%	-213 -17.0%	0.048
Category I (175) Percent of Total	15,800 83.7%	16,381 82.4%	16,897 83.9%	16,619 84.7%	16,248 81.8%	17,096 84.8%	848 5.2%	1,296 8.2%	97.689
Category II (436)	1,923	2,128	1,979	2,019	2,556	1,921	-635	-2	4.407
Percent of Total	10.2%	10.7%	9.8%	10.3%	12.9%	9.5%	-24.8%	-0.1%	
Category III (21,491)	1,151	1,364	1,258	984	1,052	929	-123	-222	0.043
Percent of Total	6.1%	6.9%	6.2%	5.0%	5.3%	4.6%	-39.8%	-19.3%	
Total Published	18,874	19,873	20,134	19,622	19,856	20,164	308	1,290	0.912
Percent of Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	1.6%	6.8%	

Table A3. Crude Oil Proved Reserves by Operator Production Size Class, 1995–2000 (Million Barrels of 42 U.S. Gallons)

Size Class	1995	1996	1997	1998	1999	2000	1999–2000 Volume and Percent Change	1995–2000 Volume and Percent Change	2000 Average Reserves per Operator
Class 1–10	13,891	13,362	11,434	11,501	11,121	12,367	1,246	-1,524	1,236.692
Percent of Total	62.1%	60.7%	50.7%	54.7%	51.1%	56.1%	11.2%	-11.0%	
Class 11–20	2,422	2,013	2,977	2,894	2,585	3,172	587	750	317.172
Percent of Total	10.8%	9.1%	13.2%	13.8%	11.9%	14.4%	22.7%	31.0%	
Class 21–100	2,623	3,155	4,384	3,677	4,338	2,505	-1,833	-118	31.312
Percent of Total	11.7%	14.3%	19.4%	17.50%	19.9%	11.4%	-42.3%	-4.5%	
Class 101–500	1,793	1,838	2,111	1,754	2,379	2,286	-93	493	5.714
Percent of Total	8.0%	8.3%	9.4%	8.3%	10.9%	10.4%	-3.9%	27.5%	
Class Other (22,102) Percent of Total	1,622 7.3%	1,649 7.5%	1,640 7.3%	1,208 5.7%	1,342 6.2%	1,716 7.8%	374 27.9%	94 5.8%	0.080
Category I (175)	19,647	19,312	19,461	18,819	18,952	19,421	469	-226	110.979
Percent of Total	87.9%	87.7%	86.3	89.5%	87.1%	88.1%	2.5%	-1.1%	
Category II (436)	1,103	1,117	1,400	1,018	1,521	873	-648	-230	2.001
Percent of Total	4.9%	5.1%	6.2	4.8%	7.0%	4.0%	-42.6%	-20.9%	
Category III (21,491)	1,600	1,588	1,685	1,197	1,293	1,680	387	80	0.078
Percent of Total	7.2%	7.2%	7.5	5.7%	5.9%	7.6%	138.3%	5.0%	
Total Published	22,351	22,017	22,546	21,034	21,765	22,045	280	-306	0.997
Percent of Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	1.3%	-1.4%	

Table A4. Crude Oil Production by Operator Production Size Class, 1995–2000 (Million Barrels of 42 U.S. Gallons)

Size Class	1995	1996	1997	1998	1999	2000	1999–2000 Volume and Percent Change	1995–2000 Volume and Percent Change	2000 Average Production per Operator
Class 1–10	1,270	1,220	1,047	1,025	974	961	-13	-309	96.102
Percent of Total	57.4%	56.1%	49.0%	51.5%	49.9%	51.1%	-1.3%	-24.3%	
Class 11–20	221	185	262	255	241	304	63	83	30.450
Percent of Total	10.0%	8.5%	12.3%	12.8%	12.3%	16.2%	26.3%	37.8%	
Class 21–100	276	307	373	342	350	214	-136	-62	2.673
Percent of Total	12.5%	14.1%	17.4%	17.2%	17.9%	11.4%	-38.9%	-22.5%	
Class 101–500	214	213	237	206	208	211	3	-3	0.527
Percent of Total	9.7%	9.8%	11.1%	10.3%	10.7%	11.2%	1.3%	-1.5%	
Class Other (22,102	232	248	219	163	179	190	11	-42	0.009
Percent of Total%	10.5%	11.4%	10.2%	8.2%	9.2%	10.1%	6.1%	-18.2%	
Category I (175)	1,844	1,791	1,760	1,714	1,617	1,572	-45	-272	8.982
Percent of Total	83.3%	82.4%	82.3%	86.1%	82.8%	83.6%	-2.8%	-14.8%	
Category II (436)	139	143	157	118	160	111	-49	-28	0.254
Percent of Total	6.3%	6.6%	7.3%	5.9%	8.2%	5.9%	-30.7%	-20.3%	
Category III (21,491)	230	239	221	159	175	182	7	-48	0.008
Percent of Total	10.4%	11.0%	10.3%	8.0%	9.0%	9.7%	-10.2%	-20.7%	
Total Published	2,213	2,173	2,138	1,991	1,952	1,880	-72	-333	0.085
Percent of Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-3.7%	-15.0%	

Table A5. Operator Field Count by Operator Production Size Class, 1995–2000

Size Class	1995	1996	1997	1998	1999	2000	1999–2000 Number and Percent Change	1995–2000 Number and Percent Change	2000 Average Number of Fields per Operator
Class 1–10	3,113	2,800	2,566	2,475	2,559	3,444	885	331	344.400
Percent of Total	11.9%	10.7%	10.4%	9.5%	10.0%	13.0%	34.6%	10.6%	
Class 11–20	2,772	2,441	2,257	1,822	1,514	1,923	409	-849	192.300
Percent of Total	10.6%	9.3%	9.1%	7.0%	5.9%	7.2%	27.0%	-30.6%	
Class 21–100	7,569	7,526	7,159	7,526	8,180	7,084	-1,096	-485	88.550
Percent of Total	28.9%	28.7%	28.9%	29.0%	32.0%	26.7%	-13.4%	-6.4%	
Class 101–500	11,886	12,492	12,878	12,817	12,344	12,580	236	694	31.450
Percent of Total	45.4%	47.7%	52.0%	49.4%	48.2%	47.4%	1.9%	5.8%	
Rest	1,601	<sup>a</sup> 952	1,332	1,524	1,287	1,529	242	-72	6.397
Percent of Total	6.1%	<sup>a</sup> 3.6%	5.4%	5.9%	5.0%	5.8%	18.8%	-4.5%	
Category I	16,256	15,635	15,232	15,666	15,120	16,174	1,054	-82	92.423
Percent of Total	62.1%	59.7%	58.2%	60.4%	59.1%	60.9%	7.0%	-0.5%	
Category II	9,939	10,576	R9,530	10,271	10,467	10,146	-321	207	23.271
Percent of Total	37.9%	40.3%	41.8%	39.6%	40.9%	38.2%	-3.1%	2.1%	
Total Reported	26,195	26,211	R24,762	25,937	25,587	26,560	973	365	40.717
Percent Change	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	3.8%	1.4%	

 $<sup>^{\</sup>mathrm{a}}$ The reduced 1996 survey had fewer operators and fields in the "rest" class.

R = Revised
Note: Includes only data from Category I and Category II operators. In 2000, there were 175 Category I operators and 436 Category II operators. The "rest" size class had 239 operators in 2000.
Source: Energy Information Administration, Office of Oil and Gas.

## **Top 100 Oil and Gas Fields for 2000**

#### Appendix B

## Top 100 Oil and Gas Fields for 2000

This appendix presents estimates of the proved reserves and production of the top 100 oil and gas fields. The oil field production and reserve data include both crude oil and lease condensate. The gas field production and reserve data is total wet natural gas (associated-dissolved natural gas and nonassociated natural gas, wet after lease separation). Several of the same fields are in both tables B1 and B2.

#### Table B1. Top 100 Oil Fields for 2000

The top 100 oil fields in the United States as of December 31, 2000, had 14,508 million barrels of **proved reserves** accounting for 62 percent of the total United States (**Table 6 and Table 14**). Although there is considerable grouping of field–level statistics within the tables, rough orders of magnitude can be estimated for the proved reserves and production of most fields. Many of the fields in the top 100 group are operated by only one or two operators, therefore, the totals for proved reserves are grouped as top 10, top 20, top 50, and top 100 to avoid revealing company proprietary data.

In the top 20 oil fields for 2000 there are two fields, Mississippi Canyon Block 807 (Mars) and Green Canyon Block 644 (Holstein) which are in the deep water of the Gulf of Mexico Federal Offshore.

The top 100 oil fields in the United States as of December 31, 2000, had 1,014 million barrels of **production**, or 49 percent of the total (**Table 6 and** 

**Table 14**). Many of the oil fields in the top 100 are very old. The oldest, Coalinga in California, was discovered in 1887. The newest, Mississippi Canyon Block 773 and Mississippi Canyon Block 582, in the Gulf of Mexico Federal Offshore were reported to EIA in 2000. The oil fields with newer discovery dates are typically located in the Gulf of Mexico Offshore and Alaska.

#### Table B2. Top 100 Gas Fields for 2000

The top 100 gas fields in the United States as of December 31, 2000, had 86,512 billion cubic feet of wet natural gas **proved reserves**, or 46 percent of the total (**Table 9**).

The top 100 gas fields in the United States as of December 31, 2000, had 6,703 billion cubic feet of production, or 33 percent of the total (**Table 9**). Fewer of the gas fields in the top 100 are as old as the top100 oil fields. There were 22 gas fields in Table B2 that were discovered prior to 1950. Gas fields in the top 100 are newer than the oil fields, 57 gas fields were discovered after 1967. The oldest, Big Sandy in Kentucky, was discovered in 1881. The gas fields with newer discovery dates are located in the Gulf of Mexico Offshore, New Mexico, and Colorado.

## Table B3. Top U.S. Operators Ranked by Reported 2000 Operated Production Data

**Table B3** lists the top U.S. oil and gas operators ranked by reported 2000 operated production data.

Table B1. Top 100 U.S. Fields Ranked by Oil<sup>a</sup> Proved Reserves from Reported 2000 Field Level Data (Million Barrels of 42 U.S. Gallons)

Field Name	Location	Discovery Year	Proved Reserves Rank Group	Reported Production Rank Group
PRUDHOE BAY	AK	1967	1-10	188.6
KUPARUK RIVER	AK	1969	1-10	49.6
MIDWAY-SUNSET	CA	1901	1-10	56.7
BELRIDGE SOUTH	CA	1911	1-10	41.3
	TX		1-10	23.7
WASSON		1937		
YATES	TX	1984	1-10	11.5
KERN RIVER	CA	1899	1-10	44.9
ELK HILLS	CA	1920	1-10	17.3
MISSISSIPPI CANYON BLK 807	FG	1989	1-10	51.7
MILNE POINT	AK	1982	1-10	19.2
Top 10 Volume Subtotal Top 10 Percentage of U.S. Total			7,519.5 32.0%	504.6 24.2%
ALPINE	AK	1994	11-20	1.4
SPRABERRY TREND AREA	TX	1952	11-20	16.9
SLAUGHTER	TX	1937	11-20	13.9
HONDO	FP	1969	11-20	11.4
GREEN CANYON BLK 644	FG	1999	11-20	0.0
LEVELLAND	TX	1945	11-20	9.5
ENDICOTT	AK	1978	11-20	11.9
CYMRIC	CA	1916	11-20	20.5
PESCADO	FP	1970	11-20	7.5
SAN ARDO	CA	1947	11-20	4.8
Гор 20 Volume Subtotal Гор 20 Percentage of U.S. Total			9,713.9 41.3%	602.4 28.9%
Top 20 Percentage of 0.S. Total			41.370	20.976
WILMINGTON	CA	1935	21-50	16.0
LOST HILLS	CA	1910	21-50	11.0
MISSISSIPPI CANYON BLK 810	FG	1996	21-50	30.9
MISSISSIPPI CANYON BLK 127	FG	1999	21-50	0.0
COWDEN NORTH	TX	1930	21-50	7.7
POINT MCINTYRE	AK	1988	21-50	25.0
	OK			
SHO-VEL-TUM		1905	21-50	7.1
VACUUM	NM	1929	21-50	7.9
ALAMINOS CANYON BLK 25	FG	1997	21-50	0.0
VENTURA	CA	1916	21-50	4.6
WATTENBERG	CO	1970	21-50	5.8
GREEN CANYON BLK 244	FG	1994	21-50	31.6
GREATER ANETH	UT	1956	21-50	4.1
COALINGA	CA	1887	21-50	7.9
RANGELY	CO	1902	21-50	5.9
HAWKINS	TX	1940	21-50	3.8
GREEN CANYON BLK 158	FG	1992	21-50	0.0
	TX			
FULLERTON		1942	21-50	5.2
MCELROY	TX	1926	21-50	6.2
MONUMENT BUTTE	UT	1964	21-50	1.5
GREEN CANYON BLK 205	FG	1988	21-50	14.8
GOLDSMITH	TX	1935	21-50	3.8
SEMINOLE	TX	1936	21-50	10.3
ROBERTSON NORTH	TX	1956	21-50	3.3
KELLY-SNYDER	TX	1948	21-50	4.0
SALT CREEK	TX	1968	21-50	6.3
ARROYO GRANDE	CA	1906	21-50	0.6
WEST SAK	AK	1969	21-50	1.0
JAY MONI IMENIT	FL & AL	1970	21-50	4.1
MONUMENT	NM	1935	21-50	2.7
Top 50 Volume Subtotal			12,399.6 52.7%	835.7 40.0%

Table B1. Top 100 U.S. Fields Ranked by Oil<sup>a</sup> Proved Reserves from Reported 2000 Field Level Data (Continued)

(Million Barrels of 42 U.S. Gallons)

Field Name	Location	Discovery Year	Proved Reserves Rank Group	Reported Production Rank Group
INGLEWOOD	CA	1924	51-100	2.7
ΓXL	TX	1944	51-100	2.4
HOBBS	NM	1928	51-100	1.5
VASSON 72	TX	1940	51-100	2.9
SACATE	FP	1970	51-100	2.2
MISSISSIPPI CANYON BLK 935	FG	1994	51-100	1.8
VEST DELTA BLK 30	FG	1949	51-100	10.2
ARN	AK	1991	51-100	6.5
SIDDINGS	TX	1960	51-100	5.9
MISSISSIPPI CANYON BLK 899	FG	1998	51-100	11.8
MEANS	TX	1934	51-100	0.0
HOWARD-GLASSCOCK	TX	1925	51-100	3.7
VESTBROOK	TX	1920	51-100	3.3
IO-MILL	TX	1953	51-100	1.1
CEDAR LAKE	TX	1939	51-100	2.4
	FG			
MISSISSIPPI CANYON BLK 84		1993	51-100	2.4
PENNEL	MT	1955	51-100	0.0
EWING BANK BLK 873	FG	1991	51-100	1.8
/IOSCA KNOLL BLK 990	FG	1981	51-100	11.2
OOS CUADRAS	FP	1968	51-100	13.0
GARDEN BANKS BLK 387	FG	1998	51-100	2.2
GARDEN BANKS BLK 426	FG	1992	51-100	0.0
GOLDEN TREND	OK	1945	51-100	24.4
EUGENE ISLAND SA BLK 330	FG	1971	51-100	2.0
FIORD	AK	1992	51-100	7.9
OOLLARHIDE	TX & NM	1945	51-100	0.0
ELK BASIN	MT & WY	1915	51-100	2.5
OOKOUT BUTTE EAST	MT	1986	51-100	2.1
ANTON-IRISH	TX	1944	51-100	1.3
EUNICE MONUMENT	NM	1929	51-100	3.4
GARDEN BANKS BLK 559	FG	1999	51-100	1.1
MISSISSIPPI CANYON BLK 773	FG	2000	51-100	0.0
BELRIDGE NORTH	CA	1912	51-100	0.0
BREA-OLINDA	CA	1897	51-100	0.7
BEVERLY HILLS	CA	1900	51-100	1.1
GARDEN BANKS BLK 260	FG	1995	51-100	0.9
BLUEBELL	UT	1949	51-100	17.9
ELWOOD SOUTH OFFSHORE	CA	1966	51-100	3.4
HAMILTON DOME	WY	1918	51-100	1.4
MAIN PASS SA BLK 299	FG	1967	51-100	1.7
HEIDELBERG EAST	MS	1944	51-100	4.3
HUNTINGTON BEACH	CA	1964	51-100	1.8
KERN FRONT	CA	1925	51-100	3.1
GARDEN BANKS BLK 215	FG	1995	51-100	1.4
EUNICE NORTH	NM	1972	51-100	0.1
MISSISSIPPI CANYON BLK 582	FG	2000		0.6
			51-100 51 100	
FITTS EAST	OK	1944	51-100 51-100	0.0
CEDAR HILLS	ND	1995	51-100	0.6
ATAN EAST HOWARD	TX	1926	51-100	3.2
/IOSCA KNOLL BLK 786	FG	1996	51-100	1.8
op 100 Volume Subtotal op 100 Percentage of U.S. Total			14,507.9 61.7%	1,014.0 48.6%

<sup>&</sup>lt;sup>a</sup>Includes lease condensate.

Notes: The U.S. total production estimate of 2,088 million barrels and the U.S. total reserves estimate of 23,517 million barrels, used to calculate the percentages in this table, are from the combined totals of Table 6 and Table 15 in this publication. Column totals may not add due to independent rounding.

Table B2. Top 100 U.S. Fields Ranked by Gas<sup>a</sup> Proved Reserves, from Reported 2000 Field Level Data (Billion Cubic Feet)

Field Name	Location	Discovery Year	Proved Reserves Rank Group	Reported Production Rank Group
BLANCO / IGNACIO-BLANCO	NM & CO	1927	1-10	743.7
BASIN	NM	1947	1-10	653.7
PRUDHOE BAY	AK	1967	1-10	263.2
HUGOTON GAS AREA	KS & OK & TX	1922	1-10	436.8
MADDEN	WY	1968	1-10	85.1
CARTHAGE	TX	1944	1-10	191.3
WATTENBERG	CO	1970	1-10	133.1
JONAH	WY	1977	1-10	127.5
NATURAL BUTTES	UT	1952	1-10	57.7
MOBILE BAY FIELD	AL	1979	1-10	136.8
Top 10 Volume Subtotal Top 10 Percentage of U.S. Total			40,942.5 22.0%	2,828.9 14.0%
FOGARTY CREEK	WY	1975	11-20	33.1
ANTRIM	MI	1965	11-20	175.9
NEWARK EAST	TX	1981	11-20	68.4
_				
PANHANDLE WEST	TX	1918	11-20	102.7
DRUNKARDS WASH	UT	1989	11-20	64.7
OAKWOOD	VA	1990	11-20	41.1
RATON	CO	1994	11-20	32.9
SPRABERRY TREND AREA	TX	1952	11-20	65.8
BIG SANDY	KY & WV	1881	11-20	28.7
ELK HILLS	CA	1920	11-20	134.7
Top 20 Volume Subtotal Top 20 Percentage of U.S. Total			52,227.8 28.0%	3,576.9 17.7%
CTD ATTONI	TX	1937	24.50	20.2
STRATTON			21-50	39.3
LAKE RIDGE	WY	1981	21-50	15.8
RED OAK-NORRIS	OK	1910	21-50	53.0
SAWYER	TX	1975	21-50	45.6
PANOMA GAS AREA	KS	1956	21-50	78.3
COOK INLET NORTH	AK	1962	21-50	52.8
BELUGA RIVER	AK	1962	21-50	25.8
GOMEZ	TX	1977	21-50	55.6
OAK HILL	TX	1958	21-50	62.0
STRONG CITY DISTRICT	OK	1966	21-50	63.5
VIOSCA KNOLL BLK 956	FG	1985	21-50	103.6
WHITNEY CANYON-CARTER CRK	WY	1978	21-50	70.8
GIDDINGS	TX	1960	21-50	187.7
	FG			25.3
EAST BREAKS BLK 945		1994	21-50	
GOLDEN TREND	OK	1945	21-50	39.3
MONTE CHRISTO	TX	1982	21-50	24.7
MOCANE-LAVERNE GAS AREA	KS & OK & TX	1946	21-50	59.9
DEW	TX	1982	21-50	52.4
MOBILE BLK 823	FG	1983	21-50	66.3
LOWER MOBILE BAY-MARY ANN	AL	1979	21-50	31.0
VERMEJO PARK RANCH	NM & CO	1999	21-50	1.2
VERDEN	OK	1948	21-50	65.5
WASSON	TX	1937	21-50	10.6
NORA	VA	1949	21-50	25.4
MISSISSIPPI CANYON BLK 810	FG			49.1
		1996	21-50	
WATONGA-CHICKASHA TREND	OK	1962	21-50	55.4
INDIAN BASIN	NM	1971	21-50	94.3
BRUFF	WY	1969	21-50	38.3
PINEDALE	WY	1955	21-50	3.7
ELK CITY	OK	1947	21-50	66.2
Top 50 Volume Subtotal Top 50 Percentage of U.S. Total			71,081.8 38.1%	5,139.5 25.5%

Table B2. Top 100 U.S. Fields Ranked by Gas<sup>a</sup> Proved Reserves, from Reported 2000 Field Level Data (Continued)

(Billion Cubic Feet)

Field Name	Location	Discovery Year	Proved Reserves Rank Group	Reported Production Rank Group
BELRIDGE SOUTH	CA	1911	51-100	66.2
GRAND ISLE BLK 116	FG	1999	51-100	19.6
MISSISSIPPI CANYON BLK 731	FG	1987	51-100	0.0
VILBURTON	OK	1941	51-100	77.9
A PERLA	TX	1958	51-100	50.7
KNOX	OK	1916	51-100	75.0
BOB WEST	TX			65.9
		1990	51-100	
RULISON	CO	1958	51-100	47.2
MISSISSIPPI CANYON BLK 807	FG	1989	51-100	23.9
/IOSCA KNOLL BLK 915	FG	1993	51-100	62.1
UDGE DIGBY	LA	1977	51-100	1.8
DZONA	TX	1962	51-100	56.9
MATAGORDA ISLAND BLK 623	FG	1980	51-100	28.9
ELM GROVE	LA	1958	51-100	84.1
ICALLEN RANCH	TX	1986	51-100	34.2
VAMSUTTER	WY	1958	51-100	52.8
/AQUILLAS RANCH	TX	1978	51-100	27.8
KUPARUK RIVER	AK	1969	51-100	67.2
	TX			
WP		1981	51-100	16.5
(INTA	OK TV	1914	51-100	5.5
OOUBLE A WELLS	TX	1980	51-100	35.7
MESA UNIT	WY	1981	51-100	41.2
GRAND VALLEY	CO	1985	51-100	3.5
AIRWAY	AL	1986	51-100	18.3
CHO SPRINGS	WY	1977	51-100	33.5
AST BREAKS BLK 602	FG	1999	51-100	25.7
CARTHUR RIVER	AK	1965	51-100	0.0
EDAR COVE COAL DEGAS	AL	1983	51-100	66.7
UGENE ISLAND SA BLK 346	FG	1988	51-100	19.4
REESTONE	TX	1949	51-100	0.0
VILLOW SPRINGS	TX	1954	51-100	11.2
VILD ROSE	WY	1975	51-100	24.7
SLOCK 16	TX	1969	51-100	22.5
ABLE ROCK	WY	1946	51-100	24.8
NSCHUTZ RANCH EAST	UT & WY	1980	51-100	10.9
BEAVER CREEK	WY	1949	51-100	51.6
ESOTO CANYON BLK 133	FG	1993	51-100	13.2
AINTER RESERVOIR EAST	WY	1979	51-100	0.0
EMENT	OK	1917	51-100	33.5
ARDEN BANKS BLK 426	FG	1992	51-100	25.5
IIMMS CREEK	TX	1978	51-100	115.4
ENAI	AK	1959	51-100	25.0
LANCO SOUTH	NM	1951	51-100	11.9
IONDO	FP			
		1969	51-100	17.3
IP TOP	WY	1928	51-100	23.7
LUE CREEK COAL DEGAS	AL	1988	51-100	17.2
SARITA EAST	TX	1967	51-100	14.7
IISSISSIPPI CANYON BLK 211	FG	1994	51-100	15.4
OUTH PASS SA BLK 89	FG	1969	51-100	0.0
AKE ARTHUR SOUTH	LA	1955	51-100	41.9
op 100 Volume Subtotal			86,511.7	6,702.7 33.2%

<sup>&</sup>lt;sup>a</sup>Total wet gas after lease separation.

Note: The U.S. total production estimate of 20,164 billion cubic feet and the U.S. total reserves estimate of 186,510 billion cubic feet, used to calculate the percentages in this table, are from Table 9 in this publication. Column totals may not add due to independent rounding. Source: Energy Information Administration, Office of Oil and Gas.

Table B3. Top U.S. Operators Ranked by Reported 2000 Operated Production Data

		Crude Oil Production			Total Natural Gas Production
Rank	Company Name	(thousand barrels/day)	Rank	Company Name	(million cubic feet/day)
1	BP AMOCO PLC		1	BP AMOCO PLC	5,090
2			2		TION CO3,712
3		DUCTION CO343	3		
4		ICTION CO 297	4		CES OIL & GAS CO. 2,241
5		292	5		JCTION CO 2,119
6			6		CO1,941
7			7		1.596
8		1 CO190	8		M CORP 1,567
9			9		1,525
10		P104	10		CO 1,488
_			_	/olume Subtotal	· · · · · · · · · · · · · · · · · · ·
		otal 56%		Percentage of U.S. Total	
11	_		11		1,258
12		P	12		1,251
13			13		1,051
14		UM CORP 74	14		
15			15		901
16		ORP60	16		ATING CO 519
17	NUEVO ENERGY CO.		17	OCEAN ENERGY INC	505
18		l	18	CHESAPEAKE OPERATI	NG INC502
19	CONOCO INC		19	QUICKSILVER RESOURG	CES INC 470
20	BURLINGTON RESOUR	RCES OIL & GAS CO35	20		465
Top 2		3,835	Top 20 \	/olume Subtotal	31,703
		otal 67%	Top 20 F	Percentage of U.S. Total	
21		ESOURCES USA33	21		RP 463
22	EL PASO PRODUCTIO	N CO 32	22	AMERADA HESS CORP.	455
23	OCEAN ENERGY INC.		23	NEWFIELD EXPLORATION	N CO449
24	AGIP PETROLEUM CO	INC 31	24	BARRETT RESOURCES	CORP 427
25	NEWFIELD EXPLORAT	ION CO 23	25	SAMSON RESOURCES (	CO 421
26	VINTAGE PETROLEUM	1 INC 23	26	PIONEER NATURAL RES	SOURCES USA 395
27	CITATION OIL & GAS C	ORP21	27		RP393
28		21	28		RAL GAS CORP 386
29			29		ON & PRODUCTION 383
30			30		
31		S INC18	31		
32			32		ON CO309
33		C	33		
34		PORATION16	34		RP 294
35		CORP 16	35		DRATION 273
36		RATING CO 16	36		ATION CO 264
37		S INC	37		
38		0015	38	` ,	C 235
39		CORP14	39		232
40		LP	40		228
41		S CO INC	41		222
42		NC12	42		
43		)	43		CO
44 45		C12	44 45		IC
45 46			45 46		
46 47		CORP11	46 47		
47 48					
48 49		JRCES INC	48 49		I & PRODUCTION CO 168 NC 166
49 50			49 50		ORP158
				/olume Subtotal	
		otal		Percentage of U.S. Total	
10p 3	oo i ercemaye oi o.s. 10	nai	10p 30 F	ercentage of U.S. Total	

Note: Crude oil production includes production of lease condensate and total natural gas production is wet after lease separation.

## **Conversion to the Metric System**

#### Appendix C

## **Conversion to the Metric System**

Public Law 100–418, the Omnibus Trade and Competitiveness Act of 1988, states: "It is the declared policy of the United States—

- (1) to designate the metric system of measurement as the preferred system of weights and measures for United States trade and commerce. . . .
- (2) to require that each Federal agency, by the end of Fiscal Year 1992, use the metric system of measurement in its procurements, grants, and other business–related activities." [43]

**Table C1** is in keeping with the spirit of this law. The petroleum industry in the United States is slowly moving in the direction prescribed by this law and the data collected by EIA are collected in the units that are still common to the U.S. petroleum industry, namely barrels and cubic feet. Standard metric conversion factors were used to convert the National level volumes in **Table 1** to the metric equivalents in **Table C1**. Barrels were multiplied by 0.1589873 to convert to cubic meters and cubic feet were multiplied by 0.02831685 to convert to cubic meters.

Table C1. U.S. Proved Reserves of Crude Oil, Dry Natural Gas, and Natural Gas Liquids, in Metric Units, 1990 – 2000

Year	Adjustments (1)	Net Revisions (2)	Revisions <sup>a</sup> and Adjustments (3)	Net of Sales and Acquisitions (4)	Extensions (5)	New Field Discoveries (6)	New Reservoir Discoveries in Old Fields (7)	Total <sup>b</sup> Discoveries (8)	Estimated Production (9)	Proved <sup>C</sup> Reserves 12/31 (10)	Change from Prior Yea (11)
					Crude (	<b>Dil</b> (million cu	ıbic meters)				
1990	13.7	235.8	249.5	NA	72.5	15.6	21.5	109.6	398.3	4,174.1	-39.2
1991	25.9	35.5	61.4	NA	58.0	15.4	14.6	88.0	399.4	3,924.1	-250.0
1992	46.2	116.8	163.0	NA	62.2	1.3	13.5	77.0	388.9	3,775.2	-148.9
1993	43.1	78.7	121.8	NA	56.6	50.7	17.5	124.8	371.9	3,649.9	-125.3
1994	30.1	160.1	190.2	NA	63.1	10.2	17.6	90.9	360.6	3,570.4	-79.5
1995	19.4	163.4	182.8	NA	79.5	18.1	54.5	152.1	351.8	3,553.5	-16.9
1996	28.0	117.1	145.1	NA	86.3	38.6	22.4	147.3	345.5	3,500.4	-53.1
1997	82.6	145.4	228.0	NA	75.8	101.3	18.9	196.0	339.9	3,584.5	84.1
1998	-101.5	82.3	-19.2	NA	52.0	24.2	19.1	95.3	316.5	3,344.1	-240.4
1999	22.1	289.2	311.3	NA	41.2	51.0	23.1	115.3	310.3	3,460.4	116.3
2000	22.7	118.6	141.3	-3.2	121.8	43.9	39.6	205.3	298.9	3,504.9	44.5
					Dry Natura	al Gas (billior	cubic meters)	)			
1990	44.08	156.82	200.90	NA	225.18	56.75	68.30	350.23	487.98	4,795.35	63.15
1991	83.82	125.05	208.87	NA	144.13	24.01	45.42	213.56	487.11	4,730.67	-64.68
1992	63.29	172.53	235.82	NA	132.38	18.38	48.82	199.58	493.36	4,672.71	-57.96
1993	27.51	151.47	178.98	NA	172.82	25.46	52.84	251.12	503.73	4,599.08	-73.63
1994	55.08	155.29	210.37	NA	196.55	53.63	98.54	348.72	518.82	4,639.35	40.27
1995	16.42	219.00	235.42	NA	193.77	47.18	69.43	310.38	508.74	4,676.41	37.06
1996	107.18	115.70	222.88	NA	219.65	41.09	88.07	348.81	534.08	4,714.02	37.61
1997	-16.70	138.81	122.11	NA	299.73	75.92	67.45	443.10	544.00	4,735.23	21.21
1998	-46.30	162.54	116.24	NA	232.11	30.41	61.22	323.74	530.09	4,645.12	-90.11
1999	27.81	297.44	325.25	NA	199.44	44.40	62.18	306.02	535.98	4,740.41	95.29
2000	-25.23	197.14	171.91	114.15	418.72	56.15	67.05	541.93	544.22	5,024.17	283.76
				N	latural Gas	<b>Liquids</b> (mill	ion cubic mete	rs)			
1990	-13.2	35.2	22	NA	47.5	6.2	11.6	65.3	116.4	1,206.1	-29.1
1991	37.1	20.7	57.8	NA	30.0	4.0	8.7	42.7	119.9	1,186.7	-19.4
1992	35.7	41.5	77.2	NA	30.2	3.2	10.2	43.6	122.9	1,184.6	-2.1
1993	16.2	19.7	35.9	NA	39.0	3.8	10.2	53.0	125.3	1,148.2	-36.4
1994	6.9	31.3	38.2	NA	49.9	8.6	20.8	79.3	125.8	1,139.9	-8.3
1995	30.6	44.0	74.6	NA	68.7	8.1	10.7	87.6	125.8	1,176.3	36.4
1996	75.4	27.8	103.2	NA	71.7	10.3	17.3	99.4	135.1	1,243.8	67.4
1997	-2.2	45.9	43.7	NA	85.1	18.1	14.3	117.5	137.4	1,267.6	23.8
1998	-57.4	33.1	-24.3	NA	60.9	10.5	14.0	85.4	132.4	1,196.2	-71.4
1999	15.8	115.6	131.4	NA	49.8	8.1	14.0	71.9	142.5	1,257.0	60.8
2000	-13.2	73.0	59.8	23.1	102.5	14.6	16.2	133.4	146.4	1,326.7	69.7

<sup>&</sup>lt;sup>a</sup>Revisions and adjustments = Col. 1 + Col. 2. <sup>b</sup>Total discoveries = Col. 5 + Col. 6 + Col. 7.

Notes: Old means discovered in a prior year. New means discovered during the report year. The production estimates in this table are based on data reported on Form EIA–23, "Annual Survey of Domestic Oil and Gas Reserves" and Form EIA–64A, "Annual Report of the Origin of Natural Gas Liquids Production." The following conversion factors were used to convert data: barrels = 0.1589873 per cubic meter and cubic feet = 0.02831685 per cubic meter. Number of decimal digits varies in order to accurately reproduce corresponding equivalents shown on Table 1 in Chapter 2.
Source: U.S. Crude Oil, Natural Gas, and Natural Gas Liquids Reserves, 1990–2000 annual reports, DOE/EIA–0216.{14–23}

<sup>&</sup>lt;sup>C</sup>Proved reserves = Col. 10 from prior year + Col. 3 + Col. 4 + Col. 8 - Col. 9.

## **Historical Reserves Statistics**

#### Appendix D

### **Historical Reserves Statistics**

These are selected historical data presented at the State and National level. All historical statistics included have previously been published in the annual reports of 1977 through 2000 of the EIA publication *U.S. Crude Oil, Natural Gas, and Natural Gas Liquids Reserves, DOE EIA-0216.*{1-23}

Liquid volumes are in million barrels of 42 U.S. gallons. Gas volumes are in billion cubic feet (Bcf), at 14.73 psia and 60° Fahrenheit. NA appears in this appendix wherever data are not available or are withheld to avoid disclosure of data which may be proprietary. An asterisk (\*) marks those estimates associated with sampling errors (95 percent confidence interval) greater than 20 percent of the value estimated.

	Dry	Natural				Dry	Natural
Cru	de Oil Natural	Gas			Crude Oil	Natural	Gas
Crude Oil Indi	cated Gas	Liquids		Crude Oil	Indicated	Gas	Liquids
Proved Add	itional Proved	Proved		Proved	Additional	Proved	Proved
Year Reserves Res	erves Reserves	Reserves	Year	Reserves	Reserves	Reserves	Reserves

		A1-1					A11	_	
		Alabar	na				Alask	(a	
1977	85	0	530	NA	1977	8,413	846	32,243	NA
1978	*74	0	514	NA	1978	9,384	398	32,045	NA
1979	45	NA	652	213	1979	8,875	398	32,259	23
1980	54	NA	636	226	1980	8,751	0	33,382	11
1981	55	NA	648	192	1981	8,283	0	33,037	10
1982	54	NA	<sup>a</sup> 648	193	1982	7,406	60	34,990	9
1983	51	NA	<sup>a</sup> 785	216	1983	7,307	576	34,283	8
1984	*68	NA	<sup>a</sup> 961	200	1984	7,563	369	34,476	19
1985	69	NA	<sup>a</sup> 821	182	1985	7,056	379	33,847	383
1986	55	20	<sup>b</sup> 951	177	1986	6,875	902	32,664	381
1987	55	20	b <sub>842</sub>	166	1987	7,378	566	33,225	418
1988	54	20	b <sub>809</sub>	166	1988	6,959	431	9,078	401
1989	43	20	<sup>b</sup> 819	168	1989	6,674	750	8,939	380
1990	44	<1	<sup>C</sup> 4,125	170	1990	6,524	969	9,300	340
1991	43	<1	<sup>C</sup> 5,414	145	1991	6,083	1,456	9,553	360
1992	41	0	<sup>C</sup> 5,802	171	1992	6,022	1,331	9,638	347
1993	41	0	<sup>C</sup> 5,140	158	1993	5,775	1,161	9,907	321
1994	44	0	<sup>C</sup> 4,830	142	1994	5,767	1,022	9,733	301
1995	43	0	<sup>C</sup> 4,868	120	1995	5,580	582	9,497	306
1996	45	0	<sup>c</sup> 5,033	119	1996	5,274	952	9,294	337
1997	47	0	<sup>c</sup> 4,968	93	1997	5,161	832	10,562	631
1998	39	0	<sup>c</sup> 4,604	81	1998	5,052	832	9,927	320
1999	49	0	<sup>C</sup> 4,287	107	1999	4,900	464	9,734	299
2000	34	NA	<sup>C</sup> 4,149	150	2000	4,861	NA	9,237	277

<sup>&</sup>lt;sup>a</sup>Onshore only; offshore included in Louisiana.

Note: See 1988 Chapter 4 discussion "Alaskan North Slope Natural Gas Reserves".

bOnshore only, offshore included in Federal Offshore - Gulf of

Mexico (Louisiana).

<sup>C</sup>Includes State Offshore: 2,519 Bcf in 1990; 3,191 Bcf in 1991; 3,233 Bcf in 1992; 3,364 Bcf in 1993; 3,297 Bcf in 1994; 3,432 Bcf in 1995; 3,509 Bcf in 1996; 3,422 Bcf in 1997; 3,144 Bcf in 1998; 2,853 Bcf in 1999; 2,645 in 2000.

			Dry	Natural				Dry	Natural
		Crude Oil	Natural	Gas			Crude Oil	Natural	Gas
	Crude Oil	Indicated	Gas	Liquids		Crude Oil	Indicated	Gas	Liquids
	Proved	Additional	Proved	Proved		Proved	Additional	Proved	Proved
Year	Reserves	Reserves	Reserves	Reserves	Year	Reserves	Reserves	Reserves	Reserves

Arkansas					California - Coastal Region Onshore					
1977	116	17	1,660	NA	1977	679	NA	334	NA	
1978	111	8	1,681	NA	1978	602	NA	350	NA	
1979	107	8	1,703	17	1979	578	NA	365	22	
1980	107	11	1,774	16	1980	652	NA	299	23	
1981	113	11	1,801	16	1981	621	NA	306	14	
1982	107	4	1,958	15	1982	580	NA	362	16	
1983	120	4	2,069	11	1983	559	NA	381	17	
1984	114	6	2,227	12	1984	628	140	265	15	
1985	97	11	2,019	11	1985	631	152	256	16	
1986	88	9	1,992	16	1986	592	164	255	15	
1987	82	0	1,997	16	1987	625	298	238	13	
1988	77	<1	1,986	13	1988	576	299	215	13	
1989	66	1	1,772	9	1989	731	361	224	11	
1990	60	1	1,731	9	1990	588	310	217	12	
1991	*70	0	1,669	5	1991	554	327	216	12	
1992	58	<1	1,750	4	1992	522	317	203	10	
1993	65	0	1,552	4	1993	528	313	189	12	
1994	51	Ō	1,607	6	1994	480	238	194	11	
1995	48	0	1,563	6	1995	456	234	153	8	
1996	58	Ö	1,470	4	1996	425	261	156	9	
1997	45	Ö	1,475	7	1997	430	43	164	9	
1998	47	Ö	1,328	5	1998	354	40	106	9	
1999	48	Ö	1,542	5	1999	491	40	192	31	
2000	48	NĂ	1,581	5	2000	455	NA	234	27	
			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,							
California - Total					С	California - Los Angeles Basin Onshore				
1977	5,005	1,047	4,737	NA	1977	910	NA	255	NA	
1978	4,974	968	4,947	NA	1978	493	NA	178	NA	
1979	5,265	960	5,022	111	1979	513	NA	163	10	
1980	5,470	891	5,414	120	1980	454	NA	193	15	
1981	5,441	660	5,617	82	1981	412	NA	154	6	
1982	5,405	616	5,552	154	1982	370	NA	96	6	
1983	5,348	576	5,781	151	1983	343	NA	107	6	
1984	5.707	674	5,554	141	1984	373	126	156	5	
1985	d <sub>4</sub> ,810	.590	d <sub>4,325</sub>	<sup>d</sup> 146	1985	420	86	181	6	
1986	<sup>d</sup> 4,734	. <sup>d</sup> 616	<sup>d</sup> 3,928	d <sub>134</sub>	1986	330	66	142	8	
1987	d <sub>4.709</sub>	<sup>d</sup> 1,493	d <sub>3.740</sub>	<sup>a</sup> 130	1987	361	105	148	8	
1988	d <sub>4,879</sub>	d <sub>1,440</sub>	<sup>d</sup> 3.519	<sup>d</sup> 123	1988	391	106	151	7	
1989	d <sub>4,879</sub> d <sub>4,816</sub>	d <sub>1,440</sub> d <sub>1,608</sub>	<sup>u</sup> 3.374	<sup>u</sup> 113	1989	342	32	137	4	
1990	<sup>0</sup> 4.658	<sup>0</sup> 1.425	<sup>a</sup> 3.185	d <sub>1,05</sub>	1990	316	3	106	5	
1991	d <sub>4,217</sub>	d <sub>1</sub> ,471	d <sub>3,004</sub>	d <sub>92</sub>	1991	272	4	115	4	
1992	d <sub>3,893</sub>	d <sub>1,299</sub>	d <sub>2,778</sub>	d <sub>99</sub>	1992	236	4	97	5	
1993	d <sub>3</sub> ,764	d965	d <sub>2</sub> .682	d <sub>104</sub>	1993	238	4	102	6	
1994	d <sub>3,573</sub>	d <sub>835</sub>	d <sub>2,402</sub>	d <sub>92</sub>	1994	221	4	103	5	
1995	d <sub>3,462</sub>	d <sub>823</sub>	<sup>d</sup> 2.243	d <sub>92</sub>	1995	227	4	111	4	
1996	d <sub>3,437</sub>	d <sub>905</sub>	d <sub>2 082</sub>	d <sub>92</sub>	1996	234	0	109	3	
1997	d <sub>3,750</sub>	d <sub>1,264</sub>	d <sub>2,273</sub>	d <sub>95</sub>	1997	268	Ö	141	4	
1998	d <sub>3,843</sub>	d <sub>1,297</sub>	d <sub>2,244</sub>	d <sub>72</sub>	1998	207	Ö	149	5	
1999	d <sub>3,934</sub>	d <sub>1.400</sub>	d <sub>2,387</sub>	d <sub>98</sub>	1999	297	Ö	168	5 7	
2000	d <sub>3,813</sub>	dNA	d <sub>2,849</sub>	d <sub>101</sub>	2000	292	NÄ	193	10	
_555	5,510	14/1	_,0 10		_000	_52	. 4/ 1	.00	10	

 $<sup>^{\</sup>mbox{\scriptsize d}}\mbox{\sc Excludes}$  Federal offshore; now included in Federal Offshore-Pacific (California).

Year	Crude Oil Proved Reserves	Crude Oil Indicated Additional Reserves	Dry Natural Gas Proved Reserves	Natural Gas Liquids Proved Reserves	Year	Crude Oil Proved Reserves	Crude Oil Indicated Additional Reserves	Dry Natural Gas Proved Reserves	Natural Gas Liquids Proved Reserves
	California	- San Joaqւ	ıin Basin Or	nshore		Ca	lifornia - Sta	te Offshore	
1977	2,965	NA	3.784	NA	1977	181	NA	114	NA
1978	3,099	NA	3,960	NA	1978	519	NA	213	NA
1979	3,294	NA	3,941	77	1979	632	NA	231	2
1980	3,360	NA	4,344	81	1980	604	NA	164	1
1981	3,225	NA	4,163	57	1981	NA	NA	NA	NA
1982	3,081	NA	3,901	124	1982	NA	NA	NA	NA
1983	3,032	NA	3,819	117	1983	NA	NA	NA	NA
1984	3,197	384	3,685	105	1984	NA	25	NA	NA
1985	3,258	350	3,574	120	1985	501	0	314	4
1986	3,270	368	3,277	109	1986	542	18	254	2
1987	3,208	1,070	3,102	107	1987	515	18	252	2
1988	3,439	1,029	2,912	101	1988	473	6	241	2
1989	3,301	1,210	2,782	95	1989	442	5	231	3
1990	3,334	1,109	2,670	86	1990		3	192	2
1991	3,126	1,139	2,614	75	1991	265	1	59	1
1992	2,898	977	2,415	83	1992	237	1	63	1
1993	2,772	648	2,327	85	1993	226	0	64	1
1994	2,647	593	2,044	75	1994	225	0	61	1
1995	2,577	585	1,920	80	1995	202	0	59	0
1996	2,597	644	1,768	80	1996	181	0	49	0
1997	2,871	1,221	1,912	82 50	1997	181 155	0 0	56 44	0
1998 1999	3,127	1,257 1,330	1,945 1,951	58 60	1998 1999	155 197	30	76	0
2000	2,949 2,870	1,330 NA	2,331	64	2000	_	NA	91	0
2000	2,070	INA	2,331	04	2000	190	NA	91	O
	Californi	a-State and	Federal Offs	shore		Cali	fornia - Fede	eral Offshore	е
1977	451	NA	364	NA	1977	270	NA	250	NA
1978	780	NA	457	NA	1978	261	NA	246	NA
1979	880	NA	553	2	1979	248	NA	322	0
1980	1,004	NA	578	1	1980	400	NA	414	0
1021	1 183	NΙΛ	001	5	1021	NΙΛ	NΙΛ	NΙΛ	NΙΛ

	California	-State and F	ederal Offsh	ore	California - Federal Offshore					
1977	451	NA	364	NA	1977	270	NA	250	NA	
1978	780	NA	457	NA	1978	261	NA	246	NA	
1979	880	NA	553	2	1979	248	NA	322	0	
1980	1,004	NA	578	1	1980	400	NA	414	0	
1981	1,183	NA	994	5	1981	NA	NA	NA	NA	
1982	1,374	NA	1,193	8	1982	NA	NA	NA	NA	
1983	1,414	NA	1,474	11	1983	NA	NA	NA	NA	
1984	1,509	25	1,448	16	1984	NA	0	NA	NA	
1985	1,492	2	1,433	16	1985	991	2	1,119	12	
1986	1,516	19	1,579	17	1986	974	1	1,325	15	
1987	1,552	20	1,704	19	1987	1,037	2	1,452	17	
1988	1,497	6	1,793	23	1988	1,024	0	1,552	21	
1989	1,429	5	1,727	28	1989	987	0	1,496	25	
1990	1,382	3	1,646	20	1990	962	0	1,454	18	
1991	1,050	1	1,221	19	1991	785	0	1,162	18	
1992	971	1	1,181	21	1992	734	<1	1,118	20	
1993	899	0	1,163	26	1993	673	0	1,099	25	
1994	878	0	1,231	22	1994	653	0	1,170	21	
1995	773	0	1,324	25	1995	571	0	1,265	25	
1996	699	0	1,293	23	1996	518	0	1,244	23	
1997	709	0	600	14	1997	528	0	544	14	
1998	623	0	524	12	1998	468	0	480	12	
1999	750	30	612	4	1999	553	0	536	4	
2000	792	NA	667	4	2000	596	NA	576	4	

Year	Crude Oil Proved Reserves	Crude Oil Indicated Additional Reserves	Dry Natural Gas Proved Reserves	Natural Gas Liquids Proved Reserves	Year	Crude Oil Proved Reserves	Crude Oil Indicated Additional Reserves	Dry Natural Gas Proved Reserves	Natural Gas Liquids Proved Reserves
		Colora	do				Illino	ie	
4077	000			NIA	4077	*450			NIA
1977 1978	230 194	73 75	2,512 2,765	NA NA	1977 1978	*150 *158	1 1	NA NA	NA NA
1979	159	43	2,763	177	1976	*136	1	NA NA	NA
1980	*183	46	2,000	194	1980	113	2	NA	NA
1981	147	47	2,961	204	1981	129	1	NA	NA
1982	169	100	3,314	186	1982	150	1	NA	NA
1983	186	113	3,148	183	1983	135	1	NA	NA
1984	198	119	*2,943	155	1984	153	1	NA	NA
1985	198	119	2,881	173	1985	136	1	NA	NA
1986	207	95	3,027	148	1986	135	1	NA	NA
1987	272	67	2,942	166	1987	153	5	NA	NA
1988	257	67	3,535	181	1988	143	<1	NA	NA
1989	359	8	4,274	209	1989	123	<1	NA	NA
1990	305	8	4,555	169	1990	131	0	NA	NA
1991	329	33	5,767	197	1991	128	52	NA	NA
1992	304	34	6,198	226	1992	138	0	NA	NA
1993	284	22	6,722	214	1993	116	0	NA	NA
1994	271	22	6,753	248	1994	117	0	NA	NA
1995	252	24	7,256	273	1995	119	0	NA	NA
1996	231	22 22	7,710 6,828	287	1996	94	0	NA NA	NA
1997 1998	198 212	22	6,626 7,881	264 260	1997 1998	92 81	0 0	NA NA	NA NA
1999	203	21	8,987	303	1999	100	0	NA NA	NA
2000	217	NA	10,428	316	2000	111	NA	NA	NA
2000	217	14/1	10,420	310	2000		1471	1471	147.
		Florid	la				India	 na	
1977	213	1	151	NA	1977	*20	0	NA	NA
1978	168	1	119	NA	1978	*29	0	NA	NA
1979	128	1	77	21	1979	*40	0	NA	NA
1980	134	1	84	27	1980	23	0	NA	NA
1981	109	1	69	NA	1981	23	0	NA	NA
1982	97	1	64	17	1982	28	1	NA	NA
1983	78	4	49	11	1983	34	3	NA	NA
1984	82	2	65	17	1984	*33	2	NA	NA
1985	77	2	55	17	1985	*35	2	NA	NA
1986	67	2	49	14	1986	*32	2	NA	NA
1987	61	0	49	9	1987	23	2	NA	NA
1988	59 50	0	51 46	16	1988	*22 *46	0	NA	NA
1989 1990	50 42	0 0	46 45	10 8	1989 1990	*16 12	0 0	NA NA	NA NA
1990	37	0	38	7	1990	*16	0	NA NA	NA
1992	36	0	47	8	1992	17	0	NA	NA
1993	40	0	50	9	1993	15	Ö	NA	NA
1994	71	Ö	98	18	1994	15	Ö	NA	NA
1995	71	Ö	92	17	1995	13	Ö	NA	NA
1996	97	0	96	22	1996	11	0	NA	NA
1997	91	0	96	17	1997	*10	0	NA	NA
1998	71	0	88	18	1998	13	0	NA	NA
1999	85	0	84	16	1999	10	0	NA	NA
2000	76	NA	82	11	2000	15	NA	NA	NA

			Dry	Natural				Dry	Natural
		Crude Oil	Natural	Gas			Crude Oil	Natural	Gas
	Crude Oil	Indicated	Gas	Liquids		Crude Oil	Indicated	Gas	Liquids
	Proved	Additional	Proved	Proved		Proved	Additional	Proved	Proved
Year	Reserves	Reserves	Reserves	Reserves	Year	Reserves	Reserves	Reserves	Reserves

	Kansas					Louisiana - Total					
1977	*349	3	11,457	NA	1977	3,600	139	57,010	NA		
1978	303	3	10,992	NA	1978	3,448	143	55,725	NA		
1979	*377	3	10,243	402	1979	2,780	76	50,042	1,424		
1980	310	2	9,508	389	1980	2,751	62	47,325	1,346		
1981	371	2	9,860	409	1981	2,985	50	47,377	1,327		
1982	378	13	9,724	302	1982	2,728	49	e44,916	1,295		
1983	344	13	9,553	443	1983	2,707	45	e <sub>42,561</sub>	1,332		
1984	377	2	9,387	424	1984	2,661	55	<sup>e</sup> 41,399	1,188		
1985	423	<1	9,337	373	1985	<sup>f</sup> 883	.35	<sup>f</sup> 14,038	<sup>f</sup> 546		
1986	312	<1	10,509	440	1986	<sup>f</sup> 826	<sup>f</sup> 47	<sup>f</sup> 12,930	<sup>f</sup> 524		
1987	357	<1	10,494	462	1987	<sup>†</sup> 807	<sup>†</sup> 56	<sup>†</sup> 12,430	<sup>†</sup> 525		
1988	327	<1	10,104	345	1988	<sup>†</sup> 800	<sup>†</sup> 69	<sup>†</sup> 12,224	<sup>†</sup> 517		
1989	338	3	10,091	329	1989	<sup>†</sup> 745	<sup>†</sup> 63	<sup>†</sup> 12,516	<sup>†</sup> 522		
1990	321	<1	9,614	313	1990	<sup>†</sup> 705	<sup>†</sup> 22	<sup>†</sup> 11,728	<sup>†</sup> 538		
1991	300	<1	9,358	428	1991	<sup>†</sup> 679	<sup>†</sup> 44	<sup>†</sup> 10,912	<sup>†</sup> 526		
1992	310	0	9,681	444	1992	<sup>†</sup> 668	, <sup>†</sup> 35	<sup>†</sup> 9,780	<sup>†</sup> 495		
1993	271	0	9,348	380	1993	<sup>†</sup> 639	<sup>†</sup> 338	<sup>†</sup> 9,174	<sup>†</sup> 421		
1994	260	0	9,156	398	1994	<sup>†</sup> 649	<sup>†</sup> 340	<sup>†</sup> 9,748	<sup>†</sup> 434		
1995	275	<1	8,571	369	1995	<sup>f</sup> 637	<sup>f</sup> 475	<sup>f</sup> 9,274	<sup>f</sup> 601		
1996	266	<1	7,694	338	1996	<sup>†</sup> 658	<sup>†</sup> 331	<sup>†</sup> 9,543	<sup>†</sup> 543		
1997	238	0	6,989	271	1997	<sup>†</sup> 714	<sup>†</sup> 313	<sup>†</sup> 9,673	<sup>†</sup> 437		
1998	246	0	6,402	334	1998	<sup>†</sup> 551	<sup>†</sup> 316	<sup>†</sup> 9,147	<sup>†</sup> 411		
1999	175	0	5,753	358	1999	<sup>f</sup> 600	<sup>f</sup> 278	<sup>f</sup> 9,242	<sup>f</sup> 457		
2000	237	NA	5,299	306	2000	<sup>f</sup> 529	f <sub>NA</sub>	f <sub>9,239</sub>	f <sub>436</sub>		

e Includes State and Federal offshore Alabama.

f Excludes Federal offshore; now included in Federal Offshore-Gulf of Mexico (Louisiana).

						_					
	Kentucky					Louisiana - North					
1977	30	0	451	NA	1977	244	78	3,135	NA		
1978	*40	0	545	NA	1978	255	78	3,203	NA		
1979	25	0	468	26	1979	216	NA	2,798	96		
1980	*35	12	508	25	1980	248	NA	3,076	95		
1981	29	13	530	25	1981	*317	NA	3,270	99		
1982	*36	13	551	35	1982	*240	NA	2,912	85		
1983	35	12	554	31	1983	223	NA	2,939	74		
1984	*41	0	613	24	1984	165	9	2,494	57		
1985	*42	0	766	27	1985	196	5	2,587	65		
1986	*31	0	841	29	1986	160	7	2,515	57		
1987	25	0	909	23	1987	175	3	2,306	50		
1988	*34	0	923	24	1988	154	23	2,398	56		
1989	33	0	992	16	1989	123	22	2,652	60		
1990	33	0	1,016	25	1990	120	<1	2,588	58		
1991	*31	0	1,155	24	1991	127	<1	2,384	59		
1992	34	0	1,084	32	1992	125	<1	2,311	60		
1993	26	0	1,003	26	1993	108	0	2,325	57		
1994	26	0	969	39	1994	108	0	2,537	69		
1995	24	0	1,044	43	1995	108	0	2,788	79		
1996	21	0	983	46	1996	128	0	3,105	85		
1997	*20	0	1,364	48	1997	136	<1	3,093	80		
1998	23	0	1,222	54	1998	101	0	2,898	57		
1999	24	0	1,435	69	1999	108	0	3,079	61		
2000	24	NA	1,760	56	2000	97	NA	3,298	61		

Year	Crude Oil Proved Reserves	Crude Oil Indicated Additional Reserves	Dry Natural Gas Proved Reserves	Natural Gas Liquids Proved Reserves	Year	Crude Oil Proved Reserves	Crude Oil Indicated Additional Reserves	Dry Natural Gas Proved Reserves	Natural Gas Liquids Proved Reserves
	Lou	uisiana - Sou	ıth Onshore				Michig	jan	
1977	1,382	46	18,580	NA	1977	*233	0	*1,386	NA
1978	1,242	38	17,755	NA	1978	*220	9	*1,422	NA
1979	682	NA	13,994	676	1979	159	23	1,204	112
1980	682	NA	13,026	540	1980	*205	14	*1,406	112
1981	642	NA	12,645	544	1981	*240	17	1,118	102
1982	611	NA	11,801	501	1982	184	34	1,084	97
1983	569	NA	11,142	527	1983	209	48	1,219	105
1984	585	20	10,331	454	1984	180	46	1,112	84
1985	565	16	9,808	442	1985	191	37	985	67
1986	547	30	9,103	428	1986	146	34	1,139	88
1987	505	22	8,693	429	1987	151	27	1,451	111
1988	511	35	8,654	421	1988	132	27	1,323	99
1989	479 425	30	8,645	411	1989	128	8	1,342	97
1990 1991	435 408	11 33	8,171 7,504	431 417	1990 1991	124 119	3 0	1,243 1,334	81 72
1991	417	26	6,693	380	1991	102	0	1,33 <del>4</del> 1,223	68
1992	382	329	5,932	334	1992	90	0	1,160	57
1994	391	331	6,251	337	1994	91	1	1,323	54
1995	387	324	5,648	495	1995	76	1	1,294	45
1996	382	322	5,704	411	1996	74	Ö	2,061	53
1997	427	309	5,855	333	1997	68	2	2,195	50
1998	353	307	5,698	325	1998	44	0	2,328	51
1999	384	278	5,535	364	1999	52	Ö	2,255	48
2000	310	NA	5,245	337	2000	56	NA	2,729	35
	Lo	uisiana - Sta	te Offshore				Mississ	ippi	
1977	1,974	15	35,295	NA	1977	241	9	1,437	NA
1978	1,951	27	34,767	NA	1978	*250	27	1,635	NA
1979	1,882	14	33,250	652	1979	238	24	1,504	16
1980	1,821	13	31,223	711	1980	202	36	1,769	20
1981	2,026	16	31,462	684	1981	209	93	2,035	18
1982	1,877	21	e <sub>30,203</sub>	709	1982	223	85	1,796	18
1983	1,915	15	e <sub>28,480</sub>	731	1983	205	77	1,596	19
1984	1,911 <sup>†</sup> 122	27	e <sub>28,574</sub> f <sub>1,643</sub>	677 f <sub>39</sub>	1984	201	50	1,491	15
1985	<sup>1</sup> 122	, 2 f <sub>10</sub>	<sup>1</sup> 1,643	<sup>1</sup> 39	1985	184	53	1,360	12
1986	<sup>f</sup> 119	¦10	!1,312	f <sub>39</sub>	1986	199	16	1,300	11
1987	<sup>f</sup> 127	f <sub>22</sub>	<sup>f</sup> 1,431	<sup>f</sup> 46	1987	202	12	1,220	11
1988	<sup>†</sup> 135	f11	f <sub>1,172</sub>	f <sub>40</sub>	1988	221	10	1,143	12
1989	<sup>†</sup> 143	f <sub>1.1</sub>	<sup>†</sup> 1,219	<sup>†</sup> 51	1989	218	6	1,104	12
1990	f <sub>150</sub>	f11	<sup>†</sup> 969	f <sub>49</sub>	1990	227	8	1,126	11
1991	<sup>†</sup> 144	<sup>f</sup> 11 <sup>f</sup> 9	<sup>f</sup> 1,024	f <sub>50</sub>	1991	194	8	1,057	10
1992	<sup>f</sup> 126 <sup>f</sup> 149	.9 fo	f776	<sup>f</sup> 55	1992	165	7	869	9
1993	f <sub>150</sub>	fg fg	<sup>†</sup> 917	<sup>†</sup> 30	1993	133	44	797	11
1994 1995	f <sub>142</sub>	f454	<sup>†</sup> 960 <sup>f</sup> 838	<sup>†</sup> 28 <sup>f</sup> 27	1994 1995	151	40	650 663	9
1995	f <sub>148</sub>	f <sub>151</sub> f <sub>9</sub> f <sub>4</sub>	<sup>f</sup> 734	f <sub>47</sub>	1995	140 164	6	631	8 7
1996	f <sub>1,51</sub>	f <sub>4</sub>	<sup>7</sup> 725	f <sub>24</sub>	1996	183	6 0	582	6
1997	f <sub>07</sub>	f	f <sub>551</sub>	f <sub>29</sub>	1997	141	0	658	8
1999	<sup>f</sup> 97 <sup>f</sup> 108	f <sub>2</sub> f <sub>0</sub>	f <sub>628</sub>	f <sub>32</sub>	1999	163	0	677	10
2000	f <sub>122</sub>	f <sub>N</sub> A	f <sub>696</sub>	f <sub>38</sub>	2000	182	NÄ	618	4

eIncludes State and Federal offshore Alabama.

fExcludes Federal offshore; now included in Federal Offshore-Gulf of Mexico (Louisiana).

Year	Crude Oil Proved Reserves	Crude Oil Indicated Additional Reserves	Natural Gas Proved Reserves	Gas Liquids Proved Reserves	Year	Crude Oil Proved Reserves	Crude Oil Indicated Additional Reserves	Natural Gas Proved Reserves	Gas Liquids Proved Reserves
		Monta	na				New Mexico	o - Total	
1977	175	27	*887	NA	1977	605	97	12,000	NA
1978	158	27	926	NA	1978	579	90	12,688	NA
1979	152	38	825	10	1979	563	77	13,724	530
1980	179	13	*1,287	16	1980	547	58	13,287	541
1981	186	11	*1,321	11	1981	555	93	13,870	560
1982	216	6	847	18	1982	563	76	12,418	531
1983	234	8	896	19	1983	576	75	11,676	551
1984	224	4	802	18	1984	660	87	11,364	511
1985	232	3	857	21	1985	688	99	10,900	445
1986	248	27	803	16	1986	644	225	11,808	577
1987	246	<1	780	16	1987	654	235	11,620	771
1988	241	0	819	11	1988	661	241	17,166	1,023
1989	225 221	<1	867	16	1989	665	256	15,434	933
1990 1991	201	0 0	899 831	15 14	1990 1991	687 721	256 275	17,260 18,539	990 908
1991	193	0	859	12	1991	757	293	18,998	1,066
1993	171	0	673	8	1993	707	211	18,619	996
1994	175	0	717	8	1994	718	215	17,228	1,011
1995	178	Ö	782	8	1995	732	185	17,491	943
1996	168	Ö	796	7	1996	744	148	16,485	1,059
1997	159	1	762	5	1997	735	146	15,514	869
1998	167	0	782	5	1998	620	168	14,987	929
1999	207	0	841	8	1999	718	165	15,449	954
2000	235	NA	885	4	2000	719	NA	17,322	896
		Nebras	ska				New Mexico	o - East	
1977	22	0	NA	NA	1977	576	95	3,848	NA
1978	30	1	NA	NA	1978	554	88	3,889	NA
1979	25	0	NA	NA	1979	542	77	4,031	209
1980	*46	0	NA	NA	1980	518	58	3,530	209
1981	41	0	NA	NA	1981	522	93	3,598	214
1982	*32	0	NA	NA	1982	537	76	3,432	209
1983	44	0	NA	NA	1983	542	75	3,230	232
1984	*46	0	NA	NA	1984	625	87	3,197	221
1985	42	0	NA	NA	1985	643	98	3,034	209
1986	*45	7	NA	NA	1986		225	2,694	217
1987	33	0	NA	NA	1987		230	2,881	192
1988 1989	42 32	0	NA NA	NA NA	1988 1989	621 619	235 252	2,945 3,075	208 196
1909	32 26	0 0	NA NA	NA NA	1989	633	252 253	3,075	222
1991	26	0	NA	NA NA	1990	694	275	3,206	205
1992	26	0	NA NA	NA NA	1992		293	3,200	223
1993	20	Ö	NA	NA	1993		211	3,034	233
1994	22	Ö	NA	NA	1994		215	3,021	234
1995	25	0	NA	NA	1995		185	2,867	247
1996	28	0	NA	NA	1996	731	148	2,790	299
1997	*21	0	NA	NA	1997	719	146	2,642	273
1998	18	0	NA	NA	1998		168	2,693	262
1999	17	0	NA	NA	1999		165	3,037	255
2000	18	NA	NA	NA	2000	705	NA	3,537	333

Dry

Natural

Dry

Natural

Year	Crude Oil Proved Reserves	Crude Oil Indicated Additional Reserves	Dry Natural Gas Proved Reserves	Natural Gas Liquids Proved Reserves	Year	Crude Oil Proved Reserves	Crude Oil Indicated Additional Reserves	Dry Natural Gas Proved Reserves	Natural Gas Liquids Proved Reserves
		New Mexico	o - West				North Da	ıkota	
1977	*29	2	8,152	NA	1977	155	10	361	NA
1978	*25	2	8,799	NA	1978	162	4	374	NA
1979	21	0	9,693	321	1979	211	6	439	47
1980	*29	0	9,757	332	1980	214	6	537	61
1981	*33	0	10,272	346	1981	223	8	581	68
1982	26	0	8,986	322	1982	237	8	629	71
1983	34	0	8,446	319	1983	258	53	600	69
1984	35	0	8,167	290	1984	260	54	566	73
1985	45	1	7,866	236	1985	255	34	569	74
1986	51	0	9,114	360	1986	218	35	541	69
1987	46	5	8,739	579	1987	215	33	508	67
1988	40	6	14,221	815	1988	216	39	541	52
1989	46	4	12,359	737	1989	246	31	561	59
1990	54	3	14,004	768	1990	285	0	586	60
1991	27	0	15,333	703	1991	232	4	472	56
1992	26	0	15,868	843	1992	237	3	496	64
1993	19	0	15,585	763	1993	226	7	525	55
1994	16	0	14,207	777	1994	226	2	507	55
1995	19	0	14,624	696	1995	233	6	463	53
1996	13	0	13,695	760	1996	248	6	462	48
1997	16	0	12,872	596	1997	279	6	479 447	47
1998 1999	10 13	0 0	12,294 12,412	667 699	1998 1999	245 262	1 1	447 416	48 53
2000	14	NA	13,785	563	2000	270	NA	433	54
		New Yo	ork				Ohio	<u> </u>	
1077	NΙΛ			NA	1077	*74			NΙΛ
1977 1978	NA NA	NA NA	165 193	NA NA	1977 1978	74 69	0 0	495 684	NA NA
1979	NA NA	NA NA	211	0	1979	*82	0	*1,479	0
1980	NA	NA	208	0	1980	*116	0	*1,699	0
1981	NA	NA	*264	0	1981	*112	0	965	0
1982	NA	NA	229	NĂ	1982	111	Ö	1,141	NÄ
1983	NA	NA	295	NA	1983	130	Ö	2,030	NA
1984	NA	NA	389	NA	1984	*116	0	1,541	NA
1985	NA	NA	*369	NA	1985	79	0	1,331	NA
1986	NA	NA	*457	NA	1986	72	0	1,420	NA
1987	NA	NA	410	NA	1987	66	0	1,069	NA
1988	NA	NA	351	NA	1988	64	0	1,229	NA
1989	NA	NA	368	NA	1989	56	0	1,275	NA
1990	NA	NA	354	NA	1990	65	0	1,214	NA
1991	NA	NA	331	NA	1991	66	0	1,181	NA
1992	NA	NA	329	NA	1992	58	0	1,161	NA
1993	NA	NA	*264	NA	1993		0	1,104	NA
1994	NA	NA	242	NA	1994	58	0	1,094	NA
1995	NA	NA	197	NA	1995	53	0	1,054	NA
1996	NA	NA	232	NA	1996	53	0	1,113	NA
1997	NA NA	NA NA	*224 218	NA NA	1997 1998	*43 40	0	985 890	NA NA
		INIA	/TX	NA	IGGX	411	- 11	XVII	INIA

NA

NA

NA

218

221

322

1998

1999

2000

40

51

59

0

NA

890

1,179

1,185

NA

NA

NA

1998

1999

2000

NA

NA

NA

NA

NA

NA

			Dry	Natural				Dry	Natural
		Crude Oil	Natural	Gas			Crude Oil	Natural	Gas
	Crude Oil	Indicated	Gas	Liquids		Crude Oil	Indicated	Gas	Liquids
	Proved	Additional	Proved	Proved		Proved	Additional	Proved	Proved
Year	Reserves	Reserves	Reserves	Reserves	Year	Reserves	Reserves	Reserves	Reserves

		Oklaho		Texas				
1977	1,109	69	13,889	NA	1977	9,751	637	
1978	979	33	14,417	NA	1978	8,911	533	
1979	1,014	35	13,816	583	1979	8,284	471	
1980	930	27	13,138	604	1980	8,206	384	
1981	950	43	14,699	631	1981	8,093	459	
1982	971	25	16,207	745	1982	7,616	377	
1983	931	27	16,211	829	1983	7,539	421	
1984	940	40	16,126	769	1984	7,557	735	
1985	935	37	16,040	826	1985	97,782	609	
1986	874	35	16,685	857	1986	97,152	1,270	
1987	788	56	16,711	781	1987	<sup>9</sup> 7,112	1,028	
1988	796	79	16,495	765	1988	97,043	1,099	
1989	789	63	15,916	654	1989	<sup>9</sup> 6,966	805	
1990	734	37	16,151	657	1990	<sup>9</sup> 7,106	618	
1991	700	54	14,725	628	1991	96,797	756	
1992	698	54	13,926	629	1992	96,441	<sup>9</sup> 612	
1993	680	40	13,289	643	1993	<sup>9</sup> 6,171	<sup>9</sup> 581	
1994	689	47	13,487	652	1994	95,847	9491	
1995	676	48	13,438	674	1995	95,743	9395	
1996	632	43	13,074	684	1996	<sup>9</sup> 5,736	9358	
1997	605	20	13,439	685	1997	<sup>9</sup> 5,687	9479	
1998	599	59	13,645	698	1998	94,927	9400	
1999	621	58	12,543	749	1999	95,339	9426	
2000	610	NA	13,699	734	2000	95,273	9426	

Texas - Total										
9,751	637	56,422	NA							
8,911	533	55,583	NA							
8,284	471	53,021	2,482							
8,206	384	50,287	2,452							
8,093	459	50,469	2,646							
7,616	377	49,757	2,771							
7,539	421	50,052	3,038							
7,557	735	49,883	3,048							
97,782	609	941,775								
	1,270	940,574								
	1,028									
	1,099									
	805									
	618									
	756									
′										
		<sup>9</sup> 38,270								
<sup>9</sup> 5,273	9426	940,082	<sup>9</sup> 2,819							
	8,911 8,284 8,206 8,093 7,616 7,539 7,557	9,751 637 8,911 533 8,284 471 8,206 384 8,093 459 7,616 377 7,539 421 7,557 735 97,782 609 97,152 1,270 97,112 1,028 97,043 1,099 96,966 805 97,106 618 96,797 756 96,441 9612 96,171 9581 95,847 9491 95,743 9395 95,736 9358 95,687 9479 94,927 9400 95,339 9426	9,751         637         56,422           8,911         533         55,583           8,284         471         53,021           8,206         384         50,287           8,093         459         50,469           7,616         377         49,757           7,539         421         50,052           7,557         735         49,883           97,782         609         941,775           97,152         1,270         940,574           97,112         1,028         938,711           97,043         1,099         938,167           96,966         805         938,381           97,106         618         938,192           96,797         756         936,174           96,441         9612         935,093           96,171         9581         934,718           95,847         9491         935,974           95,736         9358         936,542           95,736         9358         938,270           95,687         9479         937,761           94,927         9400         937,584           95,339         9426         940,157	9,751         637         56,422         NA           8,911         533         55,583         NA           8,284         471         53,021         2,482           8,206         384         50,287         2,452           8,093         459         50,469         2,646           7,616         377         49,757         2,771           7,539         421         50,052         3,038           7,557         735         49,883         3,048           97,782         609         941,775         92,981           97,152         1,270         940,574         92,964           97,112         1,028         938,711         92,822           97,043         1,099         938,167         92,617           96,966         805         938,381         92,563           97,106         618         938,192         92,575           96,797         756         936,174         92,493           96,441         9612         935,093         92,402           96,171         9581         934,718         92,469           95,847         9491         935,974         92,414           95,736						

 $g_{\mbox{\footnotesize{Excludes}}}$  Federal offshore; now included in Federal Offshore-Gulf of Mexico (Texas).

		Pennsylv	/ania			Te	xas - RRC	District 1	
1977	*57	0	769	NA	1977	*174	0	1,319	NA
1978	27	0	899	NA	1978	111	2	986	NA
1979	33	0	*1,515	1	1979	110	0	919	23
1980	35	0	951	0	1980	*150	0	829	24
1981	32	0	*1,264	0	1981	127	5	*1,022	26
1982	37	0	1,429	NA	1982	129	6	892	29
1983	41	0	1,882	NA	1983	165	6	1,087	43
1984	*40	0	1,575	NA	1984	173	4	838	39
1985	*38	0	*1,617	NA	1985	177	8	967	40
1986	*26	0	*1,560	1	1986	144	1	913	35
1987	26	0	1,647	NA	1987	143	1	812	27
1988	*27	0	2,072	NA	1988	136	1	1,173	30
1989	26	0	1,642	NA	1989	139	1	1,267	25
1990	22	0	1,720	NA	1990	252	0	1,048	26
1991	15	0	1,629	NA	1991	227	0	1,030	28
1992	16	0	1,528	NA	1992	185	0	933	27
1993	14	0	1,717	NA	1993	133	0	698	26
1994	15	0	1,800	NA	1994	100	1	703	26
1995	11	0	1,482	NA	1995	90	6	712	26
1996	10	0	1,696	NA	1996	86	1	906	46
1997	17	0	1,852	NA	1997	83	<1	953	54
1998	15	0	1,840	NA	1998	61	0	1,104	38
1999	16	0	1,772	NA	1999	66	0	1,008	167
2000	15	NA	1,741	NA	2000	87	NA	1,032	55

Year	Crude Oil Proved Reserves	Crude Oil Indicated Additional Reserves	Dry Natural Gas Proved Reserves	Natural Gas Liquids Proved Reserves	Year	Crude Oil Proved Reserves	Crude Oil Indicated Additional Reserves	Dry Natural Gas Proved Reserves	Natural Gas Liquids Proved Reserves
	Toyas	s - RRC Distr	ict 2 Onsho	ro.		Toyas	s - RRC Distr	ict 4 Onsho	·ro
1977	395	80	3,162	NA	1977	145	7	9,621	NA
1978	334	1	2,976	NA C4	1978	123	3	9,031	NA 248
1979 1980	292 252	1 1	2,974 2,502	64 64	1979 1980	113 96	4 3	8,326 8,130	248 252
1981	232	1	2,502	88	1980	90	6	8,004	260
1982	206	0	2,493	75	1982	87	7	8,410	289
1983	192	0	2,534	99	1983	96	3	8,316	292
1984	192	<1	2,512	103	1984	99	3	8,525	295
1985	168	0	2,358	100	1985	98	2	8,250	269
1986	148	<1	2,180	89	1986	87	2	8,274	281
1987	137	0	2,273	102	1987	80	2	7,490	277
1988	117	0	2,037	92	1988	65	1	7,029	260
1989	107	0	1,770	72	1989	77	<1	7,111	260
1990	91	0	1,737	80	1990	67	<1	7,475	279
1991	90	0	1,393	75	1991	52	<1	7,048	273
1992	86	0	1,389	80	1992	50	<1	6,739	272
1993 1994	77 74	0 0	1,321 1,360	86 86	1993 1994	59 41	<1 <1	7,038 7,547	278 290
1995	61	0	1,360	93	1994	50	<1	7,709	287
1996	63	<1	1,322	93	1996	51	0	7,769	323
1997	66	0	1,634	87	1997	70	<1	8,099	347
1998	45	<1	1,614	85	1998	40	0	8,429	363
1999	53	0	1,881	76	1999	42	0	8,915	422
2000	54	NA	1,980	72	2000	34	NA	9,645	406
	Texas	s - RRC Distr	ict 3 Onsho	re		Т	exas - RRC	District 5	
1977	937	33	7,518	NA	1977	68	0	931	NA
1978	794	22	7,186	NA	1978	*68	Ö	*1,298	NA
1979	630	32	6,315	231	1979	55	1	1,155	34
1980	581	11	5,531	216	1980	52	0	1,147	44
1981	552	11	5,292	230	1981	49	0	1,250	49
1982	509	22	4,756	265	1982	45	0	1,308	53
1983	517	27	4,680	285	1983	42	0	1,448	73
1984 1985	522 471	25 6	4,708 4,180	270 260	1984 1985	36 *59	<1 1	1,874 2,058	74 77
1986	420	3	3,753	237	1986	*53	1	2,038	86
1987	386	4	3,632	241	1987	54	Ö	2,119	88
1988	360	16	3,422	208	1988	48	Ő	1,996	81
1989	307	11	3,233	213	1989	46	Ö	1,845	80
1990	275	13	2,894	181	1990	47	Ō	1,875	81
1991	300	28	2,885	208	1991	46	0	1,863	71
1992	304	27	2,684	211	1992	56	0	1,747	71
1993	327	31	2,972	253	1993	52	0	1,867	64
1994	330	61	3,366	254	1994	49	0	2,011	59
1995	267	27	3,866	272	1995	34	0	1,862	54
1996	281	27	4,349	289	1996	29	0	2,079	54 35
1997 1998	259 211	28 28	4,172 3,961	286 246	1997 1998	54 40	0 0	1,710 1,953	35 35
1000	∠II 221	20 25	3,901	240	1000	40 27	0	1,955	33 33

NA

2,319 3,168  3,913

3,873

Year	Crude Oil Proved Reserves	Crude Oil Indicated Additional Reserves	Dry Natural Gas Proved Reserves	Natural Gas Liquids Proved Reserves	Year	Crude Oil Proved Reserves	Crude Oil Indicated Additional Reserves	Dry Natural Gas Proved Reserves	Natural Gas Liquids Proved Reserves
	1	Texas - RRC	District 6			To	exas - RRC I	District 7C	
1977	1,568	12	3,214	NA	1977	191	NA	2,831	NA
1978	1,444	3	3,240	NA	1978	202	NA	2,821	NA
1979	1,177	6	3,258	272	1979	206	NA	2,842	182
1980	1,115	6	4,230	321	1980	207	NA	2,378	135
1981	1,040	7	4,177	308	1981	230	NA	2,503	186
1982	947	6	4,326	278	1982	229	NA	2,659	199
1983	918	5	4,857	342	1983	228	NA	2,568	219
1984	889	5	4,703	298	1984	240	24	2,866	233
1985	851	4	4,822	293	1985	243	21	2,914	256
1986	750	2	4,854	277	1986	213	22	2,721	246
1987	733	3	4,682	264	1987	220	25	2,708	243
1988	685	5	4,961	263	1988	212	31	2,781	238
1989	631	4	5,614	266	1989	247	16	3,180	238
1990	605	6	5,753	247	1990	274	8	3,514	256
1991	504	7	5,233	243	1991	253	9	3,291	241
1992	442	7	5,317	251	1992	255	33	3,239	289
1993	406	<1	5,508	248	1993	199	15	3,215	273
1994 1995	424 409	<1 1	5,381 5,736	265 271	1994 1995	221 204	14	3,316	265 274
1995	359	1	5,726 5,899	290	1995	219	8 5	3,107 3,655	303
1997	348	1	5,887	260	1997	227	4	3,407	327
1998	308	Ö	5,949	276	1998	173	1	3,113	282
1999	245	4	5,857	223	1999	209	3	3,178	305
2000	213	NA	5,976	283	2000	206	NA	3,504	434
		220						D: 4: 40	
1077		exas - RRC [			4077		exas - RRC		
1977	250	NA NA	699 743	NA NA	1977	2,915	127	11,728	NA NA
1978 1979	190 208	NA NA	743 *751	NA 64	1978 1979	2,795	102 88	11,093	NA 505
1980	196	NA NA	*745	85	1979	2,686 2,597	86	10,077 9,144	498
1981	254	NA NA	804	102	1981	2,503	105	8,546	537
1982	199	NA	805	105	1982	2,312	75	8,196	588
1983	217	NA	1,027	133	1983	2,350	99	8,156	681
1984	218	62	794	106	1984	2,342	363	7,343	691
1985	239	63	708	104	1985	2,333	325	7,330	665
1986	193	64	684	109	1986	2,183	592	7,333	717
1987	200	46	697	92	1987	2,108	399	6,999	640
1988	205	42	704	98	1988	2,107	412	7,058	547
1989	204	11	459	73	1989	2,151	366	6,753	554
1990	198	8	522	76	1990	2,152	282	6,614	558
1991	184	8	423	82	1991	2,114	328	6,133	477
1992	163	11	455	68	1992	2,013	260	5,924	444
1993	*171	7	477	79	1993	2,057	262	5,516	439
1994	145	5	425	62	1994	2,002	256	5,442	414
1995	126	4	440	70	1995	2,032	187	5,441 5,452	444
1996	136	4	520 479	65 50	1996	2,079	217	5,452 5,207	429 450
1997 1998	155 115	3 0	478 442	59 51	1997 1998	2,100 1,865	308 272	5,397 4,857	459 491
1998	123	0	442 416	36	1998	2,067	272 279	4,857 5,434	491 495
2000	123	NA	312	34	2000	2,007	NA	5,388	526
2000	147	INA	012	J <del>-1</del>	2000	2,010	INA	5,500	020

Year	Crude Oil Proved Reserves	Crude Oil Indicated Additional Reserves	Dry Natural Gas Proved Reserves	Natural Gas Liquids Proved Reserves	Year	Crude Oil Proved Reserves	Crude Oil Indicated Additional Reserves	Dry Natural Gas Proved Reserves	Natural Gas Liquids Proved Reserve
	Te	exas - RRC [	District 8A			To	exas - RRC I	District 10	
1977	2,626	291	1,630	NA	1977	*120	4	7,744	NA
1978	2,439	330	1,473	NA NA	1978	90	0	7,744	NA
1979	2,371	270	1,055	351	1979	97	2	6,784	375
1980	2,504	196	1,057	290	1980	89	2	6,435	369
1981	2,538	247	1,071	335	1981	107	2	6,229	364
1982	2,330	200	1,041	296	1982	112	2	6,210	391
	•		,						
1983	2,366	203	966	262	1983	105	6	5,919	413
1984	2,413	217	907	282	1984	108	6	5,461	440
1985	2,711	147	958	283	1985	*140	5	5,469	433
1986	2,618	559	845	331	1986	*104	5	5,276	428
1987	2,735	525	876	307	1987	102	2	4,962	417
1988	2,800	569	832	326	1988	99	4	4,830	363
1989	2,754	377	1,074	332	1989	97	3	4,767	342
1990	2,847	285	1,036	354	1990	99	3	4,490	328
1991	2,763	363	1,073	333	1991	95	2	4,589	356
1992	2,599	273	1,239	257	1992	89	<1	4,409	336
1993	2,435	264	1,043	298	1993	83	<1	4,040	329
1994	2,223	154	1,219	267	1994	75	<1	4,246	326
1995	2,233	156	941	284	1995	80	6	4,436	353
1996	2,207	99	931	262	1996	74	4	4,391	332
1997	2,098	131	847	290	1997	79	4	4,094	382
1998	1,895	99	807	226	1998	62	0	4,273	354
1999	2,089	115	1,257	223	1999	61	0	4,424	217
2000	2,022	NA	1,101	217	2000	67	NA	4,079	369
	т	exas - RRC	District 9			Texas -	State and F	ederal Offsh	nore
1977	260	28	724	NA	1977	102	0	5,301	NA
1978	190	27	*908	NA	1978	131	1	6,422	NA
1979	200	30	*700	79	1979	139	Ó	7,865	54
1980	218	37	649	92	1980	149	0	7,510	62
1981	225	34	953	86	1981	142	0	7,989	75
1982	219	17	*1,103	119	1982	141	0	7,558	84
1983	220	18	932	121	1983	123	0	7,562	75
1984	214	25	900	119	1984	111	0	8,452	98
1985	285	27	892	111	1985	119	0	8,129	90
1986	237	19	868	119	1986	103	0	8,176	109
1987	206	21	834	115	1987	96	0	7,846	98
1988	202	18	783	106	1988	85	0	7,840	94
1989	202	16	703	94	1989	75	0	7,502	84
1990	193	12	703 776	104	1999	75 77		7,373 7,758	87
1990							0		
	162 176	11	738 670	101 92	1991	67 107	0	7,150	84
1992 1993		1			1992	197 106	0	7,344	122
1993	168 159	2 <1	688 728	92 98	1993 1994	196 209	0	6,996 6,613	119 105
	149	<1 <1	728 738	98 94	1994	209 257	10 16	6,838	136
1995	149	<1	738 705	94 110	1995	257 218	16 5	6,838 6,288	130

6,288

6,277

5,996

6,271

6,782

NA

NA

1,137

1,626

Year	Crude Oil Proved Reserves	Crude Oil Indicated Additional Reserves	Dry Natural Gas Proved Reserves	Natural Gas Liquids Proved Reserves	Year	Crude Oil Proved Reserves	Crude Oil Indicated Additional Reserves	Dry Natural Gas Proved Reserves	Natural Gas Liquids Proved Reserve
	Т	exas - State	Offshore				Virgin	ia	
1977	NA	NA	NA	NA	1977	NA	NA NA	NA	NA
1978	NA	NA	NA	NA	1978	NA	NA	NA NA	NA
1979	NA	NA	NA	NA	1979	NA	NA	NA	NA
1980	NA	NA	NA	12	1980	NA	NA	NA	NA
1981	NA	NA	NA	13	1981	NA	NA	118	NA
1982	NA	NA	NA	18	1982	NA	NA	122	NA
1983	NA	NA	NA	11	1983	NA	NA	175	NA
1984	NA	NA	NA	10	1984	NA	NA	216	NA
1985	7	0	869	10	1985	NA	NA	235	NA
1986	2	Ö	732	9	1986	NA	NA	253	NA
1987	8	Ö	627	9	1987	NA	NA	248	NA
1988	7	Ö	561	5	1988	NA	NA	230	NA
1989	6	Ö	605	6	1989	NA	NA	217	NA
1990	6	Ö	458	5	1990	NA	NA	138	NA
1991	7	Ö	475	5	1991	NA	NA	225	NA
1992	5	0	348	4	1992	NA	NA	904	NA
1993	4	0	335	4	1993	NA	NA	1,322	NA
1994	4	Ō	230	2	1994	NA	NA	1,833	NA
1995	8	0	313	2	1995	NA	NA	1,836	NA
1996	8	0	292	1	1996	NA	NA	1,930	NA
1997	4	0	289	3	1997	NA	NA	2,446	NA
1998	1	0	348	4	1998	NA	NA	1,973	NA
1999	3	0	418	4	1999	NA	NA	2,017	NA
2000	5	NA	398	4	2000	NA	NA	1,704	NA
		Utah					West Vir	ginia	
1977	252	6	877	NA	1977	21	0	1,567	NA
			005	NIA		*20			
1978	188	7	925	NA	1978	*30	0	1,634	NA
979	201	NA	948	59	1979	*48	0	1,558	74
1979 1980	201 198	NA NA	948 1,201	59 127	1979 1980	*48 30	0 8	1,558 *2,422	74 97
1979 1980 1981	201 198 190	NA NA NA	948 1,201 1,912	59 127 277	1979 1980 1981	*48 30 30	0 8 8	1,558 *2,422 1,834	74 97 85
1979 1980 1981 1982	201 198 190 173	NA NA NA NA	948 1,201 1,912 2,161	59 127 277 (h)	1979 1980 1981 1982	*48 30 30 48	0 8 8 8	1,558 *2,422 1,834 2,148	74 97 85 79
1979 1980 1981 1982 1983	201 198 190 173 187	NA NA NA NA	948 1,201 1,912 2,161 2,333	59 127 277 (h) (h)	1979 1980 1981 1982 1983	*48 30 30 48 49	0 8 8 8	1,558 *2,422 1,834 2,148 2,194	74 97 85 79 91
1979 1980 1981 1982 1983 1984	201 198 190 173 187 172	NA NA NA NA NA	948 1,201 1,912 2,161 2,333 2,080	59 127 277 (h) (h) (h)	1979 1980 1981 1982 1983 1984	*48 30 30 48 49 *76	0 8 8 8 0	1,558 *2,422 1,834 2,148 2,194 2,136	74 97 85 79 91 80
1979 1980 1981 1982 1983 1984	201 198 190 173 187 172 276	NA NA NA NA NA 8 13	948 1,201 1,912 2,161 2,333 2,080 1,999	59 127 277 (h) (h) (h) (h)	1979 1980 1981 1982 1983 1984 1985	*48 30 30 48 49 *76 40	0 8 8 8 0 0	1,558 *2,422 1,834 2,148 2,194 2,136 2,058	74 97 85 79 91 80 85
1979 1980 1981 1982 1983 1984 1985	201 198 190 173 187 172 276 269	NA NA NA NA NA 13	948 1,201 1,912 2,161 2,333 2,080 1,999 1,895	59 127 277 (h) (h) (h) (h) (h)	1979 1980 1981 1982 1983 1984 1985 1986	*48 30 30 48 49 *76 40 37	0 8 8 8 0 0 0	1,558 *2,422 1,834 2,148 2,194 2,136 2,058 2,148	74 97 85 79 91 80 85 87
979   980   981   982   983   984   985   986   987	201 198 190 173 187 172 276 269 284	NA NA NA NA NA 13 14 22	948 1,201 1,912 2,161 2,333 2,080 1,999 1,895 1,947	59 127 277 (h) (h) (h) (h) (h) (h)	1979 1980 1981 1982 1983 1984 1985 1986 1987	*48 30 30 48 49 *76 40 37 34	0 8 8 8 0 0 0	1,558 *2,422 1,834 2,148 2,194 2,136 2,058 2,148 2,242	74 97 85 79 91 80 85 87
1979 1980 1981 1982 1983 1984 1985 1986 1987	201 198 190 173 187 172 276 269 284 260	NA NA NA NA NA 8 13 14 22 21	948 1,201 1,912 2,161 2,333 2,080 1,999 1,895 1,947 1,298	59 127 277 (h) (h) (h) (h) (h) (h) (h)	1979 1980 1981 1982 1983 1984 1985 1986 1987	*48 30 30 48 49 *76 40 37 34 33	0 8 8 8 0 0 0 0	1,558 *2,422 1,834 2,148 2,194 2,136 2,058 2,148 2,242 2,306	74 97 85 79 91 80 85 87 87
1979 1980 1981 1982 1983 1984 1985 1986 1987 1988	201 198 190 173 187 172 276 269 284 260 246	NA NA NA NA NA 8 13 14 22 21 50	948 1,201 1,912 2,161 2,333 2,080 1,999 1,895 1,947 1,298 1,507	59 127 277 (h) (h) (h) (h) (h) (h) (h)	1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1989	*48 30 30 48 49 *76 40 37 34 33 30	0 8 8 8 0 0 0 0 0	1,558 *2,422 1,834 2,148 2,194 2,136 2,058 2,148 2,242 2,306 2,201	74 97 85 79 91 80 85 87 87 92
1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1989	201 198 190 173 187 172 276 269 284 260 246 249	NA NA NA NA NA 8 13 14 22 21 50 44	948 1,201 1,912 2,161 2,333 2,080 1,999 1,895 1,947 1,298 1,507 1,510	59 127 277 (h) (h) (h) (h) (h) (h) (h) (h)	1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1989	*48 30 30 48 49 *76 40 37 34 33 30 *31	0 8 8 8 0 0 0 0 0 0	1,558 *2,422 1,834 2,148 2,194 2,136 2,058 2,148 2,242 2,306 2,201 2,207	74 97 85 79 91 80 85 87 87 92 100 86
1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1989 1990	201 198 190 173 187 172 276 269 284 260 246 249 233	NA NA NA NA 8 13 14 22 21 50 44 66	948 1,201 1,912 2,161 2,333 2,080 1,999 1,895 1,947 1,298 1,507 1,510 1,702	59 127 277 (h) (h) (h) (h) (h) (h) (h) (h) (h)	1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1989 1990	*48 30 30 48 49 *76 40 37 34 33 30 *31 26	0 8 8 8 0 0 0 0 0 0 0	1,558 *2,422 1,834 2,148 2,194 2,136 2,058 2,148 2,242 2,306 2,201 2,207 2,528	74 97 85 79 91 80 85 87 87 92 100 86
1978 1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1989 1990	201 198 190 173 187 172 276 269 284 260 246 249 233 217	NA NA NA NA 8 13 14 22 21 50 44 66 65	948 1,201 1,912 2,161 2,333 2,080 1,999 1,895 1,947 1,298 1,507 1,510 1,702 1,830	59 127 277 (h)	1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1989 1990 1991	*48 30 30 48 49 *76 40 37 34 33 30 *31 26 27	0 8 8 8 0 0 0 0 0 0 0 0	1,558 *2,422 1,834 2,148 2,194 2,136 2,058 2,148 2,242 2,306 2,201 2,207 2,528 2,356	74 97 85 79 91 80 85 87 87 92 100 86 103 97
1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1990 1991 1992 1993	201 198 190 173 187 172 276 269 284 260 246 249 233 217 228	NA NA NA NA 8 13 14 22 21 50 44 66 65 54	948 1,201 1,912 2,161 2,333 2,080 1,999 1,895 1,947 1,298 1,507 1,510 1,702 1,830 2,040	59 127 277 (h)	1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1989 1990 1991 1992	*48 30 30 48 49 *76 40 37 34 33 30 *31 26 27 24	0 8 8 8 0 0 0 0 0 0 0 0	1,558 *2,422 1,834 2,148 2,194 2,136 2,058 2,148 2,242 2,306 2,201 2,207 2,528 2,356 2,439	74 97 85 79 91 80 85 87 87 92 100 86 103 97
1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1989 1990 1991 1992 1993	201 198 190 173 187 172 276 269 284 260 246 249 233 217 228 231	NA NA NA NA 8 13 14 22 21 50 44 66 65 54 70	948 1,201 1,912 2,161 2,333 2,080 1,999 1,895 1,947 1,298 1,507 1,510 1,702 1,830 2,040 1,789	59 127 277 (h)	1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1990 1991 1992 1993	*48 30 30 48 49 *76 40 37 34 33 30 *31 26 27 24 25	0 8 8 8 0 0 0 0 0 0 0 0 0	1,558 *2,422 1,834 2,148 2,194 2,136 2,058 2,148 2,242 2,306 2,201 2,207 2,528 2,356 2,439 2,565	74 97 85 79 91 80 85 87 87 92 100 86 103 97 108
1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1990 1991 1992 1993 1994 1995	201 198 190 173 187 172 276 269 284 260 246 249 233 217 228 231 216	NA NA NA NA NA 8 13 14 22 21 50 44 66 65 54 70 50	948 1,201 1,912 2,161 2,333 2,080 1,999 1,895 1,947 1,298 1,507 1,510 1,702 1,830 2,040 1,789 1,580	59 127 277 (h)	1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1990 1991 1992 1993 1994 1995	*48 30 30 48 49 *76 40 37 34 33 30 *31 26 27 24 25 28	0 8 8 8 0 0 0 0 0 0 0 0 0	1,558 *2,422 1,834 2,148 2,194 2,136 2,058 2,148 2,242 2,306 2,201 2,207 2,528 2,356 2,439 2,565 2,499	74 97 85 79 91 80 85 87 92 100 86 103 97 108 93 62
1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1990 1991 1992 1993 1994 1995	201 198 190 173 187 172 276 269 284 260 246 249 233 217 228 231 216 237	NA NA NA NA NA 8 13 14 22 21 50 44 66 65 54 70 50 46	948 1,201 1,912 2,161 2,333 2,080 1,999 1,895 1,947 1,298 1,507 1,510 1,702 1,830 2,040 1,789 1,580 1,633	59 127 277 (h) (h) (h) (h) (h) (h) (h) (h) (h) (h)	1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1990 1991 1992 1993 1994 1995 1996	*48 30 30 48 49 *76 40 37 34 33 30 *31 26 27 24 25 28 25	0 8 8 8 8 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1,558 *2,422 1,834 2,148 2,194 2,136 2,058 2,148 2,242 2,306 2,201 2,207 2,528 2,356 2,439 2,565 2,499 2,703	74 97 85 79 91 80 85 87 92 100 86 103 97 108 93 62 61
1979 1980 1981 1982 1983 1984 1985 1986 1987 1998 1990 1991 1992 1993 1994 1995 1996	201 198 190 173 187 172 276 269 284 260 246 249 233 217 228 231 216 237 234	NA NA NA NA NA 8 13 14 22 21 50 44 66 65 54 70 50 46 70	948 1,201 1,912 2,161 2,333 2,080 1,999 1,895 1,947 1,298 1,507 1,510 1,702 1,830 2,040 1,789 1,580 1,633 1,839	59 127 277 (h)	1979 1980 1981 1982 1983 1984 1985 1986 1987 1990 1991 1992 1993 1994 1995 1996	*48 30 30 48 49 *76 40 37 34 33 30 *31 26 27 24 25 28 25 26	0 8 8 8 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1,558 *2,422 1,834 2,148 2,194 2,136 2,058 2,148 2,242 2,306 2,201 2,207 2,528 2,356 2,439 2,565 2,499 2,703 2,846	74 97 85 79 91 80 85 87 92 100 86 103 97 108 93 62 61 71
979 980 981 982 983 984 985 986 987 988 990 991 992 993 994 995	201 198 190 173 187 172 276 269 284 260 246 249 233 217 228 231 216 237	NA NA NA NA NA 8 13 14 22 21 50 44 66 65 54 70 50 46	948 1,201 1,912 2,161 2,333 2,080 1,999 1,895 1,947 1,298 1,507 1,510 1,702 1,830 2,040 1,789 1,580 1,633	59 127 277 (h) (h) (h) (h) (h) (h) (h) (h) (h) (h)	1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1990 1991 1992 1993 1994 1995 1996	*48 30 30 48 49 *76 40 37 34 33 30 *31 26 27 24 25 28 25	0 8 8 8 8 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1,558 *2,422 1,834 2,148 2,194 2,136 2,058 2,148 2,242 2,306 2,201 2,207 2,528 2,356 2,439 2,565 2,499 2,703	74 97 85 79 91 80 85 87 87 92 100 86 103 97 108 93 62 61

h<sub>Included</sub> with Wyoming.

			Dry	Natural				Dry	Natural
		Crude Oil	Natural	Gas			Crude Oil	Natural	Gas
	Crude Oil	Indicated	Gas	Liquids		Crude Oil	Indicated	Gas	Liquids
	Proved	Additional	Proved	Proved		Proved	Additional	Proved	Proved
Year	Reserves	Reserves	Reserves	Reserves	Year	Reserves	Reserves	Reserves	Reserves

	Wyomi	ng	
851	31	6,305	NA
845	36	7,211	NA
841	40	7,526	285
928	28	9,100	341
840	53	9,307	.384
856	58	9,758	<sup>!</sup> 681
957	61	10,227	!789
954	71	10,482	!860
951	18	10,617	!949
849	126	9,756	¦950
854	27	10,023	i <sup>1</sup> 924
		•	<sup>I</sup> 1়,154
	_	,	¹ <sub>:</sub> 896
-		,	¦812
_		,	¦748
	_	,	¦660
-			¦600
	_	,	¦564
		•	¦593
		•	¦727
_		•	¦761
_		•	¦675
590	5	14,226	¦615
561	NA	16,158	¹947
	845 841 928 840 856 957 954 951 849 854 815 825 794 757 689 624 565 605 603 627 547 590	851 31 845 36 841 40 928 28 840 53 856 58 957 61 954 71 951 18 849 126 854 27 815 35 825 46 794 42 757 24 689 18 624 12 565 13 605 12 603 14 627 11 547 10 590 5	845       36       7,211         841       40       7,526         928       28       9,100         840       53       9,307         856       58       9,758         957       61       10,227         954       71       10,482         951       18       10,617         849       126       9,756         854       27       10,023         815       35       10,308         825       46       10,744         794       42       9,944         757       24       9,941         689       18       10,826         624       12       10,933         565       13       10,879         605       12       12,166         603       14       12,320         627       11       13,562         547       10       13,650         590       5       14,226

	Federal Of	fshore - Pa	cific (Califori	nia)
1985	991	NA	1,119	12
1986	974	2	1,325	15
1987	1,037	2	1,452	17
1988	1,024	0	1,552	21
1989	987	0	1,496	25
1990	962	0	1,454	18
1991	785	0	1,162	16
1992	734	0	1,118	20
1993	673	0	1,099	25
1994	653	0	1,170	21
1995	571	0	1,265	25
1996	518	0	1,244	23
1997	528	0	544	14
1998	468	0	480	12
1999	553	0	536	4
2000	596	NA	576	4

Note: Data not tabulated for years 1977-1984.

<sup>I</sup>Utah and Wyoming are combined.

	Federal Offshore - Total									
1985	2,862	11	<sup>j</sup> 34,492	702						
1986	2,715	16	J34,223	681						
1987	2,639	21	<sup>J</sup> 31,931	638						
1988	2,629	21	<sup>J</sup> 32,264	622						
1989	2,747	32	<sup>J</sup> 32,651	678						
1990	2,805	49	31,433	619						
1991	2,620	18	29,448	640						
1992	2,569	31	27,767	610						
1993	2,745	18	27,143	630						
1994	2,780	53	28,388	624						
1995	3,089	62	29,182	655						
1996	3,085	45	29,096	776						
1997	3,477	41	28,466	920						
1998	3,261	7	26,902	931						
1999	3,297	5	25,987	998						
2000	3770	NA	26,748	1,078						

jIncludes State offshore Alabama. Note: Data not tabulated for years 1977-1984.

Federal Offshore - Gulf of Mexico (Louisiana)									
1985	1,759	11	<sup>f</sup> 26,113	610					
1986	1,640	14	<sup>†</sup> 25,454	566					
1987	1,514	19	<sup>†</sup> 23,260	532					
1988	1,527	21	<sup>†</sup> 23,471	512					
1989	1,691	32	<sup>f</sup> 24,187	, 575					
1990	1,772	49	K22,679	<sup>k</sup> 519					
1991	1,775	18	<sup>k</sup> 21,611	k <sub>545</sub>					
1992	1,643	31	<sup>k</sup> 19,653	k <sub>472</sub>					
1993	1,880	18	K <sub>19,383</sub>	k <sub>490</sub>					
1994	1,922	43	<sup>K</sup> 20,835	k <sub>500</sub>					
1995	2,269	46	<sup>K</sup> 21,392	<sup>k</sup> 496					
1996	2,357	40	<sup>k</sup> 21,856	<sup>k</sup> 621					
1997	2,587	36	<sup>K</sup> 21.934	k <sub>785</sub>					
1998	2,483	7	<sup>K</sup> 20.774	<sup>k</sup> 776					
1999	2,442	5	K19.598	<sup>k</sup> 833					
2000	2,751	NA	k <sub>19,788</sub>	<sup>k</sup> 921					

function of the state and Federal offshore Alabama. Kincludes Federal offshore Alabama. Note: Data not tabulated for years 1977-1984.

			Dry	Natural				Dry	Natural
		Crude Oil	Natural	Gas			Crude Oil	Natural	Gas
	Crude Oil	Indicated	Gas	Liquids		Crude Oil	Indicated	Gas	Liquids
	Proved	Additional	Proved	Proved		Proved	Additional	Proved	Proved
Year	Reserves	Reserves	Reserves	Reserves	Year	Reserves	Reserves	Reserves	Reserves

	Federal Offsl	nore - Gulf	of Mexico (T	exas)
1985	112	0	7,260	80
1986	101	0	7,444	100
1987	88	0	7,219	89
1988	78	0	7,241	89
1989	69	0	6,968	78
1990	71	0	7,300	82
1991	60	0	6,675	79
1992	192	0	6,996	118
1993	192	0	6,661	115
1994	205	10	6,383	103
1995	249	16	6,525	134
1996	210	5	5,996	132
1997	362	5	5,988	121
1998	310	0	5,648	143
1999	302	0	5,853	161
2000	423	NA	6,384	153

Note: Data not tabulated for years 1977-1984.

		Miscellane	ous	
1977	23	0	102	NA
1978	24	0	109	NA
1979	22	1	*153	2
1980	*38	0	176	3
1981	40	7	191	21
1982	33	0	69	4
1983	30	8	78	5
1984	23	0	75	5
1985	35	0	76	3
1986	33	0	133	2
1987	30	0	65	4
1988	34	0	83	5
1989	39	0	83	5
1990	43	1	*70	3
1991	42	5	75	8
1992	29	0	92	8
1993	34	0	94	8
1994	20	0	65	8
1995	*22	0	*69	7
1996	18	0	67	7
1997	19	0	*43	9
1998	14	0	38	8
1999	15	0	66	10
2000	17	NA	42	7

Note: States included may vary for different report years and hydrocarbon types.

			<u> </u>						
		Lower 48	States				U.S. To	otal	
1977	23,367	2,168	175,170	NA	1977	31,780	3,014	207,413	NA
1978	21,971	1,964	175,988	NA	1978	31,355	2,362	208,033	NA
1979	20,935	1,878	168,738	6,592	1979	29,810	2,276	200,997	6,615
1980	21,054	1,622	165,639	6,717	1980	29,805	1,622	199,021	6,728
1981	21,143	1,594	168,693	7,058	1981	29,426	1,594	201,730	7,068
1982	20,452	1,478	166,522	7,212	1982	27,858	1,478	201,512	7,221
1983	20,428	1,548	165,964	7,893	1983	27,735	2,124	200,247	7,901
1984	20,883	1,956	162,987	7,624	1984	28,446	2,325	197,463	7,643
1985	21,360	1,662	159,522	7,561	1985	28,416	2,041	193,369	7,944
1986	20,014	2,597	158,922	7,784	1986	26,889	3,499	191,586	8,165
1987	19,878	3,084	153,986	7,729	1987	27,256	3,649	187,211	8,147
1988	19,866	3,169	158,946	7,837	1988	26,825	3,600	168,024	8,238
1989	19,827	2,999	158,177	7,389	1989	26,501	3,749	167,116	7,769
1990	19,730	2,514	160,046	7,246	1990	26,254	3,483	169,346	7,586
1991	18,599	2,810	157,509	7,104	1991	24,682	4,266	167,062	7,464
1992	17,723	2,451	155,377	7,104	1992	23,745	3,782	165,015	7,451
1993	17,182	2,292	152,508	6,901	1993	22,957	3,453	162,415	7,222
1994	16,690	2,129	154,104	6,869	1994	22,457	3,151	163,837	7,170
1995	16,771	2,087	155,649	7,093	1995	22,351	2,669	165,146	7,399
1996	16,743	1,924	157,180	7,486	1996	22,017	2,876	166,474	7,823
1997	17,385	2,375	156,661	7,342	1997	22,546	3,207	167,223	7,973
1998	15,982	2,328	154,114	7,204	1998	21,034	3,160	164,041	7,524
1999	16,865	2,400	157,672	7,515	1999	21,765	2,865	167,406	7,906
2000	17,184	NA	168,190	8,068	2000	22,045	NA	177,427	8,345

Table D1. U.S. Proved Reserves of Crude Oil, 1976-2000

(Million Barrels of 42 U.S. Gallons)

Year	Adjustments <sup>a</sup> (1)	Net Revisions (2)	Revisions <sup>b</sup> and Adjustments (3)	Net of Sales and Acquisitions (4)	Extensions (5)	New Field	New Reservoir Discoveries in Old Fields (7)	Total <sup>C</sup> Discoveries (8)	Estimated Production (9)	Proved <sup>d</sup> Reserves 12/31 (10)	Change from Prior Year (11)
1976	_	_	_	_	_	_	_	_	_	e <sub>33,502</sub>	_
1977	f <sub>-40</sub>	386	346	NA	496	168	130	794	2,862	31,780	-1,722
1978	366	1,390	1,756	NA	444	267	116	827	3,008	31,355	-425
1979	337	437	774	NA	424	108	104	636	2,955	29,810	-1,545
1980	219	1,889	2,108	NA	572	143	147	862	2,975	29,805	-5
1981	138	1,271	1,409	NA	750	254	157	1,161	2,949	29,426	-379
1982	-83	434	351	NA	634	204	193	1,031	2,950	27,858	-1,568
1983	462	1,511	1,973	NA	629	105	190	924	3,020	27,735	-123
1984	159	2,445	2,604	NA	744	242	158	1,144	3,037	28,446	711
1985	429	1,598	2,027	NA	742	84	169	995	3,052	28,416	-30
1986	57	855	912	NA	405	48	81	534	2,973	26,889	-1,527
1987	233	2,316	2,549	NA	484	96	111	691	2,873	27,256	367
1988	364	1,463	1,827	NA	355	71	127	553	2,811	26,825	-431
1989	213	1,333	1,546	NA	514	112	90	716	2,586	26,501	-324
1990	86	1,483	1,569	NA	456	98	135	689	2,505	26,254	-247
1991	163	223	386	NA	365	97	92	554	2,512	24,682	-1,572
1992	290	735	1,025	NA	391	8	85	484	2,446	23,745	-937
1993	271	495	766	NA	356	319	110	785	2,339	22,957	-788
1994	189	1,007	1,196	NA	397	64	111	572	2,268	22,457	-500
1995	122	1,028	1,150	NA	500	114	343	957	2,213	22,351	-106
1996	175	737	912	NA	543	243	141	927	2,173	22,017	-334
1997	520	914	1,434	NA	477	637	119	1,233	2,138	22,546	529
1998	-638	518	-120	NA	327	152	120	599	1,991	21,034	-1,512
1999	139	1,819	1,958	NA	259	321	145	725	1,952	21,765	731
2000	143	746	889	-20	766	276	249	1,291	1,880	22,045	280

<sup>&</sup>lt;sup>a</sup>Includes operator reported corrections for the years 1978 through 1981. After 1981 operators included corrections with revisions. <sup>b</sup>Revisions and adjustments = Col. 1 + Col. 2.

Notes: Old means discovered in a prior year. New means discovered during the report year. The production estimates in this table are based on data reported on Form EIA-23, "Annual Survey of Domestic Oil and Gas Reserves". They may differ from the official Energy Information Administration production data for crude oil contained in the *Petroleum Supply Annual*, DOE/EIA-0340.

<sup>&</sup>lt;sup>c</sup>Total discoveries = Col. 5 + Col. 6 + Col. 7.
<sup>d</sup>Proved reserves = Col. 10 from prior year + Col. 3 + Col. 4 + Col. 8 - Col. 9.

<sup>&</sup>lt;sup>e</sup>Based on following year data only.

Consists only of operator reported corrections and no other adjustments.

<sup>– =</sup> Not applicable.

Table D2. U.S. Lower 48 Proved Reserves of Crude Oil, 1976–2000

(Million Barrels of 42 U.S. Gallons)

Year	Adjustments <sup>a</sup> (1)	Net Revisions (2)	Revisions <sup>b</sup> and Adjustments (3)	Net of Sales and Acquisitions (4)	Extensions (5)	New Field	New Reservoir Discoveries in Old Fields (7)	Total <sup>C</sup> Discoveries (8)	Estimated Production (9)	Proved <sup>d</sup> Reserves 12/31 (10)	Change from Prior Year (11)
1976	_	_	_	_	_	_	_	_	_	e <sub>24,928</sub>	_
1977	f_40	383	343	NA	496	168	130	794	2,698	23,367	-1,561
1978	-48	509	461	NA	444	142	116	702	2,559	21,971	-1,396
1979	342	429	771	NA	424	108	104	636	2,443	20,935	-1,036
1980	210	1,524	1,734	NA	479	143	147	769	2,384	21,054	119
1981	276	1,009	1,285	NA	750	254	157	1,161	2,357	21,143	89
1982	-82	684	602	NA	633	204	193	1,030	2,323	20,452	-691
1983	462	949	1,411	NA	625	105	190	920	2,355	20,428	-24
1984	160	1,587	1,747	NA	742	207	158	1,107	2,399	20,883	455
1985	361	1,667	2,028	NA	581	84	169	834	2,385	21,360	477
1986	70	359	429	NA	399	48	81	528	2,303	20,014	-1,346
1987	233	1,353	1,586	NA	294	38	101	433	2,155	19,878	-136
1988	359	1,181	1,540	NA	340	43	127	510	2,062	19,866	-12
1989	214	1,113	1,327	NA	342	108	87	537	1,903	19,827	-39
1990	151	1,001	1,152	NA	371	98	135	604	1,853	19,730	-97
1991	164	50	214	NA	327	97	87	511	1,856	18,599	-1,131
1992	297	277	574	NA	279	8	84	371	1,821	17,723	-876
1993	250	198	448	NA	343	319	109	771	1,760	17,182	-541
1994	187	527	714	NA	316	64	111	491	1,697	16,690	-492
1995	117	756	873	NA	434	114	333	881	1,673	16,771	81
1996	172	728	900	NA	479	115	141	735	1,663	16,743	-28
1997	514	695	1,209	NA	459	520	119	1,098	1,665	17,385	642
1998	-639	315	-324	NA	299	56	120	475	1,554	15,982	-1,403
1999	138	1,669	1,807	NA	253	242	145	640	1,564	16,865	883
2000	144	622	766	132	540	276	157	973	1,552	17,184	319

<sup>&</sup>lt;sup>a</sup>Includes operator reported corrections for the years 1978 through 1981. After 1981 operators included corrections with revisions. <sup>b</sup>Revisions and adjustments = Col. 1 + Col. 2.

Notes: Old means discovered in a prior year. New means discovered during the report year. The production estimates in this table are based on data reported on Form EIA-23, "Annual Survey of Domestic Oil and Gas Reserves". They may differ from the official Energy Information Administration production data for crude oil contained in the *Petroleum Supply Annual*, DOE/EIA-0340.

CTotal discoveries = Col. 5 + Col. 6 + Col. 7.

Proved reserves = Col. 10 from prior year + Col. 3 + Col. 4 + Col. 8 - Col. 9.

eBased on following year data only.

Consists only of operator reported corrections and no other adjustments.

<sup>- =</sup> Not applicable.

Table D3. U.S. Proved Reserves of Dry Natural Gas, 1976–2000

(Billion Cubic Feet at 14.73 psia and 60° Fahrenheit)

Year	Adjustments <sup>a</sup> (1)	Net Revisions (2)	Revisions <sup>b</sup> and Adjustments (3)	Net of Sales and Acquisitions (4)	Extensions (5)	New Field	New Reservoir Discoveries in Old Fields (7)	Total <sup>C</sup> Discoveries (8)	Estimated Production (9)	Proved <sup>d</sup> Reserves 12/31 (10)	Change from Prior Year (11)
1976	_	_	_	_	_	_	-	_	-	e <sub>213,278</sub>	_
1977	f_20	-1,605	-1,625	NA	8,129	3,173	3,301	14,603	18,843	207,413	-5,865
1978	2,429	-1,025	1,404	NA	9,582	3,860	4,579	18,021	18,805	208,033	620
1979	-2,264	-219	-2,483	NA	8,950	3,188	2,566	14,704	19,257	200,997	-7,036
1980	1,201	1,049	2,250	NA	9,357	2,539	2,577	14,473	18,699	199,021	-1,976
1981	1,627	2,599	4,226	NA	10,491	3,731	2,998	17,220	18,737	201,730	2,709
1982	2,378	455	2,833	NA	8,349	2,687	3,419	14,455	17,506	201,512	-218
1983	3,090	-15	3,075	NA	6,909	1,574	2,965	11,448	15,788	200,247	-1,265
1984	-2,241	3,129	888	NA	8,299	2,536	2,686	13,521	17,193	197,463	-2,784
1985	-1,708	2,471	763	NA	7,169	999	2,960	11,128	15,985	193,369	-4,094
1986	1,320	3,572	4,892	NA	6,065	1,099	1,771	8,935	15,610	191,586	-1,783
1987	1,268	3,296	4,564	NA	4,587	1,089	1,499	7,175	16,114	187,211	-4,375
1988	2,193	-15,060	-12,867	NA	6,803	1,638	1,909	10,350	16,670	168,024	-19,187
1989	3,013	3,030	6,043	NA	6,339	1,450	2,243	10,032	16,983	167,116	-908
1990	1,557	5,538	7,095	NA	7,952	2,004	2,412	12,368	17,233	169,346	2,230
1991	2,960	4,416	7,376	NA	5,090	848	1,604	7,542	17,202	167,062	-2,284
1992	2,235	6,093	8,328	NA	4,675	649	1,724	7,048	17,423	165,015	-2,047
1993	972	5,349	6,321	NA	6,103	899	1,866	8,868	17,789	162,415	-2,600
1994	1,945	5,484	7,429	NA	6,941	1,894	3,480	12,315	18,322	163,837	1,422
1995	580	7,734	8,314	NA	6,843	1,666	2,452	10,961	17,966	165,146	1,309
1996	3,785	4,086	7,871	NA	7,757	1,451	3,110	12,318	18,861	166,474	1,328
1997	-590	4,902	4,312	NA	10,585	2,681	2,382	15,648	19,211	167,223	749
1998	-1,635	5,740	4,105	NA	8,197	1,074	2,162	11,433	18,720	164,041	-3,182
1999	982	10,504	11,486	NA	7,043	1,568	2,196	10,807	18,928	167,406	3,365
2000	-891	6,962	6,071	4,031	14,787	1,983	2,368	19,138	19,219	177,427	10,021

<sup>&</sup>lt;sup>a</sup>Includes operator reported corrections for the years 1978 through 1981. After 1981 operators included corrections with revisions.

Notes: Old means discovered in a prior year. New means discovered during the report year. The production estimates in this table are based on data reported on Form EIA-23, "Annual Survey of Domestic Oil and Gas Reserves," and Form EIA-64A, "Annual Report of the Origin of Natural Gas Liquids Production". They may differ from the official Energy Information Administration production data for natural gas contained in the *Natural Gas Annual*, DOE/EIA-0131.

Revisions and adjustments = Col. 1 + Col. 2.

CTotal discoveries = Col. 5 + Col. 6 + Col. 7.

dProved reserves = Col. 10 from prior year + Col. 3 + Col. 4 + Col. 8 - Col. 9.

eBased on following year data only.

Consists only of operator reported corrections and no other adjustments.

<sup>&</sup>lt;sup>9</sup>An unusually large revision decrease to North Slope dry natural gas reserves was made in 1988. It recognizes some 24.6 trillion cubic feet of downward revisions reported during the last few years by operators because of economic and market conditions. EIA in previous years carried these reserves in the proved category.

<sup>-</sup> = Not applicable.

Table D4. U.S. Lower 48 Proved Reserves of Dry Natural Gas, 1976–2000

(Billion Cubic Feet at 14.73 psia and 60° Fahrenheit)

Year	Adjustments <sup>a</sup> (1)	Net Revisions (2)	Revisions <sup>b</sup> and Adjustments (3)	Net of Sales and Acquisitions (4)	Extensions (5)	New Field	New Reservoir Discoveries in Old Fields (7)	Total <sup>C</sup> Discoveries (8)	Estimated Production (9)	Proved <sup>d</sup> Reserves 12/31 (10)	Change from Prior Year (11)
1976	_	_	_	_	_	_	_	_	_	e <sub>180,838</sub>	_
1977	f <sub>-21</sub>	-1,540	-1,561	NA	8,056	3,173	3,301	14,530	18,637	175,170	-5,668
1978	2,446	-758	1,688	NA	9,582	3,860	4,277	17,719	18,589	175,988	818
1979	-2,202	-707	-2,909	NA	8,949	3,173	2,566	14,688	19,029	168,738	-7,250
1980	1,163	62	1,225	NA	9,046	2,539	2,577	14,162	18,486	165,639	-3,099
1981	1,840	2,506	4,346	NA	10,485	3,731	2,994	17,210	18,502	168,693	3,054
1982	2,367	-1,748	619	NA	8,349	2,687	3,419	14,455	17,245	166,522	-2,171
1983	3,089	421	3,510	NA	6,908	1,574	2,965	11,447	15,515	165,964	-558
1984	-2,245	2,617	372	NA	8,298	2,536	2,686	13,520	16,869	162,987	-2,977
1985	-1,349	2,500	1,151	NA	7,098	999	2,960	11,057	15,673	159,522	-3,465
1986	1,618	4,144	5,762	NA	6,064	1,099	1,761	8,924	15,286	158,922	-600
1987	1,066	2,645	3,711	NA	4,542	1,077	1,499	7,118	15,765	153,986	-4,936
1988	2,017	8,895	10,912	NA	6,771	1,638	1,909	10,318	16,270	158,946	4,960
1989	2,997	2,939	5,936	NA	6,184	1,450	2,243	9,877	16,582	158,177	-769
1990	1,877	4,572	6,449	NA	7,898	2,004	2,412	12,314	16,894	160,046	1,869
1991	2,967	3,860	6,827	NA	5,074	848	1,563	7,485	16,849	157,509	-2,537
1992	1,946	5,937	7,883	NA	4,621	649	1,724	6,994	17,009	155,377	-2,132
1993	915	4,779	5,694	NA	6,076	899	1,858	8,833	17,396	152,508	-2,869
1994	1,896	5,289	7,185	NA	6,936	1,894	3,480	12,310	17,899	154,104	1,596
1995	973	7,223	8,196	NA	6,801	1,666	2,452	10,919	17,570	155,649	1,545
1996	3,640	4,055	7,695	NA	7,751	1,390	3,110	12,251	18,415	157,180	1,531
1997	-609	3,192	2,583	NA	10,571	2,681	2,382	15,634	18,736	156,661	-519
1998	-1,463	5,696	4,233	NA	8,195	1,070	2,162	11,427	18,207	154,114	-2,547
1999	849	10,452	11,301	NA	7,041	1,512	2,173	10,726	18,469	157,672	3,558
2000	-914	8,755	7,841	4,214	12,838	1,983	2,355	17,176	18,713	168,190	10,518

<sup>&</sup>lt;sup>a</sup>Includes operator reported corrections for the years 1978 through 1981. After 1981 operators included corrections with revisions. <sup>b</sup>Revisions and adjustments = Col. 1 + Col. 2.

Notes: Old means discovered in a prior year. New means discovered during the report year. The production estimates in this table are based on data reported on Form EIA-23, "Annual Survey of Domestic Oil and Gas Reserves," and Form EIA-64A, "Annual Report of the Origin of Natural Gas Liquids Production". They may differ from the official Energy Information Administration production data for natural gas contained in the Natural Gas Annual, DOE/EÍA-0131.

CTotal discoveries = Col. 5 + Col. 6 + Col. 7.

dProved reserves = Col. 10 from prior year + Col. 3 + Col. 4 + Col. 8 - Col. 9.

eBased on following year data only.

Consists only of operator reported corrections and no other adjustments.

<sup>– =</sup> Not applicable.

Table D5. U.S. Proved Reserves of Wet Natural Gas, After Lease Separation, 1978–2000 (Billion Cubic Feet at 14.73 psia and 60° Fahrenheit)

	`			<u> </u>							
Year	Adjustments <sup>a</sup> (1)	Net Revisions (2)	Revisions <sup>b</sup> and Adjustments (3)	Net of Sales and Acquisitions (4)	Extensions (5)	New Field Discoveries (6)	New Reservoir Discoveries in Old Fields (7)	Total <sup>C</sup> Discoveries (8)	Estimated Production (9)	Proved <sup>d</sup> Reserves 12/31 (10)	Change from Prior Year (11)
1978	_	-	_	_	_	-	_	_	_	e <sub>208,033</sub>	_
1979	5,356	-223	5,133	NA	9,332	3,279	2,637	15,248	20,079	208,335	302
1980	1,253	1,137	2,390	NA	9,757	2,629	2,648	15,034	19,500	206,259	-2,076
1981	2,057	2,743	4,800	NA	10,979	3,870	3,080	17,929	19,554	209,434	3,175
1982	2,598	455	3,053	NA	8,754	2,785	3,520	15,059	18,292	209,254	-180
1983	4,363	57	4,420	NA	7,263	1,628	3,071	11,962	16,590	209,046	-208
1984	-2,413	3,333	920	NA	8,688	2,584	2,778	14,050	18,032	205,984	-3,062
1985	-1,299	2,687	1,388	NA	7,535	1,040	3,053	11,628	16,798	202,202	-3,782
1986	2,137	3,835	5,972	NA	6,359	1,122	1,855	9,336	16,401	201,109	-1,093
1987	1,199	3,522	4,721	NA	4,818	1,128	1,556	7,502	16,904	196,428	-4,681
1988	2,180	-14,931	<sup>f</sup> -12,751	NA	7,132	1,677	1,979	10,788	17,466	<sup>f</sup> 176,999	-19,429
1989	2,537	3,220	5,757	NA	6,623	1,488	2,313	10,424	17,752	175,428	-1,571
1990	1,494	5,837	7,331	NA	8,287	2,041	2,492	12,820	18,003	177,576	2,148
1991	3,368	4,569	7,937	NA	5,298	871	1,655	7,824	18,012	175,325	-2,251
1992	2,543	6,374	8,917	NA	4,895	668	1,773	7,336	18,269	173,309	-2,016
1993	1,048	5,541	6,589	NA	6,376	927	1,930	9,233	18,641	170,490	-2,819
1994	1,977	5,836	7,813	NA	7,299	1,941	3,606	12,846	19,210	171,939	1,449
1995	889	8,091	8,980	NA	7,204	1,709	2,518	11,431	18,874	173,476	1,537
1996	4,288	4,277	8,565	NA	8,189	1,491	3,209	12,889	19,783	175,147	1,671
1997	-730	5,057	4,327	NA	11,179	2,747	2,455	16,381	20,134	175,721	574
1998	-1,624	5,982	4,358	NA	8,630	1,116	2,240	11,986	19,622	172,433	-3,288
1999	1,102	11,182	12,284	NA	7,401	1,622	2,265	11,288	19,856	176,159	3,726
2000	-1,295	7,456	6,161	4,286	15,550	2,055	2,463	20,068	20,164	186,510	10,351

<sup>&</sup>lt;sup>a</sup>Includes operator reported corrections for the years 1978 through 1981. After 1981 operators included corrections with revisions.

Notes: Old means discovered in a prior year. New means discovered during the report year. The production estimates in this table are based on data reported on Form EIA-23, "Annual Survey of Domestic Oil and Gas Reserves". They may differ from the official Energy Information Administration production data for natural gas contained in the Natural Gas Annual, DÓE/EÍA-013.

Revisions and adjustments = Col. 1 + Col. 2.

<sup>&</sup>lt;sup>c</sup>Total discoveries = Col. 5 + Col. 6 + Col. 7.

dProved reserves = Col. 10 from prior year + Col. 3 + Col. 4 + Col. 8 - Col. 9.

<sup>&</sup>lt;sup>e</sup>Based on following year data only.

An unusually large revision decrease to North Slope wet natural gas reserves was made in 1988. It recognizes some 25 trillion cubic feet of downward revisions reported during the last few years by operators because of economic and market conditions. EIA in previous years carried these reserves in the proved category.

<sup>- =</sup> Not applicable.

Table D6. U.S. Lower 48 Proved Reserves of Wet Natural Gas, After Lease Separation, 1978–2000 (Billion Cubic Feet at 14.73 psia and 60° Fahrenheit)

Year	Adjustments <sup>a</sup> (1)	Net Revisions (2)	Revisions <sup>b</sup> and Adjustments (3)	Net of Sales and Acquisitions (4)	Extensions (5)	New Field Discoveries (6)	New Reservoir Discoveries in Old Fields (7)	Total <sup>C</sup> Discoveries (8)	Estimated Production (9)	Proved <sup>d</sup> Reserves 12/31 (10)	Change from Prior Year (11)
1978	_	_	_	_	_	_	_	_	_	e <sub>175,988</sub>	_
1979	5,402	-711	4,691	NA	9,331	3,264	2,637	15,232	19,851	176,060	72
1980	1,218	150	1,368	NA	9,446	2,629	2,648	14,723	19,287	172,864	-3,196
1981	2,270	2,650	4,920	NA	10,973	3,870	3,076	17,919	19,318	176,385	3,521
1982	2,586	-1,748	838	NA	8,754	2,785	3,520	15,059	18,030	174,252	-2,133
1983	4,366	493	4,859	NA	7,262	1,628	3,071	11,961	16,317	174,755	503
1984	-2,409	2,821	412	NA	8,687	2,584	2,778	14,049	17,708	171,508	-3,247
1985	-1,313	2,713	1,400	NA	7,463	1,040	3,053	11,556	16,485	167,979	-3,529
1986	2,114	4,410	6,524	NA	6,357	1,122	1,845	9,324	16,073	167,754	-225
1987	1,200	2,868	4,068	NA	4,772	1,116	1,556	7,444	16,553	162,713	-5,041
1988	2,025	9,390	11,415	NA	7,099	1,677	1,979	10,755	17,063	167,820	5,107
1989	2,545	3,128	5,673	NA	6,467	1,485	2,313	10,265	17,349	166,409	-1,411
1990	1,811	4,859	6,670	NA	8,232	2,041	2,492	12,765	17,661	168,183	1,774
1991	3,367	4,013	7,380	NA	5,281	871	1,614	7,766	17,657	165,672	-2,511
1992	2,265	6,217	8,482	NA	4,840	668	1,773	7,281	17,851	163,584	-2,088
1993	996	4,971	5,967	NA	6,349	927	1,922	9,198	18,245	160,504	-3,080
1994	1,924	5,613	7,537	NA	7,294	1,941	3,606	12,841	18,756	162,126	1,622
1995	1,304	7,525	8,829	NA	7,162	1,709	2,518	11,389	18,443	163,901	1,775
1996	4,219	4,246	8,465	NA	8,183	1,430	3,209	12,822	19,337	165,851	1,950
1997	-835	3,322	2,487	NA	11,165	2,747	2,455	16,367	19,657	165,048	-803
1998	-1,461	5,937	4,476	NA	8,628	1,112	2,240	11,980	19,104	162,400	-2,648
1999	958	11,130	12,088	NA	7,399	1,566	2,242	11,207	19,391	166,304	3,904
2000	-1,294	9,273	7,979	4,471	13,574	2,055	2,450	18,079	19,654	177,179	10,875

<sup>&</sup>lt;sup>a</sup>Includes operator reported corrections for the years 1978 through 1981. After 1981 operators included corrections with revisions.

Notes: Old means discovered in a prior year. New means discovered during the report year. The production estimates in this table are based on data reported on Form EIA-23, "Annual Survey of Domestic Oil and Gas Reserves". They may differ from the official Energy Information Administration production data for natural gas contained in the Natural Gas Annual, DÓE/EÍA-0131.

bRevisions and adjustments = Col. 1 + Col. 2.

Total discoveries = Col. 5 + Col. 6 + Col. 7.

dProved reserves = Col. 10 from prior year + Col. 3 + Col. 4 + Col. 8 - Col. 9.

eBased on following year data only.

<sup>- =</sup> Not applicable.

Table D7. U.S. Proved Reserves of Natural Gas Liquids, 1978–2000

(Million Barrels of 42 U.S. Gallons)

Year	Adjustments <sup>a</sup> (1)	Net Revisions (2)	Revisions <sup>b</sup> and Adjustments (3)	Net of Sales and Acquisitions (4)	Extensions (5)	New Field Discoveries (6)	New Reservoir Discoveries in Old Fields (7)	Total <sup>C</sup> Discoveries (8)	Estimated Production (9)	Proved <sup>d</sup> Reserves 12/31 (10)	Change from Prior Year (11)
1978	_	_	_	_	_	_	_	_	_	e <sub>6,772</sub>	_
1979	f <sub>64</sub>	-49	15	NA	364	94	97	555	727	6,615	-157
1,980	153	104	257	NA	418	90	79	587	731	6,728	113
1,981	231	86	317	NA	542	131	91	764	741	7,068	340
1,982	299	-21	278	NA	375	112	109	596	721	7,221	153
1,983	849	66	915	NA	321	70	99	490	725	7,901	680
1,984	-123	142	19	NA	348	55	96	499	776	7,643	-258
1,985	426	162	588	NA	337	44	85	466	753	7,944	301
1,986	367	223	590	NA	263	34	72	369	738	8,165	221
1,987	231	191	422	NA	213	39	55	307	747	8,147	-18
1,988	11	453	464	NA	268	41	72	381	754	8,238	91
1,989	-277	123	-154	NA	259	83	74	416	731	7,769	-469
1,990	-83	221	138	NA	299	39	73	411	732	7,586	-183
1,991	233	130	363	NA	189	25	55	269	754	7,464	-122
1,992	225	261	486	NA	190	20	64	274	773	7,451	-13
1,993	102	124	226	NA	245	24	64	333	788	7,222	-229
1,994	43	197	240	NA	314	54	131	499	791	7,170	-52
1,995	192	277	469	NA	432	52	67	551	791	7,399	229
1,996	474	175	649	NA	451	65	109	625	850	7,823	424
1,997	-14	289	275	NA	535	114	90	739	864	7,973	150
1,998	-361	208	-153	NA	383	66	88	537	833	7,524	-449
1,999	99	727	826	NA	313	51	88	452	896	7,906	382
2,000	-83	459	376	145	645	92	102	839	921	8,345	439

alncludes operator reported corrections for the years 1978 through 1981. After 1981 operators included corrections with revisions.

Notes: Old means discovered in a prior year. New means discovered during the report year. The production estimates in this table are based on data reported on Form EIA-23, "Annual Survey of Domestic Oil and Gas Reserves," and Form EIA-64A, "Annual Report of the Origin of Natural Gas Liquids Production". They may differ from the official Energy Information Administration production data for natural gas liquids contained in the *Natural Gas Annual*, DOE/EIA-0131.

bRevisions and adjustments = Col. 1 + Col. 2.

Control of the contro

dProved reserves = Col. 10 from prior year + Col. 3 + Col. 4 + Col. 8 - Col. 9.

<sup>&</sup>lt;sup>e</sup>Based on following year data only.

Consists only of operator reported corrections and no other adjustments.

<sup>– =</sup> Not applicable.

Table D8. U.S. Lower 48 Proved Reserves of Natural Gas Liquids, 1978–2000

(Million Barrels of 42 U.S. Gallons)

Year	Adjustments <sup>a</sup> (1)	Net Revisions (2)	Revisions <sup>b</sup> and Adjustments (3)	Net of Sales and Acquisitions (4)	Extensions (5)	New Field Discoveries (6)	New Reservoir Discoveries in Old Fields (7)	Total <sup>C</sup> Discoveries (8)	Estimated Production (9)	Proved <sup>d</sup> Reserves 12/31 (10)	Change from Prior Year (11)
1978	_	_	_	_	_	_	_	_	_	e <sub>6,749</sub>	_
1979	<sup>f</sup> 63	-49	14	NA	364	94	97	555	726	6,592	-157
1980	165	104	269	NA	418	90	79	587	731	6,717	125
1981	233	85	318	NA	542	131	91	764	741	7,058	341
1982	300	-21	279	NA	375	112	109	596	721	7,212	154
1983	850	66	916	NA	321	70	99	490	725	7,893	681
1984	-115	123	8	NA	348	55	96	499	776	7,624	-269
1985	70	152	222	NA	334	44	85	463	748	7,561	-63
1986	363	226	589	NA	263	34	72	369	735	7,784	223
1987	179	191	370	NA	212	39	55	306	731	7,729	-55
1988	10	452	462	NA	267	41	72	380	734	7,837	108
1989	-273	123	-150	NA	259	83	74	416	714	7,389	-448
1990	-60	221	161	NA	298	39	73	410	714	7,246	-143
1991	183	138	321	NA	187	25	55	267	730	7,104	-142
1992	225	254	479	NA	183	20	64	267	746	7,104	0
1993	101	124	225	NA	245	24	64	333	761	6,901	-203
1994	38	196	234	NA	314	54	131	499	765	6,869	-32
1995	204	230	434	NA	432	52	67	551	761	7,093	224
1996	417	178	595	NA	450	56	109	615	817	7,486	393
1997	-107	55	-52	NA	533	114	90	737	829	7,342	-144
1998	-74	208	134	NA	383	66	88	537	809	7,204	-138
1999	102	617	719	NA	304	50	86	440	848	7,515	311
2000	9	459	468	145	645	92	102	839	899	8,068	553

<sup>&</sup>lt;sup>a</sup>Includes operator reported corrections for the years 1978 through 1981. After 1981 operators included corrections with revisions. <sup>b</sup>Revisions and adjustments = Col. 1 + Col. 2.

Notes: Old means discovered in a prior year. New means discovered during the report year. The production estimates in this table are based on data reported on Form EIA-23, "Annual Survey of Domestic Oil and Gas Reserves," and Form EIA-64A, "Annual Report of the Origin of Natural Gas Liquids Production". They may differ from the official Energy Information Administration production natural gas liquids contained in the Natural Gas Annual, DOE/EIA-0131.

CTotal discoveries = Col. 5 + Col. 6 + Col. 7.

dProved reserves = Col. 10 from prior year + Col. 3 + Col. 4 + Col. 8 - Col. 9.

<sup>&</sup>lt;sup>e</sup>Based on following year data only.

<sup>&</sup>lt;sup>f</sup>Consists only of operator reported corrections and no other adjustments.

<sup>– =</sup> Not applicable.

Table D9. Deepwater Production and Proved Reserves of the Gulf of Mexico Federal Offshore, 1992-2000

		<b>Gulf of Mexico</b>		Dep	th	
Year	Total	Louisiana <sup>a</sup>	Texas	Greater than 200 meters	Less than 200 meters	Deepwater Percentage
		Crude Oil	(million barrels	s of 42 U.S. gallons)		
Production						
1992	267	253	14	46	221	17.2
1993	266	252	14	46	220	17.3
1994	265	245	20	53	212	20.1
1995	292	262	30	77	215	26.4
1996	303	265	38	90	213	29.7
1997	342	298	44	123	219	36.0
1998	372	336	36	171	201	46.0
1999	421	376	45	228	193	54.2
2000	419	381	38	234	185	55.8
Reserves						
1992	1,835	1,643	192	557	1,278	30.4
1993	2,072	1,880	192	824	1,248	39.8
1994	2,127	1,922	205	877	1,250	41.2
1995	2,518	2,269	249	1,241	1,277	49.3
1996	2,567	2,357	210	1,311	1,256	51.1
1997	2,949	2,587	362	1,682	1,267	57.0
1998	2,793	2,483	310	1,611	1,182	57.8
1999	2,744	2,442	302	1,626	1,118	59.3
					1,110	
2000	3,174	2,751	423	2,021	1,153	63.7
2000	3,174	·			·	63.7
Production	3,174	Natural Ga (billion cubic fe	as, Wet After L et at 14.73 psi	ease Separation a and 60° Fahrenheit	·	
Production 1992	4,576	Natural Ga (billion cubic fe	as, Wet After Let at 14.73 psid	ease Separation a and 60° Fahrenheit	4,410	3.6
<b>Production</b> 1992 1993	4,576 4,651	Natural Ga (billion cubic fe 3,292 3,383	as, Wet After L et at 14.73 psid 1,284 1,268	ease Separation a and 60° Fahrenheit 166 229	4,410 4,422	3.6 4.9
<b>Production</b> 1992 1993 1994	4,576	Natural Ga (billion cubic fe 3,292 3,383 3,505	as, Wet After L et at 14.73 psid 1,284 1,268 1,292	ease Separation a and 60° Fahrenheit 166 229 294	4,410 4,422 4,503	3.6 4.9 6.1
<b>Production</b> 1992 1993	4,576 4,651	Natural Ga (billion cubic fe 3,292 3,383	as, Wet After L et at 14.73 psid 1,284 1,268	ease Separation a and 60° Fahrenheit 166 229	4,410 4,422	3.6 4.9
Production 1992 1993 1994 1995 1996	4,576 4,651 4,797	Natural Ga (billion cubic fe 3,292 3,383 3,505	as, Wet After L et at 14.73 psid 1,284 1,268 1,292	Lease Separation a and 60° Fahrenheit 166 229 294 354 549	4,410 4,422 4,503	3.6 4.9 6.1
Production 1992 1993 1994 1995 1996 1997	4,576 4,651 4,797 4,679	Natural Ga (billion cubic fe 3,292 3,383 3,505 3,421	1,284 1,268 1,292 1,258	Lease Separation a and 60° Fahrenheit  166 229 294 354 549 577	4,410 4,422 4,503 4,315	3.6 4.9 6.1 7.8
Production 1992 1993 1994 1995 1996	4,576 4,651 4,797 4,679 5,045	Natural Ga (billion cubic fe 3,292 3,383 3,505 3,421 3,752	1,284 1,268 1,292 1,258 1,293	Lease Separation a and 60° Fahrenheit 166 229 294 354 549	4,410 4,422 4,503 4,315 4,496	3.6 4.9 6.1 7.8 10.9
Production 1992 1993 1994 1995 1996 1997	4,576 4,651 4,797 4,679 5,045 5,230	Natural Ga (billion cubic fe 3,292 3,383 3,505 3,421 3,752 3,984	1,284 1,268 1,292 1,258 1,293 1,246	Lease Separation a and 60° Fahrenheit  166 229 294 354 549 577	4,410 4,422 4,503 4,315 4,496 4,653	3.6 4.9 6.1 7.8 10.9 11.0
Production 1992 1993 1994 1995 1996 1997 1998	4,576 4,651 4,797 4,679 5,045 5,230 4,967	Natural Ga (billion cubic fe 3,292 3,383 3,505 3,421 3,752 3,984 3,817	1,284 1,268 1,292 1,258 1,293 1,246 1,150	Lease Separation a and 60° Fahrenheit  166 229 294 354 549 577 724	4,410 4,422 4,503 4,315 4,496 4,653 4,243	3.6 4.9 6.1 7.8 10.9 11.0
Production 1992 1993 1994 1995 1996 1997 1998 1999 2000	4,576 4,651 4,797 4,679 5,045 5,230 4,967 5,000	Natural Ga (billion cubic fe 3,292 3,383 3,505 3,421 3,752 3,984 3,817 3,829	1,284 1,268 1,292 1,258 1,293 1,246 1,150 1,171	166 229 294 354 549 577 724 1,124	4,410 4,422 4,503 4,315 4,496 4,653 4,243 3,876	3.6 4.9 6.1 7.8 10.9 11.0 14.6 22.5
Production  1992 1993 1994 1995 1996 1997 1998 1999 2000  Reserves	4,576 4,651 4,797 4,679 5,045 5,230 4,967 5,000 4,901	Natural Ga (billion cubic fe 3,292 3,383 3,505 3,421 3,752 3,984 3,817 3,829 3,747	1,284 1,268 1,292 1,258 1,293 1,246 1,150 1,171 1,154	166 229 294 354 549 577 724 1,124 1,196	4,410 4,422 4,503 4,315 4,496 4,653 4,243 3,876 3,705	3.6 4.9 6.1 7.8 10.9 11.0 14.6 22.5 24.4
Production  1992 1993 1994 1995 1996 1997 1998 1999 2000  Reserves 1992	4,576 4,651 4,797 4,679 5,045 5,230 4,967 5,000 4,901	Natural Ga (billion cubic fe 3,292 3,383 3,505 3,421 3,752 3,984 3,817 3,829 3,747	1,284 1,268 1,292 1,258 1,293 1,246 1,150 1,171 1,154	166 229 294 354 549 577 724 1,124 1,196	4,410 4,422 4,503 4,315 4,496 4,653 4,243 3,876 3,705	3.6 4.9 6.1 7.8 10.9 11.0 14.6 22.5 24.4
Production  1992 1993 1994 1995 1996 1997 1998 1999 2000  Reserves 1992 1993	4,576 4,651 4,797 4,679 5,045 5,230 4,967 5,000 4,901 27,050 26,463	Natural Ga (billion cubic fe 3,292 3,383 3,505 3,421 3,752 3,984 3,817 3,829 3,747 20,006 19,751	1,284 1,268 1,292 1,258 1,293 1,246 1,150 1,171 1,154	166 229 294 354 549 577 724 1,124 1,196	4,410 4,422 4,503 4,315 4,496 4,653 4,243 3,876 3,705	3.6 4.9 6.1 7.8 10.9 11.0 14.6 22.5 24.4
Production  1992 1993 1994 1995 1996 1997 1998 1999 2000  Reserves 1992 1993 1994	4,576 4,651 4,797 4,679 5,045 5,230 4,967 5,000 4,901 27,050 26,463 27,626	Natural Ga (billion cubic fe 3,292 3,383 3,505 3,421 3,752 3,984 3,817 3,829 3,747 20,006 19,751 21,208	1,284 1,268 1,292 1,258 1,293 1,246 1,150 1,171 1,154 7,044 6,712 6,418	166 229 294 354 549 577 724 1,124 1,196 3,273 3,495 4,772	4,410 4,422 4,503 4,315 4,496 4,653 4,243 3,876 3,705 23,777 22,968 22,854	3.6 4.9 6.1 7.8 10.9 11.0 14.6 22.5 24.4
Production  1992 1993 1994 1995 1996 1997 1998 1999 2000  Reserves 1992 1993 1994 1995	4,576 4,651 4,797 4,679 5,045 5,230 4,967 5,000 4,901 27,050 26,463 27,626 28,229	Natural Ga (billion cubic fe 3,292 3,383 3,505 3,421 3,752 3,984 3,817 3,829 3,747 20,006 19,751 21,208 21,664	1,284 1,268 1,292 1,258 1,293 1,246 1,150 1,171 1,154 7,044 6,712 6,418 6,565	166 229 294 354 549 577 724 1,124 1,196 3,273 3,495 4,772 5,811	4,410 4,422 4,503 4,315 4,496 4,653 4,243 3,876 3,705 23,777 22,968 22,854 22,418	3.6 4.9 6.1 7.8 10.9 11.0 14.6 22.5 24.4 12.1 13.2 17.3 20.6
Production  1992 1993 1994 1995 1996 1997 1998 1999 2000  Reserves 1992 1993 1994 1995 1996	4,576 4,651 4,797 4,679 5,045 5,230 4,967 5,000 4,901 27,050 26,463 27,626 28,229 28,153	Natural Ga (billion cubic fe 3,292 3,383 3,505 3,421 3,752 3,984 3,817 3,829 3,747 20,006 19,751 21,208 21,664 22,119	1,284 1,268 1,292 1,258 1,293 1,246 1,150 1,171 1,154 7,044 6,712 6,418 6,565 6,034	166 229 294 354 549 577 724 1,124 1,196 3,273 3,495 4,772 5,811 6,389	4,410 4,422 4,503 4,315 4,496 4,653 4,243 3,876 3,705 23,777 22,968 22,854 22,418 21,764	3.6 4.9 6.1 7.8 10.9 11.0 14.6 22.5 24.4 12.1 13.2 17.3 20.6 22.7
Production  1992 1993 1994 1995 1996 1997 1998 2000  Reserves 1992 1993 1994 1995 1996 1997	4,576 4,651 4,797 4,679 5,045 5,230 4,967 5,000 4,901 27,050 26,463 27,626 28,229 28,153 28,455	Natural Ga (billion cubic fe 3,292 3,383 3,505 3,421 3,752 3,984 3,817 3,829 3,747 20,006 19,751 21,208 21,664 22,119 22,428	1,284 1,268 1,292 1,258 1,293 1,246 1,150 1,171 1,154 7,044 6,712 6,418 6,565 6,034 6,027	166 229 294 354 549 577 724 1,124 1,196 3,273 3,495 4,772 5,811 6,389 7,491	4,410 4,422 4,503 4,315 4,496 4,653 4,243 3,876 3,705 23,777 22,968 22,854 22,418 21,764 20,964	3.6 4.9 6.1 7.8 10.9 11.0 14.6 22.5 24.4 12.1 13.2 17.3 20.6 22.7 26.3
Production  1992 1993 1994 1995 1996 1997 1998 1999 2000  Reserves 1992 1993 1994 1995 1996	4,576 4,651 4,797 4,679 5,045 5,230 4,967 5,000 4,901 27,050 26,463 27,626 28,229 28,153	Natural Ga (billion cubic fe 3,292 3,383 3,505 3,421 3,752 3,984 3,817 3,829 3,747 20,006 19,751 21,208 21,664 22,119	1,284 1,268 1,292 1,258 1,293 1,246 1,150 1,171 1,154 7,044 6,712 6,418 6,565 6,034	166 229 294 354 549 577 724 1,124 1,196 3,273 3,495 4,772 5,811 6,389	4,410 4,422 4,503 4,315 4,496 4,653 4,243 3,876 3,705 23,777 22,968 22,854 22,418 21,764	3.6 4.9 6.1 7.8 10.9 11.0 14.6 22.5 24.4 12.1 13.2 17.3 20.6 22.7

Table D9. Deepwater Production and Proved Reserves of the Gulf of Mexico Federal Offshore, 1992-2000 (continued)

		Bulf of Mexico		Dept	:h	
Year	Total	Louisiana <sup>a</sup>	Texas	Greater than 200 meters	Less than 200 meters	Deepwater Percentage
	1	Natural Gas Lie	quids (million b	parrels of 42 U.S. gall	ons)	
Production						
1992	91	76	15	4	87	4.4
1993	97	80	17	6	91	6.2
1994	98	83	15	6	92	6.1
1995	85	71	14	12	73	14.1
1996	101	84	17	13	88	12.9
1997	140	123	17	17	123	12.1
1998	139	120	19	26	113	18.7
1999	167	136	31	51	116	30.5
2000	199	164	35	84	115	42.2
Reserves						
1992	590	472	118	91	499	15.4
1993	605	490	115	97	508	16.0
1994	603	500	103	110	493	18.2
1995	630	496	134	294	336	46.7
1996	753	621	132	300	456	39.8
1997	906	785	121	349	557	38.5
1998	919	776	143	387	532	42.1
		833	161		583	41.3
1999 2000	994 1,074	833 921	161 153	411 468	583 606	41.3 43.6
1999	994 1,074	921	153	411 468	606	
1999 2000	994 1,074	921	153	411	606	
1999 2000	994 1,074 <b>Dry Natu</b> 3,233	921  Iral Gas (billion	153	411 468	4,346	
1999 2000 <b>Production</b>	994 1,074 <b>Dry Natu</b>	921 <b>Iral Gas</b> (billion 1,275 1,258	153 n cubic feet at 1 4,508 4,577	411 468 4.73 psia and 60° Fa 162 224	hrenheit)	3.6 4.9
1999 2000 Production 1992	994 1,074 <b>Dry Natu</b> 3,233	921 <b>Iral Gas</b> (billion 1,275 1,258 1,285	153 cubic feet at 1 4,508	411 468 4.73 psia and 60° Fa	4,346	3.6
1999 2000 <b>Production</b> 1992 1993	994 1,074 <b>Dry Natu</b> 3,233 3,319	921 1,275 1,258 1,285 1,251	153 n cubic feet at 1 4,508 4,577	411 468 4.73 psia and 60° Fa 162 224	4,346 4,353	3.6 4.9
1999 2000 <b>Production</b> 1992 1993 1994	994 1,074 <b>Dry Natu</b> 3,233 3,319 3,440	921 <b>Iral Gas</b> (billion 1,275 1,258 1,285	153 1 cubic feet at 1 4,508 4,577 4,725	411 468 4.73 psia and 60° Fa 162 224 288	4,346 4,353 4,437	3.6 4.9 6.1
1999 2000 <b>Production</b> 1992 1993 1994 1995	994 1,074 <b>Dry Natu</b> 3,233 3,319 3,440 3,376	921 1,275 1,258 1,285 1,251	153 1 cubic feet at 1 4,508 4,577 4,725 4,627	411 468 4.73 psia and 60° Fa 162 224 288 361 544 565	4,346 4,353 4,437 4,266	3.6 4.9 6.1 7.8
1999 2000 <b>Production</b> 1992 1993 1994 1995 1996	994 1,074 Dry Natu 3,233 3,319 3,440 3,376 3,706	921 1,275 1,258 1,285 1,251 1,285	153 1 cubic feet at 1 4,508 4,577 4,725 4,627 4,991	411 468 4.73 psia and 60° Fa 162 224 288 361 544	4,346 4,353 4,437 4,266 4,447	3.6 4.9 6.1 7.8 10.9
1999 2000 <b>Production</b> 1992 1993 1994 1995 1996 1997	994 1,074 Dry Natu 3,233 3,319 3,440 3,376 3,706 3,895	921 1,275 1,258 1,285 1,251 1,285 1,238	153 4,508 4,577 4,725 4,627 4,991 5,133	411 468 4.73 psia and 60° Fa 162 224 288 361 544 565	4,346 4,353 4,437 4,266 4,447 4,568	3.6 4.9 6.1 7.8 10.9 11.0
1999 2000 <b>Production</b> 1992 1993 1994 1995 1996 1997 1998	994 1,074 Dry Natu 3,233 3,319 3,440 3,376 3,706 3,895 3,728	921 1,275 1,258 1,285 1,251 1,285 1,238 1,144	153 4,508 4,577 4,725 4,627 4,991 5,133 4,872	411 468 4.73 psia and 60° Fa 162 224 288 361 544 565 711	4,346 4,353 4,437 4,266 4,447 4,568 4,161	3.6 4.9 6.1 7.8 10.9 11.0 14.6
1999 2000 <b>Production</b> 1992 1993 1994 1995 1996 1997 1998 1999 2000	994 1,074 Dry Natu 3,233 3,319 3,440 3,376 3,706 3,895 3,728 3,721	921 1,275 1,258 1,285 1,251 1,285 1,238 1,144 1,164	153 4,508 4,577 4,725 4,627 4,991 5,133 4,872 4,885	411 468 4.73 psia and 60° Fa 162 224 288 361 544 565 711 1,099	4,346 4,353 4,437 4,266 4,447 4,568 4,161 3,786	3.6 4.9 6.1 7.8 10.9 11.0 14.6 22.5
1999 2000 <b>Production</b> 1992 1993 1994 1995 1996 1997 1998 1999 2000	994 1,074 Dry Natu 3,233 3,319 3,440 3,376 3,706 3,895 3,728 3,721	921 1,275 1,258 1,285 1,251 1,285 1,238 1,144 1,164	153 4,508 4,577 4,725 4,627 4,991 5,133 4,872 4,885	411 468 4.73 psia and 60° Fa 162 224 288 361 544 565 711 1,099	4,346 4,353 4,437 4,266 4,447 4,568 4,161 3,786	3.6 4.9 6.1 7.8 10.9 11.0 14.6 22.5
1999 2000 <b>Production</b> 1992 1993 1994 1995 1996 1997 1998 1999 2000 <b>Reserves</b>	994 1,074 Dry Natu 3,233 3,319 3,440 3,376 3,706 3,895 3,728 3,721 3,626	921 1,275 1,258 1,285 1,251 1,285 1,238 1,144 1,164 1,147	153 4,508 4,577 4,725 4,627 4,991 5,133 4,872 4,885 4,773	411 468 4.73 psia and 60° Fa 162 224 288 361 544 565 711 1,099 1,165	4,346 4,353 4,437 4,266 4,447 4,568 4,161 3,786 3,608	3.6 4.9 6.1 7.8 10.9 11.0 14.6 22.5 24.4
1999 2000 <b>Production</b> 1992 1993 1994 1995 1996 1997 1998 1999 2000 <b>Reserves</b> 1992	994 1,074 Dry Natu 3,233 3,319 3,440 3,376 3,706 3,895 3,728 3,721 3,626 19,653 19,383	921  1,275 1,258 1,285 1,251 1,285 1,238 1,144 1,164 1,147 6,996 6,661	153 4,508 4,577 4,725 4,627 4,991 5,133 4,872 4,885 4,773 26,649 26,044	411 468 4.73 psia and 60° Fa 162 224 288 361 544 565 711 1,099 1,165 3,225 3,438	4,346 4,353 4,437 4,266 4,447 4,568 4,161 3,786 3,608 23,424 22,606	3.6 4.9 6.1 7.8 10.9 11.0 14.6 22.5 24.4
1999 2000 <b>Production</b> 1992 1993 1994 1995 1996 1997 1998 1999 2000 <b>Reserves</b> 1992 1993	994 1,074 Dry Natu 3,233 3,319 3,440 3,376 3,706 3,895 3,728 3,721 3,626 19,653 19,383 20,835	921  1,275 1,258 1,285 1,251 1,285 1,238 1,144 1,164 1,147  6,996 6,661 6,383	153  4,508 4,577 4,725 4,627 4,991 5,133 4,872 4,885 4,773  26,649 26,044 27,218	411 468 4.73 psia and 60° Fa 162 224 288 361 544 565 711 1,099 1,165 3,225 3,438 4,709	4,346 4,353 4,437 4,266 4,447 4,568 4,161 3,786 3,608 23,424 22,606 22,509	3.6 4.9 6.1 7.8 10.9 11.0 14.6 22.5 24.4 12.1 13.2 17.3
1999 2000 Production 1992 1993 1994 1995 1996 1997 1998 1999 2000 Reserves 1992 1993 1994	994 1,074 Dry Natu 3,233 3,319 3,440 3,376 3,706 3,895 3,728 3,721 3,626 19,653 19,383 20,835 21,392	921  1,275 1,258 1,285 1,251 1,285 1,238 1,144 1,164 1,147  6,996 6,661 6,383 6,525	153  4,508 4,577 4,725 4,627 4,991 5,133 4,872 4,885 4,773  26,649 26,044 27,218 27,917	411 468 4.73 psia and 60° Fa 162 224 288 361 544 565 711 1,099 1,165 3,225 3,438 4,709 5,751	4,346 4,353 4,437 4,266 4,447 4,568 4,161 3,786 3,608 23,424 22,606 22,509 22,166	3.6 4.9 6.1 7.8 10.9 11.0 14.6 22.5 24.4 12.1 13.2 17.3 20.6
1999 2000 <b>Production</b> 1992 1993 1994 1995 1996 1997 1998 1999 2000 <b>Reserves</b> 1992 1993 1994 1995 1996	994 1,074 Dry Natu 3,233 3,319 3,440 3,376 3,706 3,895 3,728 3,721 3,626 19,653 19,383 20,835 21,392 21,856	921  1,275 1,258 1,285 1,251 1,285 1,238 1,144 1,164 1,147  6,996 6,661 6,383 6,525 5,996	153  4,508 4,577 4,725 4,627 4,991 5,133 4,872 4,885 4,773  26,649 26,044 27,218 27,917 27,852	411 468 4.73 psia and 60° Fa 162 224 288 361 544 565 711 1,099 1,165 3,225 3,438 4,709 5,751 6,322	4,346 4,353 4,437 4,266 4,447 4,568 4,161 3,786 3,608 23,424 22,606 22,509	3.6 4.9 6.1 7.8 10.9 11.0 14.6 22.5 24.4 12.1 13.2 17.3 20.6 22.7
1999 2000 <b>Production</b> 1992 1993 1994 1995 1996 1997 1998 1999 2000 <b>Reserves</b> 1992 1993 1994 1995	994 1,074 Dry Natu 3,233 3,319 3,440 3,376 3,706 3,895 3,728 3,721 3,626 19,653 19,383 20,835 21,392	921  1,275 1,258 1,285 1,251 1,285 1,238 1,144 1,164 1,147  6,996 6,661 6,383 6,525	153  4,508 4,577 4,725 4,627 4,991 5,133 4,872 4,885 4,773  26,649 26,044 27,218 27,917	411 468 4.73 psia and 60° Fa 162 224 288 361 544 565 711 1,099 1,165 3,225 3,438 4,709 5,751	4,346 4,353 4,437 4,266 4,447 4,568 4,161 3,786 3,608 23,424 22,606 22,509 22,166 21,530	3.6 4.9 6.1 7.8 10.9 11.0 14.6 22.5 24.4 12.1 13.2 17.3 20.6
1999 2000 <b>Production</b> 1992 1993 1994 1995 1996 1997 1998 1999 2000 <b>Reserves</b> 1992 1993 1994 1995 1996 1997	994 1,074 Dry Natu 3,233 3,319 3,440 3,376 3,706 3,895 3,728 3,721 3,626 19,653 19,383 20,835 21,392 21,856 21,934	921  1,275 1,258 1,285 1,251 1,285 1,238 1,144 1,164 1,147  6,996 6,661 6,383 6,525 5,996 5,988	153  4,508 4,577 4,725 4,627 4,991 5,133 4,872 4,885 4,773  26,649 26,044 27,218 27,917 27,852 27,922	411 468 4.73 psia and 60° Fa 162 224 288 361 544 565 711 1,099 1,165 3,225 3,438 4,709 5,751 6,322 7,343	4,346 4,353 4,437 4,266 4,447 4,568 4,161 3,786 3,608 23,424 22,606 22,509 22,166 21,530 20,579	3.6 4.9 6.1 7.8 10.9 11.0 14.6 22.5 24.4 12.1 13.2 17.3 20.6 22.7 26.3

Table D9. Deepwater Production and Proved Reserves of the Gulf of Mexico Federal Offshore, 1992-2000 (continued)

(00111111	aoa,						
		<b>Gulf of Mexico</b>		Dep	th		
Year	Total	Louisiana <sup>a</sup>	Texas	Greater than 200 meters	Less than 200 meters	Deepwater Percentage	
		Lease Conder	nsate (million ba	arrels of 42 U.S. gallo	ons)		
Production							
1992	35	9	44	2	42	4.4	
1993	35	11	46	3	43	6.2	
1994	37	10	47	3	44	6.1	
1995	40	9	49	7	42	14.1	
1996	49	11	60	8	52	12.9	
1997	59	11	70	8	62	12.1	
1998	57	15	72	13	59	18.7	
1999	61	26	87	27	60	30.5	
2000	76	30	106	45	61	42.2	
Reserves							
1992	226	84	310	48	262	15.4	
1993	235	81	316	51	265	16.0	
1994	233	78	311	57	254	18.2	
1995	305	107	412	192	220	46.7	
1996	422	105	527	210	317	39.8	
1997	433	94	527	203	324	38.5	
1998	435	122	557	234	323	42.1	
1999	430	137	567	234	333	41.3	
2000	433	127	560	244	316	43.6	

<sup>&</sup>lt;sup>a</sup>Includes Federal Offshore Alabama.

bRevisions result from reclassing all field depths to match Minerals Management Service assignments. Source: Based on data reported on Form EIA-23, "Annual Survey of Domestic Oil and Gas Reserves."

Table D10. 2000 Reported Reserves in Nonproducing Reservoirs for Crude Oil, Lease Condensate, and Natural Gas<sup>a</sup>

State and Subdivision	Crude Oil (mbbls)	Lease Condensate (mbbls)	Nonassociated Gas (bcf)	d Associated Dissolved Gas (bcf)	Total Gas (bcf)
Alaska	511	0	571	147	718
Lower 48 States	3,508	498	37,068	5,048	42,116
Alabama	2	5	172	2	174
Arkansas	7	0	207	14	221
California	464	0	212	146	358
Coastal Region Onshore.	130	0	0	51	51
Los Angeles Basin Onshore	68	0	0	66	66
		-	-		
San Joaquin Basin Onshore	234	0	212	13	225
State Offshore	32	0	0	16	16
Colorado	49	10	2510	448	2,958
Florida	9	0	0	0	0
Illinois	4	0	0	1	1
Indiana	0	0	2	0	2
Kansas	13	0	93	1	94
Kentucky	0	0	387	0	387
Louisiana	204	77	2,894	334	3,228
North	31	10	902	69	971
South Onshore	123	63	1781	223	2,004
State Offshore	50	4	211	42	253
Michigan	4	0	322	15	337
Mississippi	38	2	132	12	144
Montana	36	0	76	14	90
Nebraska	0	0	0	0	0
New Mexico	91	18	3,036	125	
		5	,		3,161
East	91		747	124	871
West	0	13	2289	1	2,290
New York	0	0	43	0	43
North Dakota	29	3	43	18	61
Ohio	10	0	75	22	97
Oklahoma	111	19	1368	116	1,484
Pennsylvania	1	0	174	53	227
Texas	750	81	9,421	1,097	10,518
RRC District 1	12	3	305	26	331
RRC District 2 Onshore	9	3	399	10	409
RRC District 3 Onshore	34	20	860	93	953
RRC District 4 Onshore	8	28	3186	72	3,258
RRC District 5	6	3	1216	32	1,248
RRC District 6	9	8	994	19	1,013
RRC District 7B	5	0	17	1	18
RRC District 7C	34	3	440	63	503
RRC District 8	280	3	636	327	963
RRC District 8A	335	0	29	398	427
RRC District 9	11	1	840	19	859
RRC District 10	7	8	435	37	472
State Offshore	0	1	64	0	64
Utah	91	1	1377	190	1,567
Virginia	0	0	438	0	438
West Virginia	0	0	310	0	310
Wyoming	63	19	4363	98	4,461
Federal Offshore <sup>b</sup>	1,531	263	9,413	2,342	11,755
Pacific (California)	42	4	48	65	113
Gulf of Mexico (Louisiana) <sup>b</sup>	1,267	218	7,209	1,913	9,122
Gulf of Mexico (Texas)	222	41	2156	364	2,520
Miscellaneous <sup>c</sup>	1	0	0	0	0
U.S. Total	4,019	498	37,639	5,195	42,834

<sup>&</sup>lt;sup>a</sup>Includes only those operators who produced during the report year 400,000 barrels of crude oil or 2 billion cubic feet of wet natural gas, or more (Category I and Category II operators).

bIncludes Federal offshore Alabama.

CIncludes Arizona, Maryland, Missouri, Nevada, Oregon, South Dakota and Tennessee. Source: Form EIA-23, "Annual Survey of Domestic Oil and Gas Reserves," 2000.

### **Summary of Data Collection Operations**

### **Summary of Data Collection Operations**

#### Form EIA-23 Survey Design

The data collected on Form EIA-23, "Annual Survey of Domestic Oil and Gas Reserves," were used to produce this report. This section provides information concerning the survey design, response statistics, reporting requirements, and frame maintenance.

Form EIA-23 is mailed annually to all known large and intermediate size operators, and a scientifically selected sample of small operators. Operator size categories were based upon their annual production as indicated in various Federal, State, and commercial records. The term **State/subdivision** refers to an individual subdivision within a State or an individual State that is not subdivided. Operators were divided into the three size categories shown below.

- Category I Large Operators: Operators who produced 1.5 million barrels or more of crude oil, or 15 billion cubic feet or more of natural gas, or both.
- Category II *Intermediate Operators*: Operators who produced at least 400,000 barrels of crude oil or 2 billion cubic feet of natural gas, or both, but less than Category I operators.
- Category III *Small Operators:* Operators who produced less than the Category II operators.

Category III operators were further subdivided into operators sampled with Certainty (**Certainty**) and operators that were randomly sampled (**Noncertainty**).

Data were filed for calendar year 2000 by crude oil or natural gas well operators who were active as of December 31, 2000. EIA defines an operator as an organization or person responsible for the management and day-to-day operation of crude oil or natural gas wells. The purpose of this definition is to eliminate responses from royalty owners, working interest owners (unless they are also operators), and others not directly responsible for operations. An operator need not be a separately incorporated entity. To minimize reporting burden, corporations are permitted to report on the basis of operating units of the company convenient for them. A large corporation

may be represented by a single form or by several forms.

Table E1 shows a comparison of the EIA-23 sample and sampling frame between 1993 and 2000, and depicts the number of active operators, with 1994 showing the largest in the series. The 2000 sampling frame consisted of 175 Category I, 436 Category II, 854 Category III Certainty, and 20,637 Category III Noncertainty operators, for a total of 22,102 active operators. The survey sample consisted of 1,465 operators selected with certainty that included all of the Category I and II Certainty operators, the 854 smaller operators that were selected with certainty because of their size in relation to the area or areas in which they operated, and 1,311 Noncertainty operators selected as a systematic random sample of the remaining operators.

## Form EIA-23 Response Statistics

Each company and its parent company or subsidiaries were required to file Form EIA-23 if they met the survey specifications. Response to the 2000 survey is summarized in **Table E2**. EIA makes a considerable effort to gain responses from all operators. About 6.3 percent of those selected turned out to be nonoperators (those that reported being nonoperators during the report year and operators that could not be located). Of the 174 nonoperators, 24 had successor operators that had taken over the production of the nonoperator. These successor operators were subsequently sampled. The overall response rate for the 2000 survey was 97.2 percent. For the 74 operators that did not respond, production data was obtained from State or other sources.

#### Form EIA-23 Reporting Requirements

The collection format for Form EIA-23 actually consists of two forms. The form the respondent is required to file is dependent upon the annual production levels of crude oil, natural gas, and lease condensate. Category I and Category II operators file a more detailed field

Table E1. Comparison of the EIA-23 Sample and Sampling Frame, 1993-2000

		Number of Operators							
Operator Category	1993	1994	1995	1996	1997	1998	1999	2000	
Certainty									
Category I	160	161	161	176	180	178	177	175	
Category II	500	482	476	486	461	420	399	436	
Category III	1,723	1,694	1,596	3	1,194	862	648	854	
Sampled	2,383	2,337	2,233	665	1,835	1,460	1,224	1,465	
Percent Sampled	100	100	100	100	100	100	100	100	
Noncertainty									
Sampled	1,691	1,737	1,632	0	1,645	1,459	1,305	1,311	
Percent Sampled	8	8	8	0	8	7	6	6	
Total									
Active Operators	R23,656	R24,222	22,766	23,410	22,678	23,620	22,089	22,102	
Not Sampled	19,791	20,148	18,901	22,745	19,198	20,701	19,560	19,326	
Sampled	4,074	4,074	3,865	665	3,480	2,919	R2,529	2,776	
Percent Sampled	17	17	17	3	15	12	R11	13	

R=Revised data.

Table E2. Form EIA-23 Survey Response Statistics, 2000

Operator Category	Original Sample Selected	Successor <sup>a</sup> Operators	Net <sup>b</sup> Category Changes	Non- <sup>c</sup> operators	Adjusted <sup>d</sup> Sample	Oper	onding ators Percent	Opei	ponding rators Percent
Operator Category	Jeiecteu	Operators	Changes	operators	Jampie	Number	i ercent	Mullipel	i cicelli
Certainty									
Category I	175	3	2	-15	165	165	100.0	0	0.0
Category II	463	17	1	-28	426	426	100.0	0	0.0
Category III	854	2	7	-74	789	766	97.1	23 <sup>e</sup>	2.9
Subtotal	1,464	22	10	-117	1,380	1,357	98.3	23 <sup>e</sup>	1.7
Noncertainty	1,311	2	-10	-57	1,246	1,195	95.9	51 <sup>e</sup>	4.1
Total	2,776	24	0	-174	2,626	2,552	97.2	74 <sup>e</sup>	2.8

<sup>&</sup>lt;sup>a</sup>Successor operators are those, not initially sampled, that have taken over the production of a sampled operator.

dAdjusted sample equals original sample plus successor operators plus net category changes minus nonoperators.

Source: Form EIA-23, "Annual Survey of Domestic Oil and Gas Reserves" 2000.

level data form. Category III operators file a summary report which is aggregated at a State/subdivision level.

The cover page required of all respondents identifies each operator by name and address (**Figure I1**, Appendix I). The oil and gas producing industry includes a large number of small enterprises. To minimize reporting burden, only a sample of small operators were required to file a summary report of Form EIA-23 (**Figures I2 and I3**, Appendix I). Report year production data were required by State/subdivision areas for crude oil, natural gas, and lease condensate. Proved reserves data for operators

were required only for those properties where estimates existed in the respondent's records.

All Category I and Category II operators were required to file field level data on Schedule A, "Operated Proved Reserves, Production, and Related Data by Field," for each oil and/or gas field in which the respondent operated properties (**Figure I4**, Appendix I). All Category I and those Category II operators who had reserve estimates were required to file on a total operated basis for crude oil, nonassociated natural gas, associated-dissolved natural gas, and lease condensate. The following data items were required to be filed: proved reserves at the beginning and the end of the

bNet of recategorized operators in the sample (excluding nonoperators).

<sup>&</sup>lt;sup>C</sup>Includes former operators reporting that they were not operators during the report year and operators that could not be located who are treated as nonoperators.

<sup>&</sup>lt;sup>e</sup>For the 74 operators (23 CategoryIII operators and 51 Noncertainty operators) that did not respond, production data was obtained from State or other sources.

report year, revision increases and revision decreases, sales and acquisitions, extensions, new field discoveries, new reservoirs in old fields, production, indicated additional reserves of crude oil, nonproducing reserves, field discovery year, water depth, and field location information.

Category II operators who did not have reserves estimates were required to file the field location information and report year production for the four hydrocarbon types from properties where reserves were not estimated. These respondents used Schedule B, "Footnotes," to provide clarification of reported data items when required in the instructions, or electively to provide narrative or detail to explain any data item filed (**Figure I5**, Appendix I).

Crude oil and lease condensate volumes were reported rounded to thousands of barrels of 42 U.S. gallons at 60 Fahrenheit, and natural gas volumes were reported rounded to millions of cubic feet. All natural gas volumes were requested to be reported at 60 Fahrenheit and a pressure base of 14.73 pounds per square inch absolute. Other minor report preparation standards were specified to assure that the filed data could be readily processed.

#### Oil and Gas Field Coding

A major effort to create standardized codes for all identified oil or gas fields throughout the United States was implemented during the 1982 survey year. Information from previous lists was reviewed and reconciled with State lists and a consolidated list was created. The publication of the *Oil and Gas Field Code Master List 1999*, in January of 2000, was the 18th annual report and reflected data collected through December 1999. This publication was mailed to operators to assist in identifying the field code data necessary for the preparation of Form EIA-23.

#### Form EIA-23 Comparison with Other Data Series

Estimated crude oil, lease condensate, and natural gas production volumes from Form EIA-23 were compared with official EIA production data supplied by Federal and State oil and natural gas regulatory agencies and published in EIA's monthly and annual reports. Reports published by the Federal and State oil and natural gas regulatory agencies were used to compare specific operator production responses to these

agencies with Form EIA-23 responses. When significant differences were found, responses were researched to detect and reconcile possible reporting errors.

For 2000, Form EIA-23 National estimates of production were 2,088 million barrels for crude oil and lease condensate or 43 million barrels (2 percent) lower than that reported in the *Petroleum Supply Annual* 2000 for crude oil and lease condensate. Form EIA-23 National estimates of production for dry natural gas were 19,219 billion cubic feet – 233 billion cubic feet (1 percent) higher than the *Natural Gas Annual* 2000 for 2000 dry natural gas production.

## Form EIA-23 Frame Maintenance

Operator frame maintenance is a major data quality control effort. Extensive effort is expended to keep the frame as current as possible. The Form EIA-23 frame contains a listing of all crude oil and natural gas well operators in the United States and must be maintained and updated regularly in order to ensure an accurate frame from which to draw the sample for the annual crude oil and natural gas reserves survey. The original frame, created in 1977, is revised annually. In addition, outside sources, such as State publications and electronic data, and commercial information data bases such as IHS Energy Group, are used to obtain information on operator status and to update addresses for the frame each year.

A maintenance procedure is utilized in conjunction with State production records and commercial information data bases to update possible crude oil and natural gas well operators presently listed on EIA's master frame and add new operators to the master frame. This procedure identifies active operators and nonoperators which improves the frame for future sample selections for the annual survey. **Table E3** provides a summary of changes made to the Form EIA-23 frame of crude oil and natural gas well operators for the 2000 survey mailing. These changes resulted from all frame maintenance activities.

The Form EIA-23 operator frame contained a total of 68,527 entries as of December 14, 2000. Of these, 22,102 were confirmed operators. These are operators who have filed in the past or for whom the EIA has recent production data from an outside source. The remaining operators (including both definite and probable nonoperators) exist as a pool of names and addresses

Table E3. Summary of the 2000 Operator Frame Activity, Form EIA-23

• •	
Total 1999 Operator Frame	68,501 22,127 46,374
Changes to 1999 Operator Status  From Nonoperator to Operator  From Operator to Nonoperator	262 140 122
No Changes to 1999 Operator Status Operators	68,239 21,987 46,252
Additions to 1999 Operator Frame Operator	26 26 0
Total 2000 Operator Frame  Operators  Nonoperators	<b>68,527</b> 22,121 46,356

Note: Includes operator frame activity through December 14, 2000. Source: Energy Information Administration, Office of Oil and Gas.

that may be added to the active list if review indicates activity.

#### Form EIA-64A Survey Design

The data for this report are also collected on Form EIA-64A, "Annual Report of the Origin of Natural Gas Liquids Production." This section provides information concerning the survey design, response statistics, reporting requirements, and frame maintenance for Form EIA-64A.

Form EIA-23 for report years 1977 and 1978 required natural gas well operators to report their natural gas data on a fully dry basis. It was discovered in the course of those surveys that many operators had little or no knowledge of the extraction of liquids from their produced natural gas streams once custody transfer had taken place. Therefore, these operators reverted to reporting the only natural gas volume data they had in their possession. These volume data were for dryer natural gas than that which had passed through the wellhead, but wetter than fully dry natural gas. With reference to **Figure E1**, they reported their volumes either at the wellhead or after removal of lease condensate in their lease or field separation facilities.

Some of the larger operators, however, also owned or operated natural gas processing plants. They reported

their volumes after removal of both lease condensate and plant liquids, as required by Form EIA-23. The aggregate volumes resulting from the 1977 and 1978 surveys, therefore, were neither fully dry (as was intended) nor fully wet. They do appear to have been more dry than wet simply because the operators who reported fully dry volumes also operated properties that contained the bulk of proved natural gas reserves.

The EIA recognized that its estimates of proved reserves of natural gas liquids (NGL) had to reflect not only those volumes extractable in the future under current economic and operating conditions at the lease or field (lease condensate), but also volumes (plant liquids) extractable downstream at existing natural gas processing plants. Form EIA-64, which already canvassed these processing plants, did not request that the plants' production volumes be attributed to source areas. Beginning with the 1979 survey, a new form to collect plant liquids production according to the area or areas where their input natural gas stream had been produced was mailed to all of the operating plants. The instructions for filing the Form EIA-23 were altered to collect data from natural gas well operators that reflected those volumes of natural gas dried only through the lease or field separation facilities. The reporting basis of these volumes are referred to as "wet after lease separation." The methodology used to estimate NGL reserves by State and State subdivision is provided in Appendix F.

#### Form EIA-64A Response Statistics

EIA mailed EIA-64A forms to all known natural gas processing plant operators as of February 1, 2001. In addition, plant operators whose plants were shut down or dismantled during 2000 were required to complete forms for the portion of 2000 when the plants were in operation.

Natural gas processing plant operators were requested to file a Form EIA-64A for each of their plants. A total of 236 operators of 524 plants were sent forms. This number included 4 new plants, no reactivated plants, and 5 successor plants identified after the initial 1999 survey mailing. A total of 50 plants were reported as nonoperating according to the Form EIA-64A definition. For the thirteenth consecutive year the response rate was 100 percent.

Form EIA-64A respondents were requested to report natural gas liquids production data by area of origin.

Figure E1. Natural Gas Liquids Extraction Flows Wet Gas after Separation Dry Gas Wet Gas **Natural Gas Processing Plant** Lease Condensate Production Wellhead Lease or Field Separation **Facilities** Plant Liquids Production Lease Condensate Storage **TOTAL NATURAL GAS LIQUIDS PRODUCTION** 

Source: Energy Information Administration, Office of Oil and Gas.

**Table E4** summarizes the responses by plant operators of the volume and origin of natural gas delivered to the processing plants and the volume of the natural gas liquids extracted by the plants by State. The majority of the plant operators reported only one area of origin for the natural gas that was processed by a plant. The State or area of origin reported is generally also the plant's location.

# Form EIA-64A Reporting Requirements

Form EIA-64A consisted of the reporting schedule shown in **Figure 16**, Appendix I. The form identifies the plant, its geographic location, the plant operator's name and address, and the parent company name. The certification was signed by a responsible official of the operating entity. The form pertains to the volume of natural gas received and of natural gas liquids produced at the plant, allocated to each area of origin. Operators also filed the data pertaining to the amount of natural gas shrinkage that resulted from extraction of natural gas liquids at the plant, and the amount of fuel used in processing.

Natural gas liquids volumes were reported rounded to thousands of barrels of 42 U.S. gallons at 60 Fahrenheit, and natural gas volumes were reported rounded to millions of cubic feet. All natural gas volumes were requested to be reported at 60 Fahrenheit and a pressure base of 14.73 pounds per square inch absolute. Other minor report preparation standards were specified to assure that the filed data could be readily processed.

## Form EIA-64A Comparison with Other Data Series

Form EIA-64A plant liquids production data were compared with data collected on Form EIA-816, "Monthly Natural Gas Liquids Report." Aggregated production from Form EIA-816 represents the net volume of natural gas processing plant liquid output less input for the report year. These data are published in EIA's *Petroleum Supply Annual* reports. The Form EIA-64A annual responses reflect all corrections and revisions to EIA's monthly estimates. Differences, when found, were reconciled in both sources. For 2000, the Form EIA-64A National estimates were 2 percent (12 million barrels) lower than the *Petroleum Supply* 

Table E4. Natural Gas Processed and Liquids Extracted at Natural Gas Processing Plants, 2000

	Volume of Natu			
Plant Location	State Production	Out of State Production	Natural Gas Processed	Total Liquids Extracted
			(thousand barrels)	
Alaska	3,123,599	0	3,123,599	33,133
Alabama	196,952	175,184	372,136	16,545
Arkansas	207,045	0	207,045	289
California	260,049	0	260,049	8,562
Colorado	494,580	0	494,580	20,983
Florida	4,530	3,314	7,844	1,386
Kansas	470,963	139,076	610,039	31,407
Kentucky	36,734	0	36,734	1,032
Louisiana	4,181,542	134,585	4,316,127	115,892
Michigan	58,482	0	58,482	3,913
Mississippi	3,349	201,757	205,106	8,525
Montana	5,495	0	5,495	214
North Dakota	54,738	0	54,738	4,598
New Mexico	880,463	0	880,463	76,854
Oklahoma	922,965	40,499	963,464	67,664
Texas	4,051,791	44,744	4,096,535	268,519
Utah	167,374	2,179	169,533	8,870
West Virginia	96,681	35,000	131,681	7,368
Wyoming	993,443	259	993,702	45,609
Miscellaneous <sup>a</sup>	9,841	1,473	11,314	532
Total	16,220,617	778,070	16,998,687	721,895

<sup>&</sup>lt;sup>a</sup>Includes Illinois, Ohio, and Pennsylvania.

Source: Form EIA-64A, "Annual Report of the Origin of Natural Gas Liquids Production," 2000.

Annual 2000 volume for natural gas plant liquids production.

## Form EIA-64A Frame Maintenance

The Form EIA-64A plant frame contains data on all known active and inactive natural gas processing

plants in the United States. The 2000 plant frame was compared to listings of natural gas processing plants from Form EIA-816, "Monthly Natural Gas Liquids Report"; the *LPG Almanac*; and the *Oil and Gas Journal*. A list of possible additions to the plant frame was compiled. **Table E5** summarizes the Form EIA-64A plant frame changes made as a result of the comparisons as of December 28, 2000.

Table E5. Form EIA-64A 2000 Plant Frame Activity

Frame as of 1999 survey mailing	589
Additions	222
Deletions	-237
Frame as of 2000 survey mailing	574

Note: Includes operator frame activity through December 28, 2000. Source: Energy Information Administration, Office of Oil and Gas.

### **Statistical Considerations**

### **Statistical Considerations**

#### Survey Methodology

The Form EIA-23 survey is designed to provide reliable estimates for reserves and production of crude oil, natural gas, and lease condensate for the United States. Operators of crude oil and natural gas wells were selected as the appropriate respondent population because they have access to the most current and detailed information, and therefore, presumably have better reserve estimates than do other possible classes of respondents, such as working interest or royalty owners.

While large operators are quite well known, they comprise only a small portion of all operators. The small operators are not well known and are difficult to identify because they go into and out of business, alter their corporate identities, and change addresses frequently. As a result, EIA conducts extensive frame maintenance activities each year to identify all current operators of crude oil and natural gas wells in the country.

#### **Sampling Strategy**

EIA publishes data on reserves and production for crude oil, natural gas, and lease condensate by State for most States, and by State subdivision for the States of California, Louisiana, New Mexico, and Texas. To meet the survey objectives, while minimizing respondent burden, a random sampling strategy has been used since 1977. Each operator reporting on the survey is asked to report production for crude oil, natural gas, and lease condensate for each State/subdivision in which he operates. The term **State/subdivision** refers to an individual subdivision within a State or an individual State that is not subdivided.

The total volume of production varies among the State/subdivisions. To meet the survey objectives while controlling total respondent burden, EIA selected the following target sampling error for the 2000 survey for each product class.

- 1.0 percent for National estimates.
- 1.0 percent for each of the 5 States having subdivisions: Alaska, California, Louisiana,

New Mexico, and Texas. For selected subdivisions within these States, targets of 1.0 percent or 1.5 percent as required to meet the State target.

- 2.5 percent for each State/subdivision having 1 percent or more of estimated U.S. reserves or production in 1999 (lower 48 States) for any product class.
- 4 percent for each State/subdivision having less than 1 percent of estimated U.S. reserves or production in 1999 (lower 48 States) for all 3 product classes.
- 8 percent for States not published separately. The combined production from these States was less than 0.2 percent of the U.S. total in 1999 for crude oil and for natural gas.

The volume of production defining the Certainty stratum, referred to as the **cutoff**, varies by product or State/subdivision. The cutoff criteria and sampling rates are shown in **Table F1**. The Certainty stratum, therefore, has three components.

- Category I Large Operators: Operators who produced a total of 1.5 million barrels or more of crude, or 15 billion cubic feet or more of natural gas, or both in 2000.
- Category II Intermediate Operators: Operators who produced a total of at least 400,000 barrels of crude oil or 2 billion cubic feet of natural gas, or both, but less than Category I operators in 2000.
- Category III Small Operators: Operators who produced less than the Category II operators in 2000, but which were selected with certainty. Category III operators were subdivided into operators sampled with certainty (Certainty) and operators that were randomly sampled (Noncertainty).
  - Certainty A small operators who satisfied any of the following criteria based upon their production shown in the operator frame:
    - Operators with annual crude oil production of 200 thousand barrels or more, or reserves of 4 million barrels or more; or annual natural gas production of 1 billion cubic feet or more, or reserves of 20 billion cubic feet or more.

Table F1. 2000 EIA-23 Survey Initial Sample Criteria

	Doodeedie	0		Noncertain	ty Sample
	Production Cutoffs			Number of	
State and Subdivision	Crude Oil (mbbls)	Gas (mmcf)	Certainty Operators	Single State Operators	Multi-State Operators
Alabama Onshore	107	1,000	59	1	8
Alaska	0	0	6	0	0
Arkansas	21	1,000	125	31	13
California Unspecified	17	88	0	0	0
California Coastal Region Onshore	200	1,000	19	0	0
California Los Angeles Basin Onshore	200	25	16	0	0
California San Joaquin Basin Onshore	200	1,000	39	0	1
Colorado	200	1,000	142	16	16
Florida Onshore	200	1,000	2	0	0
Illinois	200	27	37	45	26
Indiana	12	1	36	7	18
Kansas	85	1,000	140	30	38
Kentucky	37	1,000	38	52	14
Louisiana Unspecified	73	183	1	0	0
Louisiana North	13	633	156	0	8
Louisiana South Onshore	70	1,000	179	0	3
	200	1,000	33	5	5
Michigan		,		7	5
Mississippi Onshore	200	1,000	96 73	•	ა 11
Montana	200	1,000	72	4	
Nebraska	13	2	47	11	6
New Mexico Unspecified	10	13	96	0	0
New Mexico East	200	1,000	167	0	2
New Mexico West	21	1,000	57	0	0
New York	3	1,000	12	9	4
North Dakota	200	1,000	80	1	7
Ohio	92	1,000	34	37	8
Oklahoma	143	1,000	321	148	61
Pennsylvania	4	1,000	34	14	9
Texas Unspecified	7	118	11	0	0
Texas-RRC District 1	23	800	228	0	1
Texas-RRC District 2 Onshore	200	1,000	213	0	4
Texas-RRC District 3 Onshore	200	1,000	282	0	4
Texas-RRC District 4 Onshore	91	1,000	198	0	3
Texas-RRC District 5	38	630	105	0	2
Texas-RRC District 6	200	1,000	175	0	7
Texas-RRC District 7B	34	82	231	0	3
Texas-RRC District 7C	200	1,000	199	0	2
Texas-RRC District 8	200	1,000	256	0	3
Texas-RRC District 8A	200	1,000	228	0	5
Texas-RRC District 9	52	1,000	184	0	5
Texas-RRC District 10	200	1,000	168	0	7
Utah	200	1,000	55	3	2
Virginia	200	1,000	11	0	0
West Virginia	5	1,000	30	20	7
Wyoming	200	1,000	200	31	13
Offshore Areas	0	0	261	0	2
Other States <sup>a</sup>	125	49	24	2	3
Total	120	70	b <sub>1,408</sub>	474	b <sub>138</sub>
I Viai			1,400	+/4	130

<sup>&</sup>lt;sup>a</sup>Includes Arizona, Connecticut, Delaware, Georgia, Idaho, Iowa, Massachusetts, Maryland, Minnesota, Missouri, North Carolina, New Hampshire, Nevada, New Jersey, Oregon, Rhode Island, South Carolina, South Dakota, Tennessee, Washington, and Wisconsin.

bNonduplicative count of operators by States.

Note: Sampling rate was 8 percent except in Alaska, Florida Onshore, Virginia, and Offshore areas where sampling rate was 100 percent. — = Not applicable.

Source: Energy Information Administration, Office of Oil and Gas.

- All other operators with production or reserves in a State/subdivision that exceed selected cutoff levels for that State/subdivision.
- The largest operator in each State/subdivision regardless of level of production or reserves.
- Operators with production or reserves of oil or gas for six or more State/subdivisions.
- Noncertainties Small operators not in the certainty stratum were classified in a noncertainty stratum.
  - In most areas, data from the noncertainty operators were sampled at a rate of 6 percent.
  - In four States (Texas, California, Louisiana, and New Mexico) EIA did not survey the noncertainty operators in 2000. Instead, a new imputation function was applied to estimate reserves volumes. The function used EIA historic production and reserves data, State and commercially available production data, and the size classifications of reporting operators.

In each State/subdivision the balance between the number of small certainty operators and the sample size was determined in an iterative procedure designed to minimize the number of total respondents. The iteration for each State/subdivision began with only the Category I and Category II operators in the certainty stratum. The size of the sample of small operators required to meet the target variance was calculated based on the variance of the volumes of those operators. For a number of State/subdivisions with high correlations between frame values across pairs of consecutive years, an adjusted target variance was calculated, that utilized the information about the correlations. This allowed the selection of a smaller sample that still met the target sampling error criteria. At each iteration a small operator, beginning with the largest of the Category III operators, was added to the certainty group and the required sample size was again calculated. The procedure of adding one operator at a time stopped when the proportion of operators to be sampled at random dropped below 6 percent. Independent samples of single location operators (operators who, according to the sampling frame, operate in only one State/subdivision) were selected from each State/subdivision using systematic random sampling.

An additional complexity is introduced because some small operators selected for the sample in another region or regions, sometimes report production volumes in a region in which EIA has no previous record of production.

State/subdivision volume estimates are calculated as the sum of the certainty strata and all of the estimates for the sampling strata in that region. The sampling variance of the estimated total is the sum of the sampling variances for the sampling strata. There is no sampling error associated with the certainty stratum. The square root of the sampling variance is the standard error. It can be used to provide confidence intervals for the State/subdivision totals.

For the States in which subdivision volume estimates are published, the State total is the sum of the individual volume estimates for the subdivisions. The U.S. total is the sum of the State estimates. A sampling variance is calculated for each State subdivision, State, and for the U.S. total.

#### Total U.S. Reserve Estimates

Conceptually, the estimates of U.S. reserves and production can be thought of as the sum of the estimates for the individual States. Correspondingly, the estimates for the four States for which estimates are published separately by subdivision (California, Louisiana, New Mexico, and Texas) can be thought of as the sum of the estimates by subdivision. The remaining States are not subdivided and may be considered as a single subdivision.

The estimates of year-end proved reserves and annual production for any State/subdivision is the sum of the volumes in the State/subdivision reported by the certainty stratum operators and an estimate of the total volume in the State/subdivision by the noncertainty stratum operators. Mathematically, this may be stated as the following sum:

$$\hat{V}_s = V_{sc} + \hat{V}_{sr}$$

where

 $\hat{V}_s$  = estimated total volume in the State/subdivision

 $V_{SC}$  = total volume in the State/subdivision reported by Certainty operators

 $\stackrel{\wedge}{V}_{sr}$  = estimated total volume in the State/subdivision of Noncertainty operators.

The total volume of Certainty operators in the State/subdivision is simply the sum of individual operator's volumes:

$$V_{sc} = \sum_{m=1}^{n_{sc}} V_{scm}$$

where

 $n_{SC}$  = number of Certainty operators reporting production in the State/subdivision

 $V_{scm}$  = volume reported by the *m*-th certainty stratum operator in the State/subdivision.

The estimated total volume of Noncertainty operators in the State/subdivision is the weighted sum of the reports of the noncertainty sample operators:

$$\hat{V}_{sr} = \sum_{m=1}^{n_{sr}} W_{srm} V_{srm}$$

where

n<sub>Sr</sub> = number of Noncertainty operators reporting production in the State/subdivision

 $V_{srm}$  = volume reported by the m-th Noncertainty sample operator in the State/subdivision

*W*<sub>Srm</sub> = weight for the report by the *m*-th Noncertainty sample operator reporting production in the State/subdivision.

In many State/ subdivisions, the accuracy of the oil and gas estimates was improved by using the probability proportional to size procedure. This procedure took advantage of the correlation between year-to-year production reports. The weights used for estimating the oil production for a State / subdivision were different from the weights used for estimating the gas production.

The weight used for the estimation is the reciprocal of the probability of selection for the stratum from which the sample operator was selected. In making estimates for a State/ subdivision, separate weights are applied as appropriate for noncertainty operators shown in the frame as having had production in only the State/ subdivision, for those shown as having had production in that State/subdivision and up to four other State/

subdivisions, and for operators with no previous record of production in the State/subdivision. National totals were then obtained by summation of the component totals.

#### **Imputation for Operator Nonresponse**

The response rate for Noncertainty operators for the 2000 survey was 95.9 percent, therefore an imputation was made for the production and reserves of the 51 nonresponding operators.

## Imputation and Estimation for Reserves Data

In order to estimate reserve balances for National and State/subdivision levels, a series of imputation and estimation steps at the operator level must be carried out. Year-end reserves for operators who provided production data only were imputed on the basis of their production volumes. Imputation was also applied to the small and intermediate operators as necessary to provide data on each of the reserve balance categories (i.e., revisions, extensions, or new discoveries). Finally, an imputation was required for the natural gas data of the small operators to estimate their volumes of associated-dissolved and nonassociated natural gas. The final manipulation of the data accounts for the differences caused by different sample frames from year to year. Each of these imputations generated only a small percentage of the total estimates. The methods used are discussed in the following sections.

The data reported by operator category by Form EIA-23 respondents for the report year 2000 are summarized in Tables F2, F3, F4, and F5. The reported data in **Table F2** shows that those responding operators accounted for 91.1 percent of the published production for natural gas shown in **Table 9** and 95.1 percent of the reserves. Data shown in Table F3 indicate that those responding operators accounted for 91.6 percent of the nonassociated natural gas production and 95.0 percent of the reserves published in Table 10. The reported data shown in Table F4 indicate that those responding operators accounted for 85.0 percent of published crude oil production and 92.9 percent of the reserves shown in Table 6. Additionally, Table F5 indicates that those responding operators accounted for 94.7 percent of the published production and 97.3 percent of the published proved reserves for lease condensate shown in Table 15.

Table F2. Summary of Total Natural Gas, Wet After Lease Separation, Used in Estimation Process, Form EIA-23 (Million Cubic Feet at 14.73 psia and 60 Degrees Fahrenheit)

	Operator Category				
Level of Reporting	I	II	Certainty III	Non- certainty III	Total
Field Level Reported and Imputed Data					
Proved Reserves as of 12/31/99	153,192,070	11,181,403	85,519	79,019	164,538,011
(+) Revision Increases	19,628,691	2,750,541	22,024	14,411	22,415,667
(–) Revision Decreases	14,850,628	1,025,809	14,500	2,822	15,893,759
(-) Sales	19,554,409 22,267,050	1,473,162 2,502,898	- 37,374	125	21,027,696 24,807,322
(+) Acquisitions	14,204,876	1,117,116	26,676	4,530	15,353,198
(+) New Field Discoveries	1,756,003	230,319	20,070	-,555	2,006,472
(+) New Reservoirs in Old Fields	2,090,669	339,626	124	_	2,430,419
(–) Production With Reserves in 2000	17,044,503	1,554,018	20,779	6,289	18,625,589
Proved Reserves Reported as of 12/31/00	161,684,013	14,086,923	136,438	108,874	176,016,248
Production Without Proved Reserves	3,155	161,956	-	136	165,247
Reserves Imputed for Production					
Without Proved Reserves	17,794	1,265,662	-	569	1,284,025
Subtotal Production	17,047,658	1,715,974	20,779	6,425	18,790,836
Subtotal Proved Reserves 2000	161,701,807	15,352,585	136,438	109,443	177,300,273
State Level Reported and Imputed Data					
Production With Reported Proved Reserves	-	5,972	108,681	92,435	207,088
Production Without Reported Proved Reserves.	-	2,701	20,199	25,206	48,106
Production Estimated from Auxillary Data	-	2,701	786,436	-	789,137
Subtotal Production	0	8,673	915,316	117,641	1,041,630
Weighted Subtotal Production	0	8,673	1,701,752	117,641	1,828,066
Proved Reserves Reported	-	49,981	1,037,913	1,102,194	2,190,088
Reserves Imputed for Reported Production					
Without Proved Reserves	-	15,631	107,454	157,471	280,556
Reserves Estimated from Auxillary Data	-	15,631	6,739,084	-	6,739,084
Subtotal Proved Reserves	-	15,631	6,739,084	-	6,739,084
Weighted Subtotal Proved Reserves	0	65,612	7,884,451	1,259,665	9,209,728
Total Production in 2000	17,047,658	1,724,647	1,722,531	124,066	20,618,902
Total Proved Reserves as of 12/31/00	161,701,807	15,418,197	8,020,889	1,369,108	186,510,000

 <sup>- =</sup> Not applicable.
 Notes: Table 9 totals include imputed and estimated wet natural gas proved reserves rounded at the State/subdivision level. Field level data are reported volumes and may not balance due to submission of incomplete reserve component records.
 Source: Form EIA-23, "Annual Survey of Domestic Oil and Gas Reserves," 2000.

Table F3. Summary of Nonassociated Natural Gas, Wet After Lease Separation, Used in Estimation Process, Form EIA-23 (Million Cubic Feet at 14.73 psia and 60 Degrees Fahrenheit)

		Оре	erator Categor	у	
Level of Reporting	1	II	Certainty III	Non- certainty III	Total
Field Level Detail Report					
Proved Reserves as of 12/31/99	125,255,189	9,838,588	69,359	26,579	135,189,715
(+) Revision Increases	16,374,696	2,429,005	18,968	8,561	18,831,230
(–) Revision Decreases	10,630,615	839,822	11,763	189	11,482,389
(–) Sales	12,785,052	1,378,640	-	37	14,163,729
(+) Acquisitions	16,179,177	2,231,353	31,242	-	18,441,772
(+) Extensions	11,582,786	1,089,389	26,676	3,572	12,702,423
(+) New Field Discoveries	1,373,603	229,381	-	20,150	1,623,134
(+) New Reservoirs in Old Fields	1,855,565	327,784	124	-	2,183,473
(–) Production With Reserves in 2000	14,185,170	1,371,588	18,273	2,945	15,577,976
Proved Reserves Reported as of 12/31/00	135,014,372	12,558,566	116,333	55,691	147,744,962
Production Without Proved Reserves	3,155	148,786	-	136	152,077
Reserves Imputed for Production					
Without Proved Reserves	17,794	1,154,860	-	569	1,173,223
Subtotal Production	14,188,325	1,520,374	18,273	3,081	15,730,053
Subtotal Proved Reserves 2000	135,032,166	13,713,426	116,333	56,260	148,918,185
State Level Reported and Imputed Data					
Production With Reported Proved Reserves	-	5,111	91,663	78,353	175,127
Production Without Reported Proved Reserves.	-	2,455	17,917	23,203	43,575
Production Estimated from Auxillary Data	-	2,455	614,859	-	617,314
Subtotal Production	0	7,566	724,439	101,556	833,561
Weighted Subtotal Production	0	7,566	1,339,298	101,556	1,448,420
Proved Reserves Reported	_	44,172	895,657	915,892	1,855,721
Reserves Imputed for Reported Production		,		,	.,,.
Without Proved Reserves	-	14,205	96,122	145,083	255,410
Reserves Estimated from Auxillary Data	_	14,205	5,647,684	-	5,647,684
Subtotal Proved Reserves	_	14,205	5,647,684	-	5,647,684
Weighted Subtotal Proved Reserves	0	58,377	6,639,463	1,060,975	7,758,815
Total Production in 2000	14,188,325	1,527,940	1,357,571	104,637	17,178,473
Total Proved Reserves as of 12/31/00	135,032,166	13,771,803	6,755,796	1,117,235	156,677,000

<sup>-=</sup> Not applicable.

Notes: Table 10 totals include imputed and estimated nonassociated wet natural gas proved reserves rounded at the State/subdivision level. Field level data are reported volumes and may not balance due to submission of incomplete reserve component records. Source: Form EIA-23, "Annual Survey of Domestic Oil and Gas Reserves," 2000.

Table F4. Summary of Crude Oil Used in Estimation Process, Form EIA-23

(Thousand Barrels of 42 U.S. Gallons)

		Ope	rator Category		
Level of Reporting	I	II	Certainty III	Non- certainty III	Total
Field Level Detail Report					
Proved Reserves as of 12/31/99	19,476,516	797,415	7,168	3,554	20,284,653
(+) Revision Increases	1,466,871	187,191	4,653	386	1,659,101
(–) Revision Decreases	876,210	70,393	1,725	393	948,721
(–) Sales	5,199,620	73,544	-	18	5,273,182
(+) Acquisitions	4,884,442	201,740	8,009	-	5,094,191
(+) Extensions	721,838	20,618	-	21	742,477
(+) New Field Discoveries	274,787	1,982	-	-	276,769
(+) New Reservoirs in Old Fields	242,718	6,720	-	-	249,438
(–) Production With Reserves in 2000	1,570,112	91,295	1,753	722	1,663,882
Proved Reserves Reported as of 12/31/00	19,421,231	982,683	16,352	5,540	20,425,806
Production Without Proved Reserves	-	7,020	-	1	7,021
Reserves Imputed for Production					
Without Proved Reserves	-	60,132	-	6	60,138
Subtotal Production	1,570,112	98,315	1,753	723	1,670,903
Subtotal Proved Reserves 2000	19,421,231	1,042,815	16,352	5,546	20,485,944
State Level Reported and Imputed Data					
Production With Reported Proved Reserves	-	183	26,658	12,296	39,137
Production Without Reported Proved Reserves.	-	-	6,977	14,312	21,289
Production Estimated from Auxillary Data	-	-	116,929	-	116,929
Subtotal Production	0	183	150,564	26,608	177,355
Weighted Subtotal Production	0	183	267,493	26,608	294,284
Proved Reserves Reported	_	1,507	257,872	123,853	383,232
Reserves Imputed for Reported Production		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,	,	
Without Proved Reserves	_	-	45,940	94,865	140,805
Reserves Estimated from Auxillary Data	_	_	1,035,019	, <u>-</u>	1,035,019
Subtotal Proved Reserves	_	_	1,035,019	_	1,035,019
Weighted Subtotal Proved Reserves	0	1,507	1,338,831	218,718	1,559,056
Total Production in 2000	1,570,112	98,498	269,246	27,331	1,965,187
Total Proved Reserves as of 12/31/00	19,421,231	1,044,322	1,355,183	224,264	22,045,000

<sup>-=</sup> Not applicable.

Notes: Table 6 totals include imputed and estimated crude oil proved reserves rounded at the State/subdivision level. Field level data are reported volumes and may not balance due to submission of incomplete reserve component records.

Source: Form EIA-23, "Annual Survey of Domestic Oil and Gas Reserves," 2000.

Table F5. Summary of Lease Condensate Used in Estimation Process, Form EIA-23 (Thousand Barrels of 42 U.S. Gallons)

		Opera	ator Category		
Level of Reporting	ı	II	Certainty III	Non- certainty III	Total
Field Level Detail Report					
Proved Reserves as of 12/31/99	1,262,143	89,268	1,033	956	1,353,400
(+) Revision Increases	240,482	30,446	129	99	271,156
(–) Revision Decreases	188,586	17,440	334	8	206,368
(–) Sales	123,765	10,060	-	-	133,825
(+) Acquisitions	129,686	17,865	1,099	-	148,650
(+) Extensions	110,927	20,231	46	27	131,231
(+) New Field Discoveries	36,672	2,467	-	-	39,139
(+) New Reservoirs in Old Fields	26,163	3,610	2	-	29,775
(–) Production With Reserves in 2000	188,974	15,886	272	50	205,182
Proved Reserves Reported as of 12/31/00	1,304,620	120,511	1,703	2,075	1,428,909
Production Without Proved Reserves	76	667	-	1	744
Reserves Imputed for Production					
Without Proved Reserves	426	3,122	-	4	3,552
Subtotal Production	189,050	16,553	272	51	205,926
Subtotal Proved Reserves 2000	1,305,046	123,633	1,703	2,079	1,432,461
State Level Reported and Imputed Data					
Production With Proved Reserves	-	-	-	-	0
Production Without Proved Reserves	-	-	-	-	0
Production Estimated from Auxillary Data	-	_	5,814	-	5,814
Subtotal Production	0	0	5,814	_	5,814
Weighted Subtotal Production	0	0	11,628	_	11,628
Proved Reserves Reported	-	-	-	-	0
Reserves Imputed for Reported Production					
Without Proved Reserves	-	-	-	-	0
Reserves Estimated from Auxillary Data	-	-	39,539	-	39,539
Subtotal Proved Reserves	-	-	39,539	-	39,539
Weighted Subtotal Proved Reserves	0	0	39,539	-	39,539
Total Production in 2000	189,050	16,553	11,900	51	217,554
Total Proved Reserves as of 12/31/00	1,305,046	123,633	41,242	2,079	1,472,000

<sup>-=</sup> Not applicable.

Notes: Table 15 totals include imputed and estimated lease condensate proved reserves rounded at the State/subdivision level. Field level data are reported volumes and may not balance due to submission of incomplete reserve component records.

Source: Form EIA-23, "Annual Survey of Domestic Oil and Gas Reserves," 2000.

#### Imputation of Year-End Proved Reserves

Category I operators were required to submit year-end estimates of proved reserves. Category II and Category III operators were required to provide year-end estimates of proved reserves only if such estimates existed in their records. Some of these respondents provided estimates for all of their operated properties, others provided estimates for only a portion of their properties, and still others provided no estimates for any of their properties. All respondents did, however, provide annual production data. The production reported by Noncertainty sample operators and the corresponding imputed reserves were weighted to estimate the full noncertainty stratum when calculating reserves and production as previously described in the section "Total U.S. Reserves Estimates" in this appendix.

#### **R/P Function**

A year-end proved reserves estimate was imputed from reported production data in each case where an estimate was not provided by the respondent. A R/P function was derived and used to calculate a reserves-to-production (R/P) ratio, based on operator size and the geographic region where the operator's properties were located. The R/P function has the following functional form for each geographic region:

Calculated P/[P+R] = Beta \* EXP(Alpha \* ln (1 + MOS))

 Alpha, Beta = Regional Coefficients (calculated). - *MOS* = *Measure of size* for a respondent, which is equal to the barrel oil equivalent volume of a respondent's 2000 oil, gas, and condensate production (in units of thousand barrels per year).

**Table F6** lists the coefficients used for each region and the number of observations on which it was based. The regional areas used are similar to the National Petroleum Council Regions (**Figure F1**). These regions generally follow the boundaries of geologic provinces wherein the stage of resource development tends to be somewhat similar.

Once the R/P ratio was obtained for an operator, it could be multiplied by the reported or estimated production to give a proved reserves estimate. Operators that had production plus end of year reserves equal to zero were excluded from the respondents selected to calculate the R/P coefficients.

In 2000, the R/P function was used to estimate the proved reserves of all noncertainty operators in four States -- Texas, California, Louisiana, and New Mexico, rather than rely on a weighted sample. These four States were chosen for this new procedure because of the many years of historical production and reserves data within EIA, and availability of reliable State government and commercial production data for these States. This technique improved the correlation of EIA data with State and commercial production data, and reduced the burden of reporting and analysis on both EIA and the noncertainty operators in these States.

Table F6. Statistical Parameters of Reserves Estimation Equation by Region for 2000

		Number of Nonzero			<b>Equation Coefficients</b>					
Region			R/P Pairs			Oil		Gas		LC
Number	Region	Oil	Gas	LC	Alpha	Beta	Alpha	Beta	Alpha	Beta
1	Alaska	5	6	0	-0.107	0.260	-0.112	0.222	-0.087	0.333
2	Pacific Coast States	31	35	5	-0.107	0.216	-0.112	0.313	-0.087	0.333
2A	Federal Offshore Pacific	6	6	1	-0.107	0.192	-0.112	0.263	-0.087	0.333
3	Western Rocky Mountains	99	104	52	-0.107	0.219	-0.112	0.232	-0.087	0.171
4	Northern Rocky Mountains	139	103	54	-0.107	0.219	-0.112	0.232	-0.087	0.171
5	West Texas and East New Mexico	269	182	121	-0.107	0.183	-0.112	0.288	-0.087	0.186
6	Western Gulf Basin	288	266	224	-0.107	0.333	-0.112	0.392	-0.087	0.321
6A	Gulf of Mexico	70	99	90	-0.107	0.412	-0.112	0.544	-0.087	0.447
7	Mid-Continent	277	179	119	-0.107	0.212	-0.112	0.289	-0.087	0.168
8 + 9	Michigan Basin and Eastern Interior	82	31	14	-0.107	0.188	-0.112	0.185	-0.087	0.217
10 + 11	Appalachians	31	80	6	-0.107	0.188	-0.112	0.185	-0.087	0.217
	United States	1,297	1,042	687	-0.107	0.258	-0.112	0.332	-0.087	0.333

Source: Based on data filed on Form EIA-23, "Annual Survey of Domestic Oil and Gas Reserves, 2000".

In Region 5 (West Texas and East New Mexico) in 2000, the average MOS of all noncertainty respondents was 238 thousand barrels of oil equivalent per year. Using the coefficients in **Table F6**, the regional R/P for noncertainty operators in Region 5 of average MOS size was 8.8 for oil, 5.4 for natural gas, and 7.6 for lease condensate. In 1999, the characteristic multipliers in Region 5 were 7.9 for oil, 6.9 for natural gas, and 4.3 for lease condensate.

# Imputation of Annual Changes to Proved Reserves by Component of Change

Category II and Category III operators that do not keep reserves data were not asked to provide estimates of beginning-of-year reserves or annual changes to proved reserves by component of change, i.e., revisions, extensions, and discoveries. When they did not provide estimates, these volumes were estimated by either:

 applying an algebraic allocation scheme which preserved the relative relationships between

- these items within each State/subdivision, as reported by Category I and Category II operators, or
- applying a modified version of the R/P function to each separate component of change, calculated with its own set of geographically dependent coefficients. This method was used in all four states where the R/P Function was applied to calculate end of year reserves.

Both methods preserved an exact annual reserves balance of the following form:

Published Proved Reserves at End of Previous Report Year

- + Adjustments
- + Revision Increases
- Revision Decreases
- Sales
- + Acquisitions
- + Extensions
- + New Field Discoveries
- + New Reservoir Discoveries in Old Fields
- Report Year Production
- = Published Proved Reserves at End of Report Year



Figure F1. Form EIA-23 Regional Boundaries

out of Energy Information / tunning attention, office of on and due.

The algebraic allocation method used for all but 4 states in the 2000 survey worked as follows: A ratio was calculated as the sum of the annual production and year-end proved reserves of those respondents who did not provide the reserves balance components, divided by the sum of year-end proved reserves and annual production of those respondents of similar size who did provide these quantities. This ratio was then multiplied by each of the reserves balance components reported by Category I and some Category II operators, to obtain imputed volumes for the reserves balances of the other Category II operators and Certainty and Noncertainty operators. These were then added to the State/subdivision totals.

#### Imputation of Natural Gas Type Volumes

Operators in the State/subdivision certainty and noncertainty strata were not asked to segregate their natural gas volumes by type of natural gas, i.e., nonassociated natural gas (NA) associated-dissolved natural gas (AD). The total estimated year-end proved reserves of natural gas and the total annual production of natural gas reported by. or imputed to, operators in the State/subdivision certainty and noncertainty strata were, therefore, subdivided into the NA and AD categories, by State/subdivision, in the same proportion as was reported by Category I and Category II operators in the same area.

#### **Adjustments**

The instructions for Schedule A of Form EIA-23 specify that, when reporting reserves balance data, the following arithmetic equation must hold:

Proved Reserves at End of Previous Year

- + Revision Increases
- Revision Decreases
- Sales
- + Acquisitions
- + Extensions
- + New Field Discoveries
- + New Reservoir Discoveries in Old Fields
- Report Year Production
- = Proved Reserves at End of Report Year

Any remaining difference in the State/subdivision annual reserves balance between the published previous year-end proved reserves and current year-end proved reserves not accounted for by the imputed reserves changes was included in the

adjustments for the area. One of the primary reasons that adjustments are necessary is the instability of the Noncertainty operators sampled each year. There is no guarantee that in the smaller producing States/subdivision the same number of small operators will be selected each year, or that the operators selected will be of comparable sizes when paired with operators selected in a prior year. Thus, some instability of this stratum from year to year is unavoidable, resulting in minor adjustments.

Some of the adjustments are, however, more substantial, and could be required for any one or more of the following reasons:

- The frame coverage may or may not have improved between survey years, such that more or fewer Certainty operators were included in 2000 than in 1999.
- One or more operators may have reported data incorrectly on Schedule A in 1999 or 2000, but not both, and the error was not detected by edit processing.
- Operation of properties was transferred during 2000 from operators not in the frame or Noncertainty operators not selected for the sample to Certainty operators or Noncertainty operators selected for the sample.
- Respondent changed classification of natural gas from NA to AD or vice versa.
- The trend in reserve changes imputed for the small operators, that was based on the trend reported by the large operators, did not reflect the actual trend for the small operators.
- Noncertainty operators, who have grown substantially in size since they were added to the frame, occasionally cause a larger standard error than expected.
- The Noncertainty sample for either year in a state may have been an unusual one.

The causes of adjustments are known for some but not all areas. The only problems whose effects cannot be expected to balance over a period of several years are those associated with an inadequate frame or those associated with any actual trend in reserves changes for small operators not being the same as those for large operators. EIA continues to attempt to improve sources of operator data to resolve problems in frame completeness.

#### Sampling Reliability of the Estimates

The sample of Noncertainty operators selected is only one of the large number of possible samples that could have been selected and each would have resulted in different estimates. The standard error or sampling error of the estimates provides a measure of this variability. When probability sampling methods are used, as in the EIA-23 survey, the sampling error of estimates can also be estimated from the survey data.

The estimated sampling error can be used to compute a confidence interval around the survey estimate, with a prescribed degree of confidence that the interval covers the value that would have been obtained if all operators in the frame had been surveyed. If the estimated volume is denoted by  $V_s$  and its sampling error by S.E. ( $V_s$ ), the confidence interval can be expressed as:

$$V_s \pm k S.E.(V_s)$$

where k is a multiple selected to provide the desired level of confidence. For this survey, k was taken equal to 2. Then there is approximately 95 percent confidence that the interval:

$$V_s \pm 2S.E.(V_s)$$

includes the universe value, for both the estimates of reserves and production volumes. Correspondingly, for approximately 95 percent of the estimates in this report, the difference between the published estimate and the value that would be found from a complete survey of all operators is expected to be less than twice the sampling error of the estimate. Tables F7, F8, F9, and F10 provide estimates for 2S.E.  $(V_s)$  by product. These estimates are directly applicable for constructing approximate 95 percent confidence intervals. For example, the 95 percent confidence interval for dry natural gas proved reserves is  $177,427 \pm 1,003$  billion cubic feet. The sampling error of  $V_s$  is equal to the sampling error of the noncertainty estimate  $V_{sr}$ , because the certainty total is not subject to sampling error. The estimated sampling error of a noncertainty estimate is the square root of its estimated sampling variance.

#### **Nonsampling Errors**

Several sources of possible error, apart from sampling error, are associated with the Form EIA-23 survey. These include bias due to nonresponse of operators in the sample, proved reserve estimation errors, and reporting errors on the part of the respondents to the survey. On the part of EIA, possible errors include inadequate frame coverage, data processing error, and errors associated with statistical estimates. Each of these sources is discussed below. An estimate of the bias from nonresponse is presented in the section on adjustment for operator nonresponse.

## Assessing the Accuracy of the Reserve Data

The EIA maintains an evaluation program to assess the accuracy and quality of proved reserve estimates gathered on Form EIA-23. Field teams consisting of petroleum engineers from EIA's Dallas Field Office conduct technical reviews of reserve estimates and independently estimate the proved reserves of a statistically selected sample of operator properties. The results of these reviews are used to evaluate the accuracy of reported reserve estimates. Operators are apprized of the team's findings to assist them in completing future filings. The magnitude of errors due to differences between reserve volumes submitted by operators on the Form EIA-23 and those estimated by EIA petroleum engineers on their field trips were generally within accepted professional engineering standards.

#### **Respondent Estimation Errors**

The principal data elements of the Form EIA-23 survey consist of respondent estimates of proved reserves of crude oil, natural gas, and lease condensate. Unavoidably, the respondents are bound to make some estimation errors, i.e., until a particular reservoir has been fully produced to its economic limit and abandoned, its reserves are not subject to direct measurement but must be inferred from limited, imperfect, or indirect evidence. A more complete discussion of the several techniques of estimating proved reserves, and the many problems inherent in the task, appears in Appendix G.

# Reporting Errors and Data Processing Errors

Reporting errors on the part of respondents are of definite concern in a survey of the magnitude and complexity of the Form EIA-23 program. Several steps were taken by EIA to minimize and detect such problems. The survey instrument itself was carefully developed, and included a detailed set of instructions

Table F7. Factors for Confidence Intervals (2S.E.) for Dry Natural Gas Proved Reserves and Production, 2000 (Billion Cubic Feet at 14.73 psia and 60 Degrees Fahrenheit)

State and Subdivision	2000 Reserves	2000 Production	State and Subdivision	2000 Reserves	2000 Production
United States	45	5	Oklahoma	12	1
Alabama	6	2	Pennsylvania	8	1
Alaska	0	0	Texas	0	0
Arkansas	7	1	RRC District 1	0	0
California	0	0	RRC District 2 Onshore	Ô	Ô
Coastal Region Onshore	0	0	RRC District 3 Onshore	0	0
Los Angeles Basin Onshore	0	0	RRC District 4 Onshore	0	0
San Joaquin Basin Onshore	0	0	RRC District 5	0	0
State Offshore	0	0		0	0
Colorado	0	0	RRC District 6	0	0
Florida	0	0	RRC District 7B	0	0
Kansas	0	0	RRC District 7C	0	0
Kentucky	0	0	RRC District 8	0	0
Louisiana	0	0	RRC District 8A	0	0
North	0	0	RRC District 9	0	0
South Onshore	0	0	RRC District 10	0	0
State Offshore	0	0	State Offshore	0	0
Michigan	0	0	Utah	7	1
Mississippi	4	1	Virginia	0	0
Montana	22	3	West Virginia	24	3
New Mexico	0	0	Wyoming	11	1
East	0	0	Federal Offshore <sup>a</sup>	0	0
West	0	0	Pacific (California)	0	0
New York	0	0	Gulf of Mexico (Louisiana) <sup>a</sup>	0	0
North Dakota	6	1	Gulf of Mexico (Texas)	0	0
Ohio	24	2	Miscellaneous <sup>b</sup>	16	2

<sup>&</sup>lt;sup>a</sup>Includes Federal offshore Alabama.

Table F8. Factors for Confidence Intervals (2S.E.) for Natural Gas Proved Reserves and Production, Wet After Lease Separation, 2000 (Billion Cubic Feet at 14.73 psia and 60 Degrees Fahrenheit)

State and Subdivision	2000 Reserves	2000 Production	State and Subdivision	2000 Reserves	2000 Production
United States	47	5	Oklahoma	13	1
Alabama	6	2	Pennsylvania	8	1
Alaska	0	0	Texas	0	0
Arkansas	7	1	RRC District 1	Ô	Û
California	0	0	RRC District 2 Onshore	0	0
Coastal Region Onshore	0	0	RRC District 3 Onshore	0	0
Los Angeles Basin Onshore	0	0	RRC District 4 Onshore	0	0
San Joaquin Basin Onshore	0	0	RRC District 5	0	0
State Offshore	0	0	RRC District 6	0	0
Colorado	0	0		0	0
Florida	0	0	RRC District 7B	0	0
Kansas	0	0	RRC District 7C	0	0
Kentucky	0	0	RRC District 8	0	0
Louisiana	0	0	RRC District 8A	0	0
North	0	0	RRC District 9	0	0
South Onshore	0	0	RRC District 10	0	0
State Offshore	0	0	State Offshore	0	0
Michigan	0	0	Utah	7	1
Mississippi	4	1	Virginia	0	0
Montana	22	3	West Virginia	25	3
New Mexico	0	0	Wyoming	12	1
East	0	0	Federal Offshore <sup>a</sup>	0	0
West	0	0	Pacific (California)	0	0
New York	0	0	Gulf of Mexico (Louisiana)a	0	0
North Dakota	7	1	Gulf of Mexico (Texas)	0	0
Ohio	24	2	Miscellaneous <sup>b</sup>	16	2

<sup>&</sup>lt;sup>a</sup>Includes Federal offshore Alabama.

Includes Federal offshore Alabama.

blincludes Arizona, Illinois, Indiana, Maryland, Missouri, Nebraska, Nevada, Oregon, South Dakota, and Tennessee.

Notes: Confidence intervals are associated with Table 8 reserves and production data. Factors for confidence intervals for each State subdivision, State, and the United States are independently estimated and do not add.

Source: Factor estimates based on data filed on Form EIA-23, "Annual Survey of Domestic Oil and Gas Reserves," 2000 and Form EIA-64A, "Annual Report of the Origin of Natural Gas Liquids Production," 2000.

bIncludes Arizona, Illinois, Indiana, Maryland, Missouri, Nebraska, Nevada, Oregon, South Dakota, and Tennessee.

Notes: Confidence intervals are associated with Table 9 reserves and production data. Factors for confidence intervals for each State subdivision, State, and the United States are independently estimated and do not add.

Source: Factor estimates based on data filed on Form EIA-23, "Annual Survey of Domestic Oil and Gas Reserves," 2000.

Table F9. Factors for Confidence Intervals (2S.E.) for Crude Oil Proved Reserves and Production, 2000 (Million Barrels of 42 U.S. Gallons)

State and Subdivision	2000 Reserves	2000 Production	State and Subdivision	2000 Reserves	2000 Production
United States	40	5	North Dakota	32	4
Alabama	0	0	Ohio	1	0
Alaska	0	0	Oklahoma	2	0
Arkansas	0	0	Pennsylvania	3	0
California	0	0	Texas	0	0
Coastal Region Onshore	0	0	RRC District 1	0	0
Los Angeles Basin Onshore	0	0	RRC District 2 Onshore	0	0
San Joaquin Basin Onshore	0	0	RRC District 3 Onshore	0	0
State Offshore	0	0	RRC District 4 Onshore	0	0
Colorado	3	0	RRC District 5	0	0
Florida	0	0	RRC District 6	0	0
Illinois	2	0	RRC District 7B	0	0
Indiana	0	0	RRC District 7C	0	0
Kansas	14	2	RRC District 8	0	0
Kentucky	18	2	RRC District 8A	0	0
Louisiana	0	0	RRC District 9	0	0
North	0	0	RRC District 10	0	0
South Onshore	0	0	State Offshore	0	0
State Offshore	0	0	Utah	5	1
Michigan	6	1	West Virginia	3	0
Mississippi	4	1	Wyoming	0	0
Montana	4	1	Federal Offshore	0	0
Nebraska	23	3	Pacific (California)	0	0
New Mexico	0	0	Gulf of Mexico (Louisiana)	0	0
East	0	0	Gulf of Mexico (Texas)	0	0
West	0	0	Miscellaneous <sup>a</sup>	0	0

Table F10. Factors for Confidence Intervals (2S.E.) for Lease Condensate Proved Reserves and Production, 2000 (Million Barrels of 42 U.S. Gallons)

State and Subdivision	1999 Reserves	1999 Production	State and Subdivision	1999 Reserves	1999 Production
United States	0	0	North Dakota	0	0
Alabama	0	0	Oklahoma	0	0
Alaska	0	0	Texas	0	0
Arkansas	0	0	RRC District 1	0	0
California	0	0	RRC District 2 Onshore	0	0
Coastal Region Onshore	0	0	RRC District 3 Onshore	0	0
Los Angeles Basin Onshore	0	0	RRC District 4 Onshore	0	0
San Joaquin Basin Onshore	0	0	RRC District 5	0	0
State Offshore	0	0	RRC District 6	0	0
Colorado	0	0	RRC District 7B	0	0
Florida	0	0	RRC District 7C	0	0
Kansas	0	0	RRC District 8	0	0
Kentucky	0	0	RRC District 8A	0	0
Louisiana	0	0	RRC District 9	0	0
North	0	0	RRC District 10	0	0
South Onshore	0	0	State Offshore	0	0
State Offshore	0	0	Utah and Wyoming	0	Ô
Michigan	0	0	West Virginia	0	0
Mississippi	0	0	Federal Offshore	0	Ô
Montana	0	0	Pacific (California)	0	0
New Mexico	0	0	Gulf of Mexico (Louisiana) <sup>a</sup>	0	0
East	0	0	Gulf of Mexico (Texas)	0	0
West	0	0	Miscellaneous <sup>b</sup>	0	0

<sup>&</sup>lt;sup>a</sup>Includes Federal offshore Alabama.

<sup>&</sup>lt;sup>a</sup>Includes Arizona, Missouri, Nevada, New York, South Dakota, Tennessee, and Virginia.

Notes: Confidence intervals are associated with Table 6 reserves and production data. Factors for confidence intervals for each State subdivision, State, and the United States are independently estimated and do not add.

Source: Factor estimates based on data filed on Form El-23, "Annual Survey of Domestic Oil and Gas Reserves," 2000.

blincludes Arizona, Illinois, Indiana, Maryland, Missouri, Nebraska, Nevada, New York, Ohio, Oregon, Pennsylvania, South Dakota, Tennessee, and Virginia.

Notes: Confidence intervals are associated with Table 15 reserves and production data. Factors for confidence intervals for each State subdivision, State, and the United States are independently estimated and do not add.

Source: Factor estimates based on data filed on Form EIA-23, "Annual Survey of Domestic Oil and Gas Reserves," 2000.

for filing data, subject to a common set of definitions similar to those already used by the industry. Editing software is continually developed to detect different kinds of probable reporting errors and flag them for resolution by analysts, either through confirmation of the data by the respondent or through submission of amendments to the filed data. Data processing errors, consisting primarily of random keypunch errors, are detected by the same software.

#### **Imputation Errors**

Some error, generally expected to be small, is an inevitable result of the various estimations outlined. These imputation errors have not yet been completely addressed by EIA and it is possible that estimation methods may be altered in future surveys. Nationally, 8.3 percent of the crude oil proved reserve estimates, 8.2 percent of the natural gas proved reserve estimates, and 5.7 percent of the lease condensate proved reserve estimates resulted from the imputation and estimation of reserves for those Certainty and Noncertainty operators who did not provide estimates for all of their properties, in combination with the expansion of the sample of Noncertainty operators to the full population. Errors for the latter were quantitatively calculated, as discussed in the previous section. Standard errors, for the former, would tend to cancel each other from operator to operator, and are, therefore, expected to be negligible, especially at the National level of aggregation. In States where a large share of total reserves is accounted for by Category III and smaller Category II operators, the errors are expected to be somewhat larger than in States where a large share of total reserves is accounted for by Category I and larger Category II operators.

#### Frame Coverage Errors

Of all the sources of controllable error connected with the Form EIA-23 survey, errors in the operator frame were expected to be the most important. If the frame does not list all operators in a given State, the sample selected from the frame for the State will not represent the entire operator population, a condition called undercoverage. Undercoverage is a problem with certain States, but it does not appear to be a problem with respect to the National proved reserve estimates for either crude oil or natural gas. While it is relatively straightforward to use existing sources to identify large operators and find addresses for them, such is not the case for small operators. A frame such as that used in

the 1999 survey is particularly likely to be deficient in States where a large portion of total reserves and production is accounted for by small operators. These States are not likely to allocate sufficient resources to keep track of all operators on a current basis. Some undercoverage of this type seems to exist, particularly, with reference to natural gas operators. EIA is continuing to work to remedy the undercoverage problem in those States where it occurred.

#### Calculation of Reserves of Natural Gas Liquids and Dry Natural Gas

#### **Natural Gas Liquids Reserve Balance**

The published reserves, production, and reserves change statistics for crude oil, lease condensate, and natural gas, wet after lease separation, were derived from the data reported on Form EIA-23 and the application of the imputation methods discussed previously. The information collected on Form EIA-64A was then utilized in converting the estimates of the wet natural gas reserves into two components: plant liquids reserve data and dry natural gas reserve data. The total natural gas liquids reserve estimates presented in **Table 14** were computed as the sum of plant liquids estimates (**Table 15**) and lease condensate (**Table 16**) estimates.

To generate estimates for each element in the reserves balance for plant liquids in a given producing area, the first step was to group all natural gas processing plants that reported this area as an area-of-origin on their Form EIA-64A, and then sum the liquids production attributed to this area over all respondents. Next, the ratio of the liquids production to the total wet natural gas production for the area was determined. This ratio represented the percentage of the wet natural gas that was recovered as natural gas liquids. Finally, it was assumed that this ratio was applicable to the reserves and each component of reserve changes (except adjustments), as well as production. Therefore, each element in the wet natural gas reserves balance was multiplied by this recovery factor to yield the corresponding estimate for plant liquids. Adjustments of natural gas liquids were set equal to the difference between the end of previous year reserve estimates, based upon the current report year Form EIA-23 and Form EIA-64A surveys, and the end of current year reserve estimates published in the preceding year's annual reserves report.

#### **Natural Gas Reserve Balance**

This procedure involved downward adjustments of the natural gas data, wet after lease separation, in estimating the volumes of natural gas on a fully dry basis. These reductions were based on estimates of the gaseous equivalents of the liquids removed (in the case of production), or expected to be removed (in the case of reserves), from the natural gas stream at natural gas processing plants. Form EIA-64A collected the volumetric reduction, or **shrinkage**, of the input natural gas stream that resulted from the removal of the NGL at each natural gas processing plant.

The shrinkage volume was then allocated to the plant's reported area or areas of origin. Because shrinkage is, by definition, roughly in proportion to the NGL recovered, i.e. the NGL produced, the allocation was in proportion to the reported NGL volumes for each area of origin. However, these derived shrinkage volumes were rejected if the ratio between the shrinkage and the NGL production (gas equivalents ratio) fell outside certain limits of physical accuracy. The ratio was expected to range between 1,558 cubic feet per barrel (where NGL consists primarily of ethane) and 900 cubic feet per barrel (where NGL consists primarily of natural gasolines). When the computed gas equivalents ratio fell outside these limits, an imputed ratio was utilized to estimate the plant's natural gas shrinkage allocation to each reported area of origin.

This imputed ratio was that calculated for the aggregate of all other plants reporting production and shrinkage, and having a gas equivalent ratio within the aforesaid limits, from the area in question. The imputed area ratio was applied only if there were at least five plants to base its computation on. If there were less than five plants, the imputed ratio was calculated based on all plants in the survey whose individual gas equivalents ratio was within the acceptable limits. Less than one percent of the liquids production was associated with shrinkage volumes imputed in this manner. Based on the 2000 Form EIA-64A survey, the national weighted average gas equivalents ratio was computed to be 1,407 cubic feet of natural gas shrinkage per barrel of NGL recovered. The total shrinkage volume (reported plus imputed) for all plants reporting a given area of origin was then subtracted from the estimated value of natural gas production, wet after lease separation, yielding dry natural gas production for the area. The amount of the reduction in the wet natural gas production was then expressed as a percentage of the wet natural gas production. Dry natural gas reserves and reserve changes were determined by reducing the wet natural gas reserves and reserve changes by the same percentage reduction factor.

A further refinement of the estimation process was used to generate an estimate of the natural gas liquids reserves in those States with coalbed methane fields. The States where this procedure was applied were Alabama, Colorado, Kansas, New Mexico, Oklahoma, Pennsylvania, Utah, Virginia, West Virginia, and Wyoming. The first step in the process was to identify all Form EIA-23 reported coalbed methane fields. The assumption was made that coalbed methane fields contained little or no extractable natural gas liquids. Therefore, when the normal shrinkage procedure was applied to the wet gas volume reserve components, the estimate of State coalbed methane volumes were excluded and were not reduced for liquid extraction. Following the computation for shrinkage, each coalbed field gas volume reserve components was added back to each of the dry gas volume reserve components in a State. The effect of this is that the large increases in reserves in some States from coalbed methane fields did not cause corresponding increases in the State natural gas liquids proved reserves.

Adjustments of dry natural gas were set equal to the difference between the end of previous year reserves estimates, based upon the current report year Form EIA-23 and Form EIA-64A surveys, and the end of current year reserve estimates published in the preceding year's annual reserves report.

Each estimate of end of year reserves and report year production has associated with it an estimated sampling error. The standard errors for dry natural gas were computed by multiplying the wet natural gas standard errors by these same percentage reduction factors. **Table F7** provides estimates for 2 times the  $SE(V_s)$  for dry natural gas.

### Appendix G

# **Estimation of Reserves and Resources**

#### **Estimation of Reserves and Resources**


#### Oil and Gas Resource Base

Universally accepted definitions have not been developed for the many terms used by geologists, engineers, accountants and others to denote various components of overall oil and gas resources. In part, this is because most of these terms describe estimated and therefore uncertain, rather than measured, quantities. The lack of standardized terminology sometimes leads to inaccurate understanding of the meaning and/or import of estimates. Particularly common is an apparently widespread lack of understanding of the substantial difference between the terms "reserves" and "resources", as indicated by the frequent misuse of either term in place of the other.

The total resource base of oil and gas is the entire volume formed and trapped in-place within the Earth before any production. The largest portion of this total resource base is nonrecoverable by current or foreseeable technology. Most of the nonrecoverable volume occurs at very low concentrations throughout the earth's crust and cannot be extracted short of mining the rock or the application of some other approach that would consume more energy than it produced. An additional portion of the total resource base cannot be recovered because currently available production techniques cannot extract all of the in-place oil and gas even when present in commercially viable concentrations. The inability to recover all of the in-place oil and gas from a producible deposit occurs because of unfavorable economics, intractable physical forces, or a combination of both. Recoverable resources, the subset of the total resource base that is of societal and economic interest, are defined so as to exclude these nonrecoverable portions of the total resource base.

The structure presented in **Figure G1** outlines the total resource base and its components. The total resource base first consists of the recoverable and nonrecoverable portions discussed above. The next level down divides recoverable resources into discovered and undiscovered segments. Discovered resources are further separated into cumulative (i.e., all

Figure G1. Components of the Oil and Gas Resource Base



Source: Energy Information Administration, Office of Oil and Gas.

past) production, and reserves. Reserves are additionally subdivided into proved reserves and "other reserves".

#### Recoverable Resources

Discovered recoverable resources are those economically recoverable quantities of oil and gas for which specific locations are known. While the specific locations of estimated undiscovered recoverable resources are not yet known, they are believed to exist in geologically favorable settings.

Current estimates of undiscovered recoverable resources merit discussion in order to provide a useful sense of scale relative to proved reserves. The sources of official estimates of domestic undiscovered recoverable resources are two agencies of the Department of the Interior (DOI), the United States Geological Survey (USGS) for onshore areas and those offshore waters subject to State jurisdiction, and the Minerals Management Service (MMS) for those offshore waters under Federal jurisdiction.

The USGS defines undiscovered recoverable conventional resources as those expected to be resident in accumulations of sufficient size and quality that they could be produced using conventional recovery technologies, without regard to present economic viability. Therefore, only part of the USGS undiscovered recoverable conventional resource is economically recoverable now. The USGS also defines a class of resources that occur in "continuous-type" accumulations. Unlike conventional oil and gas accumulations, continuous-type accumulations do not occur in discrete reservoirs of limited areal extent. They include accumulations in low-permeability (tight) sandstones, shales, and chalks, and those in coal beds. Again, only part of the continuous–type technically recoverable resource is economically recoverable now. In fact, only a small portion of the in-place continuous-type resource accumulations are estimated to be technically recoverable now. Table G1 presents a compilation of USGS and MMS estimates.

Technically recoverable resources of dry natural gas (discovered, unproved, and undiscovered) are estimated at 1,431 trillion cubic feet (**Table G1**). Adding the 2000 U.S. proved reserves of 177 trillion cubic feet yields a technically recoverable resource target of 1,608 trillion cubic feet. This is about 84 times the 2000 dry gas production level.

Other organizations have also estimated unproven technically recoverable gas resources. For example, the Potential Gas Committee (PGC), an industry sponsored group, provides detailed geology–based gas resource estimates every 2 years. In 2000 the PGC mean estimate of potential gas resources was 1,091 trillion cubic feet, about 340 trillion cubic feet less than the estimates in **Table G1**. Another recent estimate was made by the National Petroleum Council (NPC), an industry–based group that serves in an advisory capacity to the U.S. Secretary of Energy. The NPC's estimate, based on data available at year–end 1999, was 1,555 trillion cubic feet, 124 trillion cubic feet more than the estimates summarized in **Table G1**. The differences among these

estimates are usually due to the availability of newer data, differences in coverage or resource category definitions, and legitimate but differing data interpretations.

While the estimation of undiscovered resources is certainly a more imprecise endeavor than is the estimation of proved reserves, it is clear that substantial volumes of technically recoverable oil and gas resources remain to be found and produced domestically. Current estimates indicate that as much domestic gas remains to be found and then produced as has been to date. Of course, much effort, investment and time will be required to bring this gas to market.

There is a perception that the oil resource base has been more intensively developed than the gas resource base. And in fact, more oil has been produced in the United States than is estimated as remaining recoverable. Nevertheless, the ratio of unproven technically recoverable oil resources to 2000 oil production (**Table G1**) was about 93 to 1, higher than the comparable gas ratio.

#### **Federal Land Resources**

Estimates of technically recoverable resources that underlie Federal jurisdiction lands are listed in **Table G1**. These estimates are based on National assessments performed by the USGS and the MMS. It is estimated that 60 percent of the technically recoverable resources of crude oil, 52.4 percent of the dry gas resources, and 34.7 percent of the natural gas liquids resources underlie Federal lands.

#### **Discovered Resources**

In addition to cumulative production, which is the sum of current year production and the production in all prior years, estimates of discovered recoverable resources include estimates of reserves. Broadly, reserves are those volumes that are believed to be recoverable in the future from known deposits through the eventual application of present or anticipated technology.

#### Reserves

Reserves include both **proved reserves** and **other reserves**. Several different reserve classification systems are in use by different organizations, as preferred for operational reasons. These systems utilize and incorporate various definitions of terms such as measured reserves, indicated reserves, inferred reserves,

Table G1. Mean Estimates of Technically Recoverable Oil and Gas Resources by Deposit Type and Location

Area	Jurisdiction	Crude Oil <sup>a</sup> (billion barrels)	Natural Gas (Dry) (trillion cubic feet)	Natural Gas Liquids (billion barrels
Undiscovered Conventionally Reservoired Fields	3	(1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	(	(
Alaska Onshore + State Offshore	Federal	3.75	33.97	0.54
Alaska Onshore + State Offshore	Other	4.68	95.37	0.61
Alaska Federal Offshore	Federal	24.90	122.60	0.00
Lower 48 States Onshore + State Offshore	Federal	3.79	23.97	1.26
Lower 48 States Onshore + State Offshore	Other	17.83	166.41	5.64
Lower 48 States Federal Offshore	Federal	50.10	239.60	0.00
Alaska Subtotal		33.33	251.94	1.15
Alaska Percentage Federal		86.0%	62.1%	47.0%
Lower 48 States Subtotal		71.72	429.98	6.90
Lower 48 States Percentage Federal		75.1%	61.3%	18.3%
Technically Recoverable Resources in U.S. Undiscovered Conventionally Reservoired Fi	elds	105.05	681.92	8.05
Percentage Federal	0.40	78.6%	61.6%	22.4%
Ultimate Recovery Appreciation				
U.S. Onshore + State Offshore	Federal	14.33	118.70	4.94
U.S. Onshore + State Offshore	Other	45.67	203.30	8.46
U.S. Federal Offshore	Federal	7.70	68.00	0.00
Technically Recoverable Resources in U.S. from Ultimate Recovery Appreciation in Disco Conventionally Reservoired Fields	overed	67.70	390.00	13.40
U.S. Percentage Federal		32.5%	47.9%	36.9%
Continuous Type Deposits	Ca danal	0.00	407.00	4 45
Non-coal bed	Federal	0.32	127.08	1.45
Non-coal bed	Other	1.75	181.72	0.67
Coal bed	Federal	0.00	16.08	0.00
Coal bed	Other	0.00	33.83	0.00
Non-coal bed Subtotal		2.07	308.80	2.12
Non-coal bed Percentage Federal		15.5%	41.2%	68.4%
Coal bed Subtotal		0.00	49.91	0.00
Coal bed Percentage Federal		0.0%	32.2%	0.0%
Technically Recoverable Resources in U.S. from Continuous Type Deposits		2.07	358.71	2.12
Continuous Type Percentage Federal		15.5%	39.9%	68.4%
U.S. Totals All Sources U.S. Onshore + State Offshore	Fodorol	22.40	210.00	0.10
	Federal	22.19	319.80	8.19
U.S. Onshore + State Offshore	Other	69.93	680.63	15.38
Federal Offshore	Federal	82.70	430.20	0.00
Federal Subtotal		104.89	750.00	8.19
U.S. Technically Recoverable Resources		174.82	1,430.63	23.57
Percentage Federal		60.0%	52.4%	34.7%

Notes:

Proved Reserves are not included in these estimates.

Federal Onshore excludes Indian and Native lands even when Federally managed in trust.

Zero (0) indicates either that none exists in this area or that no estimate of this resource has been made for this area.

The estimates of ultimate recovery appreciation for Onshore and State Offshore lands were imputed by assuming that the total estimates thereof reported by the U.S. Geoogical Survey (USGS) could be apportioned according to the ratio of 1996 production from onshore Federal lands to total U.S. production.

## Table G1. Estimated Oil and Gas Reserves and Mean Estimates of Technically Recoverable Oil and Gas Resources (continued)

Notes (continued): Federal Offshore indicates MMS estimates for Federal Offshore jurisdictions (Outer Continental Shelf and deeper water areas seaward of State Offshore).

Probable and Possible reserves are considered by USGS definition to be part of USGS Reserve Growth, but are separately considered by the MMS as its Unproved Reserves term. The USGS did not set a time limit for the duration of Reserve Growth; the MMS set the year 2020 as the time limit in its estimates of Reserve Growth in existing fields of the Gulf of Mexico.

Excluded from the estimates are undiscovered oil resources in tar deposits and oil shales, and undiscovered gas resources in geopressured brines and gas hydrates.

Data Sources: National Oil and Gas Resource Assessment Team, 1996 National Assessment of United States Oil and Gas Resources, Circular 1118, United States Geological Survey, Washington DC, 1995.

D.L Gautier, G.L. Dolton, and E.D. Atanasi, 1995 National Oil and Gas Assessment and Onshore Federal Lands, Open File Report 95-75-N, United States Geological Survey, Washington DC, January 1998.

Resource Evaluation Program, *Outer Continental Shelf Petroleum Assessment 2000,* Brochure 7, Minerals Management Service, Washington, DC, January 2001 at <a href="http://www.mms.gov/revaldiv/RedNatAssessment.htm">http://www.mms.gov/revaldiv/RedNatAssessment.htm</a>>.

Resource Evaluation Program, An Assessment of the Undiscovered Hydrocarbon Potential of the Nation's Outer Continental Shelf, OCS Report MMS 96-0034, Minerals Management Service, Washington, DC, 1996.

Minerals Management Service, *Mineral Revenues 1996*, U.S. Department of the Interior, Washington, DC, 1997, Table 12 on p. 33 and Table 23 on p. 70.

Energy Information Administration, U.S. Crude Oil, Natural Gas, and Natural Gas Liquids Reserves 1996 Annual Report, Washington, DC, December 1997, Table 15 on p. 39.

Energy Information Administration, Petroleum Supply Annual 1996, Washington, DC, June 1997, Volume 1, Table 14 on p. 96.

Energy Information Administration, Natural Gas Annual 1996, Washington, DC, September 1997, Table 3 on p. 12.

probable reserves, and possible reserves. As used by the different organizations, the definitions that attach to these terms sometimes overlap, or the terms may require a slightly different interpretation from one organization to the next. Nevertheless, all kinds of "other reserves" are generally less well known and therefore less precisely quantifiable than proved reserves, and their eventual recovery is less assured.

Measured reserves are defined by the USGS as that part of the identified (i.e., discovered) economically recoverable resource that is estimated from geologic evidence and supported directly by engineering data. [44] They are similarly defined by the MMS, although its system also subdivides them by degree of development and producing status. [45] Measured reserves are demonstrated with reasonable certainty to be recoverable in future years from known reservoirs under existing economic and operating conditions, and are essentially equivalent to proved reserves as defined by the EIA. Effectively, estimates of proved reserves may be thought of as reasonable estimates (as opposed to exact measures) of "on–the–shelf inventory".

Inferred reserves and indicated reserves, due to their more uncertain economic or technical recoverability, are included in the "other reserves" category. The USGS defines inferred reserves as that part of the identified economically recoverable resource, over and above both measured and indicated (see below) reserves, that will be added to proved reserves in the future through extensions, revisions, and the discovery of new pay zones in already discovered fields. [44] Inferred reserves are considered equivalent to "probable reserves" by many analysts, for example, those of the PGC.

#### **Proved Reserves**

The EIA defines proved reserves as those volumes of oil and gas that geological and engineering data demonstrate with reasonable certainty to be recoverable in future years from known reservoirs under existing economic and operating conditions.

When deterministic proved reserves estimation methods are used, the term reasonable certainty is intended to express a high degree of confidence that the estimated quantities will be recovered. When probabilistic methods are used there should be at least a 90 percent probability that the actual quantities recovered will exceed the estimate.

Proved reserves are either proved producing or proved nonproducing (i.e., resident in reservoirs that did not produce during the report year). The latter may represent a substantial fraction of total proved reserves.

#### Reserve Estimation Methodologies

The adoption of a standard definition of proved reserves for each type of hydrocarbon surveyed by the Form EIA-23 program provided a far more consistent response from operators than if each operator had used their own definition. Such standards, however, do not guarantee that the resulting estimates themselves are determinate. Regardless of the definition selected, proved reserves cannot be measured directly. They are estimated quantities that are inferred on the basis of the best geological, engineering, and economic data available to the estimator, who generally uses considerable judgment in the analysis and interpretation of the data. Consequently, the accuracy of a given estimate varies with and depends on the quality and quantity of raw data available, the estimation method used, and the training and experience of the estimator. The element of judgment commonly accounts for the differences among independent estimates for the same reservoir or field.

#### Data Used in Making Reserve Estimates

The raw data used in estimating proved reserves include the engineering and geological data for reservoir rock and its fluid content. These data are obtained from direct and indirect measurements. The data available for a given reservoir vary in kind, quality, and quantity. When a reservoir is first discovered only data from a single well are available, and prior to flow testing or actual production, proved reserves can only be inferred. As development of the reservoir proceeds, and flow tests are made or actual production commences, more and more data become available, enabling proved reserves estimates to become more accurate.

Many different kinds of data are useful in making reserves estimates. They may include: data on porosity,

**Table G2. Reserve Estimation Techniques** 

	1
Method	Comments
Volumetric	Applies to crude oil and natural gas reservoirs. Based on raw engineering and geologic data.
Material Balance	Applies to crude oil and natural gas reservoirs. Is used in estimating reserves. Usually of more value in predicting reserves, and reservoir performance.
Pressure Decline	Applies to nonassociated and associated gas reservoirs. The method is a special case of material balance equation in the absence of water influx.
Production Decline	Applies to crude oil and natural gas reservoirs during production decline (usually in the later stages of reservoir life).
Reservoir Simulation	n Applies to crude oil and natural gas reservoirs. Is used in estimating reserves. Usually of more value in predicting reservoir performance. Accuracy increases when matched with past pressure and production data.
Nominal	Applied to crude oil and natural gas reservoirs. Based on rule of thumb or analogy with another reservoir or reservoirs believed to be similar; least accurate of methods used.

permeability, and fluid saturations of the reservoir rocks (obtained directly from core analysis or from various types of electrical measurements taken in a well or several wells); data on the production of fluids from a well or several wells; geologic maps of the areal extent, thickness, and continuity of the reservoir rocks (inferred from well logs, geophysical, and geological data); and reservoir pressure and temperature data. Also involved are economic data including the current price of crude oil and natural gas, and various developmental and operating costs.

#### **Reserve Estimation Techniques**

Depending on the kinds and amounts of data available, and a judgment on the reliability of those data, the estimator will select one of several methods of making a proved reserves estimate. Methods based on production performance data are generally more accurate than those based strictly on inference from geological and engineering data. Such methods include the *Production Decline* method (for crude oil or natural gas reservoirs), the *Material Balance* method (which is

actually a material balance, for natural gas reservoirs), and the *Reservoir Simulation* method (for crude oil or natural gas reservoirs). The reservoir type and production mechanisms and the types and amounts of reliable data available determine which of these methods is more appropriate for a given reservoir. These methods are of comparable accuracy.

Methods not based upon production data include the *Volumetric* method (for crude oil or natural gas reservoirs) and the *Nominal* method. Of these, the *Volumetric* method is the more accurate. Both methods, however, are less accurate than those based on production data. **Table G2** summarizes the various methods.

# Judgmental Factors in Reserve Estimation

The determination of rock and hydrocarbon fluid properties involves judgment and is subject to some uncertainty; however, the construction of the geologic maps and cross sections and the determination of the size of the reservoir are the major judgmental steps in the Volumetric method, and are subject to the greatest uncertainty. Estimates made using the *Material Balance* method, the Reservoir Simulation method, or the Pressure Decline method are based on the estimator's judgment that the type of reservoir drive mechanism has been identified and on the specification of abandonment conditions. Estimates based on the Production Decline method are subject to judgment in constructing the trend line, and are based on the estimator's assumption of reservoir performance through abandonment.

Contributing to the degree of uncertainty inherent in the above methods for estimating reserves are other factors associated with economic considerations and the perceived reservoir limits, which together influence the final reserves estimate. A brief discussion of these other factors follows.

**Economic considerations**: There has been continuing debate about the effects of prices on proved reserves. Although no all–inclusive statement can be made on the impact of price, the points at issue can be discussed and some general remarks can be made about some circumstances where price may be a factor.

 Developed gas fields – In a gas reservoir, price affects the economic limit (i.e., the production rate required to meet operating costs) and, therefore, the abandonment pressure. Thus, price change has some effect on the conversion of noneconomic hydrocarbon resources to the category of proved reserves. In both nearly depleted reservoirs and newly developed reservoirs, the actual increase in the quantity of proved reserves resulting from price rises is generally limited in terms of national volumes (even though the percentage increase for a given reservoir may be great).

- Developed oil fields In developed crude oil reservoirs many of the same comments apply; however, there is an additional consideration. If the price is raised to a level sufficient to justify initiation of an improved recovery project, and if the improved recovery technique is effective, then the addition to ultimate recovery from the reservoir can be significant. Because of the speculative nature of predicting prices and costs many years into the future, proved reserves are estimated on the basis of current prices, costs, and operating practices in effect as of the date the estimation was made.
- Successful exploration efforts Price can have a major impact on whether a new discovery is produced or abandoned. For example, the decision to set casing in a new onshore discovery, or to install a platform as the result of an offshore discovery, are both price—sensitive. If the decision is made to set pipe or to install a platform, the discoveries in both cases will add to the proved reserves total. If such projects are abandoned, they will make no contribution to the proved reserves total.

Effect of operating conditions: Operating conditions are subject to change caused by changes in economic conditions, unforeseen production problems, new production practices or methods, and the operator's financial position. As with economic conditions, operating conditions to be expected at the time of abandonment are speculative. Thus, current operating conditions are used in estimating proved reserves. In considering the effect of operating conditions, a distinction must be made between processes and techniques that would normally be applied by a prudent operator in producing his oil and gas, and initiation of changes in operating conditions that would require substantial new investment.

 Compression – Compression facilities are normally installed when the productive capacity or deliverability of a natural gas reservoir or its individual wells declines. In other cases compression is used in producing shallow, low-pressure reservoirs or reservoirs in which the pressure has declined to a level too low for the gas to flow into a higher pressure pipeline. The application of compression increases the pressure and, when economical, is used to make production into the higher pressure pipeline possible. Compression facilities normally require a significant investment and result in a change in operating conditions. It increases the proved reserves of a reservoir, and reasonably accurate estimates of the increase can be made.

- Well stimulation Procedures that increase productive capacity (workovers, such as acidizing or fracturing, and other types of production practices) are routine field operations. The procedures accelerate the rate of production from the reservoir, or extend its life, and they have only small effect on proved reserves. Reasonable estimates of their effectiveness can be made.
- Improved recovery techniques These techniques involve the injection of a fluid or fluids into a reservoir to augment natural reservoir energy. Because the response of a given reservoir to the application of an improved recovery technique cannot be accurately predicted, crude oil production that may ultimately result from the application of these techniques is classified as "indicated additional reserves of crude oil" rather than as proved reserves until response of the reservoir to the technique has been demonstrated. In addition, improved recovery methods are not applicable to all crude oil reservoirs. Initiation of improved recovery techniques may require significant investment.

• Infill drilling – Infill drilling (drilling of additional wells within a field/reservoir) may result in a higher recovery factor, and, therefore, be economically justified. Predictions of whether infill drilling will be justified under current economic conditions are generally based on the expected production behavior of the infill wells.


**Reservoir limits**: The initial proved reserves estimate made from the discovery well is subject to significant uncertainty because one well provides little information on the size of the reservoir. The area proved by a discovery well is frequently estimated on the basis of experience in a given producing region. Where there is continuity of the producing formation over wide geographic areas, a relatively large proved area may be assigned. In some cases where reliable geophysical and geological data are available, a reasonable estimate of the extent of the reservoir can be made by drilling a relatively small number of delineation wells. Conversely, a relatively small proved area may be assigned when the producing formation is of limited continuity, owing to either structural or lithological factors.

Additional wells provide more information and reduce the uncertainty of the reserves estimate. As additional wells are drilled, the geometry of the reservoir and, consequently, its bulk volume, become more clearly defined. This process accounts for the large extensions to proved reserves typical of the early stages of most reservoir development.

# **Maps of Selected State Subdivisions**

# **Maps of Selected State Subdivisions**

Figure H1. Subdivisions of Alaska



Source: After U.S. Geological Survey.

Figure H2. Subdivisions of California




Figure H3. Subdivisions of Louisiana



Figure H4. Subdivisions of New Mexico




Figure H5. Subdivisions of Texas




Figure H6. Western Planning Area, Gulf of Mexico Outer Continental Shelf Region




Figure H7. Central Planning Area, Gulf of Mexico Outer Continental Shelf Region





Figure H8. Eastern Planning Area, Gulf of Mexico Outer Continental Shelf Region



# **Annual Survey Forms for Domestic Oil and Gas Reserves**

#### Figure I1. Form EIA-23, Cover Page

#### Energy Information Administration

#### U.S. DEPARTMENT OF ENERGY

ENERGY INFORMATION ADMINISTRATION Washington, DC 20585

Form Approved OMB No. 1905-0057 Expiration Date: 12/31/03 (Revised 2000)

ANNUAL	SURVEY OF D	FORM EIA-23 OMESTIC OIL	AND	GAS I	RESE	RVES		
	REPO	RT YEAR 2	0 0 0	)				
This report is mandatory under the Federal Ener concerning the confidentiality of information and						sions	Resubmission?	
PART I. IDENTIFICATION	ourionon diatornomo	, 000 0000011 111 0110					L	
Complete and return by April 15, 2001 to:  Energy Information Administration: El-45 Mail Station: 2G-024 FORSTL U.S. Department of Energy 1000 Independence Ave., SW Washington, D.C. 20585 Attn: Form EIA-23 OR Fax to: (202) 586-1076/ATTN: FORM EIA-23  Questions? Call 1-800-879-1470  1. Contact Information (person most knodata) Contact Person (Please Print):	·	Number:	Was	your com	npany a	n oil and gas	field operator at an	-
Phone Number: ( ) -  Fax Number: ( ) -  E-mail Address:	Ext.		(1) return (2)	this pag	e.	nplete only iten	ns 3 through15 belov rrm.	w and
Company Status, Name, and/or Address     Name and address on mailing la     Change company name, contact     Company was sold to or merged     Company went out of business.      Change Company Name, Address, Empl	abel are correct.  It person, and/or mail  It with company enter	ing address,as indicred below.	ated be	low.	mation	to:		
Company Name:	oyer identification i	Nulliber (Eliv), and/		actimon	illation	ιο.		
Street or P. O. Box:		12	4.					
City, State, Zip Code:		SK						
EIN:		)						
Contact Person (Please Print):								
Phone Number: ( ) -	Ext.	Fax number: (	)	-		E-Mail Addre	ss:	
Comments:	<u>.</u>							
PART II. PARENT COMPANY IDENTI	IFICATION							
5. Is there a parent company which exercis	ses ultimate	6. Company Name	Э				7. Parent Compa	ny EIN
control over your company?	}	8. Address						
(1) No Answer 12 through 15.								
(2) Yes Answer 6 through 15.		9. City			<b>10</b> . St	ate	11. Zip Code	
PART III. ATTESTATION (I hereby sweethe best of my knowledge, information, and by			pended	l is true a			h its contents, and	that to
12. Attestor (Please Print)			13	. Title				
14. Signature			15	. Date				

Title 18 USC 1001 makes it a criminal offense for any person knowingly and willingly to make to any Agency or Department of the United States any false, fictitious, or fraudulent statements as to any matter within its jurisdiction.

Figure I2. Form EIA-23, Summary Report - Page 1

OFFICIAL USE ONLY		ANNU	AL SURVE	Y OF DOM	NNUAL SURVEY OF DOMESTIC OIL AND GAS RESERVES	AND GAS	RESERVE	S		Form Approved
2000	00			SUMM	SUMMARY REPORT PAGE 1 OF 2				OM	OMB No. 1905-0057 Expiration Date: 12/31/03
1.0 OPERATOR AND REPORT IDENTIFICATION DATA	DATA	Repo	ort All Volumes of C Report All Volume	rude Oil and Lease	Report All Volumes of Crude Oil and Lease Condensate in Thousands of Barrels [MBbis] at 60 F Report All Volumes of Natural Gas in Millions of Cubic Feet [MMCF] at 14.73 psia and 60 F	usands of Barrels   eet [MMCF] at 14.7.	MBbls] at 60 F 3 psia and 60 F		-	(Revised 2000)
1.1 OPERATOR I.D. CO DE	1.	1.2 OPERATOR NAME	AME			REPORT DATE		1.3 ORIGINAL	- 1.4 RESUBMISSION	NOISSI
						12 31 00				
2.0 PRODUCTION AND RESERVES DATA			CRUDE OIL		2	NATURAL GAS		LEA	LEASE CONDENSATE	ATE
STATE OR	Z.	RESERVES	2000 PRODUCTION	DUCTION	RESERVES	2000 PRODUCTION	DUCTION	RESERVES	2000 PRODUCTION	DUCTION
GEOGRAPHIC SUBDIVISION		Proved Reserves Dec. 31, 2000 (MBbls)	erties for ves were (ted)	(From properties for which reserves were Not Estimated) (MBbls)	Proved Reserves Dec. 31, 2000 (MMCF)	(From properties for which reserves were Estimated) (MMCF)	(From properties for which reserves were Not Estimated (MMCF)	Proved Reserves Dec. 31, 2000 (MBbls)	(From properties for which reserves were Estimated) (MBbis)	(From properties for which reserves were Not Estimated) (MBbls)
ALABAMA-ONSHORE	AL		(B)			(E)	(F)	(g)	(H)	(1)
ALABAMA-STATE OFFSHORE	AL05									
ALASKA-NORTH ONSHORE AND OFFSHORE	AK50									
ALASKA-SOUTH ONSHORE	AK10									
ALASKA-SOUTH STATE OFFSHORE	AK05									
ARIZONA	Z G		C							
CALIFORNIA-COASTAL REGION ONSHORE	CA50		7							
CALIFORNIA-LOS ANGELES BASIN ONSHORE	CA90									
CALIFORNIA-SAN JOAQUIN BASIN ONSHORE	CA10									
CALIFORNIA-STATE OFFSHORE	CA05		8							
COLORADO	00		,							
FLORIDA-ONSHORE	FL		<b>\</b>	<b>&lt;</b>						
FLORIDA-STATE OFFSHORE	FL05									
ILLINOIS	1									
INDIANA	Z									
KANSAS	KS									
KENTUCKY	KY									
LOUISIANA-NORTH	LA50									
LOUISIANA-SOUTH ONSHORE	LA10									
LOUISIANA-SOUTH STATE ONSHORE	LA05									
MARYLAND	MD									
MICHIGAN	Σ									
MISSISSIPPI-ONSHORE	MS									
MISSISSIPPI-STATE OF FSHORE	MS05									
MISSOURI	OW									
MONTANA	MT									
NEBRASKA	E N									
NEVADA	ΛN									
NEW MEXICO-EAST	NM10									
NEW MEXICO-WEST	NM50									
NEW YORK	λN									
NORTH DAKOTA	QN									
ОНО	НО									


Figure I3. Form EIA-23, Summary Report – Page 2

OFFICIAL USE ONLY			AL SURVE	ANNUAL SURVEY OF DOMESTIC OIL AND GAS RESERVES	ESTIC OIL	AND GAS	RESERVE	တ္သ		Form Approved
2000	00	_		SUMM,	SUMMARY REPORT PAGE 2 OF 2				OM Expiratio	OMB No. 1905-0057 Expiration Date: 12/31/03 (Revised 2000)
1.0 OPERATOR AND REPORT IDENTIFICATION DATA	D ATA	Rep	ort All Volumes of C Report All Volume	Report All Volumes of Crude Oil and Lease Condensate in Thousands of Barreis [MBbis] at 60 F Report All Volumes of Natural Gas in Millions of Cubic Feet [MMCF] at 14.73 psia and 60 F	Condensate in The	rusands of Barrels Feet [MMCF] at 14.7	MBbls] at 60 F 3 psia and 60 F			
1.1 OPERATOR I.D. CO DE		1.2 OPERATOR NAME	NAME			REPOF	REPORT DATE	1.3 ORIGINAL	1.4 AMENDED	D⊒
						12	31 00			
2.0 PRODUCTION AND RESERVES DATA						CITY		-	מועם מועם בי	LHV
	_		CRUDE OIL			NAI UKAL GAS	o	LEA	LEASE CONDENSAIE	AIE
STATE OR		RESERVES	2000 PRO	2000 PRODUCTION	RESERVES	2000 PRC	2000 PRODUCTION	œ	2000 PRODUCTION	DUCTION
GEOGRAPHIC SUBDIVISION		Proved Reserves Dec. 31, 2000 (MBbls)	(From properties for which reserves were Estimated) (MBbls)	(From properties for which reserves were Not Estimated) (MBbls)	Proved Reserves Dec. 31, 2000 (MMCF)	(From properties for which reserves were Estimated) (MMCF)	(From properties for which reserves were Not Estimated (MMCF)	Proved Reserves Dec. 31, 2000 (MBbls)	(From properties for which reserves were Estimated) (MBbls)	(From properties for which reserves were Not Estimated) (MBbls)
ОКГАНОМА	ð	6.5	0	9	2)	j)		()		
PENNSYLVANIA	PA									
SOUTH DAKOTA	SD									
TENNESSEE	N.									
TEXAS-RRC DISTRICT 1	TX10		(							
TEXAS-RRC DISTRICT 2 ONSHORE	TX20		C,							
TEXAS-RRC DISTRICT 3 ONSHORE	1X30		5							
TEXAS-RRC DISTRICT 4 ONSHORE	TX40		<b>"</b> \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \							
TEXAS-RRC DISTRICT 5	TX50									
TEXAS-RRC DISTRICT 6	TX60		7							
TEXAS-RRC DISTRICT 7B	TX70		7	CY.						
TEXAS-RRC DISTRICT 7C	TX75			/						
TEXAS-RRC DISTRICT 8	TX80			<						
TEXAS-RRC DISTRICT 8A	TX85			<						
TEXAS-RRC DISTRICT 9	06XL			•						
TEXAS-RRC DISTRICT 10	TX95									
TEXAS-STATE OFFSHORE	TX05									
ОТАН	ħ									
VIRGINIA	۸A									
WEST VIRGINIA	۸M									
WYOMING	λM									
FEDERAL OFFSHORE-GULF OF MEXICO (ALABAMA)	AL00									
FEDERAL OFFSHORE-GULF OF MEXICO (FLORIDA)	FL00									
FEDERAL OFFSHORE-GULF OF MEXICO (LOUISIANA)	LA00									
FEDERAL OFFSHORE-GULF OF MEXICO (MISSISSIPPI)	MS00									
FEDERAL OFFSHORE-GULF OF MEXICO (TEXAS)	TX00									
FEDERAL OFFSHORE-PACIFIC (ALASKA)	AK00									
FEDERAL OFFSHORE-PACIFIC (CALIFORNIA)	CA00									
FEDERAL OFFSHORE-PACIFIC (OREGON)	OR00									
OTHER STATE (SPECIFY)										
TOTAL (SUM EACH COLUMN)	SN									
	-]									

Figure I4. Form EIA-23, Detail Report - Schedule A

REPORTED PROVED RESERVES, PROJUCTION, AND PREMATED BATA BY FIELD	OFFICIAL USE ONLY	2000		ANNA	IL SURVE	Y OF DC	ANNUAL SURVEY OF DOMESTIC OIL AND GAS RESERVES	IL AND GA	S RESER	VES		Form Approved OMB No. 1905-0057
12 OPERATOR NAME	1	7000	SCHEDUI	LEA - OF Repor	ERATED PF Report All t All Volumes of	COVED RESI Liquid Volumes Natural Gas in	ERVES, PRODI s in Thousands of E Millions of Cubic F	UCTION, ANE Barrels [MBbls] aret [MMCF] at 60	) RELATED D/ t 60 F; F and 14.73 psia	ATA BY FIELD	Ш	Expiration Date: 12/31/03 (Revised 2000)
12 OPERATOR NAME	1.0 OPERATOR AND REP ORT IDE	ENTIFICATION DATA										
1   1   1   1   1   1   1   1   1   1	1.1 OPERATOR I.D. CODE	1.2 OPER.	TOR NAME				REPORT I	ЭАТЕ	1.3 ORIGINAL	1.4 AMENDE.	D	1.5 PAGE
1												OF
1   1   1   1   1   1   1   1   1   1	2.0 FIELD DATA (OPER ATED BAS											
The Description   The Descri	1. STATE 2. SUBDIV. ABBR. CODE	4.	5. MMS CODE	.9	NAME			7. PROVED NONPR	ODUCING RESERVES			H CONTRACTOR
Find Charles   Find Discourant Light   Find Charles   Find Discourant Light   Find Charles   F									8	(0)	F) (d) DENSATE (MBbls)	
FILED CLANEION   FILED DISCOVERING   FILED D	9. WATER DEPTH	10. FIELD DISC	OVERY YEAR				11. INDICATED ADDITI	ONAL RESERVES OF	CRUDE OIL (MBbls)			
The Decode   Park of the Control   The Decode   The Dec	TYPE OF HYDROCARBON	TOTAL PROVED RESEI DECEMBER 31,		(B)	REVISION DECREASES	SALES	ACQUISITIONS (F)	EXTENSIONS (F)	NEW FIELD DISCOVERIES	NEW RESERVOIRS IN OLD FIELDS (H)	CALENDAR YEAR PRODUCTION	TOTAL PROVED RESERVES DECEMBER 31, 2000
TED CASE (MAKET)   TED CASE (M	12. CRUDE OIL (MBbis)			ĵ.		ì	Ĺ					
STATE   2 SINGEN   COORTY	13. ASSOCIATED-DISSOLVED GAS (MMCF	(=										
STATE   2 SHEWN   2 COURT   1 FIELD DISCOVERYYEAR   1 FIELD DISCOVERY EAR	14. NONASSOCIATED GAS (MMCF)											
1	15. LEASE CONDENSATE (MBbls)											
SINTE   2 SUBDY   3 COUNTY   4 FIELD   5 MMS   CODE   CO				(								
The Procession of the proces	1. STATE 2. SUBDIV. ABBR. CODE	3. COUNTY 4. FIELD CODE CODE	5. MMS CODE		NAME.			7. PROVED NONPR	ODUCING RESERVES			a FLONTOCA
The procession of the proces	2.2			<b>Y</b>	7				ASSOC-DISSOLVI (b) GAS (MMCF)		CIATED LEASE CON- CF) (d) DENSATE (MBbis)	
THE DISCOVERY PER   THE					1							
FHYDROCARBON   PROVED RESERVISED   PROVED RESERVISED RESER	9. WATER DEPTH	10. FIELD DISC	OVERY YEAR				11. INDICATED ADDITI	ONAL RESERVES OF	CRUDE OIL (MBbis)			
FINE   STATE   STATE	TYPE OF HYDROCARBON	TOTAL PROVED RESE. DECEMBER 31, (A)		REVISION CREASES (B)	REVISION DECREAGES (C)	SALES (D)	ACQUISITIONS (E)	EXTENSIONS (F)	NEW FIELD DISCOVERIES (G)	NEW RESERVOIRS IN OLD FIELDS (H)	CALENDAR YEAR PRODUCTION (I)	TOTAL PROVED RESERVES DECEMBER 31, 2000 (J)
FINATE (MBbs)   FINATE (MBBS	12. CRUDE OIL (MBbls)					•						
FINALPOIN   FIELD   FIELD NAME   FIELD NAM	13. ASSOCIATED-DISSOLVED GAS (MMCF	F)										
STATE   1	14. NONASSOCIATED GAS (MMCF)											
ABBR.         2. SUBDIV.         3. CODE         6. FIELD NAME         FIELD NAME         7. PROVED NONPRODUCING RESERVES           ABBR.         CODE         CODE         6. FIELD NAME         NOWASSOCIATION OF THE COLOR OF T	15. LEASE CONDENSATE (MBbls)											
ABBR (CODE)         CODE         6 FIELD NAME         6 FIELD NAME         CODE         6 GAS (MMCF)         (c) GAS (MMCF)           F HYDROCARBON         TOTAL         TOTAL         REVISION         REVISION         REVISION         REVISION         REVISION         RESERVORED (G)         RE	2. SUBDIV.	3. COUNTY 4. FIELD	5. MMS									_
10 FIELD DISCOVERY YEAR	ABBR. CODE	CODE	CODE	1	NAME			7. PROVED NONPR	ODDICING RESERVES	L	Ī	8. FOOTNOTE
TOTAL   TOTA	2.3								(b) GAS (MMCF)	(0)	CF) (d) DENSATE (MBbls)	E (MBbls)
TOTAL   NEW   NE	9. WATER DEPTH	10. FIELD DISC	OVERY YEAR				11. INDICATED ADDITION	ONAL RESERVES OF	CRUDE OIL (MBbls)			
	TYPE OF HYDROCARBON	TOTAL PROVED RESEI DECEMBER 31,		REVISION CREASES (B)	REVISION DECREASES (C)	SALES (D)	ACQUISITIONS (E)	EXTENSIONS (F)	NEW FIELD DISCOVERIES (G)	NEW RESERVOIRS IN OLD FIELDS (H)	CALENDAR YEAR PRODUCTION (I)	TOTAL PROVED RESERVES DECEMBER 31, 2000 (J)
13. ASSOCIATED-DISSOLVED GAS (MMCF)       14. NONASSOCIATED GAS (MMCF)         14. NONASSOCIATED GAS (MMCF)       15. LEASE CONDENSATE (MBbis)	12. CRUDE OIL (MBbls)											
14. NONASSOCIATED GAS (MMCF)         14. NONASSOCIATED GAS (MMCF)           115. LEASE CONDENSATE (MBbs)         15. LEASE CONDENSATE (MBbs)	13. ASSOCIATED-DISSOLVED GAS (MMCF	E)										
15. LEASE CONDENSATE (MBbs)	14. NONASSOCIATED GAS (MMCF)											
	15. LEASE CONDENSATE (MBbls)											

Figure I5. Form EIA-23, Detail Report - Schedule B



#### Figure I6. Form EIA-64A





### U.S. DEPARTMENT OF ENERGY JERGY INFORMATION ADMINISTRATION

ENERGY INFORMATION ADMINISTRATION Washington, DC 20585

Form Approved

OMB No. 1905-0057

Expiration Date: 12/31/03

# ANNUAL REPORT OF THE ORIGIN OF NATURAL GAS LIQUIDS PRODUCTION FORM EIA-64A CALENDAR YEAR 2000

This report ismandatory under Public Law 9275. Failure to comply may result in criminal fines, civil penalties and other sanctions as provided by law. For the sanctions and the provisions concerning the confidentiality of information submitted on this form, see Reaghe Instructions. Complete and return by April 1, 2001 to: Energy Information Administration, El-45 1000 Independence Ave, SW Affix Mailing Label Mail Station: 2G-024 Washington, DC 20585 Attn: EIA-64A OR Fax to (202) 586-1076 (Attn: EIA-64A) Questions ?: Call 1-800-879-1470 PART I. PLANT AND PRODUCTION REPORT IDENTIFICATION 1.0 Does this report reflect active natural gas processing at the facility foethire year? Yes Nondicate number of months below) Months covered by this report through 2000 (Include Explanatory Notes in Section 7.0) Original 2.0 Submission Status Amended 3.0 Label Information (If label is incorrect or information is missing or no label is given, enter correct information below). 3.1 Parent Company's Name 3.2 Operator's Name 3.3 Plant Name 3.4 Geographic Location (Use Area of Origin Codes, Page 6) 3.5 Street Address/PO Box 8.7 State 3.6 City 3.8 Zip Code 3.9 Contact Name 3.10 Title 3.11 Date 3.12 Telephone Number ( 3.13 Fax Number ( 3.14 E-mail Address: PART II. ORIGIN OF NATURAL GAS RECEIVED AND NATUR AL GAS LIQUIDS PRODUCED Natural Gas Liquids Production Report in thousands of barrels (MBbl) Area of Origin Natural Gas Received Report in millions of cubic feet (MMCF) Line Code (A) (B) (C) 4 1 42 4.3 4.5 4.6 4.7 4.8 TOTAL

## Glossary

### **Glossary**

This glossary contains definitions of the technical terms used in this report and employed by respondents in completing Form EIA--23, "Annual Survey of Domestic Oil and Gas Reserves," or Form EIA--64A, "Annual Report of the Origin of Natural Gas Liquids Production," for the report year 1998.

**Acquisitions:** The volume of proved reserves gained by the purchase of an existing fields or properties.

**Adjustments:** The quantity which preserves an exact annual reserves balance within each State or State subdivision of the following form:

Published Proved Reserves at End of Previous Report Year

- + Adjustments
- + Revision Increases
- Revision Decreases
- Sales
- + Acquisitions
- + Extensions
- + New Field Discoveries
- + New Reservoir Discoveries in Old Fields
- Report Year Production
- = Published Proved Reserves at End of Report Year

These adjustments are the yearly changes in the published reserve estimates that cannot be attributed to the estimates for other reserve change categories because of the survey and statistical estimation methods employed. For example, variations as a result of changes in the operator frame, different random samples or imputations for missing or unreported reserve changes, could contribute to adjustments.

Affiliated (Associated) Company: An "affiliate" of, or a person "affiliated" with, a specific person is a person that directly, or indirectly through one or more intermediaries: controls; or is controlled by; or is under common control with, the person specified. (See Person and Control)

**Control:** The term "control" (including the terms "controlling," "controlled by," and "under common control with") means the possession, direct or indirect, of the power to direct or cause the direction of the management and policies of a person, whether through the ownership of voting shares, by contract, or otherwise. (See **Person**)

Corrections: (See Revisions)

**Crude Oil:** A mixture of hydrocarbons that exists in the liquid phase in natural underground reservoirs and remains liquid at atmospheric pressure after passing through surface separating facilities. Crude oil may also include:

- 1. Small amounts of hydrocarbons that exist in the gaseous phase in natural underground reservoirs but are liquid at atmospheric pressure after being recovered from oil well (casinghead) gas in lease separators, and that subsequently are comingled with the crude stream without being separately measured
- 2. Small amounts of nonhydrocarbons produced with the oil.

When a State regulatory agency specifies a definition of crude oil which differs from that set forth above, the State definition is to be followed and its use footnoted on Schedule B of Form EIA--23.

**Extensions:** The reserves credited to a reservoir because of enlargement of its proved area. Normally the ultimate size of newly discovered fields, or newly discovered reservoirs in old fields, is determined by wells drilled in years subsequent to discovery. When such wells add to the proved area of a previously discovered reservoir, the increase in proved reserves is classified as an extension.

**Field:** An area consisting of a single reservoir or multiple reservoirs all grouped on, or related to, the same individual geological structural feature and/or stratigraphic condition. There may be two or more reservoirs in a field that are separated vertically by intervening impervious strata, or laterally by local geologic barriers, or by both.

**Field Area:** A geographic area encompassing two or more pools that have a common gathering and metering system, the reserves of which are reported as a single unit. This concept applies primarily to the Appalachian region. (See **Pool**)

**Field Discovery Year:** The calendar year in which a field was first recognized as containing economically recoverable accumulations of oil and/or gas.

**Field Separation Facility:** A surface installation designed to recover lease condensate from a produced natural gas stream frequently originating from more than one lease, and managed by the operator of one or more of these leases. (See **Lease Condensate**)

Gross Working Interest Ownership Basis: Gross working interest ownership is the respondent's working interest in a given property plus the proportionate share of any royalty interest, including overriding royalty interest, associated with the working interest. (See Working Interest and Royalty (including Overriding Royalty) Interest)

Indicated Additional Reserves of Crude Oil: Quantities of crude oil (other than proved reserves) which may become economically recoverable from existing productive reservoirs through the application of improved recovery techniques using current technology. These recovery techniques may:

- 1. Already be installed in the reservoir, but their effects are not yet known to the degree necessary to classify the additional reserves as proved
- 2. Be installed in another similar reservoir, where the results of that installation can be used to estimate the indicated additional reserves.

Indicated additional reserves are not included in proved reserves due to their uncertain economic recoverability. When economic recoverability is demonstrated, the indicated additional reserves must be transferred to proved reserves as positive revisions.

Lease Condensate: A mixture consisting primarily of pentanes and heavier hydrocarbons which is recovered as a liquid from natural gas in lease or field separation facilities, exclusive of products recovered at natural gas processing plants or facilities.

**Lease Separator:** A lease separator is a facility installed at the surface for the purpose of (a) separating gases from produced crude oil and water at the temperature and pressure conditions of the separator, and/or (b) separating gases from that portion of the produced natural gas stream which

liquefies at the temperature and pressure conditions of the separator.

Natural Gas: A mixture of hydrocarbon compounds and small quantities of various nonhydrocarbons existing in the gaseous phase or in solution with crude oil in natural underground reservoirs at reservoir conditions. The principal hydrocarbons normally contained in the mixture are methane, ethane, propane, butane, and pentanes. Typical nonhydrocarbon gases which may be present in reservoir natural gas are water vapor, carbon dioxide, helium, hydrogen sulfide, and nitrogen. Under reservoir conditions, natural gas and the liquefiable portions occur either in a single gaseous phase in the reservoir or in solution with crude oil, and are not distinguishable at the time as separate substances. (See Natural Gas, Associated--Dissolved and Natural Gas, Nonassociated)

Natural Gas, Associated--Dissolved: The combined volume of natural gas which occurs in crude oil reservoirs either as free gas (associated) or as gas in solution with crude oil (dissolved).

**Natural Gas, "Dry":** The actual or calculated volumes of natural gas which remain after:

- 1. The liquefiable hydrocarbon portion has been removed from the gas stream (i.e., gas after lease, field, and/or plant separation)
- 2. Any volumes of nonhydrocarbon gases have been removed where they occur in sufficient quantity to render the gas unmarketable.

**Natural Gas, Nonassociated:** Natural gas not in contact with significant quantities of crude oil in a reservoir.

Natural Gas Liquids: Those hydrocarbons in natural gas which are separated from the gas through the processes of absorption, condensation, adsorption, or other methods in gas processing or cycling plants. Generally such liquids consist of propane and heavier hydrocarbons and are commonly referred to as condensate, natural gasoline, or liquefied petroleum gases. Where hydrocarbon components lighter than propane are recovered as liquids, these components are included with natural gas liquids.

Natural Gas Processing Plant: A facility designed to recover natural gas liquids from a stream of natural gas which may or may not have passed through lease separators and/or field separation facilities. Another function of the facility is to control the quality of the processed natural gas stream. Cycling plants are considered natural gas processing plants.

Natural Gas, Wet After Lease Separation: The volume of natural gas remaining after removal of lease condensate in lease and/or field separation facilities, if any, and after exclusion of nonhydrocarbon gases where they occur in sufficient quantity to render the gas unmarketable. Natural gas liquids may be recovered from volumes of natural gas, wet after lease separation, at natural gas processing plants. (See Lease Condensate, Lease Separator, and Field Separation Facility)

Net Revisions: (See Revisions)

**New Field:** A field discovered during the report year.

**New Field Discoveries:** The volumes of proved reserves of crude oil, natural gas and/or natural gas liquids discovered in new fields during the report year.

**New Reservoir:** A reservoir discovered during the report year.

New Reservoir Discoveries in Old Fields: The volumes of proved reserves of crude oil, natural gas, and/or natural gas liquids discovered during the report year in new reservoir(s) located in old fields.

**Nonproducing Reservoirs:** Reservoirs in which proved liquid or gaseous hydrocarbon reserves have been identified, but which did not produce during the last calendar year regardless of the availability and/or operation of production, gathering, or transportation facilities.

**Old Field:** A field discovered prior to the report year.

**Old Reservoir:** A reservoir discovered prior to the report year.

Operator, Gas Plant: The person responsible for the management and day--to--day operation of one or more natural gas processing plants as of December 31 of the report year. The operator is generally a working interest owner or a company under contract to the working interest owner(s). Plants shut down during the report year are also to be considered "operated" as of December 31. (See Person)

Operator, Oil and/or Gas Well: The person responsible for the management and day--to--day operation of one or more crude oil and/or natural gas wells as of December 31 of the report year. The operator is generally a working interest owner or a company under contract to the working interest owner(s). Wells included are those which have proved reserves of crude oil, natural gas, and/or lease condensate in the reservoirs associated with them, whether or not they are producing. Wells abandoned during the report year are also to be considered "operated" as of December 31. (See Person, Proved Reserves of Crude Oil, Proved Reserves of Natural Gas, Proved Reserves of Lease Condensate, Report Year, and Reservoir)

Ownership: (See Gross Working Interest Ownership Basis)

Parent Company: The parent company of a business entity is an affiliated company which exercises ultimate control over that entity, either directly or indirectly through one or more intermediaries. (See Affiliated (Associated) Company and Control)

**Person:** An individual, a corporation, a partnership, an association, a joint--stock company, a business trust, or an unincorporated organization.

**Pool:** In general, a reservoir. In certain situations a pool may consist of more than one reservoir. (See **Field Area**)

**Plant Liquids:** Those volumes of natural gas liquids recovered in natural gas processing plants.

Production, Crude Oil: The volumes of crude oil which are extracted from oil reservoirs during the report year. These volumes are determined through measurement of the volumes delivered from lease storage tanks, (i.e., at the point of custody transfer) with adjustment for (1) net differences between opening and closing lease inventories, and for (2) basic sediment and water. Oil used on the lease is considered production.

**Production, Lease Condensate:** The volume of lease condensate produced during the report year. Lease condensate volumes include only those volumes recovered from lease or field separation facilities. (See **Lease Condensate**)

Production, Natural Gas, Dry: The volume of natural gas withdrawn from reservoirs during the

report year less (1) the volume returned to such reservoirs in cycling, repressuring of oil reservoirs and conservation operations; less (2) shrinkage resulting from the removal of lease condensate and plant liquids; and less (3) nonhydrocarbon gases where they occur in sufficient quantity to render the gas unmarketable. Volumes of gas withdrawn from gas storage reservoirs and native gas, which has been transferred to the storage category, are not considered production. This is not the same as marketed production, since the latter also excludes vented and flared gas, but contains plant liquids.

Production, Natural Gas, Wet after Lease Separation: The volume of natural gas withdrawn from reservoirs during the report year less (1) the volume returned to such reservoirs in cycling, repressuring of oil reservoirs and conservation operations; less (2) shrinkage resulting from the removal of lease condensate; and less (3) nonhydrocarbon gases where they occur in sufficient quantity to render the gas unmarketable. Volumes of gas withdrawn from gas storage reservoirs and native gas, which has been transferred to the storage category, are not considered production. This is not the same as marketed production, since the latter excludes vented and flared gas.

**Production, Natural Gas Liquids:** The volume of natural gas liquids removed from natural gas in lease separators, field facilities, gas processing plants or cycling plants during the report year.

**Production, Plant Liquids:** The volume of liquids removed from natural gas in natural gas processing plants or cycling plants during the report year.

Proved Reserves of Crude Oil: Proved reserves of crude oil as of December 31 of the report year are the estimated quantities of all liquids defined as crude oil, which geological and engineering data demonstrate with reasonable certainty to be recoverable in future years from known reservoirs under existing economic and operating conditions.

Reservoirs are considered proved if economic producibility is supported by actual production or conclusive formation test (drill stem or wire line), or if economic producibility is supported by core analyses and/or electric or other log interpretations. The area of an oil reservoir considered proved includes (1) that portion delineated by drilling and defined by gas--oil and/or oil--water contacts, if any; and (2) the immediately adjoining portions not yet

drilled, but which can be reasonably judged as economically productive on the basis of available geological and engineering data. In the absence of information on fluid contacts, the lowest known structural occurrence of hydrocarbons is considered to be the lower proved limit of the reservoir.

Volumes of crude oil placed in underground storage are not to be considered proved reserves.

Reserves of crude oil which can be produced economically through application of improved recovery techniques (such as fluid injection) are included in the "proved" classification when successful testing by a pilot project, or the operation of an installed program in the reservoir, provides support for the engineering analysis on which the project or program was based.

Estimates of proved crude oil reserves do not include the following: (1) oil that may become available from known reservoirs but is reported separately as "indicated additional reserves"; (2) natural gas liquids (including lease condensate); (3) oil, the recovery of which is subject to reasonable doubt because of uncertainty as to geology, reservoir characteristics, or economic factors; (4) oil that may occur in undrilled prospects; and (5) oil that may be recovered from oil shales, coal, gilsonite, and other such sources. It is not necessary that production, gathering or transportation facilities be installed or operative for a reservoir to be considered proved.

Proved Reserves of Lease Condensate: Proved reserves of lease condensate as of December 31 of the report year are the volumes of lease condensate expected to be recovered in future years in conjunction with the production of proved reserves of natural gas as of December 31 of the report year, based on the recovery efficiency of lease and/or field separation facilities installed as of December 31 of the report year. (See Lease Condensate and Proved Reserves of Natural Gas)

Proved Reserves of Natural Gas: Proved reserves of natural gas as of December 31 of the report year are the estimated quantities which analysis of geological and engineering data demonstrate with reasonable certainty to be recoverable in future years from known reservoirs under existing economic and operating conditions.

Reservoirs are considered proved if economic producibility is supported by actual production or conclusive formation test (drill stem or wire line), or if economic producibility is supported by core analyses and/or electric or other log interpretations.

The area of a gas reservoir considered proved includes: (1) that portion delineated by drilling and defined by gas--oil and/or gas--water contacts, if any; and (2) the immediately adjoining portions not yet drilled, but which can be reasonably judged as economically productive on the basis of available geological and engineering data. In the absence of information on fluid contacts, the lowest known structural occurrence of hydrocarbons is considered to be the lower proved limit of the reservoir.

Volumes of natural gas placed in underground storage are not to be considered proved reserves.

For natural gas, wet after lease separation, an appropriate reduction in the reservoir gas volume has been made to cover the removal of the liquefiable portions of the gas in lease and/or field separation facilities and the exclusion of nonhydrocarbon gases where they occur in sufficient quantity to render the gas unmarketable.

For dry natural gas, an appropriate reduction in the gas volume has been made to cover the removal of the liquefiable portions of the gas in lease and/or field separation facilities, and in natural gas processing plants, and the exclusion of nonhydrocarbon gases where they occur in sufficient quantity to render the gas unmarketable.

It is not necessary that production, gathering, or transportation facilities be installed or operative for a reservoir to be considered proved. It is to be assumed that compression will be initiated if and when economically justified.

Proved Reserves of Natural Gas Liquids: Proved reserves of natural gas liquids as of December 31 of the report year are those volumes of natural gas liquids (including lease condensate) demonstrated with reasonable certainty to be separable in the future from proved natural gas reserves, under existing economic and operating conditions.

**Proved Ultimate Recovery:** The sum of proved reserves and cumulative production. It is expected to change over time for any field, group of fields, State, or Country. Proved Ultimate Recovery does not represent the maximum recoverable volume of resources for an area. It is instead a gauge of how much has already been produced plus proved reserves. Proved reserves of crude oil or natural gas are the estimated quantities of petroleum which

geological and engineering data demonstrate with reasonable certainty to be recoverable in future years from known reservoirs under existing economic and operating conditions. When deterministic proved reserves estimation methods are used, the term reasonable certainty is intended to express a high degree of confidence that the estimated quantities will be recovered. When probabilistic methods are used there should be at least a 90 percent probability that the actual quantities recovered will exceed the estimate.

Report Year: The calendar year to which data reported in this publication pertain.

Reserves: (See Proved Reserves)

**Reserve Additions:** Consist of adjustments, net revisions, extensions to old reservoirs, new reservoir discoveries in old fields, and new field discoveries.

**Reserves Changes:** Positive and negative revisions, extensions, new reservoir discoveries in old fields, and new field discoveries, which occurred during the report year.

**Reservoir:** A porous and permeable underground formation containing an individual and separate natural accumulation of producible hydrocarbons (oil and/or gas) which is confined by impermeable rock or water barriers and is characterized by a single natural pressure system.

Revisions: Changes to prior year--end proved reserves estimates, either positive or negative, resulting from new information other than an increase in proved acreage (extension). Revisions include increases of proved reserves associated with the installation of improved recovery techniques or equipment. They also include correction of prior report year arithmetical or clerical errors and adjustments to prior year--end production volumes to the extent that these alter reported prior year reserves estimates.

Royalty (Including Overriding Royalty) Interests: These interests entitle their owner(s) to a share of the mineral production from a property or to a share of the proceeds therefrom. They do not contain the rights and obligations of operating the property, and normally do not bear any of the costs of exploration, development, and operation of the property.

**Sales:** The volume of proved reserves deducted from an operator's total when selling an existing field or properties.

**Subdivision:** A prescribed portion of a given State or other geographical region defined in this publication for statistical reporting purposes.

**Subsidiary Company**: A company which is controlled through the ownership of voting stock, or a corporate joint venture in which a corporation is owned by a small group of businesses as a separate and specific business or project for the mutual benefit of the members of the group. (See **Control**)

**Total Discoveries:** The sum of extensions, new reservoir discoveries in old fields, and new field discoveries, which occurred during the report year.

**Total Liquid Hydrocarbon Reserves:** The sum of crude oil and natural gas liquids reserves volumes.

**Total Operated Basis:** The total reserves or production associated with the wells operated by an individual operator. This is also commonly known as the "gross operated" or "8/8ths" basis.

Working Interest: A working interest permits the owner(s) to explore, develop and operate a property. The working interest owner(s) bear(s) the costs of exploration, development and operation of the property, and in return is (are) entitled to a share of the mineral production from the property or to a share of the proceeds therefrom.