

02091500 CONTENTNEA CREEK AT HOOKERTON, NC—Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD.--Water years 1950, 1969-72, 1979 to current year.

PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: March 1979 to September 1984, April 2002 to August 2004.

WATER TEMPERATURE: October 1949 to September 1950, March 1979 to September 1984, April 2002 to August 2004.

INSTRUMENTATION.--Water-quality monitor with satellite telemetry from April 2002 to August 2004. Water-quality monitor from October 1981 to September 1984.

REMARKS.--Station operated as part of NAWQA Program from March 1993 to current year. Station also operated as part of NASQAN network from March 1979 to September 1993. Miscellaneous chemical data published for water years 1945, 1947-49, 1955-67.

EXTREMES FOR PERIOD OF DAILY RECORD.--

CONSTITUENT	MAXIMUM RECORDED	MINIMUM RECORDED
SPECIFIC CONDUCTANCE, microsiemens	307, August 29, 2002	41, June 11, 1979 (daily)
WATER TEMPERATURE, °C	31.8, August 25, 2002	1.0, January 13, 14, 1981 (daily), January 18, 1982

EXTREMES FOR CURRENT YEAR.--

CONSTITUENT	MAXIMUM RECORDED	MINIMUM RECORDED
SPECIFIC CONDUCTANCE, microsiemens	132, February 1	64, May 7, 8, June 9, July 7, August 14
WATER TEMPERATURE, °C	29.1, July 15	2.7, January 29

WATER-QUALITY DATA, WATER YEAR OCTOBER 2003 TO SEPTEMBER 2004

Date	Time	Medium code	Instantaneous discharge, cfs (00061)	Barometric pressure, mm Hg (00025)	Dissolved oxygen, mg/L (00300)	Dissolved oxygen, percent of saturation (00301)	pH, water, unfltrd field, std units (00400)	Specific conductance, wat unfltrd uS/cm 25 degC (00095)	Temperature, water, deg C (00010)	Alkalinity, wat fltr inc tit field, mg/L as CaCO3 (39086)	Bicarbonate, wat fltr incrm. titr., mg/L (00453)	Chloride, water, fltrd, mg/L (00940)	Sulfate water, fltrd, mg/L (00945)
OCT 22...	0830	9	343	750	7.2	76	6.5	105	17.0	15	18	12.6	6.5
DEC 22...	1345	9	3,030	769	--	--	6.0	72	5.3	5	6	9.23	6.2
FEB 18...	1245	9	1,060	764	11.0	88	6.4	88	5.8	7	8	12.5	7.0
MAR 16...	1315	9	499	753	9.9	95	6.4	89	12.9	12	15	12.7	7.0
APR 14...	1530	9	730	753	7.1	74	6.6	90	17.0	11	14	11.6	6.3
MAY 13...	1430	9	878	770	4.7	54	5.7	90	22.8	16	20	9.94	5.7
JUN 09...	1600	9	1,190	767	5.1	68	5.6	66	31.0	8	10	7.37	5.4
JUL 14...	1400	9	394	752	4.1	54	6.4	95	29.1	13	15	10.0	7.3
AUG 11...	1100	D	140	762	6.1	73	6.2	103	24.7	--	--	--	--
18...	1500	9	1,520	762	5.6	66	5.8	71	23.3	11	13	7.65	7.1
SEP 22...	1500	9	801	767	6.0	67	6.5	82	20.8	14	18	9.39	4.2

02091500 CONTENTNEA CREEK AT HOOKERTON, NC—Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2003 TO SEPTEMBER 2004—CONTINUED

Date	Methyl parathion, water, fltrd 0.7u GF (82667)	Metolachlor, water, fltrd, ug/L (39415)	Metribuzin, water, fltrd, ug/L (82630)	Molinate, water, fltrd 0.7u GF (82671)	Napropamide, water, fltrd 0.7u GF (82684)	p,p'-DDE, water, fltrd, ug/L (34653)	Parathion, water, fltrd, ug/L (39542)	Pebulate, water, fltrd 0.7u GF (82669)	Pendimethalin, water, fltrd 0.7u GF (82683)	Phorate water fltrd 0.7u GF (82664)	Prometon, water, fltrd, ug/L (04037)	Propyzamide, water, fltrd 0.7u GF (82676)	Propachlor, water, fltrd, ug/L (04024)
OCT 22...	<.006	E.011	<.006	<.002	<.007	<.003	<.010	<.004	<.022	<.011	E.01	<.004	<.010
DEC 22...	<.015	.014	<.006	<.003	<.007	<.003	<.010	<.004	<.022	<.011	.01	<.004	<.025
FEB 18...	<.015	E.013	<.006	<.003	<.007	<.003	<.010	<.004	<.022	<.011	.01	<.004	<.025
MAR 16...	<.015	E.011	<.006	<.003	<.007	<.003	<.010	<.004	<.022	<.011	.01	<.004	<.025
APR 14...	<.015	.107	<.006	<.003	<.007	<.003	<.010	.004	<.022	<.011	.01	<.004	<.025
MAY 13...	<.015	.133	.008	<.003	<.007	<.003	<.010	<.004	<.022	<.011	.02	<.004	<.025
JUN 09...	<.015	.402	<.006	<.003	E.006	<.003	<.010	<.004	<.022	<.011	.03	<.004	<.025
JUL 14...	--	--	--	--	--	--	--	--	--	--	--	--	--
AUG 11...	--	--	--	--	--	--	--	--	--	--	--	--	--
18...	<.015	.026	<.010	<.003	<.007	<.003	<.010	<.004	<.022	<.011	.03	<.004	<.025
SEP 22...	--	--	--	--	--	--	--	--	--	--	--	--	--

Date	Propanil, water, fltrd 0.7u GF (82679)	Propargite, water, fltrd 0.7u GF (82685)	Simazine, water, fltrd, ug/L (04035)	Tebu-thiuron water fltrd 0.7u GF (82670)	Terbacil, water, fltrd 0.7u GF (82665)	Terbufos, water, fltrd 0.7u GF (82675)	Thio-bencarb water fltrd 0.7u GF (82681)	Tri-allate, water, fltrd 0.7u GF (82678)	Tri-flur-alin, water, fltrd 0.7u GF (82661)	Suspnd. sedi-ment, sieve diametr percent <.063mm (70331)	Sus-pended sedi-ment concen-tration mg/L (80154)	Sus-pended sedi-ment dis-charge, tons/d (80155)
OCT 22...	<.011	<.02	<.007	<.02	<.034	<.02	<.005	<.002	<.009	91	20	19
DEC 22...	<.011	<.02	.018	<.02	<.034	<.02	<.010	<.002	<.009	91	6	49
FEB 18...	<.011	<.02	.047	M	<.034	<.02	<.010	<.002	<.009	95	13	37
MAR 16...	<.011	<.02	.088	<.02	<.034	<.02	<.010	<.002	<.009	92	11	15
APR 14...	<.011	<.02	.035	<.02	<.034	<.02	<.010	<.002	.016	74	50	99
MAY 13...	<.011	<.02	.068	<.02	<.034	<.02	<.010	<.002	<.009	92	17	40
JUN 09...	<.011	<.02	.040	<.02	<.034	<.02	<.010	<.002	<.009	83	15	48
JUL 14...	--	--	--	--	--	--	--	--	--	90	10	11
AUG 11...	--	--	--	--	--	--	--	--	--	--	--	--
18...	<.011	<.02	.015	<.02	<.034	<.02	<.010	<.002	<.009	97	47	193
SEP 22...	--	--	--	--	--	--	--	--	--	96	8	17

Remark codes used in this table:
 < -- Less than
 E -- Estimated value
 M-- Presence verified, not quantified

Medium codes used in this table:
 9 -- Surface water
 D -- Plant tissue

02091500 CONTENTNEA CREEK AT HOOKERTON, NC—Continued

SPECIFIC CONDUCTANCE, WATER, UNFILTERED, MICROSIEMENS PER CENTIMETER AT 25 DEGREES CELSIUS
WATER YEAR OCTOBER 2003 TO SEPTEMBER 2004

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
	OCTOBER			NOVEMBER			DECEMBER			JANUARY		
1	103	101	102	92	88	91	103	101	103	93	91	92
2	104	102	103	89	80	84	104	102	103	95	93	94
3	105	103	104	80	77	78	108	102	104	97	95	95
4	106	104	105	77	76	77	103	98	102	98	96	96
5	110	106	107	83	77	80	101	99	100	99	97	98
6	111	108	110	88	82	86	104	100	102	99	98	98
7	111	109	111	94	87	90	105	101	103	98	97	97
8	114	111	113	96	93	94	105	103	104	98	97	97
9	113	111	112	100	96	98	105	99	103	110	97	100
10	115	113	114	103	99	101	99	94	97	112	97	101
11	116	112	114	104	98	101	96	94	95	100	96	98
12	117	111	114	106	100	104	96	90	93	101	96	98
13	120	116	117	106	105	106	92	87	89	105	99	101
14	123	118	121	108	105	106	87	79	83	105	101	103
15	118	114	116	109	106	107	82	76	78	103	100	101
16	114	112	114	110	108	109	77	73	74	103	101	101
17	112	109	111	111	109	110	74	71	72	104	101	102
18	109	108	108	112	110	111	71	69	70	102	101	101
19	111	107	109	110	104	107	70	69	69	103	101	102
20	115	111	113	106	104	105	70	69	69	103	101	102
21	115	112	114	107	105	107	72	70	71	102	100	101
22	112	108	109	111	107	108	75	72	73	106	101	103
23	108	107	107	111	108	110	79	74	76	105	101	103
24	112	108	110	108	98	103	84	78	81	102	100	101
25	115	111	113	100	97	98	88	84	87	106	101	102
26	115	113	114	98	96	97	89	86	88	113	103	108
27	120	114	116	97	96	97	91	88	90	116	106	110
28	118	113	116	99	97	98	91	87	90	115	103	108
29	114	102	106	101	99	100	90	88	89	107	103	105
30	102	93	97	101	98	100	91	88	90	108	104	106
31	93	91	92	---	---	---	92	88	91	131	107	113
MONTH	123	91	110	112	76	99	108	69	88	131	91	101
DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
	FEBRUARY			MARCH			APRIL			MAY		
1	132	116	125	103	100	101	106	99	102	111	107	108
2	120	111	114	102	99	101	102	100	101	114	103	110
3	114	110	111	101	96	99	102	100	101	104	86	96
4	111	106	108	98	95	97	104	102	104	86	78	82
5	106	103	104	96	94	95	107	104	105	78	76	77
6	109	103	104	95	94	94	106	102	104	77	68	72
7	112	104	110	96	95	95	---	---	---	68	64	66
8	108	99	103	96	96	96	---	---	---	65	64	64
9	102	98	99	98	96	97	---	---	---	67	65	66
10	100	97	99	100	98	99	---	---	---	71	67	69
11	99	91	95	99	97	99	---	---	---	76	71	73
12	96	90	91	99	98	99	---	---	---	84	76	81
13	93	91	92	100	96	99	107	103	105	86	82	84
14	94	92	93	102	99	100	107	95	100	92	86	89
15	98	94	96	102	101	101	96	93	94	96	92	94
16	101	96	98	103	102	102	94	92	94	98	95	96
17	98	96	97	104	102	103	93	89	91	101	98	99
18	97	95	97	104	103	103	89	85	87	106	100	103
19	97	95	96	105	102	104	85	83	84	108	105	107
20	96	93	95	102	93	98	86	84	85	108	107	107
21	95	94	94	93	91	92	90	86	88	107	106	106
22	95	94	95	91	89	90	94	90	91	108	104	105
23	96	95	96	89	87	88	96	93	94	109	105	106
24	98	96	97	88	87	87	98	96	97	106	103	104
25	99	97	98	89	88	88	101	97	99	121	100	111
26	99	98	98	91	89	90	104	101	103	100	67	79
27	102	98	100	95	91	93	103	102	103	68	65	66
28	103	99	101	99	95	97	103	102	102	69	66	67
29	101	99	100	101	98	99	104	102	103	73	68	70
30	---	---	---	102	100	101	108	103	106	77	73	75
31	---	---	---	102	101	102	---	---	---	88	77	83
MONTH	132	90	100	105	87	97	---	---	---	121	64	88

02091500 CONTENTNEA CREEK AT HOOKERTON, NC—Continued

SPECIFIC CONDUCTANCE, WATER, UNFILTERED, MICROSIEMENS PER CENTIMETER AT 25 DEGREES CELSIUS—CONTINUED
 WATER YEAR OCTOBER 2003 TO SEPTEMBER 2004

DAY	JUNE			JULY			AUGUST			SEPTEMBER		
	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
1	93	88	90	102	95	99	111	103	106	---	---	---
2	98	93	96	95	91	92	107	102	105	---	---	---
3	101	98	99	91	88	89	115	103	108	---	---	---
4	108	101	104	89	80	85	117	114	116	---	---	---
5	105	94	99	81	76	79	118	115	116	---	---	---
6	105	98	102	77	68	72	117	113	115	---	---	---
7	102	87	95	68	64	66	114	110	112	---	---	---
8	87	66	81	69	65	67	121	110	116	---	---	---
9	76	64	69	74	69	71	114	110	112	---	---	---
10	69	65	66	81	74	76	117	110	114	---	---	---
11	75	68	70	79	77	78	112	104	109	---	---	---
12	79	72	75	83	79	82	111	104	106	---	---	---
13	80	76	77	79	74	76	107	101	104	---	---	---
14	90	80	84	92	79	85	108	64	91	---	---	---
15	95	87	89	99	92	96	80	67	75	---	---	---
16	97	91	94	100	96	98	---	---	---	---	---	---
17	99	96	97	97	92	94	---	---	---	---	---	---
18	99	98	99	94	93	93	---	---	---	---	---	---
19	99	97	98	94	93	94	72	67	70	---	---	---
20	101	99	100	99	94	96	70	65	67	---	---	---
21	104	100	101	104	99	102	70	65	67	---	---	---
22	110	104	108	109	103	106	---	---	---	---	---	---
23	109	106	107	113	108	110	---	---	---	---	---	---
24	110	107	108	112	110	111	---	---	---	---	---	---
25	110	103	107	114	109	111	---	---	---	---	---	---
26	105	102	104	122	110	114	---	---	---	---	---	---
27	105	101	103	129	118	121	---	---	---	---	---	---
28	104	96	101	130	113	122	---	---	---	---	---	---
29	106	103	105	115	111	113	---	---	---	---	---	---
30	107	102	105	114	107	111	---	---	---	---	---	---
31	---	---	---	111	106	108	---	---	---	---	---	---
MONTH	110	64	94	130	64	94	---	---	---	---	---	---

02091500 CONTENTNEA CREEK AT HOOKERTON, NC—Continued

TEMPERATURE, WATER, DEGREES CELSIUS
WATER YEAR OCTOBER 2003 TO SEPTEMBER 2004

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
1	20.6	19.6	20.1	15.0	14.7	14.8	11.0	10.6	10.8	7.6	7.3	7.5
2	19.9	19.0	19.4	15.3	14.9	15.1	10.6	9.6	10.2	8.0	7.5	7.8
3	19.0	17.8	18.3	15.9	15.3	15.5	9.6	8.4	8.9	8.8	8.0	8.3
4	18.5	17.4	18.0	17.2	15.9	16.6	8.4	8.0	8.1	10.3	8.8	9.6
5	18.9	17.8	18.4	18.2	17.2	17.7	8.1	8.0	8.0	12.3	10.3	11.2
6	18.8	17.8	18.4	19.3	18.2	18.7	8.0	7.6	7.9	12.6	11.8	12.4
7	18.9	18.2	18.5	19.7	19.3	19.6	7.6	6.9	7.2	11.8	9.9	10.8
8	18.8	18.5	18.6	19.6	18.2	19.0	6.9	6.5	6.7	9.9	8.6	9.2
9	19.6	18.5	19.0	18.2	16.2	17.2	6.6	6.1	6.4	8.6	7.2	7.9
10	19.5	19.1	19.3	16.2	15.3	15.7	8.1	6.4	6.8	7.2	5.5	6.3
11	19.4	19.0	19.2	15.3	14.8	15.0	9.2	8.1	8.7	5.5	4.2	4.7
12	19.7	18.8	19.2	15.4	14.7	15.0	9.2	8.5	8.9	4.5	3.9	4.2
13	20.2	19.0	19.6	15.6	14.4	15.2	9.2	8.7	8.9	4.9	4.2	4.5
14	19.9	19.5	19.6	14.4	13.0	13.7	8.7	8.1	8.4	5.0	4.5	4.7
15	19.6	18.7	19.2	13.1	12.6	12.9	8.1	7.3	7.6	5.6	4.7	5.1
16	18.8	17.8	18.2	13.6	12.9	13.2	7.3	6.9	7.1	5.6	5.1	5.3
17	18.0	17.1	17.6	14.2	13.5	13.9	7.7	7.2	7.5	5.4	4.9	5.2
18	17.7	17.0	17.4	14.8	13.9	14.3	7.5	7.1	7.3	6.7	5.3	6.0
19	17.0	16.0	16.5	15.6	14.7	15.2	7.1	6.8	7.0	7.0	6.4	6.7
20	16.9	15.9	16.4	15.5	14.8	15.2	6.8	6.3	6.6	6.4	5.7	6.0
21	17.3	16.2	16.8	14.8	14.3	14.6	6.3	5.6	5.9	5.7	5.1	5.3
22	17.8	17.0	17.3	14.5	14.0	14.2	5.6	5.4	5.5	5.3	4.7	5.1
23	17.1	16.0	16.4	14.2	13.6	13.8	6.2	5.5	5.7	5.2	4.6	4.9
24	16.0	15.1	15.5	13.9	13.3	13.6	7.7	6.2	7.0	5.3	4.5	4.9
25	15.3	14.9	15.1	13.9	13.0	13.6	7.8	7.4	7.6	5.0	3.7	4.5
26	16.0	15.2	15.6	13.0	12.7	12.8	7.4	7.1	7.2	3.7	3.3	3.5
27	16.9	16.0	16.5	12.7	12.2	12.4	7.2	7.0	7.1	3.4	3.2	3.3
28	16.9	16.5	16.8	13.7	12.4	13.1	7.0	6.5	6.7	3.4	2.8	3.1
29	16.5	15.1	15.9	13.5	11.6	12.6	6.8	6.3	6.5	3.4	2.7	3.1
30	15.6	14.9	15.2	11.6	11.0	11.3	7.7	6.8	7.3	3.8	3.1	3.4
31	15.2	14.7	14.9	---	---	---	7.7	7.1	7.4	3.8	3.4	3.6
MONTH	20.6	14.7	17.6	19.7	11.0	14.8	11.0	5.4	7.5	12.6	2.7	6.1
DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
1	3.7	3.2	3.5	9.1	7.8	8.3	16.3	15.7	16.1	20.0	19.6	19.8
2	4.1	3.2	3.6	11.2	9.1	10.2	15.7	14.8	15.2	20.5	19.5	20.0
3	4.8	4.1	4.5	13.1	11.2	12.1	15.0	14.1	14.6	20.4	18.9	19.9
4	5.2	4.5	4.9	15.0	13.1	14.0	15.5	14.3	14.9	18.9	17.8	18.1
5	5.8	5.2	5.5	16.5	15.0	15.8	14.9	14.1	14.5	17.8	17.3	17.6
6	7.7	5.8	6.5	17.2	16.5	17.0	14.7	13.5	14.2	18.5	17.7	18.0
7	9.0	7.7	8.5	17.6	16.9	17.3	---	---	---	19.1	18.4	18.7
8	8.9	8.3	8.6	17.4	16.0	16.7	---	---	---	20.0	19.1	19.5
9	8.5	8.1	8.3	16.0	15.0	15.3	---	---	---	20.8	19.9	20.2
10	8.6	8.3	8.4	15.0	13.5	14.2	---	---	---	21.7	20.8	21.2
11	8.4	8.1	8.3	13.5	12.5	13.1	---	---	---	22.6	21.7	22.1
12	8.3	7.7	8.1	13.3	12.5	13.0	---	---	---	22.8	22.4	22.6
13	8.2	7.4	7.8	13.2	12.6	12.9	17.6	16.4	16.9	23.2	22.4	22.7
14	8.1	7.9	8.0	12.9	12.4	12.7	17.4	16.4	17.0	23.7	22.7	23.2
15	8.1	7.7	8.0	13.2	12.8	13.0	16.4	15.7	16.1	24.2	23.1	23.6
16	7.7	6.9	7.2	13.7	13.1	13.4	16.3	15.5	16.0	24.5	23.4	24.0
17	7.1	6.0	6.6	13.5	12.6	13.2	16.8	15.9	16.3	24.7	23.6	24.1
18	6.3	5.8	6.1	12.7	12.1	12.5	17.8	16.8	17.3	24.6	23.5	24.1
19	6.6	6.0	6.2	13.5	12.5	13.0	19.1	17.8	18.4	24.9	23.6	24.3
20	7.6	6.6	7.0	13.2	12.6	12.9	20.1	19.0	19.5	25.3	23.8	24.6
21	9.1	7.6	8.4	13.9	13.2	13.6	20.7	20.0	20.3	26.1	24.5	25.3
22	9.5	9.0	9.2	13.6	13.1	13.3	21.4	20.5	20.9	26.9	25.2	26.1
23	9.8	9.4	9.6	13.1	12.6	12.8	22.3	20.8	21.5	27.1	25.8	26.4
24	9.9	9.6	9.8	12.8	12.3	12.6	22.4	21.6	22.0	26.3	25.0	25.8
25	9.7	9.2	9.5	13.5	12.4	13.0	22.0	21.3	21.7	26.3	25.7	26.1
26	9.5	7.6	8.6	14.5	13.3	13.9	22.4	21.2	21.8	25.7	25.2	25.5
27	7.7	7.0	7.4	15.7	14.4	15.0	21.8	20.8	21.2	25.9	25.4	25.7
28	7.6	6.6	7.2	16.8	15.7	16.3	20.8	19.7	20.2	26.1	25.7	25.9
29	7.9	7.0	7.4	16.8	15.9	16.3	20.2	19.1	19.7	26.0	25.7	25.9
30	---	---	---	16.6	15.8	16.2	20.4	19.2	19.8	25.8	24.8	25.3
31	---	---	---	16.6	16.0	16.3	---	---	---	25.2	24.5	24.8
MONTH	9.9	3.2	7.3	17.6	7.8	13.9	---	---	---	27.1	17.3	22.9

02091500 CONTENTNEA CREEK AT HOOKERTON, NC—Continued

TEMPERATURE, WATER, DEGREES CELSIUS—CONTINUED
WATER YEAR OCTOBER 2003 TO SEPTEMBER 2004

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
1	25.8	24.6	25.2	26.5	25.3	25.8	27.7	26.8	27.3	---	---	---
2	25.9	24.4	25.2	26.8	25.7	26.2	27.6	26.8	27.2	---	---	---
3	26.6	24.9	25.8	26.6	25.9	26.2	27.3	26.4	26.8	---	---	---
4	26.3	24.5	25.7	26.3	25.4	25.9	28.0	26.2	27.2	---	---	---
5	24.7	23.6	24.1	26.9	25.9	26.4	28.6	27.1	27.9	---	---	---
6	24.4	23.6	24.0	27.0	26.4	26.7	28.1	26.5	27.3	---	---	---
7	23.7	23.0	23.4	27.6	26.8	27.2	26.5	24.9	25.6	---	---	---
8	24.0	23.5	23.7	28.0	27.3	27.6	25.6	24.3	25.0	---	---	---
9	24.4	23.8	24.1	28.4	27.5	27.9	25.4	24.4	24.9	---	---	---
10	25.0	24.1	24.5	29.0	27.8	28.3	25.8	24.3	25.1	---	---	---
11	25.9	25.0	25.4	28.4	27.1	27.7	26.1	24.6	25.4	---	---	---
12	25.9	24.9	25.5	27.7	27.0	27.3	25.8	25.1	25.5	---	---	---
13	24.9	24.2	24.5	28.2	26.8	27.4	25.3	24.4	24.7	---	---	---
14	25.0	24.1	24.5	29.0	27.7	28.3	24.5	22.1	23.5	---	---	---
15	25.7	24.3	25.0	29.1	28.2	28.6	22.1	21.6	21.7	---	---	---
16	25.7	25.1	25.4	28.7	27.7	28.3	22.6	21.8	22.1	---	---	---
17	25.9	24.8	25.3	28.2	27.3	27.8	23.0	22.2	22.6	---	---	---
18	27.1	25.4	26.2	27.5	26.8	27.1	23.5	22.8	23.1	---	---	---
19	28.0	26.5	27.2	27.1	26.1	26.7	24.3	23.4	23.8	---	---	---
20	27.7	26.9	27.3	27.8	26.0	26.9	25.0	24.3	24.6	---	---	---
21	27.0	26.0	26.6	28.2	26.7	27.5	25.5	24.9	25.2	---	---	---
22	27.0	25.7	26.4	28.2	27.1	27.7	25.6	25.3	25.5	---	---	---
23	28.0	26.3	27.1	27.8	27.0	27.3	25.4	25.0	25.3	---	---	---
24	27.5	26.6	27.0	27.2	26.5	26.8	25.3	24.8	25.1	---	---	---
25	27.5	26.1	26.8	26.9	26.1	26.5	25.4	24.6	25.0	---	---	---
26	27.1	26.4	26.8	27.6	26.2	26.8	25.5	24.9	25.2	---	---	---
27	26.4	25.4	26.0	28.3	26.9	27.6	25.8	24.9	25.3	---	---	---
28	26.1	25.4	25.7	28.3	27.5	27.9	26.3	25.1	25.7	---	---	---
29	26.0	25.0	25.5	28.4	27.2	27.7	26.5	25.7	26.1	---	---	---
30	26.1	25.4	25.7	28.5	27.1	27.8	26.1	25.1	25.5	---	---	---
31	---	---	---	28.0	27.1	27.6	25.6	24.6	25.1	---	---	---
MONTH	28.0	23.0	25.5	29.1	25.3	27.3	28.6	21.6	25.2	---	---	---