



**National Voluntary
Laboratory Accreditation Program**



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2005

North Carolina Standards Laboratory
4040 District Drive / 1051 Mail Service Center
Raleigh, NC 27699-1051
Mr. L. F. Eason
Phone: 919-733-4411 Fax: 919-733-8804
E-mail: lf.eason@ncmail.net
URL: <http://www.agr.state.nc.us/standard/>

CALIBRATION LABORATORIES

NVLAP LAB CODE 200495-0
Scope Revised: 2008-05-23

NVLAP Code: 20/A01 ANSI/NCSL Z540-1-1994; Part 1 Compliant

DIMENSIONAL

NVLAP Code: 20/D05
Length and Rigid Rules

<i>Range in inches</i>	<i>Best Uncertainty (±) in inches^{note 1}</i>	<i>Remarks</i>
0 to 1	0.0010	Rigid Rules
0 to 2	0.0010	Rigid Rules
0 to 3	0.0010	Rigid Rules
0 to 4	0.0010	Rigid Rules
0 to 5	0.0010	Rigid Rules
0 to 6	0.0010	Rigid Rules
0 to 7	0.0010	Rigid Rules
0 to 8	0.0010	Rigid Rules
0 to 9	0.0010	Rigid Rules
0 to 10	0.0010	Rigid Rules
0 to 11	0.0010	Rigid Rules
0 to 12	0.0010	Rigid Rules
0 to 24	0.0012	Rigid Rules
0 to 36	0.0020	Rigid Rules
0 to 48	0.0035	Rigid Rules

2008-04-01 through 2009-03-31

Effective dates

For the National Institute of Standards and Technology



**National Voluntary
Laboratory Accreditation Program**



CALIBRATION LABORATORIES

NVLAP LAB CODE 200495-0

Scope Revised: 2008-05-23

0 to 60	0.0035	Rigid Rules
Lottery Ball Pass Through Gauge	0.0030	

NVLAP Code: 20/D13
Surveying Tapes

Range in ft	Best Uncertainty (\pm) in ft ^{note 1}	Remarks
0 to 1	0.00025	Bench Method
0 to 2	0.00025	Bench Method
0 to 3	0.00025	Bench Method
0 to 4	0.00025	Bench Method
0 to 5	0.00025	Bench Method
0 to 6	0.00025	Bench Method
0 to 7	0.00025	Bench Method
0 to 8	0.00025	Bench Method
0 to 9	0.00025	Bench Method
0 to 10	0.00025	Bench Method
0 to 11	0.00025	Bench Method
0 to 12	0.00025	Bench Method
0 to 13	0.00025	Bench Method
0 to 14	0.00025	Bench Method
0 to 15	0.00025	Bench Method
0 to 16	0.00025	Bench Method
17 to 32	0.00034	Bench Method
33 to 48	0.00039	Bench Method
49 to 64	0.00045	Bench Method
65 to 80	0.00051	Bench Method
81 to 96	0.00055	Bench Method
97 to 112	0.00059	Bench Method

Range in m	Best Uncertainty (\pm) in mm ^{note 1}	Remarks
0 to 0.1	0.065	Bench Method
0 to 0.2	0.065	Bench Method

2008-04-01 through 2009-03-31

Effective dates

Sally S. Bruce

For the National Institute of Standards and Technology



National Voluntary Laboratory Accreditation Program



CALIBRATION LABORATORIES

NVLAP LAB CODE 200495-0
Scope Revised: 2008-05-23

0 to 0.3	0.065	Bench Method
0 to 0.4	0.065	Bench Method
0 to 0.5	0.065	Bench Method
0 to 0.6	0.065	Bench Method
0 to 0.7	0.065	Bench Method
0 to 0.8	0.065	Bench Method
0 to 0.9	0.065	Bench Method
0 to 1	0.065	Bench Method
0 to 2	0.065	Bench Method
0 to 3	0.065	Bench Method
0 to 4	0.065	Bench Method
0 to 5	0.065	Bench Method
6 to 10	0.10	Bench Method
11 to 15	0.12	Bench Method
16 to 20	0.14	Bench Method
21 to 25	0.16	Bench Method
26 to 30	0.17	Bench Method

MECHANICAL

NVLAP Code: 20/M08
Mass - Metric

Range	Best Uncertainty (\pm) ^{note 1}	Remarks
30 kg	8.4 mg	Echelon I
25 kg	8.0 mg	Echelon I
20 kg	5.6 mg	Echelon I
10 kg	1.0 mg	Echelon I
5 kg	0.46 mg	Echelon I
3 kg	0.28 mg	Echelon I
2 kg	0.21 mg	Echelon I
1 kg	39 μ g	Echelon I
500 g	23 μ g	Echelon I
300 g	16 μ g	Echelon I

2008-04-01 through 2009-03-31

Effective dates

Sally S. Bruce

For the National Institute of Standards and Technology



**National Voluntary
Laboratory Accreditation Program**



CALIBRATION LABORATORIES

NVLAP LAB CODE 200495-0
Scope Revised: 2008-05-23

200 g	12 µg	Echelon I
100 g	12 µg	Echelon I
50 g	7.0 µg	Echelon I
30 g	5.0 µg	Echelon I
20 g	4.2 µg	Echelon I
10 g	4.3 µg	Echelon I
5 g	2.2 µg	Echelon I
3 g	1.5 µg	Echelon I
2 g	1.1 µg	Echelon I
1 g	1.1 µg	Echelon I
500 mg	0.70 µg	Echelon I
300 mg	0.55 µg	Echelon I
200 mg	0.47 µg	Echelon I
100 mg	0.39 µg	Echelon I
50 mg	0.39 µg	Echelon I
30 mg	0.32 µg	Echelon I
20 mg	0.30 µg	Echelon I
10 mg	0.36 µg	Echelon I
5 mg	0.22 µg	Echelon I
3 mg	0.19 µg	Echelon I
2 mg	0.17 µg	Echelon I
1 mg	0.19 µg	Echelon I
Mass – Avoirdupois		
50 lb	10 mg	Echelon I
30 lb	1.5 mg	Echelon I
25 lb	1.5 mg	Echelon I
20 lb	1.5 mg	Echelon I
10 lb	0.45 mg	Echelon I
5 lb	0.21 mg	Echelon I
4 lb	0.21 mg	Echelon I
3 lb	33 µg	Echelon I
2 lb	33 µg	Echelon I
1 lb	21 µg	Echelon I

2008-04-01 through 2009-03-31

Effective dates

Sally S. Bruce

For the National Institute of Standards and Technology



National Voluntary Laboratory Accreditation Program



CALIBRATION LABORATORIES

NVLAP LAB CODE 200495-0
Scope Revised: 2008-05-23

0.5 lb	11 µg	Echelon I
0.3 lb	11 µg	Echelon I
0.2 lb	11 µg	Echelon I
0.1 lb	5.9 µg	Echelon I
0.05 lb	3.8 µg	Echelon I
0.03 lb	3.9 µg	Echelon I
0.02 lb	3.9 µg	Echelon I
0.01 lb	2.0 µg	Echelon I
0.005 lb	1.0 µg	Echelon I
0.003 lb	1.0 µg	Echelon I
0.002 lb	1.0 µg	Echelon I
0.001 lb	0.62 µg	Echelon I
Mass – Metric		
250 kg	2.8 g	Echelon II
200 kg	2.4 g	Echelon II
100 kg	1.0 g	Echelon II
50 kg	24 mg	Echelon II
30 kg	19 mg	Echelon II
25 kg	15 mg	Echelon II
20 kg	13 mg	Echelon II
10 kg	8.2 mg	Echelon II
5 kg	1.9 mg	Echelon II
3 kg	1.1 mg	Echelon II
2 kg	0.78 mg	Echelon II
1 kg	45 µg	Echelon II
500 g	64 µg	Echelon II
300 g	51 µg	Echelon II
200 g	45 µg	Echelon II
100 g	18 µg	Echelon II
50 g	11 µg	Echelon II
30 g	8.5 µg	Echelon II
20 g	7.4 µg	Echelon II
10 g	4.7 µg	Echelon II

2008-04-01 through 2009-03-31

Effective dates

Sally S. Bruce

For the National Institute of Standards and Technology



**National Voluntary
Laboratory Accreditation Program**



CALIBRATION LABORATORIES

NVLAP LAB CODE 200495-0
Scope Revised: 2008-05-23

5 g	2.4 µg	Echelon II
3 g	1.7 µg	Echelon II
2 g	1.4 µg	Echelon II
1 g	1.4 µg	Echelon II
500 mg	1.1 µg	Echelon II
300 mg	0.68 µg	Echelon II
200 mg	0.62 µg	Echelon II
100 mg	0.66 µg	Echelon II
50 mg	0.57 µg	Echelon II
30 mg	0.54 µg	Echelon II
20 mg	0.53 µg	Echelon II
10 mg	0.56 µg	Echelon II
5 mg	0.50 µg	Echelon II
3 mg	0.49 µg	Echelon II
2 mg	0.48 µg	Echelon II
1 mg	0.49 µg	Echelon II
Mass – Avoirdupois		
2500 lb	25 g	Echelon II
2000 lb	18 g	Echelon II
1000 lb	0.81 g	Echelon II
500 lb	0.41 g	Echelon II
100 lb	45 mg	Echelon II
50 lb	28 mg	Echelon II
30 lb	17 mg	Echelon II
25 lb	13 mg	Echelon II
20 lb	11 mg	Echelon II
10 lb	7.5 mg	Echelon II
5 lb	1.2 mg	Echelon II
4 lb	0.72 mg	Echelon II
3 lb	0.81 mg	Echelon II
2 lb	0.34 mg	Echelon II
1 lb	0.17 mg	Echelon II
0.5 lb	93 µg	Echelon II

2008-04-01 through 2009-03-31

Effective dates

Sally S. Bruce

For the National Institute of Standards and Technology



National Voluntary Laboratory Accreditation Program



CALIBRATION LABORATORIES

NVLAP LAB CODE 200495-0
Scope Revised: 2008-05-23

0.3 lb	67 µg	Echelon II
0.2 lb	38 µg	Echelon II
0.1 lb	22 µg	Echelon II
0.05 lb	12 µg	Echelon II
0.03 lb	9.3 µg	Echelon II
0.02 lb	6.2 µg	Echelon II
0.01 lb	4.9 µg	Echelon II
0.005 lb	2.9 µg	Echelon II
0.003 lb	2.2 µg	Echelon II
0.002 lb	1.9 µg	Echelon II
0.001 lb	2.0 µg	Echelon II
4 oz	0.22 mg	Echelon II
2 oz	0.10 mg	Echelon II
1 oz	54 µg	Echelon II
1/2 oz	28 µg	Echelon II
1/4 oz	13 µg	Echelon II
1/8 oz	7.0 µg	Echelon II
1/16 oz	3.9 µg	Echelon II
1/32 oz	2.3 µg	Echelon II
Mass – Metric		
500 kg	4.1 g	Echelon III
250 kg	2.9 g	Echelon III
200 kg	2.5 g	Echelon III
100 kg	1.2 g	Echelon III
50 kg	29 mg	Echelon III
30 kg	28 mg	Echelon III
25 kg	28 mg	Echelon III
20 kg	25 mg	Echelon III
10 kg	24 mg	Echelon III
5 kg	1.3 mg	Echelon III
3 kg	1.2 mg	Echelon III
2 kg	1.2 mg	Echelon III

2008-04-01 through 2009-03-31

Effective dates

Sally S. Bruce

For the National Institute of Standards and Technology



National Voluntary Laboratory Accreditation Program



CALIBRATION LABORATORIES

NVLAP LAB CODE 200495-0
Scope Revised: 2008-05-23

1 kg	1.2 mg	Echelon III
500 g	1.2 mg	Echelon III
300 g	1.2 mg	Echelon III
200 g	85 µg	Echelon III
100 g	85 µg	Echelon III
50 g	85 µg	Echelon III
30 g	85 µg	Echelon III
20 g	85 µg	Echelon III
10 g	85 µg	Echelon III
5 g	3.6 µg	Echelon III
3 g	3.2 µg	Echelon III
2 g	3.2 µg	Echelon III
1 g	3.2 µg	Echelon III
500 mg	3.0 µg	Echelon III
300 mg	2.9 µg	Echelon III
200 mg	2.9 µg	Echelon III
100 mg	2.9 µg	Echelon III
50 mg	2.9 µg	Echelon III
30 mg	3.0 µg	Echelon III
20 mg	2.9 µg	Echelon III
10 mg	2.9 µg	Echelon III
5 mg	2.9 µg	Echelon III
3 mg	2.9 µg	Echelon III
2 mg	2.9 µg	Echelon III
1 mg	2.9 µg	Echelon III
Lottery Balls	25 mg	Echelon III
Mass – Avoirdupois		
6000 lb	29 g	Echelon III
5500 lb	29 g	Echelon III
5000 lb	29 g	Echelon III
4000 lb	24 g	Echelon III
3000 lb	24 g	Echelon III

2008-04-01 through 2009-03-31

Effective dates

Sally S. Bruce

For the National Institute of Standards and Technology



**National Voluntary
Laboratory Accreditation Program**



CALIBRATION LABORATORIES

NVLAP LAB CODE 200495-0
Scope Revised: 2008-05-23

2500 lb	24 g	Echelon III
2000 lb	17 g	Echelon III
1000 lb	0.97 g	Echelon III
500 lb	0.81 g	Echelon III
100 lb	46 mg	Echelon III
50 lb	35 mg	Echelon III
30 lb	28 mg	Echelon III
25 lb	28 mg	Echelon III
20 lb	26 mg	Echelon III
10 lb	7.3 mg	Echelon III
5 lb	1.6 mg	Echelon III
4 lb	1.4 mg	Echelon III
3 lb	1.3 mg	Echelon III
2 lb	1.2 mg	Echelon III
1 lb	1.2 mg	Echelon III
0.5 lb	1.2 mg	Echelon III
0.3 lb	85 µg	Echelon III
0.2 lb	85 µg	Echelon III
0.1 lb	85 µg	Echelon III
0.05 lb	85 µg	Echelon III
0.03 lb	85 µg	Echelon III
0.02 lb	85 µg	Echelon III
0.01 lb	85 µg	Echelon III
0.005 lb	85 µg	Echelon III
0.003 lb	3.4 µg	Echelon III
0.002 lb	3.3 µg	Echelon III
0.001 lb	3.4 µg	Echelon III
4 oz	0.22 mg	Echelon III
2 oz	0.13 mg	Echelon III
1 oz	0.10 mg	Echelon III
1/2 oz	85 µg	Echelon III
1/4 oz	85 µg	Echelon III
1/8 oz	7.7 µg	Echelon III

2008-04-01 through 2009-03-31

Effective dates

Sally S. Bruce

For the National Institute of Standards and Technology



National Voluntary Laboratory Accreditation Program



CALIBRATION LABORATORIES

NVLAP LAB CODE 200495-0
Scope Revised: 2008-05-23

1/16 oz	5.1 µg	Echelon III
1/32 oz	3.9 µg	Echelon III

NVLAP Code: 20/M12
Volume

<i>Nominal Volume</i>	<i>Best Uncertainty (±) ^{note 1}</i>	<i>Remarks</i>
7500 gal	96 in ³	Transfer Method
1500 gal	26 in ³	Transfer Method
1000 gal	14 in ³	Transfer Method
500 gal	6.4 in ³	Transfer Method
100 gal	2.0 in ³	Transfer Method
50 gal	1.8 in ³	Transfer Method
25 gal	1.0 in ³	Transfer Method
5 gal	0.29 in ³	Transfer Method
1 gal	0.29 in ³	Transfer Method
20 L	0.29 in ³	Transfer Method

Field Measurements

5 gal	0.51 in ³	Transfer Method
1 gal	0.51 in ³	Transfer Method

<i>Nominal Volume</i>	<i>Best Uncertainty (±) ^{note 1}</i>	<i>Remarks</i>
100 gal	0.84 in ³	Gravimetric Method
50 gal	0.65 in ³	Gravimetric Method
25 gal	0.38 in ³	Gravimetric Method
15 gal	0.25 in ³	Gravimetric Method
5 gal test measure	0.091 in ³	Gravimetric Method
1 gal test measure	0.045 in ³	Gravimetric Method
20 L test measure	1.7 mL	Gravimetric Method
100 mL flask	0.028 mL	Gravimetric Method
1 qt flask	0.23 mL	Gravimetric Method
1 gill flask	0.050 mL	Gravimetric Method
100 gal slicker	0.33 in ³	Gravimetric Method

2008-04-01 through 2009-03-31

Effective dates

Sally S. Bruce

For the National Institute of Standards and Technology



National Voluntary Laboratory Accreditation Program



CALIBRATION LABORATORIES

NVLAP LAB CODE 200495-0
Scope Revised: 2008-05-23

50 gal slicker	0.23 in ³	Gravimetric Method
25 gal slicker	0.13 in ³	Gravimetric Method
15 gal slicker	0.056 in ³	Gravimetric Method
5 gal slicker	0.034 in ³	Gravimetric Method
1 gal slicker	0.015 in ³	Gravimetric Method
20 L slicker	0.56 mL	Gravimetric Method
30 gal	1.0 in ³	Small Volume Prover Gravimetric Method
20 gal	0.76 in ³	Small Volume Prover Gravimetric Method
15 gal	0.29 in ³	Small Volume Prover Gravimetric Method

THERMODYNAMIC

NVLAP Code: 20/T03
Laboratory Thermometers

<i>Range in °C</i>	<i>Best Uncertainty (±) in °C^{note 1}</i>	<i>Remarks</i>
-30 to 95	0.10	Liquid in Glass and Digital Comparison to PRT
95 to 230	0.10	Liquid in Glass and Digital Comparison to PRT

<i>Range in °F</i>	<i>Best Uncertainty (±) in °F^{note 1}</i>	<i>Remarks</i>
-22 to 203	0.18	Liquid in Glass and Digital Comparison to PRT
203 to 446	0.18	Liquid in Glass and Digital Comparison to PRT

NVLAP Code: 20/T07
Resistance Thermometry

<i>Range in °C</i>	<i>Best Uncertainty (±) in °C^{note 1}</i>	<i>Remarks</i>
-30 to 95	0.0063	Comparison

2008-04-01 through 2009-03-31

Effective dates

Sally S. Bruce

For the National Institute of Standards and Technology



**National Voluntary
Laboratory Accreditation Program**



CALIBRATION LABORATORIES

NVLAP LAB CODE 200495-0

Scope Revised: 2008-05-23

95 to 230	0.011	Comparison
<i>Range in °F</i>	<i>Best Uncertainty (±) in °C^{note 1}</i>	<i>Remarks</i>
-22 to 203	0.011	Comparison
203 to 446	0.019	Comparison

1. Represents an expanded uncertainty using a coverage factor, k = 2, at an approximate level of confidence of 95 %.

2008-04-01 through 2009-03-31

Effective dates

Sally S. Bruce

For the National Institute of Standards and Technology