

9. REFERENCES

- *Aarstad K, Dale O, Aakervik O, et al. 1993. A rapid gas chromatographic method for determination of ethylene glycol in serum and urine. *J Anal Toxicol* 17(4):218-221.
- *Abbondandolo A, Bonatti S, Corsi C, et al. 1980. The use of organic solvent in mutagenicity testing. *Mutat Res* 79(2):141-150.
- Abe S, Sasaki M. 1982. SCE as an index of mutagenesis and/or carcinogenesis. Sister chromatid exchange. *Prog Top Cytogenet* 2:461-514.
- *Aboul-Enein HY, Islam MR. 1989. High performance liquid chromatography determination of ethylene glycol in stamp pad ink. *Toxicol Environ Chem* 24(3):181-184.
- ACGIH. 1994. Threshold limit values and biological exposure indices for 1994-1995. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.
- *ACGIH. 2006. Ethylene glycol. Threshold limit values for chemical substances and physical agents and biological exposure indices. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.
- *Adams M, Collins M. 1988. Sensitive portable gas chromatograph with data retrieval and communications capability for remote surveillance of toxic gases and vapours in plant. *Anal Proc* 25(6):190-191.
- +Adams WH, Toal RL, Breider MA. 1991. Ultrasonographic findings in dogs and cats with oxalate nephrosis attributed to ethylene glycol intoxication: 15 cases (1984-1988). *J Am Vet Med Assoc* 199(4):492-496.
- Adams WH, Toal RL, Walker MA, et al. 1989. Early renal ultrasonographic findings in dogs with experimentally induced ethylene glycol nephrosis. *Am J Vet Res* 50(8):1370-1376.
- *Adinolfi M. 1985. The development of the human blood-CSF-brain barrier. *Dev Med Child Neurol* 27(4):532-537.
- *Adlercreutz H. 1995. Phytoestrogens: Epidemiology and a possible role in cancer protection. *Environ Health Perspect Suppl* 103(7):103-112.
- *Agency for Toxic Substances and Disease Registry. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles; Notice. Agency for Toxic Substances and Disease Registry, Division of Toxicology. *Fed Regist* 54(174):37618-37634.
- *Agency for Toxic Substances and Disease Registry. 1990. Biomarkers of organ damage or dysfunction for the renal, hepatobiliary, and immune systems. Subcommittee on Biomarkers of Organ Damage and Dysfunction. Atlanta, GA: Agency for Toxic Substances and Disease Registry.
- Ahmed MM. 1971. Ocular effects of antifreeze poisoning. *Br J Ophthalmol* 55(12):854-855.

*Cited in text

+Cited in supplemental document

9. REFERENCES

- *AIChE. 1995. Ethylene glycol. C₂H₆O₂. Physical and thermodynamic properties of pure chemicals. American Institute of Chemical Engineers, Design Institute for Physical Property Data. Philadelphia, PA: Taylor and Francis.
- *Altman PL, Dittmer DS. 1974. Biological handbooks: Biology data book. Vol. III. 2nd ed. Bethesda, MD: Federation of American Societies for Experimental Biology, 1987-2008, 2041.
- Ambrose D, Hall DJ. 1981. Thermodynamic properties of organic oxygen compounds: I. The vapor pressures of 1,2-ethanediol (ethylene glycol) and bis(2-hydroxyethyl)ether (diethylene glycol). *J Chem Thermodyn* 13:61-66.
- *Amoozegar A, Warrick AW, Fuller WH. 1986. Movements of selected organic liquids into dry soils. *Haz Waste Haz Mater* 3:29-41.
- Amstrup SC, Gardner C, Myers KC, et al. 1989. Ethylene glycol (antifreeze) poisoning in a free-ranging polar bear. *Vet Hum Toxicol* 31(4):317-319.
- Anbar M, Neta P. 1967. A compilation of specific bimolecular rate constants for the reactions of hydrated electrons, hydrogen atoms, and hydroxyl radicals with inorganic and organic compounds in aqueous solution. *Int J Appl Radiat Isotopes* 18:493-523.
- *Andersen ME, Krishnan K. 1994. Relating in vitro to in vivo exposures with physiologically based tissue dosimetry and tissue response models. In: Salem H, ed. Animal test alternatives: Refinement, reduction, replacement. New York, NY: Marcel Dekker, Inc., 9-25.
- *Andersen ME, Clewell HJ III, Gargas ML, et al. 1987. Physiologically based pharmacokinetics and the risk assessment process for methylene chloride. *Toxicol Appl Pharmacol* 87(2):185-205.
- *Andersson K, Levin J-O, Lindahl R, et al. 1982. Sampling of ethylene glycol and ethylene glycol derivatives in work-room air using Amberlite XAD resins. *Chemosphere* 11(11):1115-1119.
- *Andersson K, Levin J-O, Lindahl R, et al. 1984. Influence of air humidity on sampling efficiency of some solid adsorbents used for sampling organics from work-room air. *Chemosphere* 13(3):437-444.
- Andrews LS, Snyder R. 1986. Toxic effects of solvents and vapors. In: Klaassen CD, Amdur MO, Doull J, eds. *Cassarett and Doull's toxicology: The basic science of poisons*. 3rd ed. New York, NY: MacMillan Publishing Co., 654-657.
- *AOAC. 1990. Method 971.02. Glycerol, propylene glycol, and triethylene glycol in cased cigarette cut filler and ground tobacco. In: Helrich K, ed. *Official methods of analysis-AOAC*. Vol 1. 15th ed. Arlington, VA: Association of Official Analytical Chemists, 65.
- ASTER. 1995. Assessment Tools for the Evaluation of Risk. ASTER output for ethylene glycol. U.S. Environmental Protection Agency.
- Atkinson R. 1985. Kinetics and mechanisms of the gas-phase reactions of hydroxyl radical with organic compounds under atmospheric conditions. *Chem Rev* 85:69-201.
- Atkinson R. 1987. A structure-activity relationship for the estimation of rate constants for the gas-phase reactions of OH radicals with organic compounds. *Int J Chem Kinet* 19:799-828.

9. REFERENCES

- *Atkinson R. 1989. Kinetics and mechanisms of the gas-phase reactions of the hydroxyl radical with organic compounds. New York, NY: American Institute of Physics, American Chemical Society, 140.
- Aungst BJ, Blake JA, Hussain MA. 1990. Contributions of drug solubilization, partitioning, barrier disruption, and solvent permeation to the enhancement of skin permeation of various compounds with fatty acids and amines. *Pharm Res* 7(7):712-718.
- Balikova M, Kohlicek J. 1988. Rapid determination of ethylene glycol at toxic levels in serum and urine. *J Chromatog* 434:469-474.
- *Ball NA. 1984. Determination of ethylene oxide, ethylene chlorohydrin and ethylene glycol in aqueous solutions and ethylene oxide residues in associated plastics. *J Pharm Sci* 73(9):1305-1307.
- *Ballarin C. 1980. [Studies on the identification of medicinal glycals by thin-layer chromatography.] *Pharm Prax* 35:260-264. (German)
- *Barceloux DB, Krenzelok EP, Olson K, et al. 1999. American Academy of Clinical Toxicology practice guidelines on the treatment of ethylene glycol poisoning. *Clin Toxicol* 37(5):537-560.
- *Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. *Regul Toxicol Pharmacol* 8:471-486.
- Barrueto F, Nelson LS. 2002. Ethylene glycol causing mesenteric ischemia? (Comment on: Am J Emerg Med 19:529-530). *Am J Emerg Med* 20(3):263.
- Bartlett D. 2003. Dangerous in small amounts: Ten nondrug substances that cause harm. *J Emerg Nurs* 29(4):377-379.
- *Battersby NS, Wilson V. 1989. Survey of the anaerobic biodegradation potential of organic chemicals in digesting sludge. *Appl Environ Microbiol* 55(2):433-439.
- Battistella M. 2002. Fomepizole as an antidote for ethylene glycol poisoning. *Ann Pharmacother* 36(6):1085-1089.
- *Baud FJ, Bismuth C, Garnier R, et al. 1987. 4-Methylpyrazole may be an alternative to ethanol therapy for ethylene glycol intoxication in man. *J Toxicol Clin Toxicol* 24(6):463-483.
- *Baud FJ, Galliot M, Astier A, et al. 1988. Treatment of ethylene glycol poisoning with intravenous 4-methylpyrazole. *N Engl J Med* 319(2):97-100.
- *Baum C, Langman C, Oker E, et al. 1999. Fomepizole treatment of ethylene glycol poisoning in an infant. *J Toxicol Clin Toxicol* 37(5):656.
- *Baum CR, Langman CB, Oker EE, et al. 2000. Fomepizole treatment of ethylene glycol poisoning in an infant. *Pediatrics* 106:1489-1491.
- +*Beckett SD, Shields RP. 1971. Treatment of acute ethylene glycol (antifreeze) toxicosis in the dog. *J Am Vet Med Assoc* 158(4):472-476.
- *Berger GS. 1994. Epidemiology of endometriosis. In: Berger GS, ed. *Endometriosis: Advanced management and surgical techniques*. New York, NY: Springer-Verlag, 3-7.

9. REFERENCES

- +*Berger JR, Ayyar DR. 1981. Neurological complications of ethylene glycol intoxication. *Arch Neurol* 38(11):724-726.
- *Bey TA, Walter FG, Gibly RL, et al. 2002. Survival after ethylene glycol poisoning in a patient with an arterial pH of 6.58. *Vet Hum Toxicol* 44(3):167-168.
- Bidmon HJ, Pitts JD, Solomon HF, et al. 1990. Estradiol distribution and penetration in rat skin after topical application, studied by high resolution autoradiography. *Histochemistry* 95(1):43-54.
- *Bieszkiewicz E, Van Hoi D, Matusiak K. 1979. Effects of methyl alcohol and ethylene glycol on the work of activated sludge. *Acta Microbiol Pol* 28(3):255-260.
- +*Blakeley KR, Rinner SE, Knochel JP. 1993. Survival of ethylene glycol poisoning with profound acidemia. *New Engl J Med* 328(7):515-516.
- *Blandford DE, Desjardins PR. 1994. A rapid method for measurement of ethylene glycol. *Clin Biochem* 27(1):25-30.
- *Blomstrom DC, Beyer EM. 1980. Plants metabolise ethylene to ethylene glycol. *Nature* 283(5742):66-68.
- +*Blood FR. 1965. Chronic toxicity of ethylene glycol in the rat. *Food Cosmet Toxicol* 3:229-234.
- +Blood FR, Elliot GA, Wright MS. 1962. Chronic toxicity of ethylene glycol in the monkey. *Toxicol Appl Pharmacol* 4:489-491.
- Boatman RJ, Cunningham SL, Ziegler DA. 1986. A method for measuring the biodegradation of organic chemicals. *Environ Toxicol Chem* 5:233-243.
- Boermans HJ, Ruegg PL, Leach M. 1988. Ethylene glycol toxicosis in a pygmy goat. *J Am Vet Med Assoc* 193(6):694-696.
- *Boethling RS, Mackay D, eds., 2000. *Handbook of property estimation methods for chemicals: Environmental and health sciences*. Boca Raton, FL: CRC Press LLC., 355-356.
- Bogusz M. 1980. Vitreous humour as reliable material for ethanediol determinations. *Forensic Sci Int* 16(1):75-76.
- *Bogusz M, Bialka J, Gierz J, et al. 1986. Rapid determination of ethylene glycol in biological material. *Z Rechtsmed* 96(1):23-26.
- +*Bolon B, Bucci TJ, Warbritton AR, et al. 1997. Differential follicle counts as a screen for chemically induced ovarian toxicity in mice: Results from continuous breeding bioassays. *Fundam Appl Toxicol* 39(1):1-10.
- +*Bond GG, Shellenberger RJ, Flores GH, et al. 1985. A case-control study of renal cancer mortality at a Texas chemical plant. *Am J Ind Med* 7(2):123-139.
- Bonitenko I, Kutsenko SA, Koposov ES, et al. 1990. [Acute poisoning with ethylene glycol esters.] *Klin Med* 68:126-130. (Russian)

9. REFERENCES

*Booth ED, Dofferhoff O, Boogaard PJ, et al. 2004. Comparison of the metabolism of ethylene glycol and glycolic acid in vitro by precision-cut tissue slices from female rat, rabbit and human liver. *Xenobiotica* 34:31-48.

Borgerding MF, Milhous LA, Hicks RD, et al. 1990. Cigarette smoke composition: Part 2. Method for determining major components in smoke of cigarettes that heat instead of burn tobacco. *J Assoc Off Anal Chem* 73(4):610-615.

Bost RO, Sunshine I. 1980. Ethylene glycol analysis by gas chromatography. *J Anal Toxicol* 4(2):102-103.

Boublik T, Fried V, Hala E. 1973. The vapour pressures of pure substances: Selected values of the temperature dependence of the vapour pressures of some pure substances in the normal and low pressure region. New York, NY: Elsevier Scientific Publishing Company, 1-5, 99, 119.

Boyd RD, Haworth C, Stacey TE, et al. 1976. Permeability of the sheep placenta to unmetabolized polar non-electrolytes. *J Physiol* 256(3):617-634.

*Boyer EW, Mejia M, Woolf A, et al. 2001. Severe ethylene glycol ingestion treated without hemodialysis. *Pediatrics* 107(1):172-174.

*Brega A, Quadri A, Villa P, et al. 1992. Improved HPLC determination of plasma and urine oxalate in the clinical diagnostic laboratory. *J Liq Chromatogr* 15(3):501-511.

Brent J, Palmer RB. 2004. Quantitative assessment of human health risk from environmental ethylene glycol exposure using the chemical-specific adjustment factor (CSAF) technique. *Toxicol Appl Pharmacol* 197(3):152.

Brent J, McMartin K, Philips S, et al. 1997. 4-Methylpyrazole (fomepizole) therapy of ethylene glycol poisoning: Preliminary results of the meta trial. *J Toxicol Clin Toxicol* 35(5):507.

Brent J, McMartin K, Phillips S, et al. 1999. Fomepizole for the treatment of ethylene glycol poisoning. *N Engl J Med* 340(11):832-838.

*Bridie A, Wolff CJM, Winter M. 1979. BOD and COD of some petrochemicals. *Water Res* 13:627-630.

Broadley SA, Ferguson IT, Walton B, et al. 1997. Severe sensorimotor polyradiculoneuropathy after ingestion of ethylene glycol. *J Neurol Neurosurg Psychiatry* 63(2):261.

Bronaugh RL, Franz TJ. 1986. Vehicle effects on percutaneous absorption: In vivo and in vitro comparisons with human skin. *Lipids* 21(5):309-314.

*Brown ES, Hauser CF, Ream BC, et al. 1980. Glycols. In: Kirk-Othmer encyclopedia of chemical technology. Vol. 11. 3rd ed. New York, NY: John Wiley & Sons, Inc., 933-956.

Brown DJ, Jain NC, Forney RB, et al. 1968. Gas chromatographic assay of glycol-ethanol combinations in biological materials. *J Forensic Sci* 13(4):537-543.

9. REFERENCES

- *Browning E. 1965. Toxicity and metabolism of industrial solvents. New York, NY: American Elsevier, 594-600, 642-644.
- Budavari S, O'Neil MJ, Smith A, et al., eds. 1989. The Merck index: An encyclopedia of chemicals, drugs, and biologicals. 11th ed. Rahway, NJ: Merck and Co., Inc., 599.
- *Buell JF, Sterling R, Mandava S, et al. 1998. Ethylene glycol intoxication presenting as a metabolic acidosis associated with a motor vehicle crash: Case report. *J Trauma* 45(4):811-813.
- C&EN. 1994. Organics led last years top 50 chemicals production increase. *Chem Eng News* (April 11, 1994):13.
- *Caparros-Lefebvre D, Policard J, Sengler C, et al. 2005. Bipallidal haemorrhage after ethylene glycol intoxication. *Neuroradiology* 47:105-107.
- Capo MA, Sevil MB, Lopez ME, et al. 1993. Ethylene glycol action on neurons and its cholinomimetic effects. *J Environ Pathol Toxicol Oncol* 12(3):155-159.
- *Caravati EM, Heileson HL, Jones M. 2004. Treatment of severe pediatric ethylene glycol intoxication without hemodialysis. *J Toxicol Clin Toxicol* 42(3):255-259.
- Carney EW. 1994. An integrated perspective on the developmental toxicity of ethylene glycol. *Reprod Toxicol* 8(2):99-113.
- *Carney EW, Freshour NL, Dittenber DA, et al. 1999. Ethylene glycol development toxicity: Unraveling the roles of glycolic acid and metabolic acidosis. *Toxicol Sci* 50(1):117-126.
- Carney EW, Liberacki AB, Bartels MJ, et al. 1995. Identification of proximate toxicant for ethylene glycol developmental toxicity using rat whole embryo culture. *Toxicologist* 15(1):163.
- *Carney EW, Liberacki AB, Bartels MJ, et al. 1996. Identification of proximate toxicant for ethylene glycol developmental toxicity using whole embryo culture. *Teratology* 53(1):38-46.
- *Carney EW, Liberacki AB, Tornesi B, et al. 2001. Dose-rate is a critical determinant of ethylene glycol developmental toxicity in rats. *Teratology* 63(6):264.
- *Carstens J, Csanady GA, Faller TH, et al. 2003. Human inhalation exposure to ethylene glycol. *Arch Toxicol* 77(8):425-432.
- Carstens J, Csanady GA, Filser JG. 2002. Human inhalation exposure to $^{13}\text{C}_2$ -ethylene glycol vapors. *Reprod Toxicol* 16(4):436-437.
- Casavant MJ. 2001. Fomepizole in the treatment of poisoning. *Pediatrics* 107(1):170-171.
- Casavant MJ, Shah MN, Battels R. 2001. Does fluorescent urine indicate antifreeze ingestion by children? *Pediatrics* 107(1):113-114.
- Casavant MJ, Shah MN, Battels R. 2002. Letter to the editor reply: Urine fluorescence: Is it a good test for ethylene glycol ingestion? *Pediatrics* 109(2):345.

9. REFERENCES

- *Caskey WH, Taber WA. 1981. Oxidation of ethylene glycol by a salt-requiring bacterium. *Appl Environ Microbiol* 42(1):180-183.
- *Castle L, Cloke HR, Crews C, et al. 1988a. The migration of propylene glycol, mono-, di-, and triethylene glycols from regenerated cellulose film into food. *Z Lebensm Unters Forsch* 187(5):463-467.
- *Castle L, Cloke HR, Startin JR, et al. 1988b. Gas chromatographic determination of monoethylene glycol and diethylene glycol in chocolate packaged in regenerated cellulose film. *J Assoc Off Anal Chem* 71(3):499-502.
- +*CDC. 1987. Epidemiologic notes and reports: Ethylene glycol intoxication due to contamination of water systems. Centers for Disease Control and Prevention. *MMWR* 36(36):611-614.
- CELDs. 1994. Computer-assisted Environmental Legislative Database. University of Illinois at Urbana.
- Chapin RE, Sloane RA, Haseman JK. 1997. The relationships among reproductive endpoints in Swiss mice, using the reproductive assessment by continuous breeding database. *Fundam Appl Toxicol* 38(2):129-142.
- +*Cheng JT, Beysolow TD, Kaul B, et al. 1987. Clearance of ethylene glycol by kidneys and hemodialysis. *J Toxicol Clin Toxicol* 25(1-2):95-108.
- Cheng YS, Marshall TC, Kanapilly GM. 1982. Generation and characterization of ethylene glycol vapors and aerosols. *Am Ind Hyg Assoc J* 43(4):250-253.
- Cheung ST, Lin WN. 1987. Simultaneous determination of methanol, ethanol, acetone, isopropanol and ethylene glycol in plasma by gas chromatography. *J Chromatogr* 414(1):248-250.
- Child J, Willetts A. 1978. Microbial metabolism of aliphatic glycols: Bacterial metabolism of ethylene glycol. *Biochim Biophys Acta* 538(2):316-327.
- Chou JY, Richardson KE. 1978. The effect of pyrazole on ethylene glycol toxicity and metabolism in the rat. *Toxicol Appl Pharmacol* 43(1):33-44.
- Chou WL, Speece RE, Siddiqi RH. 1979. Acclimation and degradation of petrochemical wastewater components by methane fermentation. *Biotechnol Bioeng Symp* 8:391-414.
- *Christian KL, Moorehead WP. 1985. Ethylene dichloride/ethylene glycol spill in a major water resource in British Columbia. *J Environ Health* 47:192-196.
- +*Chung PK, Tuso P. 1989. Cerebral computed tomography in a stage IV ethylene glycol intoxication. *Conn Med* 53(9):513-514.
- +*Clark CR, Marshall TC, Merickel BS, et al. 1979. Toxicological assessment of heat transfer fluids proposed for use in solar energy applications. *Toxicol Appl Pharmacol* 51:529-535.
- +*Clay KL, Murphy RC. 1977. On the metabolic acidosis of ethylene glycol intoxication. *Toxicol Appl Pharmacol* 39:39-49.
- *Clewell HJ, Andersen ME. 1985. Risk assessment extrapolations and physiological modeling. *Toxicol Ind Health* 1(4):111-131.

9. REFERENCES

- *CMR. 1972. Chemical profile: Ethylene glycol. *Chem Market Rep* (September 25, 1972).
- CMR. 1975. Chemical profile: Ethylene glycol. *Chem Market Rep* (September 8, 1975).
- *CMR. 1981. Chemical profile: Ethylene glycol. *Chem Market Rep* (June 15, 1981).
- *CMR. 1984. Chemical profile: Ethylene glycol. *Chem Market Rep* (February 13, 1984).
- *CMR. 1987. Chemical profile: Ethylene glycol. *Chem Market Rep* (March 16, 1987).
- *CMR. 1990. Chemical profile: Ethylene glycol. *Chem Market Rep* (January 22, 1990)
- *CMR. 1993. Chemical profile: Ethylene glycol. *Chem Market Rep* (January 25, 1993).
- *CMR. 1996. Chemical profile: Ethylene glycol. *Chem Market Rep* (March 11, 1996).
- *CMR. 1998. Chemical profile: Ethylene glycol. *Chem Market Rep* (November 2, 1998).
- *CMR. 2001. Chemical profile: Ethylene glycol. *Chem Market Rep* (September 3, 2001).
- *CMR. 2004. Chemical profile: Ethylene glycol. *Chem Market Rep* (October 18, 2004).
- Colwell RR, Sayler GS. 1978. Microbial degradation of industrial chemicals. *Water Pollut Microbiol* 2:111-134.
- *Conway RA, Waggy GT, Spiegel MH, et al. 1983. Environmental fate and effects of ethylene oxide. *Environ Sci Technol* 17(2):107-112.
- +*Coon RA, Jones RA, Jenkins LJ, et al. 1970. Animal inhalation studies of ammonia, ethylene glycol, formaldehyde, dimethylamine, and ethanol. *Toxicol Appl Pharmacol* 16:646-655.
- *Corley RA, McMartin KE. 2005. Incorporation of therapeutic interventions in physiologically based pharmacokinetic modeling of human clinical case reports of accidental or intentional overdosing with ethylene glycol. *Toxicol Sci* 85(1):491-501.
- *Corley RA, Soelberg JJ. 2005. Appendix B. Metabolism report. Concentrations of ethylene glycol, glycolic acid and oxalic acid in the blood, urine and kidneys of male Wistar Han rats following dietary administration of ethylene glycol for up to twelve months (Dow study ID 031079). In: *Ethylene glycol: 12-month dietary toxicity study in Wistar Han rats*. Arlington, VA: Ethylene Glycol Toxicology Research Task Group. American Chemistry Council. [unpublished study]
- *Corley RA, Bartels MJ, Carney EW, et al. 2005a. Development of a physiologically based pharmacokinetic model for ethylene glycol and its metabolite, glycolic acid, in rats and humans. *Toxicol Sci* 85(1):476-490.
- Corley RA, Meek ME, Carney EW. 2005b. Mode of action: Oxalate crystal-induced renal tubule degeneration and glycolic acid-induced dysmorphogenesis—renal and developmental effects of ethylene glycol. *Crit Rev Toxicol* 35(8-9):691-702.

9. REFERENCES

*Corley RA, Weitz KK, Luders TM, et al. 2002. Pharmacokinetics of ethylene glycol in pregnant SD rats following bolus oral gavage or continuous subcutaneous infusion. Arlington, VA: American Chemistry Council. Battelle Project No. 29812. Amendment No. 4. [unpublished study]

*Corsi SR, Booth NL, Hall DW. 2001. Aircraft and runway deicers at General Mitchell International Airport, Milwaukee, Wisconsin, USA. 1. Biochemical oxygen demand and dissolved oxygen in receiving streams. Environ Toxicol Chem 20(7):1474-1482.

Corsi SR, Hall DW, Geis SW. 2001. Aircraft and runway deicers at General Mitchell International Airport, Milwaukee, Wisconsin, USA. 2. Toxicity of aircraft and runway deicers. Environ Toxicol Chem 20(7):1483-1490.

Costa J, Soley J, Mata J, et al. 1985. Biodegradation of ethylene glycol. Effluent Water Treat J 25(12):429-434.

Cox DP. 1978. The biodegradation of polyethylene glycols. Adv Appl Microbiol 23:173-193.

*CPSC. 2007. Hazardous substances and articles. Consumer Product Safety Commission. Code of Federal Regulations. 16 CFR 1500.14. <http://www.access.gpo.gov/cgi-bin/cfrassemble.cgi?title=200716>. May 10, 2007.

Crowell WA, Whitlock RH, Stout RC, et al. 1979. Ethylene glycol toxicosis in cattle. Cornell Vet 69(3):272-279.

+*Cruzan G, Corley RA, Hard GC, et al. 2004. Subchronic toxicity of ethylene glycol in Wistar and F-344 rats related to metabolism and clearance of metabolites. Toxicol Sci 81(2):502-511.

Cucuzzella A. 1992. Ethylene glycol poisoning. J Gen Intern Med 7(4):467.

Cummings KC, Jatlow PI. 1982. Sample preparation by ultra-filtration for direct gas-chromatographic analysis of ethylene glycol in plasma. J Anal Toxicol 6(6):324-326.

*Cunningham KM, Goldberg MC, Weiner ER. 1985. The aqueous photolysis of ethylene glycol adsorbed on goethite. Photochem Photobiol 41(4):409-416.

*Curtin L, Kraner J, Wine H, et al. 1992. Complete recovery after massive ethylene glycol ingestion. (Comment in Arch Intern Med 153(13):1614). Arch Intern Med 152(6):1311-1313.

*Danielson JW, Snell RP, Oxborrow GS. 1990. Detection and quantitation of ethylene oxide, 2-chloroethanol, and ethylene glycol with capillary gas chromatography. J Chromatogr Sci 28:97-101.

Darchy B, Abruzzese L, Pitiot O, et al. 1999. Delayed admission for ethylene glycol poisoning: Lack of elevated serum osmol gap. Intensive Care Med 25(8):859-861.

Daubert TE, Danner RP. 1980. Data compilation: Tables of physical and thermodynamic properties of pure compounds. American Institute of Chemical Engineers, Design Institute for Physical Property Data Project 801, The Pennsylvania State University.

Daubert TE, Danner RP. 1985. Data compilation tables of properties of pure compounds. New York, NY: Design Institute for Physical Property Data, American Institute of Chemical Engineers, 450.

9. REFERENCES

- *Davis DP, Bramwell KJ, Hamilton RS, et al. 1997. Ethylene glycol poisoning: Case report of a record-high level and a review. *J Emerg Med* 15(5):653-667.
- +DePass LR, Frank FR, Weaver EV, et al. 1984. Ethylene glycol: Twenty-four month oncogenicity feeding study in mice. Bushy Run Research Center. Report 46-89.
- +*DePass LR, Garman RH, Woodside MD, et al. 1986a. Chronic toxicity and oncogenicity studies of ethylene glycol in rats and mice. *Fundam Appl Toxicol* 7(4):547-565.
- +*DePass LR, Woodside MD, Maronpot RR, et al. 1986b. Three-generation reproduction and dominant lethal mutagenesis studies of ethylene glycol in the rat. *Fundam Appl Toxicol* 7(4):566-572.
- *De Rudder D, De Graeve E, Van Severen R, et al. 1986. Quantification of ethylene chlorohydrin and ethylene glycol as potential reaction products in gas-sterilized medical-grade plastics. *J Clin Hosp Pharm* 11(2):125-130.
- +Dial SM, Thrall MA, Harmar DW. 1989. 4-methylpyrazole as treatment for naturally acquired ethylene glycol intoxication in dogs. *J Am Vet Med Assoc* 195(1):73-76.
- +*Dial SM, Thrall MAH, Harmar DW. 1994. Efficacy of 4-methylpyrazole or treatment of ethylene glycol intoxication in dogs. *Am J Vet Res* 55(12):1762-1770.
- *Diamandis EP, Efstathiou CE, Hadjioannou TP. 1980. Automatic determination of ethylene glycol in anti-freeze solutions with a periodate-sensitive flow-through electrode. *Analyst* 105(1257):1203-1207.
- *DOE. 1993a. Destruction of representative Navy wastes using supercritical water oxidation. Washington, DC: U.S. Department of Energy. DE94003139.
- *DOE. 1993b. Incineration alternatives for combustible waste ultraviolet/hydrogen peroxide process. Final report to Rocky Flats Plant FY92 tasks under TTP SR 221207. Washington, DC: U.S. Department of Energy. UCRL-ID-112284. DE93018905.
- *Drajun J. 1991. Geochemistry and soil chemistry reactions occurring during in situ vitrification. *J Hazard Mater* 26:343-364.
- Dribben W, Furbee B, Kirk M. 1999. Brainstem infarction and quadriplegia associated with ethylene glycol ingestion. *J Toxicol Clin Toxicol* 37(5):657.
- *Driver J, Tardiff RG, Sedik L, et al. 1993. In vitro percutaneous absorption of [¹⁴C] ethylene glycol. *J Expo Anal Environ Epidemiol* 3(3):277-284.
- Druteika DP, Zed PJ, Ensom MHH. 2002. Role of fomepizole in the management of ethylene glycol toxicity. *Pharmacotherapy* 22(3):365-372.
- *Dwyer DF, Tiedje JM. 1983. Degradation of ethylene glycol and polyethylene glycols by methanogenic consortia. *Appl Environ Microbiol* 46(1):185-190.
- +*Ebisuno S, Morimoto S, Yoshida T, et al. 1987. Effect of dietary calcium, and magnesium, on experimental renal tubular deposition of calcium oxalate crystal induced by ethylene glycol administration and its prevention with phytin and citrate. *Urol Int* 42:330-337.

9. REFERENCES

Eckfeldt JH, Light RT. 1980. Kinetic ethylene glycol assay with use of yeast alcohol dehydrogenase. Clin Chem 26(9):1278-1280.

*Eder AF, McGrath CM, Dowdy YG, et al. 1998. Ethylene glycol poisoning: Toxicological and analytical factors affecting laboratory diagnosis. Clin Chem 44:168-177.

*Edinboro LE, Nanco CR, Soghoian DM, et al. 1993. Determination of ethylene glycol in serum utilizing direct injection on a wide-bore capillary column. Ther Drug Monit 15:220-223.

*Egbert PA, Abraham K. 1999. Ethylene glycol intoxication: Pathophysiology, diagnosis, and emergency management. ANNA J 26(3):295-300.

*Eisenreich SJ, Looney BB, Thornton JD. 1981. Airborne organic contaminants in the Great Lakes ecosystem. Environ Sci Technol 15(1):30-38.

*Ellenhorn MJ, Schonwald S, Ordog G, et al, eds. 1997. Ellenhorn's medical toxicology. Diagnosis and treatment of human poisoning. Baltimore, MD: Williams & Wilkins, 1152-1156.

*Environment Canada. 2000. Canadian Environmental Protection Act, 1999. Priority substances list state of the science report for ethylene glycol. Ottawa, Ontario: Environment Canada Health Canada. MIC10300696.

EPA. 1971. Tolerances and exemptions from tolerances for pesticide chemicals in or on raw agricultural commodities. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 180.1001.

EPA. 1972a. Approval and promulgation of implementation plans. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 52.

EPA. 1972b. Anaerobic treatment of synthetic organic wastes. Washington, DC: U.S. Environmental Protection Agency, Office of Research and Monitoring.

*EPA. 1976. Frequency of organic compounds identified in water. Athens, GA: U.S. Environmental Protection Agency, Office of Research and Development, Environmental Research Laboratory.

EPA. 1977. Industrial process profiles for environmental use: Chapter 6. The industrial organic chemicals industry. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Research and Development, Industrial Environment Research Laboratory. EPA600277023f.

EPA. 1978. Ethylene oxide, ethylene chlorohydrin, and ethylene glycol: Proposed maximum residue limits and maximum levels of exposure. U.S. Environmental Protection Agency. Fed Regist 43:27474-27483.

*EPA. 1979. Investigation of selected potential environmental contaminants: Ethylene glycol, propylene glycols and butylene glycols. Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances. EPA560117900. PB80109119.

EPA. 1980. Ethylene glycol. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards, Emissions Standards and Engineering Division. EPA450380028d.

9. REFERENCES

EPA. 1982. Tolerances and exemptions from tolerances for pesticide chemicals in or on raw agricultural commodities. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 180.142.

EPA. 1983. Standards of performance for new stationary sources. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 60.489.

EPA. 1984a. GC/MS analysis of organics in drinking water concentrates and advanced waste treatment concentrates. Vol. I: Analysis results for 17 drinking water, 16 advanced waste treatment and 3 process blank concentrates. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development, Health Effects Research Laboratory. EPA600184020A.

EPA. 1984b. Premanufacture notification exemptions: Polymers. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 723.250.

EPA. 1985a. Temperature corrections for organic solvents. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 796.1220.

EPA. 1985b. Environmental effects testing guidelines. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 797.

*EPA. 1987a. Health and environmental effects document for propylene glycol. Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response.

EPA. 1987b. Toxic chemical release reporting: Community right to know. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 372.65.

EPA. 1987c. Toxic chemical release reporting; community right-to-know. U.S. Environmental Protection Agency. Fed Regist 52(107):21152-21177.

EPA. 1987d. Organic chemicals, plastics, and synthetic fibers. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 414.

+EPA. 1988. Recommendations for and documentation of biological values for use in risk assessment. Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response. EPA 600687008. PB88179874AS. ECAOCIN554

EPA. 1989a. Pesticides required to be reregistered: List C. U.S. Environmental Protection Agency. Fed Regist 54(140):30846-30855.

EPA. 1989b. Reregistration. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 152.146.

*EPA. 1990a. Interim methods for development of inhalation reference concentrations. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Office of Research and Development, Environmental Criteria and Assessment Office. EPA600890066A.

EPA. 1990b. Standards of performance for new stationary sources. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 60.

EPA. 1993a. Reportable quantity adjustments. U.S. Environmental Protection Agency. Fed Regist 58(203):54836.

9. REFERENCES

EPA. 1993b. Standards of performance for new stationary sources. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 60.707.

EPA. 1993c. New source performance standards. U.S. Environmental Protection Agency. Fed Regist 58:45962.

*EPA. 1993d. Evaluation of filtration and distillation methods for recycling automotive coolant. Columbus, OH: U.S. Environmental Protection Agency. EPA600J93435. PB94101912.

*EPA. 1993e. Determination of rates of reaction in the gas-phase in the troposphere. Theory and practice. 5. Rate of indirect photoreaction: Evaluation of the Atmospheric Oxidation computer program of Syracuse Research Corporation for estimating the second-order rate constant for the reaction of an organic chemical with hydroxyl radicals. Washington, DC: U.S. Environmental Protection Agency. EPA744R93001.

*EPA. 1995a. Method 8015B: Nonhalogenated organics using GC/FID. Test methods for evaluating solid waste: Vol. 1A: Laboratory manual physical/chemical methods. Washington, DC: U.S. Environmental Protection Agency. Office of Solid Waste and Emergency Response. SW-846. PB95234480.

*EPA. 1995b. Method 8430: Analysis of bis(2-chloroethyl) ether and hydrolysis products by direct aqueous injection GC/FT-IR. Test methods for evaluating solid waste: Vol. 1A: Laboratory manual physical/chemical methods. Washington, DC: U.S. Environmental Protection Agency. Office of Solid Waste and Emergency Response. SW-846. PB95234480.

EPA. 1995c. Toxic chemical release inventory reporting form R and instructions. Washington, DC: Office of Pollution, Prevention and Toxics. EPA745K95051.

EPA. 1995d. Table II: Section 313 toxic chemical list for reporting year 1994 (including toxic chemical categories). Toxic chemical release inventory reporting form R and instructions. Washington, DC: U.S. Environmental Protection Agency, Office of Pollution, Prevention and Toxics, II-1 to II-13. EPA745K95051.

*EPA. 1996. Method 8430. Analysis of bis(2-chloroethyl) ether and hydrolysis products by direct aqueous injection GC/FT-IR. U.S. Environmental Protection Agency. <http://www.epa.gov/sw-846/pdfs/8430.pdf>. June 28, 2007.

*EPA. 1997. Special report on environmental endocrine disruption: An effects assessment and analysis. Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. EPA630R96012.

*EPA. 2000. Method 8015C. Nonhalogenated organics using GC/FID. U.S. Environmental Protection Agency. <http://www.epa.gov/epaoswer/hazwaste/test/up4b.htm>. June 28, 2007.

*EPA. 2003. National primary drinking water regulations. Washington, DC: U.S. Environmental Protection Agency, Office of Ground Water and Drinking Water. EPA816F03016. <http://www.epa.gov/safewater/mcl.html>. March 07, 2006.

*EPA. 2004b. Ethylene glycol; notice of filing a pesticide petition to establish a tolerance for a certain pesticide chemical in or on food. U.S. Environmental Protection Agency. Fed Regist 69(149):47149-47152

9. REFERENCES

- *EPA. 2004a. Inert pesticide ingredients in pesticide products. Washington, DC: U.S. Environmental Protection Agency. <http://www.epa.gov/opprd001/inerts/lists.html>. April 11, 2007.
- *EPA. 2005. Toxic chemical release inventory reporting forms and instructions: Revised 2004 version. Section 313 of the Emergency Planning and Community Right-to-Know Act (Title III of the Superfund Amendments and Reauthorization Act of 1986). U.S. Environmental Protection Agency. Office of Environmental Information. EPA260B05001.
- *EPA. 2006a. Approaches for the application of physiologically based pharmacokinetic (PBPK) models and supporting data in risk assessment. Washington, DC: U.S. Environmental Protection Agency. EPA600R05043F.
- *EPA. 2006b. Drinking water standards and health advisories. Washington, DC: U.S. Environmental Protection Agency, Office of Water. EPA822R04005. <http://epa.gov/waterscience/criteria/drinking/>. April 11, 2007.
- *EPA. 2007a. Acute exposure guideline levels (AEGLs). Second AEGL Chemical Priority List. Washington, DC: U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics. http://www.epa.gov/oppt/aegl/pubs/priority_2.htm. May 10, 2007.
- *EPA. 2007b. Hazardous air pollutants. Clean Air Act. U.S. Environmental Protection Agency. United States Code. 42 USC 7412. <http://www.epa.gov/ttn/atw/orig189.html>. April 11, 2007.
- *EPA. 2007c. Master testing list. Washington, DC: U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics. <http://www.epa.gov/opptintr/chemtest/pubs/mlt.htm>. May 10, 2007.
- *EPA. 2007d. Superfund, emergency planning, and community right-to-know programs. Designation, reportable quantities, and notifications. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.4. <http://www.epa.gov/epacfr40/chapt-I.info/chi-toc.htm>. April 11, 2007.
- *EPA. 2007e. Superfund, emergency planning, and community right-to-know programs. Toxic chemical release reporting. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 372.65. <http://www.epa.gov/epacfr40/chapt-I.info/chi-toc.htm>. April 11, 2007.
- *EPA. 2007f. Tolerances and exemptions from tolerances for pesticide chemicals in food. Code of Federal Regulations. 40 CFR 180.1040. U.S. Environmental Protection Agency. <http://www.epa.gov/epacfr40/chapt-I.info/chi-toc.htm>. May 10, 2007.
- *Ettinger MB. 1956. Biochemical oxidation characteristics of stream pollutant organics. Ind Eng Chem 48:256-259.
- *Evans WH, David EJ. 1974. Biodegradation of mono-, di-, and triethylene glycols in river waters under controlled laboratory conditions. Water Res 8(2):97-100.
- *Evans WH, Dennis A. 1973. Spectrophotometric determination of low levels in mono-, di-, and triethylene glycols in surface waters. Analyst 98(1172):782-791.
- Evmiridis NP. 1989. Periodate determination by FIA with chemiluminescence emission detection, and its application to ethylene glycol (ethanediol). Talanta 36(3):357-362.

9. REFERENCES

- +*Factor SA, Lava NS. 1987. Ethylene glycol intoxication: A new stage in the clinical syndrome. NY State J Med 87(3):179-180.
- FAO/WHO. 1974. Toxicological evaluation of certain food additives with a review of general principles and of specifications. In: 17th Report of the Joint FAO/WHO Expert Committee on Food Additives, Geneva, Switzerland, June 25-July 4, 1973. Geneva, Switzerland: Food and Agricultural Organization of the United Nations/World Health Organization.
- FDA. 1977a. Indirect food additives: Adhesives and components of coatings. Food and Drug Administration. Code of Federal Regulations. 21 CFR 175.105.
- FDA. 1977b. Indirect food additives: Adhesive coatings and components. Food and Drug Administration. Fed Regist 42(50):14534-14554.
- FDA. 1982. Generally recognized as safe. Food and Drug Administration. Code of Federal Regulations. 21 CFR 184.1666.
- *FDA. 2006. Indirect food additives: adhesives and components of coatings. U.S. Food and Drug Administration. Code of Federal Regulations. 21 CFR 175.
<http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcfr/CFRSearch.cfm>. May 10, 2007.
- *FEDRIP. 2007. Ethylene glycol. Federal Research in Progress database. Springfield, VA: National Technical Information Service.
- Fischer VWK, Gerike P, Schmid R. 1974. [Combination method of successive tests and estimation methods for the biological degradability of synthetic substances, i.e. organic complex compounds, based on common applicable summary parameters (BOD, CO₂, COD, TOC).] Z Wasser Abwasser Forsch 7:99-118. (German)
- Flanagan RJ, Dawling S, Buckley BM. 1987. Measurement of ethylene glycol in biological specimens using derivatization and gas-liquid chromatography with flame ionization detection. Ann Clin Biochem 24(1):80-84.
- +*Fligner CL, Jack R, Twiggs GA, et al. 1985. Hyperosmolality induced by propylene glycol: A complication of silver sulfadiazine therapy. J Am Med Assoc 253(11):1606-1609.
- *Foit FF, Cowell RL, Brobst DF, et al. 1985. X-ray powder diffraction and microscopic analysis of crystalluria in dogs with ethylene glycol poisoning. Am J Vet Res 46(11):2404-2408.
- *Fomon SJ. 1966. Body composition of the infant: Part I: The male reference infant. In: Falkner F, ed. Human development. Philadelphia, PA: WB Saunders, 239-246.
- *Fomon SJ, Haschke F, Ziegler EE, et al. 1982. Body composition of reference children from birth to age 10 years. Am J Clin Nutr 35(Suppl 5):1169-1175.
- Ford M, Price M, Tomaszewski C. 1998. Ethylene glycol-induced neurotoxicity in patients with delayed or inadequate treatment. J Toxicol Clin Toxicol 36(5):514.

9. REFERENCES

- *Forkner MW, Robson JH, Snellings WM, et al. 2004. Glycols. In: Kirk-Othmer encyclopedia of chemical technology. Vol. 12. John Wiley & Sons, Inc., 644-682.
<http://www.mrw.interscience.wiley.com/emrw/9780471238966/kirk/article/ethyfork.a01/current/pdf>. May 16, 2007.
- Fox LE, Grauer GF, Dubielzig RR, et al. 1987. Reversal of ethylene glycol-induced nephrotoxicosis in a dog. *J Am Vet Med Assoc* 191(11):1433-1435.
- +*Frantz SW, Beskitt JL, Grosse CM, et al. 1989. Ethylene glycol: Comparison of pharmacokinetics and material balance following single intravenous, oral and cutaneous administration to male and female Sprague-Dawley rats. Bushy Run Research Center, Union Carbide Corp., Report No. 51-543.
- *Frantz SW, Beskitt JL, Grosse CM, et al. 1996a. Pharmacokinetics of ethylene glycol. I. Plasma disposition after single intravenous, peroral, or percutaneous doses in female Sprague-Dawley rats and CD-1 mice. *Drug Metab Dispos* 24(8):911-921.
- *Frantz SW, Beskitt JL, Grosse CM, et al. 1996b. Pharmacokinetics of ethylene glycol II. Tissue distribution, dose-dependent elimination, and identification of urinary metabolites following single intravenous, peroral or percutaneous doses in female Sprague-Dawley rats and CD-1® mice. *Xenobiotica* 26(11):1195-1220.
- *Frantz SW, Beskitt JL, Tallant MJ, et al. 1996c. Pharmacokinetics of ethylene glycol. III. Plasma disposition and metabolic fate after single increasing intravenous, peroral, or percutaneous doses in the male Sprague-Dawley rat. *Xenobiotica* 26(5):515-539.
- +*Frantz SW, Tallant MJ, Beskitt JL. 1991. Ethylene glycol: Comparisons of pharmacokinetic and material balance studies following single intravenous, peroral, and percutaneous administrations to female CD-1 mice. Bushy Run Research Center, Union Carbide Corp., Report No. 53-550.
- *Fraser AD. 2002. Clinical toxicologic implications of ethylene glycol and glycolic acid. *Ther Drug Monit* 24(2):232-238.
- *Fraser AD, MacNeil W. 1993. Colorimetric and gas chromatographic procedures for glycolic acid in serum: The major toxic metabolite of ethylene glycol. *Clin Toxicol* 31(3):397-405.
- *Freitag D, Ballhorn L, Geyer H, et al. 1985. Environmental hazard profile of organic chemicals: An experimental method for the assessment of the behaviour of organic chemicals in the ecosphere by means of simple laboratory tests with ¹⁴C labeled chemicals. *Chemosphere* 14(10):1589-1616.
- *Freyberger A, Schmuck G. 2005. Screening for estrogenicity and anti-estrogenicity: A critical evaluation of an MVLN cell-based transactivation assay. *Toxicol Lett* 155:1-13.
- *Friedman EA, Greenberg JB, Merrill JP, et al. 1962. Consequences of ethylene glycol poisoning. Report of four cases and review of the literature. *Am J Med* 32:891-902.
- *Froberg K, Dorion RP, McMartin KE. 2006. The role of calcium oxalate crystal deposition in cerebral vessels during ethylene glycol poisoning. *Clin Toxicol* 44:315-318.
- Fuller EW. 1969. Ethylene glycol: A review. *Med Leg Bull* 18(10):1-8.

9. REFERENCES

- *Gabow PA, Clay K, Sullivan JB, et al. 1986. Organic acids in ethylene glycol intoxication. Ann Intern Med 105(1):16-20.
- *Gardner TB, Manning HL, Beelen A, et al. 2003. Ethylene glycol toxicity associated with ischemia, perforation, and colonic oxalate crystal deposition. Am J Gastroenterol 98(9):S171.
- *Gardner TB, Manning HL, Beelen AP, et al. 2004. Ethylene glycol toxicity associated with ischemia, perforation, and colonic oxalate crystal deposition. J Clin Gastroenterol 38:435-439.
- Gaston LW, Stadtman ER. 1963. Fermentation of ethylene glycol by *Clostridium glycolicum*. J Bacteriol 85:356-362.
- +*Gaunt IF, Hardy J, Gangolli SD, et al. 1974. Short-term toxicity of monoethylene glycol in the rat. (Research Report 4/1974). Carshalton, Surrey: BIBRA International.
- Gerhold RM, Malaney GW. 1966. Structural determinants in the oxidation of aliphatic compounds by activated sludge. J Water Pollut Control Fed 38:562-579.
- *Gérin M, Begin D, Goldberg MS, et al. 1997. A study of ethylene glycol exposure and kidney function of aircraft de-icing workers. Int Arch Occup Environ Health 69(4):255-265.
- *Gershoff SN, Andrus SB. 1962. Effect of vitamin B6 and magnesium on renal disposition of calcium oxalate induced by ethylene glycol administration. Proc Soc Exp Biol Med 109:99-102.
- *Giachetti C, Zanol G, Assandri A, et al. 1989. Determination of cyclic butylboronate esters of some 1,2- and 2,3-diols in plasma by high-resolution gas chromatography/mass spectrometry. Biomed Environ Mass Spectrom 18(8):592-597.
- *Giwercman A, Carlsen E, Keiding N, et al. 1993. Evidence for increasing incidence of abnormalities of the human testis: A review. Environ Health Perspect Suppl 101(2):65-71.
- +Glasgow AM, Boeckx RL, Miller MK, et al. 1983. Hyperosmolality in small Infants due to propylene glycol. Pediatrics 72(3):353-355.
- +*Godolphin W, Meagher EP, Sanders HD, et al. 1980. Unusual calcium oxalate crystals in ethylene glycol poisoning. Clin Toxicol 16(4):479-486.
- Goeghegan J, Bleasdale JP, Bradberry SM. 2006. Case 7-2006: A man with altered mental status and acute renal failure. (Comment on: N Engl J Med 354:1065-1072 with author reply). N Engl J Med 354(25):2727-2729.
- *Goldfrank LR, Flomenbaum NE, Lewin NA, et al. eds. 2002. Goldfrank's toxicologic emergencies. 7th ed. New York, NY: McGraw-Hill Companies, Inc., 980-1003.
- Gomes R, Liteplo RG, Meek ME. 2001. Ethylene glycol: Hazard characterization and exposure-response analysis. J Environ Sci Health C Environ Carcinog Ecotoxicol Rev 19(1):189-217.
- Gonzalez CF, Taber WA, Zeitoun MA. 1972. Biodegradation of ethylene glycol by a salt-requiring bacterium. Appl Microbiol 24(6):911-919.
- +*Gordon HL, Hunter JM. 1982. Ethylene glycol poisoning: A case report. Anaesthesia 37(3):332-338.

9. REFERENCES

- Grabinska-Loniewska A. 1974. Studies on the activated sludge bacteria participating in the biodegradation of methanol, formaldehyde and ethylene glycol: II. Utilization of various carbon and nitrogen compounds. *Acta Microbiol Pol Ser B Microbiol Appl* 6(2):83-88.
- Grafton TF, Hansen DK. 1987. In vitro embryotoxic effects of ethylene glycol in rats. *Teratog Carcinog Mutagen* 7:483-489.
- *Grauer GF, Thrall MA, Henre BA, et al. 1984. Early clinicopathologic findings in dogs ingesting ethylene glycol. *Am J Vet Res* 45(11):2299-2303.
- +*Grauer GF, Thrall MA, Henre BA, et al. 1987. Comparison of the effects of ethanol and 4-methylpyrazole on the pharmacokinetics and toxicity of ethylene glycol in the dog. *Toxicol Lett* 35(2-3):307-314.
- *Green ML, Hatch M, Freel RW. 2005. Ethylene glycol induces hyperoxaluria without metabolic acidosis in rats. *Am J Physiol* 289:F536-F543.
- *Griffiths AJF. 1979. Neurospora prototroph selection system for studying aneuploid production. *Environ Health Perspect* 31:75-80.
- *Griffiths AJF. 1981. Neurospora and environmentally induced aneuploidy. In: Stich HF, San RHC, eds. *Short-term tests for chemical carcinogens*. New York, NY: Springer-Verlag, 187-199.
- Grosjean D. 1990. Atmospheric chemistry of toxic contaminants: 2. Saturated aliphatics: Acetaldehyde, dioxane, ethylene glycol ethers, propylene oxide. *J Air Waste Manage Assoc* 40(11):1522-1531.
- Gupta RN. 1982. Liquid-chromatographic determination of ethylene glycol in plasma. *Clin Chem* 28(1):32-33.
- Güsten H, Klasinc L, Maric D. 1984. Prediction of the abiotic degradability of organic compounds in the troposphere. *J Atmos Chem* 2:83-94.
- *Guzelian PS, Henry CJ, Olin SS, eds. 1992. *Similarities and differences between children and adults: Implications for risk assessment*. Washington, DC: International Life Sciences Institute Press.
- Haines JR, Alexander M. 1975. Microbial degradation of polyethylene glycols. *Appl Microbiol* 29:621-625.
- Halabe A, Shor R, Wong NLM, et al. 2003. Effect of vitamin D₃ on the conversion of ethylene glycol to glycolate and oxalate in ethylene glycol-fed rats. *Clin Chim Acta* 330:135-139.
- *Hansch C, Leo A, Hoekman D. 1995. *Exploring QSAR: Hydrophobic, electronic, and steric constants*. Washington, DC: American Chemical Society, 5.
- Hansson P. 1990. Kinetic enzymic assay for ethylene glycol. *Clin Chim Acta* 189(2):243-244.
- Hansson P, Masson P. 1989. Simple enzymatic screening assay for ethylene glycol (ethane-1,2-diol) in serum. *Clin Chim Acta* 182(1):95-101.

9. REFERENCES

- *Hantson P, Vanbinst R, Mathieu P. 2002. Determination of ethylene glycol tissue content after fatal oral poisoning and pathologic findings. *Am J Forensic Med Pathol* 23(2):159-161.
- Harada T, Nagashima Y. 1975. Utilization of alklyether compounds by soil bacteria. *J Ferment Technol* 53(4):218-222.
- *Harris JC. 1990. Rate of hydrolysis. In: Lyman WH, Rheebl WF, Rosenblatt DH, eds. *Handbook of chemical property estimation methods*. Washington, DC: American Chemical Society, 7-1 to 7-48.
- +*Harris MW, Chapin RE, Lockhart AC, et al. 1992. Assessment of a short-term reproductive and developmental toxicity screen. *Fundam Appl Toxicol* 19(2):186-196.
- *Harry P, Jobard E, Briand M, et al. 1998. Ethylene glycol poisoning in a child treated with 4-methylpyrazole. *Pediatrics* 102(3):1-3.
- *Hartman PA, Bowman PB. 1977. Simple GLC determination of ethylene oxide and its reaction products in drugs and formulations. *J Pharm Sci* 66(6):789-792.
- *Hastwell PW, Chai LL, Roberts KJ, et al. 2006. High-specificity and high-sensitivity genotoxicity assessment in a human cell line: Validation of the GreenScreen HC *GADD45a-GFP* genotoxicity assay. *Mutat Res* 607:160-175.
- Hatfield R. 1957. Biological oxidation of some organic compounds. *Ind Eng Chem* 49:192-196.
- *HazDat. 2007. Ethylene glycol. HazDat Database: ATSDR's Hazardous Substance Release and Health Effects Database. Atlanta, GA: Agency for Toxic Substances and Disease Registry. <http://www.atsdr.cdc.gov/hazdat.html>. April 5, 2007.
- +*Heckerling PS. 1987. Ethylene glycol poisoning with a normal anion gap due to occult bromide intoxication. *Ann Emerg Med* 16(12):1384-1386.
- Henry B, Grant SG, Klopman G, et al. 1998. Induction of forward mutations at the thymidine kinase locus of mouse lymphoma cells: Evidence for electrophilic and non-electrophilic mechanisms. *Mutat Res* 397(2):313-335.
- Hertz CD, Oxenford JL, Warner JS. 1990. Development of analytical method for compliance monitoring of ethylene glycol, n-hexane, methyl ethyl ketone, and formaldehyde in drinking water. *Proc Water Qual Technol Conf* 17:651-665.
- *Hess R, Bartels MJ, Pottenger LH. 2004. Ethylene glycol: An estimate of tolerable levels of exposure based on a review of animal and human data. *Arch Toxicol* 78(12):671-680.
- *Heukelekian H, Rand MC. 1955. Biochemical oxygen demand of pure organic compounds. *J Water Pollut Control Fed* 27:1040-1053.
- +*Hewlett TP, Jacobsen D, Collins TD, et al. 1989. Ethylene glycol and glycolate kinetics in rats and dogs. *Vet Hum Toxicol* 31(2):116-120.
- +*Hewlett TP, McMartin KE, Lauro AJ, et al. 1986. Ethylene glycol poisoning: The value of glycolic acid determinations for diagnosis and treatment. *J Toxicol Clin Toxicol* 24(5):389-402.

9. REFERENCES

*Hewlett TP, Ray AC, Reagor JC. 1983. Diagnosis of ethylene glycol (antifreeze) intoxication in dogs by determination of glycolic acid in serum and urine with high pressure liquid chromatography and gas chromatography-mass spectrometry. *J Assoc Off Anal Chem* 66(2):276-283.

*Hine J, Mookerjee PK. 1975. The intrinsic hydrophilic character of organic compounds: Correlations in terms of structural contributions. *J Org Chem* 40(3):292-298.

Hodgman MJ, Wezorek C, Krenzelok E. 1997. Toxic inhalation of ethylene glycol: A pharmacological improbability. *Clin Toxicol* 35(1):109-111.

*Hodgson AT, Rudd AF, Beal D, et al. 2000. Volatile organic compound concentrations and emission rates in new manufactures and site-built houses. *Indoor Air* 10:178-192.

Hodgson AT, Wooley JD, Daisey JM. 1993. Emissions of volatile organic compounds from new carpets measured in a large-scale environmental chamber. *J Air Waste Manage Assoc* 43:316-324.

*Hoel DG, Davis DL, Miller AB, et al. 1992. Trends in cancer mortality in 15 industrialized countries, 1969-1986. *J Natl Cancer Inst* 84(5):313-320.

*Hoffman RS, Smilkstein MJ, Howland MA, et al. 1993. Osmol gaps revisited: Normal values and limitations. *Clin Toxicol* 31(1):81-93.

*Hogue C. 2006. Safer antifreeze bill is moving fast: Congress is on the verge of mandating a bitter additive, but chemical may not deter pets. *Chem Eng News* 84(31):39-41.
<http://pubs.acs.org/cen/government/84/8431gov1.html>. May 16, 2007.

Holman NW, Mundy RL, Teague RS. 1979. Alkyldiol antidotes to ethylene glycol toxicity in mice. *Toxicol Appl Pharmacol* 49(2):385-392.

Holopainen JK. 1992. Catch and sex ratio of Carabiae (Coleoptera) in pitfall traps filled with ethylene glycol or water. *Pedobiologia* 36:257-261.

+*Hong HL, Canipe J, Jameson CW, et al. 1988. Comparative effects of ethylene glycol and ethylene glycol monomethyl ether exposure on hematopoiesis and histopathology in B6C3F1 mice. *J Environ Pathol Toxicol Oncol* 8(7):27-38.

Horiuti K, Sakoda T, Takei M, et al. 1992. Effects of ethylene glycol on the kinetics of contraction on flash photolysis of caged ATP in rat psoas muscle fibres. *J Muscle Res Cell Motil* 13(2):199-205.

*Houzé P, Chaussard J, Harry P, et al. 1993. Simultaneous determination of ethylene glycol, propylene glycol, 1,3-butylene glycol and 2,3-butylene glycol in human serum and urine by wide-bore column gas chromatography. *J Chromatog* 619:251-257.

*Hovious JC, Conway RA, Ganze CW. 1973. Anaerobic lagoon pretreatment of petrochemical wastes. *J Water Pollut Control Fed* 45(1):71-84.

Howard PH, Boethling RS, Jarvis WF, et al., eds. 1991. Handbook of environmental degradation rates. Chelsea, MI: Lewis Publishers, Inc., 392-393.

*HSDB. 2007. Ethylene glycol. Hazardous Substances Data Bank. National Library of Medicine.
<http://toxnet.nlm.nih.gov>. May 14, 2007.

9. REFERENCES

Hughes S, Meschi PL, Johnson DC. 1981. Amperometric detection of simple alcohols in aqueous solutions by application of a triple-pulse potential waveform at platinum electrodes. *Anal Chim Acta* 132:1-10.

Hughes TW, Tierney DR, Khan ZS. 1979. Measuring fugitive emissions from petrochemical plants. *Chem Eng Prog* 75:35-39.

*Huhn KM, Rosenberg FM. 1995. Critical clue to ethylene glycol poisoning. *Can Med Assoc J* 152(2):193-195.

Hylander B, Karlsson K, Person H, et al. 1989. Death and chronic renal failure CFR in severe ethylene glycol EG intoxication. *Kidney Int* 35(1):228.

*IARC. 2006. Agents reviewed by the IARC monographs. Vol. 1-96. Lyon, France: International Agency for Research on Cancer. <http://monographs.iarc.fr/ENG/Classification/index.php>. April 11, 2007.

Introna F, Smialek JE. 1989. Antifreeze (ethylene glycol) intoxications in Baltimore (Maryland, USA): Report of six cases. *Acta Morphol Hung* 37(3-4):245-264.

*IRIS. 2007. Ethylene glycol. Integrated Risk Information System. Washington, DC: U.S. Environmental Protection Agency. <http://www.epa.gov/iris/subst/index.html>. May 10, 2007.

*ITA. 2007. 290531--Ethylene glycol (ethanediol): U.S. Trade quick-reference tables. International Trade Administration, U.S. Department of Commerce. <http://ita.doc.gov/td/industry/otea/trade-detail/index.html>. April 2, 2007.

Iwinski G, Jenke DR. 1987. Determination of alcohols in pharmaceuticals by ion-exclusion chromatography. *J Chromatogr* 392:397-405.

*Jacobsen D, McMartin KE. 1986. Methanol and ethylene glycol poisonings: Mechanism of toxicity, clinical course, diagnosis and treatment. *Med Toxicol* 1(5):309-334.

+*Jacobsen D, Hewlett TP, Webb R, et al. 1988. Ethylene glycol intoxication: Evaluation of kinetics and crystalluria. *Am J Med* 84(1):145-152.

+*Jacobsen D, Ovrebo S, Ostborg J, et al. 1984. Glycolate causes acidosis in ethylene glycol poisoning and is effectively removed by hemodialysis. *Acta Med Scand* 216:409-416.

Jacobsen D, Sebastian CS, Barron SK, et al. 1990. Effects of 4-methylpyrazole, methanol/ethylene glycol antidote, in healthy humans. *J Emerg Med* 8(4):455-461.

Jarvie DR, Simpson D. 1957. Simple screening test for the emergency identification of methanol and ethylene glycol in poisoned patients. *Clin Chem* 36(11):1957-1961.

Jenkins LD, Cook KA, Cain RB. 1979. Microbiol degradation of polyethylene glycols. *J Appl Bacteriol* 47(1):75-85.

*Jobard E, Harry P, Turcant A, et al. 1996. 4-Methylpyrazole and hemodialysis in ethylene glycol poisoning. (Comment in *J Toxicol Clin Toxicol* 1996 34(4):379-381). *Clin Toxicol* 34(4):373-377.

9. REFERENCES

*Johanson CE. 1980. Permeability and vascularity of the developing brain: Cerebellum vs cerebral cortex. *Brain Res* 190(1):3-16.

Johanson G. 1989. Analysis of ethylene glycol ether metabolites in urine by extractive alkylation and electron-capture gas chromatography. *Arch Toxicol* 63(2):107-111.

Johanson G, Michel I, Norback D, et al. 1989. Biological monitoring of exposure to ethylene glycol ethers. *Arch Toxicol Suppl* 13:108-111.

*Johnson B, Meggs WJ, Bentzel CJ. 1999. Emergency department hemodialysis in a case of severe ethylene glycol poisoning. *Ann Emerg Med* 33(1):108-110.

*Jolliff HA, Sivilotti MLA. 2004. Ethylene glycol. In: Dart RC, ed. *Medical toxicology*. 3rd ed. Philadelphia, PA: Lippincott Williams & Wilkins, 1223-1230.

Jones AW, Nilsson L, Gladh A, et al. 1991. 2,3-Butanediol in plasma from an alcoholic mistakenly identified as ethylene glycol by gas-chromatographic analysis. *Clin Chem* 37(8):1453-1455.

Jones N, Watson GK. 1976. Ethylene glycol and polyethylene glycol catabolism by a sewage bacterium. *Biochem Soc Trans* 4(5):1-892.

*Jonsson JA, Eklund A, Molin L. 1989. Determination of ethylene glycol in postmortem blood by capillary gas chromatography. *J Anal Toxicol* 13(1):25-26.

Kadiiska MB, Mason RP. 2000. Ethylene glycol generates free radical metabolites in rats: An ESR in vivo spin trapping investigation. *Chem Res Toxicol* 13(11):1187-1191.

*Kaiser RE, Rieder RI. 1987. Native ethylene glycol in wine: Application of a dead volume free, very fast "deans heart-cut" system on-line with multi-chromatography. *J High Resolut Chromatogr Commun* 10(5):240-243.

*Kameya T, Murayama T, Urano K, et al. 1995. Biodegradation ranks for priority organic compounds under anaerobic conditions. *Sci Total Environ* 170:43-51.

Kaplan DL, Walsh JT, Kaplan AM. 1982. Gas chromatographic analysis of glycols to determine biodegradability. *Environ Sci Technol* 16:723-725.

+*Karlson-Stiber C, Persson H. 1992. Ethylene glycol poisoning: Experiences from an epidemic in Sweden. *Clin Toxicol* 30(4):565-574.

*Kashtock M, Breder CV. 1980. Migration of ethylene glycol from polyethylene terephthalate bottles into 3% acetic acid. *J Assoc Off Anal Chem* 63(2):168-172.

Katz M. 1975. Intersociety committee (ISC) methods of air sampling and analysis. *Health Lab Sci* 12:359-422.

+Kavlock RJ, Short RD, Chernoff N. 1987. Further evaluation of an in vivo teratology screen. *Teratog Carcinog Mutagen* 7:7-16.

9. REFERENCES

- Kent RA, Andersen D, Caux PY, et al. 1999. Canadian water quality guidelines for glycols—an ecotoxicological review of glycols and associated aircraft anti-icing and deicing fluids. *Environ Toxicol* 14(5):481-522.
- Kersters K, Deley J. 1963. The oxidation of glycols by acetic acid bacteria. *Biochim Biophys Acta* 71:311-331.
- +*Kersting EJ, Nielsen SW. 1965. Ethylene glycol poisoning in small animals. *J Am Vet Med Assoc* 146(2):113-118.
- +*Khan SR, Shevock PN, Hackett RL. 1993. Magnesium oxide administration and prevention of calcium oxalate nephrolithiasis. *J Urol* 149(2):412-416.
- Khera KS. 1991. Chemically induced alterations in maternal homeostasis and histology of conceptus: Their etiologic significance in rat fetal anomalies. *Teratology* 44(3):259-297.
- Khoury GA, Adbelghani AA, Anderson AC. 1993. Bioaccumulation and depuration of ethylene glycol by crayfish (*Procambarus* spp). *Environ Toxicol Water Qual* 8(1):25-31.
- +Kinnunen T, Hannuksela M. 1989. Skin reactions to hexylene glycol. *Contact Dermatitis* 21(3):154-158.
- *Klaus R, Fischer W. 1987. A means of analyzing glycols especially ethylene glycol and diethylene glycol by a method used for the determination of carbohydrates in alcoholic beverages. *Chromatographia* 23(2):137-140.
- *Klecka GM, Carpenter CL, Landenberger BD. 1993. Biodegradation of aircraft deicing fluids in soil at low temperatures. *Ecotoxicol Environ Saf* 25:280-295.
- *Klug, S, Merker, HJ, Jackh, R, 2001. Effects of ethylene glycol and metabolites on in vitro development of rat embryos during organogenesis. *Toxicol In Vitro* 15:635-642.
- *Komori M, Nishio K, Kitada M, et al. 1990. Fetus-specific expression of a form of cytochrome P-450 in human livers. *Biochemistry* 29(18):4430-4433.
- Korinth G, Geh S, Schaller KH, et al. 2003. In vitro evaluation of the efficacy of skin barrier creams and protective gloves on percutaneous absorption of industrial solvents. *Int Arch Occup Environ Health* 76:382-386.
- Kralova I, Stepanek Z, Dusek J. 2006. Ethylene glycol intoxication misdiagnosed as eclampsia. (Comment in: *Acta Anaesthesiol Scand* 50:1037). *Acta Anaesthesiol Scand* 50(3):385-387.
- Kramer JW, Bistline D, Sheridan P, et al. 1984. Identification of hippuric acid crystals in the urine of ethylene glycol-intoxicated dogs and cats. *J Am Vet Med Assoc* 184(5):584.
- *Kring EV, Damrell DJ, Basilio AN, et al. 1984. Laboratory validation and field verification of a new passive air monitoring badge for sampling ethylene oxide in air. *Am Ind Hyg Assoc J* 45(10):697-707.
- *Krishnan K, Andersen ME. 1994. Physiologically based pharmacokinetic modeling in toxicology. In: Hayes AW, ed. *Principles and methods of toxicology*. 3rd ed. New York, NY: Raven Press, Ltd., 149-188.

9. REFERENCES

- *Krishnan K, Andersen ME, Clewell HJ, et al. 1994. Physiologically based pharmacokinetic modeling of chemical mixtures. In: Yang RSH, ed. Toxicology of chemical mixtures: Case studies, mechanisms, and novel approaches. San Diego, CA: Academic Press, 399-437.
- *Kubo T, Urano K, Utsumi H. 2002. Mutagenicity characteristics of 255 environmental chemicals. *J Health Sci* 48(6):545-554.
- Kuczkowski KM. 2006. Ethylene glycol and other solvent use in pregnancy: A new phenomenon and a new diagnostic dilemma. (Comment on: *Acta Anaesthesiol Scand* 50:385-387). *Acta Anaesthesiol Scand* 50(8):1037.
- Kukielka E, Cederbaum AI. 1991. Oxidation of ethylene glycol to formaldehyde by rat liver microsomes: Role of cytochrome P-450 and reactive oxygen species. *Drug Metab Disp* 19:1108-1115.
- +Kulick MI, Wong R, Okarma TB et al. 1985. Prospective study of side effects associated with the use of silver sulfadiazine in severely burned patients. *Ann Plast Surg* 14(5):407-419.
- *LA DOTD. 1989. Fate of ethylene glycol in the environment. New Orleans, LA: Louisiana Department of Transportation and Development. PB90264672.
- Lahti A. 1980. Nonimmunologic contact urticaria. *Acta Dermato-Venereol* 60(Suppl 91):1-49.
- *Lai MW, Klein-Schwartz W, Rodgers GC, et al. 2006. 2005 Annual report of the American Association of Poison Control Centers' national poisoning and exposure database. *Clin Toxicol* 44:803-932.
- *Laitinen J, Liesivuori J, Savolainen H. 1995. Exposure to glycols and their renal effects in motor servicing workers. *Occup Med (Lond)* 45(5):259-262.
- *LaKind JS, McKenna EA, Hubner RP, et al. 1999. A review of the comparative mammalian toxicity of ethylene glycol and propylene glycol. *Crit Rev Toxicol* 29(4):331-365.
- *Lamb CB, Jenkins GF. 1952. B.O.D. of synthetic organic chemicals. *Proc Ind Waste Conf* 7:326-329. ADD419968.
- +*Lamb JC, Maronpot RR, Gulati DK, et al. 1985. Reproductive and developmental toxicity of ethylene glycol in the mouse. *Toxicol Appl Pharmacol* 81(1):100-112.
- Lang RF. 1986. Determination of polar organic solutes in methanol using hot on-column injection capillary gas chromatography. *Anal Chem* 58(6):1259-1261.
- Lanigan RS. 1999. Special report: Reproductive and developmental toxicity of ethylene glycol and its ethers. *Int J Toxicol* 18:53-67.
- Lauwerys R, Bernard A, Viau C, et al. 1985. Kidney disorders and hematotoxicity from organic solvent exposure. *Scand J Work Environ Health* 11(Suppl 1):83-90.
- *Leeder JS, Kearns GL. 1997. Pharmacogenetics in pediatrics: Implications for practice. *Pediatr Clin North Am* 44(1):55-77.

9. REFERENCES

Lenk W, Loehr D, Sonnenbichler J. 1989. Pharmacokinetics and biotransformation of diethylene glycol and ethylene glycol in the rat. *Xenobiotica* 19(9):961-979.

*Leth PM, Gregersen M. 2005. Ethylene glycol poisoning. *Forensic Sci Int* 155(2-3):179-184.

*Letzel S, Gündel J, Schaller KH, et al. 2000. Biomonitoring von glykol-belasteten personenkapillargaschromatographische bestimmung von ethylenglykol und 1,2-propylenglykol im harn. *Arbeitsmed Sozialmed Umweltmed* 35:160-162.

*Leung HW. 1993. Physiologically-based pharmacokinetic modelling. In: Ballentyne B, Marrs T, Turner P, eds. General and applied toxicology. Vol. 1. New York, NY: Stockton Press, 153-164.

Lewis RJ. 1993. Ethylene glycol. In: Hawley's condensed dictionary. 12th ed. New York, NY: Van Nostrand Reinhold Co., 487-490.

*Lewis RJ. 2001. Hawley's condensed chemical dictionary. 14th ed. New York, NY: John Wiley & Sons, Inc., 465.

*Lewis LD, Smith BW, Mamourian AC. 1997. Delayed sequelae after acute overdoses or poisonings: Cranial neuropathy related to ethylene glycol ingestion. *Clin Pharmacol Ther* 61:692-699.

*Lide DR. 2005. CRC handbook of chemistry and physics. 86th ed. Boca Raton, FL: Taylor & Francis Group, 3-232.

Litovitz T. 1986. The alcohols: Ethanol, methanol, isopropanol, ethylene glycol. *Pediatr Clin North Am* 33(2):311-323.

*Litovitz TL, Klein-Schwartz W, Rodgers GC, et al. 2002. 2001 Annual report of the American Association of Poison Control Centers Toxic Exposure Surveillance System. *Am J Emerg Med* 20:391-452.

*Litovitz TL, Schmitz BF, Bailey KM. 1990. Annual report of the American Association of Poison Control Centers national data collection system. *Am J Emerg Med* 8(5):394-442.

*Litovitz TL, Schmitz BF, Bailey KM. 1991. 1990 Annual report of the American Poison Control Centers national data collection system. *Toxicology* 9(5):461-500.

*Livingston AL. 1978. Forage plant estrogens. *J Toxicol Environ Health* 4(2-3):301-324.

*Loden M. 1986. The *in vitro* permeability of human skin to benzene, ethylene glycol, formaldehyde, and n-hexane. *Acta Pharmacol Toxicol* 58(5):382-389.

*Løkke H. 1984. Leaching of ethylene glycol and ethanol in subsoils. *Water Air Soil Pollut* 22:373-387.

Louekari K, Scott AO, Salminen S. 1990. Estimation of food additive intakes. In: Branen AL, Davidson P, Salminen S, eds. Food Science Technology. Vol. 35: Food additives. New York, NY: Marcel Dekker, Inc., 9-32.

Lundberg P, Lof A, Johanson G, et al. 1991. New Swedish occupational standards for some organic solvents. *Am J Ind Med* 19(5):559-567.

9. REFERENCES

- Lyman WJ, Reehl WF, Rosenblatt DH. 1982. Handbook of chemical property estimation methods. New York, NY: McGraw-Hill, 5-4.
- Magerl H, Poelmann E, Hager W. 1983. Determination of ethylene glycol by head-space gas chromatography. *Z Rechtsmed* 90(3):205-209.
- +*Mallya KB, Mendis T, Guberman A. 1986. Bilateral facial paralysis following ethylene glycol ingestion. *Can J Neurol Sci* 13(4):340-341.
- Malmlund HO, Berg A, Karlman G, et al. 1991. Considerations for the treatment of ethylene glycol poisoning based on analysis of two cases. *J Toxicol Clin Toxicol* 29(2):231-240.
- Maloney G, Thompson T, Mycyk M. 2006. Case 7-2006: A man with altered mental status and acute renal failure (Comment on: *N Engl J Med* 354:1065-1072 with author reply). *N Engl J Med* 354(25):2727-2729.
- *Manius GJ. 1979. Determination of ethylene oxide, ethylene chlorohydrin, and ethylene glycol residues in ophthalmic solutions at proposed concentration limits. *J Pharm Sci* 68(12):1547-1549.
- Marion CV, Malaney GW. 1963. The oxidation of aliphatic compounds by *Alcaligenes faecalis*. *J Water Pollut Control Fed* 35:1269-1284.
- +*Maronpot RR, Zelenak JP, Weaver EV, et al. 1983. Teratogenicity study of ethylene glycol in rats. *Drug Chem Toxicol* 6(6):579-594.
- +*Marr MC, Price CJ, Myers CB, et al. 1992. Developmental stages of the CD® (Sprague-Dawley) rat skeleton after maternal exposure to ethylene glycol. *Teratology* 46(2):169-181.
- Marshall TC. 1979. Pharmacokinetics of ethylene glycol following intravenous administration to rats. Annual Report on Inhalation Toxicological Research Institute, Lovelace Biomedical Environmental Research Institute, 571-574.
- +*Marshall TC. 1982. Dose-dependent disposition of ethylene glycol in the rat after intravenous administration. *J Toxicol Environ Health* 10:397-409.
- Marshall DA, Doty RL. 1990. Taste responses of dogs to ethylene glycol, propylene glycol, and ethylene glycol-based antifreeze. *J Am Vet Med Assoc* 197(12):1599-1602.
- *Marshall TC, Cheng YS. 1983. Deposition and fate of inhaled ethylene glycol vapor and condensation aerosol in the rat. *Fundam Appl Toxicol* 3(3):175-181.
- +*Martis L, Kroes T, Darby TD, et al. 1982. Disposition kinetics of ethylene oxide, ethylene glycol, and 2-chlorethanol in the dog. *J Toxicol Environ Health* 10:847-856.
- Matsui S, Murakami T, Sasaki T, et al. 1975. Activated sludge degradability of organic substances in the waste water of the Kashima petroleum and petrochemical industrial complex in Japan. *Prog Water Technol* 7(3-4):645-650.
- *Matusik JE, Eilers PP, Waldron EM, et al. 1993. Confirmation of identities of propylene and ethylene glycols in anchovies by tandem mass spectrometry. *J Assoc Off Anal Chem Int* 76:1344-1347.

9. REFERENCES

- Maurer H, Kessler C. 1988. Identification and quantification of ethylene glycol and diethylene glycol in plasma using gas chromatography-mass spectrometry. *Arch Toxicol* 62(1):66-69.
- Maylin GA. 1980. A simple method for detecting ethylene glycol in urine by thin layer chromatography. *Cornell Vet* 70(2):202-205.
- *Mayr U, Butsch A, Schneider S. 1992. Validation of two in vitro test systems for estrogenic activities with zearalenone, phytoestrogens and cereal extracts. *Toxicology* 74(2-3):135-149.
- *McCann J, Choi E, Yamasaki E, et al. 1975. Detection of carcinogens as mutagens in the *Salmonella*/microsome test: Assay of 300 chemicals. *Proc Natl Acad Sci USA* 72(12):5135-5139.
- *McCarroll NE, Piper CE, Keech BH. 1981. An *E. coli* micro-suspension assay for the detection of DNA damage induced by direct-acting agents and promutagens. *Environ Mutagen* 3(4):429-444.
- *McChesney EW, Goldberg L, Parekh CK, et al. 1971. Reappraisal of the toxicology of ethylene glycol. II. Metabolism studies in laboratory animals. *Food Cosmet Toxicol* 9:21-38.
- *McClelland CP, Rector PR. 1951. Glycols. In: Kirk RE, Othmer DF, eds. *Kirk-Othmer encyclopedia of chemical technology*. Vol. 7. New York, NY: Interscience Encyclopedia, Inc., 238-263.
- McCurdy HH, Solomons ET. 1982. Improved procedure for determination of ethylene glycol in blood. *J Anal Toxicol* 6(5):253-254.
- McDonald TO, Kasten K, Hervey R, et al. 1973. Acute ocular toxicity of ethylene oxide, ethylene glycol, and ethylene chlorohydrin. *Bull Parenter Drug Assoc* 27(4):153-164.
- *McGahey C, Bouwer EJ. 1992. Biodegradation of ethylene glycol in simulated subsurface environments. *Water Sci Technol* 26(1):41-49.
- *McGregor DB, Brown AG, Howgate S, et al. 1991. Responses of the L5178Y mouse lymphoma cell forward mutation assay. V. 27 coded chemicals. *Environ Mol Mutagen* 17(3):196-219.
- *McMartin K. 2007. Summary report received from Kenneth McMartin, Ph.D. Summary report of the external peer review of the draft toxicological profile for ethylene glycol. Submitted to: The Agency for Toxic Substances and Disease Registry, Division of Toxicology. Submitted by: Eastern Research Group, 27.
- McMartin KE, Crenshaw B, Froberg K, et al. 2005. Endothelial toxicity from oxalate crystal deposition in vasculature during ethylene glycol poisoning. *Clin Toxicol* 43(6):688-689.
- McStay CM, Gordon PE. 2007a. Images in clinical medicine. Urine fluorescence in ethylene glycol poisoning. *N Engl J Med* 356(6):611.
- McStay CM, Gordon PE. 2007b. Urine fluorescence in ethylene glycol poisoning. *N Engl J Med* 356(6):611.
- *Means JL, Anderson SJ. 1981. Comparison of five different methods for measuring biodegradability in aqueous environments. *Water Air Soil Pollut* 16(3):301-315.

9. REFERENCES

- *Mégarbane B, Borron SW, Baud FJ. 2005. Current recommendations for treatment of severe toxic alcohol poisonings. *Intensive Care Med* 31(2):189-195.
- +*Melnick RL. 1984. Toxicities of ethylene glycol and ethylene glycol monoethyl ether in Fischer 344/N rats and B6C3F1 mice. *Environ Health Perspect* 57:147-155.
- Meola JM, Rosano TG, Swift TA. 1980. Fluorimetry of ethylene glycol in serum. *Clin Chem* 26(12):1709.
- Mikheev MI, Gorlinskaya Y, Solovyova TV. 1990. The body distribution and biological action of xenobiotics. *J Hyg Epidemiol Microbiol Immunol* 34(4):329-336.
- Mill T, Hendry DG, Richardson H. 1980. Free radical oxidants in natural waters. *Science* 207(22):886-887.
- *Miller PH. 1966. Glycols. In: Kirk RE, Othmer DF, eds. *Kirk-Othmer encyclopedia of chemical technology*. Vol. 10. 2nd ed. New York, NY: John Wiley & Sons, Inc., 638-660.
- Miller W. 1990. Ethylene glycol toxicity. *Del Med J* 62(10):1267-1272.
- *Miller JE, Vlasakova K, Glaab WE, et al. 2005. A low volume, high-throughput forward mutation assay in *Salmonella typhimurium* based on fluorouracil resistance. *Mutat Res* 578(1-2):210-224.
- Moffatt EJ, Hagardorn AN, Ferslew KE. 1986. A gas-liquid chromatographic method for quantitation of 1,3-butylene glycol in whole blood or plasma and the separation of the short chain glycols. *J Anal Toxicol* 10(1):35-37.
- Momont SL, Dahlberg PJ. 1989. Ethylene glycol poisoning. *Wis Med J* 88(9):16-20.
- *Moossavi S, Wadhwa NK, Nord EP. 2003. Recurrent severe anion gap metabolic acidosis secondary to episodic ethylene glycol intoxication. *Clin Nephrol* 60(3):205-210.
- *Morgan BW, Ford MD, Follmer R. 2000. Ethylene glycol ingestion resulting in brainstem and midbrain dysfunction. *J Toxicol Clin Toxicol* 38(4):445-451.
- Moriarty RW, McDonald RH. 1974. The spectrum of ethylene glycol poisoning. *Clin Toxicol* 7(6):538-596.
- *Morselli PL, Franco-Morselli R, Bossi L. 1980. Clinical pharmacokinetics in newborns and infants: Age-related differences and therapeutic implications. *Clin Pharmacokin* 5(6):485-527.
- +Morris HJ, Nelson AA, Calvery HO. 1942. Observations on the chronic toxicities of propylene glycol, ethylene glycol, diethylene glycol, ethylene glycol mono-ethyl-ether and diethylene glycol mono-ethyl-ether. *J Pharmacol Exp Ther* 74:266-273.
- +*Morrissey RE, Lamb JC, Morris RW, et al. 1989. Results and evaluations of 48 continuous breeding reproduction studies conducted in mice. *Fundam Appl Toxicol* 13(4):747-777.
- *Munley SM, Kennedy GL, Hurtt ME, 1999. Developmental toxicity study of glycolic acid in rats. *Drug Chem Toxicol* 22:569-582.

9. REFERENCES

- Murphy MJ, Ray AC, Jones LP, et al. 1984. 1,3-Butanediol treatment of ethylene glycol toxicosis in dogs. *Am J Vet Res* 45(11):2293-2295.
- Mushtaq E, Green LE. 1989. Effect of ethylene glycol on the interaction of different myosin subfragment 1-Nucleotide complexes with actin. *Biochemistry* 28:6478-6482.
- *Muzeni RJ. 1985. Rapid gas chromatographic determination of ethylene oxide, ethylene chlorohydrin, and ethylene glycol residues in rubber catheters. *J Assoc Off Anal Chem* 68(3):506-508.
- Mycyk MB, Aks SE. 2003. A visual schematic for clarifying the temporal relationship between the anion and osmol gaps in toxic alcohol poisoning. *Am J Emerg Med* 21(4):333-335.
- +Nagano K, Nakayama E, Oobayashi H, et al. 1984. Experimental studies on toxicity of ethylene glycol alkyl ethers in Japan. *Environ Health Perspect* 57:75-84.
- *NAS/NRC. 1989. Biologic markers in reproductive toxicology. National Academy of Sciences/National Research Council. Washington, DC: National Academy Press, 15-35.
- NATICH. 1991. National Air Toxics Information ClearingHouse. Data base report on state, local, and EPA air toxics activities. Washington, DC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards. August 13, 1991.
- Needham LL, Hill RH, Orti DL, et al. 1982. Electron-capture, capillary column gas chromatographic determination of low-molecular-weight diols in serum. *J Chromatogr* 233:9-17.
- +*Neeper-Bradley TL. 1990. Developmental toxicity evaluation of ethylene glycol administered by gavage to CD (Sprague-Dawley) rats: Determination of a "no observed effect level" (NOEL). Bushy Run Research Center. CMA Project Report 52-656.
- +*Neeper-Bradley TL, Tyl RW, Fisher LC, et al. 1995. Determination of a no-observed-effect level for developmental toxicity of ethylene glycol administered by gavage to CD rats and CD-1 mice. *Fundam Appl Toxicol* 27(1):121-130.
- Nestrick TJ, Lamparski LL, Peters TL. 1983. Low-splitting-rating injector for capillary gas chromatography. *Anal Chem* 55(12):2009-2011.
- Nguyen TD, Matsuura T, Sourirajan S. 1987. A fundamental approach to reverse-osmosis concentration and fractionation of organic chemicals in aqueous solutions for environmental analysis. In: Suffet IH, Malaiyandi M, eds. Advances in chemistry series, 214. Organic pollutants in water: Sampling, analysis, and toxicity testing. Washington, DC: American Chemical Society, 139-162.
- NIOSH. 1974. National Occupational Hazard Survey (NOHS). Vol. 1: Survey manual. Rockville, MD: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, Office of Occupational Health Surveillance and Biometrics.
- NIOSH. 1984. NIOSH manual of analytical methods. 3rd ed. Washington, DC: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. NIOSH/00184336.

9. REFERENCES

*NIOSH. 1990. Ethylene glycol. Estimated numbers of employees potentially exposed to specific agents by 2-digit Standard Industrial Classification (SIC). National Occupational Exposure Survey conducted from 1981-1983. Centers for Disease Control. National Institute for Occupational Safety and Health. <http://www.cdc.gov/noes/>. April 20, 2007.

NIOSH. 1994. Health hazard evaluation report. National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention, Public Health Service, U.S. Department of Health and Human Services. HETA 90-0355-2449. <http://www.cdc.gov/niosh/hhe/reports/pdfs/1990-0355-2449.pdf>. May 23, 2007

*NIOSH. 1996. Method 5523, Issue 1. Glycols. NIOSH manual of analytical methods. National Institute for Occupational Safety and Health. <http://www.cdc.gov/niosh/nmam/pdfs/5523.pdf>. June 28, 2007.

*NIOSH. 2005. Ethylene glycol. NIOSH pocket guide to chemical hazards. Atlanta, GA: National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention. <http://www.cdc.gov/niosh/npg/>. May 10, 2007.

NIOSH. 2006. Health hazard evaluation report: HETA-2005-0361-3005, Buffalo Newspress, Buffalo, New York. Atlanta, GA: National Institute for Occupational Safety and Health. <http://www2a.cdc.gov/hhe/select.asp?PjtName=41278&bFlag=0&ID=3>. April 04, 2007.

*NRC. 1993. Pesticides in the diets of infants and children. Washington, DC: National Academy Press. National Research Council.

NREPC. 1986. New or modified sources emitting toxic air pollutants. Frankfort, KY: Department for Environmental Protection, National Resources and Environmental Protection Cabinet. 401 KAR 63:022.

+*NTP. 1986. Ethylene glycol: Reproduction and fertility assessment in CD-1 mice when administered in drinking water. Research Triangle Park, NC: National Toxicology Program. PB86177383.

+*NTP. 1988. Developmental toxicity evaluation of ethylene glycol (CAS No. 107-21-1) in CD rats. Final report. Research Triangle Park, NC: National Toxicology Program. NTP-88-079. PB88204326/h.

NTP. 1992. Toxicology and carcinogenesis studies of ethylene glycol in B6C3F1 mice. Washington, DC: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health, National Toxicology Program. NTP TR 413. NIH Publication No. 91-3144.

+*NTP. 1993. Toxicology and carcinogenesis studies of ethylene glycol (CAS No. 107-21-1) in B6C3F₁ mice (feed studies). Research Triangle Park, NC: National Toxicology Program. NTP-TR-413.

NTP. 1997a. Ethylene glycol. Summary of 1984 NTP reproductive assessment by continuous breeding study. Environ Health Perspect 105(Suppl 1):213-214.

NTP. 1997b. Ethylene glycol. Summary of 1986 NTP reproductive assessment by continuous breeding study. Environ Health Perspect 105(Suppl 1):215-216. PB86177383.

*NTP. 2005. Introduction. Report on carcinogens. 11th ed. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Toxicology Program, 1-10. <http://ntp-server.niehs.nih.gov/ntp/roc/toc11.html>. March 08, 2006.

9. REFERENCES

- *NTP. 2007. Testing status of agents at NTP. Ethylene glycol. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Toxicology Program. <http://ntp.niehs.nih.gov:8080/index.html?col=010stat>. May 10, 2007.
- *NTP-CERHR. 2004. NTP-CERHR Expert Panel report on the reproductive and developmental toxicity of ethylene glycol. National Toxicology Program-Center for the Evaluation of Risks to Human Reproduction, 457-532.
- *Ochs ML, Glick MR, Ryder WW, et al. 1988. Improved method for emergency screening for ethylene glycol in serum. *Clin Chem* 34(7):1507-1508.
- +*Olivero JJ. 1993. A comatose man with marked acidosis and crystaluria. *Hosp Pract* 28(7):86-88.
- *O'Neil MJ, Smith A, Heckelman PE, et al. 2001. Ethylene glycol. In: *The Merck index: An encyclopedia of chemicals, drugs, and biologicals*. 13th ed. Whitehouse Station, NJ: Merck & Co., Inc., 3832-3833.
- OSHA. 1987. Access to employee exposure and medical records. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.20.
- OSHA. 1988. Access to employee exposure and medical records. Occupational Safety and Health Administration. Fed Regist 53:38140, 38163.
- OSHA. 1989a. Toxic and hazardous substances. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.1000.
- OSHA. 1989b. Toxic and hazardous substances. Occupational Safety and Health Administration. Fed Regist 54:2920-2960.
- *OSHA. 2006. Air contaminants. Occupational safety and health standards for shipyard employment. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1915.1000. <http://www.osha.gov/comp-links.html>. April 11, 2007.
- *OTA. 1990. Neurotoxicity: Identifying and controlling poisons of the nervous system. Washington, DC: Office of Technology Assessment. OTABA438.
- *Ovrebo S, Jacobsen D, Sejersted OM. 1987. Determination of ionic metabolites from ethylene glycol in human blood by isotachophoresis. *J Chromatogr Biomed Appl* 416(1):111-118.
- *Owen GM, Brozek J. 1966. Influence of age, sex and nutrition on body composition during childhood and adolescence. In: Falkner F, ed. *Human development*. Philadelphia, PA: WB Saunders, 222-238.
- Pant SK, Thomas KM, Gupta PN, et al. 1989. Detection of presence of diethylene glycol in glycerin. *Indian J Pharm Sci* 51(2):57-58.
- +*Parry MF, Wallach R. 1974. Ethylene glycol poisoning. *Am J Med* 57(1):143-150.
- Parsa T, Cunningham SJ, Wall SP, et al. 2005. The usefulness of urine fluorescence for suspected antifreeze ingestion in children. (Comment in: *Am J Emerg Med* 24:396). *Am J Emerg Med* 23(6):787-792.

9. REFERENCES

- Parsa T, Cunningham SJ, Wall SP, et al. 2006. The usefulness of urine fluorescence for suspected antifreeze ingestion in children. (Comment on: Am J Emerg Med 23:787-792). Am J Emerg Med 24(3):396.
- Pearl RG, Rice SA. 1989. Propylene-glycol-induced pulmonary hypertension in sheep. Pharmacology 39(6):383-389.
- *Pellegrino B, Parravani A, Cook L, et al. 2006. Ethylene glycol intoxication: Disparate findings of immediate versus delayed presentation. W V Med J 102(4):32-34.
- +*Penumarthy L, Oehme FW. 1975. Treatment of ethylene glycol toxicosis in cats. Am J Vet Res 36(2):209-212.
- Perl W, Silverman F, Delea AC, et al. 1976. Permeability of dog lung endothelium to sodium, diols, amides, and water. Am J Physiol 230(6):1708-1721.
- +*Peterson CD, Collins AJ, Himes JM, et al. 1981. Ethylene glycol poisoning: Pharmacokinetics during therapy with ethanol and hemodialysis. New Eng J Med 304:21-23.
- Peterson RL, Rodgerson DO. 1974. Gas-chromatographic determination of ethylene glycol in serum. Clin Chem 20(7):820-824.
- Petroff OA, Yu RK, Ogino T. 1986. High-resolution proton magnetic resonance analysis of human cerebrospinal fluid. J Neurochem 47(4):1270-1276.
- Pfaffli P, Hesso A, Vaino H, et al. 1981. 4-Vinylphenol excretion suggestive of arene oxide formation in workers occupationally exposed to styrene. Toxicol Appl Pharmacol 60(1):85-90.
- *Pfeiffer EH, Dunkelberg H. 1980. Mutagenicity of ethylene oxide and propylene oxide and of the glycols and halohydrins formed from them during the fumigation of foodstuffs. Food Cosmet Toxicol 18:115-118.
- *Piagnerelli M, Carlier E, Lejeune P. 1999. Adult respiratory distress syndrome and medullary toxicity: Two unusual complications of ethylene glycol intoxication. Intensive Care Med 25(10):1200.
- *Pitter P. 1976. Determination of biological degradability of organic substances. Water Res 10:231-235.
- *Pizon AF, Brooks DE. 2006. Hyperosmolality: Another indication for hemodialysis following acute ethylene glycol poisoning. Clin Toxicol 44(2):181-183.
- Placak OR, Ruchhoft CC. 1947. Studies of sewage purification. XVII. The utilization of organic substrates by activated sludge. Sewage Work J 19:423-440.
- Poikolainen K, Vuori E. 1985. Risk of fatal alcohol poisoning by marital and occupational status. Alcohol Alcohol 20(3):329-332.
- *Porter WH, Rutter PW, Yao HH. 1999. Simultaneous determination of ethylene glycol and glycolic acid in serum by gas chromatography-mass spectrometry. J Anal Toxicol 23(7):591-597.

9. REFERENCES

- *Pottenger LH, Carney EW, Bartels MJ. 2001. Dose-dependent nonlinear pharmacokinetics of ethylene glycol metabolites in pregnant (GD 10) and nonpregnant Sprague-Dawley rats following oral administration of ethylene glycol. *Toxicol Sci* 62(1):10-19.
- +*Price CJ, Kimmell CA, Tyl RW, et al. 1985. The developmental toxicity of ethylene glycol in rats and mice. *Toxicol Appl Pharmacol* 81(1):113-127.
- *Price KS, Waggy GT, Conway RA. 1974. Brine shrimp bioassay and seawater BOD of petrochemicals. *J Water Pollut Contr Fed* 46(1):63-77.
- Raja LMV, Elamvaluthy G, Palaniappan R, et al. 1991. Novel biotreatment process for glycol waters. *Appl Biochem Biotechnol* (28-29):827-842.
- Rajagopal G, Ramakrishnan S. 1975. A new method for estimation of ethylene glycol in biological material. *Anal Biochem* 65(1-2):132-136.
- Rajagopal G, Ramakrishnan S. 1978. Effect of ethylene glycol toxicity on hepatic carbohydrate metabolism in rats. *Toxicol Appl Pharmacol* 46(2):507-516.
- *Rajagopal G, Venkatesan K, Ranganathan P, et al. 1977. Calcium and phosphorus metabolism in ethylene glycol toxicity in rats. *Toxicol Appl Pharmacol* 39(3):543-547.
- *Rasic S, Cengic M, Golemac S, et al. 1999. Acute renal insufficiency after poisoning with ethylene glycol. *Nephron* 81(1):119-120.
- Ratnapalan S, Potylitsina Y, Tan LH, et al. 2003. Measuring a toddler's mouthful: Toxicologic considerations. *J Pediatr* 142(6):729-730.
- *Rebsdat S, Mayer D. 2005. Ethylene glycol. Ullmann's encyclopedia of industrial chemistry. Wiley-VCH Verlag GmbH & Co.
http://www.mrw.interscience.wiley.com/emrw/9783527306732/ueic/article/a10_101/current/pdf. May 16, 2007.
- *Reddy NJ, Lewis LD, Gardner TB, et al. 2007. Two cases of rapid onset Parkinson's syndrome following toxic ingestion of ethylene glycol and methanol. *Clin Pharmacol Ther* 81(1):114-121.
- *Revitt DM, Worrall P. 2003. Low temperature biodegradation of airport de-icing fluids. *Water Sci Technol* 48(9):103-111.
- +*Richardson KE. 1973. The effect of partial hepatectomy on the toxicity of ethylene glycol, glycolic acid, glyoxalic acid and glycine. *Toxicol Appl Pharmacol* 24:530-538.
- Riggs PC, Barry BW. 1990. Shed snake skin and hairless mouse skin as model membranes for human skin during permeation studies. *J Invest Dermatol* 94(2):235-240.
- *Riley JH, Stahr HM, O'Brien S, et al. 1982. Urine and tissue oxalate and hippurate levels in ethylene glycol intoxication in the dog. *Vet Hum Toxicol* 24(5):331-334.
- Riordan M, Rylance G, Berry K. 2002. Poisoning in children 5: Rare and dangerous poisons. *Arch Dis Child* 87(5):407-410.

9. REFERENCES

- +*Roberts JA, Seibold HR. 1969. Ethylene glycol toxicity in the monkey. *Toxicol Appl Pharmacol* 15(3):624-631.
- *Robinson D, McCoy CA. 1989. Ethylene glycol toxicity. *Crit Care Nurse* 9(6):70-74.
- Robinson DW, Reive DS. 1981. A gas chromatographic procedure for quantitation of ethylene glycol in postmortem blood. *J Anal Toxicol* 5(2):69-72.
- +*Robinson M, Pond CL, Laurie RD, et al. 1990. Subacute and subchronic toxicity of ethylene glycol administered in drinking water to Sprague-Dawley rats. *Drug Chem Toxicol* 13:43-70.
- +*Rofe AM, Bais R, Conyers RAJ. 1986. The effect of dietary refined sugars and sugar alcohols on renal calcium oxalate deposition in ethylene glycol-treated rats. *Food Chem Toxicol* 24(5):397-403.
- Rossa V, Weber U. 1990. Effect of ethylene glycol on rabbit retinas. *Ophthalmologica* 200(2):98-103.
- +*Rothman A, Normann SA, Manoguerra AS, et al. 1986. Short-term hemodialysis in childhood ethylene glycol poisoning. *J Pediatr* 108:153-155.
- *Rowe VK, Wolf MA. 1982. Glycols. In: Clayton GD, Clayton FE, eds. *Patty's industrial hygiene and toxicology*. Vol. 2C: Toxicology. 3rd ed. New York, NY: John Wiley & Sons, 3817-3853.
- Rowland J. 1987. Incidence of ethylene glycol intoxication in dogs and cats seen at Colorado State University Veterinary Teaching Hospital. *Vet Hum Toxicol* 29(1):41-44.
- *RTECS. 2007. Ethylene glycol. Registry of Toxic Effects on Chemical Substances. National Institute of Occupational Safety and Health. MDL Information Systems, Inc. May 15, 2007.
- *Ryder KW, Glick MR, Jackson SA. 1986. Emergency screening for ethylene glycol in serum. *Clin Chem* 32(8):1574-1577.
- Saavedra D, Arteaga M, Tena M. 1997. Industrial contamination with glycol ethers resulting in teratogenic damage. *Ann N Y Acad Sci* 837:126-137.
- Sakazaki H, Ueno H, Umetani K, et al. 2001. Immunotoxicological evaluation of environmental chemicals utilizing mouse lymphocyte mitogenesis test. *J Health Sci* 47(3):258-271.
- Sakoda T, Horiuti K. 1992. Effects of ethylene glycol and calcium on the kinetics of contraction induced by photo-released of low concentrations of ATP in rat psoas muscle fibres. *J Muscle Res Cell Motil* 13(4):464-472.
- Saladino R, Shannon M. 1991. Accidental and intentional poisonings with ethylene glycol in infancy: Diagnostic clues and management. *Pediatr Emerg Care* 7(2):93-96.
- *Scalley RD, Ferguson DR, Piccaro JC, et al. 2002. Treatment of ethylene glycol poisoning. *Am Fam Physician* 66(5):807-812.
- Schefer W, Waelchli O. 1980. Testing the biodegradability of organic waster water components. *Z Wasser Abwasser Forsch* 13(6):205-209.

9. REFERENCES

- +*Schladt L, Ivens I, Karbe E, et al. 1998. Subacute oral toxicity of tetraethylene glycol and ethylene glycol administered to Wistar rats. *Exp Toxic Pathol* 50:257-265.
- Schmitt R, Zhu X, Ishibe S. 2006a. Case 7-2006: A man with altered mental status and acute renal failure. (Comment on: *N Engl J Med* 354:1065-1072 with author reply). *N Engl J Med* 354(25):2727-2729.
- Schmitt R, Zhu X, Ishibe S. 2006b. More on case 7-2006. *N Engl J Med* 355(14):1502-1503.
- *Schoenberg T, Veltman S, Switzenbaum M. 2001. Kinetics of anaerobic degradation of glycol-based Type I aircraft deicing fluids. *Biodegradation* 12:59-68.
- Schramm M, Warrick AW, Fuller WH. 1986. Permeability of soils to four organic liquids and water. *Haz Waste Haz Mater* 3(1):21-27.
- +*Schuler RL, Hardin BD, Niemeier RW, et al. 1984. Results of testing fifteen glycol ethers in a short-term in vivo reproductive toxicity assay. *Environ Health Perspect* 57:141-146.
- *Schumacher JN, Green CR, Best FW, et al. 1977. Smoke composition: An extensive investigation of the water-soluble portion of cigarette smoke. *J Agric Food Chem* 25(2):310-320.
- *Setchell BP, Waites GMH. 1975. The blood-testis barrier. In: Creep RO, Astwood EB, Geiger SR, eds. *Handbook of physiology: Endocrinology V*. Washington, DC: American Physiological Society, 143-172.
- Sheldon LS, Hites RA. 1979. Environmental occurrence and mass spectral identification of ethylene glycol derivatives. *Sci Total Environ* 11(3):279-286.
- Sherertz EF, Sloan KB, McTiernan RG. 1990. Transdermal delivery of 5-fluorouracil through skin of hairless mice and humans in vitro: A comparison of the effect of formulations and a prodrug. *Arch Dermatol Res* 282(7):463-468.
- *Shoemaker JD, Lynch RE, Hoffmann JW, et al. 1992. Misidentification of propionic acid as ethylene glycol in a patient with methylmalonic acidemia. *J Pediatr* 120:417-421.
- Siddiqi M, Russ J, Hunt CE, et al. 1998. Case report: Massive ethylene glycol ingestion and methemoglobinemia. *J Toxicol Clin Toxicol* 36(5):513.
- +*Siew S, Matta RK, Johnson M. 1975a. Investigation of "crystallosis" in ethylene glycol toxicity. *Scan Electron Microsc* 8:555-562.
- *Siew S, Matta RK, Johnson M. 1975b. Microanalysis of crystals in biological tissue. In: *Tenth annual conference of the Microbeam Analysis Society: August 11-15, 1975, MGM hotel, Las Vegas, Nevada*. Bethlehem, PA: Microbeam Analysis Society, 48-A to 48-D.
- *Sills RD, Blakeslee PA. 1992. The environmental impact of deicers in airport stormwater runoff. In: *Chemical Deicers and the Environment*. Boca Raton, FL: Lewis Publishers, 323-340.
- *Simmons P, Branson D, Bailey R. 1976. 1,2,4-Trichlorobenzene: Biodegradable or not? In: *Book pap, Int Tech Conf. Research Triangle Park, NC: American Association Text*, 212-217.

9. REFERENCES

- Simpson E. 1985. Some aspects of calcium metabolism in a fatal case of ethylene glycol poisoning. *Ann Clin Biochem* 22:90-93.
- *Singh M, Murtaza M, D'Souza N, et al. 2001. Abdominal pain and lactic acidosis with ethylene glycol poisoning. (Comment in: Am J Emerg Med 20:263). *Am J Emerg Med* 19(6):529-530.
- Sisfontes L, Nyborg G, Jones AW, et al. 1986. Occurrence of short chain aliphatic diols in human blood: Identification by gas chromatography-mass spectrometry. *Clin Chim Acta* 155(2):117-122.
- *Sivilotti MLA, Burns MJ, McMullan KE, et al. 2000. Toxicokinetics of ethylene glycol during fomepizole therapy: Implications for management. *Ann Emerg Med* 36(2):114-125.
- *Slave T, Mihail A, Burmaz N. 1974. [Degradation of some organic impurities in residual waters.] *Rev Chim* 25:666-670. (Hungarian)
- *Slikker W, Andersen ME, Bogdanffy MS, et al. 2004. Dose-dependent transitions in mechanisms of toxicity: Case studies. *Toxicol Appl Pharmacol* 201(3):226-294.
- *Smith BJ, Anderson BG, Smith SA, et al. 1990. Early effects of ethylene glycol on the ultrastructure of the renal cortex in dogs. *Am J Vet Res* 51(1):89-96.
- *Smith NB. 1984. Determination of serum ethylene glycol by capillary gas chromatography. *Clin Chim Acta* 144(2-3):269-272.
- Smith NB. 1987a. Identification and elimination of an ethylene glycol determination artifact. *Clin Chim Acta* 162(1):105-108.
- Smith NB. 1987b. Measurement of ethylene glycol in biological specimens. *Ann Clin Biochem* 24:639-640.
- Smith NB, Rawal N. 1987. Lack of interference of tris(hydroxymethyl)methylamine with the determination of volatile alcohols or ethanediol in serum by capillary gas chromatography. *Clin Chem* 33(12):2324.
- Speece RE. 1983. Anaerobic biotechnology for industrial wastewater treatment. *Environ Sci Technol* 17(9):416A-427A.
- +*Spillane L, Roberts JR, Meyer AE. 1991. Multiple cranial nerve deficits after ethylene glycol poisoning. *Ann Emerg Med* 20(2):208-210.
- *Spitz HD, Weinberger J. 1971. Determination of ethylene oxide, ethylene chlorohydrin, and ethylene glycol by gas chromatography. *J Pharm Sci* 60(2):271-274.
- SRI. 1989. Directory of chemical producers - United States of America. Menlo Park, CA: Stanford Research Institute International, 614, 927-928.
- SRI. 1991. Directory of Chemical Producers -United States of America. Menlo Park, CA: Stanford Research Institute International, 620-621, 936.
- SRI. 1993. Directory of Chemical Producers -United States of America. Menlo Park, CA: Stanford Research Institute International, 598, 890.

9. REFERENCES

- SRI. 1995. Directory of Chemical Producers -United States of America. Menlo Park, CA: Stanford Research Institute International, 590, 875.
- *SRI. 2006. 2006 Directory of chemical producers. Menlo Park, CA: SRI Consulting, 597.
- *Staples CA, Williams JB, Craig GR, et al. 2001. Fate, effects and potential environmental risks of ethylene glycol: A review. *Chemosphere* 43:377-383.
- Stein ZLG, Barkin RL, Lipscomb JW, et al. 1983. Ethylene glycol toxicity and treatment. *Drug Intell Clin Pharm* 17:376-377.
- Steinhart B. 1990. Case report: Severe ethylene glycol intoxication with normal osmolal gap—"a chilling thought." *J Emerg Med* 8(5):583-585.
- Steinke W, Arendt G, Mull M, et al. 1989. Good recovery after sublethal ethylene glycol intoxication: Serial EEG and CT findings. *J Neurol* 236(3):170-173.
- +Stenback F, Shubik P. 1974. Lack of toxicity and carcinogenicity of some commonly used cutaneous agents. *Toxicol Appl Pharmacol* 30:7-13.
- Stevens HM. 1986. The detection of some non-drug poisons in simulated stomach contents by diffusion into various color reagents. *J Forensic Sci* 26:(2)137-145.
- *Storer RD, McKelvey TW, Kraynak AR, et al. 1996. Revalidation of the in vitro alkaline elution/rat hepatocyte assay for DNA damage: Improved criteria for assessment of cytotoxicity and genotoxicity and results for 81 compounds. *Mutat Res* 368:59-101.
- *Swann RL, Laskowaski DA, McCall PJ, et al. 1983. A rapid method for the estimation of the environmental parameters octanol water partition coefficient, soil sorption constant, water to air ratio, and water solubility. *Residue Rev* 85:18-28.
- Swenberg JA, Petzold GL, Harbach PR. 1976. In vitro DNA damage/alkaline elution assay for predicting carcinogenic potential. *Biochem Biophys Res Comm* 72(2):732-738.
- *Takayesu JK, Bazari H, Linshaw M. 2006. Case 7-2006: A 47-year-old man with altered mental status and acute renal failure. (Erratum in N Engl J Med 355:429-b). *N Engl J Med* 354(10):1065-1072.
- Tarr BD, Winters LJ, Moore MP, et al. 1985. Low-dose ethanol in the treatment of ethylene glycol poisoning. *J Vet Pharmacol Ther* 8(3):254-262.
- *Taylor R, Bower J, Salem MM. 1997. Acidosis and coma after hemodialysis. *J Am Soc Nephrol* 8:853-856.
- Thamilselvan S, Hackett RL, Khan SR. 1997. Lipid peroxidation in ethylene glycol induced hyperoxaluria and calcium oxalate nephrolithiasis. *J Urol* 157:1059-1063.
- *Thomas RG. 1990. Volatilization from water. In: Lyman WJ, Reehl WF, Rosenblatt DH, eds. *Handbook of chemical property estimation methods: Environmental behavior of organic compounds*. Washington, DC: American Chemical Society, 15-1 to 15-34.

9. REFERENCES

*Thomas K, Colborn T. 1992. Organochlorine endocrine disruptors in human tissue. In: Colborn T, Clement C, eds. *Chemically induced alterations in sexual and functional development: The wildlife/human connection*. Princeton, NJ: Princeton Scientific Publishing, 365-394.

Thrall MA, Grauer GF, Mero KN. 1984. Clinicopathologic findings in dogs and cats with ethylene glycol intoxication. *J Am Vet Med Asso* 184(1):37-41.

*Tobe TJ, Braam GB, Meulenbelt J. 2002. Ethylene glycol poisoning mimicking Snow White (Comment on Lancet 2001 358(9289):1236). *Lancet* 359(9304):444-445.

*TRI05. 2007. TRI explorer: Providing access to EPA's toxics release inventory data. Washington, DC: Office of Information Analysis and Access. Office of Environmental Information. U.S. Environmental Protection Agency. Toxics Release Inventory. <http://www.epa.gov/triexplorer/>. May 29, 2007.

+*Troisi FM. 1950. Chronic intoxication by ethylene glycol vapour. *Br J Ind Med* 7:65-69.

Tsukamura M. 1966. Utilization of glycals and certain other carbohydrates by mycobacteria as sole carbon sources. *Am Rev Resp Dis* 94:796-798.

*Tucker SP, Deye GJ. 1981. Sampling and analytical method for ethylene glycol in air. *Anal Lett* 14(A12):959-976.

Turpeinen M. 1991. Absorption of hydrocortisone from the skin reservoir in atopic dermatitis. *Br J Dermatol* 124(4):358-360.

+*Tyl RW. 1985. Evaluation of the teratogenic potential of ethylene glycol aerosol in the CD rat and CD-1 mouse. Bushy Run Research Center, Union Carbide Corp., Report No. 48-100.

+*Tyl RW. 1988a. Ethylene glycol: Developmental toxicity evaluation of the aerosol in CD-1 mice by nose-only or whole-body exposure. Bushy Run Research Center, Union Carbide Corp., Report No. 50-121.

+*Tyl RW. 1988b. Developmental toxicity evaluation of ethylene glycol applied cutaneously to CD-1 mouse. Bushy Run Research Center. CMA Project Report 50-597.

+*Tyl RW. 1989. Developmental toxicity evaluation of ethylene glycol administrated by gavage to CD-1 mice: Determination of a "no-observed-effect-level" (NOEL). Bushy Run Research Center, CMA Project Report 51-591.

*Tyl RW, Ballantyne B, Fisher LC, et al. 1994. Evaluation of exposure to water aerosol or air by nose-only or whole-body inhalation procedures for CD-1 mice in developmental toxicity studies. *Fundam Appl Toxicol* 23:251-260.

+*Tyl RW, Ballantyne B, Fisher LC, et al. 1995a. Evaluation of the developmental toxicity of ethylene glycol aerosol in Cd-1 mice by nose-only exposure. *Fundam Appl Toxicol* 27:49-62.

+*Tyl RW, Ballantyne B, Fisher LC, et al. 1995b. Evaluation of the developmental toxicity of ethylene glycol aerosol in the CD rat and CD-1 mouse by whole-body exposure. *Fundam Appl Toxicol* 24:57-75.

9. REFERENCES

- +*Tyl RW, Fisher LC, Kubena MF, et al. 1995c. Assessment of the developmental toxicity of ethylene glycol applied cutaneously to CD-1 mice. *Fundam Appl Toxicol* 27:155-166.
- +*Tyl RW, Price CJ, Marr MC, et al. 1993. Developmental toxicity evaluation of ethylene glycol by gavage in New Zealand White (NZW) rabbits. *Fundam Appl Toxicol* 20:402-412.
- +*Underwood F, Bennett WM. 1973. Ethylene glycol intoxication: Prevention of renal failure by aggressive management. *J Am Med Assoc* 226(12):1453-1454.
- Upadhyay S, Carstens J, Csanady GA, et al. 2004. Comparison of ethylene glycol uptake in volunteers exposed by inhalation and by dermal administration. *Naunyn Schmiedebergs Arch Pharmacol* 369:R108.
- *Vale JA. 1979. Ethylene glycol poisoning. *Vet Hum Toxicol* 21:118-120.
- Van Stee EW, Harris AM, Horton ML, et al. 1975. The treatment of ethylene glycol toxicosis with pyrazole. *J Pharmacol Exp Ther* 192(2):251-259.
- VANR. 1988. Vermont Agency of Natural Resources. Department of Environmental Conservation and Groundwater Protection. Washington, DC: Bureau of Affairs.
- *Verrilli MR, Deyling CL, Pippenger CE, et al. 1987. Fatal ethylene glycol intoxication. Report of a case and review of the literature. *Cleve Clin J Med* 54(4):289-295.
- Verschueren K. 1977. Handbook of environmental data on organic chemicals. New York, NY: Van Nostrand Reinhold Company, 646-647, 1029.
- *Vesper SJ, Murdoch LC, Hayes S, et al. 1994. Solid oxygen source for bioremediation in subsurface soils. *J Hazard Mater* 36:265-274.
- *Vieira I, Sonnier M, Cresteil T. 1996. Developmental expression of CYP2E1 in the human liver: Hypermethylation control of gene expression during the neonatal period. *Eur J Biochem* 238(2):476-483.
- Vincent R, Cicolelia A, Poirot P. 1990. Determination of glycol ethers in working atmospheres. *Analisis* 18(10):591-596.
- von Sonntag C. 1984. Carbohydrate radicals: From ethylene glycol to DNA strand breakage. *Int J Radiat Biol Relat Stud Phys Chem Med* 46(5):507-519.
- *Wagner RJ. 1976. Study of the degradation behavior of organic materials by means of the respirometric dilution method. II. The degradation kinetics of test substances. *Vom Wasser* 47:241-265.
- *Walder AD, Tyler CK. 1994. Ethylene glycol antifreeze poisoning. Three case reports and a review of treatment. *Anaesthesia* 49(11):964-967.
- Walker JE, Kaplan DL. 1992. Biological degradation of explosives and chemical agents. *Biodegradation* 3(2-3):369-385.
- +*Walton EW. 1978. An epidemic of antifreeze poisoning. *Med Sci Law* 18(4):231-237.
- Wang RS, Suda M, Gao X, et al. 2004. Health effects of exposure to ethylene glycol monoethyl ether in female workers. *Ind Health* 42:447-451.

9. REFERENCES

- *Ware GW, ed. 1988. Ethylene Glycol. *Rev Environ Contam Toxicol* 106:133-141.
- *Watson GK, Jones N. 1977. The biodegradation of polyethylene glycols by sewage bacteria. *Water Res* 11:95-100.
- *Watson WA, Litovitz TL, Klein-Schwartz W, et al. 2004. 2003 Annual report of the American Association of Poison Control Centers Toxic Exposure Surveillance System. *Am J Emerg Med* 22:335-404.
- Weast RC. 1988. Ethanediol. In: CRC handbook of chemistry and physics, 69th ed. Boca Raton, FL: CRC Press.
- *West JR, Smith HW, Chasis H. 1948. Glomerular filtration rate, effective renal blood flow, and maximal tubular excretory capacity in infancy. *J Pediatr* 32:10-18.
- *Wezorek C, Hodgman M, Dean B, et al. 1995. Inadvertent ethylene glycol inhalation resulting in a toxic level. *J Toxicol Clin Toxicol* 33:553.
- *White ML, Liebelt EL. 2006. Update on antidotes for pediatric poisoning. *Pediatr Emerg Care* 22(11):740-749.
- *WHO. 2000a. Air quality guidelines. 2nd ed. Geneva, Switzerland: World Health Organization. <http://www.euro.who.int/Document/AIQ/AirQualRepMtg.pdf>. March 08, 2006.
- WHO. 2000b. Ethylene glycol: Environmental aspects. Concise international chemical assessment document 22. Geneva: World Health Organization. <http://www.who.int/entity/ipcs/publications/cicad/en/cicad22.pdf>. March 27, 2007.
- *WHO. 2002. Ethylene glycol: Human health aspects. Concise international chemical assessment document 45. Geneva: World Health Organization. <http://www.who.int/entity/ipcs/publications/cicad/en/cicad45.pdf>. March 27, 2007.
- *WHO. 2004. Guidelines for drinking-water quality. Vol 1. Recommendations. 3rd ed. Geneva, Switzerland: World Health Organization. http://www.who.int/water_sanitation_health/dwq/gdwq3/en/. March 08, 2006.
- *Widdowson EM, Dickerson JWT. 1964. Chemical composition of the body. In: Comar CL, Bronner F, eds. Mineral metabolism: An advanced treatise. Vol. II: The elements Part A. New York, NY: Academic Press, 1-247.
- *Wiener SW. 2006. Toxic alcohols. In: Flomenbaum NE, Goldfrank LR, Hoffman RS, et al., eds. Goldfrank's toxicologic emergencies. New York, NY: McGraw-Hill Companies, Inc., 1447-1459.
- *Wiener HL, Richardson KE. 1988. The metabolism and toxicity of ethylene glycol. *Res Commun Subst Abuse* 9(2):77-87.
- *Wiley JF. 1999. Novel therapies for ethylene glycol intoxication. *Curr Opin Pediatr* 11:269-273.
- Willetts A. 1981. Bacterial metabolism of ethylene glycol. *Biochim Biophys Acta* 677(2):194-199.

9. REFERENCES

- *Williams RH, Shah SM, Maggiore JA, et al. 2000. Simultaneous detection and quantitation of diethylene glycol, ethylene glycol, and the toxic alcohols in serum using capillary column gas chromatography. *J Anal Toxicol* 24(7):621-626.
- *Williamson SA, Iverson WG. 1993. Determination of short-chain diols and selected fermentation by-products in beer. *J Am Soc Brew Chem* 51:114-118.
- +Willis CM, Stephens CJ, Wilkinson JD. 1988. Experimentally-induced irritant contact dermatitis: Determination of optimum irritant concentrations. *Contact Dermatitis* 18(1):20-24.
- +Willis CM, Stephens CJ, Wilkinson JD. 1989. Epidermal damage induced by irritants in man: A light and electron microscopic study. *J Invest Dermatol* 93(5):695-699.
- +*Wills JH, Coulston F, Harris ES, et al. 1974. Inhalation of aerosolized ethylene glycol by man. *Clin Toxicol* 7(5):463-476.
- Willson JE. 1970. Ethylene oxide sterilant residues. *Bull Parenter Drug Assoc* 24(5):226-234.
- +*Wilson DM, Dryzga MD, Bartels MJ, et al. 2005. Ethylene glycol: 12-month dietary toxicity study in Wistar Han rats. Arlington, VA: Ethylene Glycol Toxicology Research Task Group. American Chemistry Council. [unpublished study]
- +*Winek CL, Shingleton DP, Shanor SP. 1978. Ethylene and diethylene glycol toxicity. *Clin Toxicol* 13(2):297-324.
- *Winter ML, Ellis MD, Snodgrass WR. 1990. Urine fluorescence using a Wood's lamp to detect the antifreeze additive sodium fluorescein: A qualitative adjunctive test in suspected ethylene glycol ingestions. *Ann Emerg Med* 19:663-667.
- *Woodside MD. 1982. Ethylene glycol: Twenty-four month feeding in the diet of rats. Bushy Run Research Center, Union Carbide Chemicals and Plastics Co., Inc., Report No. 44-109.
- +*Woolf AD, Wynshaw-Boris A, Rinaldo P, et al. 1992. Intentional infantile ethylene glycol poisoning presenting as an inherited metabolic disorder. *J Pediatr* 120(3):421-424.
- Wright CG, Bird LL, Meyerhoff WL. 1991. Tympanic membrane microstructure in experimental cholesteatoma. *Acta Otolaryngol* 111(1):101-111.
- *Wu NM, Malinin TI. 1987. High performance liquid chromatography determination of ethylene glycol and ethylene chlorohydrin in tissues. *J Anal Toxicol* 11(2):63-66.
- *Yao HH, Porter WH. 1996. Simultaneous determination of ethylene glycol and its major toxic metabolite, glycolic acid, in serum by gas chromatography. *Clin Chem* 42(2):292-297.
- Yaws CL, Yang HC, Hoppier JR, et al. 1990. Organic chemicals: Water solubility data. *Chem Eng* 97:115-118.
- *Young RHF, Ryckman DW, Buzzell JC. 1968. An improved tool for measuring biodegradability. *J Water Pollut Control Fed* 40(8, Part 2):354-368.

9. REFERENCES

- +*Zabrodskii PF, Germanchuk VG. 2000. Immunotoxic effects during acute ethylene glycol poisoning. Bull Exp Biol Med 130(10):967-968.
- +*Zabrodskii PF, Kirichuk VF, Germanchuk VS, et al. 2003. Suppression of natural killer cells after acute intoxication with alcohols and cholinotropic preparations and their reactivation with T-Activin. Bull Exp Biol Med 135(1):3369-371.
- Zabrodskii PF, Trashkin NM, Mandych VG. 2004. Stimulation of immunotoxicity of chemicals metabolizing in vivo into highly toxic compounds by the monooxygenase system indicators. Bull Exp Biol Med 138(4):369-371.
- Zahn R, Wellens H. 1980. Examination of biodegradability in static tests-further experience and new application possibilities. Z Wasser Abwasser Forsch 13:1-7.
- *Zeiger E, Anderson B, Haworth S, et al. 1987. Salmonella mutagenicity tests: III. Results from the testing of 255 chemicals. Environ Mutagen 9(Suppl 9):1-109.
- +*Zeiss J, Velasco ME, McCann KM, et al. 1989. Cerebral CT of lethal ethylene glycol intoxication with pathologic correlation. Am J Neuroradiol 10(2):440-442.
- Zhou L, Zabad R, Lewis RA. 2002. Ethylene glycol intoxication: Electrophysiological studies suggest a polyradiculopathy. Neurology 59(11):1809-1810.
- *Ziegler EE, Edwards BB, Jensen RL, et al. 1978. Absorption and retention of lead by infants. Pediatr Res 12(1):29-34.
- Zimina LN, Budarina LS, Nazarenko AF. 1977. Morphological changes in the liver and kidneys in ethylene glycol poisoning. Arkh Patol 39(2):51-58.