

## LPMS SUMMARY by RIVER BASIN January - December 2005

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay <sup>1</sup> Delayed		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time <sup>1</sup>	Freq Total
<b>Allegheny River</b>										
Lock And Dam 2										
1	7	7,435	1,882	4,759	6%	21%	9.25	.64		
C.W. Bill Young Lock & Dm										
1	15	3,576	1,861	3,490	8%	17%	7.00	.60		8
Lock And Dam 4										
1	24	4,852	1,347	4,067	5%	7%	3.07	.32		7
Lock And Dam 5										
1	30	1,579	152	1,004	1%	2%	.05	.03		6
Lock And Dam 6										
1	36	878	83	571	0%	2%	.05	.02		
Lock And Dam 7										
1	46	1,312	85	733	0%	3%	.52	.52		2
Lock And Dam 8										
1 *	53	1,812	678	1,331	8%	16%	2.59	.25		7
Lock And Dam 9										
1 *	62	899	0	495	0%	0%	.00	.00		
<b>Atlantic Intracoastal Waterway</b>										
Great Bridge Guard Lock										
1	12	12,149	968	5,257	43%	88%	13.78	.05	0.9	13
<b>Alabama-Coosa Rivers</b>										
Claiborne Lock And Dam										
1	118	358	142	299	1%	3%	2.00	2.00		
<b>Apalachicola/Chattahoochee/Flint Rivers</b>										
Jim Woodruff Lock And Dam										
1	106	443	0	228	0%	0%	.00	.00		
George W Andrews Lock And Dam										
1	47	624	1	390	1%	0%	.03	.00		
Walter F George Lock And Dam										
1	75	311		267	8%	0%	.32	.00		
<b>Atchafalaya River</b>										
Berwick Lock										
1	75	5,327	53	3,365	63%	95%	4.74	.04		2
<b>Black Rock Channel/Tonawanda Harbor</b>										
Black Rock Lock										
1 *	75	2,182	219	1,639	10%	14%	13.15	.01		254
<b>Black Warrior/Tombigbee Rivers</b>										
Demopolis Lock And Dam										
1	213	3,525	13,060	3,218	32%	33%	31.18	.70		
Armstrong I. Selden Lock And Dam										
1 *	262	90	114	42	20%	44%	5.80	.78		

\* Lock data not available for all months

1 - Average Time in Hours

## LPMS SUMMARY by RIVER BASIN January - December 2005

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay <sup>1</sup> Delayed		Lock Closures <sup>1</sup>	
					Vessels	Tows	Vessels	Tows	Ave Time <sup>1</sup>	Freq Total
<b>Blackwarrior/Tombigbee Rivers (cont.)</b>										
Holt Lock And Dam										
1	347	1,922	6,709	1,617	12%	14%	6.25	.68		
<b>Calcasieu River</b>										
Calcasieu Salt Water Barrier										
1	347	13,853	577	6,594	48%	98%	10.90	.14	5.4	570
<b>Chicago River</b>										
Chicago Lock										
1	347	40,443	111	12,623	0%	52%	.23	.06	0.2	62
<b>Clinch River</b>										
Melton Hill Lock										
1 *	23	35	3	33	0%	0%	.00	.00	19.5	38
<b>Canaveral Harbor</b>										
Canaveral Lock										
1 *	3	18,272	760	7,597	29%	78%	28.99	.12	7.9	320
<b>Columbia River</b>										
Bonneville Lock And Dam										
2	145	3,122	9,386	2,947	95%	98%	14.67	.10		4
The Dalles Dam										
1	192	2,565	9,024	2,475	97%	98%	72.86	.69	15.4	21
John Day Lock And Dam										
1	217	2,225	7,806	2,153	97%	98%	62.52	.69	81.3	4
Mcrary Lock And Dam										
1	292	2,310	6,662	2,149	94%	100%	12.37	.13		
<b>Cumberland River</b>										
Barkley Lock										
1	31	2,377	3,906	2,345	15%	23%	13.14	.88		49
Cheatham Lock										
1	149	2,293	11,026	2,602	26%	33%	39.74	1.64	0.4	69
Cordell Hull Lock										
1 *	314	153		94	0%	N/A%	.00	.00		1
Old Hickory Lock										
1	216	3,185	4,721	3,203	12%	21%	12.70	.83	4.3	363
<b>Dismal Swamp Canal Route</b>										
Deep Creek Lock										
1	11	1,907		895	47%	100%	10.72	.01		
South Mills Lock										
1	33	1,845		852	46%	100%	4.05	.01		1
<b>Freshwater Bayou</b>										
Freshwater Bayou Lock										
1	33	21,277	2,914	14,721	120%	77%	232.42	.21		1
<b>Green &amp; Barren Rivers</b>										
Lock And Dam 1										
1	9	3,912	8,943	3,604	8%	10%	4.71	.37		5

\* Lock data not available for all months

1 - Average Time in Hours

## LPMS SUMMARY by RIVER BASIN January - December 2005

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay <sup>1</sup>		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time <sup>1</sup>	Freq Total
<b>Green &amp; Barren Rivers (cont.)</b>										
Lock And Dam 2										
1	63	1,843	5,261	1,772	6%	7%	2.00	.37		8
<b>Gulf Intracoastal Waterway</b>										
Port Allen Lock										
1	63	8,282	25,564	6,304	88%	88%	1,621.67	5.31	0.7	526
Bayou Sorrel Lock										
1	63	8,153	24,367	9,922	87%	88%	440.79	1.60	0.7	99
Inner Hrbr Navigation Canl Lk										
1	63	13,252	16,308	10,088	68%	68%	2,451.04	6.80	2.8	426
Algiers Lock										
1	63	12,547	24,078	9,652	85%	85%	1,487.22	3.56	5.1	47
Harvey Lock										
1	63	9,285	2,674	7,166	80%	79%	196.62	.67	2.3	112
Bayou Boeuf Lock										
1	63	22,017	25,530	13,730	70%	71%	305.52	.48		4
Calcasieu Lock										
1	63	14,432	42,005	11,877	91%	92%	699.35	1.30	0.6	73
Colorado River East Lock										
1	441	31,838	20,089	9,682	31%	84%	139.73	.32	1.4	15
Colorado River West Lock										
1	442	25,656	19,481	9,131	36%	83%	110.39	.29	4.1	11
Brazos East Gate										
1	400	16,344	20,640	10,821	66%	88%	239.54	.51	5.3	106
Brazos West Gate										
1	401	15,820	20,647	10,776	68%	89%	211.60	.47	3.7	94
Schooner Bayou Control Struct										
1 *	401	810	7	719	89%	93%	.77	.02		223
Catfish Point Control Struct										
1	401	1,744	163	1,363	78%	94%	13.29	.68	7.6	572
Leland Bowman Lock										
1	401	15,771	42,115	11,948	88%	89%	534.66	.92		4
<b>Hudson River</b>										
Troy Lock And Dam										
1 *	401	5,235	1	3,169	25%	60%	17.53	.08		
<b>Illinois Waterway</b>										
Thomas J. Obrien Lock										
1	327	23,003	9,048	7,893	2%	23%	7.37	.32	0.3	272

\* Lock data not available for all months

1 - Average Time in Hours

## LPMS SUMMARY by RIVER BASIN January - December 2005

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay <sup>1</sup> Delayed		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time <sup>1</sup>	Freq Total
<b>Illinois Waterway (cont.)</b>										
Lockport Lock 1	291	4,090	16,930	4,116	45%	58%	174.94	2.35		99
Brandon Road Lock And Dam 1	286	4,274	17,337	4,312	48%	61%	225.71	2.86	0.9	138
Dresden Island Lock And Dam 1	272	5,511	19,371	4,864	32%	55%	142.07	2.14		10
Marseilles Lock And Dam 1	245	4,844	20,133	4,642	44%	65%	212.24	2.83		42
Starved Rock Lock And Dam 1	231	5,212	22,070	4,775	32%	55%	154.79	2.37		35
Peoria Lock And Dam 1	158	5,264	29,734	5,631	33%	42%	140.14	2.00		51
Lagrange Lock And Dam 1	80	3,207	31,709	4,249	36%	39%	113.33	2.51		24
<b>Kanawha River</b>										
Winfield Locks And Dam Main 1 5	31	3,022	18,527	2,834	30%	32%	36.85	1.01	0.3	83
Marmet Locks And Dam Main 1 1	68	2,481	6,276	8,684	49%	53%	110.75	2.10		26
Marmet Locks And Dam Main 1 2	68	2,661	8,438	9,091	47%	52%	117.01	2.15	0.4	33
London Locks And Dam Main 1 1 *	83	271	135	250	1%	3%	.12	.06		
London Locks And Dam Main 1 2	83	614	684	862	0%	1%	.09	.09		3
<b>Kaskaskia River</b>										
Kaskaskia River Navigation Lk 1	1	4,009	661	2,109	0%	0%	.00	.00		
<b>Mississippi River</b>										
Lock And Dam 1 1 *	848	4,949	1,160	2,878	2%	9%	1.73	.24		2
Lock And Dam 2 1 *	815	9,427	7,292	3,874	3%	32%	14.10	.84		3
Lock And Dam 3 1 *	797	12,791	7,301	5,191	3%	25%	14.98	.71		2
Lock And Dam 4 1 *	753	13,202	8,054	4,549	2%	32%	11.35	.66		1

\* Lock data not available for all months

1 - Average Time in Hours

## LPMS SUMMARY by RIVER BASIN

### January - December 2005

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay <sup>1</sup> Delayed		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time <sup>1</sup>	Freq Total
<b>Mississippi River (cont.)</b>										
Lock And Dam 5										
1 *	738	8,246	8,497	3,990	5%	28%	13.86	.68		1
Lock And Dam 6										
1 *	714	7,328	10,381	4,145	6%	30%	19.81	1.01		3
Lock And Dam 7										
1 *	702	11,445	10,392	4,759	5%	32%	22.37	.96		4
Lock And Dam 8										
1 *	679	7,942	11,090	3,581	7%	36%	28.21	1.07		7
Lock And Dam 9										
1 *	647	7,028	13,396	4,097	9%	36%	35.93	1.10		9
Lock And Dam 10										
1 *	615	7,827	15,820	4,394	8%	35%	34.09	1.15		6
Lock And Dam 11										
1 *	583	7,320	16,348	4,416	13%	42%	49.22	1.31		89
Lock And Dam 12										
1 *	556	5,437	17,673	4,352	19%	45%	51.82	1.16	0.2	102
Lock And Dam 13										
1 *	523	4,345	18,028	4,076	22%	43%	67.13	1.48		13
Lock And Dam 14										
1	493	3,462	20,808	4,212	41%	51%	83.98	1.30		33
Lock And Dam 14										
4 *	493	4,162	4	1,342	0%	0%	.10	.00		
Lock And Dam 15										
1	483	5,552	20,991	5,052	31%	52%	128.25	1.58		50
Lock And Dam 16										
1	457	3,373	21,328	4,177	36%	44%	69.36	1.20		38
Lock And Dam 17										
1	437	2,645	22,597	3,724	45%	52%	117.93	1.95		62
Lock And Dam 18										
1	411	3,190	23,602	4,164	43%	53%	150.58	2.24	1.0	51
Lock And Dam 19										
1	364	2,850	24,698	2,546	41%	48%	64.60	1.22	0.4	49
Lock And Dam 20										
1	343	3,233	25,541	4,303	42%	49%	95.34	1.66		58

\* Lock data not available for all months

1 - Average Time in Hours

## LPMS SUMMARY by RIVER BASIN

### January - December 2005

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay <sup>1</sup> Delayed		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time <sup>1</sup>	Freq Total
<b>Mississippi River (cont.)</b>										
Lock And Dam 21										
1	325	3,202	27,123	4,370	43%	51%	95.49	1.66		41
Lock And Dam 22										
1	301	2,829	27,371	4,140	50%	56%	124.89	2.21		37
Lock And Dam 24										
1	273	3,242	28,933	4,406	45%	54%	102.18	1.62		39
Lock And Dam 25										
1	241	4,272	29,044	4,890	40%	52%	121.79	1.74	0.3	77
Mel Price Lock And Dam										
1	201	6,646	65,906	6,060	49%	55%	155.18	1.17	0.2	76
Mel Price Lock And Dam										
4 *	201	1,847	606	1,397	8%	17%	4.81	.48		10
Chain Of Rocks Lock And Dam 27										
1	186	6,964	67,319	6,563	54%	57%	226.90	1.38		19
Chain Of Rocks Lock And Dam 27										
4 *	186	1,600	1,026	1,379	12%	16%	3.56	.43		7
St Anthony Falls - Upper Lock										
1 *	854	2,822	1,154	2,130	2%	3%	.70	.11		7
St Anthony Falls - Lower Lock										
1 *	853	2,559	1,158	1,871	3%	6%	1.57	.24		2
Lock And Dam 5a										
1 *	729	10,584	8,495	4,334	4%	29%	11.18	.55		1
<b>Mc-Kerr Arkansas Riv Nav Sys</b>										
Norrell Lock And Dam										
1	10	1,403	8,367	1,718	10%	11%	10.58	2.69		25
Wilbur D Mills Lock And Dam										
1	13	1,343	8,340	1,717	13%	14%	7.53	1.07		1
Joe Hardin Lock And Dam										
1	50	1,571	7,907	1,883	8%	10%	5.15	1.09		1
Emmett Sanders Lock And Dam										
1	66	1,721	7,905	1,879	12%	17%	8.44	1.05		30
Col Charles D Maynard										
1	86	1,614	7,674	1,859	5%	5%	3.26	.65		
David D Terry Lock And Dam										
1	108	1,500	7,775	1,687	10%	14%	6.44	1.14		1

\* Lock data not available for all months

1 - Average Time in Hours

## LPMS SUMMARY by RIVER BASIN

### January - December 2005

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay <sup>1</sup> Delayed		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time <sup>1</sup>	Freq Total
<b>Mc-Kerr Arkansas Riv Nav Sys (cont.)</b>										
Murray Lock And Dam										
1	125	2,245	6,718	2,078	6%	11%	3.93	.90		2
Toad Suck Ferry Lock And Dam										
1	156	1,140	6,667	1,362	6%	8%	2.74	.84		6
Arthur V Ormond L And D										
1	177	1,058	6,609	1,275	6%	7%	2.89	1.03		2
Dardanelle Lk And Dam										
1	206	1,296	6,658	1,495	4%	5%	2.46	.74		8
Ozark Lock And Dam										
1	257	784	4,833	1,011	2%	2%	.76	.34		
James W. Trimble Lock And Dam										
1	293	1,334	4,921	1,213	6%	10%	3.97	.84		22
W D Mayo Lock And Dam										
1	320	1,285	4,460	1,341	85%	99%	26.69	.75	3.1	7
Rbrt S Kerr Lk And Dam And Res										
1	336	1,178	4,483	1,282	87%	100%	16.97	.50		
Webbers Falls Lock And Dam										
1	367	1,132	4,301	1,219	86%	99%	15.51	.48		
Chouteau Lock And Dam										
1	401	1,383	3,539	1,206	74%	99%	12.75	.41		
Newt Graham Lock And Dam										
1	422	1,196	3,331	1,292	95%	99%	8.77	.23		
Montgomery Point Lock And Dam										
1	422	1,953	8,624	1,955	6%	7%	5.03	.94		1
<b>Monongahela River</b>										
Lock And Dam 2										
1	11	3,130	19,584	3,482	30%	32%	45.17	1.15		10
Lock And Dam 2										
4	11	3,002	288	1,737	1%	2%	.21	.08		2
Lock And Dam 3										
1	24	5,606	13,546	5,436	41%	42%	72.61	.76		6
Lock And Dam 3										
4	24	3,286	538	2,834	4%	6%	3.24	.43		8
Lock And Dam 4										
1	42	6,909	12,013	6,785	42%	45%	92.09	.74		15

\* Lock data not available for all months

1 - Average Time in Hours

## LPMS SUMMARY by RIVER BASIN

### January - December 2005

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay <sup>1</sup> Delayed		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time <sup>1</sup>	Freq Total
<b>Monongahela River (cont.)</b>										
Maxwell Lock And Dam										
1	61	3,176	7,776	2,922	13%	15%	10.12	.39		21
Maxwell Lock And Dam										
2	61	2,241	6,087	1,981	5%	5%	1.50	.32	118.6	6
Grays Landing Lock And Dam										
1	82	2,513	4,621	2,184	7%	9%	3.26	.44		6
Point Marion Lock And Dam										
1	91	1,817	4,501	1,756	6%	7%	1.89	.37		1
Morgantown Lock And Dam										
1	102	687	885	625	2%	2%	.20	.06		
Hildebrand Lock And Dam										
1	108	317	282	250	0%	1%	.01	.01		
Opekiska Lock And Dam										
1	115	430	286	288	0%	1%	.00	.00		
<b>Ouachita And Black Rivers</b>										
Jonesville Lock And Dam										
1	25	1,186	1,673	1,323	12%	12%	3.61	.88		0
Columbia Lock And Dam										
1	117	1,191	1,162	1,306	66%	74%	5.41	.23		
Felsenthal Lock And Dam										
1	227	1,811	259	1,181	65%	98%	1.56	.06		
Thatcher Lock And Dam										
1	282	1,897	257	1,331	64%	42%	2.82	.05		
<b>Old River</b>										
Old River Lock										
1	282	3,589	7,378	3,289	93%	94%	38.88	.28	0.2	13
<b>Ohio River</b>										
Emsworth Lock And Dam										
1	6	3,438	20,175	3,911	42%	44%	92.08	1.52		42
Emsworth Lock And Dam										
4	6	4,388	1,003	3,021	4%	9%	2.52	.41	1.4	18
Dashields Lock And Dam										
1	13	3,451	21,122	3,965	41%	43%	72.86	1.23		32
Dashields Lock And Dam										
4	13	2,468	902	1,855	3%	7%	1.23	.31		31
Montgomery Lock And Dam										
1	32	3,579	22,222	4,295	49%	49%	112.62	1.56		40

\* Lock data not available for all months

1 - Average Time in Hours

## LPMS SUMMARY by RIVER BASIN

### January - December 2005

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay <sup>1</sup> Delayed		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time <sup>1</sup>	Freq Total
<b>Ohio River (cont.)</b>										
Montgomery Lock And Dam 4	32	2,177	920	1,865	5%	8%	2.17	.41		13
New Cumberland Lock And Dam 1	54	3,606	32,630	3,464	41%	42%	69.83	1.11	1.6	55
New Cumberland Lock And Dam 4 *	54	1,852	1,746	1,547	8%	11%	6.45	.64	0.5	29
Pike Island Lock And Dam 1	84	3,905	39,035	3,851	41%	41%	74.51	1.05		31
Pike Island Lock And Dam 4	84	1,876	1,279	1,601	6%	7%	1.94	.38		14
Belleville Locks And Dam 2	204	4,297	52,401	4,269	54%	54%	295.88	2.68	5.0	74
Belleville Locks And Dam 4	204	1,274	488	821	3%	7%	.79	.29		12
Racine Locks And Dam 2	238	3,953	48,199	3,918	57%	57%	128.01	1.54	19.0	32
Racine Locks And Dam 4	238	1,562	5,901	1,696	33%	48%	215.89	2.32		39
Greenup Locks And Dam 2	341	6,120	70,138	6,128	68%	69%	332.85	1.86	0.6	243
Greenup Locks And Dam 4 *	341	1,144	445	939	4%	6%	1.25	.34		6
Capt Ant Meldahl Locks And Dam 2	436	5,162	61,293	5,130	60%	61%	215.10	1.64		80
Capt Ant Meldahl Locks And Dam 4	436	2,956	485	1,283	1%	4%	.48	.14		9
Robert C. Byrd Locks And Dam 2	436	4,981	61,633	4,932	61%	61%	222.23	1.71		41
Robert C. Byrd Locks And Dam 4	436	1,073	848	957	5%	7%	1.15	.49		3
Markland Locks And Dam 2	532	4,429	51,407	4,401	53%	53%	149.77	1.62		47
Markland Locks And Dam 4	532	2,776	2,440	1,488	6%	29%	69.35	1.33		4

\* Lock data not available for all months

1 - Average Time in Hours

## LPMS SUMMARY by RIVER BASIN January - December 2005

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay <sup>1</sup>		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time <sup>1</sup>	Freq Total
<b>Ohio River (cont.)</b>										
Mcalpine Locks And Dam										
2	607	5,880	55,695	5,619	66%	68%	390.52	2.39	0.3	53
Lock And Dam 52										
1	939	8,286	89,156	8,225	33%	34%	1,465.63	8.61		62
Lock And Dam 52										
5 *	939	3,044	8,170	2,731	63%	71%	427.28	3.72		9
Lock And Dam 53										
1	963	7,862	85,365	7,650	13%	13%	362.89	5.22		4
Lock And Dam 53										
3 *	963	275	480	194	8%	16%	4.14	.65		
Hannibal Locks And Dam										
1	126	4,408	50,664	4,380	49%	49%	110.03	1.20		60
Hannibal Locks And Dam										
4	126	1,219	2,625	1,115	15%	23%	312.92	5.58		29
Willow Island Locks And Dam										
2	162	4,202	49,382	4,109	50%	51%	379.65	3.71		15
Willow Island Locks And Dam										
4 *	162	1,497	781	1,005	3%	8%	1.13	.37		15
Cannelton Lock And Dam										
2	721	4,983	57,608	4,919	56%	57%	144.49	1.23		35
Cannelton Lock And Dam										
4	721	1,613	702	1,002	2%	9%	.89	.36		2
Newburgh Lock And Dam										
2	776	5,880	65,631	5,865	57%	58%	199.12	1.45		16
Newburgh Lock And Dam										
4	776	2,430	1,844	1,440	7%	19%	80.19	1.81		8
John T. Myers Lock & Dam										
2	846	5,783	71,327	5,765	62%	63%	219.23	1.48		75
John T. Myers Lock & Dam										
4	846	2,231	553	1,662	1%	4%	.60	.20		36
Smithland Lock And Dam										
1	919	4,558	33,257	4,003	25%	30%	70.30	1.63	0.1	407
Smithland Lock And Dam										
2	919	4,607	47,440	4,152	27%	32%	78.22	1.62		129

\* Lock data not available for all months

1 - Average Time in Hours

## LPMS SUMMARY by RIVER BASIN

### January - December 2005

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay <sup>1</sup> Delayed		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time <sup>1</sup>	Freq Total
<b>Okeechobee Waterway</b>										
St Lucie Lock And Dam										
1	15	8,617	22	5,165	30%	37%	38.57	.67	0.8	598
Moore Haven Lock										
1	78	7,124	22	4,810	13%	11%	4.64	.09	0.6	458
Ortona Lock And Dam										
1	94	8,556	23	5,532	9%	17%	27.78	3.39	1.2	866
W P Frklin Lck And Ctrl Strct										
1	122	12,925	17	7,122	35%	48%	24.51	.12		364
Port Mayaca Lock										
1	39	6,942	21	5,022	72%	52%	18.31	.15	5.8	363
<b>Red River</b>										
Lindy Claiborne Boggs Lock										
1	44	2,070	2,314	1,747	19%	10%	2.90	.30		2
John H. Overton										
1	74	2,246	2,331	2,017	17%	9%	5.40	.63		5
Lock And Dam 3										
1	116	947	713	796	12%	6%	.96	.28		
Russell B. Long										
1	116	2,373	493	1,500	50%	14%	7.66	.07		
Joe D. Waggoner Jr Lock										
1	116	4,895	351	3,167	54%	9%	14.72	.06		
<b>St. Marys River</b>										
Macarthur Lock										
1 *	47	3,879	17,818	3,246	20%	41%	8.43	.15		9
New Poe Lock										
1 *	47	3,556	63,766	3,319	28%	38%	27.81	.55		30
Davis Lock										
1 *	47	8	4	6	50%	50%	.11	.04		
<b>Snake River</b>										
Ice Harbor Lock And Dam										
1	10	2,170	3,376	1,862	88%	98%	10.66	.14		3
Lower Monumental Lock And Dam										
1	42	1,401	2,995	1,289	94%	99%	12.35	.22	9.2	34
Little Goose Lock And Dam										
1	70	1,276	2,728	1,228	97%	99%	4.93	.10		2
Lower Granite Lock And Dam										
1	108	1,115	1,659	1,007	39%	39%	3.30	.19		1

\* Lock data not available for all months

1 - Average Time in Hours

## LPMS SUMMARY by RIVER BASIN

### January - December 2005

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay <sup>1</sup> Delayed		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time <sup>1</sup>	Freq Total
<b>Tennessee River</b>										
Kentucky Lock 1	22	4,175	36,613	6,238	83%	86%	822.87	5.96		168
Pickwick Landing Lock 1	207	3,200	13,962	3,214	31%	42%	80.57	2.11	0.7	207
Pickwick Landing Lock 5 *	207	369	1,573	295	22%	30%	4.32	.78	3.0	124
Wilson Lock 2	259	3,779	10,872	3,347	25%	41%	68.29	1.89	0.4	44
Gen Jos Wheeler Lock 1	275	3,387	10,800	3,389	23%	36%	37.76	1.22		24
Gen Jos Wheeler Lock 5 *	275	82	0	41	2%	33%	.04	.03		5
Guntersville Lock 1	349	3,671	5,831	2,676	10%	23%	15.48	1.24		36
Guntersville Lock 5 *	349	29	4	20	0%	0%	.00	.00		
Nickajac Lock 1	425	2,136	2,851	1,637	8%	16%	12.20	1.39	1.8	126
Chickamauga Lock 1	471	5,265	1,398	4,336	15%	101%	90.43	3.21		37
Watts Bar Lock 1	530	2,546	875	2,475	14%	74%	33.76	2.58		123
Fort Loudon Lock 1	602	2,188	467	1,629	6%	39%	8.39	1.62	5.6	555
<b>Tennessee Tombigbee Waterway</b>										
Howell Heflin Lock And Dam 1	266	2,525	6,434	2,217	52%	56%	24.77	.30		5
Tom Bevill Lock And Dam 1	307	2,846	6,199	2,412	29%	32%	11.01	.31		
John C. Stennis Lock And Dam 1	335	4,053	5,902	2,703	14%	14%	10.62	.59		1
Aberdeen Lock And Dam 1	358	2,919	5,370	2,240	9%	10%	6.70	.85		2
Amory Lock 1	371	2,379	5,700	2,117	5%	4%	2.89	.38		9

\* Lock data not available for all months

1 - Average Time in Hours

## LPMS SUMMARY by RIVER BASIN January - December 2005

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay <sup>1</sup> Delayed		Lock Closures <sup>1</sup> Ave Freq	
					Vessels	Tows	Vessels	Tows	Time <sup>1</sup>	Total
<b>Tennessee Tombigbee Waterway (cont.)</b>										
Glover Wilkins Lock										
1	376	2,350	5,666	2,116	5%	5%	2.76	.45	1.5	8
Fulton Lock										
1	391	2,329	5,584	2,057	12%	10%	5.88	.61		1
John Rankin Lock										
1	398	2,338	5,568	2,048	5%	6%	4.38	.78		
G.V. Sonny Montgomery Lock										
1	407	2,144	5,484	2,013	5%	5%	6.65	1.68		
Jamie L. Whitten Lock And Dam										
1	412	2,426	5,471	2,050	9%	10%	6.04	.57		2
<b>Willamette River</b>										
Willamette Falls Locks 1 - 4										
1 *	412	348		151	43%	85%	6.16	.01		
Willamette Falls Guard Lock										
1 *	412	355		159	45%	86%	.85	.02		
<b>Lake Washington Ship Canal</b>										
Hiram M Chittenden Locks										
1	412	20,007	1,420	3,909	20%	52%	50.97	.34	2.7	182
Hiram M Chittenden Locks										
4	412	30,730	1	10,892	35%	39%	73.93	.11	8.0	115

\* Lock data not available for all months

1 - Average Time in Hours