

WATER CONTROL MANUAL
 SEVEN OAKS DAM AND RESERVOIR
 SANTA ANA RIVER, SAN BERNARDINO COUNTY, CALIFORNIA

TABLE OF CONTENTS

Page

PERTINENT DATA.....	Inside Front Cover
TITLE PAGE.....	i
AERIAL PHOTO.....	ii
PREFACE.....	iii
NOTICE TO USERS OF THIS MANUAL.....	v
EMERGENCY REGULATION ASSISTANCE PROCEDURES.....	v
LIST OF TABLES AND FIGURE.....	xiv
LIST OF PHOTOGRAPHS.....	xiv
LIST OF PLATES.....	xv
LIST OF EXHIBITS.....	xvii
LIST OF ABBREVIATIONS.....	xviii
I - INTRODUCTION.....	1-1
1-01 <u>Authorization</u>	1-1
1-02 <u>Purpose and Scope</u>	1-1
1-03 <u>Related Manuals and Reports</u>	1-3
1-04 <u>Project Owner</u>	1-3
a. <u>San Bernardino County Public Works and Flood Control District (SBCPWFCDD)</u>	1-3
b. <u>Riverside County Flood Control District (RCFCD)</u>	1-3
c. <u>Orange County Public Facilities and Resource Department (OCPF&RD)</u>	1-3
1-05 <u>Operating Agencies</u>	1-3
1-06 <u>Regulating Agencies</u>	1-4
a. <u>Corps of Engineers (COE)</u>	1-4
b. <u>U.S. Fish and Wildlife Service (USFWS)</u>	1-4
c. <u>California State Department of Fish and Game (CSDFG)</u>	1-4
d. <u>Southern California Edison (SCE)</u>	1-4
e. <u>California State Department of Water Resources (DSOD)</u>	1-5
f. <u>Local Water Conservation Agencies and Water Users Group</u>	1-5
II - DESCRIPTION OF PROJECT.....	2-1
2-01 <u>Location</u>	2-1
2-02 <u>Purpose</u>	2-1
2-03 <u>Physical Components</u>	2-1
a. <u>Embankment</u>	2-1
b. <u>Outlet Works</u>	2-3
(1) <u>Intake Structure</u>	2-3
i. <u>Main Level Intake Structure (MLS)</u>	2-4
ii. <u>Multilevel Withdrawal Structure (MWS)</u>	2-5

iii.	<u>Wet Well Sluice Gate</u>	2-5
(2)	<u>Gate Area</u>	2-6
i.	<u>Regulating Outlet Gates (RO) Gates</u>	2-6
ii.	<u>Low Flow Gate (LF Gate)</u>	2-7
iii.	<u>Minimum Discharge Line (MDL)</u>	2-7
iv.	<u>Upstream Outlet Tunnel Fill Line (Recharge Line)</u>	2-8
(3)	<u>Upstream Outlet Pressure Conduit, Mid-Tunnel Gate Passages (RO and LF Conduits)</u>	2-9
(4)	<u>Downstream Conduit</u>	2-9
(5)	<u>Access Structure</u>	2-9
(6)	<u>Energy Dissipator</u>	2-10
(7)	<u>Valve Structure</u>	2-11
(8)	<u>Minimum Discharge Line Extension (MDLE)</u>	2-11
(9)	<u>Hydraulic Instrumentation</u>	2-12
i.	<u>Operational Hydraulic Instrumentation</u>	2-12
ii.	<u>Prototype Testing Instrumentation</u>	2-14
c.	<u>Spillway</u>	2-14
d.	<u>Reservoir</u>	2-15
2-04	<u>Related Control Facilities</u>	2-16
2-05	<u>Real Estate Acquisition</u>	2-17
2-06	<u>Public Facilities</u>	2-17
III -	<u>HISTORY OF PROJECT</u>	3-1
3-01	<u>Authorization</u>	3-1
3-02	<u>Planning and Design</u>	3-1
3-03	<u>Construction</u>	3-3
3-04	<u>Related Projects</u>	3-3
a.	<u>Spreading Facilities Downstream of Seven Oaks Dam</u>	3-4
3-05	<u>Future Projects</u>	3-5
3-06	<u>Modifications to Regulations</u>	3-6
3-07	<u>Principal Regulation Problems</u>	3-6
a.	<u>Improper Seating of the Outlet Gates</u>	3-7
b.	<u>Outlet Gate Latches</u>	3-8
c.	<u>No Gate Indicator for the Hydraulic Sluice Gate</u>	3-9
d.	<u>Limited Release Capability at Elevations below the Stoplogs</u>	3-9
e.	<u>Cavitation with the 12-inch RO Recharge Line</u>	3-10
IV -	<u>WATERSHED CHARACTERISTICS</u>	
4-01	<u>General Characteristic</u>	4-1
4-02	<u>Topography</u>	4-1
4-03	<u>Geology and Soils</u>	4-2
a.	<u>Seismicity</u>	4-3
4-04	<u>Sediment</u>	4-3
4-05	<u>Climate</u>	4-4
a.	<u>Temperature</u>	4-4
b.	<u>Precipitation</u>	4-4
c.	<u>Snow</u>	4-4
d.	<u>Evaporation</u>	4-5

	e. <u>Wind</u>	4-5
4-06	<u>Storms and Floods</u>	4-6
	a. <u>Storms</u>	4-6
	(1) <u>Winter Storms</u>	4-6
	(2) <u>Local Storms</u>	4-6
	(3) <u>Summer Storms</u>	4-6
	b. <u>Floods</u>	4-6
	(1) <u>Storm and Flood of January 1862</u>	4-7
	(2) <u>Storms and Floods of January 1916</u>	4-7
	(3) <u>Storms and Floods of February 1927</u>	4-8
	(4) <u>Storm and Flood of 27 February - 3 March 1938</u>	4-8
	(5) <u>Storm and Flood of January 1943</u>	4-9
	(6) <u>Storm and Flood March 1943</u>	4-10
	(7) <u>Storms and Floods of January 1969</u>	4-10
	(8) <u>Storms and Floods of February 1969</u>	4-11
	(9) <u>Storm and Flood of February 1978</u>	4-11
	(10) <u>Storm and Flood of March 1978</u>	4-11
	(11) <u>Storms and Floods of February 1980</u>	4-12
	(12) <u>Storms and Floods of February - March 1983</u>	4-12
	(13) <u>Storms and Floods of January - February 1993</u>	4-13
4-07	<u>Runoff Characteristics</u>	4-13
4-08	<u>Water Quality</u>	4-14
4-09	<u>Channel and Floodway Characteristics</u>	4-14
	a. <u>Santa Ana River between Seven Oaks Dam and Prado Dam</u>	4-15
	(1) <u>Seven Oaks Dam Site to Lytle-Warm Creek Confluence</u>	4-15
	(2) <u>Lytle-Warm Creek Confluence</u>	4-16
	(3) <u>Lytle-Warm Creek Confluence to Prado Dam</u>	4-17
	b. <u>Lower Santa Ana River (Prado Dam to Pacific Ocean)</u>	4-18
4-10	<u>Upstream Structures</u>	4-18
4-11	<u>Downstream Structures</u>	4-19
	a. <u>From Seven Oaks Dam to Prado Dam</u>	4-19
	(1) <u>San Antonio Dam</u>	4-19
	(2) <u>Mill Creek</u>	4-20
	(3) <u>Oak Street Drain</u>	4-21
	b. <u>Lower Santa Ana River from Prado Dam to the Pacific Ocean</u>	4-22
	(1) <u>Prado Dam</u>	4-22
	(2) <u>Carbon Canyon Dam</u>	4-23
	(3) <u>Other Improvements</u>	4-24
	(4) <u>Santiago Creek</u>	4-24
	i. <u>Villa Park Dam</u>	4-24
	ii. <u>Santiago Dam (Irvine Lake)</u>	4-24
	iii. <u>Other Improvements</u>	4-25
4-12	<u>Economic Data</u>	4-25
	a. <u>Population</u>	4-25
	b. <u>Agriculture</u>	4-26
	c. <u>Industry</u>	4-26

	d. <u>Damage-Discharge Curves</u>	4-26
V -	<u>DATA COLLECTION AND COMMUNICATION</u>	5-1
5-01	<u>Hydrometeorological Stations</u>	5-1
	a. <u>Facilities</u>	5-1
	(1) <u>At Seven Oaks Dam</u>	5-1
	(2) <u>SBCPWFCD Facilities Within and Near</u> <u>Seven Oaks Watershed</u>	5-2
	(3) <u>Corps Facilities Within and Near Seven Oaks Watershed</u>	5-3
	(4) <u>U.S. Geological Survey (USGS) Geostationary</u> <u>Operational Environmental Satellite (GOES) Stations</u>	5-3
	b. <u>Reporting</u>	5-4
	(1) <u>Manual</u>	5-4
	(2) <u>ALERT</u>	5-4
	(3) <u>LATS</u>	5-4
	(4) <u>GOES</u>	5-5
	(5) <u>Weather Data</u>	5-5
	c. <u>Maintenance</u>	5-5
5-02	<u>Sediment Stations</u>	5-6
	a. <u>Facilities</u>	5-6
	b. <u>Reporting</u>	5-6
	c. <u>Maintenance</u>	5-6
5-03	<u>Water Quality Monitoring</u>	5-6
	a. <u>Facilities - USGS Basic Fixed Site Network</u>	5-8
	b. <u>Reporting</u>	5-9
	c. <u>Maintenance</u>	5-10
5-04	<u>Recording Hydrologic Data</u>	5-10
5-05	<u>Communication Network</u>	5-11
5-06	<u>Communication with Project</u>	5-11
	a. <u>Communication Between Water Control Mangers and</u> <u>Seven Oaks Dam Project Operators</u>	5-11
	b. <u>Communication Between Seven Oaks Dam Water Control</u> <u>Managers and the U.S. Army Corps of Engineers</u>	5-11
	c. <u>Communication Between Seven Oaks Dam</u> <u>Water Control Mangers and Others</u>	5-12
	d. <u>Communication Between Seven Oaks Dam</u> <u>Project Operators and Others</u>	5-12
5-07	<u>Project Reporting Instructions</u>	5-13
5-08	<u>Warnings</u>	5-14
VI -	<u>HYDROLOGIC FORECASTS</u>	6-1
6-01	<u>General</u>	6-1
	a. <u>Role of the Project Owners</u>	6-1
	b. <u>Role of the Corps of Engineers</u>	6-1
	c. <u>Role of Other Agencies</u>	6-1
6-02	<u>Flood Conditions Forecasts</u>	6-1
6-03	<u>Conservation Purpose Forecasts</u>	6-2
6-04	<u>Long Range Forecasts</u>	6-2

6-05	<u>Drought Forecasts</u>	6-2
VII -	<u>WATER CONTROL PLAN</u>	7-1
7-01	<u>General Objectives</u>	7-1
7-02	<u>Operation Constraints</u>	7-1
	a. <u>Improper Seating of Outlet Gates</u>	7-1
	b. <u>Hydraulic Sluice Gate – Observed Drift</u>	7-1
	c. <u>Outflow Limited to Leakage at Stoplogs</u>	7-2
7-03	<u>Overall Plan for Water Control</u>	7-2
7-04	<u>Standing Instructions to Project Operator</u>	7-2
7-05	<u>Water Control Plan</u>	7-3
	a. <u>Sediment Pool</u>	7-3
	b. <u>Debris Pool</u>	7-4
	c. <u>The Intermediate Pool</u>	7-5
	d. <u>Main Trash Rack Pool (El. 2265 to 2299 feet, NGVD)</u>	7-5
	e. <u>Flood Control Pool (El. 2300 to 2580 feet, NGVD)</u>	7-6
	f. <u>Spillway Surcharge (El 2580 to 2604 feet, NGVD)</u>	7-7
	g. <u>Initial Reservoir Filling Plan</u>	7-7
	h. <u>Seven Oaks Dam Environmental Operation</u>	7-8
	i. <u>Prototype-Testing Program and Instrumentation</u>	7-9
7-06	<u>Other Operational Requirements</u>	7-9
	a. <u>Adjustment of the Debris Pool</u>	7-9
	b. <u>Procedures for Avoiding Cavitation at the 12-inch Recharge Line</u> <u>(Filling Line)</u>	7-10
	c. <u>Operating the Sluice Gate</u>	7-12
	d. <u>Dewatering the Main Tunnel</u>	7-13
	e. <u>Dewatering the Downstream MDL Conduit</u>	7-14
	f. <u>Procedures for Installing and Removing the Bulkhead Gate</u> <u>for the Upstream Main Conduit</u>	7-15
	g. <u>Procedures for Installing and Removing the Bulkhead Gate</u> <u>for the Upstream Conduit of the MDL</u>	7-18
	(1) <u>Installing the MWS Bulkhead</u>	7-18
	(2) <u>Removing the MWS Bulkhead</u>	7-19
	h. <u>Operational Hydraulic Instrumentation</u>	7-19
	i. <u>Channel Observation Teams</u>	7-20
7-07	<u>Recreation</u>	7-20
7-08	<u>Water Quality</u>	7-20
7-09	<u>Fish and Wildlife</u>	7-20
7-10	<u>Water Supply</u>	7-21
7-11	<u>Hydroelectric Power</u>	7-21
7-12	<u>Navigation</u>	7-21
7-13	<u>Drought Contingency Plan</u>	7-21
7-14	<u>Emergency Action Plan</u>	7-21
7-15	<u>Deviation from Normal Regulation</u>	7-21
	a. <u>Emergency Deviations</u>	7-22
	b. <u>Planned Deviations</u>	7-23
7-16	<u>Rate of Release Change</u>	7-23

7-17	<u>Minimum and Maximum Gate Openings</u>	7-23
VIII -	<u>EFFECT OF WATER CONTROL PLAN</u>	8-1
8-01	<u>General</u>	8-1
8-02	<u>Flood Control</u>	8-1
	a. <u>Reservoir Design Flood (RDF)</u>	8-1
	b. <u>Probable Maximum Flood</u>	8-2
8-03	<u>Recreation</u>	8-3
8-04	<u>Water Quality</u>	8-3
8-05	<u>Fish and Wildlife</u>	8-5
8-06	<u>Water Supply</u>	8-6
8-07	<u>Hydroelectric Power</u>	8-9
8-08	<u>Navigation</u>	8-10
8-09	<u>Downstream Water Users</u>	8-10
8-10	<u>Drought Contingency Plan</u>	8-10
8-11	<u>Flood Emergency Action Plan</u>	8-11
8-12	<u>Flood Frequency</u>	8-11
	a. <u>Peak Inflow and Outflow Probabilities</u>	8-11
	b. <u>Filling Frequency</u>	8-11
8-13	<u>Other Studies</u>	8-11
	a. <u>Additional Conservation Measures/Proposed</u> <u>Compensation Plan</u>	8-11
	b. <u>Water Conservation Study</u>	8-12
	c. <u>Prototype Testing Program</u>	8-12
IX -	<u>WATER CONTROL MANAGEMENT</u>	9-1
9-01	<u>Responsibilities and Organization</u>	9-1
	a. <u>Corps of Engineers</u>	9-1
	b. <u>Other Federal Agencies</u>	9-2
	c. <u>Project Owners</u>	9-2
	(1) <u>Orange County Public Facilities and Resource</u> <u>Department (OCPF&RD)</u>	9-3
	(2) <u>San Bernardino County Public Works and</u> <u>Flood Control District (SBPWCFCD)</u>	9-3
	(3) <u>Riverside County Flood Control District (RCFCD)</u>	9-3
	d. <u>Private Organizations</u>	9-3
9-02	<u>Interagency Coordination</u>	9-4
	a. <u>Local Press and Corps of Engineers Bulletins</u>	9-4
	b. <u>National Weather Service (NWS)</u>	9-4
	c. <u>U.S. Geological Survey (USGS)</u>	9-4
	d. <u>U.S. Fish and Wildlife Service</u>	9-5
9-03	<u>Interagency Agreements</u>	9-5
9-04	<u>Commissions, River Authorities, Compacts, and Committees</u>	9-6
	a. <u>Santa Ana River Watermaster</u>	9-6
	b. <u>Multi-Species Habitat Management Plan Steering Committee</u>	9-6
9-05	<u>Reports</u>	9-7
	a. <u>Daily Reservoir Report</u>	9-7
	b. <u>Annual Water Control Management Reports</u>	9-8

c. <u>Current Flood Situation</u>	9-8
d. <u>Annual Flood Damages Report</u>	9-8
e. <u>Notes on Sedimentation Activities</u>	9-8
f. <u>Annual Water Quality Management Report</u>	9-8

LIST OF TABLES AND FIGURE

<u>No.</u>	<u>Title</u>	<u>Page</u>
1-1	Related Manuals, Reports, and References	1-6
2-1	Operational Instrumentation Facilities Seven Oaks Dam Outlet Works	2-13
4-1	Evaporation within the Santa Ana River Basin	4-27
5-1	Hydrologic Instrumentation at Seven Oaks Dam	5-15
5-2	LATS Streamgages Pertinent to Seven Oaks Dam	5-16
5-3	LATS Rain Gages Pertinent to Seven Oaks Dam	5-17
5-4	Other Active Rain Gages Pertinent to Seven Oaks Dam	5-17
7-1	Maximum Permissible Rate of Release Change	7-24
7-2	Minimum and Maximum Gate Openings	7-24
<u>Fig. No.</u>		
9-01	Chain of Command for Reservoir Operations of Local Sponsors	9-11

LIST OF PHOTOGRAPHS

<u>Photo</u>	
2-1	Embankment Construction
2-2	Looking Upstream from Top of Intake Tower towards Government Canyon Ridge
2-3	Intake Tower - MLS (on left) and MWS (on right)
2-4	RO and LF Gates - Hydraulic Cylinders Inside the Gate Chamber
2-5	Upstream Outlet Tunnel Fill Line (Recharge Line)
2-6	Looking Downstream at the Plunge Pool from Top of Embankment
2-7	Piezometer Pressure Transmitters within Gate Chamber
2-8	Looking Upstream During Spillway Excavation
3-1	Upstream View of SBVWCD Diversion Structure
3-2	Downstream View of SBVWCD Diversion Structure

LIST OF PLATES

<u>Plate</u>	<u>Title</u>
2-01	Project Location
2-02	Seven Oaks Dam - General Plan
2-03	Seven Oaks Dam – Embankment Sections
2-04	Seven Oaks Dam - Embankment Section II
2-05	Outlet Works Diversion Tunnel – General Plan and Profile
2-05A	Seven Oaks Dam Outlet Works – System Layout Diagram
2-06	Intake Structure - General Plan and Elevations
2-07	Intake Structure – MWS Details
2-08	Outlet Works Diversion Tunnel – 6’ x 6’ Sluice Gate
2-09	Outlet Works Diversion Tunnel- Gate Chamber Plan
2-09A	RO and Low Flow Gate Structure – Gate Room Plan
2-10	Outlet Works Diversion Tunnel – Gate Chamber, Longitudinal Section
2-11	Outlet Works – RO Gates
2-12	Outlet Works – Low Flow Gate
2-13	Outlet Works Diversion Tunnel – Minimum Discharge System Layout
2-14	Outlet Works Diversion Tunnel – Minimum Discharge System Details
2-15	Outlet Works Diversion Tunnel – Tunnel Profile
2-16	Outlet Works Diversion Tunnel – U/S Conduit Details
2-17	Outlet Works Diversion Tunnel – D/S Conduit Details
2-18	Outlet Works Diversion Tunnel – D/S Portal and D/S Access Structures Profile and Sections
2-19	Outlet Works Diversion Tunnel – Exit Channel, Plan and Profile
2-20	Outlet Works Diversion Tunnel – Plunge Pool Apron
2-21	Outlet Works Diversion Tunnel – Plunge Pool Apron II
2-22	Outlet Works Diversion Tunnel – Exit Channel and Plunge Pool Plan
2-23	Outlet Works Diversion Tunnel – Valve Structure Plans
2-24	Outlet Works Diversion Tunnel – Instrumentation Layout
2-25	Spillway Plan, Profile and Sections
2-26	Reservoir Filling Frequency Inundation Map
2-27	Area and Capacity Curves – Based on 1999 Survey
3-01	SBVWCD Spreading Basins Downstream of Seven Oaks Dam
4-01	Earthquake Epicenter and Fault Location
4-02	Isohyets - Mean Season Precipitation 1870 - 1967
4-03	Isohyets - Maximum 24-Hr Precipitation, Storm of January 21-24, 1943
4-04	Isohyets - Maximum 3-Hr Precipitation, Thunderstorms of March 3-4, 1943
4-05	Upper Santa Ana River – Seven Oaks Dam to Prado Dam
4-05A	Channel Configurations – Seven Oaks Dam to Prado Dam
4-05B	Upper Santa Ana River – Upstream of Seven Oaks Dam
4-06	Downstream Channel Capacities and Configurations - Prado to Pacific Ocean
4-07A	Damage vs. Discharge 2002 Dollars – Seven Oaks Dam in Conjunction w/ Prado
4-07B	Damage vs. Discharge 2099 Dollars – Seven Oaks Dam in Conjunction w/ Prado
5-01	Gaging Stations in Seven Oaks Basin

- 5-02 USGS Water Quality Monitoring Stations
- 7-01 Water Control Plan (Revised October 2002)
- 7-01A Seven Oaks Dam Storage Allocation Diagram
- 7-02 Gate Operating Requirements
- 7-03 High Level Intake - RO Gate Rating Curves
- 7-04 High Level Intake - Low Flow Gate Rating Curves
- 7-05 Multi-Level Withdrawal System - Low Flow Gate Rating Curves
- 7-06 Minimum Discharge Line Rating Curves - 14-inch and 8-inch Cone Valves
- 7-07 Spillway Rating Curve
- 8-01 SPF Inflow and Outflow Hydrographs - Future Conditions
- 8-01A RDF Inflow and Outflow Hydrographs - Future Conditions
- 8-02 PMF Routing - Using New PMP Criteria, Phase II GDM Spillway Rating
- 8-03 Discharge Frequency Curves at Seven Oaks Dam - Present Conditions
- 8-04 Seven Oaks Dam Filling Frequency Curve - Present and Future Conditions

LIST OF EXHIBITS

Exhibits

- A Standing Instructions to the Project Operator for Water Control
- B Seven Oaks Dam Area-Capacity Tables
- C Supplementary Pertinent Data of Surrounding Projects
- D Interagency Agreements
- E Procedures for Bleeding Piezometer Lines
- F Prototype Testing Program and Instrumentation
- G Guidance on the Preparation of Deviations from Approved Water Control Plans (CESPD R 1110-2-8)
- H Notifications List Maintained by the Los Angeles District, Corps of Engineers, Reservoir Regulation Section
- I Seven Oaks Dam Initial Filling Plan, dated December 2000
- J Seven Oaks Dam Biological Opinion, dated December 2002
- K District Certification for Approval of the Water Control Manual

LIST OF ABBREVIATIONS

ac-ft	acre-feet
cfs	cubic feet per second
COE	Corps of Engineers
DOMSAT	Domestic Satellite
DSS	Data Storage System
EM	Engineering Manual
EOC	Emergency Operations Center of the U.S. Army Corps of Engineer (Constructions-Operations Division)
ER	Engineering Regulation
ERDC-WES	U.S. Army Engineering Research and Development Center
ETL	Engineering Technical Letter
ft	feet
GDM	General Design Memorandum
GOES	Geostationary Observational Environmental Satellite
HECDSS	Hydrologic Engineering Center Data Storage System
LAD	Los Angeles District
LATS	Los Angeles Telemetry System
LOU	Letter of Understanding
Manning's n	Manning's Roughness Coefficient
MOA	Memorandum of Agreement
OCPF&RD	Orange County Public Facilities and Resources Department (also known as Orange County Flood Control District)
OCWD	Orange County Water District
NGVD	National Geodetic Vertical Datum
NOAA	National Oceanic and Atmospheric Administration
NWS	National Weather Service
PMF	Probable Maximum Flood
PMP	Probable Maximum Precipitation
QPF	Quantitative Precipitation Forecast
RCFC&WCD	Riverside County Flood Control District and Water Conservation District
ROC	Reservoir Operation Center (LAD Engineering Division)
SAR	Santa Ana River
SARI	Santa Ana River Interceptor
SAWPA	Santa Ana Watershed Project Authority
SBCPW&FCD	San Bernardino County Public Works & Flood Control District (also known as San Bernardino County Flood Control District)
SPD	South Pacific Division
SPL	Corps of Engineers, Los Angeles District
SPF	Standard Project Flood
sq mi	square mile
TDS	Total Dissolved Solids
USACE	U.S. Army Corps of Engineers

USFWS
USGS
WCDS
WSE
WSPA

U.S. Fish and Wildlife Service
U.S. Geological Survey
Water Control Data System
Water Surface Elevation
Woolly Star Preserve Area Steering Committee