

TABLE 8

NUMBER OF REPORTED SHIGELLA ISOLATES BY REGION  
FOR 1987-2001

REGION	YEAR														TOTAL	
	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000		2001
NEW ENGLAND	645	651	546	646	1757	555	520	414	586	373	486	366	851	385	288	9069
MID-ATLANTIC	2331	1179	1310	1595	1263	1071	1215	1562	1758	2240	1874	1739	750	1726	967	22580
EAST NORTH CENTRAL	3816	3597	2673	2096	1643	2154	2816	1970	2105	1190	1457	1580	1853	2096	1897	32943
WEST NORTH CENTRAL	671	1151	1359	630	403	589	828	1368	1391	699	494	623	806	2064	1332	14408
SOUTH ATLANTIC	1425	2562	2568	1894	1565	1727	2860	4790	2181	1912	1136	1275	534	1171	1331	28931
EAST SOUTH CENTRAL	219	683	482	799	915	305	768	1023	802	334	233	272	223	207	520	7785
WEST SOUTH CENTRAL	1671	2535	1408	1832	1409	1453	2943	1771	1944	1225	1731	2427	1688	1549	922	26508
MOUNTAIN	1174	1692	1161	1655	2248	1174	1348	1436	2713	1665	1238	764	773	868	775	20684
PACIFIC	4812	8286	4465	6159	5302	5895	6213	4449	5850	4433	3665	3439	2606	3428	2566	71568
TOTAL	16764	22336	15972	17306	16505	14923	19511	18783	19330	14071	12314	12485	10084	13494	10598	234476

TABLE 8A  
 NUMBER OF REPORTED S. SONNEI ISOLATES BY REGION  
 FOR 1987-2001

REGION	YEAR													TOTAL		
	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999		2000	2001
NEW ENGLAND	491	481	358	448	1573	435	428	302	456	264	341	248	739	299	185	7048
MID-ATLANTIC	2030	883	1015	1321	1020	880	985	1325	1527	2048	1664	1470	547	1536	744	18995
EAST NORTH CENTRAL	3279	2685	2061	1443	1176	1671	2440	1707	1773	896	1242	1354	1592	1896	1726	26941
WEST NORTH CENTRAL	503	870	1084	446	255	478	698	1166	1281	575	405	538	696	1971	1216	12182
SOUTH ATLANTIC	1099	2155	2268	1535	1210	1451	2280	2695	1966	1772	999	1121	396	1003	1141	23091
EAST SOUTH CENTRAL	136	523	319	513	587	152	341	649	511	232	211	262	218	196	506	5356
WEST SOUTH CENTRAL	1293	2103	1022	1415	1072	1268	2765	1595	1721	1085	1514	2239	1449	1286	807	22634
MOUNTAIN	470	921	522	1124	1601	722	824	920	2180	1115	695	374	405	506	407	12786
PACIFIC	1981	4407	1593	2871	2240	3049	3578	2087	3396	2275	1736	1781	1321	2105	1460	35880
TOTAL	11282	15028	10242	11116	10734	10106	14339	12446	14811	10262	8807	9387	7363	10798	8192	164913

TABLE 8B

NUMBER OF REPORTED S. FLEXNERI ISOLATES BY REGION  
FOR 1987-2001

REGION	YEAR														TOTAL	
	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000		2001
NEW ENGLAND	109	127	150	122	94	107	92	106	115	94	123	102	99	74	88	1602
MID-ATLANTIC	278	257	269	254	227	177	211	213	206	179	188	247	176	154	194	3230
EAST NORTH CENTRAL	361	422	439	465	339	330	287	238	289	267	185	191	223	179	145	4360
WEST NORTH CENTRAL	134	156	168	125	115	77	67	121	71	105	82	79	95	70	70	1535
SOUTH ATLANTIC	154	143	101	156	124	137	173	343	196	122	120	136	127	135	164	2331
EAST SOUTH CENTRAL	9	8	9	10	8	2	4	18	7	7	20	9	5	11	14	141
WEST SOUTH CENTRAL	328	376	333	367	280	170	136	141	188	113	184	146	185	131	83	3161
MOUNTAIN	556	503	472	381	491	371	382	353	464	441	484	352	338	312	256	6156
PACIFIC	1831	2346	1741	2151	2034	1879	1709	1568	1483	1376	1187	945	777	754	654	22435
TOTAL	3760	4338	3682	4031	3712	3250	3061	3101	3019	2704	2573	2207	2025	1820	1668	44951

TABLE 8C  
 NUMBER OF REPORTED S. BOYDII ISOLATES BY REGION  
 FOR 1987-2001

REGION	YEAR														TOTAL	
	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000		2001
NEW ENGLAND	14	7	16	17	12	4	.	5	11	6	14	6	8	7	5	132
MID-ATLANTIC	16	21	17	10	10	6	11	15	12	5	13	10	12	16	15	189
EAST NORTH CENTRAL	28	64	42	29	20	16	30	19	31	19	23	25	23	12	12	393
WEST NORTH CENTRAL	2	6	5	5	7	3	.	7	6	3	4	4	6	7	7	72
SOUTH ATLANTIC	7	5	10	8	8	5	10	27	7	10	7	9	9	14	12	148
EAST SOUTH CENTRAL	2	2	1	1	.	1	.	.	.	2	.	.	.	.	.	9
WEST SOUTH CENTRAL	36	39	37	35	44	11	33	24	27	19	27	17	18	13	7	387
MOUNTAIN	59	52	48	47	30	14	14	18	32	91	41	22	23	38	28	557
PACIFIC	192	276	290	246	181	164	123	92	103	120	124	115	59	73	40	2198
TOTAL	356	472	466	398	312	224	221	207	229	275	253	208	158	180	126	4085

TABLE 8D

NUMBER OF REPORTED *S. DYSENTERIAE* ISOLATES BY REGION  
FOR 1987-2001

REGION	YEAR														TOTAL	
	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000		2001
NEW ENGLAND	4	12	9	8	6	6	.	.	3	6	6	10	3	2	3	78
MID-ATLANTIC	7	18	9	9	6	8	2	6	6	6	8	7	2	11	7	112
EAST NORTH CENTRAL	27	21	23	15	11	21	4	6	11	8	2	9	9	4	.	171
WEST NORTH CENTRAL	8	8	7	3	1	6	1	2	1	2	2	1	2	.	3	47
SOUTH ATLANTIC	4	4	2	5	6	4	4	5	2	8	5	6	2	4	8	69
EAST SOUTH CENTRAL	1	2	.	2	.	1	1	1	.	.	2	1	.	.	.	11
WEST SOUTH CENTRAL	12	17	15	14	10	2	9	10	5	7	6	9	1	3	1	121
MOUNTAIN	10	8	25	7	12	5	12	9	6	18	12	16	7	5	3	155
PACIFIC	159	121	126	118	93	73	72	55	56	48	36	28	23	28	23	1059
TOTAL	232	211	216	181	145	126	105	94	90	103	79	87	49	57	48	1823

TABLE 8E  
 NUMBER OF REPORTED SHIGELLA ISOLATES WITH UNKNOWN SEROGROUP  
 BY REGION FOR 1987-2001

REGION	YEAR																TOTAL
	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001		
NEW ENGLAND	27	24	13	51	72	3	.	1	1	3	2	.	2	3	7	209	
MID-ATLANTIC	.	.	.	1	.	.	6	3	7	2	1	5	13	9	7	54	
EAST NORTH CENTRAL	121	405	108	144	97	116	55	.	1	.	5	1	6	5	14	1078	
WEST NORTH CENTRAL	24	111	95	51	25	25	62	72	32	14	1	1	7	16	36	572	
SOUTH ATLANTIC	161	255	187	190	217	130	393	1720	10	.	5	3	.	15	6	3292	
EAST SOUTH CENTRAL	71	148	153	273	320	149	422	355	284	93	.	.	.	.	.	2268	
WEST SOUTH CENTRAL	2	.	1	1	3	2	.	1	3	1	.	16	35	116	24	205	
MOUNTAIN	79	208	94	96	114	62	116	136	31	.	6	.	.	7	81	1030	
PACIFIC	649	1136	715	773	754	730	731	647	812	614	582	570	426	468	389	9996	
TOTAL	1134	2287	1366	1580	1602	1217	1785	2935	1181	727	602	596	489	639	564	18704	