2008 Premiums and Discounts (P & D's) and Additional Discounts for Wheat, Barley and Oats

A Wheat P & D's

These tables provide the P & D's for 2008 crop year Wheat.

| | Effective 2007 Crop | | Effective 2008 Crop | |
|---|---------------------|----------|---------------------|----------|
| | Per I | Bushel | Per B | ushel |
| Grade or Factor Description | Premium | Discount | Premium | Discount |
| Durum Grade and Subclass Premium | | | | |
| • U.S. No. 2 or better | | | | |
| Amber Durum | .10 | | .10 | |
| Hard Amber Durum | .30 | | .30 | |
| Protein Percent | | | | |
| Durum Wheat Premiums applicable to Grade U.S. No.1, Hard Amber Durum Only Discounts applicable to all Grades | | | | |
| Below 11.0 and greater than 0 | .00 | \$.55 | .00 | \$.55 |
| 11.0 – 11.1 | .00 | .50 | .00 | .50 |
| 11.2 – 11.3 | .00 | .45 | .00 | .45 |
| 11.4 – 11.5 | .00 | .40 | .00 | .40 |
| 11.6 – 11.7 | .00 | .35 | .00 | .35 |
| 11.8 – 11.9 | .00 | .30 | .00 | .30 |
| 12.0 – 12.1 | .00 | .25 | .00 | .25 |
| 12.2 – 12.3 | .00 | .20 | .00 | .20 |
| 12.4 – 12.5 | .00 | .15 | .00 | .15 |

| | | Effective 2007 Crop Per Bushel | | 2008 Crop Bushel |
|---|---------|---------------------------------|---------|---------------------|
| Grade or Factor Description | Premium | Discount | Premium | Discount |
| Protein Percent (Continued) | | | | |
| Durum Wheat Premiums applicable to Grade U.S. No.1, Hard Amber Durum Only Discounts applicable to all Grades | | | | |
| 12.6 – 12.7 | \$.00 | .10 | \$.00 | .10 |
| 12.8 – 12.9 | .00 | .05 | .00 | .05 |
| 13.0 – 13.1 | .00 | .00 | .00 | .00 |
| 13.2 – 13.3 | .01 | .00 | .01 | .00 |
| 13.4 – 13.5 | .02 | .00 | .02 | .00 |
| 13.6 – 13.7 | .03 | .00 | .03 | .00 |
| 13.8 – 13.9 | .04 | .00 | .04 | .00 |
| 14.0 and above | .05 | .00 | .05 | .00 |

| | Effective | 2007 Crop | Effective 2 | 2008 Crop |
|---|-----------|-----------|-------------|-----------|
| | Per I | Bushel | Per B | Bushel |
| Grade or Factor Description | Premium | Discount | Premium | Discount |
| Protein Percent | | | | |
| Soft White Wheat Premiums apply only to wheat grading U.S. No. 2 or better | | | | |
| 10.0 - 0 | \$.02 | | \$.02 | |
| Hard Red Winter Hard White Wheat Premiums apply only to wheat grading U.S. No. 2 or better Discounts apply to all Grades | | | | |
| 8.9 and below | | \$.11 | | \$.11 |
| 9.0 - 9.1 | | .10 | | .10 |
| 9.2 - 9.3 | | .09 | | .09 |
| 9.4 - 9.5 | | .08 | | .08 |
| 9.6 - 9.7 | | .07 | | .07 |
| 9.8 - 9.9 | | .06 | | .06 |
| 10.0 - 10.1 | | .05 | | .05 |
| 10.2 - 10.3 | | .04 | | .04 |
| 10.4 - 10.5 | | .03 | | .03 |
| 10.6 - 10.7 | | .02 | | .02 |
| 10.8 - 10.9 | | .01 | | .01 |
| 11.0- 11.1 | | .00 | | .00 |

| | Effective | Effective 2007 Crop | | 2008 Crop |
|---|-----------|---------------------|------------|-----------|
| | Per I | Bushel | Per Bushel | |
| Grade or Factor Description | Premium | Discount | Premium | Discount |
| Protein Percent (cont'd) | | | | |
| Hard Red Winter Hard White Wheat Premiums apply only to wheat grading U.S. No. 2 or better Discounts apply to all Grades | | | | |
| 11.2 - 11.3 | \$.01 | | \$.01 | |
| 11.4 - 11.5 | .02 | | .02 | |
| 11.6 - 11.7 | .03 | | .03 | |
| 11.8 - 11.9 | .04 | | .04 | |
| 12.0 - 12.1 | .05 | | .05 | |
| 12.2 - 12.3 | .07 | | .07 | |
| 12.4 - 12.5 | .09 | | .09 | |
| 12.6 - 12.7 | .11 | | .11 | |
| 12.8 - 12.9 | .13 | | .13 | |
| 13.0 and over | .15 | | .15 | |

| | Effective | 2007 Crop | Effective | 2008 Crop |
|---|-----------|------------|-----------|-----------|
| | | Per Bushel | | Bushel |
| Grade or Factor Description | Premium | Discount | Premium | Discount |
| Protein Percent Hard Red Spring Premiums apply only to wheat grading U.S. No. 2 or better | | | | |
| Discounts apply to all grades 8.9 and below | | \$.80 | | \$.80 |
| 9.0 - 9.1 | | .75 | | .75 |
| 9.2 - 9.3 | | .70 | | .70 |
| 9.4 - 9.5 | | .65 | | .65 |
| 9.6 - 9.7 | | .60 | | .60 |
| 9.8 - 9.9 | | .55 | | .55 |
| 10.0 - 10.1 | | .50 | | .50 |
| 10.2 - 10.3 | | .45 | | .45 |
| 10.4 - 10.5 | | .40 | | .40 |
| 10.6 - 10.7 | | .35 | | .35 |
| 10.8 - 10.9 | | .30 | | .30 |
| 11.0 - 11.1 | | .25 | | .25 |
| 11.2 - 11.3 | | .20 | | .20 |
| 11.4 - 11.5 | | .15 | | .15 |
| 11.6 - 11.7 | | .10 | | .10 |
| 11.8 - 11.9 | | .05 | | .05 |
| 12.0- 12.1 | | | \$.00 | .00 |

| | Effective | 2007 Crop | Effective | 2008 Crop |
|---|------------|-----------|------------|-----------|
| | Per Bushel | | Per Bushel | |
| Grade or Factor Description | Premium | Discount | Premium | Discount |
| Protein Percent (cont'd) | | | | |
| Hard Red Spring Premiums applicable to Grade U.S. No. 2 or better Discounts applicable to all Grades | | | | |
| 12.2- 12.3 | \$.01 | | \$.01 | |
| 12.4- 12.5 | .02 | | .02 | |
| 12.6- 12.7 | .03 | | .03 | |
| 12.8- 12.9 | .04 | | .04 | |
| 13.0- 13.1 | .05 | | .05 | |
| 13.2- 13.3 | .06 | | .06 | |
| 13.4- 13.5 | .07 | | .07 | |
| 13.6- 13.7 | .08 | | .08 | |
| 13.8- 13.9 | .09 | | .09 | |
| 14.0- 14.1 | .10 | | .10 | |
| 14.2 - 14.3 | .13 | | .13 | |
| 14.4- 14.5 | .16 | | .16 | |
| 14.6- 14.7 | .19 | | .19 | |
| 14.8- 14.9 | .22 | | .22 | |
| 15.0 - 15.1 | .25 | | .25 | |
| 15.2 - 15.3 | .28 | | .28 | |
| 15.4 - 15.5 | .31 | | .31 | |
| 15.6 - 15.7 | .34 | | .34 | |
| 15.8 - 15.9 | .37 | | .37 | |
| 16.0 - and above | .40 | | .40 | |

| | Effective 2 | Effective 2007 Crop | | 2008 Crop |
|---|-------------|---------------------|---------|-----------|
| | Per B | ushel | Per I | Bushel |
| Grade or Factor Description | Premium | Discount | Premium | Discount |
| Grade Discount by Class: | | | | |
| Hard Red Winter, Soft White Wheat, Hard White Wheat | | | | |
| Grade U.S. No. 3 | | \$.10 | | \$.10 |
| Grade U.S. No. 4 | | .15 | | .15 |
| Grade U.S. No. 5 | | .30 | | .30 |
| Hard Red Spring | | | | |
| Grade U.S. No. 3 | | \$.25 | | \$.25 |
| Grade U.S. No. 4 | | .40 | | .40 |
| Grade U.S. No. 5 | | .65 | | .65 |
| Durum and Soft Red Winter | | | | |
| Grade U.S. No. 3 | | \$.30 | | \$.30 |
| Grade U.S. No. 4 | | .60 | | .60 |
| Grade U.S. No. 5 | | .90 | | .90 |

| | Effective 2007 Crop | | Effective 2008 Crop | |
|---|---------------------|-------------------------|---------------------|----------------------|
| | Per B | ushel | Per | Bushel |
| Grade or Factor Description | Premium | Discount | Premium | Discount |
| Class Discounts - Mixed Wheat: Note: Unclassed wheat and the class Red Durum are ineligible for loan | | Mixed Wheat \$.25 | | Mixed Wheat \$.25 |
| For each 1.0 percent of mixtures of classes other than contrasting classes over 3.0 percent | | .05 | | .05 |
| For each 1.0 percent of mixtures of contrasting classes over 10.0 percent | | .05 | | .05 |
| Special Grade Discount: | | | | |
| Smut:Light Smutty | | \$.10 | | \$.10 |
| • Smutty | | .20 | | .20 |
| Garlic:ach garlic bulblet | | \$.01 | | \$.01 |

| | Effective July 1, 2007 | Effective July 1,2008 |
|-------------------------------|------------------------|-----------------------|
| | Per Bushel | Per Bushel |
| Grade or Factor Description | Discount | Discount |
| Insect Damaged Kernels (IDK): | | |
| 11 | \$.01 | \$.01 |
| 12 | .02 | .02 |
| 13 | .03 | .03 |
| 14 | .04 | .04 |
| 15 | .05 | .05 |
| 16 | .06 | .06 |
| 17 | .07 | .07 |
| 18 | .08 | .08 |
| 19 | .09 | .09 |
| 20 | .10 | .10 |
| 21 | .12 | .12 |
| 22 | .14 | .14 |
| 23 | .16 | .16 |
| 24 | .18 | .18 |
| 25 | .20 | .20 |
| 26 | .22 | .22 |
| 27 | .24 | .24 |
| 28 | .26 | .26 |
| 29 | .28 | .28 |
| 30 | .30 | .30 |
| 31 | .32 | .32 |

For 32 and up IDK, \$.32 plus \$.01 each additional IDK over 31. See 8-LP, paragraph 1015 for grade information.

Example: Discount for 36 IDK would be \$.37, and the Sample grade discount shall apply.

| | | Effective 2007 Crop Per Bushel | | 2008 Crop Sushel |
|---|---------|--------------------------------|---------|---------------------|
| Grade or Factor Description | Premium | Discount | Premium | Discount |
| Dockage Discounts (for SWW ONLY) | | | | |
| 0.21 - 0.60 | | \$.02 | | \$.02 |
| 0.61 - 0.70 | | .04 | | .04 |
| 0.71 - 0.80 | | .04 | | .04 |
| 0.81 - 0.90 | | .05 | | .05 |
| 0.91 - 1.00 | | .06 | | .06 |
| 1.01 - 1.10 | | .07 | | .07 |
| 1.11 - 1.20 | | .08 | | .08 |
| 1.21 - 1.30 | | .09 | | .09 |
| 1.31 - 1.40 | | .10 | | .10 |
| 1.41 - 1.50 | | .11 | | .11 |
| For each 0.1 percent or fraction thereof over 1.50 percent, apply an additional | | .02 | | .02 |

B Wheat Additional Discounts

These tables provide the $Additional\ Discounts$ for $2008\ crop\ year\ Wheat$

| | Effective July 1, 2007 Per Bushel | Effective July 1, 2008 Per Bushel |
|--|-----------------------------------|------------------------------------|
| | Discount | Discount |
| Grade or Factor Description | | |
| Sample Grade Discount by Class: | | |
| • HRW, SWW, HWW | \$.70 | \$.70 |
| • HRS | .70 | .70 |
| DUM and SRW | 1.00 | 1.00 |
| Heat-Damaged Kernels Percent for All Classes: | | |
| 3.1 - 3.2 | \$.02 | \$.02 |
| 3.3 - 3.4 | .04 | .04 |
| 3.5 - 3.6 | .06 | .06 |
| 3.7 - 3.8 | .08 | .08 |
| 3.9 - 4.0 | .10 | .10 |
| 4.1 - 4.2 | .12 | .12 |
| 4.3 - 4.4 | .14 | .14 |
| 4.5 - 4.6 | .16 | .16 |
| 4.7 - 4.8 | .18 | .18 |
| 4.9 - 5.0 | .20 | .20 |
| 5.1 - 5.2 | .22 | .22 |
| 5.3 - 5.4 | .24 | .24 |
| 5.5 - 5.6 | .26 | .26 |
| 5.7 - 5.8 | .28 | .28 |
| 5.9 - 6.0 | .30 | .30 |
| For each .2 percent or fraction thereof over 6.0 percent | \$.02 | \$.02 |

| | Effective July 1, 2007 Per Bushel | Effective July 1, 2008 Per Bushel |
|---|-----------------------------------|-----------------------------------|
| Grade or Factor Description | Discount | Discount |
| Damaged Kernels (Total) Percent: | | |
| 15.1 - 16.0 | \$.03 | \$.03 |
| 16.1 - 17.0 | .06 | .06 |
| 17.1 - 18.0 | .09 | .09 |
| 18.1 - 19.0 | .12 | .12 |
| 19.1 - 20.0 | .15 | .15 |
| 20.1 - 21.0 | .18 | .18 |
| 21.1 - 22.0 | .21 | .21 |
| 22.1 - 23.0 | .24 | .24 |
| 23.1 - 24.0 | .27 | .27 |
| 24.1 - 25.0 | .30 | .30 |
| 25.1 - 26.0 | .33 | .33 |
| 26.1 - 27.0 | .36 | .36 |
| 27.1 - 28.0 | .39 | .39 |
| 28.1 - 29.0 | .42 | .42 |
| 29.1 - 30.0 | .45 | .45 |
| For each whole percent or fraction of a percent over 30 percent | \$.03 | \$.03 |

| | Effective July 1, 2007 | Effective July 1, 2008 |
|--|------------------------|------------------------|
| | Per Bushel | Per Bushel |
| Grade or Factor Description | Discount | Discount |
| Moisture Percent (All Classes Except SRW): | | |
| 13.6 - 13.7 | \$.01 | \$.01 |
| 13.8 - 14.0 | .02 | .02 |
| 14.1 - 14.2 | .04 | .04 |
| 14.3 - 14.5 | .06 | .06 |
| 14.6 - 14.7 | .08 | .08 |
| 14.8 - 15.0 | .10 | .10 |
| 15.1 - 15.2 | .13 | .13 |
| 15.3 - 15.5 | .16 | .16 |
| 15.6 - 15.7 | .19 | .19 |
| 15.8 - 16.0 | .22 | .22 |
| 16.1 - 16.2 | .25 | .25 |
| 16.3 - 16.5 | .28 | .28 |
| 16.6 - 16.7 | .31 | .31 |
| 16.8 - 17.0 | .34 | .34 |
| 17.1 - 17.2 | .37 | .37 |
| 17.3 - 17.5 | .40 | .40 |
| 17.6 - 17.7 | .43 | .43 |
| 17.8 - 18.0 | .46 | .46 |
| 18.1 - 18.2 | .49 | .49 |
| 18.3 - 18.5 | .52 | .52 |
| 18.6 - 18.7 | .55 | .55 |
| 18.8 - 19.0 | .58 | .58 |

| | Effective July 1, 2007 | Effective July 1, 2008 |
|---|------------------------|------------------------|
| | Per Bushel | Per Bushel |
| Grade or Factor Description | Discount | Discount |
| Moisture Percent (All classes except SRW), Contd.: | | |
| 19.1 - 19.2 | \$.61 | \$.61 |
| 19.3 - 19.5 | .64 | .64 |
| 19.6 - 19.7 | .67 | .67 |
| 19.8 - 20.0 | .70 | .70 |
| 20.1 - 20.2 | .73 | .73 |
| 20.3 - 20.5 | .76 | .76 |
| 20.6 - 20.7 | .79 | .79 |
| 20.8 - 21.0 | .82 | .82 |
| 21.1 - 21.2 | .85 | .85 |
| 21.3 - 21.5 | .88 | .88 |
| 21.6 - 21.7 | .91 | .91 |
| 21.8 - 22.0 | .94 | .94 |
| 22.1 - 22.2 | .97 | .97 |
| 22.3 - 22.5 | 1.00 | 1.00 |
| 22.6 - 22.7 | 1.03 | 1.03 |
| 22.8 - 23.0 | 1.06 | 1.06 |
| 23.1 - 23.2 | 1.09 | 1.09 |
| 23.3 - 23.5 | 1.12 | 1.12 |
| 23.6 - 23.7 | 1.15 | 1.15 |
| 23.8 - 24.0 | 1.18 | 1.18 |
| 24.1 - 24.2 | 1.21 | 1.21 |
| 24.3 - 24.5 | 1.24 | 1.24 |
| 24.6 - 24.7 | 1.27 | 1.27 |
| 24.8 - 25.0 | 1.30 | 1.30 |
| For each .2 percent or fraction thereof over 25 percent | \$.03 | \$.03 |

| | Effective July 1, 2007 | Effective July 1, 2008 |
|-----------------------------|------------------------|------------------------|
| | Per Bushel | Per Bushel |
| Grade or Factor Description | Discount | Discount |
| Moisture Percent (For SRW): | | |
| 13.6 - 14.0 | \$.03 | \$.03 |
| 14.1 - 14.5 | .06 | .06 |
| 14.6 - 15.0 | .09 | .09 |
| 15.1 - 15.5 | .12 | .12 |
| 15.6 - 16.0 | .15 | .15 |
| 16.1 - 16.5 | .19 | .19 |
| 16.6 - 17.0 | .23 | .23 |
| 17.1 - 17.5 | .27 | .27 |
| 17.6 - 18.0 | .31 | .31 |
| 18.1 - 18.5 | .35 | .35 |
| 18.6 - 19.0 | .39 | .39 |
| 19.1 - 19.5 | .43 | .43 |
| 19.6 - 20.0 | .47 | .47 |
| 20.1 - 20.5 | .51 | .51 |
| 20.6 - 21.0 | .55 | .55 |

For each 0.5 percent or fraction thereof over 21.0 percent, deduct an additional \$.04.

Example: The total discount for 23.5 percent moisture would be \$.75.

| | Effective July 1, 2007 | | Effective J | uly 1, 2008 |
|---------------------------------------|--------------------------------------|--|--------------------------------------|--|
| | Per Bushel | | Per B | ushel |
| Grade or Factor Description | Dis | count | Discount | |
| Test Weight (Pounds): | Hard Red Spring and White Club | All Other Classes and Subclasses | Hard Red Spring and White Club | All Other Classes and Subclasses |
| 50.9 - 50.0 | | \$.06 | | \$.06 |
| 49.9 - 49.0 | \$.02 | .12 | \$.02 | .12 |
| 48.9 - 48.0 | .04 | .18 | .04 | .18 |
| 47.9 - 47.0 | .06 | .24 | .06 | .24 |
| 46.9 - 46.0 | .08 | .30 | .08 | .30 |
| 45.9 - 45.0 | .10 | .36 | .10 | .36 |
| 44.9 - 44.0 | .13 | .42 | .13 | .42 |
| 43.9 - 43.0 | .16 | .48 | .16 | .48 |
| 42.9 - 42.0 | .19 | .54 | .19 | .54 |
| 41.9 - 41.0 | . 22 | .60 | .22 | .60 |
| 40.9 - 40.0 | .25 | .66 | .25 | .66 |
| For each whole pound or fraction of a | pound under 40 | 0.0 pounds per bus | hel deduct an add | litional \$.06. |
| Infested | \$.10 | | \$.10 | |
| Musty | \$.10 | | \$.10 | |
| Sour | \$.25 | | \$.25 | |
| Heating | \$.25 | | \$.2 | 25 |
| COFO | \$ | 5.50 | \$.5 | 50 |

| | Effective July 1, 2007 | | | uly 1, 2008 |
|---|------------------------|------------------------------|---------|---------------------------------|
| | Per I | Bushel | Per B | Bushel |
| Grade or Factor Description | Premium | Discount | Premium | Discount |
| Falling Number Discount for All Classes | | | | |
| 299 - 250 | | \$.25 | | \$.25 |
| 249 - 200 | | .50 | | .50 |
| 199 - 150 | | .75 | | .75 |
| 149 and below | | additional .01 each point | | additional .01 each point |
| Durum Discount | | | | |
| Hard Vitreous Amber Color | | | | |
| 89 | | \$.01 | | \$.01 |
| 88 | | .02 | | .02 |
| 87 | | .03 | | .03 |
| 86 | | .04 | | .04 |
| 85 | | .05 | | .05 |
| 84 | | .06 | | .06 |
| 83 | | .07 | | .07 |
| 82 | | .08 | | .08 |
| 81 | | .09 | | .09 |
| 80 | | .10 | | .10 |
| 79 | | .11 | | .11 |
| 78 | | .12 | | .12 |
| 77 | | .13 | | .13 |
| 76 | | .14 | | .14 |
| 75 | | .15 | | .15 |

| | Effective J | Effective July 1, 2007 | | July 1, 2008 |
|-----------------------------|-------------|------------------------------|---------|---------------------------------|
| | Per F | Bushel | Per I | Bushel |
| Grade or Factor Description | Premium | Discount | Premium | Discount |
| Durum Discount (Cont'd) | | | | |
| Hard Vitreous Amber Color | | | | |
| 74 | | \$.16 | | \$.16 |
| 73 | | .17 | | .17 |
| 72 | | .18 | | .18 |
| 71 | | .19 | | .19 |
| 70 | | .20 | | .20 |
| 69 | | .21 | | .21 |
| 68 | | .22 | | .22 |
| 67 | | .23 | | .23 |
| 66 | | .24 | | .24 |
| 65 | | .25 | | .25 |
| 64 | | .26 | | .26 |
| 63 | | .27 | | .27 |
| 62 | | .28 | | .28 |
| 61 | | .29 | | .29 |
| 60 | | .30 | | .30 |
| 59 and below | | additional .03 each point | | additional .03 each point |

| | Effective July 1, 2007 Per Bushel | | Effective July 1, 2008 Per Bushel | |
|---|-----------------------------------|----------|-----------------------------------|----------|
| Grade or Factor Description | Premium | Discount | Premium | Discount |
| Vomitoxin Level: | | | | |
| Applies To All Wheat Classes | | | | |
| 2 parts per million and Below | | \$.00 | | \$.00 |
| 2.1 - 3.0 parts per million | | .75 | | .75 |
| 3.1 - 4.0 parts per million | | 1.00 | | 1.00 |
| 4.1 - 5.0 parts per million | | 1.25 | | 1.25 |
| More than 5 parts per million, the wheat shall have a settlement value of zero. | | | | |

D Barley P & D's

This table provides the P & D's for 2008 crop year Barley

| | Effective 2007 Crop Per Bushel | | Effective 2008 Crop Per Bushel | |
|---|--------------------------------|----------------|--------------------------------|----------|
| | Per B | ushel | Per E | Sushel |
| Grade or Factor Description | Premium | Discount | Premium | Discount |
| Grade U.S. No. 3 | | \$.25 | | \$.25 |
| Grade U.S. No. 4 | | .30 | | .30 |
| Grade U.S. No. 5 | | .40 | | .40 |
| All Grades - Dockage Discount: | | | | |
| 1.0 - 1.9 percent dockage | | \$.01 | | \$.01 |
| 2.0 - 2.9 percent dockage | | .03 | | .03 |
| 3.0 - 3.9 percent dockage | | .04 | | .04 |
| 4.0 - 4.9 percent dockage | | .05 | | .05 |
| For each whole percent or fraction of a half per | cent over 4.5 j | percent, deduc | t an additional | \$.01. |
| Example : The total discount for 8.0 - 8.5 perce | nt dockage wo | ould be \$.09. | | |
| All Grades - Special Grade Discount of Garlicky | | \$.10 | | \$.10 |
| Moisture Percent: | | | | |
| 14.1 | | \$.01 | | \$.01 |
| 14.2 | | .02 | | .02 |
| 14.3 | | .03 | | .03 |
| 14.4 | | .04 | | .04 |
| 14.5 | | .05 | | .05 |

Note: Dockage discounts have been amended for this table.

D Barley P & D's (Continued)

This table provides the P & D's for 2008 crop year Barley

| | Effective 2007 Crop Per Bushel | Effective 2008 Crop Per Bushel |
|-----------------------------|--------------------------------|--------------------------------|
| Grade or Factor Description | Discount | Discount |
| Test Weight (Pounds): | | |
| 46.0 or better | \$.00 | \$.00 |
| 45.9 – 45.0 | .01 | .01 |
| 44.9 – 44.0 | .02 | .02 |
| 43.9 – 43.0 | .03 | .03 |
| 42.9 – 42.0 | .04 | .04 |
| 41.9 – 41.0 | .05 | .05 |
| 40.9 – 40.0 | .06 | .06 |
| 39.9 – 39.0 | .07 | .07 |
| 38.9 – 38.0 | .08 | .08 |
| 37.9 – 37.0 | .09 | .09 |
| 36.9 – 36.0 | .10 | .10 |

See additional schedule of discounts for barley with a test weight under 36.0 pounds per bushel.

E Barley Additional Discounts

These tables provide the Additional Discounts for 2008 crop year Barley

| | Effective July 1, 2007 Per Bushel | Effective July 1, 2008 Per Bushel |
|--|---|---|
| | | |
| Grade or Factor Description | Discount | Discount |
| Grade Discount: Sample Grade | \$.50 for 2007 crop \$.50 for 2006 crop \$.50 for 2005 crop | \$.50 for 2008 crop \$.50 for 2007 crop \$.50 for 2006 crop |
| Thin Percent: | | |
| 75.1 - 80.0 | \$.05 | \$.05 |
| 80.1 - 85.0 | .10 | .10 |
| 85.1 - 90.0 | .15 | .15 |
| 90.1 - 95.0 | .20 | .20 |
| 95.1 - 99.0 | .25 | .25 |
| Test Weight (Pounds): | | |
| 35.9 - 35.0 | \$.12 | \$.12 |
| 34.9 - 34.0 | .14 | .14 |
| 33.9 - 33.0 | .16 | .16 |
| 32.9 - 32.0 | .18 | .18 |
| 31.9 - 31.0 | .20 | .20 |
| 30.9 - 30.0 | .22 | .22 |
| 29.9 - 29.0 | .24 | .24 |
| 28.9 - 28.0 | .26 | .26 |
| 27.9 - 27.0 | .28 | .28 |
| 26.9 - 26.0 | .30 | .30 |
| For each whole or fraction of a pound under 26.0 pounds per bushel | \$.01 | \$.01 |
| Example : The total discount for 24.5 barley. | pound test weight would be \$.32 | 2 per bushel for 2008-crop |

E Barley Additional Discounts (Continued)

| | Effective July 1, 2007 Per Bushel | Effective July 1, 2008 Per Bushel |
|---|-----------------------------------|-----------------------------------|
| | Discount | Discount |
| Grade or Factor Description | Discount | Discount |
| Foreign Material Percent: | | |
| 5.1 - 6.0 | \$.01 | \$.01 |
| 6.1 - 7.0 | .02 | .02 |
| 7.1 - 8.0 | .03 | .03 |
| 8.1 - 9.0 | .04 | .04 |
| 9.1 - 10.0 | .05 | .05 |
| 10.1 - 11.0 | .07 | .07 |
| 11.1 - 12.0 | .09 | .09 |
| 12.1 - 13.0 | .11 | .11 |
| 13.1 - 14.0 | .13 | .13 |
| 14.1 - 15.0 | .15 | .15 |
| 15.1 - 16.0 | .17 | .17 |
| For each whole or fraction of a percent over 16 percent | \$.02 | \$.02 |
| Heat-Damaged Kernels Percent: | | |
| 3.1 | \$.02 | \$.02 |
| 3.2 | .04 | .04 |
| 3.3 | .06 | .06 |
| 3.4 | .08 | .08 |
| 3.5 | .10 | .10 |
| 3.6 | .12 | .12 |
| 3.7 | .14 | .14 |
| 3.8 | .16 | .16 |
| 3.9 | .18 | .18 |
| 4.0 | .20 | .20 |
| For each 10th of a percent over 4 percent | \$.02 | \$.02 |

E Barley Additional Discounts (Continued)

| | Effective July 1, 2007 | Effective July 1, 2008 |
|---|------------------------|------------------------|
| | Per Bushel | Per Bushel |
| Grade or Factor Description | Discount | Discount |
| Damaged Kernels (Total) Percent: | | |
| 10.1 - 11.0 | \$.02 | \$.02 |
| 11.1 - 12.0 | .04 | .04 |
| 12.1 - 13.0 | .06 | .06 |
| 13.1 - 14.0 | .08 | .08 |
| 14.1 - 15.0 | .10 | .10 |
| For each whole percent or fraction of a percent over 15 percent | \$.05 | \$.05 |
| Moisture Percent: | | |
| 14.6 | \$.06 | \$.06 |
| 14.7 | .07 | .07 |
| 14.8 | .08 | .08 |
| 14.9 | .09 | .09 |
| 15.0 | .10 | .10 |
| 15.1 | .11 | .11 |
| 15.2 | .12 | .12 |
| 15.3 | .13 | .13 |
| 15.4 | .14 | .14 |
| 15.5 | .15 | .15 |
| 15.6 | .16 | .16 |
| 15.7 | .17 | .17 |
| 15.8 | .18 | .18 |
| 15.9 | .19 | .19 |
| 16.0 | .20 | .20 |
| For each 10th of a percent over 16 percent | \$.01 | \$.01 |

E Barley Additional Discounts (Continued)

| | Effective July 1, 2007 | Effective July 1, 2008 |
|-----------------------------|------------------------|------------------------|
| | Per Bushel | Per Bushel |
| Grade or Factor Description | Discount | Discount |
| Musty | \$.10 | \$.10 |
| Sour | \$.10 | \$.10 |
| Infested | \$.10 | \$.10 |
| Heating | \$.10 | \$.10 |
| COFO | \$.10 | \$.10 |

F Oats P & D's

These tables provide the P & D's for 2008 crop year Oats.

| | | 2007 Crop Bushel | | 2008 Crop Bushel |
|-----------------------------|---------|---------------------|---------|---------------------|
| Grade or Factor Description | Premium | Discount | Premium | Discount |
| Grade U.S. No. 3 | | \$.15 | | \$.15 |
| Grade U.S. No. 4 | | .25 | | .25 |
| Test Weight (Pounds): | | | | |
| 38.0 or better | | \$.00 | | \$.00 |
| 37.5 | | .08 | | .08 |
| 37.0 | | .08 | | .08 |
| 36.5 | | .09 | | .09 |
| 36.0 | | .09 | | .09 |
| 35.5 | | .12 | | .12 |
| 35.0 | | .13 | | .13 |
| 34.5 | | .14 | | .14 |
| 34.0 | | .15 | | .15 |
| 33.5 | | .16 | | .16 |
| 33.0 | | .17 | | .17 |
| 32.5 | | .18 | | .18 |
| 32.0 | | .21 | | .21 |
| 31.5 | | .24 | | .24 |
| 31.0 | | .27 | | .27 |
| 30.5 | | .30 | | .30 |
| 30.0 | | .33 | | .33 |

F Oats P & D's

These tables provide the P&D's for 2008 crop year Oats.

| | Effective 2 | 2007 Crop | Effective | 2008 Crop |
|----------------------------------|-------------|--------------------|------------|--------------------|
| | Per Bushel | | Per Bushel | |
| Grade or Factor Description | Premium | Discount | Premium | Discount |
| Moisture Percent: | | | | |
| 13.5 – 13.7 | | \$.01 | | \$.01 |
| 13.8 – 14.0 | | .02 | | .02 |
| Foreign Material Percent: | | | | |
| 3.1 – 3.5 | | \$.01 | | \$.01 |
| 3.6 – 4.0 | | .02 | | .02 |
| Heat Damaged Kernels Percent: | | | | |
| 0.4 - 0.5 | | \$.03 | | \$.03 |
| 0.6 | | <mark>.06</mark> | | <mark>.06</mark> |
| <u>0.7</u> | | <mark>.09</mark> | | <mark>.09</mark> |
| 0.8 | | .12 | | .12 |
| <mark>0.9</mark> | | <mark>.15</mark> | | .15 |
| <mark>1.0</mark> | | .18 | | .18 |
| Sound-Cultivated Oats Percent: | | | | |
| 93.0 - 93.9 | | <mark>\$.03</mark> | | \$.03 |
| 92.0 - 92.9 | | <mark>.06</mark> | | .06 |
| <mark>91.0 - 91.9</mark> | | <mark>.09</mark> | | .09 |
| <mark>90.0 - 90.9</mark> | | .12 | | .12 |
| Slightly Weathered | | \$.15 | | <mark>\$.15</mark> |
| Special Grade Discount: Garlicky | | <mark>\$.15</mark> | | \$.15 |

Note: Heat Damaged Kernels, Sound Cultivated, Slightly Weathered, and Garlicky have been added to this table and removed from the schedule of additional P&D's table.

F Oats Additional Discounts

These tables provide the Additional Discounts for 2008 crop year Oats.

| | Effective 2 | 2007 Crop | Effective | 2008 Crop |
|--------------------------------|-------------|-----------|------------------|-----------|
| | Per E | Bushel | Per F | Bushel |
| Grade or Factor Description | Premium | Discount | Premium | Discount |
| Test Weight (Pounds) (Cont'd): | | | | |
| 29.5 | | .36 | | .36 |
| 29.0 | | .39 | | .39 |
| 28.5 | | \$.42 | | \$.42 |
| 28.0 | | .45 | | .45 |
| 27.5 | | .48 | | .48 |
| 27.0 | | .51 | | .51 |
| 26.5 | | .54 | | .54 |
| 26.0 | | .54 | | .54 |
| 25.5 | | .57 | | .57 |
| 25.0 | | .57 | | .57 |

For each whole pound or fraction thereof under 25.0 pounds per bushel, deduct an additional \$.04.

Example: The total discount for 23.5 pound test weight would be \$.65 per bushel for 2008-crop oats.

| Heat Damaged Kernels Percent: | | |
|---|-------|-------|
| 1.1 | .21 | .21 |
| 1.2 | .24 | .24 |
| 1.3 | .27 | .27 |
| 1.4 | .30 | .30 |
| 1.5 | .33 | .33 |
| For each 10th of a percent over 1.5 percent | \$.01 | \$.01 |

Note: Heat Damaged Kernels for 0.4 - 1.0 have been removed from this table and added to the schedule of regular P&D's table in subparagraph 2 F.

F Oats Additional Discounts (Continued)

| | Effective 2 | Effective 2007 Crop | | 2008 Crop |
|--|-------------|---------------------|------------|------------|
| | Per Bushel | Per Bushel | Per Bushel | Per Bushel |
| Grade or Factor Description | Premium | Discount | Premium | Discount |
| Sound-Cultivated Oats Percent: | | | | |
| 89.0 – 89.9 | | .15 | | .15 |
| 88.0 – 88.9 | | .18 | | .18 |
| 87.0 – 87.9 | | .21 | | .21 |
| 86.0 – 86.9 | | .24 | | .24 |
| 85.0 – 85.9 | | .27 | | .27 |
| 84.0 – 84.9 | | .30 | | .30 |
| 83.0 – 83.9 | | .33 | | .33 |
| 82.0 – 82.9 | | .36 | | .36 |
| 81.0 – 81.9 | | .39 | | .39 |
| 80.0 – 80.9 | | .42 | | .42 |
| 2008 Discounts – For each 1 percent or fraction thereof under 80.0 percent, deduct an additional \$.03. | | | | |

2008 Discounts – For each 1 percent or fraction thereof under 80.0 percent, deduct an additional \$.03. **Example**: The total discount for 77.8 percent sound-cultivated oats would be \$.51.

Note: "Sound Cultivated Oats for 93.0 – 90.9, Slightly Weathered, and Garlicky" have been removed from this table and added to the schedule of regular P&D's table in subparagraph 2 F.

G Oats Additional Discounts

| | Effective July 1, 2007 | Effective July 1, 2008 |
|------------------------------------|---|---|
| | Per Bushel | Per Bushel |
| Grade or Factor Description | Discount | Discount |
| Grade Discount: Sample Grade | \$.35 for 2007 crop \$.35 for 2006 crop \$.15 for 2005 crop | \$.35 for 2008 crop \$.35 for 2007 crop \$.35 for 2006 crop |
| Foreign Material Percent: | | |
| 4.1 - 4.5 | \$.03 | \$.03 |
| 4.6 - 5.0 | .04 | .04 |
| 5.1 - 5.5 | .05 | .05 |
| 5.6 - 6.0 | .06 | .06 |
| 6.1 - 6.5 | .07 | .07 |
| 6.6 - 7.0 | .08 | .08 |
| 7.1 - 7.5 | .09 | .09 |
| 7.6 - 8.0 | .10 | .10 |
| 8.1 - 8.5 | .12 | .12 |
| 8.6 - 9.0 | .14 | .14 |
| 9.1 - 9.5 | .16 | .16 |
| 9.6 - 10.0 | .18 | .18 |
| 10.1 - 10.5 | .20 | .20 |
| 10.6 - 11.0 | .22 | .22 |
| 11.1 - 11.5 | .24 | .24 |
| 11.6 - 12.0 | .26 | .26 |
| 12.1 - 12.5 | .28 | .28 |
| 12.6 - 13.0 | .30 | .30 |

G Oats Additional Discounts (Continued)

| | Effective July 1, 2007 Per Bushel Discount | Effective July 1,2008 Per Bushel Discount |
|---|--|---|
| Grade or Factor Description | | |
| Foreign Material Percent, Contd.: | | |
| 13.1 - 13.5 | \$.32 | \$.32 |
| 13.6 - 14.0 | .34 | .34 |
| 14.1 - 14.5 | .36 | .36 |
| 14.6 - 15.0 | .38 | .38 |
| 15.1 - 15.5 | .39 | .39 |
| 15.6 - 16.0 | .40 | .40 |
| 16.1 - 16.5 | .41 | .41 |
| 16.6 - 17.0 | .42 | .42 |
| For each half percent or fraction of a half percent over 17 percent | \$.01 | \$.01 |

G Oats Additional Discounts (Continued)

| | Effective July 1, 2007 Per Bushel | Effective July 1, 2008 Per Bushel |
|-----------------------------|-----------------------------------|-----------------------------------|
| Grade or Factor Description | Discount | Discount |
| Moisture Percent: | | |
| 14.1 | \$.03 | \$.03 |
| 14.2 | .04 | .04 |
| 14.3 | .05 | .05 |
| 14.4 | .06 | .06 |
| 14.5 | .07 | .07 |
| 14.6 | .08 | .08 |
| 14.7 | .09 | .09 |
| 14.8 | .10 | .10 |
| 14.9 | .11 | .11 |
| 15.0 | .12 | .12 |
| 15.1 | .13 | .13 |
| 15.2 | .14 | .14 |
| 15.3 | .15 | .15 |
| 15.4 | .16 | .16 |
| 15.5 | .17 | .17 |

G Oats Additional Discounts (Continued)

| | Effective July 1, 2007 | Effective July 1, 2008 |
|-----------------------------|------------------------|------------------------|
| | Per Bushel | Per Bushel |
| Grade or Factor Description | Discount | Discount |
| Moisture Percent, Contd.: | | |
| 15.6 | \$.19 | \$.19 |
| 15.7 | .21 | .21 |
| 15.8 | .23 | .23 |
| 15.9 | .25 | .25 |
| 16.0 | .27 | .27 |
| 16.1 | .29 | .29 |
| 16.2 | .31 | .31 |
| 16.3 | .33 | .33 |
| 16.4 | .35 | .35 |
| 16.5 | .37 | .37 |
| 16.6 | .39 | .39 |
| 16.7 | .41 | .41 |
| 16.8 | .43 | .43 |
| 16.9 | .45 | .45 |
| 17.0 | .47 | .47 |
| 17.1 | .49 | .49 |
| 17.2 | .51 | .51 |

G Oats Additional Discounts (Continued)

| Cuada an Fastan Description | Effective July 1, 2007 Per Bushel | Effective July 1, 2008 Per Bushel |
|---|-----------------------------------|-----------------------------------|
| Grade or Factor Description | Discount | Discount |
| Moisture Percent, Contd.: | Φ.52 | Φ.52 |
| 17.3 | \$.53 | \$.53 |
| 17.4 | .55 | .55 |
| 17.5 | .57 | .57 |
| 17.6 | .59 | .59 |
| 17.7 | .61 | .61 |
| 17.8 | .63 | .63 |
| 17.9 | .65 | .65 |
| 18.0 | .67 | .67 |
| 18.1 | .69 | .69 |
| 18.2 | .71 | .71 |
| 18.3 | .73 | .73 |
| 18.4 | .75 | .75 |
| 18.5 | .77 | .77 |
| 18.6 | .79 | .79 |
| 18.7 | .81 | .81 |
| 18.8 | .83 | .83 |
| 18.9 | .85 | .85 |
| 19.0 | .87 | .87 |
| For each .5 percent or fraction thereof over 19.0 percent | \$.02 | \$.02 |

G Oats Additional Discounts (Continued)

| Grade or Factor Description | Effective July 1, 2007 Per Bushel Discount | Effective July 1,2008 Per Bushel Discount |
|---------------------------------------|--|---|
| Sour | \$.15 | \$.15 |
| Musty | \$.15 | \$.15 |
| Heating | \$.15 | \$.15 |
| Infested | \$.15 | \$.15 |
| Smutty | \$.15 | \$.15 |
| Bleached | \$.10 | \$.10 |
| Materially Weathered or Badly Stained | \$.15 | \$.15 |
| COFO | \$.15 | \$.15 |