

LPMS SUMMARY by RIVER BASIN
January - December 2000

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay ¹ Delayed		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time ¹	Freq Total
Allegheny River										
Lock And Dam 2										
1	7	7,927	2,583	5,282	8%	27%	17.71	.73	1.0	19
C.W. Bill Young Lock & Dm										
1	15	4,310	2,555	4,230	11%	21%	11.95	.69		5
Lock And Dam 4										
1	24	3,872	1,411	3,542	11%	20%	8.56	.49		32
Lock And Dam 5										
1	30	2,544	692	1,991	2%	6%	.84	.16		8
Lock And Dam 6										
1	36	1,519	137	1,167	1%	5%	.37	.18		
Lock And Dam 7										
1	46	1,534	134	937	1%	3%	.13	.05		1
Lock And Dam 8										
1 *	53	1,929	703	1,431	3%	5%	.51	.16		
Lock And Dam 9										
1 *	62	895		468	0%	N/A%	.00	.00		
Atlantic Intracoastal Waterway										
Great Bridge Guard Lock										
1	12	13,690	647	5,488	40%	86%	26.89	.09		8
Alabama-Coosa Rivers										
Claiborne Lock And Dam										
1	118	481	40	344	2%	0%	.01	.00		
Apalachicola/Chattahoochee/Flint Rivers										
Jim Woodruff Lock And Dam										
1	106	994	266	715	1%	1%	.13	.08		2
Atchafalaya River										
Berwick Lock										
1	106	3,854	230	2,548	63%	88%	3.37	.05	0.1	150
Black Rock Ch/Tonawanda Harbor										
Black Rock Lock										
1 *	106	2,679	303	1,546	1%	7%	3.56	2.29		250
Blackwarrior/Tombigbee Rivers										
Demopolis Lock And Dam										
1	213	4,573	15,567	3,975	35%	38%	47.85	.76		2
Holt Lock And Dam										
1	347	2,073	8,884	1,852	19%	20%	17.26	1.03		3
Calcasieu River										
Calcasieu Salt Water Barrier										
1	347	17,849	681	8,325	37%	92%	8.21	.17	6.7	448
Chicago River										
Chicago Lock										
1	347	52,501	146	12,261	1%	50%	.83	.07	1.5	17

* Lock data not available for all months

1 - Average Time in Hours

LPMS SUMMARY by RIVER BASIN
January - December 2000

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay ¹ Delayed		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time ¹	Freq Total
Canaveral Harbor										
Canaveral Lock										
1	3	30,024	909	11,509	38%	90%	92.23	.62	4.3	418
Columbia River										
Bonneville Lock And Dam										
1 *	145	5	17	5	60%	60%	.83	.83		1
Bonneville Lock And Dam										
2	145	3,634	10,614	3,437	74%	76%	60.38	.58	9.8	15
The Dalles Dam										
1	192	3,129	10,162	2,974	92%	93%	77.80	.66	0.3	29
John Day Lock And Dam										
1	217	2,872	9,076	2,785	89%	88%	75.73	.71	23.0	10
Mcnary Lock And Dam										
1	292	2,835	8,410	2,535	89%	98%	23.95	.30		1
Cumberland River										
Barkley Lock										
1	31	3,335	8,967	3,094	18%	28%	24.75	1.08		24
Cheatham Lock										
1	149	2,744	8,660	2,752	17%	22%	21.86	1.31		118
Old Hickory Lock										
1	216	3,982	3,837	3,383	7%	17%	10.67	.74	1.0	155
Dismal Swamp Canal Route										
Deep Creek Lock										
1	11	1,923		848	44%	0%	10.73	.00		
South Mills Lock										
1	33	1,734		728	42%	0%	8.06	.00		
Freshwater Bayou										
Freshwater Bayou Lock										
1	33	23,958	3,802	16,981	119%	71%	238.87	.21		20
Cape Fear River										
Lock And Dam 1										
1 *	39	17		84	71%	N/A%	.17	.00		80
Lock And Dam 2										
1 *	71	3		7	67%	N/A%	.17	.00		10
Green & Barren Rivers										
Lock And Dam 1										
1	9	3,294	3,984	2,860	0%	1%	.43	.27	52.5	4
Lock And Dam 2										
1	63	875	1,553	829	0%	0%	.00	.00		1
Gulf Intracoastal Waterway										
Port Allen Lock										
1	63	8,286	24,106	6,855	90%	90%	775.04	2.55	1.4	812

* Lock data not available for all months

1 - Average Time in Hours

LPMS SUMMARY by RIVER BASIN January - December 2000

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay ¹ Delayed		Lock Closures		
					Vessels	Tows	Vessels	Tows	Ave Time ¹	Freq Total	
<i>Gulf Intracoastal Waterway (cont.)</i>											
Bayou Sorrel Lock 1	63	7,473	22,048	8,931	68%	70%	294.51	1.31	3.4	69	
Inner Hrbr Navigation Canl Lk 1	63	14,193	17,066	10,505	71%	72%	1,762.15	4.36	1.6	478	
Algiers Lock 1	63	10,330	20,001	8,850	84%	87%	741.79	2.14		13	
Harvey Lock 1	63	8,225	2,162	6,618	81%	82%	165.54	.60	1.8	16	
Bayou Boeuf Lock 1	63	23,787	24,179	18,223	60%	63%	216.65	.37	0.4	2,591	
Calcasieu Lock 1	63	15,288	40,146	12,352	93%	94%	781.72	1.37	0.2	173	
Colorado River East Lock 1	441	32,153	20,818	10,223	32%	79%	125.36	.29		4	
Colorado River West Lock 1	442	22,789	20,446	9,750	43%	85%	94.87	.23		2	
Brazos East Gate 1	400	16,316	21,307	11,077	57%	77%	55.72	.13			
Brazos West Gate 1	401	16,826	21,156	10,811	54%	75%	42.09	.11			
Schooner Bayou Control Struct 1 *	401	1,690	2	1,430	85%	94%	2.33	.02	1.2	209	
Catfish Point Control Struct 1	401	3,861	184	3,154	62%	72%	19.58	.89	7.4	535	
Leland Bowman Lock 1	401	16,371	41,181	11,557	89%	90%	753.85	1.25	0.8	6	
<i>Hudson River</i>											
Troy Lock And Dam 1 *	401	5,697	7	3,291	40%	7%	87.76	.86		2	
<i>Illinois Waterway</i>											
Thomas J. Obrien Lock 1	327	29,132	8,436	9,133	2%	19%	5.76	.27		278	
Lockport Lock 1	291	4,320	16,789	4,207	47%	59%	252.03	3.01		34	
Brandon Road Lock And Dam 1	286	4,762	16,940	4,453	45%	60%	196.29	2.23		23	

* Lock data not available for all months

1 - Average Time in Hours

LPMS SUMMARY by RIVER BASIN January - December 2000

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay ¹ Delayed		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time ¹	Freq Total
Illinois Waterway (cont.)										
Dresden Island Lock And Dam 1	272	5,788	18,835	4,798	30%	55%	131.82	1.88		11
Marseilles Lock And Dam 1	245	5,617	20,237	4,785	34%	67%	207.36	2.75	0.3	50
Starved Rock Lock And Dam 1	231	6,305	22,378	5,216	28%	58%	167.60	2.40		76
Peoria Lock And Dam 1	158	5,054	31,731	5,667	39%	51%	230.78	2.53		56
Lagrange Lock And Dam 1	80	3,776	35,164	5,284	77%	85%	611.05	4.43		56
Kanawha River										
Winfield Locks And Dam Main 1 1 *	31	17		6	0%	N/A%	.00	.00		
Winfield Locks And Dam Main 1 5	31	4,128	20,694	3,637	32%	36%	56.12	1.00	0.4	66
Marmet Locks And Dam Main 1 1	68	2,476	7,658	9,125	52%	57%	137.67	2.50		29
Marmet Locks And Dam Main 1 2	68	2,566	8,834	9,344	52%	57%	141.37	2.50	0.8	30
London Locks And Dam Main 1 1	83	1,139	3,512	2,923	10%	12%	6.13	1.23	0.8	507
London Locks And Dam Main 1 2	83	1,988	2,506	3,996	7%	9%	5.97	.85	0.5	279
Kaskaskia River										
Kaskaskia River Navigation Lk 1	1	4,906	409	1,920	0%	3%	.08	.05		2
Mississippi River										
Lock And Dam 1 1 *	848	8,118	2,254	3,837	3%	15%	3.52	.20		
Lock And Dam 2 1 *	815	12,712	10,842	4,881	4%	41%	32.06	1.06		2
Lock And Dam 3 1 *	797	20,063	10,868	6,164	4%	43%	29.87	.79		
Lock And Dam 4 1 *	753	13,987	11,798	5,268	4%	42%	29.00	.92		
Lock And Dam 5 1 *	738	10,213	12,049	4,506	5%	39%	28.75	1.00		4

* Lock data not available for all months

1 - Average Time in Hours

LPMS SUMMARY by RIVER BASIN January - December 2000

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay ¹ Delayed		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time ¹	Freq Total
Mississippi River (cont.)										
Lock And Dam 6										
1 *	714	9,544	14,877	5,108	8%	45%	43.52	1.10		3
Lock And Dam 7										
1 *	702	11,281	14,816	5,435	9%	46%	61.52	1.28		
Lock And Dam 8										
1 *	679	9,972	15,871	4,689	9%	49%	62.14	1.39		5
Lock And Dam 9										
1 *	647	7,401	17,742	4,776	13%	49%	66.34	1.39		32
Lock And Dam 10										
1 *	615	7,969	19,956	5,033	11%	41%	67.79	1.44		
Lock And Dam 11										
1 *	583	8,158	20,757	5,209	15%	50%	96.44	1.44		115
Lock And Dam 12										
1 *	556	6,242	22,280	5,067	18%	51%	81.47	1.32		36
Lock And Dam 13										
1 *	523	5,509	22,723	4,888	21%	50%	92.22	1.50		26
Lock And Dam 14										
1 *	493	4,852	28,321	5,673	47%	73%	344.07	2.79		75
Lock And Dam 14										
4 *	493	5,114	7	1,463	1%	0%	.51	.00		
Lock And Dam 15										
1 *	483	3,226	28,265	4,898	59%	63%	226.03	2.23		83
Lock And Dam 15										
4 *	483	7,407	489	3,119	2%	16%	1.53	.24		10
Lock And Dam 16										
1 *	457	5,166	30,583	5,969	43%	63%	174.49	1.59		91
Lock And Dam 17										
1 *	437	3,612	31,376	5,251	55%	67%	197.11	1.96		25
Lock And Dam 18										
1 *	411	4,560	32,864	5,847	46%	67%	207.05	2.04		39
Lock And Dam 19										
1 *	364	3,892	34,098	3,464	49%	55%	114.82	1.26		61
Lock And Dam 20										
1 *	343	4,137	35,015	5,789	58%	68%	356.25	3.18		59

* Lock data not available for all months

1 - Average Time in Hours

LPMS SUMMARY by RIVER BASIN January - December 2000

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay ¹ Delayed		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time ¹	Freq Total
Mississippi River (cont.)										
Lock And Dam 21										
1 *	325	4,157	36,449	6,044	61%	70%	302.40	2.75		36
Lock And Dam 22										
1 *	301	4,130	36,813	5,882	68%	81%	483.88	3.84		73
Lock And Dam 24										
1	273	4,546	38,698	6,273	57%	79%	345.57	3.07	4.2	54
Lock And Dam 25										
1	241	5,717	39,162	6,616	51%	72%	406.65	3.06		100
Mel Price Lock And Dam										
1	201	5,245	69,419	5,137	57%	58%	200.32	1.55		67
Mel Price Lock And Dam										
4	201	3,820	7,691	3,391	19%	36%	342.90	6.37		54
Chain Of Rocks Lock And Dam 27										
1	186	7,064	79,119	6,804	61%	63%	249.35	1.46	3.9	39
Chain Of Rocks Lock And Dam 27										
4	186	2,672	3,515	2,282	18%	25%	59.14	1.75		24
St Anthony Falls - Upper Lock										
1 *	854	4,932	2,239	3,647	7%	15%	2.71	.15		
St Anthony Falls - Lower Lock										
1 *	853	4,219	2,237	3,129	5%	9%	3.61	.39		
Lock And Dam 5a										
1 *	729	11,508	12,109	5,101	5%	40%	32.05	1.04		1
Mc-Kerr Arkansas Riv Nav Sys										
Norrell Lock And Dam										
1	10	2,218	8,291	2,271	21%	20%	11.52	.82		4
Wilbur D Mills Lock And Dam										
1	13	2,055	8,372	2,158	14%	14%	19.01	2.81		
Joe Hardin Lock And Dam										
1	50	2,009	7,827	2,058	16%	16%	10.53	.91		
Emmett Sanders Lock And Dam										
1	66	2,083	7,986	2,030	22%	16%	10.48	1.05		
Col Charles D Maynard										
1	86	2,209	7,110	2,169	25%	18%	12.18	.76		
David D Terry Lock And Dam										
1	108	2,283	6,895	2,146	40%	34%	68.37	1.61		2

* Lock data not available for all months

1 - Average Time in Hours

LPMS SUMMARY by RIVER BASIN

January - December 2000

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay ¹ Delayed		Lock Closures Ave Freq	
					Vessels	Tows	Vessels	Tows	Time ¹	Total
Mc-Kerr Arkansas Riv Nav Sys (cont.)										
Murray Lock And Dam										
1	125	2,155	6,109	1,933	30%	15%	6.95	.62	23.1	6
Toad Suck Ferry Lock And Dam										
1	156	1,294	5,904	1,403	23%	20%	9.33	.49		
Arthur V Ormond L And D										
1	177	1,141	5,531	1,303	34%	37%	7.33	.35		5
Dardanelle Lk And Dam										
1	206	1,245	5,716	1,337	87%	93%	12.06	.30		1
Ozark Lock And Dam										
1	257	1,173	4,311	1,087	5%	6%	2.42	1.56		1
James W. Trimble Lock And Dam										
1	293	1,124	4,203	1,038	22%	10%	6.61	2.41		1
W D Mayo Lock And Dam										
1	320	1,315	4,119	992	71%	100%	9.53	.29		
Rbrt S Kerr Lk And Dam And Res										
1	336	1,218	4,056	1,018	80%	100%	3.99	.12		1
Webbers Falls Lock And Dam										
1	367	1,228	3,898	1,161	91%	99%	4.61	.14		
Chouteau Lock And Dam										
1	401	1,387	3,435	1,102	77%	99%	2.35	.04		
Newt Graham Lock And Dam										
1	422	1,016	3,274	1,019	98%	99%	4.12	.12		
Monongahela River										
Lock And Dam 2										
1	11	4,132	19,620	4,424	32%	34%	57.86	1.02		
Lock And Dam 2										
4	11	3,799	468	2,332	1%	4%	.67	.28		
Lock And Dam 3										
1	24	5,666	14,925	5,612	43%	43%	77.69	.74	0.6	13
Lock And Dam 3										
4	24	4,117	688	3,452	5%	8%	3.45	.41		8
Lock And Dam 4										
1	42	4,237	11,640	4,621	35%	35%	48.46	.77		11
Lock And Dam 4										
4	42	2,915	320	2,209	2%	3%	.62	.22		3

* Lock data not available for all months

1 - Average Time in Hours

LPMS SUMMARY by RIVER BASIN

January - December 2000

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay ¹ Delayed		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time ¹	Freq Total
Monongahela River (cont.)										
Maxwell Lock And Dam 1	61	3,665	4,170	3,105	5%	6%	2.43	.32		5
Maxwell Lock And Dam 2	61	2,789	8,169	2,329	4%	5%	1.17	.25	1.6	16
Grays Landing Lock And Dam 1	82	3,458	5,856	2,818	8%	11%	4.70	.49		3
Point Marion Lock And Dam 1	91	2,329	5,609	2,230	7%	8%	2.77	.42		1
Morgantown Lock And Dam 1	102	1,142	602	1,002	1%	2%	.14	.07		
Hildebrand Lock And Dam 1	108	485	72	313	0%	1%	.01	.01		
Opekiska Lock And Dam 1	115	913	66	543	0%	0%	.00	.00		
Ouachita And Black Rivers										
Jonesville Lock And Dam 1	25	1,212	1,598	1,253	78%	83%	1.52	.04		1
Columbia Lock And Dam 1	117	989	1,116	969	92%	98%	22.35	.92		
Felsenthal Lock And Dam 1	227	1,938	272	1,586	81%	95%	6.05	.07		
Thatcher Lock And Dam 1	282	1,423	279	982	67%	61%	15.89	.13		2
Old River										
Old River Lock 1	282	3,902	9,154	3,679	95%	96%	40.26	.26		4
Ohio River										
Emsworth Lock And Dam 1	6	4,135	20,482	4,811	47%	49%	135.93	1.64	0.9	22
Emsworth Lock And Dam 4	6	5,128	1,850	3,721	5%	9%	4.71	.47		7
Dashields Lock And Dam 1	13	3,975	21,539	4,761	47%	48%	102.66	1.31		17
Dashields Lock And Dam 4	13	3,989	1,686	3,019	8%	12%	4.60	.35		9
Montgomery Lock And Dam 1	32	4,008	24,322	4,991	55%	56%	175.69	1.92		67

* Lock data not available for all months

1 - Average Time in Hours

LPMS SUMMARY by RIVER BASIN

January - December 2000

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay ¹ Delayed		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time ¹	Freq Total
Ohio River (cont.)										
Montgomery Lock And Dam 4	32	3,371	1,646	2,631	5%	9%	7.50	.79		9
New Cumberland Lock And Dam 1	54	3,444	32,314	3,345	36%	36%	43.53	.85		32
New Cumberland Lock And Dam 4	54	3,451	1,749	2,322	5%	10%	3.40	.45	10.9	28
Pike Island Lock And Dam 1 *	84	3,241	32,583	3,207	37%	37%	47.82	.96		18
Pike Island Lock And Dam 4	84	3,328	8,858	3,111	25%	43%	175.85	1.73	3.2	24
Belleville Locks And Dam 2	204	4,012	48,461	3,944	43%	43%	61.71	.86		6
Belleville Locks And Dam 4	204	1,438	741	921	2%	5%	.75	.27		2
Racine Locks And Dam 2	238	4,071	49,066	4,019	46%	47%	81.87	1.04		2
Racine Locks And Dam 4	238	1,679	957	1,263	4%	7%	1.01	.25		
Greenup Locks And Dam 2	341	6,424	70,601	6,408	65%	66%	265.32	1.47	0.1	180
Greenup Locks And Dam 4	341	1,946	1,108	1,542	5%	8%	2.11	.51		7
Capt Ant Meldahl Locks And Dam 2	436	5,436	62,816	5,569	59%	61%	225.49	1.67		46
Capt Ant Meldahl Locks And Dam 4	436	5,728	554	2,124	1%	5%	.99	.33		44
Robert C. Byrd Locks And Dam 2	436	4,701	56,925	4,645	51%	53%	140.09	1.38		54
Robert C. Byrd Locks And Dam 4	436	2,019	955	1,488	3%	6%	1.25	.37	31.4	11
Markland Locks And Dam 2	532	4,913	55,398	4,820	49%	50%	127.64	1.28		27
Markland Locks And Dam 4	532	4,663	658	1,687	1%	6%	.68	.33		1

* Lock data not available for all months

1 - Average Time in Hours

LPMS SUMMARY by RIVER BASIN

January - December 2000

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay ¹		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time ¹	Freq Total
Ohio River (cont.)										
Mcalpine Locks And Dam 2	607	6,219	55,599	5,754	60%	64%	311.11	2.02	0.2	65
Mcalpine Locks And Dam 4 *	607	23	205	34	83%	82%	85.25	9.04		
Lock And Dam 52 1	939	7,708	86,058	7,469	39%	40%	1,062.32	7.33		74
Lock And Dam 52 5 *	939	3,742	8,628	3,173	47%	57%	173.69	2.22		32
Lock And Dam 53 1	963	7,745	87,463	7,629	13%	13%	170.04	3.40		15
Lock And Dam 53 3 *	963	723	1,690	649	39%	48%	36.65	2.32		8
Hannibal Locks And Dam 1	126	3,968	47,244	3,925	33%	33%	45.86	.83		16
Hannibal Locks And Dam 4	126	1,929	1,101	1,131	3%	5%	1.06	.38		2
Willow Island Locks And Dam 2	162	3,655	44,767	3,629	40%	40%	70.55	1.12	2.4	31
Willow Island Locks And Dam 4	162	2,595	867	1,325	2%	7%	.81	.35	0.8	6
Cannelton Lock And Dam 2	721	4,736	55,057	4,661	50%	53%	128.96	1.32		43
Cannelton Lock And Dam 4 *	721	1,110	730	825	3%	7%	.76	.37		6
Newburgh Lock And Dam 2	776	5,167	63,430	5,304	50%	51%	110.02	1.01		8
Newburgh Lock And Dam 4	776	2,688	1,020	1,728	4%	6%	1.84	.44		
John T. Myers Lock & Dam 2	846	5,525	70,008	5,652	56%	57%	186.18	1.45		62
John T. Myers Lock & Dam 4	846	3,110	2,443	2,488	7%	24%	90.94	2.66		27
Smithland Lock And Dam 1	919	4,230	37,744	4,002	7%	8%	4.57	.25		193

* Lock data not available for all months

1 - Average Time in Hours

LPMS SUMMARY by RIVER BASIN January - December 2000

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay ¹ Delayed		Lock Closures	
					Vessels	Tows	Vessels	Tows	Time ¹	Freq Total
Ohio River (cont.)										
Smithland Lock And Dam 2	919	4,391	44,776	4,192	7%	8%	5.75	.32		28
Okeechobee Waterway										
St Lucie Lock And Dam 1	15	9,657	54	5,123	26%	34%	33.81	.72	2.3	573
Moore Haven Lock 1 *	78	9,412	23	5,360	22%	22%	11.61	.11	1.1	331
Ortona Lock And Dam 1 *	94	8,666	17	4,739	27%	31%	38.75	5.26		415
W P Frklin Lck And Ctrl Strct 1	122	15,572	13	7,724	28%	30%	27.41	.11	0.5	530
Port Mayaca Lock 1	39	8,652	19	5,175	60%	76%	11.34	.08		444
Red River										
Lindy Claiborne Boggs Lock 1	44	2,639	2,231	2,275	85%	95%	13.82	.21		5
John H. Overton 1	74	1,381	2,032	1,267	3%	4%	.70	.21		3
Lock And Dam 3 1	116	1,318	937	790	1%	2%	1.04	1.01		
Russell B. Long 1	116	1,538	409	1,113	50%	16%	6.27	.09		
Joe D. Waggoner Jr Lock 1	116	6,518	328	3,657	54%	81%	20.88	.35		
St. Marys River										
Macarthur Lock 1 *	47	4,231	17,180	3,628	17%	26%	13.28	.42		12
New Poe Lock 1 *	47	4,011	66,615	3,707	36%	47%	53.04	.55		18
Davis Lock 1 *	47	76	6	54	24%	19%	.82	.09		1
Snake River										
Ice Harbor Lock And Dam 1	10	2,498	4,525	2,215	91%	99%	17.16	.18		3
Lower Monumental Lock And Dam 1	42	1,763	4,090	1,595	92%	99%	11.83	.14	39.9	9
Little Goose Lock And Dam 1	70	1,785	3,059	1,569	89%	99%	11.23	.20		1

* Lock data not available for all months

1 - Average Time in Hours

LPMS SUMMARY by RIVER BASIN January - December 2000

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay ¹ Delayed		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time ¹	Freq Total
Snake River (cont.)										
Lower Granite Lock And Dam 1	108	1,708	2,183	1,440	60%	66%	7.05	.22	89.5	4
Tennessee River										
Kentucky Lock 1	22	3,958	28,836	5,544	68%	74%	422.28	4.00	0.5	71
Pickwick Landing Lock 1	207	3,371	14,847	3,164	31%	41%	54.63	1.35		186
Pickwick Landing Lock 5	207	1,344	4,301	1,100	11%	12%	6.83	1.10		124
Wilson Lock 2	259	4,332	14,172	3,825	33%	52%	365.68	7.33	21.1	34
Wilson Lock 4 *	259	167	624	670	96%	127%	4,455.43	173.31		11
Gen Jos Wheeler Lock 1	275	3,615	14,623	3,862	28%	41%	62.56	1.56		19
Gen Jos Wheeler Lock 5	275	372	3	235	1%	0%	.15	.00	16.6	21
Guntersville Lock 1	349	4,066	8,885	3,322	15%	29%	33.53	1.52	2.0	48
Guntersville Lock 5 *	349	80	53	116	18%	100%	14.28	2.82		11
Nickajac Lock 1	425	2,878	4,793	2,158	10%	19%	7.90	.69		56
Chickamauga Lock 1	471	5,230	2,453	5,006	14%	106%	117.14	5.95		19
Watts Bar Lock 1	530	3,428	1,996	3,692	13%	82%	71.39	6.80	3.7	73
Fort Loudon Lock 1	602	3,252	819	2,474	5%	30%	12.48	2.84	1.3	142
Tennessee Tombigbee Waterway										
Howell Heflin Lock And Dam 1	266	3,132	7,198	2,771	55%	61%	20.51	.23		
Jamie L. Whitten Lock And Dam 1	412	2,602	4,825	2,275	18%	20%	13.86	.82		18
Willamette River										
Willamette Falls Locks 1 - 4 1	412	1,480		747	39%	23%	2.72	.04		

* Lock data not available for all months

1 - Average Time in Hours

LPMS SUMMARY by RIVER BASIN
January - December 2000

River/ Lock Chamber	River Mile	Vessels Total	Tonnage ktons	Lockages Total	Percent Delayed		Average Delay ¹ Delayed		Lock Closures	
					Vessels	Tows	Vessels	Tows	Ave Time ¹	Freq Total
<i>Willamette River (cont.)</i>										
Willamette Falls Guard Lock										
1 *	412	1,521		756	36%	20%	2.04	.03		
<i>Lake Washington Ship Canal</i>										
Hiram M Chittenden Locks										
1	412	22,255	1,770	4,691	21%	58%	73.78	.52	3.2	204
Hiram M Chittenden Locks										
4	412	37,476	9	12,120	32%	24%	78.88	1.50	5.7	55

* Lock data not available for all months

1 - Average Time in Hours