

APPLICATION NO. **2007-00418**

JOINT PUBLIC NOTICE
CORPS OF ENGINEERS - STATE OF ARKANSAS
(25-Day Comment Period)
(Comment Expiration Date – December 21, 2007)

TO WHOM IT MAY CONCERN: **Comments are invited on the work described below. Please see the Public Involvement section for details on submitting comments.**

Point of Contact. If additional information is desired, please contact the project manager, Ms. Sarah Usdrowski, telephone number: (501) 324-5296, mailing address: Little Rock District Corps of Engineers, Regulatory Office, PO Box 867, Little Rock, Arkansas 72203-0867, e-mail address: <mailto:sarah.l.usdrowski@usace.army.mil>

Project Information. Pursuant to Section 404 of the Clean Water Act (33 U.S. Code 1344), notice is hereby given that

SEECO, Incorporated
PO Box 789
Conway, Arkansas 72033

has requested authorization for the placement of dredged and fill material in waters of the United States associated with the construction of a dam and pond. The dam height would be less than 25 feet tall by 200 feet long. The dam would be constructed of native soil, rock, gravel, and a clay core; the material would be obtained from the area excavated for the pond and the adjacent uplands. The pond would impact approximately 1,000 linear feet of stream. The total stream impact would be 1,200 linear feet. The proposed project is located in an unnamed tributary of Sunnyside Creek, in the NE 1/4 of section 4, T. 8 N., R. 15 W., west of Center Ridge, Conway County, Arkansas.

The purpose of the project is to construct a water supply pond. The water would be used to drill and fracture nearby natural gas wells.

The applicant has proposed the construction of a 0.5-acre wetland fringe as mitigation.

The location and general plan for the proposed work are shown on the enclosed sheets.

CESWL-RO

Water Quality Certification. By copy of this public notice, the applicant is requesting water quality certification from the Arkansas Department of Environmental Quality (ADEQ) in accordance with Section 401(a)(1) of the Clean Water Act. Upon completion of the comment period and a public hearing, if held, a determination relative to water quality certification will be made. Evidence of this water quality certification or waiver of the right to certify must be submitted prior to the issuance of a Corps of Engineers permit.

Cultural Resources. The National Register of Historic Places has been consulted; and it has been determined that there are no properties currently listed in the Register, or eligible for inclusion therein, which would be affected by the proposed work. A Corps staff archeologist also will review topographic maps and data on reported sites in the area. If it is determined that further review is not warranted, these reviews will constitute the full extent of cultural resources investigation by this office unless we are made aware, as a result of comments received in response to this notice or by other means, of the existence of specific structures or sites which might be affected by the proposed work.

Endangered Species. Our preliminary determination is that the proposed activity will not affect listed Endangered Species or their critical habitat. A copy of this notice is being furnished to the U.S. Fish and Wildlife Service and appropriate state agencies and constitutes a request to those agencies for information on whether any listed or proposed-to-be-listed endangered or threatened species may be present in the area which would be affected by the proposed activity.

Flood Plain. We are providing copies of this notice to appropriate flood plain officials in accordance with 44 CFR Part 60 (Flood Plain Management Regulations Criteria for Land Management and Use) and Executive Order 11988 on Flood Plain Management.

Section 404(b)(1) Guidelines. The evaluation of activities to be authorized under this permit which involves the discharge of dredged or fill material will include application of guidelines promulgated by the Administrator, Environmental Protection Agency, under authority of Section 404(b) of the Clean Water Act. These guidelines are contained in 40 Code of Federal Regulations (CFR) 230.

Public Involvement. Any interested party is invited to submit to the above-listed POC written comments or objections relative to the proposed work on or before **December 21, 2007.** Substantive comments, both favorable and unfavorable, will be accepted and made a part of the record and will receive full consideration in determining whether this work would be in the public interest. The decision whether to issue a permit will be based on an evaluation of the probable impact including cumulative impacts of the proposed activity on the public interest. That decision will reflect the national concern for both protection and utilization of important resources. The benefit which reasonably may be expected to accrue from the proposal must be balanced against its reasonably foreseeable detriments. All factors which may be relevant to the

CESWL-RO

proposal will be considered including the cumulative effects thereof; among those are conservation, economics, aesthetics, general environmental concerns, wetlands, historic properties, fish and wildlife values, flood hazards, flood plain values, land use, navigation, shoreline erosion and accretion, recreation, water supply and conservation, water quality, energy needs, safety, food and fiber production, mineral needs, considerations of property ownership and, in general, the needs and welfare of the people.

The Corps of Engineers is soliciting comments from the public; Federal, state, and local agencies and officials; Indian Tribes; and other interested parties in order to consider and evaluate the impacts of this proposed activity. Any comments received will be considered by the Corps of Engineers to determine whether to issue, modify, condition or deny a permit for this proposal. To make this decision, comments are used to assess impacts on endangered species, historic properties, water quality, general environmental effects, and the other public interest factors listed above. Comments are used in the preparation of an Environmental Assessment and/or an Environmental Impact Statement pursuant to the National Environmental Policy Act. Comments are also used to determine the need for a public hearing and to determine the overall public interest of the proposed activity.

Any person may request in writing within the comment period specified in this notice that a public hearing be held to consider this application. Requests for public hearings shall state, with particularity, the reasons for holding a public hearing. The District Engineer will determine if the issues raised are substantial and whether a hearing is needed for making a decision.


NOTE: The mailing list for this Public Notice is arranged by state and county(s) where the project is located, and also includes any addressees who have asked to receive copies of all public notices. Please discard notices that are not of interest to you. If you have no need for any of these notices, please advise us so that your name can be removed from the mailing list.

Enclosures

Approximate Coordinates of Project Center

Latitude: **35.37** Longitude: **92.57**

UTM Zone: **15** North: **3914079** East: **536906**




LOCATION MAP

SEECO, Inc. - Ed Hart (Rev 9/13/07)
 Dam Construction
 Unnamed Tributary of Sunnyside Creek
 Section 4, T8N, ACTION NO. 2007-00418
 Near Center Ridge, SEECO, Incorporated
 August 29, 2007 DAM & POND

Sec. 4, T: 8N., R. 15 W.

November 2007

SHEET 1 of 5



NOTE: Stream impact area above dam would be approx 1000 ft long by 10 feet wide (0.23 ac) due to flooding and excavation

LEGEND



Proposed Fill below the OHWM of stream – approx 200 ft long and 11 ft wide and 1.5 ft deep (0.05 acres) and 120 cubic yards



Proposed Dam with Spillways as needed





Proposed Excavated Area – 3-6 acres.



Proposed Wetland Fringe – approx 0.5 ac (1000' long by 25' wide – Total)

SEECO, Inc. - Ed Hart (Rev 9/13/07)
 Dam Construction
 Unnamed Tributary of Sunnyside Creek
 Section 4, T8N, R15W
 Near Center Ridge, Conway County, Arkansas
 August 29, 2007 ACTION NO. 2007-00418
 SEECO, Incorporated
 DAM & POND
 Sec. 4, T. 8 N., R. 15 W.
 November 2007 SHEET 2 of 5



LEGEND




Proposed Fill below the OHWM of stream – approx 200 ft long and 11 ft wide and 1.5 ft deep (0.05 acres) and 120 cubic yards




Proposed Excavated Area – 3-6 acres.

SEECO, Inc. Ed Hart (Rev 9/13/07)
 Proposed Dam and Pond
 Unnamed Tributary of Sunnyside Creek
 Section 4, T8N, R15W
 Near Center R. ACTION NO. 2007-00418
 August 29, 2007 SEECO, Incorporated
 DAM & POND
 Sec. 4, T. 8 N., R. 15 W.
 November 2007 SHEET 3 of 5




SEECO, Inc. - Ed Hart (Rev 9/13/07)
 Dam Construction
 Unnamed Tributary of Sunnyside Creek
 Section 4, T8N, R15W ACTION NO. 2007-00418
 Near Center Ridge, SEECO, Incorporated
 August 29, 2007

DAM & POND
 Sec. 4, T. 8 N., R. 15 W.
 November 2007 SHEET 4 of 5



NOTE: As necessary, proposed wetland fringe will be excavated and backfilled with topsoil. The area will be allowed to naturally revegetate or seeded with a grass cover to prevent erosion until native species take over.



Mitigation Plan Detail
NTS

LEGEND



Proposed Mitigation Area – approx 0.5 acres.



Proposed Low Berm

SEECO, Inc. – Ed Hard
 Dam Construction – Mitigation Detail
 Unnamed Tributary
 Section 5, T9N, R14W
 Near Austin, ACTION NO. 2007-00418
 September 13, 2007
 SEECO, Incorporated
 DAM & POND
 Sec. 4, T. 8 N., R. 15 W.
 November 2007 SHEET 5 of 5