

BNL 1996

Table A. Work Force by Gender, Age, and Occupation

| Occupational Group | Women | | | | | | Men | | | | | | Total |
|---------------------------|------------|------------|------------|------------|-----------|------------|------------|------------|------------|------------|------------|-------------|-------------|
| | Age Group | | | | | Total | Age Group | | | | | Total | |
| | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | 60 + | | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | 60 + | | |
| Management | 0 | 6 | 12 | 7 | 0 | 25 | 0 | 6 | 26 | 37 | 19 | 88 | 113 |
| Scientific | 8 | 28 | 11 | 14 | 4 | 65 | 30 | 150 | 163 | 145 | 112 | 600 | 665 |
| Professional | 11 | 52 | 23 | 24 | 2 | 112 | 57 | 158 | 191 | 121 | 47 | 574 | 686 |
| Administrative (E) | 4 | 45 | 63 | 57 | 6 | 175 | 4 | 22 | 32 | 31 | 7 | 96 | 271 |
| Tech Support/Supv (E) | 0 | 3 | 4 | 3 | 0 | 10 | 1 | 48 | 132 | 135 | 45 | 361 | 371 |
| Administrative (NE) | 10 | 61 | 81 | 42 | 12 | 206 | 2 | 0 | 3 | 2 | 0 | 7 | 213 |
| Tech Support/Supv (NE) | 3 | 8 | 4 | 4 | 0 | 19 | 14 | 140 | 103 | 42 | 12 | 311 | 330 |
| Clerical and Support Wage | 21 | 35 | 19 | 10 | 0 | 85 | 3 | 3 | 0 | 0 | 0 | 6 | 91 |
| Technical | 1 | 1 | 6 | 1 | 0 | 9 | 21 | 41 | 9 | 6 | 5 | 82 | 91 |
| Bargaining Units | 22 | 27 | 23 | 14 | 5 | 91 | 34 | 166 | 146 | 126 | 29 | 501 | 592 |
| Miscellaneous | 53 | 12 | 17 | 6 | 5 | 93 | 35 | 3 | 4 | 3 | 0 | 45 | 138 |
| Total | 133 | 278 | 263 | 182 | 34 | 890 | 201 | 737 | 809 | 648 | 276 | 2671 | 3561 |

STEVE---ADD THESE TABLES TO THE SUPPORTING TABLES HERE

Table 5. Percentage of Men in Different Age Groups, 1993 to 1996

| Year | 16-29 | 30-39 | 40-49 | 50-59 | 60+ |
|------|-------|-------|-------|-------|-----|
| 1993 | 8 | 29 | 27 | 25 | 11 |
| 1994 | 9 | 29 | 27 | 24 | 11 |
| 1995 | 8 | 29 | 28 | 24 | 11 |
| 1996 | 8 | 28 | 30 | 24 | 10 |

Table 6. Percentage of Women in Different Age Groups, 1993 to 1996

| Year | 16-29 | 30-39 | 40-49 | 50-59 | 60+ |
|------|-------|-------|-------|-------|-----|
| 1993 | 15 | 31 | 31 | 18 | 5 |
| 1994 | 20 | 30 | 29 | 17 | 4 |
| 1995 | 16 | 31 | 29 | 19 | 5 |
| 1996 | 15 | 31 | 30 | 20 | 4 |

BNL 1996

Table 7. Percentage of Men in Different Occupational Groups, 1994 to 1996

| Year | Management | Scientific | Professiona 1 | Administrative (E) | Tech Support/Supv (E) | Administrative (NE) |
|------|------------|------------|------------------|-----------------------|-----------------------------|------------------------|
| 1994 | 3 | 22 | 21 | 4 | 14 | <1 |
| 1995 | 3 | 22 | 22 | 4 | 13 | <1 |
| 1996 | 3 | 22 | 21 | 4 | 13 | <1 |

| Year | Tech Support/Supv (NE) | Clerical and Support Wage | Technical | Bargaining Units | Miscellaneous |
|------|------------------------------|------------------------------|-----------|---------------------|---------------|
| 1994 | 11 | <1 | 3 | 20 | 1 |
| 1995 | 11 | <1 | 4 | 18 | 2 |
| 1996 | 12 | <1 | 3 | 19 | 2 |

Table 8. Percentage of Women in Different Occupational Groups, 1994 to 1996

| Year | Management | Scientific | Professiona 1 | Administrative (E) | Tech Support/Supv (E) | Administrative (NE) |
|------|------------|------------|------------------|-----------------------|-----------------------------|------------------------|
| 1994 | 2 | 8 | 12 | 18 | 1 | 21 |
| 1995 | 2 | 7 | 13 | 19 | 1 | 22 |
| 1996 | 3 | 7 | 13 | 20 | 1 | 23 |

| Year | Tech Support/Supv (NE) | Clerical and Support Wage | Technical | Bargaining Units | Miscellaneous |
|------|------------------------------|------------------------------|-----------|---------------------|---------------|
| 1994 | 1 | 12 | 2 | 13 | 10 |
| 1995 | 1 | 11 | 2 | 12 | 10 |
| 1996 | 2 | 10 | 1 | 10 | 10 |

BNL 1996

Table ?? Most Common Job Titles in Each Occupational Group

MANAGEMENT

ADMINISTRATIVE MGR
ASSISTANT SECRETARY
ASSOC DEPT CHAIR
ASSOC DIRECTOR
ASSOC LAB DIRECTOR
ASSOC RHIC PROJ DIR
ASST BUDGET OFFICER
ASST DEPT CHAIR
ASST DIRECTOR
ASST LAB DIRECTOR
ASST MAGNET DIV HD
ASST MGR HUMAN RESOURCES
ASST RHIC PROJ DIR
ASST TO CHRMN ADM
BUDGET OFFICER
BUSINESS MGR
CHIEF INTERNAL AUDITOR
DEPT ADMIN MGR
DEPT CHAIR
DEPUTY BUDGET OFCR
DEPUTY DEPT CHAIR
DEPUTY DEPT CHRMN
DEPUTY DIR INTERNAL AUDIT
DEPUTY DIV HD
DEPUTY FISCAL OFCR
DEPUTY MGR ENVR RESTORATION
DIR HUMAN RESOURCES
DIRECTOR
DIV HEAD
DPTY MGR CNTR & PROC
DPTY MGR OCCUP MED CLINIC
DPTY MGR OPER & MAINT
DPTY MGR PLANT ENGR
DPTY TO ASO DIR REACS AF&SEC
EMP ASSTNCE PROG MGR
FISCAL OFFICER
HD CTR ACCEL PHYS
HD OCCUP MED CLINIC
HFBR PLANT MGR
IND HYG DPTY DIV HD
LABORATORY COUNSEL
LICENSING SPEC
MASTER PLANNER
MGR ADMIN SUPPORT
MGR BENEFITS
MGR BIS OPERATING SYSTEMS
MGR BIS SYSTEMS INTEGRITY
MGR CENTRAL SHOPS

MGR COMP AND HRIS
MGR COMPUTING & COMMUNICATIONS
MGR CONTRACTS & PROC
MGR EMPLOYMENT
MGR ENERGY MANAGEMENT
MGR ENGRG & CONSTR SVCS
MGR ENVR RESTORATION
MGR FINANCIAL SVCS
MGR INFO SVCS
MGR INFRASTRUCTURE MGMT
MGR LABOR RELATIONS
MGR MATERIEL
MGR OFC OF EDUC PGMS
MGR OFC OF SCI PERS
MGR OPER & MAINT
MGR PHOTO & GR ARTS
MGR PLANT ENGRG
MGR POLICE GROUP
MGR PROJECT COORDNTN
MGR PUBLIC AFFAIRS
MGR QUALITY MANAGEMENT
MGR RHIC PROJ PLNG
MGR SEC PLNG & ADTNG
MGR SFGDS & SECURITY
MGR STAFF SVCS
MGR SYS SUPPORT SVCS
MGR TECHNOLOGY TRANSFER
PHYSICIAN
PRESIDENT
PROJ HD FINANCE SYS IMPLEMENT
RHIC PROJ DIRECTOR
SPEC ASST TO ASSOC LAB DIR
SPEC ASST TO ASST LAB DIR
SR ENGR DIV HD
SR HLTH PHYS DIV HD
VICE PRESIDENT

SCIENTIFIC

ASSOC BIOCHEMIST
ASSOC CHEMIST
ASSOC ECOLOGIST
ASSOC ELECTRNICS ENGR
ASSOC ENGR
ASSOC NUCL ENGR
ASSOC PHYSICIST
ASSOC SCIENTIST
ASST CHEMIST
ASST COMPUTER SCIENTIST
ASST PHYSICIST
ASST SCIENTIST
BIOCHEMIST
BIOLOGIST

BIOPHYSICIST
BOTANIST
CHEM ENGR
CHEMIST
CIVIL ENGR
COMP SCIENTIST
ECOLOGIST
ECONOMIST
ELEC ENGR
ENGINEER
HLTH PHYSICIST
JR RES ASSOC
MATHEMATCN
MECH ENGR
METALLURGIST
METEOROLOGIST
MICROBIOLOGIST
NUCL ENGR
PHYSICIST
RES ASSOC
SCIENTIST
SR BIOCHEMIST
SR BIOLOGIST
SR BIOPHYSICIST
SR CHEM ENGR
SR CHEMIST
SR CYTOLOGIST
SR ELEC ENGR
SR ELECTRONICS ENGR
SR GENETICIST
SR HLTH PHYSICIST
SR MATERIALS SCIENTIST
SR MATHEMATCN
SR MECH ENGR
SR METALLURGIST
SR NUCL ENGR
SR PHYSICIST
SR RES ASSOC
SR SCIENTIST
STATISTICIAN
VIS ASSOC PHYSICIST
VIS CHEMIST
VIS CIVIL ENGR
VIS ENGR
VIS PHYSICIST
VIS RES ASSOC
VIS SCIENTIST
VIS SR ELECTRONICS ENGR
VIS SR PHYSICIST
VIS SR SCIENTIST

PROFESSIONAL

ADV COMP ANAL
ASSOC STAFF ENGR
BIOLOGY ASSOC I
BIOLOGY ASSOC II
BIOLOGY ASSOC III
BIOLOGY ASSOC IV
CHEMISTRY ASSOC I
CHEMISTRY ASSOC II
CHEMISTRY ASSOC III
CHEMISTRY ASSOC IV
COMP ANAL
COMP ANAL I
ENVRN SCI ASSOC I
ENVRN SCI ASSOC II
ENVRN SCI ASSOC III
ENVRN SCI ASSOC IV
GEOCHEM ASSOC I
MATER SCI ASSOC I
MEDICAL ASSOC I
MEDICAL ASSOC II
MEDICAL ASSOC III
MEDICAL ASSOC IV
METEOROLOGY ASSOC III
OCEANOGRAPHY ASSOC I
OCEANOGRAPHY ASSOC II
OCEANOGRAPHY ASSOC III
OCEANOGRAPHY ASSOC IV
PHYSICS ASSOC I
PHYSICS ASSOC II
PHYSICS ASSOC III
PHYSICS ASSOC IV
PROG/ANAL
PROGRAMMER
PROJECT ENGR I
PROJECT ENGR II
REACTOR OPRS ENGR
RESEARCH ENGR I
RESEARCH ENGR II
SCIENTIFIC ASSOC I
SCIENTIFIC ASSOC II
SCIENTIFIC ASSOC III
SR CHEMISTRY ASSOC
SR COMP ANAL
SR HLTH PHYS ASSOC
SR MATER SCI ASSOC
SR PHYSICS ASSOC
SR PROJECT ENGR
SR RESEARCH ENGR
STAFF ENGR
STATISTICS ASSOC II

ADMINISTRATIVE (E)

ACCOUNTANT
ADMIN ASST
ADMIN SPECIALIST
ADV BIS PROGRAMMER
ADV BUS SYS ANAL
ADV INFO SUPPORT ANAL
ASST ACCOUNTANT
ASST BUDGET ANAL
ASST BUDGET SPEC
ASST CONTRACTS SPEC
ASST MGR CNTRL SHOPS
ASST MGR RHIC PROJECT PLNG
ASST MGR TECHNOLOGY TRANSFER
ASST STAFF SPEC
ASST SUPV CLIN SVCS
ASST SUPV NURSE
ASST SYSTEMS SPEC
AUDITOR
BUDGET ADMIN
BUDGET SPEC
BUDGET SPECIALIST
BUYER
CONF SUPPORT SUPV
CONTRACTS ADMIN
CONTRACTS PAYABLE SPEC
CONTRACTS SPEC
COST & PRICE ANALYST
DIV ADMIN MGR
DPTY DEPT ADMIN MGR
EDUCATIONAL PROGRAMS ADMIN
EMPLOYEE RELS ADMIN
GEN SUPV STAFF SVCS
HUMAN RESOURCES REP
INFO SUPPORT ANAL
ISD ADMINISTRATOR
LABORATORY ASSOC
LIBRARIAN
MANAGEMENT ANALYST
MEDICAL RECORDS ADM
MGR ACCOUNTING
MGR HRIS
MGR INVENTORY
MGR PAY SYS & PROGRAMS
MGR PAYROLL
MGR PROPERTY
MGR TRAFFIC
PHENIX DETECTOR ADMIN
PHOTO SUPV
PHYSICAL TRNG SPEC
PROG SEC COORDINATOR
PROJECT PLNG SPEC
PROPERTY ADMIN

PUBLIC AFFAIRS REP
RADIOLOGY TECH
RECREATION SUPV
RHIC ACCT & FNCL ADM
RHIC MGT SYS ADM
S&M ADMIN
SPONS RES CONTRS ADM
SR ACCOUNTANT
SR ADMIN ASST
SR AUDITOR
SR BIS PROG/ANAL
SR BUDGET ANALYST
SR BUDGET SPEC
SR BUS SYS ANAL
SR BUYER
SR CONTRACTS SPEC
SR DIVERSITY COORDINATOR
SR EDITOR
SR EDUCATNL PROG REP
SR FAC/PROP MGT SPEC
SR HUMAN RESOURCES REP
SR INFO SUPPORT ANAL
SR LIBRARIAN
SR PROJ PLNG SPEC
SR STAFF SPEC
SR SYSTEMS SPEC
SR TECH SYS ANAL
SR TRAINING SPEC
STAFF PSYCHOLOGIST
STAFF SPEC
SUPERVISORY AUDITOR
SUPV APPLICATIONS SUPPT
SUPV BIS CONFIG MGT
SUPV BIS OPERATING SYST
SUPV BIS OPERATIONS
SUPV CLINICAL SVCS
SUPV EMPLOYEE COMMUN
SUPV EXTERNAL COMMUN
SUPV HOUSING
SUPV INFO & PERS SEC
SUPV LIBRARIAN
SUPV MUSEUM PROGRAMS
SUPV OCPL HLTH NURSE
SUPV PERSONNEL RECS
SUPV PROD SUPPT
SUPV SALARY ADMIN
SUPV TECHNICAL INFO
SUPV USER SERVICES
SYSTEMS SPEC
TRAINING SPEC
TRANSPORTATION SUPV
TRAVEL SUPV

VET SVCS SUPV

TECH SUPPORT/SUPV(E)

ASST GEN SUPV CONST SUPPORT

ASST SUPV CAM/CNC OPRS

CABINET SHOP SUPV

CARPENTRY SUPV

CHIEF PLANNER/ESTIMATOR

CONSTRUCTION INSPCTR

CONSTRUCTION SPT SPV

CTRL STEAM PLNT SUPV

DEPUTY FIRE CHIEF

DESIGN ENGR

DESIGN ENGR I

ELECTRICAL SUPV

FABRICATION PLAN SUPV

FACILITIES INSPECTOR

FIRE CAPTAIN

FIRE CHIEF

GEN SUPV BLDG MAINT

GEN SUPV CUSTDL SVCS

GEN SUPV ELECTRICAL

GEN SUPV MACH SHOPS

GEN SUPV MECHANICAL

GEN SUPV RDS & GRNDS

GLASSBLOWING SPEC II

GROUNDS & SANIT SUPV

HEATING SVC SUPV

HVY EQ MAINT SUPV

MACHINE SHOP SUPV

MOTOR VEH MAINT SUPV

MULTI-TRADE SUPV

NDT/QC INSPECTOR

PLANNER/ESTIMATOR

PLUMBING SUPV

POLICE CAPTAIN

POLICE INSPECTOR

POLICE LIEUTENANT

PREV MAINT COORD

REACTOR MAINT SUPV

REACTOR SUPPORT SPEC

REF & A/C SUPV

RIGGING SUPV

ROADS & MASONRY SUPV

SECURITY TRNG INSTR

SITE SUPV

SR DESIGN ENGR

SR DESIGNER

SR DRAFTING SPEC

SR REACTOR SUPPORT SPEC

SR TECH ASSOC

SR TECH SUPV

SR TECH SUPV P&GA
SUPV CONSTRUCTION INSP
SUPV SUPPLY & MATERIEL
TECH ASSOC I
TECH ASSOC II
TECH PROJECT SUPV
TECH RES ASSOC
TECH SUPV I
TECH SUPV II
TECH SUPV P&GA
TOWER LINE SUPV
WATER SYSTEM SUPV
WLDNG & SHT MTL SUPV

ADMINISTRATIVE (NE)

ADM SVCS ASST
ADMIN SECRETARY
AUI SR SECRETARY
COMP APPLCNS ASST
COMP APPLCNS SPEC
EDITORIAL ASST
FISCAL ASST
HUMAN RESOURCES ASST
LAB SPEC
LIBRARY ASST
PUBLIC AFFAIRS SPEC
RECREATION ASST
RECREATION REP
REGISTERED NURSE
SECRETARIAL SPEC
SR ADM SVCS ASST
SR ADMIN SECY
SR BUDGET ASST
SR COMP APPLCNS SPEC
SR FISCAL ASST
SR HUMAN RESOURCES ASST
SR LAB SPEC
SR LIBRARY ASST
SR PROGRM ASST
SR PUBLIC AFFRS ASST
SR STAFF SVCS ASST
SR TECH SECY
STAFF SVCS ASST
TECH SECRETARY

TECH SUPPORT/SUPV(NE)

CUSTODIAL SVC SUPV
DRAFTING SPEC
FABRICATION SPEC
RES SVCS SUPV
SR DRAFTING SPEC
SR OPER ENGRG SPEC

SR STDS INSPECTOR
SR TECH SPEC
TECH SPEC

CLERICAL AND SUPPORT WAGE

DATA SVCS ASST
DATA SVCS CLERK
OFC SVCS ASST
OFC SVCS CLERK
RES SVCS ASST
SECRETARY
SR DATA SVCS ASST
SR HOSP SVCS ASST
SR LAB TECH
SR OFC SVCS ASST
SR RES SVCS ASST
SR SECRETARY
SR VET SVCS ASST
VET SVCS ASST

TECHNICAL

COMPUTER OPR
PRIN COMPUTER OPR
PRIN DRAFTER
PRIN TECHNICIAN
SR COMPUTER OPR
SR TECHNICIAN
TECHNICIAN

BARGAINING UNITS

AUTO TRCK MCH GRP LD
AUTO TRUCK MECHANIC
AUTOMOTIVE OFC CLERK
BLDG GRNDS UTIL WKR
CABINETMAKER A
CARPENTER
CARPENTER GRP LDR
CHAUFFEUR
CS OFC SPEC
CUSTODIAN
DRIVER
ELECTR A GRP LDR
ELECTRICIAN A
ELECTRICIAN APPRENTICE
EXPER MACHINIST
FACILITIES OFC ASST
FINISHER A
FIRE LIEUTENANT
FIREFIGHTER/EMT
GEN COMMUN CLERK
GRAPHIC DESIGNER
HAZARDOUS WASTE TECH

HEATING MAINT ENGR A
HELPER A
HS TRAINEE CLRK
HS TRAINEE TECH
HV EQ MCH OP GRP LDR
HVV EQUIP MECH OPER
ILLUSTRATOR
INSLTN WKR GRP LDR
INSULATION WORKER
LAB CUSTDN GRP LDR
LAB CUSTODIAN
LABORER
LAUNDRY OPER A
LAUNDRY OPERATOR B
LNDRY OPR A GRP LDR
LOCKSMITH
LOCKSMITH GRP LDR
MAC MNT MEC A GRP LD
MACH MAINT MECH A
MACH TOOL REBUILDER
MAIL CLERK
MASON
MASTER METAL WORKER
MASTER WELDER
MASTER WELDER GRP LD
METAL CUTTER A
METAL WKR MAINT A
MSTR MTL WKR GRP LDR
MTL CUTTER A GRP LDR
MTL WKR MT A GRP LDR
NUCL REAC OPR
OFC MACH REPAIR MECH
P&GA OFC SPEC
P&GA SPEC A
P&GA SPEC A GRP LDR
P&GA SPEC A-1
P&GA SPEC B
PAINTER A
PAINTER A GRP LDR
PATROL OFCR 1 CLASS
PATROL OFFICER
PLUMBER A
PLUMBER A GRP LDR
RADIOACTIVE MAT TECH
REF & AC ENGR
REF A C ENGR GRP LDR
REFRIG & AC APPRENTICE
RESIDENCE CUSTODIAN
RIGGER
RIGGER GRP LDR
RIGGERS ASST
SERGEANT

SEW TR PL OP A GR LD
SEWAGE TREAT PL OP A
SIGN PAINTER
SPECIAL SVCS ATTD
SR COMMUN CLERK
SR GRAPHIC ARTS ANAL
SR P&GA SPEC
SR P&GA SPEC GRP LDR
SR SUPPLY MATL CLK
SR TECH PHOTOGRAPHER
SR TECH PHOTOGRAPHER GRP LDR
STATIONARY ENGR SR
STEAMFITTER A
STEAMFITTER A GRP LDR
STEAMFITTER APPRENTICE
STNRY ENGR SR GRP LDR
STORES CLERK
STOREKEEPER
SUPPLY MATL CLERK
TELEPHONE OPER
TL & INS MKR GRP LDR
TOOL & INSTR MAKER
TOOL CRIB ATTENDANT
TOWER LINE PERSON
TWR LN PRSN GRP LDR
W&S OPR ENGR GRP LDR
WATER SWGE OPER ENGR

MISCELLANEOUS

CLERICAL ASST
CO-OP ENGR
GEM FELLOW
NPSC FELLOW
PARTICPTNG RES TEAM ASSOC
PARTICPTNG RES TEAM SPEC
PROF INTERN
PROFESSIONAL ASSOCIATE
RECREATION ATTD
STUDENT ASST
TECH INTERN
TOUR WORKER

Table B. Total Number of Workers Who Reported at Least One Health Event by Gender, Age, and Occupation*

| | Women | | | | | Men | | | | | Total | Total | |
|---------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|------------|------|
| | Age Group | | | | Total | Age Group | | | | Total | | | |
| | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | | | | 60 + |
| Occupational Group | | | | | | | | | | | | | |
| Scientific | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 3 | 3 | |
| Professional | 0 | 1 | 1 | 1 | 3 | 0 | 0 | 2 | 4 | 1 | 7 | 10 | |
| Administrative (E) | 0 | 0 | 2 | 4 | 6 | 0 | 0 | 1 | 3 | 1 | 5 | 11 | |
| Tech Support/Supv (E) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 11 | 7 | 5 | 23 | 23 | |
| Administrative (NE) | 1 | 1 | 2 | 4 | 8 | 1 | 0 | 0 | 0 | 0 | 1 | 9 | |
| Tech Support/Supv (NE) | 0 | 1 | 1 | 2 | 4 | 0 | 9 | 10 | 3 | 2 | 24 | 28 | |
| Clerical and Support Wage | 1 | 5 | 0 | 1 | 7 | 1 | 0 | 0 | 0 | 0 | 1 | 8 | |
| Technical | 0 | 0 | 1 | 1 | 2 | 2 | 3 | 0 | 1 | 0 | 6 | 8 | |
| Bargaining Units | 4 | 8 | 7 | 3 | 22 | 5 | 36 | 41 | 32 | 5 | 119 | 141 | |
| Miscellaneous | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | |
| Total | 6 | 16 | 15 | 16 | 53 | 9 | 49 | 65 | 51 | 15 | 189 | 242 | |

*Only those gender/age/occupational combinations with at least one health event appear in this table.

Table C. Total Number of Health Events by Gender, Age, and Occupation*

| | Women | | | | | Men | | | | | Total | Total | |
|---------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|------------|-------|
| | Age Group | | | | Total | Age Group | | | | | | | Total |
| | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | 60 + | | | |
| Occupational Group | | | | | | | | | | | | | |
| Scientific | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 3 | 3 | |
| Professional | 0 | 1 | 1 | 1 | 3 | 0 | 0 | 2 | 4 | 1 | 7 | 10 | |
| Administrative (E) | 0 | 0 | 2 | 5 | 7 | 0 | 0 | 1 | 3 | 1 | 5 | 12 | |
| Tech Support/Supv (E) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 14 | 8 | 7 | 29 | 29 | |
| Administrative (NE) | 1 | 1 | 3 | 4 | 9 | 1 | 0 | 0 | 0 | 0 | 1 | 10 | |
| Tech Support/Supv (NE) | 0 | 1 | 1 | 2 | 4 | 0 | 10 | 12 | 3 | 3 | 28 | 32 | |
| Clerical and Support Wage | 1 | 5 | 0 | 1 | 7 | 1 | 0 | 0 | 0 | 0 | 1 | 8 | |
| Technical | 0 | 0 | 1 | 1 | 2 | 2 | 6 | 0 | 2 | 0 | 10 | 12 | |
| Bargaining Units | 5 | 15 | 10 | 7 | 37 | 9 | 41 | 51 | 44 | 6 | 151 | 188 | |
| Miscellaneous | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | |
| Total | 7 | 23 | 19 | 21 | 70 | 13 | 58 | 80 | 65 | 19 | 235 | 305 | |

*Only those gender/age/occupational combinations with at least one health event appear in this table.

Table D. Distribution of the Number of Calendar Days Absent/Health Event by Gender and Age*

| | Women | | | | | Men | | | | | Total | Total | |
|--------------------|-----------|---------|---------|---------|-------|-----------|---------|---------|---------|-------|-------|-------|------|
| | Age Group | | | | Total | Age Group | | | | Total | | | |
| | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | | | | 60 + |
| # of Calendar Days | | | | | | | | | | | | | |
| < 15 | 5 | 14 | 11 | 9 | 39 | 8 | 39 | 43 | 41 | 7 | 138 | 177 | |
| 15 - 28 | 1 | 5 | 2 | 6 | 14 | 2 | 7 | 19 | 13 | 6 | 47 | 61 | |
| 29 - 42 | 1 | 2 | 4 | 1 | 8 | 3 | 4 | 6 | 2 | 1 | 16 | 24 | |
| 43 - 56 | 0 | 1 | 0 | 1 | 2 | 0 | 2 | 6 | 4 | 3 | 15 | 17 | |
| 57 - 91 | 0 | 0 | 2 | 3 | 5 | 0 | 3 | 3 | 5 | 1 | 12 | 17 | |
| 92 - 182 | 0 | 1 | 0 | 0 | 1 | 0 | 3 | 3 | 0 | 1 | 7 | 8 | |
| 183 + | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | |
| Total | 7 | 23 | 19 | 21 | 70 | 13 | 58 | 80 | 65 | 19 | 235 | 305 | |

*Only those gender/age combinations with at least one health event appear in this table.

Table E. Distribution of the Number of Calendar Days Absent/Health Event by Gender and Occupation*

| | Women | | | | | | | | | Men | | | | | | | | | |
|--------------------------|-----------------------------|-------------------------------------------|--------------------------------------------|-------------------------------------|---------------------------------------------------|---------------------|------------------------------------|------------------------------|------------|----------------------|-----------------------------|-------------------------------------------|------------------------------------|--------------------------------------------|-------------------------------------|---------------------------------------------------|---------------------|------------------------------------|------------|
| | Occupational Group | | | | | | | | | Occupational Group | | | | | | | | | |
| | Pro- fes- sio- nal | Adm- ini- str- ati- ve (E) | Adm- ini- str- ati- ve (NE) | Tech por- t/S- upv (NE) | Cle- ric- al and Sup- port Wage | Tec- hni- cal | Bar- gai- ning Uni- ts | Mis- cel- lan- eous | Tot- al | Sci- ent- ific | Pro- fes- sio- nal | Adm- ini- str- ati- ve (E) | Tech por- t/S- upv (E) | Adm- ini- str- ati- ve (NE) | Tech por- t/S- upv (NE) | Cle- ric- al and Sup- port Wage | Tec- hni- cal | Bar- gai- ning Uni- ts | Tot- al |
| # of Calendar Days | | | | | | | | | | | | | | | | | | | |
| < 15 | 1 | 2 | 4 | 3 | 5 | 1 | 22 | 1 | 39 | 2 | 2 | 3 | 15 | 0 | 14 | 1 | 7 | 94 | 138 |
| 15 - 28 | 0 | 1 | 3 | 0 | 1 | 1 | 8 | 0 | 14 | 0 | 1 | 1 | 7 | 0 | 6 | 0 | 1 | 31 | 47 |
| 29 - 42 | 0 | 0 | 2 | 1 | 1 | 0 | 4 | 0 | 8 | 0 | 0 | 1 | 1 | 1 | 2 | 0 | 2 | 9 | 16 |
| 43 - 56 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 2 | 0 | 4 | 0 | 0 | 7 | 15 |
| 57 - 91 | 0 | 3 | 0 | 0 | 0 | 0 | 2 | 0 | 5 | 1 | 1 | 0 | 2 | 0 | 2 | 0 | 0 | 6 | 12 |
| 92 - 182 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 4 | 7 |
| 183 + | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 3 | 7 | 9 | 4 | 7 | 2 | 37 | 1 | 70 | 3 | 7 | 5 | 29 | 1 | 28 | 1 | 10 | 151 | 235 |

*Only those gender/occupational combinations with at least one health event appear in this table.

Table F. Number of Health Conditions in Each Diagnostic Category by Gender and Age*

| | | Women | | | | | Men | | | | | Tot- al | |
|---------------------------------------------------------------------|----------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-----------|
| | | Age Group | | | | Tot- al | Age Group | | | | Tot- al | | |
| | | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | | | 60 + |
| Diagn- ostic Cate- gory | ICD-9- CM Code | | | | | | | | | | | | |
| INFECTIONIOUS & PARASITIC DISEASES (DIS) | 001- 139 | 0 | 2 | 1 | 1 | 4 | 0 | 3 | 4 | 2 | 1 | 10 | 14 |
| -Inte- stinal Infec- tious Dis | 001- 009 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| -Tuber- culo- sis | 010- 018 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| -Other Bacte- rial Dis | 030- 041 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 |
| -Viral Dis with Exant- hem | 050- 057 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 2 | 2 |
| -Other Viral Dis & Chlam- ydiae | 070- 079 | 0 | 1 | 0 | 0 | 1 | 0 | 2 | 3 | 1 | 0 | 6 | 7 |
| -Rick- ettsi- oses & Other Arthr- opod | 080- 088 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |

*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

(CONTINUED)

Table F. Number of Health Conditions in Each Diagnostic Category by Gender and Age*

| | | Women | | | | | Men | | | | | Tot- al | |
|-----------------------------------------------------------------|---------------------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|----------|
| | | Age Group | | | | Tot- al | Age Group | | | | Tot- al | | |
| | | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | | | 60 + |
| Diagn- ostic Cate- gory | ICD-9- CM Code | | | | | | | | | | | | |
| -Other Infec- tions & Paras- itic Dis | 130- 136 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 |
| MALIG- NANT NEOPL- ASMS | 140- 208, 230- 234 | 0 | 0 | 0 | 2 | 2 | 0 | 0 | 2 | 3 | 2 | 7 | 9 |
| -Resp- irato- ry & Intra- thora- cic | 160- 165 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 |
| -Bone, Conne- ctive Tissu- e, Skin | 170- 173, 176 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 |
| -Brea- st | 174- 175 | 0 | 0 | 0 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| -Geni- tour- inary | 179- 189 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 1 | 5 | 5 |
| BENIGN & UNCER- TAIN NEOPL- ASMS | 210- 229, 235- 239 | 0 | 0 | 1 | 1 | 2 | 0 | 0 | 2 | 0 | 1 | 3 | 5 |

*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

(CONTINUED)

Table F. Number of Health Conditions in Each Diagnostic Category by Gender and Age*

| | | Women | | | | | Men | | | | | Tot- al | |
|---------------------------------------------------------------------|-----------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------|
| | | Age Group | | | | Tot- al | Age Group | | | | Tot- al | | |
| | | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | | | 60 + |
| Diagn- ostic Categ- ory | ICD-9- CM Code | | | | | | | | | | | | |
| ENDOC- RINE/- METAB- OLIC/- IMMUN- ITY | 240- 279 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 2 | 2 |
| -Other Endoc- rine Gland Dis | 250- 259 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 |
| -Other Metab- olic & Immuni- ty Disor- ders | 270- 279 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 |
| MENTAL DISOR- DERS | 290- 319 | 0 | 2 | 1 | 1 | 4 | 0 | 1 | 0 | 1 | 0 | 2 | 6 |
| -Non- Psych- otic Disor- ders | 300- 302, 306- 316 | 0 | 2 | 1 | 1 | 4 | 0 | 1 | 0 | 0 | 0 | 1 | 5 |
| -Alco- hol Depen- dence | 303 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 |
| NERVO- US SYSTEM (NS) & SENSE ORGANS | 320- 389 | 2 | 2 | 0 | 2 | 6 | 2 | 1 | 3 | 5 | 2 | 13 | 19 |

*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

(CONTINUED)

Table F. Number of Health Conditions in Each Diagnostic Category by Gender and Age*

| | | Women | | | | | Men | | | | | Tot- al | |
|---------------------------------------------------|----------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-----------|
| | | Age Group | | | | Tot- al | Age Group | | | | Tot- al | | |
| | | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | | | 60 + |
| Diagn- ostic Cate- gory | ICD-9- CM Code | | | | | | | | | | | | |
| -Other Disor- ders of Centr- al NS | 340- 349 | 2 | 0 | 0 | 0 | 2 | 2 | 1 | 0 | 0 | 1 | 4 | 6 |
| -Disor- ders of Perip- heral NS | 350- 359 | 0 | 1 | 0 | 1 | 2 | 0 | 0 | 2 | 2 | 0 | 4 | 6 |
| -Disor- ders of Eye | 360- 379 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 1 | 1 | 3 | 4 |
| -Dis of Ear & Masto- id | 380- 389 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 0 | 2 | 3 |
| CIRCU- LATORY SYSTEM | 390- 459 | 0 | 2 | 0 | 1 | 3 | 0 | 3 | 9 | 8 | 2 | 22 | 25 |
| -Hype- rtens- ive Dis | 401- 405 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 2 | 2 | 0 | 5 | 6 |
| -Isch- emic Heart Dis | 410- 414 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 2 | 0 | 6 | 6 |
| -Other Heart Dis | 420- 429 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 1 | 5 | 5 |

*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

(CONTINUED)

Table F. Number of Health Conditions in Each Diagnostic Category by Gender and Age*

| | | Women | | | | | Men | | | | | Tot- al | | |
|-----------------------------------------------------|----------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|---|
| | | Age Group | | | | Tot- al | Age Group | | | | Tot- al | | | |
| | | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | | | 60 + | |
| Diagn- ostic Categ- ory | ICD-9- CM Code | | | | | | | | | | | | | |
| -Cere- brova- scular Dis | 430- 438 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 |
| -Dis of Arter- ies & Capil- laries | 440- 448 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 |
| -Dis of Veins, Lymph- atics, Other | 451- 459 | 0 | 1 | 0 | 1 | 2 | 0 | 1 | 1 | 2 | 0 | 0 | 4 | 6 |
| RESPI- RATORY SYSTEM | 460- 519 | 0 | 9 | 7 | 9 | 25 | 1 | 13 | 46 | 28 | 7 | 95 | 120 | |
| -Acute Respi- ratory Infec- tions | 460- 466 | 0 | 4 | 4 | 2 | 10 | 1 | 7 | 27 | 14 | 3 | 52 | 62 | |
| -Other Dis Upper Respi- ratory Tract | 470- 478 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 3 | 1 | 0 | 4 | 5 | |
| -Pneu- monia & Influ- enza | 480- 487 | 0 | 2 | 1 | 2 | 5 | 0 | 3 | 8 | 6 | 2 | 19 | 24 | |

*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

(CONTINUED)

Table F. Number of Health Conditions in Each Diagnostic Category by Gender and Age*

| | | Women | | | | | Men | | | | | Tot- al | |
|-----------------------------------------------------|----------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-----------|
| | | Age Group | | | | Tot- al | Age Group | | | | Tot- al | | |
| | | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | | | 60 + |
| Diagn- ostic Categ- ory | ICD-9- CM Code | | | | | | | | | | | | |
| -Chro- nic Obstr- uctive Dis | 490- 496 | 0 | 3 | 2 | 3 | 8 | 0 | 3 | 8 | 5 | 2 | 18 | 26 |
| -Other Respi- ratory Dis | 510- 519 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 2 | 0 | 2 | 3 |
| DIGES- TIVE SYSTEM | 520- 579 | 0 | 3 | 0 | 2 | 5 | 1 | 8 | 5 | 4 | 1 | 19 | 24 |
| -Oral Cavit- y, Saliva Gland- s, Jaw | 520- 529 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| -Esop- hagus, Stoma- ch, Duode- num | 530- 537 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 2 | 2 |
| -Appen- dici- tis | 540- 543 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| -Hern- ia | 550- 553 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 4 | 4 |
| -Ente- ritis, Colit- is | 555- 558 | 0 | 1 | 0 | 0 | 1 | 0 | 2 | 2 | 1 | 0 | 5 | 6 |

*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

(CONTINUED)

Table F. Number of Health Conditions in Each Diagnostic Category by Gender and Age*

| | | Women | | | | | Men | | | | | Tot- al | |
|---------------------------------------------|----------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-----------|
| | | Age Group | | | | Tot- al | Age Group | | | | Tot- al | | |
| | | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | | | 60 + |
| Diagn- ostic Cate- gory | ICD-9- CM Code | | | | | | | | | | | | |
| -Other Intes- tinal Dis | 560- 569 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 1 | 0 | 4 | 4 |
| -Other Diges- tive Dis | 570- 579 | 0 | 1 | 0 | 1 | 2 | 1 | 1 | 2 | 0 | 0 | 4 | 6 |
| GENIT- OURIN- ARY SYSTEM | 580- 629 | 0 | 1 | 4 | 0 | 5 | 0 | 0 | 1 | 6 | 1 | 8 | 13 |
| -Neph- ritis, Neph- rosis | 580- 589 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 |
| -Other Urina- ry Dis | 590- 599 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 3 | 3 |
| -Male Genit- al Organ Dis | 600- 608 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 4 | 4 |
| -Pelv- ic Infla- mmato- ry Dis | 614- 616 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| -Other Female Disor- ders | 617- 629 | 0 | 1 | 3 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |

*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

(CONTINUED)

Table F. Number of Health Conditions in Each Diagnostic Category by Gender and Age*

| | | Women | | | | | Men | | | | | Tot- al | |
|------------------------------------------------------------------------------|----------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-----------|
| | | Age Group | | | | Tot- al | Age Group | | | | Tot- al | | |
| | | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | | | 60 + |
| Diagn- ostic Cate- gory | ICD-9- CM Code | | | | | | | | | | | | |
| SKIN & SUBCU- TANEO- US TISSUE | 680- 709 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 2 | 1 | 4 | 5 |
| -Infe- ctions | 680- 686 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 1 | 3 | 4 |
| -Other Infla- mmato- ry Condi- tions | 690- 698 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 |
| MUSCU- LOSKE- LETAL & CONNE- CTIVE TISSUE | 710- 739 | 5 | 0 | 2 | 0 | 7 | 2 | 12 | 25 | 14 | 4 | 57 | 64 |
| -Arth- ropat- hies | 710- 719 | 2 | 0 | 1 | 0 | 3 | 0 | 4 | 10 | 5 | 1 | 20 | 23 |
| -Dors- opath- ies | 720- 724 | 2 | 0 | 1 | 0 | 3 | 2 | 5 | 12 | 7 | 2 | 28 | 31 |
| -Rheu- matis- m, Exclu- ding Back | 725- 729 | 1 | 0 | 0 | 0 | 1 | 0 | 3 | 3 | 2 | 1 | 9 | 10 |
| CONGE- NITAL ANOMA- LIES | 740- 759 | 0 | 0 | 1 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |

*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

(CONTINUED)

Table F. Number of Health Conditions in Each Diagnostic Category by Gender and Age*

| | | Women | | | | | Men | | | | | Tot- al | |
|------------------------------------------------------------------------------|----------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------|
| | | Age Group | | | | Tot- al | Age Group | | | | Tot- al | | |
| | | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | | | 60 + |
| Diagn- ostic Categ- ory | ICD-9- CM Code | | | | | | | | | | | | |
| SYMPT- OMS, SIGNS, & ILL- DEFIN- ED COND. | 780- 799 | 0 | 1 | 0 | 0 | 1 | 2 | 4 | 2 | 2 | 0 | 10 | 11 |
| -Symp- toms | 780- 789 | 0 | 1 | 0 | 0 | 1 | 2 | 4 | 2 | 2 | 0 | 10 | 11 |
| INJURY AND POISO- NING | 800- 999 | 3 | 6 | 7 | 3 | 19 | 6 | 28 | 21 | 15 | 3 | 73 | 92 |
| -Frac- ture - Neck, Trunk | 805- 809 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 2 |
| -Frac- ture - Upper Limb | 810- 819 | 0 | 1 | 0 | 0 | 1 | 0 | 2 | 1 | 0 | 0 | 3 | 4 |
| -Frac- ture - Lower Limb | 820- 829 | 0 | 0 | 1 | 0 | 1 | 1 | 0 | 2 | 1 | 0 | 4 | 5 |
| -Disl- ocati- on | 830- 839 | 0 | 0 | 1 | 0 | 1 | 1 | 0 | 2 | 1 | 0 | 4 | 5 |
| -Spra- ins & Strai- ns - Back | 846- 847 | 0 | 2 | 1 | 0 | 3 | 3 | 13 | 3 | 7 | 0 | 26 | 29 |

*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

(CONTINUED)

Table F. Number of Health Conditions in Each Diagnostic Category by Gender and Age*

| | | Women | | | | | Men | | | | | Tot- al | |
|----------------------------------------------------------------|----------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------|------------|------------|
| | | Age Group | | | | | Age Group | | | | | | |
| | | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | Tot- al | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | 60 + | | Tot- al |
| Diagn- ostic Cate- gory | ICD-9- CM Code | | | | | | | | | | | | |
| -Sprains & Strains - Other | 840- 845, 848 | 1 | 1 | 4 | 1 | 7 | 0 | 3 | 6 | 0 | 1 | 10 | 17 |
| -Intra- cranial Injury | 850- 854 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 |
| -Internal Injury Thora- x, Abdom- en, Pelvis | 860- 869 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 2 | 2 |
| -Open Wound Upper Limb | 880- 887 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 2 | 2 |
| -Open Wound Lower Limb | 890- 897 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 2 | 2 |
| -Injury to Blood Vessels | 900- 904 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 |
| -Superficial Injury | 910- 919 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 2 | 2 |
| -Contusion | 920- 924 | 0 | 1 | 0 | 1 | 2 | 0 | 0 | 1 | 3 | 0 | 4 | 6 |

*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

(CONTINUED)

Table F. Number of Health Conditions in Each Diagnostic Category by Gender and Age*

| | | Women | | | | | Men | | | | | Tot- al | |
|---------------------------------------------------------------------------------|----------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|----------|
| | | Age Group | | | | Tot- al | Age Group | | | | Tot- al | | |
| | | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | | | 60 + |
| Diagn- ostic Cate- gory | ICD-9- CM Code | | | | | | | | | | | | |
| -Crus- hing Injury | 925- 929 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 |
| -Burns | 940- 949 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 2 | 2 |
| -Comp- licat- ions & Unspe- cified Injur- ies | 958- 959 | 2 | 1 | 0 | 1 | 4 | 0 | 2 | 2 | 1 | 0 | 5 | 9 |
| -Unsp- ecifi- ed Effec- ts - Exter- nal Causes | 990- 995 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 |
| -Comp- licat- ions of Surgi- cal/M- edical Care | 996- 999 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 |
| HEALTH STATU- S/HEA- LTH SERVI- CE CONTA- CT | V01- V82 | 0 | 1 | 1 | 0 | 2 | 0 | 0 | 1 | 2 | 0 | 3 | 5 |

*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

(CONTINUED)

Table F. Number of Health Conditions in Each Diagnostic Category by Gender and Age*

| | | Women | | | | | Men | | | | | Tot- al | |
|-------------------------------------------------------------------------------|----------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------|
| | | Age Group | | | | Tot- al | Age Group | | | | Tot- al | | |
| | | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | | | 60 + |
| Diagn- ostic Categ- ory | ICD-9- CM Code | | | | | | | | | | | | |
| -Pers- onal & Family Histo- ry | V10- V19 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 |
| -Heal- th Servi- ces Repro- ducti- on/De- velop- ment | V20- V29 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 2 |
| -Heal- th Status | V40- V49 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| -Spec- ific Proce- dures- /Afte- rcare | V50- V59 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 |
| Total | | 10 | 30 | 25 | 23 | 88 | 14 | 74 | 122 | 92 | 26 | 328 | 416 |

*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

Table G. Total Number of Calendar Days Absent in Each Diagnostic Category by Gender and Age*

| Diagnostic Category | Women | | | | | Men | | | | | Total | |
|--------------------------|-----------|---------|---------|---------|-------|-----------|---------|---------|---------|-------|-------|------|
| | Age Group | | | | Total | Age Group | | | | Total | | |
| | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | | | 60 + |
| Infectious/Parasites | 0 | 13 | 7 | 64 | 84 | 0 | 20 | 54 | 21 | 6 | 101 | 185 |
| Cancers | 0 | 0 | 0 | 343 | 343 | 0 | 0 | 166 | 117 | 28 | 311 | 654 |
| Benign Growths | 0 | 0 | 39 | 28 | 67 | 0 | 0 | 69 | 0 | 48 | 117 | 184 |
| Endocrine/Metabolic | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 148 | 153 | 153 |
| Mental | 0 | 56 | 35 | 18 | 109 | 0 | 25 | 0 | 60 | 0 | 85 | 194 |
| Nervous System | 15 | 16 | 0 | 23 | 54 | 36 | 59 | 39 | 96 | 148 | 378 | 432 |
| Heart/Circulatory | 0 | 20 | 0 | 10 | 30 | 0 | 48 | 178 | 142 | 164 | 532 | 562 |
| Lung/Respiratory | 0 | 87 | 24 | 149 | 260 | 6 | 67 | 297 | 352 | 88 | 810 | 1070 |
| Digestive | 0 | 16 | 0 | 62 | 78 | 32 | 108 | 106 | 76 | 48 | 370 | 448 |
| Genitourinary | 0 | 20 | 62 | 0 | 82 | 0 | 0 | 19 | 53 | 22 | 94 | 176 |
| Skin | 0 | 27 | 0 | 0 | 27 | 0 | 9 | 0 | 13 | 20 | 42 | 69 |
| Muscles and Skeleton | 41 | 0 | 146 | 0 | 187 | 50 | 409 | 608 | 357 | 55 | 1479 | 1666 |
| Existing Birth Condition | 0 | 0 | 7 | 12 | 19 | 0 | 0 | 0 | 0 | 0 | 0 | 19 |

*Absences with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

(CONTINUED)

Table G. Total Number of Calendar Days Absent in Each Diagnostic Category by Gender and Age*

| | Women | | | | | Men | | | | | Tot- al | |
|---------------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------|
| | Age Group | | | | Tot- al | Age Group | | | | Tot- al | | |
| | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | | | 60 + |
| Diagnos- tic Category | | | | | | | | | | | | |
| Unspeci- fied Symptoms | 0 | 5 | 0 | 0 | 5 | 39 | 26 | 140 | 13 | 0 | 218 | 223 |
| Injury and Poisoni- ng | 37 | 221 | 103 | 160 | 521 | 71 | 670 | 500 | 157 | 84 | 1482 | 2003 |

*Absences with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

Table H. Number of Health Conditions in Each Diagnostic Category by Gender and Occupation*

| | | Women | | | | | | | | Total |
|--------------------------------------------------------------|------------------------------|------------------------|--------------------------------------|---------------------------------------|----------------------------------------|----------------------------------------------|----------------|-------------------------------|-------------------------|-------|
| | | Occupational Group | | | | | | | | |
| | | Prof- essi- onal | Admi- nist- rati- ve (E) | Admi- nist- rati- ve (NE) | Tech Supp- ort/- Supv (NE) | Cler- ical and Supp- ort Wage | Tech- nical | Barg- aini- ng Units | Misc- ella- neous | |
| Diagnostic Category | ICD-9-CM Code | | | | | | | | | |
| INFECTIOUS & PARASITIC DISEASES (DIS) | 001-139 | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 4 |
| -Intestinal Infectious Dis | 001-009 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| -Tuberculosis | 010-018 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| -Other Viral Dis & Chlamydiae | 070-079 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| -Rickettsios- es & Other Arthropod | 080-088 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| MALIGNANT NEOPLASMS | 140-208, 230- 234 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| -Breast | 174-175 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| BENIGN & UNCERTAIN NEOPLASMS | 210-229, 235- 239 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 2 |
| MENTAL DISORDERS | 290-319 | 1 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 4 |
| -Non- Psychotic Disorders | 300-302, 306- 316 | 1 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 4 |
| NERVOUS SYSTEM (NS) & SENSE ORGANS | 320-389 | 0 | 0 | 0 | 0 | 3 | 0 | 3 | 0 | 6 |

*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)

Table H. Number of Health Conditions in Each Diagnostic Category by Gender and Occupation*

| | | Women | | | | | | | | |
|---------------------------------------------|----------------|------------------------|--------------------------------------|---------------------------------------|----------------------------------------|----------------------------------------------|----------------|-------------------------------|-------------------------|-----------|
| | | Occupational Group | | | | | | | | Total |
| | | Prof- essi- onal | Admi- nist- rati- ve (E) | Admi- nist- rati- ve (NE) | Tech Supp- ort/- Supv (NE) | Cler- ical and Supp- ort Wage | Tech- nical | Barg- aini- ng Units | Misc- ella- neous | |
| Diagnostic Category | ICD-9-CM Code | | | | | | | | | |
| -Other Disorders of Central NS | 340-349 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 2 |
| -Disorders of Peripheral NS | 350-359 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 2 |
| -Disorders of Eye | 360-379 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| -Dis of Ear & Mastoid | 380-389 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| CIRCULATORY SYSTEM | 390-459 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 0 | 3 |
| -Hypertensive Dis | 401-405 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| -Dis of Veins, Lymphatics, Other | 451-459 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 2 |
| RESPIRATORY SYSTEM | 460-519 | 0 | 2 | 1 | 3 | 3 | 0 | 16 | 0 | 25 |
| -Acute Respiratory Infections | 460-466 | 0 | 0 | 0 | 1 | 1 | 0 | 8 | 0 | 10 |
| -Other Dis Upper Respiratory Tract | 470-478 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| -Pneumonia & Influenza | 480-487 | 0 | 1 | 0 | 0 | 1 | 0 | 3 | 0 | 5 |

*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)

Table H. Number of Health Conditions in Each Diagnostic Category by Gender and Occupation*

| | | Women | | | | | | | | |
|-----------------------------------------------|----------------|------------------------|--------------------------------------|---------------------------------------|----------------------------------------|----------------------------------------------|----------------|-------------------------------|-------------------------|----------|
| | | Occupational Group | | | | | | | | Total |
| | | Prof- essi- onal | Admi- nist- rati- ve (E) | Admi- nist- rati- ve (NE) | Tech Supp- ort/- Supv (NE) | Cler- ical and Supp- ort Wage | Tech- nical | Barg- aini- ng Units | Misc- ella- neous | |
| Diagnostic Category | ICD-9-CM Code | | | | | | | | | |
| -Chronic Obstructive Dis | 490-496 | 0 | 0 | 1 | 1 | 1 | 0 | 5 | 0 | 8 |
| -Other Respiratory Dis | 510-519 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| DIGESTIVE SYSTEM | 520-579 | 0 | 0 | 1 | 0 | 0 | 1 | 3 | 0 | 5 |
| -Oral Cavity, Saliva Glands, Jaw | 520-529 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| -Appendicitis | 540-543 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| -Enteritis, Colitis | 555-558 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| -Other Digestive Dis | 570-579 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 2 |
| GENITOURINARY SYSTEM | 580-629 | 0 | 0 | 3 | 0 | 0 | 0 | 2 | 0 | 5 |
| -Pelvic Inflammatory Dis | 614-616 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| -Other Female Disorders | 617-629 | 0 | 0 | 3 | 0 | 0 | 0 | 1 | 0 | 4 |
| SKIN & SUBCUTANEOUS TISSUE | 680-709 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| -Infections | 680-686 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |

*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)

Table H. Number of Health Conditions in Each Diagnostic Category by Gender and Occupation*

| | | Women | | | | | | | | |
|--------------------------------------------------------------|----------------|------------------------|--------------------------------------|---------------------------------------|---------------------------------------|----------------------------------------------|----------------|-------------------------------|-------------------------|-------|
| | | Occupational Group | | | | | | | | Total |
| | | Prof- essi- onal | Admi- nist- rati- ve (E) | Admi- nist- rati- ve (NE) | Tech Supp- ort/ Supv (NE) | Cler- ical and Supp- ort Wage | Tech- nical | Barg- aini- ng Units | Misc- ella- neous | |
| Diagnostic Category | ICD-9-CM Code | | | | | | | | | |
| MUSCULOSKELE- TAL & CONNECTIVE TISSUE | 710-739 | 0 | 0 | 2 | 0 | 0 | 0 | 5 | 0 | 7 |
| -Arthropathies | 710-719 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 0 | 3 |
| -Dorsopathies | 720-724 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 0 | 3 |
| -Rheumatism, Excluding Back | 725-729 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| CONGENITAL ANOMALIES | 740-759 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 |
| SYMPTOMS, SIGNS, & ILL- DEFINED COND. | 780-799 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| -Symptoms | 780-789 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| INJURY AND POISONING | 800-999 | 0 | 4 | 0 | 1 | 0 | 1 | 12 | 1 | 19 |
| -Fracture - Upper Limb | 810-819 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| -Fracture - Lower Limb | 820-829 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| -Dislocation | 830-839 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| -Sprains & Strains - Back | 846-847 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 0 | 3 |
| -Sprains & Strains - Other | 840-845, 848 | 0 | 2 | 0 | 0 | 0 | 1 | 4 | 0 | 7 |

*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)

Table H. Number of Health Conditions in Each Diagnostic Category by Gender and Occupation*

| | | Women | | | | | | | | |
|---------------------------------------------------------|----------------|------------------------|--------------------------------------|---------------------------------------|----------------------------------------|----------------------------------------------|----------------|-------------------------------|-------------------------|-----------|
| | | Occupational Group | | | | | | | | Total |
| | | Prof- essi- onal | Admi- nist- rati- ve (E) | Admi- nist- rati- ve (NE) | Tech Supp- ort/- Supv (NE) | Cler- ical and Supp- ort Wage | Tech- nical | Barg- aini- ng Units | Misc- ella- neous | |
| Diagnostic Category | ICD-9-CM Code | | | | | | | | | |
| -Contusion | 920-924 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 |
| -Complicatio- ns & Unspecified Injuries | 958-959 | 0 | 1 | 0 | 0 | 0 | 0 | 3 | 0 | 4 |
| HEALTH STATUS/HEALTH SERVICE CONTACT | V01-V82 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 2 |
| -Health Services Reproduction- /Development | V20-V29 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| -Health Status | V40-V49 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| Total | | 3 | 8 | 11 | 5 | 9 | 2 | 49 | 1 | 88 |

*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

Table H. Number of Health Conditions in Each Diagnostic Category by Gender and Occupation*

| | | Men | | | | | | | | | |
|--------------------------------------------------------------|------------------------------|----------------------|------------------------|--------------------------------------|---------------------------------------|---------------------------------------|----------------------------------------|----------------------------------------------|----------------|-------------------------------|-------|
| | | Occupational Group | | | | | | | | | Total |
| | | Scie- ntif- ic | Prof- essi- onal | Admi- nist- rati- ve (E) | Tech Supp- ort/- Supv (E) | Admi- nist- rati- ve (NE) | Tech Supp- ort/- Supv (NE) | Cler- ical and Supp- ort Wage | Tech- nical | Barg- aini- ng Units | |
| Diagnostic Category | ICD-9-CM Code | | | | | | | | | | |
| INFECTIOUS & PARASITIC DISEASES (DIS) | 001-139 | 1 | 0 | 0 | 1 | 0 | 3 | 0 | 0 | 5 | 10 |
| -Other Bacterial Dis | 030-041 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| -Viral Dis with Exanthem | 050-057 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 2 |
| -Other Viral Dis & Chlamydiae | 070-079 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 4 | 6 |
| -Other Infections & Parasitic Dis | 130-136 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| MALIGNANT NEOPLASMS | 140-208, 230- 234 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 4 | 7 |
| -Respiratory & Intrathoracic | 160-165 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| -Bone, Connective Tissue, Skin | 170-173, 176 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| -Genitourina- ry | 179-189 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 2 | 5 |
| BENIGN & UNCERTAIN NEOPLASMS | 210-229, 235- 239 | 0 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 3 |
| ENDOCRINE/ME- TABOLIC/IMMU- NITY | 240-279 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 |

*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)

Table H. Number of Health Conditions in Each Diagnostic Category by Gender and Occupation*

| | | Men | | | | | | | | | |
|-------------------------------------------------------|----------------------|----------------------|------------------------|--------------------------------------|---------------------------------------|---------------------------------------|----------------------------------------|----------------------------------------------|----------------|-------------------------------|-----------|
| | | Occupational Group | | | | | | | | | Total |
| | | Scie- ntif- ic | Prof- essi- onal | Admi- nist- rati- ve (E) | Tech Supp- ort/- Supv (E) | Admi- nist- rati- ve (NE) | Tech Supp- ort/- Supv (NE) | Cler- ical and Supp- ort Wage | Tech- nical | Barg- aini- ng Units | |
| Diagnostic Category | ICD-9-CM Code | | | | | | | | | | |
| -Other Endocrine Gland Dis | 250-259 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| -Other Metabolic & Immunity Disorders | 270-279 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| MENTAL DISORDERS | 290-319 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 |
| -Non- Psychotic Disorders | 300-302, 306- 316 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| -Alcohol Dependence | 303 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| NERVOUS SYSTEM (NS) & SENSE ORGANS | 320-389 | 0 | 3 | 0 | 1 | 0 | 2 | 0 | 0 | 7 | 13 |
| -Other Disorders of Central NS | 340-349 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 4 |
| -Disorders of Peripheral NS | 350-359 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 0 | 1 | 4 |
| -Disorders of Eye | 360-379 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 |
| -Dis of Ear & Mastoid | 380-389 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 |
| CIRCULATORY SYSTEM | 390-459 | 0 | 4 | 0 | 6 | 0 | 3 | 0 | 1 | 8 | 22 |
| -Hypertensive Dis | 401-405 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 4 | 5 |

*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)

Table H. Number of Health Conditions in Each Diagnostic Category by Gender and Occupation*

| | | Men | | | | | | | | | |
|---------------------------------------------|----------------|----------------------|------------------------|--------------------------------------|---------------------------------------|---------------------------------------|----------------------------------------|----------------------------------------------|----------------|-------------------------------|-----------|
| | | Occupational Group | | | | | | | | | Total |
| | | Scie- ntif- ic | Prof- essi- onal | Admi- nist- rati- ve (E) | Tech Supp- ort/- Supv (E) | Admi- nist- rati- ve (NE) | Tech Supp- ort/- Supv (NE) | Cler- ical and Supp- ort Wage | Tech- nical | Barg- aini- ng Units | |
| Diagnostic Category | ICD-9-CM Code | | | | | | | | | | |
| -Ischemic Heart Dis | 410-414 | 0 | 1 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 6 |
| -Other Heart Dis | 420-429 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 2 | 5 |
| -Cerebrovasc- ular Dis | 430-438 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| -Dis of Arteries & Capillaries | 440-448 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| -Dis of Veins, Lymphatics, Other | 451-459 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 4 |
| RESPIRATORY SYSTEM | 460-519 | 2 | 5 | 1 | 7 | 0 | 11 | 0 | 0 | 69 | 95 |
| -Acute Respiratory Infections | 460-466 | 0 | 3 | 1 | 4 | 0 | 6 | 0 | 0 | 38 | 52 |
| -Other Dis Upper Respiratory Tract | 470-478 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 4 |
| -Pneumonia & Influenza | 480-487 | 1 | 1 | 0 | 0 | 0 | 2 | 0 | 0 | 15 | 19 |
| -Chronic Obstructive Dis | 490-496 | 1 | 1 | 0 | 1 | 0 | 3 | 0 | 0 | 12 | 18 |
| -Other Respiratory Dis | 510-519 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 |

*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)

Table H. Number of Health Conditions in Each Diagnostic Category by Gender and Occupation*

| | | Men | | | | | | | | | |
|-----------------------------------------------|----------------|----------------------|------------------------|--------------------------------------|---------------------------------------|---------------------------------------|----------------------------------------|----------------------------------------------|----------------|-------------------------------|-------|
| | | Occupational Group | | | | | | | | | Total |
| | | Scie- ntif- ic | Prof- essi- onal | Admi- nist- rati- ve (E) | Tech Supp- ort/- Supv (E) | Admi- nist- rati- ve (NE) | Tech Supp- ort/- Supv (NE) | Cler- ical and Supp- ort Wage | Tech- nical | Barg- aini- ng Units | |
| Diagnostic Category | ICD-9-CM Code | | | | | | | | | | |
| DIGESTIVE SYSTEM | 520-579 | 0 | 1 | 1 | 2 | 1 | 2 | 0 | 1 | 11 | 19 |
| -Esophagus, Stomach, Duodenum | 530-537 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 |
| -Hernia | 550-553 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 0 | 1 | 4 |
| -Enteritis, Colitis | 555-558 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 4 | 5 |
| -Other Intestinal Dis | 560-569 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 4 |
| -Other Digestive Dis | 570-579 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 1 | 4 |
| GENITOURINARY SYSTEM | 580-629 | 0 | 0 | 2 | 2 | 0 | 0 | 0 | 0 | 4 | 8 |
| -Nephritis, Nephrosis | 580-589 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| -Other Urinary Dis | 590-599 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 2 | 3 |
| -Male Genital Organ Dis | 600-608 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 1 | 4 |
| SKIN & SUBCUTANEOUS TISSUE | 680-709 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 4 |
| -Infections | 680-686 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 1 | 3 |
| -Other Inflammatory Conditions | 690-698 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |

*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)

Table H. Number of Health Conditions in Each Diagnostic Category by Gender and Occupation*

| | | Men | | | | | | | | | |
|--------------------------------------------------------------|----------------|----------------------|------------------------|---------------------------------------|---------------------------------------|----------------------------------------|----------------------------------------|----------------------------------------------|----------------|-------------------------------|-------|
| | | Occupational Group | | | | | | | | | Total |
| | | Scie- ntif- ic | Prof- essi- onal | Admi- nisti- rati- ve (E) | Tech Supp- ort/- Supv (E) | Admi- nisti- rati- ve (NE) | Tech Supp- ort/- Supv (NE) | Cler- ical and Supp- ort Wage | Tech- nical | Barg- aini- ng Units | |
| Diagnostic Category | ICD-9-CM Code | | | | | | | | | | |
| MUSCULOSKELE- TAL & CONNECTIVE TISSUE | 710-739 | 1 | 1 | 3 | 6 | 0 | 9 | 0 | 2 | 35 | 57 |
| -Arthropathies | 710-719 | 1 | 0 | 0 | 2 | 0 | 3 | 0 | 1 | 13 | 20 |
| -Dorsopathies | 720-724 | 0 | 1 | 2 | 3 | 0 | 5 | 0 | 1 | 16 | 28 |
| -Rheumatism, Excluding Back | 725-729 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 0 | 6 | 9 |
| SYMPTOMS, SIGNS, & ILL- DEFINED COND. | 780-799 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 8 | 10 |
| -Symptoms | 780-789 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 8 | 10 |
| INJURY AND POISONING | 800-999 | 0 | 0 | 2 | 6 | 0 | 3 | 1 | 4 | 57 | 73 |
| -Fracture - Neck, Trunk | 805-809 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 2 |
| -Fracture - Upper Limb | 810-819 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 3 |
| -Fracture - Lower Limb | 820-829 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 2 | 4 |
| -Dislocation | 830-839 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 3 | 4 |
| -Sprains & Strains - Back | 846-847 | 0 | 0 | 0 | 1 | 0 | 2 | 1 | 1 | 21 | 26 |
| -Sprains & Strains - Other | 840-845, 848 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 8 | 10 |

*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)

Table H. Number of Health Conditions in Each Diagnostic Category by Gender and Occupation*

| | | Men | | | | | | | | | |
|--------------------------------------------------------|---------------|----------------------|------------------------|--------------------------------------|---------------------------------------|---------------------------------------|----------------------------------------|----------------------------------------------|----------------|-------------------------------|-------|
| | | Occupational Group | | | | | | | | | Total |
| | | Scie- ntif- ic | Prof- essi- onal | Admi- nist- rati- ve (E) | Tech Supp- ort/- Supv (E) | Admi- nist- rati- ve (NE) | Tech Supp- ort/- Supv (NE) | Cler- ical and Supp- ort Wage | Tech- nical | Barg- aini- ng Units | |
| Diagnostic Category | ICD-9-CM Code | | | | | | | | | | |
| -Intracranial Injury | 850-854 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| -Internal Injury - Thorax, Abdomen, Pelvis | 860-869 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 2 |
| -Open Wound - Upper Limb | 880-887 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 |
| -Open Wound - Lower Limb | 890-897 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 |
| -Injury to Blood Vessels | 900-904 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| -Superficial Injury | 910-919 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 2 |
| -Contusion | 920-924 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 3 | 4 |
| -Crushing Injury | 925-929 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| -Burns | 940-949 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 |
| -Complicatio- ns & Unspecified Injuries | 958-959 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 5 |
| -Unspecified Effects - External Causes | 990-995 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |

*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)

Table H. Number of Health Conditions in Each Diagnostic Category by Gender and Occupation*

| | | Men | | | | | | | | | | |
|---------------------------------------------------------|----------------|----------------------|------------------------|--------------------------------------|---------------------------------------|---------------------------------------|----------------------------------------|----------------------------------------------|----------------|-------------------------------|------------|----------|
| | | Occupational Group | | | | | | | | | Total | |
| | | Scie- ntif- ic | Prof- essi- onal | Admi- nist- rati- ve (E) | Tech Supp- ort/- Supv (E) | Admi- nist- rati- ve (NE) | Tech Supp- ort/- Supv (NE) | Cler- ical and Supp- ort Wage | Tech- nical | Barg- aini- ng Units | | |
| Diagnostic Category | ICD-9-CM Code | | | | | | | | | | | |
| -Complicatio- ns of Surgical/Med- ical Care | 996-999 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| HEALTH STATUS/HEALTH SERVICE CONTACT | V01-V82 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 3 |
| -Personal & Family History | V10-V19 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| -Health Services Reproduction- /Development | V20-V29 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| -Specific Procedures/A- ftercare | V50-V59 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| Total | | 4 | 17 | 9 | 37 | 1 | 36 | 1 | 11 | 212 | 328 | |

*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

Table I. Total Number of Calendar Days Absent in Each Diagnostic Category by Gender and Occupation*

| Diagnostic Category | Women | | | | | | | | Total |
|--------------------------|------------------------|--------------------------------------|---------------------------------------|----------------------------------------|----------------------------------------------|----------------|-------------------------------|-------------------------|-------|
| | Occupational Group | | | | | | | | |
| | Prof- essi- onal | Admi- nist- rati- ve (E) | Admi- nist- rati- ve (NE) | Tech Supp- ort/- Supv (NE) | Cler- ical and Supp- ort Wage | Tech- nical | Barg- aini- ng Units | Misc- ella- neous | |
| Infections/Parasites | 7 | 64 | 0 | 0 | 6 | 0 | 7 | 0 | 84 |
| Cancers | 290 | 53 | 0 | 0 | 0 | 0 | 0 | 0 | 343 |
| Benign Growths | 0 | 0 | 28 | 0 | 0 | 0 | 39 | 0 | 67 |
| Mental | 43 | 0 | 0 | 35 | 13 | 0 | 18 | 0 | 109 |
| Nervous System | 0 | 0 | 0 | 0 | 29 | 0 | 25 | 0 | 54 |
| Heart/Circulatory | 0 | 0 | 7 | 0 | 0 | 0 | 23 | 0 | 30 |
| Lung/Respiratory | 0 | 75 | 20 | 13 | 45 | 0 | 107 | 0 | 260 |
| Digestive | 0 | 0 | 34 | 0 | 0 | 28 | 16 | 0 | 78 |
| Genitourinary | 0 | 0 | 55 | 0 | 0 | 0 | 27 | 0 | 82 |
| Skin | 0 | 0 | 0 | 0 | 0 | 0 | 27 | 0 | 27 |
| Muscles and Skeleton | 0 | 0 | 24 | 0 | 0 | 0 | 163 | 0 | 187 |
| Existing Birth Condition | 0 | 0 | 19 | 0 | 0 | 0 | 0 | 0 | 19 |
| Unspecified Symptoms | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 5 |
| Injury and Poisoning | 0 | 178 | 0 | 6 | 0 | 7 | 323 | 7 | 521 |

*Absences with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

| Year | Lower | Mid | Upper | Lower | Mid | Upper | Lower | Mid | Upper | Lower | Mid | Upper |
|------|-------|-----|-------|-------|-----|-------|-------|-----|-------|-------|-----|-------|
| 1994 | 76 | 102 | 138 | 6 | 25 | 99 | 0 | 0 | 0 | 55 | 120 | 262 |
| 1995 | 55 | 78 | 109 | 6 | 18 | 55 | 13 | 51 | 204 | 59 | 130 | 286 |
| 1996 | 38 | 62 | 102 | 0 | 0 | 0 | 7 | 22 | 73 | 70 | 149 | 318 |

| Year | Bargaining Units | | | Miscellaneous | | |
|------|------------------|-----|-------|---------------|-----|-------|
| | Lower | Mid | Upper | Lower | Mid | Upper |
| 1994 | 263 | 361 | 497 | 0 | 0 | 0 |
| 1995 | 294 | 396 | 535 | 0 | 0 | 0 |
| 1996 | 369 | 492 | 656 | 2 | 13 | 95 |

BNL 1996

Table 22. Age-Adjusted Rates for Selected Diagnostic Categories by Gender, 1993 to 1996

Men

| Year | Cancer | | | Heart/Circulatory | | | Lung/Respiratory | | | Injury and Poisoning* | | |
|-------|--------|-----|-------|-------------------|-----|-------|------------------|-----|-------|-----------------------|-----|-------|
| | Lower | Mid | Upper | Lower | Mid | Upper | Lower | Mid | Upper | Lower | Mid | Upper |
| 1993* | 1 | 2 | 4 | 7 | 10 | 16 | 8 | 11 | 15 | 19 | 26 | 34 |
| 1994 | <1 | 1 | 3 | 5 | 7 | 10 | 9 | 12 | 17 | 16 | 21 | 28 |
| 1995 | <1 | 1 | 3 | 6 | 8 | 12 | 30 | 38 | 49 | 16 | 22 | 30 |
| 1996 | 1 | 2 | 4 | 4 | 6 | 10 | 23 | 29 | 36 | 21 | 28 | 37 |

Women

| Year | Cancer | | | Heart/Circulatory | | | Lung/Respiratory | | | Injury and Poisoning* | | |
|-------|--------|-----|-------|-------------------|-----|-------|------------------|-----|-------|-----------------------|-----|-------|
| | Lower | Mid | Upper | Lower | Mid | Upper | Lower | Mid | Upper | Lower | Mid | Upper |
| 1993* | 0 | 0 | 0 | 1 | 4 | 12 | 17 | 27 | 43 | 8 | 14 | 25 |
| 1994 | <1 | 1 | 6 | <1 | 2 | 8 | 31 | 44 | 61 | 7 | 12 | 20 |
| 1995 | 0 | 0 | 0 | 1 | 2 | 9 | 14 | 21 | 32 | 9 | 16 | 28 |
| 1996 | <1 | 2 | 9 | 1 | 3 | 8 | 15 | 23 | 34 | 12 | 20 | 33 |

*For 1993, rate based on external causes of injury data; for 1994 through 1996, rate based on injury and poisoning data.

Table J. Relative Risk Estimates for Selected Diagnostic Categories Among 5-Day Absences

| Diagnostic Category | Management 113 Person-Years | | | | Scientific 665 Person-Years | | | | Professional 686 Person-Years | | | | Administrative (E) 271 Person-Years | | | |
|-----------------------------------------------|-------------------------------------|------|-----------------------|-----------------------|-------------------------------------|------|-----------------------|-----------------------|-------------------------------------|------|-----------------------|-----------------------|----------------------------------------|------|-----------------------|-----------------------|
| | Persons with 1+ Event * | RR** | Lower 95% CI*** | Upper 95% CI*** | Persons with 1+ Event * | RR** | Lower 95% CI*** | Upper 95% CI*** | Persons with 1+ Event * | RR** | Lower 95% CI*** | Upper 95% CI*** | Persons with 1+ Event * | RR** | Lower 95% CI*** | Upper 95% CI*** |
| All Diagnostic Categories | 0 | | | | 3 | 0.05 | 0.01 | 0.2 | 10 | 0.2 | 0.1 | 0.3 | 11 | 0.6 | 0.3 | 1.0 |
| Infectious & Parasitic Diseases | 0 | | | | 1 | 0.3 | 0.02 | 3.1 | 1 | .3 | 0.05 | 2.2 | 1 | 0.7 | 0.06 | 8.8 |
| Nervous System & Sense Organs | 0 | | | | 0 | | | | 2 | 0.7 | 0.2 | 2.8 | 0 | | | |
| Circulatory System | 0 | | | | 0 | | | | 3 | 0.8 | 0.2 | 2.5 | 0 | | | |
| Respiratory System | 0 | | | | 1 | 0.06 | 0.01 | 0.5 | 2 | 0.1 | 0.03 | 0.5 | 2 | 0.3 | 0.08 | 1.4 |
| Digestive System | 0 | | | | 0 | | | | 1 | 0.2 | 0.03 | 1.4 | 1 | 0.6 | 0.09 | 3.6 |
| Genitourinary System | 0 | | | | 0 | | | | 0 | | | | 1 | 0.8 | 0.1 | 5.4 |
| Musculoskeletal & Connective Tissue | 0 | | | | 1 | 0.08 | 0.01 | 0.6 | 1 | 0.08 | 0.01 | 0.6 | 2 | 0.9 | 0.2 | 3.5 |
| Symptoms, Signs, & Ill- Defined Conditions | 0 | | | | 0 | | | | 0 | | | | 0 | | | |
| Injury & Poisoning | 0 | | | | 0 | | | | 0 | | | | 6 | 1.0 | 0.4 | 2.6 |
| Sprains & Strains-Back | 0 | | | | 0 | | | | 0 | | | | 0 | | | |
| Sprains & Strains-Other | 0 | | | | 0 | | | | 0 | | | | 2 | 1.1 | 0.2 | 6.6 |

* Persons with multiple absences during the time period were counted only once.

** RR = Relative Risk. Adjusted for age and gender; compared with all occupational categories.

*** CI = Confidence Limit

Table J. Relative Risk Estimates for Selected Diagnostic Categories Among 5-Day Absences

| Diagnostic Category | Technical Support/Supv (E) 371 Person-Years | | | | Administrative (NE) 213 Person-Years | | | | Technical Support/Supv (NE) 330 Person-Years | | | | Clerical and Support Wage 91 Person-Years | | | |
|-----------------------------------------------|------------------------------------------------|------|-----------------------|-----------------------|-----------------------------------------|------|-----------------------|-----------------------|-------------------------------------------------|------|-----------------------|-----------------------|----------------------------------------------|------|-----------------------|-----------------------|
| | Persons with 1+ Event * | RR** | Lower 95% CI*** | Upper 95% CI*** | Persons with 1+ Event * | RR** | Lower 95% CI*** | Upper 95% CI*** | Persons with 1+ Event * | RR** | Lower 95% CI*** | Upper 95% CI*** | Persons with 1+ Event * | RR** | Lower 95% CI*** | Upper 95% CI*** |
| All Diagnostic Categories | 23 | 0.8 | 0.5 | 1.3 | 9 | 0.7 | 0.3 | 1.3 | 28 | 1.2 | 0.8 | 1.8 | 8 | 1.6 | 0.8 | 3.5 |
| Infectious & Parasitic Diseases | 1 | 0.6 | 0.08 | 5.1 | 0 | | | | 3 | 2.7 | 0.7 | 10.2 | 1 | 3.3 | 0.3 | 36.8 |
| Nervous System & Sense Organs | 1 | 0.5 | 0.06 | 4.6 | 0 | | | | 1 | 1.0 | 0.1 | 8.1 | 3 | 7.4 | 1.6 | 35.7 |
| Circulatory System | 2 | 0.7 | 0.2 | 3.3 | 1 | 1.6 | 0.1 | 17.2 | 3 | 1.9 | 0.5 | 6.7 | 0 | | | |
| Respiratory System | 6 | 0.7 | 0.3 | 1.6 | 1 | 0.2 | 0.03 | 1.7 | 10 | 1.8 | 0.9 | 3.5 | 2 | 1.8 | 0.4 | 8.8 |
| Digestive System | 2 | 0.9 | 0.2 | 3.9 | 2 | 1.9 | 0.4 | 8.3 | 2 | 0.9 | 0.2 | 3.7 | 0 | | | |
| Genitourinary System | 2 | 1.5 | 0.3 | 7.7 | 2 | 2.5 | 0.3 | 19.7 | 0 | | | | 0 | | | |
| Musculoskeletal & Connective Tissue | 5 | 0.7 | 0.3 | 1.8 | 1 | 1.0 | 0.2 | 6.9 | 8 | 1.6 | 0.7 | 3.4 | 0 | | | |
| Symptoms, Signs, & Ill- Defined Conditions | 1 | 1.0 | 0.1 | 8.3 | 0 | | | | 1 | 0.7 | 0.08 | 6.3 | 0 | | | |
| Injury & Poisoning | 6 | 0.7 | 0.3 | 1.6 | 0 | | | | 4 | 0.4 | 0.2 | 1.1 | 1 | 0.6 | 0.1 | 4.0 |
| Sprains & Strains-Back | 1 | 0.3 | 0.04 | 2.5 | 0 | | | | 3 | 0.9 | 0.3 | 3.0 | 1 | 2.5 | 0.4 | 16.8 |
| Sprains & Strains-Other | 2 | 1.5 | 0.3 | 7.5 | 0 | | | | 0 | | | | 0 | | | |

* Persons with multiple absences during the time period were counted only once.

** RR = Relative Risk. Adjusted for age and gender; compared with all occupational categories.

*** CI = Confidence Limit

Table J. Relative Risk Estimates for Selected Diagnostic Categories Among 5-Day Absences

| Diagnostic Category | Technical 91 Person-Years | | | | Bargaining Units 592 Person-Years | | | | Miscellaneous 138 Person-Years | | | | Total Persons with 1+ Event |
|-----------------------------------------------|-------------------------------------|------|-----------------------|-----------------------|--------------------------------------|------|-----------------------|-----------------------|-------------------------------------|------|-----------------------|-----------------------|--------------------------------------|
| | Persons with 1+ Event * | RR** | Lower 95% CI*** | Upper 95% CI*** | Persons with 1+ Event * | RR** | Lower 95% CI*** | Upper 95% CI*** | Persons with 1+ Event * | RR** | Lower 95% CI*** | Upper 95% CI*** | |
| All Diagnostic Categories | 8 | 1.4 | 0.7 | 3.0 | 141 | 7.5 | 5.7 | 9.8 | 1 | 0.1 | 0.02 | 0.9 | 242 |
| Infectious & Parasitic Diseases | 0 | | | | 6 | 4.3 | 1.4 | 13.1 | 0 | | | | 14 |
| Nervous System & Sense Organs | 0 | | | | 9 | 7.4 | 2.7 | 20.6 | 0 | | | | 16 |
| Circulatory System | 1 | 3.5 | 0.4 | 30.7 | 9 | 4.4 | 1.8 | 10.7 | 0 | | | | 19 |
| Respiratory System | 0 | | | | 42 | 9.0 | 5.4 | 14.9 | 0 | | | | 66 |
| Digestive System | 2 | 3.8 | 0.9 | 16.2 | 12 | 5.8 | 2.5 | 13.3 | 0 | | | | 22 |
| Genitourinary System | 0 | | | | 6 | 7.6 | 2.2 | 26.1 | 0 | | | | 11 |
| Musculoskeletal & Connective Tissue | 2 | 1.9 | 0.4 | 8.3 | 30 | 6.8 | 3.8 | 12.0 | 0 | | | | 50 |
| Symptoms, Signs, & Ill- Defined Conditions | 0 | | | | 9 | 18.0 | 4.1 | 78.7 | 0 | | | | 11 |
| Injury & Poisoning | 5 | 2.1 | 0.8 | 5.6 | 59 | 13.6 | 8.2 | 22.8 | 1 | 0.4 | 0.06 | 2.8 | 82 |
| Sprains & Strains-Back | 1 | 0.9 | 0.1 | 7.8 | 21 | 16.5 | 6.3 | 43.1 | 0 | | | | 27 |
| Sprains & Strains-Other | 1 | 2.9 | 0.4 | 21.7 | 12 | 18.6 | 5.4 | 63.7 | 0 | | | | 17 |

* Persons with multiple absences during the time period were counted only once.

** RR= Relative Risk. Adjusted for age and gender; compared with all occupational categories.

*** CI= Confidence Limit

Table K: Occupational Sentinel Health Events (SHEO)

The following two tables list the disease conditions that have been identified as definitely SHEOs or as possibly SHEOs, respectively (Rutstein DD et al, Sentinel Health Events [Occupational]: A Basis for Physician Recognition and Public Health Surveillance. *American Journal of Public Health*. 1983, 73(9):1054-1062). To make these categories more meaningful to the DOE work place environment, these two SHEO categories have been evaluated taking into account work place exposures in the DOE complex to define two additional groups of health conditions called *production* and *nonproduction*. These are designated in last column of each table, labelled *DOE Complex Exposure Potential*. Each group is defined as follows:

Production: Disease conditions that can result from exposures that may occur during production or cleanup activities within the DOE complex. Twenty-two conditions are included in this group.

Nonproduction: Disease conditions that can be related to occupations within the DOE complex but not exposures related to production or cleanup activities. There are 11 conditions in this group.

Conditions for which neither designation has been assigned may occur in the work force but are less likely to be related to exposures in the DOE complex than those conditions with a designation of *production or nonproduction*.

| Health Conditions - Definitely SHEOs | | |
|--------------------------------------|----------------------------------------------------------------------------|--------------------------------|
| ICD-9 | Condition | DOE Complex Exposure Potential |
| 155 | Hemangiosarcoma of the liver | |
| 158, 163 | Mesothelioma (MN of peritoneum and pleura) | Production |
| 187.7 | Malignant neoplasm of scrotum | Production |
| 354M | Carpal tunnel syndrome | Nonproduction |
| 354.0 | Mononeuritis of upper limb and mononeuritis multiplex | |
| 495.4 | Maltworker's lung | |
| 495.5 | Mushroom worker's lung | |
| 495.8 | Grain handler's lung, Sequoiosis | |
| 495.9 | Unspecified allergic alveolitis | |
| 500 | Coalworker's pneumoconiosis | |
| 501 | Asbestosis | Production |
| 502 | Silicosis, Talcosis | Production |
| 503 | Chronic beryllium disease of the lung | |
| 504 | Byssinosis | |
| 506.0 | Acute bronchitis, pneumonitis, and pulmonary edema due to fumes and vapors | Nonproduction |

(CONTINUED)

| Health Conditions - Possibly SHEOs | | |
|------------------------------------|---------------------------------------------------|--------------------------------|
| ICD-9 | Condition | DOE Complex Exposure Potential |
| 011 | Pulmonary tuberculosis | |
| 011,502 | Silicotuberculosis | Production |
| 020 | Plague | |
| 021 | Tularemia | |
| 022 | Anthrax | |
| 023 | Brucellosis | |
| 031.1 | Fish-fancier's finger | |
| 054.6 | Herpetic whitlow | |
| 037 | Tetanus | Nonproduction |
| 042 | Human immuno-deficiency virus | |
| 056 | Rubella | |
| 070.0, 070.1 | Hepatitis A | |
| 070.2, 070.3 | Hepatitis B | |
| 070.4 | Non-A, non-B hepatitis | |
| 071 | Rabies | Nonproduction |
| 073 | Ornithosis | |
| 082.0 | Rocky Mountain spotted fever | |
| 100.8 | Leptospirosis | |
| 115 | Histoplasmosis | Nonproduction |
| 117.1 | Sporotrichosis | |
| 147 | Malignant neoplasm of nasopharynx | Nonproduction |
| 160.0 | Malignant neoplasm of nasal cavities | Nonproduction |
| 161 | Malignant neoplasm of larynx | Production |
| 162 | Malignant neoplasm of trachea, bronchus, and lung | Production |
| 170 | Malignant neoplasm of bone | Production |

(CONTINUED)

| Health Conditions - Possibly SHEOs | | |
|------------------------------------|---------------------------------------------------------------------|--------------------------------|
| ICD-9 | Condition | DOE Complex Exposure Potential |
| 188 | Malignant neoplasm of bladder | Production |
| 189 | Malignant neoplasm of kidney, other, and unspecified urinary organs | Nonproduction |
| 204.0 | Lymphoid leukemia Acute | Production |
| 205.0 | Myeloid leukemia, acute | Production |
| 207.0 | Erythroleukemia | Production |
| 283.1 | Hemolytic anemia, nonautoimmune | |
| 284.8 | Aplastic anemia | Production |
| 288.0 | Agranulocytosis or neutropenia | Production |
| 289.7 | Methemoglobinemia | Nonproduction |
| 323.7 | Toxic encephalitis | Production |
| 332.1 | Parkinson's disease (secondary) | |
| 334.3 | Cerebellar ataxia | Production |
| 357.7 | Inflammatory and toxic neuropathy | Production |
| 366.4 | Cataract | Production |
| 388.1 ¹ | Noise effects on inner ear | Production |
| 443.0 | Raynaud's phenomenon (secondary) | Nonproduction |
| 493.0, 507.8 | Extrinsic asthma | Nonproduction |
| 570, 573.3 | Toxic hepatitis | Production |
| 584, 585 | Acute or chronic renal failure | Production |
| 606 | Infertility, male | |
| 692 | Contact and allergic dermatitis | Production |
| 733.9 | Skeletal fluorosis | |

Table L. Number of Workers with at Least One OSHA Event by Gender, Age, and Occupation*

| Occupational Group | Women | | | | | Men | | | | | Total | |
|---------------------------|-----------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|----------|-----------|------------|
| | Age Group | | | | Total | Age Group | | | | | | Total |
| | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | 60 + | | |
| Scientific | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 2 | 0 | 0 | 5 | 5 |
| Professional | 0 | 1 | 1 | 1 | 3 | 0 | 2 | 3 | 1 | 0 | 6 | 9 |
| Tech Support/Supv (E) | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 3 | 1 | 7 | 7 |
| Administrative (NE) | 0 | 2 | 0 | 2 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| Tech Support/Supv (NE) | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 4 | 1 | 0 | 11 | 11 |
| Clerical and Support Wage | 1 | 1 | 1 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| Technical | 0 | 1 | 0 | 0 | 1 | 0 | 2 | 0 | 0 | 0 | 2 | 3 |
| Bargaining Units | 2 | 2 | 5 | 1 | 10 | 5 | 25 | 11 | 16 | 1 | 58 | 68 |
| Total | 3 | 7 | 7 | 4 | 21 | 5 | 39 | 22 | 21 | 2 | 89 | 110 |

*Only those gender/age/occupational combinations with at least one OSHA event appear in this table.

Table M. Total Number of Workdays Lost or with Restricted Activity from OSHA Events by Gender and Age

| | Women | | | Men | | | Total | | |
|--------------|-------------|-------------------|-----------|-------------|-------------------|------------|-------------|-------------------|------------|
| | # of Events | Days Restr- icted | Days Lost | # of Events | Days Restr- icted | Days Lost | # of Events | Days Restr- icted | Days Lost |
| Age Group | | | | | | | | | |
| 16 - 29 | 3 | 0 | 7 | 5 | 0 | 8 | 8 | 0 | 15 |
| 30 - 39 | 7 | 0 | 7 | 42 | 86 | 120 | 49 | 86 | 127 |
| 40 - 49 | 7 | 3 | 30 | 24 | 33 | 64 | 31 | 36 | 94 |
| 50 - 59 | 4 | 11 | 14 | 23 | 18 | 96 | 27 | 29 | 110 |
| 60 + | 0 | 0 | 0 | 2 | 0 | 3 | 2 | 0 | 3 |
| Total | 21 | 14 | 58 | 96 | 137 | 291 | 117 | 151 | 349 |

Table N. Total Number of Workdays Lost or with Restricted Activity from OSHA Events by Gender and Occupation*

| | Women | | | Men | | | Total | | |
|---------------------------|-------------|-------------------|-----------|-------------|-------------------|-----------|-------------|-------------------|-----------|
| | # of Events | Days Restr- icted | Days Lost | # of Events | Days Restr- icted | Days Lost | # of Events | Days Restr- icted | Days Lost |
| Occupational Group | | | | | | | | | |
| Scientific | 0 | 0 | 0 | 5 | 0 | 9 | 5 | 0 | 9 |
| Professional | 3 | 0 | 0 | 6 | 0 | 0 | 9 | 0 | 0 |
| Tech Support/Supv (E) | 0 | 0 | 0 | 7 | 22 | 14 | 7 | 22 | 14 |
| Administrative (NE) | 4 | 11 | 4 | 0 | 0 | 0 | 4 | 11 | 4 |
| Tech Support/Supv (NE) | 0 | 0 | 0 | 11 | 0 | 19 | 11 | 0 | 19 |
| Clerical and Support Wage | 3 | 0 | 7 | 0 | 0 | 0 | 3 | 0 | 7 |
| Technical | 1 | 0 | 0 | 2 | 33 | 1 | 3 | 33 | 1 |
| Bargaining Units | 10 | 3 | 47 | 65 | 82 | 248 | 75 | 85 | 295 |
| Total | 21 | 14 | 58 | 96 | 137 | 291 | 117 | 151 | 349 |

*Only those gender/occupational combinations with at least one occurrence appear in this table.

Table 0. Number of Health Conditions in Each Diagnostic Category by Gender and Age*

| | | Women | | | | | Men | | | | | Total | |
|-------------------------------------------------|----------------|-----------|---------|---------|---------|-------|-----------|---------|---------|---------|------|-------|-------|
| | | Age Group | | | | Total | Age Group | | | | | | Total |
| | | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | 60 + | | |
| Diagnostic Category | ICD-9-CM Code | | | | | | | | | | | | |
| NERVOUS SYSTEM (NS) & SENSE ORGANS | 320-389 | 0 | 1 | 0 | 2 | 3 | 1 | 2 | 0 | 1 | 0 | 4 | 7 |
| -Other Disorders of Central NS | 340-349 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| -Disorders of Peripheral NS | 350-359 | 0 | 1 | 0 | 1 | 2 | 0 | 1 | 0 | 0 | 0 | 1 | 3 |
| -Disorders of Eye | 360-379 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 3 | 3 |
| CIRCULATORY SYSTEM | 390-459 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| -Cerebrovascular Dis | 430-438 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| RESPIRATORY SYSTEM | 460-519 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 2 |
| -Other Respiratory Dis | 510-519 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 2 |
| MUSCULOSKELETAL & CONNECTIVE TISSUE | 710-739 | 1 | 6 | 0 | 1 | 8 | 0 | 7 | 6 | 1 | 1 | 15 | 23 |
| -Arthropathies | 710-719 | 0 | 4 | 0 | 1 | 5 | 0 | 0 | 2 | 0 | 0 | 2 | 7 |
| -Dorsopathies | 720-724 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 2 | 1 | 0 | 7 | 7 |
| -Rheumatism, Excluding Back | 725-729 | 1 | 2 | 0 | 0 | 3 | 0 | 3 | 2 | 0 | 1 | 6 | 9 |
| SYMPTOMS, SIGNS, & ILL-DEFINED COND. | 780-799 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 3 | 3 |

*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

(CONTINUED)

Table 0. Number of Health Conditions in Each Diagnostic Category by Gender and Age*

| | | Women | | | | | Men | | | | | Total | |
|---------------------------------|----------------|-----------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|----------|------------|------------|
| | | Age Group | | | | Total | Age Group | | | | | | Total |
| | | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | 60 + | | |
| Diagnostic Category | ICD-9-CM Code | | | | | | | | | | | | |
| -Symptoms | 780-789 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 3 | 3 |
| INJURY AND POISONING | 800-999 | 2 | 8 | 9 | 5 | 24 | 4 | 46 | 23 | 26 | 1 | 100 | 124 |
| -Fracture - Upper Limb | 810-819 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 4 | 4 |
| -Fracture - Lower Limb | 820-829 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 |
| -Sprains & Strains - Back | 846-847 | 1 | 2 | 3 | 0 | 6 | 1 | 17 | 7 | 7 | 0 | 32 | 38 |
| -Sprains & Strains - Other | 840-845, 848 | 0 | 0 | 1 | 0 | 1 | 2 | 8 | 3 | 2 | 0 | 15 | 16 |
| -Intracranial Injury | 850-854 | 0 | 0 | 1 | 1 | 2 | 0 | 1 | 1 | 0 | 0 | 2 | 4 |
| -Open Wound - Head, Neck, Trunk | 870-879 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 3 | 0 | 5 | 5 |
| -Open Wound - Upper Limb | 880-887 | 0 | 0 | 1 | 2 | 3 | 1 | 3 | 5 | 6 | 0 | 15 | 18 |
| -Late Effects | 905-909 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 1 | 0 | 0 | 2 | 3 |
| -Superficial Injury | 910-919 | 0 | 1 | 0 | 0 | 1 | 0 | 3 | 1 | 1 | 1 | 6 | 7 |
| -Contusion | 920-924 | 1 | 1 | 1 | 0 | 3 | 0 | 3 | 1 | 3 | 0 | 7 | 10 |
| -Foreign Body Entering Orifice | 930-939 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 |
| -Burns | 940-949 | 0 | 0 | 0 | 1 | 1 | 0 | 2 | 2 | 1 | 0 | 5 | 6 |

*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

(CONTINUED)

Table 0. Number of Health Conditions in Each Diagnostic Category by Gender and Age*

| | | Women | | | | | Men | | | | | Total | |
|----------------------------------------|---------------|-----------|-----------|----------|----------|-----------|-----------|-----------|-----------|-----------|----------|------------|------------|
| | | Age Group | | | | Total | Age Group | | | | | | Total |
| | | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | 60 + | | |
| Diagnostic Category | ICD-9-CM Code | | | | | | | | | | | | |
| -Complications & Unspecified Injuries | 958-959 | 0 | 1 | 2 | 1 | 4 | 0 | 0 | 1 | 3 | 0 | 4 | 8 |
| -Toxic Effects - Nonmedicinal | 980-989 | 0 | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| -Unspecified Effects - External Causes | 990-995 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 |
| Total | | 3 | 15 | 9 | 9 | 36 | 5 | 58 | 29 | 30 | 2 | 124 | 160 |

*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

Table P. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Age*

| | | Women | | | | | | | | |
|-----------------------------|----------------|---------------------------|--------------|---------------------------|--------------|---------------------------|--------------|---------------------------|--------------|----|
| | | Age Group | | | | | | | | |
| | | 16 - 29 | | 30 - 39 | | 40 - 49 | | 50 - 59 | | |
| | | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost | |
| Diagnostic Category | ICD-9-CM Codes | | | | | | | | | |
| -Other Disorders of CNS | 340-349 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 |
| -Disorders of Peripheral NS | 350-359 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 11 | 0 |
| -Cerebrovascular Disease | 430-438 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 |
| -Arthropathies | 710-719 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 11 | 0 |
| -Rheumatism, Excluding Back | 725-729 | 0 | 7 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| -Back Sprains and Strains | 846-847 | 0 | 0 | 0 | 5 | 0 | 28 | 0 | 0 | 0 |
| -Other Sprains and Strains | 840-845, 848 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 0 | 0 |
| -Intracranial Injuries | 850-854 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 |
| -Open Wounds Upper Limb | 880-887 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| -Late Effects | 905-909 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| -Superficial Injuries | 910-919 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Bruises | 920-924 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Burns | 940-949 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |

*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

(CONTINUED)

Table P. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Age*

| | | Women | | | | | | | |
|---------------------------------------------|----------------|---------------------------|--------------|---------------------------|--------------|---------------------------|--------------|---------------------------|--------------|
| | | Age Group | | | | | | | |
| | | 16 - 29 | | 30 - 39 | | 40 - 49 | | 50 - 59 | |
| | | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost |
| Diagnostic Category | ICD-9-CM Codes | | | | | | | | |
| -Unspecified Injuries | 958-959 | 0 | 0 | 0 | 0 | 3 | 2 | 0 | 4 |
| -Adverse Reactions to Nonmedical Substances | 980-989 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

Table P. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Age*

| | | Men | | | | | | | | | |
|-----------------------------|----------------|---------------------------|--------------|---------------------------|--------------|---------------------------|--------------|---------------------------|--------------|---------------------------|--------------|
| | | Age Group | | | | | | | | | |
| | | 16 - 29 | | 30 - 39 | | 40 - 49 | | 50 - 59 | | 60 + | |
| | | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost |
| Diagnostic Category | ICD-9-CM Codes | | | | | | | | | | |
| -Disorders of Peripheral NS | 350-359 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Disorders of Eye | 360-379 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |
| -Other Respiratory Diseases | 510-519 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 19 | 0 | 0 |
| -Arthropathies | 710-719 | 0 | 0 | 0 | 0 | 0 | 13 | 0 | 0 | 0 | 0 |
| -Dorsopathies | 720-724 | 0 | 0 | 10 | 12 | 0 | 17 | 0 | 10 | 0 | 0 |
| -Rheumatism, Excluding Back | 725-729 | 0 | 0 | 16 | 4 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Symptoms | 780-789 | 0 | 0 | 0 | 10 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Fractures - Upper Limb | 810-819 | 0 | 0 | 23 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Fractures - Lower Limb | 820-829 | 0 | 0 | 0 | 0 | 6 | 2 | 0 | 0 | 0 | 0 |
| -Back Sprains and Strains | 846-847 | 0 | 4 | 32 | 63 | 22 | 30 | 12 | 34 | 0 | 0 |
| -Other Sprains and Strains | 840-845, 848 | 0 | 2 | 20 | 18 | 5 | 3 | 0 | 6 | 0 | 0 |
| -Intracranial Injuries | 850-854 | 0 | 0 | 0 | 10 | 0 | 12 | 0 | 0 | 0 | 0 |

*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

(CONTINUED)

Table P. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Age*

| | | Men | | | | | | | | | |
|------------------------------------------------|----------------|---------------------------|--------------|---------------------------|--------------|---------------------------|--------------|---------------------------|--------------|---------------------------|--------------|
| | | Age Group | | | | | | | | | |
| | | 16 - 29 | | 30 - 39 | | 40 - 49 | | 50 - 59 | | 60 + | |
| | | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost |
| Diagnostic Category | ICD-9-CM Codes | | | | | | | | | | |
| -Open Wounds Head, Neck, Trunk | 870-879 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Open Wounds Upper Limb | 880-887 | 0 | 2 | 0 | 0 | 0 | 2 | 6 | 2 | 0 | 0 |
| -Late Effects | 905-909 | 0 | 0 | 6 | 0 | 0 | 8 | 0 | 0 | 0 | 0 |
| -Superficial Injuries | 910-919 | 0 | 0 | 6 | 18 | 0 | 0 | 0 | 0 | 0 | 3 |
| -Bruises | 920-924 | 0 | 0 | 6 | 4 | 0 | 2 | 0 | 0 | 0 | 0 |
| -Foreign Bodies Entering Orifice | 930-939 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Burns | 940-949 | 0 | 0 | 0 | 9 | 0 | 0 | 0 | 2 | 0 | 0 |
| -Unspecified Injuries | 958-959 | 0 | 0 | 0 | 0 | 0 | 8 | 0 | 23 | 0 | 0 |
| -Adverse Reactions to External Causes | 990-995 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 |

*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

Table Q. Number of Occurrences in Each Accident Category by Gender and Age*

| | | Women | | | | Men | | | | | Total | |
|---------------------------------------|-----------|-----------|---------|---------|-------|-----------|---------|---------|---------|------|-------|-------|
| | | Age Group | | | Total | Age Group | | | | | | Total |
| | | 30 - 39 | 40 - 49 | 50 - 59 | | 16 - 29 | 30 - 39 | 40 - 49 | 50 - 59 | 60 + | | |
| Type of Accident | E Codes | | | | | | | | | | | |
| Motor Vehicle Traffic | E810-E819 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 |
| Motor Vehicle Nontraffic | E820-E825 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 |
| Other Road Vehicle | E826-E829 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 |
| Accidental Poisoning - Nonmedicinal | E860-E869 | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 1 | 0 | 1 | 3 |
| Falls | E880-E888 | 1 | 1 | 1 | 3 | 0 | 2 | 0 | 3 | 0 | 5 | 8 |
| Natural/Environmental Factors | E900-E909 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Submersion/Suffocation/Foreign Bodies | E910-E915 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 |
| Other Accidents | E916-E928 | 0 | 3 | 1 | 4 | 2 | 23 | 12 | 12 | 1 | 50 | 54 |
| Late Effects of Accident | E929 | 1 | 0 | 0 | 1 | 0 | 1 | 1 | 0 | 0 | 2 | 3 |
| Adverse Effect - Medicinal/Biological | E930-E949 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 2 |

*Only those accident types and gender/age combinations with at least one occurrence appear in this table.

Table R. Number of Workdays Lost or with Restricted Activity for Each Accident Category by Gender and Age*

| | | Women | | | | | |
|---------------------------------------|-----------|---------------------------|--------------|---------------------------|--------------|---------------------------|--------------|
| | | Age Group | | | | | |
| | | 30 - 39 | | 40 - 49 | | 50 - 59 | |
| | | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost |
| Type of Accident | E Codes | | | | | | |
| Accidental Poisoning - Nonmedicinal | E860-E869 | 0 | 0 | 0 | 0 | 0 | 0 |
| Falls | E880-E888 | 0 | 0 | 0 | 2 | 0 | 10 |
| Natural/Environmental Factors | E900-E909 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Accidents | E916-E928 | 0 | 0 | 0 | 23 | 0 | 4 |
| Late Effects of Accident | E929 | 0 | 2 | 0 | 0 | 0 | 0 |
| Adverse Effect - Medicinal/Biological | E930-E949 | 0 | 0 | 0 | 0 | 0 | 0 |

*OSHA events with >1 E code in the same accident type were counted only once. Only those accident types and gender/age combinations with at least one occurrence appear in this table.

Table R. Number of Workdays Lost or with Restricted Activity for Each Accident Category by Gender and Age*

| | | Men | | | | | | | | | |
|---------------------------------------|-----------|---------------------------|--------------|---------------------------|--------------|---------------------------|--------------|---------------------------|--------------|---------------------------|--------------|
| | | Age Group | | | | | | | | | |
| | | 16 - 29 | | 30 - 39 | | 40 - 49 | | 50 - 59 | | 60 + | |
| | | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost |
| Type of Accident | E Codes | | | | | | | | | | |
| Motor Vehicle Traffic | E810-E819 | 0 | 0 | 0 | 18 | 0 | 0 | 0 | 0 | 0 | 0 |
| Motor Vehicle Nontraffic | E820-E825 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Road Vehicle | E826-E829 | 0 | 0 | 0 | 0 | 0 | 12 | 0 | 0 | 0 | 0 |
| Accidental Poisoning - Nonmedicinal | E860-E869 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Falls | E880-E888 | 0 | 0 | 0 | 11 | 0 | 0 | 0 | 3 | 0 | 0 |
| Submersion/Suffocation/Foreign Bodies | E910-E915 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Accidents | E916-E928 | 0 | 4 | 81 | 73 | 11 | 8 | 18 | 43 | 0 | 0 |
| Late Effects of Accident | E929 | 0 | 0 | 6 | 0 | 0 | 8 | 0 | 0 | 0 | 0 |
| Adverse Effect - Medicinal/Biological | E930-E949 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 |

*OSHA events with >1 E code in the same accident type were counted only once. Only those accident types and gender/age combinations with at least one occurrence appear in this table.

Table S. Number of Health Conditions in Each Diagnostic Category by Gender and Occupation*

| | | Women | | | | | |
|--------------------------------------------------------------|----------------|------------------------|---------------------------------------|----------------------------------------------|----------------|-------------------------------|-----------|
| | | Occupational Group | | | | | Total |
| | | Prof- essi- onal | Admi- nist- rati- ve (NE) | Cler- ical and Supp- ort Wage | Tech- nical | Barg- aini- ng Units | |
| Diagnostic Category | ICD-9-CM Code | | | | | | |
| NERVOUS SYSTEM (NS) & SENSE ORGANS | 320-389 | 0 | 2 | 0 | 0 | 1 | 3 |
| -Other Disorders of Central NS | 340-349 | 0 | 0 | 0 | 0 | 1 | 1 |
| -Disorders of Peripheral NS | 350-359 | 0 | 2 | 0 | 0 | 0 | 2 |
| CIRCULATORY SYSTEM | 390-459 | 0 | 0 | 0 | 0 | 1 | 1 |
| -Cerebrovasc- ular Dis | 430-438 | 0 | 0 | 0 | 0 | 1 | 1 |
| MUSCULOSKELE- TAL & CONNECTIVE TISSUE | 710-739 | 0 | 3 | 4 | 0 | 1 | 8 |
| -Arthropathi- es | 710-719 | 0 | 2 | 3 | 0 | 0 | 5 |
| -Rheumatism, Excluding Back | 725-729 | 0 | 1 | 1 | 0 | 1 | 3 |
| INJURY AND POISONING | 800-999 | 5 | 5 | 4 | 1 | 9 | 24 |
| -Sprains & Strains - Back | 846-847 | 0 | 0 | 2 | 0 | 4 | 6 |
| -Sprains & Strains - Other | 840-845, 848 | 0 | 0 | 1 | 0 | 0 | 1 |

*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)

Table S. Number of Health Conditions in Each Diagnostic Category by Gender and Occupation*

| | | Women | | | | | |
|--------------------------------------------------|---------------|------------------------|---------------------------------------|----------------------------------------------|----------------|-------------------------------|-----------|
| | | Occupational Group | | | | | Total |
| | | Prof- essi- onal | Admi- nist- rati- ve (NE) | Cler- ical and Supp- ort Wage | Tech- nical | Barg- aini- ng Units | |
| Diagnostic Category | ICD-9-CM Code | | | | | | |
| -Intracranial Injury | 850-854 | 1 | 0 | 0 | 0 | 1 | 2 |
| -Open Wound - Upper Limb | 880-887 | 1 | 1 | 0 | 0 | 1 | 3 |
| -Late Effects | 905-909 | 0 | 0 | 1 | 0 | 0 | 1 |
| -Superficial Injury | 910-919 | 0 | 1 | 0 | 0 | 0 | 1 |
| -Contusion | 920-924 | 1 | 0 | 0 | 1 | 1 | 3 |
| -Burns | 940-949 | 0 | 1 | 0 | 0 | 0 | 1 |
| -Complicatio- ns & Unspecified Injuries | 958-959 | 0 | 2 | 0 | 0 | 2 | 4 |
| -Toxic Effects - Nonmedicinal | 980-989 | 2 | 0 | 0 | 0 | 0 | 2 |
| Total | | 5 | 10 | 8 | 1 | 12 | 36 |

*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

Table S. Number of Health Conditions in Each Diagnostic Category by Gender and Occupation*

| | | Men | | | | | | |
|--------------------------------------------------------------|----------------|----------------------|------------------------|---------------------------------------|----------------------------------------|----------------|-------------------------------|-------|
| | | Occupational Group | | | | | | Total |
| | | Scie- ntif- ic | Prof- essi- onal | Tech Supp- ort/- Supv (E) | Tech Supp- ort/- Supv (NE) | Tech- nical | Barg- aini- ng Units | |
| Diagnostic Category | ICD-9-CM Code | | | | | | | |
| NERVOUS SYSTEM (NS) & SENSE ORGANS | 320-389 | 1 | 0 | 1 | 0 | 0 | 2 | 4 |
| -Disorders of Peripheral NS | 350-359 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| -Disorders of Eye | 360-379 | 1 | 0 | 0 | 0 | 0 | 2 | 3 |
| RESPIRATORY SYSTEM | 460-519 | 0 | 1 | 0 | 0 | 0 | 1 | 2 |
| -Other Respiratory Dis | 510-519 | 0 | 1 | 0 | 0 | 0 | 1 | 2 |
| MUSCULOSKELE- TAL & CONNECTIVE TISSUE | 710-739 | 1 | 0 | 1 | 0 | 1 | 12 | 15 |
| -Arthropathi- es | 710-719 | 0 | 0 | 0 | 0 | 0 | 2 | 2 |
| -Dorsopathies | 720-724 | 0 | 0 | 1 | 0 | 1 | 5 | 7 |
| -Rheumatism, Excluding Back | 725-729 | 1 | 0 | 0 | 0 | 0 | 5 | 6 |
| SYMPTOMS, SIGNS, & ILL- DEFINED COND. | 780-799 | 0 | 0 | 0 | 0 | 0 | 3 | 3 |
| -Symptoms | 780-789 | 0 | 0 | 0 | 0 | 0 | 3 | 3 |
| INJURY AND POISONING | 800-999 | 3 | 5 | 8 | 15 | 2 | 67 | 100 |

*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)

Table S. Number of Health Conditions in Each Diagnostic Category by Gender and Occupation*

| | | Men | | | | | | |
|---------------------------------------|---------------|----------------------|------------------------|---------------------------------------|----------------------------------------|----------------|-------------------------------|-------|
| | | Occupational Group | | | | | | Total |
| | | Scie- ntif- ic | Prof- essi- onal | Tech Supp- ort/- Supv (E) | Tech Supp- ort/- Supv (NE) | Tech- nical | Barg- aini- ng Units | |
| Diagnostic Category | ICD-9-CM Code | | | | | | | |
| -Fracture - Upper Limb | 810-819 | 1 | 0 | 0 | 0 | 1 | 2 | 4 |
| -Fracture - Lower Limb | 820-829 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| -Sprains & Strains - Back | 846-847 | 0 | 2 | 2 | 4 | 1 | 23 | 32 |
| -Sprains & Strains - Other | 840-845, 848 | 0 | 0 | 0 | 4 | 0 | 11 | 15 |
| -Intracranial Injury | 850-854 | 0 | 0 | 0 | 0 | 0 | 2 | 2 |
| -Open Wound - Head, Neck, Trunk | 870-879 | 0 | 0 | 2 | 2 | 0 | 1 | 5 |
| -Open Wound - Upper Limb | 880-887 | 0 | 2 | 3 | 2 | 0 | 8 | 15 |
| -Late Effects | 905-909 | 0 | 0 | 0 | 0 | 0 | 2 | 2 |
| -Superficial Injury | 910-919 | 0 | 1 | 1 | 0 | 0 | 4 | 6 |
| -Contusion | 920-924 | 0 | 0 | 0 | 2 | 0 | 5 | 7 |
| -Foreign Body Entering Orifice | 930-939 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| -Burns | 940-949 | 2 | 0 | 0 | 1 | 0 | 2 | 5 |

*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)

Table S. Number of Health Conditions in Each Diagnostic Category by Gender and Occupation*

| | | Men | | | | | | |
|--------------------------------------------------|---------------|----------------------|------------------------|---------------------------------------|----------------------------------------|----------------|-------------------------------|-------|
| | | Occupational Group | | | | | | Total |
| | | Scie- ntif- ic | Prof- essi- onal | Tech Supp- ort/- Supv (E) | Tech Supp- ort/- Supv (NE) | Tech- nical | Barg- aini- ng Units | |
| Diagnostic Category | ICD-9-CM Code | | | | | | | |
| -Complicatio- ns & Unspecified Injuries | 958-959 | 0 | 0 | 0 | 0 | 0 | 4 | 4 |
| -Unspecified Effects - External Causes | 990-995 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| Total | | 5 | 6 | 10 | 15 | 3 | 85 | 124 |

*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

Table T. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Occupation*

| | | Women | | | | | | | | | |
|-----------------------------------|----------------|------------------------------|--------------|------------------------------|--------------|------------------------------------|--------------|------------------------------|--------------|------------------------------|--------------|
| | | Occupational Group | | | | | | | | | |
| | | Professi- onal | | Administ- rative (NE) | | Clerical and Support Wage | | Technical | | Bargaini- ng Units | |
| | | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost |
| Diagnostic Category | ICD-9-CM Codes | | | | | | | | | | |
| -Other Disorders of CNS | 340-349 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 |
| -Disorders of Peripheral NS | 350-359 | 0 | 0 | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Cerebrovasc- ular Disease | 430-438 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 |
| -Arthropathi- es | 710-719 | 0 | 0 | 11 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| -Rheumatism, Excluding Back | 725-729 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 7 |
| -Back Sprains and Strains | 846-847 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 0 | 0 | 28 |
| -Other Sprains and Strains | 840-845, 848 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 0 | 0 | 0 |
| -Intracranial Injuries | 850-854 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 |
| -Open Wounds Upper Limb | 880-887 | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Late Effects | 905-909 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| -Superficial Injuries | 910-919 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Bruises | 920-924 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)

Table T. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Occupation*

| | | Women | | | | | | | | | |
|------------------------------------------------------|----------------|------------------------------|--------------|------------------------------|--------------|------------------------------------|--------------|------------------------------|--------------|------------------------------|--------------|
| | | Occupational Group | | | | | | | | | |
| | | Professi- onal | | Administ- rative (NE) | | Clerical and Support Wage | | Technical | | Bargaini- ng Units | |
| | | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost |
| Diagnostic Category | ICD-9-CM Codes | | | | | | | | | | |
| -Burns | 940-949 | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Unspecified Injuries | 958-959 | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 3 | 2 |
| -Adverse Reactions to Nonmedical Substances | 980-989 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

Table T. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Occupation*

| | | Men | | | | | | | | | | | |
|-----------------------------|----------------|---------------------------|--------------|---------------------------|--------------|---------------------------|--------------|---------------------------|--------------|---------------------------|--------------|---------------------------|--------------|
| | | Occupational Group | | | | | | | | | | | |
| | | Scientific | | Professional | | Tech Support/-Supv (E) | | Tech Support/-Supv (NE) | | Technical | | Bargaining Units | |
| | | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost |
| Diagnostic Category | ICD-9-CM Codes | | | | | | | | | | | | |
| -Disorders of Peripheral NS | 350-359 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Disorders of Eye | 360-379 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| -Other Respiratory Diseases | 510-519 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 19 |
| -Arthropathies | 710-719 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 13 |
| -Dorsopathies | 720-724 | 0 | 0 | 0 | 0 | 0 | 9 | 0 | 0 | 10 | 0 | 0 | 30 |
| -Rheumatism, Excluding Back | 725-729 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 16 | 4 |
| -Symptoms | 780-789 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 |
| -Fractures - Upper Limb | 810-819 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 23 | 1 | 0 | 0 |
| -Fractures - Lower Limb | 820-829 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 2 |
| -Back Sprains and Strains | 846-847 | 0 | 0 | 0 | 0 | 22 | 11 | 0 | 12 | 10 | 0 | 34 | 108 |
| -Other Sprains and Strains | 840-845, 848 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 25 | 25 |
| -Intracranial Injuries | 850-854 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 22 |

*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)

Table T. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Occupation*

| | | Men | | | | | | | | | | | | |
|---------------------------------------|----------------|--------------------|-----------|-------------------|-----------|------------------------|-----------|-------------------------|-----------|-------------------|-----------|-------------------|-----------|----|
| | | Occupational Group | | | | | | | | | | | | |
| | | Scientif-ic | | Professi-onal | | Tech Support/-Supv (E) | | Tech Support/-Supv (NE) | | Technical | | Bargaini-ng Units | | |
| | | Days Res-tri-cted | Days Lost | Days Res-tri-cted | Days Lost | Days Res-tri-cted | Days Lost | Days Res-tri-cted | Days Lost | Days Res-tri-cted | Days Lost | Days Res-tri-cted | Days Lost | |
| Diagnostic Category | ICD-9-CM Codes | | | | | | | | | | | | | |
| -Open Wounds Head, Neck, Trunk | 870-879 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 |
| -Open Wounds Upper Limb | 880-887 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 6 | 4 |
| -Late Effects | 905-909 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 8 |
| -Superficial Injuries | 910-919 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 6 | 18 |
| -Bruises | 920-924 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 6 | 4 |
| -Foreign Bodies Entering Orifice | 930-939 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| -Burns | 940-949 | 0 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| -Unspecified Injuries | 958-959 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 31 |
| -Adverse Reactions to External Causes | 990-995 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |

*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

Table U. Number of Occurrences in Each Accident Category by Gender and Occupation*

| | | Women | | | | | |
|--------------------------------------------------|-----------|------------------------|---------------------------------------|----------------------------------------------|----------------|-------------------------------|-------|
| | | Occupational Group | | | | | Total |
| | | Prof- essi- onal | Admi- nist- rati- ve (NE) | Cler- ical and Supp- ort Wage | Tech- nical | Barg- aini- ng Units | |
| Type of Accident | E CODES | | | | | | |
| Accidental Poisoning - Nonmedicinal | E860-E869 | 2 | 0 | 0 | 0 | 0 | 2 |
| Falls | E880-E888 | 0 | 0 | 0 | 1 | 2 | 3 |
| Natural/Envi- ronmental Factors | E900-E909 | 1 | 0 | 0 | 0 | 0 | 1 |
| Other Accidents | E916-E928 | 1 | 1 | 0 | 0 | 2 | 4 |
| Late Effects of Accident | E929 | 0 | 0 | 1 | 0 | 0 | 1 |
| Adverse Effect - Medicinal/Bi- ological | E930-E949 | 0 | 1 | 0 | 0 | 0 | 1 |

*Only those accident types and gender/occupational combinations with at least one occurrence appear in this table.

Table U. Number of Occurrences in Each Accident Category by Gender and Occupation*

| | | Men | | | | | | |
|--------------------------------------------------|-----------|----------------------|------------------------|---------------------------------------|----------------------------------------|----------------|-------------------------------|-------|
| | | Occupational Group | | | | | | Total |
| | | Scie- ntif- ic | Prof- essi- onal | Tech Supp- ort/- Supv (E) | Tech Supp- ort/- Supv (NE) | Tech- nical | Barg- aini- ng Units | |
| Type of Accident | E CODES | | | | | | | |
| Motor Vehicle Traffic | E810-E819 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| Motor Vehicle Nontraffic | E820-E825 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| Other Road Vehicle | E826-E829 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| Accidental Poisoning - Nonmedicinal | E860-E869 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| Falls | E880-E888 | 0 | 0 | 0 | 1 | 0 | 4 | 5 |
| Submersion/S- uffocation/F- oreign Bodies | E910-E915 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| Other Accidents | E916-E928 | 2 | 2 | 3 | 8 | 2 | 33 | 50 |
| Late Effects of Accident | E929 | 0 | 0 | 0 | 0 | 0 | 2 | 2 |
| Adverse Effect - Medicinal/Bi- ological | E930-E949 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |

*Only those accident types and gender/occupational combinations with at least one occurrence appear in this table.

Table V. Number of Workdays Lost or With Restricted Activity in Each Accident Category by Gender and Occupation*

| | | Women | | | | | | | | | |
|--------------------------------------------------|-----------|------------------------------|--------------|------------------------------|--------------|------------------------------------|--------------|------------------------------|--------------|------------------------------|--------------|
| | | Occupational Group | | | | | | | | | |
| | | Professi- onal | | Administ- rative (NE) | | Clerical and Support Wage | | Technical | | Bargaini- ng Units | |
| | | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost |
| Type of Accident | E Codes | | | | | | | | | | |
| Accidental Poisoning - Nonmedicinal | E860-E869 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Falls | E880-E888 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 12 |
| Natural/Envi- ronmental Factors | E900-E909 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Accidents | E916-E928 | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 23 |
| Late Effects of Accident | E929 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| Adverse Effect - Medicinal/Bi- ological | E930-E949 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

*OSHA events with >1 E code in the same accident type were counted only once. Only those accident types and gender/occupational combinations with at least one occurrence appear in this table.

Table V. Number of Workdays Lost or With Restricted Activity in Each Accident Category by Gender and Occupation*

| | | Men | | | | | | | | | | | |
|---------------------------------------|-----------|---------------------------|--------------|---------------------------|--------------|---------------------------|--------------|---------------------------|--------------|---------------------------|--------------|---------------------------|--------------|
| | | Occupational Group | | | | | | | | | | | |
| | | Scientific | | Professional | | Tech Support/-Supv (E) | | Tech Support/-Supv (NE) | | Technical | | Bargaining Units | |
| | | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost | Days Res- tri- cted | Days Lost |
| Type of Accident | E Codes | | | | | | | | | | | | |
| Motor Vehicle Traffic | E810-E819 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 18 |
| Motor Vehicle Nontraffic | E820-E825 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| Other Road Vehicle | E826-E829 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 12 |
| Accidental Poisoning - Nonmedicinal | E860-E869 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Falls | E880-E888 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 14 |
| Submersion/Suffocation/Foreign Bodies | E910-E915 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| Other Accidents | E916-E928 | 0 | 9 | 0 | 0 | 0 | 0 | 0 | 15 | 33 | 1 | 77 | 103 |
| Late Effects of Accident | E929 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 8 |
| Adverse Effect - Medicinal/Biological | E930-E949 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |

*OSHA events with >1 E code in the same accident type were counted only once. Only those accident types and gender/occupational combinations with at least one occurrence appear in this table.

Table 41. Age-Adjusted Rates for All Diagnostic Categories Combined for Men by Occupation, 1994 to 1996
Rate per 1,000

| Year | Management, Administrative, Clerical | | | Scientific | | | Professional | | | Technical | | |
|------|--------------------------------------|-----|-------|------------|-----|-------|--------------|-----|-------|-----------|-----|-------|
| | Lower | Mid | Upper | Lower | Mid | Upper | Lower | Mid | Upper | Lower | Mid | Upper |
| 1994 | 2 | 7 | 21 | 1 | 4 | 12 | 4 | 8 | 18 | 46 | 64 | 88 |
| 1995 | 0 | 0 | 0 | 7 | 24 | 88 | 1 | 2 | 10 | 30 | 47 | 73 |
| 1996 | 0 | 0 | 0 | 3 | 7 | 17 | 4 | 8 | 18 | 19 | 27 | 40 |

| Year | Bargaining Units | | | Miscellaneous | | |
|------|------------------|-----|-------|---------------|-----|-------|
| | Lower | Mid | Upper | Lower | Mid | Upper |
| 1994 | 175 | 212 | 257 | 35 | 142 | 566 |
| 1995 | 124 | 162 | 212 | 5 | 38 | 268 |
| 1996 | 118 | 156 | 207 | 0 | 0 | 0 |

Table 42. Age-Adjusted Rates for All Diagnostic Categories Combined for Women by Occupation 1994 to 1996
Rate per 1,000

| Year | Management, Administrative, Clerical | | | Scientific | | | Professional | | | Technical | | |
|------|-----------------------------------------|-----|-------|------------|-----|-------|--------------|-----|-------|-----------|-----|-------|
| | Lower | Mid | Upper | Lower | Mid | Upper | Lower | Mid | Upper | Lower | Mid | Upper |
| 1994 | 6 | 14 | 33 | 13 | 40 | 124 | 7 | 30 | 130 | 15 | 48 | 155 |
| 1995 | 5 | 14 | 41 | 2 | 14 | 101 | 0 | 0 | 0 | 36 | 127 | 443 |
| 1996 | 19 | 34 | 61 | 0 | 0 | 0 | 14 | 36 | 92 | 2 | 18 | 126 |

| Year | Bargaining Units | | | Miscellaneous | | |
|------|------------------|-----|-------|---------------|-----|-------|
| | Lower | Mid | Upper | Lower | Mid | Upper |
| 1994 | 69 | 113 | 184 | 13 | 40 | 124 |
| 1995 | 8 | 26 | 84 | 0 | 0 | 0 |
| 1996 | 75 | 133 | 237 | 0 | 0 | 0 |

Table 43. Age-Adjusted Rates for Injury and Poisoning by Gender, 1994 to 1996
Rate per 1,000

| Year | Injury and Poisoning Males | | | Injury and Poisoning Females | | |
|------|-------------------------------|-----|-------|---------------------------------|-----|-------|
| | Lower | Mid | Upper | Lower | Mid | Upper |
| 1994 | 41 | 49 | 60 | 18 | 26 | 39 |
| 1995 | 30 | 39 | 50 | 6 | 11 | 21 |
| 1996 | 27 | 34 | 42 | 15 | 24 | 36 |

Table W. Relative Risk Estimates for Selected Diagnostic Categories Among OSHA Events

| Diagnostic Category | Management 113 Person-Years | | | | Scientific 665 Person-Years | | | | Professional 686 Person-Years | | | |
|-------------------------------------|-------------------------------------|------|-----------------------|-----------------------|-------------------------------------|------|-----------------------|-----------------------|-------------------------------------|------|-----------------------|-----------------------|
| | Persons with 1+ Event * | RR** | Lower 95% CI*** | Upper 95% CI*** | Persons with 1+ Event * | RR** | Lower 95% CI*** | Upper 95% CI*** | Persons with 1+ Event * | RR** | Lower 95% CI*** | Upper 95% CI*** |
| All Diagnostic Categories | 0 | | | | 5 | 0.2 | 0.1 | 0.5 | 9 | 0.4 | 0.2 | 0.7 |
| Musculoskeletal & Connective Tissue | 0 | | | | 1 | 0.2 | 0.03 | 1.8 | 0 | | | |
| Injury & Poisoning | 0 | | | | 3 | 0.1 | 0.05 | 0.5 | 8 | 0.4 | 0.2 | 0.8 |
| Sprains & Strains-Back | 0 | | | | 0 | | | | 2 | 0.2 | 0.06 | 1.0 |
| Sprains & Strains-Other | 0 | | | | 0 | | | | 0 | | | |
| Open Wound-Upper Limb | 0 | | | | 0 | | | | 3 | 0.9 | 0.3 | 2.9 |

* Persons with multiple absences during the time period were counted only once.

** RR = Relative Risk. Adjusted for age and gender; compared with all occupational categories.

*** CI = Confidence Limit

| Diagnostic Category | Administrative (E) 271 Person-Years | | | | Tech Support/Supv (E) 371 Person-Years | | | | Administrative (NE) 213 Person-Years | | | |
|-------------------------------------|----------------------------------------|------|-----------------------|-----------------------|-------------------------------------------|------|-----------------------|-----------------------|-----------------------------------------|------|-----------------------|-----------------------|
| | Persons with 1+ Event * | RR** | Lower 95% CI*** | Upper 95% CI*** | Persons with 1+ Event * | RR** | Lower 95% CI*** | Upper 95% CI*** | Persons with 1+ Event * | RR** | Lower 95% CI*** | Upper 95% CI*** |
| All Diagnostic Categories | 0 | | | | 7 | 0.6 | 0.3 | 1.3 | 4 | 0.7 | 0.3 | 2.2 |
| Musculoskeletal & Connective Tissue | 0 | | | | 1 | 0.5 | 0.06 | 4.1 | 2 | 4.8 | 0.5 | 43.0 |
| Injury & Poisoning | 0 | | | | 6 | 0.6 | 0.2 | 1.4 | 3 | 0.6 | 0.2 | 1.9 |
| Sprains & Strains-Back | 0 | | | | 2 | 0.5 | 0.1 | 2.4 | 0 | | | |
| Sprains & Strains-Other | 0 | | | | 0 | | | | 0 | | | |
| Open Wound-Upper Limb | 0 | | | | 2 | 0.9 | 0.2 | 4.6 | 1 | 1.3 | 0.1 | 13.0 |

* Persons with multiple absences during the time period were counted only once.

** RR = Relative Risk. Adjusted for age and gender; compared with all occupational categories.

*** CI = Confidence Limit

BNL 1996
OSHA DATA

Table W. Relative Risk Estimates for Selected Diagnostic Categories Among OSHA Events

| Diagnostic Category | Tech Support/Supv (NE) 330 Person-Years | | | | Clerical and Support Wage 91 Person-Years | | | | Technical 91 Person-Years | | | |
|-------------------------------------|--------------------------------------------|------|-----------------|-----------------|----------------------------------------------|------|-----------------|-----------------|------------------------------|------|-----------------|-----------------|
| | Persons with 1+ Event* | RR** | Lower 95% CI*** | Upper 95% CI*** | Persons with 1+ Event* | RR** | Lower 95% CI*** | Upper 95% CI*** | Persons with 1+ Event* | RR** | Lower 95% CI*** | Upper 95% CI*** |
| All Diagnostic Categories | 11 | 0.9 | 0.5 | 1.6 | 3 | 1.4 | 0.4 | 4.7 | 3 | 0.9 | 0.3 | 2.8 |
| Musculoskeletal & Connective Tissue | 0 | | | | 1 | 2.4 | 0.2 | 23.5 | 1 | 2.4 | 0.3 | 19.8 |
| Injury & Poisoning | 11 | 1.0 | 0.5 | 1.9 | 3 | 1.5 | 0.4 | 5.4 | 3 | 1.0 | 0.3 | 3.2 |
| Sprains & Strains-Back | 4 | 1.0 | 0.3 | 2.8 | 2 | 3.8 | 0.7 | 20.8 | 1 | 0.9 | 0.1 | 6.8 |
| Sprains & Strains-Other | 4 | 2.2 | 0.7 | 7.3 | 1 | 14.9 | 0.8 | 276.7 | 0 | | | |
| Open Wound-Upper Limb | 2 | 1.2 | 0.3 | 5.6 | 0 | | | | 0 | | | |

* Persons with multiple absences during the time period were counted only once.

** RR = Relative Risk. Adjusted for age and gender; compared with all occupational categories.

*** CI = Confidence Limit

| Diagnostic Category | Bargaining Units 592 Person-Years | | | | Miscellaneous 138 Person-Years | | | | Total Persons with 1+ Event |
|-------------------------------------|--------------------------------------|------|-----------------|-----------------|-----------------------------------|------|-----------------|-----------------|-----------------------------|
| | Persons with 1+ Event* | RR** | Lower 95% CI*** | Upper 95% CI*** | Persons with 1+ Event* | RR** | Lower 95% CI*** | Upper 95% CI*** | |
| All Diagnostic Categories | 68 | 7.6 | 5.1 | 11.2 | 0 | | | | 110 |
| Musculoskeletal & Connective Tissue | 12 | 11.3 | 3.8 | 33.6 | 0 | | | | 18 |
| Injury & Poisoning | 58 | 7.4 | 4.8 | 11.3 | 0 | | | | 95 |
| Sprains & Strains-Back | 23 | 9.3 | 4.5 | 19.1 | 0 | | | | 34 |
| Sprains & Strains-Other | 11 | 9.3 | 3.2 | 27.4 | 0 | | | | 16 |
| Open Wound-Upper Limb | 9 | 5.5 | 2.1 | 14.3 | 0 | | | | 17 |

* Persons with multiple absences during the time period were counted only once.

** RR = Relative Risk. Adjusted for age and gender; compared with all occupational categories.

*** CI = Confidence Limit