

BNL 1995

Appendix A. Work Force by Gender, Age, and Occupation

BNL 1995

Appendix B. Total Number of Workers Who Reported at Least One Health Event by Gender, Age, and Occupation*

*Only those occupational groups with at least one occurrence appear in this table.

BNL 1995

Appendix C. Total Number of Health Events by Gender, Age, and Occupation*

BNL 1995

Appendix D. Distribution of the Number of Calendar Days Absent/Health Event by Gender and Age

Women

	Age Group										Age Group										
	16 - 29					30 - 49					50 - 60					60 +					Total
	16 - 19	20 - 24	25 - 29	30 - 34	35 - 39	30 - 34	35 - 39	40 - 44	45 - 49	50 - 54	55 - 59	60 - 64	65 - 69	70 - 74	75 - 79	80 - 84	85 - 89	90 +	Total		
# of Calendar Days	5	16	14	6	0	41	8	43	50	29	9	139	180	15	18	22	22	13			
< 15																					
15 - 28																					
29 - 42																					
43 - 56																					
57 - 91																					
92 - 182																					
183 +																					
Total	8	26	19	11	2	66	12	66	71	69	17	235	301								
Sum	555	1555	1155	755	155	2255	455	2255	2255	1555	155	3015	3015								

BNL 1995

Appendix E. Distribution of the Number of Calendar Days Absent/Health Event by Gender and Occupation*

*Only those gender/occupational combinations with at least one health event appear in this table.

BNL 1995

Appendix F. Number of Health Conditions in Each Diagnostic Category by Gender and Age*

*Only those diagnostic categories with at least one occurrence appear in this table.

(CONTINUED)

BNL 1995

Appendix F. Number of Health Conditions in Each Diagnostic Category by Gender and Age*

	Women										Men												
	Age Group										Age Group												
	16 - , 30 - , 40 - , 50 - , Tot-					29 , 39 , 49 , 59 , 60 + , al					16 - , 30 - , 40 - , 50 - , Tot-					29 , 39 , 49 , 59 , 60 + , al , al							
	Diagn- , ICD-9- ,	ostic , CM	Categ- , Code	ory	†fffff-fffff%o	MALIG- , 140-	NANT , 208-	NEOPL- , 230-	ASMS , 234	-Dige- , 150-	stive , 159	&	Perit- ,	oneal ,	Geni- , 179-	touri- , 189	nary ,	-Other , 190-	& , 193-	Unspe- , 199	cifi ed,		
Sites ,	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	
BENIGN , 210-	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0
ENDOC- , 240-	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0
RINE/- , 279	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0
METAB- ,	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0
OLIC/- ,	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0
IMMUN- ,	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0
ITY ,	0, 0, 0, 0, 0	0, 0, 0, 0, 0	1, 0, 0, 0, 0	1, 0, 0, 0, 0	2, 0, 0, 0, 0	2, 0, 0, 0, 0	0, 0, 0, 0, 0	1, 0, 0, 0, 0	1, 0, 0, 0, 0	1, 0, 0, 0, 0	1, 0, 0, 0, 0	1, 0, 0, 0, 0	1, 0, 0, 0, 0	3, 0, 0, 0, 0	5, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0
-Other , 250-	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	
Endoc- , 259	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	
Rine ,	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	
Gland ,	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	
Dis ,	0, 0, 0, 0, 0	0, 0, 0, 0, 0	1, 0, 0, 0, 0	1, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	1, 0, 0, 0, 0	2, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0	0, 0, 0, 0, 0

*Only those diagnostic categories with at least one occurrence appear in this table.

(CONTINUED)

BNL 1995

Appendix F. Number of Health Conditions in Each Diagnostic Category by Gender and Age*

	Women						Men					
	Age Group						Age Group					
	16 - , 30 - , 40 - , 50 - , Tot- , 29 , 39 , 49 , 59 , 60 + , al						16 - , 30 - , 40 - , 50 - , Tot- , 29 , 39 , 49 , 59 , 60 + , al , al					
Diagn-, ICD-9-												
ostic , CM	,	,	,	,	,	,	,	,	,	,	,	,
Categ-, Code	,	,	,	,	,	,	,	,	,	,	,	,
ory	,	,	,	,	,	,	,	,	,	,	,	,
fffff-fffff%o	,	,	,	,	,	,	,	,	,	,	,	,
-Other, 270-	,	,	,	,	,	,	,	,	,	,	,	,
Metab-, 279	,	,	,	,	,	,	,	,	,	,	,	,
olic &	,	,	,	,	,	,	,	,	,	,	,	,
Immun-,	,	,	,	,	,	,	,	,	,	,	,	,
ity	,	,	,	,	,	,	,	,	,	,	,	,
Disor-,	,	,	,	,	,	,	,	,	,	,	,	,
ders	,	0,	0,	1,	0,	0,	1,	0,	0,	1,	1,	0,
												2,
												3,
fffff-fffff%o	,	,	,	,	,	,	,	,	,	,	,	,
BLOOD , 280-	,	,	,	,	,	,	,	,	,	,	,	,
& , 289	,	,	,	,	,	,	,	,	,	,	,	,
BLOOD-	,	,	,	,	,	,	,	,	,	,	,	,
FORMI-,	,	,	,	,	,	,	,	,	,	,	,	,
NG	,	,	,	,	,	,	,	,	,	,	,	,
ORGANS,	,	0,	0,	1,	0,	0,	1,	0,	0,	3,	0,	0,
											3,	4,
fffff-fffff%o	,	,	,	,	,	,	,	,	,	,	,	,
MENTAL, 290-	,	,	,	,	,	,	,	,	,	,	,	,
DISOR-, 319	,	,	,	,	,	,	,	,	,	,	,	,
DERS	,	1,	2,	0,	0,	0,	3,	0,	0,	0,	1,	0,
											1,	4
fffff-fffff%o	,	,	,	,	,	,	,	,	,	,	,	,
-Non- , 300-	,	,	,	,	,	,	,	,	,	,	,	,
Psych-, 302,	,	,	,	,	,	,	,	,	,	,	,	,
otic , 306-	,	,	,	,	,	,	,	,	,	,	,	,
Di sor-, 316	,	,	,	,	,	,	,	,	,	,	,	,
ders	,	1,	2,	0,	0,	0,	3,	0,	0,	0,	1,	0,
											1,	4,
fffff-fffff%o	,	,	,	,	,	,	,	,	,	,	,	,
NERVO-, 320-	,	,	,	,	,	,	,	,	,	,	,	,
US , 389	,	,	,	,	,	,	,	,	,	,	,	,
SYSTEM	,	,	,	,	,	,	,	,	,	,	,	,
(NS) &	,	,	,	,	,	,	,	,	,	,	,	,
SENSE	,	,	,	,	,	,	,	,	,	,	,	,
ORGANS,	,	0,	1,	1,	1,	4,	0,	2,	4,	3,	1,	10,
												14
fffff-fffff%o	,	,	,	,	,	,	,	,	,	,	,	,
-Here- , 330-	,	,	,	,	,	,	,	,	,	,	,	,
ditar- , 337	,	,	,	,	,	,	,	,	,	,	,	,
y/Deg-	,	,	,	,	,	,	,	,	,	,	,	,
enera-	,	,	,	,	,	,	,	,	,	,	,	,
tive	,	,	,	,	,	,	,	,	,	,	,	,
Centr-	,	,	,	,	,	,	,	,	,	,	,	,
al NS	,	,	,	,	,	,	,	,	,	,	,	,
Dis	,	0,	0,	0,	0,	0,	0,	0,	1,	0,	0,	1,
												1,

Only those diagnostic categories with at least one occurrence appear in this table.

(CONTINUED)

Appendix F. Number of Health Conditions in Each Diagnostic Category by Gender and Age*

	Women		Men		
	Age Group		Age Group		
	16 - , 30 - , 40 - , 50 - , Tot-		16 - , 30 - , 40 - , 50 - , Tot-		
	, 29 , 39 , 49 , 59 , 60 + , al		, 29 , 39 , 49 , 59 , 60 + , al		
	Diagn- , ICD-9- ,	ostic , CM ,	Categ- , Code ,	ory ,	
	†fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff%o			†fffff...fffff...fffff...fffff...fffff...fffff%o	
	-Diso- , 350- ,				
	rders , 359 ,				
	of ,				
	Perip- ,				
	heral ,				
	NS ,	0, 0, 0, 1, 0,	0, 0, 0, 1, 0,	3, 0, 0, 3, 4,	
	†fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff%o				
	-Diso- , 360- ,				
	rders , 379 ,				
	of Eye ,	0, 1, 1, 0, 0,	2, 0, 0, 2, 0,	1, 3, 5,	
	†fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff%o				
	-Dis , 380- ,				
	of Ear , 389 ,				
	& ,				
	Masto- ,				
	id ,	0, 0, 0, 0, 1,	1, 0, 2, 1, 0,	0, 0, 3, 4,	
	†fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff%o				
	CIRCU- , 390- ,				
	LATORY , 459 ,				
	SYSTEM ,	0, 0, 0, 2, 0,	2, 0, 1, 8, 14,	5, 28, 30	
	†fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff%o				
	-Hype- , 401- ,				
	rtens- , 405 ,				
	ive ,				
	Dis ,	0, 0, 0, 0, 0,	0, 0, 0, 1, 4,	0, 5, 5,	
	†fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff%o				
	-Isch- , 410- ,				
	emic , 414 ,				
	Heart ,				
	Dis ,	0, 0, 0, 1, 0,	1, 0, 0, 1, 5,	1, 7, 8,	
	†fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff%o				
	-Other , 420- ,				
	Heart , 429 ,				
	Dis ,	0, 0, 0, 1, 0,	1, 0, 0, 4, 1,	2, 7, 8,	
	†fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff%o				
	-Cere- , 430- ,				
	brova- , 438 ,				
	scular ,				
	Dis ,	0, 0, 0, 0, 0,	0, 0, 0, 2, 2,	4, 4,	

†Only those diagnostic categories with at least one occurrence appear in this table.

(CONTINUED)

BNL 1995

Appendix F. Number of Health Conditions in Each Diagnostic Category by Gender and Age*

	Women						Men														
	Age Group			Age Group			Age Group			Age Group											
	16 - , 30 - , 40 - , 50 - , Tot- , 16 - , 30 - , 40 - , 50 - , Tot- , Tot- , 29 , 39 , 49 , 59 , 60 + , al , 29 , 39 , 49 , 59 , 60 + , al , al																				
Diagn-, ICD-9-																					
ostic , CM	,	,	,	,	,	,	,	,	,	,	,	,									
Categ-, Code	,	,	,	,	,	,	,	,	,	,	,	,									
ory	,	,	,	,	,	,	,	,	,	,	,	,									
fffff-fffff%o	,	,	,	,	,	,	,	,	,	,	,	,									
-Dis , 451-	,	,	,	,	,	,	,	,	,	,	,	,									
of , 459	,	,	,	,	,	,	,	,	,	,	,	,									
Veins ,	,	,	,	,	,	,	,	,	,	,	,	,									
Lymph-,	,	,	,	,	,	,	,	,	,	,	,	,									
atic-,	,	,	,	,	,	,	,	,	,	,	,	,									
Other ,	,	0,	0,	0,	0,	0,	1,	2,	2,	0,	5,	5,									
fffff-fffff%o	,	,	,	,	,	,	,	,	,	,	,	,									
,RESPI- , 460-	,	,	,	,	,	,	,	,	,	,	,	,									
RATORY, 519	,	,	,	,	,	,	,	,	,	,	,	,									
,SYSTEM	,	2,	13,	4,	4,	0,	23,	10,	21,	31,	28,	8,									
Acute, 460-	,	,	,	,	,	,	,	,	,	,	,	,									
Respi- , 466	,	,	,	,	,	,	,	,	,	,	,	,									
ratory,	,	,	,	,	,	,	,	,	,	,	,	,									
Infec-,	,	,	,	,	,	,	,	,	,	,	,	,									
tions ,	,	1,	7,	0,	3,	0,	11,	6,	11,	13,	19,	5,									
fffff-fffff%o	,	,	,	,	,	,	,	,	,	,	,	,									
-Other, 470-	,	,	,	,	,	,	,	,	,	,	,	,									
Dis , 478	,	,	,	,	,	,	,	,	,	,	,	,									
Upper ,	,	,	,	,	,	,	,	,	,	,	,	,									
Respi-,	,	,	,	,	,	,	,	,	,	,	,	,									
ratory,	,	,	,	,	,	,	,	,	,	,	,	,									
Tract ,	,	0,	1,	0,	0,	0,	1,	0,	2,	7,	0,	1,									
fffff-fffff%o	,	,	,	,	,	,	,	,	,	,	,	,									
-Pneu- , 480-	,	,	,	,	,	,	,	,	,	,	,	,									
monia , 487	,	,	,	,	,	,	,	,	,	,	,	,									
&	,	,	,	,	,	,	,	,	,	,	,	,									
Influ-,	,	,	,	,	,	,	,	,	,	,	,	,									
enza ,	,	0,	2,	0,	1,	0,	3,	2,	1,	5,	7,	1,									
fffff-fffff%o	,	,	,	,	,	,	,	,	,	,	,	,									
-Chro- , 490-	,	,	,	,	,	,	,	,	,	,	,	,									
nict , 496	,	,	,	,	,	,	,	,	,	,	,	,									
Obstr-,	,	,	,	,	,	,	,	,	,	,	,	,									
uctive,	,	,	,	,	,	,	,	,	,	,	,	,									
Dis ,	,	1,	3,	4,	0,	0,	8,	2,	6,	6,	2,	1,									
fffff-fffff%o	,	,	,	,	,	,	,	,	,	,	,	,									
-Other, 510-	,	,	,	,	,	,	,	,	,	,	,	,									
Respi- , 519	,	,	,	,	,	,	,	,	,	,	,	,									
ratory,	,	,	,	,	,	,	,	,	,	,	,	,									
Dis ,	,	0,	0,	0,	0,	0,	1,	0,	0,	0,	1,	1,									
fffff-fffff%o	,	,	,	,	,	,	,	,	,	,	,	,									

*Only those diagnostic categories with at least one occurrence appear in this table.

(CONTINUED)

Appendix F. Number of Health Conditions in Each Diagnostic Category by Gender and Age*

	Women						Men						
	Age Group						Age Group						
	16 - , 30 - , 40 - , 50 - , Tot- , 29 , 39 , 49 , 59 , 60 + , al						16 - , 30 - , 40 - , 50 - , Tot- , 29 , 39 , 49 , 59 , 60 + , al , al						
Diagn-, ICD-9-													
ostic , CM	,	,	,	,	,	,	,	,	,	,	,	,	,
Categ-, Code	,	,	,	,	,	,	,	,	,	,	,	,	,
ory	,	,	,	,	,	,	,	,	,	,	,	,	,
fffff-fffff%o	,	,	,	,	,	,	,	,	,	,	,	,	,
DIGES-, 520-	,	,	,	,	,	,	,	,	,	,	,	,	,
TIVE , 579	,	,	,	,	,	,	,	,	,	,	,	,	,
SYSTEM	,	2,	2,	3,	0,	0,	7,	1,	1,	10,	12,	0,	24,
-Oral , 520-	,	,	,	,	,	,	,	,	,	,	,	,	,
Cavit-, 529	,	,	,	,	,	,	,	,	,	,	,	,	,
y,	,	,	,	,	,	,	,	,	,	,	,	,	,
Saliva,	,	,	,	,	,	,	,	,	,	,	,	,	,
Gland-,	,	,	,	,	,	,	,	,	,	,	,	,	,
s, Jaw,	,	2,	0,	0,	0,	0,	2,	0,	0,	3,	0,	0,	3,
fffff-fffff%o	,	,	,	,	,	,	,	,	,	,	,	,	,
-Esop-, 530-	,	,	,	,	,	,	,	,	,	,	,	,	,
hagus, , 537	,	,	,	,	,	,	,	,	,	,	,	,	,
Stoma-,	,	,	,	,	,	,	,	,	,	,	,	,	,
ch,	,	,	,	,	,	,	,	,	,	,	,	,	,
Duode-,	,	,	,	,	,	,	,	,	,	,	,	,	,
num ,	,	0,	0,	0,	0,	0,	1,	0,	1,	2,	0,	4,	4,
fffff-fffff%o	,	,	,	,	,	,	,	,	,	,	,	,	,
-Hern-, 550-	,	,	,	,	,	,	,	,	,	,	,	,	,
ia , 553	,	0,	0,	1,	0,	0,	1,	0,	0,	3,	5,	0,	8,
fffff-fffff%o	,	,	,	,	,	,	,	,	,	,	,	,	,
-Ente-, 555-	,	,	,	,	,	,	,	,	,	,	,	,	,
ritis, , 558	,	,	,	,	,	,	,	,	,	,	,	,	,
Colit-,	,	,	,	,	,	,	,	,	,	,	,	,	,
is ,	,	0,	0,	1,	0,	0,	1,	0,	0,	3,	2,	0,	5,
fffff-fffff%o	,	,	,	,	,	,	,	,	,	,	,	,	,
-Other, 560-	,	,	,	,	,	,	,	,	,	,	,	,	,
Intes-, 569	,	,	,	,	,	,	,	,	,	,	,	,	,
tinal ,	,	,	,	,	,	,	,	,	,	,	,	,	,
Dis ,	,	0,	0,	0,	0,	0,	0,	1,	0,	3,	0,	4,	4,
fffff-fffff%o	,	,	,	,	,	,	,	,	,	,	,	,	,
-Other, 570-	,	,	,	,	,	,	,	,	,	,	,	,	,
Diges-, 579	,	,	,	,	,	,	,	,	,	,	,	,	,
tive ,	,	,	,	,	,	,	,	,	,	,	,	,	,
Dis ,	,	0,	2,	1,	0,	0,	3,	0,	0,	0,	0,	0,	3,
fffff-fffff%o	,	,	,	,	,	,	,	,	,	,	,	,	,
GENIT-, 580-	,	,	,	,	,	,	,	,	,	,	,	,	,
OURIN-, 629	,	,	,	,	,	,	,	,	,	,	,	,	,
ARY ,	,	,	,	,	,	,	,	,	,	,	,	,	,
SYSTEM	,	0,	3,	2,	5,	0,	10,	0,	0,	1,	6,	1,	8,
fffff-fffff%o	,	,	,	,	,	,	,	,	,	,	,	,	,

*Only those diagnostic categories with at least one occurrence appear in this table.

(CONTINUED)

Appendix F. Number of Health Conditions in Each Diagnostic Category by Gender and Age*

	Women										Men									
	Age Group					Age Group					Age Group					Age Group				
	16 - , 30 - , 40 - , 50 - ,		Tot- , 16 - , 30 - , 40 - , 50 - ,			16 - , 30 - , 40 - , 50 - ,		Tot- , 16 - , 30 - , 40 - , 50 - ,			16 - , 30 - , 40 - , 50 - ,		Tot- , 16 - , 30 - , 40 - , 50 - ,			16 - , 30 - , 40 - , 50 - ,		Tot- , 16 - , 30 - , 40 - , 50 - ,		
	29	, 39	, 49	, 59	, 60 + , al	29	, 39	, 49	, 59	, 60 + , al	29	, 39	, 49	, 59	, 60 + , al	29	, 39	, 49	, 59	, 60 + , al
Diagn-, ICD-9-	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,
ostic , CM	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,
Categ-, Code	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,
ory	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,
fffff-fffff%o	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,
-Neph-, 580-	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,
ritis-, 589	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,
Nephri-	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,
osis	,	0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 4	, 0	, 4	, 4	, 4	,	,	,	,	,
fffff-fffff%o	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,
-Other, 590-	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,
Urinal- 599	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,
ry Dis,	,	0	, 1	, 0	, 0	, 1	, 0	, 0	, 1	, 0	, 0	, 1	, 2	,	,	,	,	,	,	,
fffff-fffff%o	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,
-Male , 600-	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,
Genit-, 608	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,
al	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,
Organ	,	0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 2	, 1	, 3	, 3	,	,	,	,	,	,
Dis	,	0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0
Brea-, 610-	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,
st , 611	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,
Disor-	,	0	, 0	, 0	, 3	, 0	, 3	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 3
ders	,	0	, 0	, 0	, 3	, 0	, 3	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 3
fffff-fffff%o	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,
-Pelv- , 614-	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,
ic , 616	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,
Infla-	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,
mmato-	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,
ry Dis	,	0	, 0	, 1	, 0	, 0	, 1	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 1
fffff-fffff%o	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,
-Other, 617-	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,
Female , 629	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,
Disor-	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,
ders	,	0	, 2	, 1	, 2	, 0	, 5	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 5
fffff-fffff%o	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,
PREGN- , 630-	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,
ANCY & , 677	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,
CHILD-	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,
BIRTH	,	1	, 4	, 1	, 0	, 0	, 6	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 6
fffff-fffff%o	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,
-Preg- , 634-	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,
nancy , 639	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,
with	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,
Abort-	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,
ive	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,
Outco-	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,
me	,	0	, 0	, 1	, 0	, 0	, 1	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 0	, 1

*Only those diagnostic categories with at least one occurrence appear in this table.

(CONTINUED)

BNL 1995

Appendix F. Number of Health Conditions in Each Diagnostic Category by Gender and Age*

	Women										Men									
	Age Group					Age Group					Age Group					Age Group				
	16 - 30 - 40 - 50 +					16 - 30 - 40 - 50 +					16 - 30 - 40 - 50 +					16 - 30 - 40 - 50 +				
	16	29	39	49	59	16	29	39	49	59	16	29	39	49	59	16	29	39	49	59
Diagn- ICD-9-																				
ostic CM																				
Categ- Code																				
ory																				
†fffff-fffff%o																				
-Preg- 640-																				
nancy 648																				
Comp-																				
licatio-																				
tions	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	
†fffff-fffff%o																				
-Norm- 650-																				
al 659																				
Deliv-																				
ery	1	2	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	3	
†fffff-fffff%o																				
-Deli- 670-																				
very 677																				
Comp-																				
licatio-																				
tions	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	
†fffff-fffff%o																				
SKIN & 680-																				
SUBCU- 709																				
TANEO-																				
US																				
TISSUE	0	0	0	0	0	1	3	1	1	0	6	6								
†fffff-fffff%o																				
-Infe- 680-																				
ctions 686	0	0	0	0	0	0	2	0	1	0	3	3								
†fffff-fffff%o																				
-Other 690-																				
Infla- 698																				
mmato-																				
ry																				
Condi-																				
tions	0	0	0	0	0	0	0	0	1	0	0	1								
†fffff-fffff%o																				
-Other 700-																				
709	0	0	0	0	0	1	1	0	0	0	2	2								
†fffff-fffff%o																				
MUSCU- 710-																				
LOSKE- 739																				
LETAL																				
&																				
CONNE-																				
CTIVE																				
TISSUE	0	5	4	2	2	13	0	18	10	19	2	49	62							
†fffff-fffff%o																				
-Arth- 710-																				
ropat- 719																				
hies	0	1	0	0	0	1	0	4	2	4	0	10	11							
†fffff-fffff%o																				
-Dors- 720-																				
opath- 724																				
ies	0	3	1	1	2	7	0	11	6	8	0	25	32							
§fffff-fffff%o																				

*Only those diagnostic categories with at least one occurrence appear in this table.

(CONTINUED)

Appendix F. Number of Health Conditions in Each Diagnostic Category by Gender and Age*

	Women						Men							
	Age Group						Age Group							
	16 - , 30 - , 40 - , 50 - , Tot- , 29 , 39 , 49 , 59 , 60 + , al						16 - , 30 - , 40 - , 50 - , Tot- , 29 , 39 , 49 , 59 , 60 + , al , al							
Diagn-, ICD-9-														
ostic , CM	,	,	,	,	,	,	,	,	,	,	,	,		
Categ-, Code	,	,	,	,	,	,	,	,	,	,	,	,		
ory	,	,	,	,	,	,	,	,	,	,	,	,		
†fffff-fffff-fffff%o	,	,	,	,	,	,	,	,	,	,	,	,		
-Rheu-, 725-	,	,	,	,	,	,	,	,	,	,	,	,		
mati-s-, 729	,	,	,	,	,	,	,	,	,	,	,	,		
m,	,	,	,	,	,	,	,	,	,	,	,	,		
Exclu-,	,	,	,	,	,	,	,	,	,	,	,	,		
ding	,	,	,	,	,	,	,	,	,	,	,	,		
Back	,	0,	0,	3,	1,	0,	4,	0,	2,	2,	7,	2,	13,	17,
†fffff-fffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff%o	,	,	,	,	,	,	,	,	,	,	,	,	,	
-Other, 730-	,	,	,	,	,	,	,	,	,	,	,	,	,	
Dis & , 739	,	,	,	,	,	,	,	,	,	,	,	,	,	
Acqui-,	,	,	,	,	,	,	,	,	,	,	,	,	,	
red	,	,	,	,	,	,	,	,	,	,	,	,	,	
Defor-,	,	,	,	,	,	,	,	,	,	,	,	,	,	
miti es,	,	0,	1,	0,	0,	0,	1,	0,	1,	0,	0,	0,	1,	2,
†fffff-fffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff%o	,	,	,	,	,	,	,	,	,	,	,	,	,	
SYMPT-, 780-	,	,	,	,	,	,	,	,	,	,	,	,	,	
OMS, , 799	,	,	,	,	,	,	,	,	,	,	,	,	,	
SIGNS, ,	,	,	,	,	,	,	,	,	,	,	,	,	,	
& ILL-,	,	,	,	,	,	,	,	,	,	,	,	,	,	
DEFIN-,	,	,	,	,	,	,	,	,	,	,	,	,	,	
ED	,	,	,	,	,	,	,	,	,	,	,	,	,	
COND.	,	2,	0,	0,	2,	0,	4,	2,	2,	4,	6,	1,	15,	19
†fffff-fffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff%o	,	,	,	,	,	,	,	,	,	,	,	,	,	
-Symp-, 780-	,	,	,	,	,	,	,	,	,	,	,	,	,	
toms , 789	,	2,	0,	0,	2,	0,	4,	2,	2,	4,	6,	1,	15,	19,
†fffff-fffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff%o	,	,	,	,	,	,	,	,	,	,	,	,	,	
INJURY, 800-	,	,	,	,	,	,	,	,	,	,	,	,	,	
AND , 999	,	,	,	,	,	,	,	,	,	,	,	,	,	
POISO-,	,	,	,	,	,	,	,	,	,	,	,	,	,	
NING ,	,	4,	3,	5,	2,	0,	14,	4,	30,	19,	8,	3,	64,	78
†fffff-fffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff%o	,	,	,	,	,	,	,	,	,	,	,	,	,	
-Frac-, 805-	,	,	,	,	,	,	,	,	,	,	,	,	,	
ture -, 809	,	,	,	,	,	,	,	,	,	,	,	,	,	
Neck ,	,	,	,	,	,	,	,	,	,	,	,	,	,	
Trunk ,	,	0,	0,	1,	0,	0,	1,	0,	0,	0,	0,	0,	0,	1,
†fffff-fffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff%o	,	,	,	,	,	,	,	,	,	,	,	,	,	
-Frac-, 810-	,	,	,	,	,	,	,	,	,	,	,	,	,	
ture -, 819	,	,	,	,	,	,	,	,	,	,	,	,	,	
Upper ,	,	,	,	,	,	,	,	,	,	,	,	,	,	
Lim b ,	,	0,	0,	0,	0,	0,	0,	0,	3,	2,	1,	0,	6,	6,
§fffff-fffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff-ffff%	,	,	,	,	,	,	,	,	,	,	,	,	,	

*Only those diagnostic categories with at least one occurrence appear in this table.

(CONTINUED)

BNL 1995

Appendix F. Number of Health Conditions in Each Diagnostic Category by Gender and Age*

	Women	Men	
	Age Group	Age Group	
	16 - , 30 - , 40 - , 50 - , Tot- , 29 , 39 , 49 , 59 , 60 + , al	16 - , 30 - , 40 - , 50 - , Tot- , 29 , 39 , 49 , 59 , 60 + , al	
	†fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff%o	†ffff...ffff...ffff...ffff...ffff...ffff...ffff...ffff...ffff%o	
Diagn-, ICD-9-	,	,	,
ostic , CM	,	,	,
Categ-, Code	,	,	,
ory	,	,	,
†fffff...fffff%o	,	,	,
-Frac-, 820-	,	,	,
ture -, 829	,	,	,
Lower	,	,	,
Lim b	,	0, 1, 0, 0, 1, 0, 1, 1, 1, 0, 3, 4,	
†fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff%o	,	,	
-Disl-, 830-	,	,	,
ocati-, 839	,	,	,
on	,	0, 0, 0, 0, 0, 0, 3, 2, 0, 0, 5, 5,	
†fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff%o	,	,	
-Spra-, 846-	,	,	,
ins & , 847	,	,	,
Strai-	,	,	,
ns -	,	,	,
Back	,	2, 1, 1, 0, 0, 4, 0, 4, 6, 0, 0, 10, 14,	
†fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff%o	,	,	
-Spra-, 840-	,	,	,
ins & , 845	,	,	,
Strai-, 848	,	,	,
ns -	,	,	,
Other	,	0, 0, 2, 0, 0, 2, 2, 11, 3, 2, 1, 19, 21,	
†fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff%o	,	,	
-Intr-, 850-	,	,	,
acran-, 854	,	,	,
ial	,	,	,
Injury,	,	1, 0, 0, 0, 1, 0, 0, 1, 0, 0, 1, 2,	
†fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff%o	,	,	
-Inte-, 860-	,	,	,
rnal , 869	,	,	,
Inj ury,	,	,	,
Thora-	,	,	,
x,	,	,	,
Abdom-	,	,	,
en,	,	,	,
Pelvis	,	0, 0, 0, 0, 0, 0, 1, 0, 0, 0, 1, 1,	
†fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff%o	,	,	
-Open , 880-	,	,	,
Wound , 887	,	,	,
Upper	,	,	,
Lim b	,	0, 0, 0, 0, 0, 0, 2, 0, 1, 0, 3, 3,	
§fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff...fffff%o			

*Only those diagnostic categories with at least one occurrence appear in this table.

(CONTINUED)

BNL 1995

Appendix F. Number of Health Conditions in Each Diagnostic Category by Gender and Age*

	Women	Men
	Age Group	Age Group
16 - , 30 - , 40 - , 50 - , 29 , 39 , 49 , 59 , 60 + , al	16 - , 30 - , 40 - , 50 - , 29 , 39 , 49 , 59 , 60 + , al	16 - , 30 - , 40 - , 50 - , 29 , 39 , 49 , 59 , 60 + , al
Diagn- , ICD-9- , ostic , CM , Categ- , Code , ory ,		
†fffff-fffff%o		
-Open , 890- , Wound , 897 , Lower , Limb ,	0, 0, 0, 0, 0, 0, 0, 0, 1, 0, 1, 1,	
†fffff-fffff%o		
-Supe- , 910- , rfi ci - , 919 , al ,		
Injury ,	0, 1, 0, 1, 0, 2, 0, 1, 0, 0, 0, 1, 3,	
†fffff-fffff%o		
-Cont- , 920- , usion , 924 ,	0, 0, 0, 1, 0, 1, 1, 2, 4, 1, 2, 10, 11,	
†fffff-fffff%o		
-Comp- , 958- , licat- , 959 , ions & , Unspe- , cifi ed ,		
Injur- , ies ,	1, 0, 0, 0, 1, 1, 2, 0, 0, 0, 3, 4,	
†fffff-fffff%o		
-Comp- , 996- , licat- , 999 , ions , of , Surgi- , cal /M- , edical , Care ,	0, 0, 1, 0, 0, 1, 0, 0, 1, 0, 1, 2,	
†fffff-fffff%o		
HEALTH , V01- , STATU- , V82 , S/HEA- , LTH , SERVI- , CE , CONTA- , CT ,	1, 4, 1, 0, 0, 6, 0, 1, 0, 0, 1, 2, 8	

†Only those diagnostic categories with at least one occurrence appear in this table.

(CONTINUED)

BNL 1995

Appendix F. Number of Health Conditions in Each Diagnostic Category by Gender and Age*

Women														Men													
Age Group														Age Group													
†														†													
, 16 -, 30 -, 40 -, 50 -, , Tot-, 16 -, 30 -, 40 -, 50 -, , Tot-, Tot-, , 29 , 39 , 49 , 59 , 60 +, al , 29 , 39 , 49 , 59 , 60 +, al , al ,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	
†fffff..fffff..fffff..fffff%o	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	
, -Heal-, V20-	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	
, th , V29	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	
, Servi-,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	
, ces ,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	
, Repro-,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	
, ducti-,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	
, on/De-,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	
, vel op-,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	
, ment , , 1, 4, 0, 0, 0, 5, 0, 0, 0, 0, 0, 0, 0, 0, 0, 5,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	
†fffff..fffff..fffff..fffff..fffff..fffff..fffff..fffff..fffff..fffff..fffff..fffff..fffff..fffff%o	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	
, -Spec-, V50-	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	
, ific , V59	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	
, Proce-,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	
, dures-,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	
, /Afte-,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	
, rcare , , 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 1, 1, 1,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	
†fffff..fffff..fffff..fffff..fffff..fffff..fffff..fffff..fffff..fffff..fffff..fffff..fffff..fffff..fffff%o	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	
, -Exam-, V70-	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	
, inati-, V82	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	
, on & ,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	
, Inves-,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	
, tigat-,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	
, ion , , 0, 0, 1, 0, 0, 1, 0, 1, 0, 0, 0, 0, 1, 2,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	
†fffff..fffff..fffff..fffff..fffff..fffff..fffff..fffff..fffff..fffff..fffff..fffff..fffff..fffff..fffff%o	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	
, Total , , 13, 40, 25, 19, 3, 100, 19, 82, 95, 105, 24, 325, 425,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	,	

*Only those diagnostic categories with at least one occurrence appear in this table.

BNL 1995

Appendix G. Total Number of Calendar Days Absent in Each Diagnostic Category by Gender and Age*

Women		Men	
Age Group		Age Group	
16 - , 30 - , 40 - , 50 - , 29 , 39 , 49 , 59 , 60 + , al	16 - , 30 - , 40 - , 50 - , 29 , 39 , 49 , 59 , 60 + , al	Tot- , 16 - , 30 - , 40 - , 50 - , Tot- , 16 - , 30 - , 40 - , 50 - , Tot- , Tot- , 29 , 39 , 49 , 59 , 60 + , al , al	Tot- , 16 - , 30 - , 40 - , 50 - , Tot- , 16 - , 30 - , 40 - , 50 - , Tot- , Tot- , 29 , 39 , 49 , 59 , 60 + , al , al
Diagnos- tic Category	Diagnos- tic Category	Diagnos- tic Category	Diagnos- tic Category
Unspeci- fied	Symptoms	12, 0, 0, 61, 0, 73, 21, 16, 36, 128, 18, 219, 292,	Injury and Poisoni- ng
ng	77, 64, 100, 6, 0, 247, 43, 948, 867, 181, 129, 2168, 2415, \$fffff	fffff	fffff

*Absences with >1 ICD-9-CM code in the same diagnostic category were counted only once.
Only those diagnostic categories with at least one occurrence appear in this table.

BNL 1995

Appendix H. Number of Health Conditions in Each Diagnostic Category by Gender and Occupation*

Women												
Occupational Group												
†												
Diagnostic ICD-9-CM Code												
Category												
INFECTIOUS & 001-139												
PARASITIC												
DISEASES												
(DIS)			0	0	0	0	0	0	1	0	2	3
-Intestinal 001-009			0	0	0	0	0	0	0	1	1	
Infectious			0	0	0	0	0	0	0	1	1	
Dis			0	0	0	0	0	0	0	1	1	
-Other 030-041			0	0	0	0	0	0	1	0	0	1
Bacterial Dis,			0	0	0	0	0	0	1	0	0	1
-Other 130-136			0	0	0	0	0	0	0	1	1	
Infections &			0	0	0	0	0	0	0	1	1	
Parasitic Dis,			0	0	0	0	0	0	0	1	1	
BENIGN & 210-229, 235-			0	0	0	0	0	0	0	0	0	0
UNCERTAIN 239			0	0	0	0	0	0	0	0	0	0
NEOPLASMS			0	0	0	0	1	0	1	0	0	2
-ENDOCRINE/METABOLIC/IMMUNITY 240-279			0	0	0	0	0	0	0	0	0	0
TABOLIC/IMMU-			0	0	0	0	0	0	0	0	1	1
NITY			0	0	0	0	0	1	0	0	1	2
-Other 250-259			0	0	0	0	0	0	0	0	1	
Endocrine			0	0	0	0	0	0	0	0	0	
Gland Dis			0	0	0	0	0	1	0	0	0	1
-Other 270-279			0	0	0	0	0	0	0	0	0	
Metabolic &			0	0	0	0	0	0	0	0	0	
Immunity			0	0	0	0	0	0	0	0	0	
Disorders			0	0	0	0	0	0	0	0	1	1
-MENTAL 290-319			0	0	0	0	1	0	0	0	0	1
DISORDERS			1	0	0	0	0	0	1	0	1	3
§	ffff											

*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)

Appendix H. Number of Health Conditions in Each Diagnostic Category by Gender and Occupation*

Women												
Occupational Group												
†												
Diagnostic ICD-9-CM Code												
Category												
Non-Psychotic Disorders	300-302	306-316	316	320-389	350-359	360-379	380-389	390-459	410-414	420-429	460-519	470-478
Nervous System & Senses												
Peripheral Nervous System	0	0	2	0	1	0	1	0	1	0	1	2
Mastoid	0	0	1	0	0	0	0	0	0	0	1	1
Circulatory System	0	0	0	0	0	1	0	0	1	0	1	2
Respiratory Tract	0	0	0	0	0	0	0	0	0	1	1	1
Infectious Diseases	0	1	0	0	3	0	0	0	7	11	11	11
Upper Respiratory Tract	0	0	0	0	0	0	0	0	0	2	3	3
Pneumonia & Influenza	0	0	0	1	0	0	0	0	0	2	3	3

*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)

BNL 1995

Appendix H. Number of Health Conditions in Each Diagnostic Category by Gender and Occupation*

(CONTINUED)

BNL 1995

Appendix H. Number of Health Conditions in Each Diagnostic Category by Gender and Occupation*

Women											
Occupational Group											
Clerical, Adm. Tech., Admin. Cler., Adm. Tech., Admin. Tech.											
Mgmt., Supp., Mgmt., Supp., Mgmt., Supp., Mgmt., Supp., Mgmt., Supp., Mgmt., Supp., Mgmt., Supp.											
Scientific, Professional, Scientific, Professional, Scientific, Professional, Scientific, Professional, Scientific, Professional, Scientific, Professional											
Technical, Fess., Technical, Fess., Technical, Fess., Technical, Fess., Technical, Fess., Technical, Fess., Technical, Fess.											
Supervisory, Supervisory											
Wage, nical, Units, Total, Wage, nical, Units, Total											
Diagnostic, ICD-9-CM Code, Diagnostic, ICD-9-CM Code											
Category, Category											
Pregnancy, 640-648, Pregnancy, 640-648											
Complications, 649-659, Complications, 649-659											
Normal, 650-659, Normal, 650-659											
Delivery, 660-677, Delivery, 660-677											
Complications, 678-699, Complications, 678-699											
MUSCULOSKELE., 710-739, MUSCULOSKELE., 710-739											
TAL & CONNECTIVE, TAL & CONNECTIVE											
TISSUE, 740-759, TISSUE, 740-759											
Arthropathi., 710-719, Arthropathi., 710-719											
es, 720-724, es, 720-724											
Dorsopathies, 720-724, Dorsopathies, 720-724											
Rheumatism, 725-729, Rheumatism, 725-729											
Excluding, Excluding											
Back, 730-739, Back, 730-739											
Acquired, Acquired											
Deformities, 740-759, Deformities, 740-759											
SYMPTOMS, 760-799, SYMPTOMS, 760-799											
SIGNS, & ILL-, SIGNS, & ILL-											
DEFINED COND., 800-999, DEFINED COND., 800-999											
INJURY AND POISONING, 800-999, INJURY AND POISONING, 800-999											
Fracture -, 805-809, Fracture -, 805-809											
Neck, Trunk, 810-819, Neck, Trunk, 810-819											
Lower Limb, 820-829, Lower Limb, 820-829											
Fracture - Lower Limb, 820-829, Fracture - Lower Limb, 820-829											

*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)

BNL 1995

Appendix H. Number of Health Conditions in Each Diagnostic Category by Gender and Occupation*

only those drug/dose categories and gender/occupational combinations when at least one occurrence appear in this table.

(CONTINUED)

BNL 1995

Appendix H. Number of Health Conditions in Each Diagnostic Category by Gender and Occupation*

Men											
Occupational Group											
†											
Diagnostic ICD-9-CM Code											
Category											
INFECTIOUS & 001-139											
PARASITIC											
DISEASES											
(DIS)	0	0	0	1	0	3	0	3	7		
-Viral Dis	050-057										
with Exanthem	0	0	0	0	0	2	0	1	3		
-Other Viral	070-079										
Dis &											
Chlamydiae	0	0	0	1	0	1	0	2	4		
MALIGNANT	140-208	230-									
NEOPLASMS	234	0	1	0	1	0	1	0	3		
-Digestive &	150-159										
Peritoneal	0	0	0	1	0	0	0	0	1		
-Genitourina-	179-189										
ry	0	1	0	0	0	0	0	0	1		
-Other &	190	193-199									
Unspecified											
Sites	0	0	0	0	0	1	0	0	1		
BENIGN &	210-229	235-									
UNCERTAIN	239										
NEOPLASMS	1	1	0	0	0	0	0	2	4		
ENDOCRINE/ME-	240-279										
TABOLIC/IMMU-											
NITY	0	0	0	2	0	0	0	1	3		
-Other	250-259										
Endocrine											
Gland Dis	0	0	0	1	0	0	0	0	1		
-Other	270-279										
Metabolic &											
Immunity											
Disorders	0	0	0	1	0	0	0	1	2		

*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)

Appendix H. Number of Health Conditions in Each Diagnostic Category by Gender and Occupation*

Men											
Occupational Group											
†											
Diagnostic ICD-9-CM Code											
Category											
BLOOD & BLOOD, 280-289											
FORMING											
ORGANS											
MENTAL, 290-319											
DISORDERS											
-Non-, 300-302, 306-											
Psychotic, 316											
Disorders											
NERVOUS, 320-389											
SYSTEM (NS) &											
SENSE ORGANS											
-Heredity/-, 330-337											
Degenerative											
Central NS											
Dis											
, 0, 0, 0, 1, 0, 0, 0, 0, 0, 0, 1,											
-Disorders of, 350-359											
Peripheral NS											
, 0, 0, 0, 2, 0, 0, 0, 0, 1, 3,											
-Disorders of, 360-379											
Eye											
, 0, 0, 0, 1, 0, 0, 0, 0, 2, 3,											
-Dis of Ear &, 380-389											
Mastoid											
, 0, 0, 0, 0, 0, 0, 0, 1, 2, 3,											
CIRCULATORY, 390-459											
SYSTEM											
, 2, 1, 0, 6, 0, 3, 0, 16, 28											
-Hypertensive, 401-405											
Dis											
, 0, 0, 0, 1, 0, 1, 0, 3, 5,											
-Ischemic											
, 410-414											
Heart Dis											
, 0, 1, 0, 3, 0, 0, 0, 3, 7,											
-Other Heart											
, 420-429											
Dis											
, 0, 0, 0, 2, 0, 2, 0, 3, 7,											
S											

*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)

BNL 1995

Appendix H. Number of Health Conditions in Each Diagnostic Category by Gender and Occupation*

Men										
Occupational Group										
Diagnostic ICD-9-CM Code										
Category										
-Cerebrovasc., 430-438										
,ular Dis										
,-Dis of , 451-459										
,Veins,										
,Lymphatics,										
,Other										
,RESPIRATORY , 460-519										
,SYSTEM										
,-Acute , 460-466										
,Respiratory										
,Infections										
,-Other Dis , 470-478										
,Upper										
,Respiratory										
,Tract										
,-Pneumonia & , 480-487										
,Influenza										
,-Chronic , 490-496										
,Obstructive										
,Dis										
,-Other , 510-519										
,Respiratory										
,Dis										
,DIGESTIVE , 520-579										
,SYSTEM										
,-Oral Cavity, , 520-529										
,Saliva										
,Glands, Jaw										
,-Esophagus, , 530-537										
,Stomach,										
,Duodenum										
Sfffff										

*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)

Appendix H. Number of Health Conditions in Each Diagnostic Category by Gender and Occupation*

Men									
Occupational Group									
Diagnostic ICD-9-CM Code									
Category									
Hernia	550-553	1, 0,	1, 1,	0,	1, 0,	4,	8,		
Enteritis	555-558	0, 0,	0, 0,	0,	1, 0,	4,	5,		
Colitis									
Other	560-569	0, 0,	2, 2,	0,	0, 0,	0,	4,		
Intestinal									
Dis									
GENITOURINARY	580-629								
SYSTEM		1, 1,	0, 0,	0,	0, 0,	6,	8		
Nephritis	580-589								
Nephrosis		0, 0,	0, 0,	0,	0, 0,	4,	4,		
Other	590-599								
Urinary Dis		0, 0,	0, 0,	0,	0, 0,	1,	1,		
Male Genital	600-608								
Organ Dis		1, 1,	0, 0,	0,	0, 0,	1,	3,		
SKIN &	680-709								
SUBCUTANEOUS									
TISSUE		0, 1,	0, 1,	0,	0, 0,	4,	6		
Infections	680-686								
Other	690-698								
Inflammatory									
Conditions		0, 0,	0, 0,	0,	0, 0,	1,	1,		
Other	700-709	0, 1,	0, 0,	0,	0, 0,	1,	2,		
MUSCULOSKELE-	710-739								
TAL &									
CONNECTIVE									
TISSUE		0, 0,	1, 4,	0,	9, 3,	32,	49		
Arthropathi-	710-719								
es		0, 0,	0, 3,	0,	2, 0,	5,	10,		
Dorsopathies	720-724	0, 0,	1, 1,	0,	6, 1,	16,	25,		
<i>*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.</i>									

(CONTINUED)

Appendix H. Number of Health Conditions in Each Diagnostic Category by Gender and Occupation*

Men												
Occupational Group												
Administrative, Tech., Admin., Tech., Adm., Tech., Admin., Tech., Admin., Tech., Admin., Tech., Admin., Tech.	0	0	0	0	0	0	0	0	0	0	0	0
Managerial, Supp., Managerial, Supp., Managerial, Supp., Managerial, Supp., Managerial, Supp., Managerial, Supp., Managerial, Supp.	0	0	0	0	0	0	0	0	0	0	0	0
Scientific, Pro., Rati., Scie., Pro., Rati., Scie., Pro., Rati., Scie., Pro., Rati., Scie., Pro., Rati.	0	0	0	0	0	0	0	0	0	0	0	0
Technical, Fess., Technical, Fess., Technical, Fess., Technical, Fess., Technical, Fess., Technical, Fess., Technical, Fess.	0	0	0	0	0	0	0	0	0	0	0	0
Health, Supv., Health, Supv., Health, Supv., Health, Supv., Health, Supv., Health, Supv., Health, Supv.	0	0	0	0	0	0	0	0	0	0	0	0
Total, Units, Total, Units, Total, Units, Total, Units, Total, Units, Total, Units, Total, Units	11	11	11	11	11	11	11	11	11	11	11	11
Diagnostic ICD-9-CM Code, Category	0	0	0	0	0	0	0	0	0	0	0	0
Rheumatism, 725-729	0	0	0	0	0	0	0	0	0	0	0	0
Excluding	0	0	0	0	0	0	0	0	0	0	0	0
Back	0	0	0	0	0	0	1	1	1	11	11	13
Other Dis & , 730-739	0	0	0	0	0	0	0	0	0	0	0	0
Acquired	0	0	0	0	0	0	0	0	0	0	0	0
Deformities	0	0	0	0	0	0	0	1	0	0	0	1
SYMPOTMS, 780-799	0	0	0	0	0	0	0	0	0	0	0	0
SIGNS, & ILL-, DEFINED COND.,	0	1	0	2	0	5	2	5	15	15	15	15
Symptoms, 780-789	0	1	0	2	0	5	2	5	15	15	15	15
INJURY AND , 800-999	0	0	0	0	0	0	0	0	0	0	0	0
Poisoning	1	3	1	3	2	12	6	36	64	64	64	64
Fracture - , 810-819	0	0	0	0	0	0	0	0	0	0	0	0
Upper Limb	1	0	0	0	0	1	0	4	6	6	6	6
Fracture - , 820-829	0	0	0	0	0	0	0	0	0	0	0	0
Lower Limb	0	0	1	0	0	0	0	0	2	3	3	3
Dislocation , 830-839	0	1	0	1	0	2	0	1	5	5	5	5
Sprains & , 846-847	0	0	0	0	0	0	0	0	0	0	0	0
Strains -	0	0	0	0	0	0	0	0	0	0	0	0
Back	0	0	0	1	0	4	0	5	10	10	10	10
Sprains & , 840-845, 848	0	0	0	0	0	0	0	0	0	0	0	0
Strains -	0	0	0	0	0	0	0	0	0	0	0	0
Other	0	0	0	0	0	0	3	1	15	19	19	19
Intracranial, 850-854	0	0	0	0	0	0	0	0	0	0	0	0
Injury	0	1	0	0	0	0	0	0	0	1	1	1
Internal , 860-869	0	0	0	0	0	0	0	0	0	0	0	0
Injury -	0	0	0	0	0	0	0	0	0	0	0	0
Thorax,	0	0	0	0	0	0	0	0	0	0	0	0
Abdomen,	0	0	0	0	0	0	0	0	0	0	0	0
Pelvis	0	1	0	0	0	0	0	0	0	1	1	1

*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)

BNL 1995

Appendix H. Number of Health Conditions in Each Diagnostic Category by Gender and Occupation*

	Men											
	Occupational Group											
Diagnostic ICD-9-CM Code												
Category												
- Open Wound - 880-887												
Upper Limb			0,	0,	0,	0,	0,	1,	1,	1,	3,	
- Open Wound - 890-897												
Lower Limb			0,	0,	0,	0,	0,	1,	0,	0,	1,	
- Superficial 910-919												
Injury			0,	0,	0,	0,	0,	0,	0,	1,	1,	
- Contusion 920-924			0,	0,	0,	0,	2,	0,	2,	6,	10,	
- Complicatio- 958-959												
ns &												
Unspecified												
Injuries			0,	0,	0,	0,	0,	0,	2,	1,	3,	
- Complicatio- 996-999												
ns of												
Surgical /Med-												
ical Care			0,	0,	0,	1,	0,	0,	0,	0,	1,	
HEALTH V01-V82												
STATUS/HEALTH												
SERVICE												
CONTACT			0,	0,	0,	1,	0,	0,	0,	1,	2	
- Specific V50-V59												
Procedures/A-												
Aftercare			0,	0,	0,	1,	0,	0,	0,	0,	1,	
- Examination V70-V82												
&												
Investigation			0,	0,	0,	0,	0,	0,	0,	1,	1,	
Total			6,	11,	6,	44,	2,	56,	22,	178,	325,	
Σ												

*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

BNL 1995

Appendix I. Total Number of Calendar Days Absent in Each Diagnostic Category by Gender and Occupation*

Women									
Occupational Group									
Cler-, Admi -, Tech , Admi -, Tech , ical , ni st-, Supp-, ni st-, Supp-, and , Barg-, Scie-, Pro-, rati-, ort/-, rati-, ort/-, Supp-, ntif-, fess-, ve , Supv , ve , Supv , ort , Tech-, ng , ic , ional , (E) , (E) , (NE) , (NE) , Wage , nical , Units , Total , Diagnostic Category									
#	0	0	0	0	0	5	0	16	21
Infections/Parasites	0	0	0	0	0	0	0	0	0
Benign Growths	0	0	0	0	51	0	43	0	94
Endocrine/Metabolic	0	0	0	0	42	0	0	7	49
Blood	0	0	0	0	54	0	0	0	54
Mental	44	0	0	0	0	6	0	5	55
Nervous System	0	0	32	0	7	0	98	0	137
Heart/Circulatory	0	0	0	0	42	0	0	6	48
Lung/Respiratory	0	12	18	0	7	0	13	0	48
Digestive	0	0	0	0	11	77	14	63	165
Genitourinary	0	0	0	0	61	0	5	0	74
Pregnancy/Childbirth	106	0	0	7	0	0	214	0	91
Muscles and Skeleton	0	0	53	0	11	50	0	0	276
Unspecified Symptoms	0	0	39	0	0	22	0	12	73
Injury and Poisoning	0	0	11	0	103	42	0	0	247
Absences with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.	#								

(CONTINUED)

BNL 1995

Appendix I. Total Number of Calendar Days Absent in Each Diagnostic Category by Gender and Occupation*

		Men								
		Occupational Group								
		†								
Diagnostic Category										
Infectious/Parasites		0	0	51	0	25	0	33	109	
Cancers		0	15	0	134	0	16	0	165	
Benign Growths		35	26	0	0	0	0	32	93	
Endocrine/Metabolic		0	0	82	0	0	0	14	96	
Blood		0	0	51	0	0	0	0	51	
Mental		0	0	0	6	0	0	0	6	
Nervous System		0	0	0	74	0	0	8	138	
Heart/Circulatory		26	42	0	139	0	39	0	477	723
Lung/Respiratory		0	42	0	49	0	55	52	347	545
Digestive		15	0	60	63	0	83	0	275	496
Genitourinary		15	14	0	0	0	0	0	123	152
Skin		0	26	0	24	0	0	0	60	110
Muscles and Skeleton		0	0	7	65	0	191	27	1461	1751
Unspecified Symptoms		0	18	0	20	0	85	15	81	219
Injury and Poisoning		15	85	36	167	104	198	53	1510	2168

*Absences with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

BNL 1995

Appendix J. Relative Risk Estimates for Selected Diagnostic Categories Among Five-Day Absences

Diseases	Management 116 Person-Years				Scientific 670 Person-Years				7%	
	Persons with 1+ Event*	RR**	Lower 95% CI ***	Upper 95% CI ***	Persons with 1+ Event*	RR**	Lower 95% CI ***	Upper 95% CI ***	Persons with 1+ Event*	RR*
All Diseases and Injuries	0				6	0.1	0.05	0.2	10	
Nervous System	0				0				0	
Heart/Circulatory	0				2	0.3	0.1	1.3	1	
Lung/Respiratory	0				0				3	
Digestive	0				1	0.2	0.02	1.3	0	
Genitourinary	0				1	0.5	0.06	3.9	1	
Muscles and Skeleton	0				0				0	
Injury and Poisoning	0				1	0.07	0.01	0.5	3	
Back Sprains and Strains	0				0				0	
Other Sprains and Strains	0				0				0	

Diseases	Administrative (E) 277 Person-Years				Tech Support/Supv (E) 388 Person-Years				Adm 21	
	Persons with 1+ Event*	RR**	Lower 95% CI ***	Upper 95% CI ***	Persons with 1+ Event*	RR**	Lower 95% CI ***	Upper 95% CI ***	Persons with 1+ Event*	RR*
All Diseases and Injuries	10	0.5	0.3	1.0	23	0.8	0.5	1.3	10	
Nervous System	2	1.8	0.4	9.6	4	4.4	1.1	18.0	1	
Heart/Circulatory	0				5	1.3	0.5	3.5	0	
Lung/Respiratory	1	0.2	0.03	1.7	5	0.6	0.3	1.5	1	
Digestive	3	1.6	0.5	4.9	3	0.8	0.2	2.6	0	
Genitourinary	0				0				2	
Muscles and Skeleton	3	0.8	0.2	2.9	3	0.5	0.1	1.6	1	
Injury and Poisoning	2	0.5	0.1	2.1	3	0.4	0.1	1.3	5	
Back Sprains and Strains	0				1	0.7	0.1	5.2	1	
Other Sprains and Strains	0				0				1	

* Persons with multiple absences during the time period were counted only once.

** RR = Relative Risk. Adjusted for age and gender; compared with all occupational categories.

*** CI = Confidence Limit.

(CONTINUED)

BNL 1995

Appendix J. Relative Risk Estimates for Selected Diagnostic Categories Among Five-Day Absences

Diseases	Tech Support/Subv (NE) 333 Person-Years				Clerical and Support Wage 112 Person-Years				11	
	Persons with 1+ Event*	RR**	Lower 95% CI ***	Upper 95% CI ***	Persons with 1+ Event*	RR**	Lower 95% CI ***	Upper 95% CI ***	Persons with 1+ Event*	RR*
All Diseases and Injuries	33	1.5	1.1	2.2	11	1.9	1.0	3.6	17	
Nervous System	0				1	4.0	0.5	33.4	1	
Heart/Circulatory	3	1.8	0.6	5.7	0				0	
Lung/Respiratory	7	1.0	0.5	2.1	2	1.5	0.3	6.8	7	
Digestive	5	2.7	1.0	7.0	3	4.8	1.1	21.3	1	
Genitourinary	0				1	2.1	0.2	19.3	0	
Muscles and Skeleton	5	1.1	0.4	2.7	0				3	
Injury and Poisoning	12	1.7	0.9	3.3	0				5	
Back Sprains and Strains	4	3.9	1.1	13.8	0				0	
Other Sprains and Strains	3	1.3	0.4	4.4	0				1	

Diseases	Bargaining Units 623 Person-Years				Miscellaneous 140 Person-Years				Total Persons with 1+ Event
	Persons with 1+ Event*	RR**	Lower 95% CI ***	Upper 95% CI ***	Persons with 1+ Event*	RR**	Lower 95% CI ***	Upper 95% CI ***	
All Diseases and Injuries	125	5.2	4.0	6.8	0				24
Nervous System	4	2.4	0.7	8.2	0				13
Heart/Circulatory	13	6.0	2.6	13.9	0				24
Lung/Respiratory	41	7.9	4.8	13.0	0				67
Digestive	12	3.7	1.7	7.9	0				28
Genitourinary	6	8.1	2.3	28.2	0				11
Muscles and Skeleton	33	10.3	5.6	18.9	0				48
Injury and Poisoning	34	5.1	3.1	8.4	0				65
Back Sprains and Strains	8	5.9	2.2	15.9	0				14
Other Sprains and Strains	14	14.7	4.8	45.5	0				19

* Persons with multiple absences during the time period were counted only once.

** RR = Relative Risk. Adjusted for age and gender; compared with all occupational categories.

*** CI = Confidence Limit.

Appendix K: Occupational Sentinel Health Events (SHE0)

The following two tables list the disease conditions that have been identified as definitely SHE0s or as possibly SHE0s, respectively (Rutstein, D.D., et al., "Sentinel Health Events [Occupational]: A Basis for Physician Recognition and Public Health Surveillance," *American Journal of Public Health*, 1983, 73[9]:1054-1062). To make these categories more meaningful to the DOE workplace environment, we evaluated these two SHE0 categories, taking into account workplace exposures in the DOE complex, and defined two additional groups of health conditions called *production* and *nonproduction*. We designated these conditions in the last column of each table, labeled *DOE Complex Exposure Potential*. Each group is defined as follows:

Production: Disease conditions that can result from exposures that may occur during production or cleanup activities within the DOE complex. Twenty-two conditions are included in this group.

Nonproduction: Disease conditions that can be related to occupations within the DOE complex but not exposures related to production or cleanup activities. This group includes 11 conditions.

Conditions for which neither designation has been assigned may occur in the work force but are less likely to be related to exposures in the DOE complex than those conditions with a designation of *production* or *nonproduction*.

Health Conditions - Definitely SHE0s		
ICD-9	Condition	DOE Complex Exposure Potential
155	Hemangi osarcoma of the liver	
158, 163	Mesothelioma (MN of peritoneum and pleura)	Production
187.7	Malignant neoplasm of scrotum	Production
354M	Carpal tunnel syndrome	Nonproduction
354.0	Mononeuritis of upper limb and mononeuritis multiplex	
495.4	Malworker's lung	
495.5	Mushroom worker's lung	
495.8	Grain handler's lung, Sequoiosis	
495.9	Unspecified allergic alveolitis	
500	Coal worker's pneumoconiosis	
501	Asbestosis	Production
502	Silicosis, Talcosis	Production
503	Chronic beryllium disease of the lung	
504	Byssinosis	
506.0	Acute bronchitis, pneumonitis, and pulmonary edema due to fumes and vapors	Nonproduction

(CONTINUED)

BNL 1995

Appendix K: Occupational Sentinel Health Events (SHEO)

Health Conditions - Possibly SHEOs		
ICD-9	Condition	DOE Complex Exposure Potential
011	Pulmonary tuberculosis	
011, 502	Silicotuberculosis	Production
020	Plague	
021	Tularemia	
022	Anthrax	
023	Brucellosis	
031. 1	Fish-fancier's finger	
054. 6	Herpetic whitlow	
037	Tetanus	Nonproduction
042	Human immunodeficiency virus	
056	Rubella	
070. 0, 070. 1	Hepatitis A	
070. 2, 070. 3	Hepatitis B	
070. 4	Non-A, non-B hepatitis	
071	Rabies	Nonproduction
073	Ornithosis	
082. 0	Rocky Mountain spotted fever	
100. 8	Leptospirosis	
115	Histoplasmosis	Nonproduction
117. 1	Sporotrichosis	
147	Malignant neoplasm of nasopharynx	Nonproduction
160. 0	Malignant neoplasm of nasal cavities	Nonproduction
161	Malignant neoplasm of larynx	Production
162	Malignant neoplasm of trachea, bronchus, and lung	Production
170	Malignant neoplasm of bone	Production

(CONTINUED)

BNL 1995

Appendix K: Occupational Sentinel Health Events (SHEO)

Health Conditions - Possibly SHEOs (continued)		
ICD-9	Condition	DOE Complex Exposure Potential
188	Malignant neoplasm of bladder	Production
189	Malignant neoplasm of kidney, other, and unspecified urinary organs	Nonproduction
204. 0	Acute lymphoid leukemia	Production
205. 0	Acute myeloid leukemia	Production
207. 0	Erythroleukemia	Production
283. 1	Hemolytic anemia, nonautoimmune	
284. 8	Aplastic anemia	Production
288. 0	Agranulocytosis or neutropenia	Production
289. 7	Methemoglobinemia	Nonproduction
323. 7	Toxic encephalitis	Production
332. 1	Parkinson's disease (secondary)	
334. 3	Cerebellar ataxia	Production
357. 7	Inflammatory and toxic neuropathy	Production
366. 4	Cataract	Production
388. 11	Noise effects on inner ear	Production
443. 0	Raynaud's phenomenon (secondary)	Nonproduction
493. 0, 507. 8	Extrinsic asthma	Nonproduction
570, 573. 3	Toxic hepatitis	Production
584, 585	Acute or chronic renal failure	Production
606	Infertility, male	
692	Contact and allergic dermatitis	Production
733. 9	Skeletal fluorosis	

BNL 1995

Appendix L. Number of Workers with at Least One OSHA Event by Gender, Age, and Occupation*

	Women						Men						
	Age Group			Age Group			Age Group			Age Group			
	16 -	30 -	50 -	16 -	30 -	50 -	16 -	30 -	50 -	16 -	30 -	50 +	Total
	29	39	49	59	Total	29	39	49	59	60 +	Total	Total	
Occupational Group													
Scientific	0	0	0	1	1	1	0	1	0	1	3	4	
Professional	0	0	0	0	0	0	0	2	0	0	2	2	
Tech Support/Supv													
(E)	0	0	0	0	0	0	2	2	0	4	4	4	
Administrative (NE)	1	0	1	0	2	0	0	0	0	0	0	2	
Tech Support/Supv													
(NE)	0	0	0	1	1	2	6	6	2	0	16	17	
Clerical and Support													
Wage	0	1	0	0	1	0	0	0	0	0	0	1	
Technical	1	0	0	0	1	0	4	2	1	0	7	8	
Bargaining Units	0	1	0	1	2	5	21	19	17	3	65	67	
Miscellaneous	0	0	0	0	0	0	1	0	0	0	1	1	
Total	2	2	1	3	8	8	31	33	22	4	98	106	
Σ	fffff	fffff	fffff	fffff									

*Only those occupational groups and gender/age combinations with at least one OSHA event appear in this table.

BNL 1995

Appendix M Total Number of Workdays Lost or with Restricted Activity from OSHA Events by Gender and Age

	Women	Men	Total
# of Days			
Events, i cted			
Age Group			
, 16 - 29	2, 0,	14, 8,	23, 17,
, 30 - 39	2, 10,	42, 34,	168, 247,
, 40 - 49	1, 0,	11, 35,	190, 119,
, 50 - 59	3, 3,	4, 23,	48, 187,
, 60 +	0, 0,	4, 0,	2, 4,
Total	8, 13,	71, 104,	429, 572,
			112, 442,
			643,
			Šfffff

BNL 1995

Appendix N. Total Number of Workdays Lost or with Restricted Activity from OSHA Events by Gender and Occupation*

		Women	Men	Total	
†	Days	Days	Days	Days	
,	# of , Restr-	Days	# of , Restr-	Days	
,	, # of , Restr-	Days	, # of , Restr-	Days	
,	, Events, icted	Lost	, Events, icted	Lost	
,	, Events, icted	Lost	, Events, icted	Lost	
‡	Occupational Group				
‡	Scientific	1, 0,	0, 3,	0, 4,	0, 0,
‡	Professional	0, 0,	0, 2,	0, 1,	0, 2,
‡	Tech Support/Supv (E)	0, 0,	0, 4,	0, 0,	0, 4,
‡	Administrative (NE)	2, 0,	25, 0,	0, 0,	2, 25,
‡	Tech Support/Supv (NE)	1, 0,	0, 17,	173, 145,	18, 173,
‡	Clerical and Support Wage	1, 0,	0, 0,	0, 0,	1, 0,
‡	Technical	1, 0,	0, 7,	27, 22,	8, 27,
‡	Bargaining Units	2, 13,	46, 70,	229, 401,	72, 242,
‡	Miscellaneous	0, 0,	0, 1,	0, 3,	1, 0,
‡	Total	8, 13,	71, 104,	429, 572,	112, 442,
§					643,

*Only those occupational groups with at least one OSHA event appear in this table.

Appendix 0. Number of Health Conditions in Each Diagnostic Category by Gender and Age*

	Women				Men											
	Age Group				Age Group											
	16 - , 30 - , 40 - , 50 - , 29 , 39 , 49 , 59 , Total		16 - , 30 - , 40 - , 50 - , 29 , 39 , 49 , 59 , Total		16 - , 30 - , 40 - , 50 - , 29 , 39 , 49 , 59 , Total		16 - , 30 - , 40 - , 50 - , 29 , 39 , 49 , 59 , Total									
Diagnostic ICD-9-CM Code																
Category																
ENDOCRINE/METABOLIC/IMMUNE																
NUTRITION	0, 0, 0, 0, 0, 0, 1, 0, 1, 0, 0, 2, 2,															
-Other	250-259															
Endocrine Gland Disorders	0, 0, 0, 0, 0, 0, 0, 1, 0, 0, 1, 1, 1,															
-Other	270-279															
Metabolic & Immunity Disorders	0, 0, 0, 0, 0, 0, 1, 0, 0, 0, 1, 1, 1,															
NERVOUS SYSTEM (NS) & SENSE ORGANS	0, 1, 0, 0, 1, 0, 0, 0, 0, 0, 0, 1, 1,															
-Disorders of Peripheral NS	0, 1, 0, 0, 1, 0, 0, 0, 0, 0, 0, 0, 1,															
CIRCULATORY SYSTEM	0, 0, 0, 0, 0, 0, 0, 1, 0, 0, 1, 1, 1,															
-Disorders of Veins, Lymphatics, Other	0, 0, 0, 0, 0, 0, 0, 1, 0, 0, 1, 1, 1,															
DIGESTIVE SYSTEM	0, 0, 0, 0, 0, 0, 1, 0, 0, 0, 1, 1, 1,															
-Hernia	0, 0, 0, 0, 0, 0, 1, 0, 0, 0, 1, 1, 1,															
SKIN & SUBCUTANEOUS TISSUE	0, 0, 0, 0, 0, 0, 1, 0, 0, 0, 1, 1, 1,															
-Other	690-698															
Inflammatory Conditions	0, 0, 0, 0, 0, 0, 1, 0, 0, 0, 1, 1, 1,															
MUSCULOSKELETAL TISSUE	0, 0, 1, 0, 1, 1, 4, 4, 4, 3, 0, 12, 13,															

*Only those diagnostic categories and gender/age combinations with at least one OSHA event appear in this table.

(CONTINUED)

BNL 1995

Appendix 0. Number of Health Conditions in Each Diagnostic Category by Gender and Age*

	Women						Men					
	Age Group			Age Group			Age Group			Age Group		
	16 - , 30 - , 40 - , 50 - , 29 , 39 , 49 , 59 , Total		16 - , 30 - , 40 - , 50 - , 29 , 39 , 49 , 59 , Total		16 - , 30 - , 40 - , 50 - , 29 , 39 , 49 , 59 , Total		16 - , 30 - , 40 - , 50 - , 29 , 39 , 49 , 59 , Total		16 - , 30 - , 40 - , 50 - , 29 , 39 , 49 , 59 , Total		16 - , 30 - , 40 - , 50 - , 29 , 39 , 49 , 59 , Total	
Diagnostic ICD-9-CM Code												
Category												
-Arthropathies, 710-719												
,es	0, 0, 1, 0, 0, 3, 0, 1, 0, 4, 5,											
-Dorsopathies, 720-724	0, 0, 0, 0, 0, 1, 3, 1, 0, 5, 5,											
-Rheumatism, 725-729												
Excluding												
Back	0, 0, 0, 0, 0, 1, 0, 1, 1, 0, 3, 3,											
SYMPTOMS, 780-799												
, SIGNS, & ILL-												
, DEFINED COND.	0, 0, 0, 0, 0, 1, 1, 3, 0, 5, 5,											
-Symptoms, 780-789	0, 0, 0, 0, 0, 1, 1, 3, 0, 5, 5,											
-INJURY AND POISONING, 800-999												
, POISONING	2, 1, 1, 5, 9, 9, 35, 36, 21, 4, 105, 114,											
-Fracture -, 810-819												
, Upper Limb	0, 0, 0, 1, 1, 1, 0, 1, 0, 0, 2, 3,											
-Sprains & Strains -, 846-847												
, Back	1, 1, 0, 1, 3, 4, 9, 8, 4, 1, 26, 29,											
-Sprains & Strains -, 840-845, 848												
, Other	0, 0, 1, 0, 1, 3, 6, 5, 3, 0, 17, 18,											
-Internal Injury -, 860-869												
, Thorax,												
, Abdomen,												
, Pelvis	0, 0, 0, 0, 0, 0, 0, 1, 0, 0, 1, 1,											
-Open Wound -, 870-879												
, Head, Neck,												
, Trunk	0, 0, 0, 0, 0, 0, 0, 4, 1, 1, 6, 6,											
-Open Wound -, 880-887												
, Upper Limb	1, 0, 0, 1, 1, 5, 7, 7, 1, 21, 22,											
-Open Wound -, 890-897												
, Lower Limb	0, 0, 0, 0, 0, 0, 0, 1, 1, 2, 2,											
Only those diagnostic categories and gender/age combinations with at least one OSHA event appear in this table.												

(CONTINUED)

BNL 1995

Appendix 0. Number of Health Conditions in Each Diagnostic Category by Gender and Age*

BNL 1995

Appendix P. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Age*

	Women	
	Age Group	
#	16 - 29	30 - 39
#	40 - 49	50 - 59
Days	Days	Days
Res-	Res-	Res-
tri- cted	Days tri- cted	Days tri- cted
cted, Lost	Lost, cted	Lost, cted, Lost
Diagnos tic	ICD-9-CM Codes	
Category		
#		
- Disorders of	350-359	
Peripheral NS	0	0
- Arthropathi	11	0
Fractures	0	0
Upper Limb	0	0
Back Sprains	0	0
and Strains	14	10
- Other	42	0
Sprains and	0	0
Strains	0	0
- Open Wounds	11	0
Upper Limb	0	0
Superficial	0	0
Injuries	0	0
Bruises	0	0
OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.		

(CONTINUED)

BNL 1995

Appendix P. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Age*

Men											
Age Group											
16 - 29 , 30 - 39 , 40 - 49 , 50 - 59 , 60 + ,											
Days, Days											
Res-, Res-											
tri -, Days, tri -, Days											
cted, Lost, cted, Lost, cted, Lost, cted, Lost, cted, Lost, cted, Lost, cted, Lost											
†ffffffffff-ffffffffff-ffffffffff-ffffffffff-ffffffffff-ffffffffff-ffffffffff-ffffffffff-ffffffffff-ffffffffff-ffffffffff-ffff%o											
Diagnostic ICD-9-CM Codes	,	,	,	,	,	,	,	,	,	,	,
Category	,	,	,	,	,	,	,	,	,	,	,
†ffffffffff-ffff-ffff-ffff-ffff-ffff%o	,	,	,	,	,	,	,	,	,	,	,
-Other	,250-259	,	,	,	,	,	,	,	,	,	,
Endocrine	,	,	,	,	,	,	,	,	,	,	,
Glands	,	,	0,	0,	0,	0,	0,	0,	0,	0,	0,
†ffffffffff-ffff-ffff-ffff-ffff-ffff%o	,	,	,	,	,	,	,	,	,	,	,
-Other	,270-279	,	,	,	,	,	,	,	,	,	,
Metabolic and	,	,	,	,	,	,	,	,	,	,	,
Immunity	,	,	,	,	,	,	,	,	,	,	,
Disorders	,	,	0,	0,	0,	0,	0,	0,	0,	0,	0,
†ffffffffff-ffff-ffff-ffff-ffff-ffff%o	,	,	,	,	,	,	,	,	,	,	,
-Diseases of	,451-459	,	,	,	,	,	,	,	,	,	,
Veins,	,	,	,	,	,	,	,	,	,	,	,
Lymphatics,	,	,	,	,	,	,	,	,	,	,	,
Other	,	,	0,	0,	0,	0,	0,	0,	24,	0,	0,
†ffffffffff-ffff-ffff-ffff-ffff-ffff%o	,	,	,	,	,	,	,	,	,	,	,
Hernias	,550-553	,	0,	0,	0,	0,	0,	0,	0,	0,	0,
†ffffffffff-ffff-ffff-ffff-ffff-ffff%o	,	,	,	,	,	,	,	,	,	,	,
-Other	,690-698	,	,	,	,	,	,	,	,	,	,
Inflammatory	,	,	,	,	,	,	,	,	,	,	,
Conditions	,	,	0,	0,	0,	0,	0,	0,	0,	0,	0,
†ffffffffff-ffff-ffff-ffff-ffff-ffff%o	,	,	,	,	,	,	,	,	,	,	,
-Arthropathi-	,710-719	,	,	,	,	,	,	,	,	,	,
es	,	,	0,	0,	60,	33,	0,	0,	24,	0,	0,
†ffffffffff-ffff-ffff-ffff-ffff-ffff%o	,	,	,	,	,	,	,	,	,	,	,
-Dorsopathies	,720-724	,	0,	0,	0,	13,	86,	70,	0,	6,	0,
†ffffffffff-ffff-ffff-ffff-ffff-ffff%o	,	,	,	,	,	,	,	,	,	,	,
-Rheumatism	,725-729	,	,	,	,	,	,	,	,	,	,
Excluding	,	,	,	,	,	,	,	,	,	,	,
Back	,	,	6,	0,	0,	0,	0,	0,	0,	0,	0,
†ffffffffff-ffff-ffff-ffff-ffff-ffff%o	,	,	,	,	,	,	,	,	,	,	,
-Symptoms	,780-789	,	0,	0,	1,	0,	0,	1,	0,	34,	0,
†ffffffffff-ffff-ffff-ffff-ffff-ffff%o	,	,	,	,	,	,	,	,	,	,	,
-Fractures -	,810-819	,	,	,	,	,	,	,	,	,	,
Upper Limb	,	,	0,	0,	0,	0,	0,	0,	0,	0,	0,
†ffffffffff-ffff-ffff-ffff-ffff-ffff%o	,	,	,	,	,	,	,	,	,	,	,
-Back Sprains	,846-847	,	,	,	,	,	,	,	,	,	,
and Strains	,	,	0,	10,	39,	46,	101,	83,	7,	0,	0,
Šffffffffff-ffff-ffff-ffff-ffff-ffff%	,	,	,	,	,	,	,	,	,	,	,

*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

(CONTINUED)

BNL 1995

Appendix P. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Age*

Men											
Age Group											
16 - 29 , 30 - 39 , 40 - 49 , 50 - 59 , 60 + ,											
Days, Days											
Res-, Res-											
tri-, Days, tri-, Days											
cted, Lost, cted, Lost, cted, Lost, cted, Lost, cted, Lost, cted, Lost, cted, Lost											
Diagnostic ICD-9-CM Codes	,	,	,	,	,	,	,	,	,	,	,
Category	,	,	,	,	,	,	,	,	,	,	,
Other	, 840-845, 848	,	,	,	,	,	,	,	,	,	,
Sprains and Strains	,	,	17, 7, 17, 5, 60, 20,	,	17, 17, 0, 0,	,	,	,	,	,	,
- Internal	, 860-869	,	,	,	,	,	,	,	,	,	,
Injuries	,	,	,	,	,	,	,	,	,	,	,
Thorax,	,	,	,	,	,	,	,	,	,	,	,
Abdomen,	,	,	,	,	,	,	,	,	,	,	,
Pelvis	,	,	0, 0, 0, 0, 2,	1, 0, 0, 0, 0,	,	,	,	,	,	,	,
- Open Wounds	, 870-879	,	,	,	,	,	,	,	,	,	,
Head, Neck,	,	,	,	,	,	,	,	,	,	,	,
Trunk	,	,	0, 0, 0, 0, 2,	2, 0, 1, 0, 0,	,	,	,	,	,	,	,
- Open Wounds	, 880-887	,	,	,	,	,	,	,	,	,	,
Upper Limb	,	,	0, 0, 10, 5, 0,	0, 0, 0, 0, 0,	,	,	,	,	,	,	,
- Open Wounds	, 890-897	,	,	,	,	,	,	,	,	,	,
Lower Limb	,	,	0, 0, 0, 0, 0,	0, 0, 0, 2, 0,	,	,	,	,	,	,	,
- Superficial	, 910-919	,	,	,	,	,	,	,	,	,	,
Injuries	,	,	0, 0, 0, 0, 0,	0, 0, 0, 2, 0,	,	,	,	,	,	,	,
Bruises	, 920-924	,	0, 0, 6, 5, 0,	2, 0, 3, 0, 0,	,	,	,	,	,	,	,
- Foreign	, 930-939	,	,	,	,	,	,	,	,	,	,
Bodies	,	,	,	,	,	,	,	,	,	,	,
Entering	,	,	,	,	,	,	,	,	,	,	,
Orifice	,	,	0, 0, 0, 0, 0,	1, 0, 0, 0, 0,	,	,	,	,	,	,	,
- Injuries to	, 950-957	,	,	,	,	,	,	,	,	,	,
Nerves and Spinal Cord	,	,	0, 0, 32, 1, 0,	0, 0, 0, 0, 0,	,	,	,	,	,	,	,
- Unspecified	, 958-959	,	,	,	,	,	,	,	,	,	,
Injuries	,	,	0, 0, 3, 172, 25,	9, 24, 102, 0, 0,	,	,	,	,	,	,	,
SHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.											

(CONTINUED)

BNL 1995

Appendix P. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Age*

Men									
Age Group									
, 16 - 29 , 30 - 39 , 40 - 49 , 50 - 59 , 60 + ,									
, Days, Days, Days, Days, Days, Days, Days,									
, Res-, Res-, Res-, Res-, Res-, Res-,									
, tri -, Days, tri -, Days, tri -, Days, tri -, Days,									
, cted, Lost, cted, Lost, cted, Lost, cted, Lost, Lost,									
†ffffffffff-ffffffffff-ffffffffff-ffffffffff-ffffffffff-ffffffffff-ffffffffff-ffffffffff-ffffffffff-ffffffffff-ffff% Diagnostic ICD-9-CM Codes, , , , , , , , , ,									
Category , , , , , , , , ,									
‡ffff-ffff% -Adverse , 980-989 , , , , , , , , ,									
Reactions to , , , , , , , , ,									
Nonmedical , , , , , , , , ,									
Substances , , 0, 0, 1, 0, 0, 1, 0, 0, 0, 0,									
‡ffff-ffff% -Adverse , 990-995 , , , , , , , , ,									
Reactions to , , , , , , , , ,									
External , , , , , , , , ,									
Causes , , 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,									
§ffff-ffff@									

*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

BNL 1995

Appendix Q. Number of Occurrences in Each Accident Category by Gender and Age*

	Women						Men					
	Age Group			Age Group			Age Group			Age Group		
	16 - , 30 - , 40 - , 50 - , 29 , 39 , 49 , 59 , Total						16 - , 30 - , 40 - , 50 - , 29 , 39 , 49 , 59 , Total					
Type of Accident												
Motor Vehicle, E810-E819												
Traffic		0, 0, 0, 0, 0, 0, 1, 0, 0, 1, 1, 1,										
Motor Vehicle, E820-E825												
Nontraffic		0, 0, 0, 0, 0, 1, 0, 0, 0, 1, 1, 1,										
Accidental												
Poisoning												
Nonmedical		0, 0, 0, 0, 0, 1, 1, 0, 0, 2, 2,										
Falls		0, 0, 1, 2, 3, 2, 6, 5, 0, 0, 13, 16,										
Natural/Environmental												
Factors		0, 0, 0, 0, 0, 1, 2, 0, 0, 3, 3,										
Submersion/Submergence												
Suffocation/Foreign Bodies		0, 0, 0, 0, 0, 2, 1, 0, 0, 3, 3,										
Other Accidents		2, 1, 0, 1, 4, 6, 20, 21, 18, 4, 69, 73,										
All Accidents		29 , 39 , 49 , 59 , Total										

*Only those accident types and gender/age combinations with at least one occurrence appear in this table.

BNL 1995

Appendix R. Number of Workdays Lost or with Restricted Activity for Each Accident Category by Gender and Age*

Women									
Age Group									
16 - 29 , 30 - 39 , 40 - 49 , 50 - 59 ,									
Days, Days, Days, Days, Days,									
Res-, Res-, Res-, Res-, Res-,									
tri-, Days, tri-, Days, tri-, Days, tri-, Days,									
cted, Lost, cted, Lost, cted, Lost, cted, Lost,									
Type of E Codes									
Accident									
Falls , E880-E888 , 0, 0, 0, 0, 11, 3, 4,									
Other , E916-E928 , , , , , , , , ,									
Accidents , , 0, 14, 10, 42, 0, 0, 0, 0,									

*OSHA events with >1 E code in the same accident type were counted only once. Only those accident types and gender/age combinations with at least one occurrence appear in this table.

(CONTINUED)

BNL 1995

Appendix R. Number of Workdays Lost or with Restricted Activity for Each Accident Category by Gender and Age*

BNL 1995

Appendix S. Number of Health Conditions in Each Diagnostic Category by Gender and Occupation*

Women								
Occupational Group								
Administrative Clerical								
Technicians and Equipment Operators								
Supervisors and Managers								
Scientific, Technical, and Professional								
Nursing, Health Care, and Social Workers								
Office and Clerical Workers								
Production Workers								
Total Wage and Salary Units								
Diagnostic ICD-9-CM Code								
Category								
NERVOUS SYSTEM (NS) &								
SENSE ORGANS	0	0	0	1	0	0	1	
- Disorders of Peripheral NS	0	0	0	1	0	0	1	
MUSCULOSKELETAL								
TAL & CONNECTIVE TISSUE	0	1	0	0	0	0	1	
- Arthropathies	0	1	0	0	0	0	1	
INJURY AND POISONING	1	2	2	0	1	3	9	
- Fracture	1	0	0	0	0	0	1	
Upper Limb	0	1	1	0	0	1	3	
- Sprains & Strains	0	1	0	0	0	0	1	
Back	0	1	1	0	0	1	3	
- Sprains & Strains	0	1	0	0	0	0	1	
Other	0	1	0	0	0	0	1	
- Open Wound	0	0	0	0	1	0	1	
Upper Limb	0	0	0	0	1	0	1	
- Superficial	0	0	0	0	0	1	1	
Injury	0	0	0	0	0	1	1	
- Contusion	0	0	1	0	0	1	2	
Total	1	3	2	1	3	11		

*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

(CONTINUED)

BNL 1995

Appendix S. Number of Health Conditions in Each Diagnostic Category by Gender and Occupation*

Men									
Occupational Group									
Tech., Tech., Supp., Supp., Barg., Scie., Pro., ort/-, ort/-, ai ni-, Misc., ntif-, fess-, Supv., Supv., Tech-, ng., ella-, ic., i onal, (E), (NE), nical, Units, neous, Total,									
Diagnostic ICD-9-CM Code, Category									
ENDOCRINE/METABOLIC/IMMUNITY, -Other									
240-279, Endocrine, Gland Dis.									
250-259, Endocrine, Gland Dis.									
Metabolic & Immunity, Disorders									
270-279, Disorders									
279, Veins, Lymphatics, Other									
280-289, Veins, Lymphatics, Other									
290-299, Veins, Lymphatics, Other									
300-399, Veins, Lymphatics, Other									
400-499, Veins, Lymphatics, Other									
500-599, Veins, Lymphatics, Other									
600-699, Veins, Lymphatics, Other									
700-799, Veins, Lymphatics, Other									
800-899, Veins, Lymphatics, Other									
900-999, Veins, Lymphatics, Other									
DI GESTIVE SYSTEM, Hernia									
520-579, Hernia									
550-553, Hernia									
SKIN & SUBCUTANEOUS, Tissue									
680-709, Tissue									
690-698, Tissue									
710-739, Inflammatory Conditions									
740-759, Inflammatory Conditions									
760-789, Inflammatory Conditions									
790-799, Inflammatory Conditions									
MUSCULOSKELETAL, Tissue, Connective Tissue									
710-739, Tissue, Connective Tissue									
740-759, Tissue, Connective Tissue									
760-789, Tissue, Connective Tissue									
790-799, Tissue, Connective Tissue									
Total									

*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)

BNL 1995

Appendix S. Number of Health Conditions in Each Diagnostic Category by Gender and Occupation*

Men									
Occupational Group									
Tech., Tech., Supp., Supp., Barg., Scie., Pro., ort/-, ort/-, ai ni-, Misc., ntit-, fess-, Supv., Supv., Tech-, ng., ella-, ic., i onal, (E), (NE), nical, Units, neous, Total,									
Diagnostic ICD-9-CM Code									
Category									
-Arthropathi-, 710-719									
es	, 0, 0, 0, 0, 0, 4, 0, 4,								
-Dorsopathies, 720-724									
-Rheumatism, 725-729	, 0, 0, 1, 1, 3, 0, 5,								
Excluding									
Back	, 0, 0, 0, 2, 0, 1, 0, 3,								
SYMPTOMS, 780-799									
SIGNS, & ILL-	, 0, 0, 0, 3, 1, 1, 0, 5,								
DEFINED COND.	, 0, 0, 0, 3, 1, 1, 0, 5,								
-Symptoms, 780-789									
-Fracture -, 810-819	, 4, 2, 4, 17, 6, 71, 1, 105,								
Upper Limb	, 1, 0, 0, 1, 0, 0, 0, 2,								
-Sprains &, 846-847									
Strains -	, 0, 1, 0, 3, 1, 21, 0, 26,								
Back	, 0, 0, 0, 3, 0, 13, 1, 17,								
-Sprains &, 840-845, 848									
Strains -	, 0, 0, 0, 3, 0, 13, 1, 17,								
Other	, 0, 0, 0, 3, 0, 13, 1, 17,								
-Internal, 860-869									
Injury -	, 0, 0, 0, 0, 0, 0, 0, 0,								
Thorax,	, 0, 0, 0, 0, 0, 0, 0, 0,								
Abdomen,	, 0, 0, 0, 0, 0, 0, 0, 0,								
Pelvis	, 0, 0, 0, 0, 0, 0, 0, 0,								
-Open Wound -, 870-879									
Head, Neck,	, 0, 0, 0, 0, 0, 0, 0, 0,								
Trunk	, 2, 0, 0, 1, 0, 3, 0, 6,								

*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)

BNL 1995

Appendix S. Number of Health Conditions in Each Diagnostic Category by Gender and Occupation*

	Men									
	Occupational Group									
	Tech., Tech., Supp., Supp., Barg., Scie., Pro., ort/-, ort/-, ai ni-, Misc., ntif-, fess-, Supv., Supv., Tech-, ng., ella-, ic., i onal, (E), (NE), nical, Units, neous, Total,									
Diagnostic ICD-9-CM Code	% Category									
-Open Wound - , 880-887	, , , , , , , , ,									
Upper Limb	, 1, 1, 4, 2, 1, 12, 0, 21,									
-Open Wound - , 890-897	, , , , , , , , ,									
Lower Limb	, 0, 0, 0, 1, 0, 1, 0, 2,									
-Superficial , 910-919	, , , , , , , , ,									
Injury	, 0, 0, 0, 2, 0, 3, 0, 5,									
-Contusion , 920-924	, , , , , , , , ,									
-Foreign Body, 930-939	, , , , , , , , ,									
Entering	, , , , , , , , ,									
Orifice	, 0, 0, 0, 1, 1, 1, 0, 3,									
-Injury to , 950-957	, , , , , , , , ,									
Nerves &	, , , , , , , , ,									
Spinal Cord	, 0, 0, 0, 1, 0, 0, 0, 1,									
-Complicatio- , 958-959	, , , , , , , , ,									
ns &	, , , , , , , , ,									
Unspecified	, , , , , , , , ,									
Injuries	, 0, 0, 0, 1, 1, 7, 0, 9,									
-Toxic , 980-989	, , , , , , , , ,									
Effects -	, , , , , , , , ,									
Nonmedicinal	, 0, 0, 0, 0, 1, 1, 0, 2,									
-Unspecified , 990-995	, , , , , , , , ,									
Effects -	, , , , , , , , ,									
External	, , , , , , , , ,									
Causes	, 0, 0, 0, 0, 0, 1, 0, 1,									
Total	, 4, 2, 4, 24, 8, 84, 1, 127,									
S	ffffffffff	ffff								

*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

BNL 1995

Appendix T. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Occupation*

Women											
Occupational Group											
Clerical											
Administrative, Tech and Clerical											
Scientific, Administrative, Support/Technical, Bargaining Units, Other, Supv (NE), Wage (NE), Technical Units											
Days, Days											
Res-, Res-											
, tri-, Days, cted, Lost, cted, Lost, cted, Lost, cted, Lost, cted, Lost, cted, Lost, cted, Lost											
†											
Diagnostic, ICD-9-CM Codes	,	,	,	,	,	,	,	,	,	,	,
Category	,	,	,	,	,	,	,	,	,	,	,
Disorders of 350-359	,	,	,	,	,	,	,	,	,	,	,
Peripheral NS	,	0,	0,	0,	0,	0,	0,	0,	0,	0,	0,
Arthropathy, 710-719	,	,	,	,	,	,	,	,	,	,	,
Fractures, 810-819	,	,	,	,	,	,	,	,	,	,	,
Upper Limb	,	0,	0,	0,	0,	0,	0,	0,	0,	0,	0,
Back Sprains, 846-847	,	,	,	,	,	,	,	,	,	,	,
and Strains	,	0,	0,	0,	14,	0,	0,	0,	0,	10,	42,
Other, 840-845, 848	,	,	,	,	,	,	,	,	,	,	,
Sprains and Strains	,	0,	0,	0,	11,	0,	0,	0,	0,	0,	0,
Open Wounds, 880-887	,	,	,	,	,	,	,	,	,	,	,
Upper Limb	,	0,	0,	0,	0,	0,	0,	0,	0,	0,	0,
Superficial, 910-919	,	,	,	,	,	,	,	,	,	,	,
Injuries	,	0,	0,	0,	0,	0,	0,	0,	0,	3,	4,
Bruises	,	0,	0,	0,	0,	0,	0,	0,	0,	3,	4,
Σ	fffffffffffff [†]	fffffffffffff [†]	fffff [†]								

*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once.

Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)

BNL 1995

Appendix T. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Occupation*

Men															
Occupational Group															
†															
Diagnostic ICD-9-CM Codes															
Category															
†															
-Other	250-259														
Endocrine															
Glands			0	0	0	0	0	0	0	0	0	0	0	0	0
-Other	270-279														
Metabolic and															
Immunity															
Disorders			0	0	0	0	0	0	0	0	0	0	0	0	0
-Diseases of	451-459														
Veins,															
Lymphatics,															
Other			0	0	0	0	0	0	0	0	0	24	0	0	0
Hernias	550-553		0	0	0	0	0	0	0	0	0	0	0	0	0
-Other	690-698														
Inflammatory															
Conditions			0	0	0	0	0	0	0	0	0	0	0	0	0
-Arthropathi-	710-719														
es			0	0	0	0	0	0	0	0	0	60	57	0	0
Dorsopathies	720-724		0	0	0	0	0	84	68	0	6	2	15	0	0
-Rheumatism	725-729														
Excluding															
Back			0	0	0	0	0	6	0	0	0	0	0	0	0
Symptoms	780-789		0	0	0	0	0	0	34	1	0	1	0	0	0
-Fractures	810-819														
Upper Limb			0	0	0	0	0	0	0	0	0	0	0	0	0
-Back Sprains	846-847														
and Strains			0	0	0	1	0	0	84	81	6	4	57	53	0
§	fffff	fffff	fffff	fffff	fffff	fffff	fffff	fffff	fffff	fffff	fffff	fffff	fffff	fffff	fffff

*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)

BNL 1995

Appendix T. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Occupation*

Men															
Occupational Group															
†															
Diagnostic ICD-9-CM Codes															
Category															
- Other 840-845, 848															
Sprains and Strains															
- Internal 860-869															
Injuries - Thorax, Abdomen, Pelvis															
- Open Wounds 870-879															
Head, Neck, Trunk															
- Open Wounds 880-887															
Upper Limb															
- Open Wounds 890-897															
Lower Limb															
- Superficial 910-919															
Injuries															
- Bruises 920-924															
- Foreign 930-939															
Bodies															
Entering Orifice															
- Injuries to 950-957															
Nerves and Spinal Cord															
- Unspecified 958-959															
Injuries															
§OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.															

(CONTINUED)

BNL 1995

Appendix T. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Occupation*

Men											
Occupational Group											
†	fffff	fffff	fffff	fffff	fffff						
Diagnostic ICD-9-CM Codes	Category	- Adverse	- Reactions to	- Nonmedical Substances	- Adverse	- Reactions to	- External Causes	§	fffff	fffff	fffff
1980-989	990-995	990-995	990-995	990-995	990-995	990-995	990-995	fffff	fffff	fffff	fffff
0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0	0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0	0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0	0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0	0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0	0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0	0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0	0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0	fffff	fffff	fffff	fffff
%	%	%	%	%	%	%	%	fffff	fffff	fffff	fffff

*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

BNL 1995

Appendix U. Number of Occurrences in Each Accident Category by Gender and Occupation*

Women						
Occupational Group						
#	Adm -	Tech	Inst -	Supp -	Barg -	Sci e -
Sci e -	Rati -	Ort / -	Ort / -	Aini -	Anti f -	Ve
Anti f -	Ve	Supv	Tech -	ng	Tech -	ng
ng	(NE)	(NE)	nic al	Units	Total	ic
Total						
Type of Accident	E Codes					
Falls	E880-E888	0	1	1	0	1
Other Accidents	E916-E928	1	1	0	1	1
						4

*Only those accident types and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)

BNL 1995

Appendix U. Number of Occurrences in Each Accident Category by Gender and Occupation*

BNL 1995

Appendix V. Number of Workdays Lost or with Restricted Activity in Each Accident Category by Gender and Occupation*

(CONTINUED)

BNL 1995

Appendix V. Number of Workdays Lost or with Restricted Activity in Each Accident Category by Gender and Occupation*

BNL 1995

Appendix W. Relative Risk Estimates for Selected Diagnostic Categories Among OSHA Events

Diseases	Management 116 Person-Years				Scientific 670 Person-Years				Adjusted RR*	
	Persons with 1+ Event*	RR**	Lower 95% CI ***	Upper 95% CI ***	Persons with 1+ Event*	RR**	Lower 95% CI ***	Upper 95% CI ***		
All Diseases and Injuries	0				4	0.2	0.1	0.4	2	
Muscles and Skeleton	0				0				0	
Injury and Poisoning	0				4	0.2	0.1	0.5	2	
Back Sprains and Strains	0				0				1	
Other Sprains and Strains	0				0				0	
Open Wounds - Upper Limb	0				1	0.2	0.03	1.4	1	
Bruises	0				0				0	

Diseases	Administrative (E) 277 Person-Years				Tech Support/Supv (E) 388 Person-Years				Adjusted RR*	
	Persons with 1+ Event*	RR**	Lower 95% CI ***	Upper 95% CI ***	Persons with 1+ Event*	RR**	Lower 95% CI ***	Upper 95% CI ***		
All Diseases and Injuries	0				4	0.3	0.1	0.7	2	
Muscles and Skeleton	0				0				1	
Injury and Poisoning	0				4	0.3	0.1	0.8	2	
Back Sprains and Strains	0				0				1	
Other Sprains and Strains	0				0				1	
Open Wounds - Upper Limb	0				4	1.5	0.5	4.7	0	
Bruises	0				0				0	

* Persons with multiple absences during the time period were counted only once.

** RR = Relative Risk. Adjusted for age and gender; compared with all occupational categories.

*** CI = Confidence Limit.

† Because of the small number of occurrences in this disease category, the confidence intervals are very wide and not statistically significant.

(CONTINUED)

BNL 1995

Appendix W. Relative Risk Estimates for Selected Diagnostic Categories Among OSHA Events

Diseases	Tech Support/Subv (NE) 333 Person-Years				Clerical and Support Wage 112 Person-Years				11	
	Persons with 1+ Event*	RR**	Lower 95% CI ***	Upper 95% CI ***	Persons with 1+ Event*	RR**	Lower 95% CI ***	Upper 95% CI ***	Persons with 1+ Event*	RR*
All Diseases and Injuries	17	1.5	0.9	2.5	1	0.8	0.1	6.2	8	
Muscles and Skeleton	3	2.6	0.7	9.5	0				1	
Injury and Poisoning	14	1.3	0.7	2.3	0				7	
Back Sprains and Strains	4	1.3	0.5	3.6	0				1	
Other Sprains and Strains	3	1.4	0.4	5.0	0				0	
Open Wounds - Upper Limb	2	0.8	0.2	3.8	0				2	
Bruises	2	1.9	0.5	7.3	0				1	

Diseases	Bargaining Units 623 Person-Years				Miscellaneous 140 Person-Years				Total Persons with 1+ Event
	Persons with 1+ Event*	RR**	Lower 95% CI ***	Upper 95% CI ***	Persons with 1+ Event*	RR**	Lower 95% CI ***	Upper 95% CI ***	
All Diseases and Injuries	67	7.8	5.2	11.7	1	0.4	0.1	2.2	106
Muscles and Skeleton	7	6.8	2.0	23.1	0				12
Injury and Poisoning	62	8.3	5.4	12.6	1	0.4	0.1	2.4	96
Back Sprains and Strains	21	14.1	5.8	33.9	0				28
Other Sprains and Strains	13	12.5	4.2	37.4	1	1.7	0.3	10.4	18
Open Wounds - Upper Limb	11	4.8	2.0	11.4	0				21
Bruises	7	10.6	2.7	42.6	0				10

* Persons with multiple absences during the time period were counted only once.

** RR = Relative Risk. Adjusted for age and gender; compared with all occupational categories.

*** CI = Confidence Limit.

† Because of the small number of occurrences in this disease category, the confidence intervals are very wide and not sta-