
2006

Idaho National Laboratory Annual Illness and Injury Surveillance Report



Idaho National Laboratory 2006 Illness and Injury Surveillance Report

Questions or comments about this report or the Illness and Injury Surveillance Program (IISP) may be directed to:

E-mail:

Dr. Cliff Strader at <u>cliff.strader@hq.doe.gov</u> or Dr. Bonnie Richter at <u>bonnie.richter@hq.doe.gov</u>

or direct letters to:

Mail Stop HS-13 / 270CC U.S. Department of Energy 1000 Independence Avenue, S.W. Washington, DC 20585-0270

Additional information about the Department of Energy's Office of Illness and Injury Prevention Programs, the IISP, and annual reports for DOE sites participating in this program can be found at:

http://www.hss.energy.gov/healthsafety/WSHP/epi/surv/



ACKNOWLEDGEMENT LifeART images copyright 2000 Lippincott Williams & Wilkins. All rights reserved.

Idaho National Laboratory 2006 Illness and Injury Surveillance Report

At A Glance

The 6,756 employees at INL in 2006 represented an 11 percent decrease from 2005. The INL work force has declined 20 percent since 2002, when there were 8,453 workers. Since 2002, women have accounted for approximately 24 percent of the work force, less than the 29 percent among the Illness and Injury Surveillance Program (IISP) sites as a group from 1995 to 2004.

The average age of the work force has increased steadily since 2002 for both men and women. In 2006, the average age was 47 years for men and 46 years for women. This increase is similar to that seen from 1995 to 2004 among DOE sites included in the IISP.

The total number of absences at INL decreased from 2003 to 2006. There were 195 absences in 2006, a 79 percent decrease from the 911 absences reported in 2003. The decreased number of absences resulted from a decision by the site's Medical Director to capture only those absences with diagnoses for which an *International Classification of Diseases*, 9th Revision, Clinical Modification (ICD-9-CM) diagnosis code was reported. The average length of the absences at INL increased during this same period, possibly because the exclusion of absences without ICD-9-CM codes removed many less serious health events of shorter absence duration. The average length of the absences among all workers was 58 days in 2006, compared with an average between 31 and 39 days from 2003 to 2005.

The absence rate among all workers in 2006 was 2.89 per 100 workers. Absence rates decreased from 2003 to 2006, with 2003 having the highest rate, 15.09 absences per 100 workers.

In 2006, 39 absences among 35 women produced an absence rate of 2.41 per 100 workers (39/1,616). A total of 156 absences were reported by 140 men; the absence rate was 3.04 per 100 workers (156/5,140). The lower absence rate among women than among men is contrary to what was observed for INL from 2003 to 2005 and for all IISP sites from 1995 to 2004. From 1995 to 2004, absence rates for women were at least 51 percent higher than the rates for men among the sites in the IISP.

Injuries and disorders of the respiratory and musculoskeletal systems were among the top 3 diagnoses reported by men and women at INL from 2003 to 2006. These 3 diagnostic categories had the highest rates among all DOE IISP sites from 1995 to 2004.

In 2006, there were 18 OSHA events reported by women and 50 OSHA events reported by men at INL. A total of 113 diagnoses were reported for these events, mostly the result of injuries. The rate of OSHA events has been stable since 2003. OSHA rates declined among all DOE IISP sites as a group from 1995 to 2004.

| Force – 2006 | Age-Adjusted Rates for Selected Diagnostic Categories Among Women and Men from 2003 to 2006 |
|---|---|
| The Work Force by Gender and Age1 | |
| The Work Force by Gender and Job Category | Age-Adjusted Rates for All Diagnoses Combined Among Women and Men by Job Category from 2003 to 200612 |
| Number and Length of Absences | Sentinel Health Events for Occupations (SHEOs) |
| Absence Rate by Gender and Age2 | Characteristics of SHEOs by Gender13 |
| Number of Days Absent by Gender and Age2 | SHEO Diagnoses by Gender13 |
| Absence Rate by Job Category and Gender3 | Occupational Safety and Health Administration (OSHA)-Recordable Events |
| Average Duration of Absence by | OSHA-Recordable Events by Gender and Age14 |
| Job Category and Gender3 | OSHA-Recordable Events by Job Category and Gender14 |
| Diagnostic Categories | |
| Number of Diagnoses and Lost Calendar Days by Diagnostic Category (Categorized | Diagnostic and Accident Categories for OSHA-Recordable Events |
| by ICD-9-CM) and Gender4 | OSHA-Recordable Diagnoses by Diagnostic Category and Gender15 |
| Common Diagnoses Among Female Workers in 2006 | OSHA-Recordable Accidents by Type |
| Common Diagnoses Among Male Workers in 20066 | and Gender |
| | Rates of OSHA-Recordable Events |
| Number of Most Frequently Reported Diagnoses by Job Category and Gender7 | OSHA-Recordable Rates by Age and Job Categories Among Women, All |
| Rates of Disease Occurrence | Diagnoses Combined16 |
| Rates for All Illnesses and Injuries Combined by Job Category, Gender, and Age | OSHA-Recordable Rates by Age and Job Categories Among Men, All Diagnoses Combined16 |
| | Time Trends for OSHA-Recordable Events |
| Rates for Selected Diagnostic Categories by Job Category, Gender, and Age8 | Age-Adjusted Rates for All OSHA-Recordable |
| Time Trends | Diagnoses Combined Among Women and Men by Job Category from 2003 to 200617 |
| Age-Adjusted Rates for All Diagnoses Combined Among Women and Men | Appendices |
| from 2003 to 200610 | Appendices A-W19 |

The Idaho National Laboratory Work Force - 2006

Figure 1. The Work Force by Gender and Age




Figure 2. The Work Force by Gender and Job Category

| Job Category | Women | Men |
|------------------------|---------------|---------------|
| Professional | 389 | 1,749 |
| Tiolessional | 24% | 34% |
| Administrative Support | 760 | 845 |
| Administrative Support | 47% | 16% |
| Tashnical Cumont | 166 | 746 |
| Technical Support | 10% | 15% |
| Service | 139 | 329 |
| Service | 9 % | 6% |
| Consuits and Fine | 44 | 422 |
| Security and Fire | 3% | 8% |
| Cualta | 97 | 911 |
| Crafts | 6% | 18% |
| Line Omenators | 21 | 138 |
| Line Operators | 1% | 3% |
| Total | 1,616 100% | 5,140 100% |

1

Number and Length of Absences






Figure 4. Number of Days Absent by Gender and Age

| Gender | Num | | der Age Number of | Number of I | Days Absent |
|--------|-------|----------|-------------------|-------------|-------------|
| Gender | Age | Absences | Total | Average | |
| | 16-29 | 4 | 63 | 16 | |
| | 30-39 | 5 | 150 | 30 | |
| Women | 40-49 | 12 | 480 | 40 | |
| | 50+ | 18 | 1,487 | 83 | |
| | Total | 39 | 2,180 | 56 | |
| | 16-29 | 12 | 623 | 52 | |
| | 30-39 | 12 | 485 | 40 | |
| Men | 40-49 | 39 | 1,236 | 32 | |
| | 50+ | 93 | 6,749 | 73 | |
| | Total | 156 | 9,093 | 58 | |






Figure 5. Absence Rate by Job Category and Gender

Job Category





Job Category

Diagnostic Categories

Figure 7. Number of Diagnoses and Lost Calendar Days by Diagnostic Category (Categorized by ICD-9-CM) and Gender

| | Women | | Men | |
|--------------------------|------------------------|---------------------------------------|------------------------|---------------------------------------|
| Diagnostic Category | Number of Diagnoses | Number of Lost Calendar Days | Number of Diagnoses | Number of Lost Calendar Days |
| Benign Growths | 1 | 17 | 1 | 12 |
| Blood | 0 | 0 | 0 | 0 |
| Cancer | 0 | 0 | 8 | 214 |
| Digestive | 3 | 53 | 25 | 659 |
| Endocrine/Metabolic | 1 | 32 | 5 | 446 |
| Existing Birth Condition | 0 | 0 | 3 | 172 |
| Genitourinary | 3 | 196 | 4 | 231 |
| Heart/Circulatory | 2 | 132 | 9 | 324 |
| Infections/Parasites | 1 | 34 | 6 | 269 |
| Injury | 16 | 479 | 53 | 1,633 |
| Miscarriage | 0 | 0 | NA | NA |
| Musculoskeletal | 8 | 287 | 45 | 1,746 |
| Nervous System | 5 | 904 | 6 | 189 |
| Psychological | 0 | 0 | 3 | 45 |
| Respiratory | 3 | 46 | 29 | 3,851 |
| Skin | 1 | 22 | 6 | 297 |
| Unspecified Symptoms | 4 | 76 | 7 | 141 |

Note: Lost calendar days for each absence are counted more than once when multiple diagnoses occur in different diagnostic categories for the same absence.




Figure 8. Common Diagnoses Among Female Workers in 2006

Percent Distribution of Diagnoses Within Diagnostic Category






Figure 9. Common Diagnoses Among Male Workers in 2006

Percent Distribution of Diagnoses Within Diagnostic Category




Figure 10. Number of Most Frequently Reported Diagnoses by Job Category and Gender

| Job Category | Men | | Women | |
|------------------------|----------------------|----|----------------------|---|
| | Injury | 14 | Respiratory | 2 |
| Professional | Musculoskeletal | 9 | Nervous System | 1 |
| | Respiratory | 7 | | |
| | Musculoskeletal | 7 | Injury | 3 |
| A 1 | Respiratory | 6 | Unspecified Symptoms | 3 |
| Administrative Support | Injury | 5 | Musculoskeletal | 2 |
| | | | Nervous System | 2 |
| | Injury | 11 | Musculoskeletal | 3 |
| m 1 : 10 | Musculoskeletal | 5 | Digestive | 1 |
| Technical Support | Respiratory | 5 | Genitourinary | 1 |
| | | | Injury | 1 |
| | Injury | 3 | Injury | 7 |
| | Heart/Circulatory | 2 | Musculoskeletal | 2 |
| | Digestive | 1 | Benign Growths | 1 |
| | Genitourinary | 1 | Digestive | 1 |
| Service | Musculoskeletal | 1 | Endocrine/Metabolic | 1 |
| | Nervous System | 1 | Genitourinary | 1 |
| | Respiratory | 1 | Nervous System | 1 |
| | Skin | 1 | Skin | 1 |
| | Digestive | 3 | Injury | 2 |
| | Musculoskeletal | 3 | Heart/Circulatory | 1 |
| | Heart/Circulatory | 1 | Infections/Parasites | 1 |
| Security and Fire | Infections/Parasites | 1 | Musculoskeletal | 1 |
| | Injury | 1 | | |
| | Skin | 1 | | |
| | Unspecified Symptoms | 1 | | |
| | Musculoskeletal | 19 | Injury | 2 |
| | Injury | 18 | Genitourinary | 1 |
| Crafts | Digestive | 9 | Nervous System | 1 |
| | Respiratory | 9 | Respiratory | 1 |
| | | | Unspecified Symptoms | 1 |
| | Digestive | 1 | Injury | 1 |
| Line Onemate | Injury | 1 | | |
| Line Operators | Musculoskeletal | 1 | | |
| | Respiratory | 1 | | |

Rates of Disease Occurrence

Figure 11. Rates for All Illnesses and Injuries Combined by Job Category, Gender, and Age

| All Illnesses & | Rate per 1,000 | | | |
|-------------------|------------------------|-----|-----|-------|
| Injuries Combined | Job Category | Age | Men | Women |
| | Professional | <50 | 20 | 11 |
| | Professional | 50+ | 39 | 0 |
| 2.3 | Administrative Cument | <50 | 18 | 14 |
| 70.0 | Administrative Support | 50+ | 52 | 18 |
| XX | Technical Support | <50 | 27 | 28 |
| | | 50+ | 52 | 51 |
| 20 AV | Service | <50 | 44 | 38 |
| 12 M | | 50+ | 26 | 197 |
| MA 26 244 | Security and Fire | <50 | 28 | 94 |
| MARY AND | | 50+ | 19 | 167 |
| | 0 0 | <50 | 60 | 53 |
| | Crafts | 50+ | 119 | 95 |
| | I : Ot | <50 | 13 | 71 |
| | Line Operators | 50+ | 48 | 0 |

Figure 12. Rates for Selected Diagnostic Categories by Job Category, Gender, and Age

| Cancer | Rate per 1,000 | | | |
|-------------|------------------------|-----|-----|-------|
| Cancer | Job Category | Age | Men | Women |
| W VE Se | Professional | <50 | 0 | 0 |
| Sec. 1 30 | Professional | 50+ | 3 | 0 |
| ICH PERMI | Administrativa Support | <50 | 0 | 0 |
| | Administrative Support | 50+ | 2 | 0 |
| and a sound | Technical Support | <50 | 2 | 0 |
| a should | | 50+ | 0 | 0 |
| A 1 - P | Service | <50 | 0 | 0 |
| Res Comment | | 50+ | 0 | 0 |
| | Security and Fire | <50 | 0 | 0 |
| | | 50+ | 0 | 0 |
| | 0 0 | <50 | 4 | 0 |
| | Crafts | 50+ | 3 | 0 |
| | Line Operators | <50 | 0 | 0 |
| 1 3 M2. 54 | Line Operators | 50+ | 0 | 0 |

Figure 12. Rates for Selected Diagnostic Categories by Job Category, Gender, and Age (Continued)

| Hoort / Cinor lot own | Rate per 1, | | 00 | |
|--|------------------------|-----|-----|-------|
| Heart/Circulatory | Job Category | Age | Men | Women |
| | Professional | <50 | 0 | 0 |
| _ | Professional | 50+ | 0 | 0 |
| _ | Administrativa Cunnert | <50 | 0 | 2 |
| 5 110 | Administrative Support | 50+ | 5 | 0 |
| | Technical Support | <50 | 0 | 0 |
| 10.00 | | 50+ | 0 | 0 |
| 100.00 | Service | <50 | 15 | 0 |
| A CONTRACTOR OF THE PARTY OF TH | | 50+ | 0 | 0 |
| | Security and Fire | <50 | 0 | 0 |
| | | 50+ | 10 | 83 |
| 6 | Crafts | <50 | 4 | 0 |
| | Craits | 50+ | 6 | 0 |
| | Line Operators | <50 | 0 | 0 |
| | Line Operators | 50+ | 0 | 0 |


| Dogginston | Rate per 1,000 | | | | |
|-------------|------------------------|-----|-----|-------|--|
| Respiratory | Job Category | Age | Men | Women | |
| | Professional | <50 | 3 | 7 | |
| | Professional | 50+ | 5 | 0 | |
| | Administrative Cument | <50 | 2 | 0 | |
| | Administrative Support | 50+ | 12 | 0 | |
| | Technical Support | <50 | 5 | 0 | |
| W | | 50+ | 10 | 0 | |
| AIA | Service | <50 | 0 | 0 | |
| | | 50+ | 5 | 0 | |
| | Security and Fire | <50 | 0 | 0 | |
| Merch State | | 50+ | 0 | 0 | |
| | Crafts | <50 | 9 | 13 | |
| | Crans | 50+ | 12 | 0 | |
| | Lina Onavatava | <50 | 0 | 0 | |
| | Line Operators | 50+ | 16 | 0 | |

Figure 12. Rates for Selected Diagnostic Categories by Job Category, Gender, and Age (Continued)

| Ta : a | Rate per 1,000 | | | | |
|---------|------------------------|-----|-----|-------|--|
| Injury | Job Category | Age | Men | Women | |
| - | Duofossion ol | <50 | 7 | 0 | |
| (10) 0 | Professional | 50+ | 9 | 0 | |
| (42/89) | Administrative Cument | <50 | 7 | 0 | |
| | Administrative Support | 50+ | 5 | 9 | |
| 11741 | Technical Support | <50 | 18 | 0 | |
| | | 50+ | 10 | 0 | |
| | Service | <50 | 7 | 0 | |
| | | 50+ | 10 | 115 | |
| DEEK L | Security and Fire | <50 | 3 | 31 | |
| | | 50+ | 0 | 83 | |
| | Crafts | <50 | 14 | 26 | |
| | Craits | 50+ | 29 | 0 | |
| | Line Operators | <50 | 0 | 71 | |
| | Line Operators | 50+ | 16 | 0 | |

Time Trends

Figure 13. Age-Adjusted Rates for All Diagnoses Combined Among Women and Men from 2003 to 2006*



^{*} Standardized to age distribution of 2000 U.S. population.




Figure 14. Age-Adjusted Rates for Selected Diagnostic Categories Among Women and Men from 2003 to 2006*




Figure 15. Age-Adjusted Rates for All Diagnoses Combined Among Women and Men by Job Category from 2003 to 2006*

^{*} Standardized to age distribution of 2000 U.S. population.

Sentinel Health Events for Occupations (SHEOs)

An occupational sentinel health event (SHEO) is a disease, disability, or death that is likely to be occupationally related. Although sentinel health events may indicate an occupational exposure, many may result from nonoccupational exposures. Sentinel health events are therefore assessed in two categories:

Definite Sentinel Health Events: Diseases that are unlikely to occur in the absence of an occupational exposure (e.g., asbestosis).

Possible Sentinel Health Events: Diseases that may be occupational but can also occur in the absence of an occupational exposure (e.g., lung cancer or carpal tunnel syndrome).

Figure 16. Characteristics of SHEOs by Gender

| | | Total Number of SHEO Diagnoses | | imber of Absent |
|----------|-----|--------------------------------|-----|--------------------|
| | Men | Women | Men | Women |
| Definite | 0 | 0 | 0 | 0 |
| Possible | 4 | 2 | 126 | 835 |
| Total | 4 | 2 | 126 | 835 |

Figure 17. SHEO Diagnoses by Gender

| | Gender | | |
|-------------------------------|-----------|---|--|
| Diagnoses | Women Men | | |
| Carpal Tunnel Syndrome | 2 | 2 | |
| Pneumonconiosis (Berylliosis) | 0 0 | | |
| Musculoskeletal Conditions | 0 | 0 | |
| Injuries | 0 | 0 | |
| Other Conditions | 0 | 2 | |

Occupational Safety and Health Administration (OSHA)-Recordable Events

Figure 18. OSHA-Recordable Events by Gender and Age





Figure 19. OSHA-Recordable Events by Job Category and Gender



Job Category

Diagnostic and Accident Categories for OSHA-Recordable Events

Figure 20. OSHA-Recordable Diagnoses by Diagnostic Category and Gender

| Diagnostic Category | Ger | nder |
|--|-------|------|
| Diagnostic Category | Women | Men |
| Digestive | 0 | 2 |
| Musculoskeletal | 10 | 20 |
| Nervous System | 1 | 3 |
| Respiratory | 0 | 1 |
| Unspecified Symptoms | 0 | 8 |
| Injury | 20 | 48 |
| Fractures – Upper Limb | 3 | 4 |
| Fractures – Lower Limb | 1 | 1 |
| Back Sprains & Strains | 2 | 2 |
| Other Sprains & Strains | 6 | 7 |
| Intracranial Injuries | 0 | 1 |
| Open Wounds – Head, Neck, Trunk | 1 | 7 |
| Open Wounds – Upper Limb | 0 | 10 |
| Superficial Injuries | 0 | 5 |
| Bruises | 3 | 1 |
| Foreign Bodies Entering Orifice | 1 | 3 |
| Unspecified Injuries | 2 | 7 |
| Adverse Reactions to Non-Medical Substances | 1 | 0 |

Figure 21. OSHA-Recordable Accidents by Type and Gender

| | Gen | ıder |
|---------------------------------------|------------------------|---------------------|
| Accident Category | Women | Men |
| Accident Category | Number of Accidents | Number of Accidents |
| Motor Vehicle Traffic | 1 | 1 |
| Motor Vehicle Non-Traffic | 1 | 0 |
| Falls | 4 | 10 |
| Natural/Environmental Factors | 1 | 1 |
| Submersion/Suffocation/Foreign Bodies | 1 | 3 |
| Other Accidents | 8 | 35 |
| Struck by an Object | 2 | 9 |
| Caught Between Objects | 0 | 2 |
| Machinery | 0 | 2 |
| Cutting/Piercing Instrument/Object | 0 | 5 |
| Firearm | 0 | 1 |
| Overexertion/Strenuous Movements | 6 | 16 |
| Total | 16 | 50 |

Rates of OSHA-Recordable Events

Figure 22. OSHA-Recordable Rates by Age and Job Categories Among Women, All Diagnoses Combined






Figure 23. OSHA-Recordable Rates by Age and Job Categories Among Men, All Diagnoses Combined



Job Category

Time Trends for OSHA-Recordable Events

Figure 24. Age-Adjusted Rates for All OSHA-Recordable Diagnoses Combined Among Women and Men by Job Category from 2003 to 2006*



^{*} Standardized to age distribution of 2000 U.S. population.

Appendices

Appendix A. Work Force by Gender, Age, and Job Category

| | | | Women | | | | | Men | | | |
|-------------------------------|---------|---------|---------|------|-------|---------|---------|---------|-------|-------|-------|
| Job Category | | Age G | roup | | | | Age G | | | | |
| | 16 - 29 | 30 - 39 | 40 - 49 | 50 + | TOTAL | 16 - 29 | 30 - 39 | 40 - 49 | 50 + | TOTAL | TOTAL |
| Professional | 19 | 63 | 195 | 112 | 389 | 35 | 217 | 636 | 861 | 1,749 | 2,138 |
| Administrative Support | 58 | 116 | 245 | 341 | 760 | 44 | 118 | 279 | 404 | 845 | 1,605 |
| Technical Support | 4 | 34 | 69 | 59 | 166 | 63 | 126 | 250 | 307 | 746 | 912 |
| Service | 14 | 19 | 45 | 61 | 139 | 22 | 39 | 75 | 193 | 329 | 468 |
| Security and Fire | 9 | 7 | 16 | 12 | 44 | 78 | 92 | 148 | 104 | 422 | 466 |
| Crafts | 24 | 16 | 36 | 21 | 97 | 158 | 144 | 265 | 344 | 911 | 1,008 |
| Line Operators | 4 | 5 | 5 | 7 | 21 | 5 | 17 | 53 | 63 | 138 | 159 |
| TOTAL | 132 | 260 | 611 | 613 | 1,616 | 405 | 753 | 1,706 | 2,276 | 5,140 | 6,756 |

Appendix B. Age Distribution of the Work Force by Gender

| | | Won | nen | | | Me | en | |
|------|---------|-------------------|---------|-------|---------|------------------|---------|-------|
| Year | Percei | nt Distrik Gro | | Age . | Percei | oution by oup | Age | |
| | 16 - 29 | 30 - 39 | 40 - 49 | 50 + | 16 - 29 | 30 - 39 | 40 - 49 | 50 + |
| 1993 | 21.01 | 34.35 | 28.99 | 15.65 | 10.30 | 33.87 | 32.67 | 23.17 |
| 1994 | 22.68 | 33.47 | 27.52 | 16.33 | 10.03 | 30.36 | 32.65 | 26.95 |
| 1995 | 19.44 | 32.92 | 29.28 | 18.35 | 8.13 | 29.02 | 33.91 | 28.93 |
| 1996 | 12.46 | 34.28 | 35.33 | 17.93 | 5.75 | 30.58 | 39.53 | 24.14 |
| 1997 | 10.77 | 32.93 | 36.22 | 20.08 | 5.50 | 27.88 | 39.78 | 26.84 |
| 1998 | 10.47 | 30.61 | 36.61 | 22.32 | 5.07 | 25.65 | 39.39 | 29.89 |
| 1999 | 11.02 | 29.59 | 34.58 | 24.81 | 5.68 | 23.14 | 38.01 | 33.18 |
| 2000 | 10.85 | 28.08 | 35.78 | 25.29 | 5.95 | 22.02 | 37.76 | 34.27 |
| 2001 | 9.92 | 24.69 | 37.88 | 27.50 | 5.04 | 20.00 | 37.79 | 37.17 |
| 2002 | 9.18 | 23.21 | 38.52 | 29.10 | 5.57 | 17.85 | 37.32 | 39.27 |
| 2003 | 7.56 | 21.86 | 40.15 | 30.43 | 6.98 | 16.49 | 38.49 | 38.05 |
| 2004 | 7.96 | 19.24 | 39.03 | 33.77 | 7.19 | 15.16 | 36.15 | 41.50 |
| 2005 | 10.55 | 17.03 | 38.37 | 34.05 | 11.18 | 16.18 | 33.05 | 39.58 |
| 2006 | 8.17 | 16.09 | 37.81 | 37.93 | 7.88 | 14.65 | 33.19 | 44.28 |

Appendix C. Total Number of Workers Who Reported at Least One Absence by Gender, Age, and Job Category*

| | | | Women | | | | | Men | | | |
|-------------------------------|---------|---------|---------|------|-------|---------|---------|---------|------|-------|-------|
| Job Category | | Age G | roup | | | | Age G | roup | | | |
| | 16 - 29 | 30 - 39 | 40 - 49 | 50 + | TOTAL | 16 - 29 | 30 - 39 | 40 - 49 | 50 + | TOTAL | TOTAL |
| Professional | 0 | 0 | 3 | 0 | 3 | 0 | 0 | 10 | 21 | 31 | 34 |
| Administrative Support | 0 | 2 | 4 | 5 | 11 | 0 | 1 | 5 | 13 | 19 | 30 |
| Technical Support | 0 | 0 | 1 | 2 | 3 | 2 | 2 | 5 | 13 | 22 | 25 |
| Service | 1 | 2 | 0 | 5 | 8 | 0 | 1 | 1 | 4 | 6 | 14 |
| Security and Fire | 1 | 0 | 1 | 1 | 3 | 1 | 1 | 4 | 2 | 8 | 11 |
| Crafts | 2 | 0 | 2 | 2 | 6 | 8 | 5 | 11 | 26 | 50 | 56 |
| Line Operators | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 3 | 4 | 5 |
| TOTAL | 4 | 5 | 11 | 15 | 35 | 11 | 10 | 37 | 82 | 140 | 175 |

^{*}Only those job categories and gender/age combinations with at least one absence appear in this table.

Appendix D. Total Number of Absences by Gender, Age, and Job Category*

| | | | Women | | | | | Men | | | |
|-------------------------------|---------|---------|---------|------|-------|---------|---------|---------|------|-------|-------|
| Job Category | | Age G | roup | | | | Age G | roup | | | |
| | 16 - 29 | 30 - 39 | 40 - 49 | 50 + | TOTAL | 16 - 29 | 30 - 39 | 40 - 49 | 50 + | TOTAL | TOTAL |
| Professional | 0 | 0 | 3 | 0 | 3 | 0 | 0 | 11 | 25 | 36 | 39 |
| Administrative Support | 0 | 2 | 4 | 6 | 12 | 0 | 1 | 5 | 16 | 22 | 34 |
| Technical Support | 0 | 0 | 2 | 2 | 4 | 3 | 2 | 5 | 13 | 23 | 27 |
| Service | 1 | 2 | 0 | 6 | 9 | 0 | 3 | 1 | 4 | 8 | 17 |
| Security and Fire | 1 | 0 | 1 | 2 | 4 | 1 | 1 | 4 | 2 | 8 | 12 |
| Crafts | 2 | 0 | 2 | 2 | 6 | 8 | 5 | 12 | 30 | 55 | 61 |
| Line Operators | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 3 | 4 | 5 |
| TOTAL | 4 | 5 | 12 | 18 | 39 | 12 | 12 | 39 | 93 | 156 | 195 |

^{*}Only those job categories and gender/age combinations with at least one absence appear in this table.

Appendix E. Distribution of the Number of Calendar Days Missed per Absence by Gender and Age*

| # of Calendar | | | Women | | | | A == C: | Men | | | |
|---------------------|---------|--------------------|---------|------|-------|---------|--------------------|---------|------|-------|-------|
| Days | 16 - 29 | Age G ₁ | 40 - 49 | 50 + | TOTAL | 16 - 29 | Age G ₁ | 40 - 49 | 50 + | TOTAL | TOTAL |
| | | 30 37 | | | | 10 27 | 30 37 | 40 42 | | | _ |
| < 15 | 2 | 1 | 2 | 3 | 8 | 1 | 2 | 10 | 24 | 37 | 45 |
| 15 - 28 | 2 | 2 | 2 | 6 | 12 | 4 | 4 | 16 | 24 | 48 | 60 |
| 29 - 42 | 0 | 1 | 5 | 1 | 7 | 0 | 4 | 5 | 18 | 27 | 34 |
| 43 - 56 | 0 | 0 | 1 | 3 | 4 | 4 | 0 | 2 | 11 | 17 | 21 |
| 57 - 91 | 0 | 1 | 1 | 3 | 5 | 1 | 0 | 4 | 7 | 12 | 17 |
| 92 - 182 | 0 | 0 | 1 | 1 | 2 | 2 | 2 | 2 | 8 | 14 | 16 |
| 183 + | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 1 | 2 |
| TOTAL | 4 | 5 | 12 | 18 | 39 | 12 | 12 | 39 | 93 | 156 | 195 |

^{*}Only those gender/age combinations with at least one absence appear in this table.

Appendix F. Distribution of the Number of Calendar Days Missed per Absence by Gender and Job Category*

Women

| # of Calendar | | Job Category | | | | | | | | | |
|---------------------|--------------|---------------------------|----------------------|---------|-------------------------|--------|-------------------|-------|--|--|--|
| Days | Professional | Administrative Support | Technical Support | Service | Security and Fire | Crafts | Line Operators | TOTAL | | | |
| < 15 | 1 | 2 | 1 | 2 | 0 | 2 | 0 | 8 | | | |
| 15 - 28 | 1 | 4 | 0 | 4 | 2 | 1 | 0 | 12 | | | |
| 29 - 42 | 1 | 2 | 1 | 2 | 1 | 0 | 0 | 7 | | | |
| 43 - 56 | 0 | 1 | 0 | 1 | 1 | 1 | 0 | 4 | | | |
| 57 - 91 | 0 | 2 | 1 | 0 | 0 | 1 | 1 | 5 | | | |
| 92 - 182 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 2 | | | |
| 183 + | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | | | |
| TOTAL | 3 | 12 | 4 | 9 | 4 | 6 | 1 | 39 | | | |

Men

| # of Calendar | | Job Category | | | | | | | | | |
|---------------------|--------------|---------------------------|----------------------|---------|-------------------------|--------|-------------------|-------|--|--|--|
| Days | Professional | Administrative Support | Technical Support | Service | Security and Fire | Crafts | Line Operators | TOTAL | | | |
| < 15 | 10 | 7 | 4 | 4 | 2 | 8 | 2 | 37 | | | |
| 15 - 28 | 13 | 5 | 6 | 1 | 1 | 21 | 1 | 48 | | | |
| 29 - 42 | 4 | 6 | 2 | 3 | 1 | 11 | 0 | 27 | | | |
| 43 - 56 | 2 | 1 | 5 | 0 | 2 | 7 | 0 | 17 | | | |
| 57 - 91 | 2 | 2 | 4 | 0 | 2 | 1 | 1 | 12 | | | |
| 92 - 182 | 5 | 1 | 1 | 0 | 0 | 7 | 0 | 14 | | | |
| 183 + | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | | | |
| TOTAL | 36 | 22 | 23 | 8 | 8 | 55 | 4 | 156 | | | |

^{*}Only those gender/job category combinations with at least one absence appear in this table.

Absence Data

Appendix G. Number of Diagnoses in Each Diagnostic Category by Gender and Age*

| | | | | Women | | |
|---------------------------------------|------------------|---------|---------|---------|------|-------|
| | | | Age G | roup | | |
| | | 16 - 29 | 30 - 39 | 40 - 49 | 50 + | TOTAL |
| Diagnostic Category | ICD-9-CM Code | | | | | |
| INFECTIOUS & PARASITIC DISEASES (DIS) | 001-139 | 0 | 0 | 1 | 0 | 1 |
| -Intestinal Infectious Dis | 001-009 | 0 | 0 | 0 | 0 | 0 |
| -Other Bacterial Dis | 030-041 | 0 | 0 | 0 | 0 | 0 |
| -Arthropod-Borne Viral Dis | 060-066 | 0 | 0 | 1 | 0 | 1 |
| -Other Viral Dis & Chlamydiae | 070-079 | 0 | 0 | 0 | 0 | 0 |
| MALIGNANT NEOPLASMS | 140-208, 230-234 | 0 | 0 | 0 | 0 | 0 |
| -Digestive & Peritoneal | 150-159 | 0 | 0 | 0 | 0 | 0 |
| -Bone, Connective Tissue, Skin | 170-173, 176 | 0 | 0 | 0 | 0 | 0 |
| -Genitourinary | 179-189 | 0 | 0 | 0 | 0 | 0 |
| -Other & Unspecified Sites | 190, 193-199 | 0 | 0 | 0 | 0 | 0 |
| -Lymphatic & Hematopoietic | 200-208 | 0 | 0 | 0 | 0 | 0 |
| BENIGN & UNCERTAIN NEOPLASMS | 210-229, 235-239 | 0 | 1 | 0 | 0 | 1 |
| ENDOCRINE/METABOLIC/IMMUNITY | 240-279 | 0 | 1 | 0 | 0 | 1 |
| -Thyroid Gland Disorders | 240-246 | 0 | 1 | 0 | 0 | 1 |
| -Other Endocrine Gland Dis | 250-259 | 0 | 0 | 0 | 0 | 0 |
| -Other Metabolic & Immunity Disorders | 270-279 | 0 | 0 | 0 | 0 | 0 |
| MENTAL DISORDERS | 290-319 | 0 | 0 | 0 | 0 | 0 |
| -Non-Psychotic Disorders | 300-302, 306-316 | 0 | 0 | 0 | 0 | 0 |
| -Alcohol Dependence | 303 | 0 | 0 | 0 | 0 | 0 |
| NERVOUS SYSTEM (NS) & SENSE ORGANS | 320-389 | 0 | 1 | 2 | 2 | 5 |
| -Inflammatory Dis of Central NS | 320-326 | 0 | 0 | 0 | 0 | 0 |
| -Disorders of Peripheral NS | 350-359 | 0 | 0 | 1 | 1 | 2 |
| -Disorders of Eye | 360-379 | 0 | 0 | 1 | 1 | 2 |
| -Dis of Ear & Mastoid | 380-389 | 0 | 1 | 0 | 0 | 1 |
| CIRCULATORY SYSTEM | 390-459 | 0 | 0 | 1 | 1 | 2 |
| -Ischemic Heart Dis | 410-414 | 0 | 0 | 1 | 0 | 1 |
| -Dis of Pulmonary Circulation | 415-417 | 0 | 0 | 0 | 0 | 0 |
| -Other Heart Dis | 420-429 | 0 | 0 | 0 | 0 | 0 |
| -Dis of Arteries & Capillaries | 440-448 | 0 | 0 | 0 | 0 | 0 |
| -Dis of Veins, Lymphatics, Other | 451-459 | 0 | 0 | 0 | 1 | 1 |
| RESPIRATORY SYSTEM | 460-519 | 1 | 0 | 2 | 0 | 3 |
| -Acute Respiratory Infections | 460-466 | 0 | 0 | 1 | 0 | 1 |
| -Other Dis Upper Respiratory Tract | 470-478 | 0 | 0 | 0 | 0 | 0 |
| -Pneumonia & Influenza | 480-487 | 1 | 0 | 1 | 0 | 2 |
| -Chronic Obstructive Dis | 490-496 | 0 | 0 | 0 | 0 | 0 |
| -Other Respiratory Dis | 510-519 | 0 | 0 | 0 | 0 | 0 |
| DIGESTIVE SYSTEM | 520-579 | 1 | 0 | 1 | 1 | 3 |

^{*}Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

Absence Data

Appendix G. Number of Diagnoses in Each Diagnostic Category by Gender and Age*

| | | | | Men | | | |
|---------------------------------------|------------------|---------|---------|---------|------|-------|-------|
| | | | Age G | roup | | | |
| | | 16 - 29 | 30 - 39 | 40 - 49 | 50 + | TOTAL | TOTAL |
| Diagnostic Category | ICD-9-CM Code | | | | | | |
| INFECTIOUS & PARASITIC DISEASES (DIS) | 001-139 | 1 | 0 | 1 | 4 | 6 | 7 |
| -Intestinal Infectious Dis | 001-009 | 0 | 0 | 0 | 1 | 1 | 1 |
| -Other Bacterial Dis | 030-041 | 0 | 0 | 0 | 2 | 2 | 2 |
| -Arthropod-Borne Viral Dis | 060-066 | 0 | 0 | 0 | 1 | 1 | 2 |
| -Other Viral Dis & Chlamydiae | 070-079 | 1 | 0 | 1 | 0 | 2 | 2 |
| MALIGNANT NEOPLASMS | 140-208, 230-234 | 2 | 0 | 1 | 5 | 8 | 8 |
| -Digestive & Peritoneal | 150-159 | 0 | 0 | 0 | 1 | 1 | 1 |
| -Bone, Connective Tissue, Skin | 170-173, 176 | 0 | 0 | 0 | 1 | 1 | 1 |
| -Genitourinary | 179-189 | 1 | 0 | 0 | 1 | 2 | 2 |
| -Other & Unspecified Sites | 190, 193-199 | 1 | 0 | 1 | 0 | 2 | 2 |
| -Lymphatic & Hematopoietic | 200-208 | 0 | 0 | 0 | 2 | 2 | 2 |
| BENIGN & UNCERTAIN NEOPLASMS | 210-229, 235-239 | 0 | 0 | 0 | 1 | 1 | 2 |
| ENDOCRINE/METABOLIC/IMMUNITY | 240-279 | 0 | 1 | 1 | 3 | 5 | 6 |
| -Thyroid Gland Disorders | 240-246 | 0 | 0 | 0 | 0 | 0 | 1 |
| -Other Endocrine Gland Dis | 250-259 | 0 | 0 | 0 | 2 | 2 | 2 |
| -Other Metabolic & Immunity Disorders | 270-279 | 0 | 1 | 1 | 1 | 3 | 3 |
| MENTAL DISORDERS | 290-319 | 1 | 0 | 1 | 1 | 3 | 3 |
| -Non-Psychotic Disorders | 300-302, 306-316 | 0 | 0 | 1 | 1 | 2 | 2 |
| -Alcohol Dependence | 303 | 1 | 0 | 0 | 0 | 1 | 1 |
| NERVOUS SYSTEM (NS) & SENSE ORGANS | 320-389 | 0 | 1 | 1 | 4 | 6 | 11 |
| -Inflammatory Dis of Central NS | 320-326 | 0 | 0 | 0 | 1 | 1 | 1 |
| -Disorders of Peripheral NS | 350-359 | 0 | 0 | 1 | 3 | 4 | 6 |
| -Disorders of Eye | 360-379 | 0 | 1 | 0 | 0 | 1 | 3 |
| -Dis of Ear & Mastoid | 380-389 | 0 | 0 | 0 | 0 | 0 | 1 |
| CIRCULATORY SYSTEM | 390-459 | 0 | 3 | 1 | 5 | 9 | 11 |
| -Ischemic Heart Dis | 410-414 | 0 | 0 | 0 | 2 | 2 | 3 |
| -Dis of Pulmonary Circulation | 415-417 | 0 | 0 | 1 | 1 | 2 | 2 |
| -Other Heart Dis | 420-429 | 0 | 1 | 0 | 0 | 1 | 1 |
| -Dis of Arteries & Capillaries | 440-448 | 0 | 0 | 0 | 1 | 1 | 1 |
| -Dis of Veins, Lymphatics, Other | 451-459 | 0 | 2 | 0 | 1 | 3 | 4 |
| RESPIRATORY SYSTEM | 460-519 | 3 | 0 | 8 | 18 | 29 | 32 |
| -Acute Respiratory Infections | 460-466 | 2 | 0 | 1 | 3 | 6 | 7 |
| -Other Dis Upper Respiratory Tract | 470-478 | 1 | 0 | 3 | 3 | 7 | 7 |
| -Pneumonia & Influenza | 480-487 | 0 | 0 | 3 | 9 | 12 | 14 |
| -Chronic Obstructive Dis | 490-496 | 0 | 0 | 1 | 2 | 3 | 3 |
| -Other Respiratory Dis | 510-519 | 0 | 0 | 0 | 1 | 1 | 1 |
| DIGESTIVE SYSTEM (Continued) | 520-579 | 4 | 1 | 10 | 10 | 25 | 28 |

^{*}Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

Absence Data

Appendix G. Number of Diagnoses in Each Diagnostic Category by Gender and Age*

| | | | Age G | roup | | |
|--|------------------|---------|---------|---------|------|-------|
| | | 16 - 29 | 30 - 39 | 40 - 49 | 50 + | TOTAL |
| Diagnostic Category | ICD-9-CM Code | | | | | |
| -Oral Cavity, Saliva Glands, Jaw | 520-529 | 0 | 0 | 1 | 0 | 1 |
| -Esophagus, Stomach, Duodenum | 530-537 | 0 | 0 | 0 | 1 | 1 |
| -Appendicitis | 540-543 | 0 | 0 | 0 | 0 | 0 |
| -Hernia | 550-553 | 0 | 0 | 0 | 0 | 0 |
| -Enteritis, Colitis | 555-558 | 0 | 0 | 0 | 0 | 0 |
| -Other Intestinal Dis | 560-569 | 0 | 0 | 0 | 0 | 0 |
| -Other Digestive Dis | 570-579 | 1 | 0 | 0 | 0 | 1 |
| GENITOURINARY SYSTEM | 580-629 | 0 | 0 | 1 | 2 | 3 |
| -Nephritis, Nephrosis | 580-589 | 0 | 0 | 0 | 0 | 0 |
| -Male Genital Organ Dis | 600-608 | 0 | 0 | 0 | 0 | 0 |
| -Other Female Disorders | 617-629 | 0 | 0 | 1 | 2 | 3 |
| SKIN & SUBCUTANEOUS TISSUE | 680-709 | 0 | 0 | 0 | 1 | 1 |
| -Infections | 680-686 | 0 | 0 | 0 | 0 | 0 |
| -Other | 700-709 | 0 | 0 | 0 | 1 | 1 |
| MUSCULOSKELETAL & CONNECTIVE TISSUE | 710-739 | 1 | 0 | 2 | 5 | 8 |
| -Arthropathies | 710-719 | 1 | 0 | 0 | 1 | 2 |
| -Dorsopathies | 720-724 | 0 | 0 | 0 | 3 | 3 |
| -Rheumatism, Excluding Back | 725-729 | 0 | 0 | 1 | 1 | 2 |
| -Other Dis & Acquired Deformities | 730-739 | 0 | 0 | 1 | 0 | 1 |
| CONGENITAL ANOMALIES | 740-759 | 0 | 0 | 0 | 0 | 0 |
| SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS | 780-799 | 0 | 1 | 1 | 2 | 4 |
| -Symptoms | 780-789 | 0 | 1 | 1 | 2 | 4 |
| -Ill-Defined & Unknown Causes | 797-799 | 0 | 0 | 0 | 0 | 0 |
| INJURY & POISONING | 800-999 | 2 | 1 | 2 | 11 | 16 |
| -Fracture - Skull | 800-804 | 0 | 0 | 0 | 0 | 0 |
| -Fracture - Neck, Trunk | 805-809 | 0 | 0 | 0 | 2 | 2 |
| -Fracture - Upper Limb | 810-819 | 0 | 0 | 0 | 2 | 2 |
| -Fracture - Lower Limb | 820-829 | 0 | 0 | 0 | 1 | 1 |
| -Dislocation | 830-839 | 0 | 0 | 0 | 1 | 1 |
| -Sprains & Strains - Back | 846-847 | 0 | 0 | 0 | 0 | 0 |
| -Sprains & Strains - Other | 840-845, 848 | 1 | 1 | 1 | 2 | 5 |
| -Internal Injury - Thorax, Abdomen, Pelvis | 860-869 | 0 | 0 | 0 | 0 | 0 |
| -Open Wound - Upper Limb | 880-887 | 0 | 0 | 0 | 0 | 0 |
| -Late Effects of Accident | 905-909 | 0 | 0 | 0 | 0 | 0 |
| -Complications & Unspecified Injuries | 958-959 | 1 | 0 | 0 | 3 | 4 |
| -Complications of Surgical/Medical Care | 996-999 | 0 | 0 | 1 | 0 | 1 |

^{*}Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

Absence Data

Appendix G. Number of Diagnoses in Each Diagnostic Category by Gender and Age*

| | | Men | | | | | |
|--|------------------|-----------|---------|----|------|-------|-------|
| | | Age Group | | | | | |
| | | 16 - 29 | 30 - 39 | | 50 + | TOTAL | TOTAL |
| Diagnostic Category | ICD-9-CM Code | | | | | | |
| -Oral Cavity, Saliva Glands, Jaw | 520-529 | 0 | 0 | 0 | 0 | 0 | 1 |
| -Esophagus, Stomach, Duodenum | 530-537 | 0 | 0 | 0 | 0 | 0 | 1 |
| -Appendicitis | 540-543 | 0 | 0 | 1 | 1 | 2 | 2 |
| -Hernia | 550-553 | 3 | 0 | 1 | 6 | 10 | 10 |
| -Enteritis, Colitis | 555-558 | 0 | 0 | 2 | 0 | 2 | 2 |
| -Other Intestinal Dis | 560-569 | 0 | 0 | 4 | 0 | 4 | 4 |
| -Other Digestive Dis | 570-579 | 1 | 1 | 2 | 3 | 7 | 8 |
| GENITOURINARY SYSTEM | 580-629 | 0 | 1 | 0 | 3 | 4 | 7 |
| -Nephritis, Nephrosis | 580-589 | 0 | 1 | 0 | 1 | 2 | 2 |
| -Male Genital Organ Dis | 600-608 | 0 | 0 | 0 | 2 | 2 | 2 |
| -Other Female Disorders | 617-629 | 0 | 0 | 0 | 0 | 0 | 3 |
| SKIN & SUBCUTANEOUS TISSUE | 680-709 | 0 | 1 | 1 | 4 | 6 | 7 |
| -Infections | 680-686 | 0 | 1 | 1 | 2 | 4 | 4 |
| -Other | 700-709 | 0 | 0 | 0 | 2 | 2 | 3 |
| MUSCULOSKELETAL & CONNECTIVE TISSUE | 710-739 | 0 | 2 | 13 | 30 | 45 | 53 |
| -Arthropathies | 710-719 | 0 | 0 | 5 | 15 | 20 | 22 |
| -Dorsopathies | 720-724 | 0 | 2 | 4 | 12 | 18 | 21 |
| -Rheumatism, Excluding Back | 725-729 | 0 | 0 | 4 | 2 | 6 | 8 |
| -Other Dis & Acquired Deformities | 730-739 | 0 | 0 | 0 | 1 | 1 | 2 |
| CONGENITAL ANOMALIES | 740-759 | 0 | 0 | 0 | 3 | 3 | 3 |
| SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS | 780-799 | 0 | 1 | 1 | 5 | 7 | 11 |
| -Symptoms | 780-789 | 0 | 1 | 1 | 4 | 6 | 10 |
| -Ill-Defined & Unknown Causes | 797-799 | 0 | 0 | 0 | 1 | 1 | 1 |
| INJURY & POISONING | 800-999 | 6 | 6 | 15 | 26 | 53 | 69 |
| -Fracture - Skull | 800-804 | 0 | 0 | 1 | 0 | 1 | 1 |
| -Fracture - Neck, Trunk | 805-809 | 0 | 0 | 1 | 0 | 1 | 3 |
| -Fracture - Upper Limb | 810-819 | 2 | 0 | 0 | 0 | 2 | 4 |
| -Fracture - Lower Limb | 820-829 | 1 | 0 | 0 | 3 | 4 | 5 |
| -Dislocation | 830-839 | 2 | 2 | 4 | 11 | 19 | 20 |
| -Sprains & Strains - Back | 846-847 | 0 | 1 | 2 | 0 | 3 | 3 |
| -Sprains & Strains - Other | 840-845, 848 | 1 | 2 | 3 | 9 | 15 | 20 |
| -Internal Injury - Thorax, Abdomen, Pelvis | 860-869 | 0 | 0 | 2 | 0 | 2 | 2 |
| -Open Wound - Upper Limb | 880-887 | 0 | 0 | 0 | 1 | 1 | 1 |
| -Late Effects of Accident | 905-909 | 0 | 1 | 1 | 0 | 2 | 2 |
| -Complications & Unspecified Injuries | 958-959 | 0 | 0 | 0 | 0 | 0 | 4 |
| -Complications of Surgical/Medical Care | 996-999 | 0 | 0 | 1 | 2 | 3 | 4 |

^{*}Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

Absence Data

Appendix G. Number of Diagnoses in Each Diagnostic Category by Gender and Age*

| | | | | Women | | |
|---|------------------|---------|---------|---------|------|-------|
| | | Age G | roup | | | |
| | | 16 - 29 | 30 - 39 | 40 - 49 | 50 + | TOTAL |
| Diagnostic Category | ICD-9-CM Code | | | | | |
| HEALTH STATUS/HEALTH SERVICE CONTACT | V01-V82 | 0 | 0 | 0 | 0 | 0 |
| -Personal & Family History | V10-V19 | 0 | 0 | 0 | 0 | 0 |
| -Health Services Reproduction/Development | V20-V29 | 0 | 0 | 0 | 0 | 0 |
| -Specific Procedures/Aftercare | V50-V59 | 0 | 0 | 0 | 0 | 0 |

^{*}Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

Appendix G. Number of Diagnoses in Each Diagnostic Category by Gender and Age*

| | | | | Men | | | |
|---|------------------|---------|---------|---------|------|-------|-------|
| | | | Age G | roup | | | |
| | | 16 - 29 | 30 - 39 | 40 - 49 | 50 + | TOTAL | TOTAL |
| Diagnostic Category | ICD-9-CM Code | | | | | | |
| HEALTH STATUS/HEALTH SERVICE CONTACT | V01-V82 | 1 | 0 | 0 | 5 | 6 | 6 |
| -Personal & Family History | V10-V19 | 0 | 0 | 0 | 4 | 4 | 4 |
| -Health Services Reproduction/Development | V20-V29 | 1 | 0 | 0 | 0 | 1 | 1 |
| -Specific Procedures/Aftercare | V50-V59 | 0 | 0 | 0 | 1 | 1 | 1 |

| | Women | | | | | | | | | | |
|------------------------|---------|---------|---------|------|-------|-----------|---------|---------|------|-------|-------|
| | | Age G | roup | | | Age Group | | | | | |
| | 16 - 29 | 30 - 39 | 40 - 49 | 50 + | TOTAL | 16 - 29 | 30 - 39 | 40 - 49 | 50 + | TOTAL | TOTAL |
| Diagnostic Category | | | | | | | | | | | |
| Total | 5 | 5 | 13 | 25 | 48 | 18 | 17 | 54 | 127 | 216 | 264 |

^{*}Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

Absence Data

Appendix H. Total Number of Calendar Days Absent in Each Diagnostic Category by Gender and Age*

| | | | Women | | | | | | |
|---|------------------|---------|---------|---------|------|-------|--|--|--|
| | | | | | | | | | |
| | | 16 - 29 | 30 - 39 | 40 - 49 | 50 + | TOTAL | | | |
| Diagnostic Category | ICD-9-CM Code | | | | | | | | |
| INFECTIOUS & PARASITIC DISEASES (DIS) | 001-139 | 0 | 0 | 34 | 0 | 34 | | | |
| MALIGNANT NEOPLASMS | 140-208, 230-234 | 0 | 0 | 0 | 0 | 0 | | | |
| BENIGN & UNCERTAIN NEOPLASMS | 210-229, 235-239 | 0 | 17 | 0 | 0 | 17 | | | |
| ENDOCRINE/METABOLIC/IMMUNITY | 240-279 | 0 | 32 | 0 | 0 | 32 | | | |
| MENTAL DISORDERS | 290-319 | 0 | 0 | 0 | 0 | 0 | | | |
| NERVOUS SYSTEM (NS) & SENSE ORGANS | 320-389 | 0 | 13 | 80 | 811 | 904 | | | |
| CIRCULATORY SYSTEM | 390-459 | 0 | 0 | 116 | 16 | 132 | | | |
| RESPIRATORY SYSTEM | 460-519 | 13 | 0 | 33 | 0 | 46 | | | |
| DIGESTIVE SYSTEM | 520-579 | 20 | 0 | 13 | 20 | 53 | | | |
| GENITOURINARY SYSTEM | 580-629 | 0 | 0 | 63 | 133 | 196 | | | |
| SKIN & SUBCUTANEOUS TISSUE | 680-709 | 0 | 0 | 0 | 22 | 22 | | | |
| MUSCULOSKELETAL & CONNECTIVE TISSUE | 710-739 | 21 | 0 | 65 | 201 | 287 | | | |
| CONGENITAL ANOMALIES | 740-759 | 0 | 0 | 0 | 0 | 0 | | | |
| SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS | 780-799 | 0 | 21 | 24 | 31 | 76 | | | |
| INJURY & POISONING | 800-999 | 30 | 67 | 65 | 317 | 479 | | | |

| | | | Men | | | | | |
|---|------------------|---------|---------|---------|-------|-------|-------|--|
| | | | Age G | | | | | |
| | | 16 - 29 | 30 - 39 | 40 - 49 | 50 + | TOTAL | TOTAL | |
| Diagnostic Category | ICD-9-CM Code | | | | | | | |
| INFECTIOUS & PARASITIC DISEASES (DIS) | 001-139 | 25 | 0 | 13 | 231 | 269 | 303 | |
| MALIGNANT NEOPLASMS | 140-208, 230-234 | 100 | 0 | 10 | 104 | 214 | 214 | |
| BENIGN & UNCERTAIN NEOPLASMS | 210-229, 235-239 | 0 | 0 | 0 | 12 | 12 | 29 | |
| ENDOCRINE/METABOLIC/IMMUNITY | 240-279 | 0 | 94 | 103 | 249 | 446 | 478 | |
| MENTAL DISORDERS | 290-319 | 21 | 0 | 8 | 16 | 45 | 45 | |
| NERVOUS SYSTEM (NS) & SENSE ORGANS | 320-389 | 0 | 32 | 39 | 118 | 189 | 1,093 | |
| CIRCULATORY SYSTEM | 390-459 | 0 | 75 | 18 | 231 | 324 | 456 | |
| RESPIRATORY SYSTEM | 460-519 | 43 | 0 | 118 | 3,690 | 3,851 | 3,897 | |
| DIGESTIVE SYSTEM | 520-579 | 89 | 4 | 272 | 294 | 659 | 712 | |
| GENITOURINARY SYSTEM | 580-629 | 0 | 23 | 0 | 208 | 231 | 427 | |
| SKIN & SUBCUTANEOUS TISSUE | 680-709 | 0 | 14 | 57 | 226 | 297 | 319 | |
| MUSCULOSKELETAL & CONNECTIVE TISSUE | 710-739 | 0 | 62 | 453 | 1,231 | 1,746 | 2,033 | |
| CONGENITAL ANOMALIES | 740-759 | 0 | 0 | 0 | 172 | 172 | 172 | |
| SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS | 780-799 | 0 | 22 | 13 | 106 | 141 | 217 | |
| INJURY & POISONING | 800-999 | 345 | 235 | 479 | 574 | 1,633 | 2,112 | |

^{*}Absences with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

Absence Data

Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category*

| | | Women | | | | | | |
|---|------------------|--------------|---------------------------|----------------------|--|--|--|--|
| | | | Job Category | | | | | |
| | | Professional | Administrative Support | Technical Support | | | | |
| Diagnostic Category | ICD-9-CM Code | | | | | | | |
| INFECTIOUS & PARASITIC DISEASES (DIS) | 001-139 | 0 | 0 | 0 | | | | |
| -Arthropod-Borne Viral Dis | 060-066 | 0 | 0 | 0 | | | | |
| BENIGN & UNCERTAIN NEOPLASMS | 210-229, 235-239 | 0 | 0 | 0 | | | | |
| ENDOCRINE/METABOLIC/IMMUNITY | 240-279 | 0 | 0 | 0 | | | | |
| -Thyroid Gland Disorders | 240-246 | 0 | 0 | 0 | | | | |
| NERVOUS SYSTEM (NS) & SENSE ORGANS | 320-389 | 1 | 2 | 0 | | | | |
| -Disorders of Peripheral NS | 350-359 | 1 | 0 | 0 | | | | |
| -Disorders of Eye | 360-379 | 0 | 1 | 0 | | | | |
| -Dis of Ear & Mastoid | 380-389 | 0 | 1 | 0 | | | | |
| CIRCULATORY SYSTEM | 390-459 | 0 | 1 | 0 | | | | |
| -Ischemic Heart Dis | 410-414 | 0 | 1 | 0 | | | | |
| -Dis of Veins, Lymphatics, Other | 451-459 | 0 | 0 | 0 | | | | |
| RESPIRATORY SYSTEM | 460-519 | 2 | 0 | 0 | | | | |
| -Acute Respiratory Infections | 460-466 | 1 | 0 | 0 | | | | |
| -Pneumonia & Influenza | 480-487 | 1 | 0 | 0 | | | | |
| DIGESTIVE SYSTEM | 520-579 | 0 | 1 | 1 | | | | |
| -Oral Cavity, Saliva Glands, Jaw | 520-529 | 0 | 0 | 1 | | | | |
| -Esophagus, Stomach, Duodenum | 530-537 | 0 | 1 | 0 | | | | |
| -Other Digestive Dis | 570-579 | 0 | 0 | 0 | | | | |
| GENITOURINARY SYSTEM | 580-629 | 0 | 0 | 1 | | | | |
| -Other Female Disorders | 617-629 | 0 | 0 | 1 | | | | |
| SKIN & SUBCUTANEOUS TISSUE | 680-709 | 0 | 0 | 0 | | | | |
| -Other | 700-709 | 0 | 0 | 0 | | | | |
| MUSCULOSKELETAL & CONNECTIVE TISSUE | 710-739 | 0 | 2 | 3 | | | | |
| -Arthropathies | 710-719 | 0 | 0 | 0 | | | | |
| -Dorsopathies | 720-724 | 0 | 1 | 2 | | | | |
| -Rheumatism, Excluding Back | 725-729 | 0 | 1 | 0 | | | | |
| -Other Dis & Acquired Deformities | 730-739 | 0 | 0 | 1 | | | | |
| SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS | 780-799 | 0 | 3 | 0 | | | | |
| -Symptoms | 780-789 | 0 | 3 | 0 | | | | |
| INJURY & POISONING | 800-999 | 0 | 3 | 1 | | | | |
| -Fracture - Neck, Trunk | 805-809 | 0 | 0 | 0 | | | | |
| -Fracture - Upper Limb | 810-819 | 0 | 0 | 0 | | | | |
| -Fracture - Lower Limb | 820-829 | 0 | 1 | 0 | | | | |
| -Dislocation | 830-839 | 0 | 1 | 0 | | | | |
| (Continued) | | | | | | | | |

^{*}Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

Absence Data

Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category*

| Diagnostic Category ICD-9-CM Code INFECTIOUS & PARASTITC DISEASES (DIS) 001-139 0 | | | Women | | | | | | |
|--|---|------------------|---------|---|--------|---|-------|--|--|
| Diagnostic Category ICD-9-CM Code INFECTIOUS & PARASTITC DISEASES (DIS) 00-139 0 0 0 0 0 0 0 0 0 | | | | | | | | | |
| Diagnostic Category ICD-9-CM Code INFECTIOUS & PARASTITC DISEASES (DIS) 001-139 | | | | | | | | | |
| INFECTIOUS & PARASITIC DISEASES (DIS) | | | Service | | Crafts | | TOTAL | | |
| Arthropod-Borne Viral Dis | Diagnostic Category | ICD-9-CM Code | | | | - | | | |
| BENIGN & UNCERTAIN NEOPLASMS 210-229, 235-239 1 | INFECTIOUS & PARASITIC DISEASES (DIS) | 001-139 | 0 | 1 | 0 | 0 | 1 | | |
| ENDOCRINE/METABOLIC/IMMUNITY 240-279 | -Arthropod-Borne Viral Dis | 060-066 | 0 | 1 | 0 | 0 | 1 | | |
| Thyroid Gland Disorders | BENIGN & UNCERTAIN NEOPLASMS | 210-229, 235-239 | 1 | 0 | 0 | 0 | 1 | | |
| NERVOUS SYSTEM (NS) & SENSE ORGANS 320-389 | ENDOCRINE/METABOLIC/IMMUNITY | 240-279 | 1 | 0 | 0 | 0 | 1 | | |
| Disorders of Peripheral NS | -Thyroid Gland Disorders | 240-246 | 1 | 0 | 0 | 0 | 1 | | |
| Disorders of Eye 360-379 1 | NERVOUS SYSTEM (NS) & SENSE ORGANS | 320-389 | 1 | 0 | 1 | 0 | 5 | | |
| Dis of Ear & Mastoid 380-389 0 0 0 0 0 0 0 0 0 | -Disorders of Peripheral NS | 350-359 | 0 | 0 | 1 | 0 | 2 | | |
| CIRCULATORY SYSTEM 390-459 0 | -Disorders of Eye | 360-379 | 1 | 0 | 0 | 0 | 2 | | |
| Ischemic Heart Dis | -Dis of Ear & Mastoid | 380-389 | 0 | 0 | 0 | 0 | 1 | | |
| Dis of Veins, Lymphatics, Other | CIRCULATORY SYSTEM | 390-459 | 0 | 1 | 0 | 0 | 2 | | |
| RESPIRATORY SYSTEM | -Ischemic Heart Dis | 410-414 | 0 | 0 | 0 | 0 | 1 | | |
| Acute Respiratory Infections | -Dis of Veins, Lymphatics, Other | 451-459 | 0 | 1 | 0 | 0 | 1 | | |
| PREUMONIA & Influenza | RESPIRATORY SYSTEM | 460-519 | 0 | 0 | 1 | 0 | 3 | | |
| DIGESTIVE SYSTEM 520-579 | -Acute Respiratory Infections | 460-466 | 0 | 0 | 0 | 0 | 1 | | |
| Coral Cavity, Saliva Glands, Jaw 520-529 0 0 0 0 0 0 0 0 0 | -Pneumonia & Influenza | 480-487 | 0 | 0 | 1 | 0 | 2 | | |
| South | DIGESTIVE SYSTEM | 520-579 | 1 | 0 | 0 | 0 | 3 | | |
| Other Digestive Dis | -Oral Cavity, Saliva Glands, Jaw | 520-529 | 0 | 0 | 0 | 0 | 1 | | |
| GENITOURINARY SYSTEM 580-629 1 0 1 0 3 Other Female Disorders 617-629 1 0 1 0 3 SKIN & SUBCUTANEOUS TISSUE 680-709 1 0 0 0 1 Other 700-709 1 0 0 0 1 MUSCULOSKELETAL & CONNECTIVE TISSUE 710-719 1 1 0 0 8 -Arthropathies 710-719 1 1 0 0 2 -Dorsopathies 720-724 0 0 0 0 0 3 -Rheumatism, Excluding Back 725-729 1 0 0 0 0 2 -Other Dis & Acquired Deformities 730-739 0 0 0 0 1 SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS 780-799 0 0 1 0 4 INJURY & POISONING 800-999 7 2 2 1 16 -Fr | -Esophagus, Stomach, Duodenum | 530-537 | 0 | 0 | 0 | 0 | 1 | | |
| Other Female Disorders 617-629 1 0 1 0 3 SKIN & SUBCUTANEOUS TISSUE 680-709 1 0 0 0 1 Other 700-709 1 0 0 0 1 MUSCULOSKELETAL & CONNECTIVE TISSUE 710-739 2 1 0 0 8 -Arthropathies 710-719 1 1 0 0 2 -Dorsopathies 720-724 0 0 0 0 0 3 Rheumatism, Excluding Back 725-729 1 0 0 0 0 2 -Other Dis & Acquired Deformities 730-739 0 0 0 0 1 SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS 780-799 0 0 1 0 4 Symptoms 780-789 0 0 1 0 4 INJURY & POISONING 800-999 7 2 2 1 16 -Fracture - Neck | -Other Digestive Dis | 570-579 | 1 | 0 | 0 | 0 | 1 | | |
| SKIN & SUBCUTANEOUS TISSUE 680-709 1 0 0 0 Other 700-709 1 0 0 0 1 MUSCULOSKELETAL & CONNECTIVE TISSUE 710-739 2 1 0 0 8 -Arthropathies 710-719 1 1 0 0 0 2 -Dorsopathies 720-724 0 0 0 0 0 3 -Rheumatism, Excluding Back 725-729 1 0 0 0 0 0 2 -Other Dis & Acquired Deformities 730-739 0 0 0 0 0 1 SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS 780-799 0 0 1 0 4 -Symptoms 780-789 0 0 1 0 4 INJURY & POISONING 800-999 7 2 2 1 16 -Fracture - Neck, Trunk 805-809 2 0 0 0 0 | GENITOURINARY SYSTEM | 580-629 | 1 | 0 | 1 | 0 | 3 | | |
| October County | -Other Female Disorders | 617-629 | 1 | 0 | 1 | 0 | 3 | | |
| MUSCULOSKELETAL & CONNECTIVE TISSUE 710-739 2 1 0 0 8 -Arthropathies 710-719 1 1 0 0 2 -Dorsopathies 720-724 0 0 0 0 0 3 -Rheumatism, Excluding Back 725-729 1 0 0 0 0 2 -Other Dis & Acquired Deformities 730-739 0 0 0 0 1 SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS 780-799 0 0 1 0 4 -Symptoms 780-789 0 0 1 0 4 INJURY & POISONING 800-999 7 2 2 1 16 -Fracture - Neck, Trunk 805-809 2 0 0 0 2 -Fracture - Upper Limb 810-819 2 0 0 0 0 -Fracture - Lower Limb 820-829 0 0 0 0 0 | SKIN & SUBCUTANEOUS TISSUE | 680-709 | 1 | 0 | 0 | 0 | 1 | | |
| -Arthropathies 710-719 1 1 0 0 2 -Dorsopathies 720-724 0 0 0 0 0 3 -Rheumatism, Excluding Back 725-729 1 0 0 0 0 2 -Other Dis & Acquired Deformities 730-739 0 0 0 0 1 SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS 780-799 0 0 1 0 4 -Symptoms 780-789 0 0 1 0 4 INJURY & POISONING 800-999 7 2 2 1 16 -Fracture - Neck, Trunk 805-809 2 0 0 0 2 -Fracture - Upper Limb 810-819 2 0 0 0 0 -Fracture - Lower Limb 820-829 0 0 0 0 0 1 | -Other | 700-709 | 1 | 0 | 0 | 0 | 1 | | |
| Toposopathies Toposopathie | MUSCULOSKELETAL & CONNECTIVE TISSUE | 710-739 | 2 | 1 | 0 | 0 | 8 | | |
| -Rheumatism, Excluding Back 725-729 1 0 0 0 2 -Other Dis & Acquired Deformities 730-739 0 0 0 0 1 SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS 780-799 0 0 1 0 4 -Symptoms 780-789 0 0 1 0 4 INJURY & POISONING 800-999 7 2 2 1 166 -Fracture - Neck, Trunk 805-809 2 0 0 0 2 -Fracture - Upper Limb 810-819 2 0 0 0 2 -Fracture - Lower Limb 820-829 0 0 0 0 1 | -Arthropathies | 710-719 | 1 | 1 | 0 | 0 | 2 | | |
| Other Dis & Acquired Deformities 730-739 0 0 0 0 1 SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS 780-799 0 0 1 0 4 -Symptoms 780-789 0 0 1 0 4 INJURY & POISONING 800-999 7 2 2 1 16 -Fracture - Neck, Trunk 805-809 2 0 0 0 2 -Fracture - Upper Limb 810-819 2 0 0 0 0 2 -Fracture - Lower Limb 820-829 0 0 0 0 0 1 | -Dorsopathies | 720-724 | 0 | 0 | 0 | 0 | 3 | | |
| SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS 780-799 0 0 1 0 4 -Symptoms 780-789 0 0 1 0 4 INJURY & POISONING 800-999 7 2 2 1 16 -Fracture - Neck, Trunk 805-809 2 0 0 0 2 -Fracture - Upper Limb 810-819 2 0 0 0 0 1 -Fracture - Lower Limb 820-829 0 0 0 0 1 | -Rheumatism, Excluding Back | 725-729 | 1 | 0 | 0 | 0 | 2 | | |
| -Symptoms 780-789 0 0 1 0 4 INJURY & POISONING 800-999 7 2 2 1 16 -Fracture - Neck, Trunk 805-809 2 0 0 0 2 -Fracture - Upper Limb 810-819 2 0 0 0 0 2 -Fracture - Lower Limb 820-829 0 0 0 0 1 | -Other Dis & Acquired Deformities | 730-739 | 0 | 0 | 0 | 0 | 1 | | |
| INJURY & POISONING 800-999 7 2 2 1 16 -Fracture - Neck, Trunk 805-809 2 0 0 0 2 -Fracture - Upper Limb 810-819 2 0 0 0 0 2 -Fracture - Lower Limb 820-829 0 0 0 0 1 | SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS | 780-799 | 0 | 0 | 1 | 0 | 4 | | |
| -Fracture - Neck, Trunk 805-809 2 0 0 0 2 -Fracture - Upper Limb 810-819 2 0 0 0 2 -Fracture - Lower Limb 820-829 0 0 0 0 1 | -Symptoms | 780-789 | 0 | 0 | 1 | 0 | 4 | | |
| -Fracture - Upper Limb 810-819 2 0 0 0 2 -Fracture - Lower Limb 820-829 0 0 0 0 1 | INJURY & POISONING | 800-999 | 7 | 2 | 2 | 1 | 16 | | |
| -Fracture - Lower Limb 820-829 0 0 0 1 | -Fracture - Neck, Trunk | 805-809 | 2 | 0 | 0 | 0 | 2 | | |
| | -Fracture - Upper Limb | 810-819 | 2 | 0 | 0 | 0 | 2 | | |
| -Dislocation 830-839 0 0 0 0 1 | -Fracture - Lower Limb | 820-829 | 0 | 0 | 0 | 0 | 1 | | |
| | -Dislocation | 830-839 | 0 | 0 | 0 | 0 | 1 | | |

^{*}Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

Absence Data

Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category*

| | | | Women | | | |
|---|---------------|---------------------------|----------------------|---|--|--|
| | Job Category | | | | | |
| | Professional | Administrative Support | Technical Support | | | |
| Diagnostic Category | ICD-9-CM Code | | | | | |
| -Sprains & Strains - Other | 840-845, 848 | 0 | 1 | 0 | | |
| -Complications & Unspecified Injuries | 958-959 | 0 | 0 | 0 | | |
| -Complications of Surgical/Medical Care | 996-999 | 0 | 0 | 1 | | |

^{*}Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

Absence Data

Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category*

| | | | | Wome | n | |
|---|---------------|---|-------------------------|---------|-------------------|-------|
| | | | Job C | ategory | | |
| | | | Security and Fire | Crafts | Line Operators | TOTAL |
| Diagnostic Category | ICD-9-CM Code | | | | | |
| -Sprains & Strains - Other | 840-845, 848 | 0 | 1 | 2 | 1 | 5 |
| -Complications & Unspecified Injuries | 958-959 | 3 | 1 | 0 | 0 | 4 |
| -Complications of Surgical/Medical Care | 996-999 | 0 | 0 | 0 | 0 | 1 |

| | Women | | | | | | | |
|------------------------|--------------|---------------------------|----------------------|---------|-------------------------|--------|-------------------|-------|
| | | | Job Cat | egory | | | | |
| | Professional | Administrative Support | Technical Support | Service | Security and Fire | Crafts | Line Operators | TOTAL |
| Diagnostic Category | | | | | | | | |
| Total | 3 | 12 | 6 | 15 | 5 | 6 | 1 | 48 |

^{*}Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

Absence Data

Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category*

| | | | Men | | | | |
|---------------------------------------|------------------|--------------|---------------------------|----------------------|--|--|--|
| | | | Job Category | | | | |
| | | Professional | Administrative Support | Technical Support | | | |
| Diagnostic Category | ICD-9-CM Code | | | | | | |
| INFECTIOUS & PARASITIC DISEASES (DIS) | 001-139 | 1 | 0 | 1 | | | |
| -Intestinal Infectious Dis | 001-009 | 1 | 0 | 0 | | | |
| -Other Bacterial Dis | 030-041 | 0 | 0 | 0 | | | |
| -Arthropod-Borne Viral Dis | 060-066 | 0 | 0 | 1 | | | |
| -Other Viral Dis & Chlamydiae | 070-079 | 0 | 0 | 0 | | | |
| MALIGNANT NEOPLASMS | 140-208, 230-234 | 3 | 1 | 1 | | | |
| -Digestive & Peritoneal | 150-159 | 0 | 0 | 0 | | | |
| -Bone, Connective Tissue, Skin | 170-173, 176 | 0 | 1 | 0 | | | |
| -Genitourinary | 179-189 | 1 | 0 | 0 | | | |
| -Other & Unspecified Sites | 190, 193-199 | 0 | 0 | 1 | | | |
| -Lymphatic & Hematopoietic | 200-208 | 2 | 0 | 0 | | | |
| BENIGN & UNCERTAIN NEOPLASMS | 210-229, 235-239 | 0 | 0 | 0 | | | |
| ENDOCRINE/METABOLIC/IMMUNITY | 240-279 | 3 | 0 | 0 | | | |
| -Other Endocrine Gland Dis | 250-259 | 2 | 0 | 0 | | | |
| -Other Metabolic & Immunity Disorders | 270-279 | 1 | 0 | 0 | | | |
| MENTAL DISORDERS | 290-319 | 2 | 0 | 0 | | | |
| -Non-Psychotic Disorders | 300-302, 306-316 | 2 | 0 | 0 | | | |
| -Alcohol Dependence | 303 | 0 | 0 | 0 | | | |
| NERVOUS SYSTEM (NS) & SENSE ORGANS | 320-389 | 1 | 2 | 0 | | | |
| -Inflammatory Dis of Central NS | 320-326 | 1 | 0 | 0 | | | |
| -Disorders of Peripheral NS | 350-359 | 0 | 1 | 0 | | | |
| -Disorders of Eye | 360-379 | 0 | 1 | 0 | | | |
| CIRCULATORY SYSTEM | 390-459 | 0 | 2 | 0 | | | |
| -Ischemic Heart Dis | 410-414 | 0 | 1 | 0 | | | |
| -Dis of Pulmonary Circulation | 415-417 | 0 | 1 | 0 | | | |
| -Other Heart Dis | 420-429 | 0 | 0 | 0 | | | |
| -Dis of Arteries & Capillaries | 440-448 | 0 | 0 | 0 | | | |
| -Dis of Veins, Lymphatics, Other | 451-459 | 0 | 0 | 0 | | | |
| RESPIRATORY SYSTEM | 460-519 | 7 | 6 | 5 | | | |
| -Acute Respiratory Infections | 460-466 | 3 | 0 | 0 | | | |
| -Other Dis Upper Respiratory Tract | 470-478 | 0 | 1 | 2 | | | |
| -Pneumonia & Influenza | 480-487 | 2 | 4 | 3 | | | |
| -Chronic Obstructive Dis | 490-496 | 2 | 0 | 0 | | | |
| -Other Respiratory Dis | 510-519 | 0 | 1 | 0 | | | |
| DIGESTIVE SYSTEM | 520-579 | 6 | 4 | 1 | | | |
| (Continued) | | l | | | | | |

^{*}Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

Absence Data

Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category*

| | | | | Men | | |
|---------------------------------------|------------------|---------|-------------|---------|-------------------|-------|
| | | | Job C | ategory | | |
| | | | Security | | | |
| | | Service | and Fire | Crafts | Line Operators | TOTAL |
| Diagnostic Category | ICD-9-CM Code | | | | | |
| INFECTIOUS & PARASITIC DISEASES (DIS) | 001-139 | 0 | 1 | 3 | 0 | 6 |
| -Intestinal Infectious Dis | 001-009 | 0 | 0 | 0 | 0 | 1 |
| -Other Bacterial Dis | 030-041 | 0 | 0 | 2 | 0 | 2 |
| -Arthropod-Borne Viral Dis | 060-066 | 0 | 0 | 0 | 0 | 1 |
| -Other Viral Dis & Chlamydiae | 070-079 | 0 | 1 | 1 | 0 | 2 |
| MALIGNANT NEOPLASMS | 140-208, 230-234 | 0 | 0 | 3 | 0 | 8 |
| -Digestive & Peritoneal | 150-159 | 0 | 0 | 1 | 0 | 1 |
| -Bone, Connective Tissue, Skin | 170-173, 176 | 0 | 0 | 0 | 0 | 1 |
| -Genitourinary | 179-189 | 0 | 0 | 1 | 0 | 2 |
| -Other & Unspecified Sites | 190, 193-199 | 0 | 0 | 1 | 0 | 2 |
| -Lymphatic & Hematopoietic | 200-208 | 0 | 0 | 0 | 0 | 2 |
| BENIGN & UNCERTAIN NEOPLASMS | 210-229, 235-239 | 0 | 0 | 1 | 0 | 1 |
| ENDOCRINE/METABOLIC/IMMUNITY | 240-279 | 0 | 0 | 2 | 0 | 5 |
| -Other Endocrine Gland Dis | 250-259 | 0 | 0 | 0 | 0 | 2 |
| -Other Metabolic & Immunity Disorders | 270-279 | 0 | 0 | 2 | 0 | 3 |
| MENTAL DISORDERS | 290-319 | 0 | 0 | 1 | 0 | 3 |
| -Non-Psychotic Disorders | 300-302, 306-316 | 0 | 0 | 0 | 0 | 2 |
| -Alcohol Dependence | 303 | 0 | 0 | 1 | 0 | 1 |
| NERVOUS SYSTEM (NS) & SENSE ORGANS | 320-389 | 1 | 0 | 2 | 0 | 6 |
| -Inflammatory Dis of Central NS | 320-326 | 0 | 0 | 0 | 0 | 1 |
| -Disorders of Peripheral NS | 350-359 | 1 | 0 | 2 | 0 | 4 |
| -Disorders of Eye | 360-379 | 0 | 0 | 0 | 0 | 1 |
| CIRCULATORY SYSTEM | 390-459 | 2 | 1 | 4 | 0 | 9 |
| -Ischemic Heart Dis | 410-414 | 0 | 0 | 1 | 0 | 2 |
| -Dis of Pulmonary Circulation | 415-417 | 0 | 0 | 1 | 0 | 2 |
| -Other Heart Dis | 420-429 | 0 | 0 | 1 | 0 | 1 |
| -Dis of Arteries & Capillaries | 440-448 | 0 | 1 | 0 | 0 | 1 |
| -Dis of Veins, Lymphatics, Other | 451-459 | 2 | 0 | 1 | 0 | 3 |
| RESPIRATORY SYSTEM | 460-519 | 1 | 0 | 9 | 1 | 29 |
| -Acute Respiratory Infections | 460-466 | 0 | 0 | 2 | 1 | 6 |
| -Other Dis Upper Respiratory Tract | 470-478 | 1 | 0 | 3 | 0 | 7 |
| -Pneumonia & Influenza | 480-487 | 0 | 0 | 3 | 0 | 12 |
| -Chronic Obstructive Dis | 490-496 | 0 | 0 | 1 | 0 | 3 |
| -Other Respiratory Dis | 510-519 | 0 | 0 | 0 | 0 | 1 |
| DIGESTIVE SYSTEM | 520-579 | 1 | 3 | 9 | 1 | 25 |

^{*}Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

Absence Data

Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category*

| | | Men | | | | | |
|--|------------------|--------------|---------------------------|-----------------------|---------|--|--|
| | | | Job Categor | ry | | | |
| | | Professional | Administrative Support | Technica l Support | Service | | |
| Diagnostic Category | ICD-9-CM Code | | | | | | |
| -Appendicitis | 540-543 | 1 | 0 | 0 | 0 | | |
| -Hernia | 550-553 | 2 | 1 | 1 | 0 | | |
| -Enteritis, Colitis | 555-558 | 0 | 0 | 0 | 0 | | |
| -Other Intestinal Dis | 560-569 | 3 | 0 | 0 | 1 | | |
| -Other Digestive Dis | 570-579 | 0 | 3 | 0 | 0 | | |
| GENITOURINARY SYSTEM | 580-629 | 1 | 1 | 1 | 1 | | |
| -Nephritis, Nephrosis | 580-589 | 1 | 0 | 1 | 0 | | |
| -Male Genital Organ Dis | 600-608 | 0 | 1 | 0 | 1 | | |
| SKIN & SUBCUTANEOUS TISSUE | 680-709 | 2 | 0 | 0 | 1 | | |
| -Infections | 680-686 | 2 | 0 | 0 | 1 | | |
| -Other | 700-709 | 0 | 0 | 0 | 0 | | |
| MUSCULOSKELETAL & CONNECTIVE TISSUE | 710-739 | 9 | 7 | 5 | 1 | | |
| -Arthropathies | 710-719 | 7 | 3 | 4 | 0 | | |
| -Dorsopathies | 720-724 | 1 | 4 | 1 | 1 | | |
| -Rheumatism, Excluding Back | 725-729 | 0 | 0 | 0 | 0 | | |
| -Other Dis & Acquired Deformities | 730-739 | 1 | 0 | 0 | 0 | | |
| CONGENITAL ANOMALIES | 740-759 | 0 | 0 | 2 | 0 | | |
| SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS | 780-799 | 3 | 1 | 1 | 0 | | |
| -Symptoms | 780-789 | 3 | 0 | 1 | 0 | | |
| -Ill-Defined & Unknown Causes | 797-799 | 0 | 1 | 0 | 0 | | |
| INJURY & POISONING | 800-999 | 14 | 5 | 11 | 3 | | |
| -Fracture - Skull | 800-804 | 0 | 0 | 0 | 0 | | |
| -Fracture - Neck, Trunk | 805-809 | 0 | 1 | 0 | 0 | | |
| -Fracture - Upper Limb | 810-819 | 0 | 0 | 2 | 0 | | |
| -Fracture - Lower Limb | 820-829 | 1 | 0 | 0 | 0 | | |
| -Dislocation | 830-839 | 7 | 0 | 3 | 0 | | |
| -Sprains & Strains - Back | 846-847 | 1 | 0 | 1 | 0 | | |
| -Sprains & Strains - Other | 840-845, 848 | 3 | 1 | 5 | 0 | | |
| -Internal Injury - Thorax, Abdomen, Pelvis | 860-869 | 0 | 2 | 0 | 0 | | |
| -Open Wound - Upper Limb | 880-887 | 0 | 0 | 0 | 1 | | |
| -Late Effects of Accident | 905-909 | 1 | 0 | 0 | 1 | | |
| -Complications of Surgical/Medical Care | 996-999 | 1 | 1 | 0 | 1 | | |
| HEALTH STATUS/HEALTH SERVICE CONTACT | V01-V82 | 0 | 1 | 4 | 0 | | |
| -Personal & Family History | V10-V19 | 0 | 0 | 4 | 0 | | |
| (Continued) | | | | l | | | |

^{*}Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

Absence Data

Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category*

| | | |] | Men | |
|--|------------------|-------------------------|----------|-------------------|-------|
| | | Je | ob Categ | ory | |
| | | Security and Fire | Crafts | Line Operators | TOTAL |
| Diagnostic Category | ICD-9-CM Code | | | | |
| -Appendicitis | 540-543 | 0 | 1 | 0 | 2 |
| -Hernia | 550-553 | 2 | 4 | 0 | 10 |
| -Enteritis, Colitis | 555-558 | 1 | 1 | 0 | 2 |
| -Other Intestinal Dis | 560-569 | 0 | 0 | 0 | 4 |
| -Other Digestive Dis | 570-579 | 0 | 3 | 1 | 7 |
| GENITOURINARY SYSTEM | 580-629 | 0 | 0 | 0 | 4 |
| -Nephritis, Nephrosis | 580-589 | 0 | 0 | 0 | 2 |
| -Male Genital Organ Dis | 600-608 | 0 | 0 | 0 | 2 |
| SKIN & SUBCUTANEOUS TISSUE | 680-709 | 1 | 2 | 0 | 6 |
| -Infections | 680-686 | 1 | 0 | 0 | 4 |
| -Other | 700-709 | 0 | 2 | 0 | 2 |
| MUSCULOSKELETAL & CONNECTIVE TISSUE | 710-739 | 3 | 19 | 1 | 45 |
| -Arthropathies | 710-719 | 0 | 5 | 1 | 20 |
| -Dorsopathies | 720-724 | 1 | 10 | 0 | 18 |
| -Rheumatism, Excluding Back | 725-729 | 2 | 4 | 0 | 6 |
| -Other Dis & Acquired Deformities | 730-739 | 0 | 0 | 0 | 1 |
| CONGENITAL ANOMALIES | 740-759 | 0 | 1 | 0 | 3 |
| SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS | 780-799 | 1 | 1 | 0 | 7 |
| -Symptoms | 780-789 | 1 | 1 | 0 | 6 |
| -Ill-Defined & Unknown Causes | 797-799 | 0 | 0 | 0 | 1 |
| INJURY & POISONING | 800-999 | 1 | 18 | 1 | 53 |
| -Fracture - Skull | 800-804 | 0 | 1 | 0 | 1 |
| -Fracture - Neck, Trunk | 805-809 | 0 | 0 | 0 | 1 |
| -Fracture - Upper Limb | 810-819 | 0 | 0 | 0 | 2 |
| -Fracture - Lower Limb | 820-829 | 0 | 3 | 0 | 4 |
| -Dislocation | 830-839 | 0 | 8 | 1 | 19 |
| -Sprains & Strains - Back | 846-847 | 1 | 0 | 0 | 3 |
| -Sprains & Strains - Other | 840-845, 848 | 0 | 6 | 0 | 15 |
| -Internal Injury - Thorax, Abdomen, Pelvis | 860-869 | 0 | 0 | 0 | 2 |
| -Open Wound - Upper Limb | 880-887 | 0 | 0 | 0 | 1 |
| -Late Effects of Accident | 905-909 | 0 | 0 | 0 | 2 |
| -Complications of Surgical/Medical Care | 996-999 | 0 | 0 | 0 | 3 |
| HEALTH STATUS/HEALTH SERVICE CONTACT | V01-V82 | 0 | 1 | 0 | 6 |
| -Personal & Family History | V10-V19 | 0 | 0 | 0 | 4 |
| (Continued) | | · | | <u> </u> | l |

^{*}Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

Absence Data

Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category*

| | | | Men | | | | | |
|---|------------------|--|--------------|---|---|--|--|--|
| | | | Job Category | | | | | |
| | | Professional Administrative Technica Support I Support Service | | | | | | |
| Diagnostic Category | ICD-9-CM Code | | | | | | | |
| -Health Services Reproduction/Development | V20-V29 | 0 | 0 | 0 | 0 | | | |
| -Specific Procedures/Aftercare | V50-V59 | 0 | 1 | 0 | 0 | | | |

^{*}Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

Absence Data

Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category*

| | | |] | Men | |
|---|------------------|---|--------------|-----|-------|
| | | | Job Category | | |
| | | Security and Line Fire Crafts Operators | | | TOTAL |
| Diagnostic Category | ICD-9-CM Code | | | | |
| -Health Services Reproduction/Development | V20-V29 | 0 | 1 | 0 | 1 |
| -Specific Procedures/Aftercare | V50-V59 | 0 | 0 | 0 | 1 |

| | | Men | | | | | | | |
|------------------------|--------------|---------------------------|----------------------|---------|-------------------------|--------|-------------------|-------|--|
| | | | Job Cat | egory | | | | | |
| | Professional | Administrative Support | Technical Support | Service | Security and Fire | Crafts | Line Operators | TOTAL | |
| Diagnostic Category | | | | | | | | | |
| Total | 52 | 30 | 32 | 11 | 11 | 76 | 4 | 216 | |

^{*}Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

Absence Data

Appendix J. Total Number of Calendar Days Absent in Each Diagnostic Category by Gender and Job Category*

| | | | Women | |
|---|------------------|--------------|---------------------------|----------------------|
| | | | Job Category | |
| | | Professional | Administrative Support | Technical Support |
| Diagnostic Category | ICD-9-CM Code | | | |
| INFECTIOUS & PARASITIC DISEASES (DIS) | 001-139 | 0 | 0 | 0 |
| BENIGN & UNCERTAIN NEOPLASMS | 210-229, 235-239 | 0 | 0 | 0 |
| ENDOCRINE/METABOLIC/IMMUNITY | 240-279 | 0 | 0 | 0 |
| NERVOUS SYSTEM (NS) & SENSE ORGANS | 320-389 | 38 | 55 | 0 |
| CIRCULATORY SYSTEM | 390-459 | 0 | 116 | 0 |
| RESPIRATORY SYSTEM | 460-519 | 33 | 0 | 0 |
| DIGESTIVE SYSTEM | 520-579 | 0 | 20 | 13 |
| GENITOURINARY SYSTEM | 580-629 | 0 | 0 | 105 |
| SKIN & SUBCUTANEOUS TISSUE | 680-709 | 0 | 0 | 0 |
| MUSCULOSKELETAL & CONNECTIVE TISSUE | 710-739 | 0 | 91 | 111 |
| SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS | 780-799 | 0 | 58 | 0 |
| INJURY & POISONING | 800-999 | 0 | 160 | 13 |

| | | Women | | | | | |
|---|------------------|--------------|-------------------------|--------|-------------------|-------|--|
| | | Job Category | | | | | |
| | | Service | Security and Fire | Crafts | Line Operators | TOTAL | |
| Diagnostic Category | ICD-9-CM Code | | | | | | |
| INFECTIOUS & PARASITIC DISEASES (DIS) | 001-139 | 0 | 34 | 0 | 0 | 34 | |
| BENIGN & UNCERTAIN NEOPLASMS | 210-229, 235-239 | 17 | 0 | 0 | 0 | 17 | |
| ENDOCRINE/METABOLIC/IMMUNITY | 240-279 | 32 | 0 | 0 | 0 | 32 | |
| NERVOUS SYSTEM (NS) & SENSE ORGANS | 320-389 | 14 | 0 | 797 | 0 | 904 | |
| CIRCULATORY SYSTEM | 390-459 | 0 | 16 | 0 | 0 | 132 | |
| RESPIRATORY SYSTEM | 460-519 | 0 | 0 | 13 | 0 | 46 | |
| DIGESTIVE SYSTEM | 520-579 | 20 | 0 | 0 | 0 | 53 | |
| GENITOURINARY SYSTEM | 580-629 | 28 | 0 | 63 | 0 | 196 | |
| SKIN & SUBCUTANEOUS TISSUE | 680-709 | 22 | 0 | 0 | 0 | 22 | |
| MUSCULOSKELETAL & CONNECTIVE TISSUE | 710-739 | 64 | 21 | 0 | 0 | 287 | |
| SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS | 780-799 | 0 | 0 | 18 | 0 | 76 | |
| INJURY & POISONING | 800-999 | 110 | 68 | 61 | 67 | 479 | |

^{*}Absences with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

Absence Data

Appendix J. Total Number of Calendar Days Absent in Each Diagnostic Category by Gender and Job Category*

| | | | Men | |
|---|------------------|--------------|---------------------------|----------------------|
| | | | Job Category | |
| | | Professional | Administrative Support | Technical Support |
| Diagnostic Category | ICD-9-CM Code | | | |
| INFECTIOUS & PARASITIC DISEASES (DIS) | 001-139 | 63 | 0 | 62 |
| MALIGNANT NEOPLASMS | 140-208, 230-234 | 82 | 8 | 10 |
| BENIGN & UNCERTAIN NEOPLASMS | 210-229, 235-239 | 0 | 0 | 0 |
| ENDOCRINE/METABOLIC/IMMUNITY | 240-279 | 301 | 0 | 0 |
| MENTAL DISORDERS | 290-319 | 24 | 0 | 0 |
| NERVOUS SYSTEM (NS) & SENSE ORGANS | 320-389 | 15 | 74 | 0 |
| CIRCULATORY SYSTEM | 390-459 | 0 | 109 | 0 |
| RESPIRATORY SYSTEM | 460-519 | 102 | 112 | 3,453 |
| DIGESTIVE SYSTEM | 520-579 | 182 | 69 | 48 |
| GENITOURINARY SYSTEM | 580-629 | 159 | 42 | 23 |
| SKIN & SUBCUTANEOUS TISSUE | 680-709 | 58 | 0 | 0 |
| MUSCULOSKELETAL & CONNECTIVE TISSUE | 710-739 | 431 | 282 | 158 |
| CONGENITAL ANOMALIES | 740-759 | 0 | 0 | 60 |
| SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS | 780-799 | 76 | 19 | 11 |
| INJURY & POISONING | 800-999 | 347 | 128 | 488 |

^{*}Absences with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

Absence Data

Appendix J. Total Number of Calendar Days Absent in Each Diagnostic Category by Gender and Job Category*

| | | Men | | | | | | | |
|---|------------------|---------|-------------------------|---------|-------------------|-------|--|--|--|
| | | | Job C | ategory | | | | | |
| | | Service | Security and Fire | Crafts | Line Operators | TOTAL | | | |
| Diagnostic Category | ICD-9-CM Code | | | | | | | | |
| INFECTIOUS & PARASITIC DISEASES (DIS) | 001-139 | 0 | 13 | 131 | 0 | 269 | | | |
| MALIGNANT NEOPLASMS | 140-208, 230-234 | 0 | 0 | 114 | 0 | 214 | | | |
| BENIGN & UNCERTAIN NEOPLASMS | 210-229, 235-239 | 0 | 0 | 12 | 0 | 12 | | | |
| ENDOCRINE/METABOLIC/IMMUNITY | 240-279 | 0 | 0 | 145 | 0 | 446 | | | |
| MENTAL DISORDERS | 290-319 | 0 | 0 | 21 | 0 | 45 | | | |
| NERVOUS SYSTEM (NS) & SENSE ORGANS | 320-389 | 40 | 0 | 60 | 0 | 189 | | | |
| CIRCULATORY SYSTEM | 390-459 | 48 | 31 | 136 | 0 | 324 | | | |
| RESPIRATORY SYSTEM | 460-519 | 13 | 0 | 161 | 10 | 3,851 | | | |
| DIGESTIVE SYSTEM | 520-579 | 25 | 121 | 196 | 18 | 659 | | | |
| GENITOURINARY SYSTEM | 580-629 | 7 | 0 | 0 | 0 | 231 | | | |
| SKIN & SUBCUTANEOUS TISSUE | 680-709 | 14 | 57 | 168 | 0 | 297 | | | |
| MUSCULOSKELETAL & CONNECTIVE TISSUE | 710-739 | 41 | 122 | 621 | 91 | 1,746 | | | |
| CONGENITAL ANOMALIES | 740-759 | 0 | 0 | 112 | 0 | 172 | | | |
| SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS | 780-799 | 0 | 13 | 22 | 0 | 141 | | | |
| INJURY & POISONING | 800-999 | 61 | 21 | 574 | 14 | 1,633 | | | |

^{*}Absences with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

Absence Data

Part 1. Men

| Category of Diagnoses | ICD-9-CM Code | Number of Diagnoses | Age-Adjusted Rate per 1000* | Lower 95% Confidence Limit per 1000 | Upper 95% Confidence Limit per 1000 |
|------------------------------------|------------------|------------------------|--------------------------------|---|---|
| Infections/Parasites | 001-139 | 6 | 1.1 | 0.4 | 3.7 |
| Cancer | 140-208, 230-234 | 8 | 1.9 | 0.7 | 5.0 |
| -Lip, Oral Cavity, Pharynx | 140-149 | 0 | 0 | 0 | 0 |
| -Digestive Organs | 150-159 | 1 | 0.1 | 0.0 | 0.6 |
| -Respiratory System | 160-165 | 0 | 0 | 0 | 0 |
| -Bone, Connective Tissue, Skin | 170-173, 176 | 1 | 0.1 | 0.0 | 0.6 |
| -Breast | 174-175 | 0 | 0 | 0 | 0 |
| -Genitourinary | 179-189 | 2 | 0.7 | 0.1 | 4.2 |
| -Other & Unspecified Sites | 190, 193-199 | 2 | 0.8 | 0.1 | 4.1 |
| -Nervous System | 191-192 | 0 | 0 | 0 | 0 |
| -Leukemia, Lymphoma | 200-208 | 2 | 0.2 | 0.0 | 0.7 |
| -Carcinoma in situ | 230-234 | 0 | 0 | 0 | 0 |
| Benign Growths | 210-229, 235-239 | 1 | 0.1 | 0.0 | 0.6 |
| Endocrine/Metabolic | 240-279 | 5 | 0.7 | 0.3 | 2.0 |
| -Other Endocrine Glands | 250-259 | 2 | 0.2 | 0.0 | 0.7 |
| Blood | 280-289 | 0 | 0 | 0 | 0 |
| Mental | 290-319 | 3 | 0.9 | 0.2 | 3.9 |
| -Non-Psychotic Conditions | 300-302, 306-316 | 2 | 0.2 | 0.1 | 0.9 |
| Nervous System | 320-389 | 6 | 1.1 | 0.5 | 2.7 |
| -Disorders of Peripheral NS | 350-359 | 4 | 0.6 | 0.2 | 1.6 |
| Heart/Circulatory | 390-459 | 9 | 1.5 | 0.7 | 3.3 |
| -Hypertensive Disease | 401-405 | 0 | 0 | 0 | 0 |
| -Ischemic Heart Disease | 410-414 | 2 | 0.2 | 0.0 | 0.7 |
| Respiratory | 460-519 | 29 | 5.4 | 3.3 | 8.7 |
| -Chronic Obstructive Diseases | 490-496 | 3 | 0.3 | 0.1 | 1.0 |
| -Lung Disease from External Agents | 500-508 | 0 | 0 | 0 | 0 |
| Digestive | 520-579 | 25 | 5.1 | 3.0 | 8.8 |
| -Hernias | 550-553 | 10 | 2.6 | 1.1 | 6.2 |
| Genitourinary | 580-629 | 4 | 0.6 | 0.2 | 1.9 |
| -Nephritis, Nephrosis | 580-589 | 2 | 0.4 | 0.1 | 2.0 |
| Miscarriage** | 630-677 | 0 | 0 | 0 | 0 |
| Skin | 680-709 | 6 | 0.8 | 0.3 | 2.1 |
| Musculoskeletal | 710-739 | 45 | 5.6 | 4.0 | 7.7 |
| -Arthropathies | 710-719 | 20 | 2.3 | 1.5 | 3.7 |
| -Dorsopathies | 720-724 | 18 | 2.4 | 1.4 | 4.1 |
| -Rheumatism, Excluding Back | 725-729 | 6 | 0.7 | 0.3 | 1.6 |
| Congenital Anomalies | 740-759 | 3 | 0.3 | 0.1 | 0.8 |

^{*}Standardized to age distribution of 2000 U.S. population.
**Only women aged 18-45 were included in the calculation of the rates for these diagnostic categories.

| Category of Diagnoses | ICD-9-CM Code | Number of Diagnoses | Age-Adjusted Rate per 1000* | Lower 95% Confidence Limit per 1000 | Upper 95% Confidence Limit per 1000 |
|---|------------------|------------------------|--------------------------------|---|---|
| Unspecified Symptoms | 780-799 | 7 | 0.9 | 0.4 | 2.1 |
| Injury | 800-999 | 53 | 10.7 | 7.5 | 15.3 |
| -Fractures - Skull, Neck, Trunk | 800-809 | 2 | 0.3 | 0.1 | 1.1 |
| -Fractures - Upper Limb | 810-819 | 2 | 1.3 | 0.3 | 5.1 |
| -Fractures - Lower Limb | 820-829 | 4 | 1.1 | 0.3 | 3.8 |
| -Dislocations | 830-839 | 19 | 3.7 | 2.1 | 6.8 |
| -Back Sprains & Strains | 846-847 | 3 | 0.6 | 0.2 | 2.0 |
| -Other Sprains & Strains | 840-845, 848 | 15 | 2.6 | 1.4 | 5.1 |
| -Open Wounds | 870-887, 890-897 | 1 | 0.1 | 0.0 | 0.6 |
| -Burns | 940-949 | 0 | 0 | 0 | 0 |
| -Adverse Reactions to Nonmedical Substances | 980-989 | 0 | 0 | 0 | 0 |
| -Adverse Reactions to External Causes | 990-995 | 0 | 0 | 0 | 0 |
| Health Status/Health Service Contact | V01-V82 | 0 | 0 | 0 | 0 |
| Total | | 210 | 36.7 | 30.7 | 44.0 |

Part 2. Women

| Category of Diagnoses | ICD-9-CM Code | Number of Diagnoses | Age-Adjusted Rate per 1000* | Lower 95% Confidence Limit per 1000 | Upper 95% Confidence Limit per 1000 |
|--------------------------------|------------------|------------------------|--------------------------------|---|---|
| Infections/Parasites | 001-139 | 1 | 0.4 | 0.1 | 2.7 |
| Cancer | 140-208, 230-234 | 0 | 0 | 0 | 0 |
| -Lip, Oral Cavity, Pharynx | 140-149 | 0 | 0 | 0 | 0 |
| -Digestive Organs | 150-159 | 0 | 0 | 0 | 0 |
| -Respiratory System | 160-165 | 0 | 0 | 0 | 0 |
| -Bone, Connective Tissue, Skin | 170-173, 176 | 0 | 0 | 0 | 0 |
| -Breast | 174-175 | 0 | 0 | 0 | 0 |
| -Genitourinary | 179-189 | 0 | 0 | 0 | 0 |
| -Other & Unspecified Sites | 190, 193-199 | 0 | 0 | 0 | 0 |
| -Nervous System | 191-192 | 0 | 0 | 0 | 0 |
| -Leukemia, Lymphoma | 200-208 | 0 | 0 | 0 | 0 |
| -Carcinoma in situ | 230-234 | 0 | 0 | 0 | 0 |
| Benign Growths | 210-229, 235-239 | 1 | 0.9 | 0.1 | 6.4 |
| Endocrine/Metabolic | 240-279 | 1 | 0.9 | 0.1 | 6.4 |
| -Other Endocrine Glands | 250-259 | 0 | 0 | 0 | 0 |
| Blood | 280-289 | 0 | 0 | 0 | 0 |
| Mental | 290-319 | 0 | 0 | 0 | 0 |
| -Non-Psychotic Conditions | 300-302, 306-316 | 0 | 0 | 0 | 0 |
| Nervous System | 320-389 | 5 | 3.4 | 1.2 | 9.6 |

^{*}Standardized to age distribution of 2000 U.S. population.
**Only women aged 18-45 were included in the calculation of the rates for these diagnostic categories.

| Category of Diagnoses | ICD-9-CM Code | Number of Diagnoses | Age-Adjusted Rate per 1000* | Lower 95% Confidence Limit per 1000 | Upper 95% Confidence Limit per 1000 |
|---|------------------|------------------------|--------------------------------|---|---|
| -Disorders of Peripheral NS | 350-359 | 2 | 0.7 | 0.2 | 2.8 |
| Heart/Circulatory | 390-459 | 2 | 0.7 | 0.2 | 2.8 |
| -Hypertensive Disease | 401-405 | 0 | 0 | 0 | 0 |
| -Ischemic Heart Disease | 410-414 | 1 | 0.4 | 0.1 | 2.7 |
| Respiratory | 460-519 | 3 | 2.6 | 0.6 | 11.2 |
| -Chronic Obstructive Diseases | 490-496 | 0 | 0 | 0 | 0 |
| -Lung Disease from External Agents | 500-508 | 0 | 0 | 0 | 0 |
| Digestive | 520-579 | 3 | 2.6 | 0.6 | 11.2 |
| -Hernias | 550-553 | 0 | 0 | 0 | 0 |
| Genitourinary | 580-629 | 3 | 1.0 | 0.3 | 3.2 |
| -Nephritis, Nephrosis | 580-589 | 0 | 0 | 0 | 0 |
| Miscarriage** | 630-677 | 0 | 0 | 0 | 0 |
| Skin | 680-709 | 1 | 0.3 | 0.0 | 2.3 |
| Musculoskeletal | 710-739 | 8 | 4.2 | 1.6 | 11.1 |
| -Arthropathies | 710-719 | 2 | 2.2 | 0.4 | 11.9 |
| -Dorsopathies | 720-724 | 3 | 1.0 | 0.3 | 3.0 |
| -Rheumatism, Excluding Back | 725-729 | 2 | 0.7 | 0.2 | 2.8 |
| Congenital Anomalies | 740-759 | 0 | 0 | 0 | 0 |
| Unspecified Symptoms | 780-799 | 4 | 1.9 | 0.6 | 5.8 |
| Injury | 800-999 | 16 | 16.8 | 9.6 | 29.4 |
| -Fractures - Skull, Neck, Trunk | 800-809 | 2 | 2.9 | 0.7 | 11.5 |
| -Fractures - Upper Limb | 810-819 | 2 | 2.9 | 0.7 | 11.5 |
| -Fractures - Lower Limb | 820-829 | 1 | 1.4 | 0.2 | 10.2 |
| -Dislocations | 830-839 | 1 | 0.3 | 0.0 | 2.3 |
| -Back Sprains & Strains | 846-847 | 0 | 0 | 0 | 0 |
| -Other Sprains & Strains | 840-845, 848 | 5 | 3.8 | 1.2 | 11.6 |
| -Open Wounds | 870-887, 890-897 | 0 | 0 | 0 | 0 |
| -Burns | 940-949 | 0 | 0 | 0 | 0 |
| -Adverse Reactions to Nonmedical Substances | 980-989 | 0 | 0 | 0 | 0 |
| -Adverse Reactions to External Causes | 990-995 | 0 | 0 | 0 | 0 |
| Health Status/Health Service Contact | V01-V82 | 0 | 0 | 0 | 0 |
| Total | | 48 | 35.8 | 25.1 | 50.9 |

^{*}Standardized to age distribution of 2000 U.S. population.
**Only women aged 18-45 were included in the calculation of the rates for these diagnostic categories.

Absence Data

Part 3. Men and Women

| Category of Diagnoses | ICD-9-CM Code | Number of Diagnoses | Age-Adjusted Rate per 1000* | Lower 95% Confidence Limit per 1000 | Upper 95% Confidence Limit per 1000 |
|--|--------------------|------------------------|--------------------------------|---|---|
| Infections/Parasites | 001-139 | 7 | 1.0 | 0.3 | 2.7 |
| Cancer | 140-208, 230-234 | 8 | 1.4 | 0.5 | 3.7 |
| -Lip, Oral Cavity, Pharynx | 140-149 | 0 | 0 | 0 | 0 |
| -Digestive Organs | 150-159 | 1 | 0.1 | 0.0 | 0.5 |
| -Respiratory System | 160-165 | 0 | 0 | 0 | 0 |
| -Bone, Connective Tissue, Skin | 170-173, 176 | 1 | 0.1 | 0.0 | 0.5 |
| -Breast | 174-175 | 0 | 0 | 0 | 0 |
| -Genitourinary | 179-189 | 2 | 0.5 | 0.1 | 3.0 |
| -Other & Unspecified Sites | 190, 193-199 | 2 | 0.6 | 0.1 | 3.0 |
| -Nervous System | 191-192 | 0 | 0 | 0 | 0 |
| -Leukemia, Lymphoma | 200-208 | 2 | 0.1 | 0.0 | 0.6 |
| -Carcinoma in situ | 230-234 | 0 | 0 | 0 | 0 |
| Benign Growths | 210-229, 235-239 | 2 | 0.3 | 0.1 | 1.5 |
| Endocrine/Metabolic | 240-279 | 6 | 0.8 | 0.3 | 2.0 |
| -Other Endocrine Glands | 250-259 | 2 | 0.1 | 0.0 | 0.6 |
| Blood | 280-289 | 0 | 0 | 0 | 0 |
| Mental | 290-319 | 3 | 0.6 | 0.1 | 2.8 |
| -Non-Psychotic Conditions | 300-302, 306-316 | 2 | 0.2 | 0.0 | 0.7 |
| Nervous System | 320-389 | 11 | 1.6 | 0.8 | 3.1 |
| -Disorders of Peripheral NS | 350-359 | 6 | 0.6 | 0.3 | 1.5 |
| Heart/Circulatory | 390-459 | 11 | 1.3 | 0.7 | 2.6 |
| -Hypertensive Disease | 401-405 | 0 | 0 | 0 | 0 |
| -Ischemic Heart Disease | 410-414 | 3 | 0.2 | 0.1 | 0.8 |
| Respiratory | 460-519 | 32 | 4.9 | 3.1 | 7.7 |
| -Chronic Obstructive Diseases | 490-496 | 3 | 0.2 | 0.1 | 0.8 |
| -Lung Disease from External Agents | 500-508 | 0 | 0 | 0 | 0 |
| Digestive | 520-579 | 28 | 4.5 | 2.7 | 7.4 |
| -Hernias | 550-553 | 10 | 1.9 | 0.8 | 4.5 |
| Genitourinary | 580-629 | 7 | 0.7 | 0.3 | 1.6 |
| -Nephritis, Nephrosis Miscarriage** | 580-589 630-677 | 2 | 0.3 | 0.1 | 1.5 |
| | | 7 | · | | |
| Skin Musculoskeletal | 680-709 710-739 | 53 | 0.7 5.4 | 0.3 3.9 | 1.6 7.4 |
| -Arthropathies | 710-739 | 22 | 2.4 | 1.4 | 4.1 |
| -Arthropatnies -Dorsopathies | 720-724 | 22 | 2.4 | 1.4 | 3.4 |
| -Rheumatism, Excluding Back | 725-729 | 8 | 0.7 | 0.4 | 1.4 |
| -Rneumausm, Excluding Back Congenital Anomalies | 740-759 | 3 | 0.7 | 0.4 | 0.7 |
| Congenital Anomalies | /40-/59 | | 0.2 | 0.1 | 0.7 |

^{*}Standardized to age distribution of 2000 U.S. population.
**Only women aged 18-45 were included in the calculation of the rates for these diagnostic categories.

Idaho National Laboratory 2006 Absence Data

| Category of Diagnoses | ICD-9-CM Code | Number of Diagnoses | Age-Adjusted Rate per 1000* | Lower 95% Confidence Limit per 1000 | Upper 95% Confidence Limit per 1000 |
|---|------------------|------------------------|--------------------------------|---|---|
| Unspecified Symptoms | 780-799 | 11 | 1.2 | 0.6 | 2.3 |
| Injury | 800-999 | 69 | 11.3 | 8.4 | 15.2 |
| -Fractures - Skull, Neck, Trunk | 800-809 | 4 | 0.6 | 0.2 | 1.8 |
| -Fractures - Upper Limb | 810-819 | 4 | 1.4 | 0.5 | 3.9 |
| -Fractures - Lower Limb | 820-829 | 5 | 1.0 | 0.4 | 3.0 |
| -Dislocations | 830-839 | 20 | 2.9 | 1.7 | 5.2 |
| -Back Sprains & Strains | 846-847 | 3 | 0.4 | 0.1 | 1.5 |
| -Other Sprains & Strains | 840-845, 848 | 20 | 3.0 | 1.7 | 5.2 |
| -Open Wounds | 870-887, 890-897 | 1 | 0.1 | 0.0 | 0.5 |
| -Burns | 940-949 | 0 | 0 | 0 | 0 |
| -Adverse Reactions to Nonmedical Substances | 980-989 | 0 | 0 | 0 | 0 |
| -Adverse Reactions to External Causes | 990-995 | 0 | 0 | 0 | 0 |
| Health Status/Health Service Contact | V01-V82 | 0 | 0 | 0 | 0 |
| Total | | 258 | 35.8 | 30.5 | 41.9 |

^{*}Standardized to age distribution of 2000 U.S. population.
**Only women aged 18-45 were included in the calculation of the rates for these diagnostic categories.

Appendix L. Number of Workers with at Least One OSHA Event by Gender, Age, and Job Category*

| | | | Women | | | | | Men | | | |
|-------------------------------|---------|---------|---------|------|-------|---------|---------|---------|------|-------|-------|
| Job Category | | Age G | roup | | | | Age G | roup | | | |
| | 16 - 29 | 30 - 39 | 40 - 49 | 50 + | TOTAL | 16 - 29 | 30 - 39 | 40 - 49 | 50 + | TOTAL | TOTAL |
| Professional | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 2 |
| Administrative Support | 0 | 1 | 2 | 3 | 6 | 0 | 0 | 1 | 0 | 1 | 7 |
| Technical Support | 0 | 0 | 1 | 2 | 3 | 2 | 0 | 2 | 3 | 7 | 10 |
| Service | 1 | 1 | 1 | 3 | 6 | 2 | 1 | 1 | 5 | 9 | 15 |
| Security and Fire | 1 | 0 | 0 | 0 | 1 | 1 | 1 | 3 | 0 | 5 | 6 |
| Crafts | 0 | 0 | 2 | 0 | 2 | 1 | 6 | 6 | 10 | 23 | 25 |
| Line Operators | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 2 | 2 |
| TOTAL | 2 | 2 | 6 | 8 | 18 | 6 | 9 | 15 | 19 | 49 | 67 |

^{*}Only those job categories and gender/age combinations with at least one OSHA event appear in this table.

Appendix M. Total Number of Workdays Lost or with Restricted Activity from OSHA Events by Gender and Age

| Ago | | Women | | | Men | | TOTAL | | | | |
|--------------|------------------------|--------------------|--------------|------------------------|--------------------|--------------|------------------------|--------------------|--------------|--|--|
| Age Group | Number of Events | Days Restricted | Days Lost | Number of Events | Days Restricted | Days Lost | Number of Events | Days Restricted | Days Lost | | |
| 16 - 29 | 2 | 20 | 0 | 6 | 188 | 172 | 8 | 208 | 172 | | |
| 30 - 39 | 2 | 0 | 3 | 10 | 111 | 84 | 12 | 111 | 87 | | |
| 40 - 49 | 6 | 85 | 24 | 15 | 188 | 52 | 21 | 273 | 76 | | |
| 50 + | 8 | 153 | 201 | 19 | 230 | 206 | 27 | 383 | 407 | | |
| TOTAL | 18 | 258 | 228 | 50 | 717 | 514 | 68 | 975 | 742 | | |

Appendix N. Total Number of Workdays Lost or with Restricted Activity from OSHA Events by Gender and Job Category*

| | | Women | | | Men | | | Total | |
|------------------------|------------------------|--------------------|--------------|------------------------|--------------------|--------------|------------------------|--------------------|--------------|
| Job Category | Number of Events | Days Restricted | Days Lost | Number of Events | Days Restricted | Days Lost | Number of Events | Days Restricted | Days Lost |
| Professional | 0 | 0 | 0 | 2 | 0 | 0 | 2 | 0 | 0 |
| Administrative Support | 6 | 0 | 46 | 1 | 0 | 0 | 7 | 0 | 46 |
| Technical Support | 3 | 147 | 38 | 7 | 61 | 125 | 10 | 208 | 163 |
| Service | 6 | 111 | 144 | 9 | 128 | 246 | 15 | 239 | 390 |
| Security and Fire | 1 | 0 | 0 | 5 | 3 | 47 | 6 | 3 | 47 |
| Crafts | 2 | 0 | 0 | 24 | 467 | 60 | 26 | 467 | 60 |
| Line Operators | 0 | 0 | 0 | 2 | 58 | 36 | 2 | 58 | 36 |
| Total | 18 | 258 | 228 | 50 | 717 | 514 | 68 | 975 | 742 |

^{*}Only those job categories with at least one OSHA event appear in this table.

Appendix O. Number of Diagnoses in Each Diagnostic Category by Gender and Age*

| | | | | Women | | |
|---|------------------|---------|---------|---------|------|-------|
| | | | Age G | roup | | |
| | | 16 - 29 | 30 - 39 | 40 - 49 | 50 + | TOTAL |
| Diagnostic Category | ICD-9-CM code | | | | | |
| NERVOUS SYSTEM (NS) & SENSE ORGANS | 320-389 | 0 | 0 | 0 | 1 | 1 |
| -Disorders of Eye | 360-379 | 0 | 0 | 0 | 1 | 1 |
| RESPIRATORY SYSTEM | 460-519 | 0 | 0 | 0 | 0 | 0 |
| -Other Respiratory Dis | 510-519 | 0 | 0 | 0 | 0 | 0 |
| DIGESTIVE SYSTEM | 520-579 | 0 | 0 | 0 | 0 | 0 |
| -Oral Cavity, Saliva Glands, Jaw | 520-529 | 0 | 0 | 0 | 0 | 0 |
| -Hernia | 550-553 | 0 | 0 | 0 | 0 | 0 |
| MUSCULOSKELETAL & CONNECTIVE TISSUE | 710-739 | 0 | 1 | 6 | 3 | 10 |
| -Arthropathies | 710-719 | 0 | 0 | 5 | 1 | 6 |
| -Dorsopathies | 720-724 | 0 | 1 | 1 | 2 | 4 |
| -Rheumatism, Excluding Back | 725-729 | 0 | 0 | 0 | 0 | 0 |
| SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS | 780-799 | 0 | 0 | 0 | 0 | 0 |
| -Symptoms | 780-789 | 0 | 0 | 0 | 0 | 0 |
| INJURY & POISONING | 800-999 | 3 | 1 | 7 | 9 | 20 |
| -Fracture - Upper Limb | 810-819 | 0 | 0 | 2 | 1 | 3 |
| -Fracture - Lower Limb | 820-829 | 0 | 0 | 1 | 0 | 1 |
| -Sprains & Strains - Back | 846-847 | 1 | 0 | 0 | 1 | 2 |
| -Sprains & Strains - Other | 840-845, 848 | 0 | 0 | 3 | 3 | 6 |
| -Intracranial Injury | 850-854 | 0 | 0 | 0 | 0 | 0 |
| -Open Wound - Head, Neck, Trunk | 870-879 | 0 | 0 | 0 | 1 | 1 |
| -Open Wound - Upper Limb | 880-887 | 0 | 0 | 0 | 0 | 0 |
| -Superficial Injury | 910-919 | 0 | 0 | 0 | 0 | 0 |
| -Contusion | 920-924 | 1 | 0 | 1 | 1 | 3 |
| -Foreign Body Entering Orifice | 930-939 | 0 | 0 | 0 | 1 | 1 |
| -Complications & Unspecified Injuries | 958-959 | 1 | 0 | 0 | 1 | 2 |
| -Toxic Effects - Non-medicinal | 980-989 | 0 | 1 | 0 | 0 | 1 |

^{*}Only those diagnostic categories and gender/age combinations with at least one OSHA event appear in this table.

Appendix O. Number of Diagnoses in Each Diagnostic Category by Gender and Age*

| | | | | Men | | | |
|---|------------------|---------|---------|---------|------|-------|-------|
| | | | Age G | roup | | | |
| | | 16 - 29 | 30 - 39 | 40 - 49 | 50 + | TOTAL | TOTAL |
| Diagnostic Category | ICD-9-CM code | | | | | | |
| NERVOUS SYSTEM (NS) & SENSE ORGANS | 320-389 | 0 | 2 | 0 | 1 | 3 | 4 |
| -Disorders of Eye | 360-379 | 0 | 2 | 0 | 1 | 3 | 4 |
| RESPIRATORY SYSTEM | 460-519 | 0 | 0 | 0 | 1 | 1 | 1 |
| -Other Respiratory Dis | 510-519 | 0 | 0 | 0 | 1 | 1 | 1 |
| DIGESTIVE SYSTEM | 520-579 | 0 | 0 | 0 | 2 | 2 | 2 |
| -Oral Cavity, Saliva Glands, Jaw | 520-529 | 0 | 0 | 0 | 1 | 1 | 1 |
| -Hernia | 550-553 | 0 | 0 | 0 | 1 | 1 | 1 |
| MUSCULOSKELETAL & CONNECTIVE TISSUE | 710-739 | 0 | 4 | 9 | 7 | 20 | 30 |
| -Arthropathies | 710-719 | 0 | 3 | 7 | 2 | 12 | 18 |
| -Dorsopathies | 720-724 | 0 | 0 | 2 | 5 | 7 | 11 |
| -Rheumatism, Excluding Back | 725-729 | 0 | 1 | 0 | 0 | 1 | 1 |
| SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS | 780-799 | 0 | 1 | 2 | 5 | 8 | 8 |
| -Symptoms | 780-789 | 0 | 1 | 2 | 5 | 8 | 8 |
| INJURY & POISONING | 800-999 | 7 | 10 | 13 | 18 | 48 | 68 |
| -Fracture - Upper Limb | 810-819 | 1 | 1 | 1 | 1 | 4 | 7 |
| -Fracture - Lower Limb | 820-829 | 0 | 0 | 0 | 1 | 1 | 2 |
| -Sprains & Strains - Back | 846-847 | 0 | 0 | 0 | 2 | 2 | 4 |
| -Sprains & Strains - Other | 840-845, 848 | 0 | 0 | 4 | 3 | 7 | 13 |
| -Intracranial Injury | 850-854 | 0 | 0 | 0 | 1 | 1 | 1 |
| -Open Wound - Head, Neck, Trunk | 870-879 | 0 | 2 | 1 | 4 | 7 | 8 |
| -Open Wound - Upper Limb | 880-887 | 3 | 1 | 2 | 4 | 10 | 10 |
| -Superficial Injury | 910-919 | 1 | 0 | 3 | 1 | 5 | 5 |
| -Contusion | 920-924 | 0 | 0 | 1 | 0 | 1 | 4 |
| -Foreign Body Entering Orifice | 930-939 | 0 | 2 | 0 | 1 | 3 | 4 |
| -Complications & Unspecified Injuries | 958-959 | 2 | 4 | 1 | 0 | 7 | 9 |
| -Toxic Effects - Non-medicinal | 980-989 | 0 | 0 | 0 | 0 | 0 | 1 |

| | | | Women Men | | | | | | | | |
|------------------------|---------|---------|-----------|------|-------|-----------|---------|---------|------|-------|-------|
| | | Age G | roup | | | Age Group | | | | | |
| | 16 - 29 | 30 - 39 | 40 - 49 | 50 + | TOTAL | 16 - 29 | 30 - 39 | 40 - 49 | 50 + | TOTAL | TOTAL |
| Diagnostic Category | | | | | | | | | | | |
| Total | 3 | 2 | 13 | 13 | 31 | 7 | 17 | 24 | 34 | 82 | 113 |

^{*}Only those diagnostic categories and gender/age combinations with at least one OSHA event appear in this table.

OSHA Data

Appendix P. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Age*

| | | | | | Wo | men | | | |
|---------------------------------------|-------------------|--------------------|--------------|--------------------|--------------|--------------------|--------------|--------------------|--------------|
| | | | | | Age (| Froup | | | |
| | | 16 - 29 | 9 | 30 - 39 | 9 | 40 - 49 | 9 | 50 + | |
| | | Days Restricted | Days Lost | Days Restricted | Days Lost | Days Restricted | Days Lost | Days Restricted | Days Lost |
| Diagnostic Category | ICD-9-CM Codes | | | | | | | | |
| -Disorders of Eye | 360-379 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Arthropathies | 710-719 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 15 |
| -Dorsopathies | 720-724 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 |
| -Fracture - Upper Limb | 810-819 | 0 | 0 | 0 | 0 | 0 | 4 | 62 | 18 |
| -Fracture - Lower Limb | 820-829 | 0 | 0 | 0 | 0 | 85 | 20 | 0 | 0 |
| -Sprains & Strains - Back | 846-847 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Sprains & Strains - Other | 840-845, 848 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 116 |
| -Open Wound - Head, Neck, Trunk | 870-879 | 0 | 0 | 0 | 0 | 0 | 0 | 91 | 67 |
| -Contusion | 920-924 | 20 | 0 | 0 | 0 | 0 | 0 | 91 | 67 |
| -Foreign Body Entering Orifice | 930-939 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Complications & Unspecified Injuries | 958-959 | 20 | 0 | 0 | 0 | 0 | 0 | 91 | 67 |
| -Toxic Effects - Non-medicinal | 980-989 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | Men | | | | | | | |
|----------------------------------|-------------------|--------------------|--------------|--------------------|--------------|--------------------|--------------|--------------------|--------------|
| | | | | | Age (| Group | | | |
| | | 16 - 29 | 9 | 30 - 39 | 9 | 40 - 49 | 9 | 50 + | |
| | | Days Restricted | Days Lost | Days Restricted | Days Lost | Days Restricted | Days Lost | Days Restricted | Days Lost |
| Diagnostic Category | ICD-9-CM Codes | | | | | | | | |
| -Disorders of Eye | 360-379 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Other Respiratory Dis | 510-519 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Oral Cavity, Saliva Glands, Jaw | 520-529 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Hernia | 550-553 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 14 |
| -Arthropathies | 710-719 | 0 | 0 | 40 | 48 | 0 | 47 | 1 | 5 |
| -Dorsopathies | 720-724 | 0 | 0 | 0 | 0 | 180 | 0 | 177 | 3 |
| -Rheumatism, Excluding Back | 725-729 | 0 | 0 | 13 | 0 | 0 | 0 | 0 | 0 |
| -Symptoms | 780-789 | 0 | 0 | 0 | 0 | 5 | 0 | 24 | 4 |
| -Fracture - Upper Limb | 810-819 | 0 | 0 | 58 | 36 | 0 | 0 | 0 | 0 |
| -Fracture - Lower Limb | 820-829 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 180 |
| -Sprains & Strains - Back | 846-847 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Sprains & Strains - Other | 840-845, 848 | 0 | 0 | 0 | 0 | 0 | 47 | 29 | 5 |
| -Intracranial Injury | 850-854 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Open Wound - Head, Neck, Trunk | 870-879 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Open Wound - Upper Limb | 880-887 | 60 | 120 | 58 | 36 | 0 | 0 | 0 | 0 |

^{*}OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

OSHA Data

Appendix P. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Age*

| | | | | | M | en | | | | | | | | | | |
|---------------------------------------|-------------------|--------------------|--------------|--------------------|--------------|--------------------|--------------|--------------------|--------------|--|--|--|--|--|--|--|
| | | | | | Age (| Group | | | | | | | | | | |
| | | 16 - 29 | 9 | 30 - 39 | 9 | 40 - 49 | 9 | 50 + | | | | | | | | |
| | | Days Restricted | Days Lost | Days Restricted | Days Lost | Days Restricted | Days Lost | Days Restricted | Days Lost | | | | | | | |
| Diagnostic Category | ICD-9-CM Codes | | | | | | | | | | | | | | | |
| -Superficial Injury | 910-919 | 0 | 0 | 0 | 0 | 0 | 0 | 24 | 4 | | | | | | | |
| -Contusion | 920-924 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 0 | | | | | | | |
| -Foreign Body Entering Orifice | 930-939 | | | | | | | | | | | | | | | |
| -Complications & Unspecified Injuries | 958-959 | 128 | 52 | 111 | 81 | 3 | 0 | 0 | 0 | | | | | | | |

^{*}OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

Appendix Q. Number of Occurrences in Each Accident Category by Gender and Age*

| | | | 1 | Women | | | Men | | | | | |
|--|-----------|---------|---------|---------|---------|-------|---------|---------|-----------|---------|-------|-------|
| | | | Age Gr | oup | | | | Age Gr | Age Group | | | |
| | | 16 - 29 | 30 - 39 | 40 - 49 | 50 + | TOTAL | 16 - 29 | 30 - 39 | 40 - 49 | 50 + | TOTAL | TOTAL |
| Type of Accident | E Codes | | | | | | | | | | | |
| Motor Vehicle Traffic | E810-E819 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 1 | 2 |
| Motor Vehicle Nontraffic | E820-E825 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| Falls | E880-E888 | 0 | 0 | 2 | 2 | 4 | 1 | 0 | 4 | 5 | 10 | 14 |
| Natural/Environmental Factors | E900-E909 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 2 |
| Submersion/Suffocation/Foreign Bodies | E910-E915 | 0 | 0 | 0 | 1 | 1 | 0 | 2 | 0 | 1 | 3 | 4 |
| Other Accidents | E916-E928 | 1 | 1 | 3 | 3 | 8 | 5 | 8 | 10 | 12 | 35 | 43 |

^{*}Only those accident types and gender/age combinations with at least one occurrence appear in this table.

Appendix R. Number of Workdays Lost or with Restricted Activity in Each Accident Category by Gender and Age*

| | | | | | Wo | men | | | | | | | | | |
|---------------------------------------|--------------------|--------------------|--------------------|--------------|--------------------|--------------|--------------------|--------------|----|--|--|--|--|--|--|
| | | | | | Age (| Froup | | | | | | | | | |
| | 16 - 29 | 9 | 30 - 39 | 9 | 40 - 49 | 40 - 49 50 | | | | | | | | | |
| | Days Restricted | Days Lost | Days Restricted | Days Lost | Days Restricted | Days Lost | Days Restricted | Days Lost | | | | | | | |
| Type of Accident | E Codes | | | | | | | | | | | | | | |
| Motor Vehicle Traffic | E810-E819 | 0 | 0 | 0 | 0 | 0 | 0 | 91 | 67 | | | | | | |
| Motor Vehicle Nontraffic | E820-E825 | 0 | 0 | 0 | 0 | 85 | 20 | 0 | 0 | | | | | | |
| Falls | E880-E888 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 42 | | | | | | |
| Natural/Environmental Factors | E900-E909 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | |
| Submersion/Suffocation/Foreign Bodies | E910-E915 | 15 0 0 0 0 0 0 0 0 | | | | | | | 0 | | | | | | |
| Other Accidents | E916-E928 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 74 | | | | | | |

| | | | | | M | en | | | | | | | | | | |
|---------------------------------------|-----------|--------------------|--------------|--------------------|--------------|--------------------|--------------|--------------------|--------------|--|--|--|--|--|--|--|
| | | | | | Age (| Froup | | | | | | | | | | |
| | | 16 - 29 | 9 | 30 - 39 | 9 | 40 - 49 | 9 | 50 + | | | | | | | | |
| | | Days Restricted | Days Lost | Days Restricted | Days Lost | Days Restricted | Days Lost | Days Restricted | Days Lost | | | | | | | |
| Type of Accident | E Codes | | | | | | | | | | | | | | | |
| Motor Vehicle Traffic | E810-E819 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | | |
| Falls | E880-E888 | 0 | 0 | 0 | 0 | 180 | 5 | 24 | 184 | | | | | | | |
| Natural/Environmental Factors | E900-E909 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | | |
| Submersion/Suffocation/Foreign Bodies | E910-E915 | 5 0 0 0 0 0 0 0 0 | | | | | | | | | | | | | | |
| Other Accidents | E916-E928 | 188 | 172 | 111 | 84 | 8 | 47 | 206 | 22 | | | | | | | |

^{*}OSHA events with >1 E code in the same accident type were counted only once. Only those accident types and gender/age combinations with at least one occurrence appear in this table.

Appendix S. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category*

| | | Women | | | | | | |
|---------------------------------------|------------------|---------------------------|----------------------|---------|-------------------------|--------|-------|--|
| | | | Job Ca | tegory | | | | |
| | | Administrative Support | Technical Support | Service | Security and Fire | Crafts | TOTAL | |
| Diagnostic Category | ICD-9-CM Code | | | | | | | |
| NERVOUS SYSTEM (NS) & SENSE ORGANS | 320-389 | 0 | 1 | 0 | 0 | 0 | 1 | |
| -Disorders of Eye | 360-379 | 0 | 1 | 0 | 0 | 0 | 1 | |
| MUSCULOSKELETAL & CONNECTIVE TISSUE | 710-739 | 4 | 0 | 4 | 0 | 2 | 10 | |
| -Arthropathies | 710-719 | 2 | 0 | 3 | 0 | 1 | 6 | |
| -Dorsopathies | 720-724 | 2 | 0 | 1 | 0 | 1 | 4 | |
| INJURY & POISONING | 800-999 | 6 | 3 | 9 | 1 | 1 | 20 | |
| -Fracture - Upper Limb | 810-819 | 1 | 1 | 1 | 0 | 0 | 3 | |
| -Fracture - Lower Limb | 820-829 | 0 | 1 | 0 | 0 | 0 | 1 | |
| -Sprains & Strains - Back | 846-847 | 1 | 0 | 0 | 1 | 0 | 2 | |
| -Sprains & Strains - Other | 840-845, 848 | 2 | 0 | 3 | 0 | 1 | 6 | |
| -Open Wound - Head, Neck, Trunk | 870-879 | 0 | 0 | 1 | 0 | 0 | 1 | |
| -Contusion | 920-924 | 1 | 0 | 2 | 0 | 0 | 3 | |
| -Foreign Body Entering Orifice | 930-939 | 0 | 1 | 0 | 0 | 0 | 1 | |
| -Complications & Unspecified Injuries | 958-959 | 0 | 0 | 2 | 0 | 0 | 2 | |
| -Toxic Effects - Non-medicinal | 980-989 | 1 | 0 | 0 | 0 | 0 | 1 | |

| | Administrative Support | Technical Support | Service | Security and Fire | Crafts | TOTAL |
|------------------------|---------------------------|----------------------|---------|-------------------------|--------|-------|
| Diagnostic Category | | | | | | |
| Total | 10 | 4 | 13 | 1 | 3 | 31 |

^{*}Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

Appendix S. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category*

| | | Men | | | | | | |
|---|------------------|--------------|---------------------------|----------------------|---------|--|--|--|
| | | | Job Categor | ry | | | | |
| | | Professional | Administrative Support | Technical Support | Service | | | |
| Diagnostic Category | ICD-9-CM Code | | | | | | | |
| NERVOUS SYSTEM (NS) & SENSE ORGANS | 320-389 | 0 | 0 | 0 | 0 | | | |
| -Disorders of Eye | 360-379 | 0 | 0 | 0 | 0 | | | |
| RESPIRATORY SYSTEM | 460-519 | 1 | 0 | 0 | 0 | | | |
| -Other Respiratory Dis | 510-519 | 1 | 0 | 0 | 0 | | | |
| DIGESTIVE SYSTEM | 520-579 | 0 | 0 | 0 | 2 | | | |
| -Oral Cavity, Saliva Glands, Jaw | 520-529 | 0 | 0 | 0 | 1 | | | |
| -Hernia | 550-553 | 0 | 0 | 0 | 1 | | | |
| MUSCULOSKELETAL & CONNECTIVE TISSUE | 710-739 | 0 | 1 | 3 | 4 | | | |
| -Arthropathies | 710-719 | 0 | 1 | 3 | 2 | | | |
| -Dorsopathies | 720-724 | 0 | 0 | 0 | 2 | | | |
| -Rheumatism, Excluding Back | 725-729 | 0 | 0 | 0 | 0 | | | |
| SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS | 780-799 | 3 | 0 | 1 | 1 | | | |
| -Symptoms | 780-789 | 3 | 0 | 1 | 1 | | | |
| INJURY & POISONING | 800-999 | 2 | 1 | 8 | 10 | | | |
| -Fracture - Upper Limb | 810-819 | 0 | 0 | 2 | 0 | | | |
| -Fracture - Lower Limb | 820-829 | 0 | 0 | 0 | 1 | | | |
| -Sprains & Strains - Back | 846-847 | 0 | 0 | 0 | 1 | | | |
| -Sprains & Strains - Other | 840-845, 848 | 0 | 1 | 1 | 1 | | | |
| -Intracranial Injury | 850-854 | 0 | 0 | 0 | 1 | | | |
| -Open Wound - Head, Neck, Trunk | 870-879 | 0 | 0 | 0 | 3 | | | |
| -Open Wound - Upper Limb | 880-887 | 0 | 0 | 3 | 1 | | | |
| -Superficial Injury | 910-919 | 2 | 0 | 2 | 0 | | | |
| -Contusion | 920-924 | 0 | 0 | 0 | 0 | | | |
| -Foreign Body Entering Orifice | 930-939 | 0 | 0 | 0 | 0 | | | |
| -Complications & Unspecified Injuries | 958-959 | 0 | 0 | 0 | 2 | | | |

^{*}Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

Appendix S. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category*

| | | | Men | | | | | | |
|---|------------------|-------------------------|----------|-------------------|-------|--|--|--|--|
| | | Jo | ob Categ | gory | | | | | |
| | | Security and Fire | Crafts | Line Operators | TOTAL | | | | |
| Diagnostic Category | ICD-9-CM Code | | | | | | | | |
| NERVOUS SYSTEM (NS) & SENSE ORGANS | 320-389 | 0 | 3 | 0 | 3 | | | | |
| -Disorders of Eye | 360-379 | 0 | 3 | 0 | 3 | | | | |
| RESPIRATORY SYSTEM | 460-519 | 0 | 0 | 0 | 1 | | | | |
| -Other Respiratory Dis | 510-519 | 0 | 0 | 0 | 1 | | | | |
| DIGESTIVE SYSTEM | 520-579 | 0 | 0 | 0 | 2 | | | | |
| -Oral Cavity, Saliva Glands, Jaw | 520-529 | 0 | 0 | 0 | 1 | | | | |
| -Hernia | 550-553 | 0 | 0 | 0 | 1 | | | | |
| MUSCULOSKELETAL & CONNECTIVE TISSUE | 710-739 | 3 | 9 | 0 | 20 | | | | |
| -Arthropathies | 710-719 | 3 | 3 | 0 | 12 | | | | |
| -Dorsopathies | 720-724 | 0 | 5 | 0 | 7 | | | | |
| -Rheumatism, Excluding Back | 725-729 | 0 | 1 | 0 | 1 | | | | |
| SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS | 780-799 | 0 | 3 | 0 | 8 | | | | |
| -Symptoms | 780-789 | 0 | 3 | 0 | 8 | | | | |
| INJURY & POISONING | 800-999 | 5 | 18 | 4 | 48 | | | | |
| -Fracture - Upper Limb | 810-819 | 0 | 1 | 1 | 4 | | | | |
| -Fracture - Lower Limb | 820-829 | 0 | 0 | 0 | 1 | | | | |
| -Sprains & Strains - Back | 846-847 | 0 | 1 | 0 | 2 | | | | |
| -Sprains & Strains - Other | 840-845, 848 | 2 | 2 | 0 | 7 | | | | |
| -Intracranial Injury | 850-854 | 0 | 0 | 0 | 1 | | | | |
| -Open Wound - Head, Neck, Trunk | 870-879 | 1 | 3 | 0 | 7 | | | | |
| -Open Wound - Upper Limb | 880-887 | 1 | 3 | 2 | 10 | | | | |
| -Superficial Injury | 910-919 | 0 | 1 | 0 | 5 | | | | |
| -Contusion | 920-924 | 0 | 1 | 0 | 1 | | | | |
| -Foreign Body Entering Orifice | 930-939 | 0 | 3 | 0 | 3 | | | | |
| -Complications & Unspecified Injuries | 958-959 | 1 | 3 | 1 | 7 | | | | |

| | | Men | | | | | | | | | |
|------------------------|--------------|---------------------------|----------------------|---------|-------------------------|--------|-------------------|-------|--|--|--|
| | | Job Category | | | | | | | | | |
| | Professional | Administrative Support | Technical Support | Service | Security and Fire | Crafts | Line Operators | TOTAL | | | |
| Diagnostic Category | | | | | | | | | | | |
| Total | 6 | 2 | 12 | 17 | 8 | 33 | 4 | 82 | | | |

^{*}Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

OSHA Data

Appendix T. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Job Category*

| | | | | Women | | | |
|---------------------------------------|-------------------|--------------------|--------------|--------------------|--------------|--------------------|--------------|
| | | | | Job Catego | ory | | |
| | | Administ Suppo | | Technic Suppor | | Servic | e |
| | | Days Restricted | Days Lost | Days Restricted | Days Lost | Days Restricted | Days Lost |
| Diagnostic Category | ICD-9-CM Codes | | | | | | |
| -Disorders of Eye | 360-379 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Arthropathies | 710-719 | 0 | 0 | 0 | 0 | 0 | 15 |
| -Dorsopathies | 720-724 | 0 | 0 | 0 | 0 | 0 | 3 |
| -Fracture - Upper Limb | 810-819 | 0 | 4 | 62 | 18 | 0 | 0 |
| -Fracture - Lower Limb | 820-829 | 0 | 0 | 85 | 20 | 0 | 0 |
| -Sprains & Strains - Back | 846-847 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Sprains & Strains - Other | 840-845, 848 | 0 | 42 | 0 | 0 | 0 | 74 |
| -Open Wound - Head, Neck, Trunk | 870-879 | 0 | 0 | 0 | 0 | 91 | 67 |
| -Contusion | 920-924 | 0 | 0 | 0 | 0 | 111 | 67 |
| -Foreign Body Entering Orifice | 930-939 | 0 0 0 0 | | | | | 0 |
| -Complications & Unspecified Injuries | 958-959 | 0 | 0 | 0 | 0 | 111 | 67 |
| -Toxic Effects - Non-medicinal | 980-989 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | Wo | men | |
|---------------------------------------|-------------------|--------------------|--------------|--------------------|--------------|
| | | | Job Ca | tegory | |
| | | Security Fire | and | Crafts | s |
| | | Days Restricted | Days Lost | Days Restricted | Days Lost |
| Diagnostic Category | ICD-9-CM Codes | | | | |
| -Disorders of Eye | 360-379 | 0 | 0 | 0 | 0 |
| -Arthropathies | 710-719 | 0 | 0 | 0 | 0 |
| -Dorsopathies | 720-724 | 0 | 0 | 0 | 0 |
| -Fracture - Upper Limb | 810-819 | 0 | 0 | 0 | 0 |
| -Fracture - Lower Limb | 820-829 | 0 | 0 | 0 | 0 |
| -Sprains & Strains - Back | 846-847 | 0 | 0 | 0 | 0 |
| -Sprains & Strains - Other | 840-845, 848 | 0 | 0 | 0 | 0 |
| -Open Wound - Head, Neck, Trunk | 870-879 | 0 | 0 | 0 | 0 |
| -Contusion | 920-924 | 0 | 0 | 0 | 0 |
| -Foreign Body Entering Orifice | 930-939 | 0 0 0 | | | |
| -Complications & Unspecified Injuries | 958-959 | 0 | 0 | 0 | 0 |
| -Toxic Effects - Non-medicinal | 980-989 | 0 | 0 | 0 | 0 |

^{*}OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

OSHA Data

Appendix T. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Job Category*

| | | | | | Mer | 1 | | | |
|---------------------------------------|-------------------|--------------------|--------------|--------------------|--------------|----------------------|--------------|--------------------|--------------|
| | | | | | Job Cate | egory | | | |
| | | Professi | onal | Administ Supp | | Technical Support | | Servic | e |
| | | Days Restricted | Days Lost | Days Restricted | Days Lost | Days Restricted | Days Lost | Days Restricted | Days Lost |
| Diagnostic Category | ICD-9-CM Codes | | | | | | | | |
| -Disorders of Eye | 360-379 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Other Respiratory Dis | 510-519 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Oral Cavity, Saliva Glands, Jaw | 520-529 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Hernia | 550-553 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 14 |
| -Arthropathies | 710-719 | 0 | 0 | 0 | 0 | 1 | 5 | 0 | 0 |
| -Dorsopathies | 720-724 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Rheumatism, Excluding Back | 725-729 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Symptoms | 780-789 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Fracture - Upper Limb | 810-819 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Fracture - Lower Limb | 820-829 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 180 |
| -Sprains & Strains - Back | 846-847 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Sprains & Strains - Other | 840-845, 848 | 0 | 0 | 0 | 0 | 1 | 5 | 0 | 0 |
| -Intracranial Injury | 850-854 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Open Wound - Head, Neck, Trunk | 870-879 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Open Wound - Upper Limb | 880-887 | 0 | 0 | 0 | 0 | 60 | 120 | 0 | 0 |
| -Superficial Injury | 910-919 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Contusion | 920-924 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Foreign Body Entering Orifice | 930-939 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Complications & Unspecified Injuries | 958-959 | 0 | 0 | 0 | 0 | 0 | 0 | 128 | 52 |

^{*}OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

OSHA Data

Appendix T. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Job Category*

| | | | | Men | | | |
|---------------------------------------|-------------------|--------------------|--------------|--------------------|--------------|--------------------|--------------|
| | | | | Job Cate | gory | | |
| | | Security Fire | and | Crafts | s | Line Oper | ators |
| | | Days Restricted | Days Lost | Days Restricted | Days Lost | Days Restricted | Days Lost |
| Diagnostic Category | ICD-9-CM Codes | | | | | | |
| -Disorders of Eye | 360-379 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Other Respiratory Dis | 510-519 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Oral Cavity, Saliva Glands, Jaw | 520-529 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Hernia | 550-553 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Arthropathies | 710-719 | 0 | 47 | 40 | 48 | 0 | 0 |
| -Dorsopathies | 720-724 | 0 | 0 | 357 | 3 | 0 | 0 |
| -Rheumatism, Excluding Back | 725-729 | 0 | 0 | 13 | 0 | 0 | 0 |
| -Symptoms | 780-789 | 0 | 0 | 29 | 4 | 0 | 0 |
| -Fracture - Upper Limb | 810-819 | 0 | 0 | 0 | 0 | 58 | 36 |
| -Fracture - Lower Limb | 820-829 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Sprains & Strains - Back | 846-847 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Sprains & Strains - Other | 840-845, 848 | 0 | 47 | 28 | 0 | 0 | 0 |
| -Intracranial Injury | 850-854 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Open Wound - Head, Neck, Trunk | 870-879 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Open Wound - Upper Limb | 880-887 | 0 | 0 | 0 | 0 | 58 | 36 |
| -Superficial Injury | 910-919 | 0 | 0 | 24 | 4 | 0 | 0 |
| -Contusion | 920-924 | 0 | 0 | 0 | 5 | 0 | 0 |
| -Foreign Body Entering Orifice | 930-939 | 0 | 0 | 0 | 0 | 0 | 0 |
| -Complications & Unspecified Injuries | 958-959 | 3 | 0 | 53 | 45 | 58 | 36 |

^{*}OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

Appendix U. Number of Occurrences in Each Accident Category by Gender and Job Category*

| | | Women | | | | | | | | |
|---------------------------------------|-----------|---------------------------|----------------------|---------|-------------------------|--------|-------|--|--|--|
| | | | Job Ca | tegory | | | | | | |
| | | Administrative Support | Technical Support | Service | Security and Fire | Crafts | TOTAL | | | |
| Type of Accident | E CODES | | | | | | | | | |
| Motor Vehicle Traffic | E810-E819 | 0 | 0 | 1 | 0 | 0 | 1 | | | |
| Motor Vehicle Nontraffic | E820-E825 | 0 | 1 | 0 | 0 | 0 | 1 | | | |
| Falls | E880-E888 | 3 | 0 | 0 | 0 | 1 | 4 | | | |
| Natural/Environmental Factors | E900-E909 | 1 | 0 | 0 | 0 | 0 | 1 | | | |
| Submersion/Suffocation/Foreign Bodies | E910-E915 | 0 | 1 | 0 | 0 | 0 | 1 | | | |
| Other Accidents | E916-E928 | 2 | 0 | 4 | 1 | 1 | 8 | | | |

| | | | | | Men | | | | |
|--|-----------|--------------|---------------------------|----------------------|---------|-------------------------|--------|-------------------|-------|
| | | | | Job Cat | egory | | | | |
| | | Professional | Administrative Support | Technical Support | Service | Security and Fire | Crafts | Line Operators | TOTAL |
| Type of Accident | E CODES | | | | | | | | |
| Motor Vehicle Traffic | E810-E819 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| Falls | E880-E888 | 1 | 1 | 0 | 4 | 0 | 4 | 0 | 10 |
| Natural/Environmental Factors | E900-E909 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| Submersion/Suffocation/Foreign Bodies | E910-E915 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 3 |
| Other Accidents | E916-E928 | 1 | 0 | 6 | 5 | 5 | 16 | 2 | 35 |

^{*}Only those accident types and gender/job category combinations with at least one occurrence appear in this table.

OSHA Data

Appendix V. Number of Workdays Lost or with Restricted Activity in Each Accident Category by Gender and Job Category*

| | | | | Women | l | | |
|---------------------------------------|-----------|---|----|------------------|-----|--------|--------------|
| | | | | Job Catego | ory | | |
| | | Administ Supp | | Technic Suppo | | Servic | e |
| | | Days Days Days Days Days Restricted Lost Restricted Lost Restricted | | | | | Days Lost |
| Type of Accident | E Codes | | | | | | |
| Motor Vehicle Traffic | E810-E819 | 0 | 0 | 0 | 0 | 91 | 67 |
| Motor Vehicle Nontraffic | E820-E825 | 0 | 0 | 85 | 20 | 0 | 0 |
| Falls | E880-E888 | 0 | 46 | 0 | 0 | 0 | 0 |
| Natural/Environmental Factors | E900-E909 | 0 | 0 | 0 | 0 | 0 | 0 |
| Submersion/Suffocation/Foreign Bodies | Е910-Е915 | 915 0 0 0 0 | | | | | |
| Other Accidents | E916-E928 | 0 | 0 | 0 | 0 | 0 | 77 |

| | | | Wo | men | | | |
|---------------------------------------|-----------|--------------------|--------------|--------|---|--|--|
| | | | Job Ca | tegory | | | |
| | | Security Fire | and | Crafts | 5 | | |
| | | Days Restricted | Days Lost | | | | |
| Type of Accident | E Codes | | | | | | |
| Motor Vehicle Traffic | E810-E819 | 0 | 0 | 0 | 0 | | |
| Motor Vehicle Nontraffic | E820-E825 | 0 | 0 | 0 | 0 | | |
| Falls | E880-E888 | 0 | 0 | 0 | 0 | | |
| Natural/Environmental Factors | E900-E909 | 0 | 0 | 0 | 0 | | |
| Submersion/Suffocation/Foreign Bodies | E910-E915 | 0 | 0 | 0 | 0 | | |
| Other Accidents | E916-E928 | 0 | 0 | 0 | 0 | | |

^{*}OSHA events with >1 E code in the same accident type were counted only once. Only those accident types and gender/job category combinations with at least one occurrence appear in this table.

OSHA Data

Appendix V. Number of Workdays Lost or with Restricted Activity in Each Accident Category by Gender and Job Category*

| | | Men | | | | | | | | | | |
|---------------------------------------|-----------|-------------------------|--------------|---------------------------|--------------|----------------------|--------------|--------------------|--------------|--|--|--|
| | | | Job Category | | | | | | | | | |
| | | Professional | | Administrative Support | | Technical Support | | Service | | | | |
| | | Days Day Restricted Los | | Days Restricted | Days Lost | Days Restricted | Days Lost | Days Restricted | Days Lost | | | |
| Type of Accident | E Codes | | | | | | | | | | | |
| Motor Vehicle Traffic | E810-E819 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| Falls | E880-E888 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 180 | | | |
| Natural/Environmental Factors | E900-E909 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| Submersion/Suffocation/Foreign Bodies | E910-E915 | 15 0 0 0 0 0 0 | | | | | | 0 | 0 | | | |
| Other Accidents | E916-E928 | 0 | 0 | 0 | 0 | 61 | 125 | 128 | 66 | | | |

| | | | | Men | | | | | |
|---------------------------------------|-----------|------------------|-----|----------|------|--------------------|--------------|--|--|
| | | | | Job Cate | gory | | | | |
| | | Security Fire | and | Crafts | S | Line Oper | ators | | |
| | | | | | | Days Restricted | Days Lost | | |
| Type of Accident | E Codes | | | | | | | | |
| Motor Vehicle Traffic | E810-E819 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| Falls | E880-E888 | 0 | 0 | 204 | 9 | 0 | 0 | | |
| Natural/Environmental Factors | E900-E909 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| Submersion/Suffocation/Foreign Bodies | Е910-Е915 | 5 0 0 0 0 0 | | | | | | | |
| Other Accidents | E916-E928 | 3 | 47 | 263 | 51 | 58 | 36 | | |

^{*}OSHA events with >1 E code in the same accident type were counted only once. Only those accident types and gender/job category combinations with at least one occurrence appear in this table.

Part 1. Men

| Category of Diagnoses | ICD-9-CM Code | Number of Diagnoses | Age-Adjusted Rate per 1000* | Lower 95% Confidence Limit per 1000 | Upper 95% Confidence Limit per 1000 |
|------------------------------------|------------------|------------------------|--------------------------------|---|---|
| Infections/Parasites | 001-139 | 0 | 0 | 0 | 0 |
| Cancer | 140-208, 230-234 | 0 | 0 | 0 | 0 |
| Benign Growths | 210-229, 235-239 | 0 | 0 | 0 | 0 |
| Endocrine/Metabolic | 240-279 | 0 | 0 | 0 | 0 |
| Blood | 280-289 | 0 | 0 | 0 | 0 |
| Mental | 290-319 | 0 | 0 | 0 | 0 |
| Nervous System | 320-389 | 3 | 0.7 | 0.2 | 2.5 |
| -Disorders of Peripheral NS | 350-359 | 0 | 0 | 0 | 0 |
| -Disorders of Eye | 360-379 | 3 | 0.7 | 0.2 | 2.5 |
| -Disorders of Ear & Mastoid | 380-389 | 0 | 0 | 0 | 0 |
| Heart/Circulatory | 390-459 | 0 | 0 | 0 | 0 |
| Respiratory | 460-519 | 1 | 0.1 | 0.0 | 0.6 |
| -Chronic Obstructive Diseases | 490-496 | 0 | 0 | 0 | 0 |
| -Lung Disease from External Agents | 500-508 | 0 | 0 | 0 | 0 |
| Digestive | 520-579 | 2 | 0.2 | 0.0 | 0.7 |
| -Hernias | 550-553 | 1 | 0.1 | 0.0 | 0.6 |
| Genitourinary | 580-629 | 0 | 0 | 0 | 0 |
| Skin | 680-709 | 0 | 0 | 0 | 0 |
| Musculoskeletal | 710-739 | 20 | 3.1 | 1.9 | 5.1 |
| -Arthropathies | 710-719 | 12 | 2.1 | 1.1 | 3.9 |
| -Dorsopathies | 720-724 | 7 | 0.7 | 0.3 | 1.5 |
| -Rheumatism, Excluding Back | 725-729 | 1 | 0.3 | 0.0 | 2.2 |
| Unspecified Symptoms | 780-799 | 8 | 1.2 | 0.5 | 2.6 |
| Injury | 800-999 | 48 | 11.3 | 7.9 | 16.3 |
| -Fractures - Skull, Neck, Trunk | 800-809 | 0 | 0 | 0 | 0 |
| -Fractures - Upper Limb | 810-819 | 4 | 1.2 | 0.4 | 4.0 |
| -Fractures - Lower Limb | 820-829 | 1 | 0.2 | 0.0 | 1.7 |
| -Dislocations | 830-839 | 0 | 0 | 0 | 0 |
| -Back Sprains & Strains | 846-847 | 2 | 0.2 | 0.0 | 0.7 |
| -Other Sprains & Strains | 840-845, 848 | 7 | 0.8 | 0.4 | 1.7 |
| -Open Wounds - Head, Neck, Trunk | 870-879 | 7 | 1.1 | 0.5 | 2.7 |
| -Open Wounds - Upper Limb | 880-887 | 10 | 2.9 | 1.3 | 6.5 |
| -Open Wounds - Lower Limb | 890-897 | 0 | 0 | 0 | 0 |
| -Superficial Injuries | 910-919 | 5 | 1.3 | 0.4 | 3.9 |
| -Bruises | 920-924 | 1 | 0.1 | 0.0 | 1.0 |
| -Foreign Bodies Entering Orifice | 930-939 | 3 | 0.7 | 0.2 | 2.5 |
| -Burns | 940-949 | 0 | 0 | 0 | 0 |

^{*}Standardized to age distribution of 2000 U.S. population.

Appendix W. Age-Adjusted OSHA Illness and Injury Rates by Diagnostic Category

| Category of Diagnoses | ICD-9-CM Code | Number of Diagnoses | Age-Adjusted Rate per 1000* | Lower 95% Confidence Limit per 1000 | Upper 95% Confidence Limit per 1000 |
|---|--|------------------------|--------------------------------|---|---|
| -Adverse Reactions to Nonmedical Substances or External Causes | 980-995 | 0 | 0 | 0 | 0 |
| -All Other Injuries | 850-854, 860-869, 900-909, 925-929, 950-979, 996-999 | 8 | 2.8 | 1.3 | 6.1 |
| Health Status/Health Service Contact | V01-V82 | 0 | 0 | 0 | 0 |
| Total | | 82 | 16.6 | 12.6 | 21.9 |

Part 2. Women

| Category of Diagnoses | ICD-9-CM Code | Number of Diagnoses | Age-Adjusted Rate per 1000* | Lower 95% Confidence Limit per 1000 | Upper 95% Confidence Limit per 1000 |
|------------------------------------|------------------|------------------------|--------------------------------|---|---|
| Infections/Parasites | 001-139 | 0 | 0 | 0 | 0 |
| Cancer | 140-208, 230-234 | 0 | 0 | 0 | 0 |
| Benign Growths | 210-229, 235-239 | 0 | 0 | 0 | 0 |
| Endocrine/Metabolic | 240-279 | 0 | 0 | 0 | 0 |
| Blood | 280-289 | 0 | 0 | 0 | 0 |
| Mental | 290-319 | 0 | 0 | 0 | 0 |
| Nervous System | 320-389 | 1 | 0.3 | 0.0 | 2.3 |
| -Disorders of Peripheral NS | 350-359 | 0 | 0 | 0 | 0 |
| -Disorders of Eye | 360-379 | 1 | 0.3 | 0.0 | 2.3 |
| -Disorders of Ear & Mastoid | 380-389 | 0 | 0 | 0 | 0 |
| Heart/Circulatory | 390-459 | 0 | 0 | 0 | 0 |
| Respiratory | 460-519 | 0 | 0 | 0 | 0 |
| -Chronic Obstructive Diseases | 490-496 | 0 | 0 | 0 | 0 |
| -Lung Disease from External Agents | 500-508 | 0 | 0 | 0 | 0 |
| Digestive | 520-579 | 0 | 0 | 0 | 0 |
| -Hernias | 550-553 | 0 | 0 | 0 | 0 |
| Genitourinary | 580-629 | 0 | 0 | 0 | 0 |
| Skin | 680-709 | 0 | 0 | 0 | 0 |
| Musculoskeletal | 710-739 | 10 | 5.3 | 2.5 | 11.0 |
| -Arthropathies | 710-719 | 6 | 2.2 | 1.0 | 5.0 |
| -Dorsopathies | 720-724 | 4 | 3.0 | 1.0 | 9.5 |
| -Rheumatism, Excluding Back | 725-729 | 0 | 0 | 0 | 0 |
| Unspecified Symptoms | 780-799 | 0 | 0 | 0 | 0 |
| Injury | 800-999 | 20 | 16.5 | 9.6 | 28.5 |
| -Fractures - Skull, Neck, Trunk | 800-809 | 0 | 0 | 0 | 0 |
| -Fractures - Upper Limb | 810-819 | 3 | 1.1 | 0.3 | 3.4 |
| -Fractures - Lower Limb | 820-829 | 1 | 0.4 | 0.1 | 2.7 |
| -Dislocations | 830-839 | 0 | 0 | 0 | 0 |

^{*}Standardized to age distribution of 2000 U.S. population.

Appendix W. Age-Adjusted OSHA Illness and Injury Rates by Diagnostic Category

| Category of Diagnoses | ICD-9-CM Code | Number of Diagnoses | Age-Adjusted Rate per 1000* | Lower 95% Confidence Limit per 1000 | Upper 95% Confidence Limit per 1000 |
|---|--|------------------------|--------------------------------|---|---|
| -Back Sprains & Strains | 846-847 | 2 | 3.3 | 0.8 | 13.4 |
| -Other Sprains & Strains | 840-845, 848 | 6 | 2.1 | 0.9 | 4.7 |
| -Open Wounds - Head, Neck, Trunk | 870-879 | 1 | 1.4 | 0.2 | 10.2 |
| -Open Wounds - Upper Limb | 880-887 | 0 | 0 | 0 | 0 |
| -Open Wounds - Lower Limb | 890-897 | 0 | 0 | 0 | 0 |
| -Superficial Injuries | 910-919 | 0 | 0 | 0 | 0 |
| -Bruises | 920-924 | 3 | 3.7 | 1.0 | 13.1 |
| -Foreign Bodies Entering Orifice | 930-939 | 1 | 0.3 | 0.0 | 2.3 |
| -Burns | 940-949 | 0 | 0 | 0 | 0 |
| -Adverse Reactions to Nonmedical Substances or External Causes | 980-995 | 1 | 0.9 | 0.1 | 6.4 |
| -All Other Injuries | 850-854, 860-869, 900-909, 925-929, 950-979, 996-999 | 2 | 3.3 | 0.8 | 13.4 |
| Health Status/Health Service Contact | V01-V82 | 0 | 0 | 0 | 0 |
| Total | | 31 | 22.1 | 14.2 | 34.5 |

Part 3. Men and Women

| Category of Diagnoses | ICD-9-CM Code | Number of Diagnoses | Age-Adjusted Rate per 1000* | Lower 95% Confidence Limit per 1000 | Upper 95% Confidence Limit per 1000 |
|------------------------------------|------------------|------------------------|--------------------------------|---|---|
| Infections/Parasites | 001-139 | 0 | 0 | 0 | 0 |
| Cancer | 140-208, 230-234 | 0 | 0 | 0 | 0 |
| Benign Growths | 210-229, 235-239 | 0 | 0 | 0 | 0 |
| Endocrine/Metabolic | 240-279 | 0 | 0 | 0 | 0 |
| Blood | 280-289 | 0 | 0 | 0 | 0 |
| Mental | 290-319 | 0 | 0 | 0 | 0 |
| Nervous System | 320-389 | 4 | 0.6 | 0.2 | 1.8 |
| -Disorders of Peripheral NS | 350-359 | 0 | 0 | 0 | 0 |
| -Disorders of Eye | 360-379 | 4 | 0.6 | 0.2 | 1.8 |
| -Disorders of Ear & Mastoid | 380-389 | 0 | 0 | 0 | 0 |
| Heart/Circulatory | 390-459 | 0 | 0 | 0 | 0 |
| Respiratory | 460-519 | 1 | 0.1 | 0.0 | 0.5 |
| -Chronic Obstructive Diseases | 490-496 | 0 | 0 | 0 | 0 |
| -Lung Disease from External Agents | 500-508 | 0 | 0 | 0 | 0 |
| Digestive | 520-579 | 2 | 0.1 | 0.0 | 0.6 |
| -Hernias | 550-553 | 1 | 0.1 | 0.0 | 0.5 |
| Genitourinary | 580-629 | 0 | 0 | 0 | 0 |
| Skin | 680-709 | 0 | 0 | 0 | 0 |
| Musculoskeletal | 710-739 | 30 | 3.5 | 2.4 | 5.2 |

^{*}Standardized to age distribution of 2000 U.S. population.

| Category of Diagnoses | ICD-9-CM Code | Number of Diagnoses | Age-Adjusted Rate per 1000* | Lower 95% Confidence Limit per 1000 | Upper 95% Confidence Limit per 1000 |
|---|--|------------------------|--------------------------------|---|---|
| -Arthropathies | 710-719 | 18 | 2.1 | 1.3 | 3.5 |
| -Dorsopathies | 720-724 | 11 | 1.2 | 0.6 | 2.3 |
| -Rheumatism, Excluding Back | 725-729 | 1 | 0.2 | 0.0 | 1.6 |
| Unspecified Symptoms | 780-799 | 8 | 0.9 | 0.4 | 2.0 |
| Injury | 800-999 | 68 | 12.0 | 8.9 | 16.3 |
| -Fractures - Skull, Neck, Trunk | 800-809 | 0 | 0 | 0 | 0 |
| -Fractures - Upper Limb | 810-819 | 7 | 1.1 | 0.4 | 3.0 |
| -Fractures - Lower Limb | 820-829 | 2 | 0.3 | 0.1 | 1.4 |
| -Dislocations | 830-839 | 0 | 0 | 0 | 0 |
| -Back Sprains & Strains | 846-847 | 4 | 0.8 | 0.2 | 2.9 |
| -Other Sprains & Strains | 840-845, 848 | 13 | 1.1 | 0.7 | 2.0 |
| -Open Wounds - Head, Neck, Trunk | 870-879 | 8 | 1.1 | 0.5 | 2.3 |
| -Open Wounds - Upper Limb | 880-887 | 10 | 2.1 | 1.0 | 4.8 |
| -Open Wounds - Lower Limb | 890-897 | 0 | 0 | 0 | 0 |
| -Superficial Injuries | 910-919 | 5 | 1.0 | 0.3 | 2.9 |
| -Bruises | 920-924 | 4 | 0.9 | 0.3 | 2.9 |
| -Foreign Bodies Entering Orifice | 930-939 | 4 | 0.6 | 0.2 | 1.8 |
| -Burns | 940-949 | 0 | 0 | 0 | 0 |
| -Adverse Reactions to Nonmedical Substances or External Causes | 980-995 | 1 | 0.2 | 0.0 | 1.6 |
| -All Other Injuries | 850-854, 860-869, 900-909, 925-929, 950-979, 996-999 | 10 | 2.7 | 1.4 | 5.5 |
| Health Status/Health Service Contact | V01-V82 | 0 | 0 | 0 | 0 |
| Total | | 113 | 17.3 | 13.7 | 21.8 |

^{*}Standardized to age distribution of 2000 U.S. population.