

SANDIA 1995

Appendix A. Work Force by Gender, Age, and Occupation

	Women					Men						
	Age Group					Age Group					%	
	16 -	30 -	40 -	50 -	60 +	Total	16 -	30 -	40 -	50 -	60 +	Total
Occupational Group												
Professional												
Staff	84	372	331	120	11	918	127	1138	1114	957	181	3517, 4435,
Support Staff	42	228	251	176	42	739	43	408	365	228	46	1090, 1829,
Clerical	47	128	203	139	48	565	2	14	22	37	4	79, 644,
Crafts and Manual Labor	1	25	20	16	8	70	9	148	194	135	29	515, 585,
Security	2	8	4	0	0	14	10	59	24	16	5	114, 128,
Non-Regular	322	47	28	6	1	404	314	86	27	13	3	443, 847,
Total	498	808	837	457	110	2710	505	1853	1746	1386	268	5758, 8468,

Appendix B. Total Number of Workers Who Reported at Least One Absence by Gender, Age, and Occupation

	Women					Men							
	Age Group					Age Group					%		
	16 -	30 -	40 -	50 -	Total	16 -	30 -	40 -	50 -	Total	Total		
Occupational Group													
Professional													
Staff	6	38	39	16	3	102	2	30	45	58	16	151	253
Support Staff	7	33	33	26	8	107	1	25	26	22	6	80	187
Clerical	2	26	31	25	9	93	0	3	2	6	1	12	105
Crafts and Manual Labor	0	7	9	5	4	25	1	29	24	23	11	88	113
Security	0	3	1	0	0	4	1	7	3	4	1	16	20
Non-Regular	0	3	0	0	0	3	0	0	0	0	0	0	3
Total	15	110	113	72	24	334	5	94	100	113	35	347	681

SANDIA 1995

Appendix C. Total Number of Absences by Gender, Age, and Occupation

	Women					Men							
	Age Group					Age Group					%		
	16 -	30 -	40 -	50 -	Total	16 -	30 -	40 -	50 -	Total	Total		
Occupational Group													
Professional													
Staff	6	41	49	18	5	119	2	33	50	63	17	165	284
Support Staff	7	39	40	34	8	128	1	25	31	23	6	86	214
Clerical	2	29	37	34	10	112	0	3	4	7	1	15	127
Crafts and Manual Labor	0	9	15	5	5	34	1	38	32	30	11	112	146
Security	0	3	1	0	0	4	2	9	3	5	1	20	24
Non-Regular	0	3	0	0	0	3	0	0	0	0	0	0	3
Total	15	124	142	91	28	400	6	108	120	128	36	398	798

SANDIA 1995

Appendix D. Distribution of the Number of Calendar Days Missed per Absence by Gender and Age

	Women					Men							
	Age Group					Age Group							
	16 -	30 -	40 -	50 -	60 +	Total	16 -	30 -	40 -	50 -	60 +	Total	Total
# of Calendar Days													
< 15	4	59	82	59	15	219	4	75	77	71	22	249	468
15 - 28	2	17	32	17	8	76	1	20	23	26	0	70	146
29 - 42	3	21	14	9	3	50	0	5	10	14	7	36	86
43 - 56	3	14	5	3	0	25	1	1	2	7	2	13	38
57 - 91	2	9	6	2	2	21	0	4	5	7	2	18	39
92 - 182	1	4	3	1	0	9	0	2	3	3	1	9	18
183 +	0	0	0	0	0	0	0	1	0	0	2	3	3
Total	15	124	142	91	28	400	6	108	120	128	36	398	798

SANDIA 1995

Appendix E. Distribution of the Number of Calendar Days Missed per Absence by Gender and Occupation\*

	Women						
	Occupational Group						
	Profe-	ssion-	Suppo-	and	Non-		
	al	rt	Cleri-	Manual	Secur-	Regul-	
	Staff	Staff	cal	Labor	ity	ar	Total
# of							
Calendar							
Days							
< 15	58,	79,	63,	16,	2,	1,	219,
15 - 28	25,	22,	24,	5,	0,	0,	76,
29 - 42	18,	8,	14,	8,	0,	2,	50,
43 - 56	9,	10,	2,	3,	1,	0,	25,
57 - 91	6,	6,	7,	1,	1,	0,	21,
92 - 182	3,	3,	2,	1,	0,	0,	9,
Total	119,	128,	112,	34,	4,	3,	400,

\*Only those gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)

Appendix E. Distribution of the Number of Calendar Days Missed per Absence by Gender and Occupation\*

	Men	Women	Total	Men	Women	Total
Occupational Group						
Professional						
Supp-						
and						
al						
rt						
Cleri-						
Manual						
Secur-						
Staff						
Staff						
cal						
Labor						
ity						
Total						
# of Calendar Days						
< 15	104	54	11	67	13	249
15 - 28	27	13	3	23	4	70
29 - 42	22	7	1	5	1	36
43 - 56	8	2	0	2	1	13
57 - 91	2	4	0	11	1	18
92 - 182	2	3	0	4	0	9
183 +	0	3	0	0	0	3
Total	165	86	15	112	20	398

\*Only those gender/occupational combinations with at least one occurrence appear in this table.

Appendix F. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

	Women					Men							
	Age Group					Age Group					%		
	16 -	30 -	40 -	50 -	Tot-	16 -	30 -	40 -	50 -	Tot-	Tot-		
	29	39	49	59	60 +	29	39	49	59	60 +	al		
Diagn- ICD-9-													
ostic , CM													
ateg- Code													
ory													
INFE- ,001-													
TIOUS , 139													
&													
PARAS-													
ITIC													
DISEA-													
SES													
(DIS)	0	7	7	3	1	18	2	7	9	8	1	27	45
-Inte- ,001-													
stinal, 009													
Infec-													
tious													
Dis	0	0	0	0	1	1	0	0	3	1	0	4	5
- Other, 030-													
Bacte- ,041													
rial													
Dis	0	1	1	0	0	2	1	4	0	0	1	6	8
- Polio, 045-													
& , 049													
Other													
Viral													
CNS													
Dis	0	1	0	0	0	1	0	0	0	0	0	0	1
- Viral, 050-													
Dis , 057													
with													
Exant-													
hem	0	1	1	1	0	3	1	0	1	0	0	2	5
- Other, 070-													
Viral , 079													
Dis &													
Chlam-													
ydiae	0	3	5	2	0	10	0	3	2	4	0	9	19

\*Only those diagnostic categories with at least one occurrence appear in this table.

(CONTINUED)

Appendix F. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

Diagnostic Category	Women					Men					Total
	Age Group					Age Group					
	16 - 29	30 - 39	40 - 49	50 - 59	60 +	16 - 29	30 - 39	40 - 49	50 - 59	60 +	
Diagn- ICD-9-											
ostic , CM											
ateg- Code											
ory											
- Rick- ,080-											
ettsi - ,088											
oses &											
Other											
Arthr-											
opod	0	0	0	0	0	0	0	0	1	0	1, 1,
- Syph- ,090-											
ilis & ,099											
Other											
Vener-											
real											
Dis	0	0	0	0	0	0	0	0	2	0	2, 2,
- Myco- ,110-											
ses ,118	0	1	0	0	0	1	0	0	0	1	0, 1, 2,
- Helm- ,120-											
inthi - ,129											
ases	0	0	0	0	0	0	0	0	0	2	0, 2, 2,
MALIG- ,140-											
NANT ,208,											
NEOPL- ,230-											
ASMS ,234	0	0	4	7	3	14	0	1	5	7	2, 15, 29,
- Dige- ,150-											
stive ,159											
&											
Perit-											
oneal	0	0	0	0	0	0	0	0	0	1	0, 1, 1,
- Resp- ,160-											
irato- ,165											
ry &											
Intra-											
thora-											
cic	0	0	0	0	1	1	0	0	0	0	0, 0, 1,

\*Only those diagnostic categories with at least one occurrence appear in this table.

(CONTINUED)



Appendix F. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

	Women					Men							
	Age Group					Age Group					%		
	16 -	30 -	40 -	50 -	Tot-	16 -	30 -	40 -	50 -	Tot-	Tot-		
	29	39	49	59	60 +	al	29	39	49	59	60 +	al	
Diagn- ICD-9-													
ostic ,CM													
Categ- Code													
ory													
- Bone, 170-													
Conne-, 173,													
ctive ,176													
Tissu-													
e,													
Skin	0	0	1	0	0	1	0	0	1	1	1	3	4
- Brea-, 174-													
st ,175	0	0	2	0	2	4	0	0	0	0	0	0	4
- Geni -, 179-													
touri -, 189													
nary	0	0	1	7	0	8	0	1	2	4	1	8	16
- Other, 190,													
& ,193-													
Unspe-, 199													
cified,													
Sites	0	0	0	0	0	0	0	0	2	0	0	2	2
- Lymph-, 200-													
hatic ,208													
&													
Hemat-													
opoi e-													
tic	0	0	0	0	0	0	0	0	0	1	0	1	1
BENIGN, 210-													
& ,229,													
UNCER-, 235-													
TAIN ,239													
NEOPL-													
ASMS	0	5	8	6	1	20	0	1	2	2	0	5	25
ENDOC-, 240-													
RINE/-, 279													
METAB-													
OLIC/-,													
IMMUN-													
ITY	0	1	3	1	3	8	0	3	3	2	1	9	17

\*Only those diagnostic categories with at least one occurrence appear in this table.

(CONTINUED)

Appendix F. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

	Women					Men							
	Age Group										%		
	16 -	30 -	40 -	50 -	Tot-	16 -	30 -	40 -	50 -	Tot-	Tot-		
	29	39	49	59	60 +,	29	39	49	59	60 +,	al		
Diagn- ICD-9-													
ostic ,CM													
Categ- Code													
ory													
-Thyr-, 240-													
oid ,246													
Gland													
Disor-													
ders	0,	0,	0,	0,	2,	2,	0,	0,	0,	0,	2,		
- Other, 250-													
Endoc-, 259													
rine													
Gland													
Dis	0,	1,	2,	0,	0,	3,	0,	0,	3,	2,	0,	5,	8,
- Nutr-, 260-													
ition-, 269													
al													
Defic-,													
iciencies													
es	0,	0,	0,	0,	0,	0,	0,	0,	0,	0,	1,	1,	1,
- Other, 270-													
Metab-, 279													
olic &													
Immun-													
ity													
Disor-													
ders	0,	0,	1,	1,	1,	3,	0,	3,	0,	0,	0,	3,	6,
BLOOD , 280-													
& , 289													
BLOOD-													
FORM-													
NG													
ORGANS,	0,	2,	6,	1,	0,	9,	0,	0,	0,	0,	2,	2,	11,
MENTAL, 290-													
DISOR-, 319													
DISOR-	0,	6,	15,	3,	0,	24,	0,	1,	5,	1,	0,	7,	31,
- Psyc-, 290-													
hosos ,299	0,	4,	6,	2,	0,	12,	0,	0,	1,	0,	0,	1,	13,

\*Only those diagnostic categories with at least one occurrence appear in this table.

(CONTINUED)

Appendix F. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

Diagn- , ICD-9- ostic , CM , Categ- , Code , ory , -Non- , 300- , Psych- , 302, , otic , 306- , Di sor- , 316 , ders ,	Women					Men					Tot- , Tot- , , al , al ,		
	Age Group					Age Group							
	16 - , , 29 ,	30 - , , 39 ,	40 - , , 49 ,	50 - , , 59 ,	60 + , , 60 + ,	16 - , , 29 ,	30 - , , 39 ,	40 - , , 49 ,	50 - , , 59 ,	60 + , , 60 + ,			
, Di agn- , ICD-9- , , ostic , CM , , Categ- , Code , , ory , , , -Non- , 300- , , Psych- , 302 , , otic , 306- , , Di sor- , 316 , , ders ,	0	2	9	1	0	12	0	0	4	1	0	5	17
, - Drug , 304- , , Depen- , 305 , dence ,	0	0	0	0	0	0	0	1	0	0	0	1	1
, NERVO- , 320- , , US , 389 , , SYSTEM , (NS) & , SENSE , , ORGANS ,	1	5	9	11	2	28	0	5	7	13	3	28	56
, - Other , 340- , , Di sor- , 349 , ders , , of , Centr- , , al NS ,	0	0	1	1	0	2	0	2	2	1	1	6	8
, - Di so- , 350- , , rders , 359 , of , Perip- , , heral , , NS ,	0	1	8	3	0	12	0	2	2	1	0	5	17
, - Di so- , 360- , , rders , 379 , of Eye ,	0	1	0	7	1	9	0	0	0	10	1	11	20
, - Dis , 380- , , of Ear , 389 , & , Masto- , , id ,	1	3	0	0	1	5	0	1	3	1	1	6	11

\*Only those diagnostic categories with at least one occurrence appear in this table.

(CONTINUED)

Appendix F. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

Diagnostic Category	Women					Men					Total		
	Age Group					Age Group							
	16 - 29	30 - 39	40 - 49	50 - 59	60 +	16 - 29	30 - 39	40 - 49	50 - 59	60 +			
Diagn- ICD-9-													
ostic , CM													
ateg- Code													
ory													
CIIRCUC- 390-													
LATORY, 459													
SYSTEM	0	2	7	5	3	17	0	5	13	19	10	47	64
- Hype- , 401-													
rtens- , 405													
ive													
Dis	0	0	1	1	1	3	0	0	1	1	1	3	6
- Isch- , 410-													
emic , 414													
Heart													
Dis	0	0	0	2	0	2	0	0	3	10	5	18	20
- Dis , 415-													
of , 417													
Pulmo-													
nary													
Circu-													
lation	0	0	0	0	0	0	0	1	0	2	0	3	3
- Other, 420-													
Heart , 429													
Dis	0	0	0	1	2	3	0	1	0	3	0	4	7
- Cere- , 430-													
brova- , 438													
scular													
Dis	0	0	2	1	0	3	0	0	0	1	1	2	5
- Dis , 440-													
of , 448													
Arter-													
ies &													
Capil-													
laries	0	0	1	0	0	1	0	0	0	0	1	1	2
- Dis , 451-													
of , 459													
Veins,													
Lymph-													
atics,													
Other	0	2	3	0	0	5	0	3	9	2	2	16	21

\*Only those diagnostic categories with at least one occurrence appear in this table.

(CONTINUED)

Appendix F. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

	Women					Men						
	Age Group					Age Group					%	
	16 - 29	30 - 39	40 - 49	50 - 59	60 +	Tot	16 - 29	30 - 39	40 - 49	50 - 59	60 +	Tot
Diagn- ICD-9-												
ostic , CM												
atag- Code												
ory												
RESPI- , 460-												
RATORY, 519												
SYSTEM	2	43	42	36	19	142	0	37	33	44	5	119
- Acute, 460-												
Respi- , 466												
ratory,												
, Infec-												
tions ,	2	9	8	11	3	33	0	9	6	8	1	24
- Other, 470-												
Dis , 478												
Upper ,												
Respi- ,												
ratory,												
Tract ,	0	17	15	14	4	50	0	10	12	18	2	42
- Pneu-, 480-												
monia , 487												
&												
Influ-												
enza ,	0	5	7	5	3	20	0	7	6	4	0	17
- Chro-, 490-												
nic , 496												
Obstr-												
uctive,												
Dis ,	0	9	12	4	7	32	0	10	5	13	2	30
- Other, 510-												
Respi- , 519												
ratory,												
Dis ,	0	3	0	2	2	7	0	1	4	1	0	6
DIGES- , 520-												
TIVE , 579												
SYSTEM	0	9	16	10	1	36	1	21	20	30	3	75

\*Only those diagnostic categories with at least one occurrence appear in this table.

(CONTINUED)

Appendix F. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

Diagnostic Category	Women						Men					
	Age Group						Age Group					
	16 -	30 -	40 -	50 -	Tot-	%	16 -	30 -	40 -	50 -	Tot-	%
Diagn- ICD-9-												
ostic ,CM												
ateg- Code												
ory												
- Oral ,520-												
Cavit- ,529												
y.												
Saliva,												
Gland-												
s, Jaw,	0,	2,	0,	2,	0,	4,	0,	3,	1,	2,	0,	6,
- Esop- ,530-												
hagus , 537												
Stomach,												
Duode-												
num	0,	0,	3,	3,	0,	6,	0,	0,	2,	2,	2,	6,
- Appe- ,540-												
ndici - , 543												
tis	0,	1,	1,	0,	0,	2,	0,	1,	1,	1,	0,	3,
- Hern- ,550-												
ia , 553	0,	1,	0,	0,	0,	1,	0,	6,	6,	7,	0,	19,
- Ente- ,555-												
ritis , 558												
Colit-												
is	0,	2,	4,	1,	0,	7,	0,	6,	1,	5,	1,	13,
- Other, 560-												
Intes- ,569												
tinal												
Dis	0,	0,	4,	1,	1,	6,	0,	2,	6,	9,	0,	17,
- Other, 570-												
Diges- ,579												
tive												
Dis	0,	3,	4,	3,	0,	10,	1,	3,	3,	4,	0,	11,
GENIT- ,580-												
OURIN- ,629												
ARY												
SYSTEM	0,	18,	20,	9,	1,	48,	0,	3,	2,	9,	4,	18,

\*Only those diagnostic categories with at least one occurrence appear in this table.

(CONTINUED)

Appendix F. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

Diagnostic Category	Women					Men					Total
	Age Group					Age Group					
	16 - 29	30 - 39	40 - 49	50 - 59	60 +	16 - 29	30 - 39	40 - 49	50 - 59	60 +	
Diagn- ICD-9-											
ostic ,CM											
ateg- Code											
ory											
-Neph- ,580-											
ritis , 589											
Neph-											
osis	0	0	0	0	0	0	0	0	2	1	3
-Other, 590-											
Urina- ,599											
ry Dis.	0	1	2	1	1	5	0	3	1	6	2
-Male ,600-											
Genit- ,608											
al											
Organ											
Dis	0	0	0	0	0	0	0	0	1	1	1
-Brea- ,610-											
st ,611											
Disor-											
ders	0	1	2	0	0	3	0	0	0	0	0
-Pelv- ,614-											
ic ,616											
Infla-											
mmato-											
ry Dis.	0	2	1	1	0	4	0	0	0	0	0
-Other, 617-											
Female, 629											
Disor-											
ders	0	14	15	7	0	36	0	0	0	0	0
PREGN- ,630-											
ANCY & ,677											
CHILD-											
BIRTH	9	39	1	0	0	49	0	0	0	0	0
-Ecto- ,630-											
pic & ,633											
Molar											
Pregn-											
ancy	0	1	0	0	0	1	0	0	0	0	0

\*Only those diagnostic categories with at least one occurrence appear in this table.

(CONTINUED)

Appendix F. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

Diagnostic Category	Women					Men					Total
	Age Group					Age Group					
	16 - 29	30 - 39	40 - 49	50 - 59	60 +	16 - 29	30 - 39	40 - 49	50 - 59	60 +	
Mis-carriage, 634	0	2	0	0	0	2	0	0	0	0	2
Complications of Pregnancy, 640	1	6	0	0	0	7	0	0	0	0	7
Normal Delivery/Care, 650	8	24	1	0	0	33	0	0	0	0	33
Complications of Labor/Delivery, 660	0	5	0	0	0	5	0	0	0	0	5
Complications of Puerperium, 670	0	1	0	0	0	1	0	0	0	0	1
SKIN & SUBCUTANEOUS TISSUE, 680	0	2	4	1	1	8	0	2	4	1	13
Infections, 686	0	1	1	0	1	3	0	2	2	1	9
Other Inflammatory Conditions, 690	0	0	0	0	0	0	0	0	1	0	1
Other, 700	0	1	3	1	0	5	0	0	1	0	7

\*Only those diagnostic categories with at least one occurrence appear in this table.

(CONTINUED)



Appendix F. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

	Women					Men							
	Age Group					Age Group					%		
	16 -	30 -	40 -	50 -	Tot-	16 -	30 -	40 -	50 -	Tot-	Tot-		
	29	39	49	59	60 +	al	29	39	49	59	60 +	al	
Diagn- , ICD-9-													
ostic , CM													
, Categ- , Code													
, ory													
, MUSCU- , 710-													
, LOSKE- , 739													
, LETAL													
, &													
, CONNE-													
, CTIVE													
, TISSUE	5	22	29	15	2	73	1	18	32	17	12	80	153
, -Arth- , 710-													
, ropat- , 719													
, hies	0	4	7	3	1	15	1	7	15	6	6	35	50
, -Dors- , 720-													
, opath- , 724													
, ies	3	5	4	3	0	15	0	6	6	8	3	23	38
, -Rheu- , 725-													
, matis- , 729													
, m													
, Exclu-													
, ding													
, Back	1	9	15	5	1	31	0	2	7	1	1	11	42
, -Other, 730-													
, Dis & , 739													
, Acqui-													
, red													
, Defor-													
, mi ties	1	4	3	4	0	12	0	3	4	2	2	11	23
, CONGE- , 740-													
, NITAL , 759													
, ANOMA-													
, LIES	0	1	2	0	0	3	0	0	0	0	1	1	4
, SYMPT- , 780-													
, OMS , 799													
, SIGNS ,													
, & ILL-													
, DEFIN-													
, ED													
, COND ,	0	9	14	13	1	37	0	10	12	10	4	36	73

\*Only those diagnostic categories with at least one occurrence appear in this table.

(CONTINUED)

Appendix F. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

Diagn- ostic Cate- gory	Women					Men					Tot- al			
	Age Group					Age Group								
	16 - 29	30 - 39	40 - 49	50 - 59	60 +, al	16 - 29	30 - 39	40 - 49	50 - 59	60 +, al				
Symp- toms	789	0	6	14	12	1	33	0	10	10	10	3	33	66
Non- Speci- fic														
Abnor- mal														
Findi- ngs	0	3	0	1	0	4	0	0	1	0	0	1	5	
Defin- ed & Unkno- wn														
Causes	0	0	0	0	0	0	0	0	1	0	1	2	2	
INJURY, AND POISO- NING	2	6	14	11	6	39	2	26	20	22	7	77	116	
Frac- ture - Neck, Trunk	0	0	0	0	2	2	0	4	0	1	2	7	9	
Frac- ture - Upper Limb	0	0	0	1	1	2	0	2	0	0	0	2	4	
Frac- ture - Lower Limb	0	1	1	2	1	5	0	0	5	5	0	10	15	
Disl- ocati- on	0	1	0	1	0	2	0	2	5	9	3	19	21	

\*Only those diagnostic categories with at least one occurrence appear in this table.

(CONTINUED)

Appendix F. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

Diagn- , ICD-9- , ostic , CM , , Categ- , Code , , ory , , , -Spra- , 846- , , ins & , 847 , , Strai- , , , ns - , , , Back , , , 0 , 0 , 5 , 3 , 0 , 8 , 2 , 6 , 3 , 1 , 0 , 12 , 20 , , -Spra- , 840- , , ins & , 845 , , Strai- , 848 , , ns - , , , Other , , , 2 , 1 , 2 , 2 , 0 , 7 , 0 , 5 , 5 , 3 , 1 , 14 , 21 , , -Intr- , 850- , , acran- , 854 , , ial , , , Injury , , , 0 , 0 , 1 , 0 , 0 , 1 , 0 , 1 , 0 , 0 , 0 , 1 , 2 , , -Inte- , 860- , , rnal , 869 , , Injury , , , Thora- , , , X , , , Abdom- , , , en , , , Pelvis , , , 0 , 0 , 0 , 0 , 0 , 0 , 0 , 1 , 0 , 0 , 0 , 1 , 1 , , -Open , 870- , , Wound , 879 , , Head , , , Neck , , , Trunk , , , 0 , 1 , 0 , 0 , 0 , 1 , 0 , 2 , 0 , 0 , 0 , 2 , 3 , , -Late , 905- , , Effec- , 909 , , ts , , , 0 , 0 , 1 , 0 , 0 , 1 , 0 , 0 , 0 , 1 , 0 , 1 , 2 , , -Cont- , 920- , , usion , 924 , , , 0 , 0 , 1 , 1 , 0 , 2 , 0 , 2 , 0 , 0 , 0 , 2 , 4 ,	Women					Men					Tot- , Tot- , , 29 , 39 , 49 , 59 , 60 + , al , 29 , 39 , 49 , 59 , 60 + , al , al ,		
	Age Group					Age Group							
	16 - ,	30 - ,	40 - ,	50 - ,	Tot- ,	16 - ,	30 - ,	40 - ,	50 - ,	Tot- ,		Tot- ,	
Diagn- , ICD-9- ,													
ostic , CM ,													
, Categ- , Code ,													
, ory ,													
,													
, -Spra- , 846- ,													
, ins & , 847 ,													
, Strai- ,													
, ns - ,													
, Back ,	0	0	5	3	0	8	2	6	3	1	0	12	20
, -Spra- , 840- ,													
, ins & , 845 ,													
, Strai- , 848 ,													
, ns - ,													
, Other ,	2	1	2	2	0	7	0	5	5	3	1	14	21
, -Intr- , 850- ,													
, acran- , 854 ,													
, ial ,													
, Injury ,	0	0	1	0	0	1	0	1	0	0	0	1	2
, -Inte- , 860- ,													
, rnal , 869 ,													
, Injury ,													
, Thora- ,													
, X ,													
, Abdom- ,													
, en ,													
, Pelvis ,	0	0	0	0	0	0	0	1	0	0	0	1	1
, -Open , 870- ,													
, Wound , 879 ,													
, Head ,													
, Neck ,													
, Trunk ,	0	1	0	0	0	1	0	2	0	0	0	2	3
, -Late , 905- ,													
, Effec- , 909 ,													
, ts ,	0	0	1	0	0	1	0	0	0	1	0	1	2
, -Cont- , 920- ,													
, usion , 924 ,	0	0	1	1	0	2	0	2	0	0	0	2	4

\*Only those diagnostic categories with at least one occurrence appear in this table.

(CONTINUED)

Appendix F. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

	Women					Men						
	Age Group					Age Group					%	
	16 -	30 -	40 -	50 -	Tot-	16 -	30 -	40 -	50 -	Tot-	Tot-	
	29	39	49	59	60 +	al	29	39	49	59	60 +	al
Diagn- ICD-9-												
ostic ,CM												
ateg- Code												
ory												
-Inju-, 950-												
ry to ,957												
,Nerves,												
&												
,Spinal,												
,Cord	0,	0,	1,	0,	0,	1,	0,	1,	0,	0,	0,	1, 2,
-Comp-, 958-												
licat-, 959												
ions &												
Unspe-												
ci fied,												
Injur-												
ies	0,	1,	0,	0,	1,	2,	0,	0,	0,	2,	0,	2, 4,
-Unsp-, 990-												
eci fi -, 995												
ed												
Effec-												
ts -												
Exter-												
nal												
,Causes,	0,	1,	1,	0,	0,	2,	0,	0,	1,	0,	1,	2, 4,
-Comp-, 996-												
licat-, 999												
ions												
of												
Surgi-												
cal /M,												
edi cal,												
,Care	0,	0,	1,	1,	1,	3,	0,	0,	1,	0,	0,	1, 4,
HEALTH, V01-												
STATU-, V82												
S/HEA-												
LTH												
SERVI-												
CE												
,CONTA-												
CT	0,	6,	2,	2,	3,	13,	1,	3,	3,	2,	0,	9, 22,

\*Only those diagnostic categories with at least one occurrence appear in this table.

(CONTINUED)

Appendix F. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

	Women					Men							
	Age Group					Age Group					%		
	16 -	30 -	40 -	50 -	Tot-	16 -	30 -	40 -	50 -	Tot-	Tot-		
	29	39	49	59	60 +,	29	39	49	59	60 +,	al		
Diagn- ICD-9-													
ostic ,CM													
ateg- Code													
ory													
-Pers-, V10-													
onal & V19													
Family,													
Histo-													
ry	0,	0,	0,	0,	3,	3,	0,	0,	0,	0,	0,	3,	
- Heal-, V20-													
th , V29													
Servi-													
ces													
Repro-													
ducti-													
on/De-													
velop-													
ment	0,	5,	1,	0,	0,	6,	1,	3,	1,	0,	0,	5,	11,
- Heal-, V40-													
th , V49													
Status,	0,	0,	0,	1,	0,	1,	0,	0,	0,	1,	0,	1,	2,
- Spec-, V50-													
ific , V59													
Proce-													
dures-													
/Afte-													
rcare	0,	1,	1,	1,	0,	3,	0,	0,	2,	1,	0,	3,	6,
Total	19,	183,	203,	134,	47,	586,	7,	143,	170,	187,	61,	568,	1154,

\*Only those diagnostic categories with at least one occurrence appear in this table.

Appendix G. Total Number of Calendar Days Absent in Each Diagnostic Category by Gender and Age\*

Diagnostic Category	Women					Men				
	Age Group					Age Group				
	16 -	30 -	40 -	50 -	Tot-	16 -	30 -	40 -	50 -	Tot-
Diagnoses/Parasites	0	194	70	34	8,306	19	102	284	116	7,528,834
Cancers	0	0	139	111	123,373	0	27	124	227	40,418,791
Benign Growths	0	152	295	110	39,596	0	10	30	27	0,67,663
Endocrine/Metabolic	0	13	39	9	46,107	0	24	24	15	107,170,277
Blood	0	82	202	7	0,291	0	0	0	0	177,177,468
Mental	0	246	347	43	0,636	0	50	86	24	0,160,796
Nervous System	10	45	111	258	13,437	0	56	203	239	29,527,964
Heart/Circulatory	0	39	140	124	41,344	0	126	246	579	664,1615,1959
Lung/Respiratory	17	385	317	200	220,1139	0	326	268	343	325,1262,2401
Digestive	0	98	287	131	41,557	17	240	349	466	64,1136,1693
Genitourinary	0	249	452	169	15,885	0	34	38	222	9,303,1188
Pregnancy/Childbirth	483	1824	46	0	0,2353	0	0	0	0	0,0,2353
Skin	0	19	134	16	31,200	0	27	196	11	312,546,746
Muscles and Skeleton	127	509	479	323	78,1516	13	446	727	399	434,2019,3535

\*Absences with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories with at least one occurrence appear in this table.

(CONTINUED)

Appendix G. Total Number of Calendar Days Absent in Each Diagnostic Category by Gender and Age\*

	Women					Men							
	Age Group					Age Group							
	16 -	30 -	40 -	50 -	Tot-	16 -	30 -	40 -	50 -	Tot-	Tot-		
	29	39	49	59	60 +	al	29	39	49	59	60 +	al	
Diagnos-													
tic													
Category,													
Existing,													
Birth													
Condi ti-													
on	0	12	39	0	0	51	0	0	0	0	45	45	96
Unspeci-													
fied													
Symptoms,	0	147	217	281	5	650	0	112	308	174	278	872	1522
Injury													
and													
Poisoni-													
ng	28	61	263	231	178	761	52	792	402	460	296	2002	2763

\*Absences with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories with at least one occurrence appear in this table.

Appendix H. Number of Diagnoses in Each Diagnostic Category by Gender and Occupation\*

		Women							
		Occupational Group							
		Craf-	ts	and	Manu-	Non-	Secu-	Regu-	Total
		Prof-	Supp-	Cler-	al	ity	lar		
		Staff	Staff	ical	Labor	ity	lar	Total	
Diagnostic	ICD-9-CM Code								
Category									
INFECTIOUS & PARASITIC DISEASES (DIS)	001-139	8	2	7	1	0	0	18	
- Intestinal Infectious Dis	001-009	0	0	0	1	0	0	1	
- Other Bacterial Dis.	030-041	0	0	2	0	0	0	2	
- Polio & Other Viral CNS Dis	045-049	1	0	0	0	0	0	1	
- Viral Dis with Exanthem	050-057	1	1	1	0	0	0	3	
- Other Viral Dis & Chlamydiae	070-079	5	1	4	0	0	0	10	
- Mycoses	110-118	1	0	0	0	0	0	1	
MALIGNANT NEOPLASMS	140-208, 230-234	3	10	1	0	0	0	14	
- Respiratory & Intrathoracic	160-165	0	1	0	0	0	0	1	
- Bone, Connective Tissue, Skin	170-173, 176	0	1	0	0	0	0	1	
- Breast	174-175	2	1	1	0	0	0	4	
- Genitourinary	179-189	1	7	0	0	0	0	8	

\*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)



Appendix H. Number of Diagnoses in Each Diagnostic Category by Gender and Occupation\*

		Women						
		Occupational Group						
		Craft	Prof	Manu	Non	Staff	Staff	Total
Diagnostic Category	ICD-9-CM Code							
BENIGN & UNCERTAIN	210-229, 235-239							
NEOPLASMS		11	2	5	2	0	0	20
ENDOCRINE/METABOLIC/IMMUNITY	240-279							
Thyroid Gland Disorders	240-246							
Other Endocrine Gland Disorders	250-259	1	1	1	0	0	0	3
Metabolic & Immunity Disorders	270-279	1	0	2	0	0	0	3
BLOOD & BLOOD FORMING ORGANS	280-289							
MENTAL DISORDERS	290-319							
Psychoses	290-299	4	4	2	2	0	0	12
Non-Psychotic Disorders	300-302, 306-316	2	3	5	1	1	0	12
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389							
Other Disorders of Central NS	340-349	0	0	2	0	0	0	2

\*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)

Appendix H. Number of Diagnoses in Each Diagnostic Category by Gender and Occupation\*

		Women							
		Occupational Group							
		Craf-	ts	Prof-	and	essi-	Supp-	Manu-	Non-
		onal	ort	Cler-	al	Secu-	Regu-	Staff	Staff
		ical	Labor	ity	lar	Total			
Diagnosti c	ICD-9-CM Code								
Category									
- Disorders of, 350-359									
Peripheral NS,		4,	6,	1,	1,	0,	0,	12,	
- Disorders of, 360-379									
Eye		4,	3,	2,	0,	0,	0,	9,	
- Dis of Ear &, 380-389									
Mastoid		0,	2,	2,	1,	0,	0,	5,	
CIRCULATORY, 390-459									
SYSTEM		2,	8,	3,	4,	0,	0,	17,	
- Hypertensive, 401-405									
Dis		2,	0,	0,	1,	0,	0,	3,	
- Ischemic, 410-414									
Heart Dis		0,	0,	2,	0,	0,	0,	2,	
- Other Heart, 420-429									
Dis		0,	1,	0,	2,	0,	0,	3,	
- Cerebrovasc-, 430-438									
ular Dis		0,	3,	0,	0,	0,	0,	3,	
- Dis of, 440-448									
Arteries &									
Capillaries		0,	0,	0,	1,	0,	0,	1,	
- Dis of, 451-459									
Veins,									
Lymphatics,									
Other		0,	4,	1,	0,	0,	0,	5,	
RESPIRATORY, 460-519									
SYSTEM		30,	44,	50,	16,	2,	0,	142,	
- Acute, 460-466									
Respiratory									
Infections		7,	12,	11,	3,	0,	0,	33,	

\*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)

Appendix H. Number of Diagnoses in Each Diagnostic Category by Gender and Occupation\*

Women									
Occupational Group									
	Craft	Prof	Manu	Non	Secu	Regu	Staff	Staff	Total
Diagnostic ICD-9-CM Code									
Category									
- Other Dis ,470-478									
Upper Respiratory Tract									
- Pneumonia & Influenza	14	13	19	4	0	0	0	50	
- Chronic Obstructive Dis	2	12	12	5	1	0	0	32	
- Other Respiratory Dis	2	2	2	1	0	0	0	7	
DIGESTIVE SYSTEM	10	13	10	2	0	1	0	36	
- Oral Cavity, Saliva Glands, Jaw	1	2	1	0	0	0	0	4	
- Esophagus, Stomach, Duodenum	1	2	3	0	0	0	0	6	
- Appendicitis	0	0	2	0	0	0	0	2	
- Hernia	1	0	0	0	0	0	0	1	
- Enteritis, Colitis	1	4	2	0	0	0	0	7	
- Other Intestinal Dis	3	1	1	1	0	0	0	6	
- Other Digestive Dis	3	4	1	1	0	1	0	10	

\*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)

Appendix H. Number of Diagnoses in Each Diagnostic Category by Gender and Occupation\*

		Women							
		Occupational Group							
		Craf-	ts	Prof-	and	essi-	Supp-	Manu-	Non-
		onal	ort	Cler-	al	Secu-	Regu-	Staff	Staff
		ical	Labor	ity	lar	Total			
Diagnosti c	ICD-9- CM Code								
Category									
GENITOURINARY, 580-629									
SYSTEM		21	11	15	1	0	0	48	
-Other	590-599								
Urinary Dis		0	3	2	0	0	0	5	
-Breast	610-611								
Disorders		1	0	1	1	0	0	3	
-Pelvic	614-616								
Inflammatory									
Dis		1	1	2	0	0	0	4	
-Other Female	617-629								
Disorders		19	7	10	0	0	0	36	
PREGNANCY &	630-677								
CHILD BIRTH		25	13	5	3	1	2	49	
-Ectopic &	630-633								
Molar									
Pregnancy		1	0	0	0	0	0	1	
-Miscarriage	634-639								
Complication	640-648								
of Pregnancy		4	2	0	0	0	1	7	
-Normal Deli-	650-659								
very and care,		16	10	3	3	0	1	33	
-Complication	660-669								
of Labor and		2	0	2	0	1	0	5	
Delivery									
-Complication	670-677								
of Puerperium		1	0	0	0	0	0	1	
SKIN &	680-709								
SUBCUTANEOUS									
TISSUE		3	3	1	1	0	0	8	
-Infections	680-686								
		1	1	1	0	0	0	3	

\*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)

Appendix H. Number of Diagnoses in Each Diagnostic Category by Gender and Occupation\*

		Women						
		Occupational Group						
		Craf-	ts	Prof-	and	essi - , Supp-	Manu-	Non-
		onal	ort	Cler-	al	Secu-	Regu-	Staff, Staff, ical
		Labor,	ri ty	lar	Total			
Diagnosti c	ICD- 9- CM Code							
Category								
- Other	700- 709	2,	2,	0,	1,	0,	0,	5,
MUSCULOSKELE-	710- 739							
TAL &								
CONNECTIVE								
TISSUE		19,	20,	21,	13,	0,	0,	73,
- Arthropathi -	710- 719							
es		3,	7,	4,	1,	0,	0,	15,
- Dorsopathi es,	720- 724	7,	3,	2,	3,	0,	0,	15,
- Rheumatism	725- 729							
Excludi ng								
Back		7,	5,	10,	9,	0,	0,	31,
- Other Dis &	730- 739							
Acquired								
Deformi ties		2,	5,	5,	0,	0,	0,	12,
CONGENITAL	740- 759							
ANOMALIES		2,	0,	0,	1,	0,	0,	3,
SYMPTOMS,	780- 799							
SIGNS, & ILL-								
DEFINED COND.,		6,	7,	21,	2,	1,	0,	37,
- Symptoms	780- 789	3,	6,	21,	2,	1,	0,	33,
- Non- Speci fi c,	790- 796							
Abnormal								
Fi ndi ngs		3,	1,	0,	0,	0,	0,	4,
INJURY AND	800- 999							
POISONING		8,	15,	14,	1,	1,	0,	39,
- Fracture -	805- 809							
Neck, Trunk		1,	1,	0,	0,	0,	0,	2,
- Fracture -	810- 819							
Upper Limb		0,	2,	0,	0,	0,	0,	2,

\*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)

Appendix H. Number of Diagnoses in Each Diagnostic Category by Gender and Occupation\*

		Women							
		Occupational Group							
		Craf-	ts	Prof-	and	essi-	Supp-	Manu-	Non-
		onal	ort	Cler-	al	Secu-	Regu-	Staff	Staff, ical
		Labor,	ri ty	lar	Total				
Diagnosti c	ICD-9-CM Code								
Category									
- Fracture -	820-829								
Lower Limb		1,	1,	2,	1,	0,	0,	5,	
- Dislocation	830-839	0,	1,	1,	0,	0,	0,	2,	
- Sprains &	846-847								
Strains -									
Back		3,	1,	3,	0,	1,	0,	8,	
- Sprains &	840-845, 848								
Strains -									
Other		1,	5,	1,	0,	0,	0,	7,	
- Intracranial	850-854								
Injury		0,	1,	0,	0,	0,	0,	1,	
- Open Wound -	870-879								
Head, Neck,									
Trunk		0,	0,	1,	0,	0,	0,	1,	
- Late Effects,	905-909	0,	1,	0,	0,	0,	0,	1,	
- Contusion	920-924	0,	1,	1,	0,	0,	0,	2,	
- Injury to	950-957								
Nerves &									
Spinal Cord		1,	0,	0,	0,	0,	0,	1,	
- Complicatio-	958-959								
ns &									
Unspecified									
Injuries		0,	0,	2,	0,	0,	0,	2,	
- Unspecified	990-995								
Effects -									
External									
Causes		1,	0,	1,	0,	0,	0,	2,	

\*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)

Appendix H. Number of Diagnoses in Each Diagnostic Category by Gender and Occupation\*

Women								
Occupational Group								
	Craf-	ts	Prof-	and	essi-	Supp-	Manu-	Non-
	onal	ort	Cler-	al	Secu-	Regu-	Staff	Staff
	ical	Labor	ity	lar	Total			
Diagnosti c	ICD-9-CM Code							
Category								
- Complicatio-	996-999							
ns of								
Surgi cal /Med-								
ical Care		0,	1,	2,	0,	0,	0,	3,
HEALTH	V01- V82							
STATUS/HEALTH,								
SERVICE								
CONTACT		3,	3,	1,	6,	0,	0,	13,
- Personal &	V10- V19							
Family								
Hi story		0,	0,	1,	2,	0,	0,	3,
- Heal th	V20- V29							
Services								
Reproducti on-								
/Development		0,	3,	0,	3,	0,	0,	6,
- Heal th	V40- V49							
Status		1,	0,	0,	0,	0,	0,	1,
- Speci fi c	V50- V59							
Procedures/A-								
ftercare		2,	0,	0,	1,	0,	0,	3,
Total		173,	173,	172,	59,	6,	3,	586,

\*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)

Appendix H. Number of Diagnoses in Each Diagnostic Category by Gender and Occupation\*

		Men					
		Occupational Group					%
		Craf-	ts	Prof-	and	Manu-	
		on	ort	Cler-	al	Secu-	
		Staff	Staff	ical	Labor	rity	Total
Diagnostic Category	ICD-9-CM Code						
INFECTIOUS &	001-139						
PARASITIC							
DISEASES							
(DIS)		12,	4,	1,	9,	1,	27,
-Intestinal	001-009						
Infectious							
Dis		1,	1,	1,	1,	0,	4,
-Other	030-041						
Bacterial Dis,		2,	2,	0,	1,	1,	6,
-Viral Dis	050-057						
with Exanthem		2,	0,	0,	0,	0,	2,
-Other Viral	070-079						
Dis &							
Chlamydiae		4,	0,	0,	5,	0,	9,
-Rickettsios-	080-088						
es & Other							
Arthropod		0,	1,	0,	0,	0,	1,
-Syphilis &	090-099						
Other							
Venereal Dis		0,	0,	0,	2,	0,	2,
-Mycoses	110-118						
Helminthias-	120-129						
es		2,	0,	0,	0,	0,	2,
MALIGNANT	140-208, 230-						
NEOPLASMS	234	11,	2,	0,	2,	0,	15,
-Digestive &	150-159						
Peritoneal		1,	0,	0,	0,	0,	1,
-Bone,	170-173, 176						
Connective							
Tissue, Skin		2,	0,	0,	1,	0,	3,

\*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)



Appendix H. Number of Diagnoses in Each Diagnostic Category by Gender and Occupation\*

	Men						
	Occupational Group						
	Craf-	ts	Prof-	and	essi - , Supp-	Manu-	onal , ort , Cler- , al , Secu-
	Staff, Staff, ical	Labor, rity	Total				
Diagnosti c , ICD- 9- CM Code , Category							
- Geni touri na- , 179- 189							
ry	6,	1,	0,	1,	0,	8,	
- Other & , 190, 193- 199							
Unspecifi ed , Sites	1,	1,	0,	0,	0,	2,	
- Lymphatic & , 200- 208							
Hematopoi etic, BENIGN & , 210- 229, 235-	1,	0,	0,	0,	0,	1,	
UNCERTAIN , 239							
NEOPLASMS	1,	1,	0,	3,	0,	5,	
ENDOCRINE/ME- , 240- 279							
TABOLIC/IMMU- , NITY	5,	1,	1,	2,	0,	9,	
- Other , 250- 259							
Endocrine , Gland Di s	1,	1,	1,	2,	0,	5,	
- Nutritional , 260- 269							
Defici encies , - Other , 270- 279	1,	0,	0,	0,	0,	1,	
Metabolic & , Immunity							
Di sorders	3,	0,	0,	0,	0,	3,	
BLOOD & BLOOD, 280- 289							
FORMING , ORGANS	1,	0,	0,	1,	0,	2,	
MENTAL , 290- 319							
DI SORDERS , - Psychoses , 290- 299	2,	3,	0,	1,	1,	7,	
	0,	0,	0,	0,	1,	1,	

\*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)

Appendix H. Number of Diagnoses in Each Diagnostic Category by Gender and Occupation\*

		Men						
		Occupational Group						
		Craf-						
		ts						
		Prof-						
		and						
		essi - , Supp-						
		Manu-						
		onal , ort , Cler-						
		al , Secu-						
		Staff, Staff, ical , Labor, rity , Total,						
Diagnostic Category	ICD-9-CM Code							
- Non-Psychotic Disorders	300-302, 306-316	2	2	0	1	0	5	
- Drug Dependence	304-305	0	1	0	0	0	1	
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	7	11	3	7	0	28	
- Other Disorders of Central NS	340-349	2	1	2	1	0	6	
- Disorders of Peripheral NS	350-359	2	0	1	2	0	5	
- Disorders of Eye	360-379	2	7	0	2	0	11	
- Dis of Ear & Mastoid	380-389	1	3	0	2	0	6	
CIRCULATORY SYSTEM	390-459	23	9	1	12	2	47	
- Hypertensive Dis	401-405	1	0	1	1	0	3	
- Ischemic Heart Dis	410-414	8	6	0	4	0	18	
- Dis of Pulmonary Circulation	415-417	1	0	0	0	2	3	
- Other Heart Dis	420-429	3	0	0	1	0	4	

\*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)

Appendix H. Number of Diagnoses in Each Diagnostic Category by Gender and Occupation\*

		Men					
		Occupational Group					%
		Craf-	ts	Prof-	and	Manu-	
		on-	ort	Cler-	al	Secu-	
		Staff	Staff	ical	Labor	rity	Total
Diagnosti	ICD-9-CM Code						
Category							
- Cerebrovasc-	430-438						
ular Dis		1,	1,	0,	0,	0,	2,
- Dis of	440-448						
Arteries &							
Capillaries		0,	0,	0,	1,	0,	1,
- Dis of	451-459						
Veins,							
Lymphatics,							
Other		9,	2,	0,	5,	0,	16,
RESPIRATORY	460-519						
SYSTEM		35,	28,	9,	42,	5,	119,
- Acute	460-466						
Respiratory							
Infections		5,	5,	3,	11,	0,	24,
- Other Dis	470-478						
Upper							
Respiratory							
Tract		18,	9,	0,	14,	1,	42,
- Pneumonia &	480-487						
Influenza		4,	4,	2,	6,	1,	17,
- Chronic	490-496						
Obstructive							
Dis		6,	8,	4,	9,	3,	30,
- Other	510-519						
Respiratory							
Dis		2,	2,	0,	2,	0,	6,
DIGESTIVE	520-579						
SYSTEM		40,	13,	2,	15,	5,	75,
- Oral Cavity,	520-529						
Saliva							
Glands, Jaw		0,	1,	0,	3,	2,	6,

\*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)

Appendix H. Number of Diagnoses in Each Diagnostic Category by Gender and Occupation\*

	Men					
	Occupational Group					
	Craf-	ts	Prof-	and	essi - , Supp-	Manu-
	onal	ort	Cler-	al	Secu-	
	Staff	Staff	ical	Labor	ri ty	Total
Diagnost ic	ICD-9- CM Code					
Category						
- Esophagus, 530-537						
Stomach,						
Duodenum	4,	1,	0,	1,	0,	6,
- Appendi ci tis, 540-543	2,	0,	0,	0,	1,	3,
- Hernia , 550-553	12,	4,	0,	2,	1,	19,
- Enteritis, , 555-558						
Colitis	4,	2,	1,	5,	1,	13,
- Other , 560-569						
Intestinal						
Dis	12,	1,	1,	3,	0,	17,
- Other , 570-579						
Digestive Dis,	6,	4,	0,	1,	0,	11,
GENITOURINARY, 580-629						
SYSTEM	11,	3,	2,	1,	1,	18,
- Nephritis, , 580-589						
Nephrosis	1,	2,	0,	0,	0,	3,
- Other , 590-599						
Urinary Dis	7,	1,	2,	1,	1,	12,
- Male Genital, 600-608						
Organ Dis	3,	0,	0,	0,	0,	3,
SKIN & , 680-709						
SUBCUTANEOUS						
TISSUE	6,	2,	0,	5,	0,	13,
- Infections , 680-686	4,	2,	0,	3,	0,	9,
- Other , 690-698						
Inflammatory						
Condi ti ons	1,	0,	0,	1,	0,	2,
- Other , 700-709	1,	0,	0,	1,	0,	2,

\*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)

Appendix H. Number of Diagnoses in Each Diagnostic Category by Gender and Occupation\*

	Men					
	Occupational Group					
	Craf-	ts	Prof-	and	essi - , Supp-	Manu-
	onal	ort	Cler-	al	Secu-	Staff, Staff, ical
	Labor,	ri ty	Total			
Di agnostic , ICD- 9- CM Code , Category						
MUSCULOSKELE-, 710- 739						
TAL & CONNECTIVE TISSUE	35,	15,	2,	25,	3,	80,
- Arthropathi -, 710- 719	es	17,	7,	0,	11,	0,
- Dorsopathi es, 720- 724	10,	4,	1,	6,	2,	23,
- Rheumati sm , 725- 729	Excludi ng					
Back	5,	2,	1,	3,	0,	11,
- Other Dis & , 730- 739	Acqui red					
Deformi ties	3,	2,	0,	5,	1,	11,
CONGENITAL , 740- 759	ANOMALIES	0,	0,	0,	0,	1,
SYMPTOMS, 780- 799	SIGNS, & ILL-,					
DEFINED COND.,	13,	10,	0,	12,	1,	36,
- Symptoms , 780- 789	13,	8,	0,	11,	1,	33,
- Non- Speci fi c, 790- 796	Abnormal					
Fi ndi ngs	0,	0,	0,	1,	0,	1,
- Ill- Defi ned , 797- 799	& Unknown					
Causes	0,	2,	0,	0,	0,	2,
INJURY AND , 800- 999	POISONING	21,	25,	2,	22,	7,
- Fracture - , 805- 809	Neck, Trunk	2,	3,	0,	1,	1,

\*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)

Appendix H. Number of Diagnoses in Each Diagnostic Category by Gender and Occupation\*

Diagnostic Category	Men					
	Occupational Group					
	Crafts	Professional and	Service, Support, and	Operative	Clerical	Security
	Total					
- Fracture - ,810-819	0	0	0	2	0	2
- Fracture - ,820-829	6	3	0	1	0	10
- Dislocation ,830-839	6	4	1	8	0	19
- Sprains & ,846-847	0	6	0	3	3	12
- Sprains & ,840-845, 848	5	3	0	5	1	14
- Intracranial, 850-854	0	1	0	0	0	1
- Internal ,860-869	0	1	0	0	0	1
- Open Wound - ,870-879	0	1	0	0	1	2
- Late Effects, 905-909	1	0	0	0	0	1
- Contusion ,920-924	0	0	0	1	1	2
- Injury to ,950-957	0	1	0	0	0	1
- Complications & ,958-959	0	0	1	1	0	2

\*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)

Appendix H. Number of Diagnoses in Each Diagnostic Category by Gender and Occupation\*

	Men						
	Occupational Group						
	Craf-	ts	Prof-	and	essi-	Supp-	Manu-
	onal	ort	Cler-	al	Secu-	Staff	Staff, ical
	Labor,	ri ty	Total				
Diagnosti c , ICD- 9- CM Code							
Category							
- Unspeci fied , 990- 995							
Effects -							
External							
Causes	1,	1,	0,	0,	0,	2,	
- Complicatio- , 996- 999							
ns of							
Surgi cal /Med-							
ical Care	0,	1,	0,	0,	0,	1,	
HEALTH , V01- V82							
STATUS/HEALTH,							
SERVICE							
CONTACT	1,	4,	0,	3,	1,	9,	
- Heal th , V20- V29							
Servi ces							
Reproducti on-							
/Development	0,	2,	0,	2,	1,	5,	
- Heal th , V40- V49							
Status	1,	0,	0,	0,	0,	1,	
- Speci fic , V50- V59							
Procedures/A-							
ftercare	0,	2,	0,	1,	0,	3,	
Total	224,	131,	23,	162,	28,	568,	

\*Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

Appendix I. Total Number of Calendar Days Absent in Each Diagnostic Category by Gender and Occupation\*

Women																						
Occupational Group																						
	Craf-	ts	Prof-	and	essi-	Supp-	Manu-	Non-	onal	ort	Cler-	al	Secu-	Regu-	Staff	Staff	ical	Labor	erty	lar	Total	
Diagnostic Category																						
Infections/Parasites	107	27	164	8	0	0	0	306														
Cancers	123	219	31	0	0	0	373															
Benign Growths	428	56	100	12	0	0	596															
Endocrine/Metabolic	29	13	24	41	0	0	107															
Blood	238	48	5	0	0	0	291															
Mental	95	202	213	69	57	0	636															
Nervous System	79	262	70	26	0	0	437															
Heart/Circulatory	57	179	40	68	0	0	344															
Lung/Respiratory	192	418	398	124	7	0	1139															
Digestive	202	151	147	48	0	9	557															
Genitourinary	496	178	198	13	0	0	885															
Pregnancy/Childbirth	1151	661	276	140	50	75	2353															
Skin	33	115	31	21	0	0	200															
Muscles and Skeleton	272	409	401	434	0	0	1516															
Existing Birth Condition	39	0	0	12	0	0	51															
Unspecified Symptoms	111	196	295	41	7	0	650															
Injury and Poisoning	62	288	373	30	8	0	761															

\*Absences with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

(CONTINUED)



Appendix I. Total Number of Calendar Days Absent in Each Diagnostic Category by Gender and Occupation\*

	Men					
	Occupational Group					
	Craf-	ts	Prof-	and	Manu-	
	onal	ort	Cler-	al	Secu-	
	Staff	Staff	ical	Labor	rity	Total
Diagnostic Category						
Infections/Parasites	163,	145,	38,	175,	7,	528,
Cancers	328,	56,	0,	34,	0,	418,
Benign Growths	12,	10,	0,	45,	0,	67,
Endocrine/Metabolic	139,	6,	7,	18,	0,	170,
Blood	107,	0,	0,	70,	0,	177,
Mental	53,	82,	0,	11,	14,	160,
Nervous System	194,	205,	39,	89,	0,	527,
Heart/Circulatory	534,	557,	7,	395,	122,	1615,
Lung/Respiratory	344,	455,	78,	354,	31,	1262,
Digestive	692,	116,	45,	209,	74,	1136,
Genitourinary	152,	109,	7,	28,	7,	303,
Skin	207,	288,	0,	51,	0,	546,
Muscles and Skeleton	485,	512,	17,	898,	107,	2019,
Existing Birth Condition	0,	0,	0,	0,	45,	45,
Unspecified Symptoms	192,	451,	0,	219,	10,	872,
Injury and Poisoning	318,	1060,	27,	476,	121,	2002,

\*Absences with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/occupational combinations with at least one occurrence appear in this table.

Diagnostic Category	Professional Staff 4,435 Person-Years			
	Persons with 1+ Event*	RR**	Lower 95% CI***	Upper 95% CI***
All Diagnostic Categories	253	0.6	0.5	0.7
Infectious & Parasitic Diseases	15	0.6	0.3	1.1
Malignant Neoplasms	13	1.3	0.5	3.4
Benign & Other Neoplasms	12	1.3	0.6	2.6
Endocrine & Metabolic Diseases	5	0.7	0.2	2.1
Mental Disorders	7	0.4	0.2	1.0
Nervous System & Sense Organs	15	0.5	0.3	0.9
Circulatory System	19	0.4	0.2	0.7
Respiratory System	47	0.4	0.3	0.5
Digestive System	44	0.6	0.4	0.9
Genitourinary System	22	1.0	0.6	1.7
Skin & Subcutaneous Tissue	8	0.6	0.3	1.5
Musculoskeletal System	44	0.6	0.4	0.8
Symptoms, Signs, & Ill-Defined Cond.	16	0.3	0.2	0.6
Injury & Poisoning	26	0.3	0.2	0.5
Lower Limb Fractures	7	0.7	0.2	2.2
Dislocations	5	0.2	0.1	0.6
Back Sprains & Strains	1	0.1	0.02	0.6
Other Sprains & Strains	6	0.3	0.1	0.9

Diagnostic Category	Support Staff 1,829 Person-Years			
	Persons with 1+ Event*	RR**	Lower 95% CI***	Upper 95% CI***
All Diagnostic Categories	187	1.1	1.0	1.4
Infectious & Parasitic Diseases	6	0.6	0.2	1.3
Malignant Neoplasms	7	1.4	0.5	3.8
Benign & Other Neoplasms	3	0.3	0.1	1.1
Endocrine & Metabolic Diseases	2	0.5	0.1	2.2
Mental Disorders	9	1.3	0.6	2.9
Nervous System & Sense Organs	14	1.1	0.6	2.1
Circulatory System	16	1.6	0.9	3.0
Respiratory System	49	1.1	0.8	1.6
Digestive System	23	1.0	0.6	1.5
Genitourinary System	12	0.9	0.5	1.7
Skin & Subcutaneous Tissue	5	1.1	0.4	3.1
Musculoskeletal System	27	0.9	0.6	1.3
Symptoms, Signs, & Ill-Defined Cond.	15	0.9	0.5	1.5
Injury & Poisoning	34	1.7	1.1	2.6
Lower Limb Fractures	4	1.2	0.4	3.5
Dislocations	5	1.4	0.5	4.1
Back Sprains & Strains	5	1.8	0.6	5.2
Other Sprains & Strains	8	2.2	0.9	5.2

\* Persons with multiple absences during the time period were counted only once.

\*\* RR = Relative Risk. Adjusted for age and gender; compared with all occupational categories.

\*\*\*CI = Confidence Limit

(CONTINUED)

Diagnostic Category	Clerical 644 Person-Years			
	Persons with 1+ Event*	RR**	Lower 95% CI***	Upper 95% CI***
All Diagnostic Categories	105	1.3	1.1	1.7
Infectious & Parasitic Diseases	8	2.6	1.1	6.3
Malignant Neoplasms	1	0.2	0.02	2.3
Benign & Other Neoplasms	5	1.0	0.4	2.7
Endocrine & Metabolic Diseases	4	2.4	0.7	7.5
Mental Disorders	6	1.6	0.6	4.4
Nervous System & Sense Organs	10	1.5	0.8	2.9
Circulatory System	3	0.7	0.2	2.2
Respiratory System	40	2.0	1.4	3.0
Digestive System	12	1.4	0.7	2.7
Genitourinary System	11	1.5	0.7	3.0
Skin & Subcutaneous Tissue	1	0.3	0.03	4.0
Musculoskeletal System	18	1.3	0.8	2.2
Symptoms, Signs, & Ill-Defined Cond.	18	3.3	1.7	6.6
Injury & Poisoning	15	1.7	0.9	3.1
Lower Limb Fractures	2	1.3	0.2	7.2
Dislocations	2	3.1	0.7	14.2
Back Sprains & Strains	2	1.7	0.3	11.4
Other Sprains & Strains	1	0.5	0.1	5.3

Diagnostic Category	Crafts and Manual Labor 585 Person-Years			
	Persons with 1+ Event*	RR**	Lower 95% CI***	Upper 95% CI***
All Diagnostic Categories	113	3.0	2.4	3.7
Infectious & Parasitic Diseases	9	4.7	2.1	10.4
Malignant Neoplasms	2	1.1	0.2	4.6
Benign & Other Neoplasms	5	6.1	2.1	17.8
Endocrine & Metabolic Diseases	2	2.6	0.5	12.3
Mental Disorders	2	1.7	0.4	7.1
Nervous System & Sense Organs	9	3.7	1.7	7.9
Circulatory System	11	3.1	1.6	6.0
Respiratory System	31	3.4	2.3	5.1
Digestive System	16	2.4	1.4	4.2
Genitourinary System	2	0.8	0.2	3.4
Skin & Subcutaneous Tissue	5	4.7	1.7	13.3
Musculoskeletal System	28	4.6	3.0	7.0
Symptoms, Signs, & Ill-Defined Cond.	11	3.4	1.7	6.8
Injury & Poisoning	19	3.1	1.9	5.2
Lower Limb Fractures	2	1.7	0.4	7.3
Dislocations	7	5.7	2.2	14.4
Back Sprains & Strains	3	4.8	1.3	17.4
Other Sprains & Strains	5	4.4	1.5	12.5

\* Persons with multiple absences during the time period were counted only once.

\*\* RR = Relative Risk. Adjusted for age and gender; compared with all occupational categories.

\*\*\*CI = Confidence Limit

(CONTINUED)

Diagnostic Category	Security 128 Person-Years			
	Persons with 1+ Event*	RR**	Lower 95% CI***	Upper 95% CI***
All Diagnostic Categories	20	2.5	1.6	4.0
Infectious & Parasitic Diseases	1	1.9	0.3	14.0
Malignant Neoplasms	0			
Benign & Other Neoplasms	0			
Endocrine & Metabolic Diseases	0			
Mental Disorders	2	10.1	2.3	43.8
Nervous System & Sense Organs	0			
Circulatory System	2	3.3	0.8	13.8
Respiratory System	3	1.5	0.5	4.9
Digestive System	5	3.8	1.5	9.3
Genitourinary System	1	2.5	0.3	17.8
Skin & Subcutaneous Tissue	0			
Musculoskeletal System	3	2.1	0.7	6.9
Symptoms, Signs, & Ill-Defined Cond.	2	3.0	0.7	12.4
Injury & Poisoning	5	3.8	1.5	9.6
Lower Limb Fractures	0			
Dislocations	0			
Back Sprains & Strains	3	16.2	4.5	58.8
Other Sprains & Strains	1	3.5	0.4	28.0

Diagnostic Category	Non-Regular 847 Person-Years				Total Persons with 1+ Event
	Persons with 1+ Event*	RR**	Lower 95% CI***	Upper 95% CI***	
All Diagnostic Categories	3	0.1	0.03	0.2	681
Infectious & Parasitic Diseases	0				39
Malignant Neoplasms	0				23
Benign & Other Neoplasms	0				25
Endocrine & Metabolic Diseases	0				13
Mental Disorders	0				26
Nervous System & Sense Organs	0				48
Circulatory System	0				51
Respiratory System	0				170
Digestive System	1	0.3	0.05	2.0	101
Genitourinary System	0				48
Skin & Subcutaneous Tissue	0				19
Musculoskeletal System	0				120
Symptoms, Signs, & Ill-Defined Cond.	0				62
Injury & Poisoning	0				99
Lower Limb Fractures	0				15
Dislocations	0				19
Back Sprains & Strains	0				14
Other Sprains & Strains	0				21

\* Persons with multiple absences during the time period were counted only once.

\*\* RR = Relative Risk. Adjusted for age and gender; compared with all occupational categories.

\*\*\*CI = Confidence Limit

SANDIA 1995

OSHA DATA

Appendix K: Occupational Sentinel Health Events (SHEO)

The following two tables list the disease conditions that have been identified as definitely SHEOs or as possibly SHEOs, respectively (Rutstein, D. D., et al., "Sentinel Health Events [Occupational]: A Basis for Physician Recognition and Public Health Surveillance," *American Journal of Public Health*, 1983, 73(9):1054-1062). To make these categories more meaningful to the DOE workplace environment, we evaluated these two SHEO categories, taking into account workplace exposures in the DOE complex, and defined two additional groups of health conditions called *production* and *nonproduction*. We designated these conditions in the last column of each table, labeled *DOE Complex Exposure Potential*. Each group is defined as follows:

*Production*: Disease conditions that can result from exposures that may occur during production or cleanup activities within the DOE complex. This group includes 22 conditions.

*Nonproduction*: Disease conditions that can be related to occupations within the DOE complex, but not exposures related to production or cleanup activities. This group includes 11 conditions.

Conditions for which neither designation has been assigned may occur in the work force but are less likely to be related to exposures in the DOE complex than those conditions with a designation of *production* or *nonproduction*.

Health Conditions - Definitely SHEOs		
ICD-9	Condition	DOE Complex Exposure Potential
155	Hemangiosarcoma of the liver	
158, 163	Mesothelioma (MN of peritoneum and pleura)	Production
187.7	Malignant neoplasm of scrotum	Production
354M	Carpal tunnel syndrome	Nonproduction
354.0	Mononeuritis of upper limb and mononeuritis multiplex	
495.4	Maltworker's lung	
495.5	Mushroom worker's lung	
495.8	Grain handler's lung, Sequoiosis	
495.9	Unspecified allergic alveolitis	
500	Coalworker's pneumoconiosis	
501	Asbestosis	Production
502	Silicosis, Talcosis	Production
503	Chronic beryllium disease of the lung	
504	Byssinosis	
506.0	Acute bronchitis, pneumonitis, and pulmonary edema due to fumes and vapors	Nonproduction

(CONTINUED)

SANDIA 1995  
 OSHA DATA  
 Appendix K: Occupational Sentinel Health Events (SHEO)

Health Conditions - Possibly SHEOs		
ICD-9	Condition	DOE Complex Exposure Potential
011	Pulmonary tuberculosis	
011, 502	Silicotuberculosis	Production
020	Plague	
021	Tularemia	
022	Anthrax	
023	Brucellosis	
031.1	Fish-fancier's finger	
054.6	Herpetic whitlow	
037	Tetanus	Nonproduction
042	Human immuno-deficiency virus	
056	Rubella	
070.0, 070.1	Hepatitis A	
070.2, 070.3	Hepatitis B	
070.4	Non-A, non-B hepatitis	
071	Rabies	Nonproduction
073	Ornithosis	
082.0	Rocky Mountain spotted fever	
100.8	Leptospirosis	
115	Histoplasmosis	Nonproduction
117.1	Sporotrichosis	
147	Malignant neoplasm of nasopharynx	Nonproduction
160.0	Malignant neoplasm of nasal cavities	Nonproduction
161	Malignant neoplasm of larynx	Production
162	Malignant neoplasm of trachea, bronchus, and lung	Production
170	Malignant neoplasm of bone	Production

(CONTINUED)

SANDIA 1995

OSHA DATA

Appendix K: Occupational Sentinel Health Events (SHEO)

Health Conditions - Possibly SHEOs		
ICD-9	Condition	DOE Complex Exposure Potential
188	Malignant neoplasm of bladder	Production
189	Malignant neoplasm of kidney, other, and unspecified urinary organs	Nonproduction
204.0	Lymphoid leukemia Acute	Production
205.0	Myeloid leukemia, acute	Production
207.0	Erythroleukemia	Production
283.1	Hemolytic anemia, nonautoimmune	
284.8	Aplastic anemia	Production
288.0	Agranulocytosis or neutropenia	Production
289.7	Methemoglobinemia	Nonproduction
323.7	Toxic encephalitis	Production
332.1	Parkinson's disease (secondary)	
334.3	Cerebellar ataxia	Production
357.7	Inflammatory and toxic neuropathy	Production
366.4	Cataract	Production
388.1	Noise effects on inner ear	Production
443.0	Raynaud's phenomenon (secondary)	Nonproduction
493.0, 507.8	Extrinsic asthma	Nonproduction
570, 573.3	Toxic hepatitis	Production
584, 585	Acute or chronic renal failure	Production
606	Infertility, male	
692	Contact and allergic dermatitis	Production
733.9	Skeletal fluorosis	

SANDIA 1995

OSHA DATA

Appendix L. Number of Workers With at Least One OSHA Event by Gender, Age, and Occupation

	Women					Men							
	Age Group					Age Group					%		
	16 -	30 -	40 -	50 -	Total	16 -	30 -	40 -	50 -	Total	Total		
Occupational Group													
Professional Staff	2	6	5	1	15	1	7	10	15	2	35		
Support Staff	0	3	10	3	2	18	0	5	13	9	0	27	
Clerical	3	6	7	6	1	23	0	2	1	1	0	4	27
Crafts and Manual													
Labor	0	3	4	3	0	10	0	16	20	13	3	52	62
Security	0	1	1	0	0	2	3	8	3	3	0	17	19
Non-Regular	3	0	0	0	0	3	3	0	0	0	0	3	6
Total	8	19	27	13	4	71	7	38	47	41	5	138	209



SANDIA 1995

OSHA DATA

Appendix M Total Number of Workdays Lost or With Restricted Activity from OSHA Events by Gender and Age

	Women	Men	Total						
	Days	Days	Days	Days	Days	Days	Days	Days	Days
	# of , Restr-	# of , Restr-	# of , Restr-	# of , Restr-	# of , Restr-	# of , Restr-	# of , Restr-	# of , Restr-	# of , Restr-
	Events, icted	Events, icted	Events, icted	Events, icted	Events, icted	Events, icted	Events, icted	Events, icted	Events, icted
Age Group									
, 16 - 29	8,	25,	0,	7,	40,	0,	15,	65,	0,
, 30 - 39	21,	74,	0,	40,	477,	11,	61,	551,	11,
, 40 - 49	31,	334,	75,	55,	411,	72,	86,	745,	147,
, 50 - 59	15,	132,	28,	45,	236,	42,	60,	368,	70,
, 60 +	4,	22,	0,	6,	63,	9,	10,	85,	9,
, Total	79,	587,	103,	153,	1227,	134,	232,	1814,	237,

SANDIA 1995

OSHA DATA

Appendix N. Total Number of Workdays Lost or with Restricted Activity from OSHA Events by Gender and Occupation

	Women	Men	Total						
	Days	Days	Days	Days	Days	Days	Days	Days	Days
	# of Restr-	# of Restr-	# of Restr-	# of Restr-	# of Restr-	# of Restr-	# of Restr-	# of Restr-	# of Restr-
	Events, icted	Events, icted	Events, icted	Events, icted	Events, icted	Events, icted	Events, icted	Events, icted	Events, icted
Occupational Group									
Professional Staff	16,	160,	71,	35,	43,	11,	51,	203,	82,
Support Staff	18,	60,	3,	30,	99,	11,	48,	159,	14,
Clerical	23,	127,	0,	5,	66,	10,	28,	193,	10,
Crafts and Manual Labor	13,	205,	29,	63,	837,	73,	76,	1042,	102,
Security	6,	29,	0,	17,	182,	29,	23,	211,	29,
Non-Regul ar	3,	6,	0,	3,	0,	0,	6,	6,	0,
Total	79,	587,	103,	153,	1227,	134,	232,	1814,	237,

SANDIA 1995

OSHA DATA

Appendix O. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

Diagnostic Category	Women					Men					Total	Total
	Age Group					Age Group						
	16 - 29	30 - 39	40 - 49	50 - 59	60 +	16 - 29	30 - 39	40 - 49	50 - 59	60 +		
NERVOUS SYSTEM (NS) & SENSE ORGANS - Disorders of, 320-389												
Peripheral NS, 320-389												
RESPIRATORY SYSTEM - Other Dis, 460-519												
Upper Respiratory Tract - Chronic Obstructive Dis, 490-496												
SKIN & SUBCUTANEOUS TISSUE - Infections, 680-686												
MUSCULOSKELETAL & CONNECTIVE TISSUE - Arthropathies, 710-719												
- Dorsopathies, 720-724												
- Rheumatism, Excluding Back, 725-729												
SYMPTOMS, SIGNS, & ILL-DEFINED COND., - Symptoms, 780-789												
INJURY AND POISONING, 800-999												

\*Only those diagnostic categories with at least one OSHA event appear in this table.

(CONTINUED)

SANDIA 1995

OSHA DATA

Appendix O. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

Diagnostic Category	Women					Men					Total	Total	
	Age Group					Age Group							
	16 - 29	30 - 39	40 - 49	50 - 59	60 +	16 - 29	30 - 39	40 - 49	50 - 59	60 +			
- Fracture - Neck, Trunk	0	0	0	0	0	0	0	0	0	1	0	1	1
- Fracture - Upper Limb	0	1	0	0	0	1	0	3	2	4	1	10	11
- Fracture - Lower Limb	0	0	3	0	0	3	0	0	1	0	0	1	4
- Dislocation	0	1	0	0	0	1	0	0	0	0	0	0	1
- Sprains & Strains - Back	0	5	8	1	1	15	0	12	6	15	1	34	49
- Sprains & Strains - Other	2	5	5	3	1	16	3	3	9	7	1	23	39
- Open Wound - Head, Neck, Trunk	0	0	0	0	0	0	0	1	1	1	0	3	3
- Open Wound - Upper Limb	2	0	2	1	0	5	2	2	4	5	2	15	20
- Open Wound - Lower Limb	0	0	0	0	0	0	0	1	0	2	0	3	3
- Superficial Injury	1	0	2	0	1	4	0	2	0	0	0	2	6
- Contusion	0	2	3	4	1	10	1	9	6	3	0	19	29
- Foreign Body - Entering Orifice	0	0	0	0	0	0	0	0	2	1	0	3	3
- Burns	0	1	1	0	0	2	1	3	3	0	0	7	9
- Complications & Unspecified Injuries	1	1	0	0	0	2	0	1	0	1	0	2	4
- Toxic Effects - Nonmedicinal	0	1	1	0	0	2	0	0	2	0	0	2	4

\*Only those diagnostic categories with at least one OSHA event appear in this table.

(CONTINUED)

SANDIA 1995

OSHA DATA

Appendix 0. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

	Women					Men							
	Age Group					Age Group							
	16 -	30 -	40 -	50 -	Total	16 -	30 -	40 -	50 -	Total			
	29	39	49	59	60 +	29	39	49	59	60 +	Total		
Diagnostic Category													
Total	10	23	37	18	5	93	7	45	60	46	6	164	257

\*Only those diagnostic categories with at least one OSHA event appear in this table.

SANDIA 1995  
 OSHA DATA

Appendix P. Number of Workdays Lost or With Restricted Activity in Each Diagnostic Category by Gender and Age\*

Women										
Age Group										
	16 - 29	30 - 39	40 - 49	50 - 59	60 +					
	Days,	Days,	Days,	Days,	Days,					
	Res-	Res-	Res-	Res-	Res-					
	tri -	Days, tri -	Days, tri -	Days, tri -	Days, tri -	Days,				
	cted, Lost,	cted, Lost,	cted, Lost,	cted, Lost,	cted, Lost,	cted, Lost,				
Diagnostic Category										
- Disorders of, 350-359										
Peripheral NS,	6	0	0	0	40	0	0	0	0	0
- Other Dis , 470-478										
Upper										
Respiratory										
Tract	0	0	0	0	0	0	0	0	0	0
- Chronic , 490-496										
Obstructive										
Dis	0	0	0	0	0	0	0	0	0	0
- Arthropathies, 710-719										
es	0	0	0	0	0	0	0	0	0	0
- Dorsopathies, 720-724	0	0	5	0	113	66	0	0	0	0
- Rheumatism , 725-729										
Excluding										
Back	19	0	0	0	8	0	93	27	16	0
- Symptoms , 780-789	0	0	0	0	0	0	0	0	0	0
- Fracture - , 810-819										
Upper Limb	0	0	0	0	0	0	0	0	0	0
- Fracture - , 820-829										
Lower Limb	0	0	0	0	54	8	0	0	0	0
- Dislocation , 830-839	0	0	12	0	0	0	0	0	0	0
- Sprains & , 846-847										
Strains -										
Back	0	0	32	0	97	1	0	0	6	0
- Sprains & , 840-845, 848										
Strains -										
Other	10	0	19	0	24	0	17	0	0	0
- Open Wound - , 880-887										
Upper Limb	0	0	0	0	0	0	0	0	0	0

\*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories with at least one occurrence appear in this table.

(CONTINUED)

SANDIA 1995

OSHA DATA

Appendix P. Number of Workdays Lost or With Restricted Activity in Each Diagnostic Category by Gender and Age\*

Women										
Age Group										
	16 - 29	30 - 39	40 - 49	50 - 59	60 +					
	Days	Days	Days	Days	Days	Res-	Res-	Res-	Res-	Res-
	tri -	Days	tri -	Days	tri -	Days	tri -	Days	tri -	Days
	cted, Lost	cted, Lost	cted, Lost	cted, Lost	cted, Lost	cted, Lost	cted, Lost	cted, Lost	cted, Lost	cted, Lost
Diagnostic Category										
- Superficial, 910-919										
- Injury	0	0	0	0	21	3	0	0	0	0
- Contusion, 920-924	0	0	6	0	13	0	22	1	0	0
- Burns, 940-949	0	0	0	0	0	0	0	0	0	0
- Complications & Unspecified Injuries, 958-959										
- Toxic Effects - Nonmedicinal, 980-989										
	0	0	0	0	0	0	0	0	0	0

\*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories with at least one occurrence appear in this table.

(CONTINUED)





SANDIA 1995

OSHA DATA

Appendix P. Number of Workdays Lost or With Restricted Activity in Each Diagnostic Category by Gender and Age\*

	Men				
	Age Group				
	16 - 29	30 - 39	40 - 49	50 - 59	60 +
	Days	Days	Days	Days	Days
	Res-	Res-	Res-	Res-	Res-
	tri -	Days, tri -	Days, tri -	Days, tri -	Days, tri -
	cted, Lost,	cted, Lost,	cted, Lost,	cted, Lost,	cted, Lost,
Diagnostic Category					
- Superficial, 910-919					
- Injury	0	0	2	0	0
- Contusion, 920-924	0	0	183	0	19
- Foreign Body, 930-939					
- Entering					
- Orifice	0	0	0	0	0
- Burns, 940-949	0	0	5	0	0
- Complications & Unspecified Injuries, 958-959					
- Injuries	0	0	2	0	0
- Toxic Effects - Nonmedicinal, 980-989					
- Toxic Effects - Nonmedicinal	0	0	0	0	0

\*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories with at least one occurrence appear in this table.

SANDIA 1995

OSHA DATA

Appendix Q. Number of Occurrences in Each Accident Category by Gender and Age\*

Type of Accident	Women						Men					
	Age Group						Age Group					
	16 - 29	30 - 39	40 - 49	50 - 59	60 +	Total	16 - 29	30 - 39	40 - 49	50 - 59	60 +	Total
Motor Vehicle, E810-E819												
Traffic	0	0	0	0	0	0	0	1	0	1	0	2
Accidental, E860-E869												
Poisoning - Nonmedicinal	0	1	1	1	0	3	0	0	1	0	0	1
Falls, E880-E888	0	3	6	1	1	11	0	1	3	4	1	9
Natural/Environmental Factors, E900-E909												
Factors	0	0	1	0	1	2	0	0	1	0	0	1
Submersion/Suffocation/Foreign Bodies, E910-E915												
Foreign Bodies	0	0	0	0	0	0	0	0	2	1	0	3
Other Accidents, E916-E928												
Accidents	8	17	23	13	2	63	7	37	48	37	4	133

\*Only those accident types with at least one occurrence appear in this table.

SANDIA 1995

OSHA DATA

Appendix R. Number of Workdays Lost or With Restricted Activity for Each Accident Category by Gender and Age\*

Type of Accident	Men					Women				
	16 - 29	30 - 39	40 - 49	50 - 59	60 +	16 - 29	30 - 39	40 - 49	50 - 59	60 +
Accidental	16	29	30	39	40	49	50	59	60	61
Poisoning - Nonmedicinal	0	0	0	0	0	0	0	0	0	0
Falls	0	0	4	0	73	4	0	0	0	0
Natural/Environmental Factors	0	0	0	0	0	0	0	0	0	0
Other	25	0	70	0	261	71	132	28	22	0

\*OSHA events with >1 E code in the same accident type were counted only once. Only those accident types with at least one occurrence appear in this table.

(CONTINUED)

SANDIA 1995

OSHA DATA

Appendix R. Number of Workdays Lost or With Restricted Activity for Each Accident Category by Gender and Age\*

Men										
Age Group										
	16 - 29	30 - 39	40 - 49	50 - 59	60 +					
	Days	Days	Days	Days	Days	Res	Res	Res	Res	Res
	tri	tri	tri	tri	tri	Days	Days	Days	Days	Days
Type of Accident										
Motor Vehicle, E810-E819										
Traffic	0	0	0	0	0	0	0	0	0	0
Accidental, E860-E869										
Poisoning - Nonmedicinal										
Falls, E880-E888	0	0	2	0	90	25	61	0	0	0
Natural/Environmental Factors, E900-E909										
Submersion/Suffocation/Foreign Bodies, E910-E915										
Other, E916-E928										
Accidents	40	0	475	11	321	47	175	42	63	9

\*OSHA events with >1 E code in the same accident type were counted only once. Only those accident types with at least one occurrence appear in this table.

SANDIA 1995

OSHA DATA

Appendix S. Number of Diagnoses in Each Diagnostic Category by Gender and Occupation\*

Diagnostic Category	Women						
	Occupational Group	Crafts	Professional and	Service, Support, and Non-	Operational, Clerical, Security, and	Staff, Technical, and	Total
NERVOUS SYSTEM (NS) & SENSE ORGANS	1	3	2	0	0	1	7
- Disorders of, 350-359							
Peripheral NS	1	3	2	0	0	1	7
RESPIRATORY SYSTEM	0	2	0	0	0	0	2
- Other Disorders, 470-478							
Upper Respiratory Tract	0	1	0	0	0	0	1
- Chronic, 490-496							
Obstructive Dis	0	1	0	0	0	0	1
MUSCULOSKELETAL & CONNECTIVE TISSUE	4	7	4	3	2	0	20
- Arthropathies, 710-719							
es	2	1	0	0	0	0	3
- Dorsopathies, 720-724							
- Rheumatism, 725-729							
Excluding Back	0	3	4	2	1	0	10
SYMPTOMS, SIGNS, & ILL-DEFINED COND.	3	0	0	0	0	0	3
- Symptoms, 780-789							
INJURY AND POISONING	11	13	20	11	4	2	61

\*Only those diagnostic categories with at least one occurrence appear in this table.

(CONTINUED)

Appendix S. Number of Diagnoses in Each Diagnostic Category by Gender and Occupation\*

Diagnostic Category	Women						
	Occupational Group	Crafts	Professional and	Service, Support, and Non-	Operational, Clerical, Security, and	Regulatory	Total
Fracture - Upper Limb, 810-819	0	0	1	0	0	0	1
Fracture - Lower Limb, 820-829	1	2	0	0	0	0	3
Dislocation, 830-839	0	0	1	0	0	0	1
Sprains & Strains - Back, 846-847	3	1	7	2	2	0	15
Sprains & Strains - Other, 840-845, 848	1	6	7	0	2	0	16
Open Wound - Upper Limb, 880-887	1	0	2	1	0	1	5
Superficial Injury, 910-919	1	1	1	0	0	1	4
Contusion, 920-924	1	2	0	7	0	0	10
Burns, 940-949	1	0	0	1	0	0	2
Complications & Unspecified Injuries, 958-959	1	0	1	0	0	0	2
Toxic Effects - Nonmedicinal, 980-989	1	1	0	0	0	0	2
<b>Total</b>	<b>19</b>	<b>25</b>	<b>26</b>	<b>14</b>	<b>6</b>	<b>3</b>	<b>93</b>

\*Only those diagnostic categories with at least one occurrence appear in this table.

(CONTINUED)

SANDIA 1995

OSHA DATA

Appendix S. Number of Diagnoses in Each Diagnostic Category by Gender and Occupation\*

	Men	Women	Total	%
Occupational Group				
Crafts				
Professional, Technical, and Managerial				
Operative				
Non-Operative				
Staff, Clerical, Laborer, and Unemployed				
Diagnostic Category				
NERVOUS SYSTEM (NS) & SENSE ORGANS, 320-389	0	1	0	0, 1, 0, 0, 1, 0, 2
- Disorders of, 350-359				
Peripheral NS, 350-359	0	1	0	0, 1, 0, 2
SKIN & SUBCUTANEOUS TISSUE, 680-709				
- Infections, 680-686	1	0	0	0, 0, 0, 1
MUSCULOSKELETAL & CONNECTIVE TISSUE, 710-739				
- Arthropathies, 710-719	0	0	0	1, 0, 0, 1
- Dorsopathies, 720-724	5	2	1	7, 2, 0, 17
- Rheumatism, 725-729				
Excluding Back, 725-729	1	4	0	8, 2, 0, 15
SYMPTOMS, SIGNS, & ILL-DEFINED COND., 780-799				
- Symptoms, 780-789	0	1	0	2, 0, 0, 3
INJURY AND POISONING, 800-999				
- Fracture - Neck, Trunk, 805-809	0	0	0	1, 0, 0, 1
- Fracture - Upper Limb, 810-819	4	3	0	2, 1, 0, 10

\*Only those diagnostic categories with at least one occurrence appear in this table.

(CONTINUED)

SANDIA 1995

OSHA DATA

Appendix S. Number of Diagnoses in Each Diagnostic Category by Gender and Occupation\*

Diagnostic Category	Men						
	Occupational Group	Crafts	Professional and	Service, Support, and Non-	Operational, Clerical, Security, and	Regulatory	Total
Fracture - 820-829	0	1	0	0	0	0	1
Sprains & Strains - 846-847	7	8	2	15	2	0	34
Sprains & Strains - 840-845, 848	4	3	1	11	4	0	23
Open Wound - 870-879	2	0	0	0	1	0	3
Open Wound - 880-887	5	2	1	6	0	1	15
Open Wound - 890-897	3	0	0	0	0	0	3
Superficial Injury - 910-919	1	1	0	0	0	0	2
Contusion - 920-924	3	3	0	9	3	1	19
Foreign Body, Entering Orifice - 930-939	0	1	0	2	0	0	3
Burns - 940-949	0	0	0	5	1	1	7
Complications & Unspecified Injuries - 958-959	1	1	0	0	0	0	2
Toxic Effects - 980-989	0	0	0	2	0	0	2
<b>Total</b>	<b>37</b>	<b>31</b>	<b>5</b>	<b>71</b>	<b>17</b>	<b>3</b>	<b>164</b>

\*Only those diagnostic categories with at least one occurrence appear in this table.



Appendix T. Number of Workdays Lost or With Restricted Activity in Each Diagnostic Category by Gender and Occupation\*

Women												
Occupational Group												
	Professi-	onal	Support	Crafts	and	Manual	Non-	Staff	Staff	Clerical	Security	Regular
Diagnostic Category	Days	Days	Days	Days	Days	Days	Days	Days	Days	Days	Days	Days
ICD-9-CM Codes	Res-	Res-	Res-	Res-	Res-	Res-	Res-	Res-	Res-	Res-	Res-	Res-
- Disorders of, 350-359												
Peripheral NS,	0	0	0	40	0	0	0	0	0	0	6	0
- Other Dis , 470-478												
Upper												
Respiratory												
Tract	0	0	0	0	0	0	0	0	0	0	0	0
- Chronic , 490-496												
Obstructive												
Dis	0	0	0	0	0	0	0	0	0	0	0	0
- Arthropathi -, 710-719												
es	0	0	0	0	0	0	0	0	0	0	0	0
- Dorsopathies, 720-724	104	66	0	0	0	0	5	0	9	0	0	0
- Rheumatism , 725-729												
Excluding												
Back	0	0	16	0	19	0	93	27	8	0	0	0
- Symptoms , 780-789	0	0	0	0	0	0	0	0	0	0	0	0
- Fracture - , 810-819												
Upper Limb	0	0	0	0	0	0	0	0	0	0	0	0
- Fracture - , 820-829												
Lower Limb	32	5	22	3	0	0	0	0	0	0	0	0
- Dislocation , 830-839	0	0	0	12	0	0	0	0	0	0	0	0
- Sprains & , 846-847												
Strains -												
Back	24	0	3	0	26	0	79	1	3	0	0	0
- Sprains & , 840-845, 848												
Strains -												
Other	0	0	6	0	55	0	0	0	9	0	0	0

\*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories with at least one occurrence appear in this table.

(CONTINUED)

SANDIA 1995

OSHA DATA

Appendix T. Number of Workdays Lost or With Restricted Activity in Each Diagnostic Category by Gender and Occupation\*

Women													
Occupational Group													
	Professi-	onal	Support	Crafts	and	Manual	Non-	Staff	Staff	Clerical	Labor	Security	Regular
Diagnostic Category	Days	Days	Days	Days	Days	Days	Days	Days	Days	Days	Days	Days	Days
	Res-	Res-	Res-	Res-	Res-	Res-	Res-	Res-	Res-	Res-	Res-	Res-	Res-
	tri -	tri -	tri -	tri -	tri -	tri -	tri -	tri -	tri -	tri -	tri -	tri -	tri -
	cted	cted	cted	cted	cted	cted	cted	cted	cted	cted	cted	cted	cted
	Lost	Lost	Lost	Lost	Lost	Lost	Lost	Lost	Lost	Lost	Lost	Lost	Lost
	%	%	%	%	%	%	%	%	%	%	%	%	%
- Open Wound , 880-887	0	0	0	0	0	0	0	0	0	0	0	0	0
Upper Limb	0	0	0	0	0	0	0	0	0	0	0	0	0
- Superficial , 910-919	0	0	21	3	0	0	0	0	0	0	0	0	0
Injury	0	0	13	0	0	0	28	1	0	0	0	0	0
- Contusion , 920-924	0	0	0	0	0	0	0	0	0	0	0	0	0
- Burns , 940-949	0	0	0	0	0	0	0	0	0	0	0	0	0
- Complicatio-, 958-959													
ns &													
Unspeci fied													
Injuries	0	0	0	0	10	0	0	0	0	0	0	0	0
- Toxic , 980-989													
Effects -													
Nonmedi cinal	0	0	0	0	0	0	0	0	0	0	0	0	0

\*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories with at least one occurrence appear in this table.

(CONTINUED)

Appendix T. Number of Workdays Lost or With Restricted Activity in Each Diagnostic Category by Gender and Occupation\*

Men												
Occupational Group												
	Professi-	onal	Support	Crafts	and	Manual	Non-	Staff	Staff	Clerical	Security	Regular
Diagnostic Category	Days	Days	Days	Days	Days	Days	Days	Days	Days	Days	Days	Days
	Res-	Res-	Res-	Res-	Res-	Res-	Res-	Res-	Res-	Res-	Res-	Res-
	cted	Lost	cted	Lost	cted	Lost	cted	Lost	cted	Lost	cted	Lost
ICD-9-CM Codes												
- Disorders of, 350-359												
Peripheral NS,	0	0	0	0	0	0	0	0	11	0	0	0
- Infections, 680-686	0	0	0	0	0	0	0	0	0	0	0	0
- Arthropathies, 710-719	0	0	0	0	0	0	4	0	0	0	0	0
- Dorsopathies, 720-724	0	0	0	0	0	0	97	9	6	0	0	0
- Rheumatism, 725-729												
Excluding												
Back	0	0	0	0	0	0	131	25	0	0	0	0
- Symptoms, 780-789	0	0	0	0	0	0	0	0	0	0	0	0
- Fracture - Neck, Trunk, 805-809	0	0	0	0	0	0	58	0	0	0	0	0
- Fracture - Upper Limb, 810-819	0	0	37	0	0	0	0	0	6	0	0	0
- Fracture - Lower Limb, 820-829	0	0	0	0	0	0	0	0	0	0	0	0
- Sprains & Strains - Back, 846-847	6	3	41	5	13	3	262	6	10	0	0	0
- Sprains & Strains - Other, 840-845, 848	0	0	0	6	53	7	173	33	136	29	0	0
- Open Wound - Head, Neck, Trunk, 870-879	0	0	0	0	0	0	0	0	0	0	0	0
- Open Wound - Upper Limb, 880-887	37	8	0	0	0	0	0	0	0	0	0	0

\*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories with at least one occurrence appear in this table.

(CONTINUED)

Appendix T. Number of Workdays Lost or With Restricted Activity in Each Diagnostic Category by Gender and Occupation\*

Men											
Occupational Group											
	Professi-	onal	Support	Staff	Clerical	Manual	Security	Regular	Crafts	and	Non-
	Days	Days	Days	Days	Days	Days	Days	Days	Days	Days	Days
	Res-	Res-	Res-	Res-	Res-	Res-	Res-	Res-	Res-	Res-	Res-
	tri -	tri -	tri -	tri -	tri -	tri -	tri -	tri -	tri -	tri -	tri -
	cted, Lost	cted, Lost	cted, Lost	cted, Lost	cted, Lost	cted, Lost	cted, Lost	cted, Lost	cted, Lost	cted, Lost	cted, Lost
Diagnostic Category	ICD-9-CM Codes										
- Open Wound	890-897	0	0	0	0	0	0	0	0	0	0
- Lower Limb		0	0	0	0	0	0	0	0	0	0
- Superficial	910-919	0	0	2	0	0	0	0	0	0	0
- Injury		0	0	2	0	0	0	0	0	0	0
- Contusion	920-924	0	0	19	0	0	0	178	0	8	0
- Foreign Body	930-939										
- Entering											
- Orifice		0	0	0	0	0	0	0	0	0	0
- Burns	940-949	0	0	0	0	0	0	0	5	0	0
- Complicatio-	958-959										
- ns &											
- Unspeci fied											
- Injuries		0	0	2	0	0	0	0	0	0	0
- Toxic	980-989										
- Effects -											
- Nonmedicinal		0	0	0	0	0	0	0	0	0	0

\*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories with at least one occurrence appear in this table.

SANDIA 1995

OSHA DATA

Appendix U. Number of Occurrences in Each Accident Category by Gender and Occupation\*

		Women						
		Occupational Group						
		Crafts	Professional and Technical	Manufacturing and Assembling	Non-Farm	On-Farm	Other	Total
		Staff	Staff	Laborer	Regulatory	Other	Total	
Type of Accident	E CODES							%
Accidental	E860-E869							
Poisoning - Nonmedicinal		2	1	0	0	0	0	3
Falls	E880-E888	1	5	2	3	0	0	11
Natural/Environmental Factors	E900-E909	1	0	1	0	0	0	2
Other Accidents	E916-E928	12	12	20	10	6	3	63

\*Only those accident types with at least one occurrence appear in this table.

(CONTINUED)

SANDIA 1995

OSHA DATA

Appendix U. Number of Occurrences in Each Accident Category by Gender and Occupation\*

	Men	Women	Total	%
Occupational Group				
Crafts				
Professional and				
Technical, Support, and				
Non-Technical				
Operative				
Administrative				
Service				
Unemployed				
Total				
Type of Accident				
Motor Vehicle, E810-E819				
Traffic	2	0	2	100%
Accidental, E860-E869				
Poisoning - Nonmedicinal	0	0	0	0%
Falls, E880-E888	3	3	6	100%
Natural/Environmental Factors, E900-E909				
Submersion/Suffocation/Foreign Bodies, E910-E915				
Other, E916-E928	29	24	53	100%
Accidents	29	24	53	100%

\*Only those accident types with at least one occurrence appear in this table.

Appendix V. Number of Workdays Lost or With Restricted Activity in Each Accident Category by Gender and Occupation\*

Women												
Occupational Group												
	Crafts	Professi-	onal	Support	Manual	Non-	Staff	Staff	Clerical	Labor	Security	Regular
	Days	Days	Days	Days	Days	Days	Days	Days	Days	Days	Days	Days
	Res-	Res-	Res-	Res-	Res-	Res-	Res-	Res-	Res-	Res-	Res-	Res-
	Days	Days	Days	Days	Days	Days	Days	Days	Days	Days	Days	Days
	cted	Lost	cted	Lost	cted	Lost	cted	Lost	cted	Lost	cted	Lost
Type of												
Accident												
Accidental												
Poisoning												
Nonmedical	0	0	0	0	0	0	0	0	0	0	0	0
Falls	0	0	34	3	0	0	43	1	0	0	0	0
Natural/Enviro-												
mental												
Factors	0	0	0	0	0	0	0	0	0	0	0	0
Other												
Accidents	160	71	26	0	127	0	162	28	29	0	6	0

\*OSHA events with >1 E code in the same accident type were counted only once. Only those accident types with at least one occurrence appear in this table.

(CONTINUED)

Appendix V. Number of Workdays Lost or With Restricted Activity in Each Accident Category by Gender and Occupation\*

Men											
Occupational Group											
	Professi-	onal	Support	Manual	Non-	Staff	Staff	Clerical	Labor	Security	Regular
	Days	Days	Days	Days	Days	Days	Days	Days	Days	Days	Days
	Res-	Res-	Res-	Res-	Res-	Res-	Res-	Res-	Res-	Res-	Res-
	tri -	Days	tri -	Days	tri -	Days	tri -	Days	tri -	Days	tri -
	cted	Lost	cted	Lost	cted	Lost	cted	Lost	cted	Lost	cted
Type of	E Codes										
Accident											
Motor Vehicle, E810- E819											
Traffic		0,	0,	0,	0,	0,	0,	0,	0,	0,	0,
Accidental, E860- E869											
Poisoning -											
Nonmedicinal		0,	0,	0,	0,	0,	0,	0,	0,	0,	0,
Falls, E880- E888		0,	0,	2,	0,	0,	0,	151,	25,	0,	0,
Natural /Envi-, E900- E909											
ronmental											
Factors		0,	0,	0,	0,	0,	0,	0,	0,	0,	0,
Submersion/S-, E910- E915											
uffocation/F-											
oreign Bodies,		0,	0,	0,	0,	0,	0,	0,	0,	0,	0,
Other, E916- E928											
Accidents		43,	11,	97,	11,	66,	10,	686,	48,	182,	29,

\*OSHA events with >1 E code in the same accident type were counted only once. Only those accident types with at least one occurrence appear in this table.



SANDIA 1995

OSHA DATA

Appendix W. Relative Risk Estimates for Selected Diagnostic Categories Among OSHA Events

Diagnostic Category	Professional Staff 4,435 Person-Years			
	Persons with 1+ Event*	RR**	Lower 95% CI***	Upper 95% CI***
All Diagnostic Categories	50	0.3	0.2	0.4
Musculoskeletal System	10	0.3	0.1	0.5
Injury & Poisoning	38	0.3	0.2	0.4
Upper Limb Fractures	4	0.3	0.1	1.1
Back Sprains & Strains	10	0.2	0.1	0.4
Other Sprains & Strains	5	0.1	0.04	0.3
Open Wound Upper Limb	6	0.4	0.2	0.9
Contusion	4	0.2	0.1	0.4

Diagnostic Category	Support Staff 1,829 Person-Years			
	Persons with 1+ Event*	RR**	Lower 95% CI***	Upper 95% CI***
All Diagnostic Categories	45	0.9	0.7	1.3
Musculoskeletal System	12	1.2	0.6	2.3
Injury & Poisoning	30	0.8	0.5	1.2
Upper Limb Fractures	3	1.5	0.4	5.6
Back Sprains & Strains	8	0.7	0.3	1.5
Other Sprains & Strains	8	0.9	0.4	2.1
Open Wound Upper Limb	2	0.5	0.1	2.0
Contusion	5	0.7	0.3	1.9

Diagnostic Category	Clerical 644 Person-Years			
	Persons with 1+ Event*	RR**	Lower 95% CI***	Upper 95% CI***
All Diagnostic Categories	27	1.7	1.1	2.6
Musculoskeletal System	5	1.1	0.4	2.6
Injury & Poisoning	21	1.9	1.2	3.2
Upper Limb Fractures	1	5.0	0.3	84.8
Back Sprains & Strains	9	3.3	1.4	7.8
Other Sprains & Strains	8	2.9	1.2	7.0
Open Wound Upper Limb	3	3.8	0.8	18.0
Contusion	0			

\* Persons with multiple absences during the time period were counted only once.

\*\* RR = Relative Risk. Adjusted for age and gender; compared with all occupational categories.

\*\*\*CI = Confidence Limit

(CONTINUED)

SANDIA 1995

OSHA DATA

Appendix W. Relative Risk Estimates for Selected Diagnostic Categories Among OSHA Events

Diagnostic Category	Crafts and Manual Labor 585 Person-Years			
	Persons with 1+ Event*	RR**	Lower 95% CI***	Upper 95% CI***
All Diagnostic Categories	62	5.9	4.4	8.1
Musculoskeletal System	13	5.9	3.0	11.6
Injury & Poisoning	52	6.8	4.8	9.6
Upper Limb Fractures	2	2.2	0.5	9.9
Back Sprains & Strains	16	6.8	3.7	12.6
Other Sprains & Strains	11	7.2	3.2	16.2
Open Wound Upper Limb	7	7.8	2.9	20.8
Contusion	14	13.3	6.3	27.8

Diagnostic Category	Security 128 Person-Years			
	Persons with 1+ Event*	RR**	Lower 95% CI***	Upper 95% CI***
All Diagnostic Categories	19	7.4	4.6	12.0
Musculoskeletal System	5	11.2	4.2	30.2
Injury & Poisoning	14	6.7	3.8	11.7
Upper Limb Fractures	1	5.8	0.7	50.1
Back Sprains & Strains	4	6.0	2.2	16.3
Other Sprains & Strains	6	16.2	6.7	39.5
Open Wound Upper Limb	0			
Contusion	3	7.8	2.2	27.0

Diagnostic Category	Non-Regular 847 Person-Years				Total Persons with 1+ Event
	Persons with 1+ Event*	RR**	Lower 95% CI***	Upper 95% CI***	
All Diagnostic Categories	6	0.2	0.1	0.6	209
Musculoskeletal System	0				45
Injury & Poisoning	5	0.2	0.1	0.8	160
Upper Limb Fractures	0				11
Back Sprains & Strains	0				47
Other Sprains & Strains	0				38
Open Wound Upper Limb	2	0.5	0.1	3.5	20
Contusion	1	0.5	0.01	17.7	27

\* Persons with multiple absences during the time period were counted only once.

\*\* RR = Relative Risk. Adjusted for age and gender; compared with all occupational categories.

\*\*\*CI = Confidence Limit