Table 2-8. Coal workers' pneumoconiosis: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by usual industry, U.S. residents age 15 and over.

selected states and years, 1990-1999							
		Number		95% Confide	ence Interval		
CIC	Industry	of Deaths	<b>PMR</b>	LCL	UCL		
041	Coal mining	2 765	52 19	51.50	54.01		

sciected states and years, 1770-1777						
		Number		95% Confid	ence Interval	
CIC	Industry	of Deaths	PMR	LCL	UCL	
041	Coal mining	3,765	53.18	51.50	54.91	

		Number		95% Confidence Interval	
CIC	Industry	of Deaths	<b>PMR</b>	LCL	UCL
041	Coal mining	3,765	53.18	51.50	54.91

	110			2670 Communication van	
CIC	Industry	of Deaths	<b>PMR</b>	LCL	UCL
041	Coal mining	3,765	53.18	51.50	54.91
040	Metal mining	25	1.98	1.28	2.92

	•				
041	Coal mining	3,765	53.18	51.50	54.91
040	Metal mining	25	1.98	1.28	2.92

UCL - upper confidence limit

	•				
041	Coal mining	3,765	53.18	51.50	54.91
040	Metal mining	25	1.98	1.28	2.92

n.e.c. - not elsewhere classified LCL - lower confidence limit

NOTE: See appendices for source description, methods, and ICD codes, industry and occupation codes, and list of selected states and years.

CIC - Census Industry Code

SOURCE: National Center for Health Statistics multiple cause of death data.