

---



---

**Coal workers' pneumoconiosis: Most frequently recorded occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999**

<b>COC</b>	<b>Occupation</b>	<b>Number of Deaths</b>	<b>Percent</b>
616	Mining machine operators	3,440	70.3
889	Laborers, except construction	147	3.0
575	Electricians	64	1.3
804	Truck drivers	63	1.3
019	Managers and administrators, n.e.c.	59	1.2
613	Supervisors, extractive occupations	49	1.0
567	Carpenters	48	1.0
453	Janitors and cleaners	47	1.0
869	Construction laborers	45	0.9
473	Farmers, except horticulture	39	0.8
844	Operating engineers	39	0.8
	All other occupations	654	13.4
	Occupation not reported	199	4.1
	<b>TOTAL</b>	<b>4,893</b>	<b>100.0</b>

COC - Census Occupation Code      n.e.c. - not elsewhere classified

NOTE: The comparable number of coal workers' pneumoconiosis deaths in the entire United States for this same time period was 15,036. Percentages may not total to 100% due to rounding. See selected limitations for general cautions regarding inferences based on small numbers of deaths, and see appendices for source description, methods, ICD codes, industry and occupation codes, and list of selected states and years.

SOURCE: National Center for Health Statistics multiple cause-of-death data.