NORA manufacturing sector and all pneumoconioses: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states and years, 1990–1999

		Number		95% Confidence Interval	
Bureau	reau of Census Industry/Occupation		PMR	LCL	UCL
CIC	Industry				
262	Miscellaneous nonmetallic mineral and stone products	127	7.9	6.6	9.4
360	Ship and boat building and repairing	176	4.5	3.9	5.2
261	Pottery and related products	27	3.8	2.5	5.6
271	Iron and steel foundries	71	2.8	2.2	3.6
361	Railroad locomotives and equipment	7	2.7	1.1	5.5
252	Structural clay products	29	2.6	1.8	3.8
192	Industrial and miscellaneous chemicals	159	1.8	1.5	2.1
211	Other rubber products, and plastics footwear and belting	48	1.5	1.1	1.9
250	Glass and glass products	55	1.4	1.0	1.8
	All other industries within this sector	1,261			
	TOTAL	1,960			
COC	Occupation				
593	Insulation workers	25	27.2	17.6	40.1
725	Miscellaneous metal and plastic processing machine operators	9	8.8	4.0	16.7
643	Boilermakers	24	5.0	3.2	7.5
787	Hand molding, casting, and forming occupations	10	4.8	2.3	8.8
563	Brickmasons and stonemasons	12	4.8	2.5	8.3
585	Plumbers, pipefitters, and steamfitters	73	4.0	3.2	5.1
768	Crushing and grinding machine operators	17	3.7	2.1	5.9
675	Hand molders and shapers, except jewelers	13	3.5	1.9	6.0
534	Heating, air conditioning, and refrigeration mechanics	6	3.1	1.2	6.8
719	Molding and casting machine operators	38	2.8	2.0	3.8
646	Lay-out workers	7	2.6	1.0	5.3
544	Millwrights	42	1.8	1.3	2.4
757	Separating, filtering, and clarifying machine operators	24	1.6	1.0	2.4
575	Electricians	47	1.6	1.2	2.1
783	Welders and cutters	82	1.6	1.3	2.0
	All other occupations within this sector	1,506			
	Occupation not reported within this sector	25			
	TOTAL	1,960			

NORA - National Occupational Research Agenda CIC - Census Industry Code COC - Census Occupation Code n.e.c. - not elsewhere classified LCL - lower confidence limit UCL - upper confidence limit

^{*} The total number of all pneumoconioses deaths was 10,014 in these same selected states and years, and the comparable number of all pneumoconioses deaths in the entire United States for this same time period was 31,455.

NOTE: See appendices for source description, methods, ICD codes, industry and occupation codes, industrial sector groupings, and list of selected states and years.

SOURCE: National Center for Health Statistics multiple cause-of-death data.