Oregon, 2005

Primary and secondary syphilis

- CASES: Oregon reported 41 cases in 2005.
- RATES: Oregon ranked 37 among 50 states + DC + 3 territories: 1.1 cases per 100,000 population compared to the U.S. rate of 3.0 cases per 100,000 population.

Male-female rates of primary and secondary syphilis

- In Oregon, the rate among males was 2.2 per 100,000 population compared to the U.S. male rate of 5.1 per 100,000.
- The rate among females was 0.1 per 100,000 compared to the U.S. female rate of 0.9 per 100,000.

Racial disparities of primary and secondary syphllis


In Oregon, the race/ethnicity adjusted rates per 100,000 population were 1.0 among whites, 0.0 among blacks, 2.3 among Hispanics, 1.4 among Asian/Pacific Islanders, and 0.0 among American Indians/Alaska Natives.

- The rate among Hispanics was 2.3 times that of whites.
- The rate among Asian/Pacific Islanders was 1.4 times that of whites.

Congenital syphilis

- CASES: Oregon reported 0 cases in 2005.
- RATES: Oregon had a rate of 0.0 cases per 100,000 live births compared to the U.S. rate of 8.0 cases per 100,000.

Syphilis: P&S Rates and Congenital Cases, Oregon, 1996-2005



Total P&S Syphilis Rates by County, Oregon, 2005

