Nevada, 2006

Primary and secondary syphilis

- CASES: Nevada reported 137 cases in 2006.
- RATES: Nevada ranked 5 among 50 states, DC, and 3 territories with 5.7 cases per 100,000 population compared to the total rate of 3.3 cases per 100,000 population.

Rates of primary and secondary syphilis, by sex

- In Nevada, the rate among males was 8.4 per 100,000 population compared to the total male rate of 5.7 per 100,000.
- The rate among females was 2.9 per 100,000 compared to the total female rate of 1.0 per 100,000.

Rates of primary and secondary syphilis, by race/ethnicity


In Nevada, the race/ethnicity adjusted rates per 100,000 population were 3.9 among whites, 23.6 among blacks, 4.2 among Hispanics, 7.1 among Asian/Pacific Islanders, and 0.0 among American Indians/Alaska Natives.

- The rate among blacks was 6.1 times that of whites.
- The rate among Hispanics was 1.1 times that of whites.
- The rate among Asian/Pacific Islanders was 1.8 times that of whites.

Congenital syphilis

- CASES: Nevada reported 15 cases in 2006.
- RATES: Nevada ranked 1 among 26 states, DC, and 1 territory reporting congenital syphilis cases with a rate of 42.6 cases per 100,000 live births compared to the total rate of 8.7 cases per 100,000.

Syphilis: P&S Rates and Congenital Cases, Nevada, 1997-2006



Total P&S Syphilis Rates by County, Nevada, 2006



Rate (per 100,000 population)

