CLINIC-SPECIFIC DEMOGRAPHIC, CLINICAL, AND LABORATORY DATA

The remainder of this report provides clinic-specific figures for each of the 28 clinics that participated in GISP in 2004. Individual figures for each clinic show demographic and clinical characteristics of the men with gonorrhea enrolled in GISP, as well as antimicrobial susceptibilities for the *N. gonorrhoeae* isolates. The number of isolates submitted by each clinic is 300 when the full sample of 25 isolates per month is obtained. However, the number of isolates submitted is lower for many clinics located in areas with low gonorrhea rates. Each page of figures is labeled with the city of the participating clinic and the actual number of isolates on which the clinic's 2004 data are based.

Definitions of terms and abbreviations used in the clinic-specific figures are given below.

- **Figure B:** National cases with unknown race were excluded. The "Asian" category includes Native Hawaiians and the "Other" category includes participants who selected more than one race category. The "Other" category is not used in national gonorrhea reporting.
- **Figure D**: Contact=has sexual partner with gonorrhea TOC/Other=test of cure/other
- Figure G:
 Azi/Ery=azithromycin/erythromycin

 Doxy/Tet=doxycycline/tetracycline
- Figure H:
 PPNG=penicillinase-producing N. gonorrhoeae

 TRNG=plasmid-mediated tetracycline resistant N. gonorrhoeae

 PPNG-TRNG=plasmid-mediated penicillin and tetracycline resistant

 N. gonorrhoeae

 PenR=chromosomally mediated penicillin resistant N. gonorrhoeae

 TetR=chromosomally mediated tetracycline resistant N. gonorrhoeae

 CMRNG=chromosomally mediated penicillin and tetracycline resistant N. gonorrhoeae

 CMRNG=chromosomally mediated penicillin and tetracycline resistant N. gonorrhoeae