

SEVERE ACUTE RESPIRATORY SYNDROME

Public Health Guidance for Community-Level Preparedness and Response to Severe Acute Respiratory Syndrome (SARS) Version 2

Supplement I: Infection Control in Healthcare, Home, and Community Settings

Goals

- Ensure early recognition of patients at risk for SARS-CoV disease.
- Prevent transmission of SARS-CoV by implementing appropriate infection control precautions.

Key concepts

- SARS-CoV can be efficiently transmitted in healthcare settings if patients with SARS-CoV disease are not immediately recognized and if infection control precautions are not applied.
- Basic infection control measures are effective in preventing SARS-CoV transmission.
- Administrative measures designed to facilitate early recognition of patients with SARS-CoV disease are a critical component of SARS prevention strategies.

Priority activities

- Reinforce basic infection control practices among healthcare workers.
- Take steps to reduce transmission of respiratory viruses from symptomatic persons at the time of initial encounter with the healthcare setting.
- Develop triage strategies that ensure early recognition of patients at risk for SARS-CoV disease.
- Develop plans for appropriate SARS infection control precautions in inpatient and outpatient healthcare facilities, homes, and community isolation facilities.
- Ensure appropriate management and follow-up monitoring of healthcare workers who have had exposures to and other contacts with SARS patients.

For more information, visit <u>www.cdc.gov/ncidod/sars</u> or call the CDC public response hotline at (888) 246-2675 (English), (888) 246-2857 (Español), or (866) 874-2646 (TTY)

January 8, 2004

Page 1 of 1

DEPARTMENT OF HEALTH AND HUMAN SERVICES CENTERS FOR DISEASE CONTROL AND PREVENTION SAFER · HEALTHIER · PEOPLE[™]