

# Childcare and School Immunization Requirements

2005 – 2006



<b>Contents</b>	<b>Page</b>
<b>Foreword</b>	2
<b>Summary of Requirements</b>	
Table by Vaccine and Antigen	3
Table by Grade Level	4
<b>Diphtheria, Tetanus and acellular Pertussis (DTaP)</b>	
Table for Childcare	5
Table for Kindergarten	6
<b>Tetanus and Diphtheria (Td) Booster</b>	
Table for Middle School	7
Map for Middle School	8
<b>Hepatitis A (Hep A)</b>	
Table for Childcare	9
Map for Childcare	10
Table for Kindergarten	11
Map for Kindergarten	12
<b>Hepatitis B (Hep B)</b>	
Table for Childcare	13
Map for Childcare	14
Table for Kindergarten	15
Map for Kindergarten	16
Table for Middle School	17
Map for Middle School	18
<b>Haemophilus influenzae Type b (Hib)</b>	
Table for Childcare	19
Map for Childcare	20
<b>Measles, Mumps, and Rubella (MMR)</b>	
Table for Childcare	21
Table for Kindergarten	22
<b>Measles Dose 2</b>	
Table for Kindergarten	23
Table for Middle School	24
<b>Meningococcal Conjugate Vaccine (MCV4)</b>	
Table for Middle School	25
<b>Pneumococcal Conjugate Vaccine (PCV)</b>	
Table for Childcare	26
Map for Childcare	26
<b>Polio</b>	
Table for Childcare	28
Table for Kindergarten	29
<b>Varicella</b>	
Table for Childcare	30
Map for Childcare	31
Table for Kindergarten	32
Map for Kindergarten	33
Table for Middle School	34
Map for Middle School	35
Table for Documented Proof of Immunity	36
Map for Documented Proof of Immunity	37
<b>Exemptions Allowed</b>	38

## FOREWORD

This publication presents state and project immunization policies that were validated in August, 2006. It reflects state laws, regulations, or rules that impose vaccination requirements for enrollment and attendance in childcare, kindergarten, and middle school. Also included are the reported allowable immunization exemptions for each project area.

The policies are vaccine specific, cataloged by grade, and are presented in table format. Because there are variances in requirements, narrative descriptions referencing age or grade and dose requirements are included. Some maps have been inserted for comparison purposes.

This information represents the collaborative efforts of immunization program managers and staff in the 50 states, the District of Columbia, the Commonwealth of Puerto Rico, the U.S. Virgin Islands, some of the U.S. affiliated jurisdictions in the Pacific, and various staff from the CDC's National Center for Immunization and Respiratory Diseases (proposed).

James A. Singleton, M.S.  
Chief, Assessment Branch  
Immunization Services Division  
National Center for Immunization  
And Respiratory Diseases  
(proposed)

# Summary of Immunization Requirements by Vaccine or Antigen (2005-2006)

For Childcare (CC), Kindergarten (K), and Middle School (MS)

	DTaP		Hep A		Hep B			Hib	MMR		Measles		MCV4	Polio		PCV	Td	Varicella					
	CC	K	CC	K	CC	K	MS	CC	CC	K	K	MS	MS	CC	K	CC	MS	CC	K	MS			
Alabama																							
Alaska																							
American Samoa																							
Arizona			*																				
Arkansas										^^										o	o	o	
California										^^											o	o	**
Colorado																					o		
Connecticut																					o	o	o
Delaware												**											
District of Columbia																					o	o	o
Florida																					o	o	
Georgia																							
Guam																							
Hawaii																							
Idaho																							
Illinois																							
Indiana																							
Iowa										^	^										o	o	
Kansas																							
Kentucky																						o	
Louisiana								**				**											**
Maine																						o	
Maryland																							
Massachusetts																					o	o	o
Michigan																							
Minnesota																					o	o	
Mississippi																							
Missouri																							
Montana																							
N. Mariana Islands																							
Nebraska																							
Nevada			**		**	**	**														**	**	
New Hampshire																					o	o	
New Jersey																							
New Mexico																							
New York																							
North Carolina																							
North Dakota																							
Ohio																							
Oklahoma																					o	o	o
Oregon																					o	o	o
Pennsylvania																							
Puerto Rico																						o	
Rhode Island																							
South Carolina																							
South Dakota																					o	o	
Tennessee																					o	o	
Texas																							
Utah																							
Vermont										^													
Virgin Islands																							
Virginia																							
Washington																							
West Virginia										^	^	**									o		
Wisconsin																						o	
Wyoming																							

Required     
  Not required     
  Recommended

\*Required for specific geographic area(s) only  
 \*\*Required for new entrants only  
 ^Mumps not required  
 ^^Measles containing vaccine accepted  
 oDocumented history of disease acceptable

# Summary of Immunization Requirements by Grade Level (2005-2006)

## For Childcare, Kindergarten, and Middle School

	Childcare								Kindergarten							Middle School				
	DTaP	Hep A	Hep B	Hib	MMR	Polio	PCV	Varicella	DTaP	Hep A	Hep B	MMR	Measles Dose 2	Polio	Varicella	Hep B	Measles Dose 2	MCV4	Td	Varicella
Alabama																				
Alaska																				
American Samoa																				
Arizona		*																		
Arkansas												^^								o
California												^^								o
Colorado																				o
Connecticut																				o
Delaware																	**			o
District of Columbia																				o
Florida																				o
Georgia																				
Guam																				
Hawaii																				
Idaho																				
Illinois																				
Indiana																				
Iowa					^							^								o
Kansas																				
Kentucky																				o
Louisiana																**	**			**
Maine																				o
Maryland																				
Massachusetts																				o
Michigan																				
Minnesota																				o
Mississippi																				
Missouri																				
Montana																				
N. Mariana Islands																				
Nebraska																				
Nevada										**	**				**	**				**
New Hampshire																				o
New Jersey																				
New Mexico																				
New York																				
North Carolina																				
North Dakota																				
Ohio																				
Oklahoma																				o
Oregon																				o
Pennsylvania																				
Puerto Rico																				o
Rhode Island																				
South Carolina																				
South Dakota																				o
Tennessee																				o
Texas																				
Utah																				
Vermont												^								
Virgin Islands																				
Virginia																				
Washington																				
West Virginia					^							^				**				
Wisconsin																				o
Wyoming																				

 Required

 Not required

 Recommended

- \*Required for specific geographic area(s) only
- \*\*Required for new entrants only
- ^Mumps not required
- ^^Measles containing vaccine accepted
- oDocumented history of disease acceptable

## Diphtheria, Tetanus, and acellular Pertussis (DTaP) 2005-2006 Requirements for Childcare

	DOSAGE REQUIREMENTS AND COMMENTS
Alabama	Required (age appropriate)
Alaska	4 doses (age appropriate < age 7 years)
American Samoa	4 doses (ages 2,4,6,15 months); 5 doses (ages 4-6 years)
Arizona	4 doses (age appropriate)
Arkansas	Required (age appropriate)
California	Required (age appropriate up to age 2 years); 4 doses (ages 2-4 years)
Colorado	4 doses (dose 1 by age 4 months, dose 2 by age 6 months, dose 3 by age 15 months, dose 4 by age 24 months)
Connecticut	Required (age appropriate by age 18 months); 4 doses (> age 18 months)
Delaware	4 doses (5 doses if dose 4 is before age 4 years)
District of Columbia	4 doses (age appropriate by age 15 months); 5 doses (at age 4 years)
Florida	Required (age appropriate)
Georgia	Required (age appropriate)
Guam	1 dose (age appropriate and must receive all follow-up immunizations by age recommendations)
Hawaii	Required (age appropriate by age 18 months); 4 doses (> age 18 months)
Idaho	5 doses (age appropriate)
Illinois	3 doses (by age 1 year); 4 doses (at or after age 2 years)
Indiana	3 doses (ages 6-23 months); 4 doses (ages 2-6 years)
Iowa	3 doses
Kansas	4 doses (5 doses if dose 4 before age 4 years)
Kentucky	Required (age appropriate)
Louisiana	Required (age appropriate)
Maine	Required (age appropriate)
Maryland	Required (age appropriate)
Massachusetts	4 doses (age appropriate)
Michigan	Required (age appropriate under age 15 months); 4 doses (age appropriate ages 15 months-5 years)
Minnesota	Required (age appropriate under age 15 months); 4 doses (ages 15 months-4 years); 5 doses (after age 4 years)
Mississippi	4 doses (before age 4 years); 1 dose (after age 4 years)
Missouri	4 doses (age appropriate)
Montana	Required (age appropriate)
N. Mariana Islands	4 doses
Nebraska	Required (age appropriate; booster given 8-12 months after dose 3)
Nevada	4 doses (age appropriate) or any 5 doses
New Hampshire	Required (age appropriate)
New Jersey	3 doses (age appropriate < age 17 months); 4 doses (minimum for ages 18 months-4 years)
New Mexico	5 doses (4 doses by age 19 months; booster dose after age 4 years)
New York	Required (age appropriate); 3 doses: pertussis and tetanus
North Carolina	4 doses
North Dakota	Required (age appropriate)
Ohio	4 doses
Oklahoma	Required (age appropriate)
Oregon	4 doses (age appropriate)
Pennsylvania	Required (age appropriate)
Puerto Rico	Required (age appropriate)
Rhode Island	Required (age appropriate)
South Carolina	Required (age appropriate)
South Dakota	4 doses (age appropriate with 1 dose after age 4 years)
Tennessee	Required (age appropriate)
Texas	Required (age appropriate)
Utah	Required (age appropriate)
Vermont	Required (age appropriate)
Virgin Islands	Required (age appropriate following ACIP recommendations)
Virginia	Required (age appropriate)
Washington	1 dose (ages 3-4 months); 2 doses (ages 5-6 months); 3 doses (ages 7-18 months); 4 doses (at or after age 19 months)
West Virginia	3 doses (age appropriate up to age 18 months); 4 doses (over age 18 months)
Wisconsin	2 doses (ages 5-15 months); 3 doses (ages 16-23 months); 4 doses (ages 2-4 years)
Wyoming	Required (age appropriate)

## Diphtheria, Tetanus, and acellular Pertussis (DTaP) 2005-2006 Requirements for Kindergarten

<b>DOSAGE REQUIREMENTS AND COMMENTS</b>	
Alabama	4 doses (1 dose after age 4 years)
Alaska	5 doses (4 doses if dose 4 is after age 4 years)
American Samoa	4 doses (K3); 5 doses (K5 and above)
Arizona	4 doses (5 doses if dose 4 is before age 4 years)
Arkansas	4 doses (1 dose on or after age 4 years)
California	4-5 doses (age appropriate)
Colorado	4 doses (final dose on or after age 4 years); 5 doses (for new entrants)
Connecticut	4 doses (final dose after age 4 years)
Delaware	4 doses (5 doses if dose 4 is before age 4 years)
District of Columbia	4 doses (age appropriate intervals by age 15 months); 5 doses (at age 4 years); fewer doses may be required based on age
Florida	5 doses (4 doses if dose 4 is after age 4 years)
Georgia	3 doses (1 dose after age 4 years)
Guam	1 dose (for school entry but must receive all follow-up immunizations needed to complete the series)
Hawaii	5 doses (4 doses if dose 4 is after age 4 years)
Idaho	5 doses
Illinois	4 doses (1 dose after age 4 years)
Indiana	4 doses
Iowa	3 doses (1 dose after age 4 years)
Kansas	4 doses (5 doses if dose 4 is before age 4 years)
Kentucky	5 doses
Louisiana	4-5 doses (1 dose after age 4 years)
Maine	Required (age appropriate)
Maryland	4 doses
Massachusetts	5 doses (unless dose 4 is after age 4 years)
Michigan	5 doses (unless dose 4 is after age 4 years)
Minnesota	5 doses (unless dose 4 is after age 4 years)
Mississippi	4 doses (1 dose after age 4 years)
Missouri	4 doses (final dose after age 4 years)
Montana	4 doses (1 dose after age 4 years)
N. Mariana Islands	5 doses
Nebraska	3 doses
Nevada	4 doses (1 dose after age 4 years)
New Hampshire	4 doses (1 dose after age 4 years); 5 doses (no age limitation as long as minimum intervals are met)
New Jersey	4 doses (1 dose after age 4 years) or any 5 doses
New Mexico	4 doses (1 dose after age 4 years)
New York	3 doses: diphtheria only, tetanus and pertussis not required; 4 doses: DTP for NYC only
North Carolina	5 doses (1 dose after age 4 years and before school entry)
North Dakota	5 doses (unless dose 4 is on or after age 4 years, age appropriate)
Ohio	5 doses (if dose 4 is before age 4 years)
Oklahoma	5 doses (unless dose 4 is after age 4 years)
Oregon	5 doses (unless dose 4 is after age 4 years): diphtheria and tetanus only, pertussis not required
Pennsylvania	4 doses (1 dose on or after age 4 years): diphtheria and tetanus only, pertussis not required
Puerto Rico	5 doses (unless dose 4 is after age 4 years)
Rhode Island	5 doses (unless dose 4 is after age 4 years)
South Carolina	4 doses (1 dose after age 4 years)
South Dakota	4 doses (1 dose after age 4 years)
Tennessee	4 doses
Texas	5 doses (unless dose 4 is on or after age 4 years)
Utah	5 doses (unless dose 4 is after age 4 years)
Vermont	3 doses (6 months between dose 2 and dose 3): pertussis not required
Virgin Islands	Required (age appropriate following ACIP recommendations)
Virginia	3 doses (1 dose after age 4 years)
Washington	4 doses (1 dose after age 4 years)
West Virginia	3 doses (1 dose on or after age 4 years)
Wisconsin	4 doses (1 dose after age 4 years); 3 doses (if dose 3 is after age 4 years)
Wyoming	4 doses (1 dose after age 4 years for new entrants)


## Tetanus and Diphtheria (Td) Booster 2005- 2006 Requirements for Middle School

	DOSAGE REQUIREMENTS AND COMMENTS
Alabama	Required (if 5-10 years after preschool booster)
Alaska	Required (if 10 years after last tetanus/diphtheria containing vaccine)
American Samoa	1 dose (between ages 11-14 years)
Arizona	1 dose (if 10 years after last DTaP/DT/Td)
Arkansas	Not required
California	Not required
Colorado	Not required
Connecticut	Not required
Delaware	Not required (recommended if 5 years after the last DTaP/DTP/ DT)
District of Columbia	Required (age appropriate every 10 years)
Florida	1 dose
Georgia	Not required
Guam	Required (if 10 years since last DTP/DTaP/Td)
Hawaii	Not required
Idaho	Not required
Illinois	1 dose (if 10 years since last DTP/DTaP/Td; high school requirement for 9th grade primarily)
Indiana	Not required
Iowa	Not required
Kansas	Required (10 years after primary series; can be given to ages 11-12 years if at least 5 years after primary series)
Kentucky	Required (at age 11 or 12 years)
Louisiana	Required (new entrants only)
Maine	Not required
Maryland	Not required
Massachusetts	1 dose
Michigan	Required (if 10 years since last dose)
Minnesota	1 dose
Mississippi	Not required
Missouri	Required (age appropriate)
Montana	Required
N. Mariana Islands	1 dose
Nebraska	Not required
Nevada	Required (age appropriate)
New Hampshire	1 dose (if 10 years since last dose)
New Jersey	Not required
New Mexico	Required (if > 10 years since last Td or DTP)
New York	Not required
North Carolina	Not required
North Dakota	Not required
Ohio	Not required
Oklahoma	Not required
Oregon	Not required
Pennsylvania	Not required
Puerto Rico	Required (age 11 years or older)
Rhode Island	Required (if 5 years or more since last tetanus containing vaccine)
South Carolina	Not required
South Dakota	Not required
Tennessee	Not required
Texas	1 dose (if administered within last 10 years)
Utah	Required (beginning 2006-2007 school year)
Vermont	1 dose (if 10 years since last tetanus containing vaccine)
Virgin Islands	Required (age appropriate following ACIP recommendations)
Virginia	Not required
Washington	Not required
West Virginia	Not required
Wisconsin	Not required
Wyoming	Required (age appropriate + one booster)



# 2005 – 2006 TD Vaccination Requirements by State

## For Middle School




\*LA - Required for New Entrants Only.

## Hepatitis A (Hep A)

### 2005-2006 Requirements for Childcare

	DOSAGE REQUIREMENTS AND COMMENTS
Alabama	Not required
Alaska	2 doses (after age 2 years)
American Samoa	Not required
Arizona	2 doses (ages 2-5 years in Maricopa County only)
Arkansas	Not required
California	Not required (recommended)
Colorado	Not required
Connecticut	Not required
Delaware	Not required
District of Columbia	Not required
Florida	Not required
Georgia	Not required
Guam	Not required
Hawaii	Not required
Idaho	Not required
Illinois	Not required
Indiana	Not required
Iowa	Not required
Kansas	Not required
Kentucky	Not required
Louisiana	Not required
Maine	Not required
Maryland	Not required
Massachusetts	Not required
Michigan	Not required
Minnesota	Not required
Mississippi	Not required
Missouri	Not required
Montana	Not required
N. Mariana Islands	Not required
Nebraska	Not required
Nevada	Not required
New Hampshire	Not required
New Jersey	Not required
New Mexico	Not required (recommended 2 doses at or after age 2 years with interval of 6 months between each dose)
New York	Not required
North Carolina	Not required
North Dakota	Not required
Ohio	Not required
Oklahoma	2 doses (dose 1 at or after age 2 years; dose 2 administered 6-18 months later)
Oregon	Not required
Pennsylvania	Not required
Puerto Rico	Not required
Rhode Island	Not required
South Carolina	Not required
South Dakota	Not required
Tennessee	Not required
Texas	Required (age appropriate)
Utah	Not required
Vermont	Not required
Virgin Islands	Not required
Virginia	Not required
Washington	Not required
West Virginia	Not required
Wisconsin	Not required
Wyoming	Required (age appropriate)

# 2005 – 2006 Hep A Vaccination Requirements by State For Childcare




\* AZ - Required in Designated Areas Only.

## Hepatitis A (Hep A) 2005-2006 Requirements for Kindergarten

DOSAGE REQUIREMENTS AND COMMENTS	
Alabama	Not required
Alaska	2 doses (after age 2 years)
American Samoa	Not required
Arizona	Not required
Arkansas	Not required
California	Not required
Colorado	Not required
Connecticut	Not required
Delaware	Not required
District of Columbia	Not required
Florida	Not required
Georgia	Not required
Guam	Not required
Hawaii	Not required
Idaho	Not required
Illinois	Not required
Indiana	Not required
Iowa	Not required
Kansas	Not required
Kentucky	Not required
Louisiana	Not required
Maine	Not required
Maryland	Not required
Massachusetts	Not required
Michigan	Not required
Minnesota	Not required
Mississippi	Not required
Missouri	Not required
Montana	Not required
N. Mariana Islands	Not required
Nebraska	Not required
Nevada	2 doses (new entrants)
New Hampshire	Not required
New Jersey	Not required
New Mexico	Not required
New York	Not required
North Carolina	Not required
North Dakota	Not required
Ohio	Not required
Oklahoma	2 doses (dose 1 on or after age 2 years, dose 2 administered 6-18 months later)
Oregon	Not required
Pennsylvania	Not required
Puerto Rico	Not required
Rhode Island	Not required
South Carolina	Not required
South Dakota	Not required
Tennessee	Not required
Texas	2 doses (grades K-3 in designated counties)
Utah	2 doses
Vermont	Not required
Virgin Islands	Not required
Virginia	Not required
Washington	Not required
West Virginia	Not required
Wisconsin	Not required
Wyoming	Required (age appropriate)

# 2005 – 2006 Hep A Vaccination Requirements by State For Kindergarten



\* TX - Required in Designated Areas Only. NV - New Entrants Only


## Hepatitis B (Hep B)

### 2005-2006 Requirements for Childcare

	DOSAGE REQUIREMENTS AND COMMENTS
Alabama	Not required
Alaska	3 doses (age appropriate)
American Samoa	3 doses (ages birth, 1, and 6 months: infants of carrier mothers); 1 dose (age 12 months: infants of non-carrier mothers)
Arizona	3 doses (age appropriate)
Arkansas	Required (age appropriate)
California	3 doses
Colorado	3 doses (dose 1 by age 4 months, dose 2 by age 6 months, dose 3 by age 24 months)
Connecticut	3 doses (age appropriate before age 18 months)
Delaware	Required (age appropriate)
District of Columbia	Required (age appropriate intervals: dose 3 at or after age 6 months)
Florida	Not required
Georgia	Required (age appropriate)
Guam	1 dose (must receive all follow-up immunizations needed to complete the series)
Hawaii	3 doses (age appropriate before age 18 months)
Idaho	3 doses
Illinois	3 doses
Indiana	3 doses
Iowa	3 doses
Kansas	Not required (recommended)
Kentucky	Required (age appropriate)
Louisiana	Required (age appropriate)
Maine	Required (age appropriate)
Maryland	Required (age appropriate)
Massachusetts	3 doses
Michigan	3 doses (age appropriate before age 15 months)
Minnesota	Not required
Mississippi	Not required
Missouri	Required
Montana	Not required
N. Mariana Islands	3 doses
Nebraska	3 doses (age appropriate)
Nevada	Not required
New Hampshire	Required (age appropriate)
New Jersey	Not required
New Mexico	3 doses (by age 6 months)
New York	3 doses
North Carolina	3 doses
North Dakota	Not required
Ohio	3 doses
Oklahoma	3 doses (age appropriate)
Oregon	1 dose (required to enter, must be up to date for continued attendance)
Pennsylvania	3 doses (age appropriate)
Puerto Rico	Required (age appropriate)
Rhode Island	3 doses (age appropriate)
South Carolina	3 doses (age appropriate)
South Dakota	Not required (recommended)
Tennessee	3 doses (age appropriate)
Texas	Required (age appropriate)
Utah	Not required
Vermont	Not required (recommended)
Virgin Islands	Required (age appropriate following ACIP recommendations)
Virginia	Required
Washington	3 doses (> age 5 months); 2 doses (ages 3-4 months)
West Virginia	3 doses (age appropriate)
Wisconsin	2 doses (ages 5-23 months); 3 doses (ages 2-4 years)
Wyoming	3 doses

# 2005 – 2006 Hep B Vaccination Requirements by State

## For Childcare



## Hepatitis B (Hep B)


### 2005-2006 Requirements for Kindergarten

	DOSAGE REQUIREMENTS AND COMMENTS
Alabama	Not required
Alaska	3 doses (age appropriate)
American Samoa	3 doses
Arizona	3 doses
Arkansas	3 doses
California	3 doses
Colorado	3 doses
Connecticut	3 doses
Delaware	3 doses (age appropriate)
District of Columbia	3 doses (age appropriate intervals: dose 3 at age 6 months or older)
Florida	3 doses
Georgia	3 doses
Guam	1 dose (for school entry, but must receive all follow-up immunizations needed to complete the series)
Hawaii	3 doses
Idaho	3 doses
Illinois	Not required
Indiana	3 doses
Iowa	3 doses
Kansas	3 doses
Kentucky	Required (completion of series)
Louisiana	Required
Maine	Not required
Maryland	3 doses
Massachusetts	3 doses
Michigan	3 doses
Minnesota	3 doses
Mississippi	3 doses
Missouri	3 doses
Montana	Not required
N. Mariana Islands	3 doses
Nebraska	3 doses
Nevada	3 doses (new school entrants)
New Hampshire	3 doses
New Jersey	3 doses
New Mexico	3 doses
New York	3 doses
North Carolina	3 doses
North Dakota	3 doses
Ohio	3 doses
Oklahoma	3 doses
Oregon	3 doses
Pennsylvania	3 doses
Puerto Rico	3 doses
Rhode Island	3 doses
South Carolina	3 doses
South Dakota	Not required (3 doses recommended)
Tennessee	3 doses
Texas	3 doses
Utah	3 doses
Vermont	Not required (recommended)
Virgin Islands	Required (age appropriate following ACIP recommendations)
Virginia	3 doses
Washington	3 doses
West Virginia	Not required
Wisconsin	3 doses
Wyoming	3 doses



# 2005 – 2006 Hep B Vaccination Requirements by State

## For Kindergarten




## Hepatitis B (Hep B)

### 2005-2006 Requirements for Middle School

	DOSAGE REQUIREMENTS AND COMMENTS
Alabama	Not required
Alaska	3 doses (age appropriate)
American Samoa	3 doses
Arizona	3 doses (or 2-dose adolescent series)
Arkansas	2-3 doses (grade 7 and transfer students)
California	3 doses
Colorado	3 doses (2 doses acceptable for ages 11-15 years if given approved Merck's 2-dose -Recombivax, 1.0cc)
Connecticut	1 dose (grade 7 entry); 3 doses (grade 8 entry)
Delaware	3 doses (2 doses acceptable for ages 11-15 years)
District of Columbia	3 doses (age appropriate intervals with the 3rd dose at age 6 months or older)
Florida	3 doses (2 doses acceptable for ages 11-15 years)
Georgia	3 doses
Guam	3 doses
Hawaii	3 doses
Idaho	3 doses (if born after 11/22/1991)
Illinois	3 doses (grade 5; progressive requirement)
Indiana	Not required
Iowa	3 doses
Kansas	Not required (recommended)
Kentucky	Required (completion of series)
Louisiana	Required (new entrants only)
Maine	Not required
Maryland	Not required
Massachusetts	3 doses
Michigan	3 doses (grade 6 entry or new entrant to the school district)
Minnesota	3 doses (grade 7 only)
Mississippi	Not required
Missouri	3 doses
Montana	Not required
N. Mariana Islands	3 doses
Nebraska	3 doses (grade 7 entry and transfer students)
Nevada	3 doses (new school entrants)
New Hampshire	3 doses (if born on or after 01/01/1993)
New Jersey	3 doses (or alternatively 2 doses between the ages 11-15 years)
New Mexico	3 doses (2 dose option for ages 11-15 years only)
New York	3 doses (2 doses acceptable for ages 11-15 years)
North Carolina	Not required
North Dakota	Not required
Ohio	Required (grade 7 entry)
Oklahoma	2-3 doses (depending on vaccine used)
Oregon	3 doses (2 doses if dose 1 on or after age 11 years and dose 2 at least 4 months later)
Pennsylvania	3 doses (grade 7 entry)
Puerto Rico	3 doses
Rhode Island	Required
South Carolina	3 doses
South Dakota	Not required
Tennessee	3 doses
Texas	3 doses
Utah	Required (beginning 2006-2007 school year)
Vermont	Required
Virgin Islands	Required (age appropriate following ACIP recommendations)
Virginia	Required (complete series prior to grade 6 entry)
Washington	3 doses (through grade 8)
West Virginia	Not required
Wisconsin	3 doses
Wyoming	3 doses

# 2005 – 2006 Hep B Vaccination Requirements by State

## For Middle School




\* LA - New Entrants Only

## Haemophilus influenzae Type b (Hib) 2005-2006 Requirements for Childcare

	DOSAGE REQUIREMENTS AND COMMENTS
Alabama	Required (age appropriate)
Alaska	Required (age appropriate)
American Samoa	3 doses (ages 2,4,15 months PedvaxHIB)
Arizona	3-4 doses (age appropriate)
Arkansas	Required (age appropriate)
California	2 doses (age appropriate)
Colorado	3 doses (series began before age 1 year); 2 doses (series began at ages 12-14 months); 1 dose (series began at age 15 months)
Connecticut	Required (age appropriate)
Delaware	Not required
District of Columbia	3-4 doses (age appropriate age 1 year, depending on manufacturer; not required after age 5 years)
Florida	Required (age appropriate)
Georgia	3-4 doses (age appropriate)
Guam	Required (age appropriate)
Hawaii	1 dose (at least by or before age 1 year)
Idaho	3 doses (age appropriate)
Illinois	Required (age appropriate or at least 1 dose after age 15 months)
Indiana	1 dose (by or before age 1 year)
Iowa	1 dose (at least at ages 2-18 months); 3 doses (at least at ages 18 months and older); or 1 dose (at least after age 15 months)
Kansas	Not required (recommended)
Kentucky	Required (age appropriate or at least 1 dose after age 15 months)
Louisiana	Required (age appropriate)
Maine	Required (age appropriate)
Maryland	Required (age appropriate)
Massachusetts	3-4 doses (age appropriate, depending on vaccine)
Michigan	Required (age appropriate or at least 1 dose after age 15 months)
Minnesota	1 dose (at least + history of 1 dose given after age 1 year)
Mississippi	Required (age appropriate)
Missouri	Required (age appropriate)
Montana	Required (age appropriate)
N. Mariana Islands	4 doses
Nebraska	Required (age appropriate up to 3 doses)
Nevada	Required (age appropriate)
New Hampshire	Required (age appropriate)
New Jersey	2 doses (before age 1 year): 1 dose (after age 1 year)
New Mexico	3 doses
New York	Required (age appropriate or at least 1 dose after age 15 months)
North Carolina	Required (age appropriate up to age 15 months); 1 dose (> age 15 months up to age 5 years)
North Dakota	Required (age appropriate)
Ohio	Required (age appropriate)
Oklahoma	Required (age appropriate)
Oregon	4 doses (depending on age at time of previous dose)
Pennsylvania	Required (age appropriate)
Puerto Rico	1 dose (at least after age 15 months)
Rhode Island	Required (age appropriate)
South Carolina	Required (age appropriate)
South Dakota	Required (age appropriate following ACIP recommendations)
Tennessee	Required (age appropriate)
Texas	Required (age appropriate or 1 dose after age 15 months)
Utah	Required (age appropriate)
Vermont	Required (age appropriate)
Virgin Islands	Required (age appropriate following ACIP recommendations)
Virginia	Required (age appropriate)
Washington	Required (age appropriate)
West Virginia	1 dose (age appropriate)
Wisconsin	2 doses (ages 5-15 months); 3 doses (ages 16 months-4 years)
Wyoming	1 dose (ages 18-60 months)

# 2005 – 2006 Hib Vaccination Requirements by State

## For Childcare



## Measles, Mumps, and Rubella (MMR) 2005-2006 Requirements for Childcare

	DOSAGE REQUIREMENTS AND COMMENTS
Alabama	1 dose (after age 1 year)
Alaska	1 dose (on or after age 1 year)
American Samoa	1 dose (at age 15 months)
Arizona	1 dose (after age 1 year)
Arkansas	1 dose (after age 1 year)
California	1 dose (after age 1 year)
Colorado	1 dose (by age 18 months)
Connecticut	1 dose (after age 1 year) or proof of immunity
Delaware	1 dose (measles after age 15 months; mumps and rubella after age 12 months)
District of Columbia	1 dose (at age 15 months), 2 doses (at age 4 years)
Florida	1 dose (after age 1 year)
Georgia	1 dose (after age 1 year)
Guam	1 dose (at or after age 1 year)
Hawaii	1 dose (at or after age 1 year)
Idaho	2 doses (age appropriate; after age 1 year)
Illinois	1 dose (after age 1 year)
Indiana	1 dose (after age 1 year)
Iowa	1 dose (after age 1 year): measles and rubella, mumps not required
Kansas	1 dose (after age 1 year)
Kentucky	1 dose (after age 16 months)
Louisiana	1 dose (after age 1 year)
Maine	Required (age appropriate)
Maryland	1 dose (after age 1 year)
Massachusetts	1 dose (after age 1 year)
Michigan	1 dose (after age 1 year)
Minnesota	1 dose (after age 1 year)
Mississippi	1 dose (after age 1 year)
Missouri	1 dose (after age 1 year)
Montana	1 dose (after age 1 year)
N. Mariana Islands	2 doses
Nebraska	1 dose (after age 1 year)
Nevada	1 dose (after age 1 year)
New Hampshire	1 dose (after age 1 year)
New Jersey	1 dose (on or after age 1 year)
New Mexico	1 dose (after age 1 year)
New York	1 dose( by age 1 year no earlier than 4 days before age 1 year)
North Carolina	1 dose (after age 1 year)
North Dakota	Required (age appropriate)
Ohio	1 dose (after age 1 year)
Oklahoma	1 dose (after age 1 year)
Oregon	1 dose (after age 1 year)
Pennsylvania	1 dose (after age 1 year)
Puerto Rico	1 dose (after age 1 year)
Rhode Island	1 dose (after age 1 year)
South Carolina	1 dose (after age 1 year)
South Dakota	1 dose (after age 1 year)
Tennessee	1 dose (after age 1 year)
Texas	1 dose (age appropriate on or after age 1 year)
Utah	1 dose (after age 1 year)
Vermont	Required (age appropriate)
Virgin Islands	Required (age appropriate following ACIP recommendations)
Virginia	1 dose (after age 1 year)
Washington	1 dose (after age 1 year)
West Virginia	1 dose (on or after age 1 year): measles and rubella, mumps not required
Wisconsin	1 dose (after age 1 year)
Wyoming	1 dose (after age 1 year)

## Measles, Mumps, and Rubella (MMR)

### 2005-2006 Requirements for Kindergarten

<b>DOSAGE REQUIREMENTS AND COMMENTS</b>	
Alabama	1 dose (after age 1 year)
Alaska	1 dose (on or after age 1 year)
American Samoa	1 dose (K-3)
Arizona	2 doses (after age 1 year)
Arkansas	1 dose (on or after age 1 year): measles-containing vaccine
California	2 doses (on or after age 1 year): measles-containing vaccine
Colorado	2 doses
Connecticut	1 dose (after age 1 year) or proof of immunity
Delaware	1 dose (after age 15 months): measles; 1 dose (after age 1 year): mumps and rubella
District of Columbia	1 dose (at age 15 months)
Florida	1 dose (after age 1 year)
Georgia	1 dose (after age 1 year)
Guam	1 dose (on or after age 1 year)
Hawaii	1 dose (on or after age 1 year)
Idaho	2 doses (after age 1 year)
Illinois	1 dose (after age 1 year)
Indiana	1 dose (after age 1 year)
Iowa	1 dose (after age 1 year): measles and rubella, mumps not required
Kansas	1 dose (after age 1 year)
Kentucky	1 dose
Louisiana	1 dose (after age 1 year)
Maine	1 dose (after age 1 year)
Maryland	1 dose (after age 1 year)
Massachusetts	1 dose (after age 1 year)
Michigan	1 dose (on or after age 1 year)
Minnesota	2 doses (after age 1 year)
Mississippi	2 doses (after age 1 year)
Missouri	1 dose (after age 1 year)
Montana	2 doses (after age 1 year)
N. Mariana Islands	2 doses
Nebraska	2 doses (on or after age 1 year; 1 month between doses)
Nevada	1 dose (after age 1 year)
New Hampshire	1 dose (after age 1 year)
New Jersey	1 dose
New Mexico	1 dose (after age 1 year)
New York	1 dose (no earlier than 4 days before age 1 year)
North Carolina	1 dose (after age 1 year)
North Dakota	Required (age appropriate)
Ohio	1 dose (on or after age 1 year)
Oklahoma	2 doses (age appropriate)
Oregon	1 dose (after age 1 year)
Pennsylvania	2 doses
Puerto Rico	2 doses
Rhode Island	1 dose (after age 1 year)
South Carolina	1 dose (after age 1 year)
South Dakota	1 dose (after age 1 year)
Tennessee	1 dose (after age 1 year)
Texas	1 dose (after age 1 year)
Utah	1 dose (after age 1 year)
Vermont	1 dose (after age 1 year): measles and rubella, mumps not required
Virgin Islands	Required (age appropriate following ACIP recommendations)
Virginia	1 dose (after age 1 year)
Washington	1 dose (after age 1 year)
West Virginia	1 dose (on or after age 1 year): measles and rubella, mumps not required
Wisconsin	1 dose (after age 1 year)
Wyoming	1 dose (on or after age 1 year)

## Measles 2nd Dose 2005-2006 Requirements for Kindergarten

	DOSAGE REQUIREMENTS AND COMMENTS
Alabama	Required
Alaska	Required
American Samoa	Required (for K-4 and up)
Arizona	Required: MMR
Arkansas	Required (at least 28 days after dose 1): measles-containing vaccine
California	Required (on or after age 1 year): measles-containing vaccine
Colorado	Required
Connecticut	Required; proof of immunity acceptable
Delaware	Required (after age 4 years)
District of Columbia	Required (at age 4 years): MMR
Florida	Required
Georgia	Required
Guam	Required
Hawaii	Required
Idaho	Required (after age 1 year)
Illinois	Required
Indiana	Required
Iowa	Required (no less than 28 days after dose 1)
Kansas	Required: MMR
Kentucky	Required
Louisiana	Required
Maine	Required (at least 4 weeks after dose 1)
Maryland	Required
Massachusetts	Required
Michigan	Required (at least 28 days after dose 1); dose 2 of mumps and rubella (at least 28 days after dose 1)
Minnesota	Required: MMR
Mississippi	Required
Missouri	Required
Montana	Required: MMR
N. Mariana Islands	Required
Nebraska	Required (at least 28 days after dose 1)
Nevada	Required
New Hampshire	Required
New Jersey	Required (at least 1 month after dose 1): live measles-containing vaccine
New Mexico	Required
New York	Required
North Carolina	Required
North Dakota	Required (age appropriate)
Ohio	Required
Oklahoma	Required (on or after age 1 year)
Oregon	Required (at least 28 days after dose 1)
Pennsylvania	Required
Puerto Rico	Required
Rhode Island	Required: MMR
South Carolina	Required
South Dakota	Required
Tennessee	Required
Texas	Required
Utah	Required
Vermont	Required
Virgin Islands	Required (age appropriate following ACIP recommendations)
Virginia	Required
Washington	Required (after age 1 year)
West Virginia	Required
Wisconsin	Required: MMR
Wyoming	Required: MMR



**Measles 2nd Dose**  
**2005-2006 Requirements for Middle School**

	DOSAGE REQUIREMENTS AND COMMENTS
Alabama	Required
Alaska	Required
American Samoa	Required
Arizona	Required
Arkansas	Required
California	Required
Colorado	Required
Connecticut	Required (prior to grade 7)
Delaware	Required (new entrants)
District of Columbia	Required
Florida	Required
Georgia	Required (all entrants in grade 6)
Guam	Required
Hawaii	Required
Idaho	Required
Illinois	Required
Indiana	Required
Iowa	Required
Kansas	Required
Kentucky	Required
Louisiana	Required
Maine	Required
Maryland	Required
Massachusetts	Required
Michigan	Required (for grade 6 or new entrants to school district)
Minnesota	Required (for entry into grade 7)
Mississippi	Not required
Missouri	Required
Montana	Required (for grades 7-12, if not received at K)
N. Mariana Islands	Required
Nebraska	Required
Nevada	Required
New Hampshire	Required (prior to entering grade 7 if not previously administered)
New Jersey	Not required
New Mexico	Required
New York	Required
North Carolina	Not required
North Dakota	Required
Ohio	Required
Oklahoma	Required
Oregon	Required
Pennsylvania	Required
Puerto Rico	Required
Rhode Island	Required
South Carolina	Required
South Dakota	Required
Tennessee	Required
Texas	Required
Utah	Required
Vermont	Required
Virgin Islands	Required (age appropriate following ACIP recommendations)
Virginia	Required
Washington	Required
West Virginia	Required (for out-of-state transfer students)
Wisconsin	Required
Wyoming	Required (prior to entry to grade 7 and transfer students)

## Meningococcal Conjugate Vaccine (MCV4) 2005-2006 Requirements for Middle School


	DOSAGE REQUIREMENTS AND COMMENTS
Alabama	Not required
Alaska	Not required
American Samoa	Not required
Arizona	Not required
Arkansas	Not required
California	Not required
Colorado	Not required
Connecticut	Not required
Delaware	Not required
District of Columbia	Not required
Florida	Not required
Georgia	Not required
Guam	Not required
Hawaii	Not required
Idaho	Not required
Illinois	Not required
Indiana	Not required
Iowa	Not required
Kansas	Not required (recommended)
Kentucky	Not required
Louisiana	Not required
Maine	Not required
Maryland	Not required
Massachusetts	Not required (only required for new students in residential schools for grades 9-12)
Michigan	Not required
Minnesota	Not required
Mississippi	Not required
Missouri	Not required
Montana	Not required
N. Mariana Islands	Not required
Nebraska	Not required
Nevada	Not required
New Hampshire	Not required
New Jersey	Not required
New Mexico	Not required
New York	Not required
North Carolina	Not required
North Dakota	Not required
Ohio	Not required
Oklahoma	Not required
Oregon	Not required
Pennsylvania	Not required
Puerto Rico	Not required
Rhode Island	Not required
South Carolina	Not required
South Dakota	Not required
Tennessee	Not required
Texas	Not required
Utah	Not required
Vermont	Not required (recommended)
Virginia	Not required
Washington	Not required
West Virginia	Not required
Wisconsin	Not required
Wyoming	Not required

## Pneumococcal Conjugate Vaccine (PCV) 2005-2006 Requirements for Childcare

	DOSAGE REQUIREMENTS AND COMMENTS
Alabama	Not required
Alaska	Not required
American Samoa	Not required
Arizona	Not required
Arkansas	Not required
California	Not required (recommended)
Colorado	Not required
Connecticut	Not required
Delaware	Not required
District of Columbia	Not required
Florida	Not required
Georgia	Not required
Guam	Not required
Hawaii	Not required
Idaho	Not required
Illinois	Not required
Indiana	Required (age appropriate)
Iowa	Not required
Kansas	Not required (recommended)
Kentucky	Not required (recommended)
Louisiana	Required (under age 24 months)
Maine	Required (age appropriate)
Maryland	Required (age appropriate)
Massachusetts	Not required
Michigan	Not required
Minnesota	Required (age appropriate for ages 2-24 months)
Mississippi	Not required
Missouri	Not required
Montana	Not required
N. Mariana Islands	4 doses
Nebraska	Not required
Nevada	Not required
New Hampshire	Not required
New Jersey	Not required
New Mexico	Not required
New York	Not required
North Carolina	Not required
North Dakota	Not required
Ohio	Not required
Oklahoma	Not required
Oregon	Not required
Pennsylvania	Required (age appropriate)
Puerto Rico	Required (age appropriate)
Rhode Island	Required (age appropriate)
South Carolina	Not required
South Dakota	Not required
Tennessee	Not required
Texas	Required (age appropriate)
Utah	Not required
Vermont	Not required (recommended)
Virgin Islands	Required (age appropriate following ACIP recommendations)
Virginia	Not required
Washington	Not required
West Virginia	1 dose (age appropriate)
Wisconsin	Not required
Wyoming	Required (age appropriate)

# 2005 – 2006 PCV Vaccination Requirements by State

## For Childcare



## Polio

### 2005-2006 Requirements for Childcare

	DOSAGE REQUIREMENTS AND COMMENTS
Alabama	1 dose (age appropriate)
Alaska	3 doses (age appropriate)
American Samoa	3 doses (ages 2,4,6 months); 4 doses (ages 4-6 years)
Arizona	3 doses (age appropriate)
Arkansas	Required (age appropriate)
California	3 doses (age appropriate)
Colorado	3 doses (dose 1 by age 4 months, dose 2 by age 6 months, dose 3 by age 2 years)
Connecticut	Required (age appropriate before age 18 months); 3 doses (after age 18 months)
Delaware	Required (age appropriate)
District of Columbia	4 doses (age appropriate; dose 3 by ages 6-12 months; dose 4 by or before age 4 years; fewer doses required based on age)
Florida	Required (age appropriate)
Georgia	3-4 doses (or age appropriate)
Guam	1 dose (age appropriate for admission, must receive all follow-up immunizations needed by age recommendations)
Hawaii	3 doses (age appropriate)
Idaho	3 doses (age appropriate; more doses may be required)
Illinois	2 doses (by age 1 year); 3 doses (if age 2 years or older)
Indiana	2 doses (ages 6-23 months); 3 doses (ages 2-6 years)
Iowa	3 doses
Kansas	4 doses (3 doses if dose 3 after age 4 years)
Kentucky	Required (age appropriate)
Louisiana	Required (age appropriate)
Maine	Required (age appropriate)
Maryland	Required (age appropriate)
Massachusetts	3 doses (minimum; age appropriate)
Michigan	Required (age appropriate under age 15 months); 3 doses (ages 15 months-5 years)
Minnesota	Required (age appropriate under age 15 months); 3 doses (ages 15 months-4 years); 4 doses (over age 4 years)
Mississippi	Required (age appropriate)
Missouri	Required (age appropriate)
Montana	Required (age appropriate)
N. Mariana Islands	3 doses
Nebraska	3 doses (maximum; age appropriate)
Nevada	Required (age appropriate)
New Hampshire	3 doses (age appropriate)
New Jersey	2 doses (age appropriate under age 17 months); 3 doses (ages 18 months-4 years)
New Mexico	Required (age appropriate following ACIP recommendations)
New York	3 doses (age appropriate)
North Carolina	4 doses (unless dose 3 given after age 4 years)
North Dakota	3 doses (minimum; age appropriate)
Ohio	3 doses
Oklahoma	4 doses (age appropriate); 3 doses (if dose 3 given after age 4 years)
Oregon	3 doses (age appropriate)
Pennsylvania	Required (age appropriate)
Puerto Rico	Required (age appropriate)
Rhode Island	Required (age appropriate)
South Carolina	Required (age appropriate)
South Dakota	Required (age appropriate following ACIP recommendations)
Tennessee	Required (age appropriate)
Texas	Required (age appropriate)
Utah	Required (age appropriate)
Vermont	Required (age appropriate)
Virgin Islands	Required (age appropriate following ACIP recommendations)
Virginia	3 doses (age appropriate)
Washington	1 dose (ages 3-4 months); 2 doses (ages 5-18 months); 3 doses (at or after age 19 months)
West Virginia	3 doses (age appropriate; dose 3 after age 18 months)
Wisconsin	2 doses (ages 5-23 months); 3 doses (ages 2-4 years)
Wyoming	Required (age appropriate)

## Polio

### 2005-2006 Requirements for Kindergarten


	DOSAGE REQUIREMENTS AND COMMENTS
Alabama	3 doses (last dose after age 4 years)
Alaska	3 doses (4 doses recommended unless last dose is after age 4 years)
American Samoa	3 doses (for K3); 4 doses (K4 and above)
Arizona	4 doses (3 doses if dose 3 is after age 4 years)
Arkansas	3 doses (last dose on or after age 4 years)
California	3-4 doses (age appropriate)
Colorado	4 doses (new entrants; 3 doses if dose 3 is on or after age 4 years)
Connecticut	3 doses (last dose after age 4 years)
Delaware	4 doses (3 doses if dose 3 is after age 4 years)
District of Columbia	4 doses (age appropriate; dose 3 by ages 6-12 months; dose 4 at age 4 years, fewer doses may be required based on age)
Florida	4 doses (3 doses if dose 3 is after age 4 years)
Georgia	3 doses (last dose on or after age 4 years)
Guam	1 dose (for school entry; must receive all follow-up immunizations needed to complete the series)
Hawaii	4 doses (3 doses if dose 3 is on or after age 4 years; 4 doses if combination IPV/OPV administered)
Idaho	3 doses
Illinois	3 doses (last dose after age 4 years)
Indiana	4 doses (3 doses if dose 3 is after age 4 years)
Iowa	3 doses (last dose after age 4 years)
Kansas	4 doses (3 doses if dose 3 is after age 4 years)
Kentucky	4 doses
Louisiana	4 doses (last dose after age 4 years)
Maine	Required (age appropriate)
Maryland	3 doses
Massachusetts	4 doses (3 doses if dose 3 is after age 4 years; 4 doses required if combination IPV/OPV administered)
Michigan	4 doses (3 doses if dose 3 is after age 4 years)
Minnesota	4 doses (3 doses if dose 3 is after age 4 years)
Mississippi	3 doses (last dose after age 4 years)
Missouri	3 doses (last dose after age 4 years)
Montana	3 doses (last dose after age 4 years)
N. Mariana Islands	4 doses
Nebraska	3 doses
Nevada	3 doses (last dose after age 4 years)
New Hampshire	3 doses (last dose after age 4 years; 4 doses if eIPV or OPV administered regardless of age)
New Jersey	3 doses (last dose after age 4 years or any 4 doses)
New Mexico	3 doses (all OPV or all IPV administered or 4 doses if combination IPV/OPV administered)
New York	3 doses
North Carolina	4 doses (last dose after age 4 years and before school entry or 3 doses if dose 3 is after age 4 years)
North Dakota	4 doses (age appropriate; 3 doses if dose 3 is after age 4 years)
Ohio	4 doses (3 doses if dose 3 is after age 4 years)
Oklahoma	4 doses (3 doses if dose 3 is after age 4 years)
Oregon	4 doses (3 doses if dose 3 is after age 4 years)
Pennsylvania	3 doses
Puerto Rico	4 doses (3 doses if dose 3 is after age 4 years)
Rhode Island	4 doses
South Carolina	3 doses (last dose after age 4 years)
South Dakota	3 doses (at least 1 dose after age 4 years)
Tennessee	4 doses (1 dose after age 4 years)
Texas	4 doses (3 doses if dose 3 is on or after age 4 years)
Utah	4 doses (3 doses if dose 3 is after age 4 years)
Vermont	3 doses (6 months between doses 2 and 3)
Virgin Islands	Required (age appropriate following ACIP recommendations)
Virginia	3 doses (last dose after age 4 years)
Washington	3 doses (last dose after age 4 years)
West Virginia	3 doses (last dose on or after age 4 years)
Wisconsin	4 doses (3 doses if dose 3 is after age 4 years)
Wyoming	4 doses (new entrants must have 4th dose after age 4 years)

## Varicella

### 2005-2006 Requirements for Childcare

<b>DOSAGE REQUIREMENTS AND COMMENTS</b>	
Alabama	1 dose (after age 1 year)
Alaska	1 dose (after age 1 year)
American Samoa	Not required
Arizona	1 dose (after age 1 year)
Arkansas	Required (age appropriate) or history of disease
California	1 dose (ages 18 months-4 years) or physician documented disease history
Colorado	1 dose (by age 2 years) or history of disease
Connecticut	1 dose (after age 1 year) or proof of immunity
Delaware	Required (age appropriate)
District of Columbia	1 dose (at age 15 months) or positive varicella disease history
Florida	1 dose or history of disease from physician or parent recall
Georgia	1 dose (after age 1 year)
Guam	Not required
Hawaii	1 dose (if over age 19 months)
Idaho	Not required
Illinois	1 dose (if over age 2 years)
Indiana	1 dose
Iowa	1 dose or reliable history of natural disease
Kansas	Not required (recommended)
Kentucky	1 dose (if > age 19 months to < age 7 years)
Louisiana	Required
Maine	Required (age appropriate)
Maryland	1 dose (after age 1 year)
Massachusetts	1 dose (age 19 months or older) or physician-certified proof of immunity
Michigan	1 dose (after age 1 year)
Minnesota	1 dose (age 18 months or older)
Mississippi	1 dose (after age 1 year)
Missouri	Required (age appropriate)
Montana	Not required (pending)
N. Mariana Islands	1 dose
Nebraska	1 dose (after age 1 year)
Nevada	Not required
New Hampshire	1 dose (at age 19 months)
New Jersey	1 dose (on or after the age 1 year)
New Mexico	1 dose (after age 1 year)
New York	1 dose
North Carolina	1 dose (at age 1 year and before age 19 months)
North Dakota	1 dose (age appropriate)
Ohio	Not required
Oklahoma	1 dose (on or after age 1 year) or parental history of disease
Oregon	1 dose or parent-signed history of disease
Pennsylvania	Required (age appropriate)
Puerto Rico	Required (age appropriate)
Rhode Island	Required (age appropriate)
South Carolina	Required (age appropriate)
South Dakota	Not required
Tennessee	1 dose (after age 1 year) or a history of disease provided by parent or physician
Texas	1 dose (age appropriate; on or after age 1 year)
Utah	Not required
Vermont	Not required (recommended)
Virgin Islands	Required (age appropriate following ACIP recommendations)
Virginia	1 dose (no earlier than age 1 year)
Washington	Required (age appropriate effective 07/01/06)
West Virginia	1 dose (after age 1 year) or history of disease
Wisconsin	1 dose (ages 2-4 years)
Wyoming	Not required

# 2005 – 2006 Varicella Vaccination Requirements by State For Childcare






## Varicella

### 2005-2006 Requirements for Kindergarten

	DOSAGE REQUIREMENTS AND COMMENTS
Alabama	1 dose (after age 1 year)
Alaska	Not required
American Samoa	Not required
Arizona	1 dose (after age 1 year)
Arkansas	1 dose (on or after age 1 year) or history of disease
California	1 dose or physician documented disease history
Colorado	1 dose
Connecticut	1 dose (after age 1 year) or proof of immunity
Delaware	1 dose
District of Columbia	1 dose (at age 15 months) or positive disease history
Florida	1 dose or history of disease (physician diagnosed or parental recall)
Georgia	Required
Guam	Not required
Hawaii	1 dose (on or after age 1 year)
Idaho	Not required
Illinois	1 dose (on or after age 1 year)
Indiana	1 dose
Iowa	1 dose or reliable history of natural disease
Kansas	1 dose (after age 1 year)
Kentucky	1 dose or previous history of disease
Louisiana	Required
Maine	1 dose
Maryland	1 dose
Massachusetts	Required or physician-certified proof of immunity
Michigan	1 dose (on or after age 1 year)
Minnesota	Required or history of disease
Mississippi	1 dose (after age 1 year)
Missouri	Required (age appropriate)
Montana	Not required
N. Mariana Islands	1 dose
Nebraska	1 dose (after age 1 year)
Nevada	Required (new school entrants)
New Hampshire	1 dose (on or after age 1 year) or history of disease reported by parent or health care provider
New Jersey	1 dose (on or after age 1 year)
New Mexico	Required
New York	1 dose
North Carolina	1 dose (if born after 04/01/01)
North Dakota	1 dose (age appropriate)
Ohio	Required (beginning school year 2006)
Oklahoma	1 dose (on or after the age 1 year) or parental history of disease
Oregon	1 dose or parent-signed history of disease
Pennsylvania	Required (age appropriate)
Puerto Rico	Required (if born after 1997)
Rhode Island	1 dose (after age 1 year)
South Carolina	Required (age appropriate)
South Dakota	1 dose (after age 1 year) or parental history of disease
Tennessee	1 dose (after age 1 year) or history of disease provided by parent or physician
Texas	1 dose (after age 1 year)
Utah	Required
Vermont	Not required (recommended)
Virgin Islands	Required (age appropriate following on ACIP recommendations)
Virginia	1 dose (after age 1 year)
Washington	Required (age appropriate beginning 07/01/06)
West Virginia	Not required
Wisconsin	1 dose
Wyoming	Not required

# 2005 – 2006 Varicella Vaccination Requirements by State

## For Kindergarten




## Varicella

### 2005-2006 Requirements for Middle School

	<b>DOSAGE REQUIREMENTS AND COMMENTS</b>
Alabama	Not required (grade 5 entry requirement; increases yearly by one grade until 2013)
Alaska	Not required
American Samoa	Not required
Arizona	1 dose (before age 13 years) or 2 doses (after age 13 years for grade 7)
Arkansas	1 dose (before age 13 years); 2 doses (28 days apart if dose 1 is on or after age 13 years); or history of disease
California	Required (only for children who entered CA schools on or after July 1, 2001)
Colorado	Not required (grade 5 entry requirement; increases yearly by one grade)
Connecticut	1 dose (grade 7 entry if < age 13 years); 2 doses (4 weeks apart for age 13 years and older); or must show proof of immunity
Delaware	Not required (grade 6 will begin in 2009)
District of Columbia	1 dose (at age 15 months); 2 doses (if dose 1 at age 13 years or older); or positive disease history
Florida	Not required
Georgia	Required (for all entrants into grade 6)
Guam	Not required
Hawaii	1 dose (for new entrants and grade 7 entry); 2 doses (if dose 1 dose given on or after age 13 years)
Idaho	Not required
Illinois	Not required
Indiana	Not required
Iowa	Not required
Kansas	Not required (recommended)
Kentucky	Not required
Louisiana	Required (new entrants only)
Maine	Required (grade 6; phase in grades 6-7 in 2006; grades 6-8 in 2007) or physician documented history
Maryland	Not required
Massachusetts	1 dose (before age 13 years); 2 doses (age 13 years or older); or physician-certified proof of immunity
Michigan	1 dose (between ages 1-13 years); 2 doses (28 days apart if dose 1 is on or after age 13 years)
Minnesota	Required (grade 7 only) or history of disease
Mississippi	Not required
Missouri	Not required
Montana	Not required
N. Mariana Islands	2 doses
Nebraska	1 dose (age 13 years or under); 2 doses (over age 13 years)
Nevada	Required (new school entrants)
New Hampshire	1 dose (before grade 6); 2 doses (4 weeks apart if age 13 years); or history of disease by parent or health care provider
New Jersey	Not required
New Mexico	Not required
New York	1 dose (for grade 6 if born on or after 1/1/1994)
North Carolina	Not required
North Dakota	Not required
Ohio	Not required
Oklahoma	1 dose (after age 1 year for grades K-7) or parental documentation of history of disease
Oregon	Required or parent-signed history of disease
Pennsylvania	Required (age appropriate for grade 7) or history of disease
Puerto Rico	Required (if born after 1997)
Rhode Island	Required
South Carolina	Not required
South Dakota	Not required
Tennessee	Not required
Texas	1 dose (before age 13 years); 2 doses (age 13 years and over)
Utah	Required (beginning 2006-2007 school year)
Vermont	Not required (recommended)
Virgin Islands	Required (age appropriate following ACIP recommendations)
Virginia	Not required
Washington	Required (effective 07/01/06, age appropriate)
West Virginia	Not required
Wisconsin	1 dose (before age 13 years); 2 doses (age 13 years or older); or prior history of disease
Wyoming	Not required

# 2005 – 2006 Varicella Vaccination Requirements by State

## For Middle School




**VARICELLA DOCUMENTED  
PROOF OF IMMUNITY ALLOWED (2005-2006)**

	CC	K	MS
Alabama			NVR
Alaska		NVR	NVR
American Samoa	NVR	NVR	NVR
Arizona			
Arkansas	YES	YES	YES
California	YES	YES	
Colorado	YES		NVR
Connecticut	YES	YES	YES
Delaware			NVR
District of Columbia	YES	YES	YES
Florida	YES	YES	NVR
Georgia			
Guam	NVR	NVR	NVR
Hawaii			
Idaho	NVR	NVR	NVR
Illinois			NVR
Indiana			NVR
Iowa	YES	YES	NVR
Kansas	NVR		NVR
Kentucky		YES	NVR
Louisiana			
Maine			YES
Maryland			NVR
Massachusetts	YES	YES	YES
Michigan			
Minnesota		YES	YES
Mississippi			NVR
Missouri			NVR
Montana	NVR	NVR	NVR
N. Mariana Islands			
Nebraska			
Nevada	NVR		
New Hampshire		YES	YES
New Jersey			NVR
New Mexico			NVR
New York			
North Carolina			NVR
North Dakota			NVR
Ohio	NVR		NVR
Oklahoma	YES	YES	YES
Oregon	YES	YES	YES
Pennsylvania			YES
Puerto Rico			
Rhode Island			
South Carolina			NVR
South Dakota	NVR	YES	NVR
Tennessee	YES	YES	NVR
Texas			
Utah	NVR		
Vermont	NVR	NVR	NVR
Virgin Islands			
Virginia			NVR
Washington			
West Virginia	YES	NVR	NVR
Wisconsin			YES
Wyoming	NVR	NVR	NVR

Yes - Documentation allowed  
NVR - no vaccine requirement

# 2005 – 2006 Varicella Documented Proof of Immunity Acceptable



	EXEMPTIONS ALLOWED (2005-2006)			
	Medical		Religious	Philosophical
	Temporary	Permanent		
Alabama		X	X	
Alaska	X	X	X	
Arizona	X	X	**	*
Arkansas	X		X	X
California	X	X	X	X
Colorado	X	X	X	X
Connecticut		X	X	
Delaware	X	X	X	
District of Columbia	X	X	X	
Florida	X	X	X	
Georgia	X		X	
Hawaii	X	X	X	
Idaho	X	X	X	X
Illinois		X	X	
Indiana <sup>^</sup>	X	X	X	
Iowa	X	X	X	
Kansas	X		X	
Kentucky	X	X	X	
Louisiana	X	X	X	X
Maine	X		X	X
Maryland	X	X	X	
Massachusetts	X	X	X	
Michigan	X	X	X	X
Minnesota	X	X	X	X
Mississippi	X	X		
Missouri	X		*	**
Montana	X	X	X	
Nebraska	X	X	X	
Nevada	X	X	X	
New Hampshire	X		X	
New Jersey	X	X	X	
New Mexico	X	X	X	X
New York	X	X	X	
North Carolina	X	X	X	
North Dakota		X	X	X
Ohio	X	X	X	X
Oklahoma	X	X	X	X
Oregon	X	X	X	
Pennsylvania	X	X	X	
Rhode Island	X	X	X	
South Carolina	X	X	X	
South Dakota		X	X	
Tennessee	X	X	X	
Texas	X	X	X	X
Utah	X	X	X	X
Vermont	X	X	X	X
Virginia	X	X	X	
Washington	X	X	X	X
West Virginia	X	X		
Wisconsin	X	X	X	X
Wyoming	X	X	X	

X Exemption allowed

\* Allowed in schools only

\*\* Allowed in childcare and head start facilities only

<sup>^</sup> Medical exemptions are referred to as "Acute" and "Chronic"