

**Standard Errors for Table 36. (Corresponds to MMWR Table 1.) Estimated average annual number of persons with self-reported current asthma by age, sex, race, ethnicity, region, and poverty level: National Health Interview Survey, United States, 2001 - 2004**

	Number of Persons with Asthma										
	All ages	Children	Adults	Age							
	Total	Age <18	Age 18+	0 - 4	5 - 14	15 - 34	15 - 19	20 - 24	25 - 34	35 - 64	65 +
<b>Total</b>	281,700	131,500	215,100	48,200	98,600	133,800	78,200	66,100	76,600	145,600	65,600
<b>Sex</b>											
<b>Male</b>	162,300	92,100	120,800	35,200	71,000	89,800	56,300	44,700	47,900	76,400	39,400
<b>Female</b>	193,400	81,500	159,900	33,900	63,700	98,600	51,500	52,900	56,600	110,200	48,500
<b>Race</b>											
<b>White</b>	249,200	108,200	197,700	40,100	83,600	114,300	65,500	60,400	67,400	133,500	62,800
<b>Male</b>	138,300	75,400	106,700	27,700	59,400	72,400	46,300	39,900	38,700	71,100	37,900
<b>Female</b>	177,400	70,300	148,600	27,600	55,500	86,500	45,200	49,200	51,800	101,300	45,900
<b>Black</b>	107,700	62,200	69,100	25,500	43,600	58,900	33,300	26,100	29,400	43,900	16,300
<b>Male</b>	67,300	42,900	43,000	19,300	32,300	38,200	22,700	15,300	20,100	21,600	7,900
<b>Female</b>	68,800	35,300	50,900	16,600	24,900	39,000	19,400	20,200	20,000	35,200	15,200
<b>Other races NTA</b>	74,900	41,100	52,300	15,700	29,400	38,900	22,400	13,500	25,100	32,100	12,900
<b>Male</b>	51,700	33,700	33,700	13,400	24,400	28,700	18,600	9,600	18,700	21,800	9,700
<b>Female</b>	44,600	22,400	35,400	10,600	16,500	25,400	12,800	10,500	15,300	23,000	8,200
<b>Ethnicity</b>											
<b>Hispanic or Latino</b>	70,200	39,500	48,500	16,600	29,900	34,800	20,400	16,400	21,300	29,600	12,900
<b>Male</b>	42,700	30,400	28,300	12,600	22,900	24,800	17,000	9,900	15,600	17,400	7,500
<b>Female</b>	43,600	23,700	33,900	12,700	17,400	21,300	12,100	12,600	14,100	22,200	9,700
<b>Puerto Rican</b>	40,400	23,200	24,800	8,700	19,400	17,000	11,700	8,800	8,400	15,700	7,700
<b>Male</b>	25,000	17,700	15,000	7,300	14,900	12,000	9,100	6,700	3,700	9,900	5,200
<b>Female</b>	25,400	12,400	18,800	4,900	9,400	11,800	7,200	5,700	7,500	11,300	5,900
<b>Mexican</b>	46,500	28,500	31,200	12,200	20,300	25,100	11,300	11,900	16,100	19,200	7,200
<b>Male</b>	29,800	21,400	19,400	8,300	14,400	17,800	9,200	5,800	13,400	11,700	4,500
<b>Female</b>	27,500	18,000	22,200	9,800	13,600	15,200	8,200	9,400	9,800	14,000	5,300
<b>Not Hispanic or Latino</b>	268,400	124,300	207,900	44,900	94,400	128,900	73,900	64,800	71,200	141,500	63,600
<b>Male</b>	157,200	89,100	117,600	32,600	69,700	84,100	53,100	43,400	43,200	74,800	38,500
<b>Female</b>	185,300	77,500	155,300	30,100	61,200	97,000	49,000	52,100	54,900	107,200	47,600
<b>Region</b>											
<b>Northeast</b>	108,700	55,800	93,500	20,600	45,400	58,900	32,600	32,100	29,000	61,100	30,500
<b>Midwest</b>	165,200	76,200	123,600	26,900	57,100	75,900	44,700	38,100	39,100	76,100	32,500
<b>South</b>	161,500	71,900	119,000	30,400	50,700	72,700	42,500	35,400	43,800	83,100	39,700
<b>West</b>	118,600	56,500	89,800	16,200	42,100	58,900	34,700	25,800	40,100	68,100	27,100
<b>Ratio of Family Income to Poverty Threshold</b>											
<b>0 - .99</b>	91,200	50,000	64,100	23,400	36,300	49,200	27,700	28,800	18,200	35,800	18,600
<b>1.00 - 2.49</b>	119,900	58,800	91,900	24,800	45,300	61,700	30,800	33,600	39,500	56,600	34,800
<b>2.50 - 4.49</b>	111,600	52,100	91,700	17,500	43,100	55,200	33,300	29,600	35,000	65,900	28,100
<b>4.50 and above</b>	119,000	49,800	99,000	15,400	40,200	53,100	29,900	26,400	35,900	82,700	20,000

**Standard Errors for Table 37. (Corresponds to MMWR Table 2.) Estimated average annual prevalence percents for self-reported current asthma by age, sex, race, ethnicity, region and poverty level: National Health Interview Survey, United States, 2001-2004**

	Persons with Asthma per 100 Population										
	All ages	Children	Adults	Age							
	Total	Age <18	Age 18+	0 - 4	5 - 14	15 - 34	15 - 19	20 - 24	25 - 34	35 - 64	65 +
<b>Total</b>	0.080	0.160	0.080	0.240	0.210	0.150	0.350	0.300	0.180	0.120	0.180
<b>Sex</b>											
<b>Male</b>	0.110	0.220	0.110	0.340	0.310	0.210	0.500	0.430	0.240	0.140	0.270
<b>Female</b>	0.110	0.210	0.120	0.340	0.300	0.220	0.480	0.480	0.270	0.170	0.230
<b>Race</b>											
<b>White</b>	0.090	0.180	0.100	0.270	0.250	0.170	0.390	0.360	0.220	0.130	0.200
<b>Male</b>	0.110	0.250	0.120	0.360	0.350	0.230	0.560	0.500	0.260	0.160	0.290
<b>Female</b>	0.120	0.250	0.140	0.380	0.350	0.250	0.560	0.590	0.330	0.190	0.250
<b>Black</b>	0.210	0.440	0.230	0.760	0.570	0.460	0.970	0.870	0.540	0.360	0.550
<b>Male</b>	0.330	0.660	0.370	1.200	0.900	0.680	1.310	1.200	0.850	0.380	0.750
<b>Female</b>	0.290	0.570	0.330	1.090	0.730	0.570	1.220	1.260	0.680	0.520	0.830
<b>Other races NTA</b>	0.250	0.440	0.280	0.580	0.580	0.420	1.060	0.620	0.530	0.350	0.870
<b>Male</b>	0.370	0.710	0.380	0.960	0.970	0.640	1.680	0.880	0.800	0.490	1.510
<b>Female</b>	0.320	0.520	0.370	0.820	0.700	0.570	1.310	0.960	0.670	0.510	1.040
<b>Ethnicity</b>											
<b>Hispanic or Latino</b>	0.170	0.280	0.190	0.400	0.390	0.270	0.640	0.480	0.320	0.250	0.580
<b>Male</b>	0.220	0.440	0.220	0.590	0.600	0.360	1.010	0.570	0.440	0.300	0.820
<b>Female</b>	0.220	0.350	0.270	0.630	0.480	0.350	0.800	0.760	0.450	0.380	0.770
<b>Puerto Rican</b>	0.840	1.480	0.850	2.510	2.240	1.250	3.450	2.650	1.330	1.150	2.660
<b>Male</b>	1.110	1.980	1.090	3.520	2.930	1.870	5.330	3.780	1.280	1.570	4.280
<b>Female</b>	1.160	2.060	1.300	3.490	2.730	1.740	4.130	3.780	2.120	1.680	3.400
<b>Mexican</b>	0.180	0.280	0.210	0.420	0.370	0.290	0.560	0.510	0.350	0.290	0.670
<b>Male</b>	0.230	0.450	0.240	0.570	0.550	0.370	0.830	0.490	0.560	0.330	0.920
<b>Female</b>	0.220	0.370	0.310	0.700	0.520	0.380	0.830	0.820	0.480	0.440	0.890
<b>Not Hispanic or Latino</b>	0.080	0.190	0.090	0.270	0.250	0.170	0.390	0.350	0.210	0.130	0.190
<b>Male</b>	0.120	0.260	0.120	0.390	0.370	0.240	0.560	0.500	0.270	0.150	0.280
<b>Female</b>	0.120	0.250	0.130	0.380	0.350	0.250	0.540	0.560	0.310	0.180	0.240
<b>Region</b>											
<b>Northeast</b>	0.170	0.420	0.190	0.600	0.580	0.390	0.790	0.810	0.450	0.250	0.370
<b>Midwest</b>	0.170	0.380	0.190	0.550	0.500	0.310	0.730	0.600	0.390	0.240	0.370
<b>South</b>	0.130	0.230	0.140	0.380	0.300	0.230	0.550	0.450	0.270	0.190	0.340
<b>West</b>	0.150	0.320	0.160	0.380	0.410	0.300	0.760	0.610	0.440	0.260	0.390
<b>Ratio of Family Income to Poverty Threshold</b>											
<b>0 - .99</b>	0.280	0.480	0.300	0.770	0.650	0.440	0.920	0.730	0.510	0.470	0.660
<b>1.00 - 2.49</b>	0.180	0.300	0.200	0.480	0.410	0.310	0.670	0.610	0.440	0.300	0.370
<b>2.50 - 4.49</b>	0.150	0.280	0.180	0.400	0.420	0.290	0.720	0.700	0.350	0.250	0.430
<b>4.50 and above</b>	0.160	0.380	0.170	0.470	0.550	0.320	0.790	0.970	0.360	0.220	0.410

**Standard Errors for Table 38. (Corresponds to MMWR Table 5.) Estimated average annual number of persons reporting an asthma attack in the past year by age, sex, race, ethnicity, region, and poverty level: National Health Interview Survey, United States, 2001-2004**

	Number of Persons with an Asthma Attack										
	All ages	Children	Adults	Age							
	Total	Age <18	Age 18+	0 - 4	5 - 14	15 - 34	15 - 19	20 - 24	25 - 34	35 - 64	65 +
<b>Total</b>	201,700	104,200	146,400	42,700	78,200	94,700	53,200	48,500	53,700	99,300	45,000
<b>Sex</b>											
<b>Male</b>	122,300	77,200	80,800	31,600	60,800	59,400	39,200	32,900	31,300	55,000	23,200
<b>Female</b>	142,600	65,900	114,800	29,700	50,600	75,000	37,600	36,500	43,800	77,300	35,800
<b>Race</b>											
<b>White</b>	179,300	86,800	134,600	35,600	66,400	79,200	47,300	41,100	47,300	88,000	42,900
<b>Male</b>	103,800	63,500	71,400	24,100	51,000	50,400	34,900	27,600	26,200	48,700	22,000
<b>Female</b>	128,800	54,000	106,600	24,700	42,000	61,200	32,500	32,100	39,000	69,700	33,600
<b>Black</b>	74,600	46,300	50,700	20,800	34,300	39,400	17,700	22,200	21,300	35,500	11,200
<b>Male</b>	49,900	33,800	31,400	14,800	27,100	24,900	11,300	14,400	12,700	16,100	6,000
<b>Female</b>	50,900	28,300	36,900	15,800	19,200	28,700	12,000	15,200	17,300	29,000	10,900
<b>Other races NTA</b>	54,200	31,400	37,600	14,400	23,000	28,400	15,700	11,000	16,900	23,800	8,000
<b>Male</b>	36,600	26,000	20,900	13,400	18,700	17,500	11,000	7,300	10,400	15,300	5,100
<b>Female</b>	35,200	18,400	28,100	7,800	14,500	19,600	11,000	8,100	12,000	18,000	5,700
<b>Ethnicity</b>											
<b>Hispanic or Latino</b>	51,300	28,900	34,500	13,500	23,500	24,800	17,100	11,500	13,900	22,400	10,000
<b>Male</b>	32,700	22,900	20,800	10,600	18,000	17,500	13,500	7,200	9,600	13,600	6,000
<b>Female</b>	33,800	17,900	25,500	11,000	13,100	17,100	9,800	8,900	10,800	17,300	7,600
<b>Puerto Rican</b>	32,400	18,900	22,000	8,500	15,700	15,000	10,700	7,600	7,400	13,600	7,700
<b>Male</b>	21,700	14,700	14,900	7,100	12,400	11,400	8,600	6,600	3,400	8,800	5,400
<b>Female</b>	20,500	10,600	15,300	4,800	7,500	9,500	5,900	3,900	6,600	9,800	5,200
<b>Mexican</b>	29,300	17,900	19,300	8,900	15,300	16,500	10,200	6,700	9,600	13,600	4,400
<b>Male</b>	18,800	14,500	11,400	5,800	11,100	11,500	8,100	2,600	7,500	8,100	2,100
<b>Female</b>	19,500	11,600	15,200	7,700	8,700	11,700	6,000	5,700	7,300	10,500	3,900
<b>Not Hispanic or Latino</b>	193,000	100,500	141,400	40,800	75,500	90,800	50,000	46,500	51,300	95,700	43,500
<b>Male</b>	118,600	74,600	79,100	29,500	58,800	56,600	36,700	31,700	29,200	52,800	22,100
<b>Female</b>	135,100	63,400	109,600	26,600	49,100	72,200	35,500	35,500	43,000	74,200	35,300
<b>Region</b>											
<b>Northeast</b>	70,000	44,600	51,500	17,500	34,500	39,500	20,800	24,400	19,800	35,100	17,400
<b>Midwest</b>	119,000	57,800	86,000	23,800	43,500	49,600	27,400	26,100	28,000	56,000	20,400
<b>South</b>	115,800	61,500	84,700	27,100	42,600	56,200	31,200	26,700	30,000	58,200	30,900
<b>West</b>	90,400	41,700	65,200	15,000	34,500	42,100	25,800	19,000	28,500	45,100	19,100
<b>Ratio of Family Income to Poverty Threshold</b>											
<b>0 - .99</b>	61,800	39,700	43,500	21,400	26,700	34,400	20,100	19,600	15,400	27,300	13,500
<b>1.00 - 2.49</b>	87,300	46,300	64,000	22,200	35,100	47,600	23,100	25,000	29,600	42,900	21,500
<b>2.50 - 4.49</b>	83,300	43,200	63,700	15,900	36,500	45,500	26,000	23,700	26,300	44,900	21,000
<b>4.50 and above</b>	82,500	42,800	64,700	14,400	33,100	40,900	24,400	15,800	26,000	53,300	13,500

**Standard Errors for Table 39. (Corresponds to MMWR Table 6.) Estimated average annual prevalence percents for self-reported asthma attacks by age, sex, race, ethnicity, region, and poverty level: National Health Interview Survey, United States, 2001-2004**

	Persons with an Asthma Attack per 100 population										
	All ages	Children	Adults	Age							
	Total	Age <18	Age 18+	0 - 4	5 - 14	15 - 34	15 - 19	20 - 24	25 - 34	35 - 64	65 +
<b>Total</b>	0.060	0.130	0.060	0.210	0.180	0.110	0.250	0.230	0.130	0.080	0.130
<b>Sex</b>											
<b>Male</b>	0.080	0.200	0.080	0.300	0.280	0.150	0.360	0.330	0.160	0.100	0.160
<b>Female</b>	0.090	0.180	0.090	0.300	0.240	0.170	0.370	0.340	0.210	0.130	0.180
<b>Race</b>											
<b>White</b>	0.070	0.150	0.070	0.240	0.210	0.120	0.300	0.260	0.150	0.090	0.140
<b>Male</b>	0.090	0.220	0.080	0.310	0.310	0.170	0.440	0.360	0.180	0.110	0.170
<b>Female</b>	0.100	0.200	0.110	0.340	0.270	0.190	0.420	0.400	0.250	0.140	0.190
<b>Black</b>	0.170	0.360	0.190	0.650	0.490	0.320	0.540	0.780	0.410	0.290	0.380
<b>Male</b>	0.280	0.570	0.280	0.980	0.800	0.470	0.710	1.150	0.550	0.290	0.560
<b>Female</b>	0.230	0.480	0.250	1.060	0.610	0.450	0.770	0.970	0.620	0.430	0.610
<b>Other races NTA</b>	0.190	0.340	0.210	0.540	0.470	0.320	0.750	0.510	0.360	0.270	0.560
<b>Male</b>	0.270	0.560	0.230	0.960	0.760	0.390	1.010	0.680	0.450	0.350	0.820
<b>Female</b>	0.260	0.430	0.310	0.610	0.630	0.450	1.140	0.750	0.530	0.410	0.730
<b>Ethnicity</b>											
<b>Hispanic or Latino</b>	0.130	0.220	0.140	0.330	0.320	0.190	0.550	0.340	0.220	0.190	0.460
<b>Male</b>	0.170	0.340	0.160	0.510	0.470	0.260	0.820	0.410	0.280	0.230	0.660
<b>Female</b>	0.180	0.280	0.210	0.550	0.370	0.280	0.670	0.540	0.350	0.300	0.620
<b>Puerto Rican</b>	0.700	1.280	0.780	2.360	1.920	1.170	3.280	2.350	1.300	1.050	2.800
<b>Male</b>	1.040	1.830	1.140	3.410	2.720	1.790	5.200	3.770	1.180	1.470	4.660
<b>Female</b>	1.000	1.810	1.120	3.260	2.170	1.500	3.710	2.580	2.150	1.540	3.070
<b>Mexican</b>	0.120	0.190	0.130	0.310	0.290	0.190	0.510	0.280	0.220	0.200	0.410
<b>Male</b>	0.150	0.320	0.140	0.400	0.420	0.250	0.740	0.230	0.320	0.230	0.410
<b>Female</b>	0.160	0.250	0.210	0.550	0.340	0.290	0.630	0.490	0.360	0.330	0.670
<b>Not Hispanic or Latino</b>	0.070	0.160	0.070	0.250	0.210	0.130	0.280	0.270	0.150	0.090	0.140
<b>Male</b>	0.090	0.230	0.090	0.360	0.320	0.170	0.410	0.380	0.190	0.110	0.160
<b>Female</b>	0.090	0.210	0.100	0.330	0.290	0.200	0.410	0.400	0.250	0.140	0.190
<b>Region</b>											
<b>Northeast</b>	0.120	0.340	0.110	0.520	0.450	0.270	0.520	0.680	0.280	0.140	0.220
<b>Midwest</b>	0.140	0.310	0.140	0.490	0.420	0.220	0.480	0.440	0.280	0.190	0.250
<b>South</b>	0.100	0.220	0.100	0.350	0.270	0.180	0.420	0.360	0.200	0.140	0.250
<b>West</b>	0.130	0.240	0.130	0.340	0.350	0.220	0.580	0.450	0.320	0.190	0.290
<b>Ratio of Family Income to Poverty Threshold</b>											
<b>0 - .99</b>	0.200	0.410	0.220	0.720	0.500	0.330	0.690	0.540	0.460	0.370	0.510
<b>1.00 - 2.49</b>	0.140	0.240	0.150	0.430	0.330	0.250	0.520	0.470	0.340	0.240	0.240
<b>2.50 - 4.49</b>	0.120	0.250	0.130	0.360	0.370	0.240	0.570	0.570	0.270	0.170	0.340
<b>4.50 and above</b>	0.110	0.330	0.110	0.420	0.460	0.250	0.660	0.600	0.260	0.140	0.290

**Standard Errors for Table 40. (Corresponds to MMWR Table 7.) Estimated average annual attack percent for those reporting current asthma by age, sex, race, ethnicity, region and poverty level: National Health Interview Survey, United States, 2001-2004**

	Persons with an Asthma Attack per 100 with Current Asthma										
	All ages	Children	Adults	Age							
	Total	Age <18	Age 18+	0 - 4	5 - 14	15 - 34	15 - 19	20 - 24	25 - 34	35 - 64	65 +
<b>Total</b>	0.530	0.970	0.610	1.830	1.220	1.070	1.700	2.150	1.540	0.830	1.560
<b>Sex</b>											
<b>Male</b>	0.840	1.180	1.160	2.330	1.500	1.790	2.750	3.710	2.680	1.590	2.650
<b>Female</b>	0.730	1.560	0.750	2.790	2.050	1.320	2.510	2.610	1.840	1.050	1.930
<b>Race</b>											
<b>Single race white</b>	0.620	1.200	0.690	2.320	1.500	1.210	2.120	2.520	1.730	0.940	1.710
<b>Male</b>	1.010	1.460	1.290	3.060	1.860	2.050	3.270	4.240	2.980	1.800	2.770
<b>Female</b>	0.830	1.870	0.870	3.320	2.440	1.470	2.970	3.050	2.110	1.170	2.120
<b>Single race black</b>	1.180	1.790	1.630	3.600	2.250	2.300	3.220	5.050	3.960	2.330	4.130
<b>Male</b>	1.920	2.520	3.390	5.050	3.170	3.980	5.360	7.950	6.070	4.570	9.060
<b>Female</b>	1.460	2.580	1.660	4.600	3.610	3.190	4.640	5.940	5.140	2.660	5.170
<b>Other races NTA</b>	1.760	2.350	2.480	5.070	3.060	3.480	5.870	7.730	4.920	3.180	7.130
<b>Male</b>	2.440	2.740	3.950	5.140	3.430	5.430	7.840	12.780	8.990	5.290	13.560
<b>Female</b>	2.440	4.410	2.890	10.510	5.830	3.540	6.890	8.500	4.830	3.980	7.670
<b>Ethnicity</b>											
<b>Hispanic or Latino</b>	1.330	2.010	1.830	4.130	2.610	2.740	4.800	6.200	4.060	2.440	4.560
<b>Male</b>	2.110	2.670	3.510	5.150	3.390	4.940	6.860	10.180	8.750	4.890	9.450
<b>Female</b>	1.770	3.150	2.100	7.460	4.000	3.230	6.000	7.350	4.240	2.620	5.640
<b>Puerto Rican</b>	2.300	3.820	3.080	5.430	5.390	4.750	8.330	11.430	7.020	4.610	8.290
<b>Male</b>	4.400	5.410	6.920	7.110	7.500	8.270	15.060	8.710	14.410	9.320	10.760
<b>Female</b>	3.120	5.650	3.650	10.900	7.630	5.380	9.840	12.100	7.430	4.700	9.720
<b>Mexican</b>	1.890	2.970	2.500	6.290	3.840	3.870	6.510	7.570	6.300	3.640	7.670
<b>Male</b>	2.760	3.660	4.630	7.190	4.640	7.030	7.870	8.750	13.480	6.660	13.010
<b>Female</b>	2.550	4.740	3.030	11.640	5.820	4.780	8.560	10.420	6.240	4.150	9.400
<b>Not Hispanic or Latino</b>	0.570	1.060	0.650	1.990	1.320	1.120	1.860	2.290	1.600	0.880	1.620
<b>Male</b>	0.930	1.300	1.240	2.650	1.620	1.880	3.000	3.910	2.750	1.670	2.740
<b>Female</b>	0.760	1.700	0.780	2.880	2.270	1.400	2.690	2.810	1.950	1.090	2.020
<b>Region</b>											
<b>Northeast</b>	1.070	2.170	1.140	4.310	2.580	2.520	3.860	5.650	3.810	1.510	3.330
<b>Midwest</b>	1.080	2.030	1.190	2.840	2.770	1.860	3.060	3.530	3.060	1.950	2.850
<b>South</b>	0.920	1.620	1.090	3.330	1.860	1.940	3.070	4.130	2.420	1.490	2.800
<b>West</b>	1.210	2.080	1.450	4.160	2.870	2.370	3.690	4.300	3.510	1.620	3.560
<b>Ratio of Family Income to Poverty Threshold</b>											
<b>0 - .99</b>	1.330	2.330	1.520	4.100	3.060	2.410	4.450	3.720	3.680	2.460	4.100
<b>1.00 - 2.49</b>	1.020	1.640	1.180	3.200	2.170	2.230	3.930	4.330	3.220	1.750	2.530
<b>2.50 - 4.49</b>	1.230	1.880	1.450	3.350	2.360	2.260	3.990	4.960	3.130	1.920	4.090
<b>4.50 and above</b>	1.130	2.150	1.320	5.010	2.710	2.470	4.210	6.360	3.110	1.520	4.970

**Standard Errors for Table 41. (Corresponds to MMWR Table 11.) Estimated average annual number of physician office visits with asthma as the first listed diagnosis by age, sex, race, and region: National Ambulatory Medical Care Survey, United States, 2001-2004**

	Number of Physician Office Visits for Asthma							
	All ages	Children	Adults	Age				
	Total	Age <18	Age 18+	0 - 4	5 - 14	15 - 34	35 - 64	65 +
<b>Total</b>	1,103,200	546,400	732,500	254,100	327,000	236,500	439,500	309,400
<b>Sex</b>								
<b>Male</b>	511,100	328,500	300,800	180,600	223,500	119,400	176,600	156,100
<b>Female</b>	709,300	280,600	553,000	122,300	165,600	184,300	343,700	246,500
<b>Race</b>								
<b>White</b>	982,700	489,700	650,700	233,300	306,700	215,100	395,700	285,700
<b>Male</b>	446,500	305,600	250,500	166,500	216,300	106,600	145,300	152,100
<b>Female</b>	638,700	250,100	498,200	116,400	144,200	166,500	318,000	224,500
<b>Black</b>	170,200	92,600	133,900	54,900	66,200	46,500	116,400	51,200
<b>Male</b>	97,200	58,800	79,000	36,700	40,500	34,900	74,900	13,000
<b>Female</b>	128,900	67,600	101,400	41,800	50,100	31,400	86,600	49,600
<b>Other races NTA</b>	142,800	83,300	107,200	39,000	59,800	70,300	48,200	58,700
<b>Male</b>	105,500	61,100	72,300	36,400	39,800	51,400	47,700	32,700
<b>Female</b>	96,600	54,600	79,300	14,800	40,300	48,000	10,100	48,200
<b>Region</b>								
<b>Northeast</b>	676,800	291,200	430,500	96,800	194,500	148,800	262,300	143,200
<b>Midwest</b>	415,100	179,200	327,100	56,000	119,000	88,800	197,100	158,800
<b>South</b>	657,900	372,000	404,300	220,600	181,800	128,300	223,600	185,200
<b>West</b>	392,300	208,000	284,300	58,400	148,100	97,300	188,600	125,200

**Standard Errors for Table 42. (Corresponds to MMWR Table 12.) Estimated average annual rate of physician office visits with asthma as the first listed diagnosis, per 100 with current asthma, by age, sex, race, and region: National Ambulatory Medical Care Survey, United States, 2001-2004**

	Physician Office Visits for Asthma per 100 with Current Asthma							
	All ages	Children	Adults	Age				
	Total	Age <18	Age 18+	0 - 4	5 - 14	15 - 34	35 - 64	65 +
<b>Total</b>	5.540	9.000	5.300	23.220	8.710	4.180	6.080	15.260
<b>Sex</b>								
<b>Male</b>	6.100	9.280	6.250	28.300	9.750	5.160	7.390	22.940
<b>Female</b>	6.190	11.280	6.180	28.050	11.540	5.530	7.130	18.310
<b>Race</b>								
<b>White</b>	6.490	12.120	5.880	38.620	12.060	5.070	6.740	16.210
<b>Male</b>	7.190	13.210	6.450	47.040	14.170	6.160	7.410	25.360
<b>Female</b>	7.210	14.820	6.970	48.680	14.530	6.670	8.180	19.310
<b>Black</b>	5.590	7.100	7.630	17.140	8.470	5.090	13.210	29.960
<b>Male</b>	7.370	7.600	14.310	21.090	8.200	9.530	29.980	27.670
<b>Female</b>	7.430	12.590	8.420	28.590	17.380	5.700	13.690	40.180
<b>Other races NTA</b>	8.650	11.810	11.340	24.140	14.110	13.740	10.400	64.870
<b>Male</b>	14.490	14.860	23.730	37.420	15.830	25.210	31.010	140.070
<b>Female</b>	13.680	27.650	14.920	36.930	35.510	19.650	3.970	104.120
<b>Region</b>								
<b>Northeast</b>	16.160	22.420	14.900	42.380	23.690	13.410	16.250	34.530
<b>Midwest</b>	8.150	11.670	9.190	18.290	13.310	5.580	11.200	29.280
<b>South</b>	9.550	16.750	8.650	49.870	13.180	6.760	9.070	26.550
<b>West</b>	9.810	18.240	9.950	33.480	19.990	8.260	12.610	30.780

**Standard Errors for Table 43. (Corresponds to MMWR Table 16.) Estimated average annual number of outpatient department visits with asthma as the first listed diagnosis by age, sex, race, ethnicity and region: National Hospital Ambulatory Medical Care Survey, United States, 2001-2004**

	Number of Outpatient Visits for Asthma							
	All ages	Children	Adults	Age				
	Total	Age <18	Age 18+	0 - 4	5 - 14	15 - 34	35 - 64	65 +
<b>Total</b>	113,070	70,450	77,110	30,960	42,740	29,340	47,560	21,570
<b>Sex</b>								
<b>Male</b>	53,640	43,230	27,550	21,070	28,110	15,250	19,160	7,820
<b>Female</b>	75,200	35,960	60,230	16,910	21,820	23,200	36,360	18,080
<b>Race</b>								
<b>White</b>	80,380	40,650	62,170	18,310	28,040	23,280	40,140	17,190
<b>Male</b>	35,050	24,310	22,880	13,620	16,760	13,830	15,520	7,270
<b>Female</b>	57,100	23,000	48,280	9,630	16,620	16,140	31,850	15,030
<b>Black</b>	50,290	37,640	28,530	17,010	21,940	15,590	14,840	9,970
<b>Male</b>	28,460	26,820	7,800	11,630	18,140	5,060	6,290	2,050
<b>Female</b>	31,780	17,190	25,300	10,140	9,160	14,350	12,910	9,020
<b>Other races NTA</b>	11,810	9,120	7,060	7,580	4,180	5,320	4,740	1,540
<b>Male</b>	8,460	7,850	2,780	7,510	1,200	1,880	2,480	1,130
<b>Female</b>	7,460	4,110	6,140	810	3,850	4,980	3,500	1,040
<b>Ethnicity</b>								
<b>Hispanic or Latino</b>	49,560	12,380	45,580	4,820	9,450	8,990	29,200	13,230
<b>Male</b>	19,260	7,290	16,980	3,540	5,630	2,520	11,640	6,800
<b>Female</b>	33,280	7,280	30,960	2,410	6,220	8,510	18,870	8,760
<b>Not Hispanic or Latino</b>	94,040	68,080	55,480	30,490	40,640	27,650	32,590	16,470
<b>Male</b>	48,840	42,280	19,920	20,580	27,650	14,920	13,420	3,870
<b>Female</b>	60,810	34,780	46,620	16,780	20,270	21,310	28,040	15,360
<b>Region</b>								
<b>Northeast</b>	63,350	17,540	53,310	7,880	12,010	13,330	37,060	11,840
<b>Midwest</b>	45,890	31,360	31,870	14,840	20,890	16,770	10,690	11,380
<b>South</b>	75,290	57,670	41,840	23,870	33,850	16,140	26,220	13,210
<b>West</b>	31,590	18,640	18,390	10,320	10,040	11,900	9,310	4,610



**Standard Errors for Table 44. (Corresponds to MMWR Table 17.) Estimated average annual rate of outpatient department visits with asthma as the first listed diagnosis, per 100 with current asthma by age, sex, race, and region: National Hospital Ambulatory Medical Care Survey - United States, 2001- 2004**

	Outpatient Visits for Asthma per 100 with Current Asthma							
	All ages	Children	Adults	Age				
	Total	Age <18	Age 18+	0 - 4	5 - 14	15 - 34	35 - 64	65 +
<b>Total</b>	0.570	1.160	0.560	2.820	1.140	0.520	0.650	1.050
<b>Sex</b>								
<b>Male</b>	0.640	1.220	0.570	3.320	1.230	0.650	0.790	1.130
<b>Female</b>	0.660	1.430	0.670	3.790	1.510	0.700	0.750	1.330
<b>Race</b>								
<b>White</b>	0.530	1.000	0.560	3.000	1.100	0.550	0.680	0.960
<b>Male</b>	0.560	1.050	0.580	3.790	1.100	0.790	0.780	1.190
<b>Female</b>	0.640	1.350	0.670	3.920	1.650	0.650	0.810	1.280
<b>Black</b>	1.670	2.920	1.630	5.620	2.890	1.770	1.700	5.890
<b>Male</b>	2.210	3.550	1.440	7.390	3.770	1.460	2.540	4.500
<b>Female</b>	1.850	3.270	2.110	7.260	3.330	2.690	2.070	7.450
<b>Other races NTA</b>	0.730	1.320	0.760	4.770	1.010	1.050	1.040	1.750
<b>Male</b>	1.050	1.770	0.760	7.010	0.460	0.820	1.450	3.590
<b>Female</b>	0.920	1.650	1.090	1.690	2.570	1.820	1.240	1.870
<b>Ethnicity</b>								
<b>Hispanic or Latino</b>	328.590	200.880	317.590	149.870	162.250	107.800	287.150	306.770
<b>Male</b>	186.500	132.150	146.770	127.280	99.790	29.360	135.760	184.860
<b>Female</b>	347.770	166.400	335.220	71.930	150.440	144.060	280.320	272.400
<b>Not Hispanic or Latino</b>	390.510	426.570	250.630	472.420	300.720	173.930	184.910	114.650
<b>Male</b>	296.630	374.820	114.010	429.390	252.330	89.960	90.540	30.730
<b>Female</b>	314.970	254.990	250.120	244.290	178.730	154.540	182.190	129.910
<b>Region</b>								
<b>Northeast</b>	1.530	1.410	1.870	3.840	1.540	1.250	2.320	2.920
<b>Midwest</b>	0.920	2.120	0.910	5.190	2.430	1.080	0.620	2.120
<b>South</b>	1.100	2.620	0.900	5.590	2.480	0.860	1.070	1.890
<b>West</b>	0.800	1.670	0.650	6.160	1.380	1.030	0.630	1.140

**Standard Errors for Table 45. (Corresponds to MMWR Table 21.) Estimated average annual number of emergency department visits with asthma as the first listed diagnosis by age, sex, race, and region: National Hospital Ambulatory Medical Care Survey, United States, 2001-2004**

	Number of Emergency Department Visits for Asthma										
	All ages	Children	Adults	Age							
	Total	Age <18	Age 18+	0 - 4	5 - 14	15 - 34	15 - 19	20 - 24	25 - 34	35 - 64	65 +
<b>Total</b>	88,350	54,710	53,060	30,980	24,890	34,240	15,240	15,560	21,600	29,920	11,570
<b>Sex</b>											
<b>Male</b>	51,140	38,190	28,020	21,410	20,170	21,420	8,670	9,820	15,110	15,220	6,450
<b>Female</b>	51,160	23,580	39,120	13,830	12,500	24,890	11,860	12,410	14,180	23,810	9,530
<b>Race</b>											
<b>White</b>	59,790	34,520	40,050	20,920	16,660	25,910	12,530	13,700	16,440	23,110	9,390
<b>Male</b>	33,590	24,050	20,410	15,510	12,430	15,480	6,330	8,340	10,750	10,990	5,490
<b>Female</b>	37,770	16,320	30,610	10,060	9,420	19,740	10,460	11,080	11,100	18,760	7,650
<b>Black</b>	46,860	31,580	27,580	17,510	17,180	16,770	7,620	6,990	12,440	17,330	5,950
<b>Male</b>	27,860	21,760	14,550	11,500	14,220	11,750	5,760	5,610	8,590	8,810	3,030
<b>Female</b>	26,820	14,870	18,810	8,490	8,620	11,310	4,640	4,500	8,520	13,070	5,170
<b>Other races NTA</b>	8,460	5,740	4,690	4,700	2,840	4,170	2,620	830	1,820	2,640	1,540
<b>Male</b>	5,600	4,540	2,940	3,610	2,610	2,310	1,740	500	1,130	1,700	860
<b>Female</b>	4,930	3,250	3,230	2,770	1,140	2,810	1,800	400	1,390	2,020	1,260
<b>Ethnicity</b>											
<b>Hispanic or Latino</b>	29,450	22,210	14,340	15,050	8,730	11,020	4,660	3,340	8,730	6,990	3,580
<b>Male</b>	19,900	17,110	8,460	10,810	7,200	6,840	3,010	1,050	6,050	4,020	2,010
<b>Female</b>	14,680	8,520	9,440	6,170	4,550	6,880	3,450	3,190	4,400	5,630	2,650
<b>Not Hispanic or Latino</b>	79,670	47,010	49,320	26,010	22,180	31,870	13,820	15,290	19,460	28,370	10,540
<b>Male</b>	45,010	32,180	26,130	17,760	18,350	19,900	7,500	9,800	13,850	14,390	5,890
<b>Female</b>	46,640	21,340	36,670	12,030	11,400	23,630	10,830	11,940	13,490	22,680	8,960
<b>Region</b>											
<b>Northeast</b>	36,740	15,530	26,030	8,270	8,740	13,670	5,310	5,950	8,950	16,400	6,050
<b>Midwest</b>	50,110	33,400	26,790	18,340	14,190	20,080	9,840	8,020	12,890	13,720	4,500
<b>South</b>	56,200	37,850	33,030	22,210	16,590	20,170	9,420	9,710	11,910	19,670	6,560
<b>West</b>	28,220	14,270	18,310	7,870	8,150	13,320	4,350	6,920	8,870	7,290	5,830

Standard Errors for Table 46. (Corresponds to MMWR Table 22.) Estimated average annual rate of emergency department visits, with asthma as the first listed diagnosis, per 100 with current asthma, by age, sex, race, and region: National Hospital Ambulatory Medical Care Survey, United States, 2001- 2004

	Emergency Department Visits for Asthma per 100 with Current Asthma										
	All ages	Children	Adults	Age							
	Total	Age <18	Age 18+	0 - 4	5 - 14	15 - 34	15 - 19	20 - 24	25 - 34	35 - 64	65 +
<b>Total</b>	0.460	0.920	0.400	2.920	0.680	0.630	0.850	1.130	0.980	0.430	0.580
<b>Sex</b>											
<b>Male</b>	0.620	1.090	0.600	3.470	0.900	0.970	0.990	1.870	1.900	0.650	0.970
<b>Female</b>	0.460	0.990	0.450	3.440	0.910	0.780	1.300	1.480	1.010	0.510	0.710
<b>Race</b>											
<b>White</b>	0.400	0.870	0.370	3.520	0.670	0.630	0.930	1.300	0.970	0.410	0.540
<b>Male</b>	0.550	1.050	0.540	4.390	0.830	0.920	0.990	1.940	1.740	0.570	0.930
<b>Female</b>	0.440	1.000	0.440	4.420	0.980	0.820	1.500	1.780	1.040	0.500	0.660
<b>Black</b>	1.660	2.570	1.730	6.120	2.350	2.230	2.610	3.310	4.560	2.140	3.790
<b>Male</b>	2.400	3.050	3.250	7.990	3.060	4.150	3.780	8.430	10.980	3.980	7.360
<b>Female</b>	1.670	2.980	1.700	6.760	3.210	2.350	3.180	3.070	4.360	2.240	4.500
<b>Other races NTA</b>	0.530	0.840	0.520	3.020	0.690	0.840	1.630	0.850	0.790	0.590	1.800
<b>Male</b>	0.710	1.050	0.820	3.410	1.000	1.040	1.930	1.380	1.220	1.010	2.720
<b>Female</b>	0.620	1.310	0.590	5.770	0.750	1.040	2.560	0.680	1.010	0.730	2.340
<b>Ethnicity</b>											
<b>Hispanic or Latino</b>	361.290	334.500	253.200	387.220	181.540	194.660	83.570	68.190	191.110	197.980	89.260
<b>Male</b>	297.460	265.400	168.000	340.630	140.380	124.890	40.720	28.470	142.390	105.650	65.950
<b>Female</b>	291.780	219.070	223.770	172.930	130.390	174.300	88.410	69.110	133.710	183.140	70.850
<b>Not Hispanic or Latino</b>	573.170	468.980	460.130	553.220	283.640	373.940	152.280	223.460	317.490	318.580	145.280
<b>Male</b>	435.770	392.690	286.030	462.580	238.040	232.550	93.460	141.490	198.750	189.030	89.370
<b>Female</b>	461.150	301.380	400.060	326.210	167.930	296.390	129.810	161.550	256.930	289.340	123.230
<b>Region</b>											
<b>Northeast</b>	0.920	1.300	0.960	4.260	1.190	1.390	1.530	2.390	2.350	1.080	1.560
<b>Midwest</b>	1.020	2.250	0.790	6.390	1.680	1.340	1.990	1.990	2.180	0.830	0.840
<b>South</b>	0.850	1.760	0.730	5.470	1.250	1.120	1.590	2.330	1.550	0.840	0.970
<b>West</b>	0.730	1.310	0.660	4.890	1.150	1.180	1.230	2.360	1.900	0.520	1.480

**Standard Errors for Table 49. (Corresponds to MMWR Table 31.) Average annual number of deaths with asthma as the underlying cause by age, sex, race, ethnicity, and region: National Vital Statistics System, United States, 2001-2004**

	Number of deaths										
	All ages	Children	Adults	Age							
	Total	Age <18	Age 18+	0 - 4	5 - 14	15 - 34	15 - 19	20 - 24	25 - 34	35 - 64	65 +
<b>Total</b>	31.7	7.0	30.9	3.2	5.2	9.6	4.3	4.6	7.3	19.6	22.1
<b>Sex</b>											
<b>Male</b>	19.1	5.6	18.2	2.7	4.0	7.3	3.5	3.5	5.5	12.1	11.8
<b>Female</b>	25.3	4.2	25.0	1.7	3.3	6.3	2.5	3.0	4.9	15.4	18.7
<b>Race</b>											
<b>White</b>	26.5	4.6	26.1	2.2	3.4	7.0	2.9	3.4	5.4	15.3	20.1
<b>Male</b>	15.1	3.6	14.7	1.9	2.5	5.0	2.3	2.5	3.8	9.2	10.4
<b>Female</b>	21.8	2.8	21.6	1.1	2.2	4.8	1.7	2.2	3.9	12.2	17.2
<b>Black</b>	16.1	5.1	15.3	2.2	3.8	6.5	3.0	3.0	4.9	11.7	8.0
<b>Male</b>	10.7	4.2	9.9	1.9	3.1	5.1	2.5	2.3	3.9	7.4	4.6
<b>Female</b>	12.1	2.9	11.7	1.2	2.3	3.9	1.7	1.9	3.0	9.0	6.5
<b>Other</b>	6.3	1.5	6.1	0.7	1.0	1.7	1.0	1.0	1.0	3.8	4.6
<b>Male</b>	4.5	1.1	4.3	0.5	0.7	1.4	0.9	0.9	0.7	2.8	3.1
<b>Female</b>	4.5	1.0	4.4	0.5	0.7	1.0	0.5	0.5	0.7	2.6	3.4
<b>Ethnicity</b>											
<b>Hispanic or Latino</b>	8.4	2.4	8.1	1.5	1.7	3.0	1.2	1.4	2.4	5.6	5.1
<b>Male</b>	5.3	1.9	5.0	1.2	1.3	2.3	1.0	1.1	1.9	3.5	2.8
<b>Female</b>	6.5	1.4	6.4	0.9	1.1	1.8	0.7	0.9	1.5	4.4	4.3
<b>Not Hispanic or Latino</b>	30.0	6.4	29.3	2.7	4.8	9.0	4.2	4.3	6.7	18.4	21.2
<b>Male</b>	18.3	5.2	17.5	2.4	3.8	6.9	3.4	3.3	5.1	11.6	11.5
<b>Female</b>	23.8	3.8	23.5	1.3	3.0	5.7	2.4	2.8	4.4	14.3	17.8
<b>Region</b>											
<b>Northeast</b>	13.8	3.1	13.5	1.3	2.4	4.2	1.6	2.0	3.3	8.9	9.3
<b>Midwest</b>	15.3	3.6	14.8	1.6	2.6	5.1	2.4	2.4	3.8	8.9	10.9
<b>South</b>	18.7	4.2	18.3	2.0	3.1	5.7	2.5	2.8	4.4	11.9	12.7
<b>West</b>	15.1	2.9	14.8	1.4	2.1	4.1	1.9	1.9	3.1	8.9	11.2

**Standard Errors for Table 50. (Corresponds to MMWR Table 32.) Average annual number of deaths, with asthma as the underlying cause, per 10,000 with current asthma, by age, sex, race, ethnicity, and region: National Vital Statistics System, United States, 2001-2004**

	Number of deaths										
	All ages	Children	Adults	Age							
	Total	Age <18	Age 18+	0 - 4	5 - 14	15 - 34	15 - 19	20 - 24	25 - 34	35 - 64	65 +
<b>Total</b>	0.03	0.01	0.05	0.03	0.02	0.02	0.03	0.04	0.04	0.05	0.32
<b>Sex</b>											
<b>Male</b>	0.04	0.02	0.08	0.05	0.02	0.05	0.05	0.09	0.10	0.09	0.48
<b>Female</b>	0.04	0.02	0.06	0.04	0.03	0.02	0.03	0.04	0.04	0.05	0.39
<b>Race</b>											
<b>White</b>	0.03	0.01	0.05	0.04	0.01	0.02	0.02	0.04	0.04	0.04	0.33
<b>Male</b>	0.04	0.02	0.07	0.05	0.02	0.04	0.04	0.07	0.08	0.07	0.46
<b>Female</b>	0.05	0.02	0.06	0.05	0.02	0.02	0.03	0.04	0.04	0.05	0.41
<b>Black</b>	0.12	0.05	0.22	0.08	0.06	0.13	0.14	0.18	0.29	0.32	1.41
<b>Male</b>	0.18	0.07	0.55	0.13	0.08	0.32	0.23	0.53	1.05	0.78	3.09
<b>Female</b>	0.14	0.07	0.21	0.09	0.10	0.10	0.14	0.15	0.19	0.30	1.64
<b>Other</b>	0.06	0.02	0.11	0.05	0.02	0.04	0.07	0.11	0.05	0.12	1.45
<b>Male</b>	0.08	0.03	0.22	0.05	0.03	0.07	0.11	0.28	0.08	0.27	3.33
<b>Female</b>	0.07	0.04	0.11	0.10	0.05	0.04	0.07	0.09	0.05	0.12	1.37
<b>Ethnicity</b>											
<b>Hispanic or Latino</b>	0.06	0.03	0.13	0.08	0.03	0.06	0.06	0.13	0.12	0.16	1.18
<b>Male</b>	0.08	0.04	0.21	0.11	0.04	0.12	0.10	0.29	0.34	0.32	1.54
<b>Female</b>	0.09	0.04	0.14	0.12	0.05	0.06	0.07	0.12	0.10	0.18	1.57
<b>Not Hispanic or Latino</b>	0.03	0.01	0.05	0.03	0.02	0.02	0.03	0.04	0.04	0.05	0.32
<b>Male</b>	0.04	0.02	0.08	0.05	0.02	0.05	0.05	0.09	0.10	0.09	0.50
<b>Female</b>	0.04	0.02	0.06	0.04	0.03	0.02	0.03	0.04	0.04	0.05	0.38
<b>Region</b>											
<b>Northeast</b>	0.06	0.03	0.09	0.06	0.03	0.05	0.05	0.09	0.10	0.09	0.66
<b>Midwest</b>	0.07	0.03	0.10	0.06	0.04	0.04	0.06	0.07	0.08	0.09	0.56
<b>South</b>	0.05	0.02	0.08	0.05	0.02	0.04	0.05	0.08	0.07	0.09	0.54
<b>West</b>	0.08	0.03	0.11	0.09	0.03	0.04	0.06	0.07	0.09	0.11	0.87