



Office for Human Research Protections
The Tower Building
1101 Wootton Parkway, Suite 200
Rockville, Maryland 20852

Telephone: 301-435-8072
FAX: 301-402-2071
E-mail: kborror@osophs.dhhs.gov

July 25, 2003

Brent J. Sauder
Director, Office of Research Services
The University of British Columbia
IRC Room 323
2194 Health Sciences Mall
Vancouver BC, V6T 1Z3

RE: Human Research Subject Protections Under Federalwide Assurance FWA-668

Research Project: Prospective, Randomized, Multi-Center Trial of Pulmonary Artery Catheter (PAC) vs. Central Venous Catheter (CVC) for Management of Acute Lung Injury (ALI) and Acute Respiratory Distress Syndrome (ARDS) and Prospective, Randomized, Multi-Center Trial of 'Fluid Conservative' vs. 'Fluid Liberal' Management of Acute Lung Injury (ALI) and Acute Respiratory Distress Syndrome (ARDS) (FACTT Trial)

Principal Investigator, St. Paul's Hospital: Dr. J.A. Russell

Principal Investigator, Vancouver Hospital: Dr. Dean Chittock

Dear Mr Sauder:

The Office for Human Research Protections (OHRP) has reviewed Dr. Gordon Bernard's March 12, 2003 letter submitted on behalf of the ARDS Network investigators, the March 12, 2003 ARDS Network Investigators' Response to the October 7, 2002 OHRP letter, and the April 10, 2003 report from the University of British Columbia (UBC) responding to allegations and concerns of possible noncompliance with Department of Health and Human Services (HHS) regulations for the protection of human subjects involving the above-referenced research.

As part of its evaluation of the above-referenced research, OHRP engaged eight external consultants with expertise spanning the areas of human subject protections, bioethics, critical care and pulmonary medicine, and biostatistics. Furthermore, on June 10, 2003, OHRP staff and consultants conducted face-to-face interviews with the complainants who initially brought concerns and allegations about the ARDS Network trials to OHRP's attention and with several senior investigators from the ARDS

Network.

Based upon its review, OHRP makes the following determinations regarding the above-referenced ARDS Network trial.

OHRP Findings Regarding the FACTT Trial

(1) HHS regulations at 45 CFR 46.111(a)(1) and (2) require that in order to approve research covered by the regulations, the institutional review board (IRB) shall determine, among other things, that (i) risks to subjects are minimized by using procedures which are consistent with sound research design and which do not unnecessarily expose the subjects to risk and (ii) risks to subjects are reasonable in relation to anticipated benefits, if any, to the subjects, and the importance of the knowledge that may reasonably be expected to result. In order for the IRB to make these required determinations, the IRB necessarily must be able to identify and assess accurately the risks to participating subjects.

(a) In its October 7, 2002 letter regarding the ARDS Network clinical trials, OHRP presented the concern that the FACTT trial failed to satisfy the requirements of 45 CFR 46.111(a)(1) and (2) because the trial (i) included two experimental groups (defined by low target levels of central venous pressure [CVP] or pulmonary artery occlusion pressure [PAOP] in the “fluid conservative” experimental group and high target levels of CVP or PAOP in the “fluid liberal” experimental group); (ii) lacked a “routine care” control group managed with either individualized target CVPs and PAOPs based upon physician clinical judgement or target CVPs and PAOPs from the middle of the normal range of these physiologic variables that may have been more representative of the levels of CVP and PAOP targeted most frequently in patients with ALI and ARDS during routine clinical practice at the time the study was initiated; and (iii) as a result of (i) and (ii), lacked an adequate plan to monitor for harm to subjects in each experimental study group (i.e., a potentially increased mortality rate in comparison to not participating in the research).

With regard to whether the design of the FACTT trial actually failed to minimize risks to subjects or whether the risks of participation in the trial actually were unreasonable in relation to anticipated benefits to the subjects and the importance of the knowledge that was expected to result, almost all of the consultants engaged by OHRP opined that risks to subjects participating in the FACTT trial were minimized and reasonable in relation to anticipated benefits to the subjects and the importance of the knowledge that was expected to result. OHRP believes, however, that the interests of future human subjects would be served best by further discussion within the scientific and bioethics communities about issues regarding appropriate research design in the absence of a standard of care that have been raised in the context of OHRP’s compliance oversight

evaluation of the FACTT trial. OHRP encourages such discussions. Furthermore, as noted below, OHRP finds that the UBC IRB responsible for oversight of the FACTT trial will need to receive additional information from the ARDS Network investigators and re-assess whether the FACTT trial as designed satisfies the requirements of the HHS regulations at 45 CFR 46.111(a)(1) and (2).

(b) OHRP finds that when reviewing and approving the FACTT trial, the UBC IRB failed to receive or request sufficient information to make the determinations required under 45 CFR 46.111(a)(1) and (2).

In particular, OHRP finds that in order to have determined whether the risks to the subjects were minimized and reasonable in relation to the anticipated benefits, if any, to the subjects and the importance of the knowledge that may reasonably have been expected to result, the UBC IRB should have received information adequate to assess the risks and potential benefits of each of the interventions for each arm of the FACTT trial relative to concurrent routine clinical practice outside the research context. OHRP further finds that at least the following additional information would have been needed to make these determinations:

(i) A clear, detailed description of concurrent routine clinical practice at the ARDS Network trial sites with respect to management of intravascular fluid status and target CVPs and PAOPs in patients with ALI and ARDS, including the various clinical factors that effect clinical decision making related to the selection of target CVPs and PAOPs. OHRP suggests that, ideally, this description would have included a frequency distribution of targeted and actual levels of CVP and PAOP in patients with ALI and ARDS over the course of their illness in routine practice at the institutions where the FACTT study was to be conducted.

(ii) A description of the mean and standard deviation of normal (i.e., euvolemic) levels of CVP and PAOP.

(iii) A more detailed explanation of the basis for selecting the two experimental fluid management strategies that were to be used and a detailed comparison of these strategies relative to concurrent routine clinical practice.

(iv) A clear statement of the target levels of CVP and PAOP for each experimental group.

(v) A more detailed description of the data and safety monitoring plan for the trial, including a clear delineation of the stopping criteria related to potential harm occurring in either of the experimental fluid management groups and the

justification for these stopping criteria.

(2) Regarding the informed consent document approved by the UBC IRB, OHRP makes the following determinations:

(a) HHS regulations at 45 CFR 46.116(a)(1) require that when seeking informed consent, the following information, among other things, shall be provided to the subject or the subject's legally authorized representative: an explanation of the purpose of the research, a description of the procedures to be followed, and identification of any procedures which are experimental.

(i) OHRP finds that the informed consent document failed to adequately describe the purpose of the research. In addition to simply stating that the purpose of the study was to compare two different catheters and two different ways of managing fluids, it would have been appropriate to include the statement that the main purpose of the study was to find out if patients with ALI and ARDS have a higher or lower death rate (or survival rate) when managed with a central venous catheter versus a pulmonary artery catheter and with a high fluid management strategy versus a low fluid management strategy. In addition, it would have been useful to state that one reason for conducting the study was to determine what factors should be given priority when making clinical decisions related to management of fluid balance in patients with ALI and ARDS.

(ii) OHRP finds that the informed consent document failed to adequately describe the nature of the experimental design, the two experimental fluid management strategies, and the differences between the experimental fluid management interventions and fluid management that would have been provided as part of concurrent routine clinical practice outside the research context.

(iii) OHRP finds that the informed consent document failed to describe the differences between the two experimental fluid management strategies with respect to diuretic dosing and dobutamine dosing. Instead, the informed consent documents implied that the only difference between the fluid conservative management and fluid liberal management was the amount of fluid administered.

(iv) OHRP finds the informed consent document failed to indicate that the subject would be required to be placed on a tidal volume of 6 ml/kg PBW if he or she was not being treated with such a tidal volume prior to enrollment. OHRP notes that, although several ARDS Network institutions indicated that a tidal volume of 6 ml/kg PBW was the standard of care at their institutions, several subjects who participated at St. Pauls Hospital (SPH) and Vancouver

Hospital (VH) had their tidal volume changed to 6 ml/kg PBW upon enrollment in the research.

(b) HHS regulations at 45 CFR 46.116(a)(2) require that when seeking informed consent, a description of any reasonably foreseeable risks or discomforts to the subject shall be provided to the subject or the subject's legally authorized representative.

(i) OHRP finds that the informed consent documents failed to include death as one of the risks of the research. In particular, the informed consent document did not include a statement that the subject could have a higher risk of death depending on which of the experimental groups he or she was assigned to, in comparison to each of the other experimental groups and in comparison to not entering the trial and instead receiving individualized care based upon best clinical judgement of the subject's physicians. Furthermore, there was no statement in the informed consent documents that death also could result from complications related to the pulmonary artery catheter placement and use.

(ii) OHRP finds that the informed consent document failed to include a description of any risks associated with having the tidal volume lowered to 6 ml/kg PBW for those subjects who may have been on a higher tidal volume prior to enrollment in the research. These risks may have included increased probability of developing hypercapnia, respiratory acidosis (requiring more sodium bicarbonate), and agitation and dyspnea (requiring greater sedation).

(iii) OHRP finds that the informed consent document failed to adequately describe the risks associated with each of the experimental fluid management strategies. For example, although the informed consent documents stated that subjects assigned to the fluid conservative management group might experience inadequate organ perfusion, there was no mention that this could result in renal failure, ischemic brain injury, cardiac ischemia, or other end organ damage. Likewise, although the informed consent documents state that subjects assigned to the fluid liberal group could experience extra fluid in the lungs, there was no mention that this could cause delayed lung recovery. Furthermore, depending on study group assignment, subjects could have received higher doses of diuretics and dobutamine than they would have received if they had not entered the clinical trial, yet the informed consent documents there was no discussion of the risks of receiving higher or more frequent doses of these drugs.

(c) HHS regulations at 45 CFR 46.116(a)(4) require that when seeking informed consent, a description of appropriate alternative procedures or courses of treatment, if any, that might be advantageous to the subject shall be provided to the subject or the subject's legally authorized representative.

OHRP finds that the informed consent document failed to include an adequate description of alternatives to participating in the trial. In particular, it would have been appropriate to explain to prospective subjects or their legally authorized representatives that in consultation with their physicians, they could have chosen to receive the liberal fluid management strategy, the conservative fluid management strategy, or an intermediate fluid management strategy instead of participating in the research.

(d) HHS regulations at 45 CFR 46.116 require that the information that is given to the subject or the subject's legally authorized representative shall be in language understandable to the subject or the representative. OHRP finds that, in general, the language throughout the informed consent documents would not have been understandable to most subjects or their representatives. In particular, the descriptions of the research interventions, the alternatives, and the risks and discomforts in general were confusing and difficult to understand.

Required Actions

(1) If UBC intends to resume enrollment of subjects in the FACTT trial, it must ensure that an IRB designated under UBC's OHRP-approved assurance receives and reviews the following:

(a) Additional supplemental information from the ARDS Network investigators sufficient for the IRB to make the determinations required under HHS regulations at 45 CFR 46.111(a)(1) and (2). This supplemental information should address the items listed in findings (1)(b)(i)-(v) above.

(b) A revised proposed model informed consent document that addresses findings (2)(a)-(d) above. OHRP acknowledges that the ARDS Network investigators agreed that the informed consent documents for the FACTT trial could be better and indicated a willingness to make revisions to these documents.

If the UBC IRB receives and reviews the information and documents in (a) and (b) above and subsequently re-approves the research, the National Heart, Lung, and Blood Institute (NHLBI) could then rescind its suspension of enrollment of new subjects into the FACTT trial at the UBC.

(2) If the UBC IRB re-approves the FACTT trial, UBC must provide OHRP with a copy of the final version of the IRB-approved informed consent document.

(3) In light of the issues raised in this review UBC must complete a re-assessment of its processes and procedures to ensure that the IRBs designated under UBC's OHRP-approved assurance (a) receives sufficient information to make all determinations required under HHS

regulations at 45 CFR 46.111; and (b) approves an informed consent process that satisfies all requirements of HHS regulations at 45 CFR 46.116. Upon completion of the reassessment, appropriate actions shall be taken, and a report describing these actions should be submitted by the UBC to OHRP by August 29, 2003.

OHRP is available to assist the UBC in implementing the required actions described above.

Additional OHRP Comments and Guidance

(1) HHS regulations at 45 CFR 46.107(a) state, among other things, that an IRB shall be sufficiently qualified through the experience and expertise of its members, and the diversity of the members, to promote respect for its advice and counsel in safeguarding the rights and welfare of human subjects. In addition to possessing the professional competence necessary to review specific research activities, the IRB shall be able to ascertain the acceptability of proposed research in terms of institutional commitments and regulations, applicable law, and standards of professional conduct and practice.

In accordance with these regulatory requirements, an IRB should have members who can assess the scientific design of the research being proposed and the acceptability of the proposed research interventions in comparison to concurrent routine clinical practice. Furthermore, in accordance with HHS regulations at 45 CFR 46.107(f), when an IRB lacks necessary expertise relevant to the review of a particular research project, the IRB may, in its discretion, invite individuals with competence in special areas to assist in the review of issues which require expertise beyond or in addition to that available on the IRB. These individuals may not vote with the IRB, but their attendance at an IRB meeting must be recorded in the minutes of the IRB meeting.

(2) As previously noted above, HHS regulations at 45 CFR 46.111(a)(1) and (2) require that in order to approve research covered by the regulations, the IRB shall determine, among other things, that (i) risks to subjects are minimized by using procedures which are consistent with sound research design and which do not unnecessarily expose the subjects to risk; and (ii) risks to subjects are reasonable in relation to anticipated benefits, if any, to the subjects, and the importance of the knowledge that may reasonably be expected to result.

In order for the IRB to make the determinations required under HHS regulations at 45 CFR 46.111(a)(1) and (2), as well as most of the other determinations required under 45 CFR 46.111, the IRB must receive and thoroughly evaluate sufficient information describing the research design. Ensuring that sufficient information is received and reviewed by the IRB is a shared responsibility of both the investigators proposing the research and the reviewing IRB. The ability of the IRB to recognize that sufficient information has been submitted to the IRB by the investigators requires IRB members with appropriate relevant professional experience, competence, and expertise.

Furthermore, making the determinations required under HHS regulations at 45 CFR 46.111 cannot be deferred or delegated by the responsible IRB designated under an OHRP-approved assurance to any other committee or body.

(3) In reviewing the ARDS Network trials, OHRP noted the following: (i) ALI and ARDS are rapidly progressive disorders with high short-term mortality rates; (ii) the prospective subjects for these trials were in nearly all cases not expected to be able to consent on their own behalf; (iii) given their medical condition and impaired capacity to consent, the prospective subjects likely were highly vulnerable; (iv) the primary study endpoint was short-term mortality; and (v) subjects in each experimental group of the FACTT trial potentially may have been disadvantaged compared to patients treated according to concurrent routine clinical practice. Given these observations about the ARDS Network trials, it is incumbent upon the ARDS Network investigators to provide in their written protocols a more expansive, substantive discussion of the multiple complex ethical and regulatory issues related to the protection of human subjects that must be addressed by the IRBs reviewing such research.

For instance, OHRP recommends that ARDS Network written protocols include a more detailed, substantive discussion of the following issues, among others:

- (a) The reasonably foreseeable risks to the subjects and whether these risks are reasonable for the prospective subject population in relation to anticipated benefits, if any, to the subjects and the importance of knowledge that may reasonably be expected to result.
- (b) The specific procedures that will be implemented in the study design to minimize risks to subjects and an explanation as to why these procedures are adequate.
- (c) The provisions for monitoring the data to ensure the safety of subjects in all study groups and an explanation as to why these provisions are adequate.
- (d) The justification for an informed consent process that involves surrogate consent for research involving greater than minimal risk and presenting possibly limited benefits to the subjects.
- (e) The additional safeguards that will be included for subjects who are likely to be vulnerable to coercion or undue influence (e.g., independent consent monitors might be considered).
- (f) For subjects for whom consent would be initially obtained from a legally authorized representative, a description of the procedure that would be followed for obtaining and documenting informed consent from those subjects who subsequently became capable

of consenting for themselves during the course of the trial.

(g) An explanation as to whether the research satisfies the requirements under HHS regulations at 45 CFR part 46, subpart D, for trials proposing to involve children.

(h) The basis for excluding pregnant women from the trials.

OHRP acknowledges that the ARDS Network investigators have already begun to take steps to address some of these complex ethical issues in their clinical trials.

(4) HHS regulations at 45 CFR 46.116(d) require that the IRB make and document four findings when approving a consent procedure which does not include, or which alters, some or all of the required elements of informed consent or when waiving the requirement to obtain informed consent. OHRP recommends that when approving such a waiver for research reviewed by the convened IRB, these findings be documented in the minutes of the IRB meeting, including *protocol-specific* information justifying each IRB finding.

Similarly, where HHS regulations require specific findings on the part of the IRB, such as (a) approving a procedure which waives the requirement for obtaining a signed consent form [see 45 CFR 46.117(c)]; (b) approving research involving pregnant women, human fetuses, or neonates (see 45 CFR 46.204-207); (c) approving research involving prisoners (see 45 CFR 46.305-306); or (d) approving research involving children (see 45 CFR 46.404-407), the IRB should document such findings. OHRP recommends that for research approved by the convened IRB, all required findings be fully documented in the minutes of the IRB meeting, including *protocol-specific* information justifying each IRB finding.

For research reviewed under an expedited review procedure, these findings should be documented by the IRB Chairperson or other designated reviewer elsewhere in the IRB record.

(5) HHS regulations at 45 CFR 46.117(a) require that informed consent be documented by use of a *written* consent form approved by the IRB and that is signed by the subject or the subject's legally authorized representative, unless the IRB waives this requirement in accordance with 45 CFR 46.117(c). An IRB may waive the requirement for the investigator to obtain a signed consent in accordance with 45 CFR 46.117(c) if it finds either that (a) the only record linking the subject and the research would be the consent document and the principal risk would be potential harm resulting from a breach of confidentiality, or (b) the research presents no more than minimal risk of harm to subjects and involves no procedures for which written consent is normally required outside of the research context.

With respect to documentation of informed consent for the FACTT trial at UBC, OHRP notes the following:

(a) The investigators for the FACTT trial requested, and the UBC granted, permission to obtain informed consent from subjects' legally authorized representatives via telephone (see September 29, 2000 letter from Ms. Liza C. Grandolfo to Ms. Shirley Thompson).

(b) The criteria under HHS regulations at 45 CFR 46.117(c) for waiver of the requirement for the investigators to obtain a signed consent form for some or all subjects cannot be satisfied for the FACTT trial.

(c) Unless the investigators for the FACTT trial obtain a written consent form signed by the subject's legally authorized representative prior to enrollment, the telephone consent procedure described in the September 29, 2000 letter referenced above would not comply with HHS regulations at 45 CFR 46.117.

OHRP appreciates the commitment of your institutions to the protection of human subjects. Do not hesitate to contact us should you have any questions.

Sincerely,

Kristina Borrer, Ph.D.
Director
Division of Compliance Oversight

Michael A. Carome, M.D.
Associate Director for Regulatory Affairs
Office for Human Research Protections

cc: Dr. Peter Loewen, Chair, IRB #1, UBC
Dr. Paul Hewitt, Chair, IRB #2, UBC
Ms. Shirley Thompson, Human Protections Administrator, UBC
Dr. J.A. Russell, Principal Investigator, St. Paul's Hospital
Dr. Dean Chittock, Principal Investigator, Vancouver Hospital
Dr. B. Taylor Thompson, ARDS Network Coordinating Center Principal Investigator,
Massachusetts General Hospital
Dr. Arthur Wheeler, FACTT Trial Committee Chair, Vanderbilt University
Dr. Gordon R. Bernard, Chairman, ARDS Steering Committee, Vanderbilt University
Dr. Herbert P. Wiedemann, FACTT Trial Committee Chair, Cleveland Clinic Foundation
Dr. Elias Zerhouni, Director, NIH
Dr. Claude Lenfant, Director, NHLBI
Dr. James Kiley, Director, Division of Lung Diseases, NHLBI
Dr. Lana Skirboll, Director, Office of Science Policy, NIH
Dr. David Lepam, Director, Good Clinical Practices Program, FDA

Ms. Melinda Hill, OHRP