

TABLE 8

NUMBER OF REPORTED SHIGELLA ISOLATES BY REGION  
FOR 1981-1995

REGION	YEAR															TOTAL
	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	
NEW ENGLAND	850	1226	543	354	861	729	645	651	546	646	1757	555	520	414	586	10883
MID-ATLANTIC	803	1226	2050	1094	1607	1263	2331	1179	1310	1595	1263	1071	1215	1562	1758	21327
EAST NORTH CENTRAL	1364	1484	1881	1863	1494	1550	3816	3597	2673	2096	1643	2154	2816	1970	2105	32506
WEST NORTH CENTRAL	503	402	530	495	387	330	671	1151	1359	630	403	589	828	1368	1391	11037
SOUTH ATLANTIC	1815	1084	990	997	683	686	1425	2562	2568	1894	1565	1727	2860	4790	2181	27827
EAST SOUTH CENTRAL	143	131	155	114	188	60	219	683	482	799	915	305	768	1023	802	6787
WEST SOUTH CENTRAL	2138	1776	1619	1263	1218	1611	1671	2535	1408	1832	1409	1453	2943	1771	1944	26591
MOUNTAIN	1469	1356	1525	1150	1223	1137	1174	1692	1161	1655	2248	1174	1348	1436	2713	22461
PACIFIC	5921	4852	5664	5385	4215	4906	4812	8286	4465	6159	5302	5895	6213	4449	5850	82374
TOTAL	15006	13537	14957	12715	11876	12272	16764	22336	15972	17306	16505	14923	19511	18783	19330	241793

TABLE 8A

NUMBER OF REPORTED *S. SONNEI* ISOLATES BY REGION  
FOR 1981-1995

REGION	YEAR															TOTAL
	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	
NEW ENGLAND	635	1050	383	214	713	596	491	481	358	448	1573	435	428	302	456	8563
MID-ATLANTIC	521	941	1629	823	1128	772	2030	883	1015	1321	1020	880	985	1325	1527	16800
EAST NORTH CENTRAL	1003	1099	1470	1458	1110	1123	3279	2685	2061	1443	1176	1671	2440	1707	1773	25498
WEST NORTH CENTRAL	325	294	414	354	246	147	503	870	1084	446	255	478	698	1166	1281	8561
SOUTH ATLANTIC	1677	750	705	704	450	462	1099	2155	2268	1535	1210	1451	2280	2695	1966	21407
EAST SOUTH CENTRAL	122	109	124	103	179	52	136	523	319	513	587	152	341	649	511	4420
WEST SOUTH CENTRAL	1477	1101	1071	767	817	1161	1293	2103	1022	1415	1072	1268	2765	1595	1721	20648
MOUNTAIN	662	654	654	575	554	571	470	921	522	1124	1601	722	824	920	2180	12954
PACIFIC	3001	2236	2825	2792	1878	2421	1981	4407	1593	2871	2240	3049	3578	2087	3396	40355
TOTAL	9423	8234	9275	7790	7075	7305	11282	15028	10242	11116	10734	10106	14339	12446	14811	159206

TABLE 8B

NUMBER OF REPORTED S. FLEXNERI ISOLATES BY REGION  
FOR 1981-1995

REGION	YEAR															TOTAL
	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	
NEW ENGLAND	167	139	142	114	128	93	109	127	150	122	94	107	92	106	115	1805
MID-ATLANTIC	272	271	335	256	377	341	278	257	269	254	227	177	211	213	206	3944
EAST NORTH CENTRAL	292	342	345	344	326	314	361	422	439	465	339	330	287	238	289	5133
WEST NORTH CENTRAL	155	82	90	103	108	168	134	156	168	125	115	77	67	121	71	1740
SOUTH ATLANTIC	91	121	93	102	90	116	154	143	101	156	124	137	173	343	196	2140
EAST SOUTH CENTRAL	21	19	30	10	8	6	9	8	9	10	8	2	4	18	7	169
WEST SOUTH CENTRAL	555	618	491	435	346	380	328	376	333	367	280	170	136	141	188	5144
MOUNTAIN	685	617	774	509	548	496	556	503	472	381	491	371	382	353	464	7602
PACIFIC	1903	1964	1924	1879	1602	1653	1831	2346	1741	2151	2034	1879	1709	1568	1483	27667
TOTAL	4141	4173	4224	3752	3533	3567	3760	4338	3682	4031	3712	3250	3061	3101	3019	55344

TABLE 8C

NUMBER OF REPORTED S. BOYDII ISOLATES BY REGION  
FOR 1981-1995

REGION	YEAR															TOTAL
	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	
NEW ENGLAND	12	9	7	10	8	6	14	7	16	17	12	4	.	5	11	138
MID-ATLANTIC	4	6	8	8	16	16	16	21	17	10	10	6	11	15	12	176
EAST NORTH CENTRAL	43	17	42	38	35	37	28	64	42	29	20	16	30	19	31	491
WEST NORTH CENTRAL	6	4	6	4	1	1	2	6	5	5	7	3	.	7	6	63
SOUTH ATLANTIC	18	10	11	2	3	6	7	5	10	8	8	5	10	27	7	137
EAST SOUTH CENTRAL	.	1	1	1	.	1	2	2	1	1	.	1	.	.	.	11
WEST SOUTH CENTRAL	85	49	47	35	33	54	36	39	37	35	44	11	33	24	27	589
MOUNTAIN	79	46	48	34	66	43	59	52	48	47	30	14	14	18	32	630
PACIFIC	263	152	246	254	196	209	192	276	290	246	181	164	123	92	103	2987
TOTAL	510	294	416	386	358	373	356	472	466	398	312	224	221	207	229	5222

TABLE 8D

NUMBER OF REPORTED *S. DYSENTERIAE* ISOLATES BY REGION  
FOR 1981-1995

REGION	YEAR															TOTAL
	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	
NEW ENGLAND	13	9	2	6	5	4	4	12	9	8	6	6	.	.	3	87
MID-ATLANTIC	2	6	7	7	16	11	7	18	9	9	6	8	2	6	6	120
EAST NORTH CENTRAL	17	16	22	20	20	7	27	21	23	15	11	21	4	6	11	241
WEST NORTH CENTRAL	3	3	6	2	3	3	8	8	7	3	1	6	1	2	1	57
SOUTH ATLANTIC	8	3	15	4	1	2	4	4	2	5	6	4	4	5	2	69
EAST SOUTH CENTRAL	.	.	.	.	1	1	1	2	.	2	.	1	1	1	.	10
WEST SOUTH CENTRAL	18	8	8	26	20	13	12	17	15	14	10	2	9	10	5	187
MOUNTAIN	9	14	20	19	14	9	10	8	25	7	12	5	12	9	6	179
PACIFIC	134	72	105	95	129	68	159	121	126	118	93	73	72	55	56	1476
TOTAL	204	131	185	179	209	118	232	211	216	181	145	126	105	94	90	2426

TABLE 8E

NUMBER OF REPORTED SHIGELLA ISOLATES WITH UNKNOWN SEROGROUP  
BY REGION FOR 1981-1995

REGION	YEAR															TOTAL
	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	
NEW ENGLAND	23	19	9	10	7	30	27	24	13	51	72	3	.	1	1	290
MID-ATLANTIC	4	2	71	.	70	123	.	.	.	1	.	.	6	3	7	287
EAST NORTH CENTRAL	9	10	2	3	3	69	121	405	108	144	97	116	55	.	1	1143
WEST NORTH CENTRAL	14	19	14	32	29	11	24	111	95	51	25	25	62	72	32	616
SOUTH ATLANTIC	21	200	166	185	139	100	161	255	187	190	217	130	393	1720	10	4074
EAST SOUTH CENTRAL	.	2	.	.	.	.	71	148	153	273	320	149	422	355	284	2177
WEST SOUTH CENTRAL	3	.	2	.	2	3	2	.	1	1	3	2	.	1	3	23
MOUNTAIN	34	25	29	13	41	18	79	208	94	96	114	62	116	136	31	1096
PACIFIC	620	428	564	365	410	555	649	1136	715	773	754	730	731	647	812	9889
TOTAL	728	705	857	608	701	909	1134	2287	1366	1580	1602	1217	1785	2935	1181	19595