TABLE OF CONTENTS

			Page
SECTIO	NI_	INTRODUCTION	
A.		roduction	1
В.		dical Certification	
		cerpt of U.S. Certificate of Death	
		S. Standard Certificate of Death	
SECTIO		- GENERAL INSTRUCTIONS	
A.	Int	roduction	
	1.	Excessive Codes	13
	2.	Created Codes	15
	3.	"Dagger and asterisk" codes	21
В.	Gei	neral coding concept	22
	1.	Definitions and types of diagnostic entities	22
		a. One-term entity	
		b. Multiple one-term entity	24
		c. Adjectival modifier reported with multiple conditions	26
	2.	Parenthetical entries	27
	3.	Special diagnostic entities	28
	4.	Plural form of disease	29
	5.	Implied "disease	29
C.	For	mat	30
	1.	"Due to" relationships involving more than four causally	
		related conditions	30
	2.	Connecting terms	30
		a. "Due to" written in or implied	30
		b. Not indicating a "due to" relationship	33
	3.	Condition entered above line I(a)	33
	4.	Condition reported between lines in Part I	34
	5.	Condition reported as due to I(a), I(b), or I(c)	35
	6.	Conditions reported in Part II	
	7.	Deletion of "due to" on the death certificate	
	8.	Deletion of "Part II" on death certificate	
	9.	Numbering of causes reported in Part I	
	10.	Punctuation marks	
	11.	Conditions in the duration box	

D.	Do	ubtful diagnosis	41
	1.	Doubtful qualifying expression	41
	2.	Interpretation of "eitheror"	42
E.	Co	nditions specified as "healed" or "history of"	45
F.	Co	ding entries such as "same," "ditto (")," "as above"	46
G.		nditions qualified by "postmortem," "rule out,"	
		"ruled out," "r/o"	47
H.	No	n-indexed and illegible entries	48
	1.	Terms that are not indexed	
	2.	Illegible entries	48
I.	Co	ding one-character reject codes	49
	1.	Reject code 1-5 – Inconsistent duration	49
	2.	Reject code 9 – More than four "due to" statements	51
J.	Inc	lusion of additional information (AI) to mortality	
	:	source documents	52
K.	Am	ended certificates	55
L.	Eff	ect of age of decedent on classification	56
	1.	NEWBORN OR NEONATAL means less than 28 days	
		of age at the time of death	56
	2.	INFANT OR INFANTILE means less than 1 year of age at	
		the time of death	56
	3.	CHILD, CHILDHOOD means less than 18 years of age at	
		the time of death	57
	4.	Congenital anomalies (Q00-Q99)	57
	5.	Congenital syphilis	58
	6.	Age limitation	59
M .		limitations	
N.	Eff	ect of duration on assignment of codes	62
	1.	Qualifying conditions as acute or chronic	
	2.	Subacute	63
	3.	Acute exacerbation	64
	4.	Acute and chronic	64
	5.	Qualifying conditions as congenital or acquired	65
	6.	Two conditions with one duration	65
	7.	Conflict in durations	66
	8.	Span of dates	66

ii

	Ο.	Relating and modifying conditions	67
		1. Implied site of disease	67
		a. General instructions for implied site of a disease	67
		b. Relating specific categories	70
		c. Exceptions to relating and modifying instructions	72
		2. Coding conditions classified to injuries as disease conditions	
SEC	TIO	N III – INTENT OF CERTIFIER	78
	1.	Charcot's Arthropathy (A521)	79
	2.	General Paresis (A521)	
	3.	Organisms and Infection NOS (B99)	82
	4.	Erythremia (C940)	
	5.	Polycythemia (D45)	89
	6.	Hemolytic Anemia (D589)	90
	7.	Sideroblastic Anemia (D643)	91
	8.	Hemorrhagic Purpura NOS (D693)	92
	9.	Thrombocytopenia (D696)	
	10.	Hyperparathyroidism (E213)	95
	11.		
	12.	Lactase Deficiency (E730)	97
	13.	-	
	14.		
	15.		
	16.		
	17.		
	18.	Psychosis (any F29)	
		Dissociative Disorder (F449)	
	20.	Personality Disorder (F609), Personality Change (Enduring) (F629)	108
		Mental Disorder (any F99)	
	22.		
	23.		
	24.		
	25.		
	26.	Paralysis (any G81, G82, or G83 excluding senile paralysis)	
	27.		
	28.		116
	29	Pneumonia in J188 or J189, Bronchopneumonia (J180),	
	-	Lobar pneumonia, organism unspecified only in J181	117
	30.	Pneumoconiosis (J64)	

Instruction Manual Part 2b Table of Contents (continued)

31.	Diaphragmatic Hernia in K44	119
32.	Laennec's Cirrhosis (K703)	120
	Biliary Cirrhosis NOS (K745)	
34.	Lupus Erythematosus (L930), Lupus (L930)	122
35.		
36.	Polyarthrosis (M159)	124
37.	Coxarthrosis (M169)	125
38.	Gonarthrosis (M179)	126
39.	Arthrosis (M199)	127
40.	Kyphosis (M402)	128
41.	Scoliosis (M419)	129
42.	Osteonecrosis (M879)	130
43.	Dysmenorrhea (N946)	131
44.	Cesarean Delivery for Inertia Uterus (O622),	
	Cervical Dystocia (0622), Hypotonic Labor (0622),	
	Hypotonic Uterus Dysfunction (O622),	
	Inadequate Uterus Contraction (O622),	
	Uterine Inertia during Labor (O622),	132
45.	Intracranial Nontraumatic Hemorrhage of Fetus	
	and Newborn (P52)	133
46.	Septal Defect (atrial), (auricular), (heart), (ventricular)	
	(Q210, Q211, Q212, Q219)	
47.	Hypoplasia or Dysplasia of Lung NOS (Q336)	135
	Injury (S000-T149)	
	Fracture (any site) (T142)	
50.	Starvation NOS (T730)	139
SECTION	N IV – CLASSIFICATION OF CERTAIN ICD CATEGORIES	
A.	Neoplasms (C00-D48)	
	A. Malignant Neoplasms (C00-C96)	
	1. Neoplasms stated to be secondary	
	2. Malignant neoplasms with primary site indicated	
	3. Site specific neoplasms	
	4. Other morphological types of neoplasms	
	5. Independent (primary) sites	
	6. Metastases	
	7. Multiple sites	154
	8. Metastatic neoplasms	
	9. Primary site unknown	168

	-	10 Implication of malignancy	170
	-	11. Sites with prefixes or imprecise definitions	171
	-	12. Malignant neoplasms described with "either/or"	171
	-	13. Mass or lesion with malignant neoplasms	172
B.	Rhe	eumatic Heart Diseases	173
	1.	Heart diseases considered to be described as rheumatic	173
	2.	Distinguishing between active and chronic rheumatic	
		heart disease	174
	3.	Valvular diseases jointly reported	176
	4.	Valvular diseases not indicated to be rheumatic	177
C.	Pre	gnancy, Childbirth and the Puerperium (O00-O99)	180
	1.	General Information	
	2.	Pregnancy or childbirth without mention of complication	181
	3.	Pregnancy with abortive outcome (O000-O089)	182
	4.	Other complications of pregnancy, childbirth and	
		puerperium (O00-O99)	184
	5.	Delivery reported with anesthetic death or anesthesia	186
	6.	Operative delivery	187
D.	Cor	ngenital Conditions	189
E.	Cor	nditions of Early Infancy (P000-P969)	191
F.	Seq	uela	193
	1.	B900-B909 Sequela of tuberculosis	194
	2.	B91 Sequela of acute poliomyelitis	195
	3.	B92 Sequela of leprosy	196
	4.	B940 Sequela of trachoma	196
	5.	B941 Sequela of viral encephalitis	197
	6.	B942 Sequela of viral hepatitis	198
	7.	B948 Sequela of other specified infectious and parasitic diseases,	
		B949 Sequela of unspecified infectious and parasitic diseases	198
	8.	E640-E649 Sequela of malnutrition and other nutritional deficiencies	199
	9.	E68 Sequela of hyperalimentation	
). 10.	G09 Sequela of inflammatory diseases of central	200
	10.	nervous system	200
	11	1690-1698 Sequela of cerebrovascular disease	7/11
	11. 12.	I690-I698 Sequela of cerebrovascular disease	

	G.	Ill-	Defined and Unknown Causes	203
		1.	Sudden infant death syndrome (R95)	203
		2.	Other sudden death and other unspecified	
			cause (R960-R961, R98-R99)	203
		3.	Unknown cause (R97)	
~-~				
SEC'	TIO		-EFFECTS OF EXTERNAL CAUSE OF INJURY AND POLYCONING	
	A		EXTERNAL CAUSES OF INJURY AND POISONING	200
	Α.		ternal Cause Code (E-Code) Concept	
		1.	Use of Index	
		2. 3.	Place of occurrence of external cause	
		4.	Manner of death (Item 37) on death certificate	
	D	5.	Nature of injury and external cause code lists	
	B.		cement of nature of injury and external cause codes	
	C.		e of ampersand	218
	D.		tifications with mention of nature of injury and	220
	-		without mention of external cause	
	E.		nditions qualified as traumatic	
	F.		sumption of nature of injury code	
	G.		dtiple injuries (T00-T07)	232
	Н.		rns: Multiple degrees of burns/percentage of body	224
	_		surface burned	
	I.	_	ecified types and sites of injuries	
	J.		nnsportation accidents (V01-V99)	
		1.	Use of Index and Tabular List	
		2.	Classifying accidents as traffic or nontraffic	
		3.	Status of victim	240
		4.	Coding categories V01-V89	241
		5.	Additional examples	243
		6.	Occupant of special all-terrain or other motor vehicle designed	
			primarily for off-road use, injured in transport accident (V86)	244
		7.	Traffic accident of specified type but victim's mode of	
			transport unknown (V87),	
			Nontraffic accident of specified type but victim's mode of	
			transport unknown (V88)	245
		8.	Water transport accidents (V90-V94)	
		9.	Air and space transport accidents (V95-V97)	
			Miscellaneous coding instructions (V01-V99)	

K.	Fal	ls	. 250
	1.	Other fall on same level (W18)	
	2.	Unspecified fall (W19)	. 250
L.	Na	tural and environmental factors	. 251
	1.	Lightning	. 251
	2.	Exposure (cold) and hypothermia	. 251
M .	Fir	earms and firearm injuries	. 253
	1.	Coding specific types of firearms	. 253
	2.	External cause code	. 254
	3.	Nature of injury code	. 255
	4.	Other firearm examples	
N.	Ch	ild abuse, battering and other maltreatment (Y070-Y079)	. 257
Ο.		ides for differentiating between effects of external	
		causes classifiable to Chapters I – XVIII and Chapter XIX	
Ρ.	Th	reats to breathing	
	1.	Table 1. Drowning and submersion	262
	2.	Table 2. Hanging and mechanical strangulation	
		(by external means)	
	3.	Table 3. Fires (includes burns, gases, fumes in association with	
		burns and fires)	. 268
	4.	Table 4. Ingestion, inhalation of gases, fumes, vapors (without	
	_	fires, burns)	
	5.	Table 5. Compression chest, crushed chest by external means	. 274
	6.	Table 6. Aspiration NOS, ingestion NOS, inhalation NOS,	
		or aspiration, ingestion, inhalation of substances	25.
•	ъ.	or objects (W78, W79, W80)	
Q.		soning	
	1.	Poisoning by substances other than drugs	
		a. Carbon monoxide poisoning	
		b. Inhalation and "sniffing" sprays and aerosol substances	. 284
		c. Intoxication by certain substances or toxic poisoning	204
		due to disease	
	2	d. Condition qualified as "toxic" with poisoning reported	
	2.	Poisoning by drugs	
	3.	Percentage of drug(s) in blood	
	4. 5	Poisoning by alcohol and drugs	
	5.	Intoxication (acute) NOS due to specified substances	. 293

R.	Co	mplications of medical and surgical care (Y40-Y84)	294
	1.	Drugs, medicaments, and biological substances causing	
		adverse effects in therapeutic use (Y40-Y59)	296
	2.	Surgical procedures as the cause of abnormal reaction	
		of the patient or later complication (Y83)	306
		a. Complications of surgical procedures	306
		b. Condition necessitating surgery	320
		c. Conditions qualified as postoperative	326
		d. Complication as first entry on lowest used line	
		in Part I	331
		e. Ill-defined condition as first entry on lowest used line	
		in Part I	335
		f. Relating surgical procedure to condition for which	
		surgery was performed	345
		g. Complications of amputation and amputation stump	347
	3.	Complications of medical procedures other than	
		surgical (Y84)	348
	4.	Complications of procedures involving administration of	
		drugs, radiation, and instruments	355
	5.	Complications of radiation during medical care (Y842)	357
	6.	Misadventures to patients during surgical and	
		medical care (Y60-Y69)	360
S.	Sec	quela of injuries, poisonings, and other consequences	
	of e	external causes	363
	1.	J	
		of external causes (T900-T983)	363
	2.	Sequela of external causes (Y850-Y899)	365

APPEND	IX A - STANDARD ABBREVIATIONS AND SYMBOLS	369
APPEND	IX B - SYNONYMOUS SITES	387
APPEND	IX C - GEOGRAPHIC CODES	388
APPEND	IX D - CODE FOR PLACE OF INJURY	389
APPEND	IX E - ACTIVITY CODES	398
APPEND	IX F - INVALID AND SUBSTITUTE CODES	400
APPEND	IX G - CODES FOR SPECIAL PURPOSES (U00-U99)	401
1.	Terrorism classification (*U01-*U03)	401
	Severe acute respiratory syndrome [SARS] (U04)	
APPEND	IX H - ADDITIONAL DRUG EXAMPLES	413
INDEX		420

SECTION I Introduction

A. INTRODUCTION

This manual provides instructions to mortality medical coders and nosologists for coding multiple causes of death from death certificates filed in the states. These mortality coding instructions are used by both the State vital statistics programs and the National Center for Health Statistics (NCHS), which is the Federal agency responsible for the compilation of U.S. statistics on causes of death. NCHS is part of the Centers for Disease Control and Prevention.

In coding causes of death, NCHS adheres to the World Health Organization Nomenclature Regulations specified in the most recent revision of the International Statistical Classification of Diseases and Related Health Problems (ICD). NCHS also uses the ICD international rules for selecting the underlying cause of death for primary mortality tabulation in accordance with the international rules.

Beginning with deaths occurring in 1999, the Tenth Revision of the ICD (ICD-10) is being used for coding and classifying causes of death. This revision of the Classification is published by the World Health Organization (WHO) and consists of three volumes. Volume 1 contains a list of three-character categories, the tabular list of inclusions, and the four-character subcategories. The supplementary Z code appears in Volume 1 but is not used for classifying mortality data. Optional fifth characters are provided for certain categories and an optional independent four-character coding system is provided to classify histological varieties of neoplasm, prefixed by the letter M (for morphology) and followed by a fifth character indicating behavior. These optional codes, except those for place of occurrence of external cause and activity code related to external cause codes, are not used in NCHS. The place code and activity code are used as supplementary codes rather than as additional characters. Volume 2 includes the international rules and notes for use in classifying and tabulating underlying cause-of-death data. Volume 3 is an alphabetical index containing a comprehensive list of terms for use in coding. Copies of these volumes may be purchased in hard-copy or on diskette from the following address:

WHO Publications Center 49 Sheridan Avenue Albany, New York 12210 Tel. 518-436-9686

1

SECTION I Introduction

NCHS has prepared an updated version of Volume 1 and Volume 3 to be used for both underlying and multiple cause-of-death coding. The major purpose of the updated version is to provide a single published source of code assignments including terms not indexed in Volume 3 of ICD-10. NCHS has included all nonindexed terms encountered in the coding of deaths during 1979-1994, under the Ninth Revision of the International Classification of Diseases (ICD-9). With the availability of the updated Volumes 1 and 3, NCHS will discontinue publishing the Part 2e manual, Nonindexed Terms, Standard Abbreviations, and State Geographic Codes Used in Mortality Data Classification, which was first published in 1983. Due to copyright considerations, the updated Volumes 1 and 3 may not be reproduced for distribution outside of NCHS and State vital statistics agencies.

The basic purpose of this manual is to document concepts and instructions for coding multiple causes of death, which were developed by NCHS for use with the Eighth Revision of the ICD adapted for use in the United States (ICDA-8), and which were updated to ICD-9, and subsequently to ICD-10. The coding concepts are generally consistent with provisions of ICD-10. Thus, this manual should be used with ICD-10, Volumes 1 and 3 as updated by NCHS. The list of abbreviations used in medical terminology (Appendix A), the list of synonymous sites (Appendix B), and the list of geographic codes (Appendix C) are included in this publication.

NCHS does not use the "dagger and asterisk" system which WHO introduced in ICD-9 and continued in ICD-10. For some medical conditions, this system provides two codes, which distinguish between the etiology or underlying disease process and the manifestation or complication for selected conditions. The etiology or underlying disease codes is denoted with a dagger (†) and the manifestation or complication code by an asterisk (*) following the code. For example, Coxsackie myocarditis has a code (B33.2†) marked with a dagger in the chapter for infectious and parasitic diseases and a different code (I41.1*) marked with an asterisk in the chapter for diseases of the circulatory system. Similarly, diabetic nephropathy has a dagger code (E14.2†) in the chapter relating to endocrine disease and an asterisk code (N08.3*) in the genitourinary system chapter. Under ICD-9, limited use was made of the asterisk codes in classifying mortality data for data years 1979-1982. Effective July 1982 the use of asterisk codes in mortality coding was discontinued and will not be used in the 10th revision for mortality coding. NCHS assigns only the dagger code to such conditions.

SECTION I Introduction

The multiple cause-of-death codes are used as inputs to the ACME program (Automated Classification of Medical Entities) developed by NCHS to automatically select the underlying cause of death, and the TRANSAX program (Translation of Axes) used to produce multiple cause-of-death statistics, beginning with deaths occurring in 1968. As inputs, the computer programs require codes for each condition reported on the death certificate, usually in the order in which the information is recorded.

The outputs of the ACME program are the traditional underlying cause-of-death codes selected according to the selection and modification rules of the Classification, the same cause that would be selected using manual underlying cause-of-death coding instructions specified in Instruction Manual Part 2a. Thus, a single cause is associated with each decedent.

Using the same input codes, the TRANSAX program generates two sets of outputs: "entity-axis" codes that reflect the placement of each condition on the certificate for each decedent; and "record-axis" codes that, where appropriate, link two or more diagnostic conditions to form composite codes that are classifiable to a single code, according to the provisions of the Classification. Record axis codes are preferred for multiple cause tabulation to better convey the intent of the certifier, and to eliminate redundant cause-of-death information (see Instruction Manual Part 2f).

SECTION I Introduction

Major Revisions from Previous Manuals

- 1. All information from the 2004 erratas has been incorporated into this edition.
- 2. Corrections have been made to clarify instructions, spelling, and format throughout the manual. These changes are not specifically noted.
- 3. Section II, Part B, General Coding Concept, deleted the Exception containing instructions for F01-F09.
- 4. Section II, Part C, Format, added examples for the format of connecting terms reported with non-indexed conditions.
- 5. Section II, Part O, Relating and Modifying Conditions, deleted "edema" from exception list of terms in R00-R99.
- 6. Section II, Part O, Relating and Modifying Conditions, list of terms that should not be related to site, deleted "malignant" from Neoplasms.
- 7. Section III, Intent of Certifier, Organisms and Infections NOS, added a list of organisms and infectious conditions.
- 8. Section III, Part A, Intent of Certifier, added a separate table of instructions (#21) for coding Mental Disorder as Organic Mental Disorder.
- 9. Section IV, Part A, Neoplasms, added examples for metastatic squamous cell carcinoma of head and neck.
- 10. Section IV, Part C, Pregnancy, Childbirth, and the Puerperium, added an example of pregnancy reported with a nature of injury and external cause.
- 11. Section IV, Part E, Conditions of early infancy, edited first example and explanation.
- 12. Section IV, Part F, Seguela, added definition of seguela.
- 13. Section IV, Part G, Ill-Defined and Unknown Cause, Unknown Cause list, added "etiology unspecified."
- 14. Section V, Part P, Threats to Breathing, Tables 2 and 3, revised instructions and added examples. For Table 6, clarified types of foreign bodies and added example.
- 15. Section V, Part Q, Poisoning, added statement that terms meaning poisoning should be coded as poisoning whether or not given in treatment.

SECTION I Introduction

- 16. Section V, Part R, Complications of Medical and Surgical Care, Drugs, medicaments and biological substances causing adverse effects in therapeutic use, Combined effects of two or more drugs, revised introductory instructions.
- 17. Section V, Part R, Complications of Medical and Surgical Care, removed myelodysplastic syndrome from the list of conditions not considered as a complication of drug therapy.
- 18. Section V, Part R, Complications of Medical and Surgical Care, deleted and added terms to the list of conditions not considered as complications of surgery.
- 19. Section V, Part R, Complications of Medical and Surgical Care, Condition necessitating surgery, added an instruction to code morbid obesity as reason for bariatric surgery and gastric stapling if reason is not stated.
- 20. Section V, Part R, Complications of Medical and Surgical Care, added pelvic exenteration to list of surgical procedures when a disease condition should not be assumed as reason for surgery.
- 21. Section V, Part R, Complications of Medical and Surgical Care, Ill-defined condition as first entry on lowest used line in Part I, Exceptions, revised table.
- 22. Section V, Part R, Complications of Medical and Surgical Care, Misadventures to patients during surgical and medical care, added fracture from cardiopulmonary resuscitation and Heimlich maneuver as indications of a misadventure.
- 23. Section V, Part S, Sequela of Injuries, Poisonings, and Other Consequences of External Causes, added an introductory paragraph.
- 24. Appendix A, Standard Abbreviations and Symbols, added 3 abbreviations: NSTEMI, GIST, NAFLD.
- 25. Appendix F, changed title to Invalid and Substitute Codes and condensed listed categories.
- 26. Appendix G, changed title to Codes for Special Purposes (U00-U99) and added information regarding SARS.
- 27. Appendix H, Additional Drug Examples, added new examples and corrected code for #8.
- 28. Added Index.

SECTION I Introduction

Other manuals relating to coding causes of death are:

Part 2a, NCHS Instructions for Classifying the Underlying Cause of Death, 2005

Part 2c, ICD-10 ACME Decision Tables for Classifying the Underlying Causes of Death, 2005

6

SECTION I Introduction

THIS PAGE INTENTIONALLY LEFT BLANK

B. MEDICAL CERTIFICATION

The U. S. Standard Certificate of Death provides spaces for the certifying physician, coroner, or medical examiner to record pertinent information concerning the diseases, morbid conditions, and injuries which either resulted in or contributed to death as well as the circumstances of the accident or violence which produced any such injuries. The medical certification portion of the death certificate includes items 32-44. It is designed to obtain the opinion of the certifier as to the relationship and relative significance of the causes, which he reports.

A cause of death is the morbid condition or disease process, abnormality, injury, or poisoning leading directly or indirectly to death. The underlying cause of death is the disease or injury, which initiated the train of morbid events leading directly or indirectly to death or the circumstances of the accident or violence, which produced the fatal injury. A death often results from the combined effect of two or more conditions. These conditions may be completely unrelated, arising independently of each other or they may be causally related to each other; that is, one cause may lead to another which in turn leads to a third cause, etc.

The order in which the certifier is requested to arrange the causes of death upon the certification form facilitates the selection of the **underlying cause** when two or more causes are reported. He is requested to report in Part I on line (a) the immediate cause of death and the antecedent conditions on lines (b), (c), and (d) which gave rise to the cause reported on I(a), **the underlying cause** being <u>stated</u> lowest in the sequence of events. However, no entry is necessary on I(b), I(c), or I(d) if the immediate cause of death, stated on I(a) describes completely the sequence of events. If the decedent had more than four causally related conditions relating to death, the certifier is requested to add lines (e), (f), etc., so all conditions related to the immediate cause of death are entered in Part I with only one condition to a line.

Any other significant condition which unfavorably influenced the course of the morbid process and thus contributed to the fatal outcome but not resulting in the underlying cause given in Part I is entered in Part II.

SECTION I

Medical Certification

EXCERPT FROM U.S. STANDARD DEATH CERTIFICATE (Rev.11/2003)

LO												E FILE NO			
	1. DECEDENT'S LEGA	L NAME (Inc	clude AKA's i	if any) (First, M	iddle, Last)			2. SEX		3. SOCIAL					
	4a. AGE-Last Birthday	I4h UNDER	R 1 VEAR	4c. UNDER	1 DAY	5 DATE	OF BIRTH (MK	/Day(Yn l6	RIRTH	IPLACE (City	and State	or Foreign	Countr	<u> </u>	
	(Years)	Months	Days		linutes	J. DAIL	OF BILLING	Day/11/10.	DINTH	IF LACE (City)	and State	or Foreign	Country	"	
	7a. RESIDENCE-STAT	E		7b. COUNTY		L		7c. CITY (OR TOW	VN	-				
	7d. STREET AND NUM	IBER			7e. APT.	NO.	7f. ZIP CODE				7g. I	NSIDE CIT	Y LIMIT	S? DY	es 🗆 No
	8. EVER IN US ARMED	FORCES?		AL STATUS AT			idowed	10. SURV	IVING S	POUSE'S NA	ME (If w	te, give nar	me prior	to first ma	rriage)
			☐ Divorce	d Never Ma											
B X	11. FATHER'S NAME (First, Middle, Last) 12. MOTHER'S NAME PRIOR TO FIRST MARRIAGE (First, Middle, Last)														
To Be Completed/ Verified FUNERAL DIRECTOR	13a. INFORMANT'S NA	AME	13b. RE	ELATIONSHIP	TO DECE	DENT		13c. MA	AILING /	ADDRESS (St	reet and	Number, Ci	tv. State	. Zip Code	9)
d Ve													,,		•
Plete				14. PLACE		A PROPERTY OF THE PARTY OF THE	only one; see	The state of the s							
EBAI	IF DEATH OCCURRE ☐ Inpatient ☐ Emerge			Dead on Arriva			OCCURRED Stacility - Nurs						e □ Ot	her (Speci	fy):
E B	15. FACILITY NAME (If	not institution	n, give street	& number)			OWN, STATE,								Y OF DEATH
F	18. METHOD OF DISPO	OSITION: E	☐ Burial ☐ (Cremation	10 PI	ACE OF D	ISPOSITION (I	Jame of ce	meten	cremeton, of	nor place				
	☐ Donation ☐ Ento☐ Other (Specify):				10. 10	102 01 0	ioi con noi (i	valle of ce	miletery,	crematory, or	iei piace				
	20. LOCATION-CITY, 1	TOWN, AND	STATE		21. NAME	AND CO	MPLETE ADDI	RESS OF F	UNERA	L FACILITY				7	
							· · ·								
	22. SIGNATURE OF FU	JNERAL SER	VICE LICEN	ISEE OR OTHE	ER AGENT								23. LIC	CENSEINU	JMBER (Of Licens
-	ITEMS 24-28 MUS	T BE CO	MPI ETE	D BY PERS	SON	24. D	ATE PRONOU	NCED DEA	AD (Mo/I	Day/Yr)				125. TIM	ME PRONOUNCE
	WHO PRONOUNC														
	26. SIGNATURE OF PE	RSON PRON	NOUNCING I	DEATH (Only v	when applic	able)		27. LICEN	SE NUN	MBER			28. (DATE SIGN	NED (Mo/Day/Yr)
	 ACTUAL OR PRESU (Mo/Day/Yr) (Spell I 		OF DEATH		30.	ACTUAL C	OR PRESUME	TIME OF	DEATH		31	. WAS ME			R OR
	(Morbayi II) (Spell I	workin)													
	CAUSE OF DEATH (See instructions and examples) 32. PART I. Enter the chain of events—diseases, injuries, or complications—that directly caused the death. DO NOT enter terminal events such as cardiac interval:											CORONE	ER CON	TACTED?	□ Yes □ No
	32. PART I. Enter the	chain of ever	CAUS	E OF DEA	TH (See	instruc	ctions and	example	es)	enter terminal	events si			TACTED?	Approximate
	arrest, respiratory	chain of ever arrest, or ven	ntsdiseases	s, injuries, or co	omplication	s-that dire	ectly caused the	death. De	O NOT	enter terminal ly one cause o	events su	ich as card	iac	TACTED?	Approximate
	arrest, respiratory lines if necessary.	arrest, or ven	ntsdiseases	s, injuries, or co	omplication	s-that dire	ectly caused the	death. De	O NOT	enter terminal ly one cause o	events su	ich as card	iac	TACTED?	Approximate interval:
	arrest, respiratory lines if necessary. IMMEDIATE CAUSE (f disease or condition —	arrest, or ven Final	ntsdiseases	s, injuries, or co ation without sh	omplication nowing the	sthat dire	ectly caused the	death. De	O NOT	enter terminal ly one cause o	events su on a line.	ich as card	iac	TACTED?	Approximate interval:
	arrest, respiratory lines if necessary. IMMEDIATE CAUSE (F disease or condition — resulting in death)	arrest, or ven	ntsdiseases	s, injuries, or co ation without sh	omplication nowing the	sthat dire	ectly caused the	death. De	O NOT	enter terminal ly one cause o	events su on a line.	ich as card	iac	TACTED?	Approximate interval:
	arrest, respiratory lines if necessary. IMMEDIATE CAUSE (f disease or condition — resulting in death) Sequentially list conditi if any, leading to the ci	Final a ons, b ause	ntsdiseases	s, injuries, or co ation without sh	Due to (or	s-that dire etiology.	ectly caused the	death. De	O NOT	enter terminal ly one cause o	events su on a line.	ich as card	iac	TACTED?	Approximate interval:
	arrest, respiratory lines if necessary. IMMEDIATE CAUSE (f disease or condition — resulting in death) Sequentially list condition if any, leading to the cultisted on line a. Enter t UNDERLYING CAUSE	Final a ions, b ause	ntsdiseases	s, injuries, or co ation without sh	Due to (or	sthat dire etiology. I as a cons as a cons	ectly caused the DO NOT ABBR	death. De	O NOT	enter terminal ly one cause o	events sun a line.	ich as card	iac	TACTED?	Approximate interval:
	arrest, respiratory lines if necessary. IMMEDIATE CAUSE (f disease or condition – resulting in death) Sequentially list condition if any, leading to the cillsted on line a. Enter the sequence of the seque	Final a ions, b ause ihe c	ntsdiseases	s, injuries, or co ation without sh	Due to (or	sthat dire etiology. I as a cons as a cons	ectly caused the DO NOT ABBR	death. De	O NOT	enter terminal ly one cause o	events sun a line.	ich as card	iac	TACTED?	Approximate interval:
	arrest, respiratory lines if necessary. IMMEDIATE CAUSE (f disease or condition resulting in death) Sequentially list condition if any, leading to the cillsted on line a. Entert UNDERLYING CAUSE (disease or injury that	Final a ions, b ause ihe c	ntsdiseases	s, injuries, or co ation without sh	Due to (or	sthat dire etiology. I as a cons as a cons	ectly caused the DO NOT ABBR	death. De	O NOT	enter terminal ly one cause o	events sun a line.	ich as card	iac	TACTED?	Approximate interval:
	arrest, respiratory lines if necessary. IMMEDIATE CAUSE (f disease or condition – resulting in death) Sequentially list conditi if any, leading to the cilisted on line a. Enter t UNDERLYING CAUSE (disease or injury that initiated the events resu	Final a ons, b ause the c utting d	ntsdiseaset tricular fibrilli	s, injuries, or oc	Due to (or	as a cons as a cons	ectly caused the DO NOT ABBR equence of): equence of): equence of):	e death. Do	O ŃOT (Enter on	ly one cause o	on a line.	ich as cardi	iac onal	DPSY PER	Approximate interval:
	arrest, respiratory lines if necessary. IMMEDIATE CAUSE (f disease or condition resulting in death) Sequentially list condition if any, leading to the cilisted on line a. Entert UNDERLYING CAUSE (disease or injury that initiated the events rest in death) LAST	Final a ons, b ause the c utting d	ntsdiseaset tricular fibrilli	s, injuries, or oc	Due to (or	as a cons as a cons	ectly caused the DO NOT ABBR equence of): equence of): equence of):	e death. Do	O ŃOT (Enter on	ly one cause o	on a line.	ich as card Add addition	IN AUTO	DPSY PER s	Approximate interval: Onset to de:
by: IER	arrest, respiratory lines if necessary. IMMEDIATE CAUSE (f disease or condition resulting in death) Sequentially list condition if any, leading to the cillisted on line a. Enter t UNDERLYING CAUSE (disease or injury that initiated the events resi in death) LAST PART II. Enter other significant in the condition of the conditi	arrest, or ven Final a ions, b ause ithe c ulting d nificant condit	nts-diseases tricular fibrilli tions contribu	s, injuries, or co ation without sh uting to death b	Due to (or Due to (or Due to (or	sthat dire etiology. I as a cons as a cons as a cons	ectly caused the DO NOT ABBR equence of): equence of): equence of):	e death. Do	O ŃOT (Enter on	ly one cause o	on a line.	ich as card Add addition 33. WAS A 34. WERE	IN AUTO	DPSY PER s	Approximate interval: Onset to de:
ereu by: RTIFIER	arrest, respiratory lines if necessary. IMMEDIATE CAUSE (f disease or condition resulting in death) Sequentially list condition if any, leading to the cilisted on line a. Enter t UNDERLYING CAUSE (disease or injury that initiated the events rest in death) LAST PART II. Enter other sign	arrest, or ven Final a ions, b ause ithe c ulting d nificant condit	nts-diseases tricular fibrilli tions contribu	s, injuries, or co ation without sh	Due to (or Due to (or Due to (or	sthat dire etiology. I as a cons as a cons as a cons	ectly caused the DO NOT ABBR equence of): equence of): equence of):	e death. Do	O ŃOT (Enter on	ly one cause o	on a line.	as card Add addition Add addition Add addition Add addition Add at the Add at	IN AUTO	DPSY PER s	Approximate interval: Onset to de:
onpress by: L CERTIFIER	arrest, respiratory lines if necessary. IMMEDIATE CAUSE (f disease or condition resulting in death) Sequentially list condition if any, leading to the cillisted on line a. Enter t UNDERLYING CAUSE (disease or injury that initiated the events resi in death) LAST PART II. Enter other significant in the condition of the conditi	arrest, or ven Final a a a a a b ause the c ulting d f f f d f	nts-diseases tricular fibrillitions contribu	s, injuries, or co ation without sh uting to death b	Due to (or within past	sthat dire eticlogy. I as a cons as a cons as a cons as a cons	ectly caused the DO NOT ABBR equence of): equence of): equence of):	e death. Do	O ŃOT (Enter on	I) one cause of	on a line.	ich as card Add addition 33. WAS A 34. WERE COMPLETE TH	IN AUTO	DPSY PER s	Approximate interval: Onset to de:
	arrest, respiratory lines if necessary. IMMEDIATE CAUSE (f disease or condition resulting in death) Sequentially list condition if any, leading to the cilisted on line a. Enter t UNDERLYING CAUSE (disease or injury that initiated the events rest in death) LAST PART II. Enter other sign 35. DID TOBACCO US TO DEATH?	arrest, or ven	nts-diseases tricular fibrilli	uting to death b	Due to (or Due to (or Due to (or Due to (or within past me of death	as a cons	actly caused the DO NOT ABBR equence of): equence of): sequence of): a underlying cause of the c	e death, De EVIATE. E	O ŃOT (Enter on	I) one cause of	R OF DEA	as card Add addition Add addition Add addition Add addition Add as A WERE COMPLETS THE THE THE ADDITION ADDITIO	iac in Autro Vec Autop	DPSY PER 8 U No SY FINDIN AUSE OF	Approximate interval: Onset to de:
	arrest, respiratory lines if necessary. IMMEDIATE CAUSE (f disease or condition resulting in death) Sequentially list condition if any, leading to the clisted on line a. Enter t UNDERLYING CAUSE (disease or injury that initiated the events rest in death) LAST PART II. Enter other sign to DEATH? Yes Probabl	arrest, or ven	tions contribu	uting to death b F FEMALE: Not pregnant at till	Due to (or Due to (or Due to (or Due to (or within past me of deatt but pregna	as a cons as a cons as a cons as a cons thing in the	equence of): equence of): equence of): equence of): equence of): equence of):	e death, Die EVIATE. E	O ŃOT (Enter on	I) one cause of	R OF DEA	ich as card Add addition 33. WAS A 34. WERE COMPLETE TH	iac in Autro Vec Autop	DPSY PER 8 U No SY FINDIN AUSE OF	Approximate interval: Onset to de:
MEDIC	arrest, respiratory lines if necessary. IMMEDIATE CAUSE (f disease or condition resulting in death) Sequentially list condition if any, leading to the cilisted on line a. Enter t UNDERLYING CAUSE (disease or injury that initiated the events rest in death) LAST PART II. Enter other sign to DEATH? Yes D Probabl	arrest, or ven	nts-diseases tricular fibrilli	uting to death b F FEMALE: Not pregnant at til Pregnant at til Not pregnant, Not pregnant, Not pregnant, Not pregnant, Not pregnant,	Due to (or within past me of death but pregna but pregna but pregnant within past	as a cons as a cons as a cons as a cons diting in the year h ant within 4 ant 43 day	equence of): equen	e death. Do	O NOT on	I 37. MANNEF □ Natural □ Acciden	R OF DEA	33. WAS A 34. WERE COMPLETE THE	N AUTC Ved AUTOP	DPSY PER s □ No s □ No	Approximate interval: Onset to de: Onset to
MEDIC	arrest, respiratory lines if necessary. IMMEDIATE CAUSE (f disease or condition resulting in death) Sequentially list condition if any, leading to the clisted on line a. Enter t UNDERLYING CAUSE (disease or injury that initiated the events rest in death) LAST PART II. Enter other sign to DEATH? Yes Probabl	arrest, or ven	nts-diseases tricular fibrilli	uting to death b F FEMALE: Not pregnant at til Pregnant at til Not pregnant, Not pregnant, Not pregnant, Not pregnant, Not pregnant,	Due to (or within past me of death but pregna but pregna but pregnant within past	as a cons as a cons as a cons as a cons diting in the year h ant within 4 ant 43 day	equence of): equence of): equence of): equence of): e underlying car 42 days of deat s to 1 year before	e death. Do	O NOT on	I 37. MANNEF □ Natural □ Acciden	R OF DEA	33. WAS A 34. WERE COMPLETE THE	N AUTC Ved AUTOP	DPSY PER s □ No s □ No	Approximate interval: Onset to de: Onset to
MEDIC	arrest, respiratory lines if necessary. IMMEDIATE CAUSE (f disease or condition resulting in death) Sequentially list condition if any, leading to the cilisted on line a. Enter t UNDERLYING CAUSE (disease or injury that initiated the events result in death) LAST PART II. Enter other sign of DEATH? Yes D Probable No DUnknow 38. DATE OF INJURY	arrest, or ven	nts-diseases tricular fibrilli	uting to death b F FEMALE: Not pregnant at til Pregnant at til Not pregnant, Not pregnant, Not pregnant, Not pregnant, Not pregnant,	Due to (or within past me of death but pregna but pregna but pregnant within past	as a cons as a cons as a cons as a cons diting in the year h ant within 4 ant 43 day	equence of): equen	e death. Do	O NOT on	I 37. MANNEF □ Natural □ Acciden	R OF DEA	33. WAS A 34. WERE COMPLETE THE	N AUTC Ved AUTOP	DPSY PER s □ No s □ No	Approximate interval: Onset to de: Onset to
MEDIC	arrest, respiratory lines if necessary. IMMEDIATE CAUSE (f disease or condition resulting in death) Sequentially list condition if any, leading to the cilisted on line a. Enter t UNDERLYING CAUSE (disease or injury that initiated the events result in death) LAST PART II. Enter other sign of DEATH? Yes D Probable No DUnknow 38. DATE OF INJURY	arrest, or ven	nts-diseases tricular fibrilli	uting to death b F FEMALE: Not pregnant at til Pregnant at til Not pregnant, Not pregnant, Not pregnant, Not pregnant, Not pregnant,	Due to (or within past me of death but pregna but pregna but pregnant within past	as a cons as a cons as a cons as a cons diting in the year h ant within 4 ant 43 day	equence of): equence of): equence of): equence of): e underlying car 42 days of deat s to 1 year beforest year f (e.g., Deceder	e death. Do	O NOT on	I 37. MANNEF □ Natural □ Acciden	R OF DEA	33. WAS A 34. WERE COMPLETE THE	N AUTC Ved AUTOP	DPSY PER s □ No s □ No	Approximate interval: Onset to de: Onset to
MEDIC	arrest, respiratory lines if necessary. IMMEDIATE CAUSE (f disease or condition resulting in death) Sequentially list condition if any, leading to the cilisted on line a. Enter t UNDERLYING CAUSE (disease or injury that initiated the events rest in death) LAST PART II. Enter other sign or DEATH? Yes D Probabl No DUnknow 38. DATE OF INJURY (Mo/Day/Yr) (Spell Mo	arrest, or ven Final a a a a a b ause the E c d d mifficant condit ECONTRIBU If y Ven Jay. Till Jay. Till Jay. State:	nts-diseases tricular fibrill itions contribu	uting to death b F FEMALE: Not pregnant at til Pregnant at til Not pregnant, Not pregnant, Not pregnant, Not pregnant, Not pregnant,	Due to (or within past me of death but pregna but pregna but pregnant within past	as a cons	equence of): equence of): equence of): equence of): e underlying car 42 days of deat s to 1 year beforest year f (e.g., Deceder	e death. Do	O NOT on	I 37. MANNEF □ Natural □ Acciden □ Suicide	R OF DEA	33. WAS A 34. WERE COMPLETE TH nicide ading invest	IN AUTO	DPSY PER S I No	Approximate interval: Onset to des Onset to
MEDIC	arrest, respiratory lines if necessary. IMMEDIATE CAUSE (f disease or condition resulting in death) Sequentially list condition if any, leading to the clisted on line a. Enter t UNDERLYING CAUSE (disease or injury that initiated the events rest in death) LAST PART II. Enter other sign of DEATH? Yes Probable No Unknow 38. DATE OF INJURY (Mo/Day/Yr) (Spell Mo 42. LOCATION OF INJURY	arrest, or ven Final a a a a a b ause the E c d d mifficant condit ECONTRIBU If y Ven Jay. Till Jay. Till Jay. State:	nts-diseases tricular fibrill itions contribu	uting to death b F FEMALE: Not pregnant at til Pregnant at til Not pregnant, Not pregnant, Not pregnant, Not pregnant, Not pregnant,	Due to (or within past me of death but pregna but pregna but pregnant within past	as a cons	equence of): equence of): equence of): equence of): e underlying car 42 days of deat s to 1 year beforest year f (e.g., Deceder	e death. Do	O NOT T	I 37. MANNEF □ Natural □ Acciden □ Suicide	R OF DEA	33. WAS A 34. WERE COMPLETE TH nicide sold not be d	IN AUTC I Yes AUTOP E THE C Code: ANSPOI	DPSY PER S I No SY FINDIN AUSE OF	Approximate interval: Onset to de: Onset to
MEDI	arrest, respiratory lines if necessary. IMMEDIATE CAUSE (f disease or condition resulting in death) Sequentially list condition if any, leading to the cilisted on line a. Enter t UNDERLYING CAUSE (disease or injury that initiated the events rest in death) LAST PART II. Enter other sign of the cilisted the sevents rest in death) LAST PART II. Enter other sign of the cilisted the events rest in death) LAST ODEATH? Yes □ Probabl No □ Unknow 38. DATE OF INJURY (Mo/Day/Yr) (Spell Mc) 42. LOCATION OF INJURY Street & Number:	arrest, or ven Final a a a a a b ause the E c d d mifficant condit ECONTRIBU If y Ven Jay. Till Jay. Till Jay. State:	nts-diseases tricular fibrill itions contribu	uting to death b F FEMALE: Not pregnant at til Pregnant at til Not pregnant, Not pregnant, Not pregnant, Not pregnant, Not pregnant,	Due to (or within past me of death but pregna but pregna but pregnant within past	as a cons	equence of): equence of): equence of): equence of): e underlying car 42 days of deat s to 1 year beforest year f (e.g., Deceder	e death. Do	O NOT T	I 37. MANNEF □ Natural □ Acciden □ Suicide	R OF DEA	33. WAS A 34. WERE COMPLETI TH nicide adding invest	IN AUTO U Yes AUTOP ETHE C Code: ANSPO! Operator	DPSY PER S I No SY FINDIN AUSE OF	Approximate interval: Onset to des Onset to

	CAL FILE NO. 1. DECEDENT'S LEGAL NAME (Include AR	(A's il any) (First, Middle, Last)	2. SEX 3. SOCIAL SECURI	TY NUMBER				
	4a. AGE-Lest Birthday 4b. UNDER 1 YEA		DayYr) 6. BIRTHPLACE (City and State	e or Foreign Country)	1.55			
	7e. RESIDENCE STATE	Hours Minutes 7b. COUNTY	76. CITY OR TOWN					
	74. HESIDENCE STATE		ra, CITT ON TOWN					
1000	7d. STREET AND NUMBER	7e. APT. NO. 77. ZIP CODE		INSIDE CITY LIMITS? Ves				
	□ Yes □ No □ Mt	arried Married, but separated Widowed	ID. SURVIVING SPOUSE'S NAME (IF	sife, give name prior to first marri	ege)			
.:	11. FATHER'S NAME (First, Middle, Last)	rorced D Never Married D Unknown	12. MOTHER'S NAME PRIOR TO FI	RST MARRIAGE (First, Middle, I	nsi)			
To Be Completed Verified By: FUNERAL DIRECTOR	13a, INFORMANT'S NAME 1136	RELATIONSHIP TO DECEDENT	Las. Han we appropried to the	00 Oct 75 Oct 1				
d'Veri	136. INFORMANT'S NAME 136	S. RELATIONSHIP TO DECEDENT	13c, MAILING ADDRESS (Street and	Number, City, State, 2th Coop				
AL DIF	IF DEATH OCCURRED IN A HOSPITAL:	14. PLACE OF DEATH (Check only one; see	OMEWHERE OTHER THAN A HOSPIT.	AL:				
S S S	☐ Inpetient ☐ Emergency Rcom/Outpatien 15. FACILITY NAME (If not institution, give s	t O Dead on Arrival O Hospice facility O Nurs treel & number) 16. CITY OR TOWN, STATE,	ing home/Long term care facility Dec AND ZIP CODE	edent's home Other (Specify 17. COUNTY): OF DEATH			
2"	18. METHOD OF DISPOSITION: Disposition:		Name of cemetery, cremotory, other plac	<u> </u>				
	□ Donation □ Enterroment □ Removal	from State	vame or cemetery, crematory, other prac	•)				
	Other (Specify): 20. LOCATION-CITY, TOWN, AND STATE	21. NAME AND COMPLETE ADDI	RESS OF FUNERAL FACILITY					
	22. SIGNATURE OF FUNERAL SERVICE L	ICENSEE OR OTHER AGENT		23. LICENSE NUI	MBER (Of Licensee)			
	ITEMS 24-28 MUST BE COMPLE	TED BY PERSON 24, DATE PRONOU	NCED DEAD (Mo/Day/Vr)		PRONOUNCED D			
	WHO PRONOUNCES OR CERTI	FIES DEATH						
	26. SIGNATURE OF PERSON PRONOUNC	JING UEALH (Uniy when applicable)	27. LICENSE NUMBER	28. DATE SIGN	CO (MOIDS)/YI)			
	29. ACTUAL OR PRESUMED DATE OF DE (Mo/Day/Yr) (Spell Month)	ATH 30. ACTUAL OR PRESUME	D TIME OF DEATH	31. WAS MEDICAL EXAMINER CONTACTED?				
	C)	AUSE OF DEATH (See Instructions and	examples)		Approximate			
	 PART I. Enter the chain of eyents—cis arrest, respiratory arrest, or ventricular lines if necessary. 	eases, injuries, or complications—that directly caused the libritation without showing the etiology. DO NOT ABBI	s death. DO NOT enter terminal events IEVIATE. Enter only one cause on a line	such as cardiac a. Add edditional	interval: Onset to death			
	IMMEDIATE CAUSE (Final							
	disease or condition	Due to (or as a consequence of):			.			
	See pertially list confidence b							
	If any, leading to the cause Oue to (or as a consequence of); Islad on line a. Enter the UNDERLINE CAUSE c.							
	(disease or injury that Due to (or as a consequence of): injuried the events resulting							
	PART II. Enter other significant conditions contributing to death but not resulting in the underlying cause given in PART I. [33, WAS AN AUTOPSY PERFORMED?]							
	in death) LAST d	ontdbuiling to death but not resulting in the underlying of	use given in PART I	[33, WAS AN AUTOPSY PERI	ORMED?			
	in death) LAST d	ontifibuling to death but not resulting in the underlying of	use given in PART I	34. WERE AUTOPSY FINDIN	GS AVAILABLE TO			
By: TER	PART II. Enter other significant conditions of	36. IF FEMALE:	use given in PART I 37. MANNER OF DI	34. WERE AUTOPSY FINDIN COMPLETE THE CAUSE OF	GS AVAILABLE TO			
pleted By: SERTIFIER	PART II. Enter other significant concluses of the part	36. IF FEMALE: D Not pregnant within past year	37. MANNER OF D	34. WERE AUTOPSY FINDIN COMPLETE THE CAUSE OF	GS AVAILABLE TO			
CAL CERTIFIÉR	in death) LAST d	36. IF FEMALE: D Not pregnant within past year D Pregnant at time of death	37. MANNER OF DI Natural D H D Accident D F	34. WERE AUTOPSY FINDING COMPLETE THE CAUSE OF I SATH Comflete rending investigation	GS AVAILABLE TO			
To Be Completed By: MEDICAL CERTIFIER	PART II. Enter other significant concluses of the part	36. IF FEMALE: D Not pregnant within past year	37. MANNER OF DI Di Natural Di H Accident Di P Sulcide Di C	DYSS DNO 34. WERE AUTOPSY FINDIN COMPLETE THE CAUSE OF I EATH Iomicide	GS AVAILABLE TO			
To Be Completed By: MEDICAL CERTIFIER	in death) LAST d	36. IF FEMALE: D Not pregnant within past year D Pregnant at time of death D Not pregnant, but pregnant within 42 days of death D Not pregnant, but pregnant 43 days to 1 year bet	37. MANNER OF DI Netural D H Accident D P Suicide D C	DYSS DNo 34. WERE ALTOPSY FNDIN COMPLETE THE CAUSE OF I EATH controlled ending investigation could not be determined	GSAVAILABLETO DEATH? DYes D			
To Be Completed By: MEDICAL CERTIFIER	in death) LAST d	36. IF FEMALE: □ Not pregnant within past year □ Pregnant at time of death □ Not pregnant, but pregnant within 42 days of death □ Not pregnant, but pregnant 43 days to 1 year bet □ Universe if pregnant within the past year	37. MANNER OF DI Netural D H Accident D P Suicide D C	DYSS DNo 34. WERE ALTOPSY FNDIN COMPLETE THE CAUSE OF I EATH controlled ending investigation could not be determined	GS AVAILABLE TO			
To Be Completed By: MEDICAL CERTIFIER	in death) LAST d	36. IF FEMALE: D Not pregnant within past year D Pregnant at time of death D Not pregnant, but pregnant within 42 days of death D Not pregnant, but pregnant 43 days to 1 year bet	37. MANNER OF DI Netural D H Accident D P Suicide D C	DYSS DNo 34. WERE ALTOPSY FNDIN COMPLETE THE CAUSE OF I EATH controlled ending investigation could not be determined	GS AVAILABLE TO DEATH? D Yes D			
To Be Completed By: MEDICAL CERTIFIER	in death) LAST d	36. IF FEMALE: D Not pregnant within past year D Pregnant at time of death D Not pregnant, but pregnant within 42 days of death D Not pregnant, but pregnant did days to 1 year bet D Unknown if pregnant within the past year INJURY 40. PLACE OF INJURY (e.g., Decode	37. MANNER OF DI Netural D H Accident D P Suicide D C	34. WERE ALTOPEY FINDING COMPLETE THE CAUSE OF I formicide rending investigation could not be determined wooded area) 41. P	GS AVAILABLE TO DEATH? D Yes D Yes D NAURY AT WORK?			
To Be Completed By: MEDICAL CETTIFIER	in death) LAST d. PART II. Enter of the death conditions of the c	36. IF FEMALE: D Not pregnant within past year D Pregnant at time of death D Not pregnant, but pregnant within 42 days of death D Not pregnant, but pregnant did days to 1 year bet D Unknown if pregnant within the past year INJURY 40. PLACE OF INJURY (e.g., Decode	37. MANNER OF DI Netural D H Accident D P Suicide D C ore death	34. WERE ALTOPEY FINDING OVELETE THE CAUSE OF I conclide ending trivestigation could not be determined wooded erea) 41. E	GS AVAILABLE TO DEATH? D Yes D Yes D NAURY AT WORK?			
To Be Completed By: MEDICAL CERTIFIER	in death) LAST d	36. IF FEMALE: D Not pregnant within past year D Pregnant at time of death D Not pregnant, but pregnant within 42 days of death D Not pregnant, but pregnant did days to 1 year bet D Unknown if pregnant within the past year INJURY 40. PLACE OF INJURY (e.g., Decode	37. MANNER OF DI Netural D H Accident D P Suicide D C ore death	34. WERE ALTOPEY FINDIN COMPLETE THE CAUSE OF I ATH control of the	GS AVAILABLE TO DEATH? D Yes D Yes D NAURY AT WORK?			
	in death) LAST d. PART R. Enter ether significant conditions of the conditions of t	38. IF FEMALE: In Not pregnant within past year In Pregnant at time of death In Not pregnant, but pregnant within 42 days of death In Not pregnant, but pregnant 43 days to 1 year better the past year In Unknown II pregnant within the past year INJURY 40. PLACE OF INJURY (e.g., Decode City or Town:	and stated	34. WERE ALTOPEY FINDING COMPLETE THE CAUSE OF I formicide ending three significant could not be determined wooded area) 41. If Zip Code: 44. F TRANSPORTATION I U DriverOperator D Plussenger D Plussenger D Poscelarian C Citing (Specify)	GS AVAILABLE TO DEATH? D Yes D Yes D NAURY AT WORK? D Yes D No			
	in death) LAST AT II. Enter other significant conditions of 35. DID TOBACCO USE CONTRIBUTE TO DEATH? U Yes D Probably UNCOWN 36. DATE OF INJURY (MO/Dayry) (Spel Month) 42. LOCATION OF INJURY: State: Street & Number: 43. DESCRIBE HOW INJURY OCCURRED 45. CERTIFIER (Check only one): U Contlying physician- to the best of my C Pronounching & Certifying physician in the post of my C Pronounching & Certifying physician in the best of my C Pronounching & Certifying physician in the best of my C Pronounching & Certifying physician in the best of my C Pronounching & Certifying physician in the best of my C Pronounching & Certifying physician in the best of my C Pronounching & Certifying physician in the best of my C Pronounching & Certifying physician in the best of my C Pronounching & Certifying physician in the best of my C Pronounching & Certifying physician in the certification of the certification o	36. IF FEMALE: D Not prepnant within past year D Pregnant at time of death D Not pregnant but pregnant within 42 days of doe D Not pregnant, but pregnant 43 days to 1 year her D Unknown if pregnant within the past year NULTY 40. PLACE OF INJURY (e.g., Decedit NULTY) ORY or Town:	37. MANNER OF DI Netural D H Accident D P Suicide D C Suicide D C Apartment No.: Apartment No.:	34. WERE ALTOPEY FINDING OWNEETE THE CAUSE OF I conclide ending treestgeton could not be determined wooded energy 41. F 10 Posses 10 Posses 10 Posses 10 Posses 10 Citier (Specify) and manner stated.	GS AVAILABLE TO DEATH?			
	in death) LAST AT II. Enter other significant conditions of 35. DID TOBACCO USE CONTRIBUTE TO DEATH? U Yes D Probably UNCOWN 36. DATE OF INJURY (MO/Dayry) (Spel Month) 42. LOCATION OF INJURY: State: Street & Number: 43. DESCRIBE HOW INJURY OCCURRED 45. CERTIFIER (Check only one): U Contlying physician- to the best of my C Pronounching & Certifying physician in the post of my C Pronounching & Certifying physician in the best of my C Pronounching & Certifying physician in the best of my C Pronounching & Certifying physician in the best of my C Pronounching & Certifying physician in the best of my C Pronounching & Certifying physician in the best of my C Pronounching & Certifying physician in the best of my C Pronounching & Certifying physician in the best of my C Pronounching & Certifying physician in the best of my C Pronounching & Certifying physician in the certification of the certification o	36. IF FEMALE: D Not pregnant within past year D Pregnant at fire of death D Not pregnant, but pregnant within 42 days of doe I Not pregnant, but pregnant 43 days to 1 year het D Unknown if pregnant within the past year INURY 40. PLACE OF INJURY (e.g., Decede City or Town:	37. MANNER OF DI Netural D H Accident D P Suicide D C Suicide D C Apartment No.: Apartment No.:	34. WERE ALTOPEY FINDING OWNEETE THE CAUSE OF I conclide ending treestgeton could not be determined wooded energy 41. F 10 Posses 10 Posses 10 Posses 10 Posses 10 Citier (Specify) and manner stated.	GS AVAILABLE TO DEATH?			
	in death) LAST d. PART R. Enter elever deathcant conditions of 35. DID TOBACCO USE CONTRIBUTE TO DEATH? U Yes D Probably UNKNOWN 38. DATE OF INJURY (MO/Day/Yr) (Speit Month) 42. LOCATION OF INJURY: State: Street & Number: 43. DESCRIBE HOW INJURY OCCURRED 45. CERTIFIER (Chack only one): U Cartilying physician-To the best of my D Pronouncing & Cartilying physician-To U Medical Examinancement-Order-On the bast Signature of certifier.	36. IF FEMALE: D Not pregnant within past year D Pregnant at fire of death D Not pregnant, but pregnant within 42 days of doe I Not pregnant, but pregnant 43 days to 1 year het D Unknown if pregnant within the past year INURY 40. PLACE OF INJURY (e.g., Decede City or Town:	37. MANNER OF DI Netural D H Accident D P Suicide D C Suicide D C Apartment No.: Apartment No.:	34. WERE ALTOPEY FINDING OWNEETE THE CAUSE OF I conclide ending treestgeton could not be determined wooded eres) 41. F 25p. Code: 44. F TRANSPORTATION I D DiversOperator D Passes year C Cher (Specify) and manner stated.	GS AVAILABLE TO DEATH?			
	in death) LAST d. PART R. Enter elever deathcant conditions of 35. DID TOBACCO USE CONTRIBUTE TO DEATH? U Yes D Probably UNKNOWN 38. DATE OF INJURY (MO/Day/Yr) (Speit Month) 42. LOCATION OF INJURY: State: Street & Number: 43. DESCRIBE HOW INJURY OCCURRED 45. CERTIFIER (Chack only one): U Cartilying physician-To the best of my D Pronouncing & Cartilying physician-To U Medical Examinancement-Order-On the bast Signature of certifier.	36. IF FEMALE: D Not pregnant within past year D Pregnant at time of death D Not pregnant, but pregnant within 42 days of doe I Not pregnant, but pregnant 43 days to 1 year het D Unknown if pregnant within the past year INJURY 40. PLACE OF INJURY (e.g., Decede City or Town: City or Town:	ath occurred at the time, data, and place	34. WERE ALTOPEY FINDING OWNEETE THE CAUSE OF I conclide ending treestgeton could not be determined wooded eres) 41. F 25p. Code: 44. F TRANSPORTATION I D DiversOperator D Passes year C Cher (Specify) and manner stated.	GS AVAILABLE TO DEATH?			
	in death) LAST AT R. Enter of the Young Conditions of Con	36. IF FEMALE: D Not pregnant within past year D Pregnant at time of death D Not pregnant but pregnant within 42 days of doe D Not pregnant, but pregnant 43 days to 1 year het D Unknown if pregnant within the past year NUURY 40. PLACE OF INJURY (e.g., Decedit NURY 40. PLACE OF INJURY 40. PLACE OF INJURY	anner stated Aperiment No.: 37. MANNER OF DI Netural DH Accident DF Suicide DC Suicide DC Aperiment No.: Aperiment No.	34. WERE ALTOPEY FINDING COMPLETE THE CAUSE OF LATH CONTROL OF COMPLETE CONTROL OF CONT	GS AVAILABLE TO DEATH?			
	in death) LAST d. PART R. Enter eller significant conditions of the part of t	98. #FEMALE: Divid prepnant within past year Divid prepnant at time of death Divide prepnant but prognent within 42 days of doe If Not pregnant, but prognent 43 days to 1 year het Divideown if pregnant within the past year INJURY 40. PLACE OF INJURY (e.g., Decedit City or Town: City or Town: Innovedge, death occurred due to the cause(s) and man the best of my knowledge, death occurred at the time, its of examination, and/or investigation, in my ophino, di PERSON COMPLETING CAUSE OF DEATH (fem 32) NUMBER 49. DATE CERTIFIED (Mort Septieb-Price Children Consolided of Septieb-Price Children Children Septieb-Price Children Sep	th	34. WERE ALTOPEY FINDING COMPLETE THE CAUSE OF LATH CAUSE OF LATH CONTROL OF LATH CONTROL OF LATH CAUSE OF LATH CA	GS AVAILABLE TO DEATH?			
	in death) LAST AT R. Enter of the Young Conditions of Con	36. IF FEMALE: In Not pregnant at time of death Or Pregnant at time of death Or Not pregnant, but pregnant 48 days to 1 year het Outlander if pregnant within the past year INURY 40. PLAGE OF INJURY (e.g., Deceding the pregnant within the past year of the pregnant within the past year. City or Town: City or Town: Strowwedge, death occurred due to the cause(s) and main the best of my knowledge, death occurred at the time, is and examination, and/or investigation, in my opinion, dies of examination, and/or investigation, in my opinion, dies of examination, and/or investigation. PERSON COMPLETING CAUSE OF DEATH (item 32) NUMBER 49. DATE CERTIFIED (Mod. 182. DECEDENT OF HISPANIC CHIGHY Once	th	34. WERE ALTOPEY FINDING COMPLETE THE CAUSE OF LATH CAUSE OF LATH CONTROL OF LATH CONTROL OF LATH CAUSE OF LATH CA	GS AVAILABLE TO DEATH?			
	in death) LAST ACT II. Enter other significant conditions of 3S. DID TOBACCO USE CONTRIBUTE TO DEATH? U YES D Probably UNCOWN SR. DATE OF INJURY (MO/Dayry) (Spel Month) 42. LOCATION OF INJURY. State: Street & Number: 43. DESCRIBE HOW INJURY OCCURRED DESCRIBE HOW INJURY COURRED Contlying physician: to the best of my of pronouncing & Certifying physician of the best of my of pronouncing & Certifying physician of the best of my of pronouncing & Certifying physician of certifier. 46. NAME, ADDRESS, AND ZIP CODE OF 47. TITLE OF CERTIFIER 48. LICENSE 51. DECCENT'S FOUCATION Check the intal best describes the highest degree or low school completed at the firm of death. U Strip grade or less D 9th - 12th grade, no diploma	36. IF FEMALE: D Not pregnant within past year D Pregnant at time of death D Not pregnant, but pregnant within 42 days of dea D Not pregnant, but pregnant 43 days to 1 year her D Unknown if pregnant within the past year INJURY 40. PLACE OF INJURY (e.g., Decode City or Town: City or Town: City or Town: City or Town: PERSON COMPLETING CAUSE OF DEATH (Item 32) NUMBER 49. DATE CHITIFIED (Mod. DIX INJURIES OF DEATH (Item 32) NUMBER 49. DATE CHITIFIED (Mod. Sperish/HippanioLatino. Check the "No" be decoded in not Spenish/HippanioLatino. U No. not Spenish/HippanioLatino.	th	DYes DNo 34. WERE ALTOPEY FINDIN COMPLETE THE CAUSE OF I conclide ending investigation could not be determined wooded eree) 41. E Zip Code: 44. F TRANSPORTATION I D Physeryer I Pacestrian D Cther (Specify) and manner stated, b, and due to the cause(b) and manner stated.	GS AVAILABLE TO DEATH?			
y: OR	in death) LAST d. PART R. Enter of the blandfload conditions of the conditions of t	36. IF FEMALE: D Not pregnant within past year D Pregnant at time of death D Not pregnant, but pregnant within 42 days of dea D Not pregnant, but pregnant 43 days to 1 year her D Unknown if pregnant within the past year INJURY 40. PLACE OF INJURY (e.g., Decode City or Town: City or Town: City or Town: City or Town: PERSON COMPLETING CAUSE OF DEATH (Item 32) NUMBER 49. DATE CHITIFIED (Mod. DIX INJURIES OF DEATH (Item 32) NUMBER 49. DATE CHITIFIED (Mod. Sperish/HippanioLatino. Check the "No" be decoded in not Spenish/HippanioLatino. U No. not Spenish/HippanioLatino.	th	DVss DNo 34. WERE ALTOPSY FINDIN COMPLETE THE CAUSE OF I ATH conclide ending treestigation could not be determined wooded area) 41. E 25 Code: 44. ETRANSPORTATION I D Driver/Operator D Plesserger D Plesserger D Plesserger D Rocestra Code (Specify) FOR REGISTRAR ONLY- DAT SACE (Chack one or more races port himself or herself to be) American or Alaska NaEve or Oxide or principal iribo)	GS AVAILABLE TO DEATH?			
y: OR	in death) LAST ACT II. Enter other significant conditions of 3S. DID TOBACCO USE CONTRIBUTE TO DEATH? U YES D Probably UNCOWN SR. DATE OF INJURY (MO/Dayry) (Spel Month) 42. LOCATION OF INJURY. State: Street & Number: 43. DESCRIBE HOW INJURY OCCURRED DESCRIBE HOW INJURY COURRED Contlying physician: to the best of my of pronouncing & Certifying physician of the best of my of pronouncing & Certifying physician of the best of my of pronouncing & Certifying physician of certifier. 46. NAME, ADDRESS, AND ZIP CODE OF 47. TITLE OF CERTIFIER 48. LICENSE 51. DECCENT'S FOUCATION Check the intal best describes the highest degree or low school completed at the firm of death. U Strip grade or less D 9th - 12th grade, no diploma	36. IF FEMALE: D Not pregnant within past year D Pregnant at fire of death D Not pregnant but pregnant within 42 days of death D Not pregnant, but pregnant 43 days to 1 year her D Unknown if pregnant within the past year INJURY 40. PLACE OF INJURY (e.g., Decode City or Town: City or Town: City or Town: City or Town: PERSON COMPLETING CAUSE OF DEATH (Item 32) NUMBER 49. DATE CERTIFIED (Mod. Sperish/Highanio_Laino. Check the "No" be decoded is not Spenish/Highanio_Laino. D Yee, Maylcan, Merlean American, Chicano D Yee, Puerto Rican	th	DVss DNo 34. WERE ALTOPSY FINDIN COMPLETE THE CAUSE OF I ATH conclide ending treestigation could not be determined wooded area) 41. E 25 Code: 44. ETRANSPORTATION I D Driver/Operator D Plesserger D Plesserger D Plesserger D Rocestra Code (Specify) FOR REGISTRAR ONLY- DAT SACE (Chack one or more races port himself or herself to be) American or Alaska NaEve or Oxide or principal iribo)	GS AVAILABLE TO DEATH?			
y: OR	in death) LAST d. PART R. Enter elser significant conditions of 35. DID TOBACCO USE CONTRIBUTE TO DEATH? U Yes D Probably UNYSOWN 38. DATE OF INJURY (MO/Day/Yr) (Speil Month) 42. LOCATION OF INJURY: State: Street & Number: 43. DESCRIBE HOW INJURY OCCURRED 45. CERTIFIER (Check only one): D Cartifying physician to the best of my D Pronouncing & Cartifying physician To D Medical Examinancement on the bas Signature of contiler. 46. NAME, ADDRESS, AND ZIP CODE OF 47. TITLE OF CERTIFIER 46. LICENSE 51. DECEDENT'S EDUCATION Check the Intal bast describes the highest degree or low school completed at the firm of death. D 9th -12th grade: no diploma D High school grades no diploma D Associate degree (e.g., AA, AS) D Bachalor's degree (e.g., BA, AS) D Bachalor's degree (e.g., BA, AB, SS)	36. IF FEMALE: Direct progrant within past year Direct progrant within past year Direct progrant but progrant within 42 days of doe If Not progrant, but progrant 43 days to 1 year het Unknown if progrant within the past year INJURY 40. PLACE OF INJURY (a.g., Decide City or Town: City or Town: City or Town: NUMBER 49. DATE CERTIFIED (Mort Septish-Rispanied Latino, Check the "Not" to docaden is not Spanish'-Repeticulation. U No. not Spanish'-Repeticulation. U Yes, Mayceur, Merkean U Yes, Mayceur, Merkean U Yes, Mayceur, Merkean U Yes, Purito Piccan U Yes, Cuben	anner stated Acersment No.:	DVss DNo 34. WERE ALTOPSY FINDIN COMPLETE THE CAUSE OF I ATH conclide ending treestigation could not be determined wooded area) 41. E 25 Code: 44. ETRANSPORTATION I D Driver/Operator D Plesserger D Plesserger D Plesserger D Rocestra Code (Specify) FOR REGISTRAR ONLY- DAT SACE (Chack one or more races port himself or herself to be) American or Alaska NaEve or Oxide or principal iribo)	GS AVAILABLE TO DEATH?			
	in death) LAST d. PART R. Enter elser significant conditions of the conditions of t	36. IF FEMALE: D Not pregnant within past year D Pregnant at fire of death D Not pregnant but pregnant within 42 days of death D Not pregnant, but pregnant 43 days to 1 year her D Unknown if pregnant within the past year INJURY 40. PLACE OF INJURY (e.g., Decode City or Town: City or Town: City or Town: City or Town: PERSON COMPLETING CAUSE OF DEATH (Item 32) NUMBER 49. DATE CERTIFIED (Mod. Sperish/Highanio_Laino. Check the "No" be decoded is not Spenish/Highanio_Laino. D Yee, Maylcan, Merlean American, Chicano D Yee, Puerto Rican	th	34. WERE ALTOPEY FINDING OVERLETE THE CAUSE OF LATH CONTROL OF CAUSE OF CA	GS AVAILABLE TO DEATH?			
Be Completed By: NERAL DIRECTOR	in death) LAST d. PART R. Enter elser significant conditions of 35. DID TOBACCO USE CONTRIBUTE TO DEATH? U Yes D Probably UNYSOWN 38. DATE OF INJURY (MO/Day/Yr) (Speil Month) 42. LOCATION OF INJURY: State: Street & Number: 43. DESCRIBE HOW INJURY OCCURRED 45. CERTIFIER (Check only one): D Cartifying physician to the best of my D Pronouncing & Cartifying physician To D Medical Examinancement on the bas Signature of contiler. 46. NAME, ADDRESS, AND ZIP CODE OF 47. TITLE OF CERTIFIER 46. LICENSE 51. DECEDENT'S EDUCATION Check the Intal bast describes the highest degree or low school completed at the firm of death. D 9th -12th grade: no diploma D High school grades no diploma D Associate degree (e.g., AA, AS) D Bachalor's degree (e.g., BA, AS) D Bachalor's degree (e.g., BA, AB, SS)	96. IF FEMALE: Direct preparate within past year Direct preparate at time of death Direct preparate at time of death Direct preparate but prognent within 42 days of doe Direct preparate but prognent 43 days to 1 year her Direct preparate but prognent 43 days to 1 year her Direct preparate but prognent 43 days to 1 year her Direct preparate but prognent 43 days to 1 year her Direct preparate but prognent 45 days to 1 year her Direct preparate but prognent 45 days to 1 year her Direct preparate but prognent 45 days to 1 year her Direct preparate but prognent 45 days to 1 year her but preparate within the preparate but preparate but preparet but prepa	and stated the box of the cause(s) and box of the caus	34. WERE ALTOPEY FINDING OVERLETE THE CAUSE OF LATH CONTROL OF CAUSE OF CA	GS AVAILABLE TO DEATH?			

SECTION I Medical Certification

In the following example, there are three causes reported. On line I(c) the underlying cause is entered—congenital heart disease. Congenital heart disease gave rise to congestive heart failure (line I(b)) which in turn led to a myocardial infarction (line I(a)) -- the immediate cause of death.

- I (a) Myocardial infarction
 - (b) Congestive heart failure
 - (c) Congenital heart disease
 - (d)

Π

As demonstrated by the following example, the certifier may not always list one cause per line:

- I (a) Myocardial infarction and pulmonary embolism with congestive heart failure
 - (b)
 - (c)
 - (d)

II

Likewise, the causes may not be reported in an acceptable sequence. In the following example, cancer is reported as due to diabetes.

- I (a) Cancer
 - (b) Diabetes
 - (c)
 - (d)

II

To date, the causes of the majority of cancers are still unknown so the causal relationship tables stored in the NCHS computers preclude the assumption that diabetes caused the cancer. Cancer is selected as the underlying cause of death from this certification for statistical purposes. However, the selection of the underlying cause of death is not relevant for this manual. For coding purposes, the order and position of each cause of death reported on the death certificate must be interpreted accurately so the computer software can then determine the correct underlying cause of death.

SECTION I

Medical Certification

There is an average of three causes listed per certificate. Approximately 20 percent have only one cause of death and 45 percent have three or more causes. Frequently, a cause will be reported on I(a) in Part I and a cause in Part II with no other reported causes. For other records, several causes may all be reported on a single line of the certificate or they may be entered on several lines in Part I. Rarely, the only cause(s) reported may be in Part II. Representative examples follow.

- I (a) Pneumonia
 - (b)
 - (c)
 - (d)
- II Diabetes
- I (a) Cancer
 - (b)
 - (c)
 - (d)

II

- I (a)
 - (b)
 - (c)
 - (d)
- II Diabetes
- I (a)
 - (b) Acute myocardial infarction
 - (c)
- II Renal disease
- I (a) AMI, renal disease, pulmonary embolism

A. Introduction

Code all information reported in the medical certification section of the death certificate and any other information pertaining to the medical certification, when reported elsewhere on the certificate. In Volumes 1 and 3 of ICD-10, the fourth-character subcategories of three-character categories are preceded by a decimal point. For coding purposes, omit the decimal point.

Enter codes in the same order and location as the entries they represent appear on the death certificate. Enter the codes for entries in Part II in the order the entries are reported, proceeding from the entry reported uppermost in Part II downward and from the left to right. If the uppermost line in Part II is an obvious continuation of a line below, enter the codes accordingly.

For instructions on placement of codes when the certifier states or implies a "due to" relationship between conditions not reported in sequential order, refer to Section II, Part C, Format. For instructions on placement of nature of injury (N-code) and external cause codes (E-codes), refer to Section V, Part B, Placement of Nature of Injury and External Cause Codes.

When an identical code applies to more than one condition reported on the same line, enter the code for the first-mentioned of these conditions only. When conditions classifiable to the same code are reported on different lines of the certificate, enter the code for each of the reported conditions. (This does not apply to external cause of morbidity and mortality (E-codes)).

1. Excessive Codes

- a. When a single line in Part I or Part II requires more than eight codes, delete the excessive codes (any over eight) for the line using the following criteria in the order listed:
 - (1) Delete ill-defined conditions (I469, I959, I99, J960, J969, P285, R00-R94, R96, R98) except when this code is the first code on a line, proceeding right to left.
 - (2) Delete nature of injury codes (S000-T983) except for the first one entered on a line, proceeding right to left.
 - (3) If, after applying the preceding criteria, any single line still has more than eight codes, delete beginning with the last code on the line until only 8 remain.

- I (a) I460
 - (b) I219 I739
 - (c)
 - (d)

II &E109 I739 T811 &Y835 R18 R33 N19 C475 N359 I490 I493 J181

After deleting excessive codes:

- I (a) I460
 - (b) I219 I739
 - (c)
 - (d)

II &E109 I739 T811 &Y835 N19 C475 N359 I490

Delete (1) R33, (2) R18, (3) J181 and (4) I493

- b. When a single record requires more than 14 codes, delete the excessive codes using the following criteria in the order listed:
 - (1) Delete ill-defined conditions (I469, I959, I99, J960, J969, P285, R00 R94, R96, R98) except when this code is the first code on a line, beginning with the last code in Part II, proceeding right to left then upward right to left on each line (Part II, line e, line d, line c, line b, line a).
 - (2) Delete nature of injury codes (S000-T983) except for the first one entered on a line beginning with the last code in Part II, proceeding right to left then upward right to left on each line (Part II, line e, line d, line c, line b, line a).
 - (3) Delete repetitive codes except when it is the first code on a line beginning with the last code in Part II, proceeding right to left then upward right to left on each line (Part II, line e, line d, line c, line b, line a).
 - (4) If after applying the preceding criteria, any record still has more than 14 codes, delete beginning with the last code in Part II, proceeding upward right to left on each line (Part II, line e, line d, line c, line b, line a).
 - I (a) C80 I460 R570
 - (b) R098 R53
 - (c) R54 F09 F03
 - (d) I709 I635
 - II I119 C473 R200 I258 I251 D539 R798 I635

After deleting excessive codes:

I (a) C80 I460

(b) R098

(c) R54 F09 F03

(d) I709 I635

II I119 C473 I258 I251 D539 I635

Delete (1) R798, (2) R200, (3) R53 and (4) R570

2. Created Codes

To facilitate automated data processing, the following ICD-10 codes have been amended for use in coding and processing the multiple cause data. Special five character subcategories are for use in coding and processing the multiple cause data; however, they will not appear in official tabulations.

A169 Respiratory tuberculosis, unspecified

Excludes: Any term indexed in ICD-10 to A169 not qualified as respiratory

or pulmonary (A1690)

*A1690 Tuberculosis NOS

Includes: Any term indexed in ICD-10 to A169 not qualified as

respiratory or pulmonary

E039 Hypothyroidism, unspecified

Excludes: Any term indexed to E039 qualified as advanced, grave, severe,

or with a similar qualifier (E0390)

*E0390 Advanced hypothyroidism

Grave hypothyroidism Severe hypothyroidism

Includes: Any term indexed to E039 qualified as advanced, grave,

severe, or with a similar qualifier

G122 Motor neuron disease

Excludes: Any term indexed to G122 qualified as advanced, grave, severe, or with

a similar qualifier (G1220)

*G1220 Advanced motor neuron disease

Grave motor neuron disease Severe motor neuron disease

Includes: Any term indexed to G122 qualified as advanced, grave,

severe, or with a similar qualifier

G20 Parkinson's disease

Excludes: Any term indexed to G20 qualified as advanced, grave, severe, or with

a similar qualifier (G2000)

*G2000 Advanced Parkinson's disease

Grave Parkinson's disease Severe Parkinson's disease

Includes: Any term indexed to G20 qualified as advanced, grave,

severe, or with a similar qualifier

G309 Alzheimer's disease, unspecified

Excludes: Any term indexed to G309 qualified as advanced, grave, severe, or with

a similar qualifier (G3090)

*G3090 Advanced Alzheimer's disease

Grave Alzheimer's disease Severe Alzheimer's disease

Includes: Any term indexed to G309 qualified as advanced, grave,

severe, or with a similar qualifier

G35 Multiple sclerosis

Excludes: Any term indexed to G35 qualified as advanced, grave, severe, or

with a similar qualifier (G3500)

*G3500 Advanced multiple sclerosis

Grave multiple sclerosis Severe multiple sclerosis

Includes: Any term indexed to G35 qualified as advanced, grave,

severe, or with a similar qualifier

I420 Dilated cardiomyopathy

Excludes: Any term indexed to I420 qualified as familial, idiopathic,

or primary (I4200)

*I4200 Familial dilated cardiomyopathy

Idiopathic dilated cardiomyopathy Primary dilated cardiomyopathy

Includes: Any term indexed to I420 qualified as familial.

idiopathic, or primary

I421 Obstructive hypertrophic cardiomyopathy

Excludes: Any term indexed to I421 qualified as familial, idiopathic,

or primary (I4210)

*I4210 Familial obstructive hypertrophic cardiomyopathy

Idiopathic obstructive hypertrophic cardiomyopathy Primary obstructive hypertrophic cardiomyopathy

Includes: Any term indexed to I421 qualified as familial,

idiopathic, or primary

I422 Other hypertrophic cardiomyopathy

Excludes: Any term indexed to I422 qualified as familial, idiopathic,

or primary (I4220)

*I4220 Familial other hypertrophic cardiomyopathy

Idiopathic other hypertrophic cardiomyopathy Primary other hypertrophic cardiomyopathy

Includes: Any term indexed to I422 qualified as familial,

idiopathic, or primary

I425 Other restrictive cardiomyopathy

Excludes: Any term indexed to I425 qualified as familial, idiopathic,

or primary (I4250)

*I4250 Familial other restrictive cardiomyopathy

Idiopathic other restrictive cardiomyopathy Primary other restrictive cardiomyopathy

Includes: Any term indexed to I425 qualified as familial.

idiopathic, or primary

I428 Other cardiomyopathies

Excludes: Any term indexed to I428 qualified as familial, idiopathic,

or primary (I4280)

*I4280 Familial other cardiomyopathies

Idiopathic other cardiomyopathies Primary other cardiomyopathies

Includes: Any term indexed to I428 qualified as familial,

idiopathic, or primary

I429 Cardiomyopathy, unspecified

Excludes: Any term indexed to I429 qualified as familial, idiopathic,

or primary (I4290)

*I4290 Familial cardiomyopathy

Idiopathic cardiomyopathy Primary cardiomyopathy

Includes: Any term indexed to I429 qualified as familial,

idiopathic, or primary

I500 Congestive heart failure

Excludes: Any term indexed to I500 qualified as advanced, grave, severe, or with

a similar qualifier (I5000)

*I5000 Advanced congestive heart failure

Grave congestive heart failure Severe congestive heart failure

Includes: Any term indexed to I500 qualified as advanced, grave,

severe, or with a similar qualifier

I514	Myocarditi	is, unspecified
	Excludes:	Any term indexed in ICD-10 to I514
		qualified as arteriosclerotic (I5140)
	*I5140	Arteriosclerotic myocarditis
		Includes: Any term indexed in ICD-10 to I514 qualified
		as arteriosclerotic
I515	Myocardia	l degeneration
	Excludes:	Any term indexed in ICD-10 to I515
		qualified as arteriosclerotic (I5150)
	*I5150	Arteriosclerotic myocardial degeneration
		Includes: Any term indexed in ICD-10 to I515 qualified
		as arteriosclerotic
I600	Subarachn	oid hemorrhage from carotid siphon and bifurcation
	Excludes:	Ruptured carotid aneurysm (into brain) (I6000)
	*I6000	Ruptured carotid aneurysm (into brain)
I606	Subarachn	oid hemorrhage from other intracranial arteries
	Excludes:	Ruptured aneurysm (congenital) circle of Willis (I6060)
	*I6060	Ruptured aneurysm (congenital) circle of Willis
I607	Subarachn	oid hemorrhage from intracranial artery, unspecified
	Excludes:	Ruptured berry aneurysm (congenital) brain (I6070)
		Ruptured miliary aneurysm (I6070)
	*I6070	Ruptured berry aneurysm (congenital) brain
		Ruptured miliary aneurysm
I608	Other suba	rachnoid hemorrhage
	Excludes:	Ruptured aneurysm brain meninges (I6080)
		Ruptured arteriovenous aneurysm (congenital) brain (I6080)
		Ruptured (congenital) arteriovenous aneurysm cavernous sinus (I6080)
	*I6080	Ruptured aneurysm brain meninges
		Ruptured arteriovenous aneurysm (congenital) brain
		Ruptured (congenital) arteriovenous aneurysm cavernous sinus
I609		oid hemorrhage, unspecified
	Excludes:	Ruptured arteriosclerotic cerebral aneurysm (I6090)
		Ruptured (congenital) cerebral aneurysm NOS (I6090)
		Ruptured mycotic aneurysm brain (I6090)
	*I6090	Ruptured arteriosclerotic cerebral aneurysm
		Ruptured (congenital) cerebral aneurysm NOS
		Ruptured mycotic aneurysm brain

J101	vith other respiratory manifestations, influenza virus identified Influenza, flu, grippe (viral), influenza virus identified (without specified manifestations) (J1010) Influenza, flu, grippe (viral), influenza virus identified (without specified manifestations)
J111	vith other respiratory manifestations, virus not identified Influenza, flu, grippe (viral), influenza virus not identified (without specified manifestations) (J1110) Influenza, flu, grippe (viral), influenza virus not identified (without specified manifestations)
J841	stitial pulmonary diseases with fibrosis Chronic pneumonia, not elsewhere classified (J8410) Chronic pneumonia, not elsewhere classified
J849	pulmonary disease, unspecified Interstitial pneumonia, not elsewhere classified (J8490) Interstitial pneumonia, not elsewhere classified
J984	cders of lung Lung disease (acute) (chronic) NOS (J9840) Lung disease (acute) (chronic) NOS
K319	stomach and duodenum, unspecified Disease, stomach NOS (K3190) Lesion, stomach NOS (K3190) Disease, stomach NOS Lesion, stomach NOS
K550	ular disorders of intestine Any term indexed in ICD-10 to K550 qualified as embolic (K5500) Acute embolic vascular disorders of intestine Includes: Any term indexed in ICD-10 to K550 qualified as embolic
K631	of intestine (nontraumatic) Intestinal penetration, unspecified part (K6310) Intestinal perforation, unspecified part (K6310) Intestinal rupture, unspecified part (K6310) Intestinal penetration, unspecified part Intestinal perforation, unspecified part
	Intestinal rupture, unspecified part

K720	Excludes:	Subacute hepatic failure Acute hepatic failure (K7200) Acute hepatic failure
K721		patic failure Chronic hepatic failure (K7210) Chronic hepatic failure
K729	-	lure, unspecified Hepatic failure (K7290) Hepatic failure
M199	Arthrosis, u Excludes: *M1990	Any term indexed to M199 qualified as advanced, grave, severe, or with a similar qualifier (M1990) Advanced arthrosis Grave arthrosis Severe arthrosis Includes: Any term indexed to M199 qualified as advanced, grave severe, or with a similar qualifier
Q278	-	ified congenital malformations of peripheral vascular system Congenital aneurysm (peripheral) (Q2780) Congenital aneurysm (peripheral)
Q282		ous malformation of cerebral vessels Congenital arteriovenous cerebral aneurysm (nonruptured) (Q2820) Congenital arteriovenous cerebral aneurysm (nonruptured)
Q283		Congenital cerebral aneurysm (nonruptured) (Q2830) Congenital cerebral aneurysm (nonruptured)
R58	C	ge, not elsewhere classified Hemorrhage of unspecified site (R5800) Hemorrhage of unspecified site
R99		efined and unspecified causes of mortality Cause unknown (R97) Cause unknown

3. "Dagger and asterisk" codes

ICD-10 provides for the classification of certain diagnostic statements according to two different axes-etiology or underlying disease process and manifestation or complication. Thus, there are two codes for diagnostic statements subject to dual classification. The etiology or underlying disease codes are marked with a dagger (†) and the manifestations or complication codes are marked with an asterisk (*) following the code. The terms classified to codes with an asterisk are to be coded to the dagger code for the term only. These codes will not appear in official tabulations on multiple cause data.

I (a) Salmonella meningitis

A022

Use only the dagger code for multiple cause-of-death coding.

Do not use the following ICD-10 codes for multiple cause coding:

D63*	H03*	I68*	M36*
D77*	H06*	I79*	M49*
E35*	H13*	I98*	M63*
E90*	H19*	J17*	M68*
F00*	H22*	J91*	M73*
F02*	H28*	J99*	M82*
G01*	H32*	K23*	M90*
G02*	H36*	K67*	N08*
G05*	H42*	K77*	N16*
G07*	H45*	K87*	N22*
G13*	H48*	K93*	N29*
G22*	H58*	L14*	N33*
G26*	H62*	L45*	N37*
G32*	H67*	L54*	N51*
G46*	H75*	L62*	N74*
G53*	H82*	L86*	P75*
G55*	H94*	L99*	
G59*	I32*	M01*	
G63*	I39*	M03*	
G73*	I41*	M07*	
G94*	I43*	M09*	
G99*	I52*	M14*	

B. General coding concept

The coding of cause-of-death information for the ACME system consists of the assignment of the most appropriate ICD-10 code(s) for each diagnostic entity that is reported on the death certificate. In order to arrive at the appropriate code for a diagnostic entity, code each entity separately. Do not apply provisions in ICD-10 for linking two or more diagnostic terms to form a composite diagnosis classifiable to a single ICD-10 code.

I (a) Cholecystitis with cholelithiasis

K819 K802

<u>Code</u> each entity separately even though the Index has provided for a combination code for cholecystitis with cholelithiasis.

I (a) Malignant neoplasm of colon with rectum

C189 C20

S279

<u>Code</u> malignant neoplasm of colon and malignant neoplasm of rectum separately even though the Index has provided for a combination code for malignant neoplasm of colon with rectum.

Place I (a) Injury of intra-abdominal and intrathoracic organs S369 WX59

<u>Code</u> injury of each site separately even though the Index has provided for a combination code for intra-abdominal and intrathoracic injury.

1. Definitions and types of diagnostic entities

A diagnostic entity is a single term or a composite term, comprised of one word or of two or more adjoining words, that is used to describe a disease, nature of injury, or other morbid condition. In this manual diagnostic entity and diagnostic term are used interchangeably. A diagnostic entity may indicate the existence of a condition classifiable to a single ICD-10 category or it may contain elements of information that are classifiable to different ICD-10 categories. For coding purposes, it is necessary to distinguish between two different kinds of diagnostic entities – a "one-term entity," and a "multiple one-term entity."

a. One-term entity

(1) A one-term entity is a diagnostic entity that is classifiable to a single ICD-10 code.

Ι	(a)	Pneumonia	J189
	(b)	Arteriosclerosis	I709
	(c)	Emphysema	J439

These terms are codable one-term entities.

I (a) Allergic vasculitis

D690

This condition is indexed as one-term entity under "vasculitis."

I (a) Cerebral arteriosclerosis

I672

This condition is indexed as one-term entity.

(2) A diagnostic term that contains one of the following adjectival modifiers indicates the condition modified has undergone certain changes and is considered to be a one-term entity.

adenomatous hypoxemic
anoxic hypoxic
congestive inflammatory
cystic ischemic
embolic necrotic

erosive obstructed, obstructive

gangrenous ruptured

hemorrhagic

(These instructions apply to these adjectival modifiers **only**).

For code assignment, apply the following criteria in the order stated.

- (a) If the modifier and lead term are indexed together, code as indexed.
 - I (a) Embolic nephritis

N058

<u>Code</u> Nephritis, embolic. The adjectival modifier "embolic" is indexed under nephritis.

- (b) If the modifier is not indexed under the lead term, but "specified" is, use the code for specified (usually .8).
 - I (a) Obstructive cystitis

N308

<u>Code</u> Cystitis, specified NEC. The adjectival modifier "obstructive" is not indexed under cystitis.

- (c) If neither the modifier nor "specified" is indexed under the lead term, refer to Volume 1 under the NOS code for the lead term and look for a specified 4th character subcategory.
 - I (a) Hemorrhagic cardiomyopathy I428

<u>Code</u> hemorrhagic cardiomyopathy to I428, Other cardiomyopathies. "Hemorrhagic" is not indexed under cardiomyopathy, neither is Cardiomyopathy, specified NEC indexed. The Classification does provide a code, I428, for "Other cardiomyopathies" in Volume 1.

(d) If neither (a), (b), or (c) apply, code the lead term without the modifier.

I (a) Adenomatous bronchiectasis J47

"Adenomatous" is not an index term qualifying bronchiectasis. Code bronchiectasis only, since there is no provision in the Classification for coding "other bronchiectasis."

b. Multiple one-term entity

A multiple one-term entity is a diagnostic entity consisting of two or more contiguous words on a line for which the Classification does not provide a single code for the entire entity but does provide a single code for each of the components of the diagnostic entity. Consider as a multiple one-term entity if each of the components can be considered as separate one-term entities, i.e., they can stand alone as separate diagnosis. Code each component of the multiple one-term entity as indexed and on the same line where reported.

I	(a)	Myocardial infarction	I219	
	(b)	Uremic acidosis	N19	E872
	(c)	Chronic nephritis	N039	

"Uremic acidosis" is not indexed as a one-term entity. Code "uremia" and "acidosis" as separate one-term entities, each of which can stand alone as a diagnosis.

I	(a)	Uremia	N19	
	(b)	Diabetic heart disease	E149	I519
	(c)			

"Diabetic heart disease" is not indexed as a one-term entity. Code "diabetic" and "heart disease" as separate one-term entities, each of which can stand alone as a diagnosis.

Part B

I (a) Senile cardiovascular disease, MI

R54 I516 I219

(b)

(c)

"Senile cardiovascular disease." is not indexed as a one-term entity. Code "senile" and "cardiovascular disease" as separate one-term entities each of which can stand alone as a diagnosis.

Exception:

When any condition classifiable to I20-I25, except I250, or I60-I69 is qualified as "hypertensive," code to I20-I25 or I60-I69 **only**.

I (a) Hypertensive arteriosclerotic cerebrovascular disease

I672

I (a) Hypertensive myocardial ischemia

I259

(1) Code an adjective reported at the end of a diagnostic entity as if it preceded the entity. This applies whether reported in Part I or II.

I (a) Arteriosclerosis, hypertensive

I10 I709

(b)

(c)

The complete term is not indexed as a one-term entity. "Hypertensive" is an adjectival modifier; code as if it preceded the arteriosclerosis.

I (a) MI

I219

(b)

(c)

II Coronary occlusion, arteriosclerotic

I709 I219

"Coronary occlusion, arteriosclerotic" is not indexed as a one-term entity. Arteriosclerotic is an adjectival modifier; code as if it preceded the coronary occlusion.

- (2) When a multiple one-term entity indicates a condition involving different sites or systems for which the Classification provides different codes, code the condition of each site or system separately. Where there is provision for coding the condition of one or more but not all of the sites or systems, code the conditions of the site(s) or system(s) that are indexed. Disregard the site(s) or system(s) for which the Classification does not provide a code.
 - I (a) Cardiac, respiratory, hepatic, renal failure I509 J969 K7290 N19

<u>Code</u> each site separately since the Classification provides a different code for each site.

I (a) Cerebro-hepatic failure

K7290

"Hepatic failure" is the only term indexed. Do not enter a code for "cerebral failure."

I (a) Cardiopulmonary dysfunction

I518

(b)

"Cardiac dysfunction" is the only term indexed. Do not enter a code for "pulmonary dysfunction."

- c. Adjectival modifier reported with multiple conditions
 - (1) If an adjectival modifier is reported with more than one condition, modify only the first condition.

I	(a)	Arteriosclerotic cardiomyopathy
		and nephritis

I (a) Diabetic coma and gangrene

I251 N059

E140 R02

- (2) If an adjectival modifier is reported with one condition and more than one site is reported, modify all sites.
 - I (a) Diabetic gangrene of hands and feet

E145

I (a) Arteriosclerotic cardiovascular and cerebrovascular disease

I250 I672

- (3) When an adjectival modifier precedes two different diseases that are reported with a connecting term, modify only the first disease.
 - I (a) Arteriosclerotic cardiovascular disease I250 I679 and cerebrovascular disease

2. Parenthetical entries

a. When one medical entity is reported, followed by another complete medical entity enclosed in parenthesis, disregard the parenthesis and enter as separate terms.

I (a) Heart dropsy I500 (b) Renal failure (CVRD) N19 I139

Code each medical entity as indexed.

Place I (a) Pneumonia (aspiration) J189 T179 &W80

Code each medical entity as indexed.

b. When the adjectival form of words or qualifiers are reported in parenthesis, use these adjectives to modify the term preceding it.

I (a) Collapse of heart I509
(b) Heart disease (rheumatic) I099
(c)

Use the adjective to modify the term and code rheumatic heart disease.

- c. If the term in parenthesis is not a complete term and is not a modifier, consider as part of the preceding term.
 - I (a) Metastatic carcinoma (ovarian) C56

Consider the site as part of the preceding term and code metastatic ovarian carcinoma.

I (a) Drug dependence (heroin) (cocaine) F112 F142

Consider the specified drugs as part of the preceding term and code heroin and cocaine dependence.

3. Special diagnostic entities


a. When a condition is qualified as "HIV-related," "AIDS-related," or is modified by "AIDS," or "HIV," disregard the indexing of these conditions and code as separate one-term entities.

I (a) HIV-related encephalopathy	B24	G934
I (a) AIDS-related tuberculosis	B24	A1690
I (a) AIDS encephalopathy	B24	G934
I (a) HIV encephalopathy	B24	G934

b. Alzheimer's dementia: Consider the following terms as one term entities and code as indicated:

When reported as:	<u>Code</u>
Endstage Alzheimer's, senile dementia Senile dementia, Alzheimer's Senile dementia, Alzheimer's type Senile dementia of the Alzheimer's	G301

When reported as:



4. Plural form of disease

Do not use the plural form of a disease or the plural form of a site to indicate multiple.

I (a) Cardiac arrest I469

(b) Congenital defects Q899

Code I(b) Q899 (congenital defect); do not code as multiple (Q897).

5. Implied "disease"

When an adjectival form of a word, including one relating to a site or organ, is entered as a separate diagnosis, i.e., it is not part of an entry preceding or following it, assume the word "disease" after the adjective and code accordingly.

I (a) Congestive heart failure I500 (b) Myocardial I515

Code I(b) to I515, myocardial disease.

I (a) Coronary I251 (b) Hypertension I10

<u>Code</u> I(a) to I251, coronary disease. Coronary hypertension is not indexed.

C. Format

1. "Due to" relationships involving more than four causally related conditions

Four lines, (a), (b), (c), **and** (d) have been provided in Part I of the death certificate for reporting conditions involved in the sequence of events leading directly to death and for indicating the causal relationship of the reported conditions. In cases where the decedent had more than four causally related conditions leading to death, certifiers have been instructed to report all of these conditions and to add line, (e), to indicate the relationship of the conditions. In the ACME system, provision has been made for identifying conditions reported on the additional "due to" line in Part I. Code conditions reported on line (e) or in equivalent "due to" positions as having been reported on separate lines. (Refer to Section II, Part I, 2, Reject code 9 – More than four "due to" statements, for instructions for coding certificates with conditions reported on more than **five** "due to" lines.)

I	(a)	Shock due to pneumonia	R579
	(b)	Rupture of esophageal varices	J189
	(c)	Cirrhosis of liver due to alcoholism	I859
	(d)		K746
	(e)		F102

2. Connecting terms

a. "Due to" written in or implied

When the certifier has stated that one condition was due to another or has used another connecting term that implies a due to relationship between conditions in Part I, enter the codes as though the conditions had been reported, one due to the other, on separate lines. Code the conditions on each of the remaining lines in Part I, if there are any, as though they had been reported on the succeeding line. (Refer to Section II, Part I, 2, Reject code 9 – More than four "due to" statements for instructions for coding certificates with more than four "due to" statements).

I	(a)	Myocardial infarction as a result of	I219
	(b)	ASHD	I251

Interpret "as a result of" as "due to" and code the ASHD on I(b).

Ι	(a)	Stomach hemorrhage from gastric ulcer	K922
	(b)	Cholecystitis	K259
	(c)		K819

Because of the implied "due to," code the gastric ulcer on I(b) and the cholecystitis on I(c).

(1) The following connecting terms should be interpreted as meaning "due to" or "as a consequence of" when the entity immediately preceding and following these terms is a disease condition, nature of injury, or an external cause.

after	incident to	received in
arising in or during	incurred after	resulting from
as (a) complication of	incurred during	resulting when
as a result of	incurred in	secondary to (2°)
because of	incurred when	subsequent to
caused by	induced by	sustained as
complication(s) of	occurred after	sustained by
during	occurred during	sustained during
etiology	occurred in	sustained in
following	occurred when	sustained when
for	occurred while	sustained while
from	origin	
in	received from	
I (a) Myocardial infarcti	on	I219
(b) Nephritis due to art		N059

I	(a)	Myocardial infarction	1219
	(b)	Nephritis due to arteriosclerosis	N059
	(c)	Hypertension from toxic goiter	I709
	(d)		I10
	(e)		E050

Both "due to" and "from" indicate the conditions following these terms are moved to the next due to position.

I	(a)	Multi-organ failure due to ASHD	
	(b)		I251

Multi-organ failure is a disease condition. Move ASHD down to the next due to position.

I	(a)	Death from heart attack	I219
	(b)		

Death is not a disease condition, nature of injury, or external cause. Do not reformat heart attack.

I (a) Complication from diabetes E149

Complication is not a disease condition, nature of injury, or external cause. Do not reformat diabetes.

(2) When one of the previous terms is the first entry in Part II, indicating that the following entry is a continuation of Part I, code in Part I in next due to position.

I	(a)	Respiratory failure	J969
	(b)	Cardiac arrest	I469
	(c)	Coronary occlusion	I219
	(d)		I251

II due to ASHD

Since Part II is indicated to be a continuation of Part I, code the ASHD on I(d).

(3) Certain connecting terms imply that the condition following the connecting term was "due to" the condition preceding it. In such cases, enter the code for the condition following the connecting term on the line above that for the condition that preceded it.

Interpret the following connecting terms as meaning that the condition following the term was due to the condition that preceded it:

led to
manifested by
producing
resulted in
resulting in
underlying
with resultant
with resulting

I	(a)	Myocardial infarction	I469
	(b)	followed by cardiac arrest	I219

(c)

<u>Code</u> the cardiac arrest on I(a) since "followed by" indicates it was due to the myocardial infarction.

I	(a)	Respiratory arrest	R092	
	(b)	Pulmonary edema	J81	
	(c)	Bronchitis with resulting pneumonia	J189	I469
	(d)	and cardiac arrest	J40	

<u>Code</u> the pneumonia and cardiac arrest on I(c) since "with resulting" indicates they were due to the bronchitis.

b. Not indicating a "due to" relationship

When conditions are separated by "and" or by another connecting term that does not imply a "due to" relationship, enter the codes for these conditions on the same line in the order that the conditions are reported on the certificate.

The following terms imply that conditions are meant to remain on the same line. They are separated by "and" or by another connecting term that does not **imply** a "due to" relationship:

and	consistent with
accompanied by	with (\overline{c})
also	precipitated by
complicated by	predisposing (to)
complicating	superimposed on

I (a) Acute bronchitis superimposed on J209 J439

(b) Emphysema

(c) Tobacco abuse (smokes 3 packs a day) F171 F179

Interpret "superimposed on" as "and." Enter the code for the condition on I(b) as the second code on I(a). Do not enter a code on I(b).

I	(a)	MI	I219	
	(b)	ASHD	I251	
	(c)	Hypertension	I10	
	(d)	Diabetes	E149	E142

II also diabetic nephropathy

Consider "also" as a connecting word that does not imply "due to" and code Part II as a continuation of I(d).

3. Condition entered above line I(a)

When a condition is reported on the certificate above line I(a), enter the code for this condition on I(a). Code the condition(s) entered on line I(a) on line I(b); then code the conditions entered on each of the remaining line(s) in Part I as though they had been reported on the succeeding lines.

M	[yoca	ardial infarction	
I	(a)	Pulmonary embolism	I219
	(b)	Congestive heart failure	I269
	(c)	Congenital heart disease	I500
	(d)	_	Q249

<u>Code</u> the condition entered above I(a) on I(a), then code the condition entered on I(a) on I(b); then code the conditions entered on each of the remaining line(s) in Part I as though they had been reported on the succeeding lines.

4. Condition reported between lines in Part I

When a condition is reported between I(a) and I(b) or I(b) and I(c) or I(c) and I(d), without a connecting term, enter the code for this condition on the following "due to" line. Code the conditions entered on each of the remaining line(s) in Part I as though they had been reported on the succeeding line.


I	(a)	Pneumonia	J189
		Bronchitis	
	(b)	Emphysema	J40
	(c)	Cancer of lung	J439
	(d)		C349

<u>Code</u> the condition reported between lines I(a) and I(b) in the next "due to" position, and move the codes for conditions reported on lines I(b) and I(c) downward.

When a condition is reported between I(a) and I(b) or I(b) and I(c) or I(c) and I(d) with a connecting word, consider as a continuation of the line above and code accordingly unless there is a definite indication that it is a continuation of the line below.

I	(a)	Cerebral hemorrhage	I619	I64
		c CVA		
	(b)	Cerebral arteriosclerosis	I672	

<u>Code</u> the condition entered between I(a) and I(b) as a continuation of I(a).



Since the certifier indicated by an arrow that the condition entered between I(a) and I(b) was a continuation of I(b), code the CVA on I(b).

I	(a)	Cerebrovascular accident	I64
		due to cerebral hemorrhage	
	(b)	Cerebral arteriosclerosis	I619
	(c)		I672

Consider the condition entered between I(a) and I(b) as a continuation of I(a) and code accordingly.

5. Condition reported as due to I(a), I(b), or I(c)

When a condition(s) in Part I is reported with a specific statement interpreted or stated as "due to" another on lines I(a), I(b), I(c), or I(d), rearrange the codes according to the certifier's statement. **Do not apply** this instruction to such statements reported in Part II.

I	(a)	Myocardial failure		I249
	(b)	Pneumonia		I509
	(c)	Myocardial ischemia		J189
		due to (a)	3wks	

Accept the certifier's statement that the condition reported on I(c) is "due to" the condition on I(a). Move the codes for conditions reported on I(a) and I(b) downward. (Apply the duration on I(c) to the myocardial ischemia).

I	(a)	Heart failure	I509	N19
	(b)	Pneumonia	J189	
	(c)	Uremia due to (b)		

Take into account the certifier's statement on I(c) and code the condition reported on I(c) as the second entry on I(a).

I	(a)	Carcinomatosis	I469	
	(b)	Cancer of lung	C80	
	(c)	Cardiorespiratory arrest due	C349	
		to above		

Take into account the certifier's statement and code the cardiorespiratory arrest on I(a), then move the codes for the remaining conditions downward.

Ι	(a)	Coronary thrombosis	I219
	(b)	Chronic nephritis	N039
	(c)	Arteriosclerosis	I709
II	Ur	emia caused by above	N19

Disregard the certifier's statement, "caused by above," reported in Part II.

6. Conditions reported in Part II

Enter the codes for entries in Part II in the order the entries are reported, proceeding from the entry reported uppermost in Part II downward and from left to right, if there is more than one entry on the same line. If the conditions are numbered, code in numerical order.

I	(a) MI	I219
	(b) ASHD	I251
	()	

(c)

Pneumonia

(d)

II Heart murmur, arteriosclerosis J189 R011 I709

7. Deletion of "due to" on the death certificate

When the certifier has indicated that conditions in Part I were not causally related by marking through items I(a), I(b), I(c), and /or I(d), or through the printed "due to, or as a consequence of" which appears below items I(a) - I(c) on the death certificate, proceed as follows:

a. If the deletion(s) indicates that none of the conditions in Part I were causally related, consider as though all of the conditions had been reported on the uppermost used line. In determining the order of the codes, proceed from I(a) downward and from left to right if more than one condition is reported on a line.

Ι	(a)	Heart disease	I519	I10	N039	
	(b)	Malignant hypertension				
	(c)	Chronic nephritis				
II	Can	cer of kidney	C64			
		•				
I	(a)	Cardiac failure	I509	I251	J439	J40
	(b)	Arteriosclerotic heart disease				
	(c)	Emphysema and bronchitis				

b. If only item I(b), I(c), or I(d) or the printed "due to, or as a consequence of" which appears below lines I(a), I(b), or I(c) is marked through, consider the condition(s) reported on the crossed out line as though reported as the last entry (or entries) on the preceding line.

`	a) Diabetes b)	E149	N40
,	e) BPH		
`	a) Cardiac arrest b) Cirrhosis of liver	I469	K746
	c) Alcoholism	F102	
•	a) Congestive failure b) ASHD	I500	I251
`	c)		
II I	Pneumonia	J189	
I (a	a) Heart block	I459	
•	b) Degenerative myocarditis c) Cerebral hemorrhage	I514	I619
•	Bronchopneumonia	J180	

c. If only one part of the printed "due to, or as a consequence of" which appears below I(a), I(b), and I(c) is marked through, consider the condition(s) reported on that line as though reported as the last entry (or entries) on the preceding line.

I	(a)	Cardiorespiratory failure	R092	
		Due to, or as a consequence of		
	(b)	Infarction of brain	I639	I259
		Due to, or as a consequence of		
	(c)	Ischemic heart disease		

<u>Code</u> ischemic heart disease as though reported as second entry on I(b).

8. Deletion of "Part II" on death certificate

Due to, or as a consequence of

When the certifier has marked through the printed Part II, code the condition(s) reported in Part II as the last entry on the lowest used line in Part I.

(a)	Apoplectic coma	I64	
(b)	Ruptured aneurysm, brain	I6090	
(c)	Arteriosclerosis	I709	
(d)	ESRD	N180	I10
	(b) (c)	(a) Apoplectic coma(b) Ruptured aneurysm, brain(c) Arteriosclerosis(d) ESRD	(b) Ruptured aneurysm, brain(c) ArteriosclerosisI6090I709

H and hypertension

Since Part II is indicated to be a continuation of I(d), code hypertension as last entry on I(d).

I (a) Myocarditis I514 I219 I500 I250 E149

(b) M.I.

(e) CHF
(d) Cardiovascular arteriosclerosis

H Diabetes

 I (a) M.I.
 I219

 (b) Uremia
 N19

 (c) Arteriosclerosis
 I709

(d) Hypertension I10 N059

H Nephritis

9. Numbering of causes reported in Part I

a. When the certifier has numbered all causes or lines in Part I, that is 1, 2, 3, etc., code these entries as if reported on the same line. This instruction applies whether or not the numbering extends into Part II, and it also applies whether or not the "due to" below lines I(a) and/or I(b) and/or I(c) are marked through.

I (a) 1. Coronary thrombosis I219 I250 I10 I709 N289 J1110

(b) 2. ASCVD

(c) 3. Hypertension and arteriosclerosis

(d) 4. Renal disease

II 5. Influenza

Code all the entries on I(a).

b. When part of the causes in Part I are numbered, make the interpretation for coding such entries on an individual basis.

I (a) 1. Bronchopneumonia J180 C169

(b) 2. Cancer of stomach

(c) Chronic nephritis N039

Enter the codes for the conditions numbered "1" and "2" on I(a) in the order indicated by the certifier. Do not enter a code on I(b); however, enter the code for the condition on I(c) on that line.

I (a) Bronchopneumonia J180

(b) 1. Cancer of stomach C169 N039

(c) 2. Chronic nephritis

Enter the codes for conditions numbered "1" and "2" on I(b) in the order indicated by the certifier. Do not enter a code on I(c).

I	(a)	Congestive heart failure	I500		
	(b)	Influenza	J1110		
	(c)	1. Pulmonary emphysema	J439	J449	C349
	(d)	2. COPD			
II		3. Cancer of lung			

Enter the codes for the conditions numbered 1, 2, and 3 on I(c) in the order

indicated by the certifier. Do not enter a code on I(d) or in Part II.

c. When the causes in Part I are numbered, and an entry is stated or implied as "due to" another, enter the code(s) connected by the stated or implied "due to" in the next "due to" position, followed by the codes for the **remaining numbered** causes.

I	(a)	1. Bronchopneumonia due to	J180		
	(b)	influenza	J1110	J841	J40

(c) 2. Pulmonary fibrosis 3. Bronchitis

Enter the code for the condition followed by the stated "due to" on I(b), followed by codes for the conditions numbered "2" and "3." Do not enter a code on I(c).

Ι	(a)	1. Pneumonia	J189	
	(b)	MI	I219	I251
	(c)	2. ASHD		

 $\underline{\text{Code}}$ the condition numbered "2" as a continuation of I(b). Leave I(c) blank.

10. Punctuation marks

a. Disregard punctuation marks such as a period, comma, semicolon, colon, dash, slash, question mark, or exclamation mark when placed at the end of a line in Part I. Do not apply this instruction to a hyphen (-), which indicates a word is incomplete.

I	(a)	Myocardial infarct?	I219	
	(b)	Meningitis, mastoiditis	G039	H709
	(c)	Otitis media	H669	

Disregard the punctuation marks and code the conditions reported on I(a), I(b), and I(c) as indicated by the certifier.

I	(a)	Chronic rheumatic	I099	I958
	(b)	heart disease, chronic hypotension		
	(c)	Cancer	C80	

Regard the conditions reported on I(b) as a continuation of I(a). Do not enter a code on I(b).

b. When conditions are separated by a slash (/), code each condition as indexed.

I	(a)	Cardiac arrest/respiratory	I469	R092	J189
		arrest/pneumonia			
	(b)	ASHD	I251		

Disregard the slash and code conditions as indexed.

11. Conditions in the duration box

When a condition is entered in the duration block, code the condition on the same line where it is reported.

Ι	(a) Arteriosclerotic heart disease(b)	<u>Duration</u> CVA	I251	I64
	(c)			
Π	Arteriosclerosis		I709	

Code the condition reported in the duration block as the last entry on I(a).

D. Doubtful diagnosis

- 1. <u>Doubtful qualifying expression</u>
 - a. When expressions such as "apparently," "presumably," "?," "perhaps," and "possibly," qualify any condition, disregard these expressions and code condition as indexed.

I (a) ? hemorrhage of stomach K922 (b) Possible ulcer of stomach K259

Disregard "?" and code hemorrhage of stomach on I(a) as reported. Disregard "possible" and code ulcer of stomach on I(b) as reported.

I (a) Heart disease, probable ASHD I519 I251

Disregard "probable" and code heart disease and ASHD on I(a).

Place I (a) Pneumonia, probably aspiration J189 T179 &W80

Disregard the "probably" and code both pneumonia and aspiration as indexed.

b. When these expressions are reported at the end of a line in Part I, **do not** consider to be a continuation of the next lower line.

I (a) Heart disease probably I519 (b) Acute myocardial infarction I219

Disregard "probably" and code heart disease on I(a) and acute myocardial infarction on I(b).

I (a) Cardiovascular disease presumably I516 (b) Cerebral thrombosis I633

Disregard "presumably" and code each condition on the line where it is reported.

c. When these expressions are reported at the beginning of a line in Part I, **do not** consider to be a continuation of the line above it.

I	(a)	Heart disease	I519
	(b)	Possibly acute myocardial infarction	I219

Disregard "possibly" and code each condition on the line where it is reported.

d. When these expressions are reported at the beginning of Part II, **do not** consider to be a continuation of Part I.

I	(a)	Heart disease probably	I519
	(b)		
	(c)		

II Probably MI I219

Disregard "probably" and code heart disease on I(a) and MI in Part II.

2. <u>Interpretation of "either...or..."</u>

Consider the following as a statement of "either or:"

- Two conditions reported on **one** line and **both** conditions qualified by expressions such as "apparently," "presumably," "?," "perhaps," and "possibly"
- Two or more conditions connected by "or" or "versus"

Code using the following instructions:

a. When a condition of more than one site is qualified by a statement of "either...or..." and both sites are classified to the **same system**, code the condition to the residual category for the **system**.

I	(a)	Pneumonia	J189
	(b)	Cancer of kidney or bladder	C689

<u>Code</u> I(b) C689, malignant neoplasm of other and unspecified urinary organs.

I	(a)	Heart failure	I509
	(b)	Coronary or pulmonary blood clot	I749

Code I(b) I749, blood clot.

b. When a condition of more than one site is qualified by a statement of "either...or..." and these sites are in different systems, code to the residual category for the disease or condition specified.

I	(a)	Cardiac arrest	I469
	(b)	Carcinoma of gallbladder	C80
		or kidney	

Code I(b) C80, malignant neoplasm without specification of site.

Ι	(a)	Respiratory failure	J969
	(b)	Congenital anomaly of heart	Q899
		or lungs	

Code I(b) Q899, anomaly, congenital, unspecified.

- c. When conditions are qualified by a statement of "either...or..." and **only one site/system** is involved, code to the residual category for the site/system.
 - I (a) Apparently stroke, perhaps heart attack I99

<u>Since</u> both conditions are preceded by a doubtful qualifying expression, consider as a statement of "either...or...." Stroke and heart attack are classified to the circulatory system. Code to Disease, circulatory system, NEC.

I	(a)	Pulmonary edema	J81
	(b)	Tuberculosis or cancer of lung	J9840

Code I(b) J9840, lung disease NOS.

- d. When conditions are classified to the same three character category with different fourth characters, code to the three character category with fourth character "9."
 - I (a) ASCVD vs ASHD I259

<u>Code</u> to I259 the residual category. ASCVD and ASHD are both classified to 125.-, chronic ischemic heart disease.

- e. When conditions are classified to different three character categories and Volume 1 provides a residual category for the diseases in general, code to that residual category.
 - I (a) MI vs coronary aneurysm

I259

<u>Code</u> to I259 the residual category for ischemic heart disease. MI and coronary aneurysm are both classified as "ischemic heart diseases."

- f. When conditions involving different systems are qualified by "either... or...," and cannot be classified to the residual category for the disease, code R688, other specified general symptoms and signs.
 - I (a) Coma R402 (b) ? gallbladder colic ? coronary R688 thrombosis

<u>Code</u> I(b) R688, other ill-defined conditions. (Consider the two question marks on a single line as "either...or...").

- g. When diseases and injuries are qualified by "either... or...," code R99, other unknown and unspecified cause, provided this is the only entry on the certificate. When other classifiable entries are reported, omit R99.
 - I (a) Head injury or CVA

R99

Code I(a) R99, other unknown and unspecified cause.

h. For doubtful diagnosis in reference to "either... or..." **accidents**, **suicides**, and **homicides**, refer to Section V, Part A, <u>External Cause Code</u> Concept.

Part E

E. Conditions specified as "healed" or "history of"

The Classification provides sequela categories for certain conditions qualified as "healed." or "history of." Refer to Section IV, Part F, <u>Sequela</u>. When the Classification does not provide a code or a sequela category for a condition qualified as "healed" or "history of," code the condition as though not qualified by this term.

I (a) Myocardial infarction I219

(b)

(c)

II Gastritis, healed K297

Code K297, gastritis NOS in Part II.

Part F

F. Coding entries such as "same," "ditto (")," "as above"

When the certifier enters "same," "ditto mark (")," "as above," etc., in a "due to" position to a specified condition, do not enter a code for that line.

I	(a)	Coronary occlusion	I219
	(b)	Same	
	(c)	Hypertension	I10

Do not enter a code on I(b) for the entry "same."

Ι	(a)	Pneumonia	J189
	(b)	"	
	(c)	Emphysema	J439

Do not enter a code on I(b) for the "ditto mark (")."

G. Condition qualified by "postmortem," "rule out," "ruled out," "r/o"

When a condition is qualified by "postmortem," "rule out," "ruled out," or "r/o," etc., **do not** enter a code for the condition.

Part H

H. Nonindexed and illegible entries

1. Terms that are not indexed

When a term is reported that does not appear in the ICD-10 Index, refer the term to the supervisor.

2. <u>Illegible entries</u>

When an illegible entry is the **only** entry on the certificate, code R99. When an illegible entry is reported with other classifiable entries, disregard the illegible entry and code the remaining entries as indexed.

I. Coding one-character reject codes

When a death record qualifies for more than one reject code, code only one in this order: 1, 2, 3, 4, 5, 9.

1. Reject code 1-5-Inconsistent duration

When a duration of an entity in a "due to" position is shorter than that of an entity reported on a line above it and only **one** codable entity is reported on each of these lines, enter a reject code (1-5) in the appropriate data position. When more than one codable entity is reported on the same line, disregard the duration entered on that line. Use the appropriate reject code even though there are lines without a duration or with more than one codable entity between the entities with the inconsistent duration; in such cases, consider the inconsistency to be between the line immediately above and the line with the shorter duration.

If the inconsistent duration is between:

Lines	Enter Reject Code
I (a) and I (b)	1
I (b) and I (c)	2
I (c) and I (d)	3
I (d) and I (e)	4
Inconsistent durations between more than two lines in	n Part I,
or any situation where reject codes 1-4 would not be	applicable 5

Do not enter a reject code if the only inconsistency is between the durations of malignant neoplasms classifiable to C00-C96.

I	(a)	ASHD	10 yrs.	I251	
	(b)	Chronic nephritis and hypertension	5 yrs.	N039	I10
	(c)	Diabetes	5 yrs.	E149	

Reject 2

Disregard the duration on I(b), since more than one codable entity is reported on this line. Only **one** codable entity is reported on lines I(a) and I(c) and the duration of the diabetes was shorter than that of ASHD. For the purposes of assigning the reject code, consider the duration on I(b) to be at least as long as the duration on I(a). Therefore, enter reject code 2 denoting an inconsistency between I(b) and I(c).

Part I

Coding One-Character Reject Codes

I	(a)	ASHD	5 yrs	I251	
	(b)	Chronic nephritis and hypertension	10 yrs	N039	I10
	(c)	Diabetes	5 yrs	E149	

Do not enter reject code 2. The duration on I(b) is disregarded. The duration of diabetes on I(c) was not shorter that that of ASHD on I(a).

I	(a)	Cardiac arrest		I469
	(b)	Congestive heart failure 1	week	I500
	(c)	Cancer of stomach 1	year	C169
	(d)	Metastatic cancer of lung 6	months	C780

Do not use reject code 3 since the inconsistent duration is between malignant neoplasms.

Ι	(a)	Basilar artery thrombosis	7 weeks	I630
	(b)	Renal failure	4 weeks	N19
	(c)	Pneumonia	1 week	J189

Reject 5

Enter reject code 5 since the inconsistent durations are between more than 2 lines.

Age 1 yr.

I		Congenital nephrosis	life	N049
	(b) (c)	Intestinal hemorrhage	1 day	K922
				Reject 5

Enter reject code 5 since reject codes 1-4 are not applicable.

2. Reject code 9 – More than four "due to" statements

When certifier's entries or reformatting result in more than **four** statements of "due to," continue the remaining codes horizontally on the **fifth** line and enter reject **code 9** in the appropriate position.

I	(a)	Terminal pneumonia	J189
	(b)	Congestive heart failure	I500
	(c)	Myocardial infarction	I219
	(d)	ASHD	I251
	(e)	Generalized arteriosclerosis	I709 E039
	(f)	Myyadama	

(f) Myxedema

Reject 9

Enter the code for the myxedema reported on the fifth "due to" line, I(f), following the code for the condition reported on this line (generalized arteriosclerosis). Enter reject code 9 in the appropriate data position.

If there are more than four "due to" statements in Part I and there is no codable condition reported on one or more lines, consider the condition(s) on each subsequent "due to" line as though reported on the preceding line. Enter reject code 9 only if, after reformatting, there are codable conditions on more than five lines.

I	(a)	Pneumonia	J182
	(b)	Bedfast	G839
	(c)	Paralysis following CVA	I64
	(d)	Hypertension due to	I10
	(e)	adrenal adenoma	D350

Do not enter reject code 9. Since bedfast is not a codable condition, enter the code for paralysis on I(b), the code for CVA on I(c), etc. As a result of the rearrangement of the conditions, there are codable conditions on only five lines.

When a death record qualifies for more than one reject, prefer a reject code for inconsistent durations over reject code 9.

Part J

J. Inclusion of additional information (AI) to mortality source documents

Code supplemental information when it modifies or supplements data on the original mortality source document.

1. When additional information (AI) **states** the underlying cause of a **specified disease in Part I**, code the additional information (AI) in a "due to" position to the specified disease.

I	(a)	Pulmonary edema	J81
	(b)	Congestive heart failure	I500
	(c)	Arteriosclerosis	I251
	(d)		I709

II

AI The underlying cause of the congestive heart failure was ASHD.

Since the certifier **states** the underlying cause of the congestive heart failure is ASHD, code I251 on I(c) and move the condition on I(c) to the next "due to" position.

2. When additional information (AI) **modifies** a disease condition, use the AI and code the disease modified by the AI in the position **first** indicated by the certifier.

T	(a)	Pneumonia	J18	₹1
1	(a)	i iicumoma	310	, ,

(b)

(c)

AI Lobar pneumonia

<u>Code</u> lobar pneumonia as the **specified** type of pneumonia on I(a) <u>only</u>.

3. When there is a stated or implied complication of surgery and the additional information indicates the condition for which surgery was performed, code this condition in a "due to" position to the surgery when reported in Part I and following the surgery when reported in Part II. Precede this code with an ampersand (&).

I	(a)	Coronary occlusion	T818
	(b)	Gastrectomy	&Y836
	(c)		&K259

AI Gastrectomy done for gastric ulcer.

<u>Code</u> the condition necessitating the surgery on I(c) and precede this code with an ampersand.

Inclusion of Additional Information (AI) to Mortality Source Documents

Part J

I (a) Respiratory arrest(b) Septicemia	R092 T814		
(c) II Uremia, cholecystectomy AI Surgery for gallstones	N19	&Y836	&K802

<u>Code</u> the condition necessitating the surgery following the E-code for surgery in Part II.

4. When additional information (AI) **states** a certain condition is the <u>underlying cause</u> of death, **code** this condition in Part I in a "due to" position (on a separate line) to the conditions reported on the original death record.

I	(a)	Cardiac arrest	I469
	(b)	MI	I219
	(c)	ASHD	I251
	(d)		E149
П			

AI U.C. was diabetes

Accept the certifier's statement that the underlying cause of death was "diabetes," and code this condition on I(d) in a "due to" position to the conditions originally reported in Part I.

5. When any morphological type of neoplasm is reported in Part I with no mention of a "site" and additional information specifies a site, **code** the specified site **only** on the line where the morphological type is reported.

I (a) Cancer C349
(b)
(c)
II
AI Cancer of lung

Code only the specified cancer (lung) on I(a).

Inclusion of Additional Information (AI) to Mortality Source Documents

Part J

6. When additional information states the primary site of a malignant neoplasm, code this condition in a "due to" position to the other malignant neoplasms reported in Part I.

I	(a)	Metastatic neoplasm	C80
	(b)	Metastasis to liver	C787
	(c)		C189

II

AI Colon was primary site.

<u>Code</u> the stated primary site on I(c) in a "due to" position to the other neoplasms reported in Part I.

I	(a)	Carcinomatosis	C80
	(b)		C61
	(c)		

II

AI Prostate was probably the primary site.

<u>Code</u> the presumptive primary site (prostate) on I(b) in a "due to" position to the stated neoplasm reported on the original death certificate.

7. When the additional information **does not modify** a condition on the certificate, or **does not state** that this condition is the underlying cause, code the AI as the last condition(s) in Part II. Code AI reported on the certificate beginning with the uppermost downward and from left to right.

I (a) Coronary thrombosis	I219	
(b) HASCVD	I119	
(c)		
II Hypertension	I10 I709 I64	I252
AI Arteriosclerosis, CVA, old MI		

The additional information does not modify conditions on the certificate. Code as the last entries in Part II.

	Male, 30 minutes-Twin B			
	I (a) Immature	P073		
600 gm	(b)			
	(c)			
	II Atelectasis	P281	P015	P070

<u>Code</u> the additional information in the order reported, uppermost downward and from left to right.

Part K Amended Certificates

K. Amended certificates

When an "amended certificate" is submitted, **code** the conditions reported on the amended certificate only.

L. Effect of age of decedent on classification

Always note the **age of the decedent** at the time the causes of death are being coded. Certain groups of categories are provided for certain age groups. There are several conditions within certain categories which cannot be properly classified unless the **age** is taken into consideration. Use the following terms to identify certain age groups:

1. <u>NEWBORN OR NEONATAL</u> means **less than 28 days** of age at the time of death. Code any index term with the indention of "newborn," "neonatal," "perinatal," "perinatal period," "fetus or newborn," or "fetal" (in this priority order) to the newborn category if the decedent is less than 28 days of age or there is evidence the condition originated in the first 27 days of life, even though death may have occurred later.

Female, 4 hours

I (a) Anoxia P219 (b) Cerebral hemorrhage P524

Since the age of decedent is less than 28 days, code anoxia of newborn, and cerebral hemorrhage of newborn.

Male, 31 days <u>Duration</u>

I (a) Pulmonary hemorrhage 26 days P269

(b)

Since the condition originated in the first 27 days of life, code as a newborn.

2. <u>INFANT or INFANTILE</u> means **less than 1 year** of age at the time of death.

Male, 9 months

I (a) Pneumonia J189 (b) Hemiplegia G802

Since the decedent is less than 1 year of age at the time of death, code Hemiplegia, infantile.

3. <u>CHILD or CHILDHOOD</u> means **less than 18 years of age** at the time of death.

Male, 11 years I (a) Asthma

J450

Code as Asthma, childhood.

4. Congenital anomalies (Q00-Q99)

Regard the conditions listed below as congenital and code to the appropriate congenital category if death occurred within the age limitations stated, provided there is no indication that they were acquired after birth.

a. Less than 28 days:

heart disease NOS hydrocephalus NOS

Male, 27 days

I (a) Renal failure N19 (b) Hydrocephalus Q039

<u>Code</u> the hydrocephalus as congenital since the decedent was less than 28 days of age at the time of death.

b. Less than 1 year:

aneurysm (aorta) (aortic) cyst of brain (brain) (cerebral) (circle of deformity Willis) (coronary) displacement of organ (peripheral) (racemose) ectopia of organ (retina) (venous) hypoplasia of organ aortic stenosis pulmonary stenosis valvular heart disease (any atresia atrophy of brain valve)

Female, 3 months

I (a) Pneumonia J189 (b) Cyst of brain Q046

Code cyst of brain as congenital since the age of the decedent is less than 1 year.

5. Congenital syphilis

Regard syphilis and conditions that are qualified as syphilitic as congenital and code to the appropriate congenital syphilis category if the decedent was less than two years of age.

Male, 16 mos

I (a) Syphilitic pneumonia

A500

- (b)
- (c)

Code congenital syphilitic pneumonia since age is less than 2 years.

6. Age limitation

Some categories in ICD-10 are limited by provisions of the Classification to certain ages. Code the categories listed below only if the age at the time of death was as follows:

a. Age 28 days or over

A32	E14	J13	R00
A35	E162	J14	R01
A40	E561	J15	R048
A41	E63	J16	R090
A56	E834	J18	R092
A74	E835	J43	R11
B30	F10	J80	R17
B370	F11	J849	R230
B371	F12	J96	R233
B372	F13	J981	R290
B373	F14	J982	R40
B374	F15	J984	R50
B375	F16	J988	R53
B376	F17	K27	R56
B377	F18	K631	R58
B378	F19	K65	R60
B379	G473	K92	R633
D65	G700	L01	R680
D751	I48	L10	R681
E05	I49	L50	
E10	I50	L530	
E11	I61	M34	
E12	I62	N390	
E13	J12	N61	

Male, age 25 days

I (a) Urinary tract infection

P393

(b)

Code urinary tract infection, newborn since age is less than 28 days.

Female, age 27 days I (a) Respiratory failure P285 (b) (c) Code respiratory failure, newborn since age is less than 28 days. Female, age 28 days I (a) Atelectasis J981 (b) (c) Code atelectasis, J981 since age is reported as 28 days. b. Age under 1 year: R95 c. Age 1 year or over: R960 Age 1 year I (a) Sudden infant death syndrome R960 d. Age 5 years or over: X60-X84 Age 4 years Place I (a) GSW to head Suicide S019 &W34

Part M Sex Limitations

M. Sex limitations

Certain categories in ICD-10 are limited to one sex:

For Males Only	For Female	s Only
B260	A34	M830
C60-C63	B373	N70-N98
D074-D076	C51-C58	N992-N993
D176	C796	O00-O99
D29	D06	P546
D40	D070-D073	Q50-Q52
E29	D25-D28	Q96
E895	D39	Q97
F524	E28	R87
I861	E894	S314
L291	F525	S374-S376
N40-N50	F53	T192-T193
Q53-Q55	I863	T833
Q98	L292	Y424
R86	L705	Y425
S312-S313	M800-M801	Y76
	M810-M811	

If the cause of death is inconsistent with the sex, code the cause of death to R99, other ill-defined and unspecified causes of mortality (R99).

Female, age 32

I (a) Cancer of prostate

R99

- (b)
- (c)

Code other ill-defined and unspecified causes of mortality (R99).

N. Effect of duration on assignment of codes

Before assigning codes, take into account any statements entered on the certificate in the spaces for duration since these statements may affect the code assignments for certain conditions.

- 1. Qualifying conditions as acute or chronic
 - a. Usually the duration should **not** be used to qualify the condition as "acute" or "chronic."

I (a) Nephritis Duration 2 years N059

<u>Code</u> nephritis as indexed. Do not use the duration to qualify the nephritis as chronic.

- b. However, when assigning codes to certain conditions classified as "ischemic heart diseases" the Classification provides the following specific guidelines for classifying a condition with a **stated** duration as acute or chronic:
 - acute or with a stated duration of 4 weeks or less
 - chronic or with a stated duration of over 4 weeks

<u>Duration</u>

- I (a) Acute myocardial infarction 3 mos. I258
 - (b)
 - (c)

<u>Code</u> Infarction, myocardium, chronic or with a stated duration of over 4 weeks, I258.

(1) For the purpose of interpreting these instructions:

Consider these terms:	To mean:
brief	
days	
hours	
immediate	
instant	4 weeks or less
minutes	or acute
recent	
short	
sudden	
weeks (few) (several)	
longstanding	over 4 weeks
1 month	or chronic

Ι	(b)	Aneurysm heart	<u>Duration</u> weeks	I219
I		Aneurysm heart	weeks	1219

<u>Code</u> Aneurysm, heart, acute or with a stated duration of 4 weeks or less, I219. "Weeks" is interpreted to mean 4 weeks or less.

c. When the duration is stated to be "acute" or "chronic," consider the condition to be specified as acute or chronic.

			<u>Duration</u>	
I	(a)	Heart failure	1 hour	I509
	(b)	Bronchitis	acute	J209

Code "acute" bronchitis on I(b).

2. Subacute

In general, code a disease that is specified as subacute as though qualified as acute if there is provision in the Classification for coding the acute form of the disease but **not** for the subacute form.

I (a) Subacute pyelonephritis N10

<u>Code</u> subacute pyelonephritis to N10, acute pyelonephritis since there is no code for subacute pyelonephritis.

3. Acute exacerbation

Code "acute exacerbation" of a chronic specified disease to the acute and chronic stage of the disease if the Classification provides separate codes for "acute" and "chronic."

I	(a) (b) (c)	Acute exacerbation of leukemia Chronic lymphocytic leukemia	C950 C911	
I	(a) (b)	Acute exacerbation of chronic lymphocytic leukemia	C910	C911
I	(a) (b) (c)	Acute exacerbation of bronchitis	J209	
Ι	(a) (b)	Acute exacerbation of chronic pyelonephritis	N10	N119
I	(a) (b) (c)	Acute exacerbation of chronic bronchitis	J209	J42
I	(a)	Chronic leukemia with conversion to acute phase	C951	C950
I	(a)	Acute exacerbation of chronic obstructive lung disease	J441	J449

<u>Code</u> the preceding examples to the acute and chronic stages of each specified disease since the Classification provides separate codes for the "acute" and "chronic."

4. Acute and chronic

Sometimes the terms acute and chronic are reported preceding two or more diseases. In these cases, use the term ("acute" or "chronic") with the condition it **immediately** precedes.

I (a) Chronic renal and liver failure N189 K7290

<u>Code</u> renal failure, chronic and liver failure NOS.

5. Qualifying conditions as congenital or acquired

Code conditions classified as congenital in the Classification as congenital, even when not specified as congenital if the interval between onset and death and the age of the decedent indicate that the condition existed from birth.

Female, age 2 years	<u>Duration</u>		
I (a) Pneumonia	1 week	J189	
(b) Heart disease	2 years	Q249	

<u>Code</u> the condition on I(b) as congenital since the age of the decedent and the duration of the condition indicate that the heart disease existed at birth.

Do not use the interval between onset and death to qualify conditions that are classified to categories Q00-Q99, congenital anomalies, as acquired.

\mathbf{N}	Iale,	62 years	<u>Duration</u>	
I	(a)	Renal failure	3 months	N19
	(b)	Pulmonary stenosis	5 years	Q256

Do not use the duration to qualify the pulmonary stenosis as acquired.

6. Two conditions with one duration

When two or more conditions are entered on the same line with one duration, disregard the duration and code the conditions as indexed.

			<u>Duration</u>		
I	(a)	Myocardial ischemia and	3 weeks	I259	I500
		congestive heart failure			
	(b)	Hypertension	5 years	I10	

Disregard the duration on I(a) and code the myocardial ischemia as indexed.

			<u>Duration</u>	
I	(a)	MI due to nephritis	3 months	I219
	(b)	Arteriosclerosis		N059
	(c)			I709

Disregard the duration on I(a) and code myocardial infarction as indexed.

7. Conflict in durations

When conflicting durations are entered for a condition, give preference to the duration entered in the space for interval between onset and death.

				Duration	
I	(a)	Ischemic heart disease	2 weeks	years	I259

Use the duration in the block to qualify the ischemic heart disease.

8. Span of dates

Interpret dates that are entered in the spaces for interval between onset and death separated by a slash (/), dash (-), etc., as meaning from the first date to the second date. Disregard such dates if they extend from one line to another and there is a condition reported on both of these lines since the span of dates could apply to either condition.

Date of death 10-6-98	<u>Duration</u>	
I (a) MI	10/1/98-	I219
(b) Ischemic heart disease	10/6/98	I259

Disregard duration and code each condition as indexed since the dates extend from I(a) to I(b).

Date of d	leath 10-6-98	<u>Duration</u>		
I (a) A	neurysm of heart	10/1/98 - 10/6/98	I219	
(b)				

Since there is only one condition reported, apply the duration to this condition.

Date of death 10-6-98	<u>Duration</u>		
I (a) Ischemic heart disease	10/1/98 - 10/6/98	I249	
(b) Arteriosclerosis		I709	

Apply the duration to I(a).

O. Relating and modifying conditions

Implied site of disease

Certain conditions are classified in the ICD-10 according to the site affected, e.g.:

atrophy	enlargement	obstruction
calcification	failure	perforation
calculus	fibrosis	rupture
congestion	gangrene	stenosis
degeneration	hypertrophy	stones
dilatation	insufficiency	stricture
embolism	necrosis	

embolism. necrosis

(This list is not all inclusive)

Occasionally these conditions are reported without specification of site. Relate conditions such as these for which the Classification does not provide a NOS code and conditions, which are usually reported of a site. Generally, it may be assumed that such a condition was of the same site as another condition if the Classification provides for coding the condition of unspecified site to the site of the other condition. These coding principles apply whether or not there are other conditions reported on other lines in Part I. Apply the following instructions when relating a condition of unspecified site to the site of a specified condition:

a. General instructions for implied site of a disease

- (1) Conditions of unspecified site reported on the same line:
 - (a) When conditions are reported on the same line, with or without a connecting term that implies a due to relationship, assume the condition of unspecified site was of the same site as the condition of specified site.

I	(a)	Congestive heart failure	I500	
	(b)	Infarction with myocardial	I219	I515
	(c)	degeneration		
	(d)	Coronary sclerosis	I251	

Code the infarction as myocardial, the site of the condition reported on the same line.

I	(a)	Aspiration pneumonia	J690
	(b)	Cerebrovascular accident due to	I64
	(c)	thrombosis	I633

<u>Code</u> the thrombosis as cerebral, the site of the condition reported on the same line.

I (a) Duodenal ulcer with internal hemorrhage K269 K922

<u>Code</u> Hemorrhage, duodenal (K922). Relate the internal hemorrhage to the site of the condition reported on the same line.

I	(a)	CVA with hemorrhage	I64	I619
	(b)	MI	I219	

<u>Code</u> Hemorrhage, cerebral (I619). Relate the hemorrhage to the site of the condition reported on the same line.

(b) When conditions of different sites are reported on the same line, assume the condition of unspecified site was of the same site as the condition immediately preceding it.

I (a) ASHD, infarction, CVA	I251	I219	I64
(b)			
(c)			

<u>Code</u> Infarction, heart (I219). Relate the infarction to the site of the condition immediately preceding it.

- (2) Conditions of unspecified site reported on a separate line:
 - (a) If there is only one condition of a specified site reported either on the line above or below it, code to this site.

I	(a)	Massive hemorrhage	K922
	(b)	Gastric ulceration	K259

<u>Code</u> the hemorrhage as gastric. Relate hemorrhage to the site of the condition reported on I(b).

I	(a)	Uremia	N19
	(b)	Chronic prostatitis	N411
	(c)	Benign hypertrophy	N40

<u>Code</u> the hypertrophy as prostatic. Relate hypertrophy to prostate, the site of the condition reported on I (b).

I	(a)	Internal hemorrhage	K868
	(b)	Pancreatitis	K85

<u>Code</u> Hemorrhage, pancreas (K868). Relate the internal hemorrhage to the site of the condition reported on I(b).

(b) If there are conditions of different specified sites on the lines above and below it **and** the Classification provides for coding the condition of unspecified site to only one of these sites, code to that site.

I	(a)	Intestinal fistula	K632
	(b)	Obstruction	K566
	(c)	Carcinoma of peritoneum	C482

<u>Code</u> the obstruction as intestinal since the Classification does not provide for coding obstruction of the peritoneum.

(c) If there are conditions of different specified sites on the lines above and below it **and** the Classification provides for coding the condition of unspecified site to both of these sites, code the condition unspecified as to site.

I	(a)	CVA	I64
	(b)	Thrombosis	I829
	(c)	ASHD	I251

<u>Code</u> Thrombosis NOS on I(b). Do not relate the thrombosis since the Classification provides codes for both sites reported.

(3) Do not relate conditions which are not reported in the first position on a line to the line above. It is acceptable to relate conditions not reported as the first condition on a line to the line below.

I	(a)	Kidney failure		N19	
	(b)	Vascular insufficiency c	thrombosis	I99	I219
	(c)	ASHD		I251	

Code Thrombosis, cardiac (I219). Relate thrombosis to line below.

(4)	When relating conditions to sites start at the top of the certificate and
	work down.

Ι	(a)	Hemorrhage	R5800
	(b)	Necrosis	K729
	(c)	Hepatoma	C220

<u>The</u> hemorrhage cannot be related. Relate necrosis to liver (K729), the site of the hepatoma.

b. Relating specific categories

(1) When ulcer, site unspecified or peptic ulcer NOS is reported causing, due to, or on the same line with gastrointestinal hemorrhage, code peptic ulcer NOS (K279).

I	(a)	Gastrointestinal hemorrhage	K922
	(b)	Peptic ulcer	K279

(c)

<u>Code</u> peptic ulcer (K279). Do not relate to gastrointestinal.

I (a) Ulcer causing gastrointestinal hemorrhage K922 (b) K279

Code ulcer to peptic ulcer (K279).

(2) When ulcer NOS (L984) is reported causing, due to, or on the same line with diseases classifiable to K20-K22, K30-K31, and K65, code peptic ulcer NOS (K279).

I	(a)	Peritonitis	K659
	(b)	Ulcer	K279

Code Ulcer, peptic (K279).

(3) When hernia (K40-K46) is reported with disease(s) of unspecified site(s), relate the disease of unspecified site to the intestine.

I (a) Hernia with hemorrhage K469 K922

Code Hemorrhage, intestine.

(4)	When calculus NOS or stones NOS is reported with pyelonephritis,
	code to N209 (urinary calculus).

I (a) Pyelonephritis with calculus

N12 N209

<u>Code</u> calculus (N209) since it is reported with pyelonephritis.

- (5) When arthritis (any type) is reported with
 - contracture code contracture of the site
 - deformity code deformity acquired of the site

If no site is reported or if site is not indexed, code contracture or deformity, joint.

I	(a)	Phlebitis	I809
	(b)	Contractures	M245
	(c)	Osteoarthritis lower limbs	M199

<u>Code</u> Contracture, joint (M245) since contracture lower limb is not indexed.

I	(a)	Pulmonary embolism	I269
	(b)	Multiple deformities	M219
	(c)	Arthritis in both hips	M139

Code deformity (acquired) of hip.

- (6) When embolism, infarction, occlusion, thrombosis NOS is reported
 - from a specified site code the condition of the site reported
 - of a site, from a specified site code the condition to both sites reported

I	(a)	Congestive heart failure	I500
	(b)	Embolism from heart	I219
	(c)	Arteriosclerosis	I709

<u>Code</u> I(b) embolism of heart (I219).

I	(a)	Pulmonary embolism from leg veins	I269
	(b)		I803
	(c)		

<u>Code</u> I(a) pulmonary embolism (I269) and I(b) leg veins embolism (I803).

(7)	Relate a condition of unspecified site to the complete term of a multiple site
	entity. If it is not indexed together, relate the condition to the site of the
	complete indexed term.

I (a) Cardiorespiratory arrest \overline{c} failure

I469 R092

<u>Code</u> Failure, cardiorespiratory (R092). Relate failure to the complete term.

I (a) Cardiorespiratory arrest

I469 I509

(b) c insufficiency

<u>Code</u> Insufficiency, heart (I509) since cardiorespiratory arrest is indexed to a heart condition. Relate insufficiency to the site of the complete term.

- c. Exceptions to relating and modifying instructions
 - (1) Do not relate the following conditions:

Arteriosclerosis

Congenital anomaly NOS

Hypertension

Infection NOS (refer to Section III, #3)

Neoplasms

Paralysis

I (a) Arteriosclerosis with CVA

I709 I64

(b)

(c)

Code Arteriosclerosis NOS (I709).

I (a) Cardiac arrest

I469

(b) Congenital anomaly

Q899

(c)

Code congenital anomaly NOS (Q899).

I (a) Pneumonia

J189

(b) Infection

(c)

Code Pneumonia (J189) on I(a). Do not enter a code on I(b).

I	(a) Perforation esophagus	K223
	(b) Cancer	C80
	(c)	

Code cancer NOS (C80).

(2) Do not relate hemorrhage when causing a condition of a specified site. Relate hemorrhage to site of disease reported on **same** line or on line **below** only.

I	(a)	Respiratory failure	J969
	(b)	Hemorrhage	R5800

Code Hemorrhage NOS. Do not relate to respiratory.

I	(a)	Respiratory failure	J969
	(b)	Hemorrhage	K922
	(c)	Gastric ulcer	K259

Relate hemorrhage on I(b) to gastric on I(c) and code gastric hemorrhage.

(3) Do not relate conditions classified to R00-R99 except:

Gangrene and necrosis	R02
Hemorrhage	R5800
Stricture and stenosis	R688

I (a) Myocardial infarction with anoxia I219 R090

 $\underline{\text{Code}}$ anoxia as indexed. Do not relate to heart since anoxia is classified to R090.

I (a) Pneumonia with gangrene J189 J850

<u>Code</u> the gangrene as pulmonary, the site of the disease reported on the same line since gangrene is one of the exceptions.

- (4) Do not relate a disease condition that, by the name of the disease, implies a disease of a specified site unless it is obviously an erroneous code. If not certain, refer to supervisor.
 - I (a) Cirrhosis, encephalopathy

K746 G934

G935

<u>Do</u> not relate encephalopathy to liver since the name of the disease implies a disease of a specific site, brain.

I (a) Pulmonary embolism I269 (b) Thrombophlebitis I809

<u>Code</u> thrombophlebitis (I809) as indexed. Do not relate thrombophlebitis since it is not usually reported of any site other than extremities.

I (a) Cerebral hemorrhage c herniation I619

<u>Relate</u> herniation to brain since hernia NOS is classified to a disease of the digestive system (K469) and it seems illogical to have a brain disease paired with a digestive system disease.

- 2. Coding conditions classified to injuries as disease conditions
 - a. Consider "injury," "hematoma," "laceration," (or other condition that is usually but not always traumatic in origin) of a specified organ to be qualified as nontraumatic when it is reported due to or on the same line with a disease, provided there is no statement on the death certificate that indicates the condition was traumatic. If there is provision in the Classification for coding the condition that is considered to be qualified as nontraumatic as such, code accordingly. Otherwise, code to the category that has been provided for "Other" conditions of the organ (usually.8).

I	(a)	Laceration heart	I518
	(b)	Myocardial Infarction	I219

(c)

<u>Consider</u> laceration of heart as nontraumatic and code to other ill-defined heart diseases.

I	(a)	Subdural hematoma	I620
	(b)	CVA	I64
	(c)		

Code Hematoma, subdural, nontraumatic (I620) as indexed.

Ι	(a)	Injury liver	K768
	(b)	Viral hepatitis	B199
	(c)		

Code injury, liver as nontraumatic (K768) other specified diseases of liver.

I	(a)	Cardiorespiratory failure	R092	
	(b)	Intracerebral hemorrhage	I619	
	(c)	Meningioma, subdural hematoma	D329	I620

<u>Code</u> subdural hematoma as nontraumatic since it is reported on the same line with a disease.


I	(a)	Liver failure	K7290	
	(b)	Cirrhosis with injury to liver	K746	K768
	(c)			

<u>Code</u> injury to liver as nontraumatic since it is reported on the same line with a disease.

I	(a)	Cerebral arteriosclerosis with	I672	I620
	(h)	subdural hematoma		


<u>Code</u> subdural hematoma as nontraumatic since it is reported on the same line with a disease.

b. Some conditions are indexed directly to a traumatic category but the Classification also provides a nontraumatic code. When these conditions are reported due to or with a disease <u>and</u> an external cause is reported on the record or the Manner of Death box is checked as Accident, Homicide, Suicide, Pending Investigation or could not be determined, code the condition as traumatic.



<u>Code</u> the cerebral hematoma as traumatic since the manner of death is accidental.

c. Some conditions are indexed directly to a traumatic category, but the Classification also provides a nontraumatic code. When these conditions are reported and the Manner of Death is Natural, code condition as nontraumatic unless the condition is reported due to or on the same line with an injury or external cause. This instruction applies only to conditions with the term "nontraumatic" in the Index. It does not apply to conditions in Section III, Intent of Certifier.



Code I(a) as nontraumatic since Manner of Death box states "Natural."

I (a) Subdural hema	oma I620
(b) (c)	
MOD II N Natural	W19 Fell in hospital
Code I(a) as nontraum	tic since Manner of Death box states "Natural."
<u>Place</u> I (a) Subdural hema	oma S065
2 (b) Open wound or	head S019
MOD II Fell in hospital	&W19
N Natural	
INATUITAI	

<u>Code</u> subdural hematoma as traumatic since it is reported due to an injury, disregarding Natural in the Manner of Death box.

In order to assign the most appropriate code for a given diagnostic entity, it may be necessary to take other recorded information and the order in which the information is reported into account. It is important to interpret this information properly so the meaning intended by the certifier is correctly conveyed. The objective is to code each diagnostic entity in accordance with the intent of the certifier without combining separate codable entities. The following instructions help to determine the intent of the certifier. Apply Intent of Certifier instructions to "See also" terms in the Index as well.

78 2b January 2005

1. Charcot's Arthropathy (A521)

Code G98 (Arthropathy, neurogenic, neuropathic (Charcot's), nonsyphilitic):

When reported due to:

A30	Leprosy	G608	Hereditary sensory
E10-E14	Diabetes mellitus		neuropathy
E538	Subacute combined degeneration	G901	Familial dysautonomia
	(of spinal cord)	G950	Syringomyelia
F101	Alcohol abuse	Q059	Spina bifida,
F102	Alcoholism		meningo-myelocele
G600	Hypertrophic interstitial	Y453	Indomethacin
	neuropathy	Y453	Phenylbutazone
G600	Peroneal muscular atrophy	Y427	Corticosteroids

2. General Paresis (A521)

a. Code G839 (Paralysis)

When reported due to or on the same line with:

A022	A988	B673	D233-D234	I748
A040	B003-B004	B676	D320-D339	J108
A066	B010-B011	B679	D352	J118
A078	B020-B022	B690	D355	M000-M1990
A170-A179	B03-B04	B719	D360-D367	M420-M429
A180	B050-B051	B75	D420-D439	M45-M519
A190-A191	B060	B832	D443	M860-M949
A203	B200-B24	B888	D446	N000-N399
A228	B258	B89-B99	D448	O100-O16
A260-A289	B259	C470	D45-D479	O740-O749
A321-A329	B261-B262	C479	D487	O900-O909
A368	B268	C700-C729	D489	O95
A390-A394	B270-B279	C751	E713	O994
A398-A399	A022	C754	E750-E756	P000-Q079
A428	A040	C758	F449	Q750-Q799
A440-A539	B338	C760	G000-G239	Q860-Q999
A544	B375	C770	G300-G379	R270-R278
A548	B384	C793-C794	G450-G459	R75
A680-A689	B428	C798-C97	G540-G729	
A692	B450-B459	D170	G839-G98	
A800-A959	B461	D180-D181	I10	
A981-A982	B49-B64	D210	I600-I709	

b. Code T144 (Paralysis, traumatic)

Refer to Section V, Part S, <u>Sequela of injuries</u>, <u>poisonings</u>, <u>and other consequences of external causes</u>, if a sequela is indicated.

When reported due to or on the same line with:

S000-T149	W81-X39
T20-T35	X50-X59
T66-T79	X70-X84
T90-T95	X91-Y09
T981-T982	Y20-Y369
V010-W43	Y850-Y872
W45-W77	Y890-Y899

I (a) CVA with general paresis

I64 G839

(b)

(c)

I (a) General paresis	T144
(b) Brain injury	S069
(c)	
II Auto accident	&V499

3. Organisms and Infections NOS (B99)

Organisms

Bacterial organisms	Viral organisms	Organisms classified to
classified to A49	classified to B34	other than A49 or B34
Escherichia coli	Adenovirus	Aspergillus
Haemophilus influenzae	Coronavirus	Candida
Pneumococcal	Coxsackie	Cytomegalovirus
Staphylococcal	Enterovirus	Fungus
Streptococcal	Parovirus	Meningococcal

Infectious conditions

Abscess Bacteremia	Infection Pneumonia	Sepsis, Septicemia Septic Shock Words anding in "itis"
Empyema	Pyemia	Words ending in "itis"

These lists are **NOT** all inclusive. Use them as a guide.

In order to determine which instruction to use, refer to the Index under the named organism or under Infection, named organism.

- a. Bacterial organisms and infections classified to A49 and Viral organisms and infections classified to B34
 - (1) When an infectious or inflammatory condition is reported and
 - (a) Is preceded by condition classified to A49 or B34 or
 - (b) A condition classifiable to A49 or B34 is reported as the only entry or first entry on the next lower line **or**

(c) Is followed by a condition classified to A49 or B34 separated by a connecting term not indicating a due to relationship

(i) If a single code is provided for the infectious or inflammatory condition modified by the condition classified to A49 or B34, use this code. Do not assign a separate code for the condition classifiable to A49 or B34. It may be necessary to use "due to" or "in" in the Index to assign the appropriate code.

I (a) E. coli diarrhea

A044

Code as indexed under Diarrhea, due to, Escherichia coli.

I (a) Pneumonia

J129

(b) Viral infection

Code as indexed under Pneumonia, viral.

I (a) Meningitis and sepsis

G000 A413

(b) H. influenzae

<u>Code</u> as indexed under Meningitis, Haemophilus (influenzae) and Septicemia, Haemophilus influenzae.

I (a) Sepsis with staph

A412

<u>Code</u> as staphylococcal sepsis as indexed under Septicemia, staphylococcal.

I (a) Pneumonia \overline{c} MRSA

J152

<u>Code</u> as methicillin resistant staphylococcal aureus pneumonia as indexed under Pneumonia, MRSA.

(ii) If (i) does not apply, and the Index provides a code for the infectious or inflammatory condition qualified as "bacterial," "infectious," "infective," or "viral," assign the appropriate code based on the reported type of organism. Do not assign a separate code for the condition classified to A49 or B34.

I (a) Coxsackie virus pneumonia

J128

<u>Coxsackie virus</u> is a specified virus. Code as indexed under Pneumonia, viral, specified NEC.

I (a) Peritonitis

K650

(b) Campylobacter

<u>Campylobacter</u> is a specified bacteria. Code as indexed under Peritonitis, bacterial.

I (a) Pneumonia with coxsackie virus J128

<u>Code</u> as coxsackie virus pneumonia. Since coxsackie virus is a specified virus, code as indexed under Pneumonia, viral, specified NEC.

- (iii) If (i) and (ii) do not apply, assign the NOS code for the infectious or inflammatory condition. Do not assign a separate code for the condition classified to A49 or B34.
 - I (a) Klebsiella urinary tract infection N390

The Index does not provide a code for Infection, urinary tract specified as bacterial, infectious, infective, or Klebsiella. Therefore, code Infection, urinary tract.

I (a) Pyelonephritis

N12

(b) Staphylococcus

The Index does not provide a code for pyelonephritis specified as bacterial, infectious, infective, or staphylococcal. Therefore, code Pyelonephritis as indexed.

I (a) Pyelonephritis and pseudomonas N12

<u>Code</u> as pseudomonas pyelonephritis. The Index does not provide a code for pyelonephritis specified as bacterial, infectious, infective or pseudomonas. Therefore, code Pyelonephritis as indexed.

- b. Organisms and infections classified to categories other than A49 and B34
 - (1) When an infectious or inflammatory condition is reported and
 - (a) Is preceded by a condition classifiable to Chapter I other than A49 or B34
 - (i) Refer to the Index under the infectious or inflammatory condition. If a single code is provided for this condition, modified by the condition from Chapter I, use this code. It may be necessary to use "due to" or "in" in the Index to assign the appropriate code.

I (a) Cytomegaloviral pneumonia

B250

<u>Code</u> as indexed under Pneumonia, cytomegaloviral.

- (ii) If (i) does not apply, refer to Volume 1, Chapter I to determine if the Classification provides an appropriate fourth character. Indications of appropriate fourth characters for sites would be "of other sites," "other specified organs," or "other organ involvement."
 - I (a) Candidiasis peritonitis

B378

<u>Since</u> this term is not indexed together, refer to Volume I, Chapter I and select the fourth character, .8, candidiasis of other sites.

- (iii) If (i) and (ii) do not apply, code as two separate conditions.
 - I (a) Mononucleosis pharyngitis

B279 J029

<u>Since</u> this term is not indexed together and Volume I, Chapter I does not provide an appropriate fourth character under B27.-, code as two separate conditions.

- (b) A condition from Chapter I other than A49 or B34 is reported as the only entry or the first entry on the next lower line
 - (i) Code each condition as indexed where reported.

I (a) Peritonitis

K659

(b) Candidiasis

B379

<u>Since</u> candidiasis is classified to a condition other than A49 or B34, code each condition as indexed.

(c) A condition from Chapter I other than A49 or B34 is reported separated by a connecting term not indicating a due to relationship

(i) Code each condition as indexed where reported.

I (a) Pneumonia with candidiasis J189 B379

Since candidiasis is classified to a condition other than A49 or B34, code each condition as indexed.

c. Do not use HIV or AIDS to modify an infectious or inflammatory condition. Code as two separate conditions.

I (a) HIV pneumonia

B24 J189

- d. When an infectious or inflammatory condition is reported and a specified organism or specified nonsystemic infection is not the only entry or the first entry on the next lower line.
 - ◆ Code the infectious or inflammatory condition and the organism or infection separately.

I (a) Pneumonia J189 (b) Emphysema & viral infection J439 B349 I (a) Peritonitis K659

(b) Gastric ulcer and staphylococcal infection K259 A490

- e. When an infectious or inflammatory condition is reported and
 - (1) Infection NOS is reported as the only entry or the first entry on the next lower line
 - ♦ Code the infectious or inflammatory condition where it is entered on the certificate and do not enter a code for infection NOS, but take into account if it modifies the infectious condition.

I	(a)	Cholecystitis & hepatitis	K819	B159
	(b)	Infection		

I (a) Meningitis G039 (b) Infection & brain tumor D432 (2) Infection NOS is not the only entry or the first entry on the next lower line

♦ Code the infectious or inflammatory condition where it is entered on the certificate and code infection NOS separately.

I (a) Septicemia A419

(b) Diabetes & infection E149 B99

f. When a noninfectious or noninflammatory condition is reported and infection NOS is reported on a lower line

◆ Code the noninfectious or noninflammatory condition as indexed and code infection NOS (B99) where entered on the certificate.

I (a) ASHD I251 (b) Infection B99

g. When an organism is reported preceding two or more infectious conditions reported consecutively on the same line

• Code each of the infectious conditions modified by the organism.

I (a) Staphylococcal pneumonia and J152 G003

(b) meningitis

h. When any condition is reported and a generalized infection such as bacteremia, fungemia, sepsis, septicemia, systemic infection, or viremia is reported on a lower line

◆ Code both the condition and the generalized infection where entered on certificate. Do not modify the condition by the infection.

I (a) Bronchopneumonia J180 (b) Septicemia A419

I (a) Pneumonia J189 (b) Viremia B349

4. Erythremia (C940)

<u>Code</u> D751 (Secondary erythremia):

When reported due to:

A000-D489	G000-G419	L950-L959	R030	R893
D510-D619	G450-G459	M000-M1990	R040-R049	S000-Y899
D751	G600-G979	M300-M359	R090-R098	
D760-E149	I00-J989	M420-M549	R160-R162	
E240-E279	K20-L00	M800-M949	R31	
E65-E678	L100-L139	M960-M969	R58-R5800	
E890	L230-L309	N000-N399	R730-R739	
E896-E899	L500-L599	N700-N768	R75	
F100-F199	L710-L719	N980	R780	
F55	L930-L932	N990-Q999	R826	

I (a) Septicemia A419 (b) Erythremia D751 (c) Polycythemia D45

5. Polycythemia (D45)

Excludes: idiopathic primary rubra vera

<u>Code</u> D751 (Secondary polycythemia):

When reported due to:

A000-D489	G000-G419	L950-L959	R030	R893
D510-D619	G450-G459	M000-M1990	R040-R049	S000-Y899
D751	G600-G979	M300-M359	R090-R098	
D760-E149	I00-J989	M420-M549	R160-R162	
E240-E279	K20-L00	M800-M949	R31	
E65-E678	L100-L139	M960-M969	R58-R5800	
E890	L230-L309	N000-N399	R730-R739	
E896-E899	L500-L599	N700-N768	R75	
F100-F199	L710-L719	N980	R780	
F55	L930-L932	N990-Q999	R826	

I	. ,	Polycythemia Pneumonia	D751 J189
I		Polycythemia Chloromycetin therapy	&D751 Y408
Ι	, ,	Polycythemia vera Emphysema	D45 J439

6. Hemolytic Anemia (D589)

Code D594 (Secondary hemolytic anemia):

When reported due to:

A000-D489	F100-F169	O000-O998
D594	F180-F199	P550-P579
D65-D699	G000-G09	Q200-Q289
D760	I00-I519	R75
D800-D899	I776	R780
E201	J100-J22	R823
E280-E289	K700-K769	R826
E40-E46	M000-M359	R893
E700-E899	N000-N399	S000-Y899
1 /	lytic anemia cell leukemia	D594 C914
(a) Hemo (b) (c)	lytic anemia	D589
` '	naglobulinemia	D801
I (a) Secon (b) anen	dary hemolytic	D594

7. Sideroblastic Anemia (D643)

a. Code D641 (Secondary sideroblastic anemia due to disease):

When reported due to:

A000-C97	E230	F180-F182	J069	M023
D45	E531	F190-F192	J65	M101
D461	E539	F55	K700-K703	M352
D471	E798	G030	K709	N143
D510-D599	E800-E802	G040	K721	N188-N19
D640-D643	E831	G361	K730-K746	N341
D648	E880	G933	K760	O980-O981
D731	E890	I330	K761	R162
D748	F100-F102	I423	K766	R75
D758	F109-F112	I729	K769	R780
D860-D869	F119-F122	I888	K908	R826
D892	F130-F132	J00	L081	R893
E018-E02	F140-F142	J020	L448	R897
E032-E0390	F150-F152	J030	L946	
E050-E059	F160-F162	J040-J042	M021	

I	(a)	Pneumonia	J189
	(b)	Sideroblastic anemia	D641
	(c)	Alcoholic cirrhosis	K703

b. Code D642 (Secondary sideroblastic anemia due to drugs or toxins):

When reported due to:

D642 T560 X49 Y400-Y599 Y86 Y880

Ι	(a)	CHF	I500
	(b)	Sideroblastic anemia	&D642
	(c)	Chloramphenicol	Y402

8. Hemorrhagic Purpura NOS (D693)

Code D690 (Hemorrhagic purpura not due to thrombocytopenia):

When reported due to:

A000-C97	F119	I872	N250-N311	R104
D45-D460	F120	I878	N312-N319	R162
D462-D469	F121-F122	I879-I889	N320-N390	R233
D471	F130-F132	I898-I899	N392	R238
D510	F140	I99-J00	N398-N399	R291
D511-D581	F141-F142	J020	N719	R31
D582	F150	J030	N897	R398
D588-D618	F151-F152	J040-J042	N910-N939	R72
D619	F160-F162	J069	N948	R75
D648	F180-F181	J65	N950-N959	R780
D65-D692	F182	K658	N991	R826
D698-D71	F190-F191	K660	P070-P073	R893
D720	F192	K700-K769	P219	R897
D721	G000-G032	K908	P221-P289	T360-T658
D728	G038-G039	L081	P546	T659
D729-D759	G040	L272	Q458	T780-T784
D860-D869	G042-G049	L448	Q680	T789
D892	G060	L573	Q740-Q741	T806
E240	G061-G09	L80-L819	Q758	T818
E241	G312	L946	Q772	T881
E242	G361	L958	Q775-Q776	T885
E243	G373-G374	M023	Q778	T886-T887
E248	G540	M050-M089	Q779-Q783	T96-T97
E249	G92	M101	Q785	T981
E301	G933	M120	Q788-Q789	X20-X29
E54	G958	M138	Q791	X40-X48
E569	G961	M159	Q794-Q795	X49
E642	I00-I019	M300	Q796	X60-X69
E648	I10	M301-M352	Q798	Y10-Y19
E703	I308	M358	Q808	Y400-Y599
E798	I330-I339	M359	Q810-Q819	Y86
E850-E859	I400-I409	M898	Q820	Y870
E871	I423	N000-N078	Q821-Q825	Y872
E880	I729	N079	Q828	
F100	I749	N10-N189	Q848	
F101-F102	I770	N19	Q872-Q873	
F110-F112	I771-I779	N200-N219	Q878	

- I (a) CVA
 - (b) Hemorrhagic purpura
 - (c) Leukemia

I64 D690

C959

9. Thrombocytopenia (D696)

Code D695 (Secondary thrombocytopenia):

When reported due to:

A000-D447	E755-E756	G361	L448	P221-P289
D448	E768-E779	G373-G374	L590	P350-P399
D449-D509	E782	G450-G452	L818	P550-P560
D510	E798	G454-G459	L946	P570
D511-D691	E803	G540	M021	P610
D692	E835	G903	M023	P614
D693-D699	E871	G92	M050-M089	Q204-Q205
D730-D752	E880	G933	M101	Q206
D758	E888	G936	M120	Q208
D759-D763	E890	G938	M138	Q209
D814	E898	G951	M159	Q210
D820	F100	G958	M199-M1990	Q220-Q246
D821	F101-F102	G961	M219	Q248
D840	F110	I00-I019	M300	Q249
D841-D848	F111-F112	I10-I629	M301-M329	Q289
D860-D892	F119	I630	M352	Q758
E000-E009	F120	I631	M898	Q775-Q776
E018-E02	F121-F122	I633-I677	N000-N078	Q778
E031-E033	F130	I678-I679	N079	Q779-Q783
E034	F131-F132	I690-I891	N10-N219	Q788-Q789
E035-E0390	F140	I898	N250-N311	Q798
E055	F141-F142	I899-I972	N312-N319	Q828
E059	F150	I978	N320-N390	Q850
E071	F151-F152	I99	N392	R001
E230	F160	J00	N398-N399	R008
E349	F161-F162	J020	N980-N989	R012
E46	F180-F181	J030	N991	R161-R162
E538	F182	J040-J042	O360-O369	R233
E539-E54	F190-F191	J069	O430-O431	R291
E560-E639	F192	J100-J118	O438	R31
E642	F55	J65	O439-O469	R398
E648	G000-G032	K658	O60	R58-R5800
E649	G038-G039	K660-K661	O670-O689	R75
E713	G040	K700-K769	O700-O719	R771
E740	G042-G048	K908	O908	R780
E750	G049-G060	K920-K921	O980-O981	R788
E752	G061-G09	K922	P070-P073	R798
E753	G312	L081	P219	R825

R826	T752	T981	X69-Y369	Y658
R827-R828	T780-T783	T983	Y400-Y601	Y66-Y831
R829	T784	V010-V99	Y603	Y840
R893	T788-T789	W00-W53	Y605	Y842
R897	T803-T804	W54-W56	Y610-Y611	Y848-Y849
T200	T808-T809	W57	Y613	Y850-Y872
T201-T289	T818	W58-W87	Y615	Y880-Y881
T300	T881	W88-W93	Y617	Y890-Y891
T301-T329	T882-T883	W94-X19	Y620-Y621	Y899
T360-T658	T885	X20-X32	Y623	
T659	T886-T888	X34-X39	Y625	
T66-T670	T889	X40-X48	Y630-Y633	
T68	T950-T97	X49-X59	Y640-Y655	

I	(a)	Multiple hemorrhages	R5800
	(b)	Thrombocytopenia	D695
	(c)	Cancer lung	C349

10. Hyperparathyroidism (E213)

<u>Code</u> E211 (Secondary hyperparathyroidism):

When reported due to:

A180	D136-D137
A187	D300-D309
A188	D351-D353
B650-B839	D410-D419
B902-B908	D442-D444
C250-C259	E130-E139
C64-C689	E15-E215
C750-C752	E240-E259
C788	E270-E279
C790-C791	E892
C798	M880-M889
C900-C902	N000-N399
D017	Q600-Q649
D090-D091	Q770-Q789
D093	Q798

I	(a)	Hypercalcemia	E835
	(b)	Hyperparathyroidism	E211
	(c)	Cancer parathyroid gland	C750

11. Hyperaldosteronism (E269)

Code E261 (Secondary hyperaldosteronism)

When reported due to:

A220-A229	E250-E269	I10-I139	T880-T889
B500-B54	E270-E46	I500-I509	T96-T97
B560-B575	E511-E519	I701	T983
C740-C749	E660-E669	I778	X40-X49
C797	E713	K700-K709	X60-X69
D093	E86	K721-K7210	X85-X90
D350	E871	K730-K746	Y10-Y19
D441	E880	K85	Y400-Y599
D448-D449	E890	N000-N399	Y86-Y880
D840-D849	E892	T360-T659	
E000-E249	E895-E899	T783	

I (a) MI I219 (b) Hyperaldosteronism E261 (c) Renal artery stenosis I701

12. Lactase Deficiency (E730)

<u>Code</u> E731 (Secondary lactase deficiency):

When reported due to:

E730-E749	K590-K599
K500	K630
K508-K511	K633
K519-K529	K639
K570	K900-K902
K574	K912
K580-K589	N200-N209

Ι	(a) Severe diarrhea	K529
	(b) Lactase deficiency	E731
	(c) Celiac disease	K900

 $\underline{\text{Code}}$ I(b) secondary lactase deficiency, E731, since reported due to celiac disease.

13. Alcohol (F100, F101, F109, R780, R826, R893)

When reported anywhere on the certificate, code:

Alcohol (ethyl)(isopropyl)(methyl)	
(propanol)(propyl)(methanol)	F109
Alcohol ingestion	F109
Alcohol intoxication	F100
Alcohol overdose	F101
Alcohol overindulgence	F101
Blood alcohol (any %)	R780
Body fluid alcohol (any %)	R893
Drinking	F109
Intoxication (acute) NOS	F100
Urine alcohol (any %)	R826

NOTE: Do not use accident reported in Manner of Death box to code the above terms to nature of injury and external cause.

	Ι	(a) Alcohol intoxication	F100
		(b) Blood alcohol 3%	R780
<u>MOD</u>		(c)	
Α	II	Excessive drinking	F100
	Г		

Accident

<u>Code</u> each entry as indexed. Accident in Manner of Death box does not require a code and does not change the code assignment.

Ι	(a) G. I. hemorrhage	K922
	(b) Cirrhosis of liver	K746
II	Intoxicated	F100

Code each entry as indexed.

Exceptions:

(1) When alcohol poisoning or alcohol toxicity is reported anywhere on the certificate, code the previous terms to nature of injury and external cause codes.

<u>Place</u>	I	(a) Excessive drinking	T519	&X45
9	II	Alcohol poisoning	T519	

<u>Code</u> I(a) nature of injury and external cause codes since alcohol poisoning is reported on the certificate. Code Part II to the nature of injury code only.

(2) When the previous terms and drug poisoning are reported on the same record, refer to Section V, Part Q, 4, <u>Poisoning by alcohol and drugs</u> to determine if there is evidence of synergistic effects of the alcohol and drugs.

<u>Place</u> I (a) Combined action of alcohol T519 X45 T427 &X41 9 (b) intoxication and sedative overdose

(c)

<u>Interpret</u> I(a) as poisoning and code nature of injury and external cause codes for alcohol and drugs. Precede the external cause code for the drug with an ampersand.

(3) When intoxication (acute) NOS is reported <u>due to</u> drugs or poisonous substances, refer to Section V, Part Q, 5, <u>Intoxication (acute) NOS due to specified substances</u>.

14. Korsakov's Disease, Psychosis, or Syndrome (F106)

<u>Code</u> F04 (Nonalcoholic Korsakov's disease, psychosis, or syndrome):

When reported due to:

A000-D591	L951	S840-S899	T910
D592	L980-L981	S910-S929	T911-T915
D593-D610	M000-N459	S940-S999	T918
D611	N490-N809	T012-T029	T919-T922
D612-E243	N990-N992	T041-T08	T924-T926
E248-E519	N994-Q999	T091	T928
E52	R54	T093-T10	T929-T932
E530-F09	R75	T111	T934-T936
F200-G311	S010-S029	T113-T12	T938
G318-G619	S040-S050	T131	T939
G620	S052-S099	T133-T139	T940-T953
G622	S110-S129	T141-T142	T954
G628-G720	S140-S199	T144-T329	T958-T959
G722-G98	S210-S229	T340-T349	T96-X40
I00-I4250	S240-S299	T351-T399	X43-X44
I427-J989	S310-S328	T410-T422	X46-Y449
K20-K291	S340-S399	T425-T426	Y451-Y468
K293-K669	S410-S429	T427	Y480-Y485
K710-K85	S440-S499	T428	Y500-Y899
K861-L109	S510-S529	T440-T509	
L129-L449	S540-S599	T520-T889	
L510-L599	S610-S628	T901-T903	
L710-L719	S640-S699	T904	
L88	S710-S729	T905	
L920	S740-S799	T908	
L928-L932	S810-S829	T909	

I	(a)	Korsakoff's psychosis	F04
	(b)	Wernicke's encephalopathy	E512

(c)

15. Drug Use NOS - Named Drug Use (F11-F16, F18-F19)

<u>Code</u> drug use NOS, F199, when reported anywhere on the certificate. Code use of named drug, F11-F16, F18-F19 with fourth character "9," when reported anywhere on the certificate and the named drug is listed in Volume 3, under Addiction/Dependence. If the named drug is not listed in Volume 3 under Addiction/Dependence, do not enter a code.

Exceptions:

- (1) Complication(s) reported due to (named) drug use. Code the (named) drug use to the appropriate external cause code for adverse effects of drugs in therapeutic use unless the drug is one not used for medical care purposes. Refer to Section V, Part R, 1, <u>Drugs</u>, <u>medicaments</u>, <u>biological substances causing adverse effects in therapeutic use (Y40-Y59)</u> for coding instructions.
- (2) There is mention of drug poisoning anywhere on the certificate, code the (named) drug use to F11-F16, F18-F19, with fourth character "9," if listed in Volume 3 under Addiction/Dependence. If (named) drug is not indexed in Volume 3 under Addiction/Dependence, code F19, specified drug NEC with fourth character "9." Refer to Section V, Part Q, 2, Poisoning by drugs.

I	(a) Chronic alcoholism	F102
	(b)	
	(c)	
II	Drug use	F199

<u>Code</u> drug use to F199. There is no complication reported due to the drug use.

I (a) Cancer of pancreas C259
(b)
(c)

II Methadone use F119

<u>Code</u> methadone use to F119 as listed under Dependence in Volume 3. There is no complication reported due to the methadone use.

I (a) Systemic lupus erythematosus M329 (b)

(c)

II Steroid use

<u>Do not</u> code steroid use. Steroid is not listed in Volume 3 under Addiction/Dependence and no complication is reported due to the steroid use.

I (a) Diabetes	E139
(b) Steroid use	Y427
(c)	
II Rheumatoid arthritis	&M069

<u>Code</u> the diabetes as a complication of the steroids given in therapeutic use for rheumatoid arthritis. Refer to Section V, Part R, 1, <u>Drugs, medicaments, biological substances causing adverse effects in therapeutic use (Y40-Y59)</u> for coding complications of drugs during therapeutic use.

I	(a)	Bacterial endocarditis	&I330
	(b)	Use of morphine	Y450
	(c)		

<u>Code</u> the bacterial endocarditis as a complication of the morphine given in therapeutic use. Precede the complication with an ampersand since the condition requiring the drug is not reported. Refer to Section V, Part R, 1, <u>Drugs</u>, <u>medicaments</u>, <u>biological substances causing adverse effects in therapeutic use</u> (Y40-Y59) for coding complications of drugs during therapeutic use.

<u>Place</u>	I	(a) Acute coo	caine poisoning	T405	&X42
9		(b)			
		(c)			
<u>MOD</u>	II	F149	T405		
A		Accident	Ingested cocaine		

<u>Code</u> cocaine use to F149 as listed under Dependence in Volume 3 since reported on the certificate with drug poisoning. Refer to Section V, Part Q, 2, <u>Poisoning by drugs</u> for instructions in coding drug poisoning.

Place 9	Ι	(a) Respirato(b) Acute dru(c)	J969 F199	
	MOD II			&X42 T402
A		Accident	Overdose of morphine	

<u>Code</u> acute drug use to F199 since reported on the certificate with drug poisoning.

<u>Place</u>	Ι ((a)	Poisoning by drugs	T509	&X44
9	((b)			
	((c)			
	II (Use	of sedatives	F139	

<u>Code</u> use of sedative to F139 as listed under Dependence in Volume 3 since reported on the certificate with drug poisoning.

103

16.	Tobacco Use (F179)					
	Code F179 (Tobacco use):					
	When the certifier selects "Yes" or "Probably" in the tobacco box on the US Standard Certificate of Death.					
	Did tobacco use contribute to death?					
	Yes Probably Unknown Unknown					
	The F179 should follow the last code in Part II.					
	I (a) Pneumonia J189 (b) Lung cancer C349 II COPD J449 F179					
	Did tobacco use contribute to death?					
	Yes Probably Unknown Unknown					

17. Psychotic Episode NOS (F239)

Code F068 (Psychotic episode, organic NEC):

When reported due to or on the same line with conditions classifiable to the following categories:

A000-E899	L88	R042-R048
F068	L920	R060-R065
G000-G98	L928-L932	R068
H600-H709	L951	R090-R091
H720-H739	L980-L981	R291
I00-J989	M000-N459	R54
K20-L109	N490-N809	R600-R609
L120-L449	N990-N992	R75
L510-L599	N994-Q999	
L710-L719	R02	

I	(a)	TIA's with psychotic episodes	G459	F068
	(b)	Cerebral arteriosclerosis	I672	
	(c)	Arteriosclerosis	I709	

<u>Code</u> psychotic episode on I(a) F068, since reported on the same line with TIA (G459). It could also be coded to F068 since reported due to cerebral arteriosclerosis (I672).

18. Psychosis (any F29)

<u>Code</u> F09 (Psychosis, organic NEC):

When reported due to or on the same line with conditions classifiable to the following categories:

A000-E899	S010-S029	S910-S929	T910
F09	S040-S050	S940-S999	T911-T915
G000-G98	S052-S099	T012-T029	T918
I00-J989	S110-S129	T041-T08	T919-T922
K20-L109	S140-S199	T091	T924-T926
L120-L449	S210-S229	T093-T10	T928
L510-L599	S240-S299	T111	T929-T932
L710-L719	S310-S328	T113-T12	T934-T936
L88	S340-S399	T131	T938
L920	S410-S429	T133-T139	T939
L928-L932	S440-S499	T141-T142	T940-T953
L951	S510-S529	T144-T329	T954
L980-L981	S540-S599	T340-T349	T958-T959
M000-N459	S610-S628	T351-T889	T96-Y899
N490-N809	S640-S699	T901-T903	
N990-N992	S710-S729	T904	
N994-Q999	S740-S799	T905	
R54	S810-S829	T908	
R75	S840-S899	T909	
L88 L920 L928-L932 L951 L980-L981 M000-N459 N490-N809 N990-N992 N994-Q999 R54	\$340-\$399 \$410-\$429 \$440-\$499 \$510-\$529 \$540-\$599 \$610-\$628 \$640-\$699 \$710-\$729 \$740-\$799 \$810-\$829	T131 T133-T139 T141-T142 T144-T329 T340-T349 T351-T889 T901-T903 T904 T905 T908	T938 T939 T940-T T954 T958-T

I	(a)	Pneumonia	J189	
	(b)	Psychosis – cerebrovascular arteriosclerosis	F09	I672
	(c)	Arteriosclerosis	I709	

19. Dissociative Disorder (F449)

<u>Code</u> F065 (Organic dissociative disorder):

When reported due to conditions classifiable to the following categories:

A000-E899	L920	R068
F065	L928-L932	R090-R091
G000-G98	L951	R291
H600-H709	L980-L981	R54
H720-H739	M000-N459	R600-R609
I00-J989	N490-N809	R75
K20-L109	N990-N992	S000-Y899
L120-L449	N994-Q999	
L510-L599	R02	
L710-L719	R042-R048	
L88	R060-R065	

I	(a)	Dissociative disorder	F065
	(b)	Chronic subdural hematoma	T905
	(c)	Car accident	&Y850

<u>Code</u> I(a) <u>organic</u> dissociative disorder, F065, since reported due to an injury.

I	(a)	Dissociative disorder	F065
	(b)	Senility	R54

Code I(a) organic dissociative disorder, F065, since reported due to senility.

20. Personality Disorder (F609)

Personality Change (Enduring) (F629)

<u>Code</u> F070 (Organic personality disorder):

When reported due to conditions classifiable to the following categories:

A000-E899	N490-N809	S440-S499	T093-T10
F070	N990-Q999	S510-S529	T111
G000-G98	R54	S540-S599	T113-T12
I00-J989	R75	S610-S628	T131
K20-L109	S010-S029	S640-S699	T133-T139
L120-L449	S040-S050	S710-S729	T141-T142
L510-L599	S052-S099	S740-S799	T144-T329
L710-L719	S110-S129	S810-S829	T340-T349
L88	S140-S199	S840-S899	T351-T889
L920	S210-S229	S910-S929	T901-T922
L928-L932	S240-S299	S940-S999	T924-T932
L951	S310-S328	T012-T029	T934-Y899
L980-L981	S340-S399	T041-T08	
M000-N459	S410-S429	T091	

<u>Place</u>	I	(a)	Personality disorder	F070
9		(b)	Head injury	S099
		(c)	Assault	&Y09

<u>Code</u> I(a) <u>organic</u> personality disorder, F070, since reported due to a head injury.

I	(a)	Personality disorder	F070
	(b)	Meningioma brain	D320

 $\underline{\text{Code}}$ I(a) $\underline{\text{organic}}$ personality disorder, F070, since reported due to a meningioma brain.

I	(a)	Personality change	F070
	(b)	Jakob-Creutzfeldt Syndrome	A810

<u>Code</u> I(a) <u>organic</u> personality disorder, F070, since reported due to Jakob-Creutzfeldt Syndrome.

21. Mental Disorder (any F99)

Code F069 (Organic mental disorder)

When reported due to or on the same line with conditions classifiable to the following categories:

A000-G98	M000-N459	S000-S199	T66-T68
H600-H709	N490-N809	T019	T698-T758
H720-H739	N990-N992	T028	T790-T799
I00-J989	N994-Q999	T029	T900-T911
K20-L109	R02	T049	T913
L120-L449	R042-R048	T062	T918-T919
L510-L599	R060-R065	T064	T940-T950
L710-L719	R068	T07-T08	T958-T959
L88	R090-R091	T093-T094	T981-T982
L920	R291	T140-T149	V010-Y872
L928-L932	R54	T200-T207	
L951	R600-R609	T340-T341	
L980-L981	R75	T350-T352	

I	(a)	Cardiorespiratory arrest	I469
	(b)	Heart failure	I509

(c) Multiple sclerosis and mental disorder G35 F069

22. Parkinson's Disease (G20)

<u>Code</u> G219 (Secondary parkinsonism):

When reported due to:

A170-A179	B902	S000-T357
A504-A539	B91	T66-T876
A810-A819	B941	T900-T982
A870-A89	B949	T983
B003	G000-G039	X50-X59
B010	G041-G09	X70-X84
B021-B022	G20-G2000	X91-Y09
B051	G218-G219	Y20-Y369
B060	I672-I673	Y600-Y849
B200-B24	I698	Y850-Y872
B261	I709	Y881-Y899
B375	1950-1959	
B900	R75	

I (a) Parkinson's disease G219 (b) Tuberculous meningitis A170

(c)

I (a) Parkinsonism G219 (b) Arteriosclerosis I709

(c)

I (a) Secondary Parkinson's disease G219

(b)

(c)

23. Cerebral Sclerosis (G379)

<u>Code</u> I672 (Cerebrovascular atherosclerosis):

a. When reported due to or on the same line with:

A500-A539	M100-M109
E000-E349	M300-M359
E660-E669	N000-N289
E700-E839	N390
E890-E899	Q600-Q619
I10-I139	Q630-Q639
I672	Q890-Q892
I700-I709	R54
I770	T383
I99	Y423

b. When reported as causing:

I600-I679

Ι	(a) Cerebral edema(b) Cerebral sclerosis	G936 G379
Ι	(a) Cerebral thrombosis(b) Cerebral sclerosis	I633 I672
I	(a) ASHD (b) (c)	I251
II	Cerebral sclerosis, hypertension	1672 I10

24. Myopathy (G729)

<u>Code</u> I429 (Cardiomyopathy):

(b) ASHD

(c)

When reported due to:

A162-A1690	E660-E669	M069
A178	E740	M100-M109
A181	E760-E769	M300-M359
A188	E831	M625
B200-B24	E850-E859	N000-N399
B332	E880-E889	P200-P220
B560-B575	F100-F199	Q200-Q249
C000-C97	G111	R31
D151	G600	R54
D467-D469	G700-G729	R75
D500-D649	I00-I259	T360-T66
D758	I300-I4290	Y400-Y599
D860-D869	I514-I5150	Y842
E000-E0390	I700-I709	Y883
E050-E059	K700-K709	
E100-E149	K721	
E220	K730-K739	
E40-E519	K743	
E639	K745-K746	
E641	K760	
E648-E649	K768-K769	
I (a) Myopathy		I429
I (a) Myopathy		1429

Code I(a) cardiomyopathy, I429, since reported due to a specific heart condition.

I251

25. Brain Damage, child (G809)

<u>Code</u> G939 (Brain damage):

When reported due to:

A000- F199	M000-N399	R400-R402
F200-F99	N700-N889	R54
G000-G98	O000-Q999	R560-R5800
H600-H749	R02	R600-R609
H950-J80	R040-R049	R630
J82-J989	R060-R068	R75
K700-K769	R090-R092	S000-Y899
L00-L989	R291	

Male, 11 years

I (a) Cardiac arrest I469 (b) Brain damage G809

<u>Since</u> the age of the decedent is less than 18 years of age and there is no indication of the cause of the brain damage, code G809, brain damage, child.

Male, 11 years

I (a) Brain damage G939 (b) Down's syndrome Q909

<u>Since</u> there is an indication of the cause of the brain damage, code brain damage, G939.

26. Paralysis (any G81, G82, or G83 excluding senile paralysis)

<u>Code</u> the paralysis for decedent age 28 days and over to G80 (Infantile cerebral palsy) with appropriate fourth character:

When reported due to:

P000-P969

Female, 3 months

I	(a)	Pneumonia	1wk	J189
	(b)	Paraplegia	3 mos	G808
	(c)	Injury spinal cord since birth	1	P115

<u>Code</u> the paraplegia on I(b) to infantile paraplegia, G808, since reported due to an injury of the spinal cord since birth.

114

27. Cataract (H269)

Code H264 (Secondary cataract):

When reported due to:

A1690	H269
B200-B24	H579
E100-E149	R54
E160-E162	R75
E711	T66
E742	Y493
E830	Y540
E835	Y576
H264	

Ι	(a)	CVA	I64	ļ
	(b)	Cataract	H2	64
	(c)	Diabetes	E14	49

<u>Code</u> I(b), secondary cataract, H264, since reported due to diabetes (E149).

28. Varices NOS and Bleeding Varices NOS (I839)

Code (a) I859 (Esophageal varices) or

(b) I850 (Bleeding esophageal varices):

When reported due to or on same line with:

Alcoholic diseases classified to: F100-F109

Liver diseases classified to: B150-B199, B251, B942, K700-K769

I (a) Varices I859 (b) Cirrhosis of liver K746

I (a) Bleeding varices I850 (b) Cirrhosis of liver K746

29. Pneumonia in J188 or J189

Bronchopneumonia (J180)

Lobar pneumonia, organism unspecified only in J181

<u>Code</u> J182 (Hypostatic pneumonia):

When reported due to:

Bedbound Lying in bed

Bedfast Prolonged recumbency

Bedrest Recumbency
Bedridden Sitting in chair

Bed Patient Stasis

Confined to bed Hypostasis Immobility Immobilization Inactivity

> I (a) Cardiac arrest I469 (b) Bronchopneumonia J182

(c) Inactivity

30. Pneumoconiosis (J64)

<u>Code</u> J60 (Coal worker's pneumoconiosis):

When Occupation is reported as:

Coal miner Coal worker Miner

Occupation: Coal Miner

I (a) Bronchitis J40 (b) Pneumoconiosis J60

31. Diaphragmatic Hernia in K44.-

<u>Code</u> Q790 (Congenital diaphragmatic hernia):

When reported as causing hypoplasia or dysplasia of lung NOS (Q336).

I (a) Lung dysplasia Q336 (b) Diaphragmatic hernia Q790

(c)

32. Laennec's Cirrhosis NOS (K703)

Code K746 (Nonalcoholic Laennec's cirrhosis):

When reported due to:

A000-B99	K761
C000-D539	K763
D730-D739	K768-K85
E02-E0390	K861-K909
E100-E149	Q410-Q459
E500-E519	Q900-Q999
E530-E849	R75
F110-F169	T360-T509
F180-F199	T520-T659
I050-I099	X40-X44
I110-I119	X46-X49
I130-I4250	Y400-Y572
I427-I519	Y574-Y599
I81	Y640
K500-K519	Y86
K630-K639	Y880
K710-K718	Y881
K730-K760	

I	(a)	Cardiac arrest	I469
	(b)	Laennec's cirrhosis	K746
	(c)	Diabetes	E149

<u>Code</u> I(b) nonalcoholic Laennec's cirrhosis since reported "due to" diabetes.

33. Biliary Cirrhosis NOS (K745)

<u>Code</u> K744 (Secondary biliary cirrhosis):

When reported due to:

A000-B99	K761
C000-D539	K763
D730-D739	K768-K909
E02-E0390	Q410-Q459
E100-E149	Q900-Q999
E500-E849	R75
F100-F169	R780
F180-F199	R826
I050-I099	R893
I110-I119	T360-T659
I130-I519	X40-X49
I81	Y400-Y599
K500-K519	Y640
K630-K639	Y86
K700-K718	Y880
K730-K760	Y881

I	(a)	Biliary cirrhosis	K745
	(b)		
	(c)		

I (a) Primary biliary cirrhosis K743 (b)

(c)

I (a) Secondary biliary cirrhosis K744

(b) (c)

I (a) Biliary cirrhosis K744 (b) Carcinoma pancreas C259

(c)

34. <u>Lupus Erythematosus (L930)</u> <u>Lupus (L930)</u>

<u>Code</u> M321 (Systemic lupus erythematosus with organ or system involvement):

When reported as causing a disease of the following systems:

Anemia
Circulatory (including cardiovascular,
lymph nodes, spleen)
Gastrointestinal
Musculoskeletal
Respiratory
Thrombocytopenia
Urinary

I (a) Nephritis N059 (b) Lupus erythematosus M321

(c)

35. Gout (M109)

<u>Code</u> M104 (Secondary gout):

When reported due to:

B200-B24	L100-L109
C880-C959	L120-L449
D45	L510-L569
D550-D599	L578-L589
D751	L930-L932
D758	L945
E168	L951
E740	L981
F100-F102	M100-M109
F109	R75
K700-K769	

Ι	(a)	Perforated gastric ulcer	K255
	(b)	Gout	M104
	(c)	Waldenstrom's macroglobulinemia	C880

36. Polyarthrosis (M159)

<u>Code</u> M153 (Secondary multiple arthrosis):

When reported due to:

A399 B200-B24 E660-E669 G810-G839 M150-M1990 N924 N950-N959 R54 R75

S000-T983

I (a) Hypostatic pneumonia J182 (b) Polyarthrosis M153 (c) Obesity E669

Code I(b) secondary multiple arthrosis, M153, since reported due to obesity.

37. Coxarthrosis (M169)

<u>Code</u> (a) M166 (Coxarthrosis, secondary bilateral):

(b) M167 (Coxarthrosis, secondary, NEC unilateral):

When reported due to:

A399 B200-B24 E660-E669 G810-G839 M150-M161 M166-M1990 N924 N950-N959 R54 R75

I	(a)	Pneumonia	J189
	(b)	Debility	R53
	(c)	Coxarthrosis	M167
	(d)	Polyarthrosis	M159

<u>Code</u> I(c) secondary coxarthrosis, M167, since reported due to polyarthrosis (M159).

38. Gonarthrosis (M179)

<u>Code</u> (a) M174 (Secondary gonarthrosis, bilateral):

(b) M175 (Secondary gonarthrosis, unilateral):

When reported due to:

A399 B200-B24 E660-E669 G810-G839 M150-M171 M174-M1990

N924

N950-N959

R54 R75

> I (a) Pneumonia, gonarthrosis J189 M175 (b) Hemiplegia G819 (c) Old CVA I694

<u>Code</u> I(a) secondary gonarthrosis, M175, since reported due to hemiplegia.

39. <u>Arthrosis (M199)</u>

<u>Code</u> M192 (Secondary arthrosis):

When reported due to:

A399 B200-B24 E660-E669

G810-G839

M150-M190

M192-M1990

N924

N950-N959

R54

R75

I (a) Pathological fractures M844
(b) Arthrosis M192
(c) Senility R54

Code I(b) secondary arthrosis, M192, since reported due to senility.

40. <u>Kyphosis (M402)</u>

<u>Code</u> M401 (Secondary kyphosis):

When reported due to:

A1690	G110-G119	M960-M969
A180	G20-G2000	Q050-Q059
B902	G35-G379	Q760-Q799
B91	G540-G549	Q850
C400-C419	G600-G839	Q870-Q878
C490-C499	G950-G959	Q893-Q999
C795	G970-G979	S000-Y899
D166	M000-M120	
D480	M150-M1990	
E200-E215	M320-M351	
E550-E559	M359-M489	
E890-E899	M800-M949	

I	(a)	COPD	J449
	(b)	Kyphosis	M401
	(c)	Spinal osteoarthritis	M479

<u>Code</u> I(b) secondary kyphosis, M401, since reported due to spinal osteoarthritis.

128

41. <u>Scoliosis (M419)</u>

a. Code M414 (Neuromuscular scoliosis):

When reported due to:

A800-A809	G700-G709
B91	G800-G809
G111	M414

Ι	(a)	Respiratory failure		J969
	(b)	Severe scoliosis	years	M414
	(c)	Polio	years	B91

Code I(b) neuromuscular scoliosis, M414, since reported due to polio (B91).

b. Code M415 (secondary scoliosis):

When reported due to:

A1690	G09	M415-M489
A180	G20-G2000	M800-M949
B902	G360-G379	M960-M969
C400-C419	G540-G549	Q050-Q059
C490-C499	G600-G64	Q760-Q799
C795	G950-G959	Q850
D166	G970-G979	Q870-Q878
D480	M000-M120	Q893-Q999
E200-E215	M150-M1990	S000-Y899
E550-E559	M320-M351	
E890-E899	M359-M413	

I	(a)	Pneumonia	J189
	(b)	Scoliosis	M415
	(c)	Progressive systemic sclerosis	M340

129

 $\underline{\text{Code}}\ I(b)$ secondary scoliosis, M415, since reported due to progressive systemic sclerosis.

42. Osteonecrosis (M879)

<u>Code</u> M873 (Secondary osteonecrosis):

When reported due to:

A000-A399	D480	M463-M479
A400-A419	D550-D589	M600
A420-B889	H650-H669	M860-M870
B89	J00-J399	M873
B900-B949	L00-L089	M878-M889
B99	M000-M1990	M894
C400-C419	M320-M351	M910-M939
C763	M359	N340-N343
C795	M420-M429	N390
C810-C969	M45-M461	N700-N768
D160-D169	M462	R75

I	(a)	Septicemia	A419
	(b)	Osteonecrosis hip	M873
	(c)	Infective myositis	M600

 $\underline{\text{Code}}$ I(b) secondary osteonecrosis, M873, since reported due to infective myositis (M600).

43. Dysmenorrhea (N946)

Code N945 (Secondary dysmenorrhea):

When reported due to:

C530-C55	N800-N809
C798	N840-N841
D060-D069	N850-N889
D073	N945
D250-D269	Q510-Q519
D390	Q528
N710-N739	

I	(a)	Anemia and gastric ulcer	D649	K259
	(b)	Menorrhagia with dysmenorrhea	N920	N945
	(c)	Cancer of endocervix	C530	

<u>Code</u> I(b) secondary dysmenorrhea, N945, since reported due to cancer of endocervix (C530).

44. Cesarean Delivery for Inertia Uterus (O622)

Cervical Dystocia (O622):

Hypotonic Labor (O622):

Hypotonic Uterus Dysfunction (O622):

<u>Inadequate Uterus Contraction (O622):</u>

Uterine Inertia During Labor (O622):

<u>Code</u> O621 (Secondary uterine inertia):

When reported due to:

O100-O209	O440-O469
O230-O249	O621
O260-O264	O670-O679
O266-O269	O95
O310	O980-O998
O330-O349	

I (a) Cardiac arrest O754
(b) Uterine inertia O621
(c) Diabetes mellitus of pregnancy O249

<u>Code</u> I(b) secondary uterine inertia, O621, since reported due to diabetes mellitus of pregnancy (O249).

45. Intracranial Nontraumatic Hemorrhage of Fetus and Newborn (P52)

<u>Code</u> P10 (Intracranial laceration and hemorrhage due to birth injury) with the appropriate fourth character:

When reported due to:

P030-P039 P100-P112 P119 P130-P131 P159

Male, 9 hours

I (a) Cerebral hemorrhage P101 (b) Fractured skull during birth P130

(c)

<u>Code</u> I(a) cerebral hemorrhage due to birth injury, P101, since reported due to a fracture skull occurring during birth.

Female, 2 weeks

I (a) Cerebral hemorrhage P101 (b) Birth injury P159

(c)

Code I(a) cerebral hemorrhage due to birth injury, P101.

46. Septal Defect, (atrial), (auricular), (heart), (ventricular), (Q210, Q211, Q212, Q219)

<u>Code</u> I510 (Acquired septal defect) providing there is no indication the defect is congenital:

a. When reported due to:

A000-A09	I400-I519	N990-N999	R500-R509
A181	I700-J80	P000-P049	R53-R54
A200-B89	J82-J989	P100-Q079	R560-R609
B908-E899	K20-K929	Q240-Q249	R634-R635
F100-F199	L89	Q260-Q349	R64
G000-G419	L97	Q380-Q459	R688-R799
G450-G459	L984	Q600-Q799	R826
G500-G729	M000-M1990	Q850-R098	R893
G900-G98	M300-M549	R11	S000-Y899
H650-H839	M800-M959	R160-R18	
I00-I029	N000-N399	R222	
I10-I339	N600-N96	R300-R398	

b. When reported on the same line with:

I110-I119 I130-I139 I200-I339 I400-I519

I	(a)	Cardiac arrest	I469
	(b)	Ventricular septal defect	I510
	(c)	Myocardial infarction	I219

47. Hypoplasia or Dysplasia of Lung NOS (Q336)

<u>Code</u> P280 (Primary atelectasis of newborn):

When reported anywhere on the record with the following codes and not reported due to diaphragmatic hernia in K44.- or in Q790, and there is no indication that the condition was congenital.

A500-A509 B200-B24 P000-P009 P011-P013 P050-P073 P220-P229 P280 P350-P399 P612 R75

I	I (a) Hypoplasia lung		
	(b)		
	(c)		
II	Prematurity		P073
Female, 5 hrs.			
I	(a) Dysplasia of lung	5 hrs	Q336
	(b)		
	(c)		
II	Hyaline membrane disease		P220
II			P220

<u>Code</u> Q336, since the duration and age are the same indicating the condition was congenital.

48. <u>Injury (S000-T149)</u>

Code P10-P15 (Birth trauma):

a. When the age of decedent is less than 28 days

AND

b. There is no mention of external cause

AND

c. Reported due to a condition in P000-P969

Male, 5 days

I (a) Femur fracture P132 (b) Breech delivery P030

Code femur fracture as indexed under Birth, injury, fracture, femur.

49. Fracture (any site) (T142)

Code M844 (Pathological fracture):

a. When reported due to:

A180	D489	M420-M429	M898-M939	T810-T819
A500-A509	E210-E215	M45-M519	M941-M949	T840-T849
A527-A539	E550-E559	M600	M960	T870-T889
A666	E896-E899	M800-M839	M966-M969	
C000-C97	M000-M1990	M843-M851	Q770-Q789	
D160-D169	M320-M351	M854-M889	Q799	
D480	M35	M893-M895	R54	

b. When reported on the same line with:

C40-C41	M80-M81	M88
C795	M83	

NOTE 1: If accident box is checked, do not enter an external cause code.

NOTE 2: If a fracture qualifies as pathological, all fractures reported of the same site will be coded pathological as well.

	I	(a) Fracture hip	M844		
		(b) Osteoarthritis	M199		
	I	(a) Myocardial infarction	I219		
		(b) ASHD	I251		
	тт	(c)	N #0 4 4	M120	W /10
	П	Fracture of spine due to arthritis causing fall	M844	M139	W 19
	I	(a) Pneumonia	J189		
		(b) Osteoporosis c fracture spine	M819	M844	
	I	(a) Pneumonitis	J189		
		(b) Arteriosclerosis	I709		
		(c) Fracture femur	M844		
<u>MOD</u>	II		٦		
A		Accident Spontaneous in bed			

<u>Code</u> fracture of femur as pathological, M844, since the certifier indicated it was spontaneous. Do not enter code for "accident" in checkbox.

I	(a) Aspiration pneumonia	J690
	(b) Left hip fracture	M844
	(c)	
II	Hip fracture, anemia, osteoporosis	M844 D649 M819

<u>Code</u> the hip fracture on (b) and in Part II as pathological, applying instruction b and note 2.

50. Starvation NOS (T730)

<u>Code</u> E46 (Malnutrition NOS):

When reported due to:

A000-E649	L89	R75	T360-T659
E670-F509	L97	S010-S099	T800-T889
F530-F539	L984	S110-S199	V010-Y899
F608-F609	M000-M1990	S210-S299	
F680-F73	M300-N459	S310-S399	
F920	N700-N768	T019-T021	
F982-F983	O000-Q079	T029	
F989-G98	Q200-Q824	T041	
I00-J80	Q850-Q999	T058	
J82-J989	R11	T065-T08	
K020-K029	R13	T091-T099	
K040-K069	R54	T141	
K080-K929	R600-R609	T148-T149	
L100-L129	R630	T170-T217	
L510-L539	R633-R634	T270-T329	

I	(a)	Anemia	D649
	(b)	Starvation	E46
	(c)	Cancer of esophagus	C159

Code I(b) E46, malnutrition, since reported due to a neoplasm.

I	(a)	Starvation	E46
	(b)	Crushed abdomen	S381
II	Au	to accident	&V499

Code I(a) E46, malnutrition, since reported due to an internal injury.

139

Part A

General information

Separate categories are provided in ICD-10 for coding malignant primary and secondary neoplasms (C00-C96), carcinoma in situ (D00-D09), benign neoplasms (D10-D36), and neoplasms of uncertain or unknown behavior (D37-D48). Categories and subcategories within these groups identify sites and/or morphological types.

Morphology describes the difference in type and structure of cells or tissues (histology) as seen under the microscope and behavior. The ICD classification of neoplasms consists of several major morphological groups (types) of neoplasms including the following:

Carcinomas including squamous cell carcinoma and adenocarcinoma Sarcomas and other soft tissue tumors including mesotheliomas Lymphomas including Hodgkin's lymphoma and non-Hodgkin's lymphoma Site specific types (types that indicate the site of the primary neoplasm)

Leukemias

Other specified morphological groups

The morphological types of neoplasms are listed in ICD-10 following Chapter XX in Volume 1 and also appear in Volume 3. Morphology, behavior, and site must all be considered when coding neoplasms. This may take the form of a reference to the appropriate column in the "Neoplasm" listing in the Index when the morphological type could occur in several organs. For example:

Adenoma, villous (M8261/1) - see Neoplasm, uncertain behavior

Or to a particular part of that listing when the morphological type originates in a particular type of tissue. For example:

Fibromyxoma (M8811/0) - see Neoplasm, connective tissue, benign

The Index may give the code for the site assumed to be most likely when no site is reported in a morphological type. For example:

Adenocarcinoma

- pseudomucinous (M8470/3)
- - specified site see Neoplasm, malignant
- - unspecified site C56

Or the Index may give a code to be used regardless of the reported site when the vast majority of neoplasms of that particular morphological type occur in a particular site. For example:

Nephroma (M8960/3) C64

Always look up the morphological description in the Index before referring to the listing under "Neoplasm" for the site.

The morphological code numbers consist of five characters: the first four identify the histological type of the neoplasm and the fifth, following a slash, indicates its behavior. These morphological codes (M codes) are not used by NCHS for coding purposes.

The behavior of a neoplasm is an indication of how it will act. The following terms describe the behavior of neoplasms:

Benign (nonmalignant)	D10-D36
Uncertain or unknown behavior (undetermined whether benign or malignant)	D37-D48
In-situ (confined to one site)	D00-D09
Malignant, primary site (capable of rapid growth and of spreading to nearby and distant sites)	C00-C76, C80-C96
Malignant secondary (spread from another site; metastases)	C77-C79

Unless it is specifically indexed, code a morphological term ending in "osis" in the same way as the tumor name to which "osis" has been added is coded. For example, code neuroblastomatosis in the same way as neuroblastoma. However, do not code hemangiomatosis that is specifically indexed to a different category in the same way as hemangioma.

All combinations of the order of prefixes in compound morphological terms are not indexed. For example, the term "chondrofibrosarcoma" does not appear in the Index, but "fibrochondrosarcoma" does. Since the two terms have the same prefixes (in a different order), code the chondrofibrosarcoma the same as fibrochondrosarcoma.

A. Malignant neoplasms (C00-C96)

The categories that have been provided for the classification of malignant neoplasms distinguish between those that are stated or presumed to be primary (originate in) of the particular site or types of tissue involved, those that are stated or presumed to be secondary (deposits, metastases, or spread from a primary elsewhere) of specified sites, and malignant neoplasms without specification of site. These categories are the following:

- **C00-C75** Malignant neoplasms, stated or presumed to be primary, of specified sites and different types of tissue, except lymphoid, hematopoietic, and related tissue
- C76 Malignant neoplasms of other and ill-defined sites
- **C77-C79** Malignant secondary neoplasm, stated or presumed to be spread from another site, metastases of sites, regardless of morphological type of neoplasm
- C80 Malignant neoplasm of unspecified site (primary) (secondary)
- **C81-C96** Malignant neoplasms, stated or presumed to be primary, of lymphoid, hematopoietic, and related tissue

In order to determine the appropriate code for each reported neoplasm, a number of factors must be taken into account including the morphological type of neoplasm and qualifying terms. Assign all malignant neoplasms to the appropriate category for the morphological type of neoplasm, e.g., to the code shown in the Index for the reported term.

Morphological types of neoplasm include categories C40-C41, C43, C44, C45, C46, C47, C49, C70-C72, and C80. Specific morphological types include:

C40-C41 Malignant neoplasm of bone and articular cartilage of other and unspecified sites

Osteosarcoma Osteochondrosarcoma Osteofibrosarcoma Any neoplasm cross-referenced as "See also Neoplasm bone, malignant"

I (a) Osteosarcoma of leg C402

<u>Code</u> the morphological type "Osteosarcoma" to Neoplasm, malignant, bone of the specified site as cross-referenced.

Part A

Neoplasms (C00-D48)

C43 Malignant melanoma of skin

Melanosarcoma

Melanoblastoma

Any neoplasm cross-referenced as "See also Melanoma"

I (a) Melanoma of arm

C436

Based on the note in the Index, code melanoma of arm as indexed under **Melanoma**, site classification.

I (a) Melanoma of stomach

C169

Melanoma of stomach is not found under Melanoma in the Index. The term should be coded by site under Neoplasm, malignant.

C44 Other malignant neoplasm of skin

Basal cell carcinoma

Sebaceous cell carcinoma

Any neoplasm cross-referenced as "See also Neoplasm skin, malignant"

I (a) Sebaceous cell carcinoma nose

C443

<u>Code</u> the morphological type "Sebaceous cell carcinoma" to Neoplasm, malignant, skin of the specified site as cross-referenced.

C49 Malignant neoplasm of other connective and soft tissue

Liposarcoma

Rhabdomyosarcoma

Any neoplasm cross-referenced as "See also Neoplasm, connective tissue, malignant"

I (a) Rhabdomyosarcoma abdomen

C494

<u>Code</u> the morphological type "Rhabdomyosarcoma" to Neoplasm, malignant, connective tissue of the specified site as cross-referenced.

I (a) Sarcoma pancreas

C259

<u>Code</u> the morphological type "Sarcoma" to Neoplasm, malignant, connective tissue of the specified site as cross-referenced. Refer to the "Note" under Neoplasm, malignant, connective tissue concerning sites that do not appear in this list.

Part A

Neoplasms (C00-D48)

C80 Malignant neoplasm without specification of site

Cancer

Carcinoma

Malignancy

Malignant tumor or neoplasm

Any neoplasm cross-referenced as "See also Neoplasm, malignant"

I (a) Carcinoma of stomach

C169

<u>Code</u> the morphological type "Carcinoma" to Neoplasm, malignant, stomach as indexed.

I (a) Cancer prostate

C61

<u>Code</u> the morphological type "Cancer" to Neoplasm, malignant, prostate as indexed.

I (a) Adenosarcoma breast

C509

<u>Code</u> the morphological type "Adenosarcoma" to Neoplasm, malignant, of the specified site as cross-referenced.

C81-C96 Malignant neoplasms of lymphoid, hematopoietic, and related tissue

Leukemia Lymphoma

I (a) Lymphoma of brain

C859

<u>Code</u> Lymphoma NOS, C859, as indexed. Neoplasms in C81-C96 are coded by morphological type and not by site.

Neoplasms (C00-D48)

1. Neoplasms stated to be secondary

Categories C77-C79 include secondary neoplasms of specified sites regardless of the morphological type of the neoplasm. The Index contains a listing of secondary neoplasms of specified sites under "Neoplasm." Secondary neoplasms of specified sites without indication of the primary site require an additional code to identify the morphological type of neoplasm if the morphological type is classifiable to one of the following categories: C40, C41, C43, C44, C45, C46, C49, C70, C71, and C72.

I (a) Secondary melanoma of lung

C439 C780

Melanoma is classified to C43; therefore, when stated secondary of a site, code Melanoma, unspecified site and secondary neoplasm of the reported site.

I (a) Secondary carcinoma of intestine

C785

The morphological type of the term "carcinoma" is C80; therefore, code a secondary neoplasm code only.

2. Malignant neoplasms with primary site indicated

NOTE: If two or more malignant neoplasms are indicated as primary, refer to instructions under 5. Independent (primary) sites.

- a. If a particular site is indicated as primary, it should be coded as primary and other neoplasms coded as secondary whether in Part I or Part II. The primary site may be indicated in one of the following ways:
 - (1) If two or more sites with the same morphology are reported, and one site is specified as primary in either Part I or II

I	(a) Carcinoma of bladder	C791
II	Primary in kidney	C64

<u>Code</u> carcinoma of bladder as secondary and code primary malignant neoplasm of kidney.

I	(a)	Primary cancer of lung	C349
	(b)	Cancer of breast	C798

<u>Code</u> primary malignant neoplasm of lung and code cancer of breast as secondary.

Part A Neoplasms (C00-D48)

(2)	The specification of other sites as "secondary," "metastases,"
	"metastasis," "spread," or a statement of "metastasis NOS" or
	"metastases NOS"

I (a) Carcinoma of breast C509 (b) Secondaries in brain C793

<u>Code</u> I(a) primary malignant neoplasm of breast, and I(b) to secondary malignant neoplasm of brain.

I (a) Stomach metastases C788 (b) Lung cancer C349

<u>Code</u> I(a) secondary neoplasm of stomach and I(b) primary malignant neoplasm of lung.

I (a) Brain metastases C793 (b) Liver cancer C229

<u>Code</u> I(a) secondary neoplasm of brain and I(b) primary malignant neoplasm of liver.

I (a) Lung cancer with metastases C349 C80

<u>Code</u> I(a) primary cancer of lung followed by the NOS code for metastases.

(3) Morphology indicates a primary malignant neoplasm

If a morphological type implies a primary site, such as hepatoma, consider this as if the word "primary" had been included.

I (a) Hepatoma C220

Code hepatoma as a primary neoplasm.

I (a) Carcinoma C80 (b) Pseudomucinous C56 adenocarcinoma

<u>Code</u> I(a) Carcinoma as neoplasm malignant, unspecified site. Code I(b) to primary malignant neoplasm of ovary, since pseudomucinous adenocarcinoma of unspecified site is assigned to the ovary in the Index.

Part A Neoplasms (C00-D48)

b. If a morphological type of malignant neoplasm indicating primary is reported in Part I or Part II with a different morphological type of malignant neoplasm that is stated primary, consider both neoplasms to be primary.

I (a) Sarcoma of thigh C492
II Primary liver carcinoma C229

<u>Code</u> each neoplasm as indexed. Both I(a) Sarcoma of thigh and Part II Primary liver carcinoma are primary malignant neoplasms.

3. Site specific neoplasms

a. Certain neoplasms are classified or indexed directly to a specific site. Classify morphological types of neoplasms that appear in the Index with specific codes (site specific neoplasms) e.g. "Hepatocarcinoma (M8170/3) C220," as indexed.

I (a) Renal cell carcinoma C64

Code renal cell carcinoma as indexed.

b. If there is a conflict between the code for a site specific neoplasm and the stated site, code the site specific neoplasm as indexed and code the stated site as secondary. Enter the code for the secondary neoplasm on the same line with and immediately following the code for the site specific neoplasm.

I (a) Hepatocarcinoma of brain C220 C793

<u>Code</u> hepatocarcinoma as indexed and code secondary malignant neoplasm of brain as the second entry on I(a).

c. When a site specific neoplasm is reported due to the same site specific neoplasm, code each as indexed.

I (a) Bronchogenic carcinoma C349 (b) Bronchogenic carcinoma C349

Code I(a) and I(b) to bronchogenic carcinoma, as indexed.

4. Other morphological types of neoplasms

If adenocarcinoma, cancer, carcinoma, neoplasm (malignant) or tumor (malignant) of a site, except neoplasms classifiable to C81-C96, are reported due to a morphological type of neoplasm of unspecified site, code the neoplasm on the upper line qualified by the morphological type, and do not enter a code for the morphological type of unspecified site on the lower line if:

a. The morphological type of neoplasm reported on the lower line is C80.

I (a) Tumor of upper lung

C341

(b) Carcinoma

<u>Code</u> the tumor on I(a) modified by the morphological type (C80) on I(b). Leave line I(b) blank.

I (a) Cancer of bladder

C679

(b) Papillary carcinoma

<u>Code</u> the cancer on I(a) modified by the morphological type (C80) on I(b). Leave line I(b) blank.

b. The morphological type of neoplasm of unspecified site on the lower line is classified to the same site as the neoplasm on the upper line.

I (a) Cancer of brain

C719

(b) Astrocytoma

<u>Code</u> the specified site on I(a) modified by the morphological type of unspecified site on I(b) since they are classified to the same site. Leave I(b) blank.

I (a) Adenocarcinoma of stomach

C169

(b) Linitis plastica

<u>Code</u> the specified site on I(a) modified by the morphological type of unspecified site on I(b) since they are classified to the same site. Leave I(b) blank.

c. The morphological type of neoplasm of unspecified site on the lower line is classified according to the site affected, e.g., the malignant neoplasms classifiable to the following categories: C40, C41, C43, C44, C47, C49, C70, C71, and C72. Code the neoplasm on the upper line qualified by the morphological type on the lower line, and do not enter a code for the morphological type of unspecified site on the lower line.

Part A Neoplasms (C00-D48)

I (a) Adenocarcinoma of face

C433

(b) Melanoma

Code melanoma of face on I(a) and leave I(b) blank.

I (a) Carcinoma of leg

C492

(b) Fibroliposarcoma

Code fibroliposarcoma of leg on I(a) and leave I(b) blank.

5. Independent (primary) sites

The presence of more than one primary neoplasm could be indicated in one of the following ways:

- mention of two different anatomical sites
- or two distinct morphological types (e.g., hypernephroma and intraductal carcinoma)
- or by a mix of a morphological type that implies a specific site, plus a second site.

It is highly unlikely that one primary would be due to another primary malignant neoplasm except for a group of malignant neoplasms of lymphoid, hematopoietic, and related tissue (C81-C96), within which, one form of malignancy may terminate in another (e.g., leukemia may follow non-Hodgkin's lymphoma).

a. If two or more sites are mentioned in Part I and there is no indication that either site is primary or secondary, code each site as indexed.

I (a) Cancer of stomach 3 months C169 (b) Cancer of breast 1 year C509

<u>Code</u> to primary malignant neoplasm of each site mentioned, since it is unlikely that one primary malignant neoplasm would be due to another.

I (a) Carcinoma of colon and rectum C189 C20

Code both sites as primary and enter both on I(a).

Part A

Neoplasms (C00-D48)

b. If two or more morphological types of malignant neoplasm occur, one reported due to the other or reported anywhere on the record, code each as indexed.

I	(a) Lymphosarcoma of mesentery	C850
II	Adenocarcinoma of cecum	C180

<u>Code</u> each as though the other had not been reported since there are two different morphological types of malignant neoplasms.

I	(a)	Cancer of esophagus	C159
	(b)	Hodgkin's sarcoma	C817

<u>Code</u> the cancer of the esophagus as primary and code the Hodgkin's sarcoma as indexed. They are different morphological types.

I	(a) Leukemia	C959
II	Carcinoma of breast	C509

<u>Code</u> each neoplasm as indexed. Two different morphological types are mentioned.

c. If two or more morphological types of malignant neoplasm occur in lymphoid, hematopoietic, or related tissue (C81-C96), code each as indexed. When acute exacerbation of, or blastic crisis (acute) in, chronic leukemia is reported, code both the acute form and chronic form. If stated acute and chronic, code both as indexed.

I	(a)	Acute lymphocytic leukemia	C910
	(b)	Non-Hodgkin's lymphoma	C859

<u>Code</u> each as indexed since both are morphological types classified within the categories C81-C96.

I	(a)	Chronic lymphocytic	C911	C910
		leukemia with blastic crisis		

Code both chronic lymphocytic leukemia and acute lymphocytic leukemia.

I	(a)	Acute exacerbation of chronic	C910 C911
	(h)	lymanh a avyti a lavylyami a	

(b) lymphocytic leukemia

<u>Code</u> to the acute and chronic form when reported as acute exacerbation of a chronic form of leukemia and code both on the same line.

Part A Neoplasms (C00-D48)

d. Do not use a neoplasm in a due to position to determine secondary and primary.

I	(a)	Carcinoma of head of pancreas	C250
	(b)	Carcinoma of tail of pancreas	C252

<u>Code</u> primary malignant neoplasm of head of pancreas for I(a) and code primary malignant neoplasm of tail of pancreas for I(b).

I	(a)	Cancer of stomach	C169
	(b)	Cancer of gallbladder	C23

<u>Code</u> each site primary.

I	(a)	Cancer of breast	C509
	(b)	Cancer of endometrium	C541

Code each site primary.

Part A

6. Metastases

Metastases is the spread of a primary malignant neoplasm to another site; therefore, metastases of a site is always secondary.

a. When malignancy NOS or any morphological type classifiable to C80 is reported with metastases of a site on a line, code C80 and the secondary neoplasm.

I (a) Malignancy with metastases of bladder

C80 C791

<u>Code</u> malignancy as first entry on I(a) and code secondary bladder neoplasm as the second neoplasm on I(a).

b. Although malignant cells can metastasize anywhere in the body, certain sites are more common than others and must be treated differently. If one of the common sites of metastases (excluding lung) is qualified by the word "metastatic," it should be coded as secondary (see other neoplasm instructions). However, if one of these sites appears alone on a death certificate and is not qualified by the word "metastatic," it should be considered primary.

Common sites of metastases:

Bone Lymph nodes
Brain Mediastinum
Central nervous system Meninges
Diaphragm Peritoneum
Heart Pleura

Liver Retroperitoneum Lung Spinal cord

Ill-defined sites (sites classifiable to C76)

I (a) Cancer of brain C719

<u>Code</u> primary cancer of brain since it is reported alone on the certificate.

Neoplasms (C00-D48)

(1) Special Instruction: Lung

The lung poses special problems in that it is a common site for both metastases and primary malignant neoplasms. <u>Lung should be considered as a common site of metastases whenever it appears in Part I with sites not on this list.</u> If lung is mentioned anywhere on the certificate and the only other sites are on the list of common sites of metastases, consider lung primary. However, when the bronchus or bronchogenic cancer is mentioned, this neoplasm should be considered primary.

I (a) Carcinoma of lung

C349

<u>Code</u> primary malignant neoplasm of lung since it is reported alone on the certificate.

I (a) Cancer of bone C795 (b) Carcinoma of lung C349

<u>Code</u> primary malignant neoplasm of lung on I(b) since bone is on the list of common sites of metastases and lung can, therefore, be assumed to be primary.

I (a) Carcinoma of bronchus C349 (b) Carcinoma of breast C509

<u>Code</u> primary malignant neoplasm of bronchus on I(a) and primary malignant neoplasm of breast on I(b). Do not code I(a) as secondary malignant neoplasm, because bronchus is excluded from the list of common sites.

(2) Special Instruction: Lymph Node

Malignant neoplasm of lymph nodes not specified as primary should be assumed to be secondary.

I (a) Cancer of cervical lymph nodes C770

Code secondary malignant neoplasm of cervical lymph nodes.

Part A Neoplasms (C00-D48)

7. Multiple sites

a. If all sites reported (anywhere on certificate) are on the list of common sites of metastases, code to secondary neoplasm of each site of the morphological type involved, unless lung is mentioned, in which case code to (C349) primary malignant neoplasm of lung.

I	(a)	Cancer of liver	C787
	(b)	Cancer of abdomen	C798

<u>Code</u> to secondary neoplasm of both sites since both are on the list of common sites of metastases. Abdomen is one of the ill-defined sites included in the C76.-category.

I	(a)	Malignant carcinoma of pleura	C782	C781
		and mediastinum		

<u>Code</u> secondary malignant neoplasm of pleura and secondary malignant neoplasm of mediastinum on I(a).

I	(a) Peritoneal carcinoma	C786
II	Liver carcinoma	C787

<u>Code</u> secondary malignant neoplasm of peritoneum on I(a) and secondary malignant neoplasm of liver in Part II.

Ι	(a)	Cancer of brain	C793
	(b)	Cancer of lung	C349

<u>Code</u> I(a) secondary cancer of brain since brain is on the list of common sites. Code I(b) primary cancer of lung because the only other site mentioned is on the list of common sites.

b. If one or more of the common sites of metastases, excluding lung, is reported and one or more site(s) or one or more morphological type(s) is mentioned on the certificate, none specified as primary, code the common site(s) secondary and the other site(s) or morphological type(s) primary.

I	(a)	Cancer of stomach	C169
	(b)	Cancer of liver	C787

<u>Code</u> I(a) primary cancer of stomach and code I(b) secondary cancer of liver since liver is on the list of common sites and stomach is not.

Part A Neoplasms (C00-D48)

I	(a)	Liver cancer	C787
	(b)	Bladder cancer	C679
	(c)	Colon cancer	C189

 $\underline{\text{Code}}$ I(a) secondary neoplasm of liver since liver is on the list of common sites of metastases. $\underline{\text{Code}}$ I(b) and I(c) as primary.

I	(a) Peritoneal cancer	C786
II	Mammary carcinoma	C509

<u>Code</u> I(a) secondary peritoneal cancer since peritoneum is on the list of common sites. Code Part II primary carcinoma of breast.

I	(a) Brain carcinoma	C793
II	Melanoma of scalp	C434

<u>Code</u> I(a) secondary brain carcinoma since brain is on the list of common sites. Code Part II melanoma of scalp.

NOTE: If a malignant neoplasm of lymphatic, hematopoietic, or related tissue (C81-C96) is reported in one part and one of the common sites is mentioned in the other part, code the common site primary.

I	(a)	Brain cancer	C793
	(b)	Lymphoma	C859

<u>Code</u> I(a) secondary brain cancer since brain is on the list of common sites and is reported in the same part with a neoplasm indexed to C859.

I	(a) Brain cancer	C719
II	Lymphoma	C859

<u>Code</u> I(a) primary brain cancer. Brain is on the list of common sites of metastases, but it is reported in one part and a neoplasm indexed to C859 is reported in the other part.

c. If lung is mentioned in the same part with another site(s), not on the list of common sites, or one or more morphological type(s), code the lung as secondary and the other site(s) primary.

I	(a)	Lung cancer	C780
	(b)	Stomach cancer	C169

<u>Code</u> secondary lung cancer on I(a) and code primary stomach cancer on I(b) since both are in the same part.

Part A Neoplasms (C00-D48)

I	(a)	Lung cancer	C780
	(b)	Leukemia	C959

<u>Code</u> secondary lung cancer on I(a) and code leukemia on I(b) since both are in the same part.

I	(a) Bladder carcinoma	C679	
Π	Lung cancer, breast cancer	C780	C509

<u>Code</u> I(a) primary bladder carcinoma and code primary breast cancer in Part II. Code secondary lung cancer in Part II. Lung is in the same part with another site.

d. If lung is mentioned in one part, and one or more site(s), not on the list of common sites, or one or more morphological type(s) is mentioned in the other part, code the lung as primary and the other site(s) or other morphological type primary.

I	(a) Stomach cancer	C169
II	Lung cancer	C349

<u>Code</u> primary stomach cancer on I(a) and code primary lung cancer in Part II. Lung is mentioned in one part and the other site is mentioned in the other part.

I	(a) Leukemia	C959
Π	Lung cancer	C349

<u>Code</u> leukemia on I(a) and code primary lung cancer in Part II. Lung is mentioned in one part and the other morphological type is mentioned in the other part.

8. Metastatic neoplasms

The adjective "metastatic" is used in two ways—sometimes meaning a secondary neoplasm from a primary elsewhere and sometimes denoting a primary that has given rise to metastases. Neoplasms qualified as metastatic are **always** malignant, either primary or secondary. In order to avoid confusion, use the following to determine whether to code a metastatic neoplasm as primary or secondary.

a. Malignant neoplasm described as "from" or "metastatic from" a specified site should be interpreted as primary of that site and all other sites should be coded as secondary unless stated as primary whether in Part I or Part II.

I	(a)	Metastatic teratoma from ovary	C80
	(b)		C56

Interpret as: I (a) Metastatic teratoma

(b) Primary ovary teratoma

Then, code I(b) to primary malignant neoplasm of ovary since it states metastatic from ovary. Code I(a) to C80, malignant neoplasm, unspecified site.

I	(a)	Metastatic cancer from kidney	C80
	(b)		C64

Interpret as: I (a) Metastatic cancer

(b) Primary kidney cancer

Then, code I(b) to primary malignant neoplasm of kidney since it states metastatic from kidney. Code I(a) to C80, malignant neoplasm, unspecified site.

I	(a)	Carcinomatosis	C80
	(b)	Metastatic from bowel	C260
II	Car	cinoma of rectum	C785

Code I(b) primary neoplasm of bowel. Code the site in Part II as secondary.

- b. Malignant neoplasms of morphological type C80 of unspecified site described "to a site" or "metastatic to a site" should be interpreted as secondary of that site(s).
 - I (a) Metastatic carcinoma to the rectum C785

<u>Code</u> to secondary malignant neoplasm of rectum. The word "to" indicates that the rectum is secondary.

Part A Neoplasms (C00-D48)

I (a) Metastatic carcinoma to lungs and liver C780 C787

<u>Code</u> I(a) secondary neoplasm of lungs and liver since the record states "metastatic to."

I (a) Metastatic carcinoma to lungs and liver C780 C787

(b) Bladder carcinoma C679

<u>Code</u> I(a) secondary neoplasm of lungs and liver since it states "metastatic to" and code I(b) primary malignant bladder carcinoma.

c. Malignant neoplasms described as "from a site to a site" should be interpreted as primary of the site stated "from" and secondary of all other sites unless stated primary whether in Part I or Part II

I (a) Metastatic cancer from bowel to liver C787

(b) C260

<u>Code</u> I(a) secondary liver neoplasm. Interpret metastatic cancer from bowel to be a statement of primary and code I(b) primary cancer of bowel.

I (a) Metastatic cancer from liver to abdomen C798

(b) C229

<u>Code</u> secondary malignant neoplasm of abdomen on I(a) and primary malignant neoplasm of liver on I(b).

I (a) Malignant neoplasm of bone from leg C795

(b) C765

<u>Code</u> I(a) secondary bone neoplasm. Interpret metastatic neoplasm of bone from leg to be a statement of primary and code I(b) primary malignant neoplasm of leg.

d. Malignant neoplasm described as (of) a site to a site should be interpreted as primary of the site preceding "to a site" and all other sites should be coded as secondary unless stated as primary, whether in Part I or Part II.

I (a) Cancer of breast C509 (b) Metastatic to mediastinum C781

<u>Code</u> I(a) to primary malignant neoplasm of breast and I(b) to secondary malignant neoplasm of mediastinum since it is reported as "metastatic to." Enter the codes on the lines where reported.

Part A Neoplasms (C00-D48)

I (a) Metastatic liver cancer to the brain C229 C793 II Esophageal cancer C788

<u>Code</u> liver cancer as primary since it is the site preceding "to a site" and code other sites as secondary.

- e. If the morphological type of neoplasm classifiable to one of the following categories: C40, C41, C43, C44, C45, C46, C49, C70, C71, and C72 is described as "to a site" or "metastatic to a site," code the site that follows as secondary.
 - I (a) Metastatic osteosarcoma to brain C419 C793

<u>Code</u> to malignant neoplasm of bone since this is the unspecified site of osteosarcoma. Code secondary brain neoplasm.

f. Consider any form of the following terms as synonymous with "metastases or metastatic to" when these terms follow or are reported as due to a malignant neoplasm classifiable to C00-C76, C80, C81-C96.

Extension
Infiltration
Invasion
Involvement
Metastatic
Secondaries
Spread

in,
into, of,
or to another site

I (a) Ca of stomach with invasion C169 C780 of lung

<u>Code</u> cancer of stomach primary and invasion of lung as secondary.

I (a) Carcinoma of bladder with C679 C791

(b) infiltration into the ureter

<u>Code</u> carcinoma of bladder as primary and code secondary carcinoma of ureter since it is the site following "infiltration into."

- g. The terms "metastatic" and "metastatic of" should be interpreted as follows:
 - (1) If one site is mentioned and this is qualified as metastatic, code to malignant primary of that particular site if the morphological type is C80 and the site is not a common site of metastases, excluding lung.
 - I (a) Metastatic carcinoma of pancreas

C259

<u>Code</u> primary malignant neoplasm of pancreas since one site is reported and it is not a common site.

I (a) Metastatic cancer of lung

C349

<u>Code</u> to primary malignant neoplasm of lung since no other site is mentioned.

- (2) If no site is reported but the morphological type is qualified as metastatic, code to primary site unspecified of the particular morphological type involved. Do not use "metastatic" to qualify a malignant neoplasm, stated or presumed to be primary, of lymphoid, hematopoietic, and related tissue, classifiable to C81-C96 as secondary.
 - I (a) Metastatic melanoma

C439

<u>Code</u> as indexed. Melanoma is a morphological type of neoplasm and is indexed to C439.

I (a) Metastatic Hodgkin's Disease

C819

<u>Code</u> a morphological type of neoplasm that is classified to C81-C96 as indexed regardless of whether qualified as metastatic.

- (3) Site-specific neoplasms reported as metastatic
 - (a) When a site specific neoplasm is qualified as metastatic code as indexed.
 - I (a) Metastatic hypernephroma

C64

<u>Code</u> as indexed. Hypernephroma is a site specific neoplasm and is indexed to C64.

I (a) Metastatic meningioma

C709

Metastatic meningioma is a malignant site specific morphological type of neoplasm. Code as indexed under Meningioma, malignant.

- (b) If there is a conflict between the code for a site specific neoplasm and the stated site, code the site specific neoplasm as indexed and consider the stated site to be qualified as secondary and code accordingly. Enter the code for the secondary site on the same line with and immediately following the code for the site specific neoplasm.
 - I (a) Metastatic renal cell carcinoma

C64 C780

(b) of lung

<u>Code</u> the site specific neoplasm, renal cell carcinoma followed by the code for secondary neoplasm of lung.

I (a) Metastatic hepatoma of brain

C220 C793

<u>Code</u> the site specific neoplasm, hepatoma as indexed followed by the code for secondary brain neoplasm.

- (4) If a single morphological type and a site, other than a common site of metastases are qualified as metastatic, code to the specific category for the morphological type and site involved.
 - I (a) Metastatic melanoma of arm

C436

<u>Code</u> to malignant melanoma of skin of arm (C436), since in this case the ill-defined site of arm is a specific site for melanoma, not a common site of metastases classifiable to C76.

I (a) Metastatic sarcoma of stomach

C169

Code as indexed.

- (5) If a single C80 morphological type is qualified as metastatic and the site mentioned is one of the common sites of metastases **except lung**, code to secondary malignant neoplasm of the site mentioned. If the single site is lung, qualified as metastatic, code to primary of lung.
 - I (a) Metastatic cancer of peritoneum

C786

<u>Code</u> to secondary cancer of peritoneum since peritoneum is on the list of common sites of metastases and the morphological type of neoplasm is classified to C80.

Neoplasms (C00-D48)

I (a) Metastatic cancer of lung

C349

<u>Code</u> to primary malignant neoplasm of lung, C349, since no other site is mentioned.

- (6) If a single morphological type, other than C80 type, is qualified as metastatic and the site mentioned is one of the common sites of metastases **except lung**, code the unspecified site for the morphological type. Code the common site as secondary and as a second entry on the same line.
 - I (a) Metastatic rhabdomyosarcoma of

C499 C771

(b) hilar lymph nodes

<u>Code</u> to unspecified site for rhabdomyosarcoma and code the lymph nodes as secondary.

I (a) Metastatic sarcoma of lung

C349

<u>Code</u> to malignant neoplasm of lung since lung is not considered a common site for this instruction.

Exception: Metastatic mesothelioma or Kaposi's sarcoma.

- 1. If site IS indexed under "Mesothelioma or Kaposi's sarcoma," assign that code.
 - I (a) Metastatic mesothelioma of liver

C457

Code site as indexed under mesothelioma.

I (a) Metastatic mesothelioma of mesentery

C451

Code as indexed under mesothelioma.

- 2. If site is NOT indexed under "Mesothelioma or Kaposi's sarcoma" and site reported is NOT a common site of metastases assign code for specified site NEC.
 - I (a) Metastatic mesothelioma of kidney

C457

<u>Code</u> mesothelioma specified site NEC. Kidney is not a common site of metastases.

Neoplasms (C00-D48)

3. If site is NOT indexed under "Mesothelioma or Kaposi's sarcoma" and site reported IS a common site of metastases - assign code for unspecified site and secondary code for common site.

I (a) Metastatic mesothelioma of

C459 C779

(b) lymph nodes

<u>Code</u> the morphological type as the first entry followed by the code for the site not indexed under mesothelioma.

I (a) Metastatic Kaposi's of brain

C469 C793

<u>Code</u> the morphological type and code brain as secondary. Brain is on the list of common sites of metastases.

I (a) Kaposi's sarcoma of brain

C467

This instruction does not apply since Kaposi's sarcoma is not qualified as metastatic. Code Kaposi's sarcoma, specified site, since not qualified as metastatic.

(7) When morphological types of neoplasms classifiable to C40, C41, C43, C44, C45, C46, C47, C49, C70, C71, and C72 without mention of a site are jointly reported with the same morphological type of neoplasm with mention of a site, code the morphological type of unspecified site as indexed.

I (a) Metastatic rhabdomyosarcoma

C499

(b) Rhabdomyosarcoma kidney

C64

<u>Code</u> to unspecified site of rhabdomyosarcoma on I(a) and code rhabdomyosarcoma kidney as indexed.

Part A

- h. More than one malignant neoplasm qualified as metastatic.
 - (1) If two or more sites with a morphology of C80, not on the list of common sites of metastases, are reported and all are qualified as "metastatic" code as follows:
 - (a) If the sites are in the same anatomical system code each site as primary. Use the list below to determine if the sites are in the same organ system.

C150-C269	Digestive system
C300-C399	Respiratory system
C400-C419	Bone and articular cartilage of limbs, other, and
	unspecified sites
C490-C499	Connective and soft tissue
C510-C579	Female genital organ
C600-C639	Male genital organ
C64-C689	Urinary organ
C690-C699	Eye and adnexa
C700-C729	Central nervous system
C73 -C759	Thyroid and other endocrine glands

I	(a)	Metastatic stomach carcinoma	C169
	(b)	Metastatic pancreas carcinoma	C259

<u>Code</u> both sites primary since they are a C80 morphological type, are in the same organ system, and neither is on the list of common sites of metastases.

(b) If the sites are in different anatomical systems, code each as secondary.

I	(a)	Metastatic carcinoma of stomach	C788
	(b)	Metastatic carcinoma of bladder	C791

<u>Code</u> secondary neoplasm of each site listed. Stomach and bladder are in two different anatomical systems.

(2) If two or more morphological types are qualified as metastatic, code to malignant neoplasms, each independent of the other.

I	(a)	Metastatic adenocarcinoma of bowel	C260
	(b)	Metastatic sarcoma of uterus	C55

<u>Code</u> to primary neoplasm of each site since adenocarcinoma and sarcoma are of different morphological types.

Part A N	Neoplasms (C00-D48)
----------	---------------------

I	(a)	Metastatic cancer of pleura	C782
	(b)	Metastatic melanoma of back	C435

<u>Code</u> I(a) to secondary neoplasm of pleura since pleura is on the list of common sites of metastases. Code I(b) to melanoma of back (C435) from the site list under melanoma.

(3) If a morphology implying site and an independent anatomical site are both qualified as metastatic, code to secondary malignant neoplasm of each site.

I (a) Metastatic colonic and renal cell C785 C790 carcinoma

Code both sites as secondary.

- (4) If more than one site with a morphology of C80 is mentioned code as follows:
 - (a) If all but one site is qualified as metastatic and/or appear on the list of common sites of metastases, including lung, code to primary neoplasm of the site that is not qualified as metastatic or not on the list of common sites of metastases, irrespective of the order of entry or whether it is in Part I or Part II. Code all other sites as secondary.

I	(a)	Metastatic carcinoma of stomach	C788
	(b)	Carcinoma of gallbladder	C23
	(c)	Metastatic carcinoma of colon	C785

<u>Code</u> primary carcinoma of gallbladder since it is the only site not specified as metastatic. Assign a primary code on I(b) and secondary codes on I(a) and I(c).

I	(a)	Metastatic carcinoma of stomach	C788
	(b)	Metastatic carcinoma of lung	C780
II	Car	cinoma of colon	C189

<u>Code</u> I(a) and I(b) secondary and code primary carcinoma of colon in Part II since this is the only malignant neoplasm not qualified as metastatic, even though it is in Part II.

Part A N	Neoplasms (C00-D48)
----------	---------------------

I	(a)	Cancer of kidney	C64
	(b)	Metastatic cancer of prostate	C798

<u>Code</u> I(a) primary cancer of kidney since the only other site on the record is qualified as metastatic. Code I(b) secondary cancer of prostate since it is qualified as metastatic.

I	(a)	Metastatic cancer of ovary	C796
II	Car	ncer of colon	C189

<u>Code</u> I(a) secondary and code part II primary. There are two sites reported and one is qualified as metastatic while the second site is not reported metastatic.

(b) If all sites are qualified as metastatic and/or are on the list of common sites of metastases, including lung, code to secondary malignant neoplasm of all reported sites.

I	(a)	Metastatic cancer of stomach	C788
	(b)	Metastatic cancer of breast	C798
	(c)	Metastatic cancer of lung	C780

<u>Code</u> secondary neoplasm of each site listed. All sites are reported as metastatic.

I	(a)	Metastatic carcinoma of ovary	C796
	(b)	Carcinoma of lung	C780
	(c)	Metastatic pancreatic carcinoma	C788

<u>Code</u> to secondary malignant neoplasm of each site. Lung is on the list of common sites of metastases and ovary and pancreas are both reported as metastatic.

I	(a)	Metastatic stomach cancer	C788
	(b)	Lung cancer	C780

<u>Code</u> to secondary malignant neoplasm of each site. Lung is on the list of common sites of metastases and stomach cancer is reported as metastatic.

I	(a)	Carcinoma of spine	C795
	(b)	Metastatic lung cancer	C780

<u>Code</u> to secondary malignant neoplasm of each site. Spine is on the list of common sites of metastases and lung is reported as metastatic.

Part A Neoplasms (C00-D48)

I	(a)	Metastatic carcinoma of abdomen	C798
	(b)	Metastatic carcinoma of colon	C785

<u>Code</u> both sites as secondary since both are qualified as metastatic.

I	(a)	Metastatic brain carcinoma	C793
	(b)	Metastatic lung carcinoma	C780

<u>Code</u> both sites as secondary malignant neoplasm since both are qualified as metastatic.

(5) When a metastatic malignant neoplasm is reported on a record with a malignant neoplasm of the same site whether stated as metastatic or not, code both primary.

I	(a)	Metastatic gastric carcinoma	C169
	(b)	Gastric carcinoma	C169

Code primary gastric carcinoma on I(a) and code primary gastric carcinoma on I(b).

- (6) If two or more sites with a morphology of C40, C41, C43, C44, C45, C46, C47, C49, C70, C71, and C72 are reported and all sites are qualified as metastatic, add an additional code to identify the morphological type of neoplasm. Code the morphological type of neoplasm to the unspecified site category, i.e., to "9." Enter this code on the same line with and preceding the code for the first mentioned secondary site.
 - I (a) Metastatic leiomyosarcoma arm, C499 C798 C788 C793 stomach and brain

<u>Code</u> leiomyosarcoma, the morphological type of neoplasm, to C499 and code the reported sites as secondary neoplasms since all three sites are qualified as metastatic.

I (a) Metastatic sarcoma of stomach and C499 C788 C784 small intestine

<u>Code</u> the sarcoma, the morphological type of neoplasm, to C499 and code the reported sites as secondary neoplasms.

I (a) Metastatic squamous cell carcinoma of head and neck C449 C798

<u>Since</u> the reported sites are marked with a # sign in the Index, code the morphological type to malignant neoplasm of skin, C449, and code the reported sites as secondary neoplasms.

Part A Neoplasms (C00-D48)

I (a) Metastatic squamous cell carcinoma of head (b) Metastatic squamous cell carcinoma of neck (C798)

<u>Since</u> the reported sites are marked with a # sign in the Index, code the morphological type to malignant neoplasm of skin, C449, and code the reported sites as secondary neoplasms. Enter C449 for the morphological type as first code on I (a) preceding the first secondary site. Enter only the secondary code on line b.

9. Primary site unknown

Consider the following terms as equivalent to "primary site unknown:"

- ? Origin (Questionable origin)
- ? Primary (Questionable primary)
- ? Site (Questionable site)
- ? Source (Questionable source)

Undetermined origin

Undetermined primary

Undetermined site

Undetermined source

Unknown origin

Unknown primary

Unknown site

Unknown source

- a. When the statement, "primary site unknown," or its equivalent, appears anywhere on the certificate with a site specific neoplasm or a neoplasm classifiable to C81-C96, code the neoplasm as though the statement did not appear on the certificate.
 - I (a) Renal cell carcinoma

C64

(b) Primary site unknown

<u>Code</u> renal cell carcinoma (C64) as though the statement "primary site unknown" was not on the certificate.

I (a) Reticulum cell sarcoma

C833

II Undetermined source

<u>Code</u> reticulum cell sarcoma (C833) as though the statement "undetermined source" was not on the certificate.

Part A

Neoplasms (C00-D48)

b. When primary site unknown or its equivalent appears on the certificate with a morphological type of neoplasm classifiable to C40, C41, C43, C44, C45, C46, C47, C49, C70, C71, and C72, add an additional code to identify the morphological type of neoplasm. Code the morphological type of neoplasm to the unspecified site category. This additional code should be entered on the same line with and preceding the code for the first mentioned secondary site.

I (a) Generalized metastases C80

(b) Melanoma of back C439 C798

(c) Primary site unknown

<u>Code</u> I(b) melanoma, unspecified site, followed by the code for the secondary site reported.

c. When "primary site unknown," or its equivalent, appears on the certificate with neoplasms classified to morphological type C80, (classifiable to C00-C76), code all reported sites as secondary and precede the first neoplasm code with C80.

I (a) Secondary carcinoma of liver C80 C787

(b) Primary site unknown

<u>Code</u> secondary liver carcinoma preceded with C80.

I (a) Carcinoma of stomach C80 C788

(b) Primary site unknown

Code secondary stomach carcinoma preceded with C80.

I (a) Carcinoma of stomach C80 C788

(b) Primary site of carcinoma unknown C80

<u>Code</u> I(a) secondary carcinoma of stomach preceded with C80. Code I(b) C80 for carcinoma since the term carcinoma is repeated.

I (a) Cancer of intestines, stomach, C80 C785 C788 C798

(b) and abdomen

(c) Unknown primary

Code all sites as secondary; precede the first code with C80.

Neoplasms (C00-D48)

10. Implication of malignancy

Mention on the certificate that a neoplasm has produced metastases (secondaries) means it must be coded as malignant, even though this neoplasm without mention of metastases would be classified to some other section of Chapter II.

Code neoplasms indexed to D00-D09 (in situ neoplasms), D10-D36 (benign neoplasms), or D37-D48 (neoplasms of uncertain or unknown behavior) to a primary malignant neoplasm category in C00-C76 if reported on the record with the following conditions:

a. Metastases NOS and metastases of a site

I (a) Breast tumor with metastases C509 C80

<u>Code</u> I(a) to primary malignant neoplasm of breast and code metastases NOS. Code breast tumor as malignant neoplasm of breast since it is reported with metastases NOS.

I	(a)	Brain metastasis	C793
	(b)	Lung tumor	C349

<u>Code</u> I(a) secondary neoplasm of brain and I(b) primary malignant neoplasm of lung since the lung tumor is reported with metastases of a site.

b. Any neoplasm indexed to C77-C79 in Volume III

I	(a)	Lymph node cancer	C779
	(b)	Carcinoma in situ of breast	C509

<u>Code</u> the carcinoma in situ of breast as primary malignant neoplasm of breast since it is reported with a neoplasm that is indexed to C779. Malignant neoplasm of lymph node is indexed to secondary neoplasm.

c. A common site of metastases (excluding lung) qualified by the word "metastatic"

I	(a)	Metastatic liver cancer	C787
	(b)	Small intestine tumor	C179

<u>Code</u> I(a) as secondary neoplasm of liver and code primary malignant neoplasm of small intestine on I(b), since the small intestine tumor is reported with a common site of metastases qualified by the word "metastatic."

Neoplasms (C00-D48)

d. If a, b, or c do not apply, code the neoplasm in D00-D09, D10-D36, D37-D48 as indexed.

11. Sites with prefixes or imprecise definitions

Neoplasms of sites prefixed by "peri," "para," "supra," "infra," etc. or described as in the "area" or "region" of a site, unless these terms are specifically indexed, should be coded as follows: for morphological types classifiable to one of the categories C40, C41, C43, C44, C45, C46, C47, C49, C70, C71, and C72, code to the appropriate subdivision of that category; otherwise, code to the appropriate subdivision of C76 (other and ill-defined sites).

I (a) Fibrosarcoma in the region of the leg

C492

<u>Code</u> I(a) fibrosarcoma in the region of the leg to the appropriate subdivision of the category, malignant neoplasm of connective and soft tissue of lower limb.

I (a) Carcinoma in lung area

C761

Since the morphological type of the term "carcinoma" is C80, code I(a), carcinoma in lung area, to the appropriate subdivision of C76 (other and ill-defined sites).

12. Malignant neoplasms described with "either/or"

Malignant neoplasms of more than one site described as "or" and both sites are classified to the same anatomical system, code the residual category for the system. If the sites are in different systems, and are in the same morphological category, code to the residual category for the morphological type.

I (a) Cancer of kidney or bladder

C689

Code C689, malignant neoplasm of other and unspecified urinary organs.

I (a) Cancer of gallbladder or kidney

C80

<u>Code</u> to C80, malignant neoplasm without specification of site since there is more than one site qualified by the statement "or" and the sites are in different systems.

(a) Osteosarcoma of lumbar vertebrae

C419

(b) or sacrum

<u>Code</u> to malignant neoplasm of bone unspecified (C419). Both sites separated by the "or" are indexed to bone.

Part A Neoplasms (C00-D48)

13. Mass or lesion with malignant neoplasms

When mass or lesion is reported with malignant neoplasms, code mass or lesion as indexed.

I (a) Lung mass R91 (b) Carcinomatosis C80

Code mass as indexed. Do not consider as malignant mass.

I (a) Metastatic lung carcinoma C349
II Lung lesion J984

Code lung lesion as indexed.

Part B

B. Rheumatic heart diseases

- 1. Heart diseases considered to be described as rheumatic
 - a. When rheumatic fever (I00) or any heart disease that is specified as rheumatic is reported anywhere on the death certificate, consider conditions listed in categories I300-I319, I339, I340-I38, I400-I409, I429, and I514-I519 to be described as rheumatic unless there is indication they were due to a nonrheumatic cause.

I (a) Myocarditis I090 (b) Rheumatic heart disease I099

<u>Consider</u> "myocarditis" to be described as "rheumatic" since reported with a heart disease specified as rheumatic.

I (a) Cardiac tamponade I092 (b) Rheumatic endocarditis I091

(c)

<u>Consider</u> "cardiac tamponade" to be described as "rheumatic" since reported with a heart disease specified as rheumatic.

b. When rheumatic fever and a heart disease are jointly reported, enter a separate code for the rheumatic fever <u>only</u> when it is not used to qualify a heart disease as rheumatic. This applies whether or not the heart disease is stated or classified as rheumatic.

I (a) Heart disease I099

(b) Rheumatic fever

<u>Consider</u> "heart disease" to be described as "rheumatic." Do not enter a separate code for rheumatic fever since it is used to qualify the heart disease as rheumatic.

I (a) Rheumatic heart disease I099

(b) Rheumatic fever

<u>Code</u> "rheumatic heart disease" as indexed. Do not enter a separate code for rheumatic fever since the heart disease is qualified as rheumatic.

I (a) Cardiac arrest I469 (b) Rheumatic fever I00

<u>Cardiac arrest</u> is not one of the conditions considered to be described as rheumatic when reported with rheumatic fever. Code each condition as indexed.

1099

c. When a condition listed in category I50 is indicated to be due to rheumatic fever and there is no mention of another heart disease that is classifiable as rheumatic, consider the condition in I50 to be described as rheumatic.

I (a) Heart failure

(b) Rheumatic fever

<u>Since</u> there is no other heart disease classified as rheumatic, use the rheumatic fever to qualify the heart disease on I(a) as rheumatic.

I (a) Heart failure I509 (b) Rheumatic heart disease I099

<u>Since</u> there is a heart disease qualified as rheumatic reported on the record, code heart failure, I509.

2. <u>Distinguishing between active and chronic rheumatic heart disease</u>

Rheumatic heart diseases are classifiable to I010-I019, Rheumatic fever with heart involvement, or to I050-I099, <u>Chronic rheumatic heart diseases</u>, depending upon whether the rheumatic process was active or inactive at the time of death.

a. When rheumatic fever or any rheumatic heart disease is stated to be active, recurrent, or recrudescent, code all rheumatic heart diseases as active. Conversely, code all rheumatic heart diseases as inactive if rheumatic fever or any rheumatic heart disease is stated to be inactive.

I (a) Endocarditis I011

(b) Active rheumatic fever

<u>Code</u> I(a), active rheumatic endocarditis since the rheumatic fever is stated as active. Leave I(b) blank.

I (a) Heart failure I509 (b) Inactive rheumatic heart disease I099

(c)

<u>Code</u> I(a) as indexed since another heart classified as rheumatic is reported. Code I(b) as indexed since stated as inactive.

Part B

Rheumatic Heart Diseases

b.	When there is no statement of active, recurrent, recrudescent, or inactive, code all
	heart diseases that are stated to be rheumatic or that are considered to be described
	as rheumatic as active <u>if</u> any of the following instructions apply:

(1) The interval between onset of rheumatic fever and death was less than one year.

I (a) Endocarditis - 6 months

I011

- (b) Rheumatic fever 9 months
- (2) One or more of these heart diseases (listed in Section IV, Part B, 1, a) is stated to be acute or subacute.

NOTE: This does not mean rheumatic fever stated to be acute or subacute.

I	(a)	Acute myocarditis	I012
	(b)	Rheumatic heart disease	I019

I (a) Rheumatic heart disease I099

(b) Acute rheumatic fever

(3) One of these heart diseases is pericarditis.

I	(a)	Pericarditis	I010
	(b)	Rheumatic heart disease	I019

(4) At least one of these heart diseases is "carditis," "endocarditis" (any valve), "heart disease," "myocarditis," or "pancarditis" with a stated duration of less than one year.

I	(a)	Endocarditis - 9 months	I011
	(b)	Rheumatic heart disease	I019

(5) At least one of these heart diseases is "carditis," "endocarditis" (any valve), "heart disease," "myocarditis," or "pancarditis" without a duration and the age of the decedent was less than 15 years.

Age: 10 years

I (a) Rheumatic heart disease I019

(b) Rheumatic fever

Part B Rheumatic Heart Diseases

c. In the absence of the previous mentioned indications of an active rheumatic process, consider all heart diseases that are stated to be rheumatic or that are considered to be described as rheumatic as inactive and code to categories I050-I099.

Age: 75 years

I (a) Rheumatic heart disease I099

(b) Rheumatic fever

<u>Code</u> I(a) as indexed, there is no indication the rheumatic process was active. Leave line I(b) blank.

3. Valvular diseases jointly reported

a. When diseases of the mitral, aortic, and tricuspid valves, not qualified as rheumatic, are jointly reported, whether on the same line or on separate lines, code the disease of all valves as rheumatic unless there is indication to the contrary.

I (a) Mitral insufficiency and aortic stenosis I051 I060

(b)

<u>Code</u> both valvular diseases as rheumatic since there is no indication to the contrary.

I (a) Aortic insufficiency I061

(b) Mitral endocarditis with I059 I051

(c) mitral insufficiency

<u>Code</u> the diseases of both valves as rheumatic since there is no indication to the contrary.

I (a) Mitral endocarditis \overline{c} I059 I051 I050

(b) insufficiency and stenosis

(c) Aortic endocarditis I069

<u>Code</u> the diseases of both valves as rheumatic since there is no indication to the contrary.

I (a) Mitral valve disease I059 I051 I48

(b) with insufficiency and

(c) atrial fibrillation

II Aortic stenosis I060

<u>Code</u> the diseases of both valves as rheumatic since there is no indication to the contrary.

- b. When mitral insufficiency, incompetence, or regurgitation is jointly reported with mitral stenosis NOS (or synonym), code all these conditions as rheumatic unless there are indications to the contrary.
 - I (a) Mitral insufficiency with mitral stenosis I051 I050

<u>Code</u> the mitral insufficiency as rheumatic since it is reported with mitral stenosis and there is no indication to the contrary.

4. Valvular diseases not indicated to be rheumatic

In the Classification, certain valvular diseases, i.e., disease of mitral valve (except insufficiency, incompetence, and regurgitation without stenosis) and disease of tricuspid valve are included in the rheumatic categories even though not indicated to be rheumatic. This classification is based on the assumption that the vast majority of such diseases are rheumatic in origin. Do not use these diseases to qualify other heart diseases as rheumatic. Code these diseases as nonrheumatic if reported due to one of the nonrheumatic causes on the following list.

I	(a)	Pericarditis	I319
	(b)	Mitral stenosis	I050

<u>Although</u> mitral stenosis is classified to a rheumatic category, do not use it to qualify the pericarditis as rheumatic.

a. When valvular heart disease (I050-I079, I089 and I090) <u>not</u> stated to be rheumatic is reported due to:

A1690	C73-C759	E802	J00
A188	C790-C791	E804-E806	J020
A38	C797-C798	E840-E859	J030
A399	C889	E880-E889	J040-J042
A500-A549	D300-D301	F110-F169	J069
B200-B24	D309	F180-F199	M100-M109
B376	D34-D359	I10-I139	M300-M359
B379	D440-D45	I250-I259	N000-N289
B560-B575	E02-E0390	I330-I38	N340-N399
B908	E050-E349	I424	Q200-Q289
B909	E65-E678	I511	Q870-Q999
B948	E760-E769	I514-I5150	R75
C64-C65	E790-E799	I700-I710	

Code nonrheumatic valvular disease (I340-I38) with appropriate fourth character.

I	(a)	Mitral stenosis and aortic stenosis	I342	I350
	(b)	Hypertension	I10	

 \underline{Code} I(a) as separate one-term entities to nonrheumatic mitral and aortic stenosis since they are reported "due to" a nonrheumatic condition.

I	(a)	Mitral insufficiency	I340
	(b)	Goodpasture's syndrome & RHD	M310 I099

<u>Code</u> I(a) to nonrheumatic mitral insufficiency since it is reported "due to" a nonrheumatic condition. Apply this instruction even though rheumatic heart disease is entered as the second entry on I(b).

b. Consider diseases of the aortic, mitral, and tricuspid valves to be nonrheumatic if they are reported on the same line due to a nonrheumatic cause in the previous list. Similarly, consider diseases of these three valves to be nonrheumatic if any of them are reported due to the other and that one, in turn, is reported due to a nonrheumatic cause in the previous list.

I	(a)	Mitral disease	I349
	(b)	Aortic stenosis	I350
	(c)	Arteriosclerosis	I709

<u>Classify</u> both valvular diseases as nonrheumatic. The mitral disease is reported due to the aortic disease which is, in turn, reported due to a nonrheumatic cause.

I	(a)	Congestive heart failure	I500
	(b)	Mitral stenosis	I342
	(c)	Arteriosclerosis	I709

<u>Code</u> the mitral stenosis as nonrheumatic since the certifier indicated it was due to a nonrheumatic cause.

I	(a)	Aortic and mitral insufficiency	I351	I340
	(b)	Subacute bacterial endocarditis	I330	

<u>Code</u> the valvular diseases as nonrheumatic since they are reported due to a nonrheumatic cause.

C. Pregnancy, childbirth, and the puerperium (O00-O99)

1. General information

Conditions classifiable to categories O00-O99 are limited to deaths of females of childbearing age. Some of the <u>maternal conditions are also the cause of death in newborn infants</u>. Always refer to the age and sex of the decedent before coding a condition to O00-O99.

Obstetric deaths are classified according to time elapsed between the obstetric event and the death of the woman:

- O95 Obstetric death of unspecified cause
- O96 Death from any obstetric cause occurring more than 42 days but less than one year after delivery
- O97 Death from sequela of direct obstetric causes (death occurring one year or more after delivery)

The standard certificate of death contains a separate item regarding pregnancy. Any positive response to one of the following items should be taken into consideration when coding pregnancy related deaths:

Ш	Pregnant at time of death
	Not pregnant, but pregnant within 42 days of death
	Not pregnant, but pregnant 43 days to 1 year before death

Consider the pregnancy to have terminated 42 days or less prior to death unless a specific length of time is written in by the certifier. Take into consideration the length of time elapsed between pregnancy and death if reported as more than 42 days.

Maternal deaths are subdivided into two groups:

<u>Direct obstetric deaths (O00-O97)</u>: those resulting from obstetric complications of the pregnant state (pregnancy, labor and puerperium), from interventions, omissions, incorrect treatment, or from a chain of events resulting from any of the above.

<u>Indirect obstetric deaths (O98-O99)</u>: those resulting from previous existing disease or disease that developed during pregnancy and which was not due to direct obstetric causes, but which was aggravated by physiologic effects of pregnancy.

When coding pregnancies, code any direct obstetric cause to O00-O97 and any indirect obstetric cause to O98-O99.

- 2. Pregnancy or childbirth without mention of complication
 - a. Do not assign a separate code for "pregnancy" or "delivery" if any other condition is reported other than HIV infection (B200-B24) and/or nature of injuries and external causes (S000-Y899).

Female, 39 years

Place I (a) Asphyxia by hanging T71 &X70

9 (b)

MOD II 1st trimester pregnancy O95

Suicide O95

<u>Code</u> I(a) to nature of injury and external cause. Code pregnancy in Part II to Pregnancy, death from (O95) since the only other reported condition is classified to a nature of injury and external cause.

- b. When pregnancy or delivery is the <u>only entry</u> on the certificate, apply the following instructions:
 - (1) Code to category O95 if death occurred 42 days or less after termination of pregnancy or when there is no indication of when the pregnancy terminated.

Female, 28 years
I (a) Pregnancy O95

<u>Code</u> "pregnancy" to Pregnancy, death from (O95) since it is the only entry on the certificate.

(2) Code to category O96 if death resulted from direct or indirect obstetric causes that occurred more than 42 days but less than one year after termination of the pregnancy.

Female, 28 years
I (a) Childbirth 3 months O96

<u>Code</u> childbirth to death from any obstetric cause occurring more than 42 days but less than one year after delivery.

Part C

Pregnancy, Childbirth, and the Puerperium (O00-O99)

(3) Code to category O97 if death occurred 1 year or more after termination of pregnancy.

Female, 28 years

I (a) Pregnancy 1 year O97

Code to death from sequela of a direct obstetric cause.

- 3. Pregnancy with abortive outcome (O000-O089)
 - a. Code all <u>complications</u> of conditions listed in categories O000-O029 to the appropriate subcategory of O08 and also code O000-O029 as indexed. To determine the appropriate subcategory for O08, refer to the Index under Abortion, complicated by and select appropriate fourth character from last column.

Female, 28 years

I (a) Septicemia O080 (b) Tubal pregnancy O001

<u>Code</u> I(a) Abortion, complicated by, septicemia (O080) and I(b) Pregnancy, tubal (O001).

Female, 20 years

I (a) Shock O083 (b) Ectopic pregnancy O009

<u>Code</u> I(a) Abortion, complicated by, shock (O083) and I(b) Ectopic, pregnancy (O009).

b. Code all <u>complications</u> of conditions listed in categories O03-O07 to the appropriate subcategory of O08 and also code O03-O07 with fourth character "9." To determine the appropriate subcategory for O08, refer to the Index under Abortion, complicated by and select appropriate fourth character from last column.

Female, 22 years

I (a) Pulmonary embolism O082 (b) Spontaneous abortion O039

<u>Code</u> I(a) Abortion, complicated by, pulmonary embolism (O082) and I(b) Abortion, spontaneous (O039).

- c. When conditions in categories O00-O07 are reported in Part I or Part II of the death certificate with:
 - (1) a direct obstetric complication classifiable to category O08, code the complication to category O08 with the appropriate fourth character. Also code O00-O02 as indexed or O03-O07 with fourth character "9."

Female, 31 years

I (a) Cardiac arrest O088 (b) Abortion O069

<u>Code</u> I(a) Abortion, complicated by, cardiac arrest, a direct obstetric complication and I(b) Abortion NOS.

(2) an indirect obstetric complication classifiable to categories O98-O99, code the O98-O99. Also code the O00-O02 as indexed or O03-O07 with fourth character "9."

Female, 25 years

I (a) Abortion O069
II Rheumatic heart disease O994

<u>Code</u> I(a) Abortion NOS (O069). Code Pregnancy, complicated by rheumatic heart disease (O994), an indirect obstetric cause.

(3) both a direct and an indirect obstetric complication, code the direct complications to O08 with the appropriate fourth character and the indirect complications to O98-O99. Also code the O00-O02 as indexed or O03-O07 with fourth character "9."

Female, 33 years

I (a) Renal failure O084 (b) Abortion O069 II Anemia O990

<u>Code</u> I(a) Abortion, complicated by, renal failure. Direct complications of abortions are classified to category O08 with the appropriate fourth character. Code I(b) Abortion NOS. Code Part II Pregnancy, complicated by, anemia, an indirect obstetric complication.

Pregnancy, Childbirth, and the Puerperium (O00-O99)

- 4. Other complications of pregnancy, childbirth and puerperium (O00-O99)
 - a. If death occurred more than 42 days but less than 1 year after termination of pregnancy, code all direct and indirect obstetric complications to O96.

Female, 28 years

I (a) Cardiomyopathy O96

(b) Childbirth 3 months

<u>Code</u> cardiomyopathy as a direct obstetric cause occurring more than 42 days but less than 1 year after childbirth.

Female, 28 years

I (a) Intracerebral hemorrhage O96

(b) Childbirth 3 months

<u>Code</u> intracerebral hemorrhage as an indirect obstetric cause occurring more than 42 days but less than 1 year after childbirth.

b. If death occurred 1 year or more after termination of pregnancy, code any direct obstetric cause to category O97. If only indirect obstetric causes are reported, code all reported conditions as though the maternal condition had not been reported unless the maternal condition modifies the coding. In the latter case, take the maternal condition into account when assigning the code for the other reported condition, but **do not** code O00-O99.

Female, 28 years

I (a) Cardiomyopathy O97

(b) Childbirth 1 year

<u>Code</u> to O97, Death from sequela of direct obstetric causes. Cardiomyopathy is a direct obstetric cause. **Do not** enter a code on I(b) for childbirth.

Female, 28 years

I (a) Intracerebral hemorrhage I619

(b) Childbirth 1 year

<u>Code</u> to I619, the appropriate category outside Chapter XV. Intracerebral hemorrhage is an indirect obstetric cause. **Do not** enter a code on I(b) for childbirth.

- c. Code all complications of pregnancy, childbirth, and the puerperium to categories O00-O75, O85-O92, O96-O99. When delivery is mentioned on the certificate, consider complications to be of delivery unless otherwise specified.
 - (1) When both direct and indirect obstetric causes are reported on the same certificate code as indexed to appropriate code in Chapter XV.
 - (2) When a complication is reported and not indexed to a direct or indirect obstetric code, assign the complication to O98-O99 with the appropriate fourth character. Refer to Volume I for correct code assignment.

Fe	emalo	e, 35 years		
I	(a)	Thrombosis	1 hr	O229
	(b)	Pregnancy	8 mos	
II Obesity				O992

<u>Code</u> I(a) to Pregnancy, complicated by, thrombosis. Do not enter a code on I(b) for pregnancy. Code Part II to Pregnancy, complicated by, endocrine diseases NEC as indexed. Obesity is an endocrine disorder.

Fema	le,	29	years
------	-----	----	-------

Ι	(a)	Acute anemia	O990
	(b)	Massive postpartum hemorrhage	O721
	(c)	Delivered liveborn	

<u>Code</u> I(a) to Anemia, complicating pregnancy, childbirth or the puerperium, an indirect obstetric cause. Code I(b) to Hemorrhage, postpartum, a direct obstetric cause. **Do not** enter a code on I(c) for delivery NOS.

Female, 21 years

I (a) Gram negative sepsis	O988
(b) Congenital anomalies of ureters	O998
II 30 weeks pregnant	

<u>Code</u> I(a) to Pregnancy, complicated by, septicemia, an indirect obstetric cause. Code I(b) to Pregnancy, complicated by, congenital malformation, an indirect obstetric cause. **Do not** enter a code in Part II for pregnancy.

Part C

Pregnancy, Childbirth, and the Puerperium (O00-O99)

Female, 28 years

I (a) Aspiration pneumonia O995

(b) Delivery

II Rubella in first trimester

O985

<u>Code</u> the indirect causes, aspiration pneumonia and rubella to the appropriate code in Chapter XV. Do not enter a code for delivery on I(b).

- 5. Delivery reported with anesthetic death or anesthesia
 - a. When delivery (normal) NOS is reported with <u>anesthetic death</u>, code O748 only. When reported with anesthesia, code O749 only.

Female, 29 years

I (a) Anesthetic death

O748

(b) Delivery

<u>Code</u> I(a) to O748, other complications of anesthesia during labor and delivery. Do not enter code on I(b) for delivery.

b. When <u>anesthetic death</u> is reported with a complication(s) of delivery or puerperium, code O748 and the code(s) for complication(s) of pregnancy, delivery, or puerperium.

Female, 26 years

I (a) Anesthetic death O748
(b) Obstructed labor O669

Code Delivery, complicated by, anesthetic death on I(a). Code I(b) as indexed.

c. When <u>anesthesia</u> is reported with a complication(s) of delivery or puerperium, code O749 and the code(s) for complication(s) of pregnancy, delivery, or the puerperium.

Female, 28 years

I (a) Prolonged labor O639 (b) Anesthesia - delivery O749

<u>Code</u> prolonged labor as a complication of delivery. Code "anesthesia-delivery" to O749.

Part C

Pregnancy, Childbirth, and the Puerperium (O00-O99)

F	emal	e, 34 years	
I	(a)	Cardiac arrest	O742
	(b)	Anesthesia	O749
	(c)	Obstructive labor	O669

<u>Code</u> I(a) cardiac arrest as a complication of anesthesia. Code the anesthesia on I(b) to O749. Code I(c) as indexed.

6. Operative delivery

- a. Code an operative delivery such as cesarean section or hysterectomy to O759.
- b. Code <u>reported complications</u> of the operative delivery to complications of obstetric surgery (O754).
- c. Code conditions reported due to <u>complications</u> of operative delivery as indexed under complication of delivery and/or the puerperium.

Female, 18 years

Ι	(a)	Cardiac arrest	O742
	(b)	Anesthesia during C-section	O749
	(c)	Premature separation of placenta	O759
	(d)		O459

<u>Code</u> I(a) cardiac arrest as a complication of anesthesia. Code O749 for the anesthesia. There is no complication of the C-section; therefore, code the C-section to O759. Code premature separation of placenta as indexed on line I(d).

Female, 27 years

I	(a)	Pulmonary embolism	O882
	(b)	Pelvic thrombosis	O754
	(c)	C-section delivery	O759

<u>Code</u> I(a) Puerperal, embolism (pulmonary). Code I(b) as a complication of the operative delivery. Code I(c) Delivery, cesarean, as indexed.

Female, 39 years

I	(a)	Pneumonia	O995
	(b)	Peritoneal hemorrhage	O754
	(c)	Cesarean section delivery	O759

<u>Code</u> I(a) O995, an indirect obstetric cause. Pneumonia is reported due to the complication and coded as complicating delivery. Code I(b) as a complication of the operative delivery. Code I(c) Delivery, cesarean, as indexed.

Part C

Pregnancy, Childbirth, and the Puerperium (O00-O99)

24 hr	O995
3 days	O754
_	O759

<u>Code</u> I(a) an indirect obstetric cause. Code I(b) as a complication of the operative delivery reported in Part II. Code Part II cesarean section as indexed.

Female, 28 years			
I (a) Pneumonia	O754		
(b) C-section	O759		
II	O759	O321	

Operation Block: C-section for breech presentation

 $\underline{\text{Code}}$ I(a) as a complication of the operative delivery. Code cesarean section on I(b) as indexed. Code cesarean section and breech presentation as indexed in Part II.

Part D

D. Congenital conditions

The Classification does not provide congenital and acquired codes for all conditions.
 When no provision is made for a distinction, disregard the statement of congenital or
 acquired and code the NOS code.

Female, 45 years

I	(a)	Patent ductus arteriosus - acquired	Q250
	(b)	Pneumonia	J189

Code I(a) to Q250 since patent ductus arteriosus does not have an acquired code.

Male, 33 years

I	(a)	Gastric hemorrhage	K922
	(b)	Gastric ulcer - congenital	K259

Code I(b) to K259 since gastric ulcer does not have a congenital code.

2. When a condition specified as "congenital" is reported "due to" another condition not specified as congenital, code both conditions as congenital.

Male, 2 months

I	(a)	Peritonitis – birth	P781
	(b)	Intestinal obstruction	Q419

Code the condition on I(b) as congenital.

3. Code hydrocephalus (G91.0, 1, 2, 8, 9) (any age) to Q039 (congenital hydrocephalus) when it is reported with another cerebral or other central nervous system condition (Q00-Q07, Q280-Q283) which is classified as congenital.

Male, 3 months

I	(a)	Cerebral anoxia	G931
	(b)	Hydrocephalus & hypoplasia	Q039 Q061
	(a)	of animal aard	

(c) of spinal cord

<u>Code</u> hydrocephalus NOS to Q039 since the hypoplasia of spinal cord is classified as congenital.

Part D Congenital Conditions

Male, 3 months		
I (a) Cerebral anoxia	G931	
(b) Hydrocephalus	Q039	
II Meningomyelocele	Q059	

<u>Code</u> the hydrocephalus NOS to Q039 since the meningomyelocele is classified as congenital.

E. Conditions of early infancy (P000-P969)

1. Assign newborn codes for conditions classifiable to A40-A41, I48-I50, J12-J189, J849, J984, J9840, J988, and K65.- whether or not indexed as newborn. Refer to Volume I for specific code assignment.

Female, 20 days

I	(a) Ventricular fibrillation		P291	
	(b)	Congenital heart disease	Q249	

<u>Condition</u> on I(a) must be coded to a newborn code even though the Index does not provide a newborn code. Refer to Volume 1, Exclusion note under the three character category for adult code, I49. Code neonatal cardiac dysrhythmias to P291. Code I(b) as indexed.

2. When reported on certificate of infant, code the following entries as indicated:

Birth weight of:	2 pounds (999 gms) or us Over 2 pounds (1000 gm			
	5 ½ pounds (2499 gms)			
	10 pounds (4500 gms) or			
	T 1 20 1		D052	
Gestation of:	Less than 28 weeks			
	28 weeks but less than 3'			
	42 or more completed we	eeks	P082	
Premature labor or o	lelivery NOS		P073	
Female, 3 hours				
ŕ	distress syndrome	P220		
(b) Prematurity	•	P073		
II 26 weeks gestation	on	P072		
Code Gestation, less than 28 weeks to P072.				
Male, 8 hours				
I (a) Respiratory	failure	P285		
(b) Prematurity,		P073	P072	
(-)				

<u>Code</u> I(b) as two separate conditions. Code prematurity as indexed P073 and code P072 for "23 weeks." The 23 weeks is an implied length of gestation.

Part E

Conditions of Early Infancy (P000-P969)

3. When a multiple birth or low birth weight is reported on an infant's death certificate outside of Part I or Part II, code this entity as the last entry in Part II.

Male, 29 minutes - Twin A

I (a) Immature P073
(b) Weight 1,500 grams - twin P071 P015

II Atelectasis P281 P015

Code "twin" as the last entry in Part II.

Male, 5 minutes

4 lbs. I (a) Immaturity of lung P280

(b)

(c)

Code P071 for "4 lbs." as last entry in Part II.

4. When "termination of pregnancy" or "abortion" (legal) <u>other than criminal</u> is the only reported cause of an infant death, code P964. Do not code P964 if any other codable entry is reported.

Female, 3 minutes

I (a) Legal abortion

P964

P071

<u>Since</u> "legal abortion" is the only entry on the certificate, code P964, as indexed.

5. When a condition classifiable to P703-P720, P722-P749 is the only cause(s) reported on a newborn's death, code P969. If reported with other perinatal conditions, code as indexed.

Male, 7days

(a) Hypomagnesemia

P969

(b)

(c)

<u>Code</u> the hypomagnesemia to P969, even though it is indexed to P712 since it is the only cause of death reported.

Female, 2 weeks

(a) Hypoglycemia(b) Maternal diabetesP704P701

<u>Code</u> I (a) as indexed since reported with another perinatal condition.

F. Sequela

A sequela is a late effect, an after effect, or a residual of a disease, nature of injury or external cause. ICD-10 provides sequela codes for the following conditions:

B900-B909	Sequela of tuberculosis
B91	Sequela of acute poliomyelitis
B92	Sequela of leprosy
B940-B949	Sequela of other and unspecified infectious and parasitic diseases
E640-E649	Sequela of malnutrition and other nutritional deficiencies
E68	Sequela of hyperalimentation
G09	Sequela of inflammatory diseases of central nervous system
I690-I698	Sequela of cerebrovascular disease
O97	Death from sequela of direct obstetric causes
T900-T983*	Sequela of injuries, of poisoning, and of other consequences of external causes
Y850-Y859*	Sequela of transport accidents
Y86*	Sequela of other accidents
Y870-Y872*	Sequela of intentional self-harm, assault and events of undetermined intent
Y880-Y883*	Sequela with surgical and medical care as external cause
Y890-Y899*	Sequela of other external causes

^{*} See **Section V**, **Part S** for instructions for coding sequela of injuries and external causes.

NOTE: When conditions in categories A00-B19, B25-B49, B58-B64, B99 are mentioned on the record with HIV (B20-B24, R75), do not consider the infectious or parasitic condition as a sequela.

When there is evidence death resulted from <u>residual effects</u> rather than the active phase of conditions for which the Classification provides a sequela code, code the appropriate sequela category. Code specified <u>residual effects</u> separately. Apply the following instructions to the sequela categories.

1. <u>B900-B909 Sequela of tuberculosis</u>

Use these subcategories for the classification of tuberculosis (conditions in A162-A199) if:

a. A statement of a late effect or sequela of the tuberculosis is reported.

I	(a)	Pulmonary fibrosis	J841
	(b)	Sequela of pulmonary tuberculosis	B909

Code sequela of pulmonary tuberculosis (B909) since "sequela of" is stated.

- b. The tuberculosis is stated to be ancient, arrested, cured, healed, history of, inactive, old, quiescent, or remote, whether or not the residual (late) effect is specified, unless there is evidence of active tuberculosis.
 - I (a) Arrested pulmonary tuberculosis B909

<u>Code</u> arrested pulmonary tuberculosis, B909, since there is no evidence of active tuberculosis.

- c. When there is evidence of active tuberculosis of a site with inactive (ancient, arrested, cured, healed, history of, old, quiescent, remote) tuberculosis of a **different** site, code both.
- d. When there is evidence of active and inactive (ancient, arrested, cured, healed, history of, old, quiescent, remote) tuberculosis of the **same** site, code active tuberculosis of the site only.

NOTE: Do not use duration to code sequela of tuberculosis.

Ι	(a)	Respiratory failure	J969
	(b)	Pneumonia	J189
	(c)	Pulmonary tuberculosis 2 years	A162

<u>Code</u> pulmonary tuberculosis as active. Do not use duration of the tuberculosis to indicate sequela.

2.	B91	Seq	uela	of	acute	poliom	yelitis

Use this category for the classification of poliomyelitis (conditions in A800-A809) if:

- a. A statement of a late effect or sequela of acute poliomyelitis is reported.
 - I (a) Sequela of acute poliomyelitis

B91

Code sequela of acute poliomyelitis as indexed.

- b. A chronic condition or a condition with a duration of one year or more that was due to the acute poliomyelitis is reported.
 - I (a) Paralysis 1 year

G839

(b) Acute poliomyelitis

B91

 $\underline{\text{Code}}$ sequela of acute poliomyelitis, since the paralysis has a duration of 1 year.

- c. The poliomyelitis is stated to be history of, old, or the interval between onset of the poliomyelitis and death is indicated to be one year or more whether or not the residual (late) effect is specified.
 - I (a) Old polio

B91

<u>Code</u> old polio.

- d. The poliomyelitis is not stated to be acute or active and the interval between the onset of the poliomyelitis and death is not reported.
 - I (a) Poliomyelitis

B91

- (b)
- (c)
- I (a) ASHD

I251

- (b)
- (c)
- II Poliomyelitis

B91

I (a) Paralysis (b) Polio (c)	G839 B91
I (a) Poliomyelitis with (b) paralysis (c)	B91 G839

3. B92 Sequela of leprosy

Use this category for the classification of leprosy (conditions in A30) if:

- a. A statement of a late effect or sequela of the leprosy is reported.
- b. A chronic condition or a condition with a duration of one year or more that was due to leprosy is reported.

4. <u>B940 Sequela of trachoma</u>

Use this subcategory for the classification of trachoma (conditions in A710-A719) if:

- a. A statement of a late effect or sequela of the trachoma is reported.
 - I (a) Late effects of trachoma B940
- b. The trachoma is stated to be healed or inactive, whether or not the residual (late) effect is specified.
 - I (a) Healed trachoma B940
- c. A chronic condition such as blindness, cicatricial entropion or conjunctival scar that was due to the trachoma is reported unless there is evidence of active infection.

I	(a)	Conjunctival scar	H112
	(b)	Trachoma	B940

5. B941 Sequela of viral encephalitis

Use this subcategory for the classification of viral encephalitis (conditions in A830-A839, A840-A849, A850-A858, A86) if:

- a. A statement of a late effect or sequela of the viral encephalitis is reported.
 - I (a) Late effects of viral encephalitis

B941

Code sequela of viral encephalitis as indexed.

- b. A chronic condition or a condition with a duration of one year or more that was due to the viral encephalitis is reported.
 - I (a) Chronic brain syndrome

F069

(b) Viral encephalitis

B941

<u>Code</u> sequela of viral encephalitis, since a resultant chronic condition is reported.

- c. The viral encephalitis is stated to be ancient, history of, old, remote, or the interval between onset of the viral encephalitis and death is indicated to be one year or more whether or not the residual (late) effect is specified.
 - I (a) St. Louis encephalitis

1 yr

B941

<u>Code</u> sequela of viral encephalitis, since a duration of 1 year is reported.

I (a) Old viral encephalitis

B941

Code sequela of viral encephalitis, since it is stated "old."

d. Brain damage, cerebral fungus, CNS damage, epilepsy, hydrocephalus, mental retardation, paralysis (G810-G839) is reported due to the viral encephalitis.

I (a) Paralysis

G839

(b) Viral encephalitis

B941

<u>Code</u> sequela of viral encephalitis since paralysis is reported due to the viral encephalitis.

6. <u>B942 Sequela of viral hepatitis</u>

Use this subcategory for the classification of viral hepatitis (conditions in B150-B199) if:

- a. A statement of a late effect or sequela of the viral hepatitis is reported.
- b. A chronic condition or a condition with a duration of one year or more that was due to viral hepatitis is reported.
- 7. <u>B948 Sequela of other specified infectious and parasitic diseases</u> B949 Sequela of unspecified infectious and parasitic diseases

Use B948 for the classification of other and unspecified infectious and parasitic diseases (conditions in A000-A09, A200-A70, A740-A799, A810-A829, A870-B09, B250-B89) and

Use B949 for the classification of only the terms "infectious disease NOS" and "parasitic disease NOS" if:

- a. A statement of a late effect or sequela of the infectious or parasitic disease is reported.
- b. The infectious or parasitic disease is stated to be ancient, arrested, cured, healed, history of, inactive, old, quiescent, or remote, whether or not the residual (late) effect is specified, unless there is evidence of activity of the disease.
- c. A chronic condition or a condition with a duration of one year or more that was due to the infectious or parasitic disease is reported.

Ι	(a) Reye's syndrome 1yr	G937
	(b) Chickenpox	B948
		F0.60
I	(a) Chronic brain syndrome	F069
	(b) Meningococcal encephalitis	B948

d. There is indication the interval between onset of the infectious or parasitic disease and death was one year or more, whether or not the residual (late) effect is specified.

8. <u>E640-E649 Sequela of malnutrition and other nutritional deficiencies</u>

Use Sequela Code	For Categories
E640	E40-E46
E641	E500-E509
E642	E54
E643	E550-E559
E648	E51-E53 E56-E60 E610-E638
E649	E639

Use these subcategories for the classification of malnutrition and other nutritional deficiencies (conditions in E40-E639) if:

a. A statement of a late effect or sequela of malnutrition and other nutritional deficiencies (E40-E639) is reported.

I (a) Cardiac arrest I469 (b) Sequela of malnutrition E640

b. A chronic condition or a condition with a duration of one year or more is qualified as rachitic or that was due to rickets (E55.-) is reported.

I (a) Scoliosis 3 years M419 (b) Rickets E643

9. <u>E68 Sequela of hyperalimentation</u>

Use this category for the classification of hyperalimentation (conditions in E67 and hyperalimentation NOS in R632) if:

- a. A statement of a late effect or sequela of the hyperalimentation is reported.
- b. A chronic condition or a condition with a duration of one year or more that was due to hyperalimentation is reported.

10. G09 Sequela of inflammatory diseases of central nervous system

Use this category for the classification of intracranial abscess or pyogenic infection (conditions in G000-G009, G030-G049, G060-G069, G08) if:

- a. A statement of a late effect or sequela of the condition in G000-G009, G030-G049, G060-G069, G08 is reported.
- b. A chronic condition or a condition with a duration of one year or more that was due to the condition in G000-G009, G030-G049, G060-G069, G08 is reported.
- c. The condition in G000-G009, G030-G049, G060-G069, G08 is stated to be ancient, history of, old, remote, or the interval between onset of this condition and death is indicated to be one year or more, whether or not the residual (late) effect is specified.
- d. Brain damage, cerebral fungus, CNS damage, epilepsy, hydrocephalus, mental retardation, paralysis (G810-G839) is reported due to a condition in G000-G009, G030-G049, G060-G069, G08.

I	(a)	Hydrocephalus	G919
	(b)	Meningitis	G09

11. <u>I690-I698 Sequela of cerebrovascular disease</u>

Use this category for the classification of cerebrovascular disease (conditions in I600-I64, I670-I679) if:

a. A statement of a late effect or sequela of a cerebrovascular disease is reported.

I (a) Sequela of cerebral infarction

I693

<u>Code</u> sequela of cerebral infarction as indexed.

b. A chronic condition or a condition with a duration of one year or more that was due to one of these cerebrovascular diseases is reported.

I (a) Hemiplegia

1 year

G819

(b) Intracranial hemorrhage

I692

<u>Code</u> sequela of other nontraumatic intracranial hemorrhage since the residual effect (hemiplegia) has a duration of one year.

c. The condition in I600-I64 and I670-I679 is stated to be ancient, chronic, history of, old, remote, or the interval between onset of this condition and death is indicated to be one year or more, whether or not the residual (late) effect is specified.

I (a) Brain damage

G939

(b) Remote cerebral thrombosis

I693

<u>Code</u> sequela of cerebral thrombosis since the cerebral thrombosis is reported as remote.

I (a) Old intracerebral hemorrhage

I691

<u>Code</u> sequela of intracerebral hemorrhage since the intracerebral hemorrhage is stated as old.

I (a) Cerebral arteriosclerosis

6 yr

I698

<u>Code</u> sequela of other and unspecified cerebrovascular disease since the cerebral arteriosclerosis has a duration of one year or more.

I (a) History of CVA

I694

<u>Code</u> sequela of CVA since "history of" CVA is reported.

- d. The condition in I600-I64, and I670-I679 is reported with paralysis (any) stated to be ancient, chronic, history of, old, remote, or the interval between onset of this condition and death is indicated to be one year or more whether or not the residual (late) effect is specified.
 - I (a) CVA with old hemiplegia

I694 G819

<u>Code</u> sequela of CVA since it is reported with hemiplegia stated as old.

12. O97 Sequela of direct obstetric cause

Use this category for the classification of a direct obstetric cause (conditions in O00-O927) if:

- a. A statement of a late effect or sequela of the direct obstetric cause is reported.
- b. A chronic condition or a condition with a duration of one year or more that was due to the direct obstetric cause is reported.

G. Ill-defined and unknown causes

1. Sudden infant death syndrome (R95)

Includes:

Cot death

Crib death

SDII, SID, SIDS, SUD, SUDI, SUID

Sudden (unexpected) (unattended) (unexplained)

- death (cause unknown) (in infancy) (syndrome)
- infant death (syndrome)

Causing death at ages under 1 year

Excludes:

The listed conditions causing death at ages one year or over (R960)

Female, 6 months

I (a) Sudden death R95

Male, 3 weeks

I (a) Sudden death, cause unknown R95 (b) R97

Female, 3 months

I (a) SIDS, pneumonia R95 J189

2. Other sudden death and other unspecified cause (R960-R961, R98-R99)

Code R960-R961, R98-R99 only when:

- a. A term(s) classifiable to one of these codes is the only entry (or entries) on the death certificate.
- b. The only other entry on the death certificate is classifiable to R97 (cause unknown).

Female, 2 years

I (a) Sudden death R960 (b) Crib death R960

Ill-Defined and Unknown Causes

- c. When more than one term classifiable to two or more of these categories is reported, code only one in this priority: R960, R961, R98, R99.
 - (1) Instantaneous death (R960)

Includes:

Cot death

Crib death

SDII, SID, SIDS, SUD, SUDI, SUID

Sudden (unexpected) (unattended) (unexplained)

- death (cause unknown) (in infancy) syndrome
- infant death (syndrome)

Causing death at age 1 year or over

Excludes:

The listed conditions causing death at ages under one year (R95).

Male, 3 years

I (a) Sudden death, cause unknown R960 R97

Female, 2 years

I (a) SIDS, pneumonia J189

- (2) <u>Death occurring in less than 24 hours from onset of symptoms, not otherwise explained (R961)</u>
 - I (a) Died—no sign of disease R961
- (3) Unattended death (R98)
 - I (a) Found dead R98
 - (b) Investigation pending
 - I (a) Found dead at foot of steps R98
 - (b) Natural causes

(4) <u>Ill-defined and unspecified cause of mortality (R99)</u>

Includes:

Bone(s) found

Dead on arrival (DOA)

Diagnosis deferred

Died without doctor in attendance

Inquest pending

Natural cause(s)

No doctor

Pending examination (any type)

(pathological) (toxicological)

Pending investigation (police)

Skeleton

Undiagnosed disease

Excludes:

Unknown cause (R97)

I	` /	DOA Cause unknown	R99 R97
Ι	` ′	No doctor Pending investigation	R99 R99
I	` ′	Cause unknown Pending pathological examination	R97 R99

3. Unknown cause (R97)

Includes:

Cause not found No specific known causes

Cause unknown Nonspecific causes

Cause undetermined Not known
Could not be determined Obscure etiology
Etiology never determined Undetermined
Etiology unexplained Uncertain
Unclear

Etiology unknown Unexplained cause

Etiology undetermined Unknown
Etiology unspecified ? Cause
Final event undetermined ? Etiology

Immediate cause not

determined

Immediate cause unknown

No specific etiology

identified

Use this category for the classification of the listed terms except when the term in R97 is reported on the same line with and preceding a condition qualified as "possible," "probably," etc. In such cases, no code should be entered for the term in R97.

I	(a)	G. I. hemorrhage	K922	
	(b)	Cause unknown	R97	
	(c)	Carcinomatosis	C80	
I	(a)	Unknown cause	R97	
I	(a)	Intestinal obstruction	K566	
	(b)	Unknown, possibly cancer	C80	
I	(a)	Amyloidosis	E859	
	(b)	Chronic ulcerative colitis	K519	
	(c)			
II	Cir	rhosis of liver, cause unknown	K746	R97

206

Part G

Ill-Defined and Unknown Causes

If the term in R97 is reported in Part I on the same line with and following the condition to which it applies, enter the code for unknown cause on the next due to line whether or not "cause unknown" is in parentheses beside the condition in Volume 3. Code the conditions on each of the remaining lines in Part I, if there are any, as though they had been reported on the succeeding line(s).

Fe	emale, 3 months	
I	(a) SIDS, cause unknown	R95
	(b)	R97
I	(a) Natural causes, cause unknown	R99
	(b)	R97
I	(a) Unknown cause	R97
	(b) Found dead	R98
I	(a) Unknown	R97
	(b) Known to had ASHD	I251 J42
	(c) and chronic bronchitis	
I	(a) Gastric ulcer, cause unknown	K259
	(b) Rheumatoid arthritis	R97
	(c)	M069

In ICD-10, the Nature of Injury Chapter (XIX) is part of the main Classification but certain effects of external causes are classified in Chapters I-XVIII. The external cause codes (Chapter XX) are intended for use, where relevant, to identify the external cause of conditions classifiable to Chapters I-XVIII, as well as to Chapter XIX. While not all external causes will have a corresponding code in Chapter XIX, an external cause code is required when a code from Chapter XIX is applicable.

A. External cause code (E-Code) concept

An external cause of injury may be classified to Accidents (V01-X59), Intentional self harm (X60-X84), Assault (X85-Y09), Event of undetermined intent (Y10-Y34), Legal intervention and operations of war (Y35-Y36), Complications of medical and surgical care (Y40-Y84), and Sequela of external causes (Y85-Y89). When unspecified, assume all external cause one-term entities to be accidental unless the External Causes of Injury Index provides otherwise.

The objective in assigning the external cause codes is to combine into the entity being coded any related entries on the record that will permit the assignment of the most specific external cause codes in accordance with the intent of the certifier. After the determination of the most specific external cause code is made, enter this code where it is first encountered on the record. Do not repeat the same external cause code when it is reported on other lines. When more than one external cause is reported, code each external cause code where it is first encountered on the certificate.

The death certificate provides a specific place for information concerning the external cause of injury that is usually entered on the lines below the line labeled "Part II." However, a description of the external cause is reported frequently in Part I and may be repeated in the space provided for this information.

When such statements as: "jumped or fell," "don't know," "accident or suicide," "accident or homicide," "undetermined," or "open verdict" are reported, code the external cause as "undetermined." The "undetermined" categories include self-inflicted injuries, except poisoning, when not specified whether accidental or with intent to harm.

1. Use of Index

ICD-10 provides separate indexing in Volume 3, Section II for the external causes of injury, with frequent references to Volume 1. The External Causes of Injury Index provides a double axis of indexing — descriptions of the circumstances under which the accident or violence occurred and the agent involved in the occurrence. Usually, the "lead terms" in the External Causes of Injury Index describe the circumstances of the injury with a secondary (indented) entry naming the agent involved.

Fall from building

W13

Locate the E-code for "fall":

Fall, falling

- from, off
- - building W13.-

2. Use of Tabular List

After locating the external cause code in the Index, always refer to Volume 1 since certain external cause codes for transport accidents require a fourth character not provided for in the Index. When ICD-10 provides a fourth character subcategory for an external cause code, always code the fourth character.

Fell from boat

V929

Locate the E-code for "fall":

Fall

- from
- - boat, ship, watercraft NEC (with drowning or submersion) V92.-

In Volume 1, the fourth character describes the type of boat. Code the fourth character "9," unspecified watercraft.

The Classification provides a fourth character for use with categories W00-Y34, except Y06.- and Y07.-, to identify the place of occurrence of the external cause. NCHS uses a separate field for this purpose. Only the three-character category codes are assigned in multiple cause coding.

House fire X00

Locate the E-code for "House fire": House Fire (uncontrolled) X00.-

In Volume 1, a fourth character identifying the place of occurrence is required. Assign code 0 (home) to the place of occurrence variable in the field provided for this variable.

3. Place of occurrence of external cause

Enter a one-character place of occurrence code (0-9), in the appropriate data position, for external causes of injury classifiable to W00-Y34, except Y06.- and Y07.-, **if the effects of the external cause is classifiable to Chapter XIX**. Do not enter a place code for external causes classifiable to any other external cause code. Use only the information reported in the medical certification section of the death certificate or additional information (AI) to determine the place code. Refer to Appendix D for the list of place of occurrence codes.

4. Manner of death (Item 37) on death certificate

- a. Affecting multiple cause codes
 - (1) When separate check boxes for indicating whether an external cause was accidental, suicidal, homicidal, undetermined, or pending investigation appear on the medical certification form, treat any entry in the check box entry as a one-term entity.
 - (2) When "accident," "pending," "unknown," or "undetermined" is written in the "check box" or is one of the items checked and no condition is coded to Chapter XIX, disregard the check box entry for assignment of codes.
 - (3) When "unknown" or "open verdict" is written in the check box and there is a condition(s) coded to Chapter XIX, code the external cause to the appropriate "event of undetermined intent" category.
 - (4) When "pending," "pending investigation," "deferred," or "unclassified" is reported in the check box and there is a condition(s) coded to Chapter XIX, code as indexed.

- (5) Enter a code for an entry in a check box for "natural cause" only if this is the only codable entry on the certificate or the only other codable entry is "unknown cause" (R97).
- b. As a separate variable

Enter an alpha character manner of death code (N, A, S, H, P, or C) in the appropriate data position for any entry in the manner of death check box. Use only the information reported in the manner of death box to assign the code.

Code the manner of death as:

Natural	N
Accident	A
Suicide	S
Homicide	H
Pending Investigation	P
Could not be determined	C
Blank	Blank

5. Nature of injury and external cause code lists

Since certain entities state or imply cause (E-code) and effect (N-code), ICD-10 provides both N-codes and E-codes for many terms. Determination must be made whether to code nature of injury code only, external cause code only, or both nature of injury and external cause codes for such terms. Use the following lists as **guides** in classifying these terms. When ICD-10 provides a nature of injury code for an entity that does **not** appear on either list, use the nature of injury code only.

The E-code is only coded the first time external information is mentioned. A term requiring a N-code is coded each time it is reported.

Part A

Nature of injury code only (N-Code)

Intoxication (when due to a Allergy

Anaphylactic reaction drug) Anaphylactic shock Lacerations Anaphylaxic, anaphylaxis Lack of care Mucus plug

Anoxia Bezoar Multiple injuries

Polypharmacy (when it means Burns drug poisoning) Cremation

Scald Crushed Decapitation Severed Deceleration injury Smoke Drug NOS or named drug Starvation

(when it means drug poisoning) Trauma NOS (any site)

Drug synergism Traumatic Exhaustion Traumatic death

Fracture Traumatic injury (any site)

Inattention at birth Traumatism

Wound (penetrating) Incineration Injury NOS (any site)

SECTION V

Effects of External Cause of Injury and External Causes of Injury and Poisoning External Cause Code Concept

Suicide, suicidal

Part A

External cause code only (E-code)

Abandonment Explosion Hot weather
Accident, accidental Explosive blasts to site(s) Impact
Arson Fall Inhalation
Assault Fight Physical violence
Beaten Fire Projectile

Blow to any site Flood Reaction of drug with a Blunt force NOS Foreign body reported complication Blunt impact NOS Heat Striking any site

Conflagration Hitting any site
Desertion Homicide, homicidal
Excessive heat Hot environment

Part A

Entities Requiring nature of injury and external cause codes on the same line (N\E Codes)

Airway obstruction by foreign Immersion

body Impact injury (any site)
Anastomotic leak Impact to a site (any)
*Asphyxia Incised (wound)

*Aspiration Ingestion of foreign body
Battered child (syndrome) Inhalation injury (any)
Bite *Inhalation of foreign body
Blunt blow to a site Lightning (struck by)

Blunt force injury (any site)

Mangled

Blunt force to a site (any)

Blunt impact to a site (any)

Mechanical trauma

Overdose (of drug)

Blunt injury (any site) Overheated
Blunt trauma (any site) Overexertion

Bullet (to site) Poisoning (by substance)
Bullet wound Puncture, punctured (any site)

Child abuse Puncture wound Child neglect Radiation burns

Choking on foreign body Rape
Crushed by specified object Razor cut

CutShooting, shot (to site)DrowningShotgun blast (to site)ElectrocutionSlash, slashed (any site)

Electrical burns Smothered
Electrical shock Snake bite
Exposure (to element) (cold, heat) Stab

Foreign body in any site Strangulation
Freezing, froze, frostbite Submersion
Got too hot Suffocation
Gunshot (to site) Sunstroke

Gunshot wound

Hanging (by neck)

Heat exhaustion

Heat stress

Weapon wound

Suspension, suspended
Swallowed object
Toxicity (of substance)
Vehicular trauma
Weapon wound

Hypothermia

Flame burn

(* This does not apply when certain localized effects result from asphyxia, aspiration, or inhalation. Refer to Section V, Part O.)

Sting

B. Placement of nature of injury and external cause codes

When a nature of injury code and an external cause code are required for an entity, enter the nature of injury code followed by the external cause code on the same line.

<u>Place</u>	I		Gunshot w	yound of chest	S219	&W34
9		(b)				
		(c)				
<u>MOD</u>	II	_				
Α		1	Accident			

Since "gunshot wound" requires a nature of injury and an E-code, enter on I(a) the nature of injury code for wound of chest followed by the most specific E-code for gunshot, accidental. Code place of occurrence as 9 (unspecified). Code manner of death as A (accident).

When entries requiring nature of injury codes and external cause codes are reported on the same line in Part I, code **the first nature of injury code** followed by the **most specific external cause code**; then code any remaining conditions for the line in the order indicated by the certifier.

<u>Place</u>	I	(a)	Laceration of throat	S118			
9		(b)	Dog bite of shoulder,	S410	&W54	T111	S119
		(c)	arm and neck				

<u>Code</u> the nature of injury code only for I(a). On I(b), code the nature of injury code for "bite of shoulder" followed by the E-code for dog bite followed by the remaining nature of injury codes for "bite arm and neck." Code place of occurrence as 9 (unspecified).

<u>Place</u>	I	(a)	Fracture skull	S029		
9		(b)	Fell from window, crushed	S280	&W13	S381
		(c)	chest and abdomen			

<u>I(a)</u> requires a nature of injury code only. I(b) requires both nature of injury and E-code since the external cause and injuries are reported on this line. Code first nature of injury code followed by the external cause code, followed by the remaining nature of injury codes. Code place of occurrence as 9 (unspecified).

<u>Place</u>	Ι	(a)	Renal failure	N19			
0		(b)	Injury kidney, liver and	S370	&W11	S361	S360
		(c)	spleen. Fell from ladder at home				

 $\underline{\text{Code}}$ I(b) injury kidney followed by external cause code for the fall, followed by the remaining injuries. Code place of occurrence as 0 (home).

Part B

<u>Place</u>	Ι	(a)	Cerebral laceration & contusion	S062
9		(b)	Blow to right temporal area	&X59

<u>Code</u> I(a) to the nature of injury code only, and I(b) to the external cause code only. Code place of occurrence as 9 (unspecified).


In Part II, code each entry in the same order as entered on the certificate. For entities requiring both nature of injury and external cause codes, enter the nature of injury code followed by the external cause code. Enter the information recorded in the special spaces that have been provided on the medical certification form for recording information about external causes of injury following any codes that are applicable to Part II.

<u>Place</u>	I	(a) Cr	rushed chest	S280		
9		(b) Br	oken rib	S223		
		(c)				
	II	Fractu	e hip and arm	S720	T10	&W24
		43	Run over by a forklift			

<u>In Part II</u>, code each entry in the order entered on the certificate. Code place of occurrence as 9 (unspecified).

<u>Place</u>	I	(a)	Subdural he	ematoma	S065	
9	II	Blı	unt impact in	jury to head	S099	&Y00
<u>MOD</u>				1		
Н			Homicide			
				J		
	4	13	Struck on h	nead with a blunt object by ar	other per	son

<u>Since</u> the entry in Part II requires both nature of injury and external cause codes, enter the nature of injury code followed by the most specific external cause code. Code place of occurrence as 9 (unspecified).



<u>Code</u> external cause code first in Part II since manner of death box requires an external cause code. Code place of occurrence as 9 (unspecified).

Use of Ampersand

C. Use of ampersand

Use an ampersand to identify the following:

- 1. The most specific external cause code causing injuries or poisoning.
- 2. Certain localized effects of poisonous substances (X45-X49) or aspiration (W78, W79, W80) when classifiable to Chapters I-XVIII.
- 3. Ampersand the E-code for aspiration (W78-W80) anytime it is reported.

<u>Place</u>	I	(a) Aspi	iration	T179	&W78
0		(b) Von	nitus		
	II	Fx Hip	Fall at home	S720	&W19

<u>Ampersand</u> both the E-code for aspiration and the E-code for fall at home.

Exceptions to 3:

- a. When reported **due to** nature of injury codes or other external causes.
- b. When a nature of injury code other than T179 is reported as the **first** condition on the lowest used line in Part I.

<u>Place</u>	I	(a) Aspiration of vomitus	T179 W78
0		(b) Fx hip	S720
	II	Fall at home	&W19

<u>Do not</u> ampersand the E-code for aspiration since both Exception 3(a) and 3(b) apply.

Part C

In determining the most specific external cause code, consider all of the information reported on the record. <u>If two or more</u> external causes are reported and the nature of the injuries and/or the order in which the conditions are reported indicates that one of the external causes led to the condition that terminated in death, precede the code for this external cause by an ampersand. If no determination can be made, precede the code for the first mentioned external cause with an ampersand.

<u>Place</u>	I	(a)	Aspiration of vomitus	T179	W78
9		(b)	Internal chest injury	S279	
		(c)	Fall down stairs	&W10)

<u>The</u> order in which the conditions are reported indicates that the fall down stairs led to aspiration; therefore, the ampersand precedes the code for this external cause.

Place I	(a) Gunshot wound	of head	S019	&X95
9	(b) Stab wound of c	hest	S219	X99
MOD II H	Homicide			

<u>The</u> order in which the external causes are reported does not indicate which event occurred first; therefore, precede the code for the gunshot wound with an ampersand since it is the first external cause reported.

D. Certifications with mention of nature of injury and without mention of external cause

All certifications that have an entry classifiable to Chapter XIX must have an external cause code. When only one type of injury is reported without indication of the external cause and the External Cause Index provides a code for this type of injury, code accordingly. If the External Cause Index does not provide a code for the type of injury, code to Accident, unspecified (X59). When no external cause is reported and the external cause code must be assumed, code the external cause code as the last entry in Part II.

<u>Place</u>	I	(a)	Crushed chest	S280
9	II			&X59

Code Crushed (accidentally), X59 as indexed.

Code Fracture (circumstances unknown or unspecified), X59 as indexed.

<u>Place</u>	I	(a)	Penetrating wound of abdomen	S318	S219
9		(b)	and chest		
	II			&X59	

Code Wound (accidental) NEC, X59 as indexed.

If different types of injuries are reported without indication of the external cause, use the injury reported in the lowest due to position to assign the appropriate external cause code for this injury. If more than one injury is reported on the lowest line, assign the appropriate external cause code for the first mentioned injury.

<u>Place</u>	I	(a)	Brain injury	S069
9		(b)	Fracture of skull	S029
	II			&X59

<u>Code</u> Fracture (circumstances unknown or unspecified), X59.

<u>Place</u>	I	(a)	Fracture of hip	S720
9		(b)	Crushing hip injury	S770
	II			&X59

Code Crushed (accidentally), X59.

Part D

<u>Place</u>	I	(a)	Cerebral concussion and	S060	S062
9		(b)	laceration of brain		
	II			&X59	

<u>Concussion</u> is not indexed in External Cause Index. Code to Accident, unspecified, X59.

These generalizations do not apply if the place of occurrence of the injury was highway, street, road, or alley. Refer to instructions for transport accidents in Section V, Part J.

Implied site of injury

Relate most injuries of an unspecified site to a condition of a specified site, whether or not qualified as generalized, multiple, or stated plural, following general instructions for relating disease conditions.

Exceptions:

Do not relate

Injury(ies) (generalized) (internal) (multiple)

Trauma(s) (generalized) (internal) (multiple)

Wound(s) (generalized) (internal) (multiple)

<u>Place</u>	I	(a)	Crushed skull with multiple fractures	S071	S029
9	II			&X59	

<u>Code</u> crushed skull followed by multiple skull fractures relating the injury of unspecified site to the site of the injury that is reported on the same line. Since there is no external cause reported, code Crushed (accidentally) as indexed in Part II.

<u>Place</u>	I	(a)	Fractured neck and contusions	S129	S109
9	II			&X59	

<u>Code</u> fractured neck followed by neck contusion relating the injury of unspecified site to the site of the injury that is reported on the same line. Since there is no external cause reported, code Fracture (circumstances unknown or unspecified) as indexed in Part II.

SECTION V

Part D

Effects of External Cause of Injury and External Causes of Injury and Poisoning Certifications with Mention of Nature of Injury and without Mention of External Cause

<u>Place</u>	I	(a)	Fracture of hip	S720
9		(b)	Crushing injury	S770
	Π			&X59

<u>Code</u> crushing injury hip since there is only one site reported either on the line above or below the fracture. Since there is no external cause reported, code Crushed (accidentally) as indexed in Part II.

<u>Place</u>	I	(a)	Fracture of skull with generalized trauma	S029	T07
9	II			&X59	

<u>Code</u> the generalized trauma as indexed. Do not relate to the site of the injury reported on the same line with it. Since there is no external cause reported, code Fracture (circumstances unknown or unspecified) as indexed in Part II.

<u>Place</u>	I (a)	Skull fracture	S029
9	(b)	Wound	T141
	II		&X59

<u>Code</u> I(b) to Wound as indexed. Do not relate to the site of the fracture reported on the upper line. Since there is no external cause reported, code Wound (accidental) NEC, X59 as indexed in Part II.

E. Conditions qualified as traumatic

- 1. Some conditions are indexed directly to a nontraumatic category but the Classification also provides a traumatic code. Consider these conditions to be traumatic and code as traumatic:
 - a. When they are qualified as "traumatic"
 - b. Or they are reported on the certificate with:
 - Injury NOS
 - Trauma NOS
 - Any specified injury (injuries)
 - The **Manner of Death** is Accident, Homicide, Suicide, Pending Investigation or Undetermined.
 - An external cause

Exception: Do not apply this instruction if the condition is reported due to a nontraumatic condition or poisoning is reported.

<u>Place</u>	I	(a) Pneumothorax	S270
6		(b) Fracture rib	S223
	II		&X59
		Place of injury- Factory	

<u>Since</u> pneumothorax is reported on the certificate with an injury, code pneumothorax as traumatic.

<u>Place</u>	I	(a)	Cerebra	al hemorrha	ige	S062
9		(b)				
		(c)				
<u>MOD</u>	II			1		&X59
A		Ace	cident			

<u>Consider</u> cerebral hemorrhage to be traumatic since Accident is reported in the Manner of Death box.

I	(a) Cardiorespiratory failure	R092
	(b) Intracerebral hemorrhage	I619
	(c) Meningioma	D329
MOD I	I	
A	Accident	

<u>Since</u> intracerebral hemorrhage is reported due to a disease condition, code as nontraumatic. Do not enter an E-code for Accident reported in the check box since no condition is coded to Chapter XIX.

<u>Place</u> I	(a) Subaracl	hnoid hemorrhage	S066
9	(b) Fall		&W19
MOD II			
N	Natural		

<u>Code</u> subarachnoid hemorrhage as traumatic since it is reported on the certificate with an external cause, disregarding Natural in the Manner of Death box.

Exceptions:

a. Code emphysema, encephalitis, and meningitis to the nature of injury code only when they are stated to be "traumatic" or are reported **due to** or **on the same line with** an injury or external cause.

Place	I	(a)	Emphysema	T797
9		(b)	Injury chest	S299
		(c)	Fall	&W19

<u>Code</u> I(a) emphysema, traumatic since the condition is reported due to an injury.

<u>Place</u>	I	(a) Internal injury	T148
9		(b) Fall from ladder	&W11
	II	Meningitis	G039

<u>Do not</u> code the meningitis as traumatic since it is not reported due to or on the same line with an injury or external cause. Code place of occurrence as 9 (unspecified).

b. Code the following terms to the traumatic category **only** when stated to be "traumatic:"

pneumonia (classifiable to J120-J168, J180-J189, J690, J698) epilepsy (G400-G409) gastrointestinal hemorrhage (any K922)

<u>Place</u>	I	(a)	Pneumonia	J189
9		(b)	Fracture hip	S720
	II	Fal	1	&W19

<u>Code</u> I(a) pneumonia as indexed since it is not reported as traumatic.

<u>Place</u>	I	(a)	Traumatic epilepsy	T905
9		(b)	Head injury	T909
		(c)	Fall from ladder	&Y86

<u>Code</u> epilepsy to the nature of injury code since it is stated traumatic.

c. When the traumatic form of a condition is classified to Chapters I-XVIII, code as traumatic **only** when stated to be "traumatic"

<u>Place</u>	I	(a)	Cardiac arrest	I469
9		(b)	Organic brain syndrome	F069
		(c)	Brain injury	S069
		(d)	Fall	&W19

Code organic brain syndrome as indexed since it is not stated "traumatic."

2. When a condition of a specified site is stated to be traumatic but there is no provision in the Classification for coding the condition as traumatic, code to injury unqualified of the site.

<u>Place</u>	I	(a)	Traumatic cerebral thrombosis	S069
9		(b)	Fall	&W19

Code Injury, cerebral.

3. When a condition that does not indicate a specified site is stated to be traumatic, but there is no provision in the Classification for coding the condition as traumatic, code trauma unspecified and the condition separately.

Place I (a) Traumatic coma T149 R402 9 (b) Fall &W19

Code trauma unspecified and coma separately.

THIS PAGE INTENTIONALLY LEFT BLANK

4. Traumatic hemorrhage (T148, T149)

Internal hemorrhage NOS	1	Due to or on same line with injury (any site)	Code the hemorrhage to T148, internal injury NOS
Hemorrhage NOS	2	Due to injury of a specified site	Relate the hemorrhage to the site of the specified injury
	3	Due to injury NOS or multiple injuries NOS	Code the hemorrhage to T149, injury NOS
	4	Due to injury of multiple specified sites	Relate the hemorrhage to site of the first mentioned specified injury
	5	Due to internal injury NOS or internal injuries NOS	Code the hemorrhage to T148, internal injury NOS
	6	On same line with injury of site	Relate the hemorrhage to the site of the specified injury
	7	On same line with injury of multiple specified sites	Code the hemorrhage to T149, injury NOS
	8	On same line with internal injury NOS or internal injuries NOS	Code the hemorrhage to T148, internal injury NOS
	9	Due to and on same line with injuries of different specified sites	Relate the hemorrhage to the site of the injury that is entered on the same line with hemorrhage

	I (a) Interna		T148				Instruction Number
9	(b) Crushe (c)	ed thorax	S280				1
	II		&X59				
	I (a) Hemor		S799				2
9	(b) Fractur	re of femur	S729				
	II		&X59				
	I (a) Hemor		S299				2
9	(b) Lacera (c)	ation of chest	S219				
	II		&X59				
Place	I (a) Hemor	rrhage	T149				3
9	(b) Multip (c)	ole injuries	T07				
	II		&X59				
Place			S299				4
9		of chest, lung and ured rib	S299	S273	S223		
	II	area mo	&X59				
Place 9	` '	sion chest with	S202	S299			6
9	(b) hemo (c)	orrhage					
]	I		&X59				
<u>Place</u>		ation of liver, lung,	S361	S273	S360	T149	7
9	(b) & sple (c)	een with hemorrhage					
	II Fracture rt.	femur	S729	&X59			
<u>Place</u>	' '	ral contusion	S062				9
9		hemorrhage of chest, lung, back	S299	S273	S399		
	II	_	&X59				

F. Assumption of nature of injury code

1. When a condition classifiable to Chapters I-XVIII, excluding J680-J709, is reported due to an external cause not considered to be medical or surgical care, code both a nature of injury code and an external cause code. Assume the nature of injury to be Injury NOS, T149.

Place 9	Ι		Respiratory failure Fire	J969 T149	&X09
Place 9	Ι	` ′	Heart failure Machine overturned	I509 T149	&W31
Place 9	Ι	(b)	Subarachnoid hemorrhage Stroke Fall	I609 I64 T149	&W19

<u>Do not</u> code the hemorrhage on I(a) as traumatic since it is reported due to a nontraumatic condition.

2. When an external cause does not result in a condition classifiable to Chapters I – XVIII, do not assume a nature of injury code.

I	(a) Struck by falling tree	W20
Π	Respiratory failure	J969

Exceptions:

1. When conditions classified to categories A000-R99 are reported due to "second hand smoke," code the "second hand smoke" to X49.

I		Pulmonary emphysema Second hand smoke	J439 X49
Ι	` ′	Lung cancer Second hand smoke	C349 X49
I	` ′	Cardiac arrest Second hand smoke	I469 X49

Part F

2. Anthrax is reported with accident, suicide, homicide or undetermined

When anthrax (A220-A229) is reported with accident, suicide or homicide anywhere on the record (including in the check box) or undetermined in the check box only, code the anthrax as indexed and code the external cause code as:

- Accident specified (X58)
- Suicide specified (X83)
- Homicide specified (Y08)
- Undetermined specified (Y33)

Anthrax designated as an act of terrorism is classified to U016.

<u>MOD</u>	I	(a)	Inhalation	anthrax	A22	1
Н	II				Y08	
			Homicide			

<u>Code</u> I(a) as indexed under Anthrax, inhalation. Code an E-code only in Part II for homicide based upon the check box entry. Also enter a H for Homicide in the Manner of Death item.

Ι	(a)	Anthrax	A229
	(b)	Homicide	Y08

Code I(a) as indexed. Code an E-code only on I(b); do not assume an injury code.

G. Multiple injuries (T00-T07)

When injury (of a site) or specified type of injury (of a site) is:

Stated as	Code as indexed under
Bilateral	Injury (or specified type of injury), site, bilateral
Both	Injury (or specified type of injury), site, both
Multiple	Injury (or specified type of injury), site, multiple

Do not consider the plural form of injury or the plural form of a site to indicate multiple. Do not consider "right and left" as bilateral or both.

Examples of injuries:

Wound - limb

- - lower NEC

--- multiple sites T013

1. Fracture of both hips T025 Fracture - hip - - both T025 2. Fracture of hips S720 Fracture - hip S720 3. Multiple fractures of ribs S224 Fracture - rib - - multiple S224 Fractures of ribs S223 Fracture - rib S223 5. Multiple wounds of lower limb T013 1.

Place I (a) Multiple injuries with

Effects of External Cause of Injury and External Causes of Injury and Poisoning Multiple Injuries

T07 S029 S062


Part G

1. Multiple injuries	Followed by specified type(s) of injuries	Code T07 and the specified injuries
2. Multiple injuries	Followed by specified site(s)	Code multiple injuries by site only
3. Single site	Reported on same line with multiple types of injuries	Code the specified types of injuries of the reported site
4. More than one site	Reported on same line with multiple types of injuries	Code the specified type of injury immediately preceding the reported sites to the sites, code all other injuries to the NOS code

	9	II	(b) (c)	fracture skull and laceration brain	&X59		
2.	Place 9	I II	(a)	Multiple injuries - head, neck, chest	S097 &X59	S197	S297
3.	Place 9	I	(b)	Fracture, laceration and contusion of leg Fall from roof	T12 &W13	T131	T130
4.	Place 9	I II	(a) (b)	Contusions, lacerations, fracture of trunk and extremities	T140 &X59	T141	T021 T142


Part H

- H. Burns: multiple degrees of burns/percentage of body surface burned
 - 1. When multiple degrees of burns are reported, with or without mention of sites, code the most severe degree only.



<u>Code</u> 3rd degree burns of unspecified body region.

2. When a percentage of burns or a percentage of body (entire, total) burns is reported, code to the percentage.




<u>Code</u> burns involving 50-59% of body surface.

3. When specified degrees of burns are reported with the percentage of body surface involved, code only the percentage of body surface involved.

<u>Code</u> burns involving 40-49% of body surface.

Part H

4. When a percentage of burns of specified sites is reported, code to burn of site(s) involved.



<u>Code</u> unspecified degree burns of each site reported. In Part II, code burned as burn of unspecified body region, unspecified degree.

I. Specified types of injuries

1. When specified **types** of injuries of sites are reported, code to site only. <u>Do not</u> use Index entries of "specified type NEC" or "specified NEC" (usually .8).

Place 9 I (a) Impact injury, upper arm S499 &X59

Indexed as:

Injury

- arm NEC T119
- -- upper S499
- --- specified NEC S498

Place I (a) Blunt injury, trunk

T099 &X59

Indexed as:

Injury

- trunk T099
- - specified type NEC T098
- 2. When specified **sites** of injuries are reported, <u>do not</u> use Index entries of "specified type NEC" or "specified NEC". Use only if indexed as "specified <u>site</u> NEC" or "specified <u>part</u> NEC."

<u>Place</u> I (a) Fracture third cervical vertebra

S129

(b) Fall

&W19

Indexed as:

Fracture

- vertebra T08
- -- cervical (teardrop) S129
- - specified NEC S122

Place I (a) GSW right side of neck S118 &W34

Indexed as:

- Wound
- -- neck S119
- --- specified part NEC S118

J. Transportation accidents (V01-V99)

The main axis of classification for land transports (V01-V89) is the victim's mode of transportation. The vehicle, which the injured person is an occupant, is identified in the first two characters since it is seen as the most important for prevention purposes.

Definitions and examples relating to transport accidents are in Volume 1, pages XX-9 - XX-17. Refer to these definitions when any means of transportation (aircraft and spacecraft, watercraft, motor vehicle, railway, other road vehicle) is involved in causing death.

For classification purposes, a motor vehicle not otherwise specified is **NOT** equivalent to a car. Motor vehicle accidents where the type of vehicle is unspecified are classified to V87-V89.

A vehicle not otherwise specified is **NOT** equivalent to a motor vehicle **unless** the accident occurred on the street, highway, road(way), etc. Vehicle accidents where the type of vehicle is unspecified are classified to V87-V89.

Additional information about type of transports are given below:

- (1) Car (automobile) includes blazer, jeep, minivan, sport utility vehicle
- (2) Pick-up truck or van includes ambulance, motor home, or truck
- (3) Heavy transport vehicle includes armored car, dump truck, fire truck, panel truck, semi, tow truck, tractor trailer, 18-wheeler
- (4) A special all-terrain vehicle (ATV) or motor vehicle designed primarily for off-road use includes dirt bike, dune buggy, four-wheeler, go cart, golf cart, race car, snowmobile, three-wheeler,
- (5) Motor vehicle includes passenger vehicle (private)

1. Use of the Index and Tabular List

The Classification provides a Table of land transport accidents in Volume 3, Section II. This table is referenced with any land transport accident if the mode of transport is known. Since the Index does not always provide a complete code, reference to Volume 1, Chapter XX is required.

For V01-V09, the fourth character indicates whether a pedestrian was injured in a nontraffic accident, traffic accident, or unspecified whether traffic or nontraffic accident.

For V10-V79, the fourth character represents the status of the victim, i.e., whether the decedent was driver, passenger, etc. For each means of transportation, there is a different set of fourth characters. Each means of transportation is preceded by its set of fourth characters in Volume 1.

• Car overturned, killing driver V485

In the Index refer to:

Overturning

- transport vehicle NEC (see also Accident, transport) V89.9

Accident

- transport (involving injury to) (see also Table of land transport accidents) V99

In the Table of land transport accidents, select the intersection of:

Under Victim and mode of transport, select

Occupant of:

- car (automobile)

Under In collision with or involved in: select

Noncollision transport accident

The code is V48.-. From Volume 1 the fourth character is 5, driver injured in traffic accident.

Auto collision with animal V409

In the Index refer to:

Collision (accidental) NEC (see also Accident, transport) V89.9

Accident

- transport (involving injury to) (see also Table of land transport accidents) V99

In the Table of land transport accidents, select the intersection of:

Under Victim and mode of transport, select

Occupant of:

- car (automobile)

Under In collision with or involved in: select

Pedestrian or animal


The code is V40.-. From Volume 1, determine the fourth character is 9, unspecified car occupant injured in traffic accident.

2. <u>Classifying accidents as traffic or nontraffic.</u>

If an event is unspecified as to whether it is a traffic or nontraffic accident, it is assumed to be:

- a. A traffic accident when the event is classifiable to categories V02-V04, V10-V82 and V87.
- b. A nontraffic accident when the event is classifiable to categories V83-V86. These vehicles are designed primarily for off-road use.
- c. Consider category V05 to be unspecified whether traffic or nontraffic if no place is indicated or if the place is railroad (tracks).

Part J



<u>Code</u> to unspecified occupant of all-terrain or other off road motor vehicle injured in traffic accident. Code as traffic accident since the accident originated on the road.

3. Status of victim

a. General coding instructions relating to transport accidents are in Volume 1, Chapter XX. Refer to these instructions for clarification of the status of the victim when not clearly stated.

I	(a)	Multiple internal injuries	T065	
	(b)	Crushed by car	T147	&V031

<u>Code</u> to pedestrian injured in collision with car, pick-up truck or van, traffic. Refer to Volume 1, Chapter XX, instruction 3, Crushed by car. The victim is classified as a pedestrian. Refer to Table of land transport accidents. Victim and mode of transport, pedestrian, in collision (with) car. Refer to Volume 1 for fourth character.

b. In classifying motor vehicle traffic accidents, a victim of less than 14 years of age is assumed to be a passenger provided there is evidence the decedent was an occupant of the motor vehicle. A statement such as "thrown from car," "fall from," "struck head on dashboard," "drowning," or "carbon monoxide poisoning" is sufficient.

Female, 4 years old

I (a) Fractured skull S029 (b) Struck head on windshield when car &V476

(c) struck tree fell across road

<u>Code</u> to car occupant injured in collision with fixed or stationary object, passenger (V476).

c. When transport accident descriptions do not specify the victim as being a vehicle occupant and the victim is described as:

pedestrian	versus (vs)	any vehicle (car, truck, etc.)
any vehicle (car, truck, etc.)	versus (vs)	Pedestrian

classify the victim as a pedestrian (V01-V09).

4. Coding categories V01-V89

a. When drowning occurs as a result of a motor vehicle accident NOS, code as noncollision transport accident. The assumption is the motor vehicle ran off the highway into a body of water. If drowning results from a specified type of motor vehicle accident, code the appropriate E-code for the specified type of motor vehicle accident.




<u>Refer</u> to Table of land transport accidents. Code to occupant of truck injured in noncollision transport accident, unspecified.



<u>Refer</u> to Table of land transport accidents. Code to occupant of car injured in collision with car, driver.

- b. When falls from transport vehicles occur, apply the following instructions:
 - (1) Consider a transport vehicle to be in motion unless there is clear indication the vehicle was not in transit. Refer to Table of land transport accidents, specified type of vehicle reported, noncollision. Refer to Volume 1 for appropriate fourth character.




<u>Refer</u> to Table of land transport accidents under Victim and mode of transport. Select occupant of pickup truck, noncollision transport accident, (V58.-). Refer to Volume 1 for fourth character and select 3, unspecified occupant of pickup truck, nontraffic accident.

- (2) Consider a transport vehicle to be stationary when statements such as these are reported:
 - (a) When alighting, boarding, entering, leaving, exiting, getting in or out of vehicle
 - (b) Stated as stationary, parked, not in transit, not in motion



<u>Refer</u> to Table of land transport accidents under Victim and mode of transport. Select occupant of bus, noncollision transport accident, (V78.-). Refer to Volume 1 for fourth character and select 4, person injured while boarding or alighting.




<u>Refer</u> to Table of land transport accidents under Victim and mode of transport. Select occupant of motor vehicle (traffic), noncollision transport accident (V892).

A

A

Part J



<u>Code</u> to person injured in unspecified motor vehicle accident, traffic (V892). Code as motor vehicle accident since the accident occurred on the street.

6. Occupant of special all-terrain or other motor vehicle designed primarily for off-road use, injured in transport accident (V86)

This category includes accidents involving an occupant of any off-road vehicle. The fourth character indicates whether the decedent was injured in a nontraffic or traffic accident. Unless stated to the contrary, these accidents are assumed to be nontraffic.

I (a) Multiple injuries T07
(b) Driver of snowmobile that collided with auto &V860

<u>Code</u> to driver of all-terrain or other off-road motor vehicle injured in traffic accident since the collision occurred with an automobile.

I (a) Injuries of head S099
(b) Fracture both legs T025
(c) Driver of ATV &V865

<u>Code</u> to driver of all-terrain or other off-road motor vehicle injured in nontraffic accident.

I (a) Head injuries S099 (b) Overturning snowmobile &V869

<u>Code</u> to unspecified occupant of all-terrain or other off-road motor vehicle injured in nontraffic accident.

I (a) Fracture skull S029 (b) ATV accident &V869

<u>Code</u> to unspecified occupant of all-terrain or other off-road motor vehicle injured in nontraffic accident (V869)

- 7. Traffic accident of specified type but victim's mode of transport unknown (V87)
 Nontraffic accident of specified type but victim's mode of transport unknown (V88)
 - a. If more than one type of vehicle is mentioned, do not make any assumptions as to which vehicle was occupied by the victim unless the vehicles are the same.
 Instead, code to the appropriate categories V87-V88. Statements such as these do not indicate status of victim:
 - Auto (passenger) vs. truck
 - Car vs. truck-driver
 - Driver, car vs. truck
- Passenger car vs. truck
- Car vs. truck, driver
- Driver-car vs. truck
- I (a) Intrathoracic injury

(b)

(c) Auto vs. motor bike accident

&V870

S279

<u>Do</u> not make any assumption as to which vehicle the victim was occupying. Using the Index, code:

Accident

- transport (involving injury to) (see also Table of land transport accidents) V99
- - person NEC (unknown means of transportation) (in) V99
- - collision (between)
- - car (with)
- ---- two- or three-wheeled motor vehicle (traffic) V87.0
- I (a) Driver collision of car and bus

V873

(b)

<u>Do</u> not make any assumption as to which vehicle the victim was driving. Using the Index, code:

Accident

- transport (involving injury to) (see also Table of land transport accidents) V99
- - person NEC (unknown means of transportation) (in) V99
- - collision (between)
- - car (with)
- ---- bus (traffic) V87.3

- b. If reported types of vehicles are not indexed under Accident, transport, person, collision, code V877 for traffic and V887 for nontraffic.
 - I (a) Bus and pick-up truck collision, driver

V877

(b)

<u>Do</u> not make any assumption as to which vehicle the victim was driving. Collision between bus and pick-up is not indexed under Accident, transport, person, collision. Code V877.

8. Water transport accidents (V90-V94)

The fourth character subdivision indicates the type of watercraft. Refer to Volume 1, Chapter XX, Water transport accidents for a list of the fourth character subdivisions.

I (a) Drowning

T751 &V929

 $\begin{array}{c|c} & \text{(b) Fell over-board} \\ \underline{MOD} & II \\ \hline A & Accident \end{array}$

<u>Code</u> drowning, due to fall overboard. Use fourth character "9," unspecified watercraft.

9. Air and space transport accidents (V95-V97)

For air and space transport accidents, the victim is only classified as an occupant. Military aircraft is coded to V958, Other aircraft accidents injuring occupant, since a military aircraft is not considered to be either a private aircraft or a commercial aircraft. Where death of military personnel is reported with no specification as to whether the airplane was a commercial or private craft, code V958.

- 10. Miscellaneous coding instructions (V01-V99)
 - a. When multiple deaths occur from the same transportation accident, all the certifications should be examined, and when appropriate, the information obtained from one may be applied to all. There may be other information available such as newspaper articles. A query should be sent to the certifier if necessary to obtain the information.
 - b. When classifying accidents which involve more than one kind of transport, use the following order of precedence:

aircraft and spacecraft (V95-V97) watercraft (V90-V94) other modes of transport (V01-V89, V98-V99)

I (a) Multiple fractures and internal injuries

T029 T148


(b) Driver of car killed when a private plane

&V973

(c) collided with car on highway after forced landing.

<u>Code</u> to person on ground injured in air transport accident following above order of precedence. Refer to Index under Accident, transport, aircraft, person, on ground.

c. When no external cause information is reported and the place of occurrence of the injury was highway, street, road(way), or alley, assign the external cause code to person injured in unspecified motor vehicle accident occurring on the highway.



<u>Code</u> to person injured in unspecified motor vehicle accident, traffic since the accident occurred on the highway.

- d. Homicide, suicide or undetermined in manner of death
 - (1) When "undetermined" is reported in the manner of death box with transport accidents, code the external cause as accidental unless a statement on the certificate **clearly establishes** an investigation has not determined whether accidental, homicidal, or suicidal.

	I (a) Multiple head injuries	S097
	(b) Car ran off cliff	&V489
<u>MOD</u>	II	
С	Undetermined	

<u>Code</u> I(a) as indexed. Code I(b) as unspecified car occupant injured in noncollision transport accident. Do not code to undetermined since there is no statement that clearly establishes an investigation resulted in an undetermined verdict.


<u>Place</u>	I	(a) Multiple he	ad injuries	S097
8		(b) Car ran off	cliff	&Y32
<u>MOD</u>	II	Police report in	dicates possib	le suicide or accident. Verdict
C		pending.		
		Undetermined		

<u>Code</u> I(a) as indexed. Code I(b) as indexed under Crash, transport vehicle, motor NEC, undetermined since there is a statement, which clearly establishes an investigation of "undetermined intent," is pending.

(2) When "homicide" is reported in the manner of death box with transport accidents, code the external cause as accidental unless a statement on the certificate **clearly establishes** an intentional act of homicide occurred.

Place 8	I (a) Multiple traumatic inju (b) Decedent run over by v	
	several times in parki	ng lot
MOD H	II	
11	Homicide	

<u>Code</u> I(a) as indexed. Code I(b) as indexed under Assault, crashing of motor vehicle. Homicide is coded since there was evidence the victim was repeatedly run over.




<u>Code</u> I(a) as indexed. Code pedestrian struck by car on I(b). Do not code as homicide since there is no statement of intentional homicide.

(3) When "suicide" is reported in the manner of death box with transport accidents, code the external cause qualified as suicide.

e. Garbage /dump truck accidents

When accidents involving garbage/dump trucks are reported and information indicates the mechanism of the body or truck bed caused the injuries, assign the E-code based on reported information. Usually, the statement of events will be falling on, struck by, or caught in and external codes W20, W22, or W23 will be used.



Code external cause to Caught, between, objects, W23.

Part K

K. Falls

1. Other fall on same level (W18)

Code W18 if other or additional information is reported about the fall such as:

Fell from standing height

Fell moving from wheelchair to bed

Fell striking head

Fell striking object

Fell to floor

Fell while transferring from chair to bed

Fell while walking

Lost balance and fell

<u>Place</u>	I (a) Fractu	ure right hip	S720
0	II Lost balar	&W18	
MOD A	Accident	Home	

<u>Code</u> external cause to other fall on same level.

2. <u>Unspecified fall (W19)</u>

Code W19, unspecified fall, for terms such as:

Fall

Fell

Fell at a place

<u>Place</u>	I (a) Fractur	S720		
1	II Fell at nurs	&W19		
MOD				
A	Accident	Nursing Home		

<u>Code</u> external cause to fall, unspecified.

L. Natural and environmental factors

1. <u>Lightning</u>

Code X33 only when the decedent is injured from direct contact with lightning.

Code injuries, such as stroke or shock, due to direct contact with lightning to T750.

Code burn(s) due to lightning to burn(s) (T200-T289, T300-T319).

Place 9	Ι	` ′	Shock Struck by lightning	T750 T750	&X33
Place 0	Ι	(b)	Burns House fire House struck by lightning	T300 &X00	

When a secondary fire results from lightning, code to the fire. Do not enter a code for lightning.

2. Exposure (cold) and hypothermia

When exposure (cold) or hypothermia is reported anywhere on the record with another stated or implied external cause, code the nature of injury code (T68-T699, T758) and the E-code for the exposure (cold) or hypothermia (X31, X39). Do not modify the nature of injury code for exposure NOS. Ampersand the external cause code for the other event.

X39
S720
X31 T751 &W74

Effects of External Cause of Injury and External Causes of Injury and Poisoning Natural and Environmental Factors

Part L

Place I (a) Exposure 4 (b) (c)	T758 X83
MOD II Multiple fractures	T029 &X80
Suicide Jumped from bridge	
Place I (a) Exposure to cold 9 (b) (c)	T699 X31
II MVA	&V892
Place I (a) Exposure and hypothermia (b) Unconsciousness (c)	T758 X31 T68 R402
MOD II Blunt trauma to head	S099 &W18 T758
A Accident Exposed to elements after fa	lling and striking head

M. Firearms and firearm injuries

1. Coding specific types of firearms

The type of firearm involved in a death is identified at the three character level. Use the following guide to identify the type of firearm:

Type Firearm	Accidental	Intentional Self-harm	Assault	Undetermined Intent
Handgun	W32	X72	X93	Y22
25 Caliber				
32 Caliber				
38 Caliber				
45 Caliber				
357 Magnum				
Pistol				
Revolver				
Saturday night special				
Rifle, shotgun, larger firearm	W33	X73	X94	Y23
25.06 (25 ought 6)				
30.6 (30 ought 6)				
30/30				
308				
AK47				
M1 (carbine)				
M14				
M16				
Machine gun				
Rifle (army) (hunting) (military)				
Shotgun (8, 10, 12, 16, 20, 410				
gauge, buckshot)				
Other and unspecified firearms	W34	X74	X95	Y24
22 Caliber gun				
30 Caliber gun				
Airgun				
BB gun				
Pellet gun				
Pellet pistol				
Very pistol (Flare)				

Part M

2. External cause code

a.

When reported as "playing with gun" NOS or "cleaning gun" NOS	Code external cause as accidental (W32-W34)
"playing Russian roulette" (whether or not stated suicide)	external cause as handgun accident (W32)

<u>Place</u> I (a) Gunshot wound of femur

S711 &W34

9 (b) Cleaning gun

Code as accidental since reported due to cleaning gun.

<u>Place</u> I (a) Gunshot wound chest S219 &W32

(b) Self-inflicted while playing Russian roulette

MOD II Suicide

<u>Code</u> as handgun accident since Russian roulette is reported.

Part M

3. Nature of injury code

a.

When	<u>Is reported due to</u>	<u>Code</u>
Injury NOS	any caliber bullet gun went off pulled trigger specified firearm	the nature of injury to wound

Place I (a) Injury 9 (b) Rifle

T141 &W33

b.

When reported as	Code
Gunshot or bullet entering and/or exiting a site	the nature of injury to wound of site(s)

Place I (a) Bullet entering chest & (b) exiting back

S219 &W34 S212

c.

When reported as	<u>Code</u>
Bullet (to site) Gunshot (to site) Shooting, shot (to site) Shotgun blast (to site)	the nature of injury to wound (of site(s))

Place I (a) Shot in head

S019 &W34

4. Other firearm examples

Place I (a) Gunshot wound chest

S219 &Y24

9

(b) Self-inflicted

<u>Code</u> as undetermined gunshot since self-inflicted is reported and is unspecified as accidental or intentional.

Place I (a) Gunshot injury chest

S219 &W34 S273


9

(b) and lung

N. Child abuse, battering and other maltreatment (Y070-Y079)

Code to <u>Child battering and other maltreatment (Y070-Y079)</u> if the age of the decedent is under 18 years and the cause of death meets one of the following criteria:

1. The certifier specifies abuse, battering, beating, or other maltreatment, even if homicide is not specified.



2. The certifier specifies homicide and injury or injuries with indication of more than one episode of injury, i.e., current injury coupled with old or healed injury consistent with a history of child abuse.

	Male, 1-1/2 year	ars		
	I (a) Anoxic	encephalopathy	G931	
	(b) Subdura	al hematoma	S065	
	(c) Old and	recent contusions of body	T910	T090
MOD 1	П	·	&Y079	9
Н	Homicide			

3. The certifier specifies homicide and multiple injuries consistent with an assumption of battering or beating, if assault by a peer, intruder, or by someone unknown to the child cannot be reasonably inferred from the reported information.

	Female, 1 year		
	I (a) Massive internal bleeding	T148	
	(b) Multiple internal injuries		
	(c)		
MOD 1	II Injury occurred by child being struck	T149	&Y079
Н			
	Homicide		

Exception:

Deaths at ages under 18 years for which the cause of death certification specifies homicide and an injury occurring as an isolated episode, with no indication of previous mistreatment, should not be classified to Y070-Y079. This excludes from Y070-Y079 deaths due to injuries specified to be the result of events such as shooting, stabbing, hanging, fighting, or involvement in robbery or other crime, because it cannot be assumed such injuries were inflicted simply in the course of punishment or cruel treatment.

Female	Female, 1 year					
Place I (a)	ace I (a) Hypovolemic shock				T794	
0 (b)					S268	
(c) Multiple stab wounds thorax				S217	&X99	
MOD II Sta	abbed with ki	tchen knife	by mother		T141	
H	nicide	Home				

Effects of External Cause of Injury and External Causes of Injury and Poisoning Guides for Differentiating Between Effects of External Causes Classifiable to Chapters I - XVIII and Chapters XIX

Part O

O. <u>Guides for differentiating between effects of external causes classifiable to</u> Chapters I - XVIII and Chapter XIX

Categories in Chapters I-XVIII and XIX are mutually exclusive. Where provision has been made for coding effects of an external cause to Chapters I-XVIII, do not use a nature of injury code.

The effects of external causes classifiable to Chapters I-XVIII are primarily those associated with drugs, medicaments and biological substances, surgical procedures, and other medical procedures. Refer to Section V, Part R, Complications of medical and surgical care (Y40-Y84).

A limited number of conditions that can result from other external causes, e.g., certain localized effects of fumes, vapors and nonmedicinal chemical substances and respiratory conditions from aspiration of foreign substances are also classified to Chapters I-XVIII. It is intended that Chapters I-XVIII be used to identify the localized effects and the substance be identified by the external cause code in Chapter XX.

To determine if the conditions reported due to external causes, other than drugs, medicaments, and biological substances, surgical procedures, and other medical procedures, are classified to localized effects in Chapters I-XVIII or to the nature of injury in Chapter XIX – look up the stated condition in the Index and scan the listing under this condition for qualifying terms that relate to the reported external cause. For example, to determine whether pneumonia due to aspiration of vomitus should be coded to Chapter X or to Chapter XIX, look up "Pneumonia, aspiration, due to, food (regurgitated), milk, vomit." This determination cannot be made by looking up "Aspiration." Where there is provision in the Index for coding a condition due to an external cause to Chapter I-XVIII, take the external cause into account if it modifies the coding.

I (a) Pneumonia &J690 (b) Aspiration of vomitus W78

<u>Code</u> Pneumonia, aspiration due to, vomit. Code "aspiration of vomitus" as an external cause code only.

I (a) Pneumonia &J690 (b) Aspiration W80 (c) Cancer of lung C349

<u>Code</u> Pneumonia, aspiration. Code I(b) "aspiration" as an external cause code only.

SECTION V

Effects of External Cause of Injury and External Causes of Injury and Poisoning Guides for Differentiating Between Effects of External Causes Classifiable to Chapters I - XVIII and Chapters XIX

Part O

I	(a)	Pneumonia	&J690
	(b)	Asphyxia	W80

(c) Aspiration

<u>Code</u> Pneumonia, aspiration. Code I(b) external cause code only.

I	(a)	Pneumonia	&J680
	(b)	Smoke inhalation	X00

II House fire

<u>Code</u> Pneumonia, in (due to), fumes and vapors (J680). Code I(b) external cause code only.

I	(a)	Acute pulmonary edema	&J681
	(b)	Inhaled gasoline fumes	X46

<u>Code</u> Edema, pulmonary, acute, due to, chemicals fumes or vapors (J681). Code I(b) external cause code only.

<u>Place</u>	I	(a)	Pneumonia	J189	
9		(b)	Cardiac arrest	I469	
		(c)	Aspiration of vomitus	T179	&W78

<u>Code</u> each entity as indexed. Do not code the pneumonia on I(a) due to aspiration of vomitus since it is reported due to another condition.

P. Threats to breathing

Certain effects of external causes can be classified to more than one nature of injury code depending on the type of external cause. Some of these effects are "anoxia," "asphyxia," "aspiration," "choking," "compression of neck," "obstruction of a site," "strangulation," "stricture of neck," and "suffocation."

The most frequently reported external causes which result in these effects are "aspiration, ingestion, and inhalation of objects and substances," "drowning," "fires," "fumes, gases and vapors," "hanging," "mechanical strangulation and suffocation," and "submersion."

The following pages contain tables that are used as guides in coding these types of external causes and effects.

In general, if the specific external cause is not in Tables 1-5, it will most likely be in Table 6, which contains the most frequently reported external causes which result in asphyxia, suffocation, etc. If not in any of the tables, code the effect as indexed.

Table	Title		
Table 1	Drowning and submersion		
Table 2	*Hanging and mechanical strangulation (by external means)		
Table 3	Fires (includes burns, gases, fumes in association with burns and fires)		
Table 4	Ingestion, inhalation of gases, fumes, vapors (without fires, burns)		
Table 5	Compression chest, crushed chest by external means		
Table 6	Aspiration NOS, ingestion NOS, inhalation NOS or aspiration, ingestion, inhalation of substances or objects (W78, W79, W80)		

*NOTE: Interpret mechanical strangulation as strangulation caused by external means to the exterior of the body.

 Table 1.
 Drowning and submersion

Instruction	When	Is reported due to	Code
1	anoxia asphyxia strangulation suffocation	drowning submersion	upper line T751 and the appropriate external cause code. lower line T751 only.

Instruction	When	Is reported on the same	Code
		line with	
2	anoxia	drowning	T751 and the
	asphyxia	submersion	appropriate
	strangulation		external cause
	suffocation		code.

 Table 1.
 Drowning and submersion

Examples	Corresponding Table and Instruction
Place I (a) Asphyxia T751 &W69 8 (b) Drowning T751 MOD (c)	1.1
A II T751	
Accident Drowned while swimming in river	
I (a) Asphyxia T751 &V909 (b) Strangulation T751 MOD (c) Drowning T751	1.1
A II Accident Lake Boat overturned	
Place I (a) Anoxia T751 &W70 8 (b) Drowning T751 MOD (c) A II Accident Fell into lake	1.1
Place I (a) Drowning – asphyxia T751 &W74 9 (b) MOD (c) A II Accident	1.2

 Table 2. Hanging and mechanical strangulation (by external means)

Instruction	When	Is reported due to	Code
1	asphyxia strangulation suffocation	hanging mechanical strangulation (by external means) compression of neck	upper line T71 and the appropriate external cause code. lower line T71 only.

Instruction	When	Is reported on the record with	Code
2	asphyxia strangulation suffocation	hanging mechanical strangulation (by external means) compression of neck	the asphyxia, strangulation, suffocation, T71 followed by the appropriate external cause code.
			T71 only where the hanging, mechanical strangulation, compression of neck is reported.

Instruction	When	Is reported due to	Which is reported due to	Code
3	asphyxia strangulation suffocation	asphyxia strangulation suffocation	the external means of the mechanical strangulation (such as: ligature, rope around neck, sheet)	uppermost line to T71 and the appropriate external cause code. the next lower line to T71.
				lower line blank.

Instruction	When	Is reported due to	Code
4	compression of neck	hanging mechanical strangulation	upper line T71 only.
	stricture of neck	(by external means) suffocation	lower line T71 and the appropriate external cause code.

 Table 2.
 Hanging and mechanical strangulation (by external means)

Examples			Corresponding Table and Instruction
Place I (a) Asphyxia 0 (b) Hanging MOD (c) S II Suicide Home	T71 T71	&X70	2.1
Place I (a) Aspiration of vomitus 0 (b) Strangulation MOD (c) Hanging S II Suicide Home	T179 T71 T71 T71 Ianged self	W78 &X70	2.1 and 6.9
I (a) Asphyxia (b) Compression of neck (c) Auto accident II	T71 T71	&V499	2.1
Place I (a) Suffocation by hanging 9 (b) MOD (c) S II Suicide Hanging b	T71 T71 y neck	&X70	2.2
Place I (a) Asphyxia 9 (b) Suffocation (c) Crib sheet II	T71 T71	&W75	2.3
Place I (a) Compression of neck 9 (b) Hanging MOD (c) H II Homicide Hanging	T71 T71 T71	&X91	2.4

 Table 2.
 Hanging and mechanical strangulation (by external means)

Instruction	When	Is reported on the record with	Code
5	compression of neck stricture of neck	hanging mechanical strangulation (by external means) suffocation	compression of neck, stricture of neck to T71 only. T71 followed by the appropriate external cause code for the hanging, mechanical strangulation, suffocation.

 Table 2. Hanging and mechanical strangulation (by external means)

	Examples		Corresponding Table and Instruction
Place I	(a) Compression of neck(b)	T71	2.5
MOD	(c)		
H II	Strangulation by cord around neck Homicide	T71 &X91	

Table 3. Fires (includes burns, gases, fumes in association with burns and fires)

Instruction	When	Is reported of	lue to	Code
1	asphyxia suffocation	ingestion, inhalation	of gas, fumes, or vapors (carbon monoxide, products of combustion, smoke)	the asphyxia, suffocation to the nature of injury code for the gas, fumes, vapor and the appropriate external cause code for the fire where required.
		wit	th	lower line to the appropriate nature of
		mention of a	fire (specified)	injury code for the gas, fumes, vapor.

Instruction	When	Is reported	on the record with	Code
2	asphyxia suffocation	ingestion, inhalation	of gas, fumes, or vapors (carbon monoxide, products of combustion, smoke)	the asphyxia, suffocation to the nature of injury code for the gas, fumes, vapor and the appropriate external cause code for the fire where required.
		with	n	the appropriate nature of injury code for the gas,
		mention	of a fire (specified)	fumes, vapor where reported.

Instruction	When	Is reported due to	Code
3	asphyxia suffocation	burns NOS (any degree) (any percentage) (any site)	upper line T300 and the appropriate external cause code.
			lower line as indexed.

Instruction	When	Is reported due to	Code
4	asphyxia suffocation	fire NOS specified fire	upper line T300 and the appropriate external cause code. lower line blank.

 Table 3.
 Fires (includes burns, gases, fumes in association with burns and fires)

Examples	Corresponding Table and Instruction
Place I (a) Suffocation T599 & (b) Inhalation of products of combustion T599 MOD (c) A II T599	2X00 3.1
Accident Inhaled fumes in house fire Place I (a) Suffocation T598 & T598 9 (b) Smoke inhalation T598 MOD (c) Fire A II Accident	&X09 3.1
Place I (a) Asphyxia – carbon monoxide T58 & 60 (b) MOD (c) A II Accident Home House fire	&X00 3.2
	&X04 3.3 T200
Place I (a) Suffocation T300 & T303 MOD (c) A II Accident Burning Bldg.	&X00 3.3

Table 3. Fires (includes burns, gases, fumes in association with burns and fires)

Instruction	When	Is reported on the record with	Code
5	asphyxia suffocation	fire NOS specified fire	the asphyxia, suffocation T300, followed by the appropriate external cause code for the fire.

Table 3. Fires (includes burns, gases, fumes in association with burns and fires)

	Example		Corresponding Table and Instruction
Place 0	I (a) Asphyxia, fire in house (b) (c)	T300 &X00	3.5
	II		

 Table 4.
 Ingestion, inhalation of gases, fumes, vapors (without fires, burns)

Instruction	When	Is reported due to	Code
1	asphyxia suffocation	ingestion of gas, fumes, or vapors	upper line to the appropriate nature of injury code for the gas, fumes, or vapor and the appropriate external cause code. lower line to the appropriate nature of injury code for the gas, fumes, or vapor.

Instruction	When	Is reported	on the same line with	Code
2	asphyxia suffocation	ingestion inhalation	of gas, fumes, or vapors	the appropriate nature of injury code for the gas, fumes, or vapor and the appropriate external cause code.

 Table 4.
 Ingestion, inhalation of gases, fumes, vapors (without fires, burns)

Examples			Corresponding Table and Instruction
Place I (a) Asphyxia	T58	&X67	4.1
0 (b) Inhalation of carbon monoxide	T58		
<u>MOD</u> (c)			
S II	T58		
Suicide Home Inhaled car exhaus	t fumes in g	garage	
Place I (a) Suffocation by inhalation	T598	&X47	4.2
0 (b) of propane gas			
<u>MOD</u> (c)			
A II	T598		
Accident Home Inhaled propa	ane gas		

Table 5. Compression chest, crushed chest by external means

Instruction	When	Is reported due to	Code
1	asphyxia suffocation	crushed chest	upper line S280 plus the appropriate external cause code.

Instruction	When	Is reported due to	Code
2	asphyxia suffocation	compression chest	upper line S299 plus the appropriate external cause code. lower line S299.

Table 5. Compression chest, crushed chest by external means

Examples	Corresponding Table and Instruction
I (a) Asphyxia S280 &V892 (b) Crushed chest S280 MOD (c) MVA	5.1
A II Accident Street MVA	
Place I (a) Suffocation S299 &W30 7 (b) Compression chest S299 MOD (c) Tractor accident A II	5.2
Accident Farm Tractor overturned on victim	

Table 6. Aspiration NOS, ingestion NOS, inhalation NOS, or aspiration, ingestion, inhalation of substances or objects (W78, W79, W80)

EXCLUDES: Ingestion, inhalation of drugs and poisonous substances

Instruction	When	Is reported due to	Code
1	asphyxia aspiration choking obstruction of a site occlusion of a	aspiration NOS ingestion NOS inhalation NOS	upper line to T17 plus appropriate fourth character and the appropriate external cause code (W78, W79, W80).
	site strangulation suffocation	aspiration of substances or objects	lower line to T17 with appropriate fourth character.
2	asphyxia aspiration choking obstruction of a site occlusion of a site strangulation suffocation	foreign body in a site (such as: blood, food, gum, medicine, mucus, vomitus)	upper line to T17 plus appropriate fourth character and the appropriate external cause code (W78, W79, W80). lower line to T17 with appropriate fourth character.
3	asphyxia aspiration choking obstruction of a site occlusion of a site strangulation suffocation	foreign body NOS (such as: blood, food, gum, medicine, mucus, vomitus)	upper line to T17 plus appropriate fourth character and the appropriate external cause code (W78, W79, W80).

276

Table 6. Aspiration NOS, ingestion NOS, inhalation NOS, or aspiration, ingestion, inhalation of substances or objects (W78, W79, W80)

EXCLUDES: Ingestion, inhalation of drugs and poisonous substances

	Examples		Corresponding Table and Instruction
Place 9	I (a) Strangulation (b) Aspiration of food (c) II	T179 &W79 T179	6.1
Place 9	I (a) Obstruction of pharynx (b) Bolus of meat in throat (c) II	T172 &W79 T172	6.2
Place 9	I (a) Obstruction of trachea (b) Bolus of meat (c) II	T174 &W79	6.3
Place 9	I (a) Asphyxia (b) Aspiration (c) Vomitus II	T179 &W78 T179	6.1 and 6.3

277

Table 6. Aspiration NOS, ingestion NOS, inhalation NOS, or aspiration, ingestion, inhalation of substances or objects (W78, W79, W80)

EXCLUDES: Ingestion, inhalation of drugs and poisonous substances

Instruction	When	Is reported on the same line with	Code
4	asphyxia	aspiration NOS	on the same line, T17
	aspiration	ingestion NOS	with appropriate
	choking	inhalation NOS	fourth character and
	obstruction of a		the appropriate
	site	or	external cause
	occlusion of a		code (W78,
	site	aspiration of	W79, W80).
	strangulation	ingestion substances	
	suffocation	inhalation or objects	
5	asphyxia	foreign body in a site	on the same line, T17
	aspiration	(such as: blood, food, gum,	with appropriate
	choking	medicine, mucus, vomitus)	fourth character
	obstruction of a		and the appropriate
	site		external cause
	occlusion of a		code (W78, W79,
	site		W80).
	strangulation		
	suffocation		
6	a ambayasi a	foreign hadry NOC	on the same line T17
0	asphyxia	foreign body NOS	on the same line, T17
	aspiration	(such as: blood, food, gum,	with appropriate
	choking	medicine, mucus, vomitus)	fourth character
	obstruction of a		and the appropriate external cause
	site occlusion of a		
			code (W78, W79,
	site		W80).
	strangulation		
	suffocation		

Table 6. Aspiration NOS, ingestion NOS, inhalation NOS, or aspiration, ingestion, inhalation of substances or objects (W78, W79, W80)

EXCLUDES: Ingestion, inhalation of drugs and poisonous substances

	Examples						
Place 9	I (a (b (c) II		T179	&W78	6.4		
Place 9	I (a (b (c		T174	&W79	6.5		
Place 9	I (a (b (c		T179	&W79	6.6		
Place 9	I (a (b (c) (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d		T179	&W79	6.6		

Table 6. Aspiration NOS, ingestion NOS, inhalation NOS, or aspiration, ingestion, inhalation of substances or objects (W78, W79, W80)

EXCLUDES: Ingestion, inhalation of drugs and poisonous substances

Instruction	When	Is reported due to	Code	
7	aspiration NOS aspiration of substances strangulation NOS strangulation by substances	a disease	upper line T17 plus appropriate fourth character and the appropriate W78, W79, W80 if not previously coded.	
8	aspiration NOS	vomiting	upper line T179, W78. lower line R11.	
9	aspiration NOS ingestion NOS inhalation NOS or aspiration ingestion inhalation of substances or objects	injuries (other than those classified to T17-) and/or an external cause (other than W78, W79, W80)	upper line T17 plus appropriate fourth character. Also, code the appropriate W78, W79, W80 if not previously coded. lower line as indexed.	

Table 6. Aspiration NOS, ingestion NOS, inhalation NOS, or aspiration, ingestion, inhalation of substances or objects (W78, W79, W80)

EXCLUDES: Ingestion, inhalation of drugs and poisonous substances

	Examples		Corresponding Table and Instruction
Place 9	I (a) Aspiration (b) C.V.A (c) II	T179 &W80 I64	6.7
Place 9	I (a) Aspiration (b) Vomiting (c) II	T179 &W78 R11	6.8
Place 9	I (a) Choked (b) Aspiration of blood (c) Crushed chest II Car vs. Pedestrian	T179 W80 T179 S280 &V031	6.1 and 6.9
Place 9 MOD A	I (a) Aspiration (b) Drowning (c) II Accident	T179 W80 T751 &W74	6.9

Q. Poisoning

When poisoning (any) is reported, code nature of injury code and external cause code for the substance.

When poisoning by fumes, gas, liquids, or solids is reported, refer to Index under "Poisoning (acute)" to determine the nature of injury code for the substance.

To determine the external cause code when a poisonous substance is ingested, inhaled, injected, or taken, refer to the description of such circumstances (acts) for example, Ingestion, Inhalation, or Took.

When a condition is reported due to poisoning and the Index provides a code for the condition qualified as "toxic," use this code. If the Index does not provide a code for the condition qualified as "toxic," code the condition as indexed.

1. Poisoning by substances other than drugs

Assume poisoning (self- inflicted) by a substance to be accidental unless otherwise indicated.

<u>Place</u>	I	(a)	Aplastic anemia	D612	
9		(b)	Benzene poisoning	T521	&X46

<u>Code</u> I(a) Anemia, aplastic, toxic. Code I(b) to nature of injury and external cause code for benzene poisoning from Table of Drugs and Chemicals.

<u>Place</u>	I	(a)	Toxic poisoning	T659	&X46
9		(b)	Drank turpentine	T528	

<u>Code</u> I(a), nature of injury code for poison NOS and the most specific external cause code (turpentine) taking into account the entire certificate. Code nature of injury for turpentine on I(b).

a. Carbon monoxide poisoning

Code carbon monoxide poisoning from motor vehicle exhaust gas to noncollision motor vehicle accident (traffic) according to type of motor vehicle involved unless there is indication the motor vehicle was not in transit. Consider statements of "sleeping in car," "sitting in parked car," "in parked car" or place stated as "garage" to indicate the motor vehicle was "not in transit." Assume "not in transit" in self-harm (intentional) and self-inflicted cases.

I	(a) Carbon monoxide poisoning	T58	&V892
	(b)		
	(c)		
II	Motor vehicle exhaust gas	T58	

Code I(a) nature of injury for carbon monoxide and most specific external cause. Code external cause to person injured in unspecified motor vehicle accident, traffic. Refer to Table of land transport accidents under Victim and mode of transport. Select occupant of motor vehicle (traffic), noncollision transport accident. Code nature of injury for exhaust gas in Part II.

<u>Place</u>	I (a) Poisoned by carbon monoxide	T58	&X47
9	II Sitting in parked car		

<u>Code</u> I(a) nature of injury and external cause for carbon monoxide from Table of drugs and chemicals. The external cause includes poisoning by gas, motor exhaust, not in transit.

<u>Place</u>	I	(a) Carbon monoxide inhalation	T58	&X67
5	II	Found in garage. Suicide.		

<u>Code</u> I(a) nature of injury and external cause for carbon monoxide from Table of drugs and chemicals. The external cause includes intentional self-harm poisoning by gas, motor exhaust, not in transit.

b. Inhalation and sniffing sprays and aerosol substances

When inhalation of sprays, aerosol substances, etc. is reported, code to the appropriate accidental poisoning category for the external cause.

Exceptions:

"Glue sniffing" and "cocaine sniffing" are indexed to mental and behavioral disorders due to psychoactive substance use (F182, F142).

Place I	(a) Toxicity	y		T659	&X46
0	(b) Inhalati	on of aeroso	ol substance	T659	
	(c)				
MOD I	I Breathed "I	PAM" (freo	n) in plastic bag	T535	
A	Accident	Home			

<u>Code</u> I(a) the nature of injury code for toxicity as indexed. Code the external cause to accidental inhalation of freon gas or spray (X46), the specific substance indicated by the certifier. Code the nature of injury for aerosol on I(b) and freon in Part II.

c. Intoxication by certain substances or toxic poisoning due to disease

When ammonia intoxication (NH^3) , carbon dioxide intoxication $(C0^2)$, or toxic poisoning is reported due to a disease, **do not** code to poisoning. When due to a disease, code ammonia intoxication to R798, carbon dioxide intoxication to R068, and toxic poisoning to R688.

I	(a)	Ammonia intoxication	R798
	(b)	Cirrhosis of liver	K746

Code I(a) as indexed, Intoxication, ammonia, due to disease (R798).

I	(a)	Carbon dioxide intoxication	R068
	(b)	Chronic pulmonary emphysema	J439

Code I(a) as indexed, Intoxication, carbon dioxide, due to disease (R068).

I	(a)	Toxic poisoning	R688
	(b)	Gastroenteritis	K529

<u>Code</u> I(a) as indexed, Poisoning, toxic, from a disease (R688).

- d. Condition qualified as "toxic" with poisoning reported
 - (1) When a condition is qualified as "toxic" and there is indication of poisoning on the certificate, code the external cause code for the poisoning where the "toxic" is reported, followed by the condition code. If the Classification provides a code for the condition qualified as "toxic," use this code. If no provision is made for qualifying the condition as toxic, code to the unspecified code for the condition.

<u>Place</u>	I	(a) Toxic nephritis	&X48	N144
9	Π	Organophosphate poisoning,	T600	
		accidental		

<u>Code</u> most specific external cause code on I(a) where toxic is reported followed by condition code for toxic nephritis as indexed. Code nature of injury for organophosphate in Part II.

<u>Place</u>	I	(a)	Toxic GI hemorrhage	&X49	K922
9		(b)	Carbolic acid	T540	

<u>Code</u> most specific external cause code on I(a) where toxic is reported followed by condition code for GI hemorrhage as indexed. The Classification does not provide a code for GI hemorrhage qualified as toxic. Code nature of injury for carbolic acid on I(b).

<u>Place</u>	I	(a) Toxic diarrhea	&X48	K521
9	II	Rat poison	T604	

<u>Code</u> most specific external cause code on I(a) where toxic is reported followed by condition code for toxic diarrhea as indexed. Code nature of injury for rat poison in Part II.

(2) When a condition is qualified as "toxic" and there is no indication of poisoning on the certificate, code the condition as indexed to the unspecified code.

I (a) Toxic anemia D612

<u>Code</u> toxic anemia as indexed since there is no indication of poisoning on the certificate.

2. Poisoning by drugs

a. When the following statements are reported, see Table of Drugs and Chemicals and code as accidental poisoning unless otherwise indicated.

Interpret all these statements to mean <u>poisoning</u> by drug and code as poisoning whether or not the drug was given in treatment:

Drug taken inadvertently
Lethal (amount) (dose) (quantity) of a drug
Overdose of drug
Poisoning by a drug
Toxic effects of a drug
Toxic reaction to a drug
Toxicity (of a site) by a drug
Wrong dose taken accidentally
Wrong drug given in error

<u>Place</u>	I	(a)	Cardiac arrest	I469	
9		(b)	Digitalis toxicity	T460	&X44
		(c)	Congestive heart failure	I500	

<u>Code</u> digitalis toxicity to digitalis poisoning. Code nature of injury and external cause code for digitalis poisoning on I(b). Do not ampersand a disease condition when poisoning from a drug occurs while the drug is being administered for medical reasons.

<u>Place</u>	I	(a)	Shock	R578	
9		(b)	Insulin overdose	T383	&X44
		(c)	Diabetes	E149	

<u>Code</u> I(a) shock, toxic since reported due to poisoning. Code insulin overdose to insulin poisoning. Code nature of injury and external cause code for insulin poisoning on I(b). Do not ampersand a disease condition when poisoning from a drug occurs while the drug is being administered for medical reasons.

b. Interpret the term "intoxication by drug" to mean poisoning by drug unless indicated or stated to be due to drug therapy or as a result of treatment for a condition (refer to Section V, Part R, 1, (6), "Intoxication by drug" due to drug therapy).

<u>Place</u>	I	(a) Respiratory failure	J969	
9		(b) Drug intoxication	T509	&X44
	II	Ingested undetermined	T509	
		amount of drugs		

<u>Code</u> "drug intoxication" to poisoning when there is no indication the drug was given for therapy. Code I(b) nature of injury and external cause code for drug poisoning. Code nature of injury code for drug NOS in Part II.

c. When poisoning by drug NOS is reported in Part I and a specified drug is reported in Part II, code the external cause code to the specified drug.

<u>Place</u>	I	(a) Took overdose of drug	T509	&X41
9	II	Overdose of barbiturates	T423	

<u>Code</u> "took overdose of drug" as accidental unless otherwise specified. Code I(a) nature of injury for drug NOS and external cause code to the specified drug reported in Part II. Code nature of injury for barbiturates in Part II.

d. When a condition is qualified as "toxic" or "drug induced" and there is indication of drug poisoning on the certificate, code the external cause code for the drug poisoning where the "toxic" or "drug induced" is reported, followed by the condition code. If the Classification provides a code for the condition qualified as "toxic" or "drug induced," use this code. If no provision is made for qualifying the condition as "toxic" or "drug induced," whichever applies, code to the unspecified code for the condition. Code the nature of injury code for poisoning by the specified drug.

<u>Place</u>	I	(a) Toxic hemolytic anemia	&X41 D594
9		(b) Levodopa toxicity	T428

<u>Code</u> most specific external cause on I(a) where toxic is reported followed by condition code for toxic hemolytic anemia as indexed. Code nature of injury for levodopa on I(b).

When a condition is qualified as "toxic" and there is no indication of drug poisoning on the certificate, code the condition as indexed.

When a condition is qualified as "drug induced" and there is no mention of drug poisoning on the certificate, code as a complication of drug therapy (refer to Section V, Part R, 1, (5), "<u>Drug induced" complications</u>).

- e. Poisoning by combination of drugs
 - (1) When poisoning by a combination of drugs is stated or indicated to be accidental, intentional self-harm (suicide), or undetermined code as follows:
 - (a) When poisoning by a combination of drugs classified to the same external cause code is reported, use that external cause code.
 - Place I (a) Doxepin and barbiturate overdose T430 &X41 T423

 Code external cause code to X41 since both doxepin and barbiturates are indexed to this code. Code nature of injury for each drug reported.

<u>Code</u> external cause code to X6l since both doxepin and prozac are indexed to this code. Code nature of injury for each drug reported.

(b) When poisoning from a single drug is reported in Part I with a combination of drugs in Part II, code the external cause code for the drug reported in Part I. Code the nature of injury for each drug reported.

<u>Place</u>	I	(a) Acute barbiturate intoxication	T423	&X41
9	II	Took unknown amount of	T423	T390
<u>MOD</u>		barbiturates and aspirin		
A	г			

Accident

Code external cause code to X41, accidental poisoning by barbiturates, the single drug reported in Part I. Code nature of injury for barbiturates on I(a) and for barbiturates and aspirin in Part II.

(c) When poisoning by a combination of drugs classified to different external cause codes is reported and (b) does not apply, use the following external cause codes when the manner of death is reported as:

Accident	Code X44, Accidental poisoning by
	and exposure to other and unspecified
	drugs, medicaments and biological
	substances.

Intentional self-harm---Code X64, Intentional self-poisoning by (Suicide) and exposure to other and unspecified

drugs, medicaments and biological

substances.

Undetermined -----Code Y14, Poisoning by and exposure to

other and unspecified drugs, medicaments and biological substances, undetermined

intent.

Place I (a) Drug intoxication T509 &X44 (b) Digitalis, cocaine T460 T405

> The external cause code for accidental poisoning by digitalis is X44 and for cocaine is X42. Since the drugs are assigned to different external cause codes, code X44, Accidental poisoning by and exposure to other and unspecified drugs, medicaments and biological substances. Code nature of injury for each drug reported.

<u>Place</u>	I	(a) Drug toxicity	T509	&X64
9		(b) Overdose of salicylates	T390	T423
		and seconal		
<u>MOD</u>	II	Overdose of drugs	T509	
S		Suicide		

<u>The</u> external cause code for intentional self-harm (suicide) by salicylates is X60 and for seconal, X61. Since the drugs are assigned to different external cause codes, code X64, Intentional self poisoning by and exposure to other and unspecified drugs, medicaments and biological substances. Code nature of injury for each drug reported.

<u>Place</u> I	(a) Darvon and promazine	T404	&Y14	T433
9	(b) intoxication			
MOD I	I Drug intoxication	T509		
С	Undetermined			

The external cause code for poisoning of undetermined intent by darvon is Y12 and for promazine, Y11. Since the drugs are assigned to different external cause codes, code Y14, Poisoning by and exposure to other and unspecified drugs, medicaments and biological substances, undetermined intent. Code nature of injury for each drug reported.

3. Percentage of drug(s) in blood

When a percentage (%) of any drug(s) in the blood is reported, code the nature of injury code for the drug if there is mention of drug poisoning elsewhere on the record.

When a complication is reported due to a percentage (%) of any drug(s), code as a complication of drug therapy unless otherwise indicated.

When a percentage (%) of any drug(s) in the blood is reported without mention of drug poisoning or a complication, do not enter a code for the drug.

<u>Place</u>	I (a) Gunshot wound brain	S069	&X74
9	II .05 mg. barbiturates in blood		
MOD S	Suicide		

<u>Since</u> there is no mention of poisoning or a complication of the barbiturates, **do not** enter a code for the percentage of drug in the blood.

4. Poisoning by alcohol and drugs

When alcoholism or alcohol poisoning (any F10-, R780, R826, R893, T510-T519) is reported in Part I with drug poisoning in Part I, code the alcohol to the appropriate code (F10-, R780, R826, R893, T510-T519), the nature of injury code for the drug and code the appropriate external cause code for the drug preceded by an ampersand. If alcohol poisoning is reported, code the external cause code for alcohol also, but do not precede this code with an ampersand. Interpret the following statements to mean poisoning by alcohol and drugs and code the appropriate E-code for alcohol poisoning:

Alcohol and drug interaction

Alcohol and drug synergism

Combination of alcohol and drugs

Combined action alcohol and drugs

Combined alcohol and drug intoxication

Combined effects of alcohol and drugs

Combined overdose of alcohol and drugs

Ingestion of combined overdose of alcohol and drugs

Mixed alcohol and drug intoxication

Mixed effects of alcohol and drugs

Mixed overdose alcohol and drugs

Synergistic effects of alcohol and drugs

<u>Place</u>	I	(a) Combined effe	ects of alcohol	,	T519	X45	T509	&X44
9		and drugs						
<u>MOD</u>	II	Ingested alcohol a	and drugs	,	T519	T509		
A		Accident	-					

<u>Interpret</u> I(a) as alcohol poisoning and drug poisoning. Code the nature of injury and external cause for the alcohol and drugs. Precede the E-code for the drugs with an ampersand. In Part II, apply Section III, Intent of Certifier instruction for coding alcohol. Code the ingested alcohol as poisoning since reported on the certificate with alcohol poisoning. Code nature of injury for drugs as last entry.

<u>Place</u>	I	(a)	Alcohol intoxication	F100	
9		(b)	Barbiturate intoxication	T423	&X41

<u>Code</u> I(a) alcohol intoxication as indexed and code the nature of injury and external cause code for barbiturate intoxication on I(b).

Place I (a) Alcoholism 9 II Alcohol and barbiturate MOD intoxication	F102 F100 T423 &X41
Accident	
<u>Code</u> alcoholism as indexed in Part I. indexed and the nature of injury and exintoxication.	
<u>Place</u> I (a) Barbiturate toxicity	T423 &X61
9 II Barbiturate and	T423 F100
MOD alcohol intoxication	
S Suicide	

<u>Code</u> I(a) nature of injury for barbiturate T423 and external cause code X61 for suicidal barbiturate toxicity. Code Part II, nature of injury for barbiturates and alcohol intoxication as indexed.

5. Intoxication (acute) NOS due to specified substances

When intoxication (acute) NOS is reported "due to" drugs or poisonous substances, code the intoxication to the nature of injury code for the first substance reported in the "due to" position.

Exception:

Intoxication (acute) NOS "due to" drug(s) with indication the drug was being given for therapy.

<u>Place</u> I	(a) Acute intoxication	T404			
9	(b) Darvon & alcohol poisoning	T404	&X62	T519	X65
MOD II					
S	Suicide				

Code I(a) T404, the nature of injury code for darvon since this is the first substance reported in the "due to" position. Code I(b) to the nature of injury and external cause code for darvon poisoning and alcohol poisoning. Precede the external cause code for darvon poisoning with an ampersand. Do not ampersand external cause code for alcohol poisoning.

<u>Place</u>	I	(a) Intoxication	T58	
9		(b) Carbon monoxide inhalation	T58	&X47
<u>MOD</u>	II			
A		Accident		

<u>Code</u> I(a) T58, the nature of injury for the substance (carbon monoxide) reported in "due to" position. Code I(b) to the nature of injury and external cause code for carbon monoxide inhalation. Precede the external cause code with an ampersand.

NOTE: See Appendix H for additional drug examples.

Part R

R. Complications of medical and surgical care (Y40-Y84)

Code any complication, abnormal reaction, misadventure to patient, or other adverse effect that occurred as a result of or during medical care except obstetrical procedures to the appropriate category in Chapters I-XIX, but take into account the medical care if it modifies the code assignment. Assign the appropriate external cause (E-code) pertaining to the medical care regardless of whether the complication is classified to Chapters I-XVIII or to Chapter XIX.

The E-code distinguishes between:

- 1. Drugs, medicaments and biological substances causing adverse effects in therapeutic use (Y40-Y59).
- 2. Misadventures to patients during surgical and medical care (Y60-Y69).
- 3. Surgical and other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure (Y83-Y84).

<u>Use of ampersand</u> (More than one instruction may apply)

1. Always precede the condition that necessitated the medical or surgical care with an ampersand the first time it is reported. Generally, the first condition on the lowest used line will be the reason for medical care.

I	(a)	Pneumonia	J958
	(b)	Surgery	Y839
	(c)	Pulmonary hemorrhage	R048
	(d)	Lung cancer	&C349

2. Precede the external cause (Y40-Y84) with an ampersand **if the complication** is classified to Chapter XIX (T80-T88).

I	(a)	Pulmonary embolism	T817
	(b)	Surgery	&Y839

3. Precede the first complication with an ampersand **if the complication** is classified to Chapter I-XVIII and the condition requiring medical or surgical care is **NOT** reported.

I	(a)	Renal failure	&N19
	(b)	Drug therapy	Y579

4. If the medical or surgical care was administered for an injury, precede the code for the external cause of the injury with an ampersand.

	I	(a)	Pneumonia	J958
<u>Place</u>		(b)	Surgery	Y839
9		(c)	Fracture of hip	S720
		(d)	Fall	&W19

5. If two or more conditions for which the medical or surgical care could be administered are reported and the reason for treatment cannot be determined, precede the first condition with an ampersand.

Ι	(a)	Pneumonia	J958	
	(b)	Surgery	Y839	
II	Lun	ng cancer, gastric ulcer	&C349	K259

6. If the medical care was administered for diagnostic purposes, precede the code for the condition that was found or confirmed by the diagnostic finding with an ampersand the first time it is reported.

I	(a)	Cerebral edema	G978
	(b)	Cerebral arteriogram	Y848
	(c)	Brain tumor	&D432

- 1. <u>Drugs, medicaments and biological substances causing adverse effects in therapeutic</u> use (Y40-Y59)
 - a. Complications of drugs

Although almost any condition reported due to drug therapy is regarded as a complication, there are a few diseases that are not considered complications. The drug therapy is not coded when there is no evidence of a complication.

- (1) The following are not regarded as complications of drug therapy.
 - (a) These conditions due to drug therapy:

Infectious and parasitic diseases	A000-A309, A320-A329, A360-A399, A420-A449, A481-A488, A500-A690, A692-B199, B250-B349, B500-B942, B949 (EXCEPT: Antineoplastic drugs Y431-Y433; Immunosuppressive agents Y434) B200-B24
Neoplasms	C000-D45, D47-D489
Diabetes	E10-E14 (EXCEPT: Steroids Y425, Y427)
Hemophilia	D66-D682
Alcoholic disorders	E244, E52, F100-F109, G312, G405, G621, G721, I426, K292, K700-K709, K860, L278, R780, R826, R893
Rheumatic fever or rheumatic heart disease	100-1099
Arteriosclerosis and arteriosclerotic conditions	
Influenza	J100-J118

Part R

Hernia	K400-K469
Congenital malformations	Q000-Q999

This is not an all inclusive list.

I (a) Lung cancer

C349

(b) Drug therapy

Since lung cancer is not considered a complication of drug therapy, no code is assigned for I(b).

(b) Any condition stated as congenital, familial, hereditary, idiopathic or conditions with a duration that predates the drug therapy.

I (a) Congenital cardiomyopathy

I424

(b) Drug therapy

Do not code the drug therapy since conditions stated as congenital cannot be considered as complications.

N059 I (a) Nephritis 6 months

(b) Drug therapy 2 months

Reject 1

Do not code the drug therapy on I(b). The nephritis cannot be considered as a complication since it occurred prior to the drug therapy.

(2) Code any condition classifiable to Chapters I-XVIII that could result from a drug, medicament, or biological substance (including anesthesia) known or presumed to have been properly administered in correct dosage to the appropriate category in these chapters. If the Classification provides a code for the condition reported as "due to drug" or "drug induced," use this code. If no provision is made for the condition reported as "due to drug" or "drug induced," code to the unspecified code for the condition. Classify only those complications that cannot be assigned to Chapters I-XVIII to Chapter XIX (T88.-). When a condition classifiable to Chapter I-XVIII is reported due to a drug reaction (named drug) NOS, e.g., insulin reaction, code the condition as indexed and code the drug reaction to the E-code.

Part R

I (a) Respiratory and cardiac arrest &R092 I469 (b) Local anesthesia reaction Y483

<u>Code</u> the conditions reported on I(a) as complications of local anesthesia since the local anesthesia is presumed to have been properly administered. Precede the first complication with an ampersand. Since a complication is reported, assign only an external cause on I(b) indicating Adverse effect in therapeutic use.

I (a) Drug reaction

T887 &Y400

(b) Penicillin

<u>Code</u> the drug reaction on I(a) to nature of injury and external cause since no specified complication is reported. Precede the E-code with an ampersand. Do not enter a code for penicillin on I(b) since it was coded on I(a).

I (a) Encephalitis &G040 (b) Measles vaccination Y590

<u>Code</u> the encephalitis as a complication of the measles vaccine since the measles vaccine is presumed to have been properly administered. Encephalitis is indexed following vaccination or other immunization procedure. Precede the complication (G040) with an ampersand. Code the measles vaccination to Y590, Adverse effect in therapeutic use.

I (a) Pulmonary embolism I269 (b) Estrogen to control excessive Y425 &N920

(c) menses

<u>Code</u> the pulmonary embolism as a complication of the estrogen since the estrogen is presumed to have been properly administered. Code the estrogen as Adverse effect in therapeutic use and excessive menses as indexed. Precede the code for excessive menses with an ampersand to indicate the condition requiring treatment.

- (3) Unless there are indications to the contrary, assume the drug, medicament, or biological substance was used for medical care purposes and was properly administered in correct dosage. **Do not** make this assumption **if:**
 - The drug was one which is not used for medical care purposes, e.g., LSD or heroin,

or

• It was an analgesic, sedative, narcotic or psychotropic drug (or combination thereof) or drug NOS

<u>AND</u> the certifier indicated the death was due to an "accident" or it occurred under "undetermined circumstances,"

or

• One or more of these drugs was taken in conjunction with alcohol

Code to poisoning (refer to Section V, Part Q, 2, <u>Poisoning by drugs</u>).

<u>Place</u>	I (a) Respiratory failure	J969
9	(b) Ingestion of mixed sedatives	T426 &X41
MOD A	Accident	

<u>Code</u> I(a) as indexed. Code I(b) nature of injury and external cause code for accidental poisoning by mixed sedatives. Code as poisoning since the drug is a sedative <u>and</u> the certifier indicated the death was due to an accident. Precede the E-code with an ampersand.

<u>Place</u>	I	(a)	Cerebral anoxia	G931	
9		(b)	Ingestion of barbiturates	T423	&X41
	II	Ale	coholic intoxication	F100	

<u>Code</u> I(a) as indexed. Code I(b), accidental ingestion of barbiturates since the drug is a sedative <u>and</u> it was taken in conjunction with alcohol. (Alcohol consumption is implied by the statement of alcoholic intoxication). Precede the E-code with an ampersand. Code Part II as indexed.

(4) When the condition for which the drug is usually administered is reported elsewhere on the certificate, code this condition as indexed, preceded by an ampersand to identify the condition requiring treatment.

I	(a)	Hemorrhage	K922
	(b)	Ulcer of stomach	K259
	(c)	Cortisone therapy	Y420
II	Sc	leroderma	&M349

<u>The</u> ulcer of the stomach is the complication of the cortisone therapy. Code the E-code for cortisone on I(c). Since cortisone is used in treatment of scleroderma, precede this condition with an ampersand.

When a complication occurs as the result of a drug being given in treatment and the condition requiring the drug is <u>not</u> reported elsewhere on the certificate, **do not** assume a disease condition.

When a complication classifiable to Chapters I-XVIII occurs as the result of a drug being administered in therapeutic use <u>and</u> the condition requiring the treatment is not reported, place an ampersand preceding the code for the complication.

I	(a)	Renal failure	&N19
	(b)	Ingested antidiabetic drug	Y423

<u>The</u> renal failure on I(a) is the complication of the antidiabetic drug. Code the E-code for antidiabetic drug on I(b). **Do not** assume a disease condition requiring therapy even though antidiabetic drug is one used in the treatment of diabetes. Precede the complication with an ampersand.

(5) "Drug induced" complications

When a condition is stated to be "drug induced," consider the condition to be a complication of drug therapy, unless otherwise indicated. Code as follows:

(a) If the complication is classified to Chapter I-XVIII, code the E-code for the drug, followed by the code for the complication.

I (a) Drug induced aplastic anemia	Y579 D611
II Carcinoma of lung	&C349

<u>Code</u> I(a) Y579, complication of an unspecified drug, and the "drug induced aplastic anemia" as indexed. Ampersand the carcinoma of lung as the condition requiring treatment.

I (a) Drug induced polyneuropathy

Y579 &G620

 $\underline{\text{Code}}$ I(a) Y579, complication of an unspecified drug, and the "drug induced polyneuropathy" as indexed. Place an ampersand preceding the code for the complication.

(b) If the complication is classified to Chapter XIX, code the nature of injury code for the complication followed by the E-code for the drug. Place an ampersand preceding the E-code.

I (a) Chloramphenicol induced reaction T887 &Y402

(b) Septicemia &A419

<u>Code</u> I(a) as a complication of the drug (named). Code the nature of injury for the complication followed by the E-code for the named drug. Place an ampersand preceding the E-code and the septicemia to indicate the condition requiring treatment.

(6) "Intoxication by drug" due to drug therapy

When "intoxication by drug" is reported or indicated to be treatment for a condition or due to drug therapy, consider these to be complications of drug therapy, <u>not poisoning</u>.

I (a) Cardiac arrest I469
(b) Digitalis intoxication T887 &Y520
(c) ASHD &I251

<u>Code</u> the digitalis intoxication as drug therapy since it is indicated as treatment for a condition by its position on the record. Code the intoxication as indexed under Intoxication, drug, correct substance properly administered and the E-code for digitalis.

(7) Combined effects of two or more drugs

When a complication is reported due to the combined effects of two or more drugs, code the complication as indexed. On the next lower line, code the appropriate E-code (Y400-Y599). To determine the appropriate E-code, refer to the column for "Adverse effect in therapeutic use" in the Table of drugs and chemicals. (refer to Section V, Part R, 1 (3) when coded as poisoning)

(a) When the drugs are classified to different fourth characters of the same three-character category, code the appropriate E-code with the fourth character for "other."

I	(a)	Cardiac arrest	I469
	(b)	Valium and sleeping pills	Y478
	(c)	Anxiety	&F419

<u>Code</u> I(b) to the appropriate E-code for the combined effects of two drugs in therapeutic use classified to the same three-character category.

(b) When the drugs are classified to different three-character categories, code the E-code to Y578, "Other drugs and medicaments."

I	(a) Congestive heart failure	I500	
	(b) Cor pulmonale	&I279	
II	Hemorrhage from anticoagulant	R5800	Y578
	and aspirin		

<u>Code</u> Y578, the appropriate E-code for combined effect of two drugs in therapeutic use classified to different three-character categories.

(8) Complication of chemotherapy

(a) When a complication of chemotherapy is reported, code the complication as indexed and Y579 <u>unless</u> a malignancy is reported on the certificate. When the complication is classified to Chapters I-XVIII and the reason for the chemotherapy is not reported, precede the complication with an ampersand.

I	(a)	Aplastic anemia	&D611
	(b)	Chemotherapy	Y579

<u>Code</u> I(a), aplastic anemia due to drugs (D611) and code I(b) Y579, adverse effect of unspecified drug in correct usage. Precede the complication with an ampersand.

(b) When a complication of chemotherapy is reported with mention of a malignancy on the certificate, consider the chemotherapy to be antineoplastic drugs and code E-code Y433.

I	(a)	Purpura	D692
	(b)	Chemotherapy	Y433
	(c)	Leukemia	&C959

<u>Code</u> I(a) as indexed. Consider the chemotherapy on I(b) as antineoplastic drugs and code Y433. Ampersand the leukemia as the condition requiring treatment.

(9) Complications of immunosuppression

Immunosuppression can be drug therapy or a complication of drug therapy. Code immunosuppression as **drug therapy** unless reported **due to** a drug, then code as a complication of the drug (D849). If the drug is not reported elsewhere on the certificate, code Y434 for the immunosuppressive drug.

I	(a)	Pneumonia and sepsis	J189	A419
	(b)	Immunosuppression	D849	
	(c)	Chemotherapy for carcinoma of brain	Y433	
	(d)		&C719)

<u>Since</u> the immunosuppression is due to chemotherapy, consider as a complication. Ampersand the carcinoma of brain as the condition requiring treatment.

Effects of External Cause of Injury and External Causes of Injury and Poisoning Complications of Medical and Surgical Care

Part R

I	(a)	Immunosuppression	D849
	(b)	Vancomycin	Y408
	(c)	Acute bacterial endocarditis	&I330

<u>Since</u> the immunosuppression is due to a drug, consider as a complication. Ampersand the acute bacterial endocarditis as the condition requiring treatment.

I	(a)	Infection	B99
	(b)	Immunosuppression for	Y434
	(c)	Carcinoma of prostate	&C61

<u>Consider</u> the infection as a complication of drug therapy (immunosuppression) on I(b). Ampersand the carcinoma of prostate as the condition requiring treatment.

I	(a)	Cardiorespiratory arrest	I469
	(b)	Sepsis	A419
	(c)	Immunosuppression for	Y434
	(d)	Rheumatoid vasculitis	&M052

<u>Consider</u> the sepsis as a complication of drug therapy (immunosuppression) on I(c). Ampersand the rheumatoid vasculitis as the condition requiring treatment.

Ι	(a)	Sepsis	A419
	(b)	Immunosuppression	Y427
	(c)	Renal transplant	&N289

II Steroid therapy

<u>Consider</u> the sepsis as a complication of drug therapy (immunosuppression) on I(b). Code external cause code to steroids, the immunosuppressive drug reported elsewhere on the certificate. Code and ampersand Disease, kidney, as the condition for which the renal transplant was performed and the condition requiring the immunosuppressive drug.

I (a) Respiratory arrest	R092
(b) Septicemia	A419
(c) Immunosuppression	Y434
II Renal transplant	&N289

<u>Consider</u> the septicemia as a complication of drug therapy (immunosuppression) on I(c). In Part II, code and ampersand Disease, kidney, as the condition for which the renal transplant was performed and the condition requiring the immunosuppressive drug.

Effects of External Cause of Injury and External Causes of Injury and Poisoning Complications of Medical and Surgical Care

Part R

I	(a) Bacteremia	A499
	(b) Immunosuppression	Y434
	(c)	
II	Idiopathic thrombocytopenia purpura	&D693

<u>Consider</u> the bacteremia as a complication of drug therapy (immunosuppression) on I(b). Ampersand the idiopathic thrombocytopenia purpura as the condition requiring treatment.

I	(a) Cardiac arrest	I469
	(b) ASHD	I251
	(c)	
II	D.M., AS, immunosuppression	E149 I709

<u>Do</u> not enter a code for the immunosuppression since there is not a reported complication.

(10) Drugs administered for one year or more

When a complication is reported due to a drug being administered for one year or more, consider the drug was given on a continuing basis. Code as a current complication; **do not** code as sequela.

I	(a)	Hypercorticosteronism	E242
	(b)	Steroids - 6 years	Y427
	(c)	Arthritis	&M139

<u>Consider</u> the steroids as being administered on a continuing basis for six years. Code as a current complication of the drug. Code I(a) Hypercorticosteronism, correct substance properly administered (E242).

- 2. Surgical procedures as the cause of abnormal reaction of the patient or later complication (Y83)
 - a. Complications of surgical procedures

Although almost any condition <u>reported due to surgery</u> is regarded as a postoperative complication, there are a few diseases that are not considered postoperative complications. The surgical procedure is not coded when there is no evidence of a surgical complication.

- (1) The following are not regarded as complications of surgical procedures:
 - (a) These conditions reported due to surgery:

Infectious and parasitic diseases	A000-A309, A320-A329, A360-A399, A420-A449, A481-A488, A500-A690,
	A692-B349, B500-B978
Neoplasms	C000-D489
Hemophilia	D66, D67, D680, D681, D682
Diabetes	E10-E14
Alcoholic disorders	E52, E244, F100-F109, G312, G405, G621, G721, K860, I426, K292, K700-K709, L278, R780, R826, R893
Rheumatic fever or rheumatic heart disease	100-1099
Hypertensive diseases	I11-I139
Coronary artery disease Coronary disease	I251
Ischemic cardiomyopathy	1255
Chronic or degenerative myocarditis	I514

Part R

Arteriosclerosis and arteriosclerotic conditions except those classified to I219	
Calculus or stones of any type or site	
Influenza	J100-J118
Hernia except ventral (incisional)	K400-K429 K440-K469
Diverticulitis	K570-K579
Rheumatoid arthritis	M050-M089
Collagen diseases	M300-M359
Congenital malformations	Q000-Q999

This is <u>not</u> an all inclusive list.

I	(a)	Myocardial infarction	I219
	(b)	Arteriosclerosis	I709
	(c)	Surgery	

Since arteriosclerosis is not accepted as a complication of surgery, do not code the surgery.

I	(a)	Diabetic gangrene	E145
	(b)	Leg amputation	

Do not code the leg amputation (surgery) since there is no indication of a surgical complication.

(b) Do not accept conditions with a duration which predates the surgery

I (a) MI 2 weeks I219

(b) Surgery 2 days

Reject 1

Do not code the surgery on I(b). Since the MI occurred before the surgery was performed it cannot be a complication.

(2) When a condition reported due to a **named** surgical (operative) procedure can be considered as a complication or adverse effect, code as follows:

STEP 1: Determine if the complication is in the Index qualified by the named surgery reported

I	(a)	Lymphedema	I972
	(b)	Postmastectomy	Y836
	(c)	Breast cancer	&C509

Code I(a) using **Step 1**:

Lymphedema

- postmastectomy I97.2

I	(a)	Hemorrhage	T828
	(b)	Coronary artery bypass graft	&Y832
	(c)	Coronary heart disease	&I259

Code I(a) using **Step 1:**

Hemorrhage

- due to or associated with
- - device, implant or graft
- - heart NEC T82.8

[&]quot;Coronary" is not indexed, but is located in the heart; therefore, heart can be used in place of coronary.

NOTE: Before continuing to **STEP 2** (below), it is important to determine the nature of the named surgery.

I	(a)	Hemorrhage	T828
	(b)	Cardiac revascularization	&Y832
	(c)	Cardiovascular disease	&I516

Revascularization is defined as the re-establishment of adequate blood supply to a part, by means of a vascular graft. Code I(a) as indexed:

Hemorrhage

- due to or associated with
- - device, implant or graft
- - heart NEC T82.8

STEP 2: If the Index does not qualify the complication with the named surgery, determine if the complication is indexed under Complications (from) (of), surgical procedure.

I	(a)	Hemorrhage	T810
	(b)	Postlaminectomy	&Y836
	(c)	Intervertebral disc degeneration	&M513

The Index does not qualify hemorrhage as postlaminectomy. Code I(a) as indexed:

Complications (from) (of)

- surgical procedure
- - hemorrhage or hematoma (any site) T81.0

<u>Code</u> I(b), as indexed under Complication, laminectomy.

I	(a)	Intestinal obstruction	K913
	(b)	Colostomy	Y833
	(c)	Ulcerative colitis	&K519

<u>Code</u> I(a) as indexed:

Complications (from) (of)

- surgical procedure
- - intestinal obstruction K91.3

<u>Code</u> I(b), surgery, as indexed under Complications, colostomy. Code I(c), ulcerative colitis, as indexed and precede with an ampersand indicating the reason for the surgery.

STEP 3: If the Index does not qualify the complication with the named surgery nor is the complication indexed under Complications (from) (of), surgical procedures, determine if the named surgery is indexed under Complications (from) (of).

I	(a)	Stroke	T828
	(b)	Coronary artery bypass	&Y832
	(c)	Arteriosclerotic heart disease	&I251

The Index does not qualify stroke with coronary artery bypass nor is stroke indexed under Complications, surgical procedures; therefore, <u>code</u> I(a) using **Step 3:**

Complications (from) (of)

- coronary artery (bypass) graft
- - specified NEC T82.8

Stroke is neither an infection nor an inflammation nor mechanical; therefore, select "specified NEC."

SECTION V

Part R

Effects of External Cause of Injury and External Causes of Injury and Poisoning Complications of Medical and Surgical Care

I	(a)	MI	T828
	(b)	Postfemoral bypass graft	&Y832
	(c)	Peripheral vascular disease	&I739

Code I(a) as indexed:

Complications (from) (of)

- graft
- - femoral artery (bypass) See Complications, graft, arterial

Complications (from) (of)

- graft
- - arterial
- --- specified NEC T82.8

<u>Code</u> I(b), Y832, as indexed under Complication, graft. Precede the E-code (Y832) by an ampersand.

I (a) Cerebral embolism T858 (b) Bypass &Y832

Code I(a) as indexed:

Complications (from) (of)

- bypass (see also Complications, graft)

Complications (from) (of)

- graft
- - specified NEC T85.8

<u>Code</u> I(b), Y832, as indexed under Complications, bypass. Precede the E-code (Y832) by an ampersand.

SECTION V

Part R

Effects of External Cause of Injury and External Causes of Injury and Poisoning Complications of Medical and Surgical Care

I (a) Anemia T858
(b) Gastrointestinal bypass &Y832
(c) Diverticulitis &K579

<u>Code</u> I(a) as indexed:

Complications (from) (of)

- bypass (see also Complications, graft)

Complications (from) (of)

- graft
- - intestinal tract
- --- specified NEC T85.8

<u>Code</u> I(b), Y832, as indexed under Complications, bypass. Precede the E-code (Y832) by an ampersand. Code I(c), Diverticulitis, K579, as indexed. Precede the code (K579) by an ampersand to indicate the reason for surgery.

- (3) When a condition that is
 - (a) reported due to a **named** surgery cannot be assigned a code using **STEP 1- STEP 3** or
 - (b) reported due to a surgery (operation) (of a site) NOS, and can be considered as a complication or adverse effect, code as follows:
 - **STEP 4:** Determine if the complication is in the Index, qualified:
 - (a) as reported
 - (b) with any term meaning "due to" **surgery** (see Section II, Part C, 2, a, "<u>Due to</u>" written in or implied)
 - (c) as surgical or as complicating surgery
 - (d) as postoperative or postsurgical
 - (e) as postprocedural
 - (f) during or resulting from a procedure, so stated
 - (g) resulting from a procedure, so stated
 - I (a) Pulmonary insufficiency following &J952 (b) Surgery Y839

Code I(a) as reported using Step 4 (a):

Insufficiency

- pulmonary
- - following
- - surgery J952

Precede the code J952 by an ampersand. <u>Code</u> I(b), surgery, Y839, as indexed under Complication, surgical operation NEC.

Effects of External Cause of Injury and External Causes of Injury and Poisoning Complications of Medical and Surgical Care

Part R

I	(a)	Hypothyroidism	E890
	(b)	Thyroid surgery	Y839
	(c)	Thyroid cancer	&C73

<u>Code</u> I(a) using **Step 4 (b)**. Refer to "due to" list in Section II, Part C, 2, a, "Due to" written in or implied.

Hypothyroidism

- due to
- - surgery E890

Thyroid surgery is equivalent to surgery NOS.

I (a) Cardiac insufficiency T818 (b) Surgery &Y839

Code I(a) using Step 4 (c):

Insufficiency

- cardiac
- - complicating surgery T818

<u>Code</u> I(b), surgery, Y839, as indexed under Complication, surgical operation NEC. Precede the E-code (Y839) by an ampersand.

I (a) Pneumonia &J958 (b) Surgery Y839

<u>Code</u> I(a) using **Step 4 (d)**. Indexed as Pneumonia (see also Pneumonitis).

Pneumonitis

- postoperative J958

Precede the code J958 by an ampersand. <u>Code</u> I(b), surgery, Y839, as indexed under Complication, surgical operation NEC.

Effects of External Cause of Injury and External Causes of Injury and Poisoning Complications of Medical and Surgical Care

Part R

I (a) Renal failure &N990 (b) Surgery Y839

Code I(a) using Step 4 (e):

Failure

- renal
- - postprocedural N99.0

Precede the code N990 by an ampersand. <u>Code</u> I(b), surgery, Y839, as indexed under Complication, surgical operation NEC.

I (a) Cerebral anoxia &G978 (b) Surgery Y839

Code I(a) using Step 4 (f):

Anoxia

- cerebral
- - during or resulting from a procedure G97.8

Precede the code G978 by an ampersand. <u>Code</u> I(b), surgery, Y839, as indexed under Complication, surgical operation NEC.

I (a) Anoxic brain damage &G978 (b) Surgery Y839

Code I(a) using Step 4 (g):

Damage

- brain
- - anoxic
- - resulting from a procedure G97.8

Precede the code G978 by an ampersand. Code I(b), surgery, Y839, as indexed under Complication, surgical procedure NEC. **STEP 5:** If the Index does not provide for the complication qualified with any of the terms defined in the previous steps, determine if the complication is indexed under Complications (from)(of), surgical procedure.

NOTE: If a "named" surgery is reported, this step has already been completed in **Step 2**.

I (a) Hyperglycemia &E891 (b) Surgery Y839

Code I(a) as indexed:

Complications (from) (of)

- surgical procedure
- - hyperglycemia E89.1

Precede the code E891 by an ampersand. <u>Code</u> I(b), surgery, Y839, as indexed under Complication, surgical operation NEC.

- **STEP 6:** If the Index does not provide for the complication as above, determine if:
 - (a) the site of the complication is in the Index under Complications (from) (of), surgical procedure **or**
 - (b) the system in which the complication occurred (based upon the code assigned in the Index) is in the Index under Complications (from)(of), surgical procedure.

I (a) MI T818 (b) Surgery &Y839

Code I(a) using Step 6 (a):

Complications (from)(of)

- surgical procedure
- - cardiac T81.8

The site of a myocardial infarction is the muscle tissue of the heart which is synonymous with cardiac. Code I(b), surgery, Y839, as indexed under Complication, surgical operation NEC. Precede the E-code with an ampersand.

I (a) Uremia &N998 (b) Surgery Y839

Code I(a) using **Step 6 (b):**

Complications (from) (of)

- surgical procedure
- - genitourinary
- --- specified NEC N99.8

Uremia NOS is indexed to N19 which indicates this condition is a specified disease in the genitourinary system.

Ι	(a)	Mesenteric embolism	K918
	(b)	Gallbladder surgery	Y839
	(c)	Gallstones	&K802

Code I(a) using **Step 6 (b)**:

Complications (from)(of)

- surgical procedure
- - digestive system
- --- specified NEC K91.8

Mesenteric embolism is indexed to K550 which indicates that this condition is a specified disease in the digestive system.

STEP 7: When a reported complication cannot be classified to a system which is indexed, code to T818, other complications of procedures, not elsewhere classified.

I (a) Anemia T818 (b) Surgery &Y839

Anemia is not indexed as due to surgery or as postoperative. Anemia is a disease of the blood-forming organs and neither the term nor the body system is indexed under Complication (from) (of), surgical procedure.

Code I(a) as indexed:

Complications (from)(of)

- surgical procedure
- - specified NEC T81.8

<u>Code</u> I(b), surgery, Y839, as indexed under Complication, surgical operation NEC. Precede the E-code with an ampersand.

SECTION V

Part R

Effects of External Cause of Injury and External Causes of Injury and Poisoning Complications of Medical and Surgical Care

I (a) Cardiac arrest I469 (b) Multiorgan system failure T818 (c) Surgery &Y839

<u>Code</u> line I(b) using **Step 7**. Multiorgan system failure is not a codable condition but can be a complication of surgery.

Complications (from) (of)

- surgical procedure
- - specified NEC T818

<u>Code</u> I(c) surgery, Y839, as indexed under Complication, surgical operation NEC. Precede the E-code with an ampersand.

b. Condition necessitating surgery

(1) When a complication of surgery is reported and the underlying condition which necessitated the surgery is <u>stated</u> or <u>implied</u>, place an ampersand (&) preceding this condition to indicate the reason for surgery.

I	(a)	Pulmonary embolism	T817
	(b)	Surgery for	&Y839
	(c)	Gangrene of foot	&R02

<u>Code</u> the pulmonary embolism as the complication, Y839 for the surgery, and precede the code for gangrene with an ampersand to identify the reason for surgery. Precede the surgery code with an ampersand since the complication is coded to Chapter XIX.

(2) When the condition necessitating the surgery is <u>not stated</u> or <u>implied</u> and the complication is classifiable to Chapters I-XVIII, place an ampersand preceding the code for the complication.

I	(a)	Renal failure	&N990
	(b)	Surgery	Y839

<u>Code</u> I(a), renal failure, N990, as the complication of the surgery (Y839) on I(b). Precede the N990 with an ampersand since it is classified to Chapter I-XVIII and the reason for the surgery is not reported.

(3) **Do not** ampersand a condition necessitating surgery unless a complication of the surgical procedure is coded.

I	(a) ASHD	I251
II	SP mastectomy, Cancer of breast	C509

Do not precede the reason for surgery, C509 with an ampersand since no complication of the mastectomy is reported.

(4) When the condition that necessitated the surgery is not reported, but the organ or site is implied by the operative term, code disease of the organ or site.

Exception:

Appendectomy

Code appendicitis (K37) when appendectomy is the only operative procedure reported. If appendectomy is reported with other abdominal or pelvic surgery, assume the appendectomy to be incidental to the other surgery and **do not** code K37.

Part R

Use the following codes when these surgical procedures are reported <u>and</u> the condition necessitating the surgery is <u>not</u> reported:

Aorta (with any other vessel NEC) bypass or graft	I779
Aorta coronary bypass or graft	1251
Atrio-ventricular shunt	G919
Bariatric surgery	E668
Billroth (I or II)	
Brock valvulotomy	
Cardiac revascularization.	I251
Carotid endarterectomy	I679
Choledochoduodenostomy	K829
Cholecystectomy	K829
Cholelithotomy	K802
Colostomy	K639
Coronary artery bypass graft (CABG)	I251
Coronary endarterectomy	I251
Coronary revascularization	I251
Endarterectomy (artery) (aorta)	I779
Femoral bypass	I779
Femoral-popliteal bypass	I779
Gastrectomy	K3190
Gastric stapling	
Gastroenterostomy	
Gastro-intestinal surgery NOS	
Gastrojejunostomy	
Gastrojejunectomy	K929
Herniorrhaphy code	hernia
Hip fixation	S720
Hip pinning	S720
Hip prosthesis	
Hip replacement	
Hysterectomy	
Ileal conduit	
Ileal loop	
Iliofemoral bypass	I779
Lobectomy-when indicating lung	J9840
Mammary artery(internal) implant	I251
Nephrectomy	N289
Revascularization of heart	I251
Revascularization, myocardial	I251
T and A	J359
Thoracoplasty	J989
Tonsillectomy	J359

Part R

Ureterosigmoid bypass	N399
Ureterosigmoidostomy	N399
Vein stripping	
Ventricular peritoneal shunt	G919
Vineberg operation	I251

When the condition that necessitated the surgery is not reported, do not assume a disease condition for surgical procedures such as the following:

pelvic exenteration
portocaval shunt
rhizotomy
sympathectomy
tracheotomy
tracheostomy
tubal ligation
vagotomy
vasectomy
vas ligation

If one of these types of procedures is the only entry on the certificate, code R99.

When the following complications of surgery are reported <u>and</u> the reason for the surgery is not reported, use the following codes as the reason the surgery was performed:

	Reason for Su <u>Code</u>	urgery	
Postsurgical hypothyroidism	E079		
Postsurgical hypoinsulinemia	K869		
Postsurgical blind loop syndrome	K639		
Other and unspecified postsurgical malabsorption	K639		
I (a) Postsurgical blind loop syndro	me Y839	K912	&K639

When a complication is reported due to:

"Surgery" with the underlying condition that necessitated the surgery stated, code:

the complication to Chapters I-XIX, the surgery to the appropriate external cause code (Y83-) preceded by an ampersand, if required, and the underlying condition necessitating the surgery preceded by an ampersand.

I	(a)	Hemorrhage	T810
	(b)	Surgery	&Y839
	(c)	Ca. of lung	&C349

<u>Code</u> I(a) as postoperative hemorrhage (T810). Code the external cause code for the surgical procedure and precede by an ampersand. Code C349, cancer of lung and precede by an ampersand to identify the stated underlying condition for which surgery was performed.

I (a) Pulmonary hemorrhage	R048
(b) Lung cancer	&C349
II Pneumonia due to surgery for	J958 Y839 R048
pulmonary hemorrhage	

<u>Code</u> line I(a) and (b) as indexed. Precede cancer of lung with an ampersand to indicate the underlying reason for which surgery was performed. Since the first entry in Part II, pneumonia, is reported due to surgery, code as a complication of surgery.

"Surgery" with the condition which necessitated the surgery not stated <u>and</u> only one condition for which surgery could have been performed is reported, code:

the complication to Chapters I-XIX, the surgery to the appropriate external cause code (Y83-) preceded by an ampersand, if required. Since only one condition for which the surgery could have been performed is reported, code the condition and precede with an ampersand to identify the reason for the surgery.

I	(a) Mesenteric thrombosis	K918
	(b) Surgery	Y839
II	ASHD	&I251

<u>Code</u> mesenteric thrombosis as the complication of the surgery and code Y839 for the surgery. Since ASHD is the only condition on the certificate for which surgery could have been performed, precede the code for this condition by an ampersand.

"Surgery" with the condition which necessitated the surgery not stated and two or more conditions for which surgery could have been performed are reported, code:

the complication to Chapters I-XIX and the surgery to appropriate external cause code (Y83-) preceded by an ampersand, if required. Ampersand the first mentioned condition for which the surgery could have been performed.

I (a) Wound dehiscence T813 (b) Surgery &Y839

II Cancer of lung, gastric ulcer &C349 K259

<u>Code</u> I(a), wound dehiscence, T813, as the complication of the surgery and code I(b), surgery, Y839. Code Part II as indexed and precede the code for cancer of lung by an ampersand since it is the first mentioned condition for which the surgery could have been performed.

<u>"Surgery"</u> without indication of the condition which necessitated the surgery, code:

the complication to Chapters I-XIX, and the surgery to appropriate external cause code (Y83-) only. If the complication is classifiable to Chapters I-XVIII, precede the code for the complication with an ampersand.

I (a) Shock & hemorrhage T811 T810

(b) Surgery &Y839

<u>Code</u> I(a), shock and hemorrhage, T811 T810, both as complications of the surgery. Code I(b), surgery, Y839 and precede the code by an ampersand.

<u>Surgical procedure</u> such as **aneurysmectomy**, **cholelithotomy**, **hemorrhoidectomy** or **herniorrhaphy** which indicates the condition for which the surgery was performed, code:

the complication to Chapters I-XIX, the surgery to the appropriate external cause code (Y83-) preceded by an ampersand, if required, and code the condition implied by the surgery following the external cause code for the surgery. Place an ampersand preceding the code for the condition.

I (a) CHF I978

(b) Cholelithotomy Y838 &K802

<u>Code</u> I(a), CHF (congestive heart failure), as the complication of surgery. Code I(b), cholelithotomy, Y838 K802. Cholelithotomy indicates cholelithiasis (K802) was the condition for which surgery was performed. Precede K802 by an ampersand.

<u>Surgical procedure</u> that indicates an organ or site with <u>one</u> related condition for which the surgery could have been performed, code:

the complication to Chapters I-XIX, the surgery to the appropriate external cause code (Y83-) preceded by an ampersand, if required. Code the condition for which surgery could have been performed and precede with an ampersand.

I (a) MI	T818
(b) Gastrectomy	&Y836
II Bleeding gastric ulcer	&K254

<u>Code</u> I(a), MI, as the complication of the surgery. Code I(b), gastrectomy, Y836, as indexed and precede with an ampersand. Code Part II, bleeding gastric ulcer, as indexed and precede with an ampersand to indicate it was the condition for which surgery was performed.

<u>Surgical procedure</u> that indicates an organ or site without a related condition for which the surgery could have been performed, code:

the complication to Chapters I-XIX, the surgery to the appropriate external cause code (Y83-) preceded by an ampersand, if required, and code disease of the organ or site following the external cause code for the surgery. Place an ampersand preceding the code for the condition.

Ι	(a)	Cardiac arrest	I469	
	(b)	Pneumonia	J958	
	(c)	Pancreatectomy	Y836	&K869

<u>Code</u> I(a), cardiac arrest, as indexed. Code I(b), pneumonia, as the complication of the surgery. Code I(c), pancreatectomy, as indexed, and since the surgery indicates a disease of the pancreas, code this as the reason for surgery. Precede K869 by an ampersand.

Prophylactic or nontherapeutic surgery, code:

the complication to Chapters I-XIX, and the surgery to the appropriate external cause code (Y83-) preceded by an ampersand, if required. Do not assume or ampersand a disease condition. When the complication is classifiable to Chapters I-XVIII, precede the code for the complication with an ampersand.

Part R

Ι	(a)	Sepsis	A419
	(b)	Infection	T814
	(c)	Liposuction	&Y838

II

<u>Code</u> I(a), sepsis, as indexed. Code I(b), infection, as the complication of the nontherapeutic surgery. Code I(c) as a specified type of surgical operation.

c. Conditions qualified as postoperative

When "postoperative," "postop," "p.o.," "post-named surgery," or a synonymous term qualifies a <u>condition</u>, determination must be made as to whether the condition is a surgical complication or the condition for which the surgery was performed.

The following conditions are common complications of surgery. Code these conditions as postoperative complications when <u>preceded by or followed by one</u> of the postoperative terms except when it is stated elsewhere on the certificate as the reason the surgery was performed.

abscess occlusion adhesions peritonitis

aspiration phlebitis, phlebothrombosis

atelectasis pneumonia bowel obstruction pneumothorax cardiac arrest renal failure (acute)

embolism sepsis
fistula septicemia
gas gangrene septic shock
hemolysis, hemolytic shock

infection thrombophlebitis hemorrhage, hematoma thrombosis infarction wound infection

infection

This list is not all inclusive.

When "postoperative," "postop," etc., qualifies (preceding or following) a complication:

(1) If the complication is classified to Chapters I-XVIII, code the external cause code followed by the code for the complication.

I (a) Pneumonia postgastrectomy Y836 J958 &K3190

<u>Code</u> pneumonia as the complication of surgery when reported as "postoperative" or a synonymous term. Since the reason for surgery is not stated, code disease stomach and precede by an ampersand to indicate the reason for surgery.

I (a) Postgastrectomy dumping syndrome Y836 K911

(b)

(c) Carcinoma of stomach &C169

Code I(a), Y836, as indexed under Complication, removal of organ, and K911, as indexed under Syndrome, dumping. Code I(c) C169, as indexed under Neoplasm, stomach, malignant. Place an ampersand (&) preceding C169 to identify the underlying reason for surgery.

Ι	(a)	Pulmonary edema	J958	
	(b)	P.O. bowel obstruction	Y839	K566
	(c)	Ca. of cecum	&C180	
II	Sur	gery for bowel obstruction	K566	

<u>Code</u> I(a), pulmonary edema, as the complication of surgery. Code I(b) to surgery Y839 and code bowel obstruction as indexed K566 since it is stated as the reason for surgery. Code I(c), cancer of cecum, as indexed and precede the code by an ampersand to indicate the underlying reason for surgery. Part II, do not enter a code for surgery since P.O. was reported on line (b) and a surgery code was entered there. Code bowel obstruction as indexed.

(2) If the complication is classified to Chapter XIX, code the nature of injury code followed by the external cause code.

Ι	(a)	Sepsis and anuria			A419	R34
	(b)	P.O. peritonitis			T814	&Y839
	(c)	P.O. ca. of colon	\overline{c}	obstruction	&C189	K566

<u>Code</u> peritonitis as the complication as indexed under Peritonitis, postprocedural, T814. Code Y839 for the procedure. Peritonitis is considered to be a complication of surgery when reported as "postop" and not reported as the reason for surgery. Place an ampersand preceding the surgery code and the cancer of colon to identify the underlying reason for surgery.

Ι	(a)	Cardiac arrest	I469	
	(b)	Peritonitis, postop	T814	&Y839
				_

(c) Cholelithiasis &K802

<u>Code</u> I(a) as indexed. Code I(b), peritonitis, as the complication, T814 and Y839 for the procedure. Precede the E-code with an ampersand. Code I(c), cholelithiasis, as indexed and precede the code by an ampersand to indicate the condition necessitating surgery.

I	(a) MI postgastrectomy	T818	&Y836
II	Gastric ulcer surgery	&K25	9

Code I(a), M.I. postgastrectomy, T818 Y836. M.I. is considered to be a complication of surgery when reported as "postoperative" and not reported as the reason for surgery. Precede the E-code with an ampersand. Code Part II, gastric ulcer, K259 as indexed and precede the code by an ampersand to indicate the condition necessitating surgery. Do not enter a code in Part II for surgery since gastrectomy was reported on I(a) and the code was entered there.

I (a) Postoperative embolism T817 &Y836

(b) Appendectomy

(c) Acute appendicitis &K359

<u>Code</u> I(a), postoperative embolism, as indexed to T817 and Y836 as indexed under Complication, removal of organ. Precede the E-code with an ampersand. Code I(c), acute appendicitis, as indexed and precede the code by an ampersand to identify the underlying condition that necessitated surgery.

I (a) Heart failure I509 (b) ASHD &I251

II Thrombophlebitis, postoperative T817 &Y839

<u>Code</u> I(a) and I(b) as indexed. Code Part II, thrombophlebitis, postoperative, T817 Y839. Precede the E-code (Y839) by an ampersand. Thrombophlebitis is considered to be a complication of surgery when reported as "postoperative" and not reported as the condition that necessitated surgery. Precede the code on I(b), I251 (ASHD), by an ampersand to indicate the underlying condition necessitating surgery.

I (a) Pneumonia J189

(b) P.O. infection (wound) T814 &Y839

(c) Intestinal obstruction &K566

<u>Code</u> I(a) as indexed. Code I(b), p.o. infection (wound), T814 Y839. Precede the E-code with an ampersand. Infection is considered to be a complication of surgery when reported as "postop" and not reported as the reason for surgery. Code I(c), intestinal obstruction, K566 and precede the code by an ampersand to indicate the condition necessitating surgery.

- (3) When "postoperative intestinal obstruction" (any K560-K567) is reported and no condition which could have necessitated the procedure is reported:
 - (a) Code the postoperative intestinal obstruction as the condition which necessitated the surgical procedure if another condition is reported due to the postoperative obstruction.

I (a) Peritonitis T814

(b) Postoperative bowel &Y839 &K566

(c) obstruction

<u>Code</u> I(a), peritonitis, as the complication of surgery. Code I(b), postoperative bowel obstruction Y839 K566. Precede the E-code with an ampersand. Precede the K566 with an ampersand to indicate the condition necessitating surgery.

(b) Code the postoperative intestinal obstruction to K913 as the complication if no other condition is reported due to postoperative obstruction.

I (a) Postoperative ileus Y839 &K913

<u>Code</u> I(a) Y839 K913. Precede K913 by an ampersand. Consider the postoperative ileus to be the complication since no other condition is reported due to this condition.

- d. Complication as first entry on lowest used line in Part I
 - (1) When any one of the conditions listed below is reported as the first entry on the lowest used line in Part I with surgery reported on same line or in Part II, code this condition as a complication of surgery.

Do not apply this instruction:

- (a) When the surgery is stated to have been performed 28 days or more prior to death.
- (b) When the surgery is stated to have been performed for the condition reported as the first entry on the lowest line.
- (c) When the condition on the lowest used line predates the surgery.

Acute renal failure

Aspiration

Atelectasis

Bacteremia

Cardiac arrest (any I469)

Disseminated intravascular coagulopathy (DIC)

Embolism (any site)

Gas gangrene

Hemolysis, hemolytic infection

Hemorrhage NOS

Infarction (any site)

Infection NOS

Occlusion (any site)

Phlebitis (any site)

Phlebothrombosis (any site)

Pneumonia (J120-J168, J180-J189, J690, J698)

Pneumothorax

Pulmonary insufficiency

Renal failure (acute) NOS

Septicemia (any A400-A419)

Shock (R570-R579)

Thrombophlebitis (any site)

Thrombosis (any site)

SECTION V

Effects of External Cause of Injury and External Causes of Injury and Poisoning Complications of Medical and Surgical Care

Part R

I	(a) Pneumonia	J958
	(b)	
	(c)	
II	Diabetic gangrene, amputation	&E145 Y835

<u>Code</u> pneumonia as a complication of the amputation since it is the first entry on the lowest used line in Part I and surgery, <u>not</u> indicated to have been performed 28 days or more prior to death, is reported in Part II.

I	(a)	Pneumonia	J189	
	(b)	Pulmonary embolism, gastrectomy	T817	&Y836
	(c)			
II	Ca	ncer of stomach	&C169	

<u>Code</u> pulmonary embolism as a complication of gastrectomy since it is the first entry on the lowest used line in Part I and gastrectomy, <u>not</u> stated to have been performed 28 days or more prior to death, is reported on the same line as the embolism.

Date of death 09/17/96

I (a) Pleural effusion	J90
(b) Pulmonary embolism & pneumonia	T817 J189
(c)	
II	&Y839
Operation block	
/ 9/15/96 /	

NOTE: When a date is entered in the operation block, code as if surgery was performed on that date.

<u>Code</u> I(a) as indexed. Code pulmonary embolism as the complication of surgery since this condition is the first condition on the lowest used line in Part I and surgery was performed less than 28 days prior to death.

I (a) Pulmonary infarction

I269

(b)

(c)

II Cardiac catheterization

Cardiac catheterization is not classified as a surgical procedure; therefore, do not code the pulmonary infarction as a complication.

(2) When any of the conditions listed below are reported as the first entry on the lowest used line in Part I and abdominal or pelvic surgery is reported on the same line or in Part II, code complication as indexed and the surgery to appropriate external cause code (Y83-) where it is indicated on the record by the certifier.

Peritonitis
Intestinal obstruction (K560-K567)

I	(a) Pneumonia	J189	
	(b) Peritonitis	K659	
	(c) Intestinal obstruction	K913	
II	Colostomy - ulcerative colitis	Y833 &K519	

<u>Code</u> intestinal obstruction on I(c) as a complication of the surgery reported in Part II, since the surgery was <u>abdominal</u> and there is no indication that this procedure was performed 28 days or more prior to death.

(3) When any of the conditions listed below are reported as the first entry on the lowest used line in Part I and **surgery of the same site or region** is reported on the same line or in Part II, code complication as indexed and the surgery to appropriate external cause code (Y83-) where it is indicated on the record by the certifier.

Hemorrhage of a site Fistula of site(s)

I (a) Pneumonia	J189
(b) Gastrointestinal hemorrhage	T810
II Gastrectomy for stomach cancer	&Y836 &C169

<u>Code</u> gastrointestinal hemorrhage as a complication of the surgery reported in Part II since the surgery was of the same region and there is no indication that surgery was performed 28 days or more prior to death.

(4) When conditions listed in paragraph d(1), (2), and (3) are reported as the first entry on the lowest used line in Part I and surgery stated to have been performed 28 days or more prior to death is reported on the same line or in Part II, code condition as indexed. Do not code as a complication of the surgery.

I	(a)	Congestive heart failure	I500
	(b)	Shock	R579
	(c)	Acute renal failure	N179
II	Su	rgery performed 6 wks. ago for colon cancer	C189

<u>Code</u> all conditions on this record as indexed. Do not code acute renal failure as a complication of surgery since the surgery was performed 28 days or more prior to death.

(5) When adhesions are reported as the first entry on the lowest used line in Part I and surgery stated to have been performed less than one year prior to death is reported on same line or in Part II, code adhesions to K918 and code the surgery to appropriate E-code (Y83-).

I	(a)	Septic shock	A419	
	(b)	Peritonitis	K659	
	(c)	Adhesions	K918	
II	Su	gery - 6 mos. ago for ca. of colon	Y839	&C189

<u>Code</u> adhesions on I(c) as a complication of surgery and code the external cause code for the surgery as the first entry in Part II. Code the condition for which surgery was performed and precede by an ampersand.

(6) When adhesions are reported as the first entry on the lowest used line in Part I and surgery stated to have been performed one year or more prior to death is reported on same line or in Part II, code adhesions to K918, Other postprocedural disorders of the digestive system and code the surgery to Y883, sequela of surgery.

I	(a)	Renal failure	N19	
	(b)	Intestinal obstruction	K566	
	(c)	Adhesions	K918	
П	Su	rgery - 16 months ago for diverticulitis	Y883	&K579

II Surgery - 16 months ago for diverticulitis Y883 &K579

<u>Code</u> adhesions on I(c) as a complication of the surgery reported in Part II. Since this surgery was performed more than 1 year ago, code Y883 for the sequela of surgery. Code diverticulitis as the condition for which surgery was performed.

e. Ill-defined condition as first entry on lowest used line in Part I

When an ill-defined condition classifiable to the following codes:

1959 (Hypotension, unspecified)

I99 except occlusion and infarction (Other and unspecified disorders of circulatory system)

J960 (Acute respiratory failure)

J969 (Respiratory failure, unspecified)

P285 (Respiratory failure of newborn)

R000-R568, R590-R948, R960-R99 (Symptoms, signs, and abnormal clinical and laboratory findings, not elsewhere classified)

is reported as the first entry on the lowest used line in Part I with surgery reported on the same line or in Part II, proceed:

(1) Code the ill-defined condition, then code the remaining conditions as if the ill-defined condition had not been reported.

I (a) Senility and MI	R54	T818
II Gastrectomy	&Y836	&K3190

<u>Code</u> senility on I(a) R54 as indexed. Then code MI as if senility had not been reported. MI is coded as the complication of the surgery reported in Part II. Gastrectomy indicates a disease of the stomach. Precede both the code for the surgery and the code for Disease, stomach, with an ampersand.

I	(a) Renal failure	N990	
	(b) Cause unknown	R97	
II	Mastectomy	Y836	&N649

<u>Code</u> cause unknown on I(b) as indexed, then code renal failure as the complication of the surgery reported in Part II as if cause unknown had not been reported. Code Part II, mastectomy, Y836 N649. Code Disease, breast as the condition necessitating the mastectomy and precede it by an ampersand.

Exceptions:

Code each entry as indexed when:

The first entry on the lowest line in Part I is classifiable to		And a condition classifiable to one of the following codes is reported on the same line or in Part II		
R000	Tachycardia, unspecified	I010-I099 I110-I119 I130-I461	I470-I519 J380-J399	
R002	Palpitations	I010-I099 I110-I119	I130-I461 I470-I519	
R010 R011 R012	Benign and innocent cardiac murmurs Cardiac murmur, unspecified Other cardiac sounds	I010-I099 I110-I119	I130-I461 I470-I519	
R02	Gangrene NEC	A480 E100-E104 E105 E106 E107 E109 E110-E114 E115 E116 E117 E119 E120-E124 E125 E126 E127 E129 E130-E134	E135 E136 E137 E139 E140-E144 E145 E146 E147 E149 I702 I709 I730-I739 K350-K389 K400 K402 K403 K409	K410 K412 K413 K419 K420 K429 K430 K439 K440 K449 K450 K458 K460 K469
R030	Elevated blood pressure reading, without diagnosis of hypertension	I10-I139		

The first entry on the lowest line in Part I is classifiable to		And a condition classifiable to one of the following codes is reported on the same line or in Part II	
R040	Epistaxis	C300-C319 C783 C910-C959 D023 D140 D385	I10 J00-J019 J068-J069 J300-J311 J320-J348 J393-J399
R041	Hemorrhage from throat	C090-C148 C320-C329 C783 C798 C910-C959 D000 D020 D104-D109	D141 D370 D380 J00 J020-J040 J042-J069 J311-J312 J350-J399
R042 R048	Hemoptysis Hemorrhage from other sites in respiratory passages	A162-A1690 C320-C349 C780 C783 C910-C959 D020-D022	D141-D143 D380-D381 J040-J22 J370-J387 J393-J989
R05	Cough	F453 J101 J1010	J111 J1110 R042
R060	Dyspnea	A162-A1690 B909 C33-C399 C780-C783 D142-D159	D381-D383 D385-D386 J40-J989 P221

The first entry on the lowest line in Part I is classifiable to		And a condition classifiable to one of the following codes is reported on the same line or in Part II		
R061	Stridor	J385		
R062	Wheezing	A162 A1690 B909 C33-C399 C780-C783 D142-D159	D381-D383 D385-D386 J40-J989 P221	
R064	Hyperventilation	F453		
R066	Hiccough	F453		
R090	Asphyxia	T360-T659		
R104	Other and unspecified abdominal pain	R100 R193		
R11	Nausea and vomiting	J1010 J108 J1110	J118 K250-K289 K800-K820	
R17	Unspecified jaundice	B150-B199 C220-C259	C787-C788 K700-K839	
R18	Ascites	C160-C269 C56 C784 C787-C788	C796 C80-C969 K700-K709 K740-K746	
R233	Spontaneous ecchymoses	D690-D699		

	st entry on the line in Part I is classifiable to	And the condition classifiable to one of the following codes is reported on the same line or in Part II	
R250 R251 R252 R253 R258	Abnormal head movements Tremor, unspecified Cramp and spasm Fasciculation Other and unspecified abnormal involuntary movements	G110-G119 G20-G259 G400-G419 G510 G800-G839	
R260 R261 R262 R268	Ataxic gait Paralytic gait Difficulty in walking, not elsewhere classified Other and unspecified abnormalities of gait and mobility	A521	
R270	Ataxia, unspecified	A521 A523 G110-G119	
R278	Other and unspecified lack of coordination	A521 G110-G119	
R290	Tetany	E200-E209	
R291	Meningismus	J1010 J1110 J108 J118	
R298	Other and unspecified symptoms and signs involving the nervous and musculoskeletal systems	G800-G839	

	est entry on the line in Part I is classifiable to	And a condition classifiable to one of the following codes is reported on the same line or in Part II	
R300 R301 R309	Dysuria Vesical tenesmus Painful micturition, unspecified	C600-C689 C790-C791 C796 C798 D060-D061	D280-D309 D390-D419 N000-N999 Q600-Q649
R31	Unspecified hematuria	B508 B54 C600-C689 C790-C791 C796 C798	D060-D061 D280-D309 D390-D419 N000-N999 Q600-Q649
R32 R33	Unspecified urinary incontinence Retention of urine	C600-C689 C790-C791 C796 C798 D060-D061	D280-D309 D390-D419 N000-N999 Q600-Q649
R34	Anuria and oliguria	C600-C689 C790-C791 C796 C798 D060-D061	D280-D309 D390-D419 N000-N999 Q600-Q649 T795
R35 R36 R390 R391 R392 R398	Polyuria Urethral discharge Extravasation of urine Other difficulties with micturition Extrarenal uremia Other and unspecified symptoms and signs involving the urinary system	C600-C689 C790-C791 C796 C798 D060-D061	D280-D309 D390-D419 N000-N999 Q600-Q649

The first entry on the lowest line in Part I is classifiable to		And a condition classifiable to one of the following codes is reported on the same line or in Part II	
R400 R401	Somnolence Stupor	E100 E107 E110 E117 E120 E127 E130 E137 E140	E147 E15 K729 S020-S024 S026-S029 S060-S099 T902 T905-T909
R402	Coma, unspecified	E100 E101 E102-E106 E107 E109 E110 E111 E112-E116 E117 E119 E120 E121 E122-E126 E127 E129 E130 E131	E132-E136 E137 E139 E140 E141 E142-E146 E147 E149 E15 E160-E162 K729 S020-S024 S026-S029 S060-S099 T902 T905-T909
R529	Pain, unspecified	G547	
R568	Other and unspecified convulsions	A35 G400-G419 O100-O11 O13-O16	

The first entry on the lowest line in Part I is classifiable to		And a condition classifiable to one of the following codes is reported on the same line or in Part II	
R590	Localized enlarged lymph nodes	B270-B279 C810-C969	
R591	Generalized enlarged lymph nodes	B24 B270-B279 B588	B589 C810-C969
R599	Enlarged lymph nodes, unspecified	B270-B279 C810-C969	
R600 R601	Localized edema Generalized edema	E43 E877	N000-N058 N059
R609	Edema, unspecified	E43 E877 N000-N058	
R628	Other lack of expected normal physiological development	B24 E45 E46	
R630	Anorexia	F500	
R631	Polydipsia	E232 N251	
R64	Cachexia	B24 E41 E46	
R730	Abnormal glucose tolerance test	E100-E162 E891	
R780	Finding of alcohol in blood	F101-F109	

The first entry on the lowest line in Part I is classifiable to		And a condition classifiable to one of the following codes is reported on the same line or in Part II	
R788	Finding of other specified substances, not normally found in blood	A000-A079 A09-A499 J13-J159 J180-J189	
R798	Other specified abnormal findings of blood chemistry	E100 E101 E102-E106 E107 E109 E110 E111 E112-E116 E117 E119 E120 E121 E122-E126	E127 E129 E130 E131 E132-E136 E137 E139 E140 E141 E142-E146 E147 E149
R799	Abnormal finding of blood chemistry, unspecified	E101 E107 E111 E117 E121	E127 E131 E137 E141 E147
R80	Isolated proteinuria	C900 D511 D649	N000-N079 N170-N19 N250-N289
R81	Glycosuria	E100-E149 E748	
R823	Hemoglobinuria	B508 B54 D595-D596	

The first entry on the lowest line in Part I is classifiable to		And a condition classifiable to one of the following codes is reported on the same line or in Part II		
R824	Acetonuria	E101 E127 E107 E131 E111 E137 E117 E141 E121 E147		
R826	Abnormal urine levels of substances chiefly nonmedicinal as to source	F100-F109		
R893	Abnormal findings in specimens from other organs, systems and tissues	F100-F109		

Effects of External Cause of Injury and External Causes of Injury and Poisoning Complications of Medical and Surgical Care

Part R

I	(a) Pneumonia	J189
	(b) Coma	R402
II	Surgery for diabetic gangrene	E145

<u>Code</u> I(a) and I(b) as indexed. Coma is reported as the first condition on the lowest used line, **but** diabetic gangrene is reported in Part II. Therefore, pneumonia cannot be coded as a complication of surgery. Do not enter a code for surgery since no complication is reported.

I	(a)	Aspiration pneumonia	J690
	(b)	Jaundice	R17
II	Cho	olecystectomy for gallstones	K802

<u>Code</u> I(a) and I(b) as indexed. Jaundice is reported as the first condition on the lowest used line with gallstones reported in Part II. Therefore, aspiration pneumonia cannot be coded as a complication of surgery. Code Part II, K802 (gallstones). Do not enter a code for the cholecystectomy since no complication was reported.

Ι ((a)	Sepsis	A419

(b) Gangrene, pneumonia, and R02 J189 I709

(c) arteriosclerosis

II Surgery

<u>Code</u> I(a) and I(b) as indexed. Gangrene is reported as the first condition on the lowest used line, but arteriosclerosis is reported on the same line; therefore, pneumonia cannot be a complication of surgery. Do not enter a code for surgery since no complication is reported.

f. Relating surgical procedure to condition for which surgery was performed

(1) When a condition of unspecified site is reported with surgery of a defined site, code the condition of unspecified site to the defined site.

I	(a) Aneurysm	I719
II	Operation for aortic aneurysm	I719

<u>Code</u> I(a), aneurysm of unspecified site to aortic aneurysm, I719, since the surgery is of a defined site. Code aortic aneurysm in Part II. Do not enter a code for the surgery since there is no reported complication.

(2) When a condition of a site is reported with surgery of a more defined part of the site, code the condition to the more specified site.

I (a) Carcinoma colon

C186

II Left colectomy

<u>Code</u> I(a), carcinoma colon to carcinoma left colon, C186, since the surgery is of a more specified part of the colon. Do not enter a code for the surgery since there is no reported complication.

I (a) Valvular heart disease

I059 I069

II Status post mitral and aortic valve repair

<u>Code</u> I (a) valvular heart disease of unspecified valve to disease, mitral and aortic valves since the surgery is of specified valves. Do not enter a code for the surgery since there is no reported complication.

(3) When a condition of a site is reported with surgery for the same condition of unspecified or a less defined part of the site, code the condition to the most defined site.

I	(a) Cancer of head of pancreas	C250
II	Pancreatectomy for cancer	C250

<u>Code</u> I(a), cancer head of pancreas, C250. Code Part II as cancer of head of pancreas since elsewhere a more defined site was reported of the condition for which surgery was performed. Do not enter a code for the surgery since there is no reported complication.

(4) Do not apply these instructions when more than one condition of multiple specified sites which could have necessitated the surgery is reported.

I	(a) Cardiac arrest	I469		
	(b) Respiratory arrest	R092		
	(c) Carcinoma of lung, liver, brain	C349	C787	C793
II	Findings of operation: Carcinoma	C80		

<u>Code</u> I(a), I(b) and I(c) as indexed and according to neoplasm instructions. Code Part II, carcinoma, C80. Do not code the carcinoma to a more defined site since multiple specified sites are reported for which the surgery could have been performed. Do not enter a code for the surgery since there is no reported complication.

g. Complications of amputation and amputation stump

When a complication (stated or implied) occurs as a result of an <u>amputation</u>, code the complication to Chapters I-XIX. When the complication is classifiable to Chapters I-XVIII <u>and</u> the condition that necessitated the amputation is not reported, precede the code for the complication with an ampersand.

I (a) Renal failure &N990 (b) Below knee amputation of leg Y835

<u>Code</u> I(a), renal failure, N990 as the complication of surgery. Code I(b), below knee amputation of leg, Y835. Precede the N990 with an ampersand since it is classified to Chapter XIV and the condition that necessitated the amputation is not reported.

When there is a complication of an <u>amputation stump</u>, code the complication to T873-T876 or to the appropriate code in Chapters I-XVIII. (Do not use T873-T876 for "stump" of internal organs).

I (a) Infected amputation stump T874 &Y835 (b) Osteosarcoma of leg &C402

<u>Code</u> I(a), infected amputation stump T874 Y835. Precede the E-code, Y835, by an ampersand. Code I(b), osteosarcoma of leg, C402. Precede C402 by an ampersand to indicate the condition that necessitated the amputation.

3. Complications of medical procedures other than surgical (Y84)

Medical procedures are any type of nonsurgical procedures used in the treatment of diseases or injuries. The external cause is classified to Y840-Y849. Although almost any condition reported due to medical procedures other than surgical is regarded as a complication, there are a few diseases that are not considered complications. Do not code the conditions listed under 2. a. (1) (a) and (b) in Section V, Part R as complications of medical procedures. The medical procedure other than surgical is not coded when there is no evidence of a complication. If the reason for the medical procedure is not reported, do not assume a disease condition.

a. When a condition is reported due to a named medical procedure other than a surgical operation or is modified by a named procedure and can be considered as a complication(s) or adverse effect, code as follows:

STEP 1: Determine if the complication is in the Index qualified by the specific procedure reported.

I (a) Kidney blockage &N990 (b) Postcystoscopic procedure Y848

<u>Code</u> I(a) as indexed using **Step 1**:

Block

- kidney
- - postcystoscopic or postprocedural N99.0.

<u>Code</u> I(b) Y848 as indexed under Complication, procedures other than surgical operation, specified NEC. Precede N990 with an ampersand.

Part R

STEP 2: If the Index does not qualify the complication with the specified procedure, determine if the procedure is indexed under Complications (from) (of).

I (a) Urinary tract infection T835 (b) Post-indwelling urinary catheter &Y846

Code I(a) using **Step 2**:

Complications (from) (of)

- catheter (device)
- - urinary (indwelling)
- - infection or inflammation T83.5

Select infection or inflammation since urinary tract infection is an infectious condition.

<u>Code</u> I(b) Y846 as indexed under Complication, catheter, catheterization (urinary). Precede the E-code with an ampersand.

I (a) Pulmonary embolism T838 (b) Catheter & &Y846

Code I(a) using Step 2:

Complications (from) (of)

- catheter (device)
- - specified NEC T83.8

Select specified since pulmonary embolism is a specified complication.

<u>Code</u> I(b) Y846 as indexed under Complication, catheter, catheterization (urinary). Precede the E-code with an ampersand.

When the Index does not provide for the term as specified in **STEP 1** and **STEP 2**, code the complication as if procedure NOS was reported instead of the named medical procedure as defined in the following instructions:

NOTE: Before continuing to **STEP 3**, it is important to determine the nature of the named procedure.

I	(a)	Peritonitis	T802
	(b)	Peritoneal lavage	&Y841
	(c)	Chronic renal failure	&N189

The procedure peritoneal lavage is not indexed under Complications (from) (of) in Section II. To code the complication and procedure correctly, the type of procedure reported must be determined. Peritoneal lavage is defined in Dorland's Illustrated Medical Dictionary as "dialysis by installation into the peritoneal cavity......". Following this definition, peritoneal lavage should be coded as dialysis.

Code I(a) using **Step 2**:

Complications (from) (of)

- dialysis (renal) (see also Complications, infusion)
- infusion
- - infection NEC T80.2

Select infection since peritonitis is an infectious condition.

<u>Code</u> I(b) Y841 as indexed under Complication, dialysis (kidney). Precede the E-code and the condition requiring treatment with an ampersand.

- b. When a condition that is
 - (1) reported due to a named procedure cannot be assigned a code using **STEP 1** or **STEP 2** or
 - (2) reported due to a procedure other than surgical operation NOS or therapy NOS, and can be considered as a complication(s) or adverse effect, code as follows:
 - **STEP 3:** Determine if the complication is in the Index, qualified:
 - (a) as reported
 - (b) with any term meaning "due to" procedure or medical care (see Section II, Part C, 2, a, "<u>Due to" written in or implied</u>)
 - (c) as postprocedural

I (a) Renal failure &N990 (b) Paracentesis Y844

Code I(a) as indexed using Step 3 (c):

Failure

- renal
- - postprocedural N99.0

<u>Code</u> I(b) Y844 as indexed under Complication, paracentesis. Precede N990 with an ampersand.

- **STEP 4:** If the Index does not provide a code for the complication in Steps 1-3, determine if:
 - (a) the <u>site</u> of the complication is in the Index under Complications (from) (of)
 - medical procedure

or

- (b) the <u>system</u> in which the complication occurred (based upon the code assigned in the Index) is in the Index under Complications (from) (of)
 - medical procedure
- (c) the system in which the complication occurred (based upon the code assigned in the Index) is in the Index under Complications (from) (of)
 - postprocedural

I (a) Cardiac arrest T818
(b) Therapy &Y849
(c) Arteriosclerotic heart disease &I251

Code I(a) using Step 4 (a):

Complications (from) (of)

- medical procedure
- - cardiac T81.8

Select cardiac since this is the site of the complication.

<u>Code</u> I(b) Y849 as indexed under Complication, procedures other than surgical operation. Precede the E-code and the condition requiring treatment with an ampersand.

SECTION V

Part R

Effects of External Cause of Injury and External Causes of Injury and Poisoning Complications of Medical and Surgical Care

I	(a)	Pulmonary edema	&J958
	(b)	Endotracheal tube	Y848

Code I(a) using Step 4 (b):

Complications (from) (of)

- medical procedure
- - respiratory
- --- specified NEC J95.8

Select respiratory, specified since pulmonary edema is classified to J81, a specified disease in the respiratory system.

<u>Code</u> I(b) Y848 as indexed under Complication, procedures other than surgical operation, specified NEC. Precede J958 with an ampersand.

I	(a)	Stroke	I64
	(b)	Cerebral embolism	T817
	(c)	Renal angiogram	&Y848

Code I(b) using Step 4 (b):

Complications (from) (of)

- medical procedure
- - circulatory T81.7

Select circulatory since cerebral embolism is classified to I634, a specified disease in the circulatory system.

<u>Code</u> I(c) Y848 as indexed under Complications, procedure other than surgical operation, specified NEC. Precede the E-code with an ampersand.

STEP 5: When a reported specified complication cannot be classified to a system that is indexed, code T818, Other complications of procedures, not elsewhere classified.

I	(a)	Shock	R579
	(b)	Coagulation disorder	T818
	(c)	Hyperthermia therapy	&Y848

Coagulation disorder is not indexed as due to a procedure or as postprocedural. This condition is classified to D689, a disease of the blood-forming organs. Neither the term nor the body system is indexed under Complications (from) (of), medical procedure.

Code I(b) using **Step 5**:

Complications (from) (of)

- procedure
- - specified T81.8

Select specified since coagulation disorder is a specified complication.

<u>Code</u> I(c) Y848 as indexed under Complication, procedures other than surgical operation, specified NEC. Precede the E-code with an ampersand.

- 4. <u>Complications of procedures involving administration of drugs, radiation, and instruments</u>
 - a. Many procedures (e.g., angiogram, barium enema, pyelogram) involve the administration of drugs and the use of x-ray or radioactive substances and various instruments. When complications of these procedures are reported, determine, if possible, which specific part of the procedure caused the complication. Assign the appropriate codes for the complication and the procedure. When the complication is classified to Chapters I-XVIII and the reason for the procedure is not reported, precede the code for the complication with an ampersand. If the reason for the medical care is not reported, do not assume a disease condition.

I	(a)	Pulmonary embolism	T828
	(b)	Cardiac catheterization	&Y840
	(c)	Ventricular septal defect	&Q210

<u>Code</u> I(a) as the complication of the catheterization reported on I(b). Code I(b) as indexed, Y840 and precede with an ampersand. Code I(c) as indexed and precede with an ampersand to indicate the reason for the procedure.

I	(a)	Barium impaction of intestine	Y575	K564
	(b)	Barium enema		

(c) Colon polyps &K635

<u>Code</u> the barium on I(a) to adverse effect in therapeutic use, Y575, since it was the drug that caused the impaction. Code the complication, <u>impaction</u>, as indexed, Impaction, intestine, K564. Do not enter a code on I(b) for barium since it was coded on I(a). Code I(c) as indexed and precede with an ampersand to indicate the reason for the procedure.

I	(a)	Anaphylactic shock	T886
	(b)	Contrast medium (aortogram)	&Y575
II	Dis	ssecting aortic arch aneurysm	&I710

<u>Code</u> I(a) as the complication of the contrast medium. Indexed as Shock, anaphylactic, correct substance properly administered. Code I(b) contrast medium as adverse effect in therapeutic use, since the drug caused the anaphylactic shock. Code Part II as indexed and precede with an ampersand to indicate the reason for the procedure.

Part R

Ι	(a)	Peritonitis	K659
	(b)	Hemorrhage of colon	K918
	(c)	Barium enema	Y848
	(d)	Diverticulitis	&K579

<u>Code</u> I(a) as indexed. Code I(b) as the complication of the administration of the enema. Code I(c) barium enema, Y848, since the hemorrhage most likely resulted from the administration of the enema rather than the barium. Code I(d) as indexed and precede with an ampersand to indicate the reason for the procedure.

I	(a)	Cerebral hemorrhage	T817
	(b)	Cerebral arteriogram	&Y848

<u>Code</u> I(a) as the complication of the arteriogram. Code I(b) cerebral arteriogram, Y848, since the hemorrhage resulted from the procedure and precede with an ampersand. Do not assume a disease condition for the cerebral arteriogram.

b. When a complication results from the administration of anesthesia, code the complication as indexed and code the appropriate external cause code (Y480-Y485) (refer to Section V, Part R, 1, <u>Drugs, medicaments and biological substances causing adverse effects in therapeutic use</u>).

I	(a)	Cardiac failure	I509
	(b)	Anesthesia for prostate surgery	Y484
	(c)		&N429

<u>Code</u> I(a) as indexed and as the complication of the anesthesia. Code I(b) anesthesia to adverse effect in therapeutic use, Y484, since it was the anesthesia that caused the heart failure. Code I(c) N429, disease prostate, as the reason for surgery and precede with an ampersand.

Ι	(a)	Cardiac failure	T818
	(b)	Prostate surgery under anesthesia	&Y839
	(c)	Benign prostatic hypertrophy	&N40

<u>Code</u> I(a) as indexed under Failure, heart, complicating surgery. Code I(b) prostate surgery as indexed. Code I(c) as indexed and precede with an ampersand to indicate the reason for surgery.

5. Complications of radiation during medical care (Y842)

When a complication results from exposure to radiation, except radio-frequency radiation, infrared heaters or lamps and visible or ultraviolet light sources, consider as exposure of patient to radiation during medical care unless there is information on the certificate that indicates otherwise. Code complications of radiation during medical care as follows:

- a. Complications qualified as "radiation," "radiation-induced," "due to radiation," or "following radiation"
 - (1) Coding the complication
 - (a) If the Index provides a code for the complication qualified by one of these terms, use that code.
 - (b) If the Index does not provide a code for the complication qualified by one of these terms, code the complication as indexed without the qualifier.

(2) Placement of codes

- (a) If the complication is qualified as "radiation" or "radiation-induced" and classified to Chapters I-XVIII, code the external cause code followed by the code for the complication.
- (b) If the complication is qualified as "radiation" or "radiation-induced" and classified to Chapter XIX, code the nature of injury code followed by the external cause code.
- b. Code the external cause code to Y842, (Radiological procedure and radiotherapy).
- c. Use of ampersand
 - (1) If the reason for the radiation therapy is reported, precede this condition with an ampersand.
 - (2) If the reason for the radiation therapy is not reported and a malignant neoplasm is reported, precede the neoplasm with an ampersand.
 - (3) If the reason for the radiation therapy is not reported and the complication is classified to Chapters I-XVIII, precede the complication with an ampersand.

Effects of External Cause of Injury and External Causes of Injury and Poisoning Complications of Medical and Surgical Care

Part R

I	(a)	Pulmonary edema	J81
	(b)	Radiation pneumonitis	Y842 J700
	(c)	Radiation therapy for cancer of breast	
	(d)		&C509

<u>Code</u> I(b) to the external cause as indexed where the radiation is first reported followed by the code for the complication. Pneumonitis is the complication of the radiation and is indexed, Pneumonitis, radiation. Precede the code for cancer of breast with an ampersand to indicate the reason for the radiation.

I	(a) Carcinomatosis	C80
	(b) Oat cell carcinoma	&C349
	(c)	
II	X-ray fibrosis - lung	Y842 J701

<u>Code</u> Part II to the external cause as indexed followed by the code for the complication. Fibrosis of lung is the complication and is indexed, Fibrosis, lung, following radiation. Code I(b) as indexed and precede

with an ampersand to indicate the reason for the radiation.

I	(a)	Pneumonia	J700
	(b)	Radiation	Y842
	(c)	Carcinoma of face	&C760

 $\underline{\text{Pneumonia}}$ is the complication of the radiation reported on I(b). Code I(a) as indexed, Pneumonia, radiation. Code the external cause as indexed on I(b). Code I(c) as indexed and precede with an ampersand to indicate the reason for the radiation.

Ι	(a)	Debility	R53
	(b)	Radiation therapy	Y842
	(c)	Hodgkin's disease	&C819

<u>Debility</u> is the complication of the radiation reported on I(b). Code I(a) as indexed since the Classification does not provide a code for radiation debility. Code the external cause as indexed on I(b). Code I(c) as indexed and precede with an ampersand to indicate the reason for the radiation.

SECTION V

Effects of External Cause of Injury and External Causes of Injury and Poisoning Complications of Medical and Surgical Care

Part R

I (a) Radiation-induced acute Y842 J700

(b) bronchitis

II Carcinoma of trachea &C33

<u>Code</u> I(a) to the external cause as indexed, followed by the code for the complication. Acute bronchitis is the complication and is indexed Bronchitis, acute, due to radiation. Code Part II as indexed and precede with an ampersand to indicate the reason for the radiation.

I (a) Alopecia L581 (b) Radiation Y842 II Hodgkin's granuloma &C817

<u>Alopecia</u> is the complication of the radiation reported on I(b). Code I(a) as indexed under Alopecia, X-ray. Code the external cause as indexed on I(b). Code Part II as indexed and precede with an ampersand to indicate the reason for the radiation.

I (a) Peritonitis K659
(b) Intestinal fistula &K632
(c) Radiation therapy Y842

<u>Intestinal</u> fistula is the complication of the radiation reported on I(c). Code I(b) as indexed since the Classification does not provide a code for radiation intestinal fistula. Code the external cause as indexed on I(c). Precede the complication (intestinal fistula) with an ampersand since it is classified to Chapters I-XVIII and the reason for the radiation was not reported.

d. When radiation fibrosis is reported without a site or of a site not indexed, code the fibrosis to T66, Complications, radiation.

I (a) Cerebral anoxia G931 (b) Carcinoma of tongue &C029

II Radiation fibrosis, upper airway obstruction T66 &Y842 J988

<u>Code</u> Part II Complications, radiation for the fibrosis and the external cause as indexed. Code the nature of injury followed by the external cause. Place an ampersand preceding the E-code and the condition on I(b) to indicate the reason for the radiation.

- I (a) Radiation pelvic fibrosis T66 &Y842 (b) Carcinoma of uterus &C55
- <u>Code</u> I(a) Complications, radiation for the pelvic fibrosis and the external cause as indexed. Code the nature of injury followed by the external cause. Place an ampersand preceding the E-code and the condition on I(b) to indicate the reason for the radiation.

6. Misadventures to patients during surgical and medical care (Y60-Y69)

Except for poisoning, overdose of drug and wrong drug given in error, code most misadventures (accidents or errors) to patients during surgical and medical care to Complications of surgical and medical care (T800-T889) in the nature of injury chapter and to Y600-Y69 in the external cause chapter. Code burns from local applications or irradiation to burns in the nature of injury chapter and to Y600-Y69 in the external cause chapter. Code trauma from instruments during delivery to Chapter XV and do not use an external cause. A limited number of conditions attributable to misadventure to patient (Y600-Y69) in the external cause code, e.g., serum hepatitis, are classified to Chapters I-XVIII.

Indications of Misadventures

Hemorrhage (of a site) Rupture (of a site)	Stated as intraoperative or during medical and surgical care
Cut or cutting (of a site) Perforation (of a site) Puncture (of a site) Laceration (of a site)	Reported as postoperative, intraoperative, during or due to medical and surgical care
Burns (of a site)	From local applications or irradiation
Serum hepatitis	From blood transfusions
Fracture (thoracic area)	From cardiopulmonary resuscitation From Heimlich maneuver

This list is not all inclusive.

When a misadventure to patient during surgical and medical care (classifiable to Y600-Y69) is reported and the condition, which necessitated the surgical or medical care, is stated or implied, precede the code for this condition with an ampersand.

I	(a)	Hemorrhage during	T810
	(b)	craniotomy	&Y600
	(c)	Brain tumor	&D432

<u>Code</u> I(a) Complication, surgical procedure, hemorrhage. Since "during" is stated, interpret I(b) as a misadventure and code Misadventure, hemorrhage, surgical operation. Code I(c) as indexed and precede with an ampersand to indicate the reason for surgery.

I	(a)	Perforation of colon	T812
	(b)	Laparotomy	&Y600

<u>Code</u> I(a) Perforation, surgical. Interpret I(b) as a misadventure and code Misadventure, perforation, surgical operation.

I	(a)	Cardiac tamponade	I319	
	(b)	Perforation of auricle by cardiac catheter	T812	&Y605
II	The	rapeutic misadventure	T889	

<u>The</u> perforation occurred during a cardiac catheterization. Code I(b) as accidental perforation of organ during a procedure, and accidental perforation during a heart catheterization. Code Part II as indexed, Misadventure (prophylactic) (therapeutic).

I	(a)	Peritonitis	K659	
	(b)	Accidental perforation of	T812	&Y607
	(c)	colon		

II Self-administered tap water enema

<u>I(b)</u> is a reported misadventure occurring during medical care. Code T812, accidental perforation during a procedure and Y607, accidental perforation during the administration of an enema.

Effects of External Cause of Injury and External Causes of Injury and Poisoning Complications of Medical and Surgical Care

Part R

I	(a)	Serum hepatitis	B169
	(b)	Blood transfusion	Y640
	(c)	Leukemia	&C959

Serum hepatitis is a misadventure occurring during a blood transfusion. Code I(a) B169, serum hepatitis, and I(b) Y640, Contaminated medical or biological substance transfused or infused. Code I(c) as indexed and precede with an ampersand to indicate the reason for the transfusion.

I	(a)	Burns	T300
	(b)	Radiation therapy	&Y632
	(c)	Cancer of esophagus	&C159

<u>Code</u> I(a) T300, radiation burns. Code I(b) Y632, Overdose of radiation given during therapy. Code I(c) as indexed and precede with an ampersand to indicate the reason for the radiation.

Ι	(a)	Rib fracture	T818
	(b)	Cardiopulmonary resuscitation	&Y658
	(c)	Pulmonary embolism	&I269

<u>Rib</u> fracture due to cardiopulmonary resuscitation is considered a misadventure. Code I (a) Complications, medical procedure, specified NEC T818. Code I(b) Misadventure, specified type Y658. Code I (c) as indexed and precede with an ampersand to indicate the reason for cardiopulmonary resuscitation.

I	(a)	HIV	B24
	(b)	Blood transfusion	
	(c)	Hemophilia	D66

<u>Code</u> I(a) and I(c) as indexed. No code for I(b) since there are no complications reported. Do not consider HIV (any B20-B24) as a misadventure occurring during a blood transfusion.

Part S

S. Sequela of injuries, poisonings, and other consequences of external causes

A sequela is a late effect, an after effect, or a residual of a nature of injury or external cause. The Classification provides categories T900-T983 for sequela of nature of injury codes and Y850-Y899 for sequela of external causes. There are separate instructions for determining if the nature of injury or the external cause should be coded as sequela. If either the nature of injury or the external cause requires a sequela code, both the nature of injury and the external cause must be coded to a sequela category.

1. <u>Sequela of injuries, poisoning, and other consequences of external causes</u> (T900-T983)

Use these categories for the classification of injuries and poisonings (conditions in S00-T88) if:

a. A statement of sequela of the condition in S00-T88 is reported unless the interval between date of injury and date of death is less than 1 year.

I (a) Sequela of hip fracture T931
(b)
(c)
II & &Y86

<u>Code</u> I(a) to T931 since it is stated as a sequela of hip fracture. Code Part II as sequela of accident NEC.

b. The condition in S00-T88 is stated to be ancient, chronic, healed, history of, late effect of, old, remote, regardless of reported duration, or the interval between onset of this condition and death is indicated to be 1 year or more, whether or not the residual (sequela) effect is specified.



<u>Code</u> I(a) old head injury to Sequela, injury, head since it is stated as old. Interpret "tractor overturning on farm" as contact with agricultural machinery. Code Part II accident - tractor overturned to sequela of other accidents since it resulted in an injury stated as old.

c. A chronic condition with or without a duration is reported due to a condition in S00-T88.

]	Date of Death		
I (a) Chronic pyelitis			N119
(b) Quadriplegia			T913
(c) Fracture cervical spine			T911
II			&Y850
MOD	_		
A	Accident	Date of injury 3/14/98	2 car collision

<u>Code</u> I(a) chronic pyelitis as indexed. Code I(b) Quadriplegia, traumatic as indexed. Code I(c) fracture cervical spine to sequela of fracture of spine since it caused a chronic condition. Code Part II accident - 2 car collision, to Sequela, motor vehicle accident since it resulted in injuries that caused a chronic condition.

d. A condition with a duration of 1 year or more that was due to the condition in S00-T88 is reported.

I	(a)	Paralysis	16 mos.	T941
	(b)	Spinal cord injury		T913
	(c)	Auto accident		&Y850

<u>Code</u> I(a) paralysis to sequela of traumatic paralysis since it is reported due to trauma and has a duration of 1 year or more. Code I(b) spinal cord injury to Sequela, injury, spinal, cord since it caused a condition of 1 year or more. Code I(c) auto accident, to Sequela, motor vehicle accident.

e. More than one nature of injury or a nature of injury and an external cause are reported on the same line with a duration of 1 year or more, apply the duration to each condition.

I	(a) Head injury and skull fracture	Years	T909 T902
	(b)		
II	Fall		&Y86

<u>Code</u> both conditions on I(a) as sequela. Do not disregard the duration since there is more than one injury on same line.

I	(a)	Gunshot wound head	Years	T901	&Y86
1	(a)	Guilshot woulld licad	1 cars	1701	α

<u>Code</u> both head wound and gunshot as sequela. Apply duration to nature of injury and external cause.

Effects of External Cause of Injury and External Causes of Injury and Poisoning

Sequela of Injuries, Poisonings, and Other Consequences of External Causes

	2.	Seq	uela o	of extern	al causes	(Y850-Y899)
--	----	-----	--------	-----------	-----------	-------------

Y850	Sequela of motor vehicle accident (includes V01-V89)
Y859	Sequela of other and unspecified transport accidents (includes V90-V99)
Y86	Sequela of other accidents (excludes W78-W80)
Y870	Sequela of intentional self-harm
Y871	Sequela of assault
Y872	Sequela of events of undetermined intent
Y880	Sequela of adverse effects caused by drugs, medicaments, and biological
	substances in therapeutic use
Y881	Sequela of misadventures to patients during surgical and medical procedures
Y882	Sequela of adverse incidents associated with medical devices in
	diagnostic and therapeutic use
Y883	Sequela of surgical and medical procedures as the cause of abnormal
	reaction of the patient, or of later complication, without mention of
	misadventure at the time of the procedure
Y890	Sequela of legal intervention
Y891	Sequela of war operations
Y899	Sequela of unspecified external cause

Use the preceding categories with the appropriate fourth characters for the classification of external causes of injury (V010-Y849) if:

a. A statement of sequela of the external cause is reported unless the interval between date of external cause and date of death is less than 1 year.

I (a) Paralysis, sequela of T941 &Y86 (b) fall down steps

Code I(a) to sequela of traumatic paralysis and sequela of fall down the steps.

b. An injury that is stated to be ancient, healed, history of, late effect of, old, remote, or a delayed union, malunion or nonunion of a fracture that was due to the external cause is reported.

MOD A	(a) Pneum (b) Debili (c) Nonum I Inanition	ty	f hip fracture	J189 R53 M841 R64	Y86
	Accident		Fell at home		

<u>Code</u> I(c) as indexed. Code sequela of fall last in Part II since the fall resulted in nonunion of the fracture.

Effects of External Cause of Injury and External Causes of Injury and Poisoning Sequela of Injuries, Poisonings, and Other Consequences of External Causes

Part S

I (a) ASHD I251
II Old fractured hip T931 &Y86

<u>Code</u> I(a) ASHD as indexed. Code Part II old fractured hip, T931 Y86 since the injury was specified as old.

c. If the external cause is stated to be ancient, history of, old, remote, regardless of reported duration, or the interval between onset of the external cause and death is indicated to be 1 year or more.

	(b)	ll, fractured hip	6 months	T931 &Y8	6
MOD A	(c) II			T931	
A	Accident	Fell and	fractured hip 6 m	nonths ago	

Code as sequela since the external cause is stated as "old."

d. A chronic condition with or without a duration is reported due to conditions in V010-Y849 (excludes W78-W80).

I	(a)	Chronic subdural hematoma	T905
	(b)	Fall	&Y86

<u>Code</u> I(a) chronic subdural hematoma to Sequela, hematoma, subdural since it is reported as chronic. Code I(b) fall as sequela of accident NEC since it resulted in a chronic condition.

I	(a)	Respiratory arrest	R092	
	(b)	COPD	J958	
	(c)	Post status lobectomy - ca. of lung	Y883	&C349

<u>Code</u> I(a) respiratory arrest as indexed. Code I(b) COPD as a complication of the surgery reported on I(c). Code I(c) lobectomy to Sequela, surgical and medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure since it resulted in a chronic condition.

Part S

e. A condition with a duration of 1 year or more that was due to the external cause is reported.

I (a) Subdural hematoma 1 year T905 (b) Fall &Y86

<u>Code</u> I(a) subdural hematoma, T905, since it is reported to be of 1 year or more duration. Code I(b) fall, Y86, since it resulted in a condition of 1 year or more duration.

I (a) Esophageal stricture years K222

(b) Ingestion of lye T97 &Y870

II Suicide attempt

<u>Code</u> I(a) esophageal stricture as indexed. Code I(b) ingestion of lye, T97 Y870, since it resulted in a condition of 1 year or more duration.

f. The interval between the time of occurrence of the external cause and death is indicated to be 1 year or more, whether or not the residual (sequela) effect is specified.

Date of death 11/1/96
I (a) Bronchopneumonia J180

MOD II Contusion brain T905 &Y850

A Ccident Street Date of injury | Bicycle (operator) vs. truck

<u>Code</u> I(a) bronchopneumonia as indexed. Code sequela of nature of injury and external cause since the date of injury is 1 year or more prior to death.

I (a) Cardiac arrest I469

(b) Pacemaker failure weeks T983 &Y883 &I519

(c) Had pacemaker implanted 3 years ago

<u>Code</u> I(a) cardiac arrest as indexed. Code I(b) pacemaker failure to sequula T983 and Y883 since duration of implanted pacemaker is 3 years. Code I519, Disease, heart since pacemaker indicates a heart disease. Precede I519 with an ampersand as reason for the surgery. Do not enter a code on I(c).

Effects of External Cause of Injury and External Causes of Injury and Poisoning Sequela of Injuries, Poisonings, and Other Consequences of External Causes

- g. The complication of the external cause classified to Chapters I-XVIII and the external cause is reported on the same line and the duration is 1 year or more.
 - I (a) Radiation enteritis 3 years Y883 K520 (b) Lung cancer &C349

<u>Code</u> I(a) as a sequela of radiation therapy. Do not disregard the duration. Precede the code for the lung cancer with an ampersand to indicate the reason for medical care.

Standard Abbreviations and Symbols

When an abbreviation is reported on the certificate, refer to this list to determine what the abbreviation represents. If an abbreviation represents more than one term, determine the correct abbreviation by using other information on the certificate. If no determination can be made, use abbreviation for first term listed.

abdominal aortic aneurysm	AEG	air encephalogram
aortic arch syndrome	AF	auricular or atrial fibrillation; acid fast
alpha-antitrypsin	AFB	acid-fast bacillus
AIDS-associated virus	AGG	agammaglobulinemia
abdomen; abortion; asthmatic bronchitis	AGL	acute granulocytic leukemia
abdomen	AGN	acute glomerulonephritis
acute bacterial endocarditis	AGS	adrenogenital syndrome
acute brain syndrome	AHA	acquired hemolytic anemia; autoimmune hemolytic anemia
adenocarcinoma	AHD	arteriosclerotic heart disease
arteriosclerotic coronary disease	AHHD	arteriosclerotic hypertensive heart disease
adrenal cortical hormone	AHG	
acute coronary thrombosis	AHG	anti-hemophilic globulin deficiency
adrenocorticotrophic hormone	AHLE	acute hemorrhagic leukoencephalitis
arteriosclerotic cardiovascular disease	AI	aortic insufficiency; additional information
acute disseminated encephalomyelitis	AIDS	acquired immunodeficiency
antidiuretic hormone		syndrome
antibody deficiency syndrome	AKA	above knee amputation
	aortic arch syndrome alpha-antitrypsin AIDS-associated virus abdomen; abortion; asthmatic bronchitis abdomen acute bacterial endocarditis acute brain syndrome adenocarcinoma arteriosclerotic coronary disease adrenal cortical hormone acute coronary thrombosis adrenocorticotrophic hormone arteriosclerotic cardiovascular disease acute disseminated encephalomyelitis antidiuretic hormone	aortic arch syndrome alpha-antitrypsin AIDS-associated virus AGG abdomen; abortion; asthmatic bronchitis AGL abdomen AGN acute bacterial endocarditis AGS acute brain syndrome AHA adenocarcinoma AHD arteriosclerotic coronary disease AHHD adrenal cortical hormone acute coronary thrombosis adrenocorticotrophic hormone AHLE arteriosclerotic cardiovascular disease AI acute disseminated encephalomyelitis antidiuretic hormone AKA

ALC	alcoholism	ARV	AIDS-related virus
ALL	acute lymphocytic leukemia	ARVD	arrhythmogenic right
ALS	amyotrophic lateral sclerosis	A G	ventricular dysplasia
AMI	acute myocardial infarction	AS	arteriosclerotic; arteriosclerosis; aortic stenosis
AML	acute myelocytic leukemia	ASA	acetylsalicylic acid (aspirin)
ANS	arteriolonephrosclerosis		
AOD	arterial occlusive disease	ASAD	arteriosclerotic artery disease
AODM	adult onset diabetes mellitus	ASCAD	arteriosclerotic coronary artery disease
AOM	acute otitis media	ASCD	arteriosclerotic coronary
AP	angina pectoris; anterior and posterior repair; artificial		disease
	pneumothorax; anterior pituitary	ASCHD	arteriosclerotic coronary heart disease
A&P	anterior and posterior repair	ASCRD	arteriosclerotic cardiorenal
APC	auricular premature contraction; acetylsalicylic acid,		disease
	acetophenetidin, and caffeine	ASCVA	arteriosclerotic cerebrovascular accident
APE	acute pulmonary edema; anterior pituitary extract	ASCVD	arteriosclerotic
APH	antepartum hemorrhage		cardiovascular disease
AR	aortic regurgitation	ASCVR	arteriosclerotic cardiovascular renal disease
ARC	AIDS-related complex	ASCVRD	arteriosclerotic cardiovascular renal disease
ARDS	adult respiratory distress syndrome	ASD	atrial septal defect
ARF	acute respiratory failure, acute renal failure	ASDHD	arteriosclerotic decompensated heart
ARM	artificial rupture of membranes		disease

ASHCVD	arteriosclerotic hypertensive	AVH	acute viral hepatitis
AGIID	cardiovascular disease	AVP	aortic valve prosthesis
ASHD	arteriosclerotic heart disease; atrioseptal heart defect	AVR	aortic valve replacement
ASHHD	arteriosclerotic hypertensive heart disease	AWMI	anterior wall myocardial infarction
ASHVD	arteriosclerotic hypertensive vascular disease	AZT	azidothymidine
ASO	arteriosclerosis obliterans	BA	basilar artery; basilar arteriogram; bronchial asthma
ASPVD	arteriosclerotic peripheral	B&B	bronchoscopy and biopsy
A CMD	vascular disease	BBB	bundle branch block
ASVD	arteriosclerotic vascular disease	B&C	biopsy and cauterization
ASVH(D)	arteriosclerotic vascular heart disease	BCE	basal cell epithelioma
AT	atherosclerosis; atherosclerotic;	BE	barium enema
ATC	atrial tachycardia; antithrombin	BEH	benign essential hypertension
ATC	all-terrain cycle	BGL	Bartholin's gland
ATN	acute tubular necrosis	BKA	below knee amputation
ATS	arteriosclerosis	BL	bladder; bucolingual; blood
ATSHD	arteriosclerotic heart disease		loss; Burkett's lymphoma
ATV	all-terrain vehicle	BMR	basal metabolism rate
AUL	acute undifferentiated leukemia	BNA	bladder neck adhesions
AV	arteriovenous; atrioventricular; aortic valve	BNO	bladder neck obstruction
AVF	arterio-ventricular fibrillation; arteriovenous fistula	BOMSA	bilateral otitis media serous acute

BOMSC	bilateral otitis media serous chronic	CAS	cerebral arteriosclerosis
BOW	"bag of water" (membrane)	CASCVD	chronic arteriosclerotic cardiovascular disease
B/P, BP	blood pressure	CASHD	chronic arteriosclerotic heart disease
ВРН	benign prostate hypertrophy	CAT	computerized axial tomography
BSA	body surface area	СВ	chronic bronchitis
BSO	bilateral salpingo-oophorectomy	CBC	complete blood count
BSP	Bromosulfaphthalein (test)	CBD	common bile duct; chronic
BTL	bilateral tubal ligation	CDD	brain disease
BUN	blood, urea, and nitrogen test	CBS	chronic brain syndrome
BVL	bilateral vas ligation	CCF	chronic congestive failure
B&W	Baldy-Webster suspension (uterine)	CCI	chronic cardiac or coronary insufficiency
BX	biopsy	CF	congestive failure; cystic fibrosis; Christmas factor (PTC)
BX CX	biopsy cervix	CFT	chronic follicular tonsillitis
Ca	cancer	CGL	chronic granulocytic leukemia
CA	cancer; cardiac arrest; carotid arteriogram	CGN	chronic glomerulonephritis
CABG	coronary artery bypass graft	СНА	congenital hypoplastic anemia
CABS	coronary artery bypass surgery	СНВ	complete heart block
CAD	coronary artery disease	CHD	congestive heart disease;
CAG	chronic atrophic gastritis		coronary heart disease; congenital heart disease;
CAO	coronary artery occlusion; chronic airway obstruction		Chediak-Higaski Disease

	-		
CHF	congestive heart failure	COOMBS	test for Rh sensitivity
C ₂ H ₅ OH	ethyl alcohol	COLD	chronic obstructive lung disease
CI	cardiac insufficiency; cerebral infarction	COPD	chronic obstructive pulmonary disease
CID	cytomegalic inclusion disease	COPE	chronic obstructive
CIS	carcinoma in situ	COLE	pulmonary emphysema
CJD	Creutzfeldt-Jakob Disease	CP	cerebral palsy; cor pulmonale
CLD	chronic lung disease; chronic liver disease	C&P	cystoscopy and pyelography
CLI		CPB	cardiopulmonary bypass
CLL	chronic lymphatic leukemia; chronic lymphocytic leukemia	CPC	chronic passive congestion
CMID	cytomegalic inclusion disease	CPD	cephalopelvic disproportion; contagious pustular dermatitis
CML	chronic myelocytic leukemia	CPE	chronic pulmonary
CMM	cutaneous malignant melanoma	CIL	emphysema
CMM		CRD	chronic renal disease
CMV	cytomegalic virus	CREST	calcinosis cutis, Raynaud's
CNHD	congenital nonspherocytic hemolytic disease		phenomenon, sclerodactyly, and telangiectasis
CNS	central nervous system	CRF	cardiorespiratory failure; chronic renal failure
CO	carbon monoxide	CDCT	
COAD	chronic obstructive airway disease	CRST	calcinosis cutis, Raynaud's phenomenon, sclerodactyly, and telangiectasis
CO_2	carbon dioxide	GG.	_
COBE	chronic obstructive bullous emphysema	CS	coronary sclerosis; cesarean section; cerebro-spinal
207 2		CSF	cerebral spinal fluid
COBS	chronic organic brain syndrome	CSH	chronic subdural hematoma
COFS	cerebro-oculo-facio-skeletal		

CSM	cerebrospinal meningitis	DCR	dacrocystorhinostomy
CT	computer tomography; cerebral thrombosis; coronary thrombosis	D&D	drilling and drainage; debridement and dressing
CEED		D&E	dilation and evacuation
CTD	congenital thymic dysplasia	DFU	dead fetus in utero
CU	cause unknown	DIC	disseminated intravascular
CUC	chronic ulcerative colitis		coagulation
CUP	cystoscopy, urogram, pyelogram (retro)	DILD	diffuse infiltrative lung disease
CUR	cystocele, urethrocele, rectocele	DIP	distal interphalangeal joint; desquamative interstitial pneumonia
CV	cardiovascular; cerebrovascular	DJD	degenerative joint disease
CVA	cerebral vascular accident		diabetes mellitus
CV Accident	cerebral vascular accident	DM	
CVD	cardiovascular disease	DMT	dimethyltriptamine
CVHD	cardiovascular heart disease	DOA	dead on arrival
CVI	cardiovascular insufficiency;	DOPS	diffuse obstructive pulmonary syndrome
CVRD	cerebral vascular insufficiency cardiovascular renal disease	DPT	diphtheria, pertussis, tetanus vaccine
CWP	coal worker's	DR	diabetic retinopathy
	pneumoconiosis	DS	Down's syndrome
CX	cervix	DT	due to; delirium tremens
DA	degenerative arthritis	D/T	due to; delirium tremens
DBI	phenformin hydrochloride		
D&C	dilation and curettage	DU	diagnosis unknown; duodenal ulcer

DUB	dysfunctional uterine bleeding	EMC	encephalomyocarditis
DUI	driving under influence	EMD	electromechanical dissociation
DVT	deep vein thrombosis	EMF	endomyocardial fibrosis
DWI	driving while intoxicated	EMG	electromyogram
DX	dislocation; diagnosis; disease	EN	erythema nodosum
EBV	Epstein-Barr virus	ENT	ear, nose, and throat
ECCE	extracapsular cataract extraction	EP	ectopic pregnancy
ECG	electrocardiogram	ER	emergency room
E coli	Escherichia coli	ERS	evacuation of retained
ECT	electric convulsive therapy	ECDD	secundines
EDC	expected date of confinement	ESRD	end-stage renal disease
EEE	Eastern equine encephalitis	EST	electric shock therapy
EEG	electroencephalogram	ЕТОН	alcohol
	-	EUA	exam under anesthesia
EFE	endocardial fibroelastosis	EWB	estrogen withdrawal bleeding
EGL	eosinophilic granuloma of lung	FB	foreign body
ЕН	enlarged heart; essential		Toleigh body
	hypertension	FBS	fasting blood sugar
EIOA	excessive intake of alcohol	Fe	symbol for iron
EKC	epidemic keratoconjunctivitis	FGD	fatal granulomatous disease
EKG	electrocardiogram	FHS	fetal heart sounds
EKP	epikeratoprosthesis	FHT	fetal heart tone
ELF	elective low forceps	FLSA	follicular lymphosarcoma

FME	full-mouth extraction	GSW	gunshot wound
FS	frozen section; fracture site	GTT	glucose tolerance test
FT	full term	gtt	drop
FTA	fluorescent treponemal	GU	genitourinary; gastric ulcer
FELL	antibody test	GVHR	graft-versus-host reaction
5FU	fluorouracil	GYN	gynecology
FUB	functional uterine bleeding	НА	headache
FULG	fulguration	НАА	hepatitis-associated antigen
FUO	fever unknown origin	HASCVD	hypertensive arteriosclerotic
FX	fracture		cardiovascular disease
FYI	for your information	HASCVR	hypertensive arteriosclerotic cardiovascular renal disease
GAS	generalized arteriosclerosis	HASHD	hypertensive arteriosclerotic
GB	gallbladder; Guillain-Barre (syndrome)		heart disease
GC	gonococcus; gonorrhea; general	НС	Huntington's chorea
	circulation (systemic)	HCT	hematocrit
GE	gastroesophageal	HCVD	hypertensive cardiovascular disease
GEN	generalized	HCVRD	hypertensive cardiovascular
GERD	gastroesophageal reflux disease		renal disease
GI	gastrointestinal	HD	Hodgkin's disease; heart disease
GIST	gastrointestinal stromal tumor	HDN	hemolytic disease of
GIT	gastrointestinal tract		newborn
GMSD	grand mal seizure disorder	HDS	herniated disc syndrome
GOK	God only knows	HEM	hemorrhage

HF	heart failure; hay fever	HVD	hypertensive vascular disease
HGB; Hgb	hemoglobin	Hx	history of
HHD	hypertensive heart disease	IADH	inappropriate antidiuretic hormone
HIV	human immunodeficiency virus	IASD	interatrial septal defect
HMD	hyaline membrane disease	ICCE	intracapsular cataract extraction
HN_2	nitrogen mustard	ICD	
HNP	herniated nucleus pulposus	ICD	intrauterine contraceptive device
H/O	history of	I&D	incision and drainage
HPN	hypertension	ID	infectious disease; incision and drainage
HPVD	hypertensive pulmonary vascular disease	IDA	iron deficiency anemia
HRE	high-resolution electro- cardiology	IDD	insulin-dependent diabetes
HS	-	IDDI	insulin-dependent diabetes
113	herpes simplex; Hurler's syndrome	IDDM	insulin-dependent diabetes mellitus
HSV	herpes simplex virus	IGA	immunoglobin A
HTLV	human T-cell lymphotropic virus	IHD	ischemic heart disease
HTLV- III/LAV	human T-cell lymphotropic virus-III/lymphadenopathy- associated virus	IHSS	idiopathic hypertrophic subaortic stenosis
		ILD	ischemic leg disease
HTLV-3	human T-cell lymphotropic virus-III	IM	intramuscular; intramedullary; infectious mononucleosis
HTLV-III	human T-cell lymphotropic virus-III	IMPP	intermittent positive pressure
HTN	hypertension		

INAD	infantile neuroaxonal dystrophy	IVP	intravenous pyelogram
INC	incomplete	IVSD	intraventricular septal defect
INE	infantile necrotizing	IVU	intravenous urethrography
INF	encephalomyelopathy infection; infected; infantile; infarction	IWMI	inferior wall myocardial infarction
INH	Isoniazid; inhalation	JBE	Japanese B encephalitis
INS	idiopathic nephrotic syndrome	KFS	Klippel-Feil syndrome
IRHD	inactive rheumatic heart disease	KS	Klinefelter's syndrome
ISD	interatrial septal defect	KUB	kidney, ureter, bladder
ITP	idiopathic thrombocytopenic	K-W	Kimmelstiel-Wilson disease or syndrome
	purpura	LAP	laparotomy
IU IUCD	intrauterine contraceptive device	LAV	lymphadenopathy-associated virus
IUD	intrauterine device (contraceptive); intrauterine death	LAV/ HTLV-III	lymphadenopathy-associated virus/Human T-cell lymphotropic virus-III
IUP	intrauterine pregnancy	LBBB	left bundle branch block
IV	intervenous; intravenous	LBNA	lysis bladder neck adhesions
IVC	intravenous cholangiography; inferior vena cava	LBW	low birth weight
IVCC	intravascular consumption	LBWI	low birth weight infant
II/D	coagulopathy	LCA	left coronary artery
IVD	intervertebral disc	LDH	lactic dehydrogenase
IVH	intraventricular hemorrhage	LE	lupus erythematosus; lower extremity; left eye

LKS	liver, kidney, spleen	LVF	left ventricular failure
LL	lower lobe	LVH	left ventricular hypertrophy
LLL	left lower lobe	MAC	mycobacterium avium complex
LLQ	lower left quadrant	MAI	mycobacterium avium intracellulare
LMA	left mentoanterior (position of fetus)	MAL	malignant
LML	left middle lobe; left mesiolateral	MBAI	mycobacterium avium intracellulare
LMCAT	left middle cerebral artery thrombosis	MBD	minimal brain damage
LML	left mesiolateral; left mediolateral (episiotomy)	MD	muscular dystrophy; manic depressive; myocardial damage
LMP	last menstrual period; left	MDA	methylene dioxyamphetamine
	mento- posterior (position of fetus)	MEA	multiple endocrine adenomatosis
LN	lupus nephritis	MF	myocardial failure; myocardial fibrosis; mycosis fungoides
LOA	left occipitoanterior	MCN	
LOMCS	left otitis media chronic serous	MGN	membranous glomerulonephritis
LP	lumbar puncture	MHN	massive hepatic necrosis
LRI	lower respiratory infection	MI	myocardial infarction; mitral insufficiency
LS	lumbosacral; lymphosarcoma	MPC	meperidine, promethazine, chlorpromazine
LSD	lysergic acid diethylamide	1.60.0	-
LSK	liver, spleen, kidney	MRS	methicillin resistant staphylococcal
LUL	left upper lobe	MRSA	methicillin resistant staphylococcal aureus
LUQ	left upper quadrant	MDGATT	
LV	left ventricle	MRSAU	methicillin resistant staphylococcal aureus

MS	multiple sclerosis; mitral stenosis	OA	osteoarthritis
MSOF	multi-system organ failure	OAD	obstructive airway disease
	, c	OB	obstetrical
MT	malignant teratoma	OBS	organic brain syndrome
MUA	myelogram	OBST	obstructive; obstetrical
MVP	mitral valve prolapse	OD	overdose; oculus dexter (right eye);
MVR	mitral valve regurgitation; mitral valve replacement	OD	occupational disease
NACD	no anatomical cause of death	OHD	organic heart disease
		OLT	orthotopic liver transplant
NAFLD	nonalcoholic fatty liver disease	OM	otitis media
NCA	neurocirculatory asthenia	OMI	old myocardial infarction
NDI	nephrogenic diabetes insipidus	OMS	organic mental syndrome
NEG	negative	ORIF	open reduction, internal fixation
NFI	no further information		-
NFTD	normal full-term delivery	OS	oculus sinister (left eye); occipitosacral (fetal position)
NG	nasogastric	OT	occupational therapy; old TB
NH_3	symbol for ammonia	OU	oculus uterque (each eye); both eyes
NIDD	non-insulin-dependent diabetes	PA	pernicious anemia; paralysis
NIDDI	non-insulin-dependent diabetes		agitans; pulmonary artery; peripheral arteriosclerosis
NIDDM	non-insulin-dependent diabetes mellitus	PAC	premature auricular contraction; phenacetin, aspirin, caffeine
NSTEMI	non-ST-elevation myocardial infarction	PAF	paroxysmal auricular fibrillation
N&V	nausea and vomiting	PAOD	peripheral arterial occlusive disease; peripheral arteriosclerosis occlusive
NVD	nausea, vomiting, diarrhea		disease

PAP	primary atypical pneumonia	PIE	pulmonary interstitial emphysema
PAS	pulmonary artery stenosis	PIP	proximal interphalangeal joint
PAT	pregnancy at term; paroxysmal auricular tachycardia	PKU	phenylketonuria
Pb	chemical symbol for lead	PMD	progressive muscular dystrophy
PCD	polycystic disease	PMI	posterior myocardial infarction; point of maximum impulse
PCF	passive congestive failure	DMI	
PCP	pentachlorophenol; pneumocystis carinii pneumonia	PML	progressive multifocal leukoencephalopathy
PCT	porphyria cutanea tarda	PN	pneumonia; periarteritis nodosa; pyelonephritis
PCV	polycythemia vera	PO	postoperative
PDA	patent ductus arteriosus	POC	product of conception
PE	pulmonary embolism; pleural effusion;	POE	point (or portal) of entry
55.0	pulmonary edema	PP	postpartum
PEG	percutaneous endoscopic gastrostomy; pneumoencephalography	POSS	possible; possibly
PEGT	percutaneous endoscopic gastrostomy tube	PPD	purified protein derivative test for tuberculosis
PET	pre-eclamptic toxemia	PPH	postpartum hemorrhage
PG	pregnant; prostaglandin	PPLO	pleuropneumonia-like organism
PGH	pituitary growth hormone	PPS	postpump syndrome
РН	past history; prostatic hypertrophy; pulmonary hypertension	PPT	precipitated; prolonged prothrombin time
PI	pulmonary infarction	PREM	prematurity
PID	pelvic inflammatory disease; prolapsed intervertebral disc	PROB	probably

PROM	premature rupture of membranes	PX	pneumothorax
PSVT	paroxysmal supraventricular tachycardia	R	right
PT	paroxysmal tachycardia;	RA	rheumatoid arthritis; right atrium; right auricle
PTA	pneumothorax; prothrombin time persistent truncus arteriosus	RAAA	ruptured abdominal aortic aneurysm
PTC	plasma thromboplastin component	RAD	radiation absorbed dose
PTCA	percutaneous transluminal	RAI	radioactive iodine
DTI A	coronary angioplasty	RBBB	right bundle branch block
PTLA	percutaneous transluminal laser angioplasty	RBC	red blood cells
PU	peptic ulcer	RCA	right coronary artery
PUD	peptic ulcer disease; pulmonary disease	RCS	reticulum cell sarcoma
PUO	pyrexia of unknown origin	RD	Raynaud's disease; respiratory disease
P&V	pyloroplasty and vagotomy	RDS	respiratory distress syndrome
PVC	premature ventricular contraction	RE	regional enteritis
PVD	peripheral vascular disease;	REG	radioencephalogram
DVI	pulmonary vascular disease	RESP	respiratory
PVI	peripheral vascular insufficiency	RHD	rheumatic heart disease
PVL	periventriclar leukomalacia	RLF	retrolental fibroplasia
PVT	paroxysmal ventricular tachycardia	RLL	right lower lobe
PVS	premature ventricular systole (contraction)	RLQ	right lower quadrant
PWI	posterior wall infarction	RMCA	right middle cerebral artery
PWMI	posterior wall myocardial infarction	RMCAT	right middle cerebral artery thrombosis

RML	right middle lobe	SBP	spontaneous bacterial peritonitis
RMLE	right mediolateral episiotomy	SC	sickle cell
RNA	ribonucleic acid	SCC	squamous cell carcinoma
RND	radical neck dissection	SCI	subcoma insulin; spinal cord injury
R/O	rule out	SD	spontaneous delivery; septal defect; sudden death
RSA	reticulum cell sarcoma	SDAT	senile dementia Alzheimer's type
RSR	regular sinus rhythm	SDII	sudden infant death in infancy
Rt	right		·
RT	recreational therapy; right	SDS	sudden death syndrome
RTA	renal tubular acidosis	SEPT	septicemia
		SF	scarlet fever
RUL	right upper lobe	SGA	small for gestational age
RUQ	right upper quadrant		
RV	right ventricle	SH	serum hepatitis
RVH	right ventricular hypertrophy	SI	saline injection
		SIADH	syndrome of inappropriate
RVT	renal vein thrombosis		antidiuretic hormone
RX	drugs <u>or</u> other therapy <u>or</u> treatment	SICD	sudden infant crib death
		SID	sudden infant death
SA	sarcoma; secondary anemia	SIDS	sudden infant death syndrome
SACD	subacute combined	SIRS	systemic inflammatory response
	degeneration	SIKS	syndrome
SARS	severe acute respiratory syndrome	SLC	short leg cast
SBE	subacute bacterial endocarditis	SLE	systemic lupus erythematosus; Saint Louis encephalitis
SBO	small bowel obstruction	SMR	submucous resection
			2b January 2005
		383	20 January 2003

SNB	scalene node biopsy	SUDI	sudden unexplained death of an infant
SO or S&O	salpingo-oophorectomy	SUID	sudden unexpected infant death
SOB	shortness of breath	SVC	superior vena cava
SOM	secretory otitis media	SVD	spontaneous vaginal delivery
SOR	suppurative otitis, recurrent	SVT	supraventricular tachycardia
S/P	status post	Sx	symptoms
SPD	sociopathic personality disturbance	SY	syndrome
SPP	suprapubic prostatectomy	T&A	tonsillectomy and adenoidectomy
SQ	subcutaneous	TAH	total abdominal hysterectomy
S/R	schizophrenic reaction; sinus rhythm	TAL	tendon achilles lengthening
S/p P/T	schizophrenic reaction, paranoid type	TAO	Triacetyloleandomycin (antibiotic); thromboangiitis obliterans
SSE	soapsuds enema	TAPVR	
SSKI	saturated solution potassium iodide	IAFVK	total anomalous pulmonary venous return
SSPE	subacute sclerosing panencephalitis	TAR	thrombocytopenia absent
STAPH	staphylococcal; staphylococcus	T. A. T.	radius (syndrome)
STB	stillborn	TAT	tetanus anti-toxin
STREP	streptococcal; streptococcus	TB	tuberculosis; tracheobronchitis
STS	serological test for syphilis	TBC, Tbc	tuberculosis
STSG	split thickness skin graft	TCI	transient cerebral ischemia
	-	TEF	tracheoesophageal fistula
SUBQ	subcutaneous	TF	tetralogy of Fallot
SUD	sudden unexpected death	TGV	transposition great vessels

THA	total hip arthroplasty	UP	uteropelvic
TI	tricuspid insufficiency	UPJ	ureteropelvic junction
TIA	transient ischemic attack	URI	upper respiratory infection
TIE	transient ischemic episode	UTI	urinary tract infection
TL	tubal ligation	VAMP	vincristine, amethopterine,
TM	tympanic membrane	VD	6-mercaptopurine, and prednisone
TOA	tubo-ovarian abscess	VB	vinblastine
TP	thrombocytopenic purpura	VC	vincristine
		VD	venereal disease
TR	tricuspid regurgitation, transfusion reaction	VDRL	venereal disease research lab
TSD	Tay-Sachs disease	VEE	Venezuelan equine encephalomyelitis
TTP	thrombotic thrombocytopenic purpura	VF	ventricular fibrillation
TUI	transurethral incision	VH	vaginal hysterectomy; viral hepatitis
TUR	transurethral resection (NOS) (prostate)	VL	vas ligation
	(prostate)	٧L	vas figation
TURP	transurethral resection of prostate	VM	viomycin
TVD	-	V&P	vagotomy and pyloroplasty
TVP UC	total anomalous venous return ulcerative colitis	VPC, VPCS	ventricular premature contractions
UGI	upper gastrointestinal	VR	valve replacement
UL	upper lobe	VSD	ventricular septal defect
UNK	unknown	VT	ventricular tachycardia

WBC	white blood cell
WC	whooping cough
WE	Western encephalomyelitis
W/O	without
WPW	Wolfe-Parkinson-White syndrome
YF	yellow fever
ZE	Zollinger-Ellison (syndrome)
•	minute
"	second(s)
\downarrow	decreased
†	increased; elevated
\overline{c}	with
$\frac{-}{s}$	without
<u>00</u> 11	secondary to
$\frac{00}{11}$ to	secondary to

Appendix B

Synonymous Sites

When a condition of a stated anatomical site is indexed in Volume 3, code condition of stated site as indexed. If stated site is <u>not</u> indexed, code condition of synonymous site.

Alimentary canal	Gastrointestinal tract	
Body	Torso, trunk	
Brain	Anterior fossa, basal ganglion, central nervous system, cerebral, cerebrum, frontal, occipital, parietal, pons, posterior fossa, prefrontal, temporal, III and IV ventricle	
	Note: Do not use brain when ICD provides for CNS under the reported condition.	
Cardiac	Heart	
Chest	Thorax	
Greater sac	Peritoneum	
Hepatic	Liver	
Hepatocellular	Liver	
Intestine	Bowel, colon	
Kidney	Renal	
Lesser sac	Peritoneum	
Pharynx	Throat	
Pulmonary	Lung	
Vocal cords	Larynx	
Right\left hemispheric	Code brain	
Hemispheric NOS	Do not assume brain	
Right\left ventricle	Heart	
Third\fourth ventricle	Brain	
LLL, LUL, RLL, RML, RUL	Lobes of the lungs when reported with lobectomy, pneumonia, etc	

387 2b January 2005

Appendix C

Geographic Codes

State	FIPS Alpha	State	FIPS Alpha
Alabama	AL	Nebraska	NE
Alaska	AK	Nevada	NV
Arizona	AZ	New Hampshire	NH
Arkansas	AR	New Jersey	NJ
California	CA	New Mexico	NM
Colorado	CO	New York	NY
Connecticut	CT	North Carolina	NC
Delaware	DE	North Dakota	ND
District of Columbia	DC	Ohio	ОН
Florida	FL	Oklahoma	OK
Georgia	GA	Oregon	OR
Hawaii	HI	Pennsylvania	PA
Idaho	ID	Puerto Rico	PR
Illinois	IL	Rhode Island	RI
Indiana	IN	South Carolina	SC
Iowa	IA	South Dakota	SD
Kansas	KS	Tennessee	TN
Kentucky	KY	Texas	TX
Louisiana	LA	Utah	UT
Maine	ME	Vermont	VT
Maryland	MD	Virginia	VA
Massachusetts	MA	Virgin Islands	VI
Michigan	MI	Washington	WA
Minnesota	MN	West Virginia	WV
Mississippi	MS	Wisconsin	WI
Missouri	MO	Wyoming	WY
Montana	MT		
	Territories and O	utlying Areas	
American Samoa	AS	US Minor Outlying Islands	UM*
Federated States of Micronesia	FM	Baker Island	
Guam	GU	Howland Island	
Marshall Islands	MH	Jarvis Island	
Northern Mariana Islands	MP	Johnston Atoll	
Palau	PW	Kingman Reef	
Puerto Rico	PR	Midway Islands	
Virgin Islands (US)	VI	Navassa Island	
		Palmyra Atoll	
		Wake Island	

^{*}Not recognized as a valid USPS State abbreviation

Code for Place of Injury

0. Home

Excludes: Abandoned or derelict house (8)

Home under construction, but not yet occupied (6)

Institutional place of residence (1)

About home

Apartment

Boarding house

Cabin (any type)

Caravan (trailer) park - residential

Condominium

Farm house

Hogan

Home premises

Home sidewalk

Home swimming pool

House (residential) (trailer)

Noninstitutional place of residence

Penthouse

Private driveway to home

Private garage

Private garden to home

Private walk to home

Private wall to home

Residence

Rooming house

Storage building at apartment

Swimming pool in private home, private garden,

apartment or residence

Townhome

Trailer camp or court

Yard (any part)

Yard to home

Code for Place of Injury

1. Residential institution

Almshouse

Army camp

Board and care facility

Children's home

Convalescent home

Dormitory

Fraternity house

Halfway house

Home for the sick

Hospice

Institution (any type)

Jail

Military (camp) (reservation)

Nurse's home

Nursing home

Old people's home

Orphanage

Penitentiary

Pensioner's home

Prison

Prison camp

Reform school

Retirement home

Sorority house

State hospital

Code for Place of Injury

2. School, other institution and public administrative area

Excludes: Building under construction (6)

Residential institution (1) Sports and athletic areas (3)

Armory

Assembly hall Campus Child center Church Cinema

Clubhouse

College Country club (grounds)

Court house
Dance hall

Day nursery (day care) Drive in theater Fire house

Gallery Health club Health resort Health spa Hospital

Institute of higher learning

Kindergarten Library Mission Movie house Museum Music hall Night club Opera house

Playground, school Police precinct Police station or cell

Post office Private club Public building Public hall Salvation army

School (grounds) (yard)

School (private) (public) (state)

Theatre
Turkish bath
University
YMCA
Youth center
YWCA

Code for Place of Injury

3. Sports and athletics area

Excludes: Swimming pool or tennis court in private home or garden (0)

Baseball field

Basketball court

Cricket ground

Dude ranch

Fives court

Football field

Golf course

Gymnasium

Hockey field

Ice palace

Racecourse

Riding school

Rifle range - NOS

Skating rink

Sports ground

Sports palace

Squash court

Stadium

Swimming pool (private) (public)

Tennis court

4. Street and highway

Alley

Border crossing

Bridge NOS

Freeway

Interstate

Motorway

Named street/highway/interstate

Pavement

Road

Roadside

Sidewalk NOS

392

Code for Place of Injury

5. Trade and service area

Excludes: Garage in private home (0)

Airport

Bank

Bar

Body shop

Cafe

Casino

Electric company

Filling station

Funeral home

Garage - place of work

Garage away from highway except home

Garage building (for car storage)

Garage NOS

Gas station

Hotel (pool)

Loading platform - store

Market (grocery or other commodity)

Motel

Office (building)

Radio/television broadcasting station

Restaurant

Salvage lot, named

Service station

Shop, commercial

Shopping center (shopping mall)

Station (bus) (railway)

Store

Subway (stairs)

Tourist court

Tourist home

Warehouse

Code for Place of Injury

6. <u>Industrial and construction areas</u>

Building under construction

Coal pit

Coal yard

Construction job

Dairy processing plant

Dockyard

Dry dock

Electric tower

Factory (building) (premises)

Foundry

Gas works

Grain elevator

Gravel pit

Highway under construction

Industrial yard

Loading platform - factory

Logging operation area

Lumber yard

Mill pond

Oil field

Oil rig and other offshore installations

Oil well

Plant, industrial

Power-station (coal) (nuclear) (oil)

Produce building

Railroad track or trestle

Railway yard

Sand pit

Sawmill

Sewage disposal plant

Shipyard

Shop

Substation (power)

Subway track

Tannery

Tunnel under construction

Wharf

Workshop

Code for Place of Injury

7. Farm

Excludes: Farm house and home premises of farm (0)

Barn NOS

Barnyard

Corncrib

Cornfield

Dairy (farm) NOS

Farm buildings

Farm pond or creek

Farmland under cultivation

Field, numbered or specialized

Gravel pit on farm

Orange grove

Pasture

Ranch NOS

Range NOS

Silo

State Farm

Code for Place of Injury

8. Other specified places

Abandoned gravel pit

Abandoned public building or home

Air force firing range Bar pit or ditch

Beach NOS (named) (private)

Beach resort Boy's camp Building NOS

Camp

Camping grounds

Campsite Canal

Caravan site NOS

Cemetery City dump

Creek (bank) (embankment)

Damsite
Derelict house

Desert
Ditch
Dock NOS
Excavation site
Fairgrounds
Field NOS
Forest

Fort Harbor Hill

Holiday camp

Irrigation canal or ditch

Junkyard Lake NOS Lake resort Manhole Marsh

Military training ground

Mountain Mountain resort Named city Named lake Named room Named town Nursery NOS Open field

Park (amusement) (any) (public)

Parking lot Parking place

Pier

Pipeline (oil)

Place of business NOS Playground NOS Pond or pool (natural) Power line pole

Prairie

Private property Public place NOS Public property Railway line Reservoir (water) Resort NOS

River Sea

Seashore NOS Seashore resort

Sewer

Specified address

Stream Swamp

Vacation resort

Woods Zoo

Code for Place of Injury

9. <u>Unspecified place</u>

Bed

Commode

Country

Downstairs

Fireplace

Hot tub

Jobsite

Near any place

On job

Outdoors NOS

Parked car

Sofa

Table

Tree

Vehicle (any)

Appendix E

Activity Codes

The ICD-10 provides a subclassification for use with external causes and injuries to indicate the activity of the injured person at the time the event occurred. This appendix is designed to document the ICD-10 activity code information but it is not entered in manual coding.

Information may be scattered over different parts of the medical certification, Part I, Part II, 41, 43, etc. However, do not use the information in "Injury at work?" block to code this variable.

If no information concerning the activity of the injured person is reported on the certificate, the item is left blank. "While drinking alcohol" or "while driving" is not considered as a codable activity. When two or more codes appear to be appropriate for the information reported, activity code 8 is assigned.

0 While engaged in sports activity

Physical exercise with a described functional element such as:

- . golf
- . jogging
- . riding
- . school athletics
- . skiing
- . swimming
- . trekking
- . waterskiing

1 While engaged in leisure activity

Hobby activities

Leisure time activities with an entertainment element such as going to the cinema, to a dance or to a party

Participation in sessions and activities of voluntary organizations

Excludes: sport activities (0)

2 While working for income

Paid work (manual) (professional)

Transportation (time) to and from such activities

Work for salary, bonus and other types of income

Appendix E

Activity Codes

3 While engaged in other types of work

Domestic duties such as:

- . caring for children and relatives
- . cleaning
- . cooking
- . gardening
- . household maintenance

Duties for which one would not normally gain an income Learning activities, e.g. attending school session or lesson Undergoing education

- While resting, sleeping, eating and other vital activities
 Personal hygiene
- **8** While engaged in other specified activities

Appendix F

Invalid and Substitute Codes

The following categories are invalid for use in coding and processing the multiple cause data. Substitute code(s) for use in multiple cause coding appears to the right.

Use the substitute codes when conditions classifiable to the following codes are reported:

Invalid Codes	Substitute Codes	
A150-A153	A162	
A154	A163	
A155	A164	
A156	A165	
A157	A167	
A158	A168	
A159	A169	
A160-A161	A162	
B95-B97 Code the disease(s) classified to other chapters modified by the organism. Do not enter a code for the organism.		
F70	F70 (3-characters only)	
F71	F71 (3-characters only)	
F72	F72 (3-characters only)	
F73	F73 (3-characters only)	
F78	F78 (3-characters only)	
F79	F79 (3-characters only)	

Invalid	Substitute codes
Codes	
I150	I129
I151-I159	R99
I23	I21 or I22
I240	I21 or I22
I65- I66	I63
O80	O95
O81-084	O759
P95	P969
R69	R95-R99
T000, T001,	Superficial injuries of
T006	specified sites
T010, T011,	Open wound of specified
T016, T018	sites
T020, T026, T027	Fractures of specified sites
T030, T034	Dislocations, sprains, and strains of specified sites
T040, T044,	Crushing injuries of
T047	specified sites
T051, T054,	Traumatic amputations of
T056	specified site
T060, T061, T068	Injuries of specified sites
T29	Burns of specified sites

Codes for Special Purposes (U00 - U99)

Provisional assignment of new codes (U00-U99)

1. Terrorism Classification (*U01 - *U03)

NCHS has developed a set of new codes within the framework of the ICD that will allow the identification of deaths from terrorism reported on death certificates through the National Vital Statistics System. Terrorism-related ICD-10 codes for mortality have been assigned to the "U" category which has been designated by WHO for use by individual countries. The asterisk preceding the alphanumeric code indicates the code was introduced by the United States and is not officially part of the ICD.

To classify a death as terrorist-related, it is necessary for the incident to be designated as such by the Federal Bureau of Investigation (FBI). Neither a medical examiner nor a coroner who would be completing/certifying the death certificate, nor the nosologist coding the death certificate would determine that an incident is an act of terrorism. If an incident or event is confirmed by the FBI as terrorism, it may be so described on the certificate. If the incident is confirmed as terrorism after the death certificate is completed, the certificate can be recoded at a later date.

Not to be used unless notified by NCHS.

Tabular List

Assault (homicide) *U01-*U02

*U01 Terrorism

Includes: assault-related injuries resulting from the unlawful use of force or violence against persons or property to intimidate or coerce a Government, the civilian population, or any segment thereof, in furtherance of political or social objectives

*U01.0 Terrorism involving explosion of marine weapons

Depth-charge Marine mine Mine NOS, at sea or in harbor Sea-based artillery shell Torpedo Underwater blast

Codes for Special Purposes (U00 - U99)

*U01.1 Terrorism involving destruction of aircraft

Includes: aircraft used as a weapon

Aircraft:

- burned
- exploded
- shot down

Crushed by falling aircraft

*U01.2 Terrorism involving other explosions and fragments

Antipersonnel bomb (fragments)

Blast NOS

Explosion (of):

- NOS
- artillery shell
- breech-block
- cannon block
- mortar bomb
- munitions being used in terrorism
- own weapons

Fragments from:

- artillery shell
- bomb
- grenade
- guided missile
- land-mine
- rocket
- shell
- shrapnel

Mine NOS

Codes for Special Purposes (U00 - U99)

*U01.3 Terrorism involving fires, conflagration and hot substances

Asphyxia Burns Other injury originating from fire caused directly by fire-producing device or indirectly by any conventional weapon

Petrol bomb

Collapse of
Fall from
Falling from
Hit by object
Jump from

burning building or structure

Conflagration

Fire Melting Smoldering

of fittings or furniture

***U01.4** Terrorism involving firearms

Bullet:

- carbine
- machine gun
- pistol
- rifle
- rubber (rifle)

Pellets (shotgun)

*U01.5 Terrorism involving nuclear weapons

Blast effects

Exposure to ionizing radiation from nuclear weapon

Fireball effects

Heat

Other direct and secondary effects of nuclear weapons

Codes for Special Purposes (U00 - U99)

*U01.6	Terrorism involving biological weapons Anthrax Cholera Smallpox
*U01.7	 Terrorism involving chemical weapons Gases, fumes and chemicals: Hydrogen cyanide Phosgene Sarin
*U01.8	Terrorism, other specified Lasers Battle wounds Drowned in terrorist operations NOS Piercing or stabbing object injuries
*U01.9	Terrorism, unspecified
*U02	Sequelae of terrorism

Codes for Special Purposes (U00 - U99)

Intentional self-harm (suicide)

*U03

*U03 Terrorism

*U03.0 Terrorism involving explosions and fragments

Includes: destruction of aircraft used as a weapon

Aircraft:

- burned
- exploded
- shot down

Antipersonnel bomb (fragments)

Blast NOS

Explosion (of):

- NOS
- artillery shell
- breech-block
- cannon block
- mortar bomb
- munitions being used in terrorism
- own weapons

Fragments from:

- artillery shell
- bomb
- grenade
- guided missile
- land-mine
- rocket
- shell
- shrapnel

Mine NOS

*U03.9 Terrorism by other and unspecified means

Codes for Special Purposes (U00 - U99)

SECTION II – External causes of injury

Air

- blast in terrorism U01.2

Asphyxia, asphyxiation

- by
- - chemical in terrorism U01.7
- - fumes in terrorism (chemical weapons) U01.7
- - gas (see also Table of drugs and chemicals)
- - in terrorism (chemical weapons) U01.7
- from
- - fire (see also Exposure, fire)
- - in terrorism U01.3

Bayonet wound

- in
- - terrorism U01.8

Blast (air) in terrorism U01.2

- from nuclear explosion U01.5
- underwater U01.0

Burn, burned, burning (by) (from) (on)

- chemical (external) (internal)
- - in terrorism (chemical weapons) U01.7
- in terrorism (from fire-producing device) NEC U01.3
- - nuclear explosion U01.5
- - petrol bomb U01.3

Casualty (not due to war) NEC

- terrorism U01.9

Collapse

- building
- - burning (uncontrolled fire)
- - in terrorism U01.3
- structure
- - burning (uncontrolled fire)
- - in terrorism U01.3

Crash

- aircraft (powered)
- - in terrorism U01.1

Codes for Special Purposes (U00 - U99)

Crushed

- by, in
- - falling
- - aircraft
- - - in terrorism U01.1

Cut, cutting (any part of body) (by) (see also Contact, with, by object or machine)

- terrorism U01.8

Drowning

- in
- - terrorism U01.8

Effect(s) (adverse) of

- nuclear explosion or weapon in terrorism (blast) (direct) (fireball) (heat) (radiation) (secondary) U01.5

Explosion (in) (of) (on) (with secondary fire)

- terrorism U01.2

Exposure to

- fire (with exposure to smoke or fumes or causing burns, or secondary explosion)
- - in, of, on, starting in
- - terrorism (by fire-producing device) U01.3
- - - fittings or furniture (burning building) (uncontrolled fire) U01.3
- --- from nuclear explosion U01.5

Fall, falling

- from, off
- - building
- - burning (uncontrolled fire)
- - - in terrorism U01.3
- - structure NEC
- - burning (uncontrolled fire)
- - - in terrorism U01.3

Fireball effects from nuclear explosion in terrorism U01.5

Heat (effects of) (excessive)

- from
- - nuclear explosion in terrorism U01.5

Injury, injured NEC

- by, caused by, from
- - terrorism *see* Terrorism
- due to
- - terrorism *see* Terrorism

Codes for Special Purposes (U00 - U99)

Jumped, jumping

- from
- - building (see also Jumped, from, high place)
- - burning (uncontrolled fire)
- - - in terrorism U01.3
- - structure (see also Jumped, from, high place)
- - burning (uncontrolled fire)
- - - in terrorism U01.3

Poisoning (by) (see also Table of drugs and chemicals)

- in terrorism (chemical weapons) U01.7

Radiation (exposure to)

- in
- - terrorism (from or following nuclear explosion) (direct) (secondary) U01.5
- - laser(s) U01.8
- laser(s)
- - in terrorism U01.8

Sequelae (of)

- in terrorism U02

Shooting, shot (*see also* Discharge, by type of firearm)

- in terrorism U01.4

Struck by

- bullet (see also Discharge, by type of firearm)
- -- in terrorism U01.4
- missile
- - in terrorism see Terrorism, missile
- object
- - falling
- - from, in, on
- - - building
- - - burning (uncontrolled fire)
- ---- in terrorism U01.3

Suicide, suicidal, (attempted) (by)

- explosive(s) (material)
- - in terrorism U03.0
- in terrorism U03.9

Terrorism (by) (in) (injury) (involving) U01.9

- air blast U01.2
- aircraft burned, destroyed, exploded, shot down U01.1
- - used as a weapon U01.1
- anthrax U01.6

Codes for Special Purposes (U00 - U99)

Terrorism----continued

- asphyxia from
- - chemical (weapons) U01.7
- - fire, conflagration (caused by fire-producing device) U01.3
- - from nuclear explosion U01.5
- - gas or fumes U01.7
- bayonet U01.8
- biological agents (weapons) U01.6
- blast (air) (effects) U01.2
- - from nuclear explosion U01.5
- - underwater U01.0
- bomb (antipersonnel) (mortar) (explosion) (fragments) U01.2
- - petrol U01.3
- bullet(s) (from carbine, machine gun, pistol, rifle, rubber (rifle), shotgun) U01.4
- burn from
- - chemical U01.7
- - fire, conflagration (caused by fire-producing device) U01.3
- - from nuclear explosion U01.5
- - gas U01.7
- burning aircraft U01.1
- chemical (weapons) U01.7
- cholera U01.6
- conflagration U01.3
- crushed by falling aircraft U01.1
- depth-charge U01.0
- destruction of aircraft U01.1
- disability as sequelae one year or more after injury U02
- drowning U01.8
- effect (direct) (secondary) of nuclear weapon U01.5
- - sequelae U02
- explosion (artillery shell) (breech-block) (cannon block) U01.2
- - aircraft U01.1
- - bomb (antipersonnel) (mortar) U01.2
- - nuclear (atom) (hydrogen) U01.5
- - depth-charge U01.0
- - grenade U01.2
- - injury by fragments (from) U01.2
- - land-mine U01.2
- - marine weapon(s) U01.0

Codes for Special Purposes (U00 - U99)

Terrorism----continued

- - mine (land) U01.2
- - at sea or in harbor U01.0
- - marine U01.0
- - missile (explosive) (guided) NEC U01.2
- - munitions (dump) (factory) U01.2
- - nuclear (weapon) U01.5
- - other direct and secondary effects of U01.5
- - own weapons U01.2
- - sea-based artillery shell U01.0
- - torpedo U01.0
- exposure to ionizing radiation from nuclear explosion U01.5
- falling aircraft U01.1
- fire or fire-producing device U01.3
- firearms U01.4
- fireball effects from nuclear explosion U01.5
- fragments from artillery shell, bomb NEC, grenade, guided missile, land-mine, rocket, shell, shrapnel U01.2
- gas or fumes U01.7
- grenade (explosion) (fragments) U01.2
- guided missile (explosion) (fragments) U01.2
- - nuclear U01.5
- heat from nuclear explosion U01.5
- hot substances U01.3
- hydrogen cyanide U01.7
- land-mine (explosion) (fragments) U01.2
- laser(s) U01.8
- late effect (of) U02
- lewisite U01.7
- lung irritant (chemical) (fumes) (gas) U01.7
- marine mine U01.0
- mine U01.2
- - at sea U01.0
- - in harbor U01.0
- - land (explosion) (fragments) U01.2
- - marine U01.0
- missile (explosion) (fragments) (guided) U01.2
- - marine U01.0
- - nuclear U01.5

Codes for Special Purposes (U00 - U99)

Terrorism----continued

- mortar bomb (explosion) (fragments) U01.2
- mustard gas U01.7
- nerve gas U01.7
- nuclear weapons U01.5
- pellets (shotgun) U01.4
- petrol bomb U01.3
- piercing object U01.8
- phosgene U01.7
- poisoning (chemical) (fumes) (gas) U01.7
- radiation, ionizing from nuclear explosion U01.5
- rocket (explosion) (fragments) U01.2
- saber, sabre U01.8
- sarin U01.7
- screening smoke U01.7
- sequelae effect (of) U02
- shell (aircraft) (artillery) (cannon) (land-based) (explosion) (fragments) U01.2
- - sea-based U01.0
- shooting U01.4
- - bullet(s) U01.4
- -- pellet(s) (rifle) (shotgun) U01.4
- shrapnel U01.2
- smallpox U01.6
- stabbing object(s) U01.8
- submersion U01.8
- torpedo U01.0
- underwater blast U01.0
- vesicant (chemical) (fumes) (gas) U01.7
- weapon burst U01.2

Codes for Special Purposes (U00 - U99)

	Date of death 9/11	/2001	
PLACE	I (a) Burns		T300
5	(b) Terrorist at	tack on the Pentagor	u &U011
<u>MOD</u>	II		
Н	Homicide	The Pentagon	Date of injury 9/11/2001
		involving destruction an act of terrorism.	n of aircraft. The FBI declared the
	Date of death 9/11	/2001	
PLACE	I (a) Chest traur	na	S299
5	(b)		
<u>MOD</u>	II World Trade Co	enter Disaster	&U011
Н	Homicide	rld Trade Center	Date of injury 9/11/2001
	~ .		

<u>Code</u> as terrorism involving destruction of aircraft. The FBI declared the World Trade Center incident an act of terrorism.

2. Severe Acute Respiratory Syndrome [SARS] (U04)

Tabular List

U04 Severe acute respiratory syndrome [SARS]

U04.9 Severe acute respiratory syndrome [SARS], unspecified

SECTION I – Alphabetical index to diseases and nature of injury

Syndrome

- respiratory
- - severe acute U04.9
- severe acute respiratory syndrome (SARS) U04.9

Additional Drug Examples

- Place 9
 I (a) Ingested overdose of opiates and ingested alcohol T406 &X42 F109
 Code I(a) nature of injury and external cause code for opiate overdose. Code ingested alcohol as indexed. No evidence of alcohol and drug synergism is reported.
- Place 9
 I (a) Ingested overdose of (opiates) and ingested alcohol T406 &X42 F109
 Code I(a) nature of injury and external cause code for opiate overdose. Code ingested alcohol as indexed. No evidence of alcohol and drug synergism is reported.
- 3. Place 9 I (a) Intoxication by the use of cocaine and opiates T405 & X42 T406

 Code I(a) nature of injury and external cause code for cocaine and opiate intoxication. Since the drugs are assigned to the same external cause code, code X42. Do not enter a Chapter V code (F codes).
- 4. Place I (a) Intoxication by the use of (cocaine and opiates)

 Code I(a) nature of injury and external cause code for cocaine and opiates intoxication. Since the drugs are assigned to the same external cause code, code X42. Do not enter a Chapter V code (F codes).
- 5. Place 9 I (a) Toxic effects of cocaine abuse T405 & X42 F141

 Interpret I(a) as cocaine poisoning and cocaine abuse. Code nature of injury and external cause code for cocaine poisoning and cocaine abuse as indexed.
- 6. Place 9 I (a) Toxic effects of illicit drug abuse T509 &X44 F191

 Interpret I(a) as drug poisoning and drug abuse. Code nature of injury and external cause code for drug poisoning and drug abuse as indexed.
- 7. Place 9 I (a) Mixed drug intoxication alcohol and cocaine T519 X45 T405 &X42

 Interpret I(a) as poisoning and code nature of injury and external cause code for alcohol and cocaine. Precede the external cause code for the cocaine poisoning with an ampersand.

Additional Drug Examples

8. Place I (a) Mixed drug intoxication (alcohol and cocaine) T519 X45 T405 &X42 (b)

II Used combination cocaine and alcohol F149 T519

<u>Interpret</u> I(a) as poisoning and code nature of injury and external cause code for alcohol and cocaine. Precede the external cause code for cocaine poisoning with an ampersand. In Part II, code cocaine use as listed under dependence, and alcohol to the nature of injury since alcohol poisoning is reported on the record.

9. <u>Place</u> I (a) Multiple drug intoxication including T509 &X44 T402 T424 T430 (b) oxycodone, diazepam, and doxepin

<u>Code</u> the nature of injury code for drug NOS as first entry on I(a). Since the drugs are assigned to different external cause codes, code X44 followed by the nature of injury code for each drug reported.

10. <u>Place</u> I (a) Acute multiple drug intoxication (oxycodone T402 &X44 T424 9 (b) and alprazolam)
II Took overdose T509

<u>Code</u> I(a) nature of injury and external cause code for oxycodone and alprazolam intoxication. Since the drugs are assigned to different external cause codes, code X44. Code the nature of injury code for drug NOS in Part II.

11. <u>Place</u> I (a) Acute multiple drug intoxication (ethanol, F100 T402 &X44 T424 (b) oxycodone and alprazolam)

<u>Code</u> first entry I(a) ethanol intoxication as indexed. Code nature of injury and external cause code for oxycodone and alprazolam intoxication. Since the drugs are assigned to different external cause codes, code X44. No evidence of alcohol and drug synergism is reported.

Additional Drug Examples

12. <u>Place</u> 9	Ι	` '	ombined drug intoxication one, with diazepam and ethyl	T509 T402	&X44 X45	T424	T510
MOD	II	(c) arcond	n)	T509	T510		
A		Accident	Took drugs and drank alcoholic b	everages			

<u>Code</u> the nature of injury for drug NOS as first entry on I(a). Since the drugs are assigned to different external cause codes, code X44. Code the nature of injury for each drug reported on I(b) and the nature of injury and external cause for alcohol. Code the nature of injury for drug NOS and alcohol in Part II.

13. <u>Place</u>	I (a) Acute intoxication due to ethanol	F100	
9	(b) abuse, opiate abuse	F101	F111
MOD	II Drug reaction	T509	&X44
A	_		
	Accident		

<u>Code</u> I(a) and (b) as indexed. Code Part II to drug poisoning since drug NOS is reported and the certifier stated the death was due to an accident.

14. Place I (a) Cardiac arrhythmia associated with hydroxyzine	I499	T435	&X41
9 (b) injection			
\underline{MOD} (c)			
A II Hydroxyzine injection	T435		
Accident			

<u>Code</u> first condition on I(a) as indexed. Code hydroxyzine injection as poisoning since it is a psychotropic drug and the certifier reported the death was due to an accident. Code nature of injury for hydroxyzine Part II.

- 15. I (a) Cardiac arrhythmia associated with hydroxyzine I499
 (b) injection
 (c)
 - II Hydroxyzine injection

<u>Code</u> first condition on I(a) as indexed. No code required for the hydroxyzine injection since no complication is reported. It is considered drug therapy since the certifier did not report accident or undetermined in the manner of death block.

Additional Drug Examples

16. <u>Place</u> 9 <u>MOD</u>	I (a) Acute cardiac arrhythmia precipitated by (b) cocaine and opiates (c)	9 T405	&X42 T406
A	II Drug abuse, cocaine and opiates Accident F14	11 F111	
	Code first condition on I(a) as indexed. Code cocaine and the drugs are narcotics and the certifier reported the death Code the nature of injury and external cause code for coc Since the drugs are assigned to the same external cause cocaine abuse and opiates abuse as indexed in Part II.	was due taine and o	to an accident. piate poisoning.
17. <u>Place</u> 9	I (a) Acute intravenous narcotism (heroin) (b)	F112	
	II Methadone overdose, heroin injection	T403	&X42 T401
	<u>Code</u> I(a) F112, acute intravenous heroin narcotism. Cor overdose and heroin injection as poisoning. Heroin is no purposes.		
18. <u>Place</u>	I (a) Acute intravenous narcotism heroin overdose	F192	T401 &X42
9	Intrepret I(a) as two separate entities. Code acute intrave entity and code a nature of injury and an external cause c second entity.		
19. <u>Place</u>	I (a) Acute intravenous narcotism	F112	
9	(b) Morphine II Intravenous use of drugs	F199	
	Consider I(b) as continuation of I(a). Code I(a) acute intrancotism and Part II as indexed.	avenous n	norphine
20.	I (a) Drug dependence (heroin, cocaine)	F112	F142

Code I(a) heroin and cocaine dependence as indexed.

Additional Drug Examples

21. <u>Place</u> 9	I (a) Renal failure(b) Drug induced hepatotoxicity	N19 T509	&X44
	Code I(a) as indexed. Code I(b) as poisoning since toxicity one of the terms that is interpreted as poisoning.	of a si	te) by a drug is
22. <u>Place</u> 9	I (a) Effects of cocaine and methamphetamine use (b)	F149	F159
MOD	II Drug intake	T509	&X44
A	Accident		

<u>Code</u> I(a) as indexed applying intent of certifier instructions for coding use of drugs. Code drug intake as poisoning since drug NOS is reported and the certifier reported the death was due to an accident.

23. <u>Place</u> I (a) Ac	verse effects of drugs	T509 &X44 T509
MOD Acciden	Subject took drugs	

<u>Code</u> I(a) to drug poisoning since drug NOS is reported and the certifier stated the death was due to an accident. Code the nature of injury for drug in Part II.

24.	I (a) Gastric ulcer	K259
	(b) Drug intake	Y579
	(c) Arthritis	&M139

<u>Code</u> the gastric ulcer as a complication of the drug reported on (b). Code the E-code for drug therapy on I(b). It is considered drug therapy since the certifier did not indicate the death was due to an accident or it occurred under undetermined circumstances or the drug was taken in conjunction with alcohol. Code I(c) as indexed and precede with an ampersand.

Additional Drug Examples

25. <u>Place</u>	I (a) Combined toxicity	T659	&X44
9	(b) Heroin and amphetamine	T401	T436
MOD	II		
A	Accident		

<u>Code</u> I(a) to nature of injury for Toxicity NOS, T659 as indexed. Code external cause to X44 since the drugs are classified to different external cause codes.

26. <u>Place</u>	I (a) Poisoning	T659	&X44
9	(b) Heroin and amphetamine	T401	T436
<u>MOD</u>	II		
A	Accident		

<u>Code</u> I(a) to nature of injury for Poisoning NOS, T659 as indexed. Code external cause to X44 since the drugs are classified to different external cause codes.

27. <u>Place</u>	I (a) Mixed drug poisoning (cocaine,(b) opiate, ethanol)	T405	&Y12 T406	T510	Y15
MOD	(c) opiate, emailor)				
С	II Consumed ethanol with illicit drugs	T510	T509		

Undetermined

<u>Interpret</u> I(a) as poisoning and code nature of injury and external cause for cocaine, opiate and ethanol. Precede the external cause for the drugs with an ampersand. In Part II, code ethanol to a nature of injury since ethanol poisoning is reported on the record; also code the nature of injury for drug.

28. <u>Place</u>	I (a) Subdural hematoma	I620	
9	(1	b) Anticoagulation	Y442	
	(c) Arrhythmia	&I499	
	II A	Amiodarone lung toxicity	T462	&X44

<u>Code</u> I(a) as nontraumatic. Code the E-code for drug therapy on I(b). Code I(c) as indexed and precede with an ampersand to identify the reason for treatment. Code Part II as poisoning since toxicity (of a site) by a drug is one of the terms that is interpreted as poisoning.


Additional Drug Examples

29.	I (a) Cardiac Arrest (b) Bleeding	I469 &R5800
MOD	` '	Y442
N	Natural	
		C.1 1

Code I (a) as indexed. Code the bleeding as a complication of the drug reported on I (c). Drug, medicament or biological substance is assumed to be used for medical care unless there are indications to the contrary.

30. <u>Place</u>	I (a) Combined	opiate and stimulant poisoning	T406	&X44	T509
9	(b) Usage of h	ydrocodone and cocaine	F119	F149	
MOD	II		T406	T509	
A	Accident	Used lethal combination of opiate	s and stin	nulant dru	ıgs

Code I(a) nature of injury and external cause for opiate and stimulant poisoning. Since the drugs are assigned to different external cause codes, code X44. Code I(b) as indexed applying intent of certifier instructions for use of drugs. Refer to Table of drugs and chemicals to find hydrocodone, T402. In Volume 1, the title of category T402 is "Other opioids". Code hydrocodone use to Addiction, opioids, with fourth character .9, F119. In Part II, code the nature of injury for opiates and stimulant drugs, since "Lethal (amount) (dose) (quantity) of a drug" is interpreted to mean poisoning.



Code I(a) nature of injury and external cause for analgesic, antihistaminic and antidepressant poisoning. Since the drugs are assigned to different external cause codes, code X44. Code I(b) and Part II as indexed applying intent of certifier instructions for use of drugs.

A	
Abbreviations	
Abortion	
Acquired	
Congenital Defects (Anomaly)	
Less than 1 year	
Less than 28 Days	57
Activity Codes	398
Acute	
Definition	62
Hepatic Failure, Created Code (K7200)	20
Intoxication	
Intravenous Narcotism	416
Myocardial Infarction with 3 Month Duration	62
Myocarditis	
Terms/Chart	
Acute & Chronic	
Chart	63
Leukemia	
Acute Exacerbation.	64
Additional Drug Examples	
Additional Information (AI)	
Amended Certificates	55
Complications of Surgery	
Does Not Modify or State Underlying Cause	
Gives Primary Site of Neoplasm	
Neoplasm with No Mention of Site	
Twin	
Adhesions	
Adjective Modifiers	
Age	
Child, Childhood	57
Abuse (Battering/Maltreatment)	
Brain Damage reported due to	
Death	
Transports less than 14 years	
Effect of Age of Decedent on Classification.	
Infant, Infantile	
Gestation, early	
Hypoglycemia	
Hypomagnesemia	
Less than 1 year	
SIDS	
Termination	
Weight	
Newborn, Neonatal	1/1
Less than 1 Year	57
Less than 28 Days	
Limitations (28 Days and Over)	
Over 5 Years (X60 – X84)	
Over/Under 1 year Paralysis	
· · · · · · · · · · · · · · · · · · ·	
Rheumatic Heart Disease	1/3

420

Alcohol (F100, F101, F109, R780, R826, R893)	98
Poisoning, Alcohol and Drugs Chart	
Reported with Barbiturates	
When Reported on Certificate	
Exceptions	
With Analgesics, Sedatives, Narcotic and Psychotropic Drugs	
Alcohol and Drug Examples – Appendix H	
Always Malignant	
Alzheimer's, Dementia	
Amended Certificates	
Ammonia Intoxication.	
Amputation,	207
Do Not Assume Disease	322
Stump	
Anthrax – Terrorism	
Anuliax – Teriorish Aortic Stenosis >28 Days	
·	
Appendectomy	
Surgical Example	
Appendicitis	
Appendix H, Drug Examples	
Arrested Pulmonary Tuberculosis	194
Arteriosclerosis and Arteriosclerotic	27.24
Additional Modifier	· · · · · · · · · · · · · · · · · · ·
Cerebral, Sequela	
Do Not Relate	
Reported Due to Drug Therapy	
Reported Due to Surgery	306
Arthritis	
(Acquired) (Any Type)	
With Contractures	
With Deformity	
Arthrosis (M199)	
Unspecified, created code	20
Aspiration	
Ampersand and Exceptions	218
Pneumonia Due to Smoke	260
Threats to Breathing Tables	261
Asterisk (*)	
Do Not Use	
Unless Notified by NCHS	401
Asthma	
Childhood	57
ATN = Acute Tubular Necrosis	371
Atrial Defect (Q210)	134
Auricular Defect (Q211)	
n .	
В	
Battering	257
Biliary Cirrhosis NOS (K745)	
Birth İnjury, Spinal Cord	
Bleeding Varices, Varix NOS (I859)	
See Also Hemorrhage	
Brain Damage, Child	
Brain, Synonymous Sites	
Bronchopneumonia (J180)	
Due to Influenza	

\boldsymbol{c}	
Cancer (see also Neoplasm)	
Versus Disease	42
CAO = Coronary Artery Occlusion	
Carbon Monoxide Poisoning	
Cause Unknown	
Caused by Above	
Cesarean Delivery	
For Inertia Uterus (O622)	
Charts, Lists, Bullets, etc.	
Anatomical Sites / Systems of Cancer	164
Codes to use with Surgery when Condition Not Reported	
Common Sites of Metastasis	
Complications of Drug Therapy	296
Do Not Make Assumption	
Conditions First Entry Lowest Used Line Classified to Ill-Defined336, 337, 338	
Conditions Qualified Traumatic	
Bullet Entering / Exiting	255
Bullet, Gunshot, Shooting	
Exceptions	
Firearms	253
Injury NOS	
Pedestrian Versus Any Vehicle	
Reported With	
Do Not Assume For These Conditions	
Do Not Relate / Modify These Conditions	72
Due To	31
E-Code	214
External Special Purposes	406
Gestation	191
HIV	28
Interpreting Time / Duration	65
Invalid Codes	400
Manner of Death	211
Misadventure Indications	360
Not Indicating Due To	33
Place of Injury	389
Poisoning by Drugs	
Combining Alcohol and Drugs	291
Primary Site Unknown	168
Radiation	359
Ampersand	357
Induced	
Placement of Codes	
Reformat Up	32
Substitute Codes	400
Terrorism	401
Threats to Breathing and Related conditions	261
Unknown Cause	206
Child, Childhood	
Abuse (Battering / Maltreatment)	
Brain Damage Reported Due To	
Death	
Homicide	
Transports Less than 14 Years	241

Childbirth	4, 181, 184
Chronic	
And Acute	
And Acute Preceding 2 or More Conditions	
Chart	
Condition One Year or More Due To Leprosy	
Condition One Year Or More Due To Polio	
Conditions in I600 – I64 and I670 – I679	202
Conditions Reported Due to	
Cerebrovascular Disease	
Hyperalimentation	
Inflammatory Disease of Central Nervous System	
Obstetrical Cause	
Rickets	
S00 – T88	
Trachoma	
Viral Encephalitis	
Viral Hepatitis	
Conditions Reported With Injury	
Conditions With Durations of One Year or More	
Definition	
Hepatic Failure, Created code (K7210)	
Lung Disease, Created Code (J9840)	
Pneumonia, Created Code (J9840)	
Rheumatic Heart Disease	
Subdural Hematoma, Traumatic	107, 300
Reported With	
Encephalopathy	7.4
Injury Liver	
Classifying Terrorism	
Codes	101
Activity	398
Excessive	
Geographic	
Substitute	
Codes for Place of Injury	
Codes for Special Purposes	
SARS	
Terrorism	
Coding Causes of Death Nomenclature	8
Coding Transport Categories (V01 – V89)	
Combined Effects of Two or more Drugs	
Common Sites of Metastasis	
Complications	
Administration of Drugs, Radiation, Instruments	355
Drug Induced (Stated)	
Complications (Surgery)	
Named Surgery	308
Condition in (S00 – T88)	
Stated Chronic With or Without Duration Due To (S00 – T88)	364
Stated Chronic With or Without Duration Due To (V010 – Y849)	
Stated Chronic, Old, Hx of, etc., Regardless of Duration	
Conditions	
Drug Induced or Due To Drug	288

Necessitating Surgery	
Exception – Appendectomy	320
Predating Surgery	308
Qualified as Traumatic	
Types of Transports	
To Assume when Condition Not Reported (Partial List)	321
Congenital	
Anomaly NOS	
Less Than 28 Days	57
Less than One Year	57
Conditions	
Due To Drug Therapy	288
Defects	
Plural	
Do Not Relate	
Hydrocephalus, Classified Congenital	
Pregnancy Complicated By	
Syphillis	
Connecting Terms.	
Lists (Partial)	
Consider Transports in Motion / Stationary	241
Contracture	
Arthritis (M169)	
Joint	
Coxarthrosis (M169)	
Created Codes	
C-Section	
Inert Uterus	
D	
Date of Surgery Block	332
Definitions	
Adjectival Modifiers	23
And Types of Diagnostic Entities	
Multiple One Term Entity	
One Term Entity	
Reported with Multiple Conditions	
Deformity	20
<1 Year of Age	57
Arthritis	
Delivery	
Dementia, Alzheimer's	
Diabetic	
Coma Necessitating Surgery	320
Diagnostic Term Chart	
Diagnostic Terms	
Special HIV	28
Dialysis Catheter (example)	
Diaphragmatic Hernia in K44.	
Disease	117
Classified to Injury	74
Implied	
Plural Form	
Dissociative Disorder (F449)	
Do Not Relate	
Doubtful Diagnosis	

Apparently	41
Doubtful Qualifying Expressions	
Interpretations of	
Perhaps	
Possibly	
Presumably	
Drug Examples (Appendix H)	
Drug Use NOS (F199)	
Drug(s)	
Acute Intoxication	293
Administered for Procedure	
And Alcohol	
Chemotherapy	
Do Not Assume Sequela, One Year or More	
Examples (Appendix H)	
Immunosuppression	
For Surgery	
Induced	
Intoxication (Therapy)	
One Drug in Part I, Another in Part II.	
Overdose	
Percentage in Blood	
Poisoning	
Combination of Drugs / Poisoning	
In Therapy	
Reaction	
Due To Named Medical Procedure (Steps 1-5)	
Duration	J+C
Conflict in Durations	66
Inconsistent	
Drug Therapy	
Span of Dates	
Two Conditions with One Duration	
Dysmenorrhea (N946)	
Dysplasia of Lung NOS (Q336)	
Anything Indexed to Q336, see Intent of Certifier	
E	130
Early Infancy	101
E-Code	
Edema (Acute, Chronic)	
Do Not Relate	73
Due To Inhaled Chemicals.	
Due To Radiation	
Effect of Duration on Assignment of Codes.	
Effects of External Cause of Injury and External Cause of Poisoning	
Embolism	206
From a Site	71
Implied Site of Disease	
To a Site	
Encephalopathy	
Name Implies Site, Do Not Relate	7.4
Special Diagnostic Entities AIDS / HIV	
Endocrine / Metabolic Disorders, see Infant.	
Enema	191
Barium	355 356
DW1W111	

Water (tap)	361
Erythremia (C940)	88
Examples	
Due To Cardiopulmonary Resuscitation	362
Exposure	251
Fracture Site Qualified Pathological	137
Non-Union	365
Old Fracture	366
Reported with Laceration, Contusions, etc.	233
Sequela	363
Surgical Assumption	321
Surgical Example	295
Transports (In Motion, Stationary)	241
Exceptions	
Conditions Classifiable to	
I20 - I25 except I250	
To Use Of Ampersand	218
Exceptions To Relating and Modifying (example)	
Excessive Codes To Delete	
Exposure/Hypothermia (Cold, Drowning, Elements, Exposure, MVA)	251
External Cause	
Anthrax	
Aspiration, Ingestion, Inhalation,	
Assumption Of Nature Of Injury Code When Not Reported, also with Disease	
Burns	
Child Abuse, Battering and Other Maltreatment	
Exceptions, Specifies Homicide	258
Complications of	
Cause Code Concept	
Medical and Surgical Care	
Medical Care	
Medical Procedures Other Than Surgical	
Prophylactic/Non Therapeutic Surgery	
Radiation During Medical Care	
Surgery	
Surgical Procedures (List Not All Inclusive)	
Compression Chest, Crushed Chest	
Conditions Qualified As Traumatic	
Exception Emphysema, Encephalitis, Meningitis	
Exceptions If Due To Non Trauma	
No Provisions To Code Traumatic	
Stated Traumatic (See List)	
Traumatic Form Only When Stated	
Drowning and Submersion	
Results Of Motor Vehicle Accident	
Drugs, Medicaments, And Biological Substances Causing Adverse Effects in T	±
E - Code Only	
Exceptions To Use Of Ampersand	
Exposure (Cold) and Hypothermia	
External Cause Does Not Result In Injury	
Falls	
Firearms And Firearm Injuries.	
Fires (Includes Burns, Gases, Fumes)	
General Coding Concepts	
Hanging And Mechanical Strangulation	
Implied Site Of Injury	

Ingestion, Inhalation Of Gasses Fumes, Vapors	261 272 273
Injury NOS.	
Lightning	
Manner Of Death	
Misadventures to Patients During Surgical And Medical Care	294, 360
Multiple Injuries	
N and E Code List	215
N Code Only List	
Nature Of Injury And External Cause Code Lists	
Nature Of Injury Without Mention Of External Cause	
Place Of Occurrence	
Placement Of Nature Of Injury	
Poisoning	
Poisoning By Alcohol and Drugs	
Poisoning By Combination Of Drugs	
Poisoning By Drugs	
Specified Types/Sites Of Injuries	
Trauma NOS	
Use Of Ampersand	
Use Of Tabular List	209
$oldsymbol{F}$	
Fall, see External	
Firearms, see External	
Self Inflicted NOS	
With Injury (Bullet, Entering, Exiting, Shot, Etc.)	
Fires (Burns, Gases, Fumes)	
Without Fire, Burns	261, 272, 273
Format Lin 1()	22
Condition Entered Above Line 1(a)	
Condition Reported As Due To 1(a), 1(b), or 1 (c)	
Condition Reported Between Lines In Part I	
Conditions Reported In Part II	
Connecting Terms	
Deletion of Due To	
Not Indicating a Due To Relationship	
Numbering Of Causes Reported In Part I (Partial)	
Punctuation Marks	
Reformat Up	
Reported Between Lines	
Reported In Part II	
Same Line	
Fracture (any site) (T142)	
Bilateral, Both, Multiple	
Examples	
Fracture Site Qualified Pathological (All Reported On Certificate as Pathological Of Tha	
Non-Union	
Old Fracture	
Reported With Laceration, Contusions, etc	
Sequela	
Surgical Example	
Transports (In Motion, Stationary)	241

G	
Gangrene (Necrosis)	
Adjectival Modifier Reported With Multiple Conditions	26
Diabetic	
Coma Necessitating Surgery	
Exceptions To Relating And Modifying (Example)	73
Excessive Codes To Delete	13
Implied Site of Disease Condition	
Lowest Used Line Part I – Ill-Defined Conditions	
Exceptions	336
Post Operative List	331
Post-Operative List	
Qualified Post Operative	
General Coding Concept	4
General Paresis (A521)	
Geographic Codes	2
Gonarthrosis (M179)	
Gout (M109)	123
H	
	0.0
Hemolytic Anemia (D589)	
Hemorrhagic	
Hemorrhagic Purpura NOS (D693)	92
HIV / AIDS	
Related Conditions	20
Treat as Separate One-Term Entity	28
House	251
Fire With Lightning	
Struck By Lightning	
Hyperaldosteronism (E269)	
Hyperparathyroidism (E213)	
Hypotonic Labor (0622)	
Hypotonic Uterus Dysfunction (O622)	132
I	
I20 - I25 except I250 - Exception	25
Inadequate Uterus Contraction (O622)	
Inconsistent Duration	
Infant, Infantile	17
Endocrine/Metabolic Disorders	191
Infarction	1 / 1
AMI = Acute Myocardial Infarction	370
Complications as first entry on lowest used line	
Conditions of Different Site	
Conditions of Unspecified Site	
Conditions Qualified as Post Operative	
Effect of Duration	
MI = Myocardial Infarction	
NOS, do not relate	
Sequela of Cerebral	
Infection	201
Complication as first entry on lowest used line	331
Exceptions to relating	
NOS	
Injury (ies) (Generalized)(Internal)(Multiple)	

Activity Codes	398
As Disease Conditions	74
Assume Nature of	230
By Terrorism	407
Homicide	257
Multiple	232
N and E Codes	
Nature of	213
NOS	
Placement of codes	
Reported due to	
S000 - T149 (Birth Trauma)	
Single site	
Specified types	236
Intent of Certifier	
Alcohol (F100, F101, F109, R780, R826, R893)	98
Arthrosis (M199)	
Biliary Cirrhosis NOS (K745)	
Bleeding Varices NOS (I839)	116
Bronchopneumonia (J180)	
Cataract (H269)	
Cerebral Sclerosis (G379)	
Cervical Dystocia (O622)	
Cesarean Delivery for Inertia Uterus (O622)	
Coxarthrosis (M169)	125
Diaphragmatic Hernia in K44	119
Dissociative Disorder (F449)	107
Drug Use NOS - Named Drug Use (F11- F16, F18- F19)	
Dysmenorrhea (N941)	
Dysplasia of Lung NOS (Q336)	135
Erythomia (C940)	
Fracture (any site)(T142)	137
General Paresis (A521)	80
Gonarthrosis (M179)	126
Gout (M109)	123
Hemolytic Anemia (D589)	90
Hemorrhagic Purpura NOS (D693)	92
Hyperaldosteronism (E269)	96
Hyperparathyroidism (E213)	95
Hypoplasia of Lung NOS (Q336)	135
Hypotonic Labor (O622)	
Hypotonic Uterus Dysfunction (O622)	132
Inadequate Uterus Contractions (O622)	
Injury (S000 - T149)	136
Intracranial Non Traumatic hemorrhage of Fetus and Newborn (P52)	
Kyphosis (M402)	128
Lactase Deficiency (E730)	97
Lobar Pneumonia Organism Unspecified Only in J181	
Lupus (L930)	
Lupus Erythematosis (L930)	
Mental Disorder (any F99)	
Myopathy (G729)	
Organisms and Infections NOS (B99)	
Osteonecrosis (M879)	
Paralysis (any G81, G82, G83 excluding senile paralysis)	
Personality Change (Enduring) (F629)	

Intractanial Nontraumatic Hemorrhage of Fetus and Newborn (P52)	360 133 97 251 122 4 36 164 164 142 152 170 155 172 170 158 164 165
Introduction Invalid Codes	360 133 97 251 122 4 36 164 164 142 22 170 149 162 170 152 170
Introduction Invalid Codes K Kyphosis (M402) L Laceration Injuries as disease conditions Misadventure Non traumatic fetus and newborn Lactase Deficiency (E730) Lightning Lupus (L930) M Major Revisions Malignant Hypertension Malignant Neoplasms All Sites Metastatic or on the list All sites qualified metastatic Anatomical System Categories Coding Concept Common Sites List. Implication of Malignancy. Independent (primary) sites Kaposi's Sarcoma Lymphatic, Hematopoietic Mass or lesion with malignant neoplasms Metastases. 152, Common sites. NOS Metastatic From a Site From a Site	360 133 97 251 122 4 36 164 164 142 22 170 149 162 170 152 170
Introduction Invalid Codes	360 133 97 251 122 4 36 164 164 142 22 170 149 162 170 152 170
Introduction Invalid Codes. K Kyphosis (M402) L Laceration Injuries as disease conditions. Misadventure Non traumatic fetus and newborn Lactase Deficiency (E730) Lightning. Lupus (L930) M Major Revisions. Malignant Hypertension Malignant Neoplasms All Sites Metastatic or on the list. All sites qualified metastatic. Anatomical System Categories Codomo Sites List. Implication of Malignancy. Independent (primary) sites Kaposi's Sarcoma Lymphatic, Hematopoietic. Mass or lesion with malignant neoplasms Mesothelioma Metastases. 152, Common sites. NOS	360 133 97 251 122 4 36 164 164 142 22 170 149 162 170 155 170 152
Introduction Invalid Codes	360 133 97 251 122 4 36 164 164 142 22 170 149 162 170 155 170 152
Introduction	360 133 97 251 122 4 36 164 164 142 22 170 149 162 172 172 170
Introduction Invalid Codes K Kyphosis (M402) L Laceration Injuries as disease conditions Misadventure Non traumatic fetus and newborn Lactase Deficiency (E730) Lightning Lupus (L930) M Major Revisions Malignant Hypertension Malignant Neoplasms All Sites Metastatic or on the list All sites qualified metastatic Anatomical System Categories Coding Concept Common Sites List Implication of Malignancy Independent (primary) sites Kaposi's Sarcoma Lymphatic, Hematopoietic Mass or lesion with malignant neoplasms Mesothelioma	360 133 97 251 122 4 36 164 164 142 22 170 149 162 155 172 162
Introduction Invalid Codes K Kyphosis (M402) L Laceration Injuries as disease conditions. Misadventure Non traumatic fetus and newborn Lactase Deficiency (E730) Lightning Lupus (L930) M Major Revisions. Malignant Hypertension Malignant Neoplasms All Sites Metastatic or on the list All sites qualified metastatic Anatomical System Categories Coding Concept Common Sites List. Implication of Malignancy Independent (primary) sites Kaposi's Sarcoma Lymphatic, Hematopoietic. Mass or lesion with malignant neoplasms	360 133 97 251 122 4 36 164 164 142 22 170 149 165 172
Introduction Invalid Codes K Kyphosis (M402) L Laceration Injuries as disease conditions Misadventure Non traumatic fetus and newborn Lactase Deficiency (E730) Lightning Lupus (L930) M Major Revisions Malignant Hypertension Malignant Hypertension Malignant Neoplasms All Sites Metastatic or on the list All sites qualified metastatic Anatomical System Categories Coding Concept Common Sites List. Implication of Malignancy Independent (primary) sites Kaposi's Sarcoma Lymphatic, Hematopoietic	360 133 97 251 122 4 36 164 164 142 22 152 170 149 162 155
Introduction Invalid Codes	360 133 97 251 122 4 36 164 164 142 22 152 170 149 162
Introduction Invalid Codes	360 133 97 251 122 4 36 164 164 142 22 170 149
Introduction Invalid Codes	360 133 97 251 122 4 36 164 164 142 22 170
Introduction Invalid Codes K Kyphosis (M402) L Laceration Injuries as disease conditions Misadventure Non traumatic fetus and newborn Lactase Deficiency (E730) Lightning Lupus (L930) M Major Revisions Malignant Hypertension Malignant Hypertension Malignant Neoplasms All Sites Metastatic or on the list All sites qualified metastatic Anatomical System Categories Coding Concept Common Sites List.	360 133 97 251 122 4 36 164 164 142 22 152
Introduction	360 133 97 251 122 4 36 164 164 164 142
Introduction	360 133 97 251 122 4 36 164 164 164 142
Introduction	360 133 97 251 122 4 36 164 164 164
Introduction Invalid Codes K Kyphosis (M402) L Laceration Injuries as disease conditions Misadventure Non traumatic fetus and newborn Lactase Deficiency (E730) Lightning Lupus (L930) M Major Revisions Malignant Hypertension Malignant Neoplasms All Sites Metastatic or on the list	360 133 97 251 122 4 36
Introduction Invalid Codes K Kyphosis (M402) L Laceration Injuries as disease conditions Misadventure Non traumatic fetus and newborn Lactase Deficiency (E730) Lightning Lupus (L930) M Major Revisions Malignant Hypertension Malignant Neoplasms All Sites Metastatic or on the list	360 133 97 251 122 4 36
Introduction	360 133 97 251 122 4
Introduction	360 133 97 251 122
Introduction Invalid Codes K Kyphosis (M402) Laceration Injuries as disease conditions Misadventure Non traumatic fetus and newborn Lactase Deficiency (E730) Lightning Lupus (L930)	360 133 97 251 122
Introduction Invalid Codes K Kyphosis (M402) Laceration Injuries as disease conditions Misadventure Non traumatic fetus and newborn Lactase Deficiency (E730) Lightning Lupus (L930)	360 133 97 251
Introduction Invalid Codes K Kyphosis (M402) Laceration Injuries as disease conditions Misadventure Non traumatic fetus and newborn Lactase Deficiency (E730) Lightning Lupus (L930)	360 133 97 251
Introduction Invalid Codes K Kyphosis (M402) Laceration Injuries as disease conditions Misadventure Non traumatic fetus and newborn Lactase Deficiency (E730) Lightning	360 133 97 251
Introduction Invalid Codes K Kyphosis (M402) Laceration Injuries as disease conditions Misadventure Non traumatic fetus and newborn Lactase Deficiency (E730)	360 133 97
Introduction Invalid Codes K Kyphosis (M402) L Laceration Injuries as disease conditions Misadventure Non traumatic fetus and newborn	360 133
Introduction Invalid Codes K Kyphosis (M402) L Laceration Injuries as disease conditions Misadventure	360
Introduction	
Introduction Invalid Codes K Kyphosis (M402) Laceration	71
Introduction Invalid Codes K Kyphosis (M402)	
Introduction Invalid Codes K Kyphosis (M402)	
Introduction	
Introduction	128
Introduction	10-
Introduction	
	400
treatment:	
Interpret all these statements to mean poisoning by drug and code as poisoning whether or not the drug was given in	
Varices NOS (1839)	
Uterine Inertia During Labor (O622)	
Tobacco Use (F179)	
Thrombocytopenia (D696)	
Starvation NOS (T730)	
Sideroblastic Anemia (D643)	
Scoliosis (M419)	
Psychosis (any F29)	
Polycythemia (D45)	
Polyarthrosis (M159)	
Pneumonia in J188 or J189	
Pneumoconiosis (J64)	
Personality Disorder (F609)	

N 1 0 1 1 0 1	1.45
Neoplasm Stated to be Secondary	
No Site With Morphological Type	
Other Morphological Types Of Neoplasms	
Primary Site	
UnknownReject Coding	
Secondaries Secondaries	
Single Morphological Type and Site	
Site Specific Neoplasms	
Sites with Prefixes or Imprecise Definitions.	
Special Instruction - Lung	
Special Instruction - Lung Special Instruction - Lymph Nodes	
Terms Synonymous With Metastasis or Metastatic	
Two or More Sites Metastatic	139
C40, C41, C42, C43, C44, C45, C46, C47, C49, C70, C71, C72	163
C80	
Without Specification of Site	
Manner of Death	
Mass	
Metastatic Mesothelioma	
Metastatic Neoplasms (see also Malignant Neoplasms)	102, 103
More Than One Malignant Neoplasm	164
No Site But Type Qualified Metastatic	
One Site Qualified Metastatic	
Single Type Other Than Common Site	
Site Specific	
Neoplasms Qualified Metastatic	
Misadventure	
Myopathy (G729)	
N	
Neoplasm, Neoplasms (see also Malignant Neoplasms)	
Complications of Drugs	296
Complications of Surgical Procedures	
Do Not Relate	
General Information.	140
Morphological Types	140
Newborn or Neonatal	
Endocrine / Metabolic Disorders	191
P703 - P720, P722 - P749	191
0	
U	
Occlusion	
Ill-Defined (I99)	335
Lowest Used Line in Part I	331
NOS reported	
Of a Site	
Organisms and Infections NOS (B99)	82
P	
Personality Disorder (F609)	108
Plural	100
Form of Disease	
Pneumoconiosis (J64)	

Pneumonia	
Additional Information	52
Complications of Surgery	323
Doubtful Diagnosis	41
Due to trauma	225
Exceptions to Modifying	72
In J188 or J189	117
Infectious Conditions	82
Lowest Used Line Complication	
One term entity	22
Operative Delivery (Pregnancy)	
Parenthetical	
Post Operative	
Qualified as Post Operative	
With R00-R99	
Polyarthrosis (M159)	
Polycythemia (D45)	
Psychotic Episode NOS (F239)	
Pyelonephritis with calculus	71
R	
Relating and Modifying	
Do Not Relate	
Arteriosclerosis	72
Congenital Anomaly NOS	
Hypertension	
Infection NOS	
Neoplasms	
Paralysis	
Rheumatic Heart Diseases	
Active and Chronic	
Heart Diseases Described as Rheumatic	
Rheumatic Fever and Heart Disease Jointly Reported	
Valvular Disease Not Indicated to be Rheumatic	
Valvular Disease Reported Due To	
Valvular Disease Reported Jointly	
Rickets	199
S	
Scoliosis (M419)	129
Sequela	100
Classifications	
Paralysis, Traumatic	
Terrorism (U00 - U99)	408
Sequela of	102 105
Acute Poliomyelitis (B91)	
Cerebrovascular Disease	
Direct Obstetric Cause	
External Causes (Y850 - Y899)	
Hyperalimentations (E68)	
Inflammatory Diseases of Central Nervous System (G09)	
Injuries, Poisonings, and Other Consequences of External Cause	
Leprosy (B92)	
Malnutrition and Other Nutritional Deficiencies (E640 - E649)	
Trachoma (B940)	
(2>10)	

Tuberculosis (B900 - B909)	194
Viral Encephalitis (B941)	
Viral Hepatitis (B942)	
Sideroblastic Anemia (D643)	
SIDS	203
Standard Abbreviations	2, 5
stated site as indexed. If stated site is <u>not</u> indexed, code condition of synonymous site Charts, Lists, Bullets, etc. Synonymous Sites	387
Substitute Codes	400
Symbols	5
T	
Terrorism Classification	401
Thrombocytopenia (D696)	93
Tobacco Use (F179)	104
Trachoma	196
Twin	4, 192
$oldsymbol{U}$	
Uterine Inertia During Labor (O622)	132