

# National Health and Nutrition Examination Survey 2003-2004

---

## Documentation, Codebook, and Frequencies

MEC Exam Component: Oral  
Health Examination – Periodontal  
Mandibular Data

Survey Years:  
2003 to 2004

SAS Export File:  
OHXPRL\_C.XPT



July 2006

# NHANES 2003–2004 Data Documentation

## Exam Component: Oral Health MEC / Household Data (OHX\_C)

Years of Coverage: 2003–2004

First Published: July 2006

Last Revised: N/A

---

### Component Description

NHANES is critical for monitoring oral health status, risk indicators for disease, and access to preventive and treatment services. This component will address public health significance in areas of surveillance, prevention, treatment, dental care utilization, health policy, evaluation of Federal health programs, standardization of new methods, and oral health disparities.

Oral health data from NHANES will be used for:

- Assessing the prevalence of major oral health diseases and conditions including dental caries, periodontal disease, dental trauma, dry mouth, and dental fluorosis
- Assessing prevention and treatment efforts including the prevalence of dental sealants
- Evaluating specific public health programs/new policies and initiatives
- Monitoring the oral health status of minority/underserved populations
- Evaluating Healthy People 2000 and 2010 objectives related to oral health
- Supporting research activities as identified in the 2000 Surgeon General's Report on Oral Health in the United States.

**Eligible  
Sample  
Inclusion  
Criteria**

Participants aged 2 years and older who do not meet any of the exclusion criteria are eligible. A positive response to any of the following medical health-screening questions asked of participants aged 13 years or older will exclude them from the periodontal and root caries assessments. Participants aged 13-15 years must have a health proxy signed by a parent/guardian to participate in the oral health examination.

- Has a doctor or dentist ever told you that you must always take antibiotics (e.g. penicillin) before you get a dental check up or care?
- Do you have a heart problem (specifically congenital heart murmurs, heart valve problems, congenital heart disease, or bacterial endocarditis)?
- Do you have rheumatic fever?
- Kidney disease requiring renal dialysis?
- Hemophilia?
- Pacemaker or automatic defibrillator or artificial material in your heart veins or arteries?

## **Examination and Interview Protocol**

The following subcomponents are from the oral health examination component and home interview component with the age groups of interest in parentheses:

### **Examination:**

- Medical history screening (13 years and older)
- Dental sealant assessment (2 to 34 years of age)
- Tooth count (2 years and older)
- Coronal caries (2 years and older)
- Incisor traumatic injuries (10 to 29 years of age)
- Dental fluorosis assessment (6 to 49 years of age)
- Periodontal pockets, recession, loss of attachment, and bleeding (13 years and older)
- Root caries (18 years and older)
- Dental erosion and tooth wear (13 years and older)
- Functional occlusal contacts (25 years and older)
- Self-assessed dental condition questions (16 years and older)
- Denture use and wear questions (25 years and older)
- Recommendations for dental care (2 years and older)

### **Interview:**

- Dry mouth and problems with chewing food (18 years and older)
- Dental health perception, dental visits and dental care utilization (2 years and older)
- Oral health quality of life (16 years and older)
- Perceived dental treatment needs (18 years and older)

**Survey Staff and Protocol**

The oral health exam is performed by trained dentists who hold a state dental license in an US jurisdiction. One of up to seven trained oral health recorders is paired with a dentist to form a dental examination team. Two teams function independently throughout the data collection period. All oral health exam data is collected in the mobile examination center. Oral health data obtained during the home interview is collected by trained interviewers. Interview and examination protocols are discussed in detail in the NHANES Oral Health Home Interview and Exam Training Manuals. These manuals are available at the NHANES website.

**Quality Control Procedures**

The quality of data in this survey is controlled by (1) an intense training period for the dental teams with calibration of dental examiners prior to the beginning of the survey, (2) periodic monitoring and recalibration of dental examiners, and (3) periodic retraining of dental teams. The reference examiner will visit each team three times per year to observe field operations and to replicate 20 to 25 dental examinations during each visit. The purpose of these “expert replications” is to determine if the field examiners are maintaining the examination standards achieved during training and to measure the degree of deviation, if any, from those standards. If the inter-rater correlation is not within acceptable limits, retraining is conducted on site and future monitoring of the field examiner intensified. An annual retraining session for each dental examiner also is conducted by the reference examiner to reinforce existing protocols and to accommodate protocol updates as needed.

Automated data collection procedures for the survey were introduced in NHANES 1999. In the mobile examination centers (MECs), data for the oral health component are recorded directly onto a computerized data collection form. The system is integrated centrally and it allows for ongoing monitoring of much of the data. As part of an on-going quality control practice, all data are reviewed systematically for logical inconsistencies and examiner error. Internal quality control data review indicates that data quality is acceptable.

**Analytic Notes** The oral health data is released in the configuration of six “chapters.” The oral health chapters and subcomponents in parentheses are matched as follows:

- Dentition Exam (ohxden\_): Tooth count, coronal caries, root caries, dental sealants, incisor trauma, and dental fluorosis.
- Dentition-Addendum Exam (ohxadd\_): Tooth wear and functional occlusal contacts.
- Periodontal Exam-Upper (ohxpriu\_): Maxillary periodontal pockets, recession, loss of attachment, and bleeding.
- Periodontal Exam-Lower (ohxprl\_): Mandibular periodontal pockets, recession, loss of attachment, and bleeding.
- Miscellaneous (ohxref\_): Medical exclusions, denture questions, care recommendations, and miscellaneous.
- Home Interview (ohq\_): Dry Mouth, dental visits, quality of life dental health perception and perceived treatment needs.

A variety of oral health variables can be derived to assist analysts using the oral health exam data. Recommended derivations and a selection of sample code for dental caries status, dental fluorosis, dental sealants, and periodontal status is provided at the Oral Health Data Resource Center (DRC): <http://drc.nidcr.nih.gov/> Additional information regarding the NHANES datasets, including quality assurance publications and prevalence reports supported by the federal partners is also available at the DRC.

It is recommended that data users merge relevant 2003-2004 oral health data files with 1999-2000 and 2001-2002 oral health data files to ensure adequate sample size for analyses of many of the oral health outcome measures available in these files. The six-year sample weights can be calculated by data users. Additional analytical details are available at:

[http://www.cdc.gov/nchs/about/major/nhanes/nhanes2003-2004/analytical\\_guidelines.htm](http://www.cdc.gov/nchs/about/major/nhanes/nhanes2003-2004/analytical_guidelines.htm)

**Special Notes  
on Using the  
Dataset**

The analysis of NHANES 2003-2004 oral health data must be conducted with the key survey design and basic demographic variables. The NHANES 2003-2004 Household Questionnaire Data Files contain demographic data, health indicators, and other related information collected during household interviews. They also contain all survey design variables and sample weights for these age groups. Other household questionnaire and oral questionnaire files may be linked to the oral health examination data file using the unique survey participant identifier SEQN. The Oral Health Exam (OHX) and Oral Health Questionnaire (OHQ) data are publicly available at the NHANES website.

New content was added to the 2003-2004 Oral Health Exam and Interview making the NHANES Oral Health Component one of the most comprehensive assessments of oral health in the United States to date. Consequently, many variables are only available for the 2003-2004 survey period, which may significantly impact some data analyses.

**Acknowledgement**

The 2003-2004 NHANES Oral Health Component is a collaborative effort between the National Institute of Dental and Craniofacial Research (NIDCR), the National Center for Chronic Disease Prevention and Health Promotion, Division of Oral Health (NCCDPHP/DOH), and the National Center for Health Statistics (NCHS).

## Locator Record

**Title:** Oral Health Examination (OHX\_C)

**Contact Number:** 1-866-441-NCHS

**Years of Content:** 2003–2004

**First Published:** July 2006

**Revised:** N/A

**Access Constraints:** None

**Use Constraints:** None

**Geographic Coverage:** National

**Subject:** Oral Health

**Record Source:** NHANES 2003–2004

**Survey Methodology:** NHANES 2003–2004 is a stratified multistage probability sample of the civilian non-institutionalized population of the U.S.

**Medium:** NHANES Web site; SAS transport files



**National Health and Nutrition Examination Survey  
Codebook for Data Production (2003-2004)**

**Oral Health: Periodontal-Mandibular (OHXPRL\_C)  
Person Level Data**

July 2006



<b>SEQN</b>	<b>Target</b>
	B(13 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Respondent sequence number
<b>English Text:</b> Respondent sequence number.	
<b>English Instructions:</b>	

<b>OHAEXSTS</b>	<b>Target</b>
	B(13 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Overall Oral Health Exam Status
<b>English Text:</b> Overall Oral Health Exam Status	
<b>English Instructions:</b>	

Code or Value	Description	Count	Cumulative	Skip to Item
1	Complete	5050	5050	
2	Partial	1194	6244	
3	Not done	474	6718	
.	Missing	0	6718	

<b>OHASCST4</b>	<b>Target</b>			
	B(13 Yrs. to 150 Yrs.)			
<b>Hard Edits</b>	<b>SAS Label</b>			
	Periodontal Status Code			
<b>English Text:</b> Periodontal Status Code				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Complete	5051	5051	
2	Partial	35	5086	
3	Not done	1632	6718	
.	Missing	0	6718	

<b>OHD18CJM</b>	<b>Target</b>			
	B(13 Yrs. to 150 Yrs.)			
<b>Hard Edits</b>	<b>SAS Label</b>			
-12 to 12	LOA: mid-facial #18 FGM/CEJ			
<b>English Text:</b> Loss of Attachment: Lower left 2nd molar (2M) mid-facial - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
-6 to 3	Range of Values	1938	1938	
99	Cannot be assessed	567	2505	
.	Missing	4213	6718	

<b>OHD18PCM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 12		LOA: mid-facial #18 PD		
<b>English Text:</b> Loss of Attachment: Lower left 2nd molar (2M) mid-facial - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 5	Range of Values	1938	1938	
99	Cannot be assessed	567	2505	
.	Missing	4213	6718	

<b>OHD18LAM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 24		LOA: mid-facial #18 calculated LA		
<b>English Text:</b> Loss of Attachment: Lower left 2nd molar (2M) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 9	Range of Values	1938	1938	
99	Calculation cannot be determined	567	2505	
.	Missing	4213	6718	

<b>OHD18CJS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
-12 to 12		LOA: mesial #18 FGM/CEJ		
<b>English Text:</b> Loss of Attachment: Lower left 2nd molar (2M) mesio-facial - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
-4 to 3	Range of Values	1913	1913	
99	Cannot be assessed	592	2505	
.	Missing	4213	6718	

<b>OHD18PCS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 12		LOA: mesial #18 PD		
<b>English Text:</b> Loss of Attachment: Lower left 2nd molar (2M) mesio-facial - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 5	Range of Values	1913	1913	
99	Cannot be assessed	592	2505	
.	Missing	4213	6718	

<b>OHD18LAS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 24		LOA: mesial #18 calculated LA		
<b>English Text:</b> Loss of Attachment: Lower left 2nd molar (2M) mesio-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 7	Range of Values	1913	1913	
99	Calculation cannot be determined	592	2505	
.	Missing	4213	6718	

<b>OHD18CJD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
-12 to 12		LOA: distal #18 FGM/CEJ		
<b>English Text:</b> Loss of Attachment: Lower left 2nd molar (2M) distal - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
-5 to 3	Range of Values	1921	1921	
99	Cannot be assessed	584	2505	
.	Missing	4213	6718	

<b>OHD18PCD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 12		LOA: distal #18 PD		
<b>English Text:</b> Loss of Attachment: Lower left 2nd molar (2M) distal - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 7	Range of Values	1921	1921	
99	Cannot be assessed	584	2505	
.	Missing	4213	6718	

<b>OHD18LAD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 24		LOA: distal #18 calculated LA		
<b>English Text:</b> Loss of Attachment: Lower left 2nd molar (2M) distal - Calculation of : (FGM to CEJ measurement) - (FGM to sulcus base measurement) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 8	Range of Values	1921	1921	
99	Cannot be assessed	584	2505	
.	Missing	4213	6718	

<b>OHD19CJM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
-12 to 12		LOA: mid-facial #19 FGM/CEJ		
<b>English Text:</b> Loss of Attachment: Lower left 1st molar (1M) mid-facial - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
-5 to 3	Range of Values	1869	1869	
99	Cannot be assessed	639	2508	
.	Missing	4210	6718	

<b>OHD19PCM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 12		LOA: mid-facial #19 PD		
<b>English Text:</b> Loss of Attachment: Lower left 1st molar (1M) mid-facial - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 4	Range of Values	1869	1869	
99	Cannot be assessed	639	2508	
.	Missing	4210	6718	



<b>OHD19LAM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 24		LOA: mid-facial #19 calculated LA		
<b>English Text:</b> Loss of Attachment: Lower left 1st molar (1M) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)				
<b>English Instructions:</b>				
Code or Value	Description	Count	Cumulative	Skip to Item
0 to 8	Range of Values	1869	1869	
99	Calculation cannot be determined	639	2508	
.	Missing	4210	6718	

<b>OHD19CJS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
-12 to 12		LOA: mesial #19 FGM/CEJ		
<b>English Text:</b> Loss of Attachment: Lower left 1st molar (1M) mesio-facial - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
Code or Value	Description	Count	Cumulative	Skip to Item
-5 to 3	Range of Values	1878	1878	
99	Cannot be assessed	630	2508	
.	Missing	4210	6718	

<b>OHD19PCS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 12		LOA: mesial #19 PD		
<b>English Text:</b> Loss of Attachment: Lower left 1st molar (1M) mesio-facial - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 6	Range of Values	1878	1878	
99	Cannot be assessed	630	2508	
.	Missing	4210	6718	

<b>OHD19LAS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 24		LOA: mesial #19 calculated LA		
<b>English Text:</b> Loss of Attachment: Lower left 1st molar (1M) mesio-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 7	Range of Values	1878	1878	
99	Calculation cannot be determined	630	2508	
.	Missing	4210	6718	

<b>OHD19CJD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
-12 to 12		LOA: distal #19 FGM/CEJ		
<b>English Text:</b> Loss of Attachment: Lower left 1st molar (1M) distal - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
-11 to 3	Range of Values	1878	1878	
99	Cannot be assessed	630	2508	
.	Missing	4210	6718	

<b>OHD19PCD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 12		LOA: distal #19 PD		
<b>English Text:</b> Loss of Attachment: Lower left 1st molar (1M) distal - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 5	Range of Values	1878	1878	
99	Cannot be assessed	630	2508	
.	Missing	4210	6718	

<b>OHD19LAD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 24		LOA: distal #19 calculated LA		
<b>English Text:</b> Loss of Attachment: Lower left 1st molar (1M) distal - Calculation of : (FGM to CEJ measurement) - (FGM to sulcus base measurement) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 13	Range of Values	1878	1878	
99	Cannot be assessed	630	2508	
.	Missing	4210	6718	

<b>OHD20CJM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
-12 to 12		LOA: mid-facial #20 FGM/CEJ		
<b>English Text:</b> Loss of Attachment: Lower left 2nd bicuspid/2nd primary molar (2B) mid-facial - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
-7 to 2	Range of Values	2165	2165	
99	Cannot be assessed	336	2501	
.	Missing	4217	6718	

<b>OHD20PCM</b>	<b>Target</b>			
	B(13 Yrs. to 150 Yrs.)			
<b>Hard Edits</b>	<b>SAS Label</b>			
0 to 12	LOA: mid-facial #20 PD			
<b>English Text:</b> Loss of Attachment: Lower left 2nd bicuspid/2nd primary molar (2B) mid-facial - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 10	Range of Values	2165	2165	
99	Cannot be assessed	336	2501	
.	Missing	4217	6718	

<b>OHD20LAM</b>	<b>Target</b>			
	B(13 Yrs. to 150 Yrs.)			
<b>Hard Edits</b>	<b>SAS Label</b>			
0 to 24	LOA: mid-facial #20 calculated LA			
<b>English Text:</b> Loss of Attachment: Lower left 2nd bicuspid/2nd primary molar (2B) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 11	Range of Values	2165	2165	
99	Calculation cannot be determined	336	2501	
.	Missing	4217	6718	

<b>OHD20CJS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
-12 to 12		LOA: mesial #20 FGM/CEJ		
<b>English Text:</b> Loss of Attachment: Lower left 2nd bicuspid/2nd primary molar (2B) mesio-facial - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
-5 to 3	Range of Values	2057	2057	
99	Cannot be assessed	444	2501	
.	Missing	4217	6718	

<b>OHD20PCS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 12		LOA: mesial #20 PD		
<b>English Text:</b> Loss of Attachment: Lower left 2nd bicuspid/2nd primary molar (2B) mesio-facial - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 5	Range of Values	2057	2057	
99	Cannot be assessed	444	2501	
.	Missing	4217	6718	

<b>OHD20LAS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 24		LOA: mesial #20 calculated LA		
<b>English Text:</b> Loss of Attachment: Lower left 2nd bicuspid/2nd primary molar (2B) mesio-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 6	Range of Values	2057	2057	
99	Calculation cannot be determined	444	2501	
.	Missing	4217	6718	

<b>OHD20CJD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
-12 to 12		LOA: distal #20 FGM/CEJ		
<b>English Text:</b> Loss of Attachment: Lower left 2nd bicuspid/2nd primary molar (2B) distal - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
-7 to 3	Range of Values	2206	2206	
99	Cannot be assessed	295	2501	
.	Missing	4217	6718	

<b>OHD20PCD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 12		LOA: distal #20 PD		
<b>English Text:</b> Loss of Attachment: Lower left 2nd bicuspid/2nd primary molar (2B) distal - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 6	Range of Values	2206	2206	
99	Cannot be assessed	295	2501	
.	Missing	4217	6718	

<b>OHD20LAD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 24		LOA: distal #20 calculated LA		
<b>English Text:</b> Loss of Attachment: Lower left 2nd bicuspid/2nd primary molar (2B) distal - Calculation of : (FGM to CEJ measurement) - (FGM to sulcus base measurement) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 8	Range of Values	2206	2206	
99	Cannot be assessed	295	2501	
.	Missing	4217	6718	



<b>OHD21CJM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
-12 to 12		LOA: mid-facial #21 FGM/CEJ		
<b>English Text:</b> Loss of Attachment: Lower left 1st bicuspid/1st primary molar (1B) mid-facial - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
-6 to 1	Range of Values	2224	2224	
99	Cannot be assessed	276	2500	
.	Missing	4218	6718	

<b>OHD21PCM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 12		LOA: mid-facial #21 PD		
<b>English Text:</b> Loss of Attachment: Lower left 1st bicuspid/1st primary molar (1B) mid-facial - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 3	Range of Values	2224	2224	
99	Cannot be assessed	276	2500	
.	Missing	4218	6718	

<b>OHD21LAM</b>	<b>Target</b>			
	B(13 Yrs. to 150 Yrs.)			
<b>Hard Edits</b>	<b>SAS Label</b>			
0 to 24	LOA: mid-facial #21 calculated LA			
<b>English Text:</b> Loss of Attachment: Lower left 1st bicuspid/1st primary molar (1B) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 8	Range of Values	2224	2224	
99	Calculation cannot be determined	276	2500	
.	Missing	4218	6718	

<b>OHD21CJS</b>	<b>Target</b>			
	B(13 Yrs. to 150 Yrs.)			
<b>Hard Edits</b>	<b>SAS Label</b>			
-12 to 12	LOA: mesial #21 FGM/CEJ			
<b>English Text:</b> Loss of Attachment: Lower left 1st bicuspid/1st primary molar (1B) mesio-facial - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
-5 to 3	Range of Values	2200	2200	
99	Cannot be assessed	300	2500	
.	Missing	4218	6718	

<b>OHD21PCS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 12		LOA: mesial #21 PD		
<b>English Text:</b> Loss of Attachment: Lower left 1st bicuspid/1st primary molar (1B) mesio-facial - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
Code or Value	Description	Count	Cumulative	Skip to Item
0 to 6	Range of Values	2200	2200	
99	Cannot be assessed	300	2500	
.	Missing	4218	6718	

<b>OHD21LAS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 24		LOA: mesial #21 calculated LA		
<b>English Text:</b> Loss of Attachment: Lower left 1st bicuspid/1st primary molar (1B) mesio-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)				
<b>English Instructions:</b>				
Code or Value	Description	Count	Cumulative	Skip to Item
0 to 9	Range of Values	2200	2200	
99	Calculation cannot be determined	300	2500	
.	Missing	4218	6718	

<b>OHD21CJD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
-12 to 12		LOA: distal #21 FGM/CEJ		
<b>English Text:</b> Loss of Attachment: Lower left 1st bicuspid/1st primary molar (1B) distal - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
-6 to 3	Range of Values	2244	2244	
99	Cannot be assessed	256	2500	
.	Missing	4218	6718	

<b>OHD21PCD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 12		LOA: distal #21 PD		
<b>English Text:</b> Loss of Attachment: Lower left 1st bicuspid/1st primary molar (1B) distal - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 5	Range of Values	2244	2244	
99	Cannot be assessed	256	2500	
.	Missing	4218	6718	

<b>OHD21LAD</b>	<b>Target</b>			
	B(13 Yrs. to 150 Yrs.)			
<b>Hard Edits</b>	<b>SAS Label</b>			
0 to 24	LOA: distal #21 calculated LA			
<b>English Text:</b> Loss of Attachment: Lower left 1st bicuspid/1st primary molar (1B) distal - Calculation of : (FGM to CEJ measurement) - (FGM to sulcus base measurement) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 10	Range of Values	2244	2244	
99	Cannot be assessed	256	2500	
.	Missing	4218	6718	

<b>OHD22CJM</b>	<b>Target</b>			
	B(13 Yrs. to 150 Yrs.)			
<b>Hard Edits</b>	<b>SAS Label</b>			
-12 to 12	LOA: mid-facial #22 FGM/CEJ			
<b>English Text:</b> Loss of Attachment: Lower left cuspid (C) mid-facial - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
-8 to 2	Range of Values	2387	2387	
99	Cannot be assessed	113	2500	
.	Missing	4218	6718	

<b>OHD22PCM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 12		LOA: mid-facial #22 PD		
<b>English Text:</b> Loss of Attachment: Lower left cuspid (C) mid-facial - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 7	Range of Values	2387	2387	
99	Cannot be assessed	113	2500	
.	Missing	4218	6718	

<b>OHD22LAM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 24		LOA: mid-facial #22 calculated LA		
<b>English Text:</b> Loss of Attachment: Lower left cuspid (C) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 9	Range of Values	2387	2387	
99	Calculation cannot be determined	113	2500	
.	Missing	4218	6718	

<b>OHD22CJS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
-12 to 12		LOA: mesial #22 FGM/CEJ		
<b>English Text:</b> Loss of Attachment: Lower left cuspid (C) mesio-facial - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
-7 to 4	Range of Values	2378	2378	
99	Cannot be assessed	122	2500	
.	Missing	4218	6718	

<b>OHD22PCS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 12		LOA: mesial #22 PD		
<b>English Text:</b> Loss of Attachment: Lower left cuspid (C) mesio-facial - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 7	Range of Values	2378	2378	
99	Cannot be assessed	122	2500	
.	Missing	4218	6718	

<b>OHD22LAS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 24		LOA: mesial #22 calculated LA		
<b>English Text:</b> Loss of Attachment: Lower left cuspid (C) mesio-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)				
<b>English Instructions:</b>				
Code or Value	Description	Count	Cumulative	Skip to Item
0 to 8	Range of Values	2378	2378	
99	Calculation cannot be determined	122	2500	
.	Missing	4218	6718	

<b>OHD22CJD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
-12 to 12		LOA: distal #22 FGM/CEJ		
<b>English Text:</b> Loss of Attachment: Lower left cuspid (C) distal - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
Code or Value	Description	Count	Cumulative	Skip to Item
-8 to 3	Range of Values	2373	2373	
99	Cannot be assessed	127	2500	
.	Missing	4218	6718	



<b>OHD22PCD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 12		LOA: distal #22 PD		
<b>English Text:</b> Loss of Attachment: Lower left cuspid (C) distal - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 8	Range of Values	2373	2373	
99	Cannot be assessed	127	2500	
.	Missing	4218	6718	

<b>OHD22LAD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 24		LOA: distal #22 calculated LA		
<b>English Text:</b> Loss of Attachment: Lower left cuspid (C) distal - Calculation of : (FGM to CEJ measurement) - (FGM to sulcus base measurement) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 10	Range of Values	2373	2373	
99	Cannot be assessed	127	2500	
.	Missing	4218	6718	

<b>OHD23CJM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
-12 to 12		LOA: mid-facial #23 FGM/CEJ		
<b>English Text:</b> Loss of Attachment: Lower left lateral incisor (LI) mid-facial - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
-7 to 3	Range of Values	2356	2356	
99	Cannot be assessed	144	2500	
.	Missing	4218	6718	

<b>OHD23PCM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 12		LOA: mid-facial #23 PD		
<b>English Text:</b> Loss of Attachment: Lower left lateral incisor (LI) mid-facial - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 4	Range of Values	2356	2356	
99	Cannot be assessed	144	2500	
.	Missing	4218	6718	

<b>OHD23LAM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 24		LOA: mid-facial #23 calculated LA		
<b>English Text:</b> Loss of Attachment: Lower left lateral incisor (LI) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 8	Range of Values	2356	2356	
99	Calculation cannot be determined	144	2500	
.	Missing	4218	6718	

<b>OHD23CJS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
-12 to 12		LOA: mesial #23 FGM/CEJ		
<b>English Text:</b> Loss of Attachment: Lower left lateral incisor (LI) mesio-facial - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
-8 to 4	Range of Values	2296	2296	
99	Cannot be assessed	204	2500	
.	Missing	4218	6718	

<b>OHD23PCS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 12		LOA: mesial #23 PD		
<b>English Text:</b> Loss of Attachment: Lower left lateral incisor (LI) mesio-facial - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 5	Range of Values	2296	2296	
99	Cannot be assessed	204	2500	
.	Missing	4218	6718	

<b>OHD23LAS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 24		LOA: mesial #23 calculated LA		
<b>English Text:</b> Loss of Attachment: Lower left lateral incisor (LI) mesio-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 10	Range of Values	2296	2296	
99	Calculation cannot be determined	204	2500	
.	Missing	4218	6718	

<b>OHD23CJD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
-12 to 12		LOA: distal #23 FGM/CEJ		
<b>English Text:</b> Loss of Attachment: Lower left lateral incisor (LI) distal - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
-6 to 3	Range of Values	2352	2352	
99	Cannot be assessed	148	2500	
.	Missing	4218	6718	

<b>OHD23PCD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 12		LOA: distal #23 PD		
<b>English Text:</b> Loss of Attachment: Lower left lateral incisor (LI) distal - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 5	Range of Values	2352	2352	
99	Cannot be assessed	148	2500	
.	Missing	4218	6718	

<b>OHD23LAD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 24		LOA: distal #23 calculated LA		
<b>English Text:</b> Loss of Attachment: Lower left lateral incisor (LI) distal - Calculation of : (FGM to CEJ measurement) - (FGM to sulcus base measurement) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 8	Range of Values	2352	2352	
99	Cannot be assessed	148	2500	
.	Missing	4218	6718	

<b>OHD24CJM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
-12 to 12		LOA: mid-facial #24 FGM/CEJ		
<b>English Text:</b> Loss of Attachment: Lower left central incisor (CI) mid-facial - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
-7 to 2	Range of Values	2341	2341	
99	Cannot be assessed	159	2500	
.	Missing	4218	6718	

<b>OHD24PCM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 12		LOA: mid-facial #24 PD		
<b>English Text:</b> Loss of Attachment: Lower left central incisor (CI) mid-facial - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 6	Range of Values	2341	2341	
99	Cannot be assessed	159	2500	
.	Missing	4218	6718	

<b>OHD24LAM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 24		LOA: mid-facial #24 calculated LA		
<b>English Text:</b> Loss of Attachment: Lower left central incisor (CI) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 10	Range of Values	2341	2341	
99	Calculation cannot be determined	159	2500	
.	Missing	4218	6718	

<b>OHD24CJS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
-12 to 12		LOA: mesial #24 FGM/CEJ		
<b>English Text:</b> Loss of Attachment: Lower left central incisor (CI) mesio-facial - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
-9 to 3	Range of Values	2266	2266	
99	Cannot be assessed	234	2500	
.	Missing	4218	6718	

<b>OHD24PCS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 12		LOA: mesial #24 PD		
<b>English Text:</b> Loss of Attachment: Lower left central incisor (CI) mesio-facial - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 6	Range of Values	2266	2266	
99	Cannot be assessed	234	2500	
.	Missing	4218	6718	



<b>OHD24LAS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 24		LOA: mesial #24 calculated LA		
<b>English Text:</b> Loss of Attachment: Lower left central incisor (CI) mesio-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)				
<b>English Instructions:</b>				
Code or Value	Description	Count	Cumulative	Skip to Item
0 to 11	Range of Values	2266	2266	
99	Calculation cannot be determined	234	2500	
.	Missing	4218	6718	

<b>OHD24CJD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
-12 to 12		LOA: distal #24 FGM/CEJ		
<b>English Text:</b> Loss of Attachment: Lower left central incisor (CI) distal - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
Code or Value	Description	Count	Cumulative	Skip to Item
-7 to 4	Range of Values	2364	2364	
99	Cannot be assessed	136	2500	
.	Missing	4218	6718	

<b>OHD24PCD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 12		LOA: distal #24 PD		
<b>English Text:</b> Loss of Attachment: Lower left central incisor (CI) distal - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 6	Range of Values	2364	2364	
99	Cannot be assessed	136	2500	
.	Missing	4218	6718	

<b>OHD24LAD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 24		LOA: distal #24 calculated LA		
<b>English Text:</b> Loss of Attachment: Lower left central incisor (CI) distal - Calculation of : (FGM to CEJ measurement) - (FGM to sulcus base measurement) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 9	Range of Values	2364	2364	
99	Cannot be assessed	136	2500	
.	Missing	4218	6718	

<b>OHD31CJM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
-12 to 12		LOA: mid-facial #31 FGM/CEJ		
<b>English Text:</b> Loss of Attachment: Lower right 2nd molar (2M) mid-facial - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
-5 to 2	Range of Values	1989	1989	
99	Cannot be assessed	568	2557	
.	Missing	4161	6718	

<b>OHD31PCM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 12		LOA: mid-facial #31 PD		
<b>English Text:</b> Loss of Attachment: Lower right 2nd molar (2M) mid-facial - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 6	Range of Values	1989	1989	
99	Cannot be assessed	568	2557	
.	Missing	4161	6718	

<b>OHD31LAM</b>	<b>Target</b>			
	B(13 Yrs. to 150 Yrs.)			
<b>Hard Edits</b>	<b>SAS Label</b>			
0 to 24	LOA: mid-facial #31 calculated LA			
<b>English Text:</b> Loss of Attachment: Lower right 2nd molar (2M) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 10	Range of Values	1989	1989	
99	Calculation cannot be determined	568	2557	
.	Missing	4161	6718	

<b>OHD31CJS</b>	<b>Target</b>			
	B(13 Yrs. to 150 Yrs.)			
<b>Hard Edits</b>	<b>SAS Label</b>			
-12 to 12	LOA: mesial #31 FGM/CEJ			
<b>English Text:</b> Loss of Attachment: Lower right 2nd molar (2M) mesio-facial - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
-4 to 3	Range of Values	1993	1993	
99	Cannot be assessed	564	2557	
.	Missing	4161	6718	

<b>OHD31PCS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 12		LOA: mesial #31 PD		
<b>English Text:</b> Loss of Attachment: Lower right 2nd molar (2M) mesio-facial - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 6	Range of Values	1993	1993	
99	Cannot be assessed	564	2557	
.	Missing	4161	6718	

<b>OHD31LAS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 24		LOA: mesial #31 calculated LA		
<b>English Text:</b> Loss of Attachment: Lower right 2nd molar (2M) mesio-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 5	Range of Values	1993	1993	
99	Calculation cannot be determined	564	2557	
.	Missing	4161	6718	

<b>OHD31CJD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
-12 to 12		LOA: distal #31 FGM/CEJ		
<b>English Text:</b> Loss of Attachment: Lower right 2nd molar (2M) distal - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
-6 to 3	Range of Values	1969	1969	
99	Cannot be assessed	588	2557	
.	Missing	4161	6718	

<b>OHD31PCD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 12		LOA: distal #31 PD		
<b>English Text:</b> Loss of Attachment: Lower right 2nd molar (2M) distal - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 9	Range of Values	1969	1969	
99	Cannot be assessed	588	2557	
.	Missing	4161	6718	

<b>OHD31LAD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 24		LOA: distal #31 calculated LA		
<b>English Text:</b> Loss of Attachment: Lower right 2nd molar (2M) distal - Calculation of : (FGM to CEJ measurement) - (FGM to sulcus base measurement) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 8	Range of Values	1969	1969	
99	Cannot be assessed	588	2557	
.	Missing	4161	6718	

<b>OHD30CJM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
-12 to 12		LOA: mid-facial #30 FGM/CEJ		
<b>English Text:</b> Loss of Attachment: Lower right 1st molar (1M) mid-facial - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
-5 to 2	Range of Values	1982	1982	
99	Cannot be assessed	577	2559	
.	Missing	4159	6718	

<b>OHD30PCM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 12		LOA: mid-facial #30 PD		
<b>English Text:</b> Loss of Attachment: Lower right 1st molar (1M) mid-facial - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 6	Range of Values	1982	1982	
99	Cannot be assessed	577	2559	
.	Missing	4159	6718	

<b>OHD30LAM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 24		LOA: mid-facial #30 calculated LA		
<b>English Text:</b> Loss of Attachment: Lower right 1st molar (1M) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 7	Range of Values	1982	1982	
99	Calculation cannot be determined	577	2559	
.	Missing	4159	6718	



<b>OHD30CJS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
-12 to 12		LOA: mesial #30 FGM/CEJ		
<b>English Text:</b> Loss of Attachment: Lower right 1st molar (1M) mesio-facial - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
-3 to 4	Range of Values	1987	1987	
99	Cannot be assessed	572	2559	
.	Missing	4159	6718	

<b>OHD30PCS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 12		LOA: mesial #30 PD		
<b>English Text:</b> Loss of Attachment: Lower right 1st molar (1M) mesio-facial - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 6	Range of Values	1987	1987	
99	Cannot be assessed	572	2559	
.	Missing	4159	6718	

<b>OHD30LAS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 24		LOA: mesial #30 calculated LA		
<b>English Text:</b> Loss of Attachment: Lower right 1st molar (1M) mesio-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)				
<b>English Instructions:</b>				
Code or Value	Description	Count	Cumulative	Skip to Item
0 to 7	Range of Values	1987	1987	
99	Calculation cannot be determined	572	2559	
.	Missing	4159	6718	

<b>OHD30CJD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
-12 to 12		LOA: distal #30 FGM/CEJ		
<b>English Text:</b> Loss of Attachment: Lower right 1st molar (1M) distal - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
Code or Value	Description	Count	Cumulative	Skip to Item
-9 to 3	Range of Values	1985	1985	
99	Cannot be assessed	574	2559	
.	Missing	4159	6718	

<b>OHD30PCD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 12		LOA: distal #30 PD		
<b>English Text:</b> Loss of Attachment: Lower right 1st molar (1M) distal - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 7	Range of Values	1985	1985	
99	Cannot be assessed	574	2559	
.	Missing	4159	6718	

<b>OHD30LAD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 24		LOA: distal #30 calculated LA		
<b>English Text:</b> Loss of Attachment: Lower right 1st molar (1M) distal - Calculation of : (FGM to CEJ measurement) - (FGM to sulcus base measurement) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 10	Range of Values	1985	1985	
99	Cannot be assessed	574	2559	
.	Missing	4159	6718	

<b>OHD29CJM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
-12 to 12		LOA: mid-facial #29 FGM/CEJ		
<b>English Text:</b> Loss of Attachment: Lower right 2nd bicuspid/2nd primary molar (2B) mid-facial - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
-7 to 2	Range of Values	2248	2248	
99	Cannot be assessed	309	2557	
.	Missing	4161	6718	

<b>OHD29PCM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 12		LOA: mid-facial #29 PD		
<b>English Text:</b> Loss of Attachment: Lower right 2nd bicuspid/2nd primary molar (2B) mid-facial - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 5	Range of Values	2248	2248	
99	Cannot be assessed	309	2557	
.	Missing	4161	6718	

<b>OHD29LAM</b>	<b>Target</b>			
	B(13 Yrs. to 150 Yrs.)			
<b>Hard Edits</b>	<b>SAS Label</b>			
0 to 24	LOA: mid-facial #29 calculated LA			
<b>English Text:</b> Loss of Attachment: Lower right 2nd bicuspid/2nd primary molar (2B) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 9	Range of Values	2248	2248	
99	Calculation cannot be determined	309	2557	
.	Missing	4161	6718	

<b>OHD29CJS</b>	<b>Target</b>			
	B(13 Yrs. to 150 Yrs.)			
<b>Hard Edits</b>	<b>SAS Label</b>			
-12 to 12	LOA: mesial #29 FGM/CEJ			
<b>English Text:</b> Loss of Attachment: Lower right 2nd bicuspid/2nd primary molar (2B) mesio-facial - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
-5 to 3	Range of Values	2164	2164	
99	Cannot be assessed	393	2557	
.	Missing	4161	6718	

<b>OHD29PCS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 12		LOA: mesial #29 PD		
<b>English Text:</b> Loss of Attachment: Lower right 2nd bicuspid/2nd primary molar (2B) mesio-facial - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 5	Range of Values	2164	2164	
99	Cannot be assessed	393	2557	
.	Missing	4161	6718	

<b>OHD29LAS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 24		LOA: mesial #29 calculated LA		
<b>English Text:</b> Loss of Attachment: Lower right 2nd bicuspid/2nd primary molar (2B) mesio-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 8	Range of Values	2164	2164	
99	Calculation cannot be determined	393	2557	
.	Missing	4161	6718	

<b>OHD29CJD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
-12 to 12		LOA: distal #29 FGM/CEJ		
<b>English Text:</b> Loss of Attachment: Lower right 2nd bicuspid/2nd primary molar (2B) distal - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
-8 to 4	Range of Values	2250	2250	
99	Cannot be assessed	307	2557	
.	Missing	4161	6718	

<b>OHD29PCD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 12		LOA: distal #29 PD		
<b>English Text:</b> Loss of Attachment: Lower right 2nd bicuspid/2nd primary molar (2B) distal - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 6	Range of Values	2250	2250	
99	Cannot be assessed	307	2557	
.	Missing	4161	6718	

<b>OHD29LAD</b>	<b>Target</b>			
	B(13 Yrs. to 150 Yrs.)			
<b>Hard Edits</b>	<b>SAS Label</b>			
0 to 24	LOA: distal #29 calculated LA			
<b>English Text:</b> Loss of Attachment: Lower right 2nd bicuspid/2nd primary molar (2B) distal - Calculation of : (FGM to CEJ measurement) - (FGM to sulcus base measurement) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 9	Range of Values	2250	2250	
99	Cannot be assessed	307	2557	
.	Missing	4161	6718	

<b>OHD28CJM</b>	<b>Target</b>			
	B(13 Yrs. to 150 Yrs.)			
<b>Hard Edits</b>	<b>SAS Label</b>			
-12 to 12	LOA: mid-facial #28 FGM/CEJ			
<b>English Text:</b> Loss of Attachment: Lower right 1st bicuspid/1st primary molar (1B) mid-facial - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
-8 to 1	Range of Values	2307	2307	
99	Cannot be assessed	251	2558	
.	Missing	4160	6718	



<b>OHD28PCM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 12		LOA: mid-facial #28 PD		
<b>English Text:</b> Loss of Attachment: Lower right 1st bicuspid/1st primary molar (1B) mid-facial - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 6	Range of Values	2307	2307	
99	Cannot be assessed	251	2558	
.	Missing	4160	6718	

<b>OHD28LAM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 24		LOA: mid-facial #28 calculated LA		
<b>English Text:</b> Loss of Attachment: Lower right 1st bicuspid/1st primary molar (1B) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 10	Range of Values	2307	2307	
99	Calculation cannot be determined	251	2558	
.	Missing	4160	6718	

<b>OHD28CJS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
-12 to 12		LOA: mesial #28 FGM/CEJ		
<b>English Text:</b> Loss of Attachment: Lower right 1st bicuspid/1st primary molar (1B) mesio-facial - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
-8 to 3	Range of Values	2302	2302	
99	Cannot be assessed	256	2558	
.	Missing	4160	6718	

<b>OHD28PCS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 12		LOA: mesial #28 PD		
<b>English Text:</b> Loss of Attachment: Lower right 1st bicuspid/1st primary molar (1B) mesio-facial - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 6	Range of Values	2302	2302	
99	Cannot be assessed	256	2558	
.	Missing	4160	6718	

<b>OHD28LAS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 24		LOA: mesial #28 calculated LA		
<b>English Text:</b> Loss of Attachment: Lower right 1st bicuspid/1st primary molar (1B) mesio-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 9	Range of Values	2302	2302	
99	Calculation cannot be determined	256	2558	
.	Missing	4160	6718	

<b>OHD28CJD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
-12 to 12		LOA: distal #28 FGM/CEJ		
<b>English Text:</b> Loss of Attachment: Lower right 1st bicuspid/1st primary molar (1B) distal - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
-7 to 3	Range of Values	2286	2286	
99	Cannot be assessed	272	2558	
.	Missing	4160	6718	

<b>OHD28PCD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 12		LOA: distal #28 PD		
<b>English Text:</b> Loss of Attachment: Lower right 1st bicuspid/1st primary molar (1B) distal - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
Code or Value	Description	Count	Cumulative	Skip to Item
0 to 4	Range of Values	2286	2286	
99	Cannot be assessed	272	2558	
.	Missing	4160	6718	

<b>OHD28LAD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 24		LOA: distal #28 calculated LA		
<b>English Text:</b> Loss of Attachment: Lower right 1st bicuspid/1st primary molar (1B) distal - Calculation of : (FGM to CEJ measurement) - (FGM to sulcus base measurement) (mm)				
<b>English Instructions:</b>				
Code or Value	Description	Count	Cumulative	Skip to Item
0 to 9	Range of Values	2286	2286	
99	Cannot be assessed	272	2558	
.	Missing	4160	6718	

<b>OHD27CJM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
-12 to 12		LOA: mid-facial #27 FGM/CEJ		
<b>English Text:</b> Loss of Attachment: Lower right cuspid (C) mid-facial - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
-8 to 3	Range of Values	2462	2462	
99	Cannot be assessed	90	2552	
.	Missing	4166	6718	

<b>OHD27PCM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 12		LOA: mid-facial #27 PD		
<b>English Text:</b> Loss of Attachment: Lower right cuspid (C) mid-facial - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 4	Range of Values	2462	2462	
99	Cannot be assessed	90	2552	
.	Missing	4166	6718	

<b>OHD27LAM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 24		LOA: mid-facial #27 calculated LA		
<b>English Text:</b> Loss of Attachment: Lower right cuspid (C) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)				
<b>English Instructions:</b>				
Code or Value	Description	Count	Cumulative	Skip to Item
0 to 9	Range of Values	2462	2462	
99	Calculation cannot be determined	90	2552	
.	Missing	4166	6718	

<b>OHD27CJS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
-12 to 12		LOA: mesial #27 FGM/CEJ		
<b>English Text:</b> Loss of Attachment: Lower right cuspid (C) mesio-facial - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
Code or Value	Description	Count	Cumulative	Skip to Item
-9 to 4	Range of Values	2471	2471	
99	Cannot be assessed	81	2552	
.	Missing	4166	6718	

<b>OHD27PCS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 12		LOA: mesial #27 PD		
<b>English Text:</b> Loss of Attachment: Lower right cuspid (C) mesio-facial - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 7	Range of Values	2471	2471	
99	Cannot be assessed	81	2552	
.	Missing	4166	6718	

<b>OHD27LAS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 24		LOA: mesial #27 calculated LA		
<b>English Text:</b> Loss of Attachment: Lower right cuspid (C) mesio-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 11	Range of Values	2471	2471	
99	Calculation cannot be determined	81	2552	
.	Missing	4166	6718	

<b>OHD27CJD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
-12 to 12		LOA: distal #27 FGM/CEJ		
<b>English Text:</b> Loss of Attachment: Lower right cuspid (C) distal - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
-8 to 3	Range of Values	2380	2380	
99	Cannot be assessed	172	2552	
.	Missing	4166	6718	

<b>OHD27PCD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 12		LOA: distal #27 PD		
<b>English Text:</b> Loss of Attachment: Lower right cuspid (C) distal - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 7	Range of Values	2380	2380	
99	Cannot be assessed	172	2552	
.	Missing	4166	6718	



<b>OHD27LAD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 24		LOA: distal #27 calculated LA		
<b>English Text:</b> Loss of Attachment: Lower right cuspid (C) distal - Calculation of : (FGM to CEJ measurement) - (FGM to sulcus base measurement) (mm)				
<b>English Instructions:</b>				
Code or Value	Description	Count	Cumulative	Skip to Item
0 to 10	Range of Values	2380	2380	
99	Cannot be assessed	172	2552	
.	Missing	4166	6718	

<b>OHD26CJM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
-12 to 12		LOA: mid-facial #26 FGM/CEJ		
<b>English Text:</b> Loss of Attachment: Lower right lateral incisor (LI) mid-facial - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
Code or Value	Description	Count	Cumulative	Skip to Item
-8 to 3	Range of Values	2421	2421	
99	Cannot be assessed	132	2553	
.	Missing	4165	6718	

<b>OHD26PCM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 12		LOA: mid-facial #26 PD		
<b>English Text:</b> Loss of Attachment: Lower right lateral incisor (LI) mid-facial - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 3	Range of Values	2421	2421	
99	Cannot be assessed	132	2553	
.	Missing	4165	6718	

<b>OHD26LAM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 24		LOA: mid-facial #26 calculated LA		
<b>English Text:</b> Loss of Attachment: Lower right lateral incisor (LI) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 8	Range of Values	2421	2421	
99	Calculation cannot be determined	132	2553	
.	Missing	4165	6718	

<b>OHD26CJS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
-12 to 12		LOA: mesial #26 FGM/CEJ		
<b>English Text:</b> Loss of Attachment: Lower right lateral incisor (LI) mesio-facial - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
-8 to 3	Range of Values	2385	2385	
99	Cannot be assessed	168	2553	
.	Missing	4165	6718	

<b>OHD26PCS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 12		LOA: mesial #26 PD		
<b>English Text:</b> Loss of Attachment: Lower right lateral incisor (LI) mesio-facial - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 5	Range of Values	2385	2385	
99	Cannot be assessed	168	2553	
.	Missing	4165	6718	

<b>OHD26LAS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 24		LOA: mesial #26 calculated LA		
<b>English Text:</b> Loss of Attachment: Lower right lateral incisor (LI) mesio-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)				
<b>English Instructions:</b>				
Code or Value	Description	Count	Cumulative	Skip to Item
0 to 10	Range of Values	2385	2385	
99	Calculation cannot be determined	168	2553	
.	Missing	4165	6718	

<b>OHD26CJD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
-12 to 12		LOA: distal #26 FGM/CEJ		
<b>English Text:</b> Loss of Attachment: Lower right lateral incisor (LI) distal - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
Code or Value	Description	Count	Cumulative	Skip to Item
-6 to 3	Range of Values	2368	2368	
99	Cannot be assessed	185	2553	
.	Missing	4165	6718	

<b>OHD26PCD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 12		LOA: distal #26 PD		
<b>English Text:</b> Loss of Attachment: Lower right lateral incisor (LI) distal - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 7	Range of Values	2368	2368	
99	Cannot be assessed	185	2553	
.	Missing	4165	6718	

<b>OHD26LAD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 24		LOA: distal #26 calculated LA		
<b>English Text:</b> Loss of Attachment: Lower right lateral incisor (LI) distal - Calculation of : (FGM to CEJ measurement) - (FGM to sulcus base measurement) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 8	Range of Values	2368	2368	
99	Cannot be assessed	185	2553	
.	Missing	4165	6718	

<b>OHD25CJM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
-12 to 12		LOA: mid-facial #25 FGM/CEJ		
<b>English Text:</b> Loss of Attachment: Lower right central incisor (CI) mid-facial - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
-12 to 2	Range of Values	2385	2385	
99	Cannot be assessed	169	2554	
.	Missing	4164	6718	

<b>OHD25PCM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 12		LOA: mid-facial #25 PD		
<b>English Text:</b> Loss of Attachment: Lower right central incisor (CI) mid-facial - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 4	Range of Values	2385	2385	
99	Cannot be assessed	169	2554	
.	Missing	4164	6718	

<b>OHD25LAM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 24		LOA: mid-facial #25 calculated LA		
<b>English Text:</b> Loss of Attachment: Lower right central incisor (CI) mid-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 13	Range of Values	2385	2385	
99	Calculation cannot be determined	169	2554	
.	Missing	4164	6718	

<b>OHD25CJS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
-12 to 12		LOA: mesial #25 FGM/CEJ		
<b>English Text:</b> Loss of Attachment: Lower right central incisor (CI) mesio-facial - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
-9 to 3	Range of Values	2340	2340	
99	Cannot be assessed	214	2554	
.	Missing	4164	6718	

<b>OHD25PCS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 12		LOA: mesial #25 PD		
<b>English Text:</b> Loss of Attachment: Lower right central incisor (CI) mesio-facial - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
Code or Value	Description	Count	Cumulative	Skip to Item
0 to 7	Range of Values	2340	2340	
99	Cannot be assessed	214	2554	
.	Missing	4164	6718	

<b>OHD25LAS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 24		LOA: mesial #25 calculated LA		
<b>English Text:</b> Loss of Attachment: Lower right central incisor (CI) mesio-facial - Level of attachment calculation of : (FGM to sulcus base measurement) - (FGM to CEJ measurement) (mm)				
<b>English Instructions:</b>				
Code or Value	Description	Count	Cumulative	Skip to Item
0 to 11	Range of Values	2340	2340	
99	Calculation cannot be determined	214	2554	
.	Missing	4164	6718	



<b>OHD25CJD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
-12 to 12		LOA: distal #25 FGM/CEJ		
<b>English Text:</b> Loss of Attachment: Lower right central incisor (CI) distal - FGM to CEJ measurement (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
-7 to 3	Range of Values	2388	2388	
99	Cannot be assessed	166	2554	
.	Missing	4164	6718	

<b>OHD25PCD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
0 to 12		LOA: distal #25 PD		
<b>English Text:</b> Loss of Attachment: Lower right central incisor (CI) distal - FGM to sulcus base (pocket depth) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 7	Range of Values	2388	2388	
99	Cannot be assessed	166	2554	
.	Missing	4164	6718	

<b>OHD25LAD</b>	<b>Target</b>			
	B(13 Yrs. to 150 Yrs.)			
<b>Hard Edits</b>	<b>SAS Label</b>			
0 to 24	LOA: distal #25 calculated LA			
<b>English Text:</b> Loss of Attachment: Lower right central incisor (CI) distal - Calculation of : (FGM to CEJ measurement) - (FGM to sulcus base measurement) (mm)				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
0 to 8	Range of Values	2388	2388	
99	Cannot be assessed	166	2554	
.	Missing	4164	6718	

<b>OHX18BPD</b>	<b>Target</b>			
	B(13 Yrs. to 150 Yrs.)			
<b>Hard Edits</b>	<b>SAS Label</b>			
	BOP: distal #18			
<b>English Text:</b> Periodontal bleeding from probing: Lower left 2nd molar-distal site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probing	211	211	
2	No evidence of bleeding following the probing	1710	1921	
9	Cannot be assessed	585	2506	
.	Missing	4212	6718	

<b>OHX18BPM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
		BOP: midfacial #18		
<b>English Text:</b> Periodontal bleeding from probing: Lower left 2nd molar-midfacial site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probing	116	116	
2	No evidence of bleeding following the probing	1822	1938	
9	Cannot be assessed	568	2506	
.	Missing	4212	6718	

<b>OHX18BPS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
		BOP: mesial #18		
<b>English Text:</b> Periodontal bleeding from probing: Lower left 2nd molar-mesial site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probing	255	255	
2	No evidence of bleeding following the probing	1658	1913	
9	Cannot be assessed	593	2506	
.	Missing	4212	6718	

<b>OHX19BPD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
		BOP: distal #19		
<b>English Text:</b> Periodontal bleeding from probing: Lower left 1st molar-distal site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probing	255	255	
2	No evidence of bleeding following the probing	1623	1878	
9	Cannot be assessed	631	2509	
.	Missing	4209	6718	

<b>OHX19BPM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
		BOP: midfacial #19		
<b>English Text:</b> Periodontal bleeding from probing: Lower left 1st molar-midfacial site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probing	67	67	
2	No evidence of bleeding following the probing	1802	1869	
9	Cannot be assessed	640	2509	
.	Missing	4209	6718	

<b>OHX19BPS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
		BOP: mesial #19		
<b>English Text:</b> Periodontal bleeding from probing: Lower left 1st molar-mesial site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probing	180	180	
2	No evidence of bleeding following the probing	1698	1878	
9	Cannot be assessed	631	2509	
.	Missing	4209	6718	

<b>OHX20BPD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
		BOP: distal #20		
<b>English Text:</b> Periodontal bleeding from probing: Lower left 2nd bicuspid-distal site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probing	208	208	
2	No evidence of bleeding following the probing	1998	2206	
9	Can not be assessed	296	2502	
.	Missing	4216	6718	

<b>OHX20BPM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
		BOP: midfacial #20		
<b>English Text:</b> Periodontal bleeding from probing: Lower left 2nd bicuspid-midfacial site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probing	46	46	
2	No evidence of bleeding following the probing	2119	2165	
9	Cannot be assessed	337	2502	
.	Missing	4216	6718	

<b>OHX20BPS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
		BOP: mesial #20		
<b>English Text:</b> Periodontal bleeding from probing: Lower left 2nd bicuspid-mesial site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probing	121	121	
2	No evidence of bleeding following the probing	1936	2057	
9	Cannot be assessed	445	2502	
.	Missing	4216	6718	

<b>OHX21BPD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
		BOP: distal #21		
<b>English Text:</b> Periodontal bleeding from probing: Lower left 1st bicuspid-distal site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probing	154	154	
2	No evidence of bleeding following the probing	2090	2244	
9	Cannot be assessed	257	2501	
.	Missing	4217	6718	

<b>OHX21BPM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
		BOP: midfacial #21		
<b>English Text:</b> Periodontal bleeding from probing: Lower left 1st bicuspid-midfacial site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probing	57	57	
2	No evidence of bleeding following the probing	2167	2224	
9	Can not be assessed	277	2501	
.	Missing	4217	6718	

<b>OHX21BPS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
		BOP: mesial #21		
<b>English Text:</b> Periodontal bleeding from probing: Lower left 1st bicuspid-mesial site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probing	149	149	
2	No evidence of bleeding following the probing	2051	2200	
9	Cannot be assessed	301	2501	
.	Missing	4217	6718	

<b>OHX22BPD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
		BOP: distal #22		
<b>English Text:</b> Periodontal bleeding from probing: Lower left cuspid-distal site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probing	204	204	
2	No evidence of bleeding following the probing	2169	2373	
9	Cannot be assessed	128	2501	
.	Missing	4217	6718	



<b>OHX22BPM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
		BOP: midfacial #22		
<b>English Text:</b> Periodontal bleeding from probing: Lower left cuspid-midfacial site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probing	60	60	
2	No evidence of bleeding following the probing	2327	2387	
9	Cannot be assessed	114	2501	
.	Missing	4217	6718	

<b>OHX22BPS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
		BOP: mesial #22		
<b>English Text:</b> Periodontal bleeding from probing: Lower left cuspid-mesial site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probing	222	222	
2	No evidence of bleeding following the probing	2156	2378	
9	Cannot be assessed	123	2501	
.	Missing	4217	6718	

<b>OHX23BPD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
		BOP: distal #23		
<b>English Text:</b> Periodontal bleeding from probing: Lower left lateral incisor-distal site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probing	254	254	
2	No evidence of bleeding following the probing	2098	2352	
9	Cannot be assessed	149	2501	
.	Missing	4217	6718	

<b>OHX23BPM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
		BOP: midfacial #23		
<b>English Text:</b> Periodontal bleeding from probing: Lower left lateral incisor-midfacial site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probing	115	115	
2	No evidence of bleeding following the probing	2241	2356	
9	Cannot be assessed	145	2501	
.	Missing	4217	6718	

<b>OHX23BPS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
		BOP: mesial #23		
<b>English Text:</b> Periodontal bleeding from probing: Lower left lateral incisor-mesial site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probing	188	188	
2	No evidence of bleeding following the probing	2108	2296	
9	Cannot be assessed	205	2501	
.	Missing	4217	6718	

<b>OHX24BPD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
		BOP: distal #24		
<b>English Text:</b> Periodontal bleeding from probing: Lower left central incisor-distal site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probing	230	230	
2	No evidence of bleeding following the probing	2134	2364	
9	Cannot be assessed	137	2501	
.	Missing	4217	6718	

<b>OHX24BPM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
		BOP: midfacial #24		
<b>English Text:</b> Periodontal bleeding from probing: Lower left central incisor-midfacial site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probing	105	105	
2	No evidence of bleeding following the probing	2236	2341	
9	Cannot be assessed	160	2501	
.	Missing	4217	6718	

<b>OHX24BPS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
		BOP: mesial #24		
<b>English Text:</b> Periodontal bleeding from probing: Lower left central incisor-mesial site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probing	151	151	
2	No evidence of bleeding following the probing	2115	2266	
9	Cannot be assessed	235	2501	
.	Missing	4217	6718	

<b>OHX31BPD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
		BOP: distal #31		
<b>English Text:</b> Periodontal bleeding from probing: Lower right 2nd molar-distal site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probing	216	216	
2	No evidence of bleeding following the probing	1753	1969	
9	Cannot be assessed	588	2557	
.	Missing	4161	6718	

<b>OHX31BPM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
		BOP: midfacial #31		
<b>English Text:</b> Periodontal bleeding from probing: Lower right 2nd molar-midfacial site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probing	137	137	
2	No evidence of bleeding following the probing	1852	1989	
9	Cannot be assessed	568	2557	
.	Missing	4161	6718	

<b>OHX31BPS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
		BOP: mesial #31		
<b>English Text:</b> Periodontal bleeding from probing: Lower right 2nd molar-mesial site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probing	267	267	
2	No evidence of bleeding following the probing	1726	1993	
9	Cannot be assessed	564	2557	
.	Missing	4161	6718	

<b>OHX30BPD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
		BOP: distal #30		
<b>English Text:</b> Periodontal bleeding from probing: Lower right 1st molar-distal site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probing	288	288	
2	No evidence of bleeding following the probing	1697	1985	
9	Cannot be assessed	574	2559	
.	Missing	4159	6718	

<b>OHX30BPM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
		BOP: midfacial #30		
<b>English Text:</b> Periodontal bleeding from probing: Lower right 1st molar-midfacial site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probing	64	64	
2	No evidence of bleeding following the probing	1918	1982	
9	Cannot be assessed	577	2559	
.	Missing	4159	6718	

<b>OHX30BPS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
		BOP: mesial #30		
<b>English Text:</b> Periodontal bleeding from probing: Lower right 1st molar-mesial site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probing	182	182	
2	No evidence of bleeding following the probing	1805	1987	
9	Cannot be assessed	572	2559	
.	Missing	4159	6718	

<b>OHX29BPD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
		BOP: distal #29		
<b>English Text:</b> Periodontal bleeding from probing: Lower right 2nd bicuspid-distal site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probing	235	235	
2	No evidence of bleeding following the probing	2015	2250	
9	Cannot be assessed	307	2557	
.	Missing	4161	6718	

<b>OHX29BPM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
		BOP: midfacial #29		
<b>English Text:</b> Periodontal bleeding from probing: Lower right 2nd bicuspid-midfacial site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probing	56	56	
2	No evidence of bleeding following the probing	2192	2248	
9	Cannot be assessed	309	2557	
.	Missing	4161	6718	



<b>OHX29BPS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
		BOP: mesial #29		
<b>English Text:</b> Periodontal bleeding from probing: Lower right 2nd bicuspid-mesial site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probing	148	148	
2	No evidence of bleeding following the probing	2016	2164	
9	Cannot be assessed	393	2557	
.	Missing	4161	6718	

<b>OHX28BPD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
		BOP: distal #28		
<b>English Text:</b> Periodontal bleeding from probing: Lower right 1st bicuspid-distal site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probing	201	201	
2	No evidence of bleeding following the probing	2085	2286	
9	Cannot be assessed	272	2558	
.	Missing	4160	6718	

<b>OHX28BPM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
		BOP: midfacial #28		
<b>English Text:</b> Periodontal bleeding from probing: Lower right 1st bicuspid-midfacial site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probing	59	59	
2	No evidence of bleeding following the probing	2248	2307	
9	Cannot be assessed	251	2558	
.	Missing	4160	6718	

<b>OHX28BPS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
		BOP: mesial #28		
<b>English Text:</b> Periodontal bleeding from probing: Lower right 1st bicuspid-mesial site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probing	127	127	
2	No evidence of bleeding following the probing	2175	2302	
9	Cannot be assessed	256	2558	
.	Missing	4160	6718	

<b>OHX27BPD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
		BOP: distal #27		
<b>English Text:</b> Periodontal bleeding from probing: Lower right cuspid-distal site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probe	204	204	
2	No evidence of bleeding following the probing	2176	2380	
9	Can not be assessed	172	2552	
.	Missing	4166	6718	

<b>OHX27BPM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
		BOP: midfacial #27		
<b>English Text:</b> Periodontal bleeding from probing: Lower right cuspid-midfacial site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probing	94	94	
2	No evidence of bleeding following the probing	2368	2462	
9	Cannot be assessed	90	2552	
.	Missing	4166	6718	

<b>OHX27BPS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
		BOP: mesial #27		
<b>English Text:</b> Periodontal bleeding from probing: Lower right cuspid-mesial site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probing	277	277	
2	No evidence of bleeding following the probing	2194	2471	
9	Cannot be assessed	81	2552	
.	Missing	4166	6718	

<b>OHX26BPD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
		BOP: distal #26		
<b>English Text:</b> Periodontal bleeding from probing: Lower right lateral incisor-distal site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probing	275	275	
2	No evidence of bleeding following the probing	2093	2368	
9	Cannot be assessed	185	2553	
.	Missing	4165	6718	

<b>OHX26BPM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
		BOP: midfacial #26		
<b>English Text:</b> Periodontal bleeding from probing: Lower right lateral incisor-midfacial site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probing	155	155	
2	No evidence of bleeding following the probing	2266	2421	
9	Cannot be assessed	132	2553	
.	Missing	4165	6718	

<b>OHX26BPS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
		BOP: mesial #26		
<b>English Text:</b> Periodontal bleeding from probing: Lower right lateral incisor-mesial site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probing	239	239	
2	No evidence of bleeding following the probing	2146	2385	
9	Cannot be assessed	168	2553	
.	Missing	4165	6718	

<b>OHX25BPD</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
		BOP: distal #25		
<b>English Text:</b> Periodontal bleeding from probing: Lower right central incisor-distal site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probing	241	241	
2	No evidence of bleeding following the probing	2147	2388	
9	Cannot be assessed	166	2554	
.	Missing	4164	6718	

<b>OHX25BPM</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
		BOP: midfacial #25		
<b>English Text:</b> Periodontal bleeding from probing: Lower right central incisor-midfacial site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probing	123	123	
2	No evidence of bleeding following the probing	2262	2385	
9	Cannot be assessed	169	2554	
.	Missing	4164	6718	

<b>OHX25BPS</b>		<b>Target</b>		
		B(13 Yrs. to 150 Yrs.)		
<b>Hard Edits</b>		<b>SAS Label</b>		
		BOP: mesial #25		
<b>English Text:</b> Periodontal bleeding from probing: Lower right central incisor-mesial site				
<b>English Instructions:</b>				
<b>Code or Value</b>	<b>Description</b>	<b>Count</b>	<b>Cumulative</b>	<b>Skip to Item</b>
1	Bleeding is detected following the probing	214	214	
2	No evidence of bleeding following the probing	2126	2340	
9	Cannot be assessed	214	2554	
.	Missing	4164	6718	