

**National Health and Nutrition Examination Survey  
Codebook for Data Release (2001-2002)**

**MEC Examination  
Bioelectrical Impedance Analysis (BIX\_B)  
Person level data -- use Examination Weights for analysis**

May 2004

<b>SEQN</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Respondent sequence number
<b>English Text:</b> Respondent sequence number.	
<b>English Instructions:</b>	

<b>BIAEXLEN</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	BIA Time in Seconds
<b>English Text:</b> BIA Time in Seconds	
<b>English Instructions:</b>	

<b>BIAEXSTS</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	BIA Status
<b>English Text:</b> BIA Status	
<b>English Instructions:</b>	
<b>Codes:</b>	<b>Skip To Values:</b>
1= Complete	
2= Partial	
3= Not done	

<b>BIAOBJ</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)

<b>Hard Edits</b>	<b>SAS Label</b>
	Removed jewelry, other objects?
<b>English Text:</b> Has SP removed all jewelry, eyeglasses, hair ornaments, and other objects from the hair and body?	
<b>English Instructions:</b>	
<b>Codes:</b> 1= Yes 2= No, exclude 3= No, ok to continue 9= Don't know	<b>Skip To Values:</b>

<b>BIDFIT</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Quality of Fit of Cole-Cole Model
<b>English Text:</b> Quality of Fit of Cole-Cole Model	
<b>English Instructions:</b>	
<b>Codes:</b> 0= Excellent 1= Good 2= Marginal	<b>Skip To Values:</b>

<b>BIXS005K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 5 KHz
<b>English Text:</b> Resistance (Ohms) @ 5 KHz	
<b>English Instructions:</b>	

<b>BIXS006K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 6 KHz
<b>English Text:</b> Resistance (Ohms) @ 6 KHz	
<b>English Instructions:</b>	

<b>BIXS007K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 7 KHz
<b>English Text:</b> Resistance (Ohms) @ 7 KHz	
<b>English Instructions:</b>	

<b>BIXS008K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 8 KHz
<b>English Text:</b> Resistance (Ohms) @ 8 KHz	
<b>English Instructions:</b>	

<b>BIXS009K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 9 KHz
<b>English Text:</b> Resistance (Ohms) @ 9 KHz	
<b>English Instructions:</b>	

<b>BIXS010K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 10 KHz
<b>English Text:</b> Resistance (Ohms) @ 10 KHz	
<b>English Instructions:</b>	

<b>BIXS011K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 11 KHz
<b>English Text:</b> Resistance (Ohms) @ 11 KHz	
<b>English Instructions:</b>	

<b>BIXS012K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 12 KHz
<b>English Text:</b> Resistance (Ohms) @ 12 KHz	
<b>English Instructions:</b>	

<b>BIXS013K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 13 KHz
<b>English Text:</b> Resistance (Ohms) @ 13 KHz	
<b>English Instructions:</b>	

<b>BIXS014K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 14 KHz
<b>English Text:</b> Resistance (Ohms) @ 14 KHz	
<b>English Instructions:</b>	

<b>BIXS015K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 15 KHz
<b>English Text:</b> Resistance (Ohms) @ 15 KHz	
<b>English Instructions:</b>	

<b>BIXS016K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 16 KHz
<b>English Text:</b> Resistance (Ohms) @ 16 KHz	
<b>English Instructions:</b>	

<b>BIXS018K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 18 KHz
<b>English Text:</b> Resistance (Ohms) @ 18 KHz	
<b>English Instructions:</b>	

<b>BIXS020K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 20 KHz
<b>English Text:</b> Resistance (Ohms) @ 20 KHz	
<b>English Instructions:</b>	

<b>BIXS023K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 23 KHz
<b>English Text:</b> Resistance (Ohms) @ 23 KHz	
<b>English Instructions:</b>	

<b>BIXS025K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 25 KHz
<b>English Text:</b> Resistance (Ohms) @ 25 KHz	
<b>English Instructions:</b>	

<b>BIXS028K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 28 KHz
<b>English Text:</b> Resistance (Ohms) @ 28 KHz	
<b>English Instructions:</b>	

<b>BIXS031K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 31 KHz
<b>English Text:</b> Resistance (Ohms) @ 31 KHz	
<b>English Instructions:</b>	

<b>BIXS035K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 35 KHz
<b>English Text:</b> Resistance (Ohms) @ 35 KHz	
<b>English Instructions:</b>	

<b>BIXS039K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 39 KHz
<b>English Text:</b> Resistance (Ohms) @ 39 KHz	
<b>English Instructions:</b>	

<b>BIXS043K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 43 KHz
<b>English Text:</b> Resistance (Ohms) @ 43 KHz	
<b>English Instructions:</b>	

<b>BIXS050K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 50 KHz
<b>English Text:</b> Resistance (Ohms) @ 50 KHz	
<b>English Instructions:</b>	

<b>BIXS054K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 54 KHz
<b>English Text:</b> Resistance (Ohms) @ 54 KHz	
<b>English Instructions:</b>	

<b>BIXS060K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 60 KHz
<b>English Text:</b> Resistance (Ohms) @ 60 KHz	
<b>English Instructions:</b>	

<b>BIXS067K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 67 KHz
<b>English Text:</b> Resistance (Ohms) @ 67 KHz	
<b>English Instructions:</b>	

<b>BIXS075K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 75 KHz
<b>English Text:</b> Resistance (Ohms) @ 75 KHz	
<b>English Instructions:</b>	

<b>BIXS083K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 83 KHz
<b>English Text:</b> Resistance (Ohms) @ 83 KHz	
<b>English Instructions:</b>	

<b>BIXS093K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 93 KHz
<b>English Text:</b> Resistance (Ohms) @ 93 KHz	
<b>English Instructions:</b>	

<b>BIXS100K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 100 KHz
<b>English Text:</b> Resistance (Ohms) @ 100 KHz	
<b>English Instructions:</b>	

<b>BIXS115K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 115 KHz
<b>English Text:</b> Resistance (Ohms) @ 115 KHz	
<b>English Instructions:</b>	

<b>BIXS128K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 128 KHz
<b>English Text:</b> Resistance (Ohms) @ 128 KHz	
<b>English Instructions:</b>	

<b>BIXS143K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 143 KHz
<b>English Text:</b> Resistance (Ohms) @ 143 KHz	
<b>English Instructions:</b>	

<b>BIXS159K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 159 KHz
<b>English Text:</b> Resistance (Ohms) @ 159 KHz	
<b>English Instructions:</b>	

<b>BIXS177K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 177 KHz
<b>English Text:</b> Resistance (Ohms) @ 177 KHz	
<b>English Instructions:</b>	

<b>BIXS200K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 200 KHz
<b>English Text:</b> Resistance (Ohms) @ 200 KHz	
<b>English Instructions:</b>	

<b>BIXS220K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 220 KHz
<b>English Text:</b> Resistance (Ohms) @ 220 KHz	
<b>English Instructions:</b>	

<b>BIXS245K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 245 KHz
<b>English Text:</b> Resistance (Ohms) @ 245 KHz	
<b>English Instructions:</b>	

<b>BIXS273K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 273 KHz
<b>English Text:</b> Resistance (Ohms) @ 273 KHz	
<b>English Instructions:</b>	

<b>BIXS304K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 304 KHz
<b>English Text:</b> Resistance (Ohms) @ 304 KHz	
<b>English Instructions:</b>	

<b>BIXS339K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 339 KHz
<b>English Text:</b> Resistance (Ohms) @ 339 KHz	
<b>English Instructions:</b>	

<b>BIXS378K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 378 KHz
<b>English Text:</b> Resistance (Ohms) @ 378 KHz	
<b>English Instructions:</b>	

<b>BIXS421K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 421 KHz
<b>English Text:</b> Resistance (Ohms) @ 421 KHz	
<b>English Instructions:</b>	

<b>BIXS469K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 469 KHz
<b>English Text:</b> Resistance (Ohms) @ 469 KHz	
<b>English Instructions:</b>	

<b>BIXS500K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 500 KHz
<b>English Text:</b> Resistance (Ohms) @ 500 KHz	
<b>English Instructions:</b>	

<b>BIXS582K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 582 KHz
<b>English Text:</b> Resistance (Ohms) @ 582 KHz	
<b>English Instructions:</b>	

<b>BIXS649K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 649 KHz
<b>English Text:</b> Resistance (Ohms) @ 649 KHz	
<b>English Instructions:</b>	

<b>BIXS723K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 723 KHz
<b>English Text:</b> Resistance (Ohms) @ 723 KHz	
<b>English Instructions:</b>	

<b>BIXS806K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 806 KHz
<b>English Text:</b> Resistance (Ohms) @ 806 KHz	
<b>English Instructions:</b>	

<b>BIXS898K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 898 KHz
<b>English Text:</b> Resistance (Ohms) @ 898 KHz	
<b>English Instructions:</b>	

<b>BIXS1M</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Resistance (Ohms) @ 1 MHz
<b>English Text:</b> Resistance (Ohms) @ 1 MHz	
<b>English Instructions:</b>	

<b>BIXC005K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 5 KHz
<b>English Text:</b> Reactance (Ohms) @ 5 KHz	
<b>English Instructions:</b>	

<b>BIXC006K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 6 KHz
<b>English Text:</b> Reactance (Ohms) @ 6 KHz	
<b>English Instructions:</b>	

<b>BIXC007K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 7 KHz
<b>English Text:</b> Reactance (Ohms) @ 7 KHz	
<b>English Instructions:</b>	

<b>BIXC008K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 8 KHz
<b>English Text:</b> Reactance (Ohms) @ 8 KHz	
<b>English Instructions:</b>	

<b>BIXC009K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 9 KHz
<b>English Text:</b> Reactance (Ohms) @ 9 KHz	
<b>English Instructions:</b>	

<b>BIXC010K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 10 KHz
<b>English Text:</b> Reactance (Ohms) @ 10 KHz	
<b>English Instructions:</b>	

<b>BIXC011K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 11 KHz
<b>English Text:</b> Reactance (Ohms) @ 11 KHz	
<b>English Instructions:</b>	

<b>BIXC012K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 12 KHz
<b>English Text:</b> Reactance (Ohms) @ 12 KHz	
<b>English Instructions:</b>	

<b>BIXC013K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 13 KHz
<b>English Text:</b> Reactance (Ohms) @ 13 KHz	
<b>English Instructions:</b>	

<b>BIXC014K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 14 KHz
<b>English Text:</b> Reactance (Ohms) @ 14 KHz	
<b>English Instructions:</b>	

<b>BIXC015K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 15 KHz
<b>English Text:</b> Reactance (Ohms) @ 15 KHz	
<b>English Instructions:</b>	

<b>BIXC016K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 16 KHz
<b>English Text:</b> Reactance (Ohms) @ 16 KHz	
<b>English Instructions:</b>	

<b>BIXC018K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 18 KHz
<b>English Text:</b> Reactance (Ohms) @ 18 KHz	
<b>English Instructions:</b>	

<b>BIXC020K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 20 KHz
<b>English Text:</b> Reactance (Ohms) @ 20 KHz	
<b>English Instructions:</b>	

<b>BIXC023K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 23 KHz
<b>English Text:</b> Reactance (Ohms) @ 23 KHz	
<b>English Instructions:</b>	

<b>BIXC025K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 25 KHz
<b>English Text:</b> Reactance (Ohms) @ 25 KHz	
<b>English Instructions:</b>	

<b>BIXC028K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 28 KHz
<b>English Text:</b> Reactance (Ohms) @ 28 KHz	
<b>English Instructions:</b>	

<b>BIXC031K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 31 KHz
<b>English Text:</b> Reactance (Ohms) @ 31 KHz	
<b>English Instructions:</b>	

<b>BIXC035K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 35 KHz
<b>English Text:</b> Reactance (Ohms) @ 35 KHz	
<b>English Instructions:</b>	

<b>BIXC039K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 39 KHz
<b>English Text:</b> Reactance (Ohms) @ 39 KHz	
<b>English Instructions:</b>	

<b>BIXC043K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 43 KHz
<b>English Text:</b> Reactance (Ohms) @ 43 KHz	
<b>English Instructions:</b>	

<b>BIXC050K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 50 KHz
<b>English Text:</b> Reactance (Ohms) @ 50 KHz	
<b>English Instructions:</b>	

<b>BIXC054K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 54 KHz
<b>English Text:</b> Reactance (Ohms) @ 54 KHz	
<b>English Instructions:</b>	

<b>BIXC060K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 60 KHz
<b>English Text:</b> Reactance (Ohms) @ 60 KHz	
<b>English Instructions:</b>	

<b>BIXC067K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 67 KHz
<b>English Text:</b> Reactance (Ohms) @ 67 KHz	
<b>English Instructions:</b>	

<b>BIXC075K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 75 KHz
<b>English Text:</b> Reactance (Ohms) @ 75 KHz	
<b>English Instructions:</b>	

<b>BIXC083K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 83 KHz
<b>English Text:</b> Reactance (Ohms) @ 83 KHz	
<b>English Instructions:</b>	

<b>BIXC093K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 93 KHz
<b>English Text:</b> Reactance (Ohms) @ 93 KHz	
<b>English Instructions:</b>	

<b>BIXC100K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 100 KHz
<b>English Text:</b> Reactance (Ohms) @ 100 KHz	
<b>English Instructions:</b>	

<b>BIXC115K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 115 KHz
<b>English Text:</b> Reactance (Ohms) @ 115 KHz	
<b>English Instructions:</b>	

<b>BIXC128K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 128 KHz
<b>English Text:</b> Reactance (Ohms) @ 128 KHz	
<b>English Instructions:</b>	

<b>BIXC143K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 143 KHz
<b>English Text:</b> Reactance (Ohms) @ 143 KHz	
<b>English Instructions:</b>	

<b>BIXC159K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 159 KHz
<b>English Text:</b> Reactance (Ohms) @ 159 KHz	
<b>English Instructions:</b>	

<b>BIXC177K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 177 KHz
<b>English Text:</b> Reactance (Ohms) @ 177 KHz	
<b>English Instructions:</b>	

<b>BIXC200K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 200 KHz
<b>English Text:</b> Reactance (Ohms) @ 200 KHz	
<b>English Instructions:</b>	

<b>BIXC220K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 220 KHz
<b>English Text:</b> Reactance (Ohms) @ 220 KHz	
<b>English Instructions:</b>	

<b>BIXC245K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 245 KHz
<b>English Text:</b> Reactance (Ohms) @ 245 KHz	
<b>English Instructions:</b>	

<b>BIXC273K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 273 KHz
<b>English Text:</b> Reactance (Ohms) @ 273 KHz	
<b>English Instructions:</b>	

<b>BIXC304K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 304 KHz
<b>English Text:</b> Reactance (Ohms) @ 304 KHz	
<b>English Instructions:</b>	

<b>BIXC339K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 339 KHz
<b>English Text:</b> Reactance (Ohms) @ 339 KHz	
<b>English Instructions:</b>	

<b>BIXC378K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 378 KHz
<b>English Text:</b> Reactance (Ohms) @ 378 KHz	
<b>English Instructions:</b>	

<b>BIXC421K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 421 KHz
<b>English Text:</b> Reactance (Ohms) @ 421 KHz	
<b>English Instructions:</b>	

<b>BIXC469K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 469 KHz
<b>English Text:</b> Reactance (Ohms) @ 469 KHz	
<b>English Instructions:</b>	

<b>BIXC500K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 500 KHz
<b>English Text:</b> Reactance (Ohms) @ 500 KHz	
<b>English Instructions:</b>	

<b>BIXC582K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 582 KHz
<b>English Text:</b> Reactance (Ohms) @ 582 KHz	
<b>English Instructions:</b>	

<b>BIXC649K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 649 KHz
<b>English Text:</b> Reactance (Ohms) @ 649 KHz	
<b>English Instructions:</b>	

<b>BIXC723K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 723 KHz
<b>English Text:</b> Reactance (Ohms) @ 723 KHz	
<b>English Instructions:</b>	

<b>BIXC806K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 806 KHz
<b>English Text:</b> Reactance (Ohms) @ 806 KHz	
<b>English Instructions:</b>	

<b>BIXC898K</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 898 KHz
<b>English Text:</b> Reactance (Ohms) @ 898 KHz	
<b>English Instructions:</b>	

<b>BIXC1M</b>	<b>Target</b>
	B(8 Yrs. to 49 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reactance (Ohms) @ 1 MHz
<b>English Text:</b> Reactance (Ohms) @ 1 MHz	
<b>English Instructions:</b>	