

**National Health and Nutrition Examination Survey  
Codebook for Data Production (2001-2002)**

**NHANES Composite International Diagnostic Interview-  
Generalized Anxiety Disorder Module (CIQGAD\_B)  
Person Level Data**

**March 2006**

<b>SEQN</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Respondent sequence number
<b>English Text:</b> Respondent sequence number.	
<b>English Instructions:</b>	

<b>WTSCI2YR</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI Subsample 2 year MEC Weight
<b>English Text:</b> CIDI Subsample 2 year MEC Weight	
<b>English Instructions:</b>	

<b>WTSCI4YR</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI Subsample 4 Year MEC Weight
<b>English Text:</b> CIDI Subsample 4 Year MEC Weight	
<b>English Instructions:</b>	

<b>CIAORDER</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Order in which CIDI modules are asked
<b>English Text:</b> Order in which CIDI modules are asked	
<b>English Instructions:</b>	
<b>Codes:</b> 0= Panic, GAD, Depression 1= Depression, Panic, GAD	<b>Skip To Values:</b>

<b>CIQG01</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Month worried, tense, anxious(WTA)?
<b>English Text:</b> The next questions are about longer periods of feeling worried, tense, or anxious. In the past 12 months, did you have a period of a month or more when most days you felt worried or tense or anxious about everyday problems such as work or family?	
<b>English Instructions:</b> (Collection name = D63)	
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b>  CIQG06 CIQG06 CIQG06

<b>CIQG02</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did period last six months?
<b>English Text:</b> Did that period go on for at least six months?	
<b>English Instructions:</b> (Collection name = D63_1)	
<div> <b>Codes:</b> <div> 1= Yes  2= No  7= Refused  9= Don't know </div> </div> <div> <b>Skip To Values:</b> </div>	

<b>CIQG03</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	No. months worried, tense, anxious?
<b>English Text:</b> How many months out of the last 12 did you feel worried or tense or anxious most days?	
<b>English Instructions:</b> NUMBER OF MONTHS (Collection name = D63_2)	
<div> <b>Codes:</b> <div> 77= Refused  99= Don't know </div> </div> <div> <b>Skip To Values:</b> </div>	

<b>CIQG04</b>	<b>Target</b>																
	B(20 Yrs. to 39 Yrs.)																
<b>Hard Edits</b>	<b>SAS Label</b>																
	WTA frequency																
<b>English Text:</b> During (that/those) month(s), were you worried, tense, or anxious every day, nearly every day, most days, about half the days, or less than half the days?																	
<b>English Instructions:</b> (Collection name = D63_3)																	
<table> <tr> <td><b>Codes:</b></td><td><b>Skip To Values:</b></td></tr> <tr> <td>1= Every Day</td><td></td></tr> <tr> <td>2= Nearly Every Day</td><td></td></tr> <tr> <td>3= Most Days</td><td></td></tr> <tr> <td>4= About Half the Days</td><td></td></tr> <tr> <td>5= Less than Half the Days</td><td>CIDGSCOR</td></tr> <tr> <td>7= Refused</td><td>CIQG06</td></tr> <tr> <td>9= Don't know</td><td>CIQG06</td></tr> </table>		<b>Codes:</b>	<b>Skip To Values:</b>	1= Every Day		2= Nearly Every Day		3= Most Days		4= About Half the Days		5= Less than Half the Days	CIDGSCOR	7= Refused	CIQG06	9= Don't know	CIQG06
<b>Codes:</b>	<b>Skip To Values:</b>																
1= Every Day																	
2= Nearly Every Day																	
3= Most Days																	
4= About Half the Days																	
5= Less than Half the Days	CIDGSCOR																
7= Refused	CIQG06																
9= Don't know	CIQG06																

<b>CIQG05</b>	<b>Target</b>														
	B(20 Yrs. to 39 Yrs.)														
<b>Hard Edits</b>	<b>SAS Label</b>														
	WTA duration														
<b>English Text:</b> And on the days you worried or were tense or anxious, did you usually feel that way all day long, most of the day, about half the day, or less than half the day?															
<b>English Instructions:</b> (IF "It varies," PROBE: What about on average?) (Collection name = D63_4)															
<table> <tr> <td><b>Codes:</b></td><td><b>Skip To Values:</b></td></tr> <tr> <td>1= All Day Long</td><td>CIQG12</td></tr> <tr> <td>2= Most of the Day</td><td>CIQG12</td></tr> <tr> <td>3= About Half</td><td>CIQG12</td></tr> <tr> <td>4= Less than Half</td><td>CIQG12</td></tr> <tr> <td>7= Refused</td><td>CIQG12</td></tr> <tr> <td>9= Don't know</td><td>CIQG12</td></tr> </table>		<b>Codes:</b>	<b>Skip To Values:</b>	1= All Day Long	CIQG12	2= Most of the Day	CIQG12	3= About Half	CIQG12	4= Less than Half	CIQG12	7= Refused	CIQG12	9= Don't know	CIQG12
<b>Codes:</b>	<b>Skip To Values:</b>														
1= All Day Long	CIQG12														
2= Most of the Day	CIQG12														
3= About Half	CIQG12														
4= Less than Half	CIQG12														
7= Refused	CIQG12														
9= Don't know	CIQG12														

<b>CIQG06</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	WTA a lot more than most?
<b>English Text:</b> People differ a lot in how much they worry about things. (READ THE NEXT SENTENCE SLOWLY.) In the past 12 months, did you have a period when most days you were a lot more worried or tense or anxious than most people would be in your same situation?	
<b>English Instructions:</b> (Collection name = D63A)	
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b>  CIDGSCOR CIDGSCOR CIDGSCOR

<b>CIQG07</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did period last six months?
<b>English Text:</b> Did that period go on for at least six months?	
<b>English Instructions:</b> (Collection name = D63A_1)	
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b>

<b>CIQG08</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	No. months worried, tense, anxious?
<b>English Text:</b> How many months out of the last 12 did you feel worried or tense or anxious most days?	
<b>English Instructions:</b> NUMBER OF MONTHS (Collection name = D63A_2)	
<b>Codes:</b> 77= Refused 99= Don't know	
<b>Skip To Values:</b>	

<b>CIQG09</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	WTA frequency
<b>English Text:</b> During (that/those) month(s), were you worried, tense, or anxious every day, nearly every day, most days, about half the days, or less than half the days?	
<b>English Instructions:</b> (Collection name = D63A_3)	
<b>Codes:</b> 1= Every Day 2= Nearly Every Day 3= Most Days 4= About Half the Days 5= Less than Half the Days 7= Refused 9= Don't know	
<b>Skip To Values:</b>	
CIDGSCOR	
CIDGSCOR	
CIDGSCOR	

<b>CIQG10</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	WTA duration
<b>English Text:</b> And on the days you worried or were tense or anxious, did you usually feel that way all day long, most of the day, about half the day, or less than half the day?	
<b>English Instructions:</b> (IF "It varies," PROBE: What about on average?) (Collection name = D63A_4)	
<div> <div><b>Codes:</b></div> <div> 1= All Day Long  2= Most of the Day  3= About Half  4= Less than Half  7= Refused  9= Don't know </div> </div> <div> <div><b>Skip To Values:</b></div> </div>	

<b>CIQG12</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did R worry about health/drug use?
<b>English Text:</b> Did R worry about health/drug use?	
<b>English Instructions:</b> INTERVIEWER QUERY: DID R REPORT EXCLUSIVELY WORRYING ABOUT HIS/HER OWN PHYSICAL HEALTH OR MENTAL HEALTH OR WEIGHT OR DRUG USE? (Collection name = D64D_1)	
<div> <div><b>Codes:</b></div> <div> 1= Yes  2= No </div> </div> <div> <div><b>Skip To Values:</b></div> <div>CIDGSCOR</div> </div>	

<b>CIQG13</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did R have multiple worries?
<b>English Text:</b> Did R have multiple worries?	
<b>English Instructions:</b> INTERVIEWER QUERY: DID R REPORT EXCLUSIVELY WORRYING ABOUT ONE THING? OR DID R HAVE MULTIPLE WORRIES? (Collection name = D64D_2)	
<div> <b>Codes:</b> <div> 1= Worried about one thing  2= Multiple worries </div> </div> <div> <b>Skip To Values:</b>  CIDGSCOR </div>	

<b>CIQG14</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Do you think worry excessive?
<b>English Text:</b> Do you think your worry was excessive; that is, much stronger than it really should be in your situation?	
<b>English Instructions:</b> (Collection name = D64A)	
<div> <b>Codes:</b> <div> 1= Yes  2= No  7= Refused  9= Don't know </div> </div> <div> <b>Skip To Values:</b> </div>	



<b>CIQG15</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	How often difficult control worry?
<b>English Text:</b> How often did you find it difficult to control your worry -- often, sometimes, rarely, or never?	
<b>English Instructions:</b> (Collection name = D64C)	
<div> <div><b>Codes:</b></div> <div> 1= Often  2= Sometimes  3= Rarely  4= Never  7= Refused  9= Don't know </div> <div><b>Skip To Values:</b></div> </div>	

<b>CIQG16</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	How often worry so strong?
<b>English Text:</b> How often was your worry so strong that you couldn't put it out of your mind no matter how hard you tried -- often, sometimes, rarely, or never?	
<b>English Instructions:</b> (Collection name = D64C_1)	
<div> <div><b>Codes:</b></div> <div> 1= Often  2= Sometimes  3= Rarely  4= Never  7= Refused  9= Don't know </div> <div><b>Skip To Values:</b></div> </div>	

<b>CIQG17A</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Handcard: often restless?
<p><b>English Text:</b> Now look at this card. This is a list of problems some people have during periods of feeling worried, tense or anxious. In the past 12 months, during your period of worry, were you often restless? (feeling restless)</p>	
<p><b>English Instructions:</b> IVR: HAND CARD B TO R. ANYONE WHO HAS ZERO YES RESPONSES OUT OF THE PRIOR 7 QUESTIONS SHOULD BE SKIPPED TO THE NEXT SECTION. REMEMBER TO INCLUDE THE FIRST QUESTION ABOUT BEING RESTLESS IN YOUR COUNT. (Collection name = D65_1)</p>	
<p><b>Codes:</b></p> <p>1= Yes</p> <p>2= No</p> <p>7= Refused</p> <p>9= Don't know</p> <p><b>Skip To Values:</b></p>	

<b>CIQG17B</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Handcard: often keyed up?
<p><b>English Text:</b> Now look at this card. This is a list of problems some people have during periods of feeling worried, tense or anxious. In the past 12 months, during your period of worry, were you often restless? (feeling restless)</p>	
<p><b>English Instructions:</b> IVR: HAND CARD B TO R. ANYONE WHO HAS ZERO YES RESPONSES OUT OF THE PRIOR 7 QUESTIONS SHOULD BE SKIPPED TO THE NEXT SECTION. REMEMBER TO INCLUDE THE FIRST QUESTION ABOUT BEING RESTLESS IN YOUR COUNT. (Collection name = D65_2)</p>	
<p><b>Codes:</b></p> <p>1= Yes</p> <p>2= No</p> <p>7= Refused</p> <p>9= Don't know</p> <p><b>Skip To Values:</b></p>	

<b>CIQG17C</b>	<b>Target</b>		
	B(20 Yrs. to 39 Yrs.)		
<b>Hard Edits</b>	<b>SAS Label</b>		
	Handcard: more tired than usual?		
<p><b>English Text:</b> Now look at this card. This is a list of problems some people have during periods of feeling worried, tense or anxious. In the past 12 months, during your period of worry, were you often restless? (feeling restless)</p>			
<p><b>English Instructions:</b> IVR: HAND CARD B TO R. ANYONE WHO HAS ZERO YES RESPONSES OUT OF THE PRIOR 7 QUESTIONS SHOULD BE SKIPPED TO THE NEXT SECTION. REMEMBER TO INCLUDE THE FIRST QUESTION ABOUT BEING RESTLESS IN YOUR COUNT. (Collection name = D65_3)</p>			
<table> <tr> <td> <b>Codes:</b>  1= Yes  2= No  7= Refused  9= Don't know </td> <td> <b>Skip To Values:</b> </td> </tr> </table>		<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b>
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b>		

<b>CIQG17D</b>	<b>Target</b>		
	B(20 Yrs. to 39 Yrs.)		
<b>Hard Edits</b>	<b>SAS Label</b>		
	Handcard: more irritable?		
<p><b>English Text:</b> Now look at this card. This is a list of problems some people have during periods of feeling worried, tense or anxious. In the past 12 months, during your period of worry, were you often restless? (feeling restless)</p>			
<p><b>English Instructions:</b> IVR: HAND CARD B TO R. ANYONE WHO HAS ZERO YES RESPONSES OUT OF THE PRIOR 7 QUESTIONS SHOULD BE SKIPPED TO THE NEXT SECTION. REMEMBER TO INCLUDE THE FIRST QUESTION ABOUT BEING RESTLESS IN YOUR COUNT. (Collection name = D65_5)</p>			
<table> <tr> <td> <b>Codes:</b>  1= Yes  2= No  7= Refused  9= Don't know </td> <td> <b>Skip To Values:</b> </td> </tr> </table>		<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b>
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b>		

<b>CIQG17E</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Handcard: trouble sleeping?
<p><b>English Text:</b> Now look at this card. This is a list of problems some people have during periods of feeling worried, tense or anxious. In the past 12 months, during your period of worry, were you often restless? (feeling restless)</p>	
<p><b>English Instructions:</b> IVR: HAND CARD B TO R. ANYONE WHO HAS ZERO YES RESPONSES OUT OF THE PRIOR 7 QUESTIONS SHOULD BE SKIPPED TO THE NEXT SECTION. REMEMBER TO INCLUDE THE FIRST QUESTION ABOUT BEING RESTLESS IN YOUR COUNT. (Collection name = D65_7)</p>	
<p><b>Codes:</b></p> <p>1= Yes</p> <p>2= No</p> <p>7= Refused</p> <p>9= Don't know</p> <p><b>Skip To Values:</b></p>	

<b>CIQG17F</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Handcard: trouble keeping mind on?
<p><b>English Text:</b> Now look at this card. This is a list of problems some people have during periods of feeling worried, tense or anxious. In the past 12 months, during your period of worry, were you often restless? (feeling restless)</p>	
<p><b>English Instructions:</b> IVR: HAND CARD B TO R. ANYONE WHO HAS ZERO YES RESPONSES OUT OF THE PRIOR 7 QUESTIONS SHOULD BE SKIPPED TO THE NEXT SECTION. REMEMBER TO INCLUDE THE FIRST QUESTION ABOUT BEING RESTLESS IN YOUR COUNT. (Collection name = D65_4)</p>	
<p><b>Codes:</b></p> <p>1= Yes</p> <p>2= No</p> <p>7= Refused</p> <p>9= Don't know</p> <p><b>Skip To Values:</b></p>	

<b>CIQG17G</b>	<b>Target</b>		
	B(20 Yrs. to 39 Yrs.)		
<b>Hard Edits</b>	<b>SAS Label</b>		
	Handcard: tense, sore, ach muscles?		
<b>English Text:</b> Now look at this card. This is a list of problems some people have during periods of feeling worried, tense or anxious. In the past 12 months, during your period of worry, were you often restless? (feeling restless)			
<b>English Instructions:</b> IVR: HAND CARD B TO R. ANYONE WHO HAS ZERO YES RESPONSES OUT OF THE PRIOR 7 QUESTIONS SHOULD BE SKIPPED TO THE NEXT SECTION. REMEMBER TO INCLUDE THE FIRST QUESTION ABOUT BEING RESTLESS IN YOUR COUNT. (Collection name = D65_6)			
<table border="0" style="width: 100%;"> <tr> <td style="width: 60%; vertical-align: top;"> <b>Codes:</b>  1= Yes  2= No  7= Refused  9= Don't know </td> <td style="width: 40%; vertical-align: top; text-align: right;"> <b>Skip To Values:</b> </td> </tr> </table>		<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b>
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b>		

<b>CIQG18</b>	<b>Target</b>		
	B(20 Yrs. to 39 Yrs.)		
<b>Hard Edits</b>	<b>SAS Label</b>		
	Did you tell MD about WTA?		
<b>English Text:</b> In the past 12 months did you tell a doctor about feeling worried, tense, or anxious when you also had some of the problems on the list?			
<b>English Instructions:</b> (Collection name = D66)			
<table border="0" style="width: 100%;"> <tr> <td style="width: 60%; vertical-align: top;"> <b>Codes:</b>  1= Yes  2= No  7= Refused  9= Don't know </td> <td style="width: 40%; vertical-align: top; text-align: right;"> <b>Skip To Values:</b>  CIQGPHA </td> </tr> </table>		<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b> CIQGPHA
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b> CIQGPHA		

<b>CIQGPA</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did you tell other prof about WTA?
<b>English Text:</b> Did you tell other professional about being, worried, tense, or anxious?	
<b>English Instructions:</b> (Collection name = D66PA1)	
<div> <b>Codes:</b> <div> 1= Yes  2= No  7= Refused  9= Don't know </div> </div> <div> <b>Skip To Values:</b>  CIQGPD </div>	

<b>CIQGPB</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did you take medication for WTA?
<b>English Text:</b> Did you take medication for being, worried, tense, or anxious?	
<b>English Instructions:</b> (Collection name = D66PA2)	
<div> <b>Codes:</b> <div> 1= Yes  2= No  7= Refused  9= Don't know </div> </div> <div> <b>Skip To Values:</b>  CIQGPD </div>	

<b>CIQGPC</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did WTA interfere with life?
<b>English Text:</b> Did being, worried, tense, or anxious interfere with life?	
<b>English Instructions:</b> (Collection name = D66PA3)	
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b>  CIDGPRB CIDGPRB CIDGPRB

<b>CIQGPD</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Was WTA result of phys illness?
<b>English Text:</b> Was being, worried, tense, or anxious result of physical illness?	
<b>English Instructions:</b> (Collection name = D66PB1)	
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b>  CIQGPN

<b>CIQGPE</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Was WTA result of MDA?
<b>English Text:</b> Was being, worried, tense, or anxious result of medicine, drugs, or alcohol?	
<b>English Instructions:</b> (Collection name = D66PC1)	
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b>  CIDGPRB CIDGPRB CIDGPRB

<b>CIQGPf</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Was WTA always result MDA?
<b>English Text:</b> Was being, worried, tense, or anxious always result of medicine, drugs, or alcohol?	
<b>English Instructions:</b> (Collection name = D66PC2)	
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b>  CIDGPRB CIDGPRB CIDGPRB CIDGPRB



<b>CIQGPHA</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Doctor said nerves causing WTA
<b>English Text:</b> Doctor said nerves causing being, worried, tense, or anxious	
<b>English Instructions:</b> (Collection name = D66PD1)	
<b>Codes:</b> 1= Doctor said nerves causing WTA 77= Refused 99= Don't know	
<b>Skip To Values:</b>	

<b>CIQGPHB</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Doctor said stress causing WTA
<b>English Text:</b> Doctor said stress causing being, worried, tense, or anxious	
<b>English Instructions:</b> (Collection name = D66PD1)	
<b>Codes:</b> 2= Doctor said stress causing WTA	
<b>Skip To Values:</b>	

<b>CIQGPHC</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Doctor said anxiety causing WTA
<b>English Text:</b> Doctor said anxiety causing being, worried, tense, or anxious	
<b>English Instructions:</b> (Collection name = D66PD1)	
<b>Codes:</b> 3= Doctor said anxiety causing WTA	
<b>Skip To Values:</b>	

<b>CIQGPHD</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Doctor said depression causing WTA
<b>English Text:</b> Doctor said depression causing being, worried, tense, or anxious	
<b>English Instructions:</b> (Collection name = D66PD1)	
<b>Codes:</b> 4= Doctor said depression causing WTA	<b>Skip To Values:</b>

<b>CIQGPHE</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Doctor said mental illness causing WTA
<b>English Text:</b> Doctor said mental illness causing being, worried, tense, or anxious	
<b>English Instructions:</b> (Collection name = D66PD1)	
<b>Codes:</b> 5= Doctor said mental illness causing WTA	<b>Skip To Values:</b>

<b>CIQGPHF</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Doctor said medication causing WTA
<b>English Text:</b> Doctor said medication causing being, worried, tense, or anxious	
<b>English Instructions:</b> (Collection name = D66PD1)	
<b>Codes:</b> 6= Doctor said medication causing WTA	<b>Skip To Values:</b>

<b>CIQGPHG</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Doctor said drugs causing WTA
<b>English Text:</b> Doctor said drugs causing being, worried, tense, or anxious	
<b>English Instructions:</b> (Collection name = D66PD1)	
<b>Codes:</b> 7= Doctor said drugs causing WTA	<b>Skip To Values:</b>

<b>CIQGP HH</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Doctor said alcohol causing WTA
<b>English Text:</b> Doctor said alcohol causing being, worried, tense, or anxious	
<b>English Instructions:</b> (Collection name = D66PD1)	
<b>Codes:</b> 8= Doctor said alcohol causing WTA	<b>Skip To Values:</b>

<b>CIQGPHI</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Doctor said physical illness causing WTA
<b>English Text:</b> Doctor said physical illness causing being, worried, tense, or anxious	
<b>English Instructions:</b> (Collection name = D66PD1)	
<b>Codes:</b> 9= Doctor said physical illness causing WTA	<b>Skip To Values:</b>

<b>CIQGPHJ</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Doctor said physical injury causing WTA
<b>English Text:</b> Doctor said physical injury causing being, worried, tense, or anxious	
<b>English Instructions:</b> (Collection name = D66PD1)	
<b>Codes:</b> 10= Doctor said physical injury causing WTA	<b>Skip To Values:</b>

<b>CIQGPHK</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Doc gave no definite diagnosis for WTA
<b>English Text:</b> Doc gave no definite diagnosis for being, worried, tense, or anxious	
<b>English Instructions:</b> (Collection name = D66PD1)	
<b>Codes:</b> 11= Doc gave no definite diagnosis for WTA	<b>Skip To Values:</b>

<b>CIQGPHZZ</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> IF ANY OF CIQGPHA - CIQGPHE SELECTED THEN SKIP TO CIDGPRB; ELSE IF ANY OF CIDGPHI-CIQGPHH SELECTED THEN SKIP TO CIQGPJ; ELSE IF ANY OF CIQGPHI-CIQGPHJ SELECTED THEN SKIP TO CIQGPN; ELSE IF CIQGPHK SELECTED THEN SKIP TO CIQGPQ; ELSE IS REFUSED OR DON'T KNOW THEN SKIP TO CIDGPRB.	

<b>CIQGPJ</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Was WTA always result MDA?
<b>English Text:</b> Was being, worried, tense, or anxious always result of midicine, drugs, or alcohol?	
<b>English Instructions:</b> (Collection name = D66PD3)	
<div> <b>Codes:</b> <div> 1= Yes 2= No 7= Refused 9= Don't know </div> </div> <div> <b>Skip To Values:</b> <div> CIDGPRB </div> </div>	

<b>CIQGPK</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Was WTA result of phys illness?
<b>English Text:</b> When being, worried, tense, or anxious was not the result of medicine, drugs, or alcohol, was being, worried, tense, or anxious result of physical illness?	
<b>English Instructions:</b> (Collection name = D66PD4)	
<div> <b>Codes:</b> <div> 1= Yes 2= No 7= Refused 9= Don't know </div> </div> <div> <b>Skip To Values:</b> <div> CIDGPRB CIDGPRB CIDGPRB CIDGPRB </div> </div>	

<b>CIQGPQ</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Anything abnormal when examined?
<b>English Text:</b> Anything abnormal when examined?	
<b>English Instructions:</b> (Collection name = D66PD10)	
<b>Codes:</b> 1= Nothing abnormal 2= No examination 3= Something abnormal 7= Refused 9= Don't know	<b>Skip To Values:</b> CIDGPRB CIDGPRB  CIDGPRB CIDGPRB

<b>CIQGPN</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Was WTA always result of phys illness?
<b>English Text:</b> Was being, worried, tense, or anxious always result of physical illness?	
<b>English Instructions:</b> (Collection name = D66PD7)	
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b> CIQGPN

<b>CIQGPO</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Was WTA always result MDA?
<b>English Text:</b> When being, worried, tense, or anxious was not result of physical illness, was being, worried, tense, or anxious always result medicine, drugs, or alcohol?	
<b>English Instructions:</b> (Collection name = D66PD8)	
<div> <b>Codes:</b> <div> 1= Yes  2= No  7= Refused  9= Don't know </div> </div> <div> <b>Skip To Values:</b> </div>	

<b>CIDGPRB</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	General cause of WTA
<b>English Text:</b> General cause of being, worried, tense, or anxious	
<b>English Instructions:</b> (Collection name = D66PRB)	
<div> <b>Codes:</b> <div> 1= No Problem  2= Not clinically significant  3= Medication, Drugs, or Alcohol  4= Physical cause  5= Psychiatric Symptom </div> </div> <div> <b>Skip To Values:</b> </div>	

<b>CIQG19</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Remember age when first WTA?
<b>English Text:</b> Can you remember your exact age the very first time in your life you had a period of worry, tension, or anxiety like the one you had in the past 12 months (that lasted six months or longer) and you also had some of the other problems we just reviewed?	
<b>English Instructions:</b> (Collection name = D69)	
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b>  CIQG21 CIQG21 CIQG21

<b>CIQG20</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	How old were you when first WTA?
<b>English Text:</b> How old were you when first WTA?	
<b>English Instructions:</b> YEARS OF AGE (Collection name = D69A)	
<b>Codes:</b> 77= Refused 99= Don't know	<b>Skip To Values:</b>

<b>CIQG20ZZ</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> GO TO CIQG23	



<b>CIQG21</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	About how old when first WTA?
<b>English Text:</b> About how old were you the first time you had a period of this sort?	
<b>English Instructions:</b> YEARS OF AGE (Collection name = D69B)	
<b>Codes:</b> 77= Refused 99= Don't know	<b>Skip To Values:</b>

<b>CIQG22</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Earliest age period of WTA
<b>English Text:</b> What's the earliest age you can clearly remember a particular time when you had a period of this sort?	
<b>English Instructions:</b> YEARS OF AGE (Collection name = D69C)	
<b>Codes:</b> 77= Refused 99= Don't know	<b>Skip To Values:</b>

<b>CIQG23</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Recency of period of WTA
<b>English Text:</b> And how recently did you have a period of this sort -- in the past month, past six months, or more than six months ago?	
<b>English Instructions:</b> (Collection name = D69D)	
<div> <b>Codes:</b> <div> 1= Past Month  2= Past 6 Months  3= Over 6 Months  7= Refused  9= Don't know </div> </div> <div> <b>Skip To Values:</b> </div>	

<b>CIQG24</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	How upset for feeling WTA?
<b>English Text:</b> In the past 12 months, how upset have you been with yourself for feeling worried, tense, or anxious -- very upset, somewhat, not very, or not at all upset?	
<b>English Instructions:</b> (Collection name = D67)	
<div> <b>Codes:</b> <div> 1= Very upset  2= Somewhat Upset  3= Not very upset  4= Not at all upset  7= Refused  9= Don't know </div> </div> <div> <b>Skip To Values:</b> </div>	

<b>CIQG25</b>	<b>Target</b>		
	B(20 Yrs. to 39 Yrs.)		
<b>Hard Edits</b>	<b>SAS Label</b>		
	WTA interfere with daily life?		
<b>English Text:</b> Think about how your life and activities were affected in the past 12 months by your worry, tension or anxiety. Did these things interfere with your life and activities -- a lot, some, a little, or not at all?			
<b>English Instructions:</b> (Collection name = D68)			
<table border="0" style="width: 100%;"> <tr> <td style="width: 60%; vertical-align: top;"> <b>Codes:</b>  1= A lot  2= Some  3= A little  4= Not at all  7= Refused  9= Don't know </td> <td style="width: 40%; vertical-align: top; text-align: right;"> <b>Skip To Values:</b> </td> </tr> </table>		<b>Codes:</b> 1= A lot 2= Some 3= A little 4= Not at all 7= Refused 9= Don't know	<b>Skip To Values:</b>
<b>Codes:</b> 1= A lot 2= Some 3= A little 4= Not at all 7= Refused 9= Don't know	<b>Skip To Values:</b>		

<b>CIQG26</b>	<b>Target</b>		
	B(20 Yrs. to 39 Yrs.)		
<b>Hard Edits</b>	<b>SAS Label</b>		
	No. days totally unable work		
<b>English Text:</b> About how many days in the past 12 months were you totally unable for the whole day to work and carry out your other normal activities because of your worry, tension, or anxiety? You can answer with any number between 0 and 365.			
<b>English Instructions:</b> (Collection name = D68A)			
<table border="0" style="width: 100%;"> <tr> <td style="width: 60%; vertical-align: top;"> <b>Codes:</b>  777= Refused  999= Don't know </td> <td style="width: 40%; vertical-align: top; text-align: right;"> <b>Skip To Values:</b> </td> </tr> </table>		<b>Codes:</b> 777= Refused 999= Don't know	<b>Skip To Values:</b>
<b>Codes:</b> 777= Refused 999= Don't know	<b>Skip To Values:</b>		

<b>CIQG26ZZ</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> IF CIQG26=0 GO TO CIQG29; IF CIQG26=1 GO TO CIQG27; ELSE GO TO CIQG28	

<b>CIQG27</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did day occur past 4 weeks?
<b>English Text:</b> Did that day occur in the past four weeks?	
<b>English Instructions:</b> (Collection name = D68A_1)	
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b> CIQG29 CIQG29 CIQG29 CIQG29

<b>CIQG28</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	No. days totally past 4 weeks
<b>English Text:</b> How many of these days occurred in the past four weeks?	
<b>English Instructions:</b> NUMBER OF DAYS (Collection name = D68A_2)	
<b>Codes:</b> 77= Refused 99= Don't know	<b>Skip To Values:</b>

<b>CIQG29</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	No. days cutback amount/quality
<b>English Text:</b> [Not counting the day(s) you were totally unable to work,] about how many (other) days in the past 12 months did you cut back either on the amount of work you got done or on the quality of your work because of your worry, tension, or anxiety? (Again, you can use any number between 0 and 365.)	
<b>English Instructions:</b> NUMBER OF DAYS (Collection name = D68B)	
<b>Codes:</b> 777= Refused 999= Don't know	
<b>Skip To Values:</b>	

<b>CIQG29ZZ</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> IF CIQG29=0 GO TO CIQG33; ELSE CONTINUE	

<b>CIQG30</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Describe quantity/quality cutback
<b>English Text:</b> Thinking about (that cutback day/those cutback days), on a scale from 0 to 100 where zero means being totally unable to work and 100 means working a full high quality day, what number describes the quantity and quality of your work during (that day/those days)? You can use any number between 0 and 100.	
<b>English Instructions:</b> RECORD NUMBER BETWEEN 0 AND 100 (Collection name = D68C)	
<b>Codes:</b> 777= Refused 999= Don't know	
<b>Skip To Values:</b>	

<b>CIQG30ZZ</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> IF CIQG29=1 GO TO CIQG31; ELSE GO TO CIQG32	

<b>CIQG31</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did cutback occur past 4 weeks?
<b>English Text:</b> Did that cutback day occur in the past four weeks?	
<b>English Instructions:</b> (Collection name = D68C_1)	
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b> CIQG36 CIQG36 CIQG36 CIQG36

<b>CIQG32</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	No. days cutback past 4 weeks
<b>English Text:</b> How many of these cutback days occurred in the past four weeks?	
<b>English Instructions:</b> NUMBER OF DAYS (Collection name = D68C_2)	
<b>Codes:</b> 77= Refused 99= Don't know	<b>Skip To Values:</b>

<b>CIQG33</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	No. days extreme effort to work
<b>English Text:</b> [Not counting the day(s) (you were totally unable to work)/(or)/(you cut back on work),] about how many (other) days in the past 12 months did it take an extreme effort to perform up to your usual level at work or at your other normal daily activities because of your worry, tension, or anxiety? (Again, you can use any number between 0 and 365.)	
<b>English Instructions:</b> NUMBER OF DAYS (Collection name = D68C_3)	
<b>Codes:</b> 777= Refused 999= Don't know	<b>Skip To Values:</b>

<b>CIQG33ZZ</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> IF CIQG33=0 GO TO CIQG36; IF CIQG33=1 GO TO CIQG34; ELSE GO TO CIQG35	

<b>CIQG34</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did extreme occur past 4 weeks?
<b>English Text:</b> Did that day occur in the past four weeks?	
<b>English Instructions:</b> NUMBER OF DAYS (Collection name = D68C_3_1)	
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b> CIQG36 CIQG36 CIQG36 CIQG36

<b>CIQG35</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	No. days extreme past 4 weeks
<b>English Text:</b> No. days extreme past 4 weeks	
<b>English Instructions:</b> NUMBER OF DAYS (Collection name = D68C_3_2)	
<b>Codes:</b> 77= Refused 99= Don't know	<b>Skip To Values:</b>

<b>CIQG36</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	No. days interfere personal life
<b>English Text:</b> And about how many days in the past 12 months did your worry, tension, or anxiety seriously interfere with your personal or social life? (Again, you can use any number between 0 and 365.)	
<b>English Instructions:</b> NUMBER OF DAYS (Collection name = D68D)	
<b>Codes:</b> 777= Refused 999= Don't know	<b>Skip To Values:</b>

<b>CIQG36ZZ</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> IF CIQG36=0 GO TO CIDGSCOR; IF CIQG36=1 GO TO CIQG37; ELSE GO TO CIQG38	



<b>CIQG37</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did interfere occur past 4 weeks?
<b>English Text:</b> Did that day occur in the past four weeks?	
<b>English Instructions:</b> NUMBER OF DAYS (Collection name = D68D_1)	
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b> CIDGSCOR CIDGSCOR CIDGSCOR CIDGSCOR

<b>CIQG38</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	No. days interfere past 4 weeks
<b>English Text:</b> How many of these days occurred in the past four weeks?	
<b>English Instructions:</b> NUMBER OF DAYS (Collection name = D68D_2)	
<b>Codes:</b> 77= Refused 99= Don't know	<b>Skip To Values:</b>

<b>CIDGSCOR</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	GAD score
<b>English Text:</b> GAD score	
<b>English Instructions:</b> (Collection name = GAD)	
<b>Codes:</b> 1= Positive Diagnosis 5= Negative Diagnosis	<b>Skip To Values:</b>