



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

SP has a severe eye infection?				
VIQ110	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	397	5.33	397	5.33
1 : Yes	3	0.04	400	5.37
2 : No	7045	94.63	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

Which eye(s) infected?				
VIQ121	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7442	99.96	7442	99.96
2 : Left	2	0.03	7444	99.99
3 : Both	1	0.01	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

Is SP wearing an eye patch?				
VIQ130	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	400	5.37	400	5.37
2 : No	7045	94.63	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

Which eye has eye patch?				
VIQ141	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7445	100.00	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

Glasses/contact lenses for near work?				
VIQ150	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	5315	71.39	5315	71.39
1 : Yes	1853	24.89	7168	96.28
2 : No	276	3.71	7444	99.99
9 : Don't know	1	0.01	7445	100.00



**MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005**

Glasses/contact lenses available?				
VIQ160	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	5592	75.11	5592	75.11
1 : Yes	1642	22.06	7234	97.17
2 : No	211	2.83	7445	100.00



**MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005**

Glasses or contacts worn for near test?				
VIQ170	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	5803	77.94	5803	77.94
1 : Glasses	1621	21.77	7424	99.72
2 : Contacts	15	0.20	7439	99.92
3 : Both glasses and contact lenses	6	0.08	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

Line read on near card				
VIXNC1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	5315	71.39	5315	71.39
0	2	0.03	5317	71.42
1	8	0.11	5325	71.52
2	132	1.77	5457	73.30
3	245	3.29	5702	76.59
4	691	9.28	6393	85.87
5	1048	14.08	7441	99.95
8 : Could not obtain	4	0.05	7445	100.00



**MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005**

Testing distance of near card				
VIXNC2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	5315	71.39	5315	71.39
1	1	0.01	5316	71.40
4	1	0.01	5317	71.42
6	3	0.04	5320	71.46
7	1	0.01	5321	71.47
8	9	0.12	5330	71.59
9	14	0.19	5344	71.78
10	37	0.50	5381	72.28
11	60	0.81	5441	73.08
12	172	2.31	5613	75.39
13	171	2.30	5784	77.69
14	241	3.24	6025	80.93
15	271	3.64	6296	84.57
16	225	3.02	6521	87.59
17	188	2.53	6709	90.11
18	166	2.23	6875	92.34
19	128	1.72	7003	94.06
20	100	1.34	7103	95.41
21	102	1.37	7205	96.78
22	67	0.90	7272	97.68
23	49	0.66	7321	98.33
24	48	0.64	7369	98.98
25	31	0.42	7400	99.40
26	17	0.23	7417	99.62
27	11	0.15	7428	99.77
28	8	0.11	7436	99.88
29	1	0.01	7437	99.89
30	3	0.04	7440	99.93
33	1	0.01	7441	99.95
88 : Could not obtain	4	0.05	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

Eye surgery for near sightedness?				
VIQ180	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	411	5.52	411	5.52
1 : Yes	78	1.05	489	6.57
2 : No	6944	93.27	7433	99.84
9 : Don't know	12	0.16	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

Which eye(s) surgery - near-sightedness?				
VIQ191	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7367	98.95	7367	98.95
1 : Right	5	0.07	7372	99.02
2 : Left	5	0.07	7377	99.09
3 : Both	68	0.91	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

Eye surgery for cataracts?				
VIQ200	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	411	5.52	411	5.52
1 : Yes	381	5.12	792	10.64
2 : No	6641	89.20	7433	99.84
9 : Don't know	12	0.16	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

Which eye(s) cataract surgery?				
VIQ211	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7064	94.88	7064	94.88
1 : Right	64	0.86	7128	95.74
2 : Left	47	0.63	7175	96.37
3 : Both	268	3.60	7443	99.97
9 : Don't know	2	0.03	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

Glasses/contact lenses worn for distance				
VIQ220	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	411	5.52	411	5.52
1 : Yes	2980	40.03	3391	45.55
2 : No	4049	54.39	7440	99.93
9 : Don't know	5	0.07	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

Is distance correction available?				
VIQ230	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4465	59.97	4465	59.97
1 : Yes	2570	34.52	7035	94.49
2 : No	410	5.51	7445	100.00



**MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005**

Which type? Glasses or contacts?				
VIQ240	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4875	65.48	4875	65.48
1 : Glasses	2172	29.17	7047	94.65
2 : Contacts	321	4.31	7368	98.97
3 : Both glasses and contact lenses	77	1.03	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

Was prescription obtained?				
VIQ250	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	5202	69.87	5202	69.87
1 : Yes	2241	30.10	7443	99.97
2 : No	2	0.03	7445	100.00



**MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005**

Prescription, right sphere				
VIXPRS	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	5202	69.87	5202	69.87
-15 to 13.5	2204	29.60	7406	99.48
88 : Could not obtain	39	0.52	7445	100.00



**MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005**

Prescription, right cylinder				
VIXPRC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	5202	69.87	5202	69.87
0	444	5.96	5646	75.84
0.25	275	3.69	5921	79.53
0.5	383	5.14	6304	84.67
0.75	285	3.83	6589	88.50
1	236	3.17	6825	91.67
1.25	163	2.19	6988	93.86
1.5	109	1.46	7097	95.33
1.75	82	1.10	7179	96.43
2	68	0.91	7247	97.34
2.25	41	0.55	7288	97.89
2.5	31	0.42	7319	98.31
2.75	19	0.26	7338	98.56
3	18	0.24	7356	98.80
3.25	13	0.17	7369	98.98
3.5	10	0.13	7379	99.11
3.75	7	0.09	7386	99.21
4	5	0.07	7391	99.27
4.25	4	0.05	7395	99.33
4.5	2	0.03	7397	99.36
4.75	1	0.01	7398	99.37
5	3	0.04	7401	99.41
5.25	3	0.04	7404	99.45
6	1	0.01	7405	99.46
8.5	1	0.01	7406	99.48
88 : Could not obtain	39	0.52	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

Prescription, right axis				
VIXPRA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	5202	69.87	5202	69.87
0 to 180	2204	29.60	7406	99.48
888 : Could not obtain	39	0.52	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

Prescription, left sphere				
VIXPLS	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	5202	69.87	5202	69.87
-15.5 to 14.5	2202	29.58	7404	99.45
88 : Could not obtain	41	0.55	7445	100.00



**MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005**

Prescription, left cylinder				
VIXPLC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	5202	69.87	5202	69.87
0	465	6.25	5667	76.12
0.25	287	3.85	5954	79.97
0.5	380	5.10	6334	85.08
0.75	278	3.73	6612	88.81
1	209	2.81	6821	91.62
1.25	148	1.99	6969	93.61
1.5	117	1.57	7086	95.18
1.75	94	1.26	7180	96.44
2	73	0.98	7253	97.42
2.25	29	0.39	7282	97.81
2.5	32	0.43	7314	98.24
2.75	17	0.23	7331	98.47
3	14	0.19	7345	98.66
3.25	17	0.23	7362	98.89
3.5	9	0.12	7371	99.01
3.75	9	0.12	7380	99.13
4	4	0.05	7384	99.18
4.25	2	0.03	7386	99.21
4.5	8	0.11	7394	99.31
4.75	3	0.04	7397	99.36
5	1	0.01	7398	99.37
5.25	2	0.03	7400	99.40
6	1	0.01	7401	99.41
6.5	1	0.01	7402	99.42
6.75	1	0.01	7403	99.44
9.25	1	0.01	7404	99.45
88 : Could not obtain	41	0.55	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

Prescription, left axis				
VIXPLA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	5202	69.87	5202	69.87
0 to 180	2202	29.58	7404	99.45
888 : Could not obtain	41	0.55	7445	100.00



**MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005**

Visual Acuity Comments				
VIXOCMT	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	7412	99.56	7412	99.56
1 : Monovision glasses/contacts worn for visual acuity	9	0.12	7421	99.68
2 : Cataract contact lenses worn for objective refraction	2	0.03	7423	99.70
3 : Contacts worn for objective refraction	9	0.12	7432	99.83
4 : Artificial eye	7	0.09	7439	99.92
5 : Monovision contacts worn for objective refraction	2	0.03	7441	99.95
6 : Contact in right eye only for presenting visual acuity	2	0.03	7443	99.97
7 : Contact in left eye only for presenting visual acuity	2	0.03	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

OR right sphere, average				
VIXORSM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	434	5.83	434	5.83
-23 to 10.25	6845	91.94	7279	97.77
88 : Could not obtain	166	2.23	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

OR right cylinder, average				
VIXORCM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	434	5.83	434	5.83
0	317	4.26	751	10.09
0.18	1	0.01	752	10.10
0.2	1	0.01	753	10.11
0.25	1859	24.97	2612	35.08
0.26	1	0.01	2613	35.10
0.34	1	0.01	2614	35.11
0.43	1	0.01	2615	35.12
0.47	1	0.01	2616	35.14
0.5	1605	21.56	4221	56.70
0.51	1	0.01	4222	56.71
0.53	1	0.01	4223	56.72
0.71	1	0.01	4224	56.74
0.75	1019	13.69	5243	70.42
1	631	8.48	5874	78.90
1.25	399	5.36	6273	84.26
1.5	252	3.38	6525	87.64
1.75	200	2.69	6725	90.33
1.79	1	0.01	6726	90.34
2	138	1.85	6864	92.20
2.25	106	1.42	6970	93.62
2.5	59	0.79	7029	94.41
2.75	47	0.63	7076	95.04
2.8	1	0.01	7077	95.06
3	40	0.54	7117	95.59
3.25	31	0.42	7148	96.01
3.5	29	0.39	7177	96.40
3.75	21	0.28	7198	96.68
4	16	0.21	7214	96.90
4.25	19	0.26	7233	97.15
4.5	13	0.17	7246	97.33
4.75	5	0.07	7251	97.39
5	7	0.09	7258	97.49
5.25	5	0.07	7263	97.56
5.5	3	0.04	7266	97.60
5.75	4	0.05	7270	97.65
6	3	0.04	7273	97.69
6.25	1	0.01	7274	97.70



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

OR right cylinder, average				
VIXORCM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
6.5	1	0.01	7275	97.72
6.75	1	0.01	7276	97.73
7.25	1	0.01	7277	97.74
7.5	1	0.01	7278	97.76
7.75	1	0.01	7279	97.77
88 : Could not obtain	166	2.23	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

OR right axis, average				
VIXORAM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	434	5.83	434	5.83
0 to 180	6846	91.95	7280	97.78
888 : Could not obtain	165	2.22	7445	100.00



**MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005**

OR right confidence level reading				
VIDORFM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	564	7.58	564	7.58
5	36	0.48	600	8.06
5.3	15	0.20	615	8.26
5.5	3	0.04	618	8.30
5.7	27	0.36	645	8.66
6	54	0.73	699	9.39
6.3	45	0.60	744	9.99
6.5	1	0.01	745	10.01
6.7	56	0.75	801	10.76
7	93	1.25	894	12.01
7.3	104	1.40	998	13.40
7.5	2	0.03	1000	13.43
7.7	158	2.12	1158	15.55
8	317	4.26	1475	19.81
8.3	333	4.47	1808	24.28
8.7	583	7.83	2391	32.12
9	5054	67.88	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

OR left sphere, average				
VIXOLSM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	434	5.83	434	5.83
-19.25 to 11.75	6787	91.16	7221	96.99
88 : Could not obtain	224	3.01	7445	100.00



**MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005**

OR left cylinder, average				
VIXOLCM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	434	5.83	434	5.83
0	279	3.75	713	9.58
0.08	1	0.01	714	9.59
0.09	1	0.01	715	9.60
0.21	1	0.01	716	9.62
0.25	1814	24.37	2530	33.98
0.27	1	0.01	2531	34.00
0.28	1	0.01	2532	34.01
0.32	1	0.01	2533	34.02
0.43	1	0.01	2534	34.04
0.47	1	0.01	2535	34.05
0.5	1644	22.08	4179	56.13
0.54	1	0.01	4180	56.15
0.55	1	0.01	4181	56.16
0.58	1	0.01	4182	56.17
0.75	992	13.32	5174	69.50
1	647	8.69	5821	78.19
1.25	392	5.27	6213	83.45
1.5	280	3.76	6493	87.21
1.75	198	2.66	6691	89.87
1.95	1	0.01	6692	89.89
2	140	1.88	6832	91.77
2.25	85	1.14	6917	92.91
2.5	80	1.07	6997	93.98
2.75	57	0.77	7054	94.75
3	35	0.47	7089	95.22
3.25	28	0.38	7117	95.59
3.42	1	0.01	7118	95.61
3.5	16	0.21	7134	95.82
3.75	17	0.23	7151	96.05
4	14	0.19	7165	96.24
4.25	4	0.05	7169	96.29
4.5	15	0.20	7184	96.49
4.75	11	0.15	7195	96.64
5	9	0.12	7204	96.76
5.25	3	0.04	7207	96.80
5.5	3	0.04	7210	96.84
5.75	2	0.03	7212	96.87



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

OR left cylinder, average				
VIXOLCM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
6	1	0.01	7213	96.88
6.25	4	0.05	7217	96.94
6.5	1	0.01	7218	96.95
7	1	0.01	7219	96.96
7.75	1	0.01	7220	96.98
8	1	0.01	7221	96.99
88 : Could not obtain	224	3.01	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

OR left axis, average				
VIXOLAM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	434	5.83	434	5.83
0 to 180	6787	91.16	7221	96.99
888 : Could not obtain	224	3.01	7445	100.00



**MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005**

OR left confidence level reading				
VIDOLFM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	578	7.76	578	7.76
5	21	0.28	599	8.05
5.3	27	0.36	626	8.41
5.5	7	0.09	633	8.50
5.7	19	0.26	652	8.76
6	57	0.77	709	9.52
6.3	44	0.59	753	10.11
6.5	6	0.08	759	10.19
6.7	77	1.03	836	11.23
7	100	1.34	936	12.57
7.3	127	1.71	1063	14.28
7.5	5	0.07	1068	14.35
7.7	163	2.19	1231	16.53
8	351	4.71	1582	21.25
8.3	337	4.53	1919	25.78
8.5	3	0.04	1922	25.82
8.7	521	7.00	2443	32.81
9	5002	67.19	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

Right keratometry radius flat curve (mm)				
VIXKRM1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	434	5.83	434	5.83
6.51 to 9.68	6969	93.61	7403	99.44
88 : Could not obtain	42	0.56	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

Right keratometry power flat curve (D)				
VIXKRD1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	434	5.83	434	5.83
34.75 to 51.75	6969	93.61	7403	99.44
88 : Could not obtain	42	0.56	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

Right keratometry axis flat curve (deg)				
VIXKRG1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	434	5.83	434	5.83
0 to 180	6969	93.61	7403	99.44
888 : Could not obtain	42	0.56	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

Right keratometry radius steep curve(mm)				
VIXKRM2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	434	5.83	434	5.83
5.27 to 9.25	6969	93.61	7403	99.44
88 : Could not obtain	42	0.56	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

Right keratometry power steep curve (D)				
VIXKRD2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	434	5.83	434	5.83
36.5 to 64	6969	93.61	7403	99.44
88 : Could not obtain	42	0.56	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

Right keratometry axis steep curve (deg)				
VIXKRG2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	434	5.83	434	5.83
0 to 179	6969	93.61	7403	99.44
888 : Could not obtain	42	0.56	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

Right keratometry radius, average (mm)				
VIXKRMM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	434	5.83	434	5.83
6.42 to 9.38	6969	93.61	7403	99.44
88 : Could not obtain	42	0.56	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

Right keratometry power, average (D)				
VIXKRDM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	434	5.83	434	5.83
36 to 52.5	6969	93.61	7403	99.44
88 : Could not obtain	42	0.56	7445	100.00



**MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005**

Right keratometry cylinder				
VIXKRCD	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	434	5.83	434	5.83
0 to 22.75	6969	93.61	7403	99.44
88 : Could not obtain	42	0.56	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

Right keratometry axis, average (deg)				
VIXKRCG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	434	5.83	434	5.83
0 to 179	6969	93.61	7403	99.44
888 : Could not obtain	42	0.56	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

Left keratometry radius flat curve (mm)				
VIXKLM1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	434	5.83	434	5.83
6.41 to 9.7	6962	93.51	7396	99.34
88 : Could not obtain	49	0.66	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

Left keratometry power flat curve (D)				
VIXKLD1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	434	5.83	434	5.83
34.75 to 52.75	6962	93.51	7396	99.34
88 : Could not obtain	49	0.66	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

Left keratometry axis flat curve (deg)				
VIXKLG1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	434	5.83	434	5.83
0 to 180	6962	93.51	7396	99.34
888 : Could not obtain	49	0.66	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

Left keratometry radius steep curve (mm)				
VIXKLM2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	434	5.83	434	5.83
4.98 to 9.19	6962	93.51	7396	99.34
88 : Could not obtain	49	0.66	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

Left keratometry power steep curve (D)				
VIXKLD2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	434	5.83	434	5.83
36.75 to 67.75	6962	93.51	7396	99.34
88 : Could not obtain	49	0.66	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

Left keratometry axis steep curve (deg)				
VIXKLG2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	434	5.83	434	5.83
0 to 179	6962	93.51	7396	99.34
888 : Could not obtain	49	0.66	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

Left keratometry radius, average (mm)				
VIXKLMM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	434	5.83	434	5.83
6.27 to 9.3	6962	93.51	7396	99.34
88 : Could not obtain	49	0.66	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

Left keratometry power, average (D)				
VIXKLDM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	434	5.83	434	5.83
36.25 to 53.75	6962	93.51	7396	99.34
88 : Could not obtain	49	0.66	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

Left keratometry cylinder				
VIXKLCD	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	434	5.83	434	5.83
0 to 24.75	6962	93.51	7396	99.34
88 : Could not obtain	49	0.66	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

Left keratometry axis, average (deg)				
VIXKLCG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	434	5.83	434	5.83
0 to 179	6962	93.51	7396	99.34
888 : Could not obtain	49	0.66	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

Right visual acuity, presenting				
VIDRVA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	463	6.22	463	6.22
20 : 20/20	3241	43.53	3704	49.75
25 : 20/25	1717	23.06	5421	72.81
30 : 20/30	585	7.86	6006	80.67
40 : 20/40	348	4.67	6354	85.35
50 : 20/50	646	8.68	7000	94.02
60 : 20/60	88	1.18	7088	95.20
80 : 20/80	93	1.25	7181	96.45
200 : 20/200	168	2.26	7349	98.71
666 : 20/200+	96	1.29	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

Left visual acuity, presenting				
VIDLVA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	463	6.22	463	6.22
20 : 20/20	3322	44.62	3785	50.84
25 : 20/25	1598	21.46	5383	72.30
30 : 20/30	644	8.65	6027	80.95
40 : 20/40	278	3.73	6305	84.69
50 : 20/50	719	9.66	7024	94.35
60 : 20/60	79	1.06	7103	95.41
80 : 20/80	88	1.18	7191	96.59
200 : 20/200	164	2.20	7355	98.79
666 : 20/200+	90	1.21	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

Right visual acuity, w/ obj. refraction				
VIDROVA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	5490	73.74	5490	73.74
25 : 20/25	1429	19.19	6919	92.93
30 : 20/30	95	1.28	7014	94.21
40 : 20/40	108	1.45	7122	95.66
50 : 20/50	195	2.62	7317	98.28
60 : 20/60	14	0.19	7331	98.47
80 : 20/80	25	0.34	7356	98.80
200 : 20/200	48	0.64	7404	99.45
666 : 20/200+	41	0.55	7445	100.00



MEC Examination
Frequencies for the Vision Examination (VIX_B)
February 2005

Left visual acuity, w/ obj. refraction				
VIDLOVA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	5462	73.36	5462	73.36
25 : 20/25	1475	19.81	6937	93.18
30 : 20/30	89	1.20	7026	94.37
40 : 20/40	90	1.21	7116	95.58
50 : 20/50	198	2.66	7314	98.24
60 : 20/60	15	0.20	7329	98.44
80 : 20/80	25	0.34	7354	98.78
200 : 20/200	47	0.63	7401	99.41
666 : 20/200+	44	0.59	7445	100.00