



**Dietary Supplement Section of the SP Questionnaire File 3: Supplement Information
(DSQ3_B.XPT)
July 2005**

| Supplement name | | | | |
|-----------------|-----------|---------|----------------------|--------------------|
| DSDSUPP | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
| SUPPLEMENT NAME | 2200 | 100.00 | 2200 | 100.00 |



**Dietary Supplement Section of the SP Questionnaire File 3: Supplement Information
(DSQ3_B.XPT)
July 2005**

| Supplement information source | | | | |
|--|-----------|---------|----------------------|--------------------|
| DSDSRCE | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
| Missing | 378 | 17.18 | 378 | 17.18 |
| 1 : Directly from manufacturer | 11 | 0.50 | 389 | 17.68 |
| 2 : Directly from distributor | 2 | 0.09 | 391 | 17.77 |
| 5 : Physician's Desk Reference (PDR) | 15 | 0.68 | 406 | 18.45 |
| 7 : Product Catalog | 16 | 0.73 | 422 | 19.18 |
| 8 : Internet Listing | 643 | 29.23 | 1065 | 48.41 |
| 9 : Supplement label or carton | 1075 | 48.86 | 2140 | 97.27 |
| 10 : Supplement from same manufacturer | 60 | 2.73 | 2200 | 100.00 |



**Dietary Supplement Section of the SP Questionnaire File 3: Supplement Information
(DSQ3_B.XPT)
July 2005**

| Formulation type | | | | |
|----------------------------------|-----------|---------|----------------------|--------------------|
| DSATYPE | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
| 1 : Infant/pediatric formulation | 164 | 7.45 | 164 | 7.45 |
| 2 : Prenatal formulation | 76 | 3.45 | 240 | 10.91 |
| 3 : Mature formulation | 38 | 1.73 | 278 | 12.64 |
| 4 : Standard formulation | 1922 | 87.36 | 2200 | 100.00 |



Dietary Supplement Section of the SP Questionnaire File 3: Supplement Information
(DSQ3_B.XPT)
July 2005

| Serving size quantity | | | | |
|-----------------------|-----------|---------|----------------------|--------------------|
| DSDSERVQ | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
| 0.25 to 60 | 2200 | 100.00 | 2200 | 100.00 |



**Dietary Supplement Section of the SP Questionnaire File 3: Supplement Information
(DSQ3_B.XPT)
July 2005**

| Serving size unit | | | | |
|------------------------|-----------|---------|----------------------|--------------------|
| DSDSERVU | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
| 1 : Caplet | 114 | 5.18 | 114 | 5.18 |
| 2 : Capsule | 473 | 21.50 | 587 | 26.68 |
| 3 : Dropper | 7 | 0.32 | 594 | 27.00 |
| 4 : Drop | 18 | 0.82 | 612 | 27.82 |
| 5 : Fluid Ounce | 9 | 0.41 | 621 | 28.23 |
| 6 : Gel Cap | 10 | 0.45 | 631 | 28.68 |
| 9 : Lozenge | 3 | 0.14 | 634 | 28.82 |
| 10 : Milliliter | 46 | 2.09 | 680 | 30.91 |
| 12 : Package/Package | 38 | 1.73 | 718 | 32.64 |
| 13 : Pill | 2 | 0.09 | 720 | 32.73 |
| 14 : Tablespoon/Powder | 22 | 1.00 | 742 | 33.73 |
| 16 : Softgel | 179 | 8.14 | 921 | 41.86 |
| 17 : Tablespoon/Liquid | 20 | 0.91 | 941 | 42.77 |
| 18 : Tablet | 1117 | 50.77 | 2058 | 93.55 |
| 19 : Teaspoon/Liquid | 45 | 2.05 | 2103 | 95.59 |
| 20 : Wafer | 7 | 0.32 | 2110 | 95.91 |
| 21 : Ounce/Powder | 1 | 0.05 | 2111 | 95.95 |
| 22 : Spray/Squirt | 2 | 0.09 | 2113 | 96.05 |
| 24 : Scoop/Powder | 18 | 0.82 | 2131 | 96.86 |
| 25 : Cup/Powder | 2 | 0.09 | 2133 | 96.95 |
| 27 : Chew | 15 | 0.68 | 2148 | 97.64 |
| 29 : Vegicap | 12 | 0.55 | 2160 | 98.18 |
| 31 : Capful | 3 | 0.14 | 2163 | 98.32 |
| 32 : Gumball | 1 | 0.05 | 2164 | 98.36 |
| 33 : Gram/Powder | 5 | 0.23 | 2169 | 98.59 |
| 34 : Teaspoon/Powder | 27 | 1.23 | 2196 | 99.82 |
| 39 : Drop/Lozenge | 1 | 0.05 | 2197 | 99.86 |
| 99 : Unknown | 3 | 0.14 | 2200 | 100.00 |



Dietary Supplement Section of the SP Questionnaire File 3: Supplement Information
(DSQ3_B.XPT)
July 2005

| Alternative serving size | | | | |
|--------------------------|-----------|---------|----------------------|--------------------|
| DSDSERVA | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
| Missing | 2036 | 92.55 | 2036 | 92.55 |
| ALTERNATIVE SERVING SIZE | 164 | 7.45 | 2200 | 100.00 |



**Dietary Supplement Section of the SP Questionnaire File 3: Supplement Information
(DSQ3_B.XPT)
July 2005**

| Count of vitamins in the supplement | | | | |
|-------------------------------------|-----------|---------|----------------------|--------------------|
| DSDCNTV | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
| 0 | 1024 | 46.55 | 1024 | 46.55 |
| 1 | 306 | 13.91 | 1330 | 60.45 |
| 2 | 91 | 4.14 | 1421 | 64.59 |
| 3 | 74 | 3.36 | 1495 | 67.95 |
| 4 | 25 | 1.14 | 1520 | 69.09 |
| 5 | 20 | 0.91 | 1540 | 70.00 |
| 6 | 18 | 0.82 | 1558 | 70.82 |
| 7 | 14 | 0.64 | 1572 | 71.45 |
| 8 | 43 | 1.95 | 1615 | 73.41 |
| 9 | 48 | 2.18 | 1663 | 75.59 |
| 10 | 139 | 6.32 | 1802 | 81.91 |
| 11 | 61 | 2.77 | 1863 | 84.68 |
| 12 | 105 | 4.77 | 1968 | 89.45 |
| 13 | 181 | 8.23 | 2149 | 97.68 |
| 14 | 46 | 2.09 | 2195 | 99.77 |
| 15 | 3 | 0.14 | 2198 | 99.91 |
| 16 | 2 | 0.09 | 2200 | 100.00 |



**Dietary Supplement Section of the SP Questionnaire File 3: Supplement Information
(DSQ3_B.XPT)
July 2005**

| Count of minerals in the supplement | | | | |
|-------------------------------------|-----------|---------|----------------------|--------------------|
| DSDCNTM | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
| 0 | 1032 | 46.91 | 1032 | 46.91 |
| 1 | 430 | 19.55 | 1462 | 66.45 |
| 2 | 158 | 7.18 | 1620 | 73.64 |
| 3 | 106 | 4.82 | 1726 | 78.45 |
| 4 | 58 | 2.64 | 1784 | 81.09 |
| 5 | 40 | 1.82 | 1824 | 82.91 |
| 6 | 30 | 1.36 | 1854 | 84.27 |
| 7 | 47 | 2.14 | 1901 | 86.41 |
| 8 | 41 | 1.86 | 1942 | 88.27 |
| 9 | 28 | 1.27 | 1970 | 89.55 |
| 10 | 51 | 2.32 | 2021 | 91.86 |
| 11 | 42 | 1.91 | 2063 | 93.77 |
| 12 | 21 | 0.95 | 2084 | 94.73 |
| 13 | 14 | 0.64 | 2098 | 95.36 |
| 14 | 20 | 0.91 | 2118 | 96.27 |
| 15 | 9 | 0.41 | 2127 | 96.68 |
| 16 | 65 | 2.95 | 2192 | 99.64 |
| 23 | 1 | 0.05 | 2193 | 99.68 |
| 45 | 2 | 0.09 | 2195 | 99.77 |
| 51 | 1 | 0.05 | 2196 | 99.82 |
| 55 | 2 | 0.09 | 2198 | 99.91 |
| 70 | 1 | 0.05 | 2199 | 99.95 |
| 79 | 1 | 0.05 | 2200 | 100.00 |



Dietary Supplement Section of the SP Questionnaire File 3: Supplement Information
(DSQ3_B.XPT)
July 2005

| Count of amino acids in the supplement | | | | |
|--|-----------|---------|----------------------|--------------------|
| DSDCNTA | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
| 0 | 2008 | 91.27 | 2008 | 91.27 |
| 1 | 107 | 4.86 | 2115 | 96.14 |
| 2 | 31 | 1.41 | 2146 | 97.55 |
| 3 | 13 | 0.59 | 2159 | 98.14 |
| 4 | 9 | 0.41 | 2168 | 98.55 |
| 5 | 2 | 0.09 | 2170 | 98.64 |
| 6 | 3 | 0.14 | 2173 | 98.77 |
| 7 | 2 | 0.09 | 2175 | 98.86 |
| 8 | 2 | 0.09 | 2177 | 98.95 |
| 9 | 3 | 0.14 | 2180 | 99.09 |
| 10 | 2 | 0.09 | 2182 | 99.18 |
| 18 | 9 | 0.41 | 2191 | 99.59 |
| 19 | 5 | 0.23 | 2196 | 99.82 |
| 20 | 3 | 0.14 | 2199 | 99.95 |
| 23 | 1 | 0.05 | 2200 | 100.00 |



**Dietary Supplement Section of the SP Questionnaire File 3: Supplement Information
(DSQ3_B.XPT)
July 2005**

| Count of botanicals in the supplement | | | | |
|---------------------------------------|-----------|---------|----------------------|--------------------|
| DSDCNTB | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
| 0 | 1330 | 60.45 | 1330 | 60.45 |
| 1 | 421 | 19.14 | 1751 | 79.59 |
| 2 | 98 | 4.45 | 1849 | 84.05 |
| 3 | 58 | 2.64 | 1907 | 86.68 |
| 4 | 52 | 2.36 | 1959 | 89.05 |
| 5 | 51 | 2.32 | 2010 | 91.36 |
| 6 | 38 | 1.73 | 2048 | 93.09 |
| 7 | 30 | 1.36 | 2078 | 94.45 |
| 8 | 25 | 1.14 | 2103 | 95.59 |
| 9 | 19 | 0.86 | 2122 | 96.45 |
| 10 | 15 | 0.68 | 2137 | 97.14 |
| 11 | 6 | 0.27 | 2143 | 97.41 |
| 12 | 6 | 0.27 | 2149 | 97.68 |
| 13 | 9 | 0.41 | 2158 | 98.09 |
| 14 | 3 | 0.14 | 2161 | 98.23 |
| 15 | 5 | 0.23 | 2166 | 98.45 |
| 16 | 5 | 0.23 | 2171 | 98.68 |
| 17 | 1 | 0.05 | 2172 | 98.73 |
| 18 | 6 | 0.27 | 2178 | 99.00 |
| 19 | 3 | 0.14 | 2181 | 99.14 |
| 20 | 3 | 0.14 | 2184 | 99.27 |
| 21 | 2 | 0.09 | 2186 | 99.36 |
| 23 | 1 | 0.05 | 2187 | 99.41 |
| 25 | 2 | 0.09 | 2189 | 99.50 |
| 35 | 1 | 0.05 | 2190 | 99.55 |
| 42 | 1 | 0.05 | 2191 | 99.59 |
| 46 | 2 | 0.09 | 2193 | 99.68 |
| 47 | 1 | 0.05 | 2194 | 99.73 |
| 48 | 1 | 0.05 | 2195 | 99.77 |
| 50 | 1 | 0.05 | 2196 | 99.82 |
| 60 | 2 | 0.09 | 2198 | 99.91 |
| 68 | 1 | 0.05 | 2199 | 99.95 |
| 117 | 1 | 0.05 | 2200 | 100.00 |



**Dietary Supplement Section of the SP Questionnaire File 3: Supplement Information
(DSQ3_B.XPT)
July 2005**

| Count of other ingredients in supplement | | | | |
|--|-----------|---------|----------------------|--------------------|
| DSDCNTO | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
| 0 | 910 | 41.36 | 910 | 41.36 |
| 1 | 399 | 18.14 | 1309 | 59.50 |
| 2 | 205 | 9.32 | 1514 | 68.82 |
| 3 | 227 | 10.32 | 1741 | 79.14 |
| 4 | 142 | 6.45 | 1883 | 85.59 |
| 5 | 73 | 3.32 | 1956 | 88.91 |
| 6 | 53 | 2.41 | 2009 | 91.32 |
| 7 | 52 | 2.36 | 2061 | 93.68 |
| 8 | 35 | 1.59 | 2096 | 95.27 |
| 9 | 13 | 0.59 | 2109 | 95.86 |
| 10 | 27 | 1.23 | 2136 | 97.09 |
| 11 | 18 | 0.82 | 2154 | 97.91 |
| 12 | 6 | 0.27 | 2160 | 98.18 |
| 13 | 8 | 0.36 | 2168 | 98.55 |
| 14 | 6 | 0.27 | 2174 | 98.82 |
| 15 | 5 | 0.23 | 2179 | 99.05 |
| 16 | 2 | 0.09 | 2181 | 99.14 |
| 17 | 4 | 0.18 | 2185 | 99.32 |
| 18 | 3 | 0.14 | 2188 | 99.45 |
| 19 | 2 | 0.09 | 2190 | 99.55 |
| 22 | 1 | 0.05 | 2191 | 99.59 |
| 23 | 1 | 0.05 | 2192 | 99.64 |
| 24 | 1 | 0.05 | 2193 | 99.68 |
| 25 | 1 | 0.05 | 2194 | 99.73 |
| 26 | 1 | 0.05 | 2195 | 99.77 |
| 27 | 1 | 0.05 | 2196 | 99.82 |
| 29 | 1 | 0.05 | 2197 | 99.86 |
| 36 | 1 | 0.05 | 2198 | 99.91 |
| 38 | 2 | 0.09 | 2200 | 100.00 |