

Table 30. Isoniazid-Resistant Tuberculosis Cases with or without Rifampin Resistance: 59 Reporting Areas, 2000

Reporting Area	Total Culture Positive Cases	Cases with Initial Drug Susceptibility Testing Performed		Resistance ¹			
		No.	%	Isoniazid		Isoniazid and Rifampin	
				No.	%	No.	%
United States	13,035	12,080	92.7	929	7.7	141	1.2
Alabama	271	240	88.6	5	2.1	1	0.4
Alaska	85	80	94.1	5	6.3	0	0.0
Arizona	228	221	96.9	17	7.7	2	0.9
Arkansas	122	113	92.6	2	1.8	0	0.0
California	2,564	2,401	93.6	242	10.1	31	1.3
Colorado	81	81	100.0	7	8.6	3	3.7
Connecticut	90	87	96.7	7	8.0	0	0.0
Delaware	21	17	81.0	2	11.8	1	5.9
District of Columbia	74	70	94.6	7	10.0	2	2.9
Florida	961	911	94.8	85	9.3	7	0.8
Georgia	557	507	91.0	36	7.1	6	1.2
Hawaii	110	102	92.7	9	8.8	3	2.9
Idaho	14	14	100.0	0	0.0	0	0.0
Illinois	623	544	87.3	25	4.6	8	1.5
Indiana	125	122	97.6	3	2.5	0	0.0
Iowa	27	24	88.9	2	8.3	0	0.0
Kansas	55	50	90.9	3	6.0	0	0.0
Kentucky	131	107	81.7	8	7.5	1	0.9
Louisiana	252	229	90.9	10	4.4	2	0.9
Maine	22	21	95.5	2	9.5	0	0.0
Maryland	218	218	100.0	18	8.3	0	0.0
Massachusetts	232	228	98.3	24	10.5	3	1.3
Michigan	215	215	100.0	9	4.2	4	1.9
Minnesota	141	138	97.9	23	16.7	1	0.7
Mississippi	122	121	99.2	15	12.4	2	1.7
Missouri	160	121	75.6	10	8.3	3	2.5
Montana	19	19	100.0	1	5.3	0	0.0
Nebraska	24	23	95.8	1	4.3	0	0.0
Nevada	74	66	89.2	12	18.2	0	0.0
New Hampshire	19	19	100.0	1	5.3	0	0.0
New Jersey	453	446	98.5	49	11.0	8	1.8
New Mexico	42	37	88.1	3	8.1	0	0.0
New York State ²	279	278	99.6	16	5.8	3	1.1
New York City	1,063	959	90.2	82	8.6	25	2.6
North Carolina	392	370	94.4	16	4.3	2	0.5
North Dakota	1	1	100.0	0	0.0	0	0.0
Ohio	252	228	90.5	10	4.4	1	0.4
Oklahoma	109	106	97.2	3	2.8	0	0.0
Oregon	94	89	94.7	9	10.1	1	1.1
Pennsylvania	296	253	85.5	26	10.3	4	1.6
Rhode Island	28	27	96.4	1	3.7	0	0.0
South Carolina	204	181	88.7	5	2.8	1	0.6
South Dakota	11	11	100.0	0	0.0	0	0.0
Tennessee	310	283	91.3	7	2.5	1	0.4
Texas	1,235	1,165	94.3	58	5.0	7	0.6
Utah	45	43	95.6	7	16.3	1	2.3
Vermont	4	4	100.0	0	0.0	0	0.0
Virginia	240	160	66.7	--	--	--	--
Washington	228	224	98.2	25	11.2	4	1.8
West Virginia	32	29	90.6	4	13.8	0	0.0
Wisconsin	76	73	96.1	6	8.2	1	1.4
Wyoming	4	4	100.0	0	0.0	0	0.0
American Samoa ³
Fed. States of Micronesia ³
Guam ³	43	40	93.0	9	22.5	1	2.5
N. Mariana Islands ³	52	52	100.0	10	19.2	3	5.8
Puerto Rico ³	151	142	94.0	6	4.2	1	0.7
Republic of Palau ³
U.S. Virgin Islands ³

1. Isolates may be resistant to other drugs. Percentage for U.S. based on 52 reporting areas (50 states, New York City, and the District of Columbia). Percentages shown only for reporting areas with information reported for $\geq 75\%$ of cases.

2. Excludes New York City.

3. Not included in U.S. totals.

Ellipses indicate data not available.