

**Table 153.—Percent of high school seniors reporting drug use, by type of drug and frequency of use: 1975 to 1998**

Type of drug and frequency of use	Class of 1975	Class of 1980	Class of 1982	Class of 1983	Class of 1984	Class of 1985	Class of 1986	Class of 1987	Class of 1988	Class of 1989	Class of 1990	Class of 1991	Class of 1992	Class of 1993	Class of 1994	Class of 1995	Class of 1996	Class of 1997	Class of 1998
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Percent reporting having ever used drugs																			
Alcohol <sup>1</sup> .....	90.4	93.2	92.8	92.6	92.6	92.2	91.3	92.2	92.0	90.7	89.5	88.0	87.5	80.0	80.4	80.7	79.2	81.7	81.4
Any illicit drug .....	55.2	65.4	64.4	62.9	61.6	60.6	57.6	56.6	53.9	50.9	47.9	44.1	40.7	42.9	45.6	48.4	50.8	54.3	54.1
Marijuana only .....	19.0	26.7	23.3	22.5	21.3	20.9	19.9	20.8	21.4	19.5	18.5	17.2	15.6	16.2	18.0	20.3	22.3	—	—
Any illicit drug other than marijuana <sup>2</sup> .....	36.2	38.7	41.1	40.4	40.3	39.7	37.7	35.8	32.5	31.4	29.4	26.9	25.1	26.7	27.6	28.1	28.5	30.0	29.4
Use of selected drugs																			
Cocaine .....	9.0	15.7	16.0	16.2	16.1	17.3	16.9	15.2	12.1	10.3	9.4	7.8	6.1	6.1	5.9	6.0	7.1	8.7	9.3
Heroin .....	2.2	1.1	1.2	1.2	1.3	1.2	1.1	1.2	1.1	1.3	1.3	0.9	1.2	1.1	1.2	1.6	1.8	2.1	2.0
LSD .....	11.3	9.3	9.6	8.9	8.0	7.5	7.2	8.4	7.7	8.3	8.7	8.8	8.6	10.3	10.5	11.7	12.6	13.6	12.6
Marijuana/hashish .....	47.3	60.3	58.7	57.0	54.9	54.2	50.9	50.2	47.2	43.7	40.7	36.7	32.6	35.3	38.2	41.7	44.9	49.6	49.1
PCP .....	—	9.6	6.0	5.6	5.0	4.9	4.8	3.0	2.9	3.9	2.8	2.9	2.4	2.9	2.8	2.7	4.0	3.9	3.9
Percent reporting use of drugs in the past 12 months																			
Alcohol <sup>1</sup> .....	84.8	87.9	86.8	87.3	86.0	85.6	84.5	85.7	85.3	82.7	80.6	77.7	76.8	72.7	73.0	73.7	72.5	74.8	74.3
Any illicit drug .....	45.0	53.1	49.4	47.4	45.8	46.3	44.3	41.7	38.5	35.4	32.5	29.4	27.1	31.0	35.8	39.0	40.2	42.4	41.4
Marijuana only .....	18.8	22.7	19.3	19.0	17.8	18.9	18.4	17.6	17.4	15.4	14.6	13.2	12.2	13.9	17.8	19.6	20.4	—	—
Any illicit drug other than marijuana <sup>2</sup> .....	26.2	30.4	30.1	28.4	28.0	27.4	25.9	24.1	21.1	20.0	17.9	16.2	14.9	17.1	18.0	19.4	19.8	20.7	20.2
Use of selected drugs																			
Cocaine .....	5.6	12.3	11.5	11.4	11.6	13.1	12.7	10.3	7.9	6.5	5.3	3.5	3.1	3.3	3.6	4.0	4.9	5.5	5.7
Heroin .....	1.0	0.5	0.6	0.6	0.5	0.6	0.5	0.5	0.5	0.6	0.5	0.4	0.6	0.5	0.6	1.1	1.0	1.2	1.0
LSD .....	7.2	6.5	6.1	5.4	4.7	4.4	4.5	5.2	4.8	4.9	5.4	5.2	5.6	6.8	6.9	8.4	8.8	8.4	7.6
Marijuana/hashish .....	40.0	48.8	44.3	42.3	40.0	40.6	38.8	36.3	33.1	29.6	27.0	23.9	21.9	26.0	30.7	34.7	35.8	38.5	37.5
PCP .....	—	4.4	2.2	2.6	2.3	2.9	2.4	1.3	1.2	2.4	1.2	1.4	1.4	1.4	1.6	1.8	2.6	2.3	2.1
Percent reporting use of drugs in the past 30 days																			
Alcohol <sup>1</sup> .....	68.2	72.0	69.7	69.4	67.2	65.9	65.3	66.4	63.9	60.0	57.1	54.0	51.3	48.6	50.1	51.3	50.8	52.7	52.0
Any illicit drug .....	30.7	37.2	32.5	30.5	29.2	29.7	27.1	24.7	21.3	19.7	17.2	16.4	14.4	18.3	21.9	23.8	24.6	26.2	25.6
Marijuana only .....	15.3	18.8	15.5	15.1	14.1	14.8	13.9	13.1	11.3	10.6	9.2	9.3	8.1	10.4	13.1	13.8	15.1	—	—
Any illicit drug other than marijuana <sup>2</sup> .....	15.4	18.4	17.0	15.4	15.1	14.9	13.2	11.6	10.0	9.1	8.0	7.1	6.3	7.9	8.8	10.0	9.5	10.7	10.7
Use of selected drugs																			
Cocaine .....	1.9	5.2	5.0	4.9	5.8	6.7	6.2	4.3	3.4	2.8	1.9	1.4	1.3	1.3	1.5	1.8	2.0	2.3	2.4
Heroin .....	0.4	0.2	0.2	0.2	0.3	0.3	0.2	0.2	0.2	0.3	0.2	0.2	0.3	0.2	0.3	0.6	0.5	0.5	0.5
LSD .....	2.3	2.3	2.4	1.9	1.5	1.6	1.7	1.8	1.8	1.8	1.9	1.9	2.0	2.4	2.6	4.0	2.5	3.1	3.2
Marijuana/hashish .....	27.1	33.7	28.5	27.0	25.2	25.7	23.4	21.0	18.0	16.7	14.0	13.8	11.9	15.5	19.0	21.2	21.9	23.7	22.8
PCP .....	—	1.4	1.0	1.3	1.0	1.6	1.3	0.6	0.3	1.4	0.4	0.5	0.6	1.0	0.7	0.6	1.3	0.7	1.0

<sup>1</sup> Survey question changed in 1993; data are not comparable to figures for earlier years.

<sup>2</sup> Other illicit drugs include any use of hallucinogens, cocaine, and heroin, or any use of other opiates, stimulants, sedatives, or tranquilizers not under a doctor's orders.

—Data not available.

NOTE.—A revised questionnaire was used in 1982 and later years to reduce the inappropriate reporting of non-prescription stimulants. This slightly reduced the positive responses for some types of drug abuse.

SOURCE: University of Michigan, Institute for Social Research, "Monitoring the Future" Study. (This table was prepared July 1999.)