

Table HIST001. Deaths for 113 selected causes by 10-year age groups, race and sex: United States, 1979-98

The mortality trend data in this table are classified by the Ninth Revision, International Classification of Diseases (ICD-9) and sorted into the list of 113 selected causes of death developed for the Tenth Revision (ICD-10). ICD-10 was introduced with 1999 mortality data. Data in these tables were constructed to be most comparable with the ICD-9 cause-of-death titles used in the list of 113 selected causes of death. These data are the most appropriate ICD-9 data to use with [published comparability ratios](#) describing the discontinuities between ICD-9 and ICD-10. Used in conjunction with the comparability ratios, this table provides trend data comparable to that published for data year 1999 and beyond. Although in some cases categories from the list of 113 selected causes are identical to those in the old list of 72 selected causes of death used with ICD-9, it is important to note that many of these categories are not comparable with categories in the list of 72 selected causes even though the cause-of-death titles may be the same.

Description of symbols used in this table:

- Quantity zero

--- Category not applicable

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
All causes													
All races, both sexes													
1998	2,337,256	28,371	5,251	7,791	30,627	42,516	88,866	146,479	233,724	458,982	681,663	612,575	411
1997	2,314,245	28,045	5,501	8,061	31,544	45,538	89,408	144,882	231,993	464,274	670,530	594,068	401
1996	2,314,690	28,487	5,948	8,330	32,443	51,147	96,033	144,329	233,725	473,894	663,290	576,541	523
1995	2,312,132	29,583	6,393	8,596	34,244	57,745	102,270	143,000	235,512	480,890	652,177	561,259	463
1994	2,278,994	31,710	6,800	8,464	35,241	59,273	99,503	137,897	237,119	483,669	640,214	538,690	414
1993	2,268,553	33,466	7,066	8,658	35,483	59,645	96,038	131,815	241,581	487,819	638,038	528,437	507
1992	2,175,613	34,628	6,764	8,193	34,548	58,481	91,290	125,030	240,991	477,916	609,852	487,446	474
1991	2,169,518	36,766	7,214	8,479	36,452	59,628	88,122	120,676	248,078	478,636	607,490	477,401	576
1990	2,148,463	38,351	6,931	8,436	36,733	60,091	83,562	118,608	252,696	477,949	601,439	463,105	562
1989	2,150,466	39,655	7,292	8,914	36,488	60,524	80,919	118,266	260,058	481,224	599,206	457,358	562
1988	2,167,999	38,910	7,429	8,925	38,167	59,137	77,454	117,472	269,749	488,545	601,914	459,710	587
1987	2,123,323	38,408	7,473	8,743	38,023	57,701	73,463	115,920	273,324	486,103	584,335	439,248	582
1986	2,105,361	38,891	7,480	8,788	39,929	56,530	70,393	115,161	279,029	485,539	575,149	427,473	999
1985	2,086,440	40,030	7,339	8,933	37,935	51,852	65,815	116,634	286,480	482,646	568,848	419,051	877
1984	2,039,369	39,580	7,372	9,076	38,817	49,928	62,556	117,213	287,355	476,570	550,912	399,466	524
1983	2,019,201	40,627	7,801	9,143	39,082	48,782	59,349	119,893	288,940	474,380	541,218	389,363	623
1982	1,974,797	42,401	7,910	9,625	41,971	49,310	58,305	123,089	287,014	465,820	521,959	366,727	666
1981	1,977,981	43,305	8,046	10,078	45,109	51,253	58,538	129,233	290,009	464,648	514,649	362,499	614
1980	1,989,841	45,526	8,187	10,689	49,027	50,240	58,418	133,157	292,181	466,621	517,257	357,970	568
1979	1,913,841	45,665	8,108	11,146	48,719	47,941	57,723	135,265	286,966	449,255	493,676	328,725	652
All causes													
All races, male													
1998	1,157,260	15,786	2,920	4,686	22,717	29,215	57,139	91,727	140,134	259,343	334,212	199,057	324
1997	1,154,039	15,788	3,121	4,763	23,312	31,707	58,141	90,587	138,876	263,875	329,391	194,161	317
1996	1,163,569	15,965	3,349	5,003	24,313	36,070	64,304	90,871	141,170	269,173	325,259	187,719	373
1995	1,172,959	16,622	3,609	5,219	25,777	41,826	70,131	90,922	142,290	274,001	319,408	182,823	331
1994	1,162,747	17,814	3,841	5,182	26,758	43,180	68,744	87,459	144,188	276,239	312,929	176,102	311
1993	1,161,797	18,959	3,992	5,207	26,906	43,687	66,395	83,448	146,906	279,606	313,559	172,778	354
1992	1,122,336	19,545	3,809	5,080	26,207	42,895	62,995	79,271	146,880	274,165	299,897	161,236	356
1991	1,121,665	21,008	4,045	5,272	27,549	43,709	60,552	76,028	151,436	275,856	298,950	156,823	437
1990	1,113,417	21,856	3,969	5,127	27,873	44,057	57,462	74,654	154,646	276,067	295,406	151,897	403
1989	1,114,190	22,361	4,110	5,424	27,165	44,154	55,328	74,823	159,609	278,406	292,670	149,735	405
1988	1,125,540	22,007	4,221	5,481	28,531	42,985	52,434	73,915	165,368	283,901	294,721	151,559	417
1987	1,107,958	21,798	4,261	5,579	28,231	41,733	49,349	72,857	168,402	283,057	286,951	145,331	409
1986	1,104,005	22,224	4,262	5,503	29,834	41,226	46,923	72,339	172,331	283,046	282,831	142,953	533
1985	1,097,758	22,958	4,241	5,485	28,162	37,354	43,494	73,320	177,711	283,017	279,872	141,653	491
1984	1,076,514	22,359	4,142	5,585	28,660	35,767	40,587	73,831	178,616	279,378	270,437	136,799	353
1983	1,071,923	22,969	4,512	5,655	28,847	34,848	38,388	75,398	179,808	279,674	266,761	134,651	412
1982	1,056,440	24,073	4,448	5,923	31,376	35,362	37,655	78,007	179,322	275,358	255,937	128,564	415
1981	1,063,772	24,452	4,600	6,256	33,695	36,739	37,905	81,870	181,885	275,550	252,521	127,874	425
1980	1,075,078	25,804	4,761	6,560	36,903	36,040	37,612	84,472	184,262	277,371	252,765	128,134	394
1979	1,044,959	25,980	4,591	6,942	36,601	34,346	37,057	86,203	182,288	269,171	242,316	119,006	458

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
All causes													
All races, female													
1998	1,179,996	12,585	2,331	3,105	7,910	13,301	31,727	54,752	93,590	199,639	347,451	413,518	87
1997	1,160,206	12,257	2,380	3,298	8,232	13,831	31,267	54,295	93,117	200,399	341,139	399,907	84
1996	1,151,121	12,522	2,599	3,327	8,130	15,077	31,729	53,458	92,555	204,721	338,031	388,822	150
1995	1,139,173	12,961	2,784	3,377	8,467	15,919	32,139	52,078	93,222	206,889	332,769	378,436	132
1994	1,116,247	13,896	2,959	3,282	8,483	16,093	30,759	50,438	92,931	207,430	327,285	362,588	103
1993	1,106,756	14,507	3,074	3,451	8,577	15,958	29,643	48,367	94,675	208,213	324,479	355,659	153
1992	1,053,277	15,083	2,955	3,113	8,341	15,586	28,295	45,759	94,111	203,751	309,955	326,210	118
1991	1,047,853	15,758	3,169	3,207	8,903	15,919	27,570	44,648	96,642	202,780	308,540	320,578	139
1990	1,035,046	16,495	2,962	3,309	8,860	16,034	26,100	43,954	98,050	201,882	306,033	311,208	159
1989	1,036,276	17,294	3,182	3,490	9,323	16,370	25,591	43,443	100,449	202,818	306,536	307,623	157
1988	1,042,459	16,903	3,208	3,444	9,636	16,152	25,020	43,557	104,381	204,644	307,193	308,151	170
1987	1,015,365	16,610	3,212	3,164	9,792	15,968	24,114	43,063	104,922	203,046	297,384	293,917	173
1986	1,001,356	16,667	3,218	3,285	10,095	15,304	23,470	42,822	106,698	202,493	292,318	284,520	466
1985	988,682	17,072	3,098	3,448	9,773	14,498	22,321	43,314	108,769	199,629	288,976	277,398	386
1984	962,855	17,221	3,230	3,491	10,157	14,161	21,969	43,382	108,739	197,192	280,475	262,667	171
1983	947,278	17,658	3,289	3,488	10,235	13,934	20,961	44,495	109,132	194,706	274,457	254,712	211
1982	918,357	18,328	3,462	3,702	10,595	13,948	20,650	45,082	107,692	190,462	266,022	238,163	251
1981	914,209	18,853	3,446	3,822	11,414	14,514	20,633	47,363	108,124	189,098	262,128	234,625	189
1980	914,763	19,722	3,426	4,129	12,124	14,200	20,806	48,685	107,919	189,250	264,492	229,836	174
1979	868,882	19,685	3,517	4,204	12,118	13,595	20,666	49,062	104,678	180,084	251,360	209,719	194
All causes													
White, both sexes													
1998	2,015,984	18,561	3,628	5,613	22,296	30,080	65,347	112,156	189,312	394,664	612,181	561,836	310
1997	1,996,393	18,539	3,849	5,806	22,567	32,260	65,155	111,404	187,847	399,798	603,603	545,264	301
1996	1,992,966	18,761	4,041	6,045	22,943	35,846	68,898	110,879	190,141	408,874	596,418	529,736	384
1995	1,987,437	19,490	4,366	6,249	24,185	40,572	73,239	109,784	191,616	415,324	586,404	515,856	352
1994	1,959,875	20,504	4,583	6,084	24,517	41,440	71,073	106,227	194,316	418,752	576,000	496,083	296
1993	1,951,437	21,497	4,793	6,310	24,496	42,048	68,796	101,870	198,236	422,819	574,022	486,211	339
1992	1,873,781	22,164	4,685	5,989	24,341	41,501	66,013	97,140	197,963	414,905	549,745	448,984	351
1991	1,868,904	23,657	5,028	6,321	25,988	42,345	63,957	93,653	205,293	415,819	546,613	439,797	433
1990	1,853,254	24,883	4,866	6,272	26,908	42,755	61,023	92,152	209,097	416,203	541,729	426,982	384
1989	1,853,841	25,794	5,133	6,654	27,177	43,390	58,931	91,633	215,435	418,538	539,103	421,669	384
1988	1,876,906	25,925	5,380	6,653	29,040	42,541	56,760	91,439	224,646	426,636	542,154	425,306	426
1987	1,843,067	25,810	5,428	6,627	29,443	42,118	54,295	90,684	229,114	425,300	527,187	406,652	409
1986	1,831,083	26,564	5,426	6,662	31,758	41,487	52,546	90,377	234,467	425,823	519,336	395,825	812
1985	1,819,054	27,864	5,351	6,812	30,390	38,463	49,608	92,204	241,237	422,956	513,954	389,513	702
1984	1,781,897	27,608	5,413	7,011	31,515	37,400	47,310	93,177	242,627	418,494	498,616	372,354	372
1983	1,765,582	28,301	5,767	7,091	31,553	36,682	45,235	95,696	244,127	416,765	490,536	363,410	419
1982	1,729,085	29,659	5,895	7,528	34,060	36,877	44,496	98,685	243,663	410,587	474,510	342,651	474
1981	1,731,233	30,478	5,937	7,918	36,914	38,576	44,117	103,766	246,690	409,445	468,327	338,658	407
1980	1,738,607	31,880	6,099	8,401	40,060	37,698	43,864	106,634	248,645	410,326	470,367	334,240	393
1979	1,676,145	32,079	5,995	8,824	40,100	36,020	43,456	108,994	245,305	396,026	450,905	307,964	477

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
All causes													
White, male													
1998	990,190	10,327	2,010	3,353	16,379	20,987	42,967	70,912	114,411	225,304	301,593	181,696	251
1997	986,884	10,503	2,193	3,479	16,414	22,748	43,192	70,200	113,303	229,501	297,875	177,227	249
1996	991,984	10,561	2,335	3,621	16,989	25,671	47,062	70,359	115,688	234,310	293,662	171,449	277
1995	997,277	11,103	2,477	3,802	17,999	29,952	51,049	70,160	116,820	238,477	288,410	166,772	256
1994	988,823	11,544	2,606	3,722	18,321	30,748	50,000	67,702	119,328	240,904	282,619	161,104	225
1993	988,329	12,222	2,747	3,824	18,241	31,376	48,302	64,863	121,556	244,113	283,186	157,645	254
1992	956,957	12,625	2,690	3,698	18,136	31,035	46,416	62,024	122,036	239,700	270,906	147,419	272
1991	956,497	13,696	2,818	3,916	19,333	31,509	44,552	59,321	126,510	241,582	269,669	143,266	325
1990	950,812	14,371	2,784	3,820	20,208	31,831	42,434	58,290	129,313	242,167	266,510	138,807	277
1989	950,852	14,760	2,910	4,075	20,010	32,138	40,610	58,132	133,418	243,793	263,912	136,813	281
1988	965,419	14,878	3,073	4,137	21,622	31,354	38,739	57,813	139,051	249,661	265,737	139,042	312
1987	953,382	14,763	3,117	4,233	21,840	30,841	36,664	57,411	142,548	249,380	259,012	133,284	289
1986	952,554	15,284	3,119	4,189	23,763	30,711	35,206	57,221	146,145	249,926	255,423	131,147	420
1985	950,455	16,218	3,111	4,215	22,582	28,102	32,907	58,347	151,038	249,919	253,056	130,583	377
1984	934,529	15,805	3,070	4,327	23,374	27,104	30,846	59,125	152,066	247,154	245,060	126,344	254
1983	931,779	16,131	3,340	4,424	23,483	26,465	29,419	60,782	153,252	247,705	241,819	124,677	282
1982	919,239	16,965	3,337	4,651	25,612	26,660	28,830	63,110	153,614	244,362	232,737	119,069	292
1981	925,490	17,411	3,397	4,941	27,665	27,859	28,678	66,224	156,104	244,648	229,803	118,475	285
1980	933,878	18,290	3,573	5,176	30,257	27,303	28,344	68,306	158,172	246,004	229,619	118,549	285
1979	910,137	18,502	3,435	5,503	30,341	25,966	27,898	70,086	157,162	239,373	220,947	110,591	333
All causes													
White, female													
1998	1,025,794	8,234	1,618	2,260	5,917	9,093	22,380	41,244	74,901	169,360	310,588	380,140	59
1997	1,009,509	8,036	1,656	2,327	6,153	9,512	21,963	41,204	74,544	170,297	305,728	368,037	52
1996	1,000,982	8,200	1,706	2,424	5,954	10,175	21,836	40,520	74,453	174,564	302,756	358,287	107
1995	990,160	8,387	1,889	2,447	6,186	10,620	22,190	39,624	74,796	176,847	297,994	349,084	96
1994	971,052	8,960	1,977	2,362	6,196	10,692	21,073	38,525	74,988	177,848	293,381	334,979	71
1993	963,108	9,275	2,046	2,486	6,255	10,672	20,494	37,007	76,680	178,706	290,836	328,566	85
1992	916,824	9,539	1,995	2,291	6,205	10,466	19,597	35,116	75,927	175,205	278,839	301,565	79
1991	912,407	9,961	2,210	2,405	6,655	10,836	19,405	34,332	78,783	174,237	276,944	296,531	108
1990	902,442	10,512	2,082	2,452	6,700	10,924	18,589	33,862	79,784	174,036	275,219	288,175	107
1989	902,989	11,034	2,223	2,579	7,167	11,252	18,321	33,501	82,017	174,745	275,191	284,856	103
1988	911,487	11,047	2,307	2,516	7,418	11,187	18,021	33,626	85,595	176,975	276,417	286,264	114
1987	889,685	11,047	2,311	2,394	7,603	11,277	17,631	33,273	86,566	175,920	268,175	273,368	120
1986	878,529	11,280	2,307	2,473	7,995	10,776	17,340	33,156	88,322	175,897	263,913	264,678	392
1985	868,599	11,646	2,240	2,597	7,808	10,361	16,701	33,857	90,199	173,037	260,898	258,930	325
1984	847,368	11,803	2,343	2,684	8,141	10,296	16,464	34,052	90,561	171,340	253,556	246,010	118
1983	833,803	12,170	2,427	2,667	8,070	10,217	15,816	34,914	90,875	169,060	248,717	238,733	137
1982	809,846	12,694	2,558	2,877	8,448	10,217	15,666	35,575	90,049	166,225	241,773	223,582	182
1981	805,743	13,067	2,540	2,977	9,249	10,717	15,439	37,542	90,586	164,797	238,524	220,183	122
1980	804,729	13,590	2,526	3,225	9,803	10,395	15,520	38,328	90,473	164,322	240,748	215,691	108
1979	766,008	13,577	2,560	3,321	9,759	10,054	15,558	38,908	88,143	156,653	229,958	197,373	144

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
All causes													
All other, both sexes													
1998	321,272	9,810	1,623	2,178	8,331	12,436	23,519	34,323	44,412	64,318	69,482	50,739	101
1997	317,852	9,506	1,652	2,255	8,977	13,278	24,253	33,478	44,146	64,476	66,927	48,804	100
1996	321,724	9,726	1,907	2,285	9,500	15,301	27,135	33,450	43,584	65,020	66,872	46,805	139
1995	324,695	10,093	2,027	2,347	10,059	17,173	29,031	33,216	43,896	65,566	65,773	45,403	111
1994	319,119	11,206	2,217	2,380	10,724	17,833	28,430	31,670	42,803	64,917	64,214	42,607	118
1993	317,116	11,969	2,273	2,348	10,987	17,597	27,242	29,945	43,345	65,000	64,016	42,226	168
1992	301,832	12,464	2,079	2,204	10,207	16,980	25,277	27,890	43,028	63,011	60,107	38,462	123
1991	300,614	13,109	2,186	2,158	10,464	17,283	24,165	27,023	42,785	62,817	60,877	37,604	143
1990	295,209	13,468	2,065	2,164	9,825	17,336	22,539	26,456	43,599	61,746	59,710	36,123	178
1989	296,625	13,861	2,159	2,260	9,311	17,134	21,988	26,633	44,623	62,686	60,103	35,689	178
1988	291,093	12,985	2,049	2,272	9,127	16,596	20,694	26,033	45,103	61,909	59,760	34,404	161
1987	280,256	12,598	2,045	2,116	8,580	15,583	19,168	25,236	44,210	60,803	57,148	32,596	173
1986	274,278	12,327	2,054	2,126	8,171	15,043	17,847	24,784	44,562	59,716	55,813	31,648	187
1985	267,386	12,166	1,988	2,121	7,545	13,389	16,207	24,430	45,243	59,690	54,894	29,538	175
1984	257,472	11,972	1,959	2,065	7,302	12,528	15,246	24,036	44,728	58,076	52,296	27,112	152
1983	253,619	12,326	2,034	2,052	7,529	12,100	14,114	24,197	44,813	57,615	50,682	25,953	204
1982	245,712	12,742	2,015	2,097	7,911	12,433	13,809	24,404	43,351	55,233	47,449	24,076	192
1981	246,748	12,827	2,109	2,160	8,195	12,677	14,421	25,467	43,319	55,203	46,322	23,841	207
1980	251,234	13,646	2,088	2,288	8,967	12,542	14,554	26,523	43,536	56,295	46,890	23,730	175
1979	237,696	13,586	2,113	2,322	8,619	11,921	14,267	26,271	41,661	53,229	42,771	20,761	175
All causes													
All other, male													
1998	167,070	5,459	910	1,333	6,338	8,228	14,172	20,815	25,723	34,039	32,619	17,361	73
1997	167,155	5,285	928	1,284	6,898	8,959	14,949	20,387	25,573	34,374	31,516	16,934	68
1996	171,585	5,404	1,014	1,382	7,324	10,399	17,242	20,512	25,482	34,863	31,597	16,270	96
1995	175,682	5,519	1,132	1,417	7,778	11,874	19,082	20,762	25,470	35,524	30,998	16,051	75
1994	173,924	6,270	1,235	1,460	8,437	12,432	18,744	19,757	24,860	35,335	30,310	14,998	86
1993	173,468	6,737	1,245	1,383	8,665	12,311	18,093	18,585	25,350	35,493	30,373	15,133	100
1992	165,379	6,920	1,119	1,382	8,071	11,860	16,579	17,247	24,844	34,465	28,991	13,817	84
1991	165,168	7,312	1,227	1,356	8,216	12,200	16,000	16,707	24,926	34,274	29,281	13,557	112
1990	162,605	7,485	1,185	1,307	7,665	12,226	15,028	16,364	25,333	33,900	28,896	13,090	126
1989	163,338	7,601	1,200	1,349	7,155	12,016	14,718	16,691	26,191	34,613	28,758	12,922	124
1988	160,121	7,129	1,148	1,344	6,909	11,631	13,695	16,102	26,317	34,240	28,984	12,517	105
1987	154,576	7,035	1,144	1,346	6,391	10,892	12,685	15,446	25,854	33,677	27,939	12,047	120
1986	151,451	6,940	1,143	1,314	6,071	10,515	11,717	15,118	26,186	33,120	27,408	11,806	113
1985	147,303	6,740	1,130	1,270	5,580	9,252	10,587	14,973	26,673	33,098	26,816	11,070	114
1984	141,985	6,554	1,072	1,258	5,286	8,663	9,741	14,706	26,550	32,224	25,377	10,455	99
1983	140,144	6,838	1,172	1,231	5,364	8,383	8,969	14,616	26,556	31,969	24,942	9,974	130
1982	137,201	7,108	1,111	1,272	5,764	8,702	8,825	14,897	25,708	30,996	23,200	9,495	123
1981	138,282	7,041	1,203	1,315	6,030	8,880	9,227	15,646	25,781	30,902	22,718	9,399	140
1980	141,200	7,514	1,188	1,384	6,646	8,737	9,268	16,166	26,090	31,367	23,146	9,585	109
1979	134,822	7,478	1,156	1,439	6,260	8,380	9,159	16,117	25,126	29,798	21,369	8,415	125

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
All causes													
All other, female													
1998	154,202	4,351	713	845	1,993	4,208	9,347	13,508	18,689	30,279	36,863	33,378	28
1997	150,697	4,221	724	971	2,079	4,319	9,304	13,091	18,573	30,102	35,411	31,870	32
1996	150,139	4,322	893	903	2,176	4,902	9,893	12,938	18,102	30,157	35,275	30,535	43
1995	149,013	4,574	895	930	2,281	5,299	9,949	12,454	18,426	30,042	34,775	29,352	36
1994	145,195	4,936	982	920	2,287	5,401	9,686	11,913	17,943	29,582	33,904	27,609	32
1993	143,648	5,232	1,028	965	2,322	5,286	9,149	11,360	17,995	29,507	33,643	27,093	68
1992	136,453	5,544	960	822	2,136	5,120	8,698	10,643	18,184	28,546	31,116	24,645	39
1991	135,446	5,797	959	802	2,248	5,083	8,165	10,316	17,859	28,543	31,596	24,047	31
1990	132,604	5,983	880	857	2,160	5,110	7,511	10,092	18,266	27,846	30,814	23,033	52
1989	133,287	6,260	959	911	2,156	5,118	7,270	9,942	18,432	28,073	31,345	22,767	54
1988	130,972	5,856	901	928	2,218	4,965	6,999	9,931	18,786	27,669	30,776	21,887	56
1987	125,680	5,563	901	770	2,189	4,691	6,483	9,790	18,356	27,126	29,209	20,549	53
1986	122,827	5,387	911	812	2,100	4,528	6,130	9,666	18,376	26,596	28,405	19,842	74
1985	120,083	5,426	858	851	1,965	4,137	5,620	9,457	18,570	26,592	28,078	18,468	61
1984	115,487	5,418	887	807	2,016	3,865	5,505	9,330	18,178	25,852	26,919	16,657	53
1983	113,475	5,488	862	821	2,165	3,717	5,145	9,581	18,257	25,646	25,740	15,979	74
1982	108,511	5,634	904	825	2,147	3,731	4,984	9,507	17,643	24,237	24,249	14,581	69
1981	108,466	5,786	906	845	2,165	3,797	5,194	9,821	17,538	24,301	23,604	14,442	67
1980	110,034	6,132	900	904	2,321	3,805	5,286	10,357	17,446	24,928	23,744	14,145	66
1979	102,874	6,108	957	883	2,359	3,541	5,108	10,154	16,535	23,431	21,402	12,346	50
All causes													
Black, both sexes													
1998	278,440	8,726	1,397	1,815	7,159	10,804	21,005	30,265	38,813	55,607	59,415	43,341	93
1997	276,520	8,496	1,383	1,890	7,738	11,675	21,647	29,614	38,644	55,901	57,327	42,115	90
1996	282,089	8,730	1,623	1,924	8,252	13,638	24,590	29,771	38,459	56,749	57,698	40,534	121
1995	286,401	9,118	1,742	1,974	8,723	15,440	26,476	29,619	38,768	57,705	57,233	39,502	101
1994	282,379	10,072	1,929	2,019	9,436	16,034	26,010	28,271	37,950	57,255	56,106	37,202	95
1993	282,151	10,887	1,975	1,992	9,699	15,943	24,864	26,918	38,595	57,872	56,254	37,011	141
1992	269,219	11,348	1,799	1,876	8,982	15,395	23,178	25,005	38,396	56,135	53,135	33,856	114
1991	269,525	11,994	1,930	1,869	9,303	15,693	22,059	24,364	38,448	56,438	54,182	33,110	135
1990	265,498	12,290	1,768	1,839	8,586	15,803	20,531	23,871	39,473	55,687	53,437	32,047	166
1989	267,642	12,527	1,830	1,920	8,157	15,632	20,075	24,110	40,520	56,959	54,020	31,725	167
1988	264,019	11,840	1,784	1,944	7,975	15,162	19,025	23,632	41,153	56,461	54,021	30,875	147
1987	254,814	11,461	1,785	1,801	7,497	14,218	17,555	23,001	40,506	55,689	51,929	29,222	150
1986	250,326	11,204	1,801	1,817	7,081	13,692	16,299	22,648	41,184	55,136	50,782	28,517	165
1985	244,207	11,063	1,704	1,827	6,503	12,144	14,779	22,486	41,836	55,032	50,000	26,675	158
1984	235,884	10,881	1,679	1,829	6,331	11,380	13,885	22,098	41,490	53,856	47,879	24,439	137
1983	233,124	11,242	1,794	1,784	6,529	10,954	12,832	22,328	41,811	53,547	46,614	23,533	156
1982	226,513	11,642	1,787	1,866	6,902	11,306	12,660	22,531	40,564	51,525	43,688	21,875	167
1981	228,560	11,757	1,881	1,913	7,212	11,524	13,183	23,675	40,777	51,749	42,879	21,833	177
1980	233,135	12,603	1,871	2,027	7,941	11,413	13,340	24,816	41,070	52,823	43,417	21,649	165
1979	220,818	12,586	1,888	2,101	7,591	10,806	13,163	24,646	39,302	50,057	39,574	18,944	160

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
All causes													
Black, male													
1998	143,417	4,883	795	1,114	5,522	7,142	12,590	18,360	22,390	29,274	27,316	13,964	67
1997	144,110	4,710	796	1,076	6,021	7,870	13,345	18,067	22,265	29,660	26,471	13,767	62
1996	149,472	4,837	869	1,160	6,422	9,259	15,635	18,397	22,438	30,241	26,793	13,340	81
1995	154,175	5,002	973	1,203	6,803	10,683	17,425	18,664	22,545	31,067	26,491	13,250	69
1994	153,019	5,642	1,065	1,243	7,486	11,191	17,198	17,687	22,068	30,935	26,011	12,424	69
1993	153,502	6,121	1,089	1,166	7,734	11,162	16,585	16,796	22,683	31,421	25,992	12,671	82
1992	146,630	6,298	965	1,162	7,169	10,778	15,257	15,514	22,204	30,526	25,035	11,646	76
1991	147,331	6,714	1,083	1,172	7,365	11,072	14,701	15,145	22,450	30,608	25,417	11,498	106
1990	145,359	6,811	999	1,113	6,731	11,169	13,727	14,819	22,993	30,350	25,293	11,236	118
1989	146,393	6,842	1,021	1,162	6,302	10,975	13,521	15,174	23,786	31,240	25,199	11,056	115
1988	144,228	6,503	1,016	1,153	6,056	10,644	12,643	14,681	24,007	30,989	25,622	10,818	96
1987	139,551	6,391	999	1,147	5,588	9,936	11,666	14,114	23,686	30,652	24,765	10,506	101
1986	137,214	6,305	992	1,119	5,256	9,594	10,767	13,830	24,208	30,320	24,342	10,377	104
1985	133,610	6,127	961	1,099	4,806	8,415	9,724	13,821	24,657	30,310	23,804	9,780	106
1984	129,147	5,961	919	1,115	4,556	7,897	8,920	13,537	24,642	29,637	22,648	9,225	90
1983	127,911	6,259	1,029	1,069	4,623	7,596	8,194	13,529	24,716	29,399	22,477	8,918	102
1982	125,610	6,485	990	1,130	5,033	7,937	8,117	13,791	24,023	28,678	20,854	8,466	106
1981	127,296	6,451	1,067	1,156	5,325	8,134	8,496	14,583	24,199	28,663	20,638	8,468	116
1980	130,138	6,958	1,069	1,240	5,869	8,013	8,521	15,156	24,534	29,095	21,046	8,534	103
1979	124,433	6,933	1,028	1,298	5,503	7,627	8,480	15,148	23,614	27,731	19,434	7,522	115
All causes													
Black, female													
1998	135,023	3,843	602	701	1,637	3,662	8,415	11,905	16,423	26,333	32,099	29,377	26
1997	132,410	3,786	587	814	1,717	3,805	8,302	11,547	16,379	26,241	30,856	28,348	28
1996	132,617	3,893	754	764	1,830	4,379	8,955	11,374	16,021	26,508	30,905	27,194	40
1995	132,226	4,116	769	771	1,920	4,757	9,051	10,955	16,223	26,638	30,742	26,252	32
1994	129,360	4,430	864	776	1,950	4,843	8,812	10,584	15,882	26,320	30,095	24,778	26
1993	128,649	4,766	886	826	1,965	4,781	8,279	10,122	15,912	26,451	30,262	24,340	59
1992	122,589	5,050	834	714	1,813	4,617	7,921	9,491	16,192	25,609	28,100	22,210	38
1991	122,194	5,280	847	697	1,938	4,621	7,358	9,219	15,998	25,830	28,765	21,612	29
1990	120,139	5,479	769	726	1,855	4,634	6,804	9,052	16,480	25,337	28,144	20,811	48
1989	121,249	5,685	809	758	1,855	4,657	6,554	8,936	16,734	25,719	28,821	20,669	52
1988	119,791	5,337	768	791	1,919	4,518	6,382	8,951	17,146	25,472	28,399	20,057	51
1987	115,263	5,070	786	654	1,909	4,282	5,889	8,887	16,820	25,037	27,164	18,716	49
1986	113,112	4,899	809	698	1,825	4,098	5,532	8,818	16,976	24,816	26,440	18,140	61
1985	110,597	4,936	743	728	1,697	3,729	5,055	8,665	17,179	24,722	26,196	16,895	52
1984	106,737	4,920	760	714	1,775	3,483	4,965	8,561	16,848	24,219	25,231	15,214	47
1983	105,213	4,983	765	715	1,906	3,358	4,638	8,799	17,095	24,148	24,137	14,615	54
1982	100,903	5,157	797	736	1,869	3,369	4,543	8,740	16,541	22,847	22,834	13,409	61
1981	101,264	5,306	814	757	1,887	3,390	4,687	9,092	16,578	23,086	22,241	13,365	61
1980	102,997	5,645	802	787	2,072	3,400	4,819	9,660	16,536	23,728	22,371	13,115	62
1979	96,385	5,653	860	803	2,088	3,179	4,683	9,498	15,688	22,326	20,140	11,422	45

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Salmonella infections (002-003)													
All races, both sexes													
1998	37	1	1	-	-	2	-	2	4	8	12	7	-
1997	51	4	1	1	2	1	5	6	2	3	18	8	-
1996	59	2	2	1	2	5	5	2	8	11	9	12	-
1995	66	5	-	-	1	3	3	6	5	14	21	8	-
1994	50	5	1	2	1	1	3	4	5	9	13	6	-
1993	52	3	1	-	1	5	2	7	4	8	15	6	-
1992	47	3	-	2	1	4	1	1	3	13	11	8	-
1991	54	2	1	-	2	2	3	4	9	8	8	15	-
1990	81	4	1	1	1	2	4	6	12	14	25	11	-
1989	99	7	-	1	-	5	7	6	8	23	24	18	-
1988	66	6	-	-	-	4	3	6	8	7	19	13	-
1987	107	5	1	-	1	7	2	6	10	22	26	27	-
1986	104	-	1	-	3	10	9	4	12	21	30	14	-
1985	117	7	1	-	-	7	6	7	17	25	30	17	-
1984	90	8	-	1	1	2	2	10	8	19	20	19	-
1983	85	9	-	-	-	3	6	8	7	21	20	11	-
1982	91	8	-	2	1	2	3	3	13	25	17	17	-
1981	107	6	2	1	3	3	2	9	9	30	19	23	-
1980	91	9	2	1	1	1	5	4	16	21	24	7	-
1979	73	5	-	2	1	2	2	6	12	18	15	10	-
Salmonella infections (002-003)													
All races, male													
1998	14	-	1	-	-	-	-	1	2	4	4	2	-
1997	34	4	1	-	2	-	4	3	1	3	10	6	-
1996	27	-	1	-	-	3	3	1	5	7	2	5	-
1995	35	2	-	-	-	1	1	3	3	10	10	5	-
1994	30	2	1	1	-	1	2	1	3	7	9	3	-
1993	27	2	1	-	-	4	2	4	3	3	6	2	-
1992	24	1	-	1	-	4	1	1	1	6	6	3	-
1991	33	2	1	-	1	2	1	4	9	4	3	6	-
1990	49	3	-	1	-	2	2	3	10	10	15	3	-
1989	48	5	-	1	-	2	4	3	5	15	8	5	-
1988	34	3	-	-	-	3	3	5	4	3	9	4	-
1987	58	2	1	-	1	6	2	6	6	11	14	9	-
1986	71	-	-	-	3	9	8	4	10	11	19	7	-
1985	63	4	1	-	-	7	4	4	8	13	14	8	-
1984	49	5	-	1	1	2	1	6	3	12	8	10	-
1983	40	6	-	-	-	3	6	4	1	6	8	6	-
1982	49	6	-	1	1	1	3	3	4	12	10	8	-
1981	58	1	2	1	3	2	2	3	4	19	12	9	-
1980	48	3	1	-	1	-	3	3	9	16	9	3	-
1979	37	3	-	-	1	-	1	3	9	10	6	4	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Salmonella infections (002-003)													
All races, female													
1998	23	1	-	-	-	2	-	1	2	4	8	5	-
1997	17	-	-	1	-	1	1	3	1	-	8	2	-
1996	32	2	1	1	2	2	2	1	3	4	7	7	-
1995	31	3	-	-	1	2	2	3	2	4	11	3	-
1994	20	3	-	1	1	-	1	3	2	2	4	3	-
1993	25	1	-	-	1	1	-	3	1	5	9	4	-
1992	23	2	-	1	1	-	-	-	2	7	5	5	-
1991	21	-	-	-	1	-	2	-	-	4	5	9	-
1990	32	1	1	-	1	-	2	3	2	4	10	8	-
1989	51	2	-	-	-	3	3	3	3	8	16	13	-
1988	32	3	-	-	-	1	-	1	4	4	10	9	-
1987	49	3	-	-	-	1	-	-	4	11	12	18	-
1986	33	-	1	-	-	1	1	-	2	10	11	7	-
1985	54	3	-	-	-	-	2	3	9	12	16	9	-
1984	41	3	-	-	-	-	1	4	5	7	12	9	-
1983	45	3	-	-	-	-	-	4	6	15	12	5	-
1982	42	2	-	1	-	1	-	-	9	13	7	9	-
1981	49	5	-	-	-	1	-	6	5	11	7	14	-
1980	43	6	1	1	-	1	2	1	7	5	15	4	-
1979	36	2	-	2	-	2	1	3	3	8	9	6	-
Salmonella infections (002-003)													
White, both sexes													
1998	32	1	1	-	-	1	-	2	3	7	11	6	-
1997	40	2	1	1	2	-	2	5	-	3	18	6	-
1996	41	1	2	-	1	2	4	1	5	9	7	9	-
1995	50	4	-	-	-	2	-	3	3	13	19	6	-
1994	33	3	-	2	1	-	1	3	3	7	9	4	-
1993	37	2	1	-	1	3	2	4	3	6	10	5	-
1992	32	1	-	1	-	-	1	-	2	10	10	7	-
1991	34	1	1	-	-	2	3	2	4	6	4	11	-
1990	54	-	-	-	-	1	3	6	9	7	19	9	-
1989	78	5	-	-	-	2	5	3	7	17	23	16	-
1988	50	2	-	-	-	3	1	5	5	7	15	12	-
1987	81	1	-	-	-	3	-	3	9	16	22	27	-
1986	86	-	-	-	3	8	5	3	10	20	27	10	-
1985	89	4	1	-	-	4	4	2	11	20	28	15	-
1984	67	5	-	1	-	-	1	8	4	12	19	17	-
1983	60	5	-	-	-	2	4	6	5	16	14	8	-
1982	72	6	-	1	-	-	3	2	12	18	15	15	-
1981	86	3	1	-	3	2	-	6	7	27	19	18	-
1980	70	4	1	1	-	-	4	4	13	16	20	7	-
1979	57	4	-	-	1	1	1	4	10	15	13	8	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Salmonella infections (002-003)													
White, male													
1998	12	-	1	-	-	-	-	1	1	3	4	2	-
1997	28	2	1	-	2	-	2	3	-	3	10	5	-
1996	18	-	1	-	-	1	2	-	4	5	1	4	-
1995	28	2	-	-	-	-	-	2	2	10	8	4	-
1994	16	-	-	1	-	-	1	-	1	6	5	2	-
1993	17	1	1	-	-	2	2	2	2	3	2	2	-
1992	14	-	-	-	-	-	1	-	-	5	6	2	-
1991	20	1	1	-	-	2	1	2	4	3	2	4	-
1990	31	-	-	-	-	1	2	3	7	4	11	3	-
1989	41	4	-	-	-	2	3	1	5	13	8	5	-
1988	24	1	-	-	-	2	1	4	3	3	7	3	-
1987	40	-	-	-	-	2	-	3	5	9	12	9	-
1986	59	-	-	-	3	8	4	3	8	10	17	6	-
1985	50	3	1	-	-	4	3	2	7	9	13	8	-
1984	34	2	-	1	-	-	-	5	2	8	8	8	-
1983	27	3	-	-	-	2	4	3	1	2	7	5	-
1982	40	4	-	1	-	-	3	2	4	11	8	7	-
1981	46	-	1	-	3	1	-	3	3	17	12	6	-
1980	35	1	-	-	-	-	2	3	6	13	7	3	-
1979	29	2	-	-	1	-	-	2	9	7	6	2	-
Salmonella infections (002-003)													
White, female													
1998	20	1	-	-	-	1	-	1	2	4	7	4	-
1997	12	-	-	1	-	-	-	2	-	-	8	1	-
1996	23	1	1	-	1	1	2	1	1	4	6	5	-
1995	22	2	-	-	-	2	-	1	1	3	11	2	-
1994	17	3	-	1	1	-	-	3	2	1	4	2	-
1993	20	1	-	-	1	1	-	2	1	3	8	3	-
1992	18	1	-	1	-	-	-	-	2	5	4	5	-
1991	14	-	-	-	-	-	2	-	-	3	2	7	-
1990	23	-	-	-	-	-	1	3	2	3	8	6	-
1989	37	1	-	-	-	-	2	2	2	4	15	11	-
1988	26	1	-	-	-	1	-	1	2	4	8	9	-
1987	41	1	-	-	-	1	-	-	4	7	10	18	-
1986	27	-	-	-	-	-	1	-	2	10	10	4	-
1985	39	1	-	-	-	-	1	-	4	11	15	7	-
1984	33	3	-	-	-	-	1	3	2	4	11	9	-
1983	33	2	-	-	-	-	-	3	4	14	7	3	-
1982	32	2	-	-	-	-	-	-	8	7	7	8	-
1981	40	3	-	-	-	1	-	3	4	10	7	12	-
1980	35	3	1	1	-	-	2	1	7	3	13	4	-
1979	28	2	-	-	-	1	1	2	1	8	7	6	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Salmonella infections (002-003)													
All other, both sexes													
1998	5	-	-	-	-	1	-	-	1	1	1	1	-
1997	11	2	-	-	-	1	3	1	2	-	-	2	-
1996	18	1	-	1	1	3	1	1	3	2	2	3	-
1995	16	1	-	-	1	1	3	3	2	1	2	2	-
1994	17	2	1	-	-	1	2	1	2	2	4	2	-
1993	15	1	-	-	-	2	-	3	1	2	5	1	-
1992	15	2	-	1	1	4	-	1	1	3	1	1	-
1991	20	1	-	-	2	-	-	2	5	2	4	4	-
1990	27	4	1	1	1	1	1	-	3	7	6	2	-
1989	21	2	-	1	-	3	2	3	1	6	1	2	-
1988	16	4	-	-	-	1	2	1	3	-	4	1	-
1987	26	4	1	-	1	4	2	3	1	6	4	-	-
1986	18	-	1	-	-	2	4	1	2	1	3	4	-
1985	28	3	-	-	-	3	2	5	6	5	2	2	-
1984	23	3	-	-	1	2	1	2	4	7	1	2	-
1983	25	4	-	-	-	1	2	2	2	5	6	3	-
1982	19	2	-	1	1	2	-	1	1	7	2	2	-
1981	21	3	1	1	-	1	2	3	2	3	-	5	-
1980	21	5	1	-	1	1	1	-	3	5	4	-	-
1979	16	1	-	2	-	1	1	2	2	3	2	2	-
Salmonella infections (002-003)													
All other, male													
1998	2	-	-	-	-	-	-	-	1	1	-	-	-
1997	6	2	-	-	-	-	2	-	1	-	-	1	-
1996	9	-	-	-	-	2	1	1	1	2	1	1	-
1995	7	-	-	-	-	1	1	1	1	-	2	1	-
1994	14	2	1	-	-	1	1	1	2	1	4	1	-
1993	10	1	-	-	-	2	-	2	1	-	4	-	-
1992	10	1	-	1	-	4	-	1	1	1	-	1	-
1991	13	1	-	-	1	-	-	2	5	1	1	2	-
1990	18	3	-	1	-	1	-	-	3	6	4	-	-
1989	7	1	-	1	-	-	1	2	-	2	-	-	-
1988	10	2	-	-	-	1	2	1	1	-	2	1	-
1987	18	2	1	-	1	4	2	3	1	2	2	-	-
1986	12	-	-	-	-	1	4	1	2	1	2	1	-
1985	13	1	-	-	-	3	1	2	1	4	1	-	-
1984	15	3	-	-	1	2	1	1	1	4	-	2	-
1983	13	3	-	-	-	1	2	1	-	4	1	1	-
1982	9	2	-	-	1	1	-	1	-	1	2	1	-
1981	12	1	1	1	-	1	2	-	1	2	-	3	-
1980	13	2	1	-	1	-	1	-	3	3	2	-	-
1979	8	1	-	-	-	-	1	1	-	3	-	2	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Salmonella infections (002-003)													
All other, female													
1998	3	-	-	-	-	1	-	-	-	-	1	1	-
1997	5	-	-	-	-	1	1	1	1	-	-	1	-
1996	9	1	-	1	1	1	-	-	2	-	1	2	-
1995	9	1	-	-	1	-	2	2	1	1	-	1	-
1994	3	-	-	-	-	-	1	-	-	1	-	1	-
1993	5	-	-	-	-	-	-	1	-	2	1	1	-
1992	5	1	-	-	1	-	-	-	-	2	1	-	-
1991	7	-	-	-	1	-	-	-	-	1	3	2	-
1990	9	1	1	-	1	-	1	-	-	1	2	2	-
1989	14	1	-	-	-	3	1	1	1	4	1	2	-
1988	6	2	-	-	-	-	-	-	2	-	2	-	-
1987	8	2	-	-	-	-	-	-	-	4	2	-	-
1986	6	-	1	-	-	1	-	-	-	-	1	3	-
1985	15	2	-	-	-	-	1	3	5	1	1	2	-
1984	8	-	-	-	-	-	-	1	3	3	1	-	-
1983	12	1	-	-	-	-	-	1	2	1	5	2	-
1982	10	-	-	1	-	1	-	-	1	6	-	1	-
1981	9	2	-	-	-	-	-	3	1	1	-	2	-
1980	8	3	-	-	-	1	-	-	-	2	2	-	-
1979	8	-	-	2	-	1	-	1	2	-	2	-	-
Salmonella infections (002-003)													
Black, both sexes													
1998	3	-	-	-	-	1	-	-	-	1	1	-	-
1997	9	2	-	-	-	1	3	-	2	-	-	1	-
1996	15	1	-	1	-	2	1	1	3	2	1	3	-
1995	13	1	-	-	-	1	3	3	2	1	1	1	-
1994	16	2	1	-	-	1	2	1	2	1	4	2	-
1993	10	-	-	-	-	2	-	2	-	1	4	1	-
1992	11	2	-	-	1	4	-	-	1	2	1	-	-
1991	18	1	-	-	1	-	-	2	4	2	4	4	-
1990	24	3	1	1	1	1	1	-	3	6	6	1	-
1989	19	2	-	-	-	3	2	3	1	5	1	2	-
1988	16	4	-	-	-	1	2	1	3	-	4	1	-
1987	25	4	-	-	1	4	2	3	1	6	4	-	-
1986	16	-	1	-	-	2	4	1	2	1	1	4	-
1985	26	3	-	-	-	3	2	5	6	4	2	1	-
1984	21	3	-	-	1	2	1	2	3	7	1	1	-
1983	24	3	-	-	-	1	2	2	2	5	6	3	-
1982	18	2	-	1	1	2	-	1	1	6	2	2	-
1981	21	3	1	1	-	1	2	3	2	3	-	5	-
1980	21	5	1	-	1	1	1	-	3	5	4	-	-
1979	13	-	-	2	-	1	1	2	2	1	2	2	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Salmonella infections (002-003)													
Black, male													
1998	1	-	-	-	-	-	-	-	-	1	-	-	-
1997	5	2	-	-	-	-	2	-	1	-	-	-	-
1996	7	-	-	-	-	1	1	1	1	2	-	1	-
1995	6	-	-	-	-	1	1	1	1	-	1	1	-
1994	14	2	1	-	-	1	1	1	2	1	4	1	-
1993	7	-	-	-	-	2	-	2	-	-	3	-	-
1992	7	1	-	-	-	4	-	-	1	1	-	-	-
1991	11	1	-	-	-	-	-	2	4	1	1	2	-
1990	16	2	-	1	-	1	-	-	3	5	4	-	-
1989	5	1	-	-	-	-	1	2	-	1	-	-	-
1988	10	2	-	-	-	1	2	1	1	-	2	1	-
1987	17	2	-	-	1	4	2	3	1	2	2	-	-
1986	11	-	-	-	-	1	4	1	2	1	1	1	-
1985	12	1	-	-	-	3	1	2	1	3	1	-	-
1984	14	3	-	-	1	2	1	1	1	4	-	1	-
1983	12	2	-	-	-	1	2	1	-	4	1	1	-
1982	9	2	-	-	1	1	-	1	-	1	2	1	-
1981	12	1	1	1	-	1	2	-	1	2	-	3	-
1980	13	2	1	-	1	-	1	-	3	3	2	-	-
1979	5	-	-	-	-	-	1	1	-	1	-	2	-
Salmonella infections (002-003)													
Black, female													
1998	2	-	-	-	-	1	-	-	-	-	1	-	-
1997	4	-	-	-	-	1	1	-	1	-	-	1	-
1996	8	1	-	1	-	1	-	-	2	-	1	2	-
1995	7	1	-	-	-	-	2	2	1	1	-	-	-
1994	2	-	-	-	-	-	1	-	-	-	-	1	-
1993	3	-	-	-	-	-	-	-	-	1	1	1	-
1992	4	1	-	-	1	-	-	-	-	1	1	-	-
1991	7	-	-	-	1	-	-	-	-	1	3	2	-
1990	8	1	1	-	1	-	1	-	-	1	2	1	-
1989	14	1	-	-	-	3	1	1	1	4	1	2	-
1988	6	2	-	-	-	-	-	-	2	-	2	-	-
1987	8	2	-	-	-	-	-	-	-	4	2	-	-
1986	5	-	1	-	-	1	-	-	-	-	-	3	-
1985	14	2	-	-	-	-	1	3	5	1	1	1	-
1984	7	-	-	-	-	-	-	1	2	3	1	-	-
1983	12	1	-	-	-	-	-	1	2	1	5	2	-
1982	9	-	-	1	-	1	-	-	1	5	-	1	-
1981	9	2	-	-	-	-	-	3	1	1	-	2	-
1980	8	3	-	-	-	1	-	-	-	2	2	-	-
1979	8	-	-	2	-	1	-	1	2	-	2	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Shigellosis and amebiasis (004,006)													
All races, both sexes													
1998	8	-	-	1	-	-	2	-	-	-	1	4	-
1997	6	-	-	1	-	1	-	-	-	1	1	2	-
1996	9	-	1	-	-	-	-	2	2	1	2	1	-
1995	12	-	1	-	-	-	-	1	2	2	3	3	-
1994	15	1	1	-	-	1	2	1	2	2	1	4	-
1993	11	1	1	-	2	-	1	-	-	4	2	-	-
1992	14	1	1	1	-	-	-	4	-	2	1	4	-
1991	15	3	3	-	-	2	-	-	1	1	4	1	-
1990	15	-	3	1	-	2	-	1	2	1	4	1	-
1989	20	-	4	3	-	1	2	-	-	1	6	3	-
1988	15	1	1	3	-	-	1	3	-	-	3	3	-
1987	22	1	3	3	-	2	1	1	5	3	-	3	-
1986	12	-	-	1	-	3	3	1	-	1	3	-	-
1985	27	1	5	2	-	2	-	2	2	8	2	3	-
1984	18	-	-	3	1	-	1	-	3	5	1	4	-
1983	30	-	4	1	-	2	-	4	5	6	5	3	-
1982	16	3	-	-	1	1	1	-	4	1	4	1	-
1981	27	1	5	1	1	1	1	5	1	5	5	1	-
1980	37	5	4	3	1	4	2	2	5	4	6	1	-
1979	38	4	8	2	-	-	2	6	4	6	2	4	-
Shigellosis and amebiasis (004,006)													
All races, male													
1998	3	-	-	-	-	-	2	-	-	-	1	-	-
1997	1	-	-	-	-	-	-	-	-	-	-	1	-
1996	3	-	-	-	-	-	-	2	1	-	-	-	-
1995	7	-	1	-	-	-	-	1	1	1	2	1	-
1994	7	-	-	-	-	-	1	1	2	2	1	-	-
1993	5	-	-	-	2	-	1	-	-	2	-	-	-
1992	12	1	1	1	-	-	-	4	-	1	1	3	-
1991	11	2	1	-	-	2	-	-	1	1	4	-	-
1990	5	-	1	-	-	1	-	1	1	-	1	-	-
1989	9	-	1	1	-	1	2	-	-	-	4	-	-
1988	5	-	-	3	-	-	1	1	-	-	-	-	-
1987	11	1	1	2	-	2	1	1	2	1	-	-	-
1986	9	-	-	-	-	2	3	1	-	1	2	-	-
1985	16	1	3	1	-	2	-	1	1	6	1	-	-
1984	11	-	-	-	1	-	1	-	3	4	1	1	-
1983	17	-	-	1	-	2	-	3	2	4	3	2	-
1982	8	2	-	-	-	-	1	-	2	1	1	1	-
1981	16	-	3	-	-	1	-	4	1	4	2	1	-
1980	21	4	2	1	-	4	2	1	2	2	2	1	-
1979	26	3	7	1	-	-	2	6	2	3	-	2	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Shigellosis and amebiasis (004,006)													
All races, female													
1998	5	-	-	1	-	-	-	-	-	-	-	4	-
1997	5	-	-	1	-	1	-	-	-	1	1	1	-
1996	6	-	1	-	-	-	-	-	1	1	2	1	-
1995	5	-	-	-	-	-	-	-	1	1	1	2	-
1994	8	1	1	-	-	1	1	-	-	-	-	4	-
1993	6	1	1	-	-	-	-	-	-	2	2	-	-
1992	2	-	-	-	-	-	-	-	-	1	-	1	-
1991	4	1	2	-	-	-	-	-	-	-	-	1	-
1990	10	-	2	1	-	1	-	-	1	1	3	1	-
1989	11	-	3	2	-	-	-	-	-	1	2	3	-
1988	10	1	1	-	-	-	-	2	-	-	3	3	-
1987	11	-	2	1	-	-	-	-	3	2	-	3	-
1986	3	-	-	1	-	1	-	-	-	-	1	-	-
1985	11	-	2	1	-	-	-	1	1	2	1	3	-
1984	7	-	-	3	-	-	-	-	-	1	-	3	-
1983	13	-	4	-	-	-	-	1	3	2	2	1	-
1982	8	1	-	-	1	1	-	-	2	-	3	-	-
1981	11	1	2	1	1	-	1	1	-	1	3	-	-
1980	16	1	2	2	1	-	-	1	3	2	4	-	-
1979	12	1	1	1	-	-	-	-	2	3	2	2	-
Shigellosis and amebiasis (004,006)													
White, both sexes													
1998	6	-	-	-	-	-	1	-	-	-	1	4	-
1997	6	-	-	1	-	1	-	-	-	1	1	2	-
1996	9	-	1	-	-	-	-	2	2	1	2	1	-
1995	10	-	-	-	-	-	-	1	2	2	3	2	-
1994	12	-	1	-	-	1	1	1	1	2	1	4	-
1993	9	-	1	-	2	-	1	-	-	3	2	-	-
1992	10	-	1	-	-	-	-	3	-	2	1	3	-
1991	13	2	2	-	-	2	-	-	1	1	4	1	-
1990	11	-	2	-	-	2	-	1	1	1	4	-	-
1989	12	-	1	1	-	-	2	-	-	-	5	3	-
1988	8	1	-	1	-	-	1	-	-	-	2	3	-
1987	16	-	2	3	-	-	1	1	4	2	-	3	-
1986	11	-	-	1	-	3	2	1	-	1	3	-	-
1985	20	-	4	2	-	-	-	-	2	7	2	3	-
1984	16	-	-	3	1	-	1	-	3	4	1	3	-
1983	23	-	3	1	-	1	-	2	4	5	4	3	-
1982	12	2	-	-	1	1	1	-	2	-	4	1	-
1981	22	1	4	1	1	-	1	4	1	3	5	1	-
1980	28	4	2	3	1	2	1	1	5	3	6	-	-
1979	29	2	5	2	-	-	2	5	2	5	2	4	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Shigellosis and amebiasis (004,006)													
White, male													
1998	2	-	-	-	-	-	1	-	-	-	1	-	-
1997	1	-	-	-	-	-	-	-	-	-	-	1	-
1996	3	-	-	-	-	-	-	2	1	-	-	-	-
1995	5	-	-	-	-	-	-	1	1	1	2	-	-
1994	6	-	-	-	-	-	1	1	1	2	1	-	-
1993	4	-	-	-	2	-	1	-	-	1	-	-	-
1992	8	-	1	-	-	-	-	3	-	1	1	2	-
1991	10	1	1	-	-	2	-	-	1	1	4	-	-
1990	5	-	1	-	-	1	-	1	1	-	1	-	-
1989	6	-	-	1	-	-	-	2	-	-	-	3	-
1988	2	-	-	1	-	-	1	-	-	-	-	-	-
1987	7	-	-	2	-	-	1	1	2	1	-	-	-
1986	8	-	-	-	-	2	2	1	-	1	2	-	-
1985	10	-	2	1	-	-	-	-	1	5	1	-	-
1984	11	-	-	-	1	-	1	-	3	4	1	1	-
1983	15	-	-	1	-	1	-	2	2	4	3	2	-
1982	5	1	-	-	-	-	1	-	1	-	1	1	-
1981	13	-	2	-	-	-	-	4	1	3	2	1	-
1980	14	3	1	1	-	2	1	-	2	2	2	-	-
1979	22	2	5	1	-	-	2	5	2	3	-	2	-
Shigellosis and amebiasis (004,006)													
White, female													
1998	4	-	-	-	-	-	-	-	-	-	-	4	-
1997	5	-	-	1	-	1	-	-	-	1	1	1	-
1996	6	-	1	-	-	-	-	-	1	1	2	1	-
1995	5	-	-	-	-	-	-	-	1	1	1	2	-
1994	6	-	1	-	-	1	-	-	-	-	-	4	-
1993	5	-	1	-	-	-	-	-	-	2	2	-	-
1992	2	-	-	-	-	-	-	-	-	1	-	1	-
1991	3	1	1	-	-	-	-	-	-	-	-	1	-
1990	6	-	1	-	-	1	-	-	-	1	3	-	-
1989	6	-	1	-	-	-	-	-	-	-	2	3	-
1988	6	1	-	-	-	-	-	-	-	-	2	3	-
1987	9	-	2	1	-	-	-	-	2	1	-	3	-
1986	3	-	-	1	-	1	-	-	-	-	1	-	-
1985	10	-	2	1	-	-	-	-	1	2	1	3	-
1984	5	-	-	3	-	-	-	-	-	-	-	2	-
1983	8	-	3	-	-	-	-	-	2	1	1	1	-
1982	7	1	-	-	1	1	-	-	1	-	3	-	-
1981	9	1	2	1	1	-	1	-	-	-	3	-	-
1980	14	1	1	2	1	-	-	1	3	1	4	-	-
1979	7	-	-	1	-	-	-	-	-	2	2	2	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Shigellosis and amebiasis (004,006)													
All other, both sexes													
1998	2	-	-	1	-	-	1	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	2	-	1	-	-	-	-	-	-	-	-	1	-
1994	3	1	-	-	-	-	1	-	1	-	-	-	-
1993	2	1	-	-	-	-	-	-	-	1	-	-	-
1992	4	1	-	1	-	-	-	1	-	-	-	1	-
1991	2	1	1	-	-	-	-	-	-	-	-	-	-
1990	4	-	1	1	-	-	-	-	1	-	-	1	-
1989	8	-	3	2	-	1	-	-	-	1	1	-	-
1988	7	-	1	2	-	-	-	3	-	-	1	-	-
1987	6	1	1	-	-	2	-	-	1	1	-	-	-
1986	1	-	-	-	-	-	1	-	-	-	-	-	-
1985	7	1	1	-	-	2	-	2	-	1	-	-	-
1984	2	-	-	-	-	-	-	-	-	1	-	1	-
1983	7	-	1	-	-	1	-	2	1	1	1	-	-
1982	4	1	-	-	-	-	-	-	2	1	-	-	-
1981	5	-	1	-	-	1	-	1	-	2	-	-	-
1980	9	1	2	-	-	2	1	1	-	1	-	1	-
1979	9	2	3	-	-	-	-	1	2	1	-	-	-
Shigellosis and amebiasis (004,006)													
All other, male													
1998	1	-	-	-	-	-	1	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	2	-	1	-	-	-	-	-	-	-	-	1	-
1994	1	-	-	-	-	-	-	-	1	-	-	-	-
1993	1	-	-	-	-	-	-	-	-	1	-	-	-
1992	4	1	-	1	-	-	-	1	-	-	-	1	-
1991	1	1	-	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-	-
1989	3	-	1	-	-	1	-	-	-	-	1	-	-
1988	3	-	-	2	-	-	-	1	-	-	-	-	-
1987	4	1	1	-	-	2	-	-	-	-	-	-	-
1986	1	-	-	-	-	-	1	-	-	-	-	-	-
1985	6	1	1	-	-	2	-	1	-	1	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	2	-	-	-	-	1	-	1	-	-	-	-	-
1982	3	1	-	-	-	-	-	-	1	1	-	-	-
1981	3	-	1	-	-	1	-	-	-	1	-	-	-
1980	7	1	1	-	-	2	1	1	-	-	-	1	-
1979	4	1	2	-	-	-	-	1	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Shigellosis and amebiasis (004,006)													
All other, female													
1998	1	-	-	1	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	2	1	-	-	-	-	1	-	-	-	-	-	-
1993	1	1	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-	-
1991	1	-	1	-	-	-	-	-	-	-	-	-	-
1990	4	-	1	1	-	-	-	-	1	-	-	1	-
1989	5	-	2	2	-	-	-	-	-	1	-	-	-
1988	4	-	1	-	-	-	-	2	-	-	1	-	-
1987	2	-	-	-	-	-	-	-	1	1	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	1	-	-	-	-	-	-	1	-	-	-	-	-
1984	2	-	-	-	-	-	-	-	-	1	-	1	-
1983	5	-	1	-	-	-	-	1	1	1	1	-	-
1982	1	-	-	-	-	-	-	-	1	-	-	-	-
1981	2	-	-	-	-	-	-	1	-	1	-	-	-
1980	2	-	1	-	-	-	-	-	-	1	-	-	-
1979	5	1	1	-	-	-	-	-	2	1	-	-	-
Shigellosis and amebiasis (004,006)													
Black, both sexes													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	2	-	1	-	-	-	-	-	-	-	-	1	-
1994	2	1	-	-	-	-	-	-	1	-	-	-	-
1993	1	1	-	-	-	-	-	-	-	-	-	-	-
1992	2	1	-	1	-	-	-	-	-	-	-	-	-
1991	2	1	1	-	-	-	-	-	-	-	-	-	-
1990	2	-	-	1	-	-	-	-	1	-	-	-	-
1989	6	-	3	1	-	1	-	-	-	1	-	-	-
1988	2	-	1	-	-	-	-	-	-	-	1	-	-
1987	5	1	1	-	-	2	-	-	1	-	-	-	-
1986	1	-	-	-	-	-	1	-	-	-	-	-	-
1985	7	1	1	-	-	2	-	2	-	1	-	-	-
1984	1	-	-	-	-	-	-	-	-	-	-	1	-
1983	5	-	1	-	-	-	-	1	1	1	1	-	-
1982	3	1	-	-	-	-	-	-	1	1	-	-	-
1981	3	-	1	-	-	1	-	-	-	1	-	-	-
1980	7	-	2	-	-	2	1	1	-	1	-	-	-
1979	6	2	2	-	-	-	-	1	-	1	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Shigellosis and amebiasis (004,006)													
Black, male													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	2	-	1	-	-	-	-	-	-	-	-	1	-
1994	1	-	-	-	-	-	-	-	1	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	2	1	-	1	-	-	-	-	-	-	-	-	-
1991	1	1	-	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-	-
1989	2	-	1	-	-	1	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	4	1	1	-	-	2	-	-	-	-	-	-	-
1986	1	-	-	-	-	-	1	-	-	-	-	-	-
1985	6	1	1	-	-	2	-	1	-	1	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	1	-	-	-	-	-	-	1	-	-	-	-	-
1982	3	1	-	-	-	-	-	-	1	1	-	-	-
1981	2	-	1	-	-	1	-	-	-	-	-	-	-
1980	5	-	1	-	-	2	1	1	-	-	-	-	-
1979	3	1	1	-	-	-	-	1	-	-	-	-	-
Shigellosis and amebiasis (004,006)													
Black, female													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	1	1	-	-	-	-	-	-	-	-	-	-	-
1993	1	1	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-	-
1991	1	-	1	-	-	-	-	-	-	-	-	-	-
1990	2	-	-	1	-	-	-	-	1	-	-	-	-
1989	4	-	2	1	-	-	-	-	-	1	-	-	-
1988	2	-	1	-	-	-	-	-	-	-	1	-	-
1987	1	-	-	-	-	-	-	-	1	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	1	-	-	-	-	-	-	1	-	-	-	-	-
1984	1	-	-	-	-	-	-	-	-	-	-	1	-
1983	4	-	1	-	-	-	-	-	1	1	1	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	1	-	-	-	-	-	-	-	-	1	-	-	-
1980	2	-	1	-	-	-	-	-	-	1	-	-	-
1979	3	1	1	-	-	-	-	-	-	1	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Certain other intestinal infections (007-009)													
All races, both sexes													
1998	1,059	229	19	1	4	3	13	22	46	127	293	302	-
1997	1,023	200	20	6	2	9	22	26	40	138	301	259	-
1996	824	207	8	7	2	7	12	16	52	98	191	224	-
1995	793	202	10	3	3	14	17	17	23	93	186	225	-
1994	746	209	21	3	2	11	15	20	35	92	159	179	-
1993	631	133	11	3	3	6	14	17	32	91	165	156	-
1992	529	130	16	2	3	4	19	10	22	64	121	138	-
1991	469	125	19	4	1	4	11	15	23	61	84	122	-
1990	415	98	13	6	2	7	13	10	20	51	94	101	-
1989	339	92	13	5	2	6	6	8	22	48	67	70	-
1988	305	85	8	2	5	4	4	7	16	40	65	69	-
1987	307	93	14	3	4	10	11	6	17	43	53	53	-
1986	347	114	9	3	3	17	19	16	19	33	43	70	1
1985	301	98	16	3	2	11	12	9	9	34	53	54	-
1984	331	138	13	4	3	8	7	8	21	28	49	51	1
1983	354	131	12	4	6	6	8	10	18	32	65	62	-
1982	329	137	20	2	4	8	13	5	19	27	50	44	-
1981	371	131	23	6	7	3	4	14	22	33	69	59	-
1980	364	112	20	7	5	10	3	13	27	40	59	68	-
1979	298	106	11	5	7	5	6	11	18	27	56	46	-
Certain other intestinal infections (007-009)													
All races, male													
1998	464	136	11	1	1	2	5	14	20	59	121	94	-
1997	435	116	14	6	1	5	13	13	20	63	122	62	-
1996	356	131	5	3	1	5	7	9	22	47	74	52	-
1995	347	115	9	1	2	9	11	13	15	45	72	55	-
1994	348	124	12	1	2	8	9	11	24	45	67	45	-
1993	292	80	5	1	-	4	12	9	20	45	59	57	-
1992	255	75	11	1	2	4	17	4	11	36	50	44	-
1991	215	68	13	2	1	2	8	8	14	30	33	36	-
1990	180	50	7	4	2	7	9	6	9	20	32	34	-
1989	172	57	6	3	1	6	5	6	13	23	27	25	-
1988	133	46	5	2	5	3	1	4	7	16	27	17	-
1987	137	40	8	2	2	8	8	4	7	21	21	16	-
1986	192	75	5	2	3	17	17	8	10	16	15	24	-
1985	146	55	8	1	1	11	10	6	4	17	17	16	-
1984	156	83	6	3	1	4	6	4	6	9	19	15	-
1983	172	77	9	4	5	4	5	5	6	19	26	12	-
1982	148	68	14	1	3	4	5	3	8	11	17	14	-
1981	170	70	13	4	5	3	2	7	10	17	30	9	-
1980	162	63	11	2	4	6	-	9	11	14	23	19	-
1979	143	58	6	2	4	4	4	4	10	14	23	14	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Certain other intestinal infections (007-009)													
All races, female													
1998	595	93	8	-	3	1	8	8	26	68	172	208	-
1997	588	84	6	-	1	4	9	13	20	75	179	197	-
1996	468	76	3	4	1	2	5	7	30	51	117	172	-
1995	446	87	1	2	1	5	6	4	8	48	114	170	-
1994	398	85	9	2	-	3	6	9	11	47	92	134	-
1993	339	53	6	2	3	2	2	8	12	46	106	99	-
1992	274	55	5	1	1	-	2	6	11	28	71	94	-
1991	254	57	6	2	-	2	3	7	9	31	51	86	-
1990	235	48	6	2	-	-	4	4	11	31	62	67	-
1989	167	35	7	2	1	-	1	2	9	25	40	45	-
1988	172	39	3	-	-	1	3	3	9	24	38	52	-
1987	170	53	6	1	2	2	3	2	10	22	32	37	-
1986	155	39	4	1	-	-	2	8	9	17	28	46	1
1985	155	43	8	2	1	-	2	3	5	17	36	38	-
1984	175	55	7	1	2	4	1	4	15	19	30	36	1
1983	182	54	3	-	1	2	3	5	12	13	39	50	-
1982	181	69	6	1	1	4	8	2	11	16	33	30	-
1981	201	61	10	2	2	-	2	7	12	16	39	50	-
1980	202	49	9	5	1	4	3	4	16	26	36	49	-
1979	155	48	5	3	3	1	2	7	8	13	33	32	-
Certain other intestinal infections (007-009)													
White, both sexes													
1998	882	127	14	1	4	2	8	18	41	110	274	283	-
1997	850	114	13	5	1	5	13	17	32	119	284	247	-
1996	672	102	6	4	1	7	7	14	49	90	182	210	-
1995	635	98	8	3	3	11	11	13	20	78	172	218	-
1994	574	96	11	1	1	8	11	17	23	78	153	175	-
1993	510	60	9	2	2	5	11	13	25	81	151	151	-
1992	430	65	11	1	-	3	17	8	19	59	115	132	-
1991	363	60	9	4	1	1	10	11	21	52	81	113	-
1990	342	54	8	4	1	7	10	10	16	47	89	96	-
1989	252	38	7	4	1	5	3	6	17	46	61	64	-
1988	239	45	7	2	4	3	3	7	15	33	57	63	-
1987	246	51	10	2	3	10	9	4	17	37	50	53	-
1986	257	54	8	-	3	14	19	7	14	29	42	66	1
1985	231	51	12	3	1	8	10	6	7	32	51	50	-
1984	245	72	11	3	3	5	7	6	18	26	43	51	-
1983	262	65	5	4	5	6	6	7	17	27	61	59	-
1982	233	71	12	2	2	7	11	2	16	21	47	42	-
1981	290	72	17	5	6	3	3	14	21	29	63	57	-
1980	286	63	16	6	3	7	3	9	24	33	54	68	-
1979	228	59	9	3	5	4	5	10	15	24	50	44	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Certain other intestinal infections (007-009)													
White, male													
1998	379	77	10	1	1	1	3	12	19	51	115	89	-
1997	343	65	8	5	1	3	6	10	16	58	114	57	-
1996	268	64	4	2	-	5	4	7	20	41	71	50	-
1995	264	56	7	1	2	9	6	10	14	38	68	53	-
1994	244	56	5	-	1	8	8	10	15	34	64	43	-
1993	221	31	5	1	-	3	10	7	17	37	54	56	-
1992	205	42	8	1	-	3	15	4	9	33	47	43	-
1991	157	32	5	2	1	1	7	6	13	27	31	32	-
1990	141	28	4	3	1	7	7	6	7	18	28	32	-
1989	120	24	2	2	1	5	3	4	10	22	24	23	-
1988	99	22	5	2	4	2	-	4	7	15	24	14	-
1987	111	24	6	2	1	8	7	2	7	18	20	16	-
1986	134	36	4	-	3	14	17	4	6	14	15	21	-
1985	107	31	5	1	-	8	8	4	3	16	16	15	-
1984	102	37	6	2	1	3	6	3	4	9	16	15	-
1983	117	36	4	4	4	4	4	4	5	16	25	11	-
1982	103	36	9	1	1	4	4	2	8	7	17	14	-
1981	124	38	8	3	4	3	1	7	10	15	27	8	-
1980	122	35	9	2	2	6	-	7	9	12	21	19	-
1979	107	34	5	1	4	3	3	4	7	12	21	13	-
Certain other intestinal infections (007-009)													
White, female													
1998	503	50	4	-	3	1	5	6	22	59	159	194	-
1997	507	49	5	-	-	2	7	7	16	61	170	190	-
1996	404	38	2	2	1	2	3	7	29	49	111	160	-
1995	371	42	1	2	1	2	5	3	6	40	104	165	-
1994	330	40	6	1	-	-	3	7	8	44	89	132	-
1993	289	29	4	1	2	2	1	6	8	44	97	95	-
1992	225	23	3	-	-	-	2	4	10	26	68	89	-
1991	206	28	4	2	-	-	3	5	8	25	50	81	-
1990	201	26	4	1	-	-	3	4	9	29	61	64	-
1989	132	14	5	2	-	-	-	2	7	24	37	41	-
1988	140	23	2	-	-	1	3	3	8	18	33	49	-
1987	135	27	4	-	2	2	2	2	10	19	30	37	-
1986	123	18	4	-	-	-	2	3	8	15	27	45	1
1985	124	20	7	2	1	-	2	2	4	16	35	35	-
1984	143	35	5	1	2	2	1	3	14	17	27	36	-
1983	145	29	1	-	1	2	2	3	12	11	36	48	-
1982	130	35	3	1	1	3	7	-	8	14	30	28	-
1981	166	34	9	2	2	-	2	7	11	14	36	49	-
1980	164	28	7	4	1	1	3	2	15	21	33	49	-
1979	121	25	4	2	1	1	2	6	8	12	29	31	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Certain other intestinal infections (007-009)													
All other, both sexes													
1998	177	102	5	-	-	1	5	4	5	17	19	19	-
1997	173	86	7	1	1	4	9	9	8	19	17	12	-
1996	152	105	2	3	1	-	5	2	3	8	9	14	-
1995	158	104	2	-	-	3	6	4	3	15	14	7	-
1994	172	113	10	2	1	3	4	3	12	14	6	4	-
1993	121	73	2	1	1	1	3	4	7	10	14	5	-
1992	99	65	5	1	3	1	2	2	3	5	6	6	-
1991	106	65	10	-	-	3	1	4	2	9	3	9	-
1990	73	44	5	2	1	-	3	-	4	4	5	5	-
1989	87	54	6	1	1	1	3	2	5	2	6	6	-
1988	66	40	1	-	1	1	1	-	1	7	8	6	-
1987	61	42	4	1	1	-	2	2	-	6	3	-	-
1986	90	60	1	3	-	3	-	9	5	4	1	4	-
1985	70	47	4	-	1	3	2	3	2	2	2	4	-
1984	86	66	2	1	-	3	-	2	3	2	6	-	1
1983	92	66	7	-	1	-	2	3	1	5	4	3	-
1982	96	66	8	-	2	1	2	3	3	6	3	2	-
1981	81	59	6	1	1	-	1	-	1	4	6	2	-
1980	78	49	4	1	2	3	-	4	3	7	5	-	-
1979	70	47	2	2	2	1	1	1	3	3	6	2	-
Certain other intestinal infections (007-009)													
All other, male													
1998	85	59	1	-	-	1	2	2	1	8	6	5	-
1997	92	51	6	1	-	2	7	3	4	5	8	5	-
1996	88	67	1	1	1	-	3	2	2	6	3	2	-
1995	83	59	2	-	-	-	5	3	1	7	4	2	-
1994	104	68	7	1	1	-	1	1	9	11	3	2	-
1993	71	49	-	-	-	1	2	2	3	8	5	1	-
1992	50	33	3	-	2	1	2	-	2	3	3	1	-
1991	58	36	8	-	-	1	1	2	1	3	2	4	-
1990	39	22	3	1	1	-	2	-	2	2	4	2	-
1989	52	33	4	1	-	1	2	2	3	1	3	2	-
1988	34	24	-	-	1	1	1	-	-	1	3	3	-
1987	26	16	2	-	1	-	1	2	-	3	1	-	-
1986	58	39	1	2	-	3	-	4	4	2	-	3	-
1985	39	24	3	-	1	3	2	2	1	1	1	1	-
1984	54	46	-	1	-	1	-	1	2	-	3	-	-
1983	55	41	5	-	1	-	1	1	1	3	1	1	-
1982	45	32	5	-	2	-	1	1	-	4	-	-	-
1981	46	32	5	1	1	-	1	-	-	2	3	1	-
1980	40	28	2	-	2	-	-	2	2	2	2	-	-
1979	36	24	1	1	-	1	1	-	3	2	2	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Certain other intestinal infections (007-009)													
All other, female													
1998	92	43	4	-	-	-	3	2	4	9	13	14	-
1997	81	35	1	-	1	2	2	6	4	14	9	7	-
1996	64	38	1	2	-	-	2	-	1	2	6	12	-
1995	75	45	-	-	-	3	1	1	2	8	10	5	-
1994	68	45	3	1	-	3	3	2	3	3	3	2	-
1993	50	24	2	1	1	-	1	2	4	2	9	4	-
1992	49	32	2	1	1	-	-	2	1	2	3	5	-
1991	48	29	2	-	-	2	-	2	1	6	1	5	-
1990	34	22	2	1	-	-	1	-	2	2	1	3	-
1989	35	21	2	-	1	-	1	-	2	1	3	4	-
1988	32	16	1	-	-	-	-	-	1	6	5	3	-
1987	35	26	2	1	-	-	1	-	-	3	2	-	-
1986	32	21	-	1	-	-	-	5	1	2	1	1	-
1985	31	23	1	-	-	-	-	1	1	1	1	3	-
1984	32	20	2	-	-	2	-	1	1	2	3	-	1
1983	37	25	2	-	-	-	1	2	-	2	3	2	-
1982	51	34	3	-	-	1	1	2	3	2	3	2	-
1981	35	27	1	-	-	-	-	-	1	2	3	1	-
1980	38	21	2	1	-	3	-	2	1	5	3	-	-
1979	34	23	1	1	2	-	-	1	-	1	4	1	-
Certain other intestinal infections (007-009)													
Black, both sexes													
1998	158	97	5	-	-	1	4	4	4	12	15	16	-
1997	154	81	5	1	1	3	8	7	6	15	15	12	-
1996	140	100	2	3	1	-	5	2	3	6	7	11	-
1995	145	98	2	-	-	3	6	4	3	11	12	6	-
1994	154	104	8	2	1	2	4	1	11	13	6	2	-
1993	110	68	2	1	1	1	3	3	5	9	13	4	-
1992	94	63	5	1	3	1	2	1	3	4	6	5	-
1991	96	62	7	-	-	3	1	4	2	7	3	7	-
1990	67	41	5	2	1	-	3	-	2	4	4	5	-
1989	78	49	4	1	1	1	2	2	4	2	6	6	-
1988	57	39	1	-	-	1	1	-	1	5	5	4	-
1987	56	40	2	1	1	-	2	1	-	6	3	-	-
1986	82	54	1	3	-	3	-	8	5	4	1	3	-
1985	65	44	4	-	1	2	2	3	2	2	1	4	-
1984	80	62	2	1	-	3	-	2	2	1	6	-	1
1983	84	64	5	-	1	-	2	2	1	5	3	1	-
1982	87	61	6	-	1	1	2	3	3	6	3	1	-
1981	75	56	4	1	1	-	1	-	1	4	5	2	-
1980	72	47	4	1	1	3	-	3	3	6	4	-	-
1979	65	44	2	2	2	1	1	1	3	3	4	2	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Certain other intestinal infections (007-009)													
Black, male													
1998	77	57	1	-	-	1	2	2	1	5	5	3	-
1997	81	46	5	1	-	2	6	2	2	5	7	5	-
1996	82	63	1	1	1	-	3	2	2	4	3	2	-
1995	75	54	2	-	-	-	5	3	1	5	3	2	-
1994	94	63	5	1	1	-	1	1	8	10	3	1	-
1993	64	46	-	-	-	1	2	2	1	7	4	1	-
1992	47	32	3	-	2	1	2	-	2	2	3	-	-
1991	53	35	5	-	-	1	1	2	1	3	2	3	-
1990	34	19	3	1	1	-	2	-	1	2	3	2	-
1989	46	31	2	1	-	1	1	2	2	1	3	2	-
1988	29	23	-	-	-	1	1	-	-	1	1	2	-
1987	23	15	1	-	1	-	1	1	-	3	1	-	-
1986	53	35	1	2	-	3	-	4	4	2	-	2	-
1985	36	23	3	-	1	2	2	2	1	1	-	1	-
1984	51	43	-	1	-	1	-	1	2	-	3	-	-
1983	51	41	4	-	1	-	1	-	1	3	-	-	-
1982	39	28	4	-	1	-	1	1	-	4	-	-	-
1981	42	31	3	1	1	-	1	-	-	2	2	1	-
1980	36	26	2	-	1	-	-	2	2	1	2	-	-
1979	35	23	1	1	-	1	1	-	3	2	2	1	-
Certain other intestinal infections (007-009)													
Black, female													
1998	81	40	4	-	-	-	2	2	3	7	10	13	-
1997	73	35	-	-	1	1	2	5	4	10	8	7	-
1996	58	37	1	2	-	-	2	-	1	2	4	9	-
1995	70	44	-	-	-	3	1	1	2	6	9	4	-
1994	60	41	3	1	-	2	3	-	3	3	3	1	-
1993	46	22	2	1	1	-	1	1	4	2	9	3	-
1992	47	31	2	1	1	-	-	1	1	2	3	5	-
1991	43	27	2	-	-	2	-	2	1	4	1	4	-
1990	33	22	2	1	-	-	1	-	1	2	1	3	-
1989	32	18	2	-	1	-	1	-	2	1	3	4	-
1988	28	16	1	-	-	-	-	-	1	4	4	2	-
1987	33	25	1	1	-	-	1	-	-	3	2	-	-
1986	29	19	-	1	-	-	-	4	1	2	1	1	-
1985	29	21	1	-	-	-	-	1	1	1	1	3	-
1984	29	19	2	-	-	2	-	1	-	1	3	-	1
1983	33	23	1	-	-	-	1	2	-	2	3	1	-
1982	48	33	2	-	-	1	1	2	3	2	3	1	-
1981	33	25	1	-	-	-	-	-	1	2	3	1	-
1980	36	21	2	1	-	3	-	1	1	5	2	-	-
1979	30	21	1	1	2	-	-	1	-	1	2	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Tuberculosis (010-018)													
All races, both sexes													
1998	1,112	-	3	1	11	38	108	114	151	229	280	177	-
1997	1,166	-	4	1	14	36	81	125	157	234	353	161	-
1996	1,202	2	2	2	14	43	97	129	167	245	309	192	-
1995	1,336	1	2	2	18	39	127	143	157	300	359	187	1
1994	1,478	-	3	1	15	73	137	152	204	313	357	221	2
1993	1,631	2	5	2	13	83	159	192	209	350	418	197	1
1992	1,705	5	6	4	13	102	198	160	242	378	382	215	-
1991	1,713	2	2	5	22	111	205	174	254	329	411	198	-
1990	1,810	2	6	3	23	144	178	188	269	382	406	209	-
1989	1,970	1	7	3	25	127	200	201	270	426	466	242	2
1988	1,921	2	3	1	28	106	193	195	278	404	453	256	2
1987	1,755	1	6	2	23	101	162	176	284	389	413	195	3
1986	1,782	1	3	4	18	107	184	183	279	373	416	211	3
1985	1,752	4	3	2	25	82	135	183	299	389	430	199	1
1984	1,729	2	2	2	28	88	140	177	302	406	405	176	1
1983	1,779	1	3	4	18	74	107	198	306	436	417	212	3
1982	1,807	3	3	4	8	66	116	177	325	433	440	231	1
1981	1,937	4	4	3	16	68	124	222	371	476	446	203	-
1980	1,978	2	6	4	11	44	110	243	364	542	436	214	2
1979	2,007	1	7	3	14	62	131	263	377	494	438	217	-
Tuberculosis (010-018)													
All races, male													
1998	658	-	-	-	1	19	74	78	100	134	168	84	-
1997	662	-	1	-	6	24	58	80	106	126	175	86	-
1996	739	-	2	2	8	24	66	92	119	157	182	87	-
1995	814	-	-	1	8	22	85	104	115	184	201	93	1
1994	884	-	2	-	2	41	97	100	139	196	195	110	2
1993	1,018	-	4	1	7	50	113	147	147	224	234	90	1
1992	1,059	1	3	3	2	56	132	131	180	238	219	94	-
1991	1,048	2	-	4	7	57	145	128	187	188	230	100	-
1990	1,147	2	2	1	7	87	137	139	181	237	248	106	-
1989	1,284	-	6	2	19	83	159	149	191	281	261	131	2
1988	1,221	-	1	1	12	67	137	155	201	269	253	123	2
1987	1,169	-	4	1	9	71	120	132	210	250	260	109	3
1986	1,157	1	-	1	7	73	151	147	183	238	246	107	3
1985	1,135	4	1	-	11	57	100	146	222	225	252	116	1
1984	1,149	1	1	2	13	59	108	138	218	270	237	101	1
1983	1,176	-	1	2	4	52	76	153	223	298	246	119	2
1982	1,202	1	1	1	5	45	89	141	244	288	274	113	-
1981	1,299	1	3	2	5	46	86	161	268	336	282	109	-
1980	1,331	2	4	2	3	25	69	172	274	374	273	131	2
1979	1,371	1	4	2	6	36	93	186	262	366	293	122	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Tuberculosis (010-018)													
All races, female													
1998	454	-	3	1	10	19	34	36	51	95	112	93	-
1997	504	-	3	1	8	12	23	45	51	108	178	75	-
1996	463	2	-	-	6	19	31	37	48	88	127	105	-
1995	522	1	2	1	10	17	42	39	42	116	158	94	-
1994	594	-	1	1	13	32	40	52	65	117	162	111	-
1993	613	2	1	1	6	33	46	45	62	126	184	107	-
1992	646	4	3	1	11	46	66	29	62	140	163	121	-
1991	665	-	2	1	15	54	60	46	67	141	181	98	-
1990	663	-	4	2	16	57	41	49	88	145	158	103	-
1989	686	1	1	1	6	44	41	52	79	145	205	111	-
1988	700	2	2	-	16	39	56	40	77	135	200	133	-
1987	586	1	2	1	14	30	42	44	74	139	153	86	-
1986	625	-	3	3	11	34	33	36	96	135	170	104	-
1985	617	-	2	2	14	25	35	37	77	164	178	83	-
1984	580	1	1	-	15	29	32	39	84	136	168	75	-
1983	603	1	2	2	14	22	31	45	83	138	171	93	1
1982	605	2	2	3	3	21	27	36	81	145	166	118	1
1981	638	3	1	1	11	22	38	61	103	140	164	94	-
1980	647	-	2	2	8	19	41	71	90	168	163	83	-
1979	636	-	3	1	8	26	38	77	115	128	145	95	-
Tuberculosis (010-018)													
White, both sexes													
1998	667	-	3	-	4	12	39	50	95	137	203	124	-
1997	695	-	3	1	7	13	35	47	86	142	250	111	-
1996	724	-	-	2	4	20	39	57	85	162	210	145	-
1995	804	1	1	2	9	20	44	61	92	183	263	128	-
1994	863	-	1	-	3	28	55	60	98	198	250	168	2
1993	969	-	2	-	8	35	52	90	108	229	308	136	1
1992	994	2	4	4	4	39	70	65	138	233	274	161	-
1991	978	2	2	2	6	37	75	73	127	216	297	141	-
1990	1,033	2	5	3	6	41	65	83	144	254	279	151	-
1989	1,152	1	2	2	10	40	79	72	154	273	333	185	1
1988	1,172	1	2	-	10	37	68	84	172	275	335	187	1
1987	1,082	-	1	2	8	38	69	86	183	264	282	147	2
1986	1,065	-	1	1	6	35	64	81	172	245	299	160	1
1985	1,101	1	1	1	12	26	50	85	185	272	323	144	1
1984	1,047	-	1	1	9	31	42	78	177	269	304	135	-
1983	1,119	-	2	3	7	23	33	93	187	304	311	156	-
1982	1,135	1	2	2	2	20	40	91	181	295	324	176	1
1981	1,211	1	3	2	9	18	38	102	228	322	330	158	-
1980	1,253	1	1	1	3	8	35	111	227	372	320	173	1
1979	1,294	1	5	2	5	21	46	121	224	359	336	174	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Tuberculosis (010-018)													
White, male													
1998	381	-	-	-	1	5	30	36	68	76	117	48	-
1997	380	-	1	-	3	9	26	33	59	72	119	58	-
1996	440	-	-	2	3	15	31	42	64	105	115	63	-
1995	474	-	-	1	5	11	32	41	67	109	146	62	-
1994	506	-	1	-	-	20	41	37	63	129	126	87	2
1993	591	-	1	-	4	22	38	66	82	157	164	56	1
1992	602	1	2	3	-	20	52	54	106	146	145	73	-
1991	593	2	-	2	2	24	55	53	102	123	159	71	-
1990	630	2	2	1	3	27	48	63	96	155	161	72	-
1989	724	-	2	1	9	31	61	55	105	181	179	99	1
1988	730	-	-	-	5	28	49	69	132	177	183	86	1
1987	724	-	-	1	4	25	52	64	134	176	180	86	2
1986	679	-	-	-	3	22	55	62	117	164	171	84	1
1985	703	1	-	-	4	24	39	70	141	151	191	81	1
1984	689	-	1	1	4	21	34	61	131	181	177	78	-
1983	718	-	1	2	2	17	20	71	135	206	176	88	-
1982	745	-	1	1	1	15	29	72	137	199	203	87	-
1981	797	-	2	2	3	10	24	82	168	222	204	80	-
1980	856	1	-	1	1	4	23	80	176	261	200	108	1
1979	909	1	2	1	1	14	34	95	157	272	233	99	-
Tuberculosis (010-018)													
White, female													
1998	286	-	3	-	3	7	9	14	27	61	86	76	-
1997	315	-	2	1	4	4	9	14	27	70	131	53	-
1996	284	-	-	-	1	5	8	15	21	57	95	82	-
1995	330	1	1	1	4	9	12	20	25	74	117	66	-
1994	357	-	-	-	3	8	14	23	35	69	124	81	-
1993	378	-	1	-	4	13	14	24	26	72	144	80	-
1992	392	1	2	1	4	19	18	11	32	87	129	88	-
1991	385	-	2	-	4	13	20	20	25	93	138	70	-
1990	403	-	3	2	3	14	17	20	48	99	118	79	-
1989	428	1	-	1	1	9	18	17	49	92	154	86	-
1988	442	1	2	-	5	9	19	15	40	98	152	101	-
1987	358	-	1	1	4	13	17	22	49	88	102	61	-
1986	386	-	1	1	3	13	9	19	55	81	128	76	-
1985	398	-	1	1	8	2	11	15	44	121	132	63	-
1984	358	-	-	-	5	10	8	17	46	88	127	57	-
1983	401	-	1	1	5	6	13	22	52	98	135	68	-
1982	390	1	1	1	1	5	11	19	44	96	121	89	1
1981	414	1	1	-	6	8	14	20	60	100	126	78	-
1980	397	-	1	-	2	4	12	31	51	111	120	65	-
1979	385	-	3	1	4	7	12	26	67	87	103	75	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Tuberculosis (010-018)													
All other, both sexes													
1998	445	-	-	1	7	26	69	64	56	92	77	53	-
1997	471	-	1	-	7	23	46	78	71	92	103	50	-
1996	478	2	2	-	10	23	58	72	82	83	99	47	-
1995	532	-	1	-	9	19	83	82	65	117	96	59	1
1994	615	-	2	1	12	45	82	92	106	115	107	53	-
1993	662	2	3	2	5	48	107	102	101	121	110	61	-
1992	711	3	2	-	9	63	128	95	104	145	108	54	-
1991	735	-	-	3	16	74	130	101	127	113	114	57	-
1990	777	-	1	-	17	103	113	105	125	128	127	58	-
1989	818	-	5	1	15	87	121	129	116	153	133	57	1
1988	749	1	1	1	18	69	125	111	106	129	118	69	1
1987	673	1	5	-	15	63	93	90	101	125	131	48	1
1986	717	1	2	3	12	72	120	102	107	128	117	51	2
1985	651	3	2	1	13	56	85	98	114	117	107	55	-
1984	682	2	1	1	19	57	98	99	125	137	101	41	1
1983	660	1	1	1	11	51	74	105	119	132	106	56	3
1982	672	2	1	2	6	46	76	86	144	138	116	55	-
1981	726	3	1	1	7	50	86	120	143	154	116	45	-
1980	725	1	5	3	8	36	75	132	137	170	116	41	1
1979	713	-	2	1	9	41	85	142	153	135	102	43	-
Tuberculosis (010-018)													
All other, male													
1998	277	-	-	-	-	14	44	42	32	58	51	36	-
1997	282	-	-	-	3	15	32	47	47	54	56	28	-
1996	299	-	2	-	5	9	35	50	55	52	67	24	-
1995	340	-	-	-	3	11	53	63	48	75	55	31	1
1994	378	-	1	-	2	21	56	63	76	67	69	23	-
1993	427	-	3	1	3	28	75	81	65	67	70	34	-
1992	457	-	1	-	2	36	80	77	74	92	74	21	-
1991	455	-	-	2	5	33	90	75	85	65	71	29	-
1990	517	-	-	-	4	60	89	76	85	82	87	34	-
1989	560	-	4	1	10	52	98	94	86	100	82	32	1
1988	491	-	1	1	7	39	88	86	69	92	70	37	1
1987	445	-	4	-	5	46	68	68	76	74	80	23	1
1986	478	1	-	1	4	51	96	85	66	74	75	23	2
1985	432	3	1	-	7	33	61	76	81	74	61	35	-
1984	460	1	-	1	9	38	74	77	87	89	60	23	1
1983	458	-	-	-	2	35	56	82	88	92	70	31	2
1982	457	1	-	-	4	30	60	69	107	89	71	26	-
1981	502	1	1	-	2	36	62	79	100	114	78	29	-
1980	475	1	4	1	2	21	46	92	98	113	73	23	1
1979	462	-	2	1	5	22	59	91	105	94	60	23	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Tuberculosis (010-018)													
All other, female													
1998	168	-	-	1	7	12	25	22	24	34	26	17	-
1997	189	-	1	-	4	8	14	31	24	38	47	22	-
1996	179	2	-	-	5	14	23	22	27	31	32	23	-
1995	192	-	1	-	6	8	30	19	17	42	41	28	-
1994	237	-	1	1	10	24	26	29	30	48	38	30	-
1993	235	2	-	1	2	20	32	21	36	54	40	27	-
1992	254	3	1	-	7	27	48	18	30	53	34	33	-
1991	280	-	-	1	11	41	40	26	42	48	43	28	-
1990	260	-	1	-	13	43	24	29	40	46	40	24	-
1989	258	-	1	-	5	35	23	35	30	53	51	25	-
1988	258	1	-	-	11	30	37	25	37	37	48	32	-
1987	228	1	1	-	10	17	25	22	25	51	51	25	-
1986	239	-	2	2	8	21	24	17	41	54	42	28	-
1985	219	-	1	1	6	23	24	22	33	43	46	20	-
1984	222	1	1	-	10	19	24	22	38	48	41	18	-
1983	202	1	1	1	9	16	18	23	31	40	36	25	1
1982	215	1	1	2	2	16	16	17	37	49	45	29	-
1981	224	2	-	1	5	14	24	41	43	40	38	16	-
1980	250	-	1	2	6	15	29	40	39	57	43	18	-
1979	251	-	-	-	4	19	26	51	48	41	42	20	-
Tuberculosis (010-018)													
Black, both sexes													
1998	346	-	-	1	6	20	52	53	50	70	54	40	-
1997	342	-	1	-	6	20	38	64	52	65	64	32	-
1996	369	2	2	-	6	20	54	62	63	59	67	34	-
1995	418	-	1	-	8	16	70	76	51	86	67	42	1
1994	499	-	2	1	12	41	77	74	85	90	78	39	-
1993	549	2	3	1	5	44	97	90	80	97	81	49	-
1992	612	3	2	-	9	60	120	84	90	112	87	45	-
1991	619	-	-	2	14	74	124	96	103	92	76	38	-
1990	668	-	1	-	17	96	107	91	105	101	102	48	-
1989	707	-	5	-	13	84	114	116	92	130	103	49	1
1988	641	1	1	1	17	64	117	98	87	112	88	54	1
1987	582	-	4	-	15	60	93	80	92	97	101	39	1
1986	628	-	2	2	10	68	111	96	88	117	90	42	2
1985	579	2	2	1	10	53	77	94	108	102	84	46	-
1984	619	1	1	1	19	55	92	94	114	124	85	32	1
1983	577	-	-	1	10	48	67	101	105	110	84	49	2
1982	587	2	-	1	6	46	67	74	136	121	88	46	-
1981	657	3	1	1	7	48	78	115	132	133	99	40	-
1980	651	-	4	1	5	35	70	122	127	153	100	33	1
1979	643	-	1	1	8	39	82	131	143	115	86	37	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Tuberculosis (010-018)													
Black, male													
1998	213	-	-	-	-	10	35	36	30	44	32	26	-
1997	204	-	-	-	2	13	25	40	36	41	33	14	-
1996	236	-	2	-	4	9	33	45	41	40	47	15	-
1995	271	-	-	-	3	9	44	60	38	57	41	18	1
1994	315	-	1	-	2	20	52	55	61	54	52	18	-
1993	361	-	3	-	3	26	67	75	56	54	50	27	-
1992	400	-	1	-	2	33	75	70	66	75	61	17	-
1991	390	-	-	1	4	33	88	72	74	52	48	18	-
1990	446	-	-	-	4	57	86	66	75	61	69	28	-
1989	485	-	4	-	10	49	94	84	68	86	60	29	1
1988	422	-	1	1	6	36	82	77	60	83	49	26	1
1987	395	-	3	-	5	44	68	62	71	63	59	19	1
1986	424	-	-	1	4	48	88	82	56	68	55	20	2
1985	393	2	1	-	6	33	56	75	77	64	48	31	-
1984	425	-	-	1	9	38	72	74	81	82	50	17	1
1983	409	-	-	-	2	33	53	79	78	78	58	26	2
1982	412	1	-	-	4	30	56	62	102	79	56	22	-
1981	455	1	1	-	2	34	56	76	92	102	66	25	-
1980	443	-	3	1	1	21	44	92	94	104	63	19	1
1979	423	-	1	1	5	22	58	88	101	81	49	17	-
Tuberculosis (010-018)													
Black, female													
1998	133	-	-	1	6	10	17	17	20	26	22	14	-
1997	138	-	1	-	4	7	13	24	16	24	31	18	-
1996	133	2	-	-	2	11	21	17	22	19	20	19	-
1995	147	-	1	-	5	7	26	16	13	29	26	24	-
1994	184	-	1	1	10	21	25	19	24	36	26	21	-
1993	188	2	-	1	2	18	30	15	24	43	31	22	-
1992	212	3	1	-	7	27	45	14	24	37	26	28	-
1991	229	-	-	1	10	41	36	24	29	40	28	20	-
1990	222	-	1	-	13	39	21	25	30	40	33	20	-
1989	222	-	1	-	3	35	20	32	24	44	43	20	-
1988	219	1	-	-	11	28	35	21	27	29	39	28	-
1987	187	-	1	-	10	16	25	18	21	34	42	20	-
1986	204	-	2	1	6	20	23	14	32	49	35	22	-
1985	186	-	1	1	4	20	21	19	31	38	36	15	-
1984	194	1	1	-	10	17	20	20	33	42	35	15	-
1983	168	-	-	1	8	15	14	22	27	32	26	23	-
1982	175	1	-	1	2	16	11	12	34	42	32	24	-
1981	202	2	-	1	5	14	22	39	40	31	33	15	-
1980	208	-	1	-	4	14	26	30	33	49	37	14	-
1979	220	-	-	-	3	17	24	43	42	34	37	20	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Respiratory tuberculosis (010-012)													
All races, both sexes													
1998	815	-	-	-	7	25	64	84	103	169	218	145	-
1997	875	-	2	1	5	23	57	88	112	176	275	136	-
1996	912	2	-	2	11	25	68	93	124	180	246	161	-
1995	1,044	1	1	-	9	19	94	103	127	239	288	162	1
1994	1,129	-	-	1	7	45	103	106	142	233	296	194	2
1993	1,276	-	-	-	3	51	118	154	162	293	322	172	1
1992	1,315	1	2	1	8	64	133	121	198	296	320	171	-
1991	1,310	1	1	2	11	77	142	138	202	255	320	161	-
1990	1,378	1	1	1	13	95	131	129	191	307	335	174	-
1989	1,536	-	1	2	14	88	146	147	210	341	376	210	1
1988	1,488	-	1	-	12	60	139	154	216	323	367	215	1
1987	1,398	-	2	1	16	72	107	137	234	320	340	167	2
1986	1,407	-	1	1	12	60	135	142	226	303	343	181	3
1985	1,368	2	-	-	10	52	92	142	244	307	349	169	1
1984	1,342	-	1	-	13	54	94	142	243	321	326	148	-
1983	1,418	1	-	2	12	42	79	168	244	354	339	176	1
1982	1,468	1	-	-	4	45	87	144	268	362	359	198	-
1981	1,586	1	-	-	8	44	102	175	314	402	371	169	-
1980	1,638	-	-	-	8	26	85	199	313	452	368	185	2
1979	1,657	-	-	1	9	43	109	215	321	415	367	177	-
Respiratory tuberculosis (010-012)													
All races, male													
1998	528	-	-	-	1	16	51	65	77	103	142	73	-
1997	537	-	-	-	4	16	45	59	84	104	147	78	-
1996	600	-	-	2	7	18	49	68	99	123	155	79	-
1995	684	-	-	-	3	12	69	81	101	159	173	85	1
1994	722	-	-	-	2	29	79	76	109	158	167	100	2
1993	837	-	-	-	2	33	89	124	124	192	194	78	1
1992	853	-	2	1	2	35	90	112	151	198	185	77	-
1991	841	1	-	2	3	44	104	107	150	158	187	85	-
1990	907	1	1	-	5	64	102	98	136	196	212	92	-
1989	1,042	-	1	1	11	61	122	118	158	232	220	117	1
1988	986	-	-	-	5	39	102	127	174	223	213	102	1
1987	971	-	2	-	5	53	82	105	182	216	226	98	2
1986	948	-	-	-	6	42	114	119	159	203	213	89	3
1985	923	2	-	-	4	39	71	116	192	185	214	99	1
1984	932	-	1	-	7	36	74	117	179	230	205	83	-
1983	982	-	-	2	1	31	60	137	188	249	210	103	1
1982	1,014	-	-	-	2	32	71	119	215	248	225	102	-
1981	1,118	-	-	-	3	32	76	132	233	303	245	94	-
1980	1,148	-	-	-	3	13	59	150	239	320	248	114	2
1979	1,205	-	-	1	4	27	83	161	240	322	261	106	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Respiratory tuberculosis (010-012)													
All races, female													
1998	287	-	-	-	6	9	13	19	26	66	76	72	-
1997	338	-	2	1	1	7	12	29	28	72	128	58	-
1996	312	2	-	-	4	7	19	25	25	57	91	82	-
1995	360	1	1	-	6	7	25	22	26	80	115	77	-
1994	407	-	-	1	5	16	24	30	33	75	129	94	-
1993	439	-	-	-	1	18	29	30	38	101	128	94	-
1992	462	1	-	-	6	29	43	9	47	98	135	94	-
1991	469	-	1	-	8	33	38	31	52	97	133	76	-
1990	471	-	-	1	8	31	29	31	55	111	123	82	-
1989	494	-	-	1	3	27	24	29	52	109	156	93	-
1988	502	-	1	-	7	21	37	27	42	100	154	113	-
1987	427	-	-	1	11	19	25	32	52	104	114	69	-
1986	459	-	1	1	6	18	21	23	67	100	130	92	-
1985	445	-	-	-	6	13	21	26	52	122	135	70	-
1984	410	-	-	-	6	18	20	25	64	91	121	65	-
1983	436	1	-	-	11	11	19	31	56	105	129	73	-
1982	454	1	-	-	2	13	16	25	53	114	134	96	-
1981	468	1	-	-	5	12	26	43	81	99	126	75	-
1980	490	-	-	-	5	13	26	49	74	132	120	71	-
1979	452	-	-	-	5	16	26	54	81	93	106	71	-
Respiratory tuberculosis (010-012)													
White, both sexes													
1998	495	-	-	-	2	7	24	36	63	102	158	103	-
1997	532	-	1	1	2	10	21	32	60	108	198	99	-
1996	551	-	-	2	3	11	28	39	62	119	167	120	-
1995	641	1	1	-	5	8	33	39	76	146	223	109	-
1994	678	-	-	-	1	21	39	37	70	155	205	148	2
1993	769	-	-	-	1	21	40	73	83	188	242	120	1
1992	780	-	1	1	3	23	46	50	112	184	232	128	-
1991	754	1	1	1	3	25	50	50	103	168	236	116	-
1990	812	1	1	1	2	25	47	61	106	205	234	129	-
1989	927	-	-	1	6	25	54	54	121	228	275	162	1
1988	957	-	1	-	4	24	48	68	144	224	284	159	1
1987	900	-	-	1	5	30	40	72	162	219	244	125	2
1986	859	-	1	-	5	19	45	63	138	207	245	135	1
1985	882	-	-	-	4	19	30	71	153	219	259	126	1
1984	828	-	1	-	5	20	27	59	142	213	244	117	-
1983	925	-	-	2	5	12	24	80	156	256	257	133	-
1982	962	-	-	-	2	16	33	77	156	258	267	153	-
1981	1,012	-	-	-	4	10	26	85	199	276	278	134	-
1980	1,067	-	-	-	2	6	23	92	199	318	277	149	1
1979	1,106	-	-	1	2	17	39	105	197	316	285	144	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Respiratory tuberculosis (010-012)													
White, male													
1998	306	-	-	-	1	4	22	30	50	59	97	43	-
1997	309	-	-	-	2	7	17	23	46	59	101	54	-
1996	361	-	-	2	2	11	24	30	52	85	97	58	-
1995	400	-	-	-	1	7	25	30	60	94	128	55	-
1994	423	-	-	-	-	17	31	25	52	109	108	79	2
1993	490	-	-	-	1	14	32	56	68	131	140	47	1
1992	488	-	1	1	-	13	34	45	89	122	123	60	-
1991	474	1	-	1	-	15	40	38	83	102	134	60	-
1990	518	1	1	-	2	21	34	46	75	133	140	65	-
1989	600	-	-	-	6	22	43	45	87	155	154	87	1
1988	611	-	-	-	3	18	37	58	116	146	160	72	1
1987	623	-	-	-	2	20	31	53	121	154	164	76	2
1986	564	-	-	-	3	11	38	51	102	141	149	68	1
1985	585	-	-	-	1	18	25	59	121	126	164	70	1
1984	575	-	1	-	4	15	24	50	105	155	155	66	-
1983	616	-	-	2	1	11	17	65	117	179	148	76	-
1982	647	-	-	-	1	12	26	62	121	178	167	80	-
1981	702	-	-	-	1	5	21	71	150	201	181	72	-
1980	752	-	-	-	1	3	16	68	155	228	187	93	1
1979	812	-	-	1	-	12	31	86	144	245	207	86	-
Respiratory tuberculosis (010-012)													
White, female													
1998	189	-	-	-	1	3	2	6	13	43	61	60	-
1997	223	-	1	1	-	3	4	9	14	49	97	45	-
1996	190	-	-	-	1	-	4	9	10	34	70	62	-
1995	241	1	1	-	4	1	8	9	16	52	95	54	-
1994	255	-	-	-	1	4	8	12	18	46	97	69	-
1993	279	-	-	-	-	7	8	17	15	57	102	73	-
1992	292	-	-	-	3	10	12	5	23	62	109	68	-
1991	280	-	1	-	3	10	10	12	20	66	102	56	-
1990	294	-	-	1	-	4	13	15	31	72	94	64	-
1989	327	-	-	1	-	3	11	9	34	73	121	75	-
1988	346	-	1	-	1	6	11	10	28	78	124	87	-
1987	277	-	-	1	3	10	9	19	41	65	80	49	-
1986	295	-	1	-	2	8	7	12	36	66	96	67	-
1985	297	-	-	-	3	1	5	12	32	93	95	56	-
1984	253	-	-	-	1	5	3	9	37	58	89	51	-
1983	309	-	-	-	4	1	7	15	39	77	109	57	-
1982	315	-	-	-	1	4	7	15	35	80	100	73	-
1981	310	-	-	-	3	5	5	14	49	75	97	62	-
1980	315	-	-	-	1	3	7	24	44	90	90	56	-
1979	294	-	-	-	2	5	8	19	53	71	78	58	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Respiratory tuberculosis (010-012)													
All other, both sexes													
1998	320	-	-	-	5	18	40	48	40	67	60	42	-
1997	343	-	1	-	3	13	36	56	52	68	77	37	-
1996	361	2	-	-	8	14	40	54	62	61	79	41	-
1995	403	-	-	-	4	11	61	64	51	93	65	53	1
1994	451	-	-	1	6	24	64	69	72	78	91	46	-
1993	507	-	-	-	2	30	78	81	79	105	80	52	-
1992	535	1	1	-	5	41	87	71	86	112	88	43	-
1991	556	-	-	1	8	52	92	88	99	87	84	45	-
1990	566	-	-	-	11	70	84	68	85	102	101	45	-
1989	609	-	1	1	8	63	92	93	89	113	101	48	-
1988	531	-	-	-	8	36	91	86	72	99	83	56	-
1987	498	-	2	-	11	42	67	65	72	101	96	42	-
1986	548	-	-	1	7	41	90	79	88	96	98	46	2
1985	486	2	-	-	6	33	62	71	91	88	90	43	-
1984	514	-	-	-	8	34	67	83	101	108	82	31	-
1983	493	1	-	-	7	30	55	88	88	98	82	43	1
1982	506	1	-	-	2	29	54	67	112	104	92	45	-
1981	574	1	-	-	4	34	76	90	115	126	93	35	-
1980	571	-	-	-	6	20	62	107	114	134	91	36	1
1979	551	-	-	-	7	26	70	110	124	99	82	33	-
Respiratory tuberculosis (010-012)													
All other, male													
1998	222	-	-	-	-	12	29	35	27	44	45	30	-
1997	228	-	-	-	2	9	28	36	38	45	46	24	-
1996	239	-	-	-	5	7	25	38	47	38	58	21	-
1995	284	-	-	-	2	5	44	51	41	65	45	30	1
1994	299	-	-	-	2	12	48	51	57	49	59	21	-
1993	347	-	-	-	1	19	57	68	56	61	54	31	-
1992	365	-	1	-	2	22	56	67	62	76	62	17	-
1991	367	-	-	1	3	29	64	69	67	56	53	25	-
1990	389	-	-	-	3	43	68	52	61	63	72	27	-
1989	442	-	1	1	5	39	79	73	71	77	66	30	-
1988	375	-	-	-	2	21	65	69	58	77	53	30	-
1987	348	-	2	-	3	33	51	52	61	62	62	22	-
1986	384	-	-	-	3	31	76	68	57	62	64	21	2
1985	338	2	-	-	3	21	46	57	71	59	50	29	-
1984	357	-	-	-	3	21	50	67	74	75	50	17	-
1983	366	-	-	-	-	20	43	72	71	70	62	27	1
1982	367	-	-	-	1	20	45	57	94	70	58	22	-
1981	416	-	-	-	2	27	55	61	83	102	64	22	-
1980	396	-	-	-	2	10	43	82	84	92	61	21	1
1979	393	-	-	-	4	15	52	75	96	77	54	20	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Respiratory tuberculosis (010-012)													
All other, female													
1998	98	-	-	-	5	6	11	13	13	23	15	12	-
1997	115	-	1	-	1	4	8	20	14	23	31	13	-
1996	122	2	-	-	3	7	15	16	15	23	21	20	-
1995	119	-	-	-	2	6	17	13	10	28	20	23	-
1994	152	-	-	1	4	12	16	18	15	29	32	25	-
1993	160	-	-	-	1	11	21	13	23	44	26	21	-
1992	170	1	-	-	3	19	31	4	24	36	26	26	-
1991	189	-	-	-	5	23	28	19	32	31	31	20	-
1990	177	-	-	-	8	27	16	16	24	39	29	18	-
1989	167	-	-	-	3	24	13	20	18	36	35	18	-
1988	156	-	-	-	6	15	26	17	14	22	30	26	-
1987	150	-	-	-	8	9	16	13	11	39	34	20	-
1986	164	-	-	1	4	10	14	11	31	34	34	25	-
1985	148	-	-	-	3	12	16	14	20	29	40	14	-
1984	157	-	-	-	5	13	17	16	27	33	32	14	-
1983	127	1	-	-	7	10	12	16	17	28	20	16	-
1982	139	1	-	-	1	9	9	10	18	34	34	23	-
1981	158	1	-	-	2	7	21	29	32	24	29	13	-
1980	175	-	-	-	4	10	19	25	30	42	30	15	-
1979	158	-	-	-	3	11	18	35	28	22	28	13	-
Respiratory tuberculosis (010-012)													
Black, both sexes													
1998	251	-	-	-	4	14	33	40	35	50	43	32	-
1997	250	-	1	-	3	12	30	46	38	48	50	22	-
1996	284	2	-	-	6	14	37	48	49	43	54	31	-
1995	314	-	-	-	4	10	53	61	38	67	44	36	1
1994	368	-	-	1	6	24	61	57	59	61	66	33	-
1993	416	-	-	-	2	29	72	74	65	82	52	40	-
1992	463	1	1	-	5	39	83	66	73	90	70	35	-
1991	467	-	-	1	8	52	87	84	83	71	53	28	-
1990	491	-	-	-	11	65	80	61	73	82	81	38	-
1989	533	-	1	-	7	61	88	88	71	98	75	44	-
1988	454	-	-	-	8	34	84	78	58	87	63	42	-
1987	432	-	2	-	11	40	67	59	66	80	73	34	-
1986	478	-	-	-	6	39	81	76	72	88	76	38	2
1985	432	1	-	-	5	31	56	69	85	77	73	35	-
1984	463	-	-	-	8	33	64	79	90	97	68	24	-
1983	431	-	-	-	6	27	51	85	77	80	68	36	1
1982	444	1	-	-	2	29	48	59	105	93	67	40	-
1981	522	1	-	-	4	32	71	87	106	110	80	31	-
1980	518	-	-	-	3	20	59	101	106	121	78	29	1
1979	504	-	-	-	6	24	69	104	117	87	69	28	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Respiratory tuberculosis (010-012)													
Black, male													
1998	176	-	-	-	-	9	25	30	26	33	31	22	-
1997	165	-	-	-	2	8	22	30	29	35	28	11	-
1996	186	-	-	-	4	7	23	36	36	28	39	13	-
1995	225	-	-	-	2	5	37	49	32	50	32	17	1
1994	252	-	-	-	2	12	45	46	46	40	45	16	-
1993	294	-	-	-	1	19	53	64	49	49	35	24	-
1992	323	-	1	-	2	20	54	63	55	64	51	13	-
1991	319	-	-	1	3	29	62	67	61	45	35	16	-
1990	341	-	-	-	3	42	66	45	56	48	58	23	-
1989	386	-	1	-	5	37	76	69	59	65	47	27	-
1988	319	-	-	-	2	20	60	62	49	69	37	20	-
1987	310	-	2	-	3	31	51	48	57	54	46	18	-
1986	339	-	-	-	3	29	68	66	49	57	47	18	2
1985	306	1	-	-	3	21	41	57	67	50	41	25	-
1984	328	-	-	-	3	21	50	64	68	68	42	12	-
1983	327	-	-	-	-	18	43	69	62	58	54	22	1
1982	328	-	-	-	1	20	41	51	90	62	44	19	-
1981	376	-	-	-	2	25	51	59	75	92	54	18	-
1980	373	-	-	-	1	10	42	82	82	85	52	18	1
1979	363	-	-	-	4	15	51	74	93	67	44	15	-
Respiratory tuberculosis (010-012)													
Black, female													
1998	75	-	-	-	4	5	8	10	9	17	12	10	-
1997	85	-	1	-	1	4	8	16	9	13	22	11	-
1996	98	2	-	-	2	7	14	12	13	15	15	18	-
1995	89	-	-	-	2	5	16	12	6	17	12	19	-
1994	116	-	-	1	4	12	16	11	13	21	21	17	-
1993	122	-	-	-	1	10	19	10	16	33	17	16	-
1992	140	1	-	-	3	19	29	3	18	26	19	22	-
1991	148	-	-	-	5	23	25	17	22	26	18	12	-
1990	150	-	-	-	8	23	14	16	17	34	23	15	-
1989	147	-	-	-	2	24	12	19	12	33	28	17	-
1988	135	-	-	-	6	14	24	16	9	18	26	22	-
1987	122	-	-	-	8	9	16	11	9	26	27	16	-
1986	139	-	-	-	3	10	13	10	23	31	29	20	-
1985	126	-	-	-	2	10	15	12	18	27	32	10	-
1984	135	-	-	-	5	12	14	15	22	29	26	12	-
1983	104	-	-	-	6	9	8	16	15	22	14	14	-
1982	116	1	-	-	1	9	7	8	15	31	23	21	-
1981	146	1	-	-	2	7	20	28	31	18	26	13	-
1980	145	-	-	-	2	10	17	19	24	36	26	11	-
1979	141	-	-	-	2	9	18	30	24	20	25	13	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other tuberculosis (013-018)													
All races, both sexes													
1998	297	-	3	1	4	13	44	30	48	60	62	32	-
1997	291	-	2	-	9	13	24	37	45	58	78	25	-
1996	290	-	2	-	3	18	29	36	43	65	63	31	-
1995	292	-	1	2	9	20	33	40	30	61	71	25	-
1994	349	-	3	-	8	28	34	46	62	80	61	27	-
1993	355	2	5	2	10	32	41	38	47	57	96	25	-
1992	390	4	4	3	5	38	65	39	44	82	62	44	-
1991	403	1	1	3	11	34	63	36	52	74	91	37	-
1990	432	1	5	2	10	49	47	59	78	75	71	35	-
1989	434	1	6	1	11	39	54	54	60	85	90	32	1
1988	433	2	2	1	16	46	54	41	62	81	86	41	1
1987	357	1	4	1	7	29	55	39	50	69	73	28	1
1986	375	1	2	3	6	47	49	41	53	70	73	30	-
1985	384	2	3	2	15	30	43	41	55	82	81	30	-
1984	387	2	1	2	15	34	46	35	59	85	79	28	1
1983	361	-	3	2	6	32	28	30	62	82	78	36	2
1982	339	2	3	4	4	21	29	33	57	71	81	33	1
1981	351	3	4	3	8	24	22	47	57	74	75	34	-
1980	340	2	6	4	3	18	25	44	51	90	68	29	-
1979	350	1	7	2	5	19	22	48	56	79	71	40	-
Other tuberculosis (013-018)													
All races, male													
1998	130	-	-	-	-	3	23	13	23	31	26	11	-
1997	125	-	1	-	2	8	13	21	22	22	28	8	-
1996	139	-	2	-	1	6	17	24	20	34	27	8	-
1995	130	-	-	1	5	10	16	23	14	25	28	8	-
1994	162	-	2	-	-	12	18	24	30	38	28	10	-
1993	181	-	4	1	5	17	24	23	23	32	40	12	-
1992	206	1	1	2	-	21	42	19	29	40	34	17	-
1991	207	1	-	2	4	13	41	21	37	30	43	15	-
1990	240	1	1	1	2	23	35	41	45	41	36	14	-
1989	242	-	5	1	8	22	37	31	33	49	41	14	1
1988	235	-	1	1	7	28	35	28	27	46	40	21	1
1987	198	-	2	1	4	18	38	27	28	34	34	11	1
1986	209	1	-	1	1	31	37	28	24	35	33	18	-
1985	212	2	1	-	7	18	29	30	30	40	38	17	-
1984	217	1	-	2	6	23	34	21	39	40	32	18	1
1983	194	-	1	-	3	21	16	16	35	49	36	16	1
1982	188	1	1	1	3	13	18	22	29	40	49	11	-
1981	181	1	3	2	2	14	10	29	35	33	37	15	-
1980	183	2	4	2	-	12	10	22	35	54	25	17	-
1979	166	1	4	1	2	9	10	25	22	44	32	16	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other tuberculosis (013-018)													
All races, female													
1998	167	-	3	1	4	10	21	17	25	29	36	21	-
1997	166	-	1	-	7	5	11	16	23	36	50	17	-
1996	151	-	-	-	2	12	12	12	23	31	36	23	-
1995	162	-	1	1	4	10	17	17	16	36	43	17	-
1994	187	-	1	-	8	16	16	22	32	42	33	17	-
1993	174	2	1	1	5	15	17	15	24	25	56	13	-
1992	184	3	3	1	5	17	23	20	15	42	28	27	-
1991	196	-	1	1	7	21	22	15	15	44	48	22	-
1990	192	-	4	1	8	26	12	18	33	34	35	21	-
1989	192	1	1	-	3	17	17	23	27	36	49	18	-
1988	198	2	1	-	9	18	19	13	35	35	46	20	-
1987	159	1	2	-	3	11	17	12	22	35	39	17	-
1986	166	-	2	2	5	16	12	13	29	35	40	12	-
1985	172	-	2	2	8	12	14	11	25	42	43	13	-
1984	170	1	1	-	9	11	12	14	20	45	47	10	-
1983	167	-	2	2	3	11	12	14	27	33	42	20	1
1982	151	1	2	3	1	8	11	11	28	31	32	22	1
1981	170	2	1	1	6	10	12	18	22	41	38	19	-
1980	157	-	2	2	3	6	15	22	16	36	43	12	-
1979	184	-	3	1	3	10	12	23	34	35	39	24	-
Other tuberculosis (013-018)													
White, both sexes													
1998	172	-	3	-	2	5	15	14	32	35	45	21	-
1997	163	-	2	-	5	3	14	15	26	34	52	12	-
1996	173	-	-	-	1	9	11	18	23	43	43	25	-
1995	163	-	-	2	4	12	11	22	16	37	40	19	-
1994	185	-	1	-	2	7	16	23	28	43	45	20	-
1993	200	-	2	-	7	14	12	17	25	41	66	16	-
1992	214	2	3	3	1	16	24	15	26	49	42	33	-
1991	224	1	1	1	3	12	25	23	24	48	61	25	-
1990	221	1	4	2	4	16	18	22	38	49	45	22	-
1989	225	1	2	1	4	15	25	18	33	45	58	23	-
1988	215	1	1	-	6	13	20	16	28	51	51	28	-
1987	182	-	1	1	3	8	29	14	21	45	38	22	-
1986	206	-	-	1	1	16	19	18	34	38	54	25	-
1985	219	1	1	1	8	7	20	14	32	53	64	18	-
1984	219	-	-	1	4	11	15	19	35	56	60	18	-
1983	194	-	2	1	2	11	9	13	31	48	54	23	-
1982	173	1	2	2	-	4	7	14	25	37	57	23	1
1981	199	1	3	2	5	8	12	17	29	46	52	24	-
1980	186	1	1	1	1	2	12	19	28	54	43	24	-
1979	188	1	5	1	3	4	7	16	27	43	51	30	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other tuberculosis (013-018)													
White, male													
1998	75	-	-	-	-	1	8	6	18	17	20	5	-
1997	71	-	1	-	1	2	9	10	13	13	18	4	-
1996	79	-	-	-	1	4	7	12	12	20	18	5	-
1995	74	-	-	1	4	4	7	11	7	15	18	7	-
1994	83	-	1	-	-	3	10	12	11	20	18	8	-
1993	101	-	1	-	3	8	6	10	14	26	24	9	-
1992	114	1	1	2	-	7	18	9	17	24	22	13	-
1991	119	1	-	1	2	9	15	15	19	21	25	11	-
1990	112	1	1	1	1	6	14	17	21	22	21	7	-
1989	124	-	2	1	3	9	18	10	18	26	25	12	-
1988	119	-	-	-	2	10	12	11	16	31	23	14	-
1987	101	-	-	1	2	5	21	11	13	22	16	10	-
1986	115	-	-	-	-	11	17	11	15	23	22	16	-
1985	118	1	-	-	3	6	14	11	20	25	27	11	-
1984	114	-	-	1	-	6	10	11	26	26	22	12	-
1983	102	-	1	-	1	6	3	6	18	27	28	12	-
1982	98	-	1	1	-	3	3	10	16	21	36	7	-
1981	95	-	2	2	2	5	3	11	18	21	23	8	-
1980	104	1	-	1	-	1	7	12	21	33	13	15	-
1979	97	1	2	-	1	2	3	9	13	27	26	13	-
Other tuberculosis (013-018)													
White, female													
1998	97	-	3	-	2	4	7	8	14	18	25	16	-
1997	92	-	1	-	4	1	5	5	13	21	34	8	-
1996	94	-	-	-	-	5	4	6	11	23	25	20	-
1995	89	-	-	1	-	8	4	11	9	22	22	12	-
1994	102	-	-	-	2	4	6	11	17	23	27	12	-
1993	99	-	1	-	4	6	6	7	11	15	42	7	-
1992	100	1	2	1	1	9	6	6	9	25	20	20	-
1991	105	-	1	-	1	3	10	8	5	27	36	14	-
1990	109	-	3	1	3	10	4	5	17	27	24	15	-
1989	101	1	-	-	1	6	7	8	15	19	33	11	-
1988	96	1	1	-	4	3	8	5	12	20	28	14	-
1987	81	-	1	-	1	3	8	3	8	23	22	12	-
1986	91	-	-	1	1	5	2	7	19	15	32	9	-
1985	101	-	1	1	5	1	6	3	12	28	37	7	-
1984	105	-	-	-	4	5	5	8	9	30	38	6	-
1983	92	-	1	1	1	5	6	7	13	21	26	11	-
1982	75	1	1	1	-	1	4	4	9	16	21	16	1
1981	104	1	1	-	3	3	9	6	11	25	29	16	-
1980	82	-	1	-	1	1	5	7	7	21	30	9	-
1979	91	-	3	1	2	2	4	7	14	16	25	17	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other tuberculosis (013-018)													
All other, both sexes													
1998	125	-	-	1	2	8	29	16	16	25	17	11	-
1997	128	-	-	-	4	10	10	22	19	24	26	13	-
1996	117	-	2	-	2	9	18	18	20	22	20	6	-
1995	129	-	1	-	5	8	22	18	14	24	31	6	-
1994	164	-	2	-	6	21	18	23	34	37	16	7	-
1993	155	2	3	2	3	18	29	21	22	16	30	9	-
1992	176	2	1	-	4	22	41	24	18	33	20	11	-
1991	179	-	-	2	8	22	38	13	28	26	30	12	-
1990	211	-	1	-	6	33	29	37	40	26	26	13	-
1989	209	-	4	-	7	24	29	36	27	40	32	9	1
1988	218	1	1	1	10	33	34	25	34	30	35	13	1
1987	175	1	3	-	4	21	26	25	29	24	35	6	1
1986	169	1	2	2	5	31	30	23	19	32	19	5	-
1985	165	1	2	1	7	23	23	27	23	29	17	12	-
1984	168	2	1	1	11	23	31	16	24	29	19	10	1
1983	167	-	1	1	4	21	19	17	31	34	24	13	2
1982	166	1	1	2	4	17	22	19	32	34	24	10	-
1981	152	2	1	1	3	16	10	30	28	28	23	10	-
1980	154	1	5	3	2	16	13	25	23	36	25	5	-
1979	162	-	2	1	2	15	15	32	29	36	20	10	-
Other tuberculosis (013-018)													
All other, male													
1998	55	-	-	-	-	2	15	7	5	14	6	6	-
1997	54	-	-	-	1	6	4	11	9	9	10	4	-
1996	60	-	2	-	-	2	10	12	8	14	9	3	-
1995	56	-	-	-	1	6	9	12	7	10	10	1	-
1994	79	-	1	-	-	9	8	12	19	18	10	2	-
1993	80	-	3	1	2	9	18	13	9	6	16	3	-
1992	92	-	-	-	-	14	24	10	12	16	12	4	-
1991	88	-	-	1	2	4	26	6	18	9	18	4	-
1990	128	-	-	-	1	17	21	24	24	19	15	7	-
1989	118	-	3	-	5	13	19	21	15	23	16	2	1
1988	116	-	1	1	5	18	23	17	11	15	17	7	1
1987	97	-	2	-	2	13	17	16	15	12	18	1	1
1986	94	1	-	1	1	20	20	17	9	12	11	2	-
1985	94	1	1	-	4	12	15	19	10	15	11	6	-
1984	103	1	-	1	6	17	24	10	13	14	10	6	1
1983	92	-	-	-	2	15	13	10	17	22	8	4	1
1982	90	1	-	-	3	10	15	12	13	19	13	4	-
1981	86	1	1	-	-	9	7	18	17	12	14	7	-
1980	79	1	4	1	-	11	3	10	14	21	12	2	-
1979	69	-	2	1	1	7	7	16	9	17	6	3	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other tuberculosis (013-018)													
All other, female													
1998	70	-	-	1	2	6	14	9	11	11	11	5	-
1997	74	-	-	-	3	4	6	11	10	15	16	9	-
1996	57	-	-	-	2	7	8	6	12	8	11	3	-
1995	73	-	1	-	4	2	13	6	7	14	21	5	-
1994	85	-	1	-	6	12	10	11	15	19	6	5	-
1993	75	2	-	1	1	9	11	8	13	10	14	6	-
1992	84	2	1	-	4	8	17	14	6	17	8	7	-
1991	91	-	-	1	6	18	12	7	10	17	12	8	-
1990	83	-	1	-	5	16	8	13	16	7	11	6	-
1989	91	-	1	-	2	11	10	15	12	17	16	7	-
1988	102	1	-	-	5	15	11	8	23	15	18	6	-
1987	78	1	1	-	2	8	9	9	14	12	17	5	-
1986	75	-	2	1	4	11	10	6	10	20	8	3	-
1985	71	-	1	1	3	11	8	8	13	14	6	6	-
1984	65	1	1	-	5	6	7	6	11	15	9	4	-
1983	75	-	1	1	2	6	6	7	14	12	16	9	1
1982	76	-	1	2	1	7	7	7	19	15	11	6	-
1981	66	1	-	1	3	7	3	12	11	16	9	3	-
1980	75	-	1	2	2	5	10	15	9	15	13	3	-
1979	93	-	-	-	1	8	8	16	20	19	14	7	-
Other tuberculosis (013-018)													
Black, both sexes													
1998	95	-	-	1	2	6	19	13	15	20	11	8	-
1997	92	-	-	-	3	8	8	18	14	17	14	10	-
1996	85	-	2	-	-	6	17	14	14	16	13	3	-
1995	104	-	1	-	4	6	17	15	13	19	23	6	-
1994	131	-	2	-	6	17	16	17	26	29	12	6	-
1993	133	2	3	1	3	15	25	16	15	15	29	9	-
1992	149	2	1	-	4	21	37	18	17	22	17	10	-
1991	152	-	-	1	6	22	37	12	20	21	23	10	-
1990	177	-	1	-	6	31	27	30	32	19	21	10	-
1989	174	-	4	-	6	23	26	28	21	32	28	5	1
1988	187	1	1	1	9	30	33	20	29	25	25	12	1
1987	150	-	2	-	4	20	26	21	26	17	28	5	1
1986	150	-	2	2	4	29	30	20	16	29	14	4	-
1985	147	1	2	1	5	22	21	25	23	25	11	11	-
1984	156	1	1	1	11	22	28	15	24	27	17	8	1
1983	146	-	-	1	4	21	16	16	28	30	16	13	1
1982	143	1	-	1	4	17	19	15	31	28	21	6	-
1981	135	2	1	1	3	16	7	28	26	23	19	9	-
1980	133	-	4	1	2	15	11	21	21	32	22	4	-
1979	139	-	1	1	2	15	13	27	26	28	17	9	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other tuberculosis (013-018)													
Black, male													
1998	37	-	-	-	-	1	10	6	4	11	1	4	-
1997	39	-	-	-	-	5	3	10	7	6	5	3	-
1996	50	-	2	-	-	2	10	9	5	12	8	2	-
1995	46	-	-	-	1	4	7	11	6	7	9	1	-
1994	63	-	1	-	-	8	7	9	15	14	7	2	-
1993	67	-	3	-	2	7	14	11	7	5	15	3	-
1992	77	-	-	-	-	13	21	7	11	11	10	4	-
1991	71	-	-	-	1	4	26	5	13	7	13	2	-
1990	105	-	-	-	1	15	20	21	19	13	11	5	-
1989	99	-	3	-	5	12	18	15	9	21	13	2	1
1988	103	-	1	1	4	16	22	15	11	14	12	6	1
1987	85	-	1	-	2	13	17	14	14	9	13	1	1
1986	85	-	-	1	1	19	20	16	7	11	8	2	-
1985	87	1	1	-	3	12	15	18	10	14	7	6	-
1984	97	-	-	1	6	17	22	10	13	14	8	5	1
1983	82	-	-	-	2	15	10	10	16	20	4	4	1
1982	84	1	-	-	3	10	15	11	12	17	12	3	-
1981	79	1	1	-	-	9	5	17	17	10	12	7	-
1980	70	-	3	1	-	11	2	10	12	19	11	1	-
1979	60	-	1	1	1	7	7	14	8	14	5	2	-
Other tuberculosis (013-018)													
Black, female													
1998	58	-	-	1	2	5	9	7	11	9	10	4	-
1997	53	-	-	-	3	3	5	8	7	11	9	7	-
1996	35	-	-	-	-	4	7	5	9	4	5	1	-
1995	58	-	1	-	3	2	10	4	7	12	14	5	-
1994	68	-	1	-	6	9	9	8	11	15	5	4	-
1993	66	2	-	1	1	8	11	5	8	10	14	6	-
1992	72	2	1	-	4	8	16	11	6	11	7	6	-
1991	81	-	-	1	5	18	11	7	7	14	10	8	-
1990	72	-	1	-	5	16	7	9	13	6	10	5	-
1989	75	-	1	-	1	11	8	13	12	11	15	3	-
1988	84	1	-	-	5	14	11	5	18	11	13	6	-
1987	65	-	1	-	2	7	9	7	12	8	15	4	-
1986	65	-	2	1	3	10	10	4	9	18	6	2	-
1985	60	-	1	1	2	10	6	7	13	11	4	5	-
1984	59	1	1	-	5	5	6	5	11	13	9	3	-
1983	64	-	-	1	2	6	6	6	12	10	12	9	-
1982	59	-	-	1	1	7	4	4	19	11	9	3	-
1981	56	1	-	1	3	7	2	11	9	13	7	2	-
1980	63	-	1	-	2	4	9	11	9	13	11	3	-
1979	79	-	-	-	1	8	6	13	18	14	12	7	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Whooping cough (033)													
All races, both sexes													
1998	5	4	1	-	-	-	-	-	-	-	-	-	-
1997	6	6	-	-	-	-	-	-	-	-	-	-	-
1996	4	4	-	-	-	-	-	-	-	-	-	-	-
1995	6	6	-	-	-	-	-	-	-	-	-	-	-
1994	8	8	-	-	-	-	-	-	-	-	-	-	-
1993	7	7	-	-	-	-	-	-	-	-	-	-	-
1992	5	4	-	1	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-	-
1990	12	11	1	-	-	-	-	-	-	-	-	-	-
1989	12	9	3	-	-	-	-	-	-	-	-	-	-
1988	4	4	-	-	-	-	-	-	-	-	-	-	-
1987	1	-	1	-	-	-	-	-	-	-	-	-	-
1986	6	5	-	-	-	-	-	-	-	1	-	-	-
1985	4	3	1	-	-	-	-	-	-	-	-	-	-
1984	7	7	-	-	-	-	-	-	-	-	-	-	-
1983	5	5	-	-	-	-	-	-	-	-	-	-	-
1982	4	4	-	-	-	-	-	-	-	-	-	-	-
1981	6	5	1	-	-	-	-	-	-	-	-	-	-
1980	11	10	1	-	-	-	-	-	-	-	-	-	-
1979	6	6	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)													
All races, male													
1998	5	4	1	-	-	-	-	-	-	-	-	-	-
1997	3	3	-	-	-	-	-	-	-	-	-	-	-
1996	2	2	-	-	-	-	-	-	-	-	-	-	-
1995	2	2	-	-	-	-	-	-	-	-	-	-	-
1994	2	2	-	-	-	-	-	-	-	-	-	-	-
1993	3	3	-	-	-	-	-	-	-	-	-	-	-
1992	3	2	-	1	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-	-
1990	4	4	-	-	-	-	-	-	-	-	-	-	-
1989	4	3	1	-	-	-	-	-	-	-	-	-	-
1988	2	2	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	4	3	-	-	-	-	-	-	-	1	-	-	-
1985	3	2	1	-	-	-	-	-	-	-	-	-	-
1984	2	2	-	-	-	-	-	-	-	-	-	-	-
1983	1	1	-	-	-	-	-	-	-	-	-	-	-
1982	2	2	-	-	-	-	-	-	-	-	-	-	-
1981	2	2	-	-	-	-	-	-	-	-	-	-	-
1980	4	3	1	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Whooping cough (033)													
All races, female													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	3	3	-	-	-	-	-	-	-	-	-	-	-
1996	2	2	-	-	-	-	-	-	-	-	-	-	-
1995	4	4	-	-	-	-	-	-	-	-	-	-	-
1994	6	6	-	-	-	-	-	-	-	-	-	-	-
1993	4	4	-	-	-	-	-	-	-	-	-	-	-
1992	2	2	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-	-
1990	8	7	1	-	-	-	-	-	-	-	-	-	-
1989	8	6	2	-	-	-	-	-	-	-	-	-	-
1988	2	2	-	-	-	-	-	-	-	-	-	-	-
1987	1	-	1	-	-	-	-	-	-	-	-	-	-
1986	2	2	-	-	-	-	-	-	-	-	-	-	-
1985	1	1	-	-	-	-	-	-	-	-	-	-	-
1984	5	5	-	-	-	-	-	-	-	-	-	-	-
1983	4	4	-	-	-	-	-	-	-	-	-	-	-
1982	2	2	-	-	-	-	-	-	-	-	-	-	-
1981	4	3	1	-	-	-	-	-	-	-	-	-	-
1980	7	7	-	-	-	-	-	-	-	-	-	-	-
1979	6	6	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)													
White, both sexes													
1998	4	4	-	-	-	-	-	-	-	-	-	-	-
1997	4	4	-	-	-	-	-	-	-	-	-	-	-
1996	4	4	-	-	-	-	-	-	-	-	-	-	-
1995	6	6	-	-	-	-	-	-	-	-	-	-	-
1994	7	7	-	-	-	-	-	-	-	-	-	-	-
1993	5	5	-	-	-	-	-	-	-	-	-	-	-
1992	4	3	-	1	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-	-
1990	9	8	1	-	-	-	-	-	-	-	-	-	-
1989	10	7	3	-	-	-	-	-	-	-	-	-	-
1988	3	3	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	3	2	-	-	-	-	-	-	-	1	-	-	-
1985	2	1	1	-	-	-	-	-	-	-	-	-	-
1984	6	6	-	-	-	-	-	-	-	-	-	-	-
1983	5	5	-	-	-	-	-	-	-	-	-	-	-
1982	4	4	-	-	-	-	-	-	-	-	-	-	-
1981	5	5	-	-	-	-	-	-	-	-	-	-	-
1980	8	7	1	-	-	-	-	-	-	-	-	-	-
1979	4	4	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Whooping cough (033)													
White, male													
1998	4	4	-	-	-	-	-	-	-	-	-	-	-
1997	2	2	-	-	-	-	-	-	-	-	-	-	-
1996	2	2	-	-	-	-	-	-	-	-	-	-	-
1995	2	2	-	-	-	-	-	-	-	-	-	-	-
1994	2	2	-	-	-	-	-	-	-	-	-	-	-
1993	2	2	-	-	-	-	-	-	-	-	-	-	-
1992	3	2	-	1	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-	-
1990	3	3	-	-	-	-	-	-	-	-	-	-	-
1989	3	2	1	-	-	-	-	-	-	-	-	-	-
1988	2	2	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	3	2	-	-	-	-	-	-	-	1	-	-	-
1985	2	1	1	-	-	-	-	-	-	-	-	-	-
1984	2	2	-	-	-	-	-	-	-	-	-	-	-
1983	1	1	-	-	-	-	-	-	-	-	-	-	-
1982	2	2	-	-	-	-	-	-	-	-	-	-	-
1981	2	2	-	-	-	-	-	-	-	-	-	-	-
1980	4	3	1	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)													
White, female													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	2	2	-	-	-	-	-	-	-	-	-	-	-
1996	2	2	-	-	-	-	-	-	-	-	-	-	-
1995	4	4	-	-	-	-	-	-	-	-	-	-	-
1994	5	5	-	-	-	-	-	-	-	-	-	-	-
1993	3	3	-	-	-	-	-	-	-	-	-	-	-
1992	1	1	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-	-
1990	6	5	1	-	-	-	-	-	-	-	-	-	-
1989	7	5	2	-	-	-	-	-	-	-	-	-	-
1988	1	1	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-	-	-
1984	4	4	-	-	-	-	-	-	-	-	-	-	-
1983	4	4	-	-	-	-	-	-	-	-	-	-	-
1982	2	2	-	-	-	-	-	-	-	-	-	-	-
1981	3	3	-	-	-	-	-	-	-	-	-	-	-
1980	4	4	-	-	-	-	-	-	-	-	-	-	-
1979	4	4	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Whooping cough (033)													
All other, both sexes													
1998	1	-	1	-	-	-	-	-	-	-	-	-	-
1997	2	2	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	1	1	-	-	-	-	-	-	-	-	-	-	-
1993	2	2	-	-	-	-	-	-	-	-	-	-	-
1992	1	1	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-	-
1990	3	3	-	-	-	-	-	-	-	-	-	-	-
1989	2	2	-	-	-	-	-	-	-	-	-	-	-
1988	1	1	-	-	-	-	-	-	-	-	-	-	-
1987	1	-	1	-	-	-	-	-	-	-	-	-	-
1986	3	3	-	-	-	-	-	-	-	-	-	-	-
1985	2	2	-	-	-	-	-	-	-	-	-	-	-
1984	1	1	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	1	-	1	-	-	-	-	-	-	-	-	-	-
1980	3	3	-	-	-	-	-	-	-	-	-	-	-
1979	2	2	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)													
All other, male													
1998	1	-	1	-	-	-	-	-	-	-	-	-	-
1997	1	1	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	1	1	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-	-
1990	1	1	-	-	-	-	-	-	-	-	-	-	-
1989	1	1	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	1	1	-	-	-	-	-	-	-	-	-	-	-
1985	1	1	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Whooping cough (033)													
All other, female													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	1	1	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	1	1	-	-	-	-	-	-	-	-	-	-	-
1993	1	1	-	-	-	-	-	-	-	-	-	-	-
1992	1	1	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-	-
1990	2	2	-	-	-	-	-	-	-	-	-	-	-
1989	1	1	-	-	-	-	-	-	-	-	-	-	-
1988	1	1	-	-	-	-	-	-	-	-	-	-	-
1987	1	-	1	-	-	-	-	-	-	-	-	-	-
1986	2	2	-	-	-	-	-	-	-	-	-	-	-
1985	1	1	-	-	-	-	-	-	-	-	-	-	-
1984	1	1	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	1	-	1	-	-	-	-	-	-	-	-	-	-
1980	3	3	-	-	-	-	-	-	-	-	-	-	-
1979	2	2	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)													
Black, both sexes													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	1	1	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	1	1	-	-	-	-	-	-	-	-	-	-	-
1993	1	1	-	-	-	-	-	-	-	-	-	-	-
1992	1	1	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-	-
1990	3	3	-	-	-	-	-	-	-	-	-	-	-
1989	2	2	-	-	-	-	-	-	-	-	-	-	-
1988	1	1	-	-	-	-	-	-	-	-	-	-	-
1987	1	-	1	-	-	-	-	-	-	-	-	-	-
1986	3	3	-	-	-	-	-	-	-	-	-	-	-
1985	2	2	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	1	-	1	-	-	-	-	-	-	-	-	-	-
1980	3	3	-	-	-	-	-	-	-	-	-	-	-
1979	2	2	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Whooping cough (033)													
Black, male													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-	-
1990	1	1	-	-	-	-	-	-	-	-	-	-	-
1989	1	1	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	1	1	-	-	-	-	-	-	-	-	-	-	-
1985	1	1	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)													
Black, female													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	1	1	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	1	1	-	-	-	-	-	-	-	-	-	-	-
1993	1	1	-	-	-	-	-	-	-	-	-	-	-
1992	1	1	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-	-
1990	2	2	-	-	-	-	-	-	-	-	-	-	-
1989	1	1	-	-	-	-	-	-	-	-	-	-	-
1988	1	1	-	-	-	-	-	-	-	-	-	-	-
1987	1	-	1	-	-	-	-	-	-	-	-	-	-
1986	2	2	-	-	-	-	-	-	-	-	-	-	-
1985	1	1	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	1	-	1	-	-	-	-	-	-	-	-	-	-
1980	3	3	-	-	-	-	-	-	-	-	-	-	-
1979	2	2	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Scarlet fever and erysipelas (034.1-035)													
All races, both sexes													
1998	3	-	-	-	-	-	-	-	1	1	1	-	-
1997	5	-	-	-	-	-	-	1	-	-	1	3	-
1996	3	-	-	-	-	-	-	-	1	1	1	-	-
1995	3	-	-	-	-	-	-	-	-	-	1	2	-
1994	3	1	-	-	-	-	-	-	-	1	1	-	-
1993	8	-	-	-	-	-	-	-	1	-	1	6	-
1992	1	-	-	-	-	-	-	-	-	-	-	1	-
1991	1	-	-	-	-	-	-	-	-	1	-	-	-
1990	5	-	-	-	-	-	-	-	-	2	1	2	-
1989	8	-	-	-	-	-	-	-	2	1	1	4	-
1988	4	-	-	-	-	-	-	-	1	3	-	-	-
1987	3	-	-	-	-	-	-	-	2	-	-	1	-
1986	6	-	-	-	-	-	-	2	2	-	1	1	-
1985	6	-	-	-	-	1	-	-	1	1	-	3	-
1984	6	-	-	-	-	1	1	2	-	1	1	-	-
1983	1	-	-	-	-	-	-	-	-	-	1	-	-
1982	10	-	-	-	-	1	-	2	1	1	1	4	-
1981	9	-	-	-	-	-	2	-	1	1	4	1	-
1980	10	-	-	-	-	-	-	1	2	1	4	2	-
1979	12	-	-	-	-	-	2	1	-	3	3	3	-
Scarlet fever and erysipelas (034.1-035)													
All races, male													
1998	2	-	-	-	-	-	-	-	1	1	-	-	-
1997	1	-	-	-	-	-	-	-	-	-	-	1	-
1996	1	-	-	-	-	-	-	-	1	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	1	-	-	-	-	-	-	-	-	-	1	-	-
1993	2	-	-	-	-	-	-	-	1	-	-	1	-
1992	-	-	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-	-
1990	1	-	-	-	-	-	-	-	-	1	-	-	-
1989	2	-	-	-	-	-	-	-	1	-	-	1	-
1988	1	-	-	-	-	-	-	-	-	1	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	3	-	-	-	-	-	-	2	1	-	-	-	-
1985	2	-	-	-	-	-	-	-	-	1	-	1	-
1984	2	-	-	-	-	-	1	-	-	-	1	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	5	-	-	-	-	1	-	2	-	-	-	2	-
1981	5	-	-	-	-	-	2	-	1	-	1	1	-
1980	3	-	-	-	-	-	-	-	-	1	1	1	-
1979	6	-	-	-	-	-	2	1	-	1	1	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Scarlet fever and erysipelas (034.1-035)													
All races, female													
1998	1	-	-	-	-	-	-	-	-	-	-	1	-
1997	4	-	-	-	-	-	-	1	-	-	1	2	-
1996	2	-	-	-	-	-	-	-	-	1	1	-	-
1995	3	-	-	-	-	-	-	-	-	-	1	2	-
1994	2	1	-	-	-	-	-	-	-	1	-	-	-
1993	6	-	-	-	-	-	-	-	-	-	1	5	-
1992	1	-	-	-	-	-	-	-	-	-	-	1	-
1991	1	-	-	-	-	-	-	-	-	1	-	-	-
1990	4	-	-	-	-	-	-	-	-	1	1	2	-
1989	6	-	-	-	-	-	-	-	1	1	1	3	-
1988	3	-	-	-	-	-	-	-	1	2	-	-	-
1987	3	-	-	-	-	-	-	-	2	-	-	1	-
1986	3	-	-	-	-	-	-	-	1	-	1	1	-
1985	4	-	-	-	-	1	-	-	1	-	-	2	-
1984	4	-	-	-	-	1	-	2	-	1	-	-	-
1983	1	-	-	-	-	-	-	-	-	-	1	-	-
1982	5	-	-	-	-	-	-	-	1	1	1	2	-
1981	4	-	-	-	-	-	-	-	-	1	3	-	-
1980	7	-	-	-	-	-	-	1	2	-	3	1	-
1979	6	-	-	-	-	-	-	-	-	2	2	2	-
Scarlet fever and erysipelas (034.1-035)													
White, both sexes													
1998	3	-	-	-	-	-	-	-	1	1	1	-	-
1997	5	-	-	-	-	-	-	1	-	-	1	3	-
1996	3	-	-	-	-	-	-	-	1	1	1	-	-
1995	3	-	-	-	-	-	-	-	-	-	1	2	-
1994	3	1	-	-	-	-	-	-	-	1	1	-	-
1993	8	-	-	-	-	-	-	-	1	-	1	6	-
1992	1	-	-	-	-	-	-	-	-	-	-	1	-
1991	1	-	-	-	-	-	-	-	-	1	-	-	-
1990	5	-	-	-	-	-	-	-	-	2	1	2	-
1989	8	-	-	-	-	-	-	-	2	1	1	4	-
1988	3	-	-	-	-	-	-	-	-	3	-	-	-
1987	3	-	-	-	-	-	-	-	2	-	-	1	-
1986	6	-	-	-	-	-	-	2	2	-	1	1	-
1985	5	-	-	-	-	-	-	-	1	1	-	3	-
1984	5	-	-	-	-	-	1	2	-	1	1	-	-
1983	1	-	-	-	-	-	-	-	-	-	1	-	-
1982	8	-	-	-	-	1	-	-	1	1	1	4	-
1981	9	-	-	-	-	-	2	-	1	1	4	1	-
1980	10	-	-	-	-	-	-	1	2	1	4	2	-
1979	11	-	-	-	-	-	1	1	-	3	3	3	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Scarlet fever and erysipelas (034.1-035)													
White, male													
1998	2	-	-	-	-	-	-	-	1	1	-	-	-
1997	1	-	-	-	-	-	-	-	-	-	-	1	-
1996	1	-	-	-	-	-	-	-	1	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	1	-	-	-	-	-	-	-	-	-	1	-	-
1993	2	-	-	-	-	-	-	-	1	-	-	1	-
1992	-	-	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-	-
1990	1	-	-	-	-	-	-	-	-	1	-	-	-
1989	2	-	-	-	-	-	-	-	1	-	-	1	-
1988	1	-	-	-	-	-	-	-	-	1	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	3	-	-	-	-	-	-	2	1	-	-	-	-
1985	2	-	-	-	-	-	-	-	-	1	-	1	-
1984	2	-	-	-	-	-	1	-	-	-	1	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	3	-	-	-	-	1	-	-	-	-	-	2	-
1981	5	-	-	-	-	-	2	-	1	-	1	1	-
1980	3	-	-	-	-	-	-	-	-	1	1	1	-
1979	5	-	-	-	-	-	1	1	-	1	1	1	-
Scarlet fever and erysipelas (034.1-035)													
White, female													
1998	1	-	-	-	-	-	-	-	-	-	1	-	-
1997	4	-	-	-	-	-	-	1	-	-	1	2	-
1996	2	-	-	-	-	-	-	-	-	1	1	-	-
1995	3	-	-	-	-	-	-	-	-	-	1	2	-
1994	2	1	-	-	-	-	-	-	-	1	-	-	-
1993	6	-	-	-	-	-	-	-	-	-	1	5	-
1992	1	-	-	-	-	-	-	-	-	-	-	1	-
1991	1	-	-	-	-	-	-	-	-	1	-	-	-
1990	4	-	-	-	-	-	-	-	-	1	1	2	-
1989	6	-	-	-	-	-	-	-	1	1	1	3	-
1988	2	-	-	-	-	-	-	-	-	2	-	-	-
1987	3	-	-	-	-	-	-	-	2	-	-	1	-
1986	3	-	-	-	-	-	-	-	1	-	1	1	-
1985	3	-	-	-	-	-	-	-	1	-	-	2	-
1984	3	-	-	-	-	-	-	2	-	1	-	-	-
1983	1	-	-	-	-	-	-	-	-	-	1	-	-
1982	5	-	-	-	-	-	-	-	1	1	1	2	-
1981	4	-	-	-	-	-	-	-	-	1	3	-	-
1980	7	-	-	-	-	-	-	1	2	-	3	1	-
1979	6	-	-	-	-	-	-	-	-	2	2	2	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Scarlet fever and erysipelas (034.1-035)													
All other, both sexes													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-	-	-
1988	1	-	-	-	-	-	-	-	1	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	1	-	-	-	-	1	-	-	-	-	-	-	-
1984	1	-	-	-	-	1	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	2	-	-	-	-	-	-	2	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-	-
1979	1	-	-	-	-	-	1	-	-	-	-	-	-
Scarlet fever and erysipelas (034.1-035)													
All other, male													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	2	-	-	-	-	-	-	2	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-	-
1979	1	-	-	-	-	-	1	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Scarlet fever and erysipelas (034.1-035)													
All other, female													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-	-	-
1988	1	-	-	-	-	-	-	-	1	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	1	-	-	-	-	1	-	-	-	-	-	-	-
1984	1	-	-	-	-	1	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever and erysipelas (034.1-035)													
Black, both sexes													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-	-	-
1988	1	-	-	-	-	-	-	-	1	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	1	-	-	-	-	1	-	-	-	-	-	-	-
1984	1	-	-	-	-	1	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	1	-	-	-	-	-	-	1	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-	-
1979	1	-	-	-	-	-	1	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Scarlet fever and erysipelas (034.1-035)													
Black, male													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	1	-	-	-	-	-	-	1	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-	-
1979	1	-	-	-	-	-	1	-	-	-	-	-	-
Scarlet fever and erysipelas (034.1-035)													
Black, female													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-	-	-
1988	1	-	-	-	-	-	-	-	1	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	1	-	-	-	-	1	-	-	-	-	-	-	-
1984	1	-	-	-	-	1	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Meningococcal infection (036)													
All races, both sexes													
1998	234	23	33	32	50	22	17	23	5	10	9	10	-
1997	309	46	45	34	66	20	23	20	15	14	12	14	-
1996	290	39	41	40	57	16	23	23	16	15	13	7	-
1995	273	39	40	30	54	17	23	24	10	8	14	14	-
1994	276	45	55	26	49	10	22	23	12	12	13	9	-
1993	260	46	29	27	56	14	23	15	16	13	14	7	-
1992	201	34	39	16	40	6	15	13	10	9	11	8	-
1991	198	43	41	24	29	12	11	6	8	11	5	8	-
1990	215	50	38	18	32	15	14	8	13	11	10	6	-
1989	273	58	48	31	38	8	17	15	18	19	14	7	-
1988	278	72	68	19	24	20	17	18	12	10	13	5	-
1987	258	66	72	21	20	17	13	12	16	11	7	3	-
1986	286	62	64	20	38	24	16	12	17	16	12	5	-
1985	257	69	61	18	22	15	11	13	14	17	10	7	-
1984	300	66	70	22	44	16	10	16	24	16	10	6	-
1983	299	62	83	30	26	14	10	15	20	17	16	6	-
1982	364	95	78	19	50	20	29	11	22	22	14	4	-
1981	459	125	101	31	44	26	19	31	28	25	22	7	-
1980	387	77	110	34	38	29	11	21	23	23	15	6	-
1979	404	89	107	26	45	19	20	20	38	24	10	6	-
Meningococcal infection (036)													
All races, male													
1998	132	10	18	22	34	16	9	10	4	4	3	2	-
1997	152	26	24	15	37	10	14	11	9	3	2	1	-
1996	141	24	19	17	42	6	11	9	4	5	4	-	-
1995	137	30	18	15	31	12	12	10	3	4	1	1	-
1994	132	22	26	8	29	9	12	11	4	7	3	1	-
1993	124	21	17	12	30	10	17	4	5	4	2	2	-
1992	98	15	23	8	26	3	9	4	3	5	2	-	-
1991	103	26	21	15	16	7	5	3	2	4	3	1	-
1990	113	27	18	8	19	10	10	3	7	4	4	3	-
1989	127	28	23	14	23	4	7	9	5	10	2	2	-
1988	143	40	40	11	10	10	11	6	7	2	4	2	-
1987	137	42	40	10	12	8	8	7	5	2	2	1	-
1986	146	37	34	11	16	14	8	7	7	8	2	2	-
1985	127	45	33	6	14	6	6	5	6	3	3	-	-
1984	146	36	38	12	24	9	7	4	6	7	2	1	-
1983	157	38	49	17	13	10	4	4	10	7	5	-	-
1982	177	59	43	8	28	8	13	1	5	8	3	1	-
1981	233	71	55	15	26	16	8	15	10	8	7	2	-
1980	204	44	71	18	22	12	5	10	8	8	6	-	-
1979	234	56	68	13	30	11	10	12	15	8	6	5	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Meningococcal infection (036)													
All races, female													
1998	102	13	15	10	16	6	8	13	1	6	6	8	-
1997	157	20	21	19	29	10	9	9	6	11	10	13	-
1996	149	15	22	23	15	10	12	14	12	10	9	7	-
1995	136	9	22	15	23	5	11	14	7	4	13	13	-
1994	144	23	29	18	20	1	10	12	8	5	10	8	-
1993	136	25	12	15	26	4	6	11	11	9	12	5	-
1992	103	19	16	8	14	3	6	9	7	4	9	8	-
1991	95	17	20	9	13	5	6	3	6	7	2	7	-
1990	102	23	20	10	13	5	4	5	6	7	6	3	-
1989	146	30	25	17	15	4	10	6	13	9	12	5	-
1988	135	32	28	8	14	10	6	12	5	8	9	3	-
1987	121	24	32	11	8	9	5	5	11	9	5	2	-
1986	140	25	30	9	22	10	8	5	10	8	10	3	-
1985	130	24	28	12	8	9	5	8	8	14	7	7	-
1984	154	30	32	10	20	7	3	12	18	9	8	5	-
1983	142	24	34	13	13	4	6	11	10	10	11	6	-
1982	187	36	35	11	22	12	16	10	17	14	11	3	-
1981	226	54	46	16	18	10	11	16	18	17	15	5	-
1980	183	33	39	16	16	17	6	11	15	15	9	6	-
1979	170	33	39	13	15	8	10	8	23	16	4	1	-
Meningococcal infection (036)													
White, both sexes													
1998	180	19	26	23	36	13	13	20	4	9	8	9	-
1997	236	37	33	25	50	10	16	16	13	12	11	13	-
1996	223	31	33	21	46	12	15	19	11	15	13	7	-
1995	207	31	27	16	43	12	15	19	9	7	14	14	-
1994	232	40	44	23	39	8	15	21	10	11	12	9	-
1993	201	37	22	19	42	7	20	12	11	12	13	6	-
1992	167	29	31	9	35	3	14	13	9	7	11	6	-
1991	165	34	38	16	23	11	10	5	7	9	4	8	-
1990	166	37	27	12	25	11	12	7	10	10	9	6	-
1989	214	43	36	19	29	7	14	13	16	19	11	7	-
1988	198	54	46	10	19	10	13	10	10	9	12	5	-
1987	192	54	46	15	14	10	11	9	15	9	6	3	-
1986	216	49	43	15	25	16	14	10	15	14	10	5	-
1985	210	54	50	12	18	15	9	9	13	14	10	6	-
1984	226	58	49	13	30	11	5	11	22	14	9	4	-
1983	229	50	63	22	21	6	3	11	17	15	16	5	-
1982	282	82	62	7	30	13	25	9	19	19	12	4	-
1981	380	107	79	22	39	19	15	25	24	25	19	6	-
1980	306	60	83	25	30	25	9	16	20	18	15	5	-
1979	310	79	80	17	30	13	12	15	31	19	9	5	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Meningococcal infection (036)													
White, male													
1998	98	7	14	14	24	11	9	9	4	3	2	1	-
1997	111	19	18	11	27	4	9	9	8	3	2	1	-
1996	103	19	12	9	33	6	6	7	2	5	4	-	-
1995	97	23	12	7	25	8	7	7	3	3	1	1	-
1994	107	20	18	7	22	7	10	10	3	7	2	1	-
1993	89	15	13	7	22	4	14	4	4	3	1	2	-
1992	79	14	17	5	21	2	8	4	3	3	2	-	-
1991	87	21	20	10	11	7	5	3	2	4	3	1	-
1990	80	20	11	5	12	7	9	2	5	3	3	3	-
1989	103	22	17	9	20	4	5	8	4	10	2	2	-
1988	102	31	26	7	7	4	9	4	7	2	3	2	-
1987	100	36	27	6	8	5	6	4	4	2	1	1	-
1986	113	31	23	7	10	11	7	6	7	7	2	2	-
1985	107	38	27	4	11	6	4	5	6	3	3	-	-
1984	107	31	28	9	15	6	3	2	5	6	2	-	-
1983	122	31	41	13	10	5	1	3	8	5	5	-	-
1982	132	51	34	1	15	6	11	1	4	5	3	1	-
1981	191	59	46	11	23	10	7	12	8	8	5	2	-
1980	158	35	55	14	17	9	3	7	7	5	6	-	-
1979	179	52	47	9	19	7	6	12	12	6	5	4	-
Meningococcal infection (036)													
White, female													
1998	82	12	12	9	12	2	4	11	-	6	6	8	-
1997	125	18	15	14	23	6	7	7	5	9	9	12	-
1996	120	12	21	12	13	6	9	12	9	10	9	7	-
1995	110	8	15	9	18	4	8	12	6	4	13	13	-
1994	125	20	26	16	17	1	5	11	7	4	10	8	-
1993	112	22	9	12	20	3	6	8	7	9	12	4	-
1992	88	15	14	4	14	1	6	9	6	4	9	6	-
1991	78	13	18	6	12	4	5	2	5	5	1	7	-
1990	86	17	16	7	13	4	3	5	5	7	6	3	-
1989	111	21	19	10	9	3	9	5	12	9	9	5	-
1988	96	23	20	3	12	6	4	6	3	7	9	3	-
1987	92	18	19	9	6	5	5	5	11	7	5	2	-
1986	103	18	20	8	15	5	7	4	8	7	8	3	-
1985	103	16	23	8	7	9	5	4	7	11	7	6	-
1984	119	27	21	4	15	5	2	9	17	8	7	4	-
1983	107	19	22	9	11	1	2	8	9	10	11	5	-
1982	150	31	28	6	15	7	14	8	15	14	9	3	-
1981	189	48	33	11	16	9	8	13	16	17	14	4	-
1980	148	25	28	11	13	16	6	9	13	13	9	5	-
1979	131	27	33	8	11	6	6	3	19	13	4	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Meningococcal infection (036)													
All other, both sexes													
1998	54	4	7	9	14	9	4	3	1	1	1	1	-
1997	73	9	12	9	16	10	7	4	2	2	1	1	-
1996	67	8	8	19	11	4	8	4	5	-	-	-	-
1995	66	8	13	14	11	5	8	5	1	1	-	-	-
1994	44	5	11	3	10	2	7	2	2	1	1	-	-
1993	59	9	7	8	14	7	3	3	5	1	1	1	-
1992	34	5	8	7	5	3	1	-	1	2	-	2	-
1991	33	9	3	8	6	1	1	1	1	2	1	-	-
1990	49	13	11	6	7	4	2	1	3	1	1	-	-
1989	59	15	12	12	9	1	3	2	2	-	3	-	-
1988	80	18	22	9	5	10	4	8	2	1	1	-	-
1987	66	12	26	6	6	7	2	3	1	2	1	-	-
1986	70	13	21	5	13	8	2	2	2	2	2	-	-
1985	47	15	11	6	4	-	2	4	1	3	-	1	-
1984	74	8	21	9	14	5	5	5	2	2	1	2	-
1983	70	12	20	8	5	8	7	4	3	2	-	1	-
1982	82	13	16	12	20	7	4	2	3	3	2	-	-
1981	79	18	22	9	5	7	4	6	4	-	3	1	-
1980	81	17	27	9	8	4	2	5	3	5	-	1	-
1979	94	10	27	9	15	6	8	5	7	5	1	1	-
Meningococcal infection (036)													
All other, male													
1998	34	3	4	8	10	5	-	1	-	1	1	1	-
1997	41	7	6	4	10	6	5	2	1	-	-	-	-
1996	38	5	7	8	9	-	5	2	2	-	-	-	-
1995	40	7	6	8	6	4	5	3	-	1	-	-	-
1994	25	2	8	1	7	2	2	1	1	-	1	-	-
1993	35	6	4	5	8	6	3	-	1	1	1	-	-
1992	19	1	6	3	5	1	1	-	-	2	-	-	-
1991	16	5	1	5	5	-	-	-	-	-	-	-	-
1990	33	7	7	3	7	3	1	1	2	1	1	-	-
1989	24	6	6	5	3	-	2	1	1	-	-	-	-
1988	41	9	14	4	3	6	2	2	-	-	1	-	-
1987	37	6	13	4	4	3	2	3	1	-	1	-	-
1986	33	6	11	4	6	3	1	1	-	1	-	-	-
1985	20	7	6	2	3	-	2	-	-	-	-	-	-
1984	39	5	10	3	9	3	4	2	1	1	-	1	-
1983	35	7	8	4	3	5	3	1	2	2	-	-	-
1982	45	8	9	7	13	2	2	-	1	3	-	-	-
1981	42	12	9	4	3	6	1	3	2	-	2	-	-
1980	46	9	16	4	5	3	2	3	1	3	-	-	-
1979	55	4	21	4	11	4	4	-	3	2	1	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Meningococcal infection (036)													
All other, female													
1998	20	1	3	1	4	4	4	2	1	-	-	-	-
1997	32	2	6	5	6	4	2	2	1	2	1	1	-
1996	29	3	1	11	2	4	3	2	3	-	-	-	-
1995	26	1	7	6	5	1	3	2	1	-	-	-	-
1994	19	3	3	2	3	-	5	1	1	1	-	-	-
1993	24	3	3	3	6	1	-	3	4	-	-	1	-
1992	15	4	2	4	-	2	-	-	1	-	-	2	-
1991	17	4	2	3	1	1	1	1	1	2	1	-	-
1990	16	6	4	3	-	1	1	-	1	-	-	-	-
1989	35	9	6	7	6	1	1	1	1	-	3	-	-
1988	39	9	8	5	2	4	2	6	2	1	-	-	-
1987	29	6	13	2	2	4	-	-	-	2	-	-	-
1986	37	7	10	1	7	5	1	1	2	1	2	-	-
1985	27	8	5	4	1	-	-	4	1	3	-	1	-
1984	35	3	11	6	5	2	1	3	1	1	1	1	-
1983	35	5	12	4	2	3	4	3	1	-	-	1	-
1982	37	5	7	5	7	5	2	2	2	-	2	-	-
1981	37	6	13	5	2	1	3	3	2	-	1	1	-
1980	35	8	11	5	3	1	-	2	2	2	-	1	-
1979	39	6	6	5	4	2	4	5	4	3	-	-	-
Meningococcal infection (036)													
Black, both sexes													
1998	51	2	7	8	14	9	4	3	1	1	1	1	-
1997	63	8	11	8	13	7	7	4	2	2	-	1	-
1996	58	5	7	18	11	4	7	3	3	-	-	-	-
1995	57	7	12	12	9	3	7	5	1	1	-	-	-
1994	36	5	10	2	7	2	5	2	2	-	1	-	-
1993	49	8	7	6	12	5	3	3	3	-	1	1	-
1992	31	5	6	7	5	2	1	-	1	2	-	2	-
1991	29	9	3	7	5	1	-	1	1	1	1	-	-
1990	43	11	9	6	7	4	2	-	3	-	1	-	-
1989	50	12	10	12	7	1	3	1	1	-	3	-	-
1988	71	16	19	9	5	8	2	8	2	1	1	-	-
1987	65	11	26	6	6	7	2	3	1	2	1	-	-
1986	66	11	20	5	13	7	2	2	2	2	2	-	-
1985	44	14	10	6	4	-	2	3	1	3	-	1	-
1984	70	7	19	8	14	5	5	5	2	2	1	2	-
1983	67	11	18	8	5	8	7	4	3	2	-	1	-
1982	75	10	15	12	19	7	3	2	2	3	2	-	-
1981	75	16	21	9	5	7	4	6	4	-	2	1	-
1980	72	14	23	8	8	4	2	5	2	5	-	1	-
1979	83	10	25	9	15	4	6	2	7	4	-	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Meningococcal infection (036)													
Black, male													
1998	32	2	4	7	10	5	-	1	-	1	1	1	-
1997	35	6	5	4	8	4	5	2	1	-	-	-	-
1996	35	3	6	8	9	-	5	2	2	-	-	-	-
1995	34	6	5	7	5	3	4	3	-	1	-	-	-
1994	20	2	7	-	5	2	1	1	1	-	1	-	-
1993	28	6	4	4	6	4	3	-	-	-	1	-	-
1992	18	1	5	3	5	1	1	-	-	2	-	-	-
1991	15	5	1	5	4	-	-	-	-	-	-	-	-
1990	28	6	5	3	7	3	1	-	2	-	1	-	-
1989	22	6	5	5	3	-	2	1	-	-	-	-	-
1988	37	8	12	4	3	6	1	2	-	-	1	-	-
1987	36	5	13	4	4	3	2	3	1	-	1	-	-
1986	31	5	10	4	6	3	1	1	-	1	-	-	-
1985	19	7	5	2	3	-	2	-	-	-	-	-	-
1984	37	4	9	3	9	3	4	2	1	1	-	1	-
1983	33	6	7	4	3	5	3	1	2	2	-	-	-
1982	44	7	9	7	13	2	2	-	1	3	-	-	-
1981	40	11	8	4	3	6	1	3	2	-	2	-	-
1980	41	6	14	4	5	3	2	3	1	3	-	-	-
1979	49	4	19	4	11	3	2	-	3	2	-	1	-
Meningococcal infection (036)													
Black, female													
1998	19	-	3	1	4	4	4	2	1	-	-	-	-
1997	28	2	6	4	5	3	2	2	1	2	-	1	-
1996	23	2	1	10	2	4	2	1	1	-	-	-	-
1995	23	1	7	5	4	-	3	2	1	-	-	-	-
1994	16	3	3	2	2	-	4	1	1	-	-	-	-
1993	21	2	3	2	6	1	-	3	3	-	-	1	-
1992	13	4	1	4	-	1	-	-	1	-	-	2	-
1991	14	4	2	2	1	1	-	1	1	1	1	-	-
1990	15	5	4	3	-	1	1	-	1	-	-	-	-
1989	28	6	5	7	4	1	1	-	1	-	3	-	-
1988	34	8	7	5	2	2	1	6	2	1	-	-	-
1987	29	6	13	2	2	4	-	-	-	2	-	-	-
1986	35	6	10	1	7	4	1	1	2	1	2	-	-
1985	25	7	5	4	1	-	-	3	1	3	-	1	-
1984	33	3	10	5	5	2	1	3	1	1	1	1	-
1983	34	5	11	4	2	3	4	3	1	-	-	1	-
1982	31	3	6	5	6	5	1	2	1	-	2	-	-
1981	35	5	13	5	2	1	3	3	2	-	-	1	-
1980	31	8	9	4	3	1	-	2	1	2	-	1	-
1979	34	6	6	5	4	1	4	2	4	2	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Septicemia (038)													
All races, both sexes													
1998	23,731	216	89	56	104	257	671	1,231	2,093	4,474	7,431	7,107	2
1997	22,396	196	73	52	86	235	634	1,188	1,852	4,179	7,026	6,874	1
1996	21,423	199	83	41	69	266	626	1,042	1,759	4,058	6,781	6,498	1
1995	20,965	221	80	57	85	269	641	973	1,739	3,985	6,633	6,281	1
1994	20,360	222	91	51	75	281	595	917	1,688	3,847	6,407	6,185	1
1993	20,634	233	96	60	64	274	609	841	1,609	3,997	6,489	6,360	2
1992	19,667	225	77	45	86	275	589	851	1,631	3,895	6,179	5,810	4
1991	19,691	265	91	37	82	289	605	763	1,668	3,787	6,308	5,793	3
1990	19,169	267	100	46	84	303	557	767	1,690	3,776	6,024	5,551	4
1989	19,333	290	94	33	87	322	601	781	1,695	3,664	6,114	5,650	2
1988	20,925	245	89	51	97	286	543	781	1,954	4,282	6,732	5,862	3
1987	19,916	254	90	50	106	293	496	754	2,002	4,270	6,184	5,414	3
1986	18,795	302	90	44	87	255	462	744	1,984	3,915	5,857	5,049	6
1985	17,182	303	92	41	86	234	385	667	1,969	3,652	5,429	4,321	3
1984	15,028	296	76	43	98	213	361	666	1,790	3,307	4,447	3,730	1
1983	13,394	303	81	34	86	165	271	604	1,675	2,930	4,045	3,196	4
1982	11,493	274	81	28	72	166	257	558	1,504	2,553	3,390	2,606	4
1981	10,443	301	94	28	79	193	259	566	1,377	2,284	3,017	2,241	4
1980	9,438	242	71	38	81	137	232	530	1,261	2,135	2,741	1,967	3
1979	8,024	262	63	39	84	129	199	502	1,049	1,897	2,255	1,545	-
Septicemia (038)													
All races, male													
1998	10,225	111	54	28	62	121	372	684	1,106	2,238	3,300	2,149	-
1997	9,655	119	38	22	48	121	323	659	952	2,190	3,135	2,047	1
1996	9,246	114	47	19	36	151	376	610	978	2,062	2,984	1,868	1
1995	8,991	112	38	34	36	150	355	544	957	2,017	2,899	1,848	1
1994	8,810	115	45	25	35	161	362	546	920	2,019	2,770	1,812	-
1993	8,916	120	51	26	30	164	357	483	854	2,071	2,940	1,820	-
1992	8,527	123	33	19	45	158	352	506	864	2,034	2,679	1,712	2
1991	8,610	143	53	17	36	156	379	450	922	1,973	2,737	1,742	2
1990	8,542	149	63	27	43	186	362	441	930	2,037	2,661	1,641	2
1989	8,489	161	50	15	42	185	368	452	934	1,956	2,647	1,678	1
1988	9,132	135	48	21	42	160	320	437	1,069	2,264	2,919	1,715	2
1987	8,969	141	49	28	50	163	299	412	1,113	2,305	2,691	1,715	3
1986	8,786	179	50	26	42	145	254	436	1,155	2,135	2,701	1,661	2
1985	8,017	178	57	17	34	118	230	387	1,138	2,042	2,419	1,396	1
1984	7,068	172	35	23	48	129	202	369	1,020	1,781	1,986	1,302	1
1983	6,417	179	49	18	46	77	165	345	978	1,594	1,881	1,083	2
1982	5,469	156	41	13	30	77	131	311	870	1,358	1,516	964	2
1981	5,047	158	46	19	30	108	139	333	789	1,217	1,368	836	4
1980	4,684	151	43	20	41	72	119	302	748	1,202	1,255	728	3
1979	3,972	139	34	20	45	70	96	292	580	1,008	1,082	606	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Septicemia (038)													
All races, female													
1998	13,506	105	35	28	42	136	299	547	987	2,236	4,131	4,958	2
1997	12,741	77	35	30	38	114	311	529	900	1,989	3,891	4,827	-
1996	12,177	85	36	22	33	115	250	432	781	1,996	3,797	4,630	-
1995	11,974	109	42	23	49	119	286	429	782	1,968	3,734	4,433	-
1994	11,550	107	46	26	40	120	233	371	768	1,828	3,637	4,373	1
1993	11,718	113	45	34	34	110	252	358	755	1,926	3,549	4,540	2
1992	11,140	102	44	26	41	117	237	345	767	1,861	3,500	4,098	2
1991	11,081	122	38	20	46	133	226	313	746	1,814	3,571	4,051	1
1990	10,627	118	37	19	41	117	195	326	760	1,739	3,363	3,910	2
1989	10,844	129	44	18	45	137	233	329	761	1,708	3,467	3,972	1
1988	11,793	110	41	30	55	126	223	344	885	2,018	3,813	4,147	1
1987	10,947	113	41	22	56	130	197	342	889	1,965	3,493	3,699	-
1986	10,009	123	40	18	45	110	208	308	829	1,780	3,156	3,388	4
1985	9,165	125	35	24	52	116	155	280	831	1,610	3,010	2,925	2
1984	7,960	124	41	20	50	84	159	297	770	1,526	2,461	2,428	-
1983	6,977	124	32	16	40	88	106	259	697	1,336	2,164	2,113	2
1982	6,024	118	40	15	42	89	126	247	634	1,195	1,874	1,642	2
1981	5,396	143	48	9	49	85	120	233	588	1,067	1,649	1,405	-
1980	4,754	91	28	18	40	65	113	228	513	933	1,486	1,239	-
1979	4,052	123	29	19	39	59	103	210	469	889	1,173	939	-
Septicemia (038)													
White, both sexes													
1998	18,855	121	64	39	69	154	437	800	1,452	3,498	6,154	6,067	-
1997	17,832	125	48	36	52	148	379	782	1,274	3,221	5,890	5,876	1
1996	17,130	116	52	31	43	165	358	660	1,223	3,194	5,713	5,575	-
1995	16,784	127	55	36	51	163	383	642	1,231	3,119	5,566	5,410	1
1994	16,452	139	57	40	52	168	362	605	1,227	3,039	5,378	5,384	1
1993	16,696	146	66	44	38	175	364	555	1,173	3,195	5,416	5,524	-
1992	15,792	126	53	34	46	179	339	558	1,168	3,044	5,195	5,049	1
1991	15,884	148	64	22	51	164	346	495	1,221	2,986	5,318	5,066	3
1990	15,456	156	75	32	54	191	316	492	1,236	2,993	5,060	4,848	3
1989	15,557	173	61	26	58	186	361	494	1,236	2,898	5,151	4,912	1
1988	16,943	155	61	41	65	183	320	497	1,420	3,401	5,676	5,122	2
1987	15,936	148	62	37	63	166	295	469	1,480	3,387	5,178	4,650	1
1986	15,156	189	66	31	63	146	286	476	1,432	3,159	4,920	4,383	5
1985	13,740	191	66	28	65	133	244	435	1,443	2,895	4,476	3,761	3
1984	11,976	182	50	27	76	127	219	428	1,332	2,594	3,702	3,238	1
1983	10,696	199	57	24	64	87	171	391	1,232	2,281	3,390	2,798	2
1982	9,192	170	63	20	49	95	152	376	1,105	2,045	2,847	2,267	3
1981	8,311	179	61	23	56	117	153	392	1,038	1,806	2,568	1,916	2
1980	7,461	147	52	30	55	96	147	351	935	1,650	2,293	1,704	1
1979	6,376	159	41	26	70	89	125	340	783	1,496	1,895	1,352	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Septicemia (038)													
White, male													
1998	8,114	56	40	22	44	78	256	446	769	1,805	2,761	1,837	-
1997	7,633	74	28	15	31	80	200	429	675	1,701	2,650	1,749	1
1996	7,247	62	32	14	23	95	212	378	669	1,631	2,527	1,604	-
1995	7,040	66	24	21	21	89	208	353	673	1,583	2,443	1,558	1
1994	7,018	76	26	19	23	97	217	357	676	1,604	2,334	1,589	-
1993	7,087	75	34	20	17	112	212	309	624	1,679	2,474	1,531	-
1992	6,735	71	21	15	27	114	202	322	630	1,613	2,249	1,471	-
1991	6,812	82	37	9	21	83	227	287	675	1,553	2,314	1,522	2
1990	6,786	89	44	18	31	113	212	275	691	1,641	2,240	1,431	1
1989	6,728	101	37	12	29	111	220	294	683	1,555	2,253	1,432	1
1988	7,270	91	32	18	33	104	193	270	776	1,801	2,465	1,485	2
1987	7,096	76	34	21	30	98	171	252	836	1,844	2,274	1,459	1
1986	6,962	103	34	14	31	90	157	278	838	1,718	2,273	1,424	2
1985	6,321	113	42	11	26	69	145	249	824	1,656	1,975	1,210	1
1984	5,602	107	22	16	37	78	121	240	791	1,420	1,658	1,111	1
1983	5,119	120	36	15	41	36	112	227	751	1,277	1,564	940	-
1982	4,357	93	31	9	20	47	81	213	653	1,099	1,282	827	2
1981	4,003	105	28	15	21	66	78	235	602	977	1,175	699	2
1980	3,672	102	31	15	26	47	70	204	562	942	1,052	620	1
1979	3,121	84	18	14	39	47	61	204	423	792	908	531	-
Septicemia (038)													
White, female													
1998	10,741	65	24	17	25	76	181	354	683	1,693	3,393	4,230	-
1997	10,199	51	20	21	21	68	179	353	599	1,520	3,240	4,127	-
1996	9,883	54	20	17	20	70	146	282	554	1,563	3,186	3,971	-
1995	9,744	61	31	15	30	74	175	289	558	1,536	3,123	3,852	-
1994	9,434	63	31	21	29	71	145	248	551	1,435	3,044	3,795	1
1993	9,609	71	32	24	21	63	152	246	549	1,516	2,942	3,993	-
1992	9,057	55	32	19	19	65	137	236	538	1,431	2,946	3,578	1
1991	9,072	66	27	13	30	81	119	208	546	1,433	3,004	3,544	1
1990	8,670	67	31	14	23	78	104	217	545	1,352	2,820	3,417	2
1989	8,829	72	24	14	29	75	141	200	553	1,343	2,898	3,480	-
1988	9,673	64	29	23	32	79	127	227	644	1,600	3,211	3,637	-
1987	8,840	72	28	16	33	68	124	217	644	1,543	2,904	3,191	-
1986	8,194	86	32	17	32	56	129	198	594	1,441	2,647	2,959	3
1985	7,419	78	24	17	39	64	99	186	619	1,239	2,501	2,551	2
1984	6,374	75	28	11	39	49	98	188	541	1,174	2,044	2,127	-
1983	5,577	79	21	9	23	51	59	164	481	1,004	1,826	1,858	2
1982	4,835	77	32	11	29	48	71	163	452	946	1,565	1,440	1
1981	4,308	74	33	8	35	51	75	157	436	829	1,393	1,217	-
1980	3,789	45	21	15	29	49	77	147	373	708	1,241	1,084	-
1979	3,255	75	23	12	31	42	64	136	360	704	987	821	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Septicemia (038)													
All other, both sexes													
1998	4,876	95	25	17	35	103	234	431	641	976	1,277	1,040	2
1997	4,564	71	25	16	34	87	255	406	578	958	1,136	998	-
1996	4,293	83	31	10	26	101	268	382	536	864	1,068	923	1
1995	4,181	94	25	21	34	106	258	331	508	866	1,067	871	-
1994	3,908	83	34	11	23	113	233	312	461	808	1,029	801	-
1993	3,938	87	30	16	26	99	245	286	436	802	1,073	836	2
1992	3,875	99	24	11	40	96	250	293	463	851	984	761	3
1991	3,807	117	27	15	31	125	259	268	447	801	990	727	-
1990	3,713	111	25	14	30	112	241	275	454	783	964	703	1
1989	3,776	117	33	7	29	136	240	287	459	766	963	738	1
1988	3,982	90	28	10	32	103	223	284	534	881	1,056	740	1
1987	3,980	106	28	13	43	127	201	285	522	883	1,006	764	2
1986	3,639	113	24	13	24	109	176	268	552	756	937	666	1
1985	3,442	112	26	13	21	101	141	232	526	757	953	560	-
1984	3,052	114	26	16	22	86	142	238	458	713	745	492	-
1983	2,698	104	24	10	22	78	100	213	443	649	655	398	2
1982	2,301	104	18	8	23	71	105	182	399	508	543	339	1
1981	2,132	122	33	5	23	76	106	174	339	478	449	325	2
1980	1,977	95	19	8	26	41	85	179	326	485	448	263	2
1979	1,648	103	22	13	14	40	74	162	266	401	360	193	-
Septicemia (038)													
All other, male													
1998	2,111	55	14	6	18	43	116	238	337	433	539	312	-
1997	2,022	45	10	7	17	41	123	230	277	489	485	298	-
1996	1,999	52	15	5	13	56	164	232	309	431	457	264	1
1995	1,951	46	14	13	15	61	147	191	284	434	456	290	-
1994	1,792	39	19	6	12	64	145	189	244	415	436	223	-
1993	1,829	45	17	6	13	52	145	174	230	392	466	289	-
1992	1,792	52	12	4	18	44	150	184	234	421	430	241	2
1991	1,798	61	16	8	15	73	152	163	247	420	423	220	-
1990	1,756	60	19	9	12	73	150	166	239	396	421	210	1
1989	1,761	60	13	3	13	74	148	158	251	401	394	246	-
1988	1,862	44	16	3	9	56	127	167	293	463	454	230	-
1987	1,873	65	15	7	20	65	128	160	277	461	417	256	2
1986	1,824	76	16	12	11	55	97	158	317	417	428	237	-
1985	1,696	65	15	6	8	49	85	138	314	386	444	186	-
1984	1,466	65	13	7	11	51	81	129	229	361	328	191	-
1983	1,298	59	13	3	5	41	53	118	227	317	317	143	2
1982	1,112	63	10	4	10	30	50	98	217	259	234	137	-
1981	1,044	53	18	4	9	42	61	98	187	240	193	137	2
1980	1,012	49	12	5	15	25	49	98	186	260	203	108	2
1979	851	55	16	6	6	23	35	88	157	216	174	75	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Septicemia (038)													
All other, female													
1998	2,765	40	11	11	17	60	118	193	304	543	738	728	2
1997	2,542	26	15	9	17	46	132	176	301	469	651	700	-
1996	2,294	31	16	5	13	45	104	150	227	433	611	659	-
1995	2,230	48	11	8	19	45	111	140	224	432	611	581	-
1994	2,116	44	15	5	11	49	88	123	217	393	593	578	-
1993	2,109	42	13	10	13	47	100	112	206	410	607	547	2
1992	2,083	47	12	7	22	52	100	109	229	430	554	520	1
1991	2,009	56	11	7	16	52	107	105	200	381	567	507	-
1990	1,957	51	6	5	18	39	91	109	215	387	543	493	-
1989	2,015	57	20	4	16	62	92	129	208	365	569	492	1
1988	2,120	46	12	7	23	47	96	117	241	418	602	510	1
1987	2,107	41	13	6	23	62	73	125	245	422	589	508	-
1986	1,815	37	8	1	13	54	79	110	235	339	509	429	1
1985	1,746	47	11	7	13	52	56	94	212	371	509	374	-
1984	1,586	49	13	9	11	35	61	109	229	352	417	301	-
1983	1,400	45	11	7	17	37	47	95	216	332	338	255	-
1982	1,189	41	8	4	13	41	55	84	182	249	309	202	1
1981	1,088	69	15	1	14	34	45	76	152	238	256	188	-
1980	965	46	7	3	11	16	36	81	140	225	245	155	-
1979	797	48	6	7	8	17	39	74	109	185	186	118	-
Septicemia (038)													
Black, both sexes													
1998	4,487	81	23	16	31	94	220	400	586	895	1,176	963	2
1997	4,241	68	22	13	31	81	245	382	527	891	1,055	926	-
1996	3,996	74	27	9	21	93	256	358	492	805	996	864	1
1995	3,845	83	22	16	28	99	244	302	469	794	979	809	-
1994	3,639	77	30	9	23	106	225	285	430	739	956	759	-
1993	3,632	82	27	11	23	93	227	260	397	744	987	779	2
1992	3,607	97	23	10	38	90	235	271	421	782	923	714	3
1991	3,535	106	24	13	29	117	248	249	421	753	904	671	-
1990	3,465	100	20	12	28	106	230	253	419	741	905	650	1
1989	3,555	110	28	5	28	129	231	271	431	729	904	688	1
1988	3,740	82	25	10	30	99	212	266	511	829	985	690	1
1987	3,748	99	23	11	40	122	192	262	494	840	943	720	2
1986	3,417	104	21	12	21	107	170	251	527	709	880	614	1
1985	3,257	109	23	11	21	98	136	215	497	714	900	533	-
1984	2,897	100	24	14	20	80	131	226	443	676	710	473	-
1983	2,550	96	21	10	21	76	95	196	423	615	619	376	2
1982	2,162	95	17	8	21	68	98	173	372	474	516	319	1
1981	2,028	111	32	4	22	75	101	163	324	453	430	311	2
1980	1,877	81	16	7	24	38	80	171	312	467	426	253	2
1979	1,561	96	19	13	14	35	70	149	253	384	345	183	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Septicemia (038)													
Black, male													
1998	1,923	45	13	6	17	40	110	221	308	393	490	280	-
1997	1,871	44	9	7	14	38	117	217	256	456	445	268	-
1996	1,844	48	13	4	11	51	158	221	281	395	421	240	1
1995	1,779	39	12	9	12	60	138	180	265	399	410	255	-
1994	1,659	37	15	4	12	59	139	176	227	383	401	206	-
1993	1,673	43	14	5	13	47	136	157	213	363	420	262	-
1992	1,668	51	12	4	16	42	142	174	214	387	400	224	2
1991	1,656	58	14	7	13	69	146	152	231	393	373	200	-
1990	1,624	55	15	8	11	68	143	153	219	371	389	191	1
1989	1,643	54	12	2	12	71	141	153	239	375	361	223	-
1988	1,729	37	15	3	9	56	121	159	279	432	415	203	-
1987	1,760	63	10	7	19	63	124	148	264	436	387	237	2
1986	1,697	70	14	11	9	54	94	148	305	386	394	212	-
1985	1,595	63	14	5	8	47	84	125	300	361	413	175	-
1984	1,383	60	12	7	10	48	76	121	222	342	306	179	-
1983	1,221	56	11	3	5	40	53	109	216	296	295	135	2
1982	1,046	57	9	4	10	30	45	95	205	242	221	128	-
1981	987	48	17	4	8	42	58	92	179	226	182	129	2
1980	958	40	9	5	14	23	48	94	179	246	193	105	2
1979	797	51	13	6	6	20	33	79	150	205	162	72	-
Septicemia (038)													
Black, female													
1998	2,564	36	10	10	14	54	110	179	278	502	686	683	2
1997	2,370	24	13	6	17	43	128	165	271	435	610	658	-
1996	2,152	26	14	5	10	42	98	137	211	410	575	624	-
1995	2,066	44	10	7	16	39	106	122	204	395	569	554	-
1994	1,980	40	15	5	11	47	86	109	203	356	555	553	-
1993	1,959	39	13	6	10	46	91	103	184	381	567	517	2
1992	1,939	46	11	6	22	48	93	97	207	395	523	490	1
1991	1,879	48	10	6	16	48	102	97	190	360	531	471	-
1990	1,841	45	5	4	17	38	87	100	200	370	516	459	-
1989	1,912	56	16	3	16	58	90	118	192	354	543	465	1
1988	2,011	45	10	7	21	43	91	107	232	397	570	487	1
1987	1,988	36	13	4	21	59	68	114	230	404	556	483	-
1986	1,720	34	7	1	12	53	76	103	222	323	486	402	1
1985	1,662	46	9	6	13	51	52	90	197	353	487	358	-
1984	1,514	40	12	7	10	32	55	105	221	334	404	294	-
1983	1,329	40	10	7	16	36	42	87	207	319	324	241	-
1982	1,116	38	8	4	11	38	53	78	167	232	295	191	1
1981	1,041	63	15	-	14	33	43	71	145	227	248	182	-
1980	919	41	7	2	10	15	32	77	133	221	233	148	-
1979	764	45	6	7	8	15	37	70	103	179	183	111	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Syphilis (090-097)													
All races, both sexes													
1998	45	2	-	-	-	2	6	3	4	7	10	11	-
1997	62	4	-	-	1	2	5	5	5	14	19	7	-
1996	73	6	-	-	1	4	7	4	6	14	16	15	-
1995	65	4	1	-	1	9	3	9	4	11	14	9	-
1994	79	11	1	-	1	2	4	7	5	18	22	8	-
1993	80	12	1	-	1	10	7	3	7	13	19	7	-
1992	91	12	-	1	3	4	6	6	12	15	17	15	-
1991	93	25	1	1	1	5	3	5	7	13	16	16	-
1990	106	25	1	-	2	8	7	9	7	9	25	13	-
1989	105	19	-	2	-	10	4	7	10	15	23	15	-
1988	85	17	-	-	-	5	5	5	7	10	24	12	-
1987	98	14	-	-	2	3	7	3	12	20	29	8	-
1986	80	5	-	-	-	2	4	3	5	17	31	13	-
1985	80	7	-	1	-	2	3	4	12	15	22	14	-
1984	105	6	-	-	2	1	2	2	12	31	34	15	-
1983	121	7	-	1	-	6	1	6	11	36	39	14	-
1982	126	10	-	-	3	2	4	5	19	29	38	16	-
1981	136	6	-	-	2	5	3	9	15	40	42	14	-
1980	154	2	-	-	2	2	6	5	12	51	52	22	-
1979	180	6	1	-	3	1	4	7	29	57	47	25	-
Syphilis (090-097)													
All races, male													
1998	25	2	-	-	-	1	3	1	3	3	8	4	-
1997	39	2	-	-	-	2	4	5	5	9	10	2	-
1996	50	4	-	-	-	2	5	4	6	8	12	9	-
1995	41	3	1	-	1	7	3	6	3	9	6	2	-
1994	46	9	-	-	1	2	1	5	3	11	12	2	-
1993	52	5	1	-	-	9	4	3	7	8	12	3	-
1992	60	9	-	1	2	4	5	5	9	10	10	5	-
1991	52	9	1	1	1	5	2	4	6	8	10	5	-
1990	63	15	-	-	2	6	6	9	4	2	13	6	-
1989	65	10	-	1	-	10	4	4	7	7	14	8	-
1988	51	8	-	-	-	4	3	5	3	6	16	6	-
1987	57	8	-	-	1	3	6	3	7	8	18	3	-
1986	42	2	-	-	-	2	3	1	2	10	17	5	-
1985	49	3	-	-	-	2	2	2	11	9	12	8	-
1984	67	3	-	-	1	1	1	1	9	18	24	9	-
1983	68	4	-	-	-	5	1	5	7	19	17	10	-
1982	76	6	-	-	2	2	3	3	15	14	23	8	-
1981	76	4	-	-	1	4	2	5	7	23	24	6	-
1980	92	1	-	-	2	-	5	2	7	25	36	14	-
1979	107	4	1	-	3	-	1	3	20	39	27	9	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Syphilis (090-097)													
All races, female													
1998	20	-	-	-	-	1	3	2	1	4	2	7	-
1997	23	2	-	-	1	-	1	-	-	5	9	5	-
1996	23	2	-	-	1	2	2	-	-	6	4	6	-
1995	24	1	-	-	-	2	-	3	1	2	8	7	-
1994	33	2	1	-	-	-	3	2	2	7	10	6	-
1993	28	7	-	-	1	1	3	-	-	5	7	4	-
1992	31	3	-	-	1	-	1	1	3	5	7	10	-
1991	41	16	-	-	-	-	1	1	1	5	6	11	-
1990	43	10	1	-	-	2	1	-	3	7	12	7	-
1989	40	9	-	1	-	-	-	3	3	8	9	7	-
1988	34	9	-	-	-	1	2	-	4	4	8	6	-
1987	41	6	-	-	1	-	1	-	5	12	11	5	-
1986	38	3	-	-	-	-	1	2	3	7	14	8	-
1985	31	4	-	1	-	-	1	2	1	6	10	6	-
1984	38	3	-	-	1	-	1	1	3	13	10	6	-
1983	53	3	-	1	-	1	-	1	4	17	22	4	-
1982	50	4	-	-	1	-	1	2	4	15	15	8	-
1981	60	2	-	-	1	1	1	4	8	17	18	8	-
1980	62	1	-	-	-	2	1	3	5	26	16	8	-
1979	73	2	-	-	-	1	3	4	9	18	20	16	-
Syphilis (090-097)													
White, both sexes													
1998	21	-	-	-	-	2	1	2	1	3	4	8	-
1997	37	3	-	-	1	-	5	4	2	6	10	6	-
1996	39	3	-	-	1	2	4	3	4	7	7	8	-
1995	36	2	-	-	-	7	-	4	1	6	9	7	-
1994	41	1	-	-	1	-	4	5	2	9	14	5	-
1993	32	3	-	-	1	3	4	-	3	7	9	2	-
1992	43	3	-	1	2	2	1	1	3	10	10	10	-
1991	44	5	-	1	1	3	2	3	3	5	11	10	-
1990	41	3	-	-	2	3	2	3	3	2	16	7	-
1989	47	4	-	1	-	3	2	3	6	6	12	10	-
1988	40	4	-	-	-	2	2	1	3	7	13	8	-
1987	51	5	-	-	2	2	3	-	7	11	17	4	-
1986	43	4	-	-	-	2	1	3	3	7	17	6	-
1985	49	4	-	-	-	1	2	1	6	9	17	9	-
1984	55	3	-	-	2	1	2	2	6	15	17	7	-
1983	70	3	-	1	-	2	-	2	8	22	23	9	-
1982	84	6	-	-	1	2	3	3	10	21	26	12	-
1981	88	1	-	-	2	5	2	6	11	28	24	9	-
1980	93	1	-	-	1	1	6	3	7	32	27	15	-
1979	101	4	-	-	3	1	2	3	11	34	28	15	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Syphilis (090-097)													
White, male													
1998	12	-	-	-	-	1	1	1	1	1	3	4	-
1997	20	1	-	-	-	-	4	4	2	3	5	1	-
1996	26	1	-	-	-	1	4	3	4	3	5	5	-
1995	22	1	-	-	-	7	-	3	1	4	4	2	-
1994	24	1	-	-	1	-	1	4	2	5	9	1	-
1993	22	2	-	-	-	3	3	-	3	4	6	1	-
1992	23	1	-	1	1	2	1	1	3	6	5	2	-
1991	27	3	-	1	1	3	1	2	2	4	8	2	-
1990	21	2	-	-	2	3	1	3	1	-	6	3	-
1989	27	3	-	1	-	3	2	1	3	3	7	4	-
1988	25	3	-	-	-	1	1	1	2	4	9	4	-
1987	32	2	-	-	1	2	3	-	6	5	11	2	-
1986	22	2	-	-	-	2	1	1	1	3	9	3	-
1985	29	1	-	-	-	1	2	1	6	3	9	6	-
1984	33	2	-	-	1	1	1	1	4	9	11	3	-
1983	35	2	-	-	-	1	-	2	5	8	11	6	-
1982	47	4	-	-	1	2	2	1	9	8	15	5	-
1981	47	1	-	-	1	4	1	4	5	14	13	4	-
1980	50	-	-	-	1	-	5	-	4	13	20	7	-
1979	60	3	-	-	3	-	-	2	9	22	17	4	-
Syphilis (090-097)													
White, female													
1998	9	-	-	-	-	1	-	1	-	2	1	4	-
1997	17	2	-	-	1	-	1	-	-	3	5	5	-
1996	13	2	-	-	1	1	-	-	-	4	2	3	-
1995	14	1	-	-	-	-	-	1	-	2	5	5	-
1994	17	-	-	-	-	-	3	1	-	4	5	4	-
1993	10	1	-	-	1	-	1	-	-	3	3	1	-
1992	20	2	-	-	1	-	-	-	-	4	5	8	-
1991	17	2	-	-	-	-	1	1	1	1	3	8	-
1990	20	1	-	-	-	-	1	-	2	2	10	4	-
1989	20	1	-	-	-	-	-	2	3	3	5	6	-
1988	15	1	-	-	-	1	1	-	1	3	4	4	-
1987	19	3	-	-	1	-	-	-	1	6	6	2	-
1986	21	2	-	-	-	-	-	2	2	4	8	3	-
1985	20	3	-	-	-	-	-	-	-	6	8	3	-
1984	22	1	-	-	1	-	1	1	2	6	6	4	-
1983	35	1	-	1	-	1	-	-	3	14	12	3	-
1982	37	2	-	-	-	-	1	2	1	13	11	7	-
1981	41	-	-	-	1	1	1	2	6	14	11	5	-
1980	43	1	-	-	-	1	1	3	3	19	7	8	-
1979	41	1	-	-	-	1	2	1	2	12	11	11	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Syphilis (090-097)													
All other, both sexes													
1998	24	2	-	-	-	-	5	1	3	4	6	3	-
1997	25	1	-	-	-	2	-	1	3	8	9	1	-
1996	34	3	-	-	-	2	3	1	2	7	9	7	-
1995	29	2	1	-	1	2	3	5	3	5	5	2	-
1994	38	10	1	-	-	2	-	2	3	9	8	3	-
1993	48	9	1	-	-	7	3	3	4	6	10	5	-
1992	48	9	-	-	1	2	5	5	9	5	7	5	-
1991	49	20	1	-	-	2	1	2	4	8	5	6	-
1990	65	22	1	-	-	5	5	6	4	7	9	6	-
1989	58	15	-	1	-	7	2	4	4	9	11	5	-
1988	45	13	-	-	-	3	3	4	4	3	11	4	-
1987	47	9	-	-	-	1	4	3	5	9	12	4	-
1986	37	1	-	-	-	-	3	-	2	10	14	7	-
1985	31	3	-	1	-	1	1	3	6	6	5	5	-
1984	50	3	-	-	-	-	-	-	6	16	17	8	-
1983	51	4	-	-	-	4	1	4	3	14	16	5	-
1982	42	4	-	-	2	-	1	2	9	8	12	4	-
1981	48	5	-	-	-	-	1	3	4	12	18	5	-
1980	61	1	-	-	1	1	-	2	5	19	25	7	-
1979	79	2	1	-	-	-	2	4	18	23	19	10	-
Syphilis (090-097)													
All other, male													
1998	13	2	-	-	-	-	2	-	2	2	5	-	-
1997	19	1	-	-	-	2	-	1	3	6	5	1	-
1996	24	3	-	-	-	1	1	1	2	5	7	4	-
1995	19	2	1	-	1	-	3	3	2	5	2	-	-
1994	22	8	-	-	-	2	-	1	1	6	3	1	-
1993	30	3	1	-	-	6	1	3	4	4	6	2	-
1992	37	8	-	-	1	2	4	4	6	4	5	3	-
1991	25	6	1	-	-	2	1	2	4	4	2	3	-
1990	42	13	-	-	-	3	5	6	3	2	7	3	-
1989	38	7	-	-	-	7	2	3	4	4	7	4	-
1988	26	5	-	-	-	3	2	4	1	2	7	2	-
1987	25	6	-	-	-	1	3	3	1	3	7	1	-
1986	20	-	-	-	-	-	2	-	1	7	8	2	-
1985	20	2	-	-	-	1	-	1	5	6	3	2	-
1984	34	1	-	-	-	-	-	-	5	9	13	6	-
1983	33	2	-	-	-	4	1	3	2	11	6	4	-
1982	29	2	-	-	1	-	1	2	6	6	8	3	-
1981	29	3	-	-	-	-	1	1	2	9	11	2	-
1980	42	1	-	-	1	-	-	2	3	12	16	7	-
1979	47	1	1	-	-	-	1	1	11	17	10	5	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Syphilis (090-097)													
All other, female													
1998	11	-	-	-	-	-	3	1	1	2	1	3	-
1997	6	-	-	-	-	-	-	-	-	2	4	-	-
1996	10	-	-	-	-	1	2	-	-	2	2	3	-
1995	10	-	-	-	-	2	-	2	1	-	3	2	-
1994	16	2	1	-	-	-	-	1	2	3	5	2	-
1993	18	6	-	-	-	1	2	-	-	2	4	3	-
1992	11	1	-	-	-	-	1	1	3	1	2	2	-
1991	24	14	-	-	-	-	-	-	-	4	3	3	-
1990	23	9	1	-	-	2	-	-	1	5	2	3	-
1989	20	8	-	1	-	-	-	1	-	5	4	1	-
1988	19	8	-	-	-	-	1	-	3	1	4	2	-
1987	22	3	-	-	-	-	1	-	4	6	5	3	-
1986	17	1	-	-	-	-	1	-	1	3	6	5	-
1985	11	1	-	1	-	-	1	2	1	-	2	3	-
1984	16	2	-	-	-	-	-	-	1	7	4	2	-
1983	18	2	-	-	-	-	-	1	1	3	10	1	-
1982	13	2	-	-	1	-	-	-	3	2	4	1	-
1981	19	2	-	-	-	-	-	2	2	3	7	3	-
1980	19	-	-	-	-	1	-	-	2	7	9	-	-
1979	32	1	-	-	-	-	1	3	7	6	9	5	-
Syphilis (090-097)													
Black, both sexes													
1998	21	2	-	-	-	-	5	1	2	3	5	3	-
1997	24	1	-	-	-	2	-	1	2	8	9	1	-
1996	33	3	-	-	-	2	3	1	2	7	8	7	-
1995	26	2	1	-	-	2	3	4	3	5	4	2	-
1994	36	10	1	-	-	2	-	2	2	8	8	3	-
1993	47	9	1	-	-	7	2	3	4	6	10	5	-
1992	46	9	-	-	1	2	5	4	8	5	7	5	-
1991	48	20	1	-	-	2	1	1	4	8	5	6	-
1990	64	22	1	-	-	5	5	6	4	7	9	5	-
1989	56	15	-	1	-	7	2	4	3	9	10	5	-
1988	45	13	-	-	-	3	3	4	4	3	11	4	-
1987	45	9	-	-	-	1	4	3	5	9	10	4	-
1986	37	1	-	-	-	-	3	-	2	10	14	7	-
1985	29	2	-	1	-	1	1	3	6	5	5	5	-
1984	46	3	-	-	-	-	-	-	6	14	15	8	-
1983	50	4	-	-	-	3	1	4	3	14	16	5	-
1982	40	4	-	-	1	-	1	2	9	8	11	4	-
1981	47	5	-	-	-	-	1	3	3	12	18	5	-
1980	59	1	-	-	1	1	-	2	5	19	23	7	-
1979	76	1	1	-	-	-	2	3	18	23	19	9	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Syphilis (090-097)													
Black, male													
1998	11	2	-	-	-	-	2	-	1	2	4	-	-
1997	18	1	-	-	-	2	-	1	2	6	5	1	-
1996	24	3	-	-	-	1	1	1	2	5	7	4	-
1995	18	2	1	-	-	-	3	3	2	5	2	-	-
1994	21	8	-	-	-	2	-	1	1	5	3	1	-
1993	30	3	1	-	-	6	1	3	4	4	6	2	-
1992	36	8	-	-	1	2	4	3	6	4	5	3	-
1991	24	6	1	-	-	2	1	1	4	4	2	3	-
1990	41	13	-	-	-	3	5	6	3	2	7	2	-
1989	36	7	-	-	-	7	2	3	3	4	6	4	-
1988	26	5	-	-	-	3	2	4	1	2	7	2	-
1987	23	6	-	-	-	1	3	3	1	3	5	1	-
1986	20	-	-	-	-	-	2	-	1	7	8	2	-
1985	19	2	-	-	-	1	-	1	5	5	3	2	-
1984	31	1	-	-	-	-	-	-	5	7	12	6	-
1983	32	2	-	-	-	3	1	3	2	11	6	4	-
1982	28	2	-	-	1	-	1	2	6	6	7	3	-
1981	28	3	-	-	-	-	1	1	1	9	11	2	-
1980	41	1	-	-	1	-	-	2	3	12	15	7	-
1979	45	-	1	-	-	-	1	1	11	17	10	4	-
Syphilis (090-097)													
Black, female													
1998	10	-	-	-	-	-	3	1	1	1	1	3	-
1997	6	-	-	-	-	-	-	-	-	2	4	-	-
1996	9	-	-	-	-	1	2	-	-	2	1	3	-
1995	8	-	-	-	-	2	-	1	1	-	2	2	-
1994	15	2	1	-	-	-	-	1	1	3	5	2	-
1993	17	6	-	-	-	1	1	-	-	2	4	3	-
1992	10	1	-	-	-	-	1	1	2	1	2	2	-
1991	24	14	-	-	-	-	-	-	-	4	3	3	-
1990	23	9	1	-	-	2	-	-	1	5	2	3	-
1989	20	8	-	1	-	-	-	1	-	5	4	1	-
1988	19	8	-	-	-	-	1	-	3	1	4	2	-
1987	22	3	-	-	-	-	1	-	4	6	5	3	-
1986	17	1	-	-	-	-	1	-	1	3	6	5	-
1985	10	-	-	1	-	-	1	2	1	-	2	3	-
1984	15	2	-	-	-	-	-	-	1	7	3	2	-
1983	18	2	-	-	-	-	-	1	1	3	10	1	-
1982	12	2	-	-	-	-	-	-	3	2	4	1	-
1981	19	2	-	-	-	-	-	2	2	3	7	3	-
1980	18	-	-	-	-	1	-	-	2	7	8	-	-
1979	31	1	-	-	-	-	1	2	7	6	9	5	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Acute poliomyelitis (045)													
All races, both sexes													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	1	-	-	-	-	-	-	-	1	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-	-
1991	1	-	-	-	-	-	-	1	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-	-	-
1988	1	1	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	3	-	-	-	-	-	1	-	-	2	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	6	-	-	-	-	-	1	1	1	2	1	-	-
1979	4	-	-	-	-	1	-	1	2	-	-	-	-
Acute poliomyelitis (045)													
All races, male													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-	-
1991	1	-	-	-	-	-	-	1	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-	-	-
1988	1	1	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	2	-	-	-	-	-	1	-	-	1	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	4	-	-	-	-	-	-	1	1	1	1	-	-
1979	4	-	-	-	-	1	-	1	2	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Acute poliomyelitis (045)													
All races, female													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	1	-	-	-	-	-	-	-	1	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	1	-	-	-	-	-	-	-	-	1	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	2	-	-	-	-	-	1	-	-	1	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)													
White, both sexes													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	1	-	-	-	-	-	-	-	1	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-	-
1991	1	-	-	-	-	-	-	1	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-	-	-
1988	1	1	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	3	-	-	-	-	-	1	-	-	2	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	4	-	-	-	-	-	-	1	1	1	1	-	-
1979	4	-	-	-	-	1	-	1	2	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Acute poliomyelitis (045)													
White, male													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-	-
1991	1	-	-	-	-	-	-	1	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-	-	-
1988	1	1	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	2	-	-	-	-	-	1	-	-	1	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	3	-	-	-	-	-	-	1	1	-	1	-	-
1979	4	-	-	-	-	1	-	1	2	-	-	-	-
Acute poliomyelitis (045)													
White, female													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	1	-	-	-	-	-	-	-	1	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	1	-	-	-	-	-	-	-	-	1	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	1	-	-	-	-	-	-	-	-	1	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Acute poliomyelitis (045)													
All other, both sexes													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	2	-	-	-	-	-	1	-	-	1	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)													
All other, male													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	1	-	-	-	-	-	-	-	-	1	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Acute poliomyelitis (045)													
All other, female													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	1	-	-	-	-	-	1	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)													
Black, both sexes													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	2	-	-	-	-	-	1	-	-	1	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Acute poliomyelitis (045)													
Black, male													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	1	-	-	-	-	-	-	-	-	1	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)													
Black, female													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	1	-	-	-	-	-	1	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Arthropod-borne viral encephalitis (062-064)													
All races, both sexes													
1998	5	-	-	1	-	-	1	-	-	2	-	1	-
1997	4	-	2	1	-	-	-	1	-	-	-	-	-
1996	3	-	-	1	-	-	-	-	2	-	-	-	-
1995	7	-	1	-	-	1	-	1	-	2	2	-	-
1994	3	-	-	-	-	-	-	1	1	1	-	-	-
1993	3	-	-	-	-	-	-	-	1	1	1	-	-
1992	3	-	-	-	-	2	-	-	-	1	-	-	-
1991	10	-	-	-	-	1	1	-	3	3	1	1	-
1990	15	-	-	-	-	-	-	-	4	2	6	3	-
1989	1	-	-	-	-	-	-	-	-	-	1	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	5	-	-	1	-	-	1	-	1	2	-	-	-
1986	4	-	-	-	1	2	-	-	1	-	-	-	-
1985	3	-	-	-	-	-	-	-	3	-	-	-	-
1984	3	1	1	-	-	-	-	-	1	-	-	-	-
1983	6	-	-	1	-	-	-	-	1	3	1	-	-
1982	1	-	-	-	-	-	-	1	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	7	1	-	-	1	-	1	1	1	1	1	-	-
1979	1	-	-	1	-	-	-	-	-	-	-	-	-
Arthropod-borne viral encephalitis (062-064)													
All races, male													
1998	2	-	-	-	-	-	1	-	-	1	-	-	-
1997	2	-	1	-	-	-	-	1	-	-	-	-	-
1996	2	-	-	-	-	-	-	-	2	-	-	-	-
1995	6	-	1	-	-	1	-	1	-	1	2	-	-
1994	2	-	-	-	-	-	-	1	-	1	-	-	-
1993	3	-	-	-	-	-	-	-	1	1	1	-	-
1992	2	-	-	-	-	2	-	-	-	-	-	-	-
1991	5	-	-	-	-	1	-	-	2	2	-	-	-
1990	8	-	-	-	-	-	-	-	1	1	4	2	-
1989	1	-	-	-	-	-	-	-	-	-	1	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	4	-	-	1	-	-	-	-	1	2	-	-	-
1986	2	-	-	-	1	-	-	-	1	-	-	-	-
1985	2	-	-	-	-	-	-	-	2	-	-	-	-
1984	1	1	-	-	-	-	-	-	-	-	-	-	-
1983	5	-	-	1	-	-	-	-	1	2	1	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	6	1	-	-	1	-	1	1	1	1	-	-	-
1979	1	-	-	1	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Arthropod-borne viral encephalitis (062-064)													
All races, female													
1998	3	-	-	1	-	-	-	-	-	1	-	1	-
1997	2	-	1	1	-	-	-	-	-	-	-	-	-
1996	1	-	-	1	-	-	-	-	-	-	-	-	-
1995	1	-	-	-	-	-	-	-	-	1	-	-	-
1994	1	-	-	-	-	-	-	-	1	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	1	-	-	-	-	-	-	-	-	1	-	-	-
1991	5	-	-	-	-	-	1	-	1	1	1	1	-
1990	7	-	-	-	-	-	-	-	3	1	2	1	-
1989	-	-	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	1	-	-	-	-	-	1	-	-	-	-	-	-
1986	2	-	-	-	-	2	-	-	-	-	-	-	-
1985	1	-	-	-	-	-	-	-	1	-	-	-	-
1984	2	-	1	-	-	-	-	-	1	-	-	-	-
1983	1	-	-	-	-	-	-	-	-	1	-	-	-
1982	1	-	-	-	-	-	-	1	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	1	-	-	-	-	-	-	-	-	-	1	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-	-
Arthropod-borne viral encephalitis (062-064)													
White, both sexes													
1998	5	-	-	1	-	-	1	-	-	2	-	1	-
1997	4	-	2	1	-	-	-	1	-	-	-	-	-
1996	2	-	-	1	-	-	-	-	1	-	-	-	-
1995	3	-	1	-	-	1	-	-	-	-	1	-	-
1994	1	-	-	-	-	-	-	-	-	1	-	-	-
1993	2	-	-	-	-	-	-	-	1	1	-	-	-
1992	2	-	-	-	-	1	-	-	-	1	-	-	-
1991	6	-	-	-	-	1	1	-	2	1	-	1	-
1990	9	-	-	-	-	-	-	-	3	-	4	2	-
1989	1	-	-	-	-	-	-	-	-	-	1	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	4	-	-	1	-	-	-	-	1	2	-	-	-
1986	2	-	-	-	1	-	-	-	1	-	-	-	-
1985	3	-	-	-	-	-	-	-	3	-	-	-	-
1984	3	1	1	-	-	-	-	-	1	-	-	-	-
1983	6	-	-	1	-	-	-	-	1	3	1	-	-
1982	1	-	-	-	-	-	-	1	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	7	1	-	-	1	-	1	1	1	1	1	-	-
1979	1	-	-	1	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Arthropod-borne viral encephalitis (062-064)													
White, male													
1998	2	-	-	-	-	-	1	-	-	1	-	-	-
1997	2	-	1	-	-	-	-	1	-	-	-	-	-
1996	1	-	-	-	-	-	-	-	1	-	-	-	-
1995	3	-	1	-	-	1	-	-	-	-	1	-	-
1994	1	-	-	-	-	-	-	-	-	1	-	-	-
1993	2	-	-	-	-	-	-	-	1	1	-	-	-
1992	1	-	-	-	-	1	-	-	-	-	-	-	-
1991	4	-	-	-	-	1	-	-	2	1	-	-	-
1990	5	-	-	-	-	-	-	-	1	-	3	1	-
1989	1	-	-	-	-	-	-	-	-	-	1	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	4	-	-	1	-	-	-	-	1	2	-	-	-
1986	2	-	-	-	1	-	-	-	1	-	-	-	-
1985	2	-	-	-	-	-	-	-	2	-	-	-	-
1984	1	1	-	-	-	-	-	-	-	-	-	-	-
1983	5	-	-	1	-	-	-	-	1	2	1	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	6	1	-	-	1	-	1	1	1	1	-	-	-
1979	1	-	-	1	-	-	-	-	-	-	-	-	-
Arthropod-borne viral encephalitis (062-064)													
White, female													
1998	3	-	-	1	-	-	-	-	-	1	-	1	-
1997	2	-	1	1	-	-	-	-	-	-	-	-	-
1996	1	-	-	1	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	1	-	-	-	-	-	-	-	-	1	-	-	-
1991	2	-	-	-	-	-	1	-	-	-	-	1	-
1990	4	-	-	-	-	-	-	-	2	-	1	1	-
1989	-	-	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	1	-	-	-	-	-	-	-	1	-	-	-	-
1984	2	-	1	-	-	-	-	-	1	-	-	-	-
1983	1	-	-	-	-	-	-	-	-	1	-	-	-
1982	1	-	-	-	-	-	-	1	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	1	-	-	-	-	-	-	-	-	-	1	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Arthropod-borne viral encephalitis (062-064)													
All other, both sexes													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	1	-	-	-	-	-	-	-	1	-	-	-	-
1995	4	-	-	-	-	-	-	1	-	2	1	-	-
1994	2	-	-	-	-	-	-	1	1	-	-	-	-
1993	1	-	-	-	-	-	-	-	-	-	1	-	-
1992	1	-	-	-	-	1	-	-	-	-	-	-	-
1991	4	-	-	-	-	-	-	-	1	2	1	-	-
1990	6	-	-	-	-	-	-	-	1	2	2	1	-
1989	-	-	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	1	-	-	-	-	-	1	-	-	-	-	-	-
1986	2	-	-	-	-	2	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-	-
Arthropod-borne viral encephalitis (062-064)													
All other, male													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	1	-	-	-	-	-	-	-	1	-	-	-	-
1995	3	-	-	-	-	-	-	1	-	1	1	-	-
1994	1	-	-	-	-	-	-	1	-	-	-	-	-
1993	1	-	-	-	-	-	-	-	-	-	1	-	-
1992	1	-	-	-	-	1	-	-	-	-	-	-	-
1991	1	-	-	-	-	-	-	-	-	1	-	-	-
1990	3	-	-	-	-	-	-	-	-	1	1	1	-
1989	-	-	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Arthropod-borne viral encephalitis (062-064)													
All other, female													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	1	-	-	-	-	-	-	-	-	1	-	-	-
1994	1	-	-	-	-	-	-	-	1	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-	-
1991	3	-	-	-	-	-	-	-	1	1	1	-	-
1990	3	-	-	-	-	-	-	-	1	1	1	-	-
1989	-	-	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	1	-	-	-	-	-	1	-	-	-	-	-	-
1986	2	-	-	-	-	2	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-	-
Arthropod-borne viral encephalitis (062-064)													
Black, both sexes													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	1	-	-	-	-	-	-	-	1	-	-	-	-
1995	4	-	-	-	-	-	-	1	-	2	1	-	-
1994	2	-	-	-	-	-	-	1	1	-	-	-	-
1993	1	-	-	-	-	-	-	-	-	-	1	-	-
1992	1	-	-	-	-	1	-	-	-	-	-	-	-
1991	4	-	-	-	-	-	-	-	1	2	1	-	-
1990	6	-	-	-	-	-	-	-	1	2	2	1	-
1989	-	-	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	2	-	-	-	-	2	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Arthropod-borne viral encephalitis (062-064)													
Black, male													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	1	-	-	-	-	-	-	-	1	-	-	-	-
1995	3	-	-	-	-	-	-	1	-	1	1	-	-
1994	1	-	-	-	-	-	-	1	-	-	-	-	-
1993	1	-	-	-	-	-	-	-	-	-	1	-	-
1992	1	-	-	-	-	1	-	-	-	-	-	-	-
1991	1	-	-	-	-	-	-	-	-	1	-	-	-
1990	3	-	-	-	-	-	-	-	-	1	1	1	-
1989	-	-	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-	-
Arthropod-borne viral encephalitis (062-064)													
Black, female													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	1	-	-	-	-	-	-	-	-	1	-	-	-
1994	1	-	-	-	-	-	-	-	1	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-	-
1991	3	-	-	-	-	-	-	-	1	1	1	-	-
1990	3	-	-	-	-	-	-	-	1	1	1	-	-
1989	-	-	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	2	-	-	-	-	2	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Measles (055)													
All races, both sexes													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	2	-	-	1	-	-	-	1	-	-	-	-	-
1996	1	-	-	-	-	-	1	-	-	-	-	-	-
1995	2	-	-	2	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	4	-	1	-	2	-	1	-	-	-	-	-	-
1991	27	5	3	9	2	6	1	1	-	-	-	-	-
1990	64	11	29	4	7	10	3	-	-	-	-	-	-
1989	32	8	12	3	2	4	2	-	-	-	1	-	-
1988	3	1	-	-	-	1	1	-	-	-	-	-	-
1987	2	-	-	1	-	-	-	-	1	-	-	-	-
1986	2	-	-	-	1	-	-	-	1	-	-	-	-
1985	4	-	-	-	3	-	1	-	-	-	-	-	-
1984	1	-	-	-	-	-	1	-	-	-	-	-	-
1983	4	-	1	2	-	1	-	-	-	-	-	-	-
1982	2	-	-	-	1	-	-	1	-	-	-	-	-
1981	2	-	-	-	1	-	-	1	-	-	-	-	-
1980	11	2	2	2	3	2	-	-	-	-	-	-	-
1979	6	-	-	-	3	1	-	1	1	-	-	-	-
Measles (055)													
All races, male													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	1	-	-	1	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	2	-	1	-	1	-	-	-	-	-	-	-	-
1991	10	4	2	1	-	3	-	-	-	-	-	-	-
1990	34	3	18	3	5	4	1	-	-	-	-	-	-
1989	16	6	4	1	2	2	1	-	-	-	-	-	-
1988	1	-	-	-	-	1	-	-	-	-	-	-	-
1987	2	-	-	1	-	-	-	-	1	-	-	-	-
1986	1	-	-	-	1	-	-	-	-	-	-	-	-
1985	1	-	-	-	1	-	-	-	-	-	-	-	-
1984	1	-	-	-	-	-	1	-	-	-	-	-	-
1983	3	-	-	2	-	1	-	-	-	-	-	-	-
1982	1	-	-	-	1	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	6	2	1	1	1	1	-	-	-	-	-	-	-
1979	2	-	-	-	1	-	-	1	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Measles (055)													
All races, female													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	2	-	-	1	-	-	-	1	-	-	-	-	-
1996	1	-	-	-	-	-	1	-	-	-	-	-	-
1995	1	-	-	1	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	2	-	-	-	1	-	1	-	-	-	-	-	-
1991	17	1	1	8	2	3	1	1	-	-	-	-	-
1990	30	8	11	1	2	6	2	-	-	-	-	-	-
1989	16	2	8	2	-	2	1	-	-	-	1	-	-
1988	2	1	-	-	-	-	1	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	1	-	-	-	-	-	-	-	1	-	-	-	-
1985	3	-	-	-	2	-	1	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	1	-	1	-	-	-	-	-	-	-	-	-	-
1982	1	-	-	-	-	-	-	1	-	-	-	-	-
1981	2	-	-	-	1	-	-	1	-	-	-	-	-
1980	5	-	1	1	2	1	-	-	-	-	-	-	-
1979	4	-	-	-	2	1	-	-	1	-	-	-	-
Measles (055)													
White, both sexes													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	2	-	-	1	-	-	-	1	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	2	-	-	2	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	4	-	1	-	2	-	1	-	-	-	-	-	-
1991	19	4	3	4	2	5	-	1	-	-	-	-	-
1990	43	5	15	4	7	9	3	-	-	-	-	-	-
1989	18	5	4	2	2	2	2	-	-	-	1	-	-
1988	3	1	-	-	-	1	1	-	-	-	-	-	-
1987	2	-	-	1	-	-	-	-	1	-	-	-	-
1986	1	-	-	-	1	-	-	-	-	-	-	-	-
1985	4	-	-	-	3	-	1	-	-	-	-	-	-
1984	1	-	-	-	-	-	1	-	-	-	-	-	-
1983	3	-	-	2	-	1	-	-	-	-	-	-	-
1982	2	-	-	-	1	-	-	1	-	-	-	-	-
1981	2	-	-	-	1	-	-	1	-	-	-	-	-
1980	8	-	1	2	3	2	-	-	-	-	-	-	-
1979	5	-	-	-	3	1	-	1	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Measles (055)													
White, male													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	1	-	-	1	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	2	-	1	-	1	-	-	-	-	-	-	-	-
1991	9	4	2	-	-	3	-	-	-	-	-	-	-
1990	23	1	9	3	5	4	1	-	-	-	-	-	-
1989	10	3	2	1	2	1	1	-	-	-	-	-	-
1988	1	-	-	-	-	1	-	-	-	-	-	-	-
1987	2	-	-	1	-	-	-	-	1	-	-	-	-
1986	1	-	-	-	1	-	-	-	-	-	-	-	-
1985	1	-	-	-	1	-	-	-	-	-	-	-	-
1984	1	-	-	-	-	-	1	-	-	-	-	-	-
1983	3	-	-	2	-	1	-	-	-	-	-	-	-
1982	1	-	-	-	1	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	4	-	1	1	1	1	-	-	-	-	-	-	-
1979	2	-	-	-	1	-	-	1	-	-	-	-	-
Measles (055)													
White, female													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	2	-	-	1	-	-	-	1	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	1	-	-	1	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	2	-	-	-	1	-	1	-	-	-	-	-	-
1991	10	-	1	4	2	2	-	1	-	-	-	-	-
1990	20	4	6	1	2	5	2	-	-	-	-	-	-
1989	8	2	2	1	-	1	1	-	-	-	1	-	-
1988	2	1	-	-	-	-	1	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	3	-	-	-	2	-	1	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	1	-	-	-	-	-	-	1	-	-	-	-	-
1981	2	-	-	-	1	-	-	1	-	-	-	-	-
1980	4	-	-	1	2	1	-	-	-	-	-	-	-
1979	3	-	-	-	2	1	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Measles (055)													
All other, both sexes													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	1	-	-	-	-	-	1	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-	-
1991	8	1	-	5	-	1	1	-	-	-	-	-	-
1990	21	6	14	-	-	1	-	-	-	-	-	-	-
1989	14	3	8	1	-	2	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	1	-	-	-	-	-	-	-	1	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	1	-	1	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	3	2	1	-	-	-	-	-	-	-	-	-	-
1979	1	-	-	-	-	-	-	-	1	-	-	-	-
Measles (055)													
All other, male													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-	-
1991	1	-	-	1	-	-	-	-	-	-	-	-	-
1990	11	2	9	-	-	-	-	-	-	-	-	-	-
1989	6	3	2	-	-	1	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	2	2	-	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Measles (055)													
All other, female													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	1	-	-	-	-	-	1	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-	-
1991	7	1	-	4	-	1	1	-	-	-	-	-	-
1990	10	4	5	-	-	1	-	-	-	-	-	-	-
1989	8	-	6	1	-	1	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	1	-	-	-	-	-	-	-	1	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	1	-	1	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	1	-	1	-	-	-	-	-	-	-	-	-	-
1979	1	-	-	-	-	-	-	-	1	-	-	-	-
Measles (055)													
Black, both sexes													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	1	-	-	-	-	-	1	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-	-
1991	7	-	-	5	-	1	1	-	-	-	-	-	-
1990	10	3	6	-	-	1	-	-	-	-	-	-	-
1989	11	3	5	1	-	2	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	1	-	-	-	-	-	-	-	1	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	1	-	1	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	3	2	1	-	-	-	-	-	-	-	-	-	-
1979	1	-	-	-	-	-	-	-	1	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Measles (055)													
Black, male													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-	-
1991	1	-	-	1	-	-	-	-	-	-	-	-	-
1990	5	2	3	-	-	-	-	-	-	-	-	-	-
1989	6	3	2	-	-	1	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	2	2	-	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)													
Black, female													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	1	-	-	-	-	-	1	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-	-
1991	6	-	-	4	-	1	1	-	-	-	-	-	-
1990	5	1	3	-	-	1	-	-	-	-	-	-	-
1989	5	-	3	1	-	1	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	1	-	-	-	-	-	-	-	1	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	1	-	1	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	1	-	1	-	-	-	-	-	-	-	-	-	-
1979	1	-	-	-	-	-	-	-	1	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Viral hepatitis (070)													
All races, both sexes													
1998	4,796	2	2	3	26	120	903	1,333	740	854	660	153	-
1997	4,057	3	1	8	24	109	734	952	639	810	617	160	-
1996	3,780	1	3	7	23	131	699	782	592	807	595	139	1
1995	3,400	1	5	3	25	136	593	648	571	751	546	121	-
1994	3,061	8	5	2	26	183	561	485	474	686	526	105	-
1993	2,489	3	1	6	34	146	420	400	432	554	414	79	-
1992	2,001	9	2	3	26	128	336	287	321	453	356	80	-
1991	1,840	6	3	4	32	109	293	255	340	439	293	66	-
1990	1,578	4	4	2	38	114	224	189	248	397	293	65	-
1989	1,516	7	5	5	60	138	187	183	244	362	253	72	-
1988	1,290	6	6	3	32	117	145	156	253	303	212	57	-
1987	1,182	2	3	5	62	125	155	130	209	267	185	39	-
1986	1,006	10	8	10	45	107	119	110	174	232	151	40	-
1985	942	6	10	4	64	100	109	110	167	221	118	33	-
1984	869	8	6	7	72	110	95	97	165	174	93	42	-
1983	863	20	8	11	73	92	76	103	161	186	101	32	-
1982	814	12	13	5	60	88	62	107	160	165	105	36	1
1981	862	10	7	11	83	102	80	126	163	152	95	32	1
1980	809	11	11	15	74	71	76	108	145	149	114	35	-
1979	753	13	7	9	77	91	63	86	149	138	88	31	1
Viral hepatitis (070)													
All races, male													
1998	2,982	2	1	1	14	77	673	983	437	415	306	73	-
1997	2,442	1	1	3	17	68	561	691	378	378	282	62	-
1996	2,273	1	1	3	12	82	528	574	347	393	274	57	1
1995	2,076	1	2	1	13	101	459	479	346	375	249	50	-
1994	1,869	5	3	-	13	126	443	344	269	363	257	46	-
1993	1,554	1	1	3	21	109	335	299	256	294	205	30	-
1992	1,249	5	-	2	12	94	260	213	200	256	176	31	-
1991	1,132	4	3	2	20	77	242	185	196	240	138	25	-
1990	927	2	3	1	15	83	175	142	144	203	139	20	-
1989	906	3	4	4	31	91	137	127	160	203	122	24	-
1988	768	2	4	2	25	73	104	108	145	177	106	22	-
1987	725	-	2	3	34	78	118	92	135	159	86	18	-
1986	619	4	4	4	17	69	89	75	125	137	74	21	-
1985	531	5	8	2	26	62	66	72	96	125	56	13	-
1984	484	3	3	2	34	63	64	66	100	93	42	14	-
1983	494	7	6	5	34	67	49	61	98	107	47	13	-
1982	444	10	9	2	33	50	36	61	82	87	56	17	1
1981	466	5	3	5	38	73	45	75	92	72	49	9	-
1980	415	5	9	11	35	35	40	58	80	68	60	14	-
1979	399	9	5	4	36	52	33	50	82	71	45	11	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Viral hepatitis (070)													
All races, female													
1998	1,814	-	1	2	12	43	230	350	303	439	354	80	-
1997	1,615	2	-	5	7	41	173	261	261	432	335	98	-
1996	1,507	-	2	4	11	49	171	208	245	414	321	82	-
1995	1,324	-	3	2	12	35	134	169	225	376	297	71	-
1994	1,192	3	2	2	13	57	118	141	205	323	269	59	-
1993	935	2	-	3	13	37	85	101	176	260	209	49	-
1992	752	4	2	1	14	34	76	74	121	197	180	49	-
1991	708	2	-	2	12	32	51	70	144	199	155	41	-
1990	651	2	1	1	23	31	49	47	104	194	154	45	-
1989	610	4	1	1	29	47	50	56	84	159	131	48	-
1988	522	4	2	1	7	44	41	48	108	126	106	35	-
1987	457	2	1	2	28	47	37	38	74	108	99	21	-
1986	387	6	4	6	28	38	30	35	49	95	77	19	-
1985	411	1	2	2	38	38	43	38	71	96	62	20	-
1984	385	5	3	5	38	47	31	31	65	81	51	28	-
1983	369	13	2	6	39	25	27	42	63	79	54	19	-
1982	370	2	4	3	27	38	26	46	78	78	49	19	-
1981	396	5	4	6	45	29	35	51	71	80	46	23	1
1980	394	6	2	4	39	36	36	50	65	81	54	21	-
1979	354	4	2	5	41	39	30	36	67	67	43	20	-
Viral hepatitis (070)													
White, both sexes													
1998	3,829	2	1	2	17	83	713	1,034	553	711	574	139	-
1997	3,250	1	-	6	19	72	599	728	476	668	543	138	-
1996	3,065	1	1	4	13	104	550	607	466	660	531	128	-
1995	2,769	1	4	2	11	107	448	502	435	656	496	107	-
1994	2,441	4	5	2	12	124	438	376	341	569	471	99	-
1993	2,029	2	1	3	21	112	327	302	336	481	374	70	-
1992	1,614	5	1	2	18	96	244	219	245	385	326	73	-
1991	1,487	2	3	3	17	87	207	182	276	387	261	62	-
1990	1,265	1	3	1	21	76	167	135	200	338	265	58	-
1989	1,232	4	4	1	39	97	143	142	191	313	232	66	-
1988	1,056	3	6	2	19	80	109	117	213	264	192	51	-
1987	935	1	1	2	41	81	115	94	174	229	159	38	-
1986	830	3	6	7	29	76	107	86	145	197	138	36	-
1985	765	3	6	3	46	67	83	78	145	193	111	30	-
1984	699	4	5	6	52	75	65	74	138	157	83	40	-
1983	683	9	5	8	50	59	60	76	142	151	93	30	-
1982	646	12	9	4	38	57	40	85	134	138	96	32	1
1981	694	6	5	9	48	70	68	94	140	138	88	27	1
1980	667	9	7	12	55	52	49	76	129	140	106	32	-
1979	594	11	6	4	45	65	40	61	131	123	78	29	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Viral hepatitis (070)													
White, male													
1998	2,382	2	1	1	10	53	537	769	326	348	269	66	-
1997	1,988	-	-	3	14	46	463	534	297	317	262	52	-
1996	1,868	1	1	2	9	68	416	448	280	332	258	53	-
1995	1,714	1	2	-	4	86	355	381	269	339	231	46	-
1994	1,543	3	3	-	8	93	355	277	203	316	243	42	-
1993	1,270	-	1	1	15	83	262	236	198	262	185	27	-
1992	1,015	3	-	2	10	76	196	163	154	224	161	26	-
1991	930	-	3	2	10	66	173	143	165	215	130	23	-
1990	755	1	2	-	10	58	139	103	120	176	127	19	-
1989	744	-	3	1	22	72	107	96	123	185	112	23	-
1988	647	1	4	1	16	56	81	86	125	162	95	20	-
1987	580	-	1	1	24	49	92	68	116	137	75	17	-
1986	517	-	3	2	12	54	79	58	106	117	68	18	-
1985	447	3	5	2	18	47	53	58	83	112	54	12	-
1984	396	1	3	1	24	44	51	51	83	87	38	13	-
1983	396	3	3	5	24	42	41	45	89	86	46	12	-
1982	360	10	6	2	18	37	24	47	73	77	52	13	1
1981	388	3	3	3	26	50	39	61	82	67	47	7	-
1980	350	4	6	9	27	23	30	42	77	64	54	14	-
1979	310	7	4	-	18	38	21	37	73	63	38	10	1
Viral hepatitis (070)													
White, female													
1998	1,447	-	-	1	7	30	176	265	227	363	305	73	-
1997	1,262	1	-	3	5	26	136	194	179	351	281	86	-
1996	1,197	-	-	2	4	36	134	159	186	328	273	75	-
1995	1,055	-	2	2	7	21	93	121	166	317	265	61	-
1994	898	1	2	2	4	31	83	99	138	253	228	57	-
1993	759	2	-	2	6	29	65	66	138	219	189	43	-
1992	599	2	1	-	8	20	48	56	91	161	165	47	-
1991	557	2	-	1	7	21	34	39	111	172	131	39	-
1990	510	-	1	1	11	18	28	32	80	162	138	39	-
1989	488	4	1	-	17	25	36	46	68	128	120	43	-
1988	409	2	2	1	3	24	28	31	88	102	97	31	-
1987	355	1	-	1	17	32	23	26	58	92	84	21	-
1986	313	3	3	5	17	22	28	28	39	80	70	18	-
1985	318	-	1	1	28	20	30	20	62	81	57	18	-
1984	303	3	2	5	28	31	14	23	55	70	45	27	-
1983	287	6	2	3	26	17	19	31	53	65	47	18	-
1982	286	2	3	2	20	20	16	38	61	61	44	19	-
1981	306	3	2	6	22	20	29	33	58	71	41	20	1
1980	317	5	1	3	28	29	19	34	52	76	52	18	-
1979	284	4	2	4	27	27	19	24	58	60	40	19	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Viral hepatitis (070)													
All other, both sexes													
1998	967	-	1	1	9	37	190	299	187	143	86	14	-
1997	807	2	1	2	5	37	135	224	163	142	74	22	-
1996	715	-	2	3	10	27	149	175	126	147	64	11	1
1995	631	-	1	1	14	29	145	146	136	95	50	14	-
1994	620	4	-	-	14	59	123	109	133	117	55	6	-
1993	460	1	-	3	13	34	93	98	96	73	40	9	-
1992	387	4	1	1	8	32	92	68	76	68	30	7	-
1991	353	4	-	1	15	22	86	73	64	52	32	4	-
1990	313	3	1	1	17	38	57	54	48	59	28	7	-
1989	284	3	1	4	21	41	44	41	53	49	21	6	-
1988	234	3	-	1	13	37	36	39	40	39	20	6	-
1987	247	1	2	3	21	44	40	36	35	38	26	1	-
1986	176	7	2	3	16	31	12	24	29	35	13	4	-
1985	177	3	4	1	18	33	26	32	22	28	7	3	-
1984	170	4	1	1	20	35	30	23	27	17	10	2	-
1983	180	11	3	3	23	33	16	27	19	35	8	2	-
1982	168	-	4	1	22	31	22	22	26	27	9	4	-
1981	168	4	2	2	35	32	12	32	23	14	7	5	-
1980	142	2	4	3	19	19	27	32	16	9	8	3	-
1979	159	2	1	5	32	26	23	25	18	15	10	2	-
Viral hepatitis (070)													
All other, male													
1998	600	-	-	-	4	24	136	214	111	67	37	7	-
1997	454	1	1	-	3	22	98	157	81	61	20	10	-
1996	405	-	-	1	3	14	112	126	67	61	16	4	1
1995	362	-	-	1	9	15	104	98	77	36	18	4	-
1994	326	2	-	-	5	33	88	67	66	47	14	4	-
1993	284	1	-	2	6	26	73	63	58	32	20	3	-
1992	234	2	-	-	2	18	64	50	46	32	15	5	-
1991	202	4	-	-	10	11	69	42	31	25	8	2	-
1990	172	1	1	1	5	25	36	39	24	27	12	1	-
1989	162	3	1	3	9	19	30	31	37	18	10	1	-
1988	121	1	-	1	9	17	23	22	20	15	11	2	-
1987	145	-	1	2	10	29	26	24	19	22	11	1	-
1986	102	4	1	2	5	15	10	17	19	20	6	3	-
1985	84	2	3	-	8	15	13	14	13	13	2	1	-
1984	88	2	-	1	10	19	13	15	17	6	4	1	-
1983	98	4	3	-	10	25	8	16	9	21	1	1	-
1982	84	-	3	-	15	13	12	14	9	10	4	4	-
1981	78	2	-	2	12	23	6	14	10	5	2	2	-
1980	65	1	3	2	8	12	10	16	3	4	6	-	-
1979	89	2	1	4	18	14	12	13	9	8	7	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Viral hepatitis (070)													
All other, female													
1998	367	-	1	1	5	13	54	85	76	76	49	7	-
1997	353	1	-	2	2	15	37	67	82	81	54	12	-
1996	310	-	2	2	7	13	37	49	59	86	48	7	-
1995	269	-	1	-	5	14	41	48	59	59	32	10	-
1994	294	2	-	-	9	26	35	42	67	70	41	2	-
1993	176	-	-	1	7	8	20	35	38	41	20	6	-
1992	153	2	1	1	6	14	28	18	30	36	15	2	-
1991	151	-	-	1	5	11	17	31	33	27	24	2	-
1990	141	2	-	-	12	13	21	15	24	32	16	6	-
1989	122	-	-	1	12	22	14	10	16	31	11	5	-
1988	113	2	-	-	4	20	13	17	20	24	9	4	-
1987	102	1	1	1	11	15	14	12	16	16	15	-	-
1986	74	3	1	1	11	16	2	7	10	15	7	1	-
1985	93	1	1	1	10	18	13	18	9	15	5	2	-
1984	82	2	1	-	10	16	17	8	10	11	6	1	-
1983	82	7	-	3	13	8	8	11	10	14	7	1	-
1982	84	-	1	1	7	18	10	8	17	17	5	-	-
1981	90	2	2	-	23	9	6	18	13	9	5	3	-
1980	77	1	1	1	11	7	17	16	13	5	2	3	-
1979	70	-	-	1	14	12	11	12	9	7	3	1	-
Viral hepatitis (070)													
Black, both sexes													
1998	694	-	-	1	8	30	151	247	109	86	51	11	-
1997	535	2	-	1	3	30	103	168	94	68	48	18	-
1996	480	-	2	1	9	22	118	140	63	80	36	8	1
1995	429	-	1	1	13	23	120	101	71	60	29	10	-
1994	413	4	-	-	14	46	100	74	68	65	37	5	-
1993	294	1	-	1	8	26	77	62	46	41	26	6	-
1992	256	4	1	1	7	24	76	43	40	39	17	4	-
1991	221	3	-	1	12	17	65	45	30	27	18	3	-
1990	212	3	-	-	17	34	43	31	21	39	18	6	-
1989	206	3	1	3	17	38	34	23	29	37	15	6	-
1988	162	1	-	1	10	32	30	27	22	21	14	4	-
1987	165	-	2	2	18	39	25	17	16	26	20	-	-
1986	126	5	1	3	16	28	10	15	14	26	6	2	-
1985	118	1	2	1	16	28	15	18	12	18	5	2	-
1984	119	4	1	1	18	31	19	11	15	11	6	2	-
1983	135	4	1	2	21	27	14	21	15	22	6	2	-
1982	125	-	2	1	20	28	13	11	17	22	8	3	-
1981	139	2	2	2	35	28	7	20	21	13	6	3	-
1980	113	2	4	3	19	16	19	23	14	6	5	2	-
1979	127	1	1	4	31	24	15	18	10	12	9	2	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Viral hepatitis (070)													
Black, male													
1998	429	-	-	-	3	18	104	177	66	39	17	5	-
1997	311	1	-	-	1	17	74	120	51	29	11	7	-
1996	273	-	-	-	2	9	86	104	33	30	6	2	1
1995	243	-	-	1	8	12	86	66	38	20	11	1	-
1994	216	2	-	-	5	23	72	46	30	23	12	3	-
1993	185	1	-	-	2	18	58	43	30	18	13	2	-
1992	155	2	-	-	1	13	53	33	26	16	9	2	-
1991	124	3	-	-	7	7	52	24	13	11	6	1	-
1990	105	1	-	-	5	22	25	19	9	18	6	-	-
1989	106	3	1	2	7	17	23	16	18	13	5	1	-
1988	79	-	-	1	6	14	19	13	11	5	8	2	-
1987	92	-	1	2	9	25	15	11	8	12	9	-	-
1986	66	2	1	2	5	12	8	11	7	14	3	1	-
1985	54	1	1	-	8	13	7	7	6	8	2	1	-
1984	55	2	-	1	10	17	5	5	9	3	2	1	-
1983	72	1	1	-	9	21	6	11	8	13	1	1	-
1982	56	-	1	-	14	11	5	6	5	8	3	3	-
1981	58	-	-	2	12	20	3	6	9	4	1	1	-
1980	50	1	3	2	8	11	7	10	3	2	3	-	-
1979	60	1	1	3	17	12	6	7	1	5	6	1	-
Viral hepatitis (070)													
Black, female													
1998	265	-	-	1	5	12	47	70	43	47	34	6	-
1997	224	1	-	1	2	13	29	48	43	39	37	11	-
1996	207	-	2	1	7	13	32	36	30	50	30	6	-
1995	186	-	1	-	5	11	34	35	33	40	18	9	-
1994	197	2	-	-	9	23	28	28	38	42	25	2	-
1993	109	-	-	1	6	8	19	19	16	23	13	4	-
1992	101	2	1	1	6	11	23	10	14	23	8	2	-
1991	97	-	-	1	5	10	13	21	17	16	12	2	-
1990	107	2	-	-	12	12	18	12	12	21	12	6	-
1989	100	-	-	1	10	21	11	7	11	24	10	5	-
1988	83	1	-	-	4	18	11	14	11	16	6	2	-
1987	73	-	1	-	9	14	10	6	8	14	11	-	-
1986	60	3	-	1	11	16	2	4	7	12	3	1	-
1985	64	-	1	1	8	15	8	11	6	10	3	1	-
1984	64	2	1	-	8	14	14	6	6	8	4	1	-
1983	63	3	-	2	12	6	8	10	7	9	5	1	-
1982	69	-	1	1	6	17	8	5	12	14	5	-	-
1981	81	2	2	-	23	8	4	14	12	9	5	2	-
1980	63	1	1	1	11	5	12	13	11	4	2	2	-
1979	67	-	-	1	14	12	9	11	9	7	3	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	Age group												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Human immunodeficiency virus (HIV) disease (042-044)													
All races, both sexes													
1998	13,426	14	32	54	194	2,912	5,746	3,120	979	301	64	7	3
1997	16,516	19	54	102	276	3,993	7,073	3,513	1,065	336	72	7	6
1996	31,130	40	147	177	413	8,048	13,637	6,259	1,794	503	87	18	7
1995	43,115	56	210	189	629	11,894	18,860	8,179	2,320	681	79	10	8
1994	42,114	95	199	182	641	12,117	18,359	7,636	2,186	587	95	11	6
1993	37,267	87	204	155	609	11,299	15,929	6,487	1,843	545	82	17	10
1992	33,566	100	161	104	578	10,426	14,203	5,575	1,785	519	88	14	13
1991	29,555	91	155	104	613	9,488	12,259	4,728	1,558	447	92	10	10
1990	25,188	106	123	84	541	8,483	10,265	3,812	1,314	369	66	12	13
1989	22,082	120	112	64	613	7,759	8,563	3,285	1,144	327	70	12	13
1988	16,602	81	114	54	535	6,036	6,184	2,352	867	286	79	11	3
1987	13,468	87	104	47	492	5,026	4,794	1,838	761	230	73	13	3
1986	---	---	---	---	---	---	---	---	---	---	---	---	---
1985	---	---	---	---	---	---	---	---	---	---	---	---	---
1984	---	---	---	---	---	---	---	---	---	---	---	---	---
1983	---	---	---	---	---	---	---	---	---	---	---	---	---
1982	---	---	---	---	---	---	---	---	---	---	---	---	---
1981	---	---	---	---	---	---	---	---	---	---	---	---	---
1980	---	---	---	---	---	---	---	---	---	---	---	---	---
1979	---	---	---	---	---	---	---	---	---	---	---	---	---
Human immunodeficiency virus (HIV) disease (042-044)													
All races, male													
1998	10,291	6	18	23	93	2,056	4,453	2,563	789	243	41	3	3
1997	12,892	11	25	63	145	2,991	5,578	2,862	882	280	46	4	5
1996	25,277	22	74	96	243	6,333	11,172	5,321	1,514	421	67	7	7
1995	35,950	33	96	103	377	9,619	15,996	7,116	2,003	537	57	5	8
1994	35,641	41	98	96	420	10,035	15,738	6,755	1,904	484	58	6	6
1993	32,093	42	104	78	414	9,626	13,834	5,836	1,636	446	56	11	10
1992	29,325	47	88	67	419	8,965	12,544	5,104	1,578	431	63	6	13
1991	26,046	44	74	63	452	8,209	11,054	4,318	1,393	364	58	7	10
1990	22,386	48	62	45	412	7,433	9,284	3,565	1,191	289	42	4	11
1989	19,758	54	53	41	502	6,806	7,840	3,083	1,054	260	44	8	13
1988	14,811	49	62	34	447	5,279	5,656	2,214	784	223	53	8	2
1987	12,088	41	53	33	429	4,436	4,431	1,739	698	179	41	6	2
1986	---	---	---	---	---	---	---	---	---	---	---	---	---
1985	---	---	---	---	---	---	---	---	---	---	---	---	---
1984	---	---	---	---	---	---	---	---	---	---	---	---	---
1983	---	---	---	---	---	---	---	---	---	---	---	---	---
1982	---	---	---	---	---	---	---	---	---	---	---	---	---
1981	---	---	---	---	---	---	---	---	---	---	---	---	---
1980	---	---	---	---	---	---	---	---	---	---	---	---	---
1979	---	---	---	---	---	---	---	---	---	---	---	---	---

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Human immunodeficiency virus (HIV) disease (042-044)													
All races, female													
1998	3,135	8	14	31	101	856	1,293	557	190	58	23	4	-
1997	3,624	8	29	39	131	1,002	1,495	651	183	56	26	3	1
1996	5,853	18	73	81	170	1,715	2,465	938	280	82	20	11	-
1995	7,165	23	114	86	252	2,275	2,864	1,063	317	144	22	5	-
1994	6,473	54	101	86	221	2,082	2,621	881	282	103	37	5	-
1993	5,174	45	100	77	195	1,673	2,095	651	207	99	26	6	-
1992	4,241	53	73	37	159	1,461	1,659	471	207	88	25	8	-
1991	3,509	47	81	41	161	1,279	1,205	410	165	83	34	3	-
1990	2,802	58	61	39	129	1,050	981	247	123	80	24	8	2
1989	2,324	66	59	23	111	953	723	202	90	67	26	4	-
1988	1,791	32	52	20	88	757	528	138	83	63	26	3	1
1987	1,380	46	51	14	63	590	363	99	63	51	32	7	1
1986	---	---	---	---	---	---	---	---	---	---	---	---	---
1985	---	---	---	---	---	---	---	---	---	---	---	---	---
1984	---	---	---	---	---	---	---	---	---	---	---	---	---
1983	---	---	---	---	---	---	---	---	---	---	---	---	---
1982	---	---	---	---	---	---	---	---	---	---	---	---	---
1981	---	---	---	---	---	---	---	---	---	---	---	---	---
1980	---	---	---	---	---	---	---	---	---	---	---	---	---
1979	---	---	---	---	---	---	---	---	---	---	---	---	---
Human immunodeficiency virus (HIV) disease (042-044)													
White, both sexes													
1998	6,106	5	12	16	56	1,272	2,734	1,393	445	134	32	6	1
1997	7,840	5	17	39	102	1,938	3,433	1,635	489	144	30	4	4
1996	16,804	14	51	78	183	4,403	7,385	3,431	951	256	40	10	2
1995	25,509	22	85	80	274	7,098	11,183	4,951	1,370	393	42	6	5
1994	25,578	34	75	88	283	7,388	11,214	4,778	1,322	326	57	9	4
1993	23,586	21	75	75	290	7,177	9,997	4,305	1,229	340	54	16	7
1992	21,921	27	60	55	290	6,784	9,189	3,906	1,184	343	65	11	7
1991	19,850	21	57	62	324	6,315	8,249	3,310	1,113	317	68	8	6
1990	17,255	30	46	28	312	5,619	7,080	2,848	950	274	52	8	8
1989	15,095	52	44	41	364	5,137	5,827	2,446	860	249	60	10	5
1988	11,267	33	48	30	322	3,907	4,221	1,748	646	232	68	10	2
1987	9,328	33	50	33	305	3,330	3,328	1,381	588	200	69	10	1
1986	---	---	---	---	---	---	---	---	---	---	---	---	---
1985	---	---	---	---	---	---	---	---	---	---	---	---	---
1984	---	---	---	---	---	---	---	---	---	---	---	---	---
1983	---	---	---	---	---	---	---	---	---	---	---	---	---
1982	---	---	---	---	---	---	---	---	---	---	---	---	---
1981	---	---	---	---	---	---	---	---	---	---	---	---	---
1980	---	---	---	---	---	---	---	---	---	---	---	---	---
1979	---	---	---	---	---	---	---	---	---	---	---	---	---

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Human immunodeficiency virus (HIV) disease (042-044)													
White, male													
1998	5,184	3	7	7	37	1,031	2,350	1,232	383	112	18	3	1
1997	6,688	3	11	25	68	1,595	2,964	1,441	424	132	18	3	4
1996	14,662	8	21	45	121	3,750	6,534	3,094	832	221	32	2	2
1995	22,670	13	37	47	199	6,182	10,060	4,514	1,249	334	28	2	5
1994	22,993	16	36	53	217	6,489	10,220	4,429	1,208	281	35	5	4
1993	21,455	12	36	44	221	6,498	9,163	4,021	1,123	284	36	10	7
1992	20,161	14	32	40	225	6,161	8,577	3,677	1,087	286	50	5	7
1991	18,366	12	26	39	263	5,783	7,765	3,134	1,037	255	40	6	6
1990	16,106	18	19	15	256	5,196	6,716	2,742	880	220	35	1	8
1989	14,114	27	13	29	312	4,752	5,572	2,354	807	197	40	6	5
1988	10,479	23	26	23	282	3,599	4,015	1,682	595	179	46	7	2
1987	8,700	20	25	26	282	3,087	3,183	1,328	545	160	39	4	1
1986	---	---	---	---	---	---	---	---	---	---	---	---	---
1985	---	---	---	---	---	---	---	---	---	---	---	---	---
1984	---	---	---	---	---	---	---	---	---	---	---	---	---
1983	---	---	---	---	---	---	---	---	---	---	---	---	---
1982	---	---	---	---	---	---	---	---	---	---	---	---	---
1981	---	---	---	---	---	---	---	---	---	---	---	---	---
1980	---	---	---	---	---	---	---	---	---	---	---	---	---
1979	---	---	---	---	---	---	---	---	---	---	---	---	---
Human immunodeficiency virus (HIV) disease (042-044)													
White, female													
1998	922	2	5	9	19	241	384	161	62	22	14	3	-
1997	1,152	2	6	14	34	343	469	194	65	12	12	1	-
1996	2,142	6	30	33	62	653	851	337	119	35	8	8	-
1995	2,839	9	48	33	75	916	1,123	437	121	59	14	4	-
1994	2,585	18	39	35	66	899	994	349	114	45	22	4	-
1993	2,131	9	39	31	69	679	834	284	106	56	18	6	-
1992	1,760	13	28	15	65	623	612	229	97	57	15	6	-
1991	1,484	9	31	23	61	532	484	176	76	62	28	2	-
1990	1,149	12	27	13	56	423	364	106	70	54	17	7	-
1989	981	25	31	12	52	385	255	92	53	52	20	4	-
1988	788	10	22	7	40	308	206	66	51	53	22	3	-
1987	628	13	25	7	23	243	145	53	43	40	30	6	-
1986	---	---	---	---	---	---	---	---	---	---	---	---	---
1985	---	---	---	---	---	---	---	---	---	---	---	---	---
1984	---	---	---	---	---	---	---	---	---	---	---	---	---
1983	---	---	---	---	---	---	---	---	---	---	---	---	---
1982	---	---	---	---	---	---	---	---	---	---	---	---	---
1981	---	---	---	---	---	---	---	---	---	---	---	---	---
1980	---	---	---	---	---	---	---	---	---	---	---	---	---
1979	---	---	---	---	---	---	---	---	---	---	---	---	---

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Human immunodeficiency virus (HIV) disease (042-044)													
All other, both sexes													
1998	7,320	9	20	38	138	1,640	3,012	1,727	534	167	32	1	2
1997	8,676	14	37	63	174	2,055	3,640	1,878	576	192	42	3	2
1996	14,326	26	96	99	230	3,645	6,252	2,828	843	247	47	8	5
1995	17,606	34	125	109	355	4,796	7,677	3,228	950	288	37	4	3
1994	16,536	61	124	94	358	4,729	7,145	2,858	864	261	38	2	2
1993	13,681	66	129	80	319	4,122	5,932	2,182	614	205	28	1	3
1992	11,645	73	101	49	288	3,642	5,014	1,669	601	176	23	3	6
1991	9,705	70	98	42	289	3,173	4,010	1,418	445	130	24	2	4
1990	7,933	76	77	56	229	2,864	3,185	964	364	95	14	4	5
1989	6,987	68	68	23	249	2,622	2,736	839	284	78	10	2	8
1988	5,335	48	66	24	213	2,129	1,963	604	221	54	11	1	1
1987	4,140	54	54	14	187	1,696	1,466	457	173	30	4	3	2
1986	---	---	---	---	---	---	---	---	---	---	---	---	---
1985	---	---	---	---	---	---	---	---	---	---	---	---	---
1984	---	---	---	---	---	---	---	---	---	---	---	---	---
1983	---	---	---	---	---	---	---	---	---	---	---	---	---
1982	---	---	---	---	---	---	---	---	---	---	---	---	---
1981	---	---	---	---	---	---	---	---	---	---	---	---	---
1980	---	---	---	---	---	---	---	---	---	---	---	---	---
1979	---	---	---	---	---	---	---	---	---	---	---	---	---
Human immunodeficiency virus (HIV) disease (042-044)													
All other, male													
1998	5,107	3	11	16	56	1,025	2,103	1,331	406	131	23	-	2
1997	6,204	8	14	38	77	1,396	2,614	1,421	458	148	28	1	1
1996	10,615	14	53	51	122	2,583	4,638	2,227	682	200	35	5	5
1995	13,280	20	59	56	178	3,437	5,936	2,602	754	203	29	3	3
1994	12,648	25	62	43	203	3,546	5,518	2,326	696	203	23	1	2
1993	10,638	30	68	34	193	3,128	4,671	1,815	513	162	20	1	3
1992	9,164	33	56	27	194	2,804	3,967	1,427	491	145	13	1	6
1991	7,680	32	48	24	189	2,426	3,289	1,184	356	109	18	1	4
1990	6,280	30	43	30	156	2,237	2,568	823	311	69	7	3	3
1989	5,644	27	40	12	190	2,054	2,268	729	247	63	4	2	8
1988	4,332	26	36	11	165	1,680	1,641	532	189	44	7	1	-
1987	3,388	21	28	7	147	1,349	1,248	411	153	19	2	2	1
1986	---	---	---	---	---	---	---	---	---	---	---	---	---
1985	---	---	---	---	---	---	---	---	---	---	---	---	---
1984	---	---	---	---	---	---	---	---	---	---	---	---	---
1983	---	---	---	---	---	---	---	---	---	---	---	---	---
1982	---	---	---	---	---	---	---	---	---	---	---	---	---
1981	---	---	---	---	---	---	---	---	---	---	---	---	---
1980	---	---	---	---	---	---	---	---	---	---	---	---	---
1979	---	---	---	---	---	---	---	---	---	---	---	---	---

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Human immunodeficiency virus (HIV) disease (042-044)													
All other, female													
1998	2,213	6	9	22	82	615	909	396	128	36	9	1	-
1997	2,472	6	23	25	97	659	1,026	457	118	44	14	2	1
1996	3,711	12	43	48	108	1,062	1,614	601	161	47	12	3	-
1995	4,326	14	66	53	177	1,359	1,741	626	196	85	8	1	-
1994	3,888	36	62	51	155	1,183	1,627	532	168	58	15	1	-
1993	3,043	36	61	46	126	994	1,261	367	101	43	8	-	-
1992	2,481	40	45	22	94	838	1,047	242	110	31	10	2	-
1991	2,025	38	50	18	100	747	721	234	89	21	6	1	-
1990	1,653	46	34	26	73	627	617	141	53	26	7	1	2
1989	1,343	41	28	11	59	568	468	110	37	15	6	-	-
1988	1,003	22	30	13	48	449	322	72	32	10	4	-	1
1987	752	33	26	7	40	347	218	46	20	11	2	1	1
1986	---	---	---	---	---	---	---	---	---	---	---	---	---
1985	---	---	---	---	---	---	---	---	---	---	---	---	---
1984	---	---	---	---	---	---	---	---	---	---	---	---	---
1983	---	---	---	---	---	---	---	---	---	---	---	---	---
1982	---	---	---	---	---	---	---	---	---	---	---	---	---
1981	---	---	---	---	---	---	---	---	---	---	---	---	---
1980	---	---	---	---	---	---	---	---	---	---	---	---	---
1979	---	---	---	---	---	---	---	---	---	---	---	---	---
Human immunodeficiency virus (HIV) disease (042-044)													
Black, both sexes													
1998	7,180	9	20	37	137	1,600	2,958	1,700	520	165	31	1	2
1997	8,525	14	37	62	173	2,013	3,571	1,853	566	189	42	3	2
1996	13,997	26	94	99	227	3,563	6,102	2,761	824	241	47	8	5
1995	17,139	33	124	108	350	4,645	7,479	3,153	922	283	35	4	3
1994	16,079	59	121	91	350	4,566	6,978	2,779	841	254	36	2	2
1993	13,319	63	128	75	315	4,016	5,778	2,110	601	201	28	1	3
1992	11,378	73	100	47	286	3,556	4,900	1,624	589	171	23	3	6
1991	9,437	70	95	42	282	3,080	3,907	1,378	431	125	21	2	4
1990	7,730	76	76	54	226	2,802	3,100	930	353	90	14	4	5
1989	6,795	68	68	22	242	2,559	2,661	809	272	76	10	1	7
1988	5,197	48	66	23	209	2,080	1,912	587	208	52	10	1	1
1987	4,040	54	52	14	183	1,670	1,427	440	168	24	3	3	2
1986	---	---	---	---	---	---	---	---	---	---	---	---	---
1985	---	---	---	---	---	---	---	---	---	---	---	---	---
1984	---	---	---	---	---	---	---	---	---	---	---	---	---
1983	---	---	---	---	---	---	---	---	---	---	---	---	---
1982	---	---	---	---	---	---	---	---	---	---	---	---	---
1981	---	---	---	---	---	---	---	---	---	---	---	---	---
1980	---	---	---	---	---	---	---	---	---	---	---	---	---
1979	---	---	---	---	---	---	---	---	---	---	---	---	---

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Human immunodeficiency virus (HIV) disease (042-044)													
Black, male													
1998	4,994	3	11	15	56	991	2,061	1,307	396	129	23	-	2
1997	6,078	8	14	38	76	1,360	2,551	1,403	451	147	28	1	1
1996	10,329	14	53	51	119	2,515	4,507	2,166	665	194	35	5	5
1995	12,875	20	59	56	175	3,306	5,758	2,536	731	200	28	3	3
1994	12,245	25	61	40	195	3,408	5,365	2,255	675	197	21	1	2
1993	10,324	29	68	32	189	3,033	4,535	1,752	501	161	20	1	3
1992	8,925	33	56	26	192	2,724	3,866	1,385	481	142	13	1	6
1991	7,440	32	46	24	183	2,342	3,195	1,147	345	104	17	1	4
1990	6,097	30	42	29	153	2,180	2,493	789	303	65	7	3	3
1989	5,475	27	40	12	184	1,997	2,201	701	239	62	4	1	7
1988	4,202	26	36	10	161	1,632	1,592	517	178	42	7	1	-
1987	3,301	21	26	7	145	1,326	1,212	395	150	15	1	2	1
1986	---	---	---	---	---	---	---	---	---	---	---	---	---
1985	---	---	---	---	---	---	---	---	---	---	---	---	---
1984	---	---	---	---	---	---	---	---	---	---	---	---	---
1983	---	---	---	---	---	---	---	---	---	---	---	---	---
1982	---	---	---	---	---	---	---	---	---	---	---	---	---
1981	---	---	---	---	---	---	---	---	---	---	---	---	---
1980	---	---	---	---	---	---	---	---	---	---	---	---	---
1979	---	---	---	---	---	---	---	---	---	---	---	---	---
Human immunodeficiency virus (HIV) disease (042-044)													
Black, female													
1998	2,186	6	9	22	81	609	897	393	124	36	8	1	-
1997	2,447	6	23	24	97	653	1,020	450	115	42	14	2	1
1996	3,668	12	41	48	108	1,048	1,595	595	159	47	12	3	-
1995	4,264	13	65	52	175	1,339	1,721	617	191	83	7	1	-
1994	3,834	34	60	51	155	1,158	1,613	524	166	57	15	1	-
1993	2,995	34	60	43	126	983	1,243	358	100	40	8	-	-
1992	2,453	40	44	21	94	832	1,034	239	108	29	10	2	-
1991	1,997	38	49	18	99	738	712	231	86	21	4	1	-
1990	1,633	46	34	25	73	622	607	141	50	25	7	1	2
1989	1,320	41	28	10	58	562	460	108	33	14	6	-	-
1988	995	22	30	13	48	448	320	70	30	10	3	-	1
1987	739	33	26	7	38	344	215	45	18	9	2	1	1
1986	---	---	---	---	---	---	---	---	---	---	---	---	---
1985	---	---	---	---	---	---	---	---	---	---	---	---	---
1984	---	---	---	---	---	---	---	---	---	---	---	---	---
1983	---	---	---	---	---	---	---	---	---	---	---	---	---
1982	---	---	---	---	---	---	---	---	---	---	---	---	---
1981	---	---	---	---	---	---	---	---	---	---	---	---	---
1980	---	---	---	---	---	---	---	---	---	---	---	---	---
1979	---	---	---	---	---	---	---	---	---	---	---	---	---

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malaria (084)													
All races, both sexes													
1998	6	-	-	-	-	-	1	2	1	1	1	-	-
1997	7	1	-	-	1	1	-	1	2	-	1	-	-
1996	4	-	-	1	-	-	-	1	2	-	-	-	-
1995	8	-	-	-	-	1	2	-	1	4	-	-	-
1994	3	-	-	-	1	-	-	1	-	1	-	-	-
1993	12	-	-	-	1	5	1	3	1	1	-	-	-
1992	8	-	-	-	1	1	1	1	1	2	1	-	-
1991	4	-	-	-	1	-	-	2	-	1	-	-	-
1990	3	-	-	-	1	1	-	-	-	1	-	-	-
1989	11	-	1	1	1	2	-	1	2	1	2	-	-
1988	7	-	-	-	1	1	-	1	2	2	-	-	-
1987	5	-	-	-	-	1	2	-	1	1	-	-	-
1986	5	-	-	-	-	-	2	1	-	2	-	-	-
1985	13	-	-	-	-	2	1	1	2	3	4	-	-
1984	7	-	-	-	1	3	-	2	1	-	-	-	-
1983	3	-	-	-	-	-	2	-	-	1	-	-	-
1982	2	-	-	-	-	1	-	1	-	-	-	-	-
1981	7	-	-	1	-	2	1	1	2	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-	-
1979	3	-	-	-	-	-	1	-	1	-	1	-	-
Malaria (084)													
All races, male													
1998	4	-	-	-	-	-	1	1	1	-	1	-	-
1997	6	1	-	-	-	1	-	1	2	-	1	-	-
1996	3	-	-	1	-	-	-	-	2	-	-	-	-
1995	5	-	-	-	-	-	2	-	-	3	-	-	-
1994	1	-	-	-	-	-	-	1	-	-	-	-	-
1993	7	-	-	-	1	3	1	1	1	-	-	-	-
1992	5	-	-	-	-	-	1	1	1	1	1	-	-
1991	3	-	-	-	-	-	-	2	-	1	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-	-
1989	7	-	1	-	-	1	-	1	1	1	2	-	-
1988	3	-	-	-	-	-	-	1	1	1	-	-	-
1987	3	-	-	-	-	1	1	-	-	1	-	-	-
1986	3	-	-	-	-	-	-	1	-	2	-	-	-
1985	7	-	-	-	-	1	1	1	1	2	1	-	-
1984	6	-	-	-	1	2	-	2	1	-	-	-	-
1983	2	-	-	-	-	-	1	-	-	1	-	-	-
1982	1	-	-	-	-	-	-	1	-	-	-	-	-
1981	6	-	-	1	-	1	1	1	2	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-	-
1979	1	-	-	-	-	-	1	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malaria (084)													
All races, female													
1998	2	-	-	-	-	-	-	1	-	1	-	-	-
1997	1	-	-	-	1	-	-	-	-	-	-	-	-
1996	1	-	-	-	-	-	-	1	-	-	-	-	-
1995	3	-	-	-	-	1	-	-	1	1	-	-	-
1994	2	-	-	-	1	-	-	-	-	1	-	-	-
1993	5	-	-	-	-	2	-	2	-	1	-	-	-
1992	3	-	-	-	1	1	-	-	-	1	-	-	-
1991	1	-	-	-	1	-	-	-	-	-	-	-	-
1990	3	-	-	-	1	1	-	-	-	1	-	-	-
1989	4	-	-	1	1	1	-	-	1	-	-	-	-
1988	4	-	-	-	1	1	-	-	1	1	-	-	-
1987	2	-	-	-	-	-	1	-	1	-	-	-	-
1986	2	-	-	-	-	-	2	-	-	-	-	-	-
1985	6	-	-	-	-	1	-	-	1	1	3	-	-
1984	1	-	-	-	-	1	-	-	-	-	-	-	-
1983	1	-	-	-	-	-	1	-	-	-	-	-	-
1982	1	-	-	-	-	1	-	-	-	-	-	-	-
1981	1	-	-	-	-	1	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-	-
1979	2	-	-	-	-	-	-	-	1	-	1	-	-
Malaria (084)													
White, both sexes													
1998	3	-	-	-	-	-	1	1	-	-	1	-	-
1997	5	-	-	-	1	-	-	1	2	-	1	-	-
1996	2	-	-	-	-	-	-	-	2	-	-	-	-
1995	6	-	-	-	-	-	1	-	1	4	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	5	-	-	-	1	2	-	2	-	-	-	-	-
1992	3	-	-	-	1	-	-	-	1	1	-	-	-
1991	2	-	-	-	1	-	-	-	-	1	-	-	-
1990	1	-	-	-	-	-	-	-	-	1	-	-	-
1989	8	-	-	1	1	1	-	1	1	1	2	-	-
1988	6	-	-	-	1	1	-	1	1	2	-	-	-
1987	2	-	-	-	-	-	-	-	1	1	-	-	-
1986	5	-	-	-	-	-	2	1	-	2	-	-	-
1985	10	-	-	-	-	1	-	-	2	3	4	-	-
1984	5	-	-	-	1	1	-	2	1	-	-	-	-
1983	3	-	-	-	-	-	2	-	-	1	-	-	-
1982	2	-	-	-	-	1	-	1	-	-	-	-	-
1981	2	-	-	-	-	-	-	1	1	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-	-
1979	3	-	-	-	-	-	1	-	1	-	1	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malaria (084)													
White, male													
1998	3	-	-	-	-	-	1	1	-	-	1	-	-
1997	4	-	-	-	-	-	-	1	2	-	1	-	-
1996	2	-	-	-	-	-	-	-	2	-	-	-	-
1995	4	-	-	-	-	-	1	-	-	3	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	3	-	-	-	1	2	-	-	-	-	-	-	-
1992	2	-	-	-	-	-	-	-	1	1	-	-	-
1991	1	-	-	-	-	-	-	-	-	1	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-	-
1989	6	-	-	-	-	1	-	1	1	1	2	-	-
1988	3	-	-	-	-	-	-	1	1	1	-	-	-
1987	1	-	-	-	-	-	-	-	-	1	-	-	-
1986	3	-	-	-	-	-	-	1	-	2	-	-	-
1985	4	-	-	-	-	-	-	-	1	2	1	-	-
1984	5	-	-	-	1	1	-	2	1	-	-	-	-
1983	2	-	-	-	-	-	1	-	-	1	-	-	-
1982	1	-	-	-	-	-	-	1	-	-	-	-	-
1981	2	-	-	-	-	-	-	1	1	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-	-
1979	1	-	-	-	-	-	1	-	-	-	-	-	-
Malaria (084)													
White, female													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	1	-	-	-	1	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	2	-	-	-	-	-	-	-	1	1	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	2	-	-	-	-	-	-	2	-	-	-	-	-
1992	1	-	-	-	1	-	-	-	-	-	-	-	-
1991	1	-	-	-	1	-	-	-	-	-	-	-	-
1990	1	-	-	-	-	-	-	-	-	1	-	-	-
1989	2	-	-	1	1	-	-	-	-	-	-	-	-
1988	3	-	-	-	1	1	-	-	-	1	-	-	-
1987	1	-	-	-	-	-	-	-	1	-	-	-	-
1986	2	-	-	-	-	-	2	-	-	-	-	-	-
1985	6	-	-	-	-	1	-	-	1	1	3	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	1	-	-	-	-	-	1	-	-	-	-	-	-
1982	1	-	-	-	-	1	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-	-
1979	2	-	-	-	-	-	-	-	1	-	1	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malaria (084)													
All other, both sexes													
1998	3	-	-	-	-	-	-	1	1	1	-	-	-
1997	2	1	-	-	-	1	-	-	-	-	-	-	-
1996	2	-	-	1	-	-	-	1	-	-	-	-	-
1995	2	-	-	-	-	1	1	-	-	-	-	-	-
1994	3	-	-	-	1	-	-	1	-	1	-	-	-
1993	7	-	-	-	-	3	1	1	1	1	-	-	-
1992	5	-	-	-	-	1	1	1	-	1	1	-	-
1991	2	-	-	-	-	-	-	2	-	-	-	-	-
1990	2	-	-	-	1	1	-	-	-	-	-	-	-
1989	3	-	1	-	-	1	-	-	1	-	-	-	-
1988	1	-	-	-	-	-	-	-	1	-	-	-	-
1987	3	-	-	-	-	1	2	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	3	-	-	-	-	1	1	1	-	-	-	-	-
1984	2	-	-	-	-	2	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	5	-	-	1	-	2	1	-	1	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria (084)													
All other, male													
1998	1	-	-	-	-	-	-	-	1	-	-	-	-
1997	2	1	-	-	-	1	-	-	-	-	-	-	-
1996	1	-	-	1	-	-	-	-	-	-	-	-	-
1995	1	-	-	-	-	-	1	-	-	-	-	-	-
1994	1	-	-	-	-	-	-	1	-	-	-	-	-
1993	4	-	-	-	-	1	1	1	1	-	-	-	-
1992	3	-	-	-	-	-	1	1	-	-	1	-	-
1991	2	-	-	-	-	-	-	2	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-	-
1989	1	-	1	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	2	-	-	-	-	1	1	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	3	-	-	-	-	1	1	1	-	-	-	-	-
1984	1	-	-	-	-	1	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	4	-	-	1	-	1	1	-	1	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malaria (084)													
All other, female													
1998	2	-	-	-	-	-	-	1	-	1	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	1	-	-	-	-	-	-	1	-	-	-	-	-
1995	1	-	-	-	-	1	-	-	-	-	-	-	-
1994	2	-	-	-	1	-	-	-	-	1	-	-	-
1993	3	-	-	-	-	2	-	-	-	1	-	-	-
1992	2	-	-	-	-	1	-	-	-	1	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-	-
1990	2	-	-	-	1	1	-	-	-	-	-	-	-
1989	2	-	-	-	-	1	-	-	1	-	-	-	-
1988	1	-	-	-	-	-	-	-	1	-	-	-	-
1987	1	-	-	-	-	-	1	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-	-	-
1984	1	-	-	-	-	1	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	1	-	-	-	-	1	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria (084)													
Black, both sexes													
1998	2	-	-	-	-	-	-	1	1	-	-	-	-
1997	2	1	-	-	-	1	-	-	-	-	-	-	-
1996	2	-	-	1	-	-	-	1	-	-	-	-	-
1995	2	-	-	-	-	1	1	-	-	-	-	-	-
1994	1	-	-	-	-	-	-	1	-	-	-	-	-
1993	5	-	-	-	-	3	1	-	-	1	-	-	-
1992	2	-	-	-	-	1	1	-	-	-	-	-	-
1991	1	-	-	-	-	-	-	1	-	-	-	-	-
1990	2	-	-	-	1	1	-	-	-	-	-	-	-
1989	2	-	1	-	-	1	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	2	-	-	-	-	1	1	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	1	-	-	-	-	-	1	-	-	-	-	-	-
1984	2	-	-	-	-	2	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	3	-	-	1	-	1	-	-	1	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malaria (084)													
Black, male													
1998	1	-	-	-	-	-	-	-	1	-	-	-	-
1997	2	1	-	-	-	1	-	-	-	-	-	-	-
1996	1	-	-	1	-	-	-	-	-	-	-	-	-
1995	1	-	-	-	-	-	1	-	-	-	-	-	-
1994	1	-	-	-	-	-	-	1	-	-	-	-	-
1993	2	-	-	-	-	1	1	-	-	-	-	-	-
1992	1	-	-	-	-	-	1	-	-	-	-	-	-
1991	1	-	-	-	-	-	-	1	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-	-
1989	1	-	1	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	1	-	-	-	-	1	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	1	-	-	-	-	-	1	-	-	-	-	-	-
1984	1	-	-	-	-	1	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	3	-	-	1	-	1	-	-	1	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria (084)													
Black, female													
1998	1	-	-	-	-	-	-	1	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	1	-	-	-	-	-	-	1	-	-	-	-	-
1995	1	-	-	-	-	1	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	3	-	-	-	-	2	-	-	-	1	-	-	-
1992	1	-	-	-	-	1	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-	-
1990	2	-	-	-	1	1	-	-	-	-	-	-	-
1989	1	-	-	-	-	1	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	1	-	-	-	-	-	1	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-	-	-
1984	1	-	-	-	-	1	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages												Age not stated
	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years		
Other and unspecified infectious and parasitic diseases and their sequelae (001,005,020-032,037,039-041,046-054,056-061,065-066,071-083,085-088,098-134,136-139,771.3)													
All races, both sexes													
1998	6,052	257	76	83	112	249	494	625	806	1,242	1,316	792	-
1997	6,102	242	92	85	128	283	561	652	795	1,222	1,349	693	-
1996	6,334	207	106	90	128	398	705	663	762	1,327	1,267	681	-
1995	6,388	237	103	128	136	495	775	660	735	1,212	1,227	680	-
1994	6,496	232	122	120	139	474	818	675	825	1,250	1,171	670	-
1993	6,468	244	122	111	163	528	747	603	784	1,243	1,194	728	1
1992	6,184	258	83	103	136	535	710	616	776	1,163	1,151	653	-
1991	6,234	301	96	81	122	537	738	569	815	1,245	1,098	631	1
1990	6,442	260	98	107	181	572	732	555	829	1,279	1,199	629	1
1989	6,576	269	103	78	173	595	725	540	865	1,331	1,243	654	-
1988	6,122	218	105	114	171	486	593	507	824	1,266	1,167	670	1
1987	5,569	223	106	103	163	440	528	430	824	1,189	998	565	-
1986	8,785	219	106	96	280	1,646	1,606	896	1,049	1,261	1,035	590	1
1985	6,931	222	90	86	225	1,025	1,089	680	881	1,154	924	553	2
1984	5,627	191	83	105	194	692	656	530	795	1,014	884	482	1
1983	4,528	200	81	102	160	371	355	405	720	930	806	398	-
1982	4,071	191	110	100	167	241	263	344	640	925	691	399	-
1981	3,820	178	87	109	149	198	198	357	663	800	684	397	-
1980	3,693	222	95	91	153	177	173	325	613	791	641	411	1
1979	3,234	218	98	125	146	162	161	298	571	641	550	263	1
Other and unspecified infectious and parasitic diseases and their sequelae (001,005,020-032,037,039-041,046-054,056-061,065-066,071-083,085-088,098-134,136-139,771.3)													
All races, male													
1998	3,134	148	41	45	53	159	311	380	437	673	645	242	-
1997	3,179	137	52	47	51	161	362	384	436	641	668	240	-
1996	3,409	107	63	54	54	264	490	403	427	691	600	256	-
1995	3,555	140	59	56	68	342	560	405	393	655	620	257	-
1994	3,685	144	75	64	72	342	623	446	485	665	526	243	-
1993	3,641	136	62	59	90	373	566	388	463	675	576	252	1
1992	3,498	150	48	46	77	370	538	397	441	639	552	240	-
1991	3,642	169	51	41	64	371	574	376	486	694	593	222	1
1990	3,678	152	50	51	109	406	545	364	472	717	590	222	-
1989	3,744	149	57	42	101	417	533	354	509	735	627	220	-
1988	3,420	125	55	56	96	363	442	324	474	718	551	216	-
1987	3,105	131	58	47	103	302	360	292	499	632	489	192	-
1986	6,090	130	57	49	206	1,413	1,423	706	693	706	516	190	1
1985	4,508	119	48	52	158	857	935	505	539	652	458	185	-
1984	3,444	116	38	56	126	545	532	381	517	550	416	167	-
1983	2,552	121	44	54	90	264	259	237	408	504	418	153	-
1982	2,188	107	55	50	95	137	168	213	375	493	345	150	-
1981	2,019	97	51	61	72	106	111	213	380	442	330	156	-
1980	1,937	115	54	49	73	92	110	190	348	463	293	149	1
1979	1,736	112	56	65	75	88	89	174	321	371	286	98	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other and unspecified infectious and parasitic diseases and their sequelae (001,005,020-032,037,039-041,046-054,056-061,065-066,071-083,085-088,098-134,136-139,771.3)													
All races, female													
1998	2,918	109	35	38	59	90	183	245	369	569	671	550	-
1997	2,923	105	40	38	77	122	199	268	359	581	681	453	-
1996	2,925	100	43	36	74	134	215	260	335	636	667	425	-
1995	2,833	97	44	72	68	153	215	255	342	557	607	423	-
1994	2,811	88	47	56	67	132	195	229	340	585	645	427	-
1993	2,827	108	60	52	73	155	181	215	321	568	618	476	-
1992	2,686	108	35	57	59	165	172	219	335	524	599	413	-
1991	2,592	132	45	40	58	166	164	193	329	551	505	409	-
1990	2,764	108	48	56	72	166	187	191	357	562	609	407	1
1989	2,832	120	46	36	72	178	192	186	356	596	616	434	-
1988	2,702	93	50	58	75	123	151	183	350	548	616	454	1
1987	2,464	92	48	56	60	138	168	138	325	557	509	373	-
1986	2,695	89	49	47	74	233	183	190	356	555	519	400	-
1985	2,423	103	42	34	67	168	154	175	342	502	466	368	2
1984	2,183	75	45	49	68	147	124	149	278	464	468	315	1
1983	1,976	79	37	48	70	107	96	168	312	426	388	245	-
1982	1,883	84	55	50	72	104	95	131	265	432	346	249	-
1981	1,801	81	36	48	77	92	87	144	283	358	354	241	-
1980	1,756	107	41	42	80	85	63	135	265	328	348	262	-
1979	1,498	106	42	60	71	74	72	124	250	270	264	165	-
Other and unspecified infectious and parasitic diseases and their sequelae (001,005,020-032,037,039-041,046-054,056-061,065-066,071-083,085-088,098-134,136-139,771.3)													
White, both sexes													
1998	4,944	168	59	68	84	154	318	466	643	1,083	1,180	721	-
1997	4,910	142	72	67	89	184	353	489	652	1,044	1,195	623	-
1996	5,063	128	72	64	95	274	466	488	603	1,150	1,121	602	-
1995	5,178	146	74	94	92	334	541	504	600	1,069	1,096	628	-
1994	5,236	150	85	91	98	313	573	521	670	1,083	1,038	614	-
1993	5,184	157	88	85	115	343	517	446	639	1,080	1,061	653	-
1992	4,953	142	60	87	102	363	499	452	617	1,013	1,031	587	-
1991	5,000	197	71	60	84	356	494	441	665	1,071	990	571	-
1990	5,168	170	67	80	128	391	509	402	671	1,115	1,066	569	-
1989	5,277	164	72	64	131	388	461	409	738	1,153	1,097	600	-
1988	5,023	148	81	87	120	336	409	387	687	1,111	1,039	617	1
1987	4,546	151	81	76	119	312	384	303	679	1,037	892	512	-
1986	7,079	139	80	78	215	1,191	1,208	715	871	1,111	928	543	-
1985	5,643	144	66	74	163	742	835	535	740	994	835	513	2
1984	4,600	126	63	80	149	489	483	407	672	889	790	451	1
1983	3,768	136	59	80	122	258	262	316	616	832	719	368	-
1982	3,420	125	88	79	137	171	199	275	551	814	609	372	-
1981	3,253	132	70	95	120	149	143	291	567	706	616	364	-
1980	3,102	161	69	73	126	137	128	250	519	694	566	378	1
1979	2,742	159	72	109	119	125	110	247	488	564	499	249	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other and unspecified infectious and parasitic diseases and their sequelae (001,005,020-032,037,039-041,046-054,056-061,065-066,071-083,085-088,098-134,136-139,771.3)													
White, male													
1998	2,546	97	32	37	38	100	214	279	350	598	582	219	-
1997	2,534	84	44	33	35	106	236	283	349	550	599	215	-
1996	2,679	70	41	39	41	183	321	289	338	604	533	220	-
1995	2,874	87	44	42	43	241	399	322	331	585	549	231	-
1994	2,945	95	51	48	52	234	461	349	407	576	456	216	-
1993	2,875	96	43	45	60	249	401	287	371	586	509	228	-
1992	2,772	87	35	39	55	265	379	291	351	555	502	213	-
1991	2,875	114	41	29	43	256	397	290	383	598	528	196	-
1990	2,920	102	37	41	76	277	398	256	389	617	530	197	-
1989	2,960	96	42	36	78	280	341	268	438	639	542	200	-
1988	2,757	88	45	43	69	256	304	245	392	628	499	188	-
1987	2,513	90	41	32	74	221	274	205	411	554	439	172	-
1986	4,866	83	44	43	161	1,054	1,096	568	570	622	457	168	-
1985	3,629	77	33	46	112	634	729	395	461	567	407	168	-
1984	2,770	78	29	42	96	392	399	291	445	482	364	152	-
1983	2,085	84	30	41	73	183	188	190	343	447	371	135	-
1982	1,795	70	42	39	76	96	118	170	323	428	299	134	-
1981	1,710	68	41	52	55	83	80	174	330	388	301	138	-
1980	1,618	81	42	42	65	71	83	145	292	402	260	134	1
1979	1,472	79	42	53	66	69	61	145	276	334	253	93	1
Other and unspecified infectious and parasitic diseases and their sequelae (001,005,020-032,037,039-041,046-054,056-061,065-066,071-083,085-088,098-134,136-139,771.3)													
White, female													
1998	2,398	71	27	31	46	54	104	187	293	485	598	502	-
1997	2,376	58	28	34	54	78	117	206	303	494	596	408	-
1996	2,384	58	31	25	54	91	145	199	265	546	588	382	-
1995	2,304	59	30	52	49	93	142	182	269	484	547	397	-
1994	2,291	55	34	43	46	79	112	172	263	507	582	398	-
1993	2,309	61	45	40	55	94	116	159	268	494	552	425	-
1992	2,181	55	25	48	47	98	120	161	266	458	529	374	-
1991	2,125	83	30	31	41	100	97	151	282	473	462	375	-
1990	2,248	68	30	39	52	114	111	146	282	498	536	372	-
1989	2,317	68	30	28	53	108	120	141	300	514	555	400	-
1988	2,266	60	36	44	51	80	105	142	295	483	540	429	1
1987	2,033	61	40	44	45	91	110	98	268	483	453	340	-
1986	2,213	56	36	35	54	137	112	147	301	489	471	375	-
1985	2,014	67	33	28	51	108	106	140	279	427	428	345	2
1984	1,830	48	34	38	53	97	84	116	227	407	426	299	1
1983	1,683	52	29	39	49	75	74	126	273	385	348	233	-
1982	1,625	55	46	40	61	75	81	105	228	386	310	238	-
1981	1,543	64	29	43	65	66	63	117	237	318	315	226	-
1980	1,484	80	27	31	61	66	45	105	227	292	306	244	-
1979	1,270	80	30	56	53	56	49	102	212	230	246	156	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other and unspecified infectious and parasitic diseases and their sequelae (001,005,020-032,037,039-041,046-054,056-061,065-066,071-083,085-088,098-134,136-139,771.3)													
All other, both sexes													
1998	1,108	89	17	15	28	95	176	159	163	159	136	71	-
1997	1,192	100	20	18	39	99	208	163	143	178	154	70	-
1996	1,271	79	34	26	33	124	239	175	159	177	146	79	-
1995	1,210	91	29	34	44	161	234	156	135	143	131	52	-
1994	1,260	82	37	29	41	161	245	154	155	167	133	56	-
1993	1,284	87	34	26	48	185	230	157	145	163	133	75	1
1992	1,231	116	23	16	34	172	211	164	159	150	120	66	-
1991	1,234	104	25	21	38	181	244	128	150	174	108	60	1
1990	1,274	90	31	27	53	181	223	153	158	164	133	60	1
1989	1,299	105	31	14	42	207	264	131	127	178	146	54	-
1988	1,099	70	24	27	51	150	184	120	137	155	128	53	-
1987	1,023	72	25	27	44	128	144	127	145	152	106	53	-
1986	1,706	80	26	18	65	455	398	181	178	150	107	47	1
1985	1,288	78	24	12	62	283	254	145	141	160	89	40	-
1984	1,027	65	20	25	45	203	173	123	123	125	94	31	-
1983	760	64	22	22	38	113	93	89	104	98	87	30	-
1982	651	66	22	21	30	70	64	69	89	111	82	27	-
1981	567	46	17	14	29	49	55	66	96	94	68	33	-
1980	591	61	26	18	27	40	45	75	94	97	75	33	-
1979	492	59	26	16	27	37	51	51	83	77	51	14	-
Other and unspecified infectious and parasitic diseases and their sequelae (001,005,020-032,037,039-041,046-054,056-061,065-066,071-083,085-088,098-134,136-139,771.3)													
All other, male													
1998	588	51	9	8	15	59	97	101	87	75	63	23	-
1997	645	53	8	14	16	55	126	101	87	91	69	25	-
1996	730	37	22	15	13	81	169	114	89	87	67	36	-
1995	681	53	15	14	25	101	161	83	62	70	71	26	-
1994	740	49	24	16	20	108	162	97	78	89	70	27	-
1993	766	40	19	14	30	124	165	101	92	89	67	24	1
1992	726	63	13	7	22	105	159	106	90	84	50	27	-
1991	767	55	10	12	21	115	177	86	103	96	65	26	1
1990	758	50	13	10	33	129	147	108	83	100	60	25	-
1989	784	53	15	6	23	137	192	86	71	96	85	20	-
1988	663	37	10	13	27	107	138	79	82	90	52	28	-
1987	592	41	17	15	29	81	86	87	88	78	50	20	-
1986	1,224	47	13	6	45	359	327	138	123	84	59	22	1
1985	879	42	15	6	46	223	206	110	78	85	51	17	-
1984	674	38	9	14	30	153	133	90	72	68	52	15	-
1983	467	37	14	13	17	81	71	47	65	57	47	18	-
1982	393	37	13	11	19	41	50	43	52	65	46	16	-
1981	309	29	10	9	17	23	31	39	50	54	29	18	-
1980	319	34	12	7	8	21	27	45	56	61	33	15	-
1979	264	33	14	12	9	19	28	29	45	37	33	5	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other and unspecified infectious and parasitic diseases and their sequelae (001,005,020-032,037,039-041,046-054,056-061,065-066,071-083,085-088,098-134,136-139,771.3)													
All other, female													
1998	520	38	8	7	13	36	79	58	76	84	73	48	-
1997	547	47	12	4	23	44	82	62	56	87	85	45	-
1996	541	42	12	11	20	43	70	61	70	90	79	43	-
1995	529	38	14	20	19	60	73	73	73	73	60	26	-
1994	520	33	13	13	21	53	83	57	77	78	63	29	-
1993	518	47	15	12	18	61	65	56	53	74	66	51	-
1992	505	53	10	9	12	67	52	58	69	66	70	39	-
1991	467	49	15	9	17	66	67	42	47	78	43	34	-
1990	516	40	18	17	20	52	76	45	75	64	73	35	1
1989	515	52	16	8	19	70	72	45	56	82	61	34	-
1988	436	33	14	14	24	43	46	41	55	65	76	25	-
1987	431	31	8	12	15	47	58	40	57	74	56	33	-
1986	482	33	13	12	20	96	71	43	55	66	48	25	-
1985	409	36	9	6	16	60	48	35	63	75	38	23	-
1984	353	27	11	11	15	50	40	33	51	57	42	16	-
1983	293	27	8	9	21	32	22	42	39	41	40	12	-
1982	258	29	9	10	11	29	14	26	37	46	36	11	-
1981	258	17	7	5	12	26	24	27	46	40	39	15	-
1980	272	27	14	11	19	19	18	30	38	36	42	18	-
1979	228	26	12	4	18	18	23	22	38	40	18	9	-
Other and unspecified infectious and parasitic diseases and their sequelae (001,005,020-032,037,039-041,046-054,056-061,065-066,071-083,085-088,098-134,136-139,771.3)													
Black, both sexes													
1998	928	78	11	10	23	88	160	140	126	134	102	56	-
1997	1,002	89	18	14	29	93	182	138	110	145	123	61	-
1996	1,078	68	25	22	24	115	216	150	132	144	120	62	-
1995	1,039	83	24	27	42	150	203	133	109	117	110	41	-
1994	1,080	75	31	18	33	151	225	137	127	133	102	48	-
1993	1,105	78	30	21	35	161	217	140	118	126	111	67	1
1992	1,072	104	18	16	28	156	196	149	127	124	99	55	-
1991	1,096	95	19	15	34	169	234	117	134	137	93	48	1
1990	1,122	80	25	19	46	172	212	137	135	134	114	47	1
1989	1,154	88	26	11	39	196	246	114	110	154	121	49	-
1988	972	65	20	20	42	139	173	105	116	128	118	46	-
1987	901	66	21	19	39	120	131	111	123	131	93	47	-
1986	1,552	68	24	14	62	441	380	166	148	122	90	36	1
1985	1,156	71	18	12	60	271	238	130	122	126	73	35	-
1984	906	59	19	22	39	190	160	106	103	107	75	26	-
1983	676	54	19	18	32	111	89	82	87	87	75	22	-
1982	565	58	18	18	25	67	59	60	75	101	63	21	-
1981	477	38	15	6	28	44	49	58	84	77	54	24	-
1980	523	56	21	16	25	36	42	65	80	88	64	30	-
1979	420	52	19	14	22	32	47	44	72	67	40	11	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other and unspecified infectious and parasitic diseases and their sequelae (001,005,020-032,037,039-041,046-054,056-061,065-066,071-083,085-088,098-134,136-139,771.3)													
Black, male													
1998	505	43	7	4	12	55	89	89	74	70	45	17	-
1997	535	49	7	11	11	51	111	88	66	72	50	19	-
1996	619	32	15	13	11	73	155	98	75	69	53	25	-
1995	596	47	13	12	24	93	142	74	53	57	60	21	-
1994	642	47	19	8	17	102	151	87	66	71	52	22	-
1993	653	36	17	10	22	105	156	91	77	65	53	20	1
1992	635	55	9	7	18	94	149	97	77	69	40	20	-
1991	687	48	8	9	17	109	171	83	93	76	54	18	1
1990	663	44	11	5	29	127	142	95	68	75	52	15	-
1989	698	43	11	5	21	131	179	75	62	84	70	17	-
1988	597	35	7	10	21	100	133	74	72	71	50	24	-
1987	523	35	13	11	26	78	79	77	77	67	44	16	-
1986	1,121	40	13	4	43	350	314	126	105	64	44	17	1
1985	798	36	14	6	44	213	194	100	70	66	40	15	-
1984	593	35	9	13	26	143	123	81	58	54	39	12	-
1983	414	31	12	9	14	81	69	44	54	51	37	12	-
1982	339	34	10	10	16	40	45	37	47	57	32	11	-
1981	256	24	9	3	16	21	28	36	42	42	23	12	-
1980	281	31	10	6	8	20	25	40	48	54	27	12	-
1979	226	30	12	10	7	16	27	25	40	30	26	3	-
Other and unspecified infectious and parasitic diseases and their sequelae (001,005,020-032,037,039-041,046-054,056-061,065-066,071-083,085-088,098-134,136-139,771.3)													
Black, female													
1998	423	35	4	6	11	33	71	51	52	64	57	39	-
1997	467	40	11	3	18	42	71	50	44	73	73	42	-
1996	459	36	10	9	13	42	61	52	57	75	67	37	-
1995	443	36	11	15	18	57	61	59	56	60	50	20	-
1994	438	28	12	10	16	49	74	50	61	62	50	26	-
1993	452	42	13	11	13	56	61	49	41	61	58	47	-
1992	437	49	9	9	10	62	47	52	50	55	59	35	-
1991	409	47	11	6	17	60	63	34	41	61	39	30	-
1990	459	36	14	14	17	45	70	42	67	59	62	32	1
1989	456	45	15	6	18	65	67	39	48	70	51	32	-
1988	375	30	13	10	21	39	40	31	44	57	68	22	-
1987	378	31	8	8	13	42	52	34	46	64	49	31	-
1986	431	28	11	10	19	91	66	40	43	58	46	19	-
1985	358	35	4	6	16	58	44	30	52	60	33	20	-
1984	313	24	10	9	13	47	37	25	45	53	36	14	-
1983	262	23	7	9	18	30	20	38	33	36	38	10	-
1982	226	24	8	8	9	27	14	23	28	44	31	10	-
1981	221	14	6	3	12	23	21	22	42	35	31	12	-
1980	242	25	11	10	17	16	17	25	32	34	37	18	-
1979	194	22	7	4	15	16	20	19	32	37	14	8	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasms (140-208)													
All races, both sexes													
1998	541,532	78	365	1,013	1,699	4,385	17,022	45,747	87,024	154,753	158,517	70,916	13
1997	539,577	91	438	1,030	1,645	4,607	17,099	45,429	86,314	156,746	156,291	69,876	11
1996	539,533	87	424	1,028	1,632	4,845	17,049	44,627	86,828	160,864	154,480	67,644	25
1995	538,455	70	488	1,026	1,642	4,875	17,110	44,186	87,898	162,864	152,108	66,170	18
1994	534,310	59	518	1,053	1,740	5,056	16,843	43,588	89,251	163,795	149,388	63,003	16
1993	529,904	88	522	1,089	1,738	5,079	16,755	42,372	90,685	163,309	146,537	61,703	27
1992	520,578	95	479	1,105	1,809	5,303	16,882	41,206	91,609	161,225	142,648	58,187	30
1991	514,657	77	526	1,106	1,814	5,319	16,909	39,922	94,195	159,313	139,401	56,054	21
1990	505,322	90	513	1,094	1,819	5,427	16,223	39,823	94,919	157,413	135,011	52,963	27
1989	496,152	107	506	1,155	1,851	5,314	15,742	39,138	96,111	155,028	130,612	50,566	22
1988	485,048	89	542	1,096	1,894	5,211	15,581	38,766	97,656	150,824	125,049	48,314	26
1987	476,927	101	548	1,138	1,939	5,371	14,934	38,240	98,424	149,046	120,765	46,388	33
1986	469,376	97	569	1,165	2,115	5,604	14,991	37,800	98,805	146,803	116,632	44,749	46
1985	461,563	114	543	1,183	2,142	5,495	14,531	38,203	100,626	142,542	113,059	43,082	43
1984	453,492	114	563	1,207	2,194	5,351	14,246	38,358	100,055	139,741	109,532	42,089	42
1983	442,986	132	654	1,318	2,293	5,158	13,412	38,535	98,495	136,863	105,418	40,645	63
1982	433,795	135	628	1,410	2,455	5,179	12,990	39,415	97,237	133,183	102,141	38,958	64
1981	422,094	91	654	1,396	2,382	5,055	12,490	40,140	95,370	129,546	97,789	37,129	52
1980	416,509	113	573	1,497	2,683	5,081	12,470	41,030	94,645	127,430	95,239	35,720	28
1979	403,395	116	578	1,552	2,581	4,786	12,132	41,601	92,088	122,702	91,762	33,458	39
Malignant neoplasms (140-208)													
All races, male													
1998	282,065	43	189	582	1,029	2,092	7,592	23,071	47,665	86,247	83,117	30,430	8
1997	281,110	45	240	560	981	2,284	7,557	22,709	47,110	87,515	81,941	30,161	7
1996	281,898	43	246	582	955	2,312	7,684	22,278	47,687	89,979	80,879	29,238	15
1995	281,611	36	290	587	1,009	2,384	7,685	21,812	48,265	90,918	79,766	28,852	7
1994	280,465	28	287	604	1,059	2,511	7,580	21,716	49,449	91,394	78,333	27,493	11
1993	279,375	56	301	621	1,013	2,496	7,684	21,098	50,364	91,693	77,248	26,789	12
1992	274,838	52	248	637	1,084	2,571	7,524	20,603	50,898	90,273	75,458	25,473	17
1991	272,380	44	288	650	1,083	2,616	7,548	19,981	52,212	89,877	73,810	24,257	14
1990	268,283	48	280	621	1,078	2,710	7,125	19,880	53,053	88,734	71,690	23,049	15
1989	263,309	50	278	646	1,074	2,593	6,929	19,715	53,583	87,350	69,292	21,788	11
1988	258,088	46	281	644	1,112	2,559	6,913	19,545	54,201	85,216	66,700	20,855	16
1987	254,653	51	300	670	1,166	2,615	6,616	19,127	54,775	84,815	64,552	19,947	19
1986	250,559	53	323	657	1,302	2,869	6,644	18,937	54,808	83,119	62,493	19,332	22
1985	246,914	56	311	675	1,291	2,738	6,606	19,127	55,756	81,113	60,562	18,658	21
1984	242,790	60	311	702	1,352	2,638	6,259	19,318	55,588	79,721	58,489	18,325	27
1983	238,383	70	371	748	1,351	2,552	5,935	19,515	54,624	78,352	56,960	17,870	35
1982	233,864	67	345	834	1,434	2,532	5,786	20,005	53,962	76,612	54,828	17,422	37
1981	227,885	51	366	796	1,444	2,439	5,582	20,396	53,097	74,939	52,167	16,574	34
1980	225,948	66	344	881	1,665	2,469	5,526	20,773	52,867	73,861	51,331	16,149	16
1979	220,015	67	317	909	1,584	2,349	5,359	21,116	51,632	71,811	49,518	15,334	19

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasms (140-208)													
All races, female													
1998	259,467	35	176	431	670	2,293	9,430	22,676	39,359	68,506	75,400	40,486	5
1997	258,467	46	198	470	664	2,323	9,542	22,720	39,204	69,231	74,350	39,715	4
1996	257,635	44	178	446	677	2,533	9,365	22,349	39,141	70,885	73,601	38,406	10
1995	256,844	34	198	439	633	2,491	9,425	22,374	39,633	71,946	72,342	37,318	11
1994	253,845	31	231	449	681	2,545	9,263	21,872	39,802	72,401	71,055	35,510	5
1993	250,529	32	221	468	725	2,583	9,071	21,274	40,321	71,616	69,289	34,914	15
1992	245,740	43	231	468	725	2,732	9,358	20,603	40,711	70,952	67,190	32,714	13
1991	242,277	33	238	456	731	2,703	9,361	19,941	41,983	69,436	65,591	31,797	7
1990	237,039	42	233	473	741	2,717	9,098	19,943	41,866	68,679	63,321	29,914	12
1989	232,843	57	228	509	777	2,721	8,813	19,423	42,528	67,678	61,320	28,778	11
1988	226,960	43	261	452	782	2,652	8,668	19,221	43,455	65,608	58,349	27,459	10
1987	222,274	50	248	468	773	2,756	8,318	19,113	43,649	64,231	56,213	26,441	14
1986	218,817	44	246	508	813	2,735	8,347	18,863	43,997	63,684	54,139	25,417	24
1985	214,649	58	232	508	851	2,757	7,925	19,076	44,870	61,429	52,497	24,424	22
1984	210,702	54	252	505	842	2,713	7,987	19,040	44,467	60,020	51,043	23,764	15
1983	204,603	62	283	570	942	2,606	7,477	19,020	43,871	58,511	48,458	22,775	28
1982	199,931	68	283	576	1,021	2,647	7,204	19,410	43,275	56,571	47,313	21,536	27
1981	194,209	40	288	600	938	2,616	6,908	19,744	42,273	54,607	45,622	20,555	18
1980	190,561	47	229	616	1,018	2,612	6,944	20,257	41,778	53,569	43,908	19,571	12
1979	183,380	49	261	643	997	2,437	6,773	20,485	40,456	50,891	42,244	18,124	20
Malignant neoplasms (140-208)													
White, both sexes													
1998	470,139	68	289	802	1,371	3,417	13,234	36,605	72,770	135,114	142,444	64,016	9
1997	468,521	68	340	831	1,283	3,600	13,300	36,825	72,147	136,789	140,454	62,880	4
1996	469,406	76	344	825	1,267	3,841	13,334	36,260	72,965	140,691	138,661	61,126	16
1995	468,897	55	380	798	1,292	3,805	13,479	35,946	73,831	142,736	136,737	59,828	10
1994	465,797	47	411	835	1,413	3,991	13,243	35,513	75,255	143,686	134,351	57,045	7
1993	461,904	69	422	899	1,365	4,027	13,241	34,377	76,717	143,313	131,681	55,784	9
1992	454,531	81	388	904	1,467	4,221	13,295	33,582	77,410	141,776	128,606	52,779	22
1991	449,506	57	416	913	1,470	4,293	13,401	32,524	80,173	140,206	125,227	50,814	12
1990	441,585	69	413	897	1,470	4,331	12,980	32,447	80,531	138,818	121,522	48,092	15
1989	434,156	92	409	947	1,483	4,295	12,647	31,945	82,127	136,625	117,603	45,969	14
1988	425,140	70	446	890	1,543	4,210	12,552	31,747	83,714	133,352	112,658	43,940	18
1987	418,473	87	452	952	1,553	4,398	12,045	31,305	84,563	132,050	108,793	42,259	16
1986	412,352	82	473	957	1,769	4,610	12,110	30,940	85,084	130,134	105,350	40,810	33
1985	405,727	93	458	976	1,784	4,541	11,873	31,462	86,618	126,400	102,070	39,422	30
1984	398,631	83	473	995	1,846	4,413	11,576	31,627	85,947	124,054	98,921	38,672	24
1983	390,009	105	554	1,085	1,925	4,243	10,984	31,837	85,005	121,427	95,317	37,496	31
1982	382,652	102	530	1,179	2,042	4,310	10,701	32,725	84,029	118,412	92,609	35,970	43
1981	372,674	73	549	1,150	2,002	4,237	10,135	33,523	82,730	115,162	88,770	34,316	27
1980	368,162	90	479	1,291	2,244	4,312	10,241	34,257	82,222	113,387	86,635	32,987	17
1979	357,336	95	486	1,322	2,195	4,052	9,968	34,861	80,211	109,356	83,672	31,089	29

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasms (140-208)													
White, male													
1998	244,109	37	149	459	845	1,671	6,019	18,325	39,755	75,292	74,330	27,223	4
1997	243,192	32	188	449	774	1,819	5,920	18,267	39,116	76,337	73,400	26,888	2
1996	243,952	35	205	477	754	1,877	6,071	17,987	39,790	78,437	72,177	26,133	9
1995	244,000	30	233	471	805	1,908	6,066	17,624	40,380	79,367	71,342	25,772	2
1994	242,995	23	235	475	873	2,019	6,004	17,438	41,516	79,719	70,072	24,616	5
1993	241,908	42	248	515	805	2,017	6,132	16,892	42,352	80,046	68,971	23,885	3
1992	238,499	44	207	524	889	2,105	5,959	16,608	42,830	78,956	67,512	22,853	12
1991	236,409	30	222	542	902	2,149	6,014	15,976	44,254	78,720	65,865	21,727	8
1990	232,608	36	226	506	879	2,226	5,666	15,925	44,792	77,736	63,977	20,630	9
1989	228,301	45	238	535	860	2,114	5,540	15,784	45,401	76,435	61,816	19,528	5
1988	224,514	37	236	533	916	2,130	5,556	15,714	46,221	74,833	59,607	18,719	12
1987	221,757	43	246	572	951	2,185	5,385	15,476	46,804	74,577	57,610	17,898	10
1986	218,381	47	279	544	1,103	2,452	5,337	15,315	46,847	73,112	55,943	17,384	18
1985	215,079	48	260	558	1,082	2,320	5,390	15,451	47,569	71,352	54,185	16,850	14
1984	211,369	41	258	587	1,143	2,204	5,057	15,691	47,200	70,218	52,346	16,607	17
1983	208,053	54	310	622	1,153	2,154	4,837	15,921	46,597	69,042	51,017	16,334	12
1982	204,477	53	296	703	1,199	2,156	4,748	16,344	46,166	67,602	49,332	15,856	22
1981	199,370	37	311	665	1,218	2,094	4,513	16,768	45,611	66,055	46,939	15,143	16
1980	198,188	52	293	772	1,414	2,165	4,524	17,144	45,519	65,269	46,280	14,747	9
1979	193,444	55	271	778	1,364	2,051	4,363	17,483	44,563	63,638	44,766	14,099	13
Malignant neoplasms (140-208)													
White, female													
1998	226,030	31	140	343	526	1,746	7,215	18,280	33,015	59,822	68,114	36,793	5
1997	225,329	36	152	382	509	1,781	7,380	18,558	33,031	60,452	67,054	35,992	2
1996	225,454	41	139	348	513	1,964	7,263	18,273	33,175	62,254	66,484	34,993	7
1995	224,897	25	147	327	487	1,897	7,413	18,322	33,451	63,369	65,395	34,056	8
1994	222,802	24	176	360	540	1,972	7,239	18,075	33,739	63,967	64,279	32,429	2
1993	219,996	27	174	384	560	2,010	7,109	17,485	34,365	63,267	62,710	31,899	6
1992	216,032	37	181	380	578	2,116	7,336	16,974	34,580	62,820	61,094	29,926	10
1991	213,097	27	194	371	568	2,144	7,387	16,548	35,919	61,486	59,362	29,087	4
1990	208,977	33	187	391	591	2,105	7,314	16,522	35,739	61,082	57,545	27,462	6
1989	205,855	47	171	412	623	2,181	7,107	16,161	36,726	60,190	55,787	26,441	9
1988	200,626	33	210	357	627	2,080	6,996	16,033	37,493	58,519	53,051	25,221	6
1987	196,716	44	206	380	602	2,213	6,660	15,829	37,759	57,473	51,183	24,361	6
1986	193,971	35	194	413	666	2,158	6,773	15,625	38,237	57,022	49,407	23,426	15
1985	190,648	45	198	418	702	2,221	6,483	16,011	39,049	55,048	47,885	22,572	16
1984	187,262	42	215	408	703	2,209	6,519	15,936	38,747	53,836	46,575	22,065	7
1983	181,956	51	244	463	772	2,089	6,147	15,916	38,408	52,385	44,300	21,162	19
1982	178,175	49	234	476	843	2,154	5,953	16,381	37,863	50,810	43,277	20,114	21
1981	173,304	36	238	485	784	2,143	5,622	16,755	37,119	49,107	41,831	19,173	11
1980	169,974	38	186	519	830	2,147	5,717	17,113	36,703	48,118	40,355	18,240	8
1979	163,892	40	215	544	831	2,001	5,605	17,378	35,648	45,718	38,906	16,990	16

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasms (140-208)													
All other, both sexes													
1998	71,393	10	76	211	328	968	3,788	9,142	14,254	19,639	16,073	6,900	4
1997	71,056	23	98	199	362	1,007	3,799	8,604	14,167	19,957	15,837	6,996	7
1996	70,127	11	80	203	365	1,004	3,715	8,367	13,863	20,173	15,819	6,518	9
1995	69,558	15	108	228	350	1,070	3,631	8,240	14,067	20,128	15,371	6,342	8
1994	68,513	12	107	218	327	1,065	3,600	8,075	13,996	20,109	15,037	5,958	9
1993	68,000	19	100	190	373	1,052	3,514	7,995	13,968	19,996	14,856	5,919	18
1992	66,047	14	91	201	342	1,082	3,587	7,624	14,199	19,449	14,042	5,408	8
1991	65,151	20	110	193	344	1,026	3,508	7,398	14,022	19,107	14,174	5,240	9
1990	63,737	21	100	197	349	1,096	3,243	7,376	14,388	18,595	13,489	4,871	12
1989	61,996	15	97	208	368	1,019	3,095	7,193	13,984	18,403	13,009	4,597	8
1988	59,908	19	96	206	351	1,001	3,029	7,019	13,942	17,472	12,391	4,374	8
1987	58,454	14	96	186	386	973	2,889	6,935	13,861	16,996	11,972	4,129	17
1986	57,024	15	96	208	346	994	2,881	6,860	13,721	16,669	11,282	3,939	13
1985	55,836	21	85	207	358	954	2,658	6,741	14,008	16,142	10,989	3,660	13
1984	54,861	31	90	212	348	938	2,670	6,731	14,108	15,687	10,611	3,417	18
1983	52,977	27	100	233	368	915	2,428	6,698	13,490	15,436	10,101	3,149	32
1982	51,143	33	98	231	413	869	2,289	6,690	13,208	14,771	9,532	2,988	21
1981	49,420	18	105	246	380	818	2,355	6,617	12,640	14,384	9,019	2,813	25
1980	48,347	23	94	206	439	769	2,229	6,773	12,423	14,043	8,604	2,733	11
1979	46,059	21	92	230	386	734	2,164	6,740	11,877	13,346	8,090	2,369	10
Malignant neoplasms (140-208)													
All other, male													
1998	37,956	6	40	123	184	421	1,573	4,746	7,910	10,955	8,787	3,207	4
1997	37,918	13	52	111	207	465	1,637	4,442	7,994	11,178	8,541	3,273	5
1996	37,946	8	41	105	201	435	1,613	4,291	7,897	11,542	8,702	3,105	6
1995	37,611	6	57	116	204	476	1,619	4,188	7,885	11,551	8,424	3,080	5
1994	37,470	5	52	129	186	492	1,576	4,278	7,933	11,675	8,261	2,877	6
1993	37,467	14	53	106	208	479	1,552	4,206	8,012	11,647	8,277	2,904	9
1992	36,339	8	41	113	195	466	1,565	3,995	8,068	11,317	7,946	2,620	5
1991	35,971	14	66	108	181	467	1,534	4,005	7,958	11,157	7,945	2,530	6
1990	35,675	12	54	115	199	484	1,459	3,955	8,261	10,998	7,713	2,419	6
1989	35,008	5	40	111	214	479	1,389	3,931	8,182	10,915	7,476	2,260	6
1988	33,574	9	45	111	196	429	1,357	3,831	7,980	10,383	7,093	2,136	4
1987	32,896	8	54	98	215	430	1,231	3,651	7,971	10,238	6,942	2,049	9
1986	32,178	6	44	113	199	417	1,307	3,622	7,961	10,007	6,550	1,948	4
1985	31,835	8	51	117	209	418	1,216	3,676	8,187	9,761	6,377	1,808	7
1984	31,421	19	53	115	209	434	1,202	3,627	8,388	9,503	6,143	1,718	10
1983	30,330	16	61	126	198	398	1,098	3,594	8,027	9,310	5,943	1,536	23
1982	29,387	14	49	131	235	376	1,038	3,661	7,796	9,010	5,496	1,566	15
1981	28,515	14	55	131	226	345	1,069	3,628	7,486	8,884	5,228	1,431	18
1980	27,760	14	51	109	251	304	1,002	3,629	7,348	8,592	5,051	1,402	7
1979	26,571	12	46	131	220	298	996	3,633	7,069	8,173	4,752	1,235	6

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasms (140-208)													
All other, female													
1998	33,437	4	36	88	144	547	2,215	4,396	6,344	8,684	7,286	3,693	-
1997	33,138	10	46	88	155	542	2,162	4,162	6,173	8,779	7,296	3,723	2
1996	32,181	3	39	98	164	569	2,102	4,076	5,966	8,631	7,117	3,413	3
1995	31,947	9	51	112	146	594	2,012	4,052	6,182	8,577	6,947	3,262	3
1994	31,043	7	55	89	141	573	2,024	3,797	6,063	8,434	6,776	3,081	3
1993	30,533	5	47	84	165	573	1,962	3,789	5,956	8,349	6,579	3,015	9
1992	29,708	6	50	88	147	616	2,022	3,629	6,131	8,132	6,096	2,788	3
1991	29,180	6	44	85	163	559	1,974	3,393	6,064	7,950	6,229	2,710	3
1990	28,062	9	46	82	150	612	1,784	3,421	6,127	7,597	5,776	2,452	6
1989	26,988	10	57	97	154	540	1,706	3,262	5,802	7,488	5,533	2,337	2
1988	26,334	10	51	95	155	572	1,672	3,188	5,962	7,089	5,298	2,238	4
1987	25,558	6	42	88	171	543	1,658	3,284	5,890	6,758	5,030	2,080	8
1986	24,846	9	52	95	147	577	1,574	3,238	5,760	6,662	4,732	1,991	9
1985	24,001	13	34	90	149	536	1,442	3,065	5,821	6,381	4,612	1,852	6
1984	23,440	12	37	97	139	504	1,468	3,104	5,720	6,184	4,468	1,699	8
1983	22,647	11	39	107	170	517	1,330	3,104	5,463	6,126	4,158	1,613	9
1982	21,756	19	49	100	178	493	1,251	3,029	5,412	5,761	4,036	1,422	6
1981	20,905	4	50	115	154	473	1,286	2,989	5,154	5,500	3,791	1,382	7
1980	20,587	9	43	97	188	465	1,227	3,144	5,075	5,451	3,553	1,331	4
1979	19,488	9	46	99	166	436	1,168	3,107	4,808	5,173	3,338	1,134	4
Malignant neoplasms (140-208)													
Black, both sexes													
1998	61,193	8	60	165	248	767	3,196	7,787	12,302	16,848	13,793	6,015	4
1997	61,333	13	72	152	292	826	3,201	7,349	12,284	17,310	13,682	6,145	7
1996	60,766	8	59	167	295	828	3,142	7,160	12,101	17,573	13,690	5,734	9
1995	60,603	10	86	173	286	870	3,108	7,086	12,316	17,715	13,398	5,548	7
1994	59,939	9	83	169	261	867	3,083	6,994	12,315	17,716	13,169	5,266	7
1993	59,873	15	72	152	298	889	2,994	7,025	12,303	17,754	13,118	5,240	13
1992	58,401	12	62	159	276	912	3,122	6,669	12,575	17,331	12,469	4,809	5
1991	57,921	14	96	154	282	868	3,004	6,491	12,507	17,131	12,689	4,676	9
1990	57,077	17	81	154	292	948	2,796	6,527	13,018	16,739	12,110	4,384	11
1989	55,564	15	75	167	319	857	2,650	6,428	12,602	16,614	11,706	4,123	8
1988	53,968	18	79	159	305	872	2,656	6,231	12,579	15,921	11,201	3,939	8
1987	53,027	11	75	151	328	814	2,531	6,264	12,697	15,532	10,864	3,745	15
1986	51,979	13	80	177	307	852	2,514	6,215	12,596	15,367	10,270	3,575	13
1985	50,906	19	62	174	300	822	2,340	6,134	12,875	14,848	9,981	3,338	13
1984	50,266	16	71	182	303	813	2,368	6,150	13,031	14,498	9,724	3,093	17
1983	48,754	20	82	200	301	780	2,145	6,111	12,557	14,377	9,296	2,859	26
1982	47,316	16	86	202	357	772	2,061	6,130	12,329	13,792	8,816	2,736	19
1981	45,827	10	91	220	334	714	2,093	6,113	11,875	13,476	8,305	2,581	15
1980	45,037	20	86	184	393	693	2,006	6,305	11,709	13,177	7,954	2,499	11
1979	42,981	19	81	205	352	634	1,975	6,297	11,190	12,566	7,470	2,183	9

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasms (140-208)													
Black, male													
1998	32,523	5	32	97	134	327	1,303	4,087	6,881	9,404	7,508	2,741	4
1997	32,719	8	41	79	167	369	1,383	3,816	6,942	9,746	7,333	2,830	5
1996	32,973	7	29	87	163	360	1,366	3,751	6,944	10,053	7,532	2,675	6
1995	32,880	4	45	85	162	389	1,390	3,675	6,986	10,172	7,323	2,644	5
1994	32,861	4	41	97	147	399	1,344	3,760	7,038	10,289	7,236	2,501	5
1993	33,071	10	38	80	169	391	1,328	3,733	7,153	10,377	7,257	2,530	5
1992	32,155	7	27	83	152	395	1,363	3,541	7,202	10,097	6,992	2,294	2
1991	32,094	8	58	84	144	397	1,326	3,580	7,193	10,015	7,052	2,231	6
1990	31,995	11	42	91	162	406	1,261	3,556	7,545	9,903	6,866	2,146	6
1989	31,452	5	34	92	185	392	1,187	3,564	7,405	9,874	6,701	2,007	6
1988	30,321	8	38	84	169	363	1,180	3,460	7,266	9,468	6,377	1,904	4
1987	29,928	6	47	73	178	364	1,080	3,314	7,374	9,405	6,243	1,835	9
1986	29,363	5	34	101	174	353	1,137	3,315	7,380	9,211	5,893	1,756	4
1985	29,028	7	36	97	176	357	1,078	3,377	7,551	8,982	5,730	1,630	7
1984	28,851	9	38	96	178	372	1,077	3,339	7,803	8,785	5,588	1,557	9
1983	27,946	11	50	107	156	333	988	3,316	7,485	8,657	5,426	1,398	19
1982	27,226	7	42	115	198	325	945	3,398	7,301	8,406	5,039	1,437	13
1981	26,477	8	46	119	199	296	964	3,382	7,032	8,305	4,805	1,311	10
1980	25,861	12	49	96	227	278	912	3,410	6,938	8,036	4,627	1,269	7
1979	24,831	11	39	116	198	251	926	3,430	6,682	7,672	4,363	1,137	6
Malignant neoplasms (140-208)													
Black, female													
1998	28,670	3	28	68	114	440	1,893	3,700	5,421	7,444	6,285	3,274	-
1997	28,614	5	31	73	125	457	1,818	3,533	5,342	7,564	6,349	3,315	2
1996	27,793	1	30	80	132	468	1,776	3,409	5,157	7,520	6,158	3,059	3
1995	27,723	6	41	88	124	481	1,718	3,411	5,330	7,543	6,075	2,904	2
1994	27,078	5	42	72	114	468	1,739	3,234	5,277	7,427	5,933	2,765	2
1993	26,802	5	34	72	129	498	1,666	3,292	5,150	7,377	5,861	2,710	8
1992	26,246	5	35	76	124	517	1,759	3,128	5,373	7,234	5,477	2,515	3
1991	25,827	6	38	70	138	471	1,678	2,911	5,314	7,116	5,637	2,445	3
1990	25,082	6	39	63	130	542	1,535	2,971	5,473	6,836	5,244	2,238	5
1989	24,112	10	41	75	134	465	1,463	2,864	5,197	6,740	5,005	2,116	2
1988	23,647	10	41	75	136	509	1,476	2,771	5,313	6,453	4,824	2,035	4
1987	23,099	5	28	78	150	450	1,451	2,950	5,323	6,127	4,621	1,910	6
1986	22,616	8	46	76	133	499	1,377	2,900	5,216	6,156	4,377	1,819	9
1985	21,878	12	26	77	124	465	1,262	2,757	5,324	5,866	4,251	1,708	6
1984	21,415	7	33	86	125	441	1,291	2,811	5,228	5,713	4,136	1,536	8
1983	20,808	9	32	93	145	447	1,157	2,795	5,072	5,720	3,870	1,461	7
1982	20,090	9	44	87	159	447	1,116	2,732	5,028	5,386	3,777	1,299	6
1981	19,350	2	45	101	135	418	1,129	2,731	4,843	5,171	3,500	1,270	5
1980	19,176	8	37	88	166	415	1,094	2,895	4,771	5,141	3,327	1,230	4
1979	18,150	8	42	89	154	383	1,049	2,867	4,508	4,894	3,107	1,046	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Malignant neoplasms of lip, oral cavity and pharynx (140-149)													
All races, both sexes													
1998	7,965	-	1	4	23	55	306	1,038	1,749	2,145	1,766	878	-
1997	7,894	-	-	6	24	65	326	1,062	1,635	2,302	1,689	784	1
1996	7,854	-	1	5	25	69	325	966	1,760	2,267	1,678	757	1
1995	8,060	-	2	3	21	58	315	1,017	1,745	2,387	1,702	810	-
1994	7,915	-	4	2	19	53	307	1,022	1,786	2,320	1,700	701	1
1993	8,241	2	-	3	20	58	338	1,087	1,888	2,438	1,698	709	-
1992	8,107	1	1	1	23	54	319	960	1,949	2,453	1,651	695	-
1991	8,278	1	-	6	19	66	318	979	2,047	2,446	1,725	670	1
1990	8,405	-	1	5	23	65	308	928	2,138	2,537	1,703	697	-
1989	8,104	-	2	4	28	52	304	944	2,201	2,438	1,530	598	3
1988	8,199	1	-	5	27	63	288	1,011	2,154	2,487	1,585	577	1
1987	7,968	-	-	1	22	64	275	938	2,175	2,449	1,457	587	-
1986	8,292	1	2	6	25	68	293	969	2,282	2,528	1,484	634	-
1985	8,290	1	1	5	25	76	305	974	2,298	2,591	1,460	554	-
1984	8,462	-	-	8	24	68	298	1,045	2,473	2,535	1,450	560	1
1983	8,486	1	1	11	28	76	305	1,028	2,493	2,531	1,430	578	4
1982	8,528	3	-	5	40	59	277	1,093	2,484	2,507	1,493	563	4
1981	8,506	1	-	9	24	62	246	1,128	2,542	2,621	1,317	556	-
1980	8,553	-	2	8	21	51	298	1,207	2,518	2,495	1,429	523	1
1979	8,589	-	2	10	27	60	285	1,273	2,541	2,495	1,373	520	3
Malignant neoplasms of lip, oral cavity and pharynx (140-149)													
All races, male													
1998	5,281	-	-	3	19	34	222	812	1,311	1,489	1,036	355	-
1997	5,201	-	-	2	10	44	238	826	1,217	1,588	951	324	1
1996	5,215	-	-	1	14	38	236	771	1,303	1,586	948	317	1
1995	5,327	-	-	1	18	34	239	805	1,272	1,608	1,003	347	-
1994	5,227	-	2	2	13	34	232	818	1,346	1,496	989	294	1
1993	5,515	-	-	1	14	39	254	841	1,411	1,654	1,007	294	-
1992	5,366	-	1	1	13	34	238	732	1,467	1,648	934	298	-
1991	5,464	1	-	1	15	40	249	766	1,461	1,651	998	281	1
1990	5,636	-	-	4	15	49	244	724	1,611	1,697	977	315	-
1989	5,340	-	1	3	20	30	214	715	1,591	1,632	887	244	3
1988	5,497	1	-	4	18	38	210	777	1,583	1,660	933	272	1
1987	5,310	-	-	-	12	39	202	694	1,590	1,669	853	251	-
1986	5,514	-	-	4	19	49	222	725	1,617	1,694	893	291	-
1985	5,616	-	-	3	13	49	215	741	1,663	1,774	909	249	-
1984	5,765	-	-	5	15	44	216	787	1,781	1,744	901	271	1
1983	5,790	1	-	6	17	46	227	770	1,768	1,776	893	283	3
1982	5,856	1	-	3	25	44	205	798	1,793	1,765	930	290	2
1981	5,831	1	-	3	17	40	183	845	1,797	1,850	830	265	-
1980	5,899	-	2	5	14	35	229	901	1,822	1,716	901	274	-
1979	5,877	-	2	4	19	42	202	938	1,795	1,769	841	262	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Malignant neoplasms of lip, oral cavity and pharynx (140-149)													
All races, female													
1998	2,684	-	1	1	4	21	84	226	438	656	730	523	-
1997	2,693	-	-	4	14	21	88	236	418	714	738	460	-
1996	2,639	-	1	4	11	31	89	195	457	681	730	440	-
1995	2,733	-	2	2	3	24	76	212	473	779	699	463	-
1994	2,688	-	2	-	6	19	75	204	440	824	711	407	-
1993	2,726	2	-	2	6	19	84	246	477	784	691	415	-
1992	2,741	1	-	-	10	20	81	228	482	805	717	397	-
1991	2,814	-	-	5	4	26	69	213	586	795	727	389	-
1990	2,769	-	1	1	8	16	64	204	527	840	726	382	-
1989	2,764	-	1	1	8	22	90	229	610	806	643	354	-
1988	2,702	-	-	1	9	25	78	234	571	827	652	305	-
1987	2,658	-	-	1	10	25	73	244	585	780	604	336	-
1986	2,778	1	2	2	6	19	71	244	665	834	591	343	-
1985	2,674	1	1	2	12	27	90	233	635	817	551	305	-
1984	2,697	-	-	3	9	24	82	258	692	791	549	289	-
1983	2,696	-	1	5	11	30	78	258	725	755	537	295	1
1982	2,672	2	-	2	15	15	72	295	691	742	563	273	2
1981	2,675	-	-	6	7	22	63	283	745	771	487	291	-
1980	2,654	-	-	3	7	16	69	306	696	779	528	249	1
1979	2,712	-	-	6	8	18	83	335	746	726	532	258	-
Malignant neoplasms of lip, oral cavity and pharynx (140-149)													
White, both sexes													
1998	6,612	-	1	4	15	34	199	733	1,390	1,823	1,599	814	-
1997	6,510	-	-	4	10	47	231	731	1,262	1,964	1,538	723	-
1996	6,463	-	-	5	21	53	216	661	1,357	1,923	1,519	707	1
1995	6,581	-	2	3	17	32	200	688	1,305	2,050	1,523	761	-
1994	6,489	-	2	1	14	39	196	689	1,380	1,969	1,550	649	-
1993	6,746	2	-	3	12	42	194	734	1,469	2,101	1,534	655	-
1992	6,676	1	1	1	16	37	180	655	1,496	2,117	1,509	663	-
1991	6,830	1	-	2	10	47	185	657	1,606	2,118	1,570	633	1
1990	6,918	-	1	4	17	42	183	618	1,667	2,179	1,558	649	-
1989	6,693	-	1	2	14	42	184	623	1,753	2,113	1,400	561	-
1988	6,816	1	-	2	14	38	177	669	1,749	2,173	1,450	542	1
1987	6,679	-	-	1	15	48	157	640	1,750	2,177	1,337	554	-
1986	6,879	1	1	3	19	55	166	631	1,855	2,223	1,347	578	-
1985	6,938	1	1	3	16	54	178	668	1,863	2,304	1,322	528	-
1984	7,078	-	-	6	17	47	176	722	2,007	2,241	1,331	531	-
1983	7,070	1	1	8	17	45	180	675	2,038	2,250	1,309	545	1
1982	7,158	2	-	4	29	44	146	749	2,035	2,244	1,367	534	4
1981	7,173	-	-	6	19	39	133	796	2,098	2,362	1,199	521	-
1980	7,181	-	2	6	12	36	176	832	2,087	2,217	1,323	490	-
1979	7,307	-	2	8	16	50	158	903	2,137	2,264	1,273	494	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	15-24 25-34 35-44 45-54 55-64 65-74 75-84 85 + years												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	years	years	years	years	years	years	years	years	
Malignant neoplasms of lip, oral cavity and pharynx (140-149)													
White, male													
1998	4,289	-	-	3	12	20	148	569	1,020	1,264	932	321	-
1997	4,193	-	-	1	3	30	168	556	935	1,351	856	293	-
1996	4,178	-	-	1	12	28	151	525	998	1,321	850	291	1
1995	4,257	-	-	1	14	17	149	539	954	1,377	886	320	-
1994	4,181	-	2	1	10	24	150	538	1,029	1,256	896	275	-
1993	4,396	-	-	1	7	29	142	564	1,086	1,400	896	271	-
1992	4,283	-	1	1	8	26	131	491	1,104	1,400	838	283	-
1991	4,405	1	-	-	7	26	142	497	1,143	1,423	898	267	1
1990	4,515	-	-	3	12	31	141	479	1,247	1,439	872	291	-
1989	4,293	-	1	1	11	25	127	467	1,246	1,388	801	226	-
1988	4,462	1	-	2	10	19	128	504	1,274	1,432	837	254	1
1987	4,344	-	-	-	9	30	108	460	1,271	1,463	765	238	-
1986	4,476	-	-	1	15	39	120	463	1,292	1,480	807	259	-
1985	4,597	-	-	2	8	35	127	495	1,317	1,566	813	234	-
1984	4,688	-	-	4	10	31	121	532	1,413	1,509	811	257	-
1983	4,725	1	-	5	12	26	132	505	1,412	1,561	807	263	1
1982	4,833	1	-	2	16	32	104	529	1,459	1,558	857	273	2
1981	4,824	-	-	2	13	24	98	586	1,459	1,648	750	244	-
1980	4,827	-	2	4	7	22	133	616	1,464	1,502	824	253	-
1979	4,914	-	2	3	13	34	102	656	1,494	1,594	773	241	2
Malignant neoplasms of lip, oral cavity and pharynx (140-149)													
White, female													
1998	2,323	-	1	1	3	14	51	164	370	559	667	493	-
1997	2,317	-	-	3	7	17	63	175	327	613	682	430	-
1996	2,285	-	-	4	9	25	65	136	359	602	669	416	-
1995	2,324	-	2	2	3	15	51	149	351	673	637	441	-
1994	2,308	-	-	-	4	15	46	151	351	713	654	374	-
1993	2,350	2	-	2	5	13	52	170	383	701	638	384	-
1992	2,393	1	-	-	8	11	49	164	392	717	671	380	-
1991	2,425	-	-	2	3	21	43	160	463	695	672	366	-
1990	2,403	-	1	1	5	11	42	139	420	740	686	358	-
1989	2,400	-	-	1	3	17	57	156	507	725	599	335	-
1988	2,354	-	-	-	4	19	49	165	475	741	613	288	-
1987	2,335	-	-	1	6	18	49	180	479	714	572	316	-
1986	2,403	1	1	2	4	16	46	168	563	743	540	319	-
1985	2,341	1	1	1	8	19	51	173	546	738	509	294	-
1984	2,390	-	-	2	7	16	55	190	594	732	520	274	-
1983	2,345	-	1	3	5	19	48	170	626	689	502	282	-
1982	2,325	1	-	2	13	12	42	220	576	686	510	261	2
1981	2,349	-	-	4	6	15	35	210	639	714	449	277	-
1980	2,354	-	-	2	5	14	43	216	623	715	499	237	-
1979	2,393	-	-	5	3	16	56	247	643	670	500	253	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasms of lip, oral cavity and pharynx (140-149)													
All other, both sexes													
1998	1,353	-	-	-	8	21	107	305	359	322	167	64	-
1997	1,384	-	-	2	14	18	95	331	373	338	151	61	1
1996	1,391	-	1	-	4	16	109	305	403	344	159	50	-
1995	1,479	-	-	-	4	26	115	329	440	337	179	49	-
1994	1,426	-	2	1	5	14	111	333	406	351	150	52	1
1993	1,495	-	-	-	8	16	144	353	419	337	164	54	-
1992	1,431	-	-	-	7	17	139	305	453	336	142	32	-
1991	1,448	-	-	4	9	19	133	322	441	328	155	37	-
1990	1,487	-	-	1	6	23	125	310	471	358	145	48	-
1989	1,411	-	1	2	14	10	120	321	448	325	130	37	3
1988	1,383	-	-	3	13	25	111	342	405	314	135	35	-
1987	1,289	-	-	-	7	16	118	298	425	272	120	33	-
1986	1,413	-	1	3	6	13	127	338	427	305	137	56	-
1985	1,352	-	-	2	9	22	127	306	435	287	138	26	-
1984	1,384	-	-	2	7	21	122	323	466	294	119	29	1
1983	1,416	-	-	3	11	31	125	353	455	281	121	33	3
1982	1,370	1	-	1	11	15	131	344	449	263	126	29	-
1981	1,333	1	-	3	5	23	113	332	444	259	118	35	-
1980	1,372	-	-	2	9	15	122	375	431	278	106	33	1
1979	1,282	-	-	2	11	10	127	370	404	231	100	26	1
Malignant neoplasms of lip, oral cavity and pharynx (140-149)													
All other, male													
1998	992	-	-	-	7	14	74	243	291	225	104	34	-
1997	1,008	-	-	1	7	14	70	270	282	237	95	31	1
1996	1,037	-	-	-	2	10	85	246	305	265	98	26	-
1995	1,070	-	-	-	4	17	90	266	318	231	117	27	-
1994	1,046	-	-	1	3	10	82	280	317	240	93	19	1
1993	1,119	-	-	-	7	10	112	277	325	254	111	23	-
1992	1,083	-	-	-	5	8	107	241	363	248	96	15	-
1991	1,059	-	-	1	8	14	107	269	318	228	100	14	-
1990	1,121	-	-	1	3	18	103	245	364	258	105	24	-
1989	1,047	-	-	2	9	5	87	248	345	244	86	18	3
1988	1,035	-	-	2	8	19	82	273	309	228	96	18	-
1987	966	-	-	-	3	9	94	234	319	206	88	13	-
1986	1,038	-	-	3	4	10	102	262	325	214	86	32	-
1985	1,019	-	-	1	5	14	88	246	346	208	96	15	-
1984	1,077	-	-	1	5	13	95	255	368	235	90	14	1
1983	1,065	-	-	1	5	20	95	265	356	215	86	20	2
1982	1,023	-	-	1	9	12	101	269	334	207	73	17	-
1981	1,007	1	-	1	4	16	85	259	338	202	80	21	-
1980	1,072	-	-	1	7	13	96	285	358	214	77	21	-
1979	963	-	-	1	6	8	100	282	301	175	68	21	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	Age groups												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Malignant neoplasms of lip, oral cavity and pharynx (140-149)													
All other, female													
1998	361	-	-	-	1	7	33	62	68	97	63	30	-
1997	376	-	-	1	7	4	25	61	91	101	56	30	-
1996	354	-	1	-	2	6	24	59	98	79	61	24	-
1995	409	-	-	-	-	9	25	63	122	106	62	22	-
1994	380	-	2	-	2	4	29	53	89	111	57	33	-
1993	376	-	-	-	1	6	32	76	94	83	53	31	-
1992	348	-	-	-	2	9	32	64	90	88	46	17	-
1991	389	-	-	3	1	5	26	53	123	100	55	23	-
1990	366	-	-	-	3	5	22	65	107	100	40	24	-
1989	364	-	1	-	5	5	33	73	103	81	44	19	-
1988	348	-	-	1	5	6	29	69	96	86	39	17	-
1987	323	-	-	-	4	7	24	64	106	66	32	20	-
1986	375	-	1	-	2	3	25	76	102	91	51	24	-
1985	333	-	-	1	4	8	39	60	89	79	42	11	-
1984	307	-	-	1	2	8	27	68	98	59	29	15	-
1983	351	-	-	2	6	11	30	88	99	66	35	13	1
1982	347	1	-	-	2	3	30	75	115	56	53	12	-
1981	326	-	-	2	1	7	28	73	106	57	38	14	-
1980	300	-	-	1	2	2	26	90	73	64	29	12	1
1979	319	-	-	1	5	2	27	88	103	56	32	5	-
Malignant neoplasms of lip, oral cavity and pharynx (140-149)													
Black, both sexes													
1998	1,155	-	-	-	6	11	85	264	313	283	140	53	-
1997	1,165	-	-	1	10	13	74	273	327	290	124	52	1
1996	1,181	-	1	-	3	12	85	264	349	301	125	41	-
1995	1,274	-	-	-	4	17	95	279	391	296	152	40	-
1994	1,242	-	2	1	3	11	93	296	365	305	121	44	1
1993	1,286	-	-	-	6	9	117	311	369	290	144	40	-
1992	1,248	-	-	-	5	12	108	270	411	300	114	28	-
1991	1,274	-	-	4	8	12	112	282	398	293	134	31	-
1990	1,311	-	-	1	5	19	104	278	429	314	121	40	-
1989	1,251	-	1	2	10	4	99	297	405	289	109	32	3
1988	1,242	-	-	2	12	20	93	309	381	278	117	30	-
1987	1,161	-	-	-	6	12	101	271	395	242	105	29	-
1986	1,289	-	1	3	4	7	117	318	397	271	119	52	-
1985	1,243	-	-	2	6	20	114	294	408	263	115	21	-
1984	1,248	-	-	2	4	11	110	296	426	267	106	25	1
1983	1,288	-	-	3	6	23	107	325	426	257	108	30	3
1982	1,257	-	-	1	8	9	120	320	427	240	109	23	-
1981	1,216	-	-	3	4	18	101	311	413	232	104	30	-
1980	1,287	-	-	2	8	13	112	355	408	264	96	28	1
1979	1,204	-	-	2	11	8	118	346	386	220	87	25	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Malignant neoplasms of lip, oral cavity and pharynx (140-149)													
Black, male													
1998	849	-	-	-	5	4	58	216	258	197	84	27	-
1997	851	-	-	1	4	11	55	223	248	204	77	27	1
1996	892	-	-	-	2	7	64	216	267	231	85	20	-
1995	926	-	-	-	4	11	72	227	284	206	102	20	-
1994	920	-	-	1	1	7	67	251	288	211	77	16	1
1993	968	-	-	-	5	3	91	248	289	218	96	18	-
1992	949	-	-	-	3	6	85	219	327	218	77	14	-
1991	933	-	-	1	7	8	89	234	292	206	83	13	-
1990	1,000	-	-	1	3	14	88	223	335	225	91	20	-
1989	939	-	-	2	7	2	74	226	312	223	74	16	3
1988	939	-	-	1	8	16	70	246	290	205	88	15	-
1987	864	-	-	-	2	7	81	211	293	180	79	11	-
1986	956	-	-	3	2	6	98	250	304	187	76	30	-
1985	946	-	-	1	4	13	81	236	329	191	78	13	-
1984	985	-	-	1	4	7	90	236	339	214	81	12	1
1983	986	-	-	1	2	16	83	250	336	199	79	18	2
1982	945	-	-	1	6	7	93	250	319	192	62	15	-
1981	920	-	-	1	3	12	77	240	317	182	72	16	-
1980	1,005	-	-	1	6	11	87	272	343	201	68	16	-
1979	900	-	-	1	6	6	94	262	287	167	56	20	1
Malignant neoplasms of lip, oral cavity and pharynx (140-149)													
Black, female													
1998	306	-	-	-	1	7	27	48	55	86	56	26	-
1997	314	-	-	-	6	2	19	50	79	86	47	25	-
1996	289	-	1	-	1	5	21	48	82	70	40	21	-
1995	348	-	-	-	-	6	23	52	107	90	50	20	-
1994	322	-	2	-	2	4	26	45	77	94	44	28	-
1993	318	-	-	-	1	6	26	63	80	72	48	22	-
1992	299	-	-	-	2	6	23	51	84	82	37	14	-
1991	341	-	-	3	1	4	23	48	106	87	51	18	-
1990	311	-	-	-	2	5	16	55	94	89	30	20	-
1989	312	-	1	-	3	2	25	71	93	66	35	16	-
1988	303	-	-	1	4	4	23	63	91	73	29	15	-
1987	297	-	-	-	4	5	20	60	102	62	26	18	-
1986	333	-	1	-	2	1	19	68	93	84	43	22	-
1985	297	-	-	1	2	7	33	58	79	72	37	8	-
1984	263	-	-	1	-	4	20	60	87	53	25	13	-
1983	302	-	-	2	4	7	24	75	90	58	29	12	1
1982	312	-	-	-	2	2	27	70	108	48	47	8	-
1981	296	-	-	2	1	6	24	71	96	50	32	14	-
1980	282	-	-	1	2	2	25	83	65	63	28	12	1
1979	304	-	-	1	5	2	24	84	99	53	31	5	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Malignant neoplasm of esophagus (150)													
All races, both sexes													
1998	11,765	-	-	-	3	31	241	1,297	2,441	3,729	2,985	1,037	1
1997	11,277	-	1	-	3	34	244	1,167	2,457	3,669	2,755	947	-
1996	11,231	-	-	-	2	33	264	1,151	2,409	3,697	2,764	911	-
1995	10,969	-	-	-	2	29	292	1,086	2,343	3,707	2,691	818	1
1994	10,817	-	-	-	8	32	232	1,135	2,356	3,694	2,513	847	-
1993	10,450	-	-	-	5	27	263	1,037	2,450	3,486	2,397	783	2
1992	10,239	3	-	-	1	25	261	994	2,384	3,541	2,296	734	-
1991	9,968	-	-	-	2	24	228	906	2,502	3,405	2,171	729	1
1990	9,719	-	-	-	1	20	228	964	2,395	3,331	2,091	689	-
1989	9,637	-	-	1	1	35	254	946	2,396	3,304	2,075	623	2
1988	9,336	-	-	-	1	17	198	945	2,452	3,107	1,963	652	1
1987	9,089	-	-	-	-	19	192	897	2,509	3,090	1,811	568	3
1986	8,918	-	-	-	4	16	194	890	2,581	3,008	1,695	530	-
1985	8,613	-	-	-	6	25	172	870	2,554	2,812	1,647	526	1
1984	8,658	-	-	2	-	22	178	888	2,553	2,813	1,644	557	1
1983	8,366	1	1	-	2	14	176	927	2,471	2,724	1,545	503	2
1982	8,225	-	-	1	1	14	165	923	2,436	2,694	1,511	478	2
1981	8,084	-	-	-	3	16	156	947	2,441	2,622	1,445	452	2
1980	7,985	1	-	-	4	19	157	995	2,425	2,490	1,426	468	-
1979	7,669	-	-	2	1	12	173	1,018	2,320	2,373	1,319	450	1
Malignant neoplasm of esophagus (150)													
All races, male													
1998	8,876	-	-	-	3	24	210	1,089	2,008	2,917	2,085	539	1
1997	8,546	-	1	-	3	30	201	1,027	1,981	2,892	1,913	498	-
1996	8,400	-	-	-	2	28	226	975	1,992	2,820	1,882	475	-
1995	8,333	-	-	-	2	23	247	910	1,924	2,923	1,894	410	-
1994	8,191	-	-	-	6	27	203	964	1,922	2,876	1,744	449	-
1993	7,813	-	-	-	3	24	220	876	1,966	2,695	1,638	389	2
1992	7,653	3	-	-	1	16	220	829	1,893	2,754	1,590	347	-
1991	7,427	-	-	-	2	21	185	767	1,961	2,639	1,466	385	1
1990	7,213	-	-	-	1	17	197	816	1,871	2,538	1,419	354	-
1989	7,154	-	-	1	1	27	215	789	1,950	2,488	1,372	309	2
1988	6,916	-	-	-	-	13	169	793	1,957	2,342	1,334	307	1
1987	6,723	-	-	-	-	18	157	724	1,974	2,307	1,255	286	2
1986	6,535	-	-	-	4	11	162	709	2,014	2,246	1,108	281	-
1985	6,409	-	-	-	6	19	152	695	2,021	2,127	1,128	260	1
1984	6,313	-	-	2	-	18	161	700	1,961	2,096	1,085	289	1
1983	6,151	1	1	-	2	12	142	742	1,900	2,027	1,068	256	-
1982	5,967	-	-	1	1	12	135	736	1,839	1,979	1,023	241	-
1981	5,953	-	-	-	2	14	122	740	1,885	1,980	963	245	2
1980	5,848	-	-	-	3	14	130	776	1,840	1,853	960	272	-
1979	5,623	-	-	2	1	10	131	812	1,773	1,781	888	225	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasm of esophagus (150)													
All races, female													
1998	2,889	-	-	-	-	7	31	208	433	812	900	498	-
1997	2,731	-	-	-	-	4	43	140	476	777	842	449	-
1996	2,831	-	-	-	-	5	38	176	417	877	882	436	-
1995	2,636	-	-	-	-	6	45	176	419	784	797	408	1
1994	2,626	-	-	-	2	5	29	171	434	818	769	398	-
1993	2,637	-	-	-	2	3	43	161	484	791	759	394	-
1992	2,586	-	-	-	-	9	41	165	491	787	706	387	-
1991	2,541	-	-	-	-	3	43	139	541	766	705	344	-
1990	2,506	-	-	-	-	3	31	148	524	793	672	335	-
1989	2,483	-	-	-	-	8	39	157	446	816	703	314	-
1988	2,420	-	-	-	1	4	29	152	495	765	629	345	-
1987	2,366	-	-	-	-	1	35	173	535	783	556	282	1
1986	2,383	-	-	-	-	5	32	181	567	762	587	249	-
1985	2,204	-	-	-	-	6	20	175	533	685	519	266	-
1984	2,345	-	-	-	-	4	17	188	592	717	559	268	-
1983	2,215	-	-	-	-	2	34	185	571	697	477	247	2
1982	2,258	-	-	-	-	2	30	187	597	715	488	237	2
1981	2,131	-	-	-	1	2	34	207	556	642	482	207	-
1980	2,137	1	-	-	1	5	27	219	585	637	466	196	-
1979	2,046	-	-	-	-	2	42	206	547	592	431	225	1
Malignant neoplasm of esophagus (150)													
White, both sexes													
1998	9,810	-	-	-	1	28	186	968	1,868	3,165	2,658	936	-
1997	9,348	-	1	-	3	32	197	871	1,879	3,060	2,448	857	-
1996	9,253	-	-	-	2	31	210	834	1,838	3,050	2,450	838	-
1995	8,956	-	-	-	2	24	210	743	1,753	3,082	2,389	752	1
1994	8,711	-	-	-	6	27	160	779	1,736	3,019	2,208	776	-
1993	8,312	-	-	-	5	24	183	678	1,767	2,838	2,107	710	-
1992	8,196	1	-	-	1	24	190	633	1,749	2,914	2,019	665	-
1991	7,865	-	-	-	2	18	151	569	1,803	2,759	1,913	650	-
1990	7,599	-	-	-	1	17	145	598	1,723	2,689	1,802	624	-
1989	7,469	-	-	1	-	30	169	577	1,717	2,613	1,796	565	1
1988	7,182	-	-	-	1	15	117	544	1,741	2,473	1,700	591	-
1987	7,022	-	-	-	-	14	113	530	1,791	2,523	1,552	498	1
1986	6,786	-	-	-	4	14	109	518	1,816	2,383	1,466	476	-
1985	6,539	-	-	-	6	20	102	495	1,774	2,241	1,429	472	-
1984	6,486	-	-	1	-	19	88	489	1,749	2,222	1,407	511	-
1983	6,292	-	-	-	2	11	85	525	1,689	2,188	1,334	458	-
1982	6,117	-	-	1	1	10	74	514	1,650	2,134	1,308	425	-
1981	6,017	-	-	-	2	10	75	506	1,657	2,105	1,259	402	1
1980	5,936	-	-	-	4	17	81	533	1,670	2,002	1,208	421	-
1979	5,715	-	-	1	-	11	89	563	1,602	1,906	1,140	403	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasm of esophagus (150)													
White, male													
1998	7,481	-	-	-	1	23	166	836	1,568	2,532	1,876	479	-
1997	7,145	-	1	-	3	29	165	788	1,543	2,456	1,709	451	-
1996	6,964	-	-	-	2	26	186	731	1,553	2,367	1,662	437	-
1995	6,824	-	-	-	2	20	180	645	1,465	2,448	1,690	374	-
1994	6,625	-	-	-	5	23	142	688	1,454	2,382	1,522	409	-
1993	6,234	-	-	-	3	22	160	590	1,456	2,221	1,433	349	-
1992	6,163	1	-	-	1	15	169	544	1,435	2,285	1,407	306	-
1991	5,873	-	-	-	2	17	132	496	1,448	2,155	1,294	329	-
1990	5,661	-	-	-	1	15	133	514	1,377	2,081	1,221	319	-
1989	5,531	-	-	1	-	22	149	499	1,415	1,980	1,187	277	1
1988	5,260	-	-	-	-	11	103	454	1,409	1,872	1,141	270	-
1987	5,190	-	-	-	-	14	99	446	1,452	1,870	1,061	247	1
1986	4,946	-	-	-	4	11	97	424	1,436	1,773	949	252	-
1985	4,841	-	-	-	6	15	94	410	1,430	1,694	964	228	-
1984	4,689	-	-	1	-	17	83	400	1,371	1,654	906	257	-
1983	4,595	-	-	-	2	10	73	443	1,305	1,631	903	228	-
1982	4,373	-	-	1	1	9	61	421	1,256	1,553	866	205	-
1981	4,372	-	-	-	1	9	61	401	1,301	1,567	821	210	1
1980	4,328	-	-	-	3	14	70	436	1,292	1,480	794	239	-
1979	4,114	-	-	1	-	9	75	463	1,217	1,402	755	192	-
Malignant neoplasm of esophagus (150)													
White, female													
1998	2,329	-	-	-	-	5	20	132	300	633	782	457	-
1997	2,203	-	-	-	-	3	32	83	336	604	739	406	-
1996	2,289	-	-	-	-	5	24	103	285	683	788	401	-
1995	2,132	-	-	-	-	4	30	98	288	634	699	378	1
1994	2,086	-	-	-	1	4	18	91	282	637	686	367	-
1993	2,078	-	-	-	2	2	23	88	311	617	674	361	-
1992	2,033	-	-	-	-	9	21	89	314	629	612	359	-
1991	1,992	-	-	-	-	1	19	73	355	604	619	321	-
1990	1,938	-	-	-	-	2	12	84	346	608	581	305	-
1989	1,938	-	-	-	-	8	20	78	302	633	609	288	-
1988	1,922	-	-	-	1	4	14	90	332	601	559	321	-
1987	1,832	-	-	-	-	-	14	84	339	653	491	251	-
1986	1,840	-	-	-	-	3	12	94	380	610	517	224	-
1985	1,698	-	-	-	-	5	8	85	344	547	465	244	-
1984	1,797	-	-	-	-	2	5	89	378	568	501	254	-
1983	1,697	-	-	-	-	1	12	82	384	557	431	230	-
1982	1,744	-	-	-	-	1	13	93	394	581	442	220	-
1981	1,645	-	-	-	1	1	14	105	356	538	438	192	-
1980	1,608	-	-	-	1	3	11	97	378	522	414	182	-
1979	1,601	-	-	-	-	2	14	100	385	504	385	211	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasm of esophagus (150)													
All other, both sexes													
1998	1,955	-	-	-	2	3	55	329	573	564	327	101	1
1997	1,929	-	-	-	-	2	47	296	578	609	307	90	-
1996	1,978	-	-	-	-	2	54	317	571	647	314	73	-
1995	2,013	-	-	-	-	5	82	343	590	625	302	66	-
1994	2,106	-	-	-	2	5	72	356	620	675	305	71	-
1993	2,138	-	-	-	-	3	80	359	683	648	290	73	2
1992	2,043	2	-	-	-	1	71	361	635	627	277	69	-
1991	2,103	-	-	-	-	6	77	337	699	646	258	79	1
1990	2,120	-	-	-	-	3	83	366	672	642	289	65	-
1989	2,168	-	-	-	1	5	85	369	679	691	279	58	1
1988	2,154	-	-	-	-	2	81	401	711	634	263	61	1
1987	2,067	-	-	-	-	5	79	367	718	567	259	70	2
1986	2,132	-	-	-	-	2	85	372	765	625	229	54	-
1985	2,074	-	-	-	-	5	70	375	780	571	218	54	1
1984	2,172	-	-	1	-	3	90	399	804	591	237	46	1
1983	2,074	1	1	-	-	3	91	402	782	536	211	45	2
1982	2,108	-	-	-	-	4	91	409	786	560	203	53	2
1981	2,067	-	-	-	1	6	81	441	784	517	186	50	1
1980	2,049	1	-	-	-	2	76	462	755	488	218	47	-
1979	1,954	-	-	1	1	1	84	455	718	467	179	47	1
Malignant neoplasm of esophagus (150)													
All other, male													
1998	1,395	-	-	-	2	1	44	253	440	385	209	60	1
1997	1,401	-	-	-	-	1	36	239	438	436	204	47	-
1996	1,436	-	-	-	-	2	40	244	439	453	220	38	-
1995	1,509	-	-	-	-	3	67	265	459	475	204	36	-
1994	1,566	-	-	-	1	4	61	276	468	494	222	40	-
1993	1,579	-	-	-	-	2	60	286	510	474	205	40	2
1992	1,490	2	-	-	-	1	51	285	458	469	183	41	-
1991	1,554	-	-	-	-	4	53	271	513	484	172	56	1
1990	1,552	-	-	-	-	2	64	302	494	457	198	35	-
1989	1,623	-	-	-	1	5	66	290	535	508	185	32	1
1988	1,656	-	-	-	-	2	66	339	548	470	193	37	1
1987	1,533	-	-	-	-	4	58	278	522	437	194	39	1
1986	1,589	-	-	-	-	-	65	285	578	473	159	29	-
1985	1,568	-	-	-	-	4	58	285	591	433	164	32	1
1984	1,624	-	-	1	-	1	78	300	590	442	179	32	1
1983	1,556	1	1	-	-	2	69	299	595	396	165	28	-
1982	1,594	-	-	-	-	3	74	315	583	426	157	36	-
1981	1,581	-	-	-	1	5	61	339	584	413	142	35	1
1980	1,520	-	-	-	-	-	60	340	548	373	166	33	-
1979	1,509	-	-	1	1	1	56	349	556	379	133	33	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Malignant neoplasm of esophagus (150)													
All other, female													
1998	560	-	-	-	-	2	11	76	133	179	118	41	-
1997	528	-	-	-	-	1	11	57	140	173	103	43	-
1996	542	-	-	-	-	-	14	73	132	194	94	35	-
1995	504	-	-	-	-	2	15	78	131	150	98	30	-
1994	540	-	-	-	1	1	11	80	152	181	83	31	-
1993	559	-	-	-	-	1	20	73	173	174	85	33	-
1992	553	-	-	-	-	-	20	76	177	158	94	28	-
1991	549	-	-	-	-	2	24	66	186	162	86	23	-
1990	568	-	-	-	-	1	19	64	178	185	91	30	-
1989	545	-	-	-	-	-	19	79	144	183	94	26	-
1988	498	-	-	-	-	-	15	62	163	164	70	24	-
1987	534	-	-	-	-	1	21	89	196	130	65	31	1
1986	543	-	-	-	-	2	20	87	187	152	70	25	-
1985	506	-	-	-	-	1	12	90	189	138	54	22	-
1984	548	-	-	-	-	2	12	99	214	149	58	14	-
1983	518	-	-	-	-	1	22	103	187	140	46	17	2
1982	514	-	-	-	-	1	17	94	203	134	46	17	2
1981	486	-	-	-	-	1	20	102	200	104	44	15	-
1980	529	1	-	-	-	2	16	122	207	115	52	14	-
1979	445	-	-	-	-	-	28	106	162	88	46	14	1
Malignant neoplasm of esophagus (150)													
Black, both sexes													
1998	1,753	-	-	-	2	3	51	308	521	503	281	83	1
1997	1,746	-	-	-	-	1	44	276	535	549	267	74	-
1996	1,827	-	-	-	-	1	50	305	538	593	276	64	-
1995	1,866	-	-	-	-	4	77	331	557	569	274	54	-
1994	1,948	-	-	-	2	4	65	339	588	614	277	59	-
1993	2,011	-	-	-	-	3	75	347	639	611	270	65	1
1992	1,897	2	-	-	-	-	69	343	599	586	244	54	-
1991	1,987	-	-	-	-	6	75	323	671	604	237	70	1
1990	1,974	-	-	-	-	2	78	354	638	595	252	55	-
1989	2,047	-	-	-	1	4	79	361	647	651	255	48	1
1988	2,050	-	-	-	-	2	79	391	683	596	244	54	1
1987	1,965	-	-	-	-	4	78	360	688	537	236	61	1
1986	2,060	-	-	-	-	1	84	367	741	601	216	50	-
1985	1,985	-	-	-	-	4	69	365	753	547	198	48	1
1984	2,087	-	-	-	-	2	90	393	778	564	219	40	1
1983	1,995	-	1	-	-	3	90	394	758	510	197	40	2
1982	2,016	-	-	-	-	3	88	397	757	536	186	47	2
1981	1,986	-	-	-	1	5	78	432	760	492	171	46	1
1980	1,972	1	-	-	-	2	75	451	737	467	200	39	-
1979	1,895	-	-	1	1	1	83	450	696	454	164	44	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasm of esophagus (150)													
Black, male													
1998	1,245	-	-	-	2	1	40	235	399	345	177	45	1
1997	1,271	-	-	-	-	1	33	220	404	393	181	39	-
1996	1,317	-	-	-	-	1	38	235	413	407	192	31	-
1995	1,395	-	-	-	-	3	62	254	436	430	183	27	-
1994	1,434	-	-	-	1	3	55	260	439	445	198	33	-
1993	1,480	-	-	-	-	2	56	275	475	446	189	36	1
1992	1,373	2	-	-	-	-	49	269	430	435	156	32	-
1991	1,465	-	-	-	-	4	51	261	490	453	155	50	1
1990	1,433	-	-	-	-	1	59	292	465	419	169	28	-
1989	1,524	-	-	-	1	4	60	284	508	475	167	24	1
1988	1,580	-	-	-	-	2	64	331	532	440	178	32	1
1987	1,452	-	-	-	-	3	58	271	498	413	174	34	1
1986	1,536	-	-	-	-	-	64	280	563	456	148	25	-
1985	1,498	-	-	-	-	3	57	277	572	416	144	28	1
1984	1,560	-	-	-	-	1	78	295	571	421	166	27	1
1983	1,490	-	1	-	-	2	68	295	575	373	153	23	-
1982	1,517	-	-	-	-	3	71	305	559	407	141	31	-
1981	1,515	-	-	-	1	4	59	331	563	392	130	34	1
1980	1,457	-	-	-	-	-	59	330	538	353	150	27	-
1979	1,464	-	-	1	1	1	56	345	539	369	120	32	-
Malignant neoplasm of esophagus (150)													
Black, female													
1998	508	-	-	-	-	2	11	73	122	158	104	38	-
1997	475	-	-	-	-	-	11	56	131	156	86	35	-
1996	510	-	-	-	-	-	12	70	125	186	84	33	-
1995	471	-	-	-	-	1	15	77	121	139	91	27	-
1994	514	-	-	-	1	1	10	79	149	169	79	26	-
1993	531	-	-	-	-	1	19	72	164	165	81	29	-
1992	524	-	-	-	-	-	20	74	169	151	88	22	-
1991	522	-	-	-	-	2	24	62	181	151	82	20	-
1990	541	-	-	-	-	1	19	62	173	176	83	27	-
1989	523	-	-	-	-	-	19	77	139	176	88	24	-
1988	470	-	-	-	-	-	15	60	151	156	66	22	-
1987	513	-	-	-	-	1	20	89	190	124	62	27	-
1986	524	-	-	-	-	1	20	87	178	145	68	25	-
1985	487	-	-	-	-	1	12	88	181	131	54	20	-
1984	527	-	-	-	-	1	12	98	207	143	53	13	-
1983	505	-	-	-	-	1	22	99	183	137	44	17	2
1982	499	-	-	-	-	-	17	92	198	129	45	16	2
1981	471	-	-	-	-	1	19	101	197	100	41	12	-
1980	515	1	-	-	-	2	16	121	199	114	50	12	-
1979	431	-	-	-	-	-	27	105	157	85	44	12	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Malignant neoplasm of stomach (151)													
All races, both sexes													
1998	12,959	-	-	1	11	146	472	1,124	1,796	3,353	3,931	2,123	2
1997	13,062	-	-	-	14	122	524	1,009	1,849	3,387	4,042	2,114	1
1996	13,336	-	-	-	19	133	460	1,007	1,891	3,620	4,035	2,170	1
1995	13,645	-	-	-	18	119	459	1,114	2,023	3,729	4,043	2,140	-
1994	13,570	-	-	2	13	151	456	1,023	2,007	3,782	4,068	2,068	-
1993	13,850	-	-	-	19	126	468	1,030	2,130	3,924	4,073	2,079	1
1992	13,630	-	-	1	23	124	464	968	2,079	3,970	3,931	2,070	-
1991	14,225	-	-	-	17	131	493	1,021	2,328	4,031	4,184	2,020	-
1990	14,073	-	-	-	16	118	460	1,059	2,263	4,071	4,082	2,003	1
1989	14,186	1	-	1	15	134	403	1,014	2,359	4,176	4,094	1,988	1
1988	13,676	-	-	-	17	119	405	932	2,411	3,969	3,954	1,867	2
1987	13,742	-	-	-	17	119	418	891	2,420	4,122	3,962	1,791	2
1986	13,855	-	-	1	19	143	426	973	2,521	4,085	3,901	1,785	1
1985	13,951	-	-	-	16	128	387	1,022	2,601	4,157	3,835	1,803	2
1984	14,246	1	1	1	14	120	368	1,075	2,614	4,243	3,975	1,834	-
1983	14,152	1	-	1	14	120	352	1,015	2,636	4,266	4,024	1,721	2
1982	14,293	1	-	3	19	120	351	1,043	2,748	4,342	3,868	1,795	3
1981	14,428	-	-	-	12	108	364	1,098	2,733	4,355	3,976	1,781	1
1980	14,372	-	-	2	13	118	318	1,078	2,744	4,309	3,993	1,796	1
1979	14,509	1	-	1	16	124	300	1,093	2,821	4,470	3,959	1,724	-
Malignant neoplasm of stomach (151)													
All races, male													
1998	7,565	-	-	-	7	69	279	720	1,213	2,182	2,232	862	1
1997	7,766	-	-	-	5	69	301	713	1,268	2,212	2,336	862	-
1996	7,859	-	-	-	11	62	285	636	1,328	2,327	2,296	913	1
1995	8,010	-	-	-	10	54	268	747	1,387	2,412	2,249	883	-
1994	8,039	-	-	2	4	88	287	687	1,394	2,464	2,254	859	-
1993	8,229	-	-	-	10	65	314	693	1,447	2,599	2,265	836	-
1992	8,004	-	-	1	13	59	285	666	1,407	2,595	2,157	821	-
1991	8,569	-	-	-	11	72	335	706	1,643	2,640	2,336	826	-
1990	8,336	-	-	-	10	52	297	717	1,523	2,653	2,267	816	1
1989	8,520	1	-	1	8	64	246	720	1,660	2,731	2,288	801	-
1988	8,105	-	-	-	6	64	262	639	1,690	2,571	2,158	715	-
1987	8,241	-	-	-	5	58	290	600	1,679	2,679	2,178	752	-
1986	8,400	-	-	-	11	80	266	681	1,728	2,717	2,160	756	1
1985	8,345	-	-	-	9	73	252	683	1,759	2,726	2,098	744	1
1984	8,469	-	-	1	3	67	210	697	1,793	2,738	2,190	770	-
1983	8,362	-	-	1	3	69	206	663	1,810	2,667	2,193	748	2
1982	8,506	1	-	1	12	68	188	694	1,859	2,766	2,088	827	2
1981	8,631	-	-	-	8	62	222	733	1,856	2,779	2,205	765	1
1980	8,514	-	-	2	11	58	200	717	1,852	2,761	2,169	743	1
1979	8,650	1	-	1	7	71	173	747	1,908	2,788	2,163	791	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasm of stomach (151)													
All races, female													
1998	5,394	-	-	1	4	77	193	404	583	1,171	1,699	1,261	1
1997	5,296	-	-	-	9	53	223	296	581	1,175	1,706	1,252	1
1996	5,477	-	-	-	8	71	175	371	563	1,293	1,739	1,257	-
1995	5,635	-	-	-	8	65	191	367	636	1,317	1,794	1,257	-
1994	5,531	-	-	-	9	63	169	336	613	1,318	1,814	1,209	-
1993	5,621	-	-	-	9	61	154	337	683	1,325	1,808	1,243	1
1992	5,626	-	-	-	10	65	179	302	672	1,375	1,774	1,249	-
1991	5,656	-	-	-	6	59	158	315	685	1,391	1,848	1,194	-
1990	5,737	-	-	-	6	66	163	342	740	1,418	1,815	1,187	-
1989	5,666	-	-	-	7	70	157	294	699	1,445	1,806	1,187	1
1988	5,571	-	-	-	11	55	143	293	721	1,398	1,796	1,152	2
1987	5,501	-	-	-	12	61	128	291	741	1,443	1,784	1,039	2
1986	5,455	-	-	1	8	63	160	292	793	1,368	1,741	1,029	-
1985	5,606	-	-	-	7	55	135	339	842	1,431	1,737	1,059	1
1984	5,777	1	1	-	11	53	158	378	821	1,505	1,785	1,064	-
1983	5,790	1	-	-	11	51	146	352	826	1,599	1,831	973	-
1982	5,787	-	-	2	7	52	163	349	889	1,576	1,780	968	1
1981	5,797	-	-	-	4	46	142	365	877	1,576	1,771	1,016	-
1980	5,858	-	-	-	2	60	118	361	892	1,548	1,824	1,053	-
1979	5,859	-	-	-	9	53	127	346	913	1,682	1,796	933	-
Malignant neoplasm of stomach (151)													
White, both sexes													
1998	10,125	-	-	-	6	87	302	816	1,327	2,602	3,224	1,759	2
1997	10,157	-	-	-	5	74	348	731	1,362	2,639	3,267	1,731	-
1996	10,456	-	-	-	12	79	303	721	1,410	2,880	3,277	1,773	1
1995	10,700	-	-	-	11	67	318	809	1,485	2,921	3,314	1,775	-
1994	10,732	-	-	2	10	85	317	751	1,504	2,970	3,350	1,743	-
1993	11,041	-	-	-	10	81	332	781	1,622	3,145	3,345	1,725	-
1992	10,827	-	-	1	14	79	297	719	1,544	3,185	3,250	1,738	-
1991	11,407	-	-	-	12	85	350	756	1,779	3,238	3,498	1,689	-
1990	11,309	-	-	-	11	70	327	767	1,758	3,298	3,399	1,678	1
1989	11,449	1	-	1	9	88	269	750	1,851	3,323	3,458	1,698	1
1988	11,085	-	-	-	11	74	307	710	1,873	3,221	3,299	1,589	1
1987	11,194	-	-	-	9	74	308	661	1,928	3,340	3,315	1,557	2
1986	11,274	-	-	1	9	96	307	721	2,032	3,287	3,285	1,535	1
1985	11,463	-	-	-	11	81	288	793	2,089	3,404	3,239	1,557	1
1984	11,725	-	1	1	7	78	270	844	2,103	3,469	3,357	1,595	-
1983	11,619	-	-	1	10	90	254	782	2,088	3,462	3,434	1,498	-
1982	11,828	1	-	3	10	90	251	812	2,160	3,592	3,324	1,583	2
1981	11,958	-	-	-	5	80	264	843	2,203	3,567	3,419	1,577	-
1980	12,006	-	-	2	9	77	220	849	2,242	3,555	3,433	1,619	-
1979	12,076	1	-	1	10	86	213	848	2,268	3,682	3,410	1,557	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasm of stomach (151)													
White, male													
1998	5,931	-	-	-	4	42	181	523	907	1,713	1,833	727	1
1997	6,074	-	-	-	1	47	206	523	932	1,754	1,899	712	-
1996	6,188	-	-	-	7	40	194	467	997	1,861	1,866	755	1
1995	6,351	-	-	-	6	32	197	552	1,038	1,920	1,859	747	-
1994	6,379	-	-	2	3	57	212	513	1,046	1,946	1,877	723	-
1993	6,565	-	-	-	5	44	226	539	1,111	2,092	1,845	703	-
1992	6,385	-	-	1	8	43	193	496	1,073	2,082	1,787	702	-
1991	6,868	-	-	-	9	47	248	523	1,286	2,115	1,950	690	-
1990	6,690	-	-	-	6	32	222	514	1,198	2,166	1,872	679	1
1989	6,836	1	-	1	4	44	173	530	1,305	2,168	1,926	684	-
1988	6,499	-	-	-	4	45	203	494	1,314	2,064	1,777	598	-
1987	6,721	-	-	-	2	37	224	454	1,353	2,187	1,812	652	-
1986	6,831	-	-	-	7	55	199	515	1,412	2,195	1,807	640	1
1985	6,842	-	-	-	7	49	193	527	1,418	2,236	1,772	640	-
1984	6,949	-	-	1	2	44	168	555	1,447	2,235	1,837	660	-
1983	6,816	-	-	1	3	54	149	508	1,445	2,158	1,848	650	-
1982	6,951	1	-	1	8	53	139	537	1,467	2,273	1,760	710	2
1981	7,151	-	-	-	4	51	173	574	1,513	2,271	1,886	679	-
1980	7,049	-	-	2	7	41	147	572	1,512	2,285	1,829	654	-
1979	7,150	1	-	1	6	52	134	585	1,530	2,282	1,850	709	-
Malignant neoplasm of stomach (151)													
White, female													
1998	4,194	-	-	-	2	45	121	293	420	889	1,391	1,032	1
1997	4,083	-	-	-	4	27	142	208	430	885	1,368	1,019	-
1996	4,268	-	-	-	5	39	109	254	413	1,019	1,411	1,018	-
1995	4,349	-	-	-	5	35	121	257	447	1,001	1,455	1,028	-
1994	4,353	-	-	-	7	28	105	238	458	1,024	1,473	1,020	-
1993	4,476	-	-	-	5	37	106	242	511	1,053	1,500	1,022	-
1992	4,442	-	-	-	6	36	104	223	471	1,103	1,463	1,036	-
1991	4,539	-	-	-	3	38	102	233	493	1,123	1,548	999	-
1990	4,619	-	-	-	5	38	105	253	560	1,132	1,527	999	-
1989	4,613	-	-	-	5	44	96	220	546	1,155	1,532	1,014	1
1988	4,586	-	-	-	7	29	104	216	559	1,157	1,522	991	1
1987	4,473	-	-	-	7	37	84	207	575	1,153	1,503	905	2
1986	4,443	-	-	1	2	41	108	206	620	1,092	1,478	895	-
1985	4,621	-	-	-	4	32	95	266	671	1,168	1,467	917	1
1984	4,776	-	1	-	5	34	102	289	656	1,234	1,520	935	-
1983	4,803	-	-	-	7	36	105	274	643	1,304	1,586	848	-
1982	4,877	-	-	2	2	37	112	275	693	1,319	1,564	873	-
1981	4,807	-	-	-	1	29	91	269	690	1,296	1,533	898	-
1980	4,957	-	-	-	2	36	73	277	730	1,270	1,604	965	-
1979	4,926	-	-	-	4	34	79	263	738	1,400	1,560	848	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasm of stomach (151)													
All other, both sexes													
1998	2,834	-	-	1	5	59	170	308	469	751	707	364	-
1997	2,905	-	-	-	9	48	176	278	487	748	775	383	1
1996	2,880	-	-	-	7	54	157	286	481	740	758	397	-
1995	2,945	-	-	-	7	52	141	305	538	808	729	365	-
1994	2,838	-	-	-	3	66	139	272	503	812	718	325	-
1993	2,809	-	-	-	9	45	136	249	508	779	728	354	1
1992	2,803	-	-	-	9	45	167	249	535	785	681	332	-
1991	2,818	-	-	-	5	46	143	265	549	793	686	331	-
1990	2,764	-	-	-	5	48	133	292	505	773	683	325	-
1989	2,737	-	-	-	6	46	134	264	508	853	636	290	-
1988	2,591	-	-	-	6	45	98	222	538	748	655	278	1
1987	2,548	-	-	-	8	45	110	230	492	782	647	234	-
1986	2,581	-	-	-	10	47	119	252	489	798	616	250	-
1985	2,488	-	-	-	5	47	99	229	512	753	596	246	1
1984	2,521	1	-	-	7	42	98	231	511	774	618	239	-
1983	2,533	1	-	-	4	30	98	233	548	804	590	223	2
1982	2,465	-	-	-	9	30	100	231	588	750	544	212	1
1981	2,470	-	-	-	7	28	100	255	530	788	557	204	1
1980	2,366	-	-	-	4	41	98	229	502	754	560	177	1
1979	2,433	-	-	-	6	38	87	245	553	788	549	167	-
Malignant neoplasm of stomach (151)													
All other, male													
1998	1,634	-	-	-	3	27	98	197	306	469	399	135	-
1997	1,692	-	-	-	4	22	95	190	336	458	437	150	-
1996	1,671	-	-	-	4	22	91	169	331	466	430	158	-
1995	1,659	-	-	-	4	22	71	195	349	492	390	136	-
1994	1,660	-	-	-	1	31	75	174	348	518	377	136	-
1993	1,664	-	-	-	5	21	88	154	336	507	420	133	-
1992	1,619	-	-	-	5	16	92	170	334	513	370	119	-
1991	1,701	-	-	-	2	25	87	183	357	525	386	136	-
1990	1,646	-	-	-	4	20	75	203	325	487	395	137	-
1989	1,684	-	-	-	4	20	73	190	355	563	362	117	-
1988	1,606	-	-	-	2	19	59	145	376	507	381	117	-
1987	1,520	-	-	-	3	21	66	146	326	492	366	100	-
1986	1,569	-	-	-	4	25	67	166	316	522	353	116	-
1985	1,503	-	-	-	2	24	59	156	341	490	326	104	1
1984	1,520	-	-	-	1	23	42	142	346	503	353	110	-
1983	1,546	-	-	-	-	15	57	155	365	509	345	98	2
1982	1,555	-	-	-	4	15	49	157	392	493	328	117	-
1981	1,480	-	-	-	4	11	49	159	343	508	319	86	1
1980	1,465	-	-	-	4	17	53	145	340	476	340	89	1
1979	1,500	-	-	-	1	19	39	162	378	506	313	82	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Malignant neoplasm of stomach (151)													
All other, female													
1998	1,200	-	-	1	2	32	72	111	163	282	308	229	-
1997	1,213	-	-	-	5	26	81	88	151	290	338	233	1
1996	1,209	-	-	-	3	32	66	117	150	274	328	239	-
1995	1,286	-	-	-	3	30	70	110	189	316	339	229	-
1994	1,178	-	-	-	2	35	64	98	155	294	341	189	-
1993	1,145	-	-	-	4	24	48	95	172	272	308	221	1
1992	1,184	-	-	-	4	29	75	79	201	272	311	213	-
1991	1,117	-	-	-	3	21	56	82	192	268	300	195	-
1990	1,118	-	-	-	1	28	58	89	180	286	288	188	-
1989	1,053	-	-	-	2	26	61	74	153	290	274	173	-
1988	985	-	-	-	4	26	39	77	162	241	274	161	1
1987	1,028	-	-	-	5	24	44	84	166	290	281	134	-
1986	1,012	-	-	-	6	22	52	86	173	276	263	134	-
1985	985	-	-	-	3	23	40	73	171	263	270	142	-
1984	1,001	1	-	-	6	19	56	89	165	271	265	129	-
1983	987	1	-	-	4	15	41	78	183	295	245	125	-
1982	910	-	-	-	5	15	51	74	196	257	216	95	1
1981	990	-	-	-	3	17	51	96	187	280	238	118	-
1980	901	-	-	-	-	24	45	84	162	278	220	88	-
1979	933	-	-	-	5	19	48	83	175	282	236	85	-
Malignant neoplasm of stomach (151)													
Black, both sexes													
1998	2,175	-	-	1	3	37	121	230	345	578	558	302	-
1997	2,201	-	-	-	6	31	126	208	353	567	597	312	1
1996	2,227	-	-	-	3	42	108	223	367	575	575	334	-
1995	2,274	-	-	-	6	38	106	223	412	632	549	308	-
1994	2,206	-	-	-	2	48	94	196	390	643	568	265	-
1993	2,241	-	-	-	7	33	104	194	399	621	583	299	1
1992	2,213	-	-	-	7	32	132	184	408	624	551	275	-
1991	2,338	-	-	-	4	33	114	211	461	654	593	268	-
1990	2,258	-	-	-	4	40	98	231	415	633	563	274	-
1989	2,249	-	-	-	4	33	96	200	437	703	538	238	-
1988	2,118	-	-	-	5	38	74	177	422	609	562	230	1
1987	2,132	-	-	-	7	35	81	178	403	668	551	209	-
1986	2,118	-	-	-	7	35	84	189	400	666	533	204	-
1985	2,095	-	-	-	5	32	72	187	429	632	521	216	1
1984	2,138	-	-	-	6	29	77	191	438	663	534	200	-
1983	2,182	1	-	-	3	25	71	187	478	722	503	190	2
1982	2,120	-	-	-	7	27	73	187	499	652	489	185	1
1981	2,124	-	-	-	4	23	74	210	460	699	476	178	-
1980	2,048	-	-	-	4	32	70	192	444	677	481	147	1
1979	2,135	-	-	-	5	29	66	209	496	708	475	147	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasm of stomach (151)													
Black, male													
1998	1,261	-	-	-	2	19	75	154	224	369	314	104	-
1997	1,297	-	-	-	4	13	73	148	251	365	325	118	-
1996	1,301	-	-	-	2	19	71	138	260	361	318	132	-
1995	1,289	-	-	-	3	17	59	158	284	377	284	107	-
1994	1,299	-	-	-	1	25	57	135	276	408	289	108	-
1993	1,339	-	-	-	5	17	73	122	285	401	328	108	-
1992	1,273	-	-	-	4	12	79	135	256	405	288	94	-
1991	1,422	-	-	-	1	21	72	150	310	437	327	104	-
1990	1,341	-	-	-	3	17	63	167	270	401	311	109	-
1989	1,390	-	-	-	3	14	59	152	313	449	304	96	-
1988	1,316	-	-	-	2	17	47	122	305	415	318	90	-
1987	1,285	-	-	-	2	18	52	120	271	426	307	89	-
1986	1,305	-	-	-	3	22	51	132	266	440	298	93	-
1985	1,263	-	-	-	2	17	46	133	286	409	281	88	1
1984	1,306	-	-	-	1	18	36	121	301	429	307	93	-
1983	1,342	-	-	-	-	14	46	134	317	459	287	83	2
1982	1,360	-	-	-	3	15	40	137	335	432	292	106	-
1981	1,283	-	-	-	3	10	41	138	300	449	267	75	-
1980	1,273	-	-	-	4	12	43	126	298	422	293	74	1
1979	1,313	-	-	-	1	17	29	140	343	450	262	71	-
Malignant neoplasm of stomach (151)													
Black, female													
1998	914	-	-	1	1	18	46	76	121	209	244	198	-
1997	904	-	-	-	2	18	53	60	102	202	272	194	1
1996	926	-	-	-	1	23	37	85	107	214	257	202	-
1995	985	-	-	-	3	21	47	65	128	255	265	201	-
1994	907	-	-	-	1	23	37	61	114	235	279	157	-
1993	902	-	-	-	2	16	31	72	114	220	255	191	1
1992	940	-	-	-	3	20	53	49	152	219	263	181	-
1991	916	-	-	-	3	12	42	61	151	217	266	164	-
1990	917	-	-	-	1	23	35	64	145	232	252	165	-
1989	859	-	-	-	1	19	37	48	124	254	234	142	-
1988	802	-	-	-	3	21	27	55	117	194	244	140	1
1987	847	-	-	-	5	17	29	58	132	242	244	120	-
1986	813	-	-	-	4	13	33	57	134	226	235	111	-
1985	832	-	-	-	3	15	26	54	143	223	240	128	-
1984	832	-	-	-	5	11	41	70	137	234	227	107	-
1983	840	1	-	-	3	11	25	53	161	263	216	107	-
1982	760	-	-	-	4	12	33	50	164	220	197	79	1
1981	841	-	-	-	1	13	33	72	160	250	209	103	-
1980	775	-	-	-	-	20	27	66	146	255	188	73	-
1979	822	-	-	-	4	12	37	69	153	258	213	76	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Malignant neoplasms of colon, rectum and anus (153-154)													
All races, both sexes													
1998	56,785	-	-	3	51	294	1,286	3,882	7,810	14,799	17,774	10,885	1
1997	56,503	-	1	2	50	303	1,247	3,865	7,661	14,910	17,725	10,737	2
1996	56,497	-	-	2	45	295	1,222	3,549	7,779	15,497	17,629	10,478	1
1995	57,333	2	-	3	45	314	1,267	3,530	7,980	16,034	17,940	10,216	2
1994	57,062	-	-	2	60	319	1,234	3,649	7,967	16,130	17,739	9,961	1
1993	56,955	-	-	8	45	296	1,202	3,408	8,098	16,326	17,626	9,939	7
1992	56,494	2	-	3	48	288	1,230	3,263	8,199	16,082	17,777	9,597	5
1991	56,243	-	1	3	53	320	1,184	3,155	8,608	16,044	17,548	9,324	3
1990	56,525	-	-	-	38	311	1,131	3,226	8,522	16,514	17,687	9,092	4
1989	56,261	-	1	1	58	283	1,037	3,066	8,769	16,651	17,516	8,876	3
1988	55,920	-	-	1	56	294	1,168	3,108	9,081	16,770	16,841	8,601	-
1987	56,334	1	-	3	45	329	1,102	3,233	9,545	16,788	17,001	8,284	3
1986	55,816	-	1	2	60	308	992	3,162	9,488	17,037	16,606	8,155	5
1985	56,451	-	-	5	57	314	1,038	3,120	9,977	16,972	16,834	8,130	4
1984	56,332	5	-	-	37	314	1,017	3,188	10,107	17,115	16,513	8,034	2
1983	54,723	4	1	4	58	314	962	3,214	9,905	16,623	15,984	7,648	6
1982	53,943	4	2	7	69	309	962	3,222	9,832	16,369	15,796	7,365	6
1981	53,249	1	2	4	62	313	896	3,362	9,720	16,179	15,564	7,141	5
1980	53,272	-	1	4	78	289	954	3,408	9,790	16,423	15,394	6,922	9
1979	52,273	1	-	4	52	306	945	3,522	9,805	16,121	15,010	6,504	3
Malignant neoplasms of colon, rectum and anus (153-154)													
All races, male													
1998	27,940	-	-	1	30	159	680	2,189	4,535	8,224	8,527	3,594	1
1997	27,942	-	1	2	38	167	652	2,160	4,426	8,411	8,569	3,516	-
1996	27,851	-	-	1	26	167	634	1,988	4,510	8,714	8,308	3,503	-
1995	28,261	-	-	3	28	165	673	1,975	4,641	8,852	8,453	3,471	-
1994	28,260	-	-	1	41	185	659	2,062	4,537	8,967	8,468	3,339	1
1993	27,972	-	-	3	29	175	619	1,900	4,650	8,957	8,331	3,305	3
1992	28,042	1	-	2	31	157	656	1,801	4,730	8,914	8,422	3,323	5
1991	27,773	-	-	3	33	172	624	1,740	4,871	8,842	8,305	3,182	1
1990	28,173	-	-	-	24	162	606	1,771	4,896	9,103	8,457	3,151	3
1989	27,770	-	-	1	28	163	554	1,691	5,046	9,139	8,141	3,007	-
1988	27,584	-	-	-	31	170	640	1,686	5,112	9,101	7,945	2,899	-
1987	27,889	1	-	2	24	195	597	1,740	5,358	9,129	7,957	2,885	1
1986	27,469	-	1	2	37	160	528	1,678	5,293	9,239	7,745	2,785	1
1985	27,612	-	-	2	29	161	557	1,690	5,558	9,191	7,696	2,726	2
1984	27,456	2	-	-	23	201	534	1,690	5,574	9,102	7,588	2,741	1
1983	26,912	2	-	2	32	170	506	1,743	5,454	8,863	7,445	2,691	4
1982	26,284	2	-	5	31	178	521	1,671	5,387	8,661	7,150	2,674	4
1981	25,899	-	2	2	40	187	466	1,755	5,260	8,658	6,957	2,570	2
1980	26,005	-	-	4	45	145	500	1,785	5,246	8,671	7,025	2,580	4
1979	25,405	1	-	3	31	172	501	1,808	5,199	8,489	6,795	2,405	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	15-24 25-34 35-44 45-54 55-64 65-74 75-84 85 + years												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	years	years	years	years	years	years	years	years	
Malignant neoplasms of colon, rectum and anus (153-154)													
All races, female													
1998	28,845	-	-	2	21	135	606	1,693	3,275	6,575	9,247	7,291	-
1997	28,561	-	-	-	12	136	595	1,705	3,235	6,499	9,156	7,221	2
1996	28,646	-	-	1	19	128	588	1,561	3,269	6,783	9,321	6,975	1
1995	29,072	2	-	-	17	149	594	1,555	3,339	7,182	9,487	6,745	2
1994	28,802	-	-	1	19	134	575	1,587	3,430	7,163	9,271	6,622	-
1993	28,983	-	-	5	16	121	583	1,508	3,448	7,369	9,295	6,634	4
1992	28,452	1	-	1	17	131	574	1,462	3,469	7,168	9,355	6,274	-
1991	28,470	-	1	-	20	148	560	1,415	3,737	7,202	9,243	6,142	2
1990	28,352	-	-	-	14	149	525	1,455	3,626	7,411	9,230	5,941	1
1989	28,491	-	1	-	30	120	483	1,375	3,723	7,512	9,375	5,869	3
1988	28,336	-	-	1	25	124	528	1,422	3,969	7,669	8,896	5,702	-
1987	28,445	-	-	1	21	134	505	1,493	4,187	7,659	9,044	5,399	2
1986	28,347	-	-	-	23	148	464	1,484	4,195	7,798	8,861	5,370	4
1985	28,839	-	-	3	28	153	481	1,430	4,419	7,781	9,138	5,404	2
1984	28,876	3	-	-	14	113	483	1,498	4,533	8,013	8,925	5,293	1
1983	27,811	2	1	2	26	144	456	1,471	4,451	7,760	8,539	4,957	2
1982	27,659	2	2	2	38	131	441	1,551	4,445	7,708	8,646	4,691	2
1981	27,350	1	-	2	22	126	430	1,607	4,460	7,521	8,607	4,571	3
1980	27,267	-	1	-	33	144	454	1,623	4,544	7,752	8,369	4,342	5
1979	26,868	-	-	1	21	134	444	1,714	4,606	7,632	8,215	4,099	2
Malignant neoplasms of colon, rectum and anus (153-154)													
White, both sexes													
1998	49,130	-	-	2	38	211	964	3,047	6,455	12,722	15,851	9,840	-
1997	48,950	-	1	-	42	213	929	3,105	6,312	12,830	15,842	9,674	2
1996	49,179	-	-	2	29	212	936	2,813	6,437	13,458	15,760	9,531	1
1995	49,988	-	-	3	32	233	959	2,824	6,708	13,878	16,078	9,272	1
1994	49,961	-	-	-	42	223	929	2,919	6,694	14,112	15,945	9,097	-
1993	49,916	-	-	3	28	228	960	2,735	6,814	14,258	15,840	9,048	2
1992	49,715	2	-	3	31	211	943	2,669	6,975	14,058	16,051	8,770	2
1991	49,556	-	1	3	37	250	939	2,573	7,331	14,132	15,798	8,490	2
1990	49,858	-	-	-	25	229	893	2,600	7,283	14,572	15,927	8,328	1
1989	49,807	-	-	1	33	213	837	2,528	7,548	14,734	15,782	8,129	2
1988	49,726	-	-	1	35	208	914	2,604	7,831	14,921	15,327	7,885	-
1987	50,113	1	-	2	30	237	888	2,685	8,210	14,965	15,412	7,682	1
1986	49,842	-	1	1	41	244	800	2,642	8,296	15,239	15,047	7,527	4
1985	50,402	-	-	1	36	242	845	2,600	8,702	15,114	15,345	7,514	3
1984	50,573	2	-	-	28	236	850	2,681	8,823	15,386	15,099	7,467	1
1983	49,254	3	1	4	42	234	781	2,753	8,754	14,901	14,641	7,137	3
1982	48,547	1	2	7	40	241	785	2,730	8,634	14,745	14,488	6,870	4
1981	48,041	-	2	4	46	240	723	2,870	8,614	14,603	14,243	6,694	2
1980	48,196	-	1	3	49	240	800	2,926	8,704	14,808	14,190	6,470	5
1979	47,362	-	-	2	38	248	764	3,009	8,732	14,586	13,836	6,145	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasms of colon, rectum and anus (153-154)													
White, male													
1998	24,299	-	-	1	25	106	513	1,746	3,808	7,184	7,657	3,259	-
1997	24,290	-	1	-	31	115	489	1,751	3,662	7,347	7,731	3,163	-
1996	24,367	-	-	1	16	119	482	1,622	3,792	7,661	7,492	3,182	-
1995	24,720	-	-	3	20	122	517	1,607	3,959	7,747	7,609	3,136	-
1994	24,818	-	-	-	30	124	510	1,680	3,857	7,908	7,666	3,043	-
1993	24,640	-	-	-	19	132	493	1,560	3,960	7,952	7,546	2,978	-
1992	24,767	1	-	2	20	117	511	1,503	4,097	7,893	7,605	3,016	2
1991	24,613	-	-	3	26	136	509	1,419	4,198	7,914	7,542	2,866	-
1990	24,943	-	-	-	15	115	486	1,460	4,253	8,121	7,638	2,854	1
1989	24,648	-	-	1	16	121	448	1,391	4,437	8,175	7,335	2,724	-
1988	24,634	-	-	-	18	122	520	1,432	4,450	8,176	7,273	2,643	-
1987	24,901	1	-	2	14	145	483	1,471	4,669	8,230	7,234	2,651	1
1986	24,593	-	1	1	27	126	428	1,430	4,688	8,332	7,023	2,536	1
1985	24,782	-	-	-	17	125	462	1,438	4,920	8,251	7,044	2,523	2
1984	24,681	1	-	-	17	154	447	1,416	4,928	8,233	6,957	2,527	1
1983	24,299	1	-	2	23	130	413	1,512	4,856	8,026	6,832	2,503	1
1982	23,695	1	-	5	16	142	432	1,437	4,789	7,855	6,537	2,479	2
1981	23,426	-	2	2	30	149	377	1,513	4,724	7,880	6,345	2,402	2
1980	23,558	-	-	3	28	122	428	1,558	4,685	7,874	6,460	2,397	3
1979	23,103	-	-	1	23	142	404	1,576	4,685	7,753	6,263	2,255	1
Malignant neoplasms of colon, rectum and anus (153-154)													
White, female													
1998	24,831	-	-	1	13	105	451	1,301	2,647	5,538	8,194	6,581	-
1997	24,660	-	-	-	11	98	440	1,354	2,650	5,483	8,111	6,511	2
1996	24,812	-	-	1	13	93	454	1,191	2,645	5,797	8,268	6,349	1
1995	25,268	-	-	-	12	111	442	1,217	2,749	6,131	8,469	6,136	1
1994	25,143	-	-	-	12	99	419	1,239	2,837	6,204	8,279	6,054	-
1993	25,276	-	-	3	9	96	467	1,175	2,854	6,306	8,294	6,070	2
1992	24,948	1	-	1	11	94	432	1,166	2,878	6,165	8,446	5,754	-
1991	24,943	-	1	-	11	114	430	1,154	3,133	6,218	8,256	5,624	2
1990	24,915	-	-	-	10	114	407	1,140	3,030	6,451	8,289	5,474	-
1989	25,159	-	-	-	17	92	389	1,137	3,111	6,559	8,447	5,405	2
1988	25,092	-	-	1	17	86	394	1,172	3,381	6,745	8,054	5,242	-
1987	25,212	-	-	-	16	92	405	1,214	3,541	6,735	8,178	5,031	-
1986	25,249	-	-	-	14	118	372	1,212	3,608	6,907	8,024	4,991	3
1985	25,620	-	-	1	19	117	383	1,162	3,782	6,863	8,301	4,991	1
1984	25,892	1	-	-	11	82	403	1,265	3,895	7,153	8,142	4,940	-
1983	24,955	2	1	2	19	104	368	1,241	3,898	6,875	7,809	4,634	2
1982	24,852	-	2	2	24	99	353	1,293	3,845	6,890	7,951	4,391	2
1981	24,615	-	-	2	16	91	346	1,357	3,890	6,723	7,898	4,292	-
1980	24,638	-	1	-	21	118	372	1,368	4,019	6,934	7,730	4,073	2
1979	24,259	-	-	1	15	106	360	1,433	4,047	6,833	7,573	3,890	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	15-24 25-34 35-44 45-54 55-64 65-74 75-84 85 + years												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	years	years	years	years	years	years	years	years	
Malignant neoplasms of colon, rectum and anus (153-154)													
All other, both sexes													
1998	7,655	-	-	1	13	83	322	835	1,355	2,077	1,923	1,045	1
1997	7,553	-	-	2	8	90	318	760	1,349	2,080	1,883	1,063	-
1996	7,318	-	-	-	16	83	286	736	1,342	2,039	1,869	947	-
1995	7,345	2	-	-	13	81	308	706	1,272	2,156	1,862	944	1
1994	7,101	-	-	2	18	96	305	730	1,273	2,018	1,794	864	1
1993	7,039	-	-	5	17	68	242	673	1,284	2,068	1,786	891	5
1992	6,779	-	-	-	17	77	287	594	1,224	2,024	1,726	827	3
1991	6,687	-	-	-	16	70	245	582	1,277	1,912	1,750	834	1
1990	6,667	-	-	-	13	82	238	626	1,239	1,942	1,760	764	3
1989	6,454	-	1	-	25	70	200	538	1,221	1,917	1,734	747	1
1988	6,194	-	-	-	21	86	254	504	1,250	1,849	1,514	716	-
1987	6,221	-	-	1	15	92	214	548	1,335	1,823	1,589	602	2
1986	5,974	-	-	1	19	64	192	520	1,192	1,798	1,559	628	1
1985	6,049	-	-	4	21	72	193	520	1,275	1,858	1,489	616	1
1984	5,759	3	-	-	9	78	167	507	1,284	1,729	1,414	567	1
1983	5,469	1	-	-	16	80	181	461	1,151	1,722	1,343	511	3
1982	5,396	3	-	-	29	68	177	492	1,198	1,624	1,308	495	2
1981	5,208	1	-	-	16	73	173	492	1,106	1,576	1,321	447	3
1980	5,076	-	-	1	29	49	154	482	1,086	1,615	1,204	452	4
1979	4,911	1	-	2	14	58	181	513	1,073	1,535	1,174	359	1
Malignant neoplasms of colon, rectum and anus (153-154)													
All other, male													
1998	3,641	-	-	-	5	53	167	443	727	1,040	870	335	1
1997	3,652	-	-	2	7	52	163	409	764	1,064	838	353	-
1996	3,484	-	-	-	10	48	152	366	718	1,053	816	321	-
1995	3,541	-	-	-	8	43	156	368	682	1,105	844	335	-
1994	3,442	-	-	1	11	61	149	382	680	1,059	802	296	1
1993	3,332	-	-	3	10	43	126	340	690	1,005	785	327	3
1992	3,275	-	-	-	11	40	145	298	633	1,021	817	307	3
1991	3,160	-	-	-	7	36	115	321	673	928	763	316	1
1990	3,230	-	-	-	9	47	120	311	643	982	819	297	2
1989	3,122	-	-	-	12	42	106	300	609	964	806	283	-
1988	2,950	-	-	-	13	48	120	254	662	925	672	256	-
1987	2,988	-	-	-	10	50	114	269	689	899	723	234	-
1986	2,876	-	-	1	10	34	100	248	605	907	722	249	-
1985	2,830	-	-	2	12	36	95	252	638	940	652	203	-
1984	2,775	1	-	-	6	47	87	274	646	869	631	214	-
1983	2,613	1	-	-	9	40	93	231	598	837	613	188	3
1982	2,589	1	-	-	15	36	89	234	598	806	613	195	2
1981	2,473	-	-	-	10	38	89	242	536	778	612	168	-
1980	2,447	-	-	1	17	23	72	227	561	797	565	183	1
1979	2,302	1	-	2	8	30	97	232	514	736	532	150	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Malignant neoplasms of colon, rectum and anus (153-154)													
All other, female													
1998	4,014	-	-	1	8	30	155	392	628	1,037	1,053	710	-
1997	3,901	-	-	-	1	38	155	351	585	1,016	1,045	710	-
1996	3,834	-	-	-	6	35	134	370	624	986	1,053	626	-
1995	3,804	2	-	-	5	38	152	338	590	1,051	1,018	609	1
1994	3,659	-	-	1	7	35	156	348	593	959	992	568	-
1993	3,707	-	-	2	7	25	116	333	594	1,063	1,001	564	2
1992	3,504	-	-	-	6	37	142	296	591	1,003	909	520	-
1991	3,527	-	-	-	9	34	130	261	604	984	987	518	-
1990	3,437	-	-	-	4	35	118	315	596	960	941	467	1
1989	3,332	-	1	-	13	28	94	238	612	953	928	464	1
1988	3,244	-	-	-	8	38	134	250	588	924	842	460	-
1987	3,233	-	-	1	5	42	100	279	646	924	866	368	2
1986	3,098	-	-	-	9	30	92	272	587	891	837	379	1
1985	3,219	-	-	2	9	36	98	268	637	918	837	413	1
1984	2,984	2	-	-	3	31	80	233	638	860	783	353	1
1983	2,856	-	-	-	7	40	88	230	553	885	730	323	-
1982	2,807	2	-	-	14	32	88	258	600	818	695	300	-
1981	2,735	1	-	-	6	35	84	250	570	798	709	279	3
1980	2,629	-	-	-	12	26	82	255	525	818	639	269	3
1979	2,609	-	-	-	6	28	84	281	559	799	642	209	1
Malignant neoplasms of colon, rectum and anus (153-154)													
Black, both sexes													
1998	6,578	-	-	1	8	62	268	704	1,167	1,781	1,669	917	1
1997	6,548	-	-	1	3	69	260	638	1,181	1,806	1,639	951	-
1996	6,368	-	-	-	11	70	251	622	1,158	1,787	1,624	845	-
1995	6,431	2	-	-	9	62	253	606	1,118	1,891	1,656	833	1
1994	6,228	-	-	2	11	82	265	629	1,120	1,758	1,582	779	-
1993	6,211	-	-	4	14	55	204	593	1,108	1,831	1,603	796	3
1992	5,996	-	-	-	15	62	248	505	1,054	1,783	1,576	752	1
1991	5,974	-	-	-	13	56	214	511	1,129	1,695	1,591	764	1
1990	5,998	-	-	-	10	71	205	553	1,105	1,742	1,607	702	3
1989	5,768	-	-	-	21	63	178	477	1,085	1,713	1,558	672	1
1988	5,578	-	-	-	16	77	228	428	1,110	1,690	1,384	645	-
1987	5,610	-	-	1	15	74	174	479	1,207	1,664	1,448	546	2
1986	5,441	-	-	1	16	56	173	467	1,065	1,645	1,432	585	1
1985	5,492	-	-	4	19	61	168	468	1,154	1,678	1,367	572	1
1984	5,259	1	-	-	9	68	149	458	1,158	1,595	1,313	507	1
1983	5,032	1	-	-	12	67	156	415	1,063	1,610	1,250	455	3
1982	4,979	-	-	-	27	59	163	449	1,110	1,506	1,206	458	1
1981	4,802	-	-	-	16	61	160	448	1,003	1,479	1,218	415	2
1980	4,710	-	-	1	28	45	137	442	1,009	1,511	1,115	418	4
1979	4,537	1	-	2	10	53	171	454	995	1,432	1,096	322	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Malignant neoplasms of colon, rectum and anus (153-154)													
Black, male													
1998	3,071	-	-	-	3	39	139	372	622	880	724	291	1
1997	3,116	-	-	1	3	41	131	348	660	925	703	304	-
1996	3,000	-	-	-	6	42	135	319	620	910	695	273	-
1995	3,054	-	-	-	5	38	126	313	586	954	737	295	-
1994	2,985	-	-	1	7	54	133	329	588	920	695	258	-
1993	2,906	-	-	3	8	36	108	303	595	881	691	280	1
1992	2,854	-	-	-	9	33	127	251	546	886	727	274	1
1991	2,769	-	-	-	7	30	99	279	591	809	668	285	1
1990	2,863	-	-	-	7	38	106	275	573	867	733	262	2
1989	2,726	-	-	-	10	36	92	272	530	841	698	247	-
1988	2,605	-	-	-	10	43	109	215	584	824	599	221	-
1987	2,642	-	-	-	10	40	94	237	621	811	626	203	-
1986	2,564	-	-	1	8	30	91	227	533	809	637	228	-
1985	2,504	-	-	2	12	32	82	220	575	827	568	186	-
1984	2,502	-	-	-	6	41	76	248	572	799	571	189	-
1983	2,359	1	-	-	7	31	83	205	542	770	553	164	3
1982	2,342	-	-	-	13	32	84	210	544	728	552	178	1
1981	2,240	-	-	-	10	30	84	219	476	713	556	152	-
1980	2,233	-	-	1	17	22	62	211	520	730	502	167	1
1979	2,082	1	-	2	4	27	93	206	472	659	488	130	-
Malignant neoplasms of colon, rectum and anus (153-154)													
Black, female													
1998	3,507	-	-	1	5	23	129	332	545	901	945	626	-
1997	3,432	-	-	-	-	28	129	290	521	881	936	647	-
1996	3,368	-	-	-	5	28	116	303	538	877	929	572	-
1995	3,377	2	-	-	4	24	127	293	532	937	919	538	1
1994	3,243	-	-	1	4	28	132	300	532	838	887	521	-
1993	3,305	-	-	1	6	19	96	290	513	950	912	516	2
1992	3,142	-	-	-	6	29	121	254	508	897	849	478	-
1991	3,205	-	-	-	6	26	115	232	538	886	923	479	-
1990	3,135	-	-	-	3	33	99	278	532	875	874	440	1
1989	3,042	-	-	-	11	27	86	205	555	872	860	425	1
1988	2,973	-	-	-	6	34	119	213	526	866	785	424	-
1987	2,968	-	-	1	5	34	80	242	586	853	822	343	2
1986	2,877	-	-	-	8	26	82	240	532	836	795	357	1
1985	2,988	-	-	2	7	29	86	248	579	851	799	386	1
1984	2,757	1	-	-	3	27	73	210	586	796	742	318	1
1983	2,673	-	-	-	5	36	73	210	521	840	697	291	-
1982	2,637	-	-	-	14	27	79	239	566	778	654	280	-
1981	2,562	-	-	-	6	31	76	229	527	766	662	263	2
1980	2,477	-	-	-	11	23	75	231	489	781	613	251	3
1979	2,455	-	-	-	6	26	78	248	523	773	608	192	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Malignant neoplasms of liver and intrahepatic bile ducts (155)													
All races, both sexes													
1998	12,381	5	16	18	43	84	415	1,445	2,058	3,513	3,481	1,303	-
1997	11,938	5	19	14	29	94	415	1,265	1,984	3,504	3,347	1,261	1
1996	11,584	4	17	15	35	86	438	1,099	1,908	3,592	3,102	1,288	-
1995	11,191	3	23	13	34	79	394	974	1,992	3,448	3,064	1,167	-
1994	10,427	6	27	17	33	89	400	895	1,837	3,185	2,867	1,069	2
1993	10,063	4	19	12	30	83	363	815	1,758	3,188	2,735	1,055	1
1992	9,555	6	13	18	40	88	350	761	1,757	2,933	2,636	952	1
1991	8,847	4	24	12	31	83	321	651	1,605	2,749	2,456	911	-
1990	8,511	7	24	12	34	78	291	665	1,599	2,688	2,277	836	-
1989	7,988	5	17	17	26	100	250	582	1,536	2,546	2,134	775	-
1988	7,575	6	18	13	23	87	258	511	1,564	2,391	1,982	722	-
1987	7,227	1	23	18	41	98	247	525	1,373	2,342	1,905	653	1
1986	6,983	3	17	10	30	75	259	529	1,385	2,201	1,865	606	3
1985	6,809	7	23	18	37	98	210	553	1,361	2,210	1,707	583	2
1984	6,521	7	25	16	40	106	226	506	1,361	2,039	1,641	553	1
1983	6,215	5	19	19	41	101	199	530	1,322	1,961	1,488	526	4
1982	6,143	10	26	27	38	87	176	466	1,278	1,960	1,536	536	3
1981	5,877	8	27	12	41	72	136	504	1,228	1,890	1,437	522	-
1980	5,618	10	28	18	40	91	148	462	1,221	1,795	1,324	480	1
1979	5,623	6	16	18	50	73	142	480	1,264	1,847	1,266	459	2
Malignant neoplasms of liver and intrahepatic bile ducts (155)													
All races, male													
1998	7,780	3	9	13	23	55	297	1,133	1,466	2,296	1,982	503	-
1997	7,348	5	10	11	14	59	303	939	1,392	2,266	1,810	538	1
1996	7,128	2	12	10	22	55	332	803	1,362	2,330	1,675	525	-
1995	6,826	2	9	6	10	55	290	694	1,384	2,188	1,711	477	-
1994	6,388	4	22	10	18	60	288	639	1,282	2,002	1,632	431	-
1993	6,068	3	10	6	16	49	273	573	1,186	2,045	1,477	429	1
1992	5,854	4	6	10	18	57	250	532	1,238	1,919	1,431	389	-
1991	5,320	4	16	6	18	62	223	426	1,095	1,772	1,323	375	-
1990	5,161	4	14	7	17	56	197	458	1,094	1,696	1,268	350	-
1989	4,887	2	12	11	10	61	166	384	1,073	1,689	1,183	296	-
1988	4,621	4	12	8	11	59	156	338	1,101	1,561	1,059	312	-
1987	4,342	1	13	13	28	72	161	359	935	1,506	1,017	237	-
1986	4,213	1	12	7	15	52	167	356	975	1,378	1,014	233	3
1985	4,025	2	16	12	20	53	131	362	896	1,373	939	220	1
1984	3,940	4	13	7	27	61	148	330	936	1,286	908	219	1
1983	3,775	-	14	9	17	60	132	348	910	1,260	819	204	2
1982	3,663	6	14	20	19	51	111	295	844	1,231	852	219	1
1981	3,539	5	16	7	23	42	82	326	823	1,221	775	219	-
1980	3,292	9	20	8	19	53	92	305	783	1,096	708	198	1
1979	3,321	4	9	13	31	43	74	307	827	1,178	668	165	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Malignant neoplasms of liver and intrahepatic bile ducts (155)													
All races, female													
1998	4,601	2	7	5	20	29	118	312	592	1,217	1,499	800	-
1997	4,590	-	9	3	15	35	112	326	592	1,238	1,537	723	-
1996	4,456	2	5	5	13	31	106	296	546	1,262	1,427	763	-
1995	4,365	1	14	7	24	24	104	280	608	1,260	1,353	690	-
1994	4,039	2	5	7	15	29	112	256	555	1,183	1,235	638	2
1993	3,995	1	9	6	14	34	90	242	572	1,143	1,258	626	-
1992	3,701	2	7	8	22	31	100	229	519	1,014	1,205	563	1
1991	3,527	-	8	6	13	21	98	225	510	977	1,133	536	-
1990	3,350	3	10	5	17	22	94	207	505	992	1,009	486	-
1989	3,101	3	5	6	16	39	84	198	463	857	951	479	-
1988	2,954	2	6	5	12	28	102	173	463	830	923	410	-
1987	2,885	-	10	5	13	26	86	166	438	836	888	416	1
1986	2,770	2	5	3	15	23	92	173	410	823	851	373	-
1985	2,784	5	7	6	17	45	79	191	465	837	768	363	1
1984	2,581	3	12	9	13	45	78	176	425	753	733	334	-
1983	2,440	5	5	10	24	41	67	182	412	701	669	322	2
1982	2,480	4	12	7	19	36	65	171	434	729	684	317	2
1981	2,338	3	11	5	18	30	54	178	405	669	662	303	-
1980	2,326	1	8	10	21	38	56	157	438	699	616	282	-
1979	2,302	2	7	5	19	30	68	173	437	669	598	294	-
Malignant neoplasms of liver and intrahepatic bile ducts (155)													
White, both sexes													
1998	9,964	5	12	10	28	46	274	956	1,562	2,902	3,033	1,136	-
1997	9,622	3	15	9	16	55	263	874	1,484	2,891	2,906	1,106	-
1996	9,433	2	15	13	22	57	280	747	1,441	3,024	2,704	1,128	-
1995	9,050	3	18	10	28	51	227	674	1,536	2,841	2,645	1,017	-
1994	8,459	5	25	14	24	51	246	599	1,432	2,640	2,486	936	1
1993	8,236	3	16	8	21	57	228	562	1,337	2,682	2,379	943	-
1992	7,763	4	10	12	34	48	203	524	1,338	2,450	2,278	861	1
1991	7,195	2	18	9	18	56	182	433	1,241	2,296	2,134	806	-
1990	6,899	7	16	9	24	49	175	455	1,197	2,256	1,977	734	-
1989	6,511	4	15	11	14	67	148	410	1,174	2,122	1,859	687	-
1988	6,205	6	16	9	20	43	158	348	1,235	1,988	1,738	644	-
1987	5,923	1	19	16	29	55	149	357	1,086	1,988	1,640	583	-
1986	5,735	1	17	8	20	49	152	373	1,096	1,861	1,621	535	2
1985	5,587	7	20	15	27	61	135	378	1,046	1,855	1,519	523	1
1984	5,320	6	19	13	28	68	146	357	1,072	1,680	1,433	497	1
1983	5,032	4	18	12	29	62	126	357	1,052	1,605	1,300	465	2
1982	5,046	9	24	22	31	48	119	325	1,023	1,636	1,320	488	1
1981	4,882	8	24	10	30	48	99	366	967	1,563	1,279	488	-
1980	4,654	9	23	16	30	67	95	334	972	1,501	1,165	441	1
1979	4,688	5	13	13	39	47	102	362	1,029	1,551	1,107	419	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Malignant neoplasms of liver and intrahepatic bile ducts (155)													
White, male													
1998	6,163	3	6	6	13	26	191	739	1,108	1,902	1,731	438	-
1997	5,850	3	7	8	8	33	183	636	1,021	1,878	1,602	471	-
1996	5,713	1	10	8	14	34	209	531	1,035	1,948	1,471	452	-
1995	5,468	2	7	5	6	34	161	458	1,082	1,829	1,475	409	-
1994	5,092	4	21	7	13	32	162	421	982	1,664	1,416	370	-
1993	4,907	2	10	4	8	30	169	376	874	1,740	1,309	385	-
1992	4,687	3	5	8	15	30	141	357	944	1,594	1,240	350	-
1991	4,278	2	12	6	10	39	121	266	857	1,485	1,157	323	-
1990	4,124	4	10	5	11	33	114	300	811	1,431	1,097	308	-
1989	3,902	2	10	6	4	32	90	252	799	1,420	1,030	257	-
1988	3,715	4	10	5	9	26	85	216	867	1,283	932	278	-
1987	3,509	1	10	11	20	38	91	233	738	1,284	873	210	-
1986	3,377	1	12	6	10	29	88	240	753	1,150	884	202	2
1985	3,212	2	14	9	16	29	78	224	684	1,148	818	190	-
1984	3,100	4	10	6	18	31	88	214	727	1,038	772	191	1
1983	2,977	-	13	7	13	33	73	223	709	1,017	709	179	1
1982	2,952	5	13	15	14	24	70	197	668	1,035	715	196	-
1981	2,865	5	14	5	16	23	53	224	641	994	685	205	-
1980	2,646	8	17	7	16	37	56	203	605	893	622	181	1
1979	2,703	3	8	10	23	23	48	222	669	979	569	148	1
Malignant neoplasms of liver and intrahepatic bile ducts (155)													
White, female													
1998	3,801	2	6	4	15	20	83	217	454	1,000	1,302	698	-
1997	3,772	-	8	1	8	22	80	238	463	1,013	1,304	635	-
1996	3,720	1	5	5	8	23	71	216	406	1,076	1,233	676	-
1995	3,582	1	11	5	22	17	66	216	454	1,012	1,170	608	-
1994	3,367	1	4	7	11	19	84	178	450	976	1,070	566	1
1993	3,329	1	6	4	13	27	59	186	463	942	1,070	558	-
1992	3,076	1	5	4	19	18	62	167	394	856	1,038	511	1
1991	2,917	-	6	3	8	17	61	167	384	811	977	483	-
1990	2,775	3	6	4	13	16	61	155	386	825	880	426	-
1989	2,609	2	5	5	10	35	58	158	375	702	829	430	-
1988	2,490	2	6	4	11	17	73	132	368	705	806	366	-
1987	2,414	-	9	5	9	17	58	124	348	704	767	373	-
1986	2,358	-	5	2	10	20	64	133	343	711	737	333	-
1985	2,375	5	6	6	11	32	57	154	362	707	701	333	1
1984	2,220	2	9	7	10	37	58	143	345	642	661	306	-
1983	2,055	4	5	5	16	29	53	134	343	588	591	286	1
1982	2,094	4	11	7	17	24	49	128	355	601	605	292	1
1981	2,017	3	10	5	14	25	46	142	326	569	594	283	-
1980	2,008	1	6	9	14	30	39	131	367	608	543	260	-
1979	1,985	2	5	3	16	24	54	140	360	572	538	271	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasms of liver and intrahepatic bile ducts (155)													
All other, both sexes													
1998	2,417	-	4	8	15	38	141	489	496	611	448	167	-
1997	2,316	2	4	5	13	39	152	391	500	613	441	155	1
1996	2,151	2	2	2	13	29	158	352	467	568	398	160	-
1995	2,141	-	5	3	6	28	167	300	456	607	419	150	-
1994	1,968	1	2	3	9	38	154	296	405	545	381	133	1
1993	1,827	1	3	4	9	26	135	253	421	506	356	112	1
1992	1,792	2	3	6	6	40	147	237	419	483	358	91	-
1991	1,652	2	6	3	13	27	139	218	364	453	322	105	-
1990	1,612	-	8	3	10	29	116	210	402	432	300	102	-
1989	1,477	1	2	6	12	33	102	172	362	424	275	88	-
1988	1,370	-	2	4	3	44	100	163	329	403	244	78	-
1987	1,304	-	4	2	12	43	98	168	287	354	265	70	1
1986	1,248	2	-	2	10	26	107	156	289	340	244	71	1
1985	1,222	-	3	3	10	37	75	175	315	355	188	60	1
1984	1,201	1	6	3	12	38	80	149	289	359	208	56	-
1983	1,183	1	1	7	12	39	73	173	270	356	188	61	2
1982	1,097	1	2	5	7	39	57	141	255	324	216	48	2
1981	995	-	3	2	11	24	37	138	261	327	158	34	-
1980	964	1	5	2	10	24	53	128	249	294	159	39	-
1979	935	1	3	5	11	26	40	118	235	296	159	40	1
Malignant neoplasms of liver and intrahepatic bile ducts (155)													
All other, male													
1998	1,617	-	3	7	10	29	106	394	358	394	251	65	-
1997	1,498	2	3	3	6	26	120	303	371	388	208	67	1
1996	1,415	1	2	2	8	21	123	272	327	382	204	73	-
1995	1,358	-	2	1	4	21	129	236	302	359	236	68	-
1994	1,296	-	1	3	5	28	126	218	300	338	216	61	-
1993	1,161	1	-	2	8	19	104	197	312	305	168	44	1
1992	1,167	1	1	2	3	27	109	175	294	325	191	39	-
1991	1,042	2	4	-	8	23	102	160	238	287	166	52	-
1990	1,037	-	4	2	6	23	83	158	283	265	171	42	-
1989	985	-	2	5	6	29	76	132	274	269	153	39	-
1988	906	-	2	3	2	33	71	122	234	278	127	34	-
1987	833	-	3	2	8	34	70	126	197	222	144	27	-
1986	836	-	-	1	5	23	79	116	222	228	130	31	1
1985	813	-	2	3	4	24	53	138	212	225	121	30	1
1984	840	-	3	1	9	30	60	116	209	248	136	28	-
1983	798	-	1	2	4	27	59	125	201	243	110	25	1
1982	711	1	1	5	5	27	41	98	176	196	137	23	1
1981	674	-	2	2	7	19	29	102	182	227	90	14	-
1980	646	1	3	1	3	16	36	102	178	203	86	17	-
1979	618	1	1	3	8	20	26	85	158	199	99	17	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Malignant neoplasms of liver and intrahepatic bile ducts (155)													
All other, female													
1998	800	-	1	1	5	9	35	95	138	217	197	102	-
1997	818	-	1	2	7	13	32	88	129	225	233	88	-
1996	736	1	-	-	5	8	35	80	140	186	194	87	-
1995	783	-	3	2	2	7	38	64	154	248	183	82	-
1994	672	1	1	-	4	10	28	78	105	207	165	72	1
1993	666	-	3	2	1	7	31	56	109	201	188	68	-
1992	625	1	2	4	3	13	38	62	125	158	167	52	-
1991	610	-	2	3	5	4	37	58	126	166	156	53	-
1990	575	-	4	1	4	6	33	52	119	167	129	60	-
1989	492	1	-	1	6	4	26	40	88	155	122	49	-
1988	464	-	-	1	1	11	29	41	95	125	117	44	-
1987	471	-	1	-	4	9	28	42	90	132	121	43	1
1986	412	2	-	1	5	3	28	40	67	112	114	40	-
1985	409	-	1	-	6	13	22	37	103	130	67	30	-
1984	361	1	3	2	3	8	20	33	80	111	72	28	-
1983	385	1	-	5	8	12	14	48	69	113	78	36	1
1982	386	-	1	-	2	12	16	43	79	128	79	25	1
1981	321	-	1	-	4	5	8	36	79	100	68	20	-
1980	318	-	2	1	7	8	17	26	71	91	73	22	-
1979	317	-	2	2	3	6	14	33	77	97	60	23	-
Malignant neoplasms of liver and intrahepatic bile ducts (155)													
Black, both sexes													
1998	1,568	-	4	6	8	24	88	320	306	387	306	119	-
1997	1,446	-	2	3	8	25	93	241	304	374	288	107	1
1996	1,377	1	2	1	10	14	99	213	272	376	272	117	-
1995	1,421	-	5	3	3	18	108	189	295	411	273	116	-
1994	1,274	-	2	2	4	22	96	182	253	346	269	98	-
1993	1,203	1	2	3	7	16	81	152	268	342	254	77	-
1992	1,180	2	1	4	4	24	93	141	258	344	246	63	-
1991	1,108	-	5	2	10	17	85	133	224	316	230	86	-
1990	1,091	-	7	3	10	16	69	107	251	320	226	82	-
1989	1,042	1	2	3	10	24	50	111	246	314	214	67	-
1988	962	-	2	1	2	27	53	92	226	305	192	62	-
1987	938	-	3	2	6	29	64	102	209	271	193	59	-
1986	919	1	-	2	9	17	56	92	227	263	195	56	1
1985	894	-	1	2	10	24	50	113	223	279	146	45	1
1984	923	-	4	2	10	25	48	101	214	305	169	45	-
1983	903	-	1	4	9	31	48	111	210	292	153	44	-
1982	863	1	2	3	4	30	36	102	196	273	176	39	1
1981	819	-	3	1	10	21	20	99	218	285	132	30	-
1980	806	-	5	1	9	18	37	104	214	246	140	32	-
1979	775	1	2	4	9	21	28	97	197	256	125	34	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasms of liver and intrahepatic bile ducts (155)													
Black, male													
1998	1,039	-	3	5	5	19	61	262	222	249	174	39	-
1997	900	-	1	2	3	16	70	187	221	239	118	42	1
1996	874	1	2	1	7	8	73	167	185	247	136	47	-
1995	867	-	2	1	1	12	84	145	191	238	143	50	-
1994	812	-	1	2	1	14	78	135	187	202	151	41	-
1993	744	1	-	2	6	12	60	117	198	207	114	27	-
1992	757	1	-	1	2	15	71	105	179	229	129	25	-
1991	678	-	4	-	6	14	62	95	149	197	109	42	-
1990	653	-	3	2	6	12	44	77	171	180	125	33	-
1989	674	-	2	2	4	20	37	84	182	198	118	27	-
1988	606	-	2	1	2	16	36	65	158	204	95	27	-
1987	572	-	2	2	4	23	44	70	140	167	99	21	-
1986	596	-	-	1	4	14	40	68	175	171	98	24	1
1985	578	-	-	2	4	16	34	85	144	179	92	21	1
1984	628	-	2	-	7	19	36	75	149	207	108	25	-
1983	581	-	1	1	3	20	39	76	148	191	85	17	-
1982	550	1	1	3	2	19	28	75	135	160	108	18	-
1981	534	-	2	1	6	17	16	69	144	198	69	12	-
1980	526	-	3	1	3	12	24	82	149	164	74	14	-
1979	506	1	1	2	8	16	17	70	129	170	76	15	1
Malignant neoplasms of liver and intrahepatic bile ducts (155)													
Black, female													
1998	529	-	1	1	3	5	27	58	84	138	132	80	-
1997	546	-	1	1	5	9	23	54	83	135	170	65	-
1996	503	-	-	-	3	6	26	46	87	129	136	70	-
1995	554	-	3	2	2	6	24	44	104	173	130	66	-
1994	462	-	1	-	3	8	18	47	66	144	118	57	-
1993	459	-	2	1	1	4	21	35	70	135	140	50	-
1992	423	1	1	3	2	9	22	36	79	115	117	38	-
1991	430	-	1	2	4	3	23	38	75	119	121	44	-
1990	438	-	4	1	4	4	25	30	80	140	101	49	-
1989	368	1	-	1	6	4	13	27	64	116	96	40	-
1988	356	-	-	-	-	11	17	27	68	101	97	35	-
1987	366	-	1	-	2	6	20	32	69	104	94	38	-
1986	323	1	-	1	5	3	16	24	52	92	97	32	-
1985	316	-	1	-	6	8	16	28	79	100	54	24	-
1984	295	-	2	2	3	6	12	26	65	98	61	20	-
1983	322	-	-	3	6	11	9	35	62	101	68	27	-
1982	313	-	1	-	2	11	8	27	61	113	68	21	1
1981	285	-	1	-	4	4	4	30	74	87	63	18	-
1980	280	-	2	-	6	6	13	22	65	82	66	18	-
1979	269	-	1	2	1	5	11	27	68	86	49	19	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasm of pancreas (157)													
All races, both sexes													
1998	28,335	-	1	2	9	63	553	2,145	4,417	8,150	8,919	4,076	-
1997	27,675	2	-	-	6	59	554	2,023	4,344	8,114	8,673	3,900	-
1996	27,260	-	-	1	11	54	518	1,902	4,191	8,202	8,580	3,797	4
1995	26,766	-	-	-	6	53	498	1,883	4,236	8,269	8,115	3,705	1
1994	26,834	-	1	-	4	62	510	1,791	4,254	8,505	8,224	3,483	-
1993	26,445	-	1	2	7	62	524	1,747	4,249	8,362	8,176	3,313	2
1992	26,071	-	-	3	6	82	485	1,670	4,400	8,267	7,872	3,285	1
1991	25,536	-	1	1	9	74	504	1,610	4,247	8,152	7,817	3,119	2
1990	25,082	-	-	3	8	64	443	1,614	4,356	8,089	7,548	2,956	1
1989	24,543	1	-	-	6	65	432	1,507	4,398	8,064	7,208	2,862	-
1988	23,848	-	-	1	6	67	408	1,551	4,437	7,700	6,992	2,686	-
1987	23,737	2	-	1	8	63	413	1,536	4,584	7,642	6,784	2,704	-
1986	23,458	2	-	1	4	55	418	1,442	4,621	7,836	6,495	2,582	2
1985	23,102	-	-	2	15	66	397	1,542	4,713	7,481	6,521	2,362	3
1984	23,155	1	-	4	8	67	398	1,573	4,854	7,492	6,452	2,305	1
1983	22,532	-	1	6	10	73	384	1,555	4,693	7,346	6,160	2,302	2
1982	22,010	3	-	-	13	72	343	1,633	4,700	7,260	5,901	2,082	3
1981	21,792	1	-	2	8	68	400	1,639	4,660	7,222	5,719	2,071	2
1980	21,319	1	-	2	11	58	338	1,667	4,708	7,055	5,535	1,944	-
1979	21,058	1	-	2	14	66	366	1,700	4,613	6,864	5,533	1,895	4
Malignant neoplasm of pancreas (157)													
All races, male													
1998	13,806	-	1	1	3	34	322	1,304	2,555	4,337	3,982	1,267	-
1997	13,470	-	-	-	4	34	339	1,267	2,559	4,301	3,755	1,211	-
1996	13,027	-	-	-	5	29	308	1,200	2,355	4,220	3,761	1,146	3
1995	12,826	-	-	-	4	33	324	1,151	2,404	4,250	3,492	1,167	1
1994	12,920	-	-	-	1	35	331	1,100	2,446	4,450	3,506	1,051	-
1993	12,669	-	-	2	3	31	330	1,045	2,433	4,245	3,543	1,037	-
1992	12,672	-	-	2	3	43	317	1,013	2,569	4,335	3,369	1,021	-
1991	12,375	-	-	-	1	45	315	983	2,447	4,283	3,359	940	2
1990	12,199	-	-	-	2	45	287	965	2,523	4,248	3,240	888	1
1989	11,965	-	-	-	1	39	262	930	2,499	4,208	3,103	923	-
1988	11,722	-	-	1	4	45	275	994	2,581	3,977	2,974	871	-
1987	11,550	1	-	-	5	35	244	950	2,586	3,906	3,001	822	-
1986	11,403	1	-	1	2	35	283	837	2,663	4,010	2,749	822	-
1985	11,542	-	-	2	10	35	246	924	2,751	3,901	2,869	803	1
1984	11,517	-	-	3	6	41	240	977	2,771	3,906	2,806	766	1
1983	11,240	-	1	2	5	44	226	927	2,779	3,821	2,679	755	1
1982	11,228	1	-	-	6	42	202	1,023	2,720	3,816	2,651	766	1
1981	11,191	1	-	-	5	42	258	987	2,727	3,861	2,589	719	2
1980	10,994	1	-	1	6	31	202	1,051	2,742	3,770	2,495	695	-
1979	11,023	1	-	-	7	36	236	1,037	2,712	3,770	2,534	688	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasm of pancreas (157)													
All races, female													
1998	14,529	-	-	1	6	29	231	841	1,862	3,813	4,937	2,809	-
1997	14,205	2	-	-	2	25	215	756	1,785	3,813	4,918	2,689	-
1996	14,233	-	-	1	6	25	210	702	1,836	3,982	4,819	2,651	1
1995	13,940	-	-	-	2	20	174	732	1,832	4,019	4,623	2,538	-
1994	13,914	-	1	-	3	27	179	691	1,808	4,055	4,718	2,432	-
1993	13,776	-	1	-	4	31	194	702	1,816	4,117	4,633	2,276	2
1992	13,399	-	-	1	3	39	168	657	1,831	3,932	4,503	2,264	1
1991	13,161	-	1	1	8	29	189	627	1,800	3,869	4,458	2,179	-
1990	12,883	-	-	3	6	19	156	649	1,833	3,841	4,308	2,068	-
1989	12,578	1	-	-	5	26	170	577	1,899	3,856	4,105	1,939	-
1988	12,126	-	-	-	2	22	133	557	1,856	3,723	4,018	1,815	-
1987	12,187	1	-	1	3	28	169	586	1,998	3,736	3,783	1,882	-
1986	12,055	1	-	-	2	20	135	605	1,958	3,826	3,746	1,760	2
1985	11,560	-	-	-	5	31	151	618	1,962	3,580	3,652	1,559	2
1984	11,638	1	-	1	2	26	158	596	2,083	3,586	3,646	1,539	-
1983	11,292	-	-	4	5	29	158	628	1,914	3,525	3,481	1,547	1
1982	10,782	2	-	-	7	30	141	610	1,980	3,444	3,250	1,316	2
1981	10,601	-	-	2	3	26	142	652	1,933	3,361	3,130	1,352	-
1980	10,325	-	-	1	5	27	136	616	1,966	3,285	3,040	1,249	-
1979	10,035	-	-	2	7	30	130	663	1,901	3,094	2,999	1,207	2
Malignant neoplasm of pancreas (157)													
White, both sexes													
1998	24,397	-	1	1	6	49	429	1,743	3,628	7,016	7,904	3,620	-
1997	23,864	-	-	-	5	45	437	1,643	3,599	6,987	7,694	3,454	-
1996	23,513	-	-	1	8	41	403	1,551	3,456	7,049	7,597	3,405	2
1995	23,269	-	-	-	2	42	389	1,577	3,549	7,191	7,192	3,327	-
1994	23,104	-	-	-	4	47	384	1,443	3,513	7,340	7,253	3,120	-
1993	22,859	-	1	1	5	46	414	1,419	3,537	7,222	7,236	2,978	-
1992	22,519	-	-	2	6	66	380	1,353	3,666	7,139	6,964	2,942	1
1991	22,216	-	-	1	7	58	404	1,331	3,602	7,104	6,895	2,813	1
1990	21,728	-	-	1	3	58	349	1,310	3,660	6,978	6,686	2,682	1
1989	21,236	1	-	-	6	47	345	1,215	3,644	7,015	6,398	2,565	-
1988	20,679	-	-	-	4	56	325	1,254	3,740	6,653	6,215	2,432	-
1987	20,664	2	-	-	7	51	318	1,280	3,851	6,677	6,056	2,422	-
1986	20,470	2	-	1	2	47	347	1,184	3,954	6,830	5,762	2,340	1
1985	20,173	-	-	2	11	53	330	1,258	3,984	6,560	5,819	2,154	2
1984	20,153	-	-	1	6	53	320	1,260	4,099	6,525	5,773	2,115	1
1983	19,630	-	-	4	8	59	322	1,286	3,947	6,405	5,494	2,104	1
1982	19,299	-	-	-	11	54	281	1,358	4,021	6,363	5,314	1,895	2
1981	19,262	-	-	2	4	54	330	1,368	4,060	6,332	5,185	1,926	1
1980	18,738	-	-	2	5	53	282	1,405	4,018	6,175	5,003	1,795	-
1979	18,623	1	-	1	13	58	311	1,422	3,993	6,027	5,038	1,756	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasm of pancreas (157)													
White, male													
1998	11,978	-	1	1	3	26	265	1,062	2,122	3,794	3,567	1,137	-
1997	11,702	-	-	-	3	23	266	1,041	2,148	3,763	3,364	1,094	-
1996	11,300	-	-	-	4	22	242	981	1,978	3,675	3,373	1,023	2
1995	11,212	-	-	-	2	28	259	979	2,048	3,718	3,125	1,053	-
1994	11,149	-	-	-	1	24	253	891	2,054	3,884	3,106	936	-
1993	10,983	-	-	1	2	23	267	847	2,068	3,714	3,124	937	-
1992	10,980	-	-	1	3	37	251	827	2,164	3,802	2,979	916	-
1991	10,802	-	-	-	1	37	251	813	2,100	3,766	2,985	848	1
1990	10,582	-	-	-	1	42	224	789	2,157	3,710	2,871	787	1
1989	10,386	-	-	-	1	25	210	745	2,106	3,702	2,779	818	-
1988	10,188	-	-	-	4	38	220	813	2,200	3,473	2,649	791	-
1987	10,040	1	-	-	5	26	192	801	2,197	3,411	2,675	732	-
1986	9,974	1	-	1	-	33	241	701	2,281	3,528	2,446	742	-
1985	10,070	-	-	2	8	29	204	760	2,347	3,426	2,562	732	-
1984	10,033	-	-	-	5	35	190	794	2,356	3,444	2,504	704	1
1983	9,749	-	-	1	4	37	186	770	2,354	3,355	2,358	683	1
1982	9,835	-	-	-	6	34	161	853	2,322	3,357	2,408	693	1
1981	9,840	-	-	-	2	33	212	831	2,386	3,374	2,332	669	1
1980	9,676	-	-	1	3	28	169	900	2,358	3,334	2,243	640	-
1979	9,794	1	-	-	6	34	202	887	2,385	3,325	2,312	641	1
Malignant neoplasm of pancreas (157)													
White, female													
1998	12,419	-	-	-	3	23	164	681	1,506	3,222	4,337	2,483	-
1997	12,162	-	-	-	2	22	171	602	1,451	3,224	4,330	2,360	-
1996	12,213	-	-	1	4	19	161	570	1,478	3,374	4,224	2,382	-
1995	12,057	-	-	-	-	14	130	598	1,501	3,473	4,067	2,274	-
1994	11,955	-	-	-	3	23	131	552	1,459	3,456	4,147	2,184	-
1993	11,876	-	1	-	3	23	147	572	1,469	3,508	4,112	2,041	-
1992	11,539	-	-	1	3	29	129	526	1,502	3,337	3,985	2,026	1
1991	11,414	-	-	1	6	21	153	518	1,502	3,338	3,910	1,965	-
1990	11,146	-	-	1	2	16	125	521	1,503	3,268	3,815	1,895	-
1989	10,850	1	-	-	5	22	135	470	1,538	3,313	3,619	1,747	-
1988	10,491	-	-	-	-	18	105	441	1,540	3,180	3,566	1,641	-
1987	10,624	1	-	-	2	25	126	479	1,654	3,266	3,381	1,690	-
1986	10,496	1	-	-	2	14	106	483	1,673	3,302	3,316	1,598	1
1985	10,103	-	-	-	3	24	126	498	1,637	3,134	3,257	1,422	2
1984	10,120	-	-	1	1	18	130	466	1,743	3,081	3,269	1,411	-
1983	9,881	-	-	3	4	22	136	516	1,593	3,050	3,136	1,421	-
1982	9,464	-	-	-	5	20	120	505	1,699	3,006	2,906	1,202	1
1981	9,422	-	-	2	2	21	118	537	1,674	2,958	2,853	1,257	-
1980	9,062	-	-	1	2	25	113	505	1,660	2,841	2,760	1,155	-
1979	8,829	-	-	1	7	24	109	535	1,608	2,702	2,726	1,115	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasm of pancreas (157)													
All other, both sexes													
1998	3,938	-	-	1	3	14	124	402	789	1,134	1,015	456	-
1997	3,811	2	-	-	1	14	117	380	745	1,127	979	446	-
1996	3,747	-	-	-	3	13	115	351	735	1,153	983	392	2
1995	3,497	-	-	-	4	11	109	306	687	1,078	923	378	1
1994	3,730	-	1	-	-	15	126	348	741	1,165	971	363	-
1993	3,586	-	-	1	2	16	110	328	712	1,140	940	335	2
1992	3,552	-	-	1	-	16	105	317	734	1,128	908	343	-
1991	3,320	-	1	-	2	16	100	279	645	1,048	922	306	1
1990	3,354	-	-	2	5	6	94	304	696	1,111	862	274	-
1989	3,307	-	-	-	-	18	87	292	754	1,049	810	297	-
1988	3,169	-	-	1	2	11	83	297	697	1,047	777	254	-
1987	3,073	-	-	1	1	12	95	256	733	965	728	282	-
1986	2,988	-	-	-	2	8	71	258	667	1,006	733	242	1
1985	2,929	-	-	-	4	13	67	284	729	921	702	208	1
1984	3,002	1	-	3	2	14	78	313	755	967	679	190	-
1983	2,902	-	1	2	2	14	62	269	746	941	666	198	1
1982	2,711	3	-	-	2	18	62	275	679	897	587	187	1
1981	2,530	1	-	-	4	14	70	271	600	890	534	145	1
1980	2,581	1	-	-	6	5	56	262	690	880	532	149	-
1979	2,435	-	-	1	1	8	55	278	620	837	495	139	1
Malignant neoplasm of pancreas (157)													
All other, male													
1998	1,828	-	-	-	-	8	57	242	433	543	415	130	-
1997	1,768	-	-	-	1	11	73	226	411	538	391	117	-
1996	1,727	-	-	-	1	7	66	219	377	545	388	123	1
1995	1,614	-	-	-	2	5	65	172	356	532	367	114	1
1994	1,771	-	-	-	-	11	78	209	392	566	400	115	-
1993	1,686	-	-	1	1	8	63	198	365	531	419	100	-
1992	1,692	-	-	1	-	6	66	186	405	533	390	105	-
1991	1,573	-	-	-	-	8	64	170	347	517	374	92	1
1990	1,617	-	-	-	1	3	63	176	366	538	369	101	-
1989	1,579	-	-	-	-	14	52	185	393	506	324	105	-
1988	1,534	-	-	1	-	7	55	181	381	504	325	80	-
1987	1,510	-	-	-	-	9	52	149	389	495	326	90	-
1986	1,429	-	-	-	2	2	42	136	382	482	303	80	-
1985	1,472	-	-	-	2	6	42	164	404	475	307	71	1
1984	1,484	-	-	3	1	6	50	183	415	462	302	62	-
1983	1,491	-	1	1	1	7	40	157	425	466	321	72	-
1982	1,393	1	-	-	-	8	41	170	398	459	243	73	-
1981	1,351	1	-	-	3	9	46	156	341	487	257	50	1
1980	1,318	1	-	-	3	3	33	151	384	436	252	55	-
1979	1,229	-	-	-	1	2	34	150	327	445	222	47	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasm of pancreas (157)													
All other, female													
1998	2,110	-	-	1	3	6	67	160	356	591	600	326	-
1997	2,043	2	-	-	-	3	44	154	334	589	588	329	-
1996	2,020	-	-	-	2	6	49	132	358	608	595	269	1
1995	1,883	-	-	-	2	6	44	134	331	546	556	264	-
1994	1,959	-	1	-	-	4	48	139	349	599	571	248	-
1993	1,900	-	-	-	1	8	47	130	347	609	521	235	2
1992	1,860	-	-	-	-	10	39	131	329	595	518	238	-
1991	1,747	-	1	-	2	8	36	109	298	531	548	214	-
1990	1,737	-	-	2	4	3	31	128	330	573	493	173	-
1989	1,728	-	-	-	-	4	35	107	361	543	486	192	-
1988	1,635	-	-	-	2	4	28	116	316	543	452	174	-
1987	1,563	-	-	1	1	3	43	107	344	470	402	192	-
1986	1,559	-	-	-	-	6	29	122	285	524	430	162	1
1985	1,457	-	-	-	2	7	25	120	325	446	395	137	-
1984	1,518	1	-	-	1	8	28	130	340	505	377	128	-
1983	1,411	-	-	1	1	7	22	112	321	475	345	126	1
1982	1,318	2	-	-	2	10	21	105	281	438	344	114	1
1981	1,179	-	-	-	1	5	24	115	259	403	277	95	-
1980	1,263	-	-	-	3	2	23	111	306	444	280	94	-
1979	1,206	-	-	1	-	6	21	128	293	392	273	92	-
Malignant neoplasm of pancreas (157)													
Black, both sexes													
1998	3,385	-	-	-	3	12	107	346	683	968	875	391	-
1997	3,319	2	-	-	1	13	100	325	665	967	847	399	-
1996	3,222	-	-	-	2	11	96	299	636	995	830	351	2
1995	3,032	-	-	-	4	6	93	265	596	937	795	335	1
1994	3,255	-	1	-	-	12	109	301	643	1,028	844	317	-
1993	3,176	-	-	1	2	13	95	297	630	1,008	831	298	1
1992	3,180	-	-	1	-	13	90	274	654	1,018	823	307	-
1991	2,933	-	1	-	2	15	86	246	580	927	801	274	1
1990	3,023	-	-	2	5	4	86	271	631	997	774	253	-
1989	2,954	-	-	-	-	17	72	255	676	939	739	256	-
1988	2,824	-	-	1	2	10	69	264	620	946	686	226	-
1987	2,778	-	-	1	1	7	85	225	654	878	677	250	-
1986	2,740	-	-	-	2	8	64	228	621	916	678	222	1
1985	2,677	-	-	-	2	11	57	261	666	849	647	183	1
1984	2,764	-	-	3	2	10	72	285	697	900	630	165	-
1983	2,674	-	1	1	2	12	57	241	695	862	615	187	1
1982	2,508	-	-	-	2	15	55	241	636	841	545	172	1
1981	2,356	-	-	-	4	9	59	248	569	836	499	132	-
1980	2,401	1	-	-	4	5	50	247	649	829	486	130	-
1979	2,277	-	-	1	1	7	49	257	591	784	457	129	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasm of pancreas (157)													
Black, male													
1998	1,543	-	-	-	-	6	51	208	367	459	351	101	-
1997	1,511	-	-	-	1	10	64	192	361	461	327	95	-
1996	1,472	-	-	-	1	5	56	189	323	477	315	105	1
1995	1,375	-	-	-	2	3	56	154	304	460	300	95	1
1994	1,522	-	-	-	-	8	69	182	337	493	341	92	-
1993	1,475	-	-	1	1	8	55	180	326	462	361	81	-
1992	1,503	-	-	1	-	6	57	159	365	475	349	91	-
1991	1,379	-	-	-	-	7	59	153	318	459	308	74	1
1990	1,442	-	-	-	1	2	56	159	334	482	323	85	-
1989	1,403	-	-	-	-	14	43	161	353	452	290	90	-
1988	1,355	-	-	1	-	6	44	167	341	449	277	70	-
1987	1,348	-	-	-	-	4	46	132	353	442	294	77	-
1986	1,294	-	-	-	2	2	38	119	356	436	269	72	-
1985	1,327	-	-	-	1	6	35	149	364	432	278	61	1
1984	1,347	-	-	3	1	3	46	167	376	428	271	52	-
1983	1,351	-	1	-	1	6	38	143	394	410	292	66	-
1982	1,281	-	-	-	-	7	36	148	374	429	222	65	-
1981	1,258	-	-	-	3	7	37	142	321	460	243	45	-
1980	1,216	1	-	-	1	3	31	141	359	415	220	45	-
1979	1,151	-	-	-	1	2	33	143	310	415	202	44	1
Malignant neoplasm of pancreas (157)													
Black, female													
1998	1,842	-	-	-	3	6	56	138	316	509	524	290	-
1997	1,808	2	-	-	-	3	36	133	304	506	520	304	-
1996	1,750	-	-	-	1	6	40	110	313	518	515	246	1
1995	1,657	-	-	-	2	3	37	111	292	477	495	240	-
1994	1,733	-	1	-	-	4	40	119	306	535	503	225	-
1993	1,701	-	-	-	1	5	40	117	304	546	470	217	1
1992	1,677	-	-	-	-	7	33	115	289	543	474	216	-
1991	1,554	-	1	-	2	8	27	93	262	468	493	200	-
1990	1,581	-	-	2	4	2	30	112	297	515	451	168	-
1989	1,551	-	-	-	-	3	29	94	323	487	449	166	-
1988	1,469	-	-	-	2	4	25	97	279	497	409	156	-
1987	1,430	-	-	1	1	3	39	93	301	436	383	173	-
1986	1,446	-	-	-	-	6	26	109	265	480	409	150	1
1985	1,350	-	-	-	1	5	22	112	302	417	369	122	-
1984	1,417	-	-	-	1	7	26	118	321	472	359	113	-
1983	1,323	-	-	1	1	6	19	98	301	452	323	121	1
1982	1,227	-	-	-	2	8	19	93	262	412	323	107	1
1981	1,098	-	-	-	1	2	22	106	248	376	256	87	-
1980	1,185	-	-	-	3	2	19	106	290	414	266	85	-
1979	1,126	-	-	1	-	5	16	114	281	369	255	85	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasm of larynx (161)													
All races, both sexes													
1998	3,866	-	-	2	1	2	83	436	902	1,271	926	243	-
1997	3,811	-	-	-	-	-	69	395	955	1,233	900	258	1
1996	3,918	-	-	-	-	7	85	431	990	1,303	861	241	-
1995	3,871	-	-	-	1	5	75	434	892	1,322	913	229	-
1994	3,947	1	-	-	1	3	90	396	967	1,398	842	249	-
1993	3,981	-	-	-	1	6	78	403	942	1,421	870	260	-
1992	3,966	-	-	-	-	6	89	400	983	1,405	864	219	-
1991	3,989	-	-	-	4	6	93	434	1,008	1,390	838	213	3
1990	3,710	-	-	1	-	6	72	383	983	1,325	753	186	1
1989	3,729	-	-	-	-	8	88	376	1,026	1,242	798	189	2
1988	3,667	1	-	-	-	3	74	373	1,037	1,258	719	201	1
1987	3,671	-	-	-	1	12	70	364	1,057	1,253	698	215	1
1986	3,611	-	-	1	1	7	72	346	1,109	1,184	718	172	1
1985	3,502	-	-	-	1	7	55	371	1,054	1,188	651	174	1
1984	3,626	-	-	2	1	4	58	396	1,155	1,190	664	155	1
1983	3,605	-	-	1	-	7	59	410	1,089	1,249	636	153	1
1982	3,636	-	-	1	-	4	68	410	1,118	1,297	594	144	-
1981	3,531	1	-	-	1	6	64	410	1,103	1,149	627	168	2
1980	3,412	-	-	1	2	5	54	406	1,073	1,176	580	114	1
1979	3,446	-	1	-	2	3	65	464	1,037	1,176	557	141	-
Malignant neoplasm of larynx (161)													
All races, male													
1998	3,002	-	-	1	-	2	68	360	722	991	678	180	-
1997	3,017	-	-	-	-	-	45	326	773	964	701	207	1
1996	3,095	-	-	-	-	5	69	352	806	1,013	664	186	-
1995	3,081	-	-	-	1	1	64	363	722	1,033	716	181	-
1994	3,127	1	-	-	1	1	69	328	778	1,085	660	204	-
1993	3,163	-	-	-	-	2	63	339	759	1,138	665	197	-
1992	3,114	-	-	-	-	5	73	323	771	1,098	670	174	-
1991	3,127	-	-	-	3	3	77	341	792	1,083	662	164	2
1990	2,977	-	-	-	-	4	57	321	784	1,050	605	155	1
1989	2,961	-	-	-	-	6	73	300	811	978	640	152	1
1988	2,965	-	-	-	-	1	64	309	826	1,025	580	160	-
1987	2,975	-	-	-	1	6	56	291	856	1,020	571	173	1
1986	2,906	-	-	-	1	7	59	279	878	946	590	145	1
1985	2,844	-	-	-	1	4	46	296	859	963	535	140	-
1984	2,960	-	-	-	-	3	46	321	945	958	558	128	1
1983	2,943	-	-	1	-	6	46	324	882	1,027	531	125	1
1982	2,971	-	-	1	-	3	50	331	902	1,064	494	126	-
1981	2,905	1	-	-	-	4	49	332	869	959	545	144	2
1980	2,845	-	-	-	2	4	42	326	872	996	511	91	1
1979	2,910	-	-	-	1	3	55	383	862	995	489	122	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasm of larynx (161)													
All races, female													
1998	864	-	-	1	1	-	15	76	180	280	248	63	-
1997	794	-	-	-	-	-	24	69	182	269	199	51	-
1996	823	-	-	-	-	2	16	79	184	290	197	55	-
1995	790	-	-	-	-	4	11	71	170	289	197	48	-
1994	820	-	-	-	-	2	21	68	189	313	182	45	-
1993	818	-	-	-	1	4	15	64	183	283	205	63	-
1992	852	-	-	-	-	1	16	77	212	307	194	45	-
1991	862	-	-	-	1	3	16	93	216	307	176	49	1
1990	733	-	-	1	-	2	15	62	199	275	148	31	-
1989	768	-	-	-	-	2	15	76	215	264	158	37	1
1988	702	1	-	-	-	2	10	64	211	233	139	41	1
1987	696	-	-	-	-	6	14	73	201	233	127	42	-
1986	705	-	-	1	-	-	13	67	231	238	128	27	-
1985	658	-	-	-	-	3	9	75	195	225	116	34	1
1984	666	-	-	2	1	1	12	75	210	232	106	27	-
1983	662	-	-	-	-	1	13	86	207	222	105	28	-
1982	665	-	-	-	-	1	18	79	216	233	100	18	-
1981	626	-	-	-	1	2	15	78	234	190	82	24	-
1980	567	-	-	1	-	1	12	80	201	180	69	23	-
1979	536	-	1	-	1	-	10	81	175	181	68	19	-
Malignant neoplasm of larynx (161)													
White, both sexes													
1998	3,106	-	-	2	-	1	56	291	670	1,039	824	223	-
1997	3,041	-	-	-	-	-	45	271	716	1,009	777	223	-
1996	3,133	-	-	-	-	7	54	295	739	1,062	756	220	-
1995	3,127	-	-	-	-	4	57	292	680	1,107	790	197	-
1994	3,174	-	-	-	1	2	55	267	724	1,175	736	214	-
1993	3,233	-	-	-	1	5	56	253	719	1,195	767	237	-
1992	3,220	-	-	-	-	3	50	260	758	1,183	766	200	-
1991	3,245	-	-	-	3	6	54	268	796	1,170	761	185	2
1990	3,046	-	-	1	-	6	41	251	776	1,135	671	164	1
1989	3,037	-	-	-	-	4	49	240	803	1,062	707	170	2
1988	2,975	-	-	-	-	3	47	249	813	1,056	627	180	-
1987	3,047	-	-	-	1	10	38	250	850	1,084	618	196	-
1986	2,975	-	-	1	1	5	35	236	887	1,026	626	158	-
1985	2,883	-	-	-	-	2	29	242	840	1,031	587	152	-
1984	2,995	-	-	2	1	3	33	279	910	1,020	604	142	1
1983	3,052	-	-	1	-	4	29	292	899	1,109	580	138	-
1982	3,088	-	-	-	-	4	36	303	925	1,153	539	128	-
1981	2,960	-	-	-	1	4	36	280	891	1,021	571	155	1
1980	2,849	-	-	1	2	3	27	292	885	1,019	522	98	-
1979	2,957	-	1	-	1	3	46	342	871	1,042	516	135	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasm of larynx (161)													
White, male													
1998	2,381	-	-	1	-	1	46	239	526	807	596	165	-
1997	2,388	-	-	-	-	-	28	221	572	790	598	179	-
1996	2,447	-	-	-	-	5	43	245	591	822	573	168	-
1995	2,483	-	-	-	-	1	49	244	544	875	615	155	-
1994	2,501	-	-	-	1	-	40	220	581	913	573	173	-
1993	2,560	-	-	-	-	1	48	210	586	955	582	178	-
1992	2,512	-	-	-	-	3	41	211	595	914	589	159	-
1991	2,540	-	-	-	3	3	43	208	632	912	598	139	2
1990	2,448	-	-	-	-	4	32	213	623	898	542	135	1
1989	2,377	-	-	-	-	4	37	187	630	823	559	136	1
1988	2,370	-	-	-	-	1	42	203	638	847	497	142	-
1987	2,460	-	-	-	1	4	28	199	688	879	504	157	-
1986	2,390	-	-	-	1	5	30	187	712	817	506	132	-
1985	2,341	-	-	-	-	1	24	193	682	831	486	124	-
1984	2,421	-	-	-	-	2	26	217	744	809	507	115	1
1983	2,492	-	-	1	-	4	23	238	724	905	484	113	-
1982	2,514	-	-	-	-	3	27	246	740	940	447	111	-
1981	2,453	-	-	-	-	3	31	235	710	843	496	134	1
1980	2,377	-	-	-	2	3	22	243	720	856	454	77	-
1979	2,488	-	-	-	1	3	37	284	722	873	452	116	-
Malignant neoplasm of larynx (161)													
White, female													
1998	725	-	-	1	-	-	10	52	144	232	228	58	-
1997	653	-	-	-	-	-	17	50	144	219	179	44	-
1996	686	-	-	-	-	2	11	50	148	240	183	52	-
1995	644	-	-	-	-	3	8	48	136	232	175	42	-
1994	673	-	-	-	-	2	15	47	143	262	163	41	-
1993	673	-	-	-	1	4	8	43	133	240	185	59	-
1992	708	-	-	-	-	-	9	49	163	269	177	41	-
1991	705	-	-	-	-	3	11	60	164	258	163	46	-
1990	598	-	-	1	-	2	9	38	153	237	129	29	-
1989	660	-	-	-	-	-	12	53	173	239	148	34	1
1988	605	-	-	-	-	2	5	46	175	209	130	38	-
1987	587	-	-	-	-	6	10	51	162	205	114	39	-
1986	585	-	-	1	-	-	5	49	175	209	120	26	-
1985	542	-	-	-	-	1	5	49	158	200	101	28	-
1984	574	-	-	2	1	1	7	62	166	211	97	27	-
1983	560	-	-	-	-	-	6	54	175	204	96	25	-
1982	574	-	-	-	-	1	9	57	185	213	92	17	-
1981	507	-	-	-	1	1	5	45	181	178	75	21	-
1980	472	-	-	1	-	-	5	49	165	163	68	21	-
1979	469	-	1	-	-	-	9	58	149	169	64	19	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasm of larynx (161)													
All other, both sexes													
1998	760	-	-	-	1	1	27	145	232	232	102	20	-
1997	770	-	-	-	-	-	24	124	239	224	123	35	1
1996	785	-	-	-	-	-	31	136	251	241	105	21	-
1995	744	-	-	-	1	1	18	142	212	215	123	32	-
1994	773	1	-	-	-	1	35	129	243	223	106	35	-
1993	748	-	-	-	-	1	22	150	223	226	103	23	-
1992	746	-	-	-	-	3	39	140	225	222	98	19	-
1991	744	-	-	-	1	-	39	166	212	220	77	28	1
1990	664	-	-	-	-	-	31	132	207	190	82	22	-
1989	692	-	-	-	-	4	39	136	223	180	91	19	-
1988	692	1	-	-	-	-	27	124	224	202	92	21	1
1987	624	-	-	-	-	2	32	114	207	169	80	19	1
1986	636	-	-	-	-	2	37	110	222	158	92	14	1
1985	619	-	-	-	1	5	26	129	214	157	64	22	1
1984	631	-	-	-	-	1	25	117	245	170	60	13	-
1983	553	-	-	-	-	3	30	118	190	140	56	15	1
1982	548	-	-	1	-	-	32	107	193	144	55	16	-
1981	571	1	-	-	-	2	28	130	212	128	56	13	1
1980	563	-	-	-	-	2	27	114	188	157	58	16	1
1979	489	-	-	-	1	-	19	122	166	134	41	6	-
Malignant neoplasm of larynx (161)													
All other, male													
1998	621	-	-	-	-	1	22	121	196	184	82	15	-
1997	629	-	-	-	-	-	17	105	201	174	103	28	1
1996	648	-	-	-	-	-	26	107	215	191	91	18	-
1995	598	-	-	-	1	-	15	119	178	158	101	26	-
1994	626	1	-	-	-	1	29	108	197	172	87	31	-
1993	603	-	-	-	-	1	15	129	173	183	83	19	-
1992	602	-	-	-	-	2	32	112	176	184	81	15	-
1991	587	-	-	-	-	-	34	133	160	171	64	25	-
1990	529	-	-	-	-	-	25	108	161	152	63	20	-
1989	584	-	-	-	-	2	36	113	181	155	81	16	-
1988	595	-	-	-	-	-	22	106	188	178	83	18	-
1987	515	-	-	-	-	2	28	92	168	141	67	16	1
1986	516	-	-	-	-	2	29	92	166	129	84	13	1
1985	503	-	-	-	1	3	22	103	177	132	49	16	-
1984	539	-	-	-	-	1	20	104	201	149	51	13	-
1983	451	-	-	-	-	2	23	86	158	122	47	12	1
1982	457	-	-	1	-	-	23	85	162	124	47	15	-
1981	452	1	-	-	-	1	18	97	159	116	49	10	1
1980	468	-	-	-	-	1	20	83	152	140	57	14	1
1979	422	-	-	-	-	-	18	99	140	122	37	6	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasm of larynx (161)													
All other, female													
1998	139	-	-	-	1	-	5	24	36	48	20	5	-
1997	141	-	-	-	-	-	7	19	38	50	20	7	-
1996	137	-	-	-	-	-	5	29	36	50	14	3	-
1995	146	-	-	-	-	1	3	23	34	57	22	6	-
1994	147	-	-	-	-	-	6	21	46	51	19	4	-
1993	145	-	-	-	-	-	7	21	50	43	20	4	-
1992	144	-	-	-	-	1	7	28	49	38	17	4	-
1991	157	-	-	-	1	-	5	33	52	49	13	3	1
1990	135	-	-	-	-	-	6	24	46	38	19	2	-
1989	108	-	-	-	-	2	3	23	42	25	10	3	-
1988	97	1	-	-	-	-	5	18	36	24	9	3	1
1987	109	-	-	-	-	-	4	22	39	28	13	3	-
1986	120	-	-	-	-	-	8	18	56	29	8	1	-
1985	116	-	-	-	-	2	4	26	37	25	15	6	1
1984	92	-	-	-	-	-	5	13	44	21	9	-	-
1983	102	-	-	-	-	1	7	32	32	18	9	3	-
1982	91	-	-	-	-	-	9	22	31	20	8	1	-
1981	119	-	-	-	-	1	10	33	53	12	7	3	-
1980	95	-	-	-	-	1	7	31	36	17	1	2	-
1979	67	-	-	-	1	-	1	23	26	12	4	-	-
Malignant neoplasm of larynx (161)													
Black, both sexes													
1998	713	-	-	-	1	1	27	136	222	220	88	18	-
1997	720	-	-	-	-	-	24	118	227	208	111	31	1
1996	756	-	-	-	-	-	30	130	246	234	97	19	-
1995	700	-	-	-	1	1	17	138	201	206	108	28	-
1994	727	1	-	-	-	1	32	127	229	207	99	31	-
1993	718	-	-	-	-	1	22	146	219	212	95	23	-
1992	720	-	-	-	-	3	39	139	223	213	89	14	-
1991	717	-	-	-	1	-	39	164	208	209	69	26	1
1990	631	-	-	-	-	-	30	131	195	179	75	21	-
1989	666	-	-	-	-	4	39	135	214	174	81	19	-
1988	664	1	-	-	-	-	26	122	217	195	82	20	1
1987	594	-	-	-	-	2	32	111	197	157	76	18	1
1986	615	-	-	-	-	2	36	108	214	151	89	14	1
1985	586	-	-	-	1	4	25	124	205	147	61	18	1
1984	608	-	-	-	-	1	25	115	241	160	54	12	-
1983	528	-	-	-	-	3	30	116	185	131	48	14	1
1982	533	-	-	1	-	-	32	103	188	142	53	14	-
1981	557	-	-	-	-	2	28	129	211	124	49	13	1
1980	542	-	-	-	-	2	27	111	181	150	56	14	1
1979	478	-	-	-	1	-	19	121	163	129	39	6	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasm of larynx (161)													
Black, male													
1998	582	-	-	-	-	1	22	114	187	174	71	13	-
1997	592	-	-	-	-	-	17	100	193	162	94	25	1
1996	621	-	-	-	-	-	25	102	211	184	83	16	-
1995	560	-	-	-	1	-	14	115	168	152	87	23	-
1994	588	1	-	-	-	1	26	106	184	159	83	28	-
1993	580	-	-	-	-	1	15	126	170	172	77	19	-
1992	584	-	-	-	-	2	32	111	175	179	74	11	-
1991	565	-	-	-	-	-	34	131	158	161	58	23	-
1990	499	-	-	-	-	-	24	107	151	142	56	19	-
1989	565	-	-	-	-	2	36	112	175	152	72	16	-
1988	571	-	-	-	-	-	22	104	183	171	74	17	-
1987	493	-	-	-	-	2	28	90	161	131	65	15	1
1986	499	-	-	-	-	2	28	90	161	123	81	13	1
1985	479	-	-	-	1	3	22	98	168	124	48	15	-
1984	520	-	-	-	-	1	20	102	199	139	47	12	-
1983	433	-	-	-	-	2	23	84	154	117	41	11	1
1982	443	-	-	1	-	-	23	81	158	122	45	13	-
1981	443	-	-	-	-	1	18	96	158	114	45	10	1
1980	449	-	-	-	-	1	20	81	146	133	55	12	1
1979	412	-	-	-	-	-	18	98	137	118	35	6	-
Malignant neoplasm of larynx (161)													
Black, female													
1998	131	-	-	-	1	-	5	22	35	46	17	5	-
1997	128	-	-	-	-	-	7	18	34	46	17	6	-
1996	135	-	-	-	-	-	5	28	35	50	14	3	-
1995	140	-	-	-	-	1	3	23	33	54	21	5	-
1994	139	-	-	-	-	-	6	21	45	48	16	3	-
1993	138	-	-	-	-	-	7	20	49	40	18	4	-
1992	136	-	-	-	-	1	7	28	48	34	15	3	-
1991	152	-	-	-	1	-	5	33	50	48	11	3	1
1990	132	-	-	-	-	-	6	24	44	37	19	2	-
1989	101	-	-	-	-	2	3	23	39	22	9	3	-
1988	93	1	-	-	-	-	4	18	34	24	8	3	1
1987	101	-	-	-	-	-	4	21	36	26	11	3	-
1986	116	-	-	-	-	-	8	18	53	28	8	1	-
1985	107	-	-	-	-	1	3	26	37	23	13	3	1
1984	88	-	-	-	-	-	5	13	42	21	7	-	-
1983	95	-	-	-	-	1	7	32	31	14	7	3	-
1982	90	-	-	-	-	-	9	22	30	20	8	1	-
1981	114	-	-	-	-	1	10	33	53	10	4	3	-
1980	93	-	-	-	-	1	7	30	35	17	1	2	-
1979	66	-	-	-	1	-	1	23	26	11	4	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasms of trachea, bronchus and lung (162)													
All races, both sexes													
1998	154,561	1	-	4	29	221	2,734	11,500	29,787	54,577	43,953	11,753	2
1997	153,310	1	1	1	17	231	2,749	11,646	29,301	54,708	43,133	11,521	1
1996	152,015	1	-	6	14	264	2,682	11,912	29,630	55,276	41,655	10,567	8
1995	151,200	2	1	9	26	273	2,563	11,810	30,197	55,729	40,282	10,303	5
1994	149,482	-	3	8	20	258	2,527	11,688	31,064	55,476	38,973	9,459	6
1993	148,855	-	-	8	23	270	2,545	11,740	32,078	55,223	37,759	9,202	7
1992	145,943	2	3	4	28	251	2,636	11,737	32,234	54,138	36,524	8,380	6
1991	143,758	3	2	4	21	270	2,587	11,526	33,033	53,011	35,256	8,040	5
1990	141,285	3	1	5	21	304	2,564	11,735	33,915	52,039	33,366	7,328	4
1989	137,150	4	1	5	26	252	2,468	11,633	33,751	50,513	31,722	6,771	4
1988	133,284	1	1	3	24	276	2,537	11,582	34,098	48,467	29,843	6,443	9
1987	130,009	3	3	2	20	279	2,490	11,513	33,983	47,497	28,166	6,047	6
1986	125,522	2	-	-	30	261	2,454	11,332	33,683	45,520	26,522	5,707	11
1985	122,556	3	3	7	22	271	2,460	11,426	34,038	44,040	25,069	5,206	11
1984	118,730	6	4	16	26	235	2,368	11,610	33,354	42,408	23,694	4,998	11
1983	115,023	5	6	11	27	229	2,474	11,671	32,359	41,086	22,455	4,687	13
1982	111,393	4	3	15	25	250	2,332	11,981	31,937	39,424	20,865	4,541	16
1981	106,561	3	-	6	27	231	2,392	12,209	30,633	37,532	19,333	4,179	16
1980	103,844	5	3	7	22	235	2,351	12,337	29,998	36,349	18,589	3,942	6
1979	98,451	1	-	3	32	243	2,328	12,261	28,883	33,885	17,290	3,515	10
Malignant neoplasms of trachea, bronchus and lung (162)													
All races, male													
1998	91,447	1	-	-	21	111	1,536	6,902	18,196	33,136	25,458	6,084	2
1997	91,352	1	-	1	9	126	1,544	7,032	18,047	33,409	25,135	6,047	1
1996	91,620	-	-	4	7	148	1,567	7,251	18,443	34,077	24,548	5,570	5
1995	91,856	2	-	6	17	155	1,493	7,141	18,822	34,784	23,904	5,530	2
1994	91,893	-	1	4	11	144	1,534	7,160	19,717	34,699	23,412	5,205	6
1993	92,564	-	-	3	14	159	1,563	7,217	20,543	34,920	23,106	5,035	4
1992	91,405	2	2	1	14	133	1,565	7,317	20,590	34,383	22,675	4,719	4
1991	91,690	1	2	2	14	141	1,543	7,198	21,491	34,399	22,254	4,642	3
1990	91,091	2	1	2	15	192	1,576	7,306	22,194	34,031	21,453	4,317	2
1989	89,052	3	1	3	15	141	1,500	7,375	22,165	33,174	20,613	4,060	2
1988	88,059	1	1	-	13	165	1,566	7,337	22,603	32,489	20,008	3,869	7
1987	87,261	2	-	-	13	178	1,492	7,395	22,892	32,360	19,198	3,725	6
1986	85,057	-	-	-	22	160	1,494	7,325	22,893	31,157	18,473	3,526	7
1985	83,854	-	1	2	13	153	1,560	7,366	23,213	30,543	17,699	3,297	7
1984	82,491	6	2	15	16	140	1,477	7,570	23,055	30,044	16,976	3,184	6
1983	80,338	5	4	7	18	129	1,508	7,664	22,302	29,379	16,317	2,998	7
1982	79,228	3	2	10	15	150	1,434	8,033	22,383	28,801	15,429	2,957	11
1981	76,764	2	-	3	18	143	1,527	8,320	21,789	27,805	14,410	2,733	14
1980	75,535	3	2	4	18	146	1,496	8,366	21,684	27,289	14,013	2,509	5
1979	72,803	1	-	2	14	148	1,487	8,435	21,183	25,982	13,176	2,368	7

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasms of trachea, bronchus and lung (162)													
All races, female													
1998	63,114	-	-	4	8	110	1,198	4,598	11,591	21,441	18,495	5,669	-
1997	61,958	-	1	-	8	105	1,205	4,614	11,254	21,299	17,998	5,474	-
1996	60,395	1	-	2	7	116	1,115	4,661	11,187	21,199	17,107	4,997	3
1995	59,344	-	1	3	9	118	1,070	4,669	11,375	20,945	16,378	4,773	3
1994	57,589	-	2	4	9	114	993	4,528	11,347	20,777	15,561	4,254	-
1993	56,291	-	-	5	9	111	982	4,523	11,535	20,303	14,653	4,167	3
1992	54,538	-	1	3	14	118	1,071	4,420	11,644	19,755	13,849	3,661	2
1991	52,068	2	-	2	7	129	1,044	4,328	11,542	18,612	13,002	3,398	2
1990	50,194	1	-	3	6	112	988	4,429	11,721	18,008	11,913	3,011	2
1989	48,098	1	-	2	11	111	968	4,258	11,586	17,339	11,109	2,711	2
1988	45,225	-	-	3	11	111	971	4,245	11,495	15,978	9,835	2,574	2
1987	42,748	1	3	2	7	101	998	4,118	11,091	15,137	8,968	2,322	-
1986	40,465	2	-	-	8	101	960	4,007	10,790	14,363	8,049	2,181	4
1985	38,702	3	2	5	9	118	900	4,060	10,825	13,497	7,370	1,909	4
1984	36,239	-	2	1	10	95	891	4,040	10,299	12,364	6,718	1,814	5
1983	34,685	-	2	4	9	100	966	4,007	10,057	11,707	6,138	1,689	6
1982	32,165	1	1	5	10	100	898	3,948	9,554	10,623	5,436	1,584	5
1981	29,797	1	-	3	9	88	865	3,889	8,844	9,727	4,923	1,446	2
1980	28,309	2	1	3	4	89	855	3,971	8,314	9,060	4,576	1,433	1
1979	25,648	-	-	1	18	95	841	3,826	7,700	7,903	4,114	1,147	3
Malignant neoplasms of trachea, bronchus and lung (162)													
White, both sexes													
1998	136,026	1	-	4	22	191	2,113	9,249	25,378	48,357	39,995	10,715	1
1997	135,060	1	1	-	12	184	2,091	9,487	24,953	48,536	39,291	10,503	1
1996	134,055	1	-	6	10	216	2,056	9,784	25,280	49,130	37,931	9,637	4
1995	133,366	1	1	7	21	221	1,966	9,705	25,771	49,495	36,804	9,370	4
1994	131,871	-	3	7	17	202	1,957	9,567	26,654	49,339	35,519	8,603	3
1993	131,337	-	-	7	17	200	1,965	9,576	27,612	49,143	34,455	8,359	3
1992	128,719	1	2	3	20	190	2,015	9,628	27,604	48,212	33,392	7,646	6
1991	126,872	1	1	4	14	212	2,005	9,398	28,506	47,257	32,128	7,342	4
1990	124,650	2	-	4	17	224	1,987	9,649	29,081	46,487	30,506	6,691	2
1989	121,023	3	1	4	18	196	1,928	9,540	29,158	45,068	28,908	6,197	2
1988	117,826	1	1	2	16	218	2,025	9,569	29,590	43,332	27,213	5,850	9
1987	114,888	2	2	2	15	225	1,991	9,481	29,463	42,448	25,735	5,520	4
1986	111,049	2	-	-	26	210	1,940	9,318	29,236	40,818	24,280	5,209	10
1985	108,529	2	3	5	18	201	1,983	9,496	29,490	39,562	22,989	4,770	10
1984	105,027	2	3	14	21	189	1,888	9,662	28,804	38,196	21,651	4,589	8
1983	101,857	2	5	10	23	179	2,007	9,669	28,107	36,914	20,588	4,350	3
1982	98,780	1	3	12	20	203	1,905	10,033	27,728	35,515	19,153	4,195	12
1981	94,441	2	-	5	22	196	1,918	10,187	26,660	33,801	17,765	3,876	9
1980	92,182	3	2	6	15	186	1,916	10,325	26,233	32,762	17,077	3,653	4
1979	87,532	-	-	1	26	194	1,874	10,297	25,285	30,659	15,920	3,269	7

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 + years	Age not stated
					years	years	years	years	years	years	years		
Malignant neoplasms of trachea, bronchus and lung (162)													
White, male													
1998	79,649	1	-	-	18	96	1,181	5,425	15,299	29,177	22,945	5,506	1
1997	79,624	1	-	-	8	99	1,154	5,610	15,142	29,429	22,703	5,477	1
1996	79,809	-	-	4	5	121	1,171	5,824	15,455	30,037	22,158	5,032	2
1995	80,088	1	-	4	14	124	1,110	5,734	15,838	30,658	21,621	4,983	1
1994	80,096	-	1	4	9	111	1,162	5,701	16,735	30,554	21,137	4,679	3
1993	80,620	-	-	3	12	114	1,177	5,734	17,462	30,716	20,854	4,546	2
1992	79,728	1	2	1	10	95	1,172	5,874	17,423	30,330	20,526	4,290	4
1991	80,028	-	1	2	9	108	1,170	5,730	18,331	30,339	20,104	4,231	3
1990	79,488	1	-	1	12	135	1,191	5,867	18,834	30,085	19,438	3,923	1
1989	77,659	2	1	3	10	110	1,138	5,910	18,890	29,266	18,618	3,710	1
1988	77,063	1	1	-	9	128	1,201	5,944	19,455	28,742	18,101	3,474	7
1987	76,398	1	-	-	8	139	1,183	5,990	19,682	28,598	17,408	3,385	4
1986	74,517	-	-	-	20	129	1,143	5,906	19,672	27,628	16,815	3,197	7
1985	73,519	-	1	1	11	109	1,228	5,984	19,897	27,143	16,111	3,027	7
1984	72,239	2	1	14	13	110	1,137	6,209	19,653	26,763	15,434	2,898	5
1983	70,598	2	3	6	14	96	1,191	6,246	19,161	26,172	14,908	2,799	-
1982	69,686	1	2	7	11	121	1,161	6,602	19,217	25,688	14,136	2,733	7
1981	67,525	2	-	2	14	121	1,199	6,871	18,765	24,818	13,195	2,531	7
1980	66,651	2	1	3	12	111	1,180	6,931	18,811	24,441	12,834	2,322	3
1979	64,338	-	-	1	12	117	1,172	7,012	18,346	23,357	12,121	2,195	5
Malignant neoplasms of trachea, bronchus and lung (162)													
White, female													
1998	56,377	-	-	4	4	95	932	3,824	10,079	19,180	17,050	5,209	-
1997	55,436	-	1	-	4	85	937	3,877	9,811	19,107	16,588	5,026	-
1996	54,246	1	-	2	5	95	885	3,960	9,825	19,093	15,773	4,605	2
1995	53,278	-	1	3	7	97	856	3,971	9,933	18,837	15,183	4,387	3
1994	51,775	-	2	3	8	91	795	3,866	9,919	18,785	14,382	3,924	-
1993	50,717	-	-	4	5	86	788	3,842	10,150	18,427	13,601	3,813	1
1992	48,991	-	-	2	10	95	843	3,754	10,181	17,882	12,866	3,356	2
1991	46,844	1	-	2	5	104	835	3,668	10,175	16,918	12,024	3,111	1
1990	45,162	1	-	3	5	89	796	3,782	10,247	16,402	11,068	2,768	1
1989	43,364	1	-	1	8	86	790	3,630	10,268	15,802	10,290	2,487	1
1988	40,763	-	-	2	7	90	824	3,625	10,135	14,590	9,112	2,376	2
1987	38,490	1	2	2	7	86	808	3,491	9,781	13,850	8,327	2,135	-
1986	36,532	2	-	-	6	81	797	3,412	9,564	13,190	7,465	2,012	3
1985	35,010	2	-	4	7	92	755	3,512	9,593	12,419	6,878	1,743	3
1984	32,788	-	2	-	8	79	751	3,453	9,151	11,433	6,217	1,691	3
1983	31,259	-	2	4	9	83	816	3,423	8,946	10,742	5,680	1,551	3
1982	29,094	-	1	5	9	82	744	3,431	8,511	9,827	5,017	1,462	5
1981	26,916	-	-	3	8	75	719	3,316	7,895	8,983	4,570	1,345	2
1980	25,531	1	1	3	3	75	736	3,394	7,422	8,321	4,243	1,331	1
1979	23,194	-	-	-	14	77	702	3,285	6,939	7,302	3,799	1,074	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasms of trachea, bronchus and lung (162)													
All other, both sexes													
1998	18,535	-	-	-	7	30	621	2,251	4,409	6,220	3,958	1,038	1
1997	18,250	-	-	1	5	47	658	2,159	4,348	6,172	3,842	1,018	-
1996	17,960	-	-	-	4	48	626	2,128	4,350	6,146	3,724	930	4
1995	17,834	1	-	2	5	52	597	2,105	4,426	6,234	3,478	933	1
1994	17,611	-	-	1	3	56	570	2,121	4,410	6,137	3,454	856	3
1993	17,518	-	-	1	6	70	580	2,164	4,466	6,080	3,304	843	4
1992	17,224	1	1	1	8	61	621	2,109	4,630	5,926	3,132	734	-
1991	16,886	2	1	-	7	58	582	2,128	4,527	5,754	3,128	698	1
1990	16,635	1	1	1	4	80	577	2,086	4,834	5,552	2,860	637	2
1989	16,127	1	-	1	8	56	540	2,093	4,593	5,445	2,814	574	2
1988	15,458	-	-	1	8	58	512	2,013	4,508	5,135	2,630	593	-
1987	15,121	1	1	-	5	54	499	2,032	4,520	5,049	2,431	527	2
1986	14,473	-	-	-	4	51	514	2,014	4,447	4,702	2,242	498	1
1985	14,027	1	-	2	4	70	477	1,930	4,548	4,478	2,080	436	1
1984	13,703	4	1	2	5	46	480	1,948	4,550	4,212	2,043	409	3
1983	13,166	3	1	1	4	50	467	2,002	4,252	4,172	1,867	337	10
1982	12,613	3	-	3	5	47	427	1,948	4,209	3,909	1,712	346	4
1981	12,120	1	-	1	5	35	474	2,022	3,973	3,731	1,568	303	7
1980	11,662	2	1	1	7	49	435	2,012	3,765	3,587	1,512	289	2
1979	10,919	1	-	2	6	49	454	1,964	3,598	3,226	1,370	246	3
Malignant neoplasms of trachea, bronchus and lung (162)													
All other, male													
1998	11,798	-	-	-	3	15	355	1,477	2,897	3,959	2,513	578	1
1997	11,728	-	-	1	1	27	390	1,422	2,905	3,980	2,432	570	-
1996	11,811	-	-	-	2	27	396	1,427	2,988	4,040	2,390	538	3
1995	11,768	1	-	2	3	31	383	1,407	2,984	4,126	2,283	547	1
1994	11,797	-	-	-	2	33	372	1,459	2,982	4,145	2,275	526	3
1993	11,944	-	-	-	2	45	386	1,483	3,081	4,204	2,252	489	2
1992	11,677	1	-	-	4	38	393	1,443	3,167	4,053	2,149	429	-
1991	11,662	1	1	-	5	33	373	1,468	3,160	4,060	2,150	411	-
1990	11,603	1	1	1	3	57	385	1,439	3,360	3,946	2,015	394	1
1989	11,393	1	-	-	5	31	362	1,465	3,275	3,908	1,995	350	1
1988	10,996	-	-	-	4	37	365	1,393	3,148	3,747	1,907	395	-
1987	10,863	1	-	-	5	39	309	1,405	3,210	3,762	1,790	340	2
1986	10,540	-	-	-	2	31	351	1,419	3,221	3,529	1,658	329	-
1985	10,335	-	-	1	2	44	332	1,382	3,316	3,400	1,588	270	-
1984	10,252	4	1	1	3	30	340	1,361	3,402	3,281	1,542	286	1
1983	9,740	3	1	1	4	33	317	1,418	3,141	3,207	1,409	199	7
1982	9,542	2	-	3	4	29	273	1,431	3,166	3,113	1,293	224	4
1981	9,239	-	-	1	4	22	328	1,449	3,024	2,987	1,215	202	7
1980	8,884	1	1	1	6	35	316	1,435	2,873	2,848	1,179	187	2
1979	8,465	1	-	1	2	31	315	1,423	2,837	2,625	1,055	173	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasms of trachea, bronchus and lung (162)													
All other, female													
1998	6,737	-	-	-	4	15	266	774	1,512	2,261	1,445	460	-
1997	6,522	-	-	-	4	20	268	737	1,443	2,192	1,410	448	-
1996	6,149	-	-	-	2	21	230	701	1,362	2,106	1,334	392	1
1995	6,066	-	-	-	2	21	214	698	1,442	2,108	1,195	386	-
1994	5,814	-	-	1	1	23	198	662	1,428	1,992	1,179	330	-
1993	5,574	-	-	1	4	25	194	681	1,385	1,876	1,052	354	2
1992	5,547	-	1	1	4	23	228	666	1,463	1,873	983	305	-
1991	5,224	1	-	-	2	25	209	660	1,367	1,694	978	287	1
1990	5,032	-	-	-	1	23	192	647	1,474	1,606	845	243	1
1989	4,734	-	-	1	3	25	178	628	1,318	1,537	819	224	1
1988	4,462	-	-	1	4	21	147	620	1,360	1,388	723	198	-
1987	4,258	-	1	-	-	15	190	627	1,310	1,287	641	187	-
1986	3,933	-	-	-	2	20	163	595	1,226	1,173	584	169	1
1985	3,692	1	-	1	2	26	145	548	1,232	1,078	492	166	1
1984	3,451	-	-	1	2	16	140	587	1,148	931	501	123	2
1983	3,426	-	-	-	-	17	150	584	1,111	965	458	138	3
1982	3,071	1	-	-	1	18	154	517	1,043	796	419	122	-
1981	2,881	1	-	-	1	13	146	573	949	744	353	101	-
1980	2,778	1	-	-	1	14	119	577	892	739	333	102	-
1979	2,454	-	-	1	4	18	139	541	761	601	315	73	1
Malignant neoplasms of trachea, bronchus and lung (162)													
Black, both sexes													
1998	16,105	-	-	-	5	23	551	2,020	3,922	5,366	3,356	861	1
1997	16,014	-	-	1	5	35	576	1,945	3,868	5,425	3,304	855	-
1996	15,835	-	-	-	4	39	575	1,934	3,902	5,419	3,175	783	4
1995	15,790	1	-	2	3	41	536	1,901	4,011	5,534	2,987	773	1
1994	15,670	-	-	1	3	49	525	1,912	3,992	5,454	2,999	732	3
1993	15,641	-	-	1	6	65	526	1,977	4,022	5,441	2,880	719	4
1992	15,472	1	1	1	7	58	565	1,939	4,210	5,328	2,734	628	-
1991	15,201	2	1	-	7	45	523	1,956	4,141	5,173	2,752	600	1
1990	15,144	1	1	1	3	72	535	1,934	4,487	5,045	2,521	542	2
1989	14,703	1	-	1	7	46	486	1,921	4,229	4,991	2,509	510	2
1988	14,131	-	-	1	8	47	466	1,845	4,170	4,726	2,357	511	-
1987	13,886	1	1	-	4	49	464	1,876	4,217	4,644	2,170	458	2
1986	13,354	-	-	-	2	40	472	1,887	4,147	4,361	2,010	434	1
1985	13,009	1	-	2	3	66	447	1,818	4,278	4,138	1,866	389	1
1984	12,708	2	-	2	5	37	443	1,822	4,294	3,902	1,831	367	3
1983	12,282	-	1	1	4	43	430	1,887	4,021	3,898	1,684	304	9
1982	11,857	1	-	3	4	45	405	1,851	4,005	3,676	1,566	297	4
1981	11,372	-	-	1	4	30	445	1,923	3,787	3,496	1,414	268	4
1980	10,957	2	1	1	7	46	413	1,916	3,588	3,361	1,364	256	2
1979	10,247	1	-	2	6	38	429	1,873	3,416	3,031	1,229	220	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasms of trachea, bronchus and lung (162)													
Black, male													
1998	10,288	-	-	-	2	12	323	1,337	2,597	3,409	2,128	479	1
1997	10,336	-	-	1	1	21	349	1,287	2,592	3,505	2,106	474	-
1996	10,463	-	-	-	2	23	365	1,318	2,689	3,554	2,055	454	3
1995	10,537	1	-	2	2	24	352	1,284	2,731	3,692	1,994	454	1
1994	10,555	-	-	-	2	28	348	1,331	2,723	3,682	1,992	446	3
1993	10,733	-	-	-	2	41	356	1,362	2,797	3,793	1,959	421	2
1992	10,530	1	-	-	4	37	362	1,331	2,894	3,660	1,872	369	-
1991	10,545	1	1	-	5	26	344	1,365	2,904	3,653	1,894	352	-
1990	10,632	1	1	1	2	52	364	1,350	3,149	3,592	1,788	331	1
1989	10,457	1	-	-	5	26	325	1,356	3,017	3,613	1,799	314	1
1988	10,112	-	-	-	4	30	336	1,290	2,920	3,471	1,711	350	-
1987	10,065	1	-	-	4	38	291	1,306	3,019	3,494	1,613	297	2
1986	9,773	-	-	-	1	24	320	1,332	3,026	3,282	1,498	290	-
1985	9,615	-	-	1	2	41	314	1,310	3,118	3,162	1,430	237	-
1984	9,569	2	-	1	3	26	318	1,286	3,234	3,057	1,386	255	1
1983	9,117	-	1	1	4	29	295	1,344	2,972	3,012	1,270	182	7
1982	9,003	1	-	3	3	27	259	1,369	3,020	2,930	1,187	200	4
1981	8,697	-	-	1	3	19	308	1,378	2,886	2,814	1,108	176	4
1980	8,382	1	1	1	6	33	305	1,370	2,742	2,678	1,078	165	2
1979	7,991	1	-	1	2	26	305	1,357	2,702	2,489	954	152	2
Malignant neoplasms of trachea, bronchus and lung (162)													
Black, female													
1998	5,817	-	-	-	3	11	228	683	1,325	1,957	1,228	382	-
1997	5,678	-	-	-	4	14	227	658	1,276	1,920	1,198	381	-
1996	5,372	-	-	-	2	16	210	616	1,213	1,865	1,120	329	1
1995	5,253	-	-	-	1	17	184	617	1,280	1,842	993	319	-
1994	5,115	-	-	1	1	21	177	581	1,269	1,772	1,007	286	-
1993	4,908	-	-	1	4	24	170	615	1,225	1,648	921	298	2
1992	4,942	-	1	1	3	21	203	608	1,316	1,668	862	259	-
1991	4,656	1	-	-	2	19	179	591	1,237	1,520	858	248	1
1990	4,512	-	-	-	1	20	171	584	1,338	1,453	733	211	1
1989	4,246	-	-	1	2	20	161	565	1,212	1,378	710	196	1
1988	4,019	-	-	1	4	17	130	555	1,250	1,255	646	161	-
1987	3,821	-	1	-	-	11	173	570	1,198	1,150	557	161	-
1986	3,581	-	-	-	1	16	152	555	1,121	1,079	512	144	1
1985	3,394	1	-	1	1	25	133	508	1,160	976	436	152	1
1984	3,139	-	-	1	2	11	125	536	1,060	845	445	112	2
1983	3,165	-	-	-	-	14	135	543	1,049	886	414	122	2
1982	2,854	-	-	-	1	18	146	482	985	746	379	97	-
1981	2,675	-	-	-	1	11	137	545	901	682	306	92	-
1980	2,575	1	-	-	1	13	108	546	846	683	286	91	-
1979	2,256	-	-	1	4	12	124	516	714	542	275	68	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant melanoma of skin (172)													
All races, both sexes													
1998	7,431	-	1	2	48	235	662	1,091	1,254	1,760	1,645	733	-
1997	7,238	-	1	3	40	217	689	1,087	1,223	1,680	1,607	691	-
1996	7,279	-	-	-	27	276	739	1,086	1,157	1,762	1,541	691	-
1995	6,907	-	1	4	45	252	719	1,004	1,215	1,621	1,441	603	2
1994	6,680	-	1	4	41	226	722	1,006	1,109	1,634	1,384	553	-
1993	6,712	-	1	1	47	282	749	940	1,209	1,643	1,309	529	2
1992	6,568	1	1	3	46	300	750	919	1,213	1,549	1,284	502	-
1991	6,451	-	-	2	36	341	732	864	1,212	1,562	1,206	496	-
1990	6,420	-	1	3	52	314	752	874	1,240	1,535	1,154	494	1
1989	6,161	-	-	2	55	342	701	918	1,197	1,400	1,078	468	-
1988	5,979	-	1	2	45	326	689	875	1,166	1,388	1,077	408	2
1987	5,913	-	2	3	57	332	682	808	1,244	1,384	1,063	337	1
1986	5,673	-	-	1	57	390	668	812	1,158	1,266	956	365	-
1985	5,529	-	1	3	71	414	630	808	1,188	1,194	879	341	-
1984	5,378	3	-	1	67	398	654	788	1,099	1,199	840	328	1
1983	5,216	-	1	2	77	404	631	749	1,144	1,137	763	307	1
1982	5,106	1	1	4	78	389	578	775	1,145	1,121	737	277	-
1981	4,932	-	1	5	72	395	569	813	1,041	1,066	682	287	1
1980	4,679	-	-	1	83	363	534	746	1,027	976	685	264	-
1979	4,749	2	1	2	90	358	517	849	1,050	982	651	246	1
Malignant melanoma of skin (172)													
All races, male													
1998	4,747	-	-	1	33	136	427	716	843	1,197	1,032	362	-
1997	4,488	-	-	2	23	123	434	671	828	1,098	981	328	-
1996	4,490	-	-	-	14	154	441	686	784	1,134	933	344	-
1995	4,297	-	1	1	27	141	444	670	825	1,063	849	274	2
1994	4,117	-	-	3	26	129	430	654	742	1,052	823	258	-
1993	4,128	-	-	1	28	152	479	606	793	1,070	757	241	1
1992	4,045	1	-	2	28	163	480	588	829	991	740	223	-
1991	4,017	-	-	1	22	218	445	563	831	1,027	695	215	-
1990	3,844	-	1	-	35	185	472	537	813	940	646	214	1
1989	3,736	-	-	1	27	186	455	585	768	925	600	189	-
1988	3,585	-	1	2	27	190	408	523	771	871	602	188	2
1987	3,635	-	2	3	34	206	426	513	818	880	598	154	1
1986	3,378	-	-	1	27	246	401	515	748	766	509	165	-
1985	3,296	-	1	3	46	254	387	500	769	740	461	135	-
1984	3,207	3	-	1	37	241	394	487	715	748	455	126	-
1983	3,073	-	-	-	39	262	399	437	711	707	393	125	-
1982	3,036	-	-	2	41	253	360	474	719	685	391	111	-
1981	2,811	-	-	3	41	224	357	489	631	628	317	120	1
1980	2,750	-	-	1	50	215	332	465	644	590	335	118	-
1979	2,752	2	-	-	47	211	319	522	650	571	324	105	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant melanoma of skin (172)													
All races, female													
1998	2,684	-	1	1	15	99	235	375	411	563	613	371	-
1997	2,750	-	1	1	17	94	255	416	395	582	626	363	-
1996	2,789	-	-	-	13	122	298	400	373	628	608	347	-
1995	2,610	-	-	3	18	111	275	334	390	558	592	329	-
1994	2,563	-	1	1	15	97	292	352	367	582	561	295	-
1993	2,584	-	1	-	19	130	270	334	416	573	552	288	1
1992	2,523	-	1	1	18	137	270	331	384	558	544	279	-
1991	2,434	-	-	1	14	123	287	301	381	535	511	281	-
1990	2,576	-	-	3	17	129	280	337	427	595	508	280	-
1989	2,425	-	-	1	28	156	246	333	429	475	478	279	-
1988	2,394	-	-	-	18	136	281	352	395	517	475	220	-
1987	2,278	-	-	-	23	126	256	295	426	504	465	183	-
1986	2,295	-	-	-	30	144	267	297	410	500	447	200	-
1985	2,233	-	-	-	25	160	243	308	419	454	418	206	-
1984	2,171	-	-	-	30	157	260	301	384	451	385	202	1
1983	2,143	-	1	2	38	142	232	312	433	430	370	182	1
1982	2,070	1	1	2	37	136	218	301	426	436	346	166	-
1981	2,121	-	1	2	31	171	212	324	410	438	365	167	-
1980	1,929	-	-	-	33	148	202	281	383	386	350	146	-
1979	1,997	-	1	2	43	147	198	327	400	411	327	141	-
Malignant melanoma of skin (172)													
White, both sexes													
1998	7,275	-	1	1	45	228	653	1,072	1,228	1,725	1,608	714	-
1997	7,064	-	-	2	37	208	679	1,069	1,189	1,643	1,567	670	-
1996	7,141	-	-	-	26	270	726	1,069	1,135	1,730	1,508	677	-
1995	6,774	-	1	3	42	247	710	991	1,192	1,591	1,408	588	1
1994	6,556	-	1	4	40	220	711	997	1,087	1,606	1,353	537	-
1993	6,572	-	-	1	46	275	735	924	1,196	1,608	1,269	516	2
1992	6,423	-	1	2	45	298	736	905	1,191	1,502	1,253	490	-
1991	6,308	-	-	1	35	340	723	856	1,184	1,526	1,163	480	-
1990	6,290	-	-	3	49	309	743	862	1,216	1,501	1,126	481	-
1989	6,027	-	-	2	54	334	690	907	1,173	1,366	1,048	453	-
1988	5,877	-	1	2	45	323	682	867	1,147	1,355	1,056	397	2
1987	5,786	-	2	3	55	322	679	795	1,225	1,345	1,032	327	1
1986	5,565	-	-	1	57	386	659	801	1,137	1,238	926	360	-
1985	5,410	-	1	3	69	410	619	787	1,169	1,166	849	337	-
1984	5,264	1	-	-	65	392	647	780	1,077	1,168	817	317	-
1983	5,115	-	1	2	75	400	624	735	1,126	1,108	743	300	1
1982	5,000	1	1	2	77	386	569	758	1,126	1,088	721	271	-
1981	4,826	-	1	4	68	394	564	798	1,019	1,041	664	273	-
1980	4,572	-	-	1	83	358	525	736	998	942	671	258	-
1979	4,657	1	1	2	87	358	516	840	1,025	952	637	237	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant melanoma of skin (172)													
White, male													
1998	4,685	-	-	1	31	131	420	711	834	1,179	1,020	358	-
1997	4,421	-	-	2	22	116	428	663	814	1,086	967	323	-
1996	4,423	-	-	-	13	152	433	677	772	1,120	917	339	-
1995	4,237	-	1	1	25	139	440	664	815	1,048	832	271	1
1994	4,063	-	-	3	26	128	425	647	730	1,035	815	254	-
1993	4,078	-	-	1	28	149	473	600	787	1,056	744	239	1
1992	3,972	-	-	1	27	161	476	580	813	972	722	220	-
1991	3,951	-	-	-	22	218	439	558	813	1,014	677	210	-
1990	3,778	-	-	-	33	182	468	529	803	924	632	207	-
1989	3,676	-	-	1	26	182	449	577	760	909	587	185	-
1988	3,535	-	1	2	27	188	403	519	762	857	590	184	2
1987	3,578	-	2	3	33	201	426	506	810	859	587	150	1
1986	3,315	-	-	1	27	244	398	507	733	749	494	162	-
1985	3,238	-	1	3	44	252	381	489	759	731	444	134	-
1984	3,161	1	-	-	36	238	391	485	703	735	449	123	-
1983	3,019	-	-	-	37	258	395	429	703	691	383	123	-
1982	2,988	-	-	2	41	253	356	464	711	671	381	109	-
1981	2,762	-	-	3	40	223	353	482	619	614	311	117	-
1980	2,706	-	-	1	50	214	331	460	632	577	328	113	-
1979	2,706	1	-	-	45	211	319	518	640	554	317	100	1
Malignant melanoma of skin (172)													
White, female													
1998	2,590	-	1	-	14	97	233	361	394	546	588	356	-
1997	2,643	-	-	-	15	92	251	406	375	557	600	347	-
1996	2,718	-	-	-	13	118	293	392	363	610	591	338	-
1995	2,537	-	-	2	17	108	270	327	377	543	576	317	-
1994	2,493	-	1	1	14	92	286	350	357	571	538	283	-
1993	2,494	-	-	-	18	126	262	324	409	552	525	277	1
1992	2,451	-	1	1	18	137	260	325	378	530	531	270	-
1991	2,357	-	-	1	13	122	284	298	371	512	486	270	-
1990	2,512	-	-	3	16	127	275	333	413	577	494	274	-
1989	2,351	-	-	1	28	152	241	330	413	457	461	268	-
1988	2,342	-	-	-	18	135	279	348	385	498	466	213	-
1987	2,208	-	-	-	22	121	253	289	415	486	445	177	-
1986	2,250	-	-	-	30	142	261	294	404	489	432	198	-
1985	2,172	-	-	-	25	158	238	298	410	435	405	203	-
1984	2,103	-	-	-	29	154	256	295	374	433	368	194	-
1983	2,096	-	1	2	38	142	229	306	423	417	360	177	1
1982	2,012	1	1	-	36	133	213	294	415	417	340	162	-
1981	2,064	-	1	1	28	171	211	316	400	427	353	156	-
1980	1,866	-	-	-	33	144	194	276	366	365	343	145	-
1979	1,951	-	1	2	42	147	197	322	385	398	320	137	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant melanoma of skin (172)													
All other, both sexes													
1998	156	-	-	1	3	7	9	19	26	35	37	19	-
1997	174	-	1	1	3	9	10	18	34	37	40	21	-
1996	138	-	-	-	1	6	13	17	22	32	33	14	-
1995	133	-	-	1	3	5	9	13	23	30	33	15	1
1994	124	-	-	-	1	6	11	9	22	28	31	16	-
1993	140	-	1	-	1	7	14	16	13	35	40	13	-
1992	145	1	-	1	1	2	14	14	22	47	31	12	-
1991	143	-	-	1	1	1	9	8	28	36	43	16	-
1990	130	-	1	-	3	5	9	12	24	34	28	13	1
1989	134	-	-	-	1	8	11	11	24	34	30	15	-
1988	102	-	-	-	-	3	7	8	19	33	21	11	-
1987	127	-	-	-	2	10	3	13	19	39	31	10	-
1986	108	-	-	-	-	4	9	11	21	28	30	5	-
1985	119	-	-	-	2	4	11	21	19	28	30	4	-
1984	114	2	-	1	2	6	7	8	22	31	23	11	1
1983	101	-	-	-	2	4	7	14	18	29	20	7	-
1982	106	-	-	2	1	3	9	17	19	33	16	6	-
1981	106	-	-	1	4	1	5	15	22	25	18	14	1
1980	107	-	-	-	-	5	9	10	29	34	14	6	-
1979	92	1	-	-	3	-	1	9	25	30	14	9	-
Malignant melanoma of skin (172)													
All other, male													
1998	62	-	-	-	2	5	7	5	9	18	12	4	-
1997	67	-	-	-	1	7	6	8	14	12	14	5	-
1996	67	-	-	-	1	2	8	9	12	14	16	5	-
1995	60	-	-	-	2	2	4	6	10	15	17	3	1
1994	54	-	-	-	-	1	5	7	12	17	8	4	-
1993	50	-	-	-	-	3	6	6	6	14	13	2	-
1992	73	1	-	1	1	2	4	8	16	19	18	3	-
1991	66	-	-	1	-	-	6	5	18	13	18	5	-
1990	66	-	1	-	2	3	4	8	10	16	14	7	1
1989	60	-	-	-	1	4	6	8	8	16	13	4	-
1988	50	-	-	-	-	2	5	4	9	14	12	4	-
1987	57	-	-	-	1	5	-	7	8	21	11	4	-
1986	63	-	-	-	-	2	3	8	15	17	15	3	-
1985	58	-	-	-	2	2	6	11	10	9	17	1	-
1984	46	2	-	1	1	3	3	2	12	13	6	3	-
1983	54	-	-	-	2	4	4	8	8	16	10	2	-
1982	48	-	-	-	-	-	4	10	8	14	10	2	-
1981	49	-	-	-	1	1	4	7	12	14	6	3	1
1980	44	-	-	-	-	1	1	5	12	13	7	5	-
1979	46	1	-	-	2	-	-	4	10	17	7	5	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant melanoma of skin (172)													
All other, female													
1998	94	-	-	1	1	2	2	14	17	17	25	15	-
1997	107	-	1	1	2	2	4	10	20	25	26	16	-
1996	71	-	-	-	-	4	5	8	10	18	17	9	-
1995	73	-	-	1	1	3	5	7	13	15	16	12	-
1994	70	-	-	-	1	5	6	2	10	11	23	12	-
1993	90	-	1	-	1	4	8	10	7	21	27	11	-
1992	72	-	-	-	-	-	10	6	6	28	13	9	-
1991	77	-	-	-	1	1	3	3	10	23	25	11	-
1990	64	-	-	-	1	2	5	4	14	18	14	6	-
1989	74	-	-	-	-	4	5	3	16	18	17	11	-
1988	52	-	-	-	-	1	2	4	10	19	9	7	-
1987	70	-	-	-	1	5	3	6	11	18	20	6	-
1986	45	-	-	-	-	2	6	3	6	11	15	2	-
1985	61	-	-	-	-	2	5	10	9	19	13	3	-
1984	68	-	-	-	1	3	4	6	10	18	17	8	1
1983	47	-	-	-	-	-	3	6	10	13	10	5	-
1982	58	-	-	2	1	3	5	7	11	19	6	4	-
1981	57	-	-	1	3	-	1	8	10	11	12	11	-
1980	63	-	-	-	-	4	8	5	17	21	7	1	-
1979	46	-	-	-	1	-	1	5	15	13	7	4	-
Malignant melanoma of skin (172)													
Black, both sexes													
1998	121	-	-	-	3	6	7	14	19	24	30	18	-
1997	131	-	1	1	3	7	6	13	24	26	31	19	-
1996	100	-	-	-	1	4	9	10	15	23	25	13	-
1995	103	-	-	-	2	4	6	11	11	23	31	14	1
1994	98	-	-	-	1	4	8	9	18	21	22	15	-
1993	115	-	1	-	-	7	12	9	12	29	33	12	-
1992	110	1	-	1	1	2	9	7	17	41	22	9	-
1991	119	-	-	-	1	1	5	6	24	31	39	12	-
1990	106	-	-	-	2	3	4	9	22	28	24	13	1
1989	109	-	-	-	1	7	8	9	19	27	24	14	-
1988	88	-	-	-	-	2	7	7	15	29	17	11	-
1987	108	-	-	-	2	9	2	12	16	33	27	7	-
1986	91	-	-	-	-	3	8	10	18	26	22	4	-
1985	100	-	-	-	2	4	8	17	18	21	26	4	-
1984	94	-	-	1	2	5	5	7	15	26	21	11	1
1983	91	-	-	-	2	3	6	12	18	24	20	6	-
1982	94	-	-	2	1	3	7	16	14	32	14	5	-
1981	97	-	-	1	3	1	5	13	19	24	18	13	-
1980	98	-	-	-	-	4	8	9	27	32	14	4	-
1979	88	1	-	-	3	-	1	9	25	26	14	9	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant melanoma of skin (172)													
Black, male													
1998	44	-	-	-	2	4	6	3	6	11	8	4	-
1997	48	-	-	-	1	5	4	5	10	10	10	3	-
1996	47	-	-	-	1	1	7	5	10	9	10	4	-
1995	46	-	-	-	2	2	2	5	6	10	16	2	1
1994	41	-	-	-	-	1	4	7	10	11	4	4	-
1993	38	-	-	-	-	3	6	2	6	10	9	2	-
1992	53	1	-	1	1	2	3	4	12	16	13	-	-
1991	52	-	-	-	-	-	4	4	16	10	15	3	-
1990	51	-	-	-	1	2	2	5	10	13	10	7	1
1989	46	-	-	-	1	3	4	7	6	13	8	4	-
1988	41	-	-	-	-	1	5	3	7	12	9	4	-
1987	46	-	-	-	1	5	-	7	6	16	9	2	-
1986	56	-	-	-	-	2	3	7	14	16	11	3	-
1985	46	-	-	-	2	2	4	9	9	6	13	1	-
1984	36	-	-	1	1	3	2	2	8	10	6	3	-
1983	49	-	-	-	2	3	4	6	8	14	10	2	-
1982	40	-	-	-	-	-	2	9	6	13	9	1	-
1981	42	-	-	-	-	1	4	6	10	13	6	2	-
1980	39	-	-	-	-	1	-	5	11	12	7	3	-
1979	42	1	-	-	2	-	-	4	10	13	7	5	-
Malignant melanoma of skin (172)													
Black, female													
1998	77	-	-	-	1	2	1	11	13	13	22	14	-
1997	83	-	1	1	2	2	2	8	14	16	21	16	-
1996	53	-	-	-	-	3	2	5	5	14	15	9	-
1995	57	-	-	-	-	2	4	6	5	13	15	12	-
1994	57	-	-	-	1	3	4	2	8	10	18	11	-
1993	77	-	1	-	-	4	6	7	6	19	24	10	-
1992	57	-	-	-	-	-	6	3	5	25	9	9	-
1991	67	-	-	-	1	1	1	2	8	21	24	9	-
1990	55	-	-	-	1	1	2	4	12	15	14	6	-
1989	63	-	-	-	-	4	4	2	13	14	16	10	-
1988	47	-	-	-	-	1	2	4	8	17	8	7	-
1987	62	-	-	-	1	4	2	5	10	17	18	5	-
1986	35	-	-	-	-	1	5	3	4	10	11	1	-
1985	54	-	-	-	-	2	4	8	9	15	13	3	-
1984	58	-	-	-	1	2	3	5	7	16	15	8	1
1983	42	-	-	-	-	-	2	6	10	10	10	4	-
1982	54	-	-	2	1	3	5	7	8	19	5	4	-
1981	55	-	-	1	3	-	1	7	9	11	12	11	-
1980	59	-	-	-	-	3	8	4	16	20	7	1	-
1979	46	-	-	-	1	-	1	5	15	13	7	4	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	Age groups												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Malignant neoplasm of breast (174-175)													
All races, both sexes													
1998	42,086	-	-	-	5	509	3,024	6,375	7,434	9,539	9,571	5,628	1
1997	42,297	-	-	-	11	521	3,097	6,531	7,438	9,731	9,453	5,515	-
1996	43,448	1	-	1	18	540	3,110	6,447	7,604	10,354	9,811	5,561	1
1995	44,209	-	-	-	12	550	3,213	6,621	7,812	10,859	9,779	5,362	1
1994	44,008	-	-	-	13	555	3,211	6,387	7,771	11,122	9,890	5,059	-
1993	43,910	-	-	-	14	547	3,138	6,189	8,007	11,095	9,790	5,129	1
1992	43,365	1	-	2	6	610	3,249	6,025	8,150	11,386	9,303	4,628	5
1991	43,849	-	1	-	13	649	3,363	5,851	8,800	11,236	9,389	4,546	1
1990	43,663	-	-	-	15	629	3,380	5,855	8,834	11,410	9,228	4,310	2
1989	43,138	1	-	-	7	655	3,282	5,734	9,020	11,296	9,035	4,107	1
1988	42,461	1	-	-	13	665	3,148	5,652	9,484	10,978	8,578	3,939	3
1987	41,211	-	-	-	16	674	3,065	5,453	9,484	10,753	8,097	3,666	3
1986	40,789	-	-	1	14	654	3,073	5,350	9,577	10,722	7,787	3,606	5
1985	40,383	2	-	-	20	629	2,835	5,462	9,958	10,343	7,699	3,432	3
1984	39,722	1	-	1	17	685	2,880	5,322	9,764	10,237	7,425	3,388	2
1983	38,247	1	-	7	23	654	2,491	5,305	9,735	9,860	6,964	3,205	2
1982	37,685	4	2	5	13	674	2,480	5,474	9,505	9,567	6,884	3,074	3
1981	36,737	1	1	1	16	650	2,351	5,623	9,304	9,477	6,442	2,867	4
1980	35,897	-	-	2	14	615	2,348	5,696	9,368	8,992	6,205	2,656	1
1979	34,622	-	-	-	18	594	2,275	5,794	8,861	8,685	5,881	2,509	5
Malignant neoplasm of breast (174-175)													
All races, male													
1998	349	-	-	-	-	1	16	36	53	75	121	47	-
1997	354	-	-	-	-	2	6	34	77	100	98	37	-
1996	357	-	-	-	-	1	14	31	62	101	103	45	-
1995	365	-	-	-	-	2	10	41	71	95	103	43	-
1994	364	-	-	-	-	4	15	35	68	120	84	38	-
1993	355	-	-	-	-	1	12	36	66	99	93	48	-
1992	297	-	-	-	-	1	9	26	49	92	80	40	-
1991	266	-	1	-	-	2	9	17	45	91	65	36	-
1990	272	-	-	-	1	-	10	33	62	86	60	20	-
1989	301	-	-	-	-	1	9	24	60	92	80	35	-
1988	289	-	-	-	-	3	10	33	42	87	81	33	-
1987	312	-	-	-	-	2	13	16	77	89	87	28	-
1986	250	-	-	-	-	-	10	22	51	82	61	24	-
1985	290	-	-	-	1	2	12	29	63	78	75	30	-
1984	250	-	-	-	1	3	10	24	51	78	60	23	-
1983	268	-	-	-	-	1	6	20	65	98	56	22	-
1982	271	-	-	-	-	-	10	15	56	85	83	22	-
1981	254	-	-	-	-	1	7	20	61	75	62	28	-
1980	256	-	-	-	-	1	6	26	74	72	59	18	-
1979	222	-	-	-	-	2	4	13	54	71	61	17	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasm of breast (174-175)													
All races, female													
1998	41,737	-	-	-	5	508	3,008	6,339	7,381	9,464	9,450	5,581	1
1997	41,943	-	-	-	11	519	3,091	6,497	7,361	9,631	9,355	5,478	-
1996	43,091	1	-	1	18	539	3,096	6,416	7,542	10,253	9,708	5,516	1
1995	43,844	-	-	-	12	548	3,203	6,580	7,741	10,764	9,676	5,319	1
1994	43,644	-	-	-	13	551	3,196	6,352	7,703	11,002	9,806	5,021	-
1993	43,555	-	-	-	14	546	3,126	6,153	7,941	10,996	9,697	5,081	1
1992	43,068	1	-	2	6	609	3,240	5,999	8,101	11,294	9,223	4,588	5
1991	43,583	-	-	-	13	647	3,354	5,834	8,755	11,145	9,324	4,510	1
1990	43,391	-	-	-	14	629	3,370	5,822	8,772	11,324	9,168	4,290	2
1989	42,837	1	-	-	7	654	3,273	5,710	8,960	11,204	8,955	4,072	1
1988	42,172	1	-	-	13	662	3,138	5,619	9,442	10,891	8,497	3,906	3
1987	40,899	-	-	-	16	672	3,052	5,437	9,407	10,664	8,010	3,638	3
1986	40,539	-	-	1	14	654	3,063	5,328	9,526	10,640	7,726	3,582	5
1985	40,093	2	-	-	19	627	2,823	5,433	9,895	10,265	7,624	3,402	3
1984	39,472	1	-	1	16	682	2,870	5,298	9,713	10,159	7,365	3,365	2
1983	37,979	1	-	7	23	653	2,485	5,285	9,670	9,762	6,908	3,183	2
1982	37,414	4	2	5	13	674	2,470	5,459	9,449	9,482	6,801	3,052	3
1981	36,483	1	1	1	16	649	2,344	5,603	9,243	9,402	6,380	2,839	4
1980	35,641	-	-	2	14	614	2,342	5,670	9,294	8,920	6,146	2,638	1
1979	34,400	-	-	-	18	592	2,271	5,781	8,807	8,614	5,820	2,492	5
Malignant neoplasm of breast (174-175)													
White, both sexes													
1998	36,060	-	-	-	4	358	2,254	5,044	6,179	8,396	8,678	5,146	1
1997	36,194	-	-	-	8	368	2,342	5,246	6,172	8,473	8,539	5,046	-
1996	37,510	-	-	1	10	372	2,316	5,173	6,467	9,159	8,905	5,106	1
1995	38,236	-	-	-	6	374	2,493	5,307	6,577	9,626	8,906	4,946	1
1994	38,272	-	-	-	12	394	2,467	5,241	6,599	9,907	9,022	4,630	-
1993	38,341	-	-	-	8	391	2,404	5,094	6,869	9,922	8,924	4,729	-
1992	38,053	1	-	-	5	445	2,529	4,953	7,012	10,253	8,562	4,290	3
1991	38,478	-	1	-	7	489	2,631	4,840	7,602	10,096	8,610	4,202	-
1990	38,513	-	-	-	9	470	2,719	4,870	7,658	10,320	8,485	3,980	2
1989	38,253	-	-	-	3	495	2,657	4,774	7,930	10,229	8,354	3,810	1
1988	37,556	-	-	-	8	495	2,498	4,727	8,308	9,987	7,889	3,641	3
1987	36,569	-	-	-	8	523	2,434	4,541	8,353	9,798	7,501	3,409	2
1986	36,398	-	-	1	10	487	2,480	4,480	8,517	9,796	7,268	3,356	3
1985	36,146	2	-	-	14	497	2,319	4,667	8,842	9,450	7,150	3,202	3
1984	35,469	1	-	1	14	540	2,327	4,534	8,652	9,346	6,875	3,178	1
1983	34,324	1	-	6	17	517	2,049	4,524	8,727	9,012	6,464	3,005	2
1982	33,837	1	2	5	10	535	2,089	4,673	8,513	8,735	6,375	2,896	3
1981	33,124	1	1	1	7	519	1,948	4,896	8,378	8,701	5,989	2,681	2
1980	32,450	-	-	2	11	484	1,952	4,969	8,458	8,310	5,775	2,488	1
1979	31,364	-	-	-	15	470	1,912	5,030	8,051	8,020	5,500	2,361	5

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Malignant neoplasm of breast (174-175)													
White, male													
1998	301	-	-	-	-	1	14	30	43	64	109	40	-
1997	293	-	-	-	-	2	4	25	61	82	85	34	-
1996	292	-	-	-	-	1	9	24	49	84	87	38	-
1995	299	-	-	-	-	-	10	30	60	79	83	37	-
1994	312	-	-	-	-	4	13	31	59	98	74	33	-
1993	297	-	-	-	-	1	10	31	53	79	84	39	-
1992	256	-	-	-	-	-	8	19	42	79	70	38	-
1991	228	-	1	-	-	2	7	12	39	76	58	33	-
1990	227	-	-	-	-	-	8	25	49	72	55	18	-
1989	265	-	-	-	-	1	6	21	54	76	75	32	-
1988	229	-	-	-	-	2	6	21	38	77	64	21	-
1987	272	-	-	-	-	1	11	12	62	81	78	27	-
1986	215	-	-	-	-	-	9	19	45	69	52	21	-
1985	260	-	-	-	1	1	12	28	55	70	68	25	-
1984	213	-	-	-	1	3	8	20	43	63	53	22	-
1983	226	-	-	-	-	1	4	15	54	83	51	18	-
1982	236	-	-	-	-	-	9	15	46	77	72	17	-
1981	218	-	-	-	-	1	6	16	50	61	56	28	-
1980	227	-	-	-	-	1	4	23	65	65	53	16	-
1979	187	-	-	-	-	1	3	9	50	59	51	14	-
Malignant neoplasm of breast (174-175)													
White, female													
1998	35,759	-	-	-	4	357	2,240	5,014	6,136	8,332	8,569	5,106	1
1997	35,901	-	-	-	8	366	2,338	5,221	6,111	8,391	8,454	5,012	-
1996	37,218	-	-	1	10	371	2,307	5,149	6,418	9,075	8,818	5,068	1
1995	37,937	-	-	-	6	374	2,483	5,277	6,517	9,547	8,823	4,909	1
1994	37,960	-	-	-	12	390	2,454	5,210	6,540	9,809	8,948	4,597	-
1993	38,044	-	-	-	8	390	2,394	5,063	6,816	9,843	8,840	4,690	-
1992	37,797	1	-	-	5	445	2,521	4,934	6,970	10,174	8,492	4,252	3
1991	38,250	-	-	-	7	487	2,624	4,828	7,563	10,020	8,552	4,169	-
1990	38,286	-	-	-	9	470	2,711	4,845	7,609	10,248	8,430	3,962	2
1989	37,988	-	-	-	3	494	2,651	4,753	7,876	10,153	8,279	3,778	1
1988	37,327	-	-	-	8	493	2,492	4,706	8,270	9,910	7,825	3,620	3
1987	36,297	-	-	-	8	522	2,423	4,529	8,291	9,717	7,423	3,382	2
1986	36,183	-	-	1	10	487	2,471	4,461	8,472	9,727	7,216	3,335	3
1985	35,886	2	-	-	13	496	2,307	4,639	8,787	9,380	7,082	3,177	3
1984	35,256	1	-	1	13	537	2,319	4,514	8,609	9,283	6,822	3,156	1
1983	34,098	1	-	6	17	516	2,045	4,509	8,673	8,929	6,413	2,987	2
1982	33,601	1	2	5	10	535	2,080	4,658	8,467	8,658	6,303	2,879	3
1981	32,906	1	1	1	7	518	1,942	4,880	8,328	8,640	5,933	2,653	2
1980	32,223	-	-	2	11	483	1,948	4,946	8,393	8,245	5,722	2,472	1
1979	31,177	-	-	-	15	469	1,909	5,021	8,001	7,961	5,449	2,347	5

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	Age group												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Malignant neoplasm of breast (174-175)													
All other, both sexes													
1998	6,026	-	-	-	1	151	770	1,331	1,255	1,143	893	482	-
1997	6,103	-	-	-	3	153	755	1,285	1,266	1,258	914	469	-
1996	5,938	1	-	-	8	168	794	1,274	1,137	1,195	906	455	-
1995	5,973	-	-	-	6	176	720	1,314	1,235	1,233	873	416	-
1994	5,736	-	-	-	1	161	744	1,146	1,172	1,215	868	429	-
1993	5,569	-	-	-	6	156	734	1,095	1,138	1,173	866	400	1
1992	5,312	-	-	2	1	165	720	1,072	1,138	1,133	741	338	2
1991	5,371	-	-	-	6	160	732	1,011	1,198	1,140	779	344	1
1990	5,150	-	-	-	6	159	661	985	1,176	1,090	743	330	-
1989	4,885	1	-	-	4	160	625	960	1,090	1,067	681	297	-
1988	4,905	1	-	-	5	170	650	925	1,176	991	689	298	-
1987	4,642	-	-	-	8	151	631	912	1,131	955	596	257	1
1986	4,391	-	-	-	4	167	593	870	1,060	926	519	250	2
1985	4,237	-	-	-	6	132	516	795	1,116	893	549	230	-
1984	4,253	-	-	-	3	145	553	788	1,112	891	550	210	1
1983	3,923	-	-	1	6	137	442	781	1,008	848	500	200	-
1982	3,848	3	-	-	3	139	391	801	992	832	509	178	-
1981	3,613	-	-	-	9	131	403	727	926	776	453	186	2
1980	3,447	-	-	-	3	131	396	727	910	682	430	168	-
1979	3,258	-	-	-	3	124	363	764	810	665	381	148	-
Malignant neoplasm of breast (174-175)													
All other, male													
1998	48	-	-	-	-	-	2	6	10	11	12	7	-
1997	61	-	-	-	-	-	2	9	16	18	13	3	-
1996	65	-	-	-	-	-	5	7	13	17	16	7	-
1995	66	-	-	-	-	2	-	11	11	16	20	6	-
1994	52	-	-	-	-	-	2	4	9	22	10	5	-
1993	58	-	-	-	-	-	2	5	13	20	9	9	-
1992	41	-	-	-	-	1	1	7	7	13	10	2	-
1991	38	-	-	-	-	-	2	5	6	15	7	3	-
1990	45	-	-	-	1	-	2	8	13	14	5	2	-
1989	36	-	-	-	-	-	3	3	6	16	5	3	-
1988	60	-	-	-	-	1	4	12	4	10	17	12	-
1987	40	-	-	-	-	1	2	4	15	8	9	1	-
1986	35	-	-	-	-	-	1	3	6	13	9	3	-
1985	30	-	-	-	-	1	-	1	8	8	7	5	-
1984	37	-	-	-	-	-	2	4	8	15	7	1	-
1983	42	-	-	-	-	-	2	5	11	15	5	4	-
1982	35	-	-	-	-	-	1	-	10	8	11	5	-
1981	36	-	-	-	-	-	1	4	11	14	6	-	-
1980	29	-	-	-	-	-	2	3	9	7	6	2	-
1979	35	-	-	-	-	1	1	4	4	12	10	3	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Malignant neoplasm of breast (174-175)													
All other, female													
1998	5,978	-	-	-	1	151	768	1,325	1,245	1,132	881	475	-
1997	6,042	-	-	-	3	153	753	1,276	1,250	1,240	901	466	-
1996	5,873	1	-	-	8	168	789	1,267	1,124	1,178	890	448	-
1995	5,907	-	-	-	6	174	720	1,303	1,224	1,217	853	410	-
1994	5,684	-	-	-	1	161	742	1,142	1,163	1,193	858	424	-
1993	5,511	-	-	-	6	156	732	1,090	1,125	1,153	857	391	1
1992	5,271	-	-	2	1	164	719	1,065	1,131	1,120	731	336	2
1991	5,333	-	-	-	6	160	730	1,006	1,192	1,125	772	341	1
1990	5,105	-	-	-	5	159	659	977	1,163	1,076	738	328	-
1989	4,849	1	-	-	4	160	622	957	1,084	1,051	676	294	-
1988	4,845	1	-	-	5	169	646	913	1,172	981	672	286	-
1987	4,602	-	-	-	8	150	629	908	1,116	947	587	256	1
1986	4,356	-	-	-	4	167	592	867	1,054	913	510	247	2
1985	4,207	-	-	-	6	131	516	794	1,108	885	542	225	-
1984	4,216	-	-	-	3	145	551	784	1,104	876	543	209	1
1983	3,881	-	-	1	6	137	440	776	997	833	495	196	-
1982	3,813	3	-	-	3	139	390	801	982	824	498	173	-
1981	3,577	-	-	-	9	131	402	723	915	762	447	186	2
1980	3,418	-	-	-	3	131	394	724	901	675	424	166	-
1979	3,223	-	-	-	3	123	362	760	806	653	371	145	-
Malignant neoplasm of breast (174-175)													
Black, both sexes													
1998	5,329	-	-	-	1	131	681	1,146	1,070	1,025	821	454	-
1997	5,483	-	-	-	3	143	671	1,112	1,118	1,145	851	440	-
1996	5,316	1	-	-	8	152	702	1,107	1,024	1,062	833	427	-
1995	5,328	-	-	-	6	154	639	1,119	1,078	1,122	817	393	-
1994	5,134	-	-	-	-	139	665	985	1,044	1,106	795	400	-
1993	5,052	-	-	-	5	144	646	972	1,016	1,079	803	386	1
1992	4,816	-	-	2	1	148	659	941	1,014	1,040	692	317	2
1991	4,843	-	-	-	6	146	649	872	1,069	1,053	729	318	1
1990	4,703	-	-	-	6	153	589	864	1,068	1,006	700	317	-
1989	4,438	1	-	-	4	150	555	860	971	979	633	285	-
1988	4,525	1	-	-	5	157	607	837	1,062	918	647	291	-
1987	4,291	-	-	-	7	135	577	831	1,042	887	563	248	1
1986	4,076	-	-	-	4	158	540	798	972	874	490	238	2
1985	3,925	-	-	-	6	122	477	722	1,021	846	514	217	-
1984	3,981	-	-	-	3	133	505	729	1,031	849	530	200	1
1983	3,648	-	-	1	5	118	401	715	938	797	485	188	-
1982	3,602	1	-	-	3	131	359	728	926	783	499	172	-
1981	3,393	-	-	-	9	124	364	671	872	738	436	177	2
1980	3,244	-	-	-	3	120	361	666	855	661	417	161	-
1979	3,086	-	-	-	3	111	331	714	767	643	371	146	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasm of breast (174-175)													
Black, male													
1998	48	-	-	-	-	-	2	6	10	11	12	7	-
1997	59	-	-	-	-	-	2	9	14	18	13	3	-
1996	62	-	-	-	-	-	5	6	12	17	15	7	-
1995	63	-	-	-	-	1	-	11	11	15	19	6	-
1994	51	-	-	-	-	-	2	4	8	22	10	5	-
1993	54	-	-	-	-	-	2	5	13	20	7	7	-
1992	37	-	-	-	-	1	1	5	7	12	10	1	-
1991	34	-	-	-	-	-	2	5	4	13	7	3	-
1990	44	-	-	-	1	-	2	8	12	14	5	2	-
1989	35	-	-	-	-	-	3	3	5	16	5	3	-
1988	58	-	-	-	-	1	4	11	4	10	16	12	-
1987	39	-	-	-	-	1	2	4	15	7	9	1	-
1986	31	-	-	-	-	-	-	2	6	12	8	3	-
1985	29	-	-	-	-	1	-	1	8	7	7	5	-
1984	36	-	-	-	-	-	2	4	7	15	7	1	-
1983	38	-	-	-	-	-	2	5	9	14	5	3	-
1982	35	-	-	-	-	-	1	-	10	8	11	5	-
1981	35	-	-	-	-	-	1	4	11	13	6	-	-
1980	29	-	-	-	-	-	2	3	9	7	6	2	-
1979	34	-	-	-	-	1	1	4	4	11	10	3	-
Malignant neoplasm of breast (174-175)													
Black, female													
1998	5,281	-	-	-	1	131	679	1,140	1,060	1,014	809	447	-
1997	5,424	-	-	-	3	143	669	1,103	1,104	1,127	838	437	-
1996	5,254	1	-	-	8	152	697	1,101	1,012	1,045	818	420	-
1995	5,265	-	-	-	6	153	639	1,108	1,067	1,107	798	387	-
1994	5,083	-	-	-	-	139	663	981	1,036	1,084	785	395	-
1993	4,998	-	-	-	5	144	644	967	1,003	1,059	796	379	1
1992	4,779	-	-	2	1	147	658	936	1,007	1,028	682	316	2
1991	4,809	-	-	-	6	146	647	867	1,065	1,040	722	315	1
1990	4,659	-	-	-	5	153	587	856	1,056	992	695	315	-
1989	4,403	1	-	-	4	150	552	857	966	963	628	282	-
1988	4,467	1	-	-	5	156	603	826	1,058	908	631	279	-
1987	4,252	-	-	-	7	134	575	827	1,027	880	554	247	1
1986	4,045	-	-	-	4	158	540	796	966	862	482	235	2
1985	3,896	-	-	-	6	121	477	721	1,013	839	507	212	-
1984	3,945	-	-	-	3	133	503	725	1,024	834	523	199	1
1983	3,610	-	-	1	5	118	399	710	929	783	480	185	-
1982	3,567	1	-	-	3	131	358	728	916	775	488	167	-
1981	3,358	-	-	-	9	124	363	667	861	725	430	177	2
1980	3,215	-	-	-	3	120	359	663	846	654	411	159	-
1979	3,052	-	-	-	3	110	330	710	763	632	361	143	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Malignant neoplasm of cervix uteri (180)													
All races, both sexes													
1998	4,340	-	-	-	21	262	788	975	684	685	606	319	-
1997	4,499	-	-	-	23	280	764	976	790	752	586	328	-
1996	4,542	-	-	-	18	302	814	861	774	831	602	338	2
1995	4,503	-	-	-	21	290	783	901	713	774	680	341	-
1994	4,602	-	-	1	14	308	755	921	780	900	659	264	-
1993	4,583	-	-	-	20	303	747	876	763	867	690	316	1
1992	4,641	-	-	-	20	327	799	830	778	876	709	302	-
1991	4,514	-	-	-	18	289	763	770	845	854	662	313	-
1990	4,627	-	-	-	21	303	780	832	841	870	680	300	-
1989	4,487	-	-	1	24	292	698	755	839	894	654	330	-
1988	4,443	-	-	-	18	290	654	765	852	898	665	301	-
1987	4,425	-	-	-	16	332	614	758	842	925	661	275	2
1986	4,558	-	-	-	19	305	613	788	965	893	665	309	1
1985	4,508	-	-	-	25	285	606	741	896	938	690	327	-
1984	4,564	1	-	1	20	278	622	745	1,006	918	677	296	-
1983	4,651	1	-	-	22	276	592	729	1,065	971	677	318	-
1982	4,631	1	1	-	19	274	540	795	1,045	963	698	294	1
1981	4,815	-	-	-	22	280	525	838	1,168	968	698	316	-
1980	4,874	-	-	-	21	260	551	870	1,125	1,056	717	273	1
1979	4,936	-	-	2	17	240	524	901	1,165	1,075	718	293	1
Malignant neoplasm of cervix uteri (180)													
All races, female													
1998	4,340	-	-	-	21	262	788	975	684	685	606	319	-
1997	4,499	-	-	-	23	280	764	976	790	752	586	328	-
1996	4,542	-	-	-	18	302	814	861	774	831	602	338	2
1995	4,503	-	-	-	21	290	783	901	713	774	680	341	-
1994	4,602	-	-	1	14	308	755	921	780	900	659	264	-
1993	4,583	-	-	-	20	303	747	876	763	867	690	316	1
1992	4,641	-	-	-	20	327	799	830	778	876	709	302	-
1991	4,514	-	-	-	18	289	763	770	845	854	662	313	-
1990	4,627	-	-	-	21	303	780	832	841	870	680	300	-
1989	4,487	-	-	1	24	292	698	755	839	894	654	330	-
1988	4,443	-	-	-	18	290	654	765	852	898	665	301	-
1987	4,425	-	-	-	16	332	614	758	842	925	661	275	2
1986	4,558	-	-	-	19	305	613	788	965	893	665	309	1
1985	4,508	-	-	-	25	285	606	741	896	938	690	327	-
1984	4,564	1	-	1	20	278	622	745	1,006	918	677	296	-
1983	4,651	1	-	-	22	276	592	729	1,065	971	677	318	-
1982	4,631	1	1	-	19	274	540	795	1,045	963	698	294	1
1981	4,815	-	-	-	22	280	525	838	1,168	968	698	316	-
1980	4,874	-	-	-	21	260	551	870	1,125	1,056	717	273	1
1979	4,936	-	-	2	17	240	524	901	1,165	1,075	718	293	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasm of cervix uteri (180)													
White, both sexes													
1998	3,272	-	-	-	14	202	599	739	516	503	462	237	-
1997	3,371	-	-	-	15	208	559	735	585	577	443	249	-
1996	3,479	-	-	-	12	242	622	649	561	628	494	270	1
1995	3,359	-	-	-	13	215	578	665	522	585	523	258	-
1994	3,524	-	-	-	12	244	555	703	588	698	511	213	-
1993	3,419	-	-	-	15	234	549	637	557	655	523	248	1
1992	3,433	-	-	-	16	238	585	595	557	652	548	242	-
1991	3,386	-	-	-	12	224	559	562	614	638	520	257	-
1990	3,511	-	-	-	19	226	588	599	619	668	542	250	-
1989	3,321	-	-	1	18	226	517	547	596	666	491	259	-
1988	3,343	-	-	-	15	220	488	554	632	695	497	242	-
1987	3,349	-	-	-	12	250	451	540	631	712	528	225	-
1986	3,391	-	-	-	14	216	453	542	710	680	526	250	-
1985	3,405	-	-	-	19	206	452	516	681	732	536	263	-
1984	3,463	1	-	1	14	214	457	508	774	715	543	236	-
1983	3,497	-	-	-	17	206	440	519	786	744	520	265	-
1982	3,522	1	-	-	17	213	399	568	800	737	545	241	1
1981	3,712	-	-	-	19	218	367	623	898	768	560	259	-
1980	3,691	-	-	-	14	194	391	611	870	817	577	216	1
1979	3,805	-	-	2	14	174	376	666	901	845	579	247	1
Malignant neoplasm of cervix uteri (180)													
White, female													
1998	3,272	-	-	-	14	202	599	739	516	503	462	237	-
1997	3,371	-	-	-	15	208	559	735	585	577	443	249	-
1996	3,479	-	-	-	12	242	622	649	561	628	494	270	1
1995	3,359	-	-	-	13	215	578	665	522	585	523	258	-
1994	3,524	-	-	-	12	244	555	703	588	698	511	213	-
1993	3,419	-	-	-	15	234	549	637	557	655	523	248	1
1992	3,433	-	-	-	16	238	585	595	557	652	548	242	-
1991	3,386	-	-	-	12	224	559	562	614	638	520	257	-
1990	3,511	-	-	-	19	226	588	599	619	668	542	250	-
1989	3,321	-	-	1	18	226	517	547	596	666	491	259	-
1988	3,343	-	-	-	15	220	488	554	632	695	497	242	-
1987	3,349	-	-	-	12	250	451	540	631	712	528	225	-
1986	3,391	-	-	-	14	216	453	542	710	680	526	250	-
1985	3,405	-	-	-	19	206	452	516	681	732	536	263	-
1984	3,463	1	-	1	14	214	457	508	774	715	543	236	-
1983	3,497	-	-	-	17	206	440	519	786	744	520	265	-
1982	3,522	1	-	-	17	213	399	568	800	737	545	241	1
1981	3,712	-	-	-	19	218	367	623	898	768	560	259	-
1980	3,691	-	-	-	14	194	391	611	870	817	577	216	1
1979	3,805	-	-	2	14	174	376	666	901	845	579	247	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasm of cervix uteri (180)													
All other, both sexes													
1998	1,068	-	-	-	7	60	189	236	168	182	144	82	-
1997	1,128	-	-	-	8	72	205	241	205	175	143	79	-
1996	1,063	-	-	-	6	60	192	212	213	203	108	68	1
1995	1,144	-	-	-	8	75	205	236	191	189	157	83	-
1994	1,078	-	-	1	2	64	200	218	192	202	148	51	-
1993	1,164	-	-	-	5	69	198	239	206	212	167	68	-
1992	1,208	-	-	-	4	89	214	235	221	224	161	60	-
1991	1,128	-	-	-	6	65	204	208	231	216	142	56	-
1990	1,116	-	-	-	2	77	192	233	222	202	138	50	-
1989	1,166	-	-	-	6	66	181	208	243	228	163	71	-
1988	1,100	-	-	-	3	70	166	211	220	203	168	59	-
1987	1,076	-	-	-	4	82	163	218	211	213	133	50	2
1986	1,167	-	-	-	5	89	160	246	255	213	139	59	1
1985	1,103	-	-	-	6	79	154	225	215	206	154	64	-
1984	1,101	-	-	-	6	64	165	237	232	203	134	60	-
1983	1,154	1	-	-	5	70	152	210	279	227	157	53	-
1982	1,109	-	1	-	2	61	141	227	245	226	153	53	-
1981	1,103	-	-	-	3	62	158	215	270	200	138	57	-
1980	1,183	-	-	-	7	66	160	259	255	239	140	57	-
1979	1,131	-	-	-	3	66	148	235	264	230	139	46	-
Malignant neoplasm of cervix uteri (180)													
All other, female													
1998	1,068	-	-	-	7	60	189	236	168	182	144	82	-
1997	1,128	-	-	-	8	72	205	241	205	175	143	79	-
1996	1,063	-	-	-	6	60	192	212	213	203	108	68	1
1995	1,144	-	-	-	8	75	205	236	191	189	157	83	-
1994	1,078	-	-	1	2	64	200	218	192	202	148	51	-
1993	1,164	-	-	-	5	69	198	239	206	212	167	68	-
1992	1,208	-	-	-	4	89	214	235	221	224	161	60	-
1991	1,128	-	-	-	6	65	204	208	231	216	142	56	-
1990	1,116	-	-	-	2	77	192	233	222	202	138	50	-
1989	1,166	-	-	-	6	66	181	208	243	228	163	71	-
1988	1,100	-	-	-	3	70	166	211	220	203	168	59	-
1987	1,076	-	-	-	4	82	163	218	211	213	133	50	2
1986	1,167	-	-	-	5	89	160	246	255	213	139	59	1
1985	1,103	-	-	-	6	79	154	225	215	206	154	64	-
1984	1,101	-	-	-	6	64	165	237	232	203	134	60	-
1983	1,154	1	-	-	5	70	152	210	279	227	157	53	-
1982	1,109	-	1	-	2	61	141	227	245	226	153	53	-
1981	1,103	-	-	-	3	62	158	215	270	200	138	57	-
1980	1,183	-	-	-	7	66	160	259	255	239	140	57	-
1979	1,131	-	-	-	3	66	148	235	264	230	139	46	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasm of cervix uteri (180)													
Black, both sexes													
1998	906	-	-	-	6	50	164	198	145	155	119	69	-
1997	969	-	-	-	8	61	182	197	172	155	121	73	-
1996	907	-	-	-	6	53	163	179	169	173	100	63	1
1995	995	-	-	-	8	69	185	193	161	167	137	75	-
1994	931	-	-	1	2	56	171	183	159	182	129	48	-
1993	1,035	-	-	-	4	66	171	206	178	189	158	63	-
1992	1,068	-	-	-	4	79	183	205	197	199	146	55	-
1991	983	-	-	-	6	58	169	180	197	189	133	51	-
1990	972	-	-	-	2	67	167	196	190	180	125	45	-
1989	1,049	-	-	-	6	59	156	182	217	208	152	69	-
1988	974	-	-	-	3	64	145	171	191	186	160	54	-
1987	969	-	-	-	4	67	145	199	188	194	124	46	2
1986	1,067	-	-	-	4	77	149	218	234	202	128	54	1
1985	1,008	-	-	-	6	71	135	201	198	192	144	61	-
1984	1,008	-	-	-	6	59	146	217	210	182	130	58	-
1983	1,062	1	-	-	5	66	137	193	250	213	147	50	-
1982	1,031	-	1	-	2	57	125	211	230	212	143	50	-
1981	1,023	-	-	-	2	55	139	196	255	194	129	53	-
1980	1,097	-	-	-	7	60	144	232	245	225	134	50	-
1979	1,061	-	-	-	3	62	138	214	246	222	134	42	-
Malignant neoplasm of cervix uteri (180)													
Black, female													
1998	906	-	-	-	6	50	164	198	145	155	119	69	-
1997	969	-	-	-	8	61	182	197	172	155	121	73	-
1996	907	-	-	-	6	53	163	179	169	173	100	63	1
1995	995	-	-	-	8	69	185	193	161	167	137	75	-
1994	931	-	-	1	2	56	171	183	159	182	129	48	-
1993	1,035	-	-	-	4	66	171	206	178	189	158	63	-
1992	1,068	-	-	-	4	79	183	205	197	199	146	55	-
1991	983	-	-	-	6	58	169	180	197	189	133	51	-
1990	972	-	-	-	2	67	167	196	190	180	125	45	-
1989	1,049	-	-	-	6	59	156	182	217	208	152	69	-
1988	974	-	-	-	3	64	145	171	191	186	160	54	-
1987	969	-	-	-	4	67	145	199	188	194	124	46	2
1986	1,067	-	-	-	4	77	149	218	234	202	128	54	1
1985	1,008	-	-	-	6	71	135	201	198	192	144	61	-
1984	1,008	-	-	-	6	59	146	217	210	182	130	58	-
1983	1,062	1	-	-	5	66	137	193	250	213	147	50	-
1982	1,031	-	1	-	2	57	125	211	230	212	143	50	-
1981	1,023	-	-	-	2	55	139	196	255	194	129	53	-
1980	1,097	-	-	-	7	60	144	232	245	225	134	50	-
1979	1,061	-	-	-	3	62	138	214	246	222	134	42	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasms of corpus uteri and uterus, part unspecified (179,182)													
All races, both sexes													
1998	6,421	-	-	-	-	25	122	429	972	1,866	1,982	1,025	-
1997	6,189	-	-	-	1	31	119	382	961	1,804	1,867	1,023	1
1996	6,311	-	-	-	3	23	126	390	927	1,899	1,931	1,011	1
1995	6,237	-	-	-	3	18	118	415	902	1,898	1,892	991	-
1994	6,163	-	-	-	1	15	111	357	923	1,995	1,835	926	-
1993	6,098	-	-	-	2	21	117	348	926	1,929	1,893	861	1
1992	6,064	1	-	-	3	27	135	320	889	2,006	1,859	824	-
1991	5,925	-	-	-	2	25	136	299	910	2,001	1,733	819	-
1990	6,028	-	-	-	1	23	115	332	950	2,035	1,794	777	1
1989	5,850	-	-	-	3	25	106	319	941	1,996	1,697	763	-
1988	5,892	-	-	-	3	17	107	283	1,048	2,024	1,718	691	1
1987	5,894	-	-	-	2	33	95	302	1,003	2,049	1,720	690	-
1986	5,853	-	-	-	2	28	109	286	1,072	2,059	1,598	697	2
1985	5,959	-	-	-	2	22	100	323	1,192	2,042	1,599	679	-
1984	5,965	-	-	-	2	26	92	324	1,180	2,098	1,569	674	-
1983	6,017	-	-	2	4	16	88	310	1,255	2,050	1,603	689	-
1982	5,956	-	-	-	5	22	95	377	1,197	2,065	1,554	639	2
1981	5,883	1	1	2	6	27	99	359	1,251	2,002	1,501	634	-
1980	6,035	-	-	2	4	21	112	393	1,313	2,040	1,493	657	-
1979	5,775	-	-	-	3	22	101	410	1,291	1,954	1,444	549	1
Malignant neoplasms of corpus uteri and uterus, part unspecified (179,182)													
All races, female													
1998	6,421	-	-	-	-	25	122	429	972	1,866	1,982	1,025	-
1997	6,189	-	-	-	1	31	119	382	961	1,804	1,867	1,023	1
1996	6,311	-	-	-	3	23	126	390	927	1,899	1,931	1,011	1
1995	6,237	-	-	-	3	18	118	415	902	1,898	1,892	991	-
1994	6,163	-	-	-	1	15	111	357	923	1,995	1,835	926	-
1993	6,098	-	-	-	2	21	117	348	926	1,929	1,893	861	1
1992	6,064	1	-	-	3	27	135	320	889	2,006	1,859	824	-
1991	5,925	-	-	-	2	25	136	299	910	2,001	1,733	819	-
1990	6,028	-	-	-	1	23	115	332	950	2,035	1,794	777	1
1989	5,850	-	-	-	3	25	106	319	941	1,996	1,697	763	-
1988	5,892	-	-	-	3	17	107	283	1,048	2,024	1,718	691	1
1987	5,894	-	-	-	2	33	95	302	1,003	2,049	1,720	690	-
1986	5,853	-	-	-	2	28	109	286	1,072	2,059	1,598	697	2
1985	5,959	-	-	-	2	22	100	323	1,192	2,042	1,599	679	-
1984	5,965	-	-	-	2	26	92	324	1,180	2,098	1,569	674	-
1983	6,017	-	-	2	4	16	88	310	1,255	2,050	1,603	689	-
1982	5,956	-	-	-	5	22	95	377	1,197	2,065	1,554	639	2
1981	5,883	1	1	2	6	27	99	359	1,251	2,002	1,501	634	-
1980	6,035	-	-	2	4	21	112	393	1,313	2,040	1,493	657	-
1979	5,775	-	-	-	3	22	101	410	1,291	1,954	1,444	549	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasms of corpus uteri and uterus, part unspecified (179,182)													
White, both sexes													
1998	5,340	-	-	-	-	17	91	341	759	1,508	1,710	914	-
1997	5,160	-	-	-	-	27	92	315	755	1,454	1,614	903	-
1996	5,223	-	-	-	2	14	104	313	727	1,525	1,645	892	1
1995	5,293	-	-	-	3	17	97	354	703	1,567	1,668	884	-
1994	5,157	-	-	-	1	14	83	294	710	1,633	1,588	834	-
1993	5,081	-	-	-	1	13	90	281	731	1,550	1,643	772	-
1992	5,096	1	-	-	2	15	104	265	699	1,664	1,602	744	-
1991	4,943	-	-	-	1	16	107	248	701	1,636	1,508	726	-
1990	5,066	-	-	-	1	15	96	271	740	1,708	1,553	681	1
1989	4,911	-	-	-	2	16	82	259	759	1,656	1,450	687	-
1988	4,956	-	-	-	3	12	83	231	833	1,694	1,489	611	-
1987	5,002	-	-	-	2	23	77	244	815	1,749	1,482	610	-
1986	4,968	-	-	-	1	18	89	227	877	1,718	1,404	632	2
1985	5,091	-	-	-	1	18	79	268	990	1,727	1,397	611	-
1984	5,076	-	-	-	1	20	74	247	1,002	1,775	1,355	602	-
1983	5,187	-	-	2	3	11	67	256	1,056	1,752	1,407	633	-
1982	5,097	-	-	-	3	20	79	307	991	1,745	1,377	573	2
1981	5,075	1	1	2	4	20	75	293	1,045	1,706	1,345	583	-
1980	5,155	-	-	2	2	19	81	319	1,085	1,734	1,323	590	-
1979	4,942	-	-	-	1	16	81	340	1,061	1,652	1,281	509	1
Malignant neoplasms of corpus uteri and uterus, part unspecified (179,182)													
White, female													
1998	5,340	-	-	-	-	17	91	341	759	1,508	1,710	914	-
1997	5,160	-	-	-	-	27	92	315	755	1,454	1,614	903	-
1996	5,223	-	-	-	2	14	104	313	727	1,525	1,645	892	1
1995	5,293	-	-	-	3	17	97	354	703	1,567	1,668	884	-
1994	5,157	-	-	-	1	14	83	294	710	1,633	1,588	834	-
1993	5,081	-	-	-	1	13	90	281	731	1,550	1,643	772	-
1992	5,096	1	-	-	2	15	104	265	699	1,664	1,602	744	-
1991	4,943	-	-	-	1	16	107	248	701	1,636	1,508	726	-
1990	5,066	-	-	-	1	15	96	271	740	1,708	1,553	681	1
1989	4,911	-	-	-	2	16	82	259	759	1,656	1,450	687	-
1988	4,956	-	-	-	3	12	83	231	833	1,694	1,489	611	-
1987	5,002	-	-	-	2	23	77	244	815	1,749	1,482	610	-
1986	4,968	-	-	-	1	18	89	227	877	1,718	1,404	632	2
1985	5,091	-	-	-	1	18	79	268	990	1,727	1,397	611	-
1984	5,076	-	-	-	1	20	74	247	1,002	1,775	1,355	602	-
1983	5,187	-	-	2	3	11	67	256	1,056	1,752	1,407	633	-
1982	5,097	-	-	-	3	20	79	307	991	1,745	1,377	573	2
1981	5,075	1	1	2	4	20	75	293	1,045	1,706	1,345	583	-
1980	5,155	-	-	2	2	19	81	319	1,085	1,734	1,323	590	-
1979	4,942	-	-	-	1	16	81	340	1,061	1,652	1,281	509	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasms of corpus uteri and uterus, part unspecified (179,182)													
All other, both sexes													
1998	1,081	-	-	-	-	8	31	88	213	358	272	111	-
1997	1,029	-	-	-	1	4	27	67	206	350	253	120	1
1996	1,088	-	-	-	1	9	22	77	200	374	286	119	-
1995	944	-	-	-	-	1	21	61	199	331	224	107	-
1994	1,006	-	-	-	-	1	28	63	213	362	247	92	-
1993	1,017	-	-	-	1	8	27	67	195	379	250	89	1
1992	968	-	-	-	1	12	31	55	190	342	257	80	-
1991	982	-	-	-	1	9	29	51	209	365	225	93	-
1990	962	-	-	-	-	8	19	61	210	327	241	96	-
1989	939	-	-	-	1	9	24	60	182	340	247	76	-
1988	936	-	-	-	-	5	24	52	215	330	229	80	1
1987	892	-	-	-	-	10	18	58	188	300	238	80	-
1986	885	-	-	-	1	10	20	59	195	341	194	65	-
1985	868	-	-	-	1	4	21	55	202	315	202	68	-
1984	889	-	-	-	1	6	18	77	178	323	214	72	-
1983	830	-	-	-	1	5	21	54	199	298	196	56	-
1982	859	-	-	-	2	2	16	70	206	320	177	66	-
1981	808	-	-	-	2	7	24	66	206	296	156	51	-
1980	880	-	-	-	2	2	31	74	228	306	170	67	-
1979	833	-	-	-	2	6	20	70	230	302	163	40	-
Malignant neoplasms of corpus uteri and uterus, part unspecified (179,182)													
All other, female													
1998	1,081	-	-	-	-	8	31	88	213	358	272	111	-
1997	1,029	-	-	-	1	4	27	67	206	350	253	120	1
1996	1,088	-	-	-	1	9	22	77	200	374	286	119	-
1995	944	-	-	-	-	1	21	61	199	331	224	107	-
1994	1,006	-	-	-	-	1	28	63	213	362	247	92	-
1993	1,017	-	-	-	1	8	27	67	195	379	250	89	1
1992	968	-	-	-	1	12	31	55	190	342	257	80	-
1991	982	-	-	-	1	9	29	51	209	365	225	93	-
1990	962	-	-	-	-	8	19	61	210	327	241	96	-
1989	939	-	-	-	1	9	24	60	182	340	247	76	-
1988	936	-	-	-	-	5	24	52	215	330	229	80	1
1987	892	-	-	-	-	10	18	58	188	300	238	80	-
1986	885	-	-	-	1	10	20	59	195	341	194	65	-
1985	868	-	-	-	1	4	21	55	202	315	202	68	-
1984	889	-	-	-	1	6	18	77	178	323	214	72	-
1983	830	-	-	-	1	5	21	54	199	298	196	56	-
1982	859	-	-	-	2	2	16	70	206	320	177	66	-
1981	808	-	-	-	2	7	24	66	206	296	156	51	-
1980	880	-	-	-	2	2	31	74	228	306	170	67	-
1979	833	-	-	-	2	6	20	70	230	302	163	40	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Malignant neoplasms of corpus uteri and uterus, part unspecified (179,182)													
Black, both sexes													
1998	970	-	-	-	-	5	24	64	189	334	249	105	-
1997	935	-	-	-	1	4	19	51	183	329	235	112	1
1996	977	-	-	-	-	8	18	59	173	348	260	111	-
1995	864	-	-	-	-	1	15	50	173	310	215	100	-
1994	929	-	-	-	-	1	23	52	196	341	230	86	-
1993	942	-	-	-	1	7	20	57	176	354	240	86	1
1992	889	-	-	-	1	10	27	45	173	310	248	75	-
1991	913	-	-	-	1	8	23	42	185	350	214	90	-
1990	893	-	-	-	-	7	14	52	191	302	233	94	-
1989	869	-	-	-	1	7	19	51	168	314	235	74	-
1988	880	-	-	-	-	5	23	43	196	319	214	79	1
1987	841	-	-	-	-	8	17	51	171	282	233	79	-
1986	835	-	-	-	1	9	18	53	173	331	187	63	-
1985	826	-	-	-	-	4	18	48	191	301	198	66	-
1984	837	-	-	-	1	5	14	69	161	312	204	71	-
1983	786	-	-	-	1	5	16	48	184	290	187	55	-
1982	807	-	-	-	2	2	13	55	192	307	172	64	-
1981	770	-	-	-	1	7	20	61	193	290	151	47	-
1980	848	-	-	-	2	2	30	69	220	298	163	64	-
1979	794	-	-	-	2	6	19	63	216	291	158	39	-
Malignant neoplasms of corpus uteri and uterus, part unspecified (179,182)													
Black, female													
1998	970	-	-	-	-	5	24	64	189	334	249	105	-
1997	935	-	-	-	1	4	19	51	183	329	235	112	1
1996	977	-	-	-	-	8	18	59	173	348	260	111	-
1995	864	-	-	-	-	1	15	50	173	310	215	100	-
1994	929	-	-	-	-	1	23	52	196	341	230	86	-
1993	942	-	-	-	1	7	20	57	176	354	240	86	1
1992	889	-	-	-	1	10	27	45	173	310	248	75	-
1991	913	-	-	-	1	8	23	42	185	350	214	90	-
1990	893	-	-	-	-	7	14	52	191	302	233	94	-
1989	869	-	-	-	1	7	19	51	168	314	235	74	-
1988	880	-	-	-	-	5	23	43	196	319	214	79	1
1987	841	-	-	-	-	8	17	51	171	282	233	79	-
1986	835	-	-	-	1	9	18	53	173	331	187	63	-
1985	826	-	-	-	-	4	18	48	191	301	198	66	-
1984	837	-	-	-	1	5	14	69	161	312	204	71	-
1983	786	-	-	-	1	5	16	48	184	290	187	55	-
1982	807	-	-	-	2	2	13	55	192	307	172	64	-
1981	770	-	-	-	1	7	20	61	193	290	151	47	-
1980	848	-	-	-	2	2	30	69	220	298	163	64	-
1979	794	-	-	-	2	6	19	63	216	291	158	39	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasm of ovary (183.0)													
All races, both sexes													
1998	13,391	-	-	4	22	89	489	1,425	2,349	3,687	3,735	1,590	1
1997	13,507	1	1	4	16	118	479	1,479	2,252	3,835	3,755	1,567	-
1996	13,161	-	1	4	27	123	442	1,383	2,307	3,757	3,654	1,463	-
1995	13,342	-	-	4	21	115	481	1,384	2,355	3,938	3,585	1,458	1
1994	13,500	-	2	4	24	95	480	1,412	2,447	4,010	3,598	1,428	-
1993	12,870	-	-	5	24	81	486	1,337	2,329	3,830	3,448	1,330	-
1992	13,182	-	-	3	21	103	498	1,319	2,492	4,069	3,376	1,300	1
1991	13,028	-	1	1	31	113	486	1,264	2,559	4,046	3,277	1,250	-
1990	12,566	-	-	5	28	115	454	1,257	2,487	3,956	3,116	1,148	-
1989	12,256	-	-	3	32	124	435	1,218	2,575	3,861	2,974	1,034	-
1988	12,214	-	1	2	32	129	433	1,189	2,706	3,853	2,860	1,008	1
1987	11,838	-	-	5	27	106	426	1,222	2,697	3,639	2,791	925	-
1986	11,729	-	1	2	36	102	457	1,212	2,761	3,684	2,543	930	1
1985	11,357	-	-	4	39	95	403	1,246	2,782	3,477	2,547	764	-
1984	11,208	-	4	12	27	117	419	1,261	2,746	3,362	2,463	797	-
1983	11,216	1	5	10	47	108	378	1,315	2,803	3,432	2,332	782	3
1982	11,059	2	-	11	45	131	363	1,304	2,894	3,262	2,318	727	2
1981	10,858	1	-	7	48	99	387	1,389	2,900	3,162	2,223	639	3
1980	10,731	-	1	6	57	97	393	1,473	2,785	3,102	2,135	682	-
1979	10,565	-	1	10	55	105	416	1,574	2,685	3,117	2,023	578	1
Malignant neoplasm of ovary (183.0)													
All races, female													
1998	13,391	-	-	4	22	89	489	1,425	2,349	3,687	3,735	1,590	1
1997	13,507	1	1	4	16	118	479	1,479	2,252	3,835	3,755	1,567	-
1996	13,161	-	1	4	27	123	442	1,383	2,307	3,757	3,654	1,463	-
1995	13,342	-	-	4	21	115	481	1,384	2,355	3,938	3,585	1,458	1
1994	13,500	-	2	4	24	95	480	1,412	2,447	4,010	3,598	1,428	-
1993	12,870	-	-	5	24	81	486	1,337	2,329	3,830	3,448	1,330	-
1992	13,182	-	-	3	21	103	498	1,319	2,492	4,069	3,376	1,300	1
1991	13,028	-	1	1	31	113	486	1,264	2,559	4,046	3,277	1,250	-
1990	12,566	-	-	5	28	115	454	1,257	2,487	3,956	3,116	1,148	-
1989	12,256	-	-	3	32	124	435	1,218	2,575	3,861	2,974	1,034	-
1988	12,214	-	1	2	32	129	433	1,189	2,706	3,853	2,860	1,008	1
1987	11,838	-	-	5	27	106	426	1,222	2,697	3,639	2,791	925	-
1986	11,729	-	1	2	36	102	457	1,212	2,761	3,684	2,543	930	1
1985	11,357	-	-	4	39	95	403	1,246	2,782	3,477	2,547	764	-
1984	11,208	-	4	12	27	117	419	1,261	2,746	3,362	2,463	797	-
1983	11,216	1	5	10	47	108	378	1,315	2,803	3,432	2,332	782	3
1982	11,059	2	-	11	45	131	363	1,304	2,894	3,262	2,318	727	2
1981	10,858	1	-	7	48	99	387	1,389	2,900	3,162	2,223	639	3
1980	10,731	-	1	6	57	97	393	1,473	2,785	3,102	2,135	682	-
1979	10,565	-	1	10	55	105	416	1,574	2,685	3,117	2,023	578	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasm of ovary (183.0)													
White, both sexes													
1998	12,115	-	-	4	14	65	402	1,258	2,080	3,326	3,474	1,491	1
1997	12,181	1	1	2	14	100	390	1,300	2,030	3,427	3,471	1,445	-
1996	11,913	-	-	3	18	101	366	1,213	2,072	3,376	3,399	1,365	-
1995	12,169	-	-	4	17	99	412	1,233	2,121	3,626	3,290	1,366	1
1994	12,256	-	2	3	19	74	409	1,275	2,174	3,645	3,325	1,330	-
1993	11,680	-	-	5	18	64	422	1,189	2,090	3,480	3,185	1,227	-
1992	11,947	-	-	1	14	87	433	1,165	2,210	3,702	3,136	1,199	-
1991	11,810	-	1	-	25	90	403	1,113	2,325	3,672	3,032	1,149	-
1990	11,469	-	-	4	20	95	398	1,138	2,255	3,614	2,880	1,065	-
1989	11,228	-	-	2	27	106	367	1,096	2,354	3,544	2,772	960	-
1988	11,129	-	1	2	29	97	380	1,058	2,443	3,516	2,648	955	-
1987	10,843	-	-	3	22	84	372	1,096	2,464	3,344	2,598	860	-
1986	10,751	-	1	1	30	87	407	1,081	2,503	3,378	2,394	869	-
1985	10,410	-	-	3	30	81	350	1,121	2,520	3,192	2,383	730	-
1984	10,275	-	4	10	24	97	373	1,140	2,496	3,099	2,286	746	-
1983	10,279	1	5	10	32	83	326	1,170	2,556	3,189	2,174	730	3
1982	10,174	1	-	8	39	106	324	1,179	2,661	2,996	2,167	691	2
1981	9,988	1	-	5	36	77	339	1,270	2,662	2,925	2,062	608	3
1980	9,852	-	1	5	45	82	350	1,338	2,539	2,840	2,011	641	-
1979	9,716	-	1	7	39	87	369	1,413	2,454	2,858	1,935	552	1
Malignant neoplasm of ovary (183.0)													
White, female													
1998	12,115	-	-	4	14	65	402	1,258	2,080	3,326	3,474	1,491	1
1997	12,181	1	1	2	14	100	390	1,300	2,030	3,427	3,471	1,445	-
1996	11,913	-	-	3	18	101	366	1,213	2,072	3,376	3,399	1,365	-
1995	12,169	-	-	4	17	99	412	1,233	2,121	3,626	3,290	1,366	1
1994	12,256	-	2	3	19	74	409	1,275	2,174	3,645	3,325	1,330	-
1993	11,680	-	-	5	18	64	422	1,189	2,090	3,480	3,185	1,227	-
1992	11,947	-	-	1	14	87	433	1,165	2,210	3,702	3,136	1,199	-
1991	11,810	-	1	-	25	90	403	1,113	2,325	3,672	3,032	1,149	-
1990	11,469	-	-	4	20	95	398	1,138	2,255	3,614	2,880	1,065	-
1989	11,228	-	-	2	27	106	367	1,096	2,354	3,544	2,772	960	-
1988	11,129	-	1	2	29	97	380	1,058	2,443	3,516	2,648	955	-
1987	10,843	-	-	3	22	84	372	1,096	2,464	3,344	2,598	860	-
1986	10,751	-	1	1	30	87	407	1,081	2,503	3,378	2,394	869	-
1985	10,410	-	-	3	30	81	350	1,121	2,520	3,192	2,383	730	-
1984	10,275	-	4	10	24	97	373	1,140	2,496	3,099	2,286	746	-
1983	10,279	1	5	10	32	83	326	1,170	2,556	3,189	2,174	730	3
1982	10,174	1	-	8	39	106	324	1,179	2,661	2,996	2,167	691	2
1981	9,988	1	-	5	36	77	339	1,270	2,662	2,925	2,062	608	3
1980	9,852	-	1	5	45	82	350	1,338	2,539	2,840	2,011	641	-
1979	9,716	-	1	7	39	87	369	1,413	2,454	2,858	1,935	552	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasm of ovary (183.0)													
All other, both sexes													
1998	1,276	-	-	-	8	24	87	167	269	361	261	99	-
1997	1,326	-	-	2	2	18	89	179	222	408	284	122	-
1996	1,248	-	1	1	9	22	76	170	235	381	255	98	-
1995	1,173	-	-	-	4	16	69	151	234	312	295	92	-
1994	1,244	-	-	1	5	21	71	137	273	365	273	98	-
1993	1,190	-	-	-	6	17	64	148	239	350	263	103	-
1992	1,235	-	-	2	7	16	65	154	282	367	240	101	1
1991	1,218	-	-	1	6	23	83	151	234	374	245	101	-
1990	1,097	-	-	1	8	20	56	119	232	342	236	83	-
1989	1,028	-	-	1	5	18	68	122	221	317	202	74	-
1988	1,085	-	-	-	3	32	53	131	263	337	212	53	1
1987	995	-	-	2	5	22	54	126	233	295	193	65	-
1986	978	-	-	1	6	15	50	131	258	306	149	61	1
1985	947	-	-	1	9	14	53	125	262	285	164	34	-
1984	933	-	-	2	3	20	46	121	250	263	177	51	-
1983	937	-	-	-	15	25	52	145	247	243	158	52	-
1982	885	1	-	3	6	25	39	125	233	266	151	36	-
1981	870	-	-	2	12	22	48	119	238	237	161	31	-
1980	879	-	-	1	12	15	43	135	246	262	124	41	-
1979	849	-	-	3	16	18	47	161	231	259	88	26	-
Malignant neoplasm of ovary (183.0)													
All other, female													
1998	1,276	-	-	-	8	24	87	167	269	361	261	99	-
1997	1,326	-	-	2	2	18	89	179	222	408	284	122	-
1996	1,248	-	1	1	9	22	76	170	235	381	255	98	-
1995	1,173	-	-	-	4	16	69	151	234	312	295	92	-
1994	1,244	-	-	1	5	21	71	137	273	365	273	98	-
1993	1,190	-	-	-	6	17	64	148	239	350	263	103	-
1992	1,235	-	-	2	7	16	65	154	282	367	240	101	1
1991	1,218	-	-	1	6	23	83	151	234	374	245	101	-
1990	1,097	-	-	1	8	20	56	119	232	342	236	83	-
1989	1,028	-	-	1	5	18	68	122	221	317	202	74	-
1988	1,085	-	-	-	3	32	53	131	263	337	212	53	1
1987	995	-	-	2	5	22	54	126	233	295	193	65	-
1986	978	-	-	1	6	15	50	131	258	306	149	61	1
1985	947	-	-	1	9	14	53	125	262	285	164	34	-
1984	933	-	-	2	3	20	46	121	250	263	177	51	-
1983	937	-	-	-	15	25	52	145	247	243	158	52	-
1982	885	1	-	3	6	25	39	125	233	266	151	36	-
1981	870	-	-	2	12	22	48	119	238	237	161	31	-
1980	879	-	-	1	12	15	43	135	246	262	124	41	-
1979	849	-	-	3	16	18	47	161	231	259	88	26	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasm of ovary (183.0)													
Black, both sexes													
1998	1,068	-	-	-	8	21	72	126	214	304	232	91	-
1997	1,117	-	-	2	1	16	65	144	182	352	244	111	-
1996	1,011	-	1	1	7	14	55	108	183	331	224	87	-
1995	992	-	-	-	4	13	54	105	188	283	263	82	-
1994	1,034	-	-	-	5	14	53	101	214	316	236	95	-
1993	1,000	-	-	-	5	12	48	103	186	310	238	98	-
1992	1,043	-	-	2	5	10	53	115	227	312	220	98	1
1991	1,045	-	-	1	5	18	62	112	190	335	230	92	-
1990	959	-	-	-	5	15	44	98	204	297	222	74	-
1989	890	-	-	1	2	13	52	105	177	285	187	68	-
1988	938	-	-	-	3	25	39	106	223	299	194	48	1
1987	880	-	-	2	4	17	40	108	202	272	177	58	-
1986	855	-	-	1	5	9	37	109	221	278	138	56	1
1985	834	-	-	1	7	12	35	107	227	264	148	33	-
1984	834	-	-	2	3	17	35	105	221	242	163	46	-
1983	837	-	-	-	13	20	42	118	224	225	147	48	-
1982	804	-	-	2	6	23	31	99	209	257	143	34	-
1981	775	-	-	2	11	17	37	88	220	221	153	26	-
1980	817	-	-	1	11	14	37	115	230	251	119	39	-
1979	782	-	-	2	15	15	41	134	214	251	85	25	-
Malignant neoplasm of ovary (183.0)													
Black, female													
1998	1,068	-	-	-	8	21	72	126	214	304	232	91	-
1997	1,117	-	-	2	1	16	65	144	182	352	244	111	-
1996	1,011	-	1	1	7	14	55	108	183	331	224	87	-
1995	992	-	-	-	4	13	54	105	188	283	263	82	-
1994	1,034	-	-	-	5	14	53	101	214	316	236	95	-
1993	1,000	-	-	-	5	12	48	103	186	310	238	98	-
1992	1,043	-	-	2	5	10	53	115	227	312	220	98	1
1991	1,045	-	-	1	5	18	62	112	190	335	230	92	-
1990	959	-	-	-	5	15	44	98	204	297	222	74	-
1989	890	-	-	1	2	13	52	105	177	285	187	68	-
1988	938	-	-	-	3	25	39	106	223	299	194	48	1
1987	880	-	-	2	4	17	40	108	202	272	177	58	-
1986	855	-	-	1	5	9	37	109	221	278	138	56	1
1985	834	-	-	1	7	12	35	107	227	264	148	33	-
1984	834	-	-	2	3	17	35	105	221	242	163	46	-
1983	837	-	-	-	13	20	42	118	224	225	147	48	-
1982	804	-	-	2	6	23	31	99	209	257	143	34	-
1981	775	-	-	2	11	17	37	88	220	221	153	26	-
1980	817	-	-	1	11	14	37	115	230	251	119	39	-
1979	782	-	-	2	15	15	41	134	214	251	85	25	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasm of prostate (185)													
All races, both sexes													
1998	32,203	-	-	-	-	5	37	373	2,102	7,563	13,800	8,323	-
1997	32,891	-	1	-	2	7	34	364	2,061	8,071	13,864	8,485	2
1996	34,123	-	-	-	2	1	32	383	2,182	8,904	14,361	8,257	1
1995	34,475	-	-	-	5	3	36	330	2,297	9,082	14,394	8,328	-
1994	34,902	-	-	2	-	4	24	370	2,328	9,461	14,678	8,034	1
1993	34,865	-	-	-	2	3	28	316	2,423	9,628	14,539	7,926	-
1992	34,240	-	-	1	3	5	27	309	2,574	9,833	14,184	7,302	2
1991	33,564	-	-	1	3	3	24	317	2,589	9,717	14,062	6,847	1
1990	32,378	2	-	-	1	4	20	304	2,725	9,698	13,346	6,276	2
1989	30,520	-	1	-	2	2	26	299	2,678	9,120	12,496	5,895	1
1988	28,982	2	-	1	2	5	17	311	2,527	8,812	11,870	5,433	2
1987	27,864	-	1	-	3	6	21	284	2,441	8,609	11,256	5,242	1
1986	27,262	-	3	1	4	3	15	281	2,568	8,498	10,914	4,974	1
1985	25,943	-	-	2	3	3	18	294	2,473	8,015	10,493	4,639	3
1984	25,407	-	1	3	4	4	20	267	2,480	7,765	10,038	4,817	8
1983	24,959	1	2	2	1	3	24	304	2,460	7,759	9,873	4,525	5
1982	24,021	-	1	2	1	3	20	286	2,395	7,421	9,526	4,358	8
1981	23,370	-	-	3	3	4	20	315	2,328	7,323	9,108	4,266	-
1980	22,881	-	-	-	3	4	15	308	2,306	7,164	8,945	4,135	1
1979	22,240	-	-	2	7	-	6	283	2,214	7,028	8,799	3,900	1
Malignant neoplasm of prostate (185)													
All races, male													
1998	32,203	-	-	-	-	5	37	373	2,102	7,563	13,800	8,323	-
1997	32,891	-	1	-	2	7	34	364	2,061	8,071	13,864	8,485	2
1996	34,123	-	-	-	2	1	32	383	2,182	8,904	14,361	8,257	1
1995	34,475	-	-	-	5	3	36	330	2,297	9,082	14,394	8,328	-
1994	34,902	-	-	2	-	4	24	370	2,328	9,461	14,678	8,034	1
1993	34,865	-	-	-	2	3	28	316	2,423	9,628	14,539	7,926	-
1992	34,240	-	-	1	3	5	27	309	2,574	9,833	14,184	7,302	2
1991	33,564	-	-	1	3	3	24	317	2,589	9,717	14,062	6,847	1
1990	32,378	2	-	-	1	4	20	304	2,725	9,698	13,346	6,276	2
1989	30,520	-	1	-	2	2	26	299	2,678	9,120	12,496	5,895	1
1988	28,982	2	-	1	2	5	17	311	2,527	8,812	11,870	5,433	2
1987	27,864	-	1	-	3	6	21	284	2,441	8,609	11,256	5,242	1
1986	27,262	-	3	1	4	3	15	281	2,568	8,498	10,914	4,974	1
1985	25,943	-	-	2	3	3	18	294	2,473	8,015	10,493	4,639	3
1984	25,407	-	1	3	4	4	20	267	2,480	7,765	10,038	4,817	8
1983	24,959	1	2	2	1	3	24	304	2,460	7,759	9,873	4,525	5
1982	24,021	-	1	2	1	3	20	286	2,395	7,421	9,526	4,358	8
1981	23,370	-	-	3	3	4	20	315	2,328	7,323	9,108	4,266	-
1980	22,881	-	-	-	3	4	15	308	2,306	7,164	8,945	4,135	1
1979	22,240	-	-	2	7	-	6	283	2,214	7,028	8,799	3,900	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasm of prostate (185)													
White, both sexes													
1998	26,416	-	-	-	-	4	27	257	1,537	5,984	11,524	7,083	-
1997	27,052	-	1	-	2	5	22	265	1,510	6,362	11,688	7,196	1
1996	28,021	-	-	-	2	-	26	281	1,621	7,079	11,964	7,048	-
1995	28,495	-	-	-	5	2	24	251	1,713	7,215	12,140	7,145	-
1994	28,912	-	-	2	-	4	15	276	1,770	7,518	12,395	6,932	-
1993	28,847	-	-	-	2	3	19	224	1,835	7,754	12,260	6,750	-
1992	28,430	-	-	1	2	3	19	216	1,956	7,955	12,033	6,243	2
1991	27,971	-	-	1	2	2	20	233	2,015	7,901	11,883	5,914	-
1990	26,917	1	-	-	1	3	15	239	2,109	7,949	11,238	5,360	2
1989	25,469	-	1	-	1	1	24	216	2,120	7,449	10,547	5,110	-
1988	24,176	-	-	1	2	4	13	229	1,977	7,250	10,016	4,683	1
1987	23,169	-	1	-	2	6	18	216	1,912	7,023	9,462	4,529	-
1986	22,708	-	3	1	4	3	11	201	2,049	6,902	9,222	4,311	1
1985	21,472	-	-	1	3	3	13	197	1,939	6,522	8,809	3,983	2
1984	21,104	-	1	3	3	3	14	200	1,956	6,298	8,429	4,193	4
1983	20,787	1	2	2	1	2	21	227	1,929	6,313	8,292	3,994	3
1982	20,065	-	1	2	1	3	12	219	1,890	6,041	8,081	3,812	3
1981	19,405	-	-	2	3	3	16	233	1,811	5,887	7,725	3,725	-
1980	19,096	-	-	-	2	3	11	231	1,828	5,774	7,625	3,621	1
1979	18,654	-	-	2	6	-	3	207	1,743	5,701	7,518	3,474	-
Malignant neoplasm of prostate (185)													
White, male													
1998	26,416	-	-	-	-	4	27	257	1,537	5,984	11,524	7,083	-
1997	27,052	-	1	-	2	5	22	265	1,510	6,362	11,688	7,196	1
1996	28,021	-	-	-	2	-	26	281	1,621	7,079	11,964	7,048	-
1995	28,495	-	-	-	5	2	24	251	1,713	7,215	12,140	7,145	-
1994	28,912	-	-	2	-	4	15	276	1,770	7,518	12,395	6,932	-
1993	28,847	-	-	-	2	3	19	224	1,835	7,754	12,260	6,750	-
1992	28,430	-	-	1	2	3	19	216	1,956	7,955	12,033	6,243	2
1991	27,971	-	-	1	2	2	20	233	2,015	7,901	11,883	5,914	-
1990	26,917	1	-	-	1	3	15	239	2,109	7,949	11,238	5,360	2
1989	25,469	-	1	-	1	1	24	216	2,120	7,449	10,547	5,110	-
1988	24,176	-	-	1	2	4	13	229	1,977	7,250	10,016	4,683	1
1987	23,169	-	1	-	2	6	18	216	1,912	7,023	9,462	4,529	-
1986	22,708	-	3	1	4	3	11	201	2,049	6,902	9,222	4,311	1
1985	21,472	-	-	1	3	3	13	197	1,939	6,522	8,809	3,983	2
1984	21,104	-	1	3	3	3	14	200	1,956	6,298	8,429	4,193	4
1983	20,787	1	2	2	1	2	21	227	1,929	6,313	8,292	3,994	3
1982	20,065	-	1	2	1	3	12	219	1,890	6,041	8,081	3,812	3
1981	19,405	-	-	2	3	3	16	233	1,811	5,887	7,725	3,725	-
1980	19,096	-	-	-	2	3	11	231	1,828	5,774	7,625	3,621	1
1979	18,654	-	-	2	6	-	3	207	1,743	5,701	7,518	3,474	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasm of prostate (185)													
All other, both sexes													
1998	5,787	-	-	-	-	1	10	116	565	1,579	2,276	1,240	-
1997	5,839	-	-	-	-	2	12	99	551	1,709	2,176	1,289	1
1996	6,102	-	-	-	-	1	6	102	561	1,825	2,397	1,209	1
1995	5,980	-	-	-	-	1	12	79	584	1,867	2,254	1,183	-
1994	5,990	-	-	-	-	-	9	94	558	1,943	2,283	1,102	1
1993	6,018	-	-	-	-	-	9	92	588	1,874	2,279	1,176	-
1992	5,810	-	-	-	1	2	8	93	618	1,878	2,151	1,059	-
1991	5,593	-	-	-	1	1	4	84	574	1,816	2,179	933	1
1990	5,461	1	-	-	-	1	5	65	616	1,749	2,108	916	-
1989	5,051	-	-	-	1	1	2	83	558	1,671	1,949	785	1
1988	4,806	2	-	-	-	1	4	82	550	1,562	1,854	750	1
1987	4,695	-	-	-	1	-	3	68	529	1,586	1,794	713	1
1986	4,554	-	-	-	-	-	4	80	519	1,596	1,692	663	-
1985	4,471	-	-	1	-	-	5	97	534	1,493	1,684	656	1
1984	4,303	-	-	-	1	1	6	67	524	1,467	1,609	624	4
1983	4,172	-	-	-	-	1	3	77	531	1,446	1,581	531	2
1982	3,956	-	-	-	-	-	8	67	505	1,380	1,445	546	5
1981	3,965	-	-	1	-	1	4	82	517	1,436	1,383	541	-
1980	3,785	-	-	-	1	1	4	77	478	1,390	1,320	514	-
1979	3,586	-	-	-	1	-	3	76	471	1,327	1,281	426	1
Malignant neoplasm of prostate (185)													
All other, male													
1998	5,787	-	-	-	-	1	10	116	565	1,579	2,276	1,240	-
1997	5,839	-	-	-	-	2	12	99	551	1,709	2,176	1,289	1
1996	6,102	-	-	-	-	1	6	102	561	1,825	2,397	1,209	1
1995	5,980	-	-	-	-	1	12	79	584	1,867	2,254	1,183	-
1994	5,990	-	-	-	-	-	9	94	558	1,943	2,283	1,102	1
1993	6,018	-	-	-	-	-	9	92	588	1,874	2,279	1,176	-
1992	5,810	-	-	-	1	2	8	93	618	1,878	2,151	1,059	-
1991	5,593	-	-	-	1	1	4	84	574	1,816	2,179	933	1
1990	5,461	1	-	-	-	1	5	65	616	1,749	2,108	916	-
1989	5,051	-	-	-	1	1	2	83	558	1,671	1,949	785	1
1988	4,806	2	-	-	-	1	4	82	550	1,562	1,854	750	1
1987	4,695	-	-	-	1	-	3	68	529	1,586	1,794	713	1
1986	4,554	-	-	-	-	-	4	80	519	1,596	1,692	663	-
1985	4,471	-	-	1	-	-	5	97	534	1,493	1,684	656	1
1984	4,303	-	-	-	1	1	6	67	524	1,467	1,609	624	4
1983	4,172	-	-	-	-	1	3	77	531	1,446	1,581	531	2
1982	3,956	-	-	-	-	-	8	67	505	1,380	1,445	546	5
1981	3,965	-	-	1	-	1	4	82	517	1,436	1,383	541	-
1980	3,785	-	-	-	1	1	4	77	478	1,390	1,320	514	-
1979	3,586	-	-	-	1	-	3	76	471	1,327	1,281	426	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasm of prostate (185)													
Black, both sexes													
1998	5,436	-	-	-	-	1	9	111	533	1,506	2,128	1,148	-
1997	5,466	-	-	-	-	2	11	96	528	1,620	2,028	1,180	1
1996	5,717	-	-	-	-	1	4	96	528	1,720	2,264	1,103	1
1995	5,592	-	-	-	-	1	12	76	557	1,768	2,096	1,082	-
1994	5,650	-	-	-	-	-	9	93	534	1,849	2,146	1,018	1
1993	5,656	-	-	-	-	-	8	84	561	1,799	2,117	1,087	-
1992	5,485	-	-	-	1	1	8	89	600	1,785	2,021	980	-
1991	5,299	-	-	-	1	1	4	80	548	1,741	2,072	851	1
1990	5,181	1	-	-	-	1	5	60	595	1,669	1,985	865	-
1989	4,785	-	-	-	1	1	2	80	537	1,604	1,831	728	1
1988	4,582	2	-	-	-	-	4	80	529	1,504	1,765	697	1
1987	4,488	-	-	-	1	-	3	64	519	1,521	1,702	677	1
1986	4,358	-	-	-	-	-	4	78	498	1,551	1,608	619	-
1985	4,273	-	-	1	-	-	5	92	521	1,443	1,596	614	1
1984	4,130	-	-	-	1	1	6	67	511	1,418	1,525	597	4
1983	4,040	-	-	-	-	1	3	75	521	1,407	1,527	505	1
1982	3,811	-	-	-	-	-	8	66	489	1,338	1,385	520	5
1981	3,839	-	-	1	-	1	4	81	507	1,396	1,332	517	-
1980	3,670	-	-	-	1	1	4	74	469	1,353	1,275	493	-
1979	3,478	-	-	-	1	-	3	76	466	1,290	1,233	408	1
Malignant neoplasm of prostate (185)													
Black, male													
1998	5,436	-	-	-	-	1	9	111	533	1,506	2,128	1,148	-
1997	5,466	-	-	-	-	2	11	96	528	1,620	2,028	1,180	1
1996	5,717	-	-	-	-	1	4	96	528	1,720	2,264	1,103	1
1995	5,592	-	-	-	-	1	12	76	557	1,768	2,096	1,082	-
1994	5,650	-	-	-	-	-	9	93	534	1,849	2,146	1,018	1
1993	5,656	-	-	-	-	-	8	84	561	1,799	2,117	1,087	-
1992	5,485	-	-	-	1	1	8	89	600	1,785	2,021	980	-
1991	5,299	-	-	-	1	1	4	80	548	1,741	2,072	851	1
1990	5,181	1	-	-	-	1	5	60	595	1,669	1,985	865	-
1989	4,785	-	-	-	1	1	2	80	537	1,604	1,831	728	1
1988	4,582	2	-	-	-	-	4	80	529	1,504	1,765	697	1
1987	4,488	-	-	-	1	-	3	64	519	1,521	1,702	677	1
1986	4,358	-	-	-	-	-	4	78	498	1,551	1,608	619	-
1985	4,273	-	-	1	-	-	5	92	521	1,443	1,596	614	1
1984	4,130	-	-	-	1	1	6	67	511	1,418	1,525	597	4
1983	4,040	-	-	-	-	1	3	75	521	1,407	1,527	505	1
1982	3,811	-	-	-	-	-	8	66	489	1,338	1,385	520	5
1981	3,839	-	-	1	-	1	4	81	507	1,396	1,332	517	-
1980	3,670	-	-	-	1	1	4	74	469	1,353	1,275	493	-
1979	3,478	-	-	-	1	-	3	76	466	1,290	1,233	408	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	15-24 25-34 35-44 45-54 55-64 65-74 75-84 85 + years												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	years	years	years	years	years	years	years	years	
Malignant neoplasms of kidney and renal pelvis (189.0,189.1)													
All races, both sexes													
1998	11,484	3	21	34	24	65	365	1,207	2,137	3,286	3,080	1,262	-
1997	11,294	6	18	32	18	54	336	1,199	2,098	3,256	3,020	1,257	-
1996	11,095	4	13	26	27	68	345	1,143	2,095	3,298	2,923	1,153	-
1995	11,083	3	23	26	24	58	339	1,135	2,109	3,212	2,971	1,183	-
1994	10,750	2	17	29	19	61	322	1,082	2,057	3,280	2,798	1,082	1
1993	10,322	5	15	28	17	76	324	1,070	1,975	3,238	2,639	935	-
1992	10,429	2	15	34	18	61	309	1,029	2,065	3,174	2,719	1,001	2
1991	10,270	2	14	37	22	61	337	944	2,125	3,174	2,618	936	-
1990	9,843	-	20	32	24	81	293	936	2,024	3,111	2,484	838	-
1989	9,638	5	21	32	20	63	305	923	2,029	3,025	2,415	800	-
1988	9,203	5	20	39	29	74	298	885	1,986	2,894	2,231	742	-
1987	9,332	2	15	34	20	58	285	885	2,134	2,918	2,259	722	-
1986	8,987	4	19	43	25	76	282	870	2,103	2,730	2,160	674	1
1985	8,660	9	17	36	19	56	310	843	2,039	2,669	2,031	631	-
1984	8,411	2	19	29	25	72	263	841	1,958	2,639	1,938	625	-
1983	8,228	4	36	39	35	64	224	815	2,010	2,571	1,811	618	1
1982	8,084	3	22	43	35	76	227	853	1,925	2,534	1,801	565	-
1981	7,702	4	32	39	31	85	233	817	1,894	2,343	1,699	525	-
1980	7,537	9	22	42	34	72	203	861	1,916	2,359	1,565	454	-
1979	7,284	6	29	54	36	54	210	868	1,875	2,219	1,486	447	-
Malignant neoplasms of kidney and renal pelvis (189.0,189.1)													
All races, male													
1998	7,095	2	9	11	16	42	252	865	1,464	2,132	1,753	549	-
1997	6,914	3	7	17	9	31	219	818	1,419	2,098	1,728	565	-
1996	6,798	1	8	15	11	39	243	802	1,433	2,095	1,638	513	-
1995	6,639	1	8	8	11	29	222	795	1,397	1,985	1,680	503	-
1994	6,522	1	9	14	14	35	204	760	1,396	2,029	1,546	513	1
1993	6,358	3	8	14	10	48	226	752	1,346	2,079	1,452	420	-
1992	6,351	2	6	17	8	40	210	722	1,403	2,021	1,487	433	2
1991	6,179	2	11	15	13	35	230	649	1,379	2,004	1,431	410	-
1990	6,054	-	8	17	6	43	200	651	1,398	1,943	1,424	364	-
1989	5,879	3	8	17	8	35	208	635	1,364	1,895	1,350	356	-
1988	5,615	3	8	20	16	48	206	617	1,308	1,818	1,248	323	-
1987	5,704	-	8	16	7	33	201	614	1,452	1,794	1,260	319	-
1986	5,410	2	10	18	11	39	180	597	1,376	1,701	1,166	310	-
1985	5,288	5	8	13	8	33	198	591	1,357	1,648	1,149	278	-
1984	5,201	1	9	11	14	39	176	591	1,321	1,681	1,064	294	-
1983	5,033	2	17	17	20	40	148	554	1,340	1,619	1,005	270	1
1982	5,013	2	13	24	16	45	152	599	1,293	1,583	1,021	265	-
1981	4,728	3	20	19	14	49	159	563	1,304	1,416	943	238	-
1980	4,751	4	14	13	18	44	142	601	1,301	1,491	900	223	-
1979	4,550	4	21	16	19	26	138	612	1,260	1,416	823	215	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	15-24 25-34 35-44 45-54 55-64 65-74 75-84 85 + years												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	years	years	years	years	years	years	years	years	
Malignant neoplasms of kidney and renal pelvis (189.0,189.1)													
All races, female													
1998	4,389	1	12	23	8	23	113	342	673	1,154	1,327	713	-
1997	4,380	3	11	15	9	23	117	381	679	1,158	1,292	692	-
1996	4,297	3	5	11	16	29	102	341	662	1,203	1,285	640	-
1995	4,444	2	15	18	13	29	117	340	712	1,227	1,291	680	-
1994	4,228	1	8	15	5	26	118	322	661	1,251	1,252	569	-
1993	3,964	2	7	14	7	28	98	318	629	1,159	1,187	515	-
1992	4,078	-	9	17	10	21	99	307	662	1,153	1,232	568	-
1991	4,091	-	3	22	9	26	107	295	746	1,170	1,187	526	-
1990	3,789	-	12	15	18	38	93	285	626	1,168	1,060	474	-
1989	3,759	2	13	15	12	28	97	288	665	1,130	1,065	444	-
1988	3,588	2	12	19	13	26	92	268	678	1,076	983	419	-
1987	3,628	2	7	18	13	25	84	271	682	1,124	999	403	-
1986	3,577	2	9	25	14	37	102	273	727	1,029	994	364	1
1985	3,372	4	9	23	11	23	112	252	682	1,021	882	353	-
1984	3,210	1	10	18	11	33	87	250	637	958	874	331	-
1983	3,195	2	19	22	15	24	76	261	670	952	806	348	-
1982	3,071	1	9	19	19	31	75	254	632	951	780	300	-
1981	2,974	1	12	20	17	36	74	254	590	927	756	287	-
1980	2,786	5	8	29	16	28	61	260	615	868	665	231	-
1979	2,734	2	8	38	17	28	72	256	615	803	663	232	-
Malignant neoplasms of kidney and renal pelvis (189.0,189.1)													
White, both sexes													
1998	10,286	3	15	26	13	40	289	1,031	1,905	2,959	2,837	1,168	-
1997	10,069	6	11	22	11	28	267	1,045	1,830	2,914	2,767	1,168	-
1996	9,946	4	11	18	14	39	280	982	1,871	2,987	2,678	1,062	-
1995	9,927	2	17	20	13	43	273	985	1,841	2,914	2,736	1,083	-
1994	9,637	2	13	25	13	38	256	932	1,826	2,950	2,586	995	1
1993	9,280	3	10	19	11	48	265	926	1,772	2,917	2,423	886	-
1992	9,441	2	9	26	10	41	248	901	1,858	2,890	2,524	930	2
1991	9,220	1	12	30	11	38	267	826	1,916	2,843	2,405	871	-
1990	8,854	-	17	27	13	45	239	806	1,795	2,823	2,310	779	-
1989	8,712	4	16	26	13	41	252	803	1,820	2,756	2,243	738	-
1988	8,334	4	15	29	19	45	245	775	1,795	2,639	2,067	701	-
1987	8,515	2	15	25	14	45	241	772	1,930	2,691	2,102	678	-
1986	8,165	4	12	34	13	48	220	768	1,903	2,518	2,008	636	1
1985	7,833	4	8	27	9	40	258	744	1,844	2,439	1,862	598	-
1984	7,663	2	18	20	16	51	215	731	1,762	2,450	1,812	586	-
1983	7,533	1	29	30	20	41	193	732	1,819	2,374	1,711	583	-
1982	7,364	2	18	31	22	53	195	751	1,751	2,314	1,687	540	-
1981	7,034	2	23	34	16	64	197	727	1,711	2,158	1,600	502	-
1980	6,934	8	15	35	24	56	182	772	1,741	2,195	1,469	437	-
1979	6,692	6	22	39	21	42	172	770	1,718	2,073	1,404	425	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	15-24 25-34 35-44 45-54 55-64 65-74 75-84 85 + years												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	years	years	years	years	years	years	years	years	
Malignant neoplasms of kidney and renal pelvis (189.0,189.1)													
White, male													
1998	6,337	2	5	7	8	25	204	737	1,307	1,916	1,614	512	-
1997	6,150	3	4	11	5	14	170	710	1,239	1,882	1,595	517	-
1996	6,110	1	6	11	4	18	207	689	1,286	1,906	1,508	474	-
1995	5,974	-	5	5	4	24	184	696	1,218	1,814	1,562	462	-
1994	5,844	1	7	12	9	23	168	652	1,247	1,820	1,434	470	1
1993	5,738	1	7	10	5	32	188	658	1,210	1,892	1,341	394	-
1992	5,735	2	6	13	5	28	175	625	1,261	1,825	1,386	407	2
1991	5,552	1	9	11	6	18	178	575	1,242	1,810	1,318	384	-
1990	5,449	-	7	13	4	27	167	564	1,247	1,757	1,327	336	-
1989	5,314	3	6	14	6	22	176	562	1,235	1,718	1,246	326	-
1988	5,069	2	6	12	9	31	169	546	1,192	1,654	1,146	302	-
1987	5,192	-	8	15	4	27	171	544	1,314	1,642	1,174	293	-
1986	4,927	2	7	13	5	26	141	535	1,250	1,577	1,079	292	-
1985	4,760	3	4	9	4	23	165	517	1,227	1,501	1,048	259	-
1984	4,748	1	9	8	8	28	150	524	1,187	1,562	991	280	-
1983	4,600	-	14	11	10	26	126	503	1,208	1,502	947	253	-
1982	4,580	1	11	15	11	33	135	533	1,184	1,444	959	254	-
1981	4,307	2	16	18	6	34	133	506	1,169	1,302	897	224	-
1980	4,370	3	11	13	12	33	128	535	1,175	1,391	853	216	-
1979	4,191	4	17	10	11	23	116	547	1,157	1,318	785	203	-
Malignant neoplasms of kidney and renal pelvis (189.0,189.1)													
White, female													
1998	3,949	1	10	19	5	15	85	294	598	1,043	1,223	656	-
1997	3,919	3	7	11	6	14	97	335	591	1,032	1,172	651	-
1996	3,836	3	5	7	10	21	73	293	585	1,081	1,170	588	-
1995	3,953	2	12	15	9	19	89	289	623	1,100	1,174	621	-
1994	3,793	1	6	13	4	15	88	280	579	1,130	1,152	525	-
1993	3,542	2	3	9	6	16	77	268	562	1,025	1,082	492	-
1992	3,706	-	3	13	5	13	73	276	597	1,065	1,138	523	-
1991	3,668	-	3	19	5	20	89	251	674	1,033	1,087	487	-
1990	3,405	-	10	14	9	18	72	242	548	1,066	983	443	-
1989	3,398	1	10	12	7	19	76	241	585	1,038	997	412	-
1988	3,265	2	9	17	10	14	76	229	603	985	921	399	-
1987	3,323	2	7	10	10	18	70	228	616	1,049	928	385	-
1986	3,238	2	5	21	8	22	79	233	653	941	929	344	1
1985	3,073	1	4	18	5	17	93	227	617	938	814	339	-
1984	2,915	1	9	12	8	23	65	207	575	888	821	306	-
1983	2,933	1	15	19	10	15	67	229	611	872	764	330	-
1982	2,784	1	7	16	11	20	60	218	567	870	728	286	-
1981	2,727	-	7	16	10	30	64	221	542	856	703	278	-
1980	2,564	5	4	22	12	23	54	237	566	804	616	221	-
1979	2,501	2	5	29	10	19	56	223	561	755	619	222	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Malignant neoplasms of kidney and renal pelvis (189.0,189.1)													
All other, both sexes													
1998	1,198	-	6	8	11	25	76	176	232	327	243	94	-
1997	1,225	-	7	10	7	26	69	154	268	342	253	89	-
1996	1,149	-	2	8	13	29	65	161	224	311	245	91	-
1995	1,156	1	6	6	11	15	66	150	268	298	235	100	-
1994	1,113	-	4	4	6	23	66	150	231	330	212	87	-
1993	1,042	2	5	9	6	28	59	144	203	321	216	49	-
1992	988	-	6	8	8	20	61	128	207	284	195	71	-
1991	1,050	1	2	7	11	23	70	118	209	331	213	65	-
1990	989	-	3	5	11	36	54	130	229	288	174	59	-
1989	926	1	5	6	7	22	53	120	209	269	172	62	-
1988	869	1	5	10	10	29	53	110	191	255	164	41	-
1987	817	-	-	9	6	13	44	113	204	227	157	44	-
1986	822	-	7	9	12	28	62	102	200	212	152	38	-
1985	827	5	9	9	10	16	52	99	195	230	169	33	-
1984	748	-	1	9	9	21	48	110	196	189	126	39	-
1983	695	3	7	9	15	23	31	83	191	197	100	35	1
1982	720	1	4	12	13	23	32	102	174	220	114	25	-
1981	668	2	9	5	15	21	36	90	183	185	99	23	-
1980	603	1	7	7	10	16	21	89	175	164	96	17	-
1979	592	-	7	15	15	12	38	98	157	146	82	22	-
Malignant neoplasms of kidney and renal pelvis (189.0,189.1)													
All other, male													
1998	758	-	4	4	8	17	48	128	157	216	139	37	-
1997	764	-	3	6	4	17	49	108	180	216	133	48	-
1996	688	-	2	4	7	21	36	113	147	189	130	39	-
1995	665	1	3	3	7	5	38	99	179	171	118	41	-
1994	678	-	2	2	5	12	36	108	149	209	112	43	-
1993	620	2	1	4	5	16	38	94	136	187	111	26	-
1992	616	-	-	4	3	12	35	97	142	196	101	26	-
1991	627	1	2	4	7	17	52	74	137	194	113	26	-
1990	605	-	1	4	2	16	33	87	151	186	97	28	-
1989	565	-	2	3	2	13	32	73	129	177	104	30	-
1988	546	1	2	8	7	17	37	71	116	164	102	21	-
1987	512	-	-	1	3	6	30	70	138	152	86	26	-
1986	483	-	3	5	6	13	39	62	126	124	87	18	-
1985	528	2	4	4	4	10	33	74	130	147	101	19	-
1984	453	-	-	3	6	11	26	67	134	119	73	14	-
1983	433	2	3	6	10	14	22	51	132	117	58	17	1
1982	433	1	2	9	5	12	17	66	109	139	62	11	-
1981	421	1	4	1	8	15	26	57	135	114	46	14	-
1980	381	1	3	-	6	11	14	66	126	100	47	7	-
1979	359	-	4	6	8	3	22	65	103	98	38	12	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Malignant neoplasms of kidney and renal pelvis (189.0,189.1)													
All other, female													
1998	440	-	2	4	3	8	28	48	75	111	104	57	-
1997	461	-	4	4	3	9	20	46	88	126	120	41	-
1996	461	-	-	4	6	8	29	48	77	122	115	52	-
1995	491	-	3	3	4	10	28	51	89	127	117	59	-
1994	435	-	2	2	1	11	30	42	82	121	100	44	-
1993	422	-	4	5	1	12	21	50	67	134	105	23	-
1992	372	-	6	4	5	8	26	31	65	88	94	45	-
1991	423	-	-	3	4	6	18	44	72	137	100	39	-
1990	384	-	2	1	9	20	21	43	78	102	77	31	-
1989	361	1	3	3	5	9	21	47	80	92	68	32	-
1988	323	-	3	2	3	12	16	39	75	91	62	20	-
1987	305	-	-	8	3	7	14	43	66	75	71	18	-
1986	339	-	4	4	6	15	23	40	74	88	65	20	-
1985	299	3	5	5	6	6	19	25	65	83	68	14	-
1984	295	-	1	6	3	10	22	43	62	70	53	25	-
1983	262	1	4	3	5	9	9	32	59	80	42	18	-
1982	287	-	2	3	8	11	15	36	65	81	52	14	-
1981	247	1	5	4	7	6	10	33	48	71	53	9	-
1980	222	-	4	7	4	5	7	23	49	64	49	10	-
1979	233	-	3	9	7	9	16	33	54	48	44	10	-
Malignant neoplasms of kidney and renal pelvis (189.0,189.1)													
Black, both sexes													
1998	990	-	5	7	9	23	68	147	196	266	191	78	-
1997	1,037	-	7	9	7	24	63	124	225	291	209	78	-
1996	974	-	2	8	12	28	53	138	197	266	193	77	-
1995	999	1	4	5	11	15	61	128	225	256	202	91	-
1994	947	-	3	4	5	23	56	131	188	275	185	77	-
1993	908	2	5	9	6	24	55	126	179	277	183	42	-
1992	854	-	6	6	8	19	50	111	180	240	169	65	-
1991	918	1	2	6	10	22	63	109	175	287	186	57	-
1990	888	-	2	5	11	35	49	114	209	255	162	46	-
1989	822	1	5	5	7	22	46	110	184	236	153	53	-
1988	775	1	4	10	10	27	49	101	163	231	143	36	-
1987	727	-	-	7	6	12	41	104	186	198	134	39	-
1986	736	-	6	9	12	28	57	85	176	198	131	34	-
1985	748	5	7	8	10	16	48	84	174	211	153	32	-
1984	664	-	1	8	7	20	43	95	178	168	109	35	-
1983	633	3	7	8	14	20	30	74	171	183	89	33	1
1982	644	1	1	12	12	20	30	92	155	197	102	22	-
1981	601	1	8	5	13	19	29	77	168	172	91	18	-
1980	551	1	7	7	10	15	19	83	161	151	81	16	-
1979	532	-	6	10	15	11	38	94	136	133	71	18	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Malignant neoplasms of kidney and renal pelvis (189.0,189.1)													
Black, male													
1998	632	-	3	4	7	17	43	106	133	176	115	28	-
1997	636	-	3	5	4	15	45	87	149	183	104	41	-
1996	568	-	2	4	7	20	27	96	132	154	96	30	-
1995	570	1	1	2	7	5	35	82	150	144	107	36	-
1994	573	-	1	2	4	12	31	93	123	174	97	36	-
1993	545	2	1	4	5	13	35	82	122	159	98	24	-
1992	520	-	-	3	3	12	29	82	122	163	83	23	-
1991	551	1	2	3	7	16	49	68	115	167	101	22	-
1990	542	-	1	4	2	15	29	78	139	164	89	21	-
1989	501	-	2	2	2	13	27	69	113	155	93	25	-
1988	485	1	1	8	7	17	34	66	98	148	86	19	-
1987	448	-	-	1	3	5	28	63	125	132	69	22	-
1986	437	-	3	5	6	13	38	57	111	113	76	15	-
1985	477	2	2	4	4	10	29	62	117	139	90	18	-
1984	395	-	-	2	5	10	21	57	120	105	64	11	-
1983	394	2	3	5	9	12	22	45	117	109	52	17	1
1982	386	1	1	9	4	10	16	58	98	125	55	9	-
1981	373	-	4	1	7	13	20	48	122	105	41	12	-
1980	341	1	3	-	6	10	13	61	115	91	35	6	-
1979	325	-	3	4	8	3	22	63	90	88	34	10	-
Malignant neoplasms of kidney and renal pelvis (189.0,189.1)													
Black, female													
1998	358	-	2	3	2	6	25	41	63	90	76	50	-
1997	401	-	4	4	3	9	18	37	76	108	105	37	-
1996	406	-	-	4	5	8	26	42	65	112	97	47	-
1995	429	-	3	3	4	10	26	46	75	112	95	55	-
1994	374	-	2	2	1	11	25	38	65	101	88	41	-
1993	363	-	4	5	1	11	20	44	57	118	85	18	-
1992	334	-	6	3	5	7	21	29	58	77	86	42	-
1991	367	-	-	3	3	6	14	41	60	120	85	35	-
1990	346	-	1	1	9	20	20	36	70	91	73	25	-
1989	321	1	3	3	5	9	19	41	71	81	60	28	-
1988	290	-	3	2	3	10	15	35	65	83	57	17	-
1987	279	-	-	6	3	7	13	41	61	66	65	17	-
1986	299	-	3	4	6	15	19	28	65	85	55	19	-
1985	271	3	5	4	6	6	19	22	57	72	63	14	-
1984	269	-	1	6	2	10	22	38	58	63	45	24	-
1983	239	1	4	3	5	8	8	29	54	74	37	16	-
1982	258	-	-	3	8	10	14	34	57	72	47	13	-
1981	228	1	4	4	6	6	9	29	46	67	50	6	-
1980	210	-	4	7	4	5	6	22	46	60	46	10	-
1979	207	-	3	6	7	8	16	31	46	45	37	8	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasm of bladder (188)													
All races, both sexes													
1998	11,757	-	-	-	1	10	107	427	1,163	2,886	4,361	2,802	-
1997	11,582	-	-	1	-	7	111	444	1,085	2,907	4,341	2,686	-
1996	11,452	1	-	1	2	13	95	392	1,071	3,034	4,212	2,630	1
1995	11,084	-	-	2	-	18	112	361	1,047	2,952	4,102	2,489	1
1994	11,170	-	-	2	5	18	86	364	1,087	3,060	4,135	2,413	-
1993	10,962	-	1	-	-	20	102	384	1,105	3,030	3,941	2,379	-
1992	10,707	-	1	2	-	13	100	339	1,167	2,865	3,916	2,302	2
1991	10,406	-	-	-	4	15	78	321	1,188	2,907	3,727	2,166	-
1990	10,341	-	-	-	-	24	91	291	1,232	2,785	3,786	2,131	1
1989	10,121	-	2	1	1	14	72	290	1,231	2,853	3,668	1,989	-
1988	9,805	-	-	2	3	20	60	278	1,142	2,890	3,486	1,924	-
1987	9,589	-	3	-	2	17	65	288	1,155	2,703	3,444	1,912	-
1986	9,655	-	1	1	-	11	49	298	1,179	2,772	3,474	1,869	1
1985	9,787	1	1	-	-	10	69	310	1,239	2,875	3,357	1,923	2
1984	9,716	-	3	-	1	7	56	324	1,233	2,797	3,423	1,870	2
1983	9,844	-	1	2	2	14	64	295	1,301	2,941	3,377	1,846	1
1982	9,874	-	2	-	-	14	76	379	1,327	2,965	3,298	1,813	-
1981	9,815	-	-	2	1	13	66	322	1,315	2,958	3,368	1,768	2
1980	9,816	-	-	-	1	12	49	312	1,341	3,065	3,331	1,704	1
1979	9,694	2	-	2	4	5	62	405	1,284	2,932	3,367	1,631	-
Malignant neoplasm of bladder (188)													
All races, male													
1998	7,939	-	-	-	1	4	70	329	858	2,101	2,950	1,626	-
1997	7,662	-	-	-	-	6	68	320	802	2,071	2,915	1,480	-
1996	7,683	-	-	-	1	10	61	278	785	2,221	2,812	1,514	1
1995	7,521	-	-	1	-	12	85	266	770	2,180	2,785	1,422	-
1994	7,457	-	-	1	4	6	57	257	811	2,205	2,790	1,326	-
1993	7,474	-	1	-	-	12	70	274	836	2,236	2,694	1,351	-
1992	7,123	-	-	-	-	8	65	260	852	2,042	2,611	1,284	1
1991	7,027	-	-	-	3	5	53	230	896	2,142	2,507	1,191	-
1990	6,910	-	-	-	-	14	67	219	902	2,014	2,520	1,174	-
1989	6,843	-	1	1	1	7	47	202	919	2,077	2,501	1,087	-
1988	6,534	-	-	2	2	10	31	200	871	2,068	2,337	1,013	-
1987	6,490	-	2	-	-	13	40	185	875	1,987	2,373	1,015	-
1986	6,523	-	-	-	-	9	37	210	860	2,030	2,339	1,037	1
1985	6,679	-	1	-	-	6	46	219	936	2,089	2,273	1,107	2
1984	6,601	-	3	-	-	3	40	235	906	2,057	2,294	1,062	1
1983	6,735	-	1	2	2	8	38	208	983	2,126	2,298	1,068	1
1982	6,796	-	-	-	-	9	54	275	979	2,187	2,267	1,025	-
1981	6,711	-	-	1	1	9	42	246	983	2,182	2,232	1,013	2
1980	6,708	-	-	-	-	7	29	201	975	2,263	2,267	965	1
1979	6,709	1	-	2	4	3	35	298	942	2,206	2,279	939	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasm of bladder (188)													
All races, female													
1998	3,818	-	-	-	-	6	37	98	305	785	1,411	1,176	-
1997	3,920	-	-	1	-	1	43	124	283	836	1,426	1,206	-
1996	3,769	1	-	1	1	3	34	114	286	813	1,400	1,116	-
1995	3,563	-	-	1	-	6	27	95	277	772	1,317	1,067	1
1994	3,713	-	-	1	1	12	29	107	276	855	1,345	1,087	-
1993	3,488	-	-	-	-	8	32	110	269	794	1,247	1,028	-
1992	3,584	-	1	2	-	5	35	79	315	823	1,305	1,018	1
1991	3,379	-	-	-	1	10	25	91	292	765	1,220	975	-
1990	3,431	-	-	-	-	10	24	72	330	771	1,266	957	1
1989	3,278	-	1	-	-	7	25	88	312	776	1,167	902	-
1988	3,271	-	-	-	1	10	29	78	271	822	1,149	911	-
1987	3,099	-	1	-	2	4	25	103	280	716	1,071	897	-
1986	3,132	-	1	1	-	2	12	88	319	742	1,135	832	-
1985	3,108	1	-	-	-	4	23	91	303	786	1,084	816	-
1984	3,115	-	-	-	1	4	16	89	327	740	1,129	808	1
1983	3,109	-	-	-	-	6	26	87	318	815	1,079	778	-
1982	3,078	-	2	-	-	5	22	104	348	778	1,031	788	-
1981	3,104	-	-	1	-	4	24	76	332	776	1,136	755	-
1980	3,108	-	-	-	1	5	20	111	366	802	1,064	739	-
1979	2,985	1	-	-	-	2	27	107	342	726	1,088	692	-
Malignant neoplasm of bladder (188)													
White, both sexes													
1998	10,762	-	-	-	-	8	86	360	1,019	2,644	4,043	2,602	-
1997	10,608	-	-	-	-	5	99	396	960	2,648	4,017	2,483	-
1996	10,463	1	-	1	-	12	77	344	939	2,745	3,913	2,431	-
1995	10,151	-	-	2	-	13	88	319	923	2,699	3,811	2,296	-
1994	10,194	-	-	2	4	13	67	315	967	2,801	3,800	2,225	-
1993	10,025	-	1	-	-	16	80	322	982	2,774	3,625	2,225	-
1992	9,766	-	1	1	-	10	86	298	1,038	2,601	3,605	2,125	1
1991	9,492	-	-	-	4	13	63	275	1,050	2,640	3,431	2,016	-
1990	9,430	-	-	-	-	20	76	247	1,089	2,519	3,485	1,993	1
1989	9,193	-	2	1	-	11	64	249	1,100	2,559	3,377	1,830	-
1988	8,951	-	-	1	3	16	47	236	1,013	2,650	3,200	1,785	-
1987	8,742	-	2	-	1	13	53	249	1,023	2,451	3,156	1,794	-
1986	8,849	-	-	1	-	9	42	254	1,050	2,518	3,225	1,749	1
1985	8,949	1	1	-	-	8	59	263	1,107	2,600	3,107	1,803	-
1984	8,849	-	2	-	1	7	46	287	1,079	2,518	3,149	1,758	2
1983	8,999	-	1	2	1	9	50	253	1,154	2,660	3,128	1,740	1
1982	9,004	-	1	-	-	9	65	327	1,166	2,653	3,073	1,710	-
1981	8,973	-	-	1	1	9	56	273	1,162	2,657	3,131	1,682	1
1980	9,018	-	-	-	1	11	46	263	1,202	2,773	3,114	1,608	-
1979	8,862	2	-	2	1	5	53	345	1,128	2,672	3,109	1,545	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasm of bladder (188)													
White, male													
1998	7,397	-	-	-	-	3	56	285	772	1,966	2,776	1,539	-
1997	7,139	-	-	-	-	4	61	293	728	1,919	2,747	1,387	-
1996	7,147	-	-	-	-	9	48	246	709	2,049	2,656	1,430	-
1995	7,022	-	-	1	-	8	70	236	691	2,041	2,647	1,328	-
1994	6,925	-	-	1	3	5	45	227	742	2,052	2,602	1,248	-
1993	6,936	-	1	-	-	9	56	243	757	2,086	2,508	1,276	-
1992	6,593	-	-	-	-	5	55	232	777	1,896	2,432	1,196	-
1991	6,517	-	-	-	3	5	45	201	816	1,983	2,338	1,126	-
1990	6,403	-	-	-	-	10	61	194	819	1,855	2,348	1,116	-
1989	6,308	-	1	1	-	4	42	174	846	1,903	2,325	1,012	-
1988	6,077	-	-	1	2	7	24	178	796	1,933	2,180	956	-
1987	6,006	-	2	-	-	9	34	164	792	1,843	2,205	957	-
1986	6,093	-	-	-	-	8	33	183	791	1,891	2,201	985	1
1985	6,175	-	1	-	-	5	41	191	855	1,918	2,119	1,045	-
1984	6,093	-	2	-	-	3	33	215	816	1,881	2,134	1,008	1
1983	6,232	-	1	2	1	6	28	182	898	1,949	2,155	1,009	1
1982	6,295	-	-	-	-	4	46	246	895	1,987	2,145	972	-
1981	6,211	-	-	1	1	6	35	217	891	2,004	2,087	968	1
1980	6,270	-	-	-	-	6	28	177	891	2,091	2,152	925	-
1979	6,203	1	-	2	1	3	33	258	852	2,030	2,131	892	-
Malignant neoplasm of bladder (188)													
White, female													
1998	3,365	-	-	-	-	5	30	75	247	678	1,267	1,063	-
1997	3,469	-	-	-	-	1	38	103	232	729	1,270	1,096	-
1996	3,316	1	-	1	-	3	29	98	230	696	1,257	1,001	-
1995	3,129	-	-	1	-	5	18	83	232	658	1,164	968	-
1994	3,269	-	-	1	1	8	22	88	225	749	1,198	977	-
1993	3,089	-	-	-	-	7	24	79	225	688	1,117	949	-
1992	3,173	-	1	1	-	5	31	66	261	705	1,173	929	1
1991	2,975	-	-	-	1	8	18	74	234	657	1,093	890	-
1990	3,027	-	-	-	-	10	15	53	270	664	1,137	877	1
1989	2,885	-	1	-	-	7	22	75	254	656	1,052	818	-
1988	2,874	-	-	-	1	9	23	58	217	717	1,020	829	-
1987	2,736	-	-	-	1	4	19	85	231	608	951	837	-
1986	2,756	-	-	1	-	1	9	71	259	627	1,024	764	-
1985	2,774	1	-	-	-	3	18	72	252	682	988	758	-
1984	2,756	-	-	-	1	4	13	72	263	637	1,015	750	1
1983	2,767	-	-	-	-	3	22	71	256	711	973	731	-
1982	2,709	-	1	-	-	5	19	81	271	666	928	738	-
1981	2,762	-	-	-	-	3	21	56	271	653	1,044	714	-
1980	2,748	-	-	-	1	5	18	86	311	682	962	683	-
1979	2,659	1	-	-	-	2	20	87	276	642	978	653	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Malignant neoplasm of bladder (188)													
All other, both sexes													
1998	995	-	-	-	1	2	21	67	144	242	318	200	-
1997	974	-	-	1	-	2	12	48	125	259	324	203	-
1996	989	-	-	-	2	1	18	48	132	289	299	199	1
1995	933	-	-	-	-	5	24	42	124	253	291	193	1
1994	976	-	-	-	1	5	19	49	120	259	335	188	-
1993	937	-	-	-	-	4	22	62	123	256	316	154	-
1992	941	-	-	1	-	3	14	41	129	264	311	177	1
1991	914	-	-	-	-	2	15	46	138	267	296	150	-
1990	911	-	-	-	-	4	15	44	143	266	301	138	-
1989	928	-	-	-	1	3	8	41	131	294	291	159	-
1988	854	-	-	1	-	4	13	42	129	240	286	139	-
1987	847	-	1	-	1	4	12	39	132	252	288	118	-
1986	806	-	1	-	-	2	7	44	129	254	249	120	-
1985	838	-	-	-	-	2	10	47	132	275	250	120	2
1984	867	-	1	-	-	-	10	37	154	279	274	112	-
1983	845	-	-	-	1	5	14	42	147	281	249	106	-
1982	870	-	1	-	-	5	11	52	161	312	225	103	-
1981	842	-	-	1	-	4	10	49	153	301	237	86	1
1980	798	-	-	-	-	1	3	49	139	292	217	96	1
1979	832	-	-	-	3	-	9	60	156	260	258	86	-
Malignant neoplasm of bladder (188)													
All other, male													
1998	542	-	-	-	1	1	14	44	86	135	174	87	-
1997	523	-	-	-	-	2	7	27	74	152	168	93	-
1996	536	-	-	-	1	1	13	32	76	172	156	84	1
1995	499	-	-	-	-	4	15	30	79	139	138	94	-
1994	532	-	-	-	1	1	12	30	69	153	188	78	-
1993	538	-	-	-	-	3	14	31	79	150	186	75	-
1992	530	-	-	-	-	3	10	28	75	146	179	88	1
1991	510	-	-	-	-	-	8	29	80	159	169	65	-
1990	507	-	-	-	-	4	6	25	83	159	172	58	-
1989	535	-	-	-	1	3	5	28	73	174	176	75	-
1988	457	-	-	1	-	3	7	22	75	135	157	57	-
1987	484	-	-	-	-	4	6	21	83	144	168	58	-
1986	430	-	-	-	-	1	4	27	69	139	138	52	-
1985	504	-	-	-	-	1	5	28	81	171	154	62	2
1984	508	-	1	-	-	-	7	20	90	176	160	54	-
1983	503	-	-	-	1	2	10	26	85	177	143	59	-
1982	501	-	-	-	-	5	8	29	84	200	122	53	-
1981	500	-	-	-	-	3	7	29	92	178	145	45	1
1980	438	-	-	-	-	1	1	24	84	172	115	40	1
1979	506	-	-	-	3	-	2	40	90	176	148	47	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Malignant neoplasm of bladder (188)													
All other, female													
1998	453	-	-	-	-	1	7	23	58	107	144	113	-
1997	451	-	-	1	-	-	5	21	51	107	156	110	-
1996	453	-	-	-	1	-	5	16	56	117	143	115	-
1995	434	-	-	-	-	1	9	12	45	114	153	99	1
1994	444	-	-	-	-	4	7	19	51	106	147	110	-
1993	399	-	-	-	-	1	8	31	44	106	130	79	-
1992	411	-	-	1	-	-	4	13	54	118	132	89	-
1991	404	-	-	-	-	2	7	17	58	108	127	85	-
1990	404	-	-	-	-	-	9	19	60	107	129	80	-
1989	393	-	-	-	-	-	3	13	58	120	115	84	-
1988	397	-	-	-	-	1	6	20	54	105	129	82	-
1987	363	-	1	-	1	-	6	18	49	108	120	60	-
1986	376	-	1	-	-	1	3	17	60	115	111	68	-
1985	334	-	-	-	-	1	5	19	51	104	96	58	-
1984	359	-	-	-	-	-	3	17	64	103	114	58	-
1983	342	-	-	-	-	3	4	16	62	104	106	47	-
1982	369	-	1	-	-	-	3	23	77	112	103	50	-
1981	342	-	-	1	-	1	3	20	61	123	92	41	-
1980	360	-	-	-	-	-	2	25	55	120	102	56	-
1979	326	-	-	-	-	-	7	20	66	84	110	39	-
Malignant neoplasm of bladder (188)													
Black, both sexes													
1998	875	-	-	-	1	2	18	60	124	206	282	182	-
1997	862	-	-	1	-	1	9	46	112	227	285	181	-
1996	885	-	-	-	2	1	17	43	114	257	272	178	1
1995	845	-	-	-	-	5	21	35	107	234	268	174	1
1994	879	-	-	-	-	3	17	47	100	238	303	171	-
1993	838	-	-	-	-	2	22	56	111	231	278	138	-
1992	848	-	-	1	-	2	12	40	118	238	275	161	1
1991	841	-	-	-	-	1	13	45	126	243	269	144	-
1990	847	-	-	-	-	4	13	41	137	248	280	124	-
1989	853	-	-	-	1	3	4	35	123	270	274	143	-
1988	782	-	-	1	-	4	12	36	119	220	263	127	-
1987	785	-	1	-	1	4	11	38	121	235	268	106	-
1986	752	-	1	-	-	1	6	41	123	238	234	108	-
1985	785	-	-	-	-	2	10	45	127	260	235	104	2
1984	814	-	1	-	-	-	8	32	146	265	257	105	-
1983	802	-	-	-	-	4	13	39	142	273	230	101	-
1982	824	-	1	-	-	5	10	48	153	299	212	96	-
1981	807	-	-	1	-	3	9	48	150	290	224	82	-
1980	756	-	-	-	-	1	3	42	135	282	206	86	1
1979	785	-	-	-	2	-	8	60	148	248	243	76	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasm of bladder (188)													
Black, male													
1998	453	-	-	-	1	1	13	38	71	105	151	73	-
1997	456	-	-	-	-	1	4	25	66	129	147	84	-
1996	466	-	-	-	1	1	12	29	64	152	138	68	1
1995	441	-	-	-	-	4	13	27	66	125	124	82	-
1994	474	-	-	-	-	-	11	28	62	138	167	68	-
1993	470	-	-	-	-	2	14	26	71	128	165	64	-
1992	469	-	-	-	-	2	8	27	68	125	160	78	1
1991	471	-	-	-	-	-	7	29	73	147	155	60	-
1990	466	-	-	-	-	4	5	24	79	145	157	52	-
1989	484	-	-	-	1	3	2	24	67	157	165	65	-
1988	411	-	-	1	-	3	6	18	70	121	142	50	-
1987	444	-	-	-	-	4	6	20	75	133	156	50	-
1986	397	-	-	-	-	-	3	24	64	131	128	47	-
1985	465	-	-	-	-	1	5	27	77	159	142	52	2
1984	466	-	1	-	-	-	5	16	85	165	146	48	-
1983	475	-	-	-	-	2	9	23	84	171	130	56	-
1982	470	-	-	-	-	5	7	26	79	192	114	47	-
1981	474	-	-	-	-	3	6	28	91	169	134	43	-
1980	411	-	-	-	-	1	1	20	81	166	108	33	1
1979	482	-	-	-	2	-	2	40	84	169	141	44	-
Malignant neoplasm of bladder (188)													
Black, female													
1998	422	-	-	-	-	1	5	22	53	101	131	109	-
1997	406	-	-	1	-	-	5	21	46	98	138	97	-
1996	419	-	-	-	1	-	5	14	50	105	134	110	-
1995	404	-	-	-	-	1	8	8	41	109	144	92	1
1994	405	-	-	-	-	3	6	19	38	100	136	103	-
1993	368	-	-	-	-	-	8	30	40	103	113	74	-
1992	379	-	-	1	-	-	4	13	50	113	115	83	-
1991	370	-	-	-	-	1	6	16	53	96	114	84	-
1990	381	-	-	-	-	-	8	17	58	103	123	72	-
1989	369	-	-	-	-	-	2	11	56	113	109	78	-
1988	371	-	-	-	-	1	6	18	49	99	121	77	-
1987	341	-	1	-	1	-	5	18	46	102	112	56	-
1986	355	-	1	-	-	1	3	17	59	107	106	61	-
1985	320	-	-	-	-	1	5	18	50	101	93	52	-
1984	348	-	-	-	-	-	3	16	61	100	111	57	-
1983	327	-	-	-	-	2	4	16	58	102	100	45	-
1982	354	-	1	-	-	-	3	22	74	107	98	49	-
1981	333	-	-	1	-	-	3	20	59	121	90	39	-
1980	345	-	-	-	-	-	2	22	54	116	98	53	-
1979	303	-	-	-	-	-	6	20	64	79	102	32	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Malignant neoplasms of meninges, brain and other parts of central nervous system (191-192)													
All races, both sexes													
1998	12,667	22	90	313	220	453	1,073	1,820	2,374	3,229	2,433	639	1
1997	12,474	22	126	287	206	460	1,062	1,741	2,334	3,194	2,423	619	-
1996	12,376	27	128	316	212	459	1,038	1,773	2,378	3,226	2,252	566	1
1995	12,063	18	121	284	210	487	997	1,707	2,260	3,218	2,217	543	1
1994	12,313	14	122	313	221	538	1,050	1,650	2,350	3,376	2,169	510	-
1993	11,993	18	153	289	242	542	971	1,579	2,266	3,296	2,141	496	-
1992	11,941	17	118	301	227	528	1,027	1,590	2,333	3,260	2,066	474	-
1991	11,952	19	133	320	225	517	1,065	1,513	2,487	3,109	2,095	469	-
1990	11,630	20	117	323	231	511	950	1,419	2,408	3,203	2,018	430	-
1989	11,130	23	117	326	229	496	889	1,338	2,406	3,044	1,896	365	1
1988	10,943	24	114	296	242	509	896	1,360	2,423	2,964	1,749	366	-
1987	10,833	19	108	263	242	518	878	1,334	2,496	2,981	1,654	340	-
1986	10,322	27	119	296	265	519	826	1,203	2,348	2,858	1,579	282	-
1985	10,265	18	114	290	256	509	838	1,232	2,466	2,755	1,506	281	-
1984	10,116	22	120	285	250	453	792	1,204	2,543	2,735	1,453	259	-
1983	9,674	24	121	309	268	485	713	1,197	2,452	2,551	1,325	228	1
1982	9,624	31	133	330	290	459	684	1,208	2,429	2,535	1,321	204	-
1981	9,382	18	125	314	267	453	654	1,220	2,497	2,473	1,181	180	-
1980	9,300	22	111	325	310	493	607	1,322	2,374	2,498	1,095	143	-
1979	8,936	26	109	338	291	467	627	1,330	2,305	2,349	978	116	-
Malignant neoplasms of meninges, brain and other parts of central nervous system (191-192)													
All races, male													
1998	6,936	10	46	174	141	279	641	1,097	1,379	1,755	1,184	229	1
1997	6,740	12	69	147	130	282	662	1,038	1,304	1,708	1,146	242	-
1996	6,733	17	73	175	128	265	617	1,069	1,368	1,752	1,060	208	1
1995	6,537	7	75	157	140	294	593	1,025	1,299	1,692	1,052	202	1
1994	6,702	7	70	177	130	322	651	1,004	1,382	1,805	983	171	-
1993	6,551	12	89	154	138	320	599	943	1,332	1,750	1,031	183	-
1992	6,432	6	57	155	143	311	598	952	1,345	1,731	951	183	-
1991	6,431	11	61	180	127	287	662	915	1,412	1,624	975	177	-
1990	6,339	8	64	176	138	303	578	876	1,387	1,726	939	144	-
1989	6,046	14	65	158	121	292	546	822	1,387	1,582	906	153	-
1988	6,076	15	59	160	131	307	537	823	1,414	1,650	833	147	-
1987	5,824	9	58	147	146	297	547	774	1,376	1,616	734	120	-
1986	5,669	15	68	161	154	305	499	752	1,352	1,532	721	110	-
1985	5,580	13	61	156	141	303	524	748	1,390	1,422	713	109	-
1984	5,515	7	69	155	146	267	481	714	1,413	1,487	679	97	-
1983	5,242	17	61	175	152	297	429	728	1,365	1,334	597	86	1
1982	5,224	17	67	174	166	287	426	701	1,358	1,306	646	76	-
1981	5,134	11	71	166	152	260	401	718	1,434	1,304	543	74	-
1980	5,242	7	73	175	187	307	391	797	1,394	1,340	517	54	-
1979	4,972	14	51	177	169	293	389	787	1,274	1,300	474	44	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasms of meninges, brain and other parts of central nervous system (191-192)													
All races, female													
1998	5,731	12	44	139	79	174	432	723	995	1,474	1,249	410	-
1997	5,734	10	57	140	76	178	400	703	1,030	1,486	1,277	377	-
1996	5,643	10	55	141	84	194	421	704	1,010	1,474	1,192	358	-
1995	5,526	11	46	127	70	193	404	682	961	1,526	1,165	341	-
1994	5,611	7	52	136	91	216	399	646	968	1,571	1,186	339	-
1993	5,442	6	64	135	104	222	372	636	934	1,546	1,110	313	-
1992	5,509	11	61	146	84	217	429	638	988	1,529	1,115	291	-
1991	5,521	8	72	140	98	230	403	598	1,075	1,485	1,120	292	-
1990	5,291	12	53	147	93	208	372	543	1,021	1,477	1,079	286	-
1989	5,084	9	52	168	108	204	343	516	1,019	1,462	990	212	1
1988	4,867	9	55	136	111	202	359	537	1,009	1,314	916	219	-
1987	5,009	10	50	116	96	221	331	560	1,120	1,365	920	220	-
1986	4,653	12	51	135	111	214	327	451	996	1,326	858	172	-
1985	4,685	5	53	134	115	206	314	484	1,076	1,333	793	172	-
1984	4,601	15	51	130	104	186	311	490	1,130	1,248	774	162	-
1983	4,432	7	60	134	116	188	284	469	1,087	1,217	728	142	-
1982	4,400	14	66	156	124	172	258	507	1,071	1,229	675	128	-
1981	4,248	7	54	148	115	193	253	502	1,063	1,169	638	106	-
1980	4,058	15	38	150	123	186	216	525	980	1,158	578	89	-
1979	3,964	12	58	161	122	174	238	543	1,031	1,049	504	72	-
Malignant neoplasms of meninges, brain and other parts of central nervous system (191-192)													
White, both sexes													
1998	11,718	19	71	250	179	396	967	1,672	2,216	3,034	2,302	611	1
1997	11,518	16	103	233	165	410	953	1,602	2,144	3,001	2,314	577	-
1996	11,523	26	102	261	169	411	953	1,641	2,235	3,034	2,149	541	1
1995	11,165	15	97	224	179	420	908	1,585	2,079	3,043	2,101	514	-
1994	11,465	10	99	246	185	481	954	1,542	2,202	3,195	2,067	484	-
1993	11,132	16	123	242	202	487	886	1,459	2,131	3,088	2,030	468	-
1992	11,132	14	89	251	191	469	946	1,450	2,193	3,108	1,973	448	-
1991	11,133	16	104	265	193	459	977	1,404	2,329	2,936	2,002	448	-
1990	10,814	13	103	271	188	447	863	1,304	2,250	3,049	1,922	404	-
1989	10,372	20	98	268	200	436	810	1,239	2,254	2,883	1,814	349	1
1988	10,161	20	94	233	195	458	827	1,252	2,267	2,801	1,667	347	-
1987	10,109	15	86	222	206	481	792	1,237	2,324	2,838	1,584	324	-
1986	9,605	25	98	242	229	464	754	1,108	2,206	2,708	1,500	271	-
1985	9,612	17	102	246	217	464	774	1,126	2,327	2,620	1,444	275	-
1984	9,476	20	105	235	219	417	734	1,117	2,382	2,605	1,393	249	-
1983	9,071	22	108	254	234	442	671	1,128	2,294	2,432	1,268	218	-
1982	9,001	28	118	280	246	416	636	1,117	2,275	2,429	1,260	196	-
1981	8,772	14	107	249	230	413	600	1,141	2,360	2,351	1,138	169	-
1980	8,727	19	96	264	277	448	563	1,252	2,232	2,379	1,059	138	-
1979	8,353	24	95	279	253	430	578	1,225	2,196	2,231	931	111	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasms of meninges, brain and other parts of central nervous system (191-192)													
White, male													
1998	6,415	8	39	137	118	251	572	1,004	1,289	1,653	1,123	220	1
1997	6,263	9	56	124	103	250	604	964	1,212	1,609	1,104	228	-
1996	6,287	16	60	150	102	236	570	996	1,292	1,655	1,009	200	1
1995	6,067	7	63	132	124	249	546	956	1,201	1,598	998	193	-
1994	6,246	6	59	138	110	289	594	940	1,285	1,719	941	165	-
1993	6,089	11	72	128	120	286	553	873	1,247	1,636	988	175	-
1992	6,014	5	41	129	122	278	547	875	1,275	1,658	908	176	-
1991	6,002	9	49	151	112	255	609	854	1,326	1,534	935	168	-
1990	5,890	3	57	148	112	268	526	805	1,301	1,634	897	139	-
1989	5,641	12	61	134	107	258	492	770	1,306	1,492	864	145	-
1988	5,659	12	49	126	107	279	498	760	1,324	1,567	798	139	-
1987	5,426	7	46	127	124	272	495	725	1,273	1,537	703	117	-
1986	5,288	15	61	137	139	276	463	695	1,268	1,445	683	106	-
1985	5,212	13	56	138	115	274	481	684	1,310	1,349	686	106	-
1984	5,145	5	61	131	127	243	440	657	1,315	1,418	653	95	-
1983	4,925	15	55	142	134	274	407	701	1,281	1,267	566	83	-
1982	4,883	14	61	151	145	262	400	644	1,267	1,250	615	74	-
1981	4,780	7	59	139	124	233	364	673	1,358	1,235	519	69	-
1980	4,933	7	65	143	171	285	366	756	1,317	1,275	496	52	-
1979	4,655	14	43	148	147	275	358	720	1,220	1,242	446	42	-
Malignant neoplasms of meninges, brain and other parts of central nervous system (191-192)													
White, female													
1998	5,303	11	32	113	61	145	395	668	927	1,381	1,179	391	-
1997	5,255	7	47	109	62	160	349	638	932	1,392	1,210	349	-
1996	5,236	10	42	111	67	175	383	645	943	1,379	1,140	341	-
1995	5,098	8	34	92	55	171	362	629	878	1,445	1,103	321	-
1994	5,219	4	40	108	75	192	360	602	917	1,476	1,126	319	-
1993	5,043	5	51	114	82	201	333	586	884	1,452	1,042	293	-
1992	5,118	9	48	122	69	191	399	575	918	1,450	1,065	272	-
1991	5,131	7	55	114	81	204	368	550	1,003	1,402	1,067	280	-
1990	4,924	10	46	123	76	179	337	499	949	1,415	1,025	265	-
1989	4,731	8	37	134	93	178	318	469	948	1,391	950	204	1
1988	4,502	8	45	107	88	179	329	492	943	1,234	869	208	-
1987	4,683	8	40	95	82	209	297	512	1,051	1,301	881	207	-
1986	4,317	10	37	105	90	188	291	413	938	1,263	817	165	-
1985	4,400	4	46	108	102	190	293	442	1,017	1,271	758	169	-
1984	4,331	15	44	104	92	174	294	460	1,067	1,187	740	154	-
1983	4,146	7	53	112	100	168	264	427	1,013	1,165	702	135	-
1982	4,118	14	57	129	101	154	236	473	1,008	1,179	645	122	-
1981	3,992	7	48	110	106	180	236	468	1,002	1,116	619	100	-
1980	3,794	12	31	121	106	163	197	496	915	1,104	563	86	-
1979	3,698	10	52	131	106	155	220	505	976	989	485	69	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Malignant neoplasms of meninges, brain and other parts of central nervous system (191-192)													
All other, both sexes													
1998	949	3	19	63	41	57	106	148	158	195	131	28	-
1997	956	6	23	54	41	50	109	139	190	193	109	42	-
1996	853	1	26	55	43	48	85	132	143	192	103	25	-
1995	898	3	24	60	31	67	89	122	181	175	116	29	1
1994	848	4	23	67	36	57	96	108	148	181	102	26	-
1993	861	2	30	47	40	55	85	120	135	208	111	28	-
1992	809	3	29	50	36	59	81	140	140	152	93	26	-
1991	819	3	29	55	32	58	88	109	158	173	93	21	-
1990	816	7	14	52	43	64	87	115	158	154	96	26	-
1989	758	3	19	58	29	60	79	99	152	161	82	16	-
1988	782	4	20	63	47	51	69	108	156	163	82	19	-
1987	724	4	22	41	36	37	86	97	172	143	70	16	-
1986	717	2	21	54	36	55	72	95	142	150	79	11	-
1985	653	1	12	44	39	45	64	106	139	135	62	6	-
1984	640	2	15	50	31	36	58	87	161	130	60	10	-
1983	603	2	13	55	34	43	42	69	158	119	57	10	1
1982	623	3	15	50	44	43	48	91	154	106	61	8	-
1981	610	4	18	65	37	40	54	79	137	122	43	11	-
1980	573	3	15	61	33	45	44	70	142	119	36	5	-
1979	583	2	14	59	38	37	49	105	109	118	47	5	-
Malignant neoplasms of meninges, brain and other parts of central nervous system (191-192)													
All other, male													
1998	521	2	7	37	23	28	69	93	90	102	61	9	-
1997	477	3	13	23	27	32	58	74	92	99	42	14	-
1996	446	1	13	25	26	29	47	73	76	97	51	8	-
1995	470	-	12	25	16	45	47	69	98	94	54	9	1
1994	456	1	11	39	20	33	57	64	97	86	42	6	-
1993	462	1	17	26	18	34	46	70	85	114	43	8	-
1992	418	1	16	26	21	33	51	77	70	73	43	7	-
1991	429	2	12	29	15	32	53	61	86	90	40	9	-
1990	449	5	7	28	26	35	52	71	86	92	42	5	-
1989	405	2	4	24	14	34	54	52	81	90	42	8	-
1988	417	3	10	34	24	28	39	63	90	83	35	8	-
1987	398	2	12	20	22	25	52	49	103	79	31	3	-
1986	381	-	7	24	15	29	36	57	84	87	38	4	-
1985	368	-	5	18	26	29	43	64	80	73	27	3	-
1984	370	2	8	24	19	24	41	57	98	69	26	2	-
1983	317	2	6	33	18	23	22	27	84	67	31	3	1
1982	341	3	6	23	21	25	26	57	91	56	31	2	-
1981	354	4	12	27	28	27	37	45	76	69	24	5	-
1980	309	-	8	32	16	22	25	41	77	65	21	2	-
1979	317	-	8	29	22	18	31	67	54	58	28	2	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasms of meninges, brain and other parts of central nervous system (191-192)													
All other, female													
1998	428	1	12	26	18	29	37	55	68	93	70	19	-
1997	479	3	10	31	14	18	51	65	98	94	67	28	-
1996	407	-	13	30	17	19	38	59	67	95	52	17	-
1995	428	3	12	35	15	22	42	53	83	81	62	20	-
1994	392	3	12	28	16	24	39	44	51	95	60	20	-
1993	399	1	13	21	22	21	39	50	50	94	68	20	-
1992	391	2	13	24	15	26	30	63	70	79	50	19	-
1991	390	1	17	26	17	26	35	48	72	83	53	12	-
1990	367	2	7	24	17	29	35	44	72	62	54	21	-
1989	353	1	15	34	15	26	25	47	71	71	40	8	-
1988	365	1	10	29	23	23	30	45	66	80	47	11	-
1987	326	2	10	21	14	12	34	48	69	64	39	13	-
1986	336	2	14	30	21	26	36	38	58	63	41	7	-
1985	285	1	7	26	13	16	21	42	59	62	35	3	-
1984	270	-	7	26	12	12	17	30	63	61	34	8	-
1983	286	-	7	22	16	20	20	42	74	52	26	7	-
1982	282	-	9	27	23	18	22	34	63	50	30	6	-
1981	256	-	6	38	9	13	17	34	61	53	19	6	-
1980	264	3	7	29	17	23	19	29	65	54	15	3	-
1979	266	2	6	30	16	19	18	38	55	60	19	3	-
Malignant neoplasms of meninges, brain and other parts of central nervous system (191-192)													
Black, both sexes													
1998	747	3	15	53	27	41	74	114	135	162	98	25	-
1997	765	3	15	44	30	40	88	104	157	162	87	35	-
1996	695	1	18	49	36	39	65	100	121	159	85	22	-
1995	720	3	20	49	26	50	76	92	135	149	96	23	1
1994	685	2	18	54	29	44	75	87	124	145	86	21	-
1993	697	2	21	34	33	42	65	98	116	174	91	21	-
1992	680	3	24	37	27	49	66	113	120	134	82	25	-
1991	681	1	27	44	27	49	72	83	129	151	80	18	-
1990	691	6	11	43	35	52	72	97	133	135	85	22	-
1989	634	3	14	48	25	45	67	87	127	137	70	11	-
1988	669	3	18	56	40	38	61	89	139	137	72	16	-
1987	641	3	20	33	33	32	71	89	151	130	64	15	-
1986	616	2	17	49	33	45	57	86	123	130	65	9	-
1985	559	1	10	37	32	38	47	96	123	121	49	5	-
1984	557	2	11	42	27	29	46	80	147	120	45	8	-
1983	541	2	11	47	31	38	35	65	143	107	51	10	1
1982	563	1	15	44	39	36	43	83	141	101	53	7	-
1981	542	3	12	63	31	33	49	74	120	111	36	10	-
1980	527	2	14	53	29	40	40	66	134	111	33	5	-
1979	539	2	14	54	37	34	42	99	101	110	42	4	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasms of meninges, brain and other parts of central nervous system (191-192)													
Black, male													
1998	399	2	5	33	13	18	45	73	78	82	43	7	-
1997	381	2	11	16	19	27	48	54	77	84	32	11	-
1996	365	1	8	24	22	25	36	55	66	81	40	7	-
1995	377	-	12	21	14	34	42	51	70	80	45	7	1
1994	357	-	9	29	17	27	42	48	81	65	35	4	-
1993	379	1	12	18	16	26	35	58	75	96	35	7	-
1992	351	1	13	16	15	29	40	68	59	65	38	7	-
1991	350	-	11	22	12	28	42	48	70	77	33	7	-
1990	372	5	4	24	21	28	42	61	70	80	33	4	-
1989	335	2	4	20	11	22	47	45	67	75	37	5	-
1988	358	2	9	28	18	21	35	56	83	68	30	8	-
1987	351	1	11	13	20	22	45	45	93	73	25	3	-
1986	328	-	5	22	14	23	28	51	77	75	30	3	-
1985	309	-	3	15	20	24	32	59	71	64	19	2	-
1984	320	2	4	19	17	19	33	52	92	63	17	2	-
1983	277	2	4	29	15	19	19	26	76	57	26	3	1
1982	311	1	6	20	18	20	25	53	85	54	27	2	-
1981	308	3	6	26	24	24	35	40	62	63	20	5	-
1980	285	-	8	28	14	22	22	37	70	63	19	2	-
1979	292	-	8	27	21	16	29	65	48	52	24	2	-
Malignant neoplasms of meninges, brain and other parts of central nervous system (191-192)													
Black, female													
1998	348	1	10	20	14	23	29	41	57	80	55	18	-
1997	384	1	4	28	11	13	40	50	80	78	55	24	-
1996	330	-	10	25	14	14	29	45	55	78	45	15	-
1995	343	3	8	28	12	16	34	41	65	69	51	16	-
1994	328	2	9	25	12	17	33	39	43	80	51	17	-
1993	318	1	9	16	17	16	30	40	41	78	56	14	-
1992	329	2	11	21	12	20	26	45	61	69	44	18	-
1991	331	1	16	22	15	21	30	35	59	74	47	11	-
1990	319	1	7	19	14	24	30	36	63	55	52	18	-
1989	299	1	10	28	14	23	20	42	60	62	33	6	-
1988	311	1	9	28	22	17	26	33	56	69	42	8	-
1987	290	2	9	20	13	10	26	44	58	57	39	12	-
1986	288	2	12	27	19	22	29	35	46	55	35	6	-
1985	250	1	7	22	12	14	15	37	52	57	30	3	-
1984	237	-	7	23	10	10	13	28	55	57	28	6	-
1983	264	-	7	18	16	19	16	39	67	50	25	7	-
1982	252	-	9	24	21	16	18	30	56	47	26	5	-
1981	234	-	6	37	7	9	14	34	58	48	16	5	-
1980	242	2	6	25	15	18	18	29	64	48	14	3	-
1979	247	2	6	27	16	18	13	34	53	58	18	2	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasms of lymphoid, hematopoietic and related tissue (200-208)													
All races, both sexes													
1998	55,538	24	132	382	696	1,107	2,220	4,072	7,232	14,398	17,538	7,735	2
1997	55,835	35	140	439	701	1,216	2,301	4,196	7,449	14,758	16,992	7,608	-
1996	54,930	33	163	411	687	1,296	2,283	4,033	7,280	14,741	16,689	7,313	1
1995	54,367	23	171	455	664	1,347	2,398	3,938	7,261	14,775	16,183	7,150	2
1994	53,080	23	185	434	744	1,385	2,241	3,975	7,291	14,481	15,495	6,825	1
1993	51,627	32	174	492	722	1,418	2,282	3,626	7,036	14,291	15,040	6,512	2
1992	50,384	37	191	493	789	1,529	2,260	3,570	6,993	13,897	14,542	6,082	1
1991	49,590	22	189	492	803	1,413	2,274	3,442	7,119	13,736	14,164	5,934	2
1990	47,741	24	185	463	828	1,514	2,094	3,318	7,020	13,251	13,503	5,538	3
1989	46,751	35	184	528	807	1,460	2,123	3,184	7,187	13,044	13,045	5,152	2
1988	44,762	24	212	506	828	1,357	2,086	3,126	6,947	12,326	12,398	4,951	1
1987	43,599	39	210	553	857	1,348	1,864	3,034	6,974	12,200	11,764	4,750	6
1986	43,531	28	223	565	950	1,492	1,943	2,992	6,976	12,322	11,554	4,485	1
1985	42,478	36	207	586	910	1,409	1,891	2,959	7,306	11,760	11,041	4,370	3
1984	41,202	37	196	565	1,003	1,332	1,858	3,039	7,276	11,350	10,484	4,061	1
1983	40,311	39	265	627	985	1,319	1,689	3,037	7,068	11,187	10,104	3,985	6
1982	39,461	36	227	700	1,080	1,318	1,681	3,093	6,839	10,754	9,928	3,803	2
1981	37,826	22	261	709	1,051	1,308	1,531	2,956	6,869	10,276	9,448	3,387	8
1980	37,971	33	213	797	1,165	1,354	1,595	3,117	6,987	10,319	9,022	3,368	1
1979	36,445	38	243	813	1,124	1,253	1,439	3,228	6,624	9,945	8,616	3,121	1
Malignant neoplasms of lymphoid, hematopoietic and related tissue (200-208)													
All races, male													
1998	29,537	13	66	229	432	693	1,408	2,497	4,245	8,138	8,784	3,031	1
1997	29,754	14	77	257	436	787	1,403	2,596	4,303	8,344	8,596	2,941	-
1996	29,158	13	95	247	412	809	1,449	2,434	4,254	8,218	8,291	2,935	1
1995	28,887	11	105	282	413	877	1,540	2,397	4,235	8,221	7,987	2,819	-
1994	28,151	10	96	262	465	889	1,401	2,396	4,300	8,059	7,592	2,681	-
1993	27,146	20	104	304	433	897	1,461	2,180	4,052	7,881	7,341	2,472	1
1992	26,779	21	104	308	487	963	1,459	2,145	4,103	7,697	7,167	2,324	1
1991	25,977	11	101	310	499	911	1,443	2,075	4,103	7,541	6,758	2,224	1
1990	25,504	12	103	300	511	984	1,294	2,023	4,175	7,334	6,609	2,158	1
1989	24,801	12	102	331	511	946	1,336	1,908	4,164	7,162	6,383	1,945	1
1988	23,792	6	109	330	527	871	1,281	1,877	4,070	6,727	6,039	1,954	1
1987	22,939	20	110	348	531	836	1,174	1,787	4,014	6,721	5,641	1,752	5
1986	23,151	18	131	345	607	951	1,208	1,744	3,976	6,837	5,603	1,730	1
1985	22,542	14	126	354	576	858	1,188	1,718	4,154	6,445	5,360	1,748	1
1984	21,667	18	105	352	625	826	1,127	1,750	4,139	6,155	4,971	1,598	1
1983	21,509	17	160	381	612	820	1,002	1,750	4,104	6,110	4,887	1,663	3
1982	21,029	18	126	450	645	781	1,047	1,802	3,931	5,891	4,804	1,533	1
1981	20,100	12	139	440	649	804	903	1,713	3,927	5,605	4,529	1,376	3
1980	20,341	21	119	521	731	804	945	1,814	3,978	5,630	4,344	1,433	1
1979	19,826	21	138	515	725	757	856	1,869	3,810	5,527	4,205	1,402	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasms of lymphoid, hematopoietic and related tissue (200-208)													
All races, female													
1998	26,001	11	66	153	264	414	812	1,575	2,987	6,260	8,754	4,704	1
1997	26,081	21	63	182	265	429	898	1,600	3,146	6,414	8,396	4,667	-
1996	25,772	20	68	164	275	487	834	1,599	3,026	6,523	8,398	4,378	-
1995	25,480	12	66	173	251	470	858	1,541	3,026	6,554	8,196	4,331	2
1994	24,929	13	89	172	279	496	840	1,579	2,991	6,422	7,903	4,144	1
1993	24,481	12	70	188	289	521	821	1,446	2,984	6,410	7,699	4,040	1
1992	23,605	16	87	185	302	566	801	1,425	2,890	6,200	7,375	3,758	-
1991	23,613	11	88	182	304	502	831	1,367	3,016	6,195	7,406	3,710	1
1990	22,237	12	82	163	317	530	800	1,295	2,845	5,917	6,894	3,380	2
1989	21,950	23	82	197	296	514	787	1,276	3,023	5,882	6,662	3,207	1
1988	20,970	18	103	176	301	486	805	1,249	2,877	5,599	6,359	2,997	-
1987	20,660	19	100	205	326	512	690	1,247	2,960	5,479	6,123	2,998	1
1986	20,380	10	92	220	343	541	735	1,248	3,000	5,485	5,951	2,755	-
1985	19,936	22	81	232	334	551	703	1,241	3,152	5,315	5,681	2,622	2
1984	19,535	19	91	213	378	506	731	1,289	3,137	5,195	5,513	2,463	-
1983	18,802	22	105	246	373	499	687	1,287	2,964	5,077	5,217	2,322	3
1982	18,432	18	101	250	435	537	634	1,291	2,908	4,863	5,124	2,270	1
1981	17,726	10	122	269	402	504	628	1,243	2,942	4,671	4,919	2,011	5
1980	17,630	12	94	276	434	550	650	1,303	3,009	4,689	4,678	1,935	-
1979	16,619	17	105	298	399	496	583	1,359	2,814	4,418	4,411	1,719	-
Malignant neoplasms of lymphoid, hematopoietic and related tissue (200-208)													
White, both sexes													
1998	49,365	21	106	306	588	864	1,763	3,346	6,145	12,912	16,166	7,147	1
1997	49,769	30	108	358	565	958	1,801	3,509	6,408	13,264	15,697	7,071	-
1996	48,912	27	136	322	548	1,035	1,844	3,403	6,261	13,189	15,373	6,773	1
1995	48,557	18	128	351	520	1,054	1,990	3,303	6,249	13,369	14,929	6,645	1
1994	47,532	19	141	358	601	1,124	1,853	3,362	6,293	13,128	14,323	6,330	-
1993	46,071	25	140	410	562	1,143	1,883	3,046	6,105	12,876	13,860	6,020	1
1992	45,120	34	166	410	640	1,236	1,848	3,034	6,065	12,599	13,424	5,663	1
1991	44,288	14	154	415	663	1,145	1,869	2,929	6,207	12,347	13,004	5,539	2
1990	42,755	19	155	380	685	1,251	1,717	2,815	6,118	11,967	12,473	5,173	2
1989	41,906	33	143	440	656	1,203	1,783	2,696	6,325	11,797	12,036	4,792	2
1988	40,197	20	174	424	692	1,141	1,753	2,656	6,152	11,142	11,427	4,615	1
1987	39,147	34	173	470	700	1,137	1,573	2,586	6,189	11,024	10,846	4,413	2
1986	39,102	22	190	469	816	1,273	1,641	2,571	6,135	11,151	10,648	4,185	1
1985	38,227	28	173	483	776	1,190	1,625	2,568	6,465	10,639	10,176	4,102	2
1984	37,154	28	162	475	843	1,124	1,582	2,610	6,453	10,335	9,704	3,837	1
1983	36,303	36	226	525	845	1,107	1,448	2,622	6,280	10,153	9,314	3,741	6
1982	35,613	30	185	593	918	1,136	1,457	2,683	6,089	9,765	9,164	3,592	1
1981	34,109	18	217	599	911	1,129	1,279	2,588	6,153	9,281	8,756	3,174	4
1980	34,386	27	178	704	989	1,174	1,387	2,721	6,227	9,414	8,383	3,182	-
1979	33,069	31	202	720	972	1,087	1,240	2,831	5,919	9,070	8,066	2,930	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasms of lymphoid, hematopoietic and related tissue (200-208)													
White, male													
1998	26,348	11	51	186	370	547	1,131	2,072	3,666	7,378	8,143	2,793	-
1997	26,532	12	61	207	349	630	1,103	2,191	3,730	7,559	7,959	2,731	-
1996	25,978	8	82	197	331	649	1,186	2,060	3,690	7,394	7,664	2,716	1
1995	25,853	9	84	226	328	698	1,298	2,028	3,698	7,477	7,399	2,608	-
1994	25,227	9	76	213	381	722	1,161	2,057	3,730	7,337	7,062	2,479	-
1993	24,216	15	84	255	339	718	1,211	1,860	3,561	7,115	6,787	2,271	-
1992	23,980	19	94	255	398	785	1,202	1,839	3,585	7,015	6,627	2,160	1
1991	23,178	6	78	265	418	739	1,197	1,774	3,612	6,825	6,198	2,065	1
1990	22,812	10	89	247	424	829	1,066	1,733	3,679	6,630	6,108	1,996	1
1989	22,146	11	85	276	407	770	1,132	1,621	3,688	6,500	5,871	1,784	1
1988	21,375	5	93	282	444	744	1,076	1,601	3,636	6,112	5,570	1,811	1
1987	20,562	18	93	299	443	709	1,002	1,542	3,591	6,090	5,165	1,608	2
1986	20,751	15	115	286	518	823	1,024	1,522	3,514	6,186	5,136	1,611	1
1985	20,268	11	100	289	490	732	1,033	1,493	3,694	5,857	4,936	1,632	1
1984	19,486	13	85	298	524	697	968	1,509	3,684	5,627	4,574	1,506	1
1983	19,327	17	138	326	523	693	873	1,514	3,638	5,569	4,487	1,546	3
1982	18,953	16	106	382	547	678	925	1,571	3,525	5,363	4,407	1,433	-
1981	18,139	9	118	372	561	705	764	1,513	3,541	5,094	4,176	1,285	1
1980	18,386	17	101	466	622	709	832	1,610	3,555	5,102	4,023	1,349	-
1979	17,992	16	117	459	630	659	746	1,658	3,407	5,063	3,920	1,316	1
Malignant neoplasms of lymphoid, hematopoietic and related tissue (200-208)													
White, female													
1998	23,017	10	55	120	218	317	632	1,274	2,479	5,534	8,023	4,354	1
1997	23,237	18	47	151	216	328	698	1,318	2,678	5,705	7,738	4,340	-
1996	22,934	19	54	125	217	386	658	1,343	2,571	5,795	7,709	4,057	-
1995	22,704	9	44	125	192	356	692	1,275	2,551	5,892	7,530	4,037	1
1994	22,305	10	65	145	220	402	692	1,305	2,563	5,791	7,261	3,851	-
1993	21,855	10	56	155	223	425	672	1,186	2,544	5,761	7,073	3,749	1
1992	21,140	15	72	155	242	451	646	1,195	2,480	5,584	6,797	3,503	-
1991	21,110	8	76	150	245	406	672	1,155	2,595	5,522	6,806	3,474	1
1990	19,943	9	66	133	261	422	651	1,082	2,439	5,337	6,365	3,177	1
1989	19,760	22	58	164	249	433	651	1,075	2,637	5,297	6,165	3,008	1
1988	18,822	15	81	142	248	397	677	1,055	2,516	5,030	5,857	2,804	-
1987	18,585	16	80	171	257	428	571	1,044	2,598	4,934	5,681	2,805	-
1986	18,351	7	75	183	298	450	617	1,049	2,621	4,965	5,512	2,574	-
1985	17,959	17	73	194	286	458	592	1,075	2,771	4,782	5,240	2,470	1
1984	17,668	15	77	177	319	427	614	1,101	2,769	4,708	5,130	2,331	-
1983	16,976	19	88	199	322	414	575	1,108	2,642	4,584	4,827	2,195	3
1982	16,660	14	79	211	371	458	532	1,112	2,564	4,402	4,757	2,159	1
1981	15,970	9	99	227	350	424	515	1,075	2,612	4,187	4,580	1,889	3
1980	16,000	10	77	238	367	465	555	1,111	2,672	4,312	4,360	1,833	-
1979	15,077	15	85	261	342	428	494	1,173	2,512	4,007	4,146	1,614	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Malignant neoplasms of lymphoid, hematopoietic and related tissue (200-208)													
All other, both sexes													
1998	6,173	3	26	76	108	243	457	726	1,087	1,486	1,372	588	1
1997	6,066	5	32	81	136	258	500	687	1,041	1,494	1,295	537	-
1996	6,018	6	27	89	139	261	439	630	1,019	1,552	1,316	540	-
1995	5,810	5	43	104	144	293	408	635	1,012	1,406	1,254	505	1
1994	5,548	4	44	76	143	261	388	613	998	1,353	1,172	495	1
1993	5,556	7	34	82	160	275	399	580	931	1,415	1,180	492	1
1992	5,264	3	25	83	149	293	412	536	928	1,298	1,118	419	-
1991	5,302	8	35	77	140	268	405	513	912	1,389	1,160	395	-
1990	4,986	5	30	83	143	263	377	503	902	1,284	1,030	365	1
1989	4,845	2	41	88	151	257	340	488	862	1,247	1,009	360	-
1988	4,565	4	38	82	136	216	333	470	795	1,184	971	336	-
1987	4,452	5	37	83	157	211	291	448	785	1,176	918	337	4
1986	4,429	6	33	96	134	219	302	421	841	1,171	906	300	-
1985	4,251	8	34	103	134	219	266	391	841	1,121	865	268	1
1984	4,048	9	34	90	160	208	276	429	823	1,015	780	224	-
1983	4,008	3	39	102	140	212	241	415	788	1,034	790	244	-
1982	3,848	6	42	107	162	182	224	410	750	989	764	211	1
1981	3,717	4	44	110	140	179	252	368	716	995	692	213	4
1980	3,585	6	35	93	176	180	208	396	760	905	639	186	1
1979	3,376	7	41	93	152	166	199	397	705	875	550	191	-
Malignant neoplasms of lymphoid, hematopoietic and related tissue (200-208)													
All other, male													
1998	3,189	2	15	43	62	146	277	425	579	760	641	238	1
1997	3,222	2	16	50	87	157	300	405	573	785	637	210	-
1996	3,180	5	13	50	81	160	263	374	564	824	627	219	-
1995	3,034	2	21	56	85	179	242	369	537	744	588	211	-
1994	2,924	1	20	49	84	167	240	339	570	722	530	202	-
1993	2,930	5	20	49	94	179	250	320	491	766	554	201	1
1992	2,799	2	10	53	89	178	257	306	518	682	540	164	-
1991	2,799	5	23	45	81	172	246	301	491	716	560	159	-
1990	2,692	2	14	53	87	155	228	290	496	704	501	162	-
1989	2,655	1	17	55	104	176	204	287	476	662	512	161	-
1988	2,417	1	16	48	83	127	205	276	434	615	469	143	-
1987	2,377	2	17	49	88	127	172	245	423	631	476	144	3
1986	2,400	3	16	59	89	128	184	222	462	651	467	119	-
1985	2,274	3	26	65	86	126	155	225	460	588	424	116	-
1984	2,181	5	20	54	101	129	159	241	455	528	397	92	-
1983	2,182	-	22	55	89	127	129	236	466	541	400	117	-
1982	2,076	2	20	68	98	103	122	231	406	528	397	100	1
1981	1,961	3	21	68	88	99	139	200	386	511	353	91	2
1980	1,955	4	18	55	109	95	113	204	423	528	321	84	1
1979	1,834	5	21	56	95	98	110	211	403	464	285	86	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Malignant neoplasms of lymphoid, hematopoietic and related tissue (200-208)													
All other, female													
1998	2,984	1	11	33	46	97	180	301	508	726	731	350	-
1997	2,844	3	16	31	49	101	200	282	468	709	658	327	-
1996	2,838	1	14	39	58	101	176	256	455	728	689	321	-
1995	2,776	3	22	48	59	114	166	266	475	662	666	294	1
1994	2,624	3	24	27	59	94	148	274	428	631	642	293	1
1993	2,626	2	14	33	66	96	149	260	440	649	626	291	-
1992	2,465	1	15	30	60	115	155	230	410	616	578	255	-
1991	2,503	3	12	32	59	96	159	212	421	673	600	236	-
1990	2,294	3	16	30	56	108	149	213	406	580	529	203	1
1989	2,190	1	24	33	47	81	136	201	386	585	497	199	-
1988	2,148	3	22	34	53	89	128	194	361	569	502	193	-
1987	2,075	3	20	34	69	84	119	203	362	545	442	193	1
1986	2,029	3	17	37	45	91	118	199	379	520	439	181	-
1985	1,977	5	8	38	48	93	111	166	381	533	441	152	1
1984	1,867	4	14	36	59	79	117	188	368	487	383	132	-
1983	1,826	3	17	47	51	85	112	179	322	493	390	127	-
1982	1,772	4	22	39	64	79	102	179	344	461	367	111	-
1981	1,756	1	23	42	52	80	113	168	330	484	339	122	2
1980	1,630	2	17	38	67	85	95	192	337	377	318	102	-
1979	1,542	2	20	37	57	68	89	186	302	411	265	105	-
Malignant neoplasms of lymphoid, hematopoietic and related tissue (200-208)													
Black, both sexes													
1998	5,222	2	20	56	85	203	389	627	950	1,243	1,151	495	1
1997	5,128	1	24	60	114	211	425	582	878	1,271	1,095	467	-
1996	5,148	4	17	69	112	218	372	540	901	1,303	1,145	467	-
1995	4,958	1	33	74	114	240	348	554	881	1,214	1,067	432	-
1994	4,746	4	31	53	117	200	325	528	860	1,186	1,009	432	1
1993	4,791	5	22	64	126	226	341	508	817	1,232	1,030	419	1
1992	4,575	2	14	61	115	249	369	463	813	1,132	982	375	-
1991	4,633	6	29	57	117	231	344	435	797	1,233	1,024	360	-
1990	4,364	2	20	59	116	222	312	446	805	1,139	915	327	1
1989	4,235	2	28	67	135	209	289	428	747	1,102	899	329	-
1988	4,022	4	27	53	117	196	279	403	711	1,062	863	307	-
1987	3,958	3	23	63	131	180	248	406	709	1,063	823	305	4
1986	3,973	6	29	78	120	193	256	372	764	1,067	812	276	-
1985	3,774	6	22	84	107	182	234	333	753	1,028	782	242	1
1984	3,643	6	26	77	141	193	245	371	748	920	716	200	-
1983	3,617	3	27	87	112	186	208	373	725	956	722	218	-
1982	3,494	5	34	91	136	163	200	367	694	916	697	190	1
1981	3,393	4	40	95	125	157	213	327	665	926	643	195	3
1980	3,271	6	29	82	152	165	175	359	704	829	595	174	1
1979	3,111	6	34	82	140	140	173	369	667	816	512	172	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	Age not stated												
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malignant neoplasms of lymphoid, hematopoietic and related tissue (200-208)													
Black, male													
1998	2,677	1	12	31	49	131	231	372	502	633	526	188	1
1997	2,693	-	14	33	73	126	267	343	473	669	518	177	-
1996	2,700	4	7	38	64	142	228	322	494	679	536	186	-
1995	2,586	1	15	38	63	152	214	330	472	638	495	168	-
1994	2,473	1	13	35	70	132	196	292	490	640	437	167	-
1993	2,494	3	13	35	76	145	211	283	438	663	471	155	1
1992	2,391	1	5	38	65	154	232	257	452	590	459	138	-
1991	2,416	3	20	32	66	154	210	253	432	624	480	142	-
1990	2,346	1	9	40	69	132	186	260	449	620	438	142	-
1989	2,302	1	12	47	92	145	174	258	406	580	444	143	-
1988	2,121	1	13	33	74	116	173	239	385	544	409	134	-
1987	2,116	1	13	35	72	115	146	223	385	579	417	127	3
1986	2,124	3	14	52	79	113	154	193	420	588	402	106	-
1985	1,999	2	19	52	69	106	138	195	403	541	370	104	-
1984	1,953	2	13	47	86	122	143	210	414	469	367	80	-
1983	1,947	-	16	47	66	111	112	210	426	492	362	105	-
1982	1,865	1	15	60	85	91	108	208	371	485	349	91	1
1981	1,772	3	19	61	80	85	120	178	355	464	322	83	2
1980	1,772	4	16	48	97	90	97	183	392	479	289	76	1
1979	1,673	4	17	48	86	82	95	193	381	428	261	78	-
Malignant neoplasms of lymphoid, hematopoietic and related tissue (200-208)													
Black, female													
1998	2,545	1	8	25	36	72	158	255	448	610	625	307	-
1997	2,435	1	10	27	41	85	158	239	405	602	577	290	-
1996	2,448	-	10	31	48	76	144	218	407	624	609	281	-
1995	2,372	-	18	36	51	88	134	224	409	576	572	264	-
1994	2,273	3	18	18	47	68	129	236	370	546	572	265	1
1993	2,297	2	9	29	50	81	130	225	379	569	559	264	-
1992	2,184	1	9	23	50	95	137	206	361	542	523	237	-
1991	2,217	3	9	25	51	77	134	182	365	609	544	218	-
1990	2,018	1	11	19	47	90	126	186	356	519	477	185	1
1989	1,933	1	16	20	43	64	115	170	341	522	455	186	-
1988	1,901	3	14	20	43	80	106	164	326	518	454	173	-
1987	1,842	2	10	28	59	65	102	183	324	484	406	178	1
1986	1,849	3	15	26	41	80	102	179	344	479	410	170	-
1985	1,775	4	3	32	38	76	96	138	350	487	412	138	1
1984	1,690	4	13	30	55	71	102	161	334	451	349	120	-
1983	1,670	3	11	40	46	75	96	163	299	464	360	113	-
1982	1,629	4	19	31	51	72	92	159	323	431	348	99	-
1981	1,621	1	21	34	45	72	93	149	310	462	321	112	1
1980	1,499	2	13	34	55	75	78	176	312	350	306	98	-
1979	1,438	2	17	34	54	58	78	176	286	388	251	94	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Hodgkin's disease (201)													
All races, both sexes													
1998	1,311	-	-	8	82	180	181	158	145	248	241	68	-
1997	1,443	-	-	11	74	198	229	159	163	251	252	106	-
1996	1,408	-	1	8	102	196	203	176	162	247	232	81	-
1995	1,431	-	-	2	98	209	209	173	154	252	252	82	-
1994	1,440	-	2	9	82	213	195	189	158	283	226	83	-
1993	1,574	-	-	7	94	250	222	158	184	285	278	96	-
1992	1,639	-	-	13	116	299	226	197	180	281	251	76	-
1991	1,625	-	-	9	120	271	238	162	193	300	255	77	-
1990	1,632	-	1	7	120	315	233	146	214	276	250	70	-
1989	1,721	-	-	9	126	288	282	176	208	303	249	80	-
1988	1,608	-	-	14	126	279	246	167	192	295	235	54	-
1987	1,755	-	-	6	143	322	210	194	244	310	248	78	-
1986	1,828	-	1	14	163	325	242	155	238	380	239	71	-
1985	1,778	-	-	12	177	312	236	158	253	316	242	72	-
1984	1,960	-	2	16	195	331	239	207	290	366	241	73	-
1983	1,892	-	-	14	178	323	229	201	278	330	271	67	1
1982	1,930	-	1	9	174	319	233	184	304	353	276	77	-
1981	1,997	-	-	7	205	304	237	200	304	371	297	72	-
1980	2,064	-	-	22	199	307	227	258	333	382	263	73	-
1979	2,021	-	2	17	177	344	206	252	314	387	266	56	-
Hodgkin's disease (201)													
All races, male													
1998	767	-	-	4	54	113	120	102	87	139	125	23	-
1997	760	-	-	1	43	116	129	103	85	137	115	31	-
1996	764	-	1	4	56	119	129	95	94	128	105	33	-
1995	799	-	-	1	60	139	126	112	89	135	102	35	-
1994	773	-	1	6	40	109	107	126	100	161	98	25	-
1993	900	-	-	3	51	146	140	110	115	165	127	43	-
1992	949	-	-	5	57	175	148	132	112	168	120	32	-
1991	928	-	-	8	59	174	143	120	116	169	110	29	-
1990	956	-	-	5	74	205	149	102	144	147	100	30	-
1989	1,007	-	-	3	74	186	181	113	130	173	115	32	-
1988	945	-	-	7	68	173	158	127	122	154	109	27	-
1987	1,023	-	-	3	78	203	142	127	153	175	119	23	-
1986	1,069	-	1	7	89	211	163	104	149	202	116	27	-
1985	1,033	-	-	9	103	198	161	109	160	169	101	23	-
1984	1,204	-	1	10	121	211	153	153	189	207	127	32	-
1983	1,093	-	-	7	100	184	156	128	183	183	126	25	1
1982	1,090	-	1	4	102	199	152	114	187	196	108	27	-
1981	1,122	-	-	5	120	186	149	128	189	191	127	27	-
1980	1,174	-	-	12	114	186	141	169	184	218	124	26	-
1979	1,202	-	1	12	112	216	132	186	189	204	125	25	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Hodgkin's disease (201)													
All races, female													
1998	544	-	-	4	28	67	61	56	58	109	116	45	-
1997	683	-	-	10	31	82	100	56	78	114	137	75	-
1996	644	-	-	4	46	77	74	81	68	119	127	48	-
1995	632	-	-	1	38	70	83	61	65	117	150	47	-
1994	667	-	1	3	42	104	88	63	58	122	128	58	-
1993	674	-	-	4	43	104	82	48	69	120	151	53	-
1992	690	-	-	8	59	124	78	65	68	113	131	44	-
1991	697	-	-	1	61	97	95	42	77	131	145	48	-
1990	676	-	1	2	46	110	84	44	70	129	150	40	-
1989	714	-	-	6	52	102	101	63	78	130	134	48	-
1988	663	-	-	7	58	106	88	40	70	141	126	27	-
1987	732	-	-	3	65	119	68	67	91	135	129	55	-
1986	759	-	-	7	74	114	79	51	89	178	123	44	-
1985	745	-	-	3	74	114	75	49	93	147	141	49	-
1984	756	-	1	6	74	120	86	54	101	159	114	41	-
1983	799	-	-	7	78	139	73	73	95	147	145	42	-
1982	840	-	-	5	72	120	81	70	117	157	168	50	-
1981	875	-	-	2	85	118	88	72	115	180	170	45	-
1980	890	-	-	10	85	121	86	89	149	164	139	47	-
1979	819	-	1	5	65	128	74	66	125	183	141	31	-
Hodgkin's disease (201)													
White, both sexes													
1998	1,148	-	-	4	65	143	153	137	123	232	225	66	-
1997	1,262	-	-	9	56	158	182	135	141	239	239	103	-
1996	1,249	-	1	4	79	168	167	159	144	229	222	76	-
1995	1,262	-	-	2	64	170	178	154	134	243	237	80	-
1994	1,263	-	-	4	73	173	161	154	143	261	214	80	-
1993	1,405	-	-	6	74	218	191	142	162	263	261	88	-
1992	1,466	-	-	8	104	252	190	179	161	265	234	73	-
1991	1,422	-	-	8	93	220	201	141	166	277	241	75	-
1990	1,471	-	1	6	104	275	202	126	198	251	239	69	-
1989	1,533	-	-	5	106	242	255	155	176	281	239	74	-
1988	1,445	-	-	12	107	244	215	145	176	274	222	50	-
1987	1,574	-	-	5	124	283	183	178	209	287	234	71	-
1986	1,659	-	1	11	150	290	215	134	207	356	227	68	-
1985	1,588	-	-	8	148	276	208	142	218	293	226	69	-
1984	1,757	-	2	12	171	277	220	176	267	337	224	71	-
1983	1,730	-	-	9	155	283	205	180	263	309	259	66	1
1982	1,769	-	1	7	152	288	214	163	284	327	258	75	-
1981	1,820	-	-	5	182	274	213	178	273	340	285	70	-
1980	1,891	-	-	18	181	274	206	234	295	363	249	71	-
1979	1,854	-	2	13	156	304	188	235	286	365	253	52	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Hodgkin's disease (201)													
White, male													
1998	668	-	-	3	45	87	103	86	75	128	118	23	-
1997	661	-	-	1	36	92	97	91	72	131	111	30	-
1996	672	-	1	1	44	103	108	87	82	117	96	33	-
1995	692	-	-	1	39	112	109	98	76	129	94	34	-
1994	668	-	-	2	37	87	84	103	89	150	91	25	-
1993	794	-	-	3	39	128	119	99	101	149	118	38	-
1992	847	-	-	2	54	150	121	123	102	157	109	29	-
1991	806	-	-	7	50	137	119	103	97	158	107	28	-
1990	853	-	-	4	61	181	128	87	133	136	93	30	-
1989	892	-	-	1	60	154	166	98	113	160	111	29	-
1988	851	-	-	5	58	151	142	112	112	144	103	24	-
1987	915	-	-	3	69	180	125	115	129	161	113	20	-
1986	972	-	1	6	83	189	144	92	130	188	113	26	-
1985	922	-	-	5	86	177	142	98	140	161	92	21	-
1984	1,066	-	1	7	105	174	139	132	170	190	117	31	-
1983	994	-	-	7	88	162	139	115	170	166	122	24	1
1982	1,005	-	1	4	88	182	142	103	173	185	100	27	-
1981	1,025	-	-	4	106	170	134	116	175	172	121	27	-
1980	1,066	-	-	9	105	169	126	150	159	206	118	24	-
1979	1,093	-	1	10	95	191	123	171	168	192	119	23	-
Hodgkin's disease (201)													
White, female													
1998	480	-	-	1	20	56	50	51	48	104	107	43	-
1997	601	-	-	8	20	66	85	44	69	108	128	73	-
1996	577	-	-	3	35	65	59	72	62	112	126	43	-
1995	570	-	-	1	25	58	69	56	58	114	143	46	-
1994	595	-	-	2	36	86	77	51	54	111	123	55	-
1993	611	-	-	3	35	90	72	43	61	114	143	50	-
1992	619	-	-	6	50	102	69	56	59	108	125	44	-
1991	616	-	-	1	43	83	82	38	69	119	134	47	-
1990	618	-	1	2	43	94	74	39	65	115	146	39	-
1989	641	-	-	4	46	88	89	57	63	121	128	45	-
1988	594	-	-	7	49	93	73	33	64	130	119	26	-
1987	659	-	-	2	55	103	58	63	80	126	121	51	-
1986	687	-	-	5	67	101	71	42	77	168	114	42	-
1985	666	-	-	3	62	99	66	44	78	132	134	48	-
1984	691	-	1	5	66	103	81	44	97	147	107	40	-
1983	736	-	-	2	67	121	66	65	93	143	137	42	-
1982	764	-	-	3	64	106	72	60	111	142	158	48	-
1981	795	-	-	1	76	104	79	62	98	168	164	43	-
1980	825	-	-	9	76	105	80	84	136	157	131	47	-
1979	761	-	1	3	61	113	65	64	118	173	134	29	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Hodgkin's disease (201)													
All other, both sexes													
1998	163	-	-	4	17	37	28	21	22	16	16	2	-
1997	181	-	-	2	18	40	47	24	22	12	13	3	-
1996	159	-	-	4	23	28	36	17	18	18	10	5	-
1995	169	-	-	-	34	39	31	19	20	9	15	2	-
1994	177	-	2	5	9	40	34	35	15	22	12	3	-
1993	169	-	-	1	20	32	31	16	22	22	17	8	-
1992	173	-	-	5	12	47	36	18	19	16	17	3	-
1991	203	-	-	1	27	51	37	21	27	23	14	2	-
1990	161	-	-	1	16	40	31	20	16	25	11	1	-
1989	188	-	-	4	20	46	27	21	32	22	10	6	-
1988	163	-	-	2	19	35	31	22	16	21	13	4	-
1987	181	-	-	1	19	39	27	16	35	23	14	7	-
1986	169	-	-	3	13	35	27	21	31	24	12	3	-
1985	190	-	-	4	29	36	28	16	35	23	16	3	-
1984	203	-	-	4	24	54	19	31	23	29	17	2	-
1983	162	-	-	5	23	40	24	21	15	21	12	1	-
1982	161	-	-	2	22	31	19	21	20	26	18	2	-
1981	177	-	-	2	23	30	24	22	31	31	12	2	-
1980	173	-	-	4	18	33	21	24	38	19	14	2	-
1979	167	-	-	4	21	40	18	17	28	22	13	4	-
Hodgkin's disease (201)													
All other, male													
1998	99	-	-	1	9	26	17	16	12	11	7	-	-
1997	99	-	-	-	7	24	32	12	13	6	4	1	-
1996	92	-	-	3	12	16	21	8	12	11	9	-	-
1995	107	-	-	-	21	27	17	14	13	6	8	1	-
1994	105	-	1	4	3	22	23	23	11	11	7	-	-
1993	106	-	-	-	12	18	21	11	14	16	9	5	-
1992	102	-	-	3	3	25	27	9	10	11	11	3	-
1991	122	-	-	1	9	37	24	17	19	11	3	1	-
1990	103	-	-	1	13	24	21	15	11	11	7	-	-
1989	115	-	-	2	14	32	15	15	17	13	4	3	-
1988	94	-	-	2	10	22	16	15	10	10	6	3	-
1987	108	-	-	-	9	23	17	12	24	14	6	3	-
1986	97	-	-	1	6	22	19	12	19	14	3	1	-
1985	111	-	-	4	17	21	19	11	20	8	9	2	-
1984	138	-	-	3	16	37	14	21	19	17	10	1	-
1983	99	-	-	-	12	22	17	13	13	17	4	1	-
1982	85	-	-	-	14	17	10	11	14	11	8	-	-
1981	97	-	-	1	14	16	15	12	14	19	6	-	-
1980	108	-	-	3	9	17	15	19	25	12	6	2	-
1979	109	-	-	2	17	25	9	15	21	12	6	2	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Hodgkin's disease (201)													
All other, female													
1998	64	-	-	3	8	11	11	5	10	5	9	2	-
1997	82	-	-	2	11	16	15	12	9	6	9	2	-
1996	67	-	-	1	11	12	15	9	6	7	1	5	-
1995	62	-	-	-	13	12	14	5	7	3	7	1	-
1994	72	-	1	1	6	18	11	12	4	11	5	3	-
1993	63	-	-	1	8	14	10	5	8	6	8	3	-
1992	71	-	-	2	9	22	9	9	9	5	6	-	-
1991	81	-	-	-	18	14	13	4	8	12	11	1	-
1990	58	-	-	-	3	16	10	5	5	14	4	1	-
1989	73	-	-	2	6	14	12	6	15	9	6	3	-
1988	69	-	-	-	9	13	15	7	6	11	7	1	-
1987	73	-	-	1	10	16	10	4	11	9	8	4	-
1986	72	-	-	2	7	13	8	9	12	10	9	2	-
1985	79	-	-	-	12	15	9	5	15	15	7	1	-
1984	65	-	-	1	8	17	5	10	4	12	7	1	-
1983	63	-	-	5	11	18	7	8	2	4	8	-	-
1982	76	-	-	2	8	14	9	10	6	15	10	2	-
1981	80	-	-	1	9	14	9	10	17	12	6	2	-
1980	65	-	-	1	9	16	6	5	13	7	8	-	-
1979	58	-	-	2	4	15	9	2	7	10	7	2	-
Hodgkin's disease (201)													
Black, both sexes													
1998	147	-	-	4	15	36	26	20	20	11	13	2	-
1997	164	-	-	2	16	37	42	22	20	12	10	3	-
1996	142	-	-	4	19	26	33	17	18	15	6	4	-
1995	157	-	-	-	29	39	28	19	19	9	12	2	-
1994	152	-	1	4	8	32	31	32	14	18	10	2	-
1993	154	-	-	1	19	29	30	15	19	19	15	7	-
1992	163	-	-	5	12	47	35	17	17	15	13	2	-
1991	184	-	-	-	25	49	34	20	24	19	11	2	-
1990	148	-	-	1	14	37	30	19	15	21	10	1	-
1989	173	-	-	4	20	44	26	19	27	20	8	5	-
1988	150	-	-	2	19	34	28	21	16	18	10	2	-
1987	161	-	-	1	18	35	26	16	28	18	12	7	-
1986	155	-	-	3	13	34	22	18	30	23	9	3	-
1985	174	-	-	4	27	36	26	14	34	18	13	2	-
1984	187	-	-	2	22	53	19	29	21	26	13	2	-
1983	152	-	-	5	22	38	23	18	14	21	10	1	-
1982	151	-	-	1	20	30	19	21	17	24	17	2	-
1981	161	-	-	1	20	29	21	22	28	28	10	2	-
1980	160	-	-	4	17	30	20	23	34	17	13	2	-
1979	159	-	-	4	19	38	18	17	26	20	13	4	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Hodgkin's disease (201)													
Black, male													
1998	91	-	-	1	8	26	15	15	11	8	7	-	-
1997	92	-	-	-	7	23	28	12	12	6	3	1	-
1996	83	-	-	3	11	14	20	8	12	10	5	-	-
1995	98	-	-	-	17	27	16	14	12	6	5	1	-
1994	87	-	1	3	2	16	20	21	10	9	5	-	-
1993	94	-	-	-	11	17	20	10	11	14	7	4	-
1992	92	-	-	3	3	25	26	8	8	10	7	2	-
1991	110	-	-	-	8	36	21	16	17	8	3	1	-
1990	96	-	-	1	11	24	20	14	10	10	6	-	-
1989	107	-	-	2	14	31	15	14	13	12	3	3	-
1988	84	-	-	2	10	21	14	14	10	7	4	2	-
1987	98	-	-	-	9	22	16	12	20	12	4	3	-
1986	91	-	-	1	6	22	17	9	19	14	2	1	-
1985	104	-	-	4	16	21	17	10	20	8	7	1	-
1984	127	-	-	2	16	36	14	19	17	15	7	1	-
1983	90	-	-	-	11	20	16	10	12	17	3	1	-
1982	77	-	-	-	12	16	10	11	11	10	7	-	-
1981	85	-	-	1	11	15	14	12	11	17	4	-	-
1980	101	-	-	3	9	16	15	18	23	10	5	2	-
1979	102	-	-	2	15	24	9	15	19	10	6	2	-
Hodgkin's disease (201)													
Black, female													
1998	56	-	-	3	7	10	11	5	9	3	6	2	-
1997	72	-	-	2	9	14	14	10	8	6	7	2	-
1996	59	-	-	1	8	12	13	9	6	5	1	4	-
1995	59	-	-	-	12	12	12	5	7	3	7	1	-
1994	65	-	-	1	6	16	11	11	4	9	5	2	-
1993	60	-	-	1	8	12	10	5	8	5	8	3	-
1992	71	-	-	2	9	22	9	9	9	5	6	-	-
1991	74	-	-	-	17	13	13	4	7	11	8	1	-
1990	52	-	-	-	3	13	10	5	5	11	4	1	-
1989	66	-	-	2	6	13	11	5	14	8	5	2	-
1988	66	-	-	-	9	13	14	7	6	11	6	-	-
1987	63	-	-	1	9	13	10	4	8	6	8	4	-
1986	64	-	-	2	7	12	5	9	11	9	7	2	-
1985	70	-	-	-	11	15	9	4	14	10	6	1	-
1984	60	-	-	-	6	17	5	10	4	11	6	1	-
1983	62	-	-	5	11	18	7	8	2	4	7	-	-
1982	74	-	-	1	8	14	9	10	6	14	10	2	-
1981	76	-	-	-	9	14	7	10	17	11	6	2	-
1980	59	-	-	1	8	14	5	5	11	7	8	-	-
1979	57	-	-	2	4	14	9	2	7	10	7	2	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Non-Hodgkin's lymphoma (200,202)													
All races, both sexes													
1998	23,544	5	15	46	166	421	945	1,882	3,220	6,099	7,555	3,189	1
1997	23,693	3	6	62	176	486	1,081	1,959	3,273	6,226	7,367	3,054	-
1996	22,934	1	12	53	152	512	1,110	1,841	3,153	6,145	7,057	2,897	1
1995	22,522	1	16	57	146	532	1,170	1,834	3,071	6,185	6,665	2,845	-
1994	21,930	4	13	64	160	543	1,056	1,761	3,152	6,121	6,457	2,599	-
1993	20,631	1	19	71	157	536	991	1,584	2,934	5,792	6,103	2,443	-
1992	20,179	1	17	58	188	554	1,037	1,584	2,920	5,692	5,837	2,290	1
1991	19,700	2	13	69	197	513	1,030	1,540	2,964	5,532	5,627	2,212	1
1990	18,601	-	14	74	172	510	869	1,450	2,877	5,298	5,284	2,053	-
1989	18,197	3	24	89	174	469	865	1,366	2,923	5,191	5,165	1,927	1
1988	17,259	3	25	76	181	483	818	1,318	2,857	4,922	4,791	1,784	1
1987	16,419	8	18	73	198	385	697	1,211	2,783	4,835	4,565	1,644	2
1986	16,351	3	28	102	211	481	762	1,265	2,800	4,893	4,317	1,489	-
1985	15,562	4	25	73	208	432	717	1,204	2,923	4,455	4,093	1,427	1
1984	14,692	5	19	68	194	381	671	1,157	2,800	4,312	3,775	1,309	1
1983	14,298	2	29	105	221	336	560	1,190	2,777	4,258	3,585	1,235	-
1982	13,803	3	26	125	213	342	575	1,249	2,705	3,939	3,484	1,141	1
1981	12,827	4	27	121	225	324	505	1,129	2,666	3,622	3,166	1,037	1
1980	12,761	2	25	120	231	335	516	1,198	2,621	3,717	3,022	973	1
1979	12,022	4	31	134	213	295	452	1,196	2,505	3,556	2,767	869	-
Non-Hodgkin's lymphoma (200,202)													
All races, male													
1998	12,279	2	11	32	104	288	636	1,219	1,916	3,298	3,548	1,225	-
1997	12,369	1	5	42	115	353	730	1,290	1,907	3,376	3,484	1,066	-
1996	11,962	-	7	41	91	341	772	1,160	1,887	3,285	3,317	1,060	1
1995	11,694	1	12	43	102	385	817	1,166	1,802	3,303	3,051	1,012	-
1994	11,373	2	7	53	97	375	735	1,104	1,845	3,201	2,968	986	-
1993	10,560	-	13	53	100	378	709	1,000	1,662	2,977	2,796	872	-
1992	10,542	1	11	41	134	390	726	1,023	1,701	2,983	2,712	819	1
1991	10,157	-	9	55	134	367	743	983	1,711	2,852	2,507	796	-
1990	9,795	-	9	57	114	371	606	936	1,738	2,778	2,440	746	-
1989	9,420	1	18	68	122	344	591	867	1,696	2,700	2,302	710	1
1988	8,892	-	16	60	123	336	530	824	1,680	2,539	2,128	655	1
1987	8,348	6	11	56	137	261	478	741	1,569	2,535	1,998	554	2
1986	8,485	1	21	81	131	346	516	789	1,590	2,582	1,909	519	-
1985	8,132	1	14	51	150	288	478	736	1,625	2,351	1,912	526	-
1984	7,450	1	10	50	132	263	417	681	1,578	2,212	1,621	484	1
1983	7,382	2	16	84	144	240	361	695	1,590	2,216	1,580	454	-
1982	7,141	2	19	103	136	233	382	746	1,531	2,025	1,545	419	-
1981	6,523	2	16	83	141	221	318	682	1,460	1,851	1,362	387	-
1980	6,573	2	14	97	173	212	331	717	1,487	1,886	1,292	361	1
1979	6,398	4	19	108	154	175	302	710	1,389	1,910	1,274	353	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Non-Hodgkin's lymphoma (200,202)													
All races, female													
1998	11,265	3	4	14	62	133	309	663	1,304	2,801	4,007	1,964	1
1997	11,324	2	1	20	61	133	351	669	1,366	2,850	3,883	1,988	-
1996	10,972	1	5	12	61	171	338	681	1,266	2,860	3,740	1,837	-
1995	10,828	-	4	14	44	147	353	668	1,269	2,882	3,614	1,833	-
1994	10,557	2	6	11	63	168	321	657	1,307	2,920	3,489	1,613	-
1993	10,071	1	6	18	57	158	282	584	1,272	2,815	3,307	1,571	-
1992	9,637	-	6	17	54	164	311	561	1,219	2,709	3,125	1,471	-
1991	9,543	2	4	14	63	146	287	557	1,253	2,680	3,120	1,416	1
1990	8,806	-	5	17	58	139	263	514	1,139	2,520	2,844	1,307	-
1989	8,777	2	6	21	52	125	274	499	1,227	2,491	2,863	1,217	-
1988	8,367	3	9	16	58	147	288	494	1,177	2,383	2,663	1,129	-
1987	8,071	2	7	17	61	124	219	470	1,214	2,300	2,567	1,090	-
1986	7,866	2	7	21	80	135	246	476	1,210	2,311	2,408	970	-
1985	7,430	3	11	22	58	144	239	468	1,298	2,104	2,181	901	1
1984	7,242	4	9	18	62	118	254	476	1,222	2,100	2,154	825	-
1983	6,916	-	13	21	77	96	199	495	1,187	2,042	2,005	781	-
1982	6,662	1	7	22	77	109	193	503	1,174	1,914	1,939	722	1
1981	6,304	2	11	38	84	103	187	447	1,206	1,771	1,804	650	1
1980	6,188	-	11	23	58	123	185	481	1,134	1,831	1,730	612	-
1979	5,624	-	12	26	59	120	150	486	1,116	1,646	1,493	516	-
Non-Hodgkin's lymphoma (200,202)													
White, both sexes													
1998	21,603	3	13	38	141	327	748	1,599	2,889	5,651	7,152	3,041	1
1997	21,696	3	5	48	135	394	852	1,672	2,936	5,780	6,971	2,900	-
1996	21,062	1	9	40	126	392	909	1,594	2,838	5,715	6,675	2,762	1
1995	20,780	-	13	43	121	418	965	1,605	2,782	5,792	6,336	2,705	-
1994	20,269	3	10	54	121	440	888	1,548	2,828	5,757	6,143	2,477	-
1993	19,030	1	14	59	124	431	822	1,366	2,674	5,417	5,793	2,329	-
1992	18,608	1	17	49	148	443	847	1,408	2,637	5,346	5,533	2,178	1
1991	18,173	1	12	61	168	404	864	1,375	2,687	5,151	5,318	2,131	1
1990	17,185	-	11	63	135	418	725	1,265	2,615	4,955	5,036	1,962	-
1989	16,833	2	17	79	139	376	731	1,199	2,680	4,867	4,886	1,856	1
1988	16,006	3	21	67	150	405	702	1,144	2,628	4,622	4,564	1,699	1
1987	15,275	6	16	60	164	326	596	1,071	2,588	4,541	4,335	1,572	-
1986	15,178	3	22	82	175	411	656	1,128	2,603	4,577	4,096	1,425	-
1985	14,468	2	22	64	179	351	620	1,083	2,702	4,196	3,881	1,367	1
1984	13,718	2	15	62	161	314	586	1,042	2,583	4,070	3,612	1,270	1
1983	13,333	2	27	83	183	281	490	1,072	2,565	4,029	3,416	1,185	-
1982	12,890	2	23	106	186	284	514	1,138	2,520	3,706	3,308	1,102	1
1981	11,962	3	24	105	186	280	420	1,027	2,481	3,396	3,050	989	1
1980	11,909	1	20	104	196	292	460	1,091	2,433	3,506	2,875	931	-
1979	11,240	2	25	120	185	252	405	1,080	2,328	3,353	2,656	834	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Non-Hodgkin's lymphoma (200,202)													
White, male													
1998	11,253	1	9	27	89	233	512	1,039	1,728	3,081	3,364	1,170	-
1997	11,241	1	4	30	85	292	582	1,097	1,726	3,141	3,279	1,004	-
1996	10,909	-	6	32	75	261	639	994	1,698	3,058	3,136	1,009	1
1995	10,732	-	11	34	84	308	687	1,012	1,639	3,098	2,900	959	-
1994	10,490	2	7	44	73	305	621	982	1,656	3,024	2,836	940	-
1993	9,658	-	9	46	81	303	594	862	1,531	2,770	2,647	815	-
1992	9,673	1	11	35	106	314	599	908	1,540	2,803	2,576	779	1
1991	9,336	-	8	48	116	298	636	877	1,553	2,665	2,366	769	-
1990	9,005	-	8	49	88	308	513	822	1,588	2,597	2,326	706	-
1989	8,643	-	12	62	93	268	503	765	1,560	2,535	2,173	671	1
1988	8,177	-	13	53	103	288	448	708	1,551	2,371	2,021	620	1
1987	7,709	4	9	48	116	222	409	659	1,467	2,368	1,890	517	-
1986	7,795	1	16	64	105	304	443	705	1,472	2,404	1,782	499	-
1985	7,547	1	12	45	125	235	419	665	1,505	2,215	1,817	508	-
1984	6,926	-	7	45	111	218	363	611	1,454	2,100	1,548	468	1
1983	6,823	2	15	70	120	198	319	623	1,455	2,097	1,497	427	-
1982	6,624	1	16	87	119	192	342	678	1,422	1,901	1,462	404	-
1981	6,066	1	15	75	115	196	267	626	1,362	1,737	1,305	367	-
1980	6,090	1	12	86	148	189	300	655	1,378	1,755	1,219	347	-
1979	5,966	2	15	96	135	153	271	644	1,286	1,802	1,224	338	-
Non-Hodgkin's lymphoma (200,202)													
White, female													
1998	10,350	2	4	11	52	94	236	560	1,161	2,570	3,788	1,871	1
1997	10,455	2	1	18	50	102	270	575	1,210	2,639	3,692	1,896	-
1996	10,153	1	3	8	51	131	270	600	1,140	2,657	3,539	1,753	-
1995	10,048	-	2	9	37	110	278	593	1,143	2,694	3,436	1,746	-
1994	9,779	1	3	10	48	135	267	566	1,172	2,733	3,307	1,537	-
1993	9,372	1	5	13	43	128	228	504	1,143	2,647	3,146	1,514	-
1992	8,935	-	6	14	42	129	248	500	1,097	2,543	2,957	1,399	-
1991	8,837	1	4	13	52	106	228	498	1,134	2,486	2,952	1,362	1
1990	8,180	-	3	14	47	110	212	443	1,027	2,358	2,710	1,256	-
1989	8,190	2	5	17	46	108	228	434	1,120	2,332	2,713	1,185	-
1988	7,829	3	8	14	47	117	254	436	1,077	2,251	2,543	1,079	-
1987	7,566	2	7	12	48	104	187	412	1,121	2,173	2,445	1,055	-
1986	7,383	2	6	18	70	107	213	423	1,131	2,173	2,314	926	-
1985	6,921	1	10	19	54	116	201	418	1,197	1,981	2,064	859	1
1984	6,792	2	8	17	50	96	223	431	1,129	1,970	2,064	802	-
1983	6,510	-	12	13	63	83	171	449	1,110	1,932	1,919	758	-
1982	6,266	1	7	19	67	92	172	460	1,098	1,805	1,846	698	1
1981	5,896	2	9	30	71	84	153	401	1,119	1,659	1,745	622	1
1980	5,819	-	8	18	48	103	160	436	1,055	1,751	1,656	584	-
1979	5,274	-	10	24	50	99	134	436	1,042	1,551	1,432	496	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Non-Hodgkin's lymphoma (200,202)													
All other, both sexes													
1998	1,941	2	2	8	25	94	197	283	331	448	403	148	-
1997	1,997	-	1	14	41	92	229	287	337	446	396	154	-
1996	1,872	-	3	13	26	120	201	247	315	430	382	135	-
1995	1,742	1	3	14	25	114	205	229	289	393	329	140	-
1994	1,661	1	3	10	39	103	168	213	324	364	314	122	-
1993	1,601	-	5	12	33	105	169	218	260	375	310	114	-
1992	1,571	-	-	9	40	111	190	176	283	346	304	112	-
1991	1,527	1	1	8	29	109	166	165	277	381	309	81	-
1990	1,416	-	3	11	37	92	144	185	262	343	248	91	-
1989	1,364	1	7	10	35	93	134	167	243	324	279	71	-
1988	1,253	-	4	9	31	78	116	174	229	300	227	85	-
1987	1,144	2	2	13	34	59	101	140	195	294	230	72	2
1986	1,173	-	6	20	36	70	106	137	197	316	221	64	-
1985	1,094	2	3	9	29	81	97	121	221	259	212	60	-
1984	974	3	4	6	33	67	85	115	217	242	163	39	-
1983	965	-	2	22	38	55	70	118	212	229	169	50	-
1982	913	1	3	19	27	58	61	111	185	233	176	39	-
1981	865	1	3	16	39	44	85	102	185	226	116	48	-
1980	852	1	5	16	35	43	56	107	188	211	147	42	1
1979	782	2	6	14	28	43	47	116	177	203	111	35	-
Non-Hodgkin's lymphoma (200,202)													
All other, male													
1998	1,026	1	2	5	15	55	124	180	188	217	184	55	-
1997	1,128	-	1	12	30	61	148	193	181	235	205	62	-
1996	1,053	-	1	9	16	80	133	166	189	227	181	51	-
1995	962	1	1	9	18	77	130	154	163	205	151	53	-
1994	883	-	-	9	24	70	114	122	189	177	132	46	-
1993	902	-	4	7	19	75	115	138	131	207	149	57	-
1992	869	-	-	6	28	76	127	115	161	180	136	40	-
1991	821	-	1	7	18	69	107	106	158	187	141	27	-
1990	790	-	1	8	26	63	93	114	150	181	114	40	-
1989	777	1	6	6	29	76	88	102	136	165	129	39	-
1988	715	-	3	7	20	48	82	116	129	168	107	35	-
1987	639	2	2	8	21	39	69	82	102	167	108	37	2
1986	690	-	5	17	26	42	73	84	118	178	127	20	-
1985	585	-	2	6	25	53	59	71	120	136	95	18	-
1984	524	1	3	5	21	45	54	70	124	112	73	16	-
1983	559	-	1	14	24	42	42	72	135	119	83	27	-
1982	517	1	3	16	17	41	40	68	109	124	83	15	-
1981	457	1	1	8	26	25	51	56	98	114	57	20	-
1980	483	1	2	11	25	23	31	62	109	131	73	14	1
1979	432	2	4	12	19	22	31	66	103	108	50	15	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Non-Hodgkin's lymphoma (200,202)													
All other, female													
1998	915	1	-	3	10	39	73	103	143	231	219	93	-
1997	869	-	-	2	11	31	81	94	156	211	191	92	-
1996	819	-	2	4	10	40	68	81	126	203	201	84	-
1995	780	-	2	5	7	37	75	75	126	188	178	87	-
1994	778	1	3	1	15	33	54	91	135	187	182	76	-
1993	699	-	1	5	14	30	54	80	129	168	161	57	-
1992	702	-	-	3	12	35	63	61	122	166	168	72	-
1991	706	1	-	1	11	40	59	59	119	194	168	54	-
1990	626	-	2	3	11	29	51	71	112	162	134	51	-
1989	587	-	1	4	6	17	46	65	107	159	150	32	-
1988	538	-	1	2	11	30	34	58	100	132	120	50	-
1987	505	-	-	5	13	20	32	58	93	127	122	35	-
1986	483	-	1	3	10	28	33	53	79	138	94	44	-
1985	509	2	1	3	4	28	38	50	101	123	117	42	-
1984	450	2	1	1	12	22	31	45	93	130	90	23	-
1983	406	-	1	8	14	13	28	46	77	110	86	23	-
1982	396	-	-	3	10	17	21	43	76	109	93	24	-
1981	408	-	2	8	13	19	34	46	87	112	59	28	-
1980	369	-	3	5	10	20	25	45	79	80	74	28	-
1979	350	-	2	2	9	21	16	50	74	95	61	20	-
Non-Hodgkin's lymphoma (200,202)													
Black, both sexes													
1998	1,518	1	1	6	17	75	165	248	280	333	282	110	-
1997	1,583	-	-	12	35	73	204	237	265	350	293	114	-
1996	1,517	-	2	11	25	100	177	215	268	325	289	105	-
1995	1,399	-	2	12	19	96	182	198	225	312	247	106	-
1994	1,310	1	2	5	31	83	140	178	258	291	234	87	-
1993	1,312	-	4	9	24	91	146	189	223	297	246	83	-
1992	1,282	-	-	6	32	96	171	150	229	278	231	89	-
1991	1,260	1	1	6	27	94	142	131	227	310	252	69	-
1990	1,172	-	2	7	33	83	123	161	218	272	201	72	-
1989	1,135	1	5	9	31	79	121	142	201	266	224	56	-
1988	1,047	-	3	6	26	71	97	150	196	243	181	74	-
1987	971	1	2	8	30	55	91	124	167	248	187	56	2
1986	1,006	-	5	17	32	64	94	125	167	269	179	54	-
1985	926	2	2	8	22	68	86	98	188	222	179	51	-
1984	840	2	2	6	31	63	75	94	189	204	144	30	-
1983	841	-	-	19	28	49	61	103	192	206	145	38	-
1982	792	-	2	14	24	55	52	97	163	204	148	33	-
1981	761	1	3	14	37	37	73	85	168	202	99	42	-
1980	742	1	3	15	31	40	46	97	165	175	131	37	1
1979	682	2	6	14	27	35	41	102	160	176	96	23	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Non-Hodgkin's lymphoma (200,202)													
Black, male													
1998	801	-	1	4	10	45	102	161	157	164	121	36	-
1997	881	-	-	10	26	45	136	160	138	181	142	43	-
1996	851	-	1	7	15	70	118	144	161	171	127	37	-
1995	780	-	-	7	13	66	117	136	134	162	110	35	-
1994	692	-	-	5	19	61	93	103	149	146	87	29	-
1993	726	-	3	5	13	64	99	123	115	158	111	35	-
1992	704	-	-	4	21	69	117	95	126	146	98	28	-
1991	670	-	1	5	18	61	94	86	128	147	108	22	-
1990	651	-	-	5	24	55	77	104	125	140	91	30	-
1989	643	1	4	5	26	65	81	89	115	131	97	29	-
1988	600	-	3	5	18	43	70	101	113	134	80	33	-
1987	544	1	2	5	19	38	63	73	90	142	81	28	2
1986	576	-	4	15	23	38	63	75	102	146	94	16	-
1985	489	-	2	5	20	46	52	59	100	115	76	14	-
1984	453	-	1	5	19	45	45	59	108	95	64	12	-
1983	481	-	-	11	17	36	36	64	118	107	71	21	-
1982	437	-	2	13	15	38	35	60	92	108	60	14	-
1981	403	1	1	8	25	21	44	47	88	101	50	17	-
1980	421	1	1	10	22	22	27	59	94	109	63	12	1
1979	373	2	4	12	19	18	26	59	94	90	40	9	-
Non-Hodgkin's lymphoma (200,202)													
Black, female													
1998	717	1	-	2	7	30	63	87	123	169	161	74	-
1997	702	-	-	2	9	28	68	77	127	169	151	71	-
1996	666	-	1	4	10	30	59	71	107	154	162	68	-
1995	619	-	2	5	6	30	65	62	91	150	137	71	-
1994	618	1	2	-	12	22	47	75	109	145	147	58	-
1993	586	-	1	4	11	27	47	66	108	139	135	48	-
1992	578	-	-	2	11	27	54	55	103	132	133	61	-
1991	590	1	-	1	9	33	48	45	99	163	144	47	-
1990	521	-	2	2	9	28	46	57	93	132	110	42	-
1989	492	-	1	4	5	14	40	53	86	135	127	27	-
1988	447	-	-	1	8	28	27	49	83	109	101	41	-
1987	427	-	-	3	11	17	28	51	77	106	106	28	-
1986	430	-	1	2	9	26	31	50	65	123	85	38	-
1985	437	2	-	3	2	22	34	39	88	107	103	37	-
1984	387	2	1	1	12	18	30	35	81	109	80	18	-
1983	360	-	-	8	11	13	25	39	74	99	74	17	-
1982	355	-	-	1	9	17	17	37	71	96	88	19	-
1981	358	-	2	6	12	16	29	38	80	101	49	25	-
1980	321	-	2	5	9	18	19	38	71	66	68	25	-
1979	309	-	2	2	8	17	15	43	66	86	56	14	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Leukemia (204-208)													
All races, both sexes													
1998	20,324	19	116	328	447	495	929	1,355	2,326	4,953	6,255	3,100	1
1997	20,313	32	134	366	450	515	843	1,404	2,424	5,059	5,999	3,087	-
1996	20,340	32	150	350	430	571	814	1,387	2,377	5,164	6,034	3,031	-
1995	20,148	22	155	396	420	584	862	1,280	2,418	5,075	5,973	2,961	2
1994	19,669	19	170	361	500	620	826	1,334	2,422	4,946	5,578	2,893	-
1993	19,530	31	154	412	470	616	912	1,300	2,421	5,006	5,430	2,777	1
1992	19,272	36	174	422	481	655	848	1,263	2,467	4,889	5,387	2,650	-
1991	18,945	20	176	414	485	608	847	1,217	2,458	4,872	5,269	2,579	-
1990	18,574	24	170	382	535	668	872	1,207	2,443	4,754	5,123	2,393	3
1989	18,246	32	160	429	505	682	856	1,134	2,527	4,766	4,913	2,242	-
1988	17,577	21	187	416	518	580	899	1,134	2,409	4,366	4,814	2,233	-
1987	17,284	30	192	473	516	631	825	1,124	2,458	4,326	4,545	2,162	2
1986	17,365	25	194	448	574	669	810	1,101	2,532	4,373	4,559	2,079	1
1985	17,319	31	182	501	525	644	800	1,122	2,613	4,372	4,435	2,092	2
1984	17,080	32	175	478	611	611	830	1,188	2,621	4,275	4,271	1,988	-
1983	16,820	37	236	507	586	646	786	1,174	2,507	4,203	4,136	1,998	4
1982	16,704	33	200	566	689	641	762	1,132	2,440	4,102	4,221	1,918	-
1981	16,273	18	233	579	618	662	697	1,146	2,509	4,030	4,060	1,717	4
1980	16,533	31	188	655	735	696	744	1,210	2,569	4,033	3,921	1,751	-
1979	15,988	33	210	662	734	600	674	1,254	2,433	3,892	3,824	1,671	1
Leukemia (204-208)													
All races, male													
1998	11,201	11	55	193	273	286	551	774	1,386	3,033	3,425	1,213	1
1997	11,265	13	72	214	277	307	457	799	1,433	3,091	3,316	1,286	-
1996	11,179	13	87	202	262	338	453	810	1,428	3,092	3,203	1,291	-
1995	11,229	10	93	238	251	343	503	730	1,453	3,104	3,253	1,251	-
1994	10,840	8	88	203	327	400	456	759	1,479	2,953	3,006	1,161	-
1993	10,750	20	91	248	281	364	510	733	1,464	3,019	2,925	1,094	1
1992	10,609	20	93	262	293	383	494	697	1,479	2,929	2,897	1,062	-
1991	10,194	11	92	247	305	356	453	691	1,451	2,894	2,710	984	-
1990	10,192	12	94	238	322	397	461	686	1,465	2,846	2,694	976	1
1989	10,039	11	84	259	315	403	490	641	1,493	2,839	2,654	850	-
1988	9,724	6	93	263	333	352	523	645	1,432	2,594	2,575	908	-
1987	9,387	14	99	289	316	366	473	603	1,447	2,536	2,407	836	1
1986	9,565	17	109	257	385	386	448	606	1,473	2,601	2,423	859	1
1985	9,442	12	112	294	323	356	465	627	1,529	2,543	2,306	874	1
1984	9,276	17	94	290	371	351	478	649	1,527	2,471	2,204	824	-
1983	9,312	15	144	289	368	391	417	661	1,492	2,481	2,169	883	2
1982	9,244	16	106	343	404	337	444	637	1,458	2,426	2,247	826	-
1981	9,078	10	123	352	387	385	380	625	1,515	2,421	2,142	736	2
1980	9,193	19	105	412	444	394	406	686	1,496	2,382	2,051	798	-
1979	8,893	16	118	395	459	355	355	670	1,435	2,321	1,984	784	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Leukemia (204-208)													
All races, female													
1998	9,123	8	61	135	174	209	378	581	940	1,920	2,830	1,887	-
1997	9,048	19	62	152	173	208	386	605	991	1,968	2,683	1,801	-
1996	9,161	19	63	148	168	233	361	577	949	2,072	2,831	1,740	-
1995	8,919	12	62	158	169	241	359	550	965	1,971	2,720	1,710	2
1994	8,829	11	82	158	173	220	370	575	943	1,993	2,572	1,732	-
1993	8,780	11	63	164	189	252	402	567	957	1,987	2,505	1,683	-
1992	8,663	16	81	160	188	272	354	566	988	1,960	2,490	1,588	-
1991	8,751	9	84	167	180	252	394	526	1,007	1,978	2,559	1,595	-
1990	8,382	12	76	144	213	271	411	521	978	1,908	2,429	1,417	2
1989	8,207	21	76	170	190	279	366	493	1,034	1,927	2,259	1,392	-
1988	7,853	15	94	153	185	228	376	489	977	1,772	2,239	1,325	-
1987	7,897	16	93	184	200	265	352	521	1,011	1,790	2,138	1,326	1
1986	7,800	8	85	191	189	283	362	495	1,059	1,772	2,136	1,220	-
1985	7,877	19	70	207	202	288	335	495	1,084	1,829	2,129	1,218	1
1984	7,804	15	81	188	240	260	352	539	1,094	1,804	2,067	1,164	-
1983	7,508	22	92	218	218	255	369	513	1,015	1,722	1,967	1,115	2
1982	7,460	17	94	223	285	304	318	495	982	1,676	1,974	1,092	-
1981	7,195	8	110	227	231	277	317	521	994	1,609	1,918	981	2
1980	7,340	12	83	243	291	302	338	524	1,073	1,651	1,870	953	-
1979	7,095	17	92	267	275	245	319	584	998	1,571	1,840	887	-
Leukemia (204-208)													
White, both sexes													
1998	18,214	18	92	264	382	387	744	1,120	1,994	4,511	5,815	2,887	-
1997	18,283	27	103	301	373	397	671	1,204	2,116	4,586	5,600	2,905	-
1996	18,234	26	126	278	342	463	665	1,184	2,076	4,661	5,598	2,815	-
1995	18,109	18	115	306	335	453	733	1,079	2,119	4,620	5,548	2,782	1
1994	17,708	16	131	300	406	506	680	1,150	2,115	4,513	5,189	2,702	-
1993	17,504	24	125	343	363	481	750	1,108	2,115	4,568	5,033	2,594	-
1992	17,405	33	149	353	386	527	706	1,085	2,182	4,471	5,019	2,494	-
1991	17,064	13	142	346	401	506	695	1,031	2,169	4,454	4,899	2,408	-
1990	16,722	19	143	311	446	540	717	1,041	2,144	4,346	4,763	2,250	2
1989	16,434	31	126	355	410	573	712	982	2,238	4,336	4,574	2,097	-
1988	15,854	17	153	345	433	481	751	991	2,167	3,973	4,453	2,090	-
1987	15,569	27	157	404	412	522	697	965	2,186	3,948	4,220	2,030	1
1986	15,709	19	167	375	489	559	683	968	2,235	4,017	4,245	1,951	1
1985	15,703	26	151	411	449	548	692	981	2,326	3,987	4,146	1,985	1
1984	15,479	26	145	398	509	527	695	1,026	2,360	3,906	3,996	1,891	-
1983	15,231	34	199	432	507	535	668	1,020	2,255	3,826	3,861	1,890	4
1982	15,152	28	161	480	576	551	657	987	2,164	3,779	3,931	1,838	-
1981	14,786	15	192	488	540	560	581	1,009	2,281	3,699	3,789	1,632	-
1980	15,081	26	158	582	612	598	645	1,057	2,324	3,727	3,683	1,669	-
1979	14,607	28	175	587	631	521	571	1,108	2,203	3,588	3,609	1,585	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Leukemia (204-208)													
White, male													
1998	10,070	10	42	156	236	223	435	645	1,206	2,786	3,207	1,124	-
1997	10,171	11	57	176	227	238	366	690	1,257	2,825	3,109	1,215	-
1996	10,055	8	75	164	211	278	376	700	1,254	2,807	2,986	1,196	-
1995	10,143	9	73	191	205	272	437	624	1,276	2,836	3,044	1,176	-
1994	9,772	7	69	167	271	327	376	665	1,297	2,702	2,809	1,082	-
1993	9,658	15	75	206	218	279	419	635	1,287	2,780	2,716	1,028	-
1992	9,595	18	83	218	237	310	414	593	1,324	2,699	2,697	1,002	-
1991	9,165	6	70	210	251	293	368	582	1,300	2,667	2,507	911	-
1990	9,189	10	81	194	275	331	376	593	1,305	2,596	2,510	917	1
1989	9,011	11	73	212	254	340	407	560	1,325	2,586	2,456	787	-
1988	8,785	5	80	224	281	296	433	566	1,289	2,372	2,398	841	-
1987	8,480	14	84	248	258	304	405	526	1,295	2,332	2,235	778	1
1986	8,685	14	98	216	328	325	380	538	1,316	2,395	2,265	809	1
1985	8,548	10	88	239	279	307	409	544	1,372	2,334	2,142	823	1
1984	8,409	13	77	244	307	304	411	562	1,386	2,269	2,054	782	-
1983	8,461	15	123	248	315	330	360	578	1,349	2,277	2,031	833	2
1982	8,402	15	89	291	337	295	392	561	1,307	2,245	2,085	785	-
1981	8,276	8	103	293	339	329	319	552	1,387	2,246	2,003	697	-
1980	8,396	16	89	371	369	343	359	612	1,360	2,190	1,932	755	-
1979	8,138	13	101	353	400	307	299	600	1,302	2,148	1,867	747	1
Leukemia (204-208)													
White, female													
1998	8,144	8	50	108	146	164	309	475	788	1,725	2,608	1,763	-
1997	8,112	16	46	125	146	159	305	514	859	1,761	2,491	1,690	-
1996	8,179	18	51	114	131	185	289	484	822	1,854	2,612	1,619	-
1995	7,966	9	42	115	130	181	296	455	843	1,784	2,504	1,606	1
1994	7,936	9	62	133	135	179	304	485	818	1,811	2,380	1,620	-
1993	7,846	9	50	137	145	202	331	473	828	1,788	2,317	1,566	-
1992	7,810	15	66	135	149	217	292	492	858	1,772	2,322	1,492	-
1991	7,899	7	72	136	150	213	327	449	869	1,787	2,392	1,497	-
1990	7,533	9	62	117	171	209	341	448	839	1,750	2,253	1,333	1
1989	7,423	20	53	143	156	233	305	422	913	1,750	2,118	1,310	-
1988	7,069	12	73	121	152	185	318	425	878	1,601	2,055	1,249	-
1987	7,089	13	73	156	154	218	292	439	891	1,616	1,985	1,252	-
1986	7,024	5	69	159	161	234	303	430	919	1,622	1,980	1,142	-
1985	7,155	16	63	172	170	241	283	437	954	1,653	2,004	1,162	-
1984	7,070	13	68	154	202	223	284	464	974	1,637	1,942	1,109	-
1983	6,770	19	76	184	192	205	308	442	906	1,549	1,830	1,057	2
1982	6,750	13	72	189	239	256	265	426	857	1,534	1,846	1,053	-
1981	6,510	7	89	195	201	231	262	457	894	1,453	1,786	935	-
1980	6,685	10	69	211	243	255	286	445	964	1,537	1,751	914	-
1979	6,469	15	74	234	231	214	272	508	901	1,440	1,742	838	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Leukemia (204-208)													
All other, both sexes													
1998	2,110	1	24	64	65	108	185	235	332	442	440	213	1
1997	2,030	5	31	65	77	118	172	200	308	473	399	182	-
1996	2,106	6	24	72	88	108	149	203	301	503	436	216	-
1995	2,039	4	40	90	85	131	129	201	299	455	425	179	1
1994	1,961	3	39	61	94	114	146	184	307	433	389	191	-
1993	2,026	7	29	69	107	135	162	192	306	438	397	183	1
1992	1,867	3	25	69	95	128	142	178	285	418	368	156	-
1991	1,881	7	34	68	84	102	152	186	289	418	370	171	-
1990	1,852	5	27	71	89	128	155	166	299	408	360	143	1
1989	1,812	1	34	74	95	109	144	152	289	430	339	145	-
1988	1,723	4	34	71	85	99	148	143	242	393	361	143	-
1987	1,715	3	35	69	104	109	128	159	272	378	325	132	1
1986	1,656	6	27	73	85	110	127	133	297	356	314	128	-
1985	1,616	5	31	90	76	96	108	141	287	385	289	107	1
1984	1,601	6	30	80	102	84	135	162	261	369	275	97	-
1983	1,589	3	37	75	79	111	118	154	252	377	275	108	-
1982	1,552	5	39	86	113	90	105	145	276	323	290	80	-
1981	1,487	3	41	91	78	102	116	137	228	331	271	85	4
1980	1,452	5	30	73	123	98	99	153	245	306	238	82	-
1979	1,381	5	35	75	103	79	103	146	230	304	215	86	-
Leukemia (204-208)													
All other, male													
1998	1,131	1	13	37	37	63	116	129	180	247	218	89	1
1997	1,094	2	15	38	50	69	91	109	176	266	207	71	-
1996	1,124	5	12	38	51	60	77	110	174	285	217	95	-
1995	1,086	1	20	47	46	71	66	106	177	268	209	75	-
1994	1,068	1	19	36	56	73	80	94	182	251	197	79	-
1993	1,092	5	16	42	63	85	91	98	177	239	209	66	1
1992	1,014	2	10	44	56	73	80	104	155	230	200	60	-
1991	1,029	5	22	37	54	63	85	109	151	227	203	73	-
1990	1,003	2	13	44	47	66	85	93	160	250	184	59	-
1989	1,028	-	11	47	61	63	83	81	168	253	198	63	-
1988	939	1	13	39	52	56	90	79	143	222	177	67	-
1987	907	-	15	41	58	62	68	77	152	204	172	58	-
1986	880	3	11	41	57	61	68	68	157	206	158	50	-
1985	894	2	24	55	44	49	56	83	157	209	164	51	-
1984	867	4	17	46	64	47	67	87	141	202	150	42	-
1983	851	-	21	41	53	61	57	83	143	204	138	50	-
1982	842	1	17	52	67	42	52	76	151	181	162	41	-
1981	802	2	20	59	48	56	61	73	128	175	139	39	2
1980	797	3	16	41	75	51	47	74	136	192	119	43	-
1979	755	3	17	42	59	48	56	70	133	173	117	37	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Leukemia (204-208)													
All other, female													
1998	979	-	11	27	28	45	69	106	152	195	222	124	-
1997	936	3	16	27	27	49	81	91	132	207	192	111	-
1996	982	1	12	34	37	48	72	93	127	218	219	121	-
1995	953	3	20	43	39	60	63	95	122	187	216	104	1
1994	893	2	20	25	38	41	66	90	125	182	192	112	-
1993	934	2	13	27	44	50	71	94	129	199	188	117	-
1992	853	1	15	25	39	55	62	74	130	188	168	96	-
1991	852	2	12	31	30	39	67	77	138	191	167	98	-
1990	849	3	14	27	42	62	70	73	139	158	176	84	1
1989	784	1	23	27	34	46	61	71	121	177	141	82	-
1988	784	3	21	32	33	43	58	64	99	171	184	76	-
1987	808	3	20	28	46	47	60	82	120	174	153	74	1
1986	776	3	16	32	28	49	59	65	140	150	156	78	-
1985	722	3	7	35	32	47	52	58	130	176	125	56	1
1984	734	2	13	34	38	37	68	75	120	167	125	55	-
1983	738	3	16	34	26	50	61	71	109	173	137	58	-
1982	710	4	22	34	46	48	53	69	125	142	128	39	-
1981	685	1	21	32	30	46	55	64	100	156	132	46	2
1980	655	2	14	32	48	47	52	79	109	114	119	39	-
1979	626	2	18	33	44	31	47	76	97	131	98	49	-
Leukemia (204-208)													
Black, both sexes													
1998	1,752	1	19	46	52	88	152	188	280	366	381	178	1
1997	1,673	1	24	46	63	93	132	159	255	395	345	160	-
1996	1,763	4	15	54	66	88	115	165	257	415	394	190	-
1995	1,686	1	31	62	66	98	99	167	259	392	356	155	-
1994	1,634	3	28	44	77	81	116	148	260	373	332	172	-
1993	1,681	5	18	54	83	103	130	155	258	377	343	154	1
1992	1,587	2	14	50	70	101	123	142	251	356	332	146	-
1991	1,609	5	28	51	65	82	119	151	252	372	327	157	-
1990	1,591	2	18	51	68	99	116	148	262	367	326	133	1
1989	1,540	1	23	54	83	79	111	131	243	369	314	132	-
1988	1,478	4	24	45	71	87	117	112	208	350	326	134	-
1987	1,479	2	21	54	83	86	98	140	242	334	295	123	1
1986	1,460	6	24	58	75	92	100	109	266	320	291	119	-
1985	1,401	3	20	72	58	73	93	116	250	354	261	100	1
1984	1,407	4	24	69	87	75	115	130	229	335	251	88	-
1983	1,394	3	27	63	62	95	96	134	226	344	245	99	-
1982	1,378	5	32	76	92	75	92	121	253	299	262	71	-
1981	1,337	3	37	79	68	88	94	119	208	306	254	78	3
1980	1,310	5	26	63	104	89	81	134	225	280	225	78	-
1979	1,262	4	28	64	94	63	85	136	217	286	203	82	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Leukemia (204-208)													
Black, male													
1998	936	1	11	26	30	58	95	105	155	200	183	71	1
1997	905	-	14	23	40	55	77	88	147	226	173	62	-
1996	931	4	6	28	36	54	62	89	145	227	197	83	-
1995	908	1	15	31	33	56	55	91	157	233	174	62	-
1994	885	1	12	27	48	53	62	75	154	223	164	66	-
1993	906	3	10	30	52	63	71	80	153	213	179	51	1
1992	840	1	5	31	40	56	69	83	139	194	171	51	-
1991	869	3	19	27	40	54	66	86	134	199	175	66	-
1990	854	1	9	34	33	51	62	81	146	221	161	55	-
1989	868	-	8	40	52	45	63	73	134	217	179	57	-
1988	806	1	10	26	45	51	73	65	118	195	156	66	-
1987	781	-	11	30	44	52	50	66	135	186	155	52	-
1986	771	3	10	36	50	51	52	55	139	186	143	46	-
1985	769	1	17	43	33	36	51	70	133	191	146	48	-
1984	754	2	12	40	51	41	60	70	124	177	140	37	-
1983	741	-	16	36	38	53	47	70	131	179	124	47	-
1982	745	1	13	47	58	34	44	64	139	165	143	37	-
1981	709	2	18	52	44	47	51	60	117	154	126	36	2
1980	714	3	15	35	66	48	38	60	126	174	109	40	-
1979	677	2	13	34	52	37	47	61	124	163	108	36	-
Leukemia (204-208)													
Black, female													
1998	816	-	8	20	22	30	57	83	125	166	198	107	-
1997	768	1	10	23	23	38	55	71	108	169	172	98	-
1996	832	-	9	26	30	34	53	76	112	188	197	107	-
1995	778	-	16	31	33	42	44	76	102	159	182	93	-
1994	749	2	16	17	29	28	54	73	106	150	168	106	-
1993	775	2	8	24	31	40	59	75	105	164	164	103	-
1992	747	1	9	19	30	45	54	59	112	162	161	95	-
1991	740	2	9	24	25	28	53	65	118	173	152	91	-
1990	737	1	9	17	35	48	54	67	116	146	165	78	1
1989	672	1	15	14	31	34	48	58	109	152	135	75	-
1988	672	3	14	19	26	36	44	47	90	155	170	68	-
1987	698	2	10	24	39	34	48	74	107	148	140	71	1
1986	689	3	14	22	25	41	48	54	127	134	148	73	-
1985	632	2	3	29	25	37	42	46	117	163	115	52	1
1984	653	2	12	29	36	34	55	60	105	158	111	51	-
1983	653	3	11	27	24	42	49	64	95	165	121	52	-
1982	633	4	19	29	34	41	48	57	114	134	119	34	-
1981	628	1	19	27	24	41	43	59	91	152	128	42	1
1980	596	2	11	28	38	41	43	74	99	106	116	38	-
1979	585	2	15	30	42	26	38	75	93	123	95	46	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	15-24 25-34 35-44 45-54 55-64 65-74 75-84 85 + years												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	years	years	years	years	years	years	years	years	
Multiple myeloma and immunoproliferative neoplasms (203)													
All races, both sexes													
1998	10,359	-	1	-	1	11	165	677	1,541	3,098	3,487	1,378	-
1997	10,386	-	-	-	1	17	148	674	1,589	3,222	3,374	1,361	-
1996	10,248	-	-	-	3	17	156	629	1,588	3,185	3,366	1,304	-
1995	10,266	-	-	-	-	22	157	651	1,618	3,263	3,293	1,262	-
1994	10,041	-	-	-	2	9	164	691	1,559	3,131	3,234	1,250	1
1993	9,892	-	1	2	1	16	157	584	1,497	3,208	3,229	1,196	1
1992	9,294	-	-	-	4	21	149	526	1,426	3,035	3,067	1,066	-
1991	9,320	-	-	-	1	21	159	523	1,504	3,032	3,013	1,066	1
1990	8,934	-	-	-	1	21	120	515	1,486	2,923	2,846	1,022	-
1989	8,587	-	-	1	2	21	120	508	1,529	2,784	2,718	903	1
1988	8,318	-	-	-	3	15	123	507	1,489	2,743	2,558	880	-
1987	8,141	1	-	1	-	10	132	505	1,489	2,729	2,406	866	2
1986	7,987	-	-	1	2	17	129	471	1,406	2,676	2,439	846	-
1985	7,819	1	-	-	-	21	138	475	1,517	2,617	2,271	779	-
1984	7,470	-	-	3	3	9	118	487	1,565	2,397	2,197	691	-
1983	7,301	-	-	1	-	14	114	472	1,506	2,396	2,112	685	1
1982	7,024	-	-	-	4	16	111	528	1,390	2,360	1,947	667	1
1981	6,729	-	1	2	3	18	92	481	1,390	2,253	1,925	561	3
1980	6,613	-	-	-	-	16	108	451	1,464	2,187	1,816	571	-
1979	6,414	1	-	-	-	14	107	526	1,372	2,110	1,759	525	-
Multiple myeloma and immunoproliferative neoplasms (203)													
All races, male													
1998	5,290	-	-	-	1	6	101	402	856	1,668	1,686	570	-
1997	5,360	-	-	-	1	11	87	404	878	1,740	1,681	558	-
1996	5,253	-	-	-	3	11	95	369	845	1,713	1,666	551	-
1995	5,165	-	-	-	-	10	94	389	891	1,679	1,581	521	-
1994	5,165	-	-	-	1	5	103	407	876	1,744	1,520	509	-
1993	4,936	-	-	-	1	9	102	337	811	1,720	1,493	463	-
1992	4,679	-	-	-	3	15	91	293	811	1,617	1,438	411	-
1991	4,698	-	-	-	1	14	104	281	825	1,626	1,431	415	1
1990	4,561	-	-	-	1	11	78	299	828	1,563	1,375	406	-
1989	4,335	-	-	1	-	13	74	287	845	1,450	1,312	353	-
1988	4,231	-	-	-	3	10	70	281	836	1,440	1,227	364	-
1987	4,181	-	-	-	-	6	81	316	845	1,475	1,117	339	2
1986	4,032	-	-	-	2	8	81	245	764	1,452	1,155	325	-
1985	3,935	1	-	-	-	16	84	246	840	1,382	1,041	325	-
1984	3,737	-	-	2	1	1	79	267	845	1,265	1,019	258	-
1983	3,722	-	-	1	-	5	68	266	839	1,230	1,012	301	-
1982	3,554	-	-	-	3	12	69	305	755	1,244	904	261	1
1981	3,377	-	-	-	1	12	56	278	763	1,142	898	226	1
1980	3,401	-	-	-	-	12	67	242	811	1,144	877	248	-
1979	3,333	1	-	-	-	11	67	303	797	1,092	822	240	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Multiple myeloma and immunoproliferative neoplasms (203)													
All races, female													
1998	5,069	-	1	-	-	5	64	275	685	1,430	1,801	808	-
1997	5,026	-	-	-	-	6	61	270	711	1,482	1,693	803	-
1996	4,995	-	-	-	-	6	61	260	743	1,472	1,700	753	-
1995	5,101	-	-	-	-	12	63	262	727	1,584	1,712	741	-
1994	4,876	-	-	-	1	4	61	284	683	1,387	1,714	741	1
1993	4,956	-	1	2	-	7	55	247	686	1,488	1,736	733	1
1992	4,615	-	-	-	1	6	58	233	615	1,418	1,629	655	-
1991	4,622	-	-	-	-	7	55	242	679	1,406	1,582	651	-
1990	4,373	-	-	-	-	10	42	216	658	1,360	1,471	616	-
1989	4,252	-	-	-	2	8	46	221	684	1,334	1,406	550	1
1988	4,087	-	-	-	-	5	53	226	653	1,303	1,331	516	-
1987	3,960	1	-	1	-	4	51	189	644	1,254	1,289	527	-
1986	3,955	-	-	1	-	9	48	226	642	1,224	1,284	521	-
1985	3,884	-	-	-	-	5	54	229	677	1,235	1,230	454	-
1984	3,733	-	-	1	2	8	39	220	720	1,132	1,178	433	-
1983	3,579	-	-	-	-	9	46	206	667	1,166	1,100	384	1
1982	3,470	-	-	-	1	4	42	223	635	1,116	1,043	406	-
1981	3,352	-	1	2	2	6	36	203	627	1,111	1,027	335	2
1980	3,212	-	-	-	-	4	41	209	653	1,043	939	323	-
1979	3,081	-	-	-	-	3	40	223	575	1,018	937	285	-
Multiple myeloma and immunoproliferative neoplasms (203)													
White, both sexes													
1998	8,400	-	1	-	-	7	118	490	1,139	2,518	2,974	1,153	-
1997	8,528	-	-	-	1	9	96	498	1,215	2,659	2,887	1,163	-
1996	8,367	-	-	-	1	12	103	466	1,203	2,584	2,878	1,120	-
1995	8,406	-	-	-	-	13	114	465	1,214	2,714	2,808	1,078	-
1994	8,292	-	-	-	1	5	124	510	1,207	2,597	2,777	1,071	-
1993	8,132	-	1	2	1	13	120	430	1,154	2,628	2,773	1,009	1
1992	7,641	-	-	-	2	14	105	362	1,085	2,517	2,638	918	-
1991	7,629	-	-	-	1	15	109	382	1,185	2,465	2,546	925	1
1990	7,377	-	-	-	-	18	73	383	1,161	2,415	2,435	892	-
1989	7,106	-	-	1	1	12	85	360	1,231	2,313	2,337	765	1
1988	6,892	-	-	-	2	11	85	376	1,181	2,273	2,188	776	-
1987	6,729	1	-	1	-	6	97	372	1,206	2,248	2,057	740	1
1986	6,556	-	-	1	2	13	87	341	1,090	2,201	2,080	741	-
1985	6,468	-	-	-	-	15	105	362	1,219	2,163	1,923	681	-
1984	6,200	-	-	3	2	6	81	366	1,243	2,022	1,872	605	-
1983	6,009	-	-	1	-	8	85	350	1,197	1,989	1,778	600	1
1982	5,802	-	-	-	4	13	72	395	1,121	1,953	1,667	577	-
1981	5,541	-	1	1	3	15	65	374	1,118	1,846	1,632	483	3
1980	5,505	-	-	-	-	10	76	339	1,175	1,818	1,576	511	-
1979	5,368	1	-	-	-	10	76	408	1,102	1,764	1,548	459	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Multiple myeloma and immunoproliferative neoplasms (203)													
White, male													
1998	4,357	-	-	-	-	4	81	302	657	1,383	1,454	476	-
1997	4,459	-	-	-	1	8	58	313	675	1,462	1,460	482	-
1996	4,342	-	-	-	1	7	63	279	656	1,412	1,446	478	-
1995	4,286	-	-	-	-	6	65	294	707	1,414	1,361	439	-
1994	4,297	-	-	-	-	3	80	307	688	1,461	1,326	432	-
1993	4,106	-	-	-	1	8	79	264	642	1,416	1,306	390	-
1992	3,865	-	-	-	1	11	68	215	619	1,356	1,245	350	-
1991	3,871	-	-	-	1	11	74	212	662	1,335	1,218	357	1
1990	3,765	-	-	-	-	9	49	231	653	1,301	1,179	343	-
1989	3,600	-	-	1	-	8	56	198	690	1,219	1,131	297	-
1988	3,562	-	-	-	2	9	53	215	684	1,225	1,048	326	-
1987	3,458	-	-	-	-	3	63	242	700	1,229	927	293	1
1986	3,299	-	-	-	2	5	57	187	596	1,199	976	277	-
1985	3,251	-	-	-	-	13	63	186	677	1,147	885	280	-
1984	3,085	-	-	2	1	1	55	204	674	1,068	855	225	-
1983	3,049	-	-	1	-	3	55	198	664	1,029	837	262	-
1982	2,922	-	-	-	3	9	49	229	623	1,032	760	217	-
1981	2,772	-	-	-	1	10	44	219	617	939	747	194	1
1980	2,834	-	-	-	-	8	47	193	658	951	754	223	-
1979	2,795	1	-	-	-	8	53	243	651	921	710	208	-
Multiple myeloma and immunoproliferative neoplasms (203)													
White, female													
1998	4,043	-	1	-	-	3	37	188	482	1,135	1,520	677	-
1997	4,069	-	-	-	-	1	38	185	540	1,197	1,427	681	-
1996	4,025	-	-	-	-	5	40	187	547	1,172	1,432	642	-
1995	4,120	-	-	-	-	7	49	171	507	1,300	1,447	639	-
1994	3,995	-	-	-	1	2	44	203	519	1,136	1,451	639	-
1993	4,026	-	1	2	-	5	41	166	512	1,212	1,467	619	1
1992	3,776	-	-	-	1	3	37	147	466	1,161	1,393	568	-
1991	3,758	-	-	-	-	4	35	170	523	1,130	1,328	568	-
1990	3,612	-	-	-	-	9	24	152	508	1,114	1,256	549	-
1989	3,506	-	-	-	1	4	29	162	541	1,094	1,206	468	1
1988	3,330	-	-	-	-	2	32	161	497	1,048	1,140	450	-
1987	3,271	1	-	1	-	3	34	130	506	1,019	1,130	447	-
1986	3,257	-	-	1	-	8	30	154	494	1,002	1,104	464	-
1985	3,217	-	-	-	-	2	42	176	542	1,016	1,038	401	-
1984	3,115	-	-	1	1	5	26	162	569	954	1,017	380	-
1983	2,960	-	-	-	-	5	30	152	533	960	941	338	1
1982	2,880	-	-	-	1	4	23	166	498	921	907	360	-
1981	2,769	-	1	1	2	5	21	155	501	907	885	289	2
1980	2,671	-	-	-	-	2	29	146	517	867	822	288	-
1979	2,573	-	-	-	-	2	23	165	451	843	838	251	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Multiple myeloma and immunoproliferative neoplasms (203)													
All other, both sexes													
1998	1,959	-	-	-	1	4	47	187	402	580	513	225	-
1997	1,858	-	-	-	-	8	52	176	374	563	487	198	-
1996	1,881	-	-	-	2	5	53	163	385	601	488	184	-
1995	1,860	-	-	-	-	9	43	186	404	549	485	184	-
1994	1,749	-	-	-	1	4	40	181	352	534	457	179	1
1993	1,760	-	-	-	-	3	37	154	343	580	456	187	-
1992	1,653	-	-	-	2	7	44	164	341	518	429	148	-
1991	1,691	-	-	-	-	6	50	141	319	567	467	141	-
1990	1,557	-	-	-	1	3	47	132	325	508	411	130	-
1989	1,481	-	-	-	1	9	35	148	298	471	381	138	-
1988	1,426	-	-	-	1	4	38	131	308	470	370	104	-
1987	1,412	-	-	-	-	4	35	133	283	481	349	126	1
1986	1,431	-	-	-	-	4	42	130	316	475	359	105	-
1985	1,351	1	-	-	-	6	33	113	298	454	348	98	-
1984	1,270	-	-	-	1	3	37	121	322	375	325	86	-
1983	1,292	-	-	-	-	6	29	122	309	407	334	85	-
1982	1,222	-	-	-	-	3	39	133	269	407	280	90	1
1981	1,188	-	-	1	-	3	27	107	272	407	293	78	-
1980	1,108	-	-	-	-	6	32	112	289	369	240	60	-
1979	1,046	-	-	-	-	4	31	118	270	346	211	66	-
Multiple myeloma and immunoproliferative neoplasms (203)													
All other, male													
1998	933	-	-	-	1	2	20	100	199	285	232	94	-
1997	901	-	-	-	-	3	29	91	203	278	221	76	-
1996	911	-	-	-	2	4	32	90	189	301	220	73	-
1995	879	-	-	-	-	4	29	95	184	265	220	82	-
1994	868	-	-	-	1	2	23	100	188	283	194	77	-
1993	830	-	-	-	-	1	23	73	169	304	187	73	-
1992	814	-	-	-	2	4	23	78	192	261	193	61	-
1991	827	-	-	-	-	3	30	69	163	291	213	58	-
1990	796	-	-	-	1	2	29	68	175	262	196	63	-
1989	735	-	-	-	-	5	18	89	155	231	181	56	-
1988	669	-	-	-	1	1	17	66	152	215	179	38	-
1987	723	-	-	-	-	3	18	74	145	246	190	46	1
1986	733	-	-	-	-	3	24	58	168	253	179	48	-
1985	684	1	-	-	-	3	21	60	163	235	156	45	-
1984	652	-	-	-	-	-	24	63	171	197	164	33	-
1983	673	-	-	-	-	2	13	68	175	201	175	39	-
1982	632	-	-	-	-	3	20	76	132	212	144	44	1
1981	605	-	-	-	-	2	12	59	146	203	151	32	-
1980	567	-	-	-	-	4	20	49	153	193	123	25	-
1979	538	-	-	-	-	3	14	60	146	171	112	32	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Multiple myeloma and immunoproliferative neoplasms (203)													
All other, female													
1998	1,026	-	-	-	-	2	27	87	203	295	281	131	-
1997	957	-	-	-	-	5	23	85	171	285	266	122	-
1996	970	-	-	-	-	1	21	73	196	300	268	111	-
1995	981	-	-	-	-	5	14	91	220	284	265	102	-
1994	881	-	-	-	-	2	17	81	164	251	263	102	1
1993	930	-	-	-	-	2	14	81	174	276	269	114	-
1992	839	-	-	-	-	3	21	86	149	257	236	87	-
1991	864	-	-	-	-	3	20	72	156	276	254	83	-
1990	761	-	-	-	-	1	18	64	150	246	215	67	-
1989	746	-	-	-	1	4	17	59	143	240	200	82	-
1988	757	-	-	-	-	3	21	65	156	255	191	66	-
1987	689	-	-	-	-	1	17	59	138	235	159	80	-
1986	698	-	-	-	-	1	18	72	148	222	180	57	-
1985	667	-	-	-	-	3	12	53	135	219	192	53	-
1984	618	-	-	-	1	3	13	58	151	178	161	53	-
1983	619	-	-	-	-	4	16	54	134	206	159	46	-
1982	590	-	-	-	-	-	19	57	137	195	136	46	-
1981	583	-	-	1	-	1	15	48	126	204	142	46	-
1980	541	-	-	-	-	2	12	63	136	176	117	35	-
1979	508	-	-	-	-	1	17	58	124	175	99	34	-
Multiple myeloma and immunoproliferative neoplasms (203)													
Black, both sexes													
1998	1,805	-	-	-	1	4	46	171	370	533	475	205	-
1997	1,708	-	-	-	-	8	47	164	338	514	447	190	-
1996	1,726	-	-	-	2	4	47	143	358	548	456	168	-
1995	1,716	-	-	-	-	7	39	170	378	501	452	169	-
1994	1,650	-	-	-	1	4	38	170	328	504	433	171	1
1993	1,644	-	-	-	-	3	35	149	317	539	426	175	-
1992	1,543	-	-	-	1	5	40	154	316	483	406	138	-
1991	1,580	-	-	-	-	6	49	133	294	532	434	132	-
1990	1,453	-	-	-	1	3	43	118	310	479	378	121	-
1989	1,387	-	-	-	1	7	31	136	276	447	353	136	-
1988	1,347	-	-	-	1	4	37	120	291	451	346	97	-
1987	1,347	-	-	-	-	4	33	126	272	463	329	119	1
1986	1,352	-	-	-	-	3	40	120	301	455	333	100	-
1985	1,273	1	-	-	-	5	29	105	281	434	329	89	-
1984	1,209	-	-	-	1	2	36	118	309	355	308	80	-
1983	1,230	-	-	-	-	4	28	118	293	385	322	80	-
1982	1,173	-	-	-	-	3	37	128	261	389	270	84	1
1981	1,134	-	-	1	-	3	25	101	261	390	280	73	-
1980	1,059	-	-	-	-	6	28	105	280	357	226	57	-
1979	1,008	-	-	-	-	4	29	114	264	334	200	63	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Multiple myeloma and immunoproliferative neoplasms (203)													
Black, male													
1998	849	-	-	-	1	2	19	91	179	261	215	81	-
1997	815	-	-	-	-	3	26	83	176	256	200	71	-
1996	835	-	-	-	2	4	28	81	176	271	207	66	-
1995	800	-	-	-	-	3	26	89	169	237	206	70	-
1994	809	-	-	-	1	2	21	93	177	262	181	72	-
1993	768	-	-	-	-	1	21	70	159	278	174	65	-
1992	755	-	-	-	1	4	20	71	179	240	183	57	-
1991	767	-	-	-	-	3	29	65	153	270	194	53	-
1990	745	-	-	-	1	2	27	61	168	249	180	57	-
1989	684	-	-	-	-	4	15	82	144	220	165	54	-
1988	631	-	-	-	1	1	16	59	144	208	169	33	-
1987	693	-	-	-	-	3	17	72	140	239	177	44	1
1986	686	-	-	-	-	2	22	54	160	242	163	43	-
1985	637	1	-	-	-	3	18	56	150	227	141	41	-
1984	619	-	-	-	-	-	24	62	165	182	156	30	-
1983	635	-	-	-	-	2	13	66	165	189	164	36	-
1982	606	-	-	-	-	3	19	73	129	202	139	40	1
1981	575	-	-	-	-	2	11	59	139	192	142	30	-
1980	536	-	-	-	-	4	17	46	149	186	112	22	-
1979	521	-	-	-	-	3	13	58	144	165	107	31	-
Multiple myeloma and immunoproliferative neoplasms (203)													
Black, female													
1998	956	-	-	-	-	2	27	80	191	272	260	124	-
1997	893	-	-	-	-	5	21	81	162	258	247	119	-
1996	891	-	-	-	-	-	19	62	182	277	249	102	-
1995	916	-	-	-	-	4	13	81	209	264	246	99	-
1994	841	-	-	-	-	2	17	77	151	242	252	99	1
1993	876	-	-	-	-	2	14	79	158	261	252	110	-
1992	788	-	-	-	-	1	20	83	137	243	223	81	-
1991	813	-	-	-	-	3	20	68	141	262	240	79	-
1990	708	-	-	-	-	1	16	57	142	230	198	64	-
1989	703	-	-	-	1	3	16	54	132	227	188	82	-
1988	716	-	-	-	-	3	21	61	147	243	177	64	-
1987	654	-	-	-	-	1	16	54	132	224	152	75	-
1986	666	-	-	-	-	1	18	66	141	213	170	57	-
1985	636	-	-	-	-	2	11	49	131	207	188	48	-
1984	590	-	-	-	1	2	12	56	144	173	152	50	-
1983	595	-	-	-	-	2	15	52	128	196	158	44	-
1982	567	-	-	-	-	-	18	55	132	187	131	44	-
1981	559	-	-	1	-	1	14	42	122	198	138	43	-
1980	523	-	-	-	-	2	11	59	131	171	114	35	-
1979	487	-	-	-	-	1	16	56	120	169	93	32	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
All other and unspecified malignant neoplasms (152,156,158-160,163-171,173,181,183.2-184,186-187,189.2-190,193-199)													
All races, both sexes													
1998	55,597	23	103	244	492	729	2,045	4,686	8,363	14,317	16,031	8,562	2
1997	56,301	19	129	241	484	788	1,979	4,598	8,437	14,931	16,119	8,575	1
1996	57,121	16	101	240	458	803	2,031	4,719	8,495	15,604	16,200	8,452	2
1995	57,150	19	146	223	484	807	2,051	4,542	8,519	15,910	16,114	8,334	1
1994	57,088	13	156	233	500	884	2,085	4,465	8,870	15,986	15,821	8,072	3
1993	57,122	27	158	241	498	858	2,030	4,440	9,053	16,094	15,773	7,950	-
1992	55,052	22	136	236	507	882	1,894	4,203	8,970	15,521	15,139	7,538	4
1991	54,264	26	160	227	501	919	1,923	4,055	8,983	15,743	14,473	7,252	2
1990	52,775	34	164	242	477	943	1,797	3,831	8,987	14,965	14,395	6,934	6
1989	54,502	32	160	233	511	912	1,869	4,092	9,572	15,561	14,577	6,981	2
1988	54,859	24	175	225	525	893	1,857	4,029	10,141	15,648	14,538	6,802	2
1987	54,652	34	183	255	543	964	1,732	3,975	10,308	15,702	14,272	6,680	4
1986	54,562	30	183	234	570	1,091	1,848	4,065	10,428	15,600	14,116	6,387	10
1985	53,420	37	176	225	618	1,078	1,807	4,107	10,491	15,023	13,493	6,357	8
1984	52,073	28	190	261	628	1,043	1,679	3,962	10,299	14,806	13,189	5,978	10
1983	51,521	44	194	265	649	881	1,607	4,129	10,234	14,618	12,867	6,024	9
1982	50,123	32	208	256	684	904	1,572	4,100	10,003	14,143	12,512	5,700	9
1981	48,746	29	204	281	687	865	1,401	4,191	9,743	13,928	12,021	5,390	6
1980	48,413	32	192	280	800	924	1,445	4,372	9,626	13,767	11,776	5,195	4
1979	46,531	32	176	289	742	801	1,351	4,148	9,450	13,185	11,492	4,860	5
All other and unspecified malignant neoplasms (152,156,158-160,163-171,173,181,183.2-184,186-187,189.2-190,193-199)													
All races, male													
1998	27,562	14	58	148	300	444	1,127	2,649	4,715	7,714	7,513	2,879	1
1997	27,665	10	74	121	298	517	1,108	2,578	4,653	7,982	7,443	2,880	1
1996	28,361	10	58	129	300	501	1,170	2,619	4,720	8,467	7,599	2,787	1
1995	28,370	13	92	122	323	506	1,157	2,502	4,815	8,550	7,494	2,795	1
1994	28,205	5	87	126	325	548	1,195	2,482	5,000	8,624	7,172	2,640	1
1993	28,505	18	89	133	313	519	1,173	2,507	5,121	8,697	7,309	2,626	-
1992	27,461	12	72	137	322	576	1,072	2,388	5,078	8,220	6,990	2,592	2
1991	27,174	14	96	131	319	599	1,131	2,288	5,196	8,422	6,614	2,362	2
1990	26,196	20	89	115	302	600	1,023	2,159	5,095	7,977	6,460	2,353	3
1989	27,534	15	87	118	321	593	1,072	2,336	5,448	8,458	6,749	2,336	1
1988	27,746	14	91	116	324	570	1,081	2,288	5,745	8,457	6,699	2,359	2
1987	27,594	17	106	141	357	621	995	2,201	5,852	8,543	6,573	2,186	2
1986	27,419	16	98	117	388	762	1,113	2,226	5,816	8,286	6,448	2,143	6
1985	27,049	22	97	126	415	732	1,074	2,271	5,894	8,078	6,165	2,173	2
1984	26,031	19	109	147	435	680	979	2,178	5,747	7,876	5,916	1,940	5
1983	26,053	24	110	143	431	585	896	2,333	5,791	7,779	5,906	2,051	4
1982	24,771	16	122	141	456	606	871	2,272	5,504	7,371	5,473	1,932	7
1981	24,064	15	118	149	471	554	784	2,294	5,423	7,293	5,159	1,799	5
1980	24,087	21	114	147	558	601	775	2,334	5,354	7,159	5,182	1,841	1
1979	23,132	17	96	172	502	532	753	2,265	5,169	6,940	4,999	1,686	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
All other and unspecified malignant neoplasms (152,156,158-160,163-171,173,181,183.2-184,186-187,189.2-190,193-199)													
All races, female													
1998	28,035	9	45	96	192	285	918	2,037	3,648	6,603	8,518	5,683	1
1997	28,636	9	55	120	186	271	871	2,020	3,784	6,949	8,676	5,695	-
1996	28,760	6	43	111	158	302	861	2,100	3,775	7,137	8,601	5,665	1
1995	28,780	6	54	101	161	301	894	2,040	3,704	7,360	8,620	5,539	-
1994	28,883	8	69	107	175	336	890	1,983	3,870	7,362	8,649	5,432	2
1993	28,617	9	69	108	185	339	857	1,933	3,932	7,397	8,464	5,324	-
1992	27,591	10	64	99	185	306	822	1,815	3,892	7,301	8,149	4,946	2
1991	27,090	12	64	96	182	320	792	1,767	3,787	7,321	7,859	4,890	-
1990	26,579	14	75	127	175	343	774	1,672	3,892	6,988	7,935	4,581	3
1989	26,968	17	73	115	190	319	797	1,756	4,124	7,103	7,828	4,645	1
1988	27,113	10	84	109	201	323	776	1,741	4,396	7,191	7,839	4,443	-
1987	27,058	17	77	114	186	343	737	1,774	4,456	7,159	7,699	4,494	2
1986	27,143	14	85	117	182	329	735	1,839	4,612	7,314	7,668	4,244	4
1985	26,371	15	79	99	203	346	733	1,836	4,597	6,945	7,328	4,184	6
1984	26,042	9	81	114	193	363	700	1,784	4,552	6,930	7,273	4,038	5
1983	25,468	20	84	122	218	296	711	1,796	4,443	6,839	6,961	3,973	5
1982	25,352	16	86	115	228	298	701	1,828	4,499	6,772	7,039	3,768	2
1981	24,682	14	86	132	216	311	617	1,897	4,320	6,635	6,862	3,591	1
1980	24,326	11	78	133	242	323	670	2,038	4,272	6,608	6,594	3,354	3
1979	23,399	15	80	117	240	269	598	1,883	4,281	6,245	6,493	3,174	4
All other and unspecified malignant neoplasms (152,156,158-160,163-171,173,181,183.2-184,186-187,189.2-190,193-199)													
White, both sexes													
1998	48,360	19	82	192	398	588	1,580	3,682	6,908	12,497	14,552	7,860	2
1997	48,983	11	98	201	373	633	1,555	3,630	6,997	13,110	14,574	7,801	-
1996	49,790	15	80	192	362	649	1,562	3,786	7,118	13,663	14,639	7,722	2
1995	49,734	16	116	171	381	647	1,580	3,641	7,124	13,936	14,490	7,632	-
1994	49,791	11	125	171	408	709	1,629	3,562	7,402	14,041	14,334	7,397	2
1993	49,776	20	131	200	401	670	1,576	3,537	7,572	14,105	14,276	7,288	-
1992	48,055	20	109	190	420	721	1,503	3,359	7,501	13,592	13,717	6,920	3
1991	47,291	22	124	182	414	745	1,512	3,253	7,566	13,897	12,972	6,604	-
1990	45,959	27	121	193	387	755	1,426	3,048	7,537	13,106	12,982	6,376	1
1989	47,539	26	132	187	415	739	1,472	3,276	8,048	13,670	13,163	6,409	2
1988	47,966	18	144	184	431	744	1,466	3,215	8,575	13,806	13,133	6,250	-
1987	47,712	30	152	208	425	800	1,393	3,145	8,768	13,873	12,837	6,078	3
1986	47,840	25	150	192	473	899	1,498	3,284	8,825	13,860	12,795	5,833	6
1985	46,658	31	149	187	521	910	1,435	3,275	8,946	13,242	12,108	5,848	6
1984	45,481	20	158	212	538	855	1,336	3,179	8,747	13,006	11,903	5,523	4
1983	45,108	33	157	212	549	741	1,311	3,332	8,704	12,856	11,616	5,592	5
1982	44,112	24	175	209	567	739	1,279	3,319	8,591	12,527	11,346	5,330	6
1981	42,922	26	173	226	578	720	1,116	3,465	8,381	12,333	10,880	5,021	3
1980	42,539	24	161	242	670	804	1,156	3,549	8,231	12,170	10,707	4,821	4
1979	40,962	24	149	242	643	686	1,111	3,448	8,098	11,565	10,472	4,520	4

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
All other and unspecified malignant neoplasms (152,156,158-160,163-171,173,181,183.2-184,186-187,189.2-190,193-199)													
White, male													
1998	24,039	12	47	116	242	369	904	2,090	3,949	6,779	6,884	2,646	1
1997	24,076	4	57	96	236	422	869	2,030	3,867	7,070	6,793	2,632	-
1996	24,728	9	47	105	242	417	914	2,088	3,972	7,458	6,927	2,548	1
1995	24,650	11	73	93	255	410	872	2,005	4,056	7,523	6,801	2,551	-
1994	24,625	3	69	92	272	449	952	1,956	4,215	7,633	6,556	2,427	1
1993	24,802	13	74	112	255	424	940	1,983	4,299	7,638	6,670	2,394	-
1992	24,014	12	58	111	270	479	868	1,919	4,286	7,256	6,363	2,391	1
1991	23,603	11	72	103	272	497	903	1,817	4,396	7,468	5,930	2,134	-
1990	22,681	17	63	89	247	500	812	1,700	4,285	6,984	5,821	2,162	1
1989	23,850	14	72	96	267	493	847	1,862	4,564	7,466	6,066	2,102	1
1988	24,203	12	76	102	271	485	865	1,800	4,889	7,494	6,036	2,173	-
1987	23,989	14	84	115	286	527	820	1,713	5,000	7,580	5,904	1,945	1
1986	23,980	13	80	97	326	645	912	1,787	4,951	7,390	5,839	1,936	4
1985	23,490	19	83	104	352	638	854	1,821	5,035	7,109	5,505	1,968	2
1984	22,619	14	89	121	379	565	793	1,744	4,857	6,949	5,335	1,771	2
1983	22,686	17	84	116	376	504	743	1,905	4,920	6,843	5,287	1,890	1
1982	21,638	13	102	120	382	505	710	1,830	4,730	6,510	4,946	1,785	5
1981	21,092	12	102	119	403	476	638	1,893	4,673	6,463	4,658	1,653	2
1980	21,088	15	96	129	479	536	619	1,893	4,609	6,329	4,690	1,692	1
1979	20,252	14	84	140	440	465	611	1,881	4,446	6,106	4,503	1,561	1
All other and unspecified malignant neoplasms (152,156,158-160,163-171,173,181,183.2-184,186-187,189.2-190,193-199)													
White, female													
1998	24,321	7	35	76	156	219	676	1,592	2,959	5,718	7,668	5,214	1
1997	24,907	7	41	105	137	211	686	1,600	3,130	6,040	7,781	5,169	-
1996	25,062	6	33	87	120	232	648	1,698	3,146	6,205	7,712	5,174	1
1995	25,084	5	43	78	126	237	708	1,636	3,068	6,413	7,689	5,081	-
1994	25,166	8	56	79	136	260	677	1,606	3,187	6,408	7,778	4,970	1
1993	24,974	7	57	88	146	246	636	1,554	3,273	6,467	7,606	4,894	-
1992	24,041	8	51	79	150	242	635	1,440	3,215	6,336	7,354	4,529	2
1991	23,688	11	52	79	142	248	609	1,436	3,170	6,429	7,042	4,470	-
1990	23,278	10	58	104	140	255	614	1,348	3,252	6,122	7,161	4,214	-
1989	23,689	12	60	91	148	246	625	1,414	3,484	6,204	7,097	4,307	1
1988	23,763	6	68	82	160	259	601	1,415	3,686	6,312	7,097	4,077	-
1987	23,723	16	68	93	139	273	573	1,432	3,768	6,293	6,933	4,133	2
1986	23,860	12	70	95	147	254	586	1,497	3,874	6,470	6,956	3,897	2
1985	23,168	12	66	83	169	272	581	1,454	3,911	6,133	6,603	3,880	4
1984	22,862	6	69	91	159	290	543	1,435	3,890	6,057	6,568	3,752	2
1983	22,422	16	73	96	173	237	568	1,427	3,784	6,013	6,329	3,702	4
1982	22,474	11	73	89	185	234	569	1,489	3,861	6,017	6,400	3,545	1
1981	21,830	14	71	107	175	244	478	1,572	3,708	5,870	6,222	3,368	1
1980	21,451	9	65	113	191	268	537	1,656	3,622	5,841	6,017	3,129	3
1979	20,710	10	65	102	203	221	500	1,567	3,652	5,459	5,969	2,959	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	15-24 25-34 35-44 45-54 55-64 65-74 75-84 85 + years												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	years	years	years	years	years	years	years	years	
All other and unspecified malignant neoplasms (152,156,158-160,163-171,173,181,183.2-184,186-187,189.2-190,193-199)													
All other, both sexes													
1998	7,237	4	21	52	94	141	465	1,004	1,455	1,820	1,479	702	-
1997	7,318	8	31	40	111	155	424	968	1,440	1,821	1,545	774	1
1996	7,331	1	21	48	96	154	469	933	1,377	1,941	1,561	730	-
1995	7,416	3	30	52	103	160	471	901	1,395	1,974	1,624	702	1
1994	7,297	2	31	62	92	175	456	903	1,468	1,945	1,487	675	1
1993	7,346	7	27	41	97	188	454	903	1,481	1,989	1,497	662	-
1992	6,997	2	27	46	87	161	391	844	1,469	1,929	1,422	618	1
1991	6,973	4	36	45	87	174	411	802	1,417	1,846	1,501	648	2
1990	6,816	7	43	49	90	188	371	783	1,450	1,859	1,413	558	5
1989	6,963	6	28	46	96	173	397	816	1,524	1,891	1,414	572	-
1988	6,893	6	31	41	94	149	391	814	1,566	1,842	1,405	552	2
1987	6,940	4	31	47	118	164	339	830	1,540	1,829	1,435	602	1
1986	6,722	5	33	42	97	192	350	781	1,603	1,740	1,321	554	4
1985	6,762	6	27	38	97	168	372	832	1,545	1,781	1,385	509	2
1984	6,592	8	32	49	90	188	343	783	1,552	1,800	1,286	455	6
1983	6,413	11	37	53	100	140	296	797	1,530	1,762	1,251	432	4
1982	6,011	8	33	47	117	165	293	781	1,412	1,616	1,166	370	3
1981	5,824	3	31	55	109	145	285	726	1,362	1,595	1,141	369	3
1980	5,874	8	31	38	130	120	289	823	1,395	1,597	1,069	374	-
1979	5,569	8	27	47	99	115	240	700	1,352	1,620	1,020	340	1
All other and unspecified malignant neoplasms (152,156,158-160,163-171,173,181,183.2-184,186-187,189.2-190,193-199)													
All other, male													
1998	3,523	2	11	32	58	75	223	559	766	935	629	233	-
1997	3,589	6	17	25	62	95	239	548	786	912	650	248	1
1996	3,633	1	11	24	58	84	256	531	748	1,009	672	239	-
1995	3,720	2	19	29	68	96	285	497	759	1,027	693	244	1
1994	3,580	2	18	34	53	99	243	526	785	991	616	213	-
1993	3,703	5	15	21	58	95	233	524	822	1,059	639	232	-
1992	3,447	-	14	26	52	97	204	469	792	964	627	201	1
1991	3,571	3	24	28	47	102	228	471	800	954	684	228	2
1990	3,515	3	26	26	55	100	211	459	810	993	639	191	2
1989	3,684	1	15	22	54	100	225	474	884	992	683	234	-
1988	3,543	2	15	14	53	85	216	488	856	963	663	186	2
1987	3,605	3	22	26	71	94	175	488	852	963	669	241	1
1986	3,439	3	18	20	62	117	201	439	865	896	609	207	2
1985	3,559	3	14	22	63	94	220	450	859	969	660	205	-
1984	3,412	5	20	26	56	115	186	434	890	927	581	169	3
1983	3,367	7	26	27	55	81	153	428	871	936	619	161	3
1982	3,133	3	20	21	74	101	161	442	774	861	527	147	2
1981	2,972	3	16	30	68	78	146	401	750	830	501	146	3
1980	2,999	6	18	18	79	65	156	441	745	830	492	149	-
1979	2,880	3	12	32	62	67	142	384	723	834	496	125	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
All other and unspecified malignant neoplasms (152,156,158-160,163-171,173,181,183.2-184,186-187,189.2-190,193-199)													
All other, female													
1998	3,714	2	10	20	36	66	242	445	689	885	850	469	-
1997	3,729	2	14	15	49	60	185	420	654	909	895	526	-
1996	3,698	-	10	24	38	70	213	402	629	932	889	491	-
1995	3,696	1	11	23	35	64	186	404	636	947	931	458	-
1994	3,717	-	13	28	39	76	213	377	683	954	871	462	1
1993	3,643	2	12	20	39	93	221	379	659	930	858	430	-
1992	3,550	2	13	20	35	64	187	375	677	965	795	417	-
1991	3,402	1	12	17	40	72	183	331	617	892	817	420	-
1990	3,301	4	17	23	35	88	160	324	640	866	774	367	3
1989	3,279	5	13	24	42	73	172	342	640	899	731	338	-
1988	3,350	4	16	27	41	64	175	326	710	879	742	366	-
1987	3,335	1	9	21	47	70	164	342	688	866	766	361	-
1986	3,283	2	15	22	35	75	149	342	738	844	712	347	2
1985	3,203	3	13	16	34	74	152	382	686	812	725	304	2
1984	3,180	3	12	23	34	73	157	349	662	873	705	286	3
1983	3,046	4	11	26	45	59	143	369	659	826	632	271	1
1982	2,878	5	13	26	43	64	132	339	638	755	639	223	1
1981	2,852	-	15	25	41	67	139	325	612	765	640	223	-
1980	2,875	2	13	20	51	55	133	382	650	767	577	225	-
1979	2,689	5	15	15	37	48	98	316	629	786	524	215	1
All other and unspecified malignant neoplasms (152,156,158-160,163-171,173,181,183.2-184,186-187,189.2-190,193-199)													
Black, both sexes													
1998	6,097	3	16	41	72	111	392	852	1,248	1,537	1,219	606	-
1997	6,281	7	23	29	92	130	365	856	1,245	1,546	1,319	668	1
1996	6,243	1	18	39	78	121	390	790	1,208	1,651	1,315	632	-
1995	6,419	2	24	40	85	131	406	791	1,219	1,713	1,412	595	1
1994	6,356	2	26	51	77	154	402	796	1,298	1,702	1,269	578	1
1993	6,352	5	21	36	76	164	382	789	1,297	1,724	1,287	571	-
1992	6,127	1	16	43	75	139	342	745	1,299	1,704	1,235	528	-
1991	6,114	4	31	40	63	149	352	701	1,255	1,647	1,306	564	2
1990	6,043	7	40	40	78	165	322	691	1,313	1,655	1,240	488	4
1989	6,200	6	25	40	83	146	353	724	1,393	1,678	1,245	507	-
1988	6,164	6	28	34	82	133	342	730	1,402	1,671	1,239	495	2
1987	6,275	4	27	42	100	138	297	760	1,422	1,656	1,293	535	1
1986	6,084	4	26	34	88	163	296	709	1,482	1,598	1,183	497	4
1985	6,093	6	22	33	84	149	321	759	1,406	1,628	1,215	468	2
1984	5,969	5	28	43	76	168	301	717	1,417	1,640	1,168	401	5
1983	5,813	9	33	48	82	112	265	723	1,405	1,620	1,133	381	2
1982	5,509	6	32	43	104	144	263	715	1,308	1,484	1,066	341	3
1981	5,355	2	28	47	96	128	259	677	1,285	1,471	1,029	331	2
1980	5,435	7	30	36	118	108	264	772	1,299	1,479	979	343	-
1979	5,177	7	25	45	87	98	218	658	1,264	1,522	935	317	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
All other and unspecified malignant neoplasms (152,156,158-160,163-171,173,181,183.2-184,186-187,189.2-190,193-199)													
Black, male													
1998	2,956	2	9	24	43	54	185	480	672	798	502	187	-
1997	3,106	6	12	20	54	80	210	492	695	779	550	207	1
1996	3,108	1	10	20	48	65	220	458	670	870	554	192	-
1995	3,202	1	15	21	58	82	247	443	670	883	591	190	1
1994	3,127	2	17	27	43	87	216	466	708	870	514	177	-
1993	3,210	3	12	17	45	82	203	460	732	922	540	194	-
1992	3,026	-	9	23	45	83	180	429	710	854	536	157	-
1991	3,165	3	20	26	32	88	198	425	723	861	587	200	2
1990	3,130	3	24	19	46	88	186	410	743	890	553	166	2
1989	3,286	1	14	19	47	87	202	431	814	871	596	204	-
1988	3,181	2	13	11	44	74	191	447	777	882	580	158	2
1987	3,275	3	21	22	59	77	156	451	800	880	599	206	1
1986	3,109	2	12	17	55	102	177	405	806	821	525	185	2
1985	3,220	3	12	19	55	82	194	424	789	883	574	185	-
1984	3,098	3	18	22	46	101	165	401	825	846	519	150	2
1983	3,067	6	23	23	47	65	142	395	806	862	554	143	1
1982	2,867	2	19	18	64	89	144	403	719	791	480	136	2
1981	2,744	2	15	27	59	69	134	384	709	760	454	129	2
1980	2,773	5	18	16	72	59	142	414	696	769	448	134	-
1979	2,686	3	10	30	55	54	129	364	680	784	460	117	-
All other and unspecified malignant neoplasms (152,156,158-160,163-171,173,181,183.2-184,186-187,189.2-190,193-199)													
Black, female													
1998	3,141	1	7	17	29	57	207	372	576	739	717	419	-
1997	3,175	1	11	9	38	50	155	364	550	767	769	461	-
1996	3,135	-	8	19	30	56	170	332	538	781	761	440	-
1995	3,217	1	9	19	27	49	159	348	549	830	821	405	-
1994	3,229	-	9	24	34	67	186	330	590	832	755	401	1
1993	3,142	2	9	19	31	82	179	329	565	802	747	377	-
1992	3,101	1	7	20	30	56	162	316	589	850	699	371	-
1991	2,949	1	11	14	31	61	154	276	532	786	719	364	-
1990	2,913	4	16	21	32	77	136	281	570	765	687	322	2
1989	2,914	5	11	21	36	59	151	293	579	807	649	303	-
1988	2,983	4	15	23	38	59	151	283	625	789	659	337	-
1987	3,000	1	6	20	41	61	141	309	622	776	694	329	-
1986	2,975	2	14	17	33	61	119	304	676	777	658	312	2
1985	2,873	3	10	14	29	67	127	335	617	745	641	283	2
1984	2,871	2	10	21	30	67	136	316	592	794	649	251	3
1983	2,746	3	10	25	35	47	123	328	599	758	579	238	1
1982	2,642	4	13	25	40	55	119	312	589	693	586	205	1
1981	2,611	-	13	20	37	59	125	293	576	711	575	202	-
1980	2,662	2	12	20	46	49	122	358	603	710	531	209	-
1979	2,491	4	15	15	32	44	89	294	584	738	475	200	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	15-24 25-34 35-44 45-54 55-64 65-74 75-84												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	years	years	years	years	years	years	years	85 + years	
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (210-239)													
All races, both sexes													
1998	7,933	60	53	84	121	175	331	517	773	1,520	2,358	1,941	-
1997	7,659	63	65	76	115	187	316	503	726	1,517	2,353	1,738	-
1996	7,647	60	70	85	98	164	357	499	790	1,514	2,337	1,672	1
1995	7,759	74	54	105	102	210	331	502	804	1,612	2,297	1,668	-
1994	7,517	67	79	101	110	189	384	508	753	1,494	2,227	1,605	-
1993	7,441	61	77	72	96	219	341	477	771	1,580	2,211	1,534	2
1992	7,070	62	61	97	101	197	321	438	757	1,571	2,075	1,390	-
1991	6,994	60	76	73	103	195	291	386	787	1,589	2,097	1,337	-
1990	6,752	71	75	100	93	213	296	399	755	1,529	2,006	1,214	1
1989	6,701	56	66	85	87	166	284	410	813	1,547	1,999	1,187	1
1988	6,735	60	69	103	100	194	273	413	842	1,566	1,974	1,140	1
1987	6,570	59	55	81	106	183	246	368	841	1,646	1,929	1,056	-
1986	6,730	78	56	90	132	203	262	439	918	1,541	1,963	1,046	2
1985	6,699	61	68	87	100	185	283	421	953	1,665	1,836	1,038	2
1984	6,436	78	49	80	99	186	258	365	933	1,621	1,816	951	-
1983	6,483	53	54	90	120	178	269	448	960	1,568	1,800	941	2
1982	6,460	60	56	93	133	176	244	478	1,063	1,661	1,677	818	1
1981	6,235	54	48	92	116	170	261	486	987	1,620	1,653	746	2
1980	6,193	67	38	104	130	195	264	541	1,057	1,569	1,530	698	-
1979	5,904	48	47	91	131	196	248	508	1,052	1,550	1,388	644	1
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (210-239)													
All races, male													
1998	3,516	29	28	46	72	105	174	287	397	768	1,031	579	-
1997	3,366	31	32	30	64	101	160	263	394	742	1,043	506	-
1996	3,412	26	39	39	60	97	198	265	445	731	999	512	1
1995	3,474	43	35	52	57	136	186	278	419	800	961	507	-
1994	3,404	33	44	52	60	113	229	268	421	771	932	481	-
1993	3,424	30	47	35	54	126	200	246	442	819	935	489	1
1992	3,256	34	34	51	52	115	175	244	417	798	894	442	-
1991	3,179	30	39	44	49	118	162	220	429	796	897	395	-
1990	3,012	31	35	45	47	118	165	194	378	803	818	378	-
1989	3,048	29	34	47	48	94	143	225	411	763	862	392	-
1988	3,012	26	36	49	59	101	156	219	418	761	819	367	1
1987	3,065	26	28	49	51	104	115	199	450	868	847	328	-
1986	3,114	37	28	46	80	117	146	244	485	724	847	358	2
1985	3,008	22	45	43	52	98	154	228	483	785	761	336	1
1984	2,920	34	23	34	50	107	145	192	482	774	764	315	-
1983	2,985	29	26	46	65	97	147	221	514	763	768	307	2
1982	2,977	28	31	44	64	90	126	242	547	793	718	293	1
1981	2,934	30	26	49	64	81	135	248	510	823	719	249	-
1980	2,879	36	22	55	72	96	132	249	546	755	684	232	-
1979	2,704	17	25	43	68	101	117	243	527	746	597	220	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	15-24 25-34 35-44 45-54 55-64 65-74 75-84 85 + years												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	years	years	years	years	years	years	years	years	
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (210-239)													
All races, female													
1998	4,417	31	25	38	49	70	157	230	376	752	1,327	1,362	-
1997	4,293	32	33	46	51	86	156	240	332	775	1,310	1,232	-
1996	4,235	34	31	46	38	67	159	234	345	783	1,338	1,160	-
1995	4,285	31	19	53	45	74	145	224	385	812	1,336	1,161	-
1994	4,113	34	35	49	50	76	155	240	332	723	1,295	1,124	-
1993	4,017	31	30	37	42	93	141	231	329	761	1,276	1,045	1
1992	3,814	28	27	46	49	82	146	194	340	773	1,181	948	-
1991	3,815	30	37	29	54	77	129	166	358	793	1,200	942	-
1990	3,740	40	40	55	46	95	131	205	377	726	1,188	836	1
1989	3,653	27	32	38	39	72	141	185	402	784	1,137	795	1
1988	3,723	34	33	54	41	93	117	194	424	805	1,155	773	-
1987	3,505	33	27	32	55	79	131	169	391	778	1,082	728	-
1986	3,616	41	28	44	52	86	116	195	433	817	1,116	688	-
1985	3,691	39	23	44	48	87	129	193	470	880	1,075	702	1
1984	3,516	44	26	46	49	79	113	173	451	847	1,052	636	-
1983	3,498	24	28	44	55	81	122	227	446	805	1,032	634	-
1982	3,483	32	25	49	69	86	118	236	516	868	959	525	-
1981	3,301	24	22	43	52	89	126	238	477	797	934	497	2
1980	3,314	31	16	49	58	99	132	292	511	814	846	466	-
1979	3,200	31	22	48	63	95	131	265	525	804	791	424	1
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (210-239)													
White, both sexes													
1998	6,940	44	39	58	91	141	249	410	652	1,314	2,152	1,790	-
1997	6,682	48	56	51	90	145	243	408	608	1,305	2,122	1,606	-
1996	6,657	51	49	61	72	114	276	405	670	1,331	2,080	1,548	-
1995	6,748	68	37	79	70	168	247	414	683	1,388	2,096	1,498	-
1994	6,595	51	62	79	89	153	301	411	625	1,324	2,014	1,486	-
1993	6,539	49	66	53	83	170	266	386	647	1,389	2,002	1,427	1
1992	6,191	47	51	82	81	157	264	363	639	1,358	1,863	1,286	-
1991	6,136	48	64	63	81	141	237	315	656	1,385	1,903	1,243	-
1990	5,908	57	62	85	71	180	234	309	643	1,336	1,799	1,132	-
1989	5,858	39	46	70	63	134	225	340	695	1,345	1,823	1,077	1
1988	5,870	53	53	83	74	149	235	338	706	1,361	1,767	1,051	-
1987	5,802	54	42	68	83	149	198	315	713	1,461	1,749	970	-
1986	5,895	65	44	74	103	174	216	348	772	1,353	1,774	970	2
1985	5,839	50	53	66	76	155	223	337	804	1,435	1,671	968	1
1984	5,656	61	42	63	82	156	213	289	806	1,423	1,648	873	-
1983	5,728	43	42	71	98	142	224	374	836	1,366	1,648	883	1
1982	5,654	42	45	70	106	142	196	394	892	1,465	1,529	772	1
1981	5,508	43	38	75	90	142	219	402	849	1,434	1,527	688	1
1980	5,383	53	30	80	110	163	223	429	902	1,346	1,396	651	-
1979	5,201	41	36	69	104	164	192	407	908	1,382	1,287	610	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (210-239)													
White, male													
1998	3,079	20	22	33	57	83	137	225	342	679	946	535	-
1997	2,926	20	27	18	52	81	131	222	326	643	939	467	-
1996	2,973	24	30	27	46	73	162	215	376	656	890	474	-
1995	3,025	39	24	37	41	114	140	236	365	699	885	445	-
1994	2,997	24	35	42	49	92	188	222	354	690	854	447	-
1993	2,997	24	40	26	46	97	157	196	375	729	849	457	1
1992	2,843	24	27	42	41	92	151	199	362	693	801	411	-
1991	2,783	23	33	38	41	85	140	177	365	705	819	357	-
1990	2,658	25	31	37	35	98	129	155	329	709	750	360	-
1989	2,685	24	21	42	28	84	122	189	349	674	796	356	-
1988	2,639	21	29	41	45	80	139	182	357	676	736	333	-
1987	2,683	25	20	43	41	85	88	171	384	772	759	295	-
1986	2,740	31	23	37	61	100	125	194	424	636	776	331	2
1985	2,632	17	38	34	39	82	123	185	424	685	688	316	1
1984	2,568	27	21	28	41	90	119	153	417	685	700	287	-
1983	2,639	26	20	34	52	81	124	188	453	668	706	286	1
1982	2,617	19	23	33	51	74	102	203	462	712	654	283	1
1981	2,625	25	21	41	53	69	121	209	449	741	663	233	-
1980	2,514	30	17	43	64	85	115	203	466	654	619	218	-
1979	2,406	14	21	35	58	81	83	209	454	680	561	210	-
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (210-239)													
White, female													
1998	3,861	24	17	25	34	58	112	185	310	635	1,206	1,255	-
1997	3,756	28	29	33	38	64	112	186	282	662	1,183	1,139	-
1996	3,684	27	19	34	26	41	114	190	294	675	1,190	1,074	-
1995	3,723	29	13	42	29	54	107	178	318	689	1,211	1,053	-
1994	3,598	27	27	37	40	61	113	189	271	634	1,160	1,039	-
1993	3,542	25	26	27	37	73	109	190	272	660	1,153	970	-
1992	3,348	23	24	40	40	65	113	164	277	665	1,062	875	-
1991	3,353	25	31	25	40	56	97	138	291	680	1,084	886	-
1990	3,250	32	31	48	36	82	105	154	314	627	1,049	772	-
1989	3,173	15	25	28	35	50	103	151	346	671	1,027	721	1
1988	3,231	32	24	42	29	69	96	156	349	685	1,031	718	-
1987	3,119	29	22	25	42	64	110	144	329	689	990	675	-
1986	3,155	34	21	37	42	74	91	154	348	717	998	639	-
1985	3,207	33	15	32	37	73	100	152	380	750	983	652	-
1984	3,088	34	21	35	41	66	94	136	389	738	948	586	-
1983	3,089	17	22	37	46	61	100	186	383	698	942	597	-
1982	3,037	23	22	37	55	68	94	191	430	753	875	489	-
1981	2,883	18	17	34	37	73	98	193	400	693	864	455	1
1980	2,869	23	13	37	46	78	108	226	436	692	777	433	-
1979	2,795	27	15	34	46	83	109	198	454	702	726	400	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	15-24 25-34 35-44 45-54 55-64 65-74 75-84												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	years	years	years	years	years	years	years	85 + years	
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (210-239)													
All other, both sexes													
1998	993	16	14	26	30	34	82	107	121	206	206	151	-
1997	977	15	9	25	25	42	73	95	118	212	231	132	-
1996	990	9	21	24	26	50	81	94	120	183	257	124	1
1995	1,011	6	17	26	32	42	84	88	121	224	201	170	-
1994	922	16	17	22	21	36	83	97	128	170	213	119	-
1993	902	12	11	19	13	49	75	91	124	191	209	107	1
1992	879	15	10	15	20	40	57	75	118	213	212	104	-
1991	858	12	12	10	22	54	54	71	131	204	194	94	-
1990	844	14	13	15	22	33	62	90	112	193	207	82	1
1989	843	17	20	15	24	32	59	70	118	202	176	110	-
1988	865	7	16	20	26	45	38	75	136	205	207	89	1
1987	768	5	13	13	23	34	48	53	128	185	180	86	-
1986	835	13	12	16	29	29	46	91	146	188	189	76	-
1985	860	11	15	21	24	30	60	84	149	230	165	70	1
1984	780	17	7	17	17	30	45	76	127	198	168	78	-
1983	755	10	12	19	22	36	45	74	124	202	152	58	1
1982	806	18	11	23	27	34	48	84	171	196	148	46	-
1981	727	11	10	17	26	28	42	84	138	186	126	58	1
1980	810	14	8	24	20	32	41	112	155	223	134	47	-
1979	703	7	11	22	27	32	56	101	144	168	101	34	-
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (210-239)													
All other, male													
1998	437	9	6	13	15	22	37	62	55	89	85	44	-
1997	440	11	5	12	12	20	29	41	68	99	104	39	-
1996	439	2	9	12	14	24	36	50	69	75	109	38	1
1995	449	4	11	15	16	22	46	42	54	101	76	62	-
1994	407	9	9	10	11	21	41	46	67	81	78	34	-
1993	427	6	7	9	8	29	43	50	67	90	86	32	-
1992	413	10	7	9	11	23	24	45	55	105	93	31	-
1991	396	7	6	6	8	33	22	43	64	91	78	38	-
1990	354	6	4	8	12	20	36	39	49	94	68	18	-
1989	363	5	13	5	20	10	21	36	62	89	66	36	-
1988	373	5	7	8	14	21	17	37	61	85	83	34	1
1987	382	1	8	6	10	19	27	28	66	96	88	33	-
1986	374	6	5	9	19	17	21	50	61	88	71	27	-
1985	376	5	7	9	13	16	31	43	59	100	73	20	-
1984	352	7	2	6	9	17	26	39	65	89	64	28	-
1983	346	3	6	12	13	16	23	33	61	95	62	21	1
1982	360	9	8	11	13	16	24	39	85	81	64	10	-
1981	309	5	5	8	11	12	14	39	61	82	56	16	-
1980	365	6	5	12	8	11	17	46	80	101	65	14	-
1979	298	3	4	8	10	20	34	34	73	66	36	10	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (210-239)													
All other, female													
1998	556	7	8	13	15	12	45	45	66	117	121	107	-
1997	537	4	4	13	13	22	44	54	50	113	127	93	-
1996	551	7	12	12	12	26	45	44	51	108	148	86	-
1995	562	2	6	11	16	20	38	46	67	123	125	108	-
1994	515	7	8	12	10	15	42	51	61	89	135	85	-
1993	475	6	4	10	5	20	32	41	57	101	123	75	1
1992	466	5	3	6	9	17	33	30	63	108	119	73	-
1991	462	5	6	4	14	21	32	28	67	113	116	56	-
1990	490	8	9	7	10	13	26	51	63	99	139	64	1
1989	480	12	7	10	4	22	38	34	56	113	110	74	-
1988	492	2	9	12	12	24	21	38	75	120	124	55	-
1987	386	4	5	7	13	15	21	25	62	89	92	53	-
1986	461	7	7	7	10	12	25	41	85	100	118	49	-
1985	484	6	8	12	11	14	29	41	90	130	92	50	1
1984	428	10	5	11	8	13	19	37	62	109	104	50	-
1983	409	7	6	7	9	20	22	41	63	107	90	37	-
1982	446	9	3	12	14	18	24	45	86	115	84	36	-
1981	418	6	5	9	15	16	28	45	77	104	70	42	1
1980	445	8	3	12	12	21	24	66	75	122	69	33	-
1979	405	4	7	14	17	12	22	67	71	102	65	24	-
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (210-239)													
Black, both sexes													
1998	855	14	11	24	27	29	72	89	105	179	177	128	-
1997	861	12	8	20	20	38	65	82	110	185	204	117	-
1996	855	6	20	21	22	44	72	86	106	158	211	108	1
1995	878	4	14	22	26	37	71	74	107	199	180	144	-
1994	804	7	14	20	15	33	76	86	115	152	186	100	-
1993	798	9	9	14	10	46	72	77	107	175	185	93	1
1992	778	12	9	12	18	37	49	66	103	189	190	93	-
1991	777	12	9	7	19	50	49	64	121	191	171	84	-
1990	747	14	10	13	18	29	55	75	97	177	182	76	1
1989	742	15	14	12	20	29	48	63	108	178	158	97	-
1988	784	4	14	18	20	37	34	69	126	195	184	82	1
1987	689	3	9	11	20	32	44	49	117	165	166	73	-
1986	756	11	12	14	21	25	37	82	134	173	175	72	-
1985	776	9	12	16	24	27	52	80	140	209	147	59	1
1984	697	12	6	15	15	24	44	73	114	177	148	69	-
1983	684	7	9	14	20	32	44	68	112	186	140	51	1
1982	748	14	9	21	26	33	42	74	160	187	141	41	-
1981	665	9	10	15	24	25	41	78	126	168	117	51	1
1980	749	12	8	22	20	27	35	108	145	206	127	39	-
1979	654	7	10	21	26	28	54	93	135	156	91	33	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (210-239)													
Black, male													
1998	366	8	6	11	14	19	32	52	47	74	71	32	-
1997	376	8	5	10	8	17	26	33	61	87	94	27	-
1996	372	1	9	10	12	21	32	47	62	61	86	30	1
1995	394	2	9	12	13	21	38	37	49	93	68	52	-
1994	352	5	8	9	9	19	38	39	60	72	67	26	-
1993	374	4	7	6	6	28	42	39	60	84	74	24	-
1992	360	10	6	7	10	21	21	39	47	92	79	28	-
1991	354	7	5	3	6	29	19	41	61	84	67	32	-
1990	316	6	4	6	9	17	33	35	44	87	59	16	-
1989	321	5	8	5	18	9	19	31	59	78	58	31	-
1988	330	4	7	6	9	18	16	34	56	81	68	30	1
1987	339	1	5	4	8	18	25	27	60	83	80	28	-
1986	332	4	5	7	13	13	20	44	54	83	63	26	-
1985	332	4	5	7	13	14	26	41	54	90	64	14	-
1984	308	5	2	6	7	14	25	37	58	78	52	24	-
1983	307	3	3	8	11	15	22	31	54	86	56	17	1
1982	331	7	6	9	13	16	21	34	79	77	60	9	-
1981	273	4	5	7	10	9	14	37	53	71	51	12	-
1980	339	5	5	10	8	8	17	44	76	94	61	11	-
1979	276	3	3	7	9	18	32	32	67	62	33	10	-
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (210-239)													
Black, female													
1998	489	6	5	13	13	10	40	37	58	105	106	96	-
1997	485	4	3	10	12	21	39	49	49	98	110	90	-
1996	483	5	11	11	10	23	40	39	44	97	125	78	-
1995	484	2	5	10	13	16	33	37	58	106	112	92	-
1994	452	2	6	11	6	14	38	47	55	80	119	74	-
1993	424	5	2	8	4	18	30	38	47	91	111	69	1
1992	418	2	3	5	8	16	28	27	56	97	111	65	-
1991	423	5	4	4	13	21	30	23	60	107	104	52	-
1990	431	8	6	7	9	12	22	40	53	90	123	60	1
1989	421	10	6	7	2	20	29	32	49	100	100	66	-
1988	454	-	7	12	11	19	18	35	70	114	116	52	-
1987	350	2	4	7	12	14	19	22	57	82	86	45	-
1986	424	7	7	7	8	12	17	38	80	90	112	46	-
1985	444	5	7	9	11	13	26	39	86	119	83	45	1
1984	389	7	4	9	8	10	19	36	56	99	96	45	-
1983	377	4	6	6	9	17	22	37	58	100	84	34	-
1982	417	7	3	12	13	17	21	40	81	110	81	32	-
1981	392	5	5	8	14	16	27	41	73	97	66	39	1
1980	410	7	3	12	12	19	18	64	69	112	66	28	-
1979	378	4	7	14	17	10	22	61	68	94	58	23	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Anemias (280-285)													
All races, both sexes													
1998	4,544	23	31	46	93	168	220	202	235	572	1,261	1,693	-
1997	4,471	25	40	63	85	134	204	190	221	564	1,258	1,687	-
1996	4,332	31	40	54	92	165	204	200	259	588	1,166	1,532	1
1995	4,556	34	48	74	133	159	218	171	249	603	1,240	1,627	-
1994	4,380	28	48	65	101	229	238	198	231	589	1,198	1,455	-
1993	4,315	44	44	53	118	186	212	165	236	564	1,196	1,496	1
1992	4,246	48	65	62	127	199	222	170	224	616	1,134	1,379	-
1991	4,121	29	47	56	94	197	174	166	253	579	1,195	1,331	-
1990	4,092	29	51	51	124	187	195	156	272	604	1,124	1,299	-
1989	3,993	38	50	47	112	175	184	166	264	640	1,109	1,207	1
1988	3,816	27	43	54	110	144	145	135	265	579	1,128	1,186	-
1987	3,813	19	46	62	103	199	151	132	266	597	1,077	1,161	-
1986	3,708	21	61	60	114	176	118	116	244	575	1,123	1,100	-
1985	3,694	17	60	73	104	155	126	133	292	595	1,092	1,047	-
1984	3,527	33	65	72	122	128	114	125	260	608	1,010	989	1
1983	3,487	38	58	81	126	146	108	120	315	599	996	898	2
1982	3,292	35	69	61	127	134	117	106	262	585	964	832	-
1981	3,300	25	48	75	121	116	128	144	275	642	911	815	-
1980	3,238	24	63	79	133	157	98	137	282	589	922	754	-
1979	3,171	35	73	83	145	132	119	142	272	569	872	728	1
Anemias (280-285)													
All races, male													
1998	1,873	13	15	25	52	91	100	103	130	299	547	498	-
1997	1,805	11	25	33	42	70	110	91	114	256	560	493	-
1996	1,820	15	23	31	45	87	95	100	146	307	542	428	1
1995	1,855	18	25	34	71	93	108	89	111	309	521	476	-
1994	1,909	15	27	33	53	122	133	104	116	299	520	487	-
1993	1,789	28	23	29	64	107	104	74	123	270	504	463	-
1992	1,825	18	39	37	72	109	124	87	104	306	473	456	-
1991	1,758	19	25	27	62	99	95	77	124	279	499	452	-
1990	1,770	21	31	27	76	106	101	86	124	300	486	412	-
1989	1,688	22	30	18	65	95	97	87	130	290	477	376	1
1988	1,614	15	25	25	63	83	78	73	132	305	468	347	-
1987	1,670	9	27	28	50	121	88	70	152	303	474	348	-
1986	1,633	8	32	34	68	94	60	68	112	278	495	384	-
1985	1,633	13	29	38	59	92	64	67	152	285	489	345	-
1984	1,545	16	34	29	68	70	52	64	132	304	452	323	1
1983	1,571	18	30	48	71	76	61	63	159	298	424	323	-
1982	1,452	20	30	35	75	76	52	51	138	278	426	271	-
1981	1,519	14	26	42	69	65	63	68	148	310	431	283	-
1980	1,421	13	34	41	78	80	46	63	139	284	386	257	-
1979	1,475	24	40	47	81	64	63	69	138	301	390	258	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Anemias (280-285)													
All races, female													
1998	2,671	10	16	21	41	77	120	99	105	273	714	1,195	-
1997	2,666	14	15	30	43	64	94	99	107	308	698	1,194	-
1996	2,512	16	17	23	47	78	109	100	113	281	624	1,104	-
1995	2,701	16	23	40	62	66	110	82	138	294	719	1,151	-
1994	2,471	13	21	32	48	107	105	94	115	290	678	968	-
1993	2,526	16	21	24	54	79	108	91	113	294	692	1,033	1
1992	2,421	30	26	25	55	90	98	83	120	310	661	923	-
1991	2,363	10	22	29	32	98	79	89	129	300	696	879	-
1990	2,322	8	20	24	48	81	94	70	148	304	638	887	-
1989	2,305	16	20	29	47	80	87	79	134	350	632	831	-
1988	2,202	12	18	29	47	61	67	62	133	274	660	839	-
1987	2,143	10	19	34	53	78	63	62	114	294	603	813	-
1986	2,075	13	29	26	46	82	58	48	132	297	628	716	-
1985	2,061	4	31	35	45	63	62	66	140	310	603	702	-
1984	1,982	17	31	43	54	58	62	61	128	304	558	666	-
1983	1,916	20	28	33	55	70	47	57	156	301	572	575	2
1982	1,840	15	39	26	52	58	65	55	124	307	538	561	-
1981	1,781	11	22	33	52	51	65	76	127	332	480	532	-
1980	1,817	11	29	38	55	77	52	74	143	305	536	497	-
1979	1,696	11	33	36	64	68	56	73	134	268	482	470	1
Anemias (280-285)													
White, both sexes													
1998	3,503	11	13	26	22	26	58	99	156	459	1,114	1,519	-
1997	3,473	8	11	22	26	26	44	88	151	450	1,128	1,519	-
1996	3,340	15	11	31	25	32	52	92	176	503	1,026	1,377	-
1995	3,461	17	15	32	29	29	63	81	171	495	1,064	1,465	-
1994	3,332	13	16	33	24	60	72	92	169	479	1,059	1,315	-
1993	3,308	21	15	25	38	44	57	76	163	466	1,057	1,346	-
1992	3,241	20	25	28	36	43	69	94	172	506	987	1,261	-
1991	3,180	16	15	29	20	52	61	79	187	467	1,057	1,197	-
1990	3,136	16	17	19	35	36	63	79	205	495	989	1,182	-
1989	3,089	15	20	24	34	41	65	84	184	538	990	1,094	-
1988	3,034	10	8	26	40	45	50	74	202	498	998	1,083	-
1987	3,027	8	18	25	30	51	52	80	209	502	978	1,074	-
1986	2,949	6	23	31	40	35	43	70	193	506	996	1,006	-
1985	2,931	7	14	36	36	52	48	74	223	502	975	964	-
1984	2,844	17	23	42	46	36	52	76	207	513	918	913	1
1983	2,786	18	13	41	41	46	55	67	242	516	910	836	1
1982	2,620	16	25	35	46	41	54	64	214	500	859	766	-
1981	2,658	11	18	41	50	32	47	91	221	559	824	764	-
1980	2,550	7	26	48	59	42	35	87	216	494	834	702	-
1979	2,504	19	28	48	59	50	53	95	212	486	782	672	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Anemias (280-285)													
White, male													
1998	1,391	5	5	14	14	15	27	55	81	241	488	446	-
1997	1,353	4	3	13	10	12	27	43	81	216	505	439	-
1996	1,372	8	6	17	13	17	20	47	103	270	482	389	-
1995	1,362	9	6	14	16	17	30	45	83	254	455	433	-
1994	1,423	9	12	14	14	33	47	55	88	242	465	444	-
1993	1,336	12	7	16	20	28	29	31	93	222	454	424	-
1992	1,349	5	14	17	20	27	36	53	87	252	416	422	-
1991	1,305	11	8	17	13	23	31	35	92	234	429	412	-
1990	1,274	12	9	5	21	21	38	45	88	248	415	372	-
1989	1,267	6	14	12	24	16	38	49	91	249	428	340	-
1988	1,247	8	7	10	27	20	30	40	108	269	412	316	-
1987	1,269	4	10	12	12	24	31	45	126	258	426	321	-
1986	1,272	4	10	18	23	17	23	43	92	250	444	348	-
1985	1,264	4	8	18	15	34	28	36	116	246	441	318	-
1984	1,203	9	9	16	22	18	18	41	107	254	411	297	1
1983	1,217	6	7	27	24	22	32	31	124	258	382	304	-
1982	1,132	9	7	20	24	24	24	31	115	244	385	249	-
1981	1,193	7	10	26	31	14	22	44	121	274	382	262	-
1980	1,085	3	15	22	30	19	12	47	108	236	352	241	-
1979	1,163	14	13	26	32	23	30	47	114	264	361	239	-
Anemias (280-285)													
White, female													
1998	2,112	6	8	12	8	11	31	44	75	218	626	1,073	-
1997	2,120	4	8	9	16	14	17	45	70	234	623	1,080	-
1996	1,968	7	5	14	12	15	32	45	73	233	544	988	-
1995	2,099	8	9	18	13	12	33	36	88	241	609	1,032	-
1994	1,909	4	4	19	10	27	25	37	81	237	594	871	-
1993	1,972	9	8	9	18	16	28	45	70	244	603	922	-
1992	1,892	15	11	11	16	16	33	41	85	254	571	839	-
1991	1,875	5	7	12	7	29	30	44	95	233	628	785	-
1990	1,862	4	8	14	14	15	25	34	117	247	574	810	-
1989	1,822	9	6	12	10	25	27	35	93	289	562	754	-
1988	1,787	2	1	16	13	25	20	34	94	229	586	767	-
1987	1,758	4	8	13	18	27	21	35	83	244	552	753	-
1986	1,677	2	13	13	17	18	20	27	101	256	552	658	-
1985	1,667	3	6	18	21	18	20	38	107	256	534	646	-
1984	1,641	8	14	26	24	18	34	35	100	259	507	616	-
1983	1,569	12	6	14	17	24	23	36	118	258	528	532	1
1982	1,488	7	18	15	22	17	30	33	99	256	474	517	-
1981	1,465	4	8	15	19	18	25	47	100	285	442	502	-
1980	1,465	4	11	26	29	23	23	40	108	258	482	461	-
1979	1,341	5	15	22	27	27	23	48	98	222	421	433	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Anemias (280-285)													
All other, both sexes													
1998	1,041	12	18	20	71	142	162	103	79	113	147	174	-
1997	998	17	29	41	59	108	160	102	70	114	130	168	-
1996	992	16	29	23	67	133	152	108	83	85	140	155	1
1995	1,095	17	33	42	104	130	155	90	78	108	176	162	-
1994	1,048	15	32	32	77	169	166	106	62	110	139	140	-
1993	1,007	23	29	28	80	142	155	89	73	98	139	150	1
1992	1,005	28	40	34	91	156	153	76	52	110	147	118	-
1991	941	13	32	27	74	145	113	87	66	112	138	134	-
1990	956	13	34	32	89	151	132	77	67	109	135	117	-
1989	904	23	30	23	78	134	119	82	80	102	119	113	1
1988	782	17	35	28	70	99	95	61	63	81	130	103	-
1987	786	11	28	37	73	148	99	52	57	95	99	87	-
1986	759	15	38	29	74	141	75	46	51	69	127	94	-
1985	763	10	46	37	68	103	78	59	69	93	117	83	-
1984	683	16	42	30	76	92	62	49	53	95	92	76	-
1983	701	20	45	40	85	100	53	53	73	83	86	62	1
1982	672	19	44	26	81	93	63	42	48	85	105	66	-
1981	642	14	30	34	71	84	81	53	54	83	87	51	-
1980	688	17	37	31	74	115	63	50	66	95	88	52	-
1979	667	16	45	35	86	82	66	47	60	83	90	56	1
Anemias (280-285)													
All other, male													
1998	482	8	10	11	38	76	73	48	49	58	59	52	-
1997	452	7	22	20	32	58	83	48	33	40	55	54	-
1996	448	7	17	14	32	70	75	53	43	37	60	39	1
1995	493	9	19	20	55	76	78	44	28	55	66	43	-
1994	486	6	15	19	39	89	86	49	28	57	55	43	-
1993	453	16	16	13	44	79	75	43	30	48	50	39	-
1992	476	13	25	20	52	82	88	34	17	54	57	34	-
1991	453	8	17	10	49	76	64	42	32	45	70	40	-
1990	496	9	22	22	55	85	63	41	36	52	71	40	-
1989	421	16	16	6	41	79	59	38	39	41	49	36	1
1988	367	7	18	15	36	63	48	33	24	36	56	31	-
1987	401	5	17	16	38	97	57	25	26	45	48	27	-
1986	361	4	22	16	45	77	37	25	20	28	51	36	-
1985	369	9	21	20	44	58	36	31	36	39	48	27	-
1984	342	7	25	13	46	52	34	23	25	50	41	26	-
1983	354	12	23	21	47	54	29	32	35	40	42	19	-
1982	320	11	23	15	51	52	28	20	23	34	41	22	-
1981	326	7	16	16	38	51	41	24	27	36	49	21	-
1980	336	10	19	19	48	61	34	16	31	48	34	16	-
1979	312	10	27	21	49	41	33	22	24	37	29	19	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Anemias (280-285)													
All other, female													
1998	559	4	8	9	33	66	89	55	30	55	88	122	-
1997	546	10	7	21	27	50	77	54	37	74	75	114	-
1996	544	9	12	9	35	63	77	55	40	48	80	116	-
1995	602	8	14	22	49	54	77	46	50	53	110	119	-
1994	562	9	17	13	38	80	80	57	34	53	84	97	-
1993	554	7	13	15	36	63	80	46	43	50	89	111	1
1992	529	15	15	14	39	74	65	42	35	56	90	84	-
1991	488	5	15	17	25	69	49	45	34	67	68	94	-
1990	460	4	12	10	34	66	69	36	31	57	64	77	-
1989	483	7	14	17	37	55	60	44	41	61	70	77	-
1988	415	10	17	13	34	36	47	28	39	45	74	72	-
1987	385	6	11	21	35	51	42	27	31	50	51	60	-
1986	398	11	16	13	29	64	38	21	31	41	76	58	-
1985	394	1	25	17	24	45	42	28	33	54	69	56	-
1984	341	9	17	17	30	40	28	26	28	45	51	50	-
1983	347	8	22	19	38	46	24	21	38	43	44	43	1
1982	352	8	21	11	30	41	35	22	25	51	64	44	-
1981	316	7	14	18	33	33	40	29	27	47	38	30	-
1980	352	7	18	12	26	54	29	34	35	47	54	36	-
1979	355	6	18	14	37	41	33	25	36	46	61	37	1
Anemias (280-285)													
Black, both sexes													
1998	953	6	17	18	68	139	159	98	75	88	129	156	-
1997	927	11	28	40	54	104	157	100	65	102	114	152	-
1996	929	8	28	23	65	131	151	103	78	74	126	141	1
1995	1,014	8	31	40	103	127	154	88	72	94	149	148	-
1994	991	7	32	30	77	166	164	102	59	101	129	124	-
1993	947	15	28	28	76	142	153	86	67	87	128	137	-
1992	947	21	40	33	86	152	150	73	48	100	138	106	-
1991	883	10	31	27	66	141	109	85	54	105	129	126	-
1990	887	6	30	30	85	149	128	72	58	98	125	106	-
1989	852	17	29	18	78	131	118	79	74	91	110	106	1
1988	731	9	34	26	67	96	93	61	62	72	118	93	-
1987	739	8	28	36	67	145	99	50	50	90	89	77	-
1986	706	8	36	26	72	140	72	45	49	64	111	83	-
1985	717	7	45	35	66	100	76	58	64	86	107	73	-
1984	640	11	39	27	75	89	62	47	48	84	86	72	-
1983	665	14	44	36	84	99	52	50	71	77	81	56	1
1982	632	16	43	26	74	92	62	42	46	75	97	59	-
1981	615	12	30	32	69	84	76	53	48	80	83	48	-
1980	660	15	36	29	73	114	62	49	64	88	80	50	-
1979	637	10	45	31	85	79	65	43	59	80	88	51	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Anemias (280-285)													
Black, male													
1998	429	4	9	10	35	75	71	45	45	41	50	44	-
1997	423	5	21	19	29	54	81	48	31	37	50	48	-
1996	419	4	17	14	30	69	75	50	39	33	55	32	1
1995	450	2	18	19	55	75	77	42	26	47	56	33	-
1994	461	3	15	19	39	88	85	46	27	53	50	36	-
1993	424	12	15	13	41	79	74	42	28	41	47	32	-
1992	450	11	25	20	50	81	87	32	16	50	50	28	-
1991	420	8	16	10	41	74	61	41	29	40	64	36	-
1990	460	5	19	20	53	84	63	40	30	47	64	35	-
1989	401	13	16	6	41	78	59	36	37	34	45	35	1
1988	337	4	17	14	34	61	47	33	23	30	48	26	-
1987	378	4	17	16	36	95	57	25	21	42	43	22	-
1986	334	2	21	13	44	76	35	24	19	26	43	31	-
1985	345	7	21	19	43	56	36	30	33	37	42	21	-
1984	315	5	22	13	45	49	34	22	22	44	36	23	-
1983	334	9	23	18	46	54	28	29	34	37	40	16	-
1982	296	9	23	15	46	51	27	20	22	28	38	17	-
1981	308	5	16	14	36	51	39	24	23	34	46	20	-
1980	321	9	18	19	47	60	34	16	30	44	30	14	-
1979	298	8	27	18	48	39	33	21	23	36	28	17	-
Anemias (280-285)													
Black, female													
1998	524	2	8	8	33	64	88	53	30	47	79	112	-
1997	504	6	7	21	25	50	76	52	34	65	64	104	-
1996	510	4	11	9	35	62	76	53	39	41	71	109	-
1995	564	6	13	21	48	52	77	46	46	47	93	115	-
1994	530	4	17	11	38	78	79	56	32	48	79	88	-
1993	523	3	13	15	35	63	79	44	39	46	81	105	-
1992	497	10	15	13	36	71	63	41	32	50	88	78	-
1991	463	2	15	17	25	67	48	44	25	65	65	90	-
1990	427	1	11	10	32	65	65	32	28	51	61	71	-
1989	451	4	13	12	37	53	59	43	37	57	65	71	-
1988	394	5	17	12	33	35	46	28	39	42	70	67	-
1987	361	4	11	20	31	50	42	25	29	48	46	55	-
1986	372	6	15	13	28	64	37	21	30	38	68	52	-
1985	372	-	24	16	23	44	40	28	31	49	65	52	-
1984	325	6	17	14	30	40	28	25	26	40	50	49	-
1983	331	5	21	18	38	45	24	21	37	40	41	40	1
1982	336	7	20	11	28	41	35	22	24	47	59	42	-
1981	307	7	14	18	33	33	37	29	25	46	37	28	-
1980	339	6	18	10	26	54	28	33	34	44	50	36	-
1979	339	2	18	13	37	40	32	22	36	44	60	34	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Diabetes mellitus (250)													
All races, both sexes													
1998	64,751	2	6	20	137	636	1,885	4,386	8,705	16,490	20,529	11,955	-
1997	62,636	2	3	28	129	620	1,858	4,335	8,370	16,311	19,592	11,386	2
1996	61,767	-	6	26	145	647	1,879	4,258	8,429	16,553	18,989	10,834	1
1995	59,254	-	6	17	136	614	1,844	3,996	8,188	16,231	18,135	10,086	1
1994	56,692	1	4	19	126	682	1,785	3,689	7,784	15,744	17,179	9,677	2
1993	53,894	1	14	24	118	602	1,697	3,449	7,478	14,984	16,322	9,196	9
1992	50,067	4	4	26	133	658	1,600	3,203	7,109	13,976	15,091	8,261	2
1991	48,951	1	8	34	122	658	1,553	3,034	7,011	13,834	14,675	8,019	2
1990	47,664	4	7	24	115	674	1,510	2,834	6,969	13,280	14,537	7,706	4
1989	46,833	6	15	32	136	687	1,432	2,784	6,942	13,168	14,160	7,470	1
1988	40,368	1	8	31	119	656	1,395	2,502	6,109	11,092	11,907	6,548	-
1987	38,532	-	10	31	119	618	1,203	2,258	5,914	10,789	11,470	6,118	2
1986	37,184	2	9	25	140	634	1,174	2,158	5,780	10,269	11,048	5,939	6
1985	36,969	2	11	31	121	537	1,165	1,991	5,819	10,159	11,308	5,817	8
1984	35,787	4	5	27	119	578	1,072	2,005	5,495	9,934	10,857	5,690	1
1983	36,246	4	9	38	129	584	1,064	2,078	5,900	10,185	10,923	5,328	4
1982	34,583	11	12	40	134	533	922	2,060	5,643	9,711	10,339	5,170	8
1981	34,642	6	8	32	149	554	916	2,167	5,620	9,841	10,221	5,120	8
1980	34,851	4	12	37	128	572	900	2,188	5,789	10,111	10,134	4,971	5
1979	33,192	3	10	44	170	513	904	2,057	5,537	9,398	9,902	4,648	6
Diabetes mellitus (250)													
All races, male													
1998	29,584	-	2	12	62	356	1,151	2,488	4,651	8,160	8,937	3,765	-
1997	28,187	2	1	12	66	325	1,158	2,442	4,213	8,030	8,420	3,516	2
1996	27,646	-	4	8	82	367	1,139	2,435	4,367	7,892	8,099	3,253	-
1995	26,124	-	5	9	83	345	1,076	2,292	4,170	7,564	7,638	2,942	-
1994	24,758	1	4	12	64	386	1,094	2,056	3,942	7,328	6,994	2,876	1
1993	23,430	1	5	10	66	323	1,020	1,917	3,784	7,013	6,617	2,671	3
1992	21,672	4	2	13	77	382	965	1,806	3,557	6,376	6,047	2,442	1
1991	21,096	-	3	16	71	367	915	1,663	3,466	6,384	5,952	2,257	2
1990	20,266	3	1	14	50	373	914	1,547	3,436	6,043	5,751	2,132	2
1989	19,730	5	8	10	68	412	890	1,556	3,382	5,921	5,437	2,041	-
1988	16,975	-	3	12	67	391	842	1,355	2,940	4,912	4,562	1,891	-
1987	16,237	-	5	14	60	363	734	1,231	2,922	4,912	4,327	1,668	1
1986	15,369	-	5	10	72	355	680	1,132	2,782	4,564	4,126	1,640	3
1985	15,263	-	3	15	55	314	703	1,076	2,767	4,499	4,239	1,590	2
1984	14,859	-	3	13	60	318	634	1,128	2,611	4,336	4,143	1,613	-
1983	14,668	2	3	13	58	312	617	1,082	2,785	4,378	3,942	1,474	2
1982	14,171	6	4	15	73	289	537	1,086	2,682	4,262	3,830	1,387	-
1981	14,211	5	4	15	69	315	517	1,170	2,708	4,201	3,717	1,487	3
1980	14,325	2	7	21	63	319	506	1,094	2,751	4,316	3,764	1,481	1
1979	13,795	3	2	13	89	279	522	1,067	2,699	4,133	3,627	1,359	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Diabetes mellitus (250)													
All races, female													
1998	35,167	2	4	8	75	280	734	1,898	4,054	8,330	11,592	8,190	-
1997	34,449	-	2	16	63	295	700	1,893	4,157	8,281	11,172	7,870	-
1996	34,121	-	2	18	63	280	740	1,823	4,062	8,661	10,890	7,581	1
1995	33,130	-	1	8	53	269	768	1,704	4,018	8,667	10,497	7,144	1
1994	31,934	-	-	7	62	296	691	1,633	3,842	8,416	10,185	6,801	1
1993	30,464	-	9	14	52	279	677	1,532	3,694	7,971	9,705	6,525	6
1992	28,395	-	2	13	56	276	635	1,397	3,552	7,600	9,044	5,819	1
1991	27,855	1	5	18	51	291	638	1,371	3,545	7,450	8,723	5,762	-
1990	27,398	1	6	10	65	301	596	1,287	3,533	7,237	8,786	5,574	2
1989	27,103	1	7	22	68	275	542	1,228	3,560	7,247	8,723	5,429	1
1988	23,393	1	5	19	52	265	553	1,147	3,169	6,180	7,345	4,657	-
1987	22,295	-	5	17	59	255	469	1,027	2,992	5,877	7,143	4,450	1
1986	21,815	2	4	15	68	279	494	1,026	2,998	5,705	6,922	4,299	3
1985	21,706	2	8	16	66	223	462	915	3,052	5,660	7,069	4,227	6
1984	20,928	4	2	14	59	260	438	877	2,884	5,598	6,714	4,077	1
1983	21,578	2	6	25	71	272	447	996	3,115	5,807	6,981	3,854	2
1982	20,412	5	8	25	61	244	385	974	2,961	5,449	6,509	3,783	8
1981	20,431	1	4	17	80	239	399	997	2,912	5,640	6,504	3,633	5
1980	20,526	2	5	16	65	253	394	1,094	3,038	5,795	6,370	3,490	4
1979	19,397	-	8	31	81	234	382	990	2,838	5,265	6,275	3,289	4
Diabetes mellitus (250)													
White, both sexes													
1998	51,706	2	5	17	86	427	1,341	3,104	6,334	12,885	17,212	10,293	-
1997	49,850	2	3	19	83	414	1,326	3,067	6,024	12,788	16,403	9,719	2
1996	49,511	-	4	14	92	474	1,356	3,019	6,191	13,037	15,946	9,378	-
1995	47,475	-	5	12	83	425	1,354	2,846	5,942	12,843	15,243	8,722	-
1994	45,650	1	3	15	80	511	1,286	2,645	5,753	12,528	14,426	8,401	1
1993	43,461	1	9	17	75	442	1,224	2,471	5,507	11,908	13,796	8,008	3
1992	40,442	4	4	18	85	497	1,181	2,292	5,214	11,201	12,753	7,192	1
1991	39,600	1	8	22	82	495	1,136	2,137	5,206	11,106	12,414	6,992	1
1990	38,696	3	7	15	75	497	1,138	1,984	5,197	10,653	12,356	6,770	1
1989	38,053	6	13	27	88	526	1,084	1,994	5,149	10,608	11,976	6,582	-
1988	32,692	-	8	25	87	499	1,017	1,779	4,572	8,873	10,058	5,774	-
1987	31,395	-	6	22	95	474	935	1,602	4,437	8,691	9,694	5,439	-
1986	30,284	1	9	21	111	516	858	1,514	4,325	8,306	9,402	5,218	3
1985	30,305	1	11	21	78	424	894	1,389	4,429	8,217	9,614	5,223	4
1984	29,466	3	4	21	93	441	793	1,441	4,160	7,999	9,366	5,145	-
1983	29,987	3	6	28	98	455	805	1,497	4,469	8,386	9,412	4,827	1
1982	28,910	8	11	26	102	415	719	1,505	4,354	8,061	9,012	4,692	5
1981	28,750	6	6	23	106	436	680	1,585	4,347	8,026	8,896	4,635	4
1980	28,868	2	7	28	96	452	656	1,594	4,448	8,265	8,821	4,498	1
1979	27,624	3	8	33	131	407	648	1,444	4,309	7,686	8,751	4,199	5

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Diabetes mellitus (250)													
White, male													
1998	24,249	-	2	10	39	240	831	1,807	3,539	6,670	7,802	3,309	-
1997	22,968	2	1	7	42	201	850	1,764	3,178	6,556	7,286	3,079	2
1996	22,829	-	3	3	54	277	832	1,803	3,394	6,541	7,045	2,877	-
1995	21,407	-	5	7	50	239	802	1,675	3,175	6,240	6,645	2,569	-
1994	20,391	1	3	10	38	287	817	1,535	3,037	6,055	6,045	2,562	1
1993	19,311	1	2	8	41	234	747	1,431	2,912	5,805	5,790	2,337	3
1992	17,951	4	2	8	50	292	741	1,336	2,744	5,334	5,267	2,172	1
1991	17,473	-	3	11	48	278	676	1,227	2,693	5,348	5,173	2,015	1
1990	16,817	2	1	7	39	270	707	1,125	2,674	5,058	5,030	1,903	1
1989	16,282	5	7	7	42	309	685	1,150	2,600	4,918	4,743	1,816	-
1988	14,008	-	3	11	50	303	622	1,002	2,293	4,091	3,941	1,692	-
1987	13,553	-	3	10	50	288	583	890	2,307	4,130	3,789	1,503	-
1986	12,788	-	5	8	55	290	504	843	2,201	3,835	3,580	1,466	1
1985	12,758	-	3	8	34	253	544	793	2,216	3,802	3,673	1,432	-
1984	12,450	-	2	7	50	243	486	837	2,067	3,638	3,650	1,470	-
1983	12,337	2	3	10	44	239	474	812	2,202	3,749	3,449	1,353	-
1982	12,092	4	4	11	59	221	422	841	2,203	3,686	3,380	1,261	-
1981	12,066	5	3	12	47	247	391	898	2,238	3,572	3,289	1,362	2
1980	12,125	1	2	16	46	260	373	853	2,217	3,682	3,314	1,361	-
1979	11,688	3	1	10	67	221	392	796	2,212	3,521	3,233	1,231	1
Diabetes mellitus (250)													
White, female													
1998	27,457	2	3	7	47	187	510	1,297	2,795	6,215	9,410	6,984	-
1997	26,882	-	2	12	41	213	476	1,303	2,846	6,232	9,117	6,640	-
1996	26,682	-	1	11	38	197	524	1,216	2,797	6,496	8,901	6,501	-
1995	26,068	-	-	5	33	186	552	1,171	2,767	6,603	8,598	6,153	-
1994	25,259	-	-	5	42	224	469	1,110	2,716	6,473	8,381	5,839	-
1993	24,150	-	7	9	34	208	477	1,040	2,595	6,103	8,006	5,671	-
1992	22,491	-	2	10	35	205	440	956	2,470	5,867	7,486	5,020	-
1991	22,127	1	5	11	34	217	460	910	2,513	5,758	7,241	4,977	-
1990	21,879	1	6	8	36	227	431	859	2,523	5,595	7,326	4,867	-
1989	21,771	1	6	20	46	217	399	844	2,549	5,690	7,233	4,766	-
1988	18,684	-	5	14	37	196	395	777	2,279	4,782	6,117	4,082	-
1987	17,842	-	3	12	45	186	352	712	2,130	4,561	5,905	3,936	-
1986	17,496	1	4	13	56	226	354	671	2,124	4,471	5,822	3,752	2
1985	17,547	1	8	13	44	171	350	596	2,213	4,415	5,941	3,791	4
1984	17,016	3	2	14	43	198	307	604	2,093	4,361	5,716	3,675	-
1983	17,650	1	3	18	54	216	331	685	2,267	4,637	5,963	3,474	1
1982	16,818	4	7	15	43	194	297	664	2,151	4,375	5,632	3,431	5
1981	16,684	1	3	11	59	189	289	687	2,109	4,454	5,607	3,273	2
1980	16,743	1	5	12	50	192	283	741	2,231	4,583	5,507	3,137	1
1979	15,936	-	7	23	64	186	256	648	2,097	4,165	5,518	2,968	4

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Diabetes mellitus (250)													
All other, both sexes													
1998	13,045	-	1	3	51	209	544	1,282	2,371	3,605	3,317	1,662	-
1997	12,786	-	-	9	46	206	532	1,268	2,346	3,523	3,189	1,667	-
1996	12,256	-	2	12	53	173	523	1,239	2,238	3,516	3,043	1,456	1
1995	11,779	-	1	5	53	189	490	1,150	2,246	3,388	2,892	1,364	1
1994	11,042	-	1	4	46	171	499	1,044	2,031	3,216	2,753	1,276	1
1993	10,433	-	5	7	43	160	473	978	1,971	3,076	2,526	1,188	6
1992	9,625	-	-	8	48	161	419	911	1,895	2,775	2,338	1,069	1
1991	9,351	-	-	12	40	163	417	897	1,805	2,728	2,261	1,027	1
1990	8,968	1	-	9	40	177	372	850	1,772	2,627	2,181	936	3
1989	8,780	-	2	5	48	161	348	790	1,793	2,560	2,184	888	1
1988	7,676	1	-	6	32	157	378	723	1,537	2,219	1,849	774	-
1987	7,137	-	4	9	24	144	268	656	1,477	2,098	1,776	679	2
1986	6,900	1	-	4	29	118	316	644	1,455	1,963	1,646	721	3
1985	6,664	1	-	10	43	113	271	602	1,390	1,942	1,694	594	4
1984	6,321	1	1	6	26	137	279	564	1,335	1,935	1,491	545	1
1983	6,259	1	3	10	31	129	259	581	1,431	1,799	1,511	501	3
1982	5,673	3	1	14	32	118	203	555	1,289	1,650	1,327	478	3
1981	5,892	-	2	9	43	118	236	582	1,273	1,815	1,325	485	4
1980	5,983	2	5	9	32	120	244	594	1,341	1,846	1,313	473	4
1979	5,568	-	2	11	39	106	256	613	1,228	1,712	1,151	449	1
Diabetes mellitus (250)													
All other, male													
1998	5,335	-	-	2	23	116	320	681	1,112	1,490	1,135	456	-
1997	5,219	-	-	5	24	124	308	678	1,035	1,474	1,134	437	-
1996	4,817	-	1	5	28	90	307	632	973	1,351	1,054	376	-
1995	4,717	-	-	2	33	106	274	617	995	1,324	993	373	-
1994	4,367	-	1	2	26	99	277	521	905	1,273	949	314	-
1993	4,119	-	3	2	25	89	273	486	872	1,208	827	334	-
1992	3,721	-	-	5	27	90	224	470	813	1,042	780	270	-
1991	3,623	-	-	5	23	89	239	436	773	1,036	779	242	1
1990	3,449	1	-	7	11	103	207	422	762	985	721	229	1
1989	3,448	-	1	3	26	103	205	406	782	1,003	694	225	-
1988	2,967	-	-	1	17	88	220	353	647	821	621	199	-
1987	2,684	-	2	4	10	75	151	341	615	782	538	165	1
1986	2,581	-	-	2	17	65	176	289	581	729	546	174	2
1985	2,505	-	-	7	21	61	159	283	551	697	566	158	2
1984	2,409	-	1	6	10	75	148	291	544	698	493	143	-
1983	2,331	-	-	3	14	73	143	270	583	629	493	121	2
1982	2,079	2	-	4	14	68	115	245	479	576	450	126	-
1981	2,145	-	1	3	22	68	126	272	470	629	428	125	1
1980	2,200	1	5	5	17	59	133	241	534	634	450	120	1
1979	2,107	-	1	3	22	58	130	271	487	612	394	128	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Diabetes mellitus (250)													
All other, female													
1998	7,710	-	1	1	28	93	224	601	1,259	2,115	2,182	1,206	-
1997	7,567	-	-	4	22	82	224	590	1,311	2,049	2,055	1,230	-
1996	7,439	-	1	7	25	83	216	607	1,265	2,165	1,989	1,080	1
1995	7,062	-	1	3	20	83	216	533	1,251	2,064	1,899	991	1
1994	6,675	-	-	2	20	72	222	523	1,126	1,943	1,804	962	1
1993	6,314	-	2	5	18	71	200	492	1,099	1,868	1,699	854	6
1992	5,904	-	-	3	21	71	195	441	1,082	1,733	1,558	799	1
1991	5,728	-	-	7	17	74	178	461	1,032	1,692	1,482	785	-
1990	5,519	-	-	2	29	74	165	428	1,010	1,642	1,460	707	2
1989	5,332	-	1	2	22	58	143	384	1,011	1,557	1,490	663	1
1988	4,709	1	-	5	15	69	158	370	890	1,398	1,228	575	-
1987	4,453	-	2	5	14	69	117	315	862	1,316	1,238	514	1
1986	4,319	1	-	2	12	53	140	355	874	1,234	1,100	547	1
1985	4,159	1	-	3	22	52	112	319	839	1,245	1,128	436	2
1984	3,912	1	-	-	16	62	131	273	791	1,237	998	402	1
1983	3,928	1	3	7	17	56	116	311	848	1,170	1,018	380	1
1982	3,594	1	1	10	18	50	88	310	810	1,074	877	352	3
1981	3,747	-	1	6	21	50	110	310	803	1,186	897	360	3
1980	3,783	1	-	4	15	61	111	353	807	1,212	863	353	3
1979	3,461	-	1	8	17	48	126	342	741	1,100	757	321	-
Diabetes mellitus (250)													
Black, both sexes													
1998	11,378	-	1	3	49	193	507	1,105	2,062	3,137	2,855	1,466	-
1997	11,130	-	-	9	44	201	482	1,132	2,046	3,025	2,737	1,454	-
1996	10,800	-	2	8	52	150	466	1,104	1,969	3,065	2,685	1,299	-
1995	10,402	-	1	5	50	174	450	1,034	1,966	2,982	2,515	1,224	1
1994	9,849	-	1	4	46	165	465	929	1,805	2,852	2,428	1,153	1
1993	9,380	-	5	7	42	150	451	889	1,748	2,777	2,252	1,054	5
1992	8,653	-	-	8	46	154	395	837	1,672	2,485	2,088	967	1
1991	8,517	-	-	11	38	158	391	819	1,641	2,475	2,024	959	1
1990	8,114	1	-	8	37	172	341	771	1,596	2,373	1,973	839	3
1989	7,955	-	2	5	46	149	336	713	1,630	2,323	1,943	807	1
1988	6,972	1	-	6	28	151	359	651	1,398	2,012	1,673	693	-
1987	6,497	-	3	9	23	134	250	608	1,337	1,903	1,620	608	2
1986	6,299	1	-	4	29	111	295	594	1,326	1,796	1,481	659	3
1985	6,104	-	-	10	42	108	254	553	1,253	1,778	1,569	533	4
1984	5,810	1	1	5	24	131	269	520	1,220	1,780	1,377	481	1
1983	5,790	-	3	10	31	125	240	550	1,325	1,657	1,389	458	2
1982	5,227	2	1	14	28	113	192	508	1,196	1,530	1,205	435	3
1981	5,461	-	2	8	43	111	222	536	1,177	1,685	1,225	448	4
1980	5,544	1	5	9	31	113	227	544	1,228	1,720	1,221	441	4
1979	5,174	-	1	11	35	103	240	570	1,156	1,602	1,050	405	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Diabetes mellitus (250)													
Black, male													
1998	4,511	-	-	2	22	103	294	574	933	1,266	945	372	-
1997	4,440	-	-	5	22	122	279	600	880	1,245	940	347	-
1996	4,132	-	1	2	27	76	271	562	824	1,146	911	312	-
1995	4,110	-	-	2	32	100	250	545	866	1,155	846	314	-
1994	3,834	-	1	2	26	97	255	461	806	1,113	806	267	-
1993	3,648	-	3	2	25	82	263	437	769	1,075	708	284	-
1992	3,271	-	-	5	26	87	210	426	708	910	673	226	-
1991	3,267	-	-	4	21	86	223	403	695	938	675	221	1
1990	3,049	1	-	6	10	100	186	373	680	871	623	198	1
1989	3,072	-	1	3	25	94	197	365	707	905	585	190	-
1988	2,640	-	-	1	16	83	210	315	585	727	540	163	-
1987	2,388	-	1	4	9	71	139	310	550	693	469	141	1
1986	2,295	-	-	2	17	63	166	264	526	638	467	150	2
1985	2,230	-	-	7	21	59	146	259	485	615	504	132	2
1984	2,160	-	1	5	9	73	142	264	485	621	443	117	-
1983	2,123	-	-	3	14	69	130	257	540	569	432	107	2
1982	1,878	2	-	4	13	65	108	223	435	525	390	113	-
1981	1,925	-	1	3	22	63	117	244	424	560	380	110	1
1980	2,010	-	5	5	16	55	120	216	489	577	415	111	1
1979	1,915	-	1	3	20	57	117	247	452	563	347	107	1
Diabetes mellitus (250)													
Black, female													
1998	6,867	-	1	1	27	90	213	531	1,129	1,871	1,910	1,094	-
1997	6,690	-	-	4	22	79	203	532	1,166	1,780	1,797	1,107	-
1996	6,668	-	1	6	25	74	195	542	1,145	1,919	1,774	987	-
1995	6,292	-	1	3	18	74	200	489	1,100	1,827	1,669	910	1
1994	6,015	-	-	2	20	68	210	468	999	1,739	1,622	886	1
1993	5,732	-	2	5	17	68	188	452	979	1,702	1,544	770	5
1992	5,382	-	-	3	20	67	185	411	964	1,575	1,415	741	1
1991	5,250	-	-	7	17	72	168	416	946	1,537	1,349	738	-
1990	5,065	-	-	2	27	72	155	398	916	1,502	1,350	641	2
1989	4,883	-	1	2	21	55	139	348	923	1,418	1,358	617	1
1988	4,332	1	-	5	12	68	149	336	813	1,285	1,133	530	-
1987	4,109	-	2	5	14	63	111	298	787	1,210	1,151	467	1
1986	4,004	1	-	2	12	48	129	330	800	1,158	1,014	509	1
1985	3,874	-	-	3	21	49	108	294	768	1,163	1,065	401	2
1984	3,650	1	-	-	15	58	127	256	735	1,159	934	364	1
1983	3,667	-	3	7	17	56	110	293	785	1,088	957	351	-
1982	3,349	-	1	10	15	48	84	285	761	1,005	815	322	3
1981	3,536	-	1	5	21	48	105	292	753	1,125	845	338	3
1980	3,534	1	-	4	15	58	107	328	739	1,143	806	330	3
1979	3,259	-	-	8	15	46	123	323	704	1,039	703	298	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Nutritional deficiencies (260-269)													
All races, both sexes													
1998	4,077	11	5	3	7	12	43	56	119	344	1,166	2,311	-
1997	3,928	11	1	4	6	11	48	70	127	367	1,091	2,192	-
1996	3,706	12	3	3	6	15	26	67	111	360	1,024	2,078	1
1995	3,584	7	6	4	6	16	32	64	123	363	1,002	1,961	-
1994	3,451	19	3	1	11	18	30	53	115	348	974	1,878	1
1993	3,451	23	6	-	4	19	40	57	100	371	1,012	1,818	1
1992	3,135	22	5	6	7	22	33	60	103	333	900	1,644	-
1991	2,991	22	3	1	8	19	24	45	104	317	923	1,524	1
1990	3,017	16	4	1	9	14	31	45	125	331	908	1,532	1
1989	3,046	14	3	4	8	17	37	42	119	340	934	1,526	2
1988	2,985	27	4	4	5	19	40	36	120	355	907	1,468	-
1987	2,889	25	8	6	9	21	25	39	108	346	894	1,408	-
1986	2,862	24	-	3	6	17	34	41	136	397	826	1,377	1
1985	2,874	30	3	4	7	12	28	52	136	369	879	1,352	2
1984	2,600	18	7	4	2	19	20	39	125	366	778	1,222	-
1983	2,656	34	5	5	7	12	23	45	135	370	820	1,198	2
1982	2,430	31	9	3	7	15	19	44	133	362	789	1,015	3
1981	2,331	28	10	4	6	14	34	48	147	366	681	991	2
1980	2,364	29	9	3	9	18	26	57	153	372	728	960	-
1979	2,210	45	2	1	8	19	32	71	168	338	698	826	2
Nutritional deficiencies (260-269)													
All races, male													
1998	1,278	6	2	1	5	6	25	27	65	165	432	544	-
1997	1,213	5	1	1	1	1	20	35	65	174	391	519	-
1996	1,225	7	2	2	2	5	12	39	61	174	382	538	1
1995	1,193	3	6	3	4	11	21	32	69	158	376	510	-
1994	1,186	14	-	-	5	11	19	29	68	174	380	485	1
1993	1,257	16	4	-	1	9	18	27	51	214	416	501	-
1992	1,089	11	3	5	4	12	17	32	55	167	357	426	-
1991	1,085	15	1	1	5	8	11	28	53	154	382	426	1
1990	1,108	10	3	1	3	7	16	28	55	163	376	445	1
1989	1,098	9	1	2	3	9	18	23	65	161	365	440	2
1988	1,096	13	2	1	4	12	24	24	63	183	365	405	-
1987	1,107	16	6	3	7	9	11	19	66	171	386	413	-
1986	1,088	7	-	1	2	9	21	20	72	209	353	394	-
1985	1,086	14	1	1	4	6	17	25	79	186	358	395	-
1984	977	13	5	3	2	10	6	21	68	198	299	352	-
1983	1,065	18	1	3	5	9	12	22	77	208	335	374	1
1982	994	16	2	2	2	7	11	23	73	193	345	318	2
1981	941	19	5	3	4	6	11	32	73	182	296	308	2
1980	962	16	2	2	7	12	13	29	71	197	301	312	-
1979	927	34	1	1	3	11	17	39	77	160	308	275	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Nutritional deficiencies (260-269)													
All races, female													
1998	2,799	5	3	2	2	6	18	29	54	179	734	1,767	-
1997	2,715	6	-	3	5	10	28	35	62	193	700	1,673	-
1996	2,481	5	1	1	4	10	14	28	50	186	642	1,540	-
1995	2,391	4	-	1	2	5	11	32	54	205	626	1,451	-
1994	2,265	5	3	1	6	7	11	24	47	174	594	1,393	-
1993	2,194	7	2	-	3	10	22	30	49	157	596	1,317	1
1992	2,046	11	2	1	3	10	16	28	48	166	543	1,218	-
1991	1,906	7	2	-	3	11	13	17	51	163	541	1,098	-
1990	1,909	6	1	-	6	7	15	17	70	168	532	1,087	-
1989	1,948	5	2	2	5	8	19	19	54	179	569	1,086	-
1988	1,889	14	2	3	1	7	16	12	57	172	542	1,063	-
1987	1,782	9	2	3	2	12	14	20	42	175	508	995	-
1986	1,774	17	-	2	4	8	13	21	64	188	473	983	1
1985	1,788	16	2	3	3	6	11	27	57	183	521	957	2
1984	1,623	5	2	1	-	9	14	18	57	168	479	870	-
1983	1,591	16	4	2	2	3	11	23	58	162	485	824	1
1982	1,436	15	7	1	5	8	8	21	60	169	444	697	1
1981	1,390	9	5	1	2	8	23	16	74	184	385	683	-
1980	1,402	13	7	1	2	6	13	28	82	175	427	648	-
1979	1,283	11	1	-	5	8	15	32	91	178	390	551	1
Nutritional deficiencies (260-269)													
White, both sexes													
1998	3,539	7	2	2	7	12	30	48	98	277	1,007	2,049	-
1997	3,447	5	1	4	4	6	34	48	97	292	966	1,990	-
1996	3,255	7	1	3	4	10	18	49	85	290	901	1,886	1
1995	3,118	4	4	4	4	10	26	46	93	299	850	1,778	-
1994	3,007	8	2	-	7	11	14	37	90	298	844	1,695	1
1993	2,986	9	2	-	3	9	27	42	71	292	871	1,660	-
1992	2,642	12	2	3	4	16	23	40	72	259	745	1,466	-
1991	2,558	15	2	1	7	15	21	38	81	240	807	1,330	1
1990	2,546	11	4	1	7	11	19	24	85	252	762	1,369	1
1989	2,571	8	2	3	5	10	27	35	84	267	784	1,345	1
1988	2,526	15	1	2	3	13	25	24	80	277	787	1,299	-
1987	2,478	11	4	3	5	13	14	25	79	280	773	1,271	-
1986	2,438	12	-	3	5	10	24	27	107	322	685	1,242	1
1985	2,490	20	1	3	7	7	16	37	105	291	758	1,243	2
1984	2,231	12	5	3	2	16	13	33	87	291	652	1,117	-
1983	2,252	16	2	3	3	7	18	34	100	288	699	1,081	1
1982	2,049	19	4	1	5	14	13	31	102	285	669	905	1
1981	1,989	14	5	4	3	14	27	30	120	296	594	881	1
1980	2,008	9	4	1	7	13	17	41	115	308	624	869	-
1979	1,862	21	2	-	7	15	20	50	136	259	602	748	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Nutritional deficiencies (260-269)													
White, male													
1998	1,067	5	1	1	5	6	16	20	53	129	358	473	-
1997	1,003	1	1	1	1	-	12	25	44	133	334	451	-
1996	1,035	4	1	2	2	4	11	30	43	133	332	472	1
1995	999	2	4	3	3	6	16	22	47	131	313	452	-
1994	995	5	-	-	4	7	7	19	53	151	322	426	1
1993	1,046	6	2	-	-	4	13	16	33	169	353	450	-
1992	872	7	1	3	3	8	11	20	34	126	290	369	-
1991	868	10	1	1	4	6	8	24	37	113	322	341	1
1990	903	7	3	1	3	6	8	13	37	130	312	382	1
1989	895	6	1	2	1	6	13	19	43	123	302	378	1
1988	884	7	1	-	3	8	14	14	39	139	315	344	-
1987	901	8	2	2	4	6	5	10	46	132	327	359	-
1986	883	4	-	1	2	4	15	9	54	169	283	342	-
1985	916	9	1	1	4	3	12	15	59	145	304	363	-
1984	799	8	4	2	2	8	3	17	45	164	239	307	-
1983	853	9	-	1	2	4	9	14	54	158	271	331	-
1982	818	10	1	-	2	6	7	16	60	156	281	279	-
1981	786	9	4	3	2	6	8	20	58	146	255	274	1
1980	779	4	2	1	6	10	7	16	46	156	255	276	-
1979	750	15	1	-	2	9	11	25	63	119	258	246	1
Nutritional deficiencies (260-269)													
White, female													
1998	2,472	2	1	1	2	6	14	28	45	148	649	1,576	-
1997	2,444	4	-	3	3	6	22	23	53	159	632	1,539	-
1996	2,220	3	-	1	2	6	7	19	42	157	569	1,414	-
1995	2,119	2	-	1	1	4	10	24	46	168	537	1,326	-
1994	2,012	3	2	-	3	4	7	18	37	147	522	1,269	-
1993	1,940	3	-	-	3	5	14	26	38	123	518	1,210	-
1992	1,770	5	1	-	1	8	12	20	38	133	455	1,097	-
1991	1,690	5	1	-	3	9	13	14	44	127	485	989	-
1990	1,643	4	1	-	4	5	11	11	48	122	450	987	-
1989	1,676	2	1	1	4	4	14	16	41	144	482	967	-
1988	1,642	8	-	2	-	5	11	10	41	138	472	955	-
1987	1,577	3	2	1	1	7	9	15	33	148	446	912	-
1986	1,555	8	-	2	3	6	9	18	53	153	402	900	1
1985	1,574	11	-	2	3	4	4	22	46	146	454	880	2
1984	1,432	4	1	1	-	8	10	16	42	127	413	810	-
1983	1,399	7	2	2	1	3	9	20	46	130	428	750	1
1982	1,231	9	3	1	3	8	6	15	42	129	388	626	1
1981	1,203	5	1	1	1	8	19	10	62	150	339	607	-
1980	1,229	5	2	-	1	3	10	25	69	152	369	593	-
1979	1,112	6	1	-	5	6	9	25	73	140	344	502	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Nutritional deficiencies (260-269)													
All other, both sexes													
1998	538	4	3	1	-	-	13	8	21	67	159	262	-
1997	481	6	-	-	2	5	14	22	30	75	125	202	-
1996	451	5	2	-	2	5	8	18	26	70	123	192	-
1995	466	3	2	-	2	6	6	18	30	64	152	183	-
1994	444	11	1	1	4	7	16	16	25	50	130	183	-
1993	465	14	4	-	1	10	13	15	29	79	141	158	1
1992	493	10	3	3	3	6	10	20	31	74	155	178	-
1991	433	7	1	-	1	4	3	7	23	77	116	194	-
1990	471	5	-	-	2	3	12	21	40	79	146	163	-
1989	475	6	1	1	3	7	10	7	35	73	150	181	1
1988	459	12	3	2	2	6	15	12	40	78	120	169	-
1987	411	14	4	3	4	8	11	14	29	66	121	137	-
1986	424	12	-	-	1	7	10	14	29	75	141	135	-
1985	384	10	2	1	-	5	12	15	31	78	121	109	-
1984	369	6	2	1	-	3	7	6	38	75	126	105	-
1983	404	18	3	2	4	5	5	11	35	82	121	117	1
1982	381	12	5	2	2	1	6	13	31	77	120	110	2
1981	342	14	5	-	3	-	7	18	27	70	87	110	1
1980	356	20	5	2	2	5	9	16	38	64	104	91	-
1979	348	24	-	1	1	4	12	21	32	79	96	78	-
Nutritional deficiencies (260-269)													
All other, male													
1998	211	1	1	-	-	-	9	7	12	36	74	71	-
1997	210	4	-	-	-	1	8	10	21	41	57	68	-
1996	190	3	1	-	-	1	1	9	18	41	50	66	-
1995	194	1	2	-	1	5	5	10	22	27	63	58	-
1994	191	9	-	-	1	4	12	10	15	23	58	59	-
1993	211	10	2	-	1	5	5	11	18	45	63	51	-
1992	217	4	2	2	1	4	6	12	21	41	67	57	-
1991	217	5	-	-	1	2	3	4	16	41	60	85	-
1990	205	3	-	-	-	1	8	15	18	33	64	63	-
1989	203	3	-	-	2	3	5	4	22	38	63	62	1
1988	212	6	1	1	1	4	10	10	24	44	50	61	-
1987	206	8	4	1	3	3	6	9	20	39	59	54	-
1986	205	3	-	-	-	5	6	11	18	40	70	52	-
1985	170	5	-	-	-	3	5	10	20	41	54	32	-
1984	178	5	1	1	-	2	3	4	23	34	60	45	-
1983	212	9	1	2	3	5	3	8	23	50	64	43	1
1982	176	6	1	2	-	1	4	7	13	37	64	39	2
1981	155	10	1	-	2	-	3	12	15	36	41	34	1
1980	183	12	-	1	1	2	6	13	25	41	46	36	-
1979	177	19	-	1	1	2	6	14	14	41	50	29	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Nutritional deficiencies (260-269)													
All other, female													
1998	327	3	2	1	-	-	4	1	9	31	85	191	-
1997	271	2	-	-	2	4	6	12	9	34	68	134	-
1996	261	2	1	-	2	4	7	9	8	29	73	126	-
1995	272	2	-	-	1	1	1	8	8	37	89	125	-
1994	253	2	1	1	3	3	4	6	10	27	72	124	-
1993	254	4	2	-	-	5	8	4	11	34	78	107	1
1992	276	6	1	1	2	2	4	8	10	33	88	121	-
1991	216	2	1	-	-	2	-	3	7	36	56	109	-
1990	266	2	-	-	2	2	4	6	22	46	82	100	-
1989	272	3	1	1	1	4	5	3	13	35	87	119	-
1988	247	6	2	1	1	2	5	2	16	34	70	108	-
1987	205	6	-	2	1	5	5	5	9	27	62	83	-
1986	219	9	-	-	1	2	4	3	11	35	71	83	-
1985	214	5	2	1	-	2	7	5	11	37	67	77	-
1984	191	1	1	-	-	1	4	2	15	41	66	60	-
1983	192	9	2	-	1	-	2	3	12	32	57	74	-
1982	205	6	4	-	2	-	2	6	18	40	56	71	-
1981	187	4	4	-	1	-	4	6	12	34	46	76	-
1980	173	8	5	1	1	3	3	3	13	23	58	55	-
1979	171	5	-	-	-	2	6	7	18	38	46	49	-
Nutritional deficiencies (260-269)													
Black, both sexes													
1998	480	4	3	1	-	-	13	8	20	63	145	223	-
1997	429	6	-	-	2	5	12	17	29	68	112	178	-
1996	396	5	2	-	2	5	7	14	22	63	114	162	-
1995	418	3	2	-	2	6	6	18	29	61	136	155	-
1994	411	10	1	-	4	7	16	15	23	48	124	163	-
1993	424	13	4	-	1	9	13	13	27	76	129	138	1
1992	445	10	3	3	3	6	10	19	31	66	137	157	-
1991	393	7	1	-	1	4	3	7	22	69	107	172	-
1990	433	5	-	-	1	2	11	21	38	74	134	147	-
1989	443	6	1	-	3	7	10	7	32	70	139	167	1
1988	420	11	3	1	1	5	14	11	40	72	107	155	-
1987	383	14	4	3	4	8	11	13	24	61	115	126	-
1986	392	12	-	-	1	7	10	14	29	70	131	118	-
1985	349	10	2	1	-	5	12	12	30	72	106	99	-
1984	338	6	1	1	-	3	7	6	37	70	117	90	-
1983	372	16	3	2	4	5	5	11	35	76	116	98	1
1982	346	11	4	1	2	1	6	12	30	75	109	93	2
1981	310	14	5	-	2	-	7	18	27	65	79	92	1
1980	333	20	5	1	2	5	9	15	37	61	92	86	-
1979	325	23	-	1	-	3	11	21	29	75	88	74	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Nutritional deficiencies (260-269)													
Black, male													
1998	188	1	1	-	-	-	9	7	12	35	65	58	-
1997	185	4	-	-	-	1	6	9	20	37	53	55	-
1996	167	3	1	-	-	1	1	7	16	38	47	53	-
1995	176	1	2	-	1	5	5	10	21	26	55	50	-
1994	177	8	-	-	1	4	12	10	15	21	55	51	-
1993	193	9	2	-	1	5	5	10	17	43	57	44	-
1992	195	4	2	2	1	4	6	11	21	35	59	50	-
1991	193	5	-	-	1	2	3	4	15	35	53	75	-
1990	189	3	-	-	-	1	7	15	18	33	58	54	-
1989	188	3	-	-	2	3	5	4	21	35	59	55	1
1988	195	6	1	-	-	3	9	9	24	41	46	56	-
1987	194	8	4	1	3	3	6	9	17	35	58	50	-
1986	190	3	-	-	-	5	6	11	18	36	67	44	-
1985	149	5	-	-	-	3	5	8	19	38	46	25	-
1984	161	5	1	1	-	2	3	4	22	32	53	38	-
1983	199	8	1	2	3	5	3	8	23	47	60	38	1
1982	159	6	1	1	-	1	4	7	13	36	56	32	2
1981	137	10	1	-	1	-	3	12	15	32	36	26	1
1980	172	12	-	1	1	2	6	12	25	39	41	33	-
1979	165	18	-	1	-	1	5	14	14	38	46	28	-
Nutritional deficiencies (260-269)													
Black, female													
1998	292	3	2	1	-	-	4	1	8	28	80	165	-
1997	244	2	-	-	2	4	6	8	9	31	59	123	-
1996	229	2	1	-	2	4	6	7	6	25	67	109	-
1995	242	2	-	-	1	1	1	8	8	35	81	105	-
1994	234	2	1	-	3	3	4	5	8	27	69	112	-
1993	231	4	2	-	-	4	8	3	10	33	72	94	1
1992	250	6	1	1	2	2	4	8	10	31	78	107	-
1991	200	2	1	-	-	2	-	3	7	34	54	97	-
1990	244	2	-	-	1	1	4	6	20	41	76	93	-
1989	255	3	1	-	1	4	5	3	11	35	80	112	-
1988	225	5	2	1	1	2	5	2	16	31	61	99	-
1987	189	6	-	2	1	5	5	4	7	26	57	76	-
1986	202	9	-	-	1	2	4	3	11	34	64	74	-
1985	200	5	2	1	-	2	7	4	11	34	60	74	-
1984	177	1	-	-	-	1	4	2	15	38	64	52	-
1983	173	8	2	-	1	-	2	3	12	29	56	60	-
1982	187	5	3	-	2	-	2	5	17	39	53	61	-
1981	173	4	4	-	1	-	4	6	12	33	43	66	-
1980	161	8	5	-	1	3	3	3	12	22	51	53	-
1979	160	5	-	-	-	2	6	7	15	37	42	46	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malnutrition (260-263)													
All races, both sexes													
1998	3,881	11	5	3	6	11	41	51	111	328	1,100	2,214	-
1997	3,744	8	1	4	6	10	45	67	116	346	1,040	2,101	-
1996	3,531	8	1	2	5	13	23	65	100	343	970	2,000	1
1995	3,447	6	6	2	5	15	31	58	114	348	974	1,888	-
1994	3,274	14	3	1	8	17	29	49	106	332	922	1,792	1
1993	3,275	21	6	-	4	18	39	51	91	349	956	1,740	-
1992	2,998	19	3	4	6	21	31	54	96	323	868	1,573	-
1991	2,852	18	3	1	5	18	21	41	96	303	878	1,467	1
1990	2,868	15	3	1	7	12	29	43	120	303	870	1,464	1
1989	2,906	12	3	3	7	15	34	40	107	326	899	1,458	2
1988	2,842	24	3	4	5	19	38	31	115	336	861	1,406	-
1987	2,741	21	7	5	9	17	21	34	101	322	859	1,345	-
1986	2,692	21	-	3	5	16	30	35	122	366	785	1,308	1
1985	2,720	23	3	3	4	10	21	44	126	346	842	1,296	2
1984	2,465	14	4	4	2	17	18	34	118	346	745	1,163	-
1983	2,515	29	3	5	7	8	19	39	121	347	790	1,145	2
1982	2,314	28	8	3	6	11	17	41	122	344	756	975	3
1981	2,211	25	9	4	5	13	28	42	128	347	655	953	2
1980	2,275	26	9	3	8	16	25	52	141	353	708	934	-
1979	2,096	43	2	1	7	11	26	66	150	314	666	808	2
Malnutrition (260-263)													
All races, male													
1998	1,216	6	2	1	4	6	23	25	61	156	413	519	-
1997	1,159	5	1	1	1	1	20	34	57	168	373	498	-
1996	1,155	3	-	2	1	5	11	38	55	163	359	517	1
1995	1,131	2	6	2	3	10	20	29	63	148	363	485	-
1994	1,112	10	-	-	4	10	18	26	61	164	355	463	1
1993	1,186	15	4	-	1	8	17	24	47	199	393	478	-
1992	1,034	11	2	3	3	11	16	29	50	161	337	411	-
1991	1,027	12	1	1	3	8	9	26	48	145	361	412	1
1990	1,052	10	3	1	2	6	16	27	52	150	360	424	1
1989	1,047	8	1	1	3	8	16	22	59	155	350	422	2
1988	1,039	11	1	1	4	12	23	19	60	170	350	388	-
1987	1,049	13	5	2	7	6	10	17	61	159	370	399	-
1986	1,019	6	-	1	2	9	19	18	66	190	335	373	-
1985	1,013	10	1	1	3	4	13	20	70	170	344	377	-
1984	922	10	3	3	2	9	6	18	62	187	285	337	-
1983	1,003	15	-	3	5	7	10	18	70	194	325	355	1
1982	944	13	2	2	1	6	10	22	64	181	331	310	2
1981	890	17	4	3	4	6	10	28	64	172	283	297	2
1980	931	14	2	2	6	10	12	28	68	186	297	306	-
1979	866	32	1	1	3	5	12	36	70	145	290	270	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malnutrition (260-263)													
All races, female													
1998	2,665	5	3	2	2	5	18	26	50	172	687	1,695	-
1997	2,585	3	-	3	5	9	25	33	59	178	667	1,603	-
1996	2,376	5	1	-	4	8	12	27	45	180	611	1,483	-
1995	2,316	4	-	-	2	5	11	29	51	200	611	1,403	-
1994	2,162	4	3	1	4	7	11	23	45	168	567	1,329	-
1993	2,089	6	2	-	3	10	22	27	44	150	563	1,262	-
1992	1,964	8	1	1	3	10	15	25	46	162	531	1,162	-
1991	1,825	6	2	-	2	10	12	15	48	158	517	1,055	-
1990	1,816	5	-	-	5	6	13	16	68	153	510	1,040	-
1989	1,859	4	2	2	4	7	18	18	48	171	549	1,036	-
1988	1,803	13	2	3	1	7	15	12	55	166	511	1,018	-
1987	1,692	8	2	3	2	11	11	17	40	163	489	946	-
1986	1,673	15	-	2	3	7	11	17	56	176	450	935	1
1985	1,707	13	2	2	1	6	8	24	56	176	498	919	2
1984	1,543	4	1	1	-	8	12	16	56	159	460	826	-
1983	1,512	14	3	2	2	1	9	21	51	153	465	790	1
1982	1,370	15	6	1	5	5	7	19	58	163	425	665	1
1981	1,321	8	5	1	1	7	18	14	64	175	372	656	-
1980	1,344	12	7	1	2	6	13	24	73	167	411	628	-
1979	1,230	11	1	-	4	6	14	30	80	169	376	538	1
Malnutrition (260-263)													
White, both sexes													
1998	3,361	7	2	2	6	11	30	43	90	265	945	1,960	-
1997	3,284	3	1	4	4	6	31	45	88	274	920	1,908	-
1996	3,102	5	-	2	3	8	16	48	76	274	854	1,815	1
1995	3,002	4	4	2	4	9	26	42	85	287	829	1,710	-
1994	2,857	6	2	-	5	11	13	37	85	284	796	1,617	1
1993	2,833	9	2	-	3	8	26	37	63	275	820	1,590	-
1992	2,530	10	1	1	3	15	21	34	68	253	719	1,405	-
1991	2,434	12	2	1	4	14	19	34	73	228	768	1,278	1
1990	2,412	10	3	1	5	9	17	23	82	227	727	1,307	1
1989	2,452	6	2	2	5	9	25	33	75	256	756	1,282	1
1988	2,401	13	-	2	3	13	23	21	77	262	748	1,239	-
1987	2,349	10	3	2	5	9	12	22	72	258	743	1,213	-
1986	2,294	10	-	3	4	9	21	23	96	291	655	1,181	1
1985	2,364	18	1	3	4	6	13	31	97	272	728	1,189	2
1984	2,106	8	3	3	2	14	12	28	81	273	623	1,059	-
1983	2,133	13	1	3	3	4	14	30	89	271	672	1,032	1
1982	1,944	16	3	1	4	10	11	29	91	268	641	869	1
1981	1,890	11	5	4	2	13	22	26	106	282	568	850	1
1980	1,934	9	4	1	6	11	17	36	104	291	606	849	-
1979	1,760	20	2	-	6	8	14	46	118	238	575	731	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malnutrition (260-263)													
White, male													
1998	1,014	5	1	1	4	6	16	18	49	123	340	451	-
1997	959	1	1	1	1	-	12	24	38	128	319	434	-
1996	977	2	-	2	1	4	10	29	38	123	312	455	1
1995	951	2	4	2	3	5	16	20	42	123	304	430	-
1994	934	4	-	-	3	7	6	19	49	142	297	406	1
1993	985	6	2	-	-	3	12	14	30	158	330	430	-
1992	828	7	1	1	2	7	10	17	31	123	273	356	-
1991	817	7	1	1	2	6	7	22	32	106	304	328	1
1990	855	7	3	1	2	5	8	12	36	118	297	365	1
1989	853	5	1	1	1	6	11	18	38	120	290	361	1
1988	837	6	-	-	3	8	13	11	37	130	302	327	-
1987	853	8	1	1	4	3	5	9	41	122	313	346	-
1986	823	3	-	1	2	4	13	8	49	150	269	324	-
1985	860	8	1	1	3	2	9	11	52	133	294	346	-
1984	751	5	3	2	2	7	3	14	40	155	228	292	-
1983	805	7	-	1	2	3	7	11	49	150	261	314	-
1982	772	7	1	-	1	5	6	15	51	145	269	272	-
1981	743	7	4	3	2	6	7	17	52	138	242	264	1
1980	755	4	2	1	5	8	7	15	43	146	251	273	-
1979	697	14	1	-	2	4	6	22	56	107	243	241	1
Malnutrition (260-263)													
White, female													
1998	2,347	2	1	1	2	5	14	25	41	142	605	1,509	-
1997	2,325	2	-	3	3	6	19	21	50	146	601	1,474	-
1996	2,125	3	-	-	2	4	6	19	38	151	542	1,360	-
1995	2,051	2	-	-	1	4	10	22	43	164	525	1,280	-
1994	1,923	2	2	-	2	4	7	18	36	142	499	1,211	-
1993	1,848	3	-	-	3	5	14	23	33	117	490	1,160	-
1992	1,702	3	-	-	1	8	11	17	37	130	446	1,049	-
1991	1,617	5	1	-	2	8	12	12	41	122	464	950	-
1990	1,557	3	-	-	3	4	9	11	46	109	430	942	-
1989	1,599	1	1	1	4	3	14	15	37	136	466	921	-
1988	1,564	7	-	2	-	5	10	10	40	132	446	912	-
1987	1,496	2	2	1	1	6	7	13	31	136	430	867	-
1986	1,471	7	-	2	2	5	8	15	47	141	386	857	1
1985	1,504	10	-	2	1	4	4	20	45	139	434	843	2
1984	1,355	3	-	1	-	7	9	14	41	118	395	767	-
1983	1,328	6	1	2	1	1	7	19	40	121	411	718	1
1982	1,172	9	2	1	3	5	5	14	40	123	372	597	1
1981	1,147	4	1	1	-	7	15	9	54	144	326	586	-
1980	1,179	5	2	-	1	3	10	21	61	145	355	576	-
1979	1,063	6	1	-	4	4	8	24	62	131	332	490	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malnutrition (260-263)													
All other, both sexes													
1998	520	4	3	1	-	-	11	8	21	63	155	254	-
1997	460	5	-	-	2	4	14	22	28	72	120	193	-
1996	429	3	1	-	2	5	7	17	24	69	116	185	-
1995	445	2	2	-	1	6	5	16	29	61	145	178	-
1994	417	8	1	1	3	6	16	12	21	48	126	175	-
1993	442	12	4	-	1	10	13	14	28	74	136	150	-
1992	468	9	2	3	3	6	10	20	28	70	149	168	-
1991	418	6	1	-	1	4	2	7	23	75	110	189	-
1990	456	5	-	-	2	3	12	20	38	76	143	157	-
1989	454	6	1	1	2	6	9	7	32	70	143	176	1
1988	441	11	3	2	2	6	15	10	38	74	113	167	-
1987	392	11	4	3	4	8	9	12	29	64	116	132	-
1986	398	11	-	-	1	7	9	12	26	75	130	127	-
1985	356	5	2	-	-	4	8	13	29	74	114	107	-
1984	359	6	1	1	-	3	6	6	37	73	122	104	-
1983	382	16	2	2	4	4	5	9	32	76	118	113	1
1982	370	12	5	2	2	1	6	12	31	76	115	106	2
1981	321	14	4	-	3	-	6	16	22	65	87	103	1
1980	341	17	5	2	2	5	8	16	37	62	102	85	-
1979	336	23	-	1	1	3	12	20	32	76	91	77	-
Malnutrition (260-263)													
All other, male													
1998	202	1	1	-	-	-	7	7	12	33	73	68	-
1997	200	4	-	-	-	1	8	10	19	40	54	64	-
1996	178	1	-	-	-	1	1	9	17	40	47	62	-
1995	180	-	2	-	-	5	4	9	21	25	59	55	-
1994	178	6	-	-	1	3	12	7	12	22	58	57	-
1993	201	9	2	-	1	5	5	10	17	41	63	48	-
1992	206	4	1	2	1	4	6	12	19	38	64	55	-
1991	210	5	-	-	1	2	2	4	16	39	57	84	-
1990	197	3	-	-	-	1	8	15	16	32	63	59	-
1989	194	3	-	-	2	2	5	4	21	35	60	61	1
1988	202	5	1	1	1	4	10	8	23	40	48	61	-
1987	196	5	4	1	3	3	5	8	20	37	57	53	-
1986	196	3	-	-	-	5	6	10	17	40	66	49	-
1985	153	2	-	-	-	2	4	9	18	37	50	31	-
1984	171	5	-	1	-	2	3	4	22	32	57	45	-
1983	198	8	-	2	3	4	3	7	21	44	64	41	1
1982	172	6	1	2	-	1	4	7	13	36	62	38	2
1981	147	10	-	-	2	-	3	11	12	34	41	33	1
1980	176	10	-	1	1	2	5	13	25	40	46	33	-
1979	169	18	-	1	1	1	6	14	14	38	47	29	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malnutrition (260-263)													
All other, female													
1998	318	3	2	1	-	-	4	1	9	30	82	186	-
1997	260	1	-	-	2	3	6	12	9	32	66	129	-
1996	251	2	1	-	2	4	6	8	7	29	69	123	-
1995	265	2	-	-	1	1	1	7	8	36	86	123	-
1994	239	2	1	1	2	3	4	5	9	26	68	118	-
1993	241	3	2	-	-	5	8	4	11	33	73	102	-
1992	262	5	1	1	2	2	4	8	9	32	85	113	-
1991	208	1	1	-	-	2	-	3	7	36	53	105	-
1990	259	2	-	-	2	2	4	5	22	44	80	98	-
1989	260	3	1	1	-	4	4	3	11	35	83	115	-
1988	239	6	2	1	1	2	5	2	15	34	65	106	-
1987	196	6	-	2	1	5	4	4	9	27	59	79	-
1986	202	8	-	-	1	2	3	2	9	35	64	78	-
1985	203	3	2	-	-	2	4	4	11	37	64	76	-
1984	188	1	1	-	-	1	3	2	15	41	65	59	-
1983	184	8	2	-	1	-	2	2	11	32	54	72	-
1982	198	6	4	-	2	-	2	5	18	40	53	68	-
1981	174	4	4	-	1	-	3	5	10	31	46	70	-
1980	165	7	5	1	1	3	3	3	12	22	56	52	-
1979	167	5	-	-	-	2	6	6	18	38	44	48	-
Malnutrition (260-263)													
Black, both sexes													
1998	465	4	3	1	-	-	11	8	20	60	142	216	-
1997	411	5	-	-	2	4	12	17	27	65	107	172	-
1996	376	3	1	-	2	5	6	13	20	62	108	156	-
1995	398	2	2	-	1	6	5	16	28	58	129	151	-
1994	385	7	1	-	3	6	16	11	19	46	120	156	-
1993	403	12	4	-	1	9	13	12	26	71	124	131	-
1992	422	9	2	3	3	6	10	19	28	62	132	148	-
1991	378	6	1	-	1	4	2	7	22	67	101	167	-
1990	420	5	-	-	1	2	11	20	36	71	132	142	-
1989	425	6	1	-	2	6	9	7	30	69	132	162	1
1988	405	10	3	1	1	5	14	10	38	69	101	153	-
1987	365	11	4	3	4	8	9	11	24	59	110	122	-
1986	367	11	-	-	1	7	9	12	26	70	120	111	-
1985	323	5	2	-	-	4	8	10	28	68	101	97	-
1984	328	6	-	1	-	3	6	6	36	68	113	89	-
1983	351	14	2	2	4	4	5	9	32	70	113	95	1
1982	337	11	4	1	2	1	6	12	30	74	104	90	2
1981	292	14	4	-	2	-	6	16	22	61	79	87	1
1980	321	17	5	1	2	5	8	15	37	59	90	82	-
1979	315	22	-	1	-	2	11	20	29	73	84	73	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Malnutrition (260-263)													
Black, male													
1998	180	1	1	-	-	-	7	7	12	32	65	55	-
1997	177	4	-	-	-	1	6	9	18	36	50	53	-
1996	156	1	-	-	-	1	1	7	15	37	45	49	-
1995	163	-	2	-	-	5	4	9	20	24	51	48	-
1994	164	5	-	-	1	3	12	7	12	20	55	49	-
1993	184	9	2	-	1	5	5	9	16	39	57	41	-
1992	184	4	1	2	1	4	6	11	19	32	56	48	-
1991	186	5	-	-	1	2	2	4	15	33	50	74	-
1990	182	3	-	-	-	1	7	15	16	32	57	51	-
1989	181	3	-	-	2	2	5	4	20	34	56	54	1
1988	187	5	1	-	-	3	9	8	23	38	44	56	-
1987	184	5	4	1	3	3	5	8	17	33	56	49	-
1986	182	3	-	-	-	5	6	10	17	36	63	42	-
1985	133	2	-	-	-	2	4	7	17	34	43	24	-
1984	154	5	-	1	-	2	3	4	21	30	50	38	-
1983	186	7	-	2	3	4	3	7	21	41	60	37	1
1982	155	6	1	1	-	1	4	7	13	35	54	31	2
1981	130	10	-	-	1	-	3	11	12	31	36	25	1
1980	166	10	-	1	1	2	5	12	25	38	41	31	-
1979	159	17	-	1	-	-	5	14	14	36	44	28	-
Malnutrition (260-263)													
Black, female													
1998	285	3	2	1	-	-	4	1	8	28	77	161	-
1997	234	1	-	-	2	3	6	8	9	29	57	119	-
1996	220	2	1	-	2	4	5	6	5	25	63	107	-
1995	235	2	-	-	1	1	1	7	8	34	78	103	-
1994	221	2	1	-	2	3	4	4	7	26	65	107	-
1993	219	3	2	-	-	4	8	3	10	32	67	90	-
1992	238	5	1	1	2	2	4	8	9	30	76	100	-
1991	192	1	1	-	-	2	-	3	7	34	51	93	-
1990	238	2	-	-	1	1	4	5	20	39	75	91	-
1989	244	3	1	-	-	4	4	3	10	35	76	108	-
1988	218	5	2	1	1	2	5	2	15	31	57	97	-
1987	181	6	-	2	1	5	4	3	7	26	54	73	-
1986	185	8	-	-	1	2	3	2	9	34	57	69	-
1985	190	3	2	-	-	2	4	3	11	34	58	73	-
1984	174	1	-	-	-	1	3	2	15	38	63	51	-
1983	165	7	2	-	1	-	2	2	11	29	53	58	-
1982	182	5	3	-	2	-	2	5	17	39	50	59	-
1981	162	4	4	-	1	-	3	5	10	30	43	62	-
1980	155	7	5	-	1	3	3	3	12	21	49	51	-
1979	156	5	-	-	-	2	6	6	15	37	40	45	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other nutritional deficiencies (264-269)													
All races, both sexes													
1998	196	-	-	-	1	1	2	5	8	16	66	97	-
1997	184	3	-	-	-	1	3	3	11	21	51	91	-
1996	175	4	2	1	1	2	3	2	11	17	54	78	-
1995	137	1	-	2	1	1	1	6	9	15	28	73	-
1994	177	5	-	-	3	1	1	4	9	16	52	86	-
1993	176	2	-	-	-	1	1	6	9	22	56	78	1
1992	137	3	2	2	1	1	2	6	7	10	32	71	-
1991	139	4	-	-	3	1	3	4	8	14	45	57	-
1990	149	1	1	-	2	2	2	2	5	28	38	68	-
1989	140	2	-	1	1	2	3	2	12	14	35	68	-
1988	143	3	1	-	-	-	2	5	5	19	46	62	-
1987	148	4	1	1	-	4	4	5	7	24	35	63	-
1986	170	3	-	-	1	1	4	6	14	31	41	69	-
1985	154	7	-	1	3	2	7	8	10	23	37	56	-
1984	135	4	3	-	-	2	2	5	7	20	33	59	-
1983	141	5	2	-	-	4	4	6	14	23	30	53	-
1982	116	3	1	-	1	4	2	3	11	18	33	40	-
1981	120	3	1	-	1	1	6	6	19	19	26	38	-
1980	89	3	-	-	1	2	1	5	12	19	20	26	-
1979	114	2	-	-	1	8	6	5	18	24	32	18	-
Other nutritional deficiencies (264-269)													
All races, male													
1998	62	-	-	-	1	-	2	2	4	9	19	25	-
1997	54	-	-	-	-	-	-	1	8	6	18	21	-
1996	70	4	2	-	1	-	1	1	6	11	23	21	-
1995	62	1	-	1	1	1	1	3	6	10	13	25	-
1994	74	4	-	-	1	1	1	3	7	10	25	22	-
1993	71	1	-	-	-	1	1	3	4	15	23	23	-
1992	55	-	1	2	1	1	1	3	5	6	20	15	-
1991	58	3	-	-	2	-	2	2	5	9	21	14	-
1990	56	-	-	-	1	1	-	1	3	13	16	21	-
1989	51	1	-	1	-	1	2	1	6	6	15	18	-
1988	57	2	1	-	-	-	1	5	3	13	15	17	-
1987	58	3	1	1	-	3	1	2	5	12	16	14	-
1986	69	1	-	-	-	-	2	2	6	19	18	21	-
1985	73	4	-	-	1	2	4	5	9	16	14	18	-
1984	55	3	2	-	-	1	-	3	6	11	14	15	-
1983	62	3	1	-	-	2	2	4	7	14	10	19	-
1982	50	3	-	-	1	1	1	1	9	12	14	8	-
1981	51	2	1	-	-	-	1	4	9	10	13	11	-
1980	31	2	-	-	1	2	1	1	3	11	4	6	-
1979	61	2	-	-	-	6	5	3	7	15	18	5	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other nutritional deficiencies (264-269)													
All races, female													
1998	134	-	-	-	-	1	-	3	4	7	47	72	-
1997	130	3	-	-	-	1	3	2	3	15	33	70	-
1996	105	-	-	1	-	2	2	1	5	6	31	57	-
1995	75	-	-	1	-	-	-	3	3	5	15	48	-
1994	103	1	-	-	2	-	-	1	2	6	27	64	-
1993	105	1	-	-	-	-	-	3	5	7	33	55	1
1992	82	3	1	-	-	-	1	3	2	4	12	56	-
1991	81	1	-	-	1	1	1	2	3	5	24	43	-
1990	93	1	1	-	1	1	2	1	2	15	22	47	-
1989	89	1	-	-	1	1	1	1	6	8	20	50	-
1988	86	1	-	-	-	-	1	-	2	6	31	45	-
1987	90	1	-	-	-	1	3	3	2	12	19	49	-
1986	101	2	-	-	1	1	2	4	8	12	23	48	-
1985	81	3	-	1	2	-	3	3	1	7	23	38	-
1984	80	1	1	-	-	1	2	2	1	9	19	44	-
1983	79	2	1	-	-	2	2	2	7	9	20	34	-
1982	66	-	1	-	-	3	1	2	2	6	19	32	-
1981	69	1	-	-	1	1	5	2	10	9	13	27	-
1980	58	1	-	-	-	-	-	4	9	8	16	20	-
1979	53	-	-	-	1	2	1	2	11	9	14	13	-
Other nutritional deficiencies (264-269)													
White, both sexes													
1998	178	-	-	-	1	1	-	5	8	12	62	89	-
1997	163	2	-	-	-	-	3	3	9	18	46	82	-
1996	153	2	1	1	1	2	2	1	9	16	47	71	-
1995	116	-	-	2	-	1	-	4	8	12	21	68	-
1994	150	2	-	-	2	-	1	-	5	14	48	78	-
1993	153	-	-	-	-	1	1	5	8	17	51	70	-
1992	112	2	1	2	1	1	2	6	4	6	26	61	-
1991	124	3	-	-	3	1	2	4	8	12	39	52	-
1990	134	1	1	-	2	2	2	1	3	25	35	62	-
1989	119	2	-	1	-	1	2	2	9	11	28	63	-
1988	125	2	1	-	-	-	2	3	3	15	39	60	-
1987	129	1	1	1	-	4	2	3	7	22	30	58	-
1986	144	2	-	-	1	1	3	4	11	31	30	61	-
1985	126	2	-	-	3	1	3	6	8	19	30	54	-
1984	125	4	2	-	-	2	1	5	6	18	29	58	-
1983	119	3	1	-	-	3	4	4	11	17	27	49	-
1982	105	3	1	-	1	4	2	2	11	17	28	36	-
1981	99	3	-	-	1	1	5	4	14	14	26	31	-
1980	74	-	-	-	1	2	-	5	11	17	18	20	-
1979	102	1	-	-	1	7	6	4	18	21	27	17	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other nutritional deficiencies (264-269)													
White, male													
1998	53	-	-	-	1	-	-	2	4	6	18	22	-
1997	44	-	-	-	-	-	-	1	6	5	15	17	-
1996	58	2	1	-	1	-	1	1	5	10	20	17	-
1995	48	-	-	1	-	1	-	2	5	8	9	22	-
1994	61	1	-	-	1	-	1	-	4	9	25	20	-
1993	61	-	-	-	-	1	1	2	3	11	23	20	-
1992	44	-	-	2	1	1	1	3	3	3	17	13	-
1991	51	3	-	-	2	-	1	2	5	7	18	13	-
1990	48	-	-	-	1	1	-	1	1	12	15	17	-
1989	42	1	-	1	-	-	2	1	5	3	12	17	-
1988	47	1	1	-	-	-	1	3	2	9	13	17	-
1987	48	-	1	1	-	3	-	1	5	10	14	13	-
1986	60	1	-	-	-	-	2	1	5	19	14	18	-
1985	56	1	-	-	1	1	3	4	7	12	10	17	-
1984	48	3	1	-	-	1	-	3	5	9	11	15	-
1983	48	2	-	-	-	1	2	3	5	8	10	17	-
1982	46	3	-	-	1	1	1	1	9	11	12	7	-
1981	43	2	-	-	-	-	1	3	6	8	13	10	-
1980	24	-	-	-	1	2	-	1	3	10	4	3	-
1979	53	1	-	-	-	5	5	3	7	12	15	5	-
Other nutritional deficiencies (264-269)													
White, female													
1998	125	-	-	-	-	1	-	3	4	6	44	67	-
1997	119	2	-	-	-	-	3	2	3	13	31	65	-
1996	95	-	-	1	-	2	1	-	4	6	27	54	-
1995	68	-	-	1	-	-	-	2	3	4	12	46	-
1994	89	1	-	-	1	-	-	-	1	5	23	58	-
1993	92	-	-	-	-	-	-	3	5	6	28	50	-
1992	68	2	1	-	-	-	1	3	1	3	9	48	-
1991	73	-	-	-	1	1	1	2	3	5	21	39	-
1990	86	1	1	-	1	1	2	-	2	13	20	45	-
1989	77	1	-	-	-	1	-	1	4	8	16	46	-
1988	78	1	-	-	-	-	1	-	1	6	26	43	-
1987	81	1	-	-	-	1	2	2	2	12	16	45	-
1986	84	1	-	-	1	1	1	3	6	12	16	43	-
1985	70	1	-	-	2	-	-	2	1	7	20	37	-
1984	77	1	1	-	-	1	1	2	1	9	18	43	-
1983	71	1	1	-	-	2	2	1	6	9	17	32	-
1982	59	-	1	-	-	3	1	1	2	6	16	29	-
1981	56	1	-	-	1	1	4	1	8	6	13	21	-
1980	50	-	-	-	-	-	-	4	8	7	14	17	-
1979	49	-	-	-	1	2	1	1	11	9	12	12	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other nutritional deficiencies (264-269)													
All other, both sexes													
1998	18	-	-	-	-	-	2	-	-	4	4	8	-
1997	21	1	-	-	-	1	-	-	2	3	5	9	-
1996	22	2	1	-	-	-	1	1	2	1	7	7	-
1995	21	1	-	-	1	-	1	2	1	3	7	5	-
1994	27	3	-	-	1	1	-	4	4	2	4	8	-
1993	23	2	-	-	-	-	-	1	1	5	5	8	1
1992	25	1	1	-	-	-	-	-	3	4	6	10	-
1991	15	1	-	-	-	-	1	-	-	2	6	5	-
1990	15	-	-	-	-	-	-	1	2	3	3	6	-
1989	21	-	-	-	1	1	1	-	3	3	7	5	-
1988	18	1	-	-	-	-	-	2	2	4	7	2	-
1987	19	3	-	-	-	-	2	2	-	2	5	5	-
1986	26	1	-	-	-	-	1	2	3	-	11	8	-
1985	28	5	-	1	-	1	4	2	2	4	7	2	-
1984	10	-	1	-	-	-	1	-	1	2	4	1	-
1983	22	2	1	-	-	1	-	2	3	6	3	4	-
1982	11	-	-	-	-	-	-	1	-	1	5	4	-
1981	21	-	1	-	-	-	1	2	5	5	-	7	-
1980	15	3	-	-	-	-	1	-	1	2	2	6	-
1979	12	1	-	-	-	1	-	1	-	3	5	1	-
Other nutritional deficiencies (264-269)													
All other, male													
1998	9	-	-	-	-	-	2	-	-	3	1	3	-
1997	10	-	-	-	-	-	-	-	2	1	3	4	-
1996	12	2	1	-	-	-	-	-	1	1	3	4	-
1995	14	1	-	-	1	-	1	1	1	2	4	3	-
1994	13	3	-	-	-	1	-	3	3	1	-	2	-
1993	10	1	-	-	-	-	-	1	1	4	-	3	-
1992	11	-	1	-	-	-	-	-	2	3	3	2	-
1991	7	-	-	-	-	-	1	-	-	2	3	1	-
1990	8	-	-	-	-	-	-	-	2	1	1	4	-
1989	9	-	-	-	-	1	-	-	1	3	3	1	-
1988	10	1	-	-	-	-	-	2	1	4	2	-	-
1987	10	3	-	-	-	-	1	1	-	2	2	1	-
1986	9	-	-	-	-	-	-	1	1	-	4	3	-
1985	17	3	-	-	-	1	1	1	2	4	4	1	-
1984	7	-	1	-	-	-	-	-	1	2	3	-	-
1983	14	1	1	-	-	1	-	1	2	6	-	2	-
1982	4	-	-	-	-	-	-	-	-	1	2	1	-
1981	8	-	1	-	-	-	-	1	3	2	-	1	-
1980	7	2	-	-	-	-	1	-	-	1	-	3	-
1979	8	1	-	-	-	1	-	-	-	3	3	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other nutritional deficiencies (264-269)													
All other, female													
1998	9	-	-	-	-	-	-	-	-	1	3	5	-
1997	11	1	-	-	-	1	-	-	-	2	2	5	-
1996	10	-	-	-	-	-	1	1	1	-	4	3	-
1995	7	-	-	-	-	-	-	1	-	1	3	2	-
1994	14	-	-	-	1	-	-	1	1	1	4	6	-
1993	13	1	-	-	-	-	-	-	-	1	5	5	1
1992	14	1	-	-	-	-	-	-	1	1	3	8	-
1991	8	1	-	-	-	-	-	-	-	-	3	4	-
1990	7	-	-	-	-	-	-	1	-	2	2	2	-
1989	12	-	-	-	1	-	1	-	2	-	4	4	-
1988	8	-	-	-	-	-	-	-	1	-	5	2	-
1987	9	-	-	-	-	-	1	1	-	-	3	4	-
1986	17	1	-	-	-	-	1	1	2	-	7	5	-
1985	11	2	-	1	-	-	3	1	-	-	3	1	-
1984	3	-	-	-	-	-	1	-	-	-	1	1	-
1983	8	1	-	-	-	-	-	1	1	-	3	2	-
1982	7	-	-	-	-	-	-	1	-	-	3	3	-
1981	13	-	-	-	-	-	1	1	2	3	-	6	-
1980	8	1	-	-	-	-	-	-	1	1	2	3	-
1979	4	-	-	-	-	-	-	1	-	-	2	1	-
Other nutritional deficiencies (264-269)													
Black, both sexes													
1998	15	-	-	-	-	-	2	-	-	3	3	7	-
1997	18	1	-	-	-	1	-	-	2	3	5	6	-
1996	20	2	1	-	-	-	1	1	2	1	6	6	-
1995	20	1	-	-	1	-	1	2	1	3	7	4	-
1994	26	3	-	-	1	1	-	4	4	2	4	7	-
1993	21	1	-	-	-	-	-	1	1	5	5	7	1
1992	23	1	1	-	-	-	-	-	3	4	5	9	-
1991	15	1	-	-	-	-	1	-	-	2	6	5	-
1990	13	-	-	-	-	-	-	1	2	3	2	5	-
1989	18	-	-	-	1	1	1	-	2	1	7	5	-
1988	15	1	-	-	-	-	-	1	2	3	6	2	-
1987	18	3	-	-	-	-	2	2	-	2	5	4	-
1986	25	1	-	-	-	-	1	2	3	-	11	7	-
1985	26	5	-	1	-	1	4	2	2	4	5	2	-
1984	10	-	1	-	-	-	1	-	1	2	4	1	-
1983	21	2	1	-	-	1	-	2	3	6	3	3	-
1982	9	-	-	-	-	-	-	-	-	1	5	3	-
1981	18	-	1	-	-	-	1	2	5	4	-	5	-
1980	12	3	-	-	-	-	1	-	-	2	2	4	-
1979	10	1	-	-	-	1	-	1	-	2	4	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other nutritional deficiencies (264-269)													
Black, male													
1998	8	-	-	-	-	-	2	-	-	3	-	3	-
1997	8	-	-	-	-	-	-	-	2	1	3	2	-
1996	11	2	1	-	-	-	-	-	1	1	2	4	-
1995	13	1	-	-	1	-	1	1	1	2	4	2	-
1994	13	3	-	-	-	1	-	3	3	1	-	2	-
1993	9	-	-	-	-	-	-	1	1	4	-	3	-
1992	11	-	1	-	-	-	-	-	2	3	3	2	-
1991	7	-	-	-	-	-	1	-	-	2	3	1	-
1990	7	-	-	-	-	-	-	-	2	1	1	3	-
1989	7	-	-	-	-	1	-	-	1	1	3	1	-
1988	8	1	-	-	-	-	-	1	1	3	2	-	-
1987	10	3	-	-	-	-	1	1	-	2	2	1	-
1986	8	-	-	-	-	-	-	1	1	-	4	2	-
1985	16	3	-	-	-	1	1	1	2	4	3	1	-
1984	7	-	1	-	-	-	-	-	1	2	3	-	-
1983	13	1	1	-	-	1	-	1	2	6	-	1	-
1982	4	-	-	-	-	-	-	-	-	1	2	1	-
1981	7	-	1	-	-	-	-	1	3	1	-	1	-
1980	6	2	-	-	-	-	1	-	-	1	-	2	-
1979	6	1	-	-	-	1	-	-	-	2	2	-	-
Other nutritional deficiencies (264-269)													
Black, female													
1998	7	-	-	-	-	-	-	-	-	-	3	4	-
1997	10	1	-	-	-	1	-	-	-	2	2	4	-
1996	9	-	-	-	-	-	1	1	1	-	4	2	-
1995	7	-	-	-	-	-	-	1	-	1	3	2	-
1994	13	-	-	-	1	-	-	1	1	1	4	5	-
1993	12	1	-	-	-	-	-	-	-	1	5	4	1
1992	12	1	-	-	-	-	-	-	1	1	2	7	-
1991	8	1	-	-	-	-	-	-	-	-	3	4	-
1990	6	-	-	-	-	-	-	1	-	2	1	2	-
1989	11	-	-	-	1	-	1	-	1	-	4	4	-
1988	7	-	-	-	-	-	-	-	1	-	4	2	-
1987	8	-	-	-	-	-	1	1	-	-	3	3	-
1986	17	1	-	-	-	-	1	1	2	-	7	5	-
1985	10	2	-	1	-	-	3	1	-	-	2	1	-
1984	3	-	-	-	-	-	1	-	-	-	1	1	-
1983	8	1	-	-	-	-	-	1	1	-	3	2	-
1982	5	-	-	-	-	-	-	-	-	-	3	2	-
1981	11	-	-	-	-	-	1	1	2	3	-	4	-
1980	6	1	-	-	-	-	-	-	-	1	2	2	-
1979	4	-	-	-	-	-	-	1	-	-	2	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Meningitis (320-322)													
All races, both sexes													
1998	768	107	48	34	38	37	91	92	78	96	106	41	-
1997	781	97	44	33	23	56	85	87	85	99	119	53	-
1996	758	103	38	31	25	41	80	89	76	107	116	49	3
1995	761	121	37	28	38	48	68	88	94	98	87	54	-
1994	770	107	47	32	30	46	70	80	92	111	106	49	-
1993	788	107	39	31	29	57	71	74	75	129	126	50	-
1992	798	126	32	32	31	41	84	66	91	119	118	58	-
1991	887	128	39	35	29	54	82	62	96	147	140	75	-
1990	1,017	197	81	37	29	53	88	81	116	146	128	61	-
1989	1,068	229	99	21	24	65	91	83	106	161	122	65	2
1988	1,156	205	129	53	33	62	46	75	122	189	162	80	-
1987	1,161	214	139	37	21	74	83	91	127	160	132	83	-
1986	1,160	220	144	27	25	62	62	69	154	175	152	70	-
1985	1,206	257	159	41	27	66	47	68	129	173	175	64	-
1984	1,194	268	174	46	36	57	43	70	145	135	156	63	1
1983	1,287	318	197	39	33	50	57	80	136	172	142	60	3
1982	1,282	331	187	46	29	54	56	82	138	149	128	82	-
1981	1,405	422	165	48	39	68	53	102	162	147	130	68	1
1980	1,415	443	223	51	49	39	50	78	146	173	118	45	-
1979	1,393	441	183	56	27	50	65	86	149	169	121	46	-
Meningitis (320-322)													
All races, male													
1998	424	61	29	23	21	19	53	61	40	58	51	8	-
1997	403	40	20	19	11	27	52	61	50	56	52	15	-
1996	423	61	21	19	14	23	50	63	46	57	52	14	3
1995	408	63	23	19	22	31	42	54	52	51	37	14	-
1994	418	61	29	22	17	31	48	50	46	50	43	21	-
1993	420	62	20	21	17	34	43	42	40	69	57	15	-
1992	402	61	17	15	15	25	53	39	56	56	48	17	-
1991	442	68	23	18	15	37	51	37	57	59	51	26	-
1990	545	108	52	21	15	36	68	50	58	67	48	22	-
1989	588	126	69	12	15	40	68	52	58	80	44	23	1
1988	601	110	76	23	19	45	37	51	77	81	54	28	-
1987	645	120	78	24	15	54	54	56	81	88	53	22	-
1986	624	123	100	17	18	39	41	32	84	80	70	20	-
1985	634	142	101	19	19	47	28	36	66	89	67	20	-
1984	650	155	105	20	19	42	28	40	80	71	75	15	-
1983	670	177	108	22	22	34	34	47	77	78	49	20	2
1982	700	194	114	35	17	27	38	46	83	76	39	31	-
1981	776	253	97	27	26	42	34	66	88	72	46	24	1
1980	796	251	145	25	32	18	26	50	94	84	58	13	-
1979	765	252	107	26	20	28	40	48	93	83	53	15	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Meningitis (320-322)													
All races, female													
1998	344	46	19	11	17	18	38	31	38	38	55	33	-
1997	378	57	24	14	12	29	33	26	35	43	67	38	-
1996	335	42	17	12	11	18	30	26	30	50	64	35	-
1995	353	58	14	9	16	17	26	34	42	47	50	40	-
1994	352	46	18	10	13	15	22	30	46	61	63	28	-
1993	368	45	19	10	12	23	28	32	35	60	69	35	-
1992	396	65	15	17	16	16	31	27	35	63	70	41	-
1991	445	60	16	17	14	17	31	25	39	88	89	49	-
1990	472	89	29	16	14	17	20	31	58	79	80	39	-
1989	480	103	30	9	9	25	23	31	48	81	78	42	1
1988	555	95	53	30	14	17	9	24	45	108	108	52	-
1987	516	94	61	13	6	20	29	35	46	72	79	61	-
1986	536	97	44	10	7	23	21	37	70	95	82	50	-
1985	572	115	58	22	8	19	19	32	63	84	108	44	-
1984	544	113	69	26	17	15	15	30	65	64	81	48	1
1983	617	141	89	17	11	16	23	33	59	94	93	40	1
1982	582	137	73	11	12	27	18	36	55	73	89	51	-
1981	629	169	68	21	13	26	19	36	74	75	84	44	-
1980	619	192	78	26	17	21	24	28	52	89	60	32	-
1979	628	189	76	30	7	22	25	38	56	86	68	31	-
Meningitis (320-322)													
White, both sexes													
1998	545	66	39	24	21	21	57	63	53	73	93	35	-
1997	546	62	24	22	8	35	53	56	67	73	100	46	-
1996	529	57	27	21	13	20	50	59	54	87	101	38	2
1995	541	62	33	24	24	33	44	60	66	81	68	46	-
1994	542	57	31	23	19	26	47	46	74	95	85	39	-
1993	547	57	26	23	20	35	41	51	49	97	108	40	-
1992	569	80	21	23	19	29	43	42	67	93	99	53	-
1991	618	71	26	30	20	28	42	47	71	115	113	55	-
1990	705	111	56	28	18	37	54	46	90	120	97	48	-
1989	703	128	71	14	15	42	49	43	66	119	103	52	1
1988	808	135	89	37	26	40	24	37	88	147	122	63	-
1987	812	132	107	28	13	50	40	55	88	128	107	64	-
1986	827	135	104	19	20	45	32	45	110	138	123	56	-
1985	871	155	117	30	16	41	32	42	97	138	146	57	-
1984	846	172	124	32	24	39	28	42	99	106	126	54	-
1983	935	203	151	34	25	32	34	54	105	122	119	53	3
1982	912	207	146	37	18	30	35	50	99	121	98	71	-
1981	987	270	134	29	31	44	32	63	116	105	102	61	-
1980	1,020	294	170	44	34	29	30	49	114	124	96	36	-
1979	951	273	131	39	16	40	37	52	102	128	100	33	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Meningitis (320-322)													
White, male													
1998	297	36	25	18	11	10	36	41	27	42	46	5	-
1997	275	21	9	12	6	18	30	39	40	43	43	14	-
1996	294	37	15	11	8	10	33	43	31	48	46	10	2
1995	290	35	22	16	12	22	25	35	35	47	29	12	-
1994	285	34	21	15	10	19	31	26	38	44	32	15	-
1993	286	31	16	17	11	22	24	27	25	53	47	13	-
1992	280	44	10	10	7	18	29	23	37	49	40	13	-
1991	306	39	16	15	11	18	28	29	41	49	40	20	-
1990	371	65	36	15	9	26	42	29	44	54	35	16	-
1989	383	74	49	8	9	24	35	25	37	62	38	21	1
1988	402	74	49	18	16	26	16	22	57	64	39	21	-
1987	460	80	58	19	11	34	30	35	58	74	40	21	-
1986	445	77	77	12	14	28	19	20	59	64	57	18	-
1985	451	86	76	15	12	26	18	25	52	71	51	19	-
1984	472	107	80	17	12	29	20	24	55	53	60	15	-
1983	486	116	83	19	18	19	21	32	59	61	36	20	2
1982	492	125	90	27	11	13	25	25	59	63	29	25	-
1981	547	167	81	15	21	25	19	50	64	50	34	21	-
1980	577	171	109	21	21	14	16	33	74	59	49	10	-
1979	521	157	79	23	11	22	21	31	61	66	42	8	-
Meningitis (320-322)													
White, female													
1998	248	30	14	6	10	11	21	22	26	31	47	30	-
1997	271	41	15	10	2	17	23	17	27	30	57	32	-
1996	235	20	12	10	5	10	17	16	23	39	55	28	-
1995	251	27	11	8	12	11	19	25	31	34	39	34	-
1994	257	23	10	8	9	7	16	20	36	51	53	24	-
1993	261	26	10	6	9	13	17	24	24	44	61	27	-
1992	289	36	11	13	12	11	14	19	30	44	59	40	-
1991	312	32	10	15	9	10	14	18	30	66	73	35	-
1990	334	46	20	13	9	11	12	17	46	66	62	32	-
1989	320	54	22	6	6	18	14	18	29	57	65	31	-
1988	406	61	40	19	10	14	8	15	31	83	83	42	-
1987	352	52	49	9	2	16	10	20	30	54	67	43	-
1986	382	58	27	7	6	17	13	25	51	74	66	38	-
1985	420	69	41	15	4	15	14	17	45	67	95	38	-
1984	374	65	44	15	12	10	8	18	44	53	66	39	-
1983	449	87	68	15	7	13	13	22	46	61	83	33	1
1982	420	82	56	10	7	17	10	25	40	58	69	46	-
1981	440	103	53	14	10	19	13	13	52	55	68	40	-
1980	443	123	61	23	13	15	14	16	40	65	47	26	-
1979	430	116	52	16	5	18	16	21	41	62	58	25	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Meningitis (320-322)													
All other, both sexes													
1998	223	41	9	10	17	16	34	29	25	23	13	6	-
1997	235	35	20	11	15	21	32	31	18	26	19	7	-
1996	229	46	11	10	12	21	30	30	22	20	15	11	1
1995	220	59	4	4	14	15	24	28	28	17	19	8	-
1994	228	50	16	9	11	20	23	34	18	16	21	10	-
1993	241	50	13	8	9	22	30	23	26	32	18	10	-
1992	229	46	11	9	12	12	41	24	24	26	19	5	-
1991	269	57	13	5	9	26	40	15	25	32	27	20	-
1990	312	86	25	9	11	16	34	35	26	26	31	13	-
1989	365	101	28	7	9	23	42	40	40	42	19	13	1
1988	348	70	40	16	7	22	22	38	34	42	40	17	-
1987	349	82	32	9	8	24	43	36	39	32	25	19	-
1986	333	85	40	8	5	17	30	24	44	37	29	14	-
1985	335	102	42	11	11	25	15	26	32	35	29	7	-
1984	348	96	50	14	12	18	15	28	46	29	30	9	1
1983	352	115	46	5	8	18	23	26	31	50	23	7	-
1982	370	124	41	9	11	24	21	32	39	28	30	11	-
1981	418	152	31	19	8	24	21	39	46	42	28	7	1
1980	395	149	53	7	15	10	20	29	32	49	22	9	-
1979	442	168	52	17	11	10	28	34	47	41	21	13	-
Meningitis (320-322)													
All other, male													
1998	127	25	4	5	10	9	17	20	13	16	5	3	-
1997	128	19	11	7	5	9	22	22	10	13	9	1	-
1996	129	24	6	8	6	13	17	20	15	9	6	4	1
1995	118	28	1	3	10	9	17	19	17	4	8	2	-
1994	133	27	8	7	7	12	17	24	8	6	11	6	-
1993	134	31	4	4	6	12	19	15	15	16	10	2	-
1992	122	17	7	5	8	7	24	16	19	7	8	4	-
1991	136	29	7	3	4	19	23	8	16	10	11	6	-
1990	174	43	16	6	6	10	26	21	14	13	13	6	-
1989	205	52	20	4	6	16	33	27	21	18	6	2	-
1988	199	36	27	5	3	19	21	29	20	17	15	7	-
1987	185	40	20	5	4	20	24	21	23	14	13	1	-
1986	179	46	23	5	4	11	22	12	25	16	13	2	-
1985	183	56	25	4	7	21	10	11	14	18	16	1	-
1984	178	48	25	3	7	13	8	16	25	18	15	-	-
1983	184	61	25	3	4	15	13	15	18	17	13	-	-
1982	208	69	24	8	6	14	13	21	24	13	10	6	-
1981	229	86	16	12	5	17	15	16	24	22	12	3	1
1980	219	80	36	4	11	4	10	17	20	25	9	3	-
1979	244	95	28	3	9	6	19	17	32	17	11	7	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Meningitis (320-322)													
All other, female													
1998	96	16	5	5	7	7	17	9	12	7	8	3	-
1997	107	16	9	4	10	12	10	9	8	13	10	6	-
1996	100	22	5	2	6	8	13	10	7	11	9	7	-
1995	102	31	3	1	4	6	7	9	11	13	11	6	-
1994	95	23	8	2	4	8	6	10	10	10	10	4	-
1993	107	19	9	4	3	10	11	8	11	16	8	8	-
1992	107	29	4	4	4	5	17	8	5	19	11	1	-
1991	133	28	6	2	5	7	17	7	9	22	16	14	-
1990	138	43	9	3	5	6	8	14	12	13	18	7	-
1989	160	49	8	3	3	7	9	13	19	24	13	11	1
1988	149	34	13	11	4	3	1	9	14	25	25	10	-
1987	164	42	12	4	4	4	19	15	16	18	12	18	-
1986	154	39	17	3	1	6	8	12	19	21	16	12	-
1985	152	46	17	7	4	4	5	15	18	17	13	6	-
1984	170	48	25	11	5	5	7	12	21	11	15	9	1
1983	168	54	21	2	4	3	10	11	13	33	10	7	-
1982	162	55	17	1	5	10	8	11	15	15	20	5	-
1981	189	66	15	7	3	7	6	23	22	20	16	4	-
1980	176	69	17	3	4	6	10	12	12	24	13	6	-
1979	198	73	24	14	2	4	9	17	15	24	10	6	-
Meningitis (320-322)													
Black, both sexes													
1998	195	38	5	7	15	14	30	27	21	23	9	6	-
1997	204	27	17	11	13	20	29	29	15	21	16	6	-
1996	211	44	11	9	10	20	29	27	20	17	12	11	1
1995	197	53	3	4	12	15	21	26	26	13	17	7	-
1994	210	48	16	6	10	19	22	33	16	15	16	9	-
1993	216	49	9	8	9	19	27	21	23	25	17	9	-
1992	204	39	8	7	12	9	39	22	23	22	18	5	-
1991	245	49	13	5	6	25	37	14	22	29	26	19	-
1990	284	74	24	9	10	14	33	33	26	22	29	10	-
1989	331	87	25	6	8	23	40	39	35	36	19	12	1
1988	326	62	40	15	7	21	20	37	32	38	38	16	-
1987	319	69	30	8	8	23	40	33	35	30	24	19	-
1986	305	74	39	7	4	16	30	22	36	36	28	13	-
1985	301	87	38	9	11	21	15	26	30	34	23	7	-
1984	319	79	46	13	12	17	15	28	43	28	29	9	-
1983	332	106	44	4	8	17	23	24	28	50	22	6	-
1982	339	109	36	9	10	23	19	31	37	26	29	10	-
1981	380	140	29	19	6	21	19	35	40	38	25	7	1
1980	369	138	49	7	14	9	19	27	31	47	21	7	-
1979	404	151	48	16	11	9	27	29	44	36	20	13	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Meningitis (320-322)													
Black, male													
1998	114	24	2	3	9	7	15	19	13	16	3	3	-
1997	112	15	11	7	4	9	19	21	8	9	8	1	-
1996	119	24	6	7	5	12	16	17	15	8	4	4	1
1995	106	26	1	3	9	9	14	17	16	3	7	1	-
1994	122	26	8	4	7	11	16	23	8	6	8	5	-
1993	119	30	2	4	6	10	16	15	15	11	9	1	-
1992	107	15	5	3	8	5	23	14	19	4	7	4	-
1991	123	27	7	3	3	18	22	7	13	7	10	6	-
1990	159	37	16	6	5	9	25	19	14	10	13	5	-
1989	186	44	17	3	6	16	32	26	19	15	6	2	-
1988	185	34	27	4	3	18	19	28	18	14	14	6	-
1987	169	34	18	5	4	19	22	19	22	13	12	1	-
1986	165	40	22	4	3	11	22	12	22	15	12	2	-
1985	163	47	22	4	7	18	10	11	13	18	12	1	-
1984	164	39	24	3	7	13	8	16	23	17	14	-	-
1983	175	56	25	2	4	14	13	14	17	17	13	-	-
1982	196	63	22	8	6	13	12	20	23	13	10	6	-
1981	204	79	14	12	4	15	13	14	20	19	10	3	1
1980	203	75	32	4	10	4	9	15	19	23	9	3	-
1979	222	82	26	3	9	5	19	15	31	15	10	7	-
Meningitis (320-322)													
Black, female													
1998	81	14	3	4	6	7	15	8	8	7	6	3	-
1997	92	12	6	4	9	11	10	8	7	12	8	5	-
1996	92	20	5	2	5	8	13	10	5	9	8	7	-
1995	91	27	2	1	3	6	7	9	10	10	10	6	-
1994	88	22	8	2	3	8	6	10	8	9	8	4	-
1993	97	19	7	4	3	9	11	6	8	14	8	8	-
1992	97	24	3	4	4	4	16	8	4	18	11	1	-
1991	122	22	6	2	3	7	15	7	9	22	16	13	-
1990	125	37	8	3	5	5	8	14	12	12	16	5	-
1989	145	43	8	3	2	7	8	13	16	21	13	10	1
1988	141	28	13	11	4	3	1	9	14	24	24	10	-
1987	150	35	12	3	4	4	18	14	13	17	12	18	-
1986	140	34	17	3	1	5	8	10	14	21	16	11	-
1985	138	40	16	5	4	3	5	15	17	16	11	6	-
1984	155	40	22	10	5	4	7	12	20	11	15	9	-
1983	157	50	19	2	4	3	10	10	11	33	9	6	-
1982	143	46	14	1	4	10	7	11	14	13	19	4	-
1981	176	61	15	7	2	6	6	21	20	19	15	4	-
1980	166	63	17	3	4	5	10	12	12	24	12	4	-
1979	182	69	22	13	2	4	8	14	13	21	10	6	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Parkinson's disease (332)													
All races, both sexes													
1998	13,167	-	-	-	-	2	2	35	223	1,948	6,404	4,553	-
1997	12,361	2	-	-	-	1	5	36	236	1,789	6,123	4,169	-
1996	11,845	-	-	-	-	-	1	33	216	1,776	5,855	3,964	-
1995	10,820	-	-	-	2	2	9	31	208	1,693	5,316	3,559	-
1994	9,957	-	-	-	-	1	2	38	206	1,662	4,908	3,140	-
1993	9,107	-	-	-	-	-	4	31	173	1,497	4,534	2,868	-
1992	7,769	-	1	-	1	1	4	25	197	1,394	3,881	2,264	1
1991	7,455	-	-	-	-	1	6	9	173	1,385	3,711	2,170	-
1990	7,254	-	-	-	-	1	3	23	157	1,391	3,693	1,985	1
1989	6,984	-	-	-	-	3	1	19	183	1,403	3,520	1,855	-
1988	6,397	-	-	-	1	1	8	18	199	1,287	3,213	1,670	-
1987	6,288	-	-	-	1	-	2	19	188	1,338	3,181	1,559	-
1986	5,579	1	-	-	-	3	-	18	198	1,217	2,825	1,317	-
1985	5,173	-	1	-	-	-	4	16	160	1,157	2,621	1,214	-
1984	4,937	-	-	1	-	1	4	15	207	1,189	2,498	1,022	-
1983	4,567	-	-	2	-	1	2	13	240	1,129	2,298	882	-
1982	4,106	-	-	1	-	-	1	24	193	1,056	2,025	805	1
1981	3,948	1	-	1	-	1	3	20	211	1,128	1,911	671	1
1980	3,770	-	-	1	-	-	2	25	202	1,060	1,842	638	-
1979	3,510	-	-	-	-	-	3	18	214	1,073	1,652	550	-
Parkinson's disease (332)													
All races, male													
1998	7,494	-	-	-	-	2	1	24	134	1,276	3,845	2,212	-
1997	7,024	2	-	-	-	1	3	17	133	1,170	3,715	1,983	-
1996	6,908	-	-	-	-	-	1	20	128	1,205	3,579	1,975	-
1995	6,177	-	-	-	2	-	7	20	135	1,092	3,171	1,750	-
1994	5,807	-	-	-	-	-	2	24	129	1,100	2,969	1,583	-
1993	5,328	-	-	-	-	-	2	16	96	997	2,786	1,431	-
1992	4,541	-	-	-	1	1	3	15	119	925	2,357	1,120	-
1991	4,360	-	-	-	-	-	3	4	129	872	2,293	1,059	-
1990	4,244	-	-	-	-	-	-	11	95	902	2,256	979	1
1989	3,996	-	-	-	-	2	-	8	117	924	2,084	861	-
1988	3,661	-	-	-	1	-	6	9	112	828	1,904	801	-
1987	3,622	-	-	-	-	-	1	12	113	859	1,887	750	-
1986	3,185	-	-	-	-	2	-	10	110	799	1,627	637	-
1985	2,885	-	-	-	-	-	2	10	101	736	1,466	570	-
1984	2,782	-	-	1	-	1	3	7	135	737	1,405	493	-
1983	2,602	-	-	2	-	1	1	6	155	685	1,326	426	-
1982	2,320	-	-	1	-	-	1	14	115	649	1,158	381	1
1981	2,204	-	-	1	-	1	-	12	126	696	1,065	303	-
1980	2,094	-	-	1	-	-	2	17	123	676	981	294	-
1979	1,923	-	-	-	-	-	1	12	129	642	890	249	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Parkinson's disease (332)													
All races, female													
1998	5,673	-	-	-	-	-	1	11	89	672	2,559	2,341	-
1997	5,337	-	-	-	-	-	2	19	103	619	2,408	2,186	-
1996	4,937	-	-	-	-	-	-	13	88	571	2,276	1,989	-
1995	4,643	-	-	-	-	2	2	11	73	601	2,145	1,809	-
1994	4,150	-	-	-	-	1	-	14	77	562	1,939	1,557	-
1993	3,779	-	-	-	-	-	2	15	77	500	1,748	1,437	-
1992	3,228	-	1	-	-	-	1	10	78	469	1,524	1,144	1
1991	3,095	-	-	-	-	1	3	5	44	513	1,418	1,111	-
1990	3,010	-	-	-	-	1	3	12	62	489	1,437	1,006	-
1989	2,988	-	-	-	-	1	1	11	66	479	1,436	994	-
1988	2,736	-	-	-	-	1	2	9	87	459	1,309	869	-
1987	2,666	-	-	-	1	-	1	7	75	479	1,294	809	-
1986	2,394	1	-	-	-	1	-	8	88	418	1,198	680	-
1985	2,288	-	1	-	-	-	2	6	59	421	1,155	644	-
1984	2,155	-	-	-	-	-	1	8	72	452	1,093	529	-
1983	1,965	-	-	-	-	-	1	7	85	444	972	456	-
1982	1,786	-	-	-	-	-	-	10	78	407	867	424	-
1981	1,744	1	-	-	-	-	3	8	85	432	846	368	1
1980	1,676	-	-	-	-	-	-	8	79	384	861	344	-
1979	1,587	-	-	-	-	-	2	6	85	431	762	301	-
Parkinson's disease (332)													
White, both sexes													
1998	12,556	-	-	-	-	-	2	32	197	1,844	6,133	4,348	-
1997	11,838	1	-	-	-	1	5	35	223	1,693	5,880	4,000	-
1996	11,351	-	-	-	-	-	1	31	194	1,667	5,634	3,824	-
1995	10,349	-	-	-	2	1	3	28	191	1,581	5,101	3,442	-
1994	9,514	-	-	-	-	-	2	35	192	1,556	4,700	3,029	-
1993	8,723	-	-	-	-	-	4	21	157	1,418	4,362	2,761	-
1992	7,434	-	1	-	1	1	2	23	188	1,318	3,713	2,186	1
1991	7,125	-	-	-	-	1	5	9	153	1,299	3,560	2,098	-
1990	6,918	-	-	-	-	1	3	20	147	1,303	3,525	1,919	-
1989	6,652	-	-	-	-	2	1	15	169	1,315	3,363	1,787	-
1988	6,118	-	-	-	1	1	8	17	183	1,208	3,083	1,617	-
1987	6,024	-	-	-	1	-	2	15	169	1,273	3,048	1,516	-
1986	5,350	1	-	-	-	3	-	17	189	1,145	2,723	1,272	-
1985	4,974	-	1	-	-	-	3	15	151	1,092	2,532	1,180	-
1984	4,725	-	-	1	-	1	3	13	187	1,119	2,404	997	-
1983	4,347	-	-	2	-	1	2	10	223	1,053	2,200	856	-
1982	3,943	-	-	1	-	-	1	23	179	995	1,962	781	1
1981	3,805	1	-	-	-	1	3	17	204	1,073	1,853	652	1
1980	3,626	-	-	1	-	-	2	23	190	1,021	1,770	619	-
1979	3,361	-	-	-	-	-	3	18	200	1,008	1,600	532	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Parkinson's disease (332)													
White, male													
1998	7,155	-	-	-	-	-	1	21	122	1,215	3,693	2,103	-
1997	6,707	1	-	-	-	1	3	16	127	1,104	3,565	1,890	-
1996	6,620	-	-	-	-	-	1	18	113	1,132	3,450	1,906	-
1995	5,906	-	-	-	2	-	2	18	123	1,023	3,050	1,688	-
1994	5,528	-	-	-	-	-	2	22	118	1,024	2,841	1,521	-
1993	5,080	-	-	-	-	-	2	11	85	944	2,674	1,364	-
1992	4,338	-	-	-	1	1	1	15	114	876	2,253	1,077	-
1991	4,167	-	-	-	-	-	2	4	115	820	2,201	1,025	-
1990	4,042	-	-	-	-	-	-	10	89	842	2,156	945	-
1989	3,795	-	-	-	-	2	-	8	107	861	1,989	828	-
1988	3,494	-	-	-	1	-	6	9	101	781	1,821	775	-
1987	3,456	-	-	-	-	-	1	10	103	816	1,797	729	-
1986	3,030	-	-	-	-	2	-	9	104	742	1,567	606	-
1985	2,766	-	-	-	-	-	2	10	93	698	1,411	552	-
1984	2,661	-	-	1	-	1	2	6	124	694	1,351	482	-
1983	2,471	-	-	2	-	1	1	5	145	637	1,269	411	-
1982	2,221	-	-	1	-	-	1	14	104	610	1,120	370	1
1981	2,122	-	-	-	-	1	-	12	124	662	1,027	296	-
1980	2,005	-	-	1	-	-	2	15	117	648	939	283	-
1979	1,837	-	-	-	-	-	1	12	122	606	858	238	-
Parkinson's disease (332)													
White, female													
1998	5,401	-	-	-	-	-	1	11	75	629	2,440	2,245	-
1997	5,131	-	-	-	-	-	2	19	96	589	2,315	2,110	-
1996	4,731	-	-	-	-	-	-	13	81	535	2,184	1,918	-
1995	4,443	-	-	-	-	1	1	10	68	558	2,051	1,754	-
1994	3,986	-	-	-	-	-	-	13	74	532	1,859	1,508	-
1993	3,643	-	-	-	-	-	2	10	72	474	1,688	1,397	-
1992	3,096	-	1	-	-	-	1	8	74	442	1,460	1,109	1
1991	2,958	-	-	-	-	1	3	5	38	479	1,359	1,073	-
1990	2,876	-	-	-	-	1	3	10	58	461	1,369	974	-
1989	2,857	-	-	-	-	-	1	7	62	454	1,374	959	-
1988	2,624	-	-	-	-	1	2	8	82	427	1,262	842	-
1987	2,568	-	-	-	1	-	1	5	66	457	1,251	787	-
1986	2,320	1	-	-	-	1	-	8	85	403	1,156	666	-
1985	2,208	-	1	-	-	-	1	5	58	394	1,121	628	-
1984	2,064	-	-	-	-	-	1	7	63	425	1,053	515	-
1983	1,876	-	-	-	-	-	1	5	78	416	931	445	-
1982	1,722	-	-	-	-	-	-	9	75	385	842	411	-
1981	1,683	1	-	-	-	-	3	5	80	411	826	356	1
1980	1,621	-	-	-	-	-	-	8	73	373	831	336	-
1979	1,524	-	-	-	-	-	2	6	78	402	742	294	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Parkinson's disease (332)													
All other, both sexes													
1998	611	-	-	-	-	2	-	3	26	104	271	205	-
1997	523	1	-	-	-	-	-	1	13	96	243	169	-
1996	494	-	-	-	-	-	-	2	22	109	221	140	-
1995	471	-	-	-	-	1	6	3	17	112	215	117	-
1994	443	-	-	-	-	1	-	3	14	106	208	111	-
1993	384	-	-	-	-	-	-	10	16	79	172	107	-
1992	335	-	-	-	-	-	2	2	9	76	168	78	-
1991	330	-	-	-	-	-	1	-	20	86	151	72	-
1990	336	-	-	-	-	-	-	3	10	88	168	66	1
1989	332	-	-	-	-	1	-	4	14	88	157	68	-
1988	279	-	-	-	-	-	-	1	16	79	130	53	-
1987	264	-	-	-	-	-	-	4	19	65	133	43	-
1986	229	-	-	-	-	-	-	1	9	72	102	45	-
1985	199	-	-	-	-	-	1	1	9	65	89	34	-
1984	212	-	-	-	-	-	1	2	20	70	94	25	-
1983	220	-	-	-	-	-	-	3	17	76	98	26	-
1982	163	-	-	-	-	-	-	1	14	61	63	24	-
1981	143	-	-	1	-	-	-	3	7	55	58	19	-
1980	144	-	-	-	-	-	-	2	12	39	72	19	-
1979	149	-	-	-	-	-	-	-	14	65	52	18	-
Parkinson's disease (332)													
All other, male													
1998	339	-	-	-	-	2	-	3	12	61	152	109	-
1997	317	1	-	-	-	-	-	1	6	66	150	93	-
1996	288	-	-	-	-	-	-	2	15	73	129	69	-
1995	271	-	-	-	-	-	5	2	12	69	121	62	-
1994	279	-	-	-	-	-	-	2	11	76	128	62	-
1993	248	-	-	-	-	-	-	5	11	53	112	67	-
1992	203	-	-	-	-	-	2	-	5	49	104	43	-
1991	193	-	-	-	-	-	1	-	14	52	92	34	-
1990	202	-	-	-	-	-	-	1	6	60	100	34	1
1989	201	-	-	-	-	-	-	-	10	63	95	33	-
1988	167	-	-	-	-	-	-	-	11	47	83	26	-
1987	166	-	-	-	-	-	-	2	10	43	90	21	-
1986	155	-	-	-	-	-	-	1	6	57	60	31	-
1985	119	-	-	-	-	-	-	-	8	38	55	18	-
1984	121	-	-	-	-	-	1	1	11	43	54	11	-
1983	131	-	-	-	-	-	-	1	10	48	57	15	-
1982	99	-	-	-	-	-	-	-	11	39	38	11	-
1981	82	-	-	1	-	-	-	-	2	34	38	7	-
1980	89	-	-	-	-	-	-	2	6	28	42	11	-
1979	86	-	-	-	-	-	-	-	7	36	32	11	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Parkinson's disease (332)													
All other, female													
1998	272	-	-	-	-	-	-	-	14	43	119	96	-
1997	206	-	-	-	-	-	-	-	7	30	93	76	-
1996	206	-	-	-	-	-	-	-	7	36	92	71	-
1995	200	-	-	-	-	1	1	1	5	43	94	55	-
1994	164	-	-	-	-	1	-	1	3	30	80	49	-
1993	136	-	-	-	-	-	-	5	5	26	60	40	-
1992	132	-	-	-	-	-	-	2	4	27	64	35	-
1991	137	-	-	-	-	-	-	-	6	34	59	38	-
1990	134	-	-	-	-	-	-	2	4	28	68	32	-
1989	131	-	-	-	-	1	-	4	4	25	62	35	-
1988	112	-	-	-	-	-	-	1	5	32	47	27	-
1987	98	-	-	-	-	-	-	2	9	22	43	22	-
1986	74	-	-	-	-	-	-	-	3	15	42	14	-
1985	80	-	-	-	-	-	1	1	1	27	34	16	-
1984	91	-	-	-	-	-	-	1	9	27	40	14	-
1983	89	-	-	-	-	-	-	2	7	28	41	11	-
1982	64	-	-	-	-	-	-	1	3	22	25	13	-
1981	61	-	-	-	-	-	-	3	5	21	20	12	-
1980	55	-	-	-	-	-	-	-	6	11	30	8	-
1979	63	-	-	-	-	-	-	-	7	29	20	7	-
Parkinson's disease (332)													
Black, both sexes													
1998	454	-	-	-	-	1	-	3	19	81	207	143	-
1997	369	1	-	-	-	-	-	1	8	74	163	122	-
1996	370	-	-	-	-	-	-	2	17	82	166	103	-
1995	349	-	-	-	-	1	6	3	13	84	157	85	-
1994	342	-	-	-	-	1	-	3	12	80	152	94	-
1993	291	-	-	-	-	-	-	9	14	63	134	71	-
1992	252	-	-	-	-	-	-	2	7	53	133	56	-
1991	258	-	-	-	-	-	1	-	19	67	116	55	-
1990	245	-	-	-	-	-	-	3	7	65	123	46	1
1989	265	-	-	-	-	1	-	3	12	73	125	51	-
1988	216	-	-	-	-	-	-	1	12	58	104	41	-
1987	200	-	-	-	-	-	-	3	13	50	103	31	-
1986	184	-	-	-	-	-	-	1	5	63	80	35	-
1985	158	-	-	-	-	-	1	-	7	55	68	27	-
1984	166	-	-	-	-	-	1	-	18	58	72	17	-
1983	176	-	-	-	-	-	-	3	14	59	83	17	-
1982	141	-	-	-	-	-	-	1	13	53	53	21	-
1981	125	-	-	-	-	-	-	2	7	48	53	15	-
1980	123	-	-	-	-	-	-	2	11	37	58	15	-
1979	119	-	-	-	-	-	-	-	11	56	42	10	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Parkinson's disease (332)													
Black, male													
1998	251	-	-	-	-	1	-	3	8	50	116	73	-
1997	215	1	-	-	-	-	-	1	3	52	98	60	-
1996	209	-	-	-	-	-	-	2	11	55	97	44	-
1995	202	-	-	-	-	-	5	2	9	49	92	45	-
1994	210	-	-	-	-	-	-	2	10	55	92	51	-
1993	185	-	-	-	-	-	-	5	10	41	89	40	-
1992	149	-	-	-	-	-	2	-	4	35	80	28	-
1991	145	-	-	-	-	-	1	-	14	44	63	23	-
1990	146	-	-	-	-	-	-	1	4	46	71	23	1
1989	158	-	-	-	-	-	-	-	9	50	74	25	-
1988	129	-	-	-	-	-	-	-	8	35	67	19	-
1987	126	-	-	-	-	-	-	2	6	35	68	15	-
1986	121	-	-	-	-	-	-	1	5	50	43	22	-
1985	91	-	-	-	-	-	-	-	6	30	40	15	-
1984	96	-	-	-	-	-	1	-	10	35	42	8	-
1983	102	-	-	-	-	-	-	1	10	35	46	10	-
1982	83	-	-	-	-	-	-	-	10	32	32	9	-
1981	74	-	-	-	-	-	-	-	2	31	35	6	-
1980	78	-	-	-	-	-	-	2	5	27	34	10	-
1979	65	-	-	-	-	-	-	-	5	30	26	4	-
Parkinson's disease (332)													
Black, female													
1998	203	-	-	-	-	-	-	-	11	31	91	70	-
1997	154	-	-	-	-	-	-	-	5	22	65	62	-
1996	161	-	-	-	-	-	-	-	6	27	69	59	-
1995	147	-	-	-	-	1	1	1	4	35	65	40	-
1994	132	-	-	-	-	1	-	1	2	25	60	43	-
1993	106	-	-	-	-	-	-	4	4	22	45	31	-
1992	103	-	-	-	-	-	-	1	3	18	53	28	-
1991	113	-	-	-	-	-	-	-	5	23	53	32	-
1990	99	-	-	-	-	-	-	2	3	19	52	23	-
1989	107	-	-	-	-	1	-	3	3	23	51	26	-
1988	87	-	-	-	-	-	-	1	4	23	37	22	-
1987	74	-	-	-	-	-	-	1	7	15	35	16	-
1986	63	-	-	-	-	-	-	-	-	13	37	13	-
1985	67	-	-	-	-	-	1	-	1	25	28	12	-
1984	70	-	-	-	-	-	-	-	8	23	30	9	-
1983	74	-	-	-	-	-	-	2	4	24	37	7	-
1982	58	-	-	-	-	-	-	1	3	21	21	12	-
1981	51	-	-	-	-	-	-	2	5	17	18	9	-
1980	45	-	-	-	-	-	-	-	6	10	24	5	-
1979	54	-	-	-	-	-	-	-	6	26	16	6	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Alzheimer's disease (331.0)													
All races, both sexes													
1998	22,725	-	1	-	-	-	9	39	259	1,907	8,367	12,142	1
1997	22,475	-	1	-	1	1	6	45	266	1,994	8,576	11,584	1
1996	21,397	-	-	-	-	-	5	29	286	2,049	8,319	10,709	-
1995	20,606	-	-	1	-	-	7	37	330	2,083	8,182	9,965	1
1994	18,584	1	-	-	-	-	6	36	323	2,063	7,285	8,869	1
1993	16,754	-	1	-	-	3	1	30	297	1,807	6,847	7,768	-
1992	14,435	-	-	-	-	1	1	26	271	1,779	5,877	6,480	-
1991	14,112	-	-	-	-	1	8	28	307	1,817	5,924	6,026	1
1990	13,744	-	-	-	1	1	4	37	310	1,847	5,868	5,675	1
1989	13,110	-	-	-	-	-	2	20	354	1,899	5,777	5,058	-
1988	12,281	-	-	-	-	-	5	32	402	1,983	5,495	4,363	1
1987	11,311	-	-	-	-	-	3	26	405	1,931	5,124	3,821	1
1986	9,426	-	-	-	-	1	4	27	410	1,859	4,280	2,843	2
1985	8,258	1	-	-	-	1	3	35	399	1,769	3,753	2,297	-
1984	6,250	-	-	1	-	-	9	30	364	1,540	2,755	1,551	-
1983	4,434	-	-	-	-	-	5	30	360	1,283	1,804	951	1
1982	2,627	1	-	-	-	-	3	33	329	823	1,000	437	1
1981	1,757	-	-	-	-	-	3	35	246	608	578	287	-
1980	1,314	-	-	-	-	1	5	28	243	497	370	170	-
1979	857	-	-	-	-	1	2	26	175	329	230	94	-
Alzheimer's disease (331.0)													
All races, male													
1998	7,054	-	1	-	-	-	3	17	120	833	3,169	2,911	-
1997	7,038	-	1	-	-	-	3	21	127	885	3,238	2,762	1
1996	6,971	-	-	-	-	-	3	11	122	925	3,249	2,661	-
1995	6,999	-	-	-	-	-	2	16	143	974	3,294	2,569	1
1994	6,377	1	-	-	-	-	4	16	154	966	2,916	2,320	-
1993	5,821	-	1	-	-	2	1	8	135	889	2,794	1,991	-
1992	5,097	-	-	-	-	-	1	10	130	832	2,442	1,682	-
1991	5,070	-	-	-	-	-	3	9	145	870	2,416	1,626	1
1990	4,992	-	-	-	-	1	3	21	145	915	2,371	1,536	-
1989	4,970	-	-	-	-	-	2	10	175	921	2,483	1,379	-
1988	4,732	-	-	-	-	-	3	19	192	938	2,345	1,235	-
1987	4,545	-	-	-	-	-	1	19	197	981	2,241	1,106	-
1986	3,862	-	-	-	-	1	1	12	198	940	1,865	845	-
1985	3,523	-	-	-	-	1	1	16	182	937	1,673	713	-
1984	2,803	-	-	1	-	-	3	16	168	809	1,287	519	-
1983	2,021	-	-	-	-	-	3	14	162	653	875	313	1
1982	1,208	-	-	-	-	-	1	14	164	416	477	135	1
1981	831	-	-	-	-	-	2	19	125	322	274	89	-
1980	653	-	-	-	-	-	1	10	116	292	170	64	-
1979	429	-	-	-	-	1	1	13	85	174	107	48	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Alzheimer's disease (331.0)													
All races, female													
1998	15,671	-	-	-	-	-	6	22	139	1,074	5,198	9,231	1
1997	15,437	-	-	-	1	1	3	24	139	1,109	5,338	8,822	-
1996	14,426	-	-	-	-	-	2	18	164	1,124	5,070	8,048	-
1995	13,607	-	-	1	-	-	5	21	187	1,109	4,888	7,396	-
1994	12,207	-	-	-	-	-	2	20	169	1,097	4,369	6,549	1
1993	10,933	-	-	-	-	1	-	22	162	918	4,053	5,777	-
1992	9,338	-	-	-	-	1	-	16	141	947	3,435	4,798	-
1991	9,042	-	-	-	-	1	5	19	162	947	3,508	4,400	-
1990	8,752	-	-	-	1	-	1	16	165	932	3,497	4,139	1
1989	8,140	-	-	-	-	-	-	10	179	978	3,294	3,679	-
1988	7,549	-	-	-	-	-	2	13	210	1,045	3,150	3,128	1
1987	6,766	-	-	-	-	-	2	7	208	950	2,883	2,715	1
1986	5,564	-	-	-	-	-	3	15	212	919	2,415	1,998	2
1985	4,735	1	-	-	-	-	2	19	217	832	2,080	1,584	-
1984	3,447	-	-	-	-	-	6	14	196	731	1,468	1,032	-
1983	2,413	-	-	-	-	-	2	16	198	630	929	638	-
1982	1,419	1	-	-	-	-	2	19	165	407	523	302	-
1981	926	-	-	-	-	-	1	16	121	286	304	198	-
1980	661	-	-	-	-	1	4	18	127	205	200	106	-
1979	428	-	-	-	-	-	1	13	90	155	123	46	-
Alzheimer's disease (331.0)													
White, both sexes													
1998	21,366	-	1	-	-	-	9	36	238	1,753	7,837	11,491	1
1997	21,192	-	1	-	-	1	6	43	244	1,832	8,077	10,988	-
1996	20,198	-	-	-	-	-	3	29	261	1,880	7,862	10,163	-
1995	19,405	-	-	1	-	-	7	32	301	1,932	7,676	9,455	1
1994	17,550	-	-	-	-	-	4	29	289	1,924	6,833	8,470	1
1993	15,826	-	1	-	-	2	1	26	266	1,685	6,448	7,397	-
1992	13,634	-	-	-	-	1	1	25	251	1,647	5,533	6,176	-
1991	13,401	-	-	-	-	1	7	27	277	1,703	5,603	5,782	1
1990	13,020	-	-	-	1	1	4	35	286	1,731	5,538	5,423	1
1989	12,443	-	-	-	-	-	2	19	317	1,781	5,463	4,861	-
1988	11,730	-	-	-	-	-	4	31	373	1,860	5,265	4,196	1
1987	10,801	-	-	-	-	-	3	23	374	1,824	4,894	3,682	1
1986	9,037	-	-	-	-	1	4	25	376	1,758	4,114	2,757	2
1985	7,917	1	-	-	-	1	3	32	367	1,664	3,631	2,218	-
1984	6,032	-	-	1	-	-	9	28	345	1,478	2,661	1,510	-
1983	4,256	-	-	-	-	-	5	29	340	1,232	1,737	912	1
1982	2,533	1	-	-	-	-	3	31	323	793	958	424	-
1981	1,691	-	-	-	-	-	3	33	235	587	557	276	-
1980	1,258	-	-	-	-	1	5	24	232	476	358	162	-
1979	818	-	-	-	-	1	2	24	162	314	225	90	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Alzheimer's disease (331.0)													
White, male													
1998	6,643	-	1	-	-	-	3	16	113	772	2,989	2,749	-
1997	6,579	-	1	-	-	-	3	21	118	816	3,036	2,584	-
1996	6,564	-	-	-	-	-	2	11	111	854	3,085	2,501	-
1995	6,579	-	-	-	-	-	2	15	133	901	3,094	2,433	1
1994	6,000	-	-	-	-	-	2	13	136	905	2,734	2,210	-
1993	5,466	-	1	-	-	2	1	7	121	828	2,631	1,875	-
1992	4,795	-	-	-	-	-	1	9	123	773	2,298	1,591	-
1991	4,787	-	-	-	-	-	3	8	133	816	2,277	1,549	1
1990	4,675	-	-	-	-	1	3	20	133	850	2,205	1,463	-
1989	4,692	-	-	-	-	-	2	10	159	859	2,339	1,323	-
1988	4,515	-	-	-	-	-	3	19	184	883	2,240	1,186	-
1987	4,329	-	-	-	-	-	1	17	179	929	2,145	1,058	-
1986	3,708	-	-	-	-	1	1	12	181	894	1,793	826	-
1985	3,383	-	-	-	-	1	1	14	165	883	1,625	694	-
1984	2,712	-	-	1	-	-	3	14	161	780	1,249	504	-
1983	1,935	-	-	-	-	-	3	14	154	626	836	301	1
1982	1,166	-	-	-	-	-	1	12	160	401	461	131	-
1981	797	-	-	-	-	-	2	18	118	309	264	86	-
1980	619	-	-	-	-	-	1	8	110	279	162	59	-
1979	408	-	-	-	-	1	1	12	79	166	105	44	-
Alzheimer's disease (331.0)													
White, female													
1998	14,723	-	-	-	-	-	6	20	125	981	4,848	8,742	1
1997	14,613	-	-	-	-	1	3	22	126	1,016	5,041	8,404	-
1996	13,634	-	-	-	-	-	1	18	150	1,026	4,777	7,662	-
1995	12,826	-	-	1	-	-	5	17	168	1,031	4,582	7,022	-
1994	11,550	-	-	-	-	-	2	16	153	1,019	4,099	6,260	1
1993	10,360	-	-	-	-	-	-	19	145	857	3,817	5,522	-
1992	8,839	-	-	-	-	1	-	16	128	874	3,235	4,585	-
1991	8,614	-	-	-	-	1	4	19	144	887	3,326	4,233	-
1990	8,345	-	-	-	1	-	1	15	153	881	3,333	3,960	1
1989	7,751	-	-	-	-	-	-	9	158	922	3,124	3,538	-
1988	7,215	-	-	-	-	-	1	12	189	977	3,025	3,010	1
1987	6,472	-	-	-	-	-	2	6	195	895	2,749	2,624	1
1986	5,329	-	-	-	-	-	3	13	195	864	2,321	1,931	2
1985	4,534	1	-	-	-	-	2	18	202	781	2,006	1,524	-
1984	3,320	-	-	-	-	-	6	14	184	698	1,412	1,006	-
1983	2,321	-	-	-	-	-	2	15	186	606	901	611	-
1982	1,367	1	-	-	-	-	2	19	163	392	497	293	-
1981	894	-	-	-	-	-	1	15	117	278	293	190	-
1980	639	-	-	-	-	1	4	16	122	197	196	103	-
1979	410	-	-	-	-	-	1	12	83	148	120	46	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Alzheimer's disease (331.0)													
All other, both sexes													
1998	1,359	-	-	-	-	-	-	3	21	154	530	651	-
1997	1,283	-	-	-	1	-	-	2	22	162	499	596	1
1996	1,199	-	-	-	-	-	2	-	25	169	457	546	-
1995	1,201	-	-	-	-	-	-	5	29	151	506	510	-
1994	1,034	1	-	-	-	-	2	7	34	139	452	399	-
1993	928	-	-	-	-	1	-	4	31	122	399	371	-
1992	801	-	-	-	-	-	-	1	20	132	344	304	-
1991	711	-	-	-	-	-	1	1	30	114	321	244	-
1990	724	-	-	-	-	-	-	2	24	116	330	252	-
1989	667	-	-	-	-	-	-	1	37	118	314	197	-
1988	551	-	-	-	-	-	1	1	29	123	230	167	-
1987	510	-	-	-	-	-	-	3	31	107	230	139	-
1986	389	-	-	-	-	-	-	2	34	101	166	86	-
1985	341	-	-	-	-	-	-	3	32	105	122	79	-
1984	218	-	-	-	-	-	-	2	19	62	94	41	-
1983	178	-	-	-	-	-	-	1	20	51	67	39	-
1982	94	-	-	-	-	-	-	2	6	30	42	13	1
1981	66	-	-	-	-	-	-	2	11	21	21	11	-
1980	56	-	-	-	-	-	-	4	11	21	12	8	-
1979	39	-	-	-	-	-	-	2	13	15	5	4	-
Alzheimer's disease (331.0)													
All other, male													
1998	411	-	-	-	-	-	-	1	7	61	180	162	-
1997	459	-	-	-	-	-	-	-	9	69	202	178	1
1996	407	-	-	-	-	-	1	-	11	71	164	160	-
1995	420	-	-	-	-	-	-	1	10	73	200	136	-
1994	377	1	-	-	-	-	2	3	18	61	182	110	-
1993	355	-	-	-	-	-	-	1	14	61	163	116	-
1992	302	-	-	-	-	-	-	1	7	59	144	91	-
1991	283	-	-	-	-	-	-	1	12	54	139	77	-
1990	317	-	-	-	-	-	-	1	12	65	166	73	-
1989	278	-	-	-	-	-	-	-	16	62	144	56	-
1988	217	-	-	-	-	-	-	-	8	55	105	49	-
1987	216	-	-	-	-	-	-	2	18	52	96	48	-
1986	154	-	-	-	-	-	-	-	17	46	72	19	-
1985	140	-	-	-	-	-	-	2	17	54	48	19	-
1984	91	-	-	-	-	-	-	2	7	29	38	15	-
1983	86	-	-	-	-	-	-	-	8	27	39	12	-
1982	42	-	-	-	-	-	-	2	4	15	16	4	1
1981	34	-	-	-	-	-	-	1	7	13	10	3	-
1980	34	-	-	-	-	-	-	2	6	13	8	5	-
1979	21	-	-	-	-	-	-	1	6	8	2	4	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Alzheimer's disease (331.0)													
All other, female													
1998	948	-	-	-	-	-	-	2	14	93	350	489	-
1997	824	-	-	-	1	-	-	2	13	93	297	418	-
1996	792	-	-	-	-	-	1	-	14	98	293	386	-
1995	781	-	-	-	-	-	-	4	19	78	306	374	-
1994	657	-	-	-	-	-	-	4	16	78	270	289	-
1993	573	-	-	-	-	1	-	3	17	61	236	255	-
1992	499	-	-	-	-	-	-	-	13	73	200	213	-
1991	428	-	-	-	-	-	1	-	18	60	182	167	-
1990	407	-	-	-	-	-	-	1	12	51	164	179	-
1989	389	-	-	-	-	-	-	1	21	56	170	141	-
1988	334	-	-	-	-	-	1	1	21	68	125	118	-
1987	294	-	-	-	-	-	-	1	13	55	134	91	-
1986	235	-	-	-	-	-	-	2	17	55	94	67	-
1985	201	-	-	-	-	-	-	1	15	51	74	60	-
1984	127	-	-	-	-	-	-	-	12	33	56	26	-
1983	92	-	-	-	-	-	-	1	12	24	28	27	-
1982	52	-	-	-	-	-	-	-	2	15	26	9	-
1981	32	-	-	-	-	-	-	1	4	8	11	8	-
1980	22	-	-	-	-	-	-	2	5	8	4	3	-
1979	18	-	-	-	-	-	-	1	7	7	3	-	-
Alzheimer's disease (331.0)													
Black, both sexes													
1998	1,209	-	-	-	-	-	-	3	18	130	492	566	-
1997	1,148	-	-	-	1	-	-	2	19	144	456	525	1
1996	1,083	-	-	-	-	-	1	-	25	155	412	490	-
1995	1,086	-	-	-	-	-	-	4	24	138	456	464	-
1994	926	1	-	-	-	-	2	5	31	120	412	355	-
1993	827	-	-	-	-	1	-	3	29	108	365	321	-
1992	730	-	-	-	-	-	-	1	18	122	314	275	-
1991	660	-	-	-	-	-	1	1	28	108	298	224	-
1990	662	-	-	-	-	-	-	1	22	107	303	229	-
1989	618	-	-	-	-	-	-	1	32	110	296	179	-
1988	499	-	-	-	-	-	-	1	28	112	212	146	-
1987	463	-	-	-	-	-	-	1	24	101	215	122	-
1986	347	-	-	-	-	-	-	1	28	94	150	74	-
1985	310	-	-	-	-	-	-	3	30	95	109	73	-
1984	197	-	-	-	-	-	-	2	18	55	85	37	-
1983	156	-	-	-	-	-	-	1	19	47	57	32	-
1982	87	-	-	-	-	-	-	2	6	27	39	13	-
1981	61	-	-	-	-	-	-	2	10	20	18	11	-
1980	53	-	-	-	-	-	-	4	10	19	12	8	-
1979	33	-	-	-	-	-	-	2	9	13	5	4	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Alzheimer's disease (331.0)													
Black, male													
1998	352	-	-	-	-	-	-	1	6	52	165	128	-
1997	404	-	-	-	-	-	-	-	8	62	187	146	1
1996	350	-	-	-	-	-	-	-	11	65	146	128	-
1995	374	-	-	-	-	-	-	1	10	64	179	120	-
1994	329	1	-	-	-	-	2	2	16	53	161	94	-
1993	308	-	-	-	-	-	-	1	14	54	147	92	-
1992	267	-	-	-	-	-	-	1	7	54	128	77	-
1991	265	-	-	-	-	-	-	1	11	54	130	69	-
1990	281	-	-	-	-	-	-	-	11	58	149	63	-
1989	259	-	-	-	-	-	-	-	15	57	137	50	-
1988	193	-	-	-	-	-	-	-	8	48	95	42	-
1987	193	-	-	-	-	-	-	1	15	49	89	39	-
1986	130	-	-	-	-	-	-	-	13	43	61	13	-
1985	121	-	-	-	-	-	-	2	15	45	42	17	-
1984	81	-	-	-	-	-	-	2	7	25	33	14	-
1983	74	-	-	-	-	-	-	-	8	23	34	9	-
1982	37	-	-	-	-	-	-	2	4	13	14	4	-
1981	30	-	-	-	-	-	-	1	7	12	7	3	-
1980	31	-	-	-	-	-	-	2	5	11	8	5	-
1979	18	-	-	-	-	-	-	1	5	6	2	4	-
Alzheimer's disease (331.0)													
Black, female													
1998	857	-	-	-	-	-	-	2	12	78	327	438	-
1997	744	-	-	-	1	-	-	2	11	82	269	379	-
1996	733	-	-	-	-	-	1	-	14	90	266	362	-
1995	712	-	-	-	-	-	-	3	14	74	277	344	-
1994	597	-	-	-	-	-	-	3	15	67	251	261	-
1993	519	-	-	-	-	1	-	2	15	54	218	229	-
1992	463	-	-	-	-	-	-	-	11	68	186	198	-
1991	395	-	-	-	-	-	1	-	17	54	168	155	-
1990	381	-	-	-	-	-	-	1	11	49	154	166	-
1989	359	-	-	-	-	-	-	1	17	53	159	129	-
1988	306	-	-	-	-	-	-	1	20	64	117	104	-
1987	270	-	-	-	-	-	-	-	9	52	126	83	-
1986	217	-	-	-	-	-	-	1	15	51	89	61	-
1985	189	-	-	-	-	-	-	1	15	50	67	56	-
1984	116	-	-	-	-	-	-	-	11	30	52	23	-
1983	82	-	-	-	-	-	-	1	11	24	23	23	-
1982	50	-	-	-	-	-	-	-	2	14	25	9	-
1981	31	-	-	-	-	-	-	1	3	8	11	8	-
1980	22	-	-	-	-	-	-	2	5	8	4	3	-
1979	15	-	-	-	-	-	-	1	4	7	3	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Major cardiovascular diseases (390-434,436-448)													
All races, both sexes													
1998	940,159	932	277	428	1,308	4,160	17,074	42,582	78,793	169,969	299,936	324,635	65
1997	943,749	903	277	413	1,373	4,240	16,829	42,770	79,609	175,499	300,618	321,143	75
1996	949,769	881	272	437	1,215	4,311	16,736	42,591	80,989	181,329	303,044	317,870	94
1995	951,015	901	315	388	1,294	4,473	17,232	41,648	82,021	187,246	301,860	313,533	104
1994	940,326	902	350	422	1,258	4,595	16,707	40,480	82,912	189,724	299,004	303,890	82
1993	947,760	893	350	409	1,272	4,610	16,410	39,272	85,744	194,865	303,006	300,832	97
1992	913,588	897	347	363	1,256	4,494	15,993	37,630	86,227	192,813	293,196	280,266	106
1991	916,001	881	397	384	1,285	4,517	15,576	36,468	88,815	196,302	295,136	276,116	124
1990	915,671	963	335	401	1,223	4,480	14,757	36,241	91,807	198,706	296,590	270,045	123
1989	931,516	924	332	396	1,248	4,643	14,781	36,830	96,155	203,427	301,827	270,837	116
1988	969,028	1,033	412	408	1,434	4,801	15,054	37,634	103,075	215,285	311,939	277,831	122
1987	963,245	1,094	383	416	1,394	4,861	15,176	38,598	105,915	217,466	307,320	270,492	130
1986	967,866	1,116	415	402	1,451	4,871	15,251	38,843	110,605	220,566	307,766	266,161	419
1985	977,478	1,084	363	426	1,502	4,567	14,852	40,543	114,814	224,222	309,686	265,060	359
1984	973,011	1,084	411	469	1,506	4,464	14,584	41,508	117,653	225,441	307,568	258,176	147
1983	980,736	1,119	407	431	1,505	4,428	14,131	43,234	120,470	229,300	308,952	256,596	163
1982	967,546	922	363	495	1,492	4,381	13,990	44,517	121,282	229,448	303,916	246,519	221
1981	972,675	916	393	430	1,539	4,499	14,124	46,959	124,084	231,176	302,916	245,465	174
1980	988,196	984	407	450	1,750	4,278	14,076	48,320	126,235	235,735	310,573	245,214	174
1979	958,001	872	321	417	1,600	4,205	14,105	49,821	126,395	230,259	300,421	229,412	173
Major cardiovascular diseases (390-434,436-448)													
All races, male													
1998	441,133	501	142	249	813	2,568	11,635	30,040	52,354	100,548	144,923	97,319	41
1997	445,592	505	162	231	825	2,637	11,529	30,290	53,063	104,480	145,006	96,810	54
1996	448,717	473	137	236	757	2,704	11,475	29,959	54,082	108,068	145,511	95,255	60
1995	450,389	482	179	223	797	2,877	11,982	29,701	54,700	111,871	144,467	93,052	58
1994	447,097	493	190	227	772	2,816	11,550	28,822	55,541	113,684	142,500	90,453	49
1993	452,290	497	193	217	771	2,938	11,409	27,903	57,444	116,721	144,591	89,552	54
1992	439,184	501	180	210	796	2,838	11,258	26,770	57,780	115,407	139,338	84,041	65
1991	441,560	493	213	206	793	2,838	10,989	25,953	59,699	117,957	139,913	82,422	84
1990	442,609	541	165	215	757	2,824	10,544	25,765	61,635	119,037	140,352	80,703	71
1989	450,880	510	187	206	751	2,994	10,530	26,344	64,784	121,992	141,715	80,801	66
1988	470,728	576	207	235	895	3,141	10,746	26,717	69,173	129,078	146,324	83,568	68
1987	469,929	629	203	231	849	3,097	10,914	27,547	71,206	129,877	143,846	81,452	78
1986	475,446	639	217	215	885	3,150	10,986	27,695	74,884	131,999	144,020	80,611	145
1985	484,897	630	189	202	902	2,986	10,601	29,288	78,207	134,823	145,277	81,662	130
1984	484,863	598	219	245	893	2,913	10,456	29,994	80,062	134,884	143,545	80,973	81
1983	492,173	635	225	228	894	2,925	10,109	31,174	82,016	138,155	144,376	81,355	81
1982	489,049	549	204	251	886	2,855	9,965	32,296	82,966	138,247	141,337	79,372	121
1981	494,051	510	202	232	908	2,850	10,038	33,978	84,903	139,116	141,490	79,727	97
1980	503,599	566	216	228	1,075	2,707	10,006	35,072	86,788	141,741	143,838	81,260	102
1979	494,112	508	170	219	946	2,695	9,996	36,358	87,505	139,178	139,516	76,911	110

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Major cardiovascular diseases (390-434,436-448)													
All races, female													
1998	499,026	431	135	179	495	1,592	5,439	12,542	26,439	69,421	155,013	227,316	24
1997	498,157	398	115	182	548	1,603	5,300	12,480	26,546	71,019	155,612	224,333	21
1996	501,052	408	135	201	458	1,607	5,261	12,632	26,907	73,261	157,533	222,615	34
1995	500,626	419	136	165	497	1,596	5,250	11,947	27,321	75,375	157,393	220,481	46
1994	493,229	409	160	195	486	1,779	5,157	11,658	27,371	76,040	156,504	213,437	33
1993	495,470	396	157	192	501	1,672	5,001	11,369	28,300	78,144	158,415	211,280	43
1992	474,404	396	167	153	460	1,656	4,735	10,860	28,447	77,406	153,858	196,225	41
1991	474,441	388	184	178	492	1,679	4,587	10,515	29,116	78,345	155,223	193,694	40
1990	473,062	422	170	186	466	1,656	4,213	10,476	30,172	79,669	156,238	189,342	52
1989	480,636	414	145	190	497	1,649	4,251	10,486	31,371	81,435	160,112	190,036	50
1988	498,300	457	205	173	539	1,660	4,308	10,917	33,902	86,207	165,615	194,263	54
1987	493,316	465	180	185	545	1,764	4,262	11,051	34,709	87,589	163,474	189,040	52
1986	492,420	477	198	187	566	1,721	4,265	11,148	35,721	88,567	163,746	185,550	274
1985	492,581	454	174	224	600	1,581	4,251	11,255	36,607	89,399	164,409	183,398	229
1984	488,148	486	192	224	613	1,551	4,128	11,514	37,591	90,557	164,023	177,203	66
1983	488,563	484	182	203	611	1,503	4,022	12,060	38,454	91,145	164,576	175,241	82
1982	478,497	373	159	244	606	1,526	4,025	12,221	38,316	91,201	162,579	167,147	100
1981	478,624	406	191	198	631	1,649	4,086	12,981	39,181	92,060	161,426	165,738	77
1980	484,597	418	191	222	675	1,571	4,070	13,248	39,447	93,994	166,735	163,954	72
1979	463,889	364	151	198	654	1,510	4,109	13,463	38,890	91,081	160,905	152,501	63
Major cardiovascular diseases (390-434,436-448)													
White, both sexes													
1998	821,466	620	174	297	869	2,767	11,939	31,667	62,198	144,037	268,407	298,456	35
1997	827,096	632	183	292	915	2,895	11,748	31,983	63,013	149,329	270,233	295,822	51
1996	833,005	596	175	309	797	2,886	11,730	32,037	64,417	154,761	272,164	293,065	68
1995	834,009	622	191	268	806	3,027	12,103	31,421	65,543	159,753	271,008	289,193	74
1994	826,140	596	222	309	827	3,044	11,561	30,550	66,831	162,574	268,692	280,881	53
1993	832,732	601	229	286	848	3,090	11,417	29,775	68,892	167,262	272,460	277,821	51
1992	803,705	592	227	250	842	2,980	11,167	28,620	69,667	166,027	264,086	259,179	68
1991	805,982	575	251	271	874	3,017	10,926	27,712	72,207	169,047	265,459	255,553	90
1990	807,379	606	218	294	819	2,984	10,381	27,640	75,054	171,779	267,423	250,113	68
1989	820,516	619	214	273	844	3,127	10,441	27,853	78,370	175,909	271,787	251,003	76
1988	856,018	694	285	305	1,002	3,185	10,744	28,821	84,611	187,118	280,979	258,196	78
1987	853,140	775	255	303	962	3,262	10,997	29,862	87,857	189,363	277,735	251,686	83
1986	858,462	773	277	295	1,006	3,216	11,120	30,165	92,218	192,734	278,402	247,905	351
1985	868,777	752	235	311	1,044	3,058	10,913	31,812	96,054	195,875	280,644	247,775	304
1984	867,015	759	285	347	1,059	3,014	10,810	32,788	98,947	197,466	279,433	242,014	93
1983	874,744	762	292	314	1,058	3,034	10,535	34,351	101,375	201,110	281,075	240,738	100
1982	865,464	639	253	379	1,074	3,004	10,482	35,589	102,756	202,187	277,409	231,548	144
1981	870,013	647	282	325	1,082	3,076	10,543	37,648	105,294	203,751	276,815	230,445	105
1980	883,219	680	275	332	1,205	2,863	10,406	38,812	107,394	207,407	283,601	230,139	105
1979	858,578	574	219	326	1,154	2,901	10,538	40,267	108,060	202,880	275,518	216,028	113

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Major cardiovascular diseases (390-434,436-448)													
White, male													
1998	384,394	341	86	178	540	1,760	8,546	23,186	42,439	87,032	131,057	89,208	21
1997	389,572	361	97	172	556	1,849	8,469	23,440	43,099	90,799	131,725	88,968	37
1996	392,777	321	98	166	499	1,898	8,504	23,350	44,220	94,131	132,071	87,476	43
1995	393,746	335	108	155	501	1,989	8,825	23,161	44,925	97,346	130,936	85,423	42
1994	392,014	335	123	164	521	1,939	8,399	22,536	46,062	99,393	129,295	83,216	31
1993	396,730	345	131	150	510	2,023	8,340	21,942	47,472	102,154	131,360	82,275	28
1992	385,692	337	114	144	531	1,951	8,280	21,180	48,160	101,184	126,479	77,291	41
1991	387,689	325	128	144	546	1,962	8,045	20,454	49,915	103,601	126,780	75,730	59
1990	389,712	338	103	168	525	1,952	7,757	20,388	51,903	104,882	127,480	74,180	36
1989	396,606	356	119	150	526	2,105	7,770	20,626	54,394	107,527	128,631	74,360	42
1988	415,103	395	139	175	628	2,136	8,028	21,259	58,385	114,219	132,565	77,128	46
1987	415,268	452	138	173	597	2,150	8,170	22,087	60,663	115,037	130,504	75,247	50
1986	421,089	454	145	164	629	2,144	8,321	22,328	64,041	117,429	130,844	74,477	113
1985	430,629	442	126	150	642	2,049	8,097	23,819	67,268	119,858	132,267	75,811	100
1984	431,771	421	152	177	634	2,027	8,078	24,550	69,098	120,176	131,040	75,367	51
1983	438,960	436	160	165	645	2,068	7,865	25,662	70,886	123,331	131,901	75,790	51
1982	437,161	397	144	191	660	2,033	7,765	26,816	72,084	123,624	129,350	74,023	74
1981	441,923	358	144	180	642	1,990	7,788	28,239	73,819	124,681	129,662	74,362	58
1980	449,980	408	141	175	743	1,877	7,708	29,215	75,648	126,827	131,526	75,651	61
1979	442,730	342	115	180	701	1,948	7,762	30,443	76,556	124,638	128,025	71,947	73
Major cardiovascular diseases (390-434,436-448)													
White, female													
1998	437,072	279	88	119	329	1,007	3,393	8,481	19,759	57,005	137,350	209,248	14
1997	437,524	271	86	120	359	1,046	3,279	8,543	19,914	58,530	138,508	206,854	14
1996	440,228	275	77	143	298	988	3,226	8,687	20,197	60,630	140,093	205,589	25
1995	440,263	287	83	113	305	1,038	3,278	8,260	20,618	62,407	140,072	203,770	32
1994	434,126	261	99	145	306	1,105	3,162	8,014	20,769	63,181	139,397	197,665	22
1993	436,002	256	98	136	338	1,067	3,077	7,833	21,420	65,108	141,100	195,546	23
1992	418,013	255	113	106	311	1,029	2,887	7,440	21,507	64,843	137,607	181,888	27
1991	418,293	250	123	127	328	1,055	2,881	7,258	22,292	65,446	138,679	179,823	31
1990	417,667	268	115	126	294	1,032	2,624	7,252	23,151	66,897	139,943	175,933	32
1989	423,910	263	95	123	318	1,022	2,671	7,227	23,976	68,382	143,156	176,643	34
1988	440,915	299	146	130	374	1,049	2,716	7,562	26,226	72,899	148,414	181,068	32
1987	437,872	323	117	130	365	1,112	2,827	7,775	27,194	74,326	147,231	176,439	33
1986	437,373	319	132	131	377	1,072	2,799	7,837	28,177	75,305	147,558	173,428	238
1985	438,148	310	109	161	402	1,009	2,816	7,993	28,786	76,017	148,377	171,964	204
1984	435,244	338	133	170	425	987	2,732	8,238	29,849	77,290	148,393	166,647	42
1983	435,784	326	132	149	413	966	2,670	8,689	30,489	77,779	149,174	164,948	49
1982	428,303	242	109	188	414	971	2,717	8,773	30,672	78,563	148,059	157,525	70
1981	428,090	289	138	145	440	1,086	2,755	9,409	31,475	79,070	147,153	156,083	47
1980	433,239	272	134	157	462	986	2,698	9,597	31,746	80,580	152,075	154,488	44
1979	415,848	232	104	146	453	953	2,776	9,824	31,504	78,242	147,493	144,081	40

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	Age not stated												
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Major cardiovascular diseases (390-434,436-448)													
All other, both sexes													
1998	118,693	312	103	131	439	1,393	5,135	10,915	16,595	25,932	31,529	26,179	30
1997	116,653	271	94	121	458	1,345	5,081	10,787	16,596	26,170	30,385	25,321	24
1996	116,764	285	97	128	418	1,425	5,006	10,554	16,572	26,568	30,880	24,805	26
1995	117,006	279	124	120	488	1,446	5,129	10,227	16,478	27,493	30,852	24,340	30
1994	114,186	306	128	113	431	1,551	5,146	9,930	16,081	27,150	30,312	23,009	29
1993	115,028	292	121	123	424	1,520	4,993	9,497	16,852	27,603	30,546	23,011	46
1992	109,883	305	120	113	414	1,514	4,826	9,010	16,560	26,786	29,110	21,087	38
1991	110,019	306	146	113	411	1,500	4,650	8,756	16,608	27,255	29,677	20,563	34
1990	108,292	357	117	107	404	1,496	4,376	8,601	16,753	26,927	29,167	19,932	55
1989	111,000	305	118	123	404	1,516	4,340	8,977	17,785	27,518	30,040	19,834	40
1988	113,010	339	127	103	432	1,616	4,310	8,813	18,464	28,167	30,960	19,635	44
1987	110,105	319	128	113	432	1,599	4,179	8,736	18,058	28,103	29,585	18,806	47
1986	109,404	343	138	107	445	1,655	4,131	8,678	18,387	27,832	29,364	18,256	68
1985	108,701	332	128	115	458	1,509	3,939	8,731	18,760	28,347	29,042	17,285	55
1984	105,996	325	126	122	447	1,450	3,774	8,720	18,706	27,975	28,135	16,162	54
1983	105,992	357	115	117	447	1,394	3,596	8,883	19,095	28,190	27,877	15,858	63
1982	102,082	283	110	116	418	1,377	3,508	8,928	18,526	27,261	26,507	14,971	77
1981	102,662	269	111	105	457	1,423	3,581	9,311	18,790	27,425	26,101	15,020	69
1980	104,977	304	132	118	545	1,415	3,670	9,508	18,841	28,328	26,972	15,075	69
1979	99,423	298	102	91	446	1,304	3,567	9,554	18,335	27,379	24,903	13,384	60
Major cardiovascular diseases (390-434,436-448)													
All other, male													
1998	56,739	160	56	71	273	808	3,089	6,854	9,915	13,516	13,866	8,111	20
1997	56,020	144	65	59	269	788	3,060	6,850	9,964	13,681	13,281	7,842	17
1996	55,940	152	39	70	258	806	2,971	6,609	9,862	13,937	13,440	7,779	17
1995	56,643	147	71	68	296	888	3,157	6,540	9,775	14,525	13,531	7,629	16
1994	55,083	158	67	63	251	877	3,151	6,286	9,479	14,291	13,205	7,237	18
1993	55,560	152	62	67	261	915	3,069	5,961	9,972	14,567	13,231	7,277	26
1992	53,492	164	66	66	265	887	2,978	5,590	9,620	14,223	12,859	6,750	24
1991	53,871	168	85	62	247	876	2,944	5,499	9,784	14,356	13,133	6,692	25
1990	52,897	203	62	47	232	872	2,787	5,377	9,732	14,155	12,872	6,523	35
1989	54,274	154	68	56	225	889	2,760	5,718	10,390	14,465	13,084	6,441	24
1988	55,625	181	68	60	267	1,005	2,718	5,458	10,788	14,859	13,759	6,440	22
1987	54,661	177	65	58	252	947	2,744	5,460	10,543	14,840	13,342	6,205	28
1986	54,357	185	72	51	256	1,006	2,665	5,367	10,843	14,570	13,176	6,134	32
1985	54,268	188	63	52	260	937	2,504	5,469	10,939	14,965	13,010	5,851	30
1984	53,092	177	67	68	259	886	2,378	5,444	10,964	14,708	12,505	5,606	30
1983	53,213	199	65	63	249	857	2,244	5,512	11,130	14,824	12,475	5,565	30
1982	51,888	152	60	60	226	822	2,200	5,480	10,882	14,623	11,987	5,349	47
1981	52,128	152	58	52	266	860	2,250	5,739	11,084	14,435	11,828	5,365	39
1980	53,619	158	75	53	332	830	2,298	5,857	11,140	14,914	12,312	5,609	41
1979	51,382	166	55	39	245	747	2,234	5,915	10,949	14,540	11,491	4,964	37

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Major cardiovascular diseases (390-434,436-448)													
All other, female													
1998	61,954	152	47	60	166	585	2,046	4,061	6,680	12,416	17,663	18,068	10
1997	60,633	127	29	62	189	557	2,021	3,937	6,632	12,489	17,104	17,479	7
1996	60,824	133	58	58	160	619	2,035	3,945	6,710	12,631	17,440	17,026	9
1995	60,363	132	53	52	192	558	1,972	3,687	6,703	12,968	17,321	16,711	14
1994	59,103	148	61	50	180	674	1,995	3,644	6,602	12,859	17,107	15,772	11
1993	59,468	140	59	56	163	605	1,924	3,536	6,880	13,036	17,315	15,734	20
1992	56,391	141	54	47	149	627	1,848	3,420	6,940	12,563	16,251	14,337	14
1991	56,148	138	61	51	164	624	1,706	3,257	6,824	12,899	16,544	13,871	9
1990	55,395	154	55	60	172	624	1,589	3,224	7,021	12,772	16,295	13,409	20
1989	56,726	151	50	67	179	627	1,580	3,259	7,395	13,053	16,956	13,393	16
1988	57,385	158	59	43	165	611	1,592	3,355	7,676	13,308	17,201	13,195	22
1987	55,444	142	63	55	180	652	1,435	3,276	7,515	13,263	16,243	12,601	19
1986	55,047	158	66	56	189	649	1,466	3,311	7,544	13,262	16,188	12,122	36
1985	54,433	144	65	63	198	572	1,435	3,262	7,821	13,382	16,032	11,434	25
1984	52,904	148	59	54	188	564	1,396	3,276	7,742	13,267	15,630	10,556	24
1983	52,779	158	50	54	198	537	1,352	3,371	7,965	13,366	15,402	10,293	33
1982	50,194	131	50	56	192	555	1,308	3,448	7,644	12,638	14,520	9,622	30
1981	50,534	117	53	53	191	563	1,331	3,572	7,706	12,990	14,273	9,655	30
1980	51,358	146	57	65	213	585	1,372	3,651	7,701	13,414	14,660	9,466	28
1979	48,041	132	47	52	201	557	1,333	3,639	7,386	12,839	13,412	8,420	23
Major cardiovascular diseases (390-434,436-448)													
Black, both sexes													
1998	103,422	266	85	116	388	1,272	4,696	9,828	14,728	22,638	26,987	22,390	28
1997	101,956	235	86	110	404	1,200	4,611	9,720	14,704	22,911	26,116	21,837	22
1996	102,588	248	81	109	380	1,300	4,555	9,514	14,798	23,366	26,764	21,447	26
1995	103,492	246	111	102	435	1,314	4,719	9,257	14,736	24,333	26,977	21,234	28
1994	101,164	271	115	97	379	1,419	4,710	8,970	14,399	24,077	26,604	20,096	27
1993	102,707	244	99	103	387	1,391	4,582	8,659	15,257	24,757	26,960	20,228	40
1992	98,267	278	107	95	371	1,385	4,459	8,212	14,951	24,011	25,752	18,609	37
1991	99,026	276	130	101	365	1,393	4,314	8,038	15,080	24,649	26,483	18,166	31
1990	98,043	309	103	90	372	1,376	4,042	7,903	15,329	24,433	26,235	17,800	51
1989	100,876	270	100	105	372	1,423	4,032	8,237	16,330	25,164	27,124	17,681	38
1988	103,407	300	110	91	407	1,513	4,031	8,148	17,054	25,837	28,167	17,708	41
1987	100,896	277	114	97	396	1,481	3,877	8,069	16,690	25,887	26,997	16,967	44
1986	100,875	311	121	93	402	1,544	3,871	8,033	17,168	25,802	26,862	16,609	59
1985	100,268	294	117	98	422	1,425	3,663	8,176	17,493	26,284	26,574	15,677	45
1984	98,136	297	107	108	408	1,346	3,529	8,129	17,490	26,107	25,882	14,684	49
1983	98,496	323	98	97	415	1,306	3,333	8,341	17,929	26,351	25,767	14,494	42
1982	95,057	240	100	103	388	1,280	3,280	8,397	17,464	25,511	24,522	13,706	66
1981	96,269	238	95	100	423	1,335	3,374	8,793	17,821	25,887	24,311	13,832	60
1980	98,478	280	117	103	503	1,339	3,446	9,004	17,904	26,718	25,131	13,868	65
1979	93,349	268	91	85	410	1,213	3,368	9,099	17,417	25,856	23,194	12,293	55

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	Age not stated												
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Major cardiovascular diseases (390-434,436-448)													
Black, male													
1998	48,372	139	48	63	245	725	2,762	6,078	8,658	11,687	11,494	6,455	18
1997	47,934	125	62	58	240	691	2,752	6,098	8,719	11,805	11,101	6,268	15
1996	48,175	133	34	58	235	721	2,645	5,881	8,701	12,116	11,357	6,277	17
1995	49,166	133	67	58	259	799	2,864	5,883	8,680	12,666	11,499	6,244	14
1994	47,813	139	58	54	220	780	2,858	5,600	8,412	12,468	11,300	5,907	17
1993	48,649	121	49	56	236	823	2,777	5,391	8,985	12,888	11,246	6,054	23
1992	46,954	153	60	55	232	804	2,724	5,035	8,592	12,599	11,007	5,670	23
1991	47,645	148	75	55	218	809	2,711	5,013	8,807	12,816	11,337	5,633	23
1990	47,194	175	56	41	208	792	2,548	4,900	8,857	12,702	11,265	5,618	32
1989	48,499	133	58	50	208	833	2,549	5,213	9,483	13,067	11,398	5,484	23
1988	50,080	158	57	54	247	937	2,525	5,014	9,883	13,444	12,163	5,576	22
1987	49,193	150	61	52	230	862	2,524	5,006	9,635	13,467	11,765	5,416	25
1986	49,371	170	65	43	231	926	2,480	4,926	10,043	13,331	11,686	5,441	29
1985	49,367	165	57	44	240	876	2,327	5,076	10,140	13,688	11,529	5,199	26
1984	48,482	161	57	59	230	818	2,216	5,048	10,204	13,554	11,123	4,984	28
1983	48,799	177	56	55	232	788	2,054	5,152	10,366	13,646	11,251	4,999	23
1982	47,623	129	52	53	210	760	2,036	5,121	10,184	13,491	10,751	4,797	39
1981	48,305	134	51	51	246	806	2,115	5,385	10,454	13,415	10,760	4,854	34
1980	49,603	145	68	50	303	787	2,135	5,506	10,490	13,836	11,220	5,024	39
1979	47,655	147	49	38	224	694	2,100	5,595	10,305	13,513	10,488	4,468	34
Major cardiovascular diseases (390-434,436-448)													
Black, female													
1998	55,050	127	37	53	143	547	1,934	3,750	6,070	10,951	15,493	15,935	10
1997	54,022	110	24	52	164	509	1,859	3,622	5,985	11,106	15,015	15,569	7
1996	54,413	115	47	51	145	579	1,910	3,633	6,097	11,250	15,407	15,170	9
1995	54,326	113	44	44	176	515	1,855	3,374	6,056	11,667	15,478	14,990	14
1994	53,351	132	57	43	159	639	1,852	3,370	5,987	11,609	15,304	14,189	10
1993	54,058	123	50	47	151	568	1,805	3,268	6,272	11,869	15,714	14,174	17
1992	51,313	125	47	40	139	581	1,735	3,177	6,359	11,412	14,745	12,939	14
1991	51,381	128	55	46	147	584	1,603	3,025	6,273	11,833	15,146	12,533	8
1990	50,849	134	47	49	164	584	1,494	3,003	6,472	11,731	14,970	12,182	19
1989	52,377	137	42	55	164	590	1,483	3,024	6,847	12,097	15,726	12,197	15
1988	53,327	142	53	37	160	576	1,506	3,134	7,171	12,393	16,004	12,132	19
1987	51,703	127	53	45	166	619	1,353	3,063	7,055	12,420	15,232	11,551	19
1986	51,504	141	56	50	171	618	1,391	3,107	7,125	12,471	15,176	11,168	30
1985	50,901	129	60	54	182	549	1,336	3,100	7,353	12,596	15,045	10,478	19
1984	49,654	136	50	49	178	528	1,313	3,081	7,286	12,553	14,759	9,700	21
1983	49,697	146	42	42	183	518	1,279	3,189	7,563	12,705	14,516	9,495	19
1982	47,434	111	48	50	178	520	1,244	3,276	7,280	12,020	13,771	8,909	27
1981	47,964	104	44	49	177	529	1,259	3,408	7,367	12,472	13,551	8,978	26
1980	48,875	135	49	53	200	552	1,311	3,498	7,414	12,882	13,911	8,844	26
1979	45,694	121	42	47	186	519	1,268	3,504	7,112	12,343	12,706	7,825	21

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Diseases of heart (390-398,402,404,410-429)													
All races, female													
1998	370,962	297	100	135	385	1,136	3,868	9,341	20,645	53,020	113,580	168,436	19
1997	370,376	273	93	133	424	1,141	3,658	9,323	20,800	54,159	114,408	165,945	19
1996	373,286	290	106	153	353	1,129	3,673	9,408	21,197	56,255	116,281	164,414	27
1995	374,849	314	115	131	380	1,140	3,656	8,902	21,499	58,106	116,894	163,670	42
1994	371,133	316	139	153	361	1,249	3,611	8,729	21,604	59,020	116,998	158,929	24
1993	375,981	296	132	154	354	1,182	3,545	8,487	22,485	61,302	119,764	158,246	34
1992	360,161	333	135	124	342	1,149	3,243	8,140	22,560	60,748	116,358	146,994	35
1991	361,048	308	154	130	349	1,142	3,183	7,843	23,258	61,607	118,039	145,002	33
1990	359,270	352	141	139	329	1,070	2,854	7,817	24,062	62,534	118,692	141,235	45
1989	365,665	351	120	144	348	1,100	2,940	7,871	25,116	64,168	121,984	141,488	35
1988	379,754	385	176	129	381	1,110	2,998	8,275	27,344	68,238	126,028	144,647	43
1987	375,136	405	155	145	389	1,188	2,917	8,413	27,967	69,425	124,103	139,988	41
1986	374,578	419	177	140	400	1,173	2,966	8,458	28,747	70,142	124,651	137,097	208
1985	372,961	396	149	166	409	1,051	2,950	8,584	29,627	71,024	124,297	134,137	171
1984	368,017	429	163	162	424	997	2,844	8,696	30,239	71,891	123,431	128,697	44
1983	367,705	417	159	143	407	1,014	2,782	9,170	30,980	72,306	123,596	126,675	56
1982	357,022	316	136	182	425	988	2,810	9,209	30,747	71,831	120,823	119,480	75
1981	353,349	348	164	143	407	1,042	2,782	9,795	31,248	71,833	118,792	116,728	67
1980	355,424	346	155	160	441	993	2,796	9,966	31,431	73,114	121,401	114,561	60
1979	336,863	287	127	139	422	972	2,814	10,053	30,707	70,020	116,355	104,915	52
Diseases of heart (390-398,402,404,410-429)													
White, both sexes													
1998	635,549	405	136	224	693	2,138	9,702	26,733	52,095	115,449	203,633	224,310	31
1997	639,225	442	140	221	718	2,236	9,532	27,081	53,006	119,471	205,088	221,244	46
1996	645,514	419	135	226	610	2,239	9,527	26,986	54,302	124,693	207,037	219,280	60
1995	649,089	450	153	196	629	2,338	9,824	26,602	55,308	128,911	207,296	217,313	69
1994	646,056	441	173	237	640	2,324	9,461	26,020	56,640	132,036	206,356	211,682	46
1993	655,365	432	190	215	635	2,374	9,355	25,343	58,627	136,640	211,101	210,410	43
1992	633,487	477	179	188	629	2,273	9,110	24,425	59,351	135,778	204,825	196,198	54
1991	636,805	463	210	190	659	2,314	8,939	23,655	61,799	138,220	206,610	193,667	79
1990	637,364	501	181	226	603	2,189	8,551	23,618	64,201	140,503	207,956	188,775	60
1989	648,866	517	179	197	631	2,346	8,577	23,943	67,133	144,406	211,814	189,063	60
1988	678,526	594	242	240	734	2,403	8,854	24,859	72,818	154,284	218,799	194,628	71
1987	675,732	676	206	230	727	2,458	9,089	25,870	75,645	156,174	215,858	188,729	70
1986	681,363	691	243	222	749	2,451	9,299	26,176	79,611	159,149	216,895	185,596	281
1985	688,152	642	192	224	760	2,324	9,114	27,698	83,039	161,814	217,847	184,260	238
1984	684,511	668	242	256	763	2,257	8,955	28,411	85,576	163,144	215,822	178,344	73
1983	689,749	650	244	233	731	2,284	8,834	29,909	87,751	166,346	215,926	176,759	82
1982	678,837	543	214	269	787	2,228	8,817	30,947	88,967	166,007	211,795	168,152	111
1981	677,449	546	239	240	743	2,247	8,760	32,825	90,777	166,411	209,357	165,216	88
1980	683,347	556	224	241	818	2,069	8,648	33,697	92,475	168,783	212,122	163,624	90
1979	660,154	459	178	223	797	2,128	8,734	34,969	92,750	163,795	204,593	151,435	93

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	Age not stated												
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Diseases of heart (390-398,402,404,410-429)													
White, male													
1998	309,952	215	70	136	434	1,418	7,275	20,301	36,531	71,728	102,776	69,049	19
1997	313,316	257	71	135	446	1,500	7,208	20,588	37,200	74,605	103,146	68,126	34
1996	316,889	222	78	118	392	1,557	7,245	20,451	38,275	77,859	103,355	67,297	40
1995	318,751	236	82	106	404	1,604	7,521	20,431	38,885	80,548	103,066	65,830	38
1994	318,543	242	90	123	420	1,551	7,212	19,924	40,109	82,692	101,853	64,297	30
1993	323,802	251	110	106	411	1,611	7,155	19,424	41,444	85,244	104,198	63,824	24
1992	315,483	263	89	107	401	1,558	7,132	18,777	42,166	84,584	100,523	59,851	32
1991	317,642	265	108	99	426	1,587	6,940	18,177	43,761	86,443	100,865	58,919	52
1990	319,362	280	89	132	397	1,527	6,745	18,126	45,541	87,705	101,355	57,433	32
1989	325,397	298	102	108	407	1,658	6,713	18,443	47,716	90,177	102,285	57,455	35
1988	341,519	339	117	142	479	1,698	6,962	19,082	51,354	96,099	105,547	59,656	44
1987	342,063	388	108	131	470	1,714	7,148	19,862	53,492	96,848	103,799	58,061	42
1986	347,967	407	124	126	490	1,726	7,329	20,175	56,696	99,076	104,267	57,457	94
1985	355,374	371	103	107	490	1,649	7,139	21,507	59,468	100,927	105,175	58,354	84
1984	355,454	375	130	134	468	1,612	7,080	22,123	61,320	101,161	103,691	57,316	44
1983	360,951	369	128	127	463	1,635	6,982	23,200	62,877	104,087	103,553	57,483	47
1982	358,308	333	121	135	501	1,598	6,908	24,275	64,049	103,587	101,274	55,465	62
1981	360,386	294	123	135	468	1,557	6,883	25,621	65,381	104,037	100,654	55,186	47
1980	364,679	335	116	133	525	1,456	6,808	26,369	66,857	105,438	100,983	55,608	51
1979	357,378	278	93	122	508	1,519	6,849	27,542	67,606	103,027	97,583	52,189	62
Diseases of heart (390-398,402,404,410-429)													
White, female													
1998	325,597	190	66	88	259	720	2,427	6,432	15,564	43,721	100,857	155,261	12
1997	325,909	185	69	86	272	736	2,324	6,493	15,806	44,866	101,942	153,118	12
1996	328,625	197	57	108	218	682	2,282	6,535	16,027	46,834	103,682	151,983	20
1995	330,338	214	71	90	225	734	2,303	6,171	16,423	48,363	104,230	151,483	31
1994	327,513	199	83	114	220	773	2,249	6,096	16,531	49,344	104,503	147,385	16
1993	331,563	181	80	109	224	763	2,200	5,919	17,183	51,396	106,903	146,586	19
1992	318,004	214	90	81	228	715	1,978	5,648	17,185	51,194	104,302	136,347	22
1991	319,163	198	102	91	233	727	1,999	5,478	18,038	51,777	105,745	134,748	27
1990	318,002	221	92	94	206	662	1,806	5,492	18,660	52,798	106,601	131,342	28
1989	323,469	219	77	89	224	688	1,864	5,500	19,417	54,229	109,529	131,608	25
1988	337,007	255	125	98	255	705	1,892	5,777	21,464	58,185	113,252	134,972	27
1987	333,669	288	98	99	257	744	1,941	6,008	22,153	59,326	112,059	130,668	28
1986	333,396	284	119	96	259	725	1,970	6,001	22,915	60,073	112,628	128,139	187
1985	332,778	271	89	117	270	675	1,975	6,191	23,571	60,887	112,672	125,906	154
1984	329,057	293	112	122	295	645	1,875	6,288	24,256	61,983	112,131	121,028	29
1983	328,798	281	116	106	268	649	1,852	6,709	24,874	62,259	112,373	119,276	35
1982	320,529	210	93	134	286	630	1,909	6,672	24,918	62,420	110,521	112,687	49
1981	317,063	252	116	105	275	690	1,877	7,204	25,396	62,374	108,703	110,030	41
1980	318,668	221	108	108	293	613	1,840	7,328	25,618	63,345	111,139	108,016	39
1979	302,776	181	85	101	289	609	1,885	7,427	25,144	60,768	107,010	99,246	31

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	Age not stated												
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Diseases of heart (390-398,402,404,410-429)													
All other, both sexes													
1998	89,310	204	78	102	364	1,069	3,891	8,323	12,973	19,846	23,136	19,299	25
1997	87,749	180	72	92	380	1,050	3,695	8,196	12,952	19,945	22,428	18,737	22
1996	87,847	206	82	108	359	1,111	3,690	8,048	13,033	20,222	22,725	18,242	21
1995	88,474	208	98	98	410	1,123	3,779	7,896	12,932	21,147	22,818	17,941	24
1994	86,353	244	112	90	352	1,196	3,782	7,601	12,695	20,912	22,302	17,042	25
1993	88,095	231	106	88	346	1,165	3,766	7,336	13,416	21,463	22,919	17,222	37
1992	84,219	239	107	96	339	1,150	3,588	6,988	13,165	20,751	21,913	15,849	34
1991	84,057	241	122	91	331	1,111	3,458	6,719	13,186	21,181	22,272	15,317	28
1990	82,694	293	101	82	314	1,101	3,204	6,586	13,345	20,870	21,888	14,866	44
1989	85,001	259	102	98	307	1,116	3,205	6,979	14,218	21,381	22,504	14,800	32
1988	86,630	277	110	84	356	1,172	3,216	6,899	14,696	21,842	23,317	14,624	37
1987	84,621	274	116	94	335	1,194	3,133	6,838	14,372	21,898	22,243	14,087	37
1986	84,127	291	123	88	347	1,240	3,116	6,806	14,701	21,623	22,061	13,685	46
1985	83,017	278	113	98	353	1,131	2,970	6,847	15,026	21,919	21,569	12,673	40
1984	80,603	285	104	84	336	1,057	2,852	6,825	14,915	21,378	20,806	11,922	39
1983	80,683	305	105	85	337	1,044	2,704	6,950	15,194	21,673	20,697	11,544	45
1982	76,755	226	97	91	325	995	2,633	6,987	14,666	20,697	19,205	10,768	65
1981	76,435	217	99	83	336	1,010	2,668	7,214	14,838	20,540	18,784	10,588	58
1980	77,738	250	114	89	405	1,011	2,785	7,381	14,769	21,084	19,204	10,589	57
1979	73,081	234	87	66	320	912	2,646	7,379	14,286	20,224	17,691	9,186	50
Diseases of heart (390-398,402,404,410-429)													
All other, male													
1998	43,945	97	44	55	238	653	2,450	5,414	7,892	10,547	10,413	6,124	18
1997	43,282	92	48	45	228	645	2,361	5,366	7,958	10,652	9,962	5,910	15
1996	43,186	113	33	63	224	664	2,299	5,175	7,863	10,801	10,126	5,811	14
1995	43,963	108	54	57	255	717	2,426	5,165	7,856	11,404	10,154	5,754	13
1994	42,733	127	56	51	211	720	2,420	4,968	7,622	11,236	9,807	5,498	17
1993	43,677	116	54	43	216	746	2,421	4,768	8,114	11,557	10,058	5,562	22
1992	42,062	120	62	53	225	716	2,323	4,496	7,790	11,197	9,857	5,202	21
1991	42,172	131	70	52	215	696	2,274	4,354	7,966	11,351	9,978	5,063	22
1990	41,426	162	52	37	191	693	2,156	4,261	7,943	11,134	9,797	4,973	27
1989	42,805	127	59	43	183	704	2,129	4,608	8,519	11,442	10,049	4,920	22
1988	43,883	147	59	53	230	767	2,110	4,401	8,816	11,789	10,541	4,949	21
1987	43,154	157	59	48	203	750	2,157	4,433	8,558	11,799	10,199	4,767	24
1986	42,945	156	65	44	206	792	2,120	4,349	8,869	11,554	10,038	4,727	25
1985	42,834	153	53	49	214	755	1,995	4,454	8,970	11,782	9,944	4,442	23
1984	41,643	149	53	44	207	705	1,883	4,417	8,932	11,470	9,506	4,253	24
1983	41,776	169	62	48	198	679	1,774	4,489	9,088	11,626	9,474	4,145	24
1982	40,262	120	54	43	186	637	1,732	4,450	8,837	11,286	8,903	3,975	39
1981	40,149	121	51	45	204	658	1,763	4,623	8,986	11,081	8,695	3,890	32
1980	40,982	125	67	37	257	631	1,829	4,743	8,956	11,315	8,942	4,044	36
1979	38,994	128	45	28	187	549	1,717	4,753	8,723	10,972	8,346	3,517	29

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Diseases of heart (390-398,402,404,410-429)													
All other, female													
1998	45,365	107	34	47	126	416	1,441	2,909	5,081	9,299	12,723	13,175	7
1997	44,467	88	24	47	152	405	1,334	2,830	4,994	9,293	12,466	12,827	7
1996	44,661	93	49	45	135	447	1,391	2,873	5,170	9,421	12,599	12,431	7
1995	44,511	100	44	41	155	406	1,353	2,731	5,076	9,743	12,664	12,187	11
1994	43,620	117	56	39	141	476	1,362	2,633	5,073	9,676	12,495	11,544	8
1993	44,418	115	52	45	130	419	1,345	2,568	5,302	9,906	12,861	11,660	15
1992	42,157	119	45	43	114	434	1,265	2,492	5,375	9,554	12,056	10,647	13
1991	41,885	110	52	39	116	415	1,184	2,365	5,220	9,830	12,294	10,254	6
1990	41,268	131	49	45	123	408	1,048	2,325	5,402	9,736	12,091	9,893	17
1989	42,196	132	43	55	124	412	1,076	2,371	5,699	9,939	12,455	9,880	10
1988	42,747	130	51	31	126	405	1,106	2,498	5,880	10,053	12,776	9,675	16
1987	41,467	117	57	46	132	444	976	2,405	5,814	10,099	12,044	9,320	13
1986	41,182	135	58	44	141	448	996	2,457	5,832	10,069	12,023	8,958	21
1985	40,183	125	60	49	139	376	975	2,393	6,056	10,137	11,625	8,231	17
1984	38,960	136	51	40	129	352	969	2,408	5,983	9,908	11,300	7,669	15
1983	38,907	136	43	37	139	365	930	2,461	6,106	10,047	11,223	7,399	21
1982	36,493	106	43	48	139	358	901	2,537	5,829	9,411	10,302	6,793	26
1981	36,286	96	48	38	132	352	905	2,591	5,852	9,459	10,089	6,698	26
1980	36,756	125	47	52	148	380	956	2,638	5,813	9,769	10,262	6,545	21
1979	34,087	106	42	38	133	363	929	2,626	5,563	9,252	9,345	5,669	21
Diseases of heart (390-398,402,404,410-429)													
Black, both sexes													
1998	78,294	166	64	89	325	986	3,561	7,513	11,573	17,480	19,997	16,517	23
1997	77,174	156	65	83	339	943	3,363	7,399	11,556	17,563	19,479	16,208	20
1996	77,641	179	67	92	328	1,022	3,365	7,297	11,685	17,891	19,814	15,880	21
1995	78,643	180	88	85	371	1,027	3,492	7,182	11,633	18,800	20,081	15,682	22
1994	76,852	214	104	77	309	1,094	3,470	6,881	11,403	18,637	19,707	14,932	24
1993	79,011	196	87	77	320	1,065	3,455	6,716	12,209	19,372	20,293	15,190	31
1992	75,600	215	95	82	305	1,053	3,310	6,395	11,963	18,688	19,423	14,038	33
1991	76,014	218	111	80	296	1,036	3,211	6,197	12,017	19,267	19,958	13,597	26
1990	75,111	254	90	70	290	1,024	2,956	6,064	12,251	19,016	19,745	13,310	41
1989	77,431	229	89	82	284	1,052	2,991	6,431	13,083	19,587	20,344	13,228	31
1988	79,466	246	96	74	336	1,099	3,014	6,410	13,587	20,062	21,265	13,240	37
1987	77,747	235	103	81	313	1,108	2,901	6,330	13,299	20,234	20,379	12,729	35
1986	77,726	265	109	76	316	1,156	2,923	6,311	13,758	20,100	20,208	12,463	41
1985	76,684	245	103	86	328	1,063	2,765	6,405	14,021	20,357	19,751	11,527	33
1984	74,698	259	92	77	310	981	2,671	6,364	13,956	19,936	19,158	10,859	35
1983	75,008	277	91	69	314	974	2,509	6,530	14,252	20,276	19,127	10,557	32
1982	71,468	191	87	81	297	919	2,456	6,569	13,819	19,342	17,765	9,887	55
1981	71,697	191	85	79	314	945	2,503	6,822	14,082	19,376	17,479	9,771	50
1980	72,956	231	103	77	368	953	2,605	6,983	14,045	19,867	17,908	9,762	54
1979	68,579	208	78	61	297	842	2,497	7,042	13,552	19,061	16,462	8,432	47

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Diseases of heart (390-398,402,404,410-429)													
Black, male													
1998	37,662	82	38	48	214	593	2,190	4,794	6,906	9,180	8,707	4,894	16
1997	37,212	80	45	44	204	566	2,128	4,763	6,985	9,215	8,428	4,741	13
1996	37,335	100	28	52	205	598	2,051	4,600	6,941	9,426	8,590	4,730	14
1995	38,389	96	51	49	227	653	2,216	4,649	7,009	9,992	8,695	4,741	11
1994	37,241	110	50	44	183	643	2,195	4,416	6,761	9,834	8,468	4,521	16
1993	38,357	91	42	37	198	670	2,183	4,301	7,327	10,266	8,581	4,642	19
1992	37,040	112	56	45	198	647	2,120	4,042	6,980	9,955	8,477	4,388	20
1991	37,454	115	63	45	192	644	2,093	3,972	7,179	10,186	8,638	4,306	21
1990	37,038	141	47	34	171	634	1,963	3,865	7,236	10,020	8,608	4,294	25
1989	38,321	108	53	38	169	666	1,968	4,205	7,759	10,353	8,777	4,203	22
1988	39,584	129	51	48	214	716	1,961	4,041	8,072	10,670	9,345	4,316	21
1987	38,934	132	56	44	189	685	1,976	4,052	7,829	10,738	9,036	4,175	22
1986	39,076	144	58	37	186	729	1,969	3,987	8,225	10,591	8,927	4,200	23
1985	38,982	134	48	41	198	705	1,849	4,118	8,296	10,778	8,832	3,964	19
1984	38,034	135	47	40	187	647	1,753	4,088	8,305	10,547	8,473	3,790	22
1983	38,311	152	54	40	185	622	1,619	4,185	8,454	10,719	8,540	3,722	19
1982	36,925	103	46	39	171	586	1,598	4,145	8,278	10,370	7,985	3,572	32
1981	37,188	106	45	44	191	615	1,645	4,338	8,470	10,296	7,893	3,517	28
1980	37,877	115	61	34	232	597	1,687	4,438	8,430	10,474	8,159	3,615	35
1979	36,122	111	41	27	171	505	1,606	4,489	8,191	10,184	7,601	3,169	27
Diseases of heart (390-398,402,404,410-429)													
Black, female													
1998	40,632	84	26	41	111	393	1,371	2,719	4,667	8,300	11,290	11,623	7
1997	39,962	76	20	39	135	377	1,235	2,636	4,571	8,348	11,051	11,467	7
1996	40,306	79	39	40	123	424	1,314	2,697	4,744	8,465	11,224	11,150	7
1995	40,254	84	37	36	144	374	1,276	2,533	4,624	8,808	11,386	10,941	11
1994	39,611	104	54	33	126	451	1,275	2,465	4,642	8,803	11,239	10,411	8
1993	40,654	105	45	40	122	395	1,272	2,415	4,882	9,106	11,712	10,548	12
1992	38,560	103	39	37	107	406	1,190	2,353	4,983	8,733	10,946	9,650	13
1991	38,560	103	48	35	104	392	1,118	2,225	4,838	9,081	11,320	9,291	5
1990	38,073	113	43	36	119	390	993	2,199	5,015	8,996	11,137	9,016	16
1989	39,110	121	36	44	115	386	1,023	2,226	5,324	9,234	11,567	9,025	9
1988	39,882	117	45	26	122	383	1,053	2,369	5,515	9,392	11,920	8,924	16
1987	38,813	103	47	37	124	423	925	2,278	5,470	9,496	11,343	8,554	13
1986	38,650	121	51	39	130	427	954	2,324	5,533	9,509	11,281	8,263	18
1985	37,702	111	55	45	130	358	916	2,287	5,725	9,579	10,919	7,563	14
1984	36,664	124	45	37	123	334	918	2,276	5,651	9,389	10,685	7,069	13
1983	36,697	125	37	29	129	352	890	2,345	5,798	9,557	10,587	6,835	13
1982	34,543	88	41	42	126	333	858	2,424	5,541	8,972	9,780	6,315	23
1981	34,509	85	40	35	123	330	858	2,484	5,612	9,080	9,586	6,254	22
1980	35,079	116	42	43	136	356	918	2,545	5,615	9,393	9,749	6,147	19
1979	32,457	97	37	34	126	337	891	2,553	5,361	8,877	8,861	5,263	20

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Acute rheumatic fever and chronic rheumatic heart diseases (390-398)													
All races, both sexes													
1998	4,792	2	1	4	33	82	195	328	549	1,068	1,518	1,012	-
1997	5,014	3	4	5	43	93	210	353	538	1,124	1,602	1,039	-
1996	5,006	9	7	4	32	81	209	336	552	1,195	1,630	951	-
1995	5,147	5	4	3	28	87	219	318	590	1,238	1,682	972	1
1994	5,415	6	6	22	33	102	204	352	645	1,432	1,709	903	1
1993	5,743	4	5	7	27	104	222	370	692	1,504	1,803	1,005	-
1992	5,702	2	7	6	36	101	222	385	731	1,482	1,845	884	1
1991	5,951	6	4	4	23	104	221	374	803	1,564	1,923	925	-
1990	6,018	7	2	8	35	102	253	374	858	1,624	1,871	884	-
1989	6,087	4	6	10	35	108	255	397	858	1,666	1,921	827	-
1988	6,421	6	4	10	54	110	222	436	994	1,823	1,952	809	1
1987	6,389	5	8	8	41	155	223	437	1,024	1,874	1,863	751	-
1986	6,441	5	2	6	52	138	248	477	1,120	1,848	1,829	714	2
1985	6,593	7	6	14	61	149	260	526	1,183	1,906	1,818	663	-
1984	6,912	5	9	12	71	141	278	532	1,323	2,074	1,815	652	-
1983	6,895	7	4	13	53	145	287	656	1,376	2,005	1,699	649	1
1982	7,053	6	7	15	63	140	261	589	1,482	2,244	1,657	587	2
1981	7,378	7	1	19	50	165	310	704	1,531	2,345	1,676	570	-
1980	7,836	4	6	23	86	153	341	838	1,696	2,441	1,712	535	1
1979	7,795	5	2	11	83	153	354	885	1,722	2,458	1,568	554	-
Acute rheumatic fever and chronic rheumatic heart diseases (390-398)													
All races, male													
1998	1,422	2	1	2	12	33	77	135	189	332	429	210	-
1997	1,553	-	3	2	24	47	72	135	204	357	475	234	-
1996	1,482	7	4	-	14	30	86	124	184	382	465	186	-
1995	1,534	3	3	2	11	38	91	109	217	377	464	219	-
1994	1,679	3	3	11	11	44	85	144	239	486	465	188	-
1993	1,790	2	3	1	14	49	96	128	264	492	508	233	-
1992	1,714	2	5	4	14	42	95	163	259	463	486	181	-
1991	1,786	1	3	4	12	38	101	131	297	502	497	200	-
1990	1,830	2	-	3	16	50	116	131	334	561	460	157	-
1989	1,877	2	3	5	10	51	109	149	334	538	508	168	-
1988	1,945	3	2	7	32	46	88	178	348	577	489	174	1
1987	1,934	3	2	7	15	66	102	148	393	587	477	134	-
1986	2,054	5	1	3	24	64	119	175	438	601	477	147	-
1985	2,142	4	6	6	32	73	108	208	443	640	485	137	-
1984	2,279	3	3	5	32	63	125	219	516	682	496	135	-
1983	2,199	5	3	8	30	75	119	234	518	633	440	133	1
1982	2,336	5	5	8	33	68	108	254	583	750	407	114	1
1981	2,469	2	1	8	31	66	127	284	569	776	476	129	-
1980	2,660	2	1	11	52	69	148	336	630	799	478	133	1
1979	2,651	3	1	7	48	69	160	355	669	782	451	106	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Acute rheumatic fever and chronic rheumatic heart diseases (390-398)													
All races, female													
1998	3,370	-	-	2	21	49	118	193	360	736	1,089	802	-
1997	3,461	3	1	3	19	46	138	218	334	767	1,127	805	-
1996	3,524	2	3	4	18	51	123	212	368	813	1,165	765	-
1995	3,613	2	1	1	17	49	128	209	373	861	1,218	753	1
1994	3,736	3	3	11	22	58	119	208	406	946	1,244	715	1
1993	3,953	2	2	6	13	55	126	242	428	1,012	1,295	772	-
1992	3,988	-	2	2	22	59	127	222	472	1,019	1,359	703	1
1991	4,165	5	1	-	11	66	120	243	506	1,062	1,426	725	-
1990	4,188	5	2	5	19	52	137	243	524	1,063	1,411	727	-
1989	4,210	2	3	5	25	57	146	248	524	1,128	1,413	659	-
1988	4,476	3	2	3	22	64	134	258	646	1,246	1,463	635	-
1987	4,455	2	6	1	26	89	121	289	631	1,287	1,386	617	-
1986	4,387	-	1	3	28	74	129	302	682	1,247	1,352	567	2
1985	4,451	3	-	8	29	76	152	318	740	1,266	1,333	526	-
1984	4,633	2	6	7	39	78	153	313	807	1,392	1,319	517	-
1983	4,696	2	1	5	23	70	168	422	858	1,372	1,259	516	-
1982	4,717	1	2	7	30	72	153	335	899	1,494	1,250	473	1
1981	4,909	5	-	11	19	99	183	420	962	1,569	1,200	441	-
1980	5,176	2	5	12	34	84	193	502	1,066	1,642	1,234	402	-
1979	5,144	2	1	4	35	84	194	530	1,053	1,676	1,117	448	-
Acute rheumatic fever and chronic rheumatic heart diseases (390-398)													
White, both sexes													
1998	4,334	2	-	4	27	62	138	250	459	978	1,450	964	-
1997	4,547	3	4	2	27	68	137	269	456	1,045	1,531	1,005	-
1996	4,534	8	5	4	23	64	138	268	466	1,085	1,564	909	-
1995	4,661	4	1	1	20	57	155	234	496	1,140	1,609	943	1
1994	4,923	5	6	15	24	69	136	266	556	1,321	1,656	868	1
1993	5,231	4	3	6	20	66	151	298	606	1,401	1,708	968	-
1992	5,161	2	6	3	28	75	151	292	637	1,365	1,754	848	-
1991	5,426	5	3	3	14	83	155	284	719	1,448	1,825	887	-
1990	5,483	6	2	6	22	72	168	302	750	1,518	1,795	842	-
1989	5,523	4	6	7	26	74	172	318	748	1,539	1,833	796	-
1988	5,874	5	3	4	40	75	144	347	898	1,708	1,878	772	-
1987	5,875	5	5	2	25	102	156	370	924	1,772	1,787	727	-
1986	5,872	3	2	1	23	88	163	404	1,000	1,734	1,761	691	2
1985	6,026	6	4	10	39	97	186	436	1,067	1,802	1,750	629	-
1984	6,355	3	8	9	50	84	201	460	1,212	1,935	1,766	627	-
1983	6,341	3	4	9	29	91	214	568	1,262	1,903	1,635	622	1
1982	6,504	5	7	8	40	89	206	512	1,343	2,133	1,595	564	2
1981	6,798	4	1	13	30	112	241	612	1,396	2,233	1,607	549	-
1980	7,203	3	5	10	43	92	265	728	1,560	2,328	1,654	514	1
1979	7,195	5	2	7	49	97	279	770	1,599	2,351	1,501	535	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Acute rheumatic fever and chronic rheumatic heart diseases (390-398)													
White, male													
1998	1,288	2	-	2	8	27	59	107	162	311	409	201	-
1997	1,389	-	3	1	15	39	43	102	172	331	455	228	-
1996	1,331	6	4	-	9	23	65	102	161	338	447	176	-
1995	1,375	2	1	1	7	24	61	83	186	351	449	210	-
1994	1,513	3	3	8	10	25	58	114	216	445	449	182	-
1993	1,621	2	1	1	10	28	69	107	238	456	484	225	-
1992	1,537	2	4	3	10	31	72	127	232	426	456	174	-
1991	1,607	1	2	3	8	31	80	100	265	461	468	188	-
1990	1,655	2	-	2	10	38	82	110	294	533	438	146	-
1989	1,674	2	3	4	7	32	67	124	291	497	484	163	-
1988	1,746	2	2	2	22	29	59	144	321	537	466	162	-
1987	1,767	3	2	2	11	46	73	132	362	563	448	125	-
1986	1,842	3	1	1	14	38	80	150	394	566	455	140	-
1985	1,934	4	4	5	23	49	79	177	404	599	464	126	-
1984	2,087	3	3	3	24	38	92	191	483	642	479	129	-
1983	1,996	1	3	5	17	46	92	208	481	594	421	127	1
1982	2,133	5	5	5	20	45	88	226	534	705	389	110	1
1981	2,254	2	1	6	16	47	101	252	518	733	455	123	-
1980	2,424	2	1	7	24	47	117	298	578	759	462	128	1
1979	2,414	3	1	5	29	44	120	309	629	742	432	100	-
Acute rheumatic fever and chronic rheumatic heart diseases (390-398)													
White, female													
1998	3,046	-	-	2	19	35	79	143	297	667	1,041	763	-
1997	3,158	3	1	1	12	29	94	167	284	714	1,076	777	-
1996	3,203	2	1	4	14	41	73	166	305	747	1,117	733	-
1995	3,286	2	-	-	13	33	94	151	310	789	1,160	733	1
1994	3,410	2	3	7	14	44	78	152	340	876	1,207	686	1
1993	3,610	2	2	5	10	38	82	191	368	945	1,224	743	-
1992	3,624	-	2	-	18	44	79	165	405	939	1,298	674	-
1991	3,819	4	1	-	6	52	75	184	454	987	1,357	699	-
1990	3,828	4	2	4	12	34	86	192	456	985	1,357	696	-
1989	3,849	2	3	3	19	42	105	194	457	1,042	1,349	633	-
1988	4,128	3	1	2	18	46	85	203	577	1,171	1,412	610	-
1987	4,108	2	3	-	14	56	83	238	562	1,209	1,339	602	-
1986	4,030	-	1	-	9	50	83	254	606	1,168	1,306	551	2
1985	4,092	2	-	5	16	48	107	259	663	1,203	1,286	503	-
1984	4,268	-	5	6	26	46	109	269	729	1,293	1,287	498	-
1983	4,345	2	1	4	12	45	122	360	781	1,309	1,214	495	-
1982	4,371	-	2	3	20	44	118	286	809	1,428	1,206	454	1
1981	4,544	2	-	7	14	65	140	360	878	1,500	1,152	426	-
1980	4,779	1	4	3	19	45	148	430	982	1,569	1,192	386	-
1979	4,781	2	1	2	20	53	159	461	970	1,609	1,069	435	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Acute rheumatic fever and chronic rheumatic heart diseases (390-398)													
All other, both sexes													
1998	458	-	1	-	6	20	57	78	90	90	68	48	-
1997	467	-	-	3	16	25	73	84	82	79	71	34	-
1996	472	1	2	-	9	17	71	68	86	110	66	42	-
1995	486	1	3	2	8	30	64	84	94	98	73	29	-
1994	492	1	-	7	9	33	68	86	89	111	53	35	-
1993	512	-	2	1	7	38	71	72	86	103	95	37	-
1992	541	-	1	3	8	26	71	93	94	117	91	36	1
1991	525	1	1	1	9	21	66	90	84	116	98	38	-
1990	535	1	-	2	13	30	85	72	108	106	76	42	-
1989	564	-	-	3	9	34	83	79	110	127	88	31	-
1988	547	1	1	6	14	35	78	89	96	115	74	37	1
1987	514	-	3	6	16	53	67	67	100	102	76	24	-
1986	569	2	-	5	29	50	85	73	120	114	68	23	-
1985	567	1	2	4	22	52	74	90	116	104	68	34	-
1984	557	2	1	3	21	57	77	72	111	139	49	25	-
1983	554	4	-	4	24	54	73	88	114	102	64	27	-
1982	549	1	-	7	23	51	55	77	139	111	62	23	-
1981	580	3	-	6	20	53	69	92	135	112	69	21	-
1980	633	1	1	13	43	61	76	110	136	113	58	21	-
1979	600	-	-	4	34	56	75	115	123	107	67	19	-
Acute rheumatic fever and chronic rheumatic heart diseases (390-398)													
All other, male													
1998	134	-	1	-	4	6	18	28	27	21	20	9	-
1997	164	-	-	1	9	8	29	33	32	26	20	6	-
1996	151	1	-	-	5	7	21	22	23	44	18	10	-
1995	159	1	2	1	4	14	30	26	31	26	15	9	-
1994	166	-	-	3	1	19	27	30	23	41	16	6	-
1993	169	-	2	-	4	21	27	21	26	36	24	8	-
1992	177	-	1	1	4	11	23	36	27	37	30	7	-
1991	179	-	1	1	4	7	21	31	32	41	29	12	-
1990	175	-	-	1	6	12	34	21	40	28	22	11	-
1989	203	-	-	1	3	19	42	25	43	41	24	5	-
1988	199	1	-	5	10	17	29	34	27	40	23	12	1
1987	167	-	-	5	4	20	29	16	31	24	29	9	-
1986	212	2	-	2	10	26	39	25	44	35	22	7	-
1985	208	-	2	1	9	24	29	31	39	41	21	11	-
1984	192	-	-	2	8	25	33	28	33	40	17	6	-
1983	203	4	-	3	13	29	27	26	37	39	19	6	-
1982	203	-	-	3	13	23	20	28	49	45	18	4	-
1981	215	-	-	2	15	19	26	32	51	43	21	6	-
1980	236	-	-	4	28	22	31	38	52	40	16	5	-
1979	237	-	-	2	19	25	40	46	40	40	19	6	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Acute rheumatic fever and chronic rheumatic heart diseases (390-398)													
All other, female													
1998	324	-	-	-	2	14	39	50	63	69	48	39	-
1997	303	-	-	2	7	17	44	51	50	53	51	28	-
1996	321	-	2	-	4	10	50	46	63	66	48	32	-
1995	327	-	1	1	4	16	34	58	63	72	58	20	-
1994	326	1	-	4	8	14	41	56	66	70	37	29	-
1993	343	-	-	1	3	17	44	51	60	67	71	29	-
1992	364	-	-	2	4	15	48	57	67	80	61	29	1
1991	346	1	-	-	5	14	45	59	52	75	69	26	-
1990	360	1	-	1	7	18	51	51	68	78	54	31	-
1989	361	-	-	2	6	15	41	54	67	86	64	26	-
1988	348	-	1	1	4	18	49	55	69	75	51	25	-
1987	347	-	3	1	12	33	38	51	69	78	47	15	-
1986	357	-	-	3	19	24	46	48	76	79	46	16	-
1985	359	1	-	3	13	28	45	59	77	63	47	23	-
1984	365	2	1	1	13	32	44	44	78	99	32	19	-
1983	351	-	-	1	11	25	46	62	77	63	45	21	-
1982	346	1	-	4	10	28	35	49	90	66	44	19	-
1981	365	3	-	4	5	34	43	60	84	69	48	15	-
1980	397	1	1	9	15	39	45	72	84	73	42	16	-
1979	363	-	-	2	15	31	35	69	83	67	48	13	-
Acute rheumatic fever and chronic rheumatic heart diseases (390-398)													
Black, both sexes													
1998	356	-	-	-	6	19	48	63	71	66	50	33	-
1997	353	-	-	2	11	20	56	74	66	53	47	24	-
1996	355	1	2	-	9	14	61	54	64	73	47	30	-
1995	368	1	2	2	7	27	53	68	67	70	56	15	-
1994	370	1	-	7	4	26	51	64	71	87	33	26	-
1993	410	-	2	1	7	37	58	66	69	74	65	31	-
1992	431	-	-	3	7	22	61	79	71	91	64	32	1
1991	413	1	1	-	9	20	54	76	70	78	70	34	-
1990	436	1	-	2	11	23	74	61	84	89	56	35	-
1989	448	-	-	3	5	27	70	61	89	94	74	25	-
1988	426	-	1	4	11	27	64	77	74	84	55	28	1
1987	412	-	3	4	11	50	57	56	81	80	56	14	-
1986	470	2	-	4	23	39	75	63	104	88	54	18	-
1985	472	1	2	4	18	44	63	77	101	83	56	23	-
1984	458	2	-	2	18	51	60	60	90	121	33	21	-
1983	465	4	-	3	21	45	61	76	96	85	53	21	-
1982	458	-	-	6	16	41	42	65	113	96	58	21	-
1981	479	3	-	5	10	45	59	77	116	90	56	18	-
1980	556	1	1	11	36	50	64	102	121	99	52	19	-
1979	531	-	-	3	31	47	66	108	107	90	61	18	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Acute rheumatic fever and chronic rheumatic heart diseases (390-398)													
Black, male													
1998	101	-	-	-	4	6	16	19	21	14	17	4	-
1997	124	-	-	1	7	7	23	29	26	16	13	2	-
1996	106	1	-	-	5	6	16	16	15	31	11	5	-
1995	123	1	2	1	3	13	24	22	25	20	8	4	-
1994	131	-	-	3	1	14	22	25	19	34	8	5	-
1993	133	-	2	-	4	20	21	19	23	21	16	7	-
1992	131	-	-	1	3	9	21	30	18	26	16	7	-
1991	138	-	1	-	4	6	16	26	27	28	19	11	-
1990	146	-	-	1	4	10	28	19	33	24	18	9	-
1989	168	-	-	1	1	16	36	20	37	33	20	4	-
1988	154	-	-	4	7	10	25	31	21	30	19	6	1
1987	132	-	-	4	3	19	27	11	23	20	18	7	-
1986	177	2	-	1	9	22	34	23	39	26	16	5	-
1985	174	-	2	1	7	22	25	25	35	33	16	8	-
1984	157	-	-	1	7	24	27	24	26	34	9	5	-
1983	166	4	-	2	12	24	22	20	34	29	14	5	-
1982	158	-	-	2	9	18	14	24	37	36	15	3	-
1981	173	-	-	2	8	17	22	26	47	32	15	4	-
1980	206	-	-	2	25	20	26	35	42	36	15	5	-
1979	211	-	-	2	17	20	35	43	35	35	18	6	-
Acute rheumatic fever and chronic rheumatic heart diseases (390-398)													
Black, female													
1998	255	-	-	-	2	13	32	44	50	52	33	29	-
1997	229	-	-	1	4	13	33	45	40	37	34	22	-
1996	249	-	2	-	4	8	45	38	49	42	36	25	-
1995	245	-	-	1	4	14	29	46	42	50	48	11	-
1994	239	1	-	4	3	12	29	39	52	53	25	21	-
1993	277	-	-	1	3	17	37	47	46	53	49	24	-
1992	300	-	-	2	4	13	40	49	53	65	48	25	1
1991	275	1	-	-	5	14	38	50	43	50	51	23	-
1990	290	1	-	1	7	13	46	42	51	65	38	26	-
1989	280	-	-	2	4	11	34	41	52	61	54	21	-
1988	272	-	1	-	4	17	39	46	53	54	36	22	-
1987	280	-	3	-	8	31	30	45	58	60	38	7	-
1986	293	-	-	3	14	17	41	40	65	62	38	13	-
1985	298	1	-	3	11	22	38	52	66	50	40	15	-
1984	301	2	-	1	11	27	33	36	64	87	24	16	-
1983	299	-	-	1	9	21	39	56	62	56	39	16	-
1982	300	-	-	4	7	23	28	41	76	60	43	18	-
1981	306	3	-	3	2	28	37	51	69	58	41	14	-
1980	350	1	1	9	11	30	38	67	79	63	37	14	-
1979	320	-	-	1	14	27	31	65	72	55	43	12	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Hypertensive heart disease (402)													
All races, both sexes													
1998	27,715	1	1	-	24	205	1,003	2,362	3,334	4,897	7,273	8,610	5
1997	26,607	2	-	1	28	178	953	2,270	2,985	4,832	7,054	8,298	6
1996	26,188	-	-	1	26	196	883	2,102	3,036	4,779	7,154	8,006	5
1995	25,014	1	-	-	19	175	867	1,956	2,867	4,886	6,835	7,404	4
1994	23,943	-	-	2	20	209	837	1,889	2,780	4,666	6,636	6,900	4
1993	23,037	2	1	1	16	170	751	1,684	2,752	4,744	6,545	6,369	2
1992	21,853	1	-	1	20	166	712	1,506	2,902	4,696	6,140	5,704	5
1991	21,365	1	1	4	18	147	664	1,441	2,793	4,558	6,236	5,495	7
1990	21,072	-	1	2	16	148	608	1,399	2,810	4,745	6,099	5,239	5
1989	20,963	2	2	2	11	144	586	1,419	2,946	4,697	6,174	4,974	6
1988	20,788	1	1	1	25	146	533	1,374	3,031	4,923	6,032	4,716	5
1987	20,678	1	-	1	14	111	543	1,374	3,133	5,021	5,952	4,526	2
1986	20,509	1	2	-	19	119	528	1,349	3,077	4,962	5,998	4,445	9
1985	20,882	1	-	1	22	129	515	1,376	3,256	5,082	6,067	4,426	7
1984	20,712	-	1	1	16	113	506	1,365	3,230	5,218	5,996	4,261	5
1983	20,984	1	2	-	7	135	485	1,384	3,428	5,370	6,046	4,124	2
1982	20,779	3	1	1	19	131	451	1,444	3,306	5,258	6,142	4,009	14
1981	20,793	-	-	3	14	129	474	1,537	3,436	5,279	5,954	3,963	4
1980	21,095	1	-	1	20	116	485	1,442	3,421	5,417	6,238	3,949	5
1979	20,992	1	-	1	14	144	485	1,606	3,467	5,468	6,050	3,742	14
Hypertensive heart disease (402)													
All races, male													
1998	11,937	-	-	-	19	144	702	1,613	2,145	2,647	2,812	1,854	1
1997	11,386	1	-	1	18	115	686	1,550	1,892	2,616	2,708	1,795	4
1996	11,129	-	-	1	22	138	599	1,408	1,929	2,583	2,704	1,742	3
1995	10,638	-	-	-	17	117	600	1,330	1,833	2,580	2,584	1,575	2
1994	10,055	-	-	1	12	147	572	1,265	1,727	2,435	2,492	1,401	3
1993	9,771	1	1	1	9	125	506	1,122	1,698	2,460	2,446	1,401	1
1992	9,211	1	-	1	12	108	509	966	1,764	2,431	2,257	1,160	2
1991	8,995	-	1	4	16	93	440	949	1,728	2,309	2,317	1,131	7
1990	8,822	-	-	-	13	103	418	875	1,700	2,394	2,230	1,086	3
1989	8,923	2	1	1	7	103	392	912	1,837	2,443	2,217	1,005	3
1988	8,850	1	1	-	19	102	346	882	1,809	2,553	2,141	992	4
1987	8,855	-	-	1	10	76	379	877	1,894	2,557	2,153	907	1
1986	8,614	-	1	-	15	86	340	838	1,840	2,527	2,106	855	6
1985	8,970	-	-	-	17	102	358	871	1,932	2,582	2,189	917	2
1984	8,892	-	1	1	12	86	344	873	1,956	2,593	2,107	917	2
1983	9,106	-	2	-	6	108	331	889	2,096	2,633	2,152	888	1
1982	8,896	1	-	-	11	89	292	900	1,950	2,598	2,160	889	6
1981	8,994	-	-	3	12	98	291	955	2,011	2,654	2,093	874	3
1980	8,870	1	-	-	10	76	304	858	2,043	2,631	2,106	839	2
1979	8,902	-	-	-	9	80	322	982	2,005	2,630	2,037	830	7

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Hypertensive heart disease (402)													
All races, female													
1998	15,778	1	1	-	5	61	301	749	1,189	2,250	4,461	6,756	4
1997	15,221	1	-	-	10	63	267	720	1,093	2,216	4,346	6,503	2
1996	15,059	-	-	-	4	58	284	694	1,107	2,196	4,450	6,264	2
1995	14,376	1	-	-	2	58	267	626	1,034	2,306	4,251	5,829	2
1994	13,888	-	-	1	8	62	265	624	1,053	2,231	4,144	5,499	1
1993	13,266	1	-	-	7	45	245	562	1,054	2,284	4,099	4,968	1
1992	12,642	-	-	-	8	58	203	540	1,138	2,265	3,883	4,544	3
1991	12,370	1	-	-	2	54	224	492	1,065	2,249	3,919	4,364	-
1990	12,250	-	1	2	3	45	190	524	1,110	2,351	3,869	4,153	2
1989	12,040	-	1	1	4	41	194	507	1,109	2,254	3,957	3,969	3
1988	11,938	-	-	1	6	44	187	492	1,222	2,370	3,891	3,724	1
1987	11,823	1	-	-	4	35	164	497	1,239	2,464	3,799	3,619	1
1986	11,895	1	1	-	4	33	188	511	1,237	2,435	3,892	3,590	3
1985	11,912	1	-	1	5	27	157	505	1,324	2,500	3,878	3,509	5
1984	11,820	-	-	-	4	27	162	492	1,274	2,625	3,889	3,344	3
1983	11,878	1	-	-	1	27	154	495	1,332	2,737	3,894	3,236	1
1982	11,883	2	1	1	8	42	159	544	1,356	2,660	3,982	3,120	8
1981	11,799	-	-	-	2	31	183	582	1,425	2,625	3,861	3,089	1
1980	12,225	-	-	1	10	40	181	584	1,378	2,786	4,132	3,110	3
1979	12,090	1	-	1	5	64	163	624	1,462	2,838	4,013	2,912	7
Hypertensive heart disease (402)													
White, both sexes													
1998	20,047	1	-	-	10	76	471	1,287	1,928	3,275	5,651	7,346	2
1997	19,377	2	-	-	9	84	472	1,238	1,713	3,200	5,531	7,123	5
1996	19,197	-	-	-	8	88	422	1,126	1,839	3,264	5,598	6,849	3
1995	18,166	1	-	-	4	73	410	1,014	1,651	3,371	5,326	6,314	2
1994	17,395	-	-	2	13	97	377	961	1,606	3,214	5,191	5,933	1
1993	16,620	1	1	1	3	79	348	835	1,618	3,191	5,094	5,448	1
1992	15,685	-	-	-	9	67	314	752	1,669	3,232	4,790	4,851	1
1991	15,409	-	1	1	7	67	282	720	1,655	3,109	4,867	4,695	5
1990	15,165	-	-	2	5	61	272	674	1,637	3,181	4,834	4,498	1
1989	15,012	1	2	1	4	69	248	675	1,705	3,218	4,837	4,250	2
1988	14,901	1	-	-	9	55	226	673	1,800	3,418	4,682	4,034	3
1987	15,119	1	-	1	7	47	239	691	1,927	3,539	4,756	3,909	2
1986	14,982	1	2	-	13	56	222	642	1,888	3,523	4,756	3,875	4
1985	15,303	1	-	-	8	61	226	691	2,002	3,638	4,793	3,878	5
1984	15,237	-	1	1	7	58	198	676	1,975	3,744	4,841	3,734	2
1983	15,463	1	1	-	3	55	202	695	2,178	3,827	4,871	3,629	1
1982	15,392	2	1	1	9	44	193	752	2,091	3,788	4,984	3,521	6
1981	15,474	-	-	2	7	55	192	796	2,221	3,864	4,860	3,477	-
1980	15,682	1	-	-	8	40	185	737	2,200	3,927	5,115	3,466	3
1979	15,518	1	-	1	4	50	196	847	2,214	3,947	4,951	3,300	7

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Hypertensive heart disease (402)													
White, male													
1998	8,223	-	-	-	9	62	376	954	1,333	1,818	2,147	1,524	-
1997	7,916	1	-	-	7	64	372	909	1,158	1,782	2,145	1,475	3
1996	7,735	-	-	-	8	70	318	818	1,226	1,807	2,080	1,407	1
1995	7,371	-	-	-	4	59	326	745	1,120	1,823	2,003	1,290	1
1994	6,996	-	-	1	8	80	301	729	1,053	1,716	1,936	1,172	-
1993	6,742	1	1	1	2	67	267	605	1,075	1,693	1,898	1,131	1
1992	6,312	-	-	-	5	50	250	532	1,096	1,725	1,741	913	-
1991	6,218	-	1	1	6	50	217	515	1,069	1,637	1,802	915	5
1990	6,077	-	-	-	5	51	214	459	1,063	1,659	1,740	886	-
1989	6,082	1	1	-	4	54	189	466	1,114	1,721	1,726	805	1
1988	6,099	1	-	-	8	43	172	489	1,123	1,820	1,647	794	2
1987	6,245	-	-	1	4	36	185	483	1,218	1,874	1,697	746	1
1986	6,043	-	1	-	11	45	167	427	1,215	1,849	1,630	697	1
1985	6,322	-	-	-	8	48	179	481	1,260	1,880	1,706	759	1
1984	6,302	-	1	1	6	50	148	478	1,257	1,901	1,684	776	-
1983	6,458	-	1	-	2	47	157	495	1,397	1,919	1,702	738	-
1982	6,341	-	-	-	6	33	127	507	1,290	1,908	1,716	751	3
1981	6,462	-	-	2	7	46	131	540	1,356	1,962	1,691	727	-
1980	6,386	1	-	-	4	30	129	484	1,360	1,948	1,697	732	1
1979	6,325	-	-	-	3	33	146	560	1,350	1,924	1,600	705	4
Hypertensive heart disease (402)													
White, female													
1998	11,824	1	-	-	1	14	95	333	595	1,457	3,504	5,822	2
1997	11,461	1	-	-	2	20	100	329	555	1,418	3,386	5,648	2
1996	11,462	-	-	-	-	18	104	308	613	1,457	3,518	5,442	2
1995	10,795	1	-	-	-	14	84	269	531	1,548	3,323	5,024	1
1994	10,399	-	-	1	5	17	76	232	553	1,498	3,255	4,761	1
1993	9,878	-	-	-	1	12	81	230	543	1,498	3,196	4,317	-
1992	9,373	-	-	-	4	17	64	220	573	1,507	3,049	3,938	1
1991	9,191	-	-	-	1	17	65	205	586	1,472	3,065	3,780	-
1990	9,088	-	-	2	-	10	58	215	574	1,522	3,094	3,612	1
1989	8,930	-	1	1	-	15	59	209	591	1,497	3,111	3,445	1
1988	8,802	-	-	-	1	12	54	184	677	1,598	3,035	3,240	1
1987	8,874	1	-	-	3	11	54	208	709	1,665	3,059	3,163	1
1986	8,939	1	1	-	2	11	55	215	673	1,674	3,126	3,178	3
1985	8,981	1	-	-	-	13	47	210	742	1,758	3,087	3,119	4
1984	8,935	-	-	-	1	8	50	198	718	1,843	3,157	2,958	2
1983	9,005	1	-	-	1	8	45	200	781	1,908	3,169	2,891	1
1982	9,051	2	1	1	3	11	66	245	801	1,880	3,268	2,770	3
1981	9,012	-	-	-	-	9	61	256	865	1,902	3,169	2,750	-
1980	9,296	-	-	-	4	10	56	253	840	1,979	3,418	2,734	2
1979	9,193	1	-	1	1	17	50	287	864	2,023	3,351	2,595	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Hypertensive heart disease (402)													
All other, both sexes													
1998	7,668	-	1	-	14	129	532	1,075	1,406	1,622	1,622	1,264	3
1997	7,230	-	-	1	19	94	481	1,032	1,272	1,632	1,523	1,175	1
1996	6,991	-	-	1	18	108	461	976	1,197	1,515	1,556	1,157	2
1995	6,848	-	-	-	15	102	457	942	1,216	1,515	1,509	1,090	2
1994	6,548	-	-	-	7	112	460	928	1,174	1,452	1,445	967	3
1993	6,417	1	-	-	13	91	403	849	1,134	1,553	1,451	921	1
1992	6,168	1	-	1	11	99	398	754	1,233	1,464	1,350	853	4
1991	5,956	1	-	3	11	80	382	721	1,138	1,449	1,369	800	2
1990	5,907	-	1	-	11	87	336	725	1,173	1,564	1,265	741	4
1989	5,951	1	-	1	7	75	338	744	1,241	1,479	1,337	724	4
1988	5,887	-	1	1	16	91	307	701	1,231	1,505	1,350	682	2
1987	5,559	-	-	-	7	64	304	683	1,206	1,482	1,196	617	-
1986	5,527	-	-	-	6	63	306	707	1,189	1,439	1,242	570	5
1985	5,579	-	-	1	14	68	289	685	1,254	1,444	1,274	548	2
1984	5,475	-	-	-	9	55	308	689	1,255	1,474	1,155	527	3
1983	5,521	-	1	-	4	80	283	689	1,250	1,543	1,175	495	1
1982	5,387	1	-	-	10	87	258	692	1,215	1,470	1,158	488	8
1981	5,319	-	-	1	7	74	282	741	1,215	1,415	1,094	486	4
1980	5,413	-	-	1	12	76	300	705	1,221	1,490	1,123	483	2
1979	5,474	-	-	-	10	94	289	759	1,253	1,521	1,099	442	7
Hypertensive heart disease (402)													
All other, male													
1998	3,714	-	-	-	10	82	326	659	812	829	665	330	1
1997	3,470	-	-	1	11	51	314	641	734	834	563	320	1
1996	3,394	-	-	1	14	68	281	590	703	776	624	335	2
1995	3,267	-	-	-	13	58	274	585	713	757	581	285	1
1994	3,059	-	-	-	4	67	271	536	674	719	556	229	3
1993	3,029	-	-	-	7	58	239	517	623	767	548	270	-
1992	2,899	1	-	1	7	58	259	434	668	706	516	247	2
1991	2,777	-	-	3	10	43	223	434	659	672	515	216	2
1990	2,745	-	-	-	8	52	204	416	637	735	490	200	3
1989	2,841	1	-	1	3	49	203	446	723	722	491	200	2
1988	2,751	-	1	-	11	59	174	393	686	733	494	198	2
1987	2,610	-	-	-	6	40	194	394	676	683	456	161	-
1986	2,571	-	-	-	4	41	173	411	625	678	476	158	5
1985	2,648	-	-	-	9	54	179	390	672	702	483	158	1
1984	2,590	-	-	-	6	36	196	395	699	692	423	141	2
1983	2,648	-	1	-	4	61	174	394	699	714	450	150	1
1982	2,555	1	-	-	5	56	165	393	660	690	444	138	3
1981	2,532	-	-	1	5	52	160	415	655	692	402	147	3
1980	2,484	-	-	-	6	46	175	374	683	683	409	107	1
1979	2,577	-	-	-	6	47	176	422	655	706	437	125	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Hypertensive heart disease (402)													
All other, female													
1998	3,954	-	1	-	4	47	206	416	594	793	957	934	2
1997	3,760	-	-	-	8	43	167	391	538	798	960	855	-
1996	3,597	-	-	-	4	40	180	386	494	739	932	822	-
1995	3,581	-	-	-	2	44	183	357	503	758	928	805	1
1994	3,489	-	-	-	3	45	189	392	500	733	889	738	-
1993	3,388	1	-	-	6	33	164	332	511	786	903	651	1
1992	3,269	-	-	-	4	41	139	320	565	758	834	606	2
1991	3,179	1	-	-	1	37	159	287	479	777	854	584	-
1990	3,162	-	1	-	3	35	132	309	536	829	775	541	1
1989	3,110	-	-	-	4	26	135	298	518	757	846	524	2
1988	3,136	-	-	1	5	32	133	308	545	772	856	484	-
1987	2,949	-	-	-	1	24	110	289	530	799	740	456	-
1986	2,956	-	-	-	2	22	133	296	564	761	766	412	-
1985	2,931	-	-	1	5	14	110	295	582	742	791	390	1
1984	2,885	-	-	-	3	19	112	294	556	782	732	386	1
1983	2,873	-	-	-	-	19	109	295	551	829	725	345	-
1982	2,832	-	-	-	5	31	93	299	555	780	714	350	5
1981	2,787	-	-	-	2	22	122	326	560	723	692	339	1
1980	2,929	-	-	1	6	30	125	331	538	807	714	376	1
1979	2,897	-	-	-	4	47	113	337	598	815	662	317	4
Hypertensive heart disease (402)													
Black, both sexes													
1998	7,158	-	1	-	13	117	510	1,030	1,339	1,503	1,514	1,128	3
1997	6,708	-	-	1	19	92	461	985	1,194	1,518	1,389	1,048	1
1996	6,564	-	-	1	16	103	444	936	1,137	1,430	1,445	1,050	2
1995	6,408	-	-	-	15	98	444	906	1,150	1,426	1,394	973	2
1994	6,160	-	-	-	6	110	441	892	1,116	1,372	1,334	887	2
1993	6,057	1	-	-	13	84	395	824	1,078	1,467	1,355	839	1
1992	5,854	1	-	1	11	95	390	731	1,187	1,390	1,263	781	4
1991	5,639	1	-	3	10	78	377	703	1,086	1,388	1,276	715	2
1990	5,636	-	1	-	11	86	327	706	1,134	1,493	1,186	688	4
1989	5,680	1	-	1	7	71	334	723	1,202	1,421	1,254	662	4
1988	5,626	-	1	1	15	89	301	686	1,189	1,440	1,260	642	2
1987	5,276	-	-	-	6	63	297	653	1,161	1,410	1,128	558	-
1986	5,312	-	-	-	6	62	300	685	1,163	1,385	1,177	531	3
1985	5,342	-	-	1	14	67	285	667	1,219	1,386	1,195	507	1
1984	5,276	-	-	-	8	54	299	668	1,221	1,418	1,101	504	3
1983	5,339	-	1	-	4	79	273	666	1,219	1,500	1,126	470	1
1982	5,197	1	-	-	10	87	251	679	1,179	1,419	1,104	460	7
1981	5,160	-	-	1	7	73	276	725	1,190	1,374	1,043	467	4
1980	5,228	-	-	-	12	73	291	686	1,197	1,443	1,061	463	2
1979	5,311	-	-	-	8	92	284	745	1,221	1,473	1,066	415	7

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Hypertensive heart disease (402)													
Black, male													
1998	3,463	-	-	-	10	72	308	624	775	770	616	287	1
1997	3,190	-	-	1	11	51	297	605	682	771	500	271	1
1996	3,160	-	-	1	13	64	269	563	663	723	576	286	2
1995	3,039	-	-	-	13	55	266	559	669	708	533	235	1
1994	2,855	-	-	-	3	66	258	513	635	669	510	199	2
1993	2,843	-	-	-	7	54	234	496	594	718	497	243	-
1992	2,724	1	-	1	7	54	253	421	639	662	468	216	2
1991	2,635	-	-	3	10	42	219	423	627	645	476	188	2
1990	2,608	-	-	-	8	51	198	402	615	699	448	184	3
1989	2,688	1	-	1	3	47	201	427	695	689	447	175	2
1988	2,607	-	1	-	10	58	169	381	656	692	457	181	2
1987	2,465	-	-	-	5	40	189	374	652	640	420	145	-
1986	2,465	-	-	-	4	40	167	399	614	652	444	142	3
1985	2,515	-	-	-	9	53	175	379	655	663	440	140	1
1984	2,474	-	-	-	5	35	192	381	675	657	389	138	2
1983	2,546	-	1	-	4	60	166	378	679	691	426	140	1
1982	2,449	1	-	-	5	56	160	386	640	656	410	132	3
1981	2,444	-	-	1	5	51	157	406	643	663	374	141	3
1980	2,388	-	-	-	6	45	167	364	668	652	381	104	1
1979	2,482	-	-	-	5	46	171	411	632	673	424	117	3
Hypertensive heart disease (402)													
Black, female													
1998	3,695	-	1	-	3	45	202	406	564	733	898	841	2
1997	3,518	-	-	-	8	41	164	380	512	747	889	777	-
1996	3,404	-	-	-	3	39	175	373	474	707	869	764	-
1995	3,369	-	-	-	2	43	178	347	481	718	861	738	1
1994	3,305	-	-	-	3	44	183	379	481	703	824	688	-
1993	3,214	1	-	-	6	30	161	328	484	749	858	596	1
1992	3,130	-	-	-	4	41	137	310	548	728	795	565	2
1991	3,004	1	-	-	-	36	158	280	459	743	800	527	-
1990	3,028	-	1	-	3	35	129	304	519	794	738	504	1
1989	2,992	-	-	-	4	24	133	296	507	732	807	487	2
1988	3,019	-	-	1	5	31	132	305	533	748	803	461	-
1987	2,811	-	-	-	1	23	108	279	509	770	708	413	-
1986	2,847	-	-	-	2	22	133	286	549	733	733	389	-
1985	2,827	-	-	1	5	14	110	288	564	723	755	367	-
1984	2,802	-	-	-	3	19	107	287	546	761	712	366	1
1983	2,793	-	-	-	-	19	107	288	540	809	700	330	-
1982	2,748	-	-	-	5	31	91	293	539	763	694	328	4
1981	2,716	-	-	-	2	22	119	319	547	711	669	326	1
1980	2,840	-	-	-	6	28	124	322	529	791	680	359	1
1979	2,829	-	-	-	3	46	113	334	589	800	642	298	4

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Hypertensive heart and renal disease (404)													
All races, both sexes													
1998	2,412	-	-	-	4	22	55	107	165	412	833	814	-
1997	2,424	-	-	2	3	22	49	83	171	402	832	860	-
1996	2,501	-	-	-	4	19	52	102	208	401	820	895	-
1995	2,484	-	-	-	5	16	49	100	183	424	868	839	-
1994	2,494	1	-	-	3	25	46	103	186	470	850	810	-
1993	2,464	-	-	-	8	23	48	85	192	467	850	791	-
1992	2,492	-	-	-	3	12	43	78	229	475	844	808	-
1991	2,445	-	-	-	3	21	46	94	188	492	835	766	-
1990	2,377	1	-	-	7	21	55	85	211	501	814	682	-
1989	2,385	-	-	-	5	17	30	71	198	475	854	735	-
1988	2,450	1	-	1	9	13	43	65	225	468	877	748	-
1987	2,521	-	-	1	2	18	53	75	220	498	870	784	-
1986	2,496	-	-	-	2	26	41	64	212	530	817	804	-
1985	2,800	-	-	-	4	13	24	88	250	543	998	876	4
1984	2,855	-	-	1	-	14	27	70	206	613	1,017	907	-
1983	3,073	-	-	-	4	13	29	69	253	614	1,077	1,014	-
1982	3,028	1	-	-	4	26	24	68	241	594	1,076	993	1
1981	3,347	-	1	-	5	23	35	89	266	694	1,182	1,051	1
1980	3,711	-	1	-	2	14	31	110	321	765	1,277	1,190	-
1979	3,649	-	-	2	4	17	45	103	296	787	1,276	1,118	1
Hypertensive heart and renal disease (404)													
All races, male													
1998	996	-	-	-	3	10	33	74	98	203	331	244	-
1997	1,051	-	-	1	3	17	34	59	95	204	371	267	-
1996	1,002	-	-	-	2	14	36	69	107	165	348	261	-
1995	997	-	-	-	4	11	25	58	82	195	353	269	-
1994	1,066	-	-	-	2	12	35	74	94	226	380	243	-
1993	1,023	-	-	-	7	15	32	52	95	219	360	243	-
1992	1,024	-	-	-	3	7	26	49	114	209	342	274	-
1991	996	-	-	-	2	12	34	54	96	220	342	236	-
1990	959	-	-	-	4	8	37	54	103	231	310	212	-
1989	954	-	-	-	4	11	21	46	104	214	344	210	-
1988	994	-	-	1	3	10	29	36	106	219	354	236	-
1987	997	-	-	-	2	9	36	54	115	225	347	209	-
1986	1,017	-	-	-	2	21	25	35	103	275	352	204	-
1985	1,152	-	-	-	1	9	15	52	128	273	426	248	-
1984	1,151	-	-	-	-	10	17	42	108	303	422	249	-
1983	1,221	-	-	-	4	6	19	38	129	305	422	298	-
1982	1,222	-	-	-	3	17	17	41	133	266	438	306	1
1981	1,351	-	-	-	2	15	22	48	141	339	470	314	-
1980	1,492	-	1	-	1	5	18	53	167	363	494	390	-
1979	1,507	-	-	1	3	10	27	52	146	376	532	360	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 + years	Age not stated
					years	years	years	years	years	years	years	years	
Hypertensive heart and renal disease (404)													
All races, female													
1998	1,416	-	-	-	1	12	22	33	67	209	502	570	-
1997	1,373	-	-	1	-	5	15	24	76	198	461	593	-
1996	1,499	-	-	-	2	5	16	33	101	236	472	634	-
1995	1,487	-	-	-	1	5	24	42	101	229	515	570	-
1994	1,428	1	-	-	1	13	11	29	92	244	470	567	-
1993	1,441	-	-	-	1	8	16	33	97	248	490	548	-
1992	1,468	-	-	-	-	5	17	29	115	266	502	534	-
1991	1,449	-	-	-	1	9	12	40	92	272	493	530	-
1990	1,418	1	-	-	3	13	18	31	108	270	504	470	-
1989	1,431	-	-	-	1	6	9	25	94	261	510	525	-
1988	1,456	1	-	-	6	3	14	29	119	249	523	512	-
1987	1,524	-	-	1	-	9	17	21	105	273	523	575	-
1986	1,479	-	-	-	-	5	16	29	109	255	465	600	-
1985	1,648	-	-	-	3	4	9	36	122	270	572	628	4
1984	1,704	-	-	1	-	4	10	28	98	310	595	658	-
1983	1,852	-	-	-	-	7	10	31	124	309	655	716	-
1982	1,806	1	-	-	1	9	7	27	108	328	638	687	-
1981	1,996	-	1	-	3	8	13	41	125	355	712	737	1
1980	2,219	-	-	-	1	9	13	57	154	402	783	800	-
1979	2,142	-	-	1	1	7	18	51	150	411	744	758	1
Hypertensive heart and renal disease (404)													
White, both sexes													
1998	1,648	-	-	-	1	8	12	40	59	256	611	661	-
1997	1,722	-	-	1	1	7	13	34	82	258	632	694	-
1996	1,748	-	-	-	2	2	14	42	99	250	597	742	-
1995	1,765	-	-	-	1	6	18	34	90	268	672	676	-
1994	1,757	1	-	-	1	12	15	31	81	300	647	669	-
1993	1,745	-	-	-	4	7	6	30	102	309	631	656	-
1992	1,743	-	-	-	1	1	5	29	97	299	651	660	-
1991	1,714	-	-	-	2	8	16	24	92	295	621	656	-
1990	1,648	1	-	-	2	6	10	26	103	326	613	561	-
1989	1,693	-	-	-	3	6	8	19	102	301	638	616	-
1988	1,771	1	-	-	4	4	7	26	121	303	656	649	-
1987	1,828	-	-	1	1	5	19	25	103	327	674	673	-
1986	1,831	-	-	-	1	10	12	23	119	334	637	695	-
1985	2,089	-	-	-	3	3	8	25	133	364	807	745	1
1984	2,165	-	-	-	-	8	11	30	110	397	802	807	-
1983	2,365	-	-	-	1	6	9	26	135	416	873	899	-
1982	2,354	1	-	-	1	8	6	22	139	406	878	892	1
1981	2,642	-	-	-	3	10	12	43	142	486	992	954	-
1980	2,909	-	-	-	-	7	11	43	191	520	1,043	1,094	-
1979	2,880	-	-	1	2	7	15	34	166	559	1,080	1,016	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Hypertensive heart and renal disease (404)													
White, male													
1998	669	-	-	-	1	4	8	28	40	133	248	207	-
1997	741	-	-	-	1	7	9	27	47	136	296	218	-
1996	680	-	-	-	2	1	12	30	49	106	265	215	-
1995	703	-	-	-	1	4	9	22	40	128	281	218	-
1994	744	-	-	-	1	6	13	24	43	152	306	199	-
1993	727	-	-	-	4	3	3	19	53	156	285	204	-
1992	701	-	-	-	1	1	2	20	50	140	266	221	-
1991	682	-	-	-	1	4	11	12	54	133	267	200	-
1990	648	-	-	-	1	3	7	19	48	160	231	179	-
1989	658	-	-	-	2	5	7	8	60	148	245	183	-
1988	702	-	-	-	1	4	5	15	59	143	279	196	-
1987	685	-	-	-	1	4	13	19	56	156	261	175	-
1986	721	-	-	-	1	8	6	12	63	182	278	171	-
1985	863	-	-	-	-	2	5	16	74	205	344	217	-
1984	853	-	-	-	-	6	7	18	63	211	333	215	-
1983	923	-	-	-	1	3	5	15	71	218	351	259	-
1982	948	-	-	-	1	5	5	13	85	201	360	277	1
1981	1,059	-	-	-	1	7	9	27	79	253	404	279	-
1980	1,175	-	-	-	-	3	5	21	119	270	410	347	-
1979	1,179	-	-	1	2	4	10	17	86	281	455	323	-
Hypertensive heart and renal disease (404)													
White, female													
1998	979	-	-	-	-	4	4	12	19	123	363	454	-
1997	981	-	-	1	-	-	4	7	35	122	336	476	-
1996	1,068	-	-	-	-	1	2	12	50	144	332	527	-
1995	1,062	-	-	-	-	2	9	12	50	140	391	458	-
1994	1,013	1	-	-	-	6	2	7	38	148	341	470	-
1993	1,018	-	-	-	-	4	3	11	49	153	346	452	-
1992	1,042	-	-	-	-	-	3	9	47	159	385	439	-
1991	1,032	-	-	-	1	4	5	12	38	162	354	456	-
1990	1,000	1	-	-	1	3	3	7	55	166	382	382	-
1989	1,035	-	-	-	1	1	1	11	42	153	393	433	-
1988	1,069	1	-	-	3	-	2	11	62	160	377	453	-
1987	1,143	-	-	1	-	1	6	6	47	171	413	498	-
1986	1,110	-	-	-	-	2	6	11	56	152	359	524	-
1985	1,226	-	-	-	3	1	3	9	59	159	463	528	1
1984	1,312	-	-	-	-	2	4	12	47	186	469	592	-
1983	1,442	-	-	-	-	3	4	11	64	198	522	640	-
1982	1,406	1	-	-	-	3	1	9	54	205	518	615	-
1981	1,583	-	-	-	2	3	3	16	63	233	588	675	-
1980	1,734	-	-	-	-	4	6	22	72	250	633	747	-
1979	1,701	-	-	-	-	3	5	17	80	278	625	693	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Hypertensive heart and renal disease (404)													
All other, both sexes													
1998	764	-	-	-	3	14	43	67	106	156	222	153	-
1997	702	-	-	1	2	15	36	49	89	144	200	166	-
1996	753	-	-	-	2	17	38	60	109	151	223	153	-
1995	719	-	-	-	4	10	31	66	93	156	196	163	-
1994	737	-	-	-	2	13	31	72	105	170	203	141	-
1993	719	-	-	-	4	16	42	55	90	158	219	135	-
1992	749	-	-	-	2	11	38	49	132	176	193	148	-
1991	731	-	-	-	1	13	30	70	96	197	214	110	-
1990	729	-	-	-	5	15	45	59	108	175	201	121	-
1989	692	-	-	-	2	11	22	52	96	174	216	119	-
1988	679	-	-	1	5	9	36	39	104	165	221	99	-
1987	693	-	-	-	1	13	34	50	117	171	196	111	-
1986	665	-	-	-	1	16	29	41	93	196	180	109	-
1985	711	-	-	-	1	10	16	63	117	179	191	131	3
1984	690	-	-	1	-	6	16	40	96	216	215	100	-
1983	708	-	-	-	3	7	20	43	118	198	204	115	-
1982	674	-	-	-	3	18	18	46	102	188	198	101	-
1981	705	-	1	-	2	13	23	46	124	208	190	97	1
1980	802	-	1	-	2	7	20	67	130	245	234	96	-
1979	769	-	-	1	2	10	30	69	130	228	196	102	1
Hypertensive heart and renal disease (404)													
All other, male													
1998	327	-	-	-	2	6	25	46	58	70	83	37	-
1997	310	-	-	1	2	10	25	32	48	68	75	49	-
1996	322	-	-	-	-	13	24	39	58	59	83	46	-
1995	294	-	-	-	3	7	16	36	42	67	72	51	-
1994	322	-	-	-	1	6	22	50	51	74	74	44	-
1993	296	-	-	-	3	12	29	33	42	63	75	39	-
1992	323	-	-	-	2	6	24	29	64	69	76	53	-
1991	314	-	-	-	1	8	23	42	42	87	75	36	-
1990	311	-	-	-	3	5	30	35	55	71	79	33	-
1989	296	-	-	-	2	6	14	38	44	66	99	27	-
1988	292	-	-	1	2	6	24	21	47	76	75	40	-
1987	312	-	-	-	1	5	23	35	59	69	86	34	-
1986	296	-	-	-	1	13	19	23	40	93	74	33	-
1985	289	-	-	-	1	7	10	36	54	68	82	31	-
1984	298	-	-	-	-	4	10	24	45	92	89	34	-
1983	298	-	-	-	3	3	14	23	58	87	71	39	-
1982	274	-	-	-	2	12	12	28	48	65	78	29	-
1981	292	-	-	-	1	8	13	21	62	86	66	35	-
1980	317	-	1	-	1	2	13	32	48	93	84	43	-
1979	328	-	-	-	1	6	17	35	60	95	77	37	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Hypertensive heart and renal disease (404)													
All other, female													
1998	437	-	-	-	1	8	18	21	48	86	139	116	-
1997	392	-	-	-	-	5	11	17	41	76	125	117	-
1996	431	-	-	-	2	4	14	21	51	92	140	107	-
1995	425	-	-	-	1	3	15	30	51	89	124	112	-
1994	415	-	-	-	1	7	9	22	54	96	129	97	-
1993	423	-	-	-	1	4	13	22	48	95	144	96	-
1992	426	-	-	-	-	5	14	20	68	107	117	95	-
1991	417	-	-	-	-	5	7	28	54	110	139	74	-
1990	418	-	-	-	2	10	15	24	53	104	122	88	-
1989	396	-	-	-	-	5	8	14	52	108	117	92	-
1988	387	-	-	-	3	3	12	18	57	89	146	59	-
1987	381	-	-	-	-	8	11	15	58	102	110	77	-
1986	369	-	-	-	-	3	10	18	53	103	106	76	-
1985	422	-	-	-	-	3	6	27	63	111	109	100	3
1984	392	-	-	1	-	2	6	16	51	124	126	66	-
1983	410	-	-	-	-	4	6	20	60	111	133	76	-
1982	400	-	-	-	1	6	6	18	54	123	120	72	-
1981	413	-	1	-	1	5	10	25	62	122	124	62	1
1980	485	-	-	-	1	5	7	35	82	152	150	53	-
1979	441	-	-	1	1	4	13	34	70	133	119	65	1
Hypertensive heart and renal disease (404)													
Black, both sexes													
1998	700	-	-	-	3	14	41	64	99	142	198	139	-
1997	653	-	-	1	2	15	36	46	83	132	184	154	-
1996	689	-	-	-	2	16	36	60	104	138	200	133	-
1995	672	-	-	-	4	9	31	64	86	147	179	152	-
1994	679	-	-	-	2	12	31	68	93	163	184	126	-
1993	683	-	-	-	4	15	40	54	86	152	204	128	-
1992	707	-	-	-	2	11	38	48	122	167	179	140	-
1991	695	-	-	-	1	12	29	69	94	186	202	102	-
1990	707	-	-	-	5	15	45	59	106	169	189	119	-
1989	656	-	-	-	2	11	20	52	89	168	202	112	-
1988	658	-	-	1	5	9	36	37	102	161	215	92	-
1987	662	-	-	-	1	12	34	48	116	163	182	106	-
1986	634	-	-	-	1	16	26	41	92	187	168	103	-
1985	675	-	-	-	1	10	15	61	114	171	178	123	2
1984	665	-	-	1	-	6	16	37	96	207	210	92	-
1983	686	-	-	-	3	7	20	43	114	193	196	110	-
1982	653	-	-	-	3	18	18	44	99	184	188	99	-
1981	683	-	1	-	2	13	21	44	122	204	185	90	1
1980	777	-	1	-	2	7	20	67	127	235	228	90	-
1979	748	-	-	1	1	10	30	68	128	220	190	99	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Hypertensive heart and renal disease (404)													
Black, male													
1998	293	-	-	-	2	6	23	43	55	63	71	30	-
1997	287	-	-	1	2	10	25	31	46	62	69	41	-
1996	298	-	-	-	-	12	22	39	56	57	71	41	-
1995	274	-	-	-	3	7	16	34	39	63	66	46	-
1994	294	-	-	-	1	6	22	48	46	69	64	38	-
1993	276	-	-	-	3	11	27	33	39	60	68	35	-
1992	294	-	-	-	2	6	24	28	57	62	65	50	-
1991	298	-	-	-	1	8	22	41	41	82	71	32	-
1990	300	-	-	-	3	5	30	35	53	68	75	31	-
1989	280	-	-	-	2	6	14	38	41	63	91	25	-
1988	277	-	-	1	2	6	24	20	45	74	70	35	-
1987	299	-	-	-	1	5	23	34	59	66	79	32	-
1986	279	-	-	-	1	13	17	23	39	89	65	32	-
1985	274	-	-	-	1	7	10	35	53	63	77	28	-
1984	287	-	-	-	-	4	10	22	45	88	87	31	-
1983	289	-	-	-	3	3	14	23	55	85	69	37	-
1982	266	-	-	-	2	12	12	27	46	64	74	29	-
1981	280	-	-	-	1	8	13	21	61	83	63	30	-
1980	305	-	1	-	1	2	13	32	45	90	80	41	-
1979	318	-	-	-	-	6	17	34	59	92	73	37	-
Hypertensive heart and renal disease (404)													
Black, female													
1998	407	-	-	-	1	8	18	21	44	79	127	109	-
1997	366	-	-	-	-	5	11	15	37	70	115	113	-
1996	391	-	-	-	2	4	14	21	48	81	129	92	-
1995	398	-	-	-	1	2	15	30	47	84	113	106	-
1994	385	-	-	-	1	6	9	20	47	94	120	88	-
1993	407	-	-	-	1	4	13	21	47	92	136	93	-
1992	413	-	-	-	-	5	14	20	65	105	114	90	-
1991	397	-	-	-	-	4	7	28	53	104	131	70	-
1990	407	-	-	-	2	10	15	24	53	101	114	88	-
1989	376	-	-	-	-	5	6	14	48	105	111	87	-
1988	381	-	-	-	3	3	12	17	57	87	145	57	-
1987	363	-	-	-	-	7	11	14	57	97	103	74	-
1986	355	-	-	-	-	3	9	18	53	98	103	71	-
1985	401	-	-	-	-	3	5	26	61	108	101	95	2
1984	378	-	-	1	-	2	6	15	51	119	123	61	-
1983	397	-	-	-	-	4	6	20	59	108	127	73	-
1982	387	-	-	-	1	6	6	17	53	120	114	70	-
1981	403	-	1	-	1	5	8	23	61	121	122	60	1
1980	472	-	-	-	1	5	7	35	82	145	148	49	-
1979	430	-	-	1	1	4	13	34	69	128	117	62	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	Age not stated												
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Ischemic heart diseases (410-414,429.2)													
All races, both sexes													
1998	526,617	23	7	24	122	1,079	7,683	24,211	48,178	102,240	168,912	174,097	41
1997	533,061	24	4	20	137	1,153	7,526	24,821	49,412	106,033	170,501	173,376	54
1996	544,638	30	5	20	121	1,204	7,853	24,970	51,017	111,504	174,255	173,601	58
1995	552,464	24	6	13	128	1,239	7,964	24,748	51,749	116,291	175,684	174,538	80
1994	552,678	28	12	16	124	1,212	7,791	24,368	53,130	118,568	175,982	171,387	60
1993	562,703	32	13	15	134	1,252	7,827	23,704	55,135	122,742	180,158	171,627	64
1992	549,007	25	11	16	119	1,265	7,750	23,026	55,655	122,362	176,469	162,235	74
1991	554,817	27	15	17	135	1,241	7,648	22,478	57,937	125,237	179,070	160,924	88
1990	558,291	28	9	20	124	1,192	7,324	22,455	60,134	127,476	181,091	158,357	81
1989	568,901	33	6	15	120	1,276	7,370	22,910	63,002	130,611	184,450	159,032	76
1988	582,419	30	13	14	132	1,278	7,538	23,128	66,259	136,069	187,544	160,332	82
1987	584,580	29	11	18	138	1,357	7,927	24,081	69,180	138,610	185,945	157,199	85
1986	593,396	25	10	16	128	1,389	8,163	24,527	73,026	141,737	187,845	156,245	285
1985	608,372	26	10	15	147	1,375	8,041	26,098	76,910	146,476	191,625	157,418	231
1984	613,178	35	16	46	152	1,284	7,993	27,062	79,996	149,069	192,718	154,724	83
1983	624,910	41	27	45	123	1,342	7,930	28,697	82,638	153,622	195,017	155,325	103
1982	620,841	35	24	55	138	1,383	8,038	29,917	84,291	154,477	192,748	149,600	135
1981	624,254	29	11	48	151	1,327	8,047	31,630	86,326	155,993	191,981	148,587	124
1980	635,677	33	18	19	157	1,289	8,028	32,842	88,480	159,248	196,648	148,795	120
1979	617,454	27	12	14	153	1,377	8,127	34,083	89,204	155,769	190,364	138,213	111
Ischemic heart diseases (410-414,429.2)													
All races, male													
1998	267,182	15	3	16	87	782	5,943	18,791	34,145	64,401	87,318	55,650	31
1997	271,059	11	4	12	99	846	5,882	19,247	35,073	67,015	87,660	55,169	41
1996	276,545	10	1	12	89	901	6,103	19,206	36,257	70,173	88,773	54,980	40
1995	280,110	12	3	7	88	918	6,267	19,272	36,780	73,340	88,975	54,405	43
1994	280,975	15	3	10	81	877	6,129	18,904	37,805	75,005	88,419	53,687	40
1993	286,382	17	6	10	97	935	6,199	18,435	39,258	77,353	90,582	53,454	36
1992	280,945	15	6	10	80	948	6,157	17,953	39,685	77,029	88,234	50,781	47
1991	284,012	16	11	6	95	931	6,148	17,461	41,265	78,961	88,771	50,286	61
1990	286,592	16	3	11	86	917	5,973	17,483	42,902	80,094	89,525	49,536	46
1989	292,072	17	5	10	81	976	6,007	17,929	44,973	82,056	90,469	49,500	49
1988	299,808	16	4	8	104	990	6,115	17,968	47,121	85,350	91,960	50,123	49
1987	302,713	14	9	5	98	1,052	6,471	18,793	49,367	86,668	90,884	49,300	52
1986	309,249	14	5	13	87	1,084	6,671	19,245	52,432	88,715	91,551	49,329	103
1985	320,412	12	9	7	101	1,079	6,567	20,578	55,404	91,855	93,880	50,832	88
1984	323,878	17	10	32	102	1,037	6,526	21,339	57,542	92,885	93,893	50,442	53
1983	332,378	31	14	23	83	1,076	6,486	22,605	59,489	96,475	94,801	51,237	58
1982	333,524	23	10	29	99	1,134	6,542	23,667	61,069	97,214	93,621	50,037	79
1981	337,322	22	7	30	102	1,051	6,605	24,989	62,655	98,176	93,399	50,218	68
1980	344,600	17	13	5	122	1,037	6,564	26,023	64,378	100,132	94,819	51,417	73
1979	339,843	17	5	11	103	1,119	6,617	27,170	65,552	98,721	92,121	48,331	76

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Ischemic heart diseases (410-414,429.2)													
All races, female													
1998	259,435	8	4	8	35	297	1,740	5,420	14,033	37,839	81,594	118,447	10
1997	262,002	13	-	8	38	307	1,644	5,574	14,339	39,018	82,841	118,207	13
1996	268,093	20	4	8	32	303	1,750	5,764	14,760	41,331	85,482	118,621	18
1995	272,354	12	3	6	40	321	1,697	5,476	14,969	42,951	86,709	120,133	37
1994	271,703	13	9	6	43	335	1,662	5,464	15,325	43,563	87,563	117,700	20
1993	276,321	15	7	5	37	317	1,628	5,269	15,877	45,389	89,576	118,173	28
1992	268,062	10	5	6	39	317	1,593	5,073	15,970	45,333	88,235	111,454	27
1991	270,805	11	4	11	40	310	1,500	5,017	16,672	46,276	90,299	110,638	27
1990	271,699	12	6	9	38	275	1,351	4,972	17,232	47,382	91,566	108,821	35
1989	276,829	16	1	5	39	300	1,363	4,981	18,029	48,555	93,981	109,532	27
1988	282,611	14	9	6	28	288	1,423	5,160	19,138	50,719	95,584	110,209	33
1987	281,867	15	2	13	40	305	1,456	5,288	19,813	51,942	95,061	107,899	33
1986	284,147	11	5	3	41	305	1,492	5,282	20,594	53,022	96,294	106,916	182
1985	287,960	14	1	8	46	296	1,474	5,520	21,506	54,621	97,745	106,586	143
1984	289,300	18	6	14	50	247	1,467	5,723	22,454	56,184	98,825	104,282	30
1983	292,532	10	13	22	40	266	1,444	6,092	23,149	57,147	100,216	104,088	45
1982	287,317	12	14	26	39	249	1,496	6,250	23,222	57,263	99,127	99,563	56
1981	286,932	7	4	18	49	276	1,442	6,641	23,671	57,817	98,582	98,369	56
1980	291,077	16	5	14	35	252	1,464	6,819	24,102	59,116	101,829	97,378	47
1979	277,611	10	7	3	50	258	1,510	6,913	23,652	57,048	98,243	89,882	35
Ischemic heart diseases (410-414,429.2)													
White, both sexes													
1998	468,464	10	6	16	84	835	5,991	19,467	39,779	88,586	152,834	160,832	24
1997	475,163	17	3	15	99	876	5,888	20,036	40,805	92,190	154,772	160,426	36
1996	486,404	21	4	17	86	918	6,201	20,265	42,302	97,401	158,189	160,954	46
1995	493,296	16	5	8	88	967	6,285	20,053	43,143	101,336	159,452	161,884	59
1994	494,643	17	9	15	81	914	6,066	19,783	44,604	103,782	160,090	159,244	38
1993	503,363	27	11	10	86	945	6,072	19,335	46,079	107,686	163,870	159,208	34
1992	492,186	17	7	12	87	954	6,121	18,801	46,836	107,716	160,804	150,783	48
1991	497,675	19	11	11	89	928	6,042	18,370	48,920	110,254	163,130	149,839	62
1990	502,298	19	6	15	87	903	5,872	18,414	51,115	112,715	165,448	147,655	49
1989	511,513	18	4	13	77	962	5,880	18,665	53,379	115,624	168,462	148,377	52
1988	525,590	22	10	12	86	968	6,061	19,020	56,578	121,256	171,379	150,141	57
1987	528,434	24	9	14	101	1,013	6,406	19,932	59,668	123,596	170,429	147,183	59
1986	537,407	20	5	15	87	1,043	6,637	20,384	63,231	126,864	172,441	146,429	251
1985	552,122	19	9	13	103	1,033	6,551	21,879	66,745	131,065	176,242	148,259	204
1984	557,460	21	13	41	116	966	6,525	22,710	69,671	133,899	177,504	145,937	57
1983	568,342	30	22	34	97	1,028	6,529	24,116	72,049	137,974	179,742	146,652	69
1982	566,011	23	19	45	96	1,047	6,604	25,251	73,884	139,328	178,349	141,275	90
1981	569,198	20	7	40	101	998	6,602	26,864	75,748	140,615	177,742	140,383	78
1980	579,302	29	13	14	113	960	6,536	27,835	77,797	143,562	181,871	140,499	73
1979	563,868	20	6	11	113	1,044	6,653	28,994	78,775	140,563	176,694	130,920	75

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	15-24 25-34 35-44 45-54 55-64 65-74 75-84												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	years	years	years	years	years	years	years	85 + years	
Ischemic heart diseases (410-414,429.2)													
White, male													
1998	238,049	6	2	11	60	616	4,770	15,535	28,809	56,964	79,895	51,364	17
1997	241,997	9	3	9	72	651	4,760	15,923	29,600	59,458	80,483	50,999	30
1996	247,601	9	1	11	64	698	4,972	16,026	30,835	62,531	81,500	50,922	32
1995	250,302	7	2	4	58	721	5,103	16,042	31,344	65,079	81,626	50,284	32
1994	251,859	9	3	9	58	679	4,939	15,721	32,512	66,889	81,310	49,704	26
1993	256,617	14	6	5	61	715	4,966	15,484	33,610	69,064	83,273	49,400	19
1992	252,261	11	4	7	59	724	5,032	15,097	34,272	68,918	81,086	47,021	30
1991	255,033	13	8	3	58	713	5,006	14,662	35,669	70,749	81,549	46,562	41
1990	258,198	11	2	10	61	707	4,925	14,746	37,361	72,051	82,421	45,876	27
1989	262,850	9	4	9	55	760	4,932	14,984	39,028	73,895	83,222	45,920	32
1988	270,835	12	3	7	65	757	5,071	15,231	41,135	77,230	84,574	46,716	34
1987	273,743	12	8	3	71	802	5,340	15,963	43,531	78,376	83,684	45,919	34
1986	280,429	12	2	12	57	836	5,540	16,467	46,332	80,632	84,522	45,932	85
1985	291,076	9	8	6	65	833	5,474	17,702	49,163	83,432	86,714	47,600	70
1984	294,776	10	9	28	75	789	5,480	18,384	51,200	84,606	86,856	47,303	36
1983	302,858	22	11	17	66	855	5,507	19,486	53,011	87,993	87,738	48,113	39
1982	304,373	16	7	23	66	879	5,523	20,583	54,665	88,802	86,807	46,953	49
1981	307,981	16	5	27	67	808	5,550	21,740	56,063	89,742	86,691	47,229	43
1980	314,490	15	9	5	85	793	5,515	22,647	57,793	91,558	87,825	48,203	42
1979	310,711	13	2	8	80	879	5,580	23,718	58,964	90,299	85,574	45,541	53
Ischemic heart diseases (410-414,429.2)													
White, female													
1998	230,415	4	4	5	24	219	1,221	3,932	10,970	31,622	72,939	109,468	7
1997	233,166	8	-	6	27	225	1,128	4,113	11,205	32,732	74,289	109,427	6
1996	238,803	12	3	6	22	220	1,229	4,239	11,467	34,870	76,689	110,032	14
1995	242,994	9	3	4	30	246	1,182	4,011	11,799	36,257	77,826	111,600	27
1994	242,784	8	6	6	23	235	1,127	4,062	12,092	36,893	78,780	109,540	12
1993	246,746	13	5	5	25	230	1,106	3,851	12,469	38,622	80,597	109,808	15
1992	239,925	6	3	5	28	230	1,089	3,704	12,564	38,798	79,718	103,762	18
1991	242,642	6	3	8	31	215	1,036	3,708	13,251	39,505	81,581	103,277	21
1990	244,100	8	4	5	26	196	947	3,668	13,754	40,664	83,027	101,779	22
1989	248,663	9	-	4	22	202	948	3,681	14,351	41,729	85,240	102,457	20
1988	254,755	10	7	5	21	211	990	3,789	15,443	44,026	86,805	103,425	23
1987	254,691	12	1	11	30	211	1,066	3,969	16,137	45,220	86,745	101,264	25
1986	256,978	8	3	3	30	207	1,097	3,917	16,899	46,232	87,919	100,497	166
1985	261,046	10	1	7	38	200	1,077	4,177	17,582	47,633	89,528	100,659	134
1984	262,684	11	4	13	41	177	1,045	4,326	18,471	49,293	90,648	98,634	21
1983	265,484	8	11	17	31	173	1,022	4,630	19,038	49,981	92,004	98,539	30
1982	261,638	7	12	22	30	168	1,081	4,668	19,219	50,526	91,542	94,322	41
1981	261,217	4	2	13	34	190	1,052	5,124	19,685	50,873	91,051	93,154	35
1980	264,812	14	4	9	28	167	1,021	5,188	20,004	52,004	94,046	92,296	31
1979	253,157	7	4	3	33	165	1,073	5,276	19,811	50,264	91,120	85,379	22

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	Age not stated												
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Ischemic heart diseases (410-414,429.2)													
All other, both sexes													
1998	58,153	13	1	8	38	244	1,692	4,744	8,399	13,654	16,078	13,265	17
1997	57,898	7	1	5	38	277	1,638	4,785	8,607	13,843	15,729	12,950	18
1996	58,234	9	1	3	35	286	1,652	4,705	8,715	14,103	16,066	12,647	12
1995	59,168	8	1	5	40	272	1,679	4,695	8,606	14,955	16,232	12,654	21
1994	58,035	11	3	1	43	298	1,725	4,585	8,526	14,786	15,892	12,143	22
1993	59,340	5	2	5	48	307	1,755	4,369	9,056	15,056	16,288	12,419	30
1992	56,821	8	4	4	32	311	1,629	4,225	8,819	14,646	15,665	11,452	26
1991	57,142	8	4	6	46	313	1,606	4,108	9,017	14,983	15,940	11,085	26
1990	55,993	9	3	5	37	289	1,452	4,041	9,019	14,761	15,643	10,702	32
1989	57,388	15	2	2	43	314	1,490	4,245	9,623	14,987	15,988	10,655	24
1988	56,829	8	3	2	46	310	1,477	4,108	9,681	14,813	16,165	10,191	25
1987	56,146	5	2	4	37	344	1,521	4,149	9,512	15,014	15,516	10,016	26
1986	55,989	5	5	1	41	346	1,526	4,143	9,795	14,873	15,404	9,816	34
1985	56,250	7	1	2	44	342	1,490	4,219	10,165	15,411	15,383	9,159	27
1984	55,718	14	3	5	36	318	1,468	4,352	10,325	15,170	15,214	8,787	26
1983	56,568	11	5	11	26	314	1,401	4,581	10,589	15,648	15,275	8,673	34
1982	54,830	12	5	10	42	336	1,434	4,666	10,407	15,149	14,399	8,325	45
1981	55,056	9	4	8	50	329	1,445	4,766	10,578	15,378	14,239	8,204	46
1980	56,375	4	5	5	44	329	1,492	5,007	10,683	15,686	14,777	8,296	47
1979	53,586	7	6	3	40	333	1,474	5,089	10,429	15,206	13,670	7,293	36
Ischemic heart diseases (410-414,429.2)													
All other, male													
1998	29,133	9	1	5	27	166	1,173	3,256	5,336	7,437	7,423	4,286	14
1997	29,062	2	1	3	27	195	1,122	3,324	5,473	7,557	7,177	4,170	11
1996	28,944	1	-	1	25	203	1,131	3,180	5,422	7,642	7,273	4,058	8
1995	29,808	5	1	3	30	197	1,164	3,230	5,436	8,261	7,349	4,121	11
1994	29,116	6	-	1	23	198	1,190	3,183	5,293	8,116	7,109	3,983	14
1993	29,765	3	-	5	36	220	1,233	2,951	5,648	8,289	7,309	4,054	17
1992	28,684	4	2	3	21	224	1,125	2,856	5,413	8,111	7,148	3,760	17
1991	28,979	3	3	3	37	218	1,142	2,799	5,596	8,212	7,222	3,724	20
1990	28,394	5	1	1	25	210	1,048	2,737	5,541	8,043	7,104	3,660	19
1989	29,222	8	1	1	26	216	1,075	2,945	5,945	8,161	7,247	3,580	17
1988	28,973	4	1	1	39	233	1,044	2,737	5,986	8,120	7,386	3,407	15
1987	28,970	2	1	2	27	250	1,131	2,830	5,836	8,292	7,200	3,381	18
1986	28,820	2	3	1	30	248	1,131	2,778	6,100	8,083	7,029	3,397	18
1985	29,336	3	1	1	36	246	1,093	2,876	6,241	8,423	7,166	3,232	18
1984	29,102	7	1	4	27	248	1,046	2,955	6,342	8,279	7,037	3,139	17
1983	29,520	9	3	6	17	221	979	3,119	6,478	8,482	7,063	3,124	19
1982	29,151	7	3	6	33	255	1,019	3,084	6,404	8,412	6,814	3,084	30
1981	29,341	6	2	3	35	243	1,055	3,249	6,592	8,434	6,708	2,989	25
1980	30,110	2	4	-	37	244	1,049	3,376	6,585	8,574	6,994	3,214	31
1979	29,132	4	3	3	23	240	1,037	3,452	6,588	8,422	6,547	2,790	23

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Ischemic heart diseases (410-414,429.2)													
All other, female													
1998	29,020	4	-	3	11	78	519	1,488	3,063	6,217	8,655	8,979	3
1997	28,836	5	-	2	11	82	516	1,461	3,134	6,286	8,552	8,780	7
1996	29,290	8	1	2	10	83	521	1,525	3,293	6,461	8,793	8,589	4
1995	29,360	3	-	2	10	75	515	1,465	3,170	6,694	8,883	8,533	10
1994	28,919	5	3	-	20	100	535	1,402	3,233	6,670	8,783	8,160	8
1993	29,575	2	2	-	12	87	522	1,418	3,408	6,767	8,979	8,365	13
1992	28,137	4	2	1	11	87	504	1,369	3,406	6,535	8,517	7,692	9
1991	28,163	5	1	3	9	95	464	1,309	3,421	6,771	8,718	7,361	6
1990	27,599	4	2	4	12	79	404	1,304	3,478	6,718	8,539	7,042	13
1989	28,166	7	1	1	17	98	415	1,300	3,678	6,826	8,741	7,075	7
1988	27,856	4	2	1	7	77	433	1,371	3,695	6,693	8,779	6,784	10
1987	27,176	3	1	2	10	94	390	1,319	3,676	6,722	8,316	6,635	8
1986	27,169	3	2	-	11	98	395	1,365	3,695	6,790	8,375	6,419	16
1985	26,914	4	-	1	8	96	397	1,343	3,924	6,988	8,217	5,927	9
1984	26,616	7	2	1	9	70	422	1,397	3,983	6,891	8,177	5,648	9
1983	27,048	2	2	5	9	93	422	1,462	4,111	7,166	8,212	5,549	15
1982	25,679	5	2	4	9	81	415	1,582	4,003	6,737	7,585	5,241	15
1981	25,715	3	2	5	15	86	390	1,517	3,986	6,944	7,531	5,215	21
1980	26,265	2	1	5	7	85	443	1,631	4,098	7,112	7,783	5,082	16
1979	24,454	3	3	-	17	93	437	1,637	3,841	6,784	7,123	4,503	13
Ischemic heart diseases (410-414,429.2)													
Black, both sexes													
1998	50,116	11	1	8	35	227	1,509	4,170	7,365	11,864	13,649	11,262	15
1997	50,233	7	1	5	35	243	1,458	4,213	7,554	11,996	13,562	11,142	17
1996	50,748	8	1	3	30	254	1,461	4,189	7,703	12,311	13,837	10,939	12
1995	51,994	8	1	5	30	237	1,517	4,201	7,635	13,146	14,169	11,026	19
1994	51,016	11	3	1	38	261	1,546	4,070	7,526	12,999	13,924	10,615	22
1993	52,660	4	2	5	47	278	1,569	3,899	8,140	13,451	14,323	10,917	25
1992	50,284	8	3	4	30	277	1,460	3,764	7,890	13,026	13,720	10,077	25
1991	51,098	7	4	5	39	287	1,451	3,701	8,111	13,493	14,161	9,815	24
1990	50,381	7	2	4	35	264	1,310	3,665	8,196	13,308	14,018	9,543	29
1989	51,712	13	2	2	40	301	1,362	3,848	8,735	13,571	14,332	9,483	23
1988	51,518	8	2	1	43	282	1,374	3,754	8,830	13,452	14,586	9,161	25
1987	51,037	5	2	4	34	310	1,382	3,781	8,705	13,733	14,058	8,999	24
1986	51,215	5	5	1	34	314	1,410	3,774	9,046	13,690	13,996	8,909	31
1985	51,473	7	1	2	42	323	1,364	3,885	9,386	14,179	13,969	8,292	23
1984	51,169	9	2	4	36	291	1,367	4,023	9,576	14,002	13,893	7,943	23
1983	52,237	7	3	10	24	292	1,280	4,255	9,866	14,535	14,030	7,912	23
1982	50,692	5	4	8	37	299	1,324	4,346	9,756	14,054	13,234	7,589	36
1981	51,353	4	2	7	47	301	1,346	4,471	9,976	14,419	13,190	7,548	42
1980	52,653	3	4	4	40	313	1,382	4,698	10,098	14,728	13,725	7,613	45
1979	50,035	6	4	3	38	304	1,387	4,818	9,847	14,271	12,653	6,671	33

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Ischemic heart diseases (410-414,429.2)													
Black, male													
1998	24,398	9	1	5	26	152	1,007	2,804	4,568	6,380	6,062	3,372	12
1997	24,489	2	1	3	24	163	989	2,866	4,698	6,404	6,022	3,307	10
1996	24,530	1	-	1	20	176	963	2,758	4,712	6,557	6,072	3,262	8
1995	25,542	5	1	3	23	168	1,028	2,844	4,765	7,126	6,202	3,368	9
1994	24,923	6	-	1	19	168	1,038	2,754	4,599	6,997	6,065	3,262	14
1993	25,740	2	-	5	35	195	1,076	2,585	5,023	7,266	6,171	3,367	15
1992	24,794	4	2	3	19	196	982	2,489	4,765	7,112	6,065	3,141	16
1991	25,310	3	3	2	32	197	1,019	2,484	4,961	7,278	6,158	3,154	19
1990	25,060	4	-	1	23	188	928	2,434	4,989	7,150	6,187	3,139	17
1989	25,776	7	1	1	24	204	965	2,639	5,337	7,287	6,259	3,035	17
1988	25,676	4	1	-	36	208	956	2,461	5,396	7,233	6,429	2,937	15
1987	25,738	2	1	2	24	221	1,015	2,544	5,256	7,450	6,289	2,918	16
1986	25,853	2	3	1	24	218	1,032	2,492	5,562	7,313	6,177	3,011	18
1985	26,331	3	1	1	34	229	991	2,610	5,695	7,613	6,281	2,858	15
1984	26,240	4	-	3	27	223	961	2,703	5,829	7,510	6,199	2,766	15
1983	26,822	5	1	5	15	202	877	2,872	5,963	7,753	6,305	2,809	15
1982	26,457	3	2	4	29	227	925	2,835	5,950	7,660	6,061	2,738	23
1981	26,947	2	1	3	33	219	972	3,013	6,157	7,769	6,052	2,702	24
1980	27,625	1	3	-	33	231	955	3,123	6,152	7,893	6,347	2,857	30
1979	26,773	3	2	3	21	217	968	3,225	6,142	7,762	5,913	2,496	21
Ischemic heart diseases (410-414,429.2)													
Black, female													
1998	25,718	2	-	3	9	75	502	1,366	2,797	5,484	7,587	7,890	3
1997	25,744	5	-	2	11	80	469	1,347	2,856	5,592	7,540	7,835	7
1996	26,218	7	1	2	10	78	498	1,431	2,991	5,754	7,765	7,677	4
1995	26,452	3	-	2	7	69	489	1,357	2,870	6,020	7,967	7,658	10
1994	26,093	5	3	-	19	93	508	1,316	2,927	6,002	7,859	7,353	8
1993	26,920	2	2	-	12	83	493	1,314	3,117	6,185	8,152	7,550	10
1992	25,490	4	1	1	11	81	478	1,275	3,125	5,914	7,655	6,936	9
1991	25,788	4	1	3	7	90	432	1,217	3,150	6,215	8,003	6,661	5
1990	25,321	3	2	3	12	76	382	1,231	3,207	6,158	7,831	6,404	12
1989	25,936	6	1	1	16	97	397	1,209	3,398	6,284	8,073	6,448	6
1988	25,842	4	1	1	7	74	418	1,293	3,434	6,219	8,157	6,224	10
1987	25,299	3	1	2	10	89	367	1,237	3,449	6,283	7,769	6,081	8
1986	25,362	3	2	-	10	96	378	1,282	3,484	6,377	7,819	5,898	13
1985	25,142	4	-	1	8	94	373	1,275	3,691	6,566	7,688	5,434	8
1984	24,929	5	2	1	9	68	406	1,320	3,747	6,492	7,694	5,177	8
1983	25,415	2	2	5	9	90	403	1,383	3,903	6,782	7,725	5,103	8
1982	24,235	2	2	4	8	72	399	1,511	3,806	6,394	7,173	4,851	13
1981	24,406	2	1	4	14	82	374	1,458	3,819	6,650	7,138	4,846	18
1980	25,028	2	1	4	7	82	427	1,575	3,946	6,835	7,378	4,756	15
1979	23,262	3	2	-	17	87	419	1,593	3,705	6,509	6,740	4,175	12

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Acute myocardial infarction (410)													
All races, both sexes													
1998	203,551	12	6	13	57	488	3,489	11,196	22,227	43,730	66,288	56,038	7
1997	206,212	13	2	13	66	514	3,423	11,625	22,813	45,965	67,261	54,501	16
1996	213,532	13	3	9	59	554	3,625	11,929	23,791	48,938	69,489	55,109	13
1995	218,229	11	2	4	69	570	3,773	11,962	24,472	51,575	70,711	55,062	18
1994	222,399	16	4	11	63	592	3,738	11,983	25,561	53,849	72,019	54,552	11
1993	227,456	12	5	6	63	585	3,788	11,689	26,647	55,756	74,500	54,391	14
1992	229,383	19	7	7	59	624	3,868	11,703	27,435	57,323	75,504	52,819	15
1991	235,255	8	7	5	73	615	3,842	11,584	29,038	59,648	77,657	52,754	24
1990	239,008	16	5	10	71	607	3,745	11,661	30,457	61,739	79,454	51,228	15
1989	246,950	19	3	6	74	641	3,810	12,040	32,383	64,689	81,686	51,577	22
1988	247,950	17	4	5	78	655	4,025	12,184	33,875	67,039	81,343	48,706	19
1987	253,542	16	7	9	73	702	4,208	13,172	36,367	69,686	81,914	47,363	25
1986	261,002	16	4	10	62	754	4,479	13,605	39,139	72,757	83,511	46,607	58
1985	274,199	14	4	9	88	782	4,599	14,769	42,883	77,382	86,249	47,379	41
1984	279,122	21	5	20	87	717	4,607	15,859	45,461	79,525	86,933	45,860	27
1983	286,300	26	14	21	75	785	4,673	17,033	47,701	83,170	87,088	45,681	33
1982	291,031	20	11	26	90	816	4,907	18,195	49,920	85,542	86,793	44,666	45
1981	292,504	14	4	19	104	813	4,994	19,430	51,223	86,311	85,642	43,902	48
1980	299,584	20	13	11	96	780	5,018	20,432	53,352	88,820	87,072	43,940	30
1979	300,462	13	5	10	97	877	5,310	21,694	55,524	88,526	86,262	42,102	42
Acute myocardial infarction (410)													
All races, male													
1998	106,995	7	2	9	41	336	2,719	8,646	15,708	27,216	33,652	18,655	4
1997	109,171	7	2	8	43	366	2,638	8,990	16,021	28,729	34,071	18,284	12
1996	112,739	6	1	5	37	393	2,811	9,156	16,705	30,350	34,904	18,361	10
1995	115,987	3	-	1	45	399	2,983	9,328	17,278	31,981	35,735	18,223	11
1994	118,294	9	1	5	34	424	2,919	9,244	17,996	33,524	36,047	18,082	9
1993	121,732	6	3	4	47	416	2,997	9,080	18,869	34,710	37,528	18,062	10
1992	123,121	12	4	5	34	461	3,048	9,071	19,319	35,504	37,684	17,968	11
1991	126,144	3	4	3	49	449	3,071	8,920	20,380	37,043	38,565	17,643	14
1990	129,483	9	2	5	43	456	3,024	9,112	21,547	38,230	39,677	17,370	8
1989	134,298	11	3	4	52	491	3,087	9,390	22,960	40,237	40,574	17,476	13
1988	135,884	10	1	1	57	491	3,245	9,453	23,788	41,545	40,572	16,712	9
1987	140,252	8	5	3	51	528	3,432	10,214	25,747	43,233	40,589	16,427	15
1986	145,795	11	2	7	44	586	3,656	10,644	27,883	45,196	41,611	16,136	19
1985	155,860	7	4	4	58	618	3,738	11,623	30,745	48,556	43,481	17,009	17
1984	159,934	11	4	15	56	570	3,770	12,535	32,714	49,754	43,902	16,585	18
1983	165,679	19	6	10	46	621	3,810	13,463	34,369	52,663	43,956	16,696	20
1982	170,372	13	3	15	62	658	3,990	14,476	36,333	54,434	43,814	16,547	27
1981	172,898	10	1	13	71	644	4,156	15,440	37,418	55,112	43,630	16,375	28
1980	178,485	12	10	2	79	616	4,157	16,386	39,321	56,989	44,011	16,887	15
1979	181,054	6	2	9	67	714	4,355	17,410	41,092	57,244	43,782	16,343	30

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Acute myocardial infarction (410)													
All races, female													
1998	96,556	5	4	4	16	152	770	2,550	6,519	16,514	32,636	37,383	3
1997	97,041	6	-	5	23	148	785	2,635	6,792	17,236	33,190	36,217	4
1996	100,793	7	2	4	22	161	814	2,773	7,086	18,588	34,585	36,748	3
1995	102,242	8	2	3	24	171	790	2,634	7,194	19,594	34,976	36,839	7
1994	104,105	7	3	6	29	168	819	2,739	7,565	20,325	35,972	36,470	2
1993	105,724	6	2	2	16	169	791	2,609	7,778	21,046	36,972	36,329	4
1992	106,262	7	3	2	25	163	820	2,632	8,116	21,819	37,820	34,851	4
1991	109,111	5	3	2	24	166	771	2,664	8,658	22,605	39,092	35,111	10
1990	109,525	7	3	5	28	151	721	2,549	8,910	23,509	39,777	33,858	7
1989	112,652	8	-	2	22	150	723	2,650	9,423	24,452	41,112	34,101	9
1988	112,066	7	3	4	21	164	780	2,731	10,087	25,494	40,771	31,994	10
1987	113,290	8	2	6	22	174	776	2,958	10,620	26,453	41,325	30,936	10
1986	115,207	5	2	3	18	168	823	2,961	11,256	27,561	41,900	30,471	39
1985	118,339	7	-	5	30	164	861	3,146	12,138	28,826	42,768	30,370	24
1984	119,188	10	1	5	31	147	837	3,324	12,747	29,771	43,031	29,275	9
1983	120,621	7	8	11	29	164	863	3,570	13,332	30,507	43,132	28,985	13
1982	120,659	7	8	11	28	158	917	3,719	13,587	31,108	42,979	28,119	18
1981	119,606	4	3	6	33	169	838	3,990	13,805	31,199	42,012	27,527	20
1980	121,099	8	3	9	17	164	861	4,046	14,031	31,831	43,061	27,053	15
1979	119,408	7	3	1	30	163	955	4,284	14,432	31,282	42,480	25,759	12
Acute myocardial infarction (410)													
White, both sexes													
1998	181,298	6	5	11	37	369	2,780	9,208	18,872	38,414	60,071	51,520	5
1997	184,132	10	2	10	52	387	2,712	9,627	19,359	40,436	61,288	50,235	14
1996	191,235	9	3	7	44	418	2,944	9,968	20,245	43,326	63,422	50,840	9
1995	195,726	9	2	3	48	460	3,027	10,042	21,040	45,673	64,530	50,881	11
1994	199,856	10	3	11	40	448	2,997	9,982	22,071	47,781	65,935	50,570	8
1993	204,386	10	4	5	43	439	3,000	9,832	22,912	49,681	68,223	50,229	8
1992	206,629	13	5	5	40	472	3,132	9,815	23,616	51,228	69,316	48,979	8
1991	212,058	7	5	2	51	463	3,085	9,809	25,031	53,364	71,226	48,997	18
1990	216,252	12	3	9	51	461	3,071	9,864	26,522	55,386	73,144	47,720	9
1989	223,228	9	2	6	46	496	3,131	10,134	28,121	58,093	75,195	47,979	16
1988	225,262	11	4	4	55	504	3,320	10,423	29,659	60,696	75,005	45,567	14
1987	230,809	13	6	8	54	540	3,508	11,274	32,165	63,139	75,854	44,232	16
1986	238,218	12	3	9	38	575	3,755	11,664	34,707	66,219	77,433	43,749	54
1985	250,527	10	4	7	62	606	3,852	12,816	38,100	70,406	80,115	44,515	34
1984	255,496	14	5	18	64	541	3,870	13,693	40,575	72,675	80,886	43,135	20
1983	262,549	18	13	13	60	606	3,938	14,821	42,730	76,040	81,157	43,134	19
1982	267,971	13	8	22	60	632	4,154	15,972	44,862	78,597	81,343	42,275	33
1981	269,389	11	3	16	69	643	4,246	17,058	46,134	79,310	80,300	41,567	32
1980	275,957	19	10	8	68	597	4,213	17,946	48,292	81,787	81,489	41,514	14
1979	277,070	8	3	7	68	670	4,491	19,119	50,312	81,599	80,917	39,846	30

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Acute myocardial infarction (410)													
White, male													
1998	95,921	3	1	7	26	264	2,235	7,304	13,631	24,422	30,844	17,181	3
1997	98,238	5	2	6	34	277	2,170	7,616	13,924	25,820	31,482	16,891	11
1996	101,698	6	1	4	29	303	2,336	7,845	14,566	27,433	32,207	16,960	8
1995	104,716	2	-	1	29	322	2,472	8,058	15,164	28,873	32,975	16,813	7
1994	106,943	6	1	5	27	328	2,421	7,874	15,960	30,280	33,335	16,699	7
1993	110,131	5	3	3	34	321	2,440	7,838	16,584	31,475	34,763	16,659	6
1992	111,528	9	3	3	25	353	2,542	7,815	17,048	32,229	34,884	16,610	7
1991	114,431	3	3	1	33	353	2,539	7,727	17,992	33,733	35,706	16,331	10
1990	117,850	6	1	5	31	352	2,550	7,890	19,229	34,870	36,800	16,110	6
1989	122,228	6	2	4	33	392	2,602	8,113	20,416	36,756	37,679	16,214	11
1988	124,278	8	1	1	41	381	2,757	8,322	21,333	38,138	37,684	15,605	7
1987	128,433	7	5	3	38	414	2,920	8,970	23,251	39,700	37,814	15,303	8
1986	133,960	9	2	6	28	456	3,114	9,386	25,246	41,745	38,825	15,126	17
1985	143,311	5	4	3	38	491	3,209	10,352	27,917	44,751	40,574	15,953	14
1984	147,255	8	4	13	38	431	3,243	11,098	29,790	46,077	41,011	15,529	13
1983	152,898	13	6	6	38	500	3,313	11,972	31,390	48,774	41,183	15,693	10
1982	157,748	9	2	12	39	521	3,480	13,032	33,255	50,620	41,183	15,576	19
1981	160,102	9	1	12	46	518	3,603	13,833	34,303	51,212	41,057	15,487	21
1980	165,470	11	7	2	54	488	3,588	14,730	36,247	53,094	41,341	15,902	6
1979	167,890	4	1	6	47	562	3,786	15,689	37,848	53,324	41,175	15,426	22
Acute myocardial infarction (410)													
White, female													
1998	85,377	3	4	4	11	105	545	1,904	5,241	13,992	29,227	34,339	2
1997	85,894	5	-	4	18	110	542	2,011	5,435	14,616	29,806	33,344	3
1996	89,537	3	2	3	15	115	608	2,123	5,679	15,893	31,215	33,880	1
1995	91,010	7	2	2	19	138	555	1,984	5,876	16,800	31,555	34,068	4
1994	92,913	4	2	6	13	120	576	2,108	6,111	17,501	32,600	33,871	1
1993	94,255	5	1	2	9	118	560	1,994	6,328	18,206	33,460	33,570	2
1992	95,101	4	2	2	15	119	590	2,000	6,568	18,999	34,432	32,369	1
1991	97,627	4	2	1	18	110	546	2,082	7,039	19,631	35,520	32,666	8
1990	98,402	6	2	4	20	109	521	1,974	7,293	20,516	36,344	31,610	3
1989	101,000	3	-	2	13	104	529	2,021	7,705	21,337	37,516	31,765	5
1988	100,984	3	3	3	14	123	563	2,101	8,326	22,558	37,321	29,962	7
1987	102,376	6	1	5	16	126	588	2,304	8,914	23,439	38,040	28,929	8
1986	104,258	3	1	3	10	119	641	2,278	9,461	24,474	38,608	28,623	37
1985	107,216	5	-	4	24	115	643	2,464	10,183	25,655	39,541	28,562	20
1984	108,241	6	1	5	26	110	627	2,595	10,785	26,598	39,875	27,606	7
1983	109,651	5	7	7	22	106	625	2,849	11,340	27,266	39,974	27,441	9
1982	110,223	4	6	10	21	111	674	2,940	11,607	27,977	40,160	26,699	14
1981	109,287	2	2	4	23	125	643	3,225	11,831	28,098	39,243	26,080	11
1980	110,487	8	3	6	14	109	625	3,216	12,045	28,693	40,148	25,612	8
1979	109,180	4	2	1	21	108	705	3,430	12,464	28,275	39,742	24,420	8

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Acute myocardial infarction (410)													
All other, both sexes													
1998	22,253	6	1	2	20	119	709	1,988	3,355	5,316	6,217	4,518	2
1997	22,080	3	-	3	14	127	711	1,998	3,454	5,529	5,973	4,266	2
1996	22,297	4	-	2	15	136	681	1,961	3,546	5,612	6,067	4,269	4
1995	22,503	2	-	1	21	110	746	1,920	3,432	5,902	6,181	4,181	7
1994	22,543	6	1	-	23	144	741	2,001	3,490	6,068	6,084	3,982	3
1993	23,070	2	1	1	20	146	788	1,857	3,735	6,075	6,277	4,162	6
1992	22,754	6	2	2	19	152	736	1,888	3,819	6,095	6,188	3,840	7
1991	23,197	1	2	3	22	152	757	1,775	4,007	6,284	6,431	3,757	6
1990	22,756	4	2	1	20	146	674	1,797	3,935	6,353	6,310	3,508	6
1989	23,722	10	1	-	28	145	679	1,906	4,262	6,596	6,491	3,598	6
1988	22,688	6	-	1	23	151	705	1,761	4,216	6,343	6,338	3,139	5
1987	22,733	3	1	1	19	162	700	1,898	4,202	6,547	6,060	3,131	9
1986	22,784	4	1	1	24	179	724	1,941	4,432	6,538	6,078	2,858	4
1985	23,672	4	-	2	26	176	747	1,953	4,783	6,976	6,134	2,864	7
1984	23,626	7	-	2	23	176	737	2,166	4,886	6,850	6,047	2,725	7
1983	23,751	8	1	8	15	179	735	2,212	4,971	7,130	5,931	2,547	14
1982	23,060	7	3	4	30	184	753	2,223	5,058	6,945	5,450	2,391	12
1981	23,115	3	1	3	35	170	748	2,372	5,089	7,001	5,342	2,335	16
1980	23,627	1	3	3	28	183	805	2,486	5,060	7,033	5,583	2,426	16
1979	23,392	5	2	3	29	207	819	2,575	5,212	6,927	5,345	2,256	12
Acute myocardial infarction (410)													
All other, male													
1998	11,074	4	1	2	15	72	484	1,342	2,077	2,794	2,808	1,474	1
1997	10,933	2	-	2	9	89	468	1,374	2,097	2,909	2,589	1,393	1
1996	11,041	-	-	1	8	90	475	1,311	2,139	2,917	2,697	1,401	2
1995	11,271	1	-	-	16	77	511	1,270	2,114	3,108	2,760	1,410	4
1994	11,351	3	-	-	7	96	498	1,370	2,036	3,244	2,712	1,383	2
1993	11,601	1	-	1	13	95	557	1,242	2,285	3,235	2,765	1,403	4
1992	11,593	3	1	2	9	108	506	1,256	2,271	3,275	2,800	1,358	4
1991	11,713	-	1	2	16	96	532	1,193	2,388	3,310	2,859	1,312	4
1990	11,633	3	1	-	12	104	474	1,222	2,318	3,360	2,877	1,260	2
1989	12,070	5	1	-	19	99	485	1,277	2,544	3,481	2,895	1,262	2
1988	11,606	2	-	-	16	110	488	1,131	2,455	3,407	2,888	1,107	2
1987	11,819	1	-	-	13	114	512	1,244	2,496	3,533	2,775	1,124	7
1986	11,835	2	-	1	16	130	542	1,258	2,637	3,451	2,786	1,010	2
1985	12,549	2	-	1	20	127	529	1,271	2,828	3,805	2,907	1,056	3
1984	12,679	3	-	2	18	139	527	1,437	2,924	3,677	2,891	1,056	5
1983	12,781	6	-	4	8	121	497	1,491	2,979	3,889	2,773	1,003	10
1982	12,624	4	1	3	23	137	510	1,444	3,078	3,814	2,631	971	8
1981	12,796	1	-	1	25	126	553	1,607	3,115	3,900	2,573	888	7
1980	13,015	1	3	-	25	128	569	1,656	3,074	3,895	2,670	985	9
1979	13,164	2	1	3	20	152	569	1,721	3,244	3,920	2,607	917	8

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Acute myocardial infarction (410)													
All other, female													
1998	11,179	2	-	-	5	47	225	646	1,278	2,522	3,409	3,044	1
1997	11,147	1	-	1	5	38	243	624	1,357	2,620	3,384	2,873	1
1996	11,256	4	-	1	7	46	206	650	1,407	2,695	3,370	2,868	2
1995	11,232	1	-	1	5	33	235	650	1,318	2,794	3,421	2,771	3
1994	11,192	3	1	-	16	48	243	631	1,454	2,824	3,372	2,599	1
1993	11,469	1	1	-	7	51	231	615	1,450	2,840	3,512	2,759	2
1992	11,161	3	1	-	10	44	230	632	1,548	2,820	3,388	2,482	3
1991	11,484	1	1	1	6	56	225	582	1,619	2,974	3,572	2,445	2
1990	11,123	1	1	1	8	42	200	575	1,617	2,993	3,433	2,248	4
1989	11,652	5	-	-	9	46	194	629	1,718	3,115	3,596	2,336	4
1988	11,082	4	-	1	7	41	217	630	1,761	2,936	3,450	2,032	3
1987	10,914	2	1	1	6	48	188	654	1,706	3,014	3,285	2,007	2
1986	10,949	2	1	-	8	49	182	683	1,795	3,087	3,292	1,848	2
1985	11,123	2	-	1	6	49	218	682	1,955	3,171	3,227	1,808	4
1984	10,947	4	-	-	5	37	210	729	1,962	3,173	3,156	1,669	2
1983	10,970	2	1	4	7	58	238	721	1,992	3,241	3,158	1,544	4
1982	10,436	3	2	1	7	47	243	779	1,980	3,131	2,819	1,420	4
1981	10,319	2	1	2	10	44	195	765	1,974	3,101	2,769	1,447	9
1980	10,612	-	-	3	3	55	236	830	1,986	3,138	2,913	1,441	7
1979	10,228	3	1	-	9	55	250	854	1,968	3,007	2,738	1,339	4
Acute myocardial infarction (410)													
Black, both sexes													
1998	19,198	5	1	2	19	112	633	1,746	2,915	4,574	5,316	3,874	1
1997	19,244	3	-	3	14	112	638	1,751	3,004	4,794	5,187	3,736	2
1996	19,492	3	-	2	13	123	596	1,725	3,135	4,906	5,252	3,733	4
1995	19,766	2	-	1	17	99	668	1,688	2,995	5,197	5,394	3,700	5
1994	19,811	6	1	-	21	127	664	1,775	3,087	5,297	5,324	3,506	3
1993	20,399	2	1	1	20	132	707	1,620	3,335	5,393	5,516	3,666	6
1992	20,104	6	1	2	18	137	664	1,675	3,375	5,382	5,432	3,406	6
1991	20,654	-	2	2	17	141	678	1,585	3,573	5,600	5,700	3,351	5
1990	20,436	2	1	-	19	139	602	1,616	3,549	5,715	5,648	3,139	6
1989	21,198	9	1	-	25	138	616	1,690	3,834	5,920	5,751	3,209	5
1988	20,393	6	-	1	23	137	652	1,598	3,782	5,711	5,671	2,807	5
1987	20,453	3	1	1	19	147	630	1,717	3,794	5,924	5,440	2,769	8
1986	20,684	4	1	1	21	166	669	1,741	4,026	5,995	5,457	2,599	4
1985	21,447	4	-	2	26	166	674	1,753	4,365	6,349	5,493	2,609	6
1984	21,498	5	-	2	23	162	669	1,977	4,499	6,276	5,446	2,435	4
1983	21,775	5	1	8	14	169	666	2,035	4,598	6,562	5,387	2,318	12
1982	21,099	3	2	3	27	162	699	2,042	4,716	6,360	4,925	2,151	9
1981	21,363	2	-	3	33	159	686	2,202	4,756	6,497	4,887	2,124	14
1980	21,892	1	2	2	24	175	743	2,310	4,759	6,513	5,127	2,221	15
1979	21,714	4	2	3	27	191	770	2,428	4,899	6,434	4,886	2,060	10

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Acute myocardial infarction (410)													
Black, male													
1998	9,273	4	1	2	14	67	416	1,154	1,762	2,371	2,298	1,184	-
1997	9,215	2	-	2	9	75	424	1,174	1,772	2,464	2,173	1,119	1
1996	9,357	-	-	1	6	81	399	1,116	1,848	2,512	2,252	1,140	2
1995	9,594	1	-	-	13	68	443	1,102	1,807	2,676	2,314	1,168	2
1994	9,736	3	-	-	6	83	436	1,182	1,768	2,765	2,315	1,176	2
1993	9,933	1	-	1	13	83	487	1,056	2,011	2,810	2,319	1,148	4
1992	9,970	3	1	2	8	95	448	1,089	1,954	2,835	2,398	1,134	3
1991	10,158	-	1	1	13	88	467	1,046	2,088	2,906	2,432	1,113	3
1990	10,260	2	-	-	11	99	418	1,071	2,058	2,989	2,509	1,101	2
1989	10,545	5	1	-	17	92	430	1,113	2,255	3,073	2,480	1,077	2
1988	10,197	2	-	-	16	98	443	1,004	2,176	3,006	2,500	950	2
1987	10,344	1	-	-	13	101	455	1,102	2,215	3,131	2,379	941	6
1986	10,525	2	-	1	14	119	496	1,104	2,357	3,115	2,415	900	2
1985	11,103	2	-	1	20	118	473	1,114	2,544	3,397	2,497	934	3
1984	11,321	2	-	2	18	126	470	1,303	2,655	3,302	2,517	923	3
1983	11,529	3	-	4	7	113	442	1,361	2,708	3,524	2,460	898	9
1982	11,345	2	-	2	21	120	465	1,304	2,846	3,421	2,294	865	5
1981	11,638	1	-	1	24	116	502	1,469	2,875	3,554	2,292	797	7
1980	11,834	1	2	-	21	122	518	1,514	2,851	3,524	2,400	872	9
1979	12,016	1	1	3	18	141	530	1,595	3,014	3,571	2,319	816	7
Acute myocardial infarction (410)													
Black, female													
1998	9,925	1	-	-	5	45	217	592	1,153	2,203	3,018	2,690	1
1997	10,029	1	-	1	5	37	214	577	1,232	2,330	3,014	2,617	1
1996	10,135	3	-	1	7	42	197	609	1,287	2,394	3,000	2,593	2
1995	10,172	1	-	1	4	31	225	586	1,188	2,521	3,080	2,532	3
1994	10,075	3	1	-	15	44	228	593	1,319	2,532	3,009	2,330	1
1993	10,466	1	1	-	7	49	220	564	1,324	2,583	3,197	2,518	2
1992	10,134	3	-	-	10	42	216	586	1,421	2,547	3,034	2,272	3
1991	10,496	-	1	1	4	53	211	539	1,485	2,694	3,268	2,238	2
1990	10,176	-	1	-	8	40	184	545	1,491	2,726	3,139	2,038	4
1989	10,653	4	-	-	8	46	186	577	1,579	2,847	3,271	2,132	3
1988	10,196	4	-	1	7	39	209	594	1,606	2,705	3,171	1,857	3
1987	10,109	2	1	1	6	46	175	615	1,579	2,793	3,061	1,828	2
1986	10,159	2	1	-	7	47	173	637	1,669	2,880	3,042	1,699	2
1985	10,344	2	-	1	6	48	201	639	1,821	2,952	2,996	1,675	3
1984	10,177	3	-	-	5	36	199	674	1,844	2,974	2,929	1,512	1
1983	10,246	2	1	4	7	56	224	674	1,890	3,038	2,927	1,420	3
1982	9,754	1	2	1	6	42	234	738	1,870	2,939	2,631	1,286	4
1981	9,725	1	-	2	9	43	184	733	1,881	2,943	2,595	1,327	7
1980	10,058	-	-	2	3	53	225	796	1,908	2,989	2,727	1,349	6
1979	9,698	3	1	-	9	50	240	833	1,885	2,863	2,567	1,244	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other acute ischemic heart diseases (411)													
All races, both sexes													
1998	2,907	1	-	-	5	13	100	263	404	569	771	781	-
1997	3,046	-	-	-	4	16	99	314	456	642	724	787	4
1996	2,889	1	-	-	3	19	118	260	416	607	718	745	2
1995	2,740	3	-	-	1	15	84	250	396	597	680	707	7
1994	2,862	1	-	-	3	17	107	263	396	595	726	750	4
1993	2,968	-	-	-	3	26	120	259	428	675	788	664	5
1992	3,179	-	-	-	3	15	133	275	485	744	809	710	5
1991	3,300	1	1	-	6	26	125	284	528	803	829	690	7
1990	3,333	-	-	-	3	22	110	320	560	811	864	642	1
1989	3,376	2	-	-	5	24	96	246	583	822	879	718	1
1988	3,408	4	1	-	5	26	109	269	541	856	887	708	2
1987	3,532	1	-	-	2	27	104	302	628	863	948	654	3
1986	3,856	-	-	1	7	27	140	312	759	1,016	945	647	2
1985	3,969	-	1	-	6	26	104	374	798	1,030	964	664	2
1984	4,034	1	1	1	4	21	125	336	795	1,065	1,012	671	2
1983	4,059	1	1	1	2	18	122	407	792	1,087	970	657	1
1982	4,120	-	-	-	6	31	132	412	875	1,121	947	593	3
1981	4,549	2	-	-	4	27	142	427	973	1,207	1,078	689	-
1980	4,773	-	-	-	5	34	133	480	987	1,271	1,164	695	4
1979	4,762	3	-	-	7	33	124	467	1,035	1,264	1,163	664	2
Other acute ischemic heart diseases (411)													
All races, male													
1998	1,563	1	-	-	5	11	76	209	293	364	370	234	-
1997	1,691	-	-	-	2	15	76	253	328	412	357	244	4
1996	1,591	-	-	-	3	13	96	198	308	389	364	220	-
1995	1,517	2	-	-	1	11	62	204	291	396	334	211	5
1994	1,562	1	-	-	3	13	77	203	293	386	349	236	1
1993	1,662	-	-	-	2	21	90	212	301	434	385	215	2
1992	1,770	-	-	-	3	9	112	224	353	463	385	218	3
1991	1,941	1	1	-	6	21	110	227	380	560	400	229	6
1990	1,968	-	-	-	3	16	87	256	406	554	439	206	1
1989	1,902	1	-	-	4	20	72	191	430	534	425	224	1
1988	1,955	3	-	-	4	19	95	203	405	551	446	228	1
1987	2,073	1	-	-	1	22	74	238	461	561	507	208	-
1986	2,352	-	-	1	5	20	114	253	570	673	516	198	2
1985	2,381	-	1	-	5	18	82	301	585	685	486	216	2
1984	2,459	1	1	1	3	18	103	265	589	726	509	241	2
1983	2,501	1	1	-	1	12	92	313	589	734	526	232	-
1982	2,611	-	-	-	6	28	108	333	665	757	498	213	3
1981	2,801	2	-	-	2	18	105	344	731	813	535	251	-
1980	2,975	-	-	-	4	26	111	375	749	864	586	257	3
1979	2,992	3	-	-	3	28	104	374	796	834	600	249	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other acute ischemic heart diseases (411)													
All races, female													
1998	1,344	-	-	-	-	2	24	54	111	205	401	547	-
1997	1,355	-	-	-	2	1	23	61	128	230	367	543	-
1996	1,298	1	-	-	-	6	22	62	108	218	354	525	2
1995	1,223	1	-	-	-	4	22	46	105	201	346	496	2
1994	1,300	-	-	-	-	4	30	60	103	209	377	514	3
1993	1,306	-	-	-	1	5	30	47	127	241	403	449	3
1992	1,409	-	-	-	-	6	21	51	132	281	424	492	2
1991	1,359	-	-	-	-	5	15	57	148	243	429	461	1
1990	1,365	-	-	-	-	6	23	64	154	257	425	436	-
1989	1,474	1	-	-	1	4	24	55	153	288	454	494	-
1988	1,453	1	1	-	1	7	14	66	136	305	441	480	1
1987	1,459	-	-	-	1	5	30	64	167	302	441	446	3
1986	1,504	-	-	-	2	7	26	59	189	343	429	449	-
1985	1,588	-	-	-	1	8	22	73	213	345	478	448	-
1984	1,575	-	-	-	1	3	22	71	206	339	503	430	-
1983	1,558	-	-	1	1	6	30	94	203	353	444	425	1
1982	1,509	-	-	-	-	3	24	79	210	364	449	380	-
1981	1,748	-	-	-	2	9	37	83	242	394	543	438	-
1980	1,798	-	-	-	1	8	22	105	238	407	578	438	1
1979	1,770	-	-	-	4	5	20	93	239	430	563	415	1
Other acute ischemic heart diseases (411)													
White, both sexes													
1998	2,448	1	-	-	3	10	74	204	319	460	671	706	-
1997	2,596	-	-	-	4	14	81	258	364	535	633	705	2
1996	2,454	1	-	-	2	16	92	205	327	518	628	664	1
1995	2,356	-	-	-	1	10	60	202	320	510	600	646	7
1994	2,442	-	-	-	1	13	84	201	318	511	628	682	4
1993	2,541	-	-	-	1	18	88	205	356	572	696	604	1
1992	2,699	-	-	-	2	8	108	221	394	647	694	623	2
1991	2,807	-	1	-	3	21	91	238	438	674	711	623	7
1990	2,807	-	-	-	1	15	81	255	454	679	750	571	1
1989	2,843	-	-	-	2	17	81	184	457	691	748	662	1
1988	2,915	3	1	-	2	15	83	200	464	727	780	640	-
1987	3,007	-	-	-	1	17	78	239	508	737	836	589	2
1986	3,296	-	-	1	6	19	109	249	644	842	833	591	2
1985	3,394	-	-	-	1	17	74	296	665	872	866	601	2
1984	3,387	1	1	1	4	14	90	258	650	883	877	608	-
1983	3,405	1	1	1	2	14	94	332	644	899	837	579	1
1982	3,488	-	-	-	5	22	103	313	719	972	828	525	1
1981	3,835	1	-	-	4	23	104	335	793	1,011	935	629	-
1980	4,048	-	-	-	5	19	107	356	808	1,076	1,031	642	4
1979	4,020	3	-	-	6	21	100	374	827	1,071	1,013	603	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other acute ischemic heart diseases (411)													
White, male													
1998	1,293	1	-	-	3	8	58	165	231	297	320	210	-
1997	1,447	-	-	-	2	13	63	213	273	354	311	216	2
1996	1,342	-	-	-	2	11	74	162	251	334	309	199	-
1995	1,308	-	-	-	1	9	45	168	241	346	294	199	5
1994	1,331	-	-	-	1	11	66	157	239	339	306	211	1
1993	1,417	-	-	-	1	16	70	169	261	371	336	193	-
1992	1,495	-	-	-	2	6	91	186	294	398	324	193	1
1991	1,654	-	1	-	3	16	82	198	323	480	350	195	6
1990	1,667	-	-	-	1	11	68	206	334	476	390	180	1
1989	1,608	-	-	-	2	14	65	153	349	462	360	202	1
1988	1,661	2	-	-	1	12	73	160	354	464	389	206	-
1987	1,750	-	-	-	1	14	56	190	381	483	443	182	-
1986	2,014	-	-	1	4	15	92	209	488	563	461	179	2
1985	2,060	-	-	-	1	10	62	252	499	599	442	193	2
1984	2,081	1	1	1	3	12	79	210	491	615	458	210	-
1983	2,132	1	1	-	1	9	73	264	490	633	459	201	-
1982	2,230	-	-	-	5	21	85	261	566	670	438	183	1
1981	2,383	1	-	-	2	15	82	279	608	704	461	231	-
1980	2,522	-	-	-	4	14	90	288	617	749	519	238	3
1979	2,532	3	-	-	3	19	85	308	653	711	522	227	1
Other acute ischemic heart diseases (411)													
White, female													
1998	1,155	-	-	-	-	2	16	39	88	163	351	496	-
1997	1,149	-	-	-	2	1	18	45	91	181	322	489	-
1996	1,112	1	-	-	-	5	18	43	76	184	319	465	1
1995	1,048	-	-	-	-	1	15	34	79	164	306	447	2
1994	1,111	-	-	-	-	2	18	44	79	172	322	471	3
1993	1,124	-	-	-	-	2	18	36	95	201	360	411	1
1992	1,204	-	-	-	-	2	17	35	100	249	370	430	1
1991	1,153	-	-	-	-	5	9	40	115	194	361	428	1
1990	1,140	-	-	-	-	4	13	49	120	203	360	391	-
1989	1,235	-	-	-	-	3	16	31	108	229	388	460	-
1988	1,254	1	1	-	1	3	10	40	110	263	391	434	-
1987	1,257	-	-	-	-	3	22	49	127	254	393	407	2
1986	1,282	-	-	-	2	4	17	40	156	279	372	412	-
1985	1,334	-	-	-	-	7	12	44	166	273	424	408	-
1984	1,306	-	-	-	1	2	11	48	159	268	419	398	-
1983	1,273	-	-	1	1	5	21	68	154	266	378	378	1
1982	1,258	-	-	-	-	1	18	52	153	302	390	342	-
1981	1,452	-	-	-	2	8	22	56	185	307	474	398	-
1980	1,526	-	-	-	1	5	17	68	191	327	512	404	1
1979	1,488	-	-	-	3	2	15	66	174	360	491	376	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other acute ischemic heart diseases (411)													
All other, both sexes													
1998	459	-	-	-	2	3	26	59	85	109	100	75	-
1997	450	-	-	-	-	2	18	56	92	107	91	82	2
1996	435	-	-	-	1	3	26	55	89	89	90	81	1
1995	384	3	-	-	-	5	24	48	76	87	80	61	-
1994	420	1	-	-	2	4	23	62	78	84	98	68	-
1993	427	-	-	-	2	8	32	54	72	103	92	60	4
1992	480	-	-	-	1	7	25	54	91	97	115	87	3
1991	493	1	-	-	3	5	34	46	90	129	118	67	-
1990	526	-	-	-	2	7	29	65	106	132	114	71	-
1989	533	2	-	-	3	7	15	62	126	131	131	56	-
1988	493	1	-	-	3	11	26	69	77	129	107	68	2
1987	525	1	-	-	1	10	26	63	120	126	112	65	1
1986	560	-	-	-	1	8	31	63	115	174	112	56	-
1985	575	-	1	-	5	9	30	78	133	158	98	63	-
1984	647	-	-	-	-	7	35	78	145	182	135	63	2
1983	654	-	-	-	-	4	28	75	148	188	133	78	-
1982	632	-	-	-	1	9	29	99	156	149	119	68	2
1981	714	1	-	-	-	4	38	92	180	196	143	60	-
1980	725	-	-	-	-	15	26	124	179	195	133	53	-
1979	742	-	-	-	1	12	24	93	208	193	150	61	-
Other acute ischemic heart diseases (411)													
All other, male													
1998	270	-	-	-	2	3	18	44	62	67	50	24	-
1997	244	-	-	-	-	2	13	40	55	58	46	28	2
1996	249	-	-	-	1	2	22	36	57	55	55	21	-
1995	209	2	-	-	-	2	17	36	50	50	40	12	-
1994	231	1	-	-	2	2	11	46	54	47	43	25	-
1993	245	-	-	-	1	5	20	43	40	63	49	22	2
1992	275	-	-	-	1	3	21	38	59	65	61	25	2
1991	287	1	-	-	3	5	28	29	57	80	50	34	-
1990	301	-	-	-	2	5	19	50	72	78	49	26	-
1989	294	1	-	-	2	6	7	38	81	72	65	22	-
1988	294	1	-	-	3	7	22	43	51	87	57	22	1
1987	323	1	-	-	-	8	18	48	80	78	64	26	-
1986	338	-	-	-	1	5	22	44	82	110	55	19	-
1985	321	-	1	-	4	8	20	49	86	86	44	23	-
1984	378	-	-	-	-	6	24	55	98	111	51	31	2
1983	369	-	-	-	-	3	19	49	99	101	67	31	-
1982	381	-	-	-	1	7	23	72	99	87	60	30	2
1981	418	1	-	-	-	3	23	65	123	109	74	20	-
1980	453	-	-	-	-	12	21	87	132	115	67	19	-
1979	460	-	-	-	-	9	19	66	143	123	78	22	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other acute ischemic heart diseases (411)													
All other, female													
1998	189	-	-	-	-	-	8	15	23	42	50	51	-
1997	206	-	-	-	-	-	5	16	37	49	45	54	-
1996	186	-	-	-	-	1	4	19	32	34	35	60	1
1995	175	1	-	-	-	3	7	12	26	37	40	49	-
1994	189	-	-	-	-	2	12	16	24	37	55	43	-
1993	182	-	-	-	1	3	12	11	32	40	43	38	2
1992	205	-	-	-	-	4	4	16	32	32	54	62	1
1991	206	-	-	-	-	-	6	17	33	49	68	33	-
1990	225	-	-	-	-	2	10	15	34	54	65	45	-
1989	239	1	-	-	1	1	8	24	45	59	66	34	-
1988	199	-	-	-	-	4	4	26	26	42	50	46	1
1987	202	-	-	-	1	2	8	15	40	48	48	39	1
1986	222	-	-	-	-	3	9	19	33	64	57	37	-
1985	254	-	-	-	1	1	10	29	47	72	54	40	-
1984	269	-	-	-	-	1	11	23	47	71	84	32	-
1983	285	-	-	-	-	1	9	26	49	87	66	47	-
1982	251	-	-	-	-	2	6	27	57	62	59	38	-
1981	296	-	-	-	-	1	15	27	57	87	69	40	-
1980	272	-	-	-	-	3	5	37	47	80	66	34	-
1979	282	-	-	-	1	3	5	27	65	70	72	39	-
Other acute ischemic heart diseases (411)													
Black, both sexes													
1998	407	-	-	-	2	3	25	52	71	98	91	65	-
1997	396	-	-	-	-	2	14	48	82	96	81	72	1
1996	398	-	-	-	1	3	24	51	83	80	82	73	1
1995	351	3	-	-	-	4	24	44	70	76	73	57	-
1994	361	1	-	-	2	4	21	54	65	73	82	59	-
1993	386	-	-	-	2	8	29	47	69	88	87	53	3
1992	428	-	-	-	1	5	20	38	83	91	108	79	3
1991	450	1	-	-	3	3	31	38	79	122	110	63	-
1990	479	-	-	-	1	6	26	61	99	120	101	65	-
1989	496	2	-	-	3	7	14	58	114	124	123	51	-
1988	465	1	-	-	3	9	24	64	74	125	101	62	2
1987	482	1	-	-	1	8	22	57	110	121	103	58	1
1986	517	-	-	-	1	7	28	61	109	156	102	53	-
1985	549	-	1	-	4	9	28	75	129	154	92	57	-
1984	615	-	-	-	-	5	33	77	138	169	131	60	2
1983	624	-	-	-	-	4	24	72	142	180	127	75	-
1982	598	-	-	-	1	9	27	95	147	139	114	65	1
1981	673	-	-	-	-	3	36	84	168	190	136	56	-
1980	685	-	-	-	-	15	24	117	172	183	123	51	-
1979	709	-	-	-	1	11	22	88	200	187	143	57	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 + years	Age not stated
					years	years	years	years	years	years	years		
Other acute ischemic heart diseases (411)													
Black, male													
1998	234	-	-	-	2	3	17	37	51	58	45	21	-
1997	210	-	-	-	-	2	9	32	51	52	40	23	1
1996	230	-	-	-	1	2	21	33	52	51	50	20	-
1995	190	2	-	-	-	1	17	33	45	43	40	9	-
1994	196	1	-	-	2	2	10	39	44	40	36	22	-
1993	216	-	-	-	1	5	18	37	37	51	46	19	2
1992	237	-	-	-	1	2	16	23	52	61	57	23	2
1991	259	1	-	-	3	3	26	24	50	75	45	32	-
1990	272	-	-	-	1	4	16	47	67	72	41	24	-
1989	271	1	-	-	2	6	7	35	71	68	61	20	-
1988	274	1	-	-	3	5	20	38	49	84	52	21	1
1987	290	1	-	-	-	7	15	43	71	73	58	22	-
1986	307	-	-	-	1	4	20	43	76	98	48	17	-
1985	304	-	1	-	3	8	18	46	84	83	41	20	-
1984	354	-	-	-	-	4	23	54	91	101	49	30	2
1983	350	-	-	-	-	3	16	48	95	96	63	29	-
1982	356	-	-	-	1	7	21	69	92	78	58	29	1
1981	394	-	-	-	-	3	21	58	117	106	70	19	-
1980	420	-	-	-	-	12	19	80	126	105	60	18	-
1979	435	-	-	-	-	8	17	61	138	118	73	20	-
Other acute ischemic heart diseases (411)													
Black, female													
1998	173	-	-	-	-	-	8	15	20	40	46	44	-
1997	186	-	-	-	-	-	5	16	31	44	41	49	-
1996	168	-	-	-	-	1	3	18	31	29	32	53	1
1995	161	1	-	-	-	3	7	11	25	33	33	48	-
1994	165	-	-	-	-	2	11	15	21	33	46	37	-
1993	170	-	-	-	1	3	11	10	32	37	41	34	1
1992	191	-	-	-	-	3	4	15	31	30	51	56	1
1991	191	-	-	-	-	-	5	14	29	47	65	31	-
1990	207	-	-	-	-	2	10	14	32	48	60	41	-
1989	225	1	-	-	1	1	7	23	43	56	62	31	-
1988	191	-	-	-	-	4	4	26	25	41	49	41	1
1987	192	-	-	-	1	1	7	14	39	48	45	36	1
1986	210	-	-	-	-	3	8	18	33	58	54	36	-
1985	245	-	-	-	1	1	10	29	45	71	51	37	-
1984	261	-	-	-	-	1	10	23	47	68	82	30	-
1983	274	-	-	-	-	1	8	24	47	84	64	46	-
1982	242	-	-	-	-	2	6	26	55	61	56	36	-
1981	279	-	-	-	-	-	15	26	51	84	66	37	-
1980	265	-	-	-	-	3	5	37	46	78	63	33	-
1979	274	-	-	-	1	3	5	27	62	69	70	37	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 + years	Age not stated
					years	years	years	years	years	years	years		
Other forms of chronic ischemic heart disease (412-414,429.2)													
All races, both sexes													
1998	320,159	10	1	11	60	578	4,094	12,752	25,547	57,941	101,853	117,278	34
1997	323,803	11	2	7	67	623	4,004	12,882	26,143	59,426	102,516	118,088	34
1996	328,217	16	2	11	59	631	4,110	12,781	26,810	61,959	104,048	117,747	43
1995	331,495	10	4	9	58	654	4,107	12,536	26,881	64,119	104,293	118,769	55
1994	327,417	11	8	5	58	603	3,946	12,122	27,173	64,124	103,237	116,085	45
1993	332,279	20	8	9	68	641	3,919	11,756	28,060	66,311	104,870	116,572	45
1992	316,445	6	4	9	57	626	3,749	11,048	27,735	64,295	100,156	108,706	54
1991	316,262	18	7	12	56	600	3,681	10,610	28,371	64,786	100,584	107,480	57
1990	315,950	12	4	10	50	563	3,469	10,474	29,117	64,926	100,773	106,487	65
1989	318,575	12	3	9	41	611	3,464	10,624	30,036	65,100	101,885	106,737	53
1988	331,061	9	8	9	49	597	3,404	10,675	31,843	68,174	105,314	110,918	61
1987	327,506	12	4	9	63	628	3,615	10,607	32,185	68,061	103,083	109,182	57
1986	328,538	9	6	5	59	608	3,544	10,610	33,128	67,964	103,389	108,991	225
1985	330,204	12	5	6	53	567	3,338	10,955	33,229	68,064	104,412	109,375	188
1984	330,022	13	10	25	61	546	3,261	10,867	33,740	68,479	104,773	108,193	54
1983	334,551	14	12	23	46	539	3,135	11,257	34,145	69,365	106,959	108,987	69
1982	325,690	15	13	29	42	536	2,999	11,310	33,496	67,814	105,008	104,341	87
1981	327,201	13	7	29	43	487	2,911	11,773	34,130	68,475	105,261	103,996	76
1980	331,320	13	5	8	56	475	2,877	11,930	34,141	69,157	108,412	104,160	86
1979	312,230	11	7	4	49	467	2,693	11,922	32,645	65,979	102,939	95,447	67
Other forms of chronic ischemic heart disease (412-414,429.2)													
All races, male													
1998	158,624	7	1	7	41	435	3,148	9,936	18,144	36,821	53,296	36,761	27
1997	160,197	4	2	4	54	465	3,168	10,004	18,724	37,874	53,232	36,641	25
1996	162,215	4	-	7	49	495	3,196	9,852	19,244	39,434	53,505	36,399	30
1995	162,606	7	3	6	42	508	3,222	9,740	19,211	40,963	52,906	35,971	27
1994	161,119	5	2	5	44	440	3,133	9,457	19,516	41,095	52,023	35,369	30
1993	162,988	11	3	6	48	498	3,112	9,143	20,088	42,209	52,669	35,177	24
1992	156,054	3	2	5	43	478	2,997	8,658	20,013	41,062	50,165	32,595	33
1991	155,927	12	6	3	40	461	2,967	8,314	20,505	41,358	49,806	32,414	41
1990	155,141	7	1	6	40	445	2,862	8,115	20,949	41,310	49,409	31,960	37
1989	155,872	5	2	6	25	465	2,848	8,348	21,583	41,285	49,470	31,800	35
1988	161,969	3	3	7	43	480	2,775	8,312	22,928	43,254	50,942	33,183	39
1987	160,388	5	4	2	46	502	2,965	8,341	23,159	42,874	49,788	32,665	37
1986	161,102	3	3	5	38	478	2,901	8,348	23,979	42,846	49,424	32,995	82
1985	162,171	5	4	3	38	443	2,747	8,654	24,074	42,614	49,913	33,607	69
1984	161,485	5	5	16	43	449	2,653	8,539	24,239	42,405	49,482	33,616	33
1983	164,198	11	7	13	36	443	2,584	8,829	24,531	43,078	50,319	34,309	38
1982	160,541	10	7	14	31	448	2,444	8,858	24,071	42,023	49,309	33,277	49
1981	161,623	10	6	17	29	389	2,344	9,205	24,506	42,251	49,234	33,592	40
1980	163,140	5	3	3	39	395	2,296	9,262	24,308	42,279	50,222	34,273	55
1979	155,797	8	3	2	33	377	2,158	9,386	23,664	40,643	47,739	31,739	45

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other forms of chronic ischemic heart disease (412-414,429.2)													
All races, female													
1998	161,535	3	-	4	19	143	946	2,816	7,403	21,120	48,557	80,517	7
1997	163,606	7	-	3	13	158	836	2,878	7,419	21,552	49,284	81,447	9
1996	166,002	12	2	4	10	136	914	2,929	7,566	22,525	50,543	81,348	13
1995	168,889	3	1	3	16	146	885	2,796	7,670	23,156	51,387	82,798	28
1994	166,298	6	6	-	14	163	813	2,665	7,657	23,029	51,214	80,716	15
1993	169,291	9	5	3	20	143	807	2,613	7,972	24,102	52,201	81,395	21
1992	160,391	3	2	4	14	148	752	2,390	7,722	23,233	49,991	76,111	21
1991	160,335	6	1	9	16	139	714	2,296	7,866	23,428	50,778	75,066	16
1990	160,809	5	3	4	10	118	607	2,359	8,168	23,616	51,364	74,527	28
1989	162,703	7	1	3	16	146	616	2,276	8,453	23,815	52,415	74,937	18
1988	169,092	6	5	2	6	117	629	2,363	8,915	24,920	54,372	77,735	22
1987	167,118	7	-	7	17	126	650	2,266	9,026	25,187	53,295	76,517	20
1986	167,436	6	3	-	21	130	643	2,262	9,149	25,118	53,965	75,996	143
1985	168,033	7	1	3	15	124	591	2,301	9,155	25,450	54,499	75,768	119
1984	168,537	8	5	9	18	97	608	2,328	9,501	26,074	55,291	74,577	21
1983	170,353	3	5	10	10	96	551	2,428	9,614	26,287	56,640	74,678	31
1982	165,149	5	6	15	11	88	555	2,452	9,425	25,791	55,699	71,064	38
1981	165,578	3	1	12	14	98	567	2,568	9,624	26,224	56,027	70,404	36
1980	168,180	8	2	5	17	80	581	2,668	9,833	26,878	58,190	69,887	31
1979	156,433	3	4	2	16	90	535	2,536	8,981	25,336	55,200	63,708	22
Other forms of chronic ischemic heart disease (412-414,429.2)													
White, both sexes													
1998	284,718	3	1	5	44	456	3,137	10,055	20,588	49,712	92,092	108,606	19
1997	288,435	7	1	5	43	475	3,095	10,151	21,082	51,219	92,851	109,486	20
1996	292,715	11	1	10	40	484	3,165	10,092	21,730	53,557	94,139	109,450	36
1995	295,214	7	3	5	39	497	3,198	9,809	21,783	55,153	94,322	110,357	41
1994	292,345	7	6	4	40	453	2,985	9,600	22,215	55,490	93,527	107,992	26
1993	296,436	17	7	5	42	488	2,984	9,298	22,811	57,433	94,951	108,375	25
1992	282,858	4	2	7	45	474	2,881	8,765	22,826	55,841	90,794	101,181	38
1991	282,810	12	5	9	35	444	2,866	8,323	23,451	56,216	91,193	100,219	37
1990	283,239	7	3	6	35	427	2,720	8,295	24,139	56,650	91,554	99,364	39
1989	285,442	9	2	7	29	449	2,668	8,347	24,801	56,840	92,519	99,736	35
1988	297,413	8	5	8	29	449	2,658	8,397	26,455	59,833	95,594	103,934	43
1987	294,618	11	3	6	46	456	2,820	8,419	26,995	59,720	93,739	102,362	41
1986	295,893	8	2	5	43	449	2,773	8,471	27,880	59,803	94,175	102,089	195
1985	298,201	9	5	6	40	410	2,625	8,767	27,980	59,787	95,261	103,143	168
1984	298,577	6	7	22	48	411	2,565	8,759	28,446	60,341	95,741	102,194	37
1983	302,388	11	8	20	35	408	2,497	8,963	28,675	61,035	97,748	102,939	49
1982	294,552	10	11	23	31	393	2,347	8,966	28,303	59,759	96,178	98,475	56
1981	295,974	8	4	24	28	332	2,252	9,471	28,821	60,294	96,507	98,187	46
1980	299,297	10	3	6	40	344	2,216	9,533	28,697	60,699	99,351	98,343	55
1979	282,778	9	3	4	39	353	2,062	9,501	27,636	57,893	94,764	90,471	43

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other forms of chronic ischemic heart disease (412-414,429.2)													
White, male													
1998	140,835	2	1	4	31	344	2,477	8,066	14,947	32,245	48,731	33,973	14
1997	142,312	4	1	3	36	361	2,527	8,094	15,403	33,284	48,690	33,892	17
1996	144,561	3	-	7	33	384	2,562	8,019	16,018	34,764	48,984	33,763	24
1995	144,278	5	2	3	28	390	2,586	7,816	15,939	35,860	48,357	33,272	20
1994	143,585	3	2	4	30	340	2,452	7,690	16,313	36,270	47,669	32,794	18
1993	145,069	9	3	2	26	378	2,456	7,477	16,765	37,218	48,174	32,548	13
1992	139,238	2	1	4	32	365	2,399	7,096	16,930	36,291	45,878	30,218	22
1991	138,948	10	4	2	22	344	2,385	6,737	17,354	36,536	45,493	30,036	25
1990	138,681	5	1	5	29	344	2,307	6,650	17,798	36,705	45,231	29,586	20
1989	139,014	3	2	5	20	354	2,265	6,718	18,263	36,677	45,183	29,504	20
1988	144,896	2	2	6	23	364	2,241	6,749	19,448	38,628	46,501	30,905	27
1987	143,560	5	3	-	32	374	2,364	6,803	19,899	38,193	45,427	30,434	26
1986	144,455	3	-	5	25	365	2,334	6,872	20,598	38,324	45,236	30,627	66
1985	145,705	4	4	3	26	332	2,203	7,098	20,747	38,082	45,698	31,454	54
1984	145,440	1	4	14	34	346	2,158	7,076	20,919	37,914	45,387	31,564	23
1983	147,828	8	4	11	27	346	2,121	7,250	21,131	38,586	46,096	32,219	29
1982	144,395	7	5	11	22	337	1,958	7,290	20,844	37,512	45,186	31,194	29
1981	145,496	6	4	15	19	275	1,865	7,628	21,152	37,826	45,173	31,511	22
1980	146,498	4	2	3	27	291	1,837	7,629	20,929	37,715	45,965	32,063	33
1979	140,289	6	1	2	30	298	1,709	7,721	20,463	36,264	43,877	29,888	30
Other forms of chronic ischemic heart disease (412-414,429.2)													
White, female													
1998	143,883	1	-	1	13	112	660	1,989	5,641	17,467	43,361	74,633	5
1997	146,123	3	-	2	7	114	568	2,057	5,679	17,935	44,161	75,594	3
1996	148,154	8	1	3	7	100	603	2,073	5,712	18,793	45,155	75,687	12
1995	150,936	2	1	2	11	107	612	1,993	5,844	19,293	45,965	77,085	21
1994	148,760	4	4	-	10	113	533	1,910	5,902	19,220	45,858	75,198	8
1993	151,367	8	4	3	16	110	528	1,821	6,046	20,215	46,777	75,827	12
1992	143,620	2	1	3	13	109	482	1,669	5,896	19,550	44,916	70,963	16
1991	143,862	2	1	7	13	100	481	1,586	6,097	19,680	45,700	70,183	12
1990	144,558	2	2	1	6	83	413	1,645	6,341	19,945	46,323	69,778	19
1989	146,428	6	-	2	9	95	403	1,629	6,538	20,163	47,336	70,232	15
1988	152,517	6	3	2	6	85	417	1,648	7,007	21,205	49,093	73,029	16
1987	151,058	6	-	6	14	82	456	1,616	7,096	21,527	48,312	71,928	15
1986	151,438	5	2	-	18	84	439	1,599	7,282	21,479	48,939	71,462	129
1985	152,496	5	1	3	14	78	422	1,669	7,233	21,705	49,563	71,689	114
1984	153,137	5	3	8	14	65	407	1,683	7,527	22,427	50,354	70,630	14
1983	154,560	3	4	9	8	62	376	1,713	7,544	22,449	51,652	70,720	20
1982	150,157	3	6	12	9	56	389	1,676	7,459	22,247	50,992	67,281	27
1981	150,478	2	-	9	9	57	387	1,843	7,669	22,468	51,334	66,676	24
1980	152,799	6	1	3	13	53	379	1,904	7,768	22,984	53,386	66,280	22
1979	142,489	3	2	2	9	55	353	1,780	7,173	21,629	50,887	60,583	13

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 + years	Age not stated
					years	years	years	years	years	years	years		
Other forms of chronic ischemic heart disease (412-414,429.2)													
All other, both sexes													
1998	35,441	7	-	6	16	122	957	2,697	4,959	8,229	9,761	8,672	15
1997	35,368	4	1	2	24	148	909	2,731	5,061	8,207	9,665	8,602	14
1996	35,502	5	1	1	19	147	945	2,689	5,080	8,402	9,909	8,297	7
1995	36,281	3	1	4	19	157	909	2,727	5,098	8,966	9,971	8,412	14
1994	35,072	4	2	1	18	150	961	2,522	4,958	8,634	9,710	8,093	19
1993	35,843	3	1	4	26	153	935	2,458	5,249	8,878	9,919	8,197	20
1992	33,587	2	2	2	12	152	868	2,283	4,909	8,454	9,362	7,525	16
1991	33,452	6	2	3	21	156	815	2,287	4,920	8,570	9,391	7,261	20
1990	32,711	5	1	4	15	136	749	2,179	4,978	8,276	9,219	7,123	26
1989	33,133	3	1	2	12	162	796	2,277	5,235	8,260	9,366	7,001	18
1988	33,648	1	3	1	20	148	746	2,278	5,388	8,341	9,720	6,984	18
1987	32,888	1	1	3	17	172	795	2,188	5,190	8,341	9,344	6,820	16
1986	32,645	1	4	-	16	159	771	2,139	5,248	8,161	9,214	6,902	30
1985	32,003	3	-	-	13	157	713	2,188	5,249	8,277	9,151	6,232	20
1984	31,445	7	3	3	13	135	696	2,108	5,294	8,138	9,032	5,999	17
1983	32,163	3	4	3	11	131	638	2,294	5,470	8,330	9,211	6,048	20
1982	31,138	5	2	6	11	143	652	2,344	5,193	8,055	8,830	5,866	31
1981	31,227	5	3	5	15	155	659	2,302	5,309	8,181	8,754	5,809	30
1980	32,023	3	2	2	16	131	661	2,397	5,444	8,458	9,061	5,817	31
1979	29,452	2	4	-	10	114	631	2,421	5,009	8,086	8,175	4,976	24
Other forms of chronic ischemic heart disease (412-414,429.2)													
All other, male													
1998	17,789	5	-	3	10	91	671	1,870	3,197	4,576	4,565	2,788	13
1997	17,885	-	1	1	18	104	641	1,910	3,321	4,590	4,542	2,749	8
1996	17,654	1	-	-	16	111	634	1,833	3,226	4,670	4,521	2,636	6
1995	18,328	2	1	3	14	118	636	1,924	3,272	5,103	4,549	2,699	7
1994	17,534	2	-	1	14	100	681	1,767	3,203	4,825	4,354	2,575	12
1993	17,919	2	-	4	22	120	656	1,666	3,323	4,991	4,495	2,629	11
1992	16,816	1	1	1	11	113	598	1,562	3,083	4,771	4,287	2,377	11
1991	16,979	2	2	1	18	117	582	1,577	3,151	4,822	4,313	2,378	16
1990	16,460	2	-	1	11	101	555	1,465	3,151	4,605	4,178	2,374	17
1989	16,858	2	-	1	5	111	583	1,630	3,320	4,608	4,287	2,296	15
1988	17,073	1	1	1	20	116	534	1,563	3,480	4,626	4,441	2,278	12
1987	16,828	-	1	2	14	128	601	1,538	3,260	4,681	4,361	2,231	11
1986	16,647	-	3	-	13	113	567	1,476	3,381	4,522	4,188	2,368	16
1985	16,466	1	-	-	12	111	544	1,556	3,327	4,532	4,215	2,153	15
1984	16,045	4	1	2	9	103	495	1,463	3,320	4,491	4,095	2,052	10
1983	16,370	3	3	2	9	97	463	1,579	3,400	4,492	4,223	2,090	9
1982	16,146	3	2	3	9	111	486	1,568	3,227	4,511	4,123	2,083	20
1981	16,127	4	2	2	10	114	479	1,577	3,354	4,425	4,061	2,081	18
1980	16,642	1	1	-	12	104	459	1,633	3,379	4,564	4,257	2,210	22
1979	15,508	2	2	-	3	79	449	1,665	3,201	4,379	3,862	1,851	15

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other forms of chronic ischemic heart disease (412-414,429.2)													
All other, female													
1998	17,652	2	-	3	6	31	286	827	1,762	3,653	5,196	5,884	2
1997	17,483	4	-	1	6	44	268	821	1,740	3,617	5,123	5,853	6
1996	17,848	4	1	1	3	36	311	856	1,854	3,732	5,388	5,661	1
1995	17,953	1	-	1	5	39	273	803	1,826	3,863	5,422	5,713	7
1994	17,538	2	2	-	4	50	280	755	1,755	3,809	5,356	5,518	7
1993	17,924	1	1	-	4	33	279	792	1,926	3,887	5,424	5,568	9
1992	16,771	1	1	1	1	39	270	721	1,826	3,683	5,075	5,148	5
1991	16,473	4	-	2	3	39	233	710	1,769	3,748	5,078	4,883	4
1990	16,251	3	1	3	4	35	194	714	1,827	3,671	5,041	4,749	9
1989	16,275	1	1	1	7	51	213	647	1,915	3,652	5,079	4,705	3
1988	16,575	-	2	-	-	32	212	715	1,908	3,715	5,279	4,706	6
1987	16,060	1	-	1	3	44	194	650	1,930	3,660	4,983	4,589	5
1986	15,998	1	1	-	3	46	204	663	1,867	3,639	5,026	4,534	14
1985	15,537	2	-	-	1	46	169	632	1,922	3,745	4,936	4,079	5
1984	15,400	3	2	1	4	32	201	645	1,974	3,647	4,937	3,947	7
1983	15,793	-	1	1	2	34	175	715	2,070	3,838	4,988	3,958	11
1982	14,992	2	-	3	2	32	166	776	1,966	3,544	4,707	3,783	11
1981	15,100	1	1	3	5	41	180	725	1,955	3,756	4,693	3,728	12
1980	15,381	2	1	2	4	27	202	764	2,065	3,894	4,804	3,607	9
1979	13,944	-	2	-	7	35	182	756	1,808	3,707	4,313	3,125	9
Other forms of chronic ischemic heart disease (412-414,429.2)													
Black, both sexes													
1998	30,511	6	-	6	14	112	851	2,372	4,379	7,192	8,242	7,323	14
1997	30,593	4	1	2	21	129	806	2,414	4,468	7,106	8,294	7,334	14
1996	30,858	5	1	1	16	128	841	2,413	4,485	7,325	8,503	7,133	7
1995	31,877	3	1	4	13	134	825	2,469	4,570	7,873	8,702	7,269	14
1994	30,844	4	2	1	15	130	861	2,241	4,374	7,629	8,518	7,050	19
1993	31,875	2	1	4	25	138	833	2,232	4,736	7,970	8,720	7,198	16
1992	29,752	2	2	2	11	135	776	2,051	4,432	7,553	8,180	6,592	16
1991	29,994	6	2	3	19	143	742	2,078	4,459	7,771	8,351	6,401	19
1990	29,466	5	1	4	15	119	682	1,988	4,548	7,473	8,269	6,339	23
1989	30,018	2	1	2	12	156	732	2,100	4,787	7,527	8,458	6,223	18
1988	30,660	1	2	-	17	136	698	2,092	4,974	7,616	8,814	6,292	18
1987	30,102	1	1	3	14	155	730	2,007	4,801	7,688	8,515	6,172	15
1986	30,014	1	4	-	12	141	713	1,972	4,911	7,539	8,437	6,257	27
1985	29,477	3	-	-	12	148	662	2,057	4,892	7,676	8,384	5,626	17
1984	29,056	4	2	2	13	124	665	1,969	4,939	7,557	8,316	5,448	17
1983	29,838	2	2	2	10	119	590	2,148	5,126	7,793	8,516	5,519	11
1982	28,995	2	2	5	9	128	598	2,209	4,893	7,555	8,195	5,373	26
1981	29,317	2	2	4	14	139	624	2,185	5,052	7,732	8,167	5,368	28
1980	30,076	2	2	2	16	123	615	2,271	5,167	8,032	8,475	5,341	30
1979	27,612	2	2	-	10	102	595	2,302	4,748	7,650	7,624	4,554	23

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other forms of chronic ischemic heart disease (412-414,429.2)													
Black, male													
1998	14,891	5	-	3	10	82	574	1,613	2,755	3,951	3,719	2,167	12
1997	15,064	-	1	1	15	86	556	1,660	2,875	3,888	3,809	2,165	8
1996	14,943	1	-	-	13	93	543	1,609	2,812	3,994	3,770	2,102	6
1995	15,758	2	1	3	10	99	568	1,709	2,913	4,407	3,848	2,191	7
1994	14,991	2	-	1	11	83	592	1,533	2,787	4,192	3,714	2,064	12
1993	15,591	1	-	4	21	107	571	1,492	2,975	4,405	3,806	2,200	9
1992	14,587	1	1	1	10	99	518	1,377	2,759	4,216	3,610	1,984	11
1991	14,893	2	2	1	16	106	526	1,414	2,823	4,297	3,681	2,009	16
1990	14,528	2	-	1	11	85	494	1,316	2,864	4,089	3,637	2,014	15
1989	14,960	1	-	1	5	106	528	1,491	3,011	4,146	3,718	1,938	15
1988	15,205	1	1	-	17	105	493	1,419	3,171	4,143	3,877	1,966	12
1987	15,104	-	1	2	11	113	545	1,399	2,970	4,246	3,852	1,955	10
1986	15,021	-	3	-	9	95	516	1,345	3,129	4,100	3,714	2,094	16
1985	14,924	1	-	-	11	103	500	1,450	3,067	4,133	3,743	1,904	12
1984	14,565	2	-	1	9	93	468	1,346	3,083	4,107	3,633	1,813	10
1983	14,943	2	1	1	8	86	419	1,463	3,160	4,133	3,782	1,882	6
1982	14,756	1	2	2	7	100	439	1,462	3,012	4,161	3,709	1,844	17
1981	14,915	1	1	2	9	100	449	1,486	3,165	4,109	3,690	1,886	17
1980	15,371	-	1	-	12	97	418	1,529	3,175	4,264	3,887	1,967	21
1979	14,322	2	1	-	3	68	421	1,569	2,990	4,073	3,521	1,660	14
Other forms of chronic ischemic heart disease (412-414,429.2)													
Black, female													
1998	15,620	1	-	3	4	30	277	759	1,624	3,241	4,523	5,156	2
1997	15,529	4	-	1	6	43	250	754	1,593	3,218	4,485	5,169	6
1996	15,915	4	1	1	3	35	298	804	1,673	3,331	4,733	5,031	1
1995	16,119	1	-	1	3	35	257	760	1,657	3,466	4,854	5,078	7
1994	15,853	2	2	-	4	47	269	708	1,587	3,437	4,804	4,986	7
1993	16,284	1	1	-	4	31	262	740	1,761	3,565	4,914	4,998	7
1992	15,165	1	1	1	1	36	258	674	1,673	3,337	4,570	4,608	5
1991	15,101	4	-	2	3	37	216	664	1,636	3,474	4,670	4,392	3
1990	14,938	3	1	3	4	34	188	672	1,684	3,384	4,632	4,325	8
1989	15,058	1	1	1	7	50	204	609	1,776	3,381	4,740	4,285	3
1988	15,455	-	1	-	-	31	205	673	1,803	3,473	4,937	4,326	6
1987	14,998	1	-	1	3	42	185	608	1,831	3,442	4,663	4,217	5
1986	14,993	1	1	-	3	46	197	627	1,782	3,439	4,723	4,163	11
1985	14,553	2	-	-	1	45	162	607	1,825	3,543	4,641	3,722	5
1984	14,491	2	2	1	4	31	197	623	1,856	3,450	4,683	3,635	7
1983	14,895	-	1	1	2	33	171	685	1,966	3,660	4,734	3,637	5
1982	14,239	1	-	3	2	28	159	747	1,881	3,394	4,486	3,529	9
1981	14,402	1	1	2	5	39	175	699	1,887	3,623	4,477	3,482	11
1980	14,705	2	1	2	4	26	197	742	1,992	3,768	4,588	3,374	9
1979	13,290	-	1	-	7	34	174	733	1,758	3,577	4,103	2,894	9

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 + years	Age not stated
					years	years	years	years	years	years	years		
Atherosclerotic cardiovascular disease, so described (429.2)													
All races, both sexes													
1998	66,776	4	-	1	11	143	1,148	4,046	7,210	12,615	19,244	22,332	22
1997	66,960	3	-	1	14	147	1,100	3,920	7,332	12,731	19,316	22,374	22
1996	68,514	6	-	1	8	167	1,103	3,825	7,416	13,296	19,716	22,949	27
1995	71,177	3	-	3	8	156	1,072	3,750	7,404	14,222	20,634	23,890	35
1994	71,220	2	1	3	12	164	1,070	3,750	7,563	14,384	20,799	23,447	25
1993	72,640	3	1	4	13	131	1,047	3,507	7,901	14,998	21,038	23,975	22
1992	68,956	4	2	1	14	166	961	3,206	7,486	14,219	20,160	22,709	28
1991	69,379	7	1	2	9	144	933	3,055	7,416	14,507	20,571	22,701	33
1990	69,120	2	-	1	11	129	849	2,998	7,653	14,337	20,649	22,451	40
1989	70,880	-	1	3	9	135	817	2,909	7,879	14,496	21,417	23,182	32
1988	72,827	1	1	-	7	113	745	2,748	7,992	14,957	22,007	24,226	30
1987	72,442	3	-	3	8	145	803	2,675	7,831	14,999	21,882	24,065	28
1986	72,667	2	2	-	9	117	745	2,641	7,990	14,626	22,046	24,424	65
1985	71,567	5	-	1	9	99	628	2,446	7,747	14,481	22,204	23,884	63
1984	71,890	2	1	5	6	117	675	2,437	7,880	14,673	22,156	23,923	15
1983	72,418	3	3	5	7	101	628	2,663	7,826	14,577	22,791	23,785	29
1982	68,055	5	3	9	7	88	582	2,420	7,287	13,707	21,747	22,181	19
1981	69,096	3	2	6	7	89	585	2,682	7,376	14,148	21,922	22,257	19
1980	69,922	4	2	2	12	86	556	2,768	7,653	14,250	22,380	22,184	25
1979	66,089	4	3	1	7	88	559	2,872	7,482	13,650	21,302	20,101	20
Atherosclerotic cardiovascular disease, so described (429.2)													
All races, male													
1998	33,808	3	-	1	6	124	906	3,249	5,229	8,075	9,621	6,576	18
1997	33,727	1	-	1	12	117	879	3,118	5,351	8,132	9,527	6,571	18
1996	34,509	2	-	1	6	130	897	3,060	5,414	8,441	9,658	6,880	20
1995	35,291	2	-	2	5	127	858	2,951	5,384	9,068	10,002	6,872	20
1994	35,625	1	1	3	9	117	845	2,965	5,522	9,187	10,032	6,929	14
1993	36,020	1	1	3	6	105	850	2,756	5,718	9,512	10,167	6,887	14
1992	34,032	3	1	1	11	125	783	2,562	5,471	8,981	9,633	6,444	17
1991	34,276	6	-	1	7	112	752	2,438	5,478	9,154	9,755	6,549	24
1990	33,995	1	-	1	8	104	704	2,340	5,527	9,050	9,777	6,459	24
1989	34,548	-	-	3	6	107	690	2,298	5,697	9,125	9,963	6,639	20
1988	35,303	1	-	-	7	91	607	2,161	5,825	9,334	10,334	6,924	19
1987	34,956	1	-	2	5	111	670	2,125	5,655	9,318	10,152	6,897	20
1986	35,065	-	2	-	6	88	613	2,083	5,802	9,156	10,213	7,068	34
1985	34,231	2	-	-	7	79	516	1,956	5,574	8,856	10,126	7,089	26
1984	34,417	1	1	2	5	101	561	1,919	5,600	8,966	10,066	7,185	10
1983	34,856	3	-	2	6	80	515	2,107	5,579	8,790	10,469	7,292	13
1982	32,704	5	-	6	5	74	489	1,898	5,179	8,361	9,929	6,746	12
1981	33,393	3	2	4	4	64	475	2,111	5,278	8,514	10,010	6,918	10
1980	33,826	-	2	-	8	70	443	2,105	5,386	8,548	10,141	7,107	16
1979	32,557	3	1	1	6	71	459	2,235	5,377	8,278	9,622	6,496	8

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Atherosclerotic cardiovascular disease, so described (429.2)													
All races, female													
1998	32,968	1	-	-	5	19	242	797	1,981	4,540	9,623	15,756	4
1997	33,233	2	-	-	2	30	221	802	1,981	4,599	9,789	15,803	4
1996	34,005	4	-	-	2	37	206	765	2,002	4,855	10,058	16,069	7
1995	35,886	1	-	1	3	29	214	799	2,020	5,154	10,632	17,018	15
1994	35,595	1	-	-	3	47	225	785	2,041	5,197	10,767	16,518	11
1993	36,620	2	-	1	7	26	197	751	2,183	5,486	10,871	17,088	8
1992	34,924	1	1	-	3	41	178	644	2,015	5,238	10,527	16,265	11
1991	35,103	1	1	1	2	32	181	617	1,938	5,353	10,816	16,152	9
1990	35,125	1	-	-	3	25	145	658	2,126	5,287	10,872	15,992	16
1989	36,332	-	1	-	3	28	127	611	2,182	5,371	11,454	16,543	12
1988	37,524	-	1	-	-	22	138	587	2,167	5,623	11,673	17,302	11
1987	37,486	2	-	1	3	34	133	550	2,176	5,681	11,730	17,168	8
1986	37,602	2	-	-	3	29	132	558	2,188	5,470	11,833	17,356	31
1985	37,336	3	-	1	2	20	112	490	2,173	5,625	12,078	16,795	37
1984	37,473	1	-	3	1	16	114	518	2,280	5,707	12,090	16,738	5
1983	37,562	-	3	3	1	21	113	556	2,247	5,787	12,322	16,493	16
1982	35,351	-	3	3	2	14	93	522	2,108	5,346	11,818	15,435	7
1981	35,703	-	-	2	3	25	110	571	2,098	5,634	11,912	15,339	9
1980	36,096	4	-	2	4	16	113	663	2,267	5,702	12,239	15,077	9
1979	33,532	1	2	-	1	17	100	637	2,105	5,372	11,680	13,605	12
Atherosclerotic cardiovascular disease, so described (429.2)													
White, both sexes													
1998	56,113	2	-	-	7	116	835	3,054	5,396	9,971	16,588	20,132	12
1997	56,622	3	-	1	7	103	830	2,949	5,511	10,239	16,702	20,264	13
1996	57,946	3	-	1	5	120	851	2,846	5,539	10,628	17,038	20,892	23
1995	59,967	2	-	1	5	122	801	2,800	5,533	11,349	17,713	21,613	28
1994	60,244	1	1	3	9	114	803	2,745	5,753	11,579	17,899	21,324	13
1993	61,027	1	1	1	9	89	766	2,556	5,834	11,962	18,059	21,738	11
1992	58,108	3	1	1	10	120	703	2,401	5,590	11,350	17,327	20,582	20
1991	58,519	6	1	2	3	105	689	2,230	5,599	11,581	17,731	20,553	19
1990	58,439	1	-	1	7	97	622	2,185	5,746	11,547	17,828	20,381	24
1989	59,705	-	-	2	5	91	593	2,078	5,888	11,568	18,365	21,093	22
1988	61,916	1	1	-	5	81	532	1,978	6,018	12,168	18,978	22,136	18
1987	61,744	3	-	1	5	91	577	1,940	6,019	12,231	18,874	21,986	17
1986	62,009	1	-	-	5	81	552	1,906	6,120	11,897	19,082	22,317	48
1985	61,607	4	-	1	7	64	472	1,804	5,994	11,747	19,412	22,048	54
1984	62,003	1	-	4	3	80	485	1,809	6,079	12,065	19,349	22,115	13
1983	62,415	3	2	5	3	71	473	1,919	5,965	11,884	20,016	22,053	21
1982	58,834	3	3	8	5	59	418	1,753	5,640	11,243	19,147	20,544	11
1981	59,847	2	1	4	2	55	421	1,953	5,723	11,697	19,366	20,612	11
1980	60,243	3	1	-	10	57	381	2,000	5,856	11,667	19,746	20,507	15
1979	56,935	4	1	1	5	64	378	2,049	5,779	11,110	18,894	18,637	13

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Atherosclerotic cardiovascular disease, so described (429.2)													
White, male													
1998	27,993	1	-	-	4	99	676	2,520	4,016	6,482	8,311	5,875	9
1997	28,063	1	-	1	7	87	688	2,408	4,084	6,640	8,262	5,873	12
1996	28,790	1	-	1	4	95	725	2,346	4,151	6,855	8,383	6,213	16
1995	29,230	1	-	-	3	101	660	2,253	4,095	7,308	8,634	6,160	15
1994	29,716	1	1	3	7	83	658	2,247	4,310	7,519	8,667	6,212	8
1993	29,810	-	1	-	3	74	644	2,088	4,369	7,679	8,780	6,165	7
1992	28,152	2	-	1	8	91	610	1,977	4,204	7,224	8,289	5,734	12
1991	28,349	5	-	1	2	80	586	1,851	4,214	7,380	8,419	5,798	13
1990	28,261	1	-	1	6	80	532	1,779	4,242	7,439	8,418	5,750	13
1989	28,485	-	-	2	3	76	519	1,702	4,371	7,350	8,516	5,935	11
1988	29,551	1	-	-	5	69	464	1,617	4,475	7,759	8,905	6,245	11
1987	29,282	1	-	-	3	75	494	1,583	4,447	7,708	8,758	6,200	13
1986	29,318	-	-	-	3	62	465	1,556	4,522	7,554	8,807	6,326	23
1985	28,937	1	-	-	5	53	400	1,478	4,411	7,277	8,851	6,443	18
1984	29,179	-	-	2	2	71	415	1,465	4,433	7,466	8,766	6,550	9
1983	29,612	3	-	2	3	59	399	1,575	4,394	7,293	9,168	6,706	10
1982	27,772	3	-	6	3	48	366	1,434	4,112	6,914	8,684	6,195	7
1981	28,379	2	1	3	1	43	359	1,591	4,186	7,140	8,758	6,288	7
1980	28,719	-	1	-	7	49	326	1,581	4,217	7,158	8,894	6,476	10
1979	27,543	3	-	1	4	51	330	1,643	4,240	6,867	8,436	5,963	5
Atherosclerotic cardiovascular disease, so described (429.2)													
White, female													
1998	28,120	1	-	-	3	17	159	534	1,380	3,489	8,277	14,257	3
1997	28,559	2	-	-	-	16	142	541	1,427	3,599	8,440	14,391	1
1996	29,156	2	-	-	1	25	126	500	1,388	3,773	8,655	14,679	7
1995	30,737	1	-	1	2	21	141	547	1,438	4,041	9,079	15,453	13
1994	30,528	-	-	-	2	31	145	498	1,443	4,060	9,232	15,112	5
1993	31,217	1	-	1	6	15	122	468	1,465	4,283	9,279	15,573	4
1992	29,956	1	1	-	2	29	93	424	1,386	4,126	9,038	14,848	8
1991	30,170	1	1	1	1	25	103	379	1,385	4,201	9,312	14,755	6
1990	30,178	-	-	-	1	17	90	406	1,504	4,108	9,410	14,631	11
1989	31,220	-	-	-	2	15	74	376	1,517	4,218	9,849	15,158	11
1988	32,365	-	1	-	-	12	68	361	1,543	4,409	10,073	15,891	7
1987	32,462	2	-	1	2	16	83	357	1,572	4,523	10,116	15,786	4
1986	32,691	1	-	-	2	19	87	350	1,598	4,343	10,275	15,991	25
1985	32,670	3	-	1	2	11	72	326	1,583	4,470	10,561	15,605	36
1984	32,824	1	-	2	1	9	70	344	1,646	4,599	10,583	15,565	4
1983	32,803	-	2	3	-	12	74	344	1,571	4,591	10,848	15,347	11
1982	31,062	-	3	2	2	11	52	319	1,528	4,329	10,463	14,349	4
1981	31,468	-	-	1	1	12	62	362	1,537	4,557	10,608	14,324	4
1980	31,524	3	-	-	3	8	55	419	1,639	4,509	10,852	14,031	5
1979	29,392	1	1	-	1	13	48	406	1,539	4,243	10,458	12,674	8

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	15-24 25-34 35-44 45-54 55-64 65-74 75-84 85 + years												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	years	years	years	years	years	years	years	years	
Atherosclerotic cardiovascular disease, so described (429.2)													
All other, both sexes													
1998	10,663	2	-	1	4	27	313	992	1,814	2,644	2,656	2,200	10
1997	10,338	-	-	-	7	44	270	971	1,821	2,492	2,614	2,110	9
1996	10,568	3	-	-	3	47	252	979	1,877	2,668	2,678	2,057	4
1995	11,210	1	-	2	3	34	271	950	1,871	2,873	2,921	2,277	7
1994	10,976	1	-	-	3	50	267	1,005	1,810	2,805	2,900	2,123	12
1993	11,613	2	-	3	4	42	281	951	2,067	3,036	2,979	2,237	11
1992	10,848	1	1	-	4	46	258	805	1,896	2,869	2,833	2,127	8
1991	10,860	1	-	-	6	39	244	825	1,817	2,926	2,840	2,148	14
1990	10,681	1	-	-	4	32	227	813	1,907	2,790	2,821	2,070	16
1989	11,175	-	1	1	4	44	224	831	1,991	2,928	3,052	2,089	10
1988	10,911	-	-	-	2	32	213	770	1,974	2,789	3,029	2,090	12
1987	10,698	-	-	2	3	54	226	735	1,812	2,768	3,008	2,079	11
1986	10,658	1	2	-	4	36	193	735	1,870	2,729	2,964	2,107	17
1985	9,960	1	-	-	2	35	156	642	1,753	2,734	2,792	1,836	9
1984	9,887	1	1	1	3	37	190	628	1,801	2,608	2,807	1,808	2
1983	10,003	-	1	-	4	30	155	744	1,861	2,693	2,775	1,732	8
1982	9,221	2	-	1	2	29	164	667	1,647	2,464	2,600	1,637	8
1981	9,249	1	1	2	5	34	164	729	1,653	2,451	2,556	1,645	8
1980	9,679	1	1	2	2	29	175	768	1,797	2,583	2,634	1,677	10
1979	9,154	-	2	-	2	24	181	823	1,703	2,540	2,408	1,464	7
Atherosclerotic cardiovascular disease, so described (429.2)													
All other, male													
1998	5,815	2	-	1	2	25	230	729	1,213	1,593	1,310	701	9
1997	5,664	-	-	-	5	30	191	710	1,267	1,492	1,265	698	6
1996	5,719	1	-	-	2	35	172	714	1,263	1,586	1,275	667	4
1995	6,061	1	-	2	2	26	198	698	1,289	1,760	1,368	712	5
1994	5,909	-	-	-	2	34	187	718	1,212	1,668	1,365	717	6
1993	6,210	1	-	3	3	31	206	668	1,349	1,833	1,387	722	7
1992	5,880	1	1	-	3	34	173	585	1,267	1,757	1,344	710	5
1991	5,927	1	-	-	5	32	166	587	1,264	1,774	1,336	751	11
1990	5,734	-	-	-	2	24	172	561	1,285	1,611	1,359	709	11
1989	6,063	-	-	1	3	31	171	596	1,326	1,775	1,447	704	9
1988	5,752	-	-	-	2	22	143	544	1,350	1,575	1,429	679	8
1987	5,674	-	-	2	2	36	176	542	1,208	1,610	1,394	697	7
1986	5,747	-	2	-	3	26	148	527	1,280	1,602	1,406	742	11
1985	5,294	1	-	-	2	26	116	478	1,163	1,579	1,275	646	8
1984	5,238	1	1	-	3	30	146	454	1,167	1,500	1,300	635	1
1983	5,244	-	-	-	3	21	116	532	1,185	1,497	1,301	586	3
1982	4,932	2	-	-	2	26	123	464	1,067	1,447	1,245	551	5
1981	5,014	1	1	1	3	21	116	520	1,092	1,374	1,252	630	3
1980	5,107	-	1	-	1	21	117	524	1,169	1,390	1,247	631	6
1979	5,014	-	1	-	2	20	129	592	1,137	1,411	1,186	533	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Atherosclerotic cardiovascular disease, so described (429.2)													
All other, female													
1998	4,848	-	-	-	2	2	83	263	601	1,051	1,346	1,499	1
1997	4,674	-	-	-	2	14	79	261	554	1,000	1,349	1,412	3
1996	4,849	2	-	-	1	12	80	265	614	1,082	1,403	1,390	-
1995	5,149	-	-	-	1	8	73	252	582	1,113	1,553	1,565	2
1994	5,067	1	-	-	1	16	80	287	598	1,137	1,535	1,406	6
1993	5,403	1	-	-	1	11	75	283	718	1,203	1,592	1,515	4
1992	4,968	-	-	-	1	12	85	220	629	1,112	1,489	1,417	3
1991	4,933	-	-	-	1	7	78	238	553	1,152	1,504	1,397	3
1990	4,947	1	-	-	2	8	55	252	622	1,179	1,462	1,361	5
1989	5,112	-	1	-	1	13	53	235	665	1,153	1,605	1,385	1
1988	5,159	-	-	-	-	10	70	226	624	1,214	1,600	1,411	4
1987	5,024	-	-	-	1	18	50	193	604	1,158	1,614	1,382	4
1986	4,911	1	-	-	1	10	45	208	590	1,127	1,558	1,365	6
1985	4,666	-	-	-	-	9	40	164	590	1,155	1,517	1,190	1
1984	4,649	-	-	1	-	7	44	174	634	1,108	1,507	1,173	1
1983	4,759	-	1	-	1	9	39	212	676	1,196	1,474	1,146	5
1982	4,289	-	-	1	-	3	41	203	580	1,017	1,355	1,086	3
1981	4,235	-	-	1	2	13	48	209	561	1,077	1,304	1,015	5
1980	4,572	1	-	2	1	8	58	244	628	1,193	1,387	1,046	4
1979	4,140	-	1	-	-	4	52	231	566	1,129	1,222	931	4
Atherosclerotic cardiovascular disease, so described (429.2)													
Black, both sexes													
1998	9,519	2	-	1	3	25	276	883	1,643	2,407	2,336	1,934	9
1997	9,247	-	-	-	6	41	242	868	1,631	2,246	2,336	1,868	9
1996	9,456	3	-	-	2	40	222	886	1,707	2,403	2,380	1,809	4
1995	10,152	1	-	2	2	30	250	876	1,695	2,600	2,653	2,036	7
1994	9,927	1	-	-	2	45	243	913	1,617	2,565	2,639	1,890	12
1993	10,608	2	-	3	4	41	262	880	1,907	2,774	2,696	2,029	10
1992	9,887	1	1	-	4	44	224	732	1,763	2,639	2,547	1,924	8
1991	9,944	1	-	-	6	35	235	759	1,688	2,720	2,576	1,910	14
1990	9,810	1	-	-	4	30	201	747	1,771	2,569	2,587	1,886	14
1989	10,336	-	1	1	4	42	207	784	1,839	2,714	2,820	1,914	10
1988	10,099	-	-	-	1	28	202	721	1,850	2,587	2,785	1,913	12
1987	9,967	-	-	2	3	49	212	686	1,688	2,593	2,797	1,926	11
1986	10,014	1	2	-	4	34	181	687	1,786	2,571	2,787	1,946	15
1985	9,312	1	-	-	2	35	147	605	1,653	2,579	2,596	1,686	8
1984	9,307	-	-	1	3	33	185	592	1,706	2,459	2,645	1,681	2
1983	9,486	-	1	-	4	29	150	702	1,775	2,574	2,613	1,633	5
1982	8,780	-	-	1	1	27	150	641	1,581	2,375	2,472	1,526	6
1981	8,872	-	-	2	5	32	162	711	1,598	2,352	2,430	1,572	8
1980	9,288	1	1	2	2	29	168	748	1,727	2,505	2,522	1,573	10
1979	8,806	-	2	-	2	24	175	803	1,643	2,472	2,285	1,393	7

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 + years	Age not stated
					years	years	years	years	years	years	years		
Atherosclerotic cardiovascular disease, so described (429.2)													
Black, male													
1998	5,091	2	-	1	2	23	196	639	1,079	1,447	1,126	568	8
1997	4,996	-	-	-	4	27	165	630	1,124	1,322	1,125	593	6
1996	5,048	1	-	-	1	28	145	635	1,145	1,424	1,118	547	4
1995	5,420	1	-	2	1	22	179	635	1,160	1,584	1,224	607	5
1994	5,245	-	-	-	1	29	166	644	1,063	1,512	1,227	597	6
1993	5,610	1	-	3	3	30	188	613	1,239	1,661	1,224	641	7
1992	5,287	1	1	-	3	32	144	524	1,179	1,602	1,176	620	5
1991	5,344	1	-	-	5	29	158	535	1,163	1,630	1,164	648	11
1990	5,202	-	-	-	2	23	148	511	1,190	1,463	1,226	630	9
1989	5,533	-	-	1	3	29	154	560	1,223	1,640	1,295	619	9
1988	5,246	-	-	-	1	18	133	508	1,265	1,444	1,273	596	8
1987	5,217	-	-	2	2	31	165	505	1,112	1,497	1,263	633	7
1986	5,355	-	2	-	3	24	139	488	1,216	1,493	1,310	669	11
1985	4,906	1	-	-	2	26	108	449	1,091	1,471	1,165	586	7
1984	4,866	-	-	-	3	26	142	423	1,097	1,403	1,200	571	1
1983	4,911	-	-	-	3	20	111	498	1,125	1,411	1,196	545	2
1982	4,655	-	-	-	1	25	111	443	1,021	1,386	1,164	500	4
1981	4,763	-	-	1	3	19	114	507	1,051	1,307	1,162	596	3
1980	4,865	-	1	-	1	21	111	506	1,128	1,332	1,175	584	6
1979	4,795	-	1	-	2	20	124	578	1,091	1,365	1,108	503	3
Atherosclerotic cardiovascular disease, so described (429.2)													
Black, female													
1998	4,428	-	-	-	1	2	80	244	564	960	1,210	1,366	1
1997	4,251	-	-	-	2	14	77	238	507	924	1,211	1,275	3
1996	4,408	2	-	-	1	12	77	251	562	979	1,262	1,262	-
1995	4,732	-	-	-	1	8	71	241	535	1,016	1,429	1,429	2
1994	4,682	1	-	-	1	16	77	269	554	1,053	1,412	1,293	6
1993	4,998	1	-	-	1	11	74	267	668	1,113	1,472	1,388	3
1992	4,600	-	-	-	1	12	80	208	584	1,037	1,371	1,304	3
1991	4,600	-	-	-	1	6	77	224	525	1,090	1,412	1,262	3
1990	4,608	1	-	-	2	7	53	236	581	1,106	1,361	1,256	5
1989	4,803	-	1	-	1	13	53	224	616	1,074	1,525	1,295	1
1988	4,853	-	-	-	-	10	69	213	585	1,143	1,512	1,317	4
1987	4,750	-	-	-	1	18	47	181	576	1,096	1,534	1,293	4
1986	4,659	1	-	-	1	10	42	199	570	1,078	1,477	1,277	4
1985	4,406	-	-	-	-	9	39	156	562	1,108	1,431	1,100	1
1984	4,441	-	-	1	-	7	43	169	609	1,056	1,445	1,110	1
1983	4,575	-	1	-	1	9	39	204	650	1,163	1,417	1,088	3
1982	4,125	-	-	1	-	2	39	198	560	989	1,308	1,026	2
1981	4,109	-	-	1	2	13	48	204	547	1,045	1,268	976	5
1980	4,423	1	-	2	1	8	57	242	599	1,173	1,347	989	4
1979	4,011	-	1	-	-	4	51	225	552	1,107	1,177	890	4

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
All other forms of chronic ischemic heart disease (412-414)													
All races, both sexes													
1998	253,383	6	1	10	49	435	2,946	8,706	18,337	45,326	82,609	94,946	12
1997	256,843	8	2	6	53	476	2,904	8,962	18,811	46,695	83,200	95,714	12
1996	259,703	10	2	10	51	464	3,007	8,956	19,394	48,663	84,332	94,798	16
1995	260,318	7	4	6	50	498	3,035	8,786	19,477	49,897	83,659	94,879	20
1994	256,197	9	7	2	46	439	2,876	8,372	19,610	49,740	82,438	92,638	20
1993	259,639	17	7	5	55	510	2,872	8,249	20,159	51,313	83,832	92,597	23
1992	247,489	2	2	8	43	460	2,788	7,842	20,249	50,076	79,996	85,997	26
1991	246,883	11	6	10	47	456	2,748	7,555	20,955	50,279	80,013	84,779	24
1990	246,830	10	4	9	39	434	2,620	7,476	21,464	50,589	80,124	84,036	25
1989	247,695	12	2	6	32	476	2,647	7,715	22,157	50,604	80,468	83,555	21
1988	258,234	8	7	9	42	484	2,659	7,927	23,851	53,217	83,307	86,692	31
1987	255,064	9	4	6	55	483	2,812	7,932	24,354	53,062	81,201	85,117	29
1986	255,871	7	4	5	50	491	2,799	7,969	25,138	53,338	81,343	84,567	160
1985	258,637	7	5	5	44	468	2,710	8,509	25,482	53,583	82,208	85,491	125
1984	258,132	11	9	20	55	429	2,586	8,430	25,860	53,806	82,617	84,270	39
1983	262,133	11	9	18	39	438	2,507	8,594	26,319	54,788	84,168	85,202	40
1982	257,635	10	10	20	35	448	2,417	8,890	26,209	54,107	83,261	82,160	68
1981	258,105	10	5	23	36	398	2,326	9,091	26,754	54,327	83,339	81,739	57
1980	261,398	9	3	6	44	389	2,321	9,162	26,488	54,907	86,032	81,976	61
1979	246,141	7	4	3	42	379	2,134	9,050	25,163	52,329	81,637	75,346	47
All other forms of chronic ischemic heart disease (412-414)													
All races, male													
1998	124,816	4	1	6	35	311	2,242	6,687	12,915	28,746	43,675	30,185	9
1997	126,470	3	2	3	42	348	2,289	6,886	13,373	29,742	43,705	30,070	7
1996	127,706	2	-	6	43	365	2,299	6,792	13,830	30,993	43,847	29,519	10
1995	127,315	5	3	4	37	381	2,364	6,789	13,827	31,895	42,904	29,099	7
1994	125,494	4	1	2	35	323	2,288	6,492	13,994	31,908	41,991	28,440	16
1993	126,968	10	2	3	42	393	2,262	6,387	14,370	32,697	42,502	28,290	10
1992	122,022	-	1	4	32	353	2,214	6,096	14,542	32,081	40,532	26,151	16
1991	121,651	6	6	2	33	349	2,215	5,876	15,027	32,204	40,051	25,865	17
1990	121,146	6	1	5	32	341	2,158	5,775	15,422	32,260	39,632	25,501	13
1989	121,324	5	2	3	19	358	2,158	6,050	15,886	32,160	39,507	25,161	15
1988	126,666	2	3	7	36	389	2,168	6,151	17,103	33,920	40,608	26,259	20
1987	125,432	4	4	-	41	391	2,295	6,216	17,504	33,556	39,636	25,768	17
1986	126,037	3	1	5	32	390	2,288	6,265	18,177	33,690	39,211	25,927	48
1985	127,940	3	4	3	31	364	2,231	6,698	18,500	33,758	39,787	26,518	43
1984	127,068	4	4	14	38	348	2,092	6,620	18,639	33,439	39,416	26,431	23
1983	129,342	8	7	11	30	363	2,069	6,722	18,952	34,288	39,850	27,017	25
1982	127,837	5	7	8	26	374	1,955	6,960	18,892	33,662	39,380	26,531	37
1981	128,230	7	4	13	25	325	1,869	7,094	19,228	33,737	39,224	26,674	30
1980	129,314	5	1	3	31	325	1,853	7,157	18,922	33,731	40,081	27,166	39
1979	123,240	5	2	1	27	306	1,699	7,151	18,287	32,365	38,117	25,243	37

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
All other forms of chronic ischemic heart disease (412-414)													
All races, female													
1998	128,567	2	-	4	14	124	704	2,019	5,422	16,580	38,934	64,761	3
1997	130,373	5	-	3	11	128	615	2,076	5,438	16,953	39,495	65,644	5
1996	131,997	8	2	4	8	99	708	2,164	5,564	17,670	40,485	65,279	6
1995	133,003	2	1	2	13	117	671	1,997	5,650	18,002	40,755	65,780	13
1994	130,703	5	6	-	11	116	588	1,880	5,616	17,832	40,447	64,198	4
1993	132,671	7	5	2	13	117	610	1,862	5,789	18,616	41,330	64,307	13
1992	125,467	2	1	4	11	107	574	1,746	5,707	17,995	39,464	59,846	10
1991	125,232	5	-	8	14	107	533	1,679	5,928	18,075	39,962	58,914	7
1990	125,684	4	3	4	7	93	462	1,701	6,042	18,329	40,492	58,535	12
1989	126,371	7	-	3	13	118	489	1,665	6,271	18,444	40,961	58,394	6
1988	131,568	6	4	2	6	95	491	1,776	6,748	19,297	42,699	60,433	11
1987	129,632	5	-	6	14	92	517	1,716	6,850	19,506	41,565	59,349	12
1986	129,834	4	3	-	18	101	511	1,704	6,961	19,648	42,132	58,640	112
1985	130,697	4	1	2	13	104	479	1,811	6,982	19,825	42,421	58,973	82
1984	131,064	7	5	6	17	81	494	1,810	7,221	20,367	43,201	57,839	16
1983	132,791	3	2	7	9	75	438	1,872	7,367	20,500	44,318	58,185	15
1982	129,798	5	3	12	9	74	462	1,930	7,317	20,445	43,881	55,629	31
1981	129,875	3	1	10	11	73	457	1,997	7,526	20,590	44,115	55,065	27
1980	132,084	4	2	3	13	64	468	2,005	7,566	21,176	45,951	54,810	22
1979	122,901	2	2	2	15	73	435	1,899	6,876	19,964	43,520	50,103	10
All other forms of chronic ischemic heart disease (412-414)													
White, both sexes													
1998	228,605	1	1	5	37	340	2,302	7,001	15,192	39,741	75,504	88,474	7
1997	231,813	4	1	4	36	372	2,265	7,202	15,571	40,980	76,149	89,222	7
1996	234,769	8	1	9	35	364	2,314	7,246	16,191	42,929	77,101	88,558	13
1995	235,247	5	3	4	34	375	2,397	7,009	16,250	43,804	76,609	88,744	13
1994	232,101	6	5	1	31	339	2,182	6,855	16,462	43,911	75,628	86,668	13
1993	235,409	16	6	4	33	399	2,218	6,742	16,977	45,471	76,892	86,637	14
1992	224,750	1	1	6	35	354	2,178	6,364	17,236	44,491	73,467	80,599	18
1991	224,291	6	4	7	32	339	2,177	6,093	17,852	44,635	73,462	79,666	18
1990	224,800	6	3	5	28	330	2,098	6,110	18,393	45,103	73,726	78,983	15
1989	225,737	9	2	5	24	358	2,075	6,269	18,913	45,272	74,154	78,643	13
1988	235,497	7	4	8	24	368	2,126	6,419	20,437	47,665	76,616	81,798	25
1987	232,874	8	3	5	41	365	2,243	6,479	20,976	47,489	74,865	80,376	24
1986	233,884	7	2	5	38	368	2,221	6,565	21,760	47,906	75,093	79,772	147
1985	236,594	5	5	5	33	346	2,153	6,963	21,986	48,040	75,849	81,095	114
1984	236,574	5	7	18	45	331	2,080	6,950	22,367	48,276	76,392	80,079	24
1983	239,973	8	6	15	32	337	2,024	7,044	22,710	49,151	77,732	80,886	28
1982	235,718	7	8	15	26	334	1,929	7,213	22,663	48,516	77,031	77,931	45
1981	236,127	6	3	20	26	277	1,831	7,518	23,098	48,597	77,141	77,575	35
1980	239,054	7	2	6	30	287	1,835	7,533	22,841	49,032	79,605	77,836	40
1979	225,843	5	2	3	34	289	1,684	7,452	21,857	46,783	75,870	71,834	30

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
All other forms of chronic ischemic heart disease (412-414)													
White, male													
1998	112,842	1	1	4	27	245	1,801	5,546	10,931	25,763	40,420	28,098	5
1997	114,249	3	1	2	29	274	1,839	5,686	11,319	26,644	40,428	28,019	5
1996	115,771	2	-	6	29	289	1,837	5,673	11,867	27,909	40,601	27,550	8
1995	115,048	4	2	3	25	289	1,926	5,563	11,844	28,552	39,723	27,112	5
1994	113,869	2	1	1	23	257	1,794	5,443	12,003	28,751	39,002	26,582	10
1993	115,259	9	2	2	23	304	1,812	5,389	12,396	29,539	39,394	26,383	6
1992	111,086	-	1	3	24	274	1,789	5,119	12,726	29,067	37,589	24,484	10
1991	110,599	5	4	1	20	264	1,799	4,886	13,140	29,156	37,074	24,238	12
1990	110,420	4	1	4	23	264	1,775	4,871	13,556	29,266	36,813	23,836	7
1989	110,529	3	2	3	17	278	1,746	5,016	13,892	29,327	36,667	23,569	9
1988	115,345	1	2	6	18	295	1,777	5,132	14,973	30,869	37,596	24,660	16
1987	114,278	4	3	-	29	299	1,870	5,220	15,452	30,485	36,669	24,234	13
1986	115,137	3	-	5	22	303	1,869	5,316	16,076	30,770	36,429	24,301	43
1985	116,768	3	4	3	21	279	1,803	5,620	16,336	30,805	36,847	25,011	36
1984	116,261	1	4	12	32	275	1,743	5,611	16,486	30,448	36,621	25,014	14
1983	118,216	5	4	9	24	287	1,722	5,675	16,737	31,293	36,928	25,513	19
1982	116,623	4	5	5	19	289	1,592	5,856	16,732	30,598	36,502	24,999	22
1981	117,117	4	3	12	18	232	1,506	6,037	16,966	30,686	36,415	25,223	15
1980	117,779	4	1	3	20	242	1,511	6,048	16,712	30,557	37,071	25,587	23
1979	112,746	3	1	1	26	247	1,379	6,078	16,223	29,397	35,441	23,925	25
All other forms of chronic ischemic heart disease (412-414)													
White, female													
1998	115,763	-	-	1	10	95	501	1,455	4,261	13,978	35,084	60,376	2
1997	117,564	1	-	2	7	98	426	1,516	4,252	14,336	35,721	61,203	2
1996	118,998	6	1	3	6	75	477	1,573	4,324	15,020	36,500	61,008	5
1995	120,199	1	1	1	9	86	471	1,446	4,406	15,252	36,886	61,632	8
1994	118,232	4	4	-	8	82	388	1,412	4,459	15,160	36,626	60,086	3
1993	120,150	7	4	2	10	95	406	1,353	4,581	15,932	37,498	60,254	8
1992	113,664	1	-	3	11	80	389	1,245	4,510	15,424	35,878	56,115	8
1991	113,692	1	-	6	12	75	378	1,207	4,712	15,479	36,388	55,428	6
1990	114,380	2	2	1	5	66	323	1,239	4,837	15,837	36,913	55,147	8
1989	115,208	6	-	2	7	80	329	1,253	5,021	15,945	37,487	55,074	4
1988	120,152	6	2	2	6	73	349	1,287	5,464	16,796	39,020	57,138	9
1987	118,596	4	-	5	12	66	373	1,259	5,524	17,004	38,196	56,142	11
1986	118,747	4	2	-	16	65	352	1,249	5,684	17,136	38,664	55,471	104
1985	119,826	2	1	2	12	67	350	1,343	5,650	17,235	39,002	56,084	78
1984	120,313	4	3	6	13	56	337	1,339	5,881	17,828	39,771	55,065	10
1983	121,757	3	2	6	8	50	302	1,369	5,973	17,858	40,804	55,373	9
1982	119,095	3	3	10	7	45	337	1,357	5,931	17,918	40,529	52,932	23
1981	119,010	2	-	8	8	45	325	1,481	6,132	17,911	40,726	52,352	20
1980	121,275	3	1	3	10	45	324	1,485	6,129	18,475	42,534	52,249	17
1979	113,097	2	1	2	8	42	305	1,374	5,634	17,386	40,429	47,909	5

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
All other forms of chronic ischemic heart disease (412-414)													
All other, both sexes													
1998	24,778	5	-	5	12	95	644	1,705	3,145	5,585	7,105	6,472	5
1997	25,030	4	1	2	17	104	639	1,760	3,240	5,715	7,051	6,492	5
1996	24,934	2	1	1	16	100	693	1,710	3,203	5,734	7,231	6,240	3
1995	25,071	2	1	2	16	123	638	1,777	3,227	6,093	7,050	6,135	7
1994	24,096	3	2	1	15	100	694	1,517	3,148	5,829	6,810	5,970	7
1993	24,230	1	1	1	22	111	654	1,507	3,182	5,842	6,940	5,960	9
1992	22,739	1	1	2	8	106	610	1,478	3,013	5,585	6,529	5,398	8
1991	22,592	5	2	3	15	117	571	1,462	3,103	5,644	6,551	5,113	6
1990	22,030	4	1	4	11	104	522	1,366	3,071	5,486	6,398	5,053	10
1989	21,958	3	-	1	8	118	572	1,446	3,244	5,332	6,314	4,912	8
1988	22,737	1	3	1	18	116	533	1,508	3,414	5,552	6,691	4,894	6
1987	22,190	1	1	1	14	118	569	1,453	3,378	5,573	6,336	4,741	5
1986	21,987	-	2	-	12	123	578	1,404	3,378	5,432	6,250	4,795	13
1985	22,043	2	-	-	11	122	557	1,546	3,496	5,543	6,359	4,396	11
1984	21,558	6	2	2	10	98	506	1,480	3,493	5,530	6,225	4,191	15
1983	22,160	3	3	3	7	101	483	1,550	3,609	5,637	6,436	4,316	12
1982	21,917	3	2	5	9	114	488	1,677	3,546	5,591	6,230	4,229	23
1981	21,978	4	2	3	10	121	495	1,573	3,656	5,730	6,198	4,164	22
1980	22,344	2	1	-	14	102	486	1,629	3,647	5,875	6,427	4,140	21
1979	20,298	2	2	-	8	90	450	1,598	3,306	5,546	5,767	3,512	17
All other forms of chronic ischemic heart disease (412-414)													
All other, male													
1998	11,974	3	-	2	8	66	441	1,141	1,984	2,983	3,255	2,087	4
1997	12,221	-	1	1	13	74	450	1,200	2,054	3,098	3,277	2,051	2
1996	11,935	-	-	-	14	76	462	1,119	1,963	3,084	3,246	1,969	2
1995	12,267	1	1	1	12	92	438	1,226	1,983	3,343	3,181	1,987	2
1994	11,625	2	-	1	12	66	494	1,049	1,991	3,157	2,989	1,858	6
1993	11,709	1	-	1	19	89	450	998	1,974	3,158	3,108	1,907	4
1992	10,936	-	-	1	8	79	425	977	1,816	3,014	2,943	1,667	6
1991	11,052	1	2	1	13	85	416	990	1,887	3,048	2,977	1,627	5
1990	10,726	2	-	1	9	77	383	904	1,866	2,994	2,819	1,665	6
1989	10,795	2	-	-	2	80	412	1,034	1,994	2,833	2,840	1,592	6
1988	11,321	1	1	1	18	94	391	1,019	2,130	3,051	3,012	1,599	4
1987	11,154	-	1	-	12	92	425	996	2,052	3,071	2,967	1,534	4
1986	10,900	-	1	-	10	87	419	949	2,101	2,920	2,782	1,626	5
1985	11,172	-	-	-	10	85	428	1,078	2,164	2,953	2,940	1,507	7
1984	10,807	3	-	2	6	73	349	1,009	2,153	2,991	2,795	1,417	9
1983	11,126	3	3	2	6	76	347	1,047	2,215	2,995	2,922	1,504	6
1982	11,214	1	2	3	7	85	363	1,104	2,160	3,064	2,878	1,532	15
1981	11,113	3	1	1	7	93	363	1,057	2,262	3,051	2,809	1,451	15
1980	11,535	1	-	-	11	83	342	1,109	2,210	3,174	3,010	1,579	16
1979	10,494	2	1	-	1	59	320	1,073	2,064	2,968	2,676	1,318	12

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
All other forms of chronic ischemic heart disease (412-414)													
All other, female													
1998	12,804	2	-	3	4	29	203	564	1,161	2,602	3,850	4,385	1
1997	12,809	4	-	1	4	30	189	560	1,186	2,617	3,774	4,441	3
1996	12,999	2	1	1	2	24	231	591	1,240	2,650	3,985	4,271	1
1995	12,804	1	-	1	4	31	200	551	1,244	2,750	3,869	4,148	5
1994	12,471	1	2	-	3	34	200	468	1,157	2,672	3,821	4,112	1
1993	12,521	-	1	-	3	22	204	509	1,208	2,684	3,832	4,053	5
1992	11,803	1	1	1	-	27	185	501	1,197	2,571	3,586	3,731	2
1991	11,540	4	-	2	2	32	155	472	1,216	2,596	3,574	3,486	1
1990	11,304	2	1	3	2	27	139	462	1,205	2,492	3,579	3,388	4
1989	11,163	1	-	1	6	38	160	412	1,250	2,499	3,474	3,320	2
1988	11,416	-	2	-	-	22	142	489	1,284	2,501	3,679	3,295	2
1987	11,036	1	-	1	2	26	144	457	1,326	2,502	3,369	3,207	1
1986	11,087	-	1	-	2	36	159	455	1,277	2,512	3,468	3,169	8
1985	10,871	2	-	-	1	37	129	468	1,332	2,590	3,419	2,889	4
1984	10,751	3	2	-	4	25	157	471	1,340	2,539	3,430	2,774	6
1983	11,034	-	-	1	1	25	136	503	1,394	2,642	3,514	2,812	6
1982	10,703	2	-	2	2	29	125	573	1,386	2,527	3,352	2,697	8
1981	10,865	1	1	2	3	28	132	516	1,394	2,679	3,389	2,713	7
1980	10,809	1	1	-	3	19	144	520	1,437	2,701	3,417	2,561	5
1979	9,804	-	1	-	7	31	130	525	1,242	2,578	3,091	2,194	5
All other forms of chronic ischemic heart disease (412-414)													
Black, both sexes													
1998	20,992	4	-	5	11	87	575	1,489	2,736	4,785	5,906	5,389	5
1997	21,346	4	1	2	15	88	564	1,546	2,837	4,860	5,958	5,466	5
1996	21,402	2	1	1	14	88	619	1,527	2,778	4,922	6,123	5,324	3
1995	21,725	2	1	2	11	104	575	1,593	2,875	5,273	6,049	5,233	7
1994	20,917	3	2	1	13	85	618	1,328	2,757	5,064	5,879	5,160	7
1993	21,267	-	1	1	21	97	571	1,352	2,829	5,196	6,024	5,169	6
1992	19,865	1	1	2	7	91	552	1,319	2,669	4,914	5,633	4,668	8
1991	20,050	5	2	3	13	108	507	1,319	2,771	5,051	5,775	4,491	5
1990	19,656	4	1	4	11	89	481	1,241	2,777	4,904	5,682	4,453	9
1989	19,682	2	-	1	8	114	525	1,316	2,948	4,813	5,638	4,309	8
1988	20,561	1	2	-	16	108	496	1,371	3,124	5,029	6,029	4,379	6
1987	20,135	1	1	1	11	106	518	1,321	3,113	5,095	5,718	4,246	4
1986	20,000	-	2	-	8	107	532	1,285	3,125	4,968	5,650	4,311	12
1985	20,165	2	-	-	10	113	515	1,452	3,239	5,097	5,788	3,940	9
1984	19,749	4	2	1	10	91	480	1,377	3,233	5,098	5,671	3,767	15
1983	20,352	2	1	2	6	90	440	1,446	3,351	5,219	5,903	3,886	6
1982	20,215	2	2	4	8	101	448	1,568	3,312	5,180	5,723	3,847	20
1981	20,445	2	2	2	9	107	462	1,474	3,454	5,380	5,737	3,796	20
1980	20,788	1	1	-	14	94	447	1,523	3,440	5,527	5,953	3,768	20
1979	18,806	2	-	-	8	78	420	1,499	3,105	5,178	5,339	3,161	16

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
All other forms of chronic ischemic heart disease (412-414)													
Black, male													
1998	9,800	3	-	2	8	59	378	974	1,676	2,504	2,593	1,599	4
1997	10,068	-	1	1	11	59	391	1,030	1,751	2,566	2,684	1,572	2
1996	9,895	-	-	-	12	65	398	974	1,667	2,570	2,652	1,555	2
1995	10,338	1	1	1	9	77	389	1,074	1,753	2,823	2,624	1,584	2
1994	9,746	2	-	1	10	54	426	889	1,724	2,680	2,487	1,467	6
1993	9,981	-	-	1	18	77	383	879	1,736	2,744	2,582	1,559	2
1992	9,300	-	-	1	7	67	374	853	1,580	2,614	2,434	1,364	6
1991	9,549	1	2	1	11	77	368	879	1,660	2,667	2,517	1,361	5
1990	9,326	2	-	1	9	62	346	805	1,674	2,626	2,411	1,384	6
1989	9,427	1	-	-	2	77	374	931	1,788	2,506	2,423	1,319	6
1988	9,959	1	1	-	16	87	360	911	1,906	2,699	2,604	1,370	4
1987	9,887	-	1	-	9	82	380	894	1,858	2,749	2,589	1,322	3
1986	9,666	-	1	-	6	71	377	857	1,913	2,607	2,404	1,425	5
1985	10,018	-	-	-	9	77	392	1,001	1,976	2,662	2,578	1,318	5
1984	9,699	2	-	1	6	67	326	923	1,986	2,704	2,433	1,242	9
1983	10,032	2	1	1	5	66	308	965	2,035	2,722	2,586	1,337	4
1982	10,101	1	2	2	6	75	328	1,019	1,991	2,775	2,545	1,344	13
1981	10,152	1	1	1	6	81	335	979	2,114	2,802	2,528	1,290	14
1980	10,506	-	-	-	11	76	307	1,023	2,047	2,932	2,712	1,383	15
1979	9,527	2	-	-	1	48	297	991	1,899	2,708	2,413	1,157	11
All other forms of chronic ischemic heart disease (412-414)													
Black, female													
1998	11,192	1	-	3	3	28	197	515	1,060	2,281	3,313	3,790	1
1997	11,278	4	-	1	4	29	173	516	1,086	2,294	3,274	3,894	3
1996	11,507	2	1	1	2	23	221	553	1,111	2,352	3,471	3,769	1
1995	11,387	1	-	1	2	27	186	519	1,122	2,450	3,425	3,649	5
1994	11,171	1	2	-	3	31	192	439	1,033	2,384	3,392	3,693	1
1993	11,286	-	1	-	3	20	188	473	1,093	2,452	3,442	3,610	4
1992	10,565	1	1	1	-	24	178	466	1,089	2,300	3,199	3,304	2
1991	10,501	4	-	2	2	31	139	440	1,111	2,384	3,258	3,130	-
1990	10,330	2	1	3	2	27	135	436	1,103	2,278	3,271	3,069	3
1989	10,255	1	-	1	6	37	151	385	1,160	2,307	3,215	2,990	2
1988	10,602	-	1	-	-	21	136	460	1,218	2,330	3,425	3,009	2
1987	10,248	1	-	1	2	24	138	427	1,255	2,346	3,129	2,924	1
1986	10,334	-	1	-	2	36	155	428	1,212	2,361	3,246	2,886	7
1985	10,147	2	-	-	1	36	123	451	1,263	2,435	3,210	2,622	4
1984	10,050	2	2	-	4	24	154	454	1,247	2,394	3,238	2,525	6
1983	10,320	-	-	1	1	24	132	481	1,316	2,497	3,317	2,549	2
1982	10,114	1	-	2	2	26	120	549	1,321	2,405	3,178	2,503	7
1981	10,293	1	1	1	3	26	127	495	1,340	2,578	3,209	2,506	6
1980	10,282	1	1	-	3	18	140	500	1,393	2,595	3,241	2,385	5
1979	9,279	-	-	-	7	30	123	508	1,206	2,470	2,926	2,004	5

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other heart diseases (415-429.1,429.3-429.9)													
All races, both sexes													
1998	163,323	583	205	298	874	1,819	4,657	8,048	12,842	26,678	48,233	59,076	10
1997	159,868	593	204	285	887	1,840	4,489	7,750	12,852	27,025	47,527	56,408	8
1996	155,028	586	205	309	786	1,850	4,220	7,524	12,522	27,036	45,903	54,069	18
1995	152,454	628	241	278	859	1,944	4,504	7,376	12,851	27,219	45,045	51,501	8
1994	147,879	650	267	287	812	1,972	4,365	6,909	12,594	27,812	43,481	48,724	6
1993	149,513	625	277	280	796	1,990	4,273	6,836	13,272	28,646	44,664	47,840	14
1992	138,652	688	268	261	790	1,879	3,971	6,418	12,999	27,514	41,440	42,416	8
1991	136,284	670	312	256	811	1,912	3,818	5,987	13,264	27,550	40,818	40,874	12
1990	132,300	758	270	278	735	1,827	3,515	5,891	13,533	27,027	39,969	38,479	18
1989	135,531	737	267	268	767	1,917	3,541	6,125	14,347	28,338	40,919	38,295	10
1988	153,078	833	334	298	870	2,028	3,734	6,755	17,005	32,843	45,711	42,647	20
1987	146,185	915	303	296	867	2,011	3,476	6,741	16,460	32,069	43,471	39,556	20
1986	142,648	951	352	288	895	2,019	3,435	6,565	16,877	31,695	42,467	37,073	31
1985	132,522	886	289	292	879	1,789	3,244	6,457	16,466	29,726	38,908	33,550	36
1984	121,457	913	320	280	860	1,762	3,003	6,207	15,736	27,548	35,082	29,722	24
1983	114,570	906	316	260	881	1,693	2,807	6,053	15,250	26,408	32,784	27,191	21
1982	103,891	724	279	289	888	1,543	2,676	5,916	14,313	24,131	29,377	23,731	24
1981	98,112	727	325	253	859	1,613	2,562	6,079	14,056	22,640	27,348	21,633	17
1980	92,766	768	313	287	958	1,508	2,548	5,846	13,326	21,996	25,451	19,744	21
1979	83,345	660	251	261	863	1,349	2,369	5,671	12,347	19,537	23,026	16,994	17
Other heart diseases (415-429.1,429.3-429.9)													
All races, male													
1998	72,360	295	110	173	551	1,102	2,970	5,102	7,846	14,692	22,299	17,215	5
1997	71,549	337	112	164	530	1,120	2,895	4,963	7,894	15,065	21,894	16,571	4
1996	69,917	318	106	168	489	1,138	2,720	4,819	7,661	15,357	21,191	15,939	11
1995	69,435	329	130	154	539	1,237	2,964	4,827	7,829	15,460	20,844	15,116	6
1994	67,501	351	140	152	525	1,191	2,811	4,505	7,866	15,776	19,904	14,276	4
1993	68,513	347	154	137	500	1,233	2,743	4,455	8,243	16,277	20,360	14,055	9
1992	64,651	365	140	145	517	1,169	2,668	4,142	8,134	15,649	19,061	12,657	4
1991	64,025	379	163	137	516	1,209	2,491	3,936	8,341	15,802	18,916	12,129	6
1990	62,585	424	138	155	469	1,142	2,357	3,844	8,445	15,559	18,627	11,415	10
1989	64,376	404	152	135	488	1,221	2,313	4,015	8,987	16,368	18,796	11,492	5
1988	73,805	466	169	179	551	1,317	2,494	4,419	10,786	19,189	21,144	13,080	11
1987	70,718	528	156	166	548	1,261	2,317	4,423	10,281	18,610	20,137	12,278	13
1986	69,978	544	182	154	568	1,263	2,294	4,231	10,752	18,512	19,819	11,649	10
1985	65,532	508	141	143	553	1,141	2,086	4,252	10,531	17,359	18,139	10,662	17
1984	60,897	504	169	140	529	1,121	1,951	4,067	10,130	16,168	16,279	9,826	13
1983	57,823	502	171	144	538	1,049	1,801	3,923	9,733	15,667	15,212	9,072	11
1982	52,592	424	160	141	541	927	1,681	3,863	9,151	14,045	13,551	8,094	14
1981	50,399	391	166	139	525	985	1,601	3,968	8,991	13,173	12,911	7,541	8
1980	48,039	440	168	154	597	900	1,603	3,842	8,595	12,828	12,028	6,873	11
1979	43,469	386	132	131	532	790	1,440	3,736	7,957	11,490	10,788	6,079	8

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other heart diseases (415-429.1,429.3-429.9)													
All races, female													
1998	90,963	288	95	125	323	717	1,687	2,946	4,996	11,986	25,934	41,861	5
1997	88,319	256	92	121	357	720	1,594	2,787	4,958	11,960	25,633	39,837	4
1996	85,111	268	99	141	297	712	1,500	2,705	4,861	11,679	24,712	38,130	7
1995	83,019	299	111	124	320	707	1,540	2,549	5,022	11,759	24,201	36,385	2
1994	80,378	299	127	135	287	781	1,554	2,404	4,728	12,036	23,577	34,448	2
1993	81,000	278	123	143	296	757	1,530	2,381	5,029	12,369	24,304	33,785	5
1992	74,001	323	128	116	273	710	1,303	2,276	4,865	11,865	22,379	29,759	4
1991	72,259	291	149	119	295	703	1,327	2,051	4,923	11,748	21,902	28,745	6
1990	69,715	334	132	123	266	685	1,158	2,047	5,088	11,468	21,342	27,064	8
1989	71,155	333	115	133	279	696	1,228	2,110	5,360	11,970	22,123	26,803	5
1988	79,273	367	165	119	319	711	1,240	2,336	6,219	13,654	24,567	29,567	9
1987	75,467	387	147	130	319	750	1,159	2,318	6,179	13,459	23,334	27,278	7
1986	72,670	407	170	134	327	756	1,141	2,334	6,125	13,183	22,648	25,424	21
1985	66,990	378	148	149	326	648	1,158	2,205	5,935	12,367	20,769	22,888	19
1984	60,560	409	151	140	331	641	1,052	2,140	5,606	11,380	18,803	19,896	11
1983	56,747	404	145	116	343	644	1,006	2,130	5,517	10,741	17,572	18,119	10
1982	51,299	300	119	148	347	616	995	2,053	5,162	10,086	15,826	15,637	10
1981	47,713	336	159	114	334	628	961	2,111	5,065	9,467	14,437	14,092	9
1980	44,727	328	145	133	361	608	945	2,004	4,731	9,168	13,423	12,871	10
1979	39,876	274	119	130	331	559	929	1,935	4,390	8,047	12,238	10,915	9
Other heart diseases (415-429.1,429.3-429.9)													
White, both sexes													
1998	141,056	392	130	204	571	1,157	3,090	5,689	9,870	22,354	43,087	54,507	5
1997	138,416	420	133	203	582	1,201	3,022	5,504	9,950	22,778	42,622	51,996	5
1996	133,631	390	126	205	491	1,167	2,752	5,285	9,596	22,693	41,089	49,826	11
1995	131,201	429	147	187	516	1,235	2,956	5,267	9,928	22,796	40,237	47,496	7
1994	127,338	418	158	205	521	1,232	2,867	4,979	9,793	23,419	38,772	44,968	6
1993	128,406	400	175	198	522	1,277	2,778	4,845	10,222	24,053	39,798	44,130	8
1992	118,712	458	166	173	504	1,176	2,519	4,551	10,112	23,166	36,826	39,056	5
1991	116,581	439	195	175	547	1,228	2,444	4,257	10,413	23,114	36,167	37,590	12
1990	112,770	475	173	203	487	1,147	2,229	4,202	10,596	22,763	35,266	35,219	10
1989	115,125	494	167	176	521	1,235	2,269	4,266	11,199	23,724	36,044	35,024	6
1988	130,390	565	229	224	595	1,301	2,416	4,793	13,421	27,599	40,204	39,032	11
1987	124,476	646	192	212	593	1,291	2,269	4,852	13,023	26,940	38,212	36,237	9
1986	121,271	667	234	206	625	1,254	2,265	4,723	13,373	26,694	37,300	33,906	24
1985	112,612	616	179	201	607	1,130	2,143	4,667	13,092	24,945	34,255	30,749	28
1984	103,294	644	220	205	590	1,141	2,020	4,535	12,608	23,169	30,909	27,239	14
1983	97,238	616	217	190	601	1,104	1,880	4,504	12,127	22,226	28,805	24,957	11
1982	88,576	512	187	215	641	1,040	1,808	4,410	11,510	20,352	25,989	21,900	12
1981	83,337	522	231	185	602	1,072	1,713	4,510	11,270	19,213	24,156	19,853	10
1980	78,251	523	206	217	654	970	1,651	4,354	10,727	18,446	22,439	18,051	13
1979	70,693	433	170	203	629	930	1,591	4,324	9,996	16,375	20,367	15,664	11

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other heart diseases (415-429.1,429.3-429.9)													
White, male													
1998	61,723	207	68	123	356	709	2,062	3,677	6,187	12,502	20,077	15,753	2
1997	61,273	247	65	125	351	739	2,024	3,627	6,223	12,898	19,767	15,206	1
1996	59,542	207	73	107	309	765	1,878	3,475	6,004	13,077	19,063	14,577	7
1995	59,000	227	79	101	334	796	2,022	3,539	6,195	13,167	18,707	13,828	5
1994	57,431	230	84	105	343	761	1,901	3,336	6,285	13,490	17,852	13,040	4
1993	58,095	234	102	99	334	798	1,850	3,209	6,468	13,875	18,258	12,864	4
1992	54,672	250	81	97	326	752	1,776	3,001	6,516	13,375	16,974	11,522	2
1991	54,102	251	97	92	353	789	1,626	2,888	6,704	13,463	16,779	11,054	6
1990	52,784	267	87	120	320	728	1,517	2,792	6,775	13,302	16,525	10,346	5
1989	54,133	286	94	95	339	807	1,518	2,861	7,223	13,916	16,608	10,384	2
1988	62,137	324	112	133	383	865	1,655	3,203	8,716	16,369	18,581	11,788	8
1987	59,623	373	98	125	383	826	1,537	3,265	8,325	15,879	17,709	11,096	7
1986	58,932	392	120	113	407	799	1,536	3,119	8,692	15,847	17,382	10,517	8
1985	55,179	358	91	96	394	717	1,402	3,131	8,567	14,811	15,947	9,652	13
1984	51,436	362	117	102	363	729	1,353	3,052	8,317	13,801	14,339	8,893	8
1983	48,716	346	113	105	377	684	1,221	2,996	7,917	13,363	13,341	8,246	7
1982	44,513	312	109	107	408	636	1,165	2,946	7,475	11,971	12,002	7,374	8
1981	42,630	276	117	100	377	649	1,092	3,062	7,365	11,347	11,413	6,828	4
1980	40,204	317	106	121	412	583	1,042	2,919	7,007	10,903	10,589	6,198	7
1979	36,749	262	90	108	394	559	993	2,938	6,577	9,781	9,522	5,520	5
Other heart diseases (415-429.1,429.3-429.9)													
White, female													
1998	79,333	185	62	81	215	448	1,028	2,012	3,683	9,852	23,010	38,754	3
1997	77,143	173	68	78	231	462	998	1,877	3,727	9,880	22,855	36,790	4
1996	74,089	183	53	98	182	402	874	1,810	3,592	9,616	22,026	35,249	4
1995	72,201	202	68	86	182	439	934	1,728	3,733	9,629	21,530	33,668	2
1994	69,907	188	74	100	178	471	966	1,643	3,508	9,929	20,920	31,928	2
1993	70,311	166	73	99	188	479	928	1,636	3,754	10,178	21,540	31,266	4
1992	64,040	208	85	76	178	424	743	1,550	3,596	9,791	19,852	27,534	3
1991	62,479	188	98	83	194	439	818	1,369	3,709	9,651	19,388	26,536	6
1990	59,986	208	86	83	167	419	712	1,410	3,821	9,461	18,741	24,873	5
1989	60,992	208	73	81	182	428	751	1,405	3,976	9,808	19,436	24,640	4
1988	68,253	241	117	91	212	436	761	1,590	4,705	11,230	21,623	27,244	3
1987	64,853	273	94	87	210	465	732	1,587	4,698	11,061	20,503	25,141	2
1986	62,339	275	114	93	218	455	729	1,604	4,681	10,847	19,918	23,389	16
1985	57,433	258	88	105	213	413	741	1,536	4,525	10,134	18,308	21,097	15
1984	51,858	282	103	103	227	412	667	1,483	4,291	9,368	16,570	18,346	6
1983	48,522	270	104	85	224	420	659	1,508	4,210	8,863	15,464	16,711	4
1982	44,063	200	78	108	233	404	643	1,464	4,035	8,381	13,987	14,526	4
1981	40,707	246	114	85	225	423	621	1,448	3,905	7,866	12,743	13,025	6
1980	38,047	206	100	96	242	387	609	1,435	3,720	7,543	11,850	11,853	6
1979	33,944	171	80	95	235	371	598	1,386	3,419	6,594	10,845	10,144	6

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other heart diseases (415-429.1,429.3-429.9)													
All other, both sexes													
1998	22,267	191	75	94	303	662	1,567	2,359	2,972	4,324	5,146	4,569	5
1997	21,452	173	71	82	305	639	1,467	2,246	2,902	4,247	4,905	4,412	3
1996	21,397	196	79	104	295	683	1,468	2,239	2,926	4,343	4,814	4,243	7
1995	21,253	199	94	91	343	709	1,548	2,109	2,923	4,423	4,808	4,005	1
1994	20,541	232	109	82	291	740	1,498	1,930	2,801	4,393	4,709	3,756	-
1993	21,107	225	102	82	274	713	1,495	1,991	3,050	4,593	4,866	3,710	6
1992	19,940	230	102	88	286	703	1,452	1,867	2,887	4,348	4,614	3,360	3
1991	19,703	231	117	81	264	684	1,374	1,730	2,851	4,436	4,651	3,284	-
1990	19,530	283	97	75	248	680	1,286	1,689	2,937	4,264	4,703	3,260	8
1989	20,406	243	100	92	246	682	1,272	1,859	3,148	4,614	4,875	3,271	4
1988	22,688	268	105	74	275	727	1,318	1,962	3,584	5,244	5,507	3,615	9
1987	21,709	269	111	84	274	720	1,207	1,889	3,437	5,129	5,259	3,319	11
1986	21,377	284	118	82	270	765	1,170	1,842	3,504	5,001	5,167	3,167	7
1985	19,910	270	110	91	272	659	1,101	1,790	3,374	4,781	4,653	2,801	8
1984	18,163	269	100	75	270	621	983	1,672	3,128	4,379	4,173	2,483	10
1983	17,332	290	99	70	280	589	927	1,549	3,123	4,182	3,979	2,234	10
1982	15,315	212	92	74	247	503	868	1,506	2,803	3,779	3,388	1,831	12
1981	14,775	205	94	68	257	541	849	1,569	2,786	3,427	3,192	1,780	7
1980	14,515	245	107	70	304	538	897	1,492	2,599	3,550	3,012	1,693	8
1979	12,652	227	81	58	234	419	778	1,347	2,351	3,162	2,659	1,330	6
Other heart diseases (415-429.1,429.3-429.9)													
All other, male													
1998	10,637	88	42	50	195	393	908	1,425	1,659	2,190	2,222	1,462	3
1997	10,276	90	47	39	179	381	871	1,336	1,671	2,167	2,127	1,365	3
1996	10,375	111	33	61	180	373	842	1,344	1,657	2,280	2,128	1,362	4
1995	10,435	102	51	53	205	441	942	1,288	1,634	2,293	2,137	1,288	1
1994	10,070	121	56	47	182	430	910	1,169	1,581	2,286	2,052	1,236	-
1993	10,418	113	52	38	166	435	893	1,246	1,775	2,402	2,102	1,191	5
1992	9,979	115	59	48	191	417	892	1,141	1,618	2,274	2,087	1,135	2
1991	9,923	128	66	45	163	420	865	1,048	1,637	2,339	2,137	1,075	-
1990	9,801	157	51	35	149	414	840	1,052	1,670	2,257	2,102	1,069	5
1989	10,243	118	58	40	149	414	795	1,154	1,764	2,452	2,188	1,108	3
1988	11,668	142	57	46	168	452	839	1,216	2,070	2,820	2,563	1,292	3
1987	11,095	155	58	41	165	435	780	1,158	1,956	2,731	2,428	1,182	6
1986	11,046	152	62	41	161	464	758	1,112	2,060	2,665	2,437	1,132	2
1985	10,353	150	50	47	159	424	684	1,121	1,964	2,548	2,192	1,010	4
1984	9,461	142	52	38	166	392	598	1,015	1,813	2,367	1,940	933	5
1983	9,107	156	58	39	161	365	580	927	1,816	2,304	1,871	826	4
1982	8,079	112	51	34	133	291	516	917	1,676	2,074	1,549	720	6
1981	7,769	115	49	39	148	336	509	906	1,626	1,826	1,498	713	4
1980	7,835	123	62	33	185	317	561	923	1,588	1,925	1,439	675	4
1979	6,720	124	42	23	138	231	447	798	1,380	1,709	1,266	559	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other heart diseases (415-429.1,429.3-429.9)													
All other, female													
1998	11,630	103	33	44	108	269	659	934	1,313	2,134	2,924	3,107	2
1997	11,176	83	24	43	126	258	596	910	1,231	2,080	2,778	3,047	-
1996	11,022	85	46	43	115	310	626	895	1,269	2,063	2,686	2,881	3
1995	10,818	97	43	38	138	268	606	821	1,289	2,130	2,671	2,717	-
1994	10,471	111	53	35	109	310	588	761	1,220	2,107	2,657	2,520	-
1993	10,689	112	50	44	108	278	602	745	1,275	2,191	2,764	2,519	1
1992	9,961	115	43	40	95	286	560	726	1,269	2,074	2,527	2,225	1
1991	9,780	103	51	36	101	264	509	682	1,214	2,097	2,514	2,209	-
1990	9,729	126	46	40	99	266	446	637	1,267	2,007	2,601	2,191	3
1989	10,163	125	42	52	97	268	477	705	1,384	2,162	2,687	2,163	1
1988	11,020	126	48	28	107	275	479	746	1,514	2,424	2,944	2,323	6
1987	10,614	114	53	43	109	285	427	731	1,481	2,398	2,831	2,137	5
1986	10,331	132	56	41	109	301	412	730	1,444	2,336	2,730	2,035	5
1985	9,557	120	60	44	113	235	417	669	1,410	2,233	2,461	1,791	4
1984	8,702	127	48	37	104	229	385	657	1,315	2,012	2,233	1,550	5
1983	8,225	134	41	31	119	224	347	622	1,307	1,878	2,108	1,408	6
1982	7,236	100	41	40	114	212	352	589	1,127	1,705	1,839	1,111	6
1981	7,006	90	45	29	109	205	340	663	1,160	1,601	1,694	1,067	3
1980	6,680	122	45	37	119	221	336	569	1,011	1,625	1,573	1,018	4
1979	5,932	103	39	35	96	188	331	549	971	1,453	1,393	771	3
Other heart diseases (415-429.1,429.3-429.9)													
Black, both sexes													
1998	19,964	155	62	81	268	609	1,453	2,186	2,699	3,905	4,586	3,955	5
1997	19,227	149	64	74	272	573	1,352	2,081	2,659	3,864	4,297	3,840	2
1996	19,285	170	64	88	271	635	1,363	2,058	2,677	3,939	4,285	3,728	7
1995	19,201	171	85	78	315	656	1,447	1,943	2,695	4,011	4,283	3,516	1
1994	18,627	202	101	69	259	685	1,401	1,787	2,597	4,016	4,232	3,278	-
1993	19,201	191	83	71	249	651	1,393	1,873	2,836	4,228	4,346	3,275	5
1992	18,324	206	92	74	255	648	1,361	1,773	2,693	4,014	4,197	3,008	3
1991	18,169	209	106	72	237	639	1,300	1,648	2,656	4,122	4,249	2,931	-
1990	17,951	246	87	64	228	636	1,200	1,573	2,731	3,957	4,296	2,925	8
1989	18,935	215	87	76	230	642	1,205	1,747	2,968	4,333	4,482	2,946	4
1988	21,238	238	92	67	262	692	1,239	1,856	3,392	4,925	5,149	3,317	9
1987	20,360	230	98	73	261	673	1,131	1,792	3,236	4,848	4,955	3,052	11
1986	20,095	258	104	71	252	725	1,112	1,748	3,353	4,750	4,813	2,902	7
1985	18,722	237	100	79	253	619	1,038	1,715	3,201	4,538	4,353	2,582	7
1984	17,130	248	90	70	248	579	929	1,576	2,973	4,188	3,921	2,299	9
1983	16,281	266	87	56	262	551	875	1,490	2,957	3,963	3,722	2,044	8
1982	14,468	185	83	67	231	474	821	1,435	2,672	3,589	3,181	1,718	12
1981	14,022	184	82	66	248	513	801	1,505	2,678	3,289	3,005	1,648	3
1980	13,742	227	97	62	278	510	848	1,430	2,502	3,362	2,842	1,577	7
1979	11,954	202	74	54	219	389	730	1,303	2,249	3,007	2,492	1,229	6

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other heart diseases (415-429.1,429.3-429.9)													
Black, male													
1998	9,407	73	37	43	172	357	836	1,304	1,487	1,953	1,941	1,201	3
1997	9,122	78	44	38	160	335	794	1,232	1,533	1,962	1,824	1,120	2
1996	9,241	98	28	50	167	340	781	1,224	1,495	2,058	1,860	1,136	4
1995	9,411	90	48	45	185	410	882	1,190	1,511	2,075	1,886	1,088	1
1994	9,038	104	50	40	159	389	855	1,076	1,462	2,065	1,821	1,017	-
1993	9,365	89	40	32	149	390	825	1,168	1,648	2,201	1,829	990	4
1992	9,097	107	54	40	167	382	840	1,074	1,501	2,093	1,863	974	2
1991	9,073	112	59	40	145	391	817	998	1,523	2,153	1,914	921	-
1990	8,924	137	47	32	133	380	779	975	1,546	2,079	1,880	931	5
1989	9,409	100	52	35	139	393	752	1,081	1,649	2,281	1,960	964	3
1988	10,870	125	49	43	159	434	787	1,148	1,954	2,641	2,370	1,157	3
1987	10,300	130	55	38	156	400	722	1,089	1,839	2,562	2,230	1,073	6
1986	10,302	140	55	35	148	436	719	1,050	1,971	2,511	2,225	1,010	2
1985	9,688	131	45	39	147	394	648	1,069	1,858	2,406	2,018	930	3
1984	8,876	131	47	36	148	361	563	958	1,730	2,258	1,789	850	5
1983	8,488	143	52	33	151	333	540	892	1,723	2,161	1,726	731	3
1982	7,595	99	44	33	126	273	487	873	1,605	1,954	1,425	670	6
1981	7,344	104	44	38	144	320	481	872	1,562	1,749	1,389	640	1
1980	7,353	114	57	32	167	299	526	884	1,523	1,803	1,336	608	4
1979	6,338	108	39	22	128	216	415	776	1,323	1,622	1,173	513	3
Other heart diseases (415-429.1,429.3-429.9)													
Black, female													
1998	10,557	82	25	38	96	252	617	882	1,212	1,952	2,645	2,754	2
1997	10,105	71	20	36	112	238	558	849	1,126	1,902	2,473	2,720	-
1996	10,044	72	36	38	104	295	582	834	1,182	1,881	2,425	2,592	3
1995	9,790	81	37	33	130	246	565	753	1,184	1,936	2,397	2,428	-
1994	9,589	98	51	29	100	296	546	711	1,135	1,951	2,411	2,261	-
1993	9,836	102	43	39	100	261	568	705	1,188	2,027	2,517	2,285	1
1992	9,227	99	38	34	88	266	521	699	1,192	1,921	2,334	2,034	1
1991	9,096	97	47	32	92	248	483	650	1,133	1,969	2,335	2,010	-
1990	9,027	109	40	32	95	256	421	598	1,185	1,878	2,416	1,994	3
1989	9,526	115	35	41	91	249	453	666	1,319	2,052	2,522	1,982	1
1988	10,368	113	43	24	103	258	452	708	1,438	2,284	2,779	2,160	6
1987	10,060	100	43	35	105	273	409	703	1,397	2,286	2,725	1,979	5
1986	9,793	118	49	36	104	289	393	698	1,382	2,239	2,588	1,892	5
1985	9,034	106	55	40	106	225	390	646	1,343	2,132	2,335	1,652	4
1984	8,254	117	43	34	100	218	366	618	1,243	1,930	2,132	1,449	4
1983	7,793	123	35	23	111	218	335	598	1,234	1,802	1,996	1,313	5
1982	6,873	86	39	34	105	201	334	562	1,067	1,635	1,756	1,048	6
1981	6,678	80	38	28	104	193	320	633	1,116	1,540	1,616	1,008	2
1980	6,389	113	40	30	111	211	322	546	979	1,559	1,506	969	3
1979	5,616	94	35	32	91	173	315	527	926	1,385	1,319	716	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Acute and subacute endocarditis (421)													
All races, both sexes													
1998	1,055	3	-	1	8	40	105	145	151	234	252	116	-
1997	981	4	1	2	10	37	118	117	137	217	243	95	-
1996	843	5	4	2	9	30	109	110	90	174	214	96	-
1995	979	4	1	1	10	37	124	111	148	205	233	105	-
1994	820	2	-	-	8	41	125	89	101	179	202	72	1
1993	892	5	1	2	13	46	102	89	106	199	220	109	-
1992	886	2	-	1	13	50	105	90	123	186	219	97	-
1991	871	4	-	-	8	37	105	85	135	212	197	88	-
1990	921	7	-	5	13	62	95	85	120	228	201	105	-
1989	955	7	2	5	14	89	126	85	121	186	220	100	-
1988	962	3	4	3	22	78	123	81	132	214	213	87	2
1987	876	5	-	7	12	71	89	87	141	200	192	72	-
1986	886	2	1	-	15	87	85	64	142	212	203	75	-
1985	927	1	-	3	24	68	82	94	146	222	210	77	-
1984	883	4	-	3	20	68	78	75	159	219	173	84	-
1983	815	5	2	5	24	56	62	87	167	191	146	70	-
1982	861	6	-	5	27	75	67	86	177	198	153	67	-
1981	765	1	1	3	32	58	59	89	141	184	139	58	-
1980	743	2	5	5	27	55	56	71	168	171	147	36	-
1979	769	4	4	3	32	57	59	90	142	196	136	46	-
Acute and subacute endocarditis (421)													
All races, male													
1998	604	-	-	1	6	24	76	103	82	135	132	45	-
1997	550	3	1	2	6	19	85	69	72	126	136	31	-
1996	480	4	4	2	5	18	74	81	57	97	103	35	-
1995	552	3	1	1	4	25	88	80	89	105	119	37	-
1994	458	2	-	-	3	22	73	68	63	92	110	24	1
1993	471	3	1	-	5	27	64	48	62	115	102	44	-
1992	512	1	-	-	7	28	71	66	92	102	107	38	-
1991	502	3	-	-	4	23	77	59	84	125	92	35	-
1990	541	4	-	4	2	37	74	58	75	140	102	45	-
1989	535	4	2	3	7	54	86	56	84	115	88	36	-
1988	565	1	2	1	18	52	91	55	87	117	105	34	2
1987	519	3	-	5	5	41	68	69	97	116	85	30	-
1986	527	1	-	-	4	53	63	52	99	128	93	34	-
1985	555	-	-	1	10	51	59	66	95	142	103	28	-
1984	510	3	-	2	9	48	57	53	90	143	77	28	-
1983	490	3	2	-	10	45	45	61	111	117	68	28	-
1982	528	5	-	3	19	50	50	61	109	129	75	27	-
1981	459	-	1	2	17	45	38	59	96	115	63	23	-
1980	439	1	4	3	16	28	36	48	122	96	70	15	-
1979	485	4	3	3	20	41	37	63	95	132	65	22	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Acute and subacute endocarditis (421)													
All races, female													
1998	451	3	-	-	2	16	29	42	69	99	120	71	-
1997	431	1	-	-	4	18	33	48	65	91	107	64	-
1996	363	1	-	-	4	12	35	29	33	77	111	61	-
1995	427	1	-	-	6	12	36	31	59	100	114	68	-
1994	362	-	-	-	5	19	52	21	38	87	92	48	-
1993	421	2	-	2	8	19	38	41	44	84	118	65	-
1992	374	1	-	1	6	22	34	24	31	84	112	59	-
1991	369	1	-	-	4	14	28	26	51	87	105	53	-
1990	380	3	-	1	11	25	21	27	45	88	99	60	-
1989	420	3	-	2	7	35	40	29	37	71	132	64	-
1988	397	2	2	2	4	26	32	26	45	97	108	53	-
1987	357	2	-	2	7	30	21	18	44	84	107	42	-
1986	359	1	1	-	11	34	22	12	43	84	110	41	-
1985	372	1	-	2	14	17	23	28	51	80	107	49	-
1984	373	1	-	1	11	20	21	22	69	76	96	56	-
1983	325	2	-	5	14	11	17	26	56	74	78	42	-
1982	333	1	-	2	8	25	17	25	68	69	78	40	-
1981	306	1	-	1	15	13	21	30	45	69	76	35	-
1980	304	1	1	2	11	27	20	23	46	75	77	21	-
1979	284	-	1	-	12	16	22	27	47	64	71	24	-
Acute and subacute endocarditis (421)													
White, both sexes													
1998	827	2	-	1	6	28	70	81	114	197	227	101	-
1997	795	4	1	2	8	26	77	79	108	174	222	94	-
1996	659	5	3	1	5	24	73	65	58	143	198	84	-
1995	798	3	1	-	6	29	81	73	116	175	215	99	-
1994	655	1	-	-	6	26	78	59	78	157	184	65	1
1993	702	3	1	2	8	31	50	56	78	171	199	103	-
1992	699	1	-	1	10	35	60	49	97	163	194	89	-
1991	695	2	-	-	5	23	61	54	104	179	184	83	-
1990	724	4	-	3	6	42	46	57	96	193	179	98	-
1989	717	3	-	3	8	54	53	47	96	162	203	88	-
1988	744	2	2	2	13	38	73	51	101	190	191	80	1
1987	692	4	-	6	8	45	44	56	110	180	176	63	-
1986	710	2	1	-	8	50	47	47	119	186	183	67	-
1985	746	1	-	2	15	31	47	66	126	196	194	68	-
1984	714	2	-	3	13	36	42	47	138	196	160	77	-
1983	648	5	2	5	11	29	34	61	138	168	130	65	-
1982	698	5	-	5	19	48	40	57	147	176	140	61	-
1981	627	-	1	3	23	31	41	65	118	165	128	52	-
1980	628	1	4	5	20	32	36	57	143	160	134	36	-
1979	626	3	3	3	25	35	34	67	124	171	120	41	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Acute and subacute endocarditis (421)													
White, male													
1998	467	-	-	1	4	15	51	59	61	114	120	42	-
1997	448	3	1	2	5	13	54	49	59	103	128	31	-
1996	382	4	3	1	2	16	52	54	38	83	98	31	-
1995	432	2	1	-	2	19	57	54	66	87	109	35	-
1994	370	1	-	-	3	15	51	45	49	79	104	22	1
1993	362	1	1	-	3	17	32	31	45	101	90	41	-
1992	399	1	-	-	5	19	43	37	74	91	95	34	-
1991	400	1	-	-	2	12	41	40	68	111	90	35	-
1990	431	3	-	3	1	24	39	37	64	121	95	44	-
1989	393	1	-	2	2	37	38	34	68	103	77	31	-
1988	418	1	-	1	10	25	57	34	66	100	92	31	1
1987	403	2	-	4	2	29	32	47	80	104	76	27	-
1986	419	1	-	-	2	29	35	38	84	113	88	29	-
1985	438	-	-	-	10	23	36	45	83	122	95	24	-
1984	397	1	-	2	8	23	28	33	75	130	71	26	-
1983	387	3	2	-	5	22	23	44	93	104	64	27	-
1982	421	5	-	3	14	32	28	39	95	115	67	23	-
1981	370	-	1	2	13	25	27	41	79	103	57	22	-
1980	363	-	3	3	13	17	22	39	103	85	63	15	-
1979	386	3	2	3	17	26	20	46	82	114	54	19	-
Acute and subacute endocarditis (421)													
White, female													
1998	360	2	-	-	2	13	19	22	53	83	107	59	-
1997	347	1	-	-	3	13	23	30	49	71	94	63	-
1996	277	1	-	-	3	8	21	11	20	60	100	53	-
1995	366	1	-	-	4	10	24	19	50	88	106	64	-
1994	285	-	-	-	3	11	27	14	29	78	80	43	-
1993	340	2	-	2	5	14	18	25	33	70	109	62	-
1992	300	-	-	1	5	16	17	12	23	72	99	55	-
1991	295	1	-	-	3	11	20	14	36	68	94	48	-
1990	293	1	-	-	5	18	7	20	32	72	84	54	-
1989	324	2	-	1	6	17	15	13	28	59	126	57	-
1988	326	1	2	1	3	13	16	17	35	90	99	49	-
1987	289	2	-	2	6	16	12	9	30	76	100	36	-
1986	291	1	1	-	6	21	12	9	35	73	95	38	-
1985	308	1	-	2	5	8	11	21	43	74	99	44	-
1984	317	1	-	1	5	13	14	14	63	66	89	51	-
1983	261	2	-	5	6	7	11	17	45	64	66	38	-
1982	277	-	-	2	5	16	12	18	52	61	73	38	-
1981	257	-	-	1	10	6	14	24	39	62	71	30	-
1980	265	1	1	2	7	15	14	18	40	75	71	21	-
1979	240	-	1	-	8	9	14	21	42	57	66	22	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Acute and subacute endocarditis (421)													
All other, both sexes													
1998	228	1	-	-	2	12	35	64	37	37	25	15	-
1997	186	-	-	-	2	11	41	38	29	43	21	1	-
1996	184	-	1	1	4	6	36	45	32	31	16	12	-
1995	181	1	-	1	4	8	43	38	32	30	18	6	-
1994	165	1	-	-	2	15	47	30	23	22	18	7	-
1993	190	2	-	-	5	15	52	33	28	28	21	6	-
1992	187	1	-	-	3	15	45	41	26	23	25	8	-
1991	176	2	-	-	3	14	44	31	31	33	13	5	-
1990	197	3	-	2	7	20	49	28	24	35	22	7	-
1989	238	4	2	2	6	35	73	38	25	24	17	12	-
1988	218	1	2	1	9	40	50	30	31	24	22	7	1
1987	184	1	-	1	4	26	45	31	31	20	16	9	-
1986	176	-	-	-	7	37	38	17	23	26	20	8	-
1985	181	-	-	1	9	37	35	28	20	26	16	9	-
1984	169	2	-	-	7	32	36	28	21	23	13	7	-
1983	167	-	-	-	13	27	28	26	29	23	16	5	-
1982	163	1	-	-	8	27	27	29	30	22	13	6	-
1981	138	1	-	-	9	27	18	24	23	19	11	6	-
1980	115	1	1	-	7	23	20	14	25	11	13	-	-
1979	143	1	1	-	7	22	25	23	18	25	16	5	-
Acute and subacute endocarditis (421)													
All other, male													
1998	137	-	-	-	2	9	25	44	21	21	12	3	-
1997	102	-	-	-	1	6	31	20	13	23	8	-	-
1996	98	-	1	1	3	2	22	27	19	14	5	4	-
1995	120	1	-	1	2	6	31	26	23	18	10	2	-
1994	88	1	-	-	-	7	22	23	14	13	6	2	-
1993	109	2	-	-	2	10	32	17	17	14	12	3	-
1992	113	-	-	-	2	9	28	29	18	11	12	4	-
1991	102	2	-	-	2	11	36	19	16	14	2	-	-
1990	110	1	-	1	1	13	35	21	11	19	7	1	-
1989	142	3	2	1	5	17	48	22	16	12	11	5	-
1988	147	-	2	-	8	27	34	21	21	17	13	3	1
1987	116	1	-	1	3	12	36	22	17	12	9	3	-
1986	108	-	-	-	2	24	28	14	15	15	5	5	-
1985	117	-	-	1	-	28	23	21	12	20	8	4	-
1984	113	2	-	-	1	25	29	20	15	13	6	2	-
1983	103	-	-	-	5	23	22	17	18	13	4	1	-
1982	107	-	-	-	5	18	22	22	14	14	8	4	-
1981	89	-	-	-	4	20	11	18	17	12	6	1	-
1980	76	1	1	-	3	11	14	9	19	11	7	-	-
1979	99	1	1	-	3	15	17	17	13	18	11	3	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Acute and subacute endocarditis (421)													
All other, female													
1998	91	1	-	-	-	3	10	20	16	16	13	12	-
1997	84	-	-	-	1	5	10	18	16	20	13	1	-
1996	86	-	-	-	1	4	14	18	13	17	11	8	-
1995	61	-	-	-	2	2	12	12	9	12	8	4	-
1994	77	-	-	-	2	8	25	7	9	9	12	5	-
1993	81	-	-	-	3	5	20	16	11	14	9	3	-
1992	74	1	-	-	1	6	17	12	8	12	13	4	-
1991	74	-	-	-	1	3	8	12	15	19	11	5	-
1990	87	2	-	1	6	7	14	7	13	16	15	6	-
1989	96	1	-	1	1	18	25	16	9	12	6	7	-
1988	71	1	-	1	1	13	16	9	10	7	9	4	-
1987	68	-	-	-	1	14	9	9	14	8	7	6	-
1986	68	-	-	-	5	13	10	3	8	11	15	3	-
1985	64	-	-	-	9	9	12	7	8	6	8	5	-
1984	56	-	-	-	6	7	7	8	6	10	7	5	-
1983	64	-	-	-	8	4	6	9	11	10	12	4	-
1982	56	1	-	-	3	9	5	7	16	8	5	2	-
1981	49	1	-	-	5	7	7	6	6	7	5	5	-
1980	39	-	-	-	4	12	6	5	6	-	6	-	-
1979	44	-	-	-	4	7	8	6	5	7	5	2	-
Acute and subacute endocarditis (421)													
Black, both sexes													
1998	214	1	-	-	1	12	33	62	34	32	24	15	-
1997	165	-	-	-	2	11	35	31	24	43	18	1	-
1996	165	-	1	1	2	6	34	42	28	29	12	10	-
1995	162	1	-	1	4	8	41	34	26	27	15	5	-
1994	138	1	-	-	2	12	44	26	22	15	11	5	-
1993	173	2	-	-	4	14	48	30	25	28	17	5	-
1992	181	1	-	-	3	14	44	41	25	21	24	8	-
1991	160	2	-	-	2	13	44	29	26	29	11	4	-
1990	183	3	-	2	6	17	46	28	23	31	20	7	-
1989	220	4	2	1	5	30	71	38	24	21	13	11	-
1988	205	1	1	1	9	37	48	30	30	23	17	7	1
1987	174	1	-	1	4	26	42	31	29	18	15	7	-
1986	170	-	-	-	7	35	38	17	21	26	18	8	-
1985	169	-	-	1	9	34	34	27	16	24	16	8	-
1984	156	1	-	-	5	30	36	28	19	22	9	6	-
1983	153	-	-	-	10	26	25	24	27	22	14	5	-
1982	153	1	-	-	8	27	25	27	28	19	13	5	-
1981	133	1	-	-	9	26	18	24	22	18	9	6	-
1980	101	-	1	-	6	21	20	13	24	6	10	-	-
1979	131	-	1	-	7	21	23	21	16	23	14	5	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Acute and subacute endocarditis (421)													
Black, male													
1998	128	-	-	-	1	9	23	42	18	20	12	3	-
1997	92	-	-	-	1	6	27	17	11	23	7	-	-
1996	87	-	1	1	2	2	21	24	16	13	4	3	-
1995	107	1	-	1	2	6	29	24	18	18	7	1	-
1994	76	1	-	-	-	5	21	21	13	9	5	1	-
1993	96	2	-	-	1	10	29	15	14	14	9	2	-
1992	110	-	-	-	2	9	27	29	17	11	11	4	-
1991	94	2	-	-	1	10	36	18	12	13	2	-	-
1990	102	1	-	1	1	10	32	21	11	18	6	1	-
1989	132	3	2	1	5	14	47	22	16	11	7	4	-
1988	138	-	1	-	8	27	32	21	20	16	9	3	1
1987	110	1	-	1	3	12	34	22	16	11	8	2	-
1986	102	-	-	-	2	22	28	14	13	15	3	5	-
1985	108	-	-	1	-	25	22	21	10	18	8	3	-
1984	108	1	-	-	1	23	29	20	14	13	5	2	-
1983	95	-	-	-	4	22	19	16	18	12	3	1	-
1982	101	-	-	-	5	18	20	22	13	12	8	3	-
1981	86	-	-	-	4	20	11	18	16	11	5	1	-
1980	64	-	1	-	2	9	14	9	18	6	5	-	-
1979	89	-	1	-	3	14	15	16	11	16	10	3	-
Acute and subacute endocarditis (421)													
Black, female													
1998	86	1	-	-	-	3	10	20	16	12	12	12	-
1997	73	-	-	-	1	5	8	14	13	20	11	1	-
1996	78	-	-	-	-	4	13	18	12	16	8	7	-
1995	55	-	-	-	2	2	12	10	8	9	8	4	-
1994	62	-	-	-	2	7	23	5	9	6	6	4	-
1993	77	-	-	-	3	4	19	15	11	14	8	3	-
1992	71	1	-	-	1	5	17	12	8	10	13	4	-
1991	66	-	-	-	1	3	8	11	14	16	9	4	-
1990	81	2	-	1	5	7	14	7	12	13	14	6	-
1989	88	1	-	-	-	16	24	16	8	10	6	7	-
1988	67	1	-	1	1	10	16	9	10	7	8	4	-
1987	64	-	-	-	1	14	8	9	13	7	7	5	-
1986	68	-	-	-	5	13	10	3	8	11	15	3	-
1985	61	-	-	-	9	9	12	6	6	6	8	5	-
1984	48	-	-	-	4	7	7	8	5	9	4	4	-
1983	58	-	-	-	6	4	6	8	9	10	11	4	-
1982	52	1	-	-	3	9	5	5	15	7	5	2	-
1981	47	1	-	-	5	6	7	6	6	7	4	5	-
1980	37	-	-	-	4	12	6	4	6	-	5	-	-
1979	42	-	-	-	4	7	8	5	5	7	4	2	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Diseases of pericardium and acute myocarditis (420,422-423)													
All races, both sexes													
1998	818	34	27	21	49	51	84	106	97	133	155	61	-
1997	854	32	19	29	38	64	109	87	123	146	148	59	-
1996	726	24	18	24	26	42	83	86	73	141	136	73	-
1995	770	35	24	27	31	60	75	103	96	151	114	54	-
1994	785	45	25	23	30	72	88	99	96	133	120	54	-
1993	847	26	18	35	41	75	84	85	118	170	139	55	1
1992	811	39	37	18	35	62	96	76	101	162	139	46	-
1991	775	35	31	22	36	66	82	70	105	159	111	58	-
1990	815	46	30	19	37	75	81	78	120	157	126	46	-
1989	828	38	21	24	40	61	79	79	132	170	131	53	-
1988	847	38	31	15	42	71	83	86	128	151	144	58	-
1987	899	47	26	20	47	75	70	86	146	185	140	57	-
1986	966	45	23	32	51	78	87	89	162	199	147	53	-
1985	878	36	28	19	39	76	77	89	147	174	130	63	-
1984	929	41	29	20	36	97	80	89	162	188	125	61	1
1983	783	29	25	15	40	59	57	99	141	190	97	31	-
1982	803	31	27	23	47	69	65	89	141	160	112	39	-
1981	858	50	28	18	44	58	54	104	168	163	128	43	-
1980	876	40	25	24	55	72	74	101	145	179	120	41	-
1979	744	35	25	17	47	61	76	63	153	141	97	29	-
Diseases of pericardium and acute myocarditis (420,422-423)													
All races, male													
1998	405	13	15	10	27	28	44	56	45	71	80	16	-
1997	452	15	11	12	19	30	58	51	79	83	70	24	-
1996	383	15	6	11	17	27	49	57	37	77	58	29	-
1995	389	10	8	11	19	34	46	55	60	80	48	18	-
1994	404	20	12	12	20	37	46	49	48	83	56	21	-
1993	416	14	9	14	23	42	42	55	59	84	58	16	-
1992	444	19	19	8	26	39	61	41	60	83	67	21	-
1991	411	26	17	9	22	29	45	45	57	89	51	21	-
1990	449	24	14	9	22	37	45	46	71	95	68	18	-
1989	447	16	11	11	24	35	46	49	77	105	55	18	-
1988	447	16	17	9	24	43	45	52	78	78	67	18	-
1987	488	26	13	11	30	50	37	44	82	112	60	23	-
1986	505	17	9	15	29	50	53	50	95	105	65	17	-
1985	471	21	15	9	27	48	38	62	77	92	63	19	-
1984	472	16	15	10	23	43	43	51	93	94	54	29	1
1983	433	16	12	7	26	34	37	50	93	99	44	15	-
1982	453	16	16	10	30	42	38	58	79	92	56	16	-
1981	456	26	14	10	23	32	32	60	103	76	66	14	-
1980	491	18	11	10	39	40	41	63	91	97	56	25	-
1979	398	24	10	4	25	39	40	30	95	70	44	17	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Diseases of pericardium and acute myocarditis (420,422-423)													
All races, female													
1998	413	21	12	11	22	23	40	50	52	62	75	45	-
1997	402	17	8	17	19	34	51	36	44	63	78	35	-
1996	343	9	12	13	9	15	34	29	36	64	78	44	-
1995	381	25	16	16	12	26	29	48	36	71	66	36	-
1994	381	25	13	11	10	35	42	50	48	50	64	33	-
1993	431	12	9	21	18	33	42	30	59	86	81	39	1
1992	367	20	18	10	9	23	35	35	41	79	72	25	-
1991	364	9	14	13	14	37	37	25	48	70	60	37	-
1990	366	22	16	10	15	38	36	32	49	62	58	28	-
1989	381	22	10	13	16	26	33	30	55	65	76	35	-
1988	400	22	14	6	18	28	38	34	50	73	77	40	-
1987	411	21	13	9	17	25	33	42	64	73	80	34	-
1986	461	28	14	17	22	28	34	39	67	94	82	36	-
1985	407	15	13	10	12	28	39	27	70	82	67	44	-
1984	457	25	14	10	13	54	37	38	69	94	71	32	-
1983	350	13	13	8	14	25	20	49	48	91	53	16	-
1982	350	15	11	13	17	27	27	31	62	68	56	23	-
1981	402	24	14	8	21	26	22	44	65	87	62	29	-
1980	385	22	14	14	16	32	33	38	54	82	64	16	-
1979	346	11	15	13	22	22	36	33	58	71	53	12	-
Diseases of pericardium and acute myocarditis (420,422-423)													
White, both sexes													
1998	641	19	13	15	27	39	58	80	80	115	137	58	-
1997	694	18	8	19	25	45	83	67	106	133	136	54	-
1996	586	13	12	14	21	28	58	59	63	126	126	66	-
1995	594	19	11	18	16	37	59	85	77	121	101	50	-
1994	617	19	15	12	19	51	57	81	89	114	111	49	-
1993	660	16	11	26	25	55	56	58	89	154	122	47	1
1992	616	23	18	10	17	41	66	53	79	143	125	41	-
1991	587	16	17	11	24	47	55	49	80	137	96	55	-
1990	638	23	16	14	23	51	55	67	100	132	113	44	-
1989	651	21	10	14	29	42	55	66	109	139	119	47	-
1988	679	26	24	14	26	57	54	66	105	134	121	52	-
1987	719	31	13	12	36	51	49	58	126	166	124	53	-
1986	754	21	15	24	34	55	65	68	133	164	127	48	-
1985	678	17	14	9	31	41	65	65	114	154	110	58	-
1984	724	24	18	18	27	57	53	63	129	166	113	56	-
1983	621	16	17	9	29	37	44	78	109	166	87	29	-
1982	637	20	20	10	34	53	44	65	110	141	103	37	-
1981	694	33	22	11	30	46	39	71	142	145	116	39	-
1980	679	24	13	16	38	50	53	78	115	152	105	35	-
1979	591	23	16	15	35	47	51	49	126	119	85	25	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Diseases of pericardium and acute myocarditis (420,422-423)													
White, male													
1998	314	6	7	8	15	20	33	40	38	60	72	15	-
1997	371	7	3	8	13	23	46	39	66	77	66	23	-
1996	314	8	5	6	14	19	34	41	32	71	56	28	-
1995	298	8	3	6	13	20	36	42	45	66	41	18	-
1994	325	10	9	7	13	28	32	41	43	72	53	17	-
1993	320	9	5	10	10	30	27	37	46	79	52	15	-
1992	339	12	8	5	14	28	42	27	47	76	61	19	-
1991	317	11	11	6	15	22	31	33	45	78	44	21	-
1990	357	15	5	7	16	26	29	42	59	77	63	18	-
1989	350	10	5	4	19	23	30	43	62	89	48	17	-
1988	360	14	11	8	15	33	29	40	67	70	56	17	-
1987	390	18	5	9	24	33	26	30	68	102	54	21	-
1986	408	9	6	12	22	36	42	41	83	90	53	14	-
1985	369	11	5	6	23	26	35	46	67	81	53	16	-
1984	367	9	9	9	15	24	29	38	74	85	49	26	-
1983	348	9	8	5	20	23	28	42	74	85	40	14	-
1982	367	10	15	4	24	35	29	43	63	81	48	15	-
1981	366	17	10	5	14	26	24	39	89	69	60	13	-
1980	370	12	6	8	26	26	30	44	71	80	47	20	-
1979	303	16	6	3	20	29	23	23	76	56	37	14	-
Diseases of pericardium and acute myocarditis (420,422-423)													
White, female													
1998	327	13	6	7	12	19	25	40	42	55	65	43	-
1997	323	11	5	11	12	22	37	28	40	56	70	31	-
1996	272	5	7	8	7	9	24	18	31	55	70	38	-
1995	296	11	8	12	3	17	23	43	32	55	60	32	-
1994	292	9	6	5	6	23	25	40	46	42	58	32	-
1993	340	7	6	16	15	25	29	21	43	75	70	32	1
1992	277	11	10	5	3	13	24	26	32	67	64	22	-
1991	270	5	6	5	9	25	24	16	35	59	52	34	-
1990	281	8	11	7	7	25	26	25	41	55	50	26	-
1989	301	11	5	10	10	19	25	23	47	50	71	30	-
1988	319	12	13	6	11	24	25	26	38	64	65	35	-
1987	329	13	8	3	12	18	23	28	58	64	70	32	-
1986	346	12	9	12	12	19	23	27	50	74	74	34	-
1985	309	6	9	3	8	15	30	19	47	73	57	42	-
1984	357	15	9	9	12	33	24	25	55	81	64	30	-
1983	273	7	9	4	9	14	16	36	35	81	47	15	-
1982	270	10	5	6	10	18	15	22	47	60	55	22	-
1981	328	16	12	6	16	20	15	32	53	76	56	26	-
1980	309	12	7	8	12	24	23	34	44	72	58	15	-
1979	288	7	10	12	15	18	28	26	50	63	48	11	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Diseases of pericardium and acute myocarditis (420,422-423)													
All other, both sexes													
1998	177	15	14	6	22	12	26	26	17	18	18	3	-
1997	160	14	11	10	13	19	26	20	17	13	12	5	-
1996	140	11	6	10	5	14	25	27	10	15	10	7	-
1995	176	16	13	9	15	23	16	18	19	30	13	4	-
1994	168	26	10	11	11	21	31	18	7	19	9	5	-
1993	187	10	7	9	16	20	28	27	29	16	17	8	-
1992	195	16	19	8	18	21	30	23	22	19	14	5	-
1991	188	19	14	11	12	19	27	21	25	22	15	3	-
1990	177	23	14	5	14	24	26	11	20	25	13	2	-
1989	177	17	11	10	11	19	24	13	23	31	12	6	-
1988	168	12	7	1	16	14	29	20	23	17	23	6	-
1987	180	16	13	8	11	24	21	28	20	19	16	4	-
1986	212	24	8	8	17	23	22	21	29	35	20	5	-
1985	200	19	14	10	8	35	12	24	33	20	20	5	-
1984	205	17	11	2	9	40	27	26	33	22	12	5	1
1983	162	13	8	6	11	22	13	21	32	24	10	2	-
1982	166	11	7	13	13	16	21	24	31	19	9	2	-
1981	164	17	6	7	14	12	15	33	26	18	12	4	-
1980	197	16	12	8	17	22	21	23	30	27	15	6	-
1979	153	12	9	2	12	14	25	14	27	22	12	4	-
Diseases of pericardium and acute myocarditis (420,422-423)													
All other, male													
1998	91	7	8	2	12	8	11	16	7	11	8	1	-
1997	81	8	8	4	6	7	12	12	13	6	4	1	-
1996	69	7	1	5	3	8	15	16	5	6	2	1	-
1995	91	2	5	5	6	14	10	13	15	14	7	-	-
1994	79	10	3	5	7	9	14	8	5	11	3	4	-
1993	96	5	4	4	13	12	15	18	13	5	6	1	-
1992	105	7	11	3	12	11	19	14	13	7	6	2	-
1991	94	15	6	3	7	7	14	12	12	11	7	-	-
1990	92	9	9	2	6	11	16	4	12	18	5	-	-
1989	97	6	6	7	5	12	16	6	15	16	7	1	-
1988	87	2	6	1	9	10	16	12	11	8	11	1	-
1987	98	8	8	2	6	17	11	14	14	10	6	2	-
1986	97	8	3	3	7	14	11	9	12	15	12	3	-
1985	102	10	10	3	4	22	3	16	10	11	10	3	-
1984	105	7	6	1	8	19	14	13	19	9	5	3	1
1983	85	7	4	2	6	11	9	8	19	14	4	1	-
1982	86	6	1	6	6	7	9	15	16	11	8	1	-
1981	90	9	4	5	9	6	8	21	14	7	6	1	-
1980	121	6	5	2	13	14	11	19	20	17	9	5	-
1979	95	8	4	1	5	10	17	7	19	14	7	3	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Diseases of pericardium and acute myocarditis (420,422-423)													
All other, female													
1998	86	8	6	4	10	4	15	10	10	7	10	2	-
1997	79	6	3	6	7	12	14	8	4	7	8	4	-
1996	71	4	5	5	2	6	10	11	5	9	8	6	-
1995	85	14	8	4	9	9	6	5	4	16	6	4	-
1994	89	16	7	6	4	12	17	10	2	8	6	1	-
1993	91	5	3	5	3	8	13	9	16	11	11	7	-
1992	90	9	8	5	6	10	11	9	9	12	8	3	-
1991	94	4	8	8	5	12	13	9	13	11	8	3	-
1990	85	14	5	3	8	13	10	7	8	7	8	2	-
1989	80	11	5	3	6	7	8	7	8	15	5	5	-
1988	81	10	1	-	7	4	13	8	12	9	12	5	-
1987	82	8	5	6	5	7	10	14	6	9	10	2	-
1986	115	16	5	5	10	9	11	12	17	20	8	2	-
1985	98	9	4	7	4	13	9	8	23	9	10	2	-
1984	100	10	5	1	1	21	13	13	14	13	7	2	-
1983	77	6	4	4	5	11	4	13	13	10	6	1	-
1982	80	5	6	7	7	9	12	9	15	8	1	1	-
1981	74	8	2	2	5	6	7	12	12	11	6	3	-
1980	76	10	7	6	4	8	10	4	10	10	6	1	-
1979	58	4	5	1	7	4	8	7	8	8	5	1	-
Diseases of pericardium and acute myocarditis (420,422-423)													
Black, both sexes													
1998	158	13	12	5	21	12	23	23	15	15	16	3	-
1997	144	12	10	9	11	17	25	18	16	13	8	5	-
1996	119	9	3	9	3	13	22	21	10	13	9	7	-
1995	151	16	13	5	11	21	14	14	16	27	10	4	-
1994	147	24	10	9	6	18	29	16	7	17	7	4	-
1993	155	9	4	8	13	16	23	22	25	15	13	7	-
1992	171	14	16	7	18	21	24	21	19	16	11	4	-
1991	169	17	13	10	8	17	27	20	23	19	12	3	-
1990	156	17	12	5	13	20	25	9	18	23	12	2	-
1989	166	14	10	10	11	18	23	13	22	29	11	5	-
1988	154	10	7	1	16	12	25	19	20	16	22	6	-
1987	153	13	11	6	9	22	17	26	17	14	14	4	-
1986	193	23	7	7	14	21	18	19	28	32	19	5	-
1985	183	18	11	7	8	34	11	23	31	17	18	5	-
1984	188	16	10	2	8	37	22	26	31	21	11	3	1
1983	147	12	6	4	10	20	13	17	31	22	10	2	-
1982	153	9	7	11	12	15	20	24	30	16	7	2	-
1981	151	15	5	7	13	12	13	32	23	16	11	4	-
1980	178	16	9	8	15	21	19	18	28	26	12	6	-
1979	141	11	9	2	11	12	23	14	24	20	12	3	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Diseases of pericardium and acute myocarditis (420,422-423)													
Black, male													
1998	77	6	7	1	11	8	9	14	6	8	6	1	-
1997	75	7	7	4	5	6	12	11	13	6	3	1	-
1996	58	5	1	4	1	7	15	13	5	4	2	1	-
1995	75	2	5	2	3	12	10	10	12	13	6	-	-
1994	67	8	3	4	3	7	14	7	5	11	2	3	-
1993	76	4	2	3	11	9	11	14	11	5	5	1	-
1992	93	6	10	3	12	11	17	12	10	6	5	1	-
1991	86	13	6	3	7	6	14	11	11	10	5	-	-
1990	79	6	8	2	5	9	15	2	11	16	5	-	-
1989	91	4	6	7	5	12	15	6	14	15	6	1	-
1988	80	2	6	1	9	10	12	11	10	8	10	1	-
1987	87	5	8	2	5	16	9	14	13	8	5	2	-
1986	87	8	3	3	5	12	9	8	12	13	11	3	-
1985	92	9	8	1	4	21	3	15	9	9	10	3	-
1984	98	7	6	1	7	19	10	13	18	9	5	2	1
1983	78	6	3	2	6	9	9	7	19	12	4	1	-
1982	77	5	1	5	6	6	8	15	15	9	6	1	-
1981	83	7	4	5	8	6	7	20	12	7	6	1	-
1980	110	6	4	2	11	13	11	16	19	16	7	5	-
1979	87	8	4	1	5	8	16	7	16	13	7	2	-
Diseases of pericardium and acute myocarditis (420,422-423)													
Black, female													
1998	81	7	5	4	10	4	14	9	9	7	10	2	-
1997	69	5	3	5	6	11	13	7	3	7	5	4	-
1996	61	4	2	5	2	6	7	8	5	9	7	6	-
1995	76	14	8	3	8	9	4	4	4	14	4	4	-
1994	80	16	7	5	3	11	15	9	2	6	5	1	-
1993	79	5	2	5	2	7	12	8	14	10	8	6	-
1992	78	8	6	4	6	10	7	9	9	10	6	3	-
1991	83	4	7	7	1	11	13	9	12	9	7	3	-
1990	77	11	4	3	8	11	10	7	7	7	7	2	-
1989	75	10	4	3	6	6	8	7	8	14	5	4	-
1988	74	8	1	-	7	2	13	8	10	8	12	5	-
1987	66	8	3	4	4	6	8	12	4	6	9	2	-
1986	106	15	4	4	9	9	9	11	16	19	8	2	-
1985	91	9	3	6	4	13	8	8	22	8	8	2	-
1984	90	9	4	1	1	18	12	13	13	12	6	1	-
1983	69	6	3	2	4	11	4	10	12	10	6	1	-
1982	76	4	6	6	6	9	12	9	15	7	1	1	-
1981	68	8	1	2	5	6	6	12	11	9	5	3	-
1980	68	10	5	6	4	8	8	2	9	10	5	1	-
1979	54	3	5	1	6	4	7	7	8	7	5	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 + years	Age not stated
					years	years	years	years	years	years	years		
Heart failure (428)													
All races, female													
1998	31,154	9	2	7	15	21	87	249	821	2,878	8,614	18,450	1
1997	30,309	19	4	2	14	20	74	239	781	2,891	8,506	17,756	3
1996	29,006	17	6	7	14	46	73	247	761	2,765	8,178	16,889	3
1995	28,732	10	6	8	13	30	89	235	761	2,795	8,230	16,554	1
1994	27,836	12	10	6	6	37	73	217	741	2,871	8,153	15,709	1
1993	28,027	19	15	5	17	37	89	242	822	3,108	8,203	15,466	4
1992	24,451	17	6	8	19	25	73	214	815	2,806	7,194	13,272	2
1991	23,858	27	13	6	7	35	79	213	758	2,723	7,153	12,841	3
1990	22,838	12	5	8	6	28	73	197	801	2,544	7,053	12,110	1
1989	23,261	21	11	5	13	26	72	205	932	2,807	7,364	11,804	1
1988	25,328	13	5	10	12	31	88	259	1,049	3,125	8,050	12,683	3
1987	24,269	17	11	-	13	42	75	252	1,004	3,225	7,749	11,880	1
1986	23,375	25	12	7	14	34	80	257	1,027	3,134	7,613	11,155	17
1985	21,887	29	6	6	10	32	89	259	1,043	3,044	7,105	10,253	11
1984	20,128	51	12	6	12	23	75	232	972	2,828	6,760	9,153	4
1983	18,712	30	10	5	17	39	77	254	951	2,702	6,156	8,469	2
1982	17,067	27	18	9	20	28	71	232	916	2,622	5,776	7,347	1
1981	15,923	28	8	7	14	32	82	253	957	2,549	5,354	6,635	4
1980	14,816	28	14	4	15	38	84	267	866	2,508	4,989	5,999	4
1979	13,410	24	11	7	14	34	79	257	897	2,298	4,629	5,158	2
Heart failure (428)													
White, both sexes													
1998	45,260	17	6	8	19	34	144	438	1,484	5,260	13,961	23,888	1
1997	44,148	26	9	6	17	47	166	460	1,410	5,171	13,827	23,006	3
1996	42,563	22	9	8	19	54	141	465	1,370	5,232	13,248	21,989	6
1995	41,907	18	10	9	15	41	125	439	1,457	5,159	13,219	21,414	1
1994	40,729	16	12	9	20	61	133	426	1,415	5,291	12,830	20,514	2
1993	40,967	21	9	7	30	46	152	443	1,561	5,481	13,160	20,053	4
1992	35,953	16	7	11	24	42	117	399	1,502	5,113	11,521	17,199	2
1991	35,055	34	13	10	17	54	141	365	1,516	4,989	11,281	16,631	4
1990	33,802	22	11	13	13	37	139	363	1,535	4,844	11,152	15,672	1
1989	34,408	27	12	6	25	35	112	424	1,658	5,190	11,554	15,363	2
1988	38,237	33	11	17	27	62	148	471	2,023	5,938	12,726	16,780	1
1987	36,746	36	12	11	18	67	151	473	1,962	5,993	12,333	15,690	-
1986	35,712	35	12	9	25	47	149	488	1,980	5,957	12,205	14,791	14
1985	33,400	48	7	10	21	60	139	494	2,021	5,665	11,328	13,594	13
1984	31,308	55	17	11	16	53	151	444	2,019	5,384	10,701	12,454	3
1983	29,428	42	14	7	31	55	140	527	1,909	5,239	9,924	11,540	-
1982	27,162	42	20	15	27	57	132	462	1,919	4,931	9,288	10,266	3
1981	25,592	47	19	16	25	75	148	545	1,888	4,847	8,704	9,275	3
1980	24,009	49	20	12	27	66	137	567	1,818	4,785	8,122	8,402	4
1979	21,948	45	13	13	26	61	151	578	1,848	4,398	7,488	7,325	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 + years	Age not stated
					years	years	years	years	years	years	years		
Heart failure (428)													
White, male													
1998	17,035	12	4	3	9	21	92	276	894	2,860	6,241	6,623	-
1997	16,715	11	5	4	10	33	124	310	847	2,748	6,167	6,456	-
1996	16,317	9	6	3	10	29	97	299	818	2,932	5,897	6,213	4
1995	15,872	10	5	6	9	26	75	284	893	2,821	5,786	5,957	-
1994	15,481	9	5	4	15	33	93	281	863	2,890	5,500	5,787	1
1993	15,660	12	4	3	18	27	98	283	943	2,910	5,789	5,572	1
1992	13,921	4	4	5	13	28	78	253	881	2,786	5,083	4,785	1
1991	13,622	15	5	4	13	31	89	229	946	2,748	4,883	4,658	1
1990	13,314	15	6	6	10	23	86	240	946	2,739	4,847	4,396	-
1989	13,678	18	5	2	14	23	68	291	989	2,874	5,033	4,360	1
1988	15,570	26	8	9	18	44	94	296	1,241	3,347	5,567	4,920	-
1987	14,955	22	5	11	13	43	109	303	1,195	3,316	5,398	4,540	-
1986	14,932	17	4	5	17	32	94	323	1,237	3,383	5,430	4,389	1
1985	13,911	27	4	7	14	40	85	330	1,241	3,179	4,961	4,018	5
1984	13,396	21	7	7	11	37	111	291	1,301	3,048	4,689	3,873	-
1983	12,755	21	7	3	20	29	93	337	1,201	2,998	4,431	3,615	-
1982	11,967	24	7	9	14	33	83	314	1,205	2,750	4,142	3,383	3
1981	11,449	27	13	10	17	52	94	377	1,167	2,731	3,908	3,052	1
1980	10,965	31	9	10	13	43	91	388	1,142	2,715	3,703	2,818	2
1979	10,181	29	5	7	17	39	102	402	1,190	2,540	3,349	2,500	1
Heart failure (428)													
White, female													
1998	28,225	5	2	5	10	13	52	162	590	2,400	7,720	17,265	1
1997	27,433	15	4	2	7	14	42	150	563	2,423	7,660	16,550	3
1996	26,246	13	3	5	9	25	44	166	552	2,300	7,351	15,776	2
1995	26,035	8	5	3	6	15	50	155	564	2,338	7,433	15,457	1
1994	25,248	7	7	5	5	28	40	145	552	2,401	7,330	14,727	1
1993	25,307	9	5	4	12	19	54	160	618	2,571	7,371	14,481	3
1992	22,032	12	3	6	11	14	39	146	621	2,327	6,438	12,414	1
1991	21,433	19	8	6	4	23	52	136	570	2,241	6,398	11,973	3
1990	20,488	7	5	7	3	14	53	123	589	2,105	6,305	11,276	1
1989	20,730	9	7	4	11	12	44	133	669	2,316	6,521	11,003	1
1988	22,667	7	3	8	9	18	54	175	782	2,591	7,159	11,860	1
1987	21,791	14	7	-	5	24	42	170	767	2,677	6,935	11,150	-
1986	20,780	18	8	4	8	15	55	165	743	2,574	6,775	10,402	13
1985	19,489	21	3	3	7	20	54	164	780	2,486	6,367	9,576	8
1984	17,912	34	10	4	5	16	40	153	718	2,336	6,012	8,581	3
1983	16,673	21	7	4	11	26	47	190	708	2,241	5,493	7,925	-
1982	15,195	18	13	6	13	24	49	148	714	2,181	5,146	6,883	-
1981	14,143	20	6	6	8	23	54	168	721	2,116	4,796	6,223	2
1980	13,044	18	11	2	14	23	46	179	676	2,070	4,419	5,584	2
1979	11,767	16	8	6	9	22	49	176	658	1,858	4,139	4,825	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Heart failure (428)													
All other, both sexes													
1998	4,968	7	2	2	9	24	86	214	477	924	1,497	1,726	-
1997	4,782	8	1	-	13	24	82	205	472	878	1,409	1,690	-
1996	4,667	8	5	4	7	35	72	199	433	907	1,380	1,614	3
1995	4,577	8	3	6	12	28	89	207	420	876	1,359	1,569	-
1994	4,426	16	6	2	7	27	93	166	415	901	1,373	1,420	-
1993	4,646	12	12	2	6	30	80	216	457	1,028	1,371	1,430	2
1992	4,144	13	6	5	15	25	83	169	404	913	1,263	1,246	2
1991	4,151	11	10	2	8	27	73	165	388	916	1,316	1,235	-
1990	4,125	17	6	4	9	27	54	158	431	865	1,331	1,222	1
1989	4,409	16	8	2	5	30	76	177	494	976	1,440	1,185	-
1988	4,703	9	2	4	6	30	88	209	524	1,034	1,545	1,250	2
1987	4,464	11	8	2	18	35	66	179	479	1,093	1,434	1,138	1
1986	4,618	18	6	8	11	40	87	195	577	1,076	1,462	1,133	5
1985	4,347	15	4	4	13	41	82	210	548	1,069	1,341	1,015	5
1984	4,047	23	2	4	10	29	81	177	499	966	1,318	935	3
1983	3,799	21	5	7	14	32	71	167	514	960	1,171	834	3
1982	3,495	16	11	4	10	20	70	189	456	893	1,093	730	3
1981	3,380	10	3	2	20	25	69	185	514	858	1,019	671	4
1980	3,406	23	11	5	8	32	86	195	466	903	1,011	662	4
1979	3,126	15	6	2	14	29	59	180	513	853	899	554	2
Heart failure (428)													
All other, male													
1998	2,039	3	2	-	4	16	51	127	246	446	603	541	-
1997	1,906	4	1	-	6	18	50	116	254	410	563	484	-
1996	1,907	4	2	2	2	14	43	118	224	442	553	501	2
1995	1,880	6	2	1	5	13	50	127	223	419	562	472	-
1994	1,838	11	3	1	6	18	60	94	226	431	550	438	-
1993	1,926	2	2	1	1	12	45	134	253	491	539	445	1
1992	1,725	8	3	3	7	14	49	101	210	434	507	388	1
1991	1,726	3	5	2	5	15	46	88	200	434	561	367	-
1990	1,775	12	6	3	6	13	34	84	219	426	583	388	1
1989	1,878	4	4	1	3	16	48	105	231	485	597	384	-
1988	2,042	3	-	2	3	17	54	125	257	500	654	427	-
1987	1,986	8	4	2	10	17	33	97	242	545	620	408	-
1986	2,023	11	2	5	5	21	62	103	293	516	624	380	1
1985	1,949	7	1	1	10	29	47	115	285	511	603	338	2
1984	1,831	6	-	2	3	22	46	98	245	474	570	363	2
1983	1,760	12	2	6	8	19	41	103	271	499	508	290	1
1982	1,623	7	6	1	3	16	48	105	254	452	463	266	2
1981	1,600	2	1	1	14	16	41	100	278	425	461	259	2
1980	1,634	13	8	3	7	17	48	107	276	465	441	247	2
1979	1,483	7	3	1	9	17	29	99	274	413	409	221	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Heart failure (428)													
All other, female													
1998	2,929	4	-	2	5	8	35	87	231	478	894	1,185	-
1997	2,876	4	-	-	7	6	32	89	218	468	846	1,206	-
1996	2,760	4	3	2	5	21	29	81	209	465	827	1,113	1
1995	2,697	2	1	5	7	15	39	80	197	457	797	1,097	-
1994	2,588	5	3	1	1	9	33	72	189	470	823	982	-
1993	2,720	10	10	1	5	18	35	82	204	537	832	985	1
1992	2,419	5	3	2	8	11	34	68	194	479	756	858	1
1991	2,425	8	5	-	3	12	27	77	188	482	755	868	-
1990	2,350	5	-	1	3	14	20	74	212	439	748	834	-
1989	2,531	12	4	1	2	14	28	72	263	491	843	801	-
1988	2,661	6	2	2	3	13	34	84	267	534	891	823	2
1987	2,478	3	4	-	8	18	33	82	237	548	814	730	1
1986	2,595	7	4	3	6	19	25	92	284	560	838	753	4
1985	2,398	8	3	3	3	12	35	95	263	558	738	677	3
1984	2,216	17	2	2	7	7	35	79	254	492	748	572	1
1983	2,039	9	3	1	6	13	30	64	243	461	663	544	2
1982	1,872	9	5	3	7	4	22	84	202	441	630	464	1
1981	1,780	8	2	1	6	9	28	85	236	433	558	412	2
1980	1,772	10	3	2	1	15	38	88	190	438	570	415	2
1979	1,643	8	3	1	5	12	30	81	239	440	490	333	1
Heart failure (428)													
Black, both sexes													
1998	4,493	4	2	2	8	22	85	210	443	846	1,356	1,515	-
1997	4,292	6	1	-	13	19	74	193	440	823	1,239	1,484	-
1996	4,217	7	5	4	7	35	66	186	390	831	1,250	1,433	3
1995	4,156	6	3	6	12	27	85	189	388	805	1,227	1,408	-
1994	4,016	14	6	2	7	24	91	154	386	838	1,234	1,260	-
1993	4,247	10	9	1	5	28	78	205	434	956	1,245	1,274	2
1992	3,783	12	5	5	14	22	79	165	376	840	1,150	1,113	2
1991	3,800	11	9	2	7	24	70	155	362	851	1,196	1,113	-
1990	3,797	16	5	3	8	27	49	151	403	806	1,224	1,104	1
1989	4,082	16	8	2	5	30	75	160	474	922	1,320	1,070	-
1988	4,372	8	1	4	6	29	86	198	500	967	1,440	1,131	2
1987	4,164	9	8	2	18	35	62	166	449	1,020	1,349	1,045	1
1986	4,324	18	5	8	11	39	85	183	551	1,018	1,372	1,029	5
1985	4,077	12	3	4	11	38	78	201	520	1,029	1,250	927	4
1984	3,810	22	2	4	10	28	76	167	479	927	1,225	867	3
1983	3,561	19	5	6	12	31	69	163	485	908	1,096	765	2
1982	3,279	14	10	3	10	18	67	179	433	848	1,008	686	3
1981	3,183	9	2	2	19	23	64	179	495	819	956	613	2
1980	3,216	23	11	5	7	30	82	189	447	855	953	611	3
1979	2,949	13	5	2	13	28	56	175	489	808	848	510	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Heart failure (428)													
Black, male													
1998	1,817	2	2	-	3	14	51	126	228	399	535	457	-
1997	1,694	4	1	-	6	14	43	110	235	383	484	414	-
1996	1,707	3	2	2	2	14	39	111	199	407	506	420	2
1995	1,702	4	2	1	5	13	48	115	207	389	504	414	-
1994	1,654	9	3	1	6	16	58	84	212	397	494	374	-
1993	1,729	2	1	-	-	11	44	128	242	458	473	369	1
1992	1,555	8	3	3	6	12	46	99	193	400	449	335	1
1991	1,565	3	5	2	4	12	45	84	187	400	503	320	-
1990	1,631	11	5	3	5	13	31	81	206	398	526	351	1
1989	1,711	4	4	1	3	16	47	94	220	457	531	334	-
1988	1,889	3	-	2	3	16	53	118	241	470	604	379	-
1987	1,834	6	4	2	10	17	30	88	231	506	567	373	-
1986	1,869	11	2	5	5	21	61	99	279	478	572	335	1
1985	1,825	5	1	1	8	26	44	109	270	493	556	311	1
1984	1,706	6	-	2	3	21	44	93	238	455	511	331	2
1983	1,649	11	2	5	7	18	40	103	258	474	473	257	1
1982	1,509	6	6	1	3	14	46	100	241	423	420	247	2
1981	1,497	2	1	1	13	15	37	98	269	406	427	227	1
1980	1,522	13	8	3	6	17	45	104	261	435	408	220	2
1979	1,400	7	2	1	9	17	27	96	265	389	385	201	1
Heart failure (428)													
Black, female													
1998	2,676	2	-	2	5	8	34	84	215	447	821	1,058	-
1997	2,598	2	-	-	7	5	31	83	205	440	755	1,070	-
1996	2,510	4	3	2	5	21	27	75	191	424	744	1,013	1
1995	2,454	2	1	5	7	14	37	74	181	416	723	994	-
1994	2,362	5	3	1	1	8	33	70	174	441	740	886	-
1993	2,518	8	8	1	5	17	34	77	192	498	772	905	1
1992	2,228	4	2	2	8	10	33	66	183	440	701	778	1
1991	2,235	8	4	-	3	12	25	71	175	451	693	793	-
1990	2,166	5	-	-	3	14	18	70	197	408	698	753	-
1989	2,371	12	4	1	2	14	28	66	254	465	789	736	-
1988	2,483	5	1	2	3	13	33	80	259	497	836	752	2
1987	2,330	3	4	-	8	18	32	78	218	514	782	672	1
1986	2,455	7	3	3	6	18	24	84	272	540	800	694	4
1985	2,252	7	2	3	3	12	34	92	250	536	694	616	3
1984	2,104	16	2	2	7	7	32	74	241	472	714	536	1
1983	1,912	8	3	1	5	13	29	60	227	434	623	508	1
1982	1,770	8	4	2	7	4	21	79	192	425	588	439	1
1981	1,686	7	1	1	6	8	27	81	226	413	529	386	1
1980	1,694	10	3	2	1	13	37	85	186	420	545	391	1
1979	1,549	6	3	1	4	11	29	79	224	419	463	309	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
All other forms of heart disease (415-417,424-427,429.0-429.1,429.3-429.9)													
All races, both sexes													
1998	111,222	522	170	266	789	1,670	4,238	7,145	10,633	20,127	32,368	33,285	9
1997	109,103	523	174	248	809	1,668	4,014	6,881	10,710	20,613	31,900	31,558	5
1996	106,229	527	169	271	725	1,689	3,815	6,664	10,556	20,582	30,925	30,297	9
1995	104,221	563	203	235	791	1,778	4,091	6,516	10,730	20,828	30,120	28,359	7
1994	101,119	571	224	253	747	1,771	3,926	6,129	10,567	21,308	28,956	26,664	3
1993	102,161	561	237	234	706	1,793	3,855	6,003	11,030	21,768	29,774	26,193	7
1992	96,858	618	218	226	703	1,700	3,570	5,684	10,869	21,140	28,298	23,828	4
1991	95,432	586	258	222	742	1,728	3,417	5,302	11,120	21,274	27,913	22,862	8
1990	92,637	666	223	237	663	1,626	3,146	5,207	11,327	20,933	27,159	21,434	16
1989	94,931	649	224	231	683	1,702	3,148	5,360	11,942	21,816	27,574	21,594	8
1988	108,329	750	286	259	773	1,787	3,292	5,908	14,198	25,506	31,083	24,472	15
1987	103,200	816	257	256	772	1,763	3,100	5,916	13,732	24,598	29,372	22,599	19
1986	100,466	851	310	239	793	1,767	3,027	5,729	14,016	24,251	28,450	21,021	12
1985	92,970	786	250	256	782	1,544	2,864	5,570	13,604	22,596	25,899	18,801	18
1984	84,290	790	272	242	778	1,515	2,613	5,422	12,897	20,791	22,765	16,188	17
1983	79,745	809	270	226	772	1,491	2,477	5,173	12,519	19,828	21,446	14,716	18
1982	71,570	629	221	242	777	1,322	2,342	5,090	11,620	17,949	18,731	12,629	18
1981	67,517	619	274	214	738	1,397	2,232	5,156	11,345	16,588	17,358	11,586	10
1980	63,732	654	252	241	841	1,283	2,195	4,912	10,729	15,958	16,051	10,603	13
1979	56,758	561	203	226	744	1,141	2,024	4,760	9,691	13,949	14,406	9,040	13
All other forms of heart disease (415-417,424-427,429.0-429.1,429.3-429.9)													
All races, male													
1998	52,277	267	89	159	505	1,013	2,707	4,540	6,579	11,180	15,243	9,990	5
1997	51,926	304	94	146	489	1,020	2,578	4,417	6,642	11,698	14,958	9,576	4
1996	50,830	286	88	150	455	1,050	2,457	4,264	6,525	11,809	14,580	9,161	5
1995	50,742	300	114	135	502	1,139	2,705	4,281	6,564	12,035	14,329	8,632	6
1994	49,320	309	120	135	481	1,081	2,539	4,013	6,666	12,280	13,688	8,006	2
1993	50,040	316	138	119	453	1,125	2,494	3,935	6,926	12,677	13,872	7,978	7
1992	48,049	333	114	129	464	1,060	2,409	3,681	6,891	12,244	13,297	7,425	2
1991	47,764	332	136	122	472	1,111	2,234	3,515	7,054	12,406	13,329	7,048	5
1990	46,506	369	112	133	429	1,032	2,118	3,416	7,134	12,159	13,027	6,568	9
1989	47,838	362	130	118	440	1,093	2,065	3,514	7,606	12,789	13,023	6,694	4
1988	55,181	420	142	158	488	1,161	2,210	3,891	9,123	15,147	14,751	7,681	9
1987	52,770	469	134	137	490	1,110	2,070	3,910	8,665	14,521	13,974	7,277	13
1986	51,991	498	167	129	513	1,107	2,022	3,703	9,028	14,380	13,607	6,829	8
1985	48,646	453	121	125	492	973	1,857	3,679	8,833	13,435	12,409	6,259	10
1984	44,688	458	147	119	483	971	1,694	3,574	8,401	12,409	10,889	5,533	10
1983	42,385	450	148	128	474	922	1,585	3,372	8,057	11,954	10,161	5,124	10
1982	38,021	372	131	118	475	786	1,462	3,325	7,504	10,622	8,815	4,402	9
1981	36,435	336	137	116	454	840	1,396	3,372	7,347	9,826	8,413	4,193	5
1980	34,510	377	136	128	522	772	1,387	3,236	6,964	9,455	7,758	3,768	7
1979	30,922	322	111	116	461	654	1,232	3,142	6,303	8,335	6,921	3,319	6

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
All other forms of heart disease (415-417,424-427,429.0-429.1,429.3-429.9)													
All races, female													
1998	58,945	255	81	107	284	657	1,531	2,605	4,054	8,947	17,125	23,295	4
1997	57,177	219	80	102	320	648	1,436	2,464	4,068	8,915	16,942	21,982	1
1996	55,399	241	81	121	270	639	1,358	2,400	4,031	8,773	16,345	21,136	4
1995	53,479	263	89	100	289	639	1,386	2,235	4,166	8,793	15,791	19,727	1
1994	51,799	262	104	118	266	690	1,387	2,116	3,901	9,028	15,268	18,658	1
1993	52,121	245	99	115	253	668	1,361	2,068	4,104	9,091	15,902	18,215	-
1992	48,809	285	104	97	239	640	1,161	2,003	3,978	8,896	15,001	16,403	2
1991	47,668	254	122	100	270	617	1,183	1,787	4,066	8,868	14,584	15,814	3
1990	46,131	297	111	104	234	594	1,028	1,791	4,193	8,774	14,132	14,866	7
1989	47,093	287	94	113	243	609	1,083	1,846	4,336	9,027	14,551	14,900	4
1988	53,148	330	144	101	285	626	1,082	2,017	5,075	10,359	16,332	16,791	6
1987	50,430	347	123	119	282	653	1,030	2,006	5,067	10,077	15,398	15,322	6
1986	48,475	353	143	110	280	660	1,005	2,026	4,988	9,871	14,843	14,192	4
1985	44,324	333	129	131	290	571	1,007	1,891	4,771	9,161	13,490	12,542	8
1984	39,602	332	125	123	295	544	919	1,848	4,496	8,382	11,876	10,655	7
1983	37,360	359	122	98	298	569	892	1,801	4,462	7,874	11,285	9,592	8
1982	33,549	257	90	124	302	536	880	1,765	4,116	7,327	9,916	8,227	9
1981	31,082	283	137	98	284	557	836	1,784	3,998	6,762	8,945	7,393	5
1980	29,222	277	116	113	319	511	808	1,676	3,765	6,503	8,293	6,835	6
1979	25,836	239	92	110	283	487	792	1,618	3,388	5,614	7,485	5,721	7
All other forms of heart disease (415-417,424-427,429.0-429.1,429.3-429.9)													
White, both sexes													
1998	94,328	354	111	180	519	1,056	2,818	5,090	8,192	16,782	28,762	30,460	4
1997	92,779	372	115	176	532	1,083	2,696	4,898	8,326	17,300	28,437	28,842	2
1996	89,823	350	102	182	446	1,061	2,480	4,696	8,105	17,192	27,517	27,687	5
1995	87,902	389	125	160	479	1,128	2,691	4,670	8,278	17,341	26,702	25,933	6
1994	85,337	382	131	184	476	1,094	2,599	4,413	8,211	17,857	25,647	24,340	3
1993	86,077	360	154	163	459	1,145	2,520	4,288	8,494	18,247	26,317	23,927	3
1992	81,444	418	141	151	453	1,058	2,276	4,050	8,434	17,747	24,986	21,727	3
1991	80,244	387	165	154	501	1,104	2,187	3,789	8,713	17,809	24,606	20,821	8
1990	77,606	426	146	173	445	1,017	1,989	3,715	8,865	17,594	23,822	19,405	9
1989	79,349	443	145	153	459	1,104	2,049	3,729	9,336	18,233	24,168	19,526	4
1988	90,730	504	192	191	529	1,144	2,141	4,205	11,192	21,337	27,166	22,120	9
1987	86,319	575	167	183	531	1,128	2,025	4,265	10,825	20,601	25,579	20,431	9
1986	84,095	609	206	173	558	1,102	2,004	4,120	11,141	20,387	24,785	19,000	10
1985	77,788	550	158	180	540	998	1,892	4,042	10,831	18,930	22,623	17,029	15
1984	70,548	563	185	173	534	995	1,774	3,981	10,322	17,423	19,935	14,652	11
1983	66,541	553	184	169	530	983	1,662	3,838	9,971	16,653	18,664	13,323	11
1982	60,079	445	147	185	561	882	1,592	3,826	9,334	15,104	16,458	11,536	9
1981	56,424	442	189	155	524	920	1,485	3,829	9,122	14,056	15,208	10,487	7
1980	52,935	449	169	184	569	822	1,425	3,652	8,651	13,349	14,078	9,578	9
1979	47,528	362	138	172	543	787	1,355	3,630	7,898	11,687	12,674	8,273	9

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
All other forms of heart disease (415-417,424-427,429.0-429.1,429.3-429.9)													
White, male													
1998	43,907	189	57	111	328	653	1,886	3,302	5,194	9,468	13,644	9,073	2
1997	43,739	226	56	111	323	670	1,800	3,229	5,251	9,970	13,406	8,696	1
1996	42,529	186	59	97	283	701	1,695	3,081	5,116	9,991	13,012	8,305	3
1995	42,398	207	70	89	310	731	1,854	3,159	5,191	10,193	12,771	7,818	5
1994	41,255	210	70	94	312	685	1,725	2,969	5,330	10,449	12,195	7,214	2
1993	41,753	212	92	86	303	724	1,693	2,858	5,434	10,785	12,327	7,236	3
1992	40,013	233	69	87	294	677	1,613	2,684	5,514	10,422	11,735	6,684	1
1991	39,763	224	81	82	323	724	1,465	2,586	5,645	10,526	11,762	6,340	5
1990	38,682	234	76	104	293	655	1,363	2,473	5,706	10,365	11,520	5,888	5
1989	39,712	257	84	87	304	724	1,382	2,493	6,104	10,850	11,450	5,976	1
1988	45,789	283	93	115	340	763	1,475	2,833	7,342	12,852	12,866	6,820	7
1987	43,875	331	88	101	344	721	1,370	2,885	6,982	12,357	12,181	6,508	7
1986	43,173	365	110	96	366	702	1,365	2,717	7,288	12,261	11,811	6,085	7
1985	40,461	320	82	83	347	628	1,246	2,710	7,176	11,429	10,838	5,594	8
1984	37,276	331	101	84	329	645	1,185	2,690	6,867	10,538	9,530	4,968	8
1983	35,226	313	96	97	332	610	1,077	2,573	6,549	10,176	8,806	4,590	7
1982	31,758	273	87	91	356	536	1,025	2,550	6,112	9,025	7,745	3,953	5
1981	30,445	232	93	83	333	546	947	2,605	6,030	8,444	7,388	3,741	3
1980	28,506	274	88	100	360	497	899	2,448	5,691	8,023	6,776	3,345	5
1979	25,879	214	77	95	340	465	848	2,467	5,229	7,071	6,082	2,987	4
All other forms of heart disease (415-417,424-427,429.0-429.1,429.3-429.9)													
White, female													
1998	50,421	165	54	69	191	403	932	1,788	2,998	7,314	15,118	21,387	2
1997	49,040	146	59	65	209	413	896	1,669	3,075	7,330	15,031	20,146	1
1996	47,294	164	43	85	163	360	785	1,615	2,989	7,201	14,505	19,382	2
1995	45,504	182	55	71	169	397	837	1,511	3,087	7,148	13,931	18,115	1
1994	44,082	172	61	90	164	409	874	1,444	2,881	7,408	13,452	17,126	1
1993	44,324	148	62	77	156	421	827	1,430	3,060	7,462	13,990	16,691	-
1992	41,431	185	72	64	159	381	663	1,366	2,920	7,325	13,251	15,043	2
1991	40,481	163	84	72	178	380	722	1,203	3,068	7,283	12,844	14,481	3
1990	38,924	192	70	69	152	362	626	1,242	3,159	7,229	12,302	13,517	4
1989	39,637	186	61	66	155	380	667	1,236	3,232	7,383	12,718	13,550	3
1988	44,941	221	99	76	189	381	666	1,372	3,850	8,485	14,300	15,300	2
1987	42,444	244	79	82	187	407	655	1,380	3,843	8,244	13,398	13,923	2
1986	40,922	244	96	77	192	400	639	1,403	3,853	8,126	12,974	12,915	3
1985	37,327	230	76	97	193	370	646	1,332	3,655	7,501	11,785	11,435	7
1984	33,272	232	84	89	205	350	589	1,291	3,455	6,885	10,405	9,684	3
1983	31,315	240	88	72	198	373	585	1,265	3,422	6,477	9,858	8,733	4
1982	28,321	172	60	94	205	346	567	1,276	3,222	6,079	8,713	7,583	4
1981	25,979	210	96	72	191	374	538	1,224	3,092	5,612	7,820	6,746	4
1980	24,429	175	81	84	209	325	526	1,204	2,960	5,326	7,302	6,233	4
1979	21,649	148	61	77	203	322	507	1,163	2,669	4,616	6,592	5,286	5

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages												Age not stated
	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years		
All other forms of heart disease (415-417,424-427,429.0-429.1,429.3-429.9)													
All other, both sexes													
1998	16,894	168	59	86	270	614	1,420	2,055	2,441	3,345	3,606	2,825	5
1997	16,324	151	59	72	277	585	1,318	1,983	2,384	3,313	3,463	2,716	3
1996	16,406	177	67	89	279	628	1,335	1,968	2,451	3,390	3,408	2,610	4
1995	16,319	174	78	75	312	650	1,400	1,846	2,452	3,487	3,418	2,426	1
1994	15,782	189	93	69	271	677	1,327	1,716	2,356	3,451	3,309	2,324	-
1993	16,084	201	83	71	247	648	1,335	1,715	2,536	3,521	3,457	2,266	4
1992	15,414	200	77	75	250	642	1,294	1,634	2,435	3,393	3,312	2,101	1
1991	15,188	199	93	68	241	624	1,230	1,513	2,407	3,465	3,307	2,041	-
1990	15,031	240	77	64	218	609	1,157	1,492	2,462	3,339	3,337	2,029	7
1989	15,582	206	79	78	224	598	1,099	1,631	2,606	3,583	3,406	2,068	4
1988	17,599	246	94	68	244	643	1,151	1,703	3,006	4,169	3,917	2,352	6
1987	16,881	241	90	73	241	635	1,075	1,651	2,907	3,997	3,793	2,168	10
1986	16,371	242	104	66	235	665	1,023	1,609	2,875	3,864	3,665	2,021	2
1985	15,182	236	92	76	242	546	972	1,528	2,773	3,666	3,276	1,772	3
1984	13,742	227	87	69	244	520	839	1,441	2,575	3,368	2,830	1,536	6
1983	13,204	256	86	57	242	508	815	1,335	2,548	3,175	2,782	1,393	7
1982	11,491	184	74	57	216	440	750	1,264	2,286	2,845	2,273	1,093	9
1981	11,093	177	85	59	214	477	747	1,327	2,223	2,532	2,150	1,099	3
1980	10,797	205	83	57	272	461	770	1,260	2,078	2,609	1,973	1,025	4
1979	9,230	199	65	54	201	354	669	1,130	1,793	2,262	1,732	767	4
All other forms of heart disease (415-417,424-427,429.0-429.1,429.3-429.9)													
All other, male													
1998	8,370	78	32	48	177	360	821	1,238	1,385	1,712	1,599	917	3
1997	8,187	78	38	35	166	350	778	1,188	1,391	1,728	1,552	880	3
1996	8,301	100	29	53	172	349	762	1,183	1,409	1,818	1,568	856	2
1995	8,344	93	44	46	192	408	851	1,122	1,373	1,842	1,558	814	1
1994	8,065	99	50	41	169	396	814	1,044	1,336	1,831	1,493	792	-
1993	8,287	104	46	33	150	401	801	1,077	1,492	1,892	1,545	742	4
1992	8,036	100	45	42	170	383	796	997	1,377	1,822	1,562	741	1
1991	8,001	108	55	40	149	387	769	929	1,409	1,880	1,567	708	-
1990	7,824	135	36	29	136	377	755	943	1,428	1,794	1,507	680	4
1989	8,126	105	46	31	136	369	683	1,021	1,502	1,939	1,573	718	3
1988	9,392	137	49	43	148	398	735	1,058	1,781	2,295	1,885	861	2
1987	8,895	138	46	36	146	389	700	1,025	1,683	2,164	1,793	769	6
1986	8,818	133	57	33	147	405	657	986	1,740	2,119	1,796	744	1
1985	8,185	133	39	42	145	345	611	969	1,657	2,006	1,571	665	2
1984	7,412	127	46	35	154	326	509	884	1,534	1,871	1,359	565	2
1983	7,159	137	52	31	142	312	508	799	1,508	1,778	1,355	534	3
1982	6,263	99	44	27	119	250	437	775	1,392	1,597	1,070	449	4
1981	5,990	104	44	33	121	294	449	767	1,317	1,382	1,025	452	2
1980	6,004	103	48	28	162	275	488	788	1,273	1,432	982	423	2
1979	5,043	108	34	21	121	189	384	675	1,074	1,264	839	332	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
All other forms of heart disease (415-417,424-427,429.0-429.1,429.3-429.9)													
All other, female													
1998	8,524	90	27	38	93	254	599	817	1,056	1,633	2,007	1,908	2
1997	8,137	73	21	37	111	235	540	795	993	1,585	1,911	1,836	-
1996	8,105	77	38	36	107	279	573	785	1,042	1,572	1,840	1,754	2
1995	7,975	81	34	29	120	242	549	724	1,079	1,645	1,860	1,612	-
1994	7,717	90	43	28	102	281	513	672	1,020	1,620	1,816	1,532	-
1993	7,797	97	37	38	97	247	534	638	1,044	1,629	1,912	1,524	-
1992	7,378	100	32	33	80	259	498	637	1,058	1,571	1,750	1,360	-
1991	7,187	91	38	28	92	237	461	584	998	1,585	1,740	1,333	-
1990	7,207	105	41	35	82	232	402	549	1,034	1,545	1,830	1,349	3
1989	7,456	101	33	47	88	229	416	610	1,104	1,644	1,833	1,350	1
1988	8,207	109	45	25	96	245	416	645	1,225	1,874	2,032	1,491	4
1987	7,986	103	44	37	95	246	375	626	1,224	1,833	2,000	1,399	4
1986	7,553	109	47	33	88	260	366	623	1,135	1,745	1,869	1,277	1
1985	6,997	103	53	34	97	201	361	559	1,116	1,660	1,705	1,107	1
1984	6,330	100	41	34	90	194	330	557	1,041	1,497	1,471	971	4
1983	6,045	119	34	26	100	196	307	536	1,040	1,397	1,427	859	4
1982	5,228	85	30	30	97	190	313	489	894	1,248	1,203	644	5
1981	5,103	73	41	26	93	183	298	560	906	1,150	1,125	647	1
1980	4,793	102	35	29	110	186	282	472	805	1,177	991	602	2
1979	4,187	91	31	33	80	165	285	455	719	998	893	435	2
All other forms of heart disease (415-417,424-427,429.0-429.1,429.3-429.9)													
Black, both sexes													
1998	15,099	137	48	74	238	563	1,312	1,891	2,207	3,012	3,190	2,422	5
1997	14,626	131	53	65	246	526	1,218	1,839	2,179	2,985	3,032	2,350	2
1996	14,784	154	55	74	259	581	1,241	1,809	2,249	3,066	3,014	2,278	4
1995	14,732	148	69	66	288	600	1,307	1,706	2,265	3,152	3,031	2,099	1
1994	14,326	163	85	58	244	631	1,237	1,591	2,182	3,146	2,980	2,009	-
1993	14,626	170	70	62	227	593	1,244	1,616	2,352	3,229	3,071	1,989	3
1992	14,189	179	71	62	220	591	1,214	1,546	2,273	3,137	3,012	1,883	1
1991	14,040	179	84	60	220	585	1,159	1,444	2,245	3,223	3,030	1,811	-
1990	13,815	210	70	54	201	572	1,080	1,385	2,287	3,097	3,040	1,812	7
1989	14,467	181	67	63	209	564	1,036	1,536	2,448	3,361	3,138	1,860	4
1988	16,507	219	83	61	231	614	1,080	1,609	2,842	3,919	3,670	2,173	6
1987	15,869	207	79	64	230	590	1,010	1,569	2,741	3,796	3,577	1,996	10
1986	15,408	217	92	56	220	630	971	1,529	2,753	3,674	3,404	1,860	2
1985	14,293	207	86	67	225	513	915	1,464	2,634	3,468	3,069	1,642	3
1984	12,976	209	78	64	225	484	795	1,355	2,444	3,218	2,676	1,423	5
1983	12,420	235	76	46	230	474	768	1,286	2,414	3,011	2,602	1,272	6
1982	10,883	161	66	53	201	414	709	1,205	2,181	2,706	2,153	1,025	9
1981	10,555	159	75	57	207	452	706	1,270	2,138	2,436	2,029	1,025	1
1980	10,247	188	76	49	250	438	727	1,210	2,003	2,475	1,867	960	4
1979	8,733	178	59	50	188	328	628	1,093	1,720	2,156	1,618	711	4

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
All other forms of heart disease (415-417,424-427,429.0-429.1,429.3-429.9)													
Black, male													
1998	7,385	65	28	42	157	326	753	1,122	1,235	1,526	1,388	740	3
1997	7,261	67	36	34	148	309	712	1,094	1,274	1,550	1,330	705	2
1996	7,389	90	24	43	162	317	706	1,076	1,275	1,634	1,348	712	2
1995	7,527	83	41	41	175	379	795	1,041	1,274	1,655	1,369	673	1
1994	7,241	86	44	35	150	361	762	964	1,232	1,648	1,320	639	-
1993	7,464	81	37	29	137	360	741	1,011	1,381	1,724	1,342	618	3
1992	7,339	93	41	34	147	350	750	934	1,281	1,676	1,398	634	1
1991	7,328	94	48	35	133	363	722	885	1,313	1,730	1,404	601	-
1990	7,112	119	34	26	122	348	701	871	1,318	1,647	1,343	579	4
1989	7,475	89	40	26	126	351	643	959	1,399	1,798	1,416	625	3
1988	8,763	120	42	40	139	381	690	998	1,683	2,147	1,747	774	2
1987	8,269	118	43	33	138	355	649	965	1,579	2,037	1,650	696	6
1986	8,244	121	50	27	136	381	621	929	1,667	2,005	1,639	667	1
1985	7,663	117	36	36	135	322	579	924	1,569	1,886	1,444	613	2
1984	6,964	117	41	33	137	298	480	832	1,460	1,781	1,268	515	2
1983	6,666	126	47	26	134	284	472	766	1,428	1,663	1,246	472	2
1982	5,908	88	37	27	112	235	413	736	1,336	1,510	991	419	4
1981	5,678	95	39	32	119	279	426	736	1,265	1,325	951	411	-
1980	5,657	95	44	27	148	260	456	755	1,225	1,346	916	383	2
1979	4,762	93	32	20	111	177	357	657	1,031	1,204	771	307	2
All other forms of heart disease (415-417,424-427,429.0-429.1,429.3-429.9)													
Black, female													
1998	7,714	72	20	32	81	237	559	769	972	1,486	1,802	1,682	2
1997	7,365	64	17	31	98	217	506	745	905	1,435	1,702	1,645	-
1996	7,395	64	31	31	97	264	535	733	974	1,432	1,666	1,566	2
1995	7,205	65	28	25	113	221	512	665	991	1,497	1,662	1,426	-
1994	7,085	77	41	23	94	270	475	627	950	1,498	1,660	1,370	-
1993	7,162	89	33	33	90	233	503	605	971	1,505	1,729	1,371	-
1992	6,850	86	30	28	73	241	464	612	992	1,461	1,614	1,249	-
1991	6,712	85	36	25	87	222	437	559	932	1,493	1,626	1,210	-
1990	6,703	91	36	28	79	224	379	514	969	1,450	1,697	1,233	3
1989	6,992	92	27	37	83	213	393	577	1,049	1,563	1,722	1,235	1
1988	7,744	99	41	21	92	233	390	611	1,159	1,772	1,923	1,399	4
1987	7,600	89	36	31	92	235	361	604	1,162	1,759	1,927	1,300	4
1986	7,164	96	42	29	84	249	350	600	1,086	1,669	1,765	1,193	1
1985	6,630	90	50	31	90	191	336	540	1,065	1,582	1,625	1,029	1
1984	6,012	92	37	31	88	186	315	523	984	1,437	1,408	908	3
1983	5,754	109	29	20	96	190	296	520	986	1,348	1,356	800	4
1982	4,975	73	29	26	89	179	296	469	845	1,196	1,162	606	5
1981	4,877	64	36	25	88	173	280	534	873	1,111	1,078	614	1
1980	4,590	93	32	22	102	178	271	455	778	1,129	951	577	2
1979	3,971	85	27	30	77	151	271	436	689	952	847	404	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Essential (primary) hypertension and hypertensive renal disease (401,403)													
All races, both sexes													
1998	14,308	12	-	4	7	55	238	593	1,126	2,495	4,575	5,203	-
1997	13,534	5	1	4	8	59	240	586	1,003	2,416	4,467	4,744	1
1996	12,945	8	-	3	19	56	214	581	1,003	2,399	4,266	4,396	-
1995	12,483	4	1	3	12	63	254	548	1,039	2,434	3,985	4,138	2
1994	11,765	8	4	1	16	67	224	489	1,011	2,332	3,907	3,706	-
1993	11,243	4	2	1	16	66	246	486	1,047	2,266	3,570	3,537	2
1992	10,265	3	2	2	16	67	186	411	937	2,199	3,402	3,039	1
1991	9,524	2	3	2	13	56	193	412	880	2,070	3,145	2,746	2
1990	9,169	5	1	2	10	46	181	397	895	1,988	3,003	2,639	2
1989	8,766	3	3	5	16	70	174	381	860	1,917	2,857	2,479	1
1988	8,456	1	1	1	9	62	159	371	908	1,896	2,735	2,312	1
1987	8,139	2	1	1	15	47	156	339	865	1,925	2,569	2,218	1
1986	7,984	5	1	1	7	54	123	359	878	1,817	2,627	2,108	4
1985	7,751	4	-	2	9	44	137	346	897	1,757	2,521	2,032	2
1984	7,774	1	1	3	6	48	124	324	937	1,876	2,449	2,004	1
1983	7,739	4	1	2	10	46	131	332	896	1,743	2,475	2,095	4
1982	7,571	5	-	4	11	49	110	334	894	1,739	2,395	2,027	3
1981	7,587	3	1	1	13	63	139	383	895	1,694	2,410	1,985	-
1980	7,827	4	1	7	18	64	151	408	931	1,742	2,449	2,050	2
1979	7,275	4	5	5	11	49	149	393	880	1,594	2,241	1,943	1
Essential (primary) hypertension and hypertensive renal disease (401,403)													
All races, male													
1998	5,526	7	-	1	3	34	152	386	632	1,187	1,787	1,337	-
1997	5,419	2	1	1	2	31	160	375	607	1,157	1,823	1,259	1
1996	5,160	3	-	1	11	31	122	358	575	1,180	1,679	1,200	-
1995	5,025	3	1	2	7	47	157	349	588	1,177	1,579	1,114	1
1994	4,794	4	3	-	6	37	146	333	592	1,125	1,551	997	-
1993	4,512	3	-	-	10	36	159	289	579	1,071	1,428	935	2
1992	4,285	3	2	1	10	49	111	249	501	1,079	1,418	861	1
1991	3,956	2	1	2	8	39	115	233	502	984	1,248	821	1
1990	3,833	2	-	1	4	33	122	238	482	964	1,180	806	1
1989	3,771	3	1	2	10	54	108	251	483	956	1,214	689	-
1988	3,555	-	1	1	2	37	96	209	478	930	1,159	641	1
1987	3,530	1	-	-	7	28	103	202	526	944	1,060	659	-
1986	3,403	2	-	1	6	37	70	205	489	898	1,062	633	-
1985	3,385	4	-	1	4	25	82	207	510	878	1,056	618	-
1984	3,435	1	1	3	4	35	77	196	496	959	992	671	-
1983	3,476	3	1	1	6	34	84	197	499	865	1,069	713	4
1982	3,432	3	-	1	5	37	71	187	507	889	1,005	726	1
1981	3,477	1	-	1	6	33	80	221	500	847	1,073	715	-
1980	3,581	3	-	3	9	37	89	226	540	849	1,030	793	2
1979	3,377	3	2	1	8	35	87	212	482	837	983	726	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Essential (primary) hypertension and hypertensive renal disease (401,403)													
All races, female													
1998	8,782	5	-	3	4	21	86	207	494	1,308	2,788	3,866	-
1997	8,115	3	-	3	6	28	80	211	396	1,259	2,644	3,485	-
1996	7,785	5	-	2	8	25	92	223	428	1,219	2,587	3,196	-
1995	7,458	1	-	1	5	16	97	199	451	1,257	2,406	3,024	1
1994	6,971	4	1	1	10	30	78	156	419	1,207	2,356	2,709	-
1993	6,731	1	2	1	6	30	87	197	468	1,195	2,142	2,602	-
1992	5,980	-	-	1	6	18	75	162	436	1,120	1,984	2,178	-
1991	5,568	-	2	-	5	17	78	179	378	1,086	1,897	1,925	1
1990	5,336	3	1	1	6	13	59	159	413	1,024	1,823	1,833	1
1989	4,995	-	2	3	6	16	66	130	377	961	1,643	1,790	1
1988	4,901	1	-	-	7	25	63	162	430	966	1,576	1,671	-
1987	4,609	1	1	1	8	19	53	137	339	981	1,509	1,559	1
1986	4,581	3	1	-	1	17	53	154	389	919	1,565	1,475	4
1985	4,366	-	-	1	5	19	55	139	387	879	1,465	1,414	2
1984	4,339	-	-	-	2	13	47	128	441	917	1,457	1,333	1
1983	4,263	1	-	1	4	12	47	135	397	878	1,406	1,382	-
1982	4,139	2	-	3	6	12	39	147	387	850	1,390	1,301	2
1981	4,110	2	1	-	7	30	59	162	395	847	1,337	1,270	-
1980	4,246	1	1	4	9	27	62	182	391	893	1,419	1,257	-
1979	3,898	1	3	4	3	14	62	181	398	757	1,258	1,217	-
Essential (primary) hypertension and hypertensive renal disease (401,403)													
White, both sexes													
1998	10,818	6	-	2	5	21	110	297	652	1,728	3,614	4,383	-
1997	10,376	5	-	3	2	24	96	280	619	1,709	3,604	4,034	-
1996	9,864	5	-	2	7	22	94	280	596	1,731	3,423	3,704	-
1995	9,452	1	1	2	4	29	112	275	603	1,725	3,161	3,539	-
1994	8,902	6	3	1	4	27	90	231	637	1,671	3,067	3,165	-
1993	8,438	4	1	1	7	23	109	254	643	1,609	2,819	2,967	1
1992	7,750	2	2	2	6	22	80	181	571	1,534	2,743	2,607	-
1991	7,160	-	1	2	8	22	76	195	531	1,478	2,474	2,372	1
1990	6,960	3	-	2	1	17	67	184	548	1,434	2,417	2,286	1
1989	6,649	3	3	4	8	31	70	187	534	1,363	2,272	2,173	1
1988	6,433	-	1	1	5	25	83	167	535	1,390	2,225	2,001	-
1987	6,250	2	1	1	7	24	69	172	551	1,413	2,071	1,939	-
1986	6,171	4	1	1	2	21	47	197	561	1,355	2,128	1,851	3
1985	5,922	3	-	1	4	17	50	166	557	1,290	2,056	1,777	1
1984	5,998	-	1	1	5	17	53	173	600	1,378	1,974	1,796	-
1983	6,092	2	1	1	7	22	59	172	578	1,303	2,063	1,884	-
1982	6,006	1	-	3	7	21	53	175	600	1,315	1,977	1,851	3
1981	5,894	2	1	1	7	29	54	187	575	1,248	2,012	1,778	-
1980	6,130	4	-	5	10	34	63	195	609	1,279	2,065	1,865	1
1979	5,713	2	2	5	9	13	67	194	572	1,180	1,908	1,760	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Essential (primary) hypertension and hypertensive renal disease (401,403)													
White, male													
1998	4,105	3	-	1	2	12	79	203	398	831	1,432	1,144	-
1997	4,038	2	-	1	-	11	69	183	395	854	1,467	1,056	-
1996	3,814	2	-	-	3	12	56	179	354	875	1,354	979	-
1995	3,697	1	1	1	3	23	68	187	368	858	1,260	927	-
1994	3,547	4	2	-	-	15	60	165	381	843	1,229	848	-
1993	3,370	3	-	-	5	15	80	170	370	784	1,162	780	1
1992	3,228	2	2	1	4	19	60	123	333	776	1,167	741	-
1991	2,938	-	1	2	4	17	39	122	324	725	1,002	701	1
1990	2,862	1	-	1	-	13	45	123	318	711	961	688	1
1989	2,819	3	1	1	5	25	46	130	331	692	985	600	-
1988	2,749	-	1	1	1	14	49	100	333	724	973	553	-
1987	2,692	1	-	-	2	13	50	109	351	724	861	581	-
1986	2,639	2	-	1	2	14	32	115	327	720	869	557	-
1985	2,588	3	-	1	3	9	28	110	348	668	883	535	-
1984	2,651	-	1	1	3	12	36	113	330	730	824	601	-
1983	2,724	1	1	1	4	18	38	112	340	668	904	637	-
1982	2,740	1	-	-	3	17	34	106	363	709	840	666	1
1981	2,718	1	-	1	2	14	34	119	342	653	909	643	-
1980	2,813	3	-	2	6	22	40	115	381	647	878	718	1
1979	2,645	2	-	1	6	11	39	118	338	637	841	651	1
Essential (primary) hypertension and hypertensive renal disease (401,403)													
White, female													
1998	6,713	3	-	1	3	9	31	94	254	897	2,182	3,239	-
1997	6,338	3	-	2	2	13	27	97	224	855	2,137	2,978	-
1996	6,050	3	-	2	4	10	38	101	242	856	2,069	2,725	-
1995	5,755	-	-	1	1	6	44	88	235	867	1,901	2,612	-
1994	5,355	2	1	1	4	12	30	66	256	828	1,838	2,317	-
1993	5,068	1	1	1	2	8	29	84	273	825	1,657	2,187	-
1992	4,522	-	-	1	2	3	20	58	238	758	1,576	1,866	-
1991	4,222	-	-	-	4	5	37	73	207	753	1,472	1,671	-
1990	4,098	2	-	1	1	4	22	61	230	723	1,456	1,598	-
1989	3,830	-	2	3	3	6	24	57	203	671	1,287	1,573	1
1988	3,684	-	-	-	4	11	34	67	202	666	1,252	1,448	-
1987	3,558	1	1	1	5	11	19	63	200	689	1,210	1,358	-
1986	3,532	2	1	-	-	7	15	82	234	635	1,259	1,294	3
1985	3,334	-	-	-	1	8	22	56	209	622	1,173	1,242	1
1984	3,347	-	-	-	2	5	17	60	270	648	1,150	1,195	-
1983	3,368	1	-	-	3	4	21	60	238	635	1,159	1,247	-
1982	3,266	-	-	3	4	4	19	69	237	606	1,137	1,185	2
1981	3,176	1	1	-	5	15	20	68	233	595	1,103	1,135	-
1980	3,317	1	-	3	4	12	23	80	228	632	1,187	1,147	-
1979	3,068	-	2	4	3	2	28	76	234	543	1,067	1,109	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Essential (primary) hypertension and hypertensive renal disease (401,403)													
All other, both sexes													
1998	3,490	6	-	2	2	34	128	296	474	767	961	820	-
1997	3,158	-	1	1	6	35	144	306	384	707	863	710	1
1996	3,081	3	-	1	12	34	120	301	407	668	843	692	-
1995	3,031	3	-	1	8	34	142	273	436	709	824	599	2
1994	2,863	2	1	-	12	40	134	258	374	661	840	541	-
1993	2,805	-	1	-	9	43	137	232	404	657	751	570	1
1992	2,515	1	-	-	10	45	106	230	366	665	659	432	1
1991	2,364	2	2	-	5	34	117	217	349	592	671	374	1
1990	2,209	2	1	-	9	29	114	213	347	554	586	353	1
1989	2,117	-	-	1	8	39	104	194	326	554	585	306	-
1988	2,023	1	-	-	4	37	76	204	373	506	510	311	1
1987	1,889	-	-	-	8	23	87	167	314	512	498	279	1
1986	1,813	1	-	-	5	33	76	162	317	462	499	257	1
1985	1,829	1	-	1	5	27	87	180	340	467	465	255	1
1984	1,776	1	-	2	1	31	71	151	337	498	475	208	1
1983	1,647	2	-	1	3	24	72	160	318	440	412	211	4
1982	1,565	4	-	1	4	28	57	159	294	424	418	176	-
1981	1,693	1	-	-	6	34	85	196	320	446	398	207	-
1980	1,697	-	1	2	8	30	88	213	322	463	384	185	1
1979	1,562	2	3	-	2	36	82	199	308	414	333	183	-
Essential (primary) hypertension and hypertensive renal disease (401,403)													
All other, male													
1998	1,421	4	-	-	1	22	73	183	234	356	355	193	-
1997	1,381	-	1	-	2	20	91	192	212	303	356	203	1
1996	1,346	1	-	1	8	19	66	179	221	305	325	221	-
1995	1,328	2	-	1	4	24	89	162	220	319	319	187	1
1994	1,247	-	1	-	6	22	86	168	211	282	322	149	-
1993	1,142	-	-	-	5	21	79	119	209	287	266	155	1
1992	1,057	1	-	-	6	30	51	126	168	303	251	120	1
1991	1,018	2	-	-	4	22	76	111	178	259	246	120	-
1990	971	1	-	-	4	20	77	115	164	253	219	118	-
1989	952	-	-	1	5	29	62	121	152	264	229	89	-
1988	806	-	-	-	1	23	47	109	145	206	186	88	1
1987	838	-	-	-	5	15	53	93	175	220	199	78	-
1986	764	-	-	-	4	23	38	90	162	178	193	76	-
1985	797	1	-	-	1	16	54	97	162	210	173	83	-
1984	784	1	-	2	1	23	41	83	166	229	168	70	-
1983	752	2	-	-	2	16	46	85	159	197	165	76	4
1982	692	2	-	1	2	20	37	81	144	180	165	60	-
1981	759	-	-	-	4	19	46	102	158	194	164	72	-
1980	768	-	-	1	3	15	49	111	159	202	152	75	1
1979	732	1	2	-	2	24	48	94	144	200	142	75	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Essential (primary) hypertension and hypertensive renal disease (401,403)													
All other, female													
1998	2,069	2	-	2	1	12	55	113	240	411	606	627	-
1997	1,777	-	-	1	4	15	53	114	172	404	507	507	-
1996	1,735	2	-	-	4	15	54	122	186	363	518	471	-
1995	1,703	1	-	-	4	10	53	111	216	390	505	412	1
1994	1,616	2	-	-	6	18	48	90	163	379	518	392	-
1993	1,663	-	1	-	4	22	58	113	195	370	485	415	-
1992	1,458	-	-	-	4	15	55	104	198	362	408	312	-
1991	1,346	-	2	-	1	12	41	106	171	333	425	254	1
1990	1,238	1	1	-	5	9	37	98	183	301	367	235	1
1989	1,165	-	-	-	3	10	42	73	174	290	356	217	-
1988	1,217	1	-	-	3	14	29	95	228	300	324	223	-
1987	1,051	-	-	-	3	8	34	74	139	292	299	201	1
1986	1,049	1	-	-	1	10	38	72	155	284	306	181	1
1985	1,032	-	-	1	4	11	33	83	178	257	292	172	1
1984	992	-	-	-	-	8	30	68	171	269	307	138	1
1983	895	-	-	1	1	8	26	75	159	243	247	135	-
1982	873	2	-	-	2	8	20	78	150	244	253	116	-
1981	934	1	-	-	2	15	39	94	162	252	234	135	-
1980	929	-	1	1	5	15	39	102	163	261	232	110	-
1979	830	1	1	-	-	12	34	105	164	214	191	108	-
Essential (primary) hypertension and hypertensive renal disease (401,403)													
Black, both sexes													
1998	3,179	6	-	2	2	32	120	278	452	712	841	734	-
1997	2,919	-	1	1	5	33	135	295	368	655	787	638	1
1996	2,845	3	-	1	11	32	114	291	385	612	773	623	-
1995	2,804	3	-	1	8	31	136	267	406	660	746	544	2
1994	2,654	2	1	-	11	40	128	246	353	618	769	486	-
1993	2,622	-	1	-	9	43	135	220	388	616	696	513	1
1992	2,327	1	-	-	10	44	104	222	347	615	594	389	1
1991	2,224	2	2	-	4	34	111	212	333	556	632	337	1
1990	2,109	1	1	-	9	27	108	208	332	530	561	331	1
1989	1,997	-	-	1	8	37	102	185	317	525	543	279	-
1988	1,926	1	-	-	4	37	76	194	363	478	481	291	1
1987	1,804	-	-	-	8	22	83	163	307	494	469	257	1
1986	1,732	1	-	-	5	30	73	157	307	445	471	242	1
1985	1,757	-	-	-	4	27	84	178	328	451	441	243	1
1984	1,711	1	-	2	1	31	69	145	332	487	447	195	1
1983	1,582	1	-	1	3	23	70	154	313	422	396	197	2
1982	1,489	4	-	1	3	26	52	156	283	412	395	157	-
1981	1,633	-	-	-	6	33	84	190	308	438	376	198	-
1980	1,627	-	1	2	8	30	86	204	310	451	363	171	1
1979	1,509	2	2	-	2	36	78	195	300	403	318	173	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Essential (primary) hypertension and hypertensive renal disease (401,403)													
Black, male													
1998	1,276	4	-	-	1	20	68	170	224	332	295	162	-
1997	1,257	-	1	-	2	19	84	186	202	275	318	169	1
1996	1,233	1	-	1	7	17	60	171	210	282	298	186	-
1995	1,216	2	-	1	4	22	86	157	201	296	284	162	1
1994	1,147	-	1	-	6	22	82	160	199	261	292	124	-
1993	1,067	-	-	-	5	21	78	114	202	275	237	134	1
1992	969	1	-	-	6	30	49	120	160	278	217	107	1
1991	945	2	-	-	3	22	72	107	169	241	229	100	-
1990	919	1	-	-	4	19	71	112	153	245	205	109	-
1989	892	-	-	1	5	28	61	114	149	247	211	76	-
1988	747	-	-	-	1	23	47	101	140	189	165	80	1
1987	795	-	-	-	5	15	50	91	172	210	183	69	-
1986	719	-	-	-	4	21	36	85	155	169	179	70	-
1985	764	-	-	-	1	16	51	95	157	204	162	78	-
1984	750	1	-	2	1	23	40	79	164	224	150	66	-
1983	719	1	-	-	2	15	45	82	157	188	158	69	2
1982	650	2	-	1	1	19	32	80	135	178	152	50	-
1981	727	-	-	-	4	19	45	98	149	191	151	70	-
1980	728	-	-	1	3	15	48	107	152	192	140	69	1
1979	705	1	1	-	2	24	46	92	138	194	136	71	-
Essential (primary) hypertension and hypertensive renal disease (401,403)													
Black, female													
1998	1,903	2	-	2	1	12	52	108	228	380	546	572	-
1997	1,662	-	-	1	3	14	51	109	166	380	469	469	-
1996	1,612	2	-	-	4	15	54	120	175	330	475	437	-
1995	1,588	1	-	-	4	9	50	110	205	364	462	382	1
1994	1,507	2	-	-	5	18	46	86	154	357	477	362	-
1993	1,555	-	1	-	4	22	57	106	186	341	459	379	-
1992	1,358	-	-	-	4	14	55	102	187	337	377	282	-
1991	1,279	-	2	-	1	12	39	105	164	315	403	237	1
1990	1,190	-	1	-	5	8	37	96	179	285	356	222	1
1989	1,105	-	-	-	3	9	41	71	168	278	332	203	-
1988	1,179	1	-	-	3	14	29	93	223	289	316	211	-
1987	1,009	-	-	-	3	7	33	72	135	284	286	188	1
1986	1,013	1	-	-	1	9	37	72	152	276	292	172	1
1985	993	-	-	-	3	11	33	83	171	247	279	165	1
1984	961	-	-	-	-	8	29	66	168	263	297	129	1
1983	863	-	-	1	1	8	25	72	156	234	238	128	-
1982	839	2	-	-	2	7	20	76	148	234	243	107	-
1981	906	-	-	-	2	14	39	92	159	247	225	128	-
1980	899	-	1	1	5	15	38	97	158	259	223	102	-
1979	804	1	1	-	-	12	32	103	162	209	182	102	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Cerebrovascular diseases (430-434,436-438)													
All races, both sexes													
1998	158,042	296	57	81	178	669	2,648	5,702	9,642	23,871	54,300	60,589	9
1997	159,392	264	56	76	188	677	2,781	5,693	9,665	24,910	53,963	61,114	5
1996	159,547	233	49	84	166	718	2,719	5,786	9,667	25,263	54,406	60,445	11
1995	157,600	223	57	70	172	720	2,770	5,465	9,720	25,696	53,544	59,156	7
1994	152,939	197	53	74	183	801	2,713	5,343	9,566	25,340	52,356	56,306	7
1993	149,780	214	49	79	208	795	2,513	5,053	9,608	25,276	51,271	54,705	9
1992	143,449	166	50	64	197	793	2,588	4,784	9,695	24,941	49,333	50,825	13
1991	143,140	159	57	86	218	812	2,527	4,714	9,726	25,487	49,344	49,996	14
1990	143,752	148	45	73	233	937	2,412	4,689	10,111	26,016	49,860	49,215	13
1989	145,229	127	40	83	232	912	2,352	4,580	10,524	26,266	50,625	49,470	18
1988	150,145	152	55	70	266	968	2,422	4,628	11,181	27,653	52,601	50,140	9
1987	149,469	127	54	73	244	966	2,410	4,662	11,468	27,721	52,212	49,516	16
1986	149,269	109	37	73	262	959	2,348	4,638	11,766	28,405	51,854	48,753	65
1985	152,649	134	48	82	306	902	2,266	4,765	12,118	29,064	53,345	49,566	53
1984	153,920	111	53	105	328	922	2,289	5,078	12,428	29,567	53,768	49,250	21
1983	155,236	144	49	90	336	876	2,147	5,097	12,790	30,020	54,706	48,954	27
1982	157,388	133	42	110	293	941	2,154	5,300	13,004	31,214	55,548	48,625	24
1981	163,187	132	44	92	368	1,012	2,228	5,596	13,773	32,750	57,161	50,013	18
1980	169,876	155	59	95	418	962	2,186	5,742	14,137	34,129	60,818	51,157	18
1979	169,207	156	40	104	375	943	2,274	6,052	14,595	34,758	60,225	49,662	23
Cerebrovascular diseases (430-434,436-438)													
All races, male													
1998	61,000	174	25	48	109	327	1,376	3,118	5,337	11,994	22,555	15,933	4
1997	62,447	147	36	44	106	335	1,416	3,160	5,336	12,645	22,583	16,636	3
1996	62,344	125	24	48	96	350	1,443	3,161	5,326	12,862	22,772	16,133	4
1995	61,429	125	36	42	97	378	1,484	2,999	5,354	12,984	22,345	15,580	5
1994	60,089	115	35	42	98	378	1,467	2,937	5,231	12,909	22,016	14,861	-
1993	58,926	119	28	48	94	418	1,360	2,740	5,207	12,947	21,414	14,548	3
1992	56,522	109	23	40	118	400	1,363	2,587	5,263	12,640	20,380	13,591	8
1991	56,585	84	32	45	105	387	1,375	2,553	5,225	13,116	20,563	13,092	8
1990	56,569	88	22	36	127	455	1,259	2,504	5,403	13,171	20,639	12,858	7
1989	57,206	71	19	48	115	458	1,271	2,425	5,696	13,281	20,769	13,047	6
1988	59,630	83	28	30	144	521	1,311	2,468	6,110	14,008	21,565	13,362	-
1987	58,914	75	33	42	120	488	1,273	2,454	6,170	13,906	21,297	13,048	8
1986	59,019	64	20	35	141	489	1,260	2,398	6,252	14,126	21,246	12,972	16
1985	60,622	86	26	36	150	467	1,154	2,527	6,586	14,748	21,708	13,118	16
1984	61,541	65	27	55	174	466	1,177	2,675	6,656	15,022	21,706	13,510	8
1983	62,685	87	30	41	176	470	1,066	2,648	6,854	15,286	22,428	13,593	6
1982	63,725	82	24	60	150	485	1,073	2,753	6,937	15,976	22,422	13,750	13
1981	66,276	81	22	45	187	510	1,113	2,885	7,326	16,670	23,212	14,212	13
1980	69,823	90	28	46	240	482	1,094	2,999	7,573	17,475	24,835	14,950	11
1979	70,317	86	23	58	194	487	1,166	3,142	7,964	17,764	24,654	14,764	15

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Cerebrovascular diseases (430-434,436-438)													
White, male													
1998	51,640	117	13	33	85	230	907	2,052	3,837	9,841	20,022	14,501	2
1997	53,052	99	21	31	77	236	917	2,070	3,820	10,403	20,155	15,221	2
1996	52,895	89	18	42	77	253	936	2,075	3,844	10,518	20,334	14,707	2
1995	51,929	93	22	36	67	271	928	1,946	3,914	10,681	19,777	14,191	3
1994	50,886	86	26	33	73	268	898	1,924	3,853	10,629	19,509	13,587	-
1993	50,106	84	20	31	68	308	878	1,813	3,831	10,744	19,020	13,308	1
1992	47,962	67	19	30	90	285	834	1,769	3,855	10,420	18,141	12,446	6
1991	47,720	55	18	35	88	260	858	1,652	3,859	10,830	18,183	11,877	5
1990	47,912	49	13	28	98	319	780	1,634	4,029	10,901	18,319	11,742	-
1989	48,459	45	12	37	84	317	775	1,563	4,248	11,011	18,461	11,902	4
1988	50,573	50	20	24	116	331	822	1,640	4,571	11,633	19,092	12,274	-
1987	50,099	56	27	32	90	332	793	1,638	4,636	11,601	18,908	11,981	5
1986	50,224	39	14	29	105	326	800	1,594	4,761	11,767	18,845	11,935	9
1985	51,816	56	16	33	110	321	739	1,718	5,066	12,320	19,326	12,100	11
1984	52,687	40	16	33	131	321	775	1,846	5,076	12,538	19,388	12,519	4
1983	53,822	62	27	31	135	327	698	1,821	5,259	12,769	20,131	12,558	4
1982	54,606	54	18	46	116	339	681	1,923	5,311	13,375	20,001	12,736	6
1981	56,857	51	17	38	137	349	726	1,974	5,669	14,004	20,754	13,129	9
1980	59,953	57	21	32	177	323	715	2,121	5,860	14,617	22,174	13,848	8
1979	60,501	52	18	49	151	342	733	2,186	6,155	14,937	22,173	13,696	9
Cerebrovascular diseases (430-434,436-438)													
White, female													
1998	84,845	81	21	24	43	214	790	1,665	3,161	9,597	28,063	41,184	2
1997	84,902	80	15	23	59	231	804	1,672	3,091	9,965	27,877	41,083	2
1996	85,045	71	16	26	56	240	768	1,778	3,181	10,005	27,961	40,938	5
1995	84,195	68	12	19	52	228	782	1,712	3,181	10,327	27,668	40,146	-
1994	81,273	54	13	24	60	264	736	1,594	3,188	10,083	26,887	38,366	4
1993	79,584	70	15	22	91	236	712	1,567	3,217	9,995	26,495	37,162	2
1992	76,118	37	19	20	57	240	752	1,477	3,261	10,038	25,717	34,496	4
1991	75,680	48	19	31	73	267	731	1,472	3,261	10,073	25,532	34,169	4
1990	76,305	40	20	27	72	303	694	1,473	3,471	10,502	25,961	33,738	4
1989	76,763	39	15	25	76	279	674	1,437	3,515	10,551	26,332	33,813	7
1988	79,153	43	19	29	91	281	696	1,472	3,716	11,092	27,571	34,139	4
1987	79,608	30	15	24	88	303	760	1,478	3,939	11,341	27,632	33,995	3
1986	79,424	27	10	29	88	294	707	1,549	4,149	11,779	27,349	33,406	37
1985	80,845	33	17	37	109	276	726	1,531	4,141	11,749	28,161	34,032	33
1984	81,335	37	19	39	104	278	749	1,691	4,391	11,853	28,573	33,594	7
1983	81,441	37	13	37	111	270	715	1,676	4,448	12,057	28,949	33,116	12
1982	82,737	30	12	42	100	287	722	1,780	4,602	12,653	29,745	32,755	9
1981	85,615	32	18	35	133	334	770	1,907	4,956	13,249	30,607	33,571	3
1980	88,460	46	23	40	126	312	752	1,917	5,022	13,717	32,481	34,021	3
1979	87,656	45	13	36	131	302	769	2,079	5,169	14,031	32,277	32,797	7

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Cerebrovascular diseases (430-434,436-438)													
All other, both sexes													
1998	21,557	98	23	24	50	225	951	1,985	2,644	4,433	6,215	4,904	5
1997	21,438	85	20	22	52	210	1,060	1,951	2,754	4,542	5,931	4,810	1
1996	21,607	73	15	16	33	225	1,015	1,933	2,642	4,740	6,111	4,800	4
1995	21,476	62	23	15	53	221	1,060	1,807	2,625	4,688	6,099	4,819	4
1994	20,780	57	14	17	50	269	1,079	1,825	2,525	4,628	5,960	4,353	3
1993	20,090	60	14	26	49	251	923	1,673	2,560	4,537	5,756	4,235	6
1992	19,369	62	12	14	50	268	1,002	1,538	2,579	4,483	5,475	3,883	3
1991	19,740	56	20	20	57	285	938	1,590	2,606	4,584	5,629	3,950	5
1990	19,535	59	12	18	63	315	938	1,582	2,611	4,613	5,580	3,735	9
1989	20,007	43	13	21	72	316	903	1,580	2,761	4,704	5,832	3,755	7
1988	20,419	59	16	17	59	356	904	1,516	2,894	4,928	5,938	3,727	5
1987	19,762	41	12	17	66	331	857	1,546	2,893	4,779	5,672	3,540	8
1986	19,621	43	13	15	69	339	841	1,495	2,856	4,859	5,660	3,412	19
1985	19,988	45	15	12	87	305	801	1,516	2,911	4,995	5,858	3,434	9
1984	19,898	34	18	33	93	323	765	1,541	2,961	5,176	5,807	3,137	10
1983	19,973	45	9	22	90	279	734	1,600	3,083	5,194	5,626	3,280	11
1982	20,045	49	12	22	77	315	751	1,597	3,091	5,186	5,802	3,134	9
1981	20,715	49	9	19	98	329	732	1,715	3,148	5,497	5,800	3,313	6
1980	21,463	52	15	23	115	327	719	1,704	3,255	5,795	6,163	3,288	7
1979	21,050	59	9	19	93	299	772	1,787	3,271	5,790	5,775	3,169	7
Cerebrovascular diseases (430-434,436-438)													
All other, male													
1998	9,360	57	12	15	24	97	469	1,066	1,500	2,153	2,533	1,432	2
1997	9,395	48	15	13	29	99	499	1,090	1,516	2,242	2,428	1,415	1
1996	9,449	36	6	6	19	97	507	1,086	1,482	2,344	2,438	1,426	2
1995	9,500	32	14	6	30	107	556	1,053	1,440	2,303	2,568	1,389	2
1994	9,203	29	9	9	25	110	569	1,013	1,378	2,280	2,507	1,274	-
1993	8,820	35	8	17	26	110	482	927	1,376	2,203	2,394	1,240	2
1992	8,560	42	4	10	28	115	529	818	1,408	2,220	2,239	1,145	2
1991	8,865	29	14	10	17	127	517	901	1,366	2,286	2,380	1,215	3
1990	8,657	39	9	8	29	136	479	870	1,374	2,270	2,320	1,116	7
1989	8,747	26	7	11	31	141	496	862	1,448	2,270	2,308	1,145	2
1988	9,057	33	8	6	28	190	489	828	1,539	2,375	2,473	1,088	-
1987	8,815	19	6	10	30	156	480	816	1,534	2,305	2,389	1,067	3
1986	8,795	25	6	6	36	163	460	804	1,491	2,359	2,401	1,037	7
1985	8,806	30	10	3	40	146	415	809	1,520	2,428	2,382	1,018	5
1984	8,854	25	11	22	43	145	402	829	1,580	2,484	2,318	991	4
1983	8,863	25	3	10	41	143	368	827	1,595	2,517	2,297	1,035	2
1982	9,119	28	6	14	34	146	392	830	1,626	2,601	2,421	1,014	7
1981	9,419	30	5	7	50	161	387	911	1,657	2,666	2,458	1,083	4
1980	9,870	33	7	14	63	159	379	878	1,713	2,858	2,661	1,102	3
1979	9,816	34	5	9	43	145	433	956	1,809	2,827	2,481	1,068	6

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Cerebrovascular diseases (430-434,436-438)													
All other, female													
1998	12,197	41	11	9	26	128	482	919	1,144	2,280	3,682	3,472	3
1997	12,043	37	5	9	23	111	561	861	1,238	2,300	3,503	3,395	-
1996	12,158	37	9	10	14	128	508	847	1,160	2,396	3,673	3,374	2
1995	11,976	30	9	9	23	114	504	754	1,185	2,385	3,531	3,430	2
1994	11,577	28	5	8	25	159	510	812	1,147	2,348	3,453	3,079	3
1993	11,270	25	6	9	23	141	441	746	1,184	2,334	3,362	2,995	4
1992	10,809	20	8	4	22	153	473	720	1,171	2,263	3,236	2,738	1
1991	10,875	27	6	10	40	158	421	689	1,240	2,298	3,249	2,735	2
1990	10,878	20	3	10	34	179	459	712	1,237	2,343	3,260	2,619	2
1989	11,260	17	6	10	41	175	407	718	1,313	2,434	3,524	2,610	5
1988	11,362	26	8	11	31	166	415	688	1,355	2,553	3,465	2,639	5
1987	10,947	22	6	7	36	175	377	730	1,359	2,474	3,283	2,473	5
1986	10,826	18	7	9	33	176	381	691	1,365	2,500	3,259	2,375	12
1985	11,182	15	5	9	47	159	386	707	1,391	2,567	3,476	2,416	4
1984	11,044	9	7	11	50	178	363	712	1,381	2,692	3,489	2,146	6
1983	11,110	20	6	12	49	136	366	773	1,488	2,677	3,329	2,245	9
1982	10,926	21	6	8	43	169	359	767	1,465	2,585	3,381	2,120	2
1981	11,296	19	4	12	48	168	345	804	1,491	2,831	3,342	2,230	2
1980	11,593	19	8	9	52	168	340	826	1,542	2,937	3,502	2,186	4
1979	11,234	25	4	10	50	154	339	831	1,462	2,963	3,294	2,101	1
Cerebrovascular diseases (430-434,436-438)													
Black, both sexes													
1998	18,201	90	20	22	41	197	864	1,759	2,261	3,690	5,123	4,129	5
1997	18,106	73	19	21	43	182	942	1,724	2,352	3,853	4,844	4,052	1
1996	18,447	63	14	14	29	200	916	1,680	2,299	4,046	5,162	4,020	4
1995	18,504	57	21	11	42	197	957	1,584	2,264	4,047	5,173	4,147	4
1994	17,996	53	10	16	44	244	977	1,627	2,223	3,982	5,093	3,725	2
1993	17,535	48	11	20	40	230	847	1,486	2,251	3,952	4,991	3,653	6
1992	17,016	59	11	11	43	242	928	1,365	2,255	3,934	4,807	3,358	3
1991	17,345	49	17	20	49	261	860	1,410	2,312	4,032	4,924	3,407	4
1990	17,382	52	10	15	55	280	868	1,429	2,343	4,099	4,943	3,280	8
1989	17,954	38	9	19	64	294	818	1,420	2,487	4,274	5,230	3,295	6
1988	18,460	52	14	15	55	330	833	1,370	2,654	4,490	5,342	3,303	2
1987	17,882	39	11	14	55	303	800	1,401	2,647	4,331	5,108	3,166	7
1986	17,936	38	10	13	59	321	785	1,369	2,633	4,442	5,173	3,078	15
1985	18,315	43	14	11	78	292	740	1,419	2,696	4,598	5,333	3,084	7
1984	18,346	32	14	27	83	297	710	1,431	2,746	4,840	5,327	2,830	9
1983	18,538	41	7	19	85	266	676	1,493	2,899	4,841	5,208	2,995	8
1982	18,676	42	12	20	76	301	710	1,496	2,924	4,872	5,361	2,853	9
1981	19,392	45	7	18	90	310	693	1,608	2,977	5,195	5,414	3,030	5
1980	20,111	47	11	21	110	310	682	1,618	3,086	5,485	5,735	2,999	7
1979	19,817	56	9	19	84	280	732	1,685	3,120	5,510	5,403	2,913	6

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	Age groups											Age not stated	
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years		85 + years
Cerebrovascular diseases (430-434,436-438)													
Black, male													
1998	7,746	51	10	14	22	81	417	943	1,274	1,786	2,038	1,108	2
1997	7,785	41	15	13	25	87	436	970	1,300	1,893	1,910	1,094	1
1996	7,963	30	6	5	16	84	447	960	1,288	1,992	2,028	1,105	2
1995	7,994	30	14	5	23	91	484	939	1,238	1,960	2,110	1,098	2
1994	7,815	28	7	9	23	95	513	903	1,219	1,945	2,067	1,006	-
1993	7,592	30	7	14	21	98	441	838	1,215	1,911	2,002	1,013	2
1992	7,409	39	4	8	24	105	486	737	1,239	1,940	1,893	932	2
1991	7,676	25	12	10	13	116	472	809	1,216	1,999	2,026	976	2
1990	7,638	33	9	6	25	119	445	804	1,244	2,006	1,999	942	6
1989	7,730	24	4	10	28	127	452	782	1,321	2,040	1,984	957	1
1988	8,091	28	6	5	25	175	449	763	1,417	2,149	2,164	910	-
1987	7,844	17	5	8	25	137	451	753	1,383	2,059	2,083	921	2
1986	7,934	23	6	5	31	152	433	744	1,372	2,138	2,120	904	6
1985	7,992	28	9	3	36	138	391	760	1,424	2,223	2,090	885	5
1984	8,084	23	9	17	34	135	377	774	1,473	2,306	2,054	878	4
1983	8,126	21	2	10	39	133	339	779	1,489	2,303	2,081	928	2
1982	8,405	23	6	12	34	138	371	781	1,518	2,436	2,165	914	7
1981	8,750	27	4	7	44	152	372	856	1,572	2,479	2,255	979	3
1980	9,187	30	6	14	59	151	361	841	1,620	2,678	2,431	993	3
1979	9,176	33	5	9	39	137	417	909	1,722	2,652	2,290	957	6
Cerebrovascular diseases (430-434,436-438)													
Black, female													
1998	10,455	39	10	8	19	116	447	816	987	1,904	3,085	3,021	3
1997	10,321	32	4	8	18	95	506	754	1,052	1,960	2,934	2,958	-
1996	10,484	33	8	9	13	116	469	720	1,011	2,054	3,134	2,915	2
1995	10,510	27	7	6	19	106	473	645	1,026	2,087	3,063	3,049	2
1994	10,181	25	3	7	21	149	464	724	1,004	2,037	3,026	2,719	2
1993	9,943	18	4	6	19	132	406	648	1,036	2,041	2,989	2,640	4
1992	9,607	20	7	3	19	137	442	628	1,016	1,994	2,914	2,426	1
1991	9,669	24	5	10	36	145	388	601	1,096	2,033	2,898	2,431	2
1990	9,744	19	1	9	30	161	423	625	1,099	2,093	2,944	2,338	2
1989	10,224	14	5	9	36	167	366	638	1,166	2,234	3,246	2,338	5
1988	10,369	24	8	10	30	155	384	607	1,237	2,341	3,178	2,393	2
1987	10,038	22	6	6	30	166	349	648	1,264	2,272	3,025	2,245	5
1986	10,002	15	4	8	28	169	352	625	1,261	2,304	3,053	2,174	9
1985	10,323	15	5	8	42	154	349	659	1,272	2,375	3,243	2,199	2
1984	10,262	9	5	10	49	162	333	657	1,273	2,534	3,273	1,952	5
1983	10,412	20	5	9	46	133	337	714	1,410	2,538	3,127	2,067	6
1982	10,271	19	6	8	42	163	339	715	1,406	2,436	3,196	1,939	2
1981	10,642	18	3	11	46	158	321	752	1,405	2,716	3,159	2,051	2
1980	10,924	17	5	7	51	159	321	777	1,466	2,807	3,304	2,006	4
1979	10,641	23	4	10	45	143	315	776	1,398	2,858	3,113	1,956	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Atherosclerosis (440)													
All races, both sexes													
1998	15,279	1	1	-	2	10	41	172	560	1,687	4,407	8,398	-
1997	16,057	-	1	-	-	5	49	208	520	1,805	4,738	8,730	1
1996	16,740	2	-	-	1	10	60	204	571	1,885	4,915	9,091	1
1995	16,723	-	-	1	-	5	42	196	595	1,907	5,035	8,941	1
1994	17,116	-	-	1	1	7	58	151	567	2,022	4,972	9,336	1
1993	17,272	-	-	2	2	13	46	171	575	2,004	5,057	9,399	3
1992	16,831	-	-	-	1	9	48	162	614	2,034	4,909	9,052	2
1991	17,420	1	-	-	2	8	41	157	642	2,126	5,219	9,223	1
1990	18,047	1	-	1	1	14	33	162	674	2,220	5,331	9,607	3
1989	19,357	1	1	1	2	5	44	168	721	2,348	5,761	10,304	1
1988	22,086	1	1	-	2	7	54	176	787	2,699	6,679	11,677	3
1987	22,474	1	-	-	2	11	42	174	870	2,875	6,844	11,653	2
1986	22,706	-	-	-	1	10	40	190	889	2,765	6,781	12,009	21
1985	23,926	-	-	-	2	7	48	182	892	2,898	7,263	12,609	25
1984	24,462	-	3	3	3	5	44	153	910	2,911	7,610	12,815	5
1983	26,371	1	1	1	3	4	32	242	992	3,191	8,274	13,626	4
1982	26,823	1	3	4	2	9	42	219	991	3,332	8,486	13,720	14
1981	28,004	-	2	-	2	5	59	217	989	3,398	8,976	14,346	10
1980	29,449	2	-	-	2	9	44	270	1,035	3,679	9,696	14,706	6
1979	28,801	3	-	-	1	5	37	208	1,023	3,736	9,525	14,260	3
Atherosclerosis (440)													
All races, male													
1998	5,719	-	-	-	-	6	30	116	363	983	1,970	2,251	-
1997	6,019	-	1	-	-	4	34	147	334	1,037	2,129	2,332	1
1996	6,281	2	-	-	1	4	36	147	378	1,034	2,241	2,437	1
1995	6,404	-	-	1	-	4	34	141	368	1,109	2,277	2,469	1
1994	6,420	-	-	-	1	6	39	105	364	1,106	2,250	2,549	-
1993	6,410	-	-	1	1	9	33	112	367	1,131	2,232	2,523	1
1992	6,328	-	-	-	-	7	29	118	365	1,144	2,198	2,466	1
1991	6,636	1	-	-	1	5	29	111	413	1,199	2,380	2,496	1
1990	6,859	1	-	-	1	11	20	110	437	1,260	2,362	2,654	3
1989	7,254	-	1	1	1	4	35	104	456	1,323	2,544	2,785	-
1988	8,327	-	1	-	1	4	41	119	501	1,551	2,930	3,178	1
1987	8,428	-	-	-	2	6	29	123	548	1,657	2,927	3,135	1
1986	8,587	-	-	-	-	9	26	135	585	1,597	2,959	3,267	9
1985	9,062	-	-	-	1	5	35	128	594	1,686	3,077	3,530	6
1984	9,240	-	2	1	3	4	31	106	542	1,631	3,314	3,604	2
1983	10,042	-	-	1	1	2	24	169	618	1,778	3,573	3,876	-
1982	10,583	1	-	1	1	7	29	152	625	1,922	3,729	4,112	4
1981	10,969	-	-	-	1	4	40	139	631	1,927	3,912	4,310	5
1980	11,601	1	-	-	2	6	30	181	666	2,115	4,091	4,508	1
1979	11,426	2	-	-	-	3	26	152	636	2,081	4,087	4,439	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Atherosclerosis (440)													
All races, female													
1998	9,560	1	1	-	2	4	11	56	197	704	2,437	6,147	-
1997	10,038	-	-	-	-	1	15	61	186	768	2,609	6,398	-
1996	10,459	-	-	-	-	6	24	57	193	851	2,674	6,654	-
1995	10,319	-	-	-	-	1	8	55	227	798	2,758	6,472	-
1994	10,696	-	-	1	-	1	19	46	203	916	2,722	6,787	1
1993	10,862	-	-	1	1	4	13	59	208	873	2,825	6,876	2
1992	10,503	-	-	-	1	2	19	44	249	890	2,711	6,586	1
1991	10,784	-	-	-	1	3	12	46	229	927	2,839	6,727	-
1990	11,188	-	-	1	-	3	13	52	237	960	2,969	6,953	-
1989	12,103	1	-	-	1	1	9	64	265	1,025	3,217	7,519	1
1988	13,759	1	-	-	1	3	13	57	286	1,148	3,749	8,499	2
1987	14,046	1	-	-	-	5	13	51	322	1,218	3,917	8,518	1
1986	14,119	-	-	-	1	1	14	55	304	1,168	3,822	8,742	12
1985	14,864	-	-	-	1	2	13	54	298	1,212	4,186	9,079	19
1984	15,222	-	1	2	-	1	13	47	368	1,280	4,296	9,211	3
1983	16,329	1	1	-	2	2	8	73	374	1,413	4,701	9,750	4
1982	16,240	-	3	3	1	2	13	67	366	1,410	4,757	9,608	10
1981	17,035	-	2	-	1	1	19	78	358	1,471	5,064	10,036	5
1980	17,848	1	-	-	-	3	14	89	369	1,564	5,605	10,198	5
1979	17,375	1	-	-	1	2	11	56	387	1,655	5,438	9,821	3
Atherosclerosis (440)													
White, both sexes													
1998	14,050	-	-	-	2	5	34	137	470	1,488	4,049	7,865	-
1997	14,750	-	1	-	-	3	36	154	433	1,563	4,364	8,195	1
1996	15,379	2	-	-	1	8	44	165	449	1,668	4,519	8,522	1
1995	15,378	-	-	1	-	-	39	167	487	1,652	4,605	8,426	1
1994	15,660	-	-	-	-	5	45	111	454	1,764	4,527	8,753	1
1993	15,905	-	-	2	-	9	29	138	467	1,743	4,637	8,878	2
1992	15,493	-	-	-	1	8	39	126	508	1,780	4,493	8,536	2
1991	15,981	1	-	-	2	6	32	127	515	1,867	4,749	8,681	1
1990	16,547	1	-	-	1	12	27	133	557	1,943	4,849	9,022	2
1989	17,791	1	-	-	2	5	36	141	599	2,065	5,279	9,663	-
1988	20,261	1	1	-	2	5	45	137	652	2,373	6,034	11,009	2
1987	20,726	1	-	-	2	10	37	139	723	2,532	6,247	11,034	1
1986	20,858	-	-	-	-	8	34	148	733	2,397	6,166	11,353	19
1985	22,021	-	-	-	1	7	37	147	745	2,517	6,630	11,917	20
1984	22,645	-	1	3	2	5	35	127	775	2,526	7,012	12,156	3
1983	24,451	1	-	1	1	4	27	197	825	2,801	7,571	13,022	1
1982	24,789	-	3	4	2	9	32	170	852	2,932	7,777	12,997	11
1981	25,824	-	2	-	2	4	42	170	827	2,932	8,227	13,613	5
1980	27,069	2	-	-	2	6	31	202	855	3,201	8,891	13,877	2
1979	26,602	3	-	-	-	4	33	170	838	3,238	8,769	13,545	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Atherosclerosis (440)													
White, male													
1998	5,213	-	-	-	-	4	24	93	313	862	1,809	2,108	-
1997	5,506	-	1	-	-	2	27	111	286	918	1,966	2,194	1
1996	5,746	2	-	-	1	3	29	127	308	932	2,070	2,273	1
1995	5,840	-	-	1	-	-	32	118	314	974	2,096	2,304	1
1994	5,838	-	-	-	-	4	31	83	299	981	2,055	2,385	-
1993	5,853	-	-	1	-	5	22	95	301	993	2,067	2,369	-
1992	5,756	-	-	-	-	6	24	91	303	1,007	2,015	2,309	1
1991	6,033	1	-	-	1	5	22	86	344	1,084	2,157	2,332	1
1990	6,232	1	-	-	1	10	16	90	379	1,119	2,159	2,455	2
1989	6,652	-	-	-	1	4	29	93	391	1,178	2,354	2,602	-
1988	7,529	-	1	-	1	2	34	90	431	1,380	2,636	2,953	1
1987	7,686	-	-	-	2	6	27	102	466	1,461	2,678	2,944	-
1986	7,767	-	-	-	-	7	22	107	485	1,406	2,680	3,051	9
1985	8,251	-	-	-	1	5	29	105	511	1,476	2,815	3,305	4
1984	8,447	-	-	1	2	4	27	92	469	1,421	3,033	3,397	1
1983	9,165	-	-	1	-	2	20	141	525	1,577	3,249	3,650	-
1982	9,689	-	-	1	1	7	25	122	556	1,695	3,407	3,872	3
1981	10,028	-	-	-	1	3	33	115	535	1,694	3,590	4,055	2
1980	10,543	1	-	-	2	5	22	136	555	1,867	3,753	4,202	-
1979	10,460	2	-	-	-	2	23	125	537	1,832	3,748	4,191	-
Atherosclerosis (440)													
White, female													
1998	8,837	-	-	-	2	1	10	44	157	626	2,240	5,757	-
1997	9,244	-	-	-	-	1	9	43	147	645	2,398	6,001	-
1996	9,633	-	-	-	-	5	15	38	141	736	2,449	6,249	-
1995	9,538	-	-	-	-	-	7	49	173	678	2,509	6,122	-
1994	9,822	-	-	-	-	1	14	28	155	783	2,472	6,368	1
1993	10,052	-	-	1	-	4	7	43	166	750	2,570	6,509	2
1992	9,737	-	-	-	1	2	15	35	205	773	2,478	6,227	1
1991	9,948	-	-	-	1	1	10	41	171	783	2,592	6,349	-
1990	10,315	-	-	-	-	2	11	43	178	824	2,690	6,567	-
1989	11,139	1	-	-	1	1	7	48	208	887	2,925	7,061	-
1988	12,732	1	-	-	1	3	11	47	221	993	3,398	8,056	1
1987	13,040	1	-	-	-	4	10	37	257	1,071	3,569	8,090	1
1986	13,091	-	-	-	-	1	12	41	248	991	3,486	8,302	10
1985	13,770	-	-	-	-	2	8	42	234	1,041	3,815	8,612	16
1984	14,198	-	1	2	-	1	8	35	306	1,105	3,979	8,759	2
1983	15,286	1	-	-	1	2	7	56	300	1,224	4,322	9,372	1
1982	15,100	-	3	3	1	2	7	48	296	1,237	4,370	9,125	8
1981	15,796	-	2	-	1	1	9	55	292	1,238	4,637	9,558	3
1980	16,526	1	-	-	-	1	9	66	300	1,334	5,138	9,675	2
1979	16,142	1	-	-	-	2	10	45	301	1,406	5,021	9,354	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Atherosclerosis (440)													
All other, both sexes													
1998	1,229	1	1	-	-	5	7	35	90	199	358	533	-
1997	1,307	-	-	-	-	2	13	54	87	242	374	535	-
1996	1,361	-	-	-	-	2	16	39	122	217	396	569	-
1995	1,345	-	-	-	-	5	3	29	108	255	430	515	-
1994	1,456	-	-	1	1	2	13	40	113	258	445	583	-
1993	1,367	-	-	-	2	4	17	33	108	261	420	521	1
1992	1,338	-	-	-	-	1	9	36	106	254	416	516	-
1991	1,439	-	-	-	-	2	9	30	127	259	470	542	-
1990	1,500	-	-	1	-	2	6	29	117	277	482	585	1
1989	1,566	-	1	1	-	-	8	27	122	283	482	641	1
1988	1,825	-	-	-	-	2	9	39	135	326	645	668	1
1987	1,748	-	-	-	-	1	5	35	147	343	597	619	1
1986	1,848	-	-	-	1	2	6	42	156	368	615	656	2
1985	1,905	-	-	-	1	-	11	35	147	381	633	692	5
1984	1,817	-	2	-	1	-	9	26	135	385	598	659	2
1983	1,920	-	1	-	2	-	5	45	167	390	703	604	3
1982	2,034	1	-	-	-	-	10	49	139	400	709	723	3
1981	2,180	-	-	-	-	1	17	47	162	466	749	733	5
1980	2,380	-	-	-	-	3	13	68	180	478	805	829	4
1979	2,199	-	-	-	1	1	4	38	185	498	756	715	1
Atherosclerosis (440)													
All other, male													
1998	506	-	-	-	-	2	6	23	50	121	161	143	-
1997	513	-	-	-	-	2	7	36	48	119	163	138	-
1996	535	-	-	-	-	1	7	20	70	102	171	164	-
1995	564	-	-	-	-	4	2	23	54	135	181	165	-
1994	582	-	-	-	1	2	8	22	65	125	195	164	-
1993	557	-	-	-	1	4	11	17	66	138	165	154	1
1992	572	-	-	-	-	1	5	27	62	137	183	157	-
1991	603	-	-	-	-	-	7	25	69	115	223	164	-
1990	627	-	-	-	-	1	4	20	58	141	203	199	1
1989	602	-	1	1	-	-	6	11	65	145	190	183	-
1988	798	-	-	-	-	2	7	29	70	171	294	225	-
1987	742	-	-	-	-	-	2	21	82	196	249	191	1
1986	820	-	-	-	-	2	4	28	100	191	279	216	-
1985	811	-	-	-	-	-	6	23	83	210	262	225	2
1984	793	-	2	-	1	-	4	14	73	210	281	207	1
1983	877	-	-	-	1	-	4	28	93	201	324	226	-
1982	894	1	-	-	-	-	4	30	69	227	322	240	1
1981	941	-	-	-	-	1	7	24	96	233	322	255	3
1980	1,058	-	-	-	-	1	8	45	111	248	338	306	1
1979	966	-	-	-	-	1	3	27	99	249	339	248	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Atherosclerosis (440)													
All other, female													
1998	723	1	1	-	-	3	1	12	40	78	197	390	-
1997	794	-	-	-	-	-	6	18	39	123	211	397	-
1996	826	-	-	-	-	1	9	19	52	115	225	405	-
1995	781	-	-	-	-	1	1	6	54	120	249	350	-
1994	874	-	-	1	-	-	5	18	48	133	250	419	-
1993	810	-	-	-	1	-	6	16	42	123	255	367	-
1992	766	-	-	-	-	-	4	9	44	117	233	359	-
1991	836	-	-	-	-	2	2	5	58	144	247	378	-
1990	873	-	-	1	-	1	2	9	59	136	279	386	-
1989	964	-	-	-	-	-	2	16	57	138	292	458	1
1988	1,027	-	-	-	-	-	2	10	65	155	351	443	1
1987	1,006	-	-	-	-	1	3	14	65	147	348	428	-
1986	1,028	-	-	-	1	-	2	14	56	177	336	440	2
1985	1,094	-	-	-	1	-	5	12	64	171	371	467	3
1984	1,024	-	-	-	-	-	5	12	62	175	317	452	1
1983	1,043	-	1	-	1	-	1	17	74	189	379	378	3
1982	1,140	-	-	-	-	-	6	19	70	173	387	483	2
1981	1,239	-	-	-	-	-	10	23	66	233	427	478	2
1980	1,322	-	-	-	-	2	5	23	69	230	467	523	3
1979	1,233	-	-	-	1	-	1	11	86	249	417	467	1
Atherosclerosis (440)													
Black, both sexes													
1998	1,082	1	1	-	-	4	6	31	87	180	309	463	-
1997	1,171	-	-	-	-	-	13	48	77	219	337	477	-
1996	1,200	-	-	-	-	2	14	36	112	197	347	492	-
1995	1,199	-	-	-	-	4	3	26	98	224	384	460	-
1994	1,299	-	-	1	1	2	11	33	104	234	395	518	-
1993	1,238	-	-	-	2	3	15	30	98	237	391	461	1
1992	1,209	-	-	-	-	1	8	34	93	225	377	471	-
1991	1,306	-	-	-	-	1	9	26	118	240	425	487	-
1990	1,380	-	-	1	-	2	6	26	113	258	442	531	1
1989	1,436	-	-	1	-	-	7	25	114	253	452	583	1
1988	1,694	-	-	-	-	2	8	37	127	308	602	609	1
1987	1,622	-	-	-	-	1	5	34	142	324	549	566	1
1986	1,720	-	-	-	1	2	6	42	149	345	565	608	2
1985	1,780	-	-	-	1	-	10	32	142	365	602	624	4
1984	1,684	-	1	-	1	-	8	24	129	364	557	598	2
1983	1,807	-	-	-	2	-	4	45	160	372	668	556	-
1982	1,898	-	-	-	-	-	10	46	128	381	672	659	2
1981	2,062	-	-	-	-	1	17	46	158	446	713	676	5
1980	2,252	-	-	-	-	3	12	66	172	458	763	775	3
1979	2,057	-	-	-	-	1	4	37	180	467	709	658	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Atherosclerosis (440)													
Black, male													
1998	436	-	-	-	-	1	5	21	49	111	135	114	-
1997	451	-	-	-	-	-	7	31	42	106	146	119	-
1996	458	-	-	-	-	1	6	19	65	92	146	129	-
1995	489	-	-	-	-	3	2	21	49	116	160	138	-
1994	507	-	-	-	1	2	6	18	61	114	168	137	-
1993	490	-	-	-	1	3	11	14	59	124	151	126	1
1992	504	-	-	-	-	1	5	25	53	119	158	143	-
1991	543	-	-	-	-	-	7	22	67	108	194	145	-
1990	563	-	-	-	-	1	4	18	56	131	179	173	1
1989	547	-	-	1	-	-	6	10	64	128	175	163	-
1988	739	-	-	-	-	2	6	27	65	162	275	202	-
1987	680	-	-	-	-	-	2	21	79	184	223	170	1
1986	756	-	-	-	-	2	4	28	94	178	249	201	-
1985	758	-	-	-	-	-	5	22	78	201	248	202	2
1984	720	-	1	-	1	-	3	12	69	200	255	178	1
1983	823	-	-	-	1	-	3	28	89	188	304	210	-
1982	826	-	-	-	-	-	4	29	62	216	303	212	-
1981	880	-	-	-	-	1	7	23	93	221	300	232	3
1980	990	-	-	-	-	1	8	44	107	237	313	280	-
1979	888	-	-	-	-	1	3	26	96	226	313	223	-
Atherosclerosis (440)													
Black, female													
1998	646	1	1	-	-	3	1	10	38	69	174	349	-
1997	720	-	-	-	-	-	6	17	35	113	191	358	-
1996	742	-	-	-	-	1	8	17	47	105	201	363	-
1995	710	-	-	-	-	1	1	5	49	108	224	322	-
1994	792	-	-	1	-	-	5	15	43	120	227	381	-
1993	748	-	-	-	1	-	4	16	39	113	240	335	-
1992	705	-	-	-	-	-	3	9	40	106	219	328	-
1991	763	-	-	-	-	1	2	4	51	132	231	342	-
1990	817	-	-	1	-	1	2	8	57	127	263	358	-
1989	889	-	-	-	-	-	1	15	50	125	277	420	1
1988	955	-	-	-	-	-	2	10	62	146	327	407	1
1987	942	-	-	-	-	1	3	13	63	140	326	396	-
1986	964	-	-	-	1	-	2	14	55	167	316	407	2
1985	1,022	-	-	-	1	-	5	10	64	164	354	422	2
1984	964	-	-	-	-	-	5	12	60	164	302	420	1
1983	984	-	-	-	1	-	1	17	71	184	364	346	-
1982	1,072	-	-	-	-	-	6	17	66	165	369	447	2
1981	1,182	-	-	-	-	-	10	23	65	225	413	444	2
1980	1,262	-	-	-	-	2	4	22	65	221	450	495	3
1979	1,169	-	-	-	-	-	1	11	84	241	396	435	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	15-24 25-34 35-44 45-54 55-64 65-74 75-84 85 + years												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	years	years	years	years	years	years	years	years	
Other diseases of circulatory system (441-448)													
All races, both sexes													
1998	27,671	14	5	17	64	219	554	1,059	2,397	6,621	9,885	6,836	-
1997	27,792	12	7	20	79	213	532	1,006	2,463	6,952	9,934	6,574	-
1996	27,176	13	6	16	60	177	526	986	2,413	6,867	9,695	6,416	1
1995	26,646	16	6	20	71	224	563	941	2,427	7,151	9,182	6,044	1
1994	26,097	12	8	19	66	200	469	876	2,433	7,082	9,111	5,818	3
1993	26,005	12	3	24	65	197	484	883	2,471	7,216	9,088	5,559	3
1992	25,337	12	9	13	74	202	473	860	2,465	7,110	8,814	5,303	2
1991	25,055	15	5	15	62	216	418	811	2,582	7,218	8,546	5,167	-
1990	24,645	15	7	17	62	193	376	789	2,581	7,109	8,552	4,943	1
1989	24,297	17	7	12	60	194	429	779	2,699	7,109	8,266	4,721	4
1988	23,185	8	3	13	67	189	349	701	2,685	6,911	7,808	4,450	1
1987	22,810	14	6	18	71	185	346	715	2,695	6,873	7,594	4,289	4
1986	22,417	20	11	18	85	157	325	674	2,760	6,807	7,548	4,010	2
1985	21,983	26	10	20	72	159	317	705	2,842	6,770	7,141	3,920	1
1984	21,741	19	8	18	70	175	320	717	2,887	6,565	7,113	3,841	8
1983	20,958	15	7	20	88	174	283	704	2,847	6,327	6,874	3,618	1
1982	20,172	14	7	17	74	159	234	730	2,760	6,459	6,487	3,227	4
1981	20,013	18	8	14	77	162	270	724	2,812	6,383	6,228	3,317	-
1980	19,959	17	9	18	89	163	262	822	2,888	6,318	6,284	3,088	1
1979	19,483	16	11	19	96	168	265	820	2,861	6,152	6,146	2,926	3
Other diseases of circulatory system (441-448)													
All races, male													
1998	14,991	8	3	9	29	130	352	705	1,599	4,109	5,422	2,625	-
1997	15,109	7	5	6	43	122	350	654	1,628	4,384	5,363	2,547	-
1996	14,857	8	2	6	33	98	330	667	1,665	4,332	5,338	2,377	1
1995	14,817	10	6	15	34	127	360	616	1,649	4,649	5,046	2,305	-
1994	14,518	5	6	11	36	124	266	555	1,623	4,616	5,023	2,251	2
1993	14,963	8	1	19	39	118	281	570	1,733	4,771	5,261	2,160	2
1992	14,504	6	4	9	42	108	300	543	1,695	4,763	4,962	2,070	2
1991	14,569	10	2	8	38	124	256	525	1,832	4,864	4,879	2,031	-
1990	14,560	8	2	9	37	105	242	526	1,829	4,803	5,019	1,979	1
1989	14,447	11	5	4	35	116	274	513	1,914	4,813	4,854	1,905	3
1988	13,814	7	1	9	39	114	226	438	1,914	4,701	4,582	1,782	1
1987	13,840	8	3	10	47	111	204	473	1,912	4,723	4,564	1,782	3
1986	13,525	10	8	9	42	97	181	433	1,993	4,748	4,448	1,555	1
1985	13,620	16	7	9	43	85	196	465	2,079	4,802	4,317	1,600	1
1984	13,550	8	6	8	37	91	208	477	2,116	4,641	4,336	1,619	3
1983	13,243	7	4	10	50	105	179	471	2,080	4,513	4,279	1,545	-
1982	12,739	10	5	11	43	91	152	479	2,011	4,587	4,004	1,344	2
1981	12,794	13	6	6	42	88	159	489	2,079	4,554	3,944	1,414	-
1980	12,933	12	5	9	42	95	156	554	2,196	4,549	3,957	1,357	1
1979	12,620	11	7	10	49	102	151	557	2,094	4,497	3,863	1,276	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other diseases of circulatory system (441-448)													
All races, female													
1998	12,680	6	2	8	35	89	202	354	798	2,512	4,463	4,211	-
1997	12,683	5	2	14	36	91	182	352	835	2,568	4,571	4,027	-
1996	12,319	5	4	10	27	79	196	319	748	2,535	4,357	4,039	-
1995	11,829	6	-	5	37	97	203	325	778	2,502	4,136	3,739	1
1994	11,579	7	2	8	30	76	203	321	810	2,466	4,088	3,567	1
1993	11,042	4	2	5	26	79	203	313	738	2,445	3,827	3,399	1
1992	10,833	6	5	4	32	94	173	317	770	2,347	3,852	3,233	-
1991	10,486	5	3	7	24	92	162	286	750	2,354	3,667	3,136	-
1990	10,085	7	5	8	25	88	134	263	752	2,306	3,533	2,964	-
1989	9,850	6	2	8	25	78	155	266	785	2,296	3,412	2,816	1
1988	9,371	1	2	4	28	75	123	263	771	2,210	3,226	2,668	-
1987	8,970	6	3	8	24	74	142	242	783	2,150	3,030	2,507	1
1986	8,892	10	3	9	43	60	144	241	767	2,059	3,100	2,455	1
1985	8,363	10	3	11	29	74	121	240	763	1,968	2,824	2,320	-
1984	8,191	11	2	10	33	84	112	240	771	1,924	2,777	2,222	5
1983	7,715	8	3	10	38	69	104	233	767	1,814	2,595	2,073	1
1982	7,433	4	2	6	31	68	82	251	749	1,872	2,483	1,883	2
1981	7,219	5	2	8	35	74	111	235	733	1,829	2,284	1,903	-
1980	7,026	5	4	9	47	68	106	268	692	1,769	2,327	1,731	-
1979	6,863	5	4	9	47	66	114	263	767	1,655	2,283	1,650	-
Other diseases of circulatory system (441-448)													
White, both sexes													
1998	24,564	11	4	14	41	159	396	783	1,983	5,934	9,026	6,213	-
1997	24,791	6	6	14	59	165	363	726	2,044	6,218	9,145	6,045	-
1996	24,308	10	6	13	46	124	361	753	2,045	6,146	8,890	5,914	-
1995	23,966	10	3	14	54	161	418	719	2,050	6,457	8,501	5,578	1
1994	23,363	9	7	14	50	156	331	670	2,059	6,391	8,346	5,328	2
1993	23,334	11	3	15	47	140	334	660	2,107	6,531	8,388	5,096	2
1992	22,895	9	8	10	59	152	352	642	2,121	6,477	8,167	4,896	2
1991	22,636	8	3	13	44	148	290	611	2,242	6,579	7,911	4,787	-
1990	22,291	12	4	11	44	144	262	598	2,248	6,496	7,921	4,550	1
1989	21,988	14	5	10	43	149	309	582	2,341	6,513	7,629	4,389	4
1988	21,072	6	2	11	54	140	244	546	2,319	6,346	7,258	4,145	1
1987	20,725	10	6	16	48	135	249	565	2,363	6,302	7,019	4,008	4
1986	20,422	12	9	14	62	116	233	501	2,403	6,287	7,019	3,764	2
1985	20,021	18	10	16	60	113	247	552	2,506	6,185	6,624	3,689	1
1984	19,839	14	6	15	54	136	243	540	2,529	6,027	6,664	3,605	6
1983	19,189	10	7	11	73	127	202	576	2,514	5,834	6,435	3,399	1
1982	18,489	11	6	15	62	120	177	594	2,424	5,905	6,114	3,057	4
1981	18,374	16	5	11	60	113	191	585	2,490	5,907	5,858	3,138	-
1980	18,260	15	7	14	72	119	197	680	2,573	5,810	5,868	2,904	1
1979	17,952	13	8	13	66	112	202	669	2,576	5,699	5,798	2,795	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other diseases of circulatory system (441-448)													
White, male													
1998	13,484	6	3	8	19	96	261	537	1,360	3,770	5,018	2,406	-
1997	13,660	3	4	5	33	100	248	488	1,398	4,019	4,991	2,371	-
1996	13,433	6	2	6	26	73	238	518	1,439	3,947	4,958	2,220	-
1995	13,529	5	3	11	27	91	276	479	1,444	4,285	4,737	2,171	-
1994	13,200	3	5	8	28	101	198	440	1,420	4,248	4,649	2,099	1
1993	13,599	7	1	12	26	84	205	440	1,526	4,389	4,913	1,994	2
1992	13,263	5	4	6	36	83	230	420	1,503	4,397	4,633	1,944	2
1991	13,356	4	1	8	27	93	186	417	1,627	4,519	4,573	1,901	-
1990	13,344	7	1	7	29	83	171	415	1,636	4,446	4,686	1,862	1
1989	13,279	10	4	4	29	101	207	397	1,708	4,469	4,546	1,801	3
1988	12,733	6	-	8	31	91	161	347	1,696	4,383	4,317	1,692	1
1987	12,728	7	3	10	33	85	152	376	1,718	4,403	4,258	1,680	3
1986	12,492	6	7	8	32	71	138	337	1,772	4,460	4,183	1,477	1
1985	12,600	12	7	9	38	65	162	379	1,875	4,467	4,068	1,517	1
1984	12,532	6	5	8	30	78	160	376	1,903	4,326	4,104	1,534	2
1983	12,298	4	4	5	43	86	127	388	1,885	4,230	4,064	1,462	-
1982	11,818	9	5	9	39	72	117	390	1,805	4,258	3,828	1,284	2
1981	11,934	12	4	6	34	67	112	410	1,892	4,293	3,755	1,349	-
1980	11,992	12	4	8	33	71	123	474	1,995	4,258	3,738	1,275	1
1979	11,746	8	4	8	36	74	118	472	1,920	4,205	3,680	1,220	1
Other diseases of circulatory system (441-448)													
White, female													
1998	11,080	5	1	6	22	63	135	246	623	2,164	4,008	3,807	-
1997	11,131	3	2	9	26	65	115	238	646	2,199	4,154	3,674	-
1996	10,875	4	4	7	20	51	123	235	606	2,199	3,932	3,694	-
1995	10,437	5	-	3	27	70	142	240	606	2,172	3,764	3,407	1
1994	10,163	6	2	6	22	55	133	230	639	2,143	3,697	3,229	1
1993	9,735	4	2	3	21	56	129	220	581	2,142	3,475	3,102	-
1992	9,632	4	4	4	23	69	122	222	618	2,080	3,534	2,952	-
1991	9,280	4	2	5	17	55	104	194	615	2,060	3,338	2,886	-
1990	8,947	5	3	4	15	61	91	183	612	2,050	3,235	2,688	-
1989	8,709	4	1	6	14	48	102	185	633	2,044	3,083	2,588	1
1988	8,339	-	2	3	23	49	83	199	623	1,963	2,941	2,453	-
1987	7,997	3	3	6	15	50	97	189	645	1,899	2,761	2,328	1
1986	7,930	6	2	6	30	45	95	164	631	1,827	2,836	2,287	1
1985	7,421	6	3	7	22	48	85	173	631	1,718	2,556	2,172	-
1984	7,307	8	1	7	24	58	83	164	626	1,701	2,560	2,071	4
1983	6,891	6	3	6	30	41	75	188	629	1,604	2,371	1,937	1
1982	6,671	2	1	6	23	48	60	204	619	1,647	2,286	1,773	2
1981	6,440	4	1	5	26	46	79	175	598	1,614	2,103	1,789	-
1980	6,268	3	3	6	39	48	74	206	578	1,552	2,130	1,629	-
1979	6,206	5	4	5	30	38	84	197	656	1,494	2,118	1,575	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other diseases of circulatory system (441-448)													
All other, both sexes													
1998	3,107	3	1	3	23	60	158	276	414	687	859	623	-
1997	3,001	6	1	6	20	48	169	280	419	734	789	529	-
1996	2,868	3	-	3	14	53	165	233	368	721	805	502	1
1995	2,680	6	3	6	17	63	145	222	377	694	681	466	-
1994	2,734	3	1	5	16	44	138	206	374	691	765	490	1
1993	2,671	1	-	9	18	57	150	223	364	685	700	463	1
1992	2,442	3	1	3	15	50	121	218	344	633	647	407	-
1991	2,419	7	2	2	18	68	128	200	340	639	635	380	-
1990	2,354	3	3	6	18	49	114	191	333	613	631	393	-
1989	2,309	3	2	2	17	45	120	197	358	596	637	332	-
1988	2,113	2	1	2	13	49	105	155	366	565	550	305	-
1987	2,085	4	-	2	23	50	97	150	332	571	575	281	-
1986	1,995	8	2	4	23	41	92	173	357	520	529	246	-
1985	1,962	8	-	4	12	46	70	153	336	585	517	231	-
1984	1,902	5	2	3	16	39	77	177	358	538	449	236	2
1983	1,769	5	-	9	15	47	81	128	333	493	439	219	-
1982	1,683	3	1	2	12	39	57	136	336	554	373	170	-
1981	1,639	2	3	3	17	49	79	139	322	476	370	179	-
1980	1,699	2	2	4	17	44	65	142	315	508	416	184	-
1979	1,531	3	3	6	30	56	63	151	285	453	348	131	2
Other diseases of circulatory system (441-448)													
All other, male													
1998	1,507	2	-	1	10	34	91	168	239	339	404	219	-
1997	1,449	4	1	1	10	22	102	166	230	365	372	176	-
1996	1,424	2	-	-	7	25	92	149	226	385	380	157	1
1995	1,288	5	3	4	7	36	84	137	205	364	309	134	-
1994	1,318	2	1	3	8	23	68	115	203	368	374	152	1
1993	1,364	1	-	7	13	34	76	130	207	382	348	166	-
1992	1,241	1	-	3	6	25	70	123	192	366	329	126	-
1991	1,213	6	1	-	11	31	70	108	205	345	306	130	-
1990	1,216	1	1	2	8	22	71	111	193	357	333	117	-
1989	1,168	1	1	-	6	15	67	116	206	344	308	104	-
1988	1,081	1	1	1	8	23	65	91	218	318	265	90	-
1987	1,112	1	-	-	14	26	52	97	194	320	306	102	-
1986	1,033	4	1	1	10	26	43	96	221	288	265	78	-
1985	1,020	4	-	-	5	20	34	86	204	335	249	83	-
1984	1,018	2	1	-	7	13	48	101	213	315	232	85	1
1983	945	3	-	5	7	19	52	83	195	283	215	83	-
1982	921	1	-	2	4	19	35	89	206	329	176	60	-
1981	860	1	2	-	8	21	47	79	187	261	189	65	-
1980	941	-	1	1	9	24	33	80	201	291	219	82	-
1979	874	3	3	2	13	28	33	85	174	292	183	56	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other diseases of circulatory system (441-448)													
All other, female													
1998	1,600	1	1	2	13	26	67	108	175	348	455	404	-
1997	1,552	2	-	5	10	26	67	114	189	369	417	353	-
1996	1,444	1	-	3	7	28	73	84	142	336	425	345	-
1995	1,392	1	-	2	10	27	61	85	172	330	372	332	-
1994	1,416	1	-	2	8	21	70	91	171	323	391	338	-
1993	1,307	-	-	2	5	23	74	93	157	303	352	297	1
1992	1,201	2	1	-	9	25	51	95	152	267	318	281	-
1991	1,206	1	1	2	7	37	58	92	135	294	329	250	-
1990	1,138	2	2	4	10	27	43	80	140	256	298	276	-
1989	1,141	2	1	2	11	30	53	81	152	252	329	228	-
1988	1,032	1	-	1	5	26	40	64	148	247	285	215	-
1987	973	3	-	2	9	24	45	53	138	251	269	179	-
1986	962	4	1	3	13	15	49	77	136	232	264	168	-
1985	942	4	-	4	7	26	36	67	132	250	268	148	-
1984	884	3	1	3	9	26	29	76	145	223	217	151	1
1983	824	2	-	4	8	28	29	45	138	210	224	136	-
1982	762	2	1	-	8	20	22	47	130	225	197	110	-
1981	779	1	1	3	9	28	32	60	135	215	181	114	-
1980	758	2	1	3	8	20	32	62	114	217	197	102	-
1979	657	-	-	4	17	28	30	66	111	161	165	75	-
Other diseases of circulatory system (441-448)													
Black, both sexes													
1998	2,666	3	-	3	20	53	145	247	355	576	717	547	-
1997	2,586	6	1	5	17	42	158	254	351	621	669	462	-
1996	2,455	3	-	2	12	44	146	210	317	620	668	432	1
1995	2,342	6	2	5	14	55	131	198	335	602	593	401	-
1994	2,363	2	-	3	14	39	124	183	316	606	640	435	1
1993	2,301	-	-	6	16	50	130	207	311	580	589	411	1
1992	2,115	3	1	2	13	45	109	196	293	549	551	353	-
1991	2,137	7	-	1	16	61	123	193	300	554	544	338	-
1990	2,061	2	2	4	18	43	104	176	290	530	544	348	-
1989	2,058	3	2	2	16	40	114	176	329	525	555	296	-
1988	1,861	1	-	2	12	45	100	137	323	499	477	265	-
1987	1,841	3	-	2	20	47	88	141	295	504	492	249	-
1986	1,761	7	2	4	21	35	84	154	321	470	445	218	-
1985	1,732	6	-	1	11	43	64	142	306	513	447	199	-
1984	1,697	5	-	2	13	37	71	165	327	480	393	202	2
1983	1,561	4	-	8	11	43	74	119	305	440	368	189	-
1982	1,526	3	1	1	12	34	52	130	310	504	329	150	-
1981	1,485	2	3	3	13	46	77	127	296	432	329	157	-
1980	1,532	2	2	3	17	43	61	133	291	457	362	161	-
1979	1,387	2	2	5	27	54	57	140	265	415	302	117	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other diseases of circulatory system (441-448)													
Black, male													
1998	1,252	2	-	1	8	30	82	150	205	278	319	177	-
1997	1,229	4	1	1	9	19	97	148	190	316	299	145	-
1996	1,186	2	-	-	7	21	81	131	197	324	295	127	1
1995	1,078	5	2	3	5	30	76	117	183	302	250	105	-
1994	1,103	1	-	1	7	18	62	103	172	314	305	119	1
1993	1,143	-	-	5	11	31	64	124	182	312	275	139	-
1992	1,032	1	-	2	4	21	64	111	160	307	262	100	-
1991	1,027	6	-	-	10	27	67	103	176	282	250	106	-
1990	1,036	-	-	1	8	19	65	101	168	300	274	100	-
1989	1,009	1	1	-	6	12	62	102	190	299	251	85	-
1988	919	1	-	1	7	21	62	82	189	274	214	68	-
1987	940	1	-	-	11	25	45	89	172	276	240	81	-
1986	886	3	1	1	10	22	38	82	197	255	211	66	-
1985	871	3	-	-	5	17	31	81	185	282	197	70	-
1984	894	2	-	-	7	13	43	95	193	277	191	72	1
1983	820	3	-	5	5	18	48	78	177	248	168	70	-
1982	817	1	-	1	4	17	31	86	191	291	146	49	-
1981	760	1	2	-	7	19	46	70	170	228	161	56	-
1980	821	-	1	1	9	23	31	76	181	255	177	67	-
1979	764	2	2	2	12	27	28	79	158	257	148	48	1
Other diseases of circulatory system (441-448)													
Black, female													
1998	1,414	1	-	2	12	23	63	97	150	298	398	370	-
1997	1,357	2	-	4	8	23	61	106	161	305	370	317	-
1996	1,269	1	-	2	5	23	65	79	120	296	373	305	-
1995	1,264	1	-	2	9	25	55	81	152	300	343	296	-
1994	1,260	1	-	2	7	21	62	80	144	292	335	316	-
1993	1,158	-	-	1	5	19	66	83	129	268	314	272	1
1992	1,083	2	1	-	9	24	45	85	133	242	289	253	-
1991	1,110	1	-	1	6	34	56	90	124	272	294	232	-
1990	1,025	2	2	3	10	24	39	75	122	230	270	248	-
1989	1,049	2	1	2	10	28	52	74	139	226	304	211	-
1988	942	-	-	1	5	24	38	55	134	225	263	197	-
1987	901	2	-	2	9	22	43	52	123	228	252	168	-
1986	875	4	1	3	11	13	46	72	124	215	234	152	-
1985	861	3	-	1	6	26	33	61	121	231	250	129	-
1984	803	3	-	2	6	24	28	70	134	203	202	130	1
1983	741	1	-	3	6	25	26	41	128	192	200	119	-
1982	709	2	1	-	8	17	21	44	119	213	183	101	-
1981	725	1	1	3	6	27	31	57	126	204	168	101	-
1980	711	2	1	2	8	20	30	57	110	202	185	94	-
1979	623	-	-	3	15	27	29	61	107	158	154	69	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Aortic aneurysm and dissection (441)													
All races, both sexes													
1998	16,237	2	-	5	27	117	300	602	1,460	4,330	6,159	3,235	-
1997	16,724	-	1	4	33	117	310	598	1,508	4,588	6,328	3,237	-
1996	16,387	-	2	4	27	79	283	586	1,551	4,519	6,240	3,095	1
1995	16,440	1	1	11	30	124	327	568	1,582	4,856	5,903	3,037	-
1994	16,123	1	1	7	27	112	256	506	1,576	4,864	5,860	2,911	2
1993	16,475	1	1	10	39	105	247	530	1,636	5,038	6,018	2,847	3
1992	16,220	1	1	4	29	100	248	535	1,616	4,999	5,909	2,777	1
1991	16,696	-	-	6	28	105	222	489	1,809	5,267	5,910	2,860	-
1990	16,402	2	1	5	24	94	211	453	1,757	5,161	5,932	2,761	1
1989	16,229	2	-	4	28	87	239	472	1,810	5,188	5,712	2,685	2
1988	15,719	1	1	3	32	99	194	406	1,861	5,013	5,558	2,550	1
1987	15,637	2	1	6	38	103	191	430	1,846	4,979	5,463	2,575	3
1986	15,267	2	3	6	37	85	155	406	1,884	4,963	5,348	2,377	1
1985	15,112	6	-	9	39	69	163	399	1,927	4,972	5,134	2,393	1
1984	15,139	4	2	5	28	86	174	395	1,958	4,848	5,239	2,395	5
1983	14,576	1	1	9	38	79	139	413	1,887	4,673	5,051	2,284	1
1982	14,125	1	1	10	33	67	116	412	1,856	4,758	4,798	2,069	4
1981	14,082	2	1	5	36	76	123	413	1,880	4,735	4,653	2,158	-
1980	14,181	-	-	5	27	71	134	436	1,998	4,789	4,696	2,024	1
1979	14,031	3	2	4	34	70	127	464	1,968	4,701	4,713	1,943	2
Aortic aneurysm and dissection (441)													
All races, male													
1998	10,013	-	-	4	18	89	236	477	1,084	2,929	3,657	1,519	-
1997	10,311	-	-	4	25	89	244	446	1,112	3,129	3,707	1,555	-
1996	10,117	-	1	3	17	50	211	450	1,180	3,077	3,719	1,408	1
1995	10,328	1	1	9	22	81	248	440	1,191	3,405	3,514	1,416	-
1994	10,146	1	1	5	20	87	173	354	1,170	3,437	3,529	1,367	2
1993	10,664	1	-	10	25	80	177	411	1,251	3,599	3,799	1,309	2
1992	10,407	1	1	3	20	64	194	396	1,243	3,560	3,622	1,302	1
1991	10,776	-	-	3	23	71	173	352	1,387	3,809	3,618	1,340	-
1990	10,806	1	-	3	21	67	162	360	1,366	3,719	3,768	1,338	1
1989	10,708	1	-	3	22	73	182	351	1,390	3,732	3,676	1,276	2
1988	10,429	1	-	2	19	81	154	297	1,439	3,654	3,540	1,241	1
1987	10,383	1	-	4	27	74	139	325	1,419	3,640	3,501	1,250	3
1986	10,171	1	2	4	22	66	103	300	1,476	3,642	3,459	1,096	-
1985	10,208	2	-	6	27	49	126	302	1,539	3,732	3,301	1,123	1
1984	10,337	1	1	3	23	57	138	302	1,563	3,643	3,449	1,156	1
1983	10,024	-	-	6	27	55	104	311	1,491	3,535	3,371	1,124	-
1982	9,676	1	1	7	25	50	91	307	1,466	3,573	3,187	966	2
1981	9,779	1	-	3	28	55	90	318	1,530	3,576	3,149	1,029	-
1980	10,005	-	-	4	18	59	95	332	1,646	3,663	3,186	1,001	1
1979	9,779	2	1	2	21	56	95	360	1,559	3,616	3,138	927	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Aortic aneurysm and dissection (441)													
All races, female													
1998	6,224	2	-	1	9	28	64	125	376	1,401	2,502	1,716	-
1997	6,413	-	1	-	8	28	66	152	396	1,459	2,621	1,682	-
1996	6,270	-	1	1	10	29	72	136	371	1,442	2,521	1,687	-
1995	6,112	-	-	2	8	43	79	128	391	1,451	2,389	1,621	-
1994	5,977	-	-	2	7	25	83	152	406	1,427	2,331	1,544	-
1993	5,811	-	1	-	14	25	70	119	385	1,439	2,219	1,538	1
1992	5,813	-	-	1	9	36	54	139	373	1,439	2,287	1,475	-
1991	5,920	-	-	3	5	34	49	137	422	1,458	2,292	1,520	-
1990	5,596	1	1	2	3	27	49	93	391	1,442	2,164	1,423	-
1989	5,521	1	-	1	6	14	57	121	420	1,456	2,036	1,409	-
1988	5,290	-	1	1	13	18	40	109	422	1,359	2,018	1,309	-
1987	5,254	1	1	2	11	29	52	105	427	1,339	1,962	1,325	-
1986	5,096	1	1	2	15	19	52	106	408	1,321	1,889	1,281	1
1985	4,904	4	-	3	12	20	37	97	388	1,240	1,833	1,270	-
1984	4,802	3	1	2	5	29	36	93	395	1,205	1,790	1,239	4
1983	4,552	1	1	3	11	24	35	102	396	1,138	1,680	1,160	1
1982	4,449	-	-	3	8	17	25	105	390	1,185	1,611	1,103	2
1981	4,303	1	1	2	8	21	33	95	350	1,159	1,504	1,129	-
1980	4,176	-	-	1	9	12	39	104	352	1,126	1,510	1,023	-
1979	4,252	1	1	2	13	14	32	104	409	1,085	1,575	1,016	-
Aortic aneurysm and dissection (441)													
White, both sexes													
1998	14,775	2	-	5	22	92	230	437	1,244	3,987	5,748	3,008	-
1997	15,281	-	1	3	29	100	214	430	1,305	4,220	5,946	3,033	-
1996	14,956	-	2	4	20	62	202	456	1,345	4,141	5,820	2,904	-
1995	15,063	1	1	9	24	102	247	417	1,358	4,480	5,555	2,869	-
1994	14,798	1	1	5	20	91	184	390	1,374	4,502	5,487	2,742	1
1993	15,123	1	1	6	30	83	191	410	1,431	4,644	5,661	2,663	2
1992	14,955	1	1	4	27	82	185	402	1,415	4,649	5,570	2,618	1
1991	15,380	-	-	5	21	83	158	366	1,605	4,889	5,546	2,707	-
1990	15,119	-	1	4	22	74	146	345	1,549	4,794	5,587	2,596	1
1989	14,959	2	-	4	22	75	177	348	1,604	4,838	5,347	2,540	2
1988	14,528	-	1	3	27	86	144	318	1,621	4,670	5,247	2,410	1
1987	14,467	1	1	6	28	85	143	341	1,637	4,658	5,117	2,447	3
1986	14,177	1	2	4	31	69	119	300	1,678	4,667	5,044	2,261	1
1985	13,984	4	-	8	35	57	126	310	1,729	4,614	4,829	2,271	1
1984	14,034	3	1	5	25	72	134	286	1,751	4,506	4,963	2,285	3
1983	13,566	1	1	4	34	65	98	327	1,697	4,379	4,785	2,174	1
1982	13,166	1	1	10	31	52	85	339	1,664	4,422	4,575	1,982	4
1981	13,103	2	-	5	30	63	84	331	1,697	4,418	4,415	2,058	-
1980	13,165	-	-	5	26	56	101	351	1,811	4,460	4,434	1,920	1
1979	13,088	2	1	2	29	51	95	370	1,781	4,394	4,492	1,870	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	15-24 25-34 35-44 45-54 55-64 65-74 75-84												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	years	years	years	years	years	years	years	85 + years	
Aortic aneurysm and dissection (441)													
White, male													
1998	9,208	-	-	4	16	67	186	365	941	2,749	3,452	1,428	-
1997	9,518	-	-	3	22	74	169	333	988	2,931	3,515	1,483	-
1996	9,316	-	1	3	12	41	158	354	1,041	2,861	3,505	1,340	-
1995	9,560	1	1	7	17	65	189	329	1,067	3,185	3,344	1,355	-
1994	9,417	1	1	4	15	74	136	282	1,046	3,223	3,341	1,293	1
1993	9,891	1	-	6	19	61	137	325	1,126	3,362	3,615	1,237	2
1992	9,677	1	1	3	19	53	147	305	1,123	3,354	3,427	1,243	1
1991	10,030	-	-	3	17	54	125	279	1,248	3,591	3,426	1,287	-
1990	10,068	-	-	2	19	54	110	283	1,238	3,498	3,578	1,285	1
1989	9,998	1	-	3	18	65	140	270	1,261	3,522	3,488	1,228	2
1988	9,758	-	-	2	16	71	113	235	1,292	3,452	3,385	1,191	1
1987	9,720	1	-	4	21	62	106	260	1,290	3,464	3,314	1,195	3
1986	9,559	-	2	3	21	52	80	237	1,336	3,477	3,295	1,056	-
1985	9,580	1	-	6	26	41	101	246	1,412	3,520	3,150	1,076	1
1984	9,685	1	-	3	20	51	106	234	1,431	3,433	3,293	1,113	-
1983	9,451	-	-	3	23	48	72	248	1,374	3,361	3,238	1,084	-
1982	9,111	1	1	7	23	38	69	254	1,338	3,372	3,066	940	2
1981	9,231	1	-	3	24	47	66	264	1,409	3,395	3,026	996	-
1980	9,418	-	-	4	17	47	73	280	1,523	3,471	3,050	952	1
1979	9,211	1	-	2	19	44	71	305	1,439	3,410	3,023	896	1
Aortic aneurysm and dissection (441)													
White, female													
1998	5,567	2	-	1	6	25	44	72	303	1,238	2,296	1,580	-
1997	5,763	-	1	-	7	26	45	97	317	1,289	2,431	1,550	-
1996	5,640	-	1	1	8	21	44	102	304	1,280	2,315	1,564	-
1995	5,503	-	-	2	7	37	58	88	291	1,295	2,211	1,514	-
1994	5,381	-	-	1	5	17	48	108	328	1,279	2,146	1,449	-
1993	5,232	-	1	-	11	22	54	85	305	1,282	2,046	1,426	-
1992	5,278	-	-	1	8	29	38	97	292	1,295	2,143	1,375	-
1991	5,350	-	-	2	4	29	33	87	357	1,298	2,120	1,420	-
1990	5,051	-	1	2	3	20	36	62	311	1,296	2,009	1,311	-
1989	4,961	1	-	1	4	10	37	78	343	1,316	1,859	1,312	-
1988	4,770	-	1	1	11	15	31	83	329	1,218	1,862	1,219	-
1987	4,747	-	1	2	7	23	37	81	347	1,194	1,803	1,252	-
1986	4,618	1	-	1	10	17	39	63	342	1,190	1,749	1,205	1
1985	4,404	3	-	2	9	16	25	64	317	1,094	1,679	1,195	-
1984	4,349	2	1	2	5	21	28	52	320	1,073	1,670	1,172	3
1983	4,115	1	1	1	11	17	26	79	323	1,018	1,547	1,090	1
1982	4,055	-	-	3	8	14	16	85	326	1,050	1,509	1,042	2
1981	3,872	1	-	2	6	16	18	67	288	1,023	1,389	1,062	-
1980	3,747	-	-	1	9	9	28	71	288	989	1,384	968	-
1979	3,877	1	1	-	10	7	24	65	342	984	1,469	974	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Aortic aneurysm and dissection (441)													
All other, both sexes													
1998	1,462	-	-	-	5	25	70	165	216	343	411	227	-
1997	1,443	-	-	1	4	17	96	168	203	368	382	204	-
1996	1,431	-	-	-	7	17	81	130	206	378	420	191	1
1995	1,377	-	-	2	6	22	80	151	224	376	348	168	-
1994	1,325	-	-	2	7	21	72	116	202	362	373	169	1
1993	1,352	-	-	4	9	22	56	120	205	394	357	184	1
1992	1,265	-	-	-	2	18	63	133	201	350	339	159	-
1991	1,316	-	-	1	7	22	64	123	204	378	364	153	-
1990	1,283	2	-	1	2	20	65	108	208	367	345	165	-
1989	1,270	-	-	-	6	12	62	124	206	350	365	145	-
1988	1,191	1	-	-	5	13	50	88	240	343	311	140	-
1987	1,170	1	-	-	10	18	48	89	209	321	346	128	-
1986	1,090	1	1	2	6	16	36	106	206	296	304	116	-
1985	1,128	2	-	1	4	12	37	89	198	358	305	122	-
1984	1,105	1	1	-	3	14	40	109	207	342	276	110	2
1983	1,010	-	-	5	4	14	41	86	190	294	266	110	-
1982	959	-	-	-	2	15	31	73	192	336	223	87	-
1981	979	-	1	-	6	13	39	82	183	317	238	100	-
1980	1,016	-	-	-	1	15	33	85	187	329	262	104	-
1979	943	1	1	2	5	19	32	94	187	307	221	73	1
Aortic aneurysm and dissection (441)													
All other, male													
1998	805	-	-	-	2	22	50	112	143	180	205	91	-
1997	793	-	-	1	3	15	75	113	124	198	192	72	-
1996	801	-	-	-	5	9	53	96	139	216	214	68	1
1995	768	-	-	2	5	16	59	111	124	220	170	61	-
1994	729	-	-	1	5	13	37	72	124	214	188	74	1
1993	773	-	-	4	6	19	40	86	125	237	184	72	-
1992	730	-	-	-	1	11	47	91	120	206	195	59	-
1991	746	-	-	-	6	17	48	73	139	218	192	53	-
1990	738	1	-	1	2	13	52	77	128	221	190	53	-
1989	710	-	-	-	4	8	42	81	129	210	188	48	-
1988	671	1	-	-	3	10	41	62	147	202	155	50	-
1987	663	-	-	-	6	12	33	65	129	176	187	55	-
1986	612	1	-	1	1	14	23	63	140	165	164	40	-
1985	628	1	-	-	1	8	25	56	127	212	151	47	-
1984	652	-	1	-	3	6	32	68	132	210	156	43	1
1983	573	-	-	3	4	7	32	63	117	174	133	40	-
1982	565	-	-	-	2	12	22	53	128	201	121	26	-
1981	548	-	-	-	4	8	24	54	121	181	123	33	-
1980	587	-	-	-	1	12	22	52	123	192	136	49	-
1979	568	1	1	-	2	12	24	55	120	206	115	31	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Aortic aneurysm and dissection (441)													
All other, female													
1998	657	-	-	-	3	3	20	53	73	163	206	136	-
1997	650	-	-	-	1	2	21	55	79	170	190	132	-
1996	630	-	-	-	2	8	28	34	67	162	206	123	-
1995	609	-	-	-	1	6	21	40	100	156	178	107	-
1994	596	-	-	1	2	8	35	44	78	148	185	95	-
1993	579	-	-	-	3	3	16	34	80	157	173	112	1
1992	535	-	-	-	1	7	16	42	81	144	144	100	-
1991	570	-	-	1	1	5	16	50	65	160	172	100	-
1990	545	1	-	-	-	7	13	31	80	146	155	112	-
1989	560	-	-	-	2	4	20	43	77	140	177	97	-
1988	520	-	-	-	2	3	9	26	93	141	156	90	-
1987	507	1	-	-	4	6	15	24	80	145	159	73	-
1986	478	-	1	1	5	2	13	43	66	131	140	76	-
1985	500	1	-	1	3	4	12	33	71	146	154	75	-
1984	453	1	-	-	-	8	8	41	75	132	120	67	1
1983	437	-	-	2	-	7	9	23	73	120	133	70	-
1982	394	-	-	-	-	3	9	20	64	135	102	61	-
1981	431	-	1	-	2	5	15	28	62	136	115	67	-
1980	429	-	-	-	-	3	11	33	64	137	126	55	-
1979	375	-	-	2	3	7	8	39	67	101	106	42	-
Aortic aneurysm and dissection (441)													
Black, both sexes													
1998	1,184	-	-	-	4	20	62	143	176	270	325	184	-
1997	1,183	-	-	1	4	14	88	152	165	292	300	167	-
1996	1,140	-	-	-	7	13	72	113	171	302	318	143	1
1995	1,146	-	-	2	3	17	71	132	198	314	280	129	-
1994	1,087	-	-	1	5	19	66	101	171	303	287	133	1
1993	1,107	-	-	4	8	22	44	112	171	313	280	152	1
1992	1,030	-	-	-	1	16	54	121	162	285	266	125	-
1991	1,104	-	-	1	6	20	62	118	175	312	287	123	-
1990	1,068	1	-	1	2	16	59	99	174	305	277	134	-
1989	1,085	-	-	-	6	11	58	108	187	295	299	121	-
1988	1,006	1	-	-	5	11	48	76	208	290	257	110	-
1987	985	-	-	-	8	16	42	82	180	275	279	103	-
1986	916	1	1	2	6	12	34	91	180	255	240	94	-
1985	954	2	-	-	3	10	34	80	175	301	251	98	-
1984	954	1	-	-	3	13	37	103	184	294	230	87	2
1983	863	-	-	5	2	12	36	81	170	252	212	93	-
1982	845	-	-	-	2	13	28	71	174	298	188	71	-
1981	866	-	1	-	4	12	38	75	166	283	203	84	-
1980	882	-	-	-	1	14	31	78	168	287	217	86	-
1979	823	1	1	1	4	17	27	85	173	270	184	60	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Aortic aneurysm and dissection (441)													
Black, male													
1998	620	-	-	-	2	18	44	99	116	133	146	62	-
1997	628	-	-	1	3	12	70	102	97	158	136	49	-
1996	616	-	-	-	5	6	46	82	116	165	147	48	1
1995	610	-	-	2	3	12	53	94	109	173	124	40	-
1994	571	-	-	-	4	11	34	64	102	172	138	45	1
1993	608	-	-	4	5	19	29	82	106	178	131	54	-
1992	564	-	-	-	-	9	41	83	93	159	139	40	-
1991	597	-	-	-	5	15	46	69	115	168	145	34	-
1990	589	-	-	1	2	10	47	70	106	174	141	38	-
1989	592	-	-	-	4	7	38	70	118	173	145	37	-
1988	545	1	-	-	3	9	39	54	126	165	118	30	-
1987	529	-	-	-	4	11	28	59	109	144	134	40	-
1986	494	1	-	1	1	11	21	51	120	138	121	29	-
1985	506	1	-	-	1	6	22	51	111	168	111	35	-
1984	550	-	-	-	3	6	30	64	115	175	120	36	1
1983	476	-	-	3	2	6	28	59	102	147	97	32	-
1982	488	-	-	-	2	11	20	52	117	174	95	17	-
1981	469	-	-	-	4	8	24	48	107	154	97	27	-
1980	485	-	-	-	1	11	20	48	106	163	101	35	-
1979	474	1	1	-	2	11	19	51	108	172	86	23	-
Aortic aneurysm and dissection (441)													
Black, female													
1998	564	-	-	-	2	2	18	44	60	137	179	122	-
1997	555	-	-	-	1	2	18	50	68	134	164	118	-
1996	524	-	-	-	2	7	26	31	55	137	171	95	-
1995	536	-	-	-	-	5	18	38	89	141	156	89	-
1994	516	-	-	1	1	8	32	37	69	131	149	88	-
1993	499	-	-	-	3	3	15	30	65	135	149	98	1
1992	466	-	-	-	1	7	13	38	69	126	127	85	-
1991	507	-	-	1	1	5	16	49	60	144	142	89	-
1990	479	1	-	-	-	6	12	29	68	131	136	96	-
1989	493	-	-	-	2	4	20	38	69	122	154	84	-
1988	461	-	-	-	2	2	9	22	82	125	139	80	-
1987	456	-	-	-	4	5	14	23	71	131	145	63	-
1986	422	-	1	1	5	1	13	40	60	117	119	65	-
1985	448	1	-	-	2	4	12	29	64	133	140	63	-
1984	404	1	-	-	-	7	7	39	69	119	110	51	1
1983	387	-	-	2	-	6	8	22	68	105	115	61	-
1982	357	-	-	-	-	2	8	19	57	124	93	54	-
1981	397	-	1	-	-	4	14	27	59	129	106	57	-
1980	397	-	-	-	-	3	11	30	62	124	116	51	-
1979	349	-	-	1	2	6	8	34	65	98	98	37	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other diseases of arteries, arterioles and capillaries (442-448)													
All races, both sexes													
1998	11,434	12	5	12	37	102	254	457	937	2,291	3,726	3,601	-
1997	11,068	12	6	16	46	96	222	408	955	2,364	3,606	3,337	-
1996	10,789	13	4	12	33	98	243	400	862	2,348	3,455	3,321	-
1995	10,206	15	5	9	41	100	236	373	845	2,295	3,279	3,007	1
1994	9,974	11	7	12	39	88	213	370	857	2,218	3,251	2,907	1
1993	9,530	11	2	14	26	92	237	353	835	2,178	3,070	2,712	-
1992	9,117	11	8	9	45	102	225	325	849	2,111	2,905	2,526	1
1991	8,359	15	5	9	34	111	196	322	773	1,951	2,636	2,307	-
1990	8,243	13	6	12	38	99	165	336	824	1,948	2,620	2,182	-
1989	8,068	15	7	8	32	107	190	307	889	1,921	2,554	2,036	2
1988	7,466	7	2	10	35	90	155	295	824	1,898	2,250	1,900	-
1987	7,173	12	5	12	33	82	155	285	849	1,894	2,131	1,714	1
1986	7,150	18	8	12	48	72	170	268	876	1,844	2,200	1,633	1
1985	6,871	20	10	11	33	90	154	306	915	1,798	2,007	1,527	-
1984	6,602	15	6	13	42	89	146	322	929	1,717	1,874	1,446	3
1983	6,382	14	6	11	50	95	144	291	960	1,654	1,823	1,334	-
1982	6,047	13	6	7	41	92	118	318	904	1,701	1,689	1,158	-
1981	5,931	16	7	9	41	86	147	311	932	1,648	1,575	1,159	-
1980	5,778	17	9	13	62	92	128	386	890	1,529	1,588	1,064	-
1979	5,452	13	9	15	62	98	138	356	893	1,451	1,433	983	1
Other diseases of arteries, arterioles and capillaries (442-448)													
All races, male													
1998	4,978	8	3	5	11	41	116	228	515	1,180	1,765	1,106	-
1997	4,798	7	5	2	18	33	106	208	516	1,255	1,656	992	-
1996	4,740	8	1	3	16	48	119	217	485	1,255	1,619	969	-
1995	4,489	9	5	6	12	46	112	176	458	1,244	1,532	889	-
1994	4,372	4	5	6	16	37	93	201	453	1,179	1,494	884	-
1993	4,299	7	1	9	14	38	104	159	482	1,172	1,462	851	-
1992	4,097	5	3	6	22	44	106	147	452	1,203	1,340	768	1
1991	3,793	10	2	5	15	53	83	173	445	1,055	1,261	691	-
1990	3,754	7	2	6	16	38	80	166	463	1,084	1,251	641	-
1989	3,739	10	5	1	13	43	92	162	524	1,081	1,178	629	1
1988	3,385	6	1	7	20	33	72	141	475	1,047	1,042	541	-
1987	3,457	7	3	6	20	37	65	148	493	1,083	1,063	532	-
1986	3,354	9	6	5	20	31	78	133	517	1,106	989	459	1
1985	3,412	14	7	3	16	36	70	163	540	1,070	1,016	477	-
1984	3,213	7	5	5	14	34	70	175	553	998	887	463	2
1983	3,219	7	4	4	23	50	75	160	589	978	908	421	-
1982	3,063	9	4	4	18	41	61	172	545	1,014	817	378	-
1981	3,015	12	6	3	14	33	69	171	549	978	795	385	-
1980	2,928	12	5	5	24	36	61	222	550	886	771	356	-
1979	2,841	9	6	8	28	46	56	197	535	881	725	349	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other diseases of arteries, arterioles and capillaries (442-448)													
All races, female													
1998	6,456	4	2	7	26	61	138	229	422	1,111	1,961	2,495	-
1997	6,270	5	1	14	28	63	116	200	439	1,109	1,950	2,345	-
1996	6,049	5	3	9	17	50	124	183	377	1,093	1,836	2,352	-
1995	5,717	6	-	3	29	54	124	197	387	1,051	1,747	2,118	1
1994	5,602	7	2	6	23	51	120	169	404	1,039	1,757	2,023	1
1993	5,231	4	1	5	12	54	133	194	353	1,006	1,608	1,861	-
1992	5,020	6	5	3	23	58	119	178	397	908	1,565	1,758	-
1991	4,566	5	3	4	19	58	113	149	328	896	1,375	1,616	-
1990	4,489	6	4	6	22	61	85	170	361	864	1,369	1,541	-
1989	4,329	5	2	7	19	64	98	145	365	840	1,376	1,407	1
1988	4,081	1	1	3	15	57	83	154	349	851	1,208	1,359	-
1987	3,716	5	2	6	13	45	90	137	356	811	1,068	1,182	1
1986	3,796	9	2	7	28	41	92	135	359	738	1,211	1,174	-
1985	3,459	6	3	8	17	54	84	143	375	728	991	1,050	-
1984	3,389	8	1	8	28	55	76	147	376	719	987	983	1
1983	3,163	7	2	7	27	45	69	131	371	676	915	913	-
1982	2,984	4	2	3	23	51	57	146	359	687	872	780	-
1981	2,916	4	1	6	27	53	78	140	383	670	780	774	-
1980	2,850	5	4	8	38	56	67	164	340	643	817	708	-
1979	2,611	4	3	7	34	52	82	159	358	570	708	634	-
Other diseases of arteries, arterioles and capillaries (442-448)													
White, both sexes													
1998	9,789	9	4	9	19	67	166	346	739	1,947	3,278	3,205	-
1997	9,510	6	5	11	30	65	149	296	739	1,998	3,199	3,012	-
1996	9,352	10	4	9	26	62	159	297	700	2,005	3,070	3,010	-
1995	8,903	9	2	5	30	59	171	302	692	1,977	2,946	2,709	1
1994	8,565	8	6	9	30	65	147	280	685	1,889	2,859	2,586	1
1993	8,211	10	2	9	17	57	143	250	676	1,887	2,727	2,433	-
1992	7,940	8	7	6	32	70	167	240	706	1,828	2,597	2,278	1
1991	7,256	8	3	8	23	65	132	245	637	1,690	2,365	2,080	-
1990	7,172	12	3	7	22	70	116	253	699	1,702	2,334	1,954	-
1989	7,029	12	5	6	21	74	132	234	737	1,675	2,282	1,849	2
1988	6,544	6	1	8	27	54	100	228	698	1,676	2,011	1,735	-
1987	6,258	9	5	10	20	50	106	224	726	1,644	1,902	1,561	1
1986	6,245	11	7	10	31	47	114	201	725	1,620	1,975	1,503	1
1985	6,037	14	10	8	25	56	121	242	777	1,571	1,795	1,418	-
1984	5,805	11	5	10	29	64	109	254	778	1,521	1,701	1,320	3
1983	5,623	9	6	7	39	62	104	249	817	1,455	1,650	1,225	-
1982	5,323	10	5	5	31	68	92	255	760	1,483	1,539	1,075	-
1981	5,271	14	5	6	30	50	107	254	793	1,489	1,443	1,080	-
1980	5,095	15	7	9	46	63	96	329	762	1,350	1,434	984	-
1979	4,864	11	7	11	37	61	107	299	795	1,305	1,306	925	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other diseases of arteries, arterioles and capillaries (442-448)													
White, male													
1998	4,276	6	3	4	3	29	75	172	419	1,021	1,566	978	-
1997	4,142	3	4	2	11	26	79	155	410	1,088	1,476	888	-
1996	4,117	6	1	3	14	32	80	164	398	1,086	1,453	880	-
1995	3,969	4	2	4	10	26	87	150	377	1,100	1,393	816	-
1994	3,783	2	4	4	13	27	62	158	374	1,025	1,308	806	-
1993	3,708	6	1	6	7	23	68	115	400	1,027	1,298	757	-
1992	3,586	4	3	3	17	30	83	115	380	1,043	1,206	701	1
1991	3,326	4	1	5	10	39	61	138	379	928	1,147	614	-
1990	3,276	7	1	5	10	29	61	132	398	948	1,108	577	-
1989	3,281	9	4	1	11	36	67	127	447	947	1,058	573	1
1988	2,975	6	-	6	15	20	48	112	404	931	932	501	-
1987	3,008	6	3	6	12	23	46	116	428	939	944	485	-
1986	2,933	6	5	5	11	19	58	100	436	983	888	421	1
1985	3,020	11	7	3	12	24	61	133	463	947	918	441	-
1984	2,847	5	5	5	10	27	54	142	472	893	811	421	2
1983	2,847	4	4	2	20	38	55	140	511	869	826	378	-
1982	2,707	8	4	2	16	34	48	136	467	886	762	344	-
1981	2,703	11	4	3	10	20	46	146	483	898	729	353	-
1980	2,574	12	4	4	16	24	50	194	472	787	688	323	-
1979	2,535	7	4	6	17	30	47	167	481	795	657	324	-
Other diseases of arteries, arterioles and capillaries (442-448)													
White, female													
1998	5,513	3	1	5	16	38	91	174	320	926	1,712	2,227	-
1997	5,368	3	1	9	19	39	70	141	329	910	1,723	2,124	-
1996	5,235	4	3	6	12	30	79	133	302	919	1,617	2,130	-
1995	4,934	5	-	1	20	33	84	152	315	877	1,553	1,893	1
1994	4,782	6	2	5	17	38	85	122	311	864	1,551	1,780	1
1993	4,503	4	1	3	10	34	75	135	276	860	1,429	1,676	-
1992	4,354	4	4	3	15	40	84	125	326	785	1,391	1,577	-
1991	3,930	4	2	3	13	26	71	107	258	762	1,218	1,466	-
1990	3,896	5	2	2	12	41	55	121	301	754	1,226	1,377	-
1989	3,748	3	1	5	10	38	65	107	290	728	1,224	1,276	1
1988	3,569	-	1	2	12	34	52	116	294	745	1,079	1,234	-
1987	3,250	3	2	4	8	27	60	108	298	705	958	1,076	1
1986	3,312	5	2	5	20	28	56	101	289	637	1,087	1,082	-
1985	3,017	3	3	5	13	32	60	109	314	624	877	977	-
1984	2,958	6	-	5	19	37	55	112	306	628	890	899	1
1983	2,776	5	2	5	19	24	49	109	306	586	824	847	-
1982	2,616	2	1	3	15	34	44	119	293	597	777	731	-
1981	2,568	3	1	3	20	30	61	108	310	591	714	727	-
1980	2,521	3	3	5	30	39	46	135	290	563	746	661	-
1979	2,329	4	3	5	20	31	60	132	314	510	649	601	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other diseases of arteries, arterioles and capillaries (442-448)													
All other, both sexes													
1998	1,645	3	1	3	18	35	88	111	198	344	448	396	-
1997	1,558	6	1	5	16	31	73	112	216	366	407	325	-
1996	1,437	3	-	3	7	36	84	103	162	343	385	311	-
1995	1,303	6	3	4	11	41	65	71	153	318	333	298	-
1994	1,409	3	1	3	9	23	66	90	172	329	392	321	-
1993	1,319	1	-	5	9	35	94	103	159	291	343	279	-
1992	1,177	3	1	3	13	32	58	85	143	283	308	248	-
1991	1,103	7	2	1	11	46	64	77	136	261	271	227	-
1990	1,071	1	3	5	16	29	49	83	125	246	286	228	-
1989	1,039	3	2	2	11	33	58	73	152	246	272	187	-
1988	922	1	1	2	8	36	55	67	126	222	239	165	-
1987	915	3	-	2	13	32	49	61	123	250	229	153	-
1986	905	7	1	2	17	25	56	67	151	224	225	130	-
1985	834	6	-	3	8	34	33	64	138	227	212	109	-
1984	797	4	1	3	13	25	37	68	151	196	173	126	-
1983	759	5	-	4	11	33	40	42	143	199	173	109	-
1982	724	3	1	2	10	24	26	63	144	218	150	83	-
1981	660	2	2	3	11	36	40	57	139	159	132	79	-
1980	683	2	2	4	16	29	32	57	128	179	154	80	-
1979	588	2	2	4	25	37	31	57	98	146	127	58	1
Other diseases of arteries, arterioles and capillaries (442-448)													
All other, male													
1998	702	2	-	1	8	12	41	56	96	159	199	128	-
1997	656	4	1	-	7	7	27	53	106	167	180	104	-
1996	623	2	-	-	2	16	39	53	87	169	166	89	-
1995	520	5	3	2	2	20	25	26	81	144	139	73	-
1994	589	2	1	2	3	10	31	43	79	154	186	78	-
1993	591	1	-	3	7	15	36	44	82	145	164	94	-
1992	511	1	-	3	5	14	23	32	72	160	134	67	-
1991	467	6	1	-	5	14	22	35	66	127	114	77	-
1990	478	-	1	1	6	9	19	34	65	136	143	64	-
1989	458	1	1	-	2	7	25	35	77	134	120	56	-
1988	410	-	1	1	5	13	24	29	71	116	110	40	-
1987	449	1	-	-	8	14	19	32	65	144	119	47	-
1986	421	3	1	-	9	12	20	33	81	123	101	38	-
1985	392	3	-	-	4	12	9	30	77	123	98	36	-
1984	366	2	-	-	4	7	16	33	81	105	76	42	-
1983	372	3	-	2	3	12	20	20	78	109	82	43	-
1982	356	1	-	2	2	7	13	36	78	128	55	34	-
1981	312	1	2	-	4	13	23	25	66	80	66	32	-
1980	354	-	1	1	8	12	11	28	78	99	83	33	-
1979	306	2	2	2	11	16	9	30	54	86	68	25	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other diseases of arteries, arterioles and capillaries (442-448)													
All other, female													
1998	943	1	1	2	10	23	47	55	102	185	249	268	-
1997	902	2	-	5	9	24	46	59	110	199	227	221	-
1996	814	1	-	3	5	20	45	50	75	174	219	222	-
1995	783	1	-	2	9	21	40	45	72	174	194	225	-
1994	820	1	-	1	6	13	35	47	93	175	206	243	-
1993	728	-	-	2	2	20	58	59	77	146	179	185	-
1992	666	2	1	-	8	18	35	53	71	123	174	181	-
1991	636	1	1	1	6	32	42	42	70	134	157	150	-
1990	593	1	2	4	10	20	30	49	60	110	143	164	-
1989	581	2	1	2	9	26	33	38	75	112	152	131	-
1988	512	1	-	1	3	23	31	38	55	106	129	125	-
1987	466	2	-	2	5	18	30	29	58	106	110	106	-
1986	484	4	-	2	8	13	36	34	70	101	124	92	-
1985	442	3	-	3	4	22	24	34	61	104	114	73	-
1984	431	2	1	3	9	18	21	35	70	91	97	84	-
1983	387	2	-	2	8	21	20	22	65	90	91	66	-
1982	368	2	1	-	8	17	13	27	66	90	95	49	-
1981	348	1	-	3	7	23	17	32	73	79	66	47	-
1980	329	2	1	3	8	17	21	29	50	80	71	47	-
1979	282	-	-	2	14	21	22	27	44	60	59	33	-
Other diseases of arteries, arterioles and capillaries (442-448)													
Black, both sexes													
1998	1,482	3	-	3	16	33	83	104	179	306	392	363	-
1997	1,403	6	1	4	13	28	70	102	186	329	369	295	-
1996	1,315	3	-	2	5	31	74	97	146	318	350	289	-
1995	1,196	6	2	3	11	38	60	66	137	288	313	272	-
1994	1,276	2	-	2	9	20	58	82	145	303	353	302	-
1993	1,194	-	-	2	8	28	86	95	140	267	309	259	-
1992	1,085	3	1	2	12	29	55	75	131	264	285	228	-
1991	1,033	7	-	-	10	41	61	75	125	242	257	215	-
1990	993	1	2	3	16	27	45	77	116	225	267	214	-
1989	973	3	2	2	10	29	56	68	142	230	256	175	-
1988	855	-	-	2	7	34	52	61	115	209	220	155	-
1987	856	3	-	2	12	31	46	59	115	229	213	146	-
1986	845	6	1	2	15	23	50	63	141	215	205	124	-
1985	778	4	-	1	8	33	30	62	131	212	196	101	-
1984	743	4	-	2	10	24	34	62	143	186	163	115	-
1983	698	4	-	3	9	31	38	38	135	188	156	96	-
1982	681	3	1	1	10	21	24	59	136	206	141	79	-
1981	619	2	2	3	9	34	39	52	130	149	126	73	-
1980	650	2	2	3	16	29	30	55	123	170	145	75	-
1979	564	1	1	4	23	37	30	55	92	145	118	57	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other diseases of arteries, arterioles and capillaries (442-448)													
Black, male													
1998	632	2	-	1	6	12	38	51	89	145	173	115	-
1997	601	4	1	-	6	7	27	46	93	158	163	96	-
1996	570	2	-	-	2	15	35	49	81	159	148	79	-
1995	468	5	2	1	2	18	23	23	74	129	126	65	-
1994	532	1	-	1	3	7	28	39	70	142	167	74	-
1993	535	-	-	1	6	12	35	42	76	134	144	85	-
1992	468	1	-	2	4	12	23	28	67	148	123	60	-
1991	430	6	-	-	5	12	21	34	61	114	105	72	-
1990	447	-	-	-	6	9	18	31	62	126	133	62	-
1989	417	1	1	-	2	5	24	32	72	126	106	48	-
1988	374	-	-	1	4	12	23	28	63	109	96	38	-
1987	411	1	-	-	7	14	17	30	63	132	106	41	-
1986	392	2	1	-	9	11	17	31	77	117	90	37	-
1985	365	2	-	-	4	11	9	30	74	114	86	35	-
1984	344	2	-	-	4	7	13	31	78	102	71	36	-
1983	344	3	-	2	3	12	20	19	75	101	71	38	-
1982	329	1	-	1	2	6	11	34	74	117	51	32	-
1981	291	1	2	-	3	11	22	22	63	74	64	29	-
1980	336	-	1	1	8	12	11	28	75	92	76	32	-
1979	290	1	1	2	10	16	9	28	50	85	62	25	1
Other diseases of arteries, arterioles and capillaries (442-448)													
Black, female													
1998	850	1	-	2	10	21	45	53	90	161	219	248	-
1997	802	2	-	4	7	21	43	56	93	171	206	199	-
1996	745	1	-	2	3	16	39	48	65	159	202	210	-
1995	728	1	-	2	9	20	37	43	63	159	187	207	-
1994	744	1	-	1	6	13	30	43	75	161	186	228	-
1993	659	-	-	1	2	16	51	53	64	133	165	174	-
1992	617	2	1	-	8	17	32	47	64	116	162	168	-
1991	603	1	-	-	5	29	40	41	64	128	152	143	-
1990	546	1	2	3	10	18	27	46	54	99	134	152	-
1989	556	2	1	2	8	24	32	36	70	104	150	127	-
1988	481	-	-	1	3	22	29	33	52	100	124	117	-
1987	445	2	-	2	5	17	29	29	52	97	107	105	-
1986	453	4	-	2	6	12	33	32	64	98	115	87	-
1985	413	2	-	1	4	22	21	32	57	98	110	66	-
1984	399	2	-	2	6	17	21	31	65	84	92	79	-
1983	354	1	-	1	6	19	18	19	60	87	85	58	-
1982	352	2	1	-	8	15	13	25	62	89	90	47	-
1981	328	1	-	3	6	23	17	30	67	75	62	44	-
1980	314	2	1	2	8	17	19	27	48	78	69	43	-
1979	274	-	-	2	13	21	21	27	42	60	56	32	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other disorders of circulatory system (451-459)													
All races, both sexes													
1998	4,397	61	6	5	25	90	238	353	491	841	1,221	1,066	-
1997	4,264	55	5	10	32	103	240	369	511	841	1,174	923	1
1996	4,243	64	6	7	26	90	257	381	512	855	1,148	897	-
1995	4,185	66	12	3	33	92	239	357	499	887	1,116	879	2
1994	4,082	50	8	7	24	95	237	345	431	898	1,118	868	1
1993	4,122	52	11	7	25	107	257	297	510	882	1,108	866	-
1992	4,000	47	10	6	27	109	249	306	457	895	1,072	822	-
1991	4,140	58	11	8	33	103	244	299	557	938	1,080	807	2
1990	4,238	56	7	8	37	99	214	303	578	974	1,153	806	3
1989	4,319	42	9	7	30	84	215	307	622	1,039	1,163	801	-
1988	4,569	37	3	10	33	115	210	357	665	1,085	1,196	857	1
1987	4,823	43	10	10	32	103	245	345	754	1,171	1,312	798	-
1986	4,677	37	7	9	40	123	216	388	798	1,124	1,168	765	2
1985	4,860	68	7	6	38	114	233	416	794	1,219	1,223	741	1
1984	4,753	52	6	8	39	123	211	376	830	1,162	1,203	742	1
1983	5,034	37	10	13	43	127	222	418	877	1,219	1,279	789	-
1982	4,684	39	10	8	49	122	202	369	829	1,161	1,160	733	2
1981	4,702	48	6	9	36	114	211	426	871	1,211	1,143	624	3
1980	4,803	57	8	13	63	111	226	447	867	1,156	1,156	697	2
1979	4,755	47	9	9	57	115	229	475	824	1,205	1,127	657	1
Other disorders of circulatory system (451-459)													
All races, male													
1998	1,943	34	4	2	12	49	131	206	274	436	499	296	-
1997	1,978	29	1	3	16	53	145	227	284	433	508	279	-
1996	1,913	40	4	3	12	40	146	211	286	452	461	258	-
1995	1,929	38	4	1	11	45	141	209	270	477	483	249	1
1994	1,867	30	4	3	12	55	142	202	223	466	464	265	1
1993	1,940	26	6	3	12	68	143	168	298	473	481	262	-
1992	1,926	33	6	3	17	64	156	171	268	460	498	250	-
1991	1,984	35	4	2	18	51	138	171	336	512	492	223	2
1990	2,026	30	3	3	20	58	141	171	334	537	492	235	2
1989	2,062	30	6	2	9	47	140	193	371	562	477	225	-
1988	2,262	18	3	6	18	68	132	219	400	587	546	265	-
1987	2,369	26	5	3	22	53	154	210	473	606	569	248	-
1986	2,377	22	3	2	19	65	138	228	470	632	521	277	-
1985	2,398	37	5	2	20	66	155	243	484	650	506	230	-
1984	2,442	20	4	5	18	66	127	244	505	671	520	262	-
1983	2,506	23	6	6	22	67	130	257	527	653	564	251	-
1982	2,385	19	6	2	18	61	137	230	513	641	516	241	1
1981	2,386	22	5	2	17	65	127	251	526	651	505	214	1
1980	2,405	29	6	6	28	56	124	266	530	619	501	239	1
1979	2,442	27	4	6	28	68	132	286	524	648	482	236	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other disorders of circulatory system (451-459)													
All races, female													
1998	2,454	27	2	3	13	41	107	147	217	405	722	770	-
1997	2,286	26	4	7	16	50	95	142	227	408	666	644	1
1996	2,330	24	2	4	14	50	111	170	226	403	687	639	-
1995	2,256	28	8	2	22	47	98	148	229	410	633	630	1
1994	2,215	20	4	4	12	40	95	143	208	432	654	603	-
1993	2,182	26	5	4	13	39	114	129	212	409	627	604	-
1992	2,074	14	4	3	10	45	93	135	189	435	574	572	-
1991	2,156	23	7	6	15	52	106	128	221	426	588	584	-
1990	2,212	26	4	5	17	41	73	132	244	437	661	571	1
1989	2,257	12	3	5	21	37	75	114	251	477	686	576	-
1988	2,307	19	-	4	15	47	78	138	265	498	650	592	1
1987	2,454	17	5	7	10	50	91	135	281	565	743	550	-
1986	2,300	15	4	7	21	58	78	160	328	492	647	488	2
1985	2,462	31	2	4	18	48	78	173	310	569	717	511	1
1984	2,311	32	2	3	21	57	84	132	325	491	683	480	1
1983	2,528	14	4	7	21	60	92	161	350	566	715	538	-
1982	2,299	20	4	6	31	61	65	139	316	520	644	492	1
1981	2,316	26	1	7	19	49	84	175	345	560	638	410	2
1980	2,398	28	2	7	35	55	102	181	337	537	655	458	1
1979	2,313	20	5	3	29	47	97	189	300	557	645	421	-
Other disorders of circulatory system (451-459)													
White, both sexes													
1998	3,585	42	3	3	13	50	143	254	374	699	1,055	949	-
1997	3,509	38	5	7	17	60	170	270	397	694	1,021	830	-
1996	3,553	44	4	7	14	53	174	297	405	715	1,025	815	-
1995	3,444	47	10	1	16	57	164	265	379	731	974	798	2
1994	3,356	34	4	5	16	59	155	245	330	760	969	779	-
1993	3,452	32	10	7	15	58	179	217	397	763	974	800	-
1992	3,315	37	7	3	18	58	167	215	347	772	952	739	-
1991	3,434	42	6	8	19	69	170	216	445	801	927	730	1
1990	3,511	43	6	5	24	62	140	212	450	820	1,021	725	3
1989	3,574	28	8	4	20	55	147	204	503	857	1,029	719	-
1988	3,787	25	3	7	19	73	130	250	538	906	1,062	774	-
1987	3,981	28	8	9	21	62	155	246	592	995	1,153	712	-
1986	3,912	22	6	9	23	70	147	287	636	990	1,026	695	1
1985	4,044	47	6	2	28	75	155	325	638	1,024	1,076	668	-
1984	4,015	38	3	6	26	80	135	284	693	1,010	1,066	674	-
1983	4,243	28	10	13	30	71	161	328	701	1,047	1,126	728	-
1982	3,929	26	8	6	32	77	139	274	673	989	1,034	669	2
1981	3,998	31	2	7	23	77	148	321	722	1,050	1,031	583	3
1980	4,078	42	8	9	49	75	153	339	724	1,009	1,026	643	1
1979	4,035	34	7	7	43	72	170	384	679	1,028	990	621	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other disorders of circulatory system (451-459)													
White, male													
1998	1,599	24	1	2	7	29	88	152	216	371	443	266	-
1997	1,608	21	1	3	7	29	103	166	223	358	447	250	-
1996	1,584	28	3	3	6	27	106	160	229	384	408	230	-
1995	1,565	28	3	-	4	28	104	158	201	398	423	217	1
1994	1,506	20	1	2	9	31	99	148	175	391	394	236	-
1993	1,588	15	5	3	8	34	96	121	229	408	424	245	-
1992	1,589	25	5	1	12	37	110	122	207	406	444	220	-
1991	1,652	26	1	2	12	35	98	124	273	449	425	206	1
1990	1,644	24	2	3	15	40	91	115	261	444	441	206	2
1989	1,693	21	5	-	7	34	103	128	299	468	427	201	-
1988	1,852	14	3	5	10	44	85	153	326	486	485	241	-
1987	1,938	17	3	3	15	34	101	146	375	519	505	220	-
1986	1,966	11	2	2	13	39	97	174	376	555	445	252	-
1985	1,983	26	4	1	17	44	105	198	388	558	441	201	-
1984	2,055	15	2	4	11	39	84	183	434	590	456	237	-
1983	2,076	15	6	6	15	38	90	201	420	563	496	226	-
1982	1,992	12	4	2	13	42	96	175	412	554	458	223	1
1981	2,029	17	2	1	13	42	94	188	442	578	450	201	1
1980	2,017	18	6	3	25	40	83	209	435	547	439	211	1
1979	2,044	20	3	5	24	41	97	225	440	548	422	219	-
Other disorders of circulatory system (451-459)													
White, female													
1998	1,986	18	2	1	6	21	55	102	158	328	612	683	-
1997	1,901	17	4	4	10	31	67	104	174	336	574	580	-
1996	1,969	16	1	4	8	26	68	137	176	331	617	585	-
1995	1,879	19	7	1	12	29	60	107	178	333	551	581	1
1994	1,850	14	3	3	7	28	56	97	155	369	575	543	-
1993	1,864	17	5	4	7	24	83	96	168	355	550	555	-
1992	1,726	12	2	2	6	21	57	93	140	366	508	519	-
1991	1,782	16	5	6	7	34	72	92	172	352	502	524	-
1990	1,867	19	4	2	9	22	49	97	189	376	580	519	1
1989	1,881	7	3	4	13	21	44	76	204	389	602	518	-
1988	1,935	11	-	2	9	29	45	97	212	420	577	533	-
1987	2,043	11	5	6	6	28	54	100	217	476	648	492	-
1986	1,946	11	4	7	10	31	50	113	260	435	581	443	1
1985	2,061	21	2	1	11	31	50	127	250	466	635	467	-
1984	1,960	23	1	2	15	41	51	101	259	420	610	437	-
1983	2,167	13	4	7	15	33	71	127	281	484	630	502	-
1982	1,937	14	4	4	19	35	43	99	261	435	576	446	1
1981	1,969	14	-	6	10	35	54	133	280	472	581	382	2
1980	2,061	24	2	6	24	35	70	130	289	462	587	432	-
1979	1,991	14	4	2	19	31	73	159	239	480	568	402	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other disorders of circulatory system (451-459)													
All other, both sexes													
1998	812	19	3	2	12	40	95	99	117	142	166	117	-
1997	755	17	-	3	15	43	70	99	114	147	153	93	1
1996	690	20	2	-	12	37	83	84	107	140	123	82	-
1995	741	19	2	2	17	35	75	92	120	156	142	81	-
1994	726	16	4	2	8	36	82	100	101	138	149	89	1
1993	670	20	1	-	10	49	78	80	113	119	134	66	-
1992	685	10	3	3	9	51	82	91	110	123	120	83	-
1991	706	16	5	-	14	34	74	83	112	137	153	77	1
1990	727	13	1	3	13	37	74	91	128	154	132	81	-
1989	745	14	1	3	10	29	68	103	119	182	134	82	-
1988	782	12	-	3	14	42	80	107	127	179	134	83	1
1987	842	15	2	1	11	41	90	99	162	176	159	86	-
1986	765	15	1	-	17	53	69	101	162	134	142	70	1
1985	816	21	1	4	10	39	78	91	156	195	147	73	1
1984	738	14	3	2	13	43	76	92	137	152	137	68	1
1983	791	9	-	-	13	56	61	90	176	172	153	61	-
1982	755	13	2	2	17	45	63	95	156	172	126	64	-
1981	704	17	4	2	13	37	63	105	149	161	112	41	-
1980	725	15	-	4	14	36	73	108	143	147	130	54	1
1979	720	13	2	2	14	43	59	91	145	177	137	36	1
Other disorders of circulatory system (451-459)													
All other, male													
1998	344	10	3	-	5	20	43	54	58	65	56	30	-
1997	370	8	-	-	9	24	42	61	61	75	61	29	-
1996	329	12	1	-	6	13	40	51	57	68	53	28	-
1995	364	10	1	1	7	17	37	51	69	79	60	32	-
1994	361	10	3	1	3	24	43	54	48	75	70	29	1
1993	352	11	1	-	4	34	47	47	69	65	57	17	-
1992	337	8	1	2	5	27	46	49	61	54	54	30	-
1991	332	9	3	-	6	16	40	47	63	63	67	17	1
1990	382	6	1	-	5	18	50	56	73	93	51	29	-
1989	369	9	1	2	2	13	37	65	72	94	50	24	-
1988	410	4	-	1	8	24	47	66	74	101	61	24	-
1987	431	9	2	-	7	19	53	64	98	87	64	28	-
1986	411	11	1	-	6	26	41	54	94	77	76	25	-
1985	415	11	1	1	3	22	50	45	96	92	65	29	-
1984	387	5	2	1	7	27	43	61	71	81	64	25	-
1983	430	8	-	-	7	29	40	56	107	90	68	25	-
1982	393	7	2	-	5	19	41	55	101	87	58	18	-
1981	357	5	3	1	4	23	33	63	84	73	55	13	-
1980	388	11	-	3	3	16	41	57	95	72	62	28	-
1979	398	7	1	1	4	27	35	61	84	100	60	17	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other disorders of circulatory system (451-459)													
All other, female													
1998	468	9	-	2	7	20	52	45	59	77	110	87	-
1997	385	9	-	3	6	19	28	38	53	72	92	64	1
1996	361	8	1	-	6	24	43	33	50	72	70	54	-
1995	377	9	1	1	10	18	38	41	51	77	82	49	-
1994	365	6	1	1	5	12	39	46	53	63	79	60	-
1993	318	9	-	-	6	15	31	33	44	54	77	49	-
1992	348	2	2	1	4	24	36	42	49	69	66	53	-
1991	374	7	2	-	8	18	34	36	49	74	86	60	-
1990	345	7	-	3	8	19	24	35	55	61	81	52	-
1989	376	5	-	1	8	16	31	38	47	88	84	58	-
1988	372	8	-	2	6	18	33	41	53	78	73	59	1
1987	411	6	-	1	4	22	37	35	64	89	95	58	-
1986	354	4	-	-	11	27	28	47	68	57	66	45	1
1985	401	10	-	3	7	17	28	46	60	103	82	44	1
1984	351	9	1	1	6	16	33	31	66	71	73	43	1
1983	361	1	-	-	6	27	21	34	69	82	85	36	-
1982	362	6	-	2	12	26	22	40	55	85	68	46	-
1981	347	12	1	1	9	14	30	42	65	88	57	28	-
1980	337	4	-	1	11	20	32	51	48	75	68	26	1
1979	322	6	1	1	10	16	24	30	61	77	77	19	-
Other disorders of circulatory system (451-459)													
Black, both sexes													
1998	745	19	3	2	9	38	91	94	104	131	154	100	-
1997	695	13	-	3	14	42	68	93	107	127	141	86	1
1996	623	17	2	-	12	35	82	78	96	128	99	74	-
1995	672	16	2	2	16	35	69	82	107	141	125	77	-
1994	663	14	4	2	8	33	74	94	91	130	132	80	1
1993	604	18	1	-	10	48	66	76	105	108	117	55	-
1992	630	8	3	3	8	47	77	81	99	114	112	78	-
1991	657	14	4	-	14	33	68	76	105	133	140	69	1
1990	666	13	1	3	11	33	70	82	119	139	120	75	-
1989	695	13	1	2	9	28	65	90	105	176	127	79	-
1988	735	10	-	3	14	41	79	101	120	168	123	75	1
1987	798	14	2	1	11	38	85	92	151	174	147	83	-
1986	719	14	-	-	14	53	64	94	156	123	137	63	1
1985	757	19	1	4	9	37	76	85	141	181	137	66	1
1984	690	12	3	2	12	42	73	88	130	139	126	62	1
1983	742	8	-	-	11	51	60	85	166	161	143	57	-
1982	703	10	2	2	17	39	62	84	151	162	116	58	-
1981	668	16	3	1	11	34	58	100	143	154	110	38	-
1980	687	13	-	3	14	36	70	101	139	133	124	53	1
1979	682	12	2	2	13	42	57	85	138	165	132	33	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other disorders of circulatory system (451-459)													
Black, male													
1998	317	10	3	-	3	19	40	52	52	62	52	24	-
1997	336	7	-	-	9	23	41	56	57	60	56	27	-
1996	293	10	1	-	6	12	39	47	50	61	43	24	-
1995	331	7	1	1	7	17	32	49	63	73	51	30	-
1994	325	9	3	1	3	21	37	52	41	72	62	23	1
1993	314	10	1	-	4	33	41	44	63	55	49	14	-
1992	298	6	1	2	4	25	42	43	52	50	47	26	-
1991	309	7	3	-	6	15	36	44	59	63	61	14	1
1990	348	6	1	-	4	15	46	51	65	86	46	28	-
1989	339	8	1	1	2	13	36	56	63	90	45	24	-
1988	384	4	-	1	8	23	46	62	69	96	53	22	-
1987	404	8	2	-	7	17	51	60	89	85	59	26	-
1986	388	10	-	-	5	26	41	50	91	70	72	23	-
1985	388	10	1	1	3	20	50	42	90	86	60	25	-
1984	358	5	2	1	7	26	40	58	68	73	56	22	-
1983	400	7	-	-	5	28	40	52	101	82	61	24	-
1982	369	6	2	-	5	16	40	50	98	83	53	16	-
1981	338	5	2	-	4	21	31	60	81	69	53	12	-
1980	369	10	-	2	3	16	41	54	92	66	58	27	-
1979	368	7	1	1	3	26	34	56	79	90	56	14	1
Other disorders of circulatory system (451-459)													
Black, female													
1998	428	9	-	2	6	19	51	42	52	69	102	76	-
1997	359	6	-	3	5	19	27	37	50	67	85	59	1
1996	330	7	1	-	6	23	43	31	46	67	56	50	-
1995	341	9	1	1	9	18	37	33	44	68	74	47	-
1994	338	5	1	1	5	12	37	42	50	58	70	57	-
1993	290	8	-	-	6	15	25	32	42	53	68	41	-
1992	332	2	2	1	4	22	35	38	47	64	65	52	-
1991	348	7	1	-	8	18	32	32	46	70	79	55	-
1990	318	7	-	3	7	18	24	31	54	53	74	47	-
1989	356	5	-	1	7	15	29	34	42	86	82	55	-
1988	351	6	-	2	6	18	33	39	51	72	70	53	1
1987	394	6	-	1	4	21	34	32	62	89	88	57	-
1986	331	4	-	-	9	27	23	44	65	53	65	40	1
1985	369	9	-	3	6	17	26	43	51	95	77	41	1
1984	332	7	1	1	5	16	33	30	62	66	70	40	1
1983	342	1	-	-	6	23	20	33	65	79	82	33	-
1982	334	4	-	2	12	23	22	34	53	79	63	42	-
1981	330	11	1	1	7	13	27	40	62	85	57	26	-
1980	318	3	-	1	11	20	29	47	47	67	66	26	1
1979	314	5	1	1	10	16	23	29	59	75	76	19	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Influenza and pneumonia (480-487)													
All races, both sexes													
1998	91,871	441	146	121	215	531	1,400	2,167	3,856	11,005	28,857	43,127	5
1997	86,449	421	180	141	220	534	1,394	2,233	3,759	10,535	27,358	39,668	6
1996	83,727	496	168	136	203	568	1,461	2,093	3,613	10,597	26,355	38,027	10
1995	82,923	492	156	128	207	622	1,480	2,079	3,458	10,737	25,985	37,575	4
1994	81,473	559	178	103	221	647	1,508	1,985	3,505	10,602	25,760	36,400	5
1993	82,820	530	182	135	251	724	1,551	1,879	3,704	10,823	25,859	37,171	11
1992	75,719	600	188	104	229	654	1,350	1,645	3,453	10,212	23,981	33,296	7
1991	77,860	607	207	135	256	759	1,444	1,738	3,738	10,223	24,595	34,144	14
1990	79,513	634	171	134	231	762	1,416	1,751	3,922	10,665	25,377	34,443	7
1989	76,550	636	228	122	271	881	1,415	1,707	3,880	10,418	24,022	32,955	15
1988	77,662	641	186	127	266	845	1,348	1,771	4,124	10,713	24,481	33,149	11
1987	69,225	674	199	94	268	759	1,177	1,626	3,879	10,026	21,777	28,739	7
1986	69,812	663	199	147	276	736	1,200	1,600	4,144	10,154	21,995	28,652	46
1985	67,615	705	219	130	251	630	1,047	1,623	4,130	9,828	21,296	27,705	51
1984	58,894	685	211	171	251	650	923	1,489	3,751	8,978	18,595	23,176	14
1983	55,854	769	232	130	270	577	816	1,498	3,743	8,438	17,293	22,073	15
1982	48,886	756	230	142	310	551	775	1,461	3,616	7,677	15,127	18,225	16
1981	53,731	809	240	161	327	571	864	1,677	4,033	8,349	16,751	19,935	14
1980	54,619	1,012	267	194	348	563	904	1,760	4,044	8,668	17,003	19,841	15
1979	45,030	1,129	258	212	341	524	813	1,634	3,511	7,337	13,995	15,266	10
Influenza and pneumonia (480-487)													
All races, male													
1998	40,979	239	73	57	109	308	810	1,302	2,287	6,376	14,542	14,872	4
1997	39,284	257	89	71	119	313	851	1,375	2,194	6,147	13,960	13,904	4
1996	37,991	299	91	69	106	317	916	1,302	2,164	6,165	13,360	13,196	6
1995	37,787	280	69	58	119	377	925	1,318	2,082	6,258	13,215	13,084	2
1994	37,339	339	98	58	115	417	924	1,254	2,115	6,187	12,946	12,885	1
1993	37,996	310	93	72	127	422	1,012	1,160	2,228	6,429	13,232	12,903	8
1992	35,465	356	95	54	126	411	880	1,059	2,106	6,022	12,442	11,910	4
1991	36,214	328	125	69	151	489	946	1,066	2,320	5,942	12,710	12,058	10
1990	36,898	365	88	71	119	485	950	1,114	2,447	6,359	12,939	11,958	3
1989	35,701	383	119	64	147	523	931	1,091	2,460	6,359	12,080	11,533	11
1988	36,834	381	91	75	144	520	894	1,172	2,587	6,550	12,631	11,783	6
1987	33,562	381	109	45	149	499	799	1,056	2,458	6,206	11,288	10,567	5
1986	34,203	387	110	71	165	453	786	1,018	2,665	6,247	11,588	10,697	16
1985	33,159	412	111	64	150	399	674	1,038	2,684	6,121	11,131	10,352	23
1984	29,440	400	105	85	145	405	594	962	2,487	5,582	9,815	8,849	11
1983	28,007	442	124	65	148	360	528	959	2,467	5,300	9,094	8,511	9
1982	25,325	425	128	83	183	343	485	956	2,345	4,823	8,186	7,363	5
1981	27,059	468	136	80	195	337	550	1,047	2,630	5,136	8,769	7,699	12
1980	27,574	598	144	96	171	332	562	1,164	2,603	5,346	8,743	7,806	9
1979	23,725	628	138	110	190	321	520	1,079	2,296	4,724	7,402	6,307	10

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Influenza and pneumonia (480-487)													
All races, female													
1998	50,892	202	73	64	106	223	590	865	1,569	4,629	14,315	28,255	1
1997	47,165	164	91	70	101	221	543	858	1,565	4,388	13,398	25,764	2
1996	45,736	197	77	67	97	251	545	791	1,449	4,432	12,995	24,831	4
1995	45,136	212	87	70	88	245	555	761	1,376	4,479	12,770	24,491	2
1994	44,134	220	80	45	106	230	584	731	1,390	4,415	12,814	23,515	4
1993	44,824	220	89	63	124	302	539	719	1,476	4,394	12,627	24,268	3
1992	40,254	244	93	50	103	243	470	586	1,347	4,190	11,539	21,386	3
1991	41,646	279	82	66	105	270	498	672	1,418	4,281	11,885	22,086	4
1990	42,615	269	83	63	112	277	466	637	1,475	4,306	12,438	22,485	4
1989	40,849	253	109	58	124	358	484	616	1,420	4,059	11,942	21,422	4
1988	40,828	260	95	52	122	325	454	599	1,537	4,163	11,850	21,366	5
1987	35,663	293	90	49	119	260	378	570	1,421	3,820	10,489	18,172	2
1986	35,609	276	89	76	111	283	414	582	1,479	3,907	10,407	17,955	30
1985	34,456	293	108	66	101	231	373	585	1,446	3,707	10,165	17,353	28
1984	29,454	285	106	86	106	245	329	527	1,264	3,396	8,780	14,327	3
1983	27,847	327	108	65	122	217	288	539	1,276	3,138	8,199	13,562	6
1982	23,561	331	102	59	127	208	290	505	1,271	2,854	6,941	10,862	11
1981	26,672	341	104	81	132	234	314	630	1,403	3,213	7,982	12,236	2
1980	27,045	414	123	98	177	231	342	596	1,441	3,322	8,260	12,035	6
1979	21,305	501	120	102	151	203	293	555	1,215	2,613	6,593	8,959	-
Influenza and pneumonia (480-487)													
White, both sexes													
1998	81,659	255	98	89	139	341	929	1,570	3,034	9,362	25,926	39,915	1
1997	76,875	264	120	105	154	337	958	1,591	2,926	8,971	24,681	36,766	2
1996	74,194	310	109	101	134	374	940	1,489	2,778	8,989	23,761	35,202	7
1995	73,641	302	89	89	153	412	986	1,468	2,680	9,147	23,453	34,858	4
1994	72,605	342	118	73	160	414	956	1,425	2,775	9,100	23,384	33,855	3
1993	73,720	323	117	109	168	472	1,010	1,354	2,901	9,227	23,378	34,657	4
1992	67,456	357	116	80	164	409	841	1,179	2,705	8,732	21,821	31,048	4
1991	69,276	346	134	112	185	491	893	1,209	2,960	8,799	22,282	31,854	11
1990	70,806	375	118	100	154	444	864	1,241	3,073	9,156	23,043	32,233	5
1989	67,853	396	137	95	185	527	830	1,158	3,041	8,894	21,763	30,815	12
1988	69,570	387	134	95	183	509	846	1,181	3,233	9,249	22,433	31,310	10
1987	61,811	412	135	70	191	457	706	1,112	3,076	8,740	19,889	27,021	2
1986	62,323	421	133	117	205	473	712	1,118	3,306	8,797	20,061	26,943	37
1985	60,508	443	149	91	200	390	640	1,138	3,286	8,532	19,418	26,181	40
1984	52,514	441	135	144	182	388	561	1,015	3,005	7,755	16,975	21,902	11
1983	49,996	465	161	100	213	347	519	1,067	2,991	7,317	15,862	20,947	7
1982	43,515	458	150	103	224	333	479	1,007	2,875	6,651	13,951	17,272	12
1981	47,919	507	167	137	258	385	499	1,157	3,195	7,229	15,441	18,937	7
1980	48,369	593	195	151	246	372	577	1,212	3,222	7,454	15,583	18,751	13
1979	39,803	703	172	170	260	330	481	1,146	2,805	6,346	12,911	14,472	7

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Influenza and pneumonia (480-487)													
White, male													
1998	35,795	138	52	43	79	198	524	928	1,778	5,374	13,021	13,659	1
1997	34,386	168	56	54	86	206	583	958	1,687	5,253	12,560	12,773	2
1996	32,924	190	54	50	73	199	586	903	1,633	5,199	11,970	12,062	5
1995	32,948	170	41	40	96	245	622	910	1,601	5,310	11,905	12,006	2
1994	32,658	203	66	38	85	280	594	881	1,653	5,321	11,662	11,874	1
1993	33,151	186	61	56	85	288	664	809	1,729	5,474	11,889	11,907	3
1992	30,951	218	56	38	93	259	542	737	1,608	5,132	11,258	11,008	2
1991	31,589	196	79	60	109	318	598	731	1,822	5,105	11,448	11,116	7
1990	32,101	214	62	51	85	282	574	760	1,919	5,424	11,659	11,070	1
1989	30,892	246	70	50	101	328	538	707	1,907	5,380	10,888	10,668	9
1988	32,262	239	66	57	99	318	557	747	2,000	5,657	11,499	11,018	5
1987	29,284	235	73	31	109	305	475	707	1,920	5,382	10,224	9,823	-
1986	29,891	251	77	60	122	300	454	703	2,119	5,390	10,502	9,903	10
1985	29,028	256	74	44	125	246	395	706	2,123	5,272	10,095	9,677	15
1984	25,677	254	72	71	112	253	351	619	1,964	4,803	8,893	8,276	9
1983	24,463	258	87	48	122	207	312	668	1,950	4,562	8,243	8,002	4
1982	22,100	263	85	61	134	208	281	635	1,850	4,146	7,525	6,909	3
1981	23,531	296	92	68	154	227	301	679	2,054	4,399	8,032	7,224	5
1980	23,810	350	108	76	117	206	344	778	2,037	4,568	7,938	7,280	8
1979	20,544	394	93	89	150	212	288	735	1,813	4,089	6,757	5,917	7
Influenza and pneumonia (480-487)													
White, female													
1998	45,864	117	46	46	60	143	405	642	1,256	3,988	12,905	26,256	-
1997	42,489	96	64	51	68	131	375	633	1,239	3,718	12,121	23,993	-
1996	41,270	120	55	51	61	175	354	586	1,145	3,790	11,791	23,140	2
1995	40,693	132	48	49	57	167	364	558	1,079	3,837	11,548	22,852	2
1994	39,947	139	52	35	75	134	362	544	1,122	3,779	11,722	21,981	2
1993	40,569	137	56	53	83	184	346	545	1,172	3,753	11,489	22,750	1
1992	36,505	139	60	42	71	150	299	442	1,097	3,600	10,563	20,040	2
1991	37,687	150	55	52	76	173	295	478	1,138	3,694	10,834	20,738	4
1990	38,705	161	56	49	69	162	290	481	1,154	3,732	11,384	21,163	4
1989	36,961	150	67	45	84	199	292	451	1,134	3,514	10,875	20,147	3
1988	37,308	148	68	38	84	191	289	434	1,233	3,592	10,934	20,292	5
1987	32,527	177	62	39	82	152	231	405	1,156	3,358	9,665	17,198	2
1986	32,432	170	56	57	83	173	258	415	1,187	3,407	9,559	17,040	27
1985	31,480	187	75	47	75	144	245	432	1,163	3,260	9,323	16,504	25
1984	26,837	187	63	73	70	135	210	396	1,041	2,952	8,082	13,626	2
1983	25,533	207	74	52	91	140	207	399	1,041	2,755	7,619	12,945	3
1982	21,415	195	65	42	90	125	198	372	1,025	2,505	6,426	10,363	9
1981	24,388	211	75	69	104	158	198	478	1,141	2,830	7,409	11,713	2
1980	24,559	243	87	75	129	166	233	434	1,185	2,886	7,645	11,471	5
1979	19,259	309	79	81	110	118	193	411	992	2,257	6,154	8,555	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Influenza and pneumonia (480-487)													
All other, both sexes													
1998	10,212	186	48	32	76	190	471	597	822	1,643	2,931	3,212	4
1997	9,574	157	60	36	66	197	436	642	833	1,564	2,677	2,902	4
1996	9,533	186	59	35	69	194	521	604	835	1,608	2,594	2,825	3
1995	9,282	190	67	39	54	210	494	611	778	1,590	2,532	2,717	-
1994	8,868	217	60	30	61	233	552	560	730	1,502	2,376	2,545	2
1993	9,100	207	65	26	83	252	541	525	803	1,596	2,481	2,514	7
1992	8,263	243	72	24	65	245	509	466	748	1,480	2,160	2,248	3
1991	8,584	261	73	23	71	268	551	529	778	1,424	2,313	2,290	3
1990	8,707	259	53	34	77	318	552	510	849	1,509	2,334	2,210	2
1989	8,697	240	91	27	86	354	585	549	839	1,524	2,259	2,140	3
1988	8,092	254	52	32	83	336	502	590	891	1,464	2,048	1,839	1
1987	7,414	262	64	24	77	302	471	514	803	1,286	1,888	1,718	5
1986	7,489	242	66	30	71	263	488	482	838	1,357	1,934	1,709	9
1985	7,107	262	70	39	51	240	407	485	844	1,296	1,878	1,524	11
1984	6,380	244	76	27	69	262	362	474	746	1,223	1,620	1,274	3
1983	5,858	304	71	30	57	230	297	431	752	1,121	1,431	1,126	8
1982	5,371	298	80	39	86	218	296	454	741	1,026	1,176	953	4
1981	5,812	302	73	24	69	186	365	520	838	1,120	1,310	998	7
1980	6,250	419	72	43	102	191	327	548	822	1,214	1,420	1,090	2
1979	5,227	426	86	42	81	194	332	488	706	991	1,084	794	3
Influenza and pneumonia (480-487)													
All other, male													
1998	5,184	101	21	14	30	110	286	374	509	1,002	1,521	1,213	3
1997	4,898	89	33	17	33	107	268	417	507	894	1,400	1,131	2
1996	5,067	109	37	19	33	118	330	399	531	966	1,390	1,134	1
1995	4,839	110	28	18	23	132	303	408	481	948	1,310	1,078	-
1994	4,681	136	32	20	30	137	330	373	462	866	1,284	1,011	-
1993	4,845	124	32	16	42	134	348	351	499	955	1,343	996	5
1992	4,514	138	39	16	33	152	338	322	498	890	1,184	902	2
1991	4,625	132	46	9	42	171	348	335	498	837	1,262	942	3
1990	4,797	151	26	20	34	203	376	354	528	935	1,280	888	2
1989	4,809	137	49	14	46	195	393	384	553	979	1,192	865	2
1988	4,572	142	25	18	45	202	337	425	587	893	1,132	765	1
1987	4,278	146	36	14	40	194	324	349	538	824	1,064	744	5
1986	4,312	136	33	11	43	153	332	315	546	857	1,086	794	6
1985	4,131	156	37	20	25	153	279	332	561	849	1,036	675	8
1984	3,763	146	33	14	33	152	243	343	523	779	922	573	2
1983	3,544	184	37	17	26	153	216	291	517	738	851	509	5
1982	3,225	162	43	22	49	135	204	321	495	677	661	454	2
1981	3,528	172	44	12	41	110	249	368	576	737	737	475	7
1980	3,764	248	36	20	54	126	218	386	566	778	805	526	1
1979	3,181	234	45	21	40	109	232	344	483	635	645	390	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Influenza and pneumonia (480-487)													
All other, female													
1998	5,028	85	27	18	46	80	185	223	313	641	1,410	1,999	1
1997	4,676	68	27	19	33	90	168	225	326	670	1,277	1,771	2
1996	4,466	77	22	16	36	76	191	205	304	642	1,204	1,691	2
1995	4,443	80	39	21	31	78	191	203	297	642	1,222	1,639	-
1994	4,187	81	28	10	31	96	222	187	268	636	1,092	1,534	2
1993	4,255	83	33	10	41	118	193	174	304	641	1,138	1,518	2
1992	3,749	105	33	8	32	93	171	144	250	590	976	1,346	1
1991	3,959	129	27	14	29	97	203	194	280	587	1,051	1,348	-
1990	3,910	108	27	14	43	115	176	156	321	574	1,054	1,322	-
1989	3,888	103	42	13	40	159	192	165	286	545	1,067	1,275	1
1988	3,520	112	27	14	38	134	165	165	304	571	916	1,074	-
1987	3,136	116	28	10	37	108	147	165	265	462	824	974	-
1986	3,177	106	33	19	28	110	156	167	292	500	848	915	3
1985	2,976	106	33	19	26	87	128	153	283	447	842	849	3
1984	2,617	98	43	13	36	110	119	131	223	444	698	701	1
1983	2,314	120	34	13	31	77	81	140	235	383	580	617	3
1982	2,146	136	37	17	37	83	92	133	246	349	515	499	2
1981	2,284	130	29	12	28	76	116	152	262	383	573	523	-
1980	2,486	171	36	23	48	65	109	162	256	436	615	564	1
1979	2,046	192	41	21	41	85	100	144	223	356	439	404	-
Influenza and pneumonia (480-487)													
Black, both sexes													
1998	8,326	148	44	28	62	161	432	538	728	1,353	2,345	2,483	4
1997	7,920	141	50	32	56	177	404	563	721	1,302	2,154	2,316	4
1996	7,963	159	53	27	64	172	479	544	743	1,356	2,084	2,279	3
1995	7,803	166	58	36	47	192	455	550	694	1,362	2,082	2,161	-
1994	7,472	189	48	26	48	207	509	524	649	1,270	1,953	2,047	2
1993	7,724	176	54	20	75	234	500	488	725	1,352	2,050	2,043	7
1992	7,074	216	56	19	57	230	475	422	658	1,281	1,824	1,833	3
1991	7,372	234	68	23	66	251	518	489	692	1,245	1,943	1,840	3
1990	7,563	235	40	28	69	295	519	470	772	1,360	1,971	1,802	2
1989	7,585	210	75	25	80	344	556	502	755	1,360	1,917	1,758	3
1988	7,191	224	45	26	75	332	481	548	814	1,302	1,785	1,558	1
1987	6,565	227	52	21	71	293	449	473	733	1,170	1,652	1,419	5
1986	6,700	223	57	26	66	252	461	452	790	1,245	1,689	1,433	6
1985	6,338	237	63	36	49	225	382	459	792	1,167	1,644	1,274	10
1984	5,669	220	68	23	62	253	340	445	686	1,106	1,409	1,054	3
1983	5,234	279	62	26	52	218	274	413	700	1,014	1,254	935	7
1982	4,799	268	71	30	74	206	279	431	692	928	1,030	786	4
1981	5,276	274	62	20	64	177	351	496	795	1,029	1,157	844	7
1980	5,648	391	64	41	94	175	308	513	785	1,118	1,237	920	2
1979	4,740	395	83	39	71	178	311	466	664	910	943	678	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Influenza and pneumonia (480-487)													
Black, male													
1998	4,178	83	20	14	23	90	264	339	459	826	1,194	863	3
1997	3,978	75	28	15	28	94	247	369	443	736	1,092	849	2
1996	4,170	89	34	16	31	103	307	363	469	808	1,087	862	1
1995	4,019	96	22	16	18	123	281	372	432	806	1,045	808	-
1994	3,899	119	26	19	25	121	298	348	410	732	1,026	775	-
1993	4,051	105	27	11	37	129	322	331	456	798	1,080	750	5
1992	3,822	124	31	11	29	142	315	291	443	774	971	689	2
1991	3,938	117	42	9	39	161	329	314	451	721	1,022	730	3
1990	4,161	136	20	16	32	190	357	329	484	845	1,051	699	2
1989	4,168	121	40	13	43	191	373	353	510	879	978	665	2
1988	4,047	123	23	16	42	201	327	401	538	792	966	617	1
1987	3,795	127	29	11	37	188	310	325	495	745	914	609	5
1986	3,836	123	31	10	39	142	313	296	516	793	920	648	5
1985	3,664	141	34	18	23	143	266	317	523	763	873	555	8
1984	3,336	131	31	12	30	147	228	325	480	700	782	468	2
1983	3,190	172	32	15	23	148	199	284	485	666	732	430	4
1982	2,884	148	37	17	41	127	198	310	463	611	570	360	2
1981	3,201	155	37	8	37	105	242	353	552	672	642	391	7
1980	3,386	231	34	18	48	114	203	369	539	714	682	433	1
1979	2,884	218	44	19	35	100	222	328	453	576	556	331	2
Influenza and pneumonia (480-487)													
Black, female													
1998	4,148	65	24	14	39	71	168	199	269	527	1,151	1,620	1
1997	3,942	66	22	17	28	83	157	194	278	566	1,062	1,467	2
1996	3,793	70	19	11	33	69	172	181	274	548	997	1,417	2
1995	3,784	70	36	20	29	69	174	178	262	556	1,037	1,353	-
1994	3,573	70	22	7	23	86	211	176	239	538	927	1,272	2
1993	3,673	71	27	9	38	105	178	157	269	554	970	1,293	2
1992	3,252	92	25	8	28	88	160	131	215	507	853	1,144	1
1991	3,434	117	26	14	27	90	189	175	241	524	921	1,110	-
1990	3,402	99	20	12	37	105	162	141	288	515	920	1,103	-
1989	3,417	89	35	12	37	153	183	149	245	481	939	1,093	1
1988	3,144	101	22	10	33	131	154	147	276	510	819	941	-
1987	2,770	100	23	10	34	105	139	148	238	425	738	810	-
1986	2,864	100	26	16	27	110	148	156	274	452	769	785	1
1985	2,674	96	29	18	26	82	116	142	269	404	771	719	2
1984	2,333	89	37	11	32	106	112	120	206	406	627	586	1
1983	2,044	107	30	11	29	70	75	129	215	348	522	505	3
1982	1,915	120	34	13	33	79	81	121	229	317	460	426	2
1981	2,075	119	25	12	27	72	109	143	243	357	515	453	-
1980	2,262	160	30	23	46	61	105	144	246	404	555	487	1
1979	1,856	177	39	20	36	78	89	138	211	334	387	347	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Influenza (487)													
All races, both sexes													
1998	1,724	6	3	14	10	1	17	21	61	152	513	926	-
1997	720	12	10	13	4	7	18	18	31	78	162	367	-
1996	745	15	3	8	8	8	14	21	38	84	183	363	-
1995	606	7	7	7	6	1	14	18	31	80	135	300	-
1994	1,229	6	7	3	5	8	20	32	60	147	343	598	-
1993	1,044	10	14	13	8	8	19	22	46	114	258	532	-
1992	1,006	8	6	5	8	7	19	18	44	120	279	492	-
1991	1,137	16	15	11	10	15	21	26	54	137	291	541	-
1990	2,098	7	10	12	5	6	14	34	96	246	624	1,044	-
1989	1,593	12	8	14	16	15	31	31	72	172	431	791	-
1988	1,943	6	9	5	8	11	16	32	59	192	566	1,039	-
1987	632	8	6	1	6	8	16	17	37	64	155	314	-
1986	1,838	7	8	14	9	12	23	36	57	209	544	919	-
1985	2,054	7	6	7	7	8	15	31	90	214	598	1,068	3
1984	1,096	5	5	11	11	14	12	16	49	126	343	503	1
1983	1,431	6	8	3	7	9	14	19	67	183	400	715	-
1982	727	8	4	5	4	7	13	15	40	86	197	348	-
1981	3,006	13	8	12	18	31	19	48	147	399	939	1,372	-
1980	2,702	12	12	10	12	13	29	33	111	321	861	1,288	-
1979	604	9	8	8	9	8	6	10	28	84	169	265	-
Influenza (487)													
All races, male													
1998	584	2	2	6	4	-	5	13	25	71	226	230	-
1997	271	7	5	6	2	4	12	7	19	41	67	101	-
1996	269	9	1	4	5	2	3	13	18	38	79	97	-
1995	222	5	4	5	2	1	3	9	13	35	61	84	-
1994	426	4	2	1	3	5	8	17	27	58	137	164	-
1993	389	6	7	8	5	3	12	15	18	56	133	126	-
1992	338	6	2	1	4	4	13	9	15	51	104	129	-
1991	433	12	9	4	5	11	12	15	29	60	112	164	-
1990	799	5	2	8	3	2	4	16	55	122	270	312	-
1989	550	6	2	7	7	4	14	19	35	88	168	200	-
1988	673	3	7	2	5	5	6	18	27	97	228	275	-
1987	252	7	2	-	3	3	12	13	16	39	67	90	-
1986	676	5	5	9	4	5	5	22	35	113	241	232	-
1985	737	3	3	4	5	6	10	14	39	96	254	303	-
1984	416	1	2	6	8	9	8	7	28	49	149	149	-
1983	543	3	5	1	1	3	4	7	38	88	164	229	-
1982	295	3	3	3	1	2	7	10	22	43	92	109	-
1981	1,105	9	3	6	14	14	7	19	69	182	390	392	-
1980	993	7	6	7	9	6	13	14	58	166	329	378	-
1979	232	4	5	6	5	7	4	4	10	48	70	69	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Influenza (487)													
All races, female													
1998	1,140	4	1	8	6	1	12	8	36	81	287	696	-
1997	449	5	5	7	2	3	6	11	12	37	95	266	-
1996	476	6	2	4	3	6	11	8	20	46	104	266	-
1995	384	2	3	2	4	-	11	9	18	45	74	216	-
1994	803	2	5	2	2	3	12	15	33	89	206	434	-
1993	655	4	7	5	3	5	7	7	28	58	125	406	-
1992	668	2	4	4	4	3	6	9	29	69	175	363	-
1991	704	4	6	7	5	4	9	11	25	77	179	377	-
1990	1,299	2	8	4	2	4	10	18	41	124	354	732	-
1989	1,043	6	6	7	9	11	17	12	37	84	263	591	-
1988	1,270	3	2	3	3	6	10	14	32	95	338	764	-
1987	380	1	4	1	3	5	4	4	21	25	88	224	-
1986	1,162	2	3	5	5	7	18	14	22	96	303	687	-
1985	1,317	4	3	3	2	2	5	17	51	118	344	765	3
1984	680	4	3	5	3	5	4	9	21	77	194	354	1
1983	888	3	3	2	6	6	10	12	29	95	236	486	-
1982	432	5	1	2	3	5	6	5	18	43	105	239	-
1981	1,901	4	5	6	4	17	12	29	78	217	549	980	-
1980	1,709	5	6	3	3	7	16	19	53	155	532	910	-
1979	372	5	3	2	4	1	2	6	18	36	99	196	-
Influenza (487)													
White, both sexes													
1998	1,667	4	2	12	8	1	16	19	56	145	499	905	-
1997	681	10	8	11	3	5	13	15	25	74	155	362	-
1996	695	10	3	7	5	6	12	18	33	78	172	351	-
1995	566	3	7	5	5	1	11	16	27	75	127	289	-
1994	1,177	3	7	3	4	8	19	30	54	132	335	582	-
1993	992	6	12	11	7	7	18	20	41	104	249	517	-
1992	954	7	5	5	8	5	14	14	40	107	271	478	-
1991	1,069	12	12	7	8	13	15	22	53	130	275	522	-
1990	1,999	7	8	9	3	4	12	28	86	230	598	1,014	-
1989	1,509	10	7	12	16	12	27	26	68	156	415	760	-
1988	1,865	3	6	5	8	5	13	28	54	177	549	1,017	-
1987	595	5	6	1	5	8	16	16	33	58	149	298	-
1986	1,754	6	5	13	6	8	20	33	51	197	517	898	-
1985	1,947	4	4	6	7	7	12	25	77	192	570	1,040	3
1984	1,041	2	3	9	11	14	8	16	43	120	323	491	1
1983	1,380	5	6	1	6	7	12	17	62	174	386	704	-
1982	686	5	3	4	4	7	11	11	34	81	185	341	-
1981	2,840	9	5	11	15	25	15	41	127	366	888	1,338	-
1980	2,595	7	11	9	6	12	26	25	101	306	836	1,256	-
1979	550	4	8	7	9	7	2	9	25	69	157	253	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Influenza (487)													
White, male													
1998	560	1	1	6	3	-	4	12	23	68	220	222	-
1997	251	6	3	5	2	3	8	6	14	39	65	100	-
1996	246	6	1	4	4	2	2	11	14	36	75	91	-
1995	206	2	4	4	1	1	3	9	12	31	57	82	-
1994	406	2	2	1	2	5	7	17	24	54	133	159	-
1993	366	4	6	7	4	3	11	15	17	52	127	120	-
1992	314	6	2	1	4	3	9	7	13	44	100	125	-
1991	402	9	8	2	4	9	9	12	28	56	106	159	-
1990	751	5	1	6	2	1	3	12	51	111	255	304	-
1989	513	5	1	6	7	3	13	16	32	78	162	190	-
1988	640	2	4	2	5	1	5	14	26	92	218	271	-
1987	236	4	2	-	2	3	12	12	15	36	64	86	-
1986	644	5	3	8	3	4	5	21	31	107	230	227	-
1985	681	1	2	4	5	5	8	11	32	85	238	290	-
1984	388	1	1	5	8	9	7	7	25	46	138	141	-
1983	520	2	4	-	1	2	4	6	35	84	157	225	-
1982	273	3	2	3	1	2	6	8	19	40	84	105	-
1981	1,033	6	2	5	11	11	5	16	61	164	373	379	-
1980	951	4	6	7	3	5	12	9	55	157	321	372	-
1979	204	2	5	5	5	6	2	3	9	39	63	65	-
Influenza (487)													
White, female													
1998	1,107	3	1	6	5	1	12	7	33	77	279	683	-
1997	430	4	5	6	1	2	5	9	11	35	90	262	-
1996	449	4	2	3	1	4	10	7	19	42	97	260	-
1995	360	1	3	1	4	-	8	7	15	44	70	207	-
1994	771	1	5	2	2	3	12	13	30	78	202	423	-
1993	626	2	6	4	3	4	7	5	24	52	122	397	-
1992	640	1	3	4	4	2	5	7	27	63	171	353	-
1991	667	3	4	5	4	4	6	10	25	74	169	363	-
1990	1,248	2	7	3	1	3	9	16	35	119	343	710	-
1989	996	5	6	6	9	9	14	10	36	78	253	570	-
1988	1,225	1	2	3	3	4	8	14	28	85	331	746	-
1987	359	1	4	1	3	5	4	4	18	22	85	212	-
1986	1,110	1	2	5	3	4	15	12	20	90	287	671	-
1985	1,266	3	2	2	2	2	4	14	45	107	332	750	3
1984	653	1	2	4	3	5	1	9	18	74	185	350	1
1983	860	3	2	1	5	5	8	11	27	90	229	479	-
1982	413	2	1	1	3	5	5	3	15	41	101	236	-
1981	1,807	3	3	6	4	14	10	25	66	202	515	959	-
1980	1,644	3	5	2	3	7	14	16	46	149	515	884	-
1979	346	2	3	2	4	1	-	6	16	30	94	188	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Influenza (487)													
All other, both sexes													
1998	57	2	1	2	2	-	1	2	5	7	14	21	-
1997	39	2	2	2	1	2	5	3	6	4	7	5	-
1996	50	5	-	1	3	2	2	3	5	6	11	12	-
1995	40	4	-	2	1	-	3	2	4	5	8	11	-
1994	52	3	-	-	1	-	1	2	6	15	8	16	-
1993	52	4	2	2	1	1	1	2	5	10	9	15	-
1992	52	1	1	-	-	2	5	4	4	13	8	14	-
1991	68	4	3	4	2	2	6	4	1	7	16	19	-
1990	99	-	2	3	2	2	2	6	10	16	26	30	-
1989	84	2	1	2	-	3	4	5	4	16	16	31	-
1988	78	3	3	-	-	6	3	4	5	15	17	22	-
1987	37	3	-	-	1	-	-	1	4	6	6	16	-
1986	84	1	3	1	3	4	3	3	6	12	27	21	-
1985	107	3	2	1	-	1	3	6	13	22	28	28	-
1984	55	3	2	2	-	-	4	-	6	6	20	12	-
1983	51	1	2	2	1	2	2	2	5	9	14	11	-
1982	41	3	1	1	-	-	2	4	6	5	12	7	-
1981	166	4	3	1	3	6	4	7	20	33	51	34	-
1980	107	5	1	1	6	1	3	8	10	15	25	32	-
1979	54	5	-	1	-	1	4	1	3	15	12	12	-
Influenza (487)													
All other, male													
1998	24	1	1	-	1	-	1	1	2	3	6	8	-
1997	20	1	2	1	-	1	4	1	5	2	2	1	-
1996	23	3	-	-	1	-	1	2	4	2	4	6	-
1995	16	3	-	1	1	-	-	-	1	4	4	2	-
1994	20	2	-	-	1	-	1	-	3	4	4	5	-
1993	23	2	1	1	1	-	1	-	1	4	6	6	-
1992	24	-	-	-	-	1	4	2	2	7	4	4	-
1991	31	3	1	2	1	2	3	3	1	4	6	5	-
1990	48	-	1	2	1	1	1	4	4	11	15	8	-
1989	37	1	1	1	-	1	1	3	3	10	6	10	-
1988	33	1	3	-	-	4	1	4	1	5	10	4	-
1987	16	3	-	-	1	-	-	1	1	3	3	4	-
1986	32	-	2	1	1	1	-	1	4	6	11	5	-
1985	56	2	1	-	-	1	2	3	7	11	16	13	-
1984	28	-	1	1	-	-	1	-	3	3	11	8	-
1983	23	1	1	1	-	1	-	1	3	4	7	4	-
1982	22	-	1	-	-	-	1	2	3	3	8	4	-
1981	72	3	1	1	3	3	2	3	8	18	17	13	-
1980	42	3	-	-	6	1	1	5	3	9	8	6	-
1979	28	2	-	1	-	1	2	1	1	9	7	4	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Influenza (487)													
All other, female													
1998	33	1	-	2	1	-	-	1	3	4	8	13	-
1997	19	1	-	1	1	1	1	2	1	2	5	4	-
1996	27	2	-	1	2	2	1	1	1	4	7	6	-
1995	24	1	-	1	-	-	3	2	3	1	4	9	-
1994	32	1	-	-	-	-	-	2	3	11	4	11	-
1993	29	2	1	1	-	1	-	2	4	6	3	9	-
1992	28	1	1	-	-	1	1	2	2	6	4	10	-
1991	37	1	2	2	1	-	3	1	-	3	10	14	-
1990	51	-	1	1	1	1	1	2	6	5	11	22	-
1989	47	1	-	1	-	2	3	2	1	6	10	21	-
1988	45	2	-	-	-	2	2	-	4	10	7	18	-
1987	21	-	-	-	-	-	-	-	3	3	3	12	-
1986	52	1	1	-	2	3	3	2	2	6	16	16	-
1985	51	1	1	1	-	-	1	3	6	11	12	15	-
1984	27	3	1	1	-	-	3	-	3	3	9	4	-
1983	28	-	1	1	1	1	2	1	2	5	7	7	-
1982	19	3	-	1	-	-	1	2	3	2	4	3	-
1981	94	1	2	-	-	3	2	4	12	15	34	21	-
1980	65	2	1	1	-	-	2	3	7	6	17	26	-
1979	26	3	-	-	-	-	2	-	2	6	5	8	-
Influenza (487)													
Black, both sexes													
1998	33	1	1	1	2	-	1	1	3	5	7	11	-
1997	26	2	2	-	-	2	4	1	3	4	5	3	-
1996	34	3	-	-	2	1	2	2	4	5	5	10	-
1995	31	3	-	2	1	-	3	2	4	4	5	7	-
1994	39	3	-	-	-	-	1	2	4	12	7	10	-
1993	47	3	2	2	1	1	1	2	5	7	9	14	-
1992	40	-	-	-	-	2	5	4	3	10	5	11	-
1991	52	4	1	4	2	-	4	4	1	5	13	14	-
1990	90	-	2	3	2	2	2	4	9	14	26	26	-
1989	64	2	1	2	-	2	3	5	3	11	12	23	-
1988	69	2	3	-	-	6	3	4	4	13	15	19	-
1987	22	1	-	-	1	-	-	1	4	5	4	6	-
1986	69	1	2	1	2	4	3	3	6	9	22	16	-
1985	91	2	2	1	-	1	3	5	13	19	25	20	-
1984	43	2	2	1	-	-	3	-	6	5	16	8	-
1983	40	1	2	2	1	2	2	2	2	8	10	8	-
1982	27	2	-	1	-	-	2	3	5	3	8	3	-
1981	146	2	3	1	3	5	4	6	19	31	44	28	-
1980	88	5	1	1	5	1	3	6	9	14	21	22	-
1979	43	4	-	1	-	1	4	1	2	13	9	8	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Influenza (487)													
Black, male													
1998	13	1	1	-	1	-	1	1	2	2	2	2	-
1997	13	1	2	-	-	1	3	1	2	2	1	-	-
1996	14	1	-	-	1	-	1	2	3	1	1	4	-
1995	11	2	-	1	1	-	-	-	1	3	3	-	-
1994	15	2	-	-	-	-	1	-	2	4	3	3	-
1993	23	2	1	1	1	-	1	-	1	4	6	6	-
1992	18	-	-	-	-	1	4	2	2	5	1	3	-
1991	23	3	-	2	1	-	3	3	1	2	5	3	-
1990	46	-	1	2	1	1	1	3	4	10	15	8	-
1989	27	1	1	1	-	-	1	3	2	9	3	6	-
1988	28	-	3	-	-	4	1	4	-	5	9	2	-
1987	10	1	-	-	1	-	-	1	1	2	2	2	-
1986	24	-	2	1	-	1	-	1	4	4	9	2	-
1985	48	1	1	-	-	1	2	2	7	10	14	10	-
1984	22	-	1	-	-	-	1	-	3	3	9	5	-
1983	19	1	1	1	-	1	-	1	2	4	4	4	-
1982	15	-	-	-	-	-	1	2	3	3	5	1	-
1981	64	1	1	1	3	2	2	3	8	16	17	10	-
1980	37	3	-	-	5	1	1	5	3	8	7	4	-
1979	22	2	-	1	-	1	2	1	1	8	5	1	-
Influenza (487)													
Black, female													
1998	20	-	-	1	1	-	-	-	1	3	5	9	-
1997	13	1	-	-	-	1	1	-	1	2	4	3	-
1996	20	2	-	-	1	1	1	-	1	4	4	6	-
1995	20	1	-	1	-	-	3	2	3	1	2	7	-
1994	24	1	-	-	-	-	-	2	2	8	4	7	-
1993	24	1	1	1	-	1	-	2	4	3	3	8	-
1992	22	-	-	-	-	1	1	2	1	5	4	8	-
1991	29	1	1	2	1	-	1	1	-	3	8	11	-
1990	44	-	1	1	1	1	1	1	5	4	11	18	-
1989	37	1	-	1	-	2	2	2	1	2	9	17	-
1988	41	2	-	-	-	2	2	-	4	8	6	17	-
1987	12	-	-	-	-	-	-	-	3	3	2	4	-
1986	45	1	-	-	2	3	3	2	2	5	13	14	-
1985	43	1	1	1	-	-	1	3	6	9	11	10	-
1984	21	2	1	1	-	-	2	-	3	2	7	3	-
1983	21	-	1	1	1	1	2	1	-	4	6	4	-
1982	12	2	-	1	-	-	1	1	2	-	3	2	-
1981	82	1	2	-	-	3	2	3	11	15	27	18	-
1980	51	2	1	1	-	-	2	1	6	6	14	18	-
1979	21	2	-	-	-	-	2	-	1	5	4	7	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Pneumonia (480-486)													
All races, both sexes													
1998	90,147	435	143	107	205	530	1,383	2,146	3,795	10,853	28,344	42,201	5
1997	85,729	409	170	128	216	527	1,376	2,215	3,728	10,457	27,196	39,301	6
1996	82,982	481	165	128	195	560	1,447	2,072	3,575	10,513	26,172	37,664	10
1995	82,317	485	149	121	201	621	1,466	2,061	3,427	10,657	25,850	37,275	4
1994	80,244	553	171	100	216	639	1,488	1,953	3,445	10,455	25,417	35,802	5
1993	81,776	520	168	122	243	716	1,532	1,857	3,658	10,709	25,601	36,639	11
1992	74,713	592	182	99	221	647	1,331	1,627	3,409	10,092	23,702	32,804	7
1991	76,723	591	192	124	246	744	1,423	1,712	3,684	10,086	24,304	33,603	14
1990	77,415	627	161	122	226	756	1,402	1,717	3,826	10,419	24,753	33,399	7
1989	74,957	624	220	108	255	866	1,384	1,676	3,808	10,246	23,591	32,164	15
1988	75,719	635	177	122	258	834	1,332	1,739	4,065	10,521	23,915	32,110	11
1987	68,593	666	193	93	262	751	1,161	1,609	3,842	9,962	21,622	28,425	7
1986	67,974	656	191	133	267	724	1,177	1,564	4,087	9,945	21,451	27,733	46
1985	65,561	698	213	123	244	622	1,032	1,592	4,040	9,614	20,698	26,637	48
1984	57,798	680	206	160	240	636	911	1,473	3,702	8,852	18,252	22,673	13
1983	54,423	763	224	127	263	568	802	1,479	3,676	8,255	16,893	21,358	15
1982	48,159	748	226	137	306	544	762	1,446	3,576	7,591	14,930	17,877	16
1981	50,725	796	232	149	309	540	845	1,629	3,886	7,950	15,812	18,563	14
1980	51,917	1,000	255	184	336	550	875	1,727	3,933	8,347	16,142	18,553	15
1979	44,426	1,120	250	204	332	516	807	1,624	3,483	7,253	13,826	15,001	10
Pneumonia (480-486)													
All races, male													
1998	40,395	237	71	51	105	308	805	1,289	2,262	6,305	14,316	14,642	4
1997	39,013	250	84	65	117	309	839	1,368	2,175	6,106	13,893	13,803	4
1996	37,722	290	90	65	101	315	913	1,289	2,146	6,127	13,281	13,099	6
1995	37,565	275	65	53	117	376	922	1,309	2,069	6,223	13,154	13,000	2
1994	36,913	335	96	57	112	412	916	1,237	2,088	6,129	12,809	12,721	1
1993	37,607	304	86	64	122	419	1,000	1,145	2,210	6,373	13,099	12,777	8
1992	35,127	350	93	53	122	407	867	1,050	2,091	5,971	12,338	11,781	4
1991	35,781	316	116	65	146	478	934	1,051	2,291	5,882	12,598	11,894	10
1990	36,099	360	86	63	116	483	946	1,098	2,392	6,237	12,669	11,646	3
1989	35,151	377	117	57	140	519	917	1,072	2,425	6,271	11,912	11,333	11
1988	36,161	378	84	73	139	515	888	1,154	2,560	6,453	12,403	11,508	6
1987	33,310	374	107	45	146	496	787	1,043	2,442	6,167	11,221	10,477	5
1986	33,527	382	105	62	161	448	781	996	2,630	6,134	11,347	10,465	16
1985	32,422	409	108	60	145	393	664	1,024	2,645	6,025	10,877	10,049	23
1984	29,024	399	103	79	137	396	586	955	2,459	5,533	9,666	8,700	11
1983	27,464	439	119	64	147	357	524	952	2,429	5,212	8,930	8,282	9
1982	25,030	422	125	80	182	341	478	946	2,323	4,780	8,094	7,254	5
1981	25,954	459	133	74	181	323	543	1,028	2,561	4,954	8,379	7,307	12
1980	26,581	591	138	89	162	326	549	1,150	2,545	5,180	8,414	7,428	9
1979	23,493	624	133	104	185	314	516	1,075	2,286	4,676	7,332	6,238	10

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Pneumonia (480-486)													
All races, female													
1998	49,752	198	72	56	100	222	578	857	1,533	4,548	14,028	27,559	1
1997	46,716	159	86	63	99	218	537	847	1,553	4,351	13,303	25,498	2
1996	45,260	191	75	63	94	245	534	783	1,429	4,386	12,891	24,565	4
1995	44,752	210	84	68	84	245	544	752	1,358	4,434	12,696	24,275	2
1994	43,331	218	75	43	104	227	572	716	1,357	4,326	12,608	23,081	4
1993	44,169	216	82	58	121	297	532	712	1,448	4,336	12,502	23,862	3
1992	39,586	242	89	46	99	240	464	577	1,318	4,121	11,364	21,023	3
1991	40,942	275	76	59	100	266	489	661	1,393	4,204	11,706	21,709	4
1990	41,316	267	75	59	110	273	456	619	1,434	4,182	12,084	21,753	4
1989	39,806	247	103	51	115	347	467	604	1,383	3,975	11,679	20,831	4
1988	39,558	257	93	49	119	319	444	585	1,505	4,068	11,512	20,602	5
1987	35,283	292	86	48	116	255	374	566	1,400	3,795	10,401	17,948	2
1986	34,447	274	86	71	106	276	396	568	1,457	3,811	10,104	17,268	30
1985	33,139	289	105	63	99	229	368	568	1,395	3,589	9,821	16,588	25
1984	28,774	281	103	81	103	240	325	518	1,243	3,319	8,586	13,973	2
1983	26,959	324	105	63	116	211	278	527	1,247	3,043	7,963	13,076	6
1982	23,129	326	101	57	124	203	284	500	1,253	2,811	6,836	10,623	11
1981	24,771	337	99	75	128	217	302	601	1,325	2,996	7,433	11,256	2
1980	25,336	409	117	95	174	224	326	577	1,388	3,167	7,728	11,125	6
1979	20,933	496	117	100	147	202	291	549	1,197	2,577	6,494	8,763	-
Pneumonia (480-486)													
White, both sexes													
1998	79,992	251	96	77	131	340	913	1,551	2,978	9,217	25,427	39,010	1
1997	76,194	254	112	94	151	332	945	1,576	2,901	8,897	24,526	36,404	2
1996	73,499	300	106	94	129	368	928	1,471	2,745	8,911	23,589	34,851	7
1995	73,075	299	82	84	148	411	975	1,452	2,653	9,072	23,326	34,569	4
1994	71,428	339	111	70	156	406	937	1,395	2,721	8,968	23,049	33,273	3
1993	72,728	317	105	98	161	465	992	1,334	2,860	9,123	23,129	34,140	4
1992	66,502	350	111	75	156	404	827	1,165	2,665	8,625	21,550	30,570	4
1991	68,207	334	122	105	177	478	878	1,187	2,907	8,669	22,007	31,332	11
1990	68,807	368	110	91	151	440	852	1,213	2,987	8,926	22,445	31,219	5
1989	66,344	386	130	83	169	515	803	1,132	2,973	8,738	21,348	30,055	12
1988	67,705	384	128	90	175	504	833	1,153	3,179	9,072	21,884	30,293	10
1987	61,216	407	129	69	186	449	690	1,096	3,043	8,682	19,740	26,723	2
1986	60,569	415	128	104	199	465	692	1,085	3,255	8,600	19,544	26,045	37
1985	58,561	439	145	85	193	383	628	1,113	3,209	8,340	18,848	25,141	37
1984	51,473	439	132	135	171	374	553	999	2,962	7,635	16,652	21,411	10
1983	48,616	460	155	99	207	340	507	1,050	2,929	7,143	15,476	20,243	7
1982	42,829	453	147	99	220	326	468	996	2,841	6,570	13,766	16,931	12
1981	45,079	498	162	126	243	360	484	1,116	3,068	6,863	14,553	17,599	7
1980	45,774	586	184	142	240	360	551	1,187	3,121	7,148	14,747	17,495	13
1979	39,253	699	164	163	251	323	479	1,137	2,780	6,277	12,754	14,219	7

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Pneumonia (480-486)													
White, male													
1998	35,235	137	51	37	76	198	520	916	1,755	5,306	12,801	13,437	1
1997	34,135	162	53	49	84	203	575	952	1,673	5,214	12,495	12,673	2
1996	32,678	184	53	46	69	197	584	892	1,619	5,163	11,895	11,971	5
1995	32,742	168	37	36	95	244	619	901	1,589	5,279	11,848	11,924	2
1994	32,252	201	64	37	83	275	587	864	1,629	5,267	11,529	11,715	1
1993	32,785	182	55	49	81	285	653	794	1,712	5,422	11,762	11,787	3
1992	30,637	212	54	37	89	256	533	730	1,595	5,088	11,158	10,883	2
1991	31,187	187	71	58	105	309	589	719	1,794	5,049	11,342	10,957	7
1990	31,350	209	61	45	83	281	571	748	1,868	5,313	11,404	10,766	1
1989	30,379	241	69	44	94	325	525	691	1,875	5,302	10,726	10,478	9
1988	31,622	237	62	55	94	317	552	733	1,974	5,565	11,281	10,747	5
1987	29,048	231	71	31	107	302	463	695	1,905	5,346	10,160	9,737	-
1986	29,247	246	74	52	119	296	449	682	2,088	5,283	10,272	9,676	10
1985	28,347	255	72	40	120	241	387	695	2,091	5,187	9,857	9,387	15
1984	25,289	253	71	66	104	244	344	612	1,939	4,757	8,755	8,135	9
1983	23,943	256	83	48	121	205	308	662	1,915	4,478	8,086	7,777	4
1982	21,827	260	83	58	133	206	275	627	1,831	4,106	7,441	6,804	3
1981	22,498	290	90	63	143	216	296	663	1,993	4,235	7,659	6,845	5
1980	22,859	346	102	69	114	201	332	769	1,982	4,411	7,617	6,908	8
1979	20,340	392	88	84	145	206	286	732	1,804	4,050	6,694	5,852	7
Pneumonia (480-486)													
White, female													
1998	44,757	114	45	40	55	142	393	635	1,223	3,911	12,626	25,573	-
1997	42,059	92	59	45	67	129	370	624	1,228	3,683	12,031	23,731	-
1996	40,821	116	53	48	60	171	344	579	1,126	3,748	11,694	22,880	2
1995	40,333	131	45	48	53	167	356	551	1,064	3,793	11,478	22,645	2
1994	39,176	138	47	33	73	131	350	531	1,092	3,701	11,520	21,558	2
1993	39,943	135	50	49	80	180	339	540	1,148	3,701	11,367	22,353	1
1992	35,865	138	57	38	67	148	294	435	1,070	3,537	10,392	19,687	2
1991	37,020	147	51	47	72	169	289	468	1,113	3,620	10,665	20,375	4
1990	37,457	159	49	46	68	159	281	465	1,119	3,613	11,041	20,453	4
1989	35,965	145	61	39	75	190	278	441	1,098	3,436	10,622	19,577	3
1988	36,083	147	66	35	81	187	281	420	1,205	3,507	10,603	19,546	5
1987	32,168	176	58	38	79	147	227	401	1,138	3,336	9,580	16,986	2
1986	31,322	169	54	52	80	169	243	403	1,167	3,317	9,272	16,369	27
1985	30,214	184	73	45	73	142	241	418	1,118	3,153	8,991	15,754	22
1984	26,184	186	61	69	67	130	209	387	1,023	2,878	7,897	13,276	1
1983	24,673	204	72	51	86	135	199	388	1,014	2,665	7,390	12,466	3
1982	21,002	193	64	41	87	120	193	369	1,010	2,464	6,325	10,127	9
1981	22,581	208	72	63	100	144	188	453	1,075	2,628	6,894	10,754	2
1980	22,915	240	82	73	126	159	219	418	1,139	2,737	7,130	10,587	5
1979	18,913	307	76	79	106	117	193	405	976	2,227	6,060	8,367	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Pneumonia (480-486)													
All other, both sexes													
1998	10,155	184	47	30	74	190	470	595	817	1,636	2,917	3,191	4
1997	9,535	155	58	34	65	195	431	639	827	1,560	2,670	2,897	4
1996	9,483	181	59	34	66	192	519	601	830	1,602	2,583	2,813	3
1995	9,242	186	67	37	53	210	491	609	774	1,585	2,524	2,706	-
1994	8,816	214	60	30	60	233	551	558	724	1,487	2,368	2,529	2
1993	9,048	203	63	24	82	251	540	523	798	1,586	2,472	2,499	7
1992	8,211	242	71	24	65	243	504	462	744	1,467	2,152	2,234	3
1991	8,516	257	70	19	69	266	545	525	777	1,417	2,297	2,271	3
1990	8,608	259	51	31	75	316	550	504	839	1,493	2,308	2,180	2
1989	8,613	238	90	25	86	351	581	544	835	1,508	2,243	2,109	3
1988	8,014	251	49	32	83	330	499	586	886	1,449	2,031	1,817	1
1987	7,377	259	64	24	76	302	471	513	799	1,280	1,882	1,702	5
1986	7,405	241	63	29	68	259	485	479	832	1,345	1,907	1,688	9
1985	7,000	259	68	38	51	239	404	479	831	1,274	1,850	1,496	11
1984	6,325	241	74	25	69	262	358	474	740	1,217	1,600	1,262	3
1983	5,807	303	69	28	56	228	295	429	747	1,112	1,417	1,115	8
1982	5,330	295	79	38	86	218	294	450	735	1,021	1,164	946	4
1981	5,646	298	70	23	66	180	361	513	818	1,087	1,259	964	7
1980	6,143	414	71	42	96	190	324	540	812	1,199	1,395	1,058	2
1979	5,173	421	86	41	81	193	328	487	703	976	1,072	782	3
Pneumonia (480-486)													
All other, male													
1998	5,160	100	20	14	29	110	285	373	507	999	1,515	1,205	3
1997	4,878	88	31	16	33	106	264	416	502	892	1,398	1,130	2
1996	5,044	106	37	19	32	118	329	397	527	964	1,386	1,128	1
1995	4,823	107	28	17	22	132	303	408	480	944	1,306	1,076	-
1994	4,661	134	32	20	29	137	329	373	459	862	1,280	1,006	-
1993	4,822	122	31	15	41	134	347	351	498	951	1,337	990	5
1992	4,490	138	39	16	33	151	334	320	496	883	1,180	898	2
1991	4,594	129	45	7	41	169	345	332	497	833	1,256	937	3
1990	4,749	151	25	18	33	202	375	350	524	924	1,265	880	2
1989	4,772	136	48	13	46	194	392	381	550	969	1,186	855	2
1988	4,539	141	22	18	45	198	336	421	586	888	1,122	761	1
1987	4,262	143	36	14	39	194	324	348	537	821	1,061	740	5
1986	4,280	136	31	10	42	152	332	314	542	851	1,075	789	6
1985	4,075	154	36	20	25	152	277	329	554	838	1,020	662	8
1984	3,735	146	32	13	33	152	242	343	520	776	911	565	2
1983	3,521	183	36	16	26	152	216	290	514	734	844	505	5
1982	3,203	162	42	22	49	135	203	319	492	674	653	450	2
1981	3,456	169	43	11	38	107	247	365	568	719	720	462	7
1980	3,722	245	36	20	48	125	217	381	563	769	797	520	1
1979	3,153	232	45	20	40	108	230	343	482	626	638	386	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Pneumonia (480-486)													
All other, female													
1998	4,995	84	27	16	45	80	185	222	310	637	1,402	1,986	1
1997	4,657	67	27	18	32	89	167	223	325	668	1,272	1,767	2
1996	4,439	75	22	15	34	74	190	204	303	638	1,197	1,685	2
1995	4,419	79	39	20	31	78	188	201	294	641	1,218	1,630	-
1994	4,155	80	28	10	31	96	222	185	265	625	1,088	1,523	2
1993	4,226	81	32	9	41	117	193	172	300	635	1,135	1,509	2
1992	3,721	104	32	8	32	92	170	142	248	584	972	1,336	1
1991	3,922	128	25	12	28	97	200	193	280	584	1,041	1,334	-
1990	3,859	108	26	13	42	114	175	154	315	569	1,043	1,300	-
1989	3,841	102	42	12	40	157	189	163	285	539	1,057	1,254	1
1988	3,475	110	27	14	38	132	163	165	300	561	909	1,056	-
1987	3,115	116	28	10	37	108	147	165	262	459	821	962	-
1986	3,125	105	32	19	26	107	153	165	290	494	832	899	3
1985	2,925	105	32	18	26	87	127	150	277	436	830	834	3
1984	2,590	95	42	12	36	110	116	131	220	441	689	697	1
1983	2,286	120	33	12	30	76	79	139	233	378	573	610	3
1982	2,127	133	37	16	37	83	91	131	243	347	511	496	2
1981	2,190	129	27	12	28	73	114	148	250	368	539	502	-
1980	2,421	169	35	22	48	65	107	159	249	430	598	538	1
1979	2,020	189	41	21	41	85	98	144	221	350	434	396	-
Pneumonia (480-486)													
Black, both sexes													
1998	8,293	147	43	27	60	161	431	537	725	1,348	2,338	2,472	4
1997	7,894	139	48	32	56	175	400	562	718	1,298	2,149	2,313	4
1996	7,929	156	53	27	62	171	477	542	739	1,351	2,079	2,269	3
1995	7,772	163	58	34	46	192	452	548	690	1,358	2,077	2,154	-
1994	7,433	186	48	26	48	207	508	522	645	1,258	1,946	2,037	2
1993	7,677	173	52	18	74	233	499	486	720	1,345	2,041	2,029	7
1992	7,034	216	56	19	57	228	470	418	655	1,271	1,819	1,822	3
1991	7,320	230	67	19	64	251	514	485	691	1,240	1,930	1,826	3
1990	7,473	235	38	25	67	293	517	466	763	1,346	1,945	1,776	2
1989	7,521	208	74	23	80	342	553	497	752	1,349	1,905	1,735	3
1988	7,122	222	42	26	75	326	478	544	810	1,289	1,770	1,539	1
1987	6,543	226	52	21	70	293	449	472	729	1,165	1,648	1,413	5
1986	6,631	222	55	25	64	248	458	449	784	1,236	1,667	1,417	6
1985	6,247	235	61	35	49	224	379	454	779	1,148	1,619	1,254	10
1984	5,626	218	66	22	62	253	337	445	680	1,101	1,393	1,046	3
1983	5,194	278	60	24	51	216	272	411	698	1,006	1,244	927	7
1982	4,772	266	71	29	74	206	277	428	687	925	1,022	783	4
1981	5,130	272	59	19	61	172	347	490	776	998	1,113	816	7
1980	5,560	386	63	40	89	174	305	507	776	1,104	1,216	898	2
1979	4,697	391	83	38	71	177	307	465	662	897	934	670	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Pneumonia (480-486)													
Black, male													
1998	4,165	82	19	14	22	90	263	338	457	824	1,192	861	3
1997	3,965	74	26	15	28	93	244	368	441	734	1,091	849	2
1996	4,156	88	34	16	30	103	306	361	466	807	1,086	858	1
1995	4,008	94	22	15	17	123	281	372	431	803	1,042	808	-
1994	3,884	117	26	19	25	121	297	348	408	728	1,023	772	-
1993	4,028	103	26	10	36	129	321	331	455	794	1,074	744	5
1992	3,804	124	31	11	29	141	311	289	441	769	970	686	2
1991	3,915	114	42	7	38	161	326	311	450	719	1,017	727	3
1990	4,115	136	19	14	31	189	356	326	480	835	1,036	691	2
1989	4,141	120	39	12	43	191	372	350	508	870	975	659	2
1988	4,019	123	20	16	42	197	326	397	538	787	957	615	1
1987	3,785	126	29	11	36	188	310	324	494	743	912	607	5
1986	3,812	123	29	9	39	141	313	295	512	789	911	646	5
1985	3,616	140	33	18	23	142	264	315	516	753	859	545	8
1984	3,314	131	30	12	30	147	227	325	477	697	773	463	2
1983	3,171	171	31	14	23	147	199	283	483	662	728	426	4
1982	2,869	148	37	17	41	127	197	308	460	608	565	359	2
1981	3,137	154	36	7	34	103	240	350	544	656	625	381	7
1980	3,349	228	34	18	43	113	202	364	536	706	675	429	1
1979	2,862	216	44	18	35	99	220	327	452	568	551	330	2
Pneumonia (480-486)													
Black, female													
1998	4,128	65	24	13	38	71	168	199	268	524	1,146	1,611	1
1997	3,929	65	22	17	28	82	156	194	277	564	1,058	1,464	2
1996	3,773	68	19	11	32	68	171	181	273	544	993	1,411	2
1995	3,764	69	36	19	29	69	171	176	259	555	1,035	1,346	-
1994	3,549	69	22	7	23	86	211	174	237	530	923	1,265	2
1993	3,649	70	26	8	38	104	178	155	265	551	967	1,285	2
1992	3,230	92	25	8	28	87	159	129	214	502	849	1,136	1
1991	3,405	116	25	12	26	90	188	174	241	521	913	1,099	-
1990	3,358	99	19	11	36	104	161	140	283	511	909	1,085	-
1989	3,380	88	35	11	37	151	181	147	244	479	930	1,076	1
1988	3,103	99	22	10	33	129	152	147	272	502	813	924	-
1987	2,758	100	23	10	34	105	139	148	235	422	736	806	-
1986	2,819	99	26	16	25	107	145	154	272	447	756	771	1
1985	2,631	95	28	17	26	82	115	139	263	395	760	709	2
1984	2,312	87	36	10	32	106	110	120	203	404	620	583	1
1983	2,023	107	29	10	28	69	73	128	215	344	516	501	3
1982	1,903	118	34	12	33	79	80	120	227	317	457	424	2
1981	1,993	118	23	12	27	69	107	140	232	342	488	435	-
1980	2,211	158	29	22	46	61	103	143	240	398	541	469	1
1979	1,835	175	39	20	36	78	87	138	210	329	383	340	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	15-24 25-34 35-44 45-54 55-64 65-74 75-84												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	years	years	years	years	years	years	years	85 + years	
Other acute lower respiratory infections (466)													
All races, both sexes													
1998	452	44	18	2	6	6	9	15	27	57	110	158	-
1997	465	67	20	8	1	2	16	11	21	56	110	153	-
1996	486	65	25	6	1	4	6	16	25	72	109	157	-
1995	532	71	25	3	2	6	8	7	30	72	137	171	-
1994	578	84	24	4	-	1	11	12	41	83	151	167	-
1993	662	75	14	6	6	10	11	28	42	95	166	208	1
1992	577	92	16	7	1	15	14	20	35	84	140	153	-
1991	633	68	18	5	4	9	8	19	46	81	159	216	-
1990	633	75	18	6	5	5	17	11	49	90	157	200	-
1989	633	73	21	4	3	10	7	20	35	100	175	183	2
1988	635	72	22	5	5	8	11	25	44	101	149	193	-
1987	548	63	20	10	3	7	15	17	40	75	139	159	-
1986	588	59	14	5	6	4	10	14	36	98	176	165	1
1985	600	64	17	3	6	5	9	19	47	92	151	187	-
1984	544	57	24	4	8	8	13	15	43	83	127	161	1
1983	552	87	14	4	7	7	16	20	49	70	117	161	-
1982	503	74	27	6	8	16	12	21	37	59	116	127	-
1981	573	86	22	10	5	7	13	20	51	88	133	138	-
1980	642	87	34	7	14	13	9	23	58	89	145	163	-
1979	554	94	34	10	7	16	10	26	45	90	111	110	1
Other acute lower respiratory infections (466)													
All races, male													
1998	194	29	14	-	1	4	3	8	13	27	45	50	-
1997	194	40	10	3	1	2	6	4	12	28	46	42	-
1996	205	40	14	3	-	4	5	3	9	34	48	45	-
1995	224	40	12	2	1	5	3	3	9	28	67	54	-
1994	243	53	18	2	-	-	5	5	14	31	69	46	-
1993	286	45	8	2	5	8	8	16	17	44	72	61	-
1992	282	61	8	7	1	11	11	8	22	45	66	42	-
1991	288	45	12	1	1	6	7	7	24	47	70	68	-
1990	269	44	6	4	3	1	9	3	26	46	64	63	-
1989	288	48	10	2	3	6	2	10	22	48	82	54	1
1988	281	47	14	2	2	6	6	13	16	58	64	53	-
1987	267	39	9	5	3	6	9	7	20	43	69	57	-
1986	280	38	6	2	4	2	7	5	23	62	79	52	-
1985	303	44	10	2	5	3	6	13	30	54	77	59	-
1984	260	35	10	3	6	6	7	7	27	47	61	51	-
1983	273	57	6	3	4	2	8	9	32	38	53	61	-
1982	250	47	19	3	6	11	6	11	19	40	52	36	-
1981	277	52	8	3	3	5	7	11	30	47	66	45	-
1980	299	52	24	4	9	7	6	16	16	48	65	52	-
1979	283	57	15	6	5	8	5	15	29	46	56	41	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Other acute lower respiratory infections (466)													
All races, female													
1998	258	15	4	2	5	2	6	7	14	30	65	108	-
1997	271	27	10	5	-	-	10	7	9	28	64	111	-
1996	281	25	11	3	1	-	1	13	16	38	61	112	-
1995	308	31	13	1	1	1	5	4	21	44	70	117	-
1994	335	31	6	2	-	1	6	7	27	52	82	121	-
1993	376	30	6	4	1	2	3	12	25	51	94	147	1
1992	295	31	8	-	-	4	3	12	13	39	74	111	-
1991	345	23	6	4	3	3	1	12	22	34	89	148	-
1990	364	31	12	2	2	4	8	8	23	44	93	137	-
1989	345	25	11	2	-	4	5	10	13	52	93	129	1
1988	354	25	8	3	3	2	5	12	28	43	85	140	-
1987	281	24	11	5	-	1	6	10	20	32	70	102	-
1986	308	21	8	3	2	2	3	9	13	36	97	113	1
1985	297	20	7	1	1	2	3	6	17	38	74	128	-
1984	284	22	14	1	2	2	6	8	16	36	66	110	1
1983	279	30	8	1	3	5	8	11	17	32	64	100	-
1982	253	27	8	3	2	5	6	10	18	19	64	91	-
1981	296	34	14	7	2	2	6	9	21	41	67	93	-
1980	343	35	10	3	5	6	3	7	42	41	80	111	-
1979	271	37	19	4	2	8	5	11	16	44	55	69	1
Other acute lower respiratory infections (466)													
White, both sexes													
1998	400	28	8	2	4	5	4	13	27	55	102	152	-
1997	404	46	14	5	-	2	12	6	16	51	104	148	-
1996	418	38	14	3	1	4	5	13	24	68	101	147	-
1995	477	44	16	3	2	6	7	6	27	69	130	167	-
1994	497	48	16	3	-	1	8	9	35	78	136	163	-
1993	583	49	7	6	6	9	9	22	37	85	156	197	-
1992	500	58	8	7	1	14	10	15	31	81	128	147	-
1991	560	53	10	4	3	7	8	17	37	74	147	200	-
1990	559	39	11	5	3	4	13	9	45	86	150	194	-
1989	544	37	13	3	2	7	5	14	31	92	165	174	1
1988	564	44	18	2	4	6	10	22	41	95	141	181	-
1987	485	37	14	10	3	4	9	13	37	72	134	152	-
1986	537	43	11	3	5	4	10	10	31	91	167	161	1
1985	532	49	8	1	5	3	8	15	42	82	137	182	-
1984	482	35	18	4	6	6	10	15	38	74	119	156	1
1983	481	56	11	2	7	5	13	17	39	61	111	159	-
1982	433	49	17	5	7	12	12	16	33	51	107	124	-
1981	507	57	12	10	5	7	12	17	48	78	127	134	-
1980	568	64	23	5	13	11	6	21	51	79	139	156	-
1979	482	63	24	9	6	12	8	20	38	85	109	108	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Other acute lower respiratory infections (466)													
White, male													
1998	164	19	6	-	1	4	1	8	13	25	40	47	-
1997	161	28	8	2	-	2	5	1	10	24	42	39	-
1996	176	27	12	2	-	4	4	2	9	31	45	40	-
1995	197	27	8	2	1	5	3	2	8	25	64	52	-
1994	199	31	12	1	-	-	4	3	12	28	63	45	-
1993	242	31	4	2	5	7	7	12	14	39	65	56	-
1992	239	39	5	7	1	11	7	7	19	44	59	40	-
1991	248	35	7	1	1	6	7	7	18	42	62	62	-
1990	233	21	4	4	1	1	7	2	24	45	61	63	-
1989	241	24	7	2	2	4	2	7	18	44	77	53	1
1988	246	29	11	1	2	5	6	11	14	56	60	51	-
1987	236	26	7	5	3	3	6	5	19	42	66	54	-
1986	251	27	5	2	3	2	7	2	20	57	75	51	-
1985	258	33	4	1	4	2	6	9	27	47	69	56	-
1984	230	25	8	3	5	5	6	7	24	42	56	49	-
1983	229	38	4	2	4	1	5	7	25	34	49	60	-
1982	205	29	12	2	6	8	6	8	17	35	47	35	-
1981	242	34	5	3	3	5	6	9	28	42	64	43	-
1980	255	37	17	3	8	6	4	14	14	42	62	48	-
1979	243	40	10	5	4	6	5	12	23	42	55	41	-
Other acute lower respiratory infections (466)													
White, female													
1998	236	9	2	2	3	1	3	5	14	30	62	105	-
1997	243	18	6	3	-	-	7	5	6	27	62	109	-
1996	242	11	2	1	1	-	1	11	15	37	56	107	-
1995	280	17	8	1	1	1	4	4	19	44	66	115	-
1994	298	17	4	2	-	1	4	6	23	50	73	118	-
1993	341	18	3	4	1	2	2	10	23	46	91	141	-
1992	261	19	3	-	-	3	3	8	12	37	69	107	-
1991	312	18	3	3	2	1	1	10	19	32	85	138	-
1990	326	18	7	1	2	3	6	7	21	41	89	131	-
1989	303	13	6	1	-	3	3	7	13	48	88	121	-
1988	318	15	7	1	2	1	4	11	27	39	81	130	-
1987	249	11	7	5	-	1	3	8	18	30	68	98	-
1986	286	16	6	1	2	2	3	8	11	34	92	110	1
1985	274	16	4	-	1	1	2	6	15	35	68	126	-
1984	252	10	10	1	1	1	4	8	14	32	63	107	1
1983	252	18	7	-	3	4	8	10	14	27	62	99	-
1982	228	20	5	3	1	4	6	8	16	16	60	89	-
1981	265	23	7	7	2	2	6	8	20	36	63	91	-
1980	313	27	6	2	5	5	2	7	37	37	77	108	-
1979	239	23	14	4	2	6	3	8	15	43	54	67	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other acute lower respiratory infections (466)													
All other, both sexes													
1998	52	16	10	-	2	1	5	2	-	2	8	6	-
1997	61	21	6	3	1	-	4	5	5	5	6	5	-
1996	68	27	11	3	-	-	1	3	1	4	8	10	-
1995	55	27	9	-	-	-	1	1	3	3	7	4	-
1994	81	36	8	1	-	-	3	3	6	5	15	4	-
1993	79	26	7	-	-	1	2	6	5	10	10	11	1
1992	77	34	8	-	-	1	4	5	4	3	12	6	-
1991	73	15	8	1	1	2	-	2	9	7	12	16	-
1990	74	36	7	1	2	1	4	2	4	4	7	6	-
1989	89	36	8	1	1	3	2	6	4	8	10	9	1
1988	71	28	4	3	1	2	1	3	3	6	8	12	-
1987	63	26	6	-	-	3	6	4	3	3	5	7	-
1986	51	16	3	2	1	-	-	4	5	7	9	4	-
1985	68	15	9	2	1	2	1	4	5	10	14	5	-
1984	62	22	6	-	2	2	3	-	5	9	8	5	-
1983	71	31	3	2	-	2	3	3	10	9	6	2	-
1982	70	25	10	1	1	4	-	5	4	8	9	3	-
1981	66	29	10	-	-	-	1	3	3	10	6	4	-
1980	74	23	11	2	1	2	3	2	7	10	6	7	-
1979	72	31	10	1	1	4	2	6	7	5	2	2	1
Other acute lower respiratory infections (466)													
All other, male													
1998	30	10	8	-	-	-	2	-	-	2	5	3	-
1997	33	12	2	1	1	-	1	3	2	4	4	3	-
1996	29	13	2	1	-	-	1	1	-	3	3	5	-
1995	27	13	4	-	-	-	-	1	1	3	3	2	-
1994	44	22	6	1	-	-	1	2	2	3	6	1	-
1993	44	14	4	-	-	1	1	4	3	5	7	5	-
1992	43	22	3	-	-	-	4	1	3	1	7	2	-
1991	40	10	5	-	-	-	-	-	6	5	8	6	-
1990	36	23	2	-	2	-	2	1	2	1	3	-	-
1989	47	24	3	-	1	2	-	3	4	4	5	1	-
1988	35	18	3	1	-	1	-	2	2	2	4	2	-
1987	31	13	2	-	-	3	3	2	1	1	3	3	-
1986	29	11	1	-	1	-	-	3	3	5	4	1	-
1985	45	11	6	1	1	1	-	4	3	7	8	3	-
1984	30	10	2	-	1	1	1	-	3	5	5	2	-
1983	44	19	2	1	-	1	3	2	7	4	4	1	-
1982	45	18	7	1	-	3	-	3	2	5	5	1	-
1981	35	18	3	-	-	-	1	2	2	5	2	2	-
1980	44	15	7	1	1	1	2	2	2	6	3	4	-
1979	40	17	5	1	1	2	-	3	6	4	1	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other acute lower respiratory infections (466)													
All other, female													
1998	22	6	2	-	2	1	3	2	-	-	3	3	-
1997	28	9	4	2	-	-	3	2	3	1	2	2	-
1996	39	14	9	2	-	-	-	2	1	1	5	5	-
1995	28	14	5	-	-	-	1	-	2	-	4	2	-
1994	37	14	2	-	-	-	2	1	4	2	9	3	-
1993	35	12	3	-	-	-	1	2	2	5	3	6	1
1992	34	12	5	-	-	1	-	4	1	2	5	4	-
1991	33	5	3	1	1	2	-	2	3	2	4	10	-
1990	38	13	5	1	-	1	2	1	2	3	4	6	-
1989	42	12	5	1	-	1	2	3	-	4	5	8	1
1988	36	10	1	2	1	1	1	1	1	4	4	10	-
1987	32	13	4	-	-	-	3	2	2	2	2	4	-
1986	22	5	2	2	-	-	-	1	2	2	5	3	-
1985	23	4	3	1	-	1	1	-	2	3	6	2	-
1984	32	12	4	-	1	1	2	-	2	4	3	3	-
1983	27	12	1	1	-	1	-	1	3	5	2	1	-
1982	25	7	3	-	1	1	-	2	2	3	4	2	-
1981	31	11	7	-	-	-	-	1	1	5	4	2	-
1980	30	8	4	1	-	1	1	-	5	4	3	3	-
1979	32	14	5	-	-	2	2	3	1	1	1	2	1
Other acute lower respiratory infections (466)													
Black, both sexes													
1998	46	12	10	-	2	1	5	2	-	2	8	4	-
1997	53	18	6	2	1	-	4	4	5	4	6	3	-
1996	55	22	9	3	-	-	1	3	-	2	6	9	-
1995	49	25	7	-	-	-	1	1	2	2	7	4	-
1994	77	32	8	1	-	-	3	3	6	5	15	4	-
1993	69	25	7	-	-	1	1	5	5	10	7	7	1
1992	71	32	8	-	-	1	4	5	4	3	9	5	-
1991	57	11	6	1	1	2	-	-	7	7	9	13	-
1990	64	32	6	1	2	1	3	2	4	3	6	4	-
1989	79	30	8	1	1	3	1	6	3	8	8	9	1
1988	62	23	3	3	1	2	1	3	3	5	8	10	-
1987	56	22	6	-	-	2	6	4	3	3	4	6	-
1986	47	15	3	2	1	-	-	4	4	6	8	4	-
1985	63	15	8	2	1	2	1	4	5	10	12	3	-
1984	56	22	5	-	1	2	3	-	5	7	7	4	-
1983	59	25	2	2	-	2	3	3	6	8	6	2	-
1982	59	21	7	1	1	4	-	5	3	7	7	3	-
1981	56	25	7	-	-	-	1	3	3	10	5	2	-
1980	64	21	10	2	1	-	2	1	7	10	5	5	-
1979	69	30	9	1	1	4	2	6	7	4	2	2	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other acute lower respiratory infections (466)													
Black, male													
1998	27	8	8	-	-	-	2	-	-	2	5	2	-
1997	27	9	2	1	1	-	1	2	2	3	4	2	-
1996	24	12	1	1	-	-	1	1	-	2	2	4	-
1995	24	12	3	-	-	-	-	1	1	2	3	2	-
1994	41	19	6	1	-	-	1	2	2	3	6	1	-
1993	39	14	4	-	-	1	-	3	3	5	6	3	-
1992	38	21	3	-	-	-	4	1	3	1	4	1	-
1991	31	6	5	-	-	-	-	-	4	5	6	5	-
1990	33	20	2	-	2	-	2	1	2	1	3	-	-
1989	39	19	3	-	1	2	-	3	3	4	3	1	-
1988	32	16	2	1	-	1	-	2	2	2	4	2	-
1987	27	11	2	-	-	2	3	2	1	1	2	3	-
1986	27	10	1	-	1	-	-	3	3	4	4	1	-
1985	41	11	5	1	1	1	-	4	3	7	7	1	-
1984	28	10	2	-	1	1	1	-	3	5	4	1	-
1983	34	14	2	1	-	1	3	2	3	3	4	1	-
1982	36	15	5	1	-	3	-	3	1	4	3	1	-
1981	28	15	1	-	-	-	1	2	2	5	1	1	-
1980	35	13	6	1	1	-	1	1	2	6	2	2	-
1979	39	17	5	1	1	2	-	3	6	3	1	-	-
Other acute lower respiratory infections (466)													
Black, female													
1998	19	4	2	-	2	1	3	2	-	-	3	2	-
1997	26	9	4	1	-	-	3	2	3	1	2	1	-
1996	31	10	8	2	-	-	-	2	-	-	4	5	-
1995	25	13	4	-	-	-	1	-	1	-	4	2	-
1994	36	13	2	-	-	-	2	1	4	2	9	3	-
1993	30	11	3	-	-	-	1	2	2	5	1	4	1
1992	33	11	5	-	-	1	-	4	1	2	5	4	-
1991	26	5	1	1	1	2	-	-	3	2	3	8	-
1990	31	12	4	1	-	1	1	1	2	2	3	4	-
1989	40	11	5	1	-	1	1	3	-	4	5	8	1
1988	30	7	1	2	1	1	1	1	1	3	4	8	-
1987	29	11	4	-	-	-	3	2	2	2	2	3	-
1986	20	5	2	2	-	-	-	1	1	2	4	3	-
1985	22	4	3	1	-	1	1	-	2	3	5	2	-
1984	28	12	3	-	-	1	2	-	2	2	3	3	-
1983	25	11	-	1	-	1	-	1	3	5	2	1	-
1982	23	6	2	-	1	1	-	2	2	3	4	2	-
1981	28	10	6	-	-	-	-	1	1	5	4	1	-
1980	29	8	4	1	-	-	1	-	5	4	3	3	-
1979	30	13	4	-	-	2	2	3	1	1	1	2	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Acute bronchitis and bronchiolitis (466)													
All races, both sexes													
1998	452	44	18	2	6	6	9	15	27	57	110	158	-
1997	465	67	20	8	1	2	16	11	21	56	110	153	-
1996	486	65	25	6	1	4	6	16	25	72	109	157	-
1995	532	71	25	3	2	6	8	7	30	72	137	171	-
1994	578	84	24	4	-	1	11	12	41	83	151	167	-
1993	662	75	14	6	6	10	11	28	42	95	166	208	1
1992	577	92	16	7	1	15	14	20	35	84	140	153	-
1991	633	68	18	5	4	9	8	19	46	81	159	216	-
1990	633	75	18	6	5	5	17	11	49	90	157	200	-
1989	633	73	21	4	3	10	7	20	35	100	175	183	2
1988	635	72	22	5	5	8	11	25	44	101	149	193	-
1987	548	63	20	10	3	7	15	17	40	75	139	159	-
1986	588	59	14	5	6	4	10	14	36	98	176	165	1
1985	600	64	17	3	6	5	9	19	47	92	151	187	-
1984	544	57	24	4	8	8	13	15	43	83	127	161	1
1983	552	87	14	4	7	7	16	20	49	70	117	161	-
1982	503	74	27	6	8	16	12	21	37	59	116	127	-
1981	573	86	22	10	5	7	13	20	51	88	133	138	-
1980	642	87	34	7	14	13	9	23	58	89	145	163	-
1979	554	94	34	10	7	16	10	26	45	90	111	110	1
Acute bronchitis and bronchiolitis (466)													
All races, male													
1998	194	29	14	-	1	4	3	8	13	27	45	50	-
1997	194	40	10	3	1	2	6	4	12	28	46	42	-
1996	205	40	14	3	-	4	5	3	9	34	48	45	-
1995	224	40	12	2	1	5	3	3	9	28	67	54	-
1994	243	53	18	2	-	-	5	5	14	31	69	46	-
1993	286	45	8	2	5	8	8	16	17	44	72	61	-
1992	282	61	8	7	1	11	11	8	22	45	66	42	-
1991	288	45	12	1	1	6	7	7	24	47	70	68	-
1990	269	44	6	4	3	1	9	3	26	46	64	63	-
1989	288	48	10	2	3	6	2	10	22	48	82	54	1
1988	281	47	14	2	2	6	6	13	16	58	64	53	-
1987	267	39	9	5	3	6	9	7	20	43	69	57	-
1986	280	38	6	2	4	2	7	5	23	62	79	52	-
1985	303	44	10	2	5	3	6	13	30	54	77	59	-
1984	260	35	10	3	6	6	7	7	27	47	61	51	-
1983	273	57	6	3	4	2	8	9	32	38	53	61	-
1982	250	47	19	3	6	11	6	11	19	40	52	36	-
1981	277	52	8	3	3	5	7	11	30	47	66	45	-
1980	299	52	24	4	9	7	6	16	16	48	65	52	-
1979	283	57	15	6	5	8	5	15	29	46	56	41	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Acute bronchitis and bronchiolitis (466)													
All races, female													
1998	258	15	4	2	5	2	6	7	14	30	65	108	-
1997	271	27	10	5	-	-	10	7	9	28	64	111	-
1996	281	25	11	3	1	-	1	13	16	38	61	112	-
1995	308	31	13	1	1	1	5	4	21	44	70	117	-
1994	335	31	6	2	-	1	6	7	27	52	82	121	-
1993	376	30	6	4	1	2	3	12	25	51	94	147	1
1992	295	31	8	-	-	4	3	12	13	39	74	111	-
1991	345	23	6	4	3	3	1	12	22	34	89	148	-
1990	364	31	12	2	2	4	8	8	23	44	93	137	-
1989	345	25	11	2	-	4	5	10	13	52	93	129	1
1988	354	25	8	3	3	2	5	12	28	43	85	140	-
1987	281	24	11	5	-	1	6	10	20	32	70	102	-
1986	308	21	8	3	2	2	3	9	13	36	97	113	1
1985	297	20	7	1	1	2	3	6	17	38	74	128	-
1984	284	22	14	1	2	2	6	8	16	36	66	110	1
1983	279	30	8	1	3	5	8	11	17	32	64	100	-
1982	253	27	8	3	2	5	6	10	18	19	64	91	-
1981	296	34	14	7	2	2	6	9	21	41	67	93	-
1980	343	35	10	3	5	6	3	7	42	41	80	111	-
1979	271	37	19	4	2	8	5	11	16	44	55	69	1
Acute bronchitis and bronchiolitis (466)													
White, both sexes													
1998	400	28	8	2	4	5	4	13	27	55	102	152	-
1997	404	46	14	5	-	2	12	6	16	51	104	148	-
1996	418	38	14	3	1	4	5	13	24	68	101	147	-
1995	477	44	16	3	2	6	7	6	27	69	130	167	-
1994	497	48	16	3	-	1	8	9	35	78	136	163	-
1993	583	49	7	6	6	9	9	22	37	85	156	197	-
1992	500	58	8	7	1	14	10	15	31	81	128	147	-
1991	560	53	10	4	3	7	8	17	37	74	147	200	-
1990	559	39	11	5	3	4	13	9	45	86	150	194	-
1989	544	37	13	3	2	7	5	14	31	92	165	174	1
1988	564	44	18	2	4	6	10	22	41	95	141	181	-
1987	485	37	14	10	3	4	9	13	37	72	134	152	-
1986	537	43	11	3	5	4	10	10	31	91	167	161	1
1985	532	49	8	1	5	3	8	15	42	82	137	182	-
1984	482	35	18	4	6	6	10	15	38	74	119	156	1
1983	481	56	11	2	7	5	13	17	39	61	111	159	-
1982	433	49	17	5	7	12	12	16	33	51	107	124	-
1981	507	57	12	10	5	7	12	17	48	78	127	134	-
1980	568	64	23	5	13	11	6	21	51	79	139	156	-
1979	482	63	24	9	6	12	8	20	38	85	109	108	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Acute bronchitis and bronchiolitis (466)													
White, male													
1998	164	19	6	-	1	4	1	8	13	25	40	47	-
1997	161	28	8	2	-	2	5	1	10	24	42	39	-
1996	176	27	12	2	-	4	4	2	9	31	45	40	-
1995	197	27	8	2	1	5	3	2	8	25	64	52	-
1994	199	31	12	1	-	-	4	3	12	28	63	45	-
1993	242	31	4	2	5	7	7	12	14	39	65	56	-
1992	239	39	5	7	1	11	7	7	19	44	59	40	-
1991	248	35	7	1	1	6	7	7	18	42	62	62	-
1990	233	21	4	4	1	1	7	2	24	45	61	63	-
1989	241	24	7	2	2	4	2	7	18	44	77	53	1
1988	246	29	11	1	2	5	6	11	14	56	60	51	-
1987	236	26	7	5	3	3	6	5	19	42	66	54	-
1986	251	27	5	2	3	2	7	2	20	57	75	51	-
1985	258	33	4	1	4	2	6	9	27	47	69	56	-
1984	230	25	8	3	5	5	6	7	24	42	56	49	-
1983	229	38	4	2	4	1	5	7	25	34	49	60	-
1982	205	29	12	2	6	8	6	8	17	35	47	35	-
1981	242	34	5	3	3	5	6	9	28	42	64	43	-
1980	255	37	17	3	8	6	4	14	14	42	62	48	-
1979	243	40	10	5	4	6	5	12	23	42	55	41	-
Acute bronchitis and bronchiolitis (466)													
White, female													
1998	236	9	2	2	3	1	3	5	14	30	62	105	-
1997	243	18	6	3	-	-	7	5	6	27	62	109	-
1996	242	11	2	1	1	-	1	11	15	37	56	107	-
1995	280	17	8	1	1	1	4	4	19	44	66	115	-
1994	298	17	4	2	-	1	4	6	23	50	73	118	-
1993	341	18	3	4	1	2	2	10	23	46	91	141	-
1992	261	19	3	-	-	3	3	8	12	37	69	107	-
1991	312	18	3	3	2	1	1	10	19	32	85	138	-
1990	326	18	7	1	2	3	6	7	21	41	89	131	-
1989	303	13	6	1	-	3	3	7	13	48	88	121	-
1988	318	15	7	1	2	1	4	11	27	39	81	130	-
1987	249	11	7	5	-	1	3	8	18	30	68	98	-
1986	286	16	6	1	2	2	3	8	11	34	92	110	1
1985	274	16	4	-	1	1	2	6	15	35	68	126	-
1984	252	10	10	1	1	1	4	8	14	32	63	107	1
1983	252	18	7	-	3	4	8	10	14	27	62	99	-
1982	228	20	5	3	1	4	6	8	16	16	60	89	-
1981	265	23	7	7	2	2	6	8	20	36	63	91	-
1980	313	27	6	2	5	5	2	7	37	37	77	108	-
1979	239	23	14	4	2	6	3	8	15	43	54	67	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Acute bronchitis and bronchiolitis (466)													
All other, both sexes													
1998	52	16	10	-	2	1	5	2	-	2	8	6	-
1997	61	21	6	3	1	-	4	5	5	5	6	5	-
1996	68	27	11	3	-	-	1	3	1	4	8	10	-
1995	55	27	9	-	-	-	1	1	3	3	7	4	-
1994	81	36	8	1	-	-	3	3	6	5	15	4	-
1993	79	26	7	-	-	1	2	6	5	10	10	11	1
1992	77	34	8	-	-	1	4	5	4	3	12	6	-
1991	73	15	8	1	1	2	-	2	9	7	12	16	-
1990	74	36	7	1	2	1	4	2	4	4	7	6	-
1989	89	36	8	1	1	3	2	6	4	8	10	9	1
1988	71	28	4	3	1	2	1	3	3	6	8	12	-
1987	63	26	6	-	-	3	6	4	3	3	5	7	-
1986	51	16	3	2	1	-	-	4	5	7	9	4	-
1985	68	15	9	2	1	2	1	4	5	10	14	5	-
1984	62	22	6	-	2	2	3	-	5	9	8	5	-
1983	71	31	3	2	-	2	3	3	10	9	6	2	-
1982	70	25	10	1	1	4	-	5	4	8	9	3	-
1981	66	29	10	-	-	-	1	3	3	10	6	4	-
1980	74	23	11	2	1	2	3	2	7	10	6	7	-
1979	72	31	10	1	1	4	2	6	7	5	2	2	1
Acute bronchitis and bronchiolitis (466)													
All other, male													
1998	30	10	8	-	-	-	2	-	-	2	5	3	-
1997	33	12	2	1	1	-	1	3	2	4	4	3	-
1996	29	13	2	1	-	-	1	1	-	3	3	5	-
1995	27	13	4	-	-	-	-	1	1	3	3	2	-
1994	44	22	6	1	-	-	1	2	2	3	6	1	-
1993	44	14	4	-	-	1	1	4	3	5	7	5	-
1992	43	22	3	-	-	-	4	1	3	1	7	2	-
1991	40	10	5	-	-	-	-	-	6	5	8	6	-
1990	36	23	2	-	2	-	2	1	2	1	3	-	-
1989	47	24	3	-	1	2	-	3	4	4	5	1	-
1988	35	18	3	1	-	1	-	2	2	2	4	2	-
1987	31	13	2	-	-	3	3	2	1	1	3	3	-
1986	29	11	1	-	1	-	-	3	3	5	4	1	-
1985	45	11	6	1	1	1	-	4	3	7	8	3	-
1984	30	10	2	-	1	1	1	-	3	5	5	2	-
1983	44	19	2	1	-	1	3	2	7	4	4	1	-
1982	45	18	7	1	-	3	-	3	2	5	5	1	-
1981	35	18	3	-	-	-	1	2	2	5	2	2	-
1980	44	15	7	1	1	1	2	2	2	6	3	4	-
1979	40	17	5	1	1	2	-	3	6	4	1	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Acute bronchitis and bronchiolitis (466)													
All other, female													
1998	22	6	2	-	2	1	3	2	-	-	3	3	-
1997	28	9	4	2	-	-	3	2	3	1	2	2	-
1996	39	14	9	2	-	-	-	2	1	1	5	5	-
1995	28	14	5	-	-	-	1	-	2	-	4	2	-
1994	37	14	2	-	-	-	2	1	4	2	9	3	-
1993	35	12	3	-	-	-	1	2	2	5	3	6	1
1992	34	12	5	-	-	1	-	4	1	2	5	4	-
1991	33	5	3	1	1	2	-	2	3	2	4	10	-
1990	38	13	5	1	-	1	2	1	2	3	4	6	-
1989	42	12	5	1	-	1	2	3	-	4	5	8	1
1988	36	10	1	2	1	1	1	1	1	4	4	10	-
1987	32	13	4	-	-	-	3	2	2	2	2	4	-
1986	22	5	2	2	-	-	-	1	2	2	5	3	-
1985	23	4	3	1	-	1	1	-	2	3	6	2	-
1984	32	12	4	-	1	1	2	-	2	4	3	3	-
1983	27	12	1	1	-	1	-	1	3	5	2	1	-
1982	25	7	3	-	1	1	-	2	2	3	4	2	-
1981	31	11	7	-	-	-	-	1	1	5	4	2	-
1980	30	8	4	1	-	1	1	-	5	4	3	3	-
1979	32	14	5	-	-	2	2	3	1	1	1	2	1
Acute bronchitis and bronchiolitis (466)													
Black, both sexes													
1998	46	12	10	-	2	1	5	2	-	2	8	4	-
1997	53	18	6	2	1	-	4	4	5	4	6	3	-
1996	55	22	9	3	-	-	1	3	-	2	6	9	-
1995	49	25	7	-	-	-	1	1	2	2	7	4	-
1994	77	32	8	1	-	-	3	3	6	5	15	4	-
1993	69	25	7	-	-	1	1	5	5	10	7	7	1
1992	71	32	8	-	-	1	4	5	4	3	9	5	-
1991	57	11	6	1	1	2	-	-	7	7	9	13	-
1990	64	32	6	1	2	1	3	2	4	3	6	4	-
1989	79	30	8	1	1	3	1	6	3	8	8	9	1
1988	62	23	3	3	1	2	1	3	3	5	8	10	-
1987	56	22	6	-	-	2	6	4	3	3	4	6	-
1986	47	15	3	2	1	-	-	4	4	6	8	4	-
1985	63	15	8	2	1	2	1	4	5	10	12	3	-
1984	56	22	5	-	1	2	3	-	5	7	7	4	-
1983	59	25	2	2	-	2	3	3	6	8	6	2	-
1982	59	21	7	1	1	4	-	5	3	7	7	3	-
1981	56	25	7	-	-	-	1	3	3	10	5	2	-
1980	64	21	10	2	1	-	2	1	7	10	5	5	-
1979	69	30	9	1	1	4	2	6	7	4	2	2	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Acute bronchitis and bronchiolitis (466)													
Black, male													
1998	27	8	8	-	-	-	2	-	-	2	5	2	-
1997	27	9	2	1	1	-	1	2	2	3	4	2	-
1996	24	12	1	1	-	-	1	1	-	2	2	4	-
1995	24	12	3	-	-	-	-	1	1	2	3	2	-
1994	41	19	6	1	-	-	1	2	2	3	6	1	-
1993	39	14	4	-	-	1	-	3	3	5	6	3	-
1992	38	21	3	-	-	-	4	1	3	1	4	1	-
1991	31	6	5	-	-	-	-	-	4	5	6	5	-
1990	33	20	2	-	2	-	2	1	2	1	3	-	-
1989	39	19	3	-	1	2	-	3	3	4	3	1	-
1988	32	16	2	1	-	1	-	2	2	2	4	2	-
1987	27	11	2	-	-	2	3	2	1	1	2	3	-
1986	27	10	1	-	1	-	-	3	3	4	4	1	-
1985	41	11	5	1	1	1	-	4	3	7	7	1	-
1984	28	10	2	-	1	1	1	-	3	5	4	1	-
1983	34	14	2	1	-	1	3	2	3	3	4	1	-
1982	36	15	5	1	-	3	-	3	1	4	3	1	-
1981	28	15	1	-	-	-	1	2	2	5	1	1	-
1980	35	13	6	1	1	-	1	1	2	6	2	2	-
1979	39	17	5	1	1	2	-	3	6	3	1	-	-
Acute bronchitis and bronchiolitis (466)													
Black, female													
1998	19	4	2	-	2	1	3	2	-	-	3	2	-
1997	26	9	4	1	-	-	3	2	3	1	2	1	-
1996	31	10	8	2	-	-	-	2	-	-	4	5	-
1995	25	13	4	-	-	-	1	-	1	-	4	2	-
1994	36	13	2	-	-	-	2	1	4	2	9	3	-
1993	30	11	3	-	-	-	1	2	2	5	1	4	1
1992	33	11	5	-	-	1	-	4	1	2	5	4	-
1991	26	5	1	1	1	2	-	-	3	2	3	8	-
1990	31	12	4	1	-	1	1	1	2	2	3	4	-
1989	40	11	5	1	-	1	1	3	-	4	5	8	1
1988	30	7	1	2	1	1	1	1	1	3	4	8	-
1987	29	11	4	-	-	-	3	2	2	2	2	3	-
1986	20	5	2	2	-	-	-	1	1	2	4	3	-
1985	22	4	3	1	-	1	1	-	2	3	5	2	-
1984	28	12	3	-	-	1	2	-	2	2	3	3	-
1983	25	11	-	1	-	1	-	1	3	5	2	1	-
1982	23	6	2	-	1	1	-	2	2	3	4	2	-
1981	28	10	6	-	-	-	-	1	1	5	4	1	-
1980	29	8	4	1	-	-	1	-	5	4	3	3	-
1979	30	13	4	-	-	2	2	3	1	1	1	2	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Chronic lower respiratory diseases (490-494,496)													
All races, both sexes													
1998	112,559	39	49	152	239	328	884	2,827	10,158	31,095	43,707	23,074	7
1997	109,002	50	41	129	201	357	885	2,836	10,107	30,562	42,081	21,746	7
1996	105,988	38	51	165	237	350	852	2,796	10,041	30,162	40,938	20,345	13
1995	102,876	43	37	143	246	373	831	2,754	9,987	30,114	39,201	19,144	3
1994	101,601	54	44	127	232	364	737	2,674	10,330	30,647	38,438	17,943	11
1993	101,053	53	51	138	206	296	733	2,492	10,667	31,256	38,297	16,854	10
1992	91,924	45	63	100	189	278	700	2,272	10,097	28,703	34,466	15,003	8
1991	90,624	59	51	122	208	331	686	2,335	10,429	28,554	33,720	14,119	10
1990	86,653	55	55	115	178	299	607	2,276	10,322	27,512	32,136	13,090	8
1989	84,325	48	55	113	176	317	631	2,283	10,746	27,056	30,622	12,272	6
1988	82,839	55	44	103	177	299	630	2,259	10,657	27,181	29,800	11,623	11
1987	78,366	53	49	119	209	264	633	2,144	10,446	25,702	27,934	10,804	9
1986	76,544	60	34	106	190	246	542	2,235	10,481	25,861	26,704	10,075	10
1985	74,643	52	36	115	180	233	494	2,293	10,605	25,141	25,734	9,743	17
1984	69,079	56	46	94	159	225	492	2,123	10,266	23,661	23,265	8,684	8
1983	66,234	52	58	93	184	236	485	2,227	9,981	23,061	21,906	7,935	16
1982	59,861	61	59	86	200	223	447	2,126	9,224	21,182	19,464	6,776	13
1981	58,819	60	43	97	149	213	440	2,245	9,488	21,082	18,522	6,473	7
1980	56,040	57	46	85	141	202	410	2,235	9,275	20,108	17,339	6,136	6
1979	49,923	66	61	57	132	176	424	2,135	8,623	17,944	15,243	5,057	5
Chronic lower respiratory diseases (490-494,496)													
All races, male													
1998	56,999	24	33	88	149	176	428	1,379	5,354	16,592	22,441	10,328	7
1997	55,969	32	27	71	135	190	415	1,442	5,245	16,639	21,734	10,034	5
1996	54,460	25	34	97	131	160	399	1,408	5,298	16,029	21,474	9,398	7
1995	53,919	28	20	98	133	190	367	1,359	5,312	16,418	20,883	9,108	3
1994	53,707	34	26	82	143	188	372	1,352	5,572	16,742	20,618	8,569	9
1993	54,359	31	33	79	128	136	355	1,328	5,769	17,158	20,981	8,355	6
1992	50,455	34	35	55	106	158	358	1,168	5,581	16,227	19,175	7,551	7
1991	50,464	32	34	75	116	174	356	1,163	5,706	16,230	19,255	7,315	8
1990	49,397	32	40	71	91	154	321	1,152	5,827	16,127	18,717	6,857	8
1989	48,166	35	28	70	96	168	333	1,141	5,995	15,756	17,956	6,584	4
1988	48,930	33	25	63	99	157	329	1,202	6,161	16,358	18,087	6,409	7
1987	47,028	34	25	78	117	139	333	1,096	6,124	15,661	17,448	5,967	6
1986	47,046	43	19	58	113	118	290	1,219	6,196	16,134	16,992	5,858	6
1985	46,585	37	19	57	91	118	257	1,230	6,309	16,056	16,629	5,769	13
1984	43,995	35	19	60	90	103	252	1,198	6,308	15,264	15,439	5,223	4
1983	43,111	33	42	56	93	116	235	1,221	6,242	15,168	14,983	4,909	13
1982	39,696	40	29	42	120	124	224	1,200	5,847	14,235	13,572	4,253	10
1981	39,764	38	31	58	88	113	220	1,303	6,111	14,540	13,049	4,209	4
1980	38,620	34	29	42	78	106	214	1,329	6,084	14,187	12,538	3,976	3
1979	35,287	40	33	35	67	92	219	1,289	5,763	13,076	11,290	3,379	4

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Chronic lower respiratory diseases (490-494,496)													
All races, female													
1998	55,560	15	16	64	90	152	456	1,448	4,804	14,503	21,266	12,746	-
1997	53,033	18	14	58	66	167	470	1,394	4,862	13,923	20,347	11,712	2
1996	51,528	13	17	68	106	190	453	1,388	4,743	14,133	19,464	10,947	6
1995	48,957	15	17	45	113	183	464	1,395	4,675	13,696	18,318	10,036	-
1994	47,894	20	18	45	89	176	365	1,322	4,758	13,905	17,820	9,374	2
1993	46,694	22	18	59	78	160	378	1,164	4,898	14,098	17,316	8,499	4
1992	41,469	11	28	45	83	120	342	1,104	4,516	12,476	15,291	7,452	1
1991	40,160	27	17	47	92	157	330	1,172	4,723	12,324	14,465	6,804	2
1990	37,256	23	15	44	87	145	286	1,124	4,495	11,385	13,419	6,233	-
1989	36,159	13	27	43	80	149	298	1,142	4,751	11,300	12,666	5,688	2
1988	33,909	22	19	40	78	142	301	1,057	4,496	10,823	11,713	5,214	4
1987	31,338	19	24	41	92	125	300	1,048	4,322	10,041	10,486	4,837	3
1986	29,498	17	15	48	77	128	252	1,016	4,285	9,727	9,712	4,217	4
1985	28,058	15	17	58	89	115	237	1,063	4,296	9,085	9,105	3,974	4
1984	25,084	21	27	34	69	122	240	925	3,958	8,397	7,826	3,461	4
1983	23,123	19	16	37	91	120	250	1,006	3,739	7,893	6,923	3,026	3
1982	20,165	21	30	44	80	99	223	926	3,377	6,947	5,892	2,523	3
1981	19,055	22	12	39	61	100	220	942	3,377	6,542	5,473	2,264	3
1980	17,420	23	17	43	63	96	196	906	3,191	5,921	4,801	2,160	3
1979	14,636	26	28	22	65	84	205	846	2,860	4,868	3,953	1,678	1
Chronic lower respiratory diseases (490-494,496)													
White, both sexes													
1998	104,036	20	23	78	129	168	578	2,230	9,024	28,784	41,221	21,774	7
1997	100,743	29	17	60	125	202	590	2,299	8,968	28,263	39,659	20,526	5
1996	97,851	19	22	76	123	198	562	2,268	8,887	27,927	38,596	19,164	9
1995	95,056	29	24	67	138	232	543	2,217	8,867	27,879	36,988	18,069	3
1994	94,046	36	21	62	132	206	470	2,169	9,235	28,405	36,330	16,975	5
1993	93,592	35	24	73	120	170	452	2,032	9,539	28,999	36,149	15,991	8
1992	85,218	22	32	50	107	168	474	1,850	9,034	26,636	32,642	14,196	7
1991	83,927	34	26	65	118	196	448	1,860	9,339	26,489	31,943	13,404	5
1990	80,155	38	31	59	108	174	401	1,823	9,231	25,574	30,305	12,406	5
1989	77,863	33	36	62	112	186	396	1,857	9,621	25,055	28,861	11,639	5
1988	76,660	35	27	53	99	175	406	1,823	9,532	25,255	28,182	11,065	8
1987	72,655	39	31	59	122	158	444	1,746	9,410	23,913	26,486	10,240	7
1986	71,107	38	24	60	107	155	379	1,837	9,408	24,123	25,372	9,595	9
1985	69,419	37	21	58	99	138	355	1,906	9,548	23,544	24,393	9,310	10
1984	64,256	31	33	57	99	137	329	1,751	9,291	22,160	22,090	8,274	4
1983	61,697	38	31	48	114	133	329	1,892	8,990	21,700	20,858	7,552	12
1982	55,879	39	34	51	123	142	302	1,778	8,373	19,915	18,609	6,502	11
1981	54,971	45	25	63	92	133	314	1,900	8,662	19,861	17,641	6,229	6
1980	52,366	36	25	49	84	117	280	1,900	8,451	18,958	16,590	5,870	6
1979	46,682	50	48	42	85	104	300	1,818	7,914	16,921	14,563	4,834	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	Age group												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Chronic lower respiratory diseases (490-494,496)													
White, male													
1998	52,153	14	16	41	79	87	286	1,093	4,706	15,238	20,944	9,642	7
1997	51,169	18	9	34	84	103	281	1,169	4,614	15,247	20,233	9,373	4
1996	49,797	12	14	49	63	87	261	1,153	4,631	14,715	20,007	8,801	4
1995	49,302	20	11	40	66	110	243	1,081	4,669	15,029	19,546	8,484	3
1994	49,204	21	11	41	76	93	248	1,097	4,954	15,341	19,287	8,032	3
1993	49,800	20	17	39	71	79	220	1,089	5,100	15,743	19,576	7,841	5
1992	46,346	19	22	26	54	92	250	960	4,934	14,919	17,984	7,080	6
1991	46,297	19	16	41	60	104	228	914	5,058	14,903	18,058	6,892	4
1990	45,217	21	21	33	50	91	212	911	5,171	14,828	17,438	6,436	5
1989	44,035	25	18	38	55	92	197	907	5,341	14,425	16,747	6,187	3
1988	44,818	23	19	34	49	83	208	962	5,471	15,010	16,894	6,060	5
1987	43,279	24	14	33	69	79	231	881	5,483	14,408	16,436	5,616	5
1986	43,329	28	12	27	64	74	200	984	5,506	14,891	16,007	5,531	5
1985	43,063	30	10	29	42	63	173	1,003	5,631	14,919	15,666	5,491	6
1984	40,710	20	11	35	57	67	173	961	5,671	14,163	14,583	4,968	1
1983	39,970	22	22	27	56	63	158	1,036	5,559	14,153	14,205	4,660	9
1982	36,964	27	17	24	72	78	147	1,000	5,290	13,293	12,944	4,064	8
1981	36,983	29	15	40	47	69	158	1,083	5,537	13,593	12,378	4,030	4
1980	35,972	20	16	21	46	66	136	1,116	5,486	13,311	11,957	3,794	3
1979	32,934	29	27	26	46	58	149	1,083	5,266	12,281	10,758	3,209	2
Chronic lower respiratory diseases (490-494,496)													
White, female													
1998	51,883	6	7	37	50	81	292	1,137	4,318	13,546	20,277	12,132	-
1997	49,574	11	8	26	41	99	309	1,130	4,354	13,016	19,426	11,153	1
1996	48,054	7	8	27	60	111	301	1,115	4,256	13,212	18,589	10,363	5
1995	45,754	9	13	27	72	122	300	1,136	4,198	12,850	17,442	9,585	-
1994	44,842	15	10	21	56	113	222	1,072	4,281	13,064	17,043	8,943	2
1993	43,792	15	7	34	49	91	232	943	4,439	13,256	16,573	8,150	3
1992	38,872	3	10	24	53	76	224	890	4,100	11,717	14,658	7,116	1
1991	37,630	15	10	24	58	92	220	946	4,281	11,586	13,885	6,512	1
1990	34,938	17	10	26	58	83	189	912	4,060	10,746	12,867	5,970	-
1989	33,828	8	18	24	57	94	199	950	4,280	10,630	12,114	5,452	2
1988	31,842	12	8	19	50	92	198	861	4,061	10,245	11,288	5,005	3
1987	29,376	15	17	26	53	79	213	865	3,927	9,505	10,050	4,624	2
1986	27,778	10	12	33	43	81	179	853	3,902	9,232	9,365	4,064	4
1985	26,356	7	11	29	57	75	182	903	3,917	8,625	8,727	3,819	4
1984	23,546	11	22	22	42	70	156	790	3,620	7,997	7,507	3,306	3
1983	21,727	16	9	21	58	70	171	856	3,431	7,547	6,653	2,892	3
1982	18,915	12	17	27	51	64	155	778	3,083	6,622	5,665	2,438	3
1981	17,988	16	10	23	45	64	156	817	3,125	6,268	5,263	2,199	2
1980	16,394	16	9	28	38	51	144	784	2,965	5,647	4,633	2,076	3
1979	13,748	21	21	16	39	46	151	735	2,648	4,640	3,805	1,625	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	Age group												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Chronic lower respiratory diseases (490-494,496)													
All other, both sexes													
1998	8,523	19	26	74	110	160	306	597	1,134	2,311	2,486	1,300	-
1997	8,259	21	24	69	76	155	295	537	1,139	2,299	2,422	1,220	2
1996	8,137	19	29	89	114	152	290	528	1,154	2,235	2,342	1,181	4
1995	7,820	14	13	76	108	141	288	537	1,120	2,235	2,213	1,075	-
1994	7,555	18	23	65	100	158	267	505	1,095	2,242	2,108	968	6
1993	7,461	18	27	65	86	126	281	460	1,128	2,257	2,148	863	2
1992	6,706	23	31	50	82	110	226	422	1,063	2,067	1,824	807	1
1991	6,697	25	25	57	90	135	238	475	1,090	2,065	1,777	715	5
1990	6,498	17	24	56	70	125	206	453	1,091	1,938	1,831	684	3
1989	6,462	15	19	51	64	131	235	426	1,125	2,001	1,761	633	1
1988	6,179	20	17	50	78	124	224	436	1,125	1,926	1,618	558	3
1987	5,711	14	18	60	87	106	189	398	1,036	1,789	1,448	564	2
1986	5,437	22	10	46	83	91	163	398	1,073	1,738	1,332	480	1
1985	5,224	15	15	57	81	95	139	387	1,057	1,597	1,341	433	7
1984	4,823	25	13	37	60	88	163	372	975	1,501	1,175	410	4
1983	4,537	14	27	45	70	103	156	335	991	1,361	1,048	383	4
1982	3,982	22	25	35	77	81	145	348	851	1,267	855	274	2
1981	3,848	15	18	34	57	80	126	345	826	1,221	881	244	1
1980	3,674	21	21	36	57	85	130	335	824	1,150	749	266	-
1979	3,241	16	13	15	47	72	124	317	709	1,023	680	223	2
Chronic lower respiratory diseases (490-494,496)													
All other, male													
1998	4,846	10	17	47	70	89	142	286	648	1,354	1,497	686	-
1997	4,800	14	18	37	51	87	134	273	631	1,392	1,501	661	1
1996	4,663	13	20	48	68	73	138	255	667	1,314	1,467	597	3
1995	4,617	8	9	58	67	80	124	278	643	1,389	1,337	624	-
1994	4,503	13	15	41	67	95	124	255	618	1,401	1,331	537	6
1993	4,559	11	16	40	57	57	135	239	669	1,415	1,405	514	1
1992	4,109	15	13	29	52	66	108	208	647	1,308	1,191	471	1
1991	4,167	13	18	34	56	70	128	249	648	1,327	1,197	423	4
1990	4,180	11	19	38	41	63	109	241	656	1,299	1,279	421	3
1989	4,131	10	10	32	41	76	136	234	654	1,331	1,209	397	1
1988	4,112	10	6	29	50	74	121	240	690	1,348	1,193	349	2
1987	3,749	10	11	45	48	60	102	215	641	1,253	1,012	351	1
1986	3,717	15	7	31	49	44	90	235	690	1,243	985	327	1
1985	3,522	7	9	28	49	55	84	227	678	1,137	963	278	7
1984	3,285	15	8	25	33	36	79	237	637	1,101	856	255	3
1983	3,141	11	20	29	37	53	77	185	683	1,015	778	249	4
1982	2,732	13	12	18	48	46	77	200	557	942	628	189	2
1981	2,781	9	16	18	41	44	62	220	574	947	671	179	-
1980	2,648	14	13	21	32	40	78	213	598	876	581	182	-
1979	2,353	11	6	9	21	34	70	206	497	795	532	170	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Chronic lower respiratory diseases (490-494,496)													
All other, female													
1998	3,677	9	9	27	40	71	164	311	486	957	989	614	-
1997	3,459	7	6	32	25	68	161	264	508	907	921	559	1
1996	3,474	6	9	41	46	79	152	273	487	921	875	584	1
1995	3,203	6	4	18	41	61	164	259	477	846	876	451	-
1994	3,052	5	8	24	33	63	143	250	477	841	777	431	-
1993	2,902	7	11	25	29	69	146	221	459	842	743	349	1
1992	2,597	8	18	21	30	44	118	214	416	759	633	336	-
1991	2,530	12	7	23	34	65	110	226	442	738	580	292	1
1990	2,318	6	5	18	29	62	97	212	435	639	552	263	-
1989	2,331	5	9	19	23	55	99	192	471	670	552	236	-
1988	2,067	10	11	21	28	50	103	196	435	578	425	209	1
1987	1,962	4	7	15	39	46	87	183	395	536	436	213	1
1986	1,720	7	3	15	34	47	73	163	383	495	347	153	-
1985	1,702	8	6	29	32	40	55	160	379	460	378	155	-
1984	1,538	10	5	12	27	52	84	135	338	400	319	155	1
1983	1,396	3	7	16	33	50	79	150	308	346	270	134	-
1982	1,250	9	13	17	29	35	68	148	294	325	227	85	-
1981	1,067	6	2	16	16	36	64	125	252	274	210	65	1
1980	1,026	7	8	15	25	45	52	122	226	274	168	84	-
1979	888	5	7	6	26	38	54	111	212	228	148	53	-
Chronic lower respiratory diseases (490-494,496)													
Black, both sexes													
1998	7,205	16	24	64	105	143	286	547	994	1,968	2,045	1,013	-
1997	6,908	18	22	64	65	143	267	479	991	1,958	1,941	959	1
1996	6,923	17	25	78	104	136	270	485	1,017	1,904	1,920	963	4
1995	6,665	14	12	72	104	134	255	483	989	1,918	1,825	859	-
1994	6,511	16	20	61	90	148	252	458	980	1,948	1,738	796	4
1993	6,434	16	23	62	82	116	260	425	1,004	1,938	1,792	715	1
1992	5,856	21	28	47	80	100	211	394	947	1,799	1,555	673	1
1991	5,816	25	24	54	82	124	215	456	980	1,793	1,493	565	5
1990	5,654	15	22	53	63	117	191	419	971	1,704	1,558	538	3
1989	5,670	12	18	45	60	122	214	388	1,009	1,774	1,509	518	1
1988	5,475	18	16	44	69	114	213	406	1,028	1,727	1,383	456	1
1987	5,051	12	18	56	81	102	180	357	943	1,598	1,250	452	2
1986	4,856	19	9	46	76	84	149	369	990	1,578	1,135	400	1
1985	4,659	13	13	53	76	90	134	353	960	1,446	1,157	357	7
1984	4,292	23	12	34	58	81	150	347	898	1,351	1,011	324	3
1983	4,068	11	25	39	65	98	144	320	921	1,212	907	324	2
1982	3,631	21	24	34	71	77	139	332	798	1,170	735	228	2
1981	3,515	15	18	33	51	73	118	326	778	1,115	780	207	1
1980	3,379	20	18	36	54	79	123	319	788	1,059	672	211	-
1979	2,957	14	11	15	44	68	116	304	668	942	607	166	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Chronic lower respiratory diseases (490-494,496)													
Black, male													
1998	4,039	8	15	39	69	80	130	256	558	1,148	1,223	513	-
1997	3,966	12	18	33	42	78	122	241	543	1,178	1,196	502	1
1996	3,928	13	16	41	62	64	129	238	592	1,103	1,184	483	3
1995	3,916	8	8	55	64	78	105	254	573	1,179	1,106	486	-
1994	3,857	12	12	39	57	91	116	231	556	1,208	1,102	429	4
1993	3,913	9	12	38	55	53	123	224	594	1,213	1,174	417	1
1992	3,568	14	13	28	50	61	103	191	577	1,126	1,014	390	1
1991	3,621	13	17	31	49	64	116	238	591	1,156	1,009	333	4
1990	3,627	9	17	37	38	61	104	221	592	1,132	1,083	330	3
1989	3,592	9	9	28	38	71	122	209	586	1,174	1,027	318	1
1988	3,644	9	6	24	44	67	117	225	631	1,218	1,015	287	1
1987	3,319	8	11	41	46	58	95	197	585	1,125	870	282	1
1986	3,302	12	6	31	45	41	83	222	636	1,127	831	267	1
1985	3,154	6	9	25	46	51	82	208	617	1,044	827	232	7
1984	2,922	15	8	24	31	33	73	220	589	989	739	199	2
1983	2,813	8	19	26	35	51	73	176	638	906	671	208	2
1982	2,489	12	12	18	48	44	75	191	518	870	541	158	2
1981	2,544	9	16	17	36	40	60	208	541	871	594	152	-
1980	2,429	13	11	21	30	38	72	202	569	805	524	144	-
1979	2,166	10	6	9	19	33	64	198	476	737	484	128	2
Chronic lower respiratory diseases (490-494,496)													
Black, female													
1998	3,166	8	9	25	36	63	156	291	436	820	822	500	-
1997	2,942	6	4	31	23	65	145	238	448	780	745	457	-
1996	2,995	4	9	37	42	72	141	247	425	801	736	480	1
1995	2,749	6	4	17	40	56	150	229	416	739	719	373	-
1994	2,654	4	8	22	33	57	136	227	424	740	636	367	-
1993	2,521	7	11	24	27	63	137	201	410	725	618	298	-
1992	2,288	7	15	19	30	39	108	203	370	673	541	283	-
1991	2,195	12	7	23	33	60	99	218	389	637	484	232	1
1990	2,027	6	5	16	25	56	87	198	379	572	475	208	-
1989	2,078	3	9	17	22	51	92	179	423	600	482	200	-
1988	1,831	9	10	20	25	47	96	181	397	509	368	169	-
1987	1,732	4	7	15	35	44	85	160	358	473	380	170	1
1986	1,554	7	3	15	31	43	66	147	354	451	304	133	-
1985	1,505	7	4	28	30	39	52	145	343	402	330	125	-
1984	1,370	8	4	10	27	48	77	127	309	362	272	125	1
1983	1,255	3	6	13	30	47	71	144	283	306	236	116	-
1982	1,142	9	12	16	23	33	64	141	280	300	194	70	-
1981	971	6	2	16	15	33	58	118	237	244	186	55	1
1980	950	7	7	15	24	41	51	117	219	254	148	67	-
1979	791	4	5	6	25	35	52	106	192	205	123	38	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	Age groups												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Bronchitis, chronic and unspecified (490-491)													
All races, both sexes													
1998	3,032	27	12	11	10	13	41	101	279	676	1,048	814	-
1997	3,055	39	10	6	12	13	39	98	244	720	1,046	828	-
1996	3,151	27	11	12	9	28	49	104	266	772	1,095	777	1
1995	3,333	26	13	6	15	22	38	83	281	830	1,130	889	-
1994	3,579	41	16	5	6	13	40	118	323	927	1,211	879	-
1993	3,777	41	12	15	9	17	46	109	355	976	1,278	918	1
1992	3,664	33	20	7	10	15	40	103	375	985	1,238	838	-
1991	3,727	45	19	12	14	17	39	110	399	959	1,271	842	-
1990	3,600	39	23	7	7	19	38	95	386	898	1,271	817	-
1989	3,759	30	26	10	9	17	30	98	398	979	1,277	885	-
1988	3,720	43	18	4	5	22	35	92	422	1,029	1,249	799	2
1987	3,581	36	23	14	16	19	26	80	403	932	1,243	789	-
1986	3,750	40	12	5	9	12	33	98	422	1,046	1,281	790	2
1985	3,615	40	12	10	9	14	24	91	442	1,054	1,143	775	1
1984	3,545	38	17	6	11	17	36	96	458	1,037	1,147	682	-
1983	3,578	36	23	4	13	10	25	118	473	1,087	1,110	679	-
1982	3,495	41	24	6	17	14	33	130	468	1,053	1,109	599	1
1981	3,685	44	24	14	14	14	27	118	553	1,147	1,101	629	-
1980	3,728	42	21	12	12	16	35	133	556	1,180	1,143	578	-
1979	3,650	57	37	14	14	17	27	137	597	1,159	1,085	505	1
Bronchitis, chronic and unspecified (490-491)													
All races, male													
1998	1,482	18	9	4	5	7	24	47	159	365	516	328	-
1997	1,460	27	6	3	8	7	19	45	113	368	524	340	-
1996	1,574	18	9	4	4	13	27	46	133	416	579	324	1
1995	1,667	22	5	2	10	9	17	52	147	462	601	340	-
1994	1,763	26	8	4	3	5	25	58	165	490	636	343	-
1993	1,888	24	8	8	7	10	23	54	180	524	682	367	1
1992	1,819	24	14	6	5	8	24	48	202	523	653	312	-
1991	1,957	23	14	5	8	11	20	67	218	513	710	368	-
1990	1,878	23	14	5	2	11	16	52	211	518	692	334	-
1989	1,956	22	16	6	5	11	22	43	211	553	713	354	-
1988	1,992	26	10	3	3	10	18	52	209	604	724	332	1
1987	1,884	22	11	11	9	10	18	43	211	524	705	320	-
1986	2,079	27	7	2	7	5	22	51	238	610	767	342	1
1985	2,041	28	6	4	5	9	11	35	251	656	698	337	1
1984	2,029	25	4	4	9	8	18	56	269	647	676	313	-
1983	2,139	22	16	2	7	6	13	73	283	695	689	333	-
1982	2,126	24	9	3	12	9	11	66	280	680	722	309	1
1981	2,344	31	18	8	8	10	15	70	366	758	722	338	-
1980	2,380	25	15	8	7	6	23	83	347	823	756	287	-
1979	2,405	34	22	9	9	12	11	84	366	784	770	304	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Bronchitis, chronic and unspecified (490-491)													
All races, female													
1998	1,550	9	3	7	5	6	17	54	120	311	532	486	-
1997	1,595	12	4	3	4	6	20	53	131	352	522	488	-
1996	1,577	9	2	8	5	15	22	58	133	356	516	453	-
1995	1,666	4	8	4	5	13	21	31	134	368	529	549	-
1994	1,816	15	8	1	3	8	15	60	158	437	575	536	-
1993	1,889	17	4	7	2	7	23	55	175	452	596	551	-
1992	1,845	9	6	1	5	7	16	55	173	462	585	526	-
1991	1,770	22	5	7	6	6	19	43	181	446	561	474	-
1990	1,722	16	9	2	5	8	22	43	175	380	579	483	-
1989	1,803	8	10	4	4	6	8	55	187	426	564	531	-
1988	1,728	17	8	1	2	12	17	40	213	425	525	467	1
1987	1,697	14	12	3	7	9	8	37	192	408	538	469	-
1986	1,671	13	5	3	2	7	11	47	184	436	514	448	1
1985	1,574	12	6	6	4	5	13	56	191	398	445	438	-
1984	1,516	13	13	2	2	9	18	40	189	390	471	369	-
1983	1,439	14	7	2	6	4	12	45	190	392	421	346	-
1982	1,369	17	15	3	5	5	22	64	188	373	387	290	-
1981	1,341	13	6	6	6	4	12	48	187	389	379	291	-
1980	1,348	17	6	4	5	10	12	50	209	357	387	291	-
1979	1,245	23	15	5	5	5	16	53	231	375	315	201	1
Bronchitis, chronic and unspecified (490-491)													
White, both sexes													
1998	2,817	15	8	10	9	10	31	78	259	620	996	781	-
1997	2,805	25	7	2	8	11	26	84	221	653	981	787	-
1996	2,889	16	9	7	7	20	33	85	234	707	1,034	736	1
1995	3,053	18	8	5	11	14	23	66	256	766	1,056	830	-
1994	3,323	27	11	4	5	8	31	107	297	854	1,147	832	-
1993	3,502	26	7	9	7	11	31	91	318	922	1,208	871	1
1992	3,421	17	13	6	10	12	29	93	338	924	1,185	794	-
1991	3,459	26	13	5	12	10	27	80	358	912	1,216	800	-
1990	3,365	27	14	2	4	15	31	82	360	851	1,197	782	-
1989	3,522	21	20	5	8	15	22	83	364	918	1,218	848	-
1988	3,491	29	12	3	3	14	23	83	385	966	1,200	772	1
1987	3,379	27	19	10	10	12	24	70	374	880	1,192	761	-
1986	3,531	27	9	4	7	9	29	89	390	987	1,214	764	2
1985	3,413	28	8	7	6	10	19	76	405	1,007	1,095	751	1
1984	3,359	21	15	4	10	13	27	86	420	991	1,109	663	-
1983	3,364	24	14	3	11	7	19	103	436	1,031	1,069	647	-
1982	3,311	28	16	6	14	14	21	118	434	1,014	1,068	577	1
1981	3,486	33	16	12	12	12	24	104	517	1,093	1,051	612	-
1980	3,513	27	12	11	10	14	26	111	515	1,124	1,102	561	-
1979	3,452	41	30	13	13	15	20	122	564	1,109	1,037	487	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Bronchitis, chronic and unspecified (490-491)													
White, male													
1998	1,359	11	5	4	5	5	17	36	147	335	484	310	-
1997	1,321	17	4	1	5	5	11	38	106	326	487	321	-
1996	1,435	10	8	3	3	10	19	38	113	380	541	309	1
1995	1,509	15	2	2	8	3	10	39	137	419	559	315	-
1994	1,618	16	5	3	2	5	20	52	155	441	595	324	-
1993	1,734	14	6	5	6	6	18	43	154	492	643	346	1
1992	1,685	14	10	5	5	7	18	44	177	489	622	294	-
1991	1,801	15	10	2	6	7	14	46	193	481	676	351	-
1990	1,726	15	8	1	1	9	12	42	195	488	635	320	-
1989	1,823	17	13	3	4	11	14	37	196	514	676	338	-
1988	1,850	19	8	2	2	5	13	46	188	558	689	319	1
1987	1,766	17	8	7	7	7	16	38	199	487	676	304	-
1986	1,931	19	6	1	6	3	18	46	212	571	720	328	1
1985	1,929	23	5	2	4	6	9	31	228	629	668	323	1
1984	1,912	14	3	2	8	5	12	50	250	614	651	303	-
1983	1,995	13	10	2	7	5	10	64	258	654	662	310	-
1982	2,010	16	6	3	10	9	6	62	258	650	694	295	1
1981	2,193	23	11	6	6	9	13	60	342	709	687	327	-
1980	2,231	16	9	8	6	5	17	69	319	778	729	275	-
1979	2,275	23	19	8	9	12	8	74	347	745	737	293	-
Bronchitis, chronic and unspecified (490-491)													
White, female													
1998	1,458	4	3	6	4	5	14	42	112	285	512	471	-
1997	1,484	8	3	1	3	6	15	46	115	327	494	466	-
1996	1,454	6	1	4	4	10	14	47	121	327	493	427	-
1995	1,544	3	6	3	3	11	13	27	119	347	497	515	-
1994	1,705	11	6	1	3	3	11	55	142	413	552	508	-
1993	1,768	12	1	4	1	5	13	48	164	430	565	525	-
1992	1,736	3	3	1	5	5	11	49	161	435	563	500	-
1991	1,658	11	3	3	6	3	13	34	165	431	540	449	-
1990	1,639	12	6	1	3	6	19	40	165	363	562	462	-
1989	1,699	4	7	2	4	4	8	46	168	404	542	510	-
1988	1,641	10	4	1	1	9	10	37	197	408	511	453	-
1987	1,613	10	11	3	3	5	8	32	175	393	516	457	-
1986	1,600	8	3	3	1	6	11	43	178	416	494	436	1
1985	1,484	5	3	5	2	4	10	45	177	378	427	428	-
1984	1,447	7	12	2	2	8	15	36	170	377	458	360	-
1983	1,369	11	4	1	4	2	9	39	178	377	407	337	-
1982	1,301	12	10	3	4	5	15	56	176	364	374	282	-
1981	1,293	10	5	6	6	3	11	44	175	384	364	285	-
1980	1,282	11	3	3	4	9	9	42	196	346	373	286	-
1979	1,177	18	11	5	4	3	12	48	217	364	300	194	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Bronchitis, chronic and unspecified (490-491)													
All other, both sexes													
1998	215	12	4	1	1	3	10	23	20	56	52	33	-
1997	250	14	3	4	4	2	13	14	23	67	65	41	-
1996	262	11	2	5	2	8	16	19	32	65	61	41	-
1995	280	8	5	1	4	8	15	17	25	64	74	59	-
1994	256	14	5	1	1	5	9	11	26	73	64	47	-
1993	275	15	5	6	2	6	15	18	37	54	70	47	-
1992	243	16	7	1	-	3	11	10	37	61	53	44	-
1991	268	19	6	7	2	7	12	30	41	47	55	42	-
1990	235	12	9	5	3	4	7	13	26	47	74	35	-
1989	237	9	6	5	1	2	8	15	34	61	59	37	-
1988	229	14	6	1	2	8	12	9	37	63	49	27	1
1987	202	9	4	4	6	7	2	10	29	52	51	28	-
1986	219	13	3	1	2	3	4	9	32	59	67	26	-
1985	202	12	4	3	3	4	5	15	37	47	48	24	-
1984	186	17	2	2	1	4	9	10	38	46	38	19	-
1983	214	12	9	1	2	3	6	15	37	56	41	32	-
1982	184	13	8	-	3	-	12	12	34	39	41	22	-
1981	199	11	8	2	2	2	3	14	36	54	50	17	-
1980	215	15	9	1	2	2	9	22	41	56	41	17	-
1979	198	16	7	1	1	2	7	15	33	50	48	18	-
Bronchitis, chronic and unspecified (490-491)													
All other, male													
1998	123	7	4	-	-	2	7	11	12	30	32	18	-
1997	139	10	2	2	3	2	8	7	7	42	37	19	-
1996	139	8	1	1	1	3	8	8	20	36	38	15	-
1995	158	7	3	-	2	6	7	13	10	43	42	25	-
1994	145	10	3	1	1	-	5	6	10	49	41	19	-
1993	154	10	2	3	1	4	5	11	26	32	39	21	-
1992	134	10	4	1	-	1	6	4	25	34	31	18	-
1991	156	8	4	3	2	4	6	21	25	32	34	17	-
1990	152	8	6	4	1	2	4	10	16	30	57	14	-
1989	133	5	3	3	1	-	8	6	15	39	37	16	-
1988	142	7	2	1	1	5	5	6	21	46	35	13	-
1987	118	5	3	4	2	3	2	5	12	37	29	16	-
1986	148	8	1	1	1	2	4	5	26	39	47	14	-
1985	112	5	1	2	1	3	2	4	23	27	30	14	-
1984	117	11	1	2	1	3	6	6	19	33	25	10	-
1983	144	9	6	-	-	1	3	9	25	41	27	23	-
1982	116	8	3	-	2	-	5	4	22	30	28	14	-
1981	151	8	7	2	2	1	2	10	24	49	35	11	-
1980	149	9	6	-	1	1	6	14	28	45	27	12	-
1979	130	11	3	1	-	-	3	10	19	39	33	11	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Bronchitis, chronic and unspecified (490-491)													
All other, female													
1998	92	5	-	1	1	1	3	12	8	26	20	15	-
1997	111	4	1	2	1	-	5	7	16	25	28	22	-
1996	123	3	1	4	1	5	8	11	12	29	23	26	-
1995	122	1	2	1	2	2	8	4	15	21	32	34	-
1994	111	4	2	-	-	5	4	5	16	24	23	28	-
1993	121	5	3	3	1	2	10	7	11	22	31	26	-
1992	109	6	3	-	-	2	5	6	12	27	22	26	-
1991	112	11	2	4	-	3	6	9	16	15	21	25	-
1990	83	4	3	1	2	2	3	3	10	17	17	21	-
1989	104	4	3	2	-	2	-	9	19	22	22	21	-
1988	87	7	4	-	1	3	7	3	16	17	14	14	1
1987	84	4	1	-	4	4	-	5	17	15	22	12	-
1986	71	5	2	-	1	1	-	4	6	20	20	12	-
1985	90	7	3	1	2	1	3	11	14	20	18	10	-
1984	69	6	1	-	-	1	3	4	19	13	13	9	-
1983	70	3	3	1	2	2	3	6	12	15	14	9	-
1982	68	5	5	-	1	-	7	8	12	9	13	8	-
1981	48	3	1	-	-	1	1	4	12	5	15	6	-
1980	66	6	3	1	1	1	3	8	13	11	14	5	-
1979	68	5	4	-	1	2	4	5	14	11	15	7	-
Bronchitis, chronic and unspecified (490-491)													
Black, both sexes													
1998	165	10	4	1	1	2	9	20	15	44	41	18	-
1997	196	12	2	4	3	1	11	11	20	51	50	31	-
1996	214	10	2	3	1	8	15	16	29	47	47	36	-
1995	222	8	4	1	4	6	13	15	22	53	52	44	-
1994	209	12	4	1	-	4	9	10	20	61	52	36	-
1993	222	13	3	6	1	5	14	17	31	46	52	34	-
1992	204	14	5	1	-	3	10	9	28	55	42	37	-
1991	224	19	6	6	2	6	10	26	35	41	44	29	-
1990	190	10	8	5	1	4	6	12	22	44	58	20	-
1989	207	7	6	4	1	2	6	13	31	58	50	29	-
1988	193	14	5	1	2	5	11	7	35	54	38	21	-
1987	169	7	4	4	5	6	2	8	27	44	45	17	-
1986	184	11	3	1	2	2	4	9	29	55	52	16	-
1985	167	10	3	1	3	4	4	12	33	40	39	18	-
1984	166	16	2	2	1	4	8	10	33	40	34	16	-
1983	180	9	8	1	2	3	5	13	32	47	35	25	-
1982	163	12	8	-	3	-	11	9	32	38	35	15	-
1981	178	11	8	2	2	2	3	12	33	50	44	11	-
1980	195	14	8	1	2	2	9	22	37	52	34	14	-
1979	170	14	6	1	1	1	6	11	31	45	39	15	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Bronchitis, chronic and unspecified (490-491)													
Black, male													
1998	94	5	4	-	-	1	6	11	9	23	24	11	-
1997	108	9	2	2	2	1	6	6	6	31	28	15	-
1996	108	8	1	-	-	3	8	7	19	24	27	11	-
1995	127	7	2	-	2	5	7	11	9	36	29	19	-
1994	118	9	2	1	-	-	5	5	8	41	34	13	-
1993	122	8	-	3	1	3	5	10	22	26	30	14	-
1992	115	9	4	1	-	1	6	3	19	32	26	14	-
1991	135	8	4	2	2	3	5	19	22	28	28	14	-
1990	125	6	5	4	-	2	3	9	15	28	46	7	-
1989	113	5	3	2	1	-	6	4	14	38	28	12	-
1988	121	7	2	1	1	3	5	5	20	39	28	10	-
1987	100	3	3	4	2	3	2	4	11	33	25	10	-
1986	121	6	1	1	1	1	4	5	24	36	36	6	-
1985	93	4	1	-	1	3	1	4	22	23	24	10	-
1984	105	11	1	2	1	3	5	6	15	30	23	8	-
1983	120	6	5	-	-	1	2	7	21	37	23	18	-
1982	102	7	3	-	2	-	5	3	20	30	24	8	-
1981	133	8	7	2	2	1	2	8	21	45	31	6	-
1980	136	8	5	-	1	1	6	14	26	42	24	9	-
1979	117	10	3	1	-	-	2	8	18	36	29	10	-
Bronchitis, chronic and unspecified (490-491)													
Black, female													
1998	71	5	-	1	1	1	3	9	6	21	17	7	-
1997	88	3	-	2	1	-	5	5	14	20	22	16	-
1996	106	2	1	3	1	5	7	9	10	23	20	25	-
1995	95	1	2	1	2	1	6	4	13	17	23	25	-
1994	91	3	2	-	-	4	4	5	12	20	18	23	-
1993	100	5	3	3	-	2	9	7	9	20	22	20	-
1992	89	5	1	-	-	2	4	6	9	23	16	23	-
1991	89	11	2	4	-	3	5	7	13	13	16	15	-
1990	65	4	3	1	1	2	3	3	7	16	12	13	-
1989	94	2	3	2	-	2	-	9	17	20	22	17	-
1988	72	7	3	-	1	2	6	2	15	15	10	11	-
1987	69	4	1	-	3	3	-	4	16	11	20	7	-
1986	63	5	2	-	1	1	-	4	5	19	16	10	-
1985	74	6	2	1	2	1	3	8	11	17	15	8	-
1984	61	5	1	-	-	1	3	4	18	10	11	8	-
1983	60	3	3	1	2	2	3	6	11	10	12	7	-
1982	61	5	5	-	1	-	6	6	12	8	11	7	-
1981	45	3	1	-	-	1	1	4	12	5	13	5	-
1980	59	6	3	1	1	1	3	8	11	10	10	5	-
1979	53	4	3	-	1	1	4	3	13	9	10	5	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Emphysema (492)													
All races, both sexes													
1998	17,555	1	-	-	4	12	82	476	2,000	5,835	6,717	2,428	-
1997	17,518	2	-	1	-	11	91	456	1,958	5,897	6,698	2,402	2
1996	17,286	2	1	-	1	9	70	462	1,949	5,733	6,744	2,315	-
1995	16,927	1	1	-	1	12	66	505	2,048	5,705	6,382	2,206	-
1994	17,215	2	-	1	2	10	80	426	2,107	5,952	6,406	2,228	1
1993	17,586	1	1	3	4	9	59	444	2,266	6,167	6,575	2,056	1
1992	16,363	1	2	-	3	8	75	416	2,052	5,897	5,930	1,979	-
1991	16,436	2	-	-	1	8	62	457	2,156	5,814	6,014	1,921	1
1990	15,706	-	1	-	1	13	71	417	2,213	5,642	5,671	1,677	-
1989	15,467	7	1	1	3	7	63	401	2,318	5,595	5,485	1,586	-
1988	15,513	3	-	-	1	16	74	402	2,294	5,738	5,369	1,614	2
1987	14,483	8	1	-	-	14	78	417	2,268	5,221	5,020	1,453	3
1986	14,471	4	-	1	2	11	63	486	2,274	5,351	4,910	1,368	1
1985	14,150	2	-	2	4	12	65	458	2,262	5,315	4,713	1,316	1
1984	13,263	6	1	1	4	17	67	395	2,214	4,942	4,348	1,268	-
1983	13,293	6	1	-	5	14	73	468	2,225	5,002	4,253	1,241	5
1982	12,793	2	-	-	5	9	70	474	2,194	4,845	4,034	1,156	4
1981	13,369	2	1	1	6	14	84	540	2,319	5,187	4,043	1,171	1
1980	13,877	3	-	2	6	19	76	558	2,462	5,214	4,262	1,274	1
1979	13,569	2	2	1	4	19	93	618	2,463	5,149	4,060	1,157	1
Emphysema (492)													
All races, male													
1998	9,333	-	-	-	3	7	52	254	1,113	3,159	3,548	1,197	-
1997	9,497	1	-	1	-	4	57	261	1,061	3,292	3,597	1,222	1
1996	9,422	-	1	-	1	4	46	263	1,074	3,161	3,682	1,190	-
1995	9,344	-	-	-	-	9	35	300	1,152	3,158	3,535	1,155	-
1994	9,622	-	-	1	1	8	49	250	1,148	3,368	3,597	1,199	1
1993	9,914	1	-	1	3	7	41	268	1,245	3,454	3,761	1,133	-
1992	9,422	1	1	-	2	7	52	228	1,184	3,396	3,438	1,113	-
1991	9,531	-	-	-	-	6	39	256	1,228	3,363	3,553	1,086	-
1990	9,408	-	1	-	-	9	51	227	1,283	3,394	3,470	973	-
1989	9,294	3	-	1	2	5	42	232	1,312	3,369	3,360	968	-
1988	9,686	2	-	-	1	11	51	221	1,385	3,505	3,507	1,002	1
1987	9,182	7	-	-	-	11	53	232	1,381	3,262	3,367	866	3
1986	9,396	2	-	1	1	9	46	291	1,403	3,462	3,300	880	1
1985	9,375	2	-	1	4	6	41	287	1,386	3,494	3,259	894	1
1984	8,926	3	-	1	3	8	47	241	1,426	3,287	3,081	829	-
1983	9,203	3	-	-	4	10	45	279	1,459	3,456	3,080	863	4
1982	9,037	1	-	-	4	7	42	291	1,412	3,454	2,997	828	1
1981	9,592	-	1	1	5	9	52	356	1,562	3,752	3,010	844	-
1980	10,133	1	-	2	5	16	48	352	1,691	3,811	3,308	899	-
1979	10,171	-	1	1	2	15	56	413	1,749	3,941	3,145	847	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Emphysema (492)													
All races, female													
1998	8,222	1	-	-	1	5	30	222	887	2,676	3,169	1,231	-
1997	8,021	1	-	-	-	7	34	195	897	2,605	3,101	1,180	1
1996	7,864	2	-	-	-	5	24	199	875	2,572	3,062	1,125	-
1995	7,583	1	1	-	1	3	31	205	896	2,547	2,847	1,051	-
1994	7,593	2	-	-	1	2	31	176	959	2,584	2,809	1,029	-
1993	7,672	-	1	2	1	2	18	176	1,021	2,713	2,814	923	1
1992	6,941	-	1	-	1	1	23	188	868	2,501	2,492	866	-
1991	6,905	2	-	-	1	2	23	201	928	2,451	2,461	835	1
1990	6,298	-	-	-	1	4	20	190	930	2,248	2,201	704	-
1989	6,173	4	1	-	1	2	21	169	1,006	2,226	2,125	618	-
1988	5,827	1	-	-	-	5	23	181	909	2,233	1,862	612	1
1987	5,301	1	1	-	-	3	25	185	887	1,959	1,653	587	-
1986	5,075	2	-	-	1	2	17	195	871	1,889	1,610	488	-
1985	4,775	-	-	1	-	6	24	171	876	1,821	1,454	422	-
1984	4,337	3	1	-	1	9	20	154	788	1,655	1,267	439	-
1983	4,090	3	1	-	1	4	28	189	766	1,546	1,173	378	1
1982	3,756	1	-	-	1	2	28	183	782	1,391	1,037	328	3
1981	3,777	2	-	-	1	5	32	184	757	1,435	1,033	327	1
1980	3,744	2	-	-	1	3	28	206	771	1,403	954	375	1
1979	3,398	2	1	-	2	4	37	205	714	1,208	915	310	-
Emphysema (492)													
White, both sexes													
1998	16,511	-	-	-	3	7	58	399	1,822	5,487	6,420	2,315	-
1997	16,516	2	-	1	-	6	79	386	1,811	5,546	6,396	2,287	2
1996	16,257	-	-	-	-	8	47	398	1,777	5,410	6,430	2,187	-
1995	15,928	-	1	-	1	7	43	442	1,893	5,393	6,050	2,098	-
1994	16,223	2	-	1	2	3	53	375	1,936	5,610	6,121	2,119	1
1993	16,534	1	-	1	2	5	32	384	2,112	5,791	6,255	1,950	1
1992	15,405	1	2	-	2	6	57	361	1,896	5,549	5,651	1,880	-
1991	15,539	2	-	-	1	6	52	394	1,991	5,475	5,772	1,845	1
1990	14,828	-	1	-	1	7	60	363	2,038	5,341	5,406	1,611	-
1989	14,590	7	1	-	1	3	47	356	2,154	5,276	5,243	1,502	-
1988	14,589	1	-	-	1	6	53	359	2,108	5,407	5,101	1,551	2
1987	13,663	5	1	-	-	11	57	369	2,086	4,938	4,811	1,382	3
1986	13,687	2	-	-	2	9	47	430	2,094	5,074	4,716	1,312	1
1985	13,353	2	-	2	3	7	56	396	2,100	5,042	4,493	1,252	-
1984	12,547	5	-	1	2	12	52	332	2,080	4,689	4,161	1,213	-
1983	12,588	5	-	-	5	7	52	424	2,059	4,764	4,084	1,184	4
1982	12,155	1	-	-	3	8	57	422	2,052	4,612	3,881	1,116	3
1981	12,683	1	1	1	3	10	61	481	2,159	4,947	3,890	1,128	1
1980	13,194	3	-	1	5	11	56	503	2,286	4,983	4,119	1,226	1
1979	12,887	2	2	-	3	15	71	545	2,304	4,910	3,917	1,118	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Emphysema (492)													
White, male													
1998	8,684	-	-	-	2	4	35	207	996	2,944	3,355	1,141	-
1997	8,823	1	-	1	-	3	51	212	965	3,049	3,394	1,146	1
1996	8,750	-	-	-	-	4	29	221	961	2,949	3,472	1,114	-
1995	8,656	-	-	-	-	5	21	258	1,037	2,942	3,307	1,086	-
1994	8,952	-	-	1	1	1	31	214	1,034	3,143	3,400	1,126	1
1993	9,202	1	-	1	1	4	23	226	1,141	3,211	3,537	1,057	-
1992	8,745	1	1	-	1	5	40	190	1,068	3,162	3,233	1,044	-
1991	8,904	-	-	-	-	4	31	211	1,117	3,135	3,371	1,035	-
1990	8,769	-	1	-	-	4	43	188	1,167	3,170	3,269	927	-
1989	8,665	3	-	-	-	2	30	200	1,208	3,138	3,180	904	-
1988	8,953	1	-	-	1	3	32	192	1,257	3,236	3,278	952	1
1987	8,566	4	-	-	-	8	34	194	1,249	3,045	3,209	820	3
1986	8,781	1	-	-	1	7	32	255	1,267	3,247	3,130	840	1
1985	8,766	2	-	1	3	2	34	237	1,270	3,286	3,087	844	-
1984	8,369	2	-	1	2	6	34	192	1,330	3,082	2,929	791	-
1983	8,653	2	-	-	4	4	30	246	1,326	3,266	2,948	824	3
1982	8,533	1	-	-	2	6	32	250	1,308	3,268	2,871	795	-
1981	9,026	-	1	1	2	5	36	308	1,432	3,549	2,882	810	-
1980	9,587	1	-	1	4	10	32	309	1,548	3,629	3,191	862	-
1979	9,625	-	1	-	2	13	39	359	1,624	3,747	3,028	812	-
Emphysema (492)													
White, female													
1998	7,827	-	-	-	1	3	23	192	826	2,543	3,065	1,174	-
1997	7,693	1	-	-	-	3	28	174	846	2,497	3,002	1,141	1
1996	7,507	-	-	-	-	4	18	177	816	2,461	2,958	1,073	-
1995	7,272	-	1	-	1	2	22	184	856	2,451	2,743	1,012	-
1994	7,271	2	-	-	1	2	22	161	902	2,467	2,721	993	-
1993	7,332	-	-	-	1	1	9	158	971	2,580	2,718	893	1
1992	6,660	-	1	-	1	1	17	171	828	2,387	2,418	836	-
1991	6,635	2	-	-	1	2	21	183	874	2,340	2,401	810	1
1990	6,059	-	-	-	1	3	17	175	871	2,171	2,137	684	-
1989	5,925	4	1	-	1	1	17	156	946	2,138	2,063	598	-
1988	5,636	-	-	-	-	3	21	167	851	2,171	1,823	599	1
1987	5,097	1	1	-	-	3	23	175	837	1,893	1,602	562	-
1986	4,906	1	-	-	1	2	15	175	827	1,827	1,586	472	-
1985	4,587	-	-	1	-	5	22	159	830	1,756	1,406	408	-
1984	4,178	3	-	-	-	6	18	140	750	1,607	1,232	422	-
1983	3,935	3	-	-	1	3	22	178	733	1,498	1,136	360	1
1982	3,622	-	-	-	1	2	25	172	744	1,344	1,010	321	3
1981	3,657	1	-	-	1	5	25	173	727	1,398	1,008	318	1
1980	3,607	2	-	-	1	1	24	194	738	1,354	928	364	1
1979	3,262	2	1	-	1	2	32	186	680	1,163	889	306	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Emphysema (492)													
All other, both sexes													
1998	1,044	1	-	-	1	5	24	77	178	348	297	113	-
1997	1,002	-	-	-	-	5	12	70	147	351	302	115	-
1996	1,029	2	1	-	1	1	23	64	172	323	314	128	-
1995	999	1	-	-	-	5	23	63	155	312	332	108	-
1994	992	-	-	-	-	7	27	51	171	342	285	109	-
1993	1,052	-	1	2	2	4	27	60	154	376	320	106	-
1992	958	-	-	-	1	2	18	55	156	348	279	99	-
1991	897	-	-	-	-	2	10	63	165	339	242	76	-
1990	878	-	-	-	-	6	11	54	175	301	265	66	-
1989	877	-	-	1	2	4	16	45	164	319	242	84	-
1988	924	2	-	-	-	10	21	43	186	331	268	63	-
1987	820	3	-	-	-	3	21	48	182	283	209	71	-
1986	784	2	-	1	-	2	16	56	180	277	194	56	-
1985	797	-	-	-	1	5	9	62	162	273	220	64	1
1984	716	1	1	-	2	5	15	63	134	253	187	55	-
1983	705	1	1	-	-	7	21	44	166	238	169	57	1
1982	638	1	-	-	2	1	13	52	142	233	153	40	1
1981	686	1	-	-	3	4	23	59	160	240	153	43	-
1980	683	-	-	1	1	8	20	55	176	231	143	48	-
1979	682	-	-	1	1	4	22	73	159	239	143	39	1
Emphysema (492)													
All other, male													
1998	649	-	-	-	1	3	17	47	117	215	193	56	-
1997	674	-	-	-	-	1	6	49	96	243	203	76	-
1996	672	-	1	-	1	-	17	42	113	212	210	76	-
1995	688	-	-	-	-	4	14	42	115	216	228	69	-
1994	670	-	-	-	-	7	18	36	114	225	197	73	-
1993	712	-	-	-	2	3	18	42	104	243	224	76	-
1992	677	-	-	-	1	2	12	38	116	234	205	69	-
1991	627	-	-	-	-	2	8	45	111	228	182	51	-
1990	639	-	-	-	-	5	8	39	116	224	201	46	-
1989	629	-	-	1	2	3	12	32	104	231	180	64	-
1988	733	1	-	-	-	8	19	29	128	269	229	50	-
1987	616	3	-	-	-	3	19	38	132	217	158	46	-
1986	615	1	-	1	-	2	14	36	136	215	170	40	-
1985	609	-	-	-	1	4	7	50	116	208	172	50	1
1984	557	1	-	-	1	2	13	49	96	205	152	38	-
1983	550	1	-	-	-	6	15	33	133	190	132	39	1
1982	504	-	-	-	2	1	10	41	104	186	126	33	1
1981	566	-	-	-	3	4	16	48	130	203	128	34	-
1980	546	-	-	1	1	6	16	43	143	182	117	37	-
1979	546	-	-	1	-	2	17	54	125	194	117	35	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Emphysema (492)													
All other, female													
1998	395	1	-	-	-	2	7	30	61	133	104	57	-
1997	328	-	-	-	-	4	6	21	51	108	99	39	-
1996	357	2	-	-	-	1	6	22	59	111	104	52	-
1995	311	1	-	-	-	1	9	21	40	96	104	39	-
1994	322	-	-	-	-	-	9	15	57	117	88	36	-
1993	340	-	1	2	-	1	9	18	50	133	96	30	-
1992	281	-	-	-	-	-	6	17	40	114	74	30	-
1991	270	-	-	-	-	-	2	18	54	111	60	25	-
1990	239	-	-	-	-	1	3	15	59	77	64	20	-
1989	248	-	-	-	-	1	4	13	60	88	62	20	-
1988	191	1	-	-	-	2	2	14	58	62	39	13	-
1987	204	-	-	-	-	-	2	10	50	66	51	25	-
1986	169	1	-	-	-	-	2	20	44	62	24	16	-
1985	188	-	-	-	-	1	2	12	46	65	48	14	-
1984	159	-	1	-	1	3	2	14	38	48	35	17	-
1983	155	-	1	-	-	1	6	11	33	48	37	18	-
1982	134	1	-	-	-	-	3	11	38	47	27	7	-
1981	120	1	-	-	-	-	7	11	30	37	25	9	-
1980	137	-	-	-	-	2	4	12	33	49	26	11	-
1979	136	-	-	-	1	2	5	19	34	45	26	4	-
Emphysema (492)													
Black, both sexes													
1998	890	1	-	-	1	5	23	67	154	298	248	93	-
1997	847	-	-	-	-	5	10	60	131	301	248	92	-
1996	882	1	1	-	1	1	23	55	156	280	263	101	-
1995	855	1	-	-	-	5	22	60	141	262	277	87	-
1994	858	-	-	-	-	6	26	44	157	296	241	88	-
1993	888	-	1	2	2	4	27	58	138	311	256	89	-
1992	831	-	-	-	1	1	18	53	135	306	235	82	-
1991	772	-	-	-	-	2	9	59	147	293	197	65	-
1990	763	-	-	-	-	6	10	50	155	268	220	54	-
1989	765	-	-	1	2	4	15	43	144	278	208	70	-
1988	816	2	-	-	-	9	20	41	163	298	234	49	-
1987	719	3	-	-	-	3	20	47	168	255	171	52	-
1986	704	2	-	1	-	2	15	52	169	255	160	48	-
1985	687	-	-	-	1	5	9	56	140	244	175	56	1
1984	627	1	1	-	2	4	14	61	124	222	154	44	-
1983	624	1	1	-	-	6	21	44	159	209	134	48	1
1982	579	1	-	-	2	1	13	50	137	209	131	34	1
1981	643	1	-	-	2	3	22	57	154	225	138	41	-
1980	625	-	-	1	1	8	20	51	169	212	123	40	-
1979	631	-	-	1	1	4	22	71	149	218	132	32	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Emphysema (492)													
Black, male													
1998	543	-	-	-	1	3	16	40	100	184	157	42	-
1997	562	-	-	-	-	1	5	43	85	206	162	60	-
1996	576	-	1	-	1	-	17	38	103	182	170	64	-
1995	578	-	-	-	-	4	13	39	106	177	184	55	-
1994	567	-	-	-	-	6	17	32	104	191	162	55	-
1993	601	-	-	-	2	3	18	40	93	202	180	63	-
1992	585	-	-	-	1	1	12	37	102	205	171	56	-
1991	536	-	-	-	-	2	7	42	98	197	147	43	-
1990	552	-	-	-	-	5	7	35	105	195	166	39	-
1989	547	-	-	1	2	3	11	32	89	202	155	52	-
1988	648	1	-	-	-	7	18	28	111	245	202	36	-
1987	543	3	-	-	-	3	18	37	123	196	128	35	-
1986	553	1	-	1	-	2	13	35	128	199	140	34	-
1985	523	-	-	-	1	4	7	45	97	190	136	42	1
1984	480	1	-	-	1	2	12	47	89	175	124	29	-
1983	484	1	-	-	-	6	15	33	127	167	101	33	1
1982	454	-	-	-	2	1	10	39	99	167	107	28	1
1981	531	-	-	-	2	3	16	46	126	192	114	32	-
1980	504	-	-	1	1	6	16	40	139	169	101	31	-
1979	506	-	-	1	-	2	17	52	119	179	107	28	1
Emphysema (492)													
Black, female													
1998	347	1	-	-	-	2	7	27	54	114	91	51	-
1997	285	-	-	-	-	4	5	17	46	95	86	32	-
1996	306	1	-	-	-	1	6	17	53	98	93	37	-
1995	277	1	-	-	-	1	9	21	35	85	93	32	-
1994	291	-	-	-	-	-	9	12	53	105	79	33	-
1993	287	-	1	2	-	1	9	18	45	109	76	26	-
1992	246	-	-	-	-	-	6	16	33	101	64	26	-
1991	236	-	-	-	-	-	2	17	49	96	50	22	-
1990	211	-	-	-	-	1	3	15	50	73	54	15	-
1989	218	-	-	-	-	1	4	11	55	76	53	18	-
1988	168	1	-	-	-	2	2	13	52	53	32	13	-
1987	176	-	-	-	-	-	2	10	45	59	43	17	-
1986	151	1	-	-	-	-	2	17	41	56	20	14	-
1985	164	-	-	-	-	1	2	11	43	54	39	14	-
1984	147	-	1	-	1	2	2	14	35	47	30	15	-
1983	140	-	1	-	-	-	6	11	32	42	33	15	-
1982	125	1	-	-	-	-	3	11	38	42	24	6	-
1981	112	1	-	-	-	-	6	11	28	33	24	9	-
1980	121	-	-	-	-	2	4	11	30	43	22	9	-
1979	125	-	-	-	1	2	5	19	30	39	25	4	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Asthma (493)													
All races, both sexes													
1998	5,438	7	33	131	214	277	487	647	673	972	1,190	807	-
1997	5,434	5	30	119	174	298	489	636	757	992	1,183	751	-
1996	5,667	8	34	149	214	288	496	649	816	1,095	1,177	739	2
1995	5,637	13	21	130	224	298	498	663	785	1,147	1,195	663	-
1994	5,487	5	24	118	215	304	421	597	780	1,223	1,155	644	1
1993	5,167	6	32	118	186	240	405	508	738	1,196	1,114	623	1
1992	4,964	9	38	88	168	232	373	495	692	1,164	1,097	608	-
1991	5,106	5	30	106	183	280	386	510	737	1,155	1,161	553	-
1990	4,819	12	24	102	160	237	332	502	738	1,125	1,074	512	1
1989	4,869	6	26	95	148	256	346	472	743	1,208	1,094	473	2
1988	4,597	7	19	93	162	231	343	440	785	1,097	991	429	-
1987	4,360	4	19	101	181	199	341	443	709	1,081	873	408	1
1986	3,955	13	17	92	166	197	251	356	688	982	843	350	-
1985	3,880	6	21	98	156	182	231	378	755	936	785	332	-
1984	3,564	10	17	79	132	159	227	355	674	905	702	303	1
1983	3,561	5	28	78	144	186	231	384	686	836	693	290	-
1982	3,154	8	26	70	162	169	176	341	582	793	593	234	-
1981	3,054	3	12	72	112	155	178	308	607	803	575	229	-
1980	2,891	8	21	61	105	130	145	309	529	765	596	222	-
1979	2,598	5	19	39	99	111	157	282	502	695	499	190	-
Asthma (493)													
All races, male													
1998	2,000	5	22	80	134	146	189	215	242	381	405	181	-
1997	1,986	3	20	66	118	160	187	220	283	390	367	172	-
1996	2,075	7	20	92	119	128	194	248	289	403	387	187	1
1995	2,079	5	15	91	118	147	196	240	288	418	379	182	-
1994	2,101	5	14	75	134	158	179	216	310	471	391	147	1
1993	1,928	2	20	69	112	98	163	192	302	441	368	161	-
1992	1,869	8	19	48	95	130	160	169	274	428	374	164	-
1991	1,927	5	19	66	102	139	179	193	269	421	392	142	-
1990	1,885	7	18	63	82	118	152	188	286	442	390	138	1
1989	1,848	6	11	58	82	131	146	191	261	463	363	135	1
1988	1,822	4	12	56	94	118	147	169	308	447	354	113	-
1987	1,730	2	12	64	100	99	145	157	301	439	307	104	-
1986	1,584	11	10	51	94	93	104	145	290	373	315	98	-
1985	1,551	4	12	49	76	86	96	146	309	372	305	96	-
1984	1,467	5	9	53	71	66	96	149	278	359	287	93	1
1983	1,455	5	23	48	69	85	92	144	279	357	264	89	-
1982	1,314	7	17	35	92	87	73	131	241	334	233	64	-
1981	1,287	1	9	42	64	74	67	123	263	336	233	75	-
1980	1,292	6	12	29	58	61	48	123	232	375	277	71	-
1979	1,133	4	9	23	49	51	64	109	224	326	209	65	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Asthma (493)													
All races, female													
1998	3,438	2	11	51	80	131	298	432	431	591	785	626	-
1997	3,448	2	10	53	56	138	302	416	474	602	816	579	-
1996	3,592	1	14	57	95	160	302	401	527	692	790	552	1
1995	3,558	8	6	39	106	151	302	423	497	729	816	481	-
1994	3,386	-	10	43	81	146	242	381	470	752	764	497	-
1993	3,239	4	12	49	74	142	242	316	436	755	746	462	1
1992	3,095	1	19	40	73	102	213	326	418	736	723	444	-
1991	3,179	-	11	40	81	141	207	317	468	734	769	411	-
1990	2,934	5	6	39	78	119	180	314	452	683	684	374	-
1989	3,021	-	15	37	66	125	200	281	482	745	731	338	1
1988	2,775	3	7	37	68	113	196	271	477	650	637	316	-
1987	2,630	2	7	37	81	100	196	286	408	642	566	304	1
1986	2,371	2	7	41	72	104	147	211	398	609	528	252	-
1985	2,329	2	9	49	80	96	135	232	446	564	480	236	-
1984	2,097	5	8	26	61	93	131	206	396	546	415	210	-
1983	2,106	-	5	30	75	101	139	240	407	479	429	201	-
1982	1,840	1	9	35	70	82	103	210	341	459	360	170	-
1981	1,767	2	3	30	48	81	111	185	344	467	342	154	-
1980	1,599	2	9	32	47	69	97	186	297	390	319	151	-
1979	1,465	1	10	16	50	60	93	173	278	369	290	125	-
Asthma (493)													
White, both sexes													
1998	3,947	2	13	63	108	133	282	394	467	732	1,020	733	-
1997	4,002	1	10	55	104	159	283	406	507	772	1,020	685	-
1996	4,110	2	10	67	106	155	288	423	559	847	1,004	647	2
1995	4,208	9	13	57	120	183	304	423	563	898	1,033	605	-
1994	4,134	3	8	54	118	163	242	378	559	1,000	1,012	597	-
1993	3,910	4	12	62	105	128	225	329	513	978	987	566	1
1992	3,789	4	15	39	89	131	241	320	484	951	967	548	-
1991	3,915	2	12	57	97	159	224	329	527	955	1,037	516	-
1990	3,696	7	11	53	94	129	192	311	549	930	944	476	-
1989	3,761	4	14	53	92	147	200	308	552	989	964	437	1
1988	3,473	4	10	45	89	132	197	274	557	883	881	401	-
1987	3,327	4	8	46	101	114	216	280	523	885	776	374	-
1986	3,036	7	11	49	86	120	155	218	497	807	760	326	-
1985	3,026	4	12	46	81	104	143	252	588	785	704	307	-
1984	2,779	4	10	44	78	91	128	239	516	773	618	278	-
1983	2,751	5	12	36	82	100	138	251	520	710	627	270	-
1982	2,450	5	11	36	93	93	97	226	449	679	540	221	-
1981	2,426	1	3	43	65	88	108	214	494	671	524	215	-
1980	2,291	5	10	30	56	67	91	220	420	650	540	202	-
1979	2,095	5	15	26	57	56	98	200	397	608	460	173	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Asthma (493)													
White, male													
1998	1,366	2	10	35	66	67	107	133	162	281	341	162	-
1997	1,383	-	5	31	71	79	104	138	179	315	311	150	-
1996	1,426	2	4	46	53	63	103	164	196	304	328	162	1
1995	1,454	4	9	34	53	83	116	148	207	319	322	159	-
1994	1,492	3	4	35	69	72	105	131	217	386	335	135	-
1993	1,384	2	7	33	58	50	86	136	212	342	314	144	-
1992	1,362	4	10	20	46	69	107	110	186	339	328	143	-
1991	1,388	2	5	36	49	79	103	125	183	337	340	129	-
1990	1,358	4	7	29	43	67	85	113	201	356	331	122	-
1989	1,352	4	5	33	45	69	78	119	195	369	313	122	-
1988	1,299	2	8	29	45	60	83	102	206	358	301	105	-
1987	1,244	2	5	24	54	53	89	97	214	354	260	92	-
1986	1,178	6	5	22	47	58	66	89	209	307	279	90	-
1985	1,140	3	5	24	30	43	48	94	232	306	269	86	-
1984	1,106	3	4	30	42	39	60	98	202	298	251	79	-
1983	1,084	5	9	20	36	42	57	97	207	296	234	81	-
1982	983	5	9	17	50	45	39	91	177	282	209	59	-
1981	977	1	1	27	31	40	40	85	209	265	209	69	-
1980	1,008	3	5	10	30	37	25	91	178	320	246	63	-
1979	898	4	7	16	30	25	39	78	177	281	187	54	-
Asthma (493)													
White, female													
1998	2,581	-	3	28	42	66	175	261	305	451	679	571	-
1997	2,619	1	5	24	33	80	179	268	328	457	709	535	-
1996	2,684	-	6	21	53	92	185	259	363	543	676	485	1
1995	2,754	5	4	23	67	100	188	275	356	579	711	446	-
1994	2,642	-	4	19	49	91	137	247	342	614	677	462	-
1993	2,526	2	5	29	47	78	139	193	301	636	673	422	1
1992	2,427	-	5	19	43	62	134	210	298	612	639	405	-
1991	2,527	-	7	21	48	80	121	204	344	618	697	387	-
1990	2,338	3	4	24	51	62	107	198	348	574	613	354	-
1989	2,409	-	9	20	47	78	122	189	357	620	651	315	1
1988	2,174	2	2	16	44	72	114	172	351	525	580	296	-
1987	2,083	2	3	22	47	61	127	183	309	531	516	282	-
1986	1,858	1	6	27	39	62	89	129	288	500	481	236	-
1985	1,886	1	7	22	51	61	95	158	356	479	435	221	-
1984	1,673	1	6	14	36	52	68	141	314	475	367	199	-
1983	1,667	-	3	16	46	58	81	154	313	414	393	189	-
1982	1,467	-	2	19	43	48	58	135	272	397	331	162	-
1981	1,449	-	2	16	34	48	68	129	285	406	315	146	-
1980	1,283	2	5	20	26	30	66	129	242	330	294	139	-
1979	1,197	1	8	10	27	31	59	122	220	327	273	119	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Asthma (493)													
All other, both sexes													
1998	1,491	5	20	68	106	144	205	253	206	240	170	74	-
1997	1,432	4	20	64	70	139	206	230	250	220	163	66	-
1996	1,557	6	24	82	108	133	208	226	257	248	173	92	-
1995	1,429	4	8	73	104	115	194	240	222	249	162	58	-
1994	1,353	2	16	64	97	141	179	219	221	223	143	47	1
1993	1,257	2	20	56	81	112	180	179	225	218	127	57	-
1992	1,175	5	23	49	79	101	132	175	208	213	130	60	-
1991	1,191	3	18	49	86	121	162	181	210	200	124	37	-
1990	1,123	5	13	49	66	108	140	191	189	195	130	36	1
1989	1,108	2	12	42	56	109	146	164	191	219	130	36	1
1988	1,124	3	9	48	73	99	146	166	228	214	110	28	-
1987	1,033	-	11	55	80	85	125	163	186	196	97	34	1
1986	919	6	6	43	80	77	96	138	191	175	83	24	-
1985	854	2	9	52	75	78	88	126	167	151	81	25	-
1984	785	6	7	35	54	68	99	116	158	132	84	25	1
1983	810	-	16	42	62	86	93	133	166	126	66	20	-
1982	704	3	15	34	69	76	79	115	133	114	53	13	-
1981	628	2	9	29	47	67	70	94	113	132	51	14	-
1980	600	3	11	31	49	63	54	89	109	115	56	20	-
1979	503	-	4	13	42	55	59	82	105	87	39	17	-
Asthma (493)													
All other, male													
1998	634	3	12	45	68	79	82	82	80	100	64	19	-
1997	603	3	15	35	47	81	83	82	104	75	56	22	-
1996	649	5	16	46	66	65	91	84	93	99	59	25	-
1995	625	1	6	57	65	64	80	92	81	99	57	23	-
1994	609	2	10	40	65	86	74	85	93	85	56	12	1
1993	544	-	13	36	54	48	77	56	90	99	54	17	-
1992	507	4	9	28	49	61	53	59	88	89	46	21	-
1991	539	3	14	30	53	60	76	68	86	84	52	13	-
1990	527	3	11	34	39	51	67	75	85	86	59	16	1
1989	496	2	6	25	37	62	68	72	66	94	50	13	1
1988	523	2	4	27	49	58	64	67	102	89	53	8	-
1987	486	-	7	40	46	46	56	60	87	85	47	12	-
1986	406	5	5	29	47	35	38	56	81	66	36	8	-
1985	411	1	7	25	46	43	48	52	77	66	36	10	-
1984	361	2	5	23	29	27	36	51	76	61	36	14	1
1983	371	-	14	28	33	43	35	47	72	61	30	8	-
1982	331	2	8	18	42	42	34	40	64	52	24	5	-
1981	310	-	8	15	33	34	27	38	54	71	24	6	-
1980	284	3	7	19	28	24	23	32	54	55	31	8	-
1979	235	-	2	7	19	26	25	31	47	45	22	11	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Asthma (493)													
All other, female													
1998	857	2	8	23	38	65	123	171	126	140	106	55	-
1997	829	1	5	29	23	58	123	148	146	145	107	44	-
1996	908	1	8	36	42	68	117	142	164	149	114	67	-
1995	804	3	2	16	39	51	114	148	141	150	105	35	-
1994	744	-	6	24	32	55	105	134	128	138	87	35	-
1993	713	2	7	20	27	64	103	123	135	119	73	40	-
1992	668	1	14	21	30	40	79	116	120	124	84	39	-
1991	652	-	4	19	33	61	86	113	124	116	72	24	-
1990	596	2	2	15	27	57	73	116	104	109	71	20	-
1989	612	-	6	17	19	47	78	92	125	125	80	23	-
1988	601	1	5	21	24	41	82	99	126	125	57	20	-
1987	547	-	4	15	34	39	69	103	99	111	50	22	1
1986	513	1	1	14	33	42	58	82	110	109	47	16	-
1985	443	1	2	27	29	35	40	74	90	85	45	15	-
1984	424	4	2	12	25	41	63	65	82	71	48	11	-
1983	439	-	2	14	29	43	58	86	94	65	36	12	-
1982	373	1	7	16	27	34	45	75	69	62	29	8	-
1981	318	2	1	14	14	33	43	56	59	61	27	8	-
1980	316	-	4	12	21	39	31	57	55	60	25	12	-
1979	268	-	2	6	23	29	34	51	58	42	17	6	-
Asthma (493)													
Black, both sexes													
1998	1,290	5	18	60	101	129	194	234	177	194	129	49	-
1997	1,200	3	19	59	61	129	185	204	203	165	122	50	-
1996	1,325	6	20	73	99	118	190	205	212	191	137	74	-
1995	1,247	4	8	69	100	112	171	214	189	207	127	46	-
1994	1,186	2	15	60	89	135	168	191	196	179	112	38	1
1993	1,112	2	18	53	78	104	164	158	202	184	105	44	-
1992	1,036	5	22	46	77	93	122	160	183	173	108	47	-
1991	1,043	3	17	48	79	112	148	175	185	162	93	21	-
1990	986	5	12	46	61	101	131	177	163	165	96	28	1
1989	984	2	11	37	52	101	135	149	166	189	112	29	1
1988	1,012	1	9	42	65	94	137	150	210	188	90	26	-
1987	920	-	11	52	75	83	121	146	161	170	72	28	1
1986	828	5	5	43	73	73	89	126	176	154	66	18	-
1985	778	2	9	50	70	74	86	116	152	136	67	16	-
1984	701	5	6	32	53	64	91	104	145	115	67	18	1
1983	732	-	15	36	59	84	85	126	148	109	53	17	-
1982	647	3	14	33	63	72	76	107	122	106	41	10	-
1981	576	2	9	28	44	61	65	89	106	117	44	11	-
1980	557	3	10	31	47	58	51	84	101	106	52	14	-
1979	470	-	4	13	40	55	53	80	100	79	33	13	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Asthma (493)													
Black, male													
1998	536	3	10	38	67	72	79	72	61	75	48	11	-
1997	498	2	15	31	40	73	76	69	79	51	45	17	-
1996	540	5	12	40	61	56	83	77	76	69	43	18	-
1995	538	1	6	54	62	64	67	84	62	80	39	19	-
1994	525	2	9	38	57	84	69	71	79	64	42	9	1
1993	465	-	11	34	52	46	67	49	76	77	42	11	-
1992	433	4	9	27	47	57	49	49	74	65	36	16	-
1991	472	3	13	29	47	56	68	65	79	68	37	7	-
1990	460	3	10	33	37	49	66	68	70	74	38	11	1
1989	434	2	5	22	34	58	61	63	59	78	39	12	1
1988	460	1	4	22	43	54	61	59	92	78	39	7	-
1987	428	-	7	37	44	44	52	55	73	75	31	10	-
1986	360	4	4	29	43	34	36	52	75	55	25	3	-
1985	371	1	7	24	43	40	48	49	69	59	26	5	-
1984	312	2	5	22	28	24	33	44	66	49	29	9	1
1983	336	-	14	25	32	42	33	44	65	52	21	8	-
1982	301	2	8	18	42	40	33	35	56	47	18	2	-
1981	281	-	8	14	30	31	25	36	51	62	19	5	-
1980	260	3	6	19	27	23	21	30	48	49	28	6	-
1979	214	-	2	7	18	26	20	30	45	38	19	9	-
Asthma (493)													
Black, female													
1998	754	2	8	22	34	57	115	162	116	119	81	38	-
1997	702	1	4	28	21	56	109	135	124	114	77	33	-
1996	785	1	8	33	38	62	107	128	136	122	94	56	-
1995	709	3	2	15	38	48	104	130	127	127	88	27	-
1994	661	-	6	22	32	51	99	120	117	115	70	29	-
1993	647	2	7	19	26	58	97	109	126	107	63	33	-
1992	603	1	13	19	30	36	73	111	109	108	72	31	-
1991	571	-	4	19	32	56	80	110	106	94	56	14	-
1990	526	2	2	13	24	52	65	109	93	91	58	17	-
1989	550	-	6	15	18	43	74	86	107	111	73	17	-
1988	552	-	5	20	22	40	76	91	118	110	51	19	-
1987	492	-	4	15	31	39	69	91	88	95	41	18	1
1986	468	1	1	14	30	39	53	74	101	99	41	15	-
1985	407	1	2	26	27	34	38	67	83	77	41	11	-
1984	389	3	1	10	25	40	58	60	79	66	38	9	-
1983	396	-	1	11	27	42	52	82	83	57	32	9	-
1982	346	1	6	15	21	32	43	72	66	59	23	8	-
1981	295	2	1	14	14	30	40	53	55	55	25	6	-
1980	297	-	4	12	20	35	30	54	53	57	24	8	-
1979	256	-	2	6	22	29	33	50	55	41	14	4	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other chronic lower respiratory diseases (494,496)													
All races, both sexes													
1998	86,534	4	4	10	11	26	274	1,603	7,206	23,612	34,752	19,025	7
1997	82,995	4	1	3	15	35	266	1,646	7,148	22,953	33,154	17,765	5
1996	79,884	1	5	4	13	25	237	1,581	7,010	22,562	31,922	16,514	10
1995	76,979	3	2	7	6	41	229	1,503	6,873	22,432	30,494	15,386	3
1994	75,320	6	4	3	9	37	196	1,533	7,120	22,545	29,666	14,192	9
1993	74,523	5	6	2	7	30	223	1,431	7,308	22,917	29,330	13,257	7
1992	66,933	2	3	5	8	23	212	1,258	6,978	20,657	26,201	11,578	8
1991	65,355	7	2	4	10	26	199	1,258	7,137	20,626	25,274	10,803	9
1990	62,528	4	7	6	10	30	166	1,262	6,985	19,847	24,120	10,084	7
1989	60,230	5	2	7	16	37	192	1,312	7,287	19,274	22,766	9,328	4
1988	59,009	2	7	6	9	30	178	1,325	7,156	19,317	22,191	8,781	7
1987	55,942	5	6	4	12	32	188	1,204	7,066	18,468	20,798	8,154	5
1986	54,368	3	5	8	13	26	195	1,295	7,097	18,482	19,670	7,567	7
1985	52,998	4	3	5	11	25	174	1,366	7,146	17,836	19,093	7,320	15
1984	48,707	2	11	8	12	32	162	1,277	6,920	16,777	17,068	6,431	7
1983	45,802	5	6	11	22	26	156	1,257	6,597	16,136	15,850	5,725	11
1982	40,419	10	9	10	16	31	168	1,181	5,980	14,491	13,728	4,787	8
1981	38,711	11	6	10	17	30	151	1,279	6,009	13,945	12,803	4,444	6
1980	35,544	4	4	10	18	37	154	1,235	5,728	12,949	11,338	4,062	5
1979	30,106	2	3	3	15	29	147	1,098	5,061	10,941	9,599	3,205	3
Other chronic lower respiratory diseases (494,496)													
All races, male													
1998	44,184	1	2	4	7	16	163	863	3,840	12,687	17,972	8,622	7
1997	43,026	1	1	1	9	19	152	916	3,788	12,589	17,246	8,300	4
1996	41,389	-	4	1	7	15	132	851	3,802	12,049	16,826	7,697	5
1995	40,829	1	-	5	5	25	119	767	3,725	12,380	16,368	7,431	3
1994	40,221	3	4	2	5	17	119	828	3,949	12,413	15,994	6,880	7
1993	40,629	4	5	1	6	21	128	814	4,042	12,739	16,170	6,694	5
1992	37,345	1	1	1	4	13	122	723	3,921	11,880	14,710	5,962	7
1991	37,049	4	1	4	6	18	118	647	3,991	11,933	14,600	5,719	8
1990	36,226	2	7	3	7	16	102	685	4,047	11,773	14,165	5,412	7
1989	35,068	4	1	5	7	21	123	675	4,211	11,371	13,520	5,127	3
1988	35,430	1	3	4	1	18	113	760	4,259	11,802	13,502	4,962	5
1987	34,232	3	2	3	8	19	117	664	4,231	11,436	13,069	4,677	3
1986	33,987	3	2	4	11	11	118	732	4,265	11,689	12,610	4,538	4
1985	33,618	3	1	3	6	17	109	762	4,363	11,534	12,367	4,442	11
1984	31,573	2	6	2	7	21	91	752	4,335	10,971	11,395	3,988	3
1983	30,314	3	3	6	13	15	85	725	4,221	10,660	10,950	3,624	9
1982	27,219	8	3	4	12	21	98	712	3,914	9,767	9,620	3,052	8
1981	26,541	6	3	7	11	20	86	754	3,920	9,694	9,084	2,952	4
1980	24,815	2	2	3	8	23	95	771	3,814	9,178	8,197	2,719	3
1979	21,578	2	1	2	7	14	88	683	3,424	8,025	7,166	2,163	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other chronic lower respiratory diseases (494,496)													
All races, female													
1998	42,350	3	2	6	4	10	111	740	3,366	10,925	16,780	10,403	-
1997	39,969	3	-	2	6	16	114	730	3,360	10,364	15,908	9,465	1
1996	38,495	1	1	3	6	10	105	730	3,208	10,513	15,096	8,817	5
1995	36,150	2	2	2	1	16	110	736	3,148	10,052	14,126	7,955	-
1994	35,099	3	-	1	4	20	77	705	3,171	10,132	13,672	7,312	2
1993	33,894	1	1	1	1	9	95	617	3,266	10,178	13,160	6,563	2
1992	29,588	1	2	4	4	10	90	535	3,057	8,777	11,491	5,616	1
1991	28,306	3	1	-	4	8	81	611	3,146	8,693	10,674	5,084	1
1990	26,302	2	-	3	3	14	64	577	2,938	8,074	9,955	4,672	-
1989	25,162	1	1	2	9	16	69	637	3,076	7,903	9,246	4,201	1
1988	23,579	1	4	2	8	12	65	565	2,897	7,515	8,689	3,819	2
1987	21,710	2	4	1	4	13	71	540	2,835	7,032	7,729	3,477	2
1986	20,381	-	3	4	2	15	77	563	2,832	6,793	7,060	3,029	3
1985	19,380	1	2	2	5	8	65	604	2,783	6,302	6,726	2,878	4
1984	17,134	-	5	6	5	11	71	525	2,585	5,806	5,673	2,443	4
1983	15,488	2	3	5	9	11	71	532	2,376	5,476	4,900	2,101	2
1982	13,200	2	6	6	4	10	70	469	2,066	4,724	4,108	1,735	-
1981	12,170	5	3	3	6	10	65	525	2,089	4,251	3,719	1,492	2
1980	10,729	2	2	7	10	14	59	464	1,914	3,771	3,141	1,343	2
1979	8,528	-	2	1	8	15	59	415	1,637	2,916	2,433	1,042	-
Other chronic lower respiratory diseases (494,496)													
White, both sexes													
1998	80,761	3	2	5	9	18	207	1,359	6,476	21,945	32,785	17,945	7
1997	77,420	1	-	2	13	26	202	1,423	6,429	21,292	31,262	16,767	3
1996	74,595	1	3	2	10	15	194	1,362	6,317	20,963	30,128	15,594	6
1995	71,867	2	2	5	6	28	173	1,286	6,155	20,822	28,849	14,536	3
1994	70,366	4	2	3	7	32	144	1,309	6,443	20,941	28,050	13,427	4
1993	69,646	4	5	1	6	26	164	1,228	6,596	21,308	27,699	12,604	5
1992	62,603	-	2	5	6	19	147	1,076	6,316	19,212	24,839	10,974	7
1991	61,014	4	1	3	8	21	145	1,057	6,463	19,147	23,918	10,243	4
1990	58,266	4	5	4	9	23	118	1,067	6,284	18,452	22,758	9,537	5
1989	55,990	1	1	4	11	21	127	1,110	6,551	17,872	21,436	8,852	4
1988	55,107	1	5	5	6	23	133	1,107	6,482	17,999	21,000	8,341	5
1987	52,286	3	3	3	11	21	147	1,027	6,427	17,210	19,707	7,723	4
1986	50,853	2	4	7	12	17	148	1,100	6,427	17,255	18,682	7,193	6
1985	49,627	3	1	3	9	17	137	1,182	6,455	16,710	18,101	7,000	9
1984	45,571	1	8	8	9	21	122	1,094	6,275	15,707	16,202	6,120	4
1983	42,994	4	5	9	16	19	120	1,114	5,975	15,195	15,078	5,451	8
1982	37,963	5	7	9	13	27	127	1,012	5,438	13,610	13,120	4,588	7
1981	36,376	10	5	7	12	23	121	1,101	5,492	13,150	12,176	4,274	5
1980	33,368	1	3	7	13	25	107	1,066	5,230	12,201	10,829	3,881	5
1979	28,248	2	1	3	12	18	111	951	4,649	10,294	9,149	3,056	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other chronic lower respiratory diseases (494,496)													
White, male													
1998	40,744	1	1	2	6	11	127	717	3,401	11,678	16,764	8,029	7
1997	39,642	-	-	1	8	16	115	781	3,364	11,557	16,041	7,756	3
1996	38,186	-	2	-	7	10	110	730	3,361	11,082	15,666	7,216	2
1995	37,683	1	-	4	5	19	96	636	3,288	11,349	15,358	6,924	3
1994	37,142	2	2	2	4	15	92	700	3,548	11,371	14,957	6,447	2
1993	37,480	3	4	-	6	19	93	684	3,593	11,698	15,082	6,294	4
1992	34,554	-	1	1	2	11	85	616	3,503	10,929	13,801	5,599	6
1991	34,204	2	1	3	5	14	80	532	3,565	10,950	13,671	5,377	4
1990	33,364	2	5	3	6	11	72	568	3,608	10,814	13,203	5,067	5
1989	32,195	1	-	2	6	10	75	551	3,742	10,404	12,578	4,823	3
1988	32,716	1	3	3	1	15	80	622	3,820	10,858	12,626	4,684	3
1987	31,703	1	1	2	8	11	92	552	3,821	10,522	12,291	4,400	2
1986	31,439	2	1	4	10	6	84	594	3,818	10,766	11,878	4,273	3
1985	31,228	2	-	2	5	12	82	641	3,901	10,698	11,642	4,238	5
1984	29,323	1	4	2	5	17	67	621	3,889	10,169	10,752	3,795	1
1983	28,238	2	3	5	9	12	61	629	3,768	9,937	10,361	3,445	6
1982	25,438	5	2	4	10	18	70	597	3,547	9,093	9,170	2,915	7
1981	24,787	5	2	6	8	15	69	630	3,554	9,070	8,600	2,824	4
1980	23,146	-	2	2	6	14	62	647	3,441	8,584	7,791	2,594	3
1979	20,136	2	-	2	5	8	63	572	3,118	7,508	6,806	2,050	2
Other chronic lower respiratory diseases (494,496)													
White, female													
1998	40,017	2	1	3	3	7	80	642	3,075	10,267	16,021	9,916	-
1997	37,778	1	-	1	5	10	87	642	3,065	9,735	15,221	9,011	-
1996	36,409	1	1	2	3	5	84	632	2,956	9,881	14,462	8,378	4
1995	34,184	1	2	1	1	9	77	650	2,867	9,473	13,491	7,612	-
1994	33,224	2	-	1	3	17	52	609	2,895	9,570	13,093	6,980	2
1993	32,166	1	1	1	-	7	71	544	3,003	9,610	12,617	6,310	1
1992	28,049	-	1	4	4	8	62	460	2,813	8,283	11,038	5,375	1
1991	26,810	2	-	-	3	7	65	525	2,898	8,197	10,247	4,866	-
1990	24,902	2	-	1	3	12	46	499	2,676	7,638	9,555	4,470	-
1989	23,795	-	1	2	5	11	52	559	2,809	7,468	8,858	4,029	1
1988	22,391	-	2	2	5	8	53	485	2,662	7,141	8,374	3,657	2
1987	20,583	2	2	1	3	10	55	475	2,606	6,688	7,416	3,323	2
1986	19,414	-	3	3	2	11	64	506	2,609	6,489	6,804	2,920	3
1985	18,399	1	1	1	4	5	55	541	2,554	6,012	6,459	2,762	4
1984	16,248	-	4	6	4	4	55	473	2,386	5,538	5,450	2,325	3
1983	14,756	2	2	4	7	7	59	485	2,207	5,258	4,717	2,006	2
1982	12,525	-	5	5	3	9	57	415	1,891	4,517	3,950	1,673	-
1981	11,589	5	3	1	4	8	52	471	1,938	4,080	3,576	1,450	1
1980	10,222	1	1	5	7	11	45	419	1,789	3,617	3,038	1,287	2
1979	8,112	-	1	1	7	10	48	379	1,531	2,786	2,343	1,006	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other chronic lower respiratory diseases (494,496)													
All other, both sexes													
1998	5,773	1	2	5	2	8	67	244	730	1,667	1,967	1,080	-
1997	5,575	3	1	1	2	9	64	223	719	1,661	1,892	998	2
1996	5,289	-	2	2	3	10	43	219	693	1,599	1,794	920	4
1995	5,112	1	-	2	-	13	56	217	718	1,610	1,645	850	-
1994	4,954	2	2	-	2	5	52	224	677	1,604	1,616	765	5
1993	4,877	1	1	1	1	4	59	203	712	1,609	1,631	653	2
1992	4,330	2	1	-	2	4	65	182	662	1,445	1,362	604	1
1991	4,341	3	1	1	2	5	54	201	674	1,479	1,356	560	5
1990	4,262	-	2	2	1	7	48	195	701	1,395	1,362	547	2
1989	4,240	4	1	3	5	16	65	202	736	1,402	1,330	476	-
1988	3,902	1	2	1	3	7	45	218	674	1,318	1,191	440	2
1987	3,656	2	3	1	1	11	41	177	639	1,258	1,091	431	1
1986	3,515	1	1	1	1	9	47	195	670	1,227	988	374	1
1985	3,371	1	2	2	2	8	37	184	691	1,126	992	320	6
1984	3,136	1	3	-	3	11	40	183	645	1,070	866	311	3
1983	2,808	1	1	2	6	7	36	143	622	941	772	274	3
1982	2,456	5	2	1	3	4	41	169	542	881	608	199	1
1981	2,335	1	1	3	5	7	30	178	517	795	627	170	1
1980	2,176	3	1	3	5	12	47	169	498	748	509	181	-
1979	1,858	-	2	-	3	11	36	147	412	647	450	149	1
Other chronic lower respiratory diseases (494,496)													
All other, male													
1998	3,440	-	1	2	1	5	36	146	439	1,009	1,208	593	-
1997	3,384	1	1	-	1	3	37	135	424	1,032	1,205	544	1
1996	3,203	-	2	1	-	5	22	121	441	967	1,160	481	3
1995	3,146	-	-	1	-	6	23	131	437	1,031	1,010	507	-
1994	3,079	1	2	-	1	2	27	128	401	1,042	1,037	433	5
1993	3,149	1	1	1	-	2	35	130	449	1,041	1,088	400	1
1992	2,791	1	-	-	2	2	37	107	418	951	909	363	1
1991	2,845	2	-	1	1	4	38	115	426	983	929	342	4
1990	2,862	-	2	-	1	5	30	117	439	959	962	345	2
1989	2,873	3	1	3	1	11	48	124	469	967	942	304	-
1988	2,714	-	-	1	-	3	33	138	439	944	876	278	2
1987	2,529	2	1	1	-	8	25	112	410	914	778	277	1
1986	2,548	1	1	-	1	5	34	138	447	923	732	265	1
1985	2,390	1	1	1	1	5	27	121	462	836	725	204	6
1984	2,250	1	2	-	2	4	24	131	446	802	643	193	2
1983	2,076	1	-	1	4	3	24	96	453	723	589	179	3
1982	1,781	3	1	-	2	3	28	115	367	674	450	137	1
1981	1,754	1	1	1	3	5	17	124	366	624	484	128	-
1980	1,669	2	-	1	2	9	33	124	373	594	406	125	-
1979	1,442	-	1	-	2	6	25	111	306	517	360	113	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other chronic lower respiratory diseases (494,496)													
All other, female													
1998	2,333	1	1	3	1	3	31	98	291	658	759	487	-
1997	2,191	2	-	1	1	6	27	88	295	629	687	454	1
1996	2,086	-	-	1	3	5	21	98	252	632	634	439	1
1995	1,966	1	-	1	-	7	33	86	281	579	635	343	-
1994	1,875	1	-	-	1	3	25	96	276	562	579	332	-
1993	1,728	-	-	-	1	2	24	73	263	568	543	253	1
1992	1,539	1	1	-	-	2	28	75	244	494	453	241	-
1991	1,496	1	1	-	1	1	16	86	248	496	427	218	1
1990	1,400	-	-	2	-	2	18	78	262	436	400	202	-
1989	1,367	1	-	-	4	5	17	78	267	435	388	172	-
1988	1,188	1	2	-	3	4	12	80	235	374	315	162	-
1987	1,127	-	2	-	1	3	16	65	229	344	313	154	-
1986	967	-	-	1	-	4	13	57	223	304	256	109	-
1985	981	-	1	1	1	3	10	63	229	290	267	116	-
1984	886	-	1	-	1	7	16	52	199	268	223	118	1
1983	732	-	1	1	2	4	12	47	169	218	183	95	-
1982	675	2	1	1	1	1	13	54	175	207	158	62	-
1981	581	-	-	2	2	2	13	54	151	171	143	42	1
1980	507	1	1	2	3	3	14	45	125	154	103	56	-
1979	416	-	1	-	1	5	11	36	106	130	90	36	-
Other chronic lower respiratory diseases (494,496)													
Black, both sexes													
1998	4,860	-	2	3	2	7	60	226	648	1,432	1,627	853	-
1997	4,665	3	1	1	1	8	61	204	637	1,441	1,521	786	1
1996	4,502	-	2	2	3	9	42	209	620	1,386	1,473	752	4
1995	4,341	1	-	2	-	11	49	194	637	1,396	1,369	682	-
1994	4,258	2	1	-	1	3	49	213	607	1,412	1,333	634	3
1993	4,212	1	1	1	1	3	55	192	633	1,397	1,379	548	1
1992	3,785	2	1	-	2	3	61	172	601	1,265	1,170	507	1
1991	3,777	3	1	-	1	4	48	196	613	1,297	1,159	450	5
1990	3,715	-	2	2	1	6	44	180	631	1,227	1,184	436	2
1989	3,714	3	1	3	5	15	58	183	668	1,249	1,139	390	-
1988	3,454	1	2	1	2	6	45	208	620	1,187	1,021	360	1
1987	3,243	2	3	-	1	10	37	156	587	1,129	962	355	1
1986	3,140	1	1	1	1	7	41	182	616	1,114	857	318	1
1985	3,027	1	1	2	2	7	35	169	635	1,026	876	267	6
1984	2,798	1	3	-	2	9	37	172	596	974	756	246	2
1983	2,532	1	1	2	4	5	33	137	582	847	685	234	1
1982	2,242	5	2	1	3	4	39	166	507	817	528	169	1
1981	2,118	1	1	3	3	7	28	168	485	723	554	144	1
1980	2,002	3	-	3	4	11	43	162	481	689	463	143	-
1979	1,686	-	1	-	2	8	35	142	388	600	403	106	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other chronic lower respiratory diseases (494,496)													
Black, male													
1998	2,866	-	1	1	1	4	29	133	388	866	994	449	-
1997	2,798	1	1	-	-	3	35	123	373	890	961	410	1
1996	2,704	-	2	1	-	5	21	116	394	828	944	390	3
1995	2,673	-	-	1	-	5	18	120	396	886	854	393	-
1994	2,647	1	1	-	-	1	25	123	365	912	864	352	3
1993	2,725	1	1	1	-	1	33	125	403	908	922	329	1
1992	2,435	1	-	-	2	2	36	102	382	824	781	304	1
1991	2,478	2	-	-	-	3	36	112	392	863	797	269	4
1990	2,490	-	2	-	1	5	28	109	402	835	833	273	2
1989	2,498	2	1	3	1	10	44	110	424	856	805	242	-
1988	2,415	-	-	1	-	3	33	133	408	856	746	234	1
1987	2,248	2	1	-	-	8	23	101	378	821	686	227	1
1986	2,268	1	1	-	1	4	30	130	409	837	630	224	1
1985	2,167	1	1	1	1	4	26	110	429	772	641	175	6
1984	2,025	1	2	-	1	4	23	123	419	735	563	153	1
1983	1,873	1	-	1	3	2	23	92	425	650	526	149	1
1982	1,632	3	1	-	2	3	27	114	343	626	392	120	1
1981	1,599	1	1	1	2	5	17	118	343	572	430	109	-
1980	1,529	2	-	1	1	8	29	118	356	545	371	98	-
1979	1,329	-	1	-	1	5	25	108	294	484	329	81	1
Other chronic lower respiratory diseases (494,496)													
Black, female													
1998	1,994	-	1	2	1	3	31	93	260	566	633	404	-
1997	1,867	2	-	1	1	5	26	81	264	551	560	376	-
1996	1,798	-	-	1	3	4	21	93	226	558	529	362	1
1995	1,668	1	-	1	-	6	31	74	241	510	515	289	-
1994	1,611	1	-	-	1	2	24	90	242	500	469	282	-
1993	1,487	-	-	-	1	2	22	67	230	489	457	219	-
1992	1,350	1	1	-	-	1	25	70	219	441	389	203	-
1991	1,299	1	1	-	1	1	12	84	221	434	362	181	1
1990	1,225	-	-	2	-	1	16	71	229	392	351	163	-
1989	1,216	1	-	-	4	5	14	73	244	393	334	148	-
1988	1,039	1	2	-	2	3	12	75	212	331	275	126	-
1987	995	-	2	-	1	2	14	55	209	308	276	128	-
1986	872	-	-	1	-	3	11	52	207	277	227	94	-
1985	860	-	-	1	1	3	9	59	206	254	235	92	-
1984	773	-	1	-	1	5	14	49	177	239	193	93	1
1983	659	-	1	1	1	3	10	45	157	197	159	85	-
1982	610	2	1	1	1	1	12	52	164	191	136	49	-
1981	519	-	-	2	1	2	11	50	142	151	124	35	1
1980	473	1	-	2	3	3	14	44	125	144	92	45	-
1979	357	-	-	-	1	3	10	34	94	116	74	25	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Pneumoconioses and chemical effects (500-506)													
All races, both sexes													
1998	1,118	-	1	-	-	2	6	10	79	280	499	241	-
1997	1,111	2	-	-	-	-	9	21	66	289	477	247	-
1996	1,140	-	-	-	1	2	7	14	70	298	494	254	-
1995	1,126	-	-	-	-	-	2	17	87	323	485	212	-
1994	1,109	-	1	-	1	-	6	16	78	288	525	194	-
1993	1,157	-	-	-	-	2	9	13	88	322	517	206	-
1992	1,148	1	-	-	2	2	3	16	93	319	505	207	-
1991	1,256	-	1	-	2	2	10	23	103	351	556	208	-
1990	1,358	-	1	2	1	5	7	26	129	408	572	207	-
1989	1,279	-	-	-	1	6	8	14	107	420	558	165	-
1988	1,242	-	1	-	4	4	7	18	121	406	516	165	-
1987	1,322	-	-	-	2	2	9	19	134	424	556	176	-
1986	1,334	1	2	1	3	5	5	20	128	481	513	175	-
1985	1,386	-	1	1	3	5	8	16	149	490	548	165	-
1984	1,380	1	2	-	2	3	6	28	152	519	524	143	-
1983	1,373	-	2	-	3	11	7	28	157	536	477	152	-
1982	1,438	2	4	-	3	2	6	37	188	511	528	157	-
1981	1,629	-	-	4	6	4	10	29	193	619	562	202	-
1980	1,625	1	2	2	10	7	7	35	237	632	516	176	-
1979	1,581	-	3	2	5	5	13	41	221	645	476	170	-
Pneumoconioses and chemical effects (500-506)													
All races, male													
1998	1,075	-	-	-	-	2	4	10	76	270	484	229	-
1997	1,069	1	-	-	-	-	6	18	64	284	461	235	-
1996	1,101	-	-	-	1	2	5	11	67	291	478	246	-
1995	1,098	-	-	-	-	-	2	17	85	314	474	206	-
1994	1,069	-	1	-	1	-	2	16	77	278	508	186	-
1993	1,117	-	-	-	-	1	8	13	84	309	504	198	-
1992	1,109	1	-	-	2	1	2	14	90	304	495	200	-
1991	1,216	-	1	-	1	1	9	21	98	337	546	202	-
1990	1,311	-	1	2	1	5	7	26	122	395	558	194	-
1989	1,238	-	-	-	1	5	7	14	104	399	549	159	-
1988	1,206	-	1	-	3	4	6	17	115	401	501	158	-
1987	1,281	-	-	-	2	1	7	18	129	417	542	165	-
1986	1,291	-	1	-	3	4	4	20	118	475	503	163	-
1985	1,342	-	-	1	2	4	5	15	144	480	533	158	-
1984	1,339	-	2	-	2	1	6	26	145	504	515	138	-
1983	1,343	-	2	-	3	10	7	28	150	530	466	147	-
1982	1,404	1	3	-	2	2	5	33	182	505	521	150	-
1981	1,586	-	-	1	5	3	10	27	188	607	553	192	-
1980	1,584	-	2	1	7	5	6	33	230	624	505	171	-
1979	1,545	-	2	2	3	3	12	40	215	637	469	162	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Pneumoconioses and chemical effects (500-506)													
All races, female													
1998	43	-	1	-	-	-	2	-	3	10	15	12	-
1997	42	1	-	-	-	-	3	3	2	5	16	12	-
1996	39	-	-	-	-	-	2	3	3	7	16	8	-
1995	28	-	-	-	-	-	-	-	2	9	11	6	-
1994	40	-	-	-	-	-	4	-	1	10	17	8	-
1993	40	-	-	-	-	1	1	-	4	13	13	8	-
1992	39	-	-	-	-	1	1	2	3	15	10	7	-
1991	40	-	-	-	1	1	1	2	5	14	10	6	-
1990	47	-	-	-	-	-	-	-	7	13	14	13	-
1989	41	-	-	-	-	1	1	-	3	21	9	6	-
1988	36	-	-	-	1	-	1	1	6	5	15	7	-
1987	41	-	-	-	-	1	2	1	5	7	14	11	-
1986	43	1	1	1	-	1	1	-	10	6	10	12	-
1985	44	-	1	-	1	1	3	1	5	10	15	7	-
1984	41	1	-	-	-	2	-	2	7	15	9	5	-
1983	30	-	-	-	-	1	-	-	7	6	11	5	-
1982	34	1	1	-	1	-	1	4	6	6	7	7	-
1981	43	-	-	3	1	1	-	2	5	12	9	10	-
1980	41	1	-	1	3	2	1	2	7	8	11	5	-
1979	36	-	1	-	2	2	1	1	6	8	7	8	-
Pneumoconioses and chemical effects (500-506)													
White, both sexes													
1998	1,052	-	1	-	-	2	5	10	69	261	477	227	-
1997	1,051	1	-	-	-	-	8	17	59	271	458	237	-
1996	1,079	-	-	-	1	2	7	9	66	274	478	242	-
1995	1,063	-	-	-	-	-	2	15	81	308	461	196	-
1994	1,042	-	-	-	1	-	5	11	71	266	502	186	-
1993	1,092	-	-	-	-	2	4	11	81	301	497	196	-
1992	1,072	1	-	-	1	2	1	14	83	297	478	195	-
1991	1,167	-	-	-	2	2	9	19	92	328	524	191	-
1990	1,266	-	-	2	1	4	3	22	114	382	539	199	-
1989	1,205	-	-	-	1	6	5	13	95	396	536	153	-
1988	1,166	-	-	-	3	3	2	15	110	390	488	155	-
1987	1,231	-	-	-	2	2	6	17	124	390	527	163	-
1986	1,251	1	2	-	3	5	5	19	116	455	481	164	-
1985	1,317	-	1	1	3	5	4	14	139	470	525	155	-
1984	1,303	1	1	-	2	1	4	19	140	493	504	138	-
1983	1,283	-	1	-	2	8	5	23	143	503	453	145	-
1982	1,338	1	3	-	2	2	2	30	170	485	501	142	-
1981	1,543	-	-	4	4	3	7	24	182	591	535	193	-
1980	1,530	1	2	1	9	5	5	24	220	602	488	173	-
1979	1,486	-	1	2	3	1	6	33	207	616	454	163	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998											Age not stated	
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years		85 + years
Pneumoconioses and chemical effects (500-506)													
White, male													
1998	1,018	-	-	-	-	2	4	10	67	254	464	217	-
1997	1,014	-	-	-	-	-	5	15	57	267	444	226	-
1996	1,042	-	-	-	1	2	5	7	63	267	462	235	-
1995	1,035	-	-	-	-	-	2	15	79	299	450	190	-
1994	1,006	-	-	-	1	-	2	11	70	258	486	178	-
1993	1,055	-	-	-	-	1	4	11	77	288	485	189	-
1992	1,040	1	-	-	1	1	1	13	81	284	470	188	-
1991	1,131	-	-	-	1	1	8	17	87	317	514	186	-
1990	1,221	-	-	2	1	4	3	22	108	370	525	186	-
1989	1,167	-	-	-	1	5	4	13	94	375	527	148	-
1988	1,135	-	-	-	2	3	2	15	105	385	474	149	-
1987	1,194	-	-	-	2	1	5	16	119	384	514	153	-
1986	1,214	-	1	-	3	4	4	19	108	450	472	153	-
1985	1,278	-	-	1	2	4	3	13	134	462	510	149	-
1984	1,266	-	1	-	2	-	4	19	133	478	496	133	-
1983	1,256	-	1	-	2	7	5	23	136	498	444	140	-
1982	1,312	1	2	-	1	2	2	28	165	480	495	136	-
1981	1,506	-	-	1	4	2	7	23	177	581	528	183	-
1980	1,493	-	2	-	6	4	4	23	213	596	477	168	-
1979	1,460	-	1	2	2	-	6	32	201	611	449	156	-
Pneumoconioses and chemical effects (500-506)													
White, female													
1998	34	-	1	-	-	-	1	-	2	7	13	10	-
1997	37	1	-	-	-	-	3	2	2	4	14	11	-
1996	37	-	-	-	-	-	2	2	3	7	16	7	-
1995	28	-	-	-	-	-	-	-	2	9	11	6	-
1994	36	-	-	-	-	-	3	-	1	8	16	8	-
1993	37	-	-	-	-	1	-	-	4	13	12	7	-
1992	32	-	-	-	-	1	-	1	2	13	8	7	-
1991	36	-	-	-	1	1	1	2	5	11	10	5	-
1990	45	-	-	-	-	-	-	-	6	12	14	13	-
1989	38	-	-	-	-	1	1	-	1	21	9	5	-
1988	31	-	-	-	1	-	-	-	5	5	14	6	-
1987	37	-	-	-	-	1	1	1	5	6	13	10	-
1986	37	1	1	-	-	1	1	-	8	5	9	11	-
1985	39	-	1	-	1	1	1	1	5	8	15	6	-
1984	37	1	-	-	-	1	-	-	7	15	8	5	-
1983	27	-	-	-	-	1	-	-	7	5	9	5	-
1982	26	-	1	-	1	-	-	2	5	5	6	6	-
1981	37	-	-	3	-	1	-	1	5	10	7	10	-
1980	37	1	-	1	3	1	1	1	7	6	11	5	-
1979	26	-	-	-	1	1	-	1	6	5	5	7	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Pneumoconioses and chemical effects (500-506)													
All other, both sexes													
1998	66	-	-	-	-	-	1	-	10	19	22	14	-
1997	60	1	-	-	-	-	1	4	7	18	19	10	-
1996	61	-	-	-	-	-	-	5	4	24	16	12	-
1995	63	-	-	-	-	-	-	2	6	15	24	16	-
1994	67	-	1	-	-	-	1	5	7	22	23	8	-
1993	65	-	-	-	-	-	5	2	7	21	20	10	-
1992	76	-	-	-	1	-	2	2	10	22	27	12	-
1991	89	-	1	-	-	-	1	4	11	23	32	17	-
1990	92	-	1	-	-	1	4	4	15	26	33	8	-
1989	74	-	-	-	-	-	3	1	12	24	22	12	-
1988	76	-	1	-	1	1	5	3	11	16	28	10	-
1987	91	-	-	-	-	-	3	2	10	34	29	13	-
1986	83	-	-	1	-	-	-	1	12	26	32	11	-
1985	69	-	-	-	-	-	4	2	10	20	23	10	-
1984	77	-	1	-	-	2	2	9	12	26	20	5	-
1983	90	-	1	-	1	3	2	5	14	33	24	7	-
1982	100	1	1	-	1	-	4	7	18	26	27	15	-
1981	86	-	-	-	2	1	3	5	11	28	27	9	-
1980	95	-	-	1	1	2	2	11	17	30	28	3	-
1979	95	-	2	-	2	4	7	8	14	29	22	7	-
Pneumoconioses and chemical effects (500-506)													
All other, male													
1998	57	-	-	-	-	-	-	-	9	16	20	12	-
1997	55	1	-	-	-	-	1	3	7	17	17	9	-
1996	59	-	-	-	-	-	-	4	4	24	16	11	-
1995	63	-	-	-	-	-	-	2	6	15	24	16	-
1994	63	-	1	-	-	-	-	5	7	20	22	8	-
1993	62	-	-	-	-	-	4	2	7	21	19	9	-
1992	69	-	-	-	1	-	1	1	9	20	25	12	-
1991	85	-	1	-	-	-	1	4	11	20	32	16	-
1990	90	-	1	-	-	1	4	4	14	25	33	8	-
1989	71	-	-	-	-	-	3	1	10	24	22	11	-
1988	71	-	1	-	1	1	4	2	10	16	27	9	-
1987	87	-	-	-	-	-	2	2	10	33	28	12	-
1986	77	-	-	-	-	-	-	1	10	25	31	10	-
1985	64	-	-	-	-	-	2	2	10	18	23	9	-
1984	73	-	1	-	-	1	2	7	12	26	19	5	-
1983	87	-	1	-	1	3	2	5	14	32	22	7	-
1982	92	-	1	-	1	-	3	5	17	25	26	14	-
1981	80	-	-	-	1	1	3	4	11	26	25	9	-
1980	91	-	-	1	1	1	2	10	17	28	28	3	-
1979	85	-	1	-	1	3	6	8	14	26	20	6	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Pneumoconioses and chemical effects (500-506)													
All other, female													
1998	9	-	-	-	-	-	1	-	1	3	2	2	-
1997	5	-	-	-	-	-	-	1	-	1	2	1	-
1996	2	-	-	-	-	-	-	1	-	-	-	1	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	4	-	-	-	-	-	1	-	-	2	1	-	-
1993	3	-	-	-	-	-	1	-	-	-	1	1	-
1992	7	-	-	-	-	-	1	1	1	2	2	-	-
1991	4	-	-	-	-	-	-	-	-	3	-	1	-
1990	2	-	-	-	-	-	-	-	1	1	-	-	-
1989	3	-	-	-	-	-	-	-	2	-	-	1	-
1988	5	-	-	-	-	-	1	1	1	-	1	1	-
1987	4	-	-	-	-	-	1	-	-	1	1	1	-
1986	6	-	-	1	-	-	-	-	2	1	1	1	-
1985	5	-	-	-	-	-	2	-	-	2	-	1	-
1984	4	-	-	-	-	1	-	2	-	-	1	-	-
1983	3	-	-	-	-	-	-	-	-	1	2	-	-
1982	8	1	-	-	-	-	1	2	1	1	1	1	-
1981	6	-	-	-	1	-	-	1	-	2	2	-	-
1980	4	-	-	-	-	1	-	1	-	2	-	-	-
1979	10	-	1	-	1	1	1	-	-	3	2	1	-
Pneumoconioses and chemical effects (500-506)													
Black, both sexes													
1998	59	-	-	-	-	-	1	-	10	16	19	13	-
1997	53	1	-	-	-	-	1	3	7	15	17	9	-
1996	54	-	-	-	-	-	-	4	4	21	15	10	-
1995	59	-	-	-	-	-	-	1	5	14	24	15	-
1994	64	-	1	-	-	-	1	5	7	20	22	8	-
1993	59	-	-	-	-	-	5	2	7	17	18	10	-
1992	70	-	-	-	1	-	2	2	10	20	24	11	-
1991	88	-	1	-	-	-	1	4	11	22	32	17	-
1990	89	-	1	-	-	1	4	4	15	24	32	8	-
1989	69	-	-	-	-	-	3	1	10	23	21	11	-
1988	74	-	1	-	1	1	5	3	11	15	28	9	-
1987	89	-	-	-	-	-	3	2	9	33	29	13	-
1986	74	-	-	-	-	-	-	1	11	24	30	8	-
1985	66	-	-	-	-	-	4	2	9	20	22	9	-
1984	73	-	1	-	-	1	2	9	10	25	20	5	-
1983	89	-	1	-	1	3	2	5	14	32	24	7	-
1982	94	1	1	-	1	-	2	5	17	25	27	15	-
1981	81	-	-	-	1	1	3	5	11	26	25	9	-
1980	92	-	-	1	-	2	2	10	16	30	28	3	-
1979	94	-	2	-	2	4	7	8	13	29	22	7	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Pneumoconioses and chemical effects (500-506)													
Black, male													
1998	53	-	-	-	-	-	-	-	9	14	18	12	-
1997	48	1	-	-	-	-	1	2	7	14	15	8	-
1996	53	-	-	-	-	-	-	3	4	21	15	10	-
1995	59	-	-	-	-	-	-	1	5	14	24	15	-
1994	61	-	1	-	-	-	-	5	7	19	21	8	-
1993	56	-	-	-	-	-	4	2	7	17	17	9	-
1992	64	-	-	-	1	-	1	1	9	18	23	11	-
1991	84	-	1	-	-	-	1	4	11	19	32	16	-
1990	88	-	1	-	-	1	4	4	14	24	32	8	-
1989	66	-	-	-	-	-	3	1	8	23	21	10	-
1988	69	-	1	-	1	1	4	2	10	15	27	8	-
1987	85	-	-	-	-	-	2	2	9	32	28	12	-
1986	71	-	-	-	-	-	-	1	10	23	29	8	-
1985	61	-	-	-	-	-	2	2	9	18	22	8	-
1984	70	-	1	-	-	1	2	7	10	25	19	5	-
1983	86	-	1	-	1	3	2	5	14	31	22	7	-
1982	88	-	1	-	1	-	2	4	16	24	26	14	-
1981	76	-	-	-	1	1	3	4	11	24	23	9	-
1980	88	-	-	1	-	1	2	9	16	28	28	3	-
1979	84	-	1	-	1	3	6	8	13	26	20	6	-
Pneumoconioses and chemical effects (500-506)													
Black, female													
1998	6	-	-	-	-	-	1	-	1	2	1	1	-
1997	5	-	-	-	-	-	-	1	-	1	2	1	-
1996	1	-	-	-	-	-	-	1	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	3	-	-	-	-	-	1	-	-	1	1	-	-
1993	3	-	-	-	-	-	1	-	-	-	1	1	-
1992	6	-	-	-	-	-	1	1	1	2	1	-	-
1991	4	-	-	-	-	-	-	-	-	3	-	1	-
1990	1	-	-	-	-	-	-	-	1	-	-	-	-
1989	3	-	-	-	-	-	-	-	2	-	-	1	-
1988	5	-	-	-	-	-	1	1	1	-	1	1	-
1987	4	-	-	-	-	-	1	-	-	1	1	1	-
1986	3	-	-	-	-	-	-	-	1	1	1	-	-
1985	5	-	-	-	-	-	2	-	-	2	-	1	-
1984	3	-	-	-	-	-	-	2	-	-	1	-	-
1983	3	-	-	-	-	-	-	-	-	1	2	-	-
1982	6	1	-	-	-	-	-	1	1	1	1	1	-
1981	5	-	-	-	-	-	-	1	-	2	2	-	-
1980	4	-	-	-	-	1	-	1	-	2	-	-	-
1979	10	-	1	-	1	1	1	-	-	3	2	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	15-24 25-34 35-44 45-54 55-64 65-74 75-84												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	years	years	years	years	years	years	years	85 + years	
Pneumonitis due to solids and liquids (507)													
All races, both sexes													
1998	12,674	11	8	15	23	51	110	222	410	1,463	4,338	6,023	-
1997	11,443	21	14	16	15	46	99	205	415	1,384	3,798	5,430	-
1996	10,310	16	14	13	25	56	95	169	353	1,276	3,480	4,813	-
1995	9,608	17	15	8	28	59	90	170	369	1,200	3,191	4,460	1
1994	8,969	19	15	14	31	63	95	154	328	1,181	2,970	4,099	-
1993	8,705	27	20	18	27	50	91	134	295	1,084	2,898	4,058	3
1992	8,196	19	17	14	23	51	102	137	330	1,068	2,691	3,744	-
1991	8,063	32	18	16	21	59	63	144	349	1,081	2,704	3,575	1
1990	7,702	20	19	20	23	44	75	120	370	1,064	2,588	3,358	1
1989	7,714	22	10	15	30	45	86	124	352	1,118	2,610	3,301	1
1988	7,755	38	14	12	22	57	78	148	410	1,121	2,707	3,147	1
1987	7,317	30	18	15	26	51	70	139	385	1,110	2,470	3,003	-
1986	6,783	37	19	12	20	39	76	145	387	1,030	2,366	2,650	2
1985	6,223	40	20	17	31	51	70	150	389	977	2,077	2,400	1
1984	5,448	44	30	11	29	43	66	151	391	915	1,743	2,023	2
1983	4,598	39	18	11	26	52	70	130	345	785	1,505	1,617	-
1982	3,998	41	23	15	24	43	69	145	309	688	1,336	1,304	1
1981	3,651	50	33	12	36	39	63	132	302	648	1,166	1,168	2
1980	3,355	56	17	12	23	41	69	125	340	653	1,030	989	-
1979	2,836	68	19	10	29	45	76	156	280	520	892	740	1
Pneumonitis due to solids and liquids (507)													
All races, male													
1998	6,190	5	7	8	11	29	58	137	254	904	2,315	2,462	-
1997	5,635	13	9	10	6	21	61	136	241	823	2,115	2,200	-
1996	4,986	10	7	6	15	29	55	108	222	764	1,884	1,886	-
1995	4,839	8	10	5	14	32	59	113	249	737	1,774	1,837	1
1994	4,512	11	11	10	18	37	62	96	208	766	1,653	1,640	-
1993	4,285	15	14	6	18	38	59	89	183	684	1,607	1,571	1
1992	4,049	10	11	7	12	27	62	86	211	684	1,429	1,510	-
1991	4,021	18	11	8	9	33	31	89	231	682	1,470	1,439	-
1990	3,795	9	11	10	15	25	46	79	250	690	1,330	1,330	-
1989	3,886	14	6	9	16	27	56	84	230	737	1,404	1,302	1
1988	3,945	21	7	5	16	34	50	85	269	752	1,446	1,260	-
1987	3,714	10	11	7	12	34	42	86	256	697	1,351	1,208	-
1986	3,625	26	8	5	9	24	54	100	261	671	1,305	1,161	1
1985	3,249	19	12	10	21	32	40	100	275	591	1,108	1,040	1
1984	2,967	30	14	7	17	21	42	107	248	601	951	928	1
1983	2,578	19	10	5	12	32	39	91	227	530	851	762	-
1982	2,268	23	10	8	9	27	47	100	215	459	737	632	1
1981	2,142	30	18	8	19	17	40	92	214	423	699	582	-
1980	1,912	25	9	7	11	27	35	91	226	412	580	489	-
1979	1,679	41	9	4	17	29	41	112	200	344	524	358	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Pneumonitis due to solids and liquids (507)													
All races, female													
1998	6,484	6	1	7	12	22	52	85	156	559	2,023	3,561	-
1997	5,808	8	5	6	9	25	38	69	174	561	1,683	3,230	-
1996	5,324	6	7	7	10	27	40	61	131	512	1,596	2,927	-
1995	4,769	9	5	3	14	27	31	57	120	463	1,417	2,623	-
1994	4,457	8	4	4	13	26	33	58	120	415	1,317	2,459	-
1993	4,420	12	6	12	9	12	32	45	112	400	1,291	2,487	2
1992	4,147	9	6	7	11	24	40	51	119	384	1,262	2,234	-
1991	4,042	14	7	8	12	26	32	55	118	399	1,234	2,136	1
1990	3,907	11	8	10	8	19	29	41	120	374	1,258	2,028	1
1989	3,828	8	4	6	14	18	30	40	122	381	1,206	1,999	-
1988	3,810	17	7	7	6	23	28	63	141	369	1,261	1,887	1
1987	3,603	20	7	8	14	17	28	53	129	413	1,119	1,795	-
1986	3,158	11	11	7	11	15	22	45	126	359	1,061	1,489	1
1985	2,974	21	8	7	10	19	30	50	114	386	969	1,360	-
1984	2,481	14	16	4	12	22	24	44	143	314	792	1,095	1
1983	2,020	20	8	6	14	20	31	39	118	255	654	855	-
1982	1,730	18	13	7	15	16	22	45	94	229	599	672	-
1981	1,509	20	15	4	17	22	23	40	88	225	467	586	2
1980	1,443	31	8	5	12	14	34	34	114	241	450	500	-
1979	1,157	27	10	6	12	16	35	44	80	176	368	382	1
Pneumonitis due to solids and liquids (507)													
White, both sexes													
1998	11,191	6	6	11	18	32	82	169	324	1,185	3,867	5,491	-
1997	10,116	10	9	12	13	34	64	159	323	1,148	3,382	4,962	-
1996	9,074	10	10	9	20	37	62	128	277	1,061	3,093	4,367	-
1995	8,418	13	11	4	15	45	63	124	280	984	2,823	4,055	1
1994	7,833	16	8	12	23	49	69	108	257	982	2,593	3,716	-
1993	7,663	17	14	16	21	33	69	98	218	905	2,533	3,737	2
1992	7,188	10	10	11	16	31	68	108	248	866	2,408	3,412	-
1991	7,043	19	11	12	13	34	49	106	279	897	2,376	3,247	-
1990	6,683	8	15	15	19	34	53	82	279	869	2,275	3,033	1
1989	6,650	14	6	14	23	31	51	85	257	905	2,280	2,983	1
1988	6,731	21	10	8	16	40	48	102	311	925	2,384	2,866	-
1987	6,331	25	12	11	18	34	39	81	299	919	2,140	2,753	-
1986	5,813	25	14	10	14	28	45	98	286	835	2,064	2,392	2
1985	5,363	33	16	13	24	42	43	98	293	782	1,820	2,198	1
1984	4,689	27	22	8	23	31	46	97	299	744	1,539	1,852	1
1983	3,930	29	13	6	21	41	42	87	247	636	1,327	1,481	-
1982	3,398	22	15	11	17	35	40	113	232	567	1,167	1,179	-
1981	3,077	34	21	8	27	25	44	89	230	521	1,014	1,063	1
1980	2,798	36	11	8	15	27	48	89	246	508	909	901	-
1979	2,384	37	15	6	23	32	51	100	212	427	804	676	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Pneumonitis due to solids and liquids (507)													
White, male													
1998	5,450	4	5	6	10	20	43	104	196	736	2,077	2,249	-
1997	4,958	6	7	7	5	18	40	110	186	683	1,888	2,008	-
1996	4,348	6	5	4	12	19	38	83	174	632	1,673	1,702	-
1995	4,217	6	7	3	8	25	40	81	185	613	1,563	1,685	1
1994	3,916	9	5	9	14	29	44	70	164	638	1,441	1,493	-
1993	3,727	10	11	6	13	27	43	62	137	573	1,403	1,442	-
1992	3,508	8	6	5	9	13	41	67	159	562	1,277	1,361	-
1991	3,478	10	8	5	7	18	24	62	195	560	1,299	1,290	-
1990	3,250	2	9	8	13	18	31	54	185	550	1,177	1,203	-
1989	3,282	10	5	9	13	22	30	53	164	594	1,211	1,170	1
1988	3,369	12	5	5	13	22	29	55	202	625	1,257	1,144	-
1987	3,165	8	7	6	10	19	24	46	198	581	1,164	1,102	-
1986	3,081	19	6	5	7	18	33	67	189	544	1,135	1,057	1
1985	2,748	17	9	7	15	27	20	63	205	483	962	939	1
1984	2,508	18	10	4	13	18	26	65	189	494	831	840	-
1983	2,162	15	7	3	10	27	22	59	161	427	740	691	-
1982	1,905	14	5	5	6	24	26	75	156	380	650	564	-
1981	1,792	19	11	4	16	12	27	64	162	334	613	530	-
1980	1,579	19	5	4	9	17	23	66	158	329	509	440	-
1979	1,388	23	7	2	13	21	25	66	152	282	469	328	-
Pneumonitis due to solids and liquids (507)													
White, female													
1998	5,741	2	1	5	8	12	39	65	128	449	1,790	3,242	-
1997	5,158	4	2	5	8	16	24	49	137	465	1,494	2,954	-
1996	4,726	4	5	5	8	18	24	45	103	429	1,420	2,665	-
1995	4,201	7	4	1	7	20	23	43	95	371	1,260	2,370	-
1994	3,917	7	3	3	9	20	25	38	93	344	1,152	2,223	-
1993	3,936	7	3	10	8	6	26	36	81	332	1,130	2,295	2
1992	3,680	2	4	6	7	18	27	41	89	304	1,131	2,051	-
1991	3,565	9	3	7	6	16	25	44	84	337	1,077	1,957	-
1990	3,433	6	6	7	6	16	22	28	94	319	1,098	1,830	1
1989	3,368	4	1	5	10	9	21	32	93	311	1,069	1,813	-
1988	3,362	9	5	3	3	18	19	47	109	300	1,127	1,722	-
1987	3,166	17	5	5	8	15	15	35	101	338	976	1,651	-
1986	2,732	6	8	5	7	10	12	31	97	291	929	1,335	1
1985	2,615	16	7	6	9	15	23	35	88	299	858	1,259	-
1984	2,181	9	12	4	10	13	20	32	110	250	708	1,012	1
1983	1,768	14	6	3	11	14	20	28	86	209	587	790	-
1982	1,493	8	10	6	11	11	14	38	76	187	517	615	-
1981	1,285	15	10	4	11	13	17	25	68	187	401	533	1
1980	1,219	17	6	4	6	10	25	23	88	179	400	461	-
1979	996	14	8	4	10	11	26	34	60	145	335	348	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	Age group												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Pneumonitis due to solids and liquids (507)													
All other, both sexes													
1998	1,483	5	2	4	5	19	28	53	86	278	471	532	-
1997	1,327	11	5	4	2	12	35	46	92	236	416	468	-
1996	1,236	6	4	4	5	19	33	41	76	215	387	446	-
1995	1,190	4	4	4	13	14	27	46	89	216	368	405	-
1994	1,136	3	7	2	8	14	26	46	71	199	377	383	-
1993	1,042	10	6	2	6	17	22	36	77	179	365	321	1
1992	1,008	9	7	3	7	20	34	29	82	202	283	332	-
1991	1,020	13	7	4	8	25	14	38	70	184	328	328	1
1990	1,019	12	4	5	4	10	22	38	91	195	313	325	-
1989	1,064	8	4	1	7	14	35	39	95	213	330	318	-
1988	1,024	17	4	4	6	17	30	46	99	196	323	281	1
1987	986	5	6	4	8	17	31	58	86	191	330	250	-
1986	970	12	5	2	6	11	31	47	101	195	302	258	-
1985	860	7	4	4	7	9	27	52	96	195	257	202	-
1984	759	17	8	3	6	12	20	54	92	171	204	171	1
1983	668	10	5	5	5	11	28	43	98	149	178	136	-
1982	600	19	8	4	7	8	29	32	77	121	169	125	1
1981	574	16	12	4	9	14	19	43	72	127	152	105	1
1980	557	20	6	4	8	14	21	36	94	145	121	88	-
1979	452	31	4	4	6	13	25	56	68	93	88	64	-
Pneumonitis due to solids and liquids (507)													
All other, male													
1998	740	1	2	2	1	9	15	33	58	168	238	213	-
1997	677	7	2	3	1	3	21	26	55	140	227	192	-
1996	638	4	2	2	3	10	17	25	48	132	211	184	-
1995	622	2	3	2	6	7	19	32	64	124	211	152	-
1994	596	2	6	1	4	8	18	26	44	128	212	147	-
1993	558	5	3	-	5	11	16	27	46	111	204	129	1
1992	541	2	5	2	3	14	21	19	52	122	152	149	-
1991	543	8	3	3	2	15	7	27	36	122	171	149	-
1990	545	7	2	2	2	7	15	25	65	140	153	127	-
1989	604	4	1	-	3	5	26	31	66	143	193	132	-
1988	576	9	2	-	3	12	21	30	67	127	189	116	-
1987	549	2	4	1	2	15	18	40	58	116	187	106	-
1986	544	7	2	-	2	6	21	33	72	127	170	104	-
1985	501	2	3	3	6	5	20	37	70	108	146	101	-
1984	459	12	4	3	4	3	16	42	59	107	120	88	1
1983	416	4	3	2	2	5	17	32	66	103	111	71	-
1982	363	9	5	3	3	3	21	25	59	79	87	68	1
1981	350	11	7	4	3	5	13	28	52	89	86	52	-
1980	333	6	4	3	2	10	12	25	68	83	71	49	-
1979	291	18	2	2	4	8	16	46	48	62	55	30	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Pneumonitis due to solids and liquids (507)													
All other, female													
1998	743	4	-	2	4	10	13	20	28	110	233	319	-
1997	650	4	3	1	1	9	14	20	37	96	189	276	-
1996	598	2	2	2	2	9	16	16	28	83	176	262	-
1995	568	2	1	2	7	7	8	14	25	92	157	253	-
1994	540	1	1	1	4	6	8	20	27	71	165	236	-
1993	484	5	3	2	1	6	6	9	31	68	161	192	-
1992	467	7	2	1	4	6	13	10	30	80	131	183	-
1991	477	5	4	1	6	10	7	11	34	62	157	179	1
1990	474	5	2	3	2	3	7	13	26	55	160	198	-
1989	460	4	3	1	4	9	9	8	29	70	137	186	-
1988	448	8	2	4	3	5	9	16	32	69	134	165	1
1987	437	3	2	3	6	2	13	18	28	75	143	144	-
1986	426	5	3	2	4	5	10	14	29	68	132	154	-
1985	359	5	1	1	1	4	7	15	26	87	111	101	-
1984	300	5	4	-	2	9	4	12	33	64	84	83	-
1983	252	6	2	3	3	6	11	11	32	46	67	65	-
1982	237	10	3	1	4	5	8	7	18	42	82	57	-
1981	224	5	5	-	6	9	6	15	20	38	66	53	1
1980	224	14	2	1	6	4	9	11	26	62	50	39	-
1979	161	13	2	2	2	5	9	10	20	31	33	34	-
Pneumonitis due to solids and liquids (507)													
Black, both sexes													
1998	1,311	5	1	4	4	16	23	51	82	251	412	462	-
1997	1,168	11	5	4	1	9	31	41	82	209	370	405	-
1996	1,080	5	4	4	2	16	28	40	71	186	351	373	-
1995	1,042	3	2	4	12	14	25	42	77	184	327	352	-
1994	1,004	2	5	2	6	11	26	45	68	178	334	327	-
1993	919	10	6	2	5	16	20	31	69	158	322	280	-
1992	913	8	6	3	7	19	33	29	80	194	250	284	-
1991	887	13	5	4	8	22	14	37	62	166	275	280	1
1990	913	10	4	5	4	10	18	36	87	180	274	285	-
1989	965	8	2	1	7	14	33	37	90	195	293	285	-
1988	924	14	4	3	6	16	28	45	94	179	290	244	1
1987	883	3	5	4	7	15	31	55	76	178	305	204	-
1986	876	12	5	2	5	11	28	41	95	181	274	222	-
1985	796	6	3	3	7	9	26	48	91	186	243	174	-
1984	689	14	7	2	4	11	20	50	87	164	189	140	1
1983	616	9	4	4	5	11	28	40	93	139	164	119	-
1982	537	18	7	4	7	6	28	24	74	114	155	99	1
1981	527	16	7	4	8	11	17	42	68	123	139	91	1
1980	511	20	6	4	6	13	21	35	91	132	107	76	-
1979	422	29	4	4	4	11	25	52	66	92	82	53	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Pneumonitis due to solids and liquids (507)													
Black, male													
1998	650	1	1	2	1	9	11	31	55	153	207	179	-
1997	586	7	2	3	1	3	18	23	48	123	201	157	-
1996	553	3	2	2	2	8	15	25	46	119	190	141	-
1995	526	2	1	2	5	7	18	29	57	103	183	119	-
1994	517	2	5	1	3	7	18	25	43	115	184	114	-
1993	479	5	3	-	4	10	16	24	41	97	175	104	-
1992	481	2	4	2	3	13	20	19	51	116	130	121	-
1991	470	8	2	3	2	12	7	27	32	111	143	123	-
1990	482	5	2	2	2	7	12	24	63	127	131	107	-
1989	535	4	-	-	3	5	24	29	62	128	167	113	-
1988	516	8	2	-	3	11	20	30	64	118	165	95	-
1987	491	1	3	1	2	13	18	39	52	108	167	87	-
1986	476	7	2	-	2	6	18	27	69	114	147	84	-
1985	463	1	2	2	6	5	19	34	66	103	139	86	-
1984	411	10	3	2	2	2	16	39	56	102	111	67	1
1983	382	3	2	2	2	5	17	30	65	99	98	59	-
1982	322	8	4	3	3	1	20	18	56	74	82	52	1
1981	317	11	4	4	3	3	12	27	48	85	77	43	-
1980	309	6	4	3	1	9	12	25	67	75	63	44	-
1979	270	16	2	2	3	7	16	42	47	62	51	22	-
Pneumonitis due to solids and liquids (507)													
Black, female													
1998	661	4	-	2	3	7	12	20	27	98	205	283	-
1997	582	4	3	1	-	6	13	18	34	86	169	248	-
1996	527	2	2	2	-	8	13	15	25	67	161	232	-
1995	516	1	1	2	7	7	7	13	20	81	144	233	-
1994	487	-	-	1	3	4	8	20	25	63	150	213	-
1993	440	5	3	2	1	6	4	7	28	61	147	176	-
1992	432	6	2	1	4	6	13	10	29	78	120	163	-
1991	417	5	3	1	6	10	7	10	30	55	132	157	1
1990	431	5	2	3	2	3	6	12	24	53	143	178	-
1989	430	4	2	1	4	9	9	8	28	67	126	172	-
1988	408	6	2	3	3	5	8	15	30	61	125	149	1
1987	392	2	2	3	5	2	13	16	24	70	138	117	-
1986	400	5	3	2	3	5	10	14	26	67	127	138	-
1985	333	5	1	1	1	4	7	14	25	83	104	88	-
1984	278	4	4	-	2	9	4	11	31	62	78	73	-
1983	234	6	2	2	3	6	11	10	28	40	66	60	-
1982	215	10	3	1	4	5	8	6	18	40	73	47	-
1981	210	5	3	-	5	8	5	15	20	38	62	48	1
1980	202	14	2	1	5	4	9	10	24	57	44	32	-
1979	152	13	2	2	1	4	9	10	19	30	31	31	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Other diseases of respiratory system (034.0,460-465,470-478,495,508-519)													
All races, both sexes													
1998	20,330	283	92	86	104	194	541	945	1,919	4,548	6,936	4,679	3
1997	19,475	252	91	66	134	233	505	939	1,775	4,559	6,579	4,341	1
1996	18,727	255	101	77	111	228	495	873	1,771	4,398	6,170	4,245	3
1995	18,022	253	103	74	133	238	517	876	1,748	4,313	5,930	3,836	1
1994	17,802	271	95	80	107	260	511	849	1,717	4,380	5,803	3,727	2
1993	17,628	368	107	90	140	244	542	804	1,789	4,252	5,659	3,632	1
1992	16,752	359	108	98	138	266	521	739	1,691	4,233	5,262	3,336	1
1991	17,001	356	121	79	125	276	572	838	1,827	4,189	5,203	3,413	2
1990	16,355	389	127	91	127	327	530	741	1,845	4,006	4,994	3,178	-
1989	16,516	379	123	90	172	360	552	770	1,904	4,089	4,950	3,125	2
1988	16,882	414	136	89	171	355	515	812	1,941	4,104	5,171	3,173	1
1987	16,063	413	145	87	147	358	510	719	1,924	3,934	4,814	3,010	2
1986	15,883	478	137	77	169	365	517	747	1,988	3,901	4,661	2,838	5
1985	15,725	478	172	82	185	333	430	753	2,029	3,881	4,534	2,845	3
1984	14,346	477	144	98	177	338	414	712	1,911	3,510	4,025	2,536	4
1983	14,229	509	172	78	184	319	407	738	1,912	3,460	3,965	2,480	5
1982	13,076	459	148	91	193	306	353	736	1,900	3,261	3,533	2,093	3
1981	12,930	509	171	102	192	325	406	791	1,840	3,153	3,439	1,998	4
1980	12,552	514	148	97	229	328	391	822	1,818	3,043	3,256	1,904	2
1979	11,636	534	211	111	205	261	369	777	1,803	2,778	2,988	1,597	2
Other diseases of respiratory system (034.0,460-465,470-478,495,508-519)													
All races, male													
1998	10,172	170	51	47	57	115	293	534	1,098	2,626	3,454	1,724	3
1997	9,766	158	57	35	75	126	253	489	992	2,607	3,389	1,585	-
1996	9,421	149	49	41	63	130	274	470	1,025	2,536	3,123	1,560	1
1995	9,003	149	55	34	69	129	272	452	969	2,479	2,992	1,402	1
1994	9,035	173	60	50	58	138	275	458	1,012	2,532	2,915	1,362	2
1993	8,921	220	64	54	72	133	317	406	1,031	2,424	2,871	1,328	1
1992	8,618	218	57	55	73	155	300	426	963	2,456	2,668	1,247	-
1991	8,721	212	59	56	59	154	332	477	1,064	2,440	2,660	1,206	2
1990	8,410	237	63	44	63	175	316	425	1,107	2,349	2,499	1,132	-
1989	8,562	229	71	57	95	187	336	450	1,146	2,359	2,477	1,155	-
1988	8,796	235	77	46	103	195	304	474	1,161	2,369	2,603	1,228	1
1987	8,456	236	80	52	66	222	294	407	1,141	2,289	2,521	1,147	1
1986	8,423	303	84	50	93	232	318	451	1,174	2,239	2,388	1,088	3
1985	8,445	265	93	45	117	199	258	441	1,216	2,303	2,360	1,147	1
1984	7,719	269	83	46	112	214	235	383	1,173	2,044	2,116	1,041	3
1983	7,665	289	100	44	119	194	226	435	1,134	2,031	2,107	981	5
1982	7,252	273	82	46	114	161	217	435	1,156	1,968	1,936	862	2
1981	7,193	307	104	50	109	180	241	479	1,139	1,893	1,832	858	1
1980	7,205	304	87	57	136	200	218	516	1,149	1,904	1,818	814	2
1979	6,726	298	121	60	116	169	205	489	1,140	1,748	1,714	665	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other diseases of respiratory system (034.0,460-465,470-478,495,508-519)													
All races, female													
1998	10,158	113	41	39	47	79	248	411	821	1,922	3,482	2,955	-
1997	9,709	94	34	31	59	107	252	450	783	1,952	3,190	2,756	1
1996	9,306	106	52	36	48	98	221	403	746	1,862	3,047	2,685	2
1995	9,019	104	48	40	64	109	245	424	779	1,834	2,938	2,434	-
1994	8,767	98	35	30	49	122	236	391	705	1,848	2,888	2,365	-
1993	8,707	148	43	36	68	111	225	398	758	1,828	2,788	2,304	-
1992	8,134	141	51	43	65	111	221	313	728	1,777	2,594	2,089	1
1991	8,280	144	62	23	66	122	240	361	763	1,749	2,543	2,207	-
1990	7,945	152	64	47	64	152	214	316	738	1,657	2,495	2,046	-
1989	7,954	150	52	33	77	173	216	320	758	1,730	2,473	1,970	2
1988	8,086	179	59	43	68	160	211	338	780	1,735	2,568	1,945	-
1987	7,607	177	65	35	81	136	216	312	783	1,645	2,293	1,863	1
1986	7,460	175	53	27	76	133	199	296	814	1,662	2,273	1,750	2
1985	7,280	213	79	37	68	134	172	312	813	1,578	2,174	1,698	2
1984	6,627	208	61	52	65	124	179	329	738	1,466	1,909	1,495	1
1983	6,564	220	72	34	65	125	181	303	778	1,429	1,858	1,499	-
1982	5,824	186	66	45	79	145	136	301	744	1,293	1,597	1,231	1
1981	5,737	202	67	52	83	145	165	312	701	1,260	1,607	1,140	3
1980	5,347	210	61	40	93	128	173	306	669	1,139	1,438	1,090	-
1979	4,910	236	90	51	89	92	164	288	663	1,030	1,274	932	1
Other diseases of respiratory system (034.0,460-465,470-478,495,508-519)													
White, both sexes													
1998	18,012	193	59	58	78	138	377	720	1,566	4,036	6,421	4,365	1
1997	17,269	161	67	46	95	172	327	706	1,462	4,063	6,112	4,058	-
1996	16,555	163	73	59	78	148	332	642	1,460	3,931	5,691	3,977	1
1995	15,932	170	65	56	90	164	352	651	1,424	3,873	5,489	3,597	1
1994	15,664	181	51	57	77	182	334	635	1,418	3,883	5,368	3,477	1
1993	15,484	216	68	67	107	168	357	589	1,462	3,814	5,227	3,409	-
1992	14,642	230	76	70	92	193	334	542	1,381	3,761	4,850	3,113	-
1991	14,869	243	77	59	86	174	371	615	1,531	3,725	4,805	3,183	-
1990	14,172	261	79	71	82	202	335	558	1,510	3,549	4,582	2,943	-
1989	14,226	234	79	67	119	251	360	553	1,542	3,578	4,536	2,907	-
1988	14,626	260	101	68	129	234	332	599	1,604	3,625	4,732	2,942	-
1987	13,931	263	107	69	99	244	325	516	1,578	3,488	4,431	2,810	1
1986	13,751	300	97	56	121	239	356	548	1,652	3,455	4,279	2,643	5
1985	13,552	294	126	61	135	212	277	536	1,655	3,414	4,182	2,658	2
1984	12,431	323	106	77	136	224	281	507	1,596	3,115	3,696	2,369	1
1983	12,350	349	130	67	135	226	267	557	1,568	3,092	3,646	2,309	4
1982	11,221	293	108	66	137	194	246	552	1,555	2,872	3,228	1,968	2
1981	11,069	323	131	74	142	208	266	582	1,514	2,817	3,153	1,857	2
1980	10,704	337	118	72	172	224	255	578	1,492	2,701	2,968	1,787	-
1979	9,928	346	161	90	159	177	229	557	1,496	2,482	2,739	1,491	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other diseases of respiratory system (034.0,460-465,470-478,495,508-519)													
White, male													
1998	9,010	109	35	33	45	82	209	414	895	2,375	3,207	1,605	1
1997	8,666	99	40	26	55	101	166	371	836	2,343	3,157	1,472	-
1996	8,319	96	33	31	47	86	189	355	847	2,294	2,886	1,454	1
1995	7,952	104	37	27	50	89	190	332	810	2,243	2,764	1,305	1
1994	7,930	121	35	37	41	101	193	351	851	2,254	2,696	1,249	1
1993	7,827	135	41	41	58	95	217	311	859	2,189	2,651	1,230	-
1992	7,502	140	41	36	52	115	194	315	808	2,194	2,459	1,148	-
1991	7,587	142	34	41	42	97	221	357	906	2,184	2,445	1,118	-
1990	7,274	161	40	36	43	112	216	312	901	2,100	2,308	1,045	-
1989	7,298	142	46	42	68	135	220	331	933	2,061	2,269	1,051	-
1988	7,571	146	54	37	80	128	195	350	980	2,102	2,371	1,128	-
1987	7,265	153	56	41	48	150	190	292	951	2,020	2,297	1,067	-
1986	7,197	192	57	33	75	159	230	321	985	1,965	2,172	1,005	3
1985	7,233	162	67	34	89	137	166	313	1,001	2,035	2,170	1,059	-
1984	6,649	190	61	35	92	141	152	280	983	1,814	1,935	965	1
1983	6,585	201	75	39	91	145	147	330	927	1,809	1,918	899	4
1982	6,171	182	59	32	85	104	150	333	938	1,736	1,746	805	1
1981	6,120	197	85	34	83	116	150	351	945	1,699	1,676	783	1
1980	6,095	211	71	45	106	142	133	363	937	1,681	1,653	753	-
1979	5,680	206	92	43	88	110	122	350	941	1,556	1,558	614	-
Other diseases of respiratory system (034.0,460-465,470-478,495,508-519)													
White, female													
1998	9,002	84	24	25	33	56	168	306	671	1,661	3,214	2,760	-
1997	8,603	62	27	20	40	71	161	335	626	1,720	2,955	2,586	-
1996	8,236	67	40	28	31	62	143	287	613	1,637	2,805	2,523	-
1995	7,980	66	28	29	40	75	162	319	614	1,630	2,725	2,292	-
1994	7,734	60	16	20	36	81	141	284	567	1,629	2,672	2,228	-
1993	7,657	81	27	26	49	73	140	278	603	1,625	2,576	2,179	-
1992	7,140	90	35	34	40	78	140	227	573	1,567	2,391	1,965	-
1991	7,282	101	43	18	44	77	150	258	625	1,541	2,360	2,065	-
1990	6,898	100	39	35	39	90	119	246	609	1,449	2,274	1,898	-
1989	6,928	92	33	25	51	116	140	222	609	1,517	2,267	1,856	-
1988	7,055	114	47	31	49	106	137	249	624	1,523	2,361	1,814	-
1987	6,666	110	51	28	51	94	135	224	627	1,468	2,134	1,743	1
1986	6,554	108	40	23	46	80	126	227	667	1,490	2,107	1,638	2
1985	6,319	132	59	27	46	75	111	223	654	1,379	2,012	1,599	2
1984	5,782	133	45	42	44	83	129	227	613	1,301	1,761	1,404	-
1983	5,765	148	55	28	44	81	120	227	641	1,283	1,728	1,410	-
1982	5,050	111	49	34	52	90	96	219	617	1,136	1,482	1,163	1
1981	4,949	126	46	40	59	92	116	231	569	1,118	1,477	1,074	1
1980	4,609	126	47	27	66	82	122	215	555	1,020	1,315	1,034	-
1979	4,248	140	69	47	71	67	107	207	555	926	1,181	877	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other diseases of respiratory system (034.0,460-465,470-478,495,508-519)													
All other, both sexes													
1998	2,318	90	33	28	26	56	164	225	353	512	515	314	2
1997	2,206	91	24	20	39	61	178	233	313	496	467	283	1
1996	2,172	92	28	18	33	80	163	231	311	467	479	268	2
1995	2,090	83	38	18	43	74	165	225	324	440	441	239	-
1994	2,138	90	44	23	30	78	177	214	299	497	435	250	1
1993	2,144	152	39	23	33	76	185	215	327	438	432	223	1
1992	2,110	129	32	28	46	73	187	197	310	472	412	223	1
1991	2,132	113	44	20	39	102	201	223	296	464	398	230	2
1990	2,183	128	48	20	45	125	195	183	335	457	412	235	-
1989	2,290	145	44	23	53	109	192	217	362	511	414	218	2
1988	2,256	154	35	21	42	121	183	213	337	479	439	231	1
1987	2,132	150	38	18	48	114	185	203	346	446	383	200	1
1986	2,132	178	40	21	48	126	161	199	336	446	382	195	-
1985	2,173	184	46	21	50	121	153	217	374	467	352	187	1
1984	1,915	154	38	21	41	114	133	205	315	395	329	167	3
1983	1,879	160	42	11	49	93	140	181	344	368	319	171	1
1982	1,855	166	40	25	56	112	107	184	345	389	305	125	1
1981	1,861	186	40	28	50	117	140	209	326	336	286	141	2
1980	1,848	177	30	25	57	104	136	244	326	342	288	117	2
1979	1,708	188	50	21	46	84	140	220	307	296	249	106	1
Other diseases of respiratory system (034.0,460-465,470-478,495,508-519)													
All other, male													
1998	1,162	61	16	14	12	33	84	120	203	251	247	119	2
1997	1,100	59	17	9	20	25	87	118	156	264	232	113	-
1996	1,102	53	16	10	16	44	85	115	178	242	237	106	-
1995	1,051	45	18	7	19	40	82	120	159	236	228	97	-
1994	1,105	52	25	13	17	37	82	107	161	278	219	113	1
1993	1,094	85	23	13	14	38	100	95	172	235	220	98	1
1992	1,116	78	16	19	21	40	106	111	155	262	209	99	-
1991	1,134	70	25	15	17	57	111	120	158	256	215	88	2
1990	1,136	76	23	8	20	63	100	113	206	249	191	87	-
1989	1,264	87	25	15	27	52	116	119	213	298	208	104	-
1988	1,225	89	23	9	23	67	109	124	181	267	232	100	1
1987	1,191	83	24	11	18	72	104	115	190	269	224	80	1
1986	1,226	111	27	17	18	73	88	130	189	274	216	83	-
1985	1,212	103	26	11	28	62	92	128	215	268	190	88	1
1984	1,070	79	22	11	20	73	83	103	190	230	181	76	2
1983	1,080	88	25	5	28	49	79	105	207	222	189	82	1
1982	1,081	91	23	14	29	57	67	102	218	232	190	57	1
1981	1,073	110	19	16	26	64	91	128	194	194	156	75	-
1980	1,110	93	16	12	30	58	85	153	212	223	165	61	2
1979	1,046	92	29	17	28	59	83	139	199	192	156	51	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other diseases of respiratory system (034.0,460-465,470-478,495,508-519)													
All other, female													
1998	1,156	29	17	14	14	23	80	105	150	261	268	195	-
1997	1,106	32	7	11	19	36	91	115	157	232	235	170	1
1996	1,070	39	12	8	17	36	78	116	133	225	242	162	2
1995	1,039	38	20	11	24	34	83	105	165	204	213	142	-
1994	1,033	38	19	10	13	41	95	107	138	219	216	137	-
1993	1,050	67	16	10	19	38	85	120	155	203	212	125	-
1992	994	51	16	9	25	33	81	86	155	210	203	124	1
1991	998	43	19	5	22	45	90	103	138	208	183	142	-
1990	1,047	52	25	12	25	62	95	70	129	208	221	148	-
1989	1,026	58	19	8	26	57	76	98	149	213	206	114	2
1988	1,031	65	12	12	19	54	74	89	156	212	207	131	-
1987	941	67	14	7	30	42	81	88	156	177	159	120	-
1986	906	67	13	4	30	53	73	69	147	172	166	112	-
1985	961	81	20	10	22	59	61	89	159	199	162	99	-
1984	845	75	16	10	21	41	50	102	125	165	148	91	1
1983	799	72	17	6	21	44	61	76	137	146	130	89	-
1982	774	75	17	11	27	55	40	82	127	157	115	68	-
1981	788	76	21	12	24	53	49	81	132	142	130	66	2
1980	738	84	14	13	27	46	51	91	114	119	123	56	-
1979	662	96	21	4	18	25	57	81	108	104	93	55	-
Other diseases of respiratory system (034.0,460-465,470-478,495,508-519)													
Black, both sexes													
1998	1,902	78	27	21	23	48	152	193	296	422	397	243	2
1997	1,828	79	21	16	33	54	164	213	267	393	357	230	1
1996	1,831	85	24	16	32	71	150	208	270	382	368	223	2
1995	1,727	70	33	14	37	64	154	196	271	371	330	187	-
1994	1,786	78	38	18	23	69	166	194	253	405	343	198	1
1993	1,797	138	38	21	32	72	166	189	271	344	343	182	1
1992	1,792	118	27	24	41	71	171	181	255	407	319	177	1
1991	1,853	107	39	19	33	96	184	199	259	400	334	181	2
1990	1,902	117	39	17	43	121	183	167	288	387	349	191	-
1989	2,019	130	41	19	49	101	183	201	320	444	352	177	2
1988	1,995	133	32	18	40	113	173	191	306	414	373	201	1
1987	1,868	135	32	17	45	105	174	186	312	383	320	158	1
1986	1,902	156	35	19	45	119	154	188	313	386	333	154	-
1985	1,944	170	41	17	47	113	144	206	343	411	292	159	1
1984	1,725	141	34	20	38	108	122	192	297	356	280	134	3
1983	1,694	146	38	11	42	90	132	171	325	328	266	144	1
1982	1,692	154	38	20	51	107	103	177	315	357	262	107	1
1981	1,694	171	35	26	46	113	133	196	303	302	240	127	2
1980	1,662	166	27	21	47	100	125	227	304	305	245	93	2
1979	1,563	177	43	18	42	77	135	210	291	263	218	88	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other diseases of respiratory system (034.0,460-465,470-478,495,508-519)													
Black, male													
1998	940	54	12	11	11	29	79	102	172	204	183	81	2
1997	918	52	14	9	17	22	80	115	130	213	181	85	-
1996	919	50	13	10	15	40	76	104	155	191	180	85	-
1995	859	35	17	5	14	34	76	106	133	202	167	70	-
1994	896	45	20	12	13	33	75	98	134	221	164	80	1
1993	903	78	22	12	14	34	92	85	141	179	169	76	1
1992	941	69	14	16	17	38	96	103	127	223	163	75	-
1991	977	66	23	15	14	53	100	105	139	220	172	68	2
1990	976	69	18	8	19	63	90	106	175	205	159	64	-
1989	1,103	76	23	13	23	50	108	111	186	253	173	87	-
1988	1,091	78	21	8	21	65	101	109	163	236	199	89	1
1987	1,035	75	19	10	16	66	102	103	169	231	184	59	1
1986	1,097	99	23	15	17	67	84	125	176	232	196	63	-
1985	1,080	93	22	9	26	57	86	120	199	239	154	74	1
1984	956	71	20	11	18	71	75	98	179	206	147	58	2
1983	962	82	23	5	23	47	73	99	196	191	151	71	1
1982	981	85	21	12	25	54	64	99	202	212	157	49	1
1981	975	98	18	14	23	62	87	119	180	177	130	67	-
1980	998	86	14	9	26	55	80	143	196	201	138	48	2
1979	952	85	27	14	25	55	79	133	189	171	133	40	1
Other diseases of respiratory system (034.0,460-465,470-478,495,508-519)													
Black, female													
1998	962	24	15	10	12	19	73	91	124	218	214	162	-
1997	910	27	7	7	16	32	84	98	137	180	176	145	1
1996	912	35	11	6	17	31	74	104	115	191	188	138	2
1995	868	35	16	9	23	30	78	90	138	169	163	117	-
1994	890	33	18	6	10	36	91	96	119	184	179	118	-
1993	894	60	16	9	18	38	74	104	130	165	174	106	-
1992	851	49	13	8	24	33	75	78	128	184	156	102	1
1991	876	41	16	4	19	43	84	94	120	180	162	113	-
1990	926	48	21	9	24	58	93	61	113	182	190	127	-
1989	916	54	18	6	26	51	75	90	134	191	179	90	2
1988	904	55	11	10	19	48	72	82	143	178	174	112	-
1987	833	60	13	7	29	39	72	83	143	152	136	99	-
1986	805	57	12	4	28	52	70	63	137	154	137	91	-
1985	864	77	19	8	21	56	58	86	144	172	138	85	-
1984	769	70	14	9	20	37	47	94	118	150	133	76	1
1983	732	64	15	6	19	43	59	72	129	137	115	73	-
1982	711	69	17	8	26	53	39	78	113	145	105	58	-
1981	719	73	17	12	23	51	46	77	123	125	110	60	2
1980	664	80	13	12	21	45	45	84	108	104	107	45	-
1979	611	92	16	4	17	22	56	77	102	92	85	48	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Peptic ulcer (531-534)													
All races, both sexes													
1998	4,742	4	2	3	8	35	109	258	423	850	1,511	1,539	-
1997	5,178	8	-	5	11	25	137	290	432	950	1,641	1,677	2
1996	5,161	12	4	5	8	29	139	265	415	982	1,706	1,593	3
1995	5,522	7	1	6	12	36	138	272	482	1,063	1,846	1,659	-
1994	6,148	8	2	5	16	52	145	301	527	1,241	1,975	1,874	2
1993	6,000	5	5	3	13	35	153	307	518	1,200	1,983	1,776	2
1992	6,177	7	3	4	9	45	145	257	528	1,241	2,111	1,825	2
1991	6,168	6	5	2	6	39	151	273	591	1,237	2,082	1,776	-
1990	6,257	9	3	4	11	57	127	254	584	1,378	2,046	1,783	1
1989	6,526	12	3	4	11	40	145	273	617	1,406	2,192	1,822	1
1988	6,506	16	3	5	17	48	146	259	667	1,431	2,161	1,752	1
1987	6,427	10	5	6	7	59	135	271	653	1,430	2,137	1,714	-
1986	6,540	10	1	3	15	57	144	251	746	1,440	2,150	1,720	3
1985	6,715	12	5	1	12	40	123	293	793	1,516	2,211	1,708	1
1984	6,640	11	2	4	16	50	129	279	838	1,533	2,122	1,655	1
1983	6,445	11	3	4	12	45	124	310	778	1,550	2,072	1,535	1
1982	6,821	13	2	7	16	71	131	328	862	1,621	2,167	1,600	3
1981	6,579	14	5	5	23	63	135	357	903	1,613	2,021	1,439	1
1980	6,190	11	10	11	25	62	145	364	890	1,557	1,864	1,251	-
1979	6,004	16	4	3	29	61	167	417	851	1,452	1,809	1,194	1
Peptic ulcer (531-534)													
All races, male													
1998	2,261	2	-	1	5	24	75	155	269	488	708	534	-
1997	2,409	4	-	4	8	18	93	201	270	533	764	512	2
1996	2,432	5	2	4	3	17	105	183	262	547	812	490	2
1995	2,660	6	1	3	8	27	95	199	293	603	901	524	-
1994	2,964	5	1	4	13	44	99	205	335	713	929	615	1
1993	2,853	4	5	3	7	22	98	202	338	676	931	565	2
1992	2,948	6	1	2	5	38	103	179	329	726	958	600	1
1991	2,959	4	2	1	3	27	101	183	371	706	996	565	-
1990	3,011	3	2	3	7	42	93	164	371	821	937	568	-
1989	3,187	7	2	2	8	29	107	169	380	829	1,060	593	1
1988	3,221	8	2	4	11	39	102	169	424	853	1,009	599	1
1987	3,232	5	2	5	4	39	98	185	430	852	1,046	566	-
1986	3,140	6	1	2	8	33	100	170	475	820	955	569	1
1985	3,376	6	1	-	7	32	91	202	493	892	1,065	586	1
1984	3,262	5	-	2	11	34	80	177	547	859	993	554	-
1983	3,303	8	2	2	10	28	84	198	482	951	1,002	535	1
1982	3,465	6	1	5	11	39	86	214	550	951	1,032	568	2
1981	3,482	9	4	3	17	41	95	236	563	967	1,020	526	1
1980	3,448	7	5	7	15	32	102	256	601	978	959	486	-
1979	3,311	10	2	1	15	39	113	285	550	880	947	469	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Peptic ulcer (531-534)													
All races, female													
1998	2,481	2	2	2	3	11	34	103	154	362	803	1,005	-
1997	2,769	4	-	1	3	7	44	89	162	417	877	1,165	-
1996	2,729	7	2	1	5	12	34	82	153	435	894	1,103	1
1995	2,862	1	-	3	4	9	43	73	189	460	945	1,135	-
1994	3,184	3	1	1	3	8	46	96	192	528	1,046	1,259	1
1993	3,147	1	-	-	6	13	55	105	180	524	1,052	1,211	-
1992	3,229	1	2	2	4	7	42	78	199	515	1,153	1,225	1
1991	3,209	2	3	1	3	12	50	90	220	531	1,086	1,211	-
1990	3,246	6	1	1	4	15	34	90	213	557	1,109	1,215	1
1989	3,339	5	1	2	3	11	38	104	237	577	1,132	1,229	-
1988	3,285	8	1	1	6	9	44	90	243	578	1,152	1,153	-
1987	3,195	5	3	1	3	20	37	86	223	578	1,091	1,148	-
1986	3,400	4	-	1	7	24	44	81	271	620	1,195	1,151	2
1985	3,339	6	4	1	5	8	32	91	300	624	1,146	1,122	-
1984	3,378	6	2	2	5	16	49	102	291	674	1,129	1,101	1
1983	3,142	3	1	2	2	17	40	112	296	599	1,070	1,000	-
1982	3,356	7	1	2	5	32	45	114	312	670	1,135	1,032	1
1981	3,097	5	1	2	6	22	40	121	340	646	1,001	913	-
1980	2,742	4	5	4	10	30	43	108	289	579	905	765	-
1979	2,693	6	2	2	14	22	54	132	301	572	862	725	1
Peptic ulcer (531-534)													
White, both sexes													
1998	4,199	2	2	3	5	26	79	204	352	730	1,362	1,434	-
1997	4,541	4	-	1	6	15	98	205	342	816	1,487	1,566	1
1996	4,508	8	3	2	3	14	92	200	321	813	1,551	1,500	1
1995	4,889	6	-	6	9	21	88	207	402	915	1,674	1,561	-
1994	5,416	2	2	3	14	33	93	239	419	1,080	1,790	1,740	1
1993	5,317	3	5	2	8	24	109	227	432	1,034	1,804	1,668	1
1992	5,498	3	1	4	8	26	95	195	428	1,081	1,952	1,704	1
1991	5,501	5	4	2	4	24	107	199	484	1,092	1,910	1,670	-
1990	5,580	8	2	4	5	31	80	196	475	1,199	1,895	1,684	1
1989	5,728	6	1	3	6	22	93	207	500	1,206	1,984	1,699	1
1988	5,855	9	2	5	10	28	100	205	546	1,278	2,013	1,658	1
1987	5,805	4	3	3	4	40	90	219	548	1,268	2,002	1,624	-
1986	5,845	8	1	3	13	36	101	198	621	1,271	1,964	1,627	2
1985	6,049	9	3	1	10	19	91	253	662	1,365	2,026	1,609	1
1984	5,999	6	1	3	13	31	88	205	726	1,391	1,961	1,573	1
1983	5,817	8	2	4	8	30	93	252	653	1,374	1,933	1,459	1
1982	6,140	5	2	7	12	51	102	247	733	1,452	2,001	1,527	1
1981	5,916	7	3	4	17	39	98	284	766	1,444	1,881	1,372	1
1980	5,612	5	9	9	18	43	100	290	797	1,416	1,730	1,195	-
1979	5,426	7	4	2	21	39	130	325	749	1,309	1,700	1,140	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Peptic ulcer (531-534)													
White, male													
1998	1,980	1	-	1	4	19	56	119	220	419	640	501	-
1997	2,051	2	-	1	5	10	68	142	208	452	687	475	1
1996	2,074	3	2	2	1	6	72	137	198	455	739	459	-
1995	2,298	5	-	3	6	14	54	158	243	521	808	486	-
1994	2,556	1	1	2	11	25	60	158	268	629	844	556	1
1993	2,458	3	5	2	5	15	65	150	277	571	839	525	1
1992	2,560	2	1	2	4	23	61	135	266	636	875	555	-
1991	2,586	4	1	1	2	18	63	135	308	624	903	527	-
1990	2,627	2	2	3	3	21	59	125	292	718	866	536	-
1989	2,739	4	1	2	4	16	67	123	308	707	960	546	1
1988	2,843	5	1	4	7	20	66	134	350	757	933	565	1
1987	2,865	3	1	2	2	25	60	147	360	753	976	536	-
1986	2,752	4	1	2	7	21	70	131	400	719	859	537	1
1985	2,990	5	1	-	6	15	66	171	406	803	970	546	1
1984	2,897	3	-	1	9	19	51	126	469	779	920	520	-
1983	2,921	5	1	2	7	19	63	157	408	838	923	497	1
1982	3,072	3	1	5	9	26	65	158	467	855	945	538	-
1981	3,081	5	3	3	13	26	63	186	478	862	944	497	1
1980	3,075	2	5	5	12	20	67	196	530	891	885	462	-
1979	2,943	6	2	1	11	21	82	213	484	797	883	443	-
Peptic ulcer (531-534)													
White, female													
1998	2,219	1	2	2	1	7	23	85	132	311	722	933	-
1997	2,490	2	-	-	1	5	30	63	134	364	800	1,091	-
1996	2,434	5	1	-	2	8	20	63	123	358	812	1,041	1
1995	2,591	1	-	3	3	7	34	49	159	394	866	1,075	-
1994	2,860	1	1	1	3	8	33	81	151	451	946	1,184	-
1993	2,859	-	-	-	3	9	44	77	155	463	965	1,143	-
1992	2,938	1	-	2	4	3	34	60	162	445	1,077	1,149	1
1991	2,915	1	3	1	2	6	44	64	176	468	1,007	1,143	-
1990	2,953	6	-	1	2	10	21	71	183	481	1,029	1,148	1
1989	2,989	2	-	1	2	6	26	84	192	499	1,024	1,153	-
1988	3,012	4	1	1	3	8	34	71	196	521	1,080	1,093	-
1987	2,940	1	2	1	2	15	30	72	188	515	1,026	1,088	-
1986	3,093	4	-	1	6	15	31	67	221	552	1,105	1,090	1
1985	3,059	4	2	1	4	4	25	82	256	562	1,056	1,063	-
1984	3,102	3	1	2	4	12	37	79	257	612	1,041	1,053	1
1983	2,896	3	1	2	1	11	30	95	245	536	1,010	962	-
1982	3,068	2	1	2	3	25	37	89	266	597	1,056	989	1
1981	2,835	2	-	1	4	13	35	98	288	582	937	875	-
1980	2,537	3	4	4	6	23	33	94	267	525	845	733	-
1979	2,483	1	2	1	10	18	48	112	265	512	817	697	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Peptic ulcer (531-534)													
All other, both sexes													
1998	543	2	-	-	3	9	30	54	71	120	149	105	-
1997	637	4	-	4	5	10	39	85	90	134	154	111	1
1996	653	4	1	3	5	15	47	65	94	169	155	93	2
1995	633	1	1	-	3	15	50	65	80	148	172	98	-
1994	732	6	-	2	2	19	52	62	108	161	185	134	1
1993	683	2	-	1	5	11	44	80	86	166	179	108	1
1992	679	4	2	-	1	19	50	62	100	160	159	121	1
1991	667	1	1	-	2	15	44	74	107	145	172	106	-
1990	677	1	1	-	6	26	47	58	109	179	151	99	-
1989	798	6	2	1	5	18	52	66	117	200	208	123	-
1988	651	7	1	-	7	20	46	54	121	153	148	94	-
1987	622	6	2	3	3	19	45	52	105	162	135	90	-
1986	695	2	-	-	2	21	43	53	125	169	186	93	1
1985	666	3	2	-	2	21	32	40	131	151	185	99	-
1984	641	5	1	1	3	19	41	74	112	142	161	82	-
1983	628	3	1	-	4	15	31	58	125	176	139	76	-
1982	681	8	-	-	4	20	29	81	129	169	166	73	2
1981	663	7	2	1	6	24	37	73	137	169	140	67	-
1980	578	6	1	2	7	19	45	74	93	141	134	56	-
1979	578	9	-	1	8	22	37	92	102	143	109	54	1
Peptic ulcer (531-534)													
All other, male													
1998	281	1	-	-	1	5	19	36	49	69	68	33	-
1997	358	2	-	3	3	8	25	59	62	81	77	37	1
1996	358	2	-	2	2	11	33	46	64	92	73	31	2
1995	362	1	1	-	2	13	41	41	50	82	93	38	-
1994	408	4	-	2	2	19	39	47	67	84	85	59	-
1993	395	1	-	1	2	7	33	52	61	105	92	40	1
1992	388	4	-	-	1	15	42	44	63	90	83	45	1
1991	373	-	1	-	1	9	38	48	63	82	93	38	-
1990	384	1	-	-	4	21	34	39	79	103	71	32	-
1989	448	3	1	-	4	13	40	46	72	122	100	47	-
1988	378	3	1	-	4	19	36	35	74	96	76	34	-
1987	367	2	1	3	2	14	38	38	70	99	70	30	-
1986	388	2	-	-	1	12	30	39	75	101	96	32	-
1985	386	1	-	-	1	17	25	31	87	89	95	40	-
1984	365	2	-	1	2	15	29	51	78	80	73	34	-
1983	382	3	1	-	3	9	21	41	74	113	79	38	-
1982	393	3	-	-	2	13	21	56	83	96	87	30	2
1981	401	4	1	-	4	15	32	50	85	105	76	29	-
1980	373	5	-	2	3	12	35	60	71	87	74	24	-
1979	368	4	-	-	4	18	31	72	66	83	64	26	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Peptic ulcer (531-534)													
All other, female													
1998	262	1	-	-	2	4	11	18	22	51	81	72	-
1997	279	2	-	1	2	2	14	26	28	53	77	74	-
1996	295	2	1	1	3	4	14	19	30	77	82	62	-
1995	271	-	-	-	1	2	9	24	30	66	79	60	-
1994	324	2	-	-	-	-	13	15	41	77	100	75	1
1993	288	1	-	-	3	4	11	28	25	61	87	68	-
1992	291	-	2	-	-	4	8	18	37	70	76	76	-
1991	294	1	-	-	1	6	6	26	44	63	79	68	-
1990	293	-	1	-	2	5	13	19	30	76	80	67	-
1989	350	3	1	1	1	5	12	20	45	78	108	76	-
1988	273	4	-	-	3	1	10	19	47	57	72	60	-
1987	255	4	1	-	1	5	7	14	35	63	65	60	-
1986	307	-	-	-	1	9	13	14	50	68	90	61	1
1985	280	2	2	-	1	4	7	9	44	62	90	59	-
1984	276	3	1	-	1	4	12	23	34	62	88	48	-
1983	246	-	-	-	1	6	10	17	51	63	60	38	-
1982	288	5	-	-	2	7	8	25	46	73	79	43	-
1981	262	3	1	1	2	9	5	23	52	64	64	38	-
1980	205	1	1	-	4	7	10	14	22	54	60	32	-
1979	210	5	-	1	4	4	6	20	36	60	45	28	1
Peptic ulcer (531-534)													
Black, both sexes													
1998	417	1	-	-	3	7	26	48	61	87	107	77	-
1997	497	4	-	2	5	9	35	71	76	100	112	83	-
1996	526	3	1	2	5	13	42	58	73	139	120	68	2
1995	524	1	-	-	3	14	47	57	71	124	136	71	-
1994	584	5	-	2	2	15	50	54	92	121	139	103	1
1993	563	2	-	1	4	10	42	75	69	140	138	81	1
1992	570	4	-	-	-	18	48	56	86	126	134	97	1
1991	552	1	-	-	2	15	40	65	94	115	134	86	-
1990	589	1	1	-	6	23	43	51	101	163	125	75	-
1989	672	6	1	1	5	18	44	63	96	169	178	91	-
1988	562	7	1	-	7	20	43	47	109	130	123	75	-
1987	546	6	1	2	2	19	45	51	88	143	118	71	-
1986	612	2	-	-	2	20	41	46	114	155	155	76	1
1985	576	2	2	-	2	18	29	37	119	129	158	80	-
1984	565	5	-	1	1	19	39	70	98	122	142	68	-
1983	556	3	-	-	4	14	29	53	116	149	123	65	-
1982	598	7	-	-	4	20	27	75	117	153	135	58	2
1981	599	7	1	1	6	24	35	66	127	149	124	59	-
1980	516	5	1	1	7	18	44	70	87	130	106	47	-
1979	511	8	-	1	7	20	32	82	93	131	94	42	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Peptic ulcer (531-534)													
Black, male													
1998	208	1	-	-	1	4	15	32	42	46	48	19	-
1997	278	2	-	2	3	7	22	51	49	62	55	25	-
1996	284	1	-	1	2	10	30	42	52	74	52	18	2
1995	293	1	-	-	2	12	39	35	45	68	71	20	-
1994	318	3	-	2	2	15	37	41	57	62	57	42	-
1993	319	1	-	1	1	6	32	48	50	88	63	28	1
1992	325	4	-	-	-	14	40	40	54	71	72	29	1
1991	304	-	-	-	1	9	34	44	55	66	68	27	-
1990	336	1	-	-	4	18	33	35	72	94	55	24	-
1989	366	3	1	-	4	13	34	45	62	94	80	30	-
1988	326	3	1	-	4	19	33	32	66	86	58	24	-
1987	318	2	1	2	2	14	38	37	55	87	61	19	-
1986	339	2	-	-	1	11	28	37	67	91	76	26	-
1985	331	1	-	-	1	16	23	30	80	73	75	32	-
1984	315	2	-	1	1	15	27	47	66	68	60	28	-
1983	332	3	-	-	3	9	21	38	67	93	66	32	-
1982	341	3	-	-	2	13	20	51	79	85	65	21	2
1981	360	4	1	-	4	15	31	46	79	90	62	28	-
1980	335	4	-	1	3	12	34	58	68	81	56	18	-
1979	320	3	-	-	3	17	26	65	61	74	53	18	-
Peptic ulcer (531-534)													
Black, female													
1998	209	-	-	-	2	3	11	16	19	41	59	58	-
1997	219	2	-	-	2	2	13	20	27	38	57	58	-
1996	242	2	1	1	3	3	12	16	21	65	68	50	-
1995	231	-	-	-	1	2	8	22	26	56	65	51	-
1994	266	2	-	-	-	-	13	13	35	59	82	61	1
1993	244	1	-	-	3	4	10	27	19	52	75	53	-
1992	245	-	-	-	-	4	8	16	32	55	62	68	-
1991	248	1	-	-	1	6	6	21	39	49	66	59	-
1990	253	-	1	-	2	5	10	16	29	69	70	51	-
1989	306	3	-	1	1	5	10	18	34	75	98	61	-
1988	236	4	-	-	3	1	10	15	43	44	65	51	-
1987	228	4	-	-	-	5	7	14	33	56	57	52	-
1986	273	-	-	-	1	9	13	9	47	64	79	50	1
1985	245	1	2	-	1	2	6	7	39	56	83	48	-
1984	250	3	-	-	-	4	12	23	32	54	82	40	-
1983	224	-	-	-	1	5	8	15	49	56	57	33	-
1982	257	4	-	-	2	7	7	24	38	68	70	37	-
1981	239	3	-	1	2	9	4	20	48	59	62	31	-
1980	181	1	1	-	4	6	10	12	19	49	50	29	-
1979	191	5	-	1	4	3	6	17	32	57	41	24	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Diseases of appendix (540-543)													
All races, both sexes													
1998	439	9	5	15	12	11	29	29	53	76	121	79	-
1997	395	3	2	18	9	15	24	32	47	87	88	70	-
1996	424	1	2	25	18	11	28	34	49	82	109	65	-
1995	398	4	3	14	6	9	18	34	62	83	93	72	-
1994	380	1	5	10	15	14	23	40	35	81	93	63	-
1993	367	6	8	10	11	12	26	30	45	86	80	53	-
1992	413	4	2	9	16	17	25	25	41	102	98	74	-
1991	389	2	5	10	15	11	27	31	49	85	93	61	-
1990	438	5	7	13	11	12	30	32	55	92	114	67	-
1989	451	2	-	16	18	17	13	35	53	111	112	74	-
1988	473	3	7	19	7	13	23	25	68	103	123	82	-
1987	481	1	1	15	11	11	23	31	57	115	124	92	-
1986	512	6	6	17	16	15	16	24	87	126	130	69	-
1985	501	6	8	10	13	14	15	28	68	125	121	93	-
1984	493	3	8	18	10	15	17	20	72	111	139	80	-
1983	526	2	7	16	19	12	17	31	72	132	127	91	-
1982	529	7	9	29	12	9	21	38	83	113	122	86	-
1981	589	3	5	17	22	21	28	37	84	162	133	77	-
1980	701	10	12	23	28	22	25	49	126	135	171	100	-
1979	682	6	7	29	26	17	23	50	107	163	164	90	-
Diseases of appendix (540-543)													
All races, male													
1998	256	5	3	9	9	9	19	18	36	53	59	36	-
1997	228	1	-	9	5	14	17	17	33	51	47	34	-
1996	240	1	1	14	13	8	14	25	33	49	55	27	-
1995	229	3	1	9	6	7	12	25	38	54	50	24	-
1994	220	1	2	6	10	7	13	30	23	54	45	29	-
1993	217	6	6	6	6	8	17	22	31	53	42	20	-
1992	244	3	2	9	11	8	17	16	23	57	58	40	-
1991	207	2	2	5	12	8	19	15	28	49	48	19	-
1990	257	3	5	6	9	6	19	22	36	60	65	26	-
1989	237	1	-	12	11	14	8	21	28	61	60	21	-
1988	241	3	3	12	3	5	16	19	40	54	57	29	-
1987	255	-	1	10	9	6	18	17	37	61	59	37	-
1986	280	4	3	7	9	11	8	11	52	74	67	34	-
1985	276	4	4	6	9	10	12	20	41	75	57	38	-
1984	265	2	2	10	8	6	9	9	47	64	72	36	-
1983	292	1	6	13	13	9	9	19	41	78	66	37	-
1982	303	3	6	21	7	5	14	22	55	68	68	34	-
1981	329	1	3	10	14	13	21	24	51	94	66	32	-
1980	383	4	6	11	15	12	14	33	75	90	84	39	-
1979	373	4	2	18	16	11	15	30	61	96	84	36	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Diseases of appendix (540-543)													
All races, female													
1998	183	4	2	6	3	2	10	11	17	23	62	43	-
1997	167	2	2	9	4	1	7	15	14	36	41	36	-
1996	184	-	1	11	5	3	14	9	16	33	54	38	-
1995	169	1	2	5	-	2	6	9	24	29	43	48	-
1994	160	-	3	4	5	7	10	10	12	27	48	34	-
1993	150	-	2	4	5	4	9	8	14	33	38	33	-
1992	169	1	-	-	5	9	8	9	18	45	40	34	-
1991	182	-	3	5	3	3	8	16	21	36	45	42	-
1990	181	2	2	7	2	6	11	10	19	32	49	41	-
1989	214	1	-	4	7	3	5	14	25	50	52	53	-
1988	232	-	4	7	4	8	7	6	28	49	66	53	-
1987	226	1	-	5	2	5	5	14	20	54	65	55	-
1986	232	2	3	10	7	4	8	13	35	52	63	35	-
1985	225	2	4	4	4	4	3	8	27	50	64	55	-
1984	228	1	6	8	2	9	8	11	25	47	67	44	-
1983	234	1	1	3	6	3	8	12	31	54	61	54	-
1982	226	4	3	8	5	4	7	16	28	45	54	52	-
1981	260	2	2	7	8	8	7	13	33	68	67	45	-
1980	318	6	6	12	13	10	11	16	51	45	87	61	-
1979	309	2	5	11	10	6	8	20	46	67	80	54	-
Diseases of appendix (540-543)													
White, both sexes													
1998	356	4	4	11	8	9	22	16	42	65	103	72	-
1997	309	3	1	12	7	10	14	21	38	64	73	66	-
1996	352	1	2	21	11	8	21	28	39	69	95	57	-
1995	313	3	3	12	4	8	8	24	41	68	79	63	-
1994	305	-	3	6	12	9	13	30	30	67	79	56	-
1993	283	4	5	7	7	10	16	19	31	67	70	47	-
1992	326	3	2	7	11	6	18	14	33	84	82	66	-
1991	321	2	2	9	8	8	20	24	43	69	79	57	-
1990	357	5	7	10	7	8	23	20	47	71	98	61	-
1989	354	1	-	8	11	12	9	24	33	93	101	62	-
1988	368	3	5	12	4	11	17	12	46	82	103	73	-
1987	378	1	-	11	8	7	19	18	45	88	102	79	-
1986	394	5	2	11	8	10	9	11	66	99	110	63	-
1985	396	6	4	4	12	7	8	21	51	97	104	82	-
1984	403	2	7	12	8	10	11	13	54	91	122	73	-
1983	428	2	6	13	14	10	11	22	55	104	108	83	-
1982	413	6	8	22	10	7	14	24	63	83	102	74	-
1981	466	2	4	14	17	18	23	29	59	129	107	64	-
1980	566	7	11	17	19	18	17	30	90	109	153	95	-
1979	539	5	5	23	18	9	16	29	82	125	141	86	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Diseases of appendix (540-543)													
White, male													
1998	201	3	2	7	5	7	15	7	27	45	50	33	-
1997	167	1	-	6	3	9	10	11	24	36	37	30	-
1996	191	1	1	12	7	5	11	19	25	41	45	24	-
1995	168	2	1	8	4	6	5	16	22	43	40	21	-
1994	168	-	2	2	8	3	7	21	18	44	37	26	-
1993	159	4	4	4	3	7	11	12	20	40	37	17	-
1992	196	3	2	7	7	3	13	11	19	45	49	37	-
1991	163	2	1	4	6	5	15	10	24	38	40	18	-
1990	212	3	5	5	6	6	16	13	32	47	53	26	-
1989	185	1	-	6	6	10	5	15	18	52	55	17	-
1988	181	3	2	9	2	4	10	9	28	44	46	24	-
1987	203	-	-	7	7	5	14	11	32	43	53	31	-
1986	215	3	1	4	6	8	6	4	41	56	55	31	-
1985	217	4	2	3	8	5	7	17	31	59	48	33	-
1984	220	1	2	7	6	4	5	8	34	54	67	32	-
1983	238	1	5	10	10	9	7	15	35	58	56	32	-
1982	236	2	5	16	6	4	10	15	44	50	55	29	-
1981	260	-	2	8	12	12	17	21	36	77	49	26	-
1980	308	3	6	7	11	10	9	22	57	74	73	36	-
1979	292	3	1	17	11	6	12	17	49	74	67	35	-
Diseases of appendix (540-543)													
White, female													
1998	155	1	2	4	3	2	7	9	15	20	53	39	-
1997	142	2	1	6	4	1	4	10	14	28	36	36	-
1996	161	-	1	9	4	3	10	9	14	28	50	33	-
1995	145	1	2	4	-	2	3	8	19	25	39	42	-
1994	137	-	1	4	4	6	6	9	12	23	42	30	-
1993	124	-	1	3	4	3	5	7	11	27	33	30	-
1992	130	-	-	-	4	3	5	3	14	39	33	29	-
1991	158	-	1	5	2	3	5	14	19	31	39	39	-
1990	145	2	2	5	1	2	7	7	15	24	45	35	-
1989	169	-	-	2	5	2	4	9	15	41	46	45	-
1988	187	-	3	3	2	7	7	3	18	38	57	49	-
1987	175	1	-	4	1	2	5	7	13	45	49	48	-
1986	179	2	1	7	2	2	3	7	25	43	55	32	-
1985	179	2	2	1	4	2	1	4	20	38	56	49	-
1984	183	1	5	5	2	6	6	5	20	37	55	41	-
1983	190	1	1	3	4	1	4	7	20	46	52	51	-
1982	177	4	3	6	4	3	4	9	19	33	47	45	-
1981	206	2	2	6	5	6	6	8	23	52	58	38	-
1980	258	4	5	10	8	8	8	8	33	35	80	59	-
1979	247	2	4	6	7	3	4	12	33	51	74	51	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Diseases of appendix (540-543)													
All other, both sexes													
1998	83	5	1	4	4	2	7	13	11	11	18	7	-
1997	86	-	1	6	2	5	10	11	9	23	15	4	-
1996	72	-	-	4	7	3	7	6	10	13	14	8	-
1995	85	1	-	2	2	1	10	10	21	15	14	9	-
1994	75	1	2	4	3	5	10	10	5	14	14	7	-
1993	84	2	3	3	4	2	10	11	14	19	10	6	-
1992	87	1	-	2	5	11	7	11	8	18	16	8	-
1991	68	-	3	1	7	3	7	7	6	16	14	4	-
1990	81	-	-	3	4	4	7	12	8	21	16	6	-
1989	97	1	-	8	7	5	4	11	20	18	11	12	-
1988	105	-	2	7	3	2	6	13	22	21	20	9	-
1987	103	-	1	4	3	4	4	13	12	27	22	13	-
1986	118	1	4	6	8	5	7	13	21	27	20	6	-
1985	105	-	4	6	1	7	7	7	17	28	17	11	-
1984	90	1	1	6	2	5	6	7	18	20	17	7	-
1983	98	-	1	3	5	2	6	9	17	28	19	8	-
1982	116	1	1	7	2	2	7	14	20	30	20	12	-
1981	123	1	1	3	5	3	5	8	25	33	26	13	-
1980	135	3	1	6	9	4	8	19	36	26	18	5	-
1979	143	1	2	6	8	8	7	21	25	38	23	4	-
Diseases of appendix (540-543)													
All other, male													
1998	55	2	1	2	4	2	4	11	9	8	9	3	-
1997	61	-	-	3	2	5	7	6	9	15	10	4	-
1996	49	-	-	2	6	3	3	6	8	8	10	3	-
1995	61	1	-	1	2	1	7	9	16	11	10	3	-
1994	52	1	-	4	2	4	6	9	5	10	8	3	-
1993	58	2	2	2	3	1	6	10	11	13	5	3	-
1992	48	-	-	2	4	5	4	5	4	12	9	3	-
1991	44	-	1	1	6	3	4	5	4	11	8	1	-
1990	45	-	-	1	3	-	3	9	4	13	12	-	-
1989	52	-	-	6	5	4	3	6	10	9	5	4	-
1988	60	-	1	3	1	1	6	10	12	10	11	5	-
1987	52	-	1	3	2	1	4	6	5	18	6	6	-
1986	65	1	2	3	3	3	2	7	11	18	12	3	-
1985	59	-	2	3	1	5	5	3	10	16	9	5	-
1984	45	1	-	3	2	2	4	1	13	10	5	4	-
1983	54	-	1	3	3	-	2	4	6	20	10	5	-
1982	67	1	1	5	1	1	4	7	11	18	13	5	-
1981	69	1	1	2	2	1	4	3	15	17	17	6	-
1980	75	1	-	4	4	2	5	11	18	16	11	3	-
1979	81	1	1	1	5	5	3	13	12	22	17	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Diseases of appendix (540-543)													
All other, female													
1998	28	3	-	2	-	-	3	2	2	3	9	4	-
1997	25	-	1	3	-	-	3	5	-	8	5	-	-
1996	23	-	-	2	1	-	4	-	2	5	4	5	-
1995	24	-	-	1	-	-	3	1	5	4	4	6	-
1994	23	-	2	-	1	1	4	1	-	4	6	4	-
1993	26	-	1	1	1	1	4	1	3	6	5	3	-
1992	39	1	-	-	1	6	3	6	4	6	7	5	-
1991	24	-	2	-	1	-	3	2	2	5	6	3	-
1990	36	-	-	2	1	4	4	3	4	8	4	6	-
1989	45	1	-	2	2	1	1	5	10	9	6	8	-
1988	45	-	1	4	2	1	-	3	10	11	9	4	-
1987	51	-	-	1	1	3	-	7	7	9	16	7	-
1986	53	-	2	3	5	2	5	6	10	9	8	3	-
1985	46	-	2	3	-	2	2	4	7	12	8	6	-
1984	45	-	1	3	-	3	2	6	5	10	12	3	-
1983	44	-	-	-	2	2	4	5	11	8	9	3	-
1982	49	-	-	2	1	1	3	7	9	12	7	7	-
1981	54	-	-	1	3	2	1	5	10	16	9	7	-
1980	60	2	1	2	5	2	3	8	18	10	7	2	-
1979	62	-	1	5	3	3	4	8	13	16	6	3	-
Diseases of appendix (540-543)													
Black, both sexes													
1998	66	2	1	2	3	1	6	11	11	9	13	7	-
1997	76	-	-	6	2	5	10	10	8	18	13	4	-
1996	66	-	-	4	6	3	7	6	8	12	12	8	-
1995	79	1	-	2	2	1	10	10	18	15	12	8	-
1994	68	1	2	3	3	4	8	10	4	14	13	6	-
1993	71	2	2	3	3	2	10	9	12	15	9	4	-
1992	76	1	-	2	4	9	6	11	8	16	12	7	-
1991	65	-	2	1	7	3	7	7	6	15	14	3	-
1990	71	-	-	2	3	4	7	10	8	19	12	6	-
1989	89	1	-	7	6	4	4	11	20	15	10	11	-
1988	99	-	2	6	3	2	6	12	21	19	19	9	-
1987	95	-	1	3	3	4	4	12	10	26	21	11	-
1986	109	1	4	5	8	5	7	11	20	26	16	6	-
1985	99	-	4	6	1	7	6	6	14	27	17	11	-
1984	84	1	1	5	2	5	5	7	18	19	14	7	-
1983	91	-	1	2	5	-	5	8	17	28	17	8	-
1982	108	1	1	7	2	2	7	12	18	27	19	12	-
1981	117	1	1	3	5	3	5	8	22	32	25	12	-
1980	130	3	1	6	8	4	8	19	35	25	16	5	-
1979	136	1	1	6	8	7	7	21	23	36	22	4	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Diseases of appendix (540-543)													
Black, male													
1998	46	1	1	-	3	1	3	10	9	7	8	3	-
1997	56	-	-	3	2	5	7	6	8	12	9	4	-
1996	44	-	-	2	5	3	3	6	6	8	8	3	-
1995	57	1	-	1	2	1	7	9	14	11	8	3	-
1994	46	1	-	3	2	3	5	9	4	10	7	2	-
1993	48	2	1	2	2	1	6	8	10	11	4	1	-
1992	41	-	-	2	3	3	4	5	4	11	7	2	-
1991	42	-	-	1	6	3	4	5	4	10	8	1	-
1990	39	-	-	1	2	-	3	8	4	12	9	-	-
1989	47	-	-	5	4	4	3	6	10	7	5	3	-
1988	57	-	1	3	1	1	6	9	11	9	11	5	-
1987	47	-	1	2	2	1	4	5	5	17	6	4	-
1986	59	1	2	3	3	3	2	5	10	18	9	3	-
1985	57	-	2	3	1	5	4	3	9	16	9	5	-
1984	40	1	-	2	2	2	3	1	13	9	3	4	-
1983	51	-	1	2	3	-	2	3	6	20	9	5	-
1982	62	1	1	5	1	1	4	7	9	15	13	5	-
1981	64	1	1	2	2	1	4	3	12	17	16	5	-
1980	72	1	-	4	3	2	5	11	18	16	9	3	-
1979	75	1	-	1	5	4	3	13	11	20	16	1	-
Diseases of appendix (540-543)													
Black, female													
1998	20	1	-	2	-	-	3	1	2	2	5	4	-
1997	20	-	-	3	-	-	3	4	-	6	4	-	-
1996	22	-	-	2	1	-	4	-	2	4	4	5	-
1995	22	-	-	1	-	-	3	1	4	4	4	5	-
1994	22	-	2	-	1	1	3	1	-	4	6	4	-
1993	23	-	1	1	1	1	4	1	2	4	5	3	-
1992	35	1	-	-	1	6	2	6	4	5	5	5	-
1991	23	-	2	-	1	-	3	2	2	5	6	2	-
1990	32	-	-	1	1	4	4	2	4	7	3	6	-
1989	42	1	-	2	2	-	1	5	10	8	5	8	-
1988	42	-	1	3	2	1	-	3	10	10	8	4	-
1987	48	-	-	1	1	3	-	7	5	9	15	7	-
1986	50	-	2	2	5	2	5	6	10	8	7	3	-
1985	42	-	2	3	-	2	2	3	5	11	8	6	-
1984	44	-	1	3	-	3	2	6	5	10	11	3	-
1983	40	-	-	-	2	-	3	5	11	8	8	3	-
1982	46	-	-	2	1	1	3	5	9	12	6	7	-
1981	53	-	-	1	3	2	1	5	10	15	9	7	-
1980	58	2	1	2	5	2	3	8	17	9	7	2	-
1979	61	-	1	5	3	3	4	8	12	16	6	3	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Hernia (550-553)													
All races, both sexes													
1998	1,389	26	5	6	4	4	30	70	105	207	447	485	-
1997	1,433	36	5	2	5	5	36	67	99	221	417	540	-
1996	1,403	33	5	6	4	15	30	60	105	212	433	500	-
1995	1,335	31	6	4	6	10	23	58	74	230	400	492	1
1994	1,297	27	6	3	5	10	24	58	113	199	383	469	-
1993	1,315	42	9	1	4	12	20	49	78	197	416	487	-
1992	1,319	32	3	2	7	12	28	37	88	212	403	495	-
1991	1,301	48	10	4	2	11	31	42	89	242	411	411	-
1990	1,342	37	6	6	4	7	29	49	82	209	434	478	1
1989	1,343	47	10	4	5	13	17	41	102	228	418	458	-
1988	1,327	41	5	1	4	7	19	49	93	230	423	455	-
1987	1,357	48	9	4	6	16	21	40	109	246	416	441	1
1986	1,305	53	10	6	4	9	13	47	129	230	394	408	2
1985	1,391	48	5	1	6	12	22	37	123	227	484	426	-
1984	1,352	58	3	1	14	11	24	40	125	231	406	439	-
1983	1,399	68	15	6	4	6	17	40	123	244	451	424	1
1982	1,400	78	7	2	4	9	17	56	131	255	410	430	1
1981	1,590	89	4	5	4	8	23	71	124	314	502	446	-
1980	1,588	79	13	5	13	11	32	72	160	317	469	417	-
1979	1,643	114	4	4	8	19	27	68	173	329	501	396	-
Hernia (550-553)													
All races, male													
1998	555	17	3	5	2	2	20	47	50	104	172	133	-
1997	620	25	2	2	5	4	21	35	59	112	201	154	-
1996	576	16	3	4	3	8	15	36	54	105	187	145	-
1995	549	14	4	4	5	7	12	30	40	110	170	152	1
1994	527	15	4	1	4	8	17	30	57	103	154	134	-
1993	532	27	5	-	3	9	9	30	42	101	169	137	-
1992	515	15	3	1	2	8	13	14	38	103	171	147	-
1991	530	32	7	3	2	6	19	19	41	106	171	124	-
1990	548	25	5	4	2	5	16	24	43	98	182	143	1
1989	574	30	5	3	4	6	9	19	58	111	185	144	-
1988	530	20	5	1	2	5	7	26	53	92	190	129	-
1987	551	29	7	2	4	9	12	21	54	105	173	134	1
1986	591	39	8	3	4	6	7	28	63	120	168	145	-
1985	573	24	3	1	5	8	17	22	62	110	184	137	-
1984	607	41	1	-	7	8	19	21	64	113	196	137	-
1983	630	42	14	5	2	3	8	19	64	135	196	141	1
1982	617	52	5	2	1	6	13	33	64	111	171	159	-
1981	722	58	3	2	4	4	8	32	57	157	226	171	-
1980	729	48	9	4	7	7	13	36	73	155	218	159	-
1979	761	73	3	3	5	15	13	37	92	161	208	151	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Hernia (550-553)													
All races, female													
1998	834	9	2	1	2	2	10	23	55	103	275	352	-
1997	813	11	3	-	-	1	15	32	40	109	216	386	-
1996	827	17	2	2	1	7	15	24	51	107	246	355	-
1995	786	17	2	-	1	3	11	28	34	120	230	340	-
1994	770	12	2	2	1	2	7	28	56	96	229	335	-
1993	783	15	4	1	1	3	11	19	36	96	247	350	-
1992	804	17	-	1	5	4	15	23	50	109	232	348	-
1991	771	16	3	1	-	5	12	23	48	136	240	287	-
1990	794	12	1	2	2	2	13	25	39	111	252	335	-
1989	769	17	5	1	1	7	8	22	44	117	233	314	-
1988	797	21	-	-	2	2	12	23	40	138	233	326	-
1987	806	19	2	2	2	7	9	19	55	141	243	307	-
1986	714	14	2	3	-	3	6	19	66	110	226	263	2
1985	818	24	2	-	1	4	5	15	61	117	300	289	-
1984	745	17	2	1	7	3	5	19	61	118	210	302	-
1983	769	26	1	1	2	3	9	21	59	109	255	283	-
1982	783	26	2	-	3	3	4	23	67	144	239	271	1
1981	868	31	1	3	-	4	15	39	67	157	276	275	-
1980	859	31	4	1	6	4	19	36	87	162	251	258	-
1979	882	41	1	1	3	4	14	31	81	168	293	245	-
Hernia (550-553)													
White, both sexes													
1998	1,237	18	4	3	3	4	27	57	82	184	405	450	-
1997	1,289	26	4	2	2	5	31	51	83	189	386	510	-
1996	1,243	22	2	4	4	9	22	42	85	184	403	466	-
1995	1,184	22	5	1	3	9	18	43	60	199	359	464	1
1994	1,143	21	3	2	4	8	15	37	87	172	353	441	-
1993	1,177	35	5	1	3	6	15	38	56	176	381	461	-
1992	1,174	23	1	2	5	8	19	30	77	182	366	461	-
1991	1,139	31	5	3	2	8	27	35	73	201	367	387	-
1990	1,192	25	6	2	4	5	16	34	66	178	403	453	-
1989	1,189	30	6	2	4	9	13	30	90	194	376	435	-
1988	1,179	28	2	-	3	7	14	37	73	202	387	426	-
1987	1,211	27	5	2	5	11	17	31	94	218	379	422	-
1986	1,155	36	7	6	2	8	7	40	105	197	353	392	2
1985	1,260	39	3	1	5	8	15	29	98	207	446	409	-
1984	1,207	49	1	-	10	8	19	29	102	195	381	413	-
1983	1,232	49	11	4	3	3	13	32	97	205	411	403	1
1982	1,251	56	6	2	4	7	14	47	107	223	372	412	1
1981	1,427	70	4	4	1	8	17	56	108	273	467	419	-
1980	1,415	61	6	4	8	8	28	48	132	284	433	403	-
1979	1,482	84	4	3	6	14	16	58	152	294	474	377	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Hernia (550-553)													
White, male													
1998	496	9	2	3	1	2	19	41	41	94	156	128	-
1997	540	16	2	2	2	4	18	25	48	96	185	142	-
1996	499	12	1	2	3	5	10	24	47	91	173	131	-
1995	471	7	3	1	2	6	8	24	32	96	149	142	1
1994	460	12	2	1	3	7	11	22	46	91	140	125	-
1993	469	23	3	-	2	5	7	24	35	85	157	128	-
1992	446	8	1	1	2	6	7	13	32	92	155	129	-
1991	450	22	2	2	2	5	16	15	34	86	153	113	-
1990	480	16	5	-	2	4	9	17	36	87	171	133	-
1989	496	17	3	2	3	3	7	15	50	95	169	132	-
1988	459	11	2	-	1	5	7	20	43	81	174	115	-
1987	476	15	3	1	4	6	11	16	45	94	159	122	-
1986	521	26	7	3	2	5	3	22	55	103	154	141	-
1985	512	19	2	1	5	6	13	18	50	104	166	128	-
1984	534	34	1	-	6	5	17	13	51	98	183	126	-
1983	542	28	10	3	2	2	5	16	53	113	177	132	1
1982	531	34	5	2	1	4	10	26	53	94	153	149	-
1981	638	44	3	1	1	4	7	28	50	134	205	161	-
1980	625	35	5	3	3	5	12	24	57	137	195	149	-
1979	672	52	3	2	5	12	8	30	81	144	195	140	-
Hernia (550-553)													
White, female													
1998	741	9	2	-	2	2	8	16	41	90	249	322	-
1997	749	10	2	-	-	1	13	26	35	93	201	368	-
1996	744	10	1	2	1	4	12	18	38	93	230	335	-
1995	713	15	2	-	1	3	10	19	28	103	210	322	-
1994	683	9	1	1	1	1	4	15	41	81	213	316	-
1993	708	12	2	1	1	1	8	14	21	91	224	333	-
1992	728	15	-	1	3	2	12	17	45	90	211	332	-
1991	689	9	3	1	-	3	11	20	39	115	214	274	-
1990	712	9	1	2	2	1	7	17	30	91	232	320	-
1989	693	13	3	-	1	6	6	15	40	99	207	303	-
1988	720	17	-	-	2	2	7	17	30	121	213	311	-
1987	735	12	2	1	1	5	6	15	49	124	220	300	-
1986	634	10	-	3	-	3	4	18	50	94	199	251	2
1985	748	20	1	-	-	2	2	11	48	103	280	281	-
1984	673	15	-	-	4	3	2	16	51	97	198	287	-
1983	690	21	1	1	1	1	8	16	44	92	234	271	-
1982	720	22	1	-	3	3	4	21	54	129	219	263	1
1981	789	26	1	3	-	4	10	28	58	139	262	258	-
1980	790	26	1	1	5	3	16	24	75	147	238	254	-
1979	810	32	1	1	1	2	8	28	71	150	279	237	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Hernia (550-553)													
All other, both sexes													
1998	152	8	1	3	1	-	3	13	23	23	42	35	-
1997	144	10	1	-	3	-	5	16	16	32	31	30	-
1996	160	11	3	2	-	6	8	18	20	28	30	34	-
1995	151	9	1	3	3	1	5	15	14	31	41	28	-
1994	154	6	3	1	1	2	9	21	26	27	30	28	-
1993	138	7	4	-	1	6	5	11	22	21	35	26	-
1992	145	9	2	-	2	4	9	7	11	30	37	34	-
1991	162	17	5	1	-	3	4	7	16	41	44	24	-
1990	150	12	-	4	-	2	13	15	16	31	31	25	1
1989	154	17	4	2	1	4	4	11	12	34	42	23	-
1988	148	13	3	1	1	-	5	12	20	28	36	29	-
1987	146	21	4	2	1	5	4	9	15	28	37	19	1
1986	150	17	3	-	2	1	6	7	24	33	41	16	-
1985	131	9	2	-	1	4	7	8	25	20	38	17	-
1984	145	9	2	1	4	3	5	11	23	36	25	26	-
1983	167	19	4	2	1	3	4	8	26	39	40	21	-
1982	149	22	1	-	-	2	3	9	24	32	38	18	-
1981	163	19	-	1	3	-	6	15	16	41	35	27	-
1980	173	18	7	1	5	3	4	24	28	33	36	14	-
1979	161	30	-	1	2	5	11	10	21	35	27	19	-
Hernia (550-553)													
All other, male													
1998	59	8	1	2	1	-	1	6	9	10	16	5	-
1997	80	9	-	-	3	-	3	10	11	16	16	12	-
1996	77	4	2	2	-	3	5	12	7	14	14	14	-
1995	78	7	1	3	3	1	4	6	8	14	21	10	-
1994	67	3	2	-	1	1	6	8	11	12	14	9	-
1993	63	4	2	-	1	4	2	6	7	16	12	9	-
1992	69	7	2	-	-	2	6	1	6	11	16	18	-
1991	80	10	5	1	-	1	3	4	7	20	18	11	-
1990	68	9	-	4	-	1	7	7	7	11	11	10	1
1989	78	13	2	1	1	3	2	4	8	16	16	12	-
1988	71	9	3	1	1	-	-	6	10	11	16	14	-
1987	75	14	4	1	-	3	1	5	9	11	14	12	1
1986	70	13	1	-	2	1	4	6	8	17	14	4	-
1985	61	5	1	-	-	2	4	4	12	6	18	9	-
1984	73	7	-	-	1	3	2	8	13	15	13	11	-
1983	88	14	4	2	-	1	3	3	11	22	19	9	-
1982	86	18	-	-	-	2	3	7	11	17	18	10	-
1981	84	14	-	1	3	-	1	4	7	23	21	10	-
1980	104	13	4	1	4	2	1	12	16	18	23	10	-
1979	89	21	-	1	-	3	5	7	11	17	13	11	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
	Hernia (550-553)												
All other, female													
1998	93	-	-	1	-	-	2	7	14	13	26	30	-
1997	64	1	1	-	-	-	2	6	5	16	15	18	-
1996	83	7	1	-	-	3	3	6	13	14	16	20	-
1995	73	2	-	-	-	-	1	9	6	17	20	18	-
1994	87	3	1	1	-	1	3	13	15	15	16	19	-
1993	75	3	2	-	-	2	3	5	15	5	23	17	-
1992	76	2	-	-	2	2	3	6	5	19	21	16	-
1991	82	7	-	-	-	2	1	3	9	21	26	13	-
1990	82	3	-	-	-	1	6	8	9	20	20	15	-
1989	76	4	2	1	-	1	2	7	4	18	26	11	-
1988	77	4	-	-	-	-	5	6	10	17	20	15	-
1987	71	7	-	1	1	2	3	4	6	17	23	7	-
1986	80	4	2	-	-	-	2	1	16	16	27	12	-
1985	70	4	1	-	1	2	3	4	13	14	20	8	-
1984	72	2	2	1	3	-	3	3	10	21	12	15	-
1983	79	5	-	-	1	2	1	5	15	17	21	12	-
1982	63	4	1	-	-	-	-	2	13	15	20	8	-
1981	79	5	-	-	-	-	5	11	9	18	14	17	-
1980	69	5	3	-	1	1	3	12	12	15	13	4	-
1979	72	9	-	-	2	2	6	3	10	18	14	8	-
Hernia (550-553)													
Black, both sexes													
1998	138	7	1	2	1	-	3	12	22	18	41	31	-
1997	126	9	1	-	2	-	5	14	15	30	25	25	-
1996	147	9	2	2	-	6	7	18	20	25	28	30	-
1995	134	7	-	3	3	1	5	13	11	26	40	25	-
1994	143	5	1	1	1	2	9	20	23	26	28	27	-
1993	121	6	3	-	-	5	5	10	19	20	31	22	-
1992	133	7	2	-	2	4	9	6	10	28	33	32	-
1991	141	15	4	-	-	3	4	7	15	35	37	21	-
1990	136	12	-	3	-	2	11	15	16	25	31	20	1
1989	140	15	3	2	-	4	3	10	11	32	41	19	-
1988	136	12	3	1	1	-	5	12	19	26	32	25	-
1987	134	18	3	2	1	4	4	9	14	26	33	19	1
1986	136	14	3	-	2	1	6	7	21	29	39	14	-
1985	116	9	2	-	-	3	7	7	22	19	33	14	-
1984	132	8	2	1	4	2	5	10	20	33	23	24	-
1983	153	18	4	2	1	3	4	8	23	39	35	16	-
1982	144	21	1	-	-	2	3	9	23	30	38	17	-
1981	148	15	-	1	3	-	6	13	15	39	32	24	-
1980	160	14	7	1	4	3	4	23	28	31	32	13	-
1979	150	23	-	1	2	5	11	10	20	34	26	18	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Hernia (550-553)													
Black, male													
1998	54	7	1	2	1	-	1	6	9	8	15	4	-
1997	66	8	-	-	2	-	3	9	10	14	10	10	-
1996	71	3	1	2	-	3	5	12	7	12	13	13	-
1995	70	7	-	3	3	1	4	5	6	11	21	9	-
1994	63	2	1	-	1	1	6	8	11	11	14	8	-
1993	54	4	2	-	-	3	2	5	6	15	9	8	-
1992	61	5	2	-	-	2	6	-	5	11	14	16	-
1991	68	8	4	-	-	1	3	4	7	16	15	10	-
1990	63	9	-	3	-	1	7	7	7	9	11	8	1
1989	71	12	2	1	-	3	1	4	7	16	15	10	-
1988	64	9	3	1	1	-	-	6	10	10	14	10	-
1987	70	13	3	1	-	2	1	5	8	11	13	12	1
1986	66	12	1	-	2	1	4	6	7	15	14	4	-
1985	54	5	1	-	-	1	4	3	10	6	17	7	-
1984	62	6	-	-	1	2	2	8	10	12	11	10	-
1983	81	13	4	2	-	1	3	3	10	22	16	7	-
1982	82	17	-	-	-	2	3	7	10	15	18	10	-
1981	75	11	-	1	3	-	1	3	7	21	18	10	-
1980	97	12	4	1	3	2	1	12	16	16	20	10	-
1979	84	17	-	1	-	3	5	7	11	17	13	10	-
Hernia (550-553)													
Black, female													
1998	84	-	-	-	-	-	2	6	13	10	26	27	-
1997	60	1	1	-	-	-	2	5	5	16	15	15	-
1996	76	6	1	-	-	3	2	6	13	13	15	17	-
1995	64	-	-	-	-	-	1	8	5	15	19	16	-
1994	80	3	-	1	-	1	3	12	12	15	14	19	-
1993	67	2	1	-	-	2	3	5	13	5	22	14	-
1992	72	2	-	-	2	2	3	6	5	17	19	16	-
1991	73	7	-	-	-	2	1	3	8	19	22	11	-
1990	73	3	-	-	-	1	4	8	9	16	20	12	-
1989	69	3	1	1	-	1	2	6	4	16	26	9	-
1988	72	3	-	-	-	-	5	6	9	16	18	15	-
1987	64	5	-	1	1	2	3	4	6	15	20	7	-
1986	70	2	2	-	-	-	2	1	14	14	25	10	-
1985	62	4	1	-	-	2	3	4	12	13	16	7	-
1984	70	2	2	1	3	-	3	2	10	21	12	14	-
1983	72	5	-	-	1	2	1	5	13	17	19	9	-
1982	62	4	1	-	-	-	-	2	13	15	20	7	-
1981	73	4	-	-	-	-	5	10	8	18	14	14	-
1980	63	2	3	-	1	1	3	11	12	15	12	3	-
1979	66	6	-	-	2	2	6	3	9	17	13	8	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Chronic liver disease and cirrhosis (571)													
All races, both sexes													
1998	25,192	16	1	4	22	506	3,370	5,744	5,279	5,655	3,703	887	5
1997	25,175	15	4	2	25	516	3,508	5,622	5,253	5,804	3,538	884	4
1996	25,047	17	5	5	20	570	3,640	5,431	5,312	5,725	3,507	805	10
1995	25,222	23	6	7	33	604	3,705	5,247	5,356	5,909	3,492	831	9
1994	25,406	19	7	5	26	733	3,698	5,043	5,530	6,158	3,371	809	7
1993	25,209	19	11	8	39	721	3,756	4,703	5,613	6,094	3,491	741	13
1992	25,263	24	9	3	32	765	3,608	4,569	5,780	6,264	3,414	789	6
1991	25,429	15	4	6	38	858	3,591	4,450	6,047	6,222	3,450	730	18
1990	25,815	16	7	7	44	889	3,616	4,500	6,306	6,290	3,419	706	15
1989	26,694	18	6	7	57	981	3,603	4,721	6,756	6,492	3,340	704	9
1988	26,409	21	6	2	53	1,057	3,563	4,780	6,980	6,266	3,083	590	8
1987	26,201	16	4	10	71	1,140	3,422	4,618	7,078	6,202	3,034	598	8
1986	26,159	20	10	4	69	1,182	3,188	4,632	7,163	6,455	2,850	578	8
1985	26,767	13	15	2	65	1,244	3,114	4,965	7,541	6,379	2,881	537	11
1984	27,317	23	12	22	66	1,162	3,072	5,214	7,819	6,579	2,850	491	7
1983	27,266	23	13	13	66	1,208	2,951	5,440	8,052	6,347	2,670	474	9
1982	27,690	31	10	15	87	1,202	3,007	5,694	8,160	6,474	2,566	437	7
1981	29,308	28	12	14	101	1,190	3,232	6,387	8,626	6,742	2,478	489	9
1980	30,583	33	12	11	122	1,292	3,490	7,050	9,039	6,709	2,364	446	15
1979	29,720	34	10	15	94	1,224	3,490	7,116	8,771	6,410	2,149	397	10
Chronic liver disease and cirrhosis (571)													
All races, male													
1998	16,343	11	-	1	16	332	2,338	4,296	3,735	3,396	1,827	386	5
1997	16,260	6	2	2	15	337	2,463	4,198	3,654	3,447	1,791	341	4
1996	16,311	12	2	2	12	360	2,636	4,018	3,690	3,443	1,799	330	7
1995	16,525	14	2	5	26	414	2,705	3,887	3,670	3,676	1,763	354	9
1994	16,513	11	2	3	13	486	2,686	3,659	3,842	3,744	1,734	326	7
1993	16,276	15	6	2	22	479	2,732	3,451	3,796	3,693	1,746	324	10
1992	16,487	14	4	2	18	501	2,703	3,322	3,981	3,813	1,791	332	6
1991	16,269	10	2	2	23	542	2,593	3,174	4,127	3,700	1,780	302	14
1990	16,627	8	2	2	23	557	2,645	3,252	4,263	3,800	1,758	305	12
1989	17,310	11	3	6	28	672	2,716	3,378	4,518	3,936	1,732	302	8
1988	17,196	12	3	1	30	709	2,597	3,416	4,700	3,872	1,570	279	7
1987	17,051	8	3	6	42	759	2,468	3,288	4,812	3,798	1,586	274	7
1986	16,797	9	4	4	43	793	2,281	3,202	4,722	3,972	1,496	264	7
1985	17,244	8	6	1	43	827	2,206	3,410	5,089	3,925	1,498	222	9
1984	17,558	15	4	15	40	794	2,172	3,546	5,169	4,067	1,505	225	6
1983	17,530	13	9	3	27	819	2,058	3,669	5,278	4,010	1,433	204	7
1982	17,917	21	4	8	47	820	2,090	3,914	5,374	4,080	1,347	206	6
1981	18,894	14	8	4	55	814	2,212	4,248	5,672	4,249	1,375	238	5
1980	19,768	19	7	5	69	867	2,333	4,706	5,979	4,261	1,290	219	13
1979	19,369	19	7	6	56	847	2,365	4,723	5,804	4,145	1,196	192	9

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Chronic liver disease and cirrhosis (571)													
All races, female													
1998	8,849	5	1	3	6	174	1,032	1,448	1,544	2,259	1,876	501	-
1997	8,915	9	2	-	10	179	1,045	1,424	1,599	2,357	1,747	543	-
1996	8,736	5	3	3	8	210	1,004	1,413	1,622	2,282	1,708	475	3
1995	8,697	9	4	2	7	190	1,000	1,360	1,686	2,233	1,729	477	-
1994	8,893	8	5	2	13	247	1,012	1,384	1,688	2,414	1,637	483	-
1993	8,933	4	5	6	17	242	1,024	1,252	1,817	2,401	1,745	417	3
1992	8,776	10	5	1	14	264	905	1,247	1,799	2,451	1,623	457	-
1991	9,160	5	2	4	15	316	998	1,276	1,920	2,522	1,670	428	4
1990	9,188	8	5	5	21	332	971	1,248	2,043	2,490	1,661	401	3
1989	9,384	7	3	1	29	309	887	1,343	2,238	2,556	1,608	402	1
1988	9,213	9	3	1	23	348	966	1,364	2,280	2,394	1,513	311	1
1987	9,150	8	1	4	29	381	954	1,330	2,266	2,404	1,448	324	1
1986	9,362	11	6	-	26	389	907	1,430	2,441	2,483	1,354	314	1
1985	9,523	5	9	1	22	417	908	1,555	2,452	2,454	1,383	315	2
1984	9,759	8	8	7	26	368	900	1,668	2,650	2,512	1,345	266	1
1983	9,736	10	4	10	39	389	893	1,771	2,774	2,337	1,237	270	2
1982	9,773	10	6	7	40	382	917	1,780	2,786	2,394	1,219	231	1
1981	10,414	14	4	10	46	376	1,020	2,139	2,954	2,493	1,103	251	4
1980	10,815	14	5	6	53	425	1,157	2,344	3,060	2,448	1,074	227	2
1979	10,351	15	3	9	38	377	1,125	2,393	2,967	2,265	953	205	1
Chronic liver disease and cirrhosis (571)													
White, both sexes													
1998	21,771	11	-	3	17	401	2,737	4,671	4,479	5,123	3,488	838	3
1997	21,683	9	3	2	18	401	2,872	4,548	4,433	5,229	3,323	841	4
1996	21,422	16	4	5	17	452	2,860	4,405	4,482	5,134	3,292	747	8
1995	21,432	15	3	6	15	465	2,893	4,193	4,464	5,342	3,256	773	7
1994	21,476	13	7	3	17	548	2,869	3,931	4,683	5,504	3,150	744	7
1993	21,348	14	7	3	27	536	2,796	3,733	4,795	5,478	3,252	699	8
1992	21,286	19	8	3	20	548	2,727	3,594	4,880	5,559	3,187	736	5
1991	21,386	9	4	5	22	610	2,639	3,472	5,136	5,556	3,236	686	11
1990	21,478	13	4	5	31	602	2,585	3,443	5,268	5,689	3,163	665	10
1989	22,211	9	3	5	36	649	2,536	3,665	5,700	5,821	3,122	661	4
1988	21,924	15	3	2	35	701	2,502	3,661	5,946	5,651	2,844	558	6
1987	21,766	8	2	7	51	736	2,334	3,520	6,068	5,633	2,838	566	3
1986	21,916	12	8	3	47	731	2,211	3,612	6,204	5,879	2,655	550	4
1985	22,192	5	13	2	49	777	2,079	3,854	6,467	5,760	2,679	501	6
1984	22,909	11	11	17	44	703	2,122	4,143	6,747	5,987	2,652	469	3
1983	22,927	18	11	6	36	750	2,029	4,329	6,977	5,777	2,526	460	8
1982	23,409	19	7	12	51	729	2,104	4,552	7,160	5,948	2,408	414	5
1981	24,465	19	10	8	70	700	2,174	5,040	7,524	6,126	2,323	464	7
1980	25,240	22	9	8	75	724	2,303	5,539	7,811	6,099	2,218	423	9
1979	24,639	25	7	10	65	696	2,378	5,606	7,628	5,836	2,006	374	8

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	Age groups											Age not stated	
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years		85 + years
Chronic liver disease and cirrhosis (571)													
White, male													
1998	14,096	8	-	1	14	269	1,945	3,551	3,167	3,050	1,728	360	3
1997	14,045	4	1	2	13	276	2,069	3,451	3,097	3,119	1,688	321	4
1996	13,992	11	2	2	12	288	2,138	3,305	3,140	3,102	1,682	305	5
1995	14,100	11	1	5	12	329	2,154	3,158	3,101	3,331	1,664	327	7
1994	14,015	7	2	2	8	390	2,153	2,875	3,291	3,366	1,618	296	7
1993	13,821	10	4	-	17	372	2,099	2,780	3,268	3,318	1,638	309	6
1992	13,910	11	4	2	10	375	2,101	2,643	3,402	3,384	1,662	311	5
1991	13,789	6	2	2	13	412	1,993	2,530	3,526	3,332	1,681	283	9
1990	13,889	6	2	2	19	400	1,966	2,516	3,604	3,451	1,631	284	8
1989	14,414	7	1	5	18	465	1,972	2,662	3,852	3,540	1,611	277	4
1988	14,381	7	1	1	21	494	1,890	2,669	4,044	3,523	1,458	267	6
1987	14,175	3	2	6	34	514	1,730	2,538	4,158	3,456	1,476	255	3
1986	14,099	4	3	3	32	518	1,622	2,533	4,111	3,637	1,384	249	3
1985	14,321	2	4	1	33	552	1,506	2,672	4,384	3,554	1,403	204	6
1984	14,783	6	4	11	31	520	1,548	2,825	4,512	3,710	1,398	215	3
1983	14,823	10	7	2	18	547	1,458	2,955	4,604	3,661	1,355	200	6
1982	15,249	13	3	7	32	538	1,511	3,169	4,737	3,776	1,259	199	5
1981	15,868	10	7	3	39	522	1,525	3,380	4,982	3,884	1,287	226	3
1980	16,407	15	7	4	48	520	1,569	3,733	5,205	3,884	1,209	206	7
1979	16,104	13	4	4	37	516	1,654	3,731	5,057	3,786	1,119	176	7
Chronic liver disease and cirrhosis (571)													
White, female													
1998	7,675	3	-	2	3	132	792	1,120	1,312	2,073	1,760	478	-
1997	7,638	5	2	-	5	125	803	1,097	1,336	2,110	1,635	520	-
1996	7,430	5	2	3	5	164	722	1,100	1,342	2,032	1,610	442	3
1995	7,332	4	2	1	3	136	739	1,035	1,363	2,011	1,592	446	-
1994	7,461	6	5	1	9	158	716	1,056	1,392	2,138	1,532	448	-
1993	7,527	4	3	3	10	164	697	953	1,527	2,160	1,614	390	2
1992	7,376	8	4	1	10	173	626	951	1,478	2,175	1,525	425	-
1991	7,597	3	2	3	9	198	646	942	1,610	2,224	1,555	403	2
1990	7,589	7	2	3	12	202	619	927	1,664	2,238	1,532	381	2
1989	7,797	2	2	-	18	184	564	1,003	1,848	2,281	1,511	384	-
1988	7,543	8	2	1	14	207	612	992	1,902	2,128	1,386	291	-
1987	7,591	5	-	1	17	222	604	982	1,910	2,177	1,362	311	-
1986	7,817	8	5	-	15	213	589	1,079	2,093	2,242	1,271	301	1
1985	7,871	3	9	1	16	225	573	1,182	2,083	2,206	1,276	297	-
1984	8,126	5	7	6	13	183	574	1,318	2,235	2,277	1,254	254	-
1983	8,104	8	4	4	18	203	571	1,374	2,373	2,116	1,171	260	2
1982	8,160	6	4	5	19	191	593	1,383	2,423	2,172	1,149	215	-
1981	8,597	9	3	5	31	178	649	1,660	2,542	2,242	1,036	238	4
1980	8,833	7	2	4	27	204	734	1,806	2,606	2,215	1,009	217	2
1979	8,535	12	3	6	28	180	724	1,875	2,571	2,050	887	198	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Chronic liver disease and cirrhosis (571)													
All other, both sexes													
1998	3,421	5	1	1	5	105	633	1,073	800	532	215	49	2
1997	3,492	6	1	-	7	115	636	1,074	820	575	215	43	-
1996	3,625	1	1	-	3	118	780	1,026	830	591	215	58	2
1995	3,790	8	3	1	18	139	812	1,054	892	567	236	58	2
1994	3,930	6	-	2	9	185	829	1,112	847	654	221	65	-
1993	3,861	5	4	5	12	185	960	970	818	616	239	42	5
1992	3,977	5	1	-	12	217	881	975	900	705	227	53	1
1991	4,043	6	-	1	16	248	952	978	911	666	214	44	7
1990	4,337	3	3	2	13	287	1,031	1,057	1,038	601	256	41	5
1989	4,483	9	3	2	21	332	1,067	1,056	1,056	671	218	43	5
1988	4,485	6	3	-	18	356	1,061	1,119	1,034	615	239	32	2
1987	4,435	8	2	3	20	404	1,088	1,098	1,010	569	196	32	5
1986	4,243	8	2	1	22	451	977	1,020	959	576	195	28	4
1985	4,575	8	2	-	16	467	1,035	1,111	1,074	619	202	36	5
1984	4,408	12	1	5	22	459	950	1,071	1,072	592	198	22	4
1983	4,339	5	2	7	30	458	922	1,111	1,075	570	144	14	1
1982	4,281	12	3	3	36	473	903	1,142	1,000	526	158	23	2
1981	4,843	9	2	6	31	490	1,058	1,347	1,102	616	155	25	2
1980	5,343	11	3	3	47	568	1,187	1,511	1,228	610	146	23	6
1979	5,081	9	3	5	29	528	1,112	1,510	1,143	574	143	23	2
Chronic liver disease and cirrhosis (571)													
All other, male													
1998	2,247	3	-	-	2	63	393	745	568	346	99	26	2
1997	2,215	2	1	-	2	61	394	747	557	328	103	20	-
1996	2,319	1	-	-	-	72	498	713	550	341	117	25	2
1995	2,425	3	1	-	14	85	551	729	569	345	99	27	2
1994	2,498	4	-	1	5	96	533	784	551	378	116	30	-
1993	2,455	5	2	2	5	107	633	671	528	375	108	15	4
1992	2,577	3	-	-	8	126	602	679	579	429	129	21	1
1991	2,480	4	-	-	10	130	600	644	601	368	99	19	5
1990	2,738	2	-	-	4	157	679	736	659	349	127	21	4
1989	2,896	4	2	1	10	207	744	716	666	396	121	25	4
1988	2,815	5	2	-	9	215	707	747	656	349	112	12	1
1987	2,876	5	1	-	8	245	738	750	654	342	110	19	4
1986	2,698	5	1	1	11	275	659	669	611	335	112	15	4
1985	2,923	6	2	-	10	275	700	738	705	371	95	18	3
1984	2,775	9	-	4	9	274	624	721	657	357	107	10	3
1983	2,707	3	2	1	9	272	600	714	674	349	78	4	1
1982	2,668	8	1	1	15	282	579	745	637	304	88	7	1
1981	3,026	4	1	1	16	292	687	868	690	365	88	12	2
1980	3,361	4	-	1	21	347	764	973	774	377	81	13	6
1979	3,265	6	3	2	19	331	711	992	747	359	77	16	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 + years	Age not stated
					years	years	years	years	years	years	years		
Chronic liver disease and cirrhosis (571)													
All other, female													
1998	1,174	2	1	1	3	42	240	328	232	186	116	23	-
1997	1,277	4	-	-	5	54	242	327	263	247	112	23	-
1996	1,306	-	1	-	3	46	282	313	280	250	98	33	-
1995	1,365	5	2	1	4	54	261	325	323	222	137	31	-
1994	1,432	2	-	1	4	89	296	328	296	276	105	35	-
1993	1,406	-	2	3	7	78	327	299	290	241	131	27	1
1992	1,400	2	1	-	4	91	279	296	321	276	98	32	-
1991	1,563	2	-	1	6	118	352	334	310	298	115	25	2
1990	1,599	1	3	2	9	130	352	321	379	252	129	20	1
1989	1,587	5	1	1	11	125	323	340	390	275	97	18	1
1988	1,670	1	1	-	9	141	354	372	378	266	127	20	1
1987	1,559	3	1	3	12	159	350	348	356	227	86	13	1
1986	1,545	3	1	-	11	176	318	351	348	241	83	13	-
1985	1,652	2	-	-	6	192	335	373	369	248	107	18	2
1984	1,633	3	1	1	13	185	326	350	415	235	91	12	1
1983	1,632	2	-	6	21	186	322	397	401	221	66	10	-
1982	1,613	4	2	2	21	191	324	397	363	222	70	16	1
1981	1,817	5	1	5	15	198	371	479	412	251	67	13	-
1980	1,982	7	3	2	26	221	423	538	454	233	65	10	-
1979	1,816	3	-	3	10	197	401	518	396	215	66	7	-
Chronic liver disease and cirrhosis (571)													
Black, both sexes													
1998	2,697	5	1	1	3	59	487	873	640	432	162	32	2
1997	2,820	5	1	-	6	67	493	894	696	455	166	37	-
1996	2,950	1	1	-	2	74	634	878	678	494	147	39	2
1995	3,073	5	1	1	14	94	654	892	723	465	175	47	2
1994	3,245	6	-	2	8	131	692	943	703	540	170	50	-
1993	3,228	4	4	4	10	147	795	831	696	518	185	30	4
1992	3,315	5	1	-	8	162	765	828	756	572	178	39	1
1991	3,464	6	-	1	13	203	842	848	781	563	168	32	7
1990	3,753	3	3	2	10	237	919	916	905	515	203	35	5
1989	3,851	7	3	2	18	277	936	914	917	571	171	31	4
1988	3,903	6	2	-	15	307	957	965	896	528	197	28	2
1987	3,916	7	1	3	14	366	1,000	966	877	486	167	24	5
1986	3,745	7	2	1	18	402	887	888	855	509	156	16	4
1985	4,055	5	2	-	15	417	934	982	957	544	167	27	5
1984	3,901	11	1	5	20	408	838	942	967	520	166	19	4
1983	3,883	3	2	5	26	412	835	992	974	497	123	13	1
1982	3,839	12	2	3	33	418	821	1,023	912	467	128	19	1
1981	4,349	7	2	6	26	434	951	1,210	1,005	557	131	18	2
1980	4,790	10	3	3	45	501	1,051	1,368	1,125	540	119	19	6
1979	4,567	6	2	5	26	454	1,001	1,371	1,040	527	114	19	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Chronic liver disease and cirrhosis (571)													
Black, male													
1998	1,804	3	-	-	1	35	311	622	456	282	78	14	2
1997	1,818	1	1	-	2	36	304	632	474	272	81	15	-
1996	1,923	1	-	-	-	43	414	623	452	291	85	12	2
1995	1,999	2	1	-	10	52	440	630	473	293	73	23	2
1994	2,097	4	-	1	5	71	455	670	459	325	87	20	-
1993	2,100	4	2	1	5	87	534	579	466	322	86	10	4
1992	2,181	3	-	-	6	96	527	582	501	355	93	17	1
1991	2,137	4	-	-	9	105	532	564	522	308	77	11	5
1990	2,393	2	-	-	3	137	602	640	585	303	100	17	4
1989	2,517	4	2	1	8	176	660	632	584	340	93	14	3
1988	2,476	5	2	-	8	193	640	652	576	298	91	10	1
1987	2,574	4	1	-	6	222	684	668	588	289	94	14	4
1986	2,404	4	1	1	8	249	604	583	545	302	91	12	4
1985	2,616	4	2	-	9	246	644	657	637	325	75	14	3
1984	2,458	8	-	4	7	241	561	635	594	310	86	9	3
1983	2,429	3	2	-	9	240	544	647	609	307	63	4	1
1982	2,408	8	1	1	13	249	531	670	590	268	71	6	-
1981	2,740	3	1	1	15	263	620	792	626	335	76	6	2
1980	3,020	4	-	1	20	310	682	883	706	331	65	12	6
1979	2,954	4	2	2	17	290	648	905	684	327	59	14	2
Chronic liver disease and cirrhosis (571)													
Black, female													
1998	893	2	1	1	2	24	176	251	184	150	84	18	-
1997	1,002	4	-	-	4	31	189	262	222	183	85	22	-
1996	1,027	-	1	-	2	31	220	255	226	203	62	27	-
1995	1,074	3	-	1	4	42	214	262	250	172	102	24	-
1994	1,148	2	-	1	3	60	237	273	244	215	83	30	-
1993	1,128	-	2	3	5	60	261	252	230	196	99	20	-
1992	1,134	2	1	-	2	66	238	246	255	217	85	22	-
1991	1,327	2	-	1	4	98	310	284	259	255	91	21	2
1990	1,360	1	3	2	7	100	317	276	320	212	103	18	1
1989	1,334	3	1	1	10	101	276	282	333	231	78	17	1
1988	1,427	1	-	-	7	114	317	313	320	230	106	18	1
1987	1,342	3	-	3	8	144	316	298	289	197	73	10	1
1986	1,341	3	1	-	10	153	283	305	310	207	65	4	-
1985	1,439	1	-	-	6	171	290	325	320	219	92	13	2
1984	1,443	3	1	1	13	167	277	307	373	210	80	10	1
1983	1,454	-	-	5	17	172	291	345	365	190	60	9	-
1982	1,431	4	1	2	20	169	290	353	322	199	57	13	1
1981	1,609	4	1	5	11	171	331	418	379	222	55	12	-
1980	1,770	6	3	2	25	191	369	485	419	209	54	7	-
1979	1,613	2	-	3	9	164	353	466	356	200	55	5	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Alcoholic liver disease (571.0-571.3)													
All races, both sexes													
1998	11,798	-	-	-	11	332	2,217	3,462	2,805	2,127	738	104	2
1997	11,945	-	-	-	6	362	2,345	3,509	2,827	2,094	699	100	3
1996	12,079	-	-	-	5	394	2,426	3,455	2,849	2,054	784	104	8
1995	12,211	1	-	-	12	416	2,476	3,339	2,902	2,231	738	91	5
1994	12,241	-	-	-	13	499	2,449	3,146	2,921	2,383	722	103	5
1993	11,653	-	-	-	13	455	2,426	2,887	2,882	2,219	688	72	11
1992	11,868	-	-	-	12	514	2,383	2,819	3,067	2,303	672	96	2
1991	11,688	1	-	-	12	542	2,378	2,654	3,029	2,245	741	77	9
1990	11,985	1	-	-	18	580	2,381	2,700	3,198	2,320	701	76	10
1989	12,308	-	-	-	23	650	2,302	2,862	3,376	2,328	696	65	6
1988	11,792	1	-	-	16	665	2,163	2,710	3,376	2,169	630	58	4
1987	11,265	-	-	-	27	665	2,033	2,575	3,282	2,031	582	64	6
1986	11,060	1	-	-	29	708	1,866	2,482	3,188	2,174	548	58	6
1985	11,288	-	-	-	17	725	1,817	2,598	3,432	2,121	534	38	6
1984	11,386	1	1	3	20	640	1,791	2,651	3,490	2,168	566	50	5
1983	11,076	1	-	2	19	653	1,625	2,694	3,444	2,091	509	35	3
1982	11,293	2	-	-	26	653	1,669	2,830	3,497	2,110	466	36	4
1981	12,085	1	-	1	33	630	1,772	3,219	3,726	2,166	472	60	5
1980	12,938	2	1	-	33	694	1,942	3,554	3,923	2,274	453	56	6
1979	12,547	1	-	-	27	652	1,867	3,520	3,864	2,189	381	42	4
Alcoholic liver disease (571.0-571.3)													
All races, male													
1998	8,708	-	-	-	9	219	1,525	2,642	2,161	1,564	507	79	2
1997	8,742	-	-	-	5	232	1,629	2,669	2,122	1,530	482	70	3
1996	8,853	-	-	-	4	251	1,745	2,599	2,135	1,495	541	77	6
1995	9,032	1	-	-	12	278	1,811	2,534	2,162	1,652	512	65	5
1994	8,988	-	-	-	8	342	1,777	2,363	2,173	1,757	499	64	5
1993	8,552	-	-	-	8	295	1,783	2,204	2,109	1,610	479	55	9
1992	8,777	-	-	-	8	341	1,792	2,113	2,301	1,694	469	57	2
1991	8,487	-	-	-	6	350	1,723	1,967	2,258	1,610	520	48	5
1990	8,676	1	-	-	13	367	1,745	2,011	2,363	1,621	490	56	9
1989	9,012	-	-	-	15	455	1,731	2,100	2,461	1,693	509	42	6
1988	8,530	-	-	-	11	442	1,569	1,999	2,423	1,601	440	41	4
1987	8,221	-	-	-	11	440	1,504	1,897	2,426	1,483	413	41	6
1986	7,931	1	-	-	21	482	1,353	1,794	2,279	1,573	381	42	5
1985	8,129	-	-	-	11	487	1,316	1,865	2,520	1,501	402	23	4
1984	8,107	1	-	3	15	448	1,306	1,890	2,484	1,526	394	36	4
1983	7,828	1	-	1	9	463	1,149	1,899	2,428	1,497	352	27	2
1982	7,997	2	-	-	19	439	1,196	2,005	2,474	1,510	324	24	4
1981	8,478	1	-	-	18	442	1,253	2,218	2,598	1,559	346	40	3
1980	9,088	-	-	-	18	473	1,353	2,469	2,776	1,637	319	39	4
1979	8,793	1	-	-	21	473	1,289	2,415	2,698	1,589	280	24	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Alcoholic liver disease (571.0-571.3)													
All races, female													
1998	3,090	-	-	-	2	113	692	820	644	563	231	25	-
1997	3,203	-	-	-	1	130	716	840	705	564	217	30	-
1996	3,226	-	-	-	1	143	681	856	714	559	243	27	2
1995	3,179	-	-	-	-	138	665	805	740	579	226	26	-
1994	3,253	-	-	-	5	157	672	783	748	626	223	39	-
1993	3,101	-	-	-	5	160	643	683	773	609	209	17	2
1992	3,091	-	-	-	4	173	591	706	766	609	203	39	-
1991	3,201	1	-	-	6	192	655	687	771	635	221	29	4
1990	3,309	-	-	-	5	213	636	689	835	699	211	20	1
1989	3,296	-	-	-	8	195	571	762	915	635	187	23	-
1988	3,262	1	-	-	5	223	594	711	953	568	190	17	-
1987	3,044	-	-	-	16	225	529	678	856	548	169	23	-
1986	3,129	-	-	-	8	226	513	688	909	601	167	16	1
1985	3,159	-	-	-	6	238	501	733	912	620	132	15	2
1984	3,279	-	1	-	5	192	485	761	1,006	642	172	14	1
1983	3,248	-	-	1	10	190	476	795	1,016	594	157	8	1
1982	3,296	-	-	-	7	214	473	825	1,023	600	142	12	-
1981	3,607	-	-	1	15	188	519	1,001	1,128	607	126	20	2
1980	3,850	2	1	-	15	221	589	1,085	1,147	637	134	17	2
1979	3,754	-	-	-	6	179	578	1,105	1,166	600	101	18	1
Alcoholic liver disease (571.0-571.3)													
White, both sexes													
1998	9,947	-	-	-	8	272	1,810	2,833	2,353	1,893	679	98	1
1997	10,061	-	-	-	5	283	1,924	2,873	2,384	1,860	636	93	3
1996	10,048	-	-	-	4	313	1,921	2,806	2,379	1,804	723	92	6
1995	10,067	1	-	-	5	319	1,956	2,677	2,385	1,958	682	81	3
1994	9,991	-	-	-	8	371	1,929	2,432	2,449	2,054	657	86	5
1993	9,560	-	-	-	10	346	1,805	2,289	2,457	1,955	626	64	8
1992	9,593	-	-	-	9	365	1,786	2,197	2,544	1,994	612	84	2
1991	9,393	-	-	-	7	394	1,720	2,047	2,543	1,936	673	68	5
1990	9,482	1	-	-	15	386	1,685	2,011	2,624	2,057	629	68	6
1989	9,689	-	-	-	13	427	1,570	2,174	2,771	2,035	637	59	3
1988	9,236	1	-	-	12	438	1,452	2,012	2,808	1,908	552	50	3
1987	8,852	-	-	-	14	416	1,354	1,927	2,758	1,804	520	56	3
1986	8,774	1	-	-	20	426	1,270	1,886	2,695	1,930	488	54	4
1985	8,821	-	-	-	13	424	1,172	1,953	2,870	1,866	493	27	3
1984	9,078	-	1	3	14	363	1,195	2,064	2,945	1,933	514	45	1
1983	8,937	1	-	1	8	392	1,094	2,112	2,960	1,864	469	33	3
1982	9,159	-	-	-	18	390	1,147	2,232	3,012	1,900	425	32	3
1981	9,657	1	-	1	20	360	1,170	2,488	3,188	1,944	427	54	4
1980	10,222	-	-	-	14	382	1,269	2,721	3,346	2,028	408	50	4
1979	9,967	-	-	-	15	349	1,256	2,706	3,294	1,954	354	35	4

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Alcoholic liver disease (571.0-571.3)													
White, male													
1998	7,417	-	-	-	8	184	1,275	2,196	1,820	1,390	468	75	1
1997	7,485	-	-	-	5	190	1,380	2,233	1,796	1,367	443	68	3
1996	7,484	-	-	-	4	198	1,425	2,152	1,809	1,329	496	67	4
1995	7,569	1	-	-	5	221	1,463	2,071	1,815	1,455	479	56	3
1994	7,464	-	-	-	5	275	1,445	1,843	1,847	1,529	461	54	5
1993	7,112	-	-	-	6	241	1,366	1,777	1,803	1,425	439	49	6
1992	7,211	-	-	-	6	256	1,381	1,676	1,935	1,474	429	52	2
1991	6,985	-	-	-	4	268	1,310	1,557	1,907	1,411	482	43	3
1990	7,001	1	-	-	11	260	1,292	1,517	1,977	1,442	444	51	6
1989	7,225	-	-	-	9	313	1,226	1,632	2,047	1,492	466	37	3
1988	6,806	-	-	-	8	306	1,098	1,514	2,031	1,421	388	37	3
1987	6,540	-	-	-	7	284	1,024	1,442	2,058	1,317	370	35	3
1986	6,369	1	-	-	16	306	947	1,377	1,936	1,408	336	39	3
1985	6,455	-	-	-	10	306	870	1,417	2,130	1,330	373	16	3
1984	6,579	-	-	3	12	286	901	1,477	2,136	1,373	357	33	1
1983	6,421	1	-	1	5	298	798	1,507	2,116	1,344	323	26	2
1982	6,593	-	-	-	14	288	855	1,597	2,146	1,372	295	23	3
1981	6,868	1	-	-	11	281	843	1,731	2,248	1,404	310	37	2
1980	7,285	-	-	-	8	280	890	1,927	2,394	1,461	290	33	2
1979	7,080	-	-	-	12	278	899	1,878	2,309	1,423	259	19	3
Alcoholic liver disease (571.0-571.3)													
White, female													
1998	2,530	-	-	-	-	88	535	637	533	503	211	23	-
1997	2,576	-	-	-	-	93	544	640	588	493	193	25	-
1996	2,564	-	-	-	-	115	496	654	570	475	227	25	2
1995	2,498	-	-	-	-	98	493	606	570	503	203	25	-
1994	2,527	-	-	-	3	96	484	589	602	525	196	32	-
1993	2,448	-	-	-	4	105	439	512	654	530	187	15	2
1992	2,382	-	-	-	3	109	405	521	609	520	183	32	-
1991	2,408	-	-	-	3	126	410	490	636	525	191	25	2
1990	2,481	-	-	-	4	126	393	494	647	615	185	17	-
1989	2,464	-	-	-	4	114	344	542	724	543	171	22	-
1988	2,430	1	-	-	4	132	354	498	777	487	164	13	-
1987	2,312	-	-	-	7	132	330	485	700	487	150	21	-
1986	2,405	-	-	-	4	120	323	509	759	522	152	15	1
1985	2,366	-	-	-	3	118	302	536	740	536	120	11	-
1984	2,499	-	1	-	2	77	294	587	809	560	157	12	-
1983	2,516	-	-	-	3	94	296	605	844	520	146	7	1
1982	2,566	-	-	-	4	102	292	635	866	528	130	9	-
1981	2,789	-	-	1	9	79	327	757	940	540	117	17	2
1980	2,937	-	-	-	6	102	379	794	952	567	118	17	2
1979	2,887	-	-	-	3	71	357	828	985	531	95	16	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Alcoholic liver disease (571.0-571.3)													
All other, both sexes													
1998	1,851	-	-	-	3	60	407	629	452	234	59	6	1
1997	1,884	-	-	-	1	79	421	636	443	234	63	7	-
1996	2,031	-	-	-	1	81	505	649	470	250	61	12	2
1995	2,144	-	-	-	7	97	520	662	517	273	56	10	2
1994	2,250	-	-	-	5	128	520	714	472	329	65	17	-
1993	2,093	-	-	-	3	109	621	598	425	264	62	8	3
1992	2,275	-	-	-	3	149	597	622	523	309	60	12	-
1991	2,295	1	-	-	5	148	658	607	486	309	68	9	4
1990	2,503	-	-	-	3	194	696	689	574	263	72	8	4
1989	2,619	-	-	-	10	223	732	688	605	293	59	6	3
1988	2,556	-	-	-	4	227	711	698	568	261	78	8	1
1987	2,413	-	-	-	13	249	679	648	524	227	62	8	3
1986	2,286	-	-	-	9	282	596	596	493	244	60	4	2
1985	2,467	-	-	-	4	301	645	645	562	255	41	11	3
1984	2,308	1	-	-	6	277	596	587	545	235	52	5	4
1983	2,139	-	-	1	11	261	531	582	484	227	40	2	-
1982	2,134	2	-	-	8	263	522	598	485	210	41	4	1
1981	2,428	-	-	-	13	270	602	731	538	222	45	6	1
1980	2,716	2	1	-	19	312	673	833	577	246	45	6	2
1979	2,580	1	-	-	12	303	611	814	570	235	27	7	-
Alcoholic liver disease (571.0-571.3)													
All other, male													
1998	1,291	-	-	-	1	35	250	446	341	174	39	4	1
1997	1,257	-	-	-	-	42	249	436	326	163	39	2	-
1996	1,369	-	-	-	-	53	320	447	326	166	45	10	2
1995	1,463	-	-	-	7	57	348	463	347	197	33	9	2
1994	1,524	-	-	-	3	67	332	520	326	228	38	10	-
1993	1,440	-	-	-	2	54	417	427	306	185	40	6	3
1992	1,566	-	-	-	2	85	411	437	366	220	40	5	-
1991	1,502	-	-	-	2	82	413	410	351	199	38	5	2
1990	1,675	-	-	-	2	107	453	494	386	179	46	5	3
1989	1,787	-	-	-	6	142	505	468	414	201	43	5	3
1988	1,724	-	-	-	3	136	471	485	392	180	52	4	1
1987	1,681	-	-	-	4	156	480	455	368	166	43	6	3
1986	1,562	-	-	-	5	176	406	417	343	165	45	3	2
1985	1,674	-	-	-	1	181	446	448	390	171	29	7	1
1984	1,528	1	-	-	3	162	405	413	348	153	37	3	3
1983	1,407	-	-	-	4	165	351	392	312	153	29	1	-
1982	1,404	2	-	-	5	151	341	408	328	138	29	1	1
1981	1,610	-	-	-	7	161	410	487	350	155	36	3	1
1980	1,803	-	-	-	10	193	463	542	382	176	29	6	2
1979	1,713	1	-	-	9	195	390	537	389	166	21	5	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 + years	Age not stated
					years	years	years	years	years	years	years		
Alcoholic liver disease (571.0-571.3)													
All other, female													
1998	560	-	-	-	2	25	157	183	111	60	20	2	-
1997	627	-	-	-	1	37	172	200	117	71	24	5	-
1996	662	-	-	-	1	28	185	202	144	84	16	2	-
1995	681	-	-	-	-	40	172	199	170	76	23	1	-
1994	726	-	-	-	2	61	188	194	146	101	27	7	-
1993	653	-	-	-	1	55	204	171	119	79	22	2	-
1992	709	-	-	-	1	64	186	185	157	89	20	7	-
1991	793	1	-	-	3	66	245	197	135	110	30	4	2
1990	828	-	-	-	1	87	243	195	188	84	26	3	1
1989	832	-	-	-	4	81	227	220	191	92	16	1	-
1988	832	-	-	-	1	91	240	213	176	81	26	4	-
1987	732	-	-	-	9	93	199	193	156	61	19	2	-
1986	724	-	-	-	4	106	190	179	150	79	15	1	-
1985	793	-	-	-	3	120	199	197	172	84	12	4	2
1984	780	-	-	-	3	115	191	174	197	82	15	2	1
1983	732	-	-	1	7	96	180	190	172	74	11	1	-
1982	730	-	-	-	3	112	181	190	157	72	12	3	-
1981	818	-	-	-	6	109	192	244	188	67	9	3	-
1980	913	2	1	-	9	119	210	291	195	70	16	-	-
1979	867	-	-	-	3	108	221	277	181	69	6	2	-
Alcoholic liver disease (571.0-571.3)													
Black, both sexes													
1998	1,410	-	-	-	1	24	297	490	358	187	47	5	1
1997	1,501	-	-	-	-	35	321	513	376	198	52	6	-
1996	1,644	-	-	-	1	42	394	543	384	218	52	8	2
1995	1,733	-	-	-	6	59	407	546	420	238	47	8	2
1994	1,867	-	-	-	4	83	418	603	398	288	57	16	-
1993	1,770	-	-	-	2	83	505	506	375	239	52	5	3
1992	1,917	-	-	-	1	104	509	519	453	269	51	11	-
1991	1,977	1	-	-	3	116	573	519	419	273	60	9	4
1990	2,202	-	-	-	1	154	615	605	518	235	63	7	4
1989	2,254	-	-	-	9	178	631	592	534	251	52	5	2
1988	2,238	-	-	-	3	190	630	604	503	230	69	8	1
1987	2,176	-	-	-	10	222	623	583	465	209	55	6	3
1986	2,058	-	-	-	7	243	543	532	453	223	52	3	2
1985	2,226	-	-	-	4	263	578	587	511	234	36	10	3
1984	2,051	-	-	-	5	243	518	516	509	205	46	5	4
1983	1,904	-	-	1	9	226	474	517	442	200	33	2	-
1982	1,903	2	-	-	7	221	465	530	446	191	37	4	-
1981	2,158	-	-	-	8	233	525	660	488	200	38	5	1
1980	2,406	2	1	-	18	264	579	742	536	218	39	5	2
1979	2,295	1	-	-	10	244	539	738	518	215	23	7	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Alcoholic liver disease (571.0-571.3)													
Black, male													
1998	1,003	-	-	-	-	14	190	359	272	135	29	3	1
1997	1,013	-	-	-	-	19	188	356	280	137	32	1	-
1996	1,119	-	-	-	-	27	253	383	266	143	39	6	2
1995	1,188	-	-	-	6	29	272	392	282	172	26	7	2
1994	1,289	-	-	-	3	47	275	446	274	203	32	9	-
1993	1,239	-	-	-	2	42	347	366	274	165	36	4	3
1992	1,333	-	-	-	1	61	354	367	322	189	34	5	-
1991	1,299	-	-	-	1	66	362	354	303	173	33	5	2
1990	1,493	-	-	-	1	92	398	439	355	161	40	4	3
1989	1,566	-	-	-	6	116	442	412	372	175	37	4	2
1988	1,527	-	-	-	3	121	422	430	348	153	45	4	1
1987	1,531	-	-	-	4	140	441	415	334	153	37	4	3
1986	1,412	-	-	-	4	154	372	376	313	149	39	3	2
1985	1,524	-	-	-	1	160	405	410	361	156	24	6	1
1984	1,365	-	-	-	2	142	362	363	326	131	33	3	3
1983	1,253	-	-	-	4	139	314	351	285	135	24	1	-
1982	1,256	2	-	-	4	127	306	364	303	122	27	1	-
1981	1,448	-	-	-	6	139	364	450	317	137	32	2	1
1980	1,601	-	-	-	9	165	403	484	353	155	25	5	2
1979	1,541	1	-	-	8	160	352	492	355	151	17	5	-
Alcoholic liver disease (571.0-571.3)													
Black, female													
1998	407	-	-	-	1	10	107	131	86	52	18	2	-
1997	488	-	-	-	-	16	133	157	96	61	20	5	-
1996	525	-	-	-	1	15	141	160	118	75	13	2	-
1995	545	-	-	-	-	30	135	154	138	66	21	1	-
1994	578	-	-	-	1	36	143	157	124	85	25	7	-
1993	531	-	-	-	-	41	158	140	101	74	16	1	-
1992	584	-	-	-	-	43	155	152	131	80	17	6	-
1991	678	1	-	-	2	50	211	165	116	100	27	4	2
1990	709	-	-	-	-	62	217	166	163	74	23	3	1
1989	688	-	-	-	3	62	189	180	162	76	15	1	-
1988	711	-	-	-	-	69	208	174	155	77	24	4	-
1987	645	-	-	-	6	82	182	168	131	56	18	2	-
1986	646	-	-	-	3	89	171	156	140	74	13	-	-
1985	702	-	-	-	3	103	173	177	150	78	12	4	2
1984	686	-	-	-	3	101	156	153	183	74	13	2	1
1983	651	-	-	1	5	87	160	166	157	65	9	1	-
1982	647	-	-	-	3	94	159	166	143	69	10	3	-
1981	710	-	-	-	2	94	161	210	171	63	6	3	-
1980	805	2	1	-	9	99	176	258	183	63	14	-	-
1979	754	-	-	-	2	84	187	246	163	64	6	2	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	15-24 25-34 35-44 45-54 55-64 65-74 75-84												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	years	years	years	years	years	years	years	85 + years	
Other chronic liver disease and cirrhosis (571.4-571.9)													
All races, both sexes													
1998	13,394	16	1	4	11	174	1,153	2,282	2,474	3,528	2,965	783	3
1997	13,230	15	4	2	19	154	1,163	2,113	2,426	3,710	2,839	784	1
1996	12,968	17	5	5	15	176	1,214	1,976	2,463	3,671	2,723	701	2
1995	13,011	22	6	7	21	188	1,229	1,908	2,454	3,678	2,754	740	4
1994	13,165	19	7	5	13	234	1,249	1,897	2,609	3,775	2,649	706	2
1993	13,556	19	11	8	26	266	1,330	1,816	2,731	3,875	2,803	669	2
1992	13,395	24	9	3	20	251	1,225	1,750	2,713	3,961	2,742	693	4
1991	13,741	14	4	6	26	316	1,213	1,796	3,018	3,977	2,709	653	9
1990	13,830	15	7	7	26	309	1,235	1,800	3,108	3,970	2,718	630	5
1989	14,386	18	6	7	34	331	1,301	1,859	3,380	4,164	2,644	639	3
1988	14,617	20	6	2	37	392	1,400	2,070	3,604	4,097	2,453	532	4
1987	14,936	16	4	10	44	475	1,389	2,043	3,796	4,171	2,452	534	2
1986	15,099	19	10	4	40	474	1,322	2,150	3,975	4,281	2,302	520	2
1985	15,479	13	15	2	48	519	1,297	2,367	4,109	4,258	2,347	499	5
1984	15,931	22	11	19	46	522	1,281	2,563	4,329	4,411	2,284	441	2
1983	16,190	22	13	11	47	555	1,326	2,746	4,608	4,256	2,161	439	6
1982	16,397	29	10	15	61	549	1,338	2,864	4,663	4,364	2,100	401	3
1981	17,223	27	12	13	68	560	1,460	3,168	4,900	4,576	2,006	429	4
1980	17,645	31	11	11	89	598	1,548	3,496	5,116	4,435	1,911	390	9
1979	17,173	33	10	15	67	572	1,623	3,596	4,907	4,221	1,768	355	6
Other chronic liver disease and cirrhosis (571.4-571.9)													
All races, male													
1998	7,635	11	-	1	7	113	813	1,654	1,574	1,832	1,320	307	3
1997	7,518	6	2	2	10	105	834	1,529	1,532	1,917	1,309	271	1
1996	7,458	12	2	2	8	109	891	1,419	1,555	1,948	1,258	253	1
1995	7,493	13	2	5	14	136	894	1,353	1,508	2,024	1,251	289	4
1994	7,525	11	2	3	5	144	909	1,296	1,669	1,987	1,235	262	2
1993	7,724	15	6	2	14	184	949	1,247	1,687	2,083	1,267	269	1
1992	7,710	14	4	2	10	160	911	1,209	1,680	2,119	1,322	275	4
1991	7,782	10	2	2	17	192	870	1,207	1,869	2,090	1,260	254	9
1990	7,951	7	2	2	10	190	900	1,241	1,900	2,179	1,268	249	3
1989	8,298	11	3	6	13	217	985	1,278	2,057	2,243	1,223	260	2
1988	8,666	12	3	1	19	267	1,028	1,417	2,277	2,271	1,130	238	3
1987	8,830	8	3	6	31	319	964	1,391	2,386	2,315	1,173	233	1
1986	8,866	8	4	4	22	311	928	1,408	2,443	2,399	1,115	222	2
1985	9,115	8	6	1	32	340	890	1,545	2,569	2,424	1,096	199	5
1984	9,451	14	4	12	25	346	866	1,656	2,685	2,541	1,111	189	2
1983	9,702	12	9	2	18	356	909	1,770	2,850	2,513	1,081	177	5
1982	9,920	19	4	8	28	381	894	1,909	2,900	2,570	1,023	182	2
1981	10,416	13	8	4	37	372	959	2,030	3,074	2,690	1,029	198	2
1980	10,680	19	7	5	51	394	980	2,237	3,203	2,624	971	180	9
1979	10,576	18	7	6	35	374	1,076	2,308	3,106	2,556	916	168	6

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Other chronic liver disease and cirrhosis (571.4-571.9)													
All races, female													
1998	5,759	5	1	3	4	61	340	628	900	1,696	1,645	476	-
1997	5,712	9	2	-	9	49	329	584	894	1,793	1,530	513	-
1996	5,510	5	3	3	7	67	323	557	908	1,723	1,465	448	1
1995	5,518	9	4	2	7	52	335	555	946	1,654	1,503	451	-
1994	5,640	8	5	2	8	90	340	601	940	1,788	1,414	444	-
1993	5,832	4	5	6	12	82	381	569	1,044	1,792	1,536	400	1
1992	5,685	10	5	1	10	91	314	541	1,033	1,842	1,420	418	-
1991	5,959	4	2	4	9	124	343	589	1,149	1,887	1,449	399	-
1990	5,879	8	5	5	16	119	335	559	1,208	1,791	1,450	381	2
1989	6,088	7	3	1	21	114	316	581	1,323	1,921	1,421	379	1
1988	5,951	8	3	1	18	125	372	653	1,327	1,826	1,323	294	1
1987	6,106	8	1	4	13	156	425	652	1,410	1,856	1,279	301	1
1986	6,233	11	6	-	18	163	394	742	1,532	1,882	1,187	298	-
1985	6,364	5	9	1	16	179	407	822	1,540	1,834	1,251	300	-
1984	6,480	8	7	7	21	176	415	907	1,644	1,870	1,173	252	-
1983	6,488	10	4	9	29	199	417	976	1,758	1,743	1,080	262	1
1982	6,477	10	6	7	33	168	444	955	1,763	1,794	1,077	219	1
1981	6,807	14	4	9	31	188	501	1,138	1,826	1,886	977	231	2
1980	6,965	12	4	6	38	204	568	1,259	1,913	1,811	940	210	-
1979	6,597	15	3	9	32	198	547	1,288	1,801	1,665	852	187	-
Other chronic liver disease and cirrhosis (571.4-571.9)													
White, both sexes													
1998	11,824	11	-	3	9	129	927	1,838	2,126	3,230	2,809	740	2
1997	11,622	9	3	2	13	118	948	1,675	2,049	3,369	2,687	748	1
1996	11,374	16	4	5	13	139	939	1,599	2,103	3,330	2,569	655	2
1995	11,365	14	3	6	10	146	937	1,516	2,079	3,384	2,574	692	4
1994	11,485	13	7	3	9	177	940	1,499	2,234	3,450	2,493	658	2
1993	11,788	14	7	3	17	190	991	1,444	2,338	3,523	2,626	635	-
1992	11,693	19	8	3	11	183	941	1,397	2,336	3,565	2,575	652	3
1991	11,993	9	4	5	15	216	919	1,425	2,593	3,620	2,563	618	6
1990	11,996	12	4	5	16	216	900	1,432	2,644	3,632	2,534	597	4
1989	12,522	9	3	5	23	222	966	1,491	2,929	3,786	2,485	602	1
1988	12,688	14	3	2	23	263	1,050	1,649	3,138	3,743	2,292	508	3
1987	12,914	8	2	7	37	320	980	1,593	3,310	3,829	2,318	510	-
1986	13,142	11	8	3	27	305	941	1,726	3,509	3,949	2,167	496	-
1985	13,371	5	13	2	36	353	907	1,901	3,597	3,894	2,186	474	3
1984	13,831	11	10	14	30	340	927	2,079	3,802	4,054	2,138	424	2
1983	13,990	17	11	5	28	358	935	2,217	4,017	3,913	2,057	427	5
1982	14,250	19	7	12	33	339	957	2,320	4,148	4,048	1,983	382	2
1981	14,808	18	10	7	50	340	1,004	2,552	4,336	4,182	1,896	410	3
1980	15,018	22	9	8	61	342	1,034	2,818	4,465	4,071	1,810	373	5
1979	14,672	25	7	10	50	347	1,122	2,900	4,334	3,882	1,652	339	4

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Other chronic liver disease and cirrhosis (571.4-571.9)													
White, male													
1998	6,679	8	-	1	6	85	670	1,355	1,347	1,660	1,260	285	2
1997	6,560	4	1	2	8	86	689	1,218	1,301	1,752	1,245	253	1
1996	6,508	11	2	2	8	90	713	1,153	1,331	1,773	1,186	238	1
1995	6,531	10	1	5	7	108	691	1,087	1,286	1,876	1,185	271	4
1994	6,551	7	2	2	3	115	708	1,032	1,444	1,837	1,157	242	2
1993	6,709	10	4	-	11	131	733	1,003	1,465	1,893	1,199	260	-
1992	6,699	11	4	2	4	119	720	967	1,467	1,910	1,233	259	3
1991	6,804	6	2	2	9	144	683	973	1,619	1,921	1,199	240	6
1990	6,888	5	2	2	8	140	674	999	1,627	2,009	1,187	233	2
1989	7,189	7	1	5	9	152	746	1,030	1,805	2,048	1,145	240	1
1988	7,575	7	1	1	13	188	792	1,155	2,013	2,102	1,070	230	3
1987	7,635	3	2	6	27	230	706	1,096	2,100	2,139	1,106	220	-
1986	7,730	3	3	3	16	212	675	1,156	2,175	2,229	1,048	210	-
1985	7,866	2	4	1	23	246	636	1,255	2,254	2,224	1,030	188	3
1984	8,204	6	4	8	19	234	647	1,348	2,376	2,337	1,041	182	2
1983	8,402	9	7	1	13	249	660	1,448	2,488	2,317	1,032	174	4
1982	8,656	13	3	7	18	250	656	1,572	2,591	2,404	964	176	2
1981	9,000	9	7	3	28	241	682	1,649	2,734	2,480	977	189	1
1980	9,122	15	7	4	40	240	679	1,806	2,811	2,423	919	173	5
1979	9,024	13	4	4	25	238	755	1,853	2,748	2,363	860	157	4
Other chronic liver disease and cirrhosis (571.4-571.9)													
White, female													
1998	5,145	3	-	2	3	44	257	483	779	1,570	1,549	455	-
1997	5,062	5	2	-	5	32	259	457	748	1,617	1,442	495	-
1996	4,866	5	2	3	5	49	226	446	772	1,557	1,383	417	1
1995	4,834	4	2	1	3	38	246	429	793	1,508	1,389	421	-
1994	4,934	6	5	1	6	62	232	467	790	1,613	1,336	416	-
1993	5,079	4	3	3	6	59	258	441	873	1,630	1,427	375	-
1992	4,994	8	4	1	7	64	221	430	869	1,655	1,342	393	-
1991	5,189	3	2	3	6	72	236	452	974	1,699	1,364	378	-
1990	5,108	7	2	3	8	76	226	433	1,017	1,623	1,347	364	2
1989	5,333	2	2	-	14	70	220	461	1,124	1,738	1,340	362	-
1988	5,113	7	2	1	10	75	258	494	1,125	1,641	1,222	278	-
1987	5,279	5	-	1	10	90	274	497	1,210	1,690	1,212	290	-
1986	5,412	8	5	-	11	93	266	570	1,334	1,720	1,119	286	-
1985	5,505	3	9	1	13	107	271	646	1,343	1,670	1,156	286	-
1984	5,627	5	6	6	11	106	280	731	1,426	1,717	1,097	242	-
1983	5,588	8	4	4	15	109	275	769	1,529	1,596	1,025	253	1
1982	5,594	6	4	5	15	89	301	748	1,557	1,644	1,019	206	-
1981	5,808	9	3	4	22	99	322	903	1,602	1,702	919	221	2
1980	5,896	7	2	4	21	102	355	1,012	1,654	1,648	891	200	-
1979	5,648	12	3	6	25	109	367	1,047	1,586	1,519	792	182	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other chronic liver disease and cirrhosis (571.4-571.9)													
All other, both sexes													
1998	1,570	5	1	1	2	45	226	444	348	298	156	43	1
1997	1,608	6	1	-	6	36	215	438	377	341	152	36	-
1996	1,594	1	1	-	2	37	275	377	360	341	154	46	-
1995	1,646	8	3	1	11	42	292	392	375	294	180	48	-
1994	1,680	6	-	2	4	57	309	398	375	325	156	48	-
1993	1,768	5	4	5	9	76	339	372	393	352	177	34	2
1992	1,702	5	1	-	9	68	284	353	377	396	167	41	1
1991	1,748	5	-	1	11	100	294	371	425	357	146	35	3
1990	1,834	3	3	2	10	93	335	368	464	338	184	33	1
1989	1,864	9	3	2	11	109	335	368	451	378	159	37	2
1988	1,929	6	3	-	14	129	350	421	466	354	161	24	1
1987	2,022	8	2	3	7	155	409	450	486	342	134	24	2
1986	1,957	8	2	1	13	169	381	424	466	332	135	24	2
1985	2,108	8	2	-	12	166	390	466	512	364	161	25	2
1984	2,100	11	1	5	16	182	354	484	527	357	146	17	-
1983	2,200	5	2	6	19	197	391	529	591	343	104	12	1
1982	2,147	10	3	3	28	210	381	544	515	316	117	19	1
1981	2,415	9	2	6	18	220	456	616	564	394	110	19	1
1980	2,627	9	2	3	28	256	514	678	651	364	101	17	4
1979	2,501	8	3	5	17	225	501	696	573	339	116	16	2
Other chronic liver disease and cirrhosis (571.4-571.9)													
All other, male													
1998	956	3	-	-	1	28	143	299	227	172	60	22	1
1997	958	2	1	-	2	19	145	311	231	165	64	18	-
1996	950	1	-	-	-	19	178	266	224	175	72	15	-
1995	962	3	1	-	7	28	203	266	222	148	66	18	-
1994	974	4	-	1	2	29	201	264	225	150	78	20	-
1993	1,015	5	2	2	3	53	216	244	222	190	68	9	1
1992	1,011	3	-	-	6	41	191	242	213	209	89	16	1
1991	978	4	-	-	8	48	187	234	250	169	61	14	3
1990	1,063	2	-	-	2	50	226	242	273	170	81	16	1
1989	1,109	4	2	1	4	65	239	248	252	195	78	20	1
1988	1,091	5	2	-	6	79	236	262	264	169	60	8	-
1987	1,195	5	1	-	4	89	258	295	286	176	67	13	1
1986	1,136	5	1	1	6	99	253	252	268	170	67	12	2
1985	1,249	6	2	-	9	94	254	290	315	200	66	11	2
1984	1,247	8	-	4	6	112	219	308	309	204	70	7	-
1983	1,300	3	2	1	5	107	249	322	362	196	49	3	1
1982	1,264	6	1	1	10	131	238	337	309	166	59	6	-
1981	1,416	4	1	1	9	131	277	381	340	210	52	9	1
1980	1,558	4	-	1	11	154	301	431	392	201	52	7	4
1979	1,552	5	3	2	10	136	321	455	358	193	56	11	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Other chronic liver disease and cirrhosis (571.4-571.9)													
All other, female													
1998	614	2	1	1	1	17	83	145	121	126	96	21	-
1997	650	4	-	-	4	17	70	127	146	176	88	18	-
1996	644	-	1	-	2	18	97	111	136	166	82	31	-
1995	684	5	2	1	4	14	89	126	153	146	114	30	-
1994	706	2	-	1	2	28	108	134	150	175	78	28	-
1993	753	-	2	3	6	23	123	128	171	162	109	25	1
1992	691	2	1	-	3	27	93	111	164	187	78	25	-
1991	770	1	-	1	3	52	107	137	175	188	85	21	-
1990	771	1	3	2	8	43	109	126	191	168	103	17	-
1989	755	5	1	1	7	44	96	120	199	183	81	17	1
1988	838	1	1	-	8	50	114	159	202	185	101	16	1
1987	827	3	1	3	3	66	151	155	200	166	67	11	1
1986	821	3	1	-	7	70	128	172	198	162	68	12	-
1985	859	2	-	-	3	72	136	176	197	164	95	14	-
1984	853	3	1	1	10	70	135	176	218	153	76	10	-
1983	900	2	-	5	14	90	142	207	229	147	55	9	-
1982	883	4	2	2	18	79	143	207	206	150	58	13	1
1981	999	5	1	5	9	89	179	235	224	184	58	10	-
1980	1,069	5	2	2	17	102	213	247	259	163	49	10	-
1979	949	3	-	3	7	89	180	241	215	146	60	5	-
Other chronic liver disease and cirrhosis (571.4-571.9)													
Black, both sexes													
1998	1,287	5	1	1	2	35	190	383	282	245	115	27	1
1997	1,319	5	1	-	6	32	172	381	320	257	114	31	-
1996	1,306	1	1	-	1	32	240	335	294	276	95	31	-
1995	1,340	5	1	1	8	35	247	346	303	227	128	39	-
1994	1,378	6	-	2	4	48	274	340	305	252	113	34	-
1993	1,458	4	4	4	8	64	290	325	321	279	133	25	1
1992	1,398	5	1	-	7	58	256	309	303	303	127	28	1
1991	1,487	5	-	1	10	87	269	329	362	290	108	23	3
1990	1,551	3	3	2	9	83	304	311	387	280	140	28	1
1989	1,597	7	3	2	9	99	305	322	383	320	119	26	2
1988	1,665	6	2	-	12	117	327	361	393	298	128	20	1
1987	1,740	7	1	3	4	144	377	383	412	277	112	18	2
1986	1,687	7	2	1	11	159	344	356	402	286	104	13	2
1985	1,829	5	2	-	11	154	356	395	446	310	131	17	2
1984	1,850	11	1	5	15	165	320	426	458	315	120	14	-
1983	1,979	3	2	4	17	186	361	475	532	297	90	11	1
1982	1,936	10	2	3	26	197	356	493	466	276	91	15	1
1981	2,191	7	2	6	18	201	426	550	517	357	93	13	1
1980	2,384	8	2	3	27	237	472	626	589	322	80	14	4
1979	2,272	5	2	5	16	210	462	633	522	312	91	12	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other chronic liver disease and cirrhosis (571.4-571.9)													
Black, male													
1998	801	3	-	-	1	21	121	263	184	147	49	11	1
1997	805	1	1	-	2	17	116	276	194	135	49	14	-
1996	804	1	-	-	-	16	161	240	186	148	46	6	-
1995	811	2	1	-	4	23	168	238	191	121	47	16	-
1994	808	4	-	1	2	24	180	224	185	122	55	11	-
1993	861	4	2	1	3	45	187	213	192	157	50	6	1
1992	848	3	-	-	5	35	173	215	179	166	59	12	1
1991	838	4	-	-	8	39	170	210	219	135	44	6	3
1990	900	2	-	-	2	45	204	201	230	142	60	13	1
1989	951	4	2	1	2	60	218	220	212	165	56	10	1
1988	949	5	2	-	5	72	218	222	228	145	46	6	-
1987	1,043	4	1	-	2	82	243	253	254	136	57	10	1
1986	992	4	1	1	4	95	232	207	232	153	52	9	2
1985	1,092	4	2	-	8	86	239	247	276	169	51	8	2
1984	1,093	8	-	4	5	99	199	272	268	179	53	6	-
1983	1,176	3	2	-	5	101	230	296	324	172	39	3	1
1982	1,152	6	1	1	9	122	225	306	287	146	44	5	-
1981	1,292	3	1	1	9	124	256	342	309	198	44	4	1
1980	1,419	4	-	1	11	145	279	399	353	176	40	7	4
1979	1,413	3	2	2	9	130	296	413	329	176	42	9	2
Other chronic liver disease and cirrhosis (571.4-571.9)													
Black, female													
1998	486	2	1	1	1	14	69	120	98	98	66	16	-
1997	514	4	-	-	4	15	56	105	126	122	65	17	-
1996	502	-	1	-	1	16	79	95	108	128	49	25	-
1995	529	3	-	1	4	12	79	108	112	106	81	23	-
1994	570	2	-	1	2	24	94	116	120	130	58	23	-
1993	597	-	2	3	5	19	103	112	129	122	83	19	-
1992	550	2	1	-	2	23	83	94	124	137	68	16	-
1991	649	1	-	1	2	48	99	119	143	155	64	17	-
1990	651	1	3	2	7	38	100	110	157	138	80	15	-
1989	646	3	1	1	7	39	87	102	171	155	63	16	1
1988	716	1	-	-	7	45	109	139	165	153	82	14	1
1987	697	3	-	3	2	62	134	130	158	141	55	8	1
1986	695	3	1	-	7	64	112	149	170	133	52	4	-
1985	737	1	-	-	3	68	117	148	170	141	80	9	-
1984	757	3	1	1	10	66	121	154	190	136	67	8	-
1983	803	-	-	4	12	85	131	179	208	125	51	8	-
1982	784	4	1	2	17	75	131	187	179	130	47	10	1
1981	899	4	1	5	9	77	170	208	208	159	49	9	-
1980	965	4	2	2	16	92	193	227	236	146	40	7	-
1979	859	2	-	3	7	80	166	220	193	136	49	3	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	Age groups												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Cholelithiasis and other disorders of gallbladder (574-575)													
All races, both sexes													
1998	2,822	2	5	1	8	29	56	107	179	496	954	985	-
1997	2,757	1	2	1	9	22	53	102	177	505	921	964	-
1996	2,816	4	1	3	7	22	49	101	204	562	930	933	-
1995	2,751	6	-	1	6	18	51	97	201	493	961	917	-
1994	2,855	9	4	1	8	22	59	89	204	553	929	977	-
1993	2,752	5	1	-	5	17	45	75	191	534	949	930	-
1992	2,915	2	-	2	5	22	50	100	196	571	979	988	-
1991	2,881	2	1	-	13	21	46	75	206	548	984	985	-
1990	3,022	3	-	1	5	22	43	67	212	630	1,027	1,010	2
1989	3,048	3	2	-	4	20	48	85	227	590	1,032	1,037	-
1988	3,115	4	1	1	5	23	47	83	226	624	1,020	1,081	-
1987	3,032	1	-	-	6	19	27	81	254	639	1,051	954	-
1986	2,956	4	1	2	7	16	33	71	225	615	1,060	920	2
1985	2,975	2	1	-	8	23	46	88	257	623	982	944	1
1984	3,023	4	-	-	7	20	46	95	269	666	1,020	894	2
1983	2,989	3	3	-	6	27	42	96	288	597	1,043	884	-
1982	2,941	2	-	3	8	15	42	108	262	665	978	858	-
1981	3,084	1	-	3	10	19	37	95	295	698	1,046	879	1
1980	3,285	1	-	-	13	31	49	119	321	721	1,132	898	-
1979	3,139	5	1	-	5	27	40	118	319	747	1,047	830	-
Cholelithiasis and other disorders of gallbladder (574-575)													
All races, male													
1998	1,216	1	3	-	3	16	29	50	94	260	430	330	-
1997	1,239	-	1	1	2	8	31	61	101	275	470	289	-
1996	1,213	2	1	1	2	10	25	64	106	301	445	256	-
1995	1,215	4	-	-	4	6	25	50	116	292	439	279	-
1994	1,245	5	-	1	2	8	37	49	112	284	408	339	-
1993	1,207	2	1	-	-	7	26	46	116	298	429	282	-
1992	1,252	2	-	1	3	11	25	58	95	297	451	309	-
1991	1,246	1	-	-	2	12	25	33	117	293	461	302	-
1990	1,280	2	-	1	3	9	24	31	106	345	454	305	-
1989	1,336	3	2	-	-	12	23	35	122	332	476	331	-
1988	1,385	4	-	-	3	11	23	46	114	359	495	330	-
1987	1,297	1	-	-	3	8	12	42	140	336	492	263	-
1986	1,344	1	-	1	2	5	14	47	137	325	520	292	-
1985	1,368	2	-	-	3	6	30	48	140	357	461	321	-
1984	1,387	4	-	-	-	4	25	48	155	371	478	300	2
1983	1,385	-	2	-	1	15	27	45	161	328	508	298	-
1982	1,289	1	-	2	6	6	14	51	136	368	450	255	-
1981	1,345	1	-	1	-	5	16	49	155	347	476	295	-
1980	1,475	-	-	-	4	12	25	57	183	389	497	308	-
1979	1,383	5	-	-	-	9	16	61	152	405	444	291	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Cholelithiasis and other disorders of gallbladder (574-575)													
All races, female													
1998	1,606	1	2	1	5	13	27	57	85	236	524	655	-
1997	1,518	1	1	-	7	14	22	41	76	230	451	675	-
1996	1,603	2	-	2	5	12	24	37	98	261	485	677	-
1995	1,536	2	-	1	2	12	26	47	85	201	522	638	-
1994	1,610	4	4	-	6	14	22	40	92	269	521	638	-
1993	1,545	3	-	-	5	10	19	29	75	236	520	648	-
1992	1,663	-	-	1	2	11	25	42	101	274	528	679	-
1991	1,635	1	1	-	11	9	21	42	89	255	523	683	-
1990	1,742	1	-	-	2	13	19	36	106	285	573	705	2
1989	1,712	-	-	-	4	8	25	50	105	258	556	706	-
1988	1,730	-	1	1	2	12	24	37	112	265	525	751	-
1987	1,735	-	-	-	3	11	15	39	114	303	559	691	-
1986	1,612	3	1	1	5	11	19	24	88	290	540	628	2
1985	1,607	-	1	-	5	17	16	40	117	266	521	623	1
1984	1,636	-	-	-	7	16	21	47	114	295	542	594	-
1983	1,604	3	1	-	5	12	15	51	127	269	535	586	-
1982	1,652	1	-	1	2	9	28	57	126	297	528	603	-
1981	1,739	-	-	2	10	14	21	46	140	351	570	584	1
1980	1,810	1	-	-	9	19	24	62	138	332	635	590	-
1979	1,756	-	1	-	5	18	24	57	167	342	603	539	-
Cholelithiasis and other disorders of gallbladder (574-575)													
White, both sexes													
1998	2,474	-	1	1	6	22	40	81	146	408	859	910	-
1997	2,413	1	2	-	7	14	43	70	132	429	827	888	-
1996	2,440	2	1	2	6	18	30	81	158	467	826	849	-
1995	2,416	4	-	1	5	9	36	67	160	417	857	860	-
1994	2,525	6	2	1	6	15	40	71	162	480	838	904	-
1993	2,417	4	1	-	4	14	37	56	159	445	847	850	-
1992	2,589	2	-	1	3	16	35	82	163	493	879	915	-
1991	2,562	1	-	-	10	15	35	58	172	473	892	906	-
1990	2,722	3	-	-	3	18	30	55	175	556	943	937	2
1989	2,738	2	1	-	3	14	31	66	187	526	946	962	-
1988	2,789	4	1	1	2	19	33	61	181	557	918	1,012	-
1987	2,721	-	-	-	5	15	22	63	211	566	958	881	-
1986	2,673	2	-	-	5	10	27	54	198	545	956	874	2
1985	2,660	1	1	-	6	18	39	70	218	544	879	883	1
1984	2,752	3	-	-	7	16	35	76	225	606	937	846	1
1983	2,684	2	2	-	6	17	36	76	233	534	945	833	-
1982	2,663	1	-	2	4	11	27	89	234	587	894	814	-
1981	2,811	1	-	3	7	17	28	77	251	622	967	838	-
1980	2,995	1	-	-	5	21	34	89	292	637	1,050	866	-
1979	2,867	4	1	-	4	17	29	92	282	665	980	793	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Cholelithiasis and other disorders of gallbladder (574-575)													
White, male													
1998	1,074	-	1	-	2	11	20	39	77	229	395	300	-
1997	1,085	-	1	-	2	6	24	39	78	242	423	270	-
1996	1,064	1	1	1	1	8	16	53	82	260	407	234	-
1995	1,080	2	-	-	3	4	19	39	96	253	403	261	-
1994	1,109	3	-	1	2	5	28	41	91	252	376	310	-
1993	1,067	1	1	-	-	6	23	36	99	252	386	263	-
1992	1,140	2	-	-	2	10	22	49	82	266	414	293	-
1991	1,122	-	-	-	2	9	20	29	104	259	420	279	-
1990	1,156	2	-	-	2	7	15	29	90	304	422	285	-
1989	1,210	2	1	-	-	8	15	29	103	301	445	306	-
1988	1,243	4	-	-	1	9	17	33	96	324	444	315	-
1987	1,181	-	-	-	2	6	8	35	118	306	458	248	-
1986	1,224	-	-	-	1	5	14	35	121	297	470	281	-
1985	1,229	1	-	-	3	5	25	39	120	316	418	302	-
1984	1,272	3	-	-	-	4	19	39	133	347	438	288	1
1983	1,255	-	1	-	1	9	23	36	137	301	470	277	-
1982	1,177	1	-	1	2	4	10	42	124	338	413	242	-
1981	1,255	1	-	1	-	4	12	42	133	324	453	285	-
1980	1,356	-	-	-	2	7	15	44	168	356	467	297	-
1979	1,266	4	-	-	-	6	12	55	135	360	417	277	-
Cholelithiasis and other disorders of gallbladder (574-575)													
White, female													
1998	1,400	-	-	1	4	11	20	42	69	179	464	610	-
1997	1,328	1	1	-	5	8	19	31	54	187	404	618	-
1996	1,376	1	-	1	5	10	14	28	76	207	419	615	-
1995	1,336	2	-	1	2	5	17	28	64	164	454	599	-
1994	1,416	3	2	-	4	10	12	30	71	228	462	594	-
1993	1,350	3	-	-	4	8	14	20	60	193	461	587	-
1992	1,449	-	-	1	1	6	13	33	81	227	465	622	-
1991	1,440	1	-	-	8	6	15	29	68	214	472	627	-
1990	1,566	1	-	-	1	11	15	26	85	252	521	652	2
1989	1,528	-	-	-	3	6	16	37	84	225	501	656	-
1988	1,546	-	1	1	1	10	16	28	85	233	474	697	-
1987	1,540	-	-	-	3	9	14	28	93	260	500	633	-
1986	1,449	2	-	-	4	5	13	19	77	248	486	593	2
1985	1,431	-	1	-	3	13	14	31	98	228	461	581	1
1984	1,480	-	-	-	7	12	16	37	92	259	499	558	-
1983	1,429	2	1	-	5	8	13	40	96	233	475	556	-
1982	1,486	-	-	1	2	7	17	47	110	249	481	572	-
1981	1,556	-	-	2	7	13	16	35	118	298	514	553	-
1980	1,639	1	-	-	3	14	19	45	124	281	583	569	-
1979	1,601	-	1	-	4	11	17	37	147	305	563	516	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Cholelithiasis and other disorders of gallbladder (574-575)													
All other, both sexes													
1998	348	2	4	-	2	7	16	26	33	88	95	75	-
1997	344	-	-	1	2	8	10	32	45	76	94	76	-
1996	376	2	-	1	1	4	19	20	46	95	104	84	-
1995	335	2	-	-	1	9	15	30	41	76	104	57	-
1994	330	3	2	-	2	7	19	18	42	73	91	73	-
1993	335	1	-	-	1	3	8	19	32	89	102	80	-
1992	326	-	-	1	2	6	15	18	33	78	100	73	-
1991	319	1	1	-	3	6	11	17	34	75	92	79	-
1990	300	-	-	1	2	4	13	12	37	74	84	73	-
1989	310	1	1	-	1	6	17	19	40	64	86	75	-
1988	326	-	-	-	3	4	14	22	45	67	102	69	-
1987	311	1	-	-	1	4	5	18	43	73	93	73	-
1986	283	2	1	2	2	6	6	17	27	70	104	46	-
1985	315	1	-	-	2	5	7	18	39	79	103	61	-
1984	271	1	-	-	-	4	11	19	44	60	83	48	1
1983	305	1	1	-	-	10	6	20	55	63	98	51	-
1982	278	1	-	1	4	4	15	19	28	78	84	44	-
1981	273	-	-	-	3	2	9	18	44	76	79	41	1
1980	290	-	-	-	8	10	15	30	29	84	82	32	-
1979	272	1	-	-	1	10	11	26	37	82	67	37	-
Cholelithiasis and other disorders of gallbladder (574-575)													
All other, male													
1998	142	1	2	-	1	5	9	11	17	31	35	30	-
1997	154	-	-	1	-	2	7	22	23	33	47	19	-
1996	149	1	-	-	1	2	9	11	24	41	38	22	-
1995	135	2	-	-	1	2	6	11	20	39	36	18	-
1994	136	2	-	-	-	3	9	8	21	32	32	29	-
1993	140	1	-	-	-	1	3	10	17	46	43	19	-
1992	112	-	-	1	1	1	3	9	13	31	37	16	-
1991	124	1	-	-	-	3	5	4	13	34	41	23	-
1990	124	-	-	1	1	2	9	2	16	41	32	20	-
1989	126	1	1	-	-	4	8	6	19	31	31	25	-
1988	142	-	-	-	2	2	6	13	18	35	51	15	-
1987	116	1	-	-	1	2	4	7	22	30	34	15	-
1986	120	1	-	1	1	-	-	12	16	28	50	11	-
1985	139	1	-	-	-	1	5	9	20	41	43	19	-
1984	115	1	-	-	-	-	6	9	22	24	40	12	1
1983	130	-	1	-	-	6	4	9	24	27	38	21	-
1982	112	-	-	1	4	2	4	9	12	30	37	13	-
1981	90	-	-	-	-	1	4	7	22	23	23	10	-
1980	119	-	-	-	2	5	10	13	15	33	30	11	-
1979	117	1	-	-	-	3	4	6	17	45	27	14	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Cholelithiasis and other disorders of gallbladder (574-575)													
All other, female													
1998	206	1	2	-	1	2	7	15	16	57	60	45	-
1997	190	-	-	-	2	6	3	10	22	43	47	57	-
1996	227	1	-	1	-	2	10	9	22	54	66	62	-
1995	200	-	-	-	-	7	9	19	21	37	68	39	-
1994	194	1	2	-	2	4	10	10	21	41	59	44	-
1993	195	-	-	-	1	2	5	9	15	43	59	61	-
1992	214	-	-	-	1	5	12	9	20	47	63	57	-
1991	195	-	1	-	3	3	6	13	21	41	51	56	-
1990	176	-	-	-	1	2	4	10	21	33	52	53	-
1989	184	-	-	-	1	2	9	13	21	33	55	50	-
1988	184	-	-	-	1	2	8	9	27	32	51	54	-
1987	195	-	-	-	-	2	1	11	21	43	59	58	-
1986	163	1	1	1	1	6	6	5	11	42	54	35	-
1985	176	-	-	-	2	4	2	9	19	38	60	42	-
1984	156	-	-	-	-	4	5	10	22	36	43	36	-
1983	175	1	-	-	-	4	2	11	31	36	60	30	-
1982	166	1	-	-	-	2	11	10	16	48	47	31	-
1981	183	-	-	-	3	1	5	11	22	53	56	31	1
1980	171	-	-	-	6	5	5	17	14	51	52	21	-
1979	155	-	-	-	1	7	7	20	20	37	40	23	-
Cholelithiasis and other disorders of gallbladder (574-575)													
Black, both sexes													
1998	282	2	4	-	2	5	14	22	29	69	70	65	-
1997	272	-	-	1	1	8	7	28	35	56	72	64	-
1996	304	2	-	-	1	4	16	17	40	73	83	68	-
1995	268	1	-	-	1	9	10	25	35	58	80	49	-
1994	275	3	2	-	2	6	17	15	35	61	76	58	-
1993	272	1	-	-	1	2	8	16	27	73	82	62	-
1992	275	-	-	1	2	5	14	16	28	62	89	58	-
1991	260	1	-	-	3	4	10	15	29	63	74	61	-
1990	244	-	-	1	2	4	11	10	30	59	70	57	-
1989	255	1	1	-	1	6	14	15	36	53	71	57	-
1988	264	-	-	-	3	4	14	19	36	51	82	55	-
1987	263	1	-	-	1	4	5	15	34	62	77	64	-
1986	230	2	1	2	2	5	6	13	22	55	83	39	-
1985	270	1	-	-	2	5	6	17	36	64	90	49	-
1984	228	-	-	-	-	3	11	17	37	51	67	41	1
1983	262	1	1	-	-	9	6	18	46	50	89	42	-
1982	230	1	-	1	4	4	15	16	24	66	65	34	-
1981	215	-	-	-	1	1	8	15	36	58	61	34	1
1980	235	-	-	-	8	10	15	28	23	66	61	24	-
1979	226	1	-	-	1	10	10	21	32	70	54	27	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Cholelithiasis and other disorders of gallbladder (574-575)													
Black, male													
1998	109	1	2	-	1	4	8	9	15	26	20	23	-
1997	119	-	-	1	-	2	5	20	19	24	34	14	-
1996	122	1	-	-	1	2	7	9	22	31	31	18	-
1995	100	1	-	-	1	2	5	10	16	28	25	12	-
1994	111	2	-	-	-	2	8	8	17	28	24	22	-
1993	103	1	-	-	-	1	3	8	14	36	28	12	-
1992	92	-	-	1	1	1	2	8	12	24	34	9	-
1991	92	1	-	-	-	2	4	4	9	27	29	16	-
1990	96	-	-	1	1	2	8	1	14	31	24	14	-
1989	102	1	1	-	-	4	8	5	18	23	26	16	-
1988	107	-	-	-	2	2	6	11	13	23	42	8	-
1987	90	1	-	-	1	2	4	6	14	26	25	11	-
1986	92	1	-	1	1	-	-	9	13	19	38	10	-
1985	118	1	-	-	-	1	4	9	19	32	37	15	-
1984	89	-	-	-	-	-	6	8	17	20	30	7	1
1983	103	-	1	-	-	5	4	8	19	18	33	15	-
1982	87	-	-	1	4	2	4	9	9	25	25	8	-
1981	65	-	-	-	-	-	3	6	18	14	16	8	-
1980	89	-	-	-	2	5	10	11	11	22	20	8	-
1979	91	1	-	-	-	3	3	4	15	37	19	9	-
Cholelithiasis and other disorders of gallbladder (574-575)													
Black, female													
1998	173	1	2	-	1	1	6	13	14	43	50	42	-
1997	153	-	-	-	1	6	2	8	16	32	38	50	-
1996	182	1	-	-	-	2	9	8	18	42	52	50	-
1995	168	-	-	-	-	7	5	15	19	30	55	37	-
1994	164	1	2	-	2	4	9	7	18	33	52	36	-
1993	169	-	-	-	1	1	5	8	13	37	54	50	-
1992	183	-	-	-	1	4	12	8	16	38	55	49	-
1991	168	-	-	-	3	2	6	11	20	36	45	45	-
1990	148	-	-	-	1	2	3	9	16	28	46	43	-
1989	153	-	-	-	1	2	6	10	18	30	45	41	-
1988	157	-	-	-	1	2	8	8	23	28	40	47	-
1987	173	-	-	-	-	2	1	9	20	36	52	53	-
1986	138	1	1	1	1	5	6	4	9	36	45	29	-
1985	152	-	-	-	2	4	2	8	17	32	53	34	-
1984	139	-	-	-	-	3	5	9	20	31	37	34	-
1983	159	1	-	-	-	4	2	10	27	32	56	27	-
1982	143	1	-	-	-	2	11	7	15	41	40	26	-
1981	150	-	-	-	1	1	5	9	18	44	45	26	1
1980	146	-	-	-	6	5	5	17	12	44	41	16	-
1979	135	-	-	-	1	7	7	17	17	33	35	18	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Nephritis, nephrotic syndrome and nephrosis (580-589)													
All races, both sexes													
1998	26,182	138	12	20	43	149	436	932	1,812	4,778	9,058	8,804	-
1997	25,331	136	11	18	53	179	448	867	1,832	4,729	8,620	8,438	-
1996	24,304	144	16	27	59	153	476	879	1,679	4,633	8,353	7,883	2
1995	23,676	155	19	23	54	198	494	808	1,739	4,590	8,079	7,513	4
1994	22,976	175	10	14	47	187	430	746	1,699	4,652	7,788	7,226	2
1993	23,317	183	21	28	48	220	458	760	1,854	4,780	7,807	7,156	2
1992	22,162	189	17	20	56	236	480	725	1,724	4,540	7,431	6,740	4
1991	21,360	189	16	25	62	223	506	679	1,695	4,398	7,189	6,376	2
1990	20,764	151	24	20	57	215	531	724	1,736	4,312	6,978	6,016	-
1989	21,118	198	15	20	70	258	465	713	1,866	4,415	7,133	5,960	5
1988	22,392	218	21	20	83	271	479	788	2,058	4,590	7,467	6,396	1
1987	22,052	220	21	25	74	265	405	761	2,032	4,656	7,341	6,252	-
1986	21,767	251	28	33	79	241	435	732	2,115	4,649	7,196	6,006	2
1985	21,349	277	23	28	76	241	433	717	2,158	4,711	6,896	5,786	3
1984	20,126	273	22	40	83	247	392	700	2,064	4,477	6,553	5,273	2
1983	18,998	232	20	28	89	244	343	720	2,046	4,208	6,272	4,791	5
1982	18,102	260	28	32	81	225	365	689	2,057	4,163	5,744	4,455	3
1981	17,277	258	26	36	111	227	357	739	1,935	4,027	5,505	4,053	3
1980	16,753	225	26	31	111	246	362	824	1,957	3,827	5,240	3,901	3
1979	15,729	219	29	54	133	267	379	847	1,833	3,639	4,917	3,410	2
Nephritis, nephrotic syndrome and nephrosis (580-589)													
All races, male													
1998	12,561	69	7	11	21	83	276	578	983	2,505	4,522	3,506	-
1997	12,140	81	4	10	32	101	268	507	981	2,525	4,266	3,365	-
1996	11,642	91	8	14	34	95	287	501	938	2,451	4,156	3,066	1
1995	11,389	90	12	9	31	116	312	458	936	2,450	3,997	2,974	4
1994	10,866	104	5	7	23	109	273	427	894	2,371	3,810	2,841	2
1993	11,210	102	17	15	29	135	283	441	976	2,530	3,831	2,851	-
1992	10,816	94	6	12	31	153	322	429	956	2,377	3,707	2,727	2
1991	10,418	118	13	14	33	135	346	399	960	2,321	3,549	2,529	1
1990	10,005	82	14	10	35	140	343	403	887	2,265	3,460	2,366	-
1989	10,320	118	10	10	33	166	321	408	1,063	2,351	3,487	2,349	4
1988	10,880	113	9	11	43	167	311	455	1,121	2,421	3,678	2,550	1
1987	10,872	111	13	14	40	160	259	455	1,132	2,468	3,645	2,575	-
1986	10,863	150	14	13	46	137	262	429	1,164	2,538	3,615	2,494	1
1985	10,551	157	14	13	49	151	283	387	1,159	2,529	3,380	2,428	1
1984	10,051	163	11	18	46	148	238	370	1,130	2,402	3,282	2,242	1
1983	9,312	121	11	12	44	137	184	392	1,090	2,209	3,121	1,986	5
1982	9,165	157	11	19	44	129	216	406	1,114	2,229	2,863	1,974	3
1981	8,720	144	10	24	60	140	208	410	1,079	2,170	2,706	1,769	-
1980	8,638	128	12	17	52	151	224	429	1,073	2,130	2,679	1,741	2
1979	8,260	123	18	34	72	157	222	462	1,031	1,986	2,572	1,582	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Nephritis, nephrotic syndrome and nephrosis (580-589)													
All races, female													
1998	13,621	69	5	9	22	66	160	354	829	2,273	4,536	5,298	-
1997	13,191	55	7	8	21	78	180	360	851	2,204	4,354	5,073	-
1996	12,662	53	8	13	25	58	189	378	741	2,182	4,197	4,817	1
1995	12,287	65	7	14	23	82	182	350	803	2,140	4,082	4,539	-
1994	12,110	71	5	7	24	78	157	319	805	2,281	3,978	4,385	-
1993	12,107	81	4	13	19	85	175	319	878	2,250	3,976	4,305	2
1992	11,346	95	11	8	25	83	158	296	768	2,163	3,724	4,013	2
1991	10,942	71	3	11	29	88	160	280	735	2,077	3,640	3,847	1
1990	10,759	69	10	10	22	75	188	321	849	2,047	3,518	3,650	-
1989	10,798	80	5	10	37	92	144	305	803	2,064	3,646	3,611	1
1988	11,512	105	12	9	40	104	168	333	937	2,169	3,789	3,846	-
1987	11,180	109	8	11	34	105	146	306	900	2,188	3,696	3,677	-
1986	10,904	101	14	20	33	104	173	303	951	2,111	3,581	3,512	1
1985	10,798	120	9	15	27	90	150	330	999	2,182	3,516	3,358	2
1984	10,075	110	11	22	37	99	154	330	934	2,075	3,271	3,031	1
1983	9,686	111	9	16	45	107	159	328	956	1,999	3,151	2,805	-
1982	8,937	103	17	13	37	96	149	283	943	1,934	2,881	2,481	-
1981	8,557	114	16	12	51	87	149	329	856	1,857	2,799	2,284	3
1980	8,115	97	14	14	59	95	138	395	884	1,697	2,561	2,160	1
1979	7,469	96	11	20	61	110	157	385	802	1,653	2,345	1,828	1
Nephritis, nephrotic syndrome and nephrosis (580-589)													
White, both sexes													
1998	21,369	89	7	16	27	89	250	589	1,202	3,722	7,702	7,676	-
1997	20,678	96	9	12	41	105	273	532	1,210	3,705	7,339	7,356	-
1996	19,696	83	14	18	34	87	270	558	1,157	3,591	7,047	6,837	-
1995	19,117	92	12	14	31	122	262	494	1,163	3,592	6,781	6,553	1
1994	18,639	100	6	6	32	93	222	452	1,123	3,641	6,621	6,342	1
1993	18,795	113	16	21	35	101	240	455	1,266	3,770	6,558	6,219	1
1992	17,903	127	14	14	34	124	257	435	1,149	3,542	6,319	5,886	2
1991	17,165	126	13	16	31	117	272	417	1,150	3,392	6,100	5,529	2
1990	16,571	90	15	13	35	117	290	429	1,144	3,320	5,837	5,281	-
1989	16,607	130	10	10	41	134	237	418	1,224	3,333	5,875	5,195	-
1988	17,915	148	18	15	46	151	269	465	1,413	3,576	6,224	5,590	-
1987	17,764	126	14	15	43	145	245	462	1,414	3,612	6,202	5,486	-
1986	17,446	164	19	26	50	138	244	439	1,468	3,626	6,027	5,244	1
1985	17,046	185	18	22	49	128	253	444	1,512	3,624	5,764	5,045	2
1984	16,198	178	17	26	59	160	239	437	1,448	3,483	5,493	4,658	-
1983	15,334	157	16	22	63	153	202	481	1,429	3,239	5,314	4,257	1
1982	14,453	174	21	26	52	142	234	418	1,426	3,199	4,806	3,954	1
1981	13,828	184	21	30	84	142	217	470	1,341	3,060	4,665	3,613	1
1980	13,137	155	22	24	67	144	228	504	1,305	2,890	4,369	3,427	2
1979	12,534	158	25	40	86	178	235	537	1,275	2,808	4,140	3,051	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Nephritis, nephrotic syndrome and nephrosis (580-589)													
White, male													
1998	10,406	45	5	9	12	48	154	369	655	2,038	3,950	3,121	-
1997	10,002	52	4	6	23	56	155	307	665	2,052	3,724	2,958	-
1996	9,549	53	6	10	22	51	154	324	662	1,969	3,608	2,690	-
1995	9,288	53	6	6	15	67	161	283	646	1,987	3,445	2,618	1
1994	8,901	56	2	2	12	49	130	252	611	1,902	3,358	2,526	1
1993	9,110	62	13	10	21	55	141	263	699	2,056	3,286	2,504	-
1992	8,784	68	5	8	22	82	160	263	666	1,912	3,200	2,396	2
1991	8,403	82	11	7	19	61	191	243	663	1,835	3,084	2,206	1
1990	8,021	50	7	7	24	78	195	241	606	1,788	2,944	2,081	-
1989	8,093	78	7	5	18	86	159	236	739	1,815	2,906	2,044	-
1988	8,786	82	9	9	21	93	176	273	801	1,951	3,114	2,257	-
1987	8,800	66	9	9	23	84	147	288	810	1,985	3,124	2,255	-
1986	8,754	101	10	10	28	75	139	259	844	2,035	3,067	2,186	-
1985	8,482	111	10	12	32	77	159	256	844	2,017	2,846	2,117	1
1984	8,174	107	10	11	34	94	148	235	809	1,943	2,804	1,979	-
1983	7,548	86	8	8	34	83	102	270	780	1,765	2,669	1,742	1
1982	7,405	108	8	14	29	82	147	249	814	1,771	2,434	1,748	1
1981	7,018	101	7	21	49	89	131	268	772	1,696	2,330	1,554	-
1980	6,848	93	10	14	35	88	135	267	766	1,677	2,236	1,525	2
1979	6,630	83	15	24	44	108	135	300	766	1,588	2,164	1,403	-
Nephritis, nephrotic syndrome and nephrosis (580-589)													
White, female													
1998	10,963	44	2	7	15	41	96	220	547	1,684	3,752	4,555	-
1997	10,676	44	5	6	18	49	118	225	545	1,653	3,615	4,398	-
1996	10,147	30	8	8	12	36	116	234	495	1,622	3,439	4,147	-
1995	9,829	39	6	8	16	55	101	211	517	1,605	3,336	3,935	-
1994	9,738	44	4	4	20	44	92	200	512	1,739	3,263	3,816	-
1993	9,685	51	3	11	14	46	99	192	567	1,714	3,272	3,715	1
1992	9,119	59	9	6	12	42	97	172	483	1,630	3,119	3,490	-
1991	8,762	44	2	9	12	56	81	174	487	1,557	3,016	3,323	1
1990	8,550	40	8	6	11	39	95	188	538	1,532	2,893	3,200	-
1989	8,514	52	3	5	23	48	78	182	485	1,518	2,969	3,151	-
1988	9,129	66	9	6	25	58	93	192	612	1,625	3,110	3,333	-
1987	8,964	60	5	6	20	61	98	174	604	1,627	3,078	3,231	-
1986	8,692	63	9	16	22	63	105	180	624	1,591	2,960	3,058	1
1985	8,564	74	8	10	17	51	94	188	668	1,607	2,918	2,928	1
1984	8,024	71	7	15	25	66	91	202	639	1,540	2,689	2,679	-
1983	7,786	71	8	14	29	70	100	211	649	1,474	2,645	2,515	-
1982	7,048	66	13	12	23	60	87	169	612	1,428	2,372	2,206	-
1981	6,810	83	14	9	35	53	86	202	569	1,364	2,335	2,059	1
1980	6,289	62	12	10	32	56	93	237	539	1,213	2,133	1,902	-
1979	5,904	75	10	16	42	70	100	237	509	1,220	1,976	1,648	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Nephritis, nephrotic syndrome and nephrosis (580-589)													
All other, both sexes													
1998	4,813	49	5	4	16	60	186	343	610	1,056	1,356	1,128	-
1997	4,653	40	2	6	12	74	175	335	622	1,024	1,281	1,082	-
1996	4,608	61	2	9	25	66	206	321	522	1,042	1,306	1,046	2
1995	4,559	63	7	9	23	76	232	314	576	998	1,298	960	3
1994	4,337	75	4	8	15	94	208	294	576	1,011	1,167	884	1
1993	4,522	70	5	7	13	119	218	305	588	1,010	1,249	937	1
1992	4,259	62	3	6	22	112	223	290	575	998	1,112	854	2
1991	4,195	63	3	9	31	106	234	262	545	1,006	1,089	847	-
1990	4,193	61	9	7	22	98	241	295	592	992	1,141	735	-
1989	4,511	68	5	10	29	124	228	295	642	1,082	1,258	765	5
1988	4,477	70	3	5	37	120	210	323	645	1,014	1,243	806	1
1987	4,288	94	7	10	31	120	160	299	618	1,044	1,139	766	-
1986	4,321	87	9	7	29	103	191	293	647	1,023	1,169	762	1
1985	4,303	92	5	6	27	113	180	273	646	1,087	1,132	741	1
1984	3,928	95	5	14	24	87	153	263	616	994	1,060	615	2
1983	3,664	75	4	6	26	91	141	239	617	969	958	534	4
1982	3,649	86	7	6	29	83	131	271	631	964	938	501	2
1981	3,449	74	5	6	27	85	140	269	594	967	840	440	2
1980	3,616	70	4	7	44	102	134	320	652	937	871	474	1
1979	3,195	61	4	14	47	89	144	310	558	831	777	359	1
Nephritis, nephrotic syndrome and nephrosis (580-589)													
All other, male													
1998	2,155	24	2	2	9	35	122	209	328	467	572	385	-
1997	2,138	29	-	4	9	45	113	200	316	473	542	407	-
1996	2,093	38	2	4	12	44	133	177	276	482	548	376	1
1995	2,101	37	6	3	16	49	151	175	290	463	552	356	3
1994	1,965	48	3	5	11	60	143	175	283	469	452	315	1
1993	2,100	40	4	5	8	80	142	178	277	474	545	347	-
1992	2,032	26	1	4	9	71	162	166	290	465	507	331	-
1991	2,015	36	2	7	14	74	155	156	297	486	465	323	-
1990	1,984	32	7	3	11	62	148	162	281	477	516	285	-
1989	2,227	40	3	5	15	80	162	172	324	536	581	305	4
1988	2,094	31	-	2	22	74	135	182	320	470	564	293	1
1987	2,072	45	4	5	17	76	112	167	322	483	521	320	-
1986	2,109	49	4	3	18	62	123	170	320	503	548	308	1
1985	2,069	46	4	1	17	74	124	131	315	512	534	311	-
1984	1,877	56	1	7	12	54	90	135	321	459	478	263	1
1983	1,764	35	3	4	10	54	82	122	310	444	452	244	4
1982	1,760	49	3	5	15	47	69	157	300	458	429	226	2
1981	1,702	43	3	3	11	51	77	142	307	474	376	215	-
1980	1,790	35	2	3	17	63	89	162	307	453	443	216	-
1979	1,630	40	3	10	28	49	87	162	265	398	408	179	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Nephritis, nephrotic syndrome and nephrosis (580-589)													
All other, female													
1998	2,658	25	3	2	7	25	64	134	282	589	784	743	-
1997	2,515	11	2	2	3	29	62	135	306	551	739	675	-
1996	2,515	23	-	5	13	22	73	144	246	560	758	670	1
1995	2,458	26	1	6	7	27	81	139	286	535	746	604	-
1994	2,372	27	1	3	4	34	65	119	293	542	715	569	-
1993	2,422	30	1	2	5	39	76	127	311	536	704	590	1
1992	2,227	36	2	2	13	41	61	124	285	533	605	523	2
1991	2,180	27	1	2	17	32	79	106	248	520	624	524	-
1990	2,209	29	2	4	11	36	93	133	311	515	625	450	-
1989	2,284	28	2	5	14	44	66	123	318	546	677	460	1
1988	2,383	39	3	3	15	46	75	141	325	544	679	513	-
1987	2,216	49	3	5	14	44	48	132	296	561	618	446	-
1986	2,212	38	5	4	11	41	68	123	327	520	621	454	-
1985	2,234	46	1	5	10	39	56	142	331	575	598	430	1
1984	2,051	39	4	7	12	33	63	128	295	535	582	352	1
1983	1,900	40	1	2	16	37	59	117	307	525	506	290	-
1982	1,889	37	4	1	14	36	62	114	331	506	509	275	-
1981	1,747	31	2	3	16	34	63	127	287	493	464	225	2
1980	1,826	35	2	4	27	39	45	158	345	484	428	258	1
1979	1,565	21	1	4	19	40	57	148	293	433	369	180	-
Nephritis, nephrotic syndrome and nephrosis (580-589)													
Black, both sexes													
1998	4,329	42	5	4	15	56	175	303	561	932	1,207	1,029	-
1997	4,236	35	1	5	11	68	166	303	570	925	1,153	999	-
1996	4,144	59	2	9	21	59	195	297	476	923	1,162	939	2
1995	4,159	59	6	6	21	74	221	288	527	905	1,172	877	3
1994	3,980	69	3	7	15	93	196	280	527	928	1,056	805	1
1993	4,107	67	5	7	12	110	205	284	541	915	1,113	847	1
1992	3,889	56	3	6	18	104	211	264	526	902	1,008	789	2
1991	3,866	61	2	8	28	102	225	245	501	933	992	769	-
1990	3,855	54	9	7	21	93	229	273	548	906	1,040	675	-
1989	4,166	65	4	7	26	118	217	279	597	1,000	1,152	696	5
1988	4,157	64	3	5	34	112	200	301	604	941	1,147	745	1
1987	3,975	85	6	7	30	110	148	278	584	967	1,055	705	-
1986	4,020	82	8	6	26	95	183	265	597	966	1,094	698	-
1985	4,044	82	5	5	25	111	177	247	616	1,019	1,050	706	1
1984	3,666	91	4	12	22	81	141	237	579	942	983	572	2
1983	3,426	71	4	6	23	85	126	225	581	908	901	492	4
1982	3,417	84	6	5	23	73	119	252	597	920	870	466	2
1981	3,262	69	4	5	27	80	133	254	567	917	796	408	2
1980	3,416	67	3	6	38	96	123	304	619	898	818	443	1
1979	3,018	58	4	13	43	86	141	292	539	788	727	326	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Nephritis, nephrotic syndrome and nephrosis (580-589)													
Black, male													
1998	1,929	23	2	2	8	34	114	184	308	409	505	340	-
1997	1,941	25	-	3	8	44	110	183	287	436	482	363	-
1996	1,873	38	2	4	10	41	126	168	251	425	486	321	1
1995	1,916	37	5	2	15	49	144	158	265	423	497	318	3
1994	1,794	44	2	4	11	60	136	167	263	429	403	274	1
1993	1,879	39	4	5	8	75	133	165	251	431	468	300	-
1992	1,850	23	1	4	8	69	154	151	270	419	457	294	-
1991	1,849	35	1	6	12	71	152	147	273	455	412	285	-
1990	1,806	28	7	3	10	59	141	155	257	436	456	254	-
1989	2,047	39	2	3	14	77	157	165	303	490	522	271	4
1988	1,908	29	-	2	21	71	130	167	297	428	503	259	1
1987	1,905	41	3	4	17	72	104	154	304	444	471	291	-
1986	1,963	46	3	3	16	57	120	157	296	476	514	275	-
1985	1,935	41	4	1	16	72	122	123	301	479	482	294	-
1984	1,731	54	1	6	10	53	86	121	300	428	432	239	1
1983	1,648	33	3	4	10	51	77	113	293	417	422	221	4
1982	1,650	47	3	5	12	41	63	151	285	436	394	211	2
1981	1,609	41	2	3	11	48	75	133	294	446	355	201	-
1980	1,694	34	2	3	15	59	84	157	295	433	410	202	-
1979	1,525	38	3	10	26	47	86	153	252	371	379	159	1
Nephritis, nephrotic syndrome and nephrosis (580-589)													
Black, female													
1998	2,400	19	3	2	7	22	61	119	253	523	702	689	-
1997	2,295	10	1	2	3	24	56	120	283	489	671	636	-
1996	2,271	21	-	5	11	18	69	129	225	498	676	618	1
1995	2,243	22	1	4	6	25	77	130	262	482	675	559	-
1994	2,186	25	1	3	4	33	60	113	264	499	653	531	-
1993	2,228	28	1	2	4	35	72	119	290	484	645	547	1
1992	2,039	33	2	2	10	35	57	113	256	483	551	495	2
1991	2,017	26	1	2	16	31	73	98	228	478	580	484	-
1990	2,049	26	2	4	11	34	88	118	291	470	584	421	-
1989	2,119	26	2	4	12	41	60	114	294	510	630	425	1
1988	2,249	35	3	3	13	41	70	134	307	513	644	486	-
1987	2,070	44	3	3	13	38	44	124	280	523	584	414	-
1986	2,057	36	5	3	10	38	63	108	301	490	580	423	-
1985	2,109	41	1	4	9	39	55	124	315	540	568	412	1
1984	1,935	37	3	6	12	28	55	116	279	514	551	333	1
1983	1,778	38	1	2	13	34	49	112	288	491	479	271	-
1982	1,767	37	3	-	11	32	56	101	312	484	476	255	-
1981	1,653	28	2	2	16	32	58	121	273	471	441	207	2
1980	1,722	33	1	3	23	37	39	147	324	465	408	241	1
1979	1,493	20	1	3	17	39	55	139	287	417	348	167	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Acute and rapidly progressive nephritic and nephrotic syndrome (580-581)													
All races, both sexes													
1998	325	11	2	4	1	3	7	17	23	59	109	89	-
1997	324	8	-	3	3	7	9	16	26	51	109	92	-
1996	321	8	5	3	5	5	7	15	21	55	119	78	-
1995	292	6	7	5	4	3	9	10	11	54	101	82	-
1994	305	7	2	-	3	3	8	16	20	49	109	88	-
1993	292	7	4	5	3	3	10	13	26	50	93	78	-
1992	304	5	5	4	6	5	8	6	37	60	105	63	-
1991	320	5	5	2	3	7	15	13	24	54	99	93	-
1990	296	10	5	3	3	7	11	18	25	59	82	73	-
1989	310	8	3	4	4	7	14	9	32	70	109	50	-
1988	310	4	4	1	4	4	9	14	35	68	97	70	-
1987	277	9	3	5	2	7	9	9	28	64	90	51	-
1986	293	8	5	1	6	8	12	5	36	59	95	58	-
1985	348	9	5	1	4	12	9	15	42	70	108	73	-
1984	316	5	6	2	2	9	8	22	29	61	112	60	-
1983	354	8	2	3	5	7	9	11	42	81	111	75	-
1982	309	8	3	4	1	6	6	19	42	63	104	53	-
1981	302	9	6	4	3	5	10	10	30	81	89	55	-
1980	328	7	5	4	6	10	11	22	37	61	101	64	-
1979	338	7	9	3	10	3	11	18	34	80	107	56	-
Acute and rapidly progressive nephritic and nephrotic syndrome (580-581)													
All races, male													
1998	154	3	1	4	1	1	5	11	13	31	44	40	-
1997	154	2	-	2	2	4	5	11	17	25	51	35	-
1996	153	3	5	3	3	2	5	6	13	29	57	27	-
1995	133	4	5	1	1	2	5	6	6	23	47	33	-
1994	142	4	2	-	3	-	7	9	11	27	50	29	-
1993	124	3	4	3	2	2	6	7	13	20	37	27	-
1992	143	4	2	4	3	4	3	5	19	24	48	27	-
1991	154	2	3	1	3	4	6	9	16	27	49	34	-
1990	145	4	2	2	2	7	8	11	16	30	38	25	-
1989	160	3	-	4	3	4	11	6	24	40	50	15	-
1988	158	2	2	-	1	2	7	9	24	38	48	25	-
1987	133	2	2	1	1	5	5	6	14	31	46	20	-
1986	133	6	2	-	2	4	8	2	16	28	42	23	-
1985	159	4	3	1	3	7	6	7	29	29	49	21	-
1984	147	4	2	1	-	6	2	6	20	26	57	23	-
1983	171	4	1	1	4	4	6	4	19	49	54	25	-
1982	151	4	2	3	1	3	4	6	23	32	46	27	-
1981	142	5	3	1	2	2	6	5	16	37	41	24	-
1980	162	5	2	2	1	3	6	16	20	37	47	23	-
1979	182	6	5	2	9	2	9	14	16	44	52	23	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Acute and rapidly progressive nephritic and nephrotic syndrome (580-581)													
All races, female													
1998	171	8	1	-	-	2	2	6	10	28	65	49	-
1997	170	6	-	1	1	3	4	5	9	26	58	57	-
1996	168	5	-	-	2	3	2	9	8	26	62	51	-
1995	159	2	2	4	3	1	4	4	5	31	54	49	-
1994	163	3	-	-	-	3	1	7	9	22	59	59	-
1993	168	4	-	2	1	1	4	6	13	30	56	51	-
1992	161	1	3	-	3	1	5	1	18	36	57	36	-
1991	166	3	2	1	-	3	9	4	8	27	50	59	-
1990	151	6	3	1	1	-	3	7	9	29	44	48	-
1989	150	5	3	-	1	3	3	3	8	30	59	35	-
1988	152	2	2	1	3	2	2	5	11	30	49	45	-
1987	144	7	1	4	1	2	4	3	14	33	44	31	-
1986	160	2	3	1	4	4	4	3	20	31	53	35	-
1985	189	5	2	-	1	5	3	8	13	41	59	52	-
1984	169	1	4	1	2	3	6	16	9	35	55	37	-
1983	183	4	1	2	1	3	3	7	23	32	57	50	-
1982	158	4	1	1	-	3	2	13	19	31	58	26	-
1981	160	4	3	3	1	3	4	5	14	44	48	31	-
1980	166	2	3	2	5	7	5	6	17	24	54	41	-
1979	156	1	4	1	1	1	2	4	18	36	55	33	-
Acute and rapidly progressive nephritic and nephrotic syndrome (580-581)													
White, both sexes													
1998	272	10	2	3	1	-	4	13	16	51	94	78	-
1997	270	8	-	2	2	6	5	14	17	40	92	84	-
1996	257	7	4	3	3	3	3	11	14	46	98	65	-
1995	244	4	5	3	3	3	5	5	9	49	90	68	-
1994	248	5	1	-	1	2	4	12	14	39	92	78	-
1993	232	6	3	3	1	-	7	8	16	39	77	72	-
1992	252	4	4	3	3	2	3	4	33	47	96	53	-
1991	259	3	3	2	-	4	7	10	18	38	87	87	-
1990	249	8	2	2	3	3	8	11	18	50	76	68	-
1989	241	7	3	1	1	2	7	5	25	55	93	42	-
1988	249	4	3	-	3	2	5	6	27	57	82	60	-
1987	221	7	2	1	1	5	4	5	18	49	82	47	-
1986	243	8	2	1	2	4	6	2	34	50	85	49	-
1985	286	6	5	-	1	4	6	9	35	59	93	68	-
1984	262	4	5	1	2	6	1	13	23	53	100	54	-
1983	301	7	2	3	3	4	5	9	31	63	103	71	-
1982	247	4	2	3	1	2	3	10	30	54	88	50	-
1981	251	8	4	2	2	3	7	6	21	66	80	52	-
1980	270	7	5	3	4	3	9	12	26	48	93	60	-
1979	291	4	7	-	5	2	8	15	28	73	94	55	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Acute and rapidly progressive nephritic and nephrotic syndrome (580-581)													
White, male													
1998	133	3	1	3	1	-	3	9	8	28	39	38	-
1997	125	2	-	1	1	3	3	11	11	17	44	32	-
1996	125	2	4	3	2	1	2	5	8	23	50	25	-
1995	115	3	3	1	1	2	3	2	5	21	44	30	-
1994	108	2	1	-	1	-	4	7	7	19	44	23	-
1993	98	2	3	2	-	-	5	6	7	15	33	25	-
1992	119	4	2	3	2	2	1	4	17	18	44	22	-
1991	129	2	2	1	-	1	3	7	13	21	46	33	-
1990	118	3	-	1	2	3	6	6	11	26	36	24	-
1989	126	3	-	1	1	-	6	3	19	33	46	14	-
1988	131	2	2	-	-	1	4	4	20	32	43	23	-
1987	103	1	1	-	-	3	3	4	9	23	42	17	-
1986	107	6	1	-	1	2	3	1	14	22	36	21	-
1985	130	3	3	-	-	3	4	5	25	26	41	20	-
1984	125	4	2	1	-	4	1	3	15	23	51	21	-
1983	143	3	1	1	2	2	4	3	15	39	48	25	-
1982	120	1	1	2	1	1	3	3	18	28	38	24	-
1981	119	5	2	1	2	-	4	4	13	30	37	21	-
1980	131	5	2	1	1	-	4	10	16	30	41	21	-
1979	157	3	3	-	4	1	7	12	14	42	48	23	-
Acute and rapidly progressive nephritic and nephrotic syndrome (580-581)													
White, female													
1998	139	7	1	-	-	-	1	4	8	23	55	40	-
1997	145	6	-	1	1	3	2	3	6	23	48	52	-
1996	132	5	-	-	1	2	1	6	6	23	48	40	-
1995	129	1	2	2	2	1	2	3	4	28	46	38	-
1994	140	3	-	-	-	2	-	5	7	20	48	55	-
1993	134	4	-	1	1	-	2	2	9	24	44	47	-
1992	133	-	2	-	1	-	2	-	16	29	52	31	-
1991	130	1	1	1	-	3	4	3	5	17	41	54	-
1990	131	5	2	1	1	-	2	5	7	24	40	44	-
1989	115	4	3	-	-	2	1	2	6	22	47	28	-
1988	118	2	1	-	3	1	1	2	7	25	39	37	-
1987	118	6	1	1	1	2	1	1	9	26	40	30	-
1986	136	2	1	1	1	2	3	1	20	28	49	28	-
1985	156	3	2	-	1	1	2	4	10	33	52	48	-
1984	137	-	3	-	2	2	-	10	8	30	49	33	-
1983	158	4	1	2	1	2	1	6	16	24	55	46	-
1982	127	3	1	1	-	1	-	7	12	26	50	26	-
1981	132	3	2	1	-	3	3	2	8	36	43	31	-
1980	139	2	3	2	3	3	5	2	10	18	52	39	-
1979	134	1	4	-	1	1	1	3	14	31	46	32	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Acute and rapidly progressive nephritic and nephrotic syndrome (580-581)													
All other, both sexes													
1998	53	1	-	1	-	3	3	4	7	8	15	11	-
1997	54	-	-	1	1	1	4	2	9	11	17	8	-
1996	64	1	1	-	2	2	4	4	7	9	21	13	-
1995	48	2	2	2	1	-	4	5	2	5	11	14	-
1994	57	2	1	-	2	1	4	4	6	10	17	10	-
1993	60	1	1	2	2	3	3	5	10	11	16	6	-
1992	52	1	1	1	3	3	5	2	4	13	9	10	-
1991	61	2	2	-	3	3	8	3	6	16	12	6	-
1990	47	2	3	1	-	4	3	7	7	9	6	5	-
1989	69	1	-	3	3	5	7	4	7	15	16	8	-
1988	61	-	1	1	1	2	4	8	8	11	15	10	-
1987	56	2	1	4	1	2	5	4	10	15	8	4	-
1986	50	-	3	-	4	4	6	3	2	9	10	9	-
1985	62	3	-	1	3	8	3	6	7	11	15	5	-
1984	54	1	1	1	-	3	7	9	6	8	12	6	-
1983	53	1	-	-	2	3	4	2	11	18	8	4	-
1982	62	4	1	1	-	4	3	9	12	9	16	3	-
1981	51	1	2	2	1	2	3	4	9	15	9	3	-
1980	58	-	-	1	2	7	2	10	11	13	8	4	-
1979	47	3	2	3	5	1	3	3	6	7	13	1	-
Acute and rapidly progressive nephritic and nephrotic syndrome (580-581)													
All other, male													
1998	21	-	-	1	-	1	2	2	5	3	5	2	-
1997	29	-	-	1	1	1	2	-	6	8	7	3	-
1996	28	1	1	-	1	1	3	1	5	6	7	2	-
1995	18	1	2	-	-	-	2	4	1	2	3	3	-
1994	34	2	1	-	2	-	3	2	4	8	6	6	-
1993	26	1	1	1	2	2	1	1	6	5	4	2	-
1992	24	-	-	1	1	2	2	1	2	6	4	5	-
1991	25	-	1	-	3	3	3	2	3	6	3	1	-
1990	27	1	2	1	-	4	2	5	5	4	2	1	-
1989	34	-	-	3	2	4	5	3	5	7	4	1	-
1988	27	-	-	-	1	1	3	5	4	6	5	2	-
1987	30	1	1	1	1	2	2	2	5	8	4	3	-
1986	26	-	1	-	1	2	5	1	2	6	6	2	-
1985	29	1	-	1	3	4	2	2	4	3	8	1	-
1984	22	-	-	-	-	2	1	3	5	3	6	2	-
1983	28	1	-	-	2	2	2	1	4	10	6	-	-
1982	31	3	1	1	-	2	1	3	5	4	8	3	-
1981	23	-	1	-	-	2	2	1	3	7	4	3	-
1980	31	-	-	1	-	3	2	6	4	7	6	2	-
1979	25	3	2	2	5	1	2	2	2	2	4	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Acute and rapidly progressive nephritic and nephrotic syndrome (580-581)													
All other, female													
1998	32	1	-	-	-	2	1	2	2	5	10	9	-
1997	25	-	-	-	-	-	2	2	3	3	10	5	-
1996	36	-	-	-	1	1	1	3	2	3	14	11	-
1995	30	1	-	2	1	-	2	1	1	3	8	11	-
1994	23	-	-	-	-	1	1	2	2	2	11	4	-
1993	34	-	-	1	-	1	2	4	4	6	12	4	-
1992	28	1	1	-	2	1	3	1	2	7	5	5	-
1991	36	2	1	-	-	-	5	1	3	10	9	5	-
1990	20	1	1	-	-	-	1	2	2	5	4	4	-
1989	35	1	-	-	1	1	2	1	2	8	12	7	-
1988	34	-	1	1	-	1	1	3	4	5	10	8	-
1987	26	1	-	3	-	-	3	2	5	7	4	1	-
1986	24	-	2	-	3	2	1	2	-	3	4	7	-
1985	33	2	-	-	-	4	1	4	3	8	7	4	-
1984	32	1	1	1	-	1	6	6	1	5	6	4	-
1983	25	-	-	-	-	1	2	1	7	8	2	4	-
1982	31	1	-	-	-	2	2	6	7	5	8	-	-
1981	28	1	1	2	1	-	1	3	6	8	5	-	-
1980	27	-	-	-	2	4	-	4	7	6	2	2	-
1979	22	-	-	1	-	-	1	1	4	5	9	1	-
Acute and rapidly progressive nephritic and nephrotic syndrome (580-581)													
Black, both sexes													
1998	45	-	-	1	-	2	3	2	6	7	13	11	-
1997	49	-	-	1	1	1	4	2	7	8	17	8	-
1996	60	1	1	-	2	2	3	4	7	8	20	12	-
1995	45	1	2	1	1	-	4	5	2	5	10	14	-
1994	50	1	1	-	2	1	3	4	5	10	14	9	-
1993	55	1	1	2	2	3	3	5	8	11	14	5	-
1992	44	1	1	1	2	3	5	2	4	11	7	7	-
1991	59	2	2	-	3	3	6	3	6	16	12	6	-
1990	42	1	3	1	-	4	3	7	6	9	5	3	-
1989	66	1	-	2	3	4	6	4	7	15	16	8	-
1988	59	-	1	1	1	2	4	8	8	11	14	9	-
1987	48	1	-	2	1	1	4	4	10	14	7	4	-
1986	49	-	3	-	4	4	6	3	2	9	10	8	-
1985	58	2	-	1	3	8	3	6	7	11	12	5	-
1984	51	1	-	1	-	3	7	8	6	8	11	6	-
1983	49	1	-	-	2	3	3	2	10	17	8	3	-
1982	59	4	1	1	-	3	3	9	12	9	14	3	-
1981	47	-	1	1	1	2	3	3	9	15	9	3	-
1980	55	-	-	1	2	7	1	10	11	12	7	4	-
1979	44	3	2	3	5	1	3	2	6	7	11	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Acute and rapidly progressive nephritic and nephrotic syndrome (580-581)													
Black, male													
1998	19	-	-	1	-	1	2	-	5	3	5	2	-
1997	24	-	-	1	1	1	2	-	4	5	7	3	-
1996	26	1	1	-	1	1	2	1	5	6	6	2	-
1995	18	1	2	-	-	-	2	4	1	2	3	3	-
1994	30	1	1	-	2	-	3	2	3	8	5	5	-
1993	23	1	1	1	2	2	1	1	4	5	4	1	-
1992	18	-	-	1	1	2	2	1	2	4	2	3	-
1991	25	-	1	-	3	3	3	2	3	6	3	1	-
1990	24	1	2	1	-	4	2	5	4	4	1	-	-
1989	33	-	-	2	2	4	5	3	5	7	4	1	-
1988	27	-	-	-	1	1	3	5	4	6	5	2	-
1987	26	1	-	1	1	1	2	2	5	7	3	3	-
1986	25	-	1	-	1	2	5	1	2	6	6	1	-
1985	27	1	-	1	3	4	2	2	4	3	6	1	-
1984	21	-	-	-	-	2	1	3	5	3	5	2	-
1983	26	1	-	-	2	2	2	1	3	9	6	-	-
1982	30	3	1	1	-	2	1	3	5	4	7	3	-
1981	22	-	-	-	-	2	2	1	3	7	4	3	-
1980	28	-	-	1	-	3	1	6	4	6	5	2	-
1979	24	3	2	2	5	1	2	1	2	2	4	-	-
Acute and rapidly progressive nephritic and nephrotic syndrome (580-581)													
Black, female													
1998	26	-	-	-	-	1	1	2	1	4	8	9	-
1997	25	-	-	-	-	-	2	2	3	3	10	5	-
1996	34	-	-	-	1	1	1	3	2	2	14	10	-
1995	27	-	-	1	1	-	2	1	1	3	7	11	-
1994	20	-	-	-	-	1	-	2	2	2	9	4	-
1993	32	-	-	1	-	1	2	4	4	6	10	4	-
1992	26	1	1	-	1	1	3	1	2	7	5	4	-
1991	34	2	1	-	-	-	3	1	3	10	9	5	-
1990	18	-	1	-	-	-	1	2	2	5	4	3	-
1989	33	1	-	-	1	-	1	1	2	8	12	7	-
1988	32	-	1	1	-	1	1	3	4	5	9	7	-
1987	22	-	-	1	-	-	2	2	5	7	4	1	-
1986	24	-	2	-	3	2	1	2	-	3	4	7	-
1985	31	1	-	-	-	4	1	4	3	8	6	4	-
1984	30	1	-	1	-	1	6	5	1	5	6	4	-
1983	23	-	-	-	-	1	1	1	7	8	2	3	-
1982	29	1	-	-	-	1	2	6	7	5	7	-	-
1981	25	-	1	1	1	-	1	2	6	8	5	-	-
1980	27	-	-	-	2	4	-	4	7	6	2	2	-
1979	20	-	-	1	-	-	1	1	4	5	7	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	Age groups											Age not stated	
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years		85 + years
Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (582-583,587)													
All races, both sexes													
1998	1,715	1	1	3	8	22	47	67	121	295	573	577	-
1997	1,652	4	-	5	13	33	62	79	115	299	543	499	-
1996	1,638	3	2	5	12	17	46	91	89	311	516	546	-
1995	1,504	4	2	5	9	32	57	57	125	290	472	451	-
1994	1,546	-	-	4	9	25	44	64	118	297	536	449	-
1993	1,588	3	2	2	11	28	50	67	119	335	507	464	-
1992	1,503	3	2	2	7	32	52	72	106	290	497	439	1
1991	1,512	6	2	5	17	19	61	65	120	310	491	416	-
1990	1,521	1	4	6	11	31	72	74	134	307	495	386	-
1989	1,517	4	3	4	13	36	57	61	151	313	479	395	1
1988	1,521	2	4	2	11	43	55	60	137	310	486	411	-
1987	1,509	4	-	5	16	23	53	65	142	297	495	409	-
1986	1,505	2	2	8	12	32	47	56	164	349	481	352	-
1985	1,565	1	1	5	10	34	52	60	144	353	494	411	-
1984	1,824	3	-	7	18	51	71	78	180	384	572	460	-
1983	1,887	6	4	4	23	43	52	79	197	412	625	440	2
1982	1,946	7	4	4	19	48	56	97	218	433	613	447	-
1981	2,055	5	2	5	27	47	64	109	222	456	694	423	1
1980	2,245	-	2	5	30	46	65	124	257	524	694	498	-
1979	2,363	6	2	13	32	67	76	137	257	573	715	485	-
Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (582-583,587)													
All races, male													
1998	831	1	1	2	3	11	29	42	63	161	298	220	-
1997	807	3	-	1	7	14	35	48	67	142	276	214	-
1996	800	2	-	-	5	10	28	57	40	170	277	211	-
1995	753	4	-	3	6	15	31	29	73	158	252	182	-
1994	728	-	-	4	5	13	29	31	62	149	267	168	-
1993	806	2	2	2	6	19	32	40	69	184	249	201	-
1992	776	3	1	1	6	21	31	40	71	157	255	189	1
1991	758	3	2	3	7	10	36	41	67	156	247	186	-
1990	763	1	-	2	6	24	49	45	76	164	234	162	-
1989	733	3	2	3	7	22	39	38	89	153	218	159	-
1988	793	1	2	-	6	28	33	34	76	170	258	185	-
1987	741	3	-	2	8	16	34	43	81	163	231	160	-
1986	785	2	2	3	10	20	32	32	98	188	236	162	-
1985	770	1	1	1	9	26	37	39	78	188	221	169	-
1984	911	2	-	4	11	33	42	41	100	222	268	188	-
1983	882	3	1	1	11	23	26	37	102	201	312	163	2
1982	984	4	2	-	8	32	40	57	116	222	286	217	-
1981	963	3	1	4	18	29	29	59	114	224	304	178	-
1980	1,138	-	2	4	14	28	37	61	145	289	346	212	-
1979	1,244	4	2	9	19	39	45	81	153	322	354	216	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 + years	Age not stated
					years	years	years	years	years	years	years		
Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (582-583,587)													
All races, female													
1998	884	-	-	1	5	11	18	25	58	134	275	357	-
1997	845	1	-	4	6	19	27	31	48	157	267	285	-
1996	838	1	2	5	7	7	18	34	49	141	239	335	-
1995	751	-	2	2	3	17	26	28	52	132	220	269	-
1994	818	-	-	-	4	12	15	33	56	148	269	281	-
1993	782	1	-	-	5	9	18	27	50	151	258	263	-
1992	727	-	1	1	1	11	21	32	35	133	242	250	-
1991	754	3	-	2	10	9	25	24	53	154	244	230	-
1990	758	-	4	4	5	7	23	29	58	143	261	224	-
1989	784	1	1	1	6	14	18	23	62	160	261	236	1
1988	728	1	2	2	5	15	22	26	61	140	228	226	-
1987	768	1	-	3	8	7	19	22	61	134	264	249	-
1986	720	-	-	5	2	12	15	24	66	161	245	190	-
1985	795	-	-	4	1	8	15	21	66	165	273	242	-
1984	913	1	-	3	7	18	29	37	80	162	304	272	-
1983	1,005	3	3	3	12	20	26	42	95	211	313	277	-
1982	962	3	2	4	11	16	16	40	102	211	327	230	-
1981	1,092	2	1	1	9	18	35	50	108	232	390	245	1
1980	1,107	-	-	1	16	18	28	63	112	235	348	286	-
1979	1,119	2	-	4	13	28	31	56	104	251	361	269	-
Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (582-583,587)													
White, both sexes													
1998	1,369	-	1	2	5	16	31	46	82	229	478	479	-
1997	1,343	2	-	2	10	20	41	56	81	242	454	435	-
1996	1,308	2	2	2	7	13	26	67	60	225	445	459	-
1995	1,206	2	2	3	4	22	30	37	92	224	400	390	-
1994	1,211	-	-	1	6	12	25	32	74	236	444	381	-
1993	1,251	3	1	2	5	13	28	49	80	255	422	393	-
1992	1,200	2	1	2	7	19	28	48	72	224	430	366	1
1991	1,199	3	1	2	9	11	43	44	91	233	405	357	-
1990	1,191	1	4	5	6	17	46	52	93	237	401	329	-
1989	1,201	4	1	3	10	22	36	36	115	244	396	334	-
1988	1,250	2	4	2	6	28	34	46	103	255	411	359	-
1987	1,204	-	-	4	11	12	27	46	105	224	420	355	-
1986	1,180	2	-	5	6	20	26	43	114	264	400	300	-
1985	1,256	-	-	4	5	19	33	39	110	287	402	357	-
1984	1,472	2	-	5	11	31	47	48	131	317	491	389	-
1983	1,497	2	4	3	16	21	34	59	126	324	516	391	1
1982	1,558	4	3	3	14	26	34	57	154	351	513	399	-
1981	1,670	5	1	4	21	31	34	80	168	354	598	374	-
1980	1,717	-	1	4	21	21	45	78	170	391	559	427	-
1979	1,847	5	2	11	18	41	48	87	185	431	596	423	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (582-583,587)													
White, male													
1998	664	-	1	1	2	7	20	31	46	122	248	186	-
1997	657	2	-	-	6	7	22	30	51	117	234	188	-
1996	642	1	-	-	3	7	15	40	27	133	234	182	-
1995	599	2	-	2	3	12	14	20	55	126	211	154	-
1994	578	-	-	1	3	7	15	16	38	123	231	144	-
1993	639	2	1	2	3	8	19	30	49	145	204	176	-
1992	611	2	-	1	6	11	16	26	45	125	219	159	1
1991	605	1	1	1	5	4	26	31	50	117	207	162	-
1990	590	1	-	2	4	13	30	31	57	125	192	135	-
1989	590	3	1	2	5	16	23	20	69	131	185	135	-
1988	644	1	2	-	3	19	17	26	53	140	221	162	-
1987	587	-	-	1	5	8	14	32	62	129	195	141	-
1986	610	2	-	1	4	10	16	24	70	147	200	136	-
1985	607	-	-	1	4	13	24	26	64	150	179	146	-
1984	741	1	-	3	7	19	30	27	78	190	231	155	-
1983	675	1	1	-	7	10	14	26	67	154	252	142	1
1982	798	2	2	-	6	19	23	31	86	186	248	195	-
1981	785	3	-	3	14	19	18	46	92	170	265	155	-
1980	878	-	1	3	10	14	25	38	107	218	279	183	-
1979	972	3	2	8	12	25	26	46	119	244	301	186	-
Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (582-583,587)													
White, female													
1998	705	-	-	1	3	9	11	15	36	107	230	293	-
1997	686	-	-	2	4	13	19	26	30	125	220	247	-
1996	666	1	2	2	4	6	11	27	33	92	211	277	-
1995	607	-	2	1	1	10	16	17	37	98	189	236	-
1994	633	-	-	-	3	5	10	16	36	113	213	237	-
1993	612	1	-	-	2	5	9	19	31	110	218	217	-
1992	589	-	1	1	1	8	12	22	27	99	211	207	-
1991	594	2	-	1	4	7	17	13	41	116	198	195	-
1990	601	-	4	3	2	4	16	21	36	112	209	194	-
1989	611	1	-	1	5	6	13	16	46	113	211	199	-
1988	606	1	2	2	3	9	17	20	50	115	190	197	-
1987	617	-	-	3	6	4	13	14	43	95	225	214	-
1986	570	-	-	4	2	10	10	19	44	117	200	164	-
1985	649	-	-	3	1	6	9	13	46	137	223	211	-
1984	731	1	-	2	4	12	17	21	53	127	260	234	-
1983	822	1	3	3	9	11	20	33	59	170	264	249	-
1982	760	2	1	3	8	7	11	26	68	165	265	204	-
1981	885	2	1	1	7	12	16	34	76	184	333	219	-
1980	839	-	-	1	11	7	20	40	63	173	280	244	-
1979	875	2	-	3	6	16	22	41	66	187	295	237	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 + years	Age not stated
					years	years	years	years	years	years	years		
Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (582-583,587)													
All other, both sexes													
1998	346	1	-	1	3	6	16	21	39	66	95	98	-
1997	309	2	-	3	3	13	21	23	34	57	89	64	-
1996	330	1	-	3	5	4	20	24	29	86	71	87	-
1995	298	2	-	2	5	10	27	20	33	66	72	61	-
1994	335	-	-	3	3	13	19	32	44	61	92	68	-
1993	337	-	1	-	6	15	22	18	39	80	85	71	-
1992	303	1	1	-	-	13	24	24	34	66	67	73	-
1991	313	3	1	3	8	8	18	21	29	77	86	59	-
1990	330	-	-	1	5	14	26	22	41	70	94	57	-
1989	316	-	2	1	3	14	21	25	36	69	83	61	1
1988	271	-	-	-	5	15	21	14	34	55	75	52	-
1987	305	4	-	1	5	11	26	19	37	73	75	54	-
1986	325	-	2	3	6	12	21	13	50	85	81	52	-
1985	309	1	1	1	5	15	19	21	34	66	92	54	-
1984	352	1	-	2	7	20	24	30	49	67	81	71	-
1983	390	4	-	1	7	22	18	20	71	88	109	49	1
1982	388	3	1	1	5	22	22	40	64	82	100	48	-
1981	385	-	1	1	6	16	30	29	54	102	96	49	1
1980	528	-	1	1	9	25	20	46	87	133	135	71	-
1979	516	1	-	2	14	26	28	50	72	142	119	62	-
Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (582-583,587)													
All other, male													
1998	167	1	-	1	1	4	9	11	17	39	50	34	-
1997	150	1	-	1	1	7	13	18	16	25	42	26	-
1996	158	1	-	-	2	3	13	17	13	37	43	29	-
1995	154	2	-	1	3	3	17	9	18	32	41	28	-
1994	150	-	-	3	2	6	14	15	24	26	36	24	-
1993	167	-	1	-	3	11	13	10	20	39	45	25	-
1992	165	1	1	-	-	10	15	14	26	32	36	30	-
1991	153	2	1	2	2	6	10	10	17	39	40	24	-
1990	173	-	-	-	2	11	19	14	19	39	42	27	-
1989	143	-	1	1	2	6	16	18	20	22	33	24	-
1988	149	-	-	-	3	9	16	8	23	30	37	23	-
1987	154	3	-	1	3	8	20	11	19	34	36	19	-
1986	175	-	2	2	6	10	16	8	28	41	36	26	-
1985	163	1	1	-	5	13	13	13	14	38	42	23	-
1984	170	1	-	1	4	14	12	14	22	32	37	33	-
1983	207	2	-	1	4	13	12	11	35	47	60	21	1
1982	186	2	-	-	2	13	17	26	30	36	38	22	-
1981	178	-	1	1	4	10	11	13	22	54	39	23	-
1980	260	-	1	1	4	14	12	23	38	71	67	29	-
1979	272	1	-	1	7	14	19	35	34	78	53	30	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 + years	Age not stated
					years	years	years	years	years	years	years		
Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (582-583,587)													
All other, female													
1998	179	-	-	-	2	2	7	10	22	27	45	64	-
1997	159	1	-	2	2	6	8	5	18	32	47	38	-
1996	172	-	-	3	3	1	7	7	16	49	28	58	-
1995	144	-	-	1	2	7	10	11	15	34	31	33	-
1994	185	-	-	-	1	7	5	17	20	35	56	44	-
1993	170	-	-	-	3	4	9	8	19	41	40	46	-
1992	138	-	-	-	-	3	9	10	8	34	31	43	-
1991	160	1	-	1	6	2	8	11	12	38	46	35	-
1990	157	-	-	1	3	3	7	8	22	31	52	30	-
1989	173	-	1	-	1	8	5	7	16	47	50	37	1
1988	122	-	-	-	2	6	5	6	11	25	38	29	-
1987	151	1	-	-	2	3	6	8	18	39	39	35	-
1986	150	-	-	1	-	2	5	5	22	44	45	26	-
1985	146	-	-	1	-	2	6	8	20	28	50	31	-
1984	182	-	-	1	3	6	12	16	27	35	44	38	-
1983	183	2	-	-	3	9	6	9	36	41	49	28	-
1982	202	1	1	1	3	9	5	14	34	46	62	26	-
1981	207	-	-	-	2	6	19	16	32	48	57	26	1
1980	268	-	-	-	5	11	8	23	49	62	68	42	-
1979	244	-	-	1	7	12	9	15	38	64	66	32	-
Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (582-583,587)													
Black, both sexes													
1998	310	1	-	1	3	5	13	17	35	58	91	86	-
1997	276	2	-	3	3	12	21	17	31	53	74	60	-
1996	292	1	-	3	2	2	19	20	23	76	64	82	-
1995	266	2	-	1	4	8	24	16	27	62	67	55	-
1994	306	-	-	2	3	13	18	30	39	54	82	65	-
1993	309	-	1	-	5	13	21	16	36	75	77	65	-
1992	279	1	1	-	-	11	24	21	29	61	60	71	-
1991	285	2	-	3	7	7	18	17	26	68	80	57	-
1990	300	-	-	1	5	13	25	17	38	64	84	53	-
1989	295	-	1	-	3	13	20	25	34	64	77	57	1
1988	241	-	-	-	5	12	20	13	30	47	68	46	-
1987	277	4	-	-	5	11	23	18	35	64	70	47	-
1986	299	-	1	2	6	11	21	10	44	83	75	46	-
1985	288	1	1	1	4	15	17	19	32	60	85	53	-
1984	324	1	-	1	6	19	21	28	43	65	79	61	-
1983	366	4	-	1	7	21	14	19	67	84	101	47	1
1982	353	3	1	-	4	17	20	33	63	78	91	43	-
1981	359	-	1	1	6	15	27	27	50	96	89	46	1
1980	498	-	1	1	6	24	18	41	81	128	130	68	-
1979	484	-	-	2	11	24	27	48	70	134	114	54	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 + years	Age not stated
					years	years	years	years	years	years	years		
Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (582-583,587)													
Black, male													
1998	153	1	-	1	1	4	7	9	16	34	49	31	-
1997	135	1	-	1	1	7	13	13	14	25	37	23	-
1996	144	1	-	-	1	1	13	16	10	33	40	29	-
1995	139	2	-	1	2	3	14	8	14	32	38	25	-
1994	138	-	-	2	2	6	13	14	22	25	32	22	-
1993	153	-	1	-	3	11	12	10	17	37	41	21	-
1992	152	1	1	-	-	10	15	11	22	30	33	29	-
1991	136	1	-	2	1	5	10	8	15	35	36	23	-
1990	156	-	-	-	2	11	18	12	16	36	36	25	-
1989	137	-	-	-	2	6	16	18	20	21	31	23	-
1988	133	-	-	-	3	9	16	7	21	24	33	20	-
1987	139	3	-	-	3	8	17	10	18	30	34	16	-
1986	166	-	1	2	6	9	16	7	27	40	34	24	-
1985	155	1	1	-	4	13	12	13	14	38	36	23	-
1984	155	1	-	1	3	13	12	13	18	30	35	29	-
1983	194	2	-	1	4	12	10	10	33	46	56	19	1
1982	172	2	-	-	2	10	16	22	30	33	36	21	-
1981	166	-	1	1	4	9	10	12	22	50	36	21	-
1980	243	-	1	1	2	14	11	20	35	68	63	28	-
1979	252	-	-	1	6	12	18	34	32	72	50	27	-
Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (582-583,587)													
Black, female													
1998	157	-	-	-	2	1	6	8	19	24	42	55	-
1997	141	1	-	2	2	5	8	4	17	28	37	37	-
1996	148	-	-	3	1	1	6	4	13	43	24	53	-
1995	127	-	-	-	2	5	10	8	13	30	29	30	-
1994	168	-	-	-	1	7	5	16	17	29	50	43	-
1993	156	-	-	-	2	2	9	6	19	38	36	44	-
1992	127	-	-	-	-	1	9	10	7	31	27	42	-
1991	149	1	-	1	6	2	8	9	11	33	44	34	-
1990	144	-	-	1	3	2	7	5	22	28	48	28	-
1989	158	-	1	-	1	7	4	7	14	43	46	34	1
1988	108	-	-	-	2	3	4	6	9	23	35	26	-
1987	138	1	-	-	2	3	6	8	17	34	36	31	-
1986	133	-	-	-	-	2	5	3	17	43	41	22	-
1985	133	-	-	1	-	2	5	6	18	22	49	30	-
1984	169	-	-	-	3	6	9	15	25	35	44	32	-
1983	172	2	-	-	3	9	4	9	34	38	45	28	-
1982	181	1	1	-	2	7	4	11	33	45	55	22	-
1981	193	-	-	-	2	6	17	15	28	46	53	25	1
1980	255	-	-	-	4	10	7	21	46	60	67	40	-
1979	232	-	-	1	5	12	9	14	38	62	64	27	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Renal failure (584-586)													
All races, both sexes													
1998	24,111	126	9	13	34	124	377	845	1,664	4,420	8,366	8,133	-
1997	23,309	123	11	9	37	138	375	768	1,687	4,369	7,958	7,834	-
1996	22,303	133	9	19	41	128	420	767	1,566	4,261	7,705	7,252	2
1995	21,833	145	9	13	41	162	424	737	1,600	4,233	7,495	6,970	4
1994	21,074	167	8	10	34	158	378	663	1,553	4,290	7,130	6,681	2
1993	21,389	171	15	21	34	188	395	675	1,706	4,385	7,192	6,605	2
1992	20,312	181	10	14	43	196	417	646	1,576	4,181	6,818	6,227	3
1991	19,481	178	9	17	41	195	427	595	1,545	4,028	6,585	5,859	2
1990	18,896	139	15	11	43	176	444	628	1,570	3,932	6,386	5,552	-
1989	19,248	186	9	12	52	212	391	637	1,680	4,023	6,533	5,509	4
1988	20,514	212	13	16	65	222	413	712	1,878	4,204	6,872	5,906	1
1987	20,213	207	18	15	55	233	342	680	1,854	4,288	6,742	5,779	-
1986	19,923	241	21	24	60	197	371	669	1,909	4,232	6,612	5,585	2
1985	19,387	265	17	20	62	194	369	639	1,964	4,274	6,286	5,294	3
1984	17,947	264	16	31	63	187	311	595	1,852	4,023	5,858	4,745	2
1983	16,715	217	13	20	61	192	281	628	1,799	3,707	5,520	4,274	3
1982	15,796	243	21	24	60	167	294	570	1,786	3,659	5,019	3,950	3
1981	14,887	244	15	27	81	175	282	617	1,678	3,480	4,718	3,568	2
1980	14,136	217	16	22	75	188	284	674	1,660	3,233	4,430	3,334	3
1979	12,986	205	17	36	89	195	288	689	1,535	2,977	4,086	2,867	2
Renal failure (584-586)													
All races, male													
1998	11,569	65	5	5	17	71	241	525	905	2,313	4,176	3,246	-
1997	11,159	75	4	6	23	82	228	446	894	2,354	3,935	3,112	-
1996	10,671	86	3	11	26	82	252	437	883	2,249	3,816	2,825	1
1995	10,481	82	6	5	24	99	275	422	856	2,261	3,693	2,754	4
1994	9,975	99	3	3	15	95	237	387	817	2,189	3,488	2,640	2
1993	10,265	96	11	10	21	114	244	393	894	2,323	3,539	2,620	-
1992	9,882	87	3	7	22	128	286	383	863	2,192	3,401	2,509	1
1991	9,486	113	8	9	23	120	303	346	874	2,135	3,247	2,307	1
1990	9,076	77	12	6	27	108	284	345	791	2,064	3,183	2,179	-
1989	9,409	112	8	3	23	138	269	361	949	2,157	3,212	2,173	4
1988	9,908	110	5	10	35	135	270	411	1,019	2,208	3,367	2,337	1
1987	9,975	106	11	11	30	138	220	402	1,034	2,270	3,361	2,392	-
1986	9,927	142	10	10	33	110	221	393	1,047	2,320	3,335	2,305	1
1985	9,607	151	10	9	37	117	238	341	1,052	2,307	3,108	2,236	1
1984	8,979	157	9	13	35	109	193	320	1,009	2,150	2,954	2,029	1
1983	8,240	113	8	10	29	109	151	351	966	1,956	2,748	1,796	3
1982	8,004	148	7	16	34	93	168	341	970	1,970	2,526	1,728	3
1981	7,606	136	6	19	40	109	173	345	947	1,906	2,361	1,564	-
1980	7,317	122	5	11	37	118	180	349	907	1,803	2,280	1,503	2
1979	6,811	113	10	22	44	114	166	367	858	1,615	2,159	1,342	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Renal failure (584-586)													
All races, female													
1998	12,542	61	4	8	17	53	136	320	759	2,107	4,190	4,887	-
1997	12,150	48	7	3	14	56	147	322	793	2,015	4,023	4,722	-
1996	11,632	47	6	8	15	46	168	330	683	2,012	3,889	4,427	1
1995	11,352	63	3	8	17	63	149	315	744	1,972	3,802	4,216	-
1994	11,099	68	5	7	19	63	141	276	736	2,101	3,642	4,041	-
1993	11,124	75	4	11	13	74	151	282	812	2,062	3,653	3,985	2
1992	10,430	94	7	7	21	68	131	263	713	1,989	3,417	3,718	2
1991	9,995	65	1	8	18	75	124	249	671	1,893	3,338	3,552	1
1990	9,820	62	3	5	16	68	160	283	779	1,868	3,203	3,373	-
1989	9,839	74	1	9	29	74	122	276	731	1,866	3,321	3,336	-
1988	10,606	102	8	6	30	87	143	301	859	1,996	3,505	3,569	-
1987	10,238	101	7	4	25	95	122	278	820	2,018	3,381	3,387	-
1986	9,996	99	11	14	27	87	150	276	862	1,912	3,277	3,280	1
1985	9,780	114	7	11	25	77	131	298	912	1,967	3,178	3,058	2
1984	8,968	107	7	18	28	78	118	275	843	1,873	2,904	2,716	1
1983	8,475	104	5	10	32	83	130	277	833	1,751	2,772	2,478	-
1982	7,792	95	14	8	26	74	126	229	816	1,689	2,493	2,222	-
1981	7,281	108	9	8	41	66	109	272	731	1,574	2,357	2,004	2
1980	6,819	95	11	11	38	70	104	325	753	1,430	2,150	1,831	1
1979	6,175	92	7	14	45	81	122	322	677	1,362	1,927	1,525	1
Renal failure (584-586)													
White, both sexes													
1998	19,702	79	4	11	21	73	212	528	1,102	3,438	7,120	7,114	-
1997	19,029	86	9	7	29	78	226	460	1,111	3,413	6,784	6,826	-
1996	18,094	74	8	13	23	68	238	474	1,081	3,315	6,493	6,307	-
1995	17,634	86	5	8	24	96	225	449	1,060	3,310	6,282	6,088	1
1994	17,139	95	5	5	24	78	193	405	1,029	3,353	6,074	5,877	1
1993	17,280	103	12	16	29	88	204	393	1,169	3,468	6,048	5,749	1
1992	16,425	121	9	9	24	101	225	382	1,041	3,266	5,786	5,460	1
1991	15,673	120	9	11	22	100	221	359	1,037	3,116	5,596	5,080	2
1990	15,099	81	9	6	26	97	236	363	1,030	3,024	5,347	4,880	-
1989	15,130	119	6	6	29	108	192	372	1,081	3,026	5,377	4,814	-
1988	16,382	142	11	12	35	119	228	412	1,277	3,260	5,721	5,165	-
1987	16,299	119	12	10	31	127	214	405	1,285	3,334	5,689	5,073	-
1986	15,991	154	17	20	42	111	208	393	1,316	3,304	5,535	4,890	1
1985	15,469	178	13	16	43	104	213	394	1,361	3,267	5,263	4,615	2
1984	14,438	171	12	20	46	123	190	372	1,291	3,107	4,895	4,211	-
1983	13,503	147	10	15	44	126	162	412	1,266	2,847	4,681	3,793	-
1982	12,604	164	16	20	36	111	188	349	1,233	2,787	4,199	3,500	1
1981	11,882	171	14	24	61	108	175	382	1,148	2,631	3,985	3,182	1
1980	11,117	147	14	17	42	118	173	412	1,107	2,444	3,704	2,937	2
1979	10,365	149	15	28	61	133	176	432	1,058	2,298	3,443	2,571	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Renal failure (584-586)													
White, male													
1998	9,604	42	3	5	9	41	131	329	600	1,888	3,659	2,897	-
1997	9,204	48	4	4	16	45	130	265	602	1,914	3,442	2,734	-
1996	8,768	50	2	7	17	42	135	278	626	1,811	3,320	2,480	-
1995	8,557	48	3	3	11	53	144	260	585	1,834	3,185	2,430	1
1994	8,199	54	1	1	8	41	111	229	564	1,755	3,078	2,356	1
1993	8,362	58	9	6	18	47	116	226	643	1,894	3,044	2,301	-
1992	8,045	62	3	4	14	69	142	232	602	1,768	2,934	2,214	1
1991	7,652	79	8	4	14	55	162	203	597	1,695	2,825	2,009	1
1990	7,301	46	7	4	18	62	159	202	536	1,632	2,713	1,922	-
1989	7,362	72	6	2	12	69	129	211	650	1,650	2,668	1,893	-
1988	7,999	79	5	8	18	71	154	243	727	1,777	2,846	2,071	-
1987	8,093	65	8	8	18	72	130	249	737	1,830	2,881	2,095	-
1986	8,027	93	9	9	23	61	119	233	758	1,865	2,829	2,028	-
1985	7,736	107	7	9	28	60	131	225	755	1,837	2,625	1,951	1
1984	7,296	102	8	7	27	71	116	202	715	1,727	2,519	1,802	-
1983	6,716	81	6	7	25	70	83	241	696	1,571	2,363	1,573	-
1982	6,466	104	5	12	21	61	117	214	706	1,553	2,145	1,527	1
1981	6,107	93	5	17	33	70	109	217	665	1,494	2,028	1,376	-
1980	5,824	87	5	10	24	72	105	218	643	1,428	1,911	1,319	2
1979	5,483	77	9	16	28	80	101	242	629	1,299	1,809	1,193	-
Renal failure (584-586)													
White, female													
1998	10,098	37	1	6	12	32	81	199	502	1,550	3,461	4,217	-
1997	9,825	38	5	3	13	33	96	195	509	1,499	3,342	4,092	-
1996	9,326	24	6	6	6	26	103	196	455	1,504	3,173	3,827	-
1995	9,077	38	2	5	13	43	81	189	475	1,476	3,097	3,658	-
1994	8,940	41	4	4	16	37	82	176	465	1,598	2,996	3,521	-
1993	8,918	45	3	10	11	41	88	167	526	1,574	3,004	3,448	1
1992	8,380	59	6	5	10	32	83	150	439	1,498	2,852	3,246	-
1991	8,021	41	1	7	8	45	59	156	440	1,421	2,771	3,071	1
1990	7,798	35	2	2	8	35	77	161	494	1,392	2,634	2,958	-
1989	7,768	47	-	4	17	39	63	161	431	1,376	2,709	2,921	-
1988	8,383	63	6	4	17	48	74	169	550	1,483	2,875	3,094	-
1987	8,206	54	4	2	13	55	84	156	548	1,504	2,808	2,978	-
1986	7,964	61	8	11	19	50	89	160	558	1,439	2,706	2,862	1
1985	7,733	71	6	7	15	44	82	169	606	1,430	2,638	2,664	1
1984	7,142	69	4	13	19	52	74	170	576	1,380	2,376	2,409	-
1983	6,787	66	4	8	19	56	79	171	570	1,276	2,318	2,220	-
1982	6,138	60	11	8	15	50	71	135	527	1,234	2,054	1,973	-
1981	5,775	78	9	7	28	38	66	165	483	1,137	1,957	1,806	1
1980	5,293	60	9	7	18	46	68	194	464	1,016	1,793	1,618	-
1979	4,882	72	6	12	33	53	75	190	429	999	1,634	1,378	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Renal failure (584-586)													
All other, both sexes													
1998	4,409	47	5	2	13	51	165	317	562	982	1,246	1,019	-
1997	4,280	37	2	2	8	60	149	308	576	956	1,174	1,008	-
1996	4,209	59	1	6	18	60	182	293	485	946	1,212	945	2
1995	4,199	59	4	5	17	66	199	288	540	923	1,213	882	3
1994	3,935	72	3	5	10	80	185	258	524	937	1,056	804	1
1993	4,109	68	3	5	5	100	191	282	537	917	1,144	856	1
1992	3,887	60	1	5	19	95	192	264	535	915	1,032	767	2
1991	3,808	58	-	6	19	95	206	236	508	912	989	779	-
1990	3,797	58	6	5	17	79	208	265	540	908	1,039	672	-
1989	4,118	67	3	6	23	104	199	265	599	997	1,156	695	4
1988	4,132	70	2	4	30	103	185	300	601	944	1,151	741	1
1987	3,914	88	6	5	24	106	128	275	569	954	1,053	706	-
1986	3,932	87	4	4	18	86	163	276	593	928	1,077	695	1
1985	3,918	87	4	4	19	90	156	245	603	1,007	1,023	679	1
1984	3,509	93	4	11	17	64	121	223	561	916	963	534	2
1983	3,212	70	3	5	17	66	119	216	533	860	839	481	3
1982	3,192	79	5	4	24	56	106	221	553	872	820	450	2
1981	3,005	73	1	3	20	67	107	235	530	849	733	386	1
1980	3,019	70	2	5	33	70	111	262	553	789	726	397	1
1979	2,621	56	2	8	28	62	112	257	477	679	643	296	1
Renal failure (584-586)													
All other, male													
1998	1,965	23	2	-	8	30	110	196	305	425	517	349	-
1997	1,955	27	-	2	7	37	98	181	292	440	493	378	-
1996	1,903	36	1	4	9	40	117	159	257	438	496	345	1
1995	1,924	34	3	2	13	46	131	162	271	427	508	324	3
1994	1,776	45	2	2	7	54	126	158	253	434	410	284	1
1993	1,903	38	2	4	3	67	128	167	251	429	495	319	-
1992	1,837	25	-	3	8	59	144	151	261	424	467	295	-
1991	1,834	34	-	5	9	65	141	143	277	440	422	298	-
1990	1,775	31	5	2	9	46	125	143	255	432	470	257	-
1989	2,047	40	2	1	11	69	140	150	299	507	544	280	4
1988	1,909	31	-	2	17	64	116	168	292	431	521	266	1
1987	1,882	41	3	3	12	66	90	153	297	440	480	297	-
1986	1,900	49	1	1	10	49	102	160	289	455	506	277	1
1985	1,871	44	3	-	9	57	107	116	297	470	483	285	-
1984	1,683	55	1	6	8	38	77	118	294	423	435	227	1
1983	1,524	32	2	3	4	39	68	110	270	385	385	223	3
1982	1,538	44	2	4	13	32	51	127	264	417	381	201	2
1981	1,499	43	1	2	7	39	64	128	282	412	333	188	-
1980	1,493	35	-	1	13	46	75	131	264	375	369	184	-
1979	1,328	36	1	6	16	34	65	125	229	316	350	149	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Renal failure (584-586)													
All other, female													
1998	2,444	24	3	2	5	21	55	121	257	557	729	670	-
1997	2,325	10	2	-	1	23	51	127	284	516	681	630	-
1996	2,306	23	-	2	9	20	65	134	228	508	716	600	1
1995	2,275	25	1	3	4	20	68	126	269	496	705	558	-
1994	2,159	27	1	3	3	26	59	100	271	503	646	520	-
1993	2,206	30	1	1	2	33	63	115	286	488	649	537	1
1992	2,050	35	1	2	11	36	48	113	274	491	565	472	2
1991	1,974	24	-	1	10	30	65	93	231	472	567	481	-
1990	2,022	27	1	3	8	33	83	122	285	476	569	415	-
1989	2,071	27	1	5	12	35	59	115	300	490	612	415	-
1988	2,223	39	2	2	13	39	69	132	309	513	630	475	-
1987	2,032	47	3	2	12	40	38	122	272	514	573	409	-
1986	2,032	38	3	3	8	37	61	116	304	473	571	418	-
1985	2,047	43	1	4	10	33	49	129	306	537	540	394	1
1984	1,826	38	3	5	9	26	44	105	267	493	528	307	1
1983	1,688	38	1	2	13	27	51	106	263	475	454	258	-
1982	1,654	35	3	-	11	24	55	94	289	455	439	249	-
1981	1,506	30	-	1	13	28	43	107	248	437	400	198	1
1980	1,526	35	2	4	20	24	36	131	289	414	357	213	1
1979	1,293	20	1	2	12	28	47	132	248	363	293	147	-
Renal failure (584-586)													
Black, both sexes													
1998	3,970	41	5	2	12	49	157	284	518	867	1,103	932	-
1997	3,901	32	1	1	7	55	140	282	529	864	1,061	929	-
1996	3,787	57	1	6	17	55	173	273	445	838	1,076	844	2
1995	3,834	56	3	4	16	66	191	266	497	834	1,093	805	3
1994	3,615	67	2	5	10	79	175	246	481	861	958	730	1
1993	3,730	65	3	5	5	93	180	263	495	828	1,019	773	1
1992	3,549	54	1	5	16	89	180	241	491	826	937	707	2
1991	3,509	57	-	5	17	92	199	223	467	848	898	703	-
1990	3,494	52	6	5	16	75	197	248	500	828	949	618	-
1989	3,798	64	3	5	20	100	190	249	556	920	1,056	631	4
1988	3,845	64	2	4	27	98	176	279	564	880	1,063	687	1
1987	3,639	80	6	5	23	98	120	255	537	888	975	652	-
1986	3,658	82	4	4	15	79	155	251	549	873	1,008	638	-
1985	3,684	78	4	3	18	88	155	221	575	945	951	645	1
1984	3,278	89	4	10	16	59	112	200	530	866	889	501	2
1983	3,003	66	3	5	14	61	109	203	502	804	791	442	3
1982	2,998	77	4	4	19	52	96	209	520	832	763	420	2
1981	2,849	69	1	3	20	63	103	223	507	805	697	357	1
1980	2,853	67	1	4	30	65	103	251	526	757	679	369	1
1979	2,480	54	2	7	27	61	110	242	461	644	600	271	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Renal failure (584-586)													
Black, male													
1998	1,755	22	2	-	7	29	104	175	286	372	451	307	-
1997	1,778	23	-	1	6	36	95	169	267	406	438	337	-
1996	1,699	36	1	4	8	39	111	151	235	385	438	290	1
1995	1,754	34	2	1	13	46	127	146	250	387	456	289	3
1994	1,621	42	1	2	7	54	120	151	236	395	366	246	1
1993	1,699	37	2	4	3	62	120	154	230	388	422	277	-
1992	1,674	22	-	3	7	57	136	139	245	382	422	261	-
1991	1,685	34	-	4	8	63	138	136	255	413	373	261	-
1990	1,617	27	5	2	8	43	119	138	235	394	417	229	-
1989	1,874	39	2	1	10	66	135	143	278	462	487	247	4
1988	1,739	29	-	2	16	61	111	154	271	395	464	235	1
1987	1,735	37	3	3	12	63	85	141	280	407	433	271	-
1986	1,764	46	1	1	8	45	99	148	266	429	474	247	-
1985	1,747	39	3	-	9	55	106	108	283	437	439	268	-
1984	1,553	53	1	5	7	38	73	105	277	394	392	207	1
1983	1,423	30	2	3	4	37	65	102	256	360	359	202	3
1982	1,443	42	2	4	10	29	46	125	249	398	349	187	2
1981	1,419	41	1	2	7	37	63	120	269	388	315	176	-
1980	1,417	34	-	1	13	42	72	129	255	359	341	171	-
1979	1,244	35	1	6	15	34	65	118	218	295	324	132	1
Renal failure (584-586)													
Black, female													
1998	2,215	19	3	2	5	20	53	109	232	495	652	625	-
1997	2,123	9	1	-	1	19	45	113	262	458	623	592	-
1996	2,088	21	-	2	9	16	62	122	210	453	638	554	1
1995	2,080	22	1	3	3	20	64	120	247	447	637	516	-
1994	1,994	25	1	3	3	25	55	95	245	466	592	484	-
1993	2,031	28	1	1	2	31	60	109	265	440	597	496	1
1992	1,875	32	1	2	9	32	44	102	246	444	515	446	2
1991	1,824	23	-	1	9	29	61	87	212	435	525	442	-
1990	1,877	25	1	3	8	32	78	110	265	434	532	389	-
1989	1,924	25	1	4	10	34	55	106	278	458	569	384	-
1988	2,106	35	2	2	11	37	65	125	293	485	599	452	-
1987	1,904	43	3	2	11	35	35	114	257	481	542	381	-
1986	1,894	36	3	3	7	34	56	103	283	444	534	391	-
1985	1,937	39	1	3	9	33	49	113	292	508	512	377	1
1984	1,725	36	3	5	9	21	39	95	253	472	497	294	1
1983	1,580	36	1	2	10	24	44	101	246	444	432	240	-
1982	1,555	35	2	-	9	23	50	84	271	434	414	233	-
1981	1,430	28	-	1	13	26	40	103	238	417	382	181	1
1980	1,436	33	1	3	17	23	31	122	271	398	338	198	1
1979	1,236	19	1	1	12	27	45	124	243	349	276	139	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other disorders of kidney (588-589)													
All races, both sexes													
1998	31	-	-	-	-	-	5	3	4	4	10	5	-
1997	46	1	-	1	-	1	2	4	4	10	10	13	-
1996	42	-	-	-	1	3	3	6	3	6	13	7	-
1995	47	-	1	-	-	1	4	4	3	13	11	10	-
1994	51	1	-	-	1	1	-	3	8	16	13	8	-
1993	48	2	-	-	-	1	3	5	3	10	15	9	-
1992	43	-	-	-	-	3	3	1	5	9	11	11	-
1991	47	-	-	1	1	2	3	6	6	6	14	8	-
1990	51	1	-	-	-	1	4	4	7	14	15	5	-
1989	43	-	-	-	1	3	3	6	3	9	12	6	-
1988	47	-	-	1	3	2	2	2	8	8	12	9	-
1987	53	-	-	-	1	2	1	7	8	7	14	13	-
1986	46	-	-	-	1	4	5	2	6	9	8	11	-
1985	49	2	-	2	-	1	3	3	8	14	8	8	-
1984	39	1	-	-	-	-	2	5	3	9	11	8	-
1983	42	1	1	1	-	2	1	2	8	8	16	2	-
1982	51	2	-	-	1	4	9	3	11	8	8	5	-
1981	33	-	3	-	-	-	1	3	5	10	4	7	-
1980	44	1	3	-	-	2	2	4	3	9	15	5	-
1979	42	1	1	2	2	2	4	3	7	9	9	2	-
Other disorders of kidney (588-589)													
All races, male													
1998	7	-	-	-	-	-	1	-	2	-	4	-	-
1997	20	1	-	1	-	1	-	2	3	4	4	4	-
1996	18	-	-	-	-	1	2	1	2	3	6	3	-
1995	22	-	1	-	-	-	1	1	1	8	5	5	-
1994	21	1	-	-	-	1	-	-	4	6	5	4	-
1993	15	1	-	-	-	-	1	1	-	3	6	3	-
1992	15	-	-	-	-	-	2	1	3	4	3	2	-
1991	20	-	-	1	-	1	1	3	3	3	6	2	-
1990	21	-	-	-	-	1	2	2	4	7	5	-	-
1989	18	-	-	-	-	2	2	3	1	1	7	2	-
1988	21	-	-	1	1	2	1	1	2	5	5	3	-
1987	23	-	-	-	1	1	-	4	3	4	7	3	-
1986	18	-	-	-	1	3	1	2	3	2	2	4	-
1985	15	1	-	2	-	1	2	-	-	5	2	2	-
1984	14	-	-	-	-	-	1	3	1	4	3	2	-
1983	19	1	1	-	-	1	1	-	3	3	7	2	-
1982	26	1	-	-	1	1	4	2	5	5	5	2	-
1981	9	-	-	-	-	-	-	1	2	3	-	3	-
1980	21	1	3	-	-	2	1	3	1	1	6	3	-
1979	23	-	1	1	-	2	2	-	4	5	7	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other disorders of kidney (588-589)													
All races, female													
1998	24	-	-	-	-	-	4	3	2	4	6	5	-
1997	26	-	-	-	-	-	2	2	1	6	6	9	-
1996	24	-	-	-	1	2	1	5	1	3	7	4	-
1995	25	-	-	-	-	1	3	3	2	5	6	5	-
1994	30	-	-	-	1	-	-	3	4	10	8	4	-
1993	33	1	-	-	-	1	2	4	3	7	9	6	-
1992	28	-	-	-	-	3	1	-	2	5	8	9	-
1991	27	-	-	-	1	1	2	3	3	3	8	6	-
1990	30	1	-	-	-	-	2	2	3	7	10	5	-
1989	25	-	-	-	1	1	1	3	2	8	5	4	-
1988	26	-	-	-	2	-	1	1	6	3	7	6	-
1987	30	-	-	-	-	1	1	3	5	3	7	10	-
1986	28	-	-	-	-	1	4	-	3	7	6	7	-
1985	34	1	-	-	-	-	1	3	8	9	6	6	-
1984	25	1	-	-	-	-	1	2	2	5	8	6	-
1983	23	-	-	1	-	1	-	2	5	5	9	-	-
1982	25	1	-	-	-	3	5	1	6	3	3	3	-
1981	24	-	3	-	-	-	1	2	3	7	4	4	-
1980	23	-	-	-	-	-	1	1	2	8	9	2	-
1979	19	1	-	1	2	-	2	3	3	4	2	1	-
Other disorders of kidney (588-589)													
White, both sexes													
1998	26	-	-	-	-	-	3	2	2	4	10	5	-
1997	36	-	-	1	-	1	1	2	1	10	9	11	-
1996	37	-	-	-	1	3	3	6	2	5	11	6	-
1995	33	-	-	-	-	1	2	3	2	9	9	7	-
1994	41	-	-	-	1	1	-	3	6	13	11	6	-
1993	32	1	-	-	-	-	1	5	1	8	11	5	-
1992	26	-	-	-	-	2	1	1	3	5	7	7	-
1991	34	-	-	1	-	2	1	4	4	5	12	5	-
1990	32	-	-	-	-	-	-	3	3	9	13	4	-
1989	35	-	-	-	1	2	2	5	3	8	9	5	-
1988	34	-	-	1	2	2	2	1	6	4	10	6	-
1987	40	-	-	-	-	1	-	6	6	5	11	11	-
1986	32	-	-	-	-	3	4	1	4	8	7	5	-
1985	35	1	-	2	-	1	1	2	6	11	6	5	-
1984	26	1	-	-	-	-	1	4	3	6	7	4	-
1983	33	1	-	1	-	2	1	1	6	5	14	2	-
1982	44	2	-	-	1	3	9	2	9	7	6	5	-
1981	25	-	2	-	-	-	1	2	4	9	2	5	-
1980	33	1	2	-	-	2	1	2	2	7	13	3	-
1979	31	-	1	1	2	2	3	3	4	6	7	2	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other disorders of kidney (588-589)													
White, male													
1998	5	-	-	-	-	-	-	-	1	-	4	-	-
1997	16	-	-	1	-	1	-	1	1	4	4	4	-
1996	14	-	-	-	-	1	2	1	1	2	4	3	-
1995	17	-	-	-	-	-	-	1	1	6	5	4	-
1994	16	-	-	-	-	1	-	-	2	5	5	3	-
1993	11	-	-	-	-	-	1	1	-	2	5	2	-
1992	9	-	-	-	-	-	1	1	2	1	3	1	-
1991	17	-	-	1	-	1	-	2	3	2	6	2	-
1990	12	-	-	-	-	-	-	2	2	5	3	-	-
1989	15	-	-	-	-	1	1	2	1	1	7	2	-
1988	12	-	-	1	-	2	1	-	1	2	4	1	-
1987	17	-	-	-	-	1	-	3	2	3	6	2	-
1986	10	-	-	-	-	2	1	1	2	1	2	1	-
1985	9	1	-	2	-	1	-	-	-	4	1	-	-
1984	12	-	-	-	-	-	1	3	1	3	3	1	-
1983	14	1	-	-	-	1	1	-	2	1	6	2	-
1982	21	1	-	-	1	1	4	1	4	4	3	2	-
1981	7	-	-	-	-	-	-	1	2	2	-	2	-
1980	15	1	2	-	-	2	1	1	-	1	5	2	-
1979	18	-	1	-	-	2	1	-	4	3	6	1	-
Other disorders of kidney (588-589)													
White, female													
1998	21	-	-	-	-	-	3	2	1	4	6	5	-
1997	20	-	-	-	-	-	1	1	-	6	5	7	-
1996	23	-	-	-	1	2	1	5	1	3	7	3	-
1995	16	-	-	-	-	1	2	2	1	3	4	3	-
1994	25	-	-	-	1	-	-	3	4	8	6	3	-
1993	21	1	-	-	-	-	-	4	1	6	6	3	-
1992	17	-	-	-	-	2	-	-	1	4	4	6	-
1991	17	-	-	-	-	1	1	2	1	3	6	3	-
1990	20	-	-	-	-	-	-	1	1	4	10	4	-
1989	20	-	-	-	1	1	1	3	2	7	2	3	-
1988	22	-	-	-	2	-	1	1	5	2	6	5	-
1987	23	-	-	-	-	-	-	3	4	2	5	9	-
1986	22	-	-	-	-	1	3	-	2	7	5	4	-
1985	26	-	-	-	-	-	1	2	6	7	5	5	-
1984	14	1	-	-	-	-	-	1	2	3	4	3	-
1983	19	-	-	1	-	1	-	1	4	4	8	-	-
1982	23	1	-	-	-	2	5	1	5	3	3	3	-
1981	18	-	2	-	-	-	1	1	2	7	2	3	-
1980	18	-	-	-	-	-	-	1	2	6	8	1	-
1979	13	-	-	1	2	-	2	3	-	3	1	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other disorders of kidney (588-589)													
All other, both sexes													
1998	5	-	-	-	-	-	2	1	2	-	-	-	-
1997	10	1	-	-	-	-	1	2	3	-	1	2	-
1996	5	-	-	-	-	-	-	-	1	1	2	1	-
1995	14	-	1	-	-	-	2	1	1	4	2	3	-
1994	10	1	-	-	-	-	-	-	2	3	2	2	-
1993	16	1	-	-	-	1	2	-	2	2	4	4	-
1992	17	-	-	-	-	1	2	-	2	4	4	4	-
1991	13	-	-	-	1	-	2	2	2	1	2	3	-
1990	19	1	-	-	-	1	4	1	4	5	2	1	-
1989	8	-	-	-	-	1	1	1	-	1	3	1	-
1988	13	-	-	-	1	-	-	1	2	4	2	3	-
1987	13	-	-	-	1	1	1	1	2	2	3	2	-
1986	14	-	-	-	1	1	1	1	2	1	1	6	-
1985	14	1	-	-	-	-	2	1	2	3	2	3	-
1984	13	-	-	-	-	-	1	1	-	3	4	4	-
1983	9	-	1	-	-	-	-	1	2	3	2	-	-
1982	7	-	-	-	-	1	-	1	2	1	2	-	-
1981	8	-	1	-	-	-	-	1	1	1	2	2	-
1980	11	-	1	-	-	-	1	2	1	2	2	2	-
1979	11	1	-	1	-	-	1	-	3	3	2	-	-
Other disorders of kidney (588-589)													
All other, male													
1998	2	-	-	-	-	-	1	-	1	-	-	-	-
1997	4	1	-	-	-	-	-	1	2	-	-	-	-
1996	4	-	-	-	-	-	-	-	1	1	2	-	-
1995	5	-	1	-	-	-	1	-	-	2	-	1	-
1994	5	1	-	-	-	-	-	-	2	1	-	1	-
1993	4	1	-	-	-	-	-	-	-	1	1	1	-
1992	6	-	-	-	-	-	1	-	1	3	-	1	-
1991	3	-	-	-	-	-	1	1	-	1	-	-	-
1990	9	-	-	-	-	1	2	-	2	2	2	-	-
1989	3	-	-	-	-	1	1	1	-	-	-	-	-
1988	9	-	-	-	1	-	-	1	1	3	1	2	-
1987	6	-	-	-	1	-	-	1	1	1	1	1	-
1986	8	-	-	-	1	1	-	1	1	1	-	3	-
1985	6	-	-	-	-	-	2	-	-	1	1	2	-
1984	2	-	-	-	-	-	-	-	-	1	-	1	-
1983	5	-	1	-	-	-	-	-	1	2	1	-	-
1982	5	-	-	-	-	-	-	1	1	1	2	-	-
1981	2	-	-	-	-	-	-	-	-	1	-	1	-
1980	6	-	1	-	-	-	-	2	1	-	1	1	-
1979	5	-	-	1	-	-	1	-	-	2	1	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other disorders of kidney (588-589)													
All other, female													
1998	3	-	-	-	-	-	1	1	1	-	-	-	-
1997	6	-	-	-	-	-	1	1	1	-	1	2	-
1996	1	-	-	-	-	-	-	-	-	-	-	1	-
1995	9	-	-	-	-	-	1	1	1	2	2	2	-
1994	5	-	-	-	-	-	-	-	-	2	2	1	-
1993	12	-	-	-	-	1	2	-	2	1	3	3	-
1992	11	-	-	-	-	1	1	-	1	1	4	3	-
1991	10	-	-	-	1	-	1	1	2	-	2	3	-
1990	10	1	-	-	-	-	2	1	2	3	-	1	-
1989	5	-	-	-	-	-	-	-	-	1	3	1	-
1988	4	-	-	-	-	-	-	-	1	1	1	1	-
1987	7	-	-	-	-	1	1	-	1	1	2	1	-
1986	6	-	-	-	-	-	1	-	1	-	1	3	-
1985	8	1	-	-	-	-	-	1	2	2	1	1	-
1984	11	-	-	-	-	-	1	1	-	2	4	3	-
1983	4	-	-	-	-	-	-	1	1	1	1	-	-
1982	2	-	-	-	-	1	-	-	1	-	-	-	-
1981	6	-	1	-	-	-	-	1	1	-	2	1	-
1980	5	-	-	-	-	-	1	-	-	2	1	1	-
1979	6	1	-	-	-	-	-	-	3	1	1	-	-
Other disorders of kidney (588-589)													
Black, both sexes													
1998	4	-	-	-	-	-	2	-	2	-	-	-	-
1997	10	1	-	-	-	-	1	2	3	-	1	2	-
1996	5	-	-	-	-	-	-	-	1	1	2	1	-
1995	14	-	1	-	-	-	2	1	1	4	2	3	-
1994	9	1	-	-	-	-	-	-	2	3	2	1	-
1993	13	1	-	-	-	1	1	-	2	1	3	4	-
1992	17	-	-	-	-	1	2	-	2	4	4	4	-
1991	13	-	-	-	1	-	2	2	2	1	2	3	-
1990	19	1	-	-	-	1	4	1	4	5	2	1	-
1989	7	-	-	-	-	1	1	1	-	1	3	-	-
1988	12	-	-	-	1	-	-	1	2	3	2	3	-
1987	11	-	-	-	1	-	1	1	2	1	3	2	-
1986	14	-	-	-	1	1	1	1	2	1	1	6	-
1985	14	1	-	-	-	-	2	1	2	3	2	3	-
1984	13	-	-	-	-	-	1	1	-	3	4	4	-
1983	8	-	1	-	-	-	-	1	2	3	1	-	-
1982	7	-	-	-	-	1	-	1	2	1	2	-	-
1981	7	-	1	-	-	-	-	1	1	1	1	2	-
1980	10	-	1	-	-	-	1	2	1	1	2	2	-
1979	10	1	-	1	-	-	1	-	2	3	2	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other disorders of kidney (588-589)													
Black, male													
1998	2	-	-	-	-	-	1	-	1	-	-	-	-
1997	4	1	-	-	-	-	-	1	2	-	-	-	-
1996	4	-	-	-	-	-	-	-	1	1	2	-	-
1995	5	-	1	-	-	-	1	-	-	2	-	1	-
1994	5	1	-	-	-	-	-	-	2	1	-	1	-
1993	4	1	-	-	-	-	-	-	-	1	1	1	-
1992	6	-	-	-	-	-	1	-	1	3	-	1	-
1991	3	-	-	-	-	-	1	1	-	1	-	-	-
1990	9	-	-	-	-	1	2	-	2	2	2	-	-
1989	3	-	-	-	-	1	1	1	-	-	-	-	-
1988	9	-	-	-	1	-	-	1	1	3	1	2	-
1987	5	-	-	-	1	-	-	1	1	-	1	1	-
1986	8	-	-	-	1	1	-	1	1	1	-	3	-
1985	6	-	-	-	-	-	2	-	-	1	1	2	-
1984	2	-	-	-	-	-	-	-	-	1	-	1	-
1983	5	-	1	-	-	-	-	-	1	2	1	-	-
1982	5	-	-	-	-	-	-	1	1	1	2	-	-
1981	2	-	-	-	-	-	-	-	-	1	-	1	-
1980	6	-	1	-	-	-	-	2	1	-	1	1	-
1979	5	-	-	1	-	-	1	-	-	2	1	-	-
Other disorders of kidney (588-589)													
Black, female													
1998	2	-	-	-	-	-	1	-	1	-	-	-	-
1997	6	-	-	-	-	-	1	1	1	-	1	2	-
1996	1	-	-	-	-	-	-	-	-	-	-	1	-
1995	9	-	-	-	-	-	1	1	1	2	2	2	-
1994	4	-	-	-	-	-	-	-	-	2	2	-	-
1993	9	-	-	-	-	1	1	-	2	-	2	3	-
1992	11	-	-	-	-	1	1	-	1	1	4	3	-
1991	10	-	-	-	1	-	1	1	2	-	2	3	-
1990	10	1	-	-	-	-	2	1	2	3	-	1	-
1989	4	-	-	-	-	-	-	-	-	1	3	-	-
1988	3	-	-	-	-	-	-	-	1	-	1	1	-
1987	6	-	-	-	-	-	1	-	1	1	2	1	-
1986	6	-	-	-	-	-	1	-	1	-	1	3	-
1985	8	1	-	-	-	-	-	1	2	2	1	1	-
1984	11	-	-	-	-	-	1	1	-	2	4	3	-
1983	3	-	-	-	-	-	-	1	1	1	-	-	-
1982	2	-	-	-	-	1	-	-	1	-	-	-	-
1981	5	-	1	-	-	-	-	1	1	-	1	1	-
1980	4	-	-	-	-	-	1	-	-	1	1	1	-
1979	5	1	-	-	-	-	-	-	2	1	1	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Infections of kidney (590)													
All races, both sexes													
1998	828	5	-	-	2	7	31	43	58	120	240	322	-
1997	831	1	2	-	4	11	21	42	52	127	256	315	-
1996	896	6	4	1	5	15	25	28	65	142	284	320	1
1995	918	2	3	1	2	12	28	42	60	144	272	352	-
1994	973	6	1	1	3	12	24	38	64	140	332	352	-
1993	1,023	1	1	-	7	9	29	47	69	133	345	382	-
1992	1,083	1	1	2	2	12	35	39	64	150	338	439	-
1991	1,219	8	5	1	9	17	33	45	70	167	415	449	-
1990	1,296	6	1	-	9	8	34	44	93	199	436	466	-
1989	1,414	6	-	-	10	25	34	39	80	228	468	523	1
1988	1,610	5	3	2	6	18	37	56	91	236	564	591	1
1987	1,742	7	3	-	4	14	29	51	111	302	591	630	-
1986	1,870	4	3	1	4	18	28	56	125	298	604	727	2
1985	1,982	4	3	1	6	22	22	48	128	307	748	691	2
1984	2,077	5	1	1	13	21	37	58	157	361	703	720	-
1983	2,089	3	3	1	8	24	24	57	162	348	742	717	-
1982	2,218	8	1	3	7	22	27	71	162	418	786	713	-
1981	2,305	3	1	1	10	23	32	81	175	391	889	699	-
1980	2,732	6	-	4	6	28	42	94	195	537	958	862	-
1979	2,868	9	1	2	18	23	41	100	213	570	1,008	883	-
Infections of kidney (590)													
All races, male													
1998	214	2	-	-	1	3	14	18	18	32	64	62	-
1997	241	-	1	-	3	4	7	13	17	33	91	72	-
1996	255	3	3	-	2	2	10	4	20	53	86	71	1
1995	241	-	1	1	-	5	9	13	19	47	73	73	-
1994	261	1	-	-	-	1	9	9	28	52	83	78	-
1993	276	1	-	-	1	4	7	13	22	44	105	79	-
1992	327	1	1	1	1	6	12	8	20	55	118	104	-
1991	327	6	1	1	5	6	13	17	19	48	121	90	-
1990	404	5	-	-	2	5	11	20	42	72	130	117	-
1989	435	4	-	-	4	8	13	16	31	89	142	128	-
1988	496	3	1	-	2	7	15	23	33	85	182	145	-
1987	536	6	2	-	-	4	11	18	38	121	177	159	-
1986	562	1	-	-	2	7	7	22	41	101	205	174	2
1985	691	2	2	1	2	8	6	19	55	111	283	202	-
1984	713	3	-	1	3	9	13	21	58	149	255	201	-
1983	715	1	3	1	2	10	6	20	57	134	271	210	-
1982	733	5	-	1	-	4	10	26	59	157	266	205	-
1981	838	3	-	1	7	9	10	20	74	148	336	230	-
1980	960	2	-	-	3	11	15	38	71	202	339	279	-
1979	1,095	5	1	1	6	9	14	36	89	235	397	302	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Infections of kidney (590)													
All races, female													
1998	614	3	-	-	1	4	17	25	40	88	176	260	-
1997	590	1	1	-	1	7	14	29	35	94	165	243	-
1996	641	3	1	1	3	13	15	24	45	89	198	249	-
1995	677	2	2	-	2	7	19	29	41	97	199	279	-
1994	712	5	1	1	3	11	15	29	36	88	249	274	-
1993	747	-	1	-	6	5	22	34	47	89	240	303	-
1992	756	-	-	1	1	6	23	31	44	95	220	335	-
1991	892	2	4	-	4	11	20	28	51	119	294	359	-
1990	892	1	1	-	7	3	23	24	51	127	306	349	-
1989	979	2	-	-	6	17	21	23	49	139	326	395	1
1988	1,114	2	2	2	4	11	22	33	58	151	382	446	1
1987	1,206	1	1	-	4	10	18	33	73	181	414	471	-
1986	1,308	3	3	1	2	11	21	34	84	197	399	553	-
1985	1,291	2	1	-	4	14	16	29	73	196	465	489	2
1984	1,364	2	1	-	10	12	24	37	99	212	448	519	-
1983	1,374	2	-	-	6	14	18	37	105	214	471	507	-
1982	1,485	3	1	2	7	18	17	45	103	261	520	508	-
1981	1,467	-	1	-	3	14	22	61	101	243	553	469	-
1980	1,772	4	-	4	3	17	27	56	124	335	619	583	-
1979	1,773	4	-	1	12	14	27	64	124	335	611	581	-
Infections of kidney (590)													
White, both sexes													
1998	704	4	-	-	-	5	24	34	38	97	210	292	-
1997	725	-	2	-	4	9	13	28	41	104	233	291	-
1996	778	4	4	1	4	8	18	19	56	123	256	285	-
1995	783	1	3	1	1	6	22	29	43	120	239	318	-
1994	830	5	-	1	2	7	16	27	51	113	290	318	-
1993	881	1	1	-	5	4	23	31	50	120	303	343	-
1992	946	-	-	1	1	7	19	27	53	124	308	406	-
1991	1,041	4	3	1	6	12	22	36	52	142	361	402	-
1990	1,134	3	1	-	8	6	25	36	76	164	387	428	-
1989	1,203	3	-	-	6	15	22	23	58	189	405	481	1
1988	1,415	5	2	-	3	11	22	42	75	202	500	552	1
1987	1,526	5	2	-	1	10	19	40	92	242	533	582	-
1986	1,623	3	3	-	3	12	17	36	97	252	532	666	2
1985	1,708	3	2	1	5	14	14	32	103	244	658	630	2
1984	1,805	5	1	1	11	14	20	45	116	302	626	664	-
1983	1,821	2	3	1	6	14	14	41	125	294	669	652	-
1982	1,953	6	1	3	4	16	17	52	130	354	704	666	-
1981	2,022	2	1	1	9	14	23	59	143	325	796	649	-
1980	2,365	4	-	4	5	20	30	61	149	450	840	802	-
1979	2,493	6	1	2	14	18	25	68	154	482	903	820	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Infections of kidney (590)													
White, male													
1998	173	1	-	-	-	2	11	17	11	30	51	50	-
1997	203	-	1	-	3	3	4	8	12	23	84	65	-
1996	222	2	3	-	1	1	7	3	19	43	82	61	-
1995	201	-	1	1	-	2	7	8	13	40	63	66	-
1994	215	1	-	-	-	1	7	7	21	39	70	69	-
1993	226	1	-	-	1	2	6	7	11	38	93	67	-
1992	277	-	-	1	-	4	7	6	16	44	105	94	-
1991	274	2	-	1	3	6	9	12	16	40	102	83	-
1990	339	2	-	-	2	5	6	15	33	57	112	107	-
1989	358	1	-	-	4	5	9	11	21	71	125	111	-
1988	414	3	-	-	1	5	9	17	25	67	157	130	-
1987	458	4	1	-	-	2	9	13	32	96	157	144	-
1986	479	-	-	-	2	6	4	20	31	85	176	153	2
1985	582	1	1	1	1	7	4	11	42	83	247	184	-
1984	597	3	-	1	3	7	7	15	38	124	225	174	-
1983	613	1	3	1	2	6	5	15	43	117	236	184	-
1982	629	4	-	1	-	4	7	17	45	137	230	184	-
1981	741	2	-	1	6	4	9	16	61	124	305	213	-
1980	813	-	-	-	3	11	11	27	56	166	284	255	-
1979	935	3	1	1	6	7	11	24	60	195	348	279	-
Infections of kidney (590)													
White, female													
1998	531	3	-	-	-	3	13	17	27	67	159	242	-
1997	522	-	1	-	1	6	9	20	29	81	149	226	-
1996	556	2	1	1	3	7	11	16	37	80	174	224	-
1995	582	1	2	-	1	4	15	21	30	80	176	252	-
1994	615	4	-	1	2	6	9	20	30	74	220	249	-
1993	655	-	1	-	4	2	17	24	39	82	210	276	-
1992	669	-	-	-	1	3	12	21	37	80	203	312	-
1991	767	2	3	-	3	6	13	24	36	102	259	319	-
1990	795	1	1	-	6	1	19	21	43	107	275	321	-
1989	845	2	-	-	2	10	13	12	37	118	280	370	1
1988	1,001	2	2	-	2	6	13	25	50	135	343	422	1
1987	1,068	1	1	-	1	8	10	27	60	146	376	438	-
1986	1,144	3	3	-	1	6	13	16	66	167	356	513	-
1985	1,126	2	1	-	4	7	10	21	61	161	411	446	2
1984	1,208	2	1	-	8	7	13	30	78	178	401	490	-
1983	1,208	1	-	-	4	8	9	26	82	177	433	468	-
1982	1,324	2	1	2	4	12	10	35	85	217	474	482	-
1981	1,281	-	1	-	3	10	14	43	82	201	491	436	-
1980	1,552	4	-	4	2	9	19	34	93	284	556	547	-
1979	1,558	3	-	1	8	11	14	44	94	287	555	541	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Infections of kidney (590)													
All other, both sexes													
1998	124	1	-	-	2	2	7	9	20	23	30	30	-
1997	106	1	-	-	-	2	8	14	11	23	23	24	-
1996	118	2	-	-	1	7	7	9	9	19	28	35	1
1995	135	1	-	-	1	6	6	13	17	24	33	34	-
1994	143	1	1	-	1	5	8	11	13	27	42	34	-
1993	142	-	-	-	2	5	6	16	19	13	42	39	-
1992	137	1	1	1	1	5	16	12	11	26	30	33	-
1991	178	4	2	-	3	5	11	9	18	25	54	47	-
1990	162	3	-	-	1	2	9	8	17	35	49	38	-
1989	211	3	-	-	4	10	12	16	22	39	63	42	-
1988	195	-	1	2	3	7	15	14	16	34	64	39	-
1987	216	2	1	-	3	4	10	11	19	60	58	48	-
1986	247	1	-	1	1	6	11	20	28	46	72	61	-
1985	274	1	1	-	1	8	8	16	25	63	90	61	-
1984	272	-	-	-	2	7	17	13	41	59	77	56	-
1983	268	1	-	-	2	10	10	16	37	54	73	65	-
1982	265	2	-	-	3	6	10	19	32	64	82	47	-
1981	283	1	-	-	1	9	9	22	32	66	93	50	-
1980	367	2	-	-	1	8	12	33	46	87	118	60	-
1979	375	3	-	-	4	5	16	32	59	88	105	63	-
Infections of kidney (590)													
All other, male													
1998	41	1	-	-	1	1	3	1	7	2	13	12	-
1997	38	-	-	-	-	1	3	5	5	10	7	7	-
1996	33	1	-	-	1	1	3	1	1	10	4	10	1
1995	40	-	-	-	-	3	2	5	6	7	10	7	-
1994	46	-	-	-	-	-	2	2	7	13	13	9	-
1993	50	-	-	-	-	2	1	6	11	6	12	12	-
1992	50	1	1	-	1	2	5	2	4	11	13	10	-
1991	53	4	1	-	2	-	4	5	3	8	19	7	-
1990	65	3	-	-	-	-	5	5	9	15	18	10	-
1989	77	3	-	-	-	3	4	5	10	18	17	17	-
1988	82	-	1	-	1	2	6	6	8	18	25	15	-
1987	78	2	1	-	-	2	2	5	6	25	20	15	-
1986	83	1	-	-	-	1	3	2	10	16	29	21	-
1985	109	1	1	-	1	1	2	8	13	28	36	18	-
1984	116	-	-	-	-	2	6	6	20	25	30	27	-
1983	102	-	-	-	-	4	1	5	14	17	35	26	-
1982	104	1	-	-	-	-	3	9	14	20	36	21	-
1981	97	1	-	-	1	5	1	4	13	24	31	17	-
1980	147	2	-	-	-	-	4	11	15	36	55	24	-
1979	160	2	-	-	-	2	3	12	29	40	49	23	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Infections of kidney (590)													
All other, female													
1998	83	-	-	-	1	1	4	8	13	21	17	18	-
1997	68	1	-	-	-	1	5	9	6	13	16	17	-
1996	85	1	-	-	-	6	4	8	8	9	24	25	-
1995	95	1	-	-	1	3	4	8	11	17	23	27	-
1994	97	1	1	-	1	5	6	9	6	14	29	25	-
1993	92	-	-	-	2	3	5	10	8	7	30	27	-
1992	87	-	-	1	-	3	11	10	7	15	17	23	-
1991	125	-	1	-	1	5	7	4	15	17	35	40	-
1990	97	-	-	-	1	2	4	3	8	20	31	28	-
1989	134	-	-	-	4	7	8	11	12	21	46	25	-
1988	113	-	-	2	2	5	9	8	8	16	39	24	-
1987	138	-	-	-	3	2	8	6	13	35	38	33	-
1986	164	-	-	1	1	5	8	18	18	30	43	40	-
1985	165	-	-	-	-	7	6	8	12	35	54	43	-
1984	156	-	-	-	2	5	11	7	21	34	47	29	-
1983	166	1	-	-	2	6	9	11	23	37	38	39	-
1982	161	1	-	-	3	6	7	10	18	44	46	26	-
1981	186	-	-	-	-	4	8	18	19	42	62	33	-
1980	220	-	-	-	1	8	8	22	31	51	63	36	-
1979	215	1	-	-	4	3	13	20	30	48	56	40	-
Infections of kidney (590)													
Black, both sexes													
1998	102	1	-	-	2	-	6	8	19	17	25	24	-
1997	91	1	-	-	-	1	6	14	8	18	22	21	-
1996	106	1	-	-	-	5	7	8	8	18	25	33	1
1995	111	1	-	-	1	4	5	10	13	18	28	31	-
1994	125	1	-	-	1	4	7	10	11	23	38	30	-
1993	127	-	-	-	2	5	5	15	13	12	39	36	-
1992	119	1	-	1	1	3	13	11	10	26	24	29	-
1991	161	3	2	-	3	5	10	8	18	22	48	42	-
1990	138	3	-	-	1	2	6	8	15	30	39	34	-
1989	194	3	-	-	3	10	11	14	22	35	56	40	-
1988	175	-	1	2	3	5	13	13	14	30	56	38	-
1987	196	2	-	-	2	4	9	10	17	58	54	40	-
1986	223	-	-	1	1	5	11	18	24	41	68	54	-
1985	249	1	1	-	1	6	8	15	23	56	84	54	-
1984	248	-	-	-	2	7	17	13	39	54	66	50	-
1983	254	1	-	-	2	10	9	16	36	54	71	55	-
1982	249	1	-	-	2	6	10	18	31	61	78	42	-
1981	267	1	-	-	1	7	9	19	31	60	90	49	-
1980	350	2	-	-	1	8	12	30	44	86	111	56	-
1979	350	3	-	-	2	5	15	30	54	84	102	55	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Infections of kidney (590)													
Black, male													
1998	33	1	-	-	1	-	2	1	7	1	11	9	-
1997	33	-	-	-	-	1	3	5	4	7	7	6	-
1996	30	-	-	-	-	1	3	1	1	9	4	10	1
1995	36	-	-	-	-	3	2	3	6	7	9	6	-
1994	42	-	-	-	-	-	2	2	7	11	13	7	-
1993	44	-	-	-	-	2	1	5	10	5	12	9	-
1992	44	1	-	-	1	2	4	2	4	11	11	8	-
1991	50	3	1	-	2	-	3	5	3	8	18	7	-
1990	57	3	-	-	-	-	4	5	8	13	15	9	-
1989	68	3	-	-	-	3	3	3	10	16	15	15	-
1988	74	-	1	-	1	1	6	5	7	15	23	15	-
1987	74	2	-	-	-	2	2	5	5	25	19	14	-
1986	76	-	-	-	-	-	3	2	10	14	27	20	-
1985	103	1	1	-	1	1	2	8	11	24	36	18	-
1984	107	-	-	-	-	2	6	6	19	23	26	25	-
1983	96	-	-	-	-	4	1	5	14	17	34	21	-
1982	98	1	-	-	-	-	3	8	13	20	34	19	-
1981	93	1	-	-	1	3	1	4	12	23	31	17	-
1980	138	2	-	-	-	-	4	8	14	36	52	22	-
1979	153	2	-	-	-	2	3	12	28	38	47	21	-
Infections of kidney (590)													
Black, female													
1998	69	-	-	-	1	-	4	7	12	16	14	15	-
1997	58	1	-	-	-	-	3	9	4	11	15	15	-
1996	76	1	-	-	-	4	4	7	7	9	21	23	-
1995	75	1	-	-	1	1	3	7	7	11	19	25	-
1994	83	1	-	-	1	4	5	8	4	12	25	23	-
1993	83	-	-	-	2	3	4	10	3	7	27	27	-
1992	75	-	-	1	-	1	9	9	6	15	13	21	-
1991	111	-	1	-	1	5	7	3	15	14	30	35	-
1990	81	-	-	-	1	2	2	3	7	17	24	25	-
1989	126	-	-	-	3	7	8	11	12	19	41	25	-
1988	101	-	-	2	2	4	7	8	7	15	33	23	-
1987	122	-	-	-	2	2	7	5	12	33	35	26	-
1986	147	-	-	1	1	5	8	16	14	27	41	34	-
1985	146	-	-	-	-	5	6	7	12	32	48	36	-
1984	141	-	-	-	2	5	11	7	20	31	40	25	-
1983	158	1	-	-	2	6	8	11	22	37	37	34	-
1982	151	-	-	-	2	6	7	10	18	41	44	23	-
1981	174	-	-	-	-	4	8	15	19	37	59	32	-
1980	212	-	-	-	1	8	8	22	30	50	59	34	-
1979	197	1	-	-	2	3	12	18	26	46	55	34	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Hyperplasia of prostate (600)													
All races, both sexes													
1998	410	-	-	-	-	-	-	1	13	26	163	206	1
1997	420	-	-	-	-	-	-	4	11	33	154	218	-
1996	457	-	-	-	-	-	-	3	10	47	166	231	-
1995	406	-	-	-	-	-	-	-	6	58	141	201	-
1994	413	-	-	-	-	-	3	2	12	54	170	172	-
1993	410	-	-	-	-	1	-	2	13	49	158	187	-
1992	397	-	-	-	-	-	-	-	8	52	143	194	-
1991	428	-	-	-	-	-	-	3	10	60	167	188	-
1990	455	-	-	-	-	-	-	-	17	58	180	200	-
1989	449	-	-	-	-	-	3	3	13	60	184	186	-
1988	454	-	-	-	-	-	-	1	26	71	177	179	-
1987	461	-	-	-	-	-	-	1	11	66	182	201	-
1986	508	-	-	-	-	-	-	-	24	83	175	225	1
1985	479	-	-	-	-	-	-	-	18	72	186	203	-
1984	536	-	-	-	-	-	-	4	23	77	213	219	-
1983	572	-	-	-	-	-	-	2	22	94	229	225	-
1982	655	-	-	-	-	-	-	1	23	105	241	285	-
1981	693	-	-	-	-	-	-	1	25	126	279	261	1
1980	754	-	-	-	-	-	-	4	27	132	310	281	-
1979	810	-	-	-	-	-	-	2	26	161	335	286	-
Hyperplasia of prostate (600)													
All races, male													
1998	410	-	-	-	-	-	-	1	13	26	163	206	1
1997	420	-	-	-	-	-	-	4	11	33	154	218	-
1996	457	-	-	-	-	-	-	3	10	47	166	231	-
1995	406	-	-	-	-	-	-	-	6	58	141	201	-
1994	413	-	-	-	-	-	3	2	12	54	170	172	-
1993	410	-	-	-	-	1	-	2	13	49	158	187	-
1992	397	-	-	-	-	-	-	-	8	52	143	194	-
1991	428	-	-	-	-	-	-	3	10	60	167	188	-
1990	455	-	-	-	-	-	-	-	17	58	180	200	-
1989	449	-	-	-	-	-	3	3	13	60	184	186	-
1988	454	-	-	-	-	-	-	1	26	71	177	179	-
1987	461	-	-	-	-	-	-	1	11	66	182	201	-
1986	508	-	-	-	-	-	-	-	24	83	175	225	1
1985	479	-	-	-	-	-	-	-	18	72	186	203	-
1984	536	-	-	-	-	-	-	4	23	77	213	219	-
1983	572	-	-	-	-	-	-	2	22	94	229	225	-
1982	655	-	-	-	-	-	-	1	23	105	241	285	-
1981	693	-	-	-	-	-	-	1	25	126	279	261	1
1980	754	-	-	-	-	-	-	4	27	132	310	281	-
1979	810	-	-	-	-	-	-	2	26	161	335	286	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Hyperplasia of prostate (600)													
White, both sexes													
1998	356	-	-	-	-	-	-	1	8	21	136	190	-
1997	370	-	-	-	-	-	-	2	9	23	138	198	-
1996	408	-	-	-	-	-	-	3	7	35	152	211	-
1995	364	-	-	-	-	-	-	-	6	49	123	186	-
1994	372	-	-	-	-	-	1	1	11	42	154	163	-
1993	350	-	-	-	-	1	-	1	10	41	130	167	-
1992	358	-	-	-	-	-	-	-	4	45	132	177	-
1991	372	-	-	-	-	-	-	1	7	50	144	170	-
1990	402	-	-	-	-	-	-	-	15	46	157	184	-
1989	375	-	-	-	-	-	-	2	6	46	156	165	-
1988	391	-	-	-	-	-	-	1	19	60	152	159	-
1987	406	-	-	-	-	-	-	1	8	49	159	189	-
1986	439	-	-	-	-	-	-	-	20	63	147	209	-
1985	422	-	-	-	-	-	-	-	12	59	167	184	-
1984	474	-	-	-	-	-	-	3	19	64	187	201	-
1983	501	-	-	-	-	-	-	-	18	70	201	212	-
1982	565	-	-	-	-	-	-	1	20	83	196	265	-
1981	600	-	-	-	-	-	-	1	17	103	242	237	-
1980	654	-	-	-	-	-	-	4	18	102	273	257	-
1979	703	-	-	-	-	-	-	2	19	122	295	265	-
Hyperplasia of prostate (600)													
White, male													
1998	356	-	-	-	-	-	-	1	8	21	136	190	-
1997	370	-	-	-	-	-	-	2	9	23	138	198	-
1996	408	-	-	-	-	-	-	3	7	35	152	211	-
1995	364	-	-	-	-	-	-	-	6	49	123	186	-
1994	372	-	-	-	-	-	1	1	11	42	154	163	-
1993	350	-	-	-	-	1	-	1	10	41	130	167	-
1992	358	-	-	-	-	-	-	-	4	45	132	177	-
1991	372	-	-	-	-	-	-	1	7	50	144	170	-
1990	402	-	-	-	-	-	-	-	15	46	157	184	-
1989	375	-	-	-	-	-	-	2	6	46	156	165	-
1988	391	-	-	-	-	-	-	1	19	60	152	159	-
1987	406	-	-	-	-	-	-	1	8	49	159	189	-
1986	439	-	-	-	-	-	-	-	20	63	147	209	-
1985	422	-	-	-	-	-	-	-	12	59	167	184	-
1984	474	-	-	-	-	-	-	3	19	64	187	201	-
1983	501	-	-	-	-	-	-	-	18	70	201	212	-
1982	565	-	-	-	-	-	-	1	20	83	196	265	-
1981	600	-	-	-	-	-	-	1	17	103	242	237	-
1980	654	-	-	-	-	-	-	4	18	102	273	257	-
1979	703	-	-	-	-	-	-	2	19	122	295	265	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Hyperplasia of prostate (600)													
All other, both sexes													
1998	54	-	-	-	-	-	-	-	5	5	27	16	1
1997	50	-	-	-	-	-	-	2	2	10	16	20	-
1996	49	-	-	-	-	-	-	-	3	12	14	20	-
1995	42	-	-	-	-	-	-	-	-	9	18	15	-
1994	41	-	-	-	-	-	2	1	1	12	16	9	-
1993	60	-	-	-	-	-	-	1	3	8	28	20	-
1992	39	-	-	-	-	-	-	-	4	7	11	17	-
1991	56	-	-	-	-	-	-	2	3	10	23	18	-
1990	53	-	-	-	-	-	-	-	2	12	23	16	-
1989	74	-	-	-	-	-	3	1	7	14	28	21	-
1988	63	-	-	-	-	-	-	-	7	11	25	20	-
1987	55	-	-	-	-	-	-	-	3	17	23	12	-
1986	69	-	-	-	-	-	-	-	4	20	28	16	1
1985	57	-	-	-	-	-	-	-	6	13	19	19	-
1984	62	-	-	-	-	-	-	-	4	13	26	18	-
1983	71	-	-	-	-	-	-	2	4	24	28	13	-
1982	90	-	-	-	-	-	-	-	3	22	45	20	-
1981	93	-	-	-	-	-	-	-	8	23	37	24	1
1980	100	-	-	-	-	-	-	-	9	30	37	24	-
1979	107	-	-	-	-	-	-	-	7	39	40	21	-
Hyperplasia of prostate (600)													
All other, male													
1998	54	-	-	-	-	-	-	-	5	5	27	16	1
1997	50	-	-	-	-	-	-	2	2	10	16	20	-
1996	49	-	-	-	-	-	-	-	3	12	14	20	-
1995	42	-	-	-	-	-	-	-	-	9	18	15	-
1994	41	-	-	-	-	-	2	1	1	12	16	9	-
1993	60	-	-	-	-	-	-	1	3	8	28	20	-
1992	39	-	-	-	-	-	-	-	4	7	11	17	-
1991	56	-	-	-	-	-	-	2	3	10	23	18	-
1990	53	-	-	-	-	-	-	-	2	12	23	16	-
1989	74	-	-	-	-	-	3	1	7	14	28	21	-
1988	63	-	-	-	-	-	-	-	7	11	25	20	-
1987	55	-	-	-	-	-	-	-	3	17	23	12	-
1986	69	-	-	-	-	-	-	-	4	20	28	16	1
1985	57	-	-	-	-	-	-	-	6	13	19	19	-
1984	62	-	-	-	-	-	-	-	4	13	26	18	-
1983	71	-	-	-	-	-	-	2	4	24	28	13	-
1982	90	-	-	-	-	-	-	-	3	22	45	20	-
1981	93	-	-	-	-	-	-	-	8	23	37	24	1
1980	100	-	-	-	-	-	-	-	9	30	37	24	-
1979	107	-	-	-	-	-	-	-	7	39	40	21	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Hyperplasia of prostate (600)													
Black, both sexes													
1998	45	-	-	-	-	-	-	-	5	4	22	13	1
1997	46	-	-	-	-	-	-	2	2	8	15	19	-
1996	43	-	-	-	-	-	-	-	3	11	11	18	-
1995	36	-	-	-	-	-	-	-	-	9	16	11	-
1994	36	-	-	-	-	-	2	1	1	11	15	6	-
1993	53	-	-	-	-	-	-	1	3	7	23	19	-
1992	36	-	-	-	-	-	-	-	4	7	11	14	-
1991	50	-	-	-	-	-	-	2	3	10	20	15	-
1990	48	-	-	-	-	-	-	-	2	11	22	13	-
1989	70	-	-	-	-	-	3	1	7	14	27	18	-
1988	58	-	-	-	-	-	-	-	7	10	22	19	-
1987	50	-	-	-	-	-	-	-	2	17	22	9	-
1986	65	-	-	-	-	-	-	-	4	20	25	15	1
1985	55	-	-	-	-	-	-	-	6	13	17	19	-
1984	61	-	-	-	-	-	-	-	4	13	26	17	-
1983	69	-	-	-	-	-	-	2	4	23	28	12	-
1982	87	-	-	-	-	-	-	-	3	22	43	19	-
1981	88	-	-	-	-	-	-	-	8	22	35	22	1
1980	91	-	-	-	-	-	-	-	7	29	34	21	-
1979	103	-	-	-	-	-	-	-	7	38	40	18	-
Hyperplasia of prostate (600)													
Black, male													
1998	45	-	-	-	-	-	-	-	5	4	22	13	1
1997	46	-	-	-	-	-	-	2	2	8	15	19	-
1996	43	-	-	-	-	-	-	-	3	11	11	18	-
1995	36	-	-	-	-	-	-	-	-	9	16	11	-
1994	36	-	-	-	-	-	2	1	1	11	15	6	-
1993	53	-	-	-	-	-	-	1	3	7	23	19	-
1992	36	-	-	-	-	-	-	-	4	7	11	14	-
1991	50	-	-	-	-	-	-	2	3	10	20	15	-
1990	48	-	-	-	-	-	-	-	2	11	22	13	-
1989	70	-	-	-	-	-	3	1	7	14	27	18	-
1988	58	-	-	-	-	-	-	-	7	10	22	19	-
1987	50	-	-	-	-	-	-	-	2	17	22	9	-
1986	65	-	-	-	-	-	-	-	4	20	25	15	1
1985	55	-	-	-	-	-	-	-	6	13	17	19	-
1984	61	-	-	-	-	-	-	-	4	13	26	17	-
1983	69	-	-	-	-	-	-	2	4	23	28	12	-
1982	87	-	-	-	-	-	-	-	3	22	43	19	-
1981	88	-	-	-	-	-	-	-	8	22	35	22	1
1980	91	-	-	-	-	-	-	-	7	29	34	21	-
1979	103	-	-	-	-	-	-	-	7	38	40	18	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Inflammatory diseases of female pelvic organs (614-616)													
All races, both sexes													
1998	101	-	-	-	1	6	17	6	13	10	25	23	-
1997	109	-	-	-	6	9	8	12	7	16	31	20	-
1996	113	1	-	-	5	5	9	14	7	17	32	23	-
1995	139	-	-	-	3	16	16	16	7	24	33	24	-
1994	117	2	-	1	5	7	13	13	12	20	25	19	-
1993	124	1	-	-	4	7	16	13	15	18	28	22	-
1992	113	-	-	-	5	5	21	6	14	11	30	21	-
1991	128	-	-	-	3	8	13	15	11	26	21	31	-
1990	120	-	-	-	2	10	12	8	9	20	33	26	-
1989	118	-	-	-	2	7	15	12	10	23	29	20	-
1988	144	-	-	-	1	7	15	21	27	22	31	20	-
1987	130	-	-	-	5	6	10	7	17	27	35	23	-
1986	149	-	1	-	4	8	17	12	16	27	39	25	-
1985	152	-	-	1	3	12	14	11	17	28	44	22	-
1984	135	1	-	1	6	10	9	8	19	24	32	25	-
1983	149	-	-	-	8	9	19	15	12	31	33	22	-
1982	156	-	-	1	6	14	14	15	11	26	38	31	-
1981	153	-	-	-	5	16	21	15	11	26	34	25	-
1980	162	1	-	-	4	12	17	25	21	26	37	18	1
1979	164	-	-	1	3	10	26	12	24	26	31	31	-
Inflammatory diseases of female pelvic organs (614-616)													
All races, female													
1998	101	-	-	-	1	6	17	6	13	10	25	23	-
1997	109	-	-	-	6	9	8	12	7	16	31	20	-
1996	113	1	-	-	5	5	9	14	7	17	32	23	-
1995	139	-	-	-	3	16	16	16	7	24	33	24	-
1994	117	2	-	1	5	7	13	13	12	20	25	19	-
1993	124	1	-	-	4	7	16	13	15	18	28	22	-
1992	113	-	-	-	5	5	21	6	14	11	30	21	-
1991	128	-	-	-	3	8	13	15	11	26	21	31	-
1990	120	-	-	-	2	10	12	8	9	20	33	26	-
1989	118	-	-	-	2	7	15	12	10	23	29	20	-
1988	144	-	-	-	1	7	15	21	27	22	31	20	-
1987	130	-	-	-	5	6	10	7	17	27	35	23	-
1986	149	-	1	-	4	8	17	12	16	27	39	25	-
1985	152	-	-	1	3	12	14	11	17	28	44	22	-
1984	135	1	-	1	6	10	9	8	19	24	32	25	-
1983	149	-	-	-	8	9	19	15	12	31	33	22	-
1982	156	-	-	1	6	14	14	15	11	26	38	31	-
1981	153	-	-	-	5	16	21	15	11	26	34	25	-
1980	162	1	-	-	4	12	17	25	21	26	37	18	1
1979	164	-	-	1	3	10	26	12	24	26	31	31	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Inflammatory diseases of female pelvic organs (614-616)													
White, both sexes													
1998	77	-	-	-	-	4	10	5	8	9	19	22	-
1997	79	-	-	-	2	2	4	8	6	12	25	20	-
1996	81	1	-	-	2	2	6	6	5	14	25	20	-
1995	101	-	-	-	1	8	8	10	3	17	31	23	-
1994	86	1	-	1	4	4	5	7	6	14	25	19	-
1993	82	1	-	-	2	1	7	7	9	13	24	18	-
1992	81	-	-	-	1	1	11	5	10	9	27	17	-
1991	96	-	-	-	2	3	7	10	10	22	15	27	-
1990	92	-	-	-	-	6	7	3	7	18	28	23	-
1989	88	-	-	-	1	3	8	7	9	15	25	20	-
1988	99	-	-	-	-	2	8	8	19	16	27	19	-
1987	94	-	-	-	4	4	5	1	12	20	29	19	-
1986	103	-	-	-	3	2	6	8	11	24	28	21	-
1985	121	-	-	1	3	9	8	5	12	23	39	21	-
1984	97	1	-	1	1	6	6	2	13	21	24	22	-
1983	112	-	-	-	4	3	11	9	8	27	29	21	-
1982	114	-	-	1	5	4	11	6	6	19	34	28	-
1981	102	-	-	-	2	5	9	9	7	18	29	23	-
1980	119	1	-	-	3	3	9	17	17	20	33	16	-
1979	117	-	-	1	1	2	14	6	16	20	30	27	-
Inflammatory diseases of female pelvic organs (614-616)													
White, female													
1998	77	-	-	-	-	4	10	5	8	9	19	22	-
1997	79	-	-	-	2	2	4	8	6	12	25	20	-
1996	81	1	-	-	2	2	6	6	5	14	25	20	-
1995	101	-	-	-	1	8	8	10	3	17	31	23	-
1994	86	1	-	1	4	4	5	7	6	14	25	19	-
1993	82	1	-	-	2	1	7	7	9	13	24	18	-
1992	81	-	-	-	1	1	11	5	10	9	27	17	-
1991	96	-	-	-	2	3	7	10	10	22	15	27	-
1990	92	-	-	-	-	6	7	3	7	18	28	23	-
1989	88	-	-	-	1	3	8	7	9	15	25	20	-
1988	99	-	-	-	-	2	8	8	19	16	27	19	-
1987	94	-	-	-	4	4	5	1	12	20	29	19	-
1986	103	-	-	-	3	2	6	8	11	24	28	21	-
1985	121	-	-	1	3	9	8	5	12	23	39	21	-
1984	97	1	-	1	1	6	6	2	13	21	24	22	-
1983	112	-	-	-	4	3	11	9	8	27	29	21	-
1982	114	-	-	1	5	4	11	6	6	19	34	28	-
1981	102	-	-	-	2	5	9	9	7	18	29	23	-
1980	119	1	-	-	3	3	9	17	17	20	33	16	-
1979	117	-	-	1	1	2	14	6	16	20	30	27	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Inflammatory diseases of female pelvic organs (614-616)													
All other, both sexes													
1998	24	-	-	-	1	2	7	1	5	1	6	1	-
1997	30	-	-	-	4	7	4	4	1	4	6	-	-
1996	32	-	-	-	3	3	3	8	2	3	7	3	-
1995	38	-	-	-	2	8	8	6	4	7	2	1	-
1994	31	1	-	-	1	3	8	6	6	6	-	-	-
1993	42	-	-	-	2	6	9	6	6	5	4	4	-
1992	32	-	-	-	4	4	10	1	4	2	3	4	-
1991	32	-	-	-	1	5	6	5	1	4	6	4	-
1990	28	-	-	-	2	4	5	5	2	2	5	3	-
1989	30	-	-	-	1	4	7	5	1	8	4	-	-
1988	45	-	-	-	1	5	7	13	8	6	4	1	-
1987	36	-	-	-	1	2	5	6	5	7	6	4	-
1986	46	-	1	-	1	6	11	4	5	3	11	4	-
1985	31	-	-	-	-	3	6	6	5	5	5	1	-
1984	38	-	-	-	5	4	3	6	6	3	8	3	-
1983	37	-	-	-	4	6	8	6	4	4	4	1	-
1982	42	-	-	-	1	10	3	9	5	7	4	3	-
1981	51	-	-	-	3	11	12	6	4	8	5	2	-
1980	43	-	-	-	1	9	8	8	4	6	4	2	1
1979	47	-	-	-	2	8	12	6	8	6	1	4	-
Inflammatory diseases of female pelvic organs (614-616)													
All other, female													
1998	24	-	-	-	1	2	7	1	5	1	6	1	-
1997	30	-	-	-	4	7	4	4	1	4	6	-	-
1996	32	-	-	-	3	3	3	8	2	3	7	3	-
1995	38	-	-	-	2	8	8	6	4	7	2	1	-
1994	31	1	-	-	1	3	8	6	6	6	-	-	-
1993	42	-	-	-	2	6	9	6	6	5	4	4	-
1992	32	-	-	-	4	4	10	1	4	2	3	4	-
1991	32	-	-	-	1	5	6	5	1	4	6	4	-
1990	28	-	-	-	2	4	5	5	2	2	5	3	-
1989	30	-	-	-	1	4	7	5	1	8	4	-	-
1988	45	-	-	-	1	5	7	13	8	6	4	1	-
1987	36	-	-	-	1	2	5	6	5	7	6	4	-
1986	46	-	1	-	1	6	11	4	5	3	11	4	-
1985	31	-	-	-	-	3	6	6	5	5	5	1	-
1984	38	-	-	-	5	4	3	6	6	3	8	3	-
1983	37	-	-	-	4	6	8	6	4	4	4	1	-
1982	42	-	-	-	1	10	3	9	5	7	4	3	-
1981	51	-	-	-	3	11	12	6	4	8	5	2	-
1980	43	-	-	-	1	9	8	8	4	6	4	2	1
1979	47	-	-	-	2	8	12	6	8	6	1	4	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Inflammatory diseases of female pelvic organs (614-616)													
Black, both sexes													
1998	19	-	-	-	1	1	7	1	4	-	5	-	-
1997	27	-	-	-	2	6	4	4	1	4	6	-	-
1996	30	-	-	-	3	2	3	8	2	3	7	2	-
1995	32	-	-	-	2	7	6	6	3	5	2	1	-
1994	31	1	-	-	1	3	8	6	6	6	-	-	-
1993	39	-	-	-	2	5	9	6	5	4	4	4	-
1992	28	-	-	-	3	3	10	1	3	2	2	4	-
1991	29	-	-	-	1	3	6	5	1	4	6	3	-
1990	28	-	-	-	2	4	5	5	2	2	5	3	-
1989	29	-	-	-	1	4	7	5	1	7	4	-	-
1988	41	-	-	-	1	5	7	10	8	6	4	-	-
1987	36	-	-	-	1	2	5	6	5	7	6	4	-
1986	44	-	-	-	1	5	11	4	5	3	11	4	-
1985	31	-	-	-	-	3	6	6	5	5	5	1	-
1984	34	-	-	-	3	3	3	6	6	3	8	2	-
1983	36	-	-	-	4	6	7	6	4	4	4	1	-
1982	41	-	-	-	1	9	3	9	5	7	4	3	-
1981	51	-	-	-	3	11	12	6	4	8	5	2	-
1980	43	-	-	-	1	9	8	8	4	6	4	2	1
1979	45	-	-	-	2	8	11	6	8	5	1	4	-
Inflammatory diseases of female pelvic organs (614-616)													
Black, female													
1998	19	-	-	-	1	1	7	1	4	-	5	-	-
1997	27	-	-	-	2	6	4	4	1	4	6	-	-
1996	30	-	-	-	3	2	3	8	2	3	7	2	-
1995	32	-	-	-	2	7	6	6	3	5	2	1	-
1994	31	1	-	-	1	3	8	6	6	6	-	-	-
1993	39	-	-	-	2	5	9	6	5	4	4	4	-
1992	28	-	-	-	3	3	10	1	3	2	2	4	-
1991	29	-	-	-	1	3	6	5	1	4	6	3	-
1990	28	-	-	-	2	4	5	5	2	2	5	3	-
1989	29	-	-	-	1	4	7	5	1	7	4	-	-
1988	41	-	-	-	1	5	7	10	8	6	4	-	-
1987	36	-	-	-	1	2	5	6	5	7	6	4	-
1986	44	-	-	-	1	5	11	4	5	3	11	4	-
1985	31	-	-	-	-	3	6	6	5	5	5	1	-
1984	34	-	-	-	3	3	3	6	6	3	8	2	-
1983	36	-	-	-	4	6	7	6	4	4	4	1	-
1982	41	-	-	-	1	9	3	9	5	7	4	3	-
1981	51	-	-	-	3	11	12	6	4	8	5	2	-
1980	43	-	-	-	1	9	8	8	4	6	4	2	1
1979	45	-	-	-	2	8	11	6	8	5	1	4	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Pregnancy, childbirth and the puerperium (630-676)													
All races, both sexes													
1998	281	---	---	-	67	140	73	1	---	---	---	---	-
1997	327	---	---	3	87	158	74	5	---	---	---	---	-
1996	294	---	---	-	65	139	88	2	---	---	---	---	-
1995	277	---	---	1	74	130	71	1	---	---	---	---	-
1994	328	---	---	-	112	136	79	1	---	---	---	---	-
1993	302	---	---	1	83	136	82	-	---	---	---	---	-
1992	318	---	---	1	110	139	67	1	---	---	---	---	-
1991	323	---	---	3	97	150	68	5	---	---	---	---	-
1990	343	---	---	-	107	160	73	3	---	---	---	---	-
1989	320	---	---	-	99	169	50	2	---	---	---	---	-
1988	330	---	---	-	111	151	66	2	---	---	---	---	-
1987	251	---	---	1	75	132	42	1	---	---	---	---	-
1986	272	---	---	-	91	125	55	1	---	---	---	---	-
1985	295	---	---	2	93	139	58	3	---	---	---	---	-
1984	285	---	---	1	78	157	47	2	---	---	---	---	-
1983	290	---	---	-	114	133	43	-	---	---	---	---	-
1982	292	---	---	2	86	157	45	2	---	---	---	---	-
1981	309	---	---	1	119	140	48	1	---	---	---	---	-
1980	334	---	---	-	114	160	58	2	---	---	---	---	-
1979	336	---	---	2	122	147	60	5	---	---	---	---	-
Pregnancy, childbirth and the puerperium (630-676)													
All races, female													
1998	281	---	---	-	67	140	73	1	---	---	---	---	-
1997	327	---	---	3	87	158	74	5	---	---	---	---	-
1996	294	---	---	-	65	139	88	2	---	---	---	---	-
1995	277	---	---	1	74	130	71	1	---	---	---	---	-
1994	328	---	---	-	112	136	79	1	---	---	---	---	-
1993	302	---	---	1	83	136	82	-	---	---	---	---	-
1992	318	---	---	1	110	139	67	1	---	---	---	---	-
1991	323	---	---	3	97	150	68	5	---	---	---	---	-
1990	343	---	---	-	107	160	73	3	---	---	---	---	-
1989	320	---	---	-	99	169	50	2	---	---	---	---	-
1988	330	---	---	-	111	151	66	2	---	---	---	---	-
1987	251	---	---	1	75	132	42	1	---	---	---	---	-
1986	272	---	---	-	91	125	55	1	---	---	---	---	-
1985	295	---	---	2	93	139	58	3	---	---	---	---	-
1984	285	---	---	1	78	157	47	2	---	---	---	---	-
1983	290	---	---	-	114	133	43	-	---	---	---	---	-
1982	292	---	---	2	86	157	45	2	---	---	---	---	-
1981	309	---	---	1	119	140	48	1	---	---	---	---	-
1980	334	---	---	-	114	160	58	2	---	---	---	---	-
1979	336	---	---	2	122	147	60	5	---	---	---	---	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Pregnancy, childbirth and the puerperium (630-676)													
White, both sexes													
1998	158	---	---	-	33	79	46	-	---	---	---	---	-
1997	179	---	---	-	46	87	42	4	---	---	---	---	-
1996	159	---	---	-	29	72	56	2	---	---	---	---	-
1995	129	---	---	-	30	65	34	-	---	---	---	---	-
1994	193	---	---	-	58	92	43	-	---	---	---	---	-
1993	152	---	---	1	37	74	40	-	---	---	---	---	-
1992	161	---	---	-	53	77	31	-	---	---	---	---	-
1991	187	---	---	2	45	95	42	3	---	---	---	---	-
1990	177	---	---	-	52	87	37	1	---	---	---	---	-
1989	180	---	---	-	58	95	27	-	---	---	---	---	-
1988	180	---	---	-	56	93	31	-	---	---	---	---	-
1987	153	---	---	1	48	77	26	1	---	---	---	---	-
1986	146	---	---	-	45	67	34	-	---	---	---	---	-
1985	156	---	---	1	43	77	34	1	---	---	---	---	-
1984	159	---	---	-	32	98	28	1	---	---	---	---	-
1983	170	---	---	-	60	81	29	-	---	---	---	---	-
1982	171	---	---	-	45	99	26	1	---	---	---	---	-
1981	184	---	---	-	67	90	27	-	---	---	---	---	-
1980	193	---	---	-	65	94	33	1	---	---	---	---	-
1979	180	---	---	1	55	90	32	2	---	---	---	---	-
Pregnancy, childbirth and the puerperium (630-676)													
White, female													
1998	158	---	---	-	33	79	46	-	---	---	---	---	-
1997	179	---	---	-	46	87	42	4	---	---	---	---	-
1996	159	---	---	-	29	72	56	2	---	---	---	---	-
1995	129	---	---	-	30	65	34	-	---	---	---	---	-
1994	193	---	---	-	58	92	43	-	---	---	---	---	-
1993	152	---	---	1	37	74	40	-	---	---	---	---	-
1992	161	---	---	-	53	77	31	-	---	---	---	---	-
1991	187	---	---	2	45	95	42	3	---	---	---	---	-
1990	177	---	---	-	52	87	37	1	---	---	---	---	-
1989	180	---	---	-	58	95	27	-	---	---	---	---	-
1988	180	---	---	-	56	93	31	-	---	---	---	---	-
1987	153	---	---	1	48	77	26	1	---	---	---	---	-
1986	146	---	---	-	45	67	34	-	---	---	---	---	-
1985	156	---	---	1	43	77	34	1	---	---	---	---	-
1984	159	---	---	-	32	98	28	1	---	---	---	---	-
1983	170	---	---	-	60	81	29	-	---	---	---	---	-
1982	171	---	---	-	45	99	26	1	---	---	---	---	-
1981	184	---	---	-	67	90	27	-	---	---	---	---	-
1980	193	---	---	-	65	94	33	1	---	---	---	---	-
1979	180	---	---	1	55	90	32	2	---	---	---	---	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Pregnancy, childbirth and the puerperium (630-676)													
All other, both sexes													
1998	123	---	---	-	34	61	27	1	---	---	---	---	-
1997	148	---	---	3	41	71	32	1	---	---	---	---	-
1996	135	---	---	-	36	67	32	-	---	---	---	---	-
1995	148	---	---	1	44	65	37	1	---	---	---	---	-
1994	135	---	---	-	54	44	36	1	---	---	---	---	-
1993	150	---	---	-	46	62	42	-	---	---	---	---	-
1992	157	---	---	1	57	62	36	1	---	---	---	---	-
1991	136	---	---	1	52	55	26	2	---	---	---	---	-
1990	166	---	---	-	55	73	36	2	---	---	---	---	-
1989	140	---	---	-	41	74	23	2	---	---	---	---	-
1988	150	---	---	-	55	58	35	2	---	---	---	---	-
1987	98	---	---	-	27	55	16	-	---	---	---	---	-
1986	126	---	---	-	46	58	21	1	---	---	---	---	-
1985	139	---	---	1	50	62	24	2	---	---	---	---	-
1984	126	---	---	1	46	59	19	1	---	---	---	---	-
1983	120	---	---	-	54	52	14	-	---	---	---	---	-
1982	121	---	---	2	41	58	19	1	---	---	---	---	-
1981	125	---	---	1	52	50	21	1	---	---	---	---	-
1980	141	---	---	-	49	66	25	1	---	---	---	---	-
1979	156	---	---	1	67	57	28	3	---	---	---	---	-
Pregnancy, childbirth and the puerperium (630-676)													
All other, female													
1998	123	---	---	-	34	61	27	1	---	---	---	---	-
1997	148	---	---	3	41	71	32	1	---	---	---	---	-
1996	135	---	---	-	36	67	32	-	---	---	---	---	-
1995	148	---	---	1	44	65	37	1	---	---	---	---	-
1994	135	---	---	-	54	44	36	1	---	---	---	---	-
1993	150	---	---	-	46	62	42	-	---	---	---	---	-
1992	157	---	---	1	57	62	36	1	---	---	---	---	-
1991	136	---	---	1	52	55	26	2	---	---	---	---	-
1990	166	---	---	-	55	73	36	2	---	---	---	---	-
1989	140	---	---	-	41	74	23	2	---	---	---	---	-
1988	150	---	---	-	55	58	35	2	---	---	---	---	-
1987	98	---	---	-	27	55	16	-	---	---	---	---	-
1986	126	---	---	-	46	58	21	1	---	---	---	---	-
1985	139	---	---	1	50	62	24	2	---	---	---	---	-
1984	126	---	---	1	46	59	19	1	---	---	---	---	-
1983	120	---	---	-	54	52	14	-	---	---	---	---	-
1982	121	---	---	2	41	58	19	1	---	---	---	---	-
1981	125	---	---	1	52	50	21	1	---	---	---	---	-
1980	141	---	---	-	49	66	25	1	---	---	---	---	-
1979	156	---	---	1	67	57	28	3	---	---	---	---	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Pregnancy, childbirth and the puerperium (630-676)													
Black, both sexes													
1998	104	---	---	-	33	50	20	1	---	---	---	---	-
1997	125	---	---	3	36	64	21	1	---	---	---	---	-
1996	121	---	---	-	34	61	26	-	---	---	---	---	-
1995	133	---	---	1	43	58	30	1	---	---	---	---	-
1994	118	---	---	-	50	36	31	1	---	---	---	---	-
1993	135	---	---	-	43	58	34	-	---	---	---	---	-
1992	140	---	---	1	53	56	29	1	---	---	---	---	-
1991	125	---	---	1	47	50	25	2	---	---	---	---	-
1990	153	---	---	-	51	69	31	2	---	---	---	---	-
1989	124	---	---	-	40	62	20	2	---	---	---	---	-
1988	131	---	---	-	50	49	30	2	---	---	---	---	-
1987	91	---	---	-	26	50	15	-	---	---	---	---	-
1986	117	---	---	-	44	54	18	1	---	---	---	---	-
1985	124	---	---	1	45	56	21	1	---	---	---	---	-
1984	117	---	---	1	46	51	18	1	---	---	---	---	-
1983	107	---	---	-	51	45	11	-	---	---	---	---	-
1982	108	---	---	2	40	48	17	1	---	---	---	---	-
1981	120	---	---	1	51	48	19	1	---	---	---	---	-
1980	127	---	---	-	48	56	22	1	---	---	---	---	-
1979	145	---	---	1	67	52	22	3	---	---	---	---	-
Pregnancy, childbirth and the puerperium (630-676)													
Black, female													
1998	104	---	---	-	33	50	20	1	---	---	---	---	-
1997	125	---	---	3	36	64	21	1	---	---	---	---	-
1996	121	---	---	-	34	61	26	-	---	---	---	---	-
1995	133	---	---	1	43	58	30	1	---	---	---	---	-
1994	118	---	---	-	50	36	31	1	---	---	---	---	-
1993	135	---	---	-	43	58	34	-	---	---	---	---	-
1992	140	---	---	1	53	56	29	1	---	---	---	---	-
1991	125	---	---	1	47	50	25	2	---	---	---	---	-
1990	153	---	---	-	51	69	31	2	---	---	---	---	-
1989	124	---	---	-	40	62	20	2	---	---	---	---	-
1988	131	---	---	-	50	49	30	2	---	---	---	---	-
1987	91	---	---	-	26	50	15	-	---	---	---	---	-
1986	117	---	---	-	44	54	18	1	---	---	---	---	-
1985	124	---	---	1	45	56	21	1	---	---	---	---	-
1984	117	---	---	1	46	51	18	1	---	---	---	---	-
1983	107	---	---	-	51	45	11	-	---	---	---	---	-
1982	108	---	---	2	40	48	17	1	---	---	---	---	-
1981	120	---	---	1	51	48	19	1	---	---	---	---	-
1980	127	---	---	-	48	56	22	1	---	---	---	---	-
1979	145	---	---	1	67	52	22	3	---	---	---	---	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Pregnancy with abortive outcome (630-639)													
All races, both sexes													
1998	32	---	---	-	9	15	8	-	---	---	---	---	-
1997	41	---	---	1	12	19	9	-	---	---	---	---	-
1996	39	---	---	-	14	15	10	-	---	---	---	---	-
1995	28	---	---	-	14	9	5	-	---	---	---	---	-
1994	41	---	---	-	13	20	8	-	---	---	---	---	-
1993	47	---	---	-	19	22	6	-	---	---	---	---	-
1992	52	---	---	1	15	24	12	-	---	---	---	---	-
1991	54	---	---	1	20	18	14	1	---	---	---	---	-
1990	57	---	---	-	19	26	11	1	---	---	---	---	-
1989	50	---	---	-	19	25	6	-	---	---	---	---	-
1988	61	---	---	-	23	25	13	-	---	---	---	---	-
1987	44	---	---	-	12	29	3	-	---	---	---	---	-
1986	51	---	---	-	20	18	13	-	---	---	---	---	-
1985	49	---	---	1	20	22	6	-	---	---	---	---	-
1984	57	---	---	1	21	22	12	1	---	---	---	---	-
1983	50	---	---	-	18	26	6	-	---	---	---	---	-
1982	55	---	---	-	19	27	8	1	---	---	---	---	-
1981	47	---	---	-	17	23	7	-	---	---	---	---	-
1980	62	---	---	-	20	33	9	-	---	---	---	---	-
1979	61	---	---	-	26	28	7	-	---	---	---	---	-
Pregnancy with abortive outcome (630-639)													
All races, female													
1998	32	---	---	-	9	15	8	-	---	---	---	---	-
1997	41	---	---	1	12	19	9	-	---	---	---	---	-
1996	39	---	---	-	14	15	10	-	---	---	---	---	-
1995	28	---	---	-	14	9	5	-	---	---	---	---	-
1994	41	---	---	-	13	20	8	-	---	---	---	---	-
1993	47	---	---	-	19	22	6	-	---	---	---	---	-
1992	52	---	---	1	15	24	12	-	---	---	---	---	-
1991	54	---	---	1	20	18	14	1	---	---	---	---	-
1990	57	---	---	-	19	26	11	1	---	---	---	---	-
1989	50	---	---	-	19	25	6	-	---	---	---	---	-
1988	61	---	---	-	23	25	13	-	---	---	---	---	-
1987	44	---	---	-	12	29	3	-	---	---	---	---	-
1986	51	---	---	-	20	18	13	-	---	---	---	---	-
1985	49	---	---	1	20	22	6	-	---	---	---	---	-
1984	57	---	---	1	21	22	12	1	---	---	---	---	-
1983	50	---	---	-	18	26	6	-	---	---	---	---	-
1982	55	---	---	-	19	27	8	1	---	---	---	---	-
1981	47	---	---	-	17	23	7	-	---	---	---	---	-
1980	62	---	---	-	20	33	9	-	---	---	---	---	-
1979	61	---	---	-	26	28	7	-	---	---	---	---	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Pregnancy with abortive outcome (630-639)													
White, both sexes													
1998	15	---	---	-	4	8	3	-	---	---	---	---	-
1997	18	---	---	-	5	11	2	-	---	---	---	---	-
1996	24	---	---	-	10	6	8	-	---	---	---	---	-
1995	7	---	---	-	-	2	5	-	---	---	---	---	-
1994	24	---	---	-	6	12	6	-	---	---	---	---	-
1993	21	---	---	-	10	10	1	-	---	---	---	---	-
1992	25	---	---	-	7	11	7	-	---	---	---	---	-
1991	25	---	---	1	8	8	7	1	---	---	---	---	-
1990	23	---	---	-	8	10	5	-	---	---	---	---	-
1989	21	---	---	-	8	13	-	-	---	---	---	---	-
1988	23	---	---	-	9	11	3	-	---	---	---	---	-
1987	25	---	---	-	8	15	2	-	---	---	---	---	-
1986	24	---	---	-	11	7	6	-	---	---	---	---	-
1985	19	---	---	1	4	12	2	-	---	---	---	---	-
1984	25	---	---	-	7	12	5	1	---	---	---	---	-
1983	23	---	---	-	9	13	1	-	---	---	---	---	-
1982	27	---	---	-	9	13	4	1	---	---	---	---	-
1981	24	---	---	-	8	12	4	-	---	---	---	---	-
1980	27	---	---	-	10	14	3	-	---	---	---	---	-
1979	27	---	---	-	11	14	2	-	---	---	---	---	-
Pregnancy with abortive outcome (630-639)													
White, female													
1998	15	---	---	-	4	8	3	-	---	---	---	---	-
1997	18	---	---	-	5	11	2	-	---	---	---	---	-
1996	24	---	---	-	10	6	8	-	---	---	---	---	-
1995	7	---	---	-	-	2	5	-	---	---	---	---	-
1994	24	---	---	-	6	12	6	-	---	---	---	---	-
1993	21	---	---	-	10	10	1	-	---	---	---	---	-
1992	25	---	---	-	7	11	7	-	---	---	---	---	-
1991	25	---	---	1	8	8	7	1	---	---	---	---	-
1990	23	---	---	-	8	10	5	-	---	---	---	---	-
1989	21	---	---	-	8	13	-	-	---	---	---	---	-
1988	23	---	---	-	9	11	3	-	---	---	---	---	-
1987	25	---	---	-	8	15	2	-	---	---	---	---	-
1986	24	---	---	-	11	7	6	-	---	---	---	---	-
1985	19	---	---	1	4	12	2	-	---	---	---	---	-
1984	25	---	---	-	7	12	5	1	---	---	---	---	-
1983	23	---	---	-	9	13	1	-	---	---	---	---	-
1982	27	---	---	-	9	13	4	1	---	---	---	---	-
1981	24	---	---	-	8	12	4	-	---	---	---	---	-
1980	27	---	---	-	10	14	3	-	---	---	---	---	-
1979	27	---	---	-	11	14	2	-	---	---	---	---	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Pregnancy with abortive outcome (630-639)													
All other, both sexes													
1998	17	---	---	-	5	7	5	-	---	---	---	---	-
1997	23	---	---	1	7	8	7	-	---	---	---	---	-
1996	15	---	---	-	4	9	2	-	---	---	---	---	-
1995	21	---	---	-	14	7	-	-	---	---	---	---	-
1994	17	---	---	-	7	8	2	-	---	---	---	---	-
1993	26	---	---	-	9	12	5	-	---	---	---	---	-
1992	27	---	---	1	8	13	5	-	---	---	---	---	-
1991	29	---	---	-	12	10	7	-	---	---	---	---	-
1990	34	---	---	-	11	16	6	1	---	---	---	---	-
1989	29	---	---	-	11	12	6	-	---	---	---	---	-
1988	38	---	---	-	14	14	10	-	---	---	---	---	-
1987	19	---	---	-	4	14	1	-	---	---	---	---	-
1986	27	---	---	-	9	11	7	-	---	---	---	---	-
1985	30	---	---	-	16	10	4	-	---	---	---	---	-
1984	32	---	---	1	14	10	7	-	---	---	---	---	-
1983	27	---	---	-	9	13	5	-	---	---	---	---	-
1982	28	---	---	-	10	14	4	-	---	---	---	---	-
1981	23	---	---	-	9	11	3	-	---	---	---	---	-
1980	35	---	---	-	10	19	6	-	---	---	---	---	-
1979	34	---	---	-	15	14	5	-	---	---	---	---	-
Pregnancy with abortive outcome (630-639)													
All other, female													
1998	17	---	---	-	5	7	5	-	---	---	---	---	-
1997	23	---	---	1	7	8	7	-	---	---	---	---	-
1996	15	---	---	-	4	9	2	-	---	---	---	---	-
1995	21	---	---	-	14	7	-	-	---	---	---	---	-
1994	17	---	---	-	7	8	2	-	---	---	---	---	-
1993	26	---	---	-	9	12	5	-	---	---	---	---	-
1992	27	---	---	1	8	13	5	-	---	---	---	---	-
1991	29	---	---	-	12	10	7	-	---	---	---	---	-
1990	34	---	---	-	11	16	6	1	---	---	---	---	-
1989	29	---	---	-	11	12	6	-	---	---	---	---	-
1988	38	---	---	-	14	14	10	-	---	---	---	---	-
1987	19	---	---	-	4	14	1	-	---	---	---	---	-
1986	27	---	---	-	9	11	7	-	---	---	---	---	-
1985	30	---	---	-	16	10	4	-	---	---	---	---	-
1984	32	---	---	1	14	10	7	-	---	---	---	---	-
1983	27	---	---	-	9	13	5	-	---	---	---	---	-
1982	28	---	---	-	10	14	4	-	---	---	---	---	-
1981	23	---	---	-	9	11	3	-	---	---	---	---	-
1980	35	---	---	-	10	19	6	-	---	---	---	---	-
1979	34	---	---	-	15	14	5	-	---	---	---	---	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Pregnancy with abortive outcome (630-639)													
Black, both sexes													
1998	14	---	---	-	5	4	5	-	---	---	---	---	-
1997	21	---	---	1	7	8	5	-	---	---	---	---	-
1996	14	---	---	-	4	8	2	-	---	---	---	---	-
1995	21	---	---	-	14	7	-	-	---	---	---	---	-
1994	17	---	---	-	7	8	2	-	---	---	---	---	-
1993	25	---	---	-	9	12	4	-	---	---	---	---	-
1992	26	---	---	1	8	13	4	-	---	---	---	---	-
1991	27	---	---	-	11	9	7	-	---	---	---	---	-
1990	33	---	---	-	11	15	6	1	---	---	---	---	-
1989	26	---	---	-	11	9	6	-	---	---	---	---	-
1988	35	---	---	-	12	13	10	-	---	---	---	---	-
1987	18	---	---	-	4	13	1	-	---	---	---	---	-
1986	26	---	---	-	9	11	6	-	---	---	---	---	-
1985	28	---	---	-	15	10	3	-	---	---	---	---	-
1984	30	---	---	1	14	9	6	-	---	---	---	---	-
1983	26	---	---	-	9	13	4	-	---	---	---	---	-
1982	23	---	---	-	9	11	3	-	---	---	---	---	-
1981	22	---	---	-	9	11	2	-	---	---	---	---	-
1980	31	---	---	-	9	17	5	-	---	---	---	---	-
1979	30	---	---	-	15	11	4	-	---	---	---	---	-
Pregnancy with abortive outcome (630-639)													
Black, female													
1998	14	---	---	-	5	4	5	-	---	---	---	---	-
1997	21	---	---	1	7	8	5	-	---	---	---	---	-
1996	14	---	---	-	4	8	2	-	---	---	---	---	-
1995	21	---	---	-	14	7	-	-	---	---	---	---	-
1994	17	---	---	-	7	8	2	-	---	---	---	---	-
1993	25	---	---	-	9	12	4	-	---	---	---	---	-
1992	26	---	---	1	8	13	4	-	---	---	---	---	-
1991	27	---	---	-	11	9	7	-	---	---	---	---	-
1990	33	---	---	-	11	15	6	1	---	---	---	---	-
1989	26	---	---	-	11	9	6	-	---	---	---	---	-
1988	35	---	---	-	12	13	10	-	---	---	---	---	-
1987	18	---	---	-	4	13	1	-	---	---	---	---	-
1986	26	---	---	-	9	11	6	-	---	---	---	---	-
1985	28	---	---	-	15	10	3	-	---	---	---	---	-
1984	30	---	---	1	14	9	6	-	---	---	---	---	-
1983	26	---	---	-	9	13	4	-	---	---	---	---	-
1982	23	---	---	-	9	11	3	-	---	---	---	---	-
1981	22	---	---	-	9	11	2	-	---	---	---	---	-
1980	31	---	---	-	9	17	5	-	---	---	---	---	-
1979	30	---	---	-	15	11	4	-	---	---	---	---	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Other complications of pregnancy, childbirth and the puerperium (640-676)													
All races, both sexes													
1998	249	---	---	-	58	125	65	1	---	---	---	---	-
1997	286	---	---	2	75	139	65	5	---	---	---	---	-
1996	255	---	---	-	51	124	78	2	---	---	---	---	-
1995	249	---	---	1	60	121	66	1	---	---	---	---	-
1994	287	---	---	-	99	116	71	1	---	---	---	---	-
1993	255	---	---	1	64	114	76	-	---	---	---	---	-
1992	266	---	---	-	95	115	55	1	---	---	---	---	-
1991	269	---	---	2	77	132	54	4	---	---	---	---	-
1990	286	---	---	-	88	134	62	2	---	---	---	---	-
1989	270	---	---	-	80	144	44	2	---	---	---	---	-
1988	269	---	---	-	88	126	53	2	---	---	---	---	-
1987	207	---	---	1	63	103	39	1	---	---	---	---	-
1986	221	---	---	-	71	107	42	1	---	---	---	---	-
1985	246	---	---	1	73	117	52	3	---	---	---	---	-
1984	228	---	---	-	57	135	35	1	---	---	---	---	-
1983	240	---	---	-	96	107	37	-	---	---	---	---	-
1982	237	---	---	2	67	130	37	1	---	---	---	---	-
1981	262	---	---	1	102	117	41	1	---	---	---	---	-
1980	272	---	---	-	94	127	49	2	---	---	---	---	-
1979	275	---	---	2	96	119	53	5	---	---	---	---	-
Other complications of pregnancy, childbirth and the puerperium (640-676)													
All races, female													
1998	249	---	---	-	58	125	65	1	---	---	---	---	-
1997	286	---	---	2	75	139	65	5	---	---	---	---	-
1996	255	---	---	-	51	124	78	2	---	---	---	---	-
1995	249	---	---	1	60	121	66	1	---	---	---	---	-
1994	287	---	---	-	99	116	71	1	---	---	---	---	-
1993	255	---	---	1	64	114	76	-	---	---	---	---	-
1992	266	---	---	-	95	115	55	1	---	---	---	---	-
1991	269	---	---	2	77	132	54	4	---	---	---	---	-
1990	286	---	---	-	88	134	62	2	---	---	---	---	-
1989	270	---	---	-	80	144	44	2	---	---	---	---	-
1988	269	---	---	-	88	126	53	2	---	---	---	---	-
1987	207	---	---	1	63	103	39	1	---	---	---	---	-
1986	221	---	---	-	71	107	42	1	---	---	---	---	-
1985	246	---	---	1	73	117	52	3	---	---	---	---	-
1984	228	---	---	-	57	135	35	1	---	---	---	---	-
1983	240	---	---	-	96	107	37	-	---	---	---	---	-
1982	237	---	---	2	67	130	37	1	---	---	---	---	-
1981	262	---	---	1	102	117	41	1	---	---	---	---	-
1980	272	---	---	-	94	127	49	2	---	---	---	---	-
1979	275	---	---	2	96	119	53	5	---	---	---	---	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other complications of pregnancy, childbirth and the puerperium (640-676)													
White, both sexes													
1998	143	---	---	-	29	71	43	-	---	---	---	---	-
1997	161	---	---	-	41	76	40	4	---	---	---	---	-
1996	135	---	---	-	19	66	48	2	---	---	---	---	-
1995	122	---	---	-	30	63	29	-	---	---	---	---	-
1994	169	---	---	-	52	80	37	-	---	---	---	---	-
1993	131	---	---	1	27	64	39	-	---	---	---	---	-
1992	136	---	---	-	46	66	24	-	---	---	---	---	-
1991	162	---	---	1	37	87	35	2	---	---	---	---	-
1990	154	---	---	-	44	77	32	1	---	---	---	---	-
1989	159	---	---	-	50	82	27	-	---	---	---	---	-
1988	157	---	---	-	47	82	28	-	---	---	---	---	-
1987	128	---	---	1	40	62	24	1	---	---	---	---	-
1986	122	---	---	-	34	60	28	-	---	---	---	---	-
1985	137	---	---	-	39	65	32	1	---	---	---	---	-
1984	134	---	---	-	25	86	23	-	---	---	---	---	-
1983	147	---	---	-	51	68	28	-	---	---	---	---	-
1982	144	---	---	-	36	86	22	-	---	---	---	---	-
1981	160	---	---	-	59	78	23	-	---	---	---	---	-
1980	166	---	---	-	55	80	30	1	---	---	---	---	-
1979	153	---	---	1	44	76	30	2	---	---	---	---	-
Other complications of pregnancy, childbirth and the puerperium (640-676)													
White, female													
1998	143	---	---	-	29	71	43	-	---	---	---	---	-
1997	161	---	---	-	41	76	40	4	---	---	---	---	-
1996	135	---	---	-	19	66	48	2	---	---	---	---	-
1995	122	---	---	-	30	63	29	-	---	---	---	---	-
1994	169	---	---	-	52	80	37	-	---	---	---	---	-
1993	131	---	---	1	27	64	39	-	---	---	---	---	-
1992	136	---	---	-	46	66	24	-	---	---	---	---	-
1991	162	---	---	1	37	87	35	2	---	---	---	---	-
1990	154	---	---	-	44	77	32	1	---	---	---	---	-
1989	159	---	---	-	50	82	27	-	---	---	---	---	-
1988	157	---	---	-	47	82	28	-	---	---	---	---	-
1987	128	---	---	1	40	62	24	1	---	---	---	---	-
1986	122	---	---	-	34	60	28	-	---	---	---	---	-
1985	137	---	---	-	39	65	32	1	---	---	---	---	-
1984	134	---	---	-	25	86	23	-	---	---	---	---	-
1983	147	---	---	-	51	68	28	-	---	---	---	---	-
1982	144	---	---	-	36	86	22	-	---	---	---	---	-
1981	160	---	---	-	59	78	23	-	---	---	---	---	-
1980	166	---	---	-	55	80	30	1	---	---	---	---	-
1979	153	---	---	1	44	76	30	2	---	---	---	---	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Other complications of pregnancy, childbirth and the puerperium (640-676)													
All other, both sexes													
1998	106	---	---	-	29	54	22	1	---	---	---	---	-
1997	125	---	---	2	34	63	25	1	---	---	---	---	-
1996	120	---	---	-	32	58	30	-	---	---	---	---	-
1995	127	---	---	1	30	58	37	1	---	---	---	---	-
1994	118	---	---	-	47	36	34	1	---	---	---	---	-
1993	124	---	---	-	37	50	37	-	---	---	---	---	-
1992	130	---	---	-	49	49	31	1	---	---	---	---	-
1991	107	---	---	1	40	45	19	2	---	---	---	---	-
1990	132	---	---	-	44	57	30	1	---	---	---	---	-
1989	111	---	---	-	30	62	17	2	---	---	---	---	-
1988	112	---	---	-	41	44	25	2	---	---	---	---	-
1987	79	---	---	-	23	41	15	-	---	---	---	---	-
1986	99	---	---	-	37	47	14	1	---	---	---	---	-
1985	109	---	---	1	34	52	20	2	---	---	---	---	-
1984	94	---	---	-	32	49	12	1	---	---	---	---	-
1983	93	---	---	-	45	39	9	-	---	---	---	---	-
1982	93	---	---	2	31	44	15	1	---	---	---	---	-
1981	102	---	---	1	43	39	18	1	---	---	---	---	-
1980	106	---	---	-	39	47	19	1	---	---	---	---	-
1979	122	---	---	1	52	43	23	3	---	---	---	---	-
Other complications of pregnancy, childbirth and the puerperium (640-676)													
All other, female													
1998	106	---	---	-	29	54	22	1	---	---	---	---	-
1997	125	---	---	2	34	63	25	1	---	---	---	---	-
1996	120	---	---	-	32	58	30	-	---	---	---	---	-
1995	127	---	---	1	30	58	37	1	---	---	---	---	-
1994	118	---	---	-	47	36	34	1	---	---	---	---	-
1993	124	---	---	-	37	50	37	-	---	---	---	---	-
1992	130	---	---	-	49	49	31	1	---	---	---	---	-
1991	107	---	---	1	40	45	19	2	---	---	---	---	-
1990	132	---	---	-	44	57	30	1	---	---	---	---	-
1989	111	---	---	-	30	62	17	2	---	---	---	---	-
1988	112	---	---	-	41	44	25	2	---	---	---	---	-
1987	79	---	---	-	23	41	15	-	---	---	---	---	-
1986	99	---	---	-	37	47	14	1	---	---	---	---	-
1985	109	---	---	1	34	52	20	2	---	---	---	---	-
1984	94	---	---	-	32	49	12	1	---	---	---	---	-
1983	93	---	---	-	45	39	9	-	---	---	---	---	-
1982	93	---	---	2	31	44	15	1	---	---	---	---	-
1981	102	---	---	1	43	39	18	1	---	---	---	---	-
1980	106	---	---	-	39	47	19	1	---	---	---	---	-
1979	122	---	---	1	52	43	23	3	---	---	---	---	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other complications of pregnancy, childbirth and the puerperium (640-676)													
Black, both sexes													
1998	90	---	---	-	28	46	15	1	---	---	---	---	-
1997	104	---	---	2	29	56	16	1	---	---	---	---	-
1996	107	---	---	-	30	53	24	-	---	---	---	---	-
1995	112	---	---	1	29	51	30	1	---	---	---	---	-
1994	101	---	---	-	43	28	29	1	---	---	---	---	-
1993	110	---	---	-	34	46	30	-	---	---	---	---	-
1992	114	---	---	-	45	43	25	1	---	---	---	---	-
1991	98	---	---	1	36	41	18	2	---	---	---	---	-
1990	120	---	---	-	40	54	25	1	---	---	---	---	-
1989	98	---	---	-	29	53	14	2	---	---	---	---	-
1988	96	---	---	-	38	36	20	2	---	---	---	---	-
1987	73	---	---	-	22	37	14	-	---	---	---	---	-
1986	91	---	---	-	35	43	12	1	---	---	---	---	-
1985	96	---	---	1	30	46	18	1	---	---	---	---	-
1984	87	---	---	-	32	42	12	1	---	---	---	---	-
1983	81	---	---	-	42	32	7	-	---	---	---	---	-
1982	85	---	---	2	31	37	14	1	---	---	---	---	-
1981	98	---	---	1	42	37	17	1	---	---	---	---	-
1980	96	---	---	-	39	39	17	1	---	---	---	---	-
1979	115	---	---	1	52	41	18	3	---	---	---	---	-
Other complications of pregnancy, childbirth and the puerperium (640-676)													
Black, female													
1998	90	---	---	-	28	46	15	1	---	---	---	---	-
1997	104	---	---	2	29	56	16	1	---	---	---	---	-
1996	107	---	---	-	30	53	24	-	---	---	---	---	-
1995	112	---	---	1	29	51	30	1	---	---	---	---	-
1994	101	---	---	-	43	28	29	1	---	---	---	---	-
1993	110	---	---	-	34	46	30	-	---	---	---	---	-
1992	114	---	---	-	45	43	25	1	---	---	---	---	-
1991	98	---	---	1	36	41	18	2	---	---	---	---	-
1990	120	---	---	-	40	54	25	1	---	---	---	---	-
1989	98	---	---	-	29	53	14	2	---	---	---	---	-
1988	96	---	---	-	38	36	20	2	---	---	---	---	-
1987	73	---	---	-	22	37	14	-	---	---	---	---	-
1986	91	---	---	-	35	43	12	1	---	---	---	---	-
1985	96	---	---	1	30	46	18	1	---	---	---	---	-
1984	87	---	---	-	32	42	12	1	---	---	---	---	-
1983	81	---	---	-	42	32	7	-	---	---	---	---	-
1982	85	---	---	2	31	37	14	1	---	---	---	---	-
1981	98	---	---	1	42	37	17	1	---	---	---	---	-
1980	96	---	---	-	39	39	17	1	---	---	---	---	-
1979	115	---	---	1	52	41	18	3	---	---	---	---	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Certain conditions originating in the perinatal period (760-771.2,771.4-779)													
All races, both sexes													
1998	13,428	13,294	75	26	6	8	8	2	4	1	1	2	1
1997	13,092	12,935	75	37	18	7	6	4	1	6	-	1	2
1996	13,069	12,955	60	24	8	4	7	4	-	1	-	-	6
1995	13,471	13,328	87	31	5	7	4	2	1	2	1	2	1
1994	14,487	14,315	114	28	8	9	2	6	1	2	-	2	-
1993	15,096	14,945	100	20	6	8	5	1	-	3	4	-	4
1992	15,730	15,562	113	31	2	5	7	2	-	3	1	2	2
1991	16,781	16,591	140	27	10	3	5	2	2	-	-	1	-
1990	17,674	17,482	134	29	5	6	2	2	1	1	1	4	7
1989	18,752	18,564	134	23	7	6	6	2	2	3	1	-	4
1988	18,220	18,036	129	22	9	9	2	3	-	-	1	1	8
1987	18,222	18,070	121	14	6	2	4	-	1	1	1	-	2
1986	18,391	18,226	132	13	6	7	1	2	-	1	1	1	1
1985	19,246	19,068	139	13	10	7	3	1	1	-	1	-	3
1984	18,880	18,681	144	26	9	5	2	3	2	-	-	-	8
1983	19,310	19,157	112	13	7	7	2	3	1	2	1	1	4
1982	20,794	20,685	77	7	9	5	2	2	1	2	-	-	4
1981	21,626	21,510	77	17	6	2	-	-	3	-	-	2	9
1980	22,866	22,745	84	12	10	3	1	1	4	1	-	1	4
1979	23,447	23,321	75	8	7	3	5	2	3	1	1	1	20
Certain conditions originating in the perinatal period (760-771.2,771.4-779)													
All races, male													
1998	7,496	7,429	37	11	5	3	4	2	3	1	1	-	-
1997	7,398	7,308	46	20	11	2	5	1	1	2	-	1	1
1996	7,303	7,230	44	13	5	3	4	2	-	-	-	-	2
1995	7,600	7,516	45	22	4	6	3	1	-	2	-	1	-
1994	8,156	8,057	67	15	7	4	1	3	-	1	-	1	-
1993	8,472	8,374	68	13	3	1	4	1	-	3	3	-	2
1992	8,817	8,727	62	20	-	1	2	1	-	-	1	1	2
1991	9,561	9,450	84	14	6	1	3	1	2	-	-	-	-
1990	10,056	9,936	91	14	2	3	-	2	-	-	1	2	5
1989	10,511	10,387	89	15	4	5	4	1	2	1	1	-	2
1988	10,393	10,280	79	16	6	4	-	1	-	-	1	1	5
1987	10,442	10,348	72	14	2	1	3	-	-	-	1	-	1
1986	10,563	10,465	83	3	4	6	-	1	-	-	1	-	-
1985	11,094	10,979	95	5	6	3	2	-	-	-	1	-	3
1984	10,658	10,546	84	14	3	4	1	1	1	-	-	-	4
1983	11,036	10,948	72	4	2	4	-	1	-	1	-	-	4
1982	11,876	11,811	47	4	5	3	-	2	-	-	-	-	4
1981	12,302	12,228	48	13	3	1	-	-	1	-	-	2	6
1980	13,051	12,984	46	6	8	1	-	1	2	1	-	1	1
1979	13,349	13,277	46	4	5	1	3	1	2	-	-	-	10

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Certain conditions originating in the perinatal period (760-771.2,771.4-779)													
All races, female													
1998	5,932	5,865	38	15	1	5	4	-	1	-	-	2	1
1997	5,694	5,627	29	17	7	5	1	3	-	4	-	-	1
1996	5,766	5,725	16	11	3	1	3	2	-	1	-	-	4
1995	5,871	5,812	42	9	1	1	1	1	1	-	1	1	1
1994	6,331	6,258	47	13	1	5	1	3	1	1	-	1	-
1993	6,624	6,571	32	7	3	7	1	-	-	-	1	-	2
1992	6,913	6,835	51	11	2	4	5	1	-	3	-	1	-
1991	7,220	7,141	56	13	4	2	2	1	-	-	-	1	-
1990	7,618	7,546	43	15	3	3	2	-	1	1	-	2	2
1989	8,241	8,177	45	8	3	1	2	1	-	2	-	-	2
1988	7,827	7,756	50	6	3	5	2	2	-	-	-	-	3
1987	7,780	7,722	49	-	4	1	1	-	1	1	-	-	1
1986	7,828	7,761	49	10	2	1	1	1	-	1	-	1	1
1985	8,152	8,089	44	8	4	4	1	1	1	-	-	-	-
1984	8,222	8,135	60	12	6	1	1	2	1	-	-	-	4
1983	8,274	8,209	40	9	5	3	2	2	1	1	1	1	-
1982	8,918	8,874	30	3	4	2	2	-	1	2	-	-	-
1981	9,324	9,282	29	4	3	1	-	-	2	-	-	-	3
1980	9,815	9,761	38	6	2	2	1	-	2	-	-	-	3
1979	10,098	10,044	29	4	2	2	2	1	1	1	1	1	10
Certain conditions originating in the perinatal period (760-771.2,771.4-779)													
White, both sexes													
1998	8,129	8,043	48	15	2	5	7	2	3	1	-	2	1
1997	7,981	7,877	40	24	15	7	5	3	1	6	-	1	2
1996	7,964	7,890	33	18	7	2	6	3	-	1	-	-	4
1995	8,155	8,065	47	21	4	6	4	2	1	2	1	2	-
1994	8,562	8,459	61	19	5	6	2	6	1	2	-	1	-
1993	8,830	8,731	58	17	4	8	4	1	-	2	3	-	2
1992	9,168	9,058	64	27	2	4	5	2	-	3	-	1	2
1991	9,889	9,771	88	14	5	2	4	2	2	-	-	1	-
1990	10,506	10,378	81	21	5	5	2	2	1	1	1	3	6
1989	11,306	11,181	85	14	6	5	6	2	2	3	-	-	2
1988	11,192	11,060	86	19	7	9	2	2	-	-	1	1	5
1987	11,412	11,300	86	11	5	2	4	-	-	1	1	-	2
1986	11,814	11,691	95	12	6	4	1	2	-	1	-	1	1
1985	12,634	12,520	85	8	9	6	3	1	1	-	-	-	1
1984	12,470	12,330	94	20	7	5	2	3	2	-	-	-	7
1983	12,816	12,715	73	9	4	7	2	2	-	2	1	-	1
1982	13,932	13,848	57	6	9	5	2	1	1	2	-	-	1
1981	14,551	14,472	49	14	6	1	-	-	3	-	-	-	6
1980	15,457	15,367	60	9	10	2	1	1	4	1	-	1	1
1979	16,033	15,932	59	7	5	3	4	2	3	1	1	1	15

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Certain conditions originating in the perinatal period (760-771.2,771.4-779)													
White, male													
1998	4,523	4,481	25	6	1	2	3	2	2	1	-	-	-
1997	4,538	4,479	22	15	9	2	5	1	1	2	-	1	1
1996	4,446	4,401	23	9	5	1	4	1	-	-	-	-	2
1995	4,676	4,624	23	13	4	5	3	1	-	2	-	1	-
1994	4,829	4,769	38	10	4	3	1	3	-	1	-	-	-
1993	4,956	4,891	39	13	2	1	3	1	-	2	3	-	1
1992	5,128	5,068	36	18	-	1	2	1	-	-	-	-	2
1991	5,654	5,587	51	8	2	1	2	1	2	-	-	-	-
1990	6,055	5,975	55	12	2	2	-	2	-	-	1	2	4
1989	6,426	6,339	60	10	4	4	4	1	2	1	-	-	1
1988	6,485	6,407	48	14	6	4	-	1	-	-	1	1	3
1987	6,560	6,491	50	11	2	1	3	-	-	-	1	-	1
1986	6,815	6,743	60	3	4	4	-	1	-	-	-	-	-
1985	7,404	7,329	61	4	5	2	2	-	-	-	-	-	1
1984	7,134	7,054	55	12	2	4	1	1	1	-	-	-	4
1983	7,417	7,358	47	4	1	4	-	1	-	1	-	-	1
1982	8,003	7,959	31	3	5	3	-	1	-	-	-	-	1
1981	8,380	8,326	34	11	3	-	-	-	1	-	-	-	5
1980	8,945	8,895	31	5	8	1	-	1	2	1	-	1	-
1979	9,261	9,202	38	3	4	1	3	1	2	-	-	-	7
Certain conditions originating in the perinatal period (760-771.2,771.4-779)													
White, female													
1998	3,606	3,562	23	9	1	3	4	-	1	-	-	2	1
1997	3,443	3,398	18	9	6	5	-	2	-	4	-	-	1
1996	3,518	3,489	10	9	2	1	2	2	-	1	-	-	2
1995	3,479	3,441	24	8	-	1	1	1	1	-	1	1	-
1994	3,733	3,690	23	9	1	3	1	3	1	1	-	1	-
1993	3,874	3,840	19	4	2	7	1	-	-	-	-	-	1
1992	4,040	3,990	28	9	2	3	3	1	-	3	-	1	-
1991	4,235	4,184	37	6	3	1	2	1	-	-	-	1	-
1990	4,451	4,403	26	9	3	3	2	-	1	1	-	1	2
1989	4,880	4,842	25	4	2	1	2	1	-	2	-	-	1
1988	4,707	4,653	38	5	1	5	2	1	-	-	-	-	2
1987	4,852	4,809	36	-	3	1	1	-	-	1	-	-	1
1986	4,999	4,948	35	9	2	-	1	1	-	1	-	1	1
1985	5,230	5,191	24	4	4	4	1	1	1	-	-	-	-
1984	5,336	5,276	39	8	5	1	1	2	1	-	-	-	3
1983	5,399	5,357	26	5	3	3	2	1	-	1	1	-	-
1982	5,929	5,889	26	3	4	2	2	-	1	2	-	-	-
1981	6,171	6,146	15	3	3	1	-	-	2	-	-	-	1
1980	6,512	6,472	29	4	2	1	1	-	2	-	-	-	1
1979	6,772	6,730	21	4	1	2	1	1	1	1	1	1	8

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Certain conditions originating in the perinatal period (760-771.2,771.4-779)													
All other, both sexes													
1998	5,299	5,251	27	11	4	3	1	-	1	-	1	-	-
1997	5,111	5,058	35	13	3	-	1	1	-	-	-	-	-
1996	5,105	5,065	27	6	1	2	1	1	-	-	-	-	2
1995	5,316	5,263	40	10	1	1	-	-	-	-	-	-	1
1994	5,925	5,856	53	9	3	3	-	-	-	-	-	1	-
1993	6,266	6,214	42	3	2	-	1	-	-	1	1	-	2
1992	6,562	6,504	49	4	-	1	2	-	-	-	1	1	-
1991	6,892	6,820	52	13	5	1	1	-	-	-	-	-	-
1990	7,168	7,104	53	8	-	1	-	-	-	-	-	1	1
1989	7,446	7,383	49	9	1	1	-	-	-	-	1	-	2
1988	7,028	6,976	43	3	2	-	-	1	-	-	-	-	3
1987	6,810	6,770	35	3	1	-	-	-	1	-	-	-	-
1986	6,577	6,535	37	1	-	3	-	-	-	-	1	-	-
1985	6,612	6,548	54	5	1	1	-	-	-	-	1	-	2
1984	6,410	6,351	50	6	2	-	-	-	-	-	-	-	1
1983	6,494	6,442	39	4	3	-	-	1	1	-	-	1	3
1982	6,862	6,837	20	1	-	-	-	1	-	-	-	-	3
1981	7,075	7,038	28	3	-	1	-	-	-	-	-	2	3
1980	7,409	7,378	24	3	-	1	-	-	-	-	-	-	3
1979	7,414	7,389	16	1	2	-	1	-	-	-	-	-	5
Certain conditions originating in the perinatal period (760-771.2,771.4-779)													
All other, male													
1998	2,973	2,948	12	5	4	1	1	-	1	-	1	-	-
1997	2,860	2,829	24	5	2	-	-	-	-	-	-	-	-
1996	2,857	2,829	21	4	-	2	-	1	-	-	-	-	-
1995	2,924	2,892	22	9	-	1	-	-	-	-	-	-	-
1994	3,327	3,288	29	5	3	1	-	-	-	-	-	1	-
1993	3,516	3,483	29	-	1	-	1	-	-	1	-	-	1
1992	3,689	3,659	26	2	-	-	-	-	-	-	1	1	-
1991	3,907	3,863	33	6	4	-	1	-	-	-	-	-	-
1990	4,001	3,961	36	2	-	1	-	-	-	-	-	-	1
1989	4,085	4,048	29	5	-	1	-	-	-	-	1	-	1
1988	3,908	3,873	31	2	-	-	-	-	-	-	-	-	2
1987	3,882	3,857	22	3	-	-	-	-	-	-	-	-	-
1986	3,748	3,722	23	-	-	2	-	-	-	-	1	-	-
1985	3,690	3,650	34	1	1	1	-	-	-	-	1	-	2
1984	3,524	3,492	29	2	1	-	-	-	-	-	-	-	-
1983	3,619	3,590	25	-	1	-	-	-	-	-	-	-	3
1982	3,873	3,852	16	1	-	-	-	1	-	-	-	-	3
1981	3,922	3,902	14	2	-	1	-	-	-	-	-	2	1
1980	4,106	4,089	15	1	-	-	-	-	-	-	-	-	1
1979	4,088	4,075	8	1	1	-	-	-	-	-	-	-	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Certain conditions originating in the perinatal period (760-771.2,771.4-779)													
All other, female													
1998	2,326	2,303	15	6	-	2	-	-	-	-	-	-	-
1997	2,251	2,229	11	8	1	-	1	1	-	-	-	-	-
1996	2,248	2,236	6	2	1	-	1	-	-	-	-	-	2
1995	2,392	2,371	18	1	1	-	-	-	-	-	-	-	1
1994	2,598	2,568	24	4	-	2	-	-	-	-	-	-	-
1993	2,750	2,731	13	3	1	-	-	-	-	-	1	-	1
1992	2,873	2,845	23	2	-	1	2	-	-	-	-	-	-
1991	2,985	2,957	19	7	1	1	-	-	-	-	-	-	-
1990	3,167	3,143	17	6	-	-	-	-	-	-	-	1	-
1989	3,361	3,335	20	4	1	-	-	-	-	-	-	-	1
1988	3,120	3,103	12	1	2	-	-	1	-	-	-	-	1
1987	2,928	2,913	13	-	1	-	-	-	1	-	-	-	-
1986	2,829	2,813	14	1	-	1	-	-	-	-	-	-	-
1985	2,922	2,898	20	4	-	-	-	-	-	-	-	-	-
1984	2,886	2,859	21	4	1	-	-	-	-	-	-	-	1
1983	2,875	2,852	14	4	2	-	-	1	1	-	-	1	-
1982	2,989	2,985	4	-	-	-	-	-	-	-	-	-	-
1981	3,153	3,136	14	1	-	-	-	-	-	-	-	-	2
1980	3,303	3,289	9	2	-	1	-	-	-	-	-	-	2
1979	3,326	3,314	8	-	1	-	1	-	-	-	-	-	2
Certain conditions originating in the perinatal period (760-771.2,771.4-779)													
Black, both sexes													
1998	4,841	4,796	26	10	3	3	1	-	1	-	1	-	-
1997	4,714	4,664	34	11	3	-	1	1	-	-	-	-	-
1996	4,711	4,679	22	4	-	2	1	1	-	-	-	-	2
1995	4,952	4,905	35	10	1	1	-	-	-	-	-	-	-
1994	5,515	5,455	46	7	3	3	-	-	-	-	-	1	-
1993	5,891	5,844	38	3	1	-	1	-	-	1	1	-	2
1992	6,176	6,125	43	4	-	1	1	-	-	-	1	1	-
1991	6,512	6,447	50	9	4	1	1	-	-	-	-	-	-
1990	6,744	6,688	48	7	-	-	-	-	-	-	-	1	-
1989	6,965	6,907	47	6	1	1	-	-	-	-	1	-	2
1988	6,614	6,566	39	3	2	-	-	1	-	-	-	-	3
1987	6,373	6,336	34	2	1	-	-	-	-	-	-	-	-
1986	6,149	6,109	35	1	-	3	-	-	-	-	1	-	-
1985	6,196	6,140	46	5	1	1	-	-	-	-	1	-	2
1984	6,002	5,950	44	6	1	-	-	-	-	-	-	-	1
1983	6,100	6,051	37	3	3	-	-	1	1	-	-	1	3
1982	6,464	6,443	18	1	-	-	-	1	-	-	-	-	1
1981	6,658	6,623	27	3	-	1	-	-	-	-	-	2	2
1980	6,961	6,933	23	2	-	1	-	-	-	-	-	-	2
1979	7,024	7,002	14	1	1	-	1	-	-	-	-	-	5

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Certain conditions originating in the perinatal period (760-771.2,771.4-779)													
Black, male													
1998	2,732	2,709	12	4	3	1	1	-	1	-	1	-	-
1997	2,624	2,595	23	4	2	-	-	-	-	-	-	-	-
1996	2,631	2,610	16	2	-	2	-	1	-	-	-	-	-
1995	2,731	2,703	18	9	-	1	-	-	-	-	-	-	-
1994	3,088	3,055	24	4	3	1	-	-	-	-	-	1	-
1993	3,309	3,278	27	-	1	-	1	-	-	1	-	-	1
1992	3,469	3,444	21	2	-	-	-	-	-	-	1	1	-
1991	3,711	3,672	32	3	3	-	1	-	-	-	-	-	-
1990	3,762	3,729	32	1	-	-	-	-	-	-	-	-	-
1989	3,813	3,778	28	4	-	1	-	-	-	-	1	-	1
1988	3,693	3,660	29	2	-	-	-	-	-	-	-	-	2
1987	3,608	3,584	22	2	-	-	-	-	-	-	-	-	-
1986	3,501	3,477	21	-	-	2	-	-	-	-	1	-	-
1985	3,458	3,423	29	1	1	1	-	-	-	-	1	-	2
1984	3,290	3,263	24	2	1	-	-	-	-	-	-	-	-
1983	3,401	3,373	24	-	1	-	-	-	-	-	-	-	3
1982	3,633	3,615	15	1	-	-	-	1	-	-	-	-	1
1981	3,688	3,670	13	2	-	1	-	-	-	-	-	2	-
1980	3,869	3,853	15	-	-	-	-	-	-	-	-	-	1
1979	3,871	3,859	7	1	1	-	-	-	-	-	-	-	3
Certain conditions originating in the perinatal period (760-771.2,771.4-779)													
Black, female													
1998	2,109	2,087	14	6	-	2	-	-	-	-	-	-	-
1997	2,090	2,069	11	7	1	-	1	1	-	-	-	-	-
1996	2,080	2,069	6	2	-	-	1	-	-	-	-	-	2
1995	2,221	2,202	17	1	1	-	-	-	-	-	-	-	-
1994	2,427	2,400	22	3	-	2	-	-	-	-	-	-	-
1993	2,582	2,566	11	3	-	-	-	-	-	-	1	-	1
1992	2,707	2,681	22	2	-	1	1	-	-	-	-	-	-
1991	2,801	2,775	18	6	1	1	-	-	-	-	-	-	-
1990	2,982	2,959	16	6	-	-	-	-	-	-	-	1	-
1989	3,152	3,129	19	2	1	-	-	-	-	-	-	-	1
1988	2,921	2,906	10	1	2	-	-	1	-	-	-	-	1
1987	2,765	2,752	12	-	1	-	-	-	-	-	-	-	-
1986	2,648	2,632	14	1	-	1	-	-	-	-	-	-	-
1985	2,738	2,717	17	4	-	-	-	-	-	-	-	-	-
1984	2,712	2,687	20	4	-	-	-	-	-	-	-	-	1
1983	2,699	2,678	13	3	2	-	-	1	1	-	-	1	-
1982	2,831	2,828	3	-	-	-	-	-	-	-	-	-	-
1981	2,970	2,953	14	1	-	-	-	-	-	-	-	-	2
1980	3,092	3,080	8	2	-	1	-	-	-	-	-	-	1
1979	3,153	3,143	7	-	-	-	1	-	-	-	-	-	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Congenital malformations, deformations and chromosomal abnormalities (740-759)													
All races, both sexes													
1998	11,934	6,212	564	371	450	452	545	525	519	651	998	646	1
1997	11,912	6,178	589	447	420	454	534	538	501	654	952	643	2
1996	11,836	6,381	638	457	382	392	534	527	480	672	813	559	1
1995	11,891	6,554	695	449	452	474	527	487	465	621	721	446	-
1994	12,030	6,854	714	434	463	456	495	486	458	574	684	412	-
1993	12,444	7,129	804	485	472	476	469	458	482	588	684	396	1
1992	12,491	7,449	856	448	450	466	479	387	469	572	599	316	-
1991	12,599	7,685	871	487	449	467	452	400	408	550	534	292	4
1990	13,085	8,239	896	468	491	473	454	364	412	547	478	259	4
1989	12,897	8,120	928	480	474	483	402	395	428	513	450	218	6
1988	12,753	8,141	913	499	474	465	411	336	433	490	421	165	5
1987	12,333	7,884	924	448	499	448	387	350	409	446	383	154	1
1986	12,638	8,244	879	453	511	398	383	315	446	479	365	163	2
1985	12,783	8,561	840	469	466	410	363	313	434	429	341	151	6
1984	13,039	8,548	946	484	516	445	348	350	497	426	323	152	4
1983	13,173	8,732	913	471	554	453	357	329	436	436	337	151	4
1982	13,604	9,024	1,028	553	560	453	331	333	436	439	330	110	7
1981	13,527	8,914	1,018	542	594	495	325	339	431	420	319	119	11
1980	13,938	9,220	1,026	561	600	482	335	390	485	445	288	103	3
1979	13,526	8,923	1,021	578	576	415	359	410	451	412	258	115	8
Congenital malformations, deformations and chromosomal abnormalities (740-759)													
All races, male													
1998	6,199	3,282	287	197	256	256	280	286	265	342	492	256	-
1997	6,261	3,266	317	232	241	259	287	293	275	343	484	262	2
1996	6,238	3,452	325	273	231	216	279	282	240	323	409	207	1
1995	6,243	3,585	374	230	258	246	268	265	228	301	332	156	-
1994	6,209	3,590	354	232	272	240	252	271	227	298	324	149	-
1993	6,610	3,886	388	264	277	272	255	242	241	318	308	158	1
1992	6,625	4,034	460	238	280	253	268	199	222	275	277	119	-
1991	6,800	4,202	469	263	258	250	262	228	211	290	248	115	4
1990	7,050	4,520	473	245	301	268	264	185	205	252	233	102	2
1989	6,812	4,387	436	256	281	281	210	192	228	246	200	91	4
1988	6,775	4,384	511	286	267	250	234	176	210	214	184	58	1
1987	6,604	4,232	492	265	305	264	213	189	208	210	169	57	-
1986	6,744	4,459	464	251	299	232	218	179	197	236	149	59	1
1985	6,895	4,709	451	246	288	223	193	162	234	183	147	59	-
1984	6,925	4,576	489	256	313	262	191	177	238	222	144	55	2
1983	7,013	4,711	487	254	312	257	190	180	204	207	144	64	3
1982	7,157	4,806	524	292	324	258	171	161	229	211	139	41	1
1981	7,128	4,769	527	278	355	283	170	172	206	191	123	47	7
1980	7,496	4,968	555	298	345	284	183	217	258	223	137	28	-
1979	7,309	4,903	551	307	378	235	180	198	192	214	106	40	5

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	15-24 25-34 35-44 45-54 55-64 65-74 75-84												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	years	years	years	years	years	years	years	85 + years	
Congenital malformations, deformations and chromosomal abnormalities (740-759)													
All races, female													
1998	5,735	2,930	277	174	194	196	265	239	254	309	506	390	1
1997	5,651	2,912	272	215	179	195	247	245	226	311	468	381	-
1996	5,598	2,929	313	184	151	176	255	245	240	349	404	352	-
1995	5,648	2,969	321	219	194	228	259	222	237	320	389	290	-
1994	5,821	3,264	360	202	191	216	243	215	231	276	360	263	-
1993	5,834	3,243	416	221	195	204	214	216	241	270	376	238	-
1992	5,866	3,415	396	210	170	213	211	188	247	297	322	197	-
1991	5,799	3,483	402	224	191	217	190	172	197	260	286	177	-
1990	6,035	3,719	423	223	190	205	190	179	207	295	245	157	2
1989	6,085	3,733	492	224	193	202	192	203	200	267	250	127	2
1988	5,978	3,757	402	213	207	215	177	160	223	276	237	107	4
1987	5,729	3,652	432	183	194	184	174	161	201	236	214	97	1
1986	5,894	3,785	415	202	212	166	165	136	249	243	216	104	1
1985	5,888	3,852	389	223	178	187	170	151	200	246	194	92	6
1984	6,114	3,972	457	228	203	183	157	173	259	204	179	97	2
1983	6,160	4,021	426	217	242	196	167	149	232	229	193	87	1
1982	6,447	4,218	504	261	236	195	160	172	207	228	191	69	6
1981	6,399	4,145	491	264	239	212	155	167	225	229	196	72	4
1980	6,442	4,252	471	263	255	198	152	173	227	222	151	75	3
1979	6,217	4,020	470	271	198	180	179	212	259	198	152	75	3
Congenital malformations, deformations and chromosomal abnormalities (740-759)													
White, both sexes													
1998	9,651	4,794	406	275	324	359	440	467	455	587	929	614	1
1997	9,719	4,803	439	336	307	381	448	469	447	589	892	606	2
1996	9,556	4,951	456	338	302	319	427	453	427	608	748	526	1
1995	9,614	5,095	504	347	356	382	442	426	413	556	670	423	-
1994	9,660	5,304	515	338	360	373	414	413	399	520	640	384	-
1993	9,934	5,449	597	393	380	385	391	389	425	518	630	376	1
1992	9,890	5,666	613	343	369	379	402	340	409	521	550	298	-
1991	9,978	5,864	650	376	364	389	367	333	361	503	485	283	3
1990	10,502	6,418	686	372	382	394	388	323	373	486	437	240	3
1989	10,291	6,312	703	382	378	394	332	340	370	464	409	204	3
1988	10,334	6,442	727	393	393	382	333	291	380	443	394	152	4
1987	9,910	6,172	719	336	405	373	330	308	360	402	359	145	1
1986	10,188	6,519	684	359	403	313	317	268	396	436	341	150	2
1985	10,437	6,898	665	360	383	336	304	263	381	395	312	134	6
1984	10,662	6,875	771	392	422	344	304	296	440	383	293	140	2
1983	10,747	7,026	726	370	458	366	293	275	387	397	307	139	3
1982	11,129	7,281	810	453	460	366	265	285	391	402	310	99	7
1981	11,145	7,224	797	460	503	412	283	298	383	375	293	108	9
1980	11,471	7,442	819	463	496	397	290	349	443	406	263	100	3
1979	11,222	7,288	824	472	483	350	309	359	402	381	242	108	4

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	15-24 25-34 35-44 45-54 55-64 65-74 75-84												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	years	years	years	years	years	years	years	85 + years	
Congenital malformations, deformations and chromosomal abnormalities (740-759)													
White, male													
1998	5,001	2,547	205	139	179	212	224	250	231	307	461	246	-
1997	5,123	2,567	237	179	175	210	237	260	247	307	455	247	2
1996	5,066	2,706	243	202	186	177	227	241	217	290	378	198	1
1995	5,047	2,809	273	174	203	202	227	229	199	275	306	150	-
1994	4,993	2,793	254	182	213	192	210	224	203	272	310	140	-
1993	5,281	2,987	293	207	222	218	217	202	213	286	286	149	1
1992	5,254	3,084	339	179	228	203	228	175	196	256	254	112	-
1991	5,378	3,220	343	202	207	210	212	191	187	269	224	110	3
1990	5,667	3,545	353	195	228	230	235	164	189	221	211	94	2
1989	5,444	3,437	333	203	216	227	171	170	199	223	179	83	3
1988	5,491	3,474	417	225	210	213	190	159	180	196	174	52	1
1987	5,364	3,370	392	198	246	220	180	167	188	192	157	54	-
1986	5,444	3,561	353	204	231	178	185	154	173	211	139	54	1
1985	5,674	3,836	359	183	234	190	167	144	205	169	133	54	-
1984	5,703	3,727	403	217	246	201	162	154	219	195	129	50	-
1983	5,718	3,803	381	198	262	209	158	151	184	187	127	55	3
1982	5,883	3,902	424	245	262	212	136	138	205	194	128	36	1
1981	5,906	3,902	419	244	298	235	150	149	178	168	114	44	5
1980	6,188	4,034	441	249	283	238	161	194	234	202	125	27	-
1979	6,106	4,025	459	258	316	206	159	173	172	197	100	37	4
Congenital malformations, deformations and chromosomal abnormalities (740-759)													
White, female													
1998	4,650	2,247	201	136	145	147	216	217	224	280	468	368	1
1997	4,596	2,236	202	157	132	171	211	209	200	282	437	359	-
1996	4,490	2,245	213	136	116	142	200	212	210	318	370	328	-
1995	4,567	2,286	231	173	153	180	215	197	214	281	364	273	-
1994	4,667	2,511	261	156	147	181	204	189	196	248	330	244	-
1993	4,653	2,462	304	186	158	167	174	187	212	232	344	227	-
1992	4,636	2,582	274	164	141	176	174	165	213	265	296	186	-
1991	4,600	2,644	307	174	157	179	155	142	174	234	261	173	-
1990	4,835	2,873	333	177	154	164	153	159	184	265	226	146	1
1989	4,847	2,875	370	179	162	167	161	170	171	241	230	121	-
1988	4,843	2,968	310	168	183	169	143	132	200	247	220	100	3
1987	4,546	2,802	327	138	159	153	150	141	172	210	202	91	1
1986	4,744	2,958	331	155	172	135	132	114	223	225	202	96	1
1985	4,763	3,062	306	177	149	146	137	119	176	226	179	80	6
1984	4,959	3,148	368	175	176	143	142	142	221	188	164	90	2
1983	5,029	3,223	345	172	196	157	135	124	203	210	180	84	-
1982	5,246	3,379	386	208	198	154	129	147	186	208	182	63	6
1981	5,239	3,322	378	216	205	177	133	149	205	207	179	64	4
1980	5,283	3,408	378	214	213	159	129	155	209	204	138	73	3
1979	5,116	3,263	365	214	167	144	150	186	230	184	142	71	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	15-24 25-34 35-44 45-54 55-64 65-74 75-84												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	years	years	years	years	years	years	years	85 + years	
Congenital malformations, deformations and chromosomal abnormalities (740-759)													
All other, both sexes													
1998	2,283	1,418	158	96	126	93	105	58	64	64	69	32	-
1997	2,193	1,375	150	111	113	73	86	69	54	65	60	37	-
1996	2,280	1,430	182	119	80	73	107	74	53	64	65	33	-
1995	2,277	1,459	191	102	96	92	85	61	52	65	51	23	-
1994	2,370	1,550	199	96	103	83	81	73	59	54	44	28	-
1993	2,510	1,680	207	92	92	91	78	69	57	70	54	20	-
1992	2,601	1,783	243	105	81	87	77	47	60	51	49	18	-
1991	2,621	1,821	221	111	85	78	85	67	47	47	49	9	1
1990	2,583	1,821	210	96	109	79	66	41	39	61	41	19	1
1989	2,606	1,808	225	98	96	89	70	55	58	49	41	14	3
1988	2,419	1,699	186	106	81	83	78	45	53	47	27	13	1
1987	2,423	1,712	205	112	94	75	57	42	49	44	24	9	-
1986	2,450	1,725	195	94	108	85	66	47	50	43	24	13	-
1985	2,346	1,663	175	109	83	74	59	50	53	34	29	17	-
1984	2,377	1,673	175	92	94	101	44	54	57	43	30	12	2
1983	2,426	1,706	187	101	96	87	64	54	49	39	30	12	1
1982	2,475	1,743	218	100	100	87	66	48	45	37	20	11	-
1981	2,382	1,690	221	82	91	83	42	41	48	45	26	11	2
1980	2,467	1,778	207	98	104	85	45	41	42	39	25	3	-
1979	2,304	1,635	197	106	93	65	50	51	49	31	16	7	4
Congenital malformations, deformations and chromosomal abnormalities (740-759)													
All other, male													
1998	1,198	735	82	58	77	44	56	36	34	35	31	10	-
1997	1,138	699	80	53	66	49	50	33	28	36	29	15	-
1996	1,172	746	82	71	45	39	52	41	23	33	31	9	-
1995	1,196	776	101	56	55	44	41	36	29	26	26	6	-
1994	1,216	797	100	50	59	48	42	47	24	26	14	9	-
1993	1,329	899	95	57	55	54	38	40	28	32	22	9	-
1992	1,371	950	121	59	52	50	40	24	26	19	23	7	-
1991	1,422	982	126	61	51	40	50	37	24	21	24	5	1
1990	1,383	975	120	50	73	38	29	21	16	31	22	8	-
1989	1,368	950	103	53	65	54	39	22	29	23	21	8	1
1988	1,284	910	94	61	57	37	44	17	30	18	10	6	-
1987	1,240	862	100	67	59	44	33	22	20	18	12	3	-
1986	1,300	898	111	47	68	54	33	25	24	25	10	5	-
1985	1,221	873	92	63	54	33	26	18	29	14	14	5	-
1984	1,222	849	86	39	67	61	29	23	19	27	15	5	2
1983	1,295	908	106	56	50	48	32	29	20	20	17	9	-
1982	1,274	904	100	47	62	46	35	23	24	17	11	5	-
1981	1,222	867	108	34	57	48	20	23	28	23	9	3	2
1980	1,308	934	114	49	62	46	22	23	24	21	12	1	-
1979	1,203	878	92	49	62	29	21	25	20	17	6	3	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Congenital malformations, deformations and chromosomal abnormalities (740-759)													
All other, female													
1998	1,085	683	76	38	49	49	49	22	30	29	38	22	-
1997	1,055	676	70	58	47	24	36	36	26	29	31	22	-
1996	1,108	684	100	48	35	34	55	33	30	31	34	24	-
1995	1,081	683	90	46	41	48	44	25	23	39	25	17	-
1994	1,154	753	99	46	44	35	39	26	35	28	30	19	-
1993	1,181	781	112	35	37	37	40	29	29	38	32	11	-
1992	1,230	833	122	46	29	37	37	23	34	32	26	11	-
1991	1,199	839	95	50	34	38	35	30	23	26	25	4	-
1990	1,200	846	90	46	36	41	37	20	23	30	19	11	1
1989	1,238	858	122	45	31	35	31	33	29	26	20	6	2
1988	1,135	789	92	45	24	46	34	28	23	29	17	7	1
1987	1,183	850	105	45	35	31	24	20	29	26	12	6	-
1986	1,150	827	84	47	40	31	33	22	26	18	14	8	-
1985	1,125	790	83	46	29	41	33	32	24	20	15	12	-
1984	1,155	824	89	53	27	40	15	31	38	16	15	7	-
1983	1,131	798	81	45	46	39	32	25	29	19	13	3	1
1982	1,201	839	118	53	38	41	31	25	21	20	9	6	-
1981	1,160	823	113	48	34	35	22	18	20	22	17	8	-
1980	1,159	844	93	49	42	39	23	18	18	18	13	2	-
1979	1,101	757	105	57	31	36	29	26	29	14	10	4	3
Congenital malformations, deformations and chromosomal abnormalities (740-759)													
Black, both sexes													
1998	1,885	1,161	125	80	107	78	90	50	56	52	60	26	-
1997	1,797	1,125	111	95	96	59	71	61	42	52	55	30	-
1996	1,905	1,189	152	100	64	58	94	67	48	52	53	28	-
1995	1,887	1,204	168	78	81	72	72	52	44	54	44	18	-
1994	1,961	1,266	174	81	90	70	71	63	47	39	36	24	-
1993	2,104	1,403	174	74	75	80	69	64	46	56	44	19	-
1992	2,167	1,477	208	91	70	76	60	36	48	44	41	16	-
1991	2,202	1,524	181	89	69	68	77	55	40	46	45	7	1
1990	2,177	1,530	176	79	99	69	57	34	31	54	33	14	1
1989	2,179	1,498	191	77	80	81	63	48	47	45	35	11	3
1988	2,019	1,410	148	88	69	76	71	36	49	40	20	11	1
1987	2,076	1,453	173	99	87	69	49	37	42	39	22	6	-
1986	2,061	1,442	165	80	96	78	52	39	43	37	19	10	-
1985	2,008	1,419	144	93	76	70	49	45	44	30	23	15	-
1984	1,983	1,389	140	77	82	86	37	47	48	39	26	11	1
1983	2,088	1,443	159	92	88	80	57	49	47	35	28	10	-
1982	2,141	1,488	190	92	90	78	59	42	39	35	19	9	-
1981	2,064	1,443	193	76	81	77	37	36	43	42	24	10	2
1980	2,168	1,544	184	90	94	75	43	39	37	36	24	2	-
1979	2,040	1,434	180	98	81	57	45	50	45	28	13	5	4

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Congenital malformations, deformations and chromosomal abnormalities (740-759)													
Black, male													
1998	994	604	69	46	67	37	45	30	32	29	27	8	-
1997	921	567	59	45	55	40	38	27	23	29	26	12	-
1996	971	615	71	61	36	27	44	38	21	27	25	6	-
1995	996	643	87	45	45	37	34	31	26	20	24	4	-
1994	1,014	654	90	42	52	41	37	40	20	19	11	8	-
1993	1,116	743	84	45	44	46	36	37	23	28	21	9	-
1992	1,152	796	102	50	44	44	32	20	22	17	19	6	-
1991	1,206	833	101	51	43	36	44	30	22	21	20	4	1
1990	1,174	823	99	42	68	34	27	17	12	29	16	7	-
1989	1,143	789	83	44	54	49	35	21	22	21	18	6	1
1988	1,069	747	79	52	49	33	40	13	29	15	7	5	-
1987	1,087	751	83	62	55	39	29	19	18	17	12	2	-
1986	1,096	753	92	39	60	49	26	22	20	22	9	4	-
1985	1,046	745	75	57	51	31	21	16	25	12	10	3	-
1984	1,023	705	70	31	62	51	25	18	19	23	13	5	1
1983	1,108	770	86	51	45	44	26	26	20	17	15	8	-
1982	1,092	764	87	42	57	41	32	19	20	17	10	3	-
1981	1,064	748	94	31	50	42	18	21	25	21	9	3	2
1980	1,160	817	103	45	56	43	20	22	22	20	11	1	-
1979	1,068	770	83	47	56	25	20	25	17	16	5	3	1
Congenital malformations, deformations and chromosomal abnormalities (740-759)													
Black, female													
1998	891	557	56	34	40	41	45	20	24	23	33	18	-
1997	876	558	52	50	41	19	33	34	19	23	29	18	-
1996	934	574	81	39	28	31	50	29	27	25	28	22	-
1995	891	561	81	33	36	35	38	21	18	34	20	14	-
1994	947	612	84	39	38	29	34	23	27	20	25	16	-
1993	988	660	90	29	31	34	33	27	23	28	23	10	-
1992	1,015	681	106	41	26	32	28	16	26	27	22	10	-
1991	996	691	80	38	26	32	33	25	18	25	25	3	-
1990	1,003	707	77	37	31	35	30	17	19	25	17	7	1
1989	1,036	709	108	33	26	32	28	27	25	24	17	5	2
1988	950	663	69	36	20	43	31	23	20	25	13	6	1
1987	989	702	90	37	32	30	20	18	24	22	10	4	-
1986	965	689	73	41	36	29	26	17	23	15	10	6	-
1985	962	674	69	36	25	39	28	29	19	18	13	12	-
1984	960	684	70	46	20	35	12	29	29	16	13	6	-
1983	980	673	73	41	43	36	31	23	27	18	13	2	-
1982	1,049	724	103	50	33	37	27	23	19	18	9	6	-
1981	1,000	695	99	45	31	35	19	15	18	21	15	7	-
1980	1,008	727	81	45	38	32	23	17	15	16	13	1	-
1979	972	664	97	51	25	32	25	25	28	12	8	2	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (780-799)													
All races, both sexes													
1998	25,992	3,658	219	156	558	1,058	1,966	1,935	1,734	2,902	4,619	7,099	88
1997	25,752	3,773	241	171	651	1,147	2,054	1,879	1,825	2,880	4,463	6,590	78
1996	26,190	3,883	283	172	687	1,270	2,150	2,011	1,863	2,901	4,511	6,373	86
1995	27,283	4,381	315	207	758	1,600	2,546	2,061	1,910	3,071	4,332	6,013	89
1994	25,245	4,942	268	154	637	1,313	2,042	1,635	1,726	2,844	3,967	5,651	66
1993	26,540	5,659	297	194	616	1,490	2,170	1,759	1,916	2,975	4,040	5,354	70
1992	23,430	5,838	258	128	634	1,433	1,764	1,297	1,614	2,561	3,395	4,450	58
1991	24,342	6,268	336	142	659	1,617	1,973	1,407	1,613	2,618	3,490	4,136	83
1990	24,137	6,409	270	123	711	1,693	2,015	1,352	1,701	2,579	3,398	3,801	85
1989	26,988	6,627	285	181	736	1,969	2,231	1,512	1,999	3,089	3,899	4,369	91
1988	30,951	6,486	298	168	852	2,117	2,198	1,631	2,578	4,147	5,188	5,198	90
1987	31,261	6,137	305	159	880	2,230	2,166	1,815	2,931	4,282	5,298	4,974	84
1986	31,390	6,038	317	146	870	1,845	1,763	1,746	3,105	4,700	5,505	5,266	89
1985	30,960	5,945	277	116	750	1,655	1,490	1,731	3,331	4,832	5,581	5,160	92
1984	29,721	5,874	259	102	723	1,443	1,305	1,627	3,354	4,857	5,326	4,789	62
1983	29,628	5,927	290	128	773	1,427	1,264	1,712	3,378	4,790	5,147	4,710	82
1982	29,814	5,933	269	147	961	1,645	1,392	1,995	3,516	4,778	4,990	4,118	70
1981	29,472	5,954	280	160	916	1,501	1,256	2,045	3,502	4,932	4,897	3,966	63
1980	28,808	6,088	288	151	881	1,266	1,140	1,935	3,565	4,826	4,800	3,804	64
1979	27,578	5,899	259	123	885	1,215	1,141	2,006	3,359	4,657	4,490	3,454	90
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (780-799)													
All races, male													
1998	12,766	2,193	119	80	396	711	1,296	1,267	1,093	1,664	2,022	1,857	68
1997	13,065	2,268	146	91	457	784	1,399	1,257	1,171	1,664	2,048	1,721	59
1996	13,348	2,308	159	94	470	840	1,450	1,375	1,180	1,621	2,108	1,688	55
1995	14,244	2,578	168	128	541	1,103	1,737	1,405	1,227	1,731	1,949	1,624	53
1994	13,182	2,973	159	95	433	899	1,409	1,074	1,119	1,669	1,803	1,503	46
1993	14,179	3,463	162	103	409	1,049	1,542	1,145	1,243	1,672	1,845	1,495	51
1992	12,580	3,507	144	74	437	1,006	1,217	850	1,030	1,503	1,509	1,260	43
1991	13,407	3,823	195	73	458	1,126	1,403	921	1,022	1,537	1,613	1,179	57
1990	13,533	3,910	144	78	485	1,179	1,442	895	1,122	1,515	1,621	1,080	62
1989	15,205	4,025	155	101	495	1,386	1,612	1,035	1,244	1,887	1,875	1,328	62
1988	16,969	3,861	169	101	574	1,505	1,490	1,065	1,659	2,467	2,416	1,606	56
1987	17,440	3,685	161	96	603	1,554	1,504	1,160	1,887	2,615	2,523	1,593	59
1986	17,587	3,652	175	97	564	1,319	1,231	1,145	2,028	2,838	2,741	1,746	51
1985	17,470	3,643	166	63	474	1,133	1,041	1,154	2,245	2,957	2,821	1,710	63
1984	16,711	3,554	138	61	463	994	890	1,115	2,283	2,943	2,637	1,593	40
1983	16,666	3,483	162	83	515	955	838	1,103	2,243	2,985	2,613	1,638	48
1982	17,060	3,541	153	97	627	1,156	907	1,310	2,301	2,956	2,531	1,438	43
1981	17,127	3,553	168	97	574	1,015	819	1,346	2,384	3,137	2,487	1,502	45
1980	16,465	3,579	170	79	583	867	710	1,254	2,395	2,997	2,421	1,366	44
1979	16,012	3,517	131	70	588	824	716	1,331	2,255	2,973	2,276	1,270	61

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (780-799)													
All races, female													
1998	13,226	1,465	100	76	162	347	670	668	641	1,238	2,597	5,242	20
1997	12,687	1,505	95	80	194	363	655	622	654	1,216	2,415	4,869	19
1996	12,842	1,575	124	78	217	430	700	636	683	1,280	2,403	4,685	31
1995	13,039	1,803	147	79	217	497	809	656	683	1,340	2,383	4,389	36
1994	12,063	1,969	109	59	204	414	633	561	607	1,175	2,164	4,148	20
1993	12,361	2,196	135	91	207	441	628	614	673	1,303	2,195	3,859	19
1992	10,850	2,331	114	54	197	427	547	447	584	1,058	1,886	3,190	15
1991	10,935	2,445	141	69	201	491	570	486	591	1,081	1,877	2,957	26
1990	10,604	2,499	126	45	226	514	573	457	579	1,064	1,777	2,721	23
1989	11,783	2,602	130	80	241	583	619	477	755	1,202	2,024	3,041	29
1988	13,982	2,625	129	67	278	612	708	566	919	1,680	2,772	3,592	34
1987	13,821	2,452	144	63	277	676	662	655	1,044	1,667	2,775	3,381	25
1986	13,803	2,386	142	49	306	526	532	601	1,077	1,862	2,764	3,520	38
1985	13,490	2,302	111	53	276	522	449	577	1,086	1,875	2,760	3,450	29
1984	13,010	2,320	121	41	260	449	415	512	1,071	1,914	2,689	3,196	22
1983	12,962	2,444	128	45	258	472	426	609	1,135	1,805	2,534	3,072	34
1982	12,754	2,392	116	50	334	489	485	685	1,215	1,822	2,459	2,680	27
1981	12,345	2,401	112	63	342	486	437	699	1,118	1,795	2,410	2,464	18
1980	12,343	2,509	118	72	298	399	430	681	1,170	1,829	2,379	2,438	20
1979	11,566	2,382	128	53	297	391	425	675	1,104	1,684	2,214	2,184	29
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (780-799)													
White, both sexes													
1998	21,041	2,315	141	107	402	768	1,473	1,465	1,366	2,414	4,075	6,446	69
1997	20,790	2,428	159	119	478	823	1,527	1,376	1,420	2,459	3,957	5,975	69
1996	21,126	2,466	195	122	481	939	1,556	1,509	1,484	2,479	3,990	5,838	67
1995	21,837	2,859	211	149	537	1,181	1,894	1,579	1,522	2,599	3,815	5,422	69
1994	19,835	3,170	168	104	412	929	1,410	1,201	1,385	2,379	3,445	5,180	52
1993	20,529	3,652	185	135	414	1,030	1,449	1,244	1,499	2,466	3,532	4,868	55
1992	17,959	3,778	168	81	419	965	1,205	956	1,259	2,132	2,926	4,024	46
1991	18,499	4,075	225	95	434	1,081	1,309	1,019	1,298	2,200	2,998	3,698	67
1990	18,058	4,161	168	77	504	1,121	1,300	940	1,314	2,146	2,886	3,382	59
1989	20,597	4,323	173	114	519	1,328	1,504	1,106	1,559	2,603	3,377	3,927	64
1988	24,060	4,342	207	106	611	1,434	1,420	1,160	2,034	3,457	4,541	4,675	73
1987	24,184	4,168	195	107	616	1,493	1,469	1,292	2,313	3,528	4,513	4,428	62
1986	24,304	4,138	209	99	657	1,282	1,163	1,226	2,426	3,828	4,619	4,579	78
1985	23,836	4,118	179	79	560	1,113	1,017	1,219	2,553	3,849	4,592	4,481	76
1984	22,796	4,053	173	71	535	1,016	868	1,172	2,550	3,879	4,302	4,127	50
1983	22,387	3,981	177	91	581	1,040	856	1,215	2,583	3,730	4,100	3,973	60
1982	22,376	4,026	182	94	709	1,156	922	1,435	2,593	3,709	4,010	3,487	53
1981	22,036	4,089	165	107	696	1,031	835	1,424	2,635	3,842	3,853	3,314	45
1980	20,902	4,070	206	94	664	887	700	1,300	2,640	3,549	3,677	3,066	49
1979	19,898	3,835	174	91	648	813	735	1,361	2,431	3,448	3,493	2,800	69

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (780-799)													
White, male													
1998	10,045	1,409	73	57	288	532	984	969	866	1,369	1,780	1,663	55
1997	10,244	1,500	101	64	336	568	1,037	922	909	1,414	1,815	1,527	51
1996	10,516	1,490	114	65	342	627	1,070	1,037	939	1,389	1,861	1,540	42
1995	11,126	1,711	104	90	382	839	1,315	1,063	976	1,465	1,704	1,438	39
1994	10,022	1,932	102	68	277	648	981	786	892	1,385	1,548	1,367	36
1993	10,631	2,260	102	75	279	747	1,042	805	964	1,387	1,595	1,334	41
1992	9,424	2,335	94	48	289	696	844	624	794	1,250	1,288	1,130	32
1991	10,069	2,623	129	52	302	757	941	656	830	1,316	1,395	1,024	44
1990	9,951	2,620	96	48	341	800	932	607	855	1,272	1,386	951	43
1989	11,361	2,685	96	59	363	952	1,081	748	957	1,608	1,606	1,163	43
1988	12,947	2,680	119	59	433	1,042	971	748	1,298	2,059	2,086	1,408	44
1987	13,322	2,559	103	71	431	1,068	1,020	823	1,500	2,177	2,148	1,379	43
1986	13,465	2,566	118	66	447	941	805	792	1,579	2,322	2,293	1,492	44
1985	13,340	2,608	109	46	362	791	712	804	1,723	2,385	2,319	1,428	53
1984	12,682	2,541	88	45	351	714	590	798	1,727	2,350	2,116	1,334	28
1983	12,525	2,393	100	57	393	694	562	786	1,718	2,359	2,067	1,360	36
1982	12,753	2,462	112	65	482	817	591	933	1,705	2,333	2,038	1,182	33
1981	12,786	2,516	95	63	443	709	540	922	1,836	2,474	1,944	1,212	32
1980	11,992	2,468	126	50	443	605	435	839	1,784	2,267	1,861	1,082	32
1979	11,599	2,364	94	55	434	547	456	902	1,655	2,267	1,776	1,003	46
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (780-799)													
White, female													
1998	10,996	906	68	50	114	236	489	496	500	1,045	2,295	4,783	14
1997	10,546	928	58	55	142	255	490	454	511	1,045	2,142	4,448	18
1996	10,610	976	81	57	139	312	486	472	545	1,090	2,129	4,298	25
1995	10,711	1,148	107	59	155	342	579	516	546	1,134	2,111	3,984	30
1994	9,813	1,238	66	36	135	281	429	415	493	994	1,897	3,813	16
1993	9,898	1,392	83	60	135	283	407	439	535	1,079	1,937	3,534	14
1992	8,535	1,443	74	33	130	269	361	332	465	882	1,638	2,894	14
1991	8,430	1,452	96	43	132	324	368	363	468	884	1,603	2,674	23
1990	8,107	1,541	72	29	163	321	368	333	459	874	1,500	2,431	16
1989	9,236	1,638	77	55	156	376	423	358	602	995	1,771	2,764	21
1988	11,113	1,662	88	47	178	392	449	412	736	1,398	2,455	3,267	29
1987	10,862	1,609	92	36	185	425	449	469	813	1,351	2,365	3,049	19
1986	10,839	1,572	91	33	210	341	358	434	847	1,506	2,326	3,087	34
1985	10,496	1,510	70	33	198	322	305	415	830	1,464	2,273	3,053	23
1984	10,114	1,512	85	26	184	302	278	374	823	1,529	2,186	2,793	22
1983	9,862	1,588	77	34	188	346	294	429	865	1,371	2,033	2,613	24
1982	9,623	1,564	70	29	227	339	331	502	888	1,376	1,972	2,305	20
1981	9,250	1,573	70	44	253	322	295	502	799	1,368	1,909	2,102	13
1980	8,910	1,602	80	44	221	282	265	461	856	1,282	1,816	1,984	17
1979	8,299	1,471	80	36	214	266	279	459	776	1,181	1,717	1,797	23

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	15-24 25-34 35-44 45-54 55-64 65-74 75-84												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	years	years	years	years	years	years	years	85 + years	
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (780-799)													
All other, both sexes													
1998	4,951	1,343	78	49	156	290	493	470	368	488	544	653	19
1997	4,962	1,345	82	52	173	324	527	503	405	421	506	615	9
1996	5,064	1,417	88	50	206	331	594	502	379	422	521	535	19
1995	5,446	1,522	104	58	221	419	652	482	388	472	517	591	20
1994	5,410	1,772	100	50	225	384	632	434	341	465	522	471	14
1993	6,011	2,007	112	59	202	460	721	515	417	509	508	486	15
1992	5,471	2,060	90	47	215	468	559	341	355	429	469	426	12
1991	5,843	2,193	111	47	225	536	664	388	315	418	492	438	16
1990	6,079	2,248	102	46	207	572	715	412	387	433	512	419	26
1989	6,391	2,304	112	67	217	641	727	406	440	486	522	442	27
1988	6,891	2,144	91	62	241	683	778	471	544	690	647	523	17
1987	7,077	1,969	110	52	264	737	697	523	618	754	785	546	22
1986	7,086	1,900	108	47	213	563	600	520	679	872	886	687	11
1985	7,124	1,827	98	37	190	542	473	512	778	983	989	679	16
1984	6,925	1,821	86	31	188	427	437	455	804	978	1,024	662	12
1983	7,241	1,946	113	37	192	387	408	497	795	1,060	1,047	737	22
1982	7,438	1,907	87	53	252	489	470	560	923	1,069	980	631	17
1981	7,436	1,865	115	53	220	470	421	621	867	1,090	1,044	652	18
1980	7,906	2,018	82	57	217	379	440	635	925	1,277	1,123	738	15
1979	7,680	2,064	85	32	237	402	406	645	928	1,209	997	654	21
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (780-799)													
All other, male													
1998	2,721	784	46	23	108	179	312	298	227	295	242	194	13
1997	2,821	768	45	27	121	216	362	335	262	250	233	194	8
1996	2,832	818	45	29	128	213	380	338	241	232	247	148	13
1995	3,118	867	64	38	159	264	422	342	251	266	245	186	14
1994	3,160	1,041	57	27	156	251	428	288	227	284	255	136	10
1993	3,548	1,203	60	28	130	302	500	340	279	285	250	161	10
1992	3,156	1,172	50	26	148	310	373	226	236	253	221	130	11
1991	3,338	1,200	66	21	156	369	462	265	192	221	218	155	13
1990	3,582	1,290	48	30	144	379	510	288	267	243	235	129	19
1989	3,844	1,340	59	42	132	434	531	287	287	279	269	165	19
1988	4,022	1,181	50	42	141	463	519	317	361	408	330	198	12
1987	4,118	1,126	58	25	172	486	484	337	387	438	375	214	16
1986	4,122	1,086	57	31	117	378	426	353	449	516	448	254	7
1985	4,130	1,035	57	17	112	342	329	350	522	572	502	282	10
1984	4,029	1,013	50	16	112	280	300	317	556	593	521	259	12
1983	4,141	1,090	62	26	122	261	276	317	525	626	546	278	12
1982	4,307	1,079	41	32	145	339	316	377	596	623	493	256	10
1981	4,341	1,037	73	34	131	306	279	424	548	663	543	290	13
1980	4,473	1,111	44	29	140	262	275	415	611	730	560	284	12
1979	4,413	1,153	37	15	154	277	260	429	600	706	500	267	15

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	Age not stated												
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (780-799)													
All other, female													
1998	2,230	559	32	26	48	111	181	172	141	193	302	459	6
1997	2,141	577	37	25	52	108	165	168	143	171	273	421	1
1996	2,232	599	43	21	78	118	214	164	138	190	274	387	6
1995	2,328	655	40	20	62	155	230	140	137	206	272	405	6
1994	2,250	731	43	23	69	133	204	146	114	181	267	335	4
1993	2,463	804	52	31	72	158	221	175	138	224	258	325	5
1992	2,315	888	40	21	67	158	186	115	119	176	248	296	1
1991	2,505	993	45	26	69	167	202	123	123	197	274	283	3
1990	2,497	958	54	16	63	193	205	124	120	190	277	290	7
1989	2,547	964	53	25	85	207	196	119	153	207	253	277	8
1988	2,869	963	41	20	100	220	259	154	183	282	317	325	5
1987	2,959	843	52	27	92	251	213	186	231	316	410	332	6
1986	2,964	814	51	16	96	185	174	167	230	356	438	433	4
1985	2,994	792	41	20	78	200	144	162	256	411	487	397	6
1984	2,896	808	36	15	76	147	137	138	248	385	503	403	-
1983	3,100	856	51	11	70	126	132	180	270	434	501	459	10
1982	3,131	828	46	21	107	150	154	183	327	446	487	375	7
1981	3,095	828	42	19	89	164	142	197	319	427	501	362	5
1980	3,433	907	38	28	77	117	165	220	314	547	563	454	3
1979	3,267	911	48	17	83	125	146	216	328	503	497	387	6
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (780-799)													
Black, both sexes													
1998	4,481	1,198	66	46	142	254	449	430	345	447	493	594	17
1997	4,505	1,206	77	46	156	287	487	474	380	372	456	556	8
1996	4,607	1,267	80	46	177	299	557	468	346	393	475	486	13
1995	4,958	1,377	91	50	192	383	600	439	359	433	478	540	16
1994	4,895	1,558	90	43	204	341	587	398	317	429	481	436	11
1993	5,499	1,802	105	52	183	416	666	482	385	477	467	450	14
1992	4,976	1,837	77	44	194	431	525	313	321	399	437	388	10
1991	5,306	1,963	100	40	197	492	618	350	290	387	459	394	16
1990	5,505	2,014	91	42	180	505	660	381	351	397	473	389	22
1989	5,835	2,017	98	58	191	587	684	376	417	464	499	418	26
1988	6,353	1,918	80	54	214	620	738	438	515	665	609	486	16
1987	6,562	1,762	99	41	235	682	660	499	579	724	749	514	18
1986	6,642	1,711	98	43	196	531	569	495	656	839	851	642	11
1985	6,626	1,606	84	35	177	512	442	492	747	940	942	633	16
1984	6,511	1,657	73	28	175	390	413	438	771	951	981	622	12
1983	6,787	1,748	100	30	170	366	383	480	766	1,019	1,000	707	18
1982	6,938	1,713	83	45	230	446	441	531	886	1,027	939	584	13
1981	6,886	1,686	106	41	179	415	391	585	823	1,036	987	619	18
1980	7,461	1,852	76	44	200	353	420	616	886	1,232	1,078	689	15
1979	7,242	1,879	77	30	217	372	383	622	898	1,176	954	617	17

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (780-799)													
Black, male													
1998	2,451	697	39	22	99	150	283	272	213	271	221	173	11
1997	2,560	694	43	22	111	191	335	313	247	219	206	171	8
1996	2,564	722	43	28	109	189	353	315	223	216	227	130	9
1995	2,839	788	59	33	143	233	391	309	236	240	229	167	11
1994	2,839	919	50	23	143	218	396	263	211	262	228	118	8
1993	3,235	1,081	56	27	117	267	463	317	258	268	228	144	9
1992	2,856	1,040	44	25	129	280	350	206	216	238	204	115	9
1991	3,020	1,067	59	18	139	333	428	241	180	206	200	136	13
1990	3,215	1,140	45	27	124	329	470	265	246	223	212	117	17
1989	3,496	1,160	52	34	120	394	503	267	271	269	253	155	18
1988	3,692	1,050	47	38	125	418	494	290	339	391	309	179	12
1987	3,817	1,004	53	22	152	447	463	324	366	415	360	199	12
1986	3,865	974	54	27	107	356	404	335	435	493	432	241	7
1985	3,829	913	48	16	100	320	307	337	502	546	473	257	10
1984	3,784	925	41	15	104	252	286	306	533	576	495	239	12
1983	3,879	988	55	22	106	246	261	310	501	598	516	267	9
1982	4,014	967	41	27	129	309	296	361	578	599	468	231	8
1981	3,982	929	67	25	98	267	258	402	521	623	500	279	13
1980	4,214	1,020	40	21	126	243	265	400	585	701	538	263	12
1979	4,163	1,059	32	15	142	254	243	414	582	682	475	253	12
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (780-799)													
Black, female													
1998	2,030	501	27	24	43	104	166	158	132	176	272	421	6
1997	1,945	512	34	24	45	96	152	161	133	153	250	385	-
1996	2,043	545	37	18	68	110	204	153	123	177	248	356	4
1995	2,119	589	32	17	49	150	209	130	123	193	249	373	5
1994	2,056	639	40	20	61	123	191	135	106	167	253	318	3
1993	2,264	721	49	25	66	149	203	165	127	209	239	306	5
1992	2,120	797	33	19	65	151	175	107	105	161	233	273	1
1991	2,286	896	41	22	58	159	190	109	110	181	259	258	3
1990	2,290	874	46	15	56	176	190	116	105	174	261	272	5
1989	2,339	857	46	24	71	193	181	109	146	195	246	263	8
1988	2,661	868	33	16	89	202	244	148	176	274	300	307	4
1987	2,745	758	46	19	83	235	197	175	213	309	389	315	6
1986	2,777	737	44	16	89	175	165	160	221	346	419	401	4
1985	2,797	693	36	19	77	192	135	155	245	394	469	376	6
1984	2,727	732	32	13	71	138	127	132	238	375	486	383	-
1983	2,908	760	45	8	64	120	122	170	265	421	484	440	9
1982	2,924	746	42	18	101	137	145	170	308	428	471	353	5
1981	2,904	757	39	16	81	148	133	183	302	413	487	340	5
1980	3,247	832	36	23	74	110	155	216	301	531	540	426	3
1979	3,079	820	45	15	75	118	140	208	316	494	479	364	5

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
All other diseases (Residual)													
All races, both sexes													
1998	179,495	1,016	624	844	1,598	3,020	7,552	11,622	14,270	27,002	49,955	61,984	8
1997	170,284	1,037	638	865	1,607	3,107	7,533	10,982	13,448	26,289	47,290	57,471	17
1996	161,868	1,041	698	873	1,567	3,241	7,471	10,231	13,153	25,754	44,761	53,055	23
1995	155,512	1,016	726	947	1,605	3,297	7,646	10,044	12,837	25,027	42,742	49,604	21
1994	149,106	1,045	719	920	1,561	3,410	7,253	9,356	12,850	24,819	40,920	46,235	18
1993	143,479	1,075	807	970	1,539	3,432	7,193	8,789	12,549	24,522	39,417	43,168	18
1992	134,119	1,136	789	907	1,542	3,471	7,035	8,229	12,259	23,761	36,480	38,494	16
1991	131,332	1,317	749	954	1,567	3,413	6,684	7,703	12,682	23,356	36,008	36,876	23
1990	127,401	1,242	727	930	1,575	3,497	6,197	7,549	12,588	22,930	34,851	35,303	12
1989	126,363	1,222	767	970	1,707	3,752	6,232	7,390	12,760	23,022	34,482	34,042	17
1988	123,717	1,208	742	854	1,622	3,786	6,187	7,345	13,123	22,627	33,550	32,650	23
1987	118,333	1,200	719	800	1,737	3,766	5,780	7,001	12,845	22,426	31,985	30,053	21
1986	119,140	1,185	776	894	2,008	5,962	7,723	7,663	13,097	21,661	30,443	27,687	41
1985	112,609	1,257	789	928	1,852	4,909	6,246	7,240	13,329	20,977	29,241	25,804	37
1984	104,934	1,270	776	962	1,947	3,844	5,265	6,745	12,963	20,345	27,209	23,589	19
1983	100,048	1,335	825	982	1,973	3,552	4,601	6,909	13,084	19,810	25,555	21,403	19
1982	94,190	1,325	821	997	2,018	3,249	4,222	6,853	12,466	19,041	23,841	19,334	23
1981	93,285	1,379	879	1,069	2,123	3,343	4,340	7,199	12,945	18,882	22,917	18,180	29
1980	92,114	1,520	815	1,190	2,226	3,299	4,299	7,643	12,912	18,976	22,296	16,919	19
1979	86,259	1,576	828	1,125	2,241	3,272	4,174	7,502	12,415	17,655	20,591	14,860	20
All other diseases (Residual)													
All races, male													
1998	72,852	544	321	474	942	1,725	4,529	6,922	7,762	13,301	20,523	15,804	5
1997	70,053	589	350	483	943	1,765	4,551	6,521	7,289	13,068	19,639	14,839	16
1996	67,536	607	388	497	939	1,959	4,665	6,062	7,301	12,743	18,570	13,788	17
1995	65,682	561	408	512	989	2,003	4,773	6,047	7,212	12,551	17,545	13,068	13
1994	63,626	594	382	521	931	2,051	4,595	5,563	7,271	12,578	16,892	12,233	15
1993	61,845	597	435	538	944	2,058	4,517	5,229	7,004	12,372	16,500	11,638	13
1992	58,852	651	410	498	925	2,112	4,490	5,001	6,834	11,990	15,256	10,673	12
1991	57,732	758	395	508	941	2,106	4,231	4,612	7,177	11,837	15,087	10,061	19
1990	56,120	711	428	522	951	2,127	3,957	4,593	7,072	11,597	14,507	9,647	8
1989	56,316	685	432	514	1,036	2,342	3,987	4,469	7,257	11,833	14,346	9,402	13
1988	55,694	678	405	434	1,001	2,354	4,093	4,440	7,452	11,697	13,911	9,212	17
1987	53,463	679	402	427	1,063	2,350	3,636	4,272	7,175	11,460	13,471	8,517	11
1986	57,115	647	424	496	1,282	4,319	5,556	4,856	7,551	11,088	12,808	8,068	20
1985	53,400	700	426	518	1,126	3,367	4,330	4,437	7,538	10,863	12,388	7,686	21
1984	48,950	744	418	527	1,164	2,479	3,365	4,005	7,209	10,503	11,502	7,024	10
1983	47,349	727	458	509	1,193	2,225	2,831	4,025	7,429	10,234	10,981	6,726	11
1982	44,115	761	427	529	1,202	2,041	2,522	3,994	6,956	9,754	9,857	6,061	11
1981	44,225	780	479	560	1,247	1,985	2,598	4,187	7,153	9,780	9,654	5,783	19
1980	44,302	862	446	614	1,328	1,993	2,521	4,462	7,247	9,865	9,394	5,558	12
1979	42,081	909	454	570	1,367	1,899	2,433	4,441	7,120	9,079	8,906	4,890	13

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
All other diseases (Residual)													
All races, female													
1998	106,643	472	303	370	656	1,295	3,023	4,700	6,508	13,701	29,432	46,180	3
1997	100,231	448	288	382	664	1,342	2,982	4,461	6,159	13,221	27,651	42,632	1
1996	94,332	434	310	376	628	1,282	2,806	4,169	5,852	13,011	26,191	39,267	6
1995	89,830	455	318	435	616	1,294	2,873	3,997	5,625	12,476	25,197	36,536	8
1994	85,480	451	337	399	630	1,359	2,658	3,793	5,579	12,241	24,028	34,002	3
1993	81,634	478	372	432	595	1,374	2,676	3,560	5,545	12,150	22,917	31,530	5
1992	75,267	485	379	409	617	1,359	2,545	3,228	5,425	11,771	21,224	27,821	4
1991	73,600	559	354	446	626	1,307	2,453	3,091	5,505	11,519	20,921	26,815	4
1990	71,281	531	299	408	624	1,370	2,240	2,956	5,516	11,333	20,344	25,656	4
1989	70,047	537	335	456	671	1,410	2,245	2,921	5,503	11,189	20,136	24,640	4
1988	68,023	530	337	420	621	1,432	2,094	2,905	5,671	10,930	19,639	23,438	6
1987	64,870	521	317	373	674	1,416	2,144	2,729	5,670	10,966	18,514	21,536	10
1986	62,025	538	352	398	726	1,643	2,167	2,807	5,546	10,573	17,635	19,619	21
1985	59,209	557	363	410	726	1,542	1,916	2,803	5,791	10,114	16,853	18,118	16
1984	55,984	526	358	435	783	1,365	1,900	2,740	5,754	9,842	15,707	16,565	9
1983	52,699	608	367	473	780	1,327	1,770	2,884	5,655	9,576	14,574	14,677	8
1982	50,075	564	394	468	816	1,208	1,700	2,859	5,510	9,287	13,984	13,273	12
1981	49,060	599	400	509	876	1,358	1,742	3,012	5,792	9,102	13,263	12,397	10
1980	47,812	658	369	576	898	1,306	1,778	3,181	5,665	9,111	12,902	11,361	7
1979	44,178	667	374	555	874	1,373	1,741	3,061	5,295	8,576	11,685	9,970	7
All other diseases (Residual)													
White, both sexes													
1998	155,195	720	460	638	1,215	2,073	5,367	8,662	11,243	22,886	44,821	57,104	6
1997	147,115	742	478	651	1,202	2,124	5,330	8,159	10,633	22,428	42,445	52,911	12
1996	139,205	746	495	673	1,176	2,276	5,145	7,500	10,464	21,909	40,000	48,805	16
1995	133,283	716	527	727	1,220	2,298	5,211	7,257	10,152	21,347	38,238	45,577	13
1994	127,710	738	528	685	1,179	2,349	5,001	6,925	10,250	21,115	36,469	42,460	11
1993	122,337	751	574	747	1,136	2,385	4,867	6,459	9,924	20,893	35,092	39,497	12
1992	113,982	787	587	685	1,170	2,405	4,790	5,955	9,646	20,174	32,478	35,294	11
1991	111,397	901	541	749	1,165	2,296	4,517	5,593	10,049	19,887	31,954	33,729	16
1990	107,587	864	546	732	1,224	2,299	4,057	5,363	9,959	19,480	30,894	32,163	6
1989	106,213	835	591	756	1,295	2,465	4,047	5,176	10,034	19,521	30,545	30,940	8
1988	103,956	829	565	649	1,191	2,511	3,961	5,167	10,390	19,158	29,667	29,852	16
1987	99,587	838	549	639	1,312	2,478	3,711	4,992	10,208	19,041	28,249	27,558	12
1986	99,221	832	569	712	1,497	3,876	5,149	5,485	10,427	18,415	26,956	25,273	30
1985	94,270	872	572	744	1,375	3,127	4,142	5,254	10,767	17,871	25,911	23,615	20
1984	88,252	880	579	765	1,497	2,452	3,471	4,881	10,517	17,420	24,038	21,738	14
1983	84,328	963	632	795	1,535	2,286	3,070	5,063	10,587	16,958	22,736	19,692	11
1982	79,610	945	649	831	1,569	2,090	2,777	5,089	10,233	16,367	21,254	17,792	14
1981	78,477	966	668	880	1,669	2,120	2,836	5,371	10,559	16,255	20,413	16,725	15
1980	77,357	1,061	616	977	1,729	2,156	2,760	5,610	10,577	16,260	19,976	15,627	8
1979	72,712	1,113	619	934	1,783	2,177	2,718	5,648	10,225	15,296	18,456	13,731	12

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
All other diseases (Residual)													
White, male													
1998	61,862	384	234	358	748	1,252	3,350	5,242	6,106	11,378	18,382	14,424	4
1997	59,417	419	268	376	724	1,272	3,369	4,905	5,807	11,224	17,565	13,476	12
1996	56,916	443	288	387	737	1,443	3,303	4,512	5,839	10,887	16,531	12,534	12
1995	55,029	405	304	399	774	1,458	3,390	4,372	5,734	10,686	15,664	11,834	9
1994	53,380	416	285	397	739	1,507	3,234	4,145	5,851	10,701	15,046	11,049	10
1993	51,636	424	314	424	718	1,515	3,158	3,887	5,556	10,556	14,635	10,439	10
1992	49,001	456	303	379	725	1,540	3,208	3,636	5,449	10,189	13,474	9,632	10
1991	47,965	512	294	401	736	1,483	2,932	3,347	5,702	10,086	13,373	9,087	12
1990	46,248	507	320	420	761	1,447	2,631	3,281	5,603	9,895	12,746	8,633	4
1989	46,348	486	323	417	820	1,630	2,648	3,114	5,758	10,049	12,660	8,436	7
1988	45,567	472	310	334	769	1,619	2,628	3,116	5,913	9,880	12,229	8,286	11
1987	43,956	457	314	333	832	1,604	2,382	3,063	5,705	9,794	11,805	7,660	7
1986	46,326	450	316	399	986	2,913	3,803	3,484	6,033	9,402	11,240	7,287	13
1985	43,615	490	309	417	854	2,226	2,894	3,229	6,082	9,249	10,880	6,974	11
1984	40,294	524	313	422	940	1,644	2,226	2,911	5,829	9,013	10,114	6,351	7
1983	39,181	531	346	423	960	1,458	1,894	2,958	6,030	8,759	9,693	6,123	6
1982	36,503	537	332	441	972	1,341	1,626	2,974	5,683	8,366	8,726	5,499	6
1981	36,492	556	358	467	1,019	1,266	1,687	3,123	5,805	8,421	8,534	5,246	10
1980	36,448	604	332	495	1,057	1,327	1,623	3,278	5,925	8,407	8,335	5,057	8
1979	34,792	651	345	484	1,107	1,255	1,561	3,358	5,828	7,852	7,894	4,450	7
All other diseases (Residual)													
White, female													
1998	93,333	336	226	280	467	821	2,017	3,420	5,137	11,508	26,439	42,680	2
1997	87,698	323	210	275	478	852	1,961	3,254	4,826	11,204	24,880	39,435	-
1996	82,289	303	207	286	439	833	1,842	2,988	4,625	11,022	23,469	36,271	4
1995	78,254	311	223	328	446	840	1,821	2,885	4,418	10,661	22,574	33,743	4
1994	74,330	322	243	288	440	842	1,767	2,780	4,399	10,414	21,423	31,411	1
1993	70,701	327	260	323	418	870	1,709	2,572	4,368	10,337	20,457	29,058	2
1992	64,981	331	284	306	445	865	1,582	2,319	4,197	9,985	19,004	25,662	1
1991	63,432	389	247	348	429	813	1,585	2,246	4,347	9,801	18,581	24,642	4
1990	61,339	357	226	312	463	852	1,426	2,082	4,356	9,585	18,148	23,530	2
1989	59,865	349	268	339	475	835	1,399	2,062	4,276	9,472	17,885	22,504	1
1988	58,389	357	255	315	422	892	1,333	2,051	4,477	9,278	17,438	21,566	5
1987	55,631	381	235	306	480	874	1,329	1,929	4,503	9,247	16,444	19,898	5
1986	52,895	382	253	313	511	963	1,346	2,001	4,394	9,013	15,716	17,986	17
1985	50,655	382	263	327	521	901	1,248	2,025	4,685	8,622	15,031	16,641	9
1984	47,958	356	266	343	557	808	1,245	1,970	4,688	8,407	13,924	15,387	7
1983	45,147	432	286	372	575	828	1,176	2,105	4,557	8,199	13,043	13,569	5
1982	43,107	408	317	390	597	749	1,151	2,115	4,550	8,001	12,528	12,293	8
1981	41,985	410	310	413	650	854	1,149	2,248	4,754	7,834	11,879	11,479	5
1980	40,909	457	284	482	672	829	1,137	2,332	4,652	7,853	11,641	10,570	-
1979	37,920	462	274	450	676	922	1,157	2,290	4,397	7,444	10,562	9,281	5

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
All other diseases (Residual)													
All other, both sexes													
1998	24,300	296	164	206	383	947	2,185	2,960	3,027	4,116	5,134	4,880	2
1997	23,169	295	160	214	405	983	2,203	2,823	2,815	3,861	4,845	4,560	5
1996	22,663	295	203	200	391	965	2,326	2,731	2,689	3,845	4,761	4,250	7
1995	22,229	300	199	220	385	999	2,435	2,787	2,685	3,680	4,504	4,027	8
1994	21,396	307	191	235	382	1,061	2,252	2,431	2,600	3,704	4,451	3,775	7
1993	21,142	324	233	223	403	1,047	2,326	2,330	2,625	3,629	4,325	3,671	6
1992	20,137	349	202	222	372	1,066	2,245	2,274	2,613	3,587	4,002	3,200	5
1991	19,935	416	208	205	402	1,117	2,167	2,110	2,633	3,469	4,054	3,147	7
1990	19,814	378	181	198	351	1,198	2,140	2,186	2,629	3,450	3,957	3,140	6
1989	20,150	387	176	214	412	1,287	2,185	2,214	2,726	3,501	3,937	3,102	9
1988	19,761	379	177	205	431	1,275	2,226	2,178	2,733	3,469	3,883	2,798	7
1987	18,746	362	170	161	425	1,288	2,069	2,009	2,637	3,385	3,736	2,495	9
1986	19,919	353	207	182	511	2,086	2,574	2,178	2,670	3,246	3,487	2,414	11
1985	18,339	385	217	184	477	1,782	2,104	1,986	2,562	3,106	3,330	2,189	17
1984	16,682	390	197	197	450	1,392	1,794	1,864	2,446	2,925	3,171	1,851	5
1983	15,720	372	193	187	438	1,266	1,531	1,846	2,497	2,852	2,819	1,711	8
1982	14,580	380	172	166	449	1,159	1,445	1,764	2,233	2,674	2,587	1,542	9
1981	14,808	413	211	189	454	1,223	1,504	1,828	2,386	2,627	2,504	1,455	14
1980	14,757	459	199	213	497	1,143	1,539	2,033	2,335	2,716	2,320	1,292	11
1979	13,547	463	209	191	458	1,095	1,456	1,854	2,190	2,359	2,135	1,129	8
All other diseases (Residual)													
All other, male													
1998	10,990	160	87	116	194	473	1,179	1,680	1,656	1,923	2,141	1,380	1
1997	10,636	170	82	107	219	493	1,182	1,616	1,482	1,844	2,074	1,363	4
1996	10,620	164	100	110	202	516	1,362	1,550	1,462	1,856	2,039	1,254	5
1995	10,653	156	104	113	215	545	1,383	1,675	1,478	1,865	1,881	1,234	4
1994	10,246	178	97	124	192	544	1,361	1,418	1,420	1,877	1,846	1,184	5
1993	10,209	173	121	114	226	543	1,359	1,342	1,448	1,816	1,865	1,199	3
1992	9,851	195	107	119	200	572	1,282	1,365	1,385	1,801	1,782	1,041	2
1991	9,767	246	101	107	205	623	1,299	1,265	1,475	1,751	1,714	974	7
1990	9,872	204	108	102	190	680	1,326	1,312	1,469	1,702	1,761	1,014	4
1989	9,968	199	109	97	216	712	1,339	1,355	1,499	1,784	1,686	966	6
1988	10,127	206	95	100	232	735	1,465	1,324	1,539	1,817	1,682	926	6
1987	9,507	222	88	94	231	746	1,254	1,209	1,470	1,666	1,666	857	4
1986	10,789	197	108	97	296	1,406	1,753	1,372	1,518	1,686	1,568	781	7
1985	9,785	210	117	101	272	1,141	1,436	1,208	1,456	1,614	1,508	712	10
1984	8,656	220	105	105	224	835	1,139	1,094	1,380	1,490	1,388	673	3
1983	8,168	196	112	86	233	767	937	1,067	1,399	1,475	1,288	603	5
1982	7,612	224	95	88	230	700	896	1,020	1,273	1,388	1,131	562	5
1981	7,733	224	121	93	228	719	911	1,064	1,348	1,359	1,120	537	9
1980	7,854	258	114	119	271	666	898	1,184	1,322	1,458	1,059	501	4
1979	7,289	258	109	86	260	644	872	1,083	1,292	1,227	1,012	440	6

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
All other diseases (Residual)													
All other, female													
1998	13,310	136	77	90	189	474	1,006	1,280	1,371	2,193	2,993	3,500	1
1997	12,533	125	78	107	186	490	1,021	1,207	1,333	2,017	2,771	3,197	1
1996	12,043	131	103	90	189	449	964	1,181	1,227	1,989	2,722	2,996	2
1995	11,576	144	95	107	170	454	1,052	1,112	1,207	1,815	2,623	2,793	4
1994	11,150	129	94	111	190	517	891	1,013	1,180	1,827	2,605	2,591	2
1993	10,933	151	112	109	177	504	967	988	1,177	1,813	2,460	2,472	3
1992	10,286	154	95	103	172	494	963	909	1,228	1,786	2,220	2,159	3
1991	10,168	170	107	98	197	494	868	845	1,158	1,718	2,340	2,173	-
1990	9,942	174	73	96	161	518	814	874	1,160	1,748	2,196	2,126	2
1989	10,182	188	67	117	196	575	846	859	1,227	1,717	2,251	2,136	3
1988	9,634	173	82	105	199	540	761	854	1,194	1,652	2,201	1,872	1
1987	9,239	140	82	67	194	542	815	800	1,167	1,719	2,070	1,638	5
1986	9,130	156	99	85	215	680	821	806	1,152	1,560	1,919	1,633	4
1985	8,554	175	100	83	205	641	668	778	1,106	1,492	1,822	1,477	7
1984	8,026	170	92	92	226	557	655	770	1,066	1,435	1,783	1,178	2
1983	7,552	176	81	101	205	499	594	779	1,098	1,377	1,531	1,108	3
1982	6,968	156	77	78	219	459	549	744	960	1,286	1,456	980	4
1981	7,075	189	90	96	226	504	593	764	1,038	1,268	1,384	918	5
1980	6,903	201	85	94	226	477	641	849	1,013	1,258	1,261	791	7
1979	6,258	205	100	105	198	451	584	771	898	1,132	1,123	689	2
All other diseases (Residual)													
Black, both sexes													
1998	21,524	266	139	172	326	844	1,973	2,675	2,668	3,651	4,546	4,263	1
1997	20,557	249	130	175	342	866	2,005	2,568	2,512	3,423	4,252	4,030	5
1996	20,217	254	159	169	338	856	2,122	2,456	2,421	3,432	4,221	3,782	7
1995	19,989	255	166	193	330	918	2,229	2,519	2,428	3,291	4,043	3,609	8
1994	19,268	263	162	196	346	939	2,072	2,189	2,370	3,343	4,002	3,379	7
1993	19,095	295	197	193	328	950	2,135	2,114	2,357	3,329	3,895	3,297	5
1992	18,243	302	179	185	318	962	2,073	2,082	2,391	3,253	3,624	2,869	5
1991	18,234	380	176	173	362	1,029	2,003	1,962	2,420	3,147	3,729	2,846	7
1990	18,128	336	159	168	305	1,109	1,993	2,022	2,392	3,166	3,631	2,841	6
1989	18,521	341	141	191	368	1,187	2,046	2,031	2,514	3,257	3,628	2,808	9
1988	18,196	333	150	180	385	1,200	2,094	2,018	2,509	3,217	3,553	2,553	4
1987	17,362	314	142	133	383	1,208	1,970	1,854	2,443	3,165	3,460	2,282	8
1986	18,569	314	186	153	467	2,007	2,451	2,048	2,491	3,036	3,229	2,178	9
1985	17,077	335	189	167	428	1,688	1,998	1,867	2,398	2,912	3,074	2,006	15
1984	15,479	329	173	174	410	1,306	1,678	1,759	2,291	2,738	2,927	1,689	5
1983	14,517	321	164	166	397	1,187	1,437	1,704	2,333	2,663	2,594	1,544	7
1982	13,558	337	151	149	403	1,086	1,348	1,634	2,110	2,510	2,413	1,410	7
1981	13,778	370	184	173	403	1,146	1,395	1,705	2,243	2,463	2,341	1,343	12
1980	13,728	419	176	193	453	1,061	1,441	1,925	2,182	2,531	2,166	1,171	10
1979	12,569	408	187	170	419	1,012	1,356	1,737	2,066	2,201	1,967	1,038	8

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
All other diseases (Residual)													
Black, male													
1998	9,646	145	76	95	167	413	1,056	1,506	1,456	1,704	1,882	1,146	-
1997	9,338	143	66	88	182	433	1,058	1,477	1,316	1,634	1,793	1,144	4
1996	9,413	139	77	94	176	454	1,232	1,404	1,316	1,660	1,776	1,080	5
1995	9,488	134	88	100	182	501	1,252	1,501	1,320	1,683	1,656	1,067	4
1994	9,194	153	80	109	170	483	1,257	1,270	1,305	1,689	1,643	1,030	5
1993	9,179	157	105	101	184	480	1,251	1,231	1,319	1,665	1,639	1,045	2
1992	8,876	161	95	101	174	514	1,179	1,261	1,284	1,629	1,569	907	2
1991	8,871	225	87	89	179	563	1,199	1,168	1,353	1,593	1,544	864	7
1990	8,968	179	90	89	162	631	1,235	1,219	1,342	1,532	1,587	898	4
1989	9,095	173	86	88	185	654	1,250	1,249	1,387	1,652	1,512	853	6
1988	9,266	180	85	89	209	698	1,380	1,232	1,420	1,670	1,494	806	3
1987	8,790	192	76	78	205	692	1,196	1,131	1,375	1,566	1,510	766	3
1986	10,049	172	96	83	268	1,356	1,683	1,291	1,416	1,565	1,427	685	7
1985	9,114	181	102	88	239	1,094	1,368	1,152	1,372	1,516	1,364	628	10
1984	8,018	189	96	93	201	789	1,077	1,035	1,302	1,386	1,249	598	3
1983	7,523	171	95	73	209	720	891	991	1,311	1,354	1,167	537	4
1982	7,036	202	84	78	198	654	838	946	1,204	1,296	1,026	505	5
1981	7,149	202	107	83	194	679	850	999	1,268	1,265	1,012	483	7
1980	7,277	240	102	106	241	623	847	1,124	1,231	1,340	976	443	4
1979	6,711	230	99	75	233	603	812	1,015	1,210	1,140	895	393	6
All other diseases (Residual)													
Black, female													
1998	11,878	121	63	77	159	431	917	1,169	1,212	1,947	2,664	3,117	1
1997	11,219	106	64	87	160	433	947	1,091	1,196	1,789	2,459	2,886	1
1996	10,804	115	82	75	162	402	890	1,052	1,105	1,772	2,445	2,702	2
1995	10,501	121	78	93	148	417	977	1,018	1,108	1,608	2,387	2,542	4
1994	10,074	110	82	87	176	456	815	919	1,065	1,654	2,359	2,349	2
1993	9,916	138	92	92	144	470	884	883	1,038	1,664	2,256	2,252	3
1992	9,367	141	84	84	144	448	894	821	1,107	1,624	2,055	1,962	3
1991	9,363	155	89	84	183	466	804	794	1,067	1,554	2,185	1,982	-
1990	9,160	157	69	79	143	478	758	803	1,050	1,634	2,044	1,943	2
1989	9,426	168	55	103	183	533	796	782	1,127	1,605	2,116	1,955	3
1988	8,930	153	65	91	176	502	714	786	1,089	1,547	2,059	1,747	1
1987	8,572	122	66	55	178	516	774	723	1,068	1,599	1,950	1,516	5
1986	8,520	142	90	70	199	651	768	757	1,075	1,471	1,802	1,493	2
1985	7,963	154	87	79	189	594	630	715	1,026	1,396	1,710	1,378	5
1984	7,461	140	77	81	209	517	601	724	989	1,352	1,678	1,091	2
1983	6,994	150	69	93	188	467	546	713	1,022	1,309	1,427	1,007	3
1982	6,522	135	67	71	205	432	510	688	906	1,214	1,387	905	2
1981	6,629	168	77	90	209	467	545	706	975	1,198	1,329	860	5
1980	6,451	179	74	87	212	438	594	801	951	1,191	1,190	728	6
1979	5,858	178	88	95	186	409	544	722	856	1,061	1,072	645	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Accidents (unintentional injuries) (E800-E869,E880-E929)													
All races, both sexes													
1998	94,331	720	1,904	3,224	13,299	11,950	14,952	10,640	6,928	8,126	11,750	10,729	109
1997	92,353	736	1,968	3,338	13,318	12,519	14,343	10,117	6,726	7,870	11,180	10,138	100
1996	91,776	777	2,118	3,388	13,757	12,739	14,063	9,596	6,525	8,077	10,800	9,820	116
1995	90,402	761	2,249	3,514	13,796	13,337	14,056	9,026	6,418	7,753	10,164	9,224	104
1994	88,649	859	2,491	3,480	13,859	13,377	13,408	8,543	6,118	7,634	10,202	8,579	99
1993	87,598	864	2,562	3,426	13,923	13,922	13,113	7,825	6,061	7,424	9,884	8,486	108
1992	83,952	779	2,439	3,348	13,621	13,708	11,868	7,305	6,075	7,495	9,389	7,808	117
1991	86,711	916	2,643	3,626	15,235	14,707	11,623	6,994	6,250	7,516	9,385	7,697	119
1990	89,148	906	2,537	3,614	16,209	15,877	11,586	7,208	6,889	7,745	9,201	7,263	113
1989	92,036	947	2,748	4,059	16,692	16,496	11,710	7,346	7,170	8,104	9,419	7,223	122
1988	94,062	900	2,825	4,188	18,471	16,635	11,411	7,336	7,256	8,222	9,338	7,348	132
1987	91,988	918	2,886	4,182	18,654	16,516	10,745	6,808	7,419	7,922	9,111	6,700	127
1986	92,208	874	2,904	4,202	19,935	16,824	10,168	6,808	7,300	7,712	8,819	6,497	165
1985	90,605	851	2,839	4,209	19,122	15,802	9,925	6,904	7,762	7,840	8,772	6,443	136
1984	90,283	795	2,781	4,176	19,760	15,891	9,414	7,070	7,634	7,811	8,545	6,307	99
1983	89,828	918	3,009	4,300	19,702	15,586	9,221	7,155	7,732	7,649	8,223	6,215	118
1982	91,497	987	3,055	4,479	21,271	15,854	9,102	7,487	7,835	7,545	7,919	5,867	96
1981	98,155	954	3,128	4,844	23,534	17,390	9,312	8,306	8,464	7,982	8,065	6,060	116
1980	103,281	1,131	3,289	5,187	26,147	17,077	9,454	8,717	8,854	8,400	8,717	6,207	101
1979	102,670	1,050	3,327	5,656	26,505	16,379	9,532	8,773	8,901	8,384	8,332	5,688	143
Accidents (unintentional injuries) (E800-E869,E880-E929)													
All races, male													
1998	61,399	414	1,138	2,069	9,859	9,108	10,997	7,822	4,779	4,903	6,123	4,086	101
1997	60,404	416	1,170	2,093	9,761	9,549	10,732	7,441	4,622	4,834	5,829	3,866	91
1996	60,127	432	1,277	2,154	10,240	9,616	10,508	7,031	4,502	4,962	5,589	3,717	99
1995	60,066	406	1,337	2,273	10,287	10,272	10,691	6,707	4,439	4,684	5,292	3,578	100
1994	59,250	485	1,504	2,288	10,397	10,359	10,262	6,261	4,271	4,613	5,361	3,360	89
1993	58,773	481	1,532	2,228	10,583	10,824	10,115	5,810	4,185	4,495	5,107	3,317	96
1992	56,554	444	1,494	2,260	10,229	10,705	9,168	5,400	4,261	4,635	4,880	2,967	111
1991	58,578	531	1,558	2,475	11,513	11,537	8,926	5,145	4,396	4,606	4,846	2,938	107
1990	60,606	496	1,557	2,400	12,455	12,444	8,944	5,270	4,769	4,743	4,654	2,773	101
1989	62,480	513	1,657	2,703	12,618	12,816	8,960	5,432	5,074	4,942	4,843	2,813	109
1988	64,367	508	1,705	2,778	14,175	13,053	8,800	5,440	5,058	5,055	4,771	2,903	121
1987	63,342	506	1,774	2,904	14,291	13,028	8,281	5,012	5,168	4,857	4,729	2,681	111
1986	64,133	475	1,729	2,901	15,455	13,473	7,868	5,125	5,111	4,695	4,542	2,613	146
1985	62,755	462	1,745	2,868	14,769	12,711	7,622	5,088	5,469	4,689	4,574	2,631	127
1984	62,776	427	1,712	2,863	15,312	12,695	7,243	5,227	5,346	4,887	4,424	2,550	90
1983	62,605	524	1,834	2,934	15,350	12,484	7,157	5,326	5,483	4,709	4,219	2,484	101
1982	64,450	579	1,835	3,032	16,837	12,800	7,056	5,592	5,563	4,657	4,097	2,327	75
1981	69,626	526	1,906	3,368	18,549	14,068	7,215	6,222	6,019	5,049	4,172	2,428	104
1980	72,945	639	1,982	3,531	20,684	13,829	7,332	6,504	6,260	5,254	4,411	2,429	90
1979	73,048	595	1,987	3,917	20,978	13,265	7,393	6,569	6,364	5,341	4,270	2,244	125

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Accidents (unintentional injuries) (E800-E869,E880-E929)													
All races, female													
1998	32,932	306	766	1,155	3,440	2,842	3,955	2,818	2,149	3,223	5,627	6,643	8
1997	31,949	320	798	1,245	3,557	2,970	3,611	2,676	2,104	3,036	5,351	6,272	9
1996	31,649	345	841	1,234	3,517	3,123	3,555	2,565	2,023	3,115	5,211	6,103	17
1995	30,336	355	912	1,241	3,509	3,065	3,365	2,319	1,979	3,069	4,872	5,646	4
1994	29,399	374	987	1,192	3,462	3,018	3,146	2,282	1,847	3,021	4,841	5,219	10
1993	28,825	383	1,030	1,198	3,340	3,098	2,998	2,015	1,876	2,929	4,777	5,169	12
1992	27,398	335	945	1,088	3,392	3,003	2,700	1,905	1,814	2,860	4,509	4,841	6
1991	28,133	385	1,085	1,151	3,722	3,170	2,697	1,849	1,854	2,910	4,539	4,759	12
1990	28,542	410	980	1,214	3,754	3,433	2,642	1,938	2,120	3,002	4,547	4,490	12
1989	29,556	434	1,091	1,356	4,074	3,680	2,750	1,914	2,096	3,162	4,576	4,410	13
1988	29,695	392	1,120	1,410	4,296	3,582	2,611	1,896	2,198	3,167	4,567	4,445	11
1987	28,646	412	1,112	1,278	4,363	3,488	2,464	1,796	2,251	3,065	4,382	4,019	16
1986	28,075	399	1,175	1,301	4,480	3,351	2,300	1,683	2,189	3,017	4,277	3,884	19
1985	27,850	389	1,094	1,341	4,353	3,091	2,303	1,816	2,293	3,151	4,198	3,812	9
1984	27,507	368	1,069	1,313	4,448	3,196	2,171	1,843	2,288	2,924	4,121	3,757	9
1983	27,223	394	1,175	1,366	4,352	3,102	2,064	1,829	2,249	2,940	4,004	3,731	17
1982	27,047	408	1,220	1,447	4,434	3,054	2,046	1,895	2,272	2,888	3,822	3,540	21
1981	28,529	428	1,222	1,476	4,985	3,322	2,097	2,084	2,445	2,933	3,893	3,632	12
1980	30,336	492	1,307	1,656	5,463	3,248	2,122	2,213	2,594	3,146	4,306	3,778	11
1979	29,622	455	1,340	1,739	5,527	3,114	2,139	2,204	2,537	3,043	4,062	3,444	18
Accidents (unintentional injuries) (E800-E869,E880-E929)													
White, both sexes													
1998	79,297	488	1,368	2,315	11,129	9,672	12,145	8,506	5,743	7,072	10,743	10,018	98
1997	77,192	491	1,413	2,425	11,122	10,102	11,506	8,117	5,526	6,766	10,163	9,477	84
1996	76,818	530	1,492	2,500	11,359	10,331	11,408	7,734	5,415	6,940	9,809	9,202	98
1995	75,326	507	1,628	2,629	11,491	10,850	11,190	7,239	5,245	6,662	9,177	8,613	95
1994	73,611	562	1,729	2,536	11,512	10,899	10,708	6,826	4,973	6,595	9,192	7,996	83
1993	72,812	578	1,805	2,500	11,532	11,398	10,388	6,318	4,994	6,387	8,979	7,842	91
1992	70,072	505	1,773	2,468	11,426	11,250	9,474	5,876	4,946	6,486	8,493	7,273	102
1991	72,223	604	1,930	2,718	12,891	11,924	9,106	5,681	5,168	6,470	8,519	7,107	105
1990	74,558	592	1,842	2,717	13,804	12,985	9,288	5,834	5,719	6,676	8,273	6,731	97
1989	76,672	584	2,009	3,066	14,259	13,547	9,303	5,867	5,880	6,965	8,483	6,611	98
1988	78,574	607	2,056	3,153	15,863	13,637	9,095	5,909	5,976	7,025	8,362	6,791	100
1987	77,299	630	2,151	3,199	16,139	13,617	8,606	5,483	6,192	6,790	8,213	6,177	102
1986	77,762	575	2,171	3,155	17,441	13,873	8,227	5,530	6,040	6,706	7,922	5,987	135
1985	76,628	599	2,127	3,221	16,754	13,129	8,073	5,585	6,473	6,757	7,848	5,948	114
1984	77,030	555	2,042	3,246	17,421	13,375	7,727	5,852	6,440	6,741	7,706	5,843	82
1983	76,392	642	2,270	3,348	17,435	13,092	7,609	5,830	6,445	6,504	7,322	5,803	92
1982	78,249	684	2,301	3,504	18,911	13,357	7,522	6,150	6,587	6,499	7,157	5,497	80
1981	84,310	670	2,337	3,798	21,066	14,817	7,693	6,842	7,159	6,876	7,295	5,667	90
1980	88,069	795	2,479	4,033	23,349	14,457	7,774	7,136	7,374	7,128	7,698	5,766	80
1979	88,116	722	2,468	4,423	23,763	13,849	7,823	7,245	7,566	7,270	7,575	5,294	118

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Accidents (unintentional injuries) (E800-E869,E880-E929)													
White, male													
1998	51,026	291	823	1,457	8,217	7,374	9,003	6,241	3,942	4,251	5,581	3,754	92
1997	50,096	274	851	1,546	8,114	7,743	8,675	5,990	3,793	4,156	5,298	3,576	80
1996	49,863	290	910	1,561	8,428	7,838	8,622	5,653	3,722	4,244	5,059	3,451	85
1995	49,555	280	968	1,700	8,530	8,409	8,564	5,387	3,609	3,983	4,743	3,291	91
1994	48,776	325	1,050	1,665	8,587	8,531	8,262	5,015	3,435	3,964	4,772	3,095	75
1993	48,387	322	1,092	1,655	8,721	8,945	8,034	4,647	3,417	3,824	4,632	3,015	83
1992	46,810	308	1,123	1,663	8,532	8,853	7,366	4,325	3,453	3,973	4,394	2,722	98
1991	48,235	345	1,143	1,838	9,677	9,382	7,017	4,183	3,611	3,920	4,344	2,679	96
1990	50,235	323	1,135	1,803	10,566	10,228	7,152	4,241	3,943	4,070	4,152	2,533	89
1989	51,511	317	1,212	2,038	10,690	10,579	7,129	4,284	4,119	4,208	4,300	2,545	90
1988	53,226	340	1,242	2,112	12,133	10,765	7,032	4,336	4,105	4,232	4,198	2,639	92
1987	52,702	342	1,322	2,218	12,272	10,796	6,604	4,011	4,265	4,130	4,221	2,432	89
1986	53,678	312	1,303	2,190	13,455	11,169	6,354	4,142	4,210	4,043	4,006	2,371	123
1985	52,691	328	1,316	2,204	12,892	10,630	6,175	4,090	4,524	3,989	4,041	2,395	107
1984	53,153	293	1,270	2,204	13,465	10,724	5,913	4,309	4,464	4,168	3,946	2,322	75
1983	52,992	360	1,404	2,307	13,587	10,540	5,878	4,339	4,537	3,958	3,709	2,292	81
1982	54,820	404	1,398	2,390	14,976	10,826	5,832	4,559	4,621	3,960	3,641	2,148	65
1981	59,449	370	1,432	2,655	16,560	12,047	5,936	5,084	5,040	4,276	3,724	2,244	81
1980	61,929	448	1,506	2,751	18,418	11,751	6,015	5,276	5,168	4,427	3,860	2,234	75
1979	62,323	424	1,479	3,048	18,819	11,232	6,027	5,380	5,354	4,577	3,818	2,063	102
Accidents (unintentional injuries) (E800-E869,E880-E929)													
White, female													
1998	28,271	197	545	858	2,912	2,298	3,142	2,265	1,801	2,821	5,162	6,264	6
1997	27,096	217	562	879	3,008	2,359	2,831	2,127	1,733	2,610	4,865	5,901	4
1996	26,955	240	582	939	2,931	2,493	2,786	2,081	1,693	2,696	4,750	5,751	13
1995	25,771	227	660	929	2,961	2,441	2,626	1,852	1,636	2,679	4,434	5,322	4
1994	24,835	237	679	871	2,925	2,368	2,446	1,811	1,538	2,631	4,420	4,901	8
1993	24,425	256	713	845	2,811	2,453	2,354	1,671	1,577	2,563	4,347	4,827	8
1992	23,262	197	650	805	2,894	2,397	2,108	1,551	1,493	2,513	4,099	4,551	4
1991	23,988	259	787	880	3,214	2,542	2,089	1,498	1,557	2,550	4,175	4,428	9
1990	24,323	269	707	914	3,238	2,757	2,136	1,593	1,776	2,606	4,121	4,198	8
1989	25,161	267	797	1,028	3,569	2,968	2,174	1,583	1,761	2,757	4,183	4,066	8
1988	25,348	267	814	1,041	3,730	2,872	2,063	1,573	1,871	2,793	4,164	4,152	8
1987	24,597	288	829	981	3,867	2,821	2,002	1,472	1,927	2,660	3,992	3,745	13
1986	24,084	263	868	965	3,986	2,704	1,873	1,388	1,830	2,663	3,916	3,616	12
1985	23,937	271	811	1,017	3,862	2,499	1,898	1,495	1,949	2,768	3,807	3,553	7
1984	23,877	262	772	1,042	3,956	2,651	1,814	1,543	1,976	2,573	3,760	3,521	7
1983	23,400	282	866	1,041	3,848	2,552	1,731	1,491	1,908	2,546	3,613	3,511	11
1982	23,429	280	903	1,114	3,935	2,531	1,690	1,591	1,966	2,539	3,516	3,349	15
1981	24,861	300	905	1,143	4,506	2,770	1,757	1,758	2,119	2,600	3,571	3,423	9
1980	26,140	347	973	1,282	4,931	2,706	1,759	1,860	2,206	2,701	3,838	3,532	5
1979	25,793	298	989	1,375	4,944	2,617	1,796	1,865	2,212	2,693	3,757	3,231	16

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Accidents (unintentional injuries) (E800-E869,E880-E929)													
All other, both sexes													
1998	15,034	232	536	909	2,170	2,278	2,807	2,134	1,185	1,054	1,007	711	11
1997	15,161	245	555	913	2,196	2,417	2,837	2,000	1,200	1,104	1,017	661	16
1996	14,958	247	626	888	2,398	2,408	2,655	1,862	1,110	1,137	991	618	18
1995	15,076	254	621	885	2,305	2,487	2,866	1,787	1,173	1,091	987	611	9
1994	15,038	297	762	944	2,347	2,478	2,700	1,717	1,145	1,039	1,010	583	16
1993	14,786	286	757	926	2,391	2,524	2,725	1,507	1,067	1,037	905	644	17
1992	13,880	274	666	880	2,195	2,458	2,394	1,429	1,129	1,009	896	535	15
1991	14,488	312	713	908	2,344	2,783	2,517	1,313	1,082	1,046	866	590	14
1990	14,590	314	695	897	2,405	2,892	2,298	1,374	1,170	1,069	928	532	16
1989	15,364	363	739	993	2,433	2,949	2,407	1,479	1,290	1,139	936	612	24
1988	15,488	293	769	1,035	2,608	2,998	2,316	1,427	1,280	1,197	976	557	32
1987	14,689	288	735	983	2,515	2,899	2,139	1,325	1,227	1,132	898	523	25
1986	14,446	299	733	1,047	2,494	2,951	1,941	1,278	1,260	1,006	897	510	30
1985	13,977	252	712	988	2,368	2,673	1,852	1,319	1,289	1,083	924	495	22
1984	13,253	240	739	930	2,339	2,516	1,687	1,218	1,194	1,070	839	464	17
1983	13,436	276	739	952	2,267	2,494	1,612	1,325	1,287	1,145	901	412	26
1982	13,248	303	754	975	2,360	2,497	1,580	1,337	1,248	1,046	762	370	16
1981	13,845	284	791	1,046	2,468	2,573	1,619	1,464	1,305	1,106	770	393	26
1980	15,212	336	810	1,154	2,798	2,620	1,680	1,581	1,480	1,272	1,019	441	21
1979	14,554	328	859	1,233	2,742	2,530	1,709	1,528	1,335	1,114	757	394	25
Accidents (unintentional injuries) (E800-E869,E880-E929)													
All other, male													
1998	10,373	123	315	612	1,642	1,734	1,994	1,581	837	652	542	332	9
1997	10,308	142	319	547	1,647	1,806	2,057	1,451	829	678	531	290	11
1996	10,264	142	367	593	1,812	1,778	1,886	1,378	780	718	530	266	14
1995	10,511	126	369	573	1,757	1,863	2,127	1,320	830	701	549	287	9
1994	10,474	160	454	623	1,810	1,828	2,000	1,246	836	649	589	265	14
1993	10,386	159	440	573	1,862	1,879	2,081	1,163	768	671	475	302	13
1992	9,744	136	371	597	1,697	1,852	1,802	1,075	808	662	486	245	13
1991	10,343	186	415	637	1,836	2,155	1,909	962	785	686	502	259	11
1990	10,371	173	422	597	1,889	2,216	1,792	1,029	826	673	502	240	12
1989	10,969	196	445	665	1,928	2,237	1,831	1,148	955	734	543	268	19
1988	11,141	168	463	666	2,042	2,288	1,768	1,104	953	823	573	264	29
1987	10,640	164	452	686	2,019	2,232	1,677	1,001	903	727	508	249	22
1986	10,455	163	426	711	2,000	2,304	1,514	983	901	652	536	242	23
1985	10,064	134	429	664	1,877	2,081	1,447	998	945	700	533	236	20
1984	9,623	134	442	659	1,847	1,971	1,330	918	882	719	478	228	15
1983	9,613	164	430	627	1,763	1,944	1,279	987	946	751	510	192	20
1982	9,630	175	437	642	1,861	1,974	1,224	1,033	942	697	456	179	10
1981	10,177	156	474	713	1,989	2,021	1,279	1,138	979	773	448	184	23
1980	11,016	191	476	780	2,266	2,078	1,317	1,228	1,092	827	551	195	15
1979	10,725	171	508	869	2,159	2,033	1,366	1,189	1,010	764	452	181	23

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Accidents (unintentional injuries) (E800-E869,E880-E929)													
All other, female													
1998	4,661	109	221	297	528	544	813	553	348	402	465	379	2
1997	4,853	103	236	366	549	611	780	549	371	426	486	371	5
1996	4,694	105	259	295	586	630	769	484	330	419	461	352	4
1995	4,565	128	252	312	548	624	739	467	343	390	438	324	-
1994	4,564	137	308	321	537	650	700	471	309	390	421	318	2
1993	4,400	127	317	353	529	645	644	344	299	366	430	342	4
1992	4,136	138	295	283	498	606	592	354	321	347	410	290	2
1991	4,145	126	298	271	508	628	608	351	297	360	364	331	3
1990	4,219	141	273	300	516	676	506	345	344	396	426	292	4
1989	4,395	167	294	328	505	712	576	331	335	405	393	344	5
1988	4,347	125	306	369	566	710	548	323	327	374	403	293	3
1987	4,049	124	283	297	496	667	462	324	324	405	390	274	3
1986	3,991	136	307	336	494	647	427	295	359	354	361	268	7
1985	3,913	118	283	324	491	592	405	321	344	383	391	259	2
1984	3,630	106	297	271	492	545	357	300	312	351	361	236	2
1983	3,823	112	309	325	504	550	333	338	341	394	391	220	6
1982	3,618	128	317	333	499	523	356	304	306	349	306	191	6
1981	3,668	128	317	333	479	552	340	326	326	333	322	209	3
1980	4,196	145	334	374	532	542	363	353	388	445	468	246	6
1979	3,829	157	351	364	583	497	343	339	325	350	305	213	2
Accidents (unintentional injuries) (E800-E869,E880-E929)													
Black, both sexes													
1998	12,237	212	460	754	1,645	1,791	2,361	1,797	973	847	810	576	11
1997	12,161	217	445	747	1,676	1,871	2,352	1,682	972	865	791	529	14
1996	12,131	215	525	723	1,831	1,897	2,231	1,573	912	919	791	501	13
1995	12,296	229	506	726	1,737	1,967	2,428	1,491	965	908	821	509	9
1994	12,316	262	651	796	1,811	1,977	2,301	1,435	927	851	817	477	11
1993	12,246	251	650	767	1,854	2,035	2,375	1,269	881	874	738	538	14
1992	11,355	239	567	731	1,668	1,949	2,040	1,182	948	828	748	440	15
1991	12,066	265	632	780	1,856	2,274	2,137	1,082	903	870	748	506	13
1990	11,998	283	582	739	1,820	2,375	1,914	1,144	998	900	775	452	16
1989	12,907	320	607	846	1,872	2,456	2,045	1,256	1,127	1,011	809	538	20
1988	13,007	277	659	880	2,000	2,509	1,983	1,246	1,098	1,019	828	479	29
1987	12,292	261	638	830	1,967	2,397	1,815	1,148	1,052	959	763	445	17
1986	12,114	261	620	879	1,942	2,454	1,632	1,081	1,110	894	783	434	24
1985	11,779	217	592	835	1,842	2,209	1,571	1,138	1,154	953	820	428	20
1984	11,278	212	616	832	1,836	2,141	1,427	1,031	1,061	955	746	407	14
1983	11,469	255	660	823	1,777	2,094	1,361	1,133	1,159	1,013	809	364	21
1982	11,271	268	659	864	1,862	2,094	1,354	1,151	1,083	924	675	322	15
1981	11,919	251	701	907	1,989	2,135	1,382	1,297	1,194	1,000	692	350	21
1980	13,121	303	710	1,003	2,245	2,188	1,419	1,420	1,347	1,155	921	390	20
1979	12,582	302	747	1,104	2,186	2,140	1,468	1,371	1,195	1,016	680	350	23

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Accidents (unintentional injuries) (E800-E869,E880-E929)													
Black, male													
1998	8,544	113	272	517	1,280	1,395	1,673	1,354	702	541	433	255	9
1997	8,359	126	264	454	1,282	1,407	1,728	1,235	681	541	417	215	9
1996	8,409	119	311	482	1,386	1,403	1,601	1,208	660	607	413	210	9
1995	8,639	114	300	480	1,359	1,473	1,807	1,134	689	590	459	225	9
1994	8,632	139	387	525	1,414	1,469	1,720	1,058	697	536	474	203	10
1993	8,714	142	380	478	1,473	1,534	1,827	1,012	643	588	375	252	10
1992	8,021	113	313	494	1,319	1,468	1,547	913	692	553	409	187	13
1991	8,659	160	366	550	1,494	1,757	1,641	799	672	570	423	216	11
1990	8,561	155	346	493	1,451	1,828	1,505	877	718	576	410	190	12
1989	9,265	169	373	573	1,501	1,862	1,585	993	841	656	467	230	15
1988	9,381	158	398	576	1,587	1,910	1,532	969	827	699	481	218	26
1987	8,938	146	393	579	1,586	1,849	1,438	884	783	623	430	212	15
1986	8,808	141	350	594	1,569	1,936	1,302	841	805	580	470	200	20
1985	8,535	115	351	568	1,469	1,745	1,257	873	856	625	460	198	18
1984	8,211	119	370	591	1,456	1,689	1,129	788	796	647	417	196	13
1983	8,192	153	382	544	1,382	1,643	1,091	854	854	656	448	170	15
1982	8,235	152	389	567	1,488	1,674	1,068	903	821	622	393	148	10
1981	8,820	138	416	618	1,632	1,716	1,109	1,023	897	695	397	161	18
1980	9,516	170	417	694	1,828	1,761	1,127	1,118	998	739	484	166	14
1979	9,288	159	437	781	1,734	1,723	1,192	1,087	899	700	399	156	21
Accidents (unintentional injuries) (E800-E869,E880-E929)													
Black, female													
1998	3,693	99	188	237	365	396	688	443	271	306	377	321	2
1997	3,802	91	181	293	394	464	624	447	291	324	374	314	5
1996	3,722	96	214	241	445	494	630	365	252	312	378	291	4
1995	3,657	115	206	246	378	494	621	357	276	318	362	284	-
1994	3,684	123	264	271	397	508	581	377	230	315	343	274	1
1993	3,532	109	270	289	381	501	548	257	238	286	363	286	4
1992	3,334	126	254	237	349	481	493	269	256	275	339	253	2
1991	3,407	105	266	230	362	517	496	283	231	300	325	290	2
1990	3,437	128	236	246	369	547	409	267	280	324	365	262	4
1989	3,642	151	234	273	371	594	460	263	286	355	342	308	5
1988	3,626	119	261	304	413	599	451	277	271	320	347	261	3
1987	3,354	115	245	251	381	548	377	264	269	336	333	233	2
1986	3,306	120	270	285	373	518	330	240	305	314	313	234	4
1985	3,244	102	241	267	373	464	314	265	298	328	360	230	2
1984	3,067	93	246	241	380	452	298	243	265	308	329	211	1
1983	3,277	102	278	279	395	451	270	279	305	357	361	194	6
1982	3,036	116	270	297	374	420	286	248	262	302	282	174	5
1981	3,099	113	285	289	357	419	273	274	297	305	295	189	3
1980	3,605	133	293	309	417	427	292	302	349	416	437	224	6
1979	3,294	143	310	323	452	417	276	284	296	316	281	194	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Transport accidents (E800-E848,E929.0,E929.1)													
All races, both sexes													
1998	46,086	164	768	1,969	10,349	7,553	7,517	5,439	3,730	3,631	3,578	1,351	37
1997	46,287	167	784	2,069	10,547	8,037	7,307	5,325	3,617	3,573	3,507	1,326	28
1996	46,679	216	844	2,108	10,955	8,289	7,448	5,084	3,516	3,612	3,361	1,191	55
1995	46,216	180	848	2,184	10,980	8,649	7,207	4,801	3,377	3,500	3,277	1,169	44
1994	45,645	192	980	2,164	11,039	8,474	6,918	4,681	3,203	3,587	3,301	1,064	42
1993	44,805	194	920	2,096	10,915	8,881	6,703	4,242	3,182	3,296	3,293	1,040	43
1992	44,178	165	903	2,035	10,754	9,014	6,553	4,177	3,173	3,421	3,009	934	40
1991	46,629	174	933	2,159	12,163	9,797	6,651	4,070	3,274	3,381	3,026	951	50
1990	49,917	198	950	2,180	13,081	10,913	6,982	4,359	3,672	3,558	3,004	968	52
1989	50,731	220	1,032	2,409	13,405	11,016	6,928	4,343	3,755	3,666	2,995	913	49
1988	52,120	218	1,034	2,550	14,904	11,199	6,778	4,240	3,702	3,616	2,941	888	50
1987	51,642	208	1,025	2,535	15,032	11,285	6,644	3,996	3,793	3,459	2,805	805	55
1986	51,139	184	1,034	2,486	15,807	11,144	6,161	3,896	3,691	3,262	2,686	716	72
1985	49,445	183	1,057	2,485	14,955	10,469	6,119	3,897	3,786	3,223	2,507	719	45
1984	49,627	162	1,018	2,414	15,389	10,622	5,826	3,940	3,843	3,193	2,496	685	39
1983	48,050	195	1,073	2,400	14,986	10,348	5,603	3,887	3,602	3,023	2,239	653	41
1982	49,696	214	1,141	2,494	16,108	10,496	5,700	4,061	3,714	2,979	2,152	594	43
1981	55,190	224	1,067	2,768	18,161	12,096	5,944	4,561	4,165	3,282	2,243	625	54
1980	57,162	252	1,220	2,956	19,951	11,857	6,006	4,757	4,121	3,128	2,243	640	31
1979	57,757	225	1,274	3,207	20,256	11,442	6,008	4,823	4,307	3,347	2,247	560	61
Transport accidents (E800-E848,E929.0,E929.1)													
All races, male													
1998	31,107	89	423	1,203	7,382	5,560	5,253	3,813	2,494	2,129	1,973	754	34
1997	31,106	86	428	1,216	7,426	5,909	5,195	3,723	2,354	2,132	1,915	698	24
1996	31,518	109	469	1,261	7,864	6,028	5,283	3,534	2,303	2,142	1,815	663	47
1995	31,526	96	466	1,339	7,902	6,429	5,174	3,375	2,232	2,035	1,793	643	42
1994	31,215	97	546	1,351	7,980	6,330	5,018	3,246	2,131	2,081	1,788	610	37
1993	30,914	100	505	1,281	8,021	6,660	4,898	3,001	2,122	1,901	1,781	606	38
1992	30,656	94	514	1,315	7,818	6,845	4,774	2,942	2,114	2,017	1,653	531	39
1991	32,536	92	513	1,404	8,868	7,456	4,874	2,882	2,203	1,990	1,663	543	48
1990	35,046	101	532	1,354	9,763	8,346	5,150	3,074	2,430	2,083	1,607	557	49
1989	35,339	116	563	1,524	9,806	8,319	5,034	3,087	2,549	2,117	1,644	535	45
1988	36,863	120	563	1,628	11,123	8,571	5,038	3,014	2,451	2,184	1,611	516	44
1987	36,715	101	586	1,685	11,213	8,669	4,928	2,825	2,553	2,081	1,552	474	48
1986	36,879	95	588	1,630	11,954	8,740	4,629	2,829	2,498	1,891	1,537	426	62
1985	35,407	98	626	1,604	11,242	8,247	4,505	2,780	2,572	1,850	1,409	430	44
1984	35,824	80	610	1,548	11,654	8,308	4,330	2,857	2,603	1,976	1,401	422	35
1983	34,989	103	635	1,588	11,385	8,157	4,227	2,838	2,478	1,851	1,290	401	36
1982	36,529	115	643	1,601	12,434	8,301	4,362	3,017	2,579	1,820	1,269	356	32
1981	40,813	116	591	1,852	13,922	9,637	4,557	3,400	2,877	2,079	1,347	386	49
1980	42,198	135	694	1,917	15,398	9,431	4,565	3,490	2,867	1,958	1,322	394	27
1979	42,873	122	694	2,106	15,695	9,148	4,565	3,586	3,068	2,146	1,345	348	50

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Transport accidents (E800-E848,E929.0,E929.1)													
All races, female													
1998	14,979	75	345	766	2,967	1,993	2,264	1,626	1,236	1,502	1,605	597	3
1997	15,181	81	356	853	3,121	2,128	2,112	1,602	1,263	1,441	1,592	628	4
1996	15,161	107	375	847	3,091	2,261	2,165	1,550	1,213	1,470	1,546	528	8
1995	14,690	84	382	845	3,078	2,220	2,033	1,426	1,145	1,465	1,484	526	2
1994	14,430	95	434	813	3,059	2,144	1,900	1,435	1,072	1,506	1,513	454	5
1993	13,891	94	415	815	2,894	2,221	1,805	1,241	1,060	1,395	1,512	434	5
1992	13,522	71	389	720	2,936	2,169	1,779	1,235	1,059	1,404	1,356	403	1
1991	14,093	82	420	755	3,295	2,341	1,777	1,188	1,071	1,391	1,363	408	2
1990	14,871	97	418	826	3,318	2,567	1,832	1,285	1,242	1,475	1,397	411	3
1989	15,392	104	469	885	3,599	2,697	1,894	1,256	1,206	1,549	1,351	378	4
1988	15,257	98	471	922	3,781	2,628	1,740	1,226	1,251	1,432	1,330	372	6
1987	14,927	107	439	850	3,819	2,616	1,716	1,171	1,240	1,378	1,253	331	7
1986	14,260	89	446	856	3,853	2,404	1,532	1,067	1,193	1,371	1,149	290	10
1985	14,038	85	431	881	3,713	2,222	1,614	1,117	1,214	1,373	1,098	289	1
1984	13,803	82	408	866	3,735	2,314	1,496	1,083	1,240	1,217	1,095	263	4
1983	13,061	92	438	812	3,601	2,191	1,376	1,049	1,124	1,172	949	252	5
1982	13,167	99	498	893	3,674	2,195	1,338	1,044	1,135	1,159	883	238	11
1981	14,377	108	476	916	4,239	2,459	1,387	1,161	1,288	1,203	896	239	5
1980	14,964	117	526	1,039	4,553	2,426	1,441	1,267	1,254	1,170	921	246	4
1979	14,884	103	580	1,101	4,561	2,294	1,443	1,237	1,239	1,201	902	212	11
Transport accidents (E800-E848,E929.0,E929.1)													
White, both sexes													
1998	38,433	120	542	1,481	8,757	6,035	6,157	4,477	3,142	3,177	3,255	1,257	33
1997	38,510	122	553	1,591	8,883	6,411	5,962	4,410	3,033	3,093	3,198	1,231	23
1996	39,098	166	606	1,674	9,136	6,701	6,175	4,266	3,016	3,147	3,055	1,110	46
1995	38,730	133	623	1,710	9,254	7,053	5,891	4,009	2,852	3,076	2,996	1,091	42
1994	38,321	128	703	1,686	9,318	7,017	5,745	3,904	2,680	3,129	2,986	989	36
1993	37,723	140	657	1,620	9,253	7,419	5,510	3,547	2,684	2,899	3,024	936	34
1992	37,261	116	666	1,574	9,203	7,524	5,385	3,469	2,633	3,012	2,767	879	33
1991	39,552	120	710	1,693	10,528	8,128	5,452	3,430	2,787	2,973	2,811	875	45
1990	42,359	150	687	1,730	11,349	9,113	5,770	3,625	3,117	3,130	2,740	903	45
1989	43,250	156	788	1,937	11,677	9,256	5,708	3,623	3,192	3,265	2,751	854	43
1988	44,608	175	794	2,036	13,052	9,444	5,638	3,578	3,171	3,177	2,697	807	39
1987	44,486	160	795	2,056	13,276	9,557	5,568	3,337	3,286	3,056	2,597	749	49
1986	44,060	134	786	1,986	14,111	9,391	5,154	3,272	3,142	2,937	2,444	646	57
1985	42,830	130	811	2,027	13,349	8,882	5,174	3,313	3,256	2,871	2,301	673	43
1984	43,387	125	781	2,007	13,846	9,160	4,949	3,395	3,342	2,835	2,294	622	31
1983	42,072	162	838	1,971	13,544	8,972	4,799	3,283	3,142	2,682	2,032	615	32
1982	43,665	171	896	2,048	14,619	9,106	4,901	3,492	3,232	2,627	1,984	554	35
1981	48,850	185	842	2,300	16,615	10,638	5,111	3,909	3,667	2,891	2,058	591	43
1980	50,380	207	947	2,426	18,241	10,324	5,155	4,097	3,563	2,752	2,048	595	25
1979	51,057	195	1,004	2,666	18,549	10,013	5,133	4,151	3,735	2,970	2,073	515	53

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Transport accidents (E800-E848,E929.0,E929.1)													
White, male													
1998	25,822	71	297	879	6,225	4,423	4,311	3,153	2,100	1,866	1,775	692	30
1997	25,830	59	301	949	6,222	4,724	4,252	3,103	1,969	1,840	1,737	652	22
1996	26,299	81	337	980	6,536	4,872	4,400	2,983	1,967	1,854	1,637	612	40
1995	26,269	66	337	1,047	6,626	5,256	4,225	2,826	1,882	1,765	1,613	586	40
1994	26,163	68	390	1,054	6,706	5,291	4,183	2,728	1,770	1,793	1,587	561	32
1993	25,929	71	355	1,004	6,782	5,597	4,025	2,490	1,769	1,647	1,622	537	30
1992	25,763	71	404	1,006	6,642	5,739	3,934	2,441	1,750	1,748	1,504	491	33
1991	27,440	65	378	1,090	7,634	6,189	3,993	2,429	1,880	1,718	1,527	494	43
1990	29,581	78	379	1,059	8,431	6,967	4,246	2,543	2,060	1,820	1,445	510	43
1989	29,897	82	429	1,212	8,470	7,016	4,128	2,540	2,141	1,861	1,486	492	40
1988	31,368	94	433	1,308	9,704	7,241	4,184	2,522	2,075	1,866	1,451	456	34
1987	31,428	72	451	1,363	9,836	7,354	4,109	2,342	2,184	1,821	1,418	436	42
1986	31,607	65	434	1,296	10,625	7,383	3,866	2,367	2,113	1,670	1,363	374	51
1985	30,512	72	472	1,303	9,995	7,017	3,797	2,345	2,182	1,613	1,273	401	42
1984	31,122	61	470	1,276	10,443	7,164	3,646	2,444	2,232	1,719	1,264	375	28
1983	30,516	90	496	1,301	10,288	7,056	3,598	2,389	2,130	1,611	1,153	376	28
1982	32,020	91	501	1,319	11,287	7,225	3,748	2,574	2,211	1,567	1,142	328	27
1981	36,009	91	468	1,552	12,714	8,486	3,896	2,893	2,503	1,784	1,220	362	40
1980	37,039	107	533	1,569	14,032	8,247	3,896	2,982	2,440	1,666	1,180	366	21
1979	37,772	109	536	1,738	14,375	7,990	3,872	3,065	2,636	1,868	1,228	312	43
Transport accidents (E800-E848,E929.0,E929.1)													
White, female													
1998	12,611	49	245	602	2,532	1,612	1,846	1,324	1,042	1,311	1,480	565	3
1997	12,680	63	252	642	2,661	1,687	1,710	1,307	1,064	1,253	1,461	579	1
1996	12,799	85	269	694	2,600	1,829	1,775	1,283	1,049	1,293	1,418	498	6
1995	12,461	67	286	663	2,628	1,797	1,666	1,183	970	1,311	1,383	505	2
1994	12,158	60	313	632	2,612	1,726	1,562	1,176	910	1,336	1,399	428	4
1993	11,794	69	302	616	2,471	1,822	1,485	1,057	915	1,252	1,402	399	4
1992	11,498	45	262	568	2,561	1,785	1,451	1,028	883	1,264	1,263	388	-
1991	12,112	55	332	603	2,894	1,939	1,459	1,001	907	1,255	1,284	381	2
1990	12,778	72	308	671	2,918	2,146	1,524	1,082	1,057	1,310	1,295	393	2
1989	13,353	74	359	725	3,207	2,240	1,580	1,083	1,051	1,404	1,265	362	3
1988	13,240	81	361	728	3,348	2,203	1,454	1,056	1,096	1,311	1,246	351	5
1987	13,058	88	344	693	3,440	2,203	1,459	995	1,102	1,235	1,179	313	7
1986	12,453	69	352	690	3,486	2,008	1,288	905	1,029	1,267	1,081	272	6
1985	12,318	58	339	724	3,354	1,865	1,377	968	1,074	1,258	1,028	272	1
1984	12,265	64	311	731	3,403	1,996	1,303	951	1,110	1,116	1,030	247	3
1983	11,556	72	342	670	3,256	1,916	1,201	894	1,012	1,071	879	239	4
1982	11,645	80	395	729	3,332	1,881	1,153	918	1,021	1,060	842	226	8
1981	12,841	94	374	748	3,901	2,152	1,215	1,016	1,164	1,107	838	229	3
1980	13,341	100	414	857	4,209	2,077	1,259	1,115	1,123	1,086	868	229	4
1979	13,285	86	468	928	4,174	2,023	1,261	1,086	1,099	1,102	845	203	10

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Transport accidents (E800-E848,E929.0,E929.1)													
All other, both sexes													
1998	7,653	44	226	488	1,592	1,518	1,360	962	588	454	323	94	4
1997	7,777	45	231	478	1,664	1,626	1,345	915	584	480	309	95	5
1996	7,581	50	238	434	1,819	1,588	1,273	818	500	465	306	81	9
1995	7,486	47	225	474	1,726	1,596	1,316	792	525	424	281	78	2
1994	7,324	64	277	478	1,721	1,457	1,173	777	523	458	315	75	6
1993	7,082	54	263	476	1,662	1,462	1,193	695	498	397	269	104	9
1992	6,917	49	237	461	1,551	1,490	1,168	708	540	409	242	55	7
1991	7,077	54	223	466	1,635	1,669	1,199	640	487	408	215	76	5
1990	7,558	48	263	450	1,732	1,800	1,212	734	555	428	264	65	7
1989	7,481	64	244	472	1,728	1,760	1,220	720	563	401	244	59	6
1988	7,512	43	240	514	1,852	1,755	1,140	662	531	439	244	81	11
1987	7,156	48	230	479	1,756	1,728	1,076	659	507	403	208	56	6
1986	7,079	50	248	500	1,696	1,753	1,007	624	549	325	242	70	15
1985	6,615	53	246	458	1,606	1,587	945	584	530	352	206	46	2
1984	6,240	37	237	407	1,543	1,462	877	545	501	358	202	63	8
1983	5,978	33	235	429	1,442	1,376	804	604	460	341	207	38	9
1982	6,031	43	245	446	1,489	1,390	799	569	482	352	168	40	8
1981	6,340	39	225	468	1,546	1,458	833	652	498	391	185	34	11
1980	6,782	45	273	530	1,710	1,533	851	660	558	376	195	45	6
1979	6,700	30	270	541	1,707	1,429	875	672	572	377	174	45	8
Transport accidents (E800-E848,E929.0,E929.1)													
All other, male													
1998	5,285	18	126	324	1,157	1,137	942	660	394	263	198	62	4
1997	5,276	27	127	267	1,204	1,185	943	620	385	292	178	46	2
1996	5,219	28	132	281	1,328	1,156	883	551	336	288	178	51	7
1995	5,257	30	129	292	1,276	1,173	949	549	350	270	180	57	2
1994	5,052	29	156	297	1,274	1,039	835	518	361	288	201	49	5
1993	4,985	29	150	277	1,239	1,063	873	511	353	254	159	69	8
1992	4,893	23	110	309	1,176	1,106	840	501	364	269	149	40	6
1991	5,096	27	135	314	1,234	1,267	881	453	323	272	136	49	5
1990	5,465	23	153	295	1,332	1,379	904	531	370	263	162	47	6
1989	5,442	34	134	312	1,336	1,303	906	547	408	256	158	43	5
1988	5,495	26	130	320	1,419	1,330	854	492	376	318	160	60	10
1987	5,287	29	135	322	1,377	1,315	819	483	369	260	134	38	6
1986	5,272	30	154	334	1,329	1,357	763	462	385	221	174	52	11
1985	4,895	26	154	301	1,247	1,230	708	435	390	237	136	29	2
1984	4,702	19	140	272	1,211	1,144	684	413	371	257	137	47	7
1983	4,473	13	139	287	1,097	1,101	629	449	348	240	137	25	8
1982	4,509	24	142	282	1,147	1,076	614	443	368	253	127	28	5
1981	4,804	25	123	300	1,208	1,151	661	507	374	295	127	24	9
1980	5,159	28	161	348	1,366	1,184	669	508	427	292	142	28	6
1979	5,101	13	158	368	1,320	1,158	693	521	432	278	117	36	7

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Transport accidents (E800-E848,E929.0,E929.1)													
All other, female													
1998	2,368	26	100	164	435	381	418	302	194	191	125	32	-
1997	2,501	18	104	211	460	441	402	295	199	188	131	49	3
1996	2,362	22	106	153	491	432	390	267	164	177	128	30	2
1995	2,229	17	96	182	450	423	367	243	175	154	101	21	-
1994	2,272	35	121	181	447	418	338	259	162	170	114	26	1
1993	2,097	25	113	199	423	399	320	184	145	143	110	35	1
1992	2,024	26	127	152	375	384	328	207	176	140	93	15	1
1991	1,981	27	88	152	401	402	318	187	164	136	79	27	-
1990	2,093	25	110	155	400	421	308	203	185	165	102	18	1
1989	2,039	30	110	160	392	457	314	173	155	145	86	16	1
1988	2,017	17	110	194	433	425	286	170	155	121	84	21	1
1987	1,869	19	95	157	379	413	257	176	138	143	74	18	-
1986	1,807	20	94	166	367	396	244	162	164	104	68	18	4
1985	1,720	27	92	157	359	357	237	149	140	115	70	17	-
1984	1,538	18	97	135	332	318	193	132	130	101	65	16	1
1983	1,505	20	96	142	345	275	175	155	112	101	70	13	1
1982	1,522	19	103	164	342	314	185	126	114	99	41	12	3
1981	1,536	14	102	168	338	307	172	145	124	96	58	10	2
1980	1,623	17	112	182	344	349	182	152	131	84	53	17	-
1979	1,599	17	112	173	387	271	182	151	140	99	57	9	1
Transport accidents (E800-E848,E929.0,E929.1)													
Black, both sexes													
1998	5,928	41	188	394	1,187	1,166	1,084	745	453	355	243	68	4
1997	5,951	37	183	389	1,253	1,229	1,060	718	449	344	208	76	5
1996	5,827	42	187	349	1,381	1,210	991	637	379	347	230	67	7
1995	5,713	40	183	375	1,261	1,215	1,055	595	394	324	207	62	2
1994	5,657	56	225	402	1,299	1,121	922	598	390	343	236	61	4
1993	5,511	43	214	389	1,246	1,137	966	536	381	317	198	77	7
1992	5,345	42	195	382	1,151	1,134	933	546	422	305	190	38	7
1991	5,518	42	187	388	1,245	1,289	952	484	384	310	170	62	5
1990	5,860	40	206	352	1,272	1,415	956	571	448	345	202	46	7
1989	5,908	49	175	389	1,302	1,403	970	586	459	333	191	46	5
1988	5,940	39	187	429	1,378	1,393	923	539	437	347	193	67	8
1987	5,635	40	193	390	1,315	1,376	848	532	417	322	157	41	4
1986	5,593	38	192	394	1,286	1,403	796	492	464	270	188	58	12
1985	5,223	39	191	370	1,216	1,235	756	472	448	282	175	37	2
1984	5,053	30	184	355	1,185	1,193	712	426	424	315	171	52	6
1983	4,780	24	201	348	1,089	1,084	652	497	399	275	173	29	9
1982	4,867	29	203	391	1,138	1,134	648	468	394	287	136	32	7
1981	5,121	28	189	394	1,180	1,159	664	545	438	332	157	28	7
1980	5,469	36	225	440	1,297	1,222	684	564	483	326	153	33	6
1979	5,470	25	217	469	1,292	1,163	694	587	502	330	145	40	6

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Transport accidents (E800-E848,E929.0,E929.1)													
Black, male													
1998	4,203	15	109	266	891	911	750	525	312	219	156	45	4
1997	4,142	22	109	224	933	902	762	500	308	223	122	35	2
1996	4,109	21	106	227	1,009	890	710	459	268	230	141	43	5
1995	4,114	26	104	240	963	904	778	435	265	214	139	44	2
1994	3,969	25	130	250	977	810	673	410	278	222	153	38	3
1993	4,013	24	123	230	953	857	725	417	279	226	118	55	6
1992	3,849	16	87	254	892	849	682	411	292	212	122	26	6
1991	4,035	18	111	259	968	978	720	349	268	209	107	43	5
1990	4,311	18	117	235	1,001	1,089	728	430	308	221	126	32	6
1989	4,393	24	104	263	1,022	1,047	744	460	343	219	128	35	4
1988	4,418	23	106	276	1,073	1,057	710	408	321	260	128	49	7
1987	4,223	24	112	263	1,040	1,055	655	401	313	217	109	30	4
1986	4,248	23	119	268	1,019	1,105	626	371	338	184	144	42	9
1985	3,932	17	119	252	949	979	583	361	338	197	111	24	2
1984	3,865	16	110	238	940	945	560	339	326	233	115	38	5
1983	3,625	10	118	232	833	886	524	383	306	194	112	19	8
1982	3,718	15	122	243	901	896	519	376	306	212	102	21	5
1981	3,982	18	102	256	947	957	543	437	333	252	111	21	5
1980	4,252	21	135	300	1,050	970	557	444	381	256	112	20	6
1979	4,225	10	126	322	1,013	953	569	474	380	244	97	32	5
Transport accidents (E800-E848,E929.0,E929.1)													
Black, female													
1998	1,725	26	79	128	296	255	334	220	141	136	87	23	-
1997	1,809	15	74	165	320	327	298	218	141	121	86	41	3
1996	1,718	21	81	122	372	320	281	178	111	117	89	24	2
1995	1,599	14	79	135	298	311	277	160	129	110	68	18	-
1994	1,688	31	95	152	322	311	249	188	112	121	83	23	1
1993	1,498	19	91	159	293	280	241	119	102	91	80	22	1
1992	1,496	26	108	128	259	285	251	135	130	93	68	12	1
1991	1,483	24	76	129	277	311	232	135	116	101	63	19	-
1990	1,549	22	89	117	271	326	228	141	140	124	76	14	1
1989	1,515	25	71	126	280	356	226	126	116	114	63	11	1
1988	1,522	16	81	153	305	336	213	131	116	87	65	18	1
1987	1,412	16	81	127	275	321	193	131	104	105	48	11	-
1986	1,345	15	73	126	267	298	170	121	126	86	44	16	3
1985	1,291	22	72	118	267	256	173	111	110	85	64	13	-
1984	1,188	14	74	117	245	248	152	87	98	82	56	14	1
1983	1,155	14	83	116	256	198	128	114	93	81	61	10	1
1982	1,149	14	81	148	237	238	129	92	88	75	34	11	2
1981	1,139	10	87	138	233	202	121	108	105	80	46	7	2
1980	1,217	15	90	140	247	252	127	120	102	70	41	13	-
1979	1,245	15	91	147	279	210	125	113	122	86	48	8	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages												Age not stated
	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years		
Motor vehicle accidents (E810-E825)													
All races, both sexes													
1998	43,501	162	759	1,868	10,026	7,132	6,963	4,996	3,420	3,410	3,457	1,278	30
1997	43,458	165	768	1,967	10,208	7,500	6,667	4,805	3,329	3,370	3,392	1,265	22
1996	43,649	215	820	1,980	10,576	7,729	6,753	4,553	3,196	3,419	3,233	1,132	43
1995	43,363	179	825	2,055	10,600	8,077	6,541	4,333	3,095	3,300	3,185	1,141	32
1994	42,524	187	952	2,026	10,660	7,780	6,186	4,174	2,923	3,385	3,191	1,026	34
1993	41,893	190	891	1,963	10,500	8,212	6,071	3,803	2,908	3,116	3,190	1,015	34
1992	40,982	160	860	1,904	10,305	8,229	5,842	3,721	2,876	3,247	2,913	893	32
1991	43,536	174	902	2,011	11,664	9,093	5,989	3,632	2,984	3,193	2,932	919	43
1990	46,814	195	928	2,059	12,607	10,170	6,318	3,917	3,365	3,350	2,917	943	45
1989	47,575	216	1,005	2,266	12,941	10,269	6,302	3,879	3,408	3,465	2,909	877	38
1988	49,078	215	1,005	2,423	14,406	10,433	6,147	3,825	3,420	3,429	2,872	858	45
1987	48,290	201	989	2,397	14,447	10,467	5,938	3,576	3,445	3,277	2,726	778	49
1986	47,865	183	1,005	2,350	15,227	10,358	5,486	3,442	3,357	3,096	2,612	702	47
1985	45,901	179	1,016	2,319	14,277	9,589	5,445	3,423	3,462	3,014	2,436	706	35
1984	46,263	161	977	2,263	14,738	9,815	5,221	3,460	3,494	3,020	2,428	655	31
1983	44,452	190	1,043	2,241	14,289	9,395	4,928	3,430	3,260	2,827	2,181	641	27
1982	45,779	210	1,090	2,301	15,324	9,491	4,978	3,524	3,355	2,825	2,074	578	29
1981	51,385	220	1,036	2,575	17,363	11,116	5,331	4,021	3,797	3,090	2,182	607	47
1980	53,172	247	1,179	2,747	19,040	10,785	5,348	4,235	3,787	2,991	2,168	619	26
1979	53,524	222	1,239	2,952	19,369	10,372	5,286	4,257	3,905	3,171	2,179	537	35
Motor vehicle accidents (E810-E825)													
All races, male													
1998	28,990	88	416	1,144	7,109	5,203	4,791	3,439	2,219	1,938	1,889	727	27
1997	28,770	84	419	1,154	7,167	5,447	4,642	3,274	2,101	1,955	1,837	672	18
1996	29,123	109	455	1,188	7,573	5,562	4,700	3,104	2,041	1,986	1,738	631	36
1995	29,164	96	454	1,255	7,594	5,941	4,606	2,981	1,993	1,864	1,721	629	30
1994	28,635	96	532	1,260	7,664	5,732	4,409	2,825	1,885	1,914	1,704	584	30
1993	28,531	97	489	1,202	7,687	6,086	4,357	2,633	1,887	1,756	1,714	594	29
1992	27,982	90	487	1,230	7,438	6,163	4,164	2,550	1,859	1,876	1,588	506	31
1991	29,947	92	491	1,299	8,468	6,840	4,302	2,502	1,956	1,835	1,597	524	41
1990	32,406	100	523	1,260	9,361	7,696	4,568	2,689	2,163	1,917	1,544	543	42
1989	32,704	114	548	1,421	9,429	7,657	4,512	2,682	2,256	1,945	1,591	515	34
1988	34,258	118	543	1,538	10,689	7,909	4,487	2,649	2,208	2,024	1,559	495	39
1987	33,904	97	561	1,589	10,719	7,973	4,322	2,470	2,253	1,928	1,490	460	42
1986	34,088	94	572	1,541	11,463	8,061	4,042	2,430	2,197	1,747	1,484	415	42
1985	32,443	95	601	1,481	10,680	7,475	3,928	2,388	2,294	1,685	1,361	421	34
1984	32,949	79	578	1,446	11,107	7,612	3,791	2,446	2,293	1,822	1,345	403	27
1983	31,907	100	619	1,473	10,807	7,320	3,634	2,429	2,176	1,680	1,251	394	24
1982	33,191	112	608	1,465	11,764	7,432	3,722	2,547	2,270	1,691	1,213	346	21
1981	37,533	116	571	1,706	13,237	8,772	4,021	2,921	2,559	1,918	1,297	373	42
1980	38,861	132	671	1,776	14,656	8,509	3,986	3,036	2,575	1,846	1,269	382	23
1979	39,309	120	675	1,927	14,949	8,231	3,944	3,086	2,715	2,001	1,297	331	33

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Motor vehicle accidents (E810-E825)													
All races, female													
1998	14,511	74	343	724	2,917	1,929	2,172	1,557	1,201	1,472	1,568	551	3
1997	14,688	81	349	813	3,041	2,053	2,025	1,531	1,228	1,415	1,555	593	4
1996	14,526	106	365	792	3,003	2,167	2,053	1,449	1,155	1,433	1,495	501	7
1995	14,199	83	371	800	3,006	2,136	1,935	1,352	1,102	1,436	1,464	512	2
1994	13,889	91	420	766	2,996	2,048	1,777	1,349	1,038	1,471	1,487	442	4
1993	13,362	93	402	761	2,813	2,126	1,714	1,170	1,021	1,360	1,476	421	5
1992	13,000	70	373	674	2,867	2,066	1,678	1,171	1,017	1,371	1,325	387	1
1991	13,589	82	411	712	3,196	2,253	1,687	1,130	1,028	1,358	1,335	395	2
1990	14,408	95	405	799	3,246	2,474	1,750	1,228	1,202	1,433	1,373	400	3
1989	14,871	102	457	845	3,512	2,612	1,790	1,197	1,152	1,520	1,318	362	4
1988	14,820	97	462	885	3,717	2,524	1,660	1,176	1,212	1,405	1,313	363	6
1987	14,386	104	428	808	3,728	2,494	1,616	1,106	1,192	1,349	1,236	318	7
1986	13,777	89	433	809	3,764	2,297	1,444	1,012	1,160	1,349	1,128	287	5
1985	13,458	84	415	838	3,597	2,114	1,517	1,035	1,168	1,329	1,075	285	1
1984	13,314	82	399	817	3,631	2,203	1,430	1,014	1,201	1,198	1,083	252	4
1983	12,545	90	424	768	3,482	2,075	1,294	1,001	1,084	1,147	930	247	3
1982	12,588	98	482	836	3,560	2,059	1,256	977	1,085	1,134	861	232	8
1981	13,852	104	465	869	4,126	2,344	1,310	1,100	1,238	1,172	885	234	5
1980	14,311	115	508	971	4,384	2,276	1,362	1,199	1,212	1,145	899	237	3
1979	14,215	102	564	1,025	4,420	2,141	1,342	1,171	1,190	1,170	882	206	2
Motor vehicle accidents (E810-E825)													
White, both sexes													
1998	36,182	118	535	1,401	8,485	5,672	5,681	4,087	2,870	2,975	3,142	1,190	26
1997	36,094	120	544	1,510	8,591	5,970	5,424	3,951	2,778	2,918	3,097	1,173	18
1996	36,452	165	588	1,559	8,818	6,228	5,555	3,791	2,730	2,983	2,944	1,055	36
1995	36,255	132	604	1,598	8,926	6,576	5,329	3,581	2,613	2,884	2,916	1,066	30
1994	35,619	125	681	1,570	8,986	6,429	5,124	3,455	2,430	2,946	2,892	952	29
1993	35,194	137	634	1,505	8,903	6,825	4,977	3,158	2,446	2,737	2,930	914	28
1992	34,439	112	627	1,472	8,811	6,833	4,764	3,058	2,364	2,852	2,681	840	25
1991	36,851	120	684	1,577	10,096	7,526	4,892	3,028	2,526	2,801	2,718	845	38
1990	39,651	148	668	1,629	10,932	8,463	5,213	3,228	2,838	2,946	2,668	878	40
1989	40,491	153	765	1,824	11,295	8,588	5,159	3,215	2,884	3,082	2,673	819	34
1988	41,974	172	770	1,938	12,620	8,784	5,086	3,218	2,922	3,012	2,636	781	35
1987	41,581	154	764	1,946	12,767	8,855	4,961	2,973	2,969	2,893	2,532	724	43
1986	41,189	133	762	1,870	13,603	8,709	4,569	2,861	2,849	2,787	2,376	633	37
1985	39,689	127	776	1,893	12,760	8,109	4,573	2,891	2,955	2,677	2,234	660	34
1984	40,429	124	747	1,871	13,270	8,457	4,436	2,958	3,033	2,683	2,230	595	25
1983	38,864	157	812	1,832	12,910	8,131	4,197	2,875	2,830	2,510	1,985	604	21
1982	40,191	167	852	1,892	13,928	8,226	4,257	2,993	2,906	2,497	1,912	538	23
1981	45,424	182	816	2,136	15,906	9,759	4,542	3,422	3,332	2,715	2,004	574	36
1980	46,863	204	910	2,252	17,440	9,374	4,566	3,626	3,272	2,641	1,981	576	21
1979	47,248	192	972	2,454	17,738	9,045	4,493	3,632	3,369	2,812	2,015	496	30

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Motor vehicle accidents (E810-E825)													
White, male													
1998	23,985	70	291	835	5,995	4,116	3,919	2,824	1,858	1,690	1,696	668	23
1997	23,834	57	295	897	5,997	4,340	3,792	2,707	1,747	1,687	1,669	629	17
1996	24,214	81	327	917	6,294	4,481	3,879	2,599	1,730	1,722	1,571	583	30
1995	24,229	66	328	974	6,362	4,852	3,749	2,469	1,677	1,601	1,549	574	28
1994	23,932	67	379	978	6,429	4,784	3,669	2,355	1,551	1,639	1,519	536	26
1993	23,874	69	343	937	6,499	5,086	3,577	2,167	1,566	1,517	1,563	526	24
1992	23,415	68	379	946	6,313	5,142	3,408	2,087	1,516	1,619	1,444	468	25
1991	25,183	65	360	1,008	7,287	5,665	3,510	2,080	1,658	1,577	1,461	476	36
1990	27,288	77	371	980	8,082	6,404	3,755	2,196	1,819	1,675	1,395	496	38
1989	27,621	80	417	1,135	8,168	6,423	3,681	2,185	1,884	1,706	1,439	472	31
1988	29,127	92	417	1,240	9,329	6,671	3,709	2,206	1,863	1,726	1,406	438	30
1987	29,017	68	430	1,289	9,410	6,767	3,591	2,034	1,913	1,685	1,370	424	36
1986	29,163	64	420	1,224	10,194	6,789	3,361	2,006	1,853	1,539	1,315	364	34
1985	27,894	70	452	1,201	9,508	6,343	3,284	2,000	1,924	1,459	1,228	392	33
1984	28,614	60	444	1,186	9,964	6,560	3,193	2,072	1,959	1,584	1,212	358	22
1983	27,781	87	482	1,200	9,764	6,321	3,072	2,026	1,855	1,461	1,124	370	19
1982	29,073	88	472	1,212	10,701	6,460	3,179	2,140	1,934	1,460	1,091	318	18
1981	33,067	91	452	1,429	12,110	7,711	3,401	2,461	2,214	1,639	1,176	350	33
1980	34,109	104	514	1,455	13,381	7,432	3,381	2,573	2,187	1,574	1,134	356	18
1979	34,579	107	518	1,588	13,698	7,165	3,327	2,610	2,313	1,737	1,189	299	28
Motor vehicle accidents (E810-E825)													
White, female													
1998	12,197	48	244	566	2,490	1,556	1,762	1,263	1,012	1,285	1,446	522	3
1997	12,260	63	249	613	2,594	1,630	1,632	1,244	1,031	1,231	1,428	544	1
1996	12,238	84	261	642	2,524	1,747	1,676	1,192	1,000	1,261	1,373	472	6
1995	12,026	66	276	624	2,564	1,724	1,580	1,112	936	1,283	1,367	492	2
1994	11,687	58	302	592	2,557	1,645	1,455	1,100	879	1,307	1,373	416	3
1993	11,320	68	291	568	2,404	1,739	1,400	991	880	1,220	1,367	388	4
1992	11,024	44	248	526	2,498	1,691	1,356	971	848	1,233	1,237	372	-
1991	11,668	55	324	569	2,809	1,861	1,382	948	868	1,224	1,257	369	2
1990	12,363	71	297	649	2,850	2,059	1,458	1,032	1,019	1,271	1,273	382	2
1989	12,870	73	348	689	3,127	2,165	1,478	1,030	1,000	1,376	1,234	347	3
1988	12,847	80	353	698	3,291	2,113	1,377	1,012	1,059	1,286	1,230	343	5
1987	12,564	86	334	657	3,357	2,088	1,370	939	1,056	1,208	1,162	300	7
1986	12,026	69	342	646	3,409	1,920	1,208	855	996	1,248	1,061	269	3
1985	11,795	57	324	692	3,252	1,766	1,289	891	1,031	1,218	1,006	268	1
1984	11,815	64	303	685	3,306	1,897	1,243	886	1,074	1,099	1,018	237	3
1983	11,083	70	330	632	3,146	1,810	1,125	849	975	1,049	861	234	2
1982	11,118	79	380	680	3,227	1,766	1,078	853	972	1,037	821	220	5
1981	12,357	91	364	707	3,796	2,048	1,141	961	1,118	1,076	828	224	3
1980	12,754	100	396	797	4,059	1,942	1,185	1,053	1,085	1,067	847	220	3
1979	12,669	85	454	866	4,040	1,880	1,166	1,022	1,056	1,075	826	197	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Motor vehicle accidents (E810-E825)													
All other, both sexes													
1998	7,319	44	224	467	1,541	1,460	1,282	909	550	435	315	88	4
1997	7,364	45	224	457	1,617	1,530	1,243	854	551	452	295	92	4
1996	7,197	50	232	421	1,758	1,501	1,198	762	466	436	289	77	7
1995	7,108	47	221	457	1,674	1,501	1,212	752	482	416	269	75	2
1994	6,905	62	271	456	1,674	1,351	1,062	719	493	439	299	74	5
1993	6,699	53	257	458	1,597	1,387	1,094	645	462	379	260	101	6
1992	6,543	48	233	432	1,494	1,396	1,078	663	512	395	232	53	7
1991	6,685	54	218	434	1,568	1,567	1,097	604	458	392	214	74	5
1990	7,163	47	260	430	1,675	1,707	1,105	689	527	404	249	65	5
1989	7,084	63	240	442	1,646	1,681	1,143	664	524	383	236	58	4
1988	7,104	43	235	485	1,786	1,649	1,061	607	498	417	236	77	10
1987	6,709	47	225	451	1,680	1,612	977	603	476	384	194	54	6
1986	6,676	50	243	480	1,624	1,649	917	581	508	309	236	69	10
1985	6,212	52	240	426	1,517	1,480	872	532	507	337	202	46	1
1984	5,834	37	230	392	1,468	1,358	785	502	461	337	198	60	6
1983	5,588	33	231	409	1,379	1,264	731	555	430	317	196	37	6
1982	5,588	43	238	409	1,396	1,265	721	531	449	328	162	40	6
1981	5,961	38	220	439	1,457	1,357	789	599	465	375	178	33	11
1980	6,309	43	269	495	1,600	1,411	782	609	515	350	187	43	5
1979	6,276	30	267	498	1,631	1,327	793	625	536	359	164	41	5
Motor vehicle accidents (E810-E825)													
All other, male													
1998	5,005	18	125	309	1,114	1,087	872	615	361	248	193	59	4
1997	4,936	27	124	257	1,170	1,107	850	567	354	268	168	43	1
1996	4,909	28	128	271	1,279	1,081	821	505	311	264	167	48	6
1995	4,935	30	126	281	1,232	1,089	857	512	316	263	172	55	2
1994	4,703	29	153	282	1,235	948	740	470	334	275	185	48	4
1993	4,657	28	146	265	1,188	1,000	780	466	321	239	151	68	5
1992	4,567	22	108	284	1,125	1,021	756	463	343	257	144	38	6
1991	4,764	27	131	291	1,181	1,175	792	422	298	258	136	48	5
1990	5,118	23	152	280	1,279	1,292	813	493	344	242	149	47	4
1989	5,083	34	131	286	1,261	1,234	831	497	372	239	152	43	3
1988	5,131	26	126	298	1,360	1,238	778	443	345	298	153	57	9
1987	4,887	29	131	300	1,309	1,206	731	436	340	243	120	36	6
1986	4,925	30	152	317	1,269	1,272	681	424	344	208	169	51	8
1985	4,549	25	149	280	1,172	1,132	644	388	370	226	133	29	1
1984	4,335	19	134	260	1,143	1,052	598	374	334	238	133	45	5
1983	4,126	13	137	273	1,043	999	562	403	321	219	127	24	5
1982	4,118	24	136	253	1,063	972	543	407	336	231	122	28	3
1981	4,466	25	119	277	1,127	1,061	620	460	345	279	121	23	9
1980	4,752	28	157	321	1,275	1,077	605	463	388	272	135	26	5
1979	4,730	13	157	339	1,251	1,066	617	476	402	264	108	32	5

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Motor vehicle accidents (E810-E825)													
All other, female													
1998	2,314	26	99	158	427	373	410	294	189	187	122	29	-
1997	2,428	18	100	200	447	423	393	287	197	184	127	49	3
1996	2,288	22	104	150	479	420	377	257	155	172	122	29	1
1995	2,173	17	95	176	442	412	355	240	166	153	97	20	-
1994	2,202	33	118	174	439	403	322	249	159	164	114	26	1
1993	2,042	25	111	193	409	387	314	179	141	140	109	33	1
1992	1,976	26	125	148	369	375	322	200	169	138	88	15	1
1991	1,921	27	87	143	387	392	305	182	160	134	78	26	-
1990	2,045	24	108	150	396	415	292	196	183	162	100	18	1
1989	2,001	29	109	156	385	447	312	167	152	144	84	15	1
1988	1,973	17	109	187	426	411	283	164	153	119	83	20	1
1987	1,822	18	94	151	371	406	246	167	136	141	74	18	-
1986	1,751	20	91	163	355	377	236	157	164	101	67	18	2
1985	1,663	27	91	146	345	348	228	144	137	111	69	17	-
1984	1,499	18	96	132	325	306	187	128	127	99	65	15	1
1983	1,462	20	94	136	336	265	169	152	109	98	69	13	1
1982	1,470	19	102	156	333	293	178	124	113	97	40	12	3
1981	1,495	13	101	162	330	296	169	139	120	96	57	10	2
1980	1,557	15	112	174	325	334	177	146	127	78	52	17	-
1979	1,546	17	110	159	380	261	176	149	134	95	56	9	-
Motor vehicle accidents (E810-E825)													
Black, both sexes													
1998	5,686	41	186	378	1,151	1,125	1,030	706	424	338	238	65	4
1997	5,666	37	181	377	1,226	1,164	981	672	427	326	198	73	4
1996	5,528	42	183	339	1,335	1,144	933	588	354	322	218	64	6
1995	5,423	40	180	364	1,227	1,145	969	563	358	317	199	59	2
1994	5,341	54	219	383	1,262	1,052	833	553	368	330	224	60	3
1993	5,217	42	211	380	1,201	1,076	887	494	352	301	194	74	5
1992	5,071	42	191	356	1,117	1,072	860	510	400	297	181	38	7
1991	5,205	42	185	356	1,193	1,212	869	456	360	298	169	60	5
1990	5,560	40	205	341	1,231	1,347	873	537	423	325	187	46	5
1989	5,611	48	172	364	1,254	1,347	911	540	425	316	185	45	4
1988	5,623	39	184	407	1,328	1,320	857	495	407	329	187	63	7
1987	5,287	39	189	370	1,260	1,290	769	486	391	305	145	39	4
1986	5,287	38	190	381	1,234	1,327	725	460	429	255	182	58	8
1985	4,916	39	187	350	1,147	1,154	702	430	431	267	171	37	1
1984	4,721	30	179	342	1,130	1,107	639	387	388	297	169	49	4
1983	4,472	24	199	332	1,044	1,002	591	453	375	255	163	28	6
1982	4,493	29	199	360	1,066	1,026	579	436	364	265	132	32	5
1981	4,809	27	185	370	1,105	1,082	627	500	408	321	150	27	7
1980	5,081	35	223	408	1,214	1,125	633	515	443	303	146	31	5
1979	5,132	25	214	430	1,232	1,086	631	547	472	316	139	37	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Motor vehicle accidents (E810-E825)													
Black, male													
1998	3,996	15	108	255	860	873	702	490	287	205	153	44	4
1997	3,895	22	107	217	913	848	687	459	287	207	115	32	1
1996	3,862	21	103	220	970	833	661	417	249	209	133	41	5
1995	3,863	26	102	231	935	844	698	405	237	208	133	42	2
1994	3,703	25	127	238	945	752	594	371	259	212	141	37	2
1993	3,752	23	121	223	916	802	650	379	253	212	115	54	4
1992	3,607	16	85	231	862	792	613	380	274	205	117	26	6
1991	3,771	18	109	236	927	910	646	325	247	199	107	42	5
1990	4,046	18	117	227	963	1,024	658	401	285	204	113	32	4
1989	4,120	24	102	241	977	996	686	419	312	203	122	35	3
1988	4,139	23	103	259	1,030	996	647	369	293	244	123	46	6
1987	3,913	24	109	247	992	974	585	362	289	202	97	28	4
1986	3,974	23	117	256	975	1,038	559	343	303	172	139	42	7
1985	3,659	17	116	238	887	902	536	322	322	186	108	24	1
1984	3,556	16	106	228	887	867	489	303	292	216	113	36	3
1983	3,349	10	116	222	793	812	469	341	284	176	103	18	5
1982	3,387	15	118	219	837	807	454	346	277	192	98	21	3
1981	3,702	18	98	238	878	886	509	397	307	241	105	20	5
1980	3,912	21	133	275	980	884	509	400	344	237	106	18	5
1979	3,929	10	125	294	960	882	510	436	355	234	91	29	3
Motor vehicle accidents (E810-E825)													
Black, female													
1998	1,690	26	78	123	291	252	328	216	137	133	85	21	-
1997	1,771	15	74	160	313	316	294	213	140	119	83	41	3
1996	1,666	21	80	119	365	311	272	171	105	113	85	23	1
1995	1,560	14	78	133	292	301	271	158	121	109	66	17	-
1994	1,638	29	92	145	317	300	239	182	109	118	83	23	1
1993	1,465	19	90	157	285	274	237	115	99	89	79	20	1
1992	1,464	26	106	125	255	280	247	130	126	92	64	12	1
1991	1,434	24	76	120	266	302	223	131	113	99	62	18	-
1990	1,514	22	88	114	268	323	215	136	138	121	74	14	1
1989	1,491	24	70	123	277	351	225	121	113	113	63	10	1
1988	1,484	16	81	148	298	324	210	126	114	85	64	17	1
1987	1,374	15	80	123	268	316	184	124	102	103	48	11	-
1986	1,313	15	73	125	259	289	166	117	126	83	43	16	1
1985	1,257	22	71	112	260	252	166	108	109	81	63	13	-
1984	1,165	14	73	114	243	240	150	84	96	81	56	13	1
1983	1,123	14	83	110	251	190	122	112	91	79	60	10	1
1982	1,106	14	81	141	229	219	125	90	87	73	34	11	2
1981	1,107	9	87	132	227	196	118	103	101	80	45	7	2
1980	1,169	14	90	133	234	241	124	115	99	66	40	13	-
1979	1,203	15	89	136	272	204	121	111	117	82	48	8	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Other land transport accidents (E800-E807,E826-E829)													
All races, both sexes													
1998	750	-	4	49	126	147	165	115	60	38	26	13	7
1997	747	-	8	51	113	140	179	109	56	53	24	8	6
1996	767	-	7	39	129	140	194	111	51	33	39	13	11
1995	780	1	6	49	129	153	203	108	43	41	27	8	12
1994	830	2	10	63	138	166	210	91	64	32	39	8	7
1993	853	2	9	54	168	183	183	97	60	47	34	10	6
1992	865	1	13	61	157	228	175	99	56	31	28	11	5
1991	866	-	13	66	180	195	163	97	68	36	31	10	7
1990	883	-	11	57	186	219	185	95	48	47	25	4	6
1989	827	1	13	56	165	188	153	105	63	35	24	13	11
1988	762	1	11	52	159	193	137	76	44	46	24	14	5
1987	855	1	10	48	193	211	155	91	59	48	30	4	5
1986	790	-	6	51	190	180	138	86	54	41	26	7	11
1985	782	-	7	64	197	176	110	82	60	47	26	6	7
1984	760	-	14	69	182	174	110	64	68	29	27	18	5
1983	758	-	8	58	179	174	108	65	71	57	23	5	10
1982	727	-	8	65	179	141	102	84	65	41	30	6	6
1981	791	-	10	77	191	151	82	96	87	56	26	9	6
1980	864	-	10	75	212	198	106	92	79	37	37	14	4
1979	814	1	10	92	196	154	92	87	75	53	32	17	5
Other land transport accidents (E800-E807,E826-E829)													
All races, male													
1998	607	-	2	29	111	126	128	95	51	33	18	7	7
1997	635	-	5	29	94	126	159	94	50	47	19	6	6
1996	636	-	3	27	110	128	166	93	40	24	26	9	10
1995	654	-	4	34	109	135	176	89	37	34	19	5	12
1994	691	1	8	42	113	148	175	75	57	27	33	6	6
1993	681	1	4	31	142	158	160	77	46	30	19	7	6
1992	723	1	8	38	139	200	149	83	49	26	15	10	5
1991	720	-	10	47	149	167	138	83	58	30	24	7	7
1990	725	-	6	41	158	190	151	77	43	34	17	2	6
1989	696	-	7	41	139	171	130	88	54	29	17	9	11
1988	634	1	8	33	139	163	118	65	34	37	18	13	5
1987	715	1	7	30	166	180	133	75	54	38	24	2	5
1986	654	-	4	29	162	150	123	75	45	32	18	6	10
1985	644	-	5	47	168	150	93	69	49	36	16	4	7
1984	635	-	11	41	154	156	96	50	63	25	21	13	5
1983	616	-	4	39	143	148	92	60	59	46	13	2	10
1982	611	-	6	42	157	121	87	72	59	33	24	4	6
1981	662	-	8	57	163	128	74	84	71	43	21	7	6
1980	689	-	6	48	164	165	90	82	67	27	26	10	4
1979	633	1	4	57	155	124	76	71	69	37	21	13	5

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Other land transport accidents (E800-E807,E826-E829)													
All races, female													
1998	143	-	2	20	15	21	37	20	9	5	8	6	-
1997	112	-	3	22	19	14	20	15	6	6	5	2	-
1996	131	-	4	12	19	12	28	18	11	9	13	4	1
1995	126	1	2	15	20	18	27	19	6	7	8	3	-
1994	139	1	2	21	25	18	35	16	7	5	6	2	1
1993	172	1	5	23	26	25	23	20	14	17	15	3	-
1992	142	-	5	23	18	28	26	16	7	5	13	1	-
1991	146	-	3	19	31	28	25	14	10	6	7	3	-
1990	158	-	5	16	28	29	34	18	5	13	8	2	-
1989	131	1	6	15	26	17	23	17	9	6	7	4	-
1988	128	-	3	19	20	30	19	11	10	9	6	1	-
1987	140	-	3	18	27	31	22	16	5	10	6	2	-
1986	136	-	2	22	28	30	15	11	9	9	8	1	1
1985	138	-	2	17	29	26	17	13	11	11	10	2	-
1984	125	-	3	28	28	18	14	14	5	4	6	5	-
1983	142	-	4	19	36	26	16	5	12	11	10	3	-
1982	116	-	2	23	22	20	15	12	6	8	6	2	-
1981	129	-	2	20	28	23	8	12	16	13	5	2	-
1980	175	-	4	27	48	33	16	10	12	10	11	4	-
1979	181	-	6	35	41	30	16	16	6	16	11	4	-
Other land transport accidents (E800-E807,E826-E829)													
White, both sexes													
1998	610	-	3	39	101	121	133	88	47	33	26	12	7
1997	589	-	5	43	101	109	137	82	40	40	20	7	5
1996	634	-	5	33	101	113	165	90	47	27	32	12	9
1995	606	1	5	43	104	104	150	94	30	36	20	7	12
1994	666	1	9	50	121	135	157	73	52	24	30	7	7
1993	681	2	7	44	138	149	134	82	45	38	30	8	4
1992	708	1	13	45	131	188	135	81	45	29	26	9	5
1991	690	-	11	47	147	148	120	86	55	30	30	9	7
1990	702	-	10	45	160	177	123	78	41	41	18	4	5
1989	676	-	10	44	134	155	119	87	53	32	21	12	9
1988	604	1	10	39	136	151	99	59	36	35	21	13	4
1987	686	1	8	41	164	165	112	68	54	42	22	4	5
1986	634	-	5	40	160	138	100	75	43	35	24	6	8
1985	636	-	5	56	157	136	86	61	56	41	25	6	7
1984	613	-	11	63	154	136	73	52	57	22	26	15	4
1983	612	-	6	51	159	126	84	50	60	47	17	4	8
1982	587	-	4	54	145	112	73	69	57	34	28	6	5
1981	644	-	8	69	159	112	66	67	76	52	21	8	6
1980	699	-	8	65	177	159	78	76	63	25	33	12	3
1979	686	1	10	79	166	134	68	78	62	42	29	14	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Other land transport accidents (E800-E807,E826-E829)													
White, male													
1998	485	-	2	21	87	103	98	73	40	29	18	7	7
1997	493	-	3	24	83	98	120	69	36	34	16	5	5
1996	523	-	1	21	87	105	139	73	36	21	23	8	9
1995	499	-	3	29	87	90	128	75	26	30	15	4	12
1994	547	1	7	32	100	119	127	58	46	22	24	5	6
1993	535	1	3	25	117	128	114	64	33	24	16	6	4
1992	586	1	8	24	116	165	112	67	41	24	15	8	5
1991	576	-	8	33	122	129	102	74	46	24	24	7	7
1990	570	-	6	31	135	150	99	64	36	30	12	2	5
1989	560	-	5	29	109	141	96	75	45	27	15	9	9
1988	490	1	7	22	117	128	81	50	26	26	16	12	4
1987	561	1	6	24	140	135	93	57	49	33	16	2	5
1986	518	-	3	20	137	117	86	65	34	27	17	5	7
1985	511	-	3	40	131	113	72	49	45	32	15	4	7
1984	503	-	9	37	128	120	63	39	53	19	20	11	4
1983	491	-	4	36	127	104	71	46	49	37	8	1	8
1982	490	-	2	35	128	96	61	58	51	28	22	4	5
1981	530	-	6	49	132	93	60	60	62	39	17	6	6
1980	547	-	4	40	136	127	64	71	53	19	22	8	3
1979	527	1	4	50	130	106	54	62	59	29	19	10	3
Other land transport accidents (E800-E807,E826-E829)													
White, female													
1998	125	-	1	18	14	18	35	15	7	4	8	5	-
1997	96	-	2	19	18	11	17	13	4	6	4	2	-
1996	111	-	4	12	14	8	26	17	11	6	9	4	-
1995	107	1	2	14	17	14	22	19	4	6	5	3	-
1994	119	-	2	18	21	16	30	15	6	2	6	2	1
1993	146	1	4	19	21	21	20	18	12	14	14	2	-
1992	122	-	5	21	15	23	23	14	4	5	11	1	-
1991	114	-	3	14	25	19	18	12	9	6	6	2	-
1990	132	-	4	14	25	27	24	14	5	11	6	2	-
1989	116	-	5	15	25	14	23	12	8	5	6	3	-
1988	114	-	3	17	19	23	18	9	10	9	5	1	-
1987	125	-	2	17	24	30	19	11	5	9	6	2	-
1986	116	-	2	20	23	21	14	10	9	8	7	1	1
1985	125	-	2	16	26	23	14	12	11	9	10	2	-
1984	110	-	2	26	26	16	10	13	4	3	6	4	-
1983	121	-	2	15	32	22	13	4	11	10	9	3	-
1982	97	-	2	19	17	16	12	11	6	6	6	2	-
1981	114	-	2	20	27	19	6	7	14	13	4	2	-
1980	152	-	4	25	41	32	14	5	10	6	11	4	-
1979	159	-	6	29	36	28	14	16	3	13	10	4	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Other land transport accidents (E800-E807,E826-E829)													
All other, both sexes													
1998	140	-	1	10	25	26	32	27	13	5	-	1	-
1997	158	-	3	8	12	31	42	27	16	13	4	1	1
1996	133	-	2	6	28	27	29	21	4	6	7	1	2
1995	174	-	1	6	25	49	53	14	13	5	7	1	-
1994	164	1	1	13	17	31	53	18	12	8	9	1	-
1993	172	-	2	10	30	34	49	15	15	9	4	2	2
1992	157	-	-	16	26	40	40	18	11	2	2	2	-
1991	176	-	2	19	33	47	43	11	13	6	1	1	-
1990	181	-	1	12	26	42	62	17	7	6	7	-	1
1989	151	1	3	12	31	33	34	18	10	3	3	1	2
1988	158	-	1	13	23	42	38	17	8	11	3	1	1
1987	169	-	2	7	29	46	43	23	5	6	8	-	-
1986	156	-	1	11	30	42	38	11	11	6	2	1	3
1985	146	-	2	8	40	40	24	21	4	6	1	-	-
1984	147	-	3	6	28	38	37	12	11	7	1	3	1
1983	146	-	2	7	20	48	24	15	11	10	6	1	2
1982	140	-	4	11	34	29	29	15	8	7	2	-	1
1981	147	-	2	8	32	39	16	29	11	4	5	1	-
1980	165	-	2	10	35	39	28	16	16	12	4	2	1
1979	128	-	-	13	30	20	24	9	13	11	3	3	2
Other land transport accidents (E800-E807,E826-E829)													
All other, male													
1998	122	-	-	8	24	23	30	22	11	4	-	-	-
1997	142	-	2	5	11	28	39	25	14	13	3	1	1
1996	113	-	2	6	23	23	27	20	4	3	3	1	1
1995	155	-	1	5	22	45	48	14	11	4	4	1	-
1994	144	-	1	10	13	29	48	17	11	5	9	1	-
1993	146	-	1	6	25	30	46	13	13	6	3	1	2
1992	137	-	-	14	23	35	37	16	8	2	-	2	-
1991	144	-	2	14	27	38	36	9	12	6	-	-	-
1990	155	-	-	10	23	40	52	13	7	4	5	-	1
1989	136	-	2	12	30	30	34	13	9	2	2	-	2
1988	144	-	1	11	22	35	37	15	8	11	2	1	1
1987	154	-	1	6	26	45	40	18	5	5	8	-	-
1986	136	-	1	9	25	33	37	10	11	5	1	1	3
1985	133	-	2	7	37	37	21	20	4	4	1	-	-
1984	132	-	2	4	26	36	33	11	10	6	1	2	1
1983	125	-	-	3	16	44	21	14	10	9	5	1	2
1982	121	-	4	7	29	25	26	14	8	5	2	-	1
1981	132	-	2	8	31	35	14	24	9	4	4	1	-
1980	142	-	2	8	28	38	26	11	14	8	4	2	1
1979	106	-	-	7	25	18	22	9	10	8	2	3	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Other land transport accidents (E800-E807,E826-E829)													
All other, female													
1998	18	-	1	2	1	3	2	5	2	1	-	1	-
1997	16	-	1	3	1	3	3	2	2	-	1	-	-
1996	20	-	-	-	5	4	2	1	-	3	4	-	1
1995	19	-	-	1	3	4	5	-	2	1	3	-	-
1994	20	1	-	3	4	2	5	1	1	3	-	-	-
1993	26	-	1	4	5	4	3	2	2	3	1	1	-
1992	20	-	-	2	3	5	3	2	3	-	2	-	-
1991	32	-	-	5	6	9	7	2	1	-	1	1	-
1990	26	-	1	2	3	2	10	4	-	2	2	-	-
1989	15	1	1	-	1	3	-	5	1	1	1	1	-
1988	14	-	-	2	1	7	1	2	-	-	1	-	-
1987	15	-	1	1	3	1	3	5	-	1	-	-	-
1986	20	-	-	2	5	9	1	1	-	1	1	-	-
1985	13	-	-	1	3	3	3	1	-	2	-	-	-
1984	15	-	1	2	2	2	4	1	1	1	-	1	-
1983	21	-	2	4	4	4	3	1	1	1	1	-	-
1982	19	-	-	4	5	4	3	1	-	2	-	-	-
1981	15	-	-	-	1	4	2	5	2	-	1	-	-
1980	23	-	-	2	7	1	2	5	2	4	-	-	-
1979	22	-	-	6	5	2	2	-	3	3	1	-	-
Other land transport accidents (E800-E807,E826-E829)													
Black, both sexes													
1998	106	-	1	9	19	18	21	23	10	4	-	1	-
1997	121	-	2	7	6	22	37	24	12	7	2	1	1
1996	103	-	2	4	21	18	25	19	2	6	4	1	1
1995	140	-	1	5	15	39	45	13	13	5	3	1	-
1994	128	1	1	12	11	22	45	16	9	4	6	1	-
1993	135	-	-	5	19	32	43	12	11	8	2	2	1
1992	125	-	-	15	19	31	36	14	8	-	2	-	-
1991	155	-	-	19	29	43	37	10	12	3	1	1	-
1990	155	-	1	9	21	37	52	14	7	6	7	-	1
1989	121	1	3	11	21	27	27	15	9	3	2	1	1
1988	127	-	1	11	19	31	33	13	7	8	2	1	1
1987	143	-	2	7	22	39	37	20	4	6	6	-	-
1986	123	-	1	9	23	34	29	9	8	6	2	-	2
1985	125	-	2	8	32	34	20	18	4	6	1	-	-
1984	119	-	3	5	22	33	27	10	10	4	1	3	1
1983	117	-	-	5	14	34	22	15	10	8	6	1	2
1982	125	-	3	11	31	26	26	13	7	6	1	-	1
1981	121	-	2	5	26	30	14	27	10	1	5	1	-
1980	136	-	1	10	26	35	17	15	15	10	4	2	1
1979	103	-	-	11	25	17	18	7	12	9	-	2	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Other land transport accidents (E800-E807,E826-E829)													
Black, male													
1998	93	-	-	7	18	17	20	20	8	3	-	-	-
1997	110	-	2	4	6	20	35	22	11	7	1	1	1
1996	90	-	2	4	18	15	25	19	2	3	1	1	-
1995	127	-	1	5	13	35	42	13	11	4	2	1	-
1994	117	-	1	9	10	20	43	16	8	3	6	1	-
1993	121	-	-	4	18	28	41	11	10	6	1	1	1
1992	111	-	-	14	16	28	33	13	7	-	-	-	-
1991	127	-	-	14	24	35	32	8	11	3	-	-	-
1990	132	-	-	7	19	36	42	11	7	4	5	-	1
1989	109	-	2	11	20	25	27	11	8	2	2	-	1
1988	114	-	1	9	18	24	32	12	7	8	1	1	1
1987	128	-	1	6	19	38	34	15	4	5	6	-	-
1986	108	-	1	8	18	28	29	8	8	5	1	-	2
1985	116	-	2	7	31	32	17	18	4	4	1	-	-
1984	109	-	2	3	21	32	25	9	9	4	1	2	1
1983	100	-	-	1	11	31	19	14	9	7	5	1	2
1982	108	-	3	7	26	23	24	12	7	4	1	-	1
1981	108	-	2	5	25	28	12	22	8	1	4	1	-
1980	120	-	1	8	22	34	16	11	13	8	4	2	1
1979	85	-	-	7	20	15	17	7	9	6	-	2	2
Other land transport accidents (E800-E807,E826-E829)													
Black, female													
1998	13	-	1	2	1	1	1	3	2	1	-	1	-
1997	11	-	-	3	-	2	2	2	1	-	1	-	-
1996	13	-	-	-	3	3	-	-	-	3	3	-	1
1995	13	-	-	-	2	4	3	-	2	1	1	-	-
1994	11	1	-	3	1	2	2	-	1	1	-	-	-
1993	14	-	-	1	1	4	2	1	1	2	1	1	-
1992	14	-	-	1	3	3	3	1	1	-	2	-	-
1991	28	-	-	5	5	8	5	2	1	-	1	1	-
1990	23	-	1	2	2	1	10	3	-	2	2	-	-
1989	12	1	1	-	1	2	-	4	1	1	-	1	-
1988	13	-	-	2	1	7	1	1	-	-	1	-	-
1987	15	-	1	1	3	1	3	5	-	1	-	-	-
1986	15	-	-	1	5	6	-	1	-	1	1	-	-
1985	9	-	-	1	1	2	3	-	-	2	-	-	-
1984	10	-	1	2	1	1	2	1	1	-	-	1	-
1983	17	-	-	4	3	3	3	1	1	1	1	-	-
1982	17	-	-	4	5	3	2	1	-	2	-	-	-
1981	13	-	-	-	1	2	2	5	2	-	1	-	-
1980	16	-	-	2	4	1	1	4	2	2	-	-	-
1979	18	-	-	4	5	2	1	-	3	3	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Water, air and space, and other and unspecified transport accidents and their sequelae (E830-E848,E929.0-E929.1)													
All races, both sexes													
1998	1,835	2	5	52	197	274	389	328	250	183	95	60	-
1997	2,082	2	8	51	226	397	461	411	232	150	91	53	-
1996	2,263	1	17	89	250	420	501	420	269	160	89	46	1
1995	2,073	-	17	80	251	419	463	360	239	159	65	20	-
1994	2,291	3	18	75	241	528	522	416	216	170	71	30	1
1993	2,059	2	20	79	247	486	449	342	214	133	69	15	3
1992	2,331	4	30	70	292	557	536	357	241	143	68	30	3
1991	2,227	-	18	82	319	509	499	341	222	152	63	22	-
1990	2,220	3	11	64	288	524	479	347	259	161	62	21	1
1989	2,329	3	14	87	299	559	473	359	284	166	62	23	-
1988	2,280	2	18	75	339	573	494	339	238	141	45	16	-
1987	2,497	6	26	90	392	607	551	329	289	134	49	23	1
1986	2,484	1	23	85	390	606	537	368	280	125	48	7	14
1985	2,762	4	34	102	481	704	564	392	264	162	45	7	3
1984	2,604	1	27	82	469	633	495	416	281	144	41	12	3
1983	2,840	5	22	101	518	779	567	392	271	139	35	7	4
1982	3,190	4	43	128	605	864	620	453	294	113	48	10	8
1981	3,014	4	21	116	607	829	531	444	281	136	35	9	1
1980	3,126	5	31	134	699	874	552	430	255	100	38	7	1
1979	3,419	2	25	163	691	916	630	479	327	123	36	6	21
Water, air and space, and other and unspecified transport accidents and their sequelae (E830-E848,E929.0-E929.1)													
All races, male													
1998	1,510	1	5	30	162	231	334	279	224	158	66	20	-
1997	1,701	2	4	33	165	336	394	355	203	130	59	20	-
1996	1,759	-	11	46	181	338	417	337	222	132	51	23	1
1995	1,708	-	8	50	199	353	392	305	202	137	53	9	-
1994	1,889	-	6	49	203	450	434	346	189	140	51	20	1
1993	1,702	2	12	48	192	416	381	291	189	115	48	5	3
1992	1,951	3	19	47	241	482	461	309	206	115	50	15	3
1991	1,869	-	12	58	251	449	434	297	189	125	42	12	-
1990	1,915	1	3	53	244	460	431	308	224	132	46	12	1
1989	1,939	2	8	62	238	491	392	317	239	143	36	11	-
1988	1,971	1	12	57	295	499	433	300	209	123	34	8	-
1987	2,096	3	18	66	328	516	473	280	246	115	38	12	1
1986	2,137	1	12	60	329	529	464	324	256	112	35	5	10
1985	2,320	3	20	76	394	622	484	323	229	129	32	5	3
1984	2,240	1	21	61	393	540	443	361	247	129	35	6	3
1983	2,466	3	12	76	435	689	501	349	243	125	26	5	2
1982	2,727	3	29	94	513	748	553	398	250	96	32	6	5
1981	2,618	-	12	89	522	737	462	395	247	118	29	6	1
1980	2,648	3	17	93	578	757	489	372	225	85	27	2	-
1979	2,931	1	15	122	591	793	545	429	284	108	27	4	12

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Water, air and space, and other and unspecified transport accidents and their sequelae (E830-E848,E929.0-E929.1)													
All races, female													
1998	325	1	-	22	35	43	55	49	26	25	29	40	-
1997	381	-	4	18	61	61	67	56	29	20	32	33	-
1996	504	1	6	43	69	82	84	83	47	28	38	23	-
1995	365	-	9	30	52	66	71	55	37	22	12	11	-
1994	402	3	12	26	38	78	88	70	27	30	20	10	-
1993	357	-	8	31	55	70	68	51	25	18	21	10	-
1992	380	1	11	23	51	75	75	48	35	28	18	15	-
1991	358	-	6	24	68	60	65	44	33	27	21	10	-
1990	305	2	8	11	44	64	48	39	35	29	16	9	-
1989	390	1	6	25	61	68	81	42	45	23	26	12	-
1988	309	1	6	18	44	74	61	39	29	18	11	8	-
1987	401	3	8	24	64	91	78	49	43	19	11	11	-
1986	347	-	11	25	61	77	73	44	24	13	13	2	4
1985	442	1	14	26	87	82	80	69	35	33	13	2	-
1984	364	-	6	21	76	93	52	55	34	15	6	6	-
1983	374	2	10	25	83	90	66	43	28	14	9	2	2
1982	463	1	14	34	92	116	67	55	44	17	16	4	3
1981	396	4	9	27	85	92	69	49	34	18	6	3	-
1980	478	2	14	41	121	117	63	58	30	15	11	5	1
1979	488	1	10	41	100	123	85	50	43	15	9	2	9
Water, air and space, and other and unspecified transport accidents and their sequelae (E830-E848,E929.0-E929.1)													
White, both sexes													
1998	1,641	2	4	41	171	242	343	302	225	169	87	55	-
1997	1,827	2	4	38	191	332	401	377	215	135	81	51	-
1996	2,012	1	13	82	217	360	455	385	239	137	79	43	1
1995	1,869	-	14	69	224	373	412	334	209	156	60	18	-
1994	2,036	2	13	66	211	453	464	376	198	159	64	30	-
1993	1,848	1	16	71	212	445	399	307	193	124	64	14	2
1992	2,114	3	26	57	261	503	486	330	224	131	60	30	3
1991	2,011	-	15	69	285	454	440	316	206	142	63	21	-
1990	2,006	2	9	56	257	473	434	319	238	143	54	21	-
1989	2,083	3	13	69	248	513	430	321	255	151	57	23	-
1988	2,030	2	14	59	296	509	453	301	213	130	40	13	-
1987	2,219	5	23	69	345	537	495	296	263	121	43	21	1
1986	2,237	1	19	76	348	544	485	336	250	115	44	7	12
1985	2,505	3	30	78	432	637	515	361	245	153	42	7	2
1984	2,345	1	23	73	422	567	440	385	252	130	38	12	2
1983	2,596	5	20	88	475	715	518	358	252	125	30	7	3
1982	2,887	4	40	102	546	768	571	430	269	96	44	10	7
1981	2,782	3	18	95	550	767	503	420	259	124	33	9	1
1980	2,818	3	29	109	624	791	511	395	228	86	34	7	1
1979	3,123	2	22	133	645	834	572	441	304	116	29	5	20

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Water, air and space, and other and unspecified transport accidents and their sequelae (E830-E848,E929.0-E929.1)													
White, male													
1998	1,352	1	4	23	143	204	294	256	202	147	61	17	-
1997	1,503	2	3	28	142	286	340	327	186	119	52	18	-
1996	1,562	-	9	42	155	286	382	311	201	111	43	21	1
1995	1,541	-	6	44	177	314	348	282	179	134	49	8	-
1994	1,684	-	4	44	177	388	387	315	173	132	44	20	-
1993	1,520	1	9	42	166	383	334	259	170	106	43	5	2
1992	1,762	2	17	36	213	432	414	287	193	105	45	15	3
1991	1,681	-	10	49	225	395	381	275	176	117	42	11	-
1990	1,723	1	2	48	214	413	392	283	205	115	38	12	-
1989	1,716	2	7	48	193	452	351	280	212	128	32	11	-
1988	1,751	1	9	46	258	442	394	266	186	114	29	6	-
1987	1,850	3	15	50	286	452	425	251	222	103	32	10	1
1986	1,926	1	11	52	294	477	419	296	226	104	31	5	10
1985	2,107	2	17	62	356	561	441	296	213	122	30	5	2
1984	2,005	1	17	53	351	484	390	333	220	116	32	6	2
1983	2,244	3	10	65	397	631	455	317	226	113	21	5	1
1982	2,457	3	27	72	458	669	508	376	226	79	29	6	4
1981	2,412	-	10	74	472	682	435	372	227	106	27	6	1
1980	2,383	3	15	74	515	688	451	338	200	73	24	2	-
1979	2,666	1	14	100	547	719	491	393	264	102	20	3	12
Water, air and space, and other and unspecified transport accidents and their sequelae (E830-E848,E929.0-E929.1)													
White, female													
1998	289	1	-	18	28	38	49	46	23	22	26	38	-
1997	324	-	1	10	49	46	61	50	29	16	29	33	-
1996	450	1	4	40	62	74	73	74	38	26	36	22	-
1995	328	-	8	25	47	59	64	52	30	22	11	10	-
1994	352	2	9	22	34	65	77	61	25	27	20	10	-
1993	328	-	7	29	46	62	65	48	23	18	21	9	-
1992	352	1	9	21	48	71	72	43	31	26	15	15	-
1991	330	-	5	20	60	59	59	41	30	25	21	10	-
1990	283	1	7	8	43	60	42	36	33	28	16	9	-
1989	367	1	6	21	55	61	79	41	43	23	25	12	-
1988	279	1	5	13	38	67	59	35	27	16	11	7	-
1987	369	2	8	19	59	85	70	45	41	18	11	11	-
1986	311	-	8	24	54	67	66	40	24	11	13	2	2
1985	398	1	13	16	76	76	74	65	32	31	12	2	-
1984	340	-	6	20	71	83	50	52	32	14	6	6	-
1983	352	2	10	23	78	84	63	41	26	12	9	2	2
1982	430	1	13	30	88	99	63	54	43	17	15	4	3
1981	370	3	8	21	78	85	68	48	32	18	6	3	-
1980	435	-	14	35	109	103	60	57	28	13	10	5	1
1979	457	1	8	33	98	115	81	48	40	14	9	2	8

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Water, air and space, and other and unspecified transport accidents and their sequelae (E830-E848,E929.0-E929.1)													
All other, both sexes													
1998	194	-	1	11	26	32	46	26	25	14	8	5	-
1997	255	-	4	13	35	65	60	34	17	15	10	2	-
1996	251	-	4	7	33	60	46	35	30	23	10	3	-
1995	204	-	3	11	27	46	51	26	30	3	5	2	-
1994	255	1	5	9	30	75	58	40	18	11	7	-	1
1993	211	1	4	8	35	41	50	35	21	9	5	1	1
1992	217	1	4	13	31	54	50	27	17	12	8	-	-
1991	216	-	3	13	34	55	59	25	16	10	-	1	-
1990	214	1	2	8	31	51	45	28	21	18	8	-	1
1989	246	-	1	18	51	46	43	38	29	15	5	-	-
1988	250	-	4	16	43	64	41	38	25	11	5	3	-
1987	278	1	3	21	47	70	56	33	26	13	6	2	-
1986	247	-	4	9	42	62	52	32	30	10	4	-	2
1985	257	1	4	24	49	67	49	31	19	9	3	-	1
1984	259	-	4	9	47	66	55	31	29	14	3	-	1
1983	244	-	2	13	43	64	49	34	19	14	5	-	1
1982	303	-	3	26	59	96	49	23	25	17	4	-	1
1981	232	1	3	21	57	62	28	24	22	12	2	-	-
1980	308	2	2	25	75	83	41	35	27	14	4	-	-
1979	296	-	3	30	46	82	58	38	23	7	7	1	1

Water, air and space, and other and unspecified transport accidents and their sequelae (E830-E848,E929.0-E929.1)

All other, male													
1998	158	-	1	7	19	27	40	23	22	11	5	3	-
1997	198	-	1	5	23	50	54	28	17	11	7	2	-
1996	197	-	2	4	26	52	35	26	21	21	8	2	-
1995	167	-	2	6	22	39	44	23	23	3	4	1	-
1994	205	-	2	5	26	62	47	31	16	8	7	-	1
1993	182	1	3	6	26	33	47	32	19	9	5	-	1
1992	189	1	2	11	28	50	47	22	13	10	5	-	-
1991	188	-	2	9	26	54	53	22	13	8	-	1	-
1990	192	-	1	5	30	47	39	25	19	17	8	-	1
1989	223	-	1	14	45	39	41	37	27	15	4	-	-
1988	220	-	3	11	37	57	39	34	23	9	5	2	-
1987	246	-	3	16	42	64	48	29	24	12	6	2	-
1986	211	-	1	8	35	52	45	28	30	8	4	-	-
1985	213	1	3	14	38	61	43	27	16	7	2	-	1
1984	235	-	4	8	42	56	53	28	27	13	3	-	1
1983	222	-	2	11	38	58	46	32	17	12	5	-	1
1982	270	-	2	22	55	79	45	22	24	17	3	-	1
1981	206	-	2	15	50	55	27	23	20	12	2	-	-
1980	265	-	2	19	63	69	38	34	25	12	3	-	-
1979	265	-	1	22	44	74	54	36	20	6	7	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Water, air and space, and other and unspecified transport accidents and their sequelae (E830-E848,E929.0-E929.1)													
All other, female													
1998	36	-	-	4	7	5	6	3	3	3	3	2	-
1997	57	-	3	8	12	15	6	6	-	4	3	-	-
1996	54	-	2	3	7	8	11	9	9	2	2	1	-
1995	37	-	1	5	5	7	7	3	7	-	1	1	-
1994	50	1	3	4	4	13	11	9	2	3	-	-	-
1993	29	-	1	2	9	8	3	3	2	-	-	1	-
1992	28	-	2	2	3	4	3	5	4	2	3	-	-
1991	28	-	1	4	8	1	6	3	3	2	-	-	-
1990	22	1	1	3	1	4	6	3	2	1	-	-	-
1989	23	-	-	4	6	7	2	1	2	-	1	-	-
1988	30	-	1	5	6	7	2	4	2	2	-	1	-
1987	32	1	-	5	5	6	8	4	2	1	-	-	-
1986	36	-	3	1	7	10	7	4	-	2	-	-	2
1985	44	-	1	10	11	6	6	4	3	2	1	-	-
1984	24	-	-	1	5	10	2	3	2	1	-	-	-
1983	22	-	-	2	5	6	3	2	2	2	-	-	-
1982	33	-	1	4	4	17	4	1	1	-	1	-	-
1981	26	1	1	6	7	7	1	1	2	-	-	-	-
1980	43	2	-	6	12	14	3	1	2	2	1	-	-
1979	31	-	2	8	2	8	4	2	3	1	-	-	1
Water, air and space, and other and unspecified transport accidents and their sequelae (E830-E848,E929.0-E929.1)													
Black, both sexes													
1998	136	-	1	7	17	23	33	16	19	13	5	2	-
1997	164	-	-	5	21	43	42	22	10	11	8	2	-
1996	196	-	2	6	25	48	33	30	23	19	8	2	-
1995	150	-	2	6	19	31	41	19	23	2	5	2	-
1994	188	1	5	7	26	47	44	29	13	9	6	-	1
1993	159	1	3	4	26	29	36	30	18	8	2	1	1
1992	149	-	4	11	15	31	37	22	14	8	7	-	-
1991	158	-	2	13	23	34	46	18	12	9	-	1	-
1990	145	-	-	2	20	31	31	20	18	14	8	-	1
1989	176	-	-	14	27	29	32	31	25	14	4	-	-
1988	190	-	2	11	31	42	33	31	23	10	4	3	-
1987	205	1	2	13	33	47	42	26	22	11	6	2	-
1986	183	-	1	4	29	42	42	23	27	9	4	-	2
1985	182	-	2	12	37	47	34	24	13	9	3	-	1
1984	213	-	2	8	33	53	46	29	26	14	1	-	1
1983	191	-	2	11	31	48	39	29	14	12	4	-	1
1982	249	-	1	20	41	82	43	19	23	16	3	-	1
1981	191	1	2	19	49	47	23	18	20	10	2	-	-
1980	252	1	1	22	57	62	34	34	25	13	3	-	-
1979	235	-	3	28	35	60	45	33	18	5	6	1	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Water, air and space, and other and unspecified transport accidents and their sequelae (E830-E848,E929.0-E929.1)													
Black, male													
1998	114	-	1	4	13	21	28	15	17	11	3	1	-
1997	137	-	-	3	14	34	40	19	10	9	6	2	-
1996	157	-	1	3	21	42	24	23	17	18	7	1	-
1995	124	-	1	4	15	25	38	17	17	2	4	1	-
1994	149	-	2	3	22	38	36	23	11	7	6	-	1
1993	140	1	2	3	19	27	34	27	16	8	2	-	1
1992	131	-	2	9	14	29	36	18	11	7	5	-	-
1991	137	-	2	9	17	33	42	16	10	7	-	1	-
1990	133	-	-	1	19	29	28	18	16	13	8	-	1
1989	164	-	-	11	25	26	31	30	23	14	4	-	-
1988	165	-	2	8	25	37	31	27	21	8	4	2	-
1987	182	-	2	10	29	43	36	24	20	10	6	2	-
1986	166	-	1	4	26	39	38	20	27	7	4	-	-
1985	157	-	1	7	31	45	30	21	12	7	2	-	1
1984	200	-	2	7	32	46	46	27	25	13	1	-	1
1983	176	-	2	9	29	43	36	28	13	11	4	-	1
1982	223	-	1	17	38	66	41	18	22	16	3	-	1
1981	172	-	2	13	44	43	22	18	18	10	2	-	-
1980	220	-	1	17	48	52	32	33	24	11	2	-	-
1979	211	-	1	21	33	56	42	31	16	4	6	1	-
Water, air and space, and other and unspecified transport accidents and their sequelae (E830-E848,E929.0-E929.1)													
Black, female													
1998	22	-	-	3	4	2	5	1	2	2	2	1	-
1997	27	-	-	2	7	9	2	3	-	2	2	-	-
1996	39	-	1	3	4	6	9	7	6	1	1	1	-
1995	26	-	1	2	4	6	3	2	6	-	1	1	-
1994	39	1	3	4	4	9	8	6	2	2	-	-	-
1993	19	-	1	1	7	2	2	3	2	-	-	1	-
1992	18	-	2	2	1	2	1	4	3	1	2	-	-
1991	21	-	-	4	6	1	4	2	2	2	-	-	-
1990	12	-	-	1	1	2	3	2	2	1	-	-	-
1989	12	-	-	3	2	3	1	1	2	-	-	-	-
1988	25	-	-	3	6	5	2	4	2	2	-	1	-
1987	23	1	-	3	4	4	6	2	2	1	-	-	-
1986	17	-	-	-	3	3	4	3	-	2	-	-	2
1985	25	-	1	5	6	2	4	3	1	2	1	-	-
1984	13	-	-	1	1	7	-	2	1	1	-	-	-
1983	15	-	-	2	2	5	3	1	1	1	-	-	-
1982	26	-	-	3	3	16	2	1	1	-	-	-	-
1981	19	1	-	6	5	4	1	-	2	-	-	-	-
1980	32	1	-	5	9	10	2	1	1	2	1	-	-
1979	24	-	2	7	2	4	3	2	2	1	-	-	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998											Age not stated	
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years		85 + years
Nontransport accidents (E850-E869,E880-E928,E929.2-E929.9)													
All races, both sexes													
1998	48,245	556	1,136	1,255	2,950	4,397	7,435	5,201	3,198	4,495	8,172	9,378	72
1997	46,066	569	1,184	1,269	2,771	4,482	7,036	4,792	3,109	4,297	7,673	8,812	72
1996	45,097	561	1,274	1,280	2,802	4,450	6,615	4,512	3,009	4,465	7,439	8,629	61
1995	44,186	581	1,401	1,330	2,816	4,688	6,849	4,225	3,041	4,253	6,887	8,055	60
1994	43,004	667	1,511	1,316	2,820	4,903	6,490	3,862	2,915	4,047	6,901	7,515	57
1993	42,793	670	1,642	1,330	3,008	5,041	6,410	3,583	2,879	4,128	6,591	7,446	65
1992	39,774	614	1,536	1,313	2,867	4,694	5,315	3,128	2,902	4,074	6,380	6,874	77
1991	40,082	742	1,710	1,467	3,072	4,910	4,972	2,924	2,976	4,135	6,359	6,746	69
1990	39,231	708	1,587	1,434	3,128	4,964	4,604	2,849	3,217	4,187	6,197	6,295	61
1989	41,305	727	1,716	1,650	3,287	5,480	4,782	3,003	3,415	4,438	6,424	6,310	73
1988	41,942	682	1,791	1,638	3,567	5,436	4,633	3,096	3,554	4,606	6,397	6,460	82
1987	40,346	710	1,861	1,647	3,622	5,231	4,101	2,812	3,626	4,463	6,306	5,895	72
1986	41,069	690	1,870	1,716	4,128	5,680	4,007	2,912	3,609	4,450	6,133	5,781	93
1985	41,160	668	1,782	1,724	4,167	5,333	3,806	3,007	3,976	4,617	6,265	5,724	91
1984	40,656	633	1,763	1,762	4,371	5,269	3,588	3,130	3,791	4,618	6,049	5,622	60
1983	41,778	723	1,936	1,900	4,716	5,238	3,618	3,268	4,130	4,626	5,984	5,562	77
1982	41,801	773	1,914	1,985	5,163	5,358	3,402	3,426	4,121	4,566	5,767	5,273	53
1981	42,965	730	2,061	2,076	5,373	5,294	3,368	3,745	4,299	4,700	5,822	5,435	62
1980	46,119	879	2,069	2,231	6,196	5,220	3,448	3,960	4,733	5,272	6,474	5,567	70
1979	44,913	825	2,053	2,449	6,249	4,937	3,524	3,950	4,594	5,037	6,085	5,128	82
Nontransport accidents (E850-E869,E880-E928,E929.2-E929.9)													
All races, male													
1998	30,292	325	715	866	2,477	3,548	5,744	4,009	2,285	2,774	4,150	3,332	67
1997	29,298	330	742	877	2,335	3,640	5,537	3,718	2,268	2,702	3,914	3,168	67
1996	28,609	323	808	893	2,376	3,588	5,225	3,497	2,199	2,820	3,774	3,054	52
1995	28,540	310	871	934	2,385	3,843	5,517	3,332	2,207	2,649	3,499	2,935	58
1994	28,035	388	958	937	2,417	4,029	5,244	3,015	2,140	2,532	3,573	2,750	52
1993	27,859	381	1,027	947	2,562	4,164	5,217	2,809	2,063	2,594	3,326	2,711	58
1992	25,898	350	980	945	2,411	3,860	4,394	2,458	2,147	2,618	3,227	2,436	72
1991	26,042	439	1,045	1,071	2,645	4,081	4,052	2,263	2,193	2,616	3,183	2,395	59
1990	25,560	395	1,025	1,046	2,692	4,098	3,794	2,196	2,339	2,660	3,047	2,216	52
1989	27,141	397	1,094	1,179	2,812	4,497	3,926	2,345	2,525	2,825	3,199	2,278	64
1988	27,504	388	1,142	1,150	3,052	4,482	3,762	2,426	2,607	2,871	3,160	2,387	77
1987	26,627	405	1,188	1,219	3,078	4,359	3,353	2,187	2,615	2,776	3,177	2,207	63
1986	27,254	380	1,141	1,271	3,501	4,733	3,239	2,296	2,613	2,804	3,005	2,187	84
1985	27,348	364	1,119	1,264	3,527	4,464	3,117	2,308	2,897	2,839	3,165	2,201	83
1984	26,952	347	1,102	1,315	3,658	4,387	2,913	2,370	2,743	2,911	3,023	2,128	55
1983	27,616	421	1,199	1,346	3,965	4,327	2,930	2,488	3,005	2,858	2,929	2,083	65
1982	27,921	464	1,192	1,431	4,403	4,499	2,694	2,575	2,984	2,837	2,828	1,971	43
1981	28,813	410	1,315	1,516	4,627	4,431	2,658	2,822	3,142	2,970	2,825	2,042	55
1980	30,747	504	1,288	1,614	5,286	4,398	2,767	3,014	3,393	3,296	3,089	2,035	63
1979	30,175	473	1,293	1,811	5,283	4,117	2,828	2,983	3,296	3,195	2,925	1,896	75

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Nontransport accidents (E850-E869,E880-E928,E929.2-E929.9)													
All races, female													
1998	17,953	231	421	389	473	849	1,691	1,192	913	1,721	4,022	6,046	5
1997	16,768	239	442	392	436	842	1,499	1,074	841	1,595	3,759	5,644	5
1996	16,488	238	466	387	426	862	1,390	1,015	810	1,645	3,665	5,575	9
1995	15,646	271	530	396	431	845	1,332	893	834	1,604	3,388	5,120	2
1994	14,969	279	553	379	403	874	1,246	847	775	1,515	3,328	4,765	5
1993	14,934	289	615	383	446	877	1,193	774	816	1,534	3,265	4,735	7
1992	13,876	264	556	368	456	834	921	670	755	1,456	3,153	4,438	5
1991	14,040	303	665	396	427	829	920	661	783	1,519	3,176	4,351	10
1990	13,671	313	562	388	436	866	810	653	878	1,527	3,150	4,079	9
1989	14,164	330	622	471	475	983	856	658	890	1,613	3,225	4,032	9
1988	14,438	294	649	488	515	954	871	670	947	1,735	3,237	4,073	5
1987	13,719	305	673	428	544	872	748	625	1,011	1,687	3,129	3,688	9
1986	13,815	310	729	445	627	947	768	616	996	1,646	3,128	3,594	9
1985	13,812	304	663	460	640	869	689	699	1,079	1,778	3,100	3,523	8
1984	13,704	286	661	447	713	882	675	760	1,048	1,707	3,026	3,494	5
1983	14,162	302	737	554	751	911	688	780	1,125	1,768	3,055	3,479	12
1982	13,880	309	722	554	760	859	708	851	1,137	1,729	2,939	3,302	10
1981	14,152	320	746	560	746	863	710	923	1,157	1,730	2,997	3,393	7
1980	15,372	375	781	617	910	822	681	946	1,340	1,976	3,385	3,532	7
1979	14,738	352	760	638	966	820	696	967	1,298	1,842	3,160	3,232	7
Nontransport accidents (E850-E869,E880-E928,E929.2-E929.9)													
White, both sexes													
1998	40,864	368	826	834	2,372	3,637	5,988	4,029	2,601	3,895	7,488	8,761	65
1997	38,682	369	860	834	2,239	3,691	5,544	3,707	2,493	3,673	6,965	8,246	61
1996	37,720	364	886	826	2,223	3,630	5,233	3,468	2,399	3,793	6,754	8,092	52
1995	36,596	374	1,005	919	2,237	3,797	5,299	3,230	2,393	3,586	6,181	7,522	53
1994	35,290	434	1,026	850	2,194	3,882	4,963	2,922	2,293	3,466	6,206	7,007	47
1993	35,089	438	1,148	880	2,279	3,979	4,878	2,771	2,310	3,488	5,955	6,906	57
1992	32,811	389	1,107	894	2,223	3,726	4,089	2,407	2,313	3,474	5,726	6,394	69
1991	32,671	484	1,220	1,025	2,363	3,796	3,654	2,251	2,381	3,497	5,708	6,232	60
1990	32,199	442	1,155	987	2,455	3,872	3,518	2,209	2,602	3,546	5,533	5,828	52
1989	33,422	428	1,221	1,129	2,582	4,291	3,595	2,244	2,688	3,700	5,732	5,757	55
1988	33,966	432	1,262	1,117	2,811	4,193	3,457	2,331	2,805	3,848	5,665	5,984	61
1987	32,813	470	1,356	1,143	2,863	4,060	3,038	2,146	2,906	3,734	5,616	5,428	53
1986	33,702	441	1,385	1,169	3,330	4,482	3,073	2,258	2,898	3,769	5,478	5,341	78
1985	33,798	469	1,316	1,194	3,405	4,247	2,899	2,272	3,217	3,886	5,547	5,275	71
1984	33,643	430	1,261	1,239	3,575	4,215	2,778	2,457	3,098	3,906	5,412	5,221	51
1983	34,320	480	1,432	1,377	3,891	4,120	2,810	2,547	3,303	3,822	5,290	5,188	60
1982	34,584	513	1,405	1,456	4,292	4,251	2,621	2,658	3,355	3,872	5,173	4,943	45
1981	35,460	485	1,495	1,498	4,451	4,179	2,582	2,933	3,492	3,985	5,237	5,076	47
1980	37,689	588	1,532	1,607	5,108	4,133	2,619	3,039	3,811	4,376	5,650	5,171	55
1979	37,059	527	1,464	1,757	5,214	3,836	2,690	3,094	3,831	4,300	5,502	4,779	65

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Nontransport accidents (E850-E869,E880-E928,E929.2-E929.9)													
White, male													
1998	25,204	220	526	578	1,992	2,951	4,692	3,088	1,842	2,385	3,806	3,062	62
1997	24,266	215	550	597	1,892	3,019	4,423	2,887	1,824	2,316	3,561	2,924	58
1996	23,564	209	573	581	1,892	2,966	4,222	2,670	1,755	2,390	3,422	2,839	45
1995	23,286	214	631	653	1,904	3,153	4,339	2,561	1,727	2,218	3,130	2,705	51
1994	22,613	257	660	611	1,881	3,240	4,079	2,287	1,665	2,171	3,185	2,534	43
1993	22,458	251	737	651	1,939	3,348	4,009	2,157	1,648	2,177	3,010	2,478	53
1992	21,047	237	719	657	1,890	3,114	3,432	1,884	1,703	2,225	2,890	2,231	65
1991	20,795	280	765	748	2,043	3,193	3,024	1,754	1,731	2,202	2,817	2,185	53
1990	20,654	245	756	744	2,135	3,261	2,906	1,698	1,883	2,250	2,707	2,023	46
1989	21,614	235	783	826	2,220	3,563	3,001	1,744	1,978	2,347	2,814	2,053	50
1988	21,858	246	809	804	2,429	3,524	2,848	1,814	2,030	2,366	2,747	2,183	58
1987	21,274	270	871	855	2,436	3,442	2,495	1,669	2,081	2,309	2,803	1,996	47
1986	22,071	247	869	894	2,830	3,786	2,488	1,775	2,097	2,373	2,643	1,997	72
1985	22,179	256	844	901	2,897	3,613	2,378	1,745	2,342	2,376	2,768	1,994	65
1984	22,031	232	800	928	3,022	3,560	2,267	1,865	2,232	2,449	2,682	1,947	47
1983	22,476	270	908	1,006	3,299	3,484	2,280	1,950	2,407	2,347	2,556	1,916	53
1982	22,800	313	897	1,071	3,689	3,601	2,084	1,985	2,410	2,393	2,499	1,820	38
1981	23,440	279	964	1,103	3,846	3,561	2,040	2,191	2,537	2,492	2,504	1,882	41
1980	24,890	341	973	1,182	4,386	3,504	2,119	2,294	2,728	2,761	2,680	1,868	54
1979	24,551	315	943	1,310	4,444	3,242	2,155	2,315	2,718	2,709	2,590	1,751	59
Nontransport accidents (E850-E869,E880-E928,E929.2-E929.9)													
White, female													
1998	15,660	148	300	256	380	686	1,296	941	759	1,510	3,682	5,699	3
1997	14,416	154	310	237	347	672	1,121	820	669	1,357	3,404	5,322	3
1996	14,156	155	313	245	331	664	1,011	798	644	1,403	3,332	5,253	7
1995	13,310	160	374	266	333	644	960	669	666	1,368	3,051	4,817	2
1994	12,677	177	366	239	313	642	884	635	628	1,295	3,021	4,473	4
1993	12,631	187	411	229	340	631	869	614	662	1,311	2,945	4,428	4
1992	11,764	152	388	237	333	612	657	523	610	1,249	2,836	4,163	4
1991	11,876	204	455	277	320	603	630	497	650	1,295	2,891	4,047	7
1990	11,545	197	399	243	320	611	612	511	719	1,296	2,826	3,805	6
1989	11,808	193	438	303	362	728	594	500	710	1,353	2,918	3,704	5
1988	12,108	186	453	313	382	669	609	517	775	1,482	2,918	3,801	3
1987	11,539	200	485	288	427	618	543	477	825	1,425	2,813	3,432	6
1986	11,631	194	516	275	500	696	585	483	801	1,396	2,835	3,344	6
1985	11,619	213	472	293	508	634	521	527	875	1,510	2,779	3,281	6
1984	11,612	198	461	311	553	655	511	592	866	1,457	2,730	3,274	4
1983	11,844	210	524	371	592	636	530	597	896	1,475	2,734	3,272	7
1982	11,784	200	508	385	603	650	537	673	945	1,479	2,674	3,123	7
1981	12,020	206	531	395	605	618	542	742	955	1,493	2,733	3,194	6
1980	12,799	247	559	425	722	629	500	745	1,083	1,615	2,970	3,303	1
1979	12,508	212	521	447	770	594	535	779	1,113	1,591	2,912	3,028	6

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	Age group												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Nontransport accidents (E850-E869,E880-E928,E929.2-E929.9)													
All other, both sexes													
1998	7,381	188	310	421	578	760	1,447	1,172	597	600	684	617	7
1997	7,384	200	324	435	532	791	1,492	1,085	616	624	708	566	11
1996	7,377	197	388	454	579	820	1,382	1,044	610	672	685	537	9
1995	7,590	207	396	411	579	891	1,550	995	648	667	706	533	7
1994	7,714	233	485	466	626	1,021	1,527	940	622	581	695	508	10
1993	7,704	232	494	450	729	1,062	1,532	812	569	640	636	540	8
1992	6,963	225	429	419	644	968	1,226	721	589	600	654	480	8
1991	7,411	258	490	442	709	1,114	1,318	673	595	638	651	514	9
1990	7,032	266	432	447	673	1,092	1,086	640	615	641	664	467	9
1989	7,883	299	495	521	705	1,189	1,187	759	727	738	692	553	18
1988	7,976	250	529	521	756	1,243	1,176	765	749	758	732	476	21
1987	7,533	240	505	504	759	1,171	1,063	666	720	729	690	467	19
1986	7,367	249	485	547	798	1,198	934	654	711	681	655	440	15
1985	7,362	199	466	530	762	1,086	907	735	759	731	718	449	20
1984	7,013	203	502	523	796	1,054	810	673	693	712	637	401	9
1983	7,458	243	504	523	825	1,118	808	721	827	804	694	374	17
1982	7,217	260	509	529	871	1,107	781	768	766	694	594	330	8
1981	7,505	245	566	578	922	1,115	786	812	807	715	585	359	15
1980	8,430	291	537	624	1,088	1,087	829	921	922	896	824	396	15
1979	7,854	298	589	692	1,035	1,101	834	856	763	737	583	349	17
Nontransport accidents (E850-E869,E880-E928,E929.2-E929.9)													
All other, male													
1998	5,088	105	189	288	485	597	1,052	921	443	389	344	270	5
1997	5,032	115	192	280	443	621	1,114	831	444	386	353	244	9
1996	5,045	114	235	312	484	622	1,003	827	444	430	352	215	7
1995	5,254	96	240	281	481	690	1,178	771	480	431	369	230	7
1994	5,422	131	298	326	536	789	1,165	728	475	361	388	216	9
1993	5,401	130	290	296	623	816	1,208	652	415	417	316	233	5
1992	4,851	113	261	288	521	746	962	574	444	393	337	205	7
1991	5,247	159	280	323	602	888	1,028	509	462	414	366	210	6
1990	4,906	150	269	302	557	837	888	498	456	410	340	193	6
1989	5,527	162	311	353	592	934	925	601	547	478	385	225	14
1988	5,646	142	333	346	623	958	914	612	577	505	413	204	19
1987	5,353	135	317	364	642	917	858	518	534	467	374	211	16
1986	5,183	133	272	377	671	947	751	521	516	431	362	190	12
1985	5,169	108	275	363	630	851	739	563	555	463	397	207	18
1984	4,921	115	302	387	636	827	646	505	511	462	341	181	8
1983	5,140	151	291	340	666	843	650	538	598	511	373	167	12
1982	5,121	151	295	360	714	898	610	590	574	444	329	151	5
1981	5,373	131	351	413	781	870	618	631	605	478	321	160	14
1980	5,857	163	315	432	900	894	648	720	665	535	409	167	9
1979	5,624	158	350	501	839	875	673	668	578	486	335	145	16

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Nontransport accidents (E850-E869,E880-E928,E929.2-E929.9)													
All other, female													
1998	2,293	83	121	133	93	163	395	251	154	211	340	347	2
1997	2,352	85	132	155	89	170	378	254	172	238	355	322	2
1996	2,332	83	153	142	95	198	379	217	166	242	333	322	2
1995	2,336	111	156	130	98	201	372	224	168	236	337	303	-
1994	2,292	102	187	140	90	232	362	212	147	220	307	292	1
1993	2,303	102	204	154	106	246	324	160	154	223	320	307	3
1992	2,112	112	168	131	123	222	264	147	145	207	317	275	1
1991	2,164	99	210	119	107	226	290	164	133	224	285	304	3
1990	2,126	116	163	145	116	255	198	142	159	231	324	274	3
1989	2,356	137	184	168	113	255	262	158	180	260	307	328	4
1988	2,330	108	196	175	133	285	262	153	172	253	319	272	2
1987	2,180	105	188	140	117	254	205	148	186	262	316	256	3
1986	2,184	116	213	170	127	251	183	133	195	250	293	250	3
1985	2,193	91	191	167	132	235	168	172	204	268	321	242	2
1984	2,092	88	200	136	160	227	164	168	182	250	296	220	1
1983	2,318	92	213	183	159	275	158	183	229	293	321	207	5
1982	2,096	109	214	169	157	209	171	178	192	250	265	179	3
1981	2,132	114	215	165	141	245	168	181	202	237	264	199	1
1980	2,573	128	222	192	188	193	181	201	257	361	415	229	6
1979	2,230	140	239	191	196	226	161	188	185	251	248	204	1
Nontransport accidents (E850-E869,E880-E928,E929.2-E929.9)													
Black, both sexes													
1998	6,309	171	272	360	458	625	1,277	1,052	520	492	567	508	7
1997	6,210	180	262	358	423	642	1,292	964	523	521	583	453	9
1996	6,304	173	338	374	450	687	1,240	936	533	572	561	434	6
1995	6,583	189	323	351	476	752	1,373	896	571	584	614	447	7
1994	6,659	206	426	394	512	856	1,379	837	537	508	581	416	7
1993	6,735	208	436	378	608	898	1,409	733	500	557	540	461	7
1992	6,010	197	372	349	517	815	1,107	636	526	523	558	402	8
1991	6,548	223	445	392	611	985	1,185	598	519	560	578	444	8
1990	6,138	243	376	387	548	960	958	573	550	555	573	406	9
1989	6,999	271	432	457	570	1,053	1,075	670	668	678	618	492	15
1988	7,067	238	472	451	622	1,116	1,060	707	661	672	635	412	21
1987	6,657	221	445	440	652	1,021	967	616	635	637	606	404	13
1986	6,521	223	428	485	656	1,051	836	589	646	624	595	376	12
1985	6,556	178	401	465	626	974	815	666	706	671	645	391	18
1984	6,225	182	432	477	651	948	715	605	637	640	575	355	8
1983	6,689	231	459	475	688	1,010	709	636	760	738	636	335	12
1982	6,404	239	456	473	724	960	706	683	689	637	539	290	8
1981	6,798	223	512	513	809	976	718	752	756	668	535	322	14
1980	7,652	267	485	563	948	966	735	856	864	829	768	357	14
1979	7,112	277	530	635	894	977	774	784	693	686	535	310	17

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Nontransport accidents (E850-E869,E880-E928,E929.2-E929.9)													
Black, male													
1998	4,341	98	163	251	389	484	923	829	390	322	277	210	5
1997	4,217	104	155	230	349	505	966	735	373	318	295	180	7
1996	4,300	98	205	255	377	513	891	749	392	377	272	167	4
1995	4,525	88	196	240	396	569	1,029	699	424	376	320	181	7
1994	4,663	114	257	275	437	659	1,047	648	419	314	321	165	7
1993	4,701	118	257	248	520	677	1,102	595	364	362	257	197	4
1992	4,172	97	226	240	427	619	865	502	400	341	287	161	7
1991	4,624	142	255	291	526	779	921	450	404	361	316	173	6
1990	4,250	137	229	258	450	739	777	447	410	355	284	158	6
1989	4,872	145	269	310	479	815	841	533	498	437	339	195	11
1988	4,963	135	292	300	514	853	822	561	506	439	353	169	19
1987	4,715	122	281	316	546	794	783	483	470	406	321	182	11
1986	4,560	118	231	326	550	831	676	470	467	396	326	158	11
1985	4,603	98	232	316	520	766	674	512	518	428	349	174	16
1984	4,346	103	260	353	516	744	569	449	470	414	302	158	8
1983	4,567	143	264	312	549	757	567	471	548	462	336	151	7
1982	4,517	137	267	324	587	778	549	527	515	410	291	127	5
1981	4,838	120	314	362	685	759	566	586	564	443	286	140	13
1980	5,264	149	282	394	778	791	570	674	617	483	372	146	8
1979	5,063	149	311	459	721	770	623	613	519	456	302	124	16
Nontransport accidents (E850-E869,E880-E928,E929.2-E929.9)													
Black, female													
1998	1,968	73	109	109	69	141	354	223	130	170	290	298	2
1997	1,993	76	107	128	74	137	326	229	150	203	288	273	2
1996	2,004	75	133	119	73	174	349	187	141	195	289	267	2
1995	2,058	101	127	111	80	183	344	197	147	208	294	266	-
1994	1,996	92	169	119	75	197	332	189	118	194	260	251	-
1993	2,034	90	179	130	88	221	307	138	136	195	283	264	3
1992	1,838	100	146	109	90	196	242	134	126	182	271	241	1
1991	1,924	81	190	101	85	206	264	148	115	199	262	271	2
1990	1,888	106	147	129	98	221	181	126	140	200	289	248	3
1989	2,127	126	163	147	91	238	234	137	170	241	279	297	4
1988	2,104	103	180	151	108	263	238	146	155	233	282	243	2
1987	1,942	99	164	124	106	227	184	133	165	231	285	222	2
1986	1,961	105	197	159	106	220	160	119	179	228	269	218	1
1985	1,953	80	169	149	106	208	141	154	188	243	296	217	2
1984	1,879	79	172	124	135	204	146	156	167	226	273	197	-
1983	2,122	88	195	163	139	253	142	165	212	276	300	184	5
1982	1,887	102	189	149	137	182	157	156	174	227	248	163	3
1981	1,960	103	198	151	124	217	152	166	192	225	249	182	1
1980	2,388	118	203	169	170	175	165	182	247	346	396	211	6
1979	2,049	128	219	176	173	207	151	171	174	230	233	186	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Falls (E880-E888)													
All races, both sexes													
1998	16,274	20	46	55	236	351	695	844	896	1,884	4,646	6,596	5
1997	15,447	13	49	53	269	366	656	746	841	1,840	4,403	6,207	4
1996	14,986	11	46	54	235	394	630	752	860	1,780	4,218	6,003	3
1995	13,986	22	42	63	245	410	672	690	785	1,751	3,787	5,515	4
1994	13,450	19	62	56	230	388	653	610	820	1,606	3,824	5,178	4
1993	13,141	17	68	54	253	408	616	608	793	1,564	3,652	5,104	4
1992	12,646	26	63	51	242	398	522	613	808	1,587	3,534	4,797	5
1991	12,662	28	83	69	233	466	627	565	790	1,632	3,514	4,650	5
1990	12,313	25	85	42	292	540	554	579	886	1,620	3,363	4,323	4
1989	12,151	22	64	54	239	500	580	576	925	1,655	3,330	4,202	4
1988	12,096	39	65	58	322	495	573	600	878	1,657	3,246	4,157	6
1987	11,733	32	68	57	312	557	581	524	993	1,608	3,239	3,755	7
1986	11,444	35	82	55	399	518	517	585	934	1,554	3,053	3,706	6
1985	12,001	45	80	71	392	523	534	568	1,071	1,641	3,215	3,857	4
1984	11,937	28	86	68	399	506	457	607	1,017	1,702	3,204	3,857	6
1983	12,024	52	110	70	406	535	486	660	1,048	1,656	3,113	3,880	8
1982	12,077	54	83	103	453	534	442	695	1,084	1,635	3,232	3,757	5
1981	12,628	57	110	74	456	522	486	771	1,125	1,721	3,313	3,985	8
1980	13,294	44	111	89	515	531	535	833	1,283	1,840	3,482	4,026	5
1979	13,216	57	104	121	489	475	517	821	1,217	1,956	3,612	3,844	3
Falls (E880-E888)													
All races, male													
1998	8,035	15	35	44	193	295	574	665	647	1,095	2,245	2,222	5
1997	7,705	8	30	35	231	315	530	574	605	1,097	2,183	2,093	4
1996	7,429	8	25	45	201	328	521	586	640	1,097	1,975	2,003	-
1995	7,026	13	27	48	212	349	562	562	559	1,029	1,803	1,859	3
1994	6,889	17	42	42	206	334	543	487	605	954	1,867	1,789	3
1993	6,620	12	40	39	222	364	531	473	548	928	1,713	1,746	4
1992	6,315	21	40	38	203	330	422	472	579	958	1,659	1,588	5
1991	6,376	14	48	51	210	402	524	457	581	968	1,591	1,526	4
1990	6,311	17	55	30	261	466	473	463	615	975	1,511	1,441	4
1989	6,302	9	42	43	211	434	483	448	678	986	1,571	1,394	3
1988	6,303	24	40	46	281	422	479	487	649	991	1,468	1,410	6
1987	6,203	19	43	50	280	480	480	400	699	954	1,514	1,280	4
1986	6,043	25	52	48	343	444	417	461	676	903	1,389	1,282	3
1985	6,392	29	56	57	351	453	453	445	753	963	1,475	1,354	3
1984	6,210	15	57	54	348	445	383	441	718	996	1,406	1,343	4
1983	6,279	31	57	52	352	459	392	500	748	961	1,394	1,327	6
1982	6,354	34	44	73	395	458	370	524	764	939	1,455	1,295	3
1981	6,627	32	75	53	409	472	400	593	800	972	1,432	1,382	7
1980	7,036	27	63	59	461	479	425	642	896	1,116	1,511	1,355	2
1979	6,928	33	67	92	444	422	412	635	851	1,150	1,530	1,289	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Falls (E880-E888)													
All races, female													
1998	8,239	5	11	11	43	56	121	179	249	789	2,401	4,374	-
1997	7,742	5	19	18	38	51	126	172	236	743	2,220	4,114	-
1996	7,557	3	21	9	34	66	109	166	220	683	2,243	4,000	3
1995	6,960	9	15	15	33	61	110	128	226	722	1,984	3,656	1
1994	6,561	2	20	14	24	54	110	123	215	652	1,957	3,389	1
1993	6,521	5	28	15	31	44	85	135	245	636	1,939	3,358	-
1992	6,331	5	23	13	39	68	100	141	229	629	1,875	3,209	-
1991	6,286	14	35	18	23	64	103	108	209	664	1,923	3,124	1
1990	6,002	8	30	12	31	74	81	116	271	645	1,852	2,882	-
1989	5,849	13	22	11	28	66	97	128	247	669	1,759	2,808	1
1988	5,793	15	25	12	41	73	94	113	229	666	1,778	2,747	-
1987	5,530	13	25	7	32	77	101	124	294	654	1,725	2,475	3
1986	5,401	10	30	7	56	74	100	124	258	651	1,664	2,424	3
1985	5,609	16	24	14	41	70	81	123	318	678	1,740	2,503	1
1984	5,727	13	29	14	51	61	74	166	299	706	1,798	2,514	2
1983	5,745	21	53	18	54	76	94	160	300	695	1,719	2,553	2
1982	5,723	20	39	30	58	76	72	171	320	696	1,777	2,462	2
1981	6,001	25	35	21	47	50	86	178	325	749	1,881	2,603	1
1980	6,258	17	48	30	54	52	110	191	387	724	1,971	2,671	3
1979	6,288	24	37	29	45	53	105	186	366	806	2,082	2,555	-
Falls (E880-E888)													
White, both sexes													
1998	15,037	14	35	42	212	304	568	686	765	1,696	4,399	6,312	4
1997	14,277	8	37	41	237	313	530	601	734	1,667	4,160	5,945	4
1996	13,849	6	33	47	209	330	515	599	734	1,606	4,002	5,765	3
1995	12,850	12	36	45	217	348	530	571	667	1,561	3,548	5,312	3
1994	12,342	14	34	42	209	317	505	491	673	1,469	3,606	4,979	3
1993	12,014	10	45	38	228	320	476	507	667	1,387	3,437	4,895	4
1992	11,560	21	43	41	206	342	398	490	673	1,432	3,327	4,583	4
1991	11,556	18	59	55	209	389	467	445	662	1,487	3,334	4,427	4
1990	11,131	19	59	32	266	422	428	443	744	1,453	3,140	4,123	2
1989	10,961	14	45	41	215	394	428	419	798	1,461	3,137	4,005	4
1988	10,886	28	44	50	261	378	435	475	732	1,490	3,024	3,967	2
1987	10,532	21	47	48	272	426	437	402	825	1,442	3,028	3,579	5
1986	10,368	19	64	40	345	423	374	465	781	1,403	2,893	3,555	6
1985	10,798	27	49	52	346	417	394	442	904	1,462	3,011	3,690	4
1984	10,829	22	54	62	351	407	338	473	852	1,535	3,040	3,690	5
1983	10,877	33	73	50	367	423	377	509	888	1,479	2,932	3,739	7
1982	10,930	29	55	87	417	411	338	545	914	1,475	3,038	3,618	3
1981	11,417	35	63	58	407	421	371	599	931	1,557	3,129	3,842	4
1980	12,016	30	74	74	455	426	387	632	1,103	1,659	3,287	3,886	3
1979	11,999	40	67	99	443	366	370	636	1,063	1,769	3,444	3,699	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Falls (E880-E888)													
White, male													
1998	7,264	10	26	35	176	257	472	526	546	976	2,134	2,102	4
1997	6,977	5	22	27	202	268	425	454	523	997	2,068	1,982	4
1996	6,711	3	17	38	178	272	429	455	545	979	1,875	1,920	-
1995	6,308	9	23	33	187	296	444	467	470	908	1,688	1,781	2
1994	6,148	13	24	32	186	275	421	389	488	870	1,738	1,709	3
1993	5,885	7	26	28	198	291	409	390	452	808	1,611	1,661	4
1992	5,646	17	28	30	172	288	326	377	476	858	1,561	1,509	4
1991	5,671	10	36	42	188	337	388	361	482	874	1,503	1,447	3
1990	5,565	15	34	26	240	372	362	357	510	877	1,406	1,364	2
1989	5,524	5	29	34	191	336	360	319	575	875	1,466	1,331	3
1988	5,498	17	27	39	229	331	374	385	531	874	1,348	1,341	2
1987	5,391	13	28	41	246	373	355	309	569	838	1,406	1,210	3
1986	5,317	15	39	34	301	367	298	363	568	809	1,306	1,214	3
1985	5,579	16	37	44	313	360	336	344	633	839	1,371	1,283	3
1984	5,484	11	33	49	304	361	293	335	594	893	1,330	1,277	4
1983	5,529	19	37	37	322	373	300	390	624	844	1,304	1,274	5
1982	5,587	19	29	62	366	361	285	400	634	842	1,351	1,236	2
1981	5,786	21	42	43	363	384	301	457	655	856	1,336	1,324	4
1980	6,147	17	38	50	408	386	306	479	757	999	1,409	1,296	2
1979	6,112	22	45	76	402	329	300	483	726	1,031	1,451	1,244	3
Falls (E880-E888)													
White, female													
1998	7,773	4	9	7	36	47	96	160	219	720	2,265	4,210	-
1997	7,300	3	15	14	35	45	105	147	211	670	2,092	3,963	-
1996	7,138	3	16	9	31	58	86	144	189	627	2,127	3,845	3
1995	6,542	3	13	12	30	52	86	104	197	653	1,860	3,531	1
1994	6,194	1	10	10	23	42	84	102	185	599	1,868	3,270	-
1993	6,129	3	19	10	30	29	67	117	215	579	1,826	3,234	-
1992	5,914	4	15	11	34	54	72	113	197	574	1,766	3,074	-
1991	5,885	8	23	13	21	52	79	84	180	613	1,831	2,980	1
1990	5,566	4	25	6	26	50	66	86	234	576	1,734	2,759	-
1989	5,437	9	16	7	24	58	68	100	223	586	1,671	2,674	1
1988	5,388	11	17	11	32	47	61	90	201	616	1,676	2,626	-
1987	5,141	8	19	7	26	53	82	93	256	604	1,622	2,369	2
1986	5,051	4	25	6	44	56	76	102	213	594	1,587	2,341	3
1985	5,219	11	12	8	33	57	58	98	271	623	1,640	2,407	1
1984	5,345	11	21	13	47	46	45	138	258	642	1,710	2,413	1
1983	5,348	14	36	13	45	50	77	119	264	635	1,628	2,465	2
1982	5,343	10	26	25	51	50	53	145	280	633	1,687	2,382	1
1981	5,631	14	21	15	44	37	70	142	276	701	1,793	2,518	-
1980	5,869	13	36	24	47	40	81	153	346	660	1,878	2,590	1
1979	5,887	18	22	23	41	37	70	153	337	738	1,993	2,455	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Falls (E880-E888)													
All other, both sexes													
1998	1,237	6	11	13	24	47	127	158	131	188	247	284	1
1997	1,170	5	12	12	32	53	126	145	107	173	243	262	-
1996	1,137	5	13	7	26	64	115	153	126	174	216	238	-
1995	1,136	10	6	18	28	62	142	119	118	190	239	203	1
1994	1,108	5	28	14	21	71	148	119	147	137	218	199	1
1993	1,127	7	23	16	25	88	140	101	126	177	215	209	-
1992	1,086	5	20	10	36	56	124	123	135	155	207	214	1
1991	1,106	10	24	14	24	77	160	120	128	145	180	223	1
1990	1,182	6	26	10	26	118	126	136	142	167	223	200	2
1989	1,190	8	19	13	24	106	152	157	127	194	193	197	-
1988	1,210	11	21	8	61	117	138	125	146	167	222	190	4
1987	1,201	11	21	9	40	131	144	122	168	166	211	176	2
1986	1,076	16	18	15	54	95	143	120	153	151	160	151	-
1985	1,203	18	31	19	46	106	140	126	167	179	204	167	-
1984	1,108	6	32	6	48	99	119	134	165	167	164	167	1
1983	1,147	19	37	20	39	112	109	151	160	177	181	141	1
1982	1,147	25	28	16	36	123	104	150	170	160	194	139	2
1981	1,211	22	47	16	49	101	115	172	194	164	184	143	4
1980	1,278	14	37	15	60	105	148	201	180	181	195	140	2
1979	1,217	17	37	22	46	109	147	185	154	187	168	145	-
Falls (E880-E888)													
All other, male													
1998	771	5	9	9	17	38	102	139	101	119	111	120	1
1997	728	3	8	8	29	47	105	120	82	100	115	111	-
1996	718	5	8	7	23	56	92	131	95	118	100	83	-
1995	718	4	4	15	25	53	118	95	89	121	115	78	1
1994	741	4	18	10	20	59	122	98	117	84	129	80	-
1993	735	5	14	11	24	73	122	83	96	120	102	85	-
1992	669	4	12	8	31	42	96	95	103	100	98	79	1
1991	705	4	12	9	22	65	136	96	99	94	88	79	1
1990	746	2	21	4	21	94	111	106	105	98	105	77	2
1989	778	4	13	9	20	98	123	129	103	111	105	63	-
1988	805	7	13	7	52	91	105	102	118	117	120	69	4
1987	812	6	15	9	34	107	125	91	130	116	108	70	1
1986	726	10	13	14	42	77	119	98	108	94	83	68	-
1985	813	13	19	13	38	93	117	101	120	124	104	71	-
1984	726	4	24	5	44	84	90	106	124	103	76	66	-
1983	750	12	20	15	30	86	92	110	124	117	90	53	1
1982	767	15	15	11	29	97	85	124	130	97	104	59	1
1981	841	11	33	10	46	88	99	136	145	116	96	58	3
1980	889	10	25	9	53	93	119	163	139	117	102	59	-
1979	816	11	22	16	42	93	112	152	125	119	79	45	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Falls (E880-E888)													
All other, female													
1998	466	1	2	4	7	9	25	19	30	69	136	164	-
1997	442	2	4	4	3	6	21	25	25	73	128	151	-
1996	419	-	5	-	3	8	23	22	31	56	116	155	-
1995	418	6	2	3	3	9	24	24	29	69	124	125	-
1994	367	1	10	4	1	12	26	21	30	53	89	119	1
1993	392	2	9	5	1	15	18	18	30	57	113	124	-
1992	417	1	8	2	5	14	28	28	32	55	109	135	-
1991	401	6	12	5	2	12	24	24	29	51	92	144	-
1990	436	4	5	6	5	24	15	30	37	69	118	123	-
1989	412	4	6	4	4	8	29	28	24	83	88	134	-
1988	405	4	8	1	9	26	33	23	28	50	102	121	-
1987	389	5	6	-	6	24	19	31	38	50	103	106	1
1986	350	6	5	1	12	18	24	22	45	57	77	83	-
1985	390	5	12	6	8	13	23	25	47	55	100	96	-
1984	382	2	8	1	4	15	29	28	41	64	88	101	1
1983	397	7	17	5	9	26	17	41	36	60	91	88	-
1982	380	10	13	5	7	26	19	26	40	63	90	80	1
1981	370	11	14	6	3	13	16	36	49	48	88	85	1
1980	389	4	12	6	7	12	29	38	41	64	93	81	2
1979	401	6	15	6	4	16	35	33	29	68	89	100	-
Falls (E880-E888)													
Black, both sexes													
1998	929	5	10	9	12	33	106	130	106	138	174	205	1
1997	868	3	10	8	24	41	102	113	78	129	171	189	-
1996	892	3	12	6	13	49	101	136	107	134	158	173	-
1995	877	8	4	14	17	44	122	95	94	150	179	149	1
1994	871	3	26	10	14	53	126	104	126	106	161	142	-
1993	908	6	17	15	17	72	124	92	101	137	166	161	-
1992	875	3	17	8	22	45	114	105	119	123	158	160	1
1991	927	10	20	11	20	63	140	106	104	126	145	181	1
1990	1,005	5	24	10	22	105	112	124	131	136	175	159	2
1989	1,009	7	14	10	18	89	136	133	116	168	156	162	-
1988	1,017	10	19	5	40	105	129	114	129	138	174	150	4
1987	1,029	10	18	6	29	123	131	115	144	136	170	145	2
1986	922	15	14	12	38	89	128	110	138	134	134	110	-
1985	1,048	13	26	14	32	99	132	118	156	155	171	132	-
1984	976	6	26	5	41	88	103	127	158	142	144	136	-
1983	1,018	19	32	19	33	101	99	129	151	157	158	120	-
1982	1,027	23	23	12	32	111	97	136	158	140	171	122	2
1981	1,074	18	42	10	42	87	104	162	181	146	154	124	4
1980	1,124	12	32	13	49	94	130	191	163	159	164	115	2
1979	1,110	17	33	17	40	94	141	173	137	175	156	127	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Falls (E880-E888)													
Black, male													
1998	578	5	9	7	8	25	86	112	82	90	73	80	1
1997	542	1	7	5	22	38	84	97	60	73	83	72	-
1996	571	3	8	6	11	42	80	118	80	92	71	60	-
1995	544	3	3	12	14	35	99	77	71	98	81	50	1
1994	571	2	17	8	14	41	101	87	100	61	92	48	-
1993	595	4	10	10	16	60	109	75	77	94	77	63	-
1992	535	2	10	6	20	33	87	79	91	77	77	52	1
1991	586	4	11	7	18	56	119	83	80	85	62	60	1
1990	629	1	19	4	17	85	98	98	96	83	74	52	2
1989	659	3	9	8	14	82	111	110	94	96	84	48	-
1988	678	6	12	4	35	82	101	92	105	97	93	47	4
1987	706	5	14	6	26	101	116	87	114	96	84	56	1
1986	632	9	9	12	30	74	108	90	101	83	68	48	-
1985	711	10	15	8	25	86	110	93	116	109	85	54	-
1984	642	4	22	4	37	77	76	100	118	86	64	54	-
1983	665	12	19	15	26	76	83	94	115	101	78	46	-
1982	680	13	13	9	25	87	80	111	121	85	88	47	1
1981	750	9	29	7	40	77	91	129	136	104	76	49	3
1980	776	9	20	7	43	83	104	155	126	100	83	46	-
1979	739	11	18	13	36	79	107	142	110	114	72	37	-
Falls (E880-E888)													
Black, female													
1998	351	-	1	2	4	8	20	18	24	48	101	125	-
1997	326	2	3	3	2	3	18	16	18	56	88	117	-
1996	321	-	4	-	2	7	21	18	27	42	87	113	-
1995	333	5	1	2	3	9	23	18	23	52	98	99	-
1994	300	1	9	2	-	12	25	17	26	45	69	94	-
1993	313	2	7	5	1	12	15	17	24	43	89	98	-
1992	340	1	7	2	2	12	27	26	28	46	81	108	-
1991	341	6	9	4	2	7	21	23	24	41	83	121	-
1990	376	4	5	6	5	20	14	26	35	53	101	107	-
1989	350	4	5	2	4	7	25	23	22	72	72	114	-
1988	339	4	7	1	5	23	28	22	24	41	81	103	-
1987	323	5	4	-	3	22	15	28	30	40	86	89	1
1986	290	6	5	-	8	15	20	20	37	51	66	62	-
1985	337	3	11	6	7	13	22	25	40	46	86	78	-
1984	334	2	4	1	4	11	27	27	40	56	80	82	-
1983	353	7	13	4	7	25	16	35	36	56	80	74	-
1982	347	10	10	3	7	24	17	25	37	55	83	75	1
1981	324	9	13	3	2	10	13	33	45	42	78	75	1
1980	348	3	12	6	6	11	26	36	37	59	81	69	2
1979	371	6	15	4	4	15	34	31	27	61	84	90	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Accidental discharge of firearms (E922)													
All races, both sexes													
1998	866	-	19	102	260	137	143	77	63	34	21	9	1
1997	981	-	20	122	300	165	130	96	58	51	24	15	-
1996	1,134	2	15	121	401	183	149	98	67	60	28	10	-
1995	1,225	-	20	161	423	222	164	92	55	52	34	2	-
1994	1,356	2	32	151	540	243	155	95	46	46	32	13	1
1993	1,521	-	30	175	595	255	193	113	58	52	37	13	-
1992	1,409	1	35	180	519	257	156	92	74	50	31	12	2
1991	1,441	2	22	203	542	243	144	102	73	55	39	14	2
1990	1,416	3	31	202	500	279	163	75	74	50	30	8	1
1989	1,489	4	38	231	516	274	147	96	73	66	34	8	2
1988	1,501	-	41	236	466	264	213	104	70	61	34	11	1
1987	1,440	1	36	210	433	291	172	108	93	50	37	8	1
1986	1,452	3	31	200	443	299	172	109	87	61	35	9	3
1985	1,649	2	41	235	479	339	215	123	108	67	33	4	3
1984	1,668	-	34	253	515	329	185	133	89	86	34	9	1
1983	1,695	3	37	203	544	347	215	135	94	69	41	7	-
1982	1,756	1	43	235	543	386	202	119	108	84	29	4	2
1981	1,871	2	49	247	630	379	186	153	129	61	22	11	2
1980	1,955	3	42	271	702	415	189	133	100	61	33	5	1
1979	2,004	4	53	315	668	358	189	172	128	78	30	9	-
Accidental discharge of firearms (E922)													
All races, male													
1998	762	-	15	81	243	123	119	63	60	32	19	6	1
1997	856	-	11	107	282	141	111	76	51	43	20	14	-
1996	1,004	1	10	108	370	158	130	84	57	53	25	8	-
1995	1,055	-	14	136	392	186	127	74	46	49	30	1	-
1994	1,192	-	23	131	504	205	128	79	42	40	30	9	1
1993	1,328	-	28	156	541	216	155	95	53	44	31	9	-
1992	1,238	1	21	155	476	226	138	80	61	44	23	11	2
1991	1,304	1	12	183	507	221	130	89	66	47	37	10	1
1990	1,255	2	22	180	457	238	147	63	68	42	27	8	1
1989	1,317	4	23	203	471	243	123	86	62	60	32	8	2
1988	1,304	-	28	200	437	225	173	93	57	56	27	7	1
1987	1,249	1	26	176	396	244	152	91	76	48	32	6	1
1986	1,254	2	20	165	393	264	143	93	73	56	33	9	3
1985	1,415	-	26	204	430	286	174	106	95	62	28	2	2
1984	1,461	-	25	221	457	285	155	121	80	76	31	9	1
1983	1,465	2	22	170	494	289	187	120	83	56	35	7	-
1982	1,524	-	37	193	484	336	175	102	93	73	25	4	2
1981	1,592	2	33	209	550	318	153	130	116	51	20	9	1
1980	1,686	1	25	228	618	363	161	109	87	58	31	4	1
1979	1,715	1	42	264	589	310	165	135	105	70	28	6	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Accidental discharge of firearms (E922)													
All races, female													
1998	104	-	4	21	17	14	24	14	3	2	2	3	-
1997	125	-	9	15	18	24	19	20	7	8	4	1	-
1996	130	1	5	13	31	25	19	14	10	7	3	2	-
1995	170	-	6	25	31	36	37	18	9	3	4	1	-
1994	164	2	9	20	36	38	27	16	4	6	2	4	-
1993	193	-	2	19	54	39	38	18	5	8	6	4	-
1992	171	-	14	25	43	31	18	12	13	6	8	1	-
1991	137	1	10	20	35	22	14	13	7	8	2	4	1
1990	161	1	9	22	43	41	16	12	6	8	3	-	-
1989	172	-	15	28	45	31	24	10	11	6	2	-	-
1988	197	-	13	36	29	39	40	11	13	5	7	4	-
1987	191	-	10	34	37	47	20	17	17	2	5	2	-
1986	198	1	11	35	50	35	29	16	14	5	2	-	-
1985	234	2	15	31	49	53	41	17	13	5	5	2	1
1984	207	-	9	32	58	44	30	12	9	10	3	-	-
1983	230	1	15	33	50	58	28	15	11	13	6	-	-
1982	232	1	6	42	59	50	27	17	15	11	4	-	-
1981	279	-	16	38	80	61	33	23	13	10	2	2	1
1980	269	2	17	43	84	52	28	24	13	3	2	1	-
1979	289	3	11	51	79	48	24	37	23	8	2	3	-
Accidental discharge of firearms (E922)													
White, both sexes													
1998	672	-	12	72	183	105	120	63	57	30	20	9	1
1997	782	-	13	88	217	140	108	89	50	41	23	13	-
1996	868	-	8	87	268	145	124	84	60	54	28	10	-
1995	946	-	12	127	290	171	144	78	46	46	30	2	-
1994	998	1	12	110	353	183	132	79	40	42	32	13	1
1993	1,121	-	16	126	382	201	155	98	47	49	34	13	-
1992	1,071	1	21	129	354	202	131	81	67	44	29	10	2
1991	1,103	2	13	152	372	187	116	94	66	53	34	12	2
1990	1,113	3	22	156	370	221	138	63	62	41	28	8	1
1989	1,153	2	24	185	362	216	113	88	64	59	32	7	1
1988	1,188	-	28	181	359	204	167	89	64	55	29	11	1
1987	1,158	1	24	174	335	232	137	88	79	45	34	8	1
1986	1,210	2	21	167	366	241	136	97	81	55	32	9	3
1985	1,346	1	28	203	379	271	173	97	96	60	32	4	2
1984	1,401	-	26	222	414	264	157	116	80	78	34	9	1
1983	1,393	-	30	178	449	254	183	111	81	62	39	6	-
1982	1,457	1	31	210	441	308	163	102	99	71	25	4	2
1981	1,523	-	29	193	524	303	154	131	109	53	14	11	2
1980	1,582	3	30	227	578	313	150	109	89	50	28	4	1
1979	1,605	3	31	263	547	263	152	143	102	66	29	6	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Accidental discharge of firearms (E922)													
White, male													
1998	594	-	10	61	171	94	100	51	54	28	18	6	1
1997	680	-	6	79	202	122	91	71	44	34	19	12	-
1996	764	-	5	76	248	125	107	72	50	48	25	8	-
1995	801	-	7	105	263	141	113	64	38	43	26	1	-
1994	876	-	10	93	328	154	108	69	37	37	30	9	1
1993	978	-	14	116	344	173	126	82	43	42	29	9	-
1992	936	1	9	111	324	177	118	69	55	38	22	10	2
1991	988	1	9	136	340	168	104	82	60	45	33	9	1
1990	997	2	16	142	341	194	123	54	56	34	26	8	1
1989	1,023	2	14	166	328	190	96	80	55	54	30	7	1
1988	1,041	-	20	155	340	175	139	79	52	50	23	7	1
1987	1,007	1	17	146	308	196	121	72	66	43	30	6	1
1986	1,053	1	14	145	324	213	111	84	68	50	31	9	3
1985	1,160	-	15	178	341	232	138	86	84	56	27	2	1
1984	1,230	-	19	195	367	227	131	107	72	71	31	9	1
1983	1,208	-	17	150	408	214	160	99	70	51	33	6	-
1982	1,266	-	25	174	398	267	141	86	87	61	21	4	2
1981	1,316	-	20	167	465	259	128	111	98	45	13	9	1
1980	1,374	1	16	194	515	275	127	89	79	47	26	4	1
1979	1,390	1	23	225	486	231	131	113	85	62	28	5	-
Accidental discharge of firearms (E922)													
White, female													
1998	78	-	2	11	12	11	20	12	3	2	2	3	-
1997	102	-	7	9	15	18	17	18	6	7	4	1	-
1996	104	-	3	11	20	20	17	12	10	6	3	2	-
1995	145	-	5	22	27	30	31	14	8	3	4	1	-
1994	122	1	2	17	25	29	24	10	3	5	2	4	-
1993	143	-	2	10	38	28	29	16	4	7	5	4	-
1992	135	-	12	18	30	25	13	12	12	6	7	-	-
1991	115	1	4	16	32	19	12	12	6	8	1	3	1
1990	116	1	6	14	29	27	15	9	6	7	2	-	-
1989	130	-	10	19	34	26	17	8	9	5	2	-	-
1988	147	-	8	26	19	29	28	10	12	5	6	4	-
1987	151	-	7	28	27	36	16	16	13	2	4	2	-
1986	157	1	7	22	42	28	25	13	13	5	1	-	-
1985	186	1	13	25	38	39	35	11	12	4	5	2	1
1984	171	-	7	27	47	37	26	9	8	7	3	-	-
1983	185	-	13	28	41	40	23	12	11	11	6	-	-
1982	191	1	6	36	43	41	22	16	12	10	4	-	-
1981	207	-	9	26	59	44	26	20	11	8	1	2	1
1980	208	2	14	33	63	38	23	20	10	3	2	-	-
1979	215	2	8	38	61	32	21	30	17	4	1	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Accidental discharge of firearms (E922)													
All other, both sexes													
1998	194	-	7	30	77	32	23	14	6	4	1	-	-
1997	199	-	7	34	83	25	22	7	8	10	1	2	-
1996	266	2	7	34	133	38	25	14	7	6	-	-	-
1995	279	-	8	34	133	51	20	14	9	6	4	-	-
1994	358	1	20	41	187	60	23	16	6	4	-	-	-
1993	400	-	14	49	213	54	38	15	11	3	3	-	-
1992	338	-	14	51	165	55	25	11	7	6	2	2	-
1991	338	-	9	51	170	56	28	8	7	2	5	2	-
1990	303	-	9	46	130	58	25	12	12	9	2	-	-
1989	336	2	14	46	154	58	34	8	9	7	2	1	1
1988	313	-	13	55	107	60	46	15	6	6	5	-	-
1987	282	-	12	36	98	59	35	20	14	5	3	-	-
1986	242	1	10	33	77	58	36	12	6	6	3	-	-
1985	303	1	13	32	100	68	42	26	12	7	1	-	1
1984	267	-	8	31	101	65	28	17	9	8	-	-	-
1983	302	3	7	25	95	93	32	24	13	7	2	1	-
1982	299	-	12	25	102	78	39	17	9	13	4	-	-
1981	348	2	20	54	106	76	32	22	20	8	8	-	-
1980	373	-	12	44	124	102	39	24	11	11	5	1	-
1979	399	1	22	52	121	95	37	29	26	12	1	3	-
Accidental discharge of firearms (E922)													
All other, male													
1998	168	-	5	20	72	29	19	12	6	4	1	-	-
1997	176	-	5	28	80	19	20	5	7	9	1	2	-
1996	240	1	5	32	122	33	23	12	7	5	-	-	-
1995	254	-	7	31	129	45	14	10	8	6	4	-	-
1994	316	-	13	38	176	51	20	10	5	3	-	-	-
1993	350	-	14	40	197	43	29	13	10	2	2	-	-
1992	302	-	12	44	152	49	20	11	6	6	1	1	-
1991	316	-	3	47	167	53	26	7	6	2	4	1	-
1990	258	-	6	38	116	44	24	9	12	8	1	-	-
1989	294	2	9	37	143	53	27	6	7	6	2	1	1
1988	263	-	8	45	97	50	34	14	5	6	4	-	-
1987	242	-	9	30	88	48	31	19	10	5	2	-	-
1986	201	1	6	20	69	51	32	9	5	6	2	-	-
1985	255	-	11	26	89	54	36	20	11	6	1	-	1
1984	231	-	6	26	90	58	24	14	8	5	-	-	-
1983	257	2	5	20	86	75	27	21	13	5	2	1	-
1982	258	-	12	19	86	69	34	16	6	12	4	-	-
1981	276	2	13	42	85	59	25	19	18	6	7	-	-
1980	312	-	9	34	103	88	34	20	8	11	5	-	-
1979	325	-	19	39	103	79	34	22	20	8	-	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Accidental discharge of firearms (E922)													
All other, female													
1998	26	-	2	10	5	3	4	2	-	-	-	-	-
1997	23	-	2	6	3	6	2	2	1	1	-	-	-
1996	26	1	2	2	11	5	2	2	-	1	-	-	-
1995	25	-	1	3	4	6	6	4	1	-	-	-	-
1994	42	1	7	3	11	9	3	6	1	1	-	-	-
1993	50	-	-	9	16	11	9	2	1	1	1	-	-
1992	36	-	2	7	13	6	5	-	1	-	1	1	-
1991	22	-	6	4	3	3	2	1	1	-	1	1	-
1990	45	-	3	8	14	14	1	3	-	1	1	-	-
1989	42	-	5	9	11	5	7	2	2	1	-	-	-
1988	50	-	5	10	10	10	12	1	1	-	1	-	-
1987	40	-	3	6	10	11	4	1	4	-	1	-	-
1986	41	-	4	13	8	7	4	3	1	-	1	-	-
1985	48	1	2	6	11	14	6	6	1	1	-	-	-
1984	36	-	2	5	11	7	4	3	1	3	-	-	-
1983	45	1	2	5	9	18	5	3	-	2	-	-	-
1982	41	-	-	6	16	9	5	1	3	1	-	-	-
1981	72	-	7	12	21	17	7	3	2	2	1	-	-
1980	61	-	3	10	21	14	5	4	3	-	-	1	-
1979	74	1	3	13	18	16	3	7	6	4	1	2	-
Accidental discharge of firearms (E922)													
Black, both sexes													
1998	174	-	6	24	73	26	22	12	6	4	1	-	-
1997	173	-	7	26	74	24	18	7	6	8	1	2	-
1996	244	2	7	33	121	33	24	11	7	6	-	-	-
1995	245	-	8	25	120	44	17	12	9	6	4	-	-
1994	313	1	18	36	159	53	22	14	6	4	-	-	-
1993	360	-	13	41	197	47	32	14	10	3	3	-	-
1992	300	-	14	46	149	45	20	11	7	5	2	1	-
1991	290	-	8	41	150	47	23	7	6	1	5	2	-
1990	259	-	8	39	116	47	19	11	9	8	2	-	-
1989	276	2	12	37	125	46	28	7	8	7	2	1	1
1988	266	-	11	49	90	49	40	12	5	5	5	-	-
1987	247	-	9	31	88	48	33	18	12	5	3	-	-
1986	211	1	9	28	64	49	33	12	6	6	3	-	-
1985	251	1	13	25	79	56	34	23	11	7	1	-	1
1984	227	-	8	26	76	60	26	15	8	8	-	-	-
1983	255	3	7	22	69	84	28	19	13	7	2	1	-
1982	248	-	11	22	77	66	34	14	8	12	4	-	-
1981	305	2	18	51	85	66	29	20	19	7	8	-	-
1980	335	-	11	38	111	89	37	22	11	10	5	1	-
1979	354	1	21	47	101	85	34	27	23	11	1	3	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Accidental discharge of firearms (E922)													
Black, male													
1998	154	-	5	17	68	24	18	11	6	4	1	-	-
1997	152	-	5	22	71	18	16	5	5	7	1	2	-
1996	219	1	5	31	111	28	22	9	7	5	-	-	-
1995	225	-	7	25	118	38	11	8	8	6	4	-	-
1994	274	-	12	33	149	45	19	8	5	3	-	-	-
1993	317	-	13	35	183	37	24	12	9	2	2	-	-
1992	267	-	12	39	137	39	16	11	6	5	1	1	-
1991	270	-	3	37	147	44	21	7	5	1	4	1	-
1990	221	-	5	33	102	37	18	9	9	7	1	-	-
1989	246	2	8	30	118	43	23	6	6	6	2	1	1
1988	223	-	8	39	80	41	29	12	5	5	4	-	-
1987	214	-	8	26	78	38	31	17	9	5	2	-	-
1986	172	1	5	16	57	42	29	9	5	6	2	-	-
1985	213	-	11	20	72	44	30	18	10	6	1	-	1
1984	196	-	6	21	69	54	22	12	7	5	-	-	-
1983	215	2	5	17	63	67	23	17	13	5	2	1	-
1982	208	-	11	16	62	57	29	13	5	11	4	-	-
1981	245	2	13	41	67	52	22	18	18	5	7	-	-
1980	281	-	9	30	91	77	32	19	8	10	5	-	-
1979	283	-	18	35	84	70	31	20	17	7	-	1	-
Accidental discharge of firearms (E922)													
Black, female													
1998	20	-	1	7	5	2	4	1	-	-	-	-	-
1997	21	-	2	4	3	6	2	2	1	1	-	-	-
1996	25	1	2	2	10	5	2	2	-	1	-	-	-
1995	20	-	1	-	2	6	6	4	1	-	-	-	-
1994	39	1	6	3	10	8	3	6	1	1	-	-	-
1993	43	-	-	6	14	10	8	2	1	1	1	-	-
1992	33	-	2	7	12	6	4	-	1	-	1	-	-
1991	20	-	5	4	3	3	2	-	1	-	1	1	-
1990	38	-	3	6	14	10	1	2	-	1	1	-	-
1989	30	-	4	7	7	3	5	1	2	1	-	-	-
1988	43	-	3	10	10	8	11	-	-	-	1	-	-
1987	33	-	1	5	10	10	2	1	3	-	1	-	-
1986	39	-	4	12	7	7	4	3	1	-	1	-	-
1985	38	1	2	5	7	12	4	5	1	1	-	-	-
1984	31	-	2	5	7	6	4	3	1	3	-	-	-
1983	40	1	2	5	6	17	5	2	-	2	-	-	-
1982	40	-	-	6	15	9	5	1	3	1	-	-	-
1981	60	-	5	10	18	14	7	2	1	2	1	-	-
1980	54	-	2	8	20	12	5	3	3	-	-	1	-
1979	71	1	3	12	17	15	3	7	6	4	1	2	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Accidental drowning and submersion (E910)													
All races, both sexes													
1998	3,964	62	495	434	744	556	592	378	206	200	183	71	43
1997	3,561	60	454	436	596	529	493	334	214	180	173	67	25
1996	3,488	64	466	436	656	487	478	308	169	185	150	69	20
1995	3,790	59	530	435	693	552	557	307	229	178	149	65	36
1994	3,404	71	470	391	588	538	473	261	186	149	187	63	27
1993	3,807	76	546	401	730	637	508	266	206	191	138	70	38
1992	3,524	86	519	387	658	547	443	253	188	188	144	68	43
1991	3,967	105	573	426	790	724	452	244	235	189	133	60	36
1990	3,979	76	560	480	795	678	485	238	213	208	149	67	30
1989	4,015	93	583	481	785	694	452	252	192	222	162	69	30
1988	4,199	88	611	494	873	730	489	243	221	183	163	76	28
1987	4,360	104	652	562	950	783	420	227	243	195	133	54	37
1986	4,777	94	648	611	1,162	855	424	270	228	204	176	63	42
1985	4,407	88	587	532	1,135	771	400	226	220	218	137	55	38
1984	4,444	70	556	494	1,135	815	356	277	279	209	175	54	24
1983	5,254	85	660	667	1,420	953	459	314	276	195	135	57	33
1982	5,258	93	645	659	1,484	893	424	334	280	225	150	50	21
1981	5,233	73	672	696	1,508	903	395	308	275	207	123	50	23
1980	6,043	91	693	795	1,931	984	424	329	312	250	146	55	33
1979	5,678	76	680	823	1,722	808	461	326	297	220	150	66	49
Accidental drowning and submersion (E910)													
All races, male													
1998	3,161	37	325	329	665	484	498	315	159	141	122	43	43
1997	2,800	34	306	314	533	471	403	270	173	133	106	33	24
1996	2,771	34	315	326	582	428	396	259	134	144	93	41	19
1995	3,028	24	343	328	629	489	475	255	185	131	90	43	36
1994	2,688	38	301	308	538	481	391	210	148	103	110	35	25
1993	3,039	44	366	308	660	556	427	222	169	127	89	36	35
1992	2,791	51	324	285	601	482	378	216	145	143	88	35	43
1991	3,242	62	380	330	716	656	396	200	191	155	84	38	34
1990	3,203	44	376	359	730	603	422	196	171	153	79	40	30
1989	3,249	64	400	376	726	601	390	206	157	161	98	42	28
1988	3,346	51	417	361	790	639	423	201	168	125	108	37	26
1987	3,529	61	444	445	860	685	354	199	196	146	75	28	36
1986	3,856	47	433	475	1,072	756	369	219	167	143	101	33	41
1985	3,565	49	385	417	1,033	678	349	187	170	148	87	25	37
1984	3,543	31	370	392	1,008	698	307	222	214	141	107	29	24
1983	4,330	46	445	521	1,296	842	404	263	220	141	88	31	33
1982	4,274	58	432	527	1,336	786	349	272	207	165	95	27	20
1981	4,364	46	465	562	1,396	806	338	250	225	161	70	23	22
1980	5,012	63	458	642	1,758	868	354	270	254	181	100	32	32
1979	4,682	38	466	666	1,552	700	395	258	251	170	97	41	48

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Accidental drowning and submersion (E910)													
All races, female													
1998	803	25	170	105	79	72	94	63	47	59	61	28	-
1997	761	26	148	122	63	58	90	64	41	47	67	34	1
1996	717	30	151	110	74	59	82	49	35	41	57	28	1
1995	762	35	187	107	64	63	82	52	44	47	59	22	-
1994	716	33	169	83	50	57	82	51	38	46	77	28	2
1993	768	32	180	93	70	81	81	44	37	64	49	34	3
1992	733	35	195	102	57	65	65	37	43	45	56	33	-
1991	725	43	193	96	74	68	56	44	44	34	49	22	2
1990	776	32	184	121	65	75	63	42	42	55	70	27	-
1989	766	29	183	105	59	93	62	46	35	61	64	27	2
1988	853	37	194	133	83	91	66	42	53	58	55	39	2
1987	831	43	208	117	90	98	66	28	47	49	58	26	1
1986	921	47	215	136	90	99	55	51	61	61	75	30	1
1985	842	39	202	115	102	93	51	39	50	70	50	30	1
1984	901	39	186	102	127	117	49	55	65	68	68	25	-
1983	924	39	215	146	124	111	55	51	56	54	47	26	-
1982	984	35	213	132	148	107	75	62	73	60	55	23	1
1981	869	27	207	134	112	97	57	58	50	46	53	27	1
1980	1,031	28	235	153	173	116	70	59	58	69	46	23	1
1979	996	38	214	157	170	108	66	68	46	50	53	25	1
Accidental drowning and submersion (E910)													
White, both sexes													
1998	3,007	47	407	240	522	425	466	298	163	171	160	66	42
1997	2,723	45	383	249	429	386	386	285	173	148	156	59	24
1996	2,615	43	383	229	485	380	370	236	133	149	125	63	19
1995	2,901	39	439	260	520	411	438	245	185	143	126	60	35
1994	2,520	50	387	198	417	394	363	201	154	116	162	53	25
1993	2,874	51	448	236	518	477	380	215	174	157	121	61	36
1992	2,685	61	436	222	464	419	350	202	147	151	128	63	42
1991	2,939	76	490	254	560	521	323	185	187	143	110	56	34
1990	3,006	49	480	289	574	495	373	181	172	174	134	56	29
1989	3,046	67	495	272	579	511	352	192	153	192	148	58	27
1988	3,187	58	528	292	636	530	368	190	191	152	144	71	27
1987	3,242	80	566	337	649	573	312	173	190	167	117	48	30
1986	3,564	67	563	353	841	609	325	199	187	174	157	52	37
1985	3,331	70	514	310	833	577	285	171	176	189	122	51	33
1984	3,369	51	477	278	833	609	259	217	235	181	158	48	23
1983	4,052	72	583	429	1,069	709	350	245	231	158	123	54	29
1982	4,002	70	569	426	1,121	638	311	256	226	183	140	42	20
1981	3,958	51	585	457	1,112	648	280	247	222	182	106	49	19
1980	4,610	72	618	499	1,469	718	314	254	255	212	123	48	28
1979	4,302	54	579	533	1,298	582	333	255	247	191	133	55	42

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Accidental drowning and submersion (E910)													
White, male													
1998	2,361	29	264	180	459	363	390	248	121	120	105	40	42
1997	2,126	25	257	181	382	342	315	227	141	111	94	28	23
1996	2,057	20	262	167	426	334	304	194	103	115	77	37	18
1995	2,300	16	288	190	476	356	372	205	147	101	74	40	35
1994	1,968	28	246	151	377	350	297	157	124	83	100	32	23
1993	2,275	29	301	181	467	412	311	179	142	108	80	31	34
1992	2,126	38	279	166	432	367	290	170	112	118	78	34	42
1991	2,360	48	329	192	498	464	278	148	153	114	69	34	33
1990	2,390	28	315	217	523	438	316	148	140	131	70	35	29
1989	2,434	44	332	215	535	440	302	155	124	138	88	35	26
1988	2,507	29	357	219	570	463	318	153	143	103	92	35	25
1987	2,587	46	389	267	577	503	262	152	149	124	64	25	29
1986	2,845	31	381	278	769	538	277	163	134	120	87	31	36
1985	2,660	36	340	242	755	503	245	141	137	127	79	23	32
1984	2,636	18	317	216	731	511	224	176	178	119	97	26	23
1983	3,287	36	392	333	974	622	306	198	181	109	78	29	29
1982	3,217	44	381	337	1,010	555	255	207	163	138	87	21	19
1981	3,241	35	401	358	1,022	577	236	195	177	140	59	23	18
1980	3,782	47	406	404	1,336	627	261	205	203	153	84	28	28
1979	3,512	28	400	424	1,169	504	278	196	208	146	83	35	41
Accidental drowning and submersion (E910)													
White, female													
1998	646	18	143	60	63	62	76	50	42	51	55	26	-
1997	597	20	126	68	47	44	71	58	32	37	62	31	1
1996	558	23	121	62	59	46	66	42	30	34	48	26	1
1995	601	23	151	70	44	55	66	40	38	42	52	20	-
1994	552	22	141	47	40	44	66	44	30	33	62	21	2
1993	599	22	147	55	51	65	69	36	32	49	41	30	2
1992	559	23	157	56	32	52	60	32	35	33	50	29	-
1991	579	28	161	62	62	57	45	37	34	29	41	22	1
1990	616	21	165	72	51	57	57	33	32	43	64	21	-
1989	612	23	163	57	44	71	50	37	29	54	60	23	1
1988	680	29	171	73	66	67	50	37	48	49	52	36	2
1987	655	34	177	70	72	70	50	21	41	43	53	23	1
1986	719	36	182	75	72	71	48	36	53	54	70	21	1
1985	671	34	174	68	78	74	40	30	39	62	43	28	1
1984	733	33	160	62	102	98	35	41	57	62	61	22	-
1983	765	36	191	96	95	87	44	47	50	49	45	25	-
1982	785	26	188	89	111	83	56	49	63	45	53	21	1
1981	717	16	184	99	90	71	44	52	45	42	47	26	1
1980	828	25	212	95	133	91	53	49	52	59	39	20	-
1979	790	26	179	109	129	78	55	59	39	45	50	20	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	Age groups											Age not stated	
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years		85 + years
Accidental drowning and submersion (E910)													
All other, both sexes													
1998	957	15	88	194	222	131	126	80	43	29	23	5	1
1997	838	15	71	187	167	143	107	49	41	32	17	8	1
1996	873	21	83	207	171	107	108	72	36	36	25	6	1
1995	889	20	91	175	173	141	119	62	44	35	23	5	1
1994	884	21	83	193	171	144	110	60	32	33	25	10	2
1993	933	25	98	165	212	160	128	51	32	34	17	9	2
1992	839	25	83	165	194	128	93	51	41	37	16	5	1
1991	1,028	29	83	172	230	203	129	59	48	46	23	4	2
1990	973	27	80	191	221	183	112	57	41	34	15	11	1
1989	969	26	88	209	206	183	100	60	39	30	14	11	3
1988	1,012	30	83	202	237	200	121	53	30	31	19	5	1
1987	1,118	24	86	225	301	210	108	54	53	28	16	6	7
1986	1,213	27	85	258	321	246	99	71	41	30	19	11	5
1985	1,076	18	73	222	302	194	115	55	44	29	15	4	5
1984	1,075	19	79	216	302	206	97	60	44	28	17	6	1
1983	1,202	13	77	238	351	244	109	69	45	37	12	3	4
1982	1,256	23	76	233	363	255	113	78	54	42	10	8	1
1981	1,275	22	87	239	396	255	115	61	53	25	17	1	4
1980	1,433	19	75	296	462	266	110	75	57	38	23	7	5
1979	1,376	22	101	290	424	226	128	71	50	29	17	11	7
Accidental drowning and submersion (E910)													
All other, male													
1998	800	8	61	149	206	121	108	67	38	21	17	3	1
1997	674	9	49	133	151	129	88	43	32	22	12	5	1
1996	714	14	53	159	156	94	92	65	31	29	16	4	1
1995	728	8	55	138	153	133	103	50	38	30	16	3	1
1994	720	10	55	157	161	131	94	53	24	20	10	3	2
1993	764	15	65	127	193	144	116	43	27	19	9	5	1
1992	665	13	45	119	169	115	88	46	33	25	10	1	1
1991	882	14	51	138	218	192	118	52	38	41	15	4	1
1990	813	16	61	142	207	165	106	48	31	22	9	5	1
1989	815	20	68	161	191	161	88	51	33	23	10	7	2
1988	839	22	60	142	220	176	105	48	25	22	16	2	1
1987	942	15	55	178	283	182	92	47	47	22	11	3	7
1986	1,011	16	52	197	303	218	92	56	33	23	14	2	5
1985	905	13	45	175	278	175	104	46	33	21	8	2	5
1984	907	13	53	176	277	187	83	46	36	22	10	3	1
1983	1,043	10	53	188	322	220	98	65	39	32	10	2	4
1982	1,057	14	51	190	326	231	94	65	44	27	8	6	1
1981	1,123	11	64	204	374	229	102	55	48	21	11	-	4
1980	1,230	16	52	238	422	241	93	65	51	28	16	4	4
1979	1,170	10	66	242	383	196	117	62	43	24	14	6	7

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Accidental drowning and submersion (E910)													
All other, female													
1998	157	7	27	45	16	10	18	13	5	8	6	2	-
1997	164	6	22	54	16	14	19	6	9	10	5	3	-
1996	159	7	30	48	15	13	16	7	5	7	9	2	-
1995	161	12	36	37	20	8	16	12	6	5	7	2	-
1994	164	11	28	36	10	13	16	7	8	13	15	7	-
1993	169	10	33	38	19	16	12	8	5	15	8	4	1
1992	174	12	38	46	25	13	5	5	8	12	6	4	-
1991	146	15	32	34	12	11	11	7	10	5	8	-	1
1990	160	11	19	49	14	18	6	9	10	12	6	6	-
1989	154	6	20	48	15	22	12	9	6	7	4	4	1
1988	173	8	23	60	17	24	16	5	5	9	3	3	-
1987	176	9	31	47	18	28	16	7	6	6	5	3	-
1986	202	11	33	61	18	28	7	15	8	7	5	9	-
1985	171	5	28	47	24	19	11	9	11	8	7	2	-
1984	168	6	26	40	25	19	14	14	8	6	7	3	-
1983	159	3	24	50	29	24	11	4	6	5	2	1	-
1982	199	9	25	43	37	24	19	13	10	15	2	2	-
1981	152	11	23	35	22	26	13	6	5	4	6	1	-
1980	203	3	23	58	40	25	17	10	6	10	7	3	1
1979	206	12	35	48	41	30	11	9	7	5	3	5	-
Accidental drowning and submersion (E910)													
Black, both sexes													
1998	758	13	68	161	177	107	91	64	31	23	20	2	1
1997	623	12	48	152	122	102	81	40	29	22	12	3	-
1996	648	18	61	160	122	81	83	51	27	25	15	4	1
1995	708	20	64	144	138	109	91	56	37	28	16	4	1
1994	685	19	66	160	133	106	89	44	20	24	17	6	1
1993	710	21	75	131	159	114	99	40	24	29	11	5	2
1992	655	23	61	130	155	100	74	42	31	26	8	4	1
1991	877	24	71	159	203	175	101	52	35	37	15	3	2
1990	777	25	57	159	171	152	86	48	33	24	13	8	1
1989	797	24	66	181	163	155	78	47	35	26	12	8	2
1988	821	30	64	162	196	164	93	47	24	25	11	4	1
1987	950	23	68	196	264	175	89	45	46	22	13	5	4
1986	1,004	21	58	232	271	202	81	56	34	23	16	5	5
1985	911	16	43	190	264	172	98	46	33	27	14	4	4
1984	898	14	56	204	256	172	77	49	35	21	9	4	1
1983	1,028	11	64	216	302	207	91	54	37	30	11	2	3
1982	1,074	19	59	204	317	219	95	72	42	36	6	4	1
1981	1,102	21	62	208	357	217	98	54	46	21	14	1	3
1980	1,247	17	56	272	401	230	92	67	51	30	20	6	5
1979	1,205	20	79	267	373	194	119	61	43	24	11	7	7

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Accidental drowning and submersion (E910)													
Black, male													
1998	651	7	48	129	169	100	79	58	29	16	14	1	1
1997	507	6	36	111	110	96	66	35	22	16	8	1	-
1996	549	12	41	125	114	72	76	49	23	25	9	2	1
1995	582	8	37	116	121	102	80	45	31	24	14	3	1
1994	558	9	42	127	125	99	76	38	17	14	7	3	1
1993	586	14	53	103	146	101	89	34	21	17	5	2	1
1992	533	12	35	97	141	90	71	37	26	18	4	1	1
1991	761	13	47	131	192	164	92	46	28	33	11	3	1
1990	655	15	47	116	160	141	83	39	27	14	9	3	1
1989	664	19	50	138	150	135	68	41	29	20	8	5	1
1988	685	22	46	118	184	142	82	43	19	17	9	2	1
1987	808	15	45	158	247	152	77	39	42	16	10	3	4
1986	836	13	31	175	254	180	74	47	27	19	11	-	5
1985	776	12	28	151	243	157	89	39	24	20	7	2	4
1984	767	9	39	167	234	159	68	37	29	17	5	2	1
1983	895	8	45	175	274	187	85	50	31	26	9	2	3
1982	914	12	42	172	286	198	78	60	33	23	5	4	1
1981	971	10	46	176	336	194	88	49	42	17	10	-	3
1980	1,083	14	40	223	370	210	77	58	47	21	15	4	4
1979	1,034	9	53	225	339	169	110	54	36	19	10	3	7
Accidental drowning and submersion (E910)													
Black, female													
1998	107	6	20	32	8	7	12	6	2	7	6	1	-
1997	116	6	12	41	12	6	15	5	7	6	4	2	-
1996	99	6	20	35	8	9	7	2	4	-	6	2	-
1995	126	12	27	28	17	7	11	11	6	4	2	1	-
1994	127	10	24	33	8	7	13	6	3	10	10	3	-
1993	124	7	22	28	13	13	10	6	3	12	6	3	1
1992	122	11	26	33	14	10	3	5	5	8	4	3	-
1991	116	11	24	28	11	11	9	6	7	4	4	-	1
1990	122	10	10	43	11	11	3	9	6	10	4	5	-
1989	133	5	16	43	13	20	10	6	6	6	4	3	1
1988	136	8	18	44	12	22	11	4	5	8	2	2	-
1987	142	8	23	38	17	23	12	6	4	6	3	2	-
1986	168	8	27	57	17	22	7	9	7	4	5	5	-
1985	135	4	15	39	21	15	9	7	9	7	7	2	-
1984	131	5	17	37	22	13	9	12	6	4	4	2	-
1983	133	3	19	41	28	20	6	4	6	4	2	-	-
1982	160	7	17	32	31	21	17	12	9	13	1	-	-
1981	131	11	16	32	21	23	10	5	4	4	4	1	-
1980	164	3	16	49	31	20	15	9	4	9	5	2	1
1979	171	11	26	42	34	25	9	7	7	5	1	4	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Accidental exposure to smoke, fire and flames (E890-E899)													
All races, both sexes													
1998	3,255	41	258	300	194	254	421	361	308	397	475	244	2
1997	3,490	51	348	277	197	288	409	369	355	405	492	289	10
1996	3,741	56	408	297	215	300	453	366	356	451	510	322	7
1995	3,761	64	446	323	198	336	436	380	373	450	478	275	2
1994	3,986	93	601	345	248	399	421	352	358	427	490	249	3
1993	3,900	117	584	314	231	396	414	332	297	463	464	283	5
1992	3,958	98	571	315	233	399	397	345	393	466	473	262	6
1991	4,120	114	608	382	256	457	427	304	332	485	485	264	6
1990	4,175	111	545	316	294	470	423	343	380	508	506	267	12
1989	4,716	108	608	467	309	541	461	344	460	549	571	286	12
1988	4,965	120	651	420	355	523	473	393	531	598	590	299	12
1987	4,710	116	704	392	335	475	424	352	467	610	553	279	3
1986	4,835	120	648	434	395	581	422	369	472	562	546	275	11
1985	4,938	111	613	453	380	529	400	409	556	590	605	276	16
1984	5,010	136	606	466	443	533	447	418	528	624	520	281	8
1983	5,028	114	638	422	410	571	416	406	568	603	577	293	10
1982	5,210	141	637	482	466	554	387	419	611	648	560	296	9
1981	5,697	135	728	481	506	584	424	542	646	722	624	303	2
1980	5,822	161	685	478	564	567	450	573	672	749	638	275	10
1979	5,991	134	693	552	603	545	457	580	736	743	642	296	10
Accidental exposure to smoke, fire and flames (E890-E899)													
All races, male													
1998	1,941	24	148	164	125	177	297	243	186	241	223	111	2
1997	2,086	28	196	150	132	196	286	250	219	250	226	143	10
1996	2,230	28	241	157	133	202	311	255	244	253	258	142	6
1995	2,232	28	268	173	112	224	297	270	244	247	248	119	2
1994	2,443	46	382	195	156	277	314	243	221	226	268	112	3
1993	2,326	61	354	167	141	279	294	216	203	261	222	124	4
1992	2,507	50	374	172	148	287	299	254	272	285	237	123	6
1991	2,511	59	356	215	172	304	296	207	231	278	256	132	5
1990	2,571	59	336	173	200	337	302	224	274	288	261	111	6
1989	2,817	45	355	252	204	355	335	232	306	318	266	138	11
1988	3,067	62	395	225	244	364	340	275	345	351	299	156	11
1987	2,863	59	427	227	226	326	307	237	297	344	265	146	2
1986	2,984	54	369	255	250	409	301	269	319	333	282	135	8
1985	3,008	61	353	245	244	373	271	288	374	344	304	138	13
1984	3,141	75	349	276	301	403	322	293	355	357	264	140	6
1983	3,066	63	361	215	246	413	293	286	376	346	310	151	6
1982	3,180	78	374	260	314	419	266	278	402	349	291	143	6
1981	3,493	67	424	254	339	397	280	369	427	448	335	151	2
1980	3,565	72	406	245	366	406	322	398	445	431	330	134	10
1979	3,712	71	408	306	376	408	330	394	481	434	346	149	9

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Accidental exposure to smoke, fire and flames (E890-E899)													
All races, female													
1998	1,314	17	110	136	69	77	124	118	122	156	252	133	-
1997	1,404	23	152	127	65	92	123	119	136	155	266	146	-
1996	1,511	28	167	140	82	98	142	111	112	198	252	180	1
1995	1,529	36	178	150	86	112	139	110	129	203	230	156	-
1994	1,543	47	219	150	92	122	107	109	137	201	222	137	-
1993	1,574	56	230	147	90	117	120	116	94	202	242	159	1
1992	1,451	48	197	143	85	112	98	91	121	181	236	139	-
1991	1,609	55	252	167	84	153	131	97	101	207	229	132	1
1990	1,604	52	209	143	94	133	121	119	106	220	245	156	6
1989	1,899	63	253	215	105	186	126	112	154	231	305	148	1
1988	1,898	58	256	195	111	159	133	118	186	247	291	143	1
1987	1,847	57	277	165	109	149	117	115	170	266	288	133	1
1986	1,851	66	279	179	145	172	121	100	153	229	264	140	3
1985	1,930	50	260	208	136	156	129	121	182	246	301	138	3
1984	1,869	61	257	190	142	130	125	125	173	267	256	141	2
1983	1,962	51	277	207	164	158	123	120	192	257	267	142	4
1982	2,030	63	263	222	152	135	121	141	209	299	269	153	3
1981	2,204	68	304	227	167	187	144	173	219	274	289	152	-
1980	2,257	89	279	233	198	161	128	175	227	318	308	141	-
1979	2,279	63	285	246	227	137	127	186	255	309	296	147	1
Accidental exposure to smoke, fire and flames (E890-E899)													
White, both sexes													
1998	2,316	22	132	177	143	196	310	255	227	293	383	177	1
1997	2,405	32	202	156	150	209	284	246	250	290	374	205	7
1996	2,602	32	225	174	164	218	336	267	246	312	392	231	5
1995	2,524	36	253	191	137	238	315	269	237	312	342	194	-
1994	2,686	60	349	195	192	300	290	237	252	298	332	179	2
1993	2,568	70	327	163	164	273	293	230	202	316	337	189	4
1992	2,696	66	357	186	180	289	281	235	258	335	334	169	6
1991	2,796	66	365	246	194	311	287	208	228	344	354	188	5
1990	2,848	64	315	187	227	335	281	246	271	371	355	187	9
1989	3,159	50	357	299	237	372	311	231	314	381	419	181	7
1988	3,305	72	356	231	261	377	338	245	358	417	426	221	3
1987	3,158	61	413	234	252	337	287	229	331	419	392	203	-
1986	3,289	60	387	269	289	402	289	250	315	419	411	191	7
1985	3,461	63	365	266	296	389	281	285	400	442	474	189	11
1984	3,436	79	349	280	341	397	317	292	372	435	363	206	5
1983	3,408	61	367	252	312	395	284	290	390	411	422	218	6
1982	3,659	73	359	301	368	428	268	287	458	482	402	225	8
1981	3,946	86	423	301	401	413	294	379	446	516	465	221	1
1980	4,155	94	397	290	455	436	312	416	499	566	477	205	8
1979	4,182	61	384	334	489	405	331	413	539	543	462	213	8

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Accidental exposure to smoke, fire and flames (E890-E899)													
White, male													
1998	1,383	14	81	102	97	137	225	163	130	176	178	79	1
1997	1,459	19	123	85	104	143	204	164	155	180	173	102	7
1996	1,568	16	141	95	105	148	237	180	165	172	205	99	5
1995	1,509	16	151	109	78	164	222	189	159	165	174	82	-
1994	1,670	29	230	116	127	217	226	163	144	158	178	80	2
1993	1,547	38	205	97	100	194	213	146	135	175	168	72	4
1992	1,715	35	237	104	115	211	215	173	170	203	176	70	6
1991	1,710	32	217	138	134	219	205	142	147	195	178	99	4
1990	1,765	34	204	111	159	240	196	159	197	204	178	78	5
1989	1,903	24	216	161	163	248	226	152	209	214	194	89	7
1988	2,025	36	219	122	178	273	244	164	232	235	205	114	3
1987	1,911	32	248	138	174	237	204	148	204	230	187	109	-
1986	2,048	31	232	166	184	284	203	183	208	242	207	102	6
1985	2,135	34	220	145	193	284	188	198	272	256	235	100	10
1984	2,186	46	206	160	247	304	231	202	253	245	187	102	3
1983	2,138	32	216	143	200	290	200	208	263	236	228	118	4
1982	2,246	39	223	171	244	323	185	191	294	252	210	108	6
1981	2,417	41	246	156	275	288	190	255	294	314	246	111	1
1980	2,556	38	246	143	303	317	225	281	326	324	243	102	8
1979	2,608	35	235	186	312	310	233	276	352	310	238	114	7
Accidental exposure to smoke, fire and flames (E890-E899)													
White, female													
1998	933	8	51	75	46	59	85	92	97	117	205	98	-
1997	946	13	79	71	46	66	80	82	95	110	201	103	-
1996	1,034	16	84	79	59	70	99	87	81	140	187	132	-
1995	1,015	20	102	82	59	74	93	80	78	147	168	112	-
1994	1,016	31	119	79	65	83	64	74	108	140	154	99	-
1993	1,021	32	122	66	64	79	80	84	67	141	169	117	-
1992	981	31	120	82	65	78	66	62	88	132	158	99	-
1991	1,086	34	148	108	60	92	82	66	81	149	176	89	1
1990	1,083	30	111	76	68	95	85	87	74	167	177	109	4
1989	1,256	26	141	138	74	124	85	79	105	167	225	92	-
1988	1,280	36	137	109	83	104	94	81	126	182	221	107	-
1987	1,247	29	165	96	78	100	83	81	127	189	205	94	-
1986	1,241	29	155	103	105	118	86	67	107	177	204	89	1
1985	1,326	29	145	121	103	105	93	87	128	186	239	89	1
1984	1,250	33	143	120	94	93	86	90	119	190	176	104	2
1983	1,270	29	151	109	112	105	84	82	127	175	194	100	2
1982	1,413	34	136	130	124	105	83	96	164	230	192	117	2
1981	1,529	45	177	145	126	125	104	124	152	202	219	110	-
1980	1,599	56	151	147	152	119	87	135	173	242	234	103	-
1979	1,574	26	149	148	177	95	98	137	187	233	224	99	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Accidental exposure to smoke, fire and flames (E890-E899)													
All other, both sexes													
1998	939	19	126	123	51	58	111	106	81	104	92	67	1
1997	1,085	19	146	121	47	79	125	123	105	115	118	84	3
1996	1,139	24	183	123	51	82	117	99	110	139	118	91	2
1995	1,237	28	193	132	61	98	121	111	136	138	136	81	2
1994	1,300	33	252	150	56	99	131	115	106	129	158	70	1
1993	1,332	47	257	151	67	123	121	102	95	147	127	94	1
1992	1,262	32	214	129	53	110	116	110	135	131	139	93	-
1991	1,324	48	243	136	62	146	140	96	104	141	131	76	1
1990	1,327	47	230	129	67	135	142	97	109	137	151	80	3
1989	1,557	58	251	168	72	169	150	113	146	168	152	105	5
1988	1,660	48	295	189	94	146	135	148	173	181	164	78	9
1987	1,552	55	291	158	83	138	137	123	136	191	161	76	3
1986	1,546	60	261	165	106	179	133	119	157	143	135	84	4
1985	1,477	48	248	187	84	140	119	124	156	148	131	87	5
1984	1,574	57	257	186	102	136	130	126	156	189	157	75	3
1983	1,620	53	271	170	98	176	132	116	178	192	155	75	4
1982	1,551	68	278	181	98	126	119	132	153	166	158	71	1
1981	1,751	49	305	180	105	171	130	163	200	206	159	82	1
1980	1,667	67	288	188	109	131	138	157	173	183	161	70	2
1979	1,809	73	309	218	114	140	126	167	197	200	180	83	2
Accidental exposure to smoke, fire and flames (E890-E899)													
All other, male													
1998	558	10	67	62	28	40	72	80	56	65	45	32	1
1997	627	9	73	65	28	53	82	86	64	70	53	41	3
1996	662	12	100	62	28	54	74	75	79	81	53	43	1
1995	723	12	117	64	34	60	75	81	85	82	74	37	2
1994	773	17	152	79	29	60	88	80	77	68	90	32	1
1993	779	23	149	70	41	85	81	70	68	86	54	52	-
1992	792	15	137	68	33	76	84	81	102	82	61	53	-
1991	801	27	139	77	38	85	91	65	84	83	78	33	1
1990	806	25	132	62	41	97	106	65	77	84	83	33	1
1989	914	21	139	91	41	107	109	80	97	104	72	49	4
1988	1,042	26	176	103	66	91	96	111	113	116	94	42	8
1987	952	27	179	89	52	89	103	89	93	114	78	37	2
1986	936	23	137	89	66	125	98	86	111	91	75	33	2
1985	873	27	133	100	51	89	83	90	102	88	69	38	3
1984	955	29	143	116	54	99	91	91	102	112	77	38	3
1983	928	31	145	72	46	123	93	78	113	110	82	33	2
1982	934	39	151	89	70	96	81	87	108	97	81	35	-
1981	1,076	26	178	98	64	109	90	114	133	134	89	40	1
1980	1,009	34	160	102	63	89	97	117	119	107	87	32	2
1979	1,104	36	173	120	64	98	97	118	129	124	108	35	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Accidental exposure to smoke, fire and flames (E890-E899)													
All other, female													
1998	381	9	59	61	23	18	39	26	25	39	47	35	-
1997	458	10	73	56	19	26	43	37	41	45	65	43	-
1996	477	12	83	61	23	28	43	24	31	58	65	48	1
1995	514	16	76	68	27	38	46	30	51	56	62	44	-
1994	527	16	100	71	27	39	43	35	29	61	68	38	-
1993	553	24	108	81	26	38	40	32	27	61	73	42	1
1992	470	17	77	61	20	34	32	29	33	49	78	40	-
1991	523	21	104	59	24	61	49	31	20	58	53	43	-
1990	521	22	98	67	26	38	36	32	32	53	68	47	2
1989	643	37	112	77	31	62	41	33	49	64	80	56	1
1988	618	22	119	86	28	55	39	37	60	65	70	36	1
1987	600	28	112	69	31	49	34	34	43	77	83	39	1
1986	610	37	124	76	40	54	35	33	46	52	60	51	2
1985	604	21	115	87	33	51	36	34	54	60	62	49	2
1984	619	28	114	70	48	37	39	35	54	77	80	37	-
1983	692	22	126	98	52	53	39	38	65	82	73	42	2
1982	617	29	127	92	28	30	38	45	45	69	77	36	1
1981	675	23	127	82	41	62	40	49	67	72	70	42	-
1980	658	33	128	86	46	42	41	40	54	76	74	38	-
1979	705	37	136	98	50	42	29	49	68	76	72	48	-
Accidental exposure to smoke, fire and flames (E890-E899)													
Black, both sexes													
1998	874	19	121	117	44	51	95	104	73	97	88	64	1
1997	972	18	130	105	39	62	108	110	99	109	111	78	3
1996	1,051	21	164	109	47	77	105	94	108	129	111	84	2
1995	1,131	27	169	127	50	87	107	100	126	129	130	77	2
1994	1,195	31	229	136	47	87	119	108	100	123	150	64	1
1993	1,235	45	239	138	59	109	112	91	93	142	118	88	1
1992	1,172	31	198	121	39	99	110	100	130	125	129	90	-
1991	1,252	44	232	128	52	133	133	89	102	134	129	75	1
1990	1,254	44	217	123	62	125	131	88	106	135	144	76	3
1989	1,467	55	227	158	61	158	142	109	138	166	144	104	5
1988	1,582	46	283	179	83	135	129	143	166	172	160	77	9
1987	1,455	53	273	146	74	127	123	119	128	179	155	75	3
1986	1,449	56	249	154	88	165	124	110	148	139	133	81	2
1985	1,400	46	232	183	72	131	107	116	152	146	127	83	5
1984	1,464	53	234	172	86	129	114	116	150	181	151	75	3
1983	1,530	52	258	165	87	167	117	107	168	183	150	73	3
1982	1,463	67	262	172	87	112	113	121	144	162	152	70	1
1981	1,678	47	296	174	99	149	125	157	197	199	153	81	1
1980	1,583	63	275	175	101	114	133	150	171	174	156	69	2
1979	1,719	69	287	209	102	133	120	160	187	196	174	80	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Accidental exposure to smoke, fire and flames (E890-E899)													
Black, male													
1998	510	10	62	59	21	36	60	78	52	59	42	30	1
1997	551	9	64	54	22	42	72	73	60	67	50	35	3
1996	616	9	89	55	27	52	66	72	78	78	50	39	1
1995	661	12	104	64	28	52	64	73	79	78	72	33	2
1994	712	15	136	74	25	52	80	76	73	67	86	27	1
1993	717	22	139	66	35	74	74	63	66	82	48	48	-
1992	731	14	125	64	22	67	81	76	98	80	54	50	-
1991	759	24	130	75	32	77	89	60	82	79	77	33	1
1990	755	24	121	58	39	89	95	61	74	82	80	31	1
1989	858	18	126	85	36	97	104	78	92	102	68	48	4
1988	986	24	165	99	58	84	92	107	107	109	92	41	8
1987	882	25	167	81	46	82	93	86	87	104	73	36	2
1986	870	22	128	80	53	115	93	79	104	89	74	31	2
1985	825	26	120	99	44	83	77	84	100	87	67	35	3
1984	885	26	131	108	44	94	80	82	99	107	73	38	3
1983	870	31	134	70	40	117	82	72	107	104	80	32	1
1982	883	38	144	83	63	87	79	81	103	94	77	34	-
1981	1,026	25	174	94	61	93	87	110	130	129	83	39	1
1980	953	33	151	92	57	79	93	113	117	102	83	31	2
1979	1,045	34	158	114	55	93	93	113	123	122	104	34	2
Accidental exposure to smoke, fire and flames (E890-E899)													
Black, female													
1998	364	9	59	58	23	15	35	26	21	38	46	34	-
1997	421	9	66	51	17	20	36	37	39	42	61	43	-
1996	435	12	75	54	20	25	39	22	30	51	61	45	1
1995	470	15	65	63	22	35	43	27	47	51	58	44	-
1994	483	16	93	62	22	35	39	32	27	56	64	37	-
1993	518	23	100	72	24	35	38	28	27	60	70	40	1
1992	441	17	73	57	17	32	29	24	32	45	75	40	-
1991	493	20	102	53	20	56	44	29	20	55	52	42	-
1990	499	20	96	65	23	36	36	27	32	53	64	45	2
1989	609	37	101	73	25	61	38	31	46	64	76	56	1
1988	596	22	118	80	25	51	37	36	59	63	68	36	1
1987	573	28	106	65	28	45	30	33	41	75	82	39	1
1986	579	34	121	74	35	50	31	31	44	50	59	50	-
1985	575	20	112	84	28	48	30	32	52	59	60	48	2
1984	579	27	103	64	42	35	34	34	51	74	78	37	-
1983	660	21	124	95	47	50	35	35	61	79	70	41	2
1982	580	29	118	89	24	25	34	40	41	68	75	36	1
1981	652	22	122	80	38	56	38	47	67	70	70	42	-
1980	630	30	124	83	44	35	40	37	54	72	73	38	-
1979	674	35	129	95	47	40	27	47	64	74	70	46	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Accidental poisoning and exposure to noxious substances (E850-E869,E924.1)													
All races, both sexes													
1998	10,808	9	28	33	860	2,153	4,241	2,236	542	286	279	135	6
1997	10,175	7	33	42	731	2,189	3,985	1,986	503	272	270	138	19
1996	9,519	16	42	52	639	2,093	3,635	1,814	476	293	280	165	14
1995	9,075	7	31	42	634	2,142	3,607	1,557	425	271	230	125	4
1994	9,001	13	39	56	562	2,318	3,473	1,365	423	317	257	171	7
1993	8,539	20	59	49	534	2,268	3,414	1,143	384	279	238	145	6
1992	7,088	12	41	36	558	1,963	2,568	869	317	306	257	155	6
1991	6,444	20	56	56	562	1,873	2,079	639	370	312	291	177	9
1990	5,815	15	55	44	520	1,725	1,760	551	394	308	248	188	7
1989	6,529	22	55	44	637	2,048	1,845	618	414	341	313	181	11
1988	6,232	17	61	53	616	2,069	1,594	587	423	332	281	189	10
1987	5,317	15	38	47	613	1,682	1,276	477	400	312	291	158	8
1986	5,747	24	69	54	674	1,963	1,268	506	419	336	292	136	6
1985	5,179	18	62	52	633	1,733	1,029	489	439	319	276	124	5
1984	4,917	21	77	56	690	1,655	861	487	400	324	242	102	2
1983	4,641	23	65	56	723	1,402	766	484	437	305	250	122	8
1982	4,740	20	84	47	787	1,453	719	532	444	327	216	109	2
1981	4,537	18	75	76	772	1,279	662	591	415	297	252	96	4
1980	4,343	22	83	52	842	1,190	603	503	428	301	213	103	3
1979	4,648	26	80	75	1,002	1,169	625	561	500	310	213	81	6
Accidental poisoning and exposure to noxious substances (E850-E869,E924.1)													
All races, male													
1998	7,911	5	15	19	692	1,654	3,158	1,677	354	156	127	51	3
1997	7,631	7	22	22	586	1,724	3,079	1,523	332	158	113	46	19
1996	7,021	9	28	35	518	1,607	2,792	1,375	303	164	123	55	12
1995	6,888	5	21	24	500	1,706	2,851	1,189	294	140	108	46	4
1994	6,765	7	19	31	436	1,849	2,752	1,030	279	176	124	56	6
1993	6,478	13	31	25	418	1,810	2,718	879	256	162	105	55	6
1992	5,350	9	24	26	419	1,551	2,085	647	218	181	122	62	6
1991	4,700	16	36	33	454	1,492	1,637	444	226	164	131	61	6
1990	4,210	7	33	29	404	1,320	1,406	373	245	196	124	68	5
1989	4,772	11	34	28	488	1,595	1,480	434	269	202	147	77	7
1988	4,463	11	39	29	459	1,628	1,233	422	257	176	147	53	9
1987	3,783	9	21	30	440	1,334	998	327	241	179	143	54	7
1986	4,112	11	40	35	489	1,568	972	348	257	189	142	56	5
1985	3,667	5	42	33	447	1,392	801	313	269	177	141	42	5
1984	3,425	14	46	35	491	1,290	652	302	242	181	120	51	1
1983	3,095	10	44	28	494	1,070	549	291	280	157	117	50	5
1982	3,232	10	47	28	587	1,147	498	319	268	175	104	48	1
1981	3,062	8	44	55	586	997	451	356	236	165	126	36	2
1980	2,901	12	51	30	604	918	417	316	243	164	96	47	3
1979	3,071	14	35	48	737	880	413	343	271	180	110	36	4

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Accidental poisoning and exposure to noxious substances (E850-E869,E924.1)													
All races, female													
1998	2,897	4	13	14	168	499	1,083	559	188	130	152	84	3
1997	2,544	-	11	20	145	465	906	463	171	114	157	92	-
1996	2,498	7	14	17	121	486	843	439	173	129	157	110	2
1995	2,187	2	10	18	134	436	756	368	131	131	122	79	-
1994	2,236	6	20	25	126	469	721	335	144	141	133	115	1
1993	2,061	7	28	24	116	458	696	264	128	117	133	90	-
1992	1,738	3	17	10	139	412	483	222	99	125	135	93	-
1991	1,744	4	20	23	108	381	442	195	144	148	160	116	3
1990	1,605	8	22	15	116	405	354	178	149	112	124	120	2
1989	1,757	11	21	16	149	453	365	184	145	139	166	104	4
1988	1,769	6	22	24	157	441	361	165	166	156	134	136	1
1987	1,534	6	17	17	173	348	278	150	159	133	148	104	1
1986	1,635	13	29	19	185	395	296	158	162	147	150	80	1
1985	1,512	13	20	19	186	341	228	176	170	142	135	82	-
1984	1,492	7	31	21	199	365	209	185	158	143	122	51	1
1983	1,546	13	21	28	229	332	217	193	157	148	133	72	3
1982	1,508	10	37	19	200	306	221	213	176	152	112	61	1
1981	1,475	10	31	21	186	282	211	235	179	132	126	60	2
1980	1,442	10	32	22	238	272	186	187	185	137	117	56	-
1979	1,577	12	45	27	265	289	212	218	229	130	103	45	2
Accidental poisoning and exposure to noxious substances (E850-E869,E924.1)													
White, both sexes													
1998	8,691	6	22	29	744	1,794	3,421	1,657	406	243	244	121	4
1997	8,065	5	21	24	634	1,844	3,121	1,456	361	221	240	124	14
1996	7,498	12	21	42	534	1,728	2,838	1,328	349	248	241	146	11
1995	7,017	4	16	36	538	1,743	2,711	1,109	318	224	201	114	3
1994	6,859	6	22	37	455	1,835	2,609	953	310	257	219	152	4
1993	6,564	13	37	38	424	1,803	2,553	820	306	232	213	121	4
1992	5,477	7	21	26	452	1,531	1,923	643	248	259	228	135	4
1991	4,834	12	23	42	444	1,447	1,461	445	288	251	255	158	8
1990	4,552	13	32	35	412	1,341	1,326	418	315	260	222	171	7
1989	5,047	9	33	34	511	1,618	1,344	452	315	289	277	156	9
1988	4,767	11	33	39	481	1,603	1,147	432	324	281	242	167	7
1987	4,126	8	24	30	515	1,310	898	362	312	256	263	141	7
1986	4,665	19	51	46	576	1,597	971	403	340	279	257	122	4
1985	4,196	14	40	47	550	1,404	784	374	359	269	241	111	3
1984	3,979	14	45	48	589	1,322	652	387	340	282	203	96	1
1983	3,815	14	43	44	630	1,147	592	404	357	253	218	108	5
1982	3,865	9	53	40	693	1,157	551	424	370	274	192	100	2
1981	3,692	10	46	59	682	1,029	485	466	355	255	224	78	3
1980	3,598	16	53	41	722	978	477	419	366	256	178	89	3
1979	3,800	15	49	53	875	908	484	456	438	263	182	74	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Accidental poisoning and exposure to noxious substances (E850-E869,E924.1)													
White, male													
1998	6,393	4	11	17	603	1,395	2,584	1,244	250	128	111	44	2
1997	6,096	5	13	14	516	1,461	2,462	1,118	228	125	101	39	14
1996	5,589	7	12	31	436	1,354	2,239	992	215	135	107	51	10
1995	5,371	3	12	22	430	1,422	2,183	836	210	107	100	43	3
1994	5,209	4	13	22	358	1,494	2,123	712	189	137	105	49	3
1993	5,014	6	22	20	332	1,486	2,060	613	198	131	95	47	4
1992	4,161	5	15	20	346	1,239	1,595	461	165	151	107	53	4
1991	3,564	9	17	24	366	1,175	1,183	313	170	132	117	53	5
1990	3,313	6	21	23	334	1,063	1,065	274	189	163	111	59	5
1989	3,703	4	23	24	390	1,286	1,109	307	194	168	129	63	6
1988	3,427	9	17	23	375	1,297	899	303	187	139	126	46	6
1987	2,951	6	12	19	379	1,068	708	248	184	142	129	50	6
1986	3,343	9	28	30	423	1,303	748	273	199	154	122	50	4
1985	3,003	5	28	31	395	1,158	615	236	218	152	123	39	3
1984	2,777	9	23	31	435	1,054	484	236	200	157	101	47	-
1983	2,583	5	30	22	440	920	424	241	222	130	101	44	4
1982	2,641	3	27	24	535	933	376	244	217	146	92	43	1
1981	2,515	5	33	46	524	824	333	270	194	142	115	28	1
1980	2,409	9	34	26	525	771	331	252	204	140	76	38	3
1979	2,509	8	18	34	659	700	316	265	229	149	96	34	1
Accidental poisoning and exposure to noxious substances (E850-E869,E924.1)													
White, female													
1998	2,298	2	11	12	141	399	837	413	156	115	133	77	2
1997	1,969	-	8	10	118	383	659	338	133	96	139	85	-
1996	1,909	5	9	11	98	374	599	336	134	113	134	95	1
1995	1,646	1	4	14	108	321	528	273	108	117	101	71	-
1994	1,650	2	9	15	97	341	486	241	121	120	114	103	1
1993	1,550	7	15	18	92	317	493	207	108	101	118	74	-
1992	1,316	2	6	6	106	292	328	182	83	108	121	82	-
1991	1,270	3	6	18	78	272	278	132	118	119	138	105	3
1990	1,239	7	11	12	78	278	261	144	126	97	111	112	2
1989	1,344	5	10	10	121	332	235	145	121	121	148	93	3
1988	1,340	2	16	16	106	306	248	129	137	142	116	121	1
1987	1,175	2	12	11	136	242	190	114	128	114	134	91	1
1986	1,322	10	23	16	153	294	223	130	141	125	135	72	-
1985	1,193	9	12	16	155	246	169	138	141	117	118	72	-
1984	1,202	5	22	17	154	268	168	151	140	125	102	49	1
1983	1,232	9	13	22	190	227	168	163	135	123	117	64	1
1982	1,224	6	26	16	158	224	175	180	153	128	100	57	1
1981	1,177	5	13	13	158	205	152	196	161	113	109	50	2
1980	1,189	7	19	15	197	207	146	167	162	116	102	51	-
1979	1,291	7	31	19	216	208	168	191	209	114	86	40	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	Age groups											Age not stated	
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years		85 + years
Accidental poisoning and exposure to noxious substances (E850-E869,E924.1)													
All other, both sexes													
1998	2,117	3	6	4	116	359	820	579	136	43	35	14	2
1997	2,110	2	12	18	97	345	864	530	142	51	30	14	5
1996	2,021	4	21	10	105	365	797	486	127	45	39	19	3
1995	2,058	3	15	6	96	399	896	448	107	47	29	11	1
1994	2,142	7	17	19	107	483	864	412	113	60	38	19	3
1993	1,975	7	22	11	110	465	861	323	78	47	25	24	2
1992	1,611	5	20	10	106	432	645	226	69	47	29	20	2
1991	1,610	8	33	14	118	426	618	194	82	61	36	19	1
1990	1,263	2	23	9	108	384	434	133	79	48	26	17	-
1989	1,482	13	22	10	126	430	501	166	99	52	36	25	2
1988	1,465	6	28	14	135	466	447	155	99	51	39	22	3
1987	1,191	7	14	17	98	372	378	115	88	56	28	17	1
1986	1,082	5	18	8	98	366	297	103	79	57	35	14	2
1985	983	4	22	5	83	329	245	115	80	50	35	13	2
1984	938	7	32	8	101	333	209	100	60	42	39	6	1
1983	826	9	22	12	93	255	174	80	80	52	32	14	3
1982	875	11	31	7	94	296	168	108	74	53	24	9	-
1981	845	8	29	17	90	250	177	125	60	42	28	18	1
1980	745	6	30	11	120	212	126	84	62	45	35	14	-
1979	848	11	31	22	127	261	141	105	62	47	31	7	3
Accidental poisoning and exposure to noxious substances (E850-E869,E924.1)													
All other, male													
1998	1,518	1	4	2	89	259	574	433	104	28	16	7	1
1997	1,535	2	9	8	70	263	617	405	104	33	12	7	5
1996	1,432	2	16	4	82	253	553	383	88	29	16	4	2
1995	1,517	2	9	2	70	284	668	353	84	33	8	3	1
1994	1,556	3	6	9	78	355	629	318	90	39	19	7	3
1993	1,464	7	9	5	86	324	658	266	58	31	10	8	2
1992	1,189	4	9	6	73	312	490	186	53	30	15	9	2
1991	1,136	7	19	9	88	317	454	131	56	32	14	8	1
1990	897	1	12	6	70	257	341	99	56	33	13	9	-
1989	1,069	7	11	4	98	309	371	127	75	34	18	14	1
1988	1,036	2	22	6	84	331	334	119	70	37	21	7	3
1987	832	3	9	11	61	266	290	79	57	37	14	4	1
1986	769	2	12	5	66	265	224	75	58	35	20	6	1
1985	664	-	14	2	52	234	186	77	51	25	18	3	2
1984	648	5	23	4	56	236	168	66	42	24	19	4	1
1983	512	5	14	6	54	150	125	50	58	27	16	6	1
1982	591	7	20	4	52	214	122	75	51	29	12	5	-
1981	547	3	11	9	62	173	118	86	42	23	11	8	1
1980	492	3	17	4	79	147	86	64	39	24	20	9	-
1979	562	6	17	14	78	180	97	78	42	31	14	2	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Accidental poisoning and exposure to noxious substances (E850-E869,E924.1)													
All other, female													
1998	599	2	2	2	27	100	246	146	32	15	19	7	1
1997	575	-	3	10	27	82	247	125	38	18	18	7	-
1996	589	2	5	6	23	112	244	103	39	16	23	15	1
1995	541	1	6	4	26	115	228	95	23	14	21	8	-
1994	586	4	11	10	29	128	235	94	23	21	19	12	-
1993	511	-	13	6	24	141	203	57	20	16	15	16	-
1992	422	1	11	4	33	120	155	40	16	17	14	11	-
1991	474	1	14	5	30	109	164	63	26	29	22	11	-
1990	366	1	11	3	38	127	93	34	23	15	13	8	-
1989	413	6	11	6	28	121	130	39	24	18	18	11	1
1988	429	4	6	8	51	135	113	36	29	14	18	15	-
1987	359	4	5	6	37	106	88	36	31	19	14	13	-
1986	313	3	6	3	32	101	73	28	21	22	15	8	1
1985	319	4	8	3	31	95	59	38	29	25	17	10	-
1984	290	2	9	4	45	97	41	34	18	18	20	2	-
1983	314	4	8	6	39	105	49	30	22	25	16	8	2
1982	284	4	11	3	42	82	46	33	23	24	12	4	-
1981	298	5	18	8	28	77	59	39	18	19	17	10	-
1980	253	3	13	7	41	65	40	20	23	21	15	5	-
1979	286	5	14	8	49	81	44	27	20	16	17	5	-
Accidental poisoning and exposure to noxious substances (E850-E869,E924.1)													
Black, both sexes													
1998	1,901	3	4	3	84	299	758	539	130	34	32	13	2
1997	1,900	1	12	17	78	298	783	495	131	45	24	12	4
1996	1,839	4	21	9	84	320	745	450	114	40	33	17	2
1995	1,885	3	14	5	84	359	819	421	102	43	24	10	1
1994	1,971	6	15	13	96	434	810	386	103	56	33	17	2
1993	1,856	6	20	9	101	422	826	310	72	41	24	23	2
1992	1,493	5	17	7	90	395	613	213	63	43	28	17	2
1991	1,489	7	31	7	103	397	588	176	75	56	33	15	1
1990	1,158	2	20	6	95	352	409	122	72	42	22	16	-
1989	1,391	12	20	7	112	408	482	148	95	47	34	24	2
1988	1,367	6	26	11	116	440	425	150	88	47	35	20	3
1987	1,087	6	12	13	90	331	361	110	77	46	24	16	1
1986	995	5	17	7	80	336	275	98	75	52	35	13	2
1985	907	3	22	3	67	309	229	108	76	46	31	12	1
1984	868	6	30	7	84	312	197	96	53	39	37	6	1
1983	761	7	20	7	78	247	159	74	76	48	31	11	3
1982	797	9	29	7	87	267	159	93	66	49	22	9	-
1981	797	6	27	14	80	236	170	117	59	42	28	17	1
1980	697	5	26	8	110	199	120	78	60	43	34	14	-
1979	780	9	28	18	112	239	134	99	57	46	30	5	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Accidental poisoning and exposure to noxious substances (E850-E869,E924.1)													
Black, male													
1998	1,363	1	3	1	68	210	530	403	101	24	14	7	1
1997	1,387	1	9	7	57	223	563	380	98	29	11	5	4
1996	1,301	2	16	3	68	219	513	356	82	28	11	2	1
1995	1,381	2	9	1	60	252	604	333	83	29	5	2	1
1994	1,437	2	4	6	70	320	593	299	84	36	16	5	2
1993	1,370	6	7	4	80	291	626	256	53	27	10	8	2
1992	1,110	4	8	5	64	286	467	176	50	26	15	7	2
1991	1,057	6	18	5	81	295	430	121	53	29	12	6	1
1990	823	1	9	4	62	238	318	92	52	27	12	8	-
1989	1,009	6	10	3	88	291	359	117	73	30	17	14	1
1988	967	2	20	4	75	310	317	114	63	34	19	6	3
1987	760	3	8	7	56	236	277	76	49	30	13	4	1
1986	707	2	11	4	52	245	209	71	55	32	20	5	1
1985	615	-	14	1	41	221	177	72	49	22	15	2	1
1984	599	4	21	3	44	220	160	64	38	22	18	4	1
1983	471	3	14	2	45	146	114	46	54	25	16	5	1
1982	540	6	18	4	47	193	116	68	44	28	11	5	-
1981	516	3	9	7	55	162	114	82	41	23	11	8	1
1980	458	3	15	3	70	135	83	61	37	23	19	9	-
1979	516	5	16	11	69	162	92	74	39	31	13	1	3
Accidental poisoning and exposure to noxious substances (E850-E869,E924.1)													
Black, female													
1998	538	2	1	2	16	89	228	136	29	10	18	6	1
1997	513	-	3	10	21	75	220	115	33	16	13	7	-
1996	538	2	5	6	16	101	232	94	32	12	22	15	1
1995	504	1	5	4	24	107	215	88	19	14	19	8	-
1994	534	4	11	7	26	114	217	87	19	20	17	12	-
1993	486	-	13	5	21	131	200	54	19	14	14	15	-
1992	383	1	9	2	26	109	146	37	13	17	13	10	-
1991	432	1	13	2	22	102	158	55	22	27	21	9	-
1990	335	1	11	2	33	114	91	30	20	15	10	8	-
1989	382	6	10	4	24	117	123	31	22	17	17	10	1
1988	400	4	6	7	41	130	108	36	25	13	16	14	-
1987	327	3	4	6	34	95	84	34	28	16	11	12	-
1986	288	3	6	3	28	91	66	27	20	20	15	8	1
1985	292	3	8	2	26	88	52	36	27	24	16	10	-
1984	269	2	9	4	40	92	37	32	15	17	19	2	-
1983	290	4	6	5	33	101	45	28	22	23	15	6	2
1982	257	3	11	3	40	74	43	25	22	21	11	4	-
1981	281	3	18	7	25	74	56	35	18	19	17	9	-
1980	239	2	11	5	40	64	37	17	23	20	15	5	-
1979	264	4	12	7	43	77	42	25	18	15	17	4	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other and unspecified nontransport accidents and their sequelae (Residual)													
All races, both sexes													
1998	13,078	424	290	331	656	946	1,343	1,305	1,183	1,694	2,568	2,323	15
1997	12,412	438	280	339	678	945	1,363	1,261	1,138	1,549	2,311	2,096	14
1996	12,229	412	297	320	656	993	1,270	1,174	1,081	1,696	2,253	2,060	17
1995	12,349	429	332	306	623	1,026	1,413	1,199	1,174	1,551	2,209	2,073	14
1994	11,807	469	307	317	652	1,017	1,315	1,179	1,082	1,502	2,111	1,841	15
1993	11,885	440	355	337	665	1,077	1,265	1,121	1,141	1,579	2,062	1,831	12
1992	11,149	391	307	344	657	1,130	1,229	956	1,122	1,477	1,941	1,580	15
1991	11,448	473	368	331	689	1,147	1,243	1,070	1,176	1,462	1,897	1,581	11
1990	11,533	478	311	350	727	1,272	1,219	1,063	1,270	1,493	1,901	1,442	7
1989	12,405	478	368	373	801	1,423	1,297	1,117	1,351	1,605	2,014	1,564	14
1988	12,949	418	362	377	935	1,355	1,291	1,169	1,431	1,775	2,083	1,728	25
1987	12,786	442	363	379	979	1,443	1,228	1,124	1,430	1,688	2,053	1,641	16
1986	12,814	414	392	362	1,055	1,464	1,204	1,073	1,469	1,733	2,031	1,592	25
1985	12,986	404	399	381	1,148	1,438	1,228	1,192	1,582	1,782	1,999	1,408	25
1984	12,680	378	404	425	1,189	1,431	1,282	1,208	1,478	1,673	1,874	1,319	19
1983	13,136	446	426	482	1,213	1,430	1,276	1,269	1,707	1,798	1,868	1,203	18
1982	12,760	464	422	459	1,430	1,538	1,228	1,327	1,594	1,647	1,580	1,057	14
1981	12,999	445	427	502	1,501	1,627	1,215	1,380	1,709	1,692	1,488	990	23
1980	14,662	558	455	546	1,642	1,533	1,247	1,589	1,938	2,071	1,962	1,103	18
1979	13,376	528	443	563	1,765	1,582	1,275	1,490	1,716	1,730	1,438	832	14
Other and unspecified nontransport accidents and their sequelae (Residual)													
All races, male													
1998	8,482	244	177	229	559	815	1,098	1,046	879	1,109	1,414	899	13
1997	8,220	253	177	249	571	793	1,128	1,025	888	1,021	1,266	839	10
1996	8,154	243	189	222	572	865	1,075	938	821	1,109	1,300	805	15
1995	8,311	240	198	225	540	889	1,205	982	879	1,053	1,220	867	13
1994	8,058	280	191	230	577	883	1,116	966	845	1,033	1,174	749	14
1993	8,068	251	208	252	580	939	1,092	924	834	1,072	1,166	741	9
1992	7,697	218	197	269	564	984	1,072	789	872	1,007	1,098	617	10
1991	7,909	287	213	259	586	1,006	1,069	866	898	1,004	1,084	628	9
1990	8,010	266	203	275	640	1,134	1,044	877	966	1,006	1,045	548	6
1989	8,684	264	240	277	712	1,269	1,115	939	1,053	1,098	1,085	619	13
1988	9,021	240	223	289	841	1,204	1,114	948	1,131	1,172	1,111	724	24
1987	9,000	256	227	291	876	1,290	1,062	933	1,106	1,105	1,148	693	13
1986	9,005	241	227	293	954	1,292	1,037	906	1,121	1,180	1,058	672	24
1985	9,301	220	257	308	1,022	1,282	1,069	969	1,236	1,145	1,130	640	23
1984	9,172	212	255	337	1,053	1,266	1,094	991	1,134	1,160	1,095	556	19
1983	9,381	269	270	360	1,083	1,254	1,105	1,028	1,298	1,197	985	517	15
1982	9,357	284	258	350	1,287	1,353	1,036	1,080	1,250	1,136	858	454	11
1981	9,675	255	274	383	1,347	1,441	1,036	1,124	1,338	1,173	842	441	21
1980	10,547	329	285	410	1,479	1,364	1,088	1,279	1,468	1,346	1,021	463	15
1979	10,067	316	275	435	1,585	1,397	1,113	1,218	1,337	1,191	814	375	11

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Other and unspecified nontransport accidents and their sequelae (Residual)													
All races, female													
1998	4,596	180	113	102	97	131	245	259	304	585	1,154	1,424	2
1997	4,192	185	103	90	107	152	235	236	250	528	1,045	1,257	4
1996	4,075	169	108	98	84	128	195	236	260	587	953	1,255	2
1995	4,038	189	134	81	83	137	208	217	295	498	989	1,206	1
1994	3,749	189	116	87	75	134	199	213	237	469	937	1,092	1
1993	3,817	189	147	85	85	138	173	197	307	507	896	1,090	3
1992	3,452	173	110	75	93	146	157	167	250	470	843	963	5
1991	3,539	186	155	72	103	141	174	204	278	458	813	953	2
1990	3,523	212	108	75	87	138	175	186	304	487	856	894	1
1989	3,721	214	128	96	89	154	182	178	298	507	929	945	1
1988	3,928	178	139	88	94	151	177	221	300	603	972	1,004	1
1987	3,786	186	136	88	103	153	166	191	324	583	905	948	3
1986	3,809	173	165	69	101	172	167	167	348	553	973	920	1
1985	3,685	184	142	73	126	156	159	223	346	637	869	768	2
1984	3,508	166	149	88	136	165	188	217	344	513	779	763	-
1983	3,755	177	156	122	130	176	171	241	409	601	883	686	3
1982	3,403	180	164	109	143	185	192	247	344	511	722	603	3
1981	3,324	190	153	119	154	186	179	256	371	519	646	549	2
1980	4,115	229	170	136	163	169	159	310	470	725	941	640	3
1979	3,309	212	168	128	180	185	162	272	379	539	624	457	3
Other and unspecified nontransport accidents and their sequelae (Residual)													
White, both sexes													
1998	11,141	279	218	274	568	813	1,103	1,070	983	1,462	2,282	2,076	13
1997	10,430	279	204	276	572	799	1,115	1,030	925	1,306	2,012	1,900	12
1996	10,288	271	216	247	563	829	1,050	954	877	1,424	1,966	1,877	14
1995	10,358	283	249	260	535	886	1,161	958	940	1,300	1,934	1,840	12
1994	9,885	303	222	268	568	853	1,064	961	864	1,284	1,855	1,631	12
1993	9,948	294	275	279	563	905	1,021	901	914	1,347	1,813	1,627	9
1992	9,322	233	229	290	567	943	1,006	756	920	1,253	1,680	1,434	11
1991	9,443	310	270	276	584	941	1,000	874	950	1,219	1,621	1,391	7
1990	9,549	294	247	288	606	1,058	972	858	1,038	1,247	1,654	1,283	4
1989	10,056	286	267	298	678	1,180	1,047	862	1,044	1,318	1,719	1,350	7
1988	10,633	263	273	324	813	1,101	1,002	900	1,136	1,453	1,800	1,547	21
1987	10,597	299	282	320	840	1,182	967	892	1,169	1,405	1,782	1,449	10
1986	10,606	274	299	294	913	1,210	978	844	1,194	1,439	1,728	1,412	21
1985	10,666	294	320	316	1,001	1,189	982	903	1,282	1,464	1,667	1,230	18
1984	10,629	264	310	349	1,047	1,216	1,055	972	1,219	1,395	1,614	1,172	16
1983	10,775	300	336	424	1,064	1,192	1,024	988	1,356	1,459	1,556	1,063	13
1982	10,671	331	338	392	1,252	1,309	990	1,044	1,288	1,387	1,376	954	10
1981	10,924	303	349	430	1,325	1,365	998	1,111	1,429	1,422	1,299	875	18
1980	11,728	373	360	476	1,429	1,262	979	1,209	1,499	1,633	1,557	939	12
1979	11,171	354	354	475	1,562	1,312	1,020	1,191	1,442	1,468	1,252	732	9

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other and unspecified nontransport accidents and their sequelae (Residual)													
White, male													
1998	7,209	163	134	183	486	705	921	856	741	957	1,260	791	12
1997	6,928	161	129	211	486	683	926	853	733	869	1,106	761	10
1996	6,875	163	136	174	499	733	906	777	677	941	1,133	724	12
1995	6,997	170	150	194	470	774	1,005	800	703	894	1,068	758	11
1994	6,742	183	137	197	505	750	904	797	683	886	1,034	655	11
1993	6,759	171	169	209	498	792	890	747	678	913	1,027	658	7
1992	6,463	141	151	226	501	832	888	634	725	857	946	555	7
1991	6,502	180	157	216	517	830	866	708	719	842	917	543	7
1990	6,624	160	166	225	538	954	844	706	791	841	916	479	4
1989	7,027	156	169	226	613	1,063	908	731	821	898	907	528	7
1988	7,360	155	169	246	737	985	874	730	885	965	953	640	21
1987	7,427	172	177	244	752	1,065	845	740	909	932	987	596	8
1986	7,465	160	175	241	829	1,081	851	709	920	998	890	591	20
1985	7,642	165	204	261	900	1,076	856	740	998	946	933	547	16
1984	7,718	148	202	277	938	1,103	904	809	935	964	936	486	16
1983	7,731	178	216	321	955	1,065	890	814	1,047	977	812	445	11
1982	7,843	208	212	303	1,136	1,162	842	857	1,015	954	738	408	8
1981	8,165	177	222	333	1,197	1,229	852	903	1,119	995	735	387	16
1980	8,622	229	233	365	1,299	1,128	869	988	1,159	1,098	842	400	12
1979	8,420	221	222	365	1,416	1,168	897	982	1,118	1,011	694	319	7
Other and unspecified nontransport accidents and their sequelae (Residual)													
White, female													
1998	3,932	116	84	91	82	108	182	214	242	505	1,022	1,285	1
1997	3,502	118	75	65	86	116	189	177	192	437	906	1,139	2
1996	3,413	108	80	73	64	96	144	177	200	483	833	1,153	2
1995	3,361	113	99	66	65	112	156	158	237	406	866	1,082	1
1994	3,143	120	85	71	63	103	160	164	181	398	821	976	1
1993	3,189	123	106	70	65	113	131	154	236	434	786	969	2
1992	2,859	92	78	64	66	111	118	122	195	396	734	879	4
1991	2,941	130	113	60	67	111	134	166	231	377	704	848	-
1990	2,925	134	81	63	68	104	128	152	247	406	738	804	-
1989	3,029	130	98	72	65	117	139	131	223	420	812	822	-
1988	3,273	108	104	78	76	116	128	170	251	488	847	907	-
1987	3,170	127	105	76	88	117	122	152	260	473	795	853	2
1986	3,141	114	124	53	84	129	127	135	274	441	838	821	1
1985	3,024	129	116	55	101	113	126	163	284	518	734	683	2
1984	2,911	116	108	72	109	113	151	163	284	431	678	686	-
1983	3,044	122	120	103	109	127	134	174	309	482	744	618	2
1982	2,828	123	126	89	116	147	148	187	273	433	638	546	2
1981	2,759	126	127	97	128	136	146	208	310	427	564	488	2
1980	3,106	144	127	111	130	134	110	221	340	535	715	539	-
1979	2,751	133	132	110	146	144	123	209	324	457	558	413	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other and unspecified nontransport accidents and their sequelae (Residual)													
All other, both sexes													
1998	1,937	145	72	57	88	133	240	235	200	232	286	247	2
1997	1,982	159	76	63	106	146	248	231	213	243	299	196	2
1996	1,941	141	81	73	93	164	220	220	204	272	287	183	3
1995	1,991	146	83	46	88	140	252	241	234	251	275	233	2
1994	1,922	166	85	49	84	164	251	218	218	218	256	210	3
1993	1,937	146	80	58	102	172	244	220	227	232	249	204	3
1992	1,827	158	78	54	90	187	223	200	202	224	261	146	4
1991	2,005	163	98	55	105	206	243	196	226	243	276	190	4
1990	1,984	184	64	62	121	214	247	205	232	246	247	159	3
1989	2,349	192	101	75	123	243	250	255	307	287	295	214	7
1988	2,316	155	89	53	122	254	289	269	295	322	283	181	4
1987	2,189	143	81	59	139	261	261	232	261	283	271	192	6
1986	2,208	140	93	68	142	254	226	229	275	294	303	180	4
1985	2,320	110	79	65	147	249	246	289	300	318	332	178	7
1984	2,051	114	94	76	142	215	227	236	259	278	260	147	3
1983	2,361	146	90	58	149	238	252	281	351	339	312	140	5
1982	2,089	133	84	67	178	229	238	283	306	260	204	103	4
1981	2,075	142	78	72	176	262	217	269	280	270	189	115	5
1980	2,934	185	95	70	213	271	268	380	439	438	405	164	6
1979	2,205	174	89	88	203	270	255	299	274	262	186	100	5
Other and unspecified nontransport accidents and their sequelae (Residual)													
All other, male													
1998	1,273	81	43	46	73	110	177	190	138	152	154	108	1
1997	1,292	92	48	38	85	110	202	172	155	152	160	78	-
1996	1,279	80	53	48	73	132	169	161	144	168	167	81	3
1995	1,314	70	48	31	70	115	200	182	176	159	152	109	2
1994	1,316	97	54	33	72	133	212	169	162	147	140	94	3
1993	1,309	80	39	43	82	147	202	177	156	159	139	83	2
1992	1,234	77	46	43	63	152	184	155	147	150	152	62	3
1991	1,407	107	56	43	69	176	203	158	179	162	167	85	2
1990	1,386	106	37	50	102	180	200	171	175	165	129	69	2
1989	1,657	108	71	51	99	206	207	208	232	200	178	91	6
1988	1,661	85	54	43	104	219	240	218	246	207	158	84	3
1987	1,573	84	50	47	124	225	217	193	197	173	161	97	5
1986	1,540	81	52	52	125	211	186	197	201	182	168	81	4
1985	1,659	55	53	47	122	206	213	229	238	199	197	93	7
1984	1,454	64	53	60	115	163	190	182	199	196	159	70	3
1983	1,650	91	54	39	128	189	215	214	251	220	173	72	4
1982	1,514	76	46	47	151	191	194	223	235	182	120	46	3
1981	1,510	78	52	50	150	212	184	221	219	178	107	54	5
1980	1,925	100	52	45	180	236	219	291	309	248	179	63	3
1979	1,647	95	53	70	169	229	216	236	219	180	120	56	4

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other and unspecified nontransport accidents and their sequelae (Residual)													
All other, female													
1998	664	64	29	11	15	23	63	45	62	80	132	139	1
1997	690	67	28	25	21	36	46	59	58	91	139	118	2
1996	662	61	28	25	20	32	51	59	60	104	120	102	-
1995	677	76	35	15	18	25	52	59	58	92	123	124	-
1994	606	69	31	16	12	31	39	49	56	71	116	116	-
1993	628	66	41	15	20	25	42	43	71	73	110	121	1
1992	593	81	32	11	27	35	39	45	55	74	109	84	1
1991	598	56	42	12	36	30	40	38	47	81	109	105	2
1990	598	78	27	12	19	34	47	34	57	81	118	90	1
1989	692	84	30	24	24	37	43	47	75	87	117	123	1
1988	655	70	35	10	18	35	49	51	49	115	125	97	1
1987	616	59	31	12	15	36	44	39	64	110	110	95	1
1986	668	59	41	16	17	43	40	32	74	112	135	99	-
1985	661	55	26	18	25	43	33	60	62	119	135	85	-
1984	597	50	41	16	27	52	37	54	60	82	101	77	-
1983	711	55	36	19	21	49	37	67	100	119	139	68	1
1982	575	57	38	20	27	38	44	60	71	78	84	57	1
1981	565	64	26	22	26	50	33	48	61	92	82	61	-
1980	1,009	85	43	25	33	35	49	89	130	190	226	101	3
1979	558	79	36	18	34	41	39	63	55	82	66	44	1
Other and unspecified nontransport accidents and their sequelae (Residual)													
Black, both sexes													
1998	1,673	131	63	46	68	109	205	203	174	196	252	224	2
1997	1,674	146	55	50	86	115	200	199	180	208	264	169	2
1996	1,630	125	73	57	63	127	182	194	170	238	244	156	1
1995	1,737	131	64	36	67	109	217	212	203	228	261	207	2
1994	1,624	146	72	39	63	123	213	181	182	195	220	187	3
1993	1,666	130	72	44	75	134	216	186	200	205	218	184	2
1992	1,515	135	65	37	62	131	176	165	176	201	233	130	4
1991	1,713	138	83	46	83	170	200	168	197	206	251	168	3
1990	1,685	167	50	50	82	179	201	180	199	210	217	147	3
1989	2,059	171	93	64	91	197	209	226	276	264	270	193	5
1988	2,014	146	69	45	97	223	244	241	249	285	250	161	4
1987	1,889	129	65	48	107	217	230	209	228	249	241	163	3
1986	1,940	125	81	52	115	210	195	203	245	270	274	167	3
1985	2,039	99	65	50	112	207	215	255	278	290	301	160	7
1984	1,792	103	78	63	108	187	198	202	233	249	234	134	3
1983	2,097	139	78	46	119	204	215	253	315	313	284	128	3
1982	1,795	121	72	56	124	185	208	247	271	238	184	85	4
1981	1,842	129	67	56	146	221	192	242	254	253	178	99	5
1980	2,666	170	85	57	176	240	223	348	408	413	389	152	5
1979	1,944	161	82	77	166	232	226	264	246	234	163	88	5

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other and unspecified nontransport accidents and their sequelae (Residual)													
Black, male													
1998	1,085	75	36	38	55	89	150	167	120	129	133	92	1
1997	1,078	87	34	31	67	88	165	145	128	126	142	65	-
1996	1,044	71	46	35	46	100	134	145	122	149	131	64	1
1995	1,132	63	36	22	55	90	171	163	152	141	144	93	2
1994	1,111	86	46	27	54	102	178	140	140	133	120	82	3
1993	1,116	72	35	30	60	114	180	155	138	140	115	76	1
1992	996	65	36	29	43	104	143	123	129	135	136	50	3
1991	1,191	95	46	36	56	143	170	133	156	134	150	70	2
1990	1,167	96	28	43	70	149	165	148	152	142	108	64	2
1989	1,436	97	66	46	73	167	176	181	204	183	160	79	4
1988	1,424	81	41	36	82	194	201	193	207	177	136	73	3
1987	1,345	74	39	38	93	185	189	178	169	155	139	83	3
1986	1,343	71	47	39	104	175	163	174	175	167	151	74	3
1985	1,463	50	44	37	95	175	191	206	219	184	174	81	7
1984	1,257	60	41	50	88	140	163	154	179	177	142	60	3
1983	1,451	87	47	33	101	164	180	192	228	201	151	65	2
1982	1,292	68	39	40	104	156	167	194	209	169	106	37	3
1981	1,330	71	43	37	126	181	164	198	197	165	99	44	5
1980	1,713	90	47	39	147	207	181	268	282	227	167	56	2
1979	1,446	90	48	61	138	197	190	210	194	163	103	48	4
Other and unspecified nontransport accidents and their sequelae (Residual)													
Black, female													
1998	588	56	27	8	13	20	55	36	54	67	119	132	1
1997	596	59	21	19	19	27	35	54	52	82	122	104	2
1996	586	54	27	22	17	27	48	49	48	89	113	92	-
1995	605	68	28	14	12	19	46	49	51	87	117	114	-
1994	513	60	26	12	9	21	35	41	42	62	100	105	-
1993	550	58	37	14	15	20	36	31	62	65	103	108	1
1992	519	70	29	8	19	27	33	42	47	66	97	80	1
1991	522	43	37	10	27	27	30	35	41	72	101	98	1
1990	518	71	22	7	12	30	36	32	47	68	109	83	1
1989	623	74	27	18	18	30	33	45	72	81	110	114	1
1988	590	65	28	9	15	29	43	48	42	108	114	88	1
1987	544	55	26	10	14	32	41	31	59	94	102	80	-
1986	597	54	34	13	11	35	32	29	70	103	123	93	-
1985	576	49	21	13	17	32	24	49	59	106	127	79	-
1984	535	43	37	13	20	47	35	48	54	72	92	74	-
1983	646	52	31	13	18	40	35	61	87	112	133	63	1
1982	503	53	33	16	20	29	41	53	62	69	78	48	1
1981	512	58	24	19	20	40	28	44	57	88	79	55	-
1980	953	80	38	18	29	33	42	80	126	186	222	96	3
1979	498	71	34	16	28	35	36	54	52	71	60	40	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	15-24 25-34 35-44 45-54 55-64 65-74 75-84												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	years	years	years	years	years	years	years	85 + years	
Intentional self-harm (suicide) (E950-E959)													
All races, both sexes													
1998	30,575	---	---	324	4,135	5,365	6,837	5,131	2,963	2,597	2,355	851	17
1997	30,535	---	---	307	4,186	5,672	6,730	4,948	2,946	2,663	2,260	805	18
1996	30,903	---	---	302	4,358	5,861	6,741	4,837	2,925	2,806	2,290	759	24
1995	31,284	---	---	337	4,784	6,292	6,467	4,532	2,804	2,960	2,311	785	12
1994	31,142	---	---	322	4,956	6,354	6,375	4,296	2,812	2,865	2,332	811	19
1993	31,102	---	---	321	4,849	6,307	6,170	4,168	3,061	3,040	2,390	778	18
1992	30,484	---	---	314	4,693	6,172	6,009	4,018	3,105	3,038	2,408	714	13
1991	30,810	---	---	266	4,751	6,514	5,767	3,983	3,241	3,084	2,426	758	20
1990	30,906	---	---	264	4,869	6,550	5,717	3,718	3,383	3,230	2,493	671	11
1989	30,232	---	---	240	4,870	6,565	5,331	3,642	3,342	3,275	2,259	694	14
1988	30,407	---	---	243	4,929	6,710	5,205	3,532	3,406	3,296	2,462	605	19
1987	30,796	---	---	251	4,924	6,655	5,132	3,707	3,650	3,428	2,402	634	13
1986	30,904	---	---	255	5,120	6,711	5,013	3,736	3,782	3,414	2,283	578	12
1985	29,453	---	---	278	5,121	6,376	4,626	3,532	3,725	3,145	2,126	517	7
1984	29,286	---	---	232	5,026	6,392	4,602	3,648	3,850	3,141	1,894	482	19
1983	28,295	---	---	205	4,845	6,338	4,306	3,629	3,673	2,924	1,871	489	15
1982	28,242	---	---	200	5,025	6,316	4,315	3,710	3,741	2,812	1,678	429	16
1981	27,596	---	---	167	5,161	6,343	4,207	3,629	3,589	2,574	1,487	417	22
1980	26,869	---	---	142	5,239	5,920	3,935	3,623	3,456	2,630	1,477	430	17
1979	27,206	---	---	152	5,246	5,857	3,876	3,789	3,568	2,730	1,577	394	17
Intentional self-harm (suicide) (E950-E959)													
All races, male													
1998	24,538	---	---	241	3,532	4,404	5,296	3,896	2,305	2,161	2,000	686	17
1997	24,492	---	---	233	3,559	4,684	5,223	3,697	2,331	2,183	1,895	671	16
1996	24,998	---	---	225	3,724	4,848	5,300	3,684	2,306	2,307	1,945	641	18
1995	25,369	---	---	260	4,132	5,234	5,080	3,465	2,214	2,393	1,938	642	11
1994	25,174	---	---	234	4,302	5,295	4,970	3,229	2,198	2,300	1,976	653	17
1993	25,007	---	---	233	4,119	5,218	4,842	3,134	2,372	2,425	2,003	646	15
1992	24,457	---	---	232	4,044	5,102	4,680	2,999	2,386	2,432	2,002	571	9
1991	24,769	---	---	208	4,073	5,361	4,475	2,979	2,517	2,466	2,059	614	17
1990	24,724	---	---	195	4,160	5,339	4,424	2,836	2,563	2,546	2,099	554	8
1989	24,102	---	---	184	4,106	5,339	4,103	2,711	2,510	2,675	1,895	567	12
1988	24,078	---	---	181	4,143	5,463	3,975	2,553	2,576	2,622	2,050	498	17
1987	24,272	---	---	199	4,109	5,370	3,877	2,692	2,758	2,724	1,993	539	11
1986	24,226	---	---	199	4,276	5,450	3,742	2,708	2,788	2,712	1,856	484	11
1985	23,145	---	---	205	4,267	5,134	3,481	2,572	2,814	2,488	1,749	428	7
1984	22,689	---	---	177	4,149	5,125	3,401	2,582	2,844	2,451	1,553	390	17
1983	21,786	---	---	152	3,981	5,017	3,169	2,590	2,684	2,247	1,535	397	14
1982	21,625	---	---	160	4,161	4,939	3,107	2,614	2,708	2,182	1,377	363	14
1981	20,809	---	---	119	4,201	4,906	3,007	2,455	2,565	1,958	1,226	354	18
1980	20,505	---	---	116	4,336	4,598	2,824	2,520	2,485	2,053	1,212	345	16
1979	20,256	---	---	104	4,245	4,505	2,680	2,527	2,505	2,088	1,265	322	15

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Intentional self-harm (suicide) (E950-E959)													
All races, female													
1998	6,037	---	---	83	603	961	1,541	1,235	658	436	355	165	-
1997	6,043	---	---	74	627	988	1,507	1,251	615	480	365	134	2
1996	5,905	---	---	77	634	1,013	1,441	1,153	619	499	345	118	6
1995	5,915	---	---	77	652	1,058	1,387	1,067	590	567	373	143	1
1994	5,968	---	---	88	654	1,059	1,405	1,067	614	565	356	158	2
1993	6,095	---	---	88	730	1,089	1,328	1,034	689	615	387	132	3
1992	6,027	---	---	82	649	1,070	1,329	1,019	719	606	406	143	4
1991	6,041	---	---	58	678	1,153	1,292	1,004	724	618	367	144	3
1990	6,182	---	---	69	709	1,211	1,293	882	820	684	394	117	3
1989	6,130	---	---	56	764	1,226	1,228	931	832	600	364	127	2
1988	6,329	---	---	62	786	1,247	1,230	979	830	674	412	107	2
1987	6,524	---	---	52	815	1,285	1,255	1,015	892	704	409	95	2
1986	6,678	---	---	56	844	1,261	1,271	1,028	994	702	427	94	1
1985	6,308	---	---	73	854	1,242	1,145	960	911	657	377	89	-
1984	6,597	---	---	55	877	1,267	1,201	1,066	1,006	690	341	92	2
1983	6,509	---	---	53	864	1,321	1,137	1,039	989	677	336	92	1
1982	6,617	---	---	40	864	1,377	1,208	1,096	1,033	630	301	66	2
1981	6,787	---	---	48	960	1,437	1,200	1,174	1,024	616	261	63	4
1980	6,364	---	---	26	903	1,322	1,111	1,103	971	577	265	85	1
1979	6,950	---	---	48	1,001	1,352	1,196	1,262	1,063	642	312	72	2
Intentional self-harm (suicide) (E950-E959)													
White, both sexes													
1998	27,648	---	---	274	3,434	4,559	6,278	4,753	2,793	2,456	2,262	824	15
1997	27,513	---	---	255	3,456	4,887	6,109	4,615	2,739	2,499	2,169	771	13
1996	27,856	---	---	248	3,639	5,009	6,102	4,509	2,737	2,651	2,205	737	19
1995	28,187	---	---	289	4,003	5,420	5,842	4,225	2,622	2,784	2,230	761	11
1994	27,976	---	---	271	4,078	5,490	5,722	4,030	2,631	2,705	2,253	783	13
1993	28,035	---	---	262	4,037	5,444	5,567	3,869	2,886	2,895	2,307	752	16
1992	27,611	---	---	271	3,935	5,359	5,427	3,734	2,953	2,911	2,319	691	11
1991	27,996	---	---	228	4,078	5,674	5,269	3,695	3,035	2,939	2,330	734	14
1990	28,086	---	---	223	4,182	5,683	5,183	3,449	3,201	3,083	2,429	642	11
1989	27,424	---	---	198	4,142	5,697	4,817	3,418	3,167	3,115	2,188	670	12
1988	27,790	---	---	201	4,308	5,844	4,750	3,285	3,246	3,163	2,388	588	17
1987	28,217	---	---	219	4,328	5,850	4,674	3,464	3,487	3,255	2,319	610	11
1986	28,437	---	---	214	4,591	5,919	4,584	3,504	3,596	3,248	2,214	559	8
1985	27,087	---	---	246	4,509	5,659	4,264	3,304	3,546	2,995	2,056	503	5
1984	27,002	---	---	204	4,489	5,681	4,230	3,421	3,650	3,007	1,840	467	13
1983	26,157	---	---	170	4,291	5,698	3,975	3,416	3,507	2,812	1,803	473	12
1982	26,141	---	---	171	4,500	5,631	3,982	3,510	3,586	2,705	1,626	416	14
1981	25,452	---	---	156	4,631	5,641	3,859	3,427	3,413	2,475	1,430	401	19
1980	24,829	---	---	132	4,692	5,267	3,618	3,416	3,302	2,539	1,436	411	16
1979	24,945	---	---	139	4,602	5,157	3,550	3,569	3,396	2,613	1,523	381	15

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Intentional self-harm (suicide) (E950-E959)													
White, male													
1998	22,174	---	---	205	2,934	3,734	4,860	3,613	2,173	2,042	1,930	668	15
1997	22,042	---	---	194	2,941	4,026	4,720	3,455	2,166	2,057	1,823	648	12
1996	22,547	---	---	182	3,109	4,146	4,789	3,440	2,166	2,195	1,880	627	13
1995	22,853	---	---	223	3,459	4,514	4,584	3,228	2,073	2,262	1,873	627	10
1994	22,581	---	---	196	3,550	4,570	4,435	3,033	2,066	2,175	1,912	632	12
1993	22,524	---	---	186	3,433	4,506	4,354	2,900	2,242	2,319	1,941	629	14
1992	22,126	---	---	196	3,392	4,429	4,219	2,791	2,272	2,335	1,928	555	9
1991	22,452	---	---	175	3,476	4,663	4,085	2,759	2,352	2,352	1,981	597	12
1990	22,448	---	---	165	3,569	4,625	4,008	2,630	2,428	2,435	2,046	534	8
1989	21,858	---	---	152	3,498	4,622	3,709	2,549	2,384	2,543	1,844	547	10
1988	21,980	---	---	151	3,618	4,746	3,629	2,374	2,450	2,519	1,991	486	16
1987	22,188	---	---	174	3,617	4,710	3,513	2,507	2,633	2,584	1,921	520	9
1986	22,270	---	---	168	3,841	4,807	3,394	2,537	2,663	2,582	1,803	468	7
1985	21,256	---	---	183	3,753	4,535	3,209	2,402	2,674	2,375	1,701	419	5
1984	20,882	---	---	158	3,713	4,537	3,110	2,425	2,695	2,348	1,505	380	11
1983	20,097	---	---	135	3,530	4,483	2,926	2,433	2,559	2,153	1,483	384	11
1982	19,965	---	---	134	3,737	4,382	2,855	2,466	2,593	2,096	1,336	354	12
1981	19,166	---	---	113	3,775	4,361	2,757	2,306	2,431	1,887	1,176	344	16
1980	18,901	---	---	108	3,881	4,082	2,591	2,370	2,364	1,980	1,182	328	15
1979	18,504	---	---	94	3,727	3,951	2,430	2,362	2,386	2,000	1,231	310	13
Intentional self-harm (suicide) (E950-E959)													
White, female													
1998	5,474	---	---	69	500	825	1,418	1,140	620	414	332	156	-
1997	5,471	---	---	61	515	861	1,389	1,160	573	442	346	123	1
1996	5,309	---	---	66	530	863	1,313	1,069	571	456	325	110	6
1995	5,334	---	---	66	544	906	1,258	997	549	522	357	134	1
1994	5,395	---	---	75	528	920	1,287	997	565	530	341	151	1
1993	5,511	---	---	76	604	938	1,213	969	644	576	366	123	2
1992	5,485	---	---	75	543	930	1,208	943	681	576	391	136	2
1991	5,544	---	---	53	602	1,011	1,184	936	683	587	349	137	2
1990	5,638	---	---	58	613	1,058	1,175	819	773	648	383	108	3
1989	5,566	---	---	46	644	1,075	1,108	869	783	572	344	123	2
1988	5,810	---	---	50	690	1,098	1,121	911	796	644	397	102	1
1987	6,029	---	---	45	711	1,140	1,161	957	854	671	398	90	2
1986	6,167	---	---	46	750	1,112	1,190	967	933	666	411	91	1
1985	5,831	---	---	63	756	1,124	1,055	902	872	620	355	84	-
1984	6,120	---	---	46	776	1,144	1,120	996	955	659	335	87	2
1983	6,060	---	---	35	761	1,215	1,049	983	948	659	320	89	1
1982	6,176	---	---	37	763	1,249	1,127	1,044	993	609	290	62	2
1981	6,286	---	---	43	856	1,280	1,102	1,121	982	588	254	57	3
1980	5,928	---	---	24	811	1,185	1,027	1,046	938	559	254	83	1
1979	6,441	---	---	45	875	1,206	1,120	1,207	1,010	613	292	71	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Intentional self-harm (suicide) (E950-E959)													
All other, both sexes													
1998	2,927	---	---	50	701	806	559	378	170	141	93	27	2
1997	3,022	---	---	52	730	785	621	333	207	164	91	34	5
1996	3,047	---	---	54	719	852	639	328	188	155	85	22	5
1995	3,097	---	---	48	781	872	625	307	182	176	81	24	1
1994	3,166	---	---	51	878	864	653	266	181	160	79	28	6
1993	3,067	---	---	59	812	863	603	299	175	145	83	26	2
1992	2,873	---	---	43	758	813	582	284	152	127	89	23	2
1991	2,814	---	---	38	673	840	498	288	206	145	96	24	6
1990	2,820	---	---	41	687	867	534	269	182	147	64	29	-
1989	2,808	---	---	42	728	868	514	224	175	160	71	24	2
1988	2,617	---	---	42	621	866	455	247	160	133	74	17	2
1987	2,579	---	---	32	596	805	458	243	163	173	83	24	2
1986	2,467	---	---	41	529	792	429	232	186	166	69	19	4
1985	2,366	---	---	32	612	717	362	228	179	150	70	14	2
1984	2,284	---	---	28	537	711	372	227	200	134	54	15	6
1983	2,138	---	---	35	554	640	331	213	166	112	68	16	3
1982	2,101	---	---	29	525	685	333	200	155	107	52	13	2
1981	2,144	---	---	11	530	702	348	202	176	99	57	16	3
1980	2,040	---	---	10	547	653	317	207	154	91	41	19	1
1979	2,261	---	---	13	644	700	326	220	172	117	54	13	2
Intentional self-harm (suicide) (E950-E959)													
All other, male													
1998	2,364	---	---	36	598	670	436	283	132	119	70	18	2
1997	2,450	---	---	39	618	658	503	242	165	126	72	23	4
1996	2,451	---	---	43	615	702	511	244	140	112	65	14	5
1995	2,516	---	---	37	673	720	496	237	141	131	65	15	1
1994	2,593	---	---	38	752	725	535	196	132	125	64	21	5
1993	2,483	---	---	47	686	712	488	234	130	106	62	17	1
1992	2,331	---	---	36	652	673	461	208	114	97	74	16	-
1991	2,317	---	---	33	597	698	390	220	165	114	78	17	5
1990	2,276	---	---	30	591	714	416	206	135	111	53	20	-
1989	2,244	---	---	32	608	717	394	162	126	132	51	20	2
1988	2,098	---	---	30	525	717	346	179	126	103	59	12	1
1987	2,084	---	---	25	492	660	364	185	125	140	72	19	2
1986	1,956	---	---	31	435	643	348	171	125	130	53	16	4
1985	1,889	---	---	22	514	599	272	170	140	113	48	9	2
1984	1,807	---	---	19	436	588	291	157	149	103	48	10	6
1983	1,689	---	---	17	451	534	243	157	125	94	52	13	3
1982	1,660	---	---	26	424	557	252	148	115	86	41	9	2
1981	1,643	---	---	6	426	545	250	149	134	71	50	10	2
1980	1,604	---	---	8	455	516	233	150	121	73	30	17	1
1979	1,752	---	---	10	518	554	250	165	119	88	34	12	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Intentional self-harm (suicide) (E950-E959)													
All other, female													
1998	563	---	---	14	103	136	123	95	38	22	23	9	-
1997	572	---	---	13	112	127	118	91	42	38	19	11	1
1996	596	---	---	11	104	150	128	84	48	43	20	8	-
1995	581	---	---	11	108	152	129	70	41	45	16	9	-
1994	573	---	---	13	126	139	118	70	49	35	15	7	1
1993	584	---	---	12	126	151	115	65	45	39	21	9	1
1992	542	---	---	7	106	140	121	76	38	30	15	7	2
1991	497	---	---	5	76	142	108	68	41	31	18	7	1
1990	544	---	---	11	96	153	118	63	47	36	11	9	-
1989	564	---	---	10	120	151	120	62	49	28	20	4	-
1988	519	---	---	12	96	149	109	68	34	30	15	5	1
1987	495	---	---	7	104	145	94	58	38	33	11	5	-
1986	511	---	---	10	94	149	81	61	61	36	16	3	-
1985	477	---	---	10	98	118	90	58	39	37	22	5	-
1984	477	---	---	9	101	123	81	70	51	31	6	5	-
1983	449	---	---	18	103	106	88	56	41	18	16	3	-
1982	441	---	---	3	101	128	81	52	40	21	11	4	-
1981	501	---	---	5	104	157	98	53	42	28	7	6	1
1980	436	---	---	2	92	137	84	57	33	18	11	2	-
1979	509	---	---	3	126	146	76	55	53	29	20	1	-
Intentional self-harm (suicide) (E950-E959)													
Black, both sexes													
1998	1,977	---	---	31	488	546	388	262	110	89	50	11	2
1997	2,103	---	---	40	513	567	453	218	131	107	52	17	5
1996	2,164	---	---	36	523	590	476	236	128	108	50	14	3
1995	2,231	---	---	31	552	633	484	222	121	118	56	13	1
1994	2,271	---	---	41	629	607	497	188	115	123	52	17	2
1993	2,259	---	---	41	608	649	448	223	117	97	61	14	1
1992	2,143	---	---	34	536	634	451	203	113	95	58	17	2
1991	2,097	---	---	32	479	645	390	216	139	109	68	14	5
1990	2,111	---	---	31	465	675	423	219	125	113	43	17	-
1989	2,153	---	---	34	525	689	412	172	130	123	49	17	2
1988	2,022	---	---	29	465	685	357	188	132	103	54	7	2
1987	1,963	---	---	25	425	652	354	175	120	136	66	9	1
1986	1,892	---	---	27	380	635	331	183	142	126	53	12	3
1985	1,795	---	---	22	424	556	290	188	133	115	59	7	1
1984	1,760	---	---	19	380	581	295	169	159	105	40	8	4
1983	1,623	---	---	27	399	505	253	166	125	92	44	11	1
1982	1,639	---	---	22	383	540	274	159	128	86	35	10	2
1981	1,658	---	---	7	387	568	261	157	140	79	47	9	3
1980	1,607	---	---	10	415	523	261	158	124	76	29	10	1
1979	1,812	---	---	8	486	587	265	177	148	96	34	9	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Intentional self-harm (suicide) (E950-E959)													
Black, male													
1998	1,659	---	---	23	425	468	313	210	88	80	41	9	2
1997	1,764	---	---	28	447	492	373	164	107	89	45	15	4
1996	1,820	---	---	28	461	503	397	184	108	87	39	10	3
1995	1,878	---	---	25	492	535	391	184	99	91	50	10	1
1994	1,922	---	---	33	556	521	413	148	90	100	44	15	2
1993	1,905	---	---	33	536	559	369	187	87	77	47	10	-
1992	1,803	---	---	29	478	539	369	157	90	76	53	12	-
1991	1,782	---	---	28	435	549	319	172	115	87	61	12	4
1990	1,737	---	---	22	404	567	332	174	95	90	40	13	-
1989	1,771	---	---	25	447	579	328	128	101	104	41	16	2
1988	1,648	---	---	17	394	574	285	134	103	85	48	7	1
1987	1,635	---	---	21	354	539	297	145	99	114	56	9	1
1986	1,537	---	---	21	316	529	278	140	94	102	42	12	3
1985	1,481	---	---	17	367	475	225	145	108	98	40	5	1
1984	1,432	---	---	14	311	488	239	123	124	84	38	7	4
1983	1,321	---	---	12	321	431	195	127	106	81	39	8	1
1982	1,327	---	---	20	317	447	209	120	104	69	30	9	2
1981	1,315	---	---	5	316	457	197	125	108	55	43	7	2
1980	1,297	---	---	8	346	429	193	123	100	63	24	10	1
1979	1,428	---	---	5	389	469	205	141	108	76	25	8	2
Intentional self-harm (suicide) (E950-E959)													
Black, female													
1998	318	---	---	8	63	78	75	52	22	9	9	2	-
1997	339	---	---	12	66	75	80	54	24	18	7	2	1
1996	344	---	---	8	62	87	79	52	20	21	11	4	-
1995	353	---	---	6	60	98	93	38	22	27	6	3	-
1994	349	---	---	8	73	86	84	40	25	23	8	2	-
1993	354	---	---	8	72	90	79	36	30	20	14	4	1
1992	340	---	---	5	58	95	82	46	23	19	5	5	2
1991	315	---	---	4	44	96	71	44	24	22	7	2	1
1990	374	---	---	9	61	108	91	45	30	23	3	4	-
1989	382	---	---	9	78	110	84	44	29	19	8	1	-
1988	374	---	---	12	71	111	72	54	29	18	6	-	1
1987	328	---	---	4	71	113	57	30	21	22	10	-	-
1986	355	---	---	6	64	106	53	43	48	24	11	-	-
1985	314	---	---	5	57	81	65	43	25	17	19	2	-
1984	328	---	---	5	69	93	56	46	35	21	2	1	-
1983	302	---	---	15	78	74	58	39	19	11	5	3	-
1982	312	---	---	2	66	93	65	39	24	17	5	1	-
1981	343	---	---	2	71	111	64	32	32	24	4	2	1
1980	310	---	---	2	69	94	68	35	24	13	5	-	-
1979	384	---	---	3	97	118	60	36	40	20	9	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Intentional self-harm (suicide) by discharge of firearms (E955.0-E955.4)													
All races, both sexes													
1998	17,424	---	---	154	2,510	2,789	3,329	2,652	1,873	1,831	1,739	543	4
1997	17,566	---	---	127	2,587	3,010	3,321	2,647	1,859	1,906	1,608	494	7
1996	18,166	---	---	162	2,724	3,120	3,417	2,707	1,842	2,034	1,650	500	10
1995	18,503	---	---	184	3,068	3,395	3,278	2,504	1,810	2,085	1,676	497	6
1994	18,765	---	---	188	3,344	3,532	3,264	2,443	1,797	2,010	1,684	497	6
1993	18,940	---	---	187	3,213	3,611	3,194	2,433	1,997	2,104	1,714	483	4
1992	18,169	---	---	175	3,073	3,358	3,079	2,289	1,960	2,166	1,643	424	2
1991	18,526	---	---	156	3,109	3,600	3,027	2,292	2,006	2,166	1,718	445	7
1990	18,885	---	---	144	3,165	3,773	3,045	2,189	2,167	2,245	1,750	401	6
1989	18,178	---	---	139	3,016	3,632	2,883	2,144	2,116	2,284	1,557	406	1
1988	18,169	---	---	126	3,015	3,706	2,808	2,074	2,170	2,241	1,676	347	6
1987	18,136	---	---	152	2,922	3,629	2,739	2,117	2,281	2,325	1,615	354	2
1986	18,153	---	---	142	3,097	3,627	2,679	2,138	2,323	2,318	1,511	314	4
1985	17,363	---	---	139	3,081	3,509	2,488	2,057	2,274	2,128	1,394	291	2
1984	17,113	---	---	117	2,967	3,567	2,479	2,051	2,336	2,084	1,243	263	6
1983	16,600	---	---	104	2,981	3,523	2,331	2,051	2,239	1,928	1,162	276	5
1982	16,560	---	---	113	3,139	3,452	2,429	2,090	2,211	1,821	1,065	234	6
1981	16,139	---	---	93	3,247	3,572	2,286	2,063	2,138	1,588	914	232	6
1980	15,396	---	---	80	3,256	3,235	2,156	1,969	1,979	1,630	860	228	3
1979	15,543	---	---	84	3,216	3,181	2,136	2,060	2,062	1,676	937	186	5
Intentional self-harm (suicide) by discharge of firearms (E955.0-E955.4)													
All races, male													
1998	15,104	---	---	118	2,219	2,390	2,772	2,213	1,608	1,660	1,606	514	4
1997	15,194	---	---	99	2,284	2,578	2,739	2,205	1,618	1,694	1,499	472	6
1996	15,808	---	---	129	2,424	2,695	2,854	2,257	1,600	1,831	1,532	477	9
1995	16,060	---	---	137	2,729	2,940	2,746	2,083	1,546	1,863	1,546	465	5
1994	16,287	---	---	140	2,988	3,037	2,699	2,018	1,570	1,791	1,569	469	6
1993	16,381	---	---	146	2,846	3,091	2,652	2,013	1,713	1,864	1,594	458	4
1992	15,802	---	---	137	2,756	2,904	2,588	1,902	1,684	1,907	1,524	398	2
1991	16,120	---	---	125	2,786	3,088	2,519	1,909	1,750	1,901	1,613	423	6
1990	16,285	---	---	106	2,778	3,199	2,522	1,825	1,846	1,976	1,640	388	5
1989	15,680	---	---	114	2,648	3,101	2,384	1,780	1,765	2,056	1,444	388	-
1988	15,656	---	---	98	2,658	3,156	2,319	1,689	1,846	2,001	1,561	322	6
1987	15,539	---	---	123	2,528	3,064	2,255	1,743	1,930	2,065	1,493	336	2
1986	15,518	---	---	115	2,678	3,049	2,197	1,758	1,953	2,051	1,407	306	4
1985	14,809	---	---	111	2,650	2,949	2,048	1,685	1,918	1,885	1,287	274	2
1984	14,504	---	---	87	2,517	3,008	1,989	1,664	1,969	1,858	1,161	245	6
1983	13,959	---	---	81	2,503	2,943	1,878	1,654	1,860	1,677	1,093	265	5
1982	13,872	---	---	87	2,645	2,845	1,939	1,666	1,836	1,618	1,002	228	6
1981	13,378	---	---	63	2,709	2,914	1,810	1,618	1,766	1,406	862	225	5
1980	12,937	---	---	62	2,782	2,674	1,727	1,569	1,630	1,460	813	218	2
1979	12,906	---	---	53	2,705	2,616	1,695	1,605	1,682	1,489	877	180	4

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Intentional self-harm (suicide) by discharge of firearms (E955.0-E955.4)													
All races, female													
1998	2,320	---	---	36	291	399	557	439	265	171	133	29	-
1997	2,372	---	---	28	303	432	582	442	241	212	109	22	1
1996	2,358	---	---	33	300	425	563	450	242	203	118	23	1
1995	2,443	---	---	47	339	455	532	421	264	222	130	32	1
1994	2,478	---	---	48	356	495	565	425	227	219	115	28	-
1993	2,559	---	---	41	367	520	542	420	284	240	120	25	-
1992	2,367	---	---	38	317	454	491	387	276	259	119	26	-
1991	2,406	---	---	31	323	512	508	383	256	265	105	22	1
1990	2,600	---	---	38	387	574	523	364	321	269	110	13	1
1989	2,498	---	---	25	368	531	499	364	351	228	113	18	1
1988	2,513	---	---	28	357	550	489	385	324	240	115	25	-
1987	2,597	---	---	29	394	565	484	374	351	260	122	18	-
1986	2,635	---	---	27	419	578	482	380	370	267	104	8	-
1985	2,554	---	---	28	431	560	440	372	356	243	107	17	-
1984	2,609	---	---	30	450	559	490	387	367	226	82	18	-
1983	2,641	---	---	23	478	580	453	397	379	251	69	11	-
1982	2,688	---	---	26	494	607	490	424	375	203	63	6	-
1981	2,761	---	---	30	538	658	476	445	372	182	52	7	1
1980	2,459	---	---	18	474	561	429	400	349	170	47	10	1
1979	2,637	---	---	31	511	565	441	455	380	187	60	6	1
Intentional self-harm (suicide) by discharge of firearms (E955.0-E955.4)													
White, both sexes													
1998	15,968	---	---	131	2,089	2,390	3,112	2,495	1,778	1,757	1,681	531	4
1997	16,014	---	---	106	2,120	2,596	3,084	2,513	1,753	1,799	1,559	479	5
1996	16,523	---	---	134	2,239	2,711	3,116	2,551	1,739	1,937	1,603	487	6
1995	16,860	---	---	161	2,553	2,952	3,016	2,361	1,709	1,990	1,628	484	6
1994	17,007	---	---	163	2,755	3,075	2,963	2,313	1,710	1,905	1,637	481	5
1993	17,271	---	---	152	2,678	3,162	2,927	2,278	1,903	2,028	1,663	476	4
1992	16,606	---	---	150	2,559	2,958	2,821	2,159	1,874	2,088	1,587	408	2
1991	16,974	---	---	139	2,677	3,160	2,801	2,141	1,889	2,077	1,653	433	4
1990	17,344	---	---	121	2,727	3,342	2,792	2,045	2,061	2,152	1,711	387	6
1989	16,671	---	---	121	2,590	3,213	2,618	2,026	2,012	2,182	1,517	391	1
1988	16,725	---	---	108	2,641	3,263	2,582	1,938	2,064	2,152	1,631	340	6
1987	16,753	---	---	142	2,583	3,220	2,503	1,993	2,186	2,222	1,558	344	2
1986	16,836	---	---	126	2,799	3,237	2,468	2,005	2,222	2,205	1,467	304	3
1985	16,120	---	---	131	2,745	3,165	2,303	1,930	2,169	2,041	1,348	286	2
1984	15,928	---	---	111	2,700	3,196	2,292	1,938	2,214	2,006	1,208	258	5
1983	15,508	---	---	93	2,690	3,202	2,177	1,937	2,160	1,850	1,126	268	5
1982	15,489	---	---	100	2,877	3,116	2,248	1,996	2,126	1,754	1,040	227	5
1981	14,975	---	---	89	2,941	3,204	2,109	1,958	2,039	1,528	876	225	6
1980	14,286	---	---	75	2,957	2,886	1,978	1,870	1,890	1,569	838	220	3
1979	14,278	---	---	81	2,856	2,810	1,967	1,933	1,949	1,598	905	176	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Intentional self-harm (suicide) by discharge of firearms (E955.0-E955.4)													
White, male													
1998	13,836	---	---	102	1,840	2,039	2,588	2,088	1,525	1,591	1,556	503	4
1997	13,820	---	---	84	1,863	2,209	2,527	2,093	1,524	1,604	1,453	458	5
1996	14,383	---	---	106	1,983	2,339	2,604	2,129	1,513	1,746	1,491	467	5
1995	14,613	---	---	119	2,267	2,549	2,516	1,961	1,460	1,778	1,503	455	5
1994	14,751	---	---	118	2,460	2,642	2,441	1,911	1,493	1,702	1,525	454	5
1993	14,919	---	---	118	2,361	2,698	2,428	1,877	1,634	1,799	1,549	451	4
1992	14,408	---	---	115	2,288	2,547	2,357	1,793	1,609	1,840	1,472	385	2
1991	14,734	---	---	110	2,383	2,697	2,325	1,779	1,649	1,823	1,552	412	4
1990	14,949	---	---	88	2,386	2,825	2,308	1,703	1,761	1,895	1,602	376	5
1989	14,378	---	---	99	2,272	2,732	2,169	1,677	1,680	1,966	1,409	374	-
1988	14,406	---	---	85	2,324	2,766	2,132	1,581	1,757	1,923	1,517	315	6
1987	14,333	---	---	115	2,236	2,713	2,047	1,631	1,849	1,971	1,443	326	2
1986	14,404	---	---	103	2,417	2,723	2,013	1,647	1,878	1,956	1,368	296	3
1985	13,750	---	---	103	2,361	2,654	1,894	1,577	1,825	1,808	1,256	270	2
1984	13,499	---	---	83	2,291	2,687	1,834	1,576	1,866	1,791	1,126	240	5
1983	13,018	---	---	75	2,259	2,661	1,747	1,556	1,791	1,607	1,059	258	5
1982	12,958	---	---	76	2,421	2,559	1,787	1,586	1,763	1,559	980	222	5
1981	12,409	---	---	61	2,456	2,607	1,666	1,526	1,682	1,362	826	218	5
1980	11,991	---	---	59	2,522	2,375	1,584	1,487	1,556	1,403	793	210	2
1979	11,859	---	---	50	2,408	2,308	1,553	1,497	1,593	1,425	852	171	2
Intentional self-harm (suicide) by discharge of firearms (E955.0-E955.4)													
White, female													
1998	2,132	---	---	29	249	351	524	407	253	166	125	28	-
1997	2,194	---	---	22	257	387	557	420	229	195	106	21	-
1996	2,140	---	---	28	256	372	512	422	226	191	112	20	1
1995	2,247	---	---	42	286	403	500	400	249	212	125	29	1
1994	2,256	---	---	45	295	433	522	402	217	203	112	27	-
1993	2,352	---	---	34	317	464	499	401	269	229	114	25	-
1992	2,198	---	---	35	271	411	464	366	265	248	115	23	-
1991	2,240	---	---	29	294	463	476	362	240	254	101	21	-
1990	2,395	---	---	33	341	517	484	342	300	257	109	11	1
1989	2,293	---	---	22	318	481	449	349	332	216	108	17	1
1988	2,319	---	---	23	317	497	450	357	307	229	114	25	-
1987	2,420	---	---	27	347	507	456	362	337	251	115	18	-
1986	2,432	---	---	23	382	514	455	358	344	249	99	8	-
1985	2,370	---	---	28	384	511	409	353	344	233	92	16	-
1984	2,429	---	---	28	409	509	458	362	348	215	82	18	-
1983	2,490	---	---	18	431	541	430	381	369	243	67	10	-
1982	2,531	---	---	24	456	557	461	410	363	195	60	5	-
1981	2,566	---	---	28	485	597	443	432	357	166	50	7	1
1980	2,295	---	---	16	435	511	394	383	334	166	45	10	1
1979	2,419	---	---	31	448	502	414	436	356	173	53	5	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Intentional self-harm (suicide) by discharge of firearms (E955.0-E955.4)													
All other, both sexes													
1998	1,456	---	---	23	421	399	217	157	95	74	58	12	-
1997	1,552	---	---	21	467	414	237	134	106	107	49	15	2
1996	1,643	---	---	28	485	409	301	156	103	97	47	13	4
1995	1,643	---	---	23	515	443	262	143	101	95	48	13	-
1994	1,758	---	---	25	589	457	301	130	87	105	47	16	1
1993	1,669	---	---	35	535	449	267	155	94	76	51	7	-
1992	1,563	---	---	25	514	400	258	130	86	78	56	16	-
1991	1,552	---	---	17	432	440	226	151	117	89	65	12	3
1990	1,541	---	---	23	438	431	253	144	106	93	39	14	-
1989	1,507	---	---	18	426	419	265	118	104	102	40	15	-
1988	1,444	---	---	18	374	443	226	136	106	89	45	7	-
1987	1,383	---	---	10	339	409	236	124	95	103	57	10	-
1986	1,317	---	---	16	298	390	211	133	101	113	44	10	1
1985	1,243	---	---	8	336	344	185	127	105	87	46	5	-
1984	1,185	---	---	6	267	371	187	113	122	78	35	5	1
1983	1,092	---	---	11	291	321	154	114	79	78	36	8	-
1982	1,071	---	---	13	262	336	181	94	85	67	25	7	1
1981	1,164	---	---	4	306	368	177	105	99	60	38	7	-
1980	1,110	---	---	5	299	349	178	99	89	61	22	8	-
1979	1,265	---	---	3	360	371	169	127	113	78	32	10	2
Intentional self-harm (suicide) by discharge of firearms (E955.0-E955.4)													
All other, male													
1998	1,268	---	---	16	379	351	184	125	83	69	50	11	-
1997	1,374	---	---	15	421	369	212	112	94	90	46	14	1
1996	1,425	---	---	23	441	356	250	128	87	85	41	10	4
1995	1,447	---	---	18	462	391	230	122	86	85	43	10	-
1994	1,536	---	---	22	528	395	258	107	77	89	44	15	1
1993	1,462	---	---	28	485	393	224	136	79	65	45	7	-
1992	1,394	---	---	22	468	357	231	109	75	67	52	13	-
1991	1,386	---	---	15	403	391	194	130	101	78	61	11	2
1990	1,336	---	---	18	392	374	214	122	85	81	38	12	-
1989	1,302	---	---	15	376	369	215	103	85	90	35	14	-
1988	1,250	---	---	13	334	390	187	108	89	78	44	7	-
1987	1,206	---	---	8	292	351	208	112	81	94	50	10	-
1986	1,114	---	---	12	261	326	184	111	75	95	39	10	1
1985	1,059	---	---	8	289	295	154	108	93	77	31	4	-
1984	1,005	---	---	4	226	321	155	88	103	67	35	5	1
1983	941	---	---	6	244	282	131	98	69	70	34	7	-
1982	914	---	---	11	224	286	152	80	73	59	22	6	1
1981	969	---	---	2	253	307	144	92	84	44	36	7	-
1980	946	---	---	3	260	299	143	82	74	57	20	8	-
1979	1,047	---	---	3	297	308	142	108	89	64	25	9	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Intentional self-harm (suicide) by discharge of firearms (E955.0-E955.4)													
All other, female													
1998	188	---	---	7	42	48	33	32	12	5	8	1	-
1997	178	---	---	6	46	45	25	22	12	17	3	1	1
1996	218	---	---	5	44	53	51	28	16	12	6	3	-
1995	196	---	---	5	53	52	32	21	15	10	5	3	-
1994	222	---	---	3	61	62	43	23	10	16	3	1	-
1993	207	---	---	7	50	56	43	19	15	11	6	-	-
1992	169	---	---	3	46	43	27	21	11	11	4	3	-
1991	166	---	---	2	29	49	32	21	16	11	4	1	1
1990	205	---	---	5	46	57	39	22	21	12	1	2	-
1989	205	---	---	3	50	50	50	15	19	12	5	1	-
1988	194	---	---	5	40	53	39	28	17	11	1	-	-
1987	177	---	---	2	47	58	28	12	14	9	7	-	-
1986	203	---	---	4	37	64	27	22	26	18	5	-	-
1985	184	---	---	-	47	49	31	19	12	10	15	1	-
1984	180	---	---	2	41	50	32	25	19	11	-	-	-
1983	151	---	---	5	47	39	23	16	10	8	2	1	-
1982	157	---	---	2	38	50	29	14	12	8	3	1	-
1981	195	---	---	2	53	61	33	13	15	16	2	-	-
1980	164	---	---	2	39	50	35	17	15	4	2	-	-
1979	218	---	---	-	63	63	27	19	24	14	7	1	-
Intentional self-harm (suicide) by discharge of firearms (E955.0-E955.4)													
Black, both sexes													
1998	1,110	---	---	15	318	314	160	119	72	59	45	8	-
1997	1,209	---	---	19	362	324	178	103	77	91	40	13	2
1996	1,325	---	---	22	384	317	246	128	87	87	40	12	2
1995	1,304	---	---	17	400	345	207	114	83	79	46	13	-
1994	1,393	---	---	22	468	349	230	108	67	94	40	15	-
1993	1,365	---	---	23	450	363	210	125	75	68	45	6	-
1992	1,281	---	---	20	404	341	207	100	77	69	49	14	-
1991	1,253	---	---	16	328	349	184	131	93	80	59	10	3
1990	1,263	---	---	20	326	358	211	123	92	84	37	12	-
1989	1,241	---	---	15	327	334	220	103	94	93	40	15	-
1988	1,182	---	---	14	289	359	190	111	92	82	40	5	-
1987	1,143	---	---	7	259	337	197	102	81	99	53	8	-
1986	1,081	---	---	13	229	322	167	117	84	101	39	9	-
1985	1,032	---	---	6	249	285	159	111	94	81	44	3	-
1984	994	---	---	5	196	316	162	94	108	74	34	5	-
1983	906	---	---	8	219	268	129	100	70	72	32	8	-
1982	892	---	---	11	191	277	157	82	83	59	24	7	1
1981	960	---	---	2	229	306	147	85	89	58	37	7	-
1980	946	---	---	5	229	298	154	89	83	59	21	8	-
1979	1,053	---	---	2	269	316	138	113	104	74	27	8	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Intentional self-harm (suicide) by discharge of firearms (E955.0-E955.4)													
Black, male													
1998	983	---	---	11	287	283	139	99	64	55	38	7	-
1997	1,070	---	---	14	325	290	160	85	68	78	37	12	1
1996	1,162	---	---	17	352	280	209	106	77	76	34	9	2
1995	1,153	---	---	13	360	305	184	101	69	69	42	10	-
1994	1,226	---	---	20	422	306	198	89	60	80	37	14	-
1993	1,217	---	---	19	415	327	179	111	62	58	40	6	-
1992	1,145	---	---	18	370	305	187	85	66	58	45	11	-
1991	1,123	---	---	15	308	311	159	113	81	70	55	9	2
1990	1,102	---	---	15	291	317	178	106	75	74	36	10	-
1989	1,078	---	---	12	292	296	181	90	76	82	35	14	-
1988	1,015	---	---	9	255	315	159	85	77	71	39	5	-
1987	1,002	---	---	6	225	288	177	92	69	91	46	8	-
1986	919	---	---	10	201	276	146	100	59	84	34	9	-
1985	881	---	---	6	220	245	131	93	83	72	29	2	-
1984	840	---	---	3	163	271	136	74	90	64	34	5	-
1983	785	---	---	4	182	235	112	87	62	65	31	7	-
1982	763	---	---	9	165	237	132	70	71	51	21	6	1
1981	800	---	---	2	185	256	123	76	74	42	35	7	-
1980	813	---	---	3	200	259	126	74	69	55	19	8	-
1979	868	---	---	2	215	264	117	98	81	61	21	7	2
Intentional self-harm (suicide) by discharge of firearms (E955.0-E955.4)													
Black, female													
1998	127	---	---	4	31	31	21	20	8	4	7	1	-
1997	139	---	---	5	37	34	18	18	9	13	3	1	1
1996	163	---	---	5	32	37	37	22	10	11	6	3	-
1995	151	---	---	4	40	40	23	13	14	10	4	3	-
1994	167	---	---	2	46	43	32	19	7	14	3	1	-
1993	148	---	---	4	35	36	31	14	13	10	5	-	-
1992	136	---	---	2	34	36	20	15	11	11	4	3	-
1991	130	---	---	1	20	38	25	18	12	10	4	1	1
1990	161	---	---	5	35	41	33	17	17	10	1	2	-
1989	163	---	---	3	35	38	39	13	18	11	5	1	-
1988	167	---	---	5	34	44	31	26	15	11	1	-	-
1987	141	---	---	1	34	49	20	10	12	8	7	-	-
1986	162	---	---	3	28	46	21	17	25	17	5	-	-
1985	151	---	---	-	29	40	28	18	11	9	15	1	-
1984	154	---	---	2	33	45	26	20	18	10	-	-	-
1983	121	---	---	4	37	33	17	13	8	7	1	1	-
1982	129	---	---	2	26	40	25	12	12	8	3	1	-
1981	160	---	---	-	44	50	24	9	15	16	2	-	-
1980	133	---	---	2	29	39	28	15	14	4	2	-	-
1979	185	---	---	-	54	52	21	15	23	13	6	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 + years	Age not stated
					years	years	years	years	years	years	years		
Intentional self-harm (suicide) by other and unspecified means and their sequelae (E950-E954,E955.5-E959)													
All races, both sexes													
1998	13,151	---	---	170	1,625	2,576	3,508	2,479	1,090	766	616	308	13
1997	12,969	---	---	180	1,599	2,662	3,409	2,301	1,087	757	652	311	11
1996	12,737	---	---	140	1,634	2,741	3,324	2,130	1,083	772	640	259	14
1995	12,781	---	---	153	1,716	2,897	3,189	2,028	994	875	635	288	6
1994	12,377	---	---	134	1,612	2,822	3,111	1,853	1,015	855	648	314	13
1993	12,162	---	---	134	1,636	2,696	2,976	1,735	1,064	936	676	295	14
1992	12,315	---	---	139	1,620	2,814	2,930	1,729	1,145	872	765	290	11
1991	12,284	---	---	110	1,642	2,914	2,740	1,691	1,235	918	708	313	13
1990	12,021	---	---	120	1,704	2,777	2,672	1,529	1,216	985	743	270	5
1989	12,054	---	---	101	1,854	2,933	2,448	1,498	1,226	991	702	288	13
1988	12,238	---	---	117	1,914	3,004	2,397	1,458	1,236	1,055	786	258	13
1987	12,660	---	---	99	2,002	3,026	2,393	1,590	1,369	1,103	787	280	11
1986	12,751	---	---	113	2,023	3,084	2,334	1,598	1,459	1,096	772	264	8
1985	12,090	---	---	139	2,040	2,867	2,138	1,475	1,451	1,017	732	226	5
1984	12,173	---	---	115	2,059	2,825	2,123	1,597	1,514	1,057	651	219	13
1983	11,695	---	---	101	1,864	2,815	1,975	1,578	1,434	996	709	213	10
1982	11,682	---	---	87	1,886	2,864	1,886	1,620	1,530	991	613	195	10
1981	11,457	---	---	74	1,914	2,771	1,921	1,566	1,451	986	573	185	16
1980	11,473	---	---	62	1,983	2,685	1,779	1,654	1,477	1,000	617	202	14
1979	11,663	---	---	68	2,030	2,676	1,740	1,729	1,506	1,054	640	208	12
Intentional self-harm (suicide) by other and unspecified means and their sequelae (E950-E954,E955.5-E959)													
All races, male													
1998	9,434	---	---	123	1,313	2,014	2,524	1,683	697	501	394	172	13
1997	9,298	---	---	134	1,275	2,106	2,484	1,492	713	489	396	199	10
1996	9,190	---	---	96	1,300	2,153	2,446	1,427	706	476	413	164	9
1995	9,309	---	---	123	1,403	2,294	2,334	1,382	668	530	392	177	6
1994	8,887	---	---	94	1,314	2,258	2,271	1,211	628	509	407	184	11
1993	8,626	---	---	87	1,273	2,127	2,190	1,121	659	561	409	188	11
1992	8,655	---	---	95	1,288	2,198	2,092	1,097	702	525	478	173	7
1991	8,649	---	---	83	1,287	2,273	1,956	1,070	767	565	446	191	11
1990	8,439	---	---	89	1,382	2,140	1,902	1,011	717	570	459	166	3
1989	8,422	---	---	70	1,458	2,238	1,719	931	745	619	451	179	12
1988	8,422	---	---	83	1,485	2,307	1,656	864	730	621	489	176	11
1987	8,733	---	---	76	1,581	2,306	1,622	949	828	659	500	203	9
1986	8,708	---	---	84	1,598	2,401	1,545	950	835	661	449	178	7
1985	8,336	---	---	94	1,617	2,185	1,433	887	896	603	462	154	5
1984	8,185	---	---	90	1,632	2,117	1,412	918	875	593	392	145	11
1983	7,827	---	---	71	1,478	2,074	1,291	936	824	570	442	132	9
1982	7,753	---	---	73	1,516	2,094	1,168	948	872	564	375	135	8
1981	7,431	---	---	56	1,492	1,992	1,197	837	799	552	364	129	13
1980	7,568	---	---	54	1,554	1,924	1,097	951	855	593	399	127	14
1979	7,350	---	---	51	1,540	1,889	985	922	823	599	388	142	11

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 + years	Age not stated
					years	years	years	years	years	years	years		
Intentional self-harm (suicide) by other and unspecified means and their sequelae (E950-E954,E955.5-E959)													
All races, female													
1998	3,717	---	---	47	312	562	984	796	393	265	222	136	-
1997	3,671	---	---	46	324	556	925	809	374	268	256	112	1
1996	3,547	---	---	44	334	588	878	703	377	296	227	95	5
1995	3,472	---	---	30	313	603	855	646	326	345	243	111	-
1994	3,490	---	---	40	298	564	840	642	387	346	241	130	2
1993	3,536	---	---	47	363	569	786	614	405	375	267	107	3
1992	3,660	---	---	44	332	616	838	632	443	347	287	117	4
1991	3,635	---	---	27	355	641	784	621	468	353	262	122	2
1990	3,582	---	---	31	322	637	770	518	499	415	284	104	2
1989	3,632	---	---	31	396	695	729	567	481	372	251	109	1
1988	3,816	---	---	34	429	697	741	594	506	434	297	82	2
1987	3,927	---	---	23	421	720	771	641	541	444	287	77	2
1986	4,043	---	---	29	425	683	789	648	624	435	323	86	1
1985	3,754	---	---	45	423	682	705	588	555	414	270	72	-
1984	3,988	---	---	25	427	708	711	679	639	464	259	74	2
1983	3,868	---	---	30	386	741	684	642	610	426	267	81	1
1982	3,929	---	---	14	370	770	718	672	658	427	238	60	2
1981	4,026	---	---	18	422	779	724	729	652	434	209	56	3
1980	3,905	---	---	8	429	761	682	703	622	407	218	75	-
1979	4,313	---	---	17	490	787	755	807	683	455	252	66	1
Intentional self-harm (suicide) by other and unspecified means and their sequelae (E950-E954,E955.5-E959)													
White, both sexes													
1998	11,680	---	---	143	1,345	2,169	3,166	2,258	1,015	699	581	293	11
1997	11,499	---	---	149	1,336	2,291	3,025	2,102	986	700	610	292	8
1996	11,333	---	---	114	1,400	2,298	2,986	1,958	998	714	602	250	13
1995	11,327	---	---	128	1,450	2,468	2,826	1,864	913	794	602	277	5
1994	10,969	---	---	108	1,323	2,415	2,759	1,717	921	800	616	302	8
1993	10,764	---	---	110	1,359	2,282	2,640	1,591	983	867	644	276	12
1992	11,005	---	---	121	1,376	2,401	2,606	1,575	1,079	823	732	283	9
1991	11,022	---	---	89	1,401	2,514	2,468	1,554	1,146	862	677	301	10
1990	10,742	---	---	102	1,455	2,341	2,391	1,404	1,140	931	718	255	5
1989	10,753	---	---	77	1,552	2,484	2,199	1,392	1,155	933	671	279	11
1988	11,065	---	---	93	1,667	2,581	2,168	1,347	1,182	1,011	757	248	11
1987	11,464	---	---	77	1,745	2,630	2,171	1,471	1,301	1,033	761	266	9
1986	11,601	---	---	88	1,792	2,682	2,116	1,499	1,374	1,043	747	255	5
1985	10,967	---	---	115	1,764	2,494	1,961	1,374	1,377	954	708	217	3
1984	11,074	---	---	93	1,789	2,485	1,938	1,483	1,436	1,001	632	209	8
1983	10,649	---	---	77	1,601	2,496	1,798	1,479	1,347	962	677	205	7
1982	10,652	---	---	71	1,623	2,515	1,734	1,514	1,460	951	586	189	9
1981	10,477	---	---	67	1,690	2,437	1,750	1,469	1,374	947	554	176	13
1980	10,543	---	---	57	1,735	2,381	1,640	1,546	1,412	970	598	191	13
1979	10,667	---	---	58	1,746	2,347	1,583	1,636	1,447	1,015	618	205	12

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Intentional self-harm (suicide) by other and unspecified means and their sequelae (E950-E954,E955.5-E959)													
White, male													
1998	8,338	---	---	103	1,094	1,695	2,272	1,525	648	451	374	165	11
1997	8,222	---	---	110	1,078	1,817	2,193	1,362	642	453	370	190	7
1996	8,164	---	---	76	1,126	1,807	2,185	1,311	653	449	389	160	8
1995	8,240	---	---	104	1,192	1,965	2,068	1,267	613	484	370	172	5
1994	7,830	---	---	78	1,090	1,928	1,994	1,122	573	473	387	178	7
1993	7,605	---	---	68	1,072	1,808	1,926	1,023	608	520	392	178	10
1992	7,718	---	---	81	1,104	1,882	1,862	998	663	495	456	170	7
1991	7,718	---	---	65	1,093	1,966	1,760	980	703	529	429	185	8
1990	7,499	---	---	77	1,183	1,800	1,700	927	667	540	444	158	3
1989	7,480	---	---	53	1,226	1,890	1,540	872	704	577	435	173	10
1988	7,574	---	---	66	1,294	1,980	1,497	793	693	596	474	171	10
1987	7,855	---	---	59	1,381	1,997	1,466	876	784	613	478	194	7
1986	7,866	---	---	65	1,424	2,084	1,381	890	785	626	435	172	4
1985	7,506	---	---	80	1,392	1,881	1,315	825	849	567	445	149	3
1984	7,383	---	---	75	1,422	1,850	1,276	849	829	557	379	140	6
1983	7,079	---	---	60	1,271	1,822	1,179	877	768	546	424	126	6
1982	7,007	---	---	58	1,316	1,823	1,068	880	830	537	356	132	7
1981	6,757	---	---	52	1,319	1,754	1,091	780	749	525	350	126	11
1980	6,910	---	---	49	1,359	1,707	1,007	883	808	577	389	118	13
1979	6,645	---	---	44	1,319	1,643	877	865	793	575	379	139	11
Intentional self-harm (suicide) by other and unspecified means and their sequelae (E950-E954,E955.5-E959)													
White, female													
1998	3,342	---	---	40	251	474	894	733	367	248	207	128	-
1997	3,277	---	---	39	258	474	832	740	344	247	240	102	1
1996	3,169	---	---	38	274	491	801	647	345	265	213	90	5
1995	3,087	---	---	24	258	503	758	597	300	310	232	105	-
1994	3,139	---	---	30	233	487	765	595	348	327	229	124	1
1993	3,159	---	---	42	287	474	714	568	375	347	252	98	2
1992	3,287	---	---	40	272	519	744	577	416	328	276	113	2
1991	3,304	---	---	24	308	548	708	574	443	333	248	116	2
1990	3,243	---	---	25	272	541	691	477	473	391	274	97	2
1989	3,273	---	---	24	326	594	659	520	451	356	236	106	1
1988	3,491	---	---	27	373	601	671	554	489	415	283	77	1
1987	3,609	---	---	18	364	633	705	595	517	420	283	72	2
1986	3,735	---	---	23	368	598	735	609	589	417	312	83	1
1985	3,461	---	---	35	372	613	646	549	528	387	263	68	-
1984	3,691	---	---	18	367	635	662	634	607	444	253	69	2
1983	3,570	---	---	17	330	674	619	602	579	416	253	79	1
1982	3,645	---	---	13	307	692	666	634	630	414	230	57	2
1981	3,720	---	---	15	371	683	659	689	625	422	204	50	2
1980	3,633	---	---	8	376	674	633	663	604	393	209	73	-
1979	4,022	---	---	14	427	704	706	771	654	440	239	66	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Intentional self-harm (suicide) by other and unspecified means and their sequelae (E950-E954,E955.5-E959)													
All other, both sexes													
1998	1,471	---	---	27	280	407	342	221	75	67	35	15	2
1997	1,470	---	---	31	263	371	384	199	101	57	42	19	3
1996	1,404	---	---	26	234	443	338	172	85	58	38	9	1
1995	1,454	---	---	25	266	429	363	164	81	81	33	11	1
1994	1,408	---	---	26	289	407	352	136	94	55	32	12	5
1993	1,398	---	---	24	277	414	336	144	81	69	32	19	2
1992	1,310	---	---	18	244	413	324	154	66	49	33	7	2
1991	1,262	---	---	21	241	400	272	137	89	56	31	12	3
1990	1,279	---	---	18	249	436	281	125	76	54	25	15	-
1989	1,301	---	---	24	302	449	249	106	71	58	31	9	2
1988	1,173	---	---	24	247	423	229	111	54	44	29	10	2
1987	1,196	---	---	22	257	396	222	119	68	70	26	14	2
1986	1,150	---	---	25	231	402	218	99	85	53	25	9	3
1985	1,123	---	---	24	276	373	177	101	74	63	24	9	2
1984	1,099	---	---	22	270	340	185	114	78	56	19	10	5
1983	1,046	---	---	24	263	319	177	99	87	34	32	8	3
1982	1,030	---	---	16	263	349	152	106	70	40	27	6	1
1981	980	---	---	7	224	334	171	97	77	39	19	9	3
1980	930	---	---	5	248	304	139	108	65	30	19	11	1
1979	996	---	---	10	284	329	157	93	59	39	22	3	-
Intentional self-harm (suicide) by other and unspecified means and their sequelae (E950-E954,E955.5-E959)													
All other, male													
1998	1,096	---	---	20	219	319	252	158	49	50	20	7	2
1997	1,076	---	---	24	197	289	291	130	71	36	26	9	3
1996	1,026	---	---	20	174	346	261	116	53	27	24	4	1
1995	1,069	---	---	19	211	329	266	115	55	46	22	5	1
1994	1,057	---	---	16	224	330	277	89	55	36	20	6	4
1993	1,021	---	---	19	201	319	264	98	51	41	17	10	1
1992	937	---	---	14	184	316	230	99	39	30	22	3	-
1991	931	---	---	18	194	307	196	90	64	36	17	6	3
1990	940	---	---	12	199	340	202	84	50	30	15	8	-
1989	942	---	---	17	232	348	179	59	41	42	16	6	2
1988	848	---	---	17	191	327	159	71	37	25	15	5	1
1987	878	---	---	17	200	309	156	73	44	46	22	9	2
1986	842	---	---	19	174	317	164	60	50	35	14	6	3
1985	830	---	---	14	225	304	118	62	47	36	17	5	2
1984	802	---	---	15	210	267	136	69	46	36	13	5	5
1983	748	---	---	11	207	252	112	59	56	24	18	6	3
1982	746	---	---	15	200	271	100	68	42	27	19	3	1
1981	674	---	---	4	173	238	106	57	50	27	14	3	2
1980	658	---	---	5	195	217	90	68	47	16	10	9	1
1979	705	---	---	7	221	246	108	57	30	24	9	3	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Intentional self-harm (suicide) by other and unspecified means and their sequelae (E950-E954,E955.5-E959)													
All other, female													
1998	375	---	---	7	61	88	90	63	26	17	15	8	-
1997	394	---	---	7	66	82	93	69	30	21	16	10	-
1996	378	---	---	6	60	97	77	56	32	31	14	5	-
1995	385	---	---	6	55	100	97	49	26	35	11	6	-
1994	351	---	---	10	65	77	75	47	39	19	12	6	1
1993	377	---	---	5	76	95	72	46	30	28	15	9	1
1992	373	---	---	4	60	97	94	55	27	19	11	4	2
1991	331	---	---	3	47	93	76	47	25	20	14	6	-
1990	339	---	---	6	50	96	79	41	26	24	10	7	-
1989	359	---	---	7	70	101	70	47	30	16	15	3	-
1988	325	---	---	7	56	96	70	40	17	19	14	5	1
1987	318	---	---	5	57	87	66	46	24	24	4	5	-
1986	308	---	---	6	57	85	54	39	35	18	11	3	-
1985	293	---	---	10	51	69	59	39	27	27	7	4	-
1984	297	---	---	7	60	73	49	45	32	20	6	5	-
1983	298	---	---	13	56	67	65	40	31	10	14	2	-
1982	284	---	---	1	63	78	52	38	28	13	8	3	-
1981	306	---	---	3	51	96	65	40	27	12	5	6	1
1980	272	---	---	-	53	87	49	40	18	14	9	2	-
1979	291	---	---	3	63	83	49	36	29	15	13	-	-
Intentional self-harm (suicide) by other and unspecified means and their sequelae (E950-E954,E955.5-E959)													
Black, both sexes													
1998	867	---	---	16	170	232	228	143	38	30	5	3	2
1997	894	---	---	21	151	243	275	115	54	16	12	4	3
1996	839	---	---	14	139	273	230	108	41	21	10	2	1
1995	927	---	---	14	152	288	277	108	38	39	10	-	1
1994	878	---	---	19	161	258	267	80	48	29	12	2	2
1993	894	---	---	18	158	286	238	98	42	29	16	8	1
1992	862	---	---	14	132	293	244	103	36	26	9	3	2
1991	844	---	---	16	151	296	206	85	46	29	9	4	2
1990	848	---	---	11	139	317	212	96	33	29	6	5	-
1989	912	---	---	19	198	355	192	69	36	30	9	2	2
1988	840	---	---	15	176	326	167	77	40	21	14	2	2
1987	820	---	---	18	166	315	157	73	39	37	13	1	1
1986	811	---	---	14	151	313	164	66	58	25	14	3	3
1985	763	---	---	16	175	271	131	77	39	34	15	4	1
1984	766	---	---	14	184	265	133	75	51	31	6	3	4
1983	717	---	---	19	180	237	124	66	55	20	12	3	1
1982	747	---	---	11	192	263	117	77	45	27	11	3	1
1981	698	---	---	5	158	262	114	72	51	21	10	2	3
1980	661	---	---	5	186	225	107	69	41	17	8	2	1
1979	759	---	---	6	217	271	127	64	44	22	7	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Intentional self-harm (suicide) by other and unspecified means and their sequelae (E950-E954,E955.5-E959)													
Black, male													
1998	676	---	---	12	138	185	174	111	24	25	3	2	2
1997	694	---	---	14	122	202	213	79	39	11	8	3	3
1996	658	---	---	11	109	223	188	78	31	11	5	1	1
1995	725	---	---	12	132	230	207	83	30	22	8	-	1
1994	696	---	---	13	134	215	215	59	30	20	7	1	2
1993	688	---	---	14	121	232	190	76	25	19	7	4	-
1992	658	---	---	11	108	234	182	72	24	18	8	1	-
1991	659	---	---	13	127	238	160	59	34	17	6	3	2
1990	635	---	---	7	113	250	154	68	20	16	4	3	-
1989	693	---	---	13	155	283	147	38	25	22	6	2	2
1988	633	---	---	8	139	259	126	49	26	14	9	2	1
1987	633	---	---	15	129	251	120	53	30	23	10	1	1
1986	618	---	---	11	115	253	132	40	35	18	8	3	3
1985	600	---	---	11	147	230	94	52	25	26	11	3	1
1984	592	---	---	11	148	217	103	49	34	20	4	2	4
1983	536	---	---	8	139	196	83	40	44	16	8	1	1
1982	564	---	---	11	152	210	77	50	33	18	9	3	1
1981	515	---	---	3	131	201	74	49	34	13	8	-	2
1980	484	---	---	5	146	170	67	49	31	8	5	2	1
1979	560	---	---	3	174	205	88	43	27	15	4	1	-
Intentional self-harm (suicide) by other and unspecified means and their sequelae (E950-E954,E955.5-E959)													
Black, female													
1998	191	---	---	4	32	47	54	32	14	5	2	1	-
1997	200	---	---	7	29	41	62	36	15	5	4	1	-
1996	181	---	---	3	30	50	42	30	10	10	5	1	-
1995	202	---	---	2	20	58	70	25	8	17	2	-	-
1994	182	---	---	6	27	43	52	21	18	9	5	1	-
1993	206	---	---	4	37	54	48	22	17	10	9	4	1
1992	204	---	---	3	24	59	62	31	12	8	1	2	2
1991	185	---	---	3	24	58	46	26	12	12	3	1	-
1990	213	---	---	4	26	67	58	28	13	13	2	2	-
1989	219	---	---	6	43	72	45	31	11	8	3	-	-
1988	207	---	---	7	37	67	41	28	14	7	5	-	1
1987	187	---	---	3	37	64	37	20	9	14	3	-	-
1986	193	---	---	3	36	60	32	26	23	7	6	-	-
1985	163	---	---	5	28	41	37	25	14	8	4	1	-
1984	174	---	---	3	36	48	30	26	17	11	2	1	-
1983	181	---	---	11	41	41	41	26	11	4	4	2	-
1982	183	---	---	-	40	53	40	27	12	9	2	-	-
1981	183	---	---	2	27	61	40	23	17	8	2	2	1
1980	177	---	---	-	40	55	40	20	10	9	3	-	-
1979	199	---	---	3	43	66	39	21	17	7	3	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Assault (homicide) (E960-E969)													
All races, both sexes													
1998	17,893	322	399	457	5,431	4,447	3,449	1,695	757	464	318	99	55
1997	19,491	317	375	456	6,083	4,961	3,569	1,829	834	539	332	149	47
1996	20,634	332	420	513	6,476	5,317	3,802	1,861	862	547	332	110	62
1995	22,552	311	452	561	7,204	6,063	4,015	1,889	942	603	342	118	52
1994	24,547	313	473	569	8,013	6,754	4,447	1,890	898	631	387	120	52
1993	25,653	344	464	656	8,316	7,163	4,450	2,022	969	686	377	139	67
1992	25,144	326	429	585	7,934	7,235	4,372	2,002	983	689	401	134	54
1991	26,254	380	428	518	8,087	7,701	4,518	2,093	1,144	736	438	130	81
1990	24,614	332	377	512	7,274	7,520	4,343	1,867	1,047	681	427	138	96
1989	22,578	335	393	508	6,117	7,005	3,945	1,849	1,071	738	406	130	81
1988	21,784	315	381	458	5,718	6,888	3,783	1,703	1,118	759	433	138	90
1987	20,812	273	334	406	5,291	6,415	3,660	1,787	1,192	760	448	147	99
1986	21,462	278	382	379	5,452	6,804	3,733	1,871	1,181	750	415	130	87
1985	19,628	200	348	417	4,693	6,090	3,532	1,811	1,260	726	379	110	62
1984	19,510	237	341	429	4,742	5,950	3,402	1,891	1,282	684	381	113	58
1983	19,922	193	320	357	4,969	6,101	3,420	1,923	1,344	699	404	129	63
1982	22,073	243	377	403	5,602	6,702	3,681	2,269	1,419	788	385	141	63
1981	23,361	218	341	439	6,087	7,069	3,765	2,526	1,551	761	420	126	58
1980	23,967	210	319	415	6,537	7,159	3,824	2,501	1,518	887	404	118	75
1979	22,202	170	314	394	6,028	6,416	3,543	2,461	1,504	826	360	109	77
Assault (homicide) (E960-E969)													
All races, male													
1998	13,652	172	223	256	4,646	3,493	2,483	1,264	570	300	167	37	41
1997	15,107	182	209	294	5,241	3,960	2,629	1,362	612	347	174	66	31
1996	15,945	168	214	310	5,585	4,213	2,825	1,371	654	356	168	40	41
1995	17,408	175	253	373	6,145	4,742	2,970	1,421	711	381	159	42	36
1994	19,342	179	265	354	6,923	5,356	3,421	1,459	679	412	205	54	35
1993	19,945	193	274	408	7,099	5,574	3,394	1,567	727	428	181	54	46
1992	19,779	181	242	373	6,808	5,726	3,392	1,540	759	444	211	65	38
1991	20,518	206	235	336	6,852	6,102	3,522	1,595	853	492	220	49	56
1990	19,298	178	208	299	6,144	5,979	3,443	1,460	794	455	212	56	70
1989	17,366	165	215	298	5,045	5,523	3,078	1,440	802	470	212	65	53
1988	16,472	151	217	267	4,617	5,298	2,962	1,313	829	467	227	59	65
1987	15,571	155	164	245	4,162	4,916	2,827	1,357	900	482	237	60	66
1986	16,332	152	223	215	4,271	5,366	2,926	1,467	896	484	217	50	65
1985	14,806	106	184	245	3,689	4,750	2,749	1,388	945	476	189	38	47
1984	14,759	134	173	220	3,587	4,726	2,680	1,512	974	464	198	55	36
1983	15,253	92	181	220	3,872	4,860	2,710	1,498	1,036	474	208	55	47
1982	17,035	139	208	213	4,374	5,431	2,913	1,820	1,094	527	208	66	42
1981	18,288	106	183	246	4,803	5,774	3,069	2,041	1,194	539	218	69	46
1980	18,779	114	180	221	5,146	5,860	3,080	2,023	1,199	622	232	51	51
1979	17,288	104	154	236	4,696	5,245	2,859	1,980	1,175	543	197	45	54

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Assault (homicide) (E960-E969)													
All races, female													
1998	4,241	150	176	201	785	954	966	431	187	164	151	62	14
1997	4,384	135	166	162	842	1,001	940	467	222	192	158	83	16
1996	4,689	164	206	203	891	1,104	977	490	208	191	164	70	21
1995	5,144	136	199	188	1,059	1,321	1,045	468	231	222	183	76	16
1994	5,205	134	208	215	1,090	1,398	1,026	431	219	219	182	66	17
1993	5,708	151	190	248	1,217	1,589	1,056	455	242	258	196	85	21
1992	5,365	145	187	212	1,126	1,509	980	462	224	245	190	69	16
1991	5,736	174	193	182	1,235	1,599	996	498	291	244	218	81	25
1990	5,316	154	169	213	1,130	1,541	900	407	253	226	215	82	26
1989	5,212	170	178	210	1,072	1,482	867	409	269	268	194	65	28
1988	5,312	164	164	191	1,101	1,590	821	390	289	292	206	79	25
1987	5,241	118	170	161	1,129	1,499	833	430	292	278	211	87	33
1986	5,130	126	159	164	1,181	1,438	807	404	285	266	198	80	22
1985	4,822	94	164	172	1,004	1,340	783	423	315	250	190	72	15
1984	4,751	103	168	209	1,155	1,224	722	379	308	220	183	58	22
1983	4,669	101	139	137	1,097	1,241	710	425	308	225	196	74	16
1982	5,038	104	169	190	1,228	1,271	768	449	325	261	177	75	21
1981	5,073	112	158	193	1,284	1,295	696	485	357	222	202	57	12
1980	5,188	96	139	194	1,391	1,299	744	478	319	265	172	67	24
1979	4,914	66	160	158	1,332	1,171	684	481	329	283	163	64	23
Assault (homicide) (E960-E969)													
White, both sexes													
1998	9,008	188	199	266	2,237	2,034	1,874	1,009	499	332	242	81	47
1997	9,676	189	212	247	2,389	2,311	1,884	1,100	551	384	256	119	34
1996	10,088	201	225	295	2,506	2,397	2,025	1,112	571	389	242	83	42
1995	11,130	184	242	316	2,941	2,809	2,154	1,135	592	400	239	79	39
1994	11,718	170	266	289	3,057	3,069	2,313	1,150	596	407	277	88	36
1993	12,069	198	223	342	3,071	3,229	2,287	1,240	625	455	256	98	45
1992	12,233	189	223	293	3,132	3,314	2,336	1,230	656	439	284	98	39
1991	12,631	207	226	276	3,132	3,489	2,385	1,274	726	472	287	96	61
1990	11,953	181	189	267	2,923	3,415	2,267	1,148	661	456	289	88	69
1989	11,092	178	202	264	2,451	3,223	2,095	1,145	659	466	274	79	56
1988	10,902	180	221	246	2,343	3,185	2,011	1,030	738	493	297	94	64
1987	10,950	156	195	219	2,346	3,189	1,985	1,084	762	509	317	110	78
1986	11,528	160	194	223	2,672	3,389	2,103	1,096	748	482	298	91	72
1985	11,003	121	204	259	2,383	3,187	2,032	1,096	815	484	288	83	51
1984	10,952	133	208	250	2,532	3,095	1,953	1,148	810	433	265	81	44
1983	11,075	104	166	231	2,558	3,177	1,973	1,148	829	463	276	101	49
1982	12,272	146	203	253	3,001	3,373	2,145	1,321	884	505	281	115	45
1981	12,904	137	188	263	3,270	3,578	2,105	1,477	950	489	303	102	42
1980	13,360	125	181	272	3,564	3,631	2,135	1,445	930	615	310	98	54
1979	12,149	96	177	250	3,317	3,180	1,886	1,387	880	561	264	95	56

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Assault (homicide) (E960-E969)													
White, male													
1998	6,479	102	104	142	1,833	1,518	1,303	725	360	206	123	28	35
1997	7,118	121	119	157	1,947	1,775	1,363	798	399	234	128	52	25
1996	7,351	101	122	176	2,053	1,830	1,458	774	420	245	115	27	30
1995	8,109	110	133	203	2,377	2,112	1,556	798	430	231	100	31	28
1994	8,810	94	147	173	2,508	2,369	1,748	869	443	258	140	37	24
1993	8,845	110	138	201	2,478	2,433	1,668	924	450	265	114	34	30
1992	9,228	104	133	183	2,558	2,596	1,766	907	505	261	145	41	29
1991	9,437	121	131	176	2,510	2,718	1,816	938	526	291	135	35	40
1990	8,954	103	109	154	2,334	2,650	1,755	860	482	293	131	37	46
1989	8,127	91	115	145	1,884	2,468	1,581	867	494	278	129	39	36
1988	7,837	89	131	141	1,756	2,387	1,521	764	536	289	138	37	48
1987	7,804	94	107	117	1,749	2,358	1,463	811	567	295	153	39	51
1986	8,409	84	115	122	1,990	2,610	1,607	819	548	291	139	31	53
1985	7,963	58	111	150	1,806	2,420	1,534	809	579	299	131	27	39
1984	8,000	75	115	125	1,827	2,422	1,508	885	584	272	122	36	29
1983	8,198	50	97	135	1,945	2,488	1,530	857	596	299	126	38	37
1982	9,097	86	108	119	2,247	2,662	1,655	1,029	653	311	142	54	31
1981	9,779	69	90	131	2,521	2,868	1,684	1,154	722	320	136	51	33
1980	10,185	64	106	138	2,739	2,951	1,679	1,138	711	417	164	40	38
1979	9,210	58	93	147	2,549	2,555	1,485	1,089	664	357	138	37	38
Assault (homicide) (E960-E969)													
White, female													
1998	2,529	86	95	124	404	516	571	284	139	126	119	53	12
1997	2,558	68	93	90	442	536	521	302	152	150	128	67	9
1996	2,737	100	103	119	453	567	567	338	151	144	127	56	12
1995	3,021	74	109	113	564	697	598	337	162	169	139	48	11
1994	2,908	76	119	116	549	700	565	281	153	149	137	51	12
1993	3,224	88	85	141	593	796	619	316	175	190	142	64	15
1992	3,005	85	90	110	574	718	570	323	151	178	139	57	10
1991	3,194	86	95	100	622	771	569	336	200	181	152	61	21
1990	2,999	78	80	113	589	765	512	288	179	163	158	51	23
1989	2,965	87	87	119	567	755	514	278	165	188	145	40	20
1988	3,065	91	90	105	587	798	490	266	202	204	159	57	16
1987	3,146	62	88	102	597	831	522	273	195	214	164	71	27
1986	3,119	76	79	101	682	779	496	277	200	191	159	60	19
1985	3,040	63	93	109	577	767	498	287	236	185	157	56	12
1984	2,952	58	93	125	705	673	445	263	226	161	143	45	15
1983	2,877	54	69	96	613	689	443	291	233	164	150	63	12
1982	3,175	60	95	134	754	711	490	292	231	194	139	61	14
1981	3,125	68	98	132	749	710	421	323	228	169	167	51	9
1980	3,175	61	75	134	825	680	456	307	219	198	146	58	16
1979	2,939	38	84	103	768	625	401	298	216	204	126	58	18

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Assault (homicide) (E960-E969)													
All other, both sexes													
1998	8,885	134	200	191	3,194	2,413	1,575	686	258	132	76	18	8
1997	9,815	128	163	209	3,694	2,650	1,685	729	283	155	76	30	13
1996	10,546	131	195	218	3,970	2,920	1,777	749	291	158	90	27	20
1995	11,422	127	210	245	4,263	3,254	1,861	754	350	203	103	39	13
1994	12,829	143	207	280	4,956	3,685	2,134	740	302	224	110	32	16
1993	13,584	146	241	314	5,245	3,934	2,163	782	344	231	121	41	22
1992	12,911	137	206	292	4,802	3,921	2,036	772	327	250	117	36	15
1991	13,623	173	202	242	4,955	4,212	2,133	819	418	264	151	34	20
1990	12,661	151	188	245	4,351	4,105	2,076	719	386	225	138	50	27
1989	11,486	157	191	244	3,666	3,782	1,850	704	412	272	132	51	25
1988	10,882	135	160	212	3,375	3,703	1,772	673	380	266	136	44	26
1987	9,862	117	139	187	2,945	3,226	1,675	703	430	251	131	37	21
1986	9,934	118	188	156	2,780	3,415	1,630	775	433	268	117	39	15
1985	8,625	79	144	158	2,310	2,903	1,500	715	445	242	91	27	11
1984	8,558	104	133	179	2,210	2,855	1,449	743	472	251	116	32	14
1983	8,847	89	154	126	2,411	2,924	1,447	775	515	236	128	28	14
1982	9,801	97	174	150	2,601	3,329	1,536	948	535	283	104	26	18
1981	10,457	81	153	176	2,817	3,491	1,660	1,049	601	272	117	24	16
1980	10,607	85	138	143	2,973	3,528	1,689	1,056	588	272	94	20	21
1979	10,053	74	137	144	2,711	3,236	1,657	1,074	624	265	96	14	21
Assault (homicide) (E960-E969)													
All other, male													
1998	7,173	70	119	114	2,813	1,975	1,180	539	210	94	44	9	6
1997	7,989	61	90	137	3,294	2,185	1,266	564	213	113	46	14	6
1996	8,594	67	92	134	3,532	2,383	1,367	597	234	111	53	13	11
1995	9,299	65	120	170	3,768	2,630	1,414	623	281	150	59	11	8
1994	10,532	85	118	181	4,415	2,987	1,673	590	236	154	65	17	11
1993	11,100	83	136	207	4,621	3,141	1,726	643	277	163	67	20	16
1992	10,551	77	109	190	4,250	3,130	1,626	633	254	183	66	24	9
1991	11,081	85	104	160	4,342	3,384	1,706	657	327	201	85	14	16
1990	10,344	75	99	145	3,810	3,329	1,688	600	312	162	81	19	24
1989	9,239	74	100	153	3,161	3,055	1,497	573	308	192	83	26	17
1988	8,635	62	86	126	2,861	2,911	1,441	549	293	178	89	22	17
1987	7,767	61	57	128	2,413	2,558	1,364	546	333	187	84	21	15
1986	7,923	68	108	93	2,281	2,756	1,319	648	348	193	78	19	12
1985	6,843	48	73	95	1,883	2,330	1,215	579	366	177	58	11	8
1984	6,759	59	58	95	1,760	2,304	1,172	627	390	192	76	19	7
1983	7,055	42	84	85	1,927	2,372	1,180	641	440	175	82	17	10
1982	7,938	53	100	94	2,127	2,769	1,258	791	441	216	66	12	11
1981	8,509	37	93	115	2,282	2,906	1,385	887	472	219	82	18	13
1980	8,594	50	74	83	2,407	2,909	1,401	885	488	205	68	11	13
1979	8,078	46	61	89	2,147	2,690	1,374	891	511	186	59	8	16

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Assault (homicide) (E960-E969)													
All other, female													
1998	1,712	64	81	77	381	438	395	147	48	38	32	9	2
1997	1,826	67	73	72	400	465	419	165	70	42	30	16	7
1996	1,952	64	103	84	438	537	410	152	57	47	37	14	9
1995	2,123	62	90	75	495	624	447	131	69	53	44	28	5
1994	2,297	58	89	99	541	698	461	150	66	70	45	15	5
1993	2,484	63	105	107	624	793	437	139	67	68	54	21	6
1992	2,360	60	97	102	552	791	410	139	73	67	51	12	6
1991	2,542	88	98	82	613	828	427	162	91	63	66	20	4
1990	2,317	76	89	100	541	776	388	119	74	63	57	31	3
1989	2,247	83	91	91	505	727	353	131	104	80	49	25	8
1988	2,247	73	74	86	514	792	331	124	87	88	47	22	9
1987	2,095	56	82	59	532	668	311	157	97	64	47	16	6
1986	2,011	50	80	63	499	659	311	127	85	75	39	20	3
1985	1,782	31	71	63	427	573	285	136	79	65	33	16	3
1984	1,799	45	75	84	450	551	277	116	82	59	40	13	7
1983	1,792	47	70	41	484	552	267	134	75	61	46	11	4
1982	1,863	44	74	56	474	560	278	157	94	67	38	14	7
1981	1,948	44	60	61	535	585	275	162	129	53	35	6	3
1980	2,013	35	64	60	566	619	288	171	100	67	26	9	8
1979	1,975	28	76	55	564	546	283	183	113	79	37	6	5
Assault (homicide) (E960-E969)													
Black, both sexes													
1998	8,293	123	187	161	3,050	2,258	1,462	619	226	113	68	18	8
1997	9,147	110	147	179	3,508	2,509	1,552	643	251	137	71	28	12
1996	9,886	121	174	194	3,766	2,762	1,664	670	264	143	84	27	17
1995	10,689	120	192	215	4,028	3,068	1,735	687	308	190	96	38	12
1994	12,092	128	185	250	4,720	3,509	1,992	675	274	211	105	31	12
1993	12,811	132	217	292	5,006	3,720	2,027	711	307	222	118	41	18
1992	12,220	128	185	260	4,589	3,744	1,917	708	301	230	113	32	13
1991	12,859	159	184	226	4,752	3,980	1,986	744	375	255	147	33	18
1990	12,035	141	170	232	4,169	3,940	1,948	660	358	209	135	47	26
1989	10,858	142	172	214	3,514	3,598	1,727	657	385	252	124	50	23
1988	10,327	127	152	196	3,226	3,532	1,666	622	358	253	128	42	25
1987	9,383	109	130	169	2,820	3,106	1,573	653	404	241	125	36	17
1986	9,395	113	174	146	2,621	3,257	1,533	721	409	261	109	36	15
1985	8,189	75	136	137	2,198	2,788	1,409	666	425	231	87	27	10
1984	8,135	101	125	165	2,111	2,734	1,362	696	450	239	111	28	13
1983	8,387	81	142	116	2,295	2,781	1,375	720	491	224	123	28	11
1982	9,357	87	159	137	2,481	3,218	1,458	895	514	271	95	25	17
1981	10,019	71	147	163	2,699	3,381	1,578	995	580	257	114	21	13
1980	10,172	84	131	134	2,857	3,397	1,613	1,009	567	257	87	18	18
1979	9,656	70	132	138	2,608	3,109	1,596	1,032	594	252	92	14	19

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Assault (homicide) (E960-E969)													
Black, male													
1998	6,749	62	109	99	2,695	1,862	1,107	494	185	83	38	9	6
1997	7,496	51	84	116	3,139	2,074	1,171	509	189	99	45	13	6
1996	8,089	64	84	121	3,364	2,262	1,271	538	210	103	51	13	8
1995	8,757	61	109	150	3,571	2,494	1,334	571	249	145	55	10	8
1994	9,969	75	106	163	4,214	2,845	1,572	543	218	147	62	16	8
1993	10,516	76	122	190	4,415	2,990	1,623	594	250	158	65	20	13
1992	10,034	72	95	166	4,072	2,997	1,541	586	238	172	65	22	8
1991	10,531	77	97	150	4,175	3,212	1,608	606	298	196	84	14	14
1990	9,876	69	88	137	3,660	3,208	1,594	557	294	149	80	17	23
1989	8,789	69	91	136	3,041	2,920	1,408	537	290	178	78	25	16
1988	8,239	58	84	114	2,741	2,792	1,365	513	278	173	83	22	16
1987	7,418	56	53	117	2,322	2,468	1,287	508	315	181	79	20	12
1986	7,536	65	102	86	2,161	2,645	1,251	606	332	187	72	17	12
1985	6,527	46	70	85	1,794	2,247	1,142	547	353	170	55	11	7
1984	6,460	56	54	85	1,685	2,218	1,112	598	374	182	71	18	7
1983	6,720	39	77	80	1,840	2,270	1,128	598	420	166	78	17	7
1982	7,615	48	92	87	2,031	2,694	1,200	750	426	206	60	11	10
1981	8,195	33	90	106	2,200	2,825	1,328	845	458	205	79	16	10
1980	8,274	50	70	77	2,318	2,812	1,350	852	473	190	63	9	10
1979	7,787	43	60	84	2,077	2,596	1,327	856	486	178	57	8	15
Assault (homicide) (E960-E969)													
Black, female													
1998	1,544	61	78	62	355	396	355	125	41	30	30	9	2
1997	1,651	59	63	63	369	435	381	134	62	38	26	15	6
1996	1,797	57	90	73	402	500	393	132	54	40	33	14	9
1995	1,932	59	83	65	457	574	401	116	59	45	41	28	4
1994	2,123	53	79	87	506	664	420	132	56	64	43	15	4
1993	2,295	56	95	102	591	730	404	117	57	64	53	21	5
1992	2,186	56	90	94	517	747	376	122	63	58	48	10	5
1991	2,328	82	87	76	577	768	378	138	77	59	63	19	4
1990	2,159	72	82	95	509	732	354	103	64	60	55	30	3
1989	2,069	73	81	78	473	678	319	120	95	74	46	25	7
1988	2,088	69	68	82	485	740	301	109	80	80	45	20	9
1987	1,965	53	77	52	498	638	286	145	89	60	46	16	5
1986	1,859	48	72	60	460	612	282	115	77	74	37	19	3
1985	1,662	29	66	52	404	541	267	119	72	61	32	16	3
1984	1,675	45	71	80	426	516	250	98	76	57	40	10	6
1983	1,667	42	65	36	455	511	247	122	71	58	45	11	4
1982	1,742	39	67	50	450	524	258	145	88	65	35	14	7
1981	1,824	38	57	57	499	556	250	150	122	52	35	5	3
1980	1,898	34	61	57	539	585	263	157	94	67	24	9	8
1979	1,869	27	72	54	531	513	269	176	108	74	35	6	4

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Assault (homicide) by discharge of firearms (E965.0-E965.4)													
All races, both sexes													
1998	11,798	5	58	251	4,484	3,231	2,080	971	394	202	85	19	18
1997	13,252	9	53	284	5,110	3,706	2,217	1,068	437	224	88	39	17
1996	14,037	9	59	311	5,428	3,918	2,352	1,108	454	235	118	29	16
1995	15,551	8	74	380	6,044	4,448	2,547	1,117	511	269	106	23	24
1994	17,527	11	60	395	6,881	5,059	2,958	1,203	525	278	117	18	22
1993	18,253	14	71	458	7,105	5,295	2,990	1,302	527	319	120	26	26
1992	17,488	11	69	402	6,701	5,235	2,850	1,208	561	268	131	29	23
1991	17,746	10	71	339	6,642	5,436	2,914	1,257	582	316	114	24	41
1990	16,218	13	56	321	5,679	5,166	2,785	1,160	543	282	142	31	40
1989	14,464	12	67	304	4,729	4,716	2,509	1,086	550	317	121	22	31
1988	13,645	9	50	253	4,199	4,630	2,424	1,011	578	296	125	30	40
1987	12,657	7	41	228	3,748	4,193	2,324	1,025	583	310	137	31	30
1986	13,029	8	51	204	3,716	4,501	2,377	1,113	568	308	121	23	39
1985	11,836	6	53	199	3,117	3,994	2,258	1,065	656	321	120	26	21
1984	11,815	15	53	199	3,144	3,896	2,231	1,135	686	296	112	24	24
1983	12,040	7	34	169	3,190	4,062	2,253	1,179	706	296	107	12	25
1982	13,830	14	55	184	3,703	4,643	2,504	1,414	767	374	126	25	21
1981	15,089	13	48	205	4,213	4,989	2,580	1,613	910	353	117	23	25
1980	15,500	13	46	197	4,480	5,064	2,658	1,552	876	433	123	22	36
1979	14,491	7	42	186	4,126	4,579	2,470	1,619	893	401	116	24	28
Assault (homicide) by discharge of firearms (E965.0-E965.4)													
All races, male													
1998	9,771	2	34	152	3,996	2,732	1,615	752	297	129	39	8	15
1997	11,147	3	28	203	4,586	3,173	1,749	838	342	151	42	18	14
1996	11,735	5	32	215	4,867	3,324	1,831	852	368	159	59	9	14
1995	13,021	2	45	285	5,384	3,746	2,014	886	399	183	49	9	19
1994	14,766	7	31	274	6,141	4,268	2,404	952	405	195	63	7	19
1993	15,228	8	37	319	6,287	4,409	2,394	1,054	404	220	65	9	22
1992	14,747	7	39	294	5,975	4,415	2,313	964	446	182	74	18	20
1991	14,926	7	37	251	5,897	4,591	2,377	993	446	222	60	11	34
1990	13,629	7	32	218	5,046	4,367	2,305	911	423	197	73	16	34
1989	12,018	5	40	213	4,130	3,953	2,058	869	422	222	70	12	24
1988	11,134	5	29	163	3,648	3,815	1,942	791	433	185	74	16	33
1987	10,202	5	22	164	3,187	3,417	1,858	791	451	193	79	11	24
1986	10,656	3	29	143	3,136	3,751	1,930	890	442	217	70	13	32
1985	9,532	2	31	136	2,637	3,258	1,820	821	502	226	67	11	21
1984	9,615	11	29	127	2,586	3,262	1,818	926	535	215	69	15	22
1983	9,863	3	20	116	2,679	3,392	1,846	930	555	226	67	8	21
1982	11,402	10	32	114	3,115	3,930	2,033	1,160	615	275	85	18	15
1981	12,548	6	26	130	3,532	4,247	2,156	1,329	729	273	85	13	22
1980	12,878	8	30	133	3,771	4,321	2,184	1,260	711	333	87	13	27
1979	12,014	2	19	133	3,431	3,909	2,040	1,340	724	305	79	12	20

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Assault (homicide) by discharge of firearms (E965.0-E965.4)													
All races, female													
1998	2,027	3	24	99	488	499	465	219	97	73	46	11	3
1997	2,105	6	25	81	524	533	468	230	95	73	46	21	3
1996	2,302	4	27	96	561	594	521	256	86	76	59	20	2
1995	2,530	6	29	95	660	702	533	231	112	86	57	14	5
1994	2,761	4	29	121	740	791	554	251	120	83	54	11	3
1993	3,025	6	34	139	818	886	596	248	123	99	55	17	4
1992	2,741	4	30	108	726	820	537	244	115	86	57	11	3
1991	2,820	3	34	88	745	845	537	264	136	94	54	13	7
1990	2,589	6	24	103	633	799	480	249	120	85	69	15	6
1989	2,446	7	27	91	599	763	451	217	128	95	51	10	7
1988	2,511	4	21	90	551	815	482	220	145	111	51	14	7
1987	2,455	2	19	64	561	776	466	234	132	117	58	20	6
1986	2,373	5	22	61	580	750	447	223	126	91	51	10	7
1985	2,304	4	22	63	480	736	438	244	154	95	53	15	-
1984	2,200	4	24	72	558	634	413	209	151	81	43	9	2
1983	2,177	4	14	53	511	670	407	249	151	70	40	4	4
1982	2,428	4	23	70	588	713	471	254	152	99	41	7	6
1981	2,541	7	22	75	681	742	424	284	181	80	32	10	3
1980	2,622	5	16	64	709	743	474	292	165	100	36	9	9
1979	2,477	5	23	53	695	670	430	279	169	96	37	12	8
Assault (homicide) by discharge of firearms (E965.0-E965.4)													
White, both sexes													
1998	5,412	4	32	156	1,660	1,362	1,108	576	267	147	68	16	16
1997	6,025	3	36	154	1,834	1,605	1,179	641	294	160	71	35	13
1996	6,240	4	30	171	1,919	1,641	1,239	657	304	158	88	22	7
1995	7,144	4	41	200	2,272	1,983	1,377	659	316	174	84	17	17
1994	7,774	4	33	193	2,431	2,197	1,547	729	348	175	85	16	16
1993	7,918	6	39	218	2,385	2,290	1,499	810	334	217	84	20	16
1992	7,927	5	27	193	2,447	2,294	1,527	741	378	173	105	23	14
1991	7,944	7	40	165	2,348	2,359	1,530	773	380	211	85	18	28
1990	7,376	7	35	155	2,004	2,303	1,458	728	345	186	105	25	25
1989	6,718	7	42	153	1,703	2,111	1,364	680	338	202	84	13	21
1988	6,475	5	29	123	1,539	2,101	1,298	648	394	200	88	23	27
1987	6,374	6	24	121	1,503	2,057	1,284	634	381	214	101	24	25
1986	6,739	5	27	127	1,694	2,187	1,352	652	369	197	83	16	30
1985	6,491	4	32	129	1,511	2,070	1,333	656	428	212	81	19	16
1984	6,518	9	44	121	1,603	2,013	1,290	705	433	188	75	17	20
1983	6,567	6	24	109	1,559	2,126	1,313	709	426	197	69	7	22
1982	7,516	9	37	124	1,897	2,324	1,496	817	459	234	84	18	17
1981	8,053	8	33	120	2,145	2,489	1,461	954	521	215	72	18	17
1980	8,267	9	28	123	2,286	2,502	1,508	888	504	297	81	15	26
1979	7,657	4	26	113	2,143	2,252	1,336	903	510	253	79	17	21

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	Age group											Age not stated	
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years		85 + years
Assault (homicide) by discharge of firearms (E965.0-E965.4)													
White, male													
1998	4,217	2	17	91	1,436	1,098	819	427	190	89	28	6	14
1997	4,783	1	20	111	1,584	1,317	882	481	227	100	31	17	12
1996	4,929	2	20	116	1,667	1,344	918	473	241	102	36	4	6
1995	5,674	2	23	146	1,958	1,601	1,054	495	237	107	32	5	14
1994	6,231	2	16	131	2,076	1,782	1,229	560	261	112	42	6	14
1993	6,233	3	19	143	2,024	1,831	1,146	630	240	138	40	5	14
1992	6,409	4	17	141	2,098	1,901	1,204	561	296	106	56	12	13
1991	6,350	5	20	120	1,997	1,946	1,199	584	276	133	40	8	22
1990	5,894	4	22	107	1,696	1,888	1,173	546	258	119	49	12	20
1989	5,315	2	27	101	1,415	1,711	1,087	530	253	128	40	6	15
1988	5,014	3	17	78	1,262	1,679	1,016	487	286	111	41	12	22
1987	4,907	5	12	81	1,228	1,624	982	486	286	123	52	8	20
1986	5,295	1	13	88	1,378	1,782	1,075	492	271	122	41	8	24
1985	5,005	1	19	88	1,234	1,637	1,040	487	307	132	39	5	16
1984	5,128	7	26	78	1,263	1,659	1,025	552	323	127	39	10	19
1983	5,193	3	16	71	1,272	1,739	1,056	539	301	138	36	3	19
1982	5,955	6	19	68	1,541	1,913	1,186	643	347	156	52	12	12
1981	6,528	4	17	71	1,771	2,057	1,197	769	414	158	45	10	15
1980	6,729	6	19	77	1,903	2,133	1,197	696	397	223	51	7	20
1979	6,201	1	13	85	1,759	1,886	1,073	731	399	183	51	6	14
Assault (homicide) by discharge of firearms (E965.0-E965.4)													
White, female													
1998	1,195	2	15	65	224	264	289	149	77	58	40	10	2
1997	1,242	2	16	43	250	288	297	160	67	60	40	18	1
1996	1,311	2	10	55	252	297	321	184	63	56	52	18	1
1995	1,470	2	18	54	314	382	323	164	79	67	52	12	3
1994	1,543	2	17	62	355	415	318	169	87	63	43	10	2
1993	1,685	3	20	75	361	459	353	180	94	79	44	15	2
1992	1,518	1	10	52	349	393	323	180	82	67	49	11	1
1991	1,594	2	20	45	351	413	331	189	104	78	45	10	6
1990	1,482	3	13	48	308	415	285	182	87	67	56	13	5
1989	1,403	5	15	52	288	400	277	150	85	74	44	7	6
1988	1,461	2	12	45	277	422	282	161	108	89	47	11	5
1987	1,467	1	12	40	275	433	302	148	95	91	49	16	5
1986	1,444	4	14	39	316	405	277	160	98	75	42	8	6
1985	1,486	3	13	41	277	433	293	169	121	80	42	14	-
1984	1,390	2	18	43	340	354	265	153	110	61	36	7	1
1983	1,374	3	8	38	287	387	257	170	125	59	33	4	3
1982	1,561	3	18	56	356	411	310	174	112	78	32	6	5
1981	1,525	4	16	49	374	432	264	185	107	57	27	8	2
1980	1,538	3	9	46	383	369	311	192	107	74	30	8	6
1979	1,456	3	13	28	384	366	263	172	111	70	28	11	7

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Assault (homicide) by discharge of firearms (E965.0-E965.4)													
All other, both sexes													
1998	6,386	1	26	95	2,824	1,869	972	395	127	55	17	3	2
1997	7,227	6	17	130	3,276	2,101	1,038	427	143	64	17	4	4
1996	7,797	5	29	140	3,509	2,277	1,113	451	150	77	30	7	9
1995	8,407	4	33	180	3,772	2,465	1,170	458	195	95	22	6	7
1994	9,753	7	27	202	4,450	2,862	1,411	474	177	103	32	2	6
1993	10,335	8	32	240	4,720	3,005	1,491	492	193	102	36	6	10
1992	9,561	6	42	209	4,254	2,941	1,323	467	183	95	26	6	9
1991	9,802	3	31	174	4,294	3,077	1,384	484	202	105	29	6	13
1990	8,842	6	21	166	3,675	2,863	1,327	432	198	96	37	6	15
1989	7,746	5	25	151	3,026	2,605	1,145	406	212	115	37	9	10
1988	7,170	4	21	130	2,660	2,529	1,126	363	184	96	37	7	13
1987	6,283	1	17	107	2,245	2,136	1,040	391	202	96	36	7	5
1986	6,290	3	24	77	2,022	2,314	1,025	461	199	111	38	7	9
1985	5,345	2	21	70	1,606	1,924	925	409	228	109	39	7	5
1984	5,297	6	9	78	1,541	1,883	941	430	253	108	37	7	4
1983	5,473	1	10	60	1,631	1,936	940	470	280	99	38	5	3
1982	6,314	5	18	60	1,806	2,319	1,008	597	308	140	42	7	4
1981	7,036	5	15	85	2,068	2,500	1,119	659	389	138	45	5	8
1980	7,233	4	18	74	2,194	2,562	1,150	664	372	136	42	7	10
1979	6,834	3	16	73	1,983	2,327	1,134	716	383	148	37	7	7
Assault (homicide) by discharge of firearms (E965.0-E965.4)													
All other, male													
1998	5,554	-	17	61	2,560	1,634	796	325	107	40	11	2	1
1997	6,364	2	8	92	3,002	1,856	867	357	115	51	11	1	2
1996	6,806	3	12	99	3,200	1,980	913	379	127	57	23	5	8
1995	7,347	-	22	139	3,426	2,145	960	391	162	76	17	4	5
1994	8,535	5	15	143	4,065	2,486	1,175	392	144	83	21	1	5
1993	8,995	5	18	176	4,263	2,578	1,248	424	164	82	25	4	8
1992	8,338	3	22	153	3,877	2,514	1,109	403	150	76	18	6	7
1991	8,576	2	17	131	3,900	2,645	1,178	409	170	89	20	3	12
1990	7,735	3	10	111	3,350	2,479	1,132	365	165	78	24	4	14
1989	6,703	3	13	112	2,715	2,242	971	339	169	94	30	6	9
1988	6,120	2	12	85	2,386	2,136	926	304	147	74	33	4	11
1987	5,295	-	10	83	1,959	1,793	876	305	165	70	27	3	4
1986	5,361	2	16	55	1,758	1,969	855	398	171	95	29	5	8
1985	4,527	1	12	48	1,403	1,621	780	334	195	94	28	6	5
1984	4,487	4	3	49	1,323	1,603	793	374	212	88	30	5	3
1983	4,670	-	4	45	1,407	1,653	790	391	254	88	31	5	2
1982	5,447	4	13	46	1,574	2,017	847	517	268	119	33	6	3
1981	6,020	2	9	59	1,761	2,190	959	560	315	115	40	3	7
1980	6,149	2	11	56	1,868	2,188	987	564	314	110	36	6	7
1979	5,813	1	6	48	1,672	2,023	967	609	325	122	28	6	6

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Assault (homicide) by discharge of firearms (E965.0-E965.4)													
All other, female													
1998	832	1	9	34	264	235	176	70	20	15	6	1	1
1997	863	4	9	38	274	245	171	70	28	13	6	3	2
1996	991	2	17	41	309	297	200	72	23	20	7	2	1
1995	1,060	4	11	41	346	320	210	67	33	19	5	2	2
1994	1,218	2	12	59	385	376	236	82	33	20	11	1	1
1993	1,340	3	14	64	457	427	243	68	29	20	11	2	2
1992	1,223	3	20	56	377	427	214	64	33	19	8	-	2
1991	1,226	1	14	43	394	432	206	75	32	16	9	3	1
1990	1,107	3	11	55	325	384	195	67	33	18	13	2	1
1989	1,043	2	12	39	311	363	174	67	43	21	7	3	1
1988	1,050	2	9	45	274	393	200	59	37	22	4	3	2
1987	988	1	7	24	286	343	164	86	37	26	9	4	1
1986	929	1	8	22	264	345	170	63	28	16	9	2	1
1985	818	1	9	22	203	303	145	75	33	15	11	1	-
1984	810	2	6	29	218	280	148	56	41	20	7	2	1
1983	803	1	6	15	224	283	150	79	26	11	7	-	1
1982	867	1	5	14	232	302	161	80	40	21	9	1	1
1981	1,016	3	6	26	307	310	160	99	74	23	5	2	1
1980	1,084	2	7	18	326	374	163	100	58	26	6	1	3
1979	1,021	2	10	25	311	304	167	107	58	26	9	1	1
Assault (homicide) by discharge of firearms (E965.0-E965.4)													
Black, both sexes													
1998	6,053	1	24	79	2,712	1,779	914	360	114	48	17	3	2
1997	6,841	6	15	113	3,137	2,021	966	378	126	56	15	4	4
1996	7,403	5	25	124	3,359	2,187	1,046	407	136	72	29	7	6
1995	7,935	4	29	156	3,592	2,341	1,097	418	174	91	21	6	6
1994	9,302	7	26	185	4,271	2,754	1,329	432	162	98	30	2	6
1993	9,824	7	26	224	4,530	2,865	1,406	446	170	99	35	6	10
1992	9,151	6	41	188	4,096	2,842	1,251	427	170	91	25	6	8
1991	9,327	3	27	167	4,149	2,919	1,299	437	178	103	27	6	12
1990	8,497	6	19	159	3,543	2,777	1,265	397	187	87	37	6	14
1989	7,414	4	20	135	2,937	2,498	1,078	385	198	104	37	9	9
1988	6,875	4	19	118	2,571	2,434	1,070	338	176	92	34	7	12
1987	6,054	1	16	96	2,174	2,074	991	370	194	93	34	7	4
1986	6,040	3	21	73	1,946	2,229	978	432	194	110	38	7	9
1985	5,142	2	19	66	1,558	1,867	869	391	216	104	39	7	4
1984	5,085	5	9	68	1,493	1,818	895	404	242	104	37	6	4
1983	5,245	-	10	55	1,577	1,858	901	435	270	95	37	5	2
1982	6,082	5	15	55	1,738	2,256	961	567	299	136	39	7	4
1981	6,816	4	14	82	2,007	2,433	1,077	631	379	132	45	5	7
1980	7,028	4	18	71	2,134	2,487	1,119	639	366	134	40	7	9
1979	6,633	3	15	68	1,927	2,264	1,108	687	367	143	37	7	7

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Assault (homicide) by discharge of firearms (E965.0-E965.4)													
Black, male													
1998	5,298	-	15	51	2,465	1,563	755	302	97	36	11	2	1
1997	6,057	2	7	79	2,886	1,786	812	324	104	44	10	1	2
1996	6,484	3	11	89	3,076	1,909	854	342	114	53	23	5	5
1995	6,978	-	20	122	3,272	2,049	913	358	146	73	16	4	5
1994	8,171	5	15	129	3,908	2,397	1,113	364	134	80	20	1	5
1993	8,578	4	15	163	4,093	2,467	1,182	393	145	80	24	4	8
1992	8,005	3	22	136	3,736	2,436	1,055	372	141	74	18	6	6
1991	8,198	2	14	125	3,774	2,519	1,117	374	151	88	20	3	11
1990	7,453	3	9	106	3,235	2,411	1,080	338	160	70	24	4	13
1989	6,450	2	11	103	2,640	2,164	917	321	159	88	30	6	9
1988	5,893	2	12	76	2,307	2,069	885	285	141	72	30	4	10
1987	5,112	-	9	77	1,901	1,743	834	288	160	68	26	3	3
1986	5,176	2	15	51	1,701	1,908	820	375	168	94	29	5	8
1985	4,363	1	12	46	1,361	1,576	732	320	187	90	28	6	4
1984	4,325	3	3	40	1,285	1,553	758	357	204	85	30	4	3
1983	4,491	-	4	41	1,363	1,595	760	363	244	84	31	5	1
1982	5,259	4	10	42	1,518	1,970	808	491	260	116	31	6	3
1981	5,849	1	8	58	1,715	2,136	928	537	307	110	40	3	6
1980	5,989	2	11	54	1,822	2,127	964	545	309	108	35	6	6
1979	5,649	1	6	44	1,631	1,971	946	582	311	117	28	6	6
Assault (homicide) by discharge of firearms (E965.0-E965.4)													
Black, female													
1998	755	1	9	28	247	216	159	58	17	12	6	1	1
1997	784	4	8	34	251	235	154	54	22	12	5	3	2
1996	919	2	14	35	283	278	192	65	22	19	6	2	1
1995	957	4	9	34	320	292	184	60	28	18	5	2	1
1994	1,131	2	11	56	363	357	216	68	28	18	10	1	1
1993	1,246	3	11	61	437	398	224	53	25	19	11	2	2
1992	1,146	3	19	52	360	406	196	55	29	17	7	-	2
1991	1,129	1	13	42	375	400	182	63	27	15	7	3	1
1990	1,044	3	10	53	308	366	185	59	27	17	13	2	1
1989	964	2	9	32	297	334	161	64	39	16	7	3	-
1988	982	2	7	42	264	365	185	53	35	20	4	3	2
1987	942	1	7	19	273	331	157	82	34	25	8	4	1
1986	864	1	6	22	245	321	158	57	26	16	9	2	1
1985	779	1	7	20	197	291	137	71	29	14	11	1	-
1984	760	2	6	28	208	265	137	47	38	19	7	2	1
1983	754	-	6	14	214	263	141	72	26	11	6	-	1
1982	823	1	5	13	220	286	153	76	39	20	8	1	1
1981	967	3	6	24	292	297	149	94	72	22	5	2	1
1980	1,039	2	7	17	312	360	155	94	57	26	5	1	3
1979	984	2	9	24	296	293	162	105	56	26	9	1	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Assault (homicide) by other and unspecified means and their sequelae (E960-E964,E965.5-E969)													
All races, both sexes													
1998	6,095	317	341	206	947	1,216	1,369	724	363	262	233	80	37
1997	6,239	308	322	172	973	1,255	1,352	761	397	315	244	110	30
1996	6,597	323	361	202	1,048	1,399	1,450	753	408	312	214	81	46
1995	7,001	303	378	181	1,160	1,615	1,468	772	431	334	236	95	28
1994	7,020	302	413	174	1,132	1,695	1,489	687	373	353	270	102	30
1993	7,400	330	393	198	1,211	1,868	1,460	720	442	367	257	113	41
1992	7,656	315	360	183	1,233	2,000	1,522	794	422	421	270	105	31
1991	8,508	370	357	179	1,445	2,265	1,604	836	562	420	324	106	40
1990	8,396	319	321	191	1,595	2,354	1,558	707	504	399	285	107	56
1989	8,114	323	326	204	1,388	2,289	1,436	763	521	421	285	108	50
1988	8,139	306	331	205	1,519	2,258	1,359	692	540	463	308	108	50
1987	8,155	266	293	178	1,543	2,222	1,336	762	609	450	311	116	69
1986	8,433	270	331	175	1,736	2,303	1,356	758	613	442	294	107	48
1985	7,792	194	295	218	1,576	2,096	1,274	746	604	405	259	84	41
1984	7,695	222	288	230	1,598	2,054	1,171	756	596	388	269	89	34
1983	7,882	186	286	188	1,779	2,039	1,167	744	638	403	297	117	38
1982	8,243	229	322	219	1,899	2,059	1,177	855	652	414	259	116	42
1981	8,272	205	293	234	1,874	2,080	1,185	913	641	408	303	103	33
1980	8,467	197	273	218	2,057	2,095	1,166	949	642	454	281	96	39
1979	7,711	163	272	208	1,902	1,837	1,073	842	611	425	244	85	49
Assault (homicide) by other and unspecified means and their sequelae (E960-E964,E965.5-E969)													
All races, male													
1998	3,881	170	189	104	650	761	868	512	273	171	128	29	26
1997	3,960	179	181	91	655	787	880	524	270	196	132	48	17
1996	4,210	163	182	95	718	889	994	519	286	197	109	31	27
1995	4,387	173	208	88	761	996	956	535	312	198	110	33	17
1994	4,576	172	234	80	782	1,088	1,017	507	274	217	142	47	16
1993	4,717	185	237	89	812	1,165	1,000	513	323	208	116	45	24
1992	5,032	174	203	79	833	1,311	1,079	576	313	262	137	47	18
1991	5,592	199	198	85	955	1,511	1,145	602	407	270	160	38	22
1990	5,669	171	176	81	1,098	1,612	1,138	549	371	258	139	40	36
1989	5,348	160	175	85	915	1,570	1,020	571	380	248	142	53	29
1988	5,338	146	188	104	969	1,483	1,020	522	396	282	153	43	32
1987	5,369	150	142	81	975	1,499	969	566	449	289	158	49	42
1986	5,676	149	194	72	1,135	1,615	996	577	454	267	147	37	33
1985	5,274	104	153	109	1,052	1,492	929	567	443	250	122	27	26
1984	5,144	123	144	93	1,001	1,464	862	586	439	249	129	40	14
1983	5,390	89	161	104	1,193	1,468	864	568	481	248	141	47	26
1982	5,633	129	176	99	1,259	1,501	880	660	479	252	123	48	27
1981	5,740	100	157	116	1,271	1,527	913	712	465	266	133	56	24
1980	5,901	106	150	88	1,375	1,539	896	763	488	289	145	38	24
1979	5,274	102	135	103	1,265	1,336	819	640	451	238	118	33	34

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	15-24 25-34 35-44 45-54 55-64 65-74 75-84												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	years	years	years	years	years	years	years	85 + years	
Assault (homicide) by other and unspecified means and their sequelae (E960-E964,E965.5-E969)													
All races, female													
1998	2,214	147	152	102	297	455	501	212	90	91	105	51	11
1997	2,279	129	141	81	318	468	472	237	127	119	112	62	13
1996	2,387	160	179	107	330	510	456	234	122	115	105	50	19
1995	2,614	130	170	93	399	619	512	237	119	136	126	62	11
1994	2,444	130	179	94	350	607	472	180	99	136	128	55	14
1993	2,683	145	156	109	399	703	460	207	119	159	141	68	17
1992	2,624	141	157	104	400	689	443	218	109	159	133	58	13
1991	2,916	171	159	94	490	754	459	234	155	150	164	68	18
1990	2,727	148	145	110	497	742	420	158	133	141	146	67	20
1989	2,766	163	151	119	473	719	416	192	141	173	143	55	21
1988	2,801	160	143	101	550	775	339	170	144	181	155	65	18
1987	2,786	116	151	97	568	723	367	196	160	161	153	67	27
1986	2,757	121	137	103	601	688	360	181	159	175	147	70	15
1985	2,518	90	142	109	524	604	345	179	161	155	137	57	15
1984	2,551	99	144	137	597	590	309	170	157	139	140	49	20
1983	2,492	97	125	84	586	571	303	176	157	155	156	70	12
1982	2,610	100	146	120	640	558	297	195	173	162	136	68	15
1981	2,532	105	136	118	603	553	272	201	176	142	170	47	9
1980	2,566	91	123	130	682	556	270	186	154	165	136	58	15
1979	2,437	61	137	105	637	501	254	202	160	187	126	52	15
Assault (homicide) by other and unspecified means and their sequelae (E960-E964,E965.5-E969)													
White, both sexes													
1998	3,596	184	167	110	577	672	766	433	232	185	174	65	31
1997	3,651	186	176	93	555	706	705	459	257	224	185	84	21
1996	3,848	197	195	124	587	756	786	455	267	231	154	61	35
1995	3,986	180	201	116	669	826	777	476	276	226	155	62	22
1994	3,944	166	233	96	626	872	766	421	248	232	192	72	20
1993	4,151	192	184	124	686	939	788	430	291	238	172	78	29
1992	4,306	184	196	100	685	1,020	809	489	278	266	179	75	25
1991	4,687	200	186	111	784	1,130	855	501	346	261	202	78	33
1990	4,577	174	154	112	919	1,112	809	420	316	270	184	63	44
1989	4,374	171	160	111	748	1,112	731	465	321	264	190	66	35
1988	4,427	175	192	123	804	1,084	713	382	344	293	209	71	37
1987	4,576	150	171	98	843	1,132	701	450	381	295	216	86	53
1986	4,789	155	167	96	978	1,202	751	444	379	285	215	75	42
1985	4,512	117	172	130	872	1,117	699	440	387	272	207	64	35
1984	4,434	124	164	129	929	1,082	663	443	377	245	190	64	24
1983	4,508	98	142	122	999	1,051	660	439	403	266	207	94	27
1982	4,756	137	166	129	1,104	1,049	649	504	425	271	197	97	28
1981	4,851	129	155	143	1,125	1,089	644	523	429	274	231	84	25
1980	5,093	116	153	149	1,278	1,129	627	557	426	318	229	83	28
1979	4,492	92	151	137	1,174	928	550	484	370	308	185	78	35

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	Age group											Age not stated	
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years		85 + years
Assault (homicide) by other and unspecified means and their sequelae (E960-E964,E965.5-E969)													
White, male													
1998	2,262	100	87	51	397	420	484	298	170	117	95	22	21
1997	2,335	120	99	46	363	458	481	317	172	134	97	35	13
1996	2,422	99	102	60	386	486	540	301	179	143	79	23	24
1995	2,435	108	110	57	419	511	502	303	193	124	68	26	14
1994	2,579	92	131	42	432	587	519	309	182	146	98	31	10
1993	2,612	107	119	58	454	602	522	294	210	127	74	29	16
1992	2,819	100	116	42	460	695	562	346	209	155	89	29	16
1991	3,087	116	111	56	513	772	617	354	250	158	95	27	18
1990	3,060	99	87	47	638	762	582	314	224	174	82	25	26
1989	2,812	89	88	44	469	757	494	337	241	150	89	33	21
1988	2,823	86	114	63	494	708	505	277	250	178	97	25	26
1987	2,897	89	95	36	521	734	481	325	281	172	101	31	31
1986	3,114	83	102	34	612	828	532	327	277	169	98	23	29
1985	2,958	57	92	62	572	783	494	322	272	167	92	22	23
1984	2,872	68	89	47	564	763	483	333	261	145	83	26	10
1983	3,005	47	81	64	673	749	474	318	295	161	90	35	18
1982	3,142	80	89	51	706	749	469	386	306	155	90	42	19
1981	3,251	65	73	60	750	811	487	385	308	162	91	41	18
1980	3,456	58	87	61	836	818	482	442	314	194	113	33	18
1979	3,009	57	80	62	790	669	412	358	265	174	87	31	24
Assault (homicide) by other and unspecified means and their sequelae (E960-E964,E965.5-E969)													
White, female													
1998	1,334	84	80	59	180	252	282	135	62	68	79	43	10
1997	1,316	66	77	47	192	248	224	142	85	90	88	49	8
1996	1,426	98	93	64	201	270	246	154	88	88	75	38	11
1995	1,551	72	91	59	250	315	275	173	83	102	87	36	8
1994	1,365	74	102	54	194	285	247	112	66	86	94	41	10
1993	1,539	85	65	66	232	337	266	136	81	111	98	49	13
1992	1,487	84	80	58	225	325	247	143	69	111	90	46	9
1991	1,600	84	75	55	271	358	238	147	96	103	107	51	15
1990	1,517	75	67	65	281	350	227	106	92	96	102	38	18
1989	1,562	82	72	67	279	355	237	128	80	114	101	33	14
1988	1,604	89	78	60	310	376	208	105	94	115	112	46	11
1987	1,679	61	76	62	322	398	220	125	100	123	115	55	22
1986	1,675	72	65	62	366	374	219	117	102	116	117	52	13
1985	1,554	60	80	68	300	334	205	118	115	105	115	42	12
1984	1,562	56	75	82	365	319	180	110	116	100	107	38	14
1983	1,503	51	61	58	326	302	186	121	108	105	117	59	9
1982	1,614	57	77	78	398	300	180	118	119	116	107	55	9
1981	1,600	64	82	83	375	278	157	138	121	112	140	43	7
1980	1,637	58	66	88	442	311	145	115	112	124	116	50	10
1979	1,483	35	71	75	384	259	138	126	105	134	98	47	11

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Assault (homicide) by other and unspecified means and their sequelae (E960-E964,E965.5-E969)													
All other, both sexes													
1998	2,499	133	174	96	370	544	603	291	131	77	59	15	6
1997	2,588	122	146	79	418	549	647	302	140	91	59	26	9
1996	2,749	126	166	78	461	643	664	298	141	81	60	20	11
1995	3,015	123	177	65	491	789	691	296	155	108	81	33	6
1994	3,076	136	180	78	506	823	723	266	125	121	78	30	10
1993	3,249	138	209	74	525	929	672	290	151	129	85	35	12
1992	3,350	131	164	83	548	980	713	305	144	155	91	30	6
1991	3,821	170	171	68	661	1,135	749	335	216	159	122	28	7
1990	3,819	145	167	79	676	1,242	749	287	188	129	101	44	12
1989	3,740	152	166	93	640	1,177	705	298	200	157	95	42	15
1988	3,712	131	139	82	715	1,174	646	310	196	170	99	37	13
1987	3,579	116	122	80	700	1,090	635	312	228	155	95	30	16
1986	3,644	115	164	79	758	1,101	605	314	234	157	79	32	6
1985	3,280	77	123	88	704	979	575	306	217	133	52	20	6
1984	3,261	98	124	101	669	972	508	313	219	143	79	25	10
1983	3,374	88	144	66	780	988	507	305	235	137	90	23	11
1982	3,487	92	156	90	795	1,010	528	351	227	143	62	19	14
1981	3,421	76	138	91	749	991	541	390	212	134	72	19	8
1980	3,374	81	120	69	779	966	539	392	216	136	52	13	11
1979	3,219	71	121	71	728	909	523	358	241	117	59	7	14
Assault (homicide) by other and unspecified means and their sequelae (E960-E964,E965.5-E969)													
All other, male													
1998	1,619	70	102	53	253	341	384	214	103	54	33	7	5
1997	1,625	59	82	45	292	329	399	207	98	62	35	13	4
1996	1,788	64	80	35	332	403	454	218	107	54	30	8	3
1995	1,952	65	98	31	342	485	454	232	119	74	42	7	3
1994	1,997	80	103	38	350	501	498	198	92	71	44	16	6
1993	2,105	78	118	31	358	563	478	219	113	81	42	16	8
1992	2,213	74	87	37	373	616	517	230	104	107	48	18	2
1991	2,505	83	87	29	442	739	528	248	157	112	65	11	4
1990	2,609	72	89	34	460	850	556	235	147	84	57	15	10
1989	2,536	71	87	41	446	813	526	234	139	98	53	20	8
1988	2,515	60	74	41	475	775	515	245	146	104	56	18	6
1987	2,472	61	47	45	454	765	488	241	168	117	57	18	11
1986	2,562	66	92	38	523	787	464	250	177	98	49	14	4
1985	2,316	47	61	47	480	709	435	245	171	83	30	5	3
1984	2,272	55	55	46	437	701	379	253	178	104	46	14	4
1983	2,385	42	80	40	520	719	390	250	186	87	51	12	8
1982	2,491	49	87	48	553	752	411	274	173	97	33	6	8
1981	2,489	35	84	56	521	716	426	327	157	104	42	15	6
1980	2,445	48	63	27	539	721	414	321	174	95	32	5	6
1979	2,265	45	55	41	475	667	407	282	186	64	31	2	10

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Assault (homicide) by other and unspecified means and their sequelae (E960-E964,E965.5-E969)													
All other, female													
1998	880	63	72	43	117	203	219	77	28	23	26	8	1
1997	963	63	64	34	126	220	248	95	42	29	24	13	5
1996	961	62	86	43	129	240	210	80	34	27	30	12	8
1995	1,063	58	79	34	149	304	237	64	36	34	39	26	3
1994	1,079	56	77	40	156	322	225	68	33	50	34	14	4
1993	1,144	60	91	43	167	366	194	71	38	48	43	19	4
1992	1,137	57	77	46	175	364	196	75	40	48	43	12	4
1991	1,316	87	84	39	219	396	221	87	59	47	57	17	3
1990	1,210	73	78	45	216	392	193	52	41	45	44	29	2
1989	1,204	81	79	52	194	364	179	64	61	59	42	22	7
1988	1,197	71	65	41	240	399	131	65	50	66	43	19	7
1987	1,107	55	75	35	246	325	147	71	60	38	38	12	5
1986	1,082	49	72	41	235	314	141	64	57	59	30	18	2
1985	964	30	62	41	224	270	140	61	46	50	22	15	3
1984	989	43	69	55	232	271	129	60	41	39	33	11	6
1983	989	46	64	26	260	269	117	55	49	50	39	11	3
1982	996	43	69	42	242	258	117	77	54	46	29	13	6
1981	932	41	54	35	228	275	115	63	55	30	30	4	2
1980	929	33	57	42	240	245	125	71	42	41	20	8	5
1979	954	26	66	30	253	242	116	76	55	53	28	5	4
Assault (homicide) by other and unspecified means and their sequelae (E960-E964,E965.5-E969)													
Black, both sexes													
1998	2,240	122	163	82	338	479	548	259	112	65	51	15	6
1997	2,306	104	132	66	371	488	586	265	125	81	56	24	8
1996	2,483	116	149	70	407	575	618	263	128	71	55	20	11
1995	2,754	116	163	59	436	727	638	269	134	99	75	32	6
1994	2,790	121	159	65	449	755	663	243	112	113	75	29	6
1993	2,987	125	191	68	476	855	621	265	137	123	83	35	8
1992	3,069	122	144	72	493	902	666	281	131	139	88	26	5
1991	3,532	156	157	59	603	1,061	687	307	197	152	120	27	6
1990	3,538	135	151	73	626	1,163	683	263	171	122	98	41	12
1989	3,444	138	152	79	577	1,100	649	272	187	148	87	41	14
1988	3,452	123	133	78	655	1,098	596	284	182	161	94	35	13
1987	3,329	108	114	73	646	1,032	582	283	210	148	91	29	13
1986	3,355	110	153	73	675	1,028	555	289	215	151	71	29	6
1985	3,047	73	117	71	640	921	540	275	209	127	48	20	6
1984	3,050	96	116	97	618	916	467	292	208	135	74	22	9
1983	3,142	81	132	61	718	923	474	285	221	129	86	23	9
1982	3,275	82	144	82	743	962	497	328	215	135	56	18	13
1981	3,203	67	133	81	692	948	501	364	201	125	69	16	6
1980	3,144	80	113	63	723	910	494	370	201	123	47	11	9
1979	3,023	67	117	70	681	845	488	345	227	109	55	7	12

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Assault (homicide) by other and unspecified means and their sequelae (E960-E964,E965.5-E969)													
Black, male													
1998	1,451	62	94	48	230	299	352	192	88	47	27	7	5
1997	1,439	49	77	37	253	288	359	185	85	55	35	12	4
1996	1,605	61	73	32	288	353	417	196	96	50	28	8	3
1995	1,779	61	89	28	299	445	421	213	103	72	39	6	3
1994	1,798	70	91	34	306	448	459	179	84	67	42	15	3
1993	1,938	72	107	27	322	523	441	201	105	78	41	16	5
1992	2,029	69	73	30	336	561	486	214	97	98	47	16	2
1991	2,333	75	83	25	401	693	491	232	147	108	64	11	3
1990	2,423	66	79	31	425	797	514	219	134	79	56	13	10
1989	2,339	67	80	33	401	756	491	216	131	90	48	19	7
1988	2,346	56	72	38	434	723	480	228	137	101	53	18	6
1987	2,306	56	44	40	421	725	453	220	155	113	53	17	9
1986	2,360	63	87	35	460	737	431	231	164	93	43	12	4
1985	2,164	45	58	39	433	671	410	227	166	80	27	5	3
1984	2,135	53	51	45	400	665	354	241	170	97	41	14	4
1983	2,229	39	73	39	477	675	368	235	176	82	47	12	6
1982	2,356	44	82	45	513	724	392	259	166	90	29	5	7
1981	2,346	32	82	48	485	689	400	308	151	95	39	13	4
1980	2,285	48	59	23	496	685	386	307	164	82	28	3	4
1979	2,138	42	54	40	446	625	381	274	175	61	29	2	9
Assault (homicide) by other and unspecified means and their sequelae (E960-E964,E965.5-E969)													
Black, female													
1998	789	60	69	34	108	180	196	67	24	18	24	8	1
1997	867	55	55	29	118	200	227	80	40	26	21	12	4
1996	878	55	76	38	119	222	201	67	32	21	27	12	8
1995	975	55	74	31	137	282	217	56	31	27	36	26	3
1994	992	51	68	31	143	307	204	64	28	46	33	14	3
1993	1,049	53	84	41	154	332	180	64	32	45	42	19	3
1992	1,040	53	71	42	157	341	180	67	34	41	41	10	3
1991	1,199	81	74	34	202	368	196	75	50	44	56	16	3
1990	1,115	69	72	42	201	366	169	44	37	43	42	28	2
1989	1,105	71	72	46	176	344	158	56	56	58	39	22	7
1988	1,106	67	61	40	221	375	116	56	45	60	41	17	7
1987	1,023	52	70	33	225	307	129	63	55	35	38	12	4
1986	995	47	66	38	215	291	124	58	51	58	28	17	2
1985	883	28	59	32	207	250	130	48	43	47	21	15	3
1984	915	43	65	52	218	251	113	51	38	38	33	8	5
1983	913	42	59	22	241	248	106	50	45	47	39	11	3
1982	919	38	62	37	230	238	105	69	49	45	27	13	6
1981	857	35	51	33	207	259	101	56	50	30	30	3	2
1980	859	32	54	40	227	225	108	63	37	41	19	8	5
1979	885	25	63	30	235	220	107	71	52	48	26	5	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Legal intervention (E970-E978)													
All races, both sexes													
1998	379	-	-	3	75	118	118	49	9	4	-	2	1
1997	355	-	-	1	63	114	108	40	19	6	3	-	1
1996	337	-	-	1	72	111	92	35	13	7	3	2	1
1995	343	-	-	1	80	99	103	38	12	7	1	2	-
1994	379	-	-	3	103	134	84	39	6	5	3	2	-
1993	356	-	-	-	108	115	87	30	8	5	2	-	1
1992	344	-	1	2	85	108	88	44	9	3	3	1	-
1991	259	-	-	1	72	100	53	19	12	2	-	-	-
1990	318	-	1	2	80	123	74	25	8	1	3	1	2
1989	331	-	-	2	68	130	74	36	14	2	3	-	2
1988	248	-	-	1	53	104	51	24	12	1	-	1	1
1987	291	-	-	1	63	131	62	16	12	3	1	-	2
1986	269	-	-	-	70	100	50	24	14	8	2	-	1
1985	265	-	-	-	79	100	49	17	12	3	3	1	1
1984	286	-	-	-	77	104	61	25	6	11	2	-	-
1983	269	-	-	-	68	100	57	25	10	3	6	-	-
1982	285	-	-	-	93	111	48	16	9	6	1	-	1
1981	285	-	-	1	85	110	52	22	10	4	1	-	-
1980	311	-	-	-	110	108	45	29	9	8	1	-	1
1979	348	-	-	-	128	129	42	27	8	9	4	1	-
Legal intervention (E970-E978)													
All races, male													
1998	371	-	-	1	74	118	116	47	8	4	-	2	1
1997	342	-	-	1	61	108	106	39	17	6	3	-	1
1996	324	-	-	1	70	109	88	34	12	6	3	-	1
1995	332	-	-	1	79	98	100	37	11	5	-	1	-
1994	365	-	-	3	101	129	81	37	6	5	2	1	-
1993	345	-	-	-	107	112	82	29	7	5	2	-	1
1992	336	-	-	2	83	106	87	43	8	3	3	1	-
1991	250	-	-	1	71	97	49	19	11	2	-	-	-
1990	306	-	-	-	78	117	73	24	8	1	2	1	2
1989	320	-	-	2	67	125	71	35	14	2	2	-	2
1988	240	-	-	1	51	99	50	24	12	1	-	1	1
1987	284	-	-	1	61	129	59	16	12	3	1	-	2
1986	263	-	-	-	70	99	49	23	12	7	2	-	1
1985	260	-	-	-	78	99	48	17	11	3	3	-	1
1984	279	-	-	-	75	104	59	24	6	10	1	-	-
1983	261	-	-	-	66	97	56	24	9	3	6	-	-
1982	280	-	-	-	93	107	47	16	9	6	1	-	1
1981	284	-	-	1	85	109	52	22	10	4	1	-	-
1980	309	-	-	-	109	107	45	29	9	8	1	-	1
1979	340	-	-	-	128	126	40	26	7	9	3	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Legal intervention (E970-E978)													
All races, female													
1998	8	-	-	2	1	-	2	2	1	-	-	-	-
1997	13	-	-	-	2	6	2	1	2	-	-	-	-
1996	13	-	-	-	2	2	4	1	1	1	-	2	-
1995	11	-	-	-	1	1	3	1	1	2	1	1	-
1994	14	-	-	-	2	5	3	2	-	-	1	1	-
1993	11	-	-	-	1	3	5	1	1	-	-	-	-
1992	8	-	1	-	2	2	1	1	1	-	-	-	-
1991	9	-	-	-	1	3	4	-	1	-	-	-	-
1990	12	-	1	-	2	6	1	1	-	-	1	-	-
1989	11	-	-	-	1	5	3	1	-	-	1	-	-
1988	8	-	-	-	2	5	1	-	-	-	-	-	-
1987	7	-	-	-	2	2	3	-	-	-	-	-	-
1986	6	-	-	-	-	1	1	1	2	1	-	-	-
1985	5	-	-	-	1	1	1	-	1	-	-	1	-
1984	7	-	-	-	2	-	2	1	-	1	1	-	-
1983	8	-	-	-	2	3	1	1	1	-	-	-	-
1982	5	-	-	-	-	4	1	-	-	-	-	-	-
1981	1	-	-	-	-	1	-	-	-	-	-	-	-
1980	2	-	-	-	1	1	-	-	-	-	-	-	-
1979	8	-	-	-	-	3	2	1	1	-	1	-	-
Legal intervention (E970-E978)													
White, both sexes													
1998	233	-	-	1	25	76	87	35	5	1	-	2	1
1997	237	-	-	-	39	71	72	32	15	6	2	-	-
1996	229	-	-	1	40	74	68	25	11	5	2	2	1
1995	234	-	-	-	44	66	74	32	9	6	1	2	-
1994	258	-	-	1	64	86	66	30	5	3	1	2	-
1993	217	-	-	-	57	69	58	22	7	2	1	-	1
1992	235	-	1	2	47	74	63	33	9	3	2	1	-
1991	151	-	-	1	34	57	34	14	10	1	-	-	-
1990	200	-	1	-	42	78	52	21	3	1	1	-	1
1989	216	-	-	1	38	77	52	32	10	2	2	-	2
1988	164	-	-	1	30	64	40	18	8	1	-	1	1
1987	178	-	-	1	38	71	41	9	12	3	1	-	2
1986	162	-	-	-	44	55	34	15	8	4	1	-	1
1985	160	-	-	-	44	58	29	13	9	2	3	1	1
1984	175	-	-	-	48	57	40	16	4	8	2	-	-
1983	160	-	-	-	35	60	38	16	5	2	4	-	-
1982	167	-	-	-	56	65	25	10	6	4	-	-	1
1981	162	-	-	1	54	55	29	13	7	3	-	-	-
1980	198	-	-	-	62	65	33	23	7	6	1	-	1
1979	185	-	-	-	73	68	19	15	6	3	1	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Legal intervention (E970-E978)													
White, male													
1998	228	-	-	-	25	76	85	34	4	1	-	2	1
1997	225	-	-	-	37	65	71	31	13	6	2	-	-
1996	219	-	-	1	38	73	65	24	10	5	2	-	1
1995	227	-	-	-	44	65	73	31	8	5	-	1	-
1994	245	-	-	1	62	81	63	29	5	3	-	1	-
1993	209	-	-	-	57	67	54	21	6	2	1	-	1
1992	228	-	-	2	46	72	62	32	8	3	2	1	-
1991	144	-	-	1	33	54	32	14	9	1	-	-	-
1990	193	-	-	-	41	74	52	20	3	1	1	-	1
1989	210	-	-	1	37	75	50	32	10	2	1	-	2
1988	157	-	-	1	28	59	40	18	8	1	-	1	1
1987	175	-	-	1	37	71	39	9	12	3	1	-	2
1986	158	-	-	-	44	54	33	14	7	4	1	-	1
1985	159	-	-	-	44	58	29	13	9	2	3	-	1
1984	171	-	-	-	47	57	39	15	4	8	1	-	-
1983	157	-	-	-	34	60	38	15	4	2	4	-	-
1982	163	-	-	-	56	62	24	10	6	4	-	-	1
1981	162	-	-	1	54	55	29	13	7	3	-	-	-
1980	196	-	-	-	61	64	33	23	7	6	1	-	1
1979	182	-	-	-	73	67	19	14	5	3	1	-	-
Legal intervention (E970-E978)													
White, female													
1998	5	-	-	1	-	-	2	1	1	-	-	-	-
1997	12	-	-	-	2	6	1	1	2	-	-	-	-
1996	10	-	-	-	2	1	3	1	1	-	-	2	-
1995	7	-	-	-	-	1	1	1	1	1	1	1	-
1994	13	-	-	-	2	5	3	1	-	-	1	1	-
1993	8	-	-	-	-	2	4	1	1	-	-	-	-
1992	7	-	1	-	1	2	1	1	1	-	-	-	-
1991	7	-	-	-	1	3	2	-	1	-	-	-	-
1990	7	-	1	-	1	4	-	1	-	-	-	-	-
1989	6	-	-	-	1	2	2	-	-	-	1	-	-
1988	7	-	-	-	2	5	-	-	-	-	-	-	-
1987	3	-	-	-	1	-	2	-	-	-	-	-	-
1986	4	-	-	-	-	1	1	1	1	-	-	-	-
1985	1	-	-	-	-	-	-	-	-	-	-	1	-
1984	4	-	-	-	1	-	1	1	-	-	1	-	-
1983	3	-	-	-	1	-	-	1	1	-	-	-	-
1982	4	-	-	-	-	3	1	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	2	-	-	-	1	1	-	-	-	-	-	-	-
1979	3	-	-	-	-	1	-	1	1	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Legal intervention (E970-E978)													
All other, both sexes													
1998	146	-	-	2	50	42	31	14	4	3	-	-	-
1997	118	-	-	1	24	43	36	8	4	-	1	-	1
1996	108	-	-	-	32	37	24	10	2	2	1	-	-
1995	109	-	-	1	36	33	29	6	3	1	-	-	-
1994	121	-	-	2	39	48	18	9	1	2	2	-	-
1993	139	-	-	-	51	46	29	8	1	3	1	-	-
1992	109	-	-	-	38	34	25	11	-	-	1	-	-
1991	108	-	-	-	38	43	19	5	2	1	-	-	-
1990	118	-	-	-	38	45	22	4	5	-	2	1	1
1989	115	-	-	1	30	53	22	4	4	-	1	-	-
1988	84	-	-	-	23	40	11	6	4	-	-	-	-
1987	113	-	-	-	25	60	21	7	-	-	-	-	-
1986	107	-	-	-	26	45	16	9	6	4	1	-	-
1985	105	-	-	-	35	42	20	4	3	1	-	-	-
1984	111	-	-	-	29	47	21	9	2	3	-	-	-
1983	109	-	-	-	33	40	19	9	5	1	2	-	-
1982	118	-	-	-	37	46	23	6	3	2	1	-	-
1981	123	-	-	-	31	55	23	9	3	1	1	-	-
1980	113	-	-	-	48	43	12	6	2	2	-	-	-
1979	163	-	-	-	55	61	23	12	2	6	3	1	-
Legal intervention (E970-E978)													
All other, male													
1998	143	-	-	1	49	42	31	13	4	3	-	-	-
1997	117	-	-	1	24	43	35	8	4	-	1	-	1
1996	105	-	-	-	32	36	23	10	2	1	1	-	-
1995	105	-	-	1	35	33	27	6	3	-	-	-	-
1994	120	-	-	2	39	48	18	8	1	2	2	-	-
1993	136	-	-	-	50	45	28	8	1	3	1	-	-
1992	108	-	-	-	37	34	25	11	-	-	1	-	-
1991	106	-	-	-	38	43	17	5	2	1	-	-	-
1990	113	-	-	-	37	43	21	4	5	-	1	1	1
1989	110	-	-	1	30	50	21	3	4	-	1	-	-
1988	83	-	-	-	23	40	10	6	4	-	-	-	-
1987	109	-	-	-	24	58	20	7	-	-	-	-	-
1986	105	-	-	-	26	45	16	9	5	3	1	-	-
1985	101	-	-	-	34	41	19	4	2	1	-	-	-
1984	108	-	-	-	28	47	20	9	2	2	-	-	-
1983	104	-	-	-	32	37	18	9	5	1	2	-	-
1982	117	-	-	-	37	45	23	6	3	2	1	-	-
1981	122	-	-	-	31	54	23	9	3	1	1	-	-
1980	113	-	-	-	48	43	12	6	2	2	-	-	-
1979	158	-	-	-	55	59	21	12	2	6	2	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Legal intervention (E970-E978)													
All other, female													
1998	3	-	-	1	1	-	-	1	-	-	-	-	-
1997	1	-	-	-	-	-	1	-	-	-	-	-	-
1996	3	-	-	-	-	1	1	-	-	1	-	-	-
1995	4	-	-	-	1	-	2	-	-	1	-	-	-
1994	1	-	-	-	-	-	-	1	-	-	-	-	-
1993	3	-	-	-	1	1	1	-	-	-	-	-	-
1992	1	-	-	-	1	-	-	-	-	-	-	-	-
1991	2	-	-	-	-	-	2	-	-	-	-	-	-
1990	5	-	-	-	1	2	1	-	-	-	1	-	-
1989	5	-	-	-	-	3	1	1	-	-	-	-	-
1988	1	-	-	-	-	-	1	-	-	-	-	-	-
1987	4	-	-	-	1	2	1	-	-	-	-	-	-
1986	2	-	-	-	-	-	-	-	1	1	-	-	-
1985	4	-	-	-	1	1	1	-	1	-	-	-	-
1984	3	-	-	-	1	-	1	-	-	1	-	-	-
1983	5	-	-	-	1	3	1	-	-	-	-	-	-
1982	1	-	-	-	-	1	-	-	-	-	-	-	-
1981	1	-	-	-	-	1	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-	-
1979	5	-	-	-	-	2	2	-	-	-	1	-	-
Legal intervention (E970-E978)													
Black, both sexes													
1998	127	-	-	2	45	38	24	12	3	3	-	-	-
1997	106	-	-	1	21	41	31	7	3	-	1	-	1
1996	97	-	-	-	29	33	23	8	2	1	1	-	-
1995	94	-	-	1	32	28	25	5	2	1	-	-	-
1994	115	-	-	1	38	46	16	9	1	2	2	-	-
1993	126	-	-	-	46	40	27	8	1	3	1	-	-
1992	98	-	-	-	36	31	21	9	-	-	1	-	-
1991	99	-	-	-	33	41	18	4	2	1	-	-	-
1990	109	-	-	-	32	44	21	3	5	-	2	1	1
1989	104	-	-	-	27	46	22	4	4	-	1	-	-
1988	76	-	-	-	21	35	11	5	4	-	-	-	-
1987	104	-	-	-	25	56	17	6	-	-	-	-	-
1986	100	-	-	-	23	43	14	9	6	4	1	-	-
1985	93	-	-	-	32	39	15	3	3	1	-	-	-
1984	105	-	-	-	26	46	20	9	2	2	-	-	-
1983	107	-	-	-	31	40	19	9	5	1	2	-	-
1982	116	-	-	-	35	46	23	6	3	2	1	-	-
1981	118	-	-	-	31	53	21	8	3	1	1	-	-
1980	111	-	-	-	47	42	12	6	2	2	-	-	-
1979	156	-	-	-	52	59	21	12	2	6	3	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Legal intervention (E970-E978)													
Black, male													
1998	124	-	-	1	44	38	24	11	3	3	-	-	-
1997	105	-	-	1	21	41	30	7	3	-	1	-	1
1996	94	-	-	-	29	32	22	8	2	-	1	-	-
1995	90	-	-	1	31	28	23	5	2	-	-	-	-
1994	114	-	-	1	38	46	16	8	1	2	2	-	-
1993	124	-	-	-	46	39	26	8	1	3	1	-	-
1992	97	-	-	-	35	31	21	9	-	-	1	-	-
1991	97	-	-	-	33	41	16	4	2	1	-	-	-
1990	105	-	-	-	32	42	20	3	5	-	1	1	1
1989	99	-	-	-	27	43	21	3	4	-	1	-	-
1988	75	-	-	-	21	35	10	5	4	-	-	-	-
1987	100	-	-	-	24	54	16	6	-	-	-	-	-
1986	98	-	-	-	23	43	14	9	5	3	1	-	-
1985	89	-	-	-	31	38	14	3	2	1	-	-	-
1984	103	-	-	-	25	46	19	9	2	2	-	-	-
1983	102	-	-	-	30	37	18	9	5	1	2	-	-
1982	115	-	-	-	35	45	23	6	3	2	1	-	-
1981	117	-	-	-	31	52	21	8	3	1	1	-	-
1980	111	-	-	-	47	42	12	6	2	2	-	-	-
1979	151	-	-	-	52	57	19	12	2	6	2	1	-
Legal intervention (E970-E978)													
Black, female													
1998	3	-	-	1	1	-	-	1	-	-	-	-	-
1997	1	-	-	-	-	-	1	-	-	-	-	-	-
1996	3	-	-	-	-	1	1	-	-	1	-	-	-
1995	4	-	-	-	1	-	2	-	-	1	-	-	-
1994	1	-	-	-	-	-	-	1	-	-	-	-	-
1993	2	-	-	-	-	1	1	-	-	-	-	-	-
1992	1	-	-	-	1	-	-	-	-	-	-	-	-
1991	2	-	-	-	-	-	2	-	-	-	-	-	-
1990	4	-	-	-	-	2	1	-	-	-	1	-	-
1989	5	-	-	-	-	3	1	1	-	-	-	-	-
1988	1	-	-	-	-	-	1	-	-	-	-	-	-
1987	4	-	-	-	1	2	1	-	-	-	-	-	-
1986	2	-	-	-	-	-	-	-	1	1	-	-	-
1985	4	-	-	-	1	1	1	-	1	-	-	-	-
1984	2	-	-	-	1	-	1	-	-	-	-	-	-
1983	5	-	-	-	1	3	1	-	-	-	-	-	-
1982	1	-	-	-	-	1	-	-	-	-	-	-	-
1981	1	-	-	-	-	1	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-	-
1979	5	-	-	-	-	2	2	-	-	-	1	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Events of undetermined intent (E980-E989)													
All races, both sexes													
1998	3,746	75	43	66	342	734	1,286	708	214	103	86	64	25
1997	3,657	57	40	48	360	716	1,297	632	224	120	88	56	19
1996	3,463	58	54	48	367	763	1,163	498	180	140	101	64	27
1995	3,301	57	45	46	363	780	1,131	465	148	102	83	56	25
1994	3,419	47	47	71	423	819	1,061	460	205	119	95	53	19
1993	3,419	61	39	59	420	884	1,017	430	202	137	93	51	26
1992	2,895	41	34	45	341	762	909	324	162	122	88	38	29
1991	2,507	48	41	50	323	634	671	274	175	121	97	40	33
1990	2,376	53	31	53	310	647	580	262	173	123	83	43	18
1989	2,686	51	56	49	345	760	665	276	190	142	96	36	20
1988	3,018	42	55	73	449	897	633	287	205	190	103	60	24
1987	3,011	57	76	63	415	874	639	264	237	178	115	62	31
1986	3,108	51	53	49	465	864	612	341	286	181	126	52	28
1985	2,826	54	71	57	397	792	528	321	252	161	123	48	22
1984	2,996	60	56	75	495	776	512	331	284	216	116	58	17
1983	3,104	56	71	75	511	806	502	358	309	192	139	66	19
1982	3,201	73	67	63	559	833	495	386	330	186	125	53	31
1981	3,614	81	84	71	662	834	533	440	410	264	149	70	16
1980	3,663	68	100	82	702	894	530	439	369	241	154	59	25
1979	3,860	85	95	100	778	867	548	528	408	242	134	57	18
Events of undetermined intent (E980-E989)													
All races, male													
1998	2,597	53	27	53	271	509	921	483	130	56	51	25	18
1997	2,656	37	19	36	289	535	972	456	145	74	53	25	15
1996	2,523	29	26	37	308	577	871	365	105	95	57	29	24
1995	2,461	28	28	37	307	576	889	338	91	63	55	29	20
1994	2,508	24	21	51	356	601	812	341	128	73	59	26	16
1993	2,513	38	22	46	336	671	768	300	138	92	61	22	19
1992	2,105	24	18	36	282	578	681	216	105	75	50	17	23
1991	1,755	29	16	31	245	472	497	177	115	72	56	21	24
1990	1,719	30	20	40	249	499	437	167	117	79	50	15	16
1989	1,942	30	33	33	284	575	490	186	129	85	55	22	20
1988	2,193	28	26	58	341	687	481	209	137	113	66	27	20
1987	2,186	32	41	45	301	678	484	184	159	127	80	33	22
1986	2,258	30	33	37	359	654	453	243	199	117	83	28	22
1985	2,019	30	43	38	292	622	392	207	177	93	77	31	17
1984	2,151	36	27	53	377	611	366	221	199	151	69	26	15
1983	2,180	27	46	56	375	614	353	245	205	133	80	31	15
1982	2,298	43	40	48	417	651	361	256	235	123	74	23	27
1981	2,533	36	47	48	503	645	372	294	257	178	96	43	14
1980	2,620	44	60	60	549	695	364	285	253	158	96	34	22
1979	2,671	36	57	67	594	644	365	341	273	165	81	34	14

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998											Age not stated	
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years		85 + years
Events of undetermined intent (E980-E989)													
All races, female													
1998	1,149	22	16	13	71	225	365	225	84	47	35	39	7
1997	1,001	20	21	12	71	181	325	176	79	46	35	31	4
1996	940	29	28	11	59	186	292	133	75	45	44	35	3
1995	840	29	17	9	56	204	242	127	57	39	28	27	5
1994	911	23	26	20	67	218	249	119	77	46	36	27	3
1993	906	23	17	13	84	213	249	130	64	45	32	29	7
1992	790	17	16	9	59	184	228	108	57	47	38	21	6
1991	752	19	25	19	78	162	174	97	60	49	41	19	9
1990	657	23	11	13	61	148	143	95	56	44	33	28	2
1989	744	21	23	16	61	185	175	90	61	57	41	14	-
1988	825	14	29	15	108	210	152	78	68	77	37	33	4
1987	825	25	35	18	114	196	155	80	78	51	35	29	9
1986	850	21	20	12	106	210	159	98	87	64	43	24	6
1985	807	24	28	19	105	170	136	114	75	68	46	17	5
1984	845	24	29	22	118	165	146	110	85	65	47	32	2
1983	924	29	25	19	136	192	149	113	104	59	59	35	4
1982	903	30	27	15	142	182	134	130	95	63	51	30	4
1981	1,081	45	37	23	159	189	161	146	153	86	53	27	2
1980	1,043	24	40	22	153	199	166	154	116	83	58	25	3
1979	1,189	49	38	33	184	223	183	187	135	77	53	23	4
Events of undetermined intent (E980-E989)													
White, both sexes													
1998	2,952	53	28	47	270	582	1,002	558	168	91	78	61	14
1997	2,839	38	22	37	256	550	1,024	502	171	105	74	49	11
1996	2,680	39	33	37	253	587	907	399	143	118	89	54	21
1995	2,475	34	26	34	249	606	860	331	120	82	74	45	14
1994	2,620	27	29	44	319	632	820	339	164	105	81	47	13
1993	2,575	30	20	43	317	663	743	338	166	113	77	45	20
1992	2,229	22	19	30	247	589	693	261	137	102	76	32	21
1991	1,942	27	28	34	233	488	523	225	141	101	87	33	22
1990	1,808	22	13	39	231	490	451	208	136	103	72	35	8
1989	1,961	25	40	41	263	537	458	201	150	120	78	34	14
1988	2,237	22	29	53	320	637	468	229	159	159	90	54	17
1987	2,185	40	37	44	304	617	438	200	186	143	101	53	22
1986	2,315	27	19	35	359	637	449	254	216	151	109	41	18
1985	2,148	26	42	40	317	587	390	251	205	131	102	41	16
1984	2,254	34	30	50	397	549	370	254	219	185	103	46	17
1983	2,316	20	38	51	381	599	372	264	240	161	119	55	16
1982	2,382	38	38	40	434	594	347	295	275	147	107	44	23
1981	2,727	47	45	54	511	616	375	335	333	221	120	59	11
1980	2,785	40	54	54	560	667	373	334	296	199	135	51	22
1979	2,902	41	52	70	584	632	402	407	338	202	116	45	13

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Events of undetermined intent (E980-E989)													
White, male													
1998	1,988	35	15	37	207	407	694	373	93	48	46	22	11
1997	2,039	25	11	30	201	411	761	358	104	61	45	23	9
1996	1,924	20	17	30	210	436	677	280	78	80	53	24	19
1995	1,833	16	14	29	212	454	678	231	70	47	49	22	11
1994	1,891	16	11	33	265	464	625	238	97	63	48	21	10
1993	1,876	20	12	35	254	504	557	230	109	73	50	17	15
1992	1,593	14	9	24	201	449	517	164	82	63	42	12	16
1991	1,357	16	12	20	178	362	397	143	90	57	48	17	17
1990	1,303	13	8	29	183	388	333	126	91	65	45	14	8
1989	1,402	12	23	29	215	413	333	131	95	67	48	22	14
1988	1,607	13	14	43	244	491	349	159	102	94	58	24	16
1987	1,557	24	23	35	222	471	325	132	117	97	68	28	15
1986	1,672	16	15	26	279	481	332	174	145	93	72	23	16
1985	1,532	14	24	29	234	468	290	157	142	73	61	27	13
1984	1,608	21	11	41	304	433	257	165	150	129	62	20	15
1983	1,623	9	23	39	286	457	260	175	153	113	69	25	14
1982	1,687	21	24	31	324	466	248	183	195	94	61	19	21
1981	1,893	22	27	35	387	476	254	219	202	148	78	36	9
1980	1,966	27	35	45	443	526	248	205	187	124	80	26	20
1979	2,001	20	32	47	461	471	261	257	214	133	71	25	9
Events of undetermined intent (E980-E989)													
White, female													
1998	964	18	13	10	63	175	308	185	75	43	32	39	3
1997	800	13	11	7	55	139	263	144	67	44	29	26	2
1996	756	19	16	7	43	151	230	119	65	38	36	30	2
1995	642	18	12	5	37	152	182	100	50	35	25	23	3
1994	729	11	18	11	54	168	195	101	67	42	33	26	3
1993	699	10	8	8	63	159	186	108	57	40	27	28	5
1992	636	8	10	6	46	140	176	97	55	39	34	20	5
1991	585	11	16	14	55	126	126	82	51	44	39	16	5
1990	505	9	5	10	48	102	118	82	45	38	27	21	-
1989	559	13	17	12	48	124	125	70	55	53	30	12	-
1988	630	9	15	10	76	146	119	70	57	65	32	30	1
1987	628	16	14	9	82	146	113	68	69	46	33	25	7
1986	643	11	4	9	80	156	117	80	71	58	37	18	2
1985	616	12	18	11	83	119	100	94	63	58	41	14	3
1984	646	13	19	9	93	116	113	89	69	56	41	26	2
1983	693	11	15	12	95	142	112	89	87	48	50	30	2
1982	695	17	14	9	110	128	99	112	80	53	46	25	2
1981	834	25	18	19	124	140	121	116	131	73	42	23	2
1980	819	13	19	9	117	141	125	129	109	75	55	25	2
1979	901	21	20	23	123	161	141	150	124	69	45	20	4

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Events of undetermined intent (E980-E989)													
All other, both sexes													
1998	794	22	15	19	72	152	284	150	46	12	8	3	11
1997	818	19	18	11	104	166	273	130	53	15	14	7	8
1996	783	19	21	11	114	176	256	99	37	22	12	10	6
1995	826	23	19	12	114	174	271	134	28	20	9	11	11
1994	799	20	18	27	104	187	241	121	41	14	14	6	6
1993	844	31	19	16	103	221	274	92	36	24	16	6	6
1992	666	19	15	15	94	173	216	63	25	20	12	6	8
1991	565	21	13	16	90	146	148	49	34	20	10	7	11
1990	568	31	18	14	79	157	129	54	37	20	11	8	10
1989	725	26	16	8	82	223	207	75	40	22	18	2	6
1988	781	20	26	20	129	260	165	58	46	31	13	6	7
1987	826	17	39	19	111	257	201	64	51	35	14	9	9
1986	793	24	34	14	106	227	163	87	70	30	17	11	10
1985	678	28	29	17	80	205	138	70	47	30	21	7	6
1984	742	26	26	25	98	227	142	77	65	31	13	12	-
1983	788	36	33	24	130	207	130	94	69	31	20	11	3
1982	819	35	29	23	125	239	148	91	55	39	18	9	8
1981	887	34	39	17	151	218	158	105	77	43	29	11	5
1980	878	28	46	28	142	227	157	105	73	42	19	8	3
1979	958	44	43	30	194	235	146	121	70	40	18	12	5
Events of undetermined intent (E980-E989)													
All other, male													
1998	609	18	12	16	64	102	227	110	37	8	5	3	7
1997	617	12	8	6	88	124	211	98	41	13	8	2	6
1996	599	9	9	7	98	141	194	85	27	15	4	5	5
1995	628	12	14	8	95	122	211	107	21	16	6	7	9
1994	617	8	10	18	91	137	187	103	31	10	11	5	6
1993	637	18	10	11	82	167	211	70	29	19	11	5	4
1992	512	10	9	12	81	129	164	52	23	12	8	5	7
1991	398	13	4	11	67	110	100	34	25	15	8	4	7
1990	416	17	12	11	66	111	104	41	26	14	5	1	8
1989	540	18	10	4	69	162	157	55	34	18	7	-	6
1988	586	15	12	15	97	196	132	50	35	19	8	3	4
1987	629	8	18	10	79	207	159	52	42	30	12	5	7
1986	586	14	18	11	80	173	121	69	54	24	11	5	6
1985	487	16	19	9	58	154	102	50	35	20	16	4	4
1984	543	15	16	12	73	178	109	56	49	22	7	6	-
1983	557	18	23	17	89	157	93	70	52	20	11	6	1
1982	611	22	16	17	93	185	113	73	40	29	13	4	6
1981	640	14	20	13	116	169	118	75	55	30	18	7	5
1980	654	17	25	15	106	169	116	80	66	34	16	8	2
1979	670	16	25	20	133	173	104	84	59	32	10	9	5

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Events of undetermined intent (E980-E989)													
All other, female													
1998	185	4	3	3	8	50	57	40	9	4	3	-	4
1997	201	7	10	5	16	42	62	32	12	2	6	5	2
1996	184	10	12	4	16	35	62	14	10	7	8	5	1
1995	198	11	5	4	19	52	60	27	7	4	3	4	2
1994	182	12	8	9	13	50	54	18	10	4	3	1	-
1993	207	13	9	5	21	54	63	22	7	5	5	1	2
1992	154	9	6	3	13	44	52	11	2	8	4	1	1
1991	167	8	9	5	23	36	48	15	9	5	2	3	4
1990	152	14	6	3	13	46	25	13	11	6	6	7	2
1989	185	8	6	4	13	61	50	20	6	4	11	2	-
1988	195	5	14	5	32	64	33	8	11	12	5	3	3
1987	197	9	21	9	32	50	42	12	9	5	2	4	2
1986	207	10	16	3	26	54	42	18	16	6	6	6	4
1985	191	12	10	8	22	51	36	20	12	10	5	3	2
1984	199	11	10	13	25	49	33	21	16	9	6	6	-
1983	231	18	10	7	41	50	37	24	17	11	9	5	2
1982	208	13	13	6	32	54	35	18	15	10	5	5	2
1981	247	20	19	4	35	49	40	30	22	13	11	4	-
1980	224	11	21	13	36	58	41	25	7	8	3	-	1
1979	288	28	18	10	61	62	42	37	11	8	8	3	-
Events of undetermined intent (E980-E989)													
Black, both sexes													
1998	708	16	15	17	62	129	257	143	42	9	7	3	8
1997	730	14	17	11	90	154	246	114	49	13	10	6	6
1996	713	19	19	9	106	161	236	86	34	20	10	8	5
1995	729	19	18	12	88	158	247	116	25	17	9	10	10
1994	718	18	17	25	91	169	224	105	35	12	13	4	5
1993	749	29	17	12	84	192	257	80	32	22	14	5	5
1992	598	17	15	13	80	154	203	53	22	17	11	6	7
1991	507	19	11	15	79	130	137	41	33	19	7	6	10
1990	492	29	15	14	61	139	120	49	26	15	9	6	9
1989	662	24	16	6	66	208	194	71	34	20	16	1	6
1988	713	19	23	19	113	238	153	56	39	30	11	6	6
1987	751	17	38	14	98	236	181	62	47	30	11	8	9
1986	683	24	33	10	81	190	145	76	64	26	14	10	10
1985	598	26	25	16	61	181	126	60	45	27	18	7	6
1984	660	24	24	21	79	208	131	69	56	29	10	9	-
1983	697	34	29	23	108	183	115	85	62	27	19	9	3
1982	718	32	26	22	102	212	133	75	49	35	17	7	8
1981	795	31	37	17	126	200	145	93	68	38	26	9	5
1980	795	26	46	26	123	203	142	101	67	35	17	6	3
1979	865	41	41	27	174	209	132	110	66	33	16	11	5

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Events of undetermined intent (E980-E989)													
Black, male													
1998	549	13	12	15	56	87	205	107	33	8	4	3	6
1997	556	9	7	6	79	115	190	88	38	11	6	2	5
1996	551	9	8	5	93	129	183	75	25	13	3	4	4
1995	560	10	13	8	73	110	199	95	19	13	6	6	8
1994	555	7	9	17	82	121	175	91	26	8	10	4	5
1993	562	16	9	8	66	143	200	61	25	18	9	4	3
1992	459	9	9	10	70	114	153	44	21	10	8	5	6
1991	359	12	4	10	57	101	93	29	24	15	5	3	6
1990	359	15	10	11	52	96	97	37	20	10	3	1	7
1989	490	16	10	3	57	149	147	52	28	16	6	-	6
1988	542	14	11	15	84	185	123	49	30	18	7	3	3
1987	569	8	17	6	69	189	144	51	38	26	9	5	7
1986	509	14	17	8	61	144	110	63	52	21	9	4	6
1985	432	14	18	9	46	135	92	45	34	17	14	4	4
1984	485	14	14	10	57	165	103	51	41	21	5	4	-
1983	490	17	21	16	71	138	83	63	47	18	11	4	1
1982	537	21	13	17	75	164	103	60	36	25	13	4	6
1981	581	13	18	13	101	155	110	68	50	26	16	6	5
1980	594	17	25	15	94	153	103	77	60	28	14	6	2
1979	606	14	24	18	118	157	95	78	55	26	8	8	5
Events of undetermined intent (E980-E989)													
Black, female													
1998	159	3	3	2	6	42	52	36	9	1	3	-	2
1997	174	5	10	5	11	39	56	26	11	2	4	4	1
1996	162	10	11	4	13	32	53	11	9	7	7	4	1
1995	169	9	5	4	15	48	48	21	6	4	3	4	2
1994	163	11	8	8	9	48	49	14	9	4	3	-	-
1993	187	13	8	4	18	49	57	19	7	4	5	1	2
1992	139	8	6	3	10	40	50	9	1	7	3	1	1
1991	148	7	7	5	22	29	44	12	9	4	2	3	4
1990	133	14	5	3	9	43	23	12	6	5	6	5	2
1989	172	8	6	3	9	59	47	19	6	4	10	1	-
1988	171	5	12	4	29	53	30	7	9	12	4	3	3
1987	182	9	21	8	29	47	37	11	9	4	2	3	2
1986	174	10	16	2	20	46	35	13	12	5	5	6	4
1985	166	12	7	7	15	46	34	15	11	10	4	3	2
1984	175	10	10	11	22	43	28	18	15	8	5	5	-
1983	207	17	8	7	37	45	32	22	15	9	8	5	2
1982	181	11	13	5	27	48	30	15	13	10	4	3	2
1981	214	18	19	4	25	45	35	25	18	12	10	3	-
1980	201	9	21	11	29	50	39	24	7	7	3	-	1
1979	259	27	17	9	56	52	37	32	11	7	8	3	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Discharge of firearms, undetermined intent (E985.0-E985.4)													
All races, both sexes													
1998	316	-	1	19	91	54	57	47	19	10	10	6	2
1997	367	-	2	12	115	76	63	33	23	17	17	7	2
1996	413	-	3	10	144	79	74	45	20	16	14	7	1
1995	394	-	3	22	164	76	55	33	15	11	8	7	-
1994	518	-	2	28	189	116	75	45	30	15	14	3	1
1993	563	-	1	21	183	129	77	59	29	29	28	4	3
1992	408	-	1	19	132	112	81	16	18	18	9	2	-
1991	364	-	-	9	137	83	58	23	30	12	9	2	1
1990	347	-	-	14	119	80	49	29	18	19	15	2	2
1989	340	-	-	19	106	77	46	32	27	20	13	-	-
1988	442	1	-	32	125	106	56	33	29	32	21	4	3
1987	405	-	-	20	117	104	54	33	36	20	14	4	3
1986	492	-	-	17	141	137	65	42	41	29	17	2	1
1985	476	-	2	17	124	121	79	44	37	27	21	4	-
1984	482	-	1	24	139	108	66	46	41	39	15	1	2
1983	507	1	1	11	152	143	74	46	36	28	11	3	1
1982	535	-	1	12	170	138	76	58	50	13	15	2	-
1981	679	1	2	16	209	178	93	64	63	32	14	6	1
1980	626	-	2	18	200	186	70	52	55	23	15	4	1
1979	640	1	2	19	225	149	90	54	48	32	18	1	1
Discharge of firearms, undetermined intent (E985.0-E985.4)													
All races, male													
1998	254	-	-	19	76	41	42	38	14	9	9	4	2
1997	302	-	1	10	101	66	41	28	20	15	14	5	1
1996	357	-	1	10	134	69	58	35	17	13	13	6	1
1995	312	-	2	17	146	55	36	22	11	9	7	7	-
1994	449	-	1	26	176	99	65	31	22	13	14	1	1
1993	466	-	-	20	163	99	58	43	25	27	26	2	3
1992	343	-	-	16	121	96	57	13	17	15	6	2	-
1991	301	-	-	8	116	65	47	22	24	9	7	2	1
1990	289	-	-	12	101	62	40	24	15	17	14	2	2
1989	286	-	-	16	99	58	38	27	18	18	12	-	-
1988	355	-	-	28	111	74	41	27	26	25	18	3	2
1987	327	-	-	14	90	87	42	26	30	18	14	4	2
1986	415	-	-	16	119	106	54	38	37	25	17	2	1
1985	388	-	2	13	100	98	63	34	28	26	20	4	-
1984	401	-	1	21	109	90	59	37	34	33	14	1	2
1983	409	-	1	9	116	116	59	35	34	25	11	2	1
1982	448	-	1	10	140	121	59	46	42	12	15	2	-
1981	554	-	2	14	173	141	71	54	52	28	12	6	1
1980	519	-	1	15	173	147	55	39	50	20	15	3	1
1979	508	-	1	14	184	120	65	39	43	25	15	1	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Discharge of firearms, undetermined intent (E985.0-E985.4)													
All races, female													
1998	62	-	1	-	15	13	15	9	5	1	1	2	-
1997	65	-	1	2	14	10	22	5	3	2	3	2	1
1996	56	-	2	-	10	10	16	10	3	3	1	1	-
1995	82	-	1	5	18	21	19	11	4	2	1	-	-
1994	69	-	1	2	13	17	10	14	8	2	-	2	-
1993	97	-	1	1	20	30	19	16	4	2	2	2	-
1992	65	-	1	3	11	16	24	3	1	3	3	-	-
1991	63	-	-	1	21	18	11	1	6	3	2	-	-
1990	58	-	-	2	18	18	9	5	3	2	1	-	-
1989	54	-	-	3	7	19	8	5	9	2	1	-	-
1988	87	1	-	4	14	32	15	6	3	7	3	1	1
1987	78	-	-	6	27	17	12	7	6	2	-	-	1
1986	77	-	-	1	22	31	11	4	4	4	-	-	-
1985	88	-	-	4	24	23	16	10	9	1	1	-	-
1984	81	-	-	3	30	18	7	9	7	6	1	-	-
1983	98	1	-	2	36	27	15	11	2	3	-	1	-
1982	87	-	-	2	30	17	17	12	8	1	-	-	-
1981	125	1	-	2	36	37	22	10	11	4	2	-	-
1980	107	-	1	3	27	39	15	13	5	3	-	1	-
1979	132	1	1	5	41	29	25	15	5	7	3	-	-
Discharge of firearms, undetermined intent (E985.0-E985.4)													
White, both sexes													
1998	245	-	1	15	57	40	48	42	17	9	9	6	1
1997	263	-	-	8	65	51	54	28	18	14	17	7	1
1996	288	-	2	9	80	49	61	38	14	15	13	7	-
1995	290	-	1	14	100	64	44	31	12	11	7	6	-
1994	394	-	2	19	124	92	58	39	28	14	14	3	1
1993	444	-	-	12	123	104	65	52	28	26	27	4	3
1992	309	-	1	10	83	92	64	15	15	18	9	2	-
1991	293	-	-	6	93	70	55	20	27	12	8	2	-
1990	284	-	-	11	90	64	42	24	16	18	15	2	2
1989	279	-	-	19	79	64	34	28	24	19	12	-	-
1988	350	-	-	24	86	82	49	30	25	28	21	3	2
1987	341	-	-	16	98	84	42	31	32	17	14	4	3
1986	406	-	-	13	113	109	51	37	35	29	17	1	1
1985	401	-	1	15	103	98	65	39	32	25	19	4	-
1984	418	-	-	19	121	92	55	40	37	38	13	1	2
1983	417	-	1	7	118	117	67	35	31	26	11	3	1
1982	447	-	-	10	137	107	64	54	46	12	15	2	-
1981	531	-	-	13	158	136	72	52	53	27	14	5	1
1980	524	-	2	16	166	153	61	43	44	21	13	4	1
1979	512	-	1	13	175	118	74	47	38	27	17	1	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Discharge of firearms, undetermined intent (E985.0-E985.4)													
White, male													
1998	192	-	-	15	47	29	33	35	12	8	8	4	1
1997	216	-	-	7	54	44	38	26	16	12	14	5	-
1996	248	-	1	9	74	41	48	30	13	13	13	6	-
1995	228	-	-	13	88	46	29	22	9	9	6	6	-
1994	331	-	1	17	113	77	48	27	20	12	14	1	1
1993	363	-	-	12	110	78	47	38	24	24	25	2	3
1992	254	-	-	8	75	77	45	12	14	15	6	2	-
1991	242	-	-	5	81	55	44	19	21	9	6	2	-
1990	233	-	-	9	73	51	34	19	13	16	14	2	2
1989	236	-	-	16	76	48	28	24	15	17	12	-	-
1988	275	-	-	21	75	54	35	24	22	22	18	3	1
1987	280	-	-	11	79	71	33	24	27	15	14	4	2
1986	344	-	-	13	95	86	41	33	32	25	17	1	1
1985	326	-	1	11	81	79	51	32	25	24	18	4	-
1984	347	-	-	16	94	78	49	32	31	32	12	1	2
1983	342	-	1	6	92	94	54	28	30	23	11	2	1
1982	373	-	-	9	112	93	50	42	39	11	15	2	-
1981	438	-	-	12	129	110	58	45	43	23	12	5	1
1980	431	-	1	15	140	119	48	33	40	18	13	3	1
1979	410	-	1	9	141	97	52	38	33	22	15	1	1
Discharge of firearms, undetermined intent (E985.0-E985.4)													
White, female													
1998	53	-	1	-	10	11	15	7	5	1	1	2	-
1997	47	-	-	1	11	7	16	2	2	2	3	2	1
1996	40	-	1	-	6	8	13	8	1	2	-	1	-
1995	62	-	1	1	12	18	15	9	3	2	1	-	-
1994	63	-	1	2	11	15	10	12	8	2	-	2	-
1993	81	-	-	-	13	26	18	14	4	2	2	2	-
1992	55	-	1	2	8	15	19	3	1	3	3	-	-
1991	51	-	-	1	12	15	11	1	6	3	2	-	-
1990	51	-	-	2	17	13	8	5	3	2	1	-	-
1989	43	-	-	3	3	16	6	4	9	2	-	-	-
1988	75	-	-	3	11	28	14	6	3	6	3	-	1
1987	61	-	-	5	19	13	9	7	5	2	-	-	1
1986	62	-	-	-	18	23	10	4	3	4	-	-	-
1985	75	-	-	4	22	19	14	7	7	1	1	-	-
1984	71	-	-	3	27	14	6	8	6	6	1	-	-
1983	75	-	-	1	26	23	13	7	1	3	-	1	-
1982	74	-	-	1	25	14	14	12	7	1	-	-	-
1981	93	-	-	1	29	26	14	7	10	4	2	-	-
1980	93	-	1	1	26	34	13	10	4	3	-	1	-
1979	102	-	-	4	34	21	22	9	5	5	2	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Discharge of firearms, undetermined intent (E985.0-E985.4)													
All other, both sexes													
1998	71	-	-	4	34	14	9	5	2	1	1	-	1
1997	104	-	2	4	50	25	9	5	5	3	-	-	1
1996	125	-	1	1	64	30	13	7	6	1	1	-	1
1995	104	-	2	8	64	12	11	2	3	-	1	1	-
1994	124	-	-	9	65	24	17	6	2	1	-	-	-
1993	119	-	1	9	60	25	12	7	1	3	1	-	-
1992	99	-	-	9	49	20	17	1	3	-	-	-	-
1991	71	-	-	3	44	13	3	3	3	-	1	-	1
1990	63	-	-	3	29	16	7	5	2	1	-	-	-
1989	61	-	-	-	27	13	12	4	3	1	1	-	-
1988	92	1	-	8	39	24	7	3	4	4	-	1	1
1987	64	-	-	4	19	20	12	2	4	3	-	-	-
1986	86	-	-	4	28	28	14	5	6	-	-	1	-
1985	75	-	1	2	21	23	14	5	5	2	2	-	-
1984	64	-	1	5	18	16	11	6	4	1	2	-	-
1983	90	1	-	4	34	26	7	11	5	2	-	-	-
1982	88	-	1	2	33	31	12	4	4	1	-	-	-
1981	148	1	2	3	51	42	21	12	10	5	-	1	-
1980	102	-	-	2	34	33	9	9	11	2	2	-	-
1979	128	1	1	6	50	31	16	7	10	5	1	-	-
Discharge of firearms, undetermined intent (E985.0-E985.4)													
All other, male													
1998	62	-	-	4	29	12	9	3	2	1	1	-	1
1997	86	-	1	3	47	22	3	2	4	3	-	-	1
1996	109	-	-	1	60	28	10	5	4	-	-	-	1
1995	84	-	2	4	58	9	7	-	2	-	1	1	-
1994	118	-	-	9	63	22	17	4	2	1	-	-	-
1993	103	-	-	8	53	21	11	5	1	3	1	-	-
1992	89	-	-	8	46	19	12	1	3	-	-	-	-
1991	59	-	-	3	35	10	3	3	3	-	1	-	1
1990	56	-	-	3	28	11	6	5	2	1	-	-	-
1989	50	-	-	-	23	10	10	3	3	1	-	-	-
1988	80	-	-	7	36	20	6	3	4	3	-	-	1
1987	47	-	-	3	11	16	9	2	3	3	-	-	-
1986	71	-	-	3	24	20	13	5	5	-	-	1	-
1985	62	-	1	2	19	19	12	2	3	2	2	-	-
1984	54	-	1	5	15	12	10	5	3	1	2	-	-
1983	67	-	-	3	24	22	5	7	4	2	-	-	-
1982	75	-	1	1	28	28	9	4	3	1	-	-	-
1981	116	-	2	2	44	31	13	9	9	5	-	1	-
1980	88	-	-	-	33	28	7	6	10	2	2	-	-
1979	98	-	-	5	43	23	13	1	10	3	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Discharge of firearms, undetermined intent (E985.0-E985.4)													
All other, female													
1998	9	-	-	-	5	2	-	2	-	-	-	-	-
1997	18	-	1	1	3	3	6	3	1	-	-	-	-
1996	16	-	1	-	4	2	3	2	2	1	1	-	-
1995	20	-	-	4	6	3	4	2	1	-	-	-	-
1994	6	-	-	-	2	2	-	2	-	-	-	-	-
1993	16	-	1	1	7	4	1	2	-	-	-	-	-
1992	10	-	-	1	3	1	5	-	-	-	-	-	-
1991	12	-	-	-	9	3	-	-	-	-	-	-	-
1990	7	-	-	-	1	5	1	-	-	-	-	-	-
1989	11	-	-	-	4	3	2	1	-	-	1	-	-
1988	12	1	-	1	3	4	1	-	-	1	-	1	-
1987	17	-	-	1	8	4	3	-	1	-	-	-	-
1986	15	-	-	1	4	8	1	-	1	-	-	-	-
1985	13	-	-	-	2	4	2	3	2	-	-	-	-
1984	10	-	-	-	3	4	1	1	1	-	-	-	-
1983	23	1	-	1	10	4	2	4	1	-	-	-	-
1982	13	-	-	1	5	3	3	-	1	-	-	-	-
1981	32	1	-	1	7	11	8	3	1	-	-	-	-
1980	14	-	-	2	1	5	2	3	1	-	-	-	-
1979	30	1	1	1	7	8	3	6	-	2	1	-	-
Discharge of firearms, undetermined intent (E985.0-E985.4)													
Black, both sexes													
1998	62	-	-	4	30	11	8	4	2	1	1	-	1
1997	93	-	2	4	44	25	7	3	5	2	-	-	1
1996	119	-	1	-	63	29	11	7	5	1	1	-	1
1995	87	-	2	8	53	10	10	-	2	-	1	1	-
1994	112	-	-	8	59	23	14	5	2	1	-	-	-
1993	102	-	1	7	52	20	11	6	1	3	1	-	-
1992	90	-	-	8	46	17	15	1	3	-	-	-	-
1991	65	-	-	2	41	11	3	3	3	-	1	-	1
1990	58	-	-	3	26	15	6	5	2	1	-	-	-
1989	53	-	-	-	24	11	11	4	1	1	1	-	-
1988	82	1	-	8	34	22	6	3	2	4	-	1	1
1987	56	-	-	4	17	18	9	2	3	3	-	-	-
1986	70	-	-	3	18	26	13	3	6	-	-	1	-
1985	58	-	1	2	16	16	11	4	5	2	1	-	-
1984	50	-	-	3	14	13	10	4	3	1	2	-	-
1983	81	-	-	4	30	23	7	10	5	2	-	-	-
1982	81	-	1	2	30	28	12	4	3	1	-	-	-
1981	131	1	2	3	42	37	20	10	10	5	-	1	-
1980	85	-	-	2	27	26	8	8	10	2	2	-	-
1979	112	1	1	5	43	26	14	7	10	4	1	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Discharge of firearms, undetermined intent (E985.0-E985.4)													
Black, male													
1998	56	-	-	4	26	10	8	3	2	1	1	-	1
1997	79	-	1	3	42	22	3	1	4	2	-	-	1
1996	104	-	-	-	59	27	9	5	3	-	-	-	1
1995	70	-	2	4	47	8	6	-	1	-	1	1	-
1994	107	-	-	8	58	21	14	3	2	1	-	-	-
1993	88	-	-	6	46	17	10	4	1	3	1	-	-
1992	81	-	-	7	43	16	11	1	3	-	-	-	-
1991	54	-	-	2	32	9	3	3	3	-	1	-	1
1990	52	-	-	3	25	11	5	5	2	1	-	-	-
1989	42	-	-	-	20	8	9	3	1	1	-	-	-
1988	72	-	-	7	32	19	5	3	2	3	-	-	1
1987	40	-	-	3	10	14	6	2	2	3	-	-	-
1986	56	-	-	2	15	18	12	3	5	-	-	1	-
1985	48	-	1	2	15	12	10	2	3	2	1	-	-
1984	42	-	-	3	11	11	9	3	2	1	2	-	-
1983	59	-	-	3	20	19	5	6	4	2	-	-	-
1982	69	-	1	1	25	26	9	4	2	1	-	-	-
1981	104	-	2	2	38	27	13	7	9	5	-	1	-
1980	71	-	-	-	26	21	6	5	9	2	2	-	-
1979	84	-	-	4	36	20	11	1	10	2	-	-	-
Discharge of firearms, undetermined intent (E985.0-E985.4)													
Black, female													
1998	6	-	-	-	4	1	-	1	-	-	-	-	-
1997	14	-	1	1	2	3	4	2	1	-	-	-	-
1996	15	-	1	-	4	2	2	2	2	1	1	-	-
1995	17	-	-	4	6	2	4	-	1	-	-	-	-
1994	5	-	-	-	1	2	-	2	-	-	-	-	-
1993	14	-	1	1	6	3	1	2	-	-	-	-	-
1992	9	-	-	1	3	1	4	-	-	-	-	-	-
1991	11	-	-	-	9	2	-	-	-	-	-	-	-
1990	6	-	-	-	1	4	1	-	-	-	-	-	-
1989	11	-	-	-	4	3	2	1	-	-	1	-	-
1988	10	1	-	1	2	3	1	-	-	1	-	1	-
1987	16	-	-	1	7	4	3	-	1	-	-	-	-
1986	14	-	-	1	3	8	1	-	1	-	-	-	-
1985	10	-	-	-	1	4	1	2	2	-	-	-	-
1984	8	-	-	-	3	2	1	1	1	-	-	-	-
1983	22	-	-	1	10	4	2	4	1	-	-	-	-
1982	12	-	-	1	5	2	3	-	1	-	-	-	-
1981	27	1	-	1	4	10	7	3	1	-	-	-	-
1980	14	-	-	2	1	5	2	3	1	-	-	-	-
1979	28	1	1	1	7	6	3	6	-	2	1	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other and unspecified events of undetermined intent and their sequelae (E980-E984,E985.5-E989)													
All races, both sexes													
1998	3,430	75	42	47	251	680	1,229	661	195	93	76	58	23
1997	3,290	57	38	36	245	640	1,234	599	201	103	71	49	17
1996	3,050	58	51	38	223	684	1,089	453	160	124	87	57	26
1995	2,907	57	42	24	199	704	1,076	432	133	91	75	49	25
1994	2,901	47	45	43	234	703	986	415	175	104	81	50	18
1993	2,856	61	38	38	237	755	940	371	173	108	65	47	23
1992	2,487	41	33	26	209	650	828	308	144	104	79	36	29
1991	2,143	48	41	41	186	551	613	251	145	109	88	38	32
1990	2,029	53	31	39	191	567	531	233	155	104	68	41	16
1989	2,346	51	56	30	239	683	619	244	163	122	83	36	20
1988	2,576	41	55	41	324	791	577	254	176	158	82	56	21
1987	2,606	57	76	43	298	770	585	231	201	158	101	58	28
1986	2,616	51	53	32	324	727	547	299	245	152	109	50	27
1985	2,350	54	69	40	273	671	449	277	215	134	102	44	22
1984	2,514	60	55	51	356	668	446	285	243	177	101	57	15
1983	2,597	55	70	64	359	663	428	312	273	164	128	63	18
1982	2,666	73	66	51	389	695	419	328	280	173	110	51	31
1981	2,935	80	82	55	453	656	440	376	347	232	135	64	15
1980	3,037	68	98	64	502	708	460	387	314	218	139	55	24
1979	3,220	84	93	81	553	718	458	474	360	210	116	56	17
Other and unspecified events of undetermined intent and their sequelae (E980-E984,E985.5-E989)													
All races, male													
1998	2,343	53	27	34	195	468	879	445	116	47	42	21	16
1997	2,354	37	18	26	188	469	931	428	125	59	39	20	14
1996	2,166	29	25	27	174	508	813	330	88	82	44	23	23
1995	2,149	28	26	20	161	521	853	316	80	54	48	22	20
1994	2,059	24	20	25	180	502	747	310	106	60	45	25	15
1993	2,047	38	22	26	173	572	710	257	113	65	35	20	16
1992	1,762	24	18	20	161	482	624	203	88	60	44	15	23
1991	1,454	29	16	23	129	407	450	155	91	63	49	19	23
1990	1,430	30	20	28	148	437	397	143	102	62	36	13	14
1989	1,656	30	33	17	185	517	452	159	111	67	43	22	20
1988	1,838	28	26	30	230	613	440	182	111	88	48	24	18
1987	1,859	32	41	31	211	591	442	158	129	109	66	29	20
1986	1,843	30	33	21	240	548	399	205	162	92	66	26	21
1985	1,631	30	41	25	192	524	329	173	149	67	57	27	17
1984	1,750	36	26	32	268	521	307	184	165	118	55	25	13
1983	1,771	27	45	47	259	498	294	210	171	108	69	29	14
1982	1,850	43	39	38	277	530	302	210	193	111	59	21	27
1981	1,979	36	45	34	330	504	301	240	205	150	84	37	13
1980	2,101	44	59	45	376	548	309	246	203	138	81	31	21
1979	2,163	36	56	53	410	524	300	302	230	140	66	33	13

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other and unspecified events of undetermined intent and their sequelae (E980-E984,E985.5-E989)													
All races, female													
1998	1,087	22	15	13	56	212	350	216	79	46	34	37	7
1997	936	20	20	10	57	171	303	171	76	44	32	29	3
1996	884	29	26	11	49	176	276	123	72	42	43	34	3
1995	758	29	16	4	38	183	223	116	53	37	27	27	5
1994	842	23	25	18	54	201	239	105	69	44	36	25	3
1993	809	23	16	12	64	183	230	114	60	43	30	27	7
1992	725	17	15	6	48	168	204	105	56	44	35	21	6
1991	689	19	25	18	57	144	163	96	54	46	39	19	9
1990	599	23	11	11	43	130	134	90	53	42	32	28	2
1989	690	21	23	13	54	166	167	85	52	55	40	14	-
1988	738	13	29	11	94	178	137	72	65	70	34	32	3
1987	747	25	35	12	87	179	143	73	72	49	35	29	8
1986	773	21	20	11	84	179	148	94	83	60	43	24	6
1985	719	24	28	15	81	147	120	104	66	67	45	17	5
1984	764	24	29	19	88	147	139	101	78	59	46	32	2
1983	826	28	25	17	100	165	134	102	102	56	59	34	4
1982	816	30	27	13	112	165	117	118	87	62	51	30	4
1981	956	44	37	21	123	152	139	136	142	82	51	27	2
1980	936	24	39	19	126	160	151	141	111	80	58	24	3
1979	1,057	48	37	28	143	194	158	172	130	70	50	23	4
Other and unspecified events of undetermined intent and their sequelae (E980-E984,E985.5-E989)													
White, both sexes													
1998	2,707	53	27	32	213	542	954	516	151	82	69	55	13
1997	2,576	38	22	29	191	499	970	474	153	91	57	42	10
1996	2,392	39	31	28	173	538	846	361	129	103	76	47	21
1995	2,185	34	25	20	149	542	816	300	108	71	67	39	14
1994	2,226	27	27	25	195	540	762	300	136	91	67	44	12
1993	2,131	30	20	31	194	559	678	286	138	87	50	41	17
1992	1,920	22	18	20	164	497	629	246	122	84	67	30	21
1991	1,649	27	28	28	140	418	468	205	114	89	79	31	22
1990	1,524	22	13	28	141	426	409	184	120	85	57	33	6
1989	1,682	25	40	22	184	473	424	173	126	101	66	34	14
1988	1,887	22	29	29	234	555	419	199	134	131	69	51	15
1987	1,844	40	37	28	206	533	396	169	154	126	87	49	19
1986	1,909	27	19	22	246	528	398	217	181	122	92	40	17
1985	1,747	26	41	25	214	489	325	212	173	106	83	37	16
1984	1,836	34	30	31	276	457	315	214	182	147	90	45	15
1983	1,899	20	37	44	263	482	305	229	209	135	108	52	15
1982	1,935	38	38	30	297	487	283	241	229	135	92	42	23
1981	2,196	47	45	41	353	480	303	283	280	194	106	54	10
1980	2,261	40	52	38	394	514	312	291	252	178	122	47	21
1979	2,390	41	51	57	409	514	328	360	300	175	99	44	12

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other and unspecified events of undetermined intent and their sequelae (E980-E984,E985.5-E989)													
White, male													
1998	1,796	35	15	22	160	378	661	338	81	40	38	18	10
1997	1,823	25	11	23	147	367	723	332	88	49	31	18	9
1996	1,676	20	16	21	136	395	629	250	65	67	40	18	19
1995	1,605	16	14	16	124	408	649	209	61	38	43	16	11
1994	1,560	16	10	16	152	387	577	211	77	51	34	20	9
1993	1,513	20	12	23	144	426	510	192	85	49	25	15	12
1992	1,339	14	9	16	126	372	472	152	68	48	36	10	16
1991	1,115	16	12	15	97	307	353	124	69	48	42	15	17
1990	1,070	13	8	20	110	337	299	107	78	49	31	12	6
1989	1,166	12	23	13	139	365	305	107	80	50	36	22	14
1988	1,332	13	14	22	169	437	314	135	80	72	40	21	15
1987	1,277	24	23	24	143	400	292	108	90	82	54	24	13
1986	1,328	16	15	13	184	395	291	141	113	68	55	22	15
1985	1,206	14	23	18	153	389	239	125	117	49	43	23	13
1984	1,261	21	11	25	210	355	208	133	119	97	50	19	13
1983	1,281	9	22	33	194	363	206	147	123	90	58	23	13
1982	1,314	21	24	22	212	373	198	141	156	83	46	17	21
1981	1,455	22	27	23	258	366	196	174	159	125	66	31	8
1980	1,535	27	34	30	303	407	200	172	147	106	67	23	19
1979	1,591	20	31	38	320	374	209	219	181	111	56	24	8
Other and unspecified events of undetermined intent and their sequelae (E980-E984,E985.5-E989)													
White, female													
1998	911	18	12	10	53	164	293	178	70	42	31	37	3
1997	753	13	11	6	44	132	247	142	65	42	26	24	1
1996	716	19	15	7	37	143	217	111	64	36	36	29	2
1995	580	18	11	4	25	134	167	91	47	33	24	23	3
1994	666	11	17	9	43	153	185	89	59	40	33	24	3
1993	618	10	8	8	50	133	168	94	53	38	25	26	5
1992	581	8	9	4	38	125	157	94	54	36	31	20	5
1991	534	11	16	13	43	111	115	81	45	41	37	16	5
1990	454	9	5	8	31	89	110	77	42	36	26	21	-
1989	516	13	17	9	45	108	119	66	46	51	30	12	-
1988	555	9	15	7	65	118	105	64	54	59	29	30	-
1987	567	16	14	4	63	133	104	61	64	44	33	25	6
1986	581	11	4	9	62	133	107	76	68	54	37	18	2
1985	541	12	18	7	61	100	86	87	56	57	40	14	3
1984	575	13	19	6	66	102	107	81	63	50	40	26	2
1983	618	11	15	11	69	119	99	82	86	45	50	29	2
1982	621	17	14	8	85	114	85	100	73	52	46	25	2
1981	741	25	18	18	95	114	107	109	121	69	40	23	2
1980	726	13	18	8	91	107	112	119	105	72	55	24	2
1979	799	21	20	19	89	140	119	141	119	64	43	20	4

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998											Age not stated	
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years		85 + years
Other and unspecified events of undetermined intent and their sequelae (E980-E984,E985.5-E989)													
All other, both sexes													
1998	723	22	15	15	38	138	275	145	44	11	7	3	10
1997	714	19	16	7	54	141	264	125	48	12	14	7	7
1996	658	19	20	10	50	146	243	92	31	21	11	10	5
1995	722	23	17	4	50	162	260	132	25	20	8	10	11
1994	675	20	18	18	39	163	224	115	39	13	14	6	6
1993	725	31	18	7	43	196	262	85	35	21	15	6	6
1992	567	19	15	6	45	153	199	62	22	20	12	6	8
1991	494	21	13	13	46	133	145	46	31	20	9	7	10
1990	505	31	18	11	50	141	122	49	35	19	11	8	10
1989	664	26	16	8	55	210	195	71	37	21	17	2	6
1988	689	19	26	12	90	236	158	55	42	27	13	5	6
1987	762	17	39	15	92	237	189	62	47	32	14	9	9
1986	707	24	34	10	78	199	149	82	64	30	17	10	10
1985	603	28	28	15	59	182	124	65	42	28	19	7	6
1984	678	26	25	20	80	211	131	71	61	30	11	12	-
1983	698	35	33	20	96	181	123	83	64	29	20	11	3
1982	731	35	28	21	92	208	136	87	51	38	18	9	8
1981	739	33	37	14	100	176	137	93	67	38	29	10	5
1980	776	28	46	26	108	194	148	96	62	40	17	8	3
1979	830	43	42	24	144	204	130	114	60	35	17	12	5
Other and unspecified events of undetermined intent and their sequelae (E980-E984,E985.5-E989)													
All other, male													
1998	547	18	12	12	35	90	218	107	35	7	4	3	6
1997	531	12	7	3	41	102	208	96	37	10	8	2	5
1996	490	9	9	6	38	113	184	80	23	15	4	5	4
1995	544	12	12	4	37	113	204	107	19	16	5	6	9
1994	499	8	10	9	28	115	170	99	29	9	11	5	6
1993	534	18	10	3	29	146	200	65	28	16	10	5	4
1992	423	10	9	4	35	110	152	51	20	12	8	5	7
1991	339	13	4	8	32	100	97	31	22	15	7	4	6
1990	360	17	12	8	38	100	98	36	24	13	5	1	8
1989	490	18	10	4	46	152	147	52	31	17	7	-	6
1988	506	15	12	8	61	176	126	47	31	16	8	3	3
1987	582	8	18	7	68	191	150	50	39	27	12	5	7
1986	515	14	18	8	56	153	108	64	49	24	11	4	6
1985	425	16	18	7	39	135	90	48	32	18	14	4	4
1984	489	15	15	7	58	166	99	51	46	21	5	6	-
1983	490	18	23	14	65	135	88	63	48	18	11	6	1
1982	536	22	15	16	65	157	104	69	37	28	13	4	6
1981	524	14	18	11	72	138	105	66	46	25	18	6	5
1980	566	17	25	15	73	141	109	74	56	32	14	8	2
1979	572	16	25	15	90	150	91	83	49	29	10	9	5

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other and unspecified events of undetermined intent and their sequelae (E980-E984,E985.5-E989)													
All other, female													
1998	176	4	3	3	3	48	57	38	9	4	3	-	4
1997	183	7	9	4	13	39	56	29	11	2	6	5	2
1996	168	10	11	4	12	33	59	12	8	6	7	5	1
1995	178	11	5	-	13	49	56	25	6	4	3	4	2
1994	176	12	8	9	11	48	54	16	10	4	3	1	-
1993	191	13	8	4	14	50	62	20	7	5	5	1	2
1992	144	9	6	2	10	43	47	11	2	8	4	1	1
1991	155	8	9	5	14	33	48	15	9	5	2	3	4
1990	145	14	6	3	12	41	24	13	11	6	6	7	2
1989	174	8	6	4	9	58	48	19	6	4	10	2	-
1988	183	4	14	4	29	60	32	8	11	11	5	2	3
1987	180	9	21	8	24	46	39	12	8	5	2	4	2
1986	192	10	16	2	22	46	41	18	15	6	6	6	4
1985	178	12	10	8	20	47	34	17	10	10	5	3	2
1984	189	11	10	13	22	45	32	20	15	9	6	6	-
1983	208	17	10	6	31	46	35	20	16	11	9	5	2
1982	195	13	13	5	27	51	32	18	14	10	5	5	2
1981	215	19	19	3	28	38	32	27	21	13	11	4	-
1980	210	11	21	11	35	53	39	22	6	8	3	-	1
1979	258	27	17	9	54	54	39	31	11	6	7	3	-
Other and unspecified events of undetermined intent and their sequelae (E980-E984,E985.5-E989)													
Black, both sexes													
1998	646	16	15	13	32	118	249	139	40	8	6	3	7
1997	637	14	15	7	46	129	239	111	44	11	10	6	5
1996	594	19	18	9	43	132	225	79	29	19	9	8	4
1995	642	19	16	4	35	148	237	116	23	17	8	9	10
1994	606	18	17	17	32	146	210	100	33	11	13	4	5
1993	647	29	16	5	32	172	246	74	31	19	13	5	5
1992	508	17	15	5	34	137	188	52	19	17	11	6	7
1991	442	19	11	13	38	119	134	38	30	19	6	6	9
1990	434	29	15	11	35	124	114	44	24	14	9	6	9
1989	609	24	16	6	42	197	183	67	33	19	15	1	6
1988	631	18	23	11	79	216	147	53	37	26	11	5	5
1987	695	17	38	10	81	218	172	60	44	27	11	8	9
1986	613	24	33	7	63	164	132	73	58	26	14	9	10
1985	540	26	24	14	45	165	115	56	40	25	17	7	6
1984	610	24	24	18	65	195	121	65	53	28	8	9	-
1983	616	34	29	19	78	160	108	75	57	25	19	9	3
1982	637	32	25	20	72	184	121	71	46	34	17	7	8
1981	664	30	35	14	84	163	125	83	58	33	26	8	5
1980	710	26	46	24	96	177	134	93	57	33	15	6	3
1979	753	40	40	22	131	183	118	103	56	29	15	11	5

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Other and unspecified events of undetermined intent and their sequelae (E980-E984,E985.5-E989)													
Black, male													
1998	493	13	12	11	30	77	197	104	31	7	3	3	5
1997	477	9	6	3	37	93	187	87	34	9	6	2	4
1996	447	9	8	5	34	102	174	70	22	13	3	4	3
1995	490	10	11	4	26	102	193	95	18	13	5	5	8
1994	448	7	9	9	24	100	161	88	24	7	10	4	5
1993	474	16	9	2	20	126	190	57	24	15	8	4	3
1992	378	9	9	3	27	98	142	43	18	10	8	5	6
1991	305	12	4	8	25	92	90	26	21	15	4	3	5
1990	307	15	10	8	27	85	92	32	18	9	3	1	7
1989	448	16	10	3	37	141	138	49	27	15	6	-	6
1988	470	14	11	8	52	166	118	46	28	15	7	3	2
1987	529	8	17	3	59	175	138	49	36	23	9	5	7
1986	453	14	17	6	46	126	98	60	47	21	9	3	6
1985	384	14	17	7	31	123	82	43	31	15	13	4	4
1984	443	14	14	7	46	154	94	48	39	20	3	4	-
1983	431	17	21	13	51	119	78	57	43	16	11	4	1
1982	468	21	12	16	50	138	94	56	34	24	13	4	6
1981	477	13	16	11	63	128	97	61	41	21	16	5	5
1980	523	17	25	15	68	132	97	72	51	26	12	6	2
1979	522	14	24	14	82	137	84	77	45	24	8	8	5
Other and unspecified events of undetermined intent and their sequelae (E980-E984,E985.5-E989)													
Black, female													
1998	153	3	3	2	2	41	52	35	9	1	3	-	2
1997	160	5	9	4	9	36	52	24	10	2	4	4	1
1996	147	10	10	4	9	30	51	9	7	6	6	4	1
1995	152	9	5	-	9	46	44	21	5	4	3	4	2
1994	158	11	8	8	8	46	49	12	9	4	3	-	-
1993	173	13	7	3	12	46	56	17	7	4	5	1	2
1992	130	8	6	2	7	39	46	9	1	7	3	1	1
1991	137	7	7	5	13	27	44	12	9	4	2	3	4
1990	127	14	5	3	8	39	22	12	6	5	6	5	2
1989	161	8	6	3	5	56	45	18	6	4	9	1	-
1988	161	4	12	3	27	50	29	7	9	11	4	2	3
1987	166	9	21	7	22	43	34	11	8	4	2	3	2
1986	160	10	16	1	17	38	34	13	11	5	5	6	4
1985	156	12	7	7	14	42	33	13	9	10	4	3	2
1984	167	10	10	11	19	41	27	17	14	8	5	5	-
1983	185	17	8	6	27	41	30	18	14	9	8	5	2
1982	169	11	13	4	22	46	27	15	12	10	4	3	2
1981	187	17	19	3	21	35	28	22	17	12	10	3	-
1980	187	9	21	9	28	45	37	21	6	7	3	-	1
1979	231	26	16	8	49	46	34	26	11	5	7	3	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Operations of war and their sequelae (E990-E999)													
All races, both sexes													
1998	17	-	-	-	-	-	-	5	-	4	8	-	-
1997	9	-	-	-	-	-	1	1	-	4	3	-	-
1996	13	-	-	-	-	-	-	4	-	6	2	1	-
1995	9	-	-	-	1	-	-	2	2	1	2	1	-
1994	16	-	-	-	-	-	-	3	1	5	4	3	-
1993	8	-	-	-	-	-	-	1	-	7	-	-	-
1992	11	-	-	-	-	-	-	-	3	5	3	-	-
1991	10	-	-	-	-	1	1	1	1	1	4	1	-
1990	14	-	-	-	-	-	2	1	4	4	2	1	-
1989	14	-	-	-	-	-	3	2	3	4	1	1	-
1988	15	-	-	-	-	1	3	1	1	7	1	1	-
1987	12	-	-	-	2	-	3	-	5	2	-	-	-
1986	12	-	-	-	-	-	5	-	5	-	1	1	-
1985	19	-	-	1	-	-	4	1	4	2	3	4	-
1984	23	-	-	-	1	1	4	4	5	3	1	4	-
1983	13	-	-	-	1	1	3	2	4	1	-	1	-
1982	11	-	-	-	-	-	2	-	2	6	-	1	-
1981	16	-	-	-	-	2	3	1	5	3	1	1	-
1980	23	-	-	-	-	1	1	1	13	4	2	1	-
1979	17	-	-	-	-	3	2	3	5	2	2	-	-
Operations of war and their sequelae (E990-E999)													
All races, male													
1998	17	-	-	-	-	-	-	5	-	4	8	-	-
1997	9	-	-	-	-	-	1	1	-	4	3	-	-
1996	13	-	-	-	-	-	-	4	-	6	2	1	-
1995	9	-	-	-	1	-	-	2	2	1	2	1	-
1994	16	-	-	-	-	-	-	3	1	5	4	3	-
1993	8	-	-	-	-	-	-	1	-	7	-	-	-
1992	10	-	-	-	-	-	-	-	3	4	3	-	-
1991	10	-	-	-	-	1	1	1	1	1	4	1	-
1990	14	-	-	-	-	-	2	1	4	4	2	1	-
1989	14	-	-	-	-	-	3	2	3	4	1	1	-
1988	15	-	-	-	-	1	3	1	1	7	1	1	-
1987	10	-	-	-	-	-	3	-	5	2	-	-	-
1986	12	-	-	-	-	-	5	-	5	-	1	1	-
1985	18	-	-	1	-	-	4	1	4	2	2	4	-
1984	23	-	-	-	1	1	4	4	5	3	1	4	-
1983	13	-	-	-	1	1	3	2	4	1	-	1	-
1982	11	-	-	-	-	-	2	-	2	6	-	1	-
1981	16	-	-	-	-	2	3	1	5	3	1	1	-
1980	23	-	-	-	-	1	1	1	13	4	2	1	-
1979	17	-	-	-	-	3	2	3	5	2	2	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Operations of war and their sequelae (E990-E999)													
All races, female													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	1	-	-	-	-	-	-	-	-	1	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	2	-	-	-	2	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	1	-	-	-	-	-	-	-	-	-	1	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-	-
Operations of war and their sequelae (E990-E999)													
White, both sexes													
1998	16	-	-	-	-	-	-	4	-	4	8	-	-
1997	7	-	-	-	-	-	-	1	-	3	3	-	-
1996	13	-	-	-	-	-	-	4	-	6	2	1	-
1995	9	-	-	-	1	-	-	2	2	1	2	1	-
1994	14	-	-	-	-	-	-	2	1	4	4	3	-
1993	6	-	-	-	-	-	-	1	-	5	-	-	-
1992	10	-	-	-	-	-	-	-	3	5	2	-	-
1991	9	-	-	-	-	-	1	1	1	1	4	1	-
1990	12	-	-	-	-	-	2	1	2	4	2	1	-
1989	12	-	-	-	-	-	3	1	3	3	1	1	-
1988	13	-	-	-	-	-	3	-	1	7	1	1	-
1987	9	-	-	-	-	-	2	-	5	2	-	-	-
1986	11	-	-	-	-	-	4	-	5	-	1	1	-
1985	17	-	-	-	-	-	4	-	4	2	3	4	-
1984	22	-	-	-	1	1	3	4	5	3	1	4	-
1983	11	-	-	-	-	1	2	2	4	1	-	1	-
1982	9	-	-	-	-	-	-	-	2	6	-	1	-
1981	14	-	-	-	-	1	2	1	5	3	1	1	-
1980	20	-	-	-	-	-	1	1	12	3	2	1	-
1979	15	-	-	-	-	2	1	3	5	2	2	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Operations of war and their sequelae (E990-E999)													
White, male													
1998	16	-	-	-	-	-	-	4	-	4	8	-	-
1997	7	-	-	-	-	-	-	1	-	3	3	-	-
1996	13	-	-	-	-	-	-	4	-	6	2	1	-
1995	9	-	-	-	1	-	-	2	2	1	2	1	-
1994	14	-	-	-	-	-	-	2	1	4	4	3	-
1993	6	-	-	-	-	-	-	1	-	5	-	-	-
1992	9	-	-	-	-	-	-	-	3	4	2	-	-
1991	9	-	-	-	-	-	1	1	1	1	4	1	-
1990	12	-	-	-	-	-	2	1	2	4	2	1	-
1989	12	-	-	-	-	-	3	1	3	3	1	1	-
1988	13	-	-	-	-	-	3	-	1	7	1	1	-
1987	9	-	-	-	-	-	2	-	5	2	-	-	-
1986	11	-	-	-	-	-	4	-	5	-	1	1	-
1985	16	-	-	-	-	-	4	-	4	2	2	4	-
1984	22	-	-	-	1	1	3	4	5	3	1	4	-
1983	11	-	-	-	-	1	2	2	4	1	-	1	-
1982	9	-	-	-	-	-	-	-	2	6	-	1	-
1981	14	-	-	-	-	1	2	1	5	3	1	1	-
1980	20	-	-	-	-	-	1	1	12	3	2	1	-
1979	15	-	-	-	-	2	1	3	5	2	2	-	-
Operations of war and their sequelae (E990-E999)													
White, female													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	1	-	-	-	-	-	-	-	-	1	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	1	-	-	-	-	-	-	-	-	-	1	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Operations of war and their sequelae (E990-E999)													
All other, both sexes													
1998	1	-	-	-	-	-	-	1	-	-	-	-	-
1997	2	-	-	-	-	-	1	-	-	1	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	2	-	-	-	-	-	-	1	-	1	-	-	-
1993	2	-	-	-	-	-	-	-	-	2	-	-	-
1992	1	-	-	-	-	-	-	-	-	-	1	-	-
1991	1	-	-	-	-	1	-	-	-	-	-	-	-
1990	2	-	-	-	-	-	-	-	2	-	-	-	-
1989	2	-	-	-	-	-	-	1	-	1	-	-	-
1988	2	-	-	-	-	1	-	1	-	-	-	-	-
1987	3	-	-	-	2	-	1	-	-	-	-	-	-
1986	1	-	-	-	-	-	1	-	-	-	-	-	-
1985	2	-	-	1	-	-	-	1	-	-	-	-	-
1984	1	-	-	-	-	-	1	-	-	-	-	-	-
1983	2	-	-	-	1	-	1	-	-	-	-	-	-
1982	2	-	-	-	-	-	2	-	-	-	-	-	-
1981	2	-	-	-	-	1	1	-	-	-	-	-	-
1980	3	-	-	-	-	1	-	-	1	1	-	-	-
1979	2	-	-	-	-	1	1	-	-	-	-	-	-
Operations of war and their sequelae (E990-E999)													
All other, male													
1998	1	-	-	-	-	-	-	1	-	-	-	-	-
1997	2	-	-	-	-	-	1	-	-	1	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	2	-	-	-	-	-	-	1	-	1	-	-	-
1993	2	-	-	-	-	-	-	-	-	2	-	-	-
1992	1	-	-	-	-	-	-	-	-	-	1	-	-
1991	1	-	-	-	-	1	-	-	-	-	-	-	-
1990	2	-	-	-	-	-	-	-	2	-	-	-	-
1989	2	-	-	-	-	-	-	1	-	1	-	-	-
1988	2	-	-	-	-	1	-	1	-	-	-	-	-
1987	1	-	-	-	-	-	1	-	-	-	-	-	-
1986	1	-	-	-	-	-	1	-	-	-	-	-	-
1985	2	-	-	1	-	-	-	1	-	-	-	-	-
1984	1	-	-	-	-	-	1	-	-	-	-	-	-
1983	2	-	-	-	1	-	1	-	-	-	-	-	-
1982	2	-	-	-	-	-	2	-	-	-	-	-	-
1981	2	-	-	-	-	1	1	-	-	-	-	-	-
1980	3	-	-	-	-	1	-	-	1	1	-	-	-
1979	2	-	-	-	-	1	1	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Operations of war and their sequelae (E990-E999)													
All other, female													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	2	-	-	-	2	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-	-
Operations of war and their sequelae (E990-E999)													
Black, both sexes													
1998	1	-	-	-	-	-	-	1	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	1	-	-	-	-	-	-	1	-	-	-	-	-
1993	2	-	-	-	-	-	-	-	-	2	-	-	-
1992	1	-	-	-	-	-	-	-	-	-	1	-	-
1991	1	-	-	-	-	1	-	-	-	-	-	-	-
1990	2	-	-	-	-	-	-	-	2	-	-	-	-
1989	2	-	-	-	-	-	-	1	-	1	-	-	-
1988	2	-	-	-	-	1	-	1	-	-	-	-	-
1987	3	-	-	-	2	-	1	-	-	-	-	-	-
1986	1	-	-	-	-	-	1	-	-	-	-	-	-
1985	2	-	-	1	-	-	-	1	-	-	-	-	-
1984	1	-	-	-	-	-	1	-	-	-	-	-	-
1983	2	-	-	-	1	-	1	-	-	-	-	-	-
1982	2	-	-	-	-	-	2	-	-	-	-	-	-
1981	2	-	-	-	-	1	1	-	-	-	-	-	-
1980	2	-	-	-	-	1	-	-	-	1	-	-	-
1979	2	-	-	-	-	1	1	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Operations of war and their sequelae (E990-E999)													
Black, male													
1998	1	-	-	-	-	-	-	1	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	1	-	-	-	-	-	-	1	-	-	-	-	-
1993	2	-	-	-	-	-	-	-	-	2	-	-	-
1992	1	-	-	-	-	-	-	-	-	-	1	-	-
1991	1	-	-	-	-	1	-	-	-	-	-	-	-
1990	2	-	-	-	-	-	-	-	2	-	-	-	-
1989	2	-	-	-	-	-	-	1	-	1	-	-	-
1988	2	-	-	-	-	1	-	1	-	-	-	-	-
1987	1	-	-	-	-	-	1	-	-	-	-	-	-
1986	1	-	-	-	-	-	1	-	-	-	-	-	-
1985	2	-	-	1	-	-	-	1	-	-	-	-	-
1984	1	-	-	-	-	-	1	-	-	-	-	-	-
1983	2	-	-	-	1	-	1	-	-	-	-	-	-
1982	2	-	-	-	-	-	2	-	-	-	-	-	-
1981	2	-	-	-	-	1	1	-	-	-	-	-	-
1980	2	-	-	-	-	1	-	-	-	1	-	-	-
1979	2	-	-	-	-	1	1	-	-	-	-	-	-
Operations of war and their sequelae (E990-E999)													
Black, female													
1998	-	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-	-
1987	2	-	-	-	2	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages												Age not stated
	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years		
Complications of medical and surgical care (E870-E879,E930-E949)													
All races, both sexes													
1998	3,504	34	31	30	50	95	175	306	412	766	961	643	1
1997	3,291	29	37	33	49	79	188	299	379	708	925	565	-
1996	3,172	27	29	45	52	86	204	250	346	703	862	568	-
1995	2,918	26	31	30	46	98	169	235	325	647	804	507	-
1994	2,788	30	26	28	39	75	152	225	314	645	755	499	-
1993	2,925	34	28	40	43	100	142	204	344	701	781	508	-
1992	2,825	40	28	40	41	90	142	180	322	670	783	488	1
1991	2,636	45	22	34	43	67	129	143	306	621	757	468	1
1990	2,835	24	29	36	32	73	127	167	343	660	840	504	-
1989	2,992	49	26	31	46	78	145	148	382	708	837	541	1
1988	3,038	36	33	27	36	93	140	178	407	749	807	532	-
1987	3,032	32	35	16	41	106	117	174	406	764	818	523	-
1986	3,069	35	30	24	40	82	127	197	428	787	814	505	-
1985	2,852	39	17	43	39	94	119	165	420	743	731	442	-
1984	2,628	43	33	22	41	76	117	180	389	613	681	433	-
1983	2,660	38	34	21	54	83	106	142	415	687	685	395	-
1982	2,585	37	29	25	35	87	92	167	418	679	645	370	1
1981	2,549	27	21	22	48	106	120	180	389	657	597	382	-
1980	2,437	35	24	37	59	84	107	170	399	597	578	345	2
1979	2,642	30	22	33	69	73	113	253	419	629	623	376	2
Complications of medical and surgical care (E870-E879,E930-E949)													
All races, male													
1998	1,643	19	17	17	28	46	81	161	209	383	450	231	1
1997	1,559	14	22	17	30	41	90	153	195	379	449	169	-
1996	1,462	16	13	29	33	42	107	119	174	358	383	188	-
1995	1,335	16	17	15	26	45	88	125	158	310	364	171	-
1994	1,259	20	14	17	20	33	75	117	145	342	311	165	-
1993	1,344	23	13	19	18	50	79	98	172	366	351	155	-
1992	1,308	19	19	20	24	41	67	88	177	329	362	162	-
1991	1,152	24	8	18	21	37	61	62	147	323	299	151	1
1990	1,332	13	17	18	15	35	68	80	185	368	363	170	-
1989	1,432	29	18	15	29	45	68	80	220	379	371	177	1
1988	1,454	22	23	14	20	49	71	84	211	394	379	187	-
1987	1,474	18	25	9	22	63	58	100	229	406	364	180	-
1986	1,437	17	15	13	11	38	64	104	237	399	366	173	-
1985	1,405	19	12	21	22	44	61	104	254	388	338	142	-
1984	1,277	22	25	15	17	34	58	89	216	351	302	148	-
1983	1,297	26	13	14	22	41	47	79	234	360	324	137	-
1982	1,304	23	17	13	19	37	39	94	238	398	292	133	1
1981	1,255	16	10	6	18	46	55	94	235	357	276	142	-
1980	1,235	20	15	20	35	32	49	96	237	328	261	140	2
1979	1,355	19	13	15	34	32	46	142	230	346	315	162	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	15-24 25-34 35-44 45-54 55-64 65-74 75-84												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	years	years	years	years	years	years	years	85 + years	
Complications of medical and surgical care (E870-E879,E930-E949)													
All races, female													
1998	1,861	15	14	13	22	49	94	145	203	383	511	412	-
1997	1,732	15	15	16	19	38	98	146	184	329	476	396	-
1996	1,710	11	16	16	19	44	97	131	172	345	479	380	-
1995	1,583	10	14	15	20	53	81	110	167	337	440	336	-
1994	1,529	10	12	11	19	42	77	108	169	303	444	334	-
1993	1,581	11	15	21	25	50	63	106	172	335	430	353	-
1992	1,517	21	9	20	17	49	75	92	145	341	421	326	1
1991	1,484	21	14	16	22	30	68	81	159	298	458	317	-
1990	1,503	11	12	18	17	38	59	87	158	292	477	334	-
1989	1,560	20	8	16	17	33	77	68	162	329	466	364	-
1988	1,584	14	10	13	16	44	69	94	196	355	428	345	-
1987	1,558	14	10	7	19	43	59	74	177	358	454	343	-
1986	1,632	18	15	11	29	44	63	93	191	388	448	332	-
1985	1,447	20	5	22	17	50	58	61	166	355	393	300	-
1984	1,351	21	8	7	24	42	59	91	173	262	379	285	-
1983	1,363	12	21	7	32	42	59	63	181	327	361	258	-
1982	1,281	14	12	7	16	50	53	73	180	281	353	237	-
1981	1,294	11	11	16	30	60	65	86	154	300	321	240	-
1980	1,202	15	9	17	24	52	58	74	162	269	317	205	-
1979	1,287	11	9	18	35	41	67	111	189	283	308	214	1
Complications of medical and surgical care (E870-E879,E930-E949)													
White, both sexes													
1998	2,881	23	20	21	41	73	136	221	328	628	828	562	-
1997	2,730	24	25	24	33	55	137	233	299	610	797	493	-
1996	2,587	15	21	36	42	60	149	178	266	581	737	502	-
1995	2,422	16	20	23	33	72	130	169	272	537	715	435	-
1994	2,283	21	20	21	24	53	99	163	243	542	668	429	-
1993	2,406	21	16	27	30	73	106	145	269	580	678	461	-
1992	2,320	28	21	33	24	59	91	142	253	572	661	436	-
1991	2,190	34	13	29	32	53	90	107	241	514	660	416	1
1990	2,376	17	19	30	23	52	88	128	272	559	744	444	-
1989	2,467	30	21	25	31	56	104	102	315	593	704	486	-
1988	2,517	31	22	23	26	70	100	139	326	623	697	460	-
1987	2,511	20	26	12	28	73	73	133	331	646	706	463	-
1986	2,553	27	24	16	34	50	90	146	341	668	699	458	-
1985	2,383	27	9	29	31	63	83	126	341	643	628	403	-
1984	2,192	33	24	18	32	56	84	133	319	514	596	383	-
1983	2,215	25	23	16	36	59	68	95	342	598	599	354	-
1982	2,143	23	25	16	28	55	62	124	336	572	565	336	1
1981	2,122	19	15	14	34	68	80	135	319	581	526	331	-
1980	2,053	22	21	28	48	58	75	133	327	513	519	307	2
1979	2,194	22	19	29	46	47	83	188	347	542	542	327	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Complications of medical and surgical care (E870-E879,E930-E949)													
White, male													
1998	1,372	13	10	11	22	35	67	124	164	327	398	201	-
1997	1,300	11	15	11	20	29	68	119	149	333	391	154	-
1996	1,198	12	11	24	26	32	84	88	132	302	318	169	-
1995	1,115	12	10	12	17	35	71	88	131	266	329	144	-
1994	1,033	14	11	11	13	25	48	80	118	298	277	138	-
1993	1,128	12	7	15	13	41	61	72	141	312	310	144	-
1992	1,069	12	13	17	14	27	48	66	136	285	310	141	-
1991	977	16	6	14	16	32	48	46	128	274	262	134	1
1990	1,113	10	11	15	10	24	51	62	153	308	319	150	-
1989	1,180	17	16	11	20	33	51	54	183	323	316	156	-
1988	1,209	20	17	12	14	39	51	62	169	328	336	161	-
1987	1,234	12	19	7	14	40	39	78	190	354	321	160	-
1986	1,186	12	10	10	9	25	43	73	198	341	308	157	-
1985	1,165	14	6	15	16	31	44	78	201	339	292	129	-
1984	1,074	17	18	12	13	25	42	71	182	297	270	127	-
1983	1,082	18	7	11	19	28	32	51	197	320	283	116	-
1982	1,076	13	14	11	16	26	27	75	194	338	243	118	1
1981	1,042	11	5	4	15	34	36	73	190	317	238	119	-
1980	1,034	12	13	14	28	23	37	71	199	283	232	120	2
1979	1,137	18	12	14	23	20	36	105	196	300	269	143	1
Complications of medical and surgical care (E870-E879,E930-E949)													
White, female													
1998	1,509	10	10	10	19	38	69	97	164	301	430	361	-
1997	1,430	13	10	13	13	26	69	114	150	277	406	339	-
1996	1,389	3	10	12	16	28	65	90	134	279	419	333	-
1995	1,307	4	10	11	16	37	59	81	141	271	386	291	-
1994	1,250	7	9	10	11	28	51	83	125	244	391	291	-
1993	1,278	9	9	12	17	32	45	73	128	268	368	317	-
1992	1,251	16	8	16	10	32	43	76	117	287	351	295	-
1991	1,213	18	7	15	16	21	42	61	113	240	398	282	-
1990	1,263	7	8	15	13	28	37	66	119	251	425	294	-
1989	1,287	13	5	14	11	23	53	48	132	270	388	330	-
1988	1,308	11	5	11	12	31	49	77	157	295	361	299	-
1987	1,277	8	7	5	14	33	34	55	141	292	385	303	-
1986	1,367	15	14	6	25	25	47	73	143	327	391	301	-
1985	1,218	13	3	14	15	32	39	48	140	304	336	274	-
1984	1,118	16	6	6	19	31	42	62	137	217	326	256	-
1983	1,133	7	16	5	17	31	36	44	145	278	316	238	-
1982	1,067	10	11	5	12	29	35	49	142	234	322	218	-
1981	1,080	8	10	10	19	34	44	62	129	264	288	212	-
1980	1,019	10	8	14	20	35	38	62	128	230	287	187	-
1979	1,057	4	7	15	23	27	47	83	151	242	273	184	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Complications of medical and surgical care (E870-E879,E930-E949)													
All other, both sexes													
1998	623	11	11	9	9	22	39	85	84	138	133	81	1
1997	561	5	12	9	16	24	51	66	80	98	128	72	-
1996	585	12	8	9	10	26	55	72	80	122	125	66	-
1995	496	10	11	7	13	26	39	66	53	110	89	72	-
1994	505	9	6	7	15	22	53	62	71	103	87	70	-
1993	519	13	12	13	13	27	36	59	75	121	103	47	-
1992	505	12	7	7	17	31	51	38	69	98	122	52	1
1991	446	11	9	5	11	14	39	36	65	107	97	52	-
1990	459	7	10	6	9	21	39	39	71	101	96	60	-
1989	525	19	5	6	15	22	41	46	67	115	133	55	1
1988	521	5	11	4	10	23	40	39	81	126	110	72	-
1987	521	12	9	4	13	33	44	41	75	118	112	60	-
1986	516	8	6	8	6	32	37	51	87	119	115	47	-
1985	469	12	8	14	8	31	36	39	79	100	103	39	-
1984	436	10	9	4	9	20	33	47	70	99	85	50	-
1983	445	13	11	5	18	24	38	47	73	89	86	41	-
1982	442	14	4	9	7	32	30	43	82	107	80	34	-
1981	427	8	6	8	14	38	40	45	70	76	71	51	-
1980	384	13	3	9	11	26	32	37	72	84	59	38	-
1979	448	8	3	4	23	26	30	65	72	87	81	49	-
Complications of medical and surgical care (E870-E879,E930-E949)													
All other, male													
1998	271	6	7	6	6	11	14	37	45	56	52	30	1
1997	259	3	7	6	10	12	22	34	46	46	58	15	-
1996	264	4	2	5	7	10	23	31	42	56	65	19	-
1995	220	4	7	3	9	10	17	37	27	44	35	27	-
1994	226	6	3	6	7	8	27	37	27	44	34	27	-
1993	216	11	6	4	5	9	18	26	31	54	41	11	-
1992	239	7	6	3	10	14	19	22	41	44	52	21	-
1991	175	8	2	4	5	5	13	16	19	49	37	17	-
1990	219	3	6	3	5	11	17	18	32	60	44	20	-
1989	252	12	2	4	9	12	17	26	37	56	55	21	1
1988	245	2	6	2	6	10	20	22	42	66	43	26	-
1987	240	6	6	2	8	23	19	22	39	52	43	20	-
1986	251	5	5	3	2	13	21	31	39	58	58	16	-
1985	240	5	6	6	6	13	17	26	53	49	46	13	-
1984	203	5	7	3	4	9	16	18	34	54	32	21	-
1983	215	8	6	3	3	13	15	28	37	40	41	21	-
1982	228	10	3	2	3	11	12	19	44	60	49	15	-
1981	213	5	5	2	3	12	19	21	45	40	38	23	-
1980	201	8	2	6	7	9	12	25	38	45	29	20	-
1979	218	1	1	1	11	12	10	37	34	46	46	19	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	United States, 1979-1998												Age not stated
	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	
Complications of medical and surgical care (E870-E879,E930-E949)													
All other, female													
1998	352	5	4	3	3	11	25	48	39	82	81	51	-
1997	302	2	5	3	6	12	29	32	34	52	70	57	-
1996	321	8	6	4	3	16	32	41	38	66	60	47	-
1995	276	6	4	4	4	16	22	29	26	66	54	45	-
1994	279	3	3	1	8	14	26	25	44	59	53	43	-
1993	303	2	6	9	8	18	18	33	44	67	62	36	-
1992	266	5	1	4	7	17	32	16	28	54	70	31	1
1991	271	3	7	1	6	9	26	20	46	58	60	35	-
1990	240	4	4	3	4	10	22	21	39	41	52	40	-
1989	273	7	3	2	6	10	24	20	30	59	78	34	-
1988	276	3	5	2	4	13	20	17	39	60	67	46	-
1987	281	6	3	2	5	10	25	19	36	66	69	40	-
1986	265	3	1	5	4	19	16	20	48	61	57	31	-
1985	229	7	2	8	2	18	19	13	26	51	57	26	-
1984	233	5	2	1	5	11	17	29	36	45	53	29	-
1983	230	5	5	2	15	11	23	19	36	49	45	20	-
1982	214	4	1	7	4	21	18	24	38	47	31	19	-
1981	214	3	1	6	11	26	21	24	25	36	33	28	-
1980	183	5	1	3	4	17	20	12	34	39	30	18	-
1979	230	7	2	3	12	14	20	28	38	41	35	30	-
Complications of medical and surgical care (E870-E879,E930-E949)													
Black, both sexes													
1998	564	11	10	7	9	19	39	75	74	131	118	70	1
1997	504	4	10	6	12	23	49	60	72	87	113	68	-
1996	524	8	7	7	7	24	53	65	73	107	113	60	-
1995	452	9	9	7	12	24	38	59	50	97	82	65	-
1994	451	9	6	5	14	17	45	51	63	95	78	68	-
1993	461	8	10	10	11	25	31	49	69	110	92	46	-
1992	465	12	7	7	16	29	47	35	60	90	114	47	1
1991	406	11	9	3	10	13	33	32	57	100	91	47	-
1990	421	6	9	6	8	19	36	35	64	94	90	54	-
1989	497	15	4	6	14	22	39	42	65	108	128	53	1
1988	480	4	7	4	9	21	38	37	73	115	105	67	-
1987	485	11	9	4	10	31	41	41	73	104	102	59	-
1986	471	7	5	8	6	30	35	48	82	110	97	43	-
1985	428	10	7	14	7	31	31	36	72	90	94	36	-
1984	409	10	9	3	8	19	31	44	64	94	82	45	-
1983	414	12	10	5	15	23	37	44	66	86	79	37	-
1982	417	13	4	8	6	32	28	40	75	101	78	32	-
1981	391	8	6	6	14	35	38	41	64	69	62	48	-
1980	359	13	3	9	11	23	31	35	71	76	54	33	-
1979	418	7	3	4	21	24	27	63	66	81	76	46	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST001. Deaths for 113 selected causes, by 10-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 + years	Age not stated
Complications of medical and surgical care (E870-E879,E930-E949)													
Black, male													
1998	244	6	7	4	6	9	14	32	41	54	46	24	1
1997	223	2	5	3	6	11	21	32	40	40	51	12	-
1996	233	3	2	4	5	9	22	27	37	48	60	16	-
1995	195	4	6	3	8	10	16	33	24	36	31	24	-
1994	200	6	3	5	6	6	24	30	24	41	28	27	-
1993	186	6	5	2	3	8	16	19	29	48	39	11	-
1992	217	7	6	3	9	13	18	20	36	40	48	17	-
1991	162	8	2	2	5	5	11	15	18	46	34	16	-
1990	195	2	5	3	4	10	14	16	29	55	40	17	-
1989	238	10	1	4	8	12	17	24	37	51	53	20	1
1988	227	2	2	2	5	10	19	22	40	58	42	25	-
1987	221	6	6	2	7	21	18	22	38	44	38	19	-
1986	227	5	4	3	2	13	20	30	36	53	46	15	-
1985	217	3	5	6	5	13	15	25	49	45	41	10	-
1984	188	5	7	2	3	9	16	18	30	49	32	17	-
1983	193	7	6	3	3	12	15	27	30	38	35	17	-
1982	214	10	3	2	2	11	11	17	41	56	47	14	-
1981	194	5	5	1	3	11	18	19	41	35	35	21	-
1980	185	8	2	6	7	9	12	24	37	39	25	16	-
1979	201	1	1	1	9	11	9	36	30	42	43	18	-
Complications of medical and surgical care (E870-E879,E930-E949)													
Black, female													
1998	320	5	3	3	3	10	25	43	33	77	72	46	-
1997	281	2	5	3	6	12	28	28	32	47	62	56	-
1996	291	5	5	3	2	15	31	38	36	59	53	44	-
1995	257	5	3	4	4	14	22	26	26	61	51	41	-
1994	251	3	3	-	8	11	21	21	39	54	50	41	-
1993	275	2	5	8	8	17	15	30	40	62	53	35	-
1992	248	5	1	4	7	16	29	15	24	50	66	30	1
1991	244	3	7	1	5	8	22	17	39	54	57	31	-
1990	226	4	4	3	4	9	22	19	35	39	50	37	-
1989	259	5	3	2	6	10	22	18	28	57	75	33	-
1988	253	2	5	2	4	11	19	15	33	57	63	42	-
1987	264	5	3	2	3	10	23	19	35	60	64	40	-
1986	244	2	1	5	4	17	15	18	46	57	51	28	-
1985	211	7	2	8	2	18	16	11	23	45	53	26	-
1984	221	5	2	1	5	10	15	26	34	45	50	28	-
1983	221	5	4	2	12	11	22	17	36	48	44	20	-
1982	203	3	1	6	4	21	17	23	34	45	31	18	-
1981	197	3	1	5	11	24	20	22	23	34	27	27	-
1980	174	5	1	3	4	14	19	11	34	37	29	17	-
1979	217	6	2	3	12	13	18	27	36	39	33	28	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols