

Table HIST002_1. Deaths for 113 selected causes by 5-year age groups, race and sex: United States, 1979-98

Plate 1 of 2 Age groups <1 year to 40-44 years

The mortality trend data in this table are classified by the Ninth Revision, International Classification of Diseases (ICD-9) and sorted into the list of 113 selected causes of death developed for the Tenth Revision (ICD-10). ICD-10 was introduced with 1999 mortality data. Data in these tables were constructed to be most comparable with the ICD-9 cause-of-death titles used in the list of 113 selected causes of death. These data are the most appropriate ICD-9 data to use with [published comparability ratios](#) describing the discontinuities between ICD-9 and ICD-10. Used in conjunction with the comparability ratios, this table provides trend data comparable to that published for data year 1999 and beyond. Although in some cases categories from the list of 113 selected causes are identical to those in the old list of 72 selected causes of death used with ICD-9, it is important to note that many of these categories are not comparable with categories in the list of 72 selected causes even though the cause-of-death titles may be the same.

Description of symbols used in this table:

- Quantity zero
- Category not applicable

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
All causes											
All races, both sexes											
1998	2,337,256	28,371	5,251	3,530	4,261	13,788	16,839	18,151	24,365	37,236	51,630
1997	2,314,245	28,045	5,501	3,645	4,416	14,272	17,272	19,272	26,266	38,172	51,236
1996	2,314,690	28,487	5,948	3,780	4,550	14,663	17,780	20,730	30,417	42,499	53,534
1995	2,312,132	29,583	6,393	3,780	4,816	15,089	19,155	22,681	35,064	46,487	55,783
1994	2,278,994	31,710	6,800	3,747	4,717	15,284	19,957	23,374	35,899	45,770	53,733
1993	2,268,553	33,466	7,066	3,918	4,740	14,997	20,486	24,085	35,560	44,330	51,708
1992	2,175,613	34,628	6,764	3,739	4,454	14,411	20,137	24,314	34,167	42,089	49,201
1991	2,169,518	36,766	7,214	3,926	4,553	15,313	21,139	25,485	34,143	40,561	47,561
1990	2,148,463	38,351	6,931	3,995	4,441	15,711	21,022	26,579	33,512	39,093	44,469
1989	2,150,466	39,655	7,292	4,313	4,601	15,570	20,918	26,930	33,594	37,862	43,057
1988	2,167,999	38,910	7,429	4,357	4,568	16,031	22,136	26,809	32,328	36,616	40,838
1987	2,123,323	38,408	7,473	4,301	4,442	15,615	22,408	26,500	31,201	34,902	38,561
1986	2,105,361	38,891	7,480	4,082	4,706	16,224	23,705	26,474	30,056	33,496	36,897
1985	2,086,440	40,030	7,339	4,168	4,765	15,068	22,867	24,729	27,123	30,439	35,376
1984	2,039,369	39,580	7,372	4,140	4,936	15,213	23,604	24,242	25,686	28,247	34,309
1983	2,019,201	40,627	7,801	4,259	4,884	15,717	23,365	24,170	24,612	26,512	32,837
1982	1,974,797	42,401	7,910	4,514	5,111	17,041	24,930	24,589	24,721	26,333	31,972
1981	1,977,981	43,305	8,046	4,671	5,407	18,485	26,624	25,828	25,425	25,949	32,589
1980	1,989,841	45,526	8,187	5,075	5,614	20,733	28,294	25,732	24,508	25,656	32,762
1979	1,913,841	45,665	8,108	5,278	5,868	21,085	27,634	24,814	23,127	25,103	32,620
All causes											
All races, male											
1998	1,157,260	15,786	2,920	2,038	2,648	9,913	12,804	12,890	16,325	24,034	33,105
1997	1,154,039	15,788	3,121	2,045	2,718	10,265	13,047	13,759	17,948	25,078	33,063
1996	1,163,569	15,965	3,349	2,200	2,803	10,682	13,631	14,825	21,245	28,806	35,498
1995	1,172,959	16,622	3,609	2,212	3,007	11,068	14,709	16,572	25,254	32,339	37,792
1994	1,162,747	17,814	3,841	2,186	2,996	11,444	15,314	17,130	26,050	32,027	36,717
1993	1,161,797	18,959	3,992	2,203	3,004	11,163	15,743	17,759	25,928	31,185	35,210
1992	1,122,336	19,545	3,809	2,231	2,849	10,747	15,460	18,032	24,863	29,641	33,354
1991	1,121,665	21,008	4,045	2,292	2,980	11,358	16,191	18,994	24,715	28,534	32,018
1990	1,113,417	21,856	3,969	2,363	2,764	11,671	16,202	19,794	24,263	27,601	29,861
1989	1,114,190	22,361	4,110	2,510	2,914	11,263	15,902	19,932	24,222	26,742	28,586
1988	1,125,540	22,007	4,221	2,574	2,907	11,687	16,844	19,653	23,332	25,433	27,001
1987	1,107,958	21,798	4,261	2,636	2,943	11,253	16,978	19,415	22,318	24,048	25,301
1986	1,104,005	22,224	4,262	2,437	3,066	11,786	18,048	19,595	21,631	23,027	23,896
1985	1,097,758	22,958	4,241	2,430	3,055	10,831	17,331	18,213	19,141	20,561	22,933
1984	1,076,514	22,359	4,142	2,480	3,105	10,928	17,732	17,750	18,017	18,694	21,893
1983	1,071,923	22,969	4,512	2,532	3,123	11,362	17,485	17,582	17,266	17,489	20,899
1982	1,056,440	24,073	4,448	2,686	3,237	12,524	18,852	18,052	17,310	17,366	20,289
1981	1,063,772	24,452	4,600	2,821	3,435	13,460	20,235	19,041	17,698	17,053	20,852
1980	1,075,078	25,804	4,761	2,989	3,571	15,207	21,696	19,037	17,003	16,822	20,790
1979	1,044,959	25,980	4,591	3,179	3,763	15,547	21,054	18,332	16,014	16,305	20,752

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
All causes											
All races, female											
1998	1,179,996	12,585	2,331	1,492	1,613	3,875	4,035	5,261	8,040	13,202	18,525
1997	1,160,206	12,257	2,380	1,600	1,698	4,007	4,225	5,513	8,318	13,094	18,173
1996	1,151,121	12,522	2,599	1,580	1,747	3,981	4,149	5,905	9,172	13,693	18,036
1995	1,139,173	12,961	2,784	1,568	1,809	4,021	4,446	6,109	9,810	14,148	17,991
1994	1,116,247	13,896	2,959	1,561	1,721	3,840	4,643	6,244	9,849	13,743	17,016
1993	1,106,756	14,507	3,074	1,715	1,736	3,834	4,743	6,326	9,632	13,145	16,498
1992	1,053,277	15,083	2,955	1,508	1,605	3,664	4,677	6,282	9,304	12,448	15,847
1991	1,047,853	15,758	3,169	1,634	1,573	3,955	4,948	6,491	9,428	12,027	15,543
1990	1,035,046	16,495	2,962	1,632	1,677	4,040	4,820	6,785	9,249	11,492	14,608
1989	1,036,276	17,294	3,182	1,803	1,687	4,307	5,016	6,998	9,372	11,120	14,471
1988	1,042,459	16,903	3,208	1,783	1,661	4,344	5,292	7,156	8,996	11,183	13,837
1987	1,015,365	16,610	3,212	1,665	1,499	4,362	5,430	7,085	8,883	10,854	13,260
1986	1,001,356	16,667	3,218	1,645	1,640	4,438	5,657	6,879	8,425	10,469	13,001
1985	988,682	17,072	3,098	1,738	1,710	4,237	5,536	6,516	7,982	9,878	12,443
1984	962,855	17,221	3,230	1,660	1,831	4,285	5,872	6,492	7,669	9,553	12,416
1983	947,278	17,658	3,289	1,727	1,761	4,355	5,880	6,588	7,346	9,023	11,938
1982	918,357	18,328	3,462	1,828	1,874	4,517	6,078	6,537	7,411	8,967	11,683
1981	914,209	18,853	3,446	1,850	1,972	5,025	6,389	6,787	7,727	8,896	11,737
1980	914,763	19,722	3,426	2,086	2,043	5,526	6,598	6,695	7,505	8,834	11,972
1979	868,882	19,685	3,517	2,099	2,105	5,538	6,580	6,482	7,113	8,798	11,868
All causes											
White, both sexes											
1998	2,015,984	18,561	3,628	2,456	3,157	10,325	11,971	12,663	17,417	27,304	38,043
1997	1,996,393	18,539	3,849	2,521	3,285	10,527	12,040	13,422	18,838	27,568	37,587
1996	1,992,966	18,761	4,041	2,693	3,352	10,619	12,324	14,424	21,422	30,277	38,621
1995	1,987,437	19,490	4,366	2,701	3,548	10,857	13,328	15,717	24,855	33,124	40,115
1994	1,959,875	20,504	4,583	2,646	3,438	10,773	13,744	16,175	25,265	32,530	38,543
1993	1,951,437	21,497	4,793	2,817	3,493	10,610	13,886	16,668	25,380	31,547	37,249
1992	1,873,781	22,164	4,685	2,690	3,299	10,308	14,033	17,051	24,450	30,127	35,886
1991	1,868,904	23,657	5,028	2,903	3,418	11,067	14,921	17,918	24,427	28,928	35,029
1990	1,853,254	24,883	4,866	2,949	3,323	11,678	15,230	19,018	23,737	27,949	33,074
1989	1,853,841	25,794	5,133	3,187	3,467	11,945	15,232	19,514	23,876	26,885	32,046
1988	1,876,906	25,925	5,380	3,193	3,460	12,538	16,502	19,510	23,031	26,043	30,717
1987	1,843,067	25,810	5,428	3,245	3,382	12,493	16,950	19,710	22,408	25,183	29,112
1986	1,831,083	26,564	5,426	2,998	3,664	13,293	18,465	19,683	21,804	24,609	27,937
1985	1,819,054	27,864	5,351	3,088	3,724	12,304	18,086	18,751	19,712	22,699	26,909
1984	1,781,897	27,608	5,413	3,121	3,890	12,625	18,890	18,433	18,967	21,185	26,125
1983	1,765,582	28,301	5,767	3,257	3,834	13,025	18,528	18,482	18,200	20,128	25,107
1982	1,729,085	29,659	5,895	3,443	4,085	14,138	19,922	18,668	18,209	19,967	24,529
1981	1,731,233	30,478	5,937	3,618	4,300	15,542	21,372	19,675	18,901	19,459	24,658
1980	1,738,607	31,880	6,099	3,898	4,503	17,530	22,530	19,469	18,229	19,166	24,698
1979	1,676,145	32,079	5,995	4,065	4,759	17,913	22,187	18,784	17,236	18,714	24,742

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
All causes											
White, male											
1998	990,190	10,327	2,010	1,424	1,929	7,246	9,133	9,082	11,905	18,024	24,943
1997	986,884	10,503	2,193	1,446	2,033	7,397	9,017	9,644	13,104	18,501	24,691
1996	991,984	10,561	2,335	1,566	2,055	7,555	9,434	10,402	15,269	21,018	26,044
1995	997,277	11,103	2,477	1,589	2,213	7,773	10,226	11,650	18,302	23,474	27,575
1994	988,823	11,544	2,606	1,546	2,176	7,828	10,493	11,965	18,783	23,277	26,723
1993	988,329	12,222	2,747	1,616	2,208	7,628	10,613	12,475	18,901	22,676	25,626
1992	956,957	12,625	2,690	1,605	2,093	7,440	10,696	12,825	18,210	21,690	24,726
1991	956,497	13,696	2,818	1,697	2,219	7,941	11,392	13,470	18,039	20,704	23,848
1990	950,812	14,371	2,784	1,750	2,070	8,515	11,693	14,309	17,522	20,054	22,380
1989	950,852	14,760	2,910	1,864	2,211	8,450	11,560	14,640	17,498	19,234	21,376
1988	965,419	14,878	3,073	1,889	2,248	9,033	12,589	14,485	16,869	18,285	20,454
1987	953,382	14,763	3,117	2,002	2,231	8,912	12,928	14,562	16,279	17,461	19,203
1986	952,554	15,284	3,119	1,814	2,375	9,638	14,125	14,733	15,978	17,045	18,161
1985	950,455	16,218	3,111	1,815	2,400	8,807	13,775	14,005	14,097	15,429	17,478
1984	934,529	15,805	3,070	1,869	2,458	9,075	14,299	13,657	13,447	14,049	16,797
1983	931,779	16,131	3,340	1,961	2,463	9,462	14,021	13,593	12,872	13,374	16,045
1982	919,239	16,965	3,337	2,060	2,591	10,429	15,183	13,851	12,809	13,204	15,626
1981	925,490	17,411	3,397	2,181	2,760	11,310	16,355	14,641	13,218	12,829	15,849
1980	933,878	18,290	3,573	2,285	2,891	12,866	17,391	14,618	12,685	12,559	15,785
1979	910,137	18,502	3,435	2,450	3,053	13,265	17,076	13,989	11,977	12,172	15,726
All causes											
White, female											
1998	1,025,794	8,234	1,618	1,032	1,228	3,079	2,838	3,581	5,512	9,280	13,100
1997	1,009,509	8,036	1,656	1,075	1,252	3,130	3,023	3,778	5,734	9,067	12,896
1996	1,000,982	8,200	1,706	1,127	1,297	3,064	2,890	4,022	6,153	9,259	12,577
1995	990,160	8,387	1,889	1,112	1,335	3,084	3,102	4,067	6,553	9,650	12,540
1994	971,052	8,960	1,977	1,100	1,262	2,945	3,251	4,210	6,482	9,253	11,820
1993	963,108	9,275	2,046	1,201	1,285	2,982	3,273	4,193	6,479	8,871	11,623
1992	916,824	9,539	1,995	1,085	1,206	2,868	3,337	4,226	6,240	8,437	11,160
1991	912,407	9,961	2,210	1,206	1,199	3,126	3,529	4,448	6,388	8,224	11,181
1990	902,442	10,512	2,082	1,199	1,253	3,163	3,537	4,709	6,215	7,895	10,694
1989	902,989	11,034	2,223	1,323	1,256	3,495	3,672	4,874	6,378	7,651	10,670
1988	911,487	11,047	2,307	1,304	1,212	3,505	3,913	5,025	6,162	7,758	10,263
1987	889,685	11,047	2,311	1,243	1,151	3,581	4,022	5,148	6,129	7,722	9,909
1986	878,529	11,280	2,307	1,184	1,289	3,655	4,340	4,950	5,826	7,564	9,776
1985	868,599	11,646	2,240	1,273	1,324	3,497	4,311	4,746	5,615	7,270	9,431
1984	847,368	11,803	2,343	1,252	1,432	3,550	4,591	4,776	5,520	7,136	9,328
1983	833,803	12,170	2,427	1,296	1,371	3,563	4,507	4,889	5,328	6,754	9,062
1982	809,846	12,694	2,558	1,383	1,494	3,709	4,739	4,817	5,400	6,763	8,903
1981	805,743	13,067	2,540	1,437	1,540	4,232	5,017	5,034	5,683	6,630	8,809
1980	804,729	13,590	2,526	1,613	1,612	4,664	5,139	4,851	5,544	6,607	8,913
1979	766,008	13,577	2,560	1,615	1,706	4,648	5,111	4,795	5,259	6,542	9,016

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
All causes											
All other, both sexes											
1998	321,272	9,810	1,623	1,074	1,104	3,463	4,868	5,488	6,948	9,932	13,587
1997	317,852	9,506	1,652	1,124	1,131	3,745	5,232	5,850	7,428	10,604	13,649
1996	321,724	9,726	1,907	1,087	1,198	4,044	5,456	6,306	8,995	12,222	14,913
1995	324,695	10,093	2,027	1,079	1,268	4,232	5,827	6,964	10,209	13,363	15,668
1994	319,119	11,206	2,217	1,101	1,279	4,511	6,213	7,199	10,634	13,240	15,190
1993	317,116	11,969	2,273	1,101	1,247	4,387	6,600	7,417	10,180	12,783	14,459
1992	301,832	12,464	2,079	1,049	1,155	4,103	6,104	7,263	9,717	11,962	13,315
1991	300,614	13,109	2,186	1,023	1,135	4,246	6,218	7,567	9,716	11,633	12,532
1990	295,209	13,468	2,065	1,046	1,118	4,033	5,792	7,561	9,775	11,144	11,395
1989	296,625	13,861	2,159	1,126	1,134	3,625	5,686	7,416	9,718	10,977	11,011
1988	291,093	12,985	2,049	1,164	1,108	3,493	5,634	7,299	9,297	10,573	10,121
1987	280,256	12,598	2,045	1,056	1,060	3,122	5,458	6,790	8,793	9,719	9,449
1986	274,278	12,327	2,054	1,084	1,042	2,931	5,240	6,791	8,252	8,887	8,960
1985	267,386	12,166	1,988	1,080	1,041	2,764	4,781	5,978	7,411	7,740	8,467
1984	257,472	11,972	1,959	1,019	1,046	2,588	4,714	5,809	6,719	7,062	8,184
1983	253,619	12,326	2,034	1,002	1,050	2,692	4,837	5,688	6,412	6,384	7,730
1982	245,712	12,742	2,015	1,071	1,026	2,903	5,008	5,921	6,512	6,366	7,443
1981	246,748	12,827	2,109	1,053	1,107	2,943	5,252	6,153	6,524	6,490	7,931
1980	251,234	13,646	2,088	1,177	1,111	3,203	5,764	6,263	6,279	6,490	8,064
1979	237,696	13,586	2,113	1,213	1,109	3,172	5,447	6,030	5,891	6,389	7,878
All causes											
All other, male											
1998	167,070	5,459	910	614	719	2,667	3,671	3,808	4,420	6,010	8,162
1997	167,155	5,285	928	599	685	2,868	4,030	4,115	4,844	6,577	8,372
1996	171,585	5,404	1,014	634	748	3,127	4,197	4,423	5,976	7,788	9,454
1995	175,682	5,519	1,132	623	794	3,295	4,483	4,922	6,952	8,865	10,217
1994	173,924	6,270	1,235	640	820	3,616	4,821	5,165	7,267	8,750	9,994
1993	173,468	6,737	1,245	587	796	3,535	5,130	5,284	7,027	8,509	9,584
1992	165,379	6,920	1,119	626	756	3,307	4,764	5,207	6,653	7,951	8,628
1991	165,168	7,312	1,227	595	761	3,417	4,799	5,524	6,676	7,830	8,170
1990	162,605	7,485	1,185	613	694	3,156	4,509	5,485	6,741	7,547	7,481
1989	163,338	7,601	1,200	646	703	2,813	4,342	5,292	6,724	7,508	7,210
1988	160,121	7,129	1,148	685	659	2,654	4,255	5,168	6,463	7,148	6,547
1987	154,576	7,035	1,144	634	712	2,341	4,050	4,853	6,039	6,587	6,098
1986	151,451	6,940	1,143	623	691	2,148	3,923	4,862	5,653	5,982	5,735
1985	147,303	6,740	1,130	615	655	2,024	3,556	4,208	5,044	5,132	5,455
1984	141,985	6,554	1,072	611	647	1,853	3,433	4,093	4,570	4,645	5,096
1983	140,144	6,838	1,172	571	660	1,900	3,464	3,989	4,394	4,115	4,854
1982	137,201	7,108	1,111	626	646	2,095	3,669	4,201	4,501	4,162	4,663
1981	138,282	7,041	1,203	640	675	2,150	3,880	4,400	4,480	4,224	5,003
1980	141,200	7,514	1,188	704	680	2,341	4,305	4,419	4,318	4,263	5,005
1979	134,822	7,478	1,156	729	710	2,282	3,978	4,343	4,037	4,133	5,026

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
All causes											
All other, female											
1998	154,202	4,351	713	460	385	796	1,197	1,680	2,528	3,922	5,425
1997	150,697	4,221	724	525	446	877	1,202	1,735	2,584	4,027	5,277
1996	150,139	4,322	893	453	450	917	1,259	1,883	3,019	4,434	5,459
1995	149,013	4,574	895	456	474	937	1,344	2,042	3,257	4,498	5,451
1994	145,195	4,936	982	461	459	895	1,392	2,034	3,367	4,490	5,196
1993	143,648	5,232	1,028	514	451	852	1,470	2,133	3,153	4,274	4,875
1992	136,453	5,544	960	423	399	796	1,340	2,056	3,064	4,011	4,687
1991	135,446	5,797	959	428	374	829	1,419	2,043	3,040	3,803	4,362
1990	132,604	5,983	880	433	424	877	1,283	2,076	3,034	3,597	3,914
1989	133,287	6,260	959	480	431	812	1,344	2,124	2,994	3,469	3,801
1988	130,972	5,856	901	479	449	839	1,379	2,131	2,834	3,425	3,574
1987	125,680	5,563	901	422	348	781	1,408	1,937	2,754	3,132	3,351
1986	122,827	5,387	911	461	351	783	1,317	1,929	2,599	2,905	3,225
1985	120,083	5,426	858	465	386	740	1,225	1,770	2,367	2,608	3,012
1984	115,487	5,418	887	408	399	735	1,281	1,716	2,149	2,417	3,088
1983	113,475	5,488	862	431	390	792	1,373	1,699	2,018	2,269	2,876
1982	108,511	5,634	904	445	380	808	1,339	1,720	2,011	2,204	2,780
1981	108,466	5,786	906	413	432	793	1,372	1,753	2,044	2,266	2,928
1980	110,034	6,132	900	473	431	862	1,459	1,844	1,961	2,227	3,059
1979	102,874	6,108	957	484	399	890	1,469	1,687	1,854	2,256	2,852
All causes											
Black, both sexes											
1998	278,440	8,726	1,397	920	895	2,939	4,220	4,745	6,059	8,839	12,166
1997	276,520	8,496	1,383	947	943	3,188	4,550	5,093	6,582	9,470	12,177
1996	282,089	8,730	1,623	934	990	3,490	4,762	5,552	8,086	11,056	13,534
1995	286,401	9,118	1,742	915	1,059	3,675	5,048	6,209	9,231	12,215	14,261
1994	282,379	10,072	1,929	934	1,085	3,962	5,474	6,424	9,610	12,106	13,904
1993	282,151	10,887	1,975	936	1,056	3,832	5,867	6,667	9,276	11,745	13,119
1992	269,219	11,348	1,799	894	982	3,583	5,399	6,559	8,836	10,965	12,213
1991	269,525	11,994	1,930	879	990	3,737	5,566	6,811	8,882	10,651	11,408
1990	265,498	12,290	1,768	876	963	3,467	5,119	6,838	8,965	10,175	10,356
1989	267,642	12,527	1,830	953	967	3,120	5,037	6,685	8,947	10,050	10,025
1988	264,019	11,840	1,784	997	947	2,998	4,977	6,606	8,556	9,763	9,262
1987	254,814	11,461	1,785	905	896	2,706	4,791	6,110	8,108	8,957	8,598
1986	250,326	11,204	1,801	929	888	2,519	4,562	6,117	7,575	8,102	8,197
1985	244,207	11,063	1,704	921	906	2,345	4,158	5,382	6,762	7,050	7,729
1984	235,884	10,881	1,679	910	919	2,192	4,139	5,252	6,128	6,439	7,446
1983	233,124	11,242	1,794	864	920	2,304	4,225	5,109	5,845	5,800	7,032
1982	226,513	11,642	1,787	956	910	2,478	4,424	5,372	5,934	5,822	6,838
1981	228,560	11,757	1,881	937	976	2,533	4,679	5,608	5,916	5,937	7,246
1980	233,135	12,603	1,871	1,044	983	2,772	5,169	5,668	5,745	5,921	7,419
1979	220,818	12,586	1,888	1,098	1,003	2,761	4,830	5,433	5,373	5,877	7,286

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
All causes											
Black, male											
1998	143,417	4,883	795	532	582	2,296	3,226	3,310	3,832	5,302	7,288
1997	144,110	4,710	796	502	574	2,475	3,546	3,578	4,292	5,842	7,503
1996	149,472	4,837	869	542	618	2,728	3,694	3,887	5,372	7,044	8,591
1995	154,175	5,002	973	535	668	2,895	3,908	4,400	6,283	8,107	9,318
1994	153,019	5,642	1,065	549	694	3,209	4,277	4,611	6,580	8,006	9,192
1993	153,502	6,121	1,089	487	679	3,130	4,604	4,766	6,396	7,842	8,743
1992	146,630	6,298	965	529	633	2,923	4,246	4,695	6,083	7,308	7,949
1991	147,331	6,714	1,083	505	667	3,053	4,312	4,962	6,110	7,206	7,495
1990	145,359	6,811	999	512	601	2,737	3,994	4,949	6,220	6,910	6,817
1989	146,393	6,842	1,021	559	603	2,456	3,846	4,772	6,203	6,938	6,583
1988	144,228	6,503	1,016	592	561	2,312	3,744	4,677	5,967	6,632	6,011
1987	139,551	6,391	999	541	606	2,028	3,560	4,367	5,569	6,088	5,578
1986	137,214	6,305	992	528	591	1,847	3,409	4,384	5,210	5,491	5,276
1985	133,610	6,127	961	520	579	1,734	3,072	3,781	4,634	4,720	5,004
1984	129,147	5,961	919	538	577	1,565	2,991	3,697	4,200	4,269	4,651
1983	127,911	6,259	1,029	494	575	1,619	3,004	3,580	4,016	3,771	4,423
1982	125,610	6,485	990	557	573	1,782	3,251	3,821	4,116	3,826	4,291
1981	127,296	6,451	1,067	569	587	1,856	3,469	4,043	4,091	3,905	4,591
1980	130,138	6,958	1,069	627	613	2,015	3,854	4,020	3,993	3,906	4,615
1979	124,433	6,933	1,028	661	637	1,984	3,519	3,921	3,706	3,812	4,668
All causes											
Black, female											
1998	135,023	3,843	602	388	313	643	994	1,435	2,227	3,537	4,878
1997	132,410	3,786	587	445	369	713	1,004	1,515	2,290	3,628	4,674
1996	132,617	3,893	754	392	372	762	1,068	1,665	2,714	4,012	4,943
1995	132,226	4,116	769	380	391	780	1,140	1,809	2,948	4,108	4,943
1994	129,360	4,430	864	385	391	753	1,197	1,813	3,030	4,100	4,712
1993	128,649	4,766	886	449	377	702	1,263	1,901	2,880	3,903	4,376
1992	122,589	5,050	834	365	349	660	1,153	1,864	2,753	3,657	4,264
1991	122,194	5,280	847	374	323	684	1,254	1,849	2,772	3,445	3,913
1990	120,139	5,479	769	364	362	730	1,125	1,889	2,745	3,265	3,539
1989	121,249	5,685	809	394	364	664	1,191	1,913	2,744	3,112	3,442
1988	119,791	5,337	768	405	386	686	1,233	1,929	2,589	3,131	3,251
1987	115,263	5,070	786	364	290	678	1,231	1,743	2,539	2,869	3,020
1986	113,112	4,899	809	401	297	672	1,153	1,733	2,365	2,611	2,921
1985	110,597	4,936	743	401	327	611	1,086	1,601	2,128	2,330	2,725
1984	106,737	4,920	760	372	342	627	1,148	1,555	1,928	2,170	2,795
1983	105,213	4,983	765	370	345	685	1,221	1,529	1,829	2,029	2,609
1982	100,903	5,157	797	399	337	696	1,173	1,551	1,818	1,996	2,547
1981	101,264	5,306	814	368	389	677	1,210	1,565	1,825	2,032	2,655
1980	102,997	5,645	802	417	370	757	1,315	1,648	1,752	2,015	2,804
1979	96,385	5,653	860	437	366	777	1,311	1,512	1,667	2,065	2,618

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,
sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Salmonella infections (002-003)											
All races, both sexes											
1998	37	1	1	-	-	-	-	1	1	-	-
1997	51	4	1	1	-	-	2	-	1	4	1
1996	59	2	2	1	-	1	1	3	2	3	2
1995	66	5	-	-	-	-	1	-	3	2	1
1994	50	5	1	-	2	-	1	-	1	1	2
1993	52	3	1	-	-	-	1	2	3	1	1
1992	47	3	-	2	-	1	-	2	2	1	-
1991	54	2	1	-	-	1	1	-	2	1	2
1990	81	4	1	-	1	1	-	-	2	1	3
1989	99	7	-	1	-	-	-	2	3	3	4
1988	66	6	-	-	-	-	-	2	2	1	2
1987	107	5	1	-	-	-	1	2	5	2	-
1986	104	-	1	-	-	-	3	4	6	3	6
1985	117	7	1	-	-	-	-	1	6	4	2
1984	90	8	-	1	-	-	1	-	2	-	2
1983	85	9	-	-	-	-	-	-	3	1	5
1982	91	8	-	-	2	-	1	2	-	1	2
1981	107	6	2	1	-	1	2	-	3	1	1
1980	91	9	2	1	-	1	-	1	-	3	2
1979	73	5	-	2	-	1	-	2	-	1	1
Salmonella infections (002-003)											
All races, male											
1998	14	-	1	-	-	-	-	-	-	-	-
1997	34	4	1	-	-	-	2	-	-	3	1
1996	27	-	1	-	-	-	-	3	-	1	2
1995	35	2	-	-	-	-	-	-	1	-	1
1994	30	2	1	-	1	-	-	-	1	1	1
1993	27	2	1	-	-	-	-	1	3	1	1
1992	24	1	-	1	-	-	-	2	2	1	-
1991	33	2	1	-	-	1	-	-	2	-	1
1990	49	3	-	-	1	-	-	-	2	-	2
1989	48	5	-	1	-	-	-	2	-	1	3
1988	34	3	-	-	-	-	-	2	1	1	2
1987	58	2	1	-	-	-	1	1	5	2	-
1986	71	-	-	-	-	-	3	4	5	3	5
1985	63	4	1	-	-	-	-	1	6	3	1
1984	49	5	-	1	-	-	1	-	2	-	1
1983	40	6	-	-	-	-	-	-	3	1	5
1982	49	6	-	-	1	-	1	1	-	1	2
1981	58	1	2	1	-	1	2	-	2	1	1
1980	48	3	1	-	-	1	-	-	-	1	2
1979	37	3	-	-	-	1	-	-	-	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	
Salmonella infections (002-003)												
All races, female												
1998	23	1	-	-	-	-	-	-	1	1	-	-
1997	17	-	-	1	-	-	-	-	-	1	1	-
1996	32	2	1	1	-	1	1	-	2	2	-	-
1995	31	3	-	-	-	-	1	-	2	2	-	-
1994	20	3	-	-	1	-	1	-	-	-	-	1
1993	25	1	-	-	-	-	1	1	-	-	-	-
1992	23	2	-	1	-	1	-	-	-	-	-	-
1991	21	-	-	-	-	-	1	-	-	-	1	1
1990	32	1	1	-	-	1	-	-	-	-	1	1
1989	51	2	-	-	-	-	-	-	-	3	2	1
1988	32	3	-	-	-	-	-	-	1	-	-	-
1987	49	3	-	-	-	-	-	1	-	-	-	-
1986	33	-	1	-	-	-	-	-	1	-	-	1
1985	54	3	-	-	-	-	-	-	-	-	1	1
1984	41	3	-	-	-	-	-	-	-	-	-	1
1983	45	3	-	-	-	-	-	-	-	-	-	-
1982	42	2	-	-	1	-	-	1	-	-	-	-
1981	49	5	-	-	-	-	-	-	1	-	-	-
1980	43	6	1	1	-	-	-	1	-	2	-	-
1979	36	2	-	2	-	-	-	2	-	-	-	1
Salmonella infections (002-003)												
White, both sexes												
1998	32	1	1	-	-	-	-	-	1	-	-	-
1997	40	2	1	1	-	-	2	-	-	2	-	-
1996	41	1	2	-	-	1	-	1	1	3	1	-
1995	50	4	-	-	-	-	-	-	2	-	-	-
1994	33	3	-	-	2	-	1	-	-	-	-	1
1993	37	2	1	-	-	-	1	1	2	1	1	-
1992	32	1	-	1	-	-	-	-	-	-	1	-
1991	34	1	1	-	-	-	-	-	2	1	2	-
1990	54	-	-	-	-	-	-	-	1	1	2	-
1989	78	5	-	-	-	-	-	2	-	2	3	-
1988	50	2	-	-	-	-	-	2	1	1	-	-
1987	81	1	-	-	-	-	-	1	2	-	-	-
1986	86	-	-	-	-	-	3	3	5	3	2	-
1985	89	4	1	-	-	-	-	1	3	2	2	-
1984	67	5	-	1	-	-	-	-	-	-	-	1
1983	60	5	-	-	-	-	-	-	2	1	3	-
1982	72	6	-	-	1	-	-	-	-	1	2	-
1981	86	3	1	-	-	1	2	-	2	-	-	-
1980	70	4	1	1	-	-	-	-	-	2	2	-
1979	57	4	-	-	-	1	-	1	-	-	-	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Salmonella infections (002-003)											
White, male											
1998	12	-	1	-	-	-	-	-	-	-	-
1997	28	2	1	-	-	-	2	-	-	2	-
1996	18	-	1	-	-	-	-	1	-	1	1
1995	28	2	-	-	-	-	-	-	-	-	-
1994	16	-	-	-	1	-	-	-	-	-	1
1993	17	1	1	-	-	-	-	-	2	1	1
1992	14	-	-	-	-	-	-	-	-	1	-
1991	20	1	1	-	-	-	-	-	2	-	1
1990	31	-	-	-	-	-	-	-	1	-	2
1989	41	4	-	-	-	-	-	2	-	1	2
1988	24	1	-	-	-	-	-	2	-	1	-
1987	40	-	-	-	-	-	-	-	2	-	-
1986	59	-	-	-	-	-	3	3	5	3	1
1985	50	3	1	-	-	-	-	1	3	2	1
1984	34	2	-	1	-	-	-	-	-	-	-
1983	27	3	-	-	-	-	-	-	2	1	3
1982	40	4	-	-	1	-	-	-	-	1	2
1981	46	-	1	-	-	1	2	-	1	-	-
1980	35	1	-	-	-	-	-	-	-	-	2
1979	29	2	-	-	-	1	-	-	-	-	-
Salmonella infections (002-003)											
White, female											
1998	20	1	-	-	-	-	-	-	1	-	-
1997	12	-	-	1	-	-	-	-	-	-	-
1996	23	1	1	-	-	1	-	-	1	2	-
1995	22	2	-	-	-	-	-	-	2	-	-
1994	17	3	-	-	1	-	1	-	-	-	-
1993	20	1	-	-	-	-	1	1	-	-	-
1992	18	1	-	1	-	-	-	-	-	-	-
1991	14	-	-	-	-	-	-	-	-	1	1
1990	23	-	-	-	-	-	-	-	-	1	-
1989	37	1	-	-	-	-	-	-	-	1	1
1988	26	1	-	-	-	-	-	-	1	-	-
1987	41	1	-	-	-	-	-	1	-	-	-
1986	27	-	-	-	-	-	-	-	-	-	1
1985	39	1	-	-	-	-	-	-	-	-	1
1984	33	3	-	-	-	-	-	-	-	-	1
1983	33	2	-	-	-	-	-	-	-	-	-
1982	32	2	-	-	-	-	-	-	-	-	-
1981	40	3	-	-	-	-	-	-	1	-	-
1980	35	3	1	1	-	-	-	-	-	2	-
1979	28	2	-	-	-	-	-	1	-	-	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Salmonella infections (002-003)											
All other, both sexes											
1998	5	-	-	-	-	-	-	1	-	-	-
1997	11	2	-	-	-	-	-	-	1	2	1
1996	18	1	-	1	-	-	1	2	1	-	1
1995	16	1	-	-	-	-	1	-	1	2	1
1994	17	2	1	-	-	-	-	-	1	1	1
1993	15	1	-	-	-	-	-	1	1	-	-
1992	15	2	-	1	-	1	-	2	2	-	-
1991	20	1	-	-	-	1	1	-	-	-	-
1990	27	4	1	-	1	1	-	-	1	-	1
1989	21	2	-	1	-	-	-	-	3	1	1
1988	16	4	-	-	-	-	-	-	1	-	2
1987	26	4	1	-	-	-	1	1	3	2	-
1986	18	-	1	-	-	-	-	1	1	-	4
1985	28	3	-	-	-	-	-	-	3	2	-
1984	23	3	-	-	-	-	1	-	2	-	1
1983	25	4	-	-	-	-	-	-	1	-	2
1982	19	2	-	-	1	-	1	2	-	-	-
1981	21	3	1	1	-	-	-	-	1	1	1
1980	21	5	1	-	-	1	-	1	-	1	-
1979	16	1	-	2	-	-	-	1	-	1	-
Salmonella infections (002-003)											
All other, male											
1998	2	-	-	-	-	-	-	-	-	-	-
1997	6	2	-	-	-	-	-	-	-	1	1
1996	9	-	-	-	-	-	-	2	-	-	1
1995	7	-	-	-	-	-	-	-	1	-	1
1994	14	2	1	-	-	-	-	-	1	1	-
1993	10	1	-	-	-	-	-	1	1	-	-
1992	10	1	-	1	-	-	-	2	2	-	-
1991	13	1	-	-	-	1	-	-	-	-	-
1990	18	3	-	-	1	-	-	-	1	-	-
1989	7	1	-	1	-	-	-	-	-	-	1
1988	10	2	-	-	-	-	-	-	1	-	2
1987	18	2	1	-	-	-	1	1	3	2	-
1986	12	-	-	-	-	-	-	1	-	-	4
1985	13	1	-	-	-	-	-	-	3	1	-
1984	15	3	-	-	-	-	1	-	2	-	1
1983	13	3	-	-	-	-	-	-	1	-	2
1982	9	2	-	-	-	-	1	1	-	-	-
1981	12	1	1	1	-	-	-	-	1	1	1
1980	13	2	1	-	-	1	-	-	-	1	-
1979	8	1	-	-	-	-	-	-	-	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Salmonella infections (002-003)											
All other, female											
1998	3	-	-	-	-	-	-	1	-	-	-
1997	5	-	-	-	-	-	-	-	1	1	-
1996	9	1	-	1	-	-	1	-	1	-	-
1995	9	1	-	-	-	-	1	-	-	2	-
1994	3	-	-	-	-	-	-	-	-	-	1
1993	5	-	-	-	-	-	-	-	-	-	-
1992	5	1	-	-	-	1	-	-	-	-	-
1991	7	-	-	-	-	-	1	-	-	-	-
1990	9	1	1	-	-	1	-	-	-	-	1
1989	14	1	-	-	-	-	-	-	3	1	-
1988	6	2	-	-	-	-	-	-	-	-	-
1987	8	2	-	-	-	-	-	-	-	-	-
1986	6	-	1	-	-	-	-	-	1	-	-
1985	15	2	-	-	-	-	-	-	-	1	-
1984	8	-	-	-	-	-	-	-	-	-	-
1983	12	1	-	-	-	-	-	-	-	-	-
1982	10	-	-	-	1	-	-	1	-	-	-
1981	9	2	-	-	-	-	-	-	-	-	-
1980	8	3	-	-	-	-	-	1	-	-	-
1979	8	-	-	2	-	-	-	1	-	-	-
Salmonella infections (002-003)											
Black, both sexes											
1998	3	-	-	-	-	-	-	1	-	-	-
1997	9	2	-	-	-	-	-	-	1	2	1
1996	15	1	-	1	-	-	-	1	1	-	1
1995	13	1	-	-	-	-	-	-	1	2	1
1994	16	2	1	-	-	-	-	-	1	1	1
1993	10	-	-	-	-	-	-	1	1	-	-
1992	11	2	-	-	-	1	-	2	2	-	-
1991	18	1	-	-	-	-	1	-	-	-	-
1990	24	3	1	-	1	1	-	-	1	-	1
1989	19	2	-	-	-	-	-	-	3	1	1
1988	16	4	-	-	-	-	-	-	1	-	2
1987	25	4	-	-	-	-	1	1	3	2	-
1986	16	-	1	-	-	-	-	1	1	-	4
1985	26	3	-	-	-	-	-	-	3	2	-
1984	21	3	-	-	-	-	1	-	2	-	1
1983	24	3	-	-	-	-	-	-	1	-	2
1982	18	2	-	-	1	-	1	2	-	-	-
1981	21	3	1	1	-	-	-	-	1	1	1
1980	21	5	1	-	-	1	-	1	-	1	-
1979	13	-	-	2	-	-	-	1	-	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Salmonella infections (002-003)											
Black, male											
1998	1	-	-	-	-	-	-	-	-	-	-
1997	5	2	-	-	-	-	-	-	-	1	1
1996	7	-	-	-	-	-	-	1	-	-	1
1995	6	-	-	-	-	-	-	-	1	-	1
1994	14	2	1	-	-	-	-	-	1	1	-
1993	7	-	-	-	-	-	-	1	1	-	-
1992	7	1	-	-	-	-	-	2	2	-	-
1991	11	1	-	-	-	-	-	-	-	-	-
1990	16	2	-	-	1	-	-	-	1	-	-
1989	5	1	-	-	-	-	-	-	-	-	1
1988	10	2	-	-	-	-	-	-	1	-	2
1987	17	2	-	-	-	-	1	1	3	2	-
1986	11	-	-	-	-	-	-	1	-	-	4
1985	12	1	-	-	-	-	-	-	3	1	-
1984	14	3	-	-	-	-	1	-	2	-	1
1983	12	2	-	-	-	-	-	-	1	-	2
1982	9	2	-	-	-	-	1	1	-	-	-
1981	12	1	1	1	-	-	-	-	1	1	1
1980	13	2	1	-	-	1	-	-	-	1	-
1979	5	-	-	-	-	-	-	-	-	1	-
Salmonella infections (002-003)											
Black, female											
1998	2	-	-	-	-	-	-	1	-	-	-
1997	4	-	-	-	-	-	-	-	1	1	-
1996	8	1	-	1	-	-	-	-	1	-	-
1995	7	1	-	-	-	-	-	-	-	2	-
1994	2	-	-	-	-	-	-	-	-	-	1
1993	3	-	-	-	-	-	-	-	-	-	-
1992	4	1	-	-	-	1	-	-	-	-	-
1991	7	-	-	-	-	-	1	-	-	-	-
1990	8	1	1	-	-	1	-	-	-	-	1
1989	14	1	-	-	-	-	-	-	3	1	-
1988	6	2	-	-	-	-	-	-	-	-	-
1987	8	2	-	-	-	-	-	-	-	-	-
1986	5	-	1	-	-	-	-	-	1	-	-
1985	14	2	-	-	-	-	-	-	-	1	-
1984	7	-	-	-	-	-	-	-	-	-	-
1983	12	1	-	-	-	-	-	-	-	-	-
1982	9	-	-	-	1	-	-	1	-	-	-
1981	9	2	-	-	-	-	-	-	-	-	-
1980	8	3	-	-	-	-	-	1	-	-	-
1979	8	-	-	2	-	-	-	1	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Shigellosis and amebiasis (004,006)											
All races, both sexes											
1998	8	-	-	1	-	-	-	-	-	1	1
1997	6	-	-	1	-	-	-	-	1	-	-
1996	9	-	1	-	-	-	-	-	-	-	-
1995	12	-	1	-	-	-	-	-	-	-	-
1994	15	1	1	-	-	-	-	1	-	1	1
1993	11	1	1	-	-	1	1	-	-	-	1
1992	14	1	1	1	-	-	-	-	-	-	-
1991	15	3	3	-	-	-	-	-	2	-	-
1990	15	-	3	1	-	-	-	1	1	-	-
1989	20	-	4	3	-	-	-	-	1	1	1
1988	15	1	1	1	2	-	-	-	-	1	-
1987	22	1	3	2	1	-	-	1	1	-	1
1986	12	-	-	1	-	-	-	1	2	-	3
1985	27	1	5	1	1	-	-	-	2	-	-
1984	18	-	-	3	-	-	1	-	-	-	1
1983	30	-	4	1	-	-	-	1	1	-	-
1982	16	3	-	-	-	-	1	-	1	-	1
1981	27	1	5	1	-	1	-	-	1	1	-
1980	37	5	4	3	-	1	-	3	1	2	-
1979	38	4	8	1	1	-	-	-	-	2	-
Shigellosis and amebiasis (004,006)											
All races, male											
1998	3	-	-	-	-	-	-	-	-	1	1
1997	1	-	-	-	-	-	-	-	-	-	-
1996	3	-	-	-	-	-	-	-	-	-	-
1995	7	-	1	-	-	-	-	-	-	-	-
1994	7	-	-	-	-	-	-	-	-	-	1
1993	5	-	-	-	-	1	1	-	-	-	1
1992	12	1	1	1	-	-	-	-	-	-	-
1991	11	2	1	-	-	-	-	-	2	-	-
1990	5	-	1	-	-	-	-	1	-	-	-
1989	9	-	1	1	-	-	-	-	1	1	1
1988	5	-	-	1	2	-	-	-	-	1	-
1987	11	1	1	1	1	-	-	1	1	-	1
1986	9	-	-	-	-	-	-	-	2	-	3
1985	16	1	3	1	-	-	-	-	2	-	-
1984	11	-	-	-	-	-	1	-	-	-	1
1983	17	-	-	1	-	-	-	1	1	-	-
1982	8	2	-	-	-	-	-	-	-	-	1
1981	16	-	3	-	-	-	-	-	1	-	-
1980	21	4	2	1	-	-	-	3	1	2	-
1979	26	3	7	-	1	-	-	-	-	2	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Shigellosis and amebiasis (004,006)											
All races, female											
1998	5	-	-	1	-	-	-	-	-	-	-
1997	5	-	-	1	-	-	-	-	1	-	-
1996	6	-	1	-	-	-	-	-	-	-	-
1995	5	-	-	-	-	-	-	-	-	-	-
1994	8	1	1	-	-	-	-	1	-	1	-
1993	6	1	1	-	-	-	-	-	-	-	-
1992	2	-	-	-	-	-	-	-	-	-	-
1991	4	1	2	-	-	-	-	-	-	-	-
1990	10	-	2	1	-	-	-	-	1	-	-
1989	11	-	3	2	-	-	-	-	-	-	-
1988	10	1	1	-	-	-	-	-	-	-	-
1987	11	-	2	1	-	-	-	-	-	-	-
1986	3	-	-	1	-	-	-	1	-	-	-
1985	11	-	2	-	1	-	-	-	-	-	-
1984	7	-	-	3	-	-	-	-	-	-	-
1983	13	-	4	-	-	-	-	-	-	-	-
1982	8	1	-	-	-	-	1	-	1	-	-
1981	11	1	2	1	-	1	-	-	-	1	-
1980	16	1	2	2	-	1	-	-	-	-	-
1979	12	1	1	1	-	-	-	-	-	-	-
Shigellosis and amebiasis (004,006)											
White, both sexes											
1998	6	-	-	-	-	-	-	-	-	-	1
1997	6	-	-	1	-	-	-	-	1	-	-
1996	9	-	1	-	-	-	-	-	-	-	-
1995	10	-	-	-	-	-	-	-	-	-	-
1994	12	-	1	-	-	-	-	1	-	-	1
1993	9	-	1	-	-	1	1	-	-	-	1
1992	10	-	1	-	-	-	-	-	-	-	-
1991	13	2	2	-	-	-	-	-	2	-	-
1990	11	-	2	-	-	-	-	1	1	-	-
1989	12	-	1	1	-	-	-	-	-	1	1
1988	8	1	-	-	1	-	-	-	-	1	-
1987	16	-	2	2	1	-	-	-	-	-	1
1986	11	-	-	1	-	-	-	1	2	-	2
1985	20	-	4	1	1	-	-	-	-	-	-
1984	16	-	-	3	-	-	1	-	-	-	1
1983	23	-	3	1	-	-	-	1	-	-	-
1982	12	2	-	-	-	-	1	-	1	-	1
1981	22	1	4	1	-	1	-	-	-	1	-
1980	28	4	2	3	-	1	-	2	-	1	-
1979	29	2	5	1	1	-	-	-	-	2	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Shigellosis and amebiasis (004,006)											
White, male											
1998	2	-	-	-	-	-	-	-	-	-	1
1997	1	-	-	-	-	-	-	-	-	-	-
1996	3	-	-	-	-	-	-	-	-	-	-
1995	5	-	-	-	-	-	-	-	-	-	-
1994	6	-	-	-	-	-	-	-	-	-	1
1993	4	-	-	-	-	1	1	-	-	-	1
1992	8	-	1	-	-	-	-	-	-	-	-
1991	10	1	1	-	-	-	-	-	2	-	-
1990	5	-	1	-	-	-	-	1	-	-	-
1989	6	-	-	1	-	-	-	-	-	1	1
1988	2	-	-	-	1	-	-	-	-	1	-
1987	7	-	-	1	1	-	-	-	-	-	1
1986	8	-	-	-	-	-	-	-	2	-	2
1985	10	-	2	1	-	-	-	-	-	-	-
1984	11	-	-	-	-	-	1	-	-	-	1
1983	15	-	-	1	-	-	-	1	-	-	-
1982	5	1	-	-	-	-	-	-	-	-	1
1981	13	-	2	-	-	-	-	-	-	-	-
1980	14	3	1	1	-	-	-	2	-	1	-
1979	22	2	5	-	1	-	-	-	-	2	-
Shigellosis and amebiasis (004,006)											
White, female											
1998	4	-	-	-	-	-	-	-	-	-	-
1997	5	-	-	1	-	-	-	-	1	-	-
1996	6	-	1	-	-	-	-	-	-	-	-
1995	5	-	-	-	-	-	-	-	-	-	-
1994	6	-	1	-	-	-	-	1	-	-	-
1993	5	-	1	-	-	-	-	-	-	-	-
1992	2	-	-	-	-	-	-	-	-	-	-
1991	3	1	1	-	-	-	-	-	-	-	-
1990	6	-	1	-	-	-	-	-	1	-	-
1989	6	-	1	-	-	-	-	-	-	-	-
1988	6	1	-	-	-	-	-	-	-	-	-
1987	9	-	2	1	-	-	-	-	-	-	-
1986	3	-	-	1	-	-	-	1	-	-	-
1985	10	-	2	-	1	-	-	-	-	-	-
1984	5	-	-	3	-	-	-	-	-	-	-
1983	8	-	3	-	-	-	-	-	-	-	-
1982	7	1	-	-	-	-	1	-	1	-	-
1981	9	1	2	1	-	1	-	-	-	1	-
1980	14	1	1	2	-	1	-	-	-	-	-
1979	7	-	-	1	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Shigellosis and amebiasis (004,006)											
All other, both sexes											
1998	2	-	-	1	-	-	-	-	-	1	-
1997	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-
1995	2	-	1	-	-	-	-	-	-	-	-
1994	3	1	-	-	-	-	-	-	-	1	-
1993	2	1	-	-	-	-	-	-	-	-	-
1992	4	1	-	1	-	-	-	-	-	-	-
1991	2	1	1	-	-	-	-	-	-	-	-
1990	4	-	1	1	-	-	-	-	-	-	-
1989	8	-	3	2	-	-	-	-	1	-	-
1988	7	-	1	1	1	-	-	-	-	-	-
1987	6	1	1	-	-	-	-	1	1	-	-
1986	1	-	-	-	-	-	-	-	-	-	1
1985	7	1	1	-	-	-	-	-	2	-	-
1984	2	-	-	-	-	-	-	-	-	-	-
1983	7	-	1	-	-	-	-	-	1	-	-
1982	4	1	-	-	-	-	-	-	-	-	-
1981	5	-	1	-	-	-	-	-	1	-	-
1980	9	1	2	-	-	-	-	1	1	1	-
1979	9	2	3	-	-	-	-	-	-	-	-
Shigellosis and amebiasis (004,006)											
All other, male											
1998	1	-	-	-	-	-	-	-	-	1	-
1997	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-
1995	2	-	1	-	-	-	-	-	-	-	-
1994	1	-	-	-	-	-	-	-	-	-	-
1993	1	-	-	-	-	-	-	-	-	-	-
1992	4	1	-	1	-	-	-	-	-	-	-
1991	1	1	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-
1989	3	-	1	-	-	-	-	-	1	-	-
1988	3	-	-	1	1	-	-	-	-	-	-
1987	4	1	1	-	-	-	-	1	1	-	-
1986	1	-	-	-	-	-	-	-	-	-	1
1985	6	1	1	-	-	-	-	-	2	-	-
1984	-	-	-	-	-	-	-	-	-	-	-
1983	2	-	-	-	-	-	-	-	1	-	-
1982	3	1	-	-	-	-	-	-	-	-	-
1981	3	-	1	-	-	-	-	-	1	-	-
1980	7	1	1	-	-	-	-	1	1	1	-
1979	4	1	2	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Shigellosis and amebiasis (004,006)											
All other, female											
1998	1	-	-	1	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-
1994	2	1	-	-	-	-	-	-	-	1	-
1993	1	1	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-
1991	1	-	1	-	-	-	-	-	-	-	-
1990	4	-	1	1	-	-	-	-	-	-	-
1989	5	-	2	2	-	-	-	-	-	-	-
1988	4	-	1	-	-	-	-	-	-	-	-
1987	2	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-
1985	1	-	-	-	-	-	-	-	-	-	-
1984	2	-	-	-	-	-	-	-	-	-	-
1983	5	-	1	-	-	-	-	-	-	-	-
1982	1	-	-	-	-	-	-	-	-	-	-
1981	2	-	-	-	-	-	-	-	-	-	-
1980	2	-	1	-	-	-	-	-	-	-	-
1979	5	1	1	-	-	-	-	-	-	-	-
Shigellosis and amebiasis (004,006)											
Black, both sexes											
1998	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-
1995	2	-	1	-	-	-	-	-	-	-	-
1994	2	1	-	-	-	-	-	-	-	-	-
1993	1	1	-	-	-	-	-	-	-	-	-
1992	2	1	-	1	-	-	-	-	-	-	-
1991	2	1	1	-	-	-	-	-	-	-	-
1990	2	-	-	1	-	-	-	-	-	-	-
1989	6	-	3	1	-	-	-	-	1	-	-
1988	2	-	1	-	-	-	-	-	-	-	-
1987	5	1	1	-	-	-	-	1	1	-	-
1986	1	-	-	-	-	-	-	-	-	-	1
1985	7	1	1	-	-	-	-	-	2	-	-
1984	1	-	-	-	-	-	-	-	-	-	-
1983	5	-	1	-	-	-	-	-	-	-	-
1982	3	1	-	-	-	-	-	-	-	-	-
1981	3	-	1	-	-	-	-	-	1	-	-
1980	7	-	2	-	-	-	-	1	1	1	-
1979	6	2	2	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Shigellosis and amebiasis (004,006)											
Black, male											
1998	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-
1995	2	-	1	-	-	-	-	-	-	-	-
1994	1	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-
1992	2	1	-	1	-	-	-	-	-	-	-
1991	1	1	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-
1989	2	-	1	-	-	-	-	-	1	-	-
1988	-	-	-	-	-	-	-	-	-	-	-
1987	4	1	1	-	-	-	-	1	1	-	-
1986	1	-	-	-	-	-	-	-	-	-	1
1985	6	1	1	-	-	-	-	-	2	-	-
1984	-	-	-	-	-	-	-	-	-	-	-
1983	1	-	-	-	-	-	-	-	-	-	-
1982	3	1	-	-	-	-	-	-	-	-	-
1981	2	-	1	-	-	-	-	-	1	-	-
1980	5	-	1	-	-	-	-	1	1	1	-
1979	3	1	1	-	-	-	-	-	-	-	-
Shigellosis and amebiasis (004,006)											
Black, female											
1998	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-
1994	1	1	-	-	-	-	-	-	-	-	-
1993	1	1	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-
1991	1	-	1	-	-	-	-	-	-	-	-
1990	2	-	-	1	-	-	-	-	-	-	-
1989	4	-	2	1	-	-	-	-	-	-	-
1988	2	-	1	-	-	-	-	-	-	-	-
1987	1	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-
1985	1	-	-	-	-	-	-	-	-	-	-
1984	1	-	-	-	-	-	-	-	-	-	-
1983	4	-	1	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-
1981	1	-	-	-	-	-	-	-	-	-	-
1980	2	-	1	-	-	-	-	-	-	-	-
1979	3	1	1	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Certain other intestinal infections (007-009)											
All races, both sexes											
1998	1,059	229	19	1	-	2	2	-	3	6	7
1997	1,023	200	20	1	5	-	2	4	5	11	11
1996	824	207	8	4	3	1	1	2	5	5	7
1995	793	202	10	1	2	-	3	5	9	9	8
1994	746	209	21	3	-	1	1	3	8	9	6
1993	631	133	11	3	-	2	1	3	3	6	8
1992	529	130	16	1	1	-	3	1	3	8	11
1991	469	125	19	3	1	-	1	1	3	5	6
1990	415	98	13	5	1	2	-	4	3	8	5
1989	339	92	13	2	3	-	2	2	4	2	4
1988	305	85	8	2	-	3	2	1	3	1	3
1987	307	93	14	2	1	2	2	5	5	5	6
1986	347	114	9	2	1	-	3	8	9	12	7
1985	301	98	16	2	1	-	2	4	7	8	4
1984	331	138	13	3	1	3	-	3	5	3	4
1983	354	131	12	-	4	2	4	2	4	4	4
1982	329	137	20	2	-	2	2	4	4	3	10
1981	371	131	23	6	-	3	4	2	1	2	2
1980	364	112	20	3	4	2	3	5	5	1	2
1979	298	106	11	3	2	2	5	4	1	4	2
Certain other intestinal infections (007-009)											
All races, male											
1998	464	136	11	1	-	-	1	-	2	2	3
1997	435	116	14	1	5	-	1	3	2	5	8
1996	356	131	5	1	2	-	1	1	4	3	4
1995	347	115	9	-	1	-	2	4	5	5	6
1994	348	124	12	1	-	1	1	3	5	6	3
1993	292	80	5	1	-	-	-	2	2	6	6
1992	255	75	11	-	1	-	2	1	3	8	9
1991	215	68	13	2	-	-	1	1	1	3	5
1990	180	50	7	4	-	2	-	4	3	6	3
1989	172	57	6	1	2	-	1	2	4	1	4
1988	133	46	5	2	-	3	2	1	2	-	1
1987	137	40	8	1	1	2	-	4	4	5	3
1986	192	75	5	2	-	-	3	8	9	11	6
1985	146	55	8	-	1	-	1	4	7	8	2
1984	156	83	6	2	1	1	-	2	2	3	3
1983	172	77	9	-	4	2	3	1	3	3	2
1982	148	68	14	1	-	2	1	2	2	2	3
1981	170	70	13	4	-	2	3	2	1	1	1
1980	162	63	11	1	1	1	3	4	2	-	-
1979	143	58	6	1	1	2	2	3	1	2	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Certain other intestinal infections (007-009)											
All races, female											
1998	595	93	8	-	-	2	1	-	1	4	4
1997	588	84	6	-	-	-	1	1	3	6	3
1996	468	76	3	3	1	1	-	1	1	2	3
1995	446	87	1	1	1	-	1	1	4	4	2
1994	398	85	9	2	-	-	-	-	3	3	3
1993	339	53	6	2	-	2	1	1	1	-	2
1992	274	55	5	1	-	-	1	-	-	-	2
1991	254	57	6	1	1	-	-	-	2	2	1
1990	235	48	6	1	1	-	-	-	-	2	2
1989	167	35	7	1	1	-	1	-	-	1	-
1988	172	39	3	-	-	-	-	-	1	1	2
1987	170	53	6	1	-	-	2	1	1	-	3
1986	155	39	4	-	1	-	-	-	-	1	1
1985	155	43	8	2	-	-	1	-	-	-	2
1984	175	55	7	1	-	2	-	1	3	-	1
1983	182	54	3	-	-	-	1	1	1	1	2
1982	181	69	6	1	-	-	1	2	2	1	7
1981	201	61	10	2	-	1	1	-	-	1	1
1980	202	49	9	2	3	1	-	1	3	1	2
1979	155	48	5	2	1	-	3	1	-	2	-
Certain other intestinal infections (007-009)											
White, both sexes											
1998	882	127	14	1	-	2	2	-	2	3	5
1997	850	114	13	1	4	-	1	3	2	5	8
1996	672	102	6	1	3	1	-	2	5	2	5
1995	635	98	8	1	2	-	3	4	7	9	2
1994	574	96	11	1	-	-	1	3	5	6	5
1993	510	60	9	2	-	2	-	3	2	4	7
1992	430	65	11	-	1	-	-	1	2	7	10
1991	363	60	9	3	1	-	1	1	-	5	5
1990	342	54	8	4	-	1	-	4	3	5	5
1989	252	38	7	1	3	-	1	2	3	1	2
1988	239	45	7	2	-	2	2	1	2	1	2
1987	246	51	10	1	1	1	2	5	5	5	4
1986	257	54	8	-	-	-	3	7	7	12	7
1985	231	51	12	2	1	-	1	2	6	7	3
1984	245	72	11	2	1	3	-	1	4	3	4
1983	262	65	5	-	4	2	3	2	4	2	4
1982	233	71	12	2	-	1	1	4	3	2	9
1981	290	72	17	5	-	2	4	2	1	2	1
1980	286	63	16	2	4	1	2	4	3	1	2
1979	228	59	9	1	2	2	3	4	-	3	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Certain other intestinal infections (007-009)

White, male

1998	379	77	10	1	-	-	1	-	1	1	2
1997	343	65	8	1	4	-	1	3	-	1	5
1996	268	64	4	-	2	-	-	1	4	1	3
1995	264	56	7	-	1	-	2	4	5	5	1
1994	244	56	5	-	-	-	1	3	5	5	3
1993	221	31	5	1	-	-	-	2	1	4	6
1992	205	42	8	-	1	-	-	1	2	7	8
1991	157	32	5	2	-	-	1	1	-	3	4
1990	141	28	4	3	-	1	-	4	3	4	3
1989	120	24	2	-	2	-	1	2	3	1	2
1988	99	22	5	2	-	2	2	1	1	-	-
1987	111	24	6	1	1	1	-	4	4	5	2
1986	134	36	4	-	-	-	3	7	7	11	6
1985	107	31	5	-	1	-	-	2	6	7	1
1984	102	37	6	1	1	1	-	1	2	3	3
1983	117	36	4	-	4	2	2	1	3	2	2
1982	103	36	9	1	-	1	-	2	2	2	2
1981	124	38	8	3	-	1	3	2	1	1	-
1980	122	35	9	1	1	-	2	4	2	-	-
1979	107	34	5	-	1	2	2	3	-	1	2

Certain other intestinal infections (007-009)

White, female

1998	503	50	4	-	-	2	1	-	1	2	3
1997	507	49	5	-	-	-	-	-	2	4	3
1996	404	38	2	1	1	1	-	1	1	1	2
1995	371	42	1	1	1	-	1	-	2	4	1
1994	330	40	6	1	-	-	-	-	-	1	2
1993	289	29	4	1	-	2	-	1	1	-	1
1992	225	23	3	-	-	-	-	-	-	-	2
1991	206	28	4	1	1	-	-	-	-	2	1
1990	201	26	4	1	-	-	-	-	-	1	2
1989	132	14	5	1	1	-	-	-	-	-	-
1988	140	23	2	-	-	-	-	-	1	1	2
1987	135	27	4	-	-	-	2	1	1	-	2
1986	123	18	4	-	-	-	-	-	-	1	1
1985	124	20	7	2	-	-	1	-	-	-	2
1984	143	35	5	1	-	2	-	-	2	-	1
1983	145	29	1	-	-	-	1	1	1	-	2
1982	130	35	3	1	-	-	1	2	1	-	7
1981	166	34	9	2	-	1	1	-	-	1	1
1980	164	28	7	1	3	1	-	-	1	1	2
1979	121	25	4	1	1	-	1	1	-	2	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Certain other intestinal infections (007-009)											
All other, both sexes											
1998	177	102	5	-	-	-	-	-	1	3	2
1997	173	86	7	-	1	-	1	1	3	6	3
1996	152	105	2	3	-	-	1	-	-	3	2
1995	158	104	2	-	-	-	-	1	2	-	6
1994	172	113	10	2	-	1	-	-	3	3	1
1993	121	73	2	1	-	-	1	-	1	2	1
1992	99	65	5	1	-	-	3	-	1	1	1
1991	106	65	10	-	-	-	-	-	3	-	1
1990	73	44	5	1	1	1	-	-	-	3	-
1989	87	54	6	1	-	-	1	-	1	1	2
1988	66	40	1	-	-	1	-	-	1	-	1
1987	61	42	4	1	-	1	-	-	-	-	2
1986	90	60	1	2	1	-	-	1	2	-	-
1985	70	47	4	-	-	-	1	2	1	1	1
1984	86	66	2	1	-	-	-	2	1	-	-
1983	92	66	7	-	-	-	1	-	-	2	-
1982	96	66	8	-	-	1	1	-	1	1	1
1981	81	59	6	1	-	1	-	-	-	-	1
1980	78	49	4	1	-	1	1	1	2	-	-
1979	70	47	2	2	-	-	2	-	1	1	-
Certain other intestinal infections (007-009)											
All other, male											
1998	85	59	1	-	-	-	-	-	1	1	1
1997	92	51	6	-	1	-	-	-	2	4	3
1996	88	67	1	1	-	-	1	-	-	2	1
1995	83	59	2	-	-	-	-	-	-	-	5
1994	104	68	7	1	-	1	-	-	-	1	-
1993	71	49	-	-	-	-	-	-	1	2	-
1992	50	33	3	-	-	-	2	-	1	1	1
1991	58	36	8	-	-	-	-	-	1	-	1
1990	39	22	3	1	-	1	-	-	-	2	-
1989	52	33	4	1	-	-	-	-	1	-	2
1988	34	24	-	-	-	1	-	-	1	-	1
1987	26	16	2	-	-	1	-	-	-	-	1
1986	58	39	1	2	-	-	-	1	2	-	-
1985	39	24	3	-	-	-	1	2	1	1	1
1984	54	46	-	1	-	-	-	1	-	-	-
1983	55	41	5	-	-	-	1	-	-	1	-
1982	45	32	5	-	-	1	1	-	-	-	1
1981	46	32	5	1	-	1	-	-	-	-	1
1980	40	28	2	-	-	1	1	-	-	-	-
1979	36	24	1	1	-	-	-	-	1	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Certain other intestinal infections (007-009)											
All other, female											
1998	92	43	4	-	-	-	-	-	-	2	1
1997	81	35	1	-	-	-	1	1	1	2	-
1996	64	38	1	2	-	-	-	-	-	1	1
1995	75	45	-	-	-	-	-	1	2	-	1
1994	68	45	3	1	-	-	-	-	3	2	1
1993	50	24	2	1	-	-	1	-	-	-	1
1992	49	32	2	1	-	-	1	-	-	-	-
1991	48	29	2	-	-	-	-	-	2	-	-
1990	34	22	2	-	1	-	-	-	-	1	-
1989	35	21	2	-	-	-	1	-	-	1	-
1988	32	16	1	-	-	-	-	-	-	-	-
1987	35	26	2	1	-	-	-	-	-	-	1
1986	32	21	-	-	1	-	-	-	-	-	-
1985	31	23	1	-	-	-	-	-	-	-	-
1984	32	20	2	-	-	-	-	1	1	-	-
1983	37	25	2	-	-	-	-	-	-	1	-
1982	51	34	3	-	-	-	-	-	1	1	-
1981	35	27	1	-	-	-	-	-	-	-	-
1980	38	21	2	1	-	-	-	1	2	-	-
1979	34	23	1	1	-	-	2	-	-	-	-
Certain other intestinal infections (007-009)											
Black, both sexes											
1998	158	97	5	-	-	-	-	-	1	3	1
1997	154	81	5	-	1	-	1	-	3	6	2
1996	140	100	2	3	-	-	1	-	-	3	2
1995	145	98	2	-	-	-	-	1	2	-	6
1994	154	104	8	2	-	1	-	-	2	3	1
1993	110	68	2	1	-	-	1	-	1	2	1
1992	94	63	5	1	-	-	3	-	1	1	1
1991	96	62	7	-	-	-	-	-	3	-	1
1990	67	41	5	1	1	1	-	-	-	3	-
1989	78	49	4	1	-	-	1	-	1	1	1
1988	57	39	1	-	-	-	-	-	1	-	1
1987	56	40	2	1	-	1	-	-	-	-	2
1986	82	54	1	2	1	-	-	1	2	-	-
1985	65	44	4	-	-	-	1	2	-	1	1
1984	80	62	2	1	-	-	-	2	1	-	-
1983	84	64	5	-	-	-	1	-	-	2	-
1982	87	61	6	-	-	-	1	-	1	1	1
1981	75	56	4	1	-	1	-	-	-	-	1
1980	72	47	4	1	-	1	-	1	2	-	-
1979	65	44	2	2	-	-	2	-	1	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Certain other intestinal infections (007-009)											
Black, male											
1998	77	57	1	-	-	-	-	-	1	1	1
1997	81	46	5	-	1	-	-	-	2	4	2
1996	82	63	1	1	-	-	1	-	-	2	1
1995	75	54	2	-	-	-	-	-	-	-	5
1994	94	63	5	1	-	1	-	-	-	1	-
1993	64	46	-	-	-	-	-	-	1	2	-
1992	47	32	3	-	-	-	2	-	1	1	1
1991	53	35	5	-	-	-	-	-	1	-	1
1990	34	19	3	1	-	1	-	-	-	2	-
1989	46	31	2	1	-	-	-	-	1	-	1
1988	29	23	-	-	-	-	-	-	1	-	1
1987	23	15	1	-	-	1	-	-	-	-	1
1986	53	35	1	2	-	-	-	1	2	-	-
1985	36	23	3	-	-	-	1	2	-	1	1
1984	51	43	-	1	-	-	-	1	-	-	-
1983	51	41	4	-	-	-	1	-	-	1	-
1982	39	28	4	-	-	-	1	-	-	-	1
1981	42	31	3	1	-	1	-	-	-	-	1
1980	36	26	2	-	-	1	-	-	-	-	-
1979	35	23	1	1	-	-	-	-	1	1	-
Certain other intestinal infections (007-009)											
Black, female											
1998	81	40	4	-	-	-	-	-	-	2	-
1997	73	35	-	-	-	-	1	-	1	2	-
1996	58	37	1	2	-	-	-	-	-	1	1
1995	70	44	-	-	-	-	-	1	2	-	1
1994	60	41	3	1	-	-	-	-	2	2	1
1993	46	22	2	1	-	-	1	-	-	-	1
1992	47	31	2	1	-	-	1	-	-	-	-
1991	43	27	2	-	-	-	-	-	2	-	-
1990	33	22	2	-	1	-	-	-	-	1	-
1989	32	18	2	-	-	-	1	-	-	1	-
1988	28	16	1	-	-	-	-	-	-	-	-
1987	33	25	1	1	-	-	-	-	-	-	1
1986	29	19	-	-	1	-	-	-	-	-	-
1985	29	21	1	-	-	-	-	-	-	-	-
1984	29	19	2	-	-	-	-	1	1	-	-
1983	33	23	1	-	-	-	-	-	-	1	-
1982	48	33	2	-	-	-	-	-	1	1	-
1981	33	25	1	-	-	-	-	-	-	-	-
1980	36	21	2	1	-	-	-	1	2	-	-
1979	30	21	1	1	-	-	2	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Tuberculosis (010-018)											
All races, both sexes											
1998	1,112	-	3	-	1	4	7	13	25	42	66
1997	1,166	-	4	1	-	3	11	12	24	39	42
1996	1,202	2	2	-	2	4	10	16	27	57	40
1995	1,336	1	2	1	1	2	16	16	23	58	69
1994	1,478	-	3	-	1	3	12	22	51	61	76
1993	1,631	2	5	1	1	2	11	27	56	70	89
1992	1,705	5	6	2	2	3	10	31	71	111	87
1991	1,713	2	2	5	-	4	18	44	67	104	101
1990	1,810	2	6	2	1	3	20	48	96	87	91
1989	1,970	1	7	3	-	3	22	41	86	94	106
1988	1,921	2	3	1	-	4	24	39	67	101	92
1987	1,755	1	6	1	1	5	18	33	68	79	83
1986	1,782	1	3	4	-	2	16	37	70	97	87
1985	1,752	4	3	-	2	8	17	29	53	64	71
1984	1,729	2	2	1	1	5	23	43	45	61	79
1983	1,779	1	3	2	2	6	12	29	45	47	60
1982	1,807	3	3	1	3	2	6	24	42	49	67
1981	1,937	4	4	3	-	4	12	31	37	47	77
1980	1,978	2	6	3	1	4	7	19	25	43	67
1979	2,007	1	7	1	2	4	10	26	36	54	77
Tuberculosis (010-018)											
All races, male											
1998	658	-	-	-	-	1	-	6	13	31	43
1997	662	-	1	-	-	3	3	9	15	22	36
1996	739	-	2	-	2	1	7	8	16	38	28
1995	814	-	-	-	1	-	8	9	13	37	48
1994	884	-	2	-	-	-	2	14	27	38	59
1993	1,018	-	4	1	-	1	6	14	36	51	62
1992	1,059	1	3	2	1	1	1	17	39	68	64
1991	1,048	2	-	4	-	2	5	19	38	73	72
1990	1,147	2	2	1	-	1	6	28	59	66	71
1989	1,284	-	6	2	-	3	16	21	62	71	88
1988	1,221	-	1	1	-	2	10	20	47	68	69
1987	1,169	-	4	1	-	1	8	21	50	61	59
1986	1,157	1	-	1	-	1	6	24	49	80	71
1985	1,135	4	1	-	-	2	9	18	39	47	53
1984	1,149	1	1	1	1	3	10	28	31	51	57
1983	1,176	-	1	1	1	-	4	19	33	32	44
1982	1,202	1	1	1	-	1	4	16	29	38	51
1981	1,299	1	3	2	-	1	4	19	27	30	56
1980	1,331	2	4	1	1	1	2	10	15	29	40
1979	1,371	1	4	-	2	1	5	12	24	34	59

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Tuberculosis (010-018)											
All races, female											
1998	454	-	3	-	1	3	7	7	12	11	23
1997	504	-	3	1	-	-	8	3	9	17	6
1996	463	2	-	-	-	3	3	8	11	19	12
1995	522	1	2	1	-	2	8	7	10	21	21
1994	594	-	1	-	1	3	10	8	24	23	17
1993	613	2	1	-	1	1	5	13	20	19	27
1992	646	4	3	-	1	2	9	14	32	43	23
1991	665	-	2	1	-	2	13	25	29	31	29
1990	663	-	4	1	1	2	14	20	37	21	20
1989	686	1	1	1	-	-	6	20	24	23	18
1988	700	2	2	-	-	2	14	19	20	33	23
1987	586	1	2	-	1	4	10	12	18	18	24
1986	625	-	3	3	-	1	10	13	21	17	16
1985	617	-	2	-	2	6	8	11	14	17	18
1984	580	1	1	-	-	2	13	15	14	10	22
1983	603	1	2	1	1	6	8	10	12	15	16
1982	605	2	2	-	3	1	2	8	13	11	16
1981	638	3	1	1	-	3	8	12	10	17	21
1980	647	-	2	2	-	3	5	9	10	14	27
1979	636	-	3	1	-	3	5	14	12	20	18
Tuberculosis (010-018)											
White, both sexes											
1998	667	-	3	-	-	2	2	4	8	15	24
1997	695	-	3	1	-	2	5	3	10	19	16
1996	724	-	-	-	2	1	3	8	12	23	16
1995	804	1	1	1	1	1	8	11	9	24	20
1994	863	-	1	-	-	1	2	7	21	22	33
1993	969	-	2	-	-	1	7	15	20	17	35
1992	994	2	4	2	2	-	4	16	23	36	34
1991	978	2	2	2	-	1	5	15	22	38	37
1990	1,033	2	5	2	1	-	6	15	26	32	33
1989	1,152	1	2	2	-	-	10	12	28	37	42
1988	1,172	1	2	-	-	-	10	13	24	26	42
1987	1,082	-	1	1	1	2	6	12	26	35	34
1986	1,065	-	1	1	-	1	5	9	26	31	33
1985	1,101	1	1	-	1	4	8	9	17	17	33
1984	1,047	-	1	1	-	1	8	12	19	20	22
1983	1,119	-	2	2	1	2	5	9	14	14	19
1982	1,135	1	2	1	1	-	2	9	11	16	24
1981	1,211	1	3	2	-	3	6	9	9	14	24
1980	1,253	1	1	1	-	2	1	1	7	16	19
1979	1,294	1	5	1	1	2	3	8	13	16	30

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Tuberculosis (010-018)											
White, male											
1998	381	-	-	-	-	1	-	1	4	12	18
1997	380	-	1	-	-	2	1	2	7	11	15
1996	440	-	-	-	2	-	3	5	10	17	14
1995	474	-	-	-	1	-	5	6	5	16	16
1994	506	-	1	-	-	-	-	6	14	16	25
1993	591	-	1	-	-	-	4	8	14	14	24
1992	602	1	2	2	1	-	-	9	11	26	26
1991	593	2	-	2	-	1	1	8	16	28	27
1990	630	2	2	1	-	-	3	10	17	22	26
1989	724	-	2	1	-	-	9	8	23	25	36
1988	730	-	-	-	-	-	5	7	21	18	31
1987	724	-	-	1	-	1	3	7	18	26	26
1986	679	-	-	-	-	1	2	4	18	27	28
1985	703	1	-	-	-	1	3	8	16	12	27
1984	689	-	1	1	-	1	3	9	12	17	17
1983	718	-	1	1	1	-	2	6	11	7	13
1982	745	-	1	1	-	-	1	6	9	14	15
1981	797	-	2	2	-	1	2	3	7	7	17
1980	856	1	-	1	-	1	-	1	3	10	13
1979	909	1	2	-	1	-	1	3	11	10	24
Tuberculosis (010-018)											
White, female											
1998	286	-	3	-	-	1	2	3	4	3	6
1997	315	-	2	1	-	-	4	1	3	8	1
1996	284	-	-	-	-	1	-	3	2	6	2
1995	330	1	1	1	-	1	3	5	4	8	4
1994	357	-	-	-	-	1	2	1	7	6	8
1993	378	-	1	-	-	1	3	7	6	3	11
1992	392	1	2	-	1	-	4	7	12	10	8
1991	385	-	2	-	-	-	4	7	6	10	10
1990	403	-	3	1	1	-	3	5	9	10	7
1989	428	1	-	1	-	-	1	4	5	12	6
1988	442	1	2	-	-	-	5	6	3	8	11
1987	358	-	1	-	1	1	3	5	8	9	8
1986	386	-	1	1	-	-	3	5	8	4	5
1985	398	-	1	-	1	3	5	1	1	5	6
1984	358	-	-	-	-	-	5	3	7	3	5
1983	401	-	1	1	-	2	3	3	3	7	6
1982	390	1	1	-	1	-	1	3	2	2	9
1981	414	1	1	-	-	2	4	6	2	7	7
1980	397	-	1	-	-	1	1	-	4	6	6
1979	385	-	3	1	-	2	2	5	2	6	6

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Tuberculosis (010-018)											
All other, both sexes											
1998	445	-	-	-	1	2	5	9	17	27	42
1997	471	-	1	-	-	1	6	9	14	20	26
1996	478	2	2	-	-	3	7	8	15	34	24
1995	532	-	1	-	-	1	8	5	14	34	49
1994	615	-	2	-	1	2	10	15	30	39	43
1993	662	2	3	1	1	1	4	12	36	53	54
1992	711	3	2	-	-	3	6	15	48	75	53
1991	735	-	-	3	-	3	13	29	45	66	64
1990	777	-	1	-	-	3	14	33	70	55	58
1989	818	-	5	1	-	3	12	29	58	57	64
1988	749	1	1	1	-	4	14	26	43	75	50
1987	673	1	5	-	-	3	12	21	42	44	49
1986	717	1	2	3	-	1	11	28	44	66	54
1985	651	3	2	-	1	4	9	20	36	47	38
1984	682	2	1	-	1	4	15	31	26	41	57
1983	660	1	1	-	1	4	7	20	31	33	41
1982	672	2	1	-	2	2	4	15	31	33	43
1981	726	3	1	1	-	1	6	22	28	33	53
1980	725	1	5	2	1	2	6	18	18	27	48
1979	713	-	2	-	1	2	7	18	23	38	47
Tuberculosis (010-018)											
All other, male											
1998	277	-	-	-	-	-	-	5	9	19	25
1997	282	-	-	-	-	1	2	7	8	11	21
1996	299	-	2	-	-	1	4	3	6	21	14
1995	340	-	-	-	-	-	3	3	8	21	32
1994	378	-	1	-	-	-	2	8	13	22	34
1993	427	-	3	1	-	1	2	6	22	37	38
1992	457	-	1	-	-	1	1	8	28	42	38
1991	455	-	-	2	-	1	4	11	22	45	45
1990	517	-	-	-	-	1	3	18	42	44	45
1989	560	-	4	1	-	3	7	13	39	46	52
1988	491	-	1	1	-	2	5	13	26	50	38
1987	445	-	4	-	-	-	5	14	32	35	33
1986	478	1	-	1	-	-	4	20	31	53	43
1985	432	3	1	-	-	1	6	10	23	35	26
1984	460	1	-	-	1	2	7	19	19	34	40
1983	458	-	-	-	-	-	2	13	22	25	31
1982	457	1	-	-	-	1	3	10	20	24	36
1981	502	1	1	-	-	-	2	16	20	23	39
1980	475	1	4	-	1	-	2	9	12	19	27
1979	462	-	2	-	1	1	4	9	13	24	35

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Tuberculosis (010-018)											
All other, female											
1998	168	-	-	-	1	2	5	4	8	8	17
1997	189	-	1	-	-	-	4	2	6	9	5
1996	179	2	-	-	-	2	3	5	9	13	10
1995	192	-	1	-	-	1	5	2	6	13	17
1994	237	-	1	-	1	2	8	7	17	17	9
1993	235	2	-	-	1	-	2	6	14	16	16
1992	254	3	1	-	-	2	5	7	20	33	15
1991	280	-	-	1	-	2	9	18	23	21	19
1990	260	-	1	-	-	2	11	15	28	11	13
1989	258	-	1	-	-	-	5	16	19	11	12
1988	258	1	-	-	-	2	9	13	17	25	12
1987	228	1	1	-	-	3	7	7	10	9	16
1986	239	-	2	2	-	1	7	8	13	13	11
1985	219	-	1	-	1	3	3	10	13	12	12
1984	222	1	1	-	-	2	8	12	7	7	17
1983	202	1	1	-	1	4	5	7	9	8	10
1982	215	1	1	-	2	1	1	5	11	9	7
1981	224	2	-	1	-	1	4	6	8	10	14
1980	250	-	1	2	-	2	4	9	6	8	21
1979	251	-	-	-	-	1	3	9	10	14	12
Tuberculosis (010-018)											
Black, both sexes											
1998	346	-	-	-	1	1	5	7	13	21	31
1997	342	-	1	-	-	-	6	8	12	16	22
1996	369	2	2	-	-	2	4	8	12	31	23
1995	418	-	1	-	-	-	8	5	11	31	39
1994	499	-	2	-	1	2	10	13	28	36	41
1993	549	2	3	-	1	1	4	11	33	48	49
1992	612	3	2	-	-	3	6	15	45	71	49
1991	619	-	-	2	-	2	12	29	45	65	59
1990	668	-	1	-	-	3	14	32	64	52	55
1989	707	-	5	-	-	3	10	29	55	55	59
1988	641	1	1	1	-	3	14	25	39	70	47
1987	582	-	4	-	-	3	12	20	40	44	49
1986	628	-	2	2	-	1	9	26	42	61	50
1985	579	2	2	-	1	3	7	19	34	44	33
1984	619	1	1	-	1	4	15	31	24	39	53
1983	577	-	-	-	1	4	6	19	29	29	38
1982	587	2	-	-	1	2	4	15	31	29	38
1981	657	3	1	1	-	1	6	21	27	29	49
1980	651	-	4	-	1	2	3	17	18	24	46
1979	643	-	1	-	1	2	6	16	23	37	45

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Tuberculosis (010-018)											
Black, male											
1998	213	-	-	-	-	-	-	4	6	15	20
1997	204	-	-	-	-	-	2	6	7	8	17
1996	236	-	2	-	-	1	3	3	6	19	14
1995	271	-	-	-	-	-	3	3	6	18	26
1994	315	-	1	-	-	-	2	8	12	20	32
1993	361	-	3	-	-	1	2	6	20	34	33
1992	400	-	1	-	-	1	1	8	25	39	36
1991	390	-	-	1	-	1	3	11	22	45	43
1990	446	-	-	-	-	1	3	18	39	42	44
1989	485	-	4	-	-	3	7	13	36	44	50
1988	422	-	1	1	-	1	5	12	24	46	36
1987	395	-	3	-	-	-	5	14	30	35	33
1986	424	-	-	1	-	-	4	19	29	48	40
1985	393	2	1	-	-	1	5	10	23	32	24
1984	425	-	-	-	1	2	7	19	19	33	39
1983	409	-	-	-	-	-	2	12	21	24	29
1982	412	1	-	-	-	1	3	10	20	22	34
1981	455	1	1	-	-	-	2	15	19	19	37
1980	443	-	3	-	1	-	1	9	12	17	27
1979	423	-	1	-	1	1	4	9	13	23	35
Tuberculosis (010-018)											
Black, female											
1998	133	-	-	-	1	1	5	3	7	6	11
1997	138	-	1	-	-	-	4	2	5	8	5
1996	133	2	-	-	-	1	1	5	6	12	9
1995	147	-	1	-	-	-	5	2	5	13	13
1994	184	-	1	-	1	2	8	5	16	16	9
1993	188	2	-	-	1	-	2	5	13	14	16
1992	212	3	1	-	-	2	5	7	20	32	13
1991	229	-	-	1	-	1	9	18	23	20	16
1990	222	-	1	-	-	2	11	14	25	10	11
1989	222	-	1	-	-	-	3	16	19	11	9
1988	219	1	-	-	-	2	9	13	15	24	11
1987	187	-	1	-	-	3	7	6	10	9	16
1986	204	-	2	1	-	1	5	7	13	13	10
1985	186	-	1	-	1	2	2	9	11	12	9
1984	194	1	1	-	-	2	8	12	5	6	14
1983	168	-	-	-	1	4	4	7	8	5	9
1982	175	1	-	-	1	1	1	5	11	7	4
1981	202	2	-	1	-	1	4	6	8	10	12
1980	208	-	1	-	-	2	2	8	6	7	19
1979	220	-	-	-	-	1	2	7	10	14	10

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Respiratory tuberculosis (010-012)											
All races, both sexes											
1998	815	-	-	-	-	3	4	6	19	26	38
1997	875	-	2	1	-	2	3	7	16	25	32
1996	912	2	-	-	2	3	8	8	17	39	29
1995	1,044	1	1	-	-	1	8	6	13	46	48
1994	1,129	-	-	-	1	2	5	15	30	42	61
1993	1,276	-	-	-	-	1	2	14	37	48	70
1992	1,315	1	2	1	-	1	7	21	43	66	67
1991	1,310	1	1	2	-	-	11	24	53	79	63
1990	1,378	1	1	-	1	2	11	30	65	63	68
1989	1,536	-	1	2	-	1	13	26	62	68	78
1988	1,488	-	1	-	-	2	10	19	41	73	66
1987	1,398	-	2	-	1	4	12	22	50	56	51
1986	1,407	-	1	1	-	1	11	16	44	67	68
1985	1,368	2	-	-	-	4	6	12	40	50	42
1984	1,342	-	1	-	-	1	12	27	27	43	51
1983	1,418	1	-	1	1	5	7	18	24	33	46
1982	1,468	1	-	-	-	-	4	14	31	35	52
1981	1,586	1	-	-	-	-	8	21	23	38	64
1980	1,638	-	-	-	-	2	6	10	16	28	57
1979	1,657	-	-	-	1	2	7	16	27	41	68
Respiratory tuberculosis (010-012)											
All races, male											
1998	528	-	-	-	-	1	-	3	13	19	32
1997	537	-	-	-	-	2	2	5	11	16	29
1996	600	-	-	-	2	1	6	6	12	27	22
1995	684	-	-	-	-	-	3	4	8	31	38
1994	722	-	-	-	-	-	2	11	18	29	50
1993	837	-	-	-	-	1	1	7	26	37	52
1992	853	-	2	1	-	1	1	11	24	39	51
1991	841	1	-	2	-	-	3	11	33	56	48
1990	907	1	1	-	-	1	4	19	45	46	56
1989	1,042	-	1	1	-	1	10	15	46	55	67
1988	986	-	-	-	-	-	5	11	28	50	52
1987	971	-	2	-	-	1	4	14	39	43	39
1986	948	-	-	-	-	1	5	11	31	58	56
1985	923	2	-	-	-	1	3	8	31	39	32
1984	932	-	1	-	-	1	6	18	18	37	37
1983	982	-	-	1	1	-	1	13	18	23	37
1982	1,014	-	-	-	-	-	2	10	22	29	42
1981	1,118	-	-	-	-	-	3	14	18	26	50
1980	1,148	-	-	-	-	1	2	4	9	24	35
1979	1,205	-	-	-	1	-	4	8	19	29	54

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Respiratory tuberculosis (010-012)											
All races, female											
1998	287	-	-	-	-	2	4	3	6	7	6
1997	338	-	2	1	-	-	1	2	5	9	3
1996	312	2	-	-	-	2	2	2	5	12	7
1995	360	1	1	-	-	1	5	2	5	15	10
1994	407	-	-	-	1	2	3	4	12	13	11
1993	439	-	-	-	-	-	1	7	11	11	18
1992	462	1	-	-	-	-	6	10	19	27	16
1991	469	-	1	-	-	-	8	13	20	23	15
1990	471	-	-	-	1	1	7	11	20	17	12
1989	494	-	-	1	-	-	3	11	16	13	11
1988	502	-	1	-	-	2	5	8	13	23	14
1987	427	-	-	-	1	3	8	8	11	13	12
1986	459	-	1	1	-	-	6	5	13	9	12
1985	445	-	-	-	-	3	3	4	9	11	10
1984	410	-	-	-	-	-	6	9	9	6	14
1983	436	1	-	-	-	5	6	5	6	10	9
1982	454	1	-	-	-	-	2	4	9	6	10
1981	468	1	-	-	-	-	5	7	5	12	14
1980	490	-	-	-	-	1	4	6	7	4	22
1979	452	-	-	-	-	2	3	8	8	12	14
Respiratory tuberculosis (010-012)											
White, both sexes											
1998	495	-	-	-	-	1	1	2	5	10	14
1997	532	-	1	1	-	2	-	2	8	9	12
1996	551	-	-	-	2	1	2	3	8	14	14
1995	641	1	1	-	-	1	4	4	4	20	13
1994	678	-	-	-	-	-	1	6	15	14	25
1993	769	-	-	-	-	-	1	6	15	12	28
1992	780	-	1	1	-	-	3	12	11	20	26
1991	754	1	1	1	-	-	3	9	16	30	20
1990	812	1	1	-	1	-	2	9	16	22	25
1989	927	-	-	1	-	-	6	7	18	27	27
1988	957	-	1	-	-	-	4	6	18	21	27
1987	900	-	-	-	1	2	3	8	22	23	17
1986	859	-	1	-	-	1	4	4	15	21	24
1985	882	-	-	-	-	2	2	3	16	12	18
1984	828	-	1	-	-	1	4	7	13	11	16
1983	925	-	-	1	1	2	3	5	7	10	14
1982	962	-	-	-	-	-	2	6	10	13	20
1981	1,012	-	-	-	-	-	4	6	4	9	17
1980	1,067	-	-	-	-	1	1	1	5	8	15
1979	1,106	-	-	-	1	1	1	5	12	11	28

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Respiratory tuberculosis (010-012)											
White, male											
1998	306	-	-	-	-	1	-	-	4	9	13
1997	309	-	-	-	-	2	-	1	6	6	11
1996	361	-	-	-	2	-	2	3	8	11	13
1995	400	-	-	-	-	-	1	3	4	13	12
1994	423	-	-	-	-	-	-	5	12	11	20
1993	490	-	-	-	-	-	1	4	10	11	21
1992	488	-	1	1	-	-	-	6	7	13	21
1991	474	1	-	1	-	-	-	3	12	21	19
1990	518	1	1	-	-	-	2	8	13	14	20
1989	600	-	-	-	-	-	6	6	16	19	24
1988	611	-	-	-	-	-	3	2	16	15	22
1987	623	-	-	-	-	1	1	5	15	17	14
1986	564	-	-	-	-	1	2	1	10	18	20
1985	585	-	-	-	-	-	1	3	15	10	15
1984	575	-	1	-	-	1	3	5	10	10	14
1983	616	-	-	1	1	-	1	4	7	6	11
1982	647	-	-	-	-	-	1	4	8	12	14
1981	702	-	-	-	-	-	1	2	3	6	15
1980	752	-	-	-	-	1	-	1	2	7	9
1979	812	-	-	-	1	-	-	2	10	8	23
Respiratory tuberculosis (010-012)											
White, female											
1998	189	-	-	-	-	-	1	2	1	1	1
1997	223	-	1	1	-	-	-	1	2	3	1
1996	190	-	-	-	-	1	-	-	-	3	1
1995	241	1	1	-	-	1	3	1	-	7	1
1994	255	-	-	-	-	-	1	1	3	3	5
1993	279	-	-	-	-	-	-	2	5	1	7
1992	292	-	-	-	-	-	3	6	4	7	5
1991	280	-	1	-	-	-	3	6	4	9	1
1990	294	-	-	-	1	-	-	1	3	8	5
1989	327	-	-	1	-	-	-	1	2	8	3
1988	346	-	1	-	-	-	1	4	2	6	5
1987	277	-	-	-	1	1	2	3	7	6	3
1986	295	-	1	-	-	-	2	3	5	3	4
1985	297	-	-	-	-	2	1	-	1	2	3
1984	253	-	-	-	-	-	1	2	3	1	2
1983	309	-	-	-	-	2	2	1	-	4	3
1982	315	-	-	-	-	-	1	2	2	1	6
1981	310	-	-	-	-	-	3	4	1	3	2
1980	315	-	-	-	-	-	1	-	3	1	6
1979	294	-	-	-	-	1	1	3	2	3	5

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Respiratory tuberculosis (010-012)											
All other, both sexes											
1998	320	-	-	-	-	2	3	4	14	16	24
1997	343	-	1	-	-	-	3	5	8	16	20
1996	361	2	-	-	-	2	6	5	9	25	15
1995	403	-	-	-	-	-	4	2	9	26	35
1994	451	-	-	-	1	2	4	9	15	28	36
1993	507	-	-	-	-	1	1	8	22	36	42
1992	535	1	1	-	-	1	4	9	32	46	41
1991	556	-	-	1	-	-	8	15	37	49	43
1990	566	-	-	-	-	2	9	21	49	41	43
1989	609	-	1	1	-	1	7	19	44	41	51
1988	531	-	-	-	-	2	6	13	23	52	39
1987	498	-	2	-	-	2	9	14	28	33	34
1986	548	-	-	1	-	-	7	12	29	46	44
1985	486	2	-	-	-	2	4	9	24	38	24
1984	514	-	-	-	-	-	8	20	14	32	35
1983	493	1	-	-	-	3	4	13	17	23	32
1982	506	1	-	-	-	-	2	8	21	22	32
1981	574	1	-	-	-	-	4	15	19	29	47
1980	571	-	-	-	-	1	5	9	11	20	42
1979	551	-	-	-	-	1	6	11	15	30	40
Respiratory tuberculosis (010-012)											
All other, male											
1998	222	-	-	-	-	-	-	3	9	10	19
1997	228	-	-	-	-	-	2	4	5	10	18
1996	239	-	-	-	-	1	4	3	4	16	9
1995	284	-	-	-	-	-	2	1	4	18	26
1994	299	-	-	-	-	-	2	6	6	18	30
1993	347	-	-	-	-	1	-	3	16	26	31
1992	365	-	1	-	-	1	1	5	17	26	30
1991	367	-	-	1	-	-	3	8	21	35	29
1990	389	-	-	-	-	1	2	11	32	32	36
1989	442	-	1	1	-	1	4	9	30	36	43
1988	375	-	-	-	-	-	2	9	12	35	30
1987	348	-	2	-	-	-	3	9	24	26	25
1986	384	-	-	-	-	-	3	10	21	40	36
1985	338	2	-	-	-	1	2	5	16	29	17
1984	357	-	-	-	-	-	3	13	8	27	23
1983	366	-	-	-	-	-	-	9	11	17	26
1982	367	-	-	-	-	-	1	6	14	17	28
1981	416	-	-	-	-	-	2	12	15	20	35
1980	396	-	-	-	-	-	2	3	7	17	26
1979	393	-	-	-	-	-	4	6	9	21	31

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Respiratory tuberculosis (010-012)											
All other, female											
1998	98	-	-	-	-	2	3	1	5	6	5
1997	115	-	1	-	-	-	1	1	3	6	2
1996	122	2	-	-	-	1	2	2	5	9	6
1995	119	-	-	-	-	-	2	1	5	8	9
1994	152	-	-	-	1	2	2	3	9	10	6
1993	160	-	-	-	-	-	1	5	6	10	11
1992	170	1	-	-	-	-	3	4	15	20	11
1991	189	-	-	-	-	-	5	7	16	14	14
1990	177	-	-	-	-	1	7	10	17	9	7
1989	167	-	-	-	-	-	3	10	14	5	8
1988	156	-	-	-	-	2	4	4	11	17	9
1987	150	-	-	-	-	2	6	5	4	7	9
1986	164	-	-	1	-	-	4	2	8	6	8
1985	148	-	-	-	-	1	2	4	8	9	7
1984	157	-	-	-	-	-	5	7	6	5	12
1983	127	1	-	-	-	3	4	4	6	6	6
1982	139	1	-	-	-	-	1	2	7	5	4
1981	158	1	-	-	-	-	2	3	4	9	12
1980	175	-	-	-	-	1	3	6	4	3	16
1979	158	-	-	-	-	1	2	5	6	9	9
Respiratory tuberculosis (010-012)											
Black, both sexes											
1998	251	-	-	-	-	1	3	4	10	14	19
1997	250	-	1	-	-	-	3	4	8	13	17
1996	284	2	-	-	-	2	4	5	9	23	14
1995	314	-	-	-	-	-	4	2	8	24	29
1994	368	-	-	-	1	2	4	9	15	27	34
1993	416	-	-	-	-	1	1	7	22	32	40
1992	463	1	1	-	-	1	4	9	30	44	39
1991	467	-	-	1	-	-	8	15	37	48	39
1990	491	-	-	-	-	2	9	20	45	38	42
1989	533	-	1	-	-	1	6	19	42	40	48
1988	454	-	-	-	-	2	6	13	21	48	36
1987	432	-	2	-	-	2	9	14	26	33	34
1986	478	-	-	-	-	-	6	12	27	41	40
1985	432	1	-	-	-	1	4	8	23	35	21
1984	463	-	-	-	-	-	8	20	13	31	33
1983	431	-	-	-	-	3	3	12	15	20	31
1982	444	1	-	-	-	-	2	8	21	19	29
1981	522	1	-	-	-	-	4	14	18	26	45
1980	518	-	-	-	-	1	2	9	11	19	40
1979	504	-	-	-	-	1	5	9	15	29	40

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Respiratory tuberculosis (010-012)											
Black, male											
1998	176	-	-	-	-	-	-	3	6	9	16
1997	165	-	-	-	-	-	2	3	5	7	15
1996	186	-	-	-	-	1	3	3	4	14	9
1995	225	-	-	-	-	-	2	1	4	16	21
1994	252	-	-	-	-	-	2	6	6	17	28
1993	294	-	-	-	-	1	-	3	16	24	29
1992	323	-	1	-	-	1	1	5	15	25	29
1991	319	-	-	1	-	-	3	8	21	35	27
1990	341	-	-	-	-	1	2	11	31	30	36
1989	386	-	1	-	-	1	4	9	28	35	41
1988	319	-	-	-	-	-	2	9	11	32	28
1987	310	-	2	-	-	-	3	9	22	26	25
1986	339	-	-	-	-	-	3	10	19	35	33
1985	306	1	-	-	-	1	2	5	16	26	15
1984	328	-	-	-	-	-	3	13	8	27	23
1983	327	-	-	-	-	-	-	8	10	17	26
1982	328	-	-	-	-	-	1	6	14	15	26
1981	376	-	-	-	-	-	2	11	14	17	34
1980	373	-	-	-	-	-	1	3	7	16	26
1979	363	-	-	-	-	-	4	6	9	20	31
Respiratory tuberculosis (010-012)											
Black, female											
1998	75	-	-	-	-	1	3	1	4	5	3
1997	85	-	1	-	-	-	1	1	3	6	2
1996	98	2	-	-	-	1	1	2	5	9	5
1995	89	-	-	-	-	-	2	1	4	8	8
1994	116	-	-	-	1	2	2	3	9	10	6
1993	122	-	-	-	-	-	1	4	6	8	11
1992	140	1	-	-	-	-	3	4	15	19	10
1991	148	-	-	-	-	-	5	7	16	13	12
1990	150	-	-	-	-	1	7	9	14	8	6
1989	147	-	-	-	-	-	2	10	14	5	7
1988	135	-	-	-	-	2	4	4	10	16	8
1987	122	-	-	-	-	2	6	5	4	7	9
1986	139	-	-	-	-	-	3	2	8	6	7
1985	126	-	-	-	-	-	2	3	7	9	6
1984	135	-	-	-	-	-	5	7	5	4	10
1983	104	-	-	-	-	3	3	4	5	3	5
1982	116	1	-	-	-	-	1	2	7	4	3
1981	146	1	-	-	-	-	2	3	4	9	11
1980	145	-	-	-	-	1	1	6	4	3	14
1979	141	-	-	-	-	1	1	3	6	9	9

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other tuberculosis (013-018)											
All races, both sexes											
1998	297	-	3	-	1	1	3	7	6	16	28
1997	291	-	2	-	-	1	8	5	8	14	10
1996	290	-	2	-	-	1	2	8	10	18	11
1995	292	-	1	1	1	1	8	10	10	12	21
1994	349	-	3	-	-	1	7	7	21	19	15
1993	355	2	5	1	1	1	9	13	19	22	19
1992	390	4	4	1	2	2	3	10	28	45	20
1991	403	1	1	3	-	4	7	20	14	25	38
1990	432	1	5	2	-	1	9	18	31	24	23
1989	434	1	6	1	-	2	9	15	24	26	28
1988	433	2	2	1	-	2	14	20	26	28	26
1987	357	1	4	1	-	1	6	11	18	23	32
1986	375	1	2	3	-	1	5	21	26	30	19
1985	384	2	3	-	2	4	11	17	13	14	29
1984	387	2	1	1	1	4	11	16	18	18	28
1983	361	-	3	1	1	1	5	11	21	14	14
1982	339	2	3	1	3	2	2	10	11	14	15
1981	351	3	4	3	-	4	4	10	14	9	13
1980	340	2	6	3	1	2	1	9	9	15	10
1979	350	1	7	1	1	2	3	10	9	13	9
Other tuberculosis (013-018)											
All races, male											
1998	130	-	-	-	-	-	-	3	-	12	11
1997	125	-	1	-	-	1	1	4	4	6	7
1996	139	-	2	-	-	-	1	2	4	11	6
1995	130	-	-	-	1	-	5	5	5	6	10
1994	162	-	2	-	-	-	-	3	9	9	9
1993	181	-	4	1	-	-	5	7	10	14	10
1992	206	1	1	1	1	-	-	6	15	29	13
1991	207	1	-	2	-	2	2	8	5	17	24
1990	240	1	1	1	-	-	2	9	14	20	15
1989	242	-	5	1	-	2	6	6	16	16	21
1988	235	-	1	1	-	2	5	9	19	18	17
1987	198	-	2	1	-	-	4	7	11	18	20
1986	209	1	-	1	-	-	1	13	18	22	15
1985	212	2	1	-	-	1	6	10	8	8	21
1984	217	1	-	1	1	2	4	10	13	14	20
1983	194	-	1	-	-	-	3	6	15	9	7
1982	188	1	1	1	-	1	2	6	7	9	9
1981	181	1	3	2	-	1	1	5	9	4	6
1980	183	2	4	1	1	-	-	6	6	5	5
1979	166	1	4	-	1	1	1	4	5	5	5

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other tuberculosis (013-018)											
All races, female											
1998	167	-	3	-	1	1	3	4	6	4	17
1997	166	-	1	-	-	-	7	1	4	8	3
1996	151	-	-	-	-	1	1	6	6	7	5
1995	162	-	1	1	-	1	3	5	5	6	11
1994	187	-	1	-	-	1	7	4	12	10	6
1993	174	2	1	-	1	1	4	6	9	8	9
1992	184	3	3	-	1	2	3	4	13	16	7
1991	196	-	1	1	-	2	5	12	9	8	14
1990	192	-	4	1	-	1	7	9	17	4	8
1989	192	1	1	-	-	-	3	9	8	10	7
1988	198	2	1	-	-	-	9	11	7	10	9
1987	159	1	2	-	-	1	2	4	7	5	12
1986	166	-	2	2	-	1	4	8	8	8	4
1985	172	-	2	-	2	3	5	7	5	6	8
1984	170	1	1	-	-	2	7	6	5	4	8
1983	167	-	2	1	1	1	2	5	6	5	7
1982	151	1	2	-	3	1	-	4	4	5	6
1981	170	2	1	1	-	3	3	5	5	5	7
1980	157	-	2	2	-	2	1	3	3	10	5
1979	184	-	3	1	-	1	2	6	4	8	4
Other tuberculosis (013-018)											
White, both sexes											
1998	172	-	3	-	-	1	1	2	3	5	10
1997	163	-	2	-	-	-	5	1	2	10	4
1996	173	-	-	-	-	-	1	5	4	9	2
1995	163	-	-	1	1	-	4	7	5	4	7
1994	185	-	1	-	-	1	1	1	6	8	8
1993	200	-	2	-	-	1	6	9	5	5	7
1992	214	2	3	1	2	-	1	4	12	16	8
1991	224	1	1	1	-	1	2	6	6	8	17
1990	221	1	4	2	-	-	4	6	10	10	8
1989	225	1	2	1	-	-	4	5	10	10	15
1988	215	1	1	-	-	-	6	7	6	5	15
1987	182	-	1	1	-	-	3	4	4	12	17
1986	206	-	-	1	-	-	1	5	11	10	9
1985	219	1	1	-	1	2	6	6	1	5	15
1984	219	-	-	1	-	-	4	5	6	9	6
1983	194	-	2	1	-	-	2	4	7	4	5
1982	173	1	2	1	1	-	-	3	1	3	4
1981	199	1	3	2	-	3	2	3	5	5	7
1980	186	1	1	1	-	1	-	-	2	8	4
1979	188	1	5	1	-	1	2	3	1	5	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other tuberculosis (013-018)											
White, male											
1998	75	-	-	-	-	-	-	1	-	3	5
1997	71	-	1	-	-	-	1	1	1	5	4
1996	79	-	-	-	-	-	1	2	2	6	1
1995	74	-	-	-	1	-	4	3	1	3	4
1994	83	-	1	-	-	-	-	1	2	5	5
1993	101	-	1	-	-	-	3	4	4	3	3
1992	114	1	1	1	1	-	-	3	4	13	5
1991	119	1	-	1	-	1	1	5	4	7	8
1990	112	1	1	1	-	-	1	2	4	8	6
1989	124	-	2	1	-	-	3	2	7	6	12
1988	119	-	-	-	-	-	2	5	5	3	9
1987	101	-	-	1	-	-	2	2	3	9	12
1986	115	-	-	-	-	-	-	3	8	9	8
1985	118	1	-	-	-	1	2	5	1	2	12
1984	114	-	-	1	-	-	-	4	2	7	3
1983	102	-	1	-	-	-	1	2	4	1	2
1982	98	-	1	1	-	-	-	2	1	2	1
1981	95	-	2	2	-	1	1	1	4	1	2
1980	104	1	-	1	-	-	-	-	1	3	4
1979	97	1	2	-	-	-	1	1	1	2	1
Other tuberculosis (013-018)											
White, female											
1998	97	-	3	-	-	1	1	1	3	2	5
1997	92	-	1	-	-	-	4	-	1	5	-
1996	94	-	-	-	-	-	-	3	2	3	1
1995	89	-	-	1	-	-	-	4	4	1	3
1994	102	-	-	-	-	1	1	-	4	3	3
1993	99	-	1	-	-	1	3	5	1	2	4
1992	100	1	2	-	1	-	1	1	8	3	3
1991	105	-	1	-	-	-	1	1	2	1	9
1990	109	-	3	1	-	-	3	4	6	2	2
1989	101	1	-	-	-	-	1	3	3	4	3
1988	96	1	1	-	-	-	4	2	1	2	6
1987	81	-	1	-	-	-	1	2	1	3	5
1986	91	-	-	1	-	-	1	2	3	1	1
1985	101	-	1	-	1	1	4	1	-	3	3
1984	105	-	-	-	-	-	4	1	4	2	3
1983	92	-	1	1	-	-	1	2	3	3	3
1982	75	1	1	-	1	-	-	1	-	1	3
1981	104	1	1	-	-	2	1	2	1	4	5
1980	82	-	1	-	-	1	-	-	1	5	-
1979	91	-	3	1	-	1	1	2	-	3	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other tuberculosis (013-018)											
All other, both sexes											
1998	125	-	-	-	1	-	2	5	3	11	18
1997	128	-	-	-	-	1	3	4	6	4	6
1996	117	-	2	-	-	1	1	3	6	9	9
1995	129	-	1	-	-	1	4	3	5	8	14
1994	164	-	2	-	-	-	6	6	15	11	7
1993	155	2	3	1	1	-	3	4	14	17	12
1992	176	2	1	-	-	2	2	6	16	29	12
1991	179	-	-	2	-	3	5	14	8	17	21
1990	211	-	1	-	-	1	5	12	21	14	15
1989	209	-	4	-	-	2	5	10	14	16	13
1988	218	1	1	1	-	2	8	13	20	23	11
1987	175	1	3	-	-	1	3	7	14	11	15
1986	169	1	2	2	-	1	4	16	15	20	10
1985	165	1	2	-	1	2	5	11	12	9	14
1984	168	2	1	-	1	4	7	11	12	9	22
1983	167	-	1	-	1	1	3	7	14	10	9
1982	166	1	1	-	2	2	2	7	10	11	11
1981	152	2	1	1	-	1	2	7	9	4	6
1980	154	1	5	2	1	1	1	9	7	7	6
1979	162	-	2	-	1	1	1	7	8	8	7
Other tuberculosis (013-018)											
All other, male											
1998	55	-	-	-	-	-	-	2	-	9	6
1997	54	-	-	-	-	1	-	3	3	1	3
1996	60	-	2	-	-	-	-	-	2	5	5
1995	56	-	-	-	-	-	1	2	4	3	6
1994	79	-	1	-	-	-	-	2	7	4	4
1993	80	-	3	1	-	-	2	3	6	11	7
1992	92	-	-	-	-	-	-	3	11	16	8
1991	88	-	-	1	-	1	1	3	1	10	16
1990	128	-	-	-	-	-	1	7	10	12	9
1989	118	-	3	-	-	2	3	4	9	10	9
1988	116	-	1	1	-	2	3	4	14	15	8
1987	97	-	2	-	-	-	2	5	8	9	8
1986	94	1	-	1	-	-	1	10	10	13	7
1985	94	1	1	-	-	-	4	5	7	6	9
1984	103	1	-	-	1	2	4	6	11	7	17
1983	92	-	-	-	-	-	2	4	11	8	5
1982	90	1	-	-	-	1	2	4	6	7	8
1981	86	1	1	-	-	-	-	4	5	3	4
1980	79	1	4	-	1	-	-	6	5	2	1
1979	69	-	2	-	1	1	-	3	4	3	4

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other tuberculosis (013-018)											
All other, female											
1998	70	-	-	-	1	-	2	3	3	2	12
1997	74	-	-	-	-	-	3	1	3	3	3
1996	57	-	-	-	-	1	1	3	4	4	4
1995	73	-	1	-	-	1	3	1	1	5	8
1994	85	-	1	-	-	-	6	4	8	7	3
1993	75	2	-	-	1	-	1	1	8	6	5
1992	84	2	1	-	-	2	2	3	5	13	4
1991	91	-	-	1	-	2	4	11	7	7	5
1990	83	-	1	-	-	1	4	5	11	2	6
1989	91	-	1	-	-	-	2	6	5	6	4
1988	102	1	-	-	-	-	5	9	6	8	3
1987	78	1	1	-	-	1	1	2	6	2	7
1986	75	-	2	1	-	1	3	6	5	7	3
1985	71	-	1	-	1	2	1	6	5	3	5
1984	65	1	1	-	-	2	3	5	1	2	5
1983	75	-	1	-	1	1	1	3	3	2	4
1982	76	-	1	-	2	1	-	3	4	4	3
1981	66	1	-	1	-	1	2	3	4	1	2
1980	75	-	1	2	-	1	1	3	2	5	5
1979	93	-	-	-	-	-	1	4	4	5	3
Other tuberculosis (013-018)											
Black, both sexes											
1998	95	-	-	-	1	-	2	3	3	7	12
1997	92	-	-	-	-	-	3	4	4	3	5
1996	85	-	2	-	-	-	-	3	3	8	9
1995	104	-	1	-	-	-	4	3	3	7	10
1994	131	-	2	-	-	-	6	4	13	9	7
1993	133	2	3	-	1	-	3	4	11	16	9
1992	149	2	1	-	-	2	2	6	15	27	10
1991	152	-	-	1	-	2	4	14	8	17	20
1990	177	-	1	-	-	1	5	12	19	14	13
1989	174	-	4	-	-	2	4	10	13	15	11
1988	187	1	1	1	-	1	8	12	18	22	11
1987	150	-	2	-	-	1	3	6	14	11	15
1986	150	-	2	2	-	1	3	14	15	20	10
1985	147	1	2	-	1	2	3	11	11	9	12
1984	156	1	1	-	1	4	7	11	11	8	20
1983	146	-	-	-	1	1	3	7	14	9	7
1982	143	1	-	-	1	2	2	7	10	10	9
1981	135	2	1	1	-	1	2	7	9	3	4
1980	133	-	4	-	1	1	1	8	7	5	6
1979	139	-	1	-	1	1	1	7	8	8	5

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other tuberculosis (013-018)											
Black, male											
1998	37	-	-	-	-	-	-	1	-	6	4
1997	39	-	-	-	-	-	-	3	2	1	2
1996	50	-	2	-	-	-	-	-	2	5	5
1995	46	-	-	-	-	-	1	2	2	2	5
1994	63	-	1	-	-	-	-	2	6	3	4
1993	67	-	3	-	-	-	2	3	4	10	4
1992	77	-	-	-	-	-	-	3	10	14	7
1991	71	-	-	-	-	1	-	3	1	10	16
1990	105	-	-	-	-	-	1	7	8	12	8
1989	99	-	3	-	-	2	3	4	8	9	9
1988	103	-	1	1	-	1	3	3	13	14	8
1987	85	-	1	-	-	-	2	5	8	9	8
1986	85	-	-	1	-	-	1	9	10	13	7
1985	87	1	1	-	-	-	3	5	7	6	9
1984	97	-	-	-	1	2	4	6	11	6	16
1983	82	-	-	-	-	-	2	4	11	7	3
1982	84	1	-	-	-	1	2	4	6	7	8
1981	79	1	1	-	-	-	-	4	5	2	3
1980	70	-	3	-	1	-	-	6	5	1	1
1979	60	-	1	-	1	1	-	3	4	3	4
Other tuberculosis (013-018)											
Black, female											
1998	58	-	-	-	1	-	2	2	3	1	8
1997	53	-	-	-	-	-	3	1	2	2	3
1996	35	-	-	-	-	-	-	3	1	3	4
1995	58	-	1	-	-	-	3	1	1	5	5
1994	68	-	1	-	-	-	6	2	7	6	3
1993	66	2	-	-	1	-	1	1	7	6	5
1992	72	2	1	-	-	2	2	3	5	13	3
1991	81	-	-	1	-	1	4	11	7	7	4
1990	72	-	1	-	-	1	4	5	11	2	5
1989	75	-	1	-	-	-	1	6	5	6	2
1988	84	1	-	-	-	-	5	9	5	8	3
1987	65	-	1	-	-	1	1	1	6	2	7
1986	65	-	2	1	-	1	2	5	5	7	3
1985	60	-	1	-	1	2	-	6	4	3	3
1984	59	1	1	-	-	2	3	5	-	2	4
1983	64	-	-	-	1	1	1	3	3	2	4
1982	59	-	-	-	1	1	-	3	4	3	1
1981	56	1	-	1	-	1	2	3	4	1	1
1980	63	-	1	-	-	1	1	2	2	4	5
1979	79	-	-	-	-	-	1	4	4	5	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	
Whooping cough (033)												
All races, both sexes												
1998	5	4	1	-	-	-	-	-	-	-	-	
1997	6	6	-	-	-	-	-	-	-	-	-	
1996	4	4	-	-	-	-	-	-	-	-	-	
1995	6	6	-	-	-	-	-	-	-	-	-	
1994	8	8	-	-	-	-	-	-	-	-	-	
1993	7	7	-	-	-	-	-	-	-	-	-	
1992	5	4	-	1	-	-	-	-	-	-	-	
1991	-	-	-	-	-	-	-	-	-	-	-	
1990	12	11	1	-	-	-	-	-	-	-	-	
1989	12	9	3	-	-	-	-	-	-	-	-	
1988	4	4	-	-	-	-	-	-	-	-	-	
1987	1	-	1	-	-	-	-	-	-	-	-	
1986	6	5	-	-	-	-	-	-	-	-	-	
1985	4	3	1	-	-	-	-	-	-	-	-	
1984	7	7	-	-	-	-	-	-	-	-	-	
1983	5	5	-	-	-	-	-	-	-	-	-	
1982	4	4	-	-	-	-	-	-	-	-	-	
1981	6	5	1	-	-	-	-	-	-	-	-	
1980	11	10	1	-	-	-	-	-	-	-	-	
1979	6	6	-	-	-	-	-	-	-	-	-	
Whooping cough (033)												
All races, male												
1998	5	4	1	-	-	-	-	-	-	-	-	
1997	3	3	-	-	-	-	-	-	-	-	-	
1996	2	2	-	-	-	-	-	-	-	-	-	
1995	2	2	-	-	-	-	-	-	-	-	-	
1994	2	2	-	-	-	-	-	-	-	-	-	
1993	3	3	-	-	-	-	-	-	-	-	-	
1992	3	2	-	1	-	-	-	-	-	-	-	
1991	-	-	-	-	-	-	-	-	-	-	-	
1990	4	4	-	-	-	-	-	-	-	-	-	
1989	4	3	1	-	-	-	-	-	-	-	-	
1988	2	2	-	-	-	-	-	-	-	-	-	
1987	-	-	-	-	-	-	-	-	-	-	-	
1986	4	3	-	-	-	-	-	-	-	-	-	
1985	3	2	1	-	-	-	-	-	-	-	-	
1984	2	2	-	-	-	-	-	-	-	-	-	
1983	1	1	-	-	-	-	-	-	-	-	-	
1982	2	2	-	-	-	-	-	-	-	-	-	
1981	2	2	-	-	-	-	-	-	-	-	-	
1980	4	3	1	-	-	-	-	-	-	-	-	
1979	-	-	-	-	-	-	-	-	-	-	-	

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Whooping cough (033)											
All races, female											
1998	-	-	-	-	-	-	-	-	-	-	-
1997	3	3	-	-	-	-	-	-	-	-	-
1996	2	2	-	-	-	-	-	-	-	-	-
1995	4	4	-	-	-	-	-	-	-	-	-
1994	6	6	-	-	-	-	-	-	-	-	-
1993	4	4	-	-	-	-	-	-	-	-	-
1992	2	2	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-
1990	8	7	1	-	-	-	-	-	-	-	-
1989	8	6	2	-	-	-	-	-	-	-	-
1988	2	2	-	-	-	-	-	-	-	-	-
1987	1	-	1	-	-	-	-	-	-	-	-
1986	2	2	-	-	-	-	-	-	-	-	-
1985	1	1	-	-	-	-	-	-	-	-	-
1984	5	5	-	-	-	-	-	-	-	-	-
1983	4	4	-	-	-	-	-	-	-	-	-
1982	2	2	-	-	-	-	-	-	-	-	-
1981	4	3	1	-	-	-	-	-	-	-	-
1980	7	7	-	-	-	-	-	-	-	-	-
1979	6	6	-	-	-	-	-	-	-	-	-
Whooping cough (033)											
White, both sexes											
1998	4	4	-	-	-	-	-	-	-	-	-
1997	4	4	-	-	-	-	-	-	-	-	-
1996	4	4	-	-	-	-	-	-	-	-	-
1995	6	6	-	-	-	-	-	-	-	-	-
1994	7	7	-	-	-	-	-	-	-	-	-
1993	5	5	-	-	-	-	-	-	-	-	-
1992	4	3	-	1	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-
1990	9	8	1	-	-	-	-	-	-	-	-
1989	10	7	3	-	-	-	-	-	-	-	-
1988	3	3	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-
1986	3	2	-	-	-	-	-	-	-	-	-
1985	2	1	1	-	-	-	-	-	-	-	-
1984	6	6	-	-	-	-	-	-	-	-	-
1983	5	5	-	-	-	-	-	-	-	-	-
1982	4	4	-	-	-	-	-	-	-	-	-
1981	5	5	-	-	-	-	-	-	-	-	-
1980	8	7	1	-	-	-	-	-	-	-	-
1979	4	4	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System
See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Whooping cough (033)											
White, male											
1998	4	4	-	-	-	-	-	-	-	-	-
1997	2	2	-	-	-	-	-	-	-	-	-
1996	2	2	-	-	-	-	-	-	-	-	-
1995	2	2	-	-	-	-	-	-	-	-	-
1994	2	2	-	-	-	-	-	-	-	-	-
1993	2	2	-	-	-	-	-	-	-	-	-
1992	3	2	-	1	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-
1990	3	3	-	-	-	-	-	-	-	-	-
1989	3	2	1	-	-	-	-	-	-	-	-
1988	2	2	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-
1986	3	2	-	-	-	-	-	-	-	-	-
1985	2	1	1	-	-	-	-	-	-	-	-
1984	2	2	-	-	-	-	-	-	-	-	-
1983	1	1	-	-	-	-	-	-	-	-	-
1982	2	2	-	-	-	-	-	-	-	-	-
1981	2	2	-	-	-	-	-	-	-	-	-
1980	4	3	1	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)											
White, female											
1998	-	-	-	-	-	-	-	-	-	-	-
1997	2	2	-	-	-	-	-	-	-	-	-
1996	2	2	-	-	-	-	-	-	-	-	-
1995	4	4	-	-	-	-	-	-	-	-	-
1994	5	5	-	-	-	-	-	-	-	-	-
1993	3	3	-	-	-	-	-	-	-	-	-
1992	1	1	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-
1990	6	5	1	-	-	-	-	-	-	-	-
1989	7	5	2	-	-	-	-	-	-	-	-
1988	1	1	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-
1984	4	4	-	-	-	-	-	-	-	-	-
1983	4	4	-	-	-	-	-	-	-	-	-
1982	2	2	-	-	-	-	-	-	-	-	-
1981	3	3	-	-	-	-	-	-	-	-	-
1980	4	4	-	-	-	-	-	-	-	-	-
1979	4	4	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System
See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	
Whooping cough (033)												
All other, both sexes												
1998	1	-	1	-	-	-	-	-	-	-	-	
1997	2	2	-	-	-	-	-	-	-	-	-	
1996	-	-	-	-	-	-	-	-	-	-	-	
1995	-	-	-	-	-	-	-	-	-	-	-	
1994	1	1	-	-	-	-	-	-	-	-	-	
1993	2	2	-	-	-	-	-	-	-	-	-	
1992	1	1	-	-	-	-	-	-	-	-	-	
1991	-	-	-	-	-	-	-	-	-	-	-	
1990	3	3	-	-	-	-	-	-	-	-	-	
1989	2	2	-	-	-	-	-	-	-	-	-	
1988	1	1	-	-	-	-	-	-	-	-	-	
1987	1	-	1	-	-	-	-	-	-	-	-	
1986	3	3	-	-	-	-	-	-	-	-	-	
1985	2	2	-	-	-	-	-	-	-	-	-	
1984	1	1	-	-	-	-	-	-	-	-	-	
1983	-	-	-	-	-	-	-	-	-	-	-	
1982	-	-	-	-	-	-	-	-	-	-	-	
1981	1	-	1	-	-	-	-	-	-	-	-	
1980	3	3	-	-	-	-	-	-	-	-	-	
1979	2	2	-	-	-	-	-	-	-	-	-	
Whooping cough (033)												
All other, male												
1998	1	-	1	-	-	-	-	-	-	-	-	
1997	1	1	-	-	-	-	-	-	-	-	-	
1996	-	-	-	-	-	-	-	-	-	-	-	
1995	-	-	-	-	-	-	-	-	-	-	-	
1994	-	-	-	-	-	-	-	-	-	-	-	
1993	1	1	-	-	-	-	-	-	-	-	-	
1992	-	-	-	-	-	-	-	-	-	-	-	
1991	-	-	-	-	-	-	-	-	-	-	-	
1990	1	1	-	-	-	-	-	-	-	-	-	
1989	1	1	-	-	-	-	-	-	-	-	-	
1988	-	-	-	-	-	-	-	-	-	-	-	
1987	-	-	-	-	-	-	-	-	-	-	-	
1986	1	1	-	-	-	-	-	-	-	-	-	
1985	1	1	-	-	-	-	-	-	-	-	-	
1984	-	-	-	-	-	-	-	-	-	-	-	
1983	-	-	-	-	-	-	-	-	-	-	-	
1982	-	-	-	-	-	-	-	-	-	-	-	
1981	-	-	-	-	-	-	-	-	-	-	-	
1980	-	-	-	-	-	-	-	-	-	-	-	
1979	-	-	-	-	-	-	-	-	-	-	-	

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	
Whooping cough (033)												
All other, female												
1998	-	-	-	-	-	-	-	-	-	-	-	-
1997	1	1	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-
1994	1	1	-	-	-	-	-	-	-	-	-	-
1993	1	1	-	-	-	-	-	-	-	-	-	-
1992	1	1	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-
1990	2	2	-	-	-	-	-	-	-	-	-	-
1989	1	1	-	-	-	-	-	-	-	-	-	-
1988	1	1	-	-	-	-	-	-	-	-	-	-
1987	1	-	1	-	-	-	-	-	-	-	-	-
1986	2	2	-	-	-	-	-	-	-	-	-	-
1985	1	1	-	-	-	-	-	-	-	-	-	-
1984	1	1	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-
1981	1	-	1	-	-	-	-	-	-	-	-	-
1980	3	3	-	-	-	-	-	-	-	-	-	-
1979	2	2	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)												
Black, both sexes												
1998	-	-	-	-	-	-	-	-	-	-	-	-
1997	1	1	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-
1994	1	1	-	-	-	-	-	-	-	-	-	-
1993	1	1	-	-	-	-	-	-	-	-	-	-
1992	1	1	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-
1990	3	3	-	-	-	-	-	-	-	-	-	-
1989	2	2	-	-	-	-	-	-	-	-	-	-
1988	1	1	-	-	-	-	-	-	-	-	-	-
1987	1	-	1	-	-	-	-	-	-	-	-	-
1986	3	3	-	-	-	-	-	-	-	-	-	-
1985	2	2	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-
1981	1	-	1	-	-	-	-	-	-	-	-	-
1980	3	3	-	-	-	-	-	-	-	-	-	-
1979	2	2	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	
Whooping cough (033)												
Black, male												
1998	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-
1990	1	1	-	-	-	-	-	-	-	-	-	-
1989	1	1	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-
1986	1	1	-	-	-	-	-	-	-	-	-	-
1985	1	1	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)												
Black, female												
1998	-	-	-	-	-	-	-	-	-	-	-	-
1997	1	1	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-
1994	1	1	-	-	-	-	-	-	-	-	-	-
1993	1	1	-	-	-	-	-	-	-	-	-	-
1992	1	1	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-
1990	2	2	-	-	-	-	-	-	-	-	-	-
1989	1	1	-	-	-	-	-	-	-	-	-	-
1988	1	1	-	-	-	-	-	-	-	-	-	-
1987	1	-	1	-	-	-	-	-	-	-	-	-
1986	2	2	-	-	-	-	-	-	-	-	-	-
1985	1	1	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-
1981	1	-	1	-	-	-	-	-	-	-	-	-
1980	3	3	-	-	-	-	-	-	-	-	-	-
1979	2	2	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	
Scarlet fever and erysipelas (034.1-035)												
All races, both sexes												
1998	3	-	-	-	-	-	-	-	-	-	-	
1997	5	-	-	-	-	-	-	-	-	-	-	
1996	3	-	-	-	-	-	-	-	-	-	-	
1995	3	-	-	-	-	-	-	-	-	-	-	
1994	3	1	-	-	-	-	-	-	-	-	-	
1993	8	-	-	-	-	-	-	-	-	-	-	
1992	1	-	-	-	-	-	-	-	-	-	-	
1991	1	-	-	-	-	-	-	-	-	-	-	
1990	5	-	-	-	-	-	-	-	-	-	-	
1989	8	-	-	-	-	-	-	-	-	-	-	
1988	4	-	-	-	-	-	-	-	-	-	-	
1987	3	-	-	-	-	-	-	-	-	-	-	
1986	6	-	-	-	-	-	-	-	-	-	-	
1985	6	-	-	-	-	-	-	1	-	-	-	
1984	6	-	-	-	-	-	-	-	1	1	-	
1983	1	-	-	-	-	-	-	-	-	-	-	
1982	10	-	-	-	-	-	-	-	1	-	-	
1981	9	-	-	-	-	-	-	-	-	1	1	
1980	10	-	-	-	-	-	-	-	-	-	-	
1979	12	-	-	-	-	-	-	-	-	-	2	
Scarlet fever and erysipelas (034.1-035)												
All races, male												
1998	2	-	-	-	-	-	-	-	-	-	-	
1997	1	-	-	-	-	-	-	-	-	-	-	
1996	1	-	-	-	-	-	-	-	-	-	-	
1995	-	-	-	-	-	-	-	-	-	-	-	
1994	1	-	-	-	-	-	-	-	-	-	-	
1993	2	-	-	-	-	-	-	-	-	-	-	
1992	-	-	-	-	-	-	-	-	-	-	-	
1991	-	-	-	-	-	-	-	-	-	-	-	
1990	1	-	-	-	-	-	-	-	-	-	-	
1989	2	-	-	-	-	-	-	-	-	-	-	
1988	1	-	-	-	-	-	-	-	-	-	-	
1987	-	-	-	-	-	-	-	-	-	-	-	
1986	3	-	-	-	-	-	-	-	-	-	-	
1985	2	-	-	-	-	-	-	-	-	-	-	
1984	2	-	-	-	-	-	-	-	-	1	-	
1983	-	-	-	-	-	-	-	-	-	-	-	
1982	5	-	-	-	-	-	-	-	1	-	-	
1981	5	-	-	-	-	-	-	-	-	1	1	
1980	3	-	-	-	-	-	-	-	-	-	-	
1979	6	-	-	-	-	-	-	-	-	-	2	

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Scarlet fever and erysipelas (034.1-035)											
All races, female											
1998	1	-	-	-	-	-	-	-	-	-	-
1997	4	-	-	-	-	-	-	-	-	-	-
1996	2	-	-	-	-	-	-	-	-	-	-
1995	3	-	-	-	-	-	-	-	-	-	-
1994	2	1	-	-	-	-	-	-	-	-	-
1993	6	-	-	-	-	-	-	-	-	-	-
1992	1	-	-	-	-	-	-	-	-	-	-
1991	1	-	-	-	-	-	-	-	-	-	-
1990	4	-	-	-	-	-	-	-	-	-	-
1989	6	-	-	-	-	-	-	-	-	-	-
1988	3	-	-	-	-	-	-	-	-	-	-
1987	3	-	-	-	-	-	-	-	-	-	-
1986	3	-	-	-	-	-	-	-	-	-	-
1985	4	-	-	-	-	-	-	1	-	-	-
1984	4	-	-	-	-	-	-	-	1	-	-
1983	1	-	-	-	-	-	-	-	-	-	-
1982	5	-	-	-	-	-	-	-	-	-	-
1981	4	-	-	-	-	-	-	-	-	-	-
1980	7	-	-	-	-	-	-	-	-	-	-
1979	6	-	-	-	-	-	-	-	-	-	-
Scarlet fever and erysipelas (034.1-035)											
White, both sexes											
1998	3	-	-	-	-	-	-	-	-	-	-
1997	5	-	-	-	-	-	-	-	-	-	-
1996	3	-	-	-	-	-	-	-	-	-	-
1995	3	-	-	-	-	-	-	-	-	-	-
1994	3	1	-	-	-	-	-	-	-	-	-
1993	8	-	-	-	-	-	-	-	-	-	-
1992	1	-	-	-	-	-	-	-	-	-	-
1991	1	-	-	-	-	-	-	-	-	-	-
1990	5	-	-	-	-	-	-	-	-	-	-
1989	8	-	-	-	-	-	-	-	-	-	-
1988	3	-	-	-	-	-	-	-	-	-	-
1987	3	-	-	-	-	-	-	-	-	-	-
1986	6	-	-	-	-	-	-	-	-	-	-
1985	5	-	-	-	-	-	-	-	-	-	-
1984	5	-	-	-	-	-	-	-	-	1	-
1983	1	-	-	-	-	-	-	-	-	-	-
1982	8	-	-	-	-	-	-	-	1	-	-
1981	9	-	-	-	-	-	-	-	-	1	1
1980	10	-	-	-	-	-	-	-	-	-	-
1979	11	-	-	-	-	-	-	-	-	-	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	
Scarlet fever and erysipelas (034.1-035)												
White, male												
1998	2	-	-	-	-	-	-	-	-	-	-	
1997	1	-	-	-	-	-	-	-	-	-	-	
1996	1	-	-	-	-	-	-	-	-	-	-	
1995	-	-	-	-	-	-	-	-	-	-	-	
1994	1	-	-	-	-	-	-	-	-	-	-	
1993	2	-	-	-	-	-	-	-	-	-	-	
1992	-	-	-	-	-	-	-	-	-	-	-	
1991	-	-	-	-	-	-	-	-	-	-	-	
1990	1	-	-	-	-	-	-	-	-	-	-	
1989	2	-	-	-	-	-	-	-	-	-	-	
1988	1	-	-	-	-	-	-	-	-	-	-	
1987	-	-	-	-	-	-	-	-	-	-	-	
1986	3	-	-	-	-	-	-	-	-	-	-	
1985	2	-	-	-	-	-	-	-	-	-	-	
1984	2	-	-	-	-	-	-	-	-	1	-	
1983	-	-	-	-	-	-	-	-	-	-	-	
1982	3	-	-	-	-	-	-	-	1	-	-	
1981	5	-	-	-	-	-	-	-	-	1	1	
1980	3	-	-	-	-	-	-	-	-	-	-	
1979	5	-	-	-	-	-	-	-	-	-	1	
Scarlet fever and erysipelas (034.1-035)												
White, female												
1998	1	-	-	-	-	-	-	-	-	-	-	
1997	4	-	-	-	-	-	-	-	-	-	-	
1996	2	-	-	-	-	-	-	-	-	-	-	
1995	3	-	-	-	-	-	-	-	-	-	-	
1994	2	1	-	-	-	-	-	-	-	-	-	
1993	6	-	-	-	-	-	-	-	-	-	-	
1992	1	-	-	-	-	-	-	-	-	-	-	
1991	1	-	-	-	-	-	-	-	-	-	-	
1990	4	-	-	-	-	-	-	-	-	-	-	
1989	6	-	-	-	-	-	-	-	-	-	-	
1988	2	-	-	-	-	-	-	-	-	-	-	
1987	3	-	-	-	-	-	-	-	-	-	-	
1986	3	-	-	-	-	-	-	-	-	-	-	
1985	3	-	-	-	-	-	-	-	-	-	-	
1984	3	-	-	-	-	-	-	-	-	-	-	
1983	1	-	-	-	-	-	-	-	-	-	-	
1982	5	-	-	-	-	-	-	-	-	-	-	
1981	4	-	-	-	-	-	-	-	-	-	-	
1980	7	-	-	-	-	-	-	-	-	-	-	
1979	6	-	-	-	-	-	-	-	-	-	-	

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,
sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	
Scarlet fever and erysipelas (034.1-035)												
All other, both sexes												
1998	-	-	-	-	-	-	-	-	-	-	-	
1997	-	-	-	-	-	-	-	-	-	-	-	
1996	-	-	-	-	-	-	-	-	-	-	-	
1995	-	-	-	-	-	-	-	-	-	-	-	
1994	-	-	-	-	-	-	-	-	-	-	-	
1993	-	-	-	-	-	-	-	-	-	-	-	
1992	-	-	-	-	-	-	-	-	-	-	-	
1991	-	-	-	-	-	-	-	-	-	-	-	
1990	-	-	-	-	-	-	-	-	-	-	-	
1989	-	-	-	-	-	-	-	-	-	-	-	
1988	1	-	-	-	-	-	-	-	-	-	-	
1987	-	-	-	-	-	-	-	-	-	-	-	
1986	-	-	-	-	-	-	-	-	-	-	-	
1985	1	-	-	-	-	-	-	1	-	-	-	
1984	1	-	-	-	-	-	-	-	1	-	-	
1983	-	-	-	-	-	-	-	-	-	-	-	
1982	2	-	-	-	-	-	-	-	-	-	-	
1981	-	-	-	-	-	-	-	-	-	-	-	
1980	-	-	-	-	-	-	-	-	-	-	-	
1979	1	-	-	-	-	-	-	-	-	-	1	
Scarlet fever and erysipelas (034.1-035)												
All other, male												
1998	-	-	-	-	-	-	-	-	-	-	-	
1997	-	-	-	-	-	-	-	-	-	-	-	
1996	-	-	-	-	-	-	-	-	-	-	-	
1995	-	-	-	-	-	-	-	-	-	-	-	
1994	-	-	-	-	-	-	-	-	-	-	-	
1993	-	-	-	-	-	-	-	-	-	-	-	
1992	-	-	-	-	-	-	-	-	-	-	-	
1991	-	-	-	-	-	-	-	-	-	-	-	
1990	-	-	-	-	-	-	-	-	-	-	-	
1989	-	-	-	-	-	-	-	-	-	-	-	
1988	-	-	-	-	-	-	-	-	-	-	-	
1987	-	-	-	-	-	-	-	-	-	-	-	
1986	-	-	-	-	-	-	-	-	-	-	-	
1985	-	-	-	-	-	-	-	-	-	-	-	
1984	-	-	-	-	-	-	-	-	-	-	-	
1983	-	-	-	-	-	-	-	-	-	-	-	
1982	2	-	-	-	-	-	-	-	-	-	-	
1981	-	-	-	-	-	-	-	-	-	-	-	
1980	-	-	-	-	-	-	-	-	-	-	-	
1979	1	-	-	-	-	-	-	-	-	-	1	

Source: CDC/NCHS, National Vital Statistics System
See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	
Scarlet fever and erysipelas (034.1-035)												
All other, female												
1998	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-	-
1988	1	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-
1985	1	-	-	-	-	-	-	1	-	-	-	-
1984	1	-	-	-	-	-	-	-	1	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever and erysipelas (034.1-035)												
Black, both sexes												
1998	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-	-
1988	1	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-
1985	1	-	-	-	-	-	-	1	-	-	-	-
1984	1	-	-	-	-	-	-	-	1	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-
1982	1	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-
1979	1	-	-	-	-	-	-	-	-	-	-	1

Source: CDC/NCHS, National Vital Statistics System
See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	
Scarlet fever and erysipelas (034.1-035)												
Black, male												
1998	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-
1982	1	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-
1979	1	-	-	-	-	-	-	-	-	-	-	1
Scarlet fever and erysipelas (034.1-035)												
Black, female												
1998	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-	-
1988	1	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-
1985	1	-	-	-	-	-	-	1	-	-	-	-
1984	1	-	-	-	-	-	-	-	1	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System
See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Meningococcal infection (036)											
All races, both sexes											
1998	234	23	33	14	18	33	17	9	13	9	8
1997	309	46	45	19	15	43	23	10	10	14	9
1996	290	39	41	17	23	39	18	10	6	13	10
1995	273	39	40	11	19	37	17	12	5	8	15
1994	276	45	55	13	13	28	21	8	2	12	10
1993	260	46	29	19	8	34	22	8	6	11	12
1992	201	34	39	9	7	27	13	2	4	7	8
1991	198	43	41	12	12	24	5	4	8	2	9
1990	215	50	38	11	7	20	12	7	8	5	9
1989	273	58	48	19	12	29	9	3	5	7	10
1988	278	72	68	10	9	16	8	12	8	8	9
1987	258	66	72	9	12	10	10	8	9	5	8
1986	286	62	64	11	9	25	13	15	9	9	7
1985	257	69	61	12	6	14	8	6	9	4	7
1984	300	66	70	15	7	28	16	9	7	5	5
1983	299	62	83	21	9	16	10	8	6	5	5
1982	364	95	78	13	6	31	19	8	12	17	12
1981	459	125	101	14	17	32	12	12	14	8	11
1980	387	77	110	19	15	28	10	21	8	4	7
1979	404	89	107	13	13	30	15	10	9	12	8
Meningococcal infection (036)											
All races, male											
1998	132	10	18	9	13	23	11	6	10	5	4
1997	152	26	24	9	6	21	16	4	6	10	4
1996	141	24	19	8	9	27	15	3	3	9	2
1995	137	30	18	5	10	20	11	8	4	5	7
1994	132	22	26	5	3	19	10	7	2	8	4
1993	124	21	17	9	3	17	13	7	3	8	9
1992	98	15	23	4	4	17	9	2	1	5	4
1991	103	26	21	7	8	13	3	1	6	1	4
1990	113	27	18	7	1	13	6	3	7	4	6
1989	127	28	23	11	3	16	7	-	4	2	5
1988	143	40	40	5	6	6	4	6	4	6	5
1987	137	42	40	6	4	4	8	6	2	3	5
1986	146	37	34	7	4	9	7	10	4	6	2
1985	127	45	33	2	4	7	7	4	2	2	4
1984	146	36	38	10	2	15	9	6	3	4	3
1983	157	38	49	12	5	8	5	7	3	2	2
1982	177	59	43	7	1	16	12	2	6	8	5
1981	233	71	55	9	6	18	8	7	9	3	5
1980	204	44	71	10	8	17	5	10	2	3	2
1979	234	56	68	8	5	16	14	4	7	6	4

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Meningococcal infection (036)											
All races, female											
1998	102	13	15	5	5	10	6	3	3	4	4
1997	157	20	21	10	9	22	7	6	4	4	5
1996	149	15	22	9	14	12	3	7	3	4	8
1995	136	9	22	6	9	17	6	4	1	3	8
1994	144	23	29	8	10	9	11	1	-	4	6
1993	136	25	12	10	5	17	9	1	3	3	3
1992	103	19	16	5	3	10	4	-	3	2	4
1991	95	17	20	5	4	11	2	3	2	1	5
1990	102	23	20	4	6	7	6	4	1	1	3
1989	146	30	25	8	9	13	2	3	1	5	5
1988	135	32	28	5	3	10	4	6	4	2	4
1987	121	24	32	3	8	6	2	2	7	2	3
1986	140	25	30	4	5	16	6	5	5	3	5
1985	130	24	28	10	2	7	1	2	7	2	3
1984	154	30	32	5	5	13	7	3	4	1	2
1983	142	24	34	9	4	8	5	1	3	3	3
1982	187	36	35	6	5	15	7	6	6	9	7
1981	226	54	46	5	11	14	4	5	5	5	6
1980	183	33	39	9	7	11	5	11	6	1	5
1979	170	33	39	5	8	14	1	6	2	6	4
Meningococcal infection (036)											
White, both sexes											
1998	180	19	26	10	13	22	14	4	9	6	7
1997	236	37	33	15	10	37	13	2	8	9	7
1996	223	31	33	10	11	32	14	7	5	7	8
1995	207	31	27	5	11	30	13	7	5	4	11
1994	232	40	44	12	11	19	20	7	1	8	7
1993	201	37	22	13	6	28	14	3	4	11	9
1992	167	29	31	4	5	25	10	2	1	6	8
1991	165	34	38	9	7	20	3	4	7	2	8
1990	166	37	27	7	5	15	10	5	6	5	7
1989	214	43	36	11	8	21	8	2	5	6	8
1988	198	54	46	3	7	12	7	5	5	6	7
1987	192	54	46	6	9	7	7	6	4	4	7
1986	216	49	43	9	6	18	7	9	7	7	7
1985	210	54	50	7	5	11	7	6	9	3	6
1984	226	58	49	8	5	21	9	5	6	2	3
1983	229	50	63	15	7	13	8	3	3	1	2
1982	282	82	62	3	4	19	11	5	8	14	11
1981	380	107	79	9	13	27	12	9	10	6	9
1980	306	60	83	15	10	21	9	17	8	3	6
1979	310	79	80	8	9	23	7	8	5	8	4

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Meningococcal infection (036)											
White, male											
1998	98	7	14	5	9	16	8	3	8	5	4
1997	111	19	18	8	3	18	9	-	4	7	2
1996	103	19	12	6	3	21	12	3	3	5	1
1995	97	23	12	2	5	16	9	4	4	3	4
1994	107	20	18	5	2	12	10	6	1	6	4
1993	89	15	13	5	2	13	9	3	1	8	6
1992	79	14	17	1	4	15	6	2	-	4	4
1991	87	21	20	5	5	10	1	1	6	1	4
1990	80	20	11	4	1	8	4	2	5	4	5
1989	103	22	17	8	1	14	6	-	4	1	4
1988	102	31	26	2	5	3	4	2	2	4	5
1987	100	36	27	4	2	2	6	5	-	2	4
1986	113	31	23	5	2	6	4	8	3	5	2
1985	107	38	27	1	3	5	6	4	2	1	3
1984	107	31	28	7	2	10	5	4	2	2	1
1983	122	31	41	9	4	6	4	3	2	1	-
1982	132	51	34	1	-	8	7	2	4	6	5
1981	191	59	46	5	6	15	8	5	5	2	5
1980	158	35	55	9	5	13	4	7	2	2	1
1979	179	52	47	6	3	13	6	3	4	3	3
Meningococcal infection (036)											
White, female											
1998	82	12	12	5	4	6	6	1	1	1	3
1997	125	18	15	7	7	19	4	2	4	2	5
1996	120	12	21	4	8	11	2	4	2	2	7
1995	110	8	15	3	6	14	4	3	1	1	7
1994	125	20	26	7	9	7	10	1	-	2	3
1993	112	22	9	8	4	15	5	-	3	3	3
1992	88	15	14	3	1	10	4	-	1	2	4
1991	78	13	18	4	2	10	2	3	1	1	4
1990	86	17	16	3	4	7	6	3	1	1	2
1989	111	21	19	3	7	7	2	2	1	5	4
1988	96	23	20	1	2	9	3	3	3	2	2
1987	92	18	19	2	7	5	1	1	4	2	3
1986	103	18	20	4	4	12	3	1	4	2	5
1985	103	16	23	6	2	6	1	2	7	2	3
1984	119	27	21	1	3	11	4	1	4	-	2
1983	107	19	22	6	3	7	4	-	1	-	2
1982	150	31	28	2	4	11	4	3	4	8	6
1981	189	48	33	4	7	12	4	4	5	4	4
1980	148	25	28	6	5	8	5	10	6	1	5
1979	131	27	33	2	6	10	1	5	1	5	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Meningococcal infection (036)											
All other, both sexes											
1998	54	4	7	4	5	11	3	5	4	3	1
1997	73	9	12	4	5	6	10	8	2	5	2
1996	67	8	8	7	12	7	4	3	1	6	2
1995	66	8	13	6	8	7	4	5	-	4	4
1994	44	5	11	1	2	9	1	1	1	4	3
1993	59	9	7	6	2	6	8	5	2	-	3
1992	34	5	8	5	2	2	3	-	3	1	-
1991	33	9	3	3	5	4	2	-	1	-	1
1990	49	13	11	4	2	5	2	2	2	-	2
1989	59	15	12	8	4	8	1	1	-	1	2
1988	80	18	22	7	2	4	1	7	3	2	2
1987	66	12	26	3	3	3	3	2	5	1	1
1986	70	13	21	2	3	7	6	6	2	2	-
1985	47	15	11	5	1	3	1	-	-	1	1
1984	74	8	21	7	2	7	7	4	1	3	2
1983	70	12	20	6	2	3	2	5	3	4	3
1982	82	13	16	10	2	12	8	3	4	3	1
1981	79	18	22	5	4	5	-	3	4	2	2
1980	81	17	27	4	5	7	1	4	-	1	1
1979	94	10	27	5	4	7	8	2	4	4	4
Meningococcal infection (036)											
All other, male											
1998	34	3	4	4	4	7	3	3	2	-	-
1997	41	7	6	1	3	3	7	4	2	3	2
1996	38	5	7	2	6	6	3	-	-	4	1
1995	40	7	6	3	5	4	2	4	-	2	3
1994	25	2	8	-	1	7	-	1	1	2	-
1993	35	6	4	4	1	4	4	4	2	-	3
1992	19	1	6	3	-	2	3	-	1	1	-
1991	16	5	1	2	3	3	2	-	-	-	-
1990	33	7	7	3	-	5	2	1	2	-	1
1989	24	6	6	3	2	2	1	-	-	1	1
1988	41	9	14	3	1	3	-	4	2	2	-
1987	37	6	13	2	2	2	2	1	2	1	1
1986	33	6	11	2	2	3	3	2	1	1	-
1985	20	7	6	1	1	2	1	-	-	1	1
1984	39	5	10	3	-	5	4	2	1	2	2
1983	35	7	8	3	1	2	1	4	1	1	2
1982	45	8	9	6	1	8	5	-	2	2	-
1981	42	12	9	4	-	3	-	2	4	1	-
1980	46	9	16	1	3	4	1	3	-	1	1
1979	55	4	21	2	2	3	8	1	3	3	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Meningococcal infection (036)											
All other, female											
1998	20	1	3	-	1	4	-	2	2	3	1
1997	32	2	6	3	2	3	3	4	-	2	-
1996	29	3	1	5	6	1	1	3	1	2	1
1995	26	1	7	3	3	3	2	1	-	2	1
1994	19	3	3	1	1	2	1	-	-	2	3
1993	24	3	3	2	1	2	4	1	-	-	-
1992	15	4	2	2	2	-	-	-	2	-	-
1991	17	4	2	1	2	1	-	-	1	-	1
1990	16	6	4	1	2	-	-	1	-	-	1
1989	35	9	6	5	2	6	-	1	-	-	1
1988	39	9	8	4	1	1	1	3	1	-	2
1987	29	6	13	1	1	1	1	1	3	-	-
1986	37	7	10	-	1	4	3	4	1	1	-
1985	27	8	5	4	-	1	-	-	-	-	-
1984	35	3	11	4	2	2	3	2	-	1	-
1983	35	5	12	3	1	1	1	1	2	3	1
1982	37	5	7	4	1	4	3	3	2	1	1
1981	37	6	13	1	4	2	-	1	-	1	2
1980	35	8	11	3	2	3	-	1	-	-	-
1979	39	6	6	3	2	4	-	1	1	1	3
Meningococcal infection (036)											
Black, both sexes											
1998	51	2	7	4	4	11	3	5	4	3	1
1997	63	8	11	3	5	4	9	6	1	5	2
1996	58	5	7	7	11	7	4	3	1	5	2
1995	57	7	12	6	6	6	3	3	-	3	4
1994	36	5	10	1	1	7	-	1	1	3	2
1993	49	8	7	5	1	4	8	4	1	-	3
1992	31	5	6	5	2	2	3	-	2	1	-
1991	29	9	3	3	4	4	1	-	1	-	-
1990	43	11	9	4	2	5	2	2	2	-	2
1989	50	12	10	8	4	6	1	1	-	1	2
1988	71	16	19	7	2	4	1	6	2	1	1
1987	65	11	26	3	3	3	3	2	5	1	1
1986	66	11	20	2	3	7	6	5	2	2	-
1985	44	14	10	5	1	3	1	-	-	1	1
1984	70	7	19	7	1	7	7	4	1	3	2
1983	67	11	18	6	2	3	2	5	3	4	3
1982	75	10	15	10	2	12	7	3	4	2	1
1981	75	16	21	5	4	5	-	3	4	2	2
1980	72	14	23	3	5	7	1	4	-	1	1
1979	83	10	25	5	4	7	8	2	2	3	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Meningococcal infection (036)											
Black, male											
1998	32	2	4	4	3	7	3	3	2	-	-
1997	35	6	5	1	3	2	6	3	1	3	2
1996	35	3	6	2	6	6	3	-	-	4	1
1995	34	6	5	3	4	3	2	3	-	1	3
1994	20	2	7	-	-	5	-	1	1	1	-
1993	28	6	4	4	-	2	4	3	1	-	3
1992	18	1	5	3	-	2	3	-	1	1	-
1991	15	5	1	2	3	3	1	-	-	-	-
1990	28	6	5	3	-	5	2	1	2	-	1
1989	22	6	5	3	2	2	1	-	-	1	1
1988	37	8	12	3	1	3	-	4	2	1	-
1987	36	5	13	2	2	2	2	1	2	1	1
1986	31	5	10	2	2	3	3	2	1	1	-
1985	19	7	5	1	1	2	1	-	-	1	1
1984	37	4	9	3	-	5	4	2	1	2	2
1983	33	6	7	3	1	2	1	4	1	1	2
1982	44	7	9	6	1	8	5	-	2	2	-
1981	40	11	8	4	-	3	-	2	4	1	-
1980	41	6	14	1	3	4	1	3	-	1	1
1979	49	4	19	2	2	3	8	1	2	2	-
Meningococcal infection (036)											
Black, female											
1998	19	-	3	-	1	4	-	2	2	3	1
1997	28	2	6	2	2	2	3	3	-	2	-
1996	23	2	1	5	5	1	1	3	1	1	1
1995	23	1	7	3	2	3	1	-	-	2	1
1994	16	3	3	1	1	2	-	-	-	2	2
1993	21	2	3	1	1	2	4	1	-	-	-
1992	13	4	1	2	2	-	-	-	1	-	-
1991	14	4	2	1	1	1	-	-	1	-	-
1990	15	5	4	1	2	-	-	1	-	-	1
1989	28	6	5	5	2	4	-	1	-	-	1
1988	34	8	7	4	1	1	1	2	-	-	1
1987	29	6	13	1	1	1	1	1	3	-	-
1986	35	6	10	-	1	4	3	3	1	1	-
1985	25	7	5	4	-	1	-	-	-	-	-
1984	33	3	10	4	1	2	3	2	-	1	-
1983	34	5	11	3	1	1	1	1	2	3	1
1982	31	3	6	4	1	4	2	3	2	-	1
1981	35	5	13	1	4	2	-	1	-	1	2
1980	31	8	9	2	2	3	-	1	-	-	-
1979	34	6	6	3	2	4	-	1	-	1	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Septicemia (038)											
All races, both sexes											
1998	23,731	216	89	25	31	38	66	97	160	267	404
1997	22,396	196	73	34	18	39	47	82	153	267	367
1996	21,423	199	83	28	13	28	41	83	183	242	384
1995	20,965	221	80	30	27	39	46	93	176	268	373
1994	20,360	222	91	26	25	28	47	82	199	244	351
1993	20,634	233	96	36	24	25	39	103	171	288	321
1992	19,667	225	77	24	21	28	58	101	174	258	331
1991	19,691	265	91	23	14	33	49	117	172	257	348
1990	19,169	267	100	32	14	28	56	110	193	252	305
1989	19,333	290	94	16	17	35	52	122	200	274	327
1988	20,925	245	89	29	22	46	51	98	188	238	305
1987	19,916	254	90	28	22	45	61	115	178	219	277
1986	18,795	302	90	23	21	38	49	92	163	209	253
1985	17,182	303	92	22	19	36	50	95	139	173	212
1984	15,028	296	76	27	16	22	76	91	122	163	198
1983	13,394	303	81	18	16	39	47	82	83	118	153
1982	11,493	274	81	15	13	33	39	70	96	110	147
1981	10,443	301	94	15	13	33	46	84	109	121	138
1980	9,438	242	71	21	17	30	51	72	65	113	119
1979	8,024	262	63	21	18	37	47	53	76	78	121
Septicemia (038)											
All races, male											
1998	10,225	111	54	15	13	24	38	44	77	143	229
1997	9,655	119	38	15	7	27	21	46	75	129	194
1996	9,246	114	47	14	5	14	22	40	111	140	236
1995	8,991	112	38	19	15	19	17	53	97	149	206
1994	8,810	115	45	12	13	15	20	43	118	142	220
1993	8,916	120	51	13	13	9	21	57	107	158	199
1992	8,527	123	33	11	8	15	30	58	100	145	207
1991	8,610	143	53	11	6	14	22	63	93	155	224
1990	8,542	149	63	20	7	15	28	61	125	168	194
1989	8,489	161	50	7	8	14	28	71	114	173	195
1988	9,132	135	48	12	9	20	22	52	108	146	174
1987	8,969	141	49	15	13	21	29	58	105	126	173
1986	8,786	179	50	16	10	22	20	56	89	121	133
1985	8,017	178	57	10	7	12	22	48	70	107	123
1984	7,068	172	35	16	7	12	36	56	73	94	108
1983	6,417	179	49	9	9	20	26	35	42	68	97
1982	5,469	156	41	5	8	15	15	26	51	56	75
1981	5,047	158	46	10	9	11	19	44	64	63	76
1980	4,684	151	43	14	6	15	26	35	37	58	61
1979	3,972	139	34	12	8	20	25	29	41	38	58

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Septicemia (038)											
All races, female											
1998	13,506	105	35	10	18	14	28	53	83	124	175
1997	12,741	77	35	19	11	12	26	36	78	138	173
1996	12,177	85	36	14	8	14	19	43	72	102	148
1995	11,974	109	42	11	12	20	29	40	79	119	167
1994	11,550	107	46	14	12	13	27	39	81	102	131
1993	11,718	113	45	23	11	16	18	46	64	130	122
1992	11,140	102	44	13	13	13	28	43	74	113	124
1991	11,081	122	38	12	8	19	27	54	79	102	124
1990	10,627	118	37	12	7	13	28	49	68	84	111
1989	10,844	129	44	9	9	21	24	51	86	101	132
1988	11,793	110	41	17	13	26	29	46	80	92	131
1987	10,947	113	41	13	9	24	32	57	73	93	104
1986	10,009	123	40	7	11	16	29	36	74	88	120
1985	9,165	125	35	12	12	24	28	47	69	66	89
1984	7,960	124	41	11	9	10	40	35	49	69	90
1983	6,977	124	32	9	7	19	21	47	41	50	56
1982	6,024	118	40	10	5	18	24	44	45	54	72
1981	5,396	143	48	5	4	22	27	40	45	58	62
1980	4,754	91	28	7	11	15	25	37	28	55	58
1979	4,052	123	29	9	10	17	22	24	35	40	63
Septicemia (038)											
White, both sexes											
1998	18,855	121	64	15	24	23	46	57	97	173	264
1997	17,832	125	48	24	12	22	30	48	100	158	221
1996	17,130	116	52	22	9	14	29	53	112	141	217
1995	16,784	127	55	19	17	21	30	56	107	159	224
1994	16,452	139	57	20	20	22	30	47	121	149	213
1993	16,696	146	66	24	20	15	23	66	109	171	193
1992	15,792	126	53	16	18	15	31	72	107	159	180
1991	15,884	148	64	14	8	23	28	72	92	142	204
1990	15,456	156	75	23	9	18	36	77	114	143	173
1989	15,557	173	61	12	14	24	34	72	114	155	206
1988	16,943	155	61	24	17	33	32	65	118	144	176
1987	15,936	148	62	21	16	27	36	79	87	122	173
1986	15,156	189	66	14	17	31	32	47	99	133	153
1985	13,740	191	66	17	11	31	34	53	80	103	141
1984	11,976	182	50	15	12	17	59	61	66	107	112
1983	10,696	199	57	12	12	29	35	47	40	76	95
1982	9,192	170	63	12	8	22	27	39	56	64	88
1981	8,311	179	61	12	11	24	32	54	63	78	75
1980	7,461	147	52	16	14	23	32	53	43	73	74
1979	6,376	159	41	14	12	30	40	41	48	48	77

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Septicemia (038)											
White, male											
1998	8,114	56	40	12	10	15	29	26	52	98	158
1997	7,633	74	28	10	5	17	14	30	50	82	118
1996	7,247	62	32	11	3	8	15	27	68	77	135
1995	7,040	66	24	12	9	10	11	29	60	90	118
1994	7,018	76	26	9	10	11	12	25	72	87	130
1993	7,087	75	34	9	11	5	12	39	73	96	116
1992	6,735	71	21	8	7	9	18	44	70	90	112
1991	6,812	82	37	5	4	9	12	36	47	93	134
1990	6,786	89	44	14	4	11	20	39	74	98	114
1989	6,728	101	37	5	7	9	20	42	69	101	119
1988	7,270	91	32	11	7	17	16	40	64	92	101
1987	7,096	76	34	14	7	14	16	42	56	70	101
1986	6,962	103	34	8	6	17	14	29	61	81	76
1985	6,321	113	42	7	4	10	16	29	40	65	80
1984	5,602	107	22	10	6	8	29	40	38	62	59
1983	5,119	120	36	8	7	18	23	19	17	51	61
1982	4,357	93	31	5	4	11	9	15	32	30	51
1981	4,003	105	28	8	7	8	13	28	38	37	41
1980	3,672	102	31	11	4	11	15	26	21	34	36
1979	3,121	84	18	9	5	17	22	22	25	22	39
Septicemia (038)											
White, female											
1998	10,741	65	24	3	14	8	17	31	45	75	106
1997	10,199	51	20	14	7	5	16	18	50	76	103
1996	9,883	54	20	11	6	6	14	26	44	64	82
1995	9,744	61	31	7	8	11	19	27	47	69	106
1994	9,434	63	31	11	10	11	18	22	49	62	83
1993	9,609	71	32	15	9	10	11	27	36	75	77
1992	9,057	55	32	8	11	6	13	28	37	69	68
1991	9,072	66	27	9	4	14	16	36	45	49	70
1990	8,670	67	31	9	5	7	16	38	40	45	59
1989	8,829	72	24	7	7	15	14	30	45	54	87
1988	9,673	64	29	13	10	16	16	25	54	52	75
1987	8,840	72	28	7	9	13	20	37	31	52	72
1986	8,194	86	32	6	11	14	18	18	38	52	77
1985	7,419	78	24	10	7	21	18	24	40	38	61
1984	6,374	75	28	5	6	9	30	21	28	45	53
1983	5,577	79	21	4	5	11	12	28	23	25	34
1982	4,835	77	32	7	4	11	18	24	24	34	37
1981	4,308	74	33	4	4	16	19	26	25	41	34
1980	3,789	45	21	5	10	12	17	27	22	39	38
1979	3,255	75	23	5	7	13	18	19	23	26	38

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Septicemia (038)											
All other, both sexes											
1998	4,876	95	25	10	7	15	20	40	63	94	140
1997	4,564	71	25	10	6	17	17	34	53	109	146
1996	4,293	83	31	6	4	14	12	30	71	101	167
1995	4,181	94	25	11	10	18	16	37	69	109	149
1994	3,908	83	34	6	5	6	17	35	78	95	138
1993	3,938	87	30	12	4	10	16	37	62	117	128
1992	3,875	99	24	8	3	13	27	29	67	99	151
1991	3,807	117	27	9	6	10	21	45	80	115	144
1990	3,713	111	25	9	5	10	20	33	79	109	132
1989	3,776	117	33	4	3	11	18	50	86	119	121
1988	3,982	90	28	5	5	13	19	33	70	94	129
1987	3,980	106	28	7	6	18	25	36	91	97	104
1986	3,639	113	24	9	4	7	17	45	64	76	100
1985	3,442	112	26	5	8	5	16	42	59	70	71
1984	3,052	114	26	12	4	5	17	30	56	56	86
1983	2,698	104	24	6	4	10	12	35	43	42	58
1982	2,301	104	18	3	5	11	12	31	40	46	59
1981	2,132	122	33	3	2	9	14	30	46	43	63
1980	1,977	95	19	5	3	7	19	19	22	40	45
1979	1,648	103	22	7	6	7	7	12	28	30	44
Septicemia (038)											
All other, male											
1998	2,111	55	14	3	3	9	9	18	25	45	71
1997	2,022	45	10	5	2	10	7	16	25	47	76
1996	1,999	52	15	3	2	6	7	13	43	63	101
1995	1,951	46	14	7	6	9	6	24	37	59	88
1994	1,792	39	19	3	3	4	8	18	46	55	90
1993	1,829	45	17	4	2	4	9	18	34	62	83
1992	1,792	52	12	3	1	6	12	14	30	55	95
1991	1,798	61	16	6	2	5	10	27	46	62	90
1990	1,756	60	19	6	3	4	8	22	51	70	80
1989	1,761	60	13	2	1	5	8	29	45	72	76
1988	1,862	44	16	1	2	3	6	12	44	54	73
1987	1,873	65	15	1	6	7	13	16	49	56	72
1986	1,824	76	16	8	4	5	6	27	28	40	57
1985	1,696	65	15	3	3	2	6	19	30	42	43
1984	1,466	65	13	6	1	4	7	16	35	32	49
1983	1,298	59	13	1	2	2	3	16	25	17	36
1982	1,112	63	10	-	4	4	6	11	19	26	24
1981	1,044	53	18	2	2	3	6	16	26	26	35
1980	1,012	49	12	3	2	4	11	9	16	24	25
1979	851	55	16	3	3	3	3	7	16	16	19

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Septicemia (038)											
All other, female											
1998	2,765	40	11	7	4	6	11	22	38	49	69
1997	2,542	26	15	5	4	7	10	18	28	62	70
1996	2,294	31	16	3	2	8	5	17	28	38	66
1995	2,230	48	11	4	4	9	10	13	32	50	61
1994	2,116	44	15	3	2	2	9	17	32	40	48
1993	2,109	42	13	8	2	6	7	19	28	55	45
1992	2,083	47	12	5	2	7	15	15	37	44	56
1991	2,009	56	11	3	4	5	11	18	34	53	54
1990	1,957	51	6	3	2	6	12	11	28	39	52
1989	2,015	57	20	2	2	6	10	21	41	47	45
1988	2,120	46	12	4	3	10	13	21	26	40	56
1987	2,107	41	13	6	-	11	12	20	42	41	32
1986	1,815	37	8	1	-	2	11	18	36	36	43
1985	1,746	47	11	2	5	3	10	23	29	28	28
1984	1,586	49	13	6	3	1	10	14	21	24	37
1983	1,400	45	11	5	2	8	9	19	18	25	22
1982	1,189	41	8	3	1	7	6	20	21	20	35
1981	1,088	69	15	1	-	6	8	14	20	17	28
1980	965	46	7	2	1	3	8	10	6	16	20
1979	797	48	6	4	3	4	4	5	12	14	25
Septicemia (038)											
Black, both sexes											
1998	4,487	81	23	10	6	14	17	36	58	87	133
1997	4,241	68	22	8	5	15	16	32	49	107	138
1996	3,996	74	27	5	4	9	12	27	66	97	159
1995	3,845	83	22	6	10	15	13	35	64	102	142
1994	3,639	77	30	4	5	6	17	35	71	93	132
1993	3,632	82	27	9	2	9	14	35	58	106	121
1992	3,607	97	23	7	3	12	26	28	62	95	140
1991	3,535	106	24	8	5	9	20	43	74	108	140
1990	3,465	100	20	8	4	10	18	30	76	104	126
1989	3,555	110	28	3	2	11	17	44	85	116	115
1988	3,740	82	25	5	5	11	19	33	66	87	125
1987	3,748	99	23	5	6	17	23	34	88	92	100
1986	3,417	104	21	8	4	5	16	44	63	74	96
1985	3,257	109	23	5	6	5	16	41	57	67	69
1984	2,897	100	24	11	3	4	16	26	54	53	78
1983	2,550	96	21	6	4	10	11	34	42	41	54
1982	2,162	95	17	3	5	10	11	29	39	43	55
1981	2,028	111	32	2	2	8	14	29	46	40	61
1980	1,877	81	16	4	3	7	17	16	22	39	41
1979	1,561	96	19	7	6	7	7	9	26	28	42

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Septicemia (038)											
Black, male											
1998	1,923	45	13	3	3	9	8	16	24	40	70
1997	1,871	44	9	5	2	8	6	14	24	47	70
1996	1,844	48	13	2	2	4	7	12	39	61	97
1995	1,779	39	12	3	6	8	4	24	36	57	81
1994	1,659	37	15	1	3	4	8	18	41	53	86
1993	1,673	43	14	3	2	4	9	16	31	58	78
1992	1,668	51	12	3	1	5	11	13	29	53	89
1991	1,656	58	14	5	2	4	9	26	43	60	86
1990	1,624	55	15	5	3	4	7	19	49	68	75
1989	1,643	54	12	1	1	5	7	26	45	70	71
1988	1,729	37	15	1	2	3	6	12	44	50	71
1987	1,760	63	10	1	6	6	13	16	47	53	71
1986	1,697	70	14	7	4	4	5	26	28	39	55
1985	1,595	63	14	3	2	2	6	18	29	41	43
1984	1,383	60	12	6	1	3	7	15	33	30	46
1983	1,221	56	11	1	2	2	3	16	24	17	36
1982	1,046	57	9	-	4	4	6	11	19	25	20
1981	987	48	17	2	2	2	6	16	26	25	33
1980	958	40	9	3	2	4	10	7	16	24	24
1979	797	51	13	3	3	3	3	5	15	16	17
Septicemia (038)											
Black, female											
1998	2,564	36	10	7	3	5	9	20	34	47	63
1997	2,370	24	13	3	3	7	10	18	25	60	68
1996	2,152	26	14	3	2	5	5	15	27	36	62
1995	2,066	44	10	3	4	7	9	11	28	45	61
1994	1,980	40	15	3	2	2	9	17	30	40	46
1993	1,959	39	13	6	-	5	5	19	27	48	43
1992	1,939	46	11	4	2	7	15	15	33	42	51
1991	1,879	48	10	3	3	5	11	17	31	48	54
1990	1,841	45	5	3	1	6	11	11	27	36	51
1989	1,912	56	16	2	1	6	10	18	40	46	44
1988	2,011	45	10	4	3	8	13	21	22	37	54
1987	1,988	36	13	4	-	11	10	18	41	39	29
1986	1,720	34	7	1	-	1	11	18	35	35	41
1985	1,662	46	9	2	4	3	10	23	28	26	26
1984	1,514	40	12	5	2	1	9	11	21	23	32
1983	1,329	40	10	5	2	8	8	18	18	24	18
1982	1,116	38	8	3	1	6	5	18	20	18	35
1981	1,041	63	15	-	-	6	8	13	20	15	28
1980	919	41	7	1	1	3	7	9	6	15	17
1979	764	45	6	4	3	4	4	4	11	12	25

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Syphilis (090-097)											
All races, both sexes											
1998	45	2	-	-	-	-	-	2	-	4	2
1997	62	4	-	-	-	1	-	1	1	4	1
1996	73	6	-	-	-	-	1	1	3	5	2
1995	65	4	1	-	-	-	1	3	6	2	1
1994	79	11	1	-	-	-	1	2	-	1	3
1993	80	12	1	-	-	-	1	3	7	4	3
1992	91	12	-	-	1	1	2	2	2	4	2
1991	93	25	1	-	1	-	1	-	5	-	3
1990	106	25	1	-	-	2	-	4	4	4	3
1989	105	19	-	1	1	-	-	3	7	2	2
1988	85	17	-	-	-	-	-	3	2	2	3
1987	98	14	-	-	-	-	2	-	3	4	3
1986	80	5	-	-	-	-	-	1	1	1	3
1985	80	7	-	1	-	-	-	-	2	2	1
1984	105	6	-	-	-	-	2	-	1	-	2
1983	121	7	-	1	-	-	-	3	3	-	1
1982	126	10	-	-	-	2	1	1	1	1	3
1981	136	6	-	-	-	1	1	1	4	1	2
1980	154	2	-	-	-	1	1	-	2	3	3
1979	180	6	1	-	-	1	2	1	-	2	2
Syphilis (090-097)											
All races, male											
1998	25	2	-	-	-	-	-	1	-	2	1
1997	39	2	-	-	-	-	-	1	1	3	1
1996	50	4	-	-	-	-	-	1	1	3	2
1995	41	3	1	-	-	-	1	3	4	2	1
1994	46	9	-	-	-	-	1	2	-	1	-
1993	52	5	1	-	-	-	-	3	6	2	2
1992	60	9	-	-	1	1	1	2	2	3	2
1991	52	9	1	-	1	-	1	-	5	-	2
1990	63	15	-	-	-	2	-	3	3	4	2
1989	65	10	-	-	1	-	-	3	7	2	2
1988	51	8	-	-	-	-	-	2	2	-	3
1987	57	8	-	-	-	-	1	-	3	4	2
1986	42	2	-	-	-	-	-	1	1	1	2
1985	49	3	-	-	-	-	-	-	2	1	1
1984	67	3	-	-	-	-	1	-	1	-	1
1983	68	4	-	-	-	-	-	3	2	-	1
1982	76	6	-	-	-	2	-	1	1	-	3
1981	76	4	-	-	-	1	-	1	3	-	2
1980	92	1	-	-	-	1	1	-	-	3	2
1979	107	4	1	-	-	1	2	-	-	-	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Syphilis (090-097)											
All races, female											
1998	20	-	-	-	-	-	-	1	-	2	1
1997	23	2	-	-	-	1	-	-	-	1	-
1996	23	2	-	-	-	-	1	-	2	2	-
1995	24	1	-	-	-	-	-	-	2	-	-
1994	33	2	1	-	-	-	-	-	-	-	3
1993	28	7	-	-	-	-	1	-	1	2	1
1992	31	3	-	-	-	-	1	-	-	1	-
1991	41	16	-	-	-	-	-	-	-	-	1
1990	43	10	1	-	-	-	-	1	1	-	1
1989	40	9	-	1	-	-	-	-	-	-	-
1988	34	9	-	-	-	-	-	1	-	2	-
1987	41	6	-	-	-	-	1	-	-	-	1
1986	38	3	-	-	-	-	-	-	-	-	1
1985	31	4	-	1	-	-	-	-	-	1	-
1984	38	3	-	-	-	-	1	-	-	-	1
1983	53	3	-	1	-	-	-	-	1	-	-
1982	50	4	-	-	-	-	1	-	-	1	-
1981	60	2	-	-	-	-	1	-	1	1	-
1980	62	1	-	-	-	-	-	-	2	-	1
1979	73	2	-	-	-	-	-	1	-	2	1
Syphilis (090-097)											
White, both sexes											
1998	21	-	-	-	-	-	-	2	-	-	1
1997	37	3	-	-	-	1	-	-	-	4	1
1996	39	3	-	-	-	-	1	-	2	3	1
1995	36	2	-	-	-	-	-	3	4	-	-
1994	41	1	-	-	-	-	1	-	-	1	3
1993	32	3	-	-	-	-	1	2	1	3	1
1992	43	3	-	-	1	1	1	2	-	1	-
1991	44	5	-	-	1	-	1	-	3	-	2
1990	41	3	-	-	-	2	-	2	1	-	2
1989	47	4	-	-	1	-	-	2	1	1	1
1988	40	4	-	-	-	-	-	1	1	1	1
1987	51	5	-	-	-	-	2	-	2	2	1
1986	43	4	-	-	-	-	-	1	1	-	1
1985	49	4	-	-	-	-	-	-	1	1	1
1984	55	3	-	-	-	-	2	-	1	-	2
1983	70	3	-	1	-	-	-	-	2	-	-
1982	84	6	-	-	-	1	-	1	1	1	2
1981	88	1	-	-	-	1	1	1	4	1	1
1980	93	1	-	-	-	1	-	-	1	3	3
1979	101	4	-	-	-	1	2	1	-	2	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Syphilis (090-097)											
White, male											
1998	12	-	-	-	-	-	-	1	-	-	1
1997	20	1	-	-	-	-	-	-	-	3	1
1996	26	1	-	-	-	-	-	-	1	3	1
1995	22	1	-	-	-	-	-	3	4	-	-
1994	24	1	-	-	-	-	1	-	-	1	-
1993	22	2	-	-	-	-	-	2	1	2	1
1992	23	1	-	-	1	1	-	2	-	1	-
1991	27	3	-	-	1	-	1	-	3	-	1
1990	21	2	-	-	-	2	-	2	1	-	1
1989	27	3	-	-	1	-	-	2	1	1	1
1988	25	3	-	-	-	-	-	-	1	-	1
1987	32	2	-	-	-	-	1	-	2	2	1
1986	22	2	-	-	-	-	-	1	1	-	1
1985	29	1	-	-	-	-	-	-	1	1	1
1984	33	2	-	-	-	-	1	-	1	-	1
1983	35	2	-	-	-	-	-	-	1	-	-
1982	47	4	-	-	-	1	-	1	1	-	2
1981	47	1	-	-	-	1	-	1	3	-	1
1980	50	-	-	-	-	1	-	-	-	3	2
1979	60	3	-	-	-	1	2	-	-	-	-
Syphilis (090-097)											
White, female											
1998	9	-	-	-	-	-	-	1	-	-	-
1997	17	2	-	-	-	1	-	-	-	1	-
1996	13	2	-	-	-	-	1	-	1	-	-
1995	14	1	-	-	-	-	-	-	-	-	-
1994	17	-	-	-	-	-	-	-	-	-	3
1993	10	1	-	-	-	-	1	-	-	1	-
1992	20	2	-	-	-	-	1	-	-	-	-
1991	17	2	-	-	-	-	-	-	-	-	1
1990	20	1	-	-	-	-	-	-	-	-	1
1989	20	1	-	-	-	-	-	-	-	-	-
1988	15	1	-	-	-	-	-	1	-	1	-
1987	19	3	-	-	-	-	1	-	-	-	-
1986	21	2	-	-	-	-	-	-	-	-	-
1985	20	3	-	-	-	-	-	-	-	-	-
1984	22	1	-	-	-	-	1	-	-	-	1
1983	35	1	-	1	-	-	-	-	1	-	-
1982	37	2	-	-	-	-	-	-	-	1	-
1981	41	-	-	-	-	-	1	-	1	1	-
1980	43	1	-	-	-	-	-	-	1	-	1
1979	41	1	-	-	-	-	-	1	-	2	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Syphilis (090-097)											
All other, both sexes											
1998	24	2	-	-	-	-	-	-	-	4	1
1997	25	1	-	-	-	-	-	1	1	-	-
1996	34	3	-	-	-	-	-	1	1	2	1
1995	29	2	1	-	-	-	1	-	2	2	1
1994	38	10	1	-	-	-	-	2	-	-	-
1993	48	9	1	-	-	-	-	1	6	1	2
1992	48	9	-	-	-	-	1	-	2	3	2
1991	49	20	1	-	-	-	-	-	2	-	1
1990	65	22	1	-	-	-	-	2	3	4	1
1989	58	15	-	1	-	-	-	1	6	1	1
1988	45	13	-	-	-	-	-	2	1	1	2
1987	47	9	-	-	-	-	-	-	1	2	2
1986	37	1	-	-	-	-	-	-	-	1	2
1985	31	3	-	1	-	-	-	-	1	1	-
1984	50	3	-	-	-	-	-	-	-	-	-
1983	51	4	-	-	-	-	-	3	1	-	1
1982	42	4	-	-	-	1	1	-	-	-	1
1981	48	5	-	-	-	-	-	-	-	-	1
1980	61	1	-	-	-	-	1	-	1	-	-
1979	79	2	1	-	-	-	-	-	-	-	2
Syphilis (090-097)											
All other, male											
1998	13	2	-	-	-	-	-	-	-	2	-
1997	19	1	-	-	-	-	-	1	1	-	-
1996	24	3	-	-	-	-	-	1	-	-	1
1995	19	2	1	-	-	-	1	-	-	2	1
1994	22	8	-	-	-	-	-	2	-	-	-
1993	30	3	1	-	-	-	-	1	5	-	1
1992	37	8	-	-	-	-	1	-	2	2	2
1991	25	6	1	-	-	-	-	-	2	-	1
1990	42	13	-	-	-	-	-	1	2	4	1
1989	38	7	-	-	-	-	-	1	6	1	1
1988	26	5	-	-	-	-	-	2	1	-	2
1987	25	6	-	-	-	-	-	-	1	2	1
1986	20	-	-	-	-	-	-	-	-	1	1
1985	20	2	-	-	-	-	-	-	1	-	-
1984	34	1	-	-	-	-	-	-	-	-	-
1983	33	2	-	-	-	-	-	3	1	-	1
1982	29	2	-	-	-	1	-	-	-	-	1
1981	29	3	-	-	-	-	-	-	-	-	1
1980	42	1	-	-	-	-	1	-	-	-	-
1979	47	1	1	-	-	-	-	-	-	-	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,
sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	
Syphilis (090-097)												
All other, female												
1998	11	-	-	-	-	-	-	-	-	2	1	
1997	6	-	-	-	-	-	-	-	-	-	-	
1996	10	-	-	-	-	-	-	-	1	2	-	
1995	10	-	-	-	-	-	-	-	2	-	-	
1994	16	2	1	-	-	-	-	-	-	-	-	
1993	18	6	-	-	-	-	-	-	1	1	1	
1992	11	1	-	-	-	-	-	-	-	1	-	
1991	24	14	-	-	-	-	-	-	-	-	-	
1990	23	9	1	-	-	-	-	1	1	-	-	
1989	20	8	-	1	-	-	-	-	-	-	-	
1988	19	8	-	-	-	-	-	-	-	1	-	
1987	22	3	-	-	-	-	-	-	-	-	1	
1986	17	1	-	-	-	-	-	-	-	-	1	
1985	11	1	-	1	-	-	-	-	-	1	-	
1984	16	2	-	-	-	-	-	-	-	-	-	
1983	18	2	-	-	-	-	-	-	-	-	-	
1982	13	2	-	-	-	-	1	-	-	-	-	
1981	19	2	-	-	-	-	-	-	-	-	-	
1980	19	-	-	-	-	-	-	-	1	-	-	
1979	32	1	-	-	-	-	-	-	-	-	1	
Syphilis (090-097)												
Black, both sexes												
1998	21	2	-	-	-	-	-	-	-	4	1	
1997	24	1	-	-	-	-	-	1	1	-	-	
1996	33	3	-	-	-	-	-	1	1	2	1	
1995	26	2	1	-	-	-	-	-	2	2	1	
1994	36	10	1	-	-	-	-	2	-	-	-	
1993	47	9	1	-	-	-	-	1	6	1	1	
1992	46	9	-	-	-	-	1	-	2	3	2	
1991	48	20	1	-	-	-	-	-	2	-	1	
1990	64	22	1	-	-	-	-	2	3	4	1	
1989	56	15	-	1	-	-	-	1	6	1	1	
1988	45	13	-	-	-	-	-	2	1	1	2	
1987	45	9	-	-	-	-	-	-	1	2	2	
1986	37	1	-	-	-	-	-	-	-	1	2	
1985	29	2	-	1	-	-	-	-	1	1	-	
1984	46	3	-	-	-	-	-	-	-	-	-	
1983	50	4	-	-	-	-	-	2	1	-	1	
1982	40	4	-	-	-	1	-	-	-	-	1	
1981	47	5	-	-	-	-	-	-	-	-	1	
1980	59	1	-	-	-	-	1	-	1	-	-	
1979	76	1	1	-	-	-	-	-	-	-	2	

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	
Syphilis (090-097)												
Black, male												
1998	11	2	-	-	-	-	-	-	-	2	-	
1997	18	1	-	-	-	-	-	1	1	-	-	
1996	24	3	-	-	-	-	-	1	-	-	1	
1995	18	2	1	-	-	-	-	-	-	2	1	
1994	21	8	-	-	-	-	-	2	-	-	-	
1993	30	3	1	-	-	-	-	1	5	-	1	
1992	36	8	-	-	-	-	1	-	2	2	2	
1991	24	6	1	-	-	-	-	-	2	-	1	
1990	41	13	-	-	-	-	-	1	2	4	1	
1989	36	7	-	-	-	-	-	1	6	1	1	
1988	26	5	-	-	-	-	-	2	1	-	2	
1987	23	6	-	-	-	-	-	-	1	2	1	
1986	20	-	-	-	-	-	-	-	-	1	1	
1985	19	2	-	-	-	-	-	-	1	-	-	
1984	31	1	-	-	-	-	-	-	-	-	-	
1983	32	2	-	-	-	-	-	2	1	-	1	
1982	28	2	-	-	-	1	-	-	-	-	1	
1981	28	3	-	-	-	-	-	-	-	-	1	
1980	41	1	-	-	-	-	1	-	-	-	-	
1979	45	-	1	-	-	-	-	-	-	-	1	
Syphilis (090-097)												
Black, female												
1998	10	-	-	-	-	-	-	-	-	2	1	
1997	6	-	-	-	-	-	-	-	-	-	-	
1996	9	-	-	-	-	-	-	-	1	2	-	
1995	8	-	-	-	-	-	-	-	2	-	-	
1994	15	2	1	-	-	-	-	-	-	-	-	
1993	17	6	-	-	-	-	-	-	1	1	-	
1992	10	1	-	-	-	-	-	-	-	1	-	
1991	24	14	-	-	-	-	-	-	-	-	-	
1990	23	9	1	-	-	-	-	1	1	-	-	
1989	20	8	-	1	-	-	-	-	-	-	-	
1988	19	8	-	-	-	-	-	-	-	1	-	
1987	22	3	-	-	-	-	-	-	-	-	1	
1986	17	1	-	-	-	-	-	-	-	-	1	
1985	10	-	-	1	-	-	-	-	-	1	-	
1984	15	2	-	-	-	-	-	-	-	-	-	
1983	18	2	-	-	-	-	-	-	-	-	-	
1982	12	2	-	-	-	-	-	-	-	-	-	
1981	19	2	-	-	-	-	-	-	-	-	-	
1980	18	-	-	-	-	-	-	-	1	-	-	
1979	31	1	-	-	-	-	-	-	-	-	1	

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	
Acute poliomyelitis (045)												
All races, both sexes												
1998	-	-	-	-	-	-	-	-	-	-	-	
1997	-	-	-	-	-	-	-	-	-	-	-	
1996	-	-	-	-	-	-	-	-	-	-	-	
1995	1	-	-	-	-	-	-	-	-	-	-	
1994	-	-	-	-	-	-	-	-	-	-	-	
1993	-	-	-	-	-	-	-	-	-	-	-	
1992	-	-	-	-	-	-	-	-	-	-	-	
1991	1	-	-	-	-	-	-	-	-	-	-	
1990	-	-	-	-	-	-	-	-	-	-	-	
1989	-	-	-	-	-	-	-	-	-	-	-	
1988	1	1	-	-	-	-	-	-	-	-	-	
1987	-	-	-	-	-	-	-	-	-	-	-	
1986	-	-	-	-	-	-	-	-	-	-	-	
1985	3	-	-	-	-	-	-	-	-	-	1	
1984	-	-	-	-	-	-	-	-	-	-	-	
1983	-	-	-	-	-	-	-	-	-	-	-	
1982	-	-	-	-	-	-	-	-	-	-	-	
1981	-	-	-	-	-	-	-	-	-	-	-	
1980	6	-	-	-	-	-	-	-	-	1	-	
1979	4	-	-	-	-	-	-	-	1	-	-	
Acute poliomyelitis (045)												
All races, male												
1998	-	-	-	-	-	-	-	-	-	-	-	
1997	-	-	-	-	-	-	-	-	-	-	-	
1996	-	-	-	-	-	-	-	-	-	-	-	
1995	-	-	-	-	-	-	-	-	-	-	-	
1994	-	-	-	-	-	-	-	-	-	-	-	
1993	-	-	-	-	-	-	-	-	-	-	-	
1992	-	-	-	-	-	-	-	-	-	-	-	
1991	1	-	-	-	-	-	-	-	-	-	-	
1990	-	-	-	-	-	-	-	-	-	-	-	
1989	-	-	-	-	-	-	-	-	-	-	-	
1988	1	1	-	-	-	-	-	-	-	-	-	
1987	-	-	-	-	-	-	-	-	-	-	-	
1986	-	-	-	-	-	-	-	-	-	-	-	
1985	2	-	-	-	-	-	-	-	-	-	1	
1984	-	-	-	-	-	-	-	-	-	-	-	
1983	-	-	-	-	-	-	-	-	-	-	-	
1982	-	-	-	-	-	-	-	-	-	-	-	
1981	-	-	-	-	-	-	-	-	-	-	-	
1980	4	-	-	-	-	-	-	-	-	-	-	
1979	4	-	-	-	-	-	-	-	1	-	-	

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	
Acute poliomyelitis (045)												
All races, female												
1998	-	-	-	-	-	-	-	-	-	-	-	
1997	-	-	-	-	-	-	-	-	-	-	-	
1996	-	-	-	-	-	-	-	-	-	-	-	
1995	1	-	-	-	-	-	-	-	-	-	-	
1994	-	-	-	-	-	-	-	-	-	-	-	
1993	-	-	-	-	-	-	-	-	-	-	-	
1992	-	-	-	-	-	-	-	-	-	-	-	
1991	-	-	-	-	-	-	-	-	-	-	-	
1990	-	-	-	-	-	-	-	-	-	-	-	
1989	-	-	-	-	-	-	-	-	-	-	-	
1988	-	-	-	-	-	-	-	-	-	-	-	
1987	-	-	-	-	-	-	-	-	-	-	-	
1986	-	-	-	-	-	-	-	-	-	-	-	
1985	1	-	-	-	-	-	-	-	-	-	-	
1984	-	-	-	-	-	-	-	-	-	-	-	
1983	-	-	-	-	-	-	-	-	-	-	-	
1982	-	-	-	-	-	-	-	-	-	-	-	
1981	-	-	-	-	-	-	-	-	-	-	-	
1980	2	-	-	-	-	-	-	-	-	1	-	
1979	-	-	-	-	-	-	-	-	-	-	-	
Acute poliomyelitis (045)												
White, both sexes												
1998	-	-	-	-	-	-	-	-	-	-	-	
1997	-	-	-	-	-	-	-	-	-	-	-	
1996	-	-	-	-	-	-	-	-	-	-	-	
1995	1	-	-	-	-	-	-	-	-	-	-	
1994	-	-	-	-	-	-	-	-	-	-	-	
1993	-	-	-	-	-	-	-	-	-	-	-	
1992	-	-	-	-	-	-	-	-	-	-	-	
1991	1	-	-	-	-	-	-	-	-	-	-	
1990	-	-	-	-	-	-	-	-	-	-	-	
1989	-	-	-	-	-	-	-	-	-	-	-	
1988	1	1	-	-	-	-	-	-	-	-	-	
1987	-	-	-	-	-	-	-	-	-	-	-	
1986	-	-	-	-	-	-	-	-	-	-	-	
1985	3	-	-	-	-	-	-	-	-	-	1	
1984	-	-	-	-	-	-	-	-	-	-	-	
1983	-	-	-	-	-	-	-	-	-	-	-	
1982	-	-	-	-	-	-	-	-	-	-	-	
1981	-	-	-	-	-	-	-	-	-	-	-	
1980	4	-	-	-	-	-	-	-	-	-	-	
1979	4	-	-	-	-	-	-	-	1	-	-	

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	
Acute poliomyelitis (045)												
White, male												
1998	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-
1991	1	-	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-	-
1988	1	1	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-
1985	2	-	-	-	-	-	-	-	-	-	-	1
1984	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-
1980	3	-	-	-	-	-	-	-	-	-	-	-
1979	4	-	-	-	-	-	-	-	1	-	-	-
Acute poliomyelitis (045)												
White, female												
1998	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-
1995	1	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-
1985	1	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-
1980	1	-	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	
Acute poliomyelitis (045)												
All other, both sexes												
1998	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-
1980	2	-	-	-	-	-	-	-	-	-	1	-
1979	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)												
All other, male												
1998	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-
1980	1	-	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	
Acute poliomyelitis (045)												
All other, female												
1998	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-
1980	1	-	-	-	-	-	-	-	-	-	1	-
1979	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)												
Black, both sexes												
1998	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-
1980	2	-	-	-	-	-	-	-	-	-	1	-
1979	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System
See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	
Acute poliomyelitis (045)												
Black, male												
1998	-	-	-	-	-	-	-	-	-	-	-	
1997	-	-	-	-	-	-	-	-	-	-	-	
1996	-	-	-	-	-	-	-	-	-	-	-	
1995	-	-	-	-	-	-	-	-	-	-	-	
1994	-	-	-	-	-	-	-	-	-	-	-	
1993	-	-	-	-	-	-	-	-	-	-	-	
1992	-	-	-	-	-	-	-	-	-	-	-	
1991	-	-	-	-	-	-	-	-	-	-	-	
1990	-	-	-	-	-	-	-	-	-	-	-	
1989	-	-	-	-	-	-	-	-	-	-	-	
1988	-	-	-	-	-	-	-	-	-	-	-	
1987	-	-	-	-	-	-	-	-	-	-	-	
1986	-	-	-	-	-	-	-	-	-	-	-	
1985	-	-	-	-	-	-	-	-	-	-	-	
1984	-	-	-	-	-	-	-	-	-	-	-	
1983	-	-	-	-	-	-	-	-	-	-	-	
1982	-	-	-	-	-	-	-	-	-	-	-	
1981	-	-	-	-	-	-	-	-	-	-	-	
1980	1	-	-	-	-	-	-	-	-	-	-	
1979	-	-	-	-	-	-	-	-	-	-	-	
Acute poliomyelitis (045)												
Black, female												
1998	-	-	-	-	-	-	-	-	-	-	-	
1997	-	-	-	-	-	-	-	-	-	-	-	
1996	-	-	-	-	-	-	-	-	-	-	-	
1995	-	-	-	-	-	-	-	-	-	-	-	
1994	-	-	-	-	-	-	-	-	-	-	-	
1993	-	-	-	-	-	-	-	-	-	-	-	
1992	-	-	-	-	-	-	-	-	-	-	-	
1991	-	-	-	-	-	-	-	-	-	-	-	
1990	-	-	-	-	-	-	-	-	-	-	-	
1989	-	-	-	-	-	-	-	-	-	-	-	
1988	-	-	-	-	-	-	-	-	-	-	-	
1987	-	-	-	-	-	-	-	-	-	-	-	
1986	-	-	-	-	-	-	-	-	-	-	-	
1985	-	-	-	-	-	-	-	-	-	-	-	
1984	-	-	-	-	-	-	-	-	-	-	-	
1983	-	-	-	-	-	-	-	-	-	-	-	
1982	-	-	-	-	-	-	-	-	-	-	-	
1981	-	-	-	-	-	-	-	-	-	-	-	
1980	1	-	-	-	-	-	-	-	-	1	-	
1979	-	-	-	-	-	-	-	-	-	-	-	

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Arthropod-borne viral encephalitis (062-064)											
All races, both sexes											
1998	5	-	-	1	-	-	-	-	-	-	1
1997	4	-	2	-	1	-	-	-	-	-	-
1996	3	-	-	1	-	-	-	-	-	-	-
1995	7	-	1	-	-	-	-	-	1	-	-
1994	3	-	-	-	-	-	-	-	-	-	-
1993	3	-	-	-	-	-	-	-	-	-	-
1992	3	-	-	-	-	-	-	2	-	-	-
1991	10	-	-	-	-	-	-	1	-	-	1
1990	15	-	-	-	-	-	-	-	-	-	-
1989	1	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-
1987	5	-	-	1	-	-	-	-	-	-	1
1986	4	-	-	-	-	1	-	-	2	-	-
1985	3	-	-	-	-	-	-	-	-	-	-
1984	3	1	1	-	-	-	-	-	-	-	-
1983	6	-	-	1	-	-	-	-	-	-	-
1982	1	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-
1980	7	1	-	-	-	-	1	-	-	1	-
1979	1	-	-	-	1	-	-	-	-	-	-
Arthropod-borne viral encephalitis (062-064)											
All races, male											
1998	2	-	-	-	-	-	-	-	-	-	1
1997	2	-	1	-	-	-	-	-	-	-	-
1996	2	-	-	-	-	-	-	-	-	-	-
1995	6	-	1	-	-	-	-	-	1	-	-
1994	2	-	-	-	-	-	-	-	-	-	-
1993	3	-	-	-	-	-	-	-	-	-	-
1992	2	-	-	-	-	-	-	2	-	-	-
1991	5	-	-	-	-	-	-	1	-	-	-
1990	8	-	-	-	-	-	-	-	-	-	-
1989	1	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-
1987	4	-	-	1	-	-	-	-	-	-	-
1986	2	-	-	-	-	1	-	-	-	-	-
1985	2	-	-	-	-	-	-	-	-	-	-
1984	1	1	-	-	-	-	-	-	-	-	-
1983	5	-	-	1	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-
1980	6	1	-	-	-	-	1	-	-	1	-
1979	1	-	-	-	1	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Arthropod-borne viral encephalitis (062-064)											
All races, female											
1998	3	-	-	1	-	-	-	-	-	-	-
1997	2	-	1	-	1	-	-	-	-	-	-
1996	1	-	-	1	-	-	-	-	-	-	-
1995	1	-	-	-	-	-	-	-	-	-	-
1994	1	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-
1992	1	-	-	-	-	-	-	-	-	-	-
1991	5	-	-	-	-	-	-	-	-	-	1
1990	7	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-
1987	1	-	-	-	-	-	-	-	-	-	1
1986	2	-	-	-	-	-	-	-	2	-	-
1985	1	-	-	-	-	-	-	-	-	-	-
1984	2	-	1	-	-	-	-	-	-	-	-
1983	1	-	-	-	-	-	-	-	-	-	-
1982	1	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-
1980	1	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-
Arthropod-borne viral encephalitis (062-064)											
White, both sexes											
1998	5	-	-	1	-	-	-	-	-	-	1
1997	4	-	2	-	1	-	-	-	-	-	-
1996	2	-	-	1	-	-	-	-	-	-	-
1995	3	-	1	-	-	-	-	-	1	-	-
1994	1	-	-	-	-	-	-	-	-	-	-
1993	2	-	-	-	-	-	-	-	-	-	-
1992	2	-	-	-	-	-	-	1	-	-	-
1991	6	-	-	-	-	-	-	1	-	-	1
1990	9	-	-	-	-	-	-	-	-	-	-
1989	1	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-
1987	4	-	-	1	-	-	-	-	-	-	-
1986	2	-	-	-	-	1	-	-	-	-	-
1985	3	-	-	-	-	-	-	-	-	-	-
1984	3	1	1	-	-	-	-	-	-	-	-
1983	6	-	-	1	-	-	-	-	-	-	-
1982	1	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-
1980	7	1	-	-	-	-	1	-	-	1	-
1979	1	-	-	-	1	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Arthropod-borne viral encephalitis (062-064)											
White, male											
1998	2	-	-	-	-	-	-	-	-	-	1
1997	2	-	1	-	-	-	-	-	-	-	-
1996	1	-	-	-	-	-	-	-	-	-	-
1995	3	-	1	-	-	-	-	-	1	-	-
1994	1	-	-	-	-	-	-	-	-	-	-
1993	2	-	-	-	-	-	-	-	-	-	-
1992	1	-	-	-	-	-	-	1	-	-	-
1991	4	-	-	-	-	-	-	1	-	-	-
1990	5	-	-	-	-	-	-	-	-	-	-
1989	1	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-
1987	4	-	-	1	-	-	-	-	-	-	-
1986	2	-	-	-	-	1	-	-	-	-	-
1985	2	-	-	-	-	-	-	-	-	-	-
1984	1	1	-	-	-	-	-	-	-	-	-
1983	5	-	-	1	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-
1980	6	1	-	-	-	-	1	-	-	1	-
1979	1	-	-	-	1	-	-	-	-	-	-
Arthropod-borne viral encephalitis (062-064)											
White, female											
1998	3	-	-	1	-	-	-	-	-	-	-
1997	2	-	1	-	1	-	-	-	-	-	-
1996	1	-	-	1	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-
1992	1	-	-	-	-	-	-	-	-	-	-
1991	2	-	-	-	-	-	-	-	-	-	1
1990	4	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-
1985	1	-	-	-	-	-	-	-	-	-	-
1984	2	-	1	-	-	-	-	-	-	-	-
1983	1	-	-	-	-	-	-	-	-	-	-
1982	1	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-
1980	1	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	
Arthropod-borne viral encephalitis (062-064)												
All other, both sexes												
1998	-	-	-	-	-	-	-	-	-	-	-	
1997	-	-	-	-	-	-	-	-	-	-	-	
1996	1	-	-	-	-	-	-	-	-	-	-	
1995	4	-	-	-	-	-	-	-	-	-	-	
1994	2	-	-	-	-	-	-	-	-	-	-	
1993	1	-	-	-	-	-	-	-	-	-	-	
1992	1	-	-	-	-	-	-	1	-	-	-	
1991	4	-	-	-	-	-	-	-	-	-	-	
1990	6	-	-	-	-	-	-	-	-	-	-	
1989	-	-	-	-	-	-	-	-	-	-	-	
1988	-	-	-	-	-	-	-	-	-	-	-	
1987	1	-	-	-	-	-	-	-	-	-	1	
1986	2	-	-	-	-	-	-	-	2	-	-	
1985	-	-	-	-	-	-	-	-	-	-	-	
1984	-	-	-	-	-	-	-	-	-	-	-	
1983	-	-	-	-	-	-	-	-	-	-	-	
1982	-	-	-	-	-	-	-	-	-	-	-	
1981	-	-	-	-	-	-	-	-	-	-	-	
1980	-	-	-	-	-	-	-	-	-	-	-	
1979	-	-	-	-	-	-	-	-	-	-	-	
Arthropod-borne viral encephalitis (062-064)												
All other, male												
1998	-	-	-	-	-	-	-	-	-	-	-	
1997	-	-	-	-	-	-	-	-	-	-	-	
1996	1	-	-	-	-	-	-	-	-	-	-	
1995	3	-	-	-	-	-	-	-	-	-	-	
1994	1	-	-	-	-	-	-	-	-	-	-	
1993	1	-	-	-	-	-	-	-	-	-	-	
1992	1	-	-	-	-	-	-	1	-	-	-	
1991	1	-	-	-	-	-	-	-	-	-	-	
1990	3	-	-	-	-	-	-	-	-	-	-	
1989	-	-	-	-	-	-	-	-	-	-	-	
1988	-	-	-	-	-	-	-	-	-	-	-	
1987	-	-	-	-	-	-	-	-	-	-	-	
1986	-	-	-	-	-	-	-	-	-	-	-	
1985	-	-	-	-	-	-	-	-	-	-	-	
1984	-	-	-	-	-	-	-	-	-	-	-	
1983	-	-	-	-	-	-	-	-	-	-	-	
1982	-	-	-	-	-	-	-	-	-	-	-	
1981	-	-	-	-	-	-	-	-	-	-	-	
1980	-	-	-	-	-	-	-	-	-	-	-	
1979	-	-	-	-	-	-	-	-	-	-	-	

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	
Arthropod-borne viral encephalitis (062-064)												
All other, female												
1998	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-	-
1995	1	-	-	-	-	-	-	-	-	-	-	-
1994	1	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-	-
1991	3	-	-	-	-	-	-	-	-	-	-	-
1990	3	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-
1987	1	-	-	-	-	-	-	-	-	-	-	1
1986	2	-	-	-	-	-	-	-	2	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-
Arthropod-borne viral encephalitis (062-064)												
Black, both sexes												
1998	-	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-	-
1996	1	-	-	-	-	-	-	-	-	-	-	-
1995	4	-	-	-	-	-	-	-	-	-	-	-
1994	2	-	-	-	-	-	-	-	-	-	-	-
1993	1	-	-	-	-	-	-	-	-	-	-	-
1992	1	-	-	-	-	-	-	1	-	-	-	-
1991	4	-	-	-	-	-	-	-	-	-	-	-
1990	6	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-	-
1986	2	-	-	-	-	-	-	-	2	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System
See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Arthropod-borne viral encephalitis (062-064)											
Black, male											
1998	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-
1996	1	-	-	-	-	-	-	-	-	-	-
1995	3	-	-	-	-	-	-	-	-	-	-
1994	1	-	-	-	-	-	-	-	-	-	-
1993	1	-	-	-	-	-	-	-	-	-	-
1992	1	-	-	-	-	-	-	1	-	-	-
1991	1	-	-	-	-	-	-	-	-	-	-
1990	3	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-
Arthropod-borne viral encephalitis (062-064)											
Black, female											
1998	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-
1995	1	-	-	-	-	-	-	-	-	-	-
1994	1	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-
1991	3	-	-	-	-	-	-	-	-	-	-
1990	3	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-
1986	2	-	-	-	-	-	-	-	2	-	-
1985	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Measles (055)											
All races, both sexes											
1998	-	-	-	-	-	-	-	-	-	-	-
1997	2	-	-	1	-	-	-	-	-	-	-
1996	1	-	-	-	-	-	-	-	-	1	-
1995	2	-	-	-	2	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-
1992	4	-	1	-	-	2	-	-	-	-	1
1991	27	5	3	7	2	1	1	4	2	1	-
1990	64	11	29	1	3	4	3	7	3	2	1
1989	32	8	12	2	1	2	-	2	2	1	1
1988	3	1	-	-	-	-	-	1	-	1	-
1987	2	-	-	1	-	-	-	-	-	-	-
1986	2	-	-	-	-	-	1	-	-	-	-
1985	4	-	-	-	-	2	1	-	-	-	1
1984	1	-	-	-	-	-	-	-	-	1	-
1983	4	-	1	1	1	-	-	-	1	-	-
1982	2	-	-	-	-	1	-	-	-	-	-
1981	2	-	-	-	-	1	-	-	-	-	-
1980	11	2	2	1	1	1	2	1	1	-	-
1979	6	-	-	-	-	2	1	1	-	-	-
Measles (055)											
All races, male											
1998	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-
1995	1	-	-	-	1	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-
1992	2	-	1	-	-	1	-	-	-	-	-
1991	10	4	2	1	-	-	-	1	2	-	-
1990	34	3	18	1	2	2	3	3	1	1	-
1989	16	6	4	1	-	2	-	1	1	1	-
1988	1	-	-	-	-	-	-	1	-	-	-
1987	2	-	-	1	-	-	-	-	-	-	-
1986	1	-	-	-	-	-	1	-	-	-	-
1985	1	-	-	-	-	1	-	-	-	-	-
1984	1	-	-	-	-	-	-	-	-	1	-
1983	3	-	-	1	1	-	-	-	1	-	-
1982	1	-	-	-	-	1	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-
1980	6	2	1	-	1	-	1	1	-	-	-
1979	2	-	-	-	-	1	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Measles (055)											
All races, female											
1998	-	-	-	-	-	-	-	-	-	-	-
1997	2	-	-	1	-	-	-	-	-	-	-
1996	1	-	-	-	-	-	-	-	-	1	-
1995	1	-	-	-	1	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-
1992	2	-	-	-	-	1	-	-	-	-	1
1991	17	1	1	6	2	1	1	3	-	1	-
1990	30	8	11	-	1	2	-	4	2	1	1
1989	16	2	8	1	1	-	-	1	1	-	1
1988	2	1	-	-	-	-	-	-	-	1	-
1987	-	-	-	-	-	-	-	-	-	-	-
1986	1	-	-	-	-	-	-	-	-	-	-
1985	3	-	-	-	-	1	1	-	-	-	1
1984	-	-	-	-	-	-	-	-	-	-	-
1983	1	-	1	-	-	-	-	-	-	-	-
1982	1	-	-	-	-	-	-	-	-	-	-
1981	2	-	-	-	-	1	-	-	-	-	-
1980	5	-	1	1	-	1	1	-	1	-	-
1979	4	-	-	-	-	1	1	1	-	-	-
Measles (055)											
White, both sexes											
1998	-	-	-	-	-	-	-	-	-	-	-
1997	2	-	-	1	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-
1995	2	-	-	-	2	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-
1992	4	-	1	-	-	2	-	-	-	-	1
1991	19	4	3	3	1	1	1	3	2	-	-
1990	43	5	15	1	3	4	3	6	3	2	1
1989	18	5	4	1	1	2	-	1	1	1	1
1988	3	1	-	-	-	-	-	1	-	1	-
1987	2	-	-	1	-	-	-	-	-	-	-
1986	1	-	-	-	-	-	1	-	-	-	-
1985	4	-	-	-	-	2	1	-	-	-	1
1984	1	-	-	-	-	-	-	-	-	1	-
1983	3	-	-	1	1	-	-	-	1	-	-
1982	2	-	-	-	-	1	-	-	-	-	-
1981	2	-	-	-	-	1	-	-	-	-	-
1980	8	-	1	1	1	1	2	1	1	-	-
1979	5	-	-	-	-	2	1	1	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Measles (055)											
White, male											
1998	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-
1995	1	-	-	-	1	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-
1992	2	-	1	-	-	1	-	-	-	-	-
1991	9	4	2	-	-	-	-	1	2	-	-
1990	23	1	9	1	2	2	3	3	1	1	-
1989	10	3	2	1	-	2	-	1	-	1	-
1988	1	-	-	-	-	-	-	1	-	-	-
1987	2	-	-	1	-	-	-	-	-	-	-
1986	1	-	-	-	-	-	1	-	-	-	-
1985	1	-	-	-	-	1	-	-	-	-	-
1984	1	-	-	-	-	-	-	-	-	1	-
1983	3	-	-	1	1	-	-	-	1	-	-
1982	1	-	-	-	-	1	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-
1980	4	-	1	-	1	-	1	1	-	-	-
1979	2	-	-	-	-	1	-	-	-	-	-
Measles (055)											
White, female											
1998	-	-	-	-	-	-	-	-	-	-	-
1997	2	-	-	1	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-
1995	1	-	-	-	1	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-
1992	2	-	-	-	-	1	-	-	-	-	1
1991	10	-	1	3	1	1	1	2	-	-	-
1990	20	4	6	-	1	2	-	3	2	1	1
1989	8	2	2	-	1	-	-	-	1	-	1
1988	2	1	-	-	-	-	-	-	-	1	-
1987	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-
1985	3	-	-	-	-	1	1	-	-	-	1
1984	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-
1982	1	-	-	-	-	-	-	-	-	-	-
1981	2	-	-	-	-	1	-	-	-	-	-
1980	4	-	-	1	-	1	1	-	1	-	-
1979	3	-	-	-	-	1	1	1	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Measles (055)											
All other, both sexes											
1998	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-
1996	1	-	-	-	-	-	-	-	-	1	-
1995	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-
1991	8	1	-	4	1	-	-	1	-	1	-
1990	21	6	14	-	-	-	-	1	-	-	-
1989	14	3	8	1	-	-	-	1	1	-	-
1988	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-
1986	1	-	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-
1983	1	-	1	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-
1980	3	2	1	-	-	-	-	-	-	-	-
1979	1	-	-	-	-	-	-	-	-	-	-
Measles (055)											
All other, male											
1998	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-
1991	1	-	-	1	-	-	-	-	-	-	-
1990	11	2	9	-	-	-	-	-	-	-	-
1989	6	3	2	-	-	-	-	-	1	-	-
1988	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-
1980	2	2	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Measles (055)											
All other, female											
1998	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-
1996	1	-	-	-	-	-	-	-	-	1	-
1995	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-
1991	7	1	-	3	1	-	-	1	-	1	-
1990	10	4	5	-	-	-	-	1	-	-	-
1989	8	-	6	1	-	-	-	1	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-
1986	1	-	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-
1983	1	-	1	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-
1980	1	-	1	-	-	-	-	-	-	-	-
1979	1	-	-	-	-	-	-	-	-	-	-
Measles (055)											
Black, both sexes											
1998	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-
1996	1	-	-	-	-	-	-	-	-	1	-
1995	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-
1991	7	-	-	4	1	-	-	1	-	1	-
1990	10	3	6	-	-	-	-	1	-	-	-
1989	11	3	5	1	-	-	-	1	1	-	-
1988	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-
1986	1	-	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-
1983	1	-	1	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-
1980	3	2	1	-	-	-	-	-	-	-	-
1979	1	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Measles (055)	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	
Measles (055)												
Black, male												
1998	-	-	-	-	-	-	-	-	-	-	-	
1997	-	-	-	-	-	-	-	-	-	-	-	
1996	-	-	-	-	-	-	-	-	-	-	-	
1995	-	-	-	-	-	-	-	-	-	-	-	
1994	-	-	-	-	-	-	-	-	-	-	-	
1993	-	-	-	-	-	-	-	-	-	-	-	
1992	-	-	-	-	-	-	-	-	-	-	-	
1991	1	-	-	1	-	-	-	-	-	-	-	
1990	5	2	3	-	-	-	-	-	-	-	-	
1989	6	3	2	-	-	-	-	-	1	-	-	
1988	-	-	-	-	-	-	-	-	-	-	-	
1987	-	-	-	-	-	-	-	-	-	-	-	
1986	-	-	-	-	-	-	-	-	-	-	-	
1985	-	-	-	-	-	-	-	-	-	-	-	
1984	-	-	-	-	-	-	-	-	-	-	-	
1983	-	-	-	-	-	-	-	-	-	-	-	
1982	-	-	-	-	-	-	-	-	-	-	-	
1981	-	-	-	-	-	-	-	-	-	-	-	
1980	2	2	-	-	-	-	-	-	-	-	-	
1979	-	-	-	-	-	-	-	-	-	-	-	
Measles (055)												
Black, female												
1998	-	-	-	-	-	-	-	-	-	-	-	
1997	-	-	-	-	-	-	-	-	-	-	-	
1996	1	-	-	-	-	-	-	-	-	1	-	
1995	-	-	-	-	-	-	-	-	-	-	-	
1994	-	-	-	-	-	-	-	-	-	-	-	
1993	-	-	-	-	-	-	-	-	-	-	-	
1992	-	-	-	-	-	-	-	-	-	-	-	
1991	6	-	-	3	1	-	-	1	-	1	-	
1990	5	1	3	-	-	-	-	1	-	-	-	
1989	5	-	3	1	-	-	-	1	-	-	-	
1988	-	-	-	-	-	-	-	-	-	-	-	
1987	-	-	-	-	-	-	-	-	-	-	-	
1986	1	-	-	-	-	-	-	-	-	-	-	
1985	-	-	-	-	-	-	-	-	-	-	-	
1984	-	-	-	-	-	-	-	-	-	-	-	
1983	1	-	1	-	-	-	-	-	-	-	-	
1982	-	-	-	-	-	-	-	-	-	-	-	
1981	-	-	-	-	-	-	-	-	-	-	-	
1980	1	-	1	-	-	-	-	-	-	-	-	
1979	1	-	-	-	-	-	-	-	-	-	-	

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Viral hepatitis (070)											
All races, both sexes											
1998	4,796	2	2	1	2	17	9	33	87	282	621
1997	4,057	3	1	4	4	10	14	27	82	251	483
1996	3,780	1	3	3	4	7	16	36	95	240	459
1995	3,400	1	5	1	2	10	15	35	101	230	363
1994	3,061	8	5	-	2	9	17	52	131	215	346
1993	2,489	3	1	1	5	14	20	40	106	184	236
1992	2,001	9	2	1	2	7	19	51	77	146	190
1991	1,840	6	3	1	3	6	26	41	68	136	157
1990	1,578	4	4	1	1	11	27	44	70	102	122
1989	1,516	7	5	2	3	16	44	53	85	84	103
1988	1,290	6	6	2	1	8	24	57	60	87	58
1987	1,182	2	3	2	3	9	53	50	75	84	71
1986	1,006	10	8	8	2	9	36	54	53	67	52
1985	942	6	10	-	4	19	45	48	52	58	51
1984	869	8	6	4	3	18	54	60	50	54	41
1983	863	20	8	9	2	25	48	51	41	38	38
1982	814	12	13	1	4	19	41	45	43	32	30
1981	862	10	7	5	6	18	65	57	45	37	43
1980	809	11	11	9	6	19	55	36	35	47	29
1979	753	13	7	5	4	23	54	54	37	36	27
Viral hepatitis (070)											
All races, male											
1998	2,982	2	1	1	-	10	4	16	61	196	477
1997	2,442	1	1	1	2	8	9	14	54	184	377
1996	2,273	1	1	2	1	5	7	20	62	165	363
1995	2,076	1	2	-	1	6	7	24	77	174	285
1994	1,869	5	3	-	-	5	8	34	92	161	282
1993	1,554	1	1	1	2	11	10	27	82	144	191
1992	1,249	5	-	1	1	5	7	35	59	117	143
1991	1,132	4	3	1	1	5	15	29	48	111	131
1990	927	2	3	-	1	3	12	31	52	76	99
1989	906	3	4	2	2	9	22	30	61	62	75
1988	768	2	4	2	-	6	19	34	39	62	42
1987	725	-	2	1	2	5	29	35	43	64	54
1986	619	4	4	2	2	1	16	32	37	48	41
1985	531	5	8	-	2	8	18	28	34	33	33
1984	484	3	3	1	1	9	25	31	32	32	32
1983	494	7	6	4	1	10	24	39	28	26	23
1982	444	10	9	-	2	8	25	25	25	19	17
1981	466	5	3	2	3	7	31	44	29	20	25
1980	415	5	9	6	5	9	26	22	13	25	15
1979	399	9	5	2	2	8	28	30	22	15	18

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Viral hepatitis (070)											
All races, female											
1998	1,814	-	1	-	2	7	5	17	26	86	144
1997	1,615	2	-	3	2	2	5	13	28	67	106
1996	1,507	-	2	1	3	2	9	16	33	75	96
1995	1,324	-	3	1	1	4	8	11	24	56	78
1994	1,192	3	2	-	2	4	9	18	39	54	64
1993	935	2	-	-	3	3	10	13	24	40	45
1992	752	4	2	-	1	2	12	16	18	29	47
1991	708	2	-	-	2	1	11	12	20	25	26
1990	651	2	1	1	-	8	15	13	18	26	23
1989	610	4	1	-	1	7	22	23	24	22	28
1988	522	4	2	-	1	2	5	23	21	25	16
1987	457	2	1	1	1	4	24	15	32	20	17
1986	387	6	4	6	-	8	20	22	16	19	11
1985	411	1	2	-	2	11	27	20	18	25	18
1984	385	5	3	3	2	9	29	29	18	22	9
1983	369	13	2	5	1	15	24	12	13	12	15
1982	370	2	4	1	2	11	16	20	18	13	13
1981	396	5	4	3	3	11	34	13	16	17	18
1980	394	6	2	3	1	10	29	14	22	22	14
1979	354	4	2	3	2	15	26	24	15	21	9
Viral hepatitis (070)											
White, both sexes											
1998	3,829	2	1	1	1	13	4	20	63	221	492
1997	3,250	1	-	3	3	10	9	17	55	202	397
1996	3,065	1	1	3	1	5	8	27	77	184	366
1995	2,769	1	4	1	1	5	6	25	82	162	286
1994	2,441	4	5	-	2	6	6	33	91	161	277
1993	2,029	2	1	-	3	9	12	30	82	143	184
1992	1,614	5	1	1	1	7	11	38	58	99	145
1991	1,487	2	3	1	2	4	13	30	57	92	115
1990	1,265	1	3	1	-	6	15	29	47	73	94
1989	1,232	4	4	1	-	13	26	36	61	65	78
1988	1,056	3	6	1	1	4	15	41	39	69	40
1987	935	1	1	1	1	6	35	34	47	61	54
1986	830	3	6	6	1	6	23	37	39	58	49
1985	765	3	6	-	3	10	36	34	33	44	39
1984	699	4	5	4	2	11	41	41	34	36	29
1983	683	9	5	7	1	17	33	27	32	29	31
1982	646	12	9	-	4	14	24	27	30	23	17
1981	694	6	5	4	5	11	37	37	33	32	36
1980	667	9	7	7	5	13	42	23	29	32	17
1979	594	11	6	3	1	15	30	39	26	24	16

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Viral hepatitis (070)											
White, male											
1998	2,382	2	1	1	-	8	2	11	42	154	383
1997	1,988	-	-	1	2	8	6	9	37	151	312
1996	1,868	1	1	2	-	5	4	15	53	126	290
1995	1,714	1	2	-	-	2	2	20	66	128	227
1994	1,543	3	3	-	-	4	4	24	69	125	230
1993	1,270	-	1	-	1	7	8	20	63	113	149
1992	1,015	3	-	1	1	5	5	27	49	83	113
1991	930	-	3	1	1	3	7	22	44	77	96
1990	755	1	2	-	-	1	9	23	35	60	79
1989	744	-	3	1	-	7	15	23	49	49	58
1988	647	1	4	1	-	3	13	25	31	51	30
1987	580	-	1	-	1	4	20	23	26	50	42
1986	517	-	3	1	1	1	11	24	30	41	38
1985	447	3	5	-	2	4	14	22	25	27	26
1984	396	1	3	1	-	5	19	22	22	27	24
1983	396	3	3	4	1	6	18	21	21	21	20
1982	360	10	6	-	2	5	13	17	20	14	10
1981	388	3	3	1	2	5	21	29	21	19	20
1980	350	4	6	5	4	4	23	12	11	19	11
1979	310	7	4	-	-	2	16	21	17	12	9
Viral hepatitis (070)											
White, female											
1998	1,447	-	-	-	1	5	2	9	21	67	109
1997	1,262	1	-	2	1	2	3	8	18	51	85
1996	1,197	-	-	1	1	-	4	12	24	58	76
1995	1,055	-	2	1	1	3	4	5	16	34	59
1994	898	1	2	-	2	2	2	9	22	36	47
1993	759	2	-	-	2	2	4	10	19	30	35
1992	599	2	1	-	-	2	6	11	9	16	32
1991	557	2	-	-	1	1	6	8	13	15	19
1990	510	-	1	1	-	5	6	6	12	13	15
1989	488	4	1	-	-	6	11	13	12	16	20
1988	409	2	2	-	1	1	2	16	8	18	10
1987	355	1	-	1	-	2	15	11	21	11	12
1986	313	3	3	5	-	5	12	13	9	17	11
1985	318	-	1	-	1	6	22	12	8	17	13
1984	303	3	2	3	2	6	22	19	12	9	5
1983	287	6	2	3	-	11	15	6	11	8	11
1982	286	2	3	-	2	9	11	10	10	9	7
1981	306	3	2	3	3	6	16	8	12	13	16
1980	317	5	1	2	1	9	19	11	18	13	6
1979	284	4	2	3	1	13	14	18	9	12	7

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Viral hepatitis (070)											
All other, both sexes											
1998	967	-	1	-	1	4	5	13	24	61	129
1997	807	2	1	1	1	-	5	10	27	49	86
1996	715	-	2	-	3	2	8	9	18	56	93
1995	631	-	1	-	1	5	9	10	19	68	77
1994	620	4	-	-	-	3	11	19	40	54	69
1993	460	1	-	1	2	5	8	10	24	41	52
1992	387	4	1	-	1	-	8	13	19	47	45
1991	353	4	-	-	1	2	13	11	11	44	42
1990	313	3	1	-	1	5	12	15	23	29	28
1989	284	3	1	1	3	3	18	17	24	19	25
1988	234	3	-	1	-	4	9	16	21	18	18
1987	247	1	2	1	2	3	18	16	28	23	17
1986	176	7	2	2	1	3	13	17	14	9	3
1985	177	3	4	-	1	9	9	14	19	14	12
1984	170	4	1	-	1	7	13	19	16	18	12
1983	180	11	3	2	1	8	15	24	9	9	7
1982	168	-	4	1	-	5	17	18	13	9	13
1981	168	4	2	1	1	7	28	20	12	5	7
1980	142	2	4	2	1	6	13	13	6	15	12
1979	159	2	1	2	3	8	24	15	11	12	11
Viral hepatitis (070)											
All other, male											
1998	600	-	-	-	-	2	2	5	19	42	94
1997	454	1	1	-	-	-	3	5	17	33	65
1996	405	-	-	-	1	-	3	5	9	39	73
1995	362	-	-	-	1	4	5	4	11	46	58
1994	326	2	-	-	-	1	4	10	23	36	52
1993	284	1	-	1	1	4	2	7	19	31	42
1992	234	2	-	-	-	-	2	8	10	34	30
1991	202	4	-	-	-	2	8	7	4	34	35
1990	172	1	1	-	1	2	3	8	17	16	20
1989	162	3	1	1	2	2	7	7	12	13	17
1988	121	1	-	1	-	3	6	9	8	11	12
1987	145	-	1	1	1	1	9	12	17	14	12
1986	102	4	1	1	1	-	5	8	7	7	3
1985	84	2	3	-	-	4	4	6	9	6	7
1984	88	2	-	-	1	4	6	9	10	5	8
1983	98	4	3	-	-	4	6	18	7	5	3
1982	84	-	3	-	-	3	12	8	5	5	7
1981	78	2	-	1	1	2	10	15	8	1	5
1980	65	1	3	1	1	5	3	10	2	6	4
1979	89	2	1	2	2	6	12	9	5	3	9

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,
sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Viral hepatitis (070)											
All other, female											
1998	367	-	1	-	1	2	3	8	5	19	35
1997	353	1	-	1	1	-	2	5	10	16	21
1996	310	-	2	-	2	2	5	4	9	17	20
1995	269	-	1	-	-	1	4	6	8	22	19
1994	294	2	-	-	-	2	7	9	17	18	17
1993	176	-	-	-	1	1	6	3	5	10	10
1992	153	2	1	-	1	-	6	5	9	13	15
1991	151	-	-	-	1	-	5	4	7	10	7
1990	141	2	-	-	-	3	9	7	6	13	8
1989	122	-	-	-	1	1	11	10	12	6	8
1988	113	2	-	-	-	1	3	7	13	7	6
1987	102	1	1	-	1	2	9	4	11	9	5
1986	74	3	1	1	-	3	8	9	7	2	-
1985	93	1	1	-	1	5	5	8	10	8	5
1984	82	2	1	-	-	3	7	10	6	13	4
1983	82	7	-	2	1	4	9	6	2	4	4
1982	84	-	1	1	-	2	5	10	8	4	6
1981	90	2	2	-	-	5	18	5	4	4	2
1980	77	1	1	1	-	1	10	3	4	9	8
1979	70	-	-	-	1	2	12	6	6	9	2
Viral hepatitis (070)											
Black, both sexes											
1998	694	-	-	-	1	4	4	12	18	46	105
1997	535	2	-	-	1	-	3	8	22	36	67
1996	480	-	2	-	1	2	7	7	15	46	72
1995	429	-	1	-	1	5	8	7	16	56	64
1994	413	4	-	-	-	3	11	17	29	45	55
1993	294	1	-	-	1	3	5	9	17	36	41
1992	256	4	1	-	1	-	7	9	15	40	36
1991	221	3	-	-	1	1	11	8	9	37	28
1990	212	3	-	-	-	5	12	14	20	22	21
1989	206	3	1	1	2	3	14	17	21	17	17
1988	162	1	-	1	-	4	6	14	18	13	17
1987	165	-	2	1	1	3	15	16	23	16	9
1986	126	5	1	2	1	3	13	16	12	8	2
1985	118	1	2	-	1	7	9	13	15	9	6
1984	119	4	1	-	1	6	12	17	14	15	4
1983	135	4	1	1	1	8	13	19	8	8	6
1982	125	-	2	1	-	4	16	17	11	5	8
1981	139	2	2	1	1	7	28	18	10	5	2
1980	113	2	4	2	1	6	13	13	3	11	8
1979	127	1	1	2	2	8	23	15	9	9	6

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Viral hepatitis (070)											
Black, male											
1998	429	-	-	-	-	2	1	4	14	31	73
1997	311	1	-	-	-	-	1	3	14	24	50
1996	273	-	-	-	-	-	2	3	6	32	54
1995	243	-	-	-	1	4	4	3	9	37	49
1994	216	2	-	-	-	1	4	8	15	29	43
1993	185	1	-	-	-	2	-	6	12	26	32
1992	155	2	-	-	-	-	1	5	8	28	25
1991	124	3	-	-	-	1	6	5	2	29	23
1990	105	1	-	-	-	2	3	7	15	11	14
1989	106	3	1	1	1	2	5	7	10	11	12
1988	79	-	-	1	-	3	3	8	6	8	11
1987	92	-	1	1	1	1	8	12	13	8	7
1986	66	2	1	1	1	-	5	7	5	6	2
1985	54	1	1	-	-	4	4	6	7	4	3
1984	55	2	-	-	1	4	6	8	9	3	2
1983	72	1	1	-	-	4	5	15	6	4	2
1982	56	-	1	-	-	2	12	7	4	2	3
1981	58	-	-	1	1	2	10	13	7	1	2
1980	50	1	3	1	1	5	3	10	1	5	2
1979	60	1	1	2	1	6	11	9	3	2	4
Viral hepatitis (070)											
Black, female											
1998	265	-	-	-	1	2	3	8	4	15	32
1997	224	1	-	-	1	-	2	5	8	12	17
1996	207	-	2	-	1	2	5	4	9	14	18
1995	186	-	1	-	-	1	4	4	7	19	15
1994	197	2	-	-	-	2	7	9	14	16	12
1993	109	-	-	-	1	1	5	3	5	10	9
1992	101	2	1	-	1	-	6	4	7	12	11
1991	97	-	-	-	1	-	5	3	7	8	5
1990	107	2	-	-	-	3	9	7	5	11	7
1989	100	-	-	-	1	1	9	10	11	6	5
1988	83	1	-	-	-	1	3	6	12	5	6
1987	73	-	1	-	-	2	7	4	10	8	2
1986	60	3	-	1	-	3	8	9	7	2	-
1985	64	-	1	-	1	3	5	7	8	5	3
1984	64	2	1	-	-	2	6	9	5	12	2
1983	63	3	-	1	1	4	8	4	2	4	4
1982	69	-	1	1	-	2	4	10	7	3	5
1981	81	2	2	-	-	5	18	5	3	4	-
1980	63	1	1	1	-	1	10	3	2	6	6
1979	67	-	-	-	1	2	12	6	6	7	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Human immunodeficiency virus (HIV) disease (042-044)											
All races, both sexes											
1998	13,426	14	32	29	25	24	170	840	2,072	2,913	2,833
1997	16,516	19	54	62	40	36	240	1,100	2,893	3,679	3,394
1996	31,130	40	147	103	74	50	363	2,141	5,907	7,243	6,394
1995	43,115	56	210	123	66	56	573	3,336	8,558	10,197	8,663
1994	42,114	95	199	110	72	77	564	3,444	8,673	9,971	8,388
1993	37,267	87	204	100	55	61	548	3,515	7,784	8,815	7,114
1992	33,566	100	161	72	32	48	530	3,396	7,030	7,913	6,290
1991	29,555	91	155	69	35	52	561	3,228	6,260	6,911	5,348
1990	25,188	106	123	64	20	48	493	2,981	5,502	5,930	4,335
1989	22,082	120	112	41	23	43	570	2,784	4,975	5,036	3,527
1988	16,602	81	114	37	17	29	506	2,203	3,833	3,673	2,511
1987	13,468	87	104	40	7	29	463	1,831	3,195	2,880	1,914
1986	---	---	---	---	---	---	---	---	---	---	---
1985	---	---	---	---	---	---	---	---	---	---	---
1984	---	---	---	---	---	---	---	---	---	---	---
1983	---	---	---	---	---	---	---	---	---	---	---
1982	---	---	---	---	---	---	---	---	---	---	---
1981	---	---	---	---	---	---	---	---	---	---	---
1980	---	---	---	---	---	---	---	---	---	---	---
1979	---	---	---	---	---	---	---	---	---	---	---
Human immunodeficiency virus (HIV) disease (042-044)											
All races, male											
1998	10,291	6	18	13	10	12	81	547	1,509	2,232	2,221
1997	12,892	11	25	34	29	11	134	779	2,212	2,869	2,709
1996	25,277	22	74	53	43	27	216	1,577	4,756	5,879	5,293
1995	35,950	33	96	63	40	33	344	2,548	7,071	8,626	7,370
1994	35,641	41	98	52	44	42	378	2,742	7,293	8,474	7,264
1993	32,093	42	104	46	32	36	378	2,907	6,719	7,590	6,244
1992	29,325	47	88	45	22	35	384	2,848	6,117	6,929	5,615
1991	26,046	44	74	36	27	37	415	2,755	5,454	6,204	4,850
1990	22,386	48	62	32	13	30	382	2,579	4,854	5,298	3,986
1989	19,758	54	53	24	17	34	468	2,446	4,360	4,567	3,273
1988	14,811	49	62	18	16	21	426	1,931	3,348	3,330	2,326
1987	12,088	41	53	28	5	23	406	1,610	2,826	2,637	1,794
1986	---	---	---	---	---	---	---	---	---	---	---
1985	---	---	---	---	---	---	---	---	---	---	---
1984	---	---	---	---	---	---	---	---	---	---	---
1983	---	---	---	---	---	---	---	---	---	---	---
1982	---	---	---	---	---	---	---	---	---	---	---
1981	---	---	---	---	---	---	---	---	---	---	---
1980	---	---	---	---	---	---	---	---	---	---	---
1979	---	---	---	---	---	---	---	---	---	---	---

Source: CDC/NCHS, National Vital Statistics System
See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Human immunodeficiency virus (HIV) disease (042-044)											
All races, female											
1998	3,135	8	14	16	15	12	89	293	563	681	612
1997	3,624	8	29	28	11	25	106	321	681	810	685
1996	5,853	18	73	50	31	23	147	564	1,151	1,364	1,101
1995	7,165	23	114	60	26	23	229	788	1,487	1,571	1,293
1994	6,473	54	101	58	28	35	186	702	1,380	1,497	1,124
1993	5,174	45	100	54	23	25	170	608	1,065	1,225	870
1992	4,241	53	73	27	10	13	146	548	913	984	675
1991	3,509	47	81	33	8	15	146	473	806	707	498
1990	2,802	58	61	32	7	18	111	402	648	632	349
1989	2,324	66	59	17	6	9	102	338	615	469	254
1988	1,791	32	52	19	1	8	80	272	485	343	185
1987	1,380	46	51	12	2	6	57	221	369	243	120
1986	---	---	---	---	---	---	---	---	---	---	---
1985	---	---	---	---	---	---	---	---	---	---	---
1984	---	---	---	---	---	---	---	---	---	---	---
1983	---	---	---	---	---	---	---	---	---	---	---
1982	---	---	---	---	---	---	---	---	---	---	---
1981	---	---	---	---	---	---	---	---	---	---	---
1980	---	---	---	---	---	---	---	---	---	---	---
1979	---	---	---	---	---	---	---	---	---	---	---
Human immunodeficiency virus (HIV) disease (042-044)											
White, both sexes											
1998	6,106	5	12	8	8	11	45	324	948	1,419	1,315
1997	7,840	5	17	23	16	13	89	479	1,459	1,831	1,602
1996	16,804	14	51	36	42	25	158	1,041	3,362	4,047	3,338
1995	25,509	22	85	45	35	27	247	1,816	5,282	6,187	4,996
1994	25,578	34	75	46	42	42	241	1,964	5,424	6,187	5,027
1993	23,586	21	75	40	35	38	252	2,098	5,079	5,603	4,394
1992	21,921	27	60	34	21	28	262	2,113	4,671	5,126	4,063
1991	19,850	21	57	39	23	29	295	2,062	4,253	4,614	3,635
1990	17,255	30	46	20	8	30	282	1,980	3,639	3,998	3,082
1989	15,095	52	44	25	16	25	339	1,823	3,314	3,370	2,457
1988	11,267	33	48	15	15	14	308	1,442	2,465	2,423	1,798
1987	9,328	33	50	27	6	18	287	1,218	2,112	1,933	1,395
1986	---	---	---	---	---	---	---	---	---	---	---
1985	---	---	---	---	---	---	---	---	---	---	---
1984	---	---	---	---	---	---	---	---	---	---	---
1983	---	---	---	---	---	---	---	---	---	---	---
1982	---	---	---	---	---	---	---	---	---	---	---
1981	---	---	---	---	---	---	---	---	---	---	---
1980	---	---	---	---	---	---	---	---	---	---	---
1979	---	---	---	---	---	---	---	---	---	---	---

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Human immunodeficiency virus (HIV) disease (042-044)											
White, male											
1998	5,184	3	7	4	3	7	30	250	781	1,210	1,140
1997	6,688	3	11	13	12	8	60	376	1,219	1,567	1,397
1996	14,662	8	21	19	26	15	106	832	2,918	3,556	2,978
1995	22,670	13	37	24	23	22	177	1,518	4,664	5,533	4,527
1994	22,993	16	36	24	29	29	188	1,668	4,821	5,590	4,630
1993	21,455	12	36	21	23	31	190	1,858	4,640	5,113	4,050
1992	20,161	14	32	24	16	24	201	1,888	4,273	4,765	3,812
1991	18,366	12	26	21	18	26	237	1,870	3,913	4,336	3,429
1990	16,106	18	19	9	6	24	232	1,814	3,382	3,772	2,944
1989	14,114	27	13	15	14	21	291	1,686	3,066	3,205	2,367
1988	10,479	23	26	8	15	13	269	1,319	2,280	2,291	1,724
1987	8,700	20	25	21	5	16	266	1,116	1,971	1,839	1,344
1986	---	---	---	---	---	---	---	---	---	---	---
1985	---	---	---	---	---	---	---	---	---	---	---
1984	---	---	---	---	---	---	---	---	---	---	---
1983	---	---	---	---	---	---	---	---	---	---	---
1982	---	---	---	---	---	---	---	---	---	---	---
1981	---	---	---	---	---	---	---	---	---	---	---
1980	---	---	---	---	---	---	---	---	---	---	---
1979	---	---	---	---	---	---	---	---	---	---	---
Human immunodeficiency virus (HIV) disease (042-044)											
White, female											
1998	922	2	5	4	5	4	15	74	167	209	175
1997	1,152	2	6	10	4	5	29	103	240	264	205
1996	2,142	6	30	17	16	10	52	209	444	491	360
1995	2,839	9	48	21	12	5	70	298	618	654	469
1994	2,585	18	39	22	13	13	53	296	603	597	397
1993	2,131	9	39	19	12	7	62	240	439	490	344
1992	1,760	13	28	10	5	4	61	225	398	361	251
1991	1,484	9	31	18	5	3	58	192	340	278	206
1990	1,149	12	27	11	2	6	50	166	257	226	138
1989	981	25	31	10	2	4	48	137	248	165	90
1988	788	10	22	7	-	1	39	123	185	132	74
1987	628	13	25	6	1	2	21	102	141	94	51
1986	---	---	---	---	---	---	---	---	---	---	---
1985	---	---	---	---	---	---	---	---	---	---	---
1984	---	---	---	---	---	---	---	---	---	---	---
1983	---	---	---	---	---	---	---	---	---	---	---
1982	---	---	---	---	---	---	---	---	---	---	---
1981	---	---	---	---	---	---	---	---	---	---	---
1980	---	---	---	---	---	---	---	---	---	---	---
1979	---	---	---	---	---	---	---	---	---	---	---

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Human immunodeficiency virus (HIV) disease (042-044)											
All other, both sexes											
1998	7,320	9	20	21	17	13	125	516	1,124	1,494	1,518
1997	8,676	14	37	39	24	23	151	621	1,434	1,848	1,792
1996	14,326	26	96	67	32	25	205	1,100	2,545	3,196	3,056
1995	17,606	34	125	78	31	29	326	1,520	3,276	4,010	3,667
1994	16,536	61	124	64	30	35	323	1,480	3,249	3,784	3,361
1993	13,681	66	129	60	20	23	296	1,417	2,705	3,212	2,720
1992	11,645	73	101	38	11	20	268	1,283	2,359	2,787	2,227
1991	9,705	70	98	30	12	23	266	1,166	2,007	2,297	1,713
1990	7,933	76	77	44	12	18	211	1,001	1,863	1,932	1,253
1989	6,987	68	68	16	7	18	231	961	1,661	1,666	1,070
1988	5,335	48	66	22	2	15	198	761	1,368	1,250	713
1987	4,140	54	54	13	1	11	176	613	1,083	947	519
1986	---	---	---	---	---	---	---	---	---	---	---
1985	---	---	---	---	---	---	---	---	---	---	---
1984	---	---	---	---	---	---	---	---	---	---	---
1983	---	---	---	---	---	---	---	---	---	---	---
1982	---	---	---	---	---	---	---	---	---	---	---
1981	---	---	---	---	---	---	---	---	---	---	---
1980	---	---	---	---	---	---	---	---	---	---	---
1979	---	---	---	---	---	---	---	---	---	---	---
Human immunodeficiency virus (HIV) disease (042-044)											
All other, male											
1998	5,107	3	11	9	7	5	51	297	728	1,022	1,081
1997	6,204	8	14	21	17	3	74	403	993	1,302	1,312
1996	10,615	14	53	34	17	12	110	745	1,838	2,323	2,315
1995	13,280	20	59	39	17	11	167	1,030	2,407	3,093	2,843
1994	12,648	25	62	28	15	13	190	1,074	2,472	2,884	2,634
1993	10,638	30	68	25	9	5	188	1,049	2,079	2,477	2,194
1992	9,164	33	56	21	6	11	183	960	1,844	2,164	1,803
1991	7,680	32	48	15	9	11	178	885	1,541	1,868	1,421
1990	6,280	30	43	23	7	6	150	765	1,472	1,526	1,042
1989	5,644	27	40	9	3	13	177	760	1,294	1,362	906
1988	4,332	26	36	10	1	8	157	612	1,068	1,039	602
1987	3,388	21	28	7	-	7	140	494	855	798	450
1986	---	---	---	---	---	---	---	---	---	---	---
1985	---	---	---	---	---	---	---	---	---	---	---
1984	---	---	---	---	---	---	---	---	---	---	---
1983	---	---	---	---	---	---	---	---	---	---	---
1982	---	---	---	---	---	---	---	---	---	---	---
1981	---	---	---	---	---	---	---	---	---	---	---
1980	---	---	---	---	---	---	---	---	---	---	---
1979	---	---	---	---	---	---	---	---	---	---	---

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Human immunodeficiency virus (HIV) disease (042-044)											
All other, female											
1998	2,213	6	9	12	10	8	74	219	396	472	437
1997	2,472	6	23	18	7	20	77	218	441	546	480
1996	3,711	12	43	33	15	13	95	355	707	873	741
1995	4,326	14	66	39	14	18	159	490	869	917	824
1994	3,888	36	62	36	15	22	133	406	777	900	727
1993	3,043	36	61	35	11	18	108	368	626	735	526
1992	2,481	40	45	17	5	9	85	323	515	623	424
1991	2,025	38	50	15	3	12	88	281	466	429	292
1990	1,653	46	34	21	5	12	61	236	391	406	211
1989	1,343	41	28	7	4	5	54	201	367	304	164
1988	1,003	22	30	12	1	7	41	149	300	211	111
1987	752	33	26	6	1	4	36	119	228	149	69
1986	---	---	---	---	---	---	---	---	---	---	---
1985	---	---	---	---	---	---	---	---	---	---	---
1984	---	---	---	---	---	---	---	---	---	---	---
1983	---	---	---	---	---	---	---	---	---	---	---
1982	---	---	---	---	---	---	---	---	---	---	---
1981	---	---	---	---	---	---	---	---	---	---	---
1980	---	---	---	---	---	---	---	---	---	---	---
1979	---	---	---	---	---	---	---	---	---	---	---
Human immunodeficiency virus (HIV) disease (042-044)											
Black, both sexes											
1998	7,180	9	20	20	17	13	124	502	1,098	1,466	1,492
1997	8,525	14	37	38	24	22	151	610	1,403	1,810	1,761
1996	13,997	26	94	67	32	25	202	1,079	2,484	3,109	2,993
1995	17,139	33	124	78	30	29	321	1,479	3,166	3,909	3,570
1994	16,079	59	121	64	27	32	318	1,432	3,134	3,690	3,288
1993	13,319	63	128	58	17	23	292	1,379	2,637	3,133	2,645
1992	11,378	73	100	38	9	20	266	1,246	2,310	2,715	2,185
1991	9,437	70	95	30	12	20	262	1,129	1,951	2,240	1,667
1990	7,730	76	76	42	12	18	208	976	1,826	1,880	1,220
1989	6,795	68	68	16	6	17	225	935	1,624	1,627	1,034
1988	5,197	48	66	21	2	15	194	746	1,334	1,219	693
1987	4,040	54	52	13	1	11	172	602	1,068	929	498
1986	---	---	---	---	---	---	---	---	---	---	---
1985	---	---	---	---	---	---	---	---	---	---	---
1984	---	---	---	---	---	---	---	---	---	---	---
1983	---	---	---	---	---	---	---	---	---	---	---
1982	---	---	---	---	---	---	---	---	---	---	---
1981	---	---	---	---	---	---	---	---	---	---	---
1980	---	---	---	---	---	---	---	---	---	---	---
1979	---	---	---	---	---	---	---	---	---	---	---

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Human immunodeficiency virus (HIV) disease (042-044)											
Black, male											
1998	4,994	3	11	8	7	5	51	287	704	1,000	1,061
1997	6,078	8	14	21	17	2	74	393	967	1,266	1,285
1996	10,329	14	53	34	17	12	107	729	1,786	2,247	2,260
1995	12,875	20	59	39	17	11	164	994	2,312	3,003	2,755
1994	12,245	25	61	28	12	10	185	1,037	2,371	2,800	2,565
1993	10,324	29	68	24	8	5	184	1,015	2,018	2,407	2,128
1992	8,925	33	56	21	5	11	181	924	1,800	2,100	1,766
1991	7,440	32	46	15	9	8	175	851	1,491	1,818	1,377
1990	6,097	30	42	22	7	6	147	741	1,439	1,481	1,012
1989	5,475	27	40	9	3	12	172	739	1,258	1,328	873
1988	4,202	26	36	9	1	8	153	597	1,035	1,008	584
1987	3,301	21	26	7	-	7	138	484	842	782	430
1986	---	---	---	---	---	---	---	---	---	---	---
1985	---	---	---	---	---	---	---	---	---	---	---
1984	---	---	---	---	---	---	---	---	---	---	---
1983	---	---	---	---	---	---	---	---	---	---	---
1982	---	---	---	---	---	---	---	---	---	---	---
1981	---	---	---	---	---	---	---	---	---	---	---
1980	---	---	---	---	---	---	---	---	---	---	---
1979	---	---	---	---	---	---	---	---	---	---	---
Human immunodeficiency virus (HIV) disease (042-044)											
Black, female											
1998	2,186	6	9	12	10	8	73	215	394	466	431
1997	2,447	6	23	17	7	20	77	217	436	544	476
1996	3,668	12	41	33	15	13	95	350	698	862	733
1995	4,264	13	65	39	13	18	157	485	854	906	815
1994	3,834	34	60	36	15	22	133	395	763	890	723
1993	2,995	34	60	34	9	18	108	364	619	726	517
1992	2,453	40	44	17	4	9	85	322	510	615	419
1991	1,997	38	49	15	3	12	87	278	460	422	290
1990	1,633	46	34	20	5	12	61	235	387	399	208
1989	1,320	41	28	7	3	5	53	196	366	299	161
1988	995	22	30	12	1	7	41	149	299	211	109
1987	739	33	26	6	1	4	34	118	226	147	68
1986	---	---	---	---	---	---	---	---	---	---	---
1985	---	---	---	---	---	---	---	---	---	---	---
1984	---	---	---	---	---	---	---	---	---	---	---
1983	---	---	---	---	---	---	---	---	---	---	---
1982	---	---	---	---	---	---	---	---	---	---	---
1981	---	---	---	---	---	---	---	---	---	---	---
1980	---	---	---	---	---	---	---	---	---	---	---
1979	---	---	---	---	---	---	---	---	---	---	---

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,
sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malaria (084)											
All races, both sexes											
1998	6	-	-	-	-	-	-	-	-	-	1
1997	7	1	-	-	-	1	-	-	1	-	-
1996	4	-	-	-	1	-	-	-	-	-	-
1995	8	-	-	-	-	-	-	-	1	1	1
1994	3	-	-	-	-	-	1	-	-	-	-
1993	12	-	-	-	-	-	1	2	3	1	-
1992	8	-	-	-	-	-	1	1	-	1	-
1991	4	-	-	-	-	1	-	-	-	-	-
1990	3	-	-	-	-	1	-	-	1	-	-
1989	11	-	1	-	1	-	1	1	1	-	-
1988	7	-	-	-	-	-	1	-	1	-	-
1987	5	-	-	-	-	-	-	-	1	1	1
1986	5	-	-	-	-	-	-	-	-	1	1
1985	13	-	-	-	-	-	-	1	1	-	1
1984	7	-	-	-	-	1	-	2	1	-	-
1983	3	-	-	-	-	-	-	-	-	1	1
1982	2	-	-	-	-	-	-	1	-	-	-
1981	7	-	-	1	-	-	-	2	-	-	1
1980	-	-	-	-	-	-	-	-	-	-	-
1979	3	-	-	-	-	-	-	-	-	-	1
Malaria (084)											
All races, male											
1998	4	-	-	-	-	-	-	-	-	-	1
1997	6	1	-	-	-	-	-	-	1	-	-
1996	3	-	-	-	1	-	-	-	-	-	-
1995	5	-	-	-	-	-	-	-	-	1	1
1994	1	-	-	-	-	-	-	-	-	-	-
1993	7	-	-	-	-	-	1	2	1	1	-
1992	5	-	-	-	-	-	-	-	-	1	-
1991	3	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-
1989	7	-	1	-	-	-	-	-	1	-	-
1988	3	-	-	-	-	-	-	-	-	-	-
1987	3	-	-	-	-	-	-	-	1	1	-
1986	3	-	-	-	-	-	-	-	-	-	-
1985	7	-	-	-	-	-	-	-	1	-	1
1984	6	-	-	-	-	1	-	2	-	-	-
1983	2	-	-	-	-	-	-	-	-	-	1
1982	1	-	-	-	-	-	-	-	-	-	-
1981	6	-	-	1	-	-	-	1	-	-	1
1980	-	-	-	-	-	-	-	-	-	-	-
1979	1	-	-	-	-	-	-	-	-	-	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	
Malaria (084)												
All races, female												
1998	2	-	-	-	-	-	-	-	-	-	-	
1997	1	-	-	-	-	1	-	-	-	-	-	
1996	1	-	-	-	-	-	-	-	-	-	-	
1995	3	-	-	-	-	-	-	-	1	-	-	
1994	2	-	-	-	-	-	1	-	-	-	-	
1993	5	-	-	-	-	-	-	-	2	-	-	
1992	3	-	-	-	-	-	1	1	-	-	-	
1991	1	-	-	-	-	1	-	-	-	-	-	
1990	3	-	-	-	-	1	-	-	1	-	-	
1989	4	-	-	-	1	-	1	1	-	-	-	
1988	4	-	-	-	-	-	1	-	1	-	-	
1987	2	-	-	-	-	-	-	-	-	-	1	
1986	2	-	-	-	-	-	-	-	-	1	1	
1985	6	-	-	-	-	-	-	1	-	-	-	
1984	1	-	-	-	-	-	-	-	1	-	-	
1983	1	-	-	-	-	-	-	-	-	1	-	
1982	1	-	-	-	-	-	-	1	-	-	-	
1981	1	-	-	-	-	-	-	1	-	-	-	
1980	-	-	-	-	-	-	-	-	-	-	-	
1979	2	-	-	-	-	-	-	-	-	-	-	
Malaria (084)												
White, both sexes												
1998	3	-	-	-	-	-	-	-	-	-	1	
1997	5	-	-	-	-	1	-	-	-	-	-	
1996	2	-	-	-	-	-	-	-	-	-	-	
1995	6	-	-	-	-	-	-	-	-	-	1	
1994	-	-	-	-	-	-	-	-	-	-	-	
1993	5	-	-	-	-	-	1	2	-	-	-	
1992	3	-	-	-	-	-	1	-	-	-	-	
1991	2	-	-	-	-	1	-	-	-	-	-	
1990	1	-	-	-	-	-	-	-	-	-	-	
1989	8	-	-	-	1	-	1	-	1	-	-	
1988	6	-	-	-	-	-	1	-	1	-	-	
1987	2	-	-	-	-	-	-	-	-	-	-	
1986	5	-	-	-	-	-	-	-	-	1	1	
1985	10	-	-	-	-	-	-	1	-	-	-	
1984	5	-	-	-	-	1	-	1	-	-	-	
1983	3	-	-	-	-	-	-	-	-	1	1	
1982	2	-	-	-	-	-	-	1	-	-	-	
1981	2	-	-	-	-	-	-	-	-	-	-	
1980	-	-	-	-	-	-	-	-	-	-	-	
1979	3	-	-	-	-	-	-	-	-	-	1	

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malaria (084)											
White, male											
1998	3	-	-	-	-	-	-	-	-	-	1
1997	4	-	-	-	-	-	-	-	-	-	-
1996	2	-	-	-	-	-	-	-	-	-	-
1995	4	-	-	-	-	-	-	-	-	-	1
1994	-	-	-	-	-	-	-	-	-	-	-
1993	3	-	-	-	-	-	1	2	-	-	-
1992	2	-	-	-	-	-	-	-	-	-	-
1991	1	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-
1989	6	-	-	-	-	-	-	-	1	-	-
1988	3	-	-	-	-	-	-	-	-	-	-
1987	1	-	-	-	-	-	-	-	-	-	-
1986	3	-	-	-	-	-	-	-	-	-	-
1985	4	-	-	-	-	-	-	-	-	-	-
1984	5	-	-	-	-	1	-	1	-	-	-
1983	2	-	-	-	-	-	-	-	-	-	1
1982	1	-	-	-	-	-	-	-	-	-	-
1981	2	-	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-
1979	1	-	-	-	-	-	-	-	-	-	1
Malaria (084)											
White, female											
1998	-	-	-	-	-	-	-	-	-	-	-
1997	1	-	-	-	-	1	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-
1995	2	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-
1993	2	-	-	-	-	-	-	-	-	-	-
1992	1	-	-	-	-	-	1	-	-	-	-
1991	1	-	-	-	-	1	-	-	-	-	-
1990	1	-	-	-	-	-	-	-	-	-	-
1989	2	-	-	-	1	-	1	-	-	-	-
1988	3	-	-	-	-	-	1	-	1	-	-
1987	1	-	-	-	-	-	-	-	-	-	-
1986	2	-	-	-	-	-	-	-	-	1	1
1985	6	-	-	-	-	-	-	1	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-
1983	1	-	-	-	-	-	-	-	-	1	-
1982	1	-	-	-	-	-	-	1	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-
1979	2	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malaria (084)											
All other, both sexes											
1998	3	-	-	-	-	-	-	-	-	-	-
1997	2	1	-	-	-	-	-	-	1	-	-
1996	2	-	-	-	1	-	-	-	-	-	-
1995	2	-	-	-	-	-	-	-	1	1	-
1994	3	-	-	-	-	-	1	-	-	-	-
1993	7	-	-	-	-	-	-	-	3	1	-
1992	5	-	-	-	-	-	-	1	-	1	-
1991	2	-	-	-	-	-	-	-	-	-	-
1990	2	-	-	-	-	1	-	-	1	-	-
1989	3	-	1	-	-	-	-	1	-	-	-
1988	1	-	-	-	-	-	-	-	-	-	-
1987	3	-	-	-	-	-	-	-	1	1	1
1986	-	-	-	-	-	-	-	-	-	-	-
1985	3	-	-	-	-	-	-	-	1	-	1
1984	2	-	-	-	-	-	-	1	1	-	-
1983	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-
1981	5	-	-	1	-	-	-	2	-	-	1
1980	-	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-
Malaria (084)											
All other, male											
1998	1	-	-	-	-	-	-	-	-	-	-
1997	2	1	-	-	-	-	-	-	1	-	-
1996	1	-	-	-	1	-	-	-	-	-	-
1995	1	-	-	-	-	-	-	-	-	1	-
1994	1	-	-	-	-	-	-	-	-	-	-
1993	4	-	-	-	-	-	-	-	1	1	-
1992	3	-	-	-	-	-	-	-	-	1	-
1991	2	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-
1989	1	-	1	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-
1987	2	-	-	-	-	-	-	-	1	1	-
1986	-	-	-	-	-	-	-	-	-	-	-
1985	3	-	-	-	-	-	-	-	1	-	1
1984	1	-	-	-	-	-	-	1	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-
1981	4	-	-	1	-	-	-	1	-	-	1
1980	-	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	
Malaria (084)												
All other, female												
1998	2	-	-	-	-	-	-	-	-	-	-	
1997	-	-	-	-	-	-	-	-	-	-	-	
1996	1	-	-	-	-	-	-	-	-	-	-	
1995	1	-	-	-	-	-	-	-	1	-	-	
1994	2	-	-	-	-	-	1	-	-	-	-	
1993	3	-	-	-	-	-	-	-	2	-	-	
1992	2	-	-	-	-	-	-	1	-	-	-	
1991	-	-	-	-	-	-	-	-	-	-	-	
1990	2	-	-	-	-	1	-	-	1	-	-	
1989	2	-	-	-	-	-	-	1	-	-	-	
1988	1	-	-	-	-	-	-	-	-	-	-	
1987	1	-	-	-	-	-	-	-	-	-	1	
1986	-	-	-	-	-	-	-	-	-	-	-	
1985	-	-	-	-	-	-	-	-	-	-	-	
1984	1	-	-	-	-	-	-	-	1	-	-	
1983	-	-	-	-	-	-	-	-	-	-	-	
1982	-	-	-	-	-	-	-	-	-	-	-	
1981	1	-	-	-	-	-	-	1	-	-	-	
1980	-	-	-	-	-	-	-	-	-	-	-	
1979	-	-	-	-	-	-	-	-	-	-	-	
Malaria (084)												
Black, both sexes												
1998	2	-	-	-	-	-	-	-	-	-	-	
1997	2	1	-	-	-	-	-	-	1	-	-	
1996	2	-	-	-	1	-	-	-	-	-	-	
1995	2	-	-	-	-	-	-	-	1	1	-	
1994	1	-	-	-	-	-	-	-	-	-	-	
1993	5	-	-	-	-	-	-	-	3	1	-	
1992	2	-	-	-	-	-	-	1	-	1	-	
1991	1	-	-	-	-	-	-	-	-	-	-	
1990	2	-	-	-	-	1	-	-	1	-	-	
1989	2	-	1	-	-	-	-	1	-	-	-	
1988	-	-	-	-	-	-	-	-	-	-	-	
1987	2	-	-	-	-	-	-	-	1	-	1	
1986	-	-	-	-	-	-	-	-	-	-	-	
1985	1	-	-	-	-	-	-	-	-	-	1	
1984	2	-	-	-	-	-	-	1	1	-	-	
1983	-	-	-	-	-	-	-	-	-	-	-	
1982	-	-	-	-	-	-	-	-	-	-	-	
1981	3	-	-	1	-	-	-	1	-	-	-	
1980	-	-	-	-	-	-	-	-	-	-	-	
1979	-	-	-	-	-	-	-	-	-	-	-	

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	
Malaria (084)												
Black, male												
1998	1	-	-	-	-	-	-	-	-	-	-	
1997	2	1	-	-	-	-	-	-	1	-	-	
1996	1	-	-	-	1	-	-	-	-	-	-	
1995	1	-	-	-	-	-	-	-	-	1	-	
1994	1	-	-	-	-	-	-	-	-	-	-	
1993	2	-	-	-	-	-	-	-	1	1	-	
1992	1	-	-	-	-	-	-	-	-	1	-	
1991	1	-	-	-	-	-	-	-	-	-	-	
1990	-	-	-	-	-	-	-	-	-	-	-	
1989	1	-	1	-	-	-	-	-	-	-	-	
1988	-	-	-	-	-	-	-	-	-	-	-	
1987	1	-	-	-	-	-	-	-	1	-	-	
1986	-	-	-	-	-	-	-	-	-	-	-	
1985	1	-	-	-	-	-	-	-	-	-	1	
1984	1	-	-	-	-	-	-	1	-	-	-	
1983	-	-	-	-	-	-	-	-	-	-	-	
1982	-	-	-	-	-	-	-	-	-	-	-	
1981	3	-	-	1	-	-	-	1	-	-	-	
1980	-	-	-	-	-	-	-	-	-	-	-	
1979	-	-	-	-	-	-	-	-	-	-	-	
Malaria (084)												
Black, female												
1998	1	-	-	-	-	-	-	-	-	-	-	
1997	-	-	-	-	-	-	-	-	-	-	-	
1996	1	-	-	-	-	-	-	-	-	-	-	
1995	1	-	-	-	-	-	-	-	1	-	-	
1994	-	-	-	-	-	-	-	-	-	-	-	
1993	3	-	-	-	-	-	-	-	2	-	-	
1992	1	-	-	-	-	-	-	1	-	-	-	
1991	-	-	-	-	-	-	-	-	-	-	-	
1990	2	-	-	-	-	1	-	-	1	-	-	
1989	1	-	-	-	-	-	-	1	-	-	-	
1988	-	-	-	-	-	-	-	-	-	-	-	
1987	1	-	-	-	-	-	-	-	-	-	1	
1986	-	-	-	-	-	-	-	-	-	-	-	
1985	-	-	-	-	-	-	-	-	-	-	-	
1984	1	-	-	-	-	-	-	-	1	-	-	
1983	-	-	-	-	-	-	-	-	-	-	-	
1982	-	-	-	-	-	-	-	-	-	-	-	
1981	-	-	-	-	-	-	-	-	-	-	-	
1980	-	-	-	-	-	-	-	-	-	-	-	
1979	-	-	-	-	-	-	-	-	-	-	-	

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other and unspecified infectious and parasitic diseases and their sequelae (001,005,020-032,037,039-041,046-054,056-061,065-066,071-083,085-088,098-134,136-139,771.3)											
All races, both sexes											
1998	6,052	257	76	46	37	49	63	93	156	221	273
1997	6,102	242	92	42	43	66	62	110	173	263	298
1996	6,334	207	106	43	47	73	55	132	266	358	347
1995	6,388	237	103	72	56	54	82	156	339	413	362
1994	6,496	232	122	59	61	62	77	158	316	429	389
1993	6,468	244	122	61	50	64	99	194	334	402	345
1992	6,184	258	83	63	40	61	75	212	323	372	338
1991	6,234	301	96	46	35	43	79	190	347	378	360
1990	6,442	260	98	57	50	66	115	246	326	376	356
1989	6,576	269	103	52	26	60	113	232	363	369	356
1988	6,122	218	105	67	47	74	97	194	292	322	271
1987	5,569	223	106	54	49	64	99	167	273	287	241
1986	8,785	219	106	52	44	62	218	641	1,005	970	636
1985	6,931	222	90	54	32	66	159	419	606	653	436
1984	5,627	191	83	53	52	64	130	291	401	361	295
1983	4,528	200	81	56	46	68	92	166	205	191	164
1982	4,071	191	110	56	44	69	98	115	126	128	135
1981	3,820	178	87	59	50	68	81	109	89	106	92
1980	3,693	222	95	55	36	77	76	87	90	84	89
1979	3,234	218	98	64	61	75	71	76	86	81	80
Other and unspecified infectious and parasitic diseases and their sequelae (001,005,020-032,037,039-041,046-054,056-061,065-066,071-083,085-088,098-134,136-139,771.3)											
All races, male											
1998	3,134	148	41	26	19	20	33	58	101	150	161
1997	3,179	137	52	19	28	27	24	59	102	175	187
1996	3,409	107	63	26	28	30	24	77	187	251	239
1995	3,555	140	59	29	27	25	43	101	241	302	258
1994	3,685	144	75	28	36	25	47	99	243	322	301
1993	3,641	136	62	28	31	34	56	125	248	315	251
1992	3,498	150	48	29	17	32	45	138	232	289	249
1991	3,642	169	51	23	18	17	47	129	242	299	275
1990	3,678	152	50	27	24	40	69	168	238	288	257
1989	3,744	149	57	32	10	29	72	159	258	279	254
1988	3,420	125	55	28	28	39	57	150	213	241	201
1987	3,105	131	58	25	22	35	68	106	196	202	158
1986	6,090	130	57	28	21	36	170	536	877	876	547
1985	4,508	119	48	35	17	33	125	329	528	563	372
1984	3,444	116	38	29	27	38	88	213	332	294	238
1983	2,552	121	44	26	28	40	50	122	142	141	118
1982	2,188	107	55	31	19	49	46	58	79	91	77
1981	2,019	97	51	32	29	30	42	56	50	56	55
1980	1,937	115	54	28	21	37	36	45	47	58	52
1979	1,736	112	56	32	33	44	31	48	40	45	44

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other and unspecified infectious and parasitic diseases and their sequelae (001,005,020-032,037,039-041,046-054,056-061,065-066,071-083,085-088,098-134,136-139,771.3)											
All races, female											
1998	2,918	109	35	20	18	29	30	35	55	71	112
1997	2,923	105	40	23	15	39	38	51	71	88	111
1996	2,925	100	43	17	19	43	31	55	79	107	108
1995	2,833	97	44	43	29	29	39	55	98	111	104
1994	2,811	88	47	31	25	37	30	59	73	107	88
1993	2,827	108	60	33	19	30	43	69	86	87	94
1992	2,686	108	35	34	23	29	30	74	91	83	89
1991	2,592	132	45	23	17	26	32	61	105	79	85
1990	2,764	108	48	30	26	26	46	78	88	88	99
1989	2,832	120	46	20	16	31	41	73	105	90	102
1988	2,702	93	50	39	19	35	40	44	79	81	70
1987	2,464	92	48	29	27	29	31	61	77	85	83
1986	2,695	89	49	24	23	26	48	105	128	94	89
1985	2,423	103	42	19	15	33	34	90	78	90	64
1984	2,183	75	45	24	25	26	42	78	69	67	57
1983	1,976	79	37	30	18	28	42	44	63	50	46
1982	1,883	84	55	25	25	20	52	57	47	37	58
1981	1,801	81	36	27	21	38	39	53	39	50	37
1980	1,756	107	41	27	15	40	40	42	43	26	37
1979	1,498	106	42	32	28	31	40	28	46	36	36
Other and unspecified infectious and parasitic diseases and their sequelae (001,005,020-032,037,039-041,046-054,056-061,065-066,071-083,085-088,098-134,136-139,771.3)											
White, both sexes											
1998	4,944	168	59	38	30	38	46	58	96	140	178
1997	4,910	142	72	36	31	43	46	72	112	154	199
1996	5,063	128	72	31	33	61	34	92	182	237	229
1995	5,178	146	74	53	41	39	53	104	230	294	247
1994	5,236	150	85	40	51	49	49	99	214	294	279
1993	5,184	157	88	47	38	50	65	136	207	284	233
1992	4,953	142	60	53	34	53	49	136	227	264	235
1991	5,000	197	71	34	26	35	49	129	227	249	245
1990	5,168	170	67	40	40	51	77	175	216	248	261
1989	5,277	164	72	47	17	43	88	159	229	224	237
1988	5,023	148	81	49	38	57	63	136	200	220	189
1987	4,546	151	81	42	34	50	69	120	192	201	183
1986	7,079	139	80	43	35	53	162	461	730	722	486
1985	5,643	144	66	44	30	51	112	307	435	484	351
1984	4,600	126	63	40	40	54	95	210	279	266	217
1983	3,768	136	59	43	37	51	71	122	136	144	118
1982	3,420	125	88	44	35	55	82	82	89	97	102
1981	3,253	132	70	55	40	59	61	78	71	79	64
1980	3,102	161	69	47	26	65	61	65	72	65	63
1979	2,742	159	72	58	51	61	58	58	67	55	55

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other and unspecified infectious and parasitic diseases and their sequelae (001,005,020-032,037,039-041,046-054,056-061,065-066,071-083,085-088,098-134,136-139,771.3)											
White, male											
1998	2,546	97	32	22	15	16	22	36	64	104	110
1997	2,534	84	44	15	18	18	17	39	67	107	129
1996	2,679	70	41	19	20	24	17	54	129	169	152
1995	2,874	87	44	22	20	16	27	68	173	223	176
1994	2,945	95	51	19	29	22	30	60	174	238	223
1993	2,875	96	43	23	22	26	34	87	162	231	170
1992	2,772	87	35	25	14	28	27	90	175	207	172
1991	2,875	114	41	15	14	15	28	88	168	207	190
1990	2,920	102	37	22	19	30	46	116	161	202	196
1989	2,960	96	42	28	8	23	55	112	168	175	166
1988	2,757	88	45	19	24	30	39	106	150	166	138
1987	2,513	90	41	18	14	29	45	78	143	153	121
1986	4,866	83	44	25	18	33	128	395	659	669	427
1985	3,629	77	33	29	17	25	87	246	388	428	301
1984	2,770	78	29	22	20	30	66	154	238	221	178
1983	2,085	84	30	20	21	33	40	90	93	106	82
1982	1,795	70	42	25	14	37	39	39	57	65	53
1981	1,710	68	41	29	23	25	30	41	42	40	40
1980	1,618	81	42	26	16	35	30	32	39	44	39
1979	1,472	79	42	26	27	41	25	36	33	32	29
Other and unspecified infectious and parasitic diseases and their sequelae (001,005,020-032,037,039-041,046-054,056-061,065-066,071-083,085-088,098-134,136-139,771.3)											
White, female											
1998	2,398	71	27	16	15	22	24	22	32	36	68
1997	2,376	58	28	21	13	25	29	33	45	47	70
1996	2,384	58	31	12	13	37	17	38	53	68	77
1995	2,304	59	30	31	21	23	26	36	57	71	71
1994	2,291	55	34	21	22	27	19	39	40	56	56
1993	2,309	61	45	24	16	24	31	49	45	53	63
1992	2,181	55	25	28	20	25	22	46	52	57	63
1991	2,125	83	30	19	12	20	21	41	59	42	55
1990	2,248	68	30	18	21	21	31	59	55	46	65
1989	2,317	68	30	19	9	20	33	47	61	49	71
1988	2,266	60	36	30	14	27	24	30	50	54	51
1987	2,033	61	40	24	20	21	24	42	49	48	62
1986	2,213	56	36	18	17	20	34	66	71	53	59
1985	2,014	67	33	15	13	26	25	61	47	56	50
1984	1,830	48	34	18	20	24	29	56	41	45	39
1983	1,683	52	29	23	16	18	31	32	43	38	36
1982	1,625	55	46	19	21	18	43	43	32	32	49
1981	1,543	64	29	26	17	34	31	37	29	39	24
1980	1,484	80	27	21	10	30	31	33	33	21	24
1979	1,270	80	30	32	24	20	33	22	34	23	26

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other and unspecified infectious and parasitic diseases and their sequelae (001,005,020-032,037,039-041,046-054,056-061,065-066,071-083,085-088,098-134,136-139,771.3)											
All other, both sexes											
1998	1,108	89	17	8	7	11	17	35	60	81	95
1997	1,192	100	20	6	12	23	16	38	61	109	99
1996	1,271	79	34	12	14	12	21	40	84	121	118
1995	1,210	91	29	19	15	15	29	52	109	119	115
1994	1,260	82	37	19	10	13	28	59	102	135	110
1993	1,284	87	34	14	12	14	34	58	127	118	112
1992	1,231	116	23	10	6	8	26	76	96	108	103
1991	1,234	104	25	12	9	8	30	61	120	129	115
1990	1,274	90	31	17	10	15	38	71	110	128	95
1989	1,299	105	31	5	9	17	25	73	134	145	119
1988	1,099	70	24	18	9	17	34	58	92	102	82
1987	1,023	72	25	12	15	14	30	47	81	86	58
1986	1,706	80	26	9	9	9	56	180	275	248	150
1985	1,288	78	24	10	2	15	47	112	171	169	85
1984	1,027	65	20	13	12	10	35	81	122	95	78
1983	760	64	22	13	9	17	21	44	69	47	46
1982	651	66	22	12	9	14	16	33	37	31	33
1981	567	46	17	4	10	9	20	31	18	27	28
1980	591	61	26	8	10	12	15	22	18	19	26
1979	492	59	26	6	10	14	13	18	19	26	25

Other and unspecified infectious and parasitic diseases and their sequelae (001,005,020-032,037,039-041,046-054,056-061,065-066,071-083,085-088,098-134,136-139,771.3)

All other, male											
1998	588	51	9	4	4	4	11	22	37	46	51
1997	645	53	8	4	10	9	7	20	35	68	58
1996	730	37	22	7	8	6	7	23	58	82	87
1995	681	53	15	7	7	9	16	33	68	79	82
1994	740	49	24	9	7	3	17	39	69	84	78
1993	766	40	19	5	9	8	22	38	86	84	81
1992	726	63	13	4	3	4	18	48	57	82	77
1991	767	55	10	8	4	2	19	41	74	92	85
1990	758	50	13	5	5	10	23	52	77	86	61
1989	784	53	15	4	2	6	17	47	90	104	88
1988	663	37	10	9	4	9	18	44	63	75	63
1987	592	41	17	7	8	6	23	28	53	49	37
1986	1,224	47	13	3	3	3	42	141	218	207	120
1985	879	42	15	6	-	8	38	83	140	135	71
1984	674	38	9	7	7	8	22	59	94	73	60
1983	467	37	14	6	7	7	10	32	49	35	36
1982	393	37	13	6	5	12	7	19	22	26	24
1981	309	29	10	3	6	5	12	15	8	16	15
1980	319	34	12	2	5	2	6	13	8	14	13
1979	264	33	14	6	6	3	6	12	7	13	15

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,
sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other and unspecified infectious and parasitic diseases and their sequelae (001,005,020-032,037,039-041,046-054,056-061,065-066,071-083,085-088,098-134,136-139,771.3)											
All other, female											
1998	520	38	8	4	3	7	6	13	23	35	44
1997	547	47	12	2	2	14	9	18	26	41	41
1996	541	42	12	5	6	6	14	17	26	39	31
1995	529	38	14	12	8	6	13	19	41	40	33
1994	520	33	13	10	3	10	11	20	33	51	32
1993	518	47	15	9	3	6	12	20	41	34	31
1992	505	53	10	6	3	4	8	28	39	26	26
1991	467	49	15	4	5	6	11	20	46	37	30
1990	516	40	18	12	5	5	15	19	33	42	34
1989	515	52	16	1	7	11	8	26	44	41	31
1988	436	33	14	9	5	8	16	14	29	27	19
1987	431	31	8	5	7	8	7	19	28	37	21
1986	482	33	13	6	6	6	14	39	57	41	30
1985	409	36	9	4	2	7	9	29	31	34	14
1984	353	27	11	6	5	2	13	22	28	22	18
1983	293	27	8	7	2	10	11	12	20	12	10
1982	258	29	9	6	4	2	9	14	15	5	9
1981	258	17	7	1	4	4	8	16	10	11	13
1980	272	27	14	6	5	10	9	9	10	5	13
1979	228	26	12	-	4	11	7	6	12	13	10
Other and unspecified infectious and parasitic diseases and their sequelae (001,005,020-032,037,039-041,046-054,056-061,065-066,071-083,085-088,098-134,136-139,771.3)											
Black, both sexes											
1998	928	78	11	5	5	9	14	32	56	77	83
1997	1,002	89	18	5	9	15	14	36	57	96	86
1996	1,078	68	25	12	10	8	16	35	80	111	105
1995	1,039	83	24	13	14	14	28	50	100	101	102
1994	1,080	75	31	12	6	12	21	54	97	125	100
1993	1,105	78	30	11	10	7	28	53	108	109	108
1992	1,072	104	18	10	6	7	21	68	88	103	93
1991	1,096	95	19	8	7	8	26	55	114	122	112
1990	1,122	80	25	12	7	11	35	63	109	124	88
1989	1,154	88	26	5	6	15	24	68	128	138	108
1988	972	65	20	11	9	12	30	54	85	97	76
1987	901	66	21	11	8	12	27	43	77	79	52
1986	1,552	68	24	7	7	9	53	174	267	235	145
1985	1,156	71	18	10	2	15	45	108	163	157	81
1984	906	59	19	13	9	7	32	74	116	92	68
1983	676	54	19	11	7	14	18	42	69	44	45
1982	565	58	18	11	7	11	14	31	36	28	31
1981	477	38	15	2	4	9	19	27	17	24	25
1980	523	56	21	7	9	12	13	19	17	17	25
1979	420	52	19	5	9	10	12	15	17	24	23

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other and unspecified infectious and parasitic diseases and their sequelae (001,005,020-032,037,039-041,046-054,056-061,065-066,071-083,085-088,098-134,136-139,771.3)											
Black, male											
1998	505	43	7	2	2	3	9	20	35	44	45
1997	535	49	7	3	8	6	5	19	32	64	47
1996	619	32	15	7	6	4	7	18	55	77	78
1995	596	47	13	5	7	8	16	32	61	67	75
1994	642	47	19	4	4	3	14	36	66	79	72
1993	653	36	17	3	7	4	18	34	71	79	77
1992	635	55	9	4	3	3	15	44	50	78	71
1991	687	48	8	5	4	2	15	38	71	88	83
1990	663	44	11	3	2	8	21	50	77	84	58
1989	698	43	11	4	1	5	16	44	87	97	82
1988	597	35	7	6	4	6	15	42	58	73	60
1987	523	35	13	6	5	5	21	28	50	47	32
1986	1,121	40	13	2	2	3	40	137	213	198	116
1985	798	36	14	6	-	8	36	79	134	127	67
1984	593	35	9	7	6	6	20	52	91	70	53
1983	414	31	12	4	5	5	9	32	49	34	35
1982	339	34	10	6	4	9	7	19	21	23	22
1981	256	24	9	1	2	5	11	14	7	15	13
1980	281	31	10	1	5	2	6	12	8	13	12
1979	226	30	12	5	5	1	6	10	6	12	15
Other and unspecified infectious and parasitic diseases and their sequelae (001,005,020-032,037,039-041,046-054,056-061,065-066,071-083,085-088,098-134,136-139,771.3)											
Black, female											
1998	423	35	4	3	3	6	5	12	21	33	38
1997	467	40	11	2	1	9	9	17	25	32	39
1996	459	36	10	5	4	4	9	17	25	34	27
1995	443	36	11	8	7	6	12	18	39	34	27
1994	438	28	12	8	2	9	7	18	31	46	28
1993	452	42	13	8	3	3	10	19	37	30	31
1992	437	49	9	6	3	4	6	24	38	25	22
1991	409	47	11	3	3	6	11	17	43	34	29
1990	459	36	14	9	5	3	14	13	32	40	30
1989	456	45	15	1	5	10	8	24	41	41	26
1988	375	30	13	5	5	6	15	12	27	24	16
1987	378	31	8	5	3	7	6	15	27	32	20
1986	431	28	11	5	5	6	13	37	54	37	29
1985	358	35	4	4	2	7	9	29	29	30	14
1984	313	24	10	6	3	1	12	22	25	22	15
1983	262	23	7	7	2	9	9	10	20	10	10
1982	226	24	8	5	3	2	7	12	15	5	9
1981	221	14	6	1	2	4	8	13	10	9	12
1980	242	25	11	6	4	10	7	7	9	4	13
1979	194	22	7	-	4	9	6	5	11	12	8

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms (140-208)											
All races, both sexes											
1998	541,532	78	365	487	526	720	979	1,483	2,902	5,960	11,062
1997	539,577	91	438	547	483	702	943	1,616	2,991	6,076	11,023
1996	539,533	87	424	523	505	685	947	1,610	3,235	6,148	10,901
1995	538,455	70	488	523	503	691	951	1,593	3,282	6,309	10,801
1994	534,310	59	518	543	510	724	1,016	1,670	3,386	6,209	10,634
1993	529,904	88	522	582	507	720	1,018	1,688	3,391	6,147	10,608
1992	520,578	95	479	557	548	738	1,071	1,776	3,527	6,282	10,600
1991	514,657	77	526	580	526	741	1,073	1,808	3,511	6,223	10,686
1990	505,322	90	513	569	525	759	1,060	1,897	3,530	6,012	10,211
1989	496,152	107	506	625	530	758	1,093	1,873	3,441	5,882	9,860
1988	485,048	89	542	586	510	805	1,089	1,835	3,376	5,937	9,644
1987	476,927	101	548	637	501	810	1,129	1,957	3,414	5,809	9,125
1986	469,376	97	569	622	543	847	1,268	2,127	3,477	5,886	9,105
1985	461,563	114	543	607	576	860	1,282	2,044	3,451	5,647	8,884
1984	453,492	114	563	592	615	911	1,283	2,017	3,334	5,494	8,752
1983	442,986	132	654	664	654	960	1,333	1,991	3,167	5,163	8,249
1982	433,795	135	628	738	672	1,047	1,408	1,939	3,240	5,060	7,930
1981	422,094	91	654	719	677	1,046	1,336	1,959	3,096	4,681	7,809
1980	416,509	113	573	777	720	1,145	1,538	2,041	3,040	4,684	7,786
1979	403,395	116	578	791	761	1,141	1,440	1,911	2,875	4,485	7,647
Malignant neoplasms (140-208)											
All races, male											
1998	282,065	43	189	279	303	442	587	777	1,315	2,538	5,054
1997	281,110	45	240	290	270	407	574	860	1,424	2,609	4,948
1996	281,898	43	246	303	279	398	557	811	1,501	2,742	4,942
1995	281,611	36	290	299	288	428	581	836	1,548	2,718	4,967
1994	280,465	28	287	304	300	431	628	897	1,614	2,735	4,845
1993	279,375	56	301	325	296	420	593	863	1,633	2,805	4,879
1992	274,838	52	248	318	319	458	626	881	1,690	2,747	4,777
1991	272,380	44	288	328	322	445	638	988	1,628	2,759	4,789
1990	268,283	48	280	324	297	441	637	1,025	1,685	2,624	4,501
1989	263,309	50	278	335	311	444	630	1,004	1,589	2,587	4,342
1988	258,088	46	281	351	293	480	632	985	1,574	2,527	4,386
1987	254,653	51	300	383	287	477	689	1,034	1,581	2,494	4,122
1986	250,559	53	323	355	302	516	786	1,177	1,692	2,570	4,074
1985	246,914	56	311	346	329	533	758	1,120	1,618	2,508	4,098
1984	242,790	60	311	350	352	558	794	1,064	1,574	2,337	3,922
1983	238,383	70	371	368	380	582	769	1,076	1,476	2,236	3,699
1982	233,864	67	345	451	383	627	807	1,034	1,498	2,223	3,563
1981	227,885	51	366	411	385	628	816	1,054	1,385	2,020	3,562
1980	225,948	66	344	467	414	680	985	1,098	1,371	2,011	3,515
1979	220,015	67	317	462	447	711	873	1,053	1,296	1,919	3,440

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms (140-208)											
All races, female											
1998	259,467	35	176	208	223	278	392	706	1,587	3,422	6,008
1997	258,467	46	198	257	213	295	369	756	1,567	3,467	6,075
1996	257,635	44	178	220	226	287	390	799	1,734	3,406	5,959
1995	256,844	34	198	224	215	263	370	757	1,734	3,591	5,834
1994	253,845	31	231	239	210	293	388	773	1,772	3,474	5,789
1993	250,529	32	221	257	211	300	425	825	1,758	3,342	5,729
1992	245,740	43	231	239	229	280	445	895	1,837	3,535	5,823
1991	242,277	33	238	252	204	296	435	820	1,883	3,464	5,897
1990	237,039	42	233	245	228	318	423	872	1,845	3,388	5,710
1989	232,843	57	228	290	219	314	463	869	1,852	3,295	5,518
1988	226,960	43	261	235	217	325	457	850	1,802	3,410	5,258
1987	222,274	50	248	254	214	333	440	923	1,833	3,315	5,003
1986	218,817	44	246	267	241	331	482	950	1,785	3,316	5,031
1985	214,649	58	232	261	247	327	524	924	1,833	3,139	4,786
1984	210,702	54	252	242	263	353	489	953	1,760	3,157	4,830
1983	204,603	62	283	296	274	378	564	915	1,691	2,927	4,550
1982	199,931	68	283	287	289	420	601	905	1,742	2,837	4,367
1981	194,209	40	288	308	292	418	520	905	1,711	2,661	4,247
1980	190,561	47	229	310	306	465	553	943	1,669	2,673	4,271
1979	183,380	49	261	329	314	430	567	858	1,579	2,566	4,207
Malignant neoplasms (140-208)											
White, both sexes											
1998	470,139	68	289	385	417	590	781	1,137	2,280	4,588	8,646
1997	468,521	68	340	436	395	549	734	1,240	2,360	4,683	8,617
1996	469,406	76	344	420	405	540	727	1,291	2,550	4,779	8,555
1995	468,897	55	380	411	387	545	747	1,258	2,547	4,990	8,489
1994	465,797	47	411	433	402	578	835	1,334	2,657	4,926	8,317
1993	461,904	69	422	477	422	573	792	1,320	2,707	4,853	8,388
1992	454,531	81	388	456	448	600	867	1,401	2,820	4,942	8,353
1991	449,506	57	416	479	434	600	870	1,476	2,817	4,893	8,508
1990	441,585	69	413	464	433	606	864	1,526	2,805	4,754	8,226
1989	434,156	92	409	517	430	610	873	1,533	2,762	4,667	7,980
1988	425,140	70	446	475	415	665	878	1,493	2,717	4,696	7,856
1987	418,473	87	452	538	414	638	915	1,610	2,788	4,668	7,377
1986	412,352	82	473	514	443	709	1,060	1,753	2,857	4,735	7,375
1985	405,727	93	458	509	467	722	1,062	1,706	2,835	4,642	7,231
1984	398,631	83	473	495	500	761	1,085	1,672	2,741	4,513	7,063
1983	390,009	105	554	555	530	826	1,099	1,671	2,572	4,275	6,709
1982	382,652	102	530	628	551	861	1,181	1,617	2,693	4,220	6,481
1981	372,674	73	549	594	556	863	1,139	1,643	2,594	3,855	6,280
1980	368,162	90	479	680	611	956	1,288	1,734	2,578	3,922	6,319
1979	357,336	95	486	684	638	970	1,225	1,618	2,434	3,713	6,255

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms (140-208)											
White, male											
1998	244,109	37	149	218	241	362	483	610	1,061	2,002	4,017
1997	243,192	32	188	231	218	329	445	667	1,152	2,026	3,894
1996	243,952	35	205	247	230	320	434	667	1,210	2,178	3,893
1995	244,000	30	233	248	223	342	463	671	1,237	2,169	3,897
1994	242,995	23	235	236	239	354	519	735	1,284	2,216	3,788
1993	241,908	42	248	268	247	335	470	696	1,321	2,261	3,871
1992	238,499	44	207	258	266	371	518	724	1,381	2,200	3,759
1991	236,409	30	222	272	270	365	537	815	1,334	2,210	3,804
1990	232,608	36	226	262	244	363	516	847	1,379	2,064	3,602
1989	228,301	45	238	277	258	355	505	830	1,284	2,092	3,448
1988	224,514	37	236	289	244	401	515	816	1,314	2,012	3,544
1987	221,757	43	246	325	247	378	573	872	1,313	2,046	3,339
1986	218,381	47	279	295	249	428	675	1,005	1,447	2,082	3,255
1985	215,079	48	260	293	265	447	635	946	1,374	2,094	3,296
1984	211,369	41	258	296	291	464	679	899	1,305	1,909	3,148
1983	208,053	54	310	311	311	509	644	921	1,233	1,858	2,979
1982	204,477	53	296	384	319	513	686	889	1,267	1,882	2,866
1981	199,370	37	311	341	324	513	705	910	1,184	1,669	2,844
1980	198,188	52	293	417	355	571	843	974	1,191	1,690	2,834
1979	193,444	55	271	406	372	603	761	913	1,138	1,601	2,762
Malignant neoplasms (140-208)											
White, female											
1998	226,030	31	140	167	176	228	298	527	1,219	2,586	4,629
1997	225,329	36	152	205	177	220	289	573	1,208	2,657	4,723
1996	225,454	41	139	173	175	220	293	624	1,340	2,601	4,662
1995	224,897	25	147	163	164	203	284	587	1,310	2,821	4,592
1994	222,802	24	176	197	163	224	316	599	1,373	2,710	4,529
1993	219,996	27	174	209	175	238	322	624	1,386	2,592	4,517
1992	216,032	37	181	198	182	229	349	677	1,439	2,742	4,594
1991	213,097	27	194	207	164	235	333	661	1,483	2,683	4,704
1990	208,977	33	187	202	189	243	348	679	1,426	2,690	4,624
1989	205,855	47	171	240	172	255	368	703	1,478	2,575	4,532
1988	200,626	33	210	186	171	264	363	677	1,403	2,684	4,312
1987	196,716	44	206	213	167	260	342	738	1,475	2,622	4,038
1986	193,971	35	194	219	194	281	385	748	1,410	2,653	4,120
1985	190,648	45	198	216	202	275	427	760	1,461	2,548	3,935
1984	187,262	42	215	199	209	297	406	773	1,436	2,604	3,915
1983	181,956	51	244	244	219	317	455	750	1,339	2,417	3,730
1982	178,175	49	234	244	232	348	495	728	1,426	2,338	3,615
1981	173,304	36	238	253	232	350	434	733	1,410	2,186	3,436
1980	169,974	38	186	263	256	385	445	760	1,387	2,232	3,485
1979	163,892	40	215	278	266	367	464	705	1,296	2,112	3,493

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms (140-208)											
All other, both sexes											
1998	71,393	10	76	102	109	130	198	346	622	1,372	2,416
1997	71,056	23	98	111	88	153	209	376	631	1,393	2,406
1996	70,127	11	80	103	100	145	220	319	685	1,369	2,346
1995	69,558	15	108	112	116	146	204	335	735	1,319	2,312
1994	68,513	12	107	110	108	146	181	336	729	1,283	2,317
1993	68,000	19	100	105	85	147	226	368	684	1,294	2,220
1992	66,047	14	91	101	100	138	204	375	707	1,340	2,247
1991	65,151	20	110	101	92	141	203	332	694	1,330	2,178
1990	63,737	21	100	105	92	153	196	371	725	1,258	1,985
1989	61,996	15	97	108	100	148	220	340	679	1,215	1,880
1988	59,908	19	96	111	95	140	211	342	659	1,241	1,788
1987	58,454	14	96	99	87	172	214	347	626	1,141	1,748
1986	57,024	15	96	108	100	138	208	374	620	1,151	1,730
1985	55,836	21	85	98	109	138	220	338	616	1,005	1,653
1984	54,861	31	90	97	115	150	198	345	593	981	1,689
1983	52,977	27	100	109	124	134	234	320	595	888	1,540
1982	51,143	33	98	110	121	186	227	322	547	840	1,449
1981	49,420	18	105	125	121	183	197	316	502	826	1,529
1980	48,347	23	94	97	109	189	250	307	462	762	1,467
1979	46,059	21	92	107	123	171	215	293	441	772	1,392
Malignant neoplasms (140-208)											
All other, male											
1998	37,956	6	40	61	62	80	104	167	254	536	1,037
1997	37,918	13	52	59	52	78	129	193	272	583	1,054
1996	37,946	8	41	56	49	78	123	144	291	564	1,049
1995	37,611	6	57	51	65	86	118	165	311	549	1,070
1994	37,470	5	52	68	61	77	109	162	330	519	1,057
1993	37,467	14	53	57	49	85	123	167	312	544	1,008
1992	36,339	8	41	60	53	87	108	157	309	547	1,018
1991	35,971	14	66	56	52	80	101	173	294	549	985
1990	35,675	12	54	62	53	78	121	178	306	560	899
1989	35,008	5	40	58	53	89	125	174	305	495	894
1988	33,574	9	45	62	49	79	117	169	260	515	842
1987	32,896	8	54	58	40	99	116	162	268	448	783
1986	32,178	6	44	60	53	88	111	172	245	488	819
1985	31,835	8	51	53	64	86	123	174	244	414	802
1984	31,421	19	53	54	61	94	115	165	269	428	774
1983	30,330	16	61	57	69	73	125	155	243	378	720
1982	29,387	14	49	67	64	114	121	145	231	341	697
1981	28,515	14	55	70	61	115	111	144	201	351	718
1980	27,760	14	51	50	59	109	142	124	180	321	681
1979	26,571	12	46	56	75	108	112	140	158	318	678

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms (140-208)											
All other, female											
1998	33,437	4	36	41	47	50	94	179	368	836	1,379
1997	33,138	10	46	52	36	75	80	183	359	810	1,352
1996	32,181	3	39	47	51	67	97	175	394	805	1,297
1995	31,947	9	51	61	51	60	86	170	424	770	1,242
1994	31,043	7	55	42	47	69	72	174	399	764	1,260
1993	30,533	5	47	48	36	62	103	201	372	750	1,212
1992	29,708	6	50	41	47	51	96	218	398	793	1,229
1991	29,180	6	44	45	40	61	102	159	400	781	1,193
1990	28,062	9	46	43	39	75	75	193	419	698	1,086
1989	26,988	10	57	50	47	59	95	166	374	720	986
1988	26,334	10	51	49	46	61	94	173	399	726	946
1987	25,558	6	42	41	47	73	98	185	358	693	965
1986	24,846	9	52	48	47	50	97	202	375	663	911
1985	24,001	13	34	45	45	52	97	164	372	591	851
1984	23,440	12	37	43	54	56	83	180	324	553	915
1983	22,647	11	39	52	55	61	109	165	352	510	820
1982	21,756	19	49	43	57	72	106	177	316	499	752
1981	20,905	4	50	55	60	68	86	172	301	475	811
1980	20,587	9	43	47	50	80	108	183	282	441	786
1979	19,488	9	46	51	48	63	103	153	283	454	714
Malignant neoplasms (140-208)											
Black, both sexes											
1998	61,193	8	60	85	80	95	153	272	495	1,147	2,049
1997	61,333	13	72	86	66	122	170	306	520	1,179	2,022
1996	60,766	8	59	87	80	121	174	259	569	1,146	1,996
1995	60,603	10	86	89	84	115	171	262	608	1,126	1,982
1994	59,939	9	83	84	85	120	141	264	603	1,098	1,985
1993	59,873	15	72	86	66	120	178	315	574	1,119	1,875
1992	58,401	12	62	81	78	107	169	313	599	1,154	1,968
1991	57,921	14	96	77	77	113	169	276	592	1,132	1,872
1990	57,077	17	81	82	72	122	170	321	627	1,066	1,730
1989	55,564	15	75	85	82	124	195	279	578	1,028	1,622
1988	53,968	18	79	83	76	119	186	293	579	1,071	1,585
1987	53,027	11	75	82	69	146	182	291	523	1,000	1,531
1986	51,979	13	80	92	85	121	186	322	530	992	1,522
1985	50,906	19	62	82	92	114	186	289	533	867	1,473
1984	50,266	16	71	83	99	126	177	302	511	865	1,503
1983	48,754	20	82	95	105	102	199	271	509	777	1,368
1982	47,316	16	86	97	105	157	200	287	485	745	1,316
1981	45,827	10	91	113	107	159	175	278	436	725	1,368
1980	45,037	20	86	86	98	163	230	277	416	667	1,339
1979	42,981	19	81	90	115	154	198	255	379	699	1,276

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms (140-208)											
Black, male											
1998	32,523	5	32	53	44	54	80	133	194	425	878
1997	32,719	8	41	41	38	63	104	154	215	483	900
1996	32,973	7	29	47	40	65	98	116	244	468	898
1995	32,880	4	45	42	43	67	95	135	254	469	921
1994	32,861	4	41	51	46	65	82	126	273	430	914
1993	33,071	10	38	43	37	70	99	140	251	471	857
1992	32,155	7	27	45	38	67	85	129	266	460	903
1991	32,094	8	58	41	43	63	81	146	251	464	862
1990	31,995	11	42	48	43	59	103	147	259	473	788
1989	31,452	5	34	48	44	73	112	143	249	423	764
1988	30,321	8	38	46	38	70	99	141	222	435	745
1987	29,928	6	47	44	29	82	96	136	228	385	695
1986	29,363	5	34	54	47	76	98	148	205	417	720
1985	29,028	7	36	44	53	72	104	148	209	355	723
1984	28,851	9	38	45	51	79	99	141	231	376	701
1983	27,946	11	50	49	58	54	102	126	207	341	647
1982	27,226	7	42	58	57	94	104	127	198	304	641
1981	26,477	8	46	65	54	103	96	122	174	320	644
1980	25,861	12	49	44	52	96	131	113	165	283	629
1979	24,831	11	39	47	69	94	104	119	132	291	635
Malignant neoplasms (140-208)											
Black, female											
1998	28,670	3	28	32	36	41	73	139	301	722	1,171
1997	28,614	5	31	45	28	59	66	152	305	696	1,122
1996	27,793	1	30	40	40	56	76	143	325	678	1,098
1995	27,723	6	41	47	41	48	76	127	354	657	1,061
1994	27,078	5	42	33	39	55	59	138	330	668	1,071
1993	26,802	5	34	43	29	50	79	175	323	648	1,018
1992	26,246	5	35	36	40	40	84	184	333	694	1,065
1991	25,827	6	38	36	34	50	88	130	341	668	1,010
1990	25,082	6	39	34	29	63	67	174	368	593	942
1989	24,112	10	41	37	38	51	83	136	329	605	858
1988	23,647	10	41	37	38	49	87	152	357	636	840
1987	23,099	5	28	38	40	64	86	155	295	615	836
1986	22,616	8	46	38	38	45	88	174	325	575	802
1985	21,878	12	26	38	39	42	82	141	324	512	750
1984	21,415	7	33	38	48	47	78	161	280	489	802
1983	20,808	9	32	46	47	48	97	145	302	436	721
1982	20,090	9	44	39	48	63	96	160	287	441	675
1981	19,350	2	45	48	53	56	79	156	262	405	724
1980	19,176	8	37	42	46	67	99	164	251	384	710
1979	18,150	8	42	43	46	60	94	136	247	408	641

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of lip, oral cavity and pharynx (140-149)											
All races, both sexes											
1998	7,965	-	1	-	4	10	13	17	38	87	219
1997	7,894	-	-	2	4	10	14	24	41	112	214
1996	7,854	-	1	1	4	10	15	26	43	101	224
1995	8,060	-	2	-	3	8	13	26	32	108	207
1994	7,915	-	4	1	1	6	13	16	37	94	213
1993	8,241	2	-	1	2	9	11	14	44	109	229
1992	8,107	1	1	-	1	10	13	19	35	94	225
1991	8,278	1	-	1	5	9	10	31	35	109	209
1990	8,405	-	1	2	3	9	14	25	40	104	204
1989	8,104	-	2	3	1	5	23	19	33	100	204
1988	8,199	1	-	4	1	15	12	20	43	95	193
1987	7,968	-	-	1	-	6	16	24	40	89	186
1986	8,292	1	2	2	4	6	19	22	46	110	183
1985	8,290	1	1	2	3	11	14	27	49	98	207
1984	8,462	-	-	-	8	10	14	29	39	90	208
1983	8,486	1	1	6	5	12	16	29	47	103	202
1982	8,528	3	-	2	3	17	23	21	38	85	192
1981	8,506	1	-	5	4	7	17	27	35	70	176
1980	8,553	-	2	3	5	6	15	22	29	89	209
1979	8,589	-	2	6	4	10	17	24	36	89	196
Malignant neoplasms of lip, oral cavity and pharynx (140-149)											
All races, male											
1998	5,281	-	-	-	3	7	12	8	26	61	161
1997	5,201	-	-	1	1	4	6	18	26	78	160
1996	5,215	-	-	-	1	5	9	13	25	73	163
1995	5,327	-	-	-	1	6	12	16	18	79	160
1994	5,227	-	2	1	1	3	10	8	26	69	163
1993	5,515	-	-	1	-	6	8	13	26	77	177
1992	5,366	-	1	-	1	5	8	12	22	70	168
1991	5,464	1	-	-	1	5	10	18	22	87	162
1990	5,636	-	-	2	2	3	12	18	31	82	162
1989	5,340	-	1	2	1	4	16	12	18	65	149
1988	5,497	1	-	3	1	11	7	8	30	63	147
1987	5,310	-	-	-	-	4	8	13	26	60	142
1986	5,514	-	-	1	3	4	15	18	31	71	151
1985	5,616	-	-	1	2	4	9	14	35	66	149
1984	5,765	-	-	-	5	5	10	17	27	69	147
1983	5,790	1	-	3	3	9	8	21	25	75	152
1982	5,856	1	-	1	2	11	14	16	28	59	146
1981	5,831	1	-	1	2	4	13	17	23	52	131
1980	5,899	-	2	3	2	3	11	15	20	61	168
1979	5,877	-	2	2	2	7	12	20	22	68	134

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of lip, oral cavity and pharynx (140-149)											
All races, female											
1998	2,684	-	1	-	1	3	1	9	12	26	58
1997	2,693	-	-	1	3	6	8	6	15	34	54
1996	2,639	-	1	1	3	5	6	13	18	28	61
1995	2,733	-	2	-	2	2	1	10	14	29	47
1994	2,688	-	2	-	-	3	3	8	11	25	50
1993	2,726	2	-	-	2	3	3	1	18	32	52
1992	2,741	1	-	-	-	5	5	7	13	24	57
1991	2,814	-	-	1	4	4	-	13	13	22	47
1990	2,769	-	1	-	1	6	2	7	9	22	42
1989	2,764	-	1	1	-	1	7	7	15	35	55
1988	2,702	-	-	1	-	4	5	12	13	32	46
1987	2,658	-	-	1	-	2	8	11	14	29	44
1986	2,778	1	2	1	1	2	4	4	15	39	32
1985	2,674	1	1	1	1	7	5	13	14	32	58
1984	2,697	-	-	-	3	5	4	12	12	21	61
1983	2,696	-	1	3	2	3	8	8	22	28	50
1982	2,672	2	-	1	1	6	9	5	10	26	46
1981	2,675	-	-	4	2	3	4	10	12	18	45
1980	2,654	-	-	-	3	3	4	7	9	28	41
1979	2,712	-	-	4	2	3	5	4	14	21	62
Malignant neoplasms of lip, oral cavity and pharynx (140-149)											
White, both sexes											
1998	6,612	-	1	-	4	8	7	9	25	54	145
1997	6,510	-	-	2	2	5	5	17	30	82	149
1996	6,463	-	-	1	4	9	12	23	30	69	147
1995	6,581	-	2	-	3	6	11	17	15	74	126
1994	6,489	-	2	1	-	4	10	12	27	60	136
1993	6,746	2	-	1	2	4	8	10	32	61	133
1992	6,676	1	1	-	1	7	9	13	24	51	129
1991	6,830	1	-	1	1	5	5	20	27	64	121
1990	6,918	-	1	2	2	6	11	16	26	59	124
1989	6,693	-	1	2	-	2	12	16	26	60	124
1988	6,816	1	-	1	1	8	6	13	25	60	117
1987	6,679	-	-	1	-	5	10	21	27	50	107
1986	6,879	1	1	2	1	6	13	17	38	67	99
1985	6,938	1	1	1	2	7	9	20	34	62	116
1984	7,078	-	-	-	6	8	9	18	29	53	123
1983	7,070	1	1	5	3	9	8	18	27	62	118
1982	7,158	2	-	2	2	10	19	15	29	47	99
1981	7,173	-	-	5	1	5	14	19	20	38	95
1980	7,181	-	2	2	4	2	10	17	19	55	121
1979	7,307	-	2	6	2	5	11	20	30	52	106

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of lip, oral cavity and pharynx (140-149)											
White, male											
1998	4,289	-	-	-	3	6	6	4	16	36	112
1997	4,193	-	-	1	-	1	2	13	17	57	111
1996	4,178	-	-	-	1	4	8	11	17	49	102
1995	4,257	-	-	-	1	4	10	9	8	54	95
1994	4,181	-	2	1	-	2	8	5	19	45	105
1993	4,396	-	-	1	-	2	5	10	19	44	98
1992	4,283	-	1	-	1	3	5	9	17	37	94
1991	4,405	1	-	-	-	2	5	10	16	51	91
1990	4,515	-	-	2	1	2	10	12	19	46	95
1989	4,293	-	1	1	-	2	9	11	14	36	91
1988	4,462	1	-	1	1	6	4	4	15	39	89
1987	4,344	-	-	-	-	3	6	13	17	31	77
1986	4,476	-	-	1	-	4	11	13	26	40	80
1985	4,597	-	-	-	2	2	6	13	22	47	80
1984	4,688	-	-	-	4	4	6	12	19	39	82
1983	4,725	1	-	3	2	7	5	12	14	43	89
1982	4,833	1	-	1	1	6	10	12	20	31	73
1981	4,824	-	-	1	1	3	10	11	13	26	72
1980	4,827	-	2	2	2	-	7	11	11	38	95
1979	4,914	-	2	2	1	4	9	16	18	36	66
Malignant neoplasms of lip, oral cavity and pharynx (140-149)											
White, female											
1998	2,323	-	1	-	1	2	1	5	9	18	33
1997	2,317	-	-	1	2	4	3	4	13	25	38
1996	2,285	-	-	1	3	5	4	12	13	20	45
1995	2,324	-	2	-	2	2	1	8	7	20	31
1994	2,308	-	-	-	-	2	2	7	8	15	31
1993	2,350	2	-	-	2	2	3	-	13	17	35
1992	2,393	1	-	-	-	4	4	4	7	14	35
1991	2,425	-	-	1	1	3	-	10	11	13	30
1990	2,403	-	1	-	1	4	1	4	7	13	29
1989	2,400	-	-	1	-	-	3	5	12	24	33
1988	2,354	-	-	-	-	2	2	9	10	21	28
1987	2,335	-	-	1	-	2	4	8	10	19	30
1986	2,403	1	1	1	1	2	2	4	12	27	19
1985	2,341	1	1	1	-	5	3	7	12	15	36
1984	2,390	-	-	-	2	4	3	6	10	14	41
1983	2,345	-	1	2	1	2	3	6	13	19	29
1982	2,325	1	-	1	1	4	9	3	9	16	26
1981	2,349	-	-	4	-	2	4	8	7	12	23
1980	2,354	-	-	-	2	2	3	6	8	17	26
1979	2,393	-	-	4	1	1	2	4	12	16	40

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of lip, oral cavity and pharynx (140-149)											
All other, both sexes											
1998	1,353	-	-	-	-	2	6	8	13	33	74
1997	1,384	-	-	-	2	5	9	7	11	30	65
1996	1,391	-	1	-	-	1	3	3	13	32	77
1995	1,479	-	-	-	-	2	2	9	17	34	81
1994	1,426	-	2	-	1	2	3	4	10	34	77
1993	1,495	-	-	-	-	5	3	4	12	48	96
1992	1,431	-	-	-	-	3	4	6	11	43	96
1991	1,448	-	-	-	4	4	5	11	8	45	88
1990	1,487	-	-	-	1	3	3	9	14	45	80
1989	1,411	-	1	1	1	3	11	3	7	40	80
1988	1,383	-	-	3	-	7	6	7	18	35	76
1987	1,289	-	-	-	-	1	6	3	13	39	79
1986	1,413	-	1	-	3	-	6	5	8	43	84
1985	1,352	-	-	1	1	4	5	7	15	36	91
1984	1,384	-	-	-	2	2	5	11	10	37	85
1983	1,416	-	-	1	2	3	8	11	20	41	84
1982	1,370	1	-	-	1	7	4	6	9	38	93
1981	1,333	1	-	-	3	2	3	8	15	32	81
1980	1,372	-	-	1	1	4	5	5	10	34	88
1979	1,282	-	-	-	2	5	6	4	6	37	90
Malignant neoplasms of lip, oral cavity and pharynx (140-149)											
All other, male											
1998	992	-	-	-	-	1	6	4	10	25	49
1997	1,008	-	-	-	1	3	4	5	9	21	49
1996	1,037	-	-	-	-	1	1	2	8	24	61
1995	1,070	-	-	-	-	2	2	7	10	25	65
1994	1,046	-	-	-	1	1	2	3	7	24	58
1993	1,119	-	-	-	-	4	3	3	7	33	79
1992	1,083	-	-	-	-	2	3	3	5	33	74
1991	1,059	-	-	-	1	3	5	8	6	36	71
1990	1,121	-	-	-	1	1	2	6	12	36	67
1989	1,047	-	-	1	1	2	7	1	4	29	58
1988	1,035	-	-	2	-	5	3	4	15	24	58
1987	966	-	-	-	-	1	2	-	9	29	65
1986	1,038	-	-	-	3	-	4	5	5	31	71
1985	1,019	-	-	1	-	2	3	1	13	19	69
1984	1,077	-	-	-	1	1	4	5	8	30	65
1983	1,065	-	-	-	1	2	3	9	11	32	63
1982	1,023	-	-	-	1	5	4	4	8	28	73
1981	1,007	1	-	-	1	1	3	6	10	26	59
1980	1,072	-	-	1	-	3	4	4	9	23	73
1979	963	-	-	-	1	3	3	4	4	32	68

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of lip, oral cavity and pharynx (140-149)											
All other, female											
1998	361	-	-	-	-	1	-	4	3	8	25
1997	376	-	-	-	1	2	5	2	2	9	16
1996	354	-	1	-	-	-	2	1	5	8	16
1995	409	-	-	-	-	-	-	2	7	9	16
1994	380	-	2	-	-	1	1	1	3	10	19
1993	376	-	-	-	-	1	-	1	5	15	17
1992	348	-	-	-	-	1	1	3	6	10	22
1991	389	-	-	-	3	1	-	3	2	9	17
1990	366	-	-	-	-	2	1	3	2	9	13
1989	364	-	1	-	-	1	4	2	3	11	22
1988	348	-	-	1	-	2	3	3	3	11	18
1987	323	-	-	-	-	-	4	3	4	10	14
1986	375	-	1	-	-	-	2	-	3	12	13
1985	333	-	-	-	1	2	2	6	2	17	22
1984	307	-	-	-	1	1	1	6	2	7	20
1983	351	-	-	1	1	1	5	2	9	9	21
1982	347	1	-	-	-	2	-	2	1	10	20
1981	326	-	-	-	2	1	-	2	5	6	22
1980	300	-	-	-	1	1	1	1	1	11	15
1979	319	-	-	-	1	2	3	-	2	5	22
Malignant neoplasms of lip, oral cavity and pharynx (140-149)											
Black, both sexes											
1998	1,155	-	-	-	-	1	5	6	5	22	63
1997	1,165	-	-	-	1	5	5	5	8	23	51
1996	1,181	-	1	-	-	1	2	2	10	20	65
1995	1,274	-	-	-	-	2	2	5	12	30	65
1994	1,242	-	2	-	1	2	1	2	9	27	66
1993	1,286	-	-	-	-	3	3	2	7	38	79
1992	1,248	-	-	-	-	2	3	4	8	34	74
1991	1,274	-	-	-	4	4	4	6	6	36	76
1990	1,311	-	-	-	1	2	3	8	11	33	71
1989	1,251	-	1	1	1	3	7	1	3	33	66
1988	1,242	-	-	2	-	6	6	4	16	28	65
1987	1,161	-	-	-	-	1	5	3	9	31	70
1986	1,289	-	1	-	3	-	4	3	4	37	80
1985	1,243	-	-	1	1	3	3	6	14	31	83
1984	1,248	-	-	-	2	1	3	7	4	34	76
1983	1,288	-	-	1	2	1	5	9	14	36	71
1982	1,257	-	-	-	1	6	2	6	3	33	87
1981	1,216	-	-	-	3	2	2	6	12	29	72
1980	1,287	-	-	1	1	3	5	5	8	29	83
1979	1,204	-	-	-	2	5	6	3	5	35	83

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Malignant neoplasms of lip, oral cavity and pharynx (140-149)

Black, male

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
1998	849	-	-	-	-	-	5	2	2	18	40
1997	851	-	-	-	1	3	1	5	6	16	39
1996	892	-	-	-	-	1	1	1	6	15	49
1995	926	-	-	-	-	2	2	3	8	21	51
1994	920	-	-	-	1	1	-	1	6	18	49
1993	968	-	-	-	-	2	3	1	2	26	65
1992	949	-	-	-	-	1	2	2	4	28	57
1991	933	-	-	-	1	3	4	4	4	28	61
1990	1,000	-	-	-	1	1	2	5	9	28	60
1989	939	-	-	1	1	2	5	-	2	24	50
1988	939	-	-	1	-	5	3	3	13	19	51
1987	864	-	-	-	-	1	1	-	7	24	57
1986	956	-	-	-	3	-	2	3	3	28	70
1985	946	-	-	1	-	2	2	1	12	17	64
1984	985	-	-	-	1	1	3	4	3	29	61
1983	986	-	-	-	1	1	1	7	9	28	55
1982	945	-	-	-	1	4	2	4	3	25	68
1981	920	-	-	-	1	1	2	4	8	24	53
1980	1,005	-	-	1	-	2	4	4	7	19	68
1979	900	-	-	-	1	3	3	3	3	31	63

Malignant neoplasms of lip, oral cavity and pharynx (140-149)

Black, female

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
1998	306	-	-	-	-	1	-	4	3	4	23
1997	314	-	-	-	-	2	4	-	2	7	12
1996	289	-	1	-	-	-	1	1	4	5	16
1995	348	-	-	-	-	-	-	2	4	9	14
1994	322	-	2	-	-	1	1	1	3	9	17
1993	318	-	-	-	-	1	-	1	5	12	14
1992	299	-	-	-	-	1	1	2	4	6	17
1991	341	-	-	-	3	1	-	2	2	8	15
1990	311	-	-	-	-	1	1	3	2	5	11
1989	312	-	1	-	-	1	2	1	1	9	16
1988	303	-	-	1	-	1	3	1	3	9	14
1987	297	-	-	-	-	-	4	3	2	7	13
1986	333	-	1	-	-	-	2	-	1	9	10
1985	297	-	-	-	1	1	1	5	2	14	19
1984	263	-	-	-	1	-	-	3	1	5	15
1983	302	-	-	1	1	-	4	2	5	8	16
1982	312	-	-	-	-	2	-	2	-	8	19
1981	296	-	-	-	2	1	-	2	4	5	19
1980	282	-	-	-	1	1	1	1	1	10	15
1979	304	-	-	-	1	2	3	-	2	4	20

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of esophagus (150)											
All races, both sexes											
1998	11,765	-	-	-	-	-	3	5	26	48	193
1997	11,277	-	1	-	-	1	2	6	28	67	177
1996	11,231	-	-	-	-	1	1	14	19	63	201
1995	10,969	-	-	-	-	-	2	6	23	73	219
1994	10,817	-	-	-	-	2	6	7	25	59	173
1993	10,450	-	-	-	-	1	4	8	19	66	197
1992	10,239	3	-	-	-	-	1	8	17	62	199
1991	9,968	-	-	-	-	-	2	3	21	54	174
1990	9,719	-	-	-	-	-	1	6	14	59	169
1989	9,637	-	-	-	1	-	1	12	23	74	180
1988	9,336	-	-	-	-	-	1	5	12	47	151
1987	9,089	-	-	-	-	-	-	3	16	53	139
1986	8,918	-	-	-	-	1	3	5	11	52	142
1985	8,613	-	-	-	-	2	4	5	20	34	138
1984	8,658	-	-	2	-	-	-	8	14	40	138
1983	8,366	1	1	-	-	-	2	4	10	49	127
1982	8,225	-	-	1	-	-	1	4	10	37	128
1981	8,084	-	-	-	-	1	2	2	14	44	112
1980	7,985	1	-	-	-	-	4	5	14	40	117
1979	7,669	-	-	1	1	-	1	2	10	54	119
Malignant neoplasm of esophagus (150)											
All races, male											
1998	8,876	-	-	-	-	-	3	3	21	38	172
1997	8,546	-	1	-	-	1	2	4	26	55	146
1996	8,400	-	-	-	-	1	1	11	17	51	175
1995	8,333	-	-	-	-	-	2	2	21	54	193
1994	8,191	-	-	-	-	2	4	5	22	55	148
1993	7,813	-	-	-	-	-	3	8	16	57	163
1992	7,653	3	-	-	-	-	1	2	14	50	170
1991	7,427	-	-	-	-	-	2	3	18	42	143
1990	7,213	-	-	-	-	-	1	6	11	50	147
1989	7,154	-	-	-	1	-	1	8	19	58	157
1988	6,916	-	-	-	-	-	-	2	11	36	133
1987	6,723	-	-	-	-	-	-	3	15	43	114
1986	6,535	-	-	-	-	1	3	4	7	45	117
1985	6,409	-	-	-	-	2	4	4	15	33	119
1984	6,313	-	-	2	-	-	-	5	13	39	122
1983	6,151	1	1	-	-	-	2	3	9	40	102
1982	5,967	-	-	1	-	-	1	4	8	30	105
1981	5,953	-	-	-	-	1	1	2	12	32	90
1980	5,848	-	-	-	-	-	3	4	10	32	98
1979	5,623	-	-	1	1	-	1	2	8	42	89

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of esophagus (150)											
All races, female											
1998	2,889	-	-	-	-	-	-	2	5	10	21
1997	2,731	-	-	-	-	-	-	2	2	12	31
1996	2,831	-	-	-	-	-	-	3	2	12	26
1995	2,636	-	-	-	-	-	-	4	2	19	26
1994	2,626	-	-	-	-	-	2	2	3	4	25
1993	2,637	-	-	-	-	1	1	-	3	9	34
1992	2,586	-	-	-	-	-	-	6	3	12	29
1991	2,541	-	-	-	-	-	-	-	3	12	31
1990	2,506	-	-	-	-	-	-	-	3	9	22
1989	2,483	-	-	-	-	-	-	4	4	16	23
1988	2,420	-	-	-	-	-	1	3	1	11	18
1987	2,366	-	-	-	-	-	-	-	1	10	25
1986	2,383	-	-	-	-	-	-	1	4	7	25
1985	2,204	-	-	-	-	-	-	1	5	1	19
1984	2,345	-	-	-	-	-	-	3	1	1	16
1983	2,215	-	-	-	-	-	-	1	1	9	25
1982	2,258	-	-	-	-	-	-	-	2	7	23
1981	2,131	-	-	-	-	-	1	-	2	12	22
1980	2,137	1	-	-	-	-	1	1	4	8	19
1979	2,046	-	-	-	-	-	-	-	2	12	30
Malignant neoplasm of esophagus (150)											
White, both sexes											
1998	9,810	-	-	-	-	-	1	4	24	40	146
1997	9,348	-	1	-	-	1	2	6	26	59	138
1996	9,253	-	-	-	-	1	1	13	18	53	157
1995	8,956	-	-	-	-	-	2	4	20	59	151
1994	8,711	-	-	-	-	2	4	5	22	46	114
1993	8,312	-	-	-	-	1	4	7	17	55	128
1992	8,196	1	-	-	-	-	1	8	16	44	146
1991	7,865	-	-	-	-	-	2	3	15	37	114
1990	7,599	-	-	-	-	-	1	5	12	36	109
1989	7,469	-	-	-	1	-	-	11	19	52	117
1988	7,182	-	-	-	-	-	1	5	10	29	88
1987	7,022	-	-	-	-	-	-	2	12	40	73
1986	6,786	-	-	-	-	1	3	4	10	34	75
1985	6,539	-	-	-	-	2	4	4	16	24	78
1984	6,486	-	-	1	-	-	-	7	12	24	64
1983	6,292	-	-	-	-	-	2	4	7	26	59
1982	6,117	-	-	1	-	-	1	4	6	22	52
1981	6,017	-	-	-	-	1	1	2	8	22	53
1980	5,936	-	-	-	-	-	4	5	12	21	60
1979	5,715	-	-	-	1	-	-	2	9	31	58

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of esophagus (150)											
White, male											
1998	7,481	-	-	-	-	-	1	3	20	33	133
1997	7,145	-	1	-	-	1	2	4	25	47	118
1996	6,964	-	-	-	-	1	1	10	16	45	141
1995	6,824	-	-	-	-	-	2	2	18	44	136
1994	6,625	-	-	-	-	2	3	3	20	42	100
1993	6,234	-	-	-	-	-	3	7	15	47	113
1992	6,163	1	-	-	-	-	1	2	13	38	131
1991	5,873	-	-	-	-	-	2	3	14	32	100
1990	5,661	-	-	-	-	-	1	5	10	30	103
1989	5,531	-	-	-	1	-	-	7	15	43	106
1988	5,260	-	-	-	-	-	-	2	9	26	77
1987	5,190	-	-	-	-	-	-	2	12	35	64
1986	4,946	-	-	-	-	1	3	4	7	32	65
1985	4,841	-	-	-	-	2	4	3	12	23	71
1984	4,689	-	-	1	-	-	-	5	12	24	59
1983	4,595	-	-	-	-	-	2	3	7	21	52
1982	4,373	-	-	1	-	-	1	4	5	18	43
1981	4,372	-	-	-	-	1	-	2	7	19	42
1980	4,328	-	-	-	-	-	3	4	10	18	52
1979	4,114	-	-	-	1	-	-	2	7	28	47
Malignant neoplasm of esophagus (150)											
White, female											
1998	2,329	-	-	-	-	-	-	1	4	7	13
1997	2,203	-	-	-	-	-	-	2	1	12	20
1996	2,289	-	-	-	-	-	-	3	2	8	16
1995	2,132	-	-	-	-	-	-	2	2	15	15
1994	2,086	-	-	-	-	-	1	2	2	4	14
1993	2,078	-	-	-	-	1	1	-	2	8	15
1992	2,033	-	-	-	-	-	-	6	3	6	15
1991	1,992	-	-	-	-	-	-	-	1	5	14
1990	1,938	-	-	-	-	-	-	-	2	6	6
1989	1,938	-	-	-	-	-	-	4	4	9	11
1988	1,922	-	-	-	-	-	1	3	1	3	11
1987	1,832	-	-	-	-	-	-	-	-	5	9
1986	1,840	-	-	-	-	-	-	-	3	2	10
1985	1,698	-	-	-	-	-	-	1	4	1	7
1984	1,797	-	-	-	-	-	-	2	-	-	5
1983	1,697	-	-	-	-	-	-	1	-	5	7
1982	1,744	-	-	-	-	-	-	-	1	4	9
1981	1,645	-	-	-	-	-	1	-	1	3	11
1980	1,608	-	-	-	-	-	1	1	2	3	8
1979	1,601	-	-	-	-	-	-	-	2	3	11

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of esophagus (150)											
All other, both sexes											
1998	1,955	-	-	-	-	-	2	1	2	8	47
1997	1,929	-	-	-	-	-	-	-	2	8	39
1996	1,978	-	-	-	-	-	-	1	1	10	44
1995	2,013	-	-	-	-	-	-	2	3	14	68
1994	2,106	-	-	-	-	-	2	2	3	13	59
1993	2,138	-	-	-	-	-	-	1	2	11	69
1992	2,043	2	-	-	-	-	-	-	1	18	53
1991	2,103	-	-	-	-	-	-	-	6	17	60
1990	2,120	-	-	-	-	-	-	1	2	23	60
1989	2,168	-	-	-	-	-	1	1	4	22	63
1988	2,154	-	-	-	-	-	-	-	2	18	63
1987	2,067	-	-	-	-	-	-	1	4	13	66
1986	2,132	-	-	-	-	-	-	1	1	18	67
1985	2,074	-	-	-	-	-	-	1	4	10	60
1984	2,172	-	-	1	-	-	-	1	2	16	74
1983	2,074	1	1	-	-	-	-	-	3	23	68
1982	2,108	-	-	-	-	-	-	-	4	15	76
1981	2,067	-	-	-	-	-	1	-	6	22	59
1980	2,049	1	-	-	-	-	-	-	2	19	57
1979	1,954	-	-	1	-	-	1	-	1	23	61
Malignant neoplasm of esophagus (150)											
All other, male											
1998	1,395	-	-	-	-	-	2	-	1	5	39
1997	1,401	-	-	-	-	-	-	-	1	8	28
1996	1,436	-	-	-	-	-	-	1	1	6	34
1995	1,509	-	-	-	-	-	-	-	3	10	57
1994	1,566	-	-	-	-	-	1	2	2	13	48
1993	1,579	-	-	-	-	-	-	1	1	10	50
1992	1,490	2	-	-	-	-	-	-	1	12	39
1991	1,554	-	-	-	-	-	-	-	4	10	43
1990	1,552	-	-	-	-	-	-	1	1	20	44
1989	1,623	-	-	-	-	-	1	1	4	15	51
1988	1,656	-	-	-	-	-	-	-	2	10	56
1987	1,533	-	-	-	-	-	-	1	3	8	50
1986	1,589	-	-	-	-	-	-	-	-	13	52
1985	1,568	-	-	-	-	-	-	1	3	10	48
1984	1,624	-	-	1	-	-	-	-	1	15	63
1983	1,556	1	1	-	-	-	-	-	2	19	50
1982	1,594	-	-	-	-	-	-	-	3	12	62
1981	1,581	-	-	-	-	-	1	-	5	13	48
1980	1,520	-	-	-	-	-	-	-	-	14	46
1979	1,509	-	-	1	-	-	1	-	1	14	42

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	
Malignant neoplasm of esophagus (150)												
All other, female												
1998	560	-	-	-	-	-	-	-	1	1	3	8
1997	528	-	-	-	-	-	-	-	-	1	-	11
1996	542	-	-	-	-	-	-	-	-	-	4	10
1995	504	-	-	-	-	-	-	2	-	-	4	11
1994	540	-	-	-	-	-	1	-	-	1	-	11
1993	559	-	-	-	-	-	-	-	-	1	1	19
1992	553	-	-	-	-	-	-	-	-	-	6	14
1991	549	-	-	-	-	-	-	-	-	2	7	17
1990	568	-	-	-	-	-	-	-	-	1	3	16
1989	545	-	-	-	-	-	-	-	-	-	7	12
1988	498	-	-	-	-	-	-	-	-	-	8	7
1987	534	-	-	-	-	-	-	-	-	1	5	16
1986	543	-	-	-	-	-	-	-	1	1	5	15
1985	506	-	-	-	-	-	-	-	-	1	-	12
1984	548	-	-	-	-	-	-	-	1	1	1	11
1983	518	-	-	-	-	-	-	-	-	1	4	18
1982	514	-	-	-	-	-	-	-	-	1	3	14
1981	486	-	-	-	-	-	-	-	-	1	9	11
1980	529	1	-	-	-	-	-	-	-	2	5	11
1979	445	-	-	-	-	-	-	-	-	-	9	19
Malignant neoplasm of esophagus (150)												
Black, both sexes												
1998	1,753	-	-	-	-	-	2	1	2	2	8	43
1997	1,746	-	-	-	-	-	-	-	-	1	6	38
1996	1,827	-	-	-	-	-	-	-	-	1	9	41
1995	1,866	-	-	-	-	-	-	1	3	3	14	63
1994	1,948	-	-	-	-	-	2	1	3	3	12	53
1993	2,011	-	-	-	-	-	-	1	2	2	10	65
1992	1,897	2	-	-	-	-	-	-	-	-	18	51
1991	1,987	-	-	-	-	-	-	-	-	6	16	59
1990	1,974	-	-	-	-	-	-	-	-	2	22	56
1989	2,047	-	-	-	-	-	1	1	3	3	19	60
1988	2,050	-	-	-	-	-	-	-	-	2	18	61
1987	1,965	-	-	-	-	-	-	-	-	4	13	65
1986	2,060	-	-	-	-	-	-	-	-	1	18	66
1985	1,985	-	-	-	-	-	-	-	1	3	9	60
1984	2,087	-	-	-	-	-	-	-	-	2	16	74
1983	1,995	-	1	-	-	-	-	-	-	3	23	67
1982	2,016	-	-	-	-	-	-	-	-	3	15	73
1981	1,986	-	-	-	-	-	1	-	-	5	21	57
1980	1,972	1	-	-	-	-	-	-	-	2	19	56
1979	1,895	-	-	1	-	-	1	-	-	1	23	60

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of esophagus (150)											
Black, male											
1998	1,245	-	-	-	-	-	2	-	1	5	35
1997	1,271	-	-	-	-	-	-	-	1	6	27
1996	1,317	-	-	-	-	-	-	-	1	5	33
1995	1,395	-	-	-	-	-	-	-	3	10	52
1994	1,434	-	-	-	-	-	1	1	2	12	43
1993	1,480	-	-	-	-	-	-	1	1	9	47
1992	1,373	2	-	-	-	-	-	-	-	12	37
1991	1,465	-	-	-	-	-	-	-	4	9	42
1990	1,433	-	-	-	-	-	-	-	1	19	40
1989	1,524	-	-	-	-	-	1	1	3	12	48
1988	1,580	-	-	-	-	-	-	-	2	10	54
1987	1,452	-	-	-	-	-	-	-	3	8	50
1986	1,536	-	-	-	-	-	-	-	-	13	51
1985	1,498	-	-	-	-	-	-	1	2	9	48
1984	1,560	-	-	-	-	-	-	-	1	15	63
1983	1,490	-	1	-	-	-	-	-	2	19	49
1982	1,517	-	-	-	-	-	-	-	3	12	59
1981	1,515	-	-	-	-	-	1	-	4	13	46
1980	1,457	-	-	-	-	-	-	-	-	14	45
1979	1,464	-	-	1	-	-	1	-	1	14	42
Malignant neoplasm of esophagus (150)											
Black, female											
1998	508	-	-	-	-	-	-	1	1	3	8
1997	475	-	-	-	-	-	-	-	-	-	11
1996	510	-	-	-	-	-	-	-	-	4	8
1995	471	-	-	-	-	-	-	1	-	4	11
1994	514	-	-	-	-	-	1	-	1	-	10
1993	531	-	-	-	-	-	-	-	1	1	18
1992	524	-	-	-	-	-	-	-	-	6	14
1991	522	-	-	-	-	-	-	-	2	7	17
1990	541	-	-	-	-	-	-	-	1	3	16
1989	523	-	-	-	-	-	-	-	-	7	12
1988	470	-	-	-	-	-	-	-	-	8	7
1987	513	-	-	-	-	-	-	-	1	5	15
1986	524	-	-	-	-	-	-	-	1	5	15
1985	487	-	-	-	-	-	-	-	1	-	12
1984	527	-	-	-	-	-	-	-	1	1	11
1983	505	-	-	-	-	-	-	-	1	4	18
1982	499	-	-	-	-	-	-	-	-	3	14
1981	471	-	-	-	-	-	-	-	1	8	11
1980	515	1	-	-	-	-	-	-	2	5	11
1979	431	-	-	-	-	-	-	-	-	9	18

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of stomach (151)											
All races, both sexes											
1998	12,959	-	-	-	1	-	11	49	97	183	289
1997	13,062	-	-	-	-	6	8	46	76	195	329
1996	13,336	-	-	-	-	2	17	35	98	178	282
1995	13,645	-	-	-	-	2	16	38	81	184	275
1994	13,570	-	-	-	2	1	12	50	101	154	302
1993	13,850	-	-	-	-	3	16	37	89	172	296
1992	13,630	-	-	-	1	9	14	34	90	200	264
1991	14,225	-	-	-	-	1	16	43	88	195	298
1990	14,073	-	-	-	-	5	11	40	78	161	299
1989	14,186	1	-	-	1	-	15	39	95	164	239
1988	13,676	-	-	-	-	1	16	29	90	135	270
1987	13,742	-	-	-	-	5	12	37	82	168	250
1986	13,855	-	-	1	-	6	13	41	102	173	253
1985	13,951	-	-	-	-	1	15	35	93	143	244
1984	14,246	1	1	1	-	3	11	41	79	141	227
1983	14,152	1	-	1	-	3	11	39	81	141	211
1982	14,293	1	-	2	1	-	19	46	74	127	224
1981	14,428	-	-	-	-	5	7	35	73	130	234
1980	14,372	-	-	1	1	2	11	37	81	110	208
1979	14,509	1	-	-	1	2	14	36	88	116	184
Malignant neoplasm of stomach (151)											
All races, male											
1998	7,565	-	-	-	-	-	7	21	48	101	178
1997	7,766	-	-	-	-	3	2	21	48	103	198
1996	7,859	-	-	-	-	1	10	16	46	110	175
1995	8,010	-	-	-	-	1	9	18	36	98	170
1994	8,039	-	-	-	2	-	4	26	62	86	201
1993	8,229	-	-	-	-	2	8	17	48	107	207
1992	8,004	-	-	-	1	6	7	18	41	121	164
1991	8,569	-	-	-	-	-	11	17	55	119	216
1990	8,336	-	-	-	-	3	7	15	37	97	200
1989	8,520	1	-	-	1	-	8	20	44	95	151
1988	8,105	-	-	-	-	-	6	11	53	86	176
1987	8,241	-	-	-	-	3	2	15	43	108	182
1986	8,400	-	-	-	-	5	6	24	56	104	162
1985	8,345	-	-	-	-	1	8	17	56	91	161
1984	8,469	-	-	1	-	-	3	22	45	73	137
1983	8,362	-	-	1	-	1	2	26	43	80	126
1982	8,506	1	-	1	-	-	12	28	40	68	120
1981	8,631	-	-	-	-	3	5	22	40	70	152
1980	8,514	-	-	1	1	-	11	19	39	66	134
1979	8,650	1	-	-	1	2	5	19	52	61	112

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of stomach (151)											
All races, female											
1998	5,394	-	-	-	1	-	4	28	49	82	111
1997	5,296	-	-	-	-	3	6	25	28	92	131
1996	5,477	-	-	-	-	1	7	19	52	68	107
1995	5,635	-	-	-	-	1	7	20	45	86	105
1994	5,531	-	-	-	-	1	8	24	39	68	101
1993	5,621	-	-	-	-	1	8	20	41	65	89
1992	5,626	-	-	-	-	3	7	16	49	79	100
1991	5,656	-	-	-	-	1	5	26	33	76	82
1990	5,737	-	-	-	-	2	4	25	41	64	99
1989	5,666	-	-	-	-	-	7	19	51	69	88
1988	5,571	-	-	-	-	1	10	18	37	49	94
1987	5,501	-	-	-	-	2	10	22	39	60	68
1986	5,455	-	-	1	-	1	7	17	46	69	91
1985	5,606	-	-	-	-	-	7	18	37	52	83
1984	5,777	1	1	-	-	3	8	19	34	68	90
1983	5,790	1	-	-	-	2	9	13	38	61	85
1982	5,787	-	-	1	1	-	7	18	34	59	104
1981	5,797	-	-	-	-	2	2	13	33	60	82
1980	5,858	-	-	-	-	2	-	18	42	44	74
1979	5,859	-	-	-	-	-	9	17	36	55	72
Malignant neoplasm of stomach (151)											
White, both sexes											
1998	10,125	-	-	-	-	-	6	30	57	109	193
1997	10,157	-	-	-	-	2	3	24	50	116	232
1996	10,456	-	-	-	-	-	12	20	59	104	199
1995	10,700	-	-	-	-	2	9	19	48	123	195
1994	10,732	-	-	-	2	1	9	23	62	110	207
1993	11,041	-	-	-	-	1	9	23	58	117	215
1992	10,827	-	-	-	1	4	10	21	58	123	174
1991	11,407	-	-	-	-	-	12	30	55	131	219
1990	11,309	-	-	-	-	3	8	26	44	100	227
1989	11,449	1	-	-	1	-	9	26	62	103	166
1988	11,085	-	-	-	-	1	10	18	56	95	212
1987	11,194	-	-	-	-	3	6	27	47	121	187
1986	11,274	-	-	1	-	4	5	28	68	124	183
1985	11,463	-	-	-	-	1	10	21	60	109	179
1984	11,725	-	1	1	-	2	5	24	54	91	179
1983	11,619	-	-	1	-	2	8	33	57	102	152
1982	11,828	1	-	2	1	-	10	32	58	93	158
1981	11,958	-	-	-	-	-	5	24	56	92	172
1980	12,006	-	-	1	1	2	7	22	55	83	137
1979	12,076	1	-	-	1	2	8	23	63	79	134

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of stomach (151)											
White, male											
1998	5,931	-	-	-	-	-	4	16	26	62	119
1997	6,074	-	-	-	-	1	-	13	34	64	142
1996	6,188	-	-	-	-	-	7	10	30	67	127
1995	6,351	-	-	-	-	1	5	9	23	68	129
1994	6,379	-	-	-	2	-	3	15	42	64	148
1993	6,565	-	-	-	-	-	5	12	32	71	155
1992	6,385	-	-	-	1	3	5	13	30	74	119
1991	6,868	-	-	-	-	-	9	11	36	84	164
1990	6,690	-	-	-	-	2	4	11	21	65	157
1989	6,836	1	-	-	1	-	4	13	31	63	110
1988	6,499	-	-	-	-	-	4	9	36	61	142
1987	6,721	-	-	-	-	1	1	12	25	83	141
1986	6,831	-	-	-	-	4	3	16	39	80	119
1985	6,842	-	-	-	-	1	6	12	37	72	121
1984	6,949	-	-	1	-	-	2	15	29	52	116
1983	6,816	-	-	1	-	1	2	22	32	58	91
1982	6,951	1	-	1	-	-	8	22	31	52	87
1981	7,151	-	-	-	-	-	4	17	34	55	118
1980	7,049	-	-	1	1	-	7	12	29	51	96
1979	7,150	1	-	-	1	2	4	11	41	51	83
Malignant neoplasm of stomach (151)											
White, female											
1998	4,194	-	-	-	-	-	2	14	31	47	74
1997	4,083	-	-	-	-	1	3	11	16	52	90
1996	4,268	-	-	-	-	-	5	10	29	37	72
1995	4,349	-	-	-	-	1	4	10	25	55	66
1994	4,353	-	-	-	-	1	6	8	20	46	59
1993	4,476	-	-	-	-	1	4	11	26	46	60
1992	4,442	-	-	-	-	1	5	8	28	49	55
1991	4,539	-	-	-	-	-	3	19	19	47	55
1990	4,619	-	-	-	-	1	4	15	23	35	70
1989	4,613	-	-	-	-	-	5	13	31	40	56
1988	4,586	-	-	-	-	1	6	9	20	34	70
1987	4,473	-	-	-	-	2	5	15	22	38	46
1986	4,443	-	-	1	-	-	2	12	29	44	64
1985	4,621	-	-	-	-	-	4	9	23	37	58
1984	4,776	-	1	-	-	2	3	9	25	39	63
1983	4,803	-	-	-	-	1	6	11	25	44	61
1982	4,877	-	-	1	1	-	2	10	27	41	71
1981	4,807	-	-	-	-	-	1	7	22	37	54
1980	4,957	-	-	-	-	2	-	10	26	32	41
1979	4,926	-	-	-	-	-	4	12	22	28	51

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of stomach (151)											
All other, both sexes											
1998	2,834	-	-	-	1	-	5	19	40	74	96
1997	2,905	-	-	-	-	4	5	22	26	79	97
1996	2,880	-	-	-	-	2	5	15	39	74	83
1995	2,945	-	-	-	-	-	7	19	33	61	80
1994	2,838	-	-	-	-	-	3	27	39	44	95
1993	2,809	-	-	-	-	2	7	14	31	55	81
1992	2,803	-	-	-	-	5	4	13	32	77	90
1991	2,818	-	-	-	-	1	4	13	33	64	79
1990	2,764	-	-	-	-	2	3	14	34	61	72
1989	2,737	-	-	-	-	-	6	13	33	61	73
1988	2,591	-	-	-	-	-	6	11	34	40	58
1987	2,548	-	-	-	-	2	6	10	35	47	63
1986	2,581	-	-	-	-	2	8	13	34	49	70
1985	2,488	-	-	-	-	-	5	14	33	34	65
1984	2,521	1	-	-	-	1	6	17	25	50	48
1983	2,533	1	-	-	-	1	3	6	24	39	59
1982	2,465	-	-	-	-	-	9	14	16	34	66
1981	2,470	-	-	-	-	5	2	11	17	38	62
1980	2,366	-	-	-	-	-	4	15	26	27	71
1979	2,433	-	-	-	-	-	6	13	25	37	50
Malignant neoplasm of stomach (151)											
All other, male											
1998	1,634	-	-	-	-	-	3	5	22	39	59
1997	1,692	-	-	-	-	2	2	8	14	39	56
1996	1,671	-	-	-	-	1	3	6	16	43	48
1995	1,659	-	-	-	-	-	4	9	13	30	41
1994	1,660	-	-	-	-	-	1	11	20	22	53
1993	1,664	-	-	-	-	2	3	5	16	36	52
1992	1,619	-	-	-	-	3	2	5	11	47	45
1991	1,701	-	-	-	-	-	2	6	19	35	52
1990	1,646	-	-	-	-	1	3	4	16	32	43
1989	1,684	-	-	-	-	-	4	7	13	32	41
1988	1,606	-	-	-	-	-	2	2	17	25	34
1987	1,520	-	-	-	-	2	1	3	18	25	41
1986	1,569	-	-	-	-	1	3	8	17	24	43
1985	1,503	-	-	-	-	-	2	5	19	19	40
1984	1,520	-	-	-	-	-	1	7	16	21	21
1983	1,546	-	-	-	-	-	-	4	11	22	35
1982	1,555	-	-	-	-	-	4	6	9	16	33
1981	1,480	-	-	-	-	3	1	5	6	15	34
1980	1,465	-	-	-	-	-	4	7	10	15	38
1979	1,500	-	-	-	-	-	1	8	11	10	29

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of stomach (151)											
All other, female											
1998	1,200	-	-	-	1	-	2	14	18	35	37
1997	1,213	-	-	-	-	2	3	14	12	40	41
1996	1,209	-	-	-	-	1	2	9	23	31	35
1995	1,286	-	-	-	-	-	3	10	20	31	39
1994	1,178	-	-	-	-	-	2	16	19	22	42
1993	1,145	-	-	-	-	-	4	9	15	19	29
1992	1,184	-	-	-	-	2	2	8	21	30	45
1991	1,117	-	-	-	-	1	2	7	14	29	27
1990	1,118	-	-	-	-	1	-	10	18	29	29
1989	1,053	-	-	-	-	-	2	6	20	29	32
1988	985	-	-	-	-	-	4	9	17	15	24
1987	1,028	-	-	-	-	-	5	7	17	22	22
1986	1,012	-	-	-	-	1	5	5	17	25	27
1985	985	-	-	-	-	-	3	9	14	15	25
1984	1,001	1	-	-	-	1	5	10	9	29	27
1983	987	1	-	-	-	1	3	2	13	17	24
1982	910	-	-	-	-	-	5	8	7	18	33
1981	990	-	-	-	-	2	1	6	11	23	28
1980	901	-	-	-	-	-	-	8	16	12	33
1979	933	-	-	-	-	-	5	5	14	27	21
Malignant neoplasm of stomach (151)											
Black, both sexes											
1998	2,175	-	-	-	1	-	3	11	26	48	73
1997	2,201	-	-	-	-	4	2	17	14	56	70
1996	2,227	-	-	-	-	2	1	14	28	56	52
1995	2,274	-	-	-	-	-	6	11	27	45	61
1994	2,206	-	-	-	-	-	2	19	29	28	66
1993	2,241	-	-	-	-	2	5	11	22	44	60
1992	2,213	-	-	-	-	4	3	9	23	61	71
1991	2,338	-	-	-	-	1	3	8	25	50	64
1990	2,258	-	-	-	-	1	3	13	27	44	54
1989	2,249	-	-	-	-	-	4	8	25	42	54
1988	2,118	-	-	-	-	-	5	10	28	31	43
1987	2,132	-	-	-	-	2	5	7	28	35	46
1986	2,118	-	-	-	-	2	5	8	27	32	52
1985	2,095	-	-	-	-	-	5	9	23	24	48
1984	2,138	-	-	-	-	1	5	9	20	40	37
1983	2,182	1	-	-	-	-	3	5	20	29	42
1982	2,120	-	-	-	-	-	7	14	13	24	49
1981	2,124	-	-	-	-	2	2	10	13	30	44
1980	2,048	-	-	-	-	-	4	11	21	16	54
1979	2,135	-	-	-	-	-	5	10	19	28	38

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of stomach (151)											
Black, male											
1998	1,261	-	-	-	-	-	2	3	16	27	48
1997	1,297	-	-	-	-	2	2	6	7	30	43
1996	1,301	-	-	-	-	1	1	6	13	35	36
1995	1,289	-	-	-	-	-	3	5	12	24	35
1994	1,299	-	-	-	-	-	1	9	16	18	39
1993	1,339	-	-	-	-	2	3	4	13	30	43
1992	1,273	-	-	-	-	2	2	4	8	37	42
1991	1,422	-	-	-	-	-	1	5	16	30	42
1990	1,341	-	-	-	-	-	3	4	13	28	35
1989	1,390	-	-	-	-	-	3	4	10	23	36
1988	1,316	-	-	-	-	-	2	2	15	20	27
1987	1,285	-	-	-	-	2	-	2	16	19	33
1986	1,305	-	-	-	-	1	2	8	14	18	33
1985	1,263	-	-	-	-	-	2	4	13	14	32
1984	1,306	-	-	-	-	-	1	5	13	19	17
1983	1,342	-	-	-	-	-	-	3	11	19	27
1982	1,360	-	-	-	-	-	3	6	9	12	28
1981	1,283	-	-	-	-	2	1	5	5	15	26
1980	1,273	-	-	-	-	-	4	4	8	11	32
1979	1,313	-	-	-	-	-	1	7	10	6	23
Malignant neoplasm of stomach (151)											
Black, female											
1998	914	-	-	-	1	-	1	8	10	21	25
1997	904	-	-	-	-	2	-	11	7	26	27
1996	926	-	-	-	-	1	-	8	15	21	16
1995	985	-	-	-	-	-	3	6	15	21	26
1994	907	-	-	-	-	-	1	10	13	10	27
1993	902	-	-	-	-	-	2	7	9	14	17
1992	940	-	-	-	-	2	1	5	15	24	29
1991	916	-	-	-	-	1	2	3	9	20	22
1990	917	-	-	-	-	1	-	9	14	16	19
1989	859	-	-	-	-	-	1	4	15	19	18
1988	802	-	-	-	-	-	3	8	13	11	16
1987	847	-	-	-	-	-	5	5	12	16	13
1986	813	-	-	-	-	1	3	-	13	14	19
1985	832	-	-	-	-	-	3	5	10	10	16
1984	832	-	-	-	-	1	4	4	7	21	20
1983	840	1	-	-	-	-	3	2	9	10	15
1982	760	-	-	-	-	-	4	8	4	12	21
1981	841	-	-	-	-	-	1	5	8	15	18
1980	775	-	-	-	-	-	-	7	13	5	22
1979	822	-	-	-	-	-	4	3	9	22	15

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of colon, rectum and anus (153-154)											
All races, both sexes											
1998	56,785	-	-	-	3	11	40	90	204	433	853
1997	56,503	-	1	-	2	17	33	82	221	431	816
1996	56,497	-	-	-	2	11	34	91	204	431	791
1995	57,333	2	-	-	3	14	31	95	219	412	855
1994	57,062	-	-	-	2	19	41	86	233	413	821
1993	56,955	-	-	-	8	11	34	105	191	424	778
1992	56,494	2	-	-	3	12	36	97	191	410	820
1991	56,243	-	1	2	1	10	43	88	232	415	769
1990	56,525	-	-	-	-	12	26	108	203	420	711
1989	56,261	-	1	-	1	12	46	91	192	371	666
1988	55,920	-	-	-	1	18	38	83	211	435	733
1987	56,334	1	-	-	3	13	32	99	230	423	679
1986	55,816	-	1	1	1	9	51	112	196	384	608
1985	56,451	-	-	2	3	15	42	93	221	404	634
1984	56,332	5	-	-	-	9	28	103	211	373	644
1983	54,723	4	1	2	2	11	47	106	208	351	611
1982	53,943	4	2	3	4	15	54	120	189	355	607
1981	53,249	1	2	2	2	17	45	121	192	327	569
1980	53,272	-	1	1	3	19	59	100	189	342	612
1979	52,273	1	-	-	4	12	40	116	190	342	603
Malignant neoplasms of colon, rectum and anus (153-154)											
All races, male											
1998	27,940	-	-	-	1	9	21	47	112	235	445
1997	27,942	-	1	-	2	12	26	46	121	223	429
1996	27,851	-	-	-	1	5	21	51	116	216	418
1995	28,261	-	-	-	3	8	20	46	119	213	460
1994	28,260	-	-	-	1	14	27	52	133	230	429
1993	27,972	-	-	-	3	6	23	64	111	206	413
1992	28,042	1	-	-	2	9	22	53	104	215	441
1991	27,773	-	-	2	1	7	26	51	121	223	401
1990	28,173	-	-	-	-	6	18	55	107	237	369
1989	27,770	-	-	-	1	6	22	60	103	203	351
1988	27,584	-	-	-	-	9	22	51	119	235	405
1987	27,889	1	-	-	2	7	17	57	138	232	365
1986	27,469	-	1	1	1	7	30	62	98	209	319
1985	27,612	-	-	1	1	10	19	57	104	211	346
1984	27,456	2	-	-	-	5	18	67	134	193	341
1983	26,912	2	-	1	1	7	25	59	111	184	322
1982	26,284	2	-	2	3	6	25	69	109	196	325
1981	25,899	-	2	-	2	16	24	75	112	182	284
1980	26,005	-	-	1	3	10	35	56	89	178	322
1979	25,405	1	-	-	3	7	24	65	107	183	318

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of colon, rectum and anus (153-154)											
All races, female											
1998	28,845	-	-	-	2	2	19	43	92	198	408
1997	28,561	-	-	-	-	5	7	36	100	208	387
1996	28,646	-	-	-	1	6	13	40	88	215	373
1995	29,072	2	-	-	-	6	11	49	100	199	395
1994	28,802	-	-	-	1	5	14	34	100	183	392
1993	28,983	-	-	-	5	5	11	41	80	218	365
1992	28,452	1	-	-	1	3	14	44	87	195	379
1991	28,470	-	1	-	-	3	17	37	111	192	368
1990	28,352	-	-	-	-	6	8	53	96	183	342
1989	28,491	-	1	-	-	6	24	31	89	168	315
1988	28,336	-	-	-	1	9	16	32	92	200	328
1987	28,445	-	-	-	1	6	15	42	92	191	314
1986	28,347	-	-	-	-	2	21	50	98	175	289
1985	28,839	-	-	1	2	5	23	36	117	193	288
1984	28,876	3	-	-	-	4	10	36	77	180	303
1983	27,811	2	1	1	1	4	22	47	97	167	289
1982	27,659	2	2	1	1	9	29	51	80	159	282
1981	27,350	1	-	2	-	1	21	46	80	145	285
1980	27,267	-	1	-	-	9	24	44	100	164	290
1979	26,868	-	-	-	1	5	16	51	83	159	285
Malignant neoplasms of colon, rectum and anus (153-154)											
White, both sexes											
1998	49,130	-	-	-	2	8	30	64	147	306	658
1997	48,950	-	1	-	-	15	27	62	151	304	625
1996	49,179	-	-	-	2	9	20	67	145	318	618
1995	49,988	-	-	-	3	8	24	72	161	315	644
1994	49,961	-	-	-	-	12	30	62	161	313	616
1993	49,916	-	-	-	3	5	23	72	156	344	616
1992	49,715	2	-	-	3	6	25	69	142	312	631
1991	49,556	-	1	2	1	6	31	63	187	313	626
1990	49,858	-	-	-	-	9	16	78	151	323	570
1989	49,807	-	-	-	1	6	27	69	144	296	541
1988	49,726	-	-	-	1	10	25	54	154	328	586
1987	50,113	1	-	-	2	9	21	69	168	327	561
1986	49,842	-	1	1	-	5	36	85	159	304	496
1985	50,402	-	-	1	-	6	30	74	168	329	516
1984	50,573	2	-	-	-	8	20	77	159	310	540
1983	49,254	3	1	2	2	9	33	80	154	293	488
1982	48,547	1	2	3	4	7	33	92	149	294	491
1981	48,041	-	2	2	2	11	35	87	153	256	467
1980	48,196	-	1	1	2	10	39	88	152	299	501
1979	47,362	-	-	-	2	8	30	97	151	257	507

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of colon, rectum and anus (153-154)											
White, male											
1998	24,299	-	-	-	1	6	19	29	77	167	346
1997	24,290	-	1	-	-	11	20	33	82	158	331
1996	24,367	-	-	-	1	5	11	40	79	160	322
1995	24,720	-	-	-	3	6	14	33	89	165	352
1994	24,818	-	-	-	-	8	22	33	91	185	325
1993	24,640	-	-	-	-	3	16	45	87	166	327
1992	24,767	1	-	-	2	4	16	36	81	169	342
1991	24,613	-	-	2	1	4	22	38	98	175	334
1990	24,943	-	-	-	-	6	9	38	77	179	307
1989	24,648	-	-	-	1	3	13	45	76	163	285
1988	24,634	-	-	-	-	4	14	32	90	180	340
1987	24,901	1	-	-	2	5	9	41	104	184	299
1986	24,593	-	1	1	-	4	23	45	81	162	266
1985	24,782	-	-	-	-	4	13	43	82	173	289
1984	24,681	1	-	-	-	5	12	50	104	158	289
1983	24,299	1	-	1	1	6	17	43	87	155	258
1982	23,695	1	-	2	3	2	14	55	87	163	269
1981	23,426	-	2	-	2	10	20	56	93	140	237
1980	23,558	-	-	1	2	5	23	50	72	159	269
1979	23,103	-	-	-	1	5	18	55	87	131	273
Malignant neoplasms of colon, rectum and anus (153-154)											
White, female											
1998	24,831	-	-	-	1	2	11	35	70	139	312
1997	24,660	-	-	-	-	4	7	29	69	146	294
1996	24,812	-	-	-	1	4	9	27	66	158	296
1995	25,268	-	-	-	-	2	10	39	72	150	292
1994	25,143	-	-	-	-	4	8	29	70	128	291
1993	25,276	-	-	-	3	2	7	27	69	178	289
1992	24,948	1	-	-	1	2	9	33	61	143	289
1991	24,943	-	1	-	-	2	9	25	89	138	292
1990	24,915	-	-	-	-	3	7	40	74	144	263
1989	25,159	-	-	-	-	3	14	24	68	133	256
1988	25,092	-	-	-	1	6	11	22	64	148	246
1987	25,212	-	-	-	-	4	12	28	64	143	262
1986	25,249	-	-	-	-	1	13	40	78	142	230
1985	25,620	-	-	1	-	2	17	31	86	156	227
1984	25,892	1	-	-	-	3	8	27	55	152	251
1983	24,955	2	1	1	1	3	16	37	67	138	230
1982	24,852	-	2	1	1	5	19	37	62	131	222
1981	24,615	-	-	2	-	1	15	31	60	116	230
1980	24,638	-	1	-	-	5	16	38	80	140	232
1979	24,259	-	-	-	1	3	12	42	64	126	234

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of colon, rectum and anus (153-154)											
All other, both sexes											
1998	7,655	-	-	-	1	3	10	26	57	127	195
1997	7,553	-	-	-	2	2	6	20	70	127	191
1996	7,318	-	-	-	-	2	14	24	59	113	173
1995	7,345	2	-	-	-	6	7	23	58	97	211
1994	7,101	-	-	-	2	7	11	24	72	100	205
1993	7,039	-	-	-	5	6	11	33	35	80	162
1992	6,779	-	-	-	-	6	11	28	49	98	189
1991	6,687	-	-	-	-	4	12	25	45	102	143
1990	6,667	-	-	-	-	3	10	30	52	97	141
1989	6,454	-	1	-	-	6	19	22	48	75	125
1988	6,194	-	-	-	-	8	13	29	57	107	147
1987	6,221	-	-	-	1	4	11	30	62	96	118
1986	5,974	-	-	-	1	4	15	27	37	80	112
1985	6,049	-	-	1	3	9	12	19	53	75	118
1984	5,759	3	-	-	-	1	8	26	52	63	104
1983	5,469	1	-	-	-	2	14	26	54	58	123
1982	5,396	3	-	-	-	8	21	28	40	61	116
1981	5,208	1	-	-	-	6	10	34	39	71	102
1980	5,076	-	-	-	1	9	20	12	37	43	111
1979	4,911	1	-	-	2	4	10	19	39	85	96
Malignant neoplasms of colon, rectum and anus (153-154)											
All other, male											
1998	3,641	-	-	-	-	3	2	18	35	68	99
1997	3,652	-	-	-	2	1	6	13	39	65	98
1996	3,484	-	-	-	-	-	10	11	37	56	96
1995	3,541	-	-	-	-	2	6	13	30	48	108
1994	3,442	-	-	-	1	6	5	19	42	45	104
1993	3,332	-	-	-	3	3	7	19	24	40	86
1992	3,275	-	-	-	-	5	6	17	23	46	99
1991	3,160	-	-	-	-	3	4	13	23	48	67
1990	3,230	-	-	-	-	-	9	17	30	58	62
1989	3,122	-	-	-	-	3	9	15	27	40	66
1988	2,950	-	-	-	-	5	8	19	29	55	65
1987	2,988	-	-	-	-	2	8	16	34	48	66
1986	2,876	-	-	-	1	3	7	17	17	47	53
1985	2,830	-	-	1	1	6	6	14	22	38	57
1984	2,775	1	-	-	-	-	6	17	30	35	52
1983	2,613	1	-	-	-	1	8	16	24	29	64
1982	2,589	1	-	-	-	4	11	14	22	33	56
1981	2,473	-	-	-	-	6	4	19	19	42	47
1980	2,447	-	-	-	1	5	12	6	17	19	53
1979	2,302	1	-	-	2	2	6	10	20	52	45

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of colon, rectum and anus (153-154)											
All other, female											
1998	4,014	-	-	-	1	-	8	8	22	59	96
1997	3,901	-	-	-	-	1	-	7	31	62	93
1996	3,834	-	-	-	-	2	4	13	22	57	77
1995	3,804	2	-	-	-	4	1	10	28	49	103
1994	3,659	-	-	-	1	1	6	5	30	55	101
1993	3,707	-	-	-	2	3	4	14	11	40	76
1992	3,504	-	-	-	-	1	5	11	26	52	90
1991	3,527	-	-	-	-	1	8	12	22	54	76
1990	3,437	-	-	-	-	3	1	13	22	39	79
1989	3,332	-	1	-	-	3	10	7	21	35	59
1988	3,244	-	-	-	-	3	5	10	28	52	82
1987	3,233	-	-	-	1	2	3	14	28	48	52
1986	3,098	-	-	-	-	1	8	10	20	33	59
1985	3,219	-	-	-	2	3	6	5	31	37	61
1984	2,984	2	-	-	-	1	2	9	22	28	52
1983	2,856	-	-	-	-	1	6	10	30	29	59
1982	2,807	2	-	-	-	4	10	14	18	28	60
1981	2,735	1	-	-	-	-	6	15	20	29	55
1980	2,629	-	-	-	-	4	8	6	20	24	58
1979	2,609	-	-	-	-	2	4	9	19	33	51
Malignant neoplasms of colon, rectum and anus (153-154)											
Black, both sexes											
1998	6,578	-	-	-	1	2	6	20	42	108	160
1997	6,548	-	-	-	1	-	3	16	53	101	159
1996	6,368	-	-	-	-	2	9	20	50	103	148
1995	6,431	2	-	-	-	4	5	17	45	78	175
1994	6,228	-	-	-	2	4	7	22	60	87	178
1993	6,211	-	-	-	4	6	8	28	27	68	136
1992	5,996	-	-	-	-	5	10	21	41	85	163
1991	5,974	-	-	-	-	4	9	21	35	92	122
1990	5,998	-	-	-	-	2	8	28	43	85	120
1989	5,768	-	-	-	-	4	17	18	45	64	114
1988	5,578	-	-	-	-	5	11	24	53	94	134
1987	5,610	-	-	-	1	4	11	24	50	79	95
1986	5,441	-	-	-	1	3	13	25	31	73	100
1985	5,492	-	-	1	3	9	10	15	46	67	101
1984	5,259	1	-	-	-	1	8	25	43	58	91
1983	5,032	1	-	-	-	1	11	22	45	45	111
1982	4,979	-	-	-	-	7	20	23	36	57	106
1981	4,802	-	-	-	-	6	10	29	32	64	96
1980	4,710	-	-	-	1	9	19	12	33	34	103
1979	4,537	1	-	-	2	2	8	17	36	80	91

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of colon, rectum and anus (153-154)											
Black, male											
1998	3,071	-	-	-	-	2	1	12	27	58	81
1997	3,116	-	-	-	1	-	3	11	30	49	82
1996	3,000	-	-	-	-	-	6	10	32	51	84
1995	3,054	-	-	-	-	1	4	11	27	38	88
1994	2,985	-	-	-	1	4	3	18	36	40	93
1993	2,906	-	-	-	3	3	5	17	19	35	73
1992	2,854	-	-	-	-	4	5	13	20	37	90
1991	2,769	-	-	-	-	3	4	12	18	42	57
1990	2,863	-	-	-	-	-	7	16	22	53	53
1989	2,726	-	-	-	-	3	7	12	24	34	58
1988	2,605	-	-	-	-	3	7	16	27	49	60
1987	2,642	-	-	-	-	2	8	11	29	38	56
1986	2,564	-	-	-	1	2	6	16	14	43	48
1985	2,504	-	-	1	1	6	6	12	20	34	48
1984	2,502	-	-	-	-	-	6	16	25	32	44
1983	2,359	1	-	-	-	1	6	12	19	26	57
1982	2,342	-	-	-	-	3	10	11	21	31	53
1981	2,240	-	-	-	-	6	4	16	14	39	45
1980	2,233	-	-	-	1	5	12	6	16	13	49
1979	2,082	1	-	-	2	-	4	8	19	50	43
Malignant neoplasms of colon, rectum and anus (153-154)											
Black, female											
1998	3,507	-	-	-	1	-	5	8	15	50	79
1997	3,432	-	-	-	-	-	-	5	23	52	77
1996	3,368	-	-	-	-	2	3	10	18	52	64
1995	3,377	2	-	-	-	3	1	6	18	40	87
1994	3,243	-	-	-	1	-	4	4	24	47	85
1993	3,305	-	-	-	1	3	3	11	8	33	63
1992	3,142	-	-	-	-	1	5	8	21	48	73
1991	3,205	-	-	-	-	1	5	9	17	50	65
1990	3,135	-	-	-	-	2	1	12	21	32	67
1989	3,042	-	-	-	-	1	10	6	21	30	56
1988	2,973	-	-	-	-	2	4	8	26	45	74
1987	2,968	-	-	-	1	2	3	13	21	41	39
1986	2,877	-	-	-	-	1	7	9	17	30	52
1985	2,988	-	-	-	2	3	4	3	26	33	53
1984	2,757	1	-	-	-	1	2	9	18	26	47
1983	2,673	-	-	-	-	-	5	10	26	19	54
1982	2,637	-	-	-	-	4	10	12	15	26	53
1981	2,562	-	-	-	-	-	6	13	18	25	51
1980	2,477	-	-	-	-	4	7	6	17	21	54
1979	2,455	-	-	-	-	2	4	9	17	30	48

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of liver and intrahepatic bile ducts (155)											
All races, both sexes											
1998	12,381	5	16	6	12	17	26	30	54	110	305
1997	11,938	5	19	9	5	15	14	35	59	132	283
1996	11,584	4	17	10	5	9	26	36	50	131	307
1995	11,191	3	23	7	6	17	17	30	49	114	280
1994	10,427	6	27	9	8	9	24	30	59	138	262
1993	10,063	4	19	8	4	14	16	24	59	136	227
1992	9,555	6	13	9	9	16	24	22	66	124	226
1991	8,847	4	24	7	5	12	19	28	55	117	204
1990	8,511	7	24	5	7	13	21	18	60	105	186
1989	7,988	5	17	6	11	11	15	28	72	107	143
1988	7,575	6	18	7	6	7	16	38	49	112	146
1987	7,227	1	23	8	10	20	21	39	59	116	131
1986	6,983	3	17	5	5	10	20	28	47	118	141
1985	6,809	7	23	8	10	15	22	36	62	88	122
1984	6,521	7	25	7	9	19	21	43	63	103	123
1983	6,215	5	19	8	11	15	26	40	61	82	117
1982	6,143	10	26	14	13	15	23	36	51	75	101
1981	5,877	8	27	3	9	15	26	34	38	48	88
1980	5,618	10	28	7	11	16	24	36	55	53	95
1979	5,623	6	16	10	8	22	28	37	36	58	84
Malignant neoplasms of liver and intrahepatic bile ducts (155)											
All races, male											
1998	7,780	3	9	3	10	7	16	22	33	71	226
1997	7,348	5	10	8	3	7	7	24	35	102	201
1996	7,128	2	12	6	4	6	16	23	32	88	244
1995	6,826	2	9	4	2	5	5	21	34	72	218
1994	6,388	4	22	5	5	5	13	19	41	106	182
1993	6,068	3	10	4	2	7	9	14	35	103	170
1992	5,854	4	6	5	5	5	13	14	43	80	170
1991	5,320	4	16	2	4	7	11	21	41	74	149
1990	5,161	4	14	4	3	8	9	10	46	70	127
1989	4,887	2	12	3	8	3	7	18	43	70	96
1988	4,621	4	12	5	3	3	8	23	36	66	90
1987	4,342	1	13	6	7	12	16	25	47	82	79
1986	4,213	1	12	5	2	1	14	22	30	74	93
1985	4,025	2	16	7	5	7	13	16	37	46	85
1984	3,940	4	13	4	3	13	14	23	38	68	80
1983	3,775	-	14	5	4	4	13	23	37	60	72
1982	3,663	6	14	10	10	5	14	19	32	49	62
1981	3,539	5	16	1	6	9	14	18	24	31	51
1980	3,292	9	20	3	5	7	12	17	36	28	64
1979	3,321	4	9	6	7	12	19	23	20	29	45

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of liver and intrahepatic bile ducts (155)											
All races, female											
1998	4,601	2	7	3	2	10	10	8	21	39	79
1997	4,590	-	9	1	2	8	7	11	24	30	82
1996	4,456	2	5	4	1	3	10	13	18	43	63
1995	4,365	1	14	3	4	12	12	9	15	42	62
1994	4,039	2	5	4	3	4	11	11	18	32	80
1993	3,995	1	9	4	2	7	7	10	24	33	57
1992	3,701	2	7	4	4	11	11	8	23	44	56
1991	3,527	-	8	5	1	5	8	7	14	43	55
1990	3,350	3	10	1	4	5	12	8	14	35	59
1989	3,101	3	5	3	3	8	8	10	29	37	47
1988	2,954	2	6	2	3	4	8	15	13	46	56
1987	2,885	-	10	2	3	8	5	14	12	34	52
1986	2,770	2	5	-	3	9	6	6	17	44	48
1985	2,784	5	7	1	5	8	9	20	25	42	37
1984	2,581	3	12	3	6	6	7	20	25	35	43
1983	2,440	5	5	3	7	11	13	17	24	22	45
1982	2,480	4	12	4	3	10	9	17	19	26	39
1981	2,338	3	11	2	3	6	12	16	14	17	37
1980	2,326	1	8	4	6	9	12	19	19	25	31
1979	2,302	2	7	4	1	10	9	14	16	29	39
Malignant neoplasms of liver and intrahepatic bile ducts (155)											
White, both sexes											
1998	9,964	5	12	4	6	10	18	18	28	66	208
1997	9,622	3	15	7	2	8	8	20	35	82	181
1996	9,433	2	15	8	5	8	14	27	30	73	207
1995	9,050	3	18	6	4	14	14	23	28	64	163
1994	8,459	5	25	8	6	6	18	18	33	87	159
1993	8,236	3	16	8	-	11	10	19	38	80	148
1992	7,763	4	10	6	6	12	22	18	30	75	128
1991	7,195	2	18	5	4	9	9	19	37	66	116
1990	6,899	7	16	5	4	11	13	10	39	58	117
1989	6,511	4	15	4	7	8	6	22	45	58	90
1988	6,205	6	16	4	5	7	13	18	25	62	96
1987	5,923	1	19	7	9	15	14	19	36	72	77
1986	5,735	1	17	4	4	7	13	21	28	67	85
1985	5,587	7	20	6	9	10	17	23	38	55	80
1984	5,320	6	19	5	8	14	14	29	39	60	86
1983	5,032	4	18	4	8	10	19	26	36	52	74
1982	5,046	9	24	13	9	13	18	18	30	53	66
1981	4,882	8	24	3	7	11	19	20	28	32	67
1980	4,654	9	23	7	9	10	20	25	42	31	64
1979	4,688	5	13	6	7	17	22	23	24	48	54

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of liver and intrahepatic bile ducts (155)											
White, male											
1998	6,163	3	6	2	4	3	10	13	13	42	149
1997	5,850	3	7	7	1	3	5	13	20	57	126
1996	5,713	1	10	4	4	5	9	15	19	49	160
1995	5,468	2	7	4	1	2	4	16	18	37	124
1994	5,092	4	21	4	3	3	10	12	20	62	100
1993	4,907	2	10	4	-	5	3	10	20	57	112
1992	4,687	3	5	5	3	3	12	11	19	47	94
1991	4,278	2	12	2	4	5	5	14	25	40	81
1990	4,124	4	10	4	1	7	4	5	28	33	81
1989	3,902	2	10	1	5	2	2	13	19	35	55
1988	3,715	4	10	3	2	3	6	10	16	36	49
1987	3,509	1	10	5	6	9	11	10	28	48	43
1986	3,377	1	12	4	2	1	9	15	14	37	51
1985	3,212	2	14	5	4	5	11	9	20	27	51
1984	3,100	4	10	4	2	8	10	11	20	35	53
1983	2,977	-	13	3	4	2	11	15	18	34	39
1982	2,952	5	13	9	6	5	9	7	17	33	37
1981	2,865	5	14	1	4	6	10	9	14	17	36
1980	2,646	8	17	3	4	6	10	12	25	13	43
1979	2,703	3	8	4	6	8	15	11	12	23	25
Malignant neoplasms of liver and intrahepatic bile ducts (155)											
White, female											
1998	3,801	2	6	2	2	7	8	5	15	24	59
1997	3,772	-	8	-	1	5	3	7	15	25	55
1996	3,720	1	5	4	1	3	5	12	11	24	47
1995	3,582	1	11	2	3	12	10	7	10	27	39
1994	3,367	1	4	4	3	3	8	6	13	25	59
1993	3,329	1	6	4	-	6	7	9	18	23	36
1992	3,076	1	5	1	3	9	10	7	11	28	34
1991	2,917	-	6	3	-	4	4	5	12	26	35
1990	2,775	3	6	1	3	4	9	5	11	25	36
1989	2,609	2	5	3	2	6	4	9	26	23	35
1988	2,490	2	6	1	3	4	7	8	9	26	47
1987	2,414	-	9	2	3	6	3	9	8	24	34
1986	2,358	-	5	-	2	6	4	6	14	30	34
1985	2,375	5	6	1	5	5	6	14	18	28	29
1984	2,220	2	9	1	6	6	4	18	19	25	33
1983	2,055	4	5	1	4	8	8	11	18	18	35
1982	2,094	4	11	4	3	8	9	11	13	20	29
1981	2,017	3	10	2	3	5	9	11	14	15	31
1980	2,008	1	6	4	5	4	10	13	17	18	21
1979	1,985	2	5	2	1	9	7	12	12	25	29

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of liver and intrahepatic bile ducts (155)											
All other, both sexes											
1998	2,417	-	4	2	6	7	8	12	26	44	97
1997	2,316	2	4	2	3	7	6	15	24	50	102
1996	2,151	2	2	2	-	1	12	9	20	58	100
1995	2,141	-	5	1	2	3	3	7	21	50	117
1994	1,968	1	2	1	2	3	6	12	26	51	103
1993	1,827	1	3	-	4	3	6	5	21	56	79
1992	1,792	2	3	3	3	4	2	4	36	49	98
1991	1,652	2	6	2	1	3	10	9	18	51	88
1990	1,612	-	8	-	3	2	8	8	21	47	69
1989	1,477	1	2	2	4	3	9	6	27	49	53
1988	1,370	-	2	3	1	-	3	20	24	50	50
1987	1,304	-	4	1	1	5	7	20	23	44	54
1986	1,248	2	-	1	1	3	7	7	19	51	56
1985	1,222	-	3	2	1	5	5	13	24	33	42
1984	1,201	1	6	2	1	5	7	14	24	43	37
1983	1,183	1	1	4	3	5	7	14	25	30	43
1982	1,097	1	2	1	4	2	5	18	21	22	35
1981	995	-	3	-	2	4	7	14	10	16	21
1980	964	1	5	-	2	6	4	11	13	22	31
1979	935	1	3	4	1	5	6	14	12	10	30
Malignant neoplasms of liver and intrahepatic bile ducts (155)											
All other, male											
1998	1,617	-	3	1	6	4	6	9	20	29	77
1997	1,498	2	3	1	2	4	2	11	15	45	75
1996	1,415	1	2	2	-	1	7	8	13	39	84
1995	1,358	-	2	-	1	3	1	5	16	35	94
1994	1,296	-	1	1	2	2	3	7	21	44	82
1993	1,161	1	-	-	2	2	6	4	15	46	58
1992	1,167	1	1	-	2	2	1	3	24	33	76
1991	1,042	2	4	-	-	2	6	7	16	34	68
1990	1,037	-	4	-	2	1	5	5	18	37	46
1989	985	-	2	2	3	1	5	5	24	35	41
1988	906	-	2	2	1	-	2	13	20	30	41
1987	833	-	3	1	1	3	5	15	19	34	36
1986	836	-	-	1	-	-	5	7	16	37	42
1985	813	-	2	2	1	2	2	7	17	19	34
1984	840	-	3	-	1	5	4	12	18	33	27
1983	798	-	1	2	-	2	2	8	19	26	33
1982	711	1	1	1	4	-	5	12	15	16	25
1981	674	-	2	-	2	3	4	9	10	14	15
1980	646	1	3	-	1	1	2	5	11	15	21
1979	618	1	1	2	1	4	4	12	8	6	20

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of liver and intrahepatic bile ducts (155)											
All other, female											
1998	800	-	1	1	-	3	2	3	6	15	20
1997	818	-	1	1	1	3	4	4	9	5	27
1996	736	1	-	-	-	-	5	1	7	19	16
1995	783	-	3	1	1	-	2	2	5	15	23
1994	672	1	1	-	-	1	3	5	5	7	21
1993	666	-	3	-	2	1	-	1	6	10	21
1992	625	1	2	3	1	2	1	1	12	16	22
1991	610	-	2	2	1	1	4	2	2	17	20
1990	575	-	4	-	1	1	3	3	3	10	23
1989	492	1	-	-	1	2	4	1	3	14	12
1988	464	-	-	1	-	-	1	7	4	20	9
1987	471	-	1	-	-	2	2	5	4	10	18
1986	412	2	-	-	1	3	2	-	3	14	14
1985	409	-	1	-	-	3	3	6	7	14	8
1984	361	1	3	2	-	-	3	2	6	10	10
1983	385	1	-	2	3	3	5	6	6	4	10
1982	386	-	1	-	-	2	-	6	6	6	10
1981	321	-	1	-	-	1	3	5	-	2	6
1980	318	-	2	-	1	5	2	6	2	7	10
1979	317	-	2	2	-	1	2	2	4	4	10
Malignant neoplasms of liver and intrahepatic bile ducts (155)											
Black, both sexes											
1998	1,568	-	4	2	4	2	6	9	15	27	61
1997	1,446	-	2	2	1	4	4	10	15	28	65
1996	1,377	1	2	1	-	1	9	7	7	39	60
1995	1,421	-	5	1	2	-	3	4	14	33	75
1994	1,274	-	2	1	1	1	3	8	14	31	65
1993	1,203	1	2	-	3	2	5	3	13	37	44
1992	1,180	2	1	2	2	2	2	2	22	28	65
1991	1,108	-	5	2	-	1	9	6	11	29	56
1990	1,091	-	7	-	3	2	8	4	12	22	47
1989	1,042	1	2	-	3	3	7	3	21	29	21
1988	962	-	2	-	1	-	2	13	14	26	27
1987	938	-	3	1	1	2	4	17	12	25	39
1986	919	1	-	1	1	3	6	5	12	26	30
1985	894	-	1	1	1	5	5	11	13	20	30
1984	923	-	4	2	-	4	6	8	17	26	22
1983	903	-	1	2	2	3	6	12	19	21	27
1982	863	1	2	1	2	2	2	15	15	12	24
1981	819	-	3	-	1	3	7	12	9	8	12
1980	806	-	5	-	1	5	4	8	10	18	19
1979	775	1	2	3	1	4	5	12	9	9	19

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of liver and intrahepatic bile ducts (155)											
Black, male											
1998	1,039	-	3	1	4	1	4	6	13	15	46
1997	900	-	1	1	1	2	1	8	8	24	46
1996	874	1	2	1	-	1	6	6	2	24	49
1995	867	-	2	-	1	-	1	3	9	22	62
1994	812	-	1	1	1	1	-	4	10	27	51
1993	744	1	-	-	2	1	5	3	9	29	31
1992	757	1	-	-	1	1	1	1	14	18	53
1991	678	-	4	-	-	-	6	4	10	19	43
1990	653	-	3	-	2	1	5	2	10	16	28
1989	674	-	2	-	2	1	3	2	18	22	15
1988	606	-	2	-	1	-	2	6	10	14	22
1987	572	-	2	1	1	1	3	12	11	20	24
1986	596	-	-	1	-	-	4	5	9	17	23
1985	578	-	-	1	1	2	2	6	10	11	23
1984	628	-	2	-	-	4	3	6	13	19	17
1983	581	-	1	1	-	1	2	7	13	19	20
1982	550	1	1	1	2	-	2	9	10	10	18
1981	534	-	2	-	1	2	4	8	9	6	10
1980	526	-	3	-	1	1	2	4	8	13	11
1979	506	1	1	1	1	4	4	11	5	6	11
Malignant neoplasms of liver and intrahepatic bile ducts (155)											
Black, female											
1998	529	-	1	1	-	1	2	3	2	12	15
1997	546	-	1	1	-	2	3	2	7	4	19
1996	503	-	-	-	-	-	3	1	5	15	11
1995	554	-	3	1	1	-	2	1	5	11	13
1994	462	-	1	-	-	-	3	4	4	4	14
1993	459	-	2	-	1	1	-	-	4	8	13
1992	423	1	1	2	1	1	1	1	8	10	12
1991	430	-	1	2	-	1	3	2	1	10	13
1990	438	-	4	-	1	1	3	2	2	6	19
1989	368	1	-	-	1	2	4	1	3	7	6
1988	356	-	-	-	-	-	-	7	4	12	5
1987	366	-	1	-	-	1	1	5	1	5	15
1986	323	1	-	-	1	3	2	-	3	9	7
1985	316	-	1	-	-	3	3	5	3	9	7
1984	295	-	2	2	-	-	3	2	4	7	5
1983	322	-	-	1	2	2	4	5	6	2	7
1982	313	-	1	-	-	2	-	6	5	2	6
1981	285	-	1	-	-	1	3	4	-	2	2
1980	280	-	2	-	-	4	2	4	2	5	8
1979	269	-	1	2	-	-	1	1	4	3	8

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of pancreas (157)											
All races, both sexes											
1998	28,335	-	1	1	1	2	7	20	43	152	401
1997	27,675	2	-	-	-	1	5	9	50	160	394
1996	27,260	-	-	1	-	3	8	10	44	148	370
1995	26,766	-	-	-	-	-	6	11	42	148	350
1994	26,834	-	1	-	-	1	3	17	45	151	359
1993	26,445	-	1	-	2	2	5	15	47	148	376
1992	26,071	-	-	1	2	1	5	28	54	142	343
1991	25,536	-	1	-	1	1	8	16	58	140	364
1990	25,082	-	-	2	1	2	6	18	46	151	292
1989	24,543	1	-	-	-	-	6	11	54	125	307
1988	23,848	-	-	-	1	2	4	14	53	120	288
1987	23,737	2	-	1	-	1	7	18	45	135	278
1986	23,458	2	-	-	1	2	2	16	39	123	295
1985	23,102	-	-	1	1	2	13	17	49	131	266
1984	23,155	1	-	2	2	2	6	20	47	139	259
1983	22,532	-	1	3	3	5	5	28	45	106	278
1982	22,010	3	-	-	-	6	7	20	52	108	235
1981	21,792	1	-	1	1	-	8	17	51	123	277
1980	21,319	1	-	-	2	3	8	12	46	89	249
1979	21,058	1	-	1	1	3	11	17	49	115	251
Malignant neoplasm of pancreas (157)											
All races, male											
1998	13,806	-	1	-	1	1	2	9	25	81	241
1997	13,470	-	-	-	-	1	3	7	27	107	232
1996	13,027	-	-	-	-	-	5	5	24	85	223
1995	12,826	-	-	-	-	-	4	7	26	89	235
1994	12,920	-	-	-	-	-	1	9	26	99	232
1993	12,669	-	-	-	2	1	2	6	25	85	245
1992	12,672	-	-	1	1	1	2	13	30	97	220
1991	12,375	-	-	-	-	-	1	10	35	88	227
1990	12,199	-	-	-	-	-	2	12	33	100	187
1989	11,965	-	-	-	-	-	1	7	32	65	197
1988	11,722	-	-	-	1	2	2	10	35	87	188
1987	11,550	1	-	-	-	1	4	10	25	76	168
1986	11,403	1	-	-	1	1	1	10	25	89	194
1985	11,542	-	-	1	1	2	8	10	25	86	160
1984	11,517	-	-	1	2	-	6	10	31	86	154
1983	11,240	-	1	1	1	3	2	16	28	65	161
1982	11,228	1	-	-	-	3	3	11	31	67	135
1981	11,191	1	-	-	-	-	5	12	30	77	181
1980	10,994	1	-	-	1	1	5	6	25	56	146
1979	11,023	1	-	-	-	2	5	9	27	75	161

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of pancreas (157)											
All races, female											
1998	14,529	-	-	1	-	1	5	11	18	71	160
1997	14,205	2	-	-	-	-	2	2	23	53	162
1996	14,233	-	-	1	-	3	3	5	20	63	147
1995	13,940	-	-	-	-	-	2	4	16	59	115
1994	13,914	-	1	-	-	1	2	8	19	52	127
1993	13,776	-	1	-	-	1	3	9	22	63	131
1992	13,399	-	-	-	1	-	3	15	24	45	123
1991	13,161	-	1	-	1	1	7	6	23	52	137
1990	12,883	-	-	2	1	2	4	6	13	51	105
1989	12,578	1	-	-	-	-	5	4	22	60	110
1988	12,126	-	-	-	-	-	2	4	18	33	100
1987	12,187	1	-	1	-	-	3	8	20	59	110
1986	12,055	1	-	-	-	1	1	6	14	34	101
1985	11,560	-	-	-	-	-	5	7	24	45	106
1984	11,638	1	-	1	-	2	-	10	16	53	105
1983	11,292	-	-	2	2	2	3	12	17	41	117
1982	10,782	2	-	-	-	3	4	9	21	41	100
1981	10,601	-	-	1	1	-	3	5	21	46	96
1980	10,325	-	-	-	1	2	3	6	21	33	103
1979	10,035	-	-	1	1	1	6	8	22	40	90
Malignant neoplasm of pancreas (157)											
White, both sexes											
1998	24,397	-	1	-	1	2	4	15	34	111	318
1997	23,864	-	-	-	-	1	4	6	39	121	316
1996	23,513	-	-	1	-	2	6	9	32	112	291
1995	23,269	-	-	-	-	-	2	8	34	116	273
1994	23,104	-	-	-	-	1	3	13	34	115	269
1993	22,859	-	1	-	1	-	5	10	36	114	300
1992	22,519	-	-	1	1	1	5	25	41	117	263
1991	22,216	-	-	-	1	1	6	13	45	114	290
1990	21,728	-	-	1	-	1	2	17	41	110	239
1989	21,236	1	-	-	-	-	6	6	41	92	253
1988	20,679	-	-	-	-	2	2	9	47	90	235
1987	20,664	2	-	-	-	1	6	14	37	105	213
1986	20,470	2	-	-	1	1	1	11	36	106	241
1985	20,173	-	-	1	1	2	9	13	40	111	219
1984	20,153	-	-	1	-	1	5	17	36	108	212
1983	19,630	-	-	2	2	3	5	23	36	89	233
1982	19,299	-	-	-	-	5	6	15	39	90	191
1981	19,262	-	-	1	1	-	4	12	42	103	227
1980	18,738	-	-	-	2	1	4	10	43	73	209
1979	18,623	1	-	1	-	3	10	15	43	99	212

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of pancreas (157)											
White, male											
1998	11,978	-	1	-	1	1	2	7	19	65	200
1997	11,702	-	-	-	-	1	2	4	19	80	186
1996	11,300	-	-	-	-	-	4	4	18	66	176
1995	11,212	-	-	-	-	-	2	6	22	74	185
1994	11,149	-	-	-	-	-	1	8	16	77	176
1993	10,983	-	-	-	1	-	2	3	20	69	198
1992	10,980	-	-	1	-	1	2	13	24	83	168
1991	10,802	-	-	-	-	-	1	8	29	70	181
1990	10,582	-	-	-	-	-	1	11	31	69	155
1989	10,386	-	-	-	-	-	1	3	22	48	162
1988	10,188	-	-	-	-	2	2	6	32	65	155
1987	10,040	1	-	-	-	1	4	7	19	60	132
1986	9,974	1	-	-	1	-	-	9	24	79	162
1985	10,070	-	-	1	1	2	6	8	21	71	133
1984	10,033	-	-	-	-	-	5	10	25	61	129
1983	9,749	-	-	-	1	2	2	14	23	52	134
1982	9,835	-	-	-	-	3	3	9	25	54	107
1981	9,840	-	-	-	-	-	2	7	26	61	151
1980	9,676	-	-	-	1	1	2	5	23	44	125
1979	9,794	1	-	-	-	2	4	9	25	66	136
Malignant neoplasm of pancreas (157)											
White, female											
1998	12,419	-	-	-	-	1	2	8	15	46	118
1997	12,162	-	-	-	-	-	2	2	20	41	130
1996	12,213	-	-	1	-	2	2	5	14	46	115
1995	12,057	-	-	-	-	-	-	2	12	42	88
1994	11,955	-	-	-	-	1	2	5	18	38	93
1993	11,876	-	1	-	-	-	3	7	16	45	102
1992	11,539	-	-	-	1	-	3	12	17	34	95
1991	11,414	-	-	-	1	1	5	5	16	44	109
1990	11,146	-	-	1	-	1	1	6	10	41	84
1989	10,850	1	-	-	-	-	5	3	19	44	91
1988	10,491	-	-	-	-	-	-	3	15	25	80
1987	10,624	1	-	-	-	-	2	7	18	45	81
1986	10,496	1	-	-	-	1	1	2	12	27	79
1985	10,103	-	-	-	-	-	3	5	19	40	86
1984	10,120	-	-	1	-	1	-	7	11	47	83
1983	9,881	-	-	2	1	1	3	9	13	37	99
1982	9,464	-	-	-	-	2	3	6	14	36	84
1981	9,422	-	-	1	1	-	2	5	16	42	76
1980	9,062	-	-	-	1	-	2	5	20	29	84
1979	8,829	-	-	1	-	1	6	6	18	33	76

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of pancreas (157)											
All other, both sexes											
1998	3,938	-	-	1	-	-	3	5	9	41	83
1997	3,811	2	-	-	-	-	1	3	11	39	78
1996	3,747	-	-	-	-	1	2	1	12	36	79
1995	3,497	-	-	-	-	-	4	3	8	32	77
1994	3,730	-	1	-	-	-	-	4	11	36	90
1993	3,586	-	-	-	1	2	-	5	11	34	76
1992	3,552	-	-	-	1	-	-	3	13	25	80
1991	3,320	-	1	-	-	-	2	3	13	26	74
1990	3,354	-	-	1	1	1	4	1	5	41	53
1989	3,307	-	-	-	-	-	-	5	13	33	54
1988	3,169	-	-	-	1	-	2	5	6	30	53
1987	3,073	-	-	1	-	-	1	4	8	30	65
1986	2,988	-	-	-	-	1	1	5	3	17	54
1985	2,929	-	-	-	-	-	4	4	9	20	47
1984	3,002	1	-	1	2	1	1	3	11	31	47
1983	2,902	-	1	1	1	2	-	5	9	17	45
1982	2,711	3	-	-	-	1	1	5	13	18	44
1981	2,530	1	-	-	-	-	4	5	9	20	50
1980	2,581	1	-	-	-	2	4	2	3	16	40
1979	2,435	-	-	-	1	-	1	2	6	16	39
Malignant neoplasm of pancreas (157)											
All other, male											
1998	1,828	-	-	-	-	-	-	2	6	16	41
1997	1,768	-	-	-	-	-	1	3	8	27	46
1996	1,727	-	-	-	-	-	1	1	6	19	47
1995	1,614	-	-	-	-	-	2	1	4	15	50
1994	1,771	-	-	-	-	-	-	1	10	22	56
1993	1,686	-	-	-	1	1	-	3	5	16	47
1992	1,692	-	-	-	1	-	-	-	6	14	52
1991	1,573	-	-	-	-	-	-	2	6	18	46
1990	1,617	-	-	-	-	-	1	1	2	31	32
1989	1,579	-	-	-	-	-	-	4	10	17	35
1988	1,534	-	-	-	1	-	-	4	3	22	33
1987	1,510	-	-	-	-	-	-	3	6	16	36
1986	1,429	-	-	-	-	1	1	1	1	10	32
1985	1,472	-	-	-	-	-	2	2	4	15	27
1984	1,484	-	-	1	2	-	1	-	6	25	25
1983	1,491	-	1	1	-	1	-	2	5	13	27
1982	1,393	1	-	-	-	-	-	2	6	13	28
1981	1,351	1	-	-	-	-	3	5	4	16	30
1980	1,318	1	-	-	-	-	3	1	2	12	21
1979	1,229	-	-	-	-	-	1	-	2	9	25

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of pancreas (157)											
All other, female											
1998	2,110	-	-	1	-	-	3	3	3	25	42
1997	2,043	2	-	-	-	-	-	-	3	12	32
1996	2,020	-	-	-	-	1	1	-	6	17	32
1995	1,883	-	-	-	-	-	2	2	4	17	27
1994	1,959	-	1	-	-	-	-	3	1	14	34
1993	1,900	-	-	-	-	1	-	2	6	18	29
1992	1,860	-	-	-	-	-	-	3	7	11	28
1991	1,747	-	1	-	-	-	2	1	7	8	28
1990	1,737	-	-	1	1	1	3	-	3	10	21
1989	1,728	-	-	-	-	-	-	1	3	16	19
1988	1,635	-	-	-	-	-	2	1	3	8	20
1987	1,563	-	-	1	-	-	1	1	2	14	29
1986	1,559	-	-	-	-	-	-	4	2	7	22
1985	1,457	-	-	-	-	-	2	2	5	5	20
1984	1,518	1	-	-	-	1	-	3	5	6	22
1983	1,411	-	-	-	1	1	-	3	4	4	18
1982	1,318	2	-	-	-	1	1	3	7	5	16
1981	1,179	-	-	-	-	-	1	-	5	4	20
1980	1,263	-	-	-	-	2	1	1	1	4	19
1979	1,206	-	-	-	1	-	-	2	4	7	14
Malignant neoplasm of pancreas (157)											
Black, both sexes											
1998	3,385	-	-	-	-	-	3	5	7	35	72
1997	3,319	2	-	-	-	-	1	3	10	36	64
1996	3,222	-	-	-	-	-	2	1	10	28	68
1995	3,032	-	-	-	-	-	4	1	5	27	66
1994	3,255	-	1	-	-	-	-	3	9	26	83
1993	3,176	-	-	-	1	2	-	4	9	28	67
1992	3,180	-	-	-	1	-	-	1	12	22	68
1991	2,933	-	1	-	-	-	2	3	12	23	63
1990	3,023	-	-	1	1	1	4	1	3	39	47
1989	2,954	-	-	-	-	-	-	4	13	30	42
1988	2,824	-	-	-	1	-	2	5	5	22	47
1987	2,778	-	-	1	-	-	1	3	4	27	58
1986	2,740	-	-	-	-	1	1	5	3	16	48
1985	2,677	-	-	-	-	-	2	3	8	17	40
1984	2,764	-	-	1	2	1	1	3	7	28	44
1983	2,674	-	1	-	1	2	-	4	8	15	42
1982	2,508	-	-	-	-	1	1	3	12	16	39
1981	2,356	-	-	-	-	-	4	3	6	16	43
1980	2,401	1	-	-	-	2	2	2	3	15	35
1979	2,277	-	-	-	1	-	1	1	6	14	35

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of pancreas (157)											
Black, male											
1998	1,543	-	-	-	-	-	-	2	4	14	37
1997	1,511	-	-	-	-	-	1	3	7	25	39
1996	1,472	-	-	-	-	-	1	1	4	17	39
1995	1,375	-	-	-	-	-	2	1	2	13	43
1994	1,522	-	-	-	-	-	-	-	8	16	53
1993	1,475	-	-	-	1	1	-	3	5	15	40
1992	1,503	-	-	-	1	-	-	-	6	13	44
1991	1,379	-	-	-	-	-	-	2	5	16	43
1990	1,442	-	-	-	-	-	1	1	1	29	27
1989	1,403	-	-	-	-	-	-	4	10	15	28
1988	1,355	-	-	-	1	-	-	4	2	15	29
1987	1,348	-	-	-	-	-	-	2	2	14	32
1986	1,294	-	-	-	-	1	1	1	1	10	28
1985	1,327	-	-	-	-	-	1	2	4	12	23
1984	1,347	-	-	1	2	-	1	-	3	23	23
1983	1,351	-	1	-	-	1	-	2	4	12	26
1982	1,281	-	-	-	-	-	-	2	5	12	24
1981	1,258	-	-	-	-	-	3	3	4	13	24
1980	1,216	1	-	-	-	-	1	1	2	12	19
1979	1,151	-	-	-	-	-	1	-	2	9	24
Malignant neoplasm of pancreas (157)											
Black, female											
1998	1,842	-	-	-	-	-	3	3	3	21	35
1997	1,808	2	-	-	-	-	-	-	3	11	25
1996	1,750	-	-	-	-	-	1	-	6	11	29
1995	1,657	-	-	-	-	-	2	-	3	14	23
1994	1,733	-	1	-	-	-	-	3	1	10	30
1993	1,701	-	-	-	-	1	-	1	4	13	27
1992	1,677	-	-	-	-	-	-	1	6	9	24
1991	1,554	-	1	-	-	-	2	1	7	7	20
1990	1,581	-	-	1	1	1	3	-	2	10	20
1989	1,551	-	-	-	-	-	-	-	3	15	14
1988	1,469	-	-	-	-	-	2	1	3	7	18
1987	1,430	-	-	1	-	-	1	1	2	13	26
1986	1,446	-	-	-	-	-	-	4	2	6	20
1985	1,350	-	-	-	-	-	1	1	4	5	17
1984	1,417	-	-	-	-	1	-	3	4	5	21
1983	1,323	-	-	-	1	1	-	2	4	3	16
1982	1,227	-	-	-	-	1	1	1	7	4	15
1981	1,098	-	-	-	-	-	1	-	2	3	19
1980	1,185	-	-	-	-	2	1	1	1	3	16
1979	1,126	-	-	-	1	-	-	1	4	5	11

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of larynx (161)											
All races, both sexes											
1998	3,866	-	-	1	1	1	-	-	2	20	63
1997	3,811	-	-	-	-	-	-	-	-	13	56
1996	3,918	-	-	-	-	-	-	2	5	26	59
1995	3,871	-	-	-	-	-	1	2	3	17	58
1994	3,947	1	-	-	-	-	1	-	3	29	61
1993	3,981	-	-	-	-	-	1	1	5	19	59
1992	3,966	-	-	-	-	-	-	2	4	23	66
1991	3,989	-	-	-	-	-	4	3	3	22	71
1990	3,710	-	-	-	1	-	-	1	5	17	55
1989	3,729	-	-	-	-	-	-	2	6	27	61
1988	3,667	1	-	-	-	-	-	-	3	16	58
1987	3,671	-	-	-	-	-	1	5	7	18	52
1986	3,611	-	-	-	1	-	1	1	6	15	57
1985	3,502	-	-	-	-	1	-	1	6	12	43
1984	3,626	-	-	1	1	-	1	-	4	12	46
1983	3,605	-	-	1	-	-	-	1	6	9	50
1982	3,636	-	-	-	1	-	-	-	4	16	52
1981	3,531	1	-	-	-	1	-	1	5	12	52
1980	3,412	-	-	1	-	-	2	1	4	15	39
1979	3,446	-	1	-	-	1	1	-	3	16	49
Malignant neoplasm of larynx (161)											
All races, male											
1998	3,002	-	-	-	1	-	-	-	2	16	52
1997	3,017	-	-	-	-	-	-	-	-	11	34
1996	3,095	-	-	-	-	-	-	1	4	21	48
1995	3,081	-	-	-	-	-	1	1	-	14	50
1994	3,127	1	-	-	-	-	1	-	1	24	45
1993	3,163	-	-	-	-	-	-	-	2	15	48
1992	3,114	-	-	-	-	-	-	1	4	18	55
1991	3,127	-	-	-	-	-	3	2	1	17	60
1990	2,977	-	-	-	-	-	-	-	4	12	45
1989	2,961	-	-	-	-	-	-	2	4	22	51
1988	2,965	-	-	-	-	-	-	-	1	13	51
1987	2,975	-	-	-	-	-	1	2	4	13	43
1986	2,906	-	-	-	-	-	1	1	6	10	49
1985	2,844	-	-	-	-	1	-	-	4	11	35
1984	2,960	-	-	-	-	-	-	-	3	8	38
1983	2,943	-	-	1	-	-	-	1	5	7	39
1982	2,971	-	-	-	1	-	-	-	3	13	37
1981	2,905	1	-	-	-	-	-	1	3	10	39
1980	2,845	-	-	-	-	-	2	1	3	9	33
1979	2,910	-	-	-	-	-	1	-	3	14	41

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of larynx (161)											
All races, female											
1998	864	-	-	1	-	1	-	-	-	4	11
1997	794	-	-	-	-	-	-	-	-	2	22
1996	823	-	-	-	-	-	-	1	1	5	11
1995	790	-	-	-	-	-	-	1	3	3	8
1994	820	-	-	-	-	-	-	-	2	5	16
1993	818	-	-	-	-	-	1	1	3	4	11
1992	852	-	-	-	-	-	-	1	-	5	11
1991	862	-	-	-	-	-	1	1	2	5	11
1990	733	-	-	-	1	-	-	1	1	5	10
1989	768	-	-	-	-	-	-	-	2	5	10
1988	702	1	-	-	-	-	-	-	2	3	7
1987	696	-	-	-	-	-	-	3	3	5	9
1986	705	-	-	-	1	-	-	-	-	5	8
1985	658	-	-	-	-	-	-	1	2	1	8
1984	666	-	-	1	1	-	1	-	1	4	8
1983	662	-	-	-	-	-	-	-	1	2	11
1982	665	-	-	-	-	-	-	-	1	3	15
1981	626	-	-	-	-	1	-	-	2	2	13
1980	567	-	-	1	-	-	-	-	1	6	6
1979	536	-	1	-	-	1	-	-	-	2	8
Malignant neoplasm of larynx (161)											
White, both sexes											
1998	3,106	-	-	1	1	-	-	-	1	13	43
1997	3,041	-	-	-	-	-	-	-	-	8	37
1996	3,133	-	-	-	-	-	-	2	5	16	38
1995	3,127	-	-	-	-	-	-	1	3	12	45
1994	3,174	-	-	-	-	-	1	-	2	22	33
1993	3,233	-	-	-	-	-	1	1	4	11	45
1992	3,220	-	-	-	-	-	-	1	2	15	35
1991	3,245	-	-	-	-	-	3	3	3	11	43
1990	3,046	-	-	-	1	-	-	1	5	11	30
1989	3,037	-	-	-	-	-	-	2	2	16	33
1988	2,975	-	-	-	-	-	-	-	3	8	39
1987	3,047	-	-	-	-	-	1	5	5	7	31
1986	2,975	-	-	-	1	-	1	-	5	5	30
1985	2,883	-	-	-	-	-	-	-	2	7	22
1984	2,995	-	-	1	1	-	1	-	3	7	26
1983	3,052	-	-	1	-	-	-	-	4	4	25
1982	3,088	-	-	-	-	-	-	-	4	9	27
1981	2,960	-	-	-	-	1	-	-	4	8	28
1980	2,849	-	-	1	-	-	2	1	2	6	21
1979	2,957	-	1	-	-	-	1	-	3	12	34

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of larynx (161)											
White, male											
1998	2,381	-	-	-	1	-	-	-	1	10	36
1997	2,388	-	-	-	-	-	-	-	-	7	21
1996	2,447	-	-	-	-	-	-	1	4	14	29
1995	2,483	-	-	-	-	-	-	1	-	10	39
1994	2,501	-	-	-	-	-	1	-	-	18	22
1993	2,560	-	-	-	-	-	-	-	1	10	38
1992	2,512	-	-	-	-	-	-	1	2	12	29
1991	2,540	-	-	-	-	-	3	2	1	8	35
1990	2,448	-	-	-	-	-	-	-	4	7	25
1989	2,377	-	-	-	-	-	-	2	2	12	25
1988	2,370	-	-	-	-	-	-	-	1	8	34
1987	2,460	-	-	-	-	-	1	2	2	6	22
1986	2,390	-	-	-	-	-	1	-	5	5	25
1985	2,341	-	-	-	-	-	-	-	1	6	18
1984	2,421	-	-	-	-	-	-	-	2	5	21
1983	2,492	-	-	1	-	-	-	-	4	3	20
1982	2,514	-	-	-	-	-	-	-	3	7	20
1981	2,453	-	-	-	-	-	-	-	3	7	24
1980	2,377	-	-	-	-	-	2	1	2	4	18
1979	2,488	-	-	-	-	-	1	-	3	11	26
Malignant neoplasm of larynx (161)											
White, female											
1998	725	-	-	1	-	-	-	-	-	3	7
1997	653	-	-	-	-	-	-	-	-	1	16
1996	686	-	-	-	-	-	-	1	1	2	9
1995	644	-	-	-	-	-	-	-	3	2	6
1994	673	-	-	-	-	-	-	-	2	4	11
1993	673	-	-	-	-	-	1	1	3	1	7
1992	708	-	-	-	-	-	-	-	-	3	6
1991	705	-	-	-	-	-	-	1	2	3	8
1990	598	-	-	-	1	-	-	1	1	4	5
1989	660	-	-	-	-	-	-	-	-	4	8
1988	605	-	-	-	-	-	-	-	2	-	5
1987	587	-	-	-	-	-	-	3	3	1	9
1986	585	-	-	-	1	-	-	-	-	-	5
1985	542	-	-	-	-	-	-	-	1	1	4
1984	574	-	-	1	1	-	1	-	1	2	5
1983	560	-	-	-	-	-	-	-	-	1	5
1982	574	-	-	-	-	-	-	-	1	2	7
1981	507	-	-	-	-	1	-	-	1	1	4
1980	472	-	-	1	-	-	-	-	-	2	3
1979	469	-	1	-	-	-	-	-	-	1	8

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of larynx (161)											
All other, both sexes											
1998	760	-	-	-	-	1	-	-	1	7	20
1997	770	-	-	-	-	-	-	-	-	5	19
1996	785	-	-	-	-	-	-	-	-	10	21
1995	744	-	-	-	-	-	1	1	-	5	13
1994	773	1	-	-	-	-	-	-	1	7	28
1993	748	-	-	-	-	-	-	-	1	8	14
1992	746	-	-	-	-	-	-	1	2	8	31
1991	744	-	-	-	-	-	1	-	-	11	28
1990	664	-	-	-	-	-	-	-	-	6	25
1989	692	-	-	-	-	-	-	-	4	11	28
1988	692	1	-	-	-	-	-	-	-	8	19
1987	624	-	-	-	-	-	-	-	2	11	21
1986	636	-	-	-	-	-	-	1	1	10	27
1985	619	-	-	-	-	1	-	1	4	5	21
1984	631	-	-	-	-	-	-	-	1	5	20
1983	553	-	-	-	-	-	-	1	2	5	25
1982	548	-	-	-	1	-	-	-	-	7	25
1981	571	1	-	-	-	-	-	1	1	4	24
1980	563	-	-	-	-	-	-	-	2	9	18
1979	489	-	-	-	-	1	-	-	-	4	15
Malignant neoplasm of larynx (161)											
All other, male											
1998	621	-	-	-	-	-	-	-	1	6	16
1997	629	-	-	-	-	-	-	-	-	4	13
1996	648	-	-	-	-	-	-	-	-	7	19
1995	598	-	-	-	-	-	1	-	-	4	11
1994	626	1	-	-	-	-	-	-	1	6	23
1993	603	-	-	-	-	-	-	-	1	5	10
1992	602	-	-	-	-	-	-	-	2	6	26
1991	587	-	-	-	-	-	-	-	-	9	25
1990	529	-	-	-	-	-	-	-	-	5	20
1989	584	-	-	-	-	-	-	-	2	10	26
1988	595	-	-	-	-	-	-	-	-	5	17
1987	515	-	-	-	-	-	-	-	2	7	21
1986	516	-	-	-	-	-	-	1	1	5	24
1985	503	-	-	-	-	1	-	-	3	5	17
1984	539	-	-	-	-	-	-	-	1	3	17
1983	451	-	-	-	-	-	-	1	1	4	19
1982	457	-	-	-	1	-	-	-	-	6	17
1981	452	1	-	-	-	-	-	1	-	3	15
1980	468	-	-	-	-	-	-	-	1	5	15
1979	422	-	-	-	-	-	-	-	-	3	15

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of larynx (161)											
All other, female											
1998	139	-	-	-	-	1	-	-	-	1	4
1997	141	-	-	-	-	-	-	-	-	1	6
1996	137	-	-	-	-	-	-	-	-	3	2
1995	146	-	-	-	-	-	-	1	-	1	2
1994	147	-	-	-	-	-	-	-	-	1	5
1993	145	-	-	-	-	-	-	-	-	3	4
1992	144	-	-	-	-	-	-	1	-	2	5
1991	157	-	-	-	-	-	1	-	-	2	3
1990	135	-	-	-	-	-	-	-	-	1	5
1989	108	-	-	-	-	-	-	-	2	1	2
1988	97	1	-	-	-	-	-	-	-	3	2
1987	109	-	-	-	-	-	-	-	-	4	-
1986	120	-	-	-	-	-	-	-	-	5	3
1985	116	-	-	-	-	-	-	1	1	-	4
1984	92	-	-	-	-	-	-	-	-	2	3
1983	102	-	-	-	-	-	-	-	1	1	6
1982	91	-	-	-	-	-	-	-	-	1	8
1981	119	-	-	-	-	-	-	-	1	1	9
1980	95	-	-	-	-	-	-	-	1	4	3
1979	67	-	-	-	-	1	-	-	-	1	-
Malignant neoplasm of larynx (161)											
Black, both sexes											
1998	713	-	-	-	-	1	-	-	1	7	20
1997	720	-	-	-	-	-	-	-	-	5	19
1996	756	-	-	-	-	-	-	-	-	10	20
1995	700	-	-	-	-	-	1	1	-	5	12
1994	727	1	-	-	-	-	-	-	1	6	26
1993	718	-	-	-	-	-	-	-	1	8	14
1992	720	-	-	-	-	-	-	1	2	8	31
1991	717	-	-	-	-	-	1	-	-	11	28
1990	631	-	-	-	-	-	-	-	-	6	24
1989	666	-	-	-	-	-	-	-	4	11	28
1988	664	1	-	-	-	-	-	-	-	7	19
1987	594	-	-	-	-	-	-	-	2	11	21
1986	615	-	-	-	-	-	-	1	1	10	26
1985	586	-	-	-	-	1	-	-	4	5	20
1984	608	-	-	-	-	-	-	-	1	5	20
1983	528	-	-	-	-	-	-	1	2	5	25
1982	533	-	-	-	1	-	-	-	-	7	25
1981	557	-	-	-	-	-	-	1	1	4	24
1980	542	-	-	-	-	-	-	-	2	9	18
1979	478	-	-	-	-	1	-	-	-	4	15

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of larynx (161)											
Black, male											
1998	582	-	-	-	-	-	-	-	1	6	16
1997	592	-	-	-	-	-	-	-	-	4	13
1996	621	-	-	-	-	-	-	-	-	7	18
1995	560	-	-	-	-	-	1	-	-	4	10
1994	588	1	-	-	-	-	-	-	1	5	21
1993	580	-	-	-	-	-	-	-	1	5	10
1992	584	-	-	-	-	-	-	-	2	6	26
1991	565	-	-	-	-	-	-	-	-	9	25
1990	499	-	-	-	-	-	-	-	-	5	19
1989	565	-	-	-	-	-	-	-	2	10	26
1988	571	-	-	-	-	-	-	-	-	5	17
1987	493	-	-	-	-	-	-	-	2	7	21
1986	499	-	-	-	-	-	-	1	1	5	23
1985	479	-	-	-	-	1	-	-	3	5	17
1984	520	-	-	-	-	-	-	-	1	3	17
1983	433	-	-	-	-	-	-	1	1	4	19
1982	443	-	-	-	1	-	-	-	-	6	17
1981	443	-	-	-	-	-	-	1	-	3	15
1980	449	-	-	-	-	-	-	-	1	5	15
1979	412	-	-	-	-	-	-	-	-	3	15
Malignant neoplasm of larynx (161)											
Black, female											
1998	131	-	-	-	-	1	-	-	-	1	4
1997	128	-	-	-	-	-	-	-	-	1	6
1996	135	-	-	-	-	-	-	-	-	3	2
1995	140	-	-	-	-	-	-	1	-	1	2
1994	139	-	-	-	-	-	-	-	-	1	5
1993	138	-	-	-	-	-	-	-	-	3	4
1992	136	-	-	-	-	-	-	1	-	2	5
1991	152	-	-	-	-	-	1	-	-	2	3
1990	132	-	-	-	-	-	-	-	-	1	5
1989	101	-	-	-	-	-	-	-	2	1	2
1988	93	1	-	-	-	-	-	-	-	2	2
1987	101	-	-	-	-	-	-	-	-	4	-
1986	116	-	-	-	-	-	-	-	-	5	3
1985	107	-	-	-	-	-	-	-	1	-	3
1984	88	-	-	-	-	-	-	-	-	2	3
1983	95	-	-	-	-	-	-	-	1	1	6
1982	90	-	-	-	-	-	-	-	-	1	8
1981	114	-	-	-	-	-	-	-	1	1	9
1980	93	-	-	-	-	-	-	-	1	4	3
1979	66	-	-	-	-	1	-	-	-	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of trachea, bronchus and lung (162)											
All races, both sexes											
1998	154,561	1	-	1	3	8	21	41	180	686	2,048
1997	153,310	1	1	-	1	7	10	53	178	735	2,014
1996	152,015	1	-	3	3	3	11	40	224	777	1,905
1995	151,200	2	1	4	5	12	14	40	233	746	1,817
1994	149,482	-	3	7	1	7	13	40	218	739	1,788
1993	148,855	-	-	7	1	8	15	37	233	734	1,811
1992	145,943	2	3	1	3	3	25	42	209	754	1,882
1991	143,758	3	2	-	4	8	13	54	216	721	1,866
1990	141,285	3	1	2	3	8	13	65	239	721	1,843
1989	137,150	4	1	3	2	13	13	57	195	670	1,798
1988	133,284	1	1	1	2	8	16	48	228	675	1,862
1987	130,009	3	3	1	1	6	14	64	215	653	1,837
1986	125,522	2	-	-	-	9	21	60	201	620	1,834
1985	122,556	3	3	2	5	5	17	68	203	669	1,791
1984	118,730	6	4	12	4	7	19	60	175	664	1,704
1983	115,023	5	6	7	4	3	24	50	179	684	1,790
1982	111,393	4	3	10	5	7	18	54	196	671	1,661
1981	106,561	3	-	5	1	9	18	46	185	695	1,697
1980	103,844	5	3	4	3	5	17	58	177	631	1,720
1979	98,451	1	-	2	1	10	22	55	188	604	1,724
Malignant neoplasms of trachea, bronchus and lung (162)											
All races, male											
1998	91,447	1	-	-	-	3	18	24	87	356	1,180
1997	91,352	1	-	-	1	3	6	27	99	381	1,163
1996	91,620	-	-	2	2	-	7	22	126	440	1,127
1995	91,856	2	-	3	3	8	9	22	133	401	1,092
1994	91,893	-	1	4	-	3	8	25	119	428	1,106
1993	92,564	-	-	2	1	6	8	23	136	452	1,111
1992	91,405	2	2	-	1	2	12	17	116	428	1,137
1991	91,690	1	2	-	2	6	8	28	113	420	1,123
1990	91,091	2	1	-	2	4	11	38	154	425	1,151
1989	89,052	3	1	1	2	8	7	30	111	412	1,088
1988	88,059	1	1	-	-	6	7	25	140	408	1,158
1987	87,261	2	-	-	-	4	9	39	139	407	1,085
1986	85,057	-	-	-	-	6	16	38	122	351	1,143
1985	83,854	-	1	-	2	4	9	41	112	412	1,148
1984	82,491	6	2	12	3	3	13	43	97	392	1,085
1983	80,338	5	4	5	2	3	15	30	99	410	1,098
1982	79,228	3	2	8	2	3	12	31	119	409	1,025
1981	76,764	2	-	3	-	5	13	29	114	421	1,106
1980	75,535	3	2	1	3	3	15	38	108	397	1,099
1979	72,803	1	-	1	1	5	9	35	113	369	1,118

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of trachea, bronchus and lung (162)											
All races, female											
1998	63,114	-	-	1	3	5	3	17	93	330	868
1997	61,958	-	1	-	-	4	4	26	79	354	851
1996	60,395	1	-	1	1	3	4	18	98	337	778
1995	59,344	-	1	1	2	4	5	18	100	345	725
1994	57,589	-	2	3	1	4	5	15	99	311	682
1993	56,291	-	-	5	-	2	7	14	97	282	700
1992	54,538	-	1	1	2	1	13	25	93	326	745
1991	52,068	2	-	-	2	2	5	26	103	301	743
1990	50,194	1	-	2	1	4	2	27	85	296	692
1989	48,098	1	-	2	-	5	6	27	84	258	710
1988	45,225	-	-	1	2	2	9	23	88	267	704
1987	42,748	1	3	1	1	2	5	25	76	246	752
1986	40,465	2	-	-	-	3	5	22	79	269	691
1985	38,702	3	2	2	3	1	8	27	91	257	643
1984	36,239	-	2	-	1	4	6	17	78	272	619
1983	34,685	-	2	2	2	-	9	20	80	274	692
1982	32,165	1	1	2	3	4	6	23	77	262	636
1981	29,797	1	-	2	1	4	5	17	71	274	591
1980	28,309	2	1	3	-	2	2	20	69	234	621
1979	25,648	-	-	1	-	5	13	20	75	235	606
Malignant neoplasms of trachea, bronchus and lung (162)											
White, both sexes											
1998	136,026	1	-	1	3	3	19	33	158	535	1,578
1997	135,060	1	1	-	-	3	9	44	140	560	1,531
1996	134,055	1	-	3	3	1	9	30	186	596	1,460
1995	133,366	1	1	3	4	10	11	30	191	588	1,378
1994	131,871	-	3	6	1	5	12	29	173	572	1,385
1993	131,337	-	-	6	1	5	12	31	169	576	1,389
1992	128,719	1	2	1	2	2	18	34	156	563	1,452
1991	126,872	1	1	-	4	4	10	43	169	547	1,458
1990	124,650	2	-	2	2	5	12	50	174	550	1,437
1989	121,023	3	1	2	2	11	7	42	154	505	1,423
1988	117,826	1	1	1	1	6	10	37	181	519	1,506
1987	114,888	2	2	1	1	5	10	50	175	511	1,480
1986	111,049	2	-	-	-	6	20	46	164	482	1,458
1985	108,529	2	3	1	4	5	13	46	155	544	1,439
1984	105,027	2	3	11	3	5	16	46	143	533	1,355
1983	101,857	2	5	6	4	2	21	41	138	566	1,441
1982	98,780	1	3	9	3	5	15	47	156	553	1,352
1981	94,441	2	-	4	1	8	14	40	156	568	1,350
1980	92,182	3	2	3	3	3	12	42	144	515	1,401
1979	87,532	-	-	1	-	9	17	44	150	492	1,382

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of trachea, bronchus and lung (162)											
White, male											
1998	79,649	1	-	-	-	1	17	18	78	278	903
1997	79,624	1	-	-	-	2	6	21	78	286	868
1996	79,809	-	-	2	2	-	5	16	105	322	849
1995	80,088	1	-	2	2	7	7	16	108	303	807
1994	80,096	-	1	4	-	2	7	18	93	327	835
1993	80,620	-	-	2	1	4	8	18	96	352	825
1992	79,728	1	2	-	1	1	9	13	82	311	861
1991	80,028	-	1	-	2	3	6	22	86	310	860
1990	79,488	1	-	-	1	2	10	30	105	321	870
1989	77,659	2	1	1	2	7	3	23	87	309	829
1988	77,063	1	1	-	-	5	4	18	110	299	902
1987	76,398	1	-	-	-	3	5	29	110	312	871
1986	74,517	-	-	-	-	4	16	28	101	263	880
1985	73,519	-	1	-	1	4	7	26	83	322	906
1984	72,239	2	1	11	3	2	11	35	75	302	835
1983	70,598	2	3	4	2	2	12	23	73	328	863
1982	69,686	1	2	7	-	1	10	27	94	327	834
1981	67,525	2	-	2	-	5	9	25	96	341	858
1980	66,651	2	1	-	3	1	11	27	84	314	866
1979	64,338	-	-	1	-	4	8	30	87	296	876
Malignant neoplasms of trachea, bronchus and lung (162)											
White, female											
1998	56,377	-	-	1	3	2	2	15	80	257	675
1997	55,436	-	1	-	-	1	3	23	62	274	663
1996	54,246	1	-	1	1	1	4	14	81	274	611
1995	53,278	-	1	1	2	3	4	14	83	285	571
1994	51,775	-	2	2	1	3	5	11	80	245	550
1993	50,717	-	-	4	-	1	4	13	73	224	564
1992	48,991	-	-	1	1	1	9	21	74	252	591
1991	46,844	1	-	-	2	1	4	21	83	237	598
1990	45,162	1	-	2	1	3	2	20	69	229	567
1989	43,364	1	-	1	-	4	4	19	67	196	594
1988	40,763	-	-	1	1	1	6	19	71	220	604
1987	38,490	1	2	1	1	2	5	21	65	199	609
1986	36,532	2	-	-	-	2	4	18	63	219	578
1985	35,010	2	2	1	3	1	6	20	72	222	533
1984	32,788	-	2	-	-	3	5	11	68	231	520
1983	31,259	-	2	2	2	-	9	18	65	238	578
1982	29,094	-	1	2	3	4	5	20	62	226	518
1981	26,916	-	-	2	1	3	5	15	60	227	492
1980	25,531	1	1	3	-	2	1	15	60	201	535
1979	23,194	-	-	-	-	5	9	14	63	196	506

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of trachea, bronchus and lung (162)											
All other, both sexes											
1998	18,535	-	-	-	-	5	2	8	22	151	470
1997	18,250	-	-	-	1	4	1	9	38	175	483
1996	17,960	-	-	-	-	2	2	10	38	181	445
1995	17,834	1	-	1	1	2	3	10	42	158	439
1994	17,611	-	-	1	-	2	1	11	45	167	403
1993	17,518	-	-	1	-	3	3	6	64	158	422
1992	17,224	1	1	-	1	1	7	8	53	191	430
1991	16,886	2	1	-	-	4	3	11	47	174	408
1990	16,635	1	1	-	1	3	1	15	65	171	406
1989	16,127	1	-	1	-	2	6	15	41	165	375
1988	15,458	-	-	-	1	2	6	11	47	156	356
1987	15,121	1	1	-	-	1	4	14	40	142	357
1986	14,473	-	-	-	-	3	1	14	37	138	376
1985	14,027	1	-	1	1	-	4	22	48	125	352
1984	13,703	4	1	1	1	2	3	14	32	131	349
1983	13,166	3	1	1	-	1	3	9	41	118	349
1982	12,613	3	-	1	2	2	3	7	40	118	309
1981	12,120	1	-	1	-	1	4	6	29	127	347
1980	11,662	2	1	1	-	2	5	16	33	116	319
1979	10,919	1	-	1	1	1	5	11	38	112	342
Malignant neoplasms of trachea, bronchus and lung (162)											
All other, male											
1998	11,798	-	-	-	-	2	1	6	9	78	277
1997	11,728	-	-	-	1	1	-	6	21	95	295
1996	11,811	-	-	-	-	-	2	6	21	118	278
1995	11,768	1	-	1	1	1	2	6	25	98	285
1994	11,797	-	-	-	-	1	1	7	26	101	271
1993	11,944	-	-	-	-	2	-	5	40	100	286
1992	11,677	1	-	-	-	1	3	4	34	117	276
1991	11,662	1	1	-	-	3	2	6	27	110	263
1990	11,603	1	1	-	1	2	1	8	49	104	281
1989	11,393	1	-	-	-	1	4	7	24	103	259
1988	10,996	-	-	-	-	1	3	7	30	109	256
1987	10,863	1	-	-	-	1	4	10	29	95	214
1986	10,540	-	-	-	-	2	-	10	21	88	263
1985	10,335	-	-	-	1	-	2	15	29	90	242
1984	10,252	4	1	1	-	1	2	8	22	90	250
1983	9,740	3	1	1	-	1	3	7	26	82	235
1982	9,542	2	-	1	2	2	2	4	25	82	191
1981	9,239	-	-	1	-	-	4	4	18	80	248
1980	8,884	1	1	1	-	2	4	11	24	83	233
1979	8,465	1	-	-	1	1	1	5	26	73	242

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of trachea, bronchus and lung (162)											
All other, female											
1998	6,737	-	-	-	-	3	1	2	13	73	193
1997	6,522	-	-	-	-	3	1	3	17	80	188
1996	6,149	-	-	-	-	2	-	4	17	63	167
1995	6,066	-	-	-	-	1	1	4	17	60	154
1994	5,814	-	-	1	-	1	-	4	19	66	132
1993	5,574	-	-	1	-	1	3	1	24	58	136
1992	5,547	-	1	-	1	-	4	4	19	74	154
1991	5,224	1	-	-	-	1	1	5	20	64	145
1990	5,032	-	-	-	-	1	-	7	16	67	125
1989	4,734	-	-	1	-	1	2	8	17	62	116
1988	4,462	-	-	-	1	1	3	4	17	47	100
1987	4,258	-	1	-	-	-	-	4	11	47	143
1986	3,933	-	-	-	-	1	1	4	16	50	113
1985	3,692	1	-	1	-	-	2	7	19	35	110
1984	3,451	-	-	-	1	1	1	6	10	41	99
1983	3,426	-	-	-	-	-	-	2	15	36	114
1982	3,071	1	-	-	-	-	1	3	15	36	118
1981	2,881	1	-	-	-	1	-	2	11	47	99
1980	2,778	1	-	-	-	-	1	5	9	33	86
1979	2,454	-	-	1	-	-	4	6	12	39	100
Malignant neoplasms of trachea, bronchus and lung (162)											
Black, both sexes											
1998	16,105	-	-	-	-	3	2	5	18	135	416
1997	16,014	-	-	-	1	4	1	7	28	153	423
1996	15,835	-	-	-	-	2	2	8	31	166	409
1995	15,790	1	-	1	1	2	1	6	35	135	401
1994	15,670	-	-	1	-	2	1	9	40	153	372
1993	15,641	-	-	1	-	3	3	5	60	144	382
1992	15,472	1	1	-	1	1	6	8	50	173	392
1991	15,201	2	1	-	-	4	3	7	38	157	366
1990	15,144	1	1	-	1	2	1	14	58	159	376
1989	14,703	1	-	1	-	2	5	12	34	152	334
1988	14,131	-	-	-	1	2	6	9	38	141	325
1987	13,886	1	1	-	-	1	3	13	36	134	330
1986	13,354	-	-	-	-	1	1	12	28	122	350
1985	13,009	1	-	1	1	-	3	21	45	114	333
1984	12,708	2	-	1	1	2	3	11	26	123	320
1983	12,282	-	1	1	-	1	3	8	35	109	321
1982	11,857	1	-	1	2	1	3	7	38	110	295
1981	11,372	-	-	1	-	1	3	4	26	122	323
1980	10,957	2	1	1	-	2	5	15	31	110	303
1979	10,247	1	-	1	1	1	5	8	30	103	326

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of trachea, bronchus and lung (162)											
Black, male											
1998	10,288	-	-	-	-	1	1	4	8	70	253
1997	10,336	-	-	-	1	1	-	4	17	85	264
1996	10,463	-	-	-	-	-	2	5	18	107	258
1995	10,537	1	-	1	1	1	1	5	19	86	266
1994	10,555	-	-	-	-	1	1	5	23	93	255
1993	10,733	-	-	-	-	2	-	4	37	96	260
1992	10,530	1	-	-	-	1	3	4	33	108	254
1991	10,545	1	1	-	-	3	2	4	22	102	242
1990	10,632	1	1	-	1	1	1	8	44	98	266
1989	10,457	1	-	-	-	1	4	6	20	95	230
1988	10,112	-	-	-	-	1	3	6	24	99	237
1987	10,065	1	-	-	-	1	3	10	28	92	199
1986	9,773	-	-	-	-	1	-	8	16	77	243
1985	9,615	-	-	-	1	-	2	14	27	83	231
1984	9,569	2	-	1	-	1	2	6	20	83	235
1983	9,117	-	1	1	-	1	3	6	23	76	219
1982	9,003	1	-	1	2	1	2	4	23	77	182
1981	8,697	-	-	1	-	-	3	3	16	78	230
1980	8,382	1	1	1	-	2	4	10	23	81	224
1979	7,991	1	-	-	1	1	1	4	22	68	237
Malignant neoplasms of trachea, bronchus and lung (162)											
Black, female											
1998	5,817	-	-	-	-	2	1	1	10	65	163
1997	5,678	-	-	-	-	3	1	3	11	68	159
1996	5,372	-	-	-	-	2	-	3	13	59	151
1995	5,253	-	-	-	-	1	-	1	16	49	135
1994	5,115	-	-	1	-	1	-	4	17	60	117
1993	4,908	-	-	1	-	1	3	1	23	48	122
1992	4,942	-	1	-	1	-	3	4	17	65	138
1991	4,656	1	-	-	-	1	1	3	16	55	124
1990	4,512	-	-	-	-	1	-	6	14	61	110
1989	4,246	-	-	1	-	1	1	6	14	57	104
1988	4,019	-	-	-	1	1	3	3	14	42	88
1987	3,821	-	1	-	-	-	-	3	8	42	131
1986	3,581	-	-	-	-	-	1	4	12	45	107
1985	3,394	1	-	1	-	-	1	7	18	31	102
1984	3,139	-	-	-	1	1	1	5	6	40	85
1983	3,165	-	-	-	-	-	-	2	12	33	102
1982	2,854	-	-	-	-	-	1	3	15	33	113
1981	2,675	-	-	-	-	1	-	1	10	44	93
1980	2,575	1	-	-	-	-	1	5	8	29	79
1979	2,256	-	-	1	-	-	4	4	8	35	89

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant melanoma of skin (172)											
All races, both sexes											
1998	7,431	-	1	1	1	10	38	67	168	277	385
1997	7,238	-	1	1	2	11	29	80	137	294	395
1996	7,279	-	-	-	-	3	24	96	180	310	429
1995	6,907	-	1	1	3	10	35	74	178	310	409
1994	6,680	-	1	1	3	9	32	73	153	297	425
1993	6,712	-	1	-	1	11	36	90	192	317	432
1992	6,568	1	1	2	1	9	37	95	205	331	419
1991	6,451	-	-	1	1	4	32	111	230	320	412
1990	6,420	-	1	1	2	11	41	109	205	326	426
1989	6,161	-	-	-	2	20	35	115	227	327	374
1988	5,979	-	1	1	1	6	39	112	214	324	365
1987	5,913	-	2	-	3	15	42	122	210	321	361
1986	5,673	-	-	-	1	11	46	146	244	322	346
1985	5,529	-	1	1	2	15	56	144	270	297	333
1984	5,378	3	-	1	-	16	51	138	260	281	373
1983	5,216	-	1	-	2	12	65	159	245	293	338
1982	5,106	1	1	2	2	12	66	145	244	280	298
1981	4,932	-	1	3	2	15	57	160	235	252	317
1980	4,679	-	-	-	1	13	70	123	240	267	267
1979	4,749	2	1	-	2	16	74	142	216	232	285
Malignant melanoma of skin (172)											
All races, male											
1998	4,747	-	-	1	-	6	27	36	100	171	256
1997	4,488	-	-	-	2	7	16	38	85	193	241
1996	4,490	-	-	-	-	-	14	52	102	189	252
1995	4,297	-	1	-	1	9	18	43	98	184	260
1994	4,117	-	-	1	2	4	22	40	89	182	248
1993	4,128	-	-	-	1	6	22	44	108	205	274
1992	4,045	1	-	2	-	5	23	40	123	216	264
1991	4,017	-	-	1	-	2	20	69	149	203	242
1990	3,844	-	1	-	-	6	29	58	127	207	265
1989	3,736	-	-	-	1	10	17	62	124	222	233
1988	3,585	-	1	1	1	3	24	63	127	175	233
1987	3,635	-	2	-	3	8	26	74	132	189	237
1986	3,378	-	-	-	1	4	23	89	157	192	209
1985	3,296	-	1	1	2	9	37	98	156	190	197
1984	3,207	3	-	1	-	9	28	86	155	168	226
1983	3,073	-	-	-	-	7	32	98	164	184	215
1982	3,036	-	-	1	1	5	36	92	161	176	184
1981	2,811	-	-	2	1	4	37	94	130	154	203
1980	2,750	-	-	-	1	6	44	71	144	175	157
1979	2,752	2	-	-	-	9	38	76	135	150	169

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant melanoma of skin (172)											
All races, female											
1998	2,684	-	1	-	1	4	11	31	68	106	129
1997	2,750	-	1	1	-	4	13	42	52	101	154
1996	2,789	-	-	-	-	3	10	44	78	121	177
1995	2,610	-	-	1	2	1	17	31	80	126	149
1994	2,563	-	1	-	1	5	10	33	64	115	177
1993	2,584	-	1	-	-	5	14	46	84	112	158
1992	2,523	-	1	-	1	4	14	55	82	115	155
1991	2,434	-	-	-	1	2	12	42	81	117	170
1990	2,576	-	-	1	2	5	12	51	78	119	161
1989	2,425	-	-	-	1	10	18	53	103	105	141
1988	2,394	-	-	-	-	3	15	49	87	149	132
1987	2,278	-	-	-	-	7	16	48	78	132	124
1986	2,295	-	-	-	-	7	23	57	87	130	137
1985	2,233	-	-	-	-	6	19	46	114	107	136
1984	2,171	-	-	-	-	7	23	52	105	113	147
1983	2,143	-	1	-	2	5	33	61	81	109	123
1982	2,070	1	1	1	1	7	30	53	83	104	114
1981	2,121	-	1	1	1	11	20	66	105	98	114
1980	1,929	-	-	-	-	7	26	52	96	92	110
1979	1,997	-	1	-	2	7	36	66	81	82	116
Malignant melanoma of skin (172)											
White, both sexes											
1998	7,275	-	1	1	-	10	35	65	163	270	383
1997	7,064	-	-	-	2	10	27	76	132	291	388
1996	7,141	-	-	-	-	3	23	91	179	301	425
1995	6,774	-	1	-	3	9	33	73	174	306	404
1994	6,556	-	1	1	3	8	32	73	147	293	418
1993	6,572	-	-	-	1	11	35	87	188	310	425
1992	6,423	-	1	1	1	9	36	95	203	324	412
1991	6,308	-	-	-	1	3	32	111	229	316	407
1990	6,290	-	-	1	2	10	39	105	204	320	423
1989	6,027	-	-	-	2	19	35	110	224	324	366
1988	5,877	-	1	1	1	6	39	111	212	322	360
1987	5,786	-	2	-	3	14	41	117	205	321	358
1986	5,565	-	-	-	1	11	46	145	241	318	341
1985	5,410	-	1	1	2	14	55	142	268	294	325
1984	5,264	1	-	-	-	15	50	134	258	279	368
1983	5,115	-	1	-	2	11	64	156	244	292	332
1982	5,000	1	1	1	1	11	66	145	241	277	292
1981	4,826	-	1	3	1	12	56	160	234	250	314
1980	4,572	-	-	-	1	13	70	123	235	265	260
1979	4,657	1	1	-	2	15	72	142	216	231	285

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant melanoma of skin (172)											
White, male											
1998	4,685	-	-	1	-	6	25	35	96	166	254
1997	4,421	-	-	-	2	7	15	35	81	192	236
1996	4,423	-	-	-	-	-	13	51	101	184	249
1995	4,237	-	1	-	1	9	16	43	96	181	259
1994	4,063	-	-	1	2	4	22	40	88	180	245
1993	4,078	-	-	-	1	6	22	44	105	202	271
1992	3,972	-	-	1	-	5	22	40	121	215	261
1991	3,951	-	-	-	-	2	20	69	149	199	240
1990	3,778	-	-	-	-	5	28	55	127	204	264
1989	3,676	-	-	-	1	9	17	60	122	220	229
1988	3,535	-	1	1	1	3	24	62	126	174	229
1987	3,578	-	2	-	3	7	26	72	129	189	237
1986	3,315	-	-	-	1	4	23	89	155	191	207
1985	3,238	-	1	1	2	8	36	96	156	189	192
1984	3,161	1	-	-	-	9	27	84	154	167	224
1983	3,019	-	-	-	-	6	31	95	163	183	212
1982	2,988	-	-	1	1	5	36	92	161	176	180
1981	2,762	-	-	2	1	4	36	94	129	153	200
1980	2,706	-	-	-	1	6	44	71	143	175	156
1979	2,706	1	-	-	-	8	37	76	135	150	169
Malignant melanoma of skin (172)											
White, female											
1998	2,590	-	1	-	-	4	10	30	67	104	129
1997	2,643	-	-	-	-	3	12	41	51	99	152
1996	2,718	-	-	-	-	3	10	40	78	117	176
1995	2,537	-	-	-	2	-	17	30	78	125	145
1994	2,493	-	1	-	1	4	10	33	59	113	173
1993	2,494	-	-	-	-	5	13	43	83	108	154
1992	2,451	-	1	-	1	4	14	55	82	109	151
1991	2,357	-	-	-	1	1	12	42	80	117	167
1990	2,512	-	-	1	2	5	11	50	77	116	159
1989	2,351	-	-	-	1	10	18	50	102	104	137
1988	2,342	-	-	-	-	3	15	49	86	148	131
1987	2,208	-	-	-	-	7	15	45	76	132	121
1986	2,250	-	-	-	-	7	23	56	86	127	134
1985	2,172	-	-	-	-	6	19	46	112	105	133
1984	2,103	-	-	-	-	6	23	50	104	112	144
1983	2,096	-	1	-	2	5	33	61	81	109	120
1982	2,012	1	1	-	-	6	30	53	80	101	112
1981	2,064	-	1	1	-	8	20	66	105	97	114
1980	1,866	-	-	-	-	7	26	52	92	90	104
1979	1,951	-	1	-	2	7	35	66	81	81	116

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant melanoma of skin (172)											
All other, both sexes											
1998	156	-	-	-	1	-	3	2	5	7	2
1997	174	-	1	1	-	1	2	4	5	3	7
1996	138	-	-	-	-	-	1	5	1	9	4
1995	133	-	-	1	-	1	2	1	4	4	5
1994	124	-	-	-	-	1	-	-	6	4	7
1993	140	-	1	-	-	-	1	3	4	7	7
1992	145	1	-	1	-	-	1	-	2	7	7
1991	143	-	-	1	-	1	-	-	1	4	5
1990	130	-	1	-	-	1	2	4	1	6	3
1989	134	-	-	-	-	1	-	5	3	3	8
1988	102	-	-	-	-	-	-	1	2	2	5
1987	127	-	-	-	-	1	1	5	5	-	3
1986	108	-	-	-	-	-	-	1	3	4	5
1985	119	-	-	-	-	1	1	2	2	3	8
1984	114	2	-	1	-	1	1	4	2	2	5
1983	101	-	-	-	-	1	1	3	1	1	6
1982	106	-	-	1	1	1	-	-	3	3	6
1981	106	-	-	-	1	3	1	-	1	2	3
1980	107	-	-	-	-	-	-	-	5	2	7
1979	92	1	-	-	-	1	2	-	-	1	-
Malignant melanoma of skin (172)											
All other, male											
1998	62	-	-	-	-	-	2	1	4	5	2
1997	67	-	-	-	-	-	1	3	4	1	5
1996	67	-	-	-	-	-	1	1	1	5	3
1995	60	-	-	-	-	-	2	-	2	3	1
1994	54	-	-	-	-	-	-	-	1	2	3
1993	50	-	-	-	-	-	-	-	3	3	3
1992	73	1	-	1	-	-	1	-	2	1	3
1991	66	-	-	1	-	-	-	-	-	4	2
1990	66	-	1	-	-	1	1	3	-	3	1
1989	60	-	-	-	-	1	-	2	2	2	4
1988	50	-	-	-	-	-	-	1	1	1	4
1987	57	-	-	-	-	1	-	2	3	-	-
1986	63	-	-	-	-	-	-	-	2	1	2
1985	58	-	-	-	-	1	1	2	-	1	5
1984	46	2	-	1	-	-	1	2	1	1	2
1983	54	-	-	-	-	1	1	3	1	1	3
1982	48	-	-	-	-	-	-	-	-	-	4
1981	49	-	-	-	-	-	1	-	1	1	3
1980	44	-	-	-	-	-	-	-	1	-	1
1979	46	1	-	-	-	1	1	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant melanoma of skin (172)											
All other, female											
1998	94	-	-	-	1	-	1	1	1	2	-
1997	107	-	1	1	-	1	1	1	1	2	2
1996	71	-	-	-	-	-	-	4	-	4	1
1995	73	-	-	1	-	1	-	1	2	1	4
1994	70	-	-	-	-	1	-	-	5	2	4
1993	90	-	1	-	-	-	1	3	1	4	4
1992	72	-	-	-	-	-	-	-	-	6	4
1991	77	-	-	-	-	1	-	-	1	-	3
1990	64	-	-	-	-	-	1	1	1	3	2
1989	74	-	-	-	-	-	-	3	1	1	4
1988	52	-	-	-	-	-	-	-	1	1	1
1987	70	-	-	-	-	-	1	3	2	-	3
1986	45	-	-	-	-	-	-	1	1	3	3
1985	61	-	-	-	-	-	-	-	2	2	3
1984	68	-	-	-	-	1	-	2	1	1	3
1983	47	-	-	-	-	-	-	-	-	-	3
1982	58	-	-	1	1	1	-	-	3	3	2
1981	57	-	-	-	1	3	-	-	-	1	-
1980	63	-	-	-	-	-	-	-	4	2	6
1979	46	-	-	-	-	-	1	-	-	1	-
Malignant melanoma of skin (172)											
Black, both sexes											
1998	121	-	-	-	-	-	3	2	4	5	2
1997	131	-	1	1	-	1	2	3	4	2	4
1996	100	-	-	-	-	-	1	3	1	7	2
1995	103	-	-	-	-	-	2	1	3	3	3
1994	98	-	-	-	-	1	-	-	4	4	4
1993	115	-	1	-	-	-	-	3	4	6	6
1992	110	1	-	1	-	-	1	-	2	5	4
1991	119	-	-	-	-	1	-	-	1	4	1
1990	106	-	-	-	-	-	2	3	-	2	2
1989	109	-	-	-	-	1	-	5	2	3	5
1988	88	-	-	-	-	-	-	-	2	2	5
1987	108	-	-	-	-	1	1	4	5	-	2
1986	91	-	-	-	-	-	-	-	3	4	4
1985	100	-	-	-	-	1	1	2	2	2	6
1984	94	-	-	1	-	1	1	3	2	-	5
1983	91	-	-	-	-	1	1	2	1	1	5
1982	94	-	-	1	1	1	-	-	3	3	4
1981	97	-	-	-	1	3	-	-	1	2	3
1980	98	-	-	-	-	-	-	-	4	2	6
1979	88	1	-	-	-	1	2	-	-	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant melanoma of skin (172)											
Black, male											
1998	44	-	-	-	-	-	2	1	3	4	2
1997	48	-	-	-	-	-	1	2	3	1	3
1996	47	-	-	-	-	-	1	-	1	5	2
1995	46	-	-	-	-	-	2	-	2	2	-
1994	41	-	-	-	-	-	-	-	1	2	2
1993	38	-	-	-	-	-	-	-	3	3	3
1992	53	1	-	1	-	-	1	-	2	1	2
1991	52	-	-	-	-	-	-	-	-	4	-
1990	51	-	-	-	-	-	1	2	-	1	1
1989	46	-	-	-	-	1	-	2	1	2	2
1988	41	-	-	-	-	-	-	-	1	1	4
1987	46	-	-	-	-	1	-	2	3	-	-
1986	56	-	-	-	-	-	-	-	2	1	2
1985	46	-	-	-	-	1	1	2	-	-	4
1984	36	-	-	1	-	-	1	2	1	-	2
1983	49	-	-	-	-	1	1	2	1	1	3
1982	40	-	-	-	-	-	-	-	-	-	2
1981	42	-	-	-	-	-	-	-	1	1	3
1980	39	-	-	-	-	-	-	-	1	-	-
1979	42	1	-	-	-	1	1	-	-	-	-
Malignant melanoma of skin (172)											
Black, female											
1998	77	-	-	-	-	-	1	1	1	1	-
1997	83	-	1	1	-	1	1	1	1	1	1
1996	53	-	-	-	-	-	-	3	-	2	-
1995	57	-	-	-	-	-	-	1	1	1	3
1994	57	-	-	-	-	1	-	-	3	2	2
1993	77	-	1	-	-	-	-	3	1	3	3
1992	57	-	-	-	-	-	-	-	-	4	2
1991	67	-	-	-	-	1	-	-	1	-	1
1990	55	-	-	-	-	-	1	1	-	1	1
1989	63	-	-	-	-	-	-	3	1	1	3
1988	47	-	-	-	-	-	-	-	1	1	1
1987	62	-	-	-	-	-	1	2	2	-	2
1986	35	-	-	-	-	-	-	-	1	3	2
1985	54	-	-	-	-	-	-	-	2	2	2
1984	58	-	-	-	-	1	-	1	1	-	3
1983	42	-	-	-	-	-	-	-	-	-	2
1982	54	-	-	1	1	1	-	-	3	3	2
1981	55	-	-	-	1	3	-	-	-	1	-
1980	59	-	-	-	-	-	-	-	3	2	6
1979	46	-	-	-	-	-	1	-	-	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of breast (174-175)											
All races, both sexes											
1998	42,086	-	-	-	-	2	3	87	422	1,098	1,926
1997	42,297	-	-	-	-	1	10	110	411	1,102	1,995
1996	43,448	1	-	-	1	-	18	101	439	1,106	2,004
1995	44,209	-	-	-	-	1	11	103	447	1,210	2,003
1994	44,008	-	-	-	-	2	11	88	467	1,198	2,013
1993	43,910	-	-	-	-	-	14	104	443	1,099	2,039
1992	43,365	1	-	1	1	-	6	120	490	1,194	2,055
1991	43,849	-	1	-	-	1	12	132	517	1,207	2,156
1990	43,663	-	-	-	-	1	14	122	507	1,200	2,180
1989	43,138	1	-	-	-	-	7	137	518	1,198	2,084
1988	42,461	1	-	-	-	3	10	127	538	1,263	1,885
1987	41,211	-	-	-	-	2	14	132	542	1,271	1,794
1986	40,789	-	-	1	-	1	13	134	520	1,261	1,812
1985	40,383	2	-	-	-	-	20	113	516	1,169	1,666
1984	39,722	1	-	1	-	3	14	148	537	1,198	1,682
1983	38,247	1	-	6	1	2	21	142	512	979	1,512
1982	37,685	4	2	4	1	-	13	134	540	1,004	1,476
1981	36,737	1	1	1	-	-	16	124	526	919	1,432
1980	35,897	-	-	-	2	3	11	144	471	928	1,420
1979	34,622	-	-	-	-	-	18	131	463	855	1,420
Malignant neoplasm of breast (174-175)											
All races, male											
1998	349	-	-	-	-	-	-	-	1	5	11
1997	354	-	-	-	-	-	-	2	-	2	4
1996	357	-	-	-	-	-	-	-	1	6	8
1995	365	-	-	-	-	-	-	1	1	5	5
1994	364	-	-	-	-	-	-	-	4	6	9
1993	355	-	-	-	-	-	-	-	1	4	8
1992	297	-	-	-	-	-	-	-	1	1	8
1991	266	-	1	-	-	-	-	1	1	4	5
1990	272	-	-	-	-	-	1	-	-	1	9
1989	301	-	-	-	-	-	-	-	1	3	6
1988	289	-	-	-	-	-	-	1	2	4	6
1987	312	-	-	-	-	-	-	-	2	4	9
1986	250	-	-	-	-	-	-	-	-	3	7
1985	290	-	-	-	-	-	1	1	1	5	7
1984	250	-	-	-	-	-	1	-	3	3	7
1983	268	-	-	-	-	-	-	1	-	3	3
1982	271	-	-	-	-	-	-	-	-	6	4
1981	254	-	-	-	-	-	-	-	1	3	4
1980	256	-	-	-	-	-	-	1	-	2	4
1979	222	-	-	-	-	-	-	1	1	2	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of breast (174-175)											
All races, female											
1998	41,737	-	-	-	-	2	3	87	421	1,093	1,915
1997	41,943	-	-	-	-	1	10	108	411	1,100	1,991
1996	43,091	1	-	-	1	-	18	101	438	1,100	1,996
1995	43,844	-	-	-	-	1	11	102	446	1,205	1,998
1994	43,644	-	-	-	-	2	11	88	463	1,192	2,004
1993	43,555	-	-	-	-	-	14	104	442	1,095	2,031
1992	43,068	1	-	1	1	-	6	120	489	1,193	2,047
1991	43,583	-	-	-	-	1	12	131	516	1,203	2,151
1990	43,391	-	-	-	-	1	13	122	507	1,199	2,171
1989	42,837	1	-	-	-	-	7	137	517	1,195	2,078
1988	42,172	1	-	-	-	3	10	126	536	1,259	1,879
1987	40,899	-	-	-	-	2	14	132	540	1,267	1,785
1986	40,539	-	-	1	-	1	13	134	520	1,258	1,805
1985	40,093	2	-	-	-	-	19	112	515	1,164	1,659
1984	39,472	1	-	1	-	3	13	148	534	1,195	1,675
1983	37,979	1	-	6	1	2	21	141	512	976	1,509
1982	37,414	4	2	4	1	-	13	134	540	998	1,472
1981	36,483	1	1	1	-	-	16	124	525	916	1,428
1980	35,641	-	-	-	2	3	11	143	471	926	1,416
1979	34,400	-	-	-	-	-	18	130	462	853	1,418
Malignant neoplasm of breast (174-175)											
White, both sexes											
1998	36,060	-	-	-	-	2	2	63	295	798	1,456
1997	36,194	-	-	-	-	1	7	71	297	810	1,532
1996	37,510	-	-	-	1	-	10	65	307	803	1,513
1995	38,236	-	-	-	-	1	5	69	305	937	1,556
1994	38,272	-	-	-	-	2	10	62	332	913	1,554
1993	38,341	-	-	-	-	-	8	67	324	808	1,596
1992	38,053	1	-	-	-	-	5	81	364	907	1,622
1991	38,478	-	1	-	-	1	6	92	397	920	1,711
1990	38,513	-	-	-	-	-	9	85	385	931	1,788
1989	38,253	-	-	-	-	-	3	98	397	923	1,734
1988	37,556	-	-	-	-	2	6	91	404	964	1,534
1987	36,569	-	-	-	-	-	8	103	420	999	1,435
1986	36,398	-	-	1	-	1	9	91	396	987	1,493
1985	36,146	2	-	-	-	-	14	94	403	939	1,380
1984	35,469	1	-	1	-	3	11	106	434	984	1,343
1983	34,324	1	-	5	1	2	15	105	412	800	1,249
1982	33,837	1	2	4	1	-	10	96	439	824	1,265
1981	33,124	1	1	1	-	-	7	94	425	761	1,187
1980	32,450	-	-	-	2	3	8	102	382	783	1,169
1979	31,364	-	-	-	-	-	15	101	369	708	1,204

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of breast (174-175)											
White, male											
1998	301	-	-	-	-	-	-	-	1	4	10
1997	293	-	-	-	-	-	-	2	-	1	3
1996	292	-	-	-	-	-	-	-	1	4	5
1995	299	-	-	-	-	-	-	-	-	5	5
1994	312	-	-	-	-	-	-	-	4	6	7
1993	297	-	-	-	-	-	-	-	1	3	7
1992	256	-	-	-	-	-	-	-	-	-	8
1991	228	-	1	-	-	-	-	1	1	3	4
1990	227	-	-	-	-	-	-	-	-	1	7
1989	265	-	-	-	-	-	-	-	1	3	3
1988	229	-	-	-	-	-	-	1	1	2	4
1987	272	-	-	-	-	-	-	-	1	3	8
1986	215	-	-	-	-	-	-	-	-	3	6
1985	260	-	-	-	-	-	1	1	-	5	7
1984	213	-	-	-	-	-	1	-	3	3	5
1983	226	-	-	-	-	-	-	1	-	2	2
1982	236	-	-	-	-	-	-	-	-	5	4
1981	218	-	-	-	-	-	-	-	1	3	3
1980	227	-	-	-	-	-	-	1	-	1	3
1979	187	-	-	-	-	-	-	1	-	1	2
Malignant neoplasm of breast (174-175)											
White, female											
1998	35,759	-	-	-	-	2	2	63	294	794	1,446
1997	35,901	-	-	-	-	1	7	69	297	809	1,529
1996	37,218	-	-	-	1	-	10	65	306	799	1,508
1995	37,937	-	-	-	-	1	5	69	305	932	1,551
1994	37,960	-	-	-	-	2	10	62	328	907	1,547
1993	38,044	-	-	-	-	-	8	67	323	805	1,589
1992	37,797	1	-	-	-	-	5	81	364	907	1,614
1991	38,250	-	-	-	-	1	6	91	396	917	1,707
1990	38,286	-	-	-	-	-	9	85	385	930	1,781
1989	37,988	-	-	-	-	-	3	98	396	920	1,731
1988	37,327	-	-	-	-	2	6	90	403	962	1,530
1987	36,297	-	-	-	-	-	8	103	419	996	1,427
1986	36,183	-	-	1	-	1	9	91	396	984	1,487
1985	35,886	2	-	-	-	-	13	93	403	934	1,373
1984	35,256	1	-	1	-	3	10	106	431	981	1,338
1983	34,098	1	-	5	1	2	15	104	412	798	1,247
1982	33,601	1	2	4	1	-	10	96	439	819	1,261
1981	32,906	1	1	1	-	-	7	94	424	758	1,184
1980	32,223	-	-	-	2	3	8	101	382	782	1,166
1979	31,177	-	-	-	-	-	15	100	369	707	1,202

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of breast (174-175)											
All other, both sexes											
1998	6,026	-	-	-	-	-	1	24	127	300	470
1997	6,103	-	-	-	-	-	3	39	114	292	463
1996	5,938	1	-	-	-	-	8	36	132	303	491
1995	5,973	-	-	-	-	-	6	34	142	273	447
1994	5,736	-	-	-	-	-	1	26	135	285	459
1993	5,569	-	-	-	-	-	6	37	119	291	443
1992	5,312	-	-	1	1	-	1	39	126	287	433
1991	5,371	-	-	-	-	-	6	40	120	287	445
1990	5,150	-	-	-	-	1	5	37	122	269	392
1989	4,885	1	-	-	-	-	4	39	121	275	350
1988	4,905	1	-	-	-	1	4	36	134	299	351
1987	4,642	-	-	-	-	2	6	29	122	272	359
1986	4,391	-	-	-	-	-	4	43	124	274	319
1985	4,237	-	-	-	-	-	6	19	113	230	286
1984	4,253	-	-	-	-	-	3	42	103	214	339
1983	3,923	-	-	1	-	-	6	37	100	179	263
1982	3,848	3	-	-	-	-	3	38	101	180	211
1981	3,613	-	-	-	-	-	9	30	101	158	245
1980	3,447	-	-	-	-	-	3	42	89	145	251
1979	3,258	-	-	-	-	-	3	30	94	147	216
Malignant neoplasm of breast (174-175)											
All other, male											
1998	48	-	-	-	-	-	-	-	-	1	1
1997	61	-	-	-	-	-	-	-	-	1	1
1996	65	-	-	-	-	-	-	-	-	2	3
1995	66	-	-	-	-	-	-	1	1	-	-
1994	52	-	-	-	-	-	-	-	-	-	2
1993	58	-	-	-	-	-	-	-	-	1	1
1992	41	-	-	-	-	-	-	-	1	1	-
1991	38	-	-	-	-	-	-	-	-	1	1
1990	45	-	-	-	-	-	1	-	-	-	2
1989	36	-	-	-	-	-	-	-	-	-	3
1988	60	-	-	-	-	-	-	-	1	2	2
1987	40	-	-	-	-	-	-	-	1	1	1
1986	35	-	-	-	-	-	-	-	-	-	1
1985	30	-	-	-	-	-	-	-	1	-	-
1984	37	-	-	-	-	-	-	-	-	-	2
1983	42	-	-	-	-	-	-	-	-	1	1
1982	35	-	-	-	-	-	-	-	-	1	-
1981	36	-	-	-	-	-	-	-	-	-	1
1980	29	-	-	-	-	-	-	-	-	1	1
1979	35	-	-	-	-	-	-	-	1	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	
Malignant neoplasm of breast (174-175)												
All other, female												
1998	5,978	-	-	-	-	-	1	24	127	299	469	
1997	6,042	-	-	-	-	-	3	39	114	291	462	
1996	5,873	1	-	-	-	-	8	36	132	301	488	
1995	5,907	-	-	-	-	-	6	33	141	273	447	
1994	5,684	-	-	-	-	-	1	26	135	285	457	
1993	5,511	-	-	-	-	-	6	37	119	290	442	
1992	5,271	-	-	1	1	-	1	39	125	286	433	
1991	5,333	-	-	-	-	-	6	40	120	286	444	
1990	5,105	-	-	-	-	1	4	37	122	269	390	
1989	4,849	1	-	-	-	-	4	39	121	275	347	
1988	4,845	1	-	-	-	1	4	36	133	297	349	
1987	4,602	-	-	-	-	2	6	29	121	271	358	
1986	4,356	-	-	-	-	-	4	43	124	274	318	
1985	4,207	-	-	-	-	-	6	19	112	230	286	
1984	4,216	-	-	-	-	-	3	42	103	214	337	
1983	3,881	-	-	1	-	-	6	37	100	178	262	
1982	3,813	3	-	-	-	-	3	38	101	179	211	
1981	3,577	-	-	-	-	-	9	30	101	158	244	
1980	3,418	-	-	-	-	-	3	42	89	144	250	
1979	3,223	-	-	-	-	-	3	30	93	146	216	
Malignant neoplasm of breast (174-175)												
Black, both sexes												
1998	5,329	-	-	-	-	-	1	22	109	270	411	
1997	5,483	-	-	-	-	-	3	37	106	270	401	
1996	5,316	1	-	-	-	-	8	31	121	265	437	
1995	5,328	-	-	-	-	-	6	27	127	242	397	
1994	5,134	-	-	-	-	-	-	23	116	257	408	
1993	5,052	-	-	-	-	-	5	35	109	260	386	
1992	4,816	-	-	1	1	-	1	38	110	262	397	
1991	4,843	-	-	-	-	-	6	34	112	252	397	
1990	4,703	-	-	-	-	1	5	36	117	244	345	
1989	4,438	1	-	-	-	-	4	37	113	242	313	
1988	4,525	1	-	-	-	1	4	34	123	281	326	
1987	4,291	-	-	-	-	2	5	25	110	261	316	
1986	4,076	-	-	-	-	-	4	40	118	247	293	
1985	3,925	-	-	-	-	-	6	19	103	211	266	
1984	3,981	-	-	-	-	-	3	41	92	199	306	
1983	3,648	-	-	1	-	-	5	29	89	161	240	
1982	3,602	1	-	-	-	-	3	37	94	162	197	
1981	3,393	-	-	-	-	-	9	30	94	138	226	
1980	3,244	-	-	-	-	-	3	39	81	130	231	
1979	3,086	-	-	-	-	-	3	28	83	136	195	

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of breast (174-175)											
Black, male											
1998	48	-	-	-	-	-	-	-	-	1	1
1997	59	-	-	-	-	-	-	-	-	1	1
1996	62	-	-	-	-	-	-	-	-	2	3
1995	63	-	-	-	-	-	-	1	-	-	-
1994	51	-	-	-	-	-	-	-	-	-	2
1993	54	-	-	-	-	-	-	-	-	1	1
1992	37	-	-	-	-	-	-	-	1	1	-
1991	34	-	-	-	-	-	-	-	-	1	1
1990	44	-	-	-	-	-	1	-	-	-	2
1989	35	-	-	-	-	-	-	-	-	-	3
1988	58	-	-	-	-	-	-	-	1	2	2
1987	39	-	-	-	-	-	-	-	1	1	1
1986	31	-	-	-	-	-	-	-	-	-	-
1985	29	-	-	-	-	-	-	-	1	-	-
1984	36	-	-	-	-	-	-	-	-	-	2
1983	38	-	-	-	-	-	-	-	-	1	1
1982	35	-	-	-	-	-	-	-	-	1	-
1981	35	-	-	-	-	-	-	-	-	-	1
1980	29	-	-	-	-	-	-	-	-	1	1
1979	34	-	-	-	-	-	-	-	1	1	-
Malignant neoplasm of breast (174-175)											
Black, female											
1998	5,281	-	-	-	-	-	1	22	109	269	410
1997	5,424	-	-	-	-	-	3	37	106	269	400
1996	5,254	1	-	-	-	-	8	31	121	263	434
1995	5,265	-	-	-	-	-	6	26	127	242	397
1994	5,083	-	-	-	-	-	-	23	116	257	406
1993	4,998	-	-	-	-	-	5	35	109	259	385
1992	4,779	-	-	1	1	-	1	38	109	261	397
1991	4,809	-	-	-	-	-	6	34	112	251	396
1990	4,659	-	-	-	-	1	4	36	117	244	343
1989	4,403	1	-	-	-	-	4	37	113	242	310
1988	4,467	1	-	-	-	1	4	34	122	279	324
1987	4,252	-	-	-	-	2	5	25	109	260	315
1986	4,045	-	-	-	-	-	4	40	118	247	293
1985	3,896	-	-	-	-	-	6	19	102	211	266
1984	3,945	-	-	-	-	-	3	41	92	199	304
1983	3,610	-	-	1	-	-	5	29	89	160	239
1982	3,567	1	-	-	-	-	3	37	94	161	197
1981	3,358	-	-	-	-	-	9	30	94	138	225
1980	3,215	-	-	-	-	-	3	39	81	129	230
1979	3,052	-	-	-	-	-	3	28	82	135	195

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of cervix uteri (180)											
All races, both sexes											
1998	4,340	-	-	-	-	2	19	76	186	353	435
1997	4,499	-	-	-	-	1	22	81	199	327	437
1996	4,542	-	-	-	-	-	18	94	208	357	457
1995	4,503	-	-	-	-	2	19	80	210	328	455
1994	4,602	-	-	1	-	-	14	87	221	360	395
1993	4,583	-	-	-	-	1	19	81	222	336	411
1992	4,641	-	-	-	-	2	18	95	232	362	437
1991	4,514	-	-	-	-	1	17	57	232	351	412
1990	4,627	-	-	-	-	1	20	75	228	352	428
1989	4,487	-	-	1	-	-	24	78	214	307	391
1988	4,443	-	-	-	-	-	18	89	201	275	379
1987	4,425	-	-	-	-	-	16	95	237	291	323
1986	4,558	-	-	-	-	1	18	102	203	293	320
1985	4,508	-	-	-	-	4	21	104	181	291	315
1984	4,564	1	-	-	1	-	20	89	189	269	353
1983	4,651	1	-	-	-	2	20	85	191	278	314
1982	4,631	1	1	-	-	-	19	93	181	241	299
1981	4,815	-	-	-	-	1	21	104	176	225	300
1980	4,874	-	-	-	-	-	21	98	162	256	295
1979	4,936	-	-	-	2	1	16	65	175	240	284
Malignant neoplasm of cervix uteri (180)											
All races, female											
1998	4,340	-	-	-	-	2	19	76	186	353	435
1997	4,499	-	-	-	-	1	22	81	199	327	437
1996	4,542	-	-	-	-	-	18	94	208	357	457
1995	4,503	-	-	-	-	2	19	80	210	328	455
1994	4,602	-	-	1	-	-	14	87	221	360	395
1993	4,583	-	-	-	-	1	19	81	222	336	411
1992	4,641	-	-	-	-	2	18	95	232	362	437
1991	4,514	-	-	-	-	1	17	57	232	351	412
1990	4,627	-	-	-	-	1	20	75	228	352	428
1989	4,487	-	-	1	-	-	24	78	214	307	391
1988	4,443	-	-	-	-	-	18	89	201	275	379
1987	4,425	-	-	-	-	-	16	95	237	291	323
1986	4,558	-	-	-	-	1	18	102	203	293	320
1985	4,508	-	-	-	-	4	21	104	181	291	315
1984	4,564	1	-	-	1	-	20	89	189	269	353
1983	4,651	1	-	-	-	2	20	85	191	278	314
1982	4,631	1	1	-	-	-	19	93	181	241	299
1981	4,815	-	-	-	-	1	21	104	176	225	300
1980	4,874	-	-	-	-	-	21	98	162	256	295
1979	4,936	-	-	-	2	1	16	65	175	240	284

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of cervix uteri (180)											
White, both sexes											
1998	3,272	-	-	-	-	1	13	60	142	271	328
1997	3,371	-	-	-	-	1	14	61	147	250	309
1996	3,479	-	-	-	-	-	12	77	165	274	348
1995	3,359	-	-	-	-	1	12	54	161	232	346
1994	3,524	-	-	-	-	-	12	66	178	269	286
1993	3,419	-	-	-	-	1	14	60	174	250	299
1992	3,433	-	-	-	-	1	15	68	170	268	317
1991	3,386	-	-	-	-	-	12	48	176	259	300
1990	3,511	-	-	-	-	-	19	60	166	272	316
1989	3,321	-	-	1	-	-	18	57	169	233	284
1988	3,343	-	-	-	-	-	15	73	147	201	287
1987	3,349	-	-	-	-	-	12	70	180	214	237
1986	3,391	-	-	-	-	1	13	77	139	220	233
1985	3,405	-	-	-	-	3	16	74	132	212	240
1984	3,463	1	-	-	1	-	14	72	142	213	244
1983	3,497	-	-	-	-	2	15	65	141	212	228
1982	3,522	1	-	-	-	-	17	71	142	175	224
1981	3,712	-	-	-	-	-	19	82	136	163	204
1980	3,691	-	-	-	-	-	14	73	121	181	210
1979	3,805	-	-	-	2	-	14	44	130	168	208
Malignant neoplasm of cervix uteri (180)											
White, female											
1998	3,272	-	-	-	-	1	13	60	142	271	328
1997	3,371	-	-	-	-	1	14	61	147	250	309
1996	3,479	-	-	-	-	-	12	77	165	274	348
1995	3,359	-	-	-	-	1	12	54	161	232	346
1994	3,524	-	-	-	-	-	12	66	178	269	286
1993	3,419	-	-	-	-	1	14	60	174	250	299
1992	3,433	-	-	-	-	1	15	68	170	268	317
1991	3,386	-	-	-	-	-	12	48	176	259	300
1990	3,511	-	-	-	-	-	19	60	166	272	316
1989	3,321	-	-	1	-	-	18	57	169	233	284
1988	3,343	-	-	-	-	-	15	73	147	201	287
1987	3,349	-	-	-	-	-	12	70	180	214	237
1986	3,391	-	-	-	-	1	13	77	139	220	233
1985	3,405	-	-	-	-	3	16	74	132	212	240
1984	3,463	1	-	-	1	-	14	72	142	213	244
1983	3,497	-	-	-	-	2	15	65	141	212	228
1982	3,522	1	-	-	-	-	17	71	142	175	224
1981	3,712	-	-	-	-	-	19	82	136	163	204
1980	3,691	-	-	-	-	-	14	73	121	181	210
1979	3,805	-	-	-	2	-	14	44	130	168	208

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of cervix uteri (180)											
All other, both sexes											
1998	1,068	-	-	-	-	1	6	16	44	82	107
1997	1,128	-	-	-	-	-	8	20	52	77	128
1996	1,063	-	-	-	-	-	6	17	43	83	109
1995	1,144	-	-	-	-	1	7	26	49	96	109
1994	1,078	-	-	1	-	-	2	21	43	91	109
1993	1,164	-	-	-	-	-	5	21	48	86	112
1992	1,208	-	-	-	-	1	3	27	62	94	120
1991	1,128	-	-	-	-	1	5	9	56	92	112
1990	1,116	-	-	-	-	1	1	15	62	80	112
1989	1,166	-	-	-	-	-	6	21	45	74	107
1988	1,100	-	-	-	-	-	3	16	54	74	92
1987	1,076	-	-	-	-	-	4	25	57	77	86
1986	1,167	-	-	-	-	-	5	25	64	73	87
1985	1,103	-	-	-	-	1	5	30	49	79	75
1984	1,101	-	-	-	-	-	6	17	47	56	109
1983	1,154	1	-	-	-	-	5	20	50	66	86
1982	1,109	-	1	-	-	-	2	22	39	66	75
1981	1,103	-	-	-	-	1	2	22	40	62	96
1980	1,183	-	-	-	-	-	7	25	41	75	85
1979	1,131	-	-	-	-	1	2	21	45	72	76
Malignant neoplasm of cervix uteri (180)											
All other, female											
1998	1,068	-	-	-	-	1	6	16	44	82	107
1997	1,128	-	-	-	-	-	8	20	52	77	128
1996	1,063	-	-	-	-	-	6	17	43	83	109
1995	1,144	-	-	-	-	1	7	26	49	96	109
1994	1,078	-	-	1	-	-	2	21	43	91	109
1993	1,164	-	-	-	-	-	5	21	48	86	112
1992	1,208	-	-	-	-	1	3	27	62	94	120
1991	1,128	-	-	-	-	1	5	9	56	92	112
1990	1,116	-	-	-	-	1	1	15	62	80	112
1989	1,166	-	-	-	-	-	6	21	45	74	107
1988	1,100	-	-	-	-	-	3	16	54	74	92
1987	1,076	-	-	-	-	-	4	25	57	77	86
1986	1,167	-	-	-	-	-	5	25	64	73	87
1985	1,103	-	-	-	-	1	5	30	49	79	75
1984	1,101	-	-	-	-	-	6	17	47	56	109
1983	1,154	1	-	-	-	-	5	20	50	66	86
1982	1,109	-	1	-	-	-	2	22	39	66	75
1981	1,103	-	-	-	-	1	2	22	40	62	96
1980	1,183	-	-	-	-	-	7	25	41	75	85
1979	1,131	-	-	-	-	1	2	21	45	72	76

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of cervix uteri (180)											
Black, both sexes											
1998	906	-	-	-	-	1	5	12	38	73	91
1997	969	-	-	-	-	-	8	16	45	67	115
1996	907	-	-	-	-	-	6	14	39	69	94
1995	995	-	-	-	-	1	7	23	46	88	97
1994	931	-	-	1	-	-	2	17	39	83	88
1993	1,035	-	-	-	-	-	4	20	46	78	93
1992	1,068	-	-	-	-	1	3	24	55	81	102
1991	983	-	-	-	-	1	5	8	50	78	91
1990	972	-	-	-	-	1	1	12	55	70	97
1989	1,049	-	-	-	-	-	6	19	40	64	92
1988	974	-	-	-	-	-	3	13	51	63	82
1987	969	-	-	-	-	-	4	22	45	68	77
1986	1,067	-	-	-	-	-	4	22	55	66	83
1985	1,008	-	-	-	-	1	5	26	45	69	66
1984	1,008	-	-	-	-	-	6	16	43	47	99
1983	1,062	1	-	-	-	-	5	19	47	59	78
1982	1,031	-	1	-	-	-	2	21	36	59	66
1981	1,023	-	-	-	-	-	2	21	34	54	85
1980	1,097	-	-	-	-	-	7	22	38	68	76
1979	1,061	-	-	-	-	1	2	20	42	68	70
Malignant neoplasm of cervix uteri (180)											
Black, female											
1998	906	-	-	-	-	1	5	12	38	73	91
1997	969	-	-	-	-	-	8	16	45	67	115
1996	907	-	-	-	-	-	6	14	39	69	94
1995	995	-	-	-	-	1	7	23	46	88	97
1994	931	-	-	1	-	-	2	17	39	83	88
1993	1,035	-	-	-	-	-	4	20	46	78	93
1992	1,068	-	-	-	-	1	3	24	55	81	102
1991	983	-	-	-	-	1	5	8	50	78	91
1990	972	-	-	-	-	1	1	12	55	70	97
1989	1,049	-	-	-	-	-	6	19	40	64	92
1988	974	-	-	-	-	-	3	13	51	63	82
1987	969	-	-	-	-	-	4	22	45	68	77
1986	1,067	-	-	-	-	-	4	22	55	66	83
1985	1,008	-	-	-	-	1	5	26	45	69	66
1984	1,008	-	-	-	-	-	6	16	43	47	99
1983	1,062	1	-	-	-	-	5	19	47	59	78
1982	1,031	-	1	-	-	-	2	21	36	59	66
1981	1,023	-	-	-	-	-	2	21	34	54	85
1980	1,097	-	-	-	-	-	7	22	38	68	76
1979	1,061	-	-	-	-	1	2	20	42	68	70

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,
sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of corpus uteri and uterus, part unspecified (179,182)											
All races, both sexes											
1998	6,421	-	-	-	-	-	-	5	20	47	75
1997	6,189	-	-	-	-	-	1	6	25	48	71
1996	6,311	-	-	-	-	-	3	6	17	41	85
1995	6,237	-	-	-	-	2	1	3	15	38	80
1994	6,163	-	-	-	-	-	1	5	10	37	74
1993	6,098	-	-	-	-	1	1	4	17	48	69
1992	6,064	1	-	-	-	-	3	10	17	44	91
1991	5,925	-	-	-	-	-	2	9	16	45	91
1990	6,028	-	-	-	-	1	-	4	19	33	82
1989	5,850	-	-	-	-	1	2	9	16	30	76
1988	5,892	-	-	-	-	-	3	6	11	42	65
1987	5,894	-	-	-	-	-	2	9	24	32	63
1986	5,853	-	-	-	-	-	2	10	18	41	68
1985	5,959	-	-	-	-	1	1	4	18	29	71
1984	5,965	-	-	-	-	-	2	7	19	38	54
1983	6,017	-	-	2	-	1	3	8	8	32	56
1982	5,956	-	-	-	-	1	4	6	16	31	64
1981	5,883	1	1	1	1	3	3	3	24	26	73
1980	6,035	-	-	1	1	1	3	3	18	29	83
1979	5,775	-	-	-	-	-	3	8	14	36	65
Malignant neoplasms of corpus uteri and uterus, part unspecified (179,182)											
All races, female											
1998	6,421	-	-	-	-	-	-	5	20	47	75
1997	6,189	-	-	-	-	-	1	6	25	48	71
1996	6,311	-	-	-	-	-	3	6	17	41	85
1995	6,237	-	-	-	-	2	1	3	15	38	80
1994	6,163	-	-	-	-	-	1	5	10	37	74
1993	6,098	-	-	-	-	1	1	4	17	48	69
1992	6,064	1	-	-	-	-	3	10	17	44	91
1991	5,925	-	-	-	-	-	2	9	16	45	91
1990	6,028	-	-	-	-	1	-	4	19	33	82
1989	5,850	-	-	-	-	1	2	9	16	30	76
1988	5,892	-	-	-	-	-	3	6	11	42	65
1987	5,894	-	-	-	-	-	2	9	24	32	63
1986	5,853	-	-	-	-	-	2	10	18	41	68
1985	5,959	-	-	-	-	1	1	4	18	29	71
1984	5,965	-	-	-	-	-	2	7	19	38	54
1983	6,017	-	-	2	-	1	3	8	8	32	56
1982	5,956	-	-	-	-	1	4	6	16	31	64
1981	5,883	1	1	1	1	3	3	3	24	26	73
1980	6,035	-	-	1	1	1	3	3	18	29	83
1979	5,775	-	-	-	-	-	3	8	14	36	65

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Malignant neoplasms of corpus uteri and uterus, part unspecified (179,182)

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
White, both sexes											
1998	5,340	-	-	-	-	-	-	2	15	33	58
1997	5,160	-	-	-	-	-	-	5	22	39	53
1996	5,223	-	-	-	-	-	2	3	11	32	72
1995	5,293	-	-	-	-	2	1	3	14	30	67
1994	5,157	-	-	-	-	-	1	5	9	27	56
1993	5,081	-	-	-	-	1	-	1	12	32	58
1992	5,096	1	-	-	-	-	2	5	10	31	73
1991	4,943	-	-	-	-	-	1	6	10	36	71
1990	5,066	-	-	-	-	1	-	3	12	31	65
1989	4,911	-	-	-	-	1	1	6	10	24	58
1988	4,956	-	-	-	-	-	3	3	9	31	52
1987	5,002	-	-	-	-	-	2	6	17	29	48
1986	4,968	-	-	-	-	-	1	7	11	37	52
1985	5,091	-	-	-	-	1	-	4	14	22	57
1984	5,076	-	-	-	-	-	1	6	14	30	44
1983	5,187	-	-	2	-	1	2	5	6	26	41
1982	5,097	-	-	-	-	1	2	5	15	24	55
1981	5,075	1	1	1	1	2	2	2	18	19	56
1980	5,155	-	-	1	1	1	1	3	16	22	59
1979	4,942	-	-	-	-	-	1	5	11	29	52

Malignant neoplasms of corpus uteri and uterus, part unspecified (179,182)

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
White, female											
1998	5,340	-	-	-	-	-	-	2	15	33	58
1997	5,160	-	-	-	-	-	-	5	22	39	53
1996	5,223	-	-	-	-	-	2	3	11	32	72
1995	5,293	-	-	-	-	2	1	3	14	30	67
1994	5,157	-	-	-	-	-	1	5	9	27	56
1993	5,081	-	-	-	-	1	-	1	12	32	58
1992	5,096	1	-	-	-	-	2	5	10	31	73
1991	4,943	-	-	-	-	-	1	6	10	36	71
1990	5,066	-	-	-	-	1	-	3	12	31	65
1989	4,911	-	-	-	-	1	1	6	10	24	58
1988	4,956	-	-	-	-	-	3	3	9	31	52
1987	5,002	-	-	-	-	-	2	6	17	29	48
1986	4,968	-	-	-	-	-	1	7	11	37	52
1985	5,091	-	-	-	-	1	-	4	14	22	57
1984	5,076	-	-	-	-	-	1	6	14	30	44
1983	5,187	-	-	2	-	1	2	5	6	26	41
1982	5,097	-	-	-	-	1	2	5	15	24	55
1981	5,075	1	1	1	1	2	2	2	18	19	56
1980	5,155	-	-	1	1	1	1	3	16	22	59
1979	4,942	-	-	-	-	-	1	5	11	29	52

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of corpus uteri and uterus, part unspecified (179,182)											
All other, both sexes											
1998	1,081	-	-	-	-	-	-	3	5	14	17
1997	1,029	-	-	-	-	-	1	1	3	9	18
1996	1,088	-	-	-	-	-	1	3	6	9	13
1995	944	-	-	-	-	-	-	-	1	8	13
1994	1,006	-	-	-	-	-	-	-	1	10	18
1993	1,017	-	-	-	-	-	1	3	5	16	11
1992	968	-	-	-	-	-	1	5	7	13	18
1991	982	-	-	-	-	-	1	3	6	9	20
1990	962	-	-	-	-	-	-	1	7	2	17
1989	939	-	-	-	-	-	1	3	6	6	18
1988	936	-	-	-	-	-	-	3	2	11	13
1987	892	-	-	-	-	-	-	3	7	3	15
1986	885	-	-	-	-	-	1	3	7	4	16
1985	868	-	-	-	-	-	1	-	4	7	14
1984	889	-	-	-	-	-	1	1	5	8	10
1983	830	-	-	-	-	-	1	3	2	6	15
1982	859	-	-	-	-	-	2	1	1	7	9
1981	808	-	-	-	-	1	1	1	6	7	17
1980	880	-	-	-	-	-	2	-	2	7	24
1979	833	-	-	-	-	-	2	3	3	7	13
Malignant neoplasms of corpus uteri and uterus, part unspecified (179,182)											
All other, female											
1998	1,081	-	-	-	-	-	-	3	5	14	17
1997	1,029	-	-	-	-	-	1	1	3	9	18
1996	1,088	-	-	-	-	-	1	3	6	9	13
1995	944	-	-	-	-	-	-	-	1	8	13
1994	1,006	-	-	-	-	-	-	-	1	10	18
1993	1,017	-	-	-	-	-	1	3	5	16	11
1992	968	-	-	-	-	-	1	5	7	13	18
1991	982	-	-	-	-	-	1	3	6	9	20
1990	962	-	-	-	-	-	-	1	7	2	17
1989	939	-	-	-	-	-	1	3	6	6	18
1988	936	-	-	-	-	-	-	3	2	11	13
1987	892	-	-	-	-	-	-	3	7	3	15
1986	885	-	-	-	-	-	1	3	7	4	16
1985	868	-	-	-	-	-	1	-	4	7	14
1984	889	-	-	-	-	-	1	1	5	8	10
1983	830	-	-	-	-	-	1	3	2	6	15
1982	859	-	-	-	-	-	2	1	1	7	9
1981	808	-	-	-	-	1	1	1	6	7	17
1980	880	-	-	-	-	-	2	-	2	7	24
1979	833	-	-	-	-	-	2	3	3	7	13

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of corpus uteri and uterus, part unspecified (179,182)											
Black, both sexes											
1998	970	-	-	-	-	-	-	2	3	12	12
1997	935	-	-	-	-	-	1	1	3	7	12
1996	977	-	-	-	-	-	-	3	5	8	10
1995	864	-	-	-	-	-	-	-	1	5	10
1994	929	-	-	-	-	-	-	-	1	8	15
1993	942	-	-	-	-	-	1	3	4	14	6
1992	889	-	-	-	-	-	1	4	6	13	14
1991	913	-	-	-	-	-	1	3	5	7	16
1990	893	-	-	-	-	-	-	1	6	2	12
1989	869	-	-	-	-	-	1	2	5	3	16
1988	880	-	-	-	-	-	-	3	2	11	12
1987	841	-	-	-	-	-	-	2	6	3	14
1986	835	-	-	-	-	-	1	3	6	4	14
1985	826	-	-	-	-	-	-	-	4	7	11
1984	837	-	-	-	-	-	1	1	4	7	7
1983	786	-	-	-	-	-	1	3	2	5	11
1982	807	-	-	-	-	-	2	1	1	5	8
1981	770	-	-	-	-	-	1	1	6	6	14
1980	848	-	-	-	-	-	2	-	2	7	23
1979	794	-	-	-	-	-	2	3	3	6	13
Malignant neoplasms of corpus uteri and uterus, part unspecified (179,182)											
Black, female											
1998	970	-	-	-	-	-	-	2	3	12	12
1997	935	-	-	-	-	-	1	1	3	7	12
1996	977	-	-	-	-	-	-	3	5	8	10
1995	864	-	-	-	-	-	-	-	1	5	10
1994	929	-	-	-	-	-	-	-	1	8	15
1993	942	-	-	-	-	-	1	3	4	14	6
1992	889	-	-	-	-	-	1	4	6	13	14
1991	913	-	-	-	-	-	1	3	5	7	16
1990	893	-	-	-	-	-	-	1	6	2	12
1989	869	-	-	-	-	-	1	2	5	3	16
1988	880	-	-	-	-	-	-	3	2	11	12
1987	841	-	-	-	-	-	-	2	6	3	14
1986	835	-	-	-	-	-	1	3	6	4	14
1985	826	-	-	-	-	-	-	-	4	7	11
1984	837	-	-	-	-	-	1	1	4	7	7
1983	786	-	-	-	-	-	1	3	2	5	11
1982	807	-	-	-	-	-	2	1	1	5	8
1981	770	-	-	-	-	-	1	1	6	6	14
1980	848	-	-	-	-	-	2	-	2	7	23
1979	794	-	-	-	-	-	2	3	3	6	13

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of ovary (183.0)											
All races, both sexes											
1998	13,391	-	-	-	4	6	16	22	67	153	336
1997	13,507	1	1	1	3	4	12	42	76	149	330
1996	13,161	-	1	-	4	6	21	27	96	135	307
1995	13,342	-	-	1	3	6	15	37	78	171	310
1994	13,500	-	2	-	4	7	17	25	70	167	313
1993	12,870	-	-	1	4	9	15	20	61	166	320
1992	13,182	-	-	-	3	8	13	30	73	167	331
1991	13,028	-	1	-	1	8	23	33	80	176	310
1990	12,566	-	-	-	5	8	20	42	73	149	305
1989	12,256	-	-	-	3	8	24	36	88	156	279
1988	12,214	-	1	2	-	12	20	50	79	152	281
1987	11,838	-	-	-	5	6	21	41	65	170	256
1986	11,729	-	1	2	-	18	18	38	64	138	319
1985	11,357	-	-	1	3	22	17	36	59	134	269
1984	11,208	-	4	1	11	13	14	43	74	138	281
1983	11,216	1	5	3	7	17	30	43	65	148	230
1982	11,059	2	-	3	8	21	24	49	82	131	232
1981	10,858	1	-	2	5	24	24	31	68	128	259
1980	10,731	-	1	1	5	22	35	33	64	126	267
1979	10,565	-	1	3	7	22	33	43	62	131	285
Malignant neoplasm of ovary (183.0)											
All races, female											
1998	13,391	-	-	-	4	6	16	22	67	153	336
1997	13,507	1	1	1	3	4	12	42	76	149	330
1996	13,161	-	1	-	4	6	21	27	96	135	307
1995	13,342	-	-	1	3	6	15	37	78	171	310
1994	13,500	-	2	-	4	7	17	25	70	167	313
1993	12,870	-	-	1	4	9	15	20	61	166	320
1992	13,182	-	-	-	3	8	13	30	73	167	331
1991	13,028	-	1	-	1	8	23	33	80	176	310
1990	12,566	-	-	-	5	8	20	42	73	149	305
1989	12,256	-	-	-	3	8	24	36	88	156	279
1988	12,214	-	1	2	-	12	20	50	79	152	281
1987	11,838	-	-	-	5	6	21	41	65	170	256
1986	11,729	-	1	2	-	18	18	38	64	138	319
1985	11,357	-	-	1	3	22	17	36	59	134	269
1984	11,208	-	4	1	11	13	14	43	74	138	281
1983	11,216	1	5	3	7	17	30	43	65	148	230
1982	11,059	2	-	3	8	21	24	49	82	131	232
1981	10,858	1	-	2	5	24	24	31	68	128	259
1980	10,731	-	1	1	5	22	35	33	64	126	267
1979	10,565	-	1	3	7	22	33	43	62	131	285

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of ovary (183.0)											
White, both sexes											
1998	12,115	-	-	-	4	3	11	15	50	124	278
1997	12,181	1	1	1	1	4	10	31	69	116	274
1996	11,913	-	-	-	3	2	16	21	80	113	253
1995	12,169	-	-	1	3	6	11	34	65	142	270
1994	12,256	-	2	-	3	4	15	18	56	140	269
1993	11,680	-	-	1	4	6	12	17	47	142	280
1992	11,947	-	-	-	1	6	8	24	63	140	293
1991	11,810	-	1	-	-	6	19	29	61	140	263
1990	11,469	-	-	-	4	5	15	32	63	129	269
1989	11,228	-	-	-	2	7	20	31	75	128	239
1988	11,129	-	1	2	-	10	19	37	60	128	252
1987	10,843	-	-	-	3	6	16	31	53	145	227
1986	10,751	-	1	1	-	16	14	32	55	120	287
1985	10,410	-	-	-	3	17	13	33	48	112	238
1984	10,275	-	4	1	9	11	13	34	63	123	250
1983	10,279	1	5	3	7	11	21	35	48	129	197
1982	10,174	1	-	3	5	17	22	40	66	111	213
1981	9,988	1	-	2	3	18	18	25	52	108	231
1980	9,852	-	1	1	4	17	28	27	55	110	240
1979	9,716	-	1	1	6	15	24	35	52	119	250
Malignant neoplasm of ovary (183.0)											
White, female											
1998	12,115	-	-	-	4	3	11	15	50	124	278
1997	12,181	1	1	1	1	4	10	31	69	116	274
1996	11,913	-	-	-	3	2	16	21	80	113	253
1995	12,169	-	-	1	3	6	11	34	65	142	270
1994	12,256	-	2	-	3	4	15	18	56	140	269
1993	11,680	-	-	1	4	6	12	17	47	142	280
1992	11,947	-	-	-	1	6	8	24	63	140	293
1991	11,810	-	1	-	-	6	19	29	61	140	263
1990	11,469	-	-	-	4	5	15	32	63	129	269
1989	11,228	-	-	-	2	7	20	31	75	128	239
1988	11,129	-	1	2	-	10	19	37	60	128	252
1987	10,843	-	-	-	3	6	16	31	53	145	227
1986	10,751	-	1	1	-	16	14	32	55	120	287
1985	10,410	-	-	-	3	17	13	33	48	112	238
1984	10,275	-	4	1	9	11	13	34	63	123	250
1983	10,279	1	5	3	7	11	21	35	48	129	197
1982	10,174	1	-	3	5	17	22	40	66	111	213
1981	9,988	1	-	2	3	18	18	25	52	108	231
1980	9,852	-	1	1	4	17	28	27	55	110	240
1979	9,716	-	1	1	6	15	24	35	52	119	250

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of ovary (183.0)											
All other, both sexes											
1998	1,276	-	-	-	-	3	5	7	17	29	58
1997	1,326	-	-	-	2	-	2	11	7	33	56
1996	1,248	-	1	-	1	4	5	6	16	22	54
1995	1,173	-	-	-	-	-	4	3	13	29	40
1994	1,244	-	-	-	1	3	2	7	14	27	44
1993	1,190	-	-	-	-	3	3	3	14	24	40
1992	1,235	-	-	-	2	2	5	6	10	27	38
1991	1,218	-	-	-	1	2	4	4	19	36	47
1990	1,097	-	-	-	1	3	5	10	10	20	36
1989	1,028	-	-	-	1	1	4	5	13	28	40
1988	1,085	-	-	-	-	2	1	13	19	24	29
1987	995	-	-	-	2	-	5	10	12	25	29
1986	978	-	-	1	-	2	4	6	9	18	32
1985	947	-	-	1	-	5	4	3	11	22	31
1984	933	-	-	-	2	2	1	9	11	15	31
1983	937	-	-	-	-	6	9	8	17	19	33
1982	885	1	-	-	3	4	2	9	16	20	19
1981	870	-	-	-	2	6	6	6	16	20	28
1980	879	-	-	-	1	5	7	6	9	16	27
1979	849	-	-	2	1	7	9	8	10	12	35
Malignant neoplasm of ovary (183.0)											
All other, female											
1998	1,276	-	-	-	-	3	5	7	17	29	58
1997	1,326	-	-	-	2	-	2	11	7	33	56
1996	1,248	-	1	-	1	4	5	6	16	22	54
1995	1,173	-	-	-	-	-	4	3	13	29	40
1994	1,244	-	-	-	1	3	2	7	14	27	44
1993	1,190	-	-	-	-	3	3	3	14	24	40
1992	1,235	-	-	-	2	2	5	6	10	27	38
1991	1,218	-	-	-	1	2	4	4	19	36	47
1990	1,097	-	-	-	1	3	5	10	10	20	36
1989	1,028	-	-	-	1	1	4	5	13	28	40
1988	1,085	-	-	-	-	2	1	13	19	24	29
1987	995	-	-	-	2	-	5	10	12	25	29
1986	978	-	-	1	-	2	4	6	9	18	32
1985	947	-	-	1	-	5	4	3	11	22	31
1984	933	-	-	-	2	2	1	9	11	15	31
1983	937	-	-	-	-	6	9	8	17	19	33
1982	885	1	-	-	3	4	2	9	16	20	19
1981	870	-	-	-	2	6	6	6	16	20	28
1980	879	-	-	-	1	5	7	6	9	16	27
1979	849	-	-	2	1	7	9	8	10	12	35

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of ovary (183.0)											
Black, both sexes											
1998	1,068	-	-	-	-	3	5	6	15	24	48
1997	1,117	-	-	-	2	-	1	9	7	28	37
1996	1,011	-	1	-	1	4	3	2	12	17	38
1995	992	-	-	-	-	-	4	2	11	25	29
1994	1,034	-	-	-	-	3	2	5	9	20	33
1993	1,000	-	-	-	-	2	3	2	10	19	29
1992	1,043	-	-	-	2	1	4	3	7	23	30
1991	1,045	-	-	-	1	2	3	4	14	29	33
1990	959	-	-	-	-	2	3	8	7	15	29
1989	890	-	-	-	1	-	2	2	11	20	32
1988	938	-	-	-	-	2	1	10	15	15	24
1987	880	-	-	-	2	-	4	8	9	16	24
1986	855	-	-	1	-	2	3	3	6	16	21
1985	834	-	-	1	-	4	3	3	9	14	21
1984	834	-	-	-	2	2	1	8	9	10	25
1983	837	-	-	-	-	4	9	7	13	13	29
1982	804	-	-	-	2	4	2	7	16	17	14
1981	775	-	-	-	2	6	5	6	11	12	25
1980	817	-	-	-	1	4	7	5	9	12	25
1979	782	-	-	1	1	7	8	7	8	11	30
Malignant neoplasm of ovary (183.0)											
Black, female											
1998	1,068	-	-	-	-	3	5	6	15	24	48
1997	1,117	-	-	-	2	-	1	9	7	28	37
1996	1,011	-	1	-	1	4	3	2	12	17	38
1995	992	-	-	-	-	-	4	2	11	25	29
1994	1,034	-	-	-	-	3	2	5	9	20	33
1993	1,000	-	-	-	-	2	3	2	10	19	29
1992	1,043	-	-	-	2	1	4	3	7	23	30
1991	1,045	-	-	-	1	2	3	4	14	29	33
1990	959	-	-	-	-	2	3	8	7	15	29
1989	890	-	-	-	1	-	2	2	11	20	32
1988	938	-	-	-	-	2	1	10	15	15	24
1987	880	-	-	-	2	-	4	8	9	16	24
1986	855	-	-	1	-	2	3	3	6	16	21
1985	834	-	-	1	-	4	3	3	9	14	21
1984	834	-	-	-	2	2	1	8	9	10	25
1983	837	-	-	-	-	4	9	7	13	13	29
1982	804	-	-	-	2	4	2	7	16	17	14
1981	775	-	-	-	2	6	5	6	11	12	25
1980	817	-	-	-	1	4	7	5	9	12	25
1979	782	-	-	1	1	7	8	7	8	11	30

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of prostate (185)											
All races, both sexes											
1998	32,203	-	-	-	-	-	-	2	3	4	33
1997	32,891	-	1	-	-	1	1	2	5	7	27
1996	34,123	-	-	-	-	-	2	-	1	6	26
1995	34,475	-	-	-	-	5	-	2	1	9	27
1994	34,902	-	-	-	2	-	-	2	2	4	20
1993	34,865	-	-	-	-	2	-	-	3	4	24
1992	34,240	-	-	1	-	3	-	1	4	5	22
1991	33,564	-	-	1	-	-	3	1	2	4	20
1990	32,378	2	-	-	-	1	-	2	2	5	15
1989	30,520	-	1	-	-	1	1	-	2	3	23
1988	28,982	2	-	1	-	-	2	3	2	4	13
1987	27,864	-	1	-	-	2	1	3	3	6	15
1986	27,262	-	3	-	1	2	2	1	2	5	10
1985	25,943	-	-	-	2	3	-	3	-	2	16
1984	25,407	-	1	2	1	2	2	1	3	4	16
1983	24,959	1	2	2	-	-	1	2	1	4	20
1982	24,021	-	1	2	-	1	-	2	1	4	16
1981	23,370	-	-	2	1	2	1	1	3	5	15
1980	22,881	-	-	-	-	2	1	1	3	4	11
1979	22,240	-	-	1	1	5	2	-	-	1	5
Malignant neoplasm of prostate (185)											
All races, male											
1998	32,203	-	-	-	-	-	-	2	3	4	33
1997	32,891	-	1	-	-	1	1	2	5	7	27
1996	34,123	-	-	-	-	-	2	-	1	6	26
1995	34,475	-	-	-	-	5	-	2	1	9	27
1994	34,902	-	-	-	2	-	-	2	2	4	20
1993	34,865	-	-	-	-	2	-	-	3	4	24
1992	34,240	-	-	1	-	3	-	1	4	5	22
1991	33,564	-	-	1	-	-	3	1	2	4	20
1990	32,378	2	-	-	-	1	-	2	2	5	15
1989	30,520	-	1	-	-	1	1	-	2	3	23
1988	28,982	2	-	1	-	-	2	3	2	4	13
1987	27,864	-	1	-	-	2	1	3	3	6	15
1986	27,262	-	3	-	1	2	2	1	2	5	10
1985	25,943	-	-	-	2	3	-	3	-	2	16
1984	25,407	-	1	2	1	2	2	1	3	4	16
1983	24,959	1	2	2	-	-	1	2	1	4	20
1982	24,021	-	1	2	-	1	-	2	1	4	16
1981	23,370	-	-	2	1	2	1	1	3	5	15
1980	22,881	-	-	-	-	2	1	1	3	4	11
1979	22,240	-	-	1	1	5	2	-	-	1	5

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of prostate (185)											
White, both sexes											
1998	26,416	-	-	-	-	-	-	2	2	3	24
1997	27,052	-	1	-	-	1	1	1	4	6	16
1996	28,021	-	-	-	-	-	2	-	-	5	21
1995	28,495	-	-	-	-	5	-	1	1	7	17
1994	28,912	-	-	-	2	-	-	2	2	1	14
1993	28,847	-	-	-	-	2	-	-	3	3	16
1992	28,430	-	-	1	-	2	-	1	2	4	15
1991	27,971	-	-	1	-	-	2	1	1	2	18
1990	26,917	1	-	-	-	1	-	2	1	1	14
1989	25,469	-	1	-	-	-	1	-	1	3	21
1988	24,176	-	-	1	-	-	2	2	2	3	10
1987	23,169	-	1	-	-	2	-	3	3	4	14
1986	22,708	-	3	-	1	2	2	1	2	3	8
1985	21,472	-	-	-	1	3	-	3	-	2	11
1984	21,104	-	1	2	1	1	2	1	2	2	12
1983	20,787	1	2	2	-	-	1	1	1	4	17
1982	20,065	-	1	2	-	1	-	2	1	2	10
1981	19,405	-	-	1	1	2	1	-	3	4	12
1980	19,096	-	-	-	-	1	1	1	2	2	9
1979	18,654	-	-	1	1	5	1	-	-	1	2
Malignant neoplasm of prostate (185)											
White, male											
1998	26,416	-	-	-	-	-	-	2	2	3	24
1997	27,052	-	1	-	-	1	1	1	4	6	16
1996	28,021	-	-	-	-	-	2	-	-	5	21
1995	28,495	-	-	-	-	5	-	1	1	7	17
1994	28,912	-	-	-	2	-	-	2	2	1	14
1993	28,847	-	-	-	-	2	-	-	3	3	16
1992	28,430	-	-	1	-	2	-	1	2	4	15
1991	27,971	-	-	1	-	-	2	1	1	2	18
1990	26,917	1	-	-	-	1	-	2	1	1	14
1989	25,469	-	1	-	-	-	1	-	1	3	21
1988	24,176	-	-	1	-	-	2	2	2	3	10
1987	23,169	-	1	-	-	2	-	3	3	4	14
1986	22,708	-	3	-	1	2	2	1	2	3	8
1985	21,472	-	-	-	1	3	-	3	-	2	11
1984	21,104	-	1	2	1	1	2	1	2	2	12
1983	20,787	1	2	2	-	-	1	1	1	4	17
1982	20,065	-	1	2	-	1	-	2	1	2	10
1981	19,405	-	-	1	1	2	1	-	3	4	12
1980	19,096	-	-	-	-	1	1	1	2	2	9
1979	18,654	-	-	1	1	5	1	-	-	1	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of prostate (185)											
All other, both sexes											
1998	5,787	-	-	-	-	-	-	-	1	1	9
1997	5,839	-	-	-	-	-	-	1	1	1	11
1996	6,102	-	-	-	-	-	-	-	1	1	5
1995	5,980	-	-	-	-	-	-	1	-	2	10
1994	5,990	-	-	-	-	-	-	-	-	3	6
1993	6,018	-	-	-	-	-	-	-	-	1	8
1992	5,810	-	-	-	-	1	-	-	2	1	7
1991	5,593	-	-	-	-	-	1	-	1	2	2
1990	5,461	1	-	-	-	-	-	-	1	4	1
1989	5,051	-	-	-	-	1	-	-	1	-	2
1988	4,806	2	-	-	-	-	-	1	-	1	3
1987	4,695	-	-	-	-	-	1	-	-	2	1
1986	4,554	-	-	-	-	-	-	-	-	2	2
1985	4,471	-	-	-	1	-	-	-	-	-	5
1984	4,303	-	-	-	-	1	-	-	1	2	4
1983	4,172	-	-	-	-	-	-	1	-	-	3
1982	3,956	-	-	-	-	-	-	-	-	2	6
1981	3,965	-	-	1	-	-	-	1	-	1	3
1980	3,785	-	-	-	-	1	-	-	1	2	2
1979	3,586	-	-	-	-	-	1	-	-	-	3
Malignant neoplasm of prostate (185)											
All other, male											
1998	5,787	-	-	-	-	-	-	-	1	1	9
1997	5,839	-	-	-	-	-	-	1	1	1	11
1996	6,102	-	-	-	-	-	-	-	1	1	5
1995	5,980	-	-	-	-	-	-	1	-	2	10
1994	5,990	-	-	-	-	-	-	-	-	3	6
1993	6,018	-	-	-	-	-	-	-	-	1	8
1992	5,810	-	-	-	-	1	-	-	2	1	7
1991	5,593	-	-	-	-	-	1	-	1	2	2
1990	5,461	1	-	-	-	-	-	-	1	4	1
1989	5,051	-	-	-	-	1	-	-	1	-	2
1988	4,806	2	-	-	-	-	-	1	-	1	3
1987	4,695	-	-	-	-	-	1	-	-	2	1
1986	4,554	-	-	-	-	-	-	-	-	2	2
1985	4,471	-	-	-	1	-	-	-	-	-	5
1984	4,303	-	-	-	-	1	-	-	1	2	4
1983	4,172	-	-	-	-	-	-	1	-	-	3
1982	3,956	-	-	-	-	-	-	-	-	2	6
1981	3,965	-	-	1	-	-	-	1	-	1	3
1980	3,785	-	-	-	-	1	-	-	1	2	2
1979	3,586	-	-	-	-	-	1	-	-	-	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of prostate (185)											
Black, both sexes											
1998	5,436	-	-	-	-	-	-	-	1	1	8
1997	5,466	-	-	-	-	-	-	1	1	1	10
1996	5,717	-	-	-	-	-	-	-	1	1	3
1995	5,592	-	-	-	-	-	-	1	-	2	10
1994	5,650	-	-	-	-	-	-	-	-	3	6
1993	5,656	-	-	-	-	-	-	-	-	1	7
1992	5,485	-	-	-	-	1	-	-	1	1	7
1991	5,299	-	-	-	-	-	1	-	1	2	2
1990	5,181	1	-	-	-	-	-	-	1	4	1
1989	4,785	-	-	-	-	1	-	-	1	-	2
1988	4,582	2	-	-	-	-	-	-	-	1	3
1987	4,488	-	-	-	-	-	1	-	-	2	1
1986	4,358	-	-	-	-	-	-	-	-	2	2
1985	4,273	-	-	-	1	-	-	-	-	-	5
1984	4,130	-	-	-	-	1	-	-	1	2	4
1983	4,040	-	-	-	-	-	-	1	-	-	3
1982	3,811	-	-	-	-	-	-	-	-	2	6
1981	3,839	-	-	1	-	-	-	1	-	1	3
1980	3,670	-	-	-	-	1	-	-	1	2	2
1979	3,478	-	-	-	-	-	1	-	-	-	3
Malignant neoplasm of prostate (185)											
Black, male											
1998	5,436	-	-	-	-	-	-	-	1	1	8
1997	5,466	-	-	-	-	-	-	1	1	1	10
1996	5,717	-	-	-	-	-	-	-	1	1	3
1995	5,592	-	-	-	-	-	-	1	-	2	10
1994	5,650	-	-	-	-	-	-	-	-	3	6
1993	5,656	-	-	-	-	-	-	-	-	1	7
1992	5,485	-	-	-	-	1	-	-	1	1	7
1991	5,299	-	-	-	-	-	1	-	1	2	2
1990	5,181	1	-	-	-	-	-	-	1	4	1
1989	4,785	-	-	-	-	1	-	-	1	-	2
1988	4,582	2	-	-	-	-	-	-	-	1	3
1987	4,488	-	-	-	-	-	1	-	-	2	1
1986	4,358	-	-	-	-	-	-	-	-	2	2
1985	4,273	-	-	-	1	-	-	-	-	-	5
1984	4,130	-	-	-	-	1	-	-	1	2	4
1983	4,040	-	-	-	-	-	-	1	-	-	3
1982	3,811	-	-	-	-	-	-	-	-	2	6
1981	3,839	-	-	1	-	-	-	1	-	1	3
1980	3,670	-	-	-	-	1	-	-	1	2	2
1979	3,478	-	-	-	-	-	1	-	-	-	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,
sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of kidney and renal pelvis (189.0,189.1)											
All races, both sexes											
1998	11,484	3	21	25	9	12	12	25	40	114	251
1997	11,294	6	18	25	7	8	10	16	38	87	249
1996	11,095	4	13	22	4	14	13	22	46	104	241
1995	11,083	3	23	16	10	9	15	17	41	104	235
1994	10,750	2	17	23	6	8	11	13	48	88	234
1993	10,322	5	15	24	4	8	9	28	48	110	214
1992	10,429	2	15	26	8	5	13	19	42	103	206
1991	10,270	2	14	28	9	9	13	27	34	102	235
1990	9,843	-	20	25	7	10	14	21	60	91	202
1989	9,638	5	21	22	10	7	13	18	45	108	197
1988	9,203	5	20	32	7	8	21	21	53	93	205
1987	9,332	2	15	28	6	7	13	18	40	79	206
1986	8,987	4	19	39	4	7	18	28	48	106	176
1985	8,660	9	17	26	10	9	10	16	40	112	198
1984	8,411	2	19	19	10	7	18	30	42	82	181
1983	8,228	4	36	29	10	13	22	22	42	77	147
1982	8,084	3	22	33	10	14	21	29	47	80	147
1981	7,702	4	32	30	9	13	18	27	58	86	147
1980	7,537	9	22	32	10	13	21	28	44	62	141
1979	7,284	6	29	41	13	11	25	17	37	74	136
Malignant neoplasms of kidney and renal pelvis (189.0,189.1)											
All races, male											
1998	7,095	2	9	8	3	8	8	17	25	71	181
1997	6,914	3	7	15	2	3	6	7	24	55	164
1996	6,798	1	8	13	2	5	6	14	25	70	173
1995	6,639	1	8	6	2	4	7	10	19	64	158
1994	6,522	1	9	13	1	5	9	7	28	58	146
1993	6,358	3	8	12	2	4	6	18	30	77	149
1992	6,351	2	6	12	5	3	5	12	28	70	140
1991	6,179	2	11	12	3	2	11	13	22	63	167
1990	6,054	-	8	14	3	-	6	10	33	60	140
1989	5,879	3	8	10	7	2	6	9	26	71	137
1988	5,615	3	8	17	3	4	12	11	37	65	141
1987	5,704	-	8	14	2	1	6	8	25	56	145
1986	5,410	2	10	15	3	2	9	9	30	63	117
1985	5,288	5	8	8	5	4	4	9	24	67	131
1984	5,201	1	9	8	3	4	10	15	24	51	125
1983	5,033	2	17	12	5	8	12	13	27	53	95
1982	5,013	2	13	19	5	8	8	15	30	51	101
1981	4,728	3	20	12	7	5	9	16	33	56	103
1980	4,751	4	14	9	4	6	12	20	24	40	102
1979	4,550	4	21	12	4	5	14	8	18	43	95

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of kidney and renal pelvis (189.0,189.1)											
All races, female											
1998	4,389	1	12	17	6	4	4	8	15	43	70
1997	4,380	3	11	10	5	5	4	9	14	32	85
1996	4,297	3	5	9	2	9	7	8	21	34	68
1995	4,444	2	15	10	8	5	8	7	22	40	77
1994	4,228	1	8	10	5	3	2	6	20	30	88
1993	3,964	2	7	12	2	4	3	10	18	33	65
1992	4,078	-	9	14	3	2	8	7	14	33	66
1991	4,091	-	3	16	6	7	2	14	12	39	68
1990	3,789	-	12	11	4	10	8	11	27	31	62
1989	3,759	2	13	12	3	5	7	9	19	37	60
1988	3,588	2	12	15	4	4	9	10	16	28	64
1987	3,628	2	7	14	4	6	7	10	15	23	61
1986	3,577	2	9	24	1	5	9	19	18	43	59
1985	3,372	4	9	18	5	5	6	7	16	45	67
1984	3,210	1	10	11	7	3	8	15	18	31	56
1983	3,195	2	19	17	5	5	10	9	15	24	52
1982	3,071	1	9	14	5	6	13	14	17	29	46
1981	2,974	1	12	18	2	8	9	11	25	30	44
1980	2,786	5	8	23	6	7	9	8	20	22	39
1979	2,734	2	8	29	9	6	11	9	19	31	41
Malignant neoplasms of kidney and renal pelvis (189.0,189.1)											
White, both sexes											
1998	10,286	3	15	19	7	7	6	11	29	87	202
1997	10,069	6	11	18	4	7	4	8	20	57	210
1996	9,946	4	11	16	2	9	5	13	26	82	198
1995	9,927	2	17	12	8	5	8	9	34	79	194
1994	9,637	2	13	19	6	5	8	5	33	67	189
1993	9,280	3	10	15	4	6	5	15	33	83	182
1992	9,441	2	9	20	6	4	6	11	30	80	168
1991	9,220	1	12	23	7	5	6	18	20	76	191
1990	8,854	-	17	22	5	3	10	11	34	74	165
1989	8,712	4	16	17	9	6	7	10	31	89	163
1988	8,334	4	15	25	4	6	13	12	33	67	178
1987	8,515	2	15	21	4	6	8	10	35	64	177
1986	8,165	4	12	33	1	6	7	17	31	79	141
1985	7,833	4	8	21	6	5	4	8	32	90	168
1984	7,663	2	18	12	8	5	11	20	31	64	151
1983	7,533	1	29	25	5	10	10	14	27	64	129
1982	7,364	2	18	26	5	11	11	16	37	68	127
1981	7,034	2	23	26	8	6	10	17	47	67	130
1980	6,934	8	15	26	9	13	11	20	36	54	128
1979	6,692	6	22	30	9	8	13	12	30	62	110

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of kidney and renal pelvis (189.0,189.1)											
White, male											
1998	6,337	2	5	4	3	4	4	7	18	56	148
1997	6,150	3	4	9	2	2	3	3	11	36	134
1996	6,110	1	6	10	1	3	1	7	11	62	145
1995	5,974	-	5	4	1	1	3	6	18	50	134
1994	5,844	1	7	11	1	3	6	4	19	47	121
1993	5,738	1	7	8	2	2	3	9	23	59	129
1992	5,735	2	6	9	4	3	2	7	21	56	119
1991	5,552	1	9	8	3	1	5	7	11	47	131
1990	5,449	-	7	12	1	-	4	5	22	51	116
1989	5,314	3	6	8	6	1	5	4	18	59	117
1988	5,069	2	6	12	-	2	7	6	25	46	123
1987	5,192	-	8	13	2	1	3	4	23	45	126
1986	4,927	2	7	13	-	2	3	6	20	50	91
1985	4,760	3	4	6	3	2	2	5	18	52	113
1984	4,748	1	9	5	3	3	5	9	19	42	108
1983	4,600	-	14	9	2	6	4	8	18	44	82
1982	4,580	1	11	13	2	6	5	9	24	46	89
1981	4,307	2	16	11	7	1	5	9	25	43	90
1980	4,370	3	11	9	4	6	6	14	19	36	92
1979	4,191	4	17	8	2	4	7	6	17	37	79
Malignant neoplasms of kidney and renal pelvis (189.0,189.1)											
White, female											
1998	3,949	1	10	15	4	3	2	4	11	31	54
1997	3,919	3	7	9	2	5	1	5	9	21	76
1996	3,836	3	5	6	1	6	4	6	15	20	53
1995	3,953	2	12	8	7	4	5	3	16	29	60
1994	3,793	1	6	8	5	2	2	1	14	20	68
1993	3,542	2	3	7	2	4	2	6	10	24	53
1992	3,706	-	3	11	2	1	4	4	9	24	49
1991	3,668	-	3	15	4	4	1	11	9	29	60
1990	3,405	-	10	10	4	3	6	6	12	23	49
1989	3,398	1	10	9	3	5	2	6	13	30	46
1988	3,265	2	9	13	4	4	6	6	8	21	55
1987	3,323	2	7	8	2	5	5	6	12	19	51
1986	3,238	2	5	20	1	4	4	11	11	29	50
1985	3,073	1	4	15	3	3	2	3	14	38	55
1984	2,915	1	9	7	5	2	6	11	12	22	43
1983	2,933	1	15	16	3	4	6	6	9	20	47
1982	2,784	1	7	13	3	5	6	7	13	22	38
1981	2,727	-	7	15	1	5	5	8	22	24	40
1980	2,564	5	4	17	5	7	5	6	17	18	36
1979	2,501	2	5	22	7	4	6	6	13	25	31

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of kidney and renal pelvis (189.0,189.1)											
All other, both sexes											
1998	1,198	-	6	6	2	5	6	14	11	27	49
1997	1,225	-	7	7	3	1	6	8	18	30	39
1996	1,149	-	2	6	2	5	8	9	20	22	43
1995	1,156	1	6	4	2	4	7	8	7	25	41
1994	1,113	-	4	4	-	3	3	8	15	21	45
1993	1,042	2	5	9	-	2	4	13	15	27	32
1992	988	-	6	6	2	1	7	8	12	23	38
1991	1,050	1	2	5	2	4	7	9	14	26	44
1990	989	-	3	3	2	7	4	10	26	17	37
1989	926	1	5	5	1	1	6	8	14	19	34
1988	869	1	5	7	3	2	8	9	20	26	27
1987	817	-	-	7	2	1	5	8	5	15	29
1986	822	-	7	6	3	1	11	11	17	27	35
1985	827	5	9	5	4	4	6	8	8	22	30
1984	748	-	1	7	2	2	7	10	11	18	30
1983	695	3	7	4	5	3	12	8	15	13	18
1982	720	1	4	7	5	3	10	13	10	12	20
1981	668	2	9	4	1	7	8	10	11	19	17
1980	603	1	7	6	1	-	10	8	8	8	13
1979	592	-	7	11	4	3	12	5	7	12	26
Malignant neoplasms of kidney and renal pelvis (189.0,189.1)											
All other, male											
1998	758	-	4	4	-	4	4	10	7	15	33
1997	764	-	3	6	-	1	3	4	13	19	30
1996	688	-	2	3	1	2	5	7	14	8	28
1995	665	1	3	2	1	3	4	4	1	14	24
1994	678	-	2	2	-	2	3	3	9	11	25
1993	620	2	1	4	-	2	3	9	7	18	20
1992	616	-	-	3	1	-	3	5	7	14	21
1991	627	1	2	4	-	1	6	6	11	16	36
1990	605	-	1	2	2	-	2	5	11	9	24
1989	565	-	2	2	1	1	1	5	8	12	20
1988	546	1	2	5	3	2	5	5	12	19	18
1987	512	-	-	1	-	-	3	4	2	11	19
1986	483	-	3	2	3	-	6	3	10	13	26
1985	528	2	4	2	2	2	2	4	6	15	18
1984	453	-	-	3	-	1	5	6	5	9	17
1983	433	2	3	3	3	2	8	5	9	9	13
1982	433	1	2	6	3	2	3	6	6	5	12
1981	421	1	4	1	-	4	4	7	8	13	13
1980	381	1	3	-	-	-	6	6	5	4	10
1979	359	-	4	4	2	1	7	2	1	6	16

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of kidney and renal pelvis (189.0,189.1)											
All other, female											
1998	440	-	2	2	2	1	2	4	4	12	16
1997	461	-	4	1	3	-	3	4	5	11	9
1996	461	-	-	3	1	3	3	2	6	14	15
1995	491	-	3	2	1	1	3	4	6	11	17
1994	435	-	2	2	-	1	-	5	6	10	20
1993	422	-	4	5	-	-	1	4	8	9	12
1992	372	-	6	3	1	1	4	3	5	9	17
1991	423	-	-	1	2	3	1	3	3	10	8
1990	384	-	2	1	-	7	2	5	15	8	13
1989	361	1	3	3	-	-	5	3	6	7	14
1988	323	-	3	2	-	-	3	4	8	7	9
1987	305	-	-	6	2	1	2	4	3	4	10
1986	339	-	4	4	-	1	5	8	7	14	9
1985	299	3	5	3	2	2	4	4	2	7	12
1984	295	-	1	4	2	1	2	4	6	9	13
1983	262	1	4	1	2	1	4	3	6	4	5
1982	287	-	2	1	2	1	7	7	4	7	8
1981	247	1	5	3	1	3	4	3	3	6	4
1980	222	-	4	6	1	-	4	2	3	4	3
1979	233	-	3	7	2	2	5	3	6	6	10
Malignant neoplasms of kidney and renal pelvis (189.0,189.1)											
Black, both sexes											
1998	990	-	5	5	2	5	4	13	10	25	43
1997	1,037	-	7	6	3	1	6	8	16	27	36
1996	974	-	2	6	2	5	7	9	19	18	35
1995	999	1	4	3	2	4	7	8	7	23	38
1994	947	-	3	4	-	3	2	8	15	18	38
1993	908	2	5	9	-	2	4	10	14	24	31
1992	854	-	6	6	-	1	7	8	11	17	33
1991	918	1	2	4	2	4	6	9	13	25	38
1990	888	-	2	3	2	7	4	10	25	15	34
1989	822	1	5	5	-	1	6	8	14	18	28
1988	775	1	4	7	3	2	8	9	18	23	26
1987	727	-	-	5	2	1	5	8	4	14	27
1986	736	-	6	6	3	1	11	11	17	25	32
1985	748	5	7	4	4	4	6	8	8	20	28
1984	664	-	1	6	2	2	5	10	10	17	26
1983	633	3	7	4	4	2	12	8	12	12	18
1982	644	1	1	7	5	2	10	11	9	11	19
1981	601	1	8	4	1	6	7	10	9	18	11
1980	551	1	7	6	1	-	10	8	7	7	12
1979	532	-	6	8	2	3	12	5	6	12	26

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of kidney and renal pelvis (189.0,189.1)											
Black, male											
1998	632	-	3	4	-	4	3	10	7	14	29
1997	636	-	3	5	-	1	3	4	11	18	27
1996	568	-	2	3	1	2	5	7	13	6	21
1995	570	1	1	1	1	3	4	4	1	12	23
1994	573	-	1	2	-	2	2	3	9	9	22
1993	545	2	1	4	-	2	3	7	6	16	19
1992	520	-	-	3	-	-	3	5	7	10	19
1991	551	1	2	3	-	1	6	6	10	16	33
1990	542	-	1	2	2	-	2	5	10	8	21
1989	501	-	2	2	-	1	1	5	8	12	15
1988	485	1	1	5	3	2	5	5	12	16	18
1987	448	-	-	1	-	-	3	4	1	10	18
1986	437	-	3	2	3	-	6	3	10	13	25
1985	477	2	2	2	2	2	2	4	6	13	16
1984	395	-	-	2	-	1	4	6	4	8	13
1983	394	2	3	3	2	1	8	5	7	9	13
1982	386	1	1	6	3	1	3	5	5	4	12
1981	373	-	4	1	-	3	4	7	6	12	8
1980	341	1	3	-	-	-	6	6	4	4	9
1979	325	-	3	3	1	1	7	2	1	6	16
Malignant neoplasms of kidney and renal pelvis (189.0,189.1)											
Black, female											
1998	358	-	2	1	2	1	1	3	3	11	14
1997	401	-	4	1	3	-	3	4	5	9	9
1996	406	-	-	3	1	3	2	2	6	12	14
1995	429	-	3	2	1	1	3	4	6	11	15
1994	374	-	2	2	-	1	-	5	6	9	16
1993	363	-	4	5	-	-	1	3	8	8	12
1992	334	-	6	3	-	1	4	3	4	7	14
1991	367	-	-	1	2	3	-	3	3	9	5
1990	346	-	1	1	-	7	2	5	15	7	13
1989	321	1	3	3	-	-	5	3	6	6	13
1988	290	-	3	2	-	-	3	4	6	7	8
1987	279	-	-	4	2	1	2	4	3	4	9
1986	299	-	3	4	-	1	5	8	7	12	7
1985	271	3	5	2	2	2	4	4	2	7	12
1984	269	-	1	4	2	1	1	4	6	9	13
1983	239	1	4	1	2	1	4	3	5	3	5
1982	258	-	-	1	2	1	7	6	4	7	7
1981	228	1	4	3	1	3	3	3	3	6	3
1980	210	-	4	6	1	-	4	2	3	3	3
1979	207	-	3	5	1	2	5	3	5	6	10

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of bladder (188)											
All races, both sexes											
1998	11,757	-	-	-	-	-	1	4	6	28	79
1997	11,582	-	-	1	-	-	-	1	6	35	76
1996	11,452	1	-	-	1	1	1	4	9	35	60
1995	11,084	-	-	1	1	-	-	6	12	36	76
1994	11,170	-	-	1	1	-	5	4	14	21	65
1993	10,962	-	1	-	-	-	-	6	14	28	74
1992	10,707	-	1	-	2	-	-	1	12	30	70
1991	10,406	-	-	-	-	2	2	4	11	19	59
1990	10,341	-	-	-	-	-	-	6	18	21	70
1989	10,121	-	2	-	1	-	1	3	11	33	39
1988	9,805	-	-	1	1	1	2	5	15	15	45
1987	9,589	-	3	-	-	1	1	5	12	33	32
1986	9,655	-	1	1	-	-	-	1	10	16	33
1985	9,787	1	1	-	-	-	-	6	4	22	47
1984	9,716	-	3	-	-	-	1	1	6	18	38
1983	9,844	-	1	2	-	2	-	5	9	23	41
1982	9,874	-	2	-	-	-	-	2	12	28	48
1981	9,815	-	-	1	1	-	1	2	11	22	44
1980	9,816	-	-	-	-	-	1	3	9	15	34
1979	9,694	2	-	1	1	1	3	1	4	19	43
Malignant neoplasm of bladder (188)											
All races, male											
1998	7,939	-	-	-	-	-	1	1	3	15	55
1997	7,662	-	-	-	-	-	-	1	5	22	46
1996	7,683	-	-	-	-	1	-	2	8	21	40
1995	7,521	-	-	-	1	-	-	3	9	29	56
1994	7,457	-	-	-	1	-	4	1	5	12	45
1993	7,474	-	1	-	-	-	-	3	9	17	53
1992	7,123	-	-	-	-	-	-	-	8	21	44
1991	7,027	-	-	-	-	2	1	-	5	14	39
1990	6,910	-	-	-	-	-	-	2	12	15	52
1989	6,843	-	1	-	1	-	1	2	5	21	26
1988	6,534	-	-	1	1	1	1	3	7	9	22
1987	6,490	-	2	-	-	-	-	4	9	17	23
1986	6,523	-	-	-	-	-	-	-	9	11	26
1985	6,679	-	1	-	-	-	-	4	2	17	29
1984	6,601	-	3	-	-	-	-	-	3	13	27
1983	6,735	-	1	2	-	2	-	4	4	13	25
1982	6,796	-	-	-	-	-	-	-	9	17	37
1981	6,711	-	-	-	1	-	1	1	8	12	30
1980	6,708	-	-	-	-	-	-	1	6	9	20
1979	6,709	1	-	1	1	1	3	1	2	12	23

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	
Malignant neoplasm of bladder (188)												
All races, female												
1998	3,818	-	-	-	-	-	-	-	3	3	13	24
1997	3,920	-	-	1	-	-	-	-	-	1	13	30
1996	3,769	1	-	-	1	-	1	2	1	14	20	
1995	3,563	-	-	1	-	-	-	3	3	7	20	
1994	3,713	-	-	1	-	-	1	3	9	9	20	
1993	3,488	-	-	-	-	-	-	3	5	11	21	
1992	3,584	-	1	-	2	-	-	1	4	9	26	
1991	3,379	-	-	-	-	-	1	4	6	5	20	
1990	3,431	-	-	-	-	-	-	4	6	6	18	
1989	3,278	-	1	-	-	-	-	1	6	12	13	
1988	3,271	-	-	-	-	-	1	2	8	6	23	
1987	3,099	-	1	-	-	1	1	1	3	16	9	
1986	3,132	-	1	1	-	-	-	1	1	5	7	
1985	3,108	1	-	-	-	-	-	2	2	5	18	
1984	3,115	-	-	-	-	-	1	1	3	5	11	
1983	3,109	-	-	-	-	-	-	1	5	10	16	
1982	3,078	-	2	-	-	-	-	2	3	11	11	
1981	3,104	-	-	1	-	-	-	1	3	10	14	
1980	3,108	-	-	-	-	-	1	2	3	6	14	
1979	2,985	1	-	-	-	-	-	-	2	7	20	
Malignant neoplasm of bladder (188)												
White, both sexes												
1998	10,762	-	-	-	-	-	-	3	5	20	66	
1997	10,608	-	-	-	-	-	-	1	4	32	67	
1996	10,463	1	-	-	1	-	-	3	9	29	48	
1995	10,151	-	-	1	1	-	-	6	7	29	59	
1994	10,194	-	-	1	1	-	4	4	9	18	49	
1993	10,025	-	1	-	-	-	-	4	12	22	58	
1992	9,766	-	1	-	1	-	-	1	9	25	61	
1991	9,492	-	-	-	-	2	2	2	11	14	49	
1990	9,430	-	-	-	-	-	-	5	15	18	58	
1989	9,193	-	2	-	1	-	-	2	9	30	34	
1988	8,951	-	-	-	1	1	2	3	13	11	36	
1987	8,742	-	2	-	-	-	1	3	10	28	25	
1986	8,849	-	-	1	-	-	-	-	9	11	31	
1985	8,949	1	1	-	-	-	-	4	4	18	41	
1984	8,849	-	2	-	-	-	1	1	6	18	28	
1983	8,999	-	1	2	-	1	-	5	4	18	32	
1982	9,004	-	1	-	-	-	-	2	7	23	42	
1981	8,973	-	-	-	1	-	1	2	7	21	35	
1980	9,018	-	-	-	-	-	1	3	8	14	32	
1979	8,862	2	-	1	1	-	1	1	4	17	36	

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	
Malignant neoplasm of bladder (188)												
White, male												
1998	7,397	-	-	-	-	-	-	-	1	2	11	45
1997	7,139	-	-	-	-	-	-	-	1	3	20	41
1996	7,147	-	-	-	-	-	-	-	1	8	16	32
1995	7,022	-	-	-	1	-	-	-	3	5	24	46
1994	6,925	-	-	-	1	-	3	-	1	4	9	36
1993	6,936	-	1	-	-	-	-	-	2	7	13	43
1992	6,593	-	-	-	-	-	-	-	-	5	17	38
1991	6,517	-	-	-	-	2	1	-	-	5	10	35
1990	6,403	-	-	-	-	-	-	-	1	9	15	46
1989	6,308	-	1	-	1	-	-	-	1	3	20	22
1988	6,077	-	-	-	1	1	1	-	2	5	5	19
1987	6,006	-	2	-	-	-	-	-	2	7	16	18
1986	6,093	-	-	-	-	-	-	-	-	8	8	25
1985	6,175	-	1	-	-	-	-	-	3	2	15	26
1984	6,093	-	2	-	-	-	-	-	-	3	13	20
1983	6,232	-	1	2	-	1	-	-	4	2	10	18
1982	6,295	-	-	-	-	-	-	-	-	4	14	32
1981	6,211	-	-	-	1	-	1	-	1	5	11	24
1980	6,270	-	-	-	-	-	-	-	1	5	8	20
1979	6,203	1	-	1	1	-	1	1	1	2	11	22
Malignant neoplasm of bladder (188)												
White, female												
1998	3,365	-	-	-	-	-	-	-	2	3	9	21
1997	3,469	-	-	-	-	-	-	-	-	1	12	26
1996	3,316	1	-	-	1	-	-	-	2	1	13	16
1995	3,129	-	-	1	-	-	-	-	3	2	5	13
1994	3,269	-	-	1	-	-	1	-	3	5	9	13
1993	3,089	-	-	-	-	-	-	-	2	5	9	15
1992	3,173	-	1	-	1	-	-	-	1	4	8	23
1991	2,975	-	-	-	-	-	1	-	2	6	4	14
1990	3,027	-	-	-	-	-	-	-	4	6	3	12
1989	2,885	-	1	-	-	-	-	-	1	6	10	12
1988	2,874	-	-	-	-	-	1	-	1	8	6	17
1987	2,736	-	-	-	-	-	1	-	1	3	12	7
1986	2,756	-	-	1	-	-	-	-	-	1	3	6
1985	2,774	1	-	-	-	-	-	-	1	2	3	15
1984	2,756	-	-	-	-	-	1	-	1	3	5	8
1983	2,767	-	-	-	-	-	-	-	1	2	8	14
1982	2,709	-	1	-	-	-	-	-	2	3	9	10
1981	2,762	-	-	-	-	-	-	-	1	2	10	11
1980	2,748	-	-	-	-	-	1	-	2	3	6	12
1979	2,659	1	-	-	-	-	-	-	-	2	6	14

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of bladder (188)											
All other, both sexes											
1998	995	-	-	-	-	-	1	1	1	8	13
1997	974	-	-	1	-	-	-	-	2	3	9
1996	989	-	-	-	-	1	1	1	-	6	12
1995	933	-	-	-	-	-	-	-	5	7	17
1994	976	-	-	-	-	-	1	-	5	3	16
1993	937	-	-	-	-	-	-	2	2	6	16
1992	941	-	-	-	1	-	-	-	3	5	9
1991	914	-	-	-	-	-	-	2	-	5	10
1990	911	-	-	-	-	-	-	1	3	3	12
1989	928	-	-	-	-	-	1	1	2	3	5
1988	854	-	-	1	-	-	-	2	2	4	9
1987	847	-	1	-	-	1	-	2	2	5	7
1986	806	-	1	-	-	-	-	1	1	5	2
1985	838	-	-	-	-	-	-	2	-	4	6
1984	867	-	1	-	-	-	-	-	-	-	10
1983	845	-	-	-	-	1	-	-	5	5	9
1982	870	-	1	-	-	-	-	-	5	5	6
1981	842	-	-	1	-	-	-	-	4	1	9
1980	798	-	-	-	-	-	-	-	1	1	2
1979	832	-	-	-	-	1	2	-	-	2	7
Malignant neoplasm of bladder (188)											
All other, male											
1998	542	-	-	-	-	-	1	-	1	4	10
1997	523	-	-	-	-	-	-	-	2	2	5
1996	536	-	-	-	-	1	-	1	-	5	8
1995	499	-	-	-	-	-	-	-	4	5	10
1994	532	-	-	-	-	-	1	-	1	3	9
1993	538	-	-	-	-	-	-	1	2	4	10
1992	530	-	-	-	-	-	-	-	3	4	6
1991	510	-	-	-	-	-	-	-	-	4	4
1990	507	-	-	-	-	-	-	1	3	-	6
1989	535	-	-	-	-	-	1	1	2	1	4
1988	457	-	-	1	-	-	-	1	2	4	3
1987	484	-	-	-	-	-	-	2	2	1	5
1986	430	-	-	-	-	-	-	-	1	3	1
1985	504	-	-	-	-	-	-	1	-	2	3
1984	508	-	1	-	-	-	-	-	-	-	7
1983	503	-	-	-	-	1	-	-	2	3	7
1982	501	-	-	-	-	-	-	-	5	3	5
1981	500	-	-	-	-	-	-	-	3	1	6
1980	438	-	-	-	-	-	-	-	1	1	-
1979	506	-	-	-	-	1	2	-	-	1	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of bladder (188)											
All other, female											
1998	453	-	-	-	-	-	-	1	-	4	3
1997	451	-	-	1	-	-	-	-	-	1	4
1996	453	-	-	-	-	-	1	-	-	1	4
1995	434	-	-	-	-	-	-	-	1	2	7
1994	444	-	-	-	-	-	-	-	4	-	7
1993	399	-	-	-	-	-	-	1	-	2	6
1992	411	-	-	-	1	-	-	-	-	1	3
1991	404	-	-	-	-	-	-	2	-	1	6
1990	404	-	-	-	-	-	-	-	-	3	6
1989	393	-	-	-	-	-	-	-	-	2	1
1988	397	-	-	-	-	-	-	1	-	-	6
1987	363	-	1	-	-	1	-	-	-	4	2
1986	376	-	1	-	-	-	-	-	-	2	1
1985	334	-	-	-	-	-	-	1	-	2	3
1984	359	-	-	-	-	-	-	-	-	-	3
1983	342	-	-	-	-	-	-	-	3	2	2
1982	369	-	1	-	-	-	-	-	-	2	1
1981	342	-	-	1	-	-	-	-	1	-	3
1980	360	-	-	-	-	-	-	-	-	-	2
1979	326	-	-	-	-	-	-	-	-	1	6
Malignant neoplasm of bladder (188)											
Black, both sexes											
1998	875	-	-	-	-	-	1	1	1	6	12
1997	862	-	-	1	-	-	-	-	1	3	6
1996	885	-	-	-	-	1	1	1	-	5	12
1995	845	-	-	-	-	-	-	-	5	7	14
1994	879	-	-	-	-	-	-	-	3	2	15
1993	838	-	-	-	-	-	-	1	1	6	16
1992	848	-	-	-	1	-	-	-	2	3	9
1991	841	-	-	-	-	-	-	1	-	3	10
1990	847	-	-	-	-	-	-	1	3	3	10
1989	853	-	-	-	-	-	1	1	2	1	3
1988	782	-	-	1	-	-	-	2	2	3	9
1987	785	-	1	-	-	1	-	2	2	4	7
1986	752	-	1	-	-	-	-	1	-	4	2
1985	785	-	-	-	-	-	-	2	-	4	6
1984	814	-	1	-	-	-	-	-	-	-	8
1983	802	-	-	-	-	-	-	-	4	5	8
1982	824	-	1	-	-	-	-	-	5	4	6
1981	807	-	-	1	-	-	-	-	3	1	8
1980	756	-	-	-	-	-	-	-	1	1	2
1979	785	-	-	-	-	-	2	-	-	2	6

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasm of bladder (188)											
Black, male											
1998	453	-	-	-	-	-	1	-	1	3	10
1997	456	-	-	-	-	-	-	-	1	2	2
1996	466	-	-	-	-	1	-	1	-	4	8
1995	441	-	-	-	-	-	-	-	4	5	8
1994	474	-	-	-	-	-	-	-	-	2	9
1993	470	-	-	-	-	-	-	1	1	4	10
1992	469	-	-	-	-	-	-	-	2	2	6
1991	471	-	-	-	-	-	-	-	-	3	4
1990	466	-	-	-	-	-	-	1	3	-	5
1989	484	-	-	-	-	-	1	1	2	-	2
1988	411	-	-	1	-	-	-	1	2	3	3
1987	444	-	-	-	-	-	-	2	2	1	5
1986	397	-	-	-	-	-	-	-	-	2	1
1985	465	-	-	-	-	-	-	1	-	2	3
1984	466	-	1	-	-	-	-	-	-	-	5
1983	475	-	-	-	-	-	-	-	2	3	6
1982	470	-	-	-	-	-	-	-	5	2	5
1981	474	-	-	-	-	-	-	-	3	1	5
1980	411	-	-	-	-	-	-	-	1	1	-
1979	482	-	-	-	-	-	2	-	-	1	1
Malignant neoplasm of bladder (188)											
Black, female											
1998	422	-	-	-	-	-	-	1	-	3	2
1997	406	-	-	1	-	-	-	-	-	1	4
1996	419	-	-	-	-	-	1	-	-	1	4
1995	404	-	-	-	-	-	-	-	1	2	6
1994	405	-	-	-	-	-	-	-	3	-	6
1993	368	-	-	-	-	-	-	-	-	2	6
1992	379	-	-	-	1	-	-	-	-	1	3
1991	370	-	-	-	-	-	-	1	-	-	6
1990	381	-	-	-	-	-	-	-	-	3	5
1989	369	-	-	-	-	-	-	-	-	1	1
1988	371	-	-	-	-	-	-	1	-	-	6
1987	341	-	1	-	-	1	-	-	-	3	2
1986	355	-	1	-	-	-	-	1	-	2	1
1985	320	-	-	-	-	-	-	1	-	2	3
1984	348	-	-	-	-	-	-	-	-	-	3
1983	327	-	-	-	-	-	-	-	2	2	2
1982	354	-	1	-	-	-	-	-	-	2	1
1981	333	-	-	1	-	-	-	-	-	-	3
1980	345	-	-	-	-	-	-	-	-	-	2
1979	303	-	-	-	-	-	-	-	-	1	5

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of meninges, brain and other parts of central nervous system (191-192)											
All races, both sexes											
1998	12,667	22	90	168	145	115	105	171	282	470	603
1997	12,474	22	126	162	125	106	100	186	274	450	612
1996	12,376	27	128	180	136	107	105	169	290	437	601
1995	12,063	18	121	163	121	97	113	165	322	444	553
1994	12,313	14	122	184	129	108	113	201	337	473	577
1993	11,993	18	153	176	113	115	127	178	364	424	547
1992	11,941	17	118	165	136	110	117	186	342	435	592
1991	11,952	19	133	184	136	106	119	195	322	457	608
1990	11,630	20	117	190	133	108	123	190	321	415	535
1989	11,130	23	117	200	126	104	125	200	296	375	514
1988	10,943	24	114	155	141	128	114	207	302	398	498
1987	10,833	19	108	170	93	110	132	208	310	393	485
1986	10,322	27	119	165	131	123	142	218	301	385	441
1985	10,265	18	114	168	122	133	123	215	294	394	444
1984	10,116	22	120	156	129	127	123	196	257	353	439
1983	9,674	24	121	158	151	122	146	199	286	328	385
1982	9,624	31	133	180	150	146	144	188	271	315	369
1981	9,382	18	125	169	145	119	148	198	255	290	364
1980	9,300	22	111	183	142	132	178	206	287	269	338
1979	8,936	26	109	167	171	146	145	199	268	272	355
Malignant neoplasms of meninges, brain and other parts of central nervous system (191-192)											
All races, male											
1998	6,936	10	46	93	81	77	64	100	179	284	357
1997	6,740	12	69	73	74	60	70	111	171	273	389
1996	6,733	17	73	101	74	62	66	92	173	270	347
1995	6,537	7	75	84	73	61	79	101	193	270	323
1994	6,702	7	70	96	81	62	68	118	204	284	367
1993	6,551	12	89	92	62	64	74	94	226	259	340
1992	6,432	6	57	78	77	76	67	106	205	253	345
1991	6,431	11	61	98	82	67	60	107	180	286	376
1990	6,339	8	64	102	74	61	77	118	185	252	326
1989	6,046	14	65	95	63	67	54	116	176	218	328
1988	6,076	15	59	82	78	68	63	135	172	228	309
1987	5,824	9	58	94	53	62	84	121	176	245	302
1986	5,669	15	68	87	74	75	79	124	181	230	269
1985	5,580	13	61	89	67	83	58	137	166	236	288
1984	5,515	7	69	76	79	73	73	102	165	222	259
1983	5,242	17	61	78	97	78	74	126	171	199	230
1982	5,224	17	67	95	79	87	79	112	175	196	230
1981	5,134	11	71	89	77	61	91	109	151	171	230
1980	5,242	7	73	98	77	76	111	130	177	176	215
1979	4,972	14	51	85	92	87	82	137	156	167	222

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of meninges, brain and other parts of central nervous system (191-192)											
All races, female											
1998	5,731	12	44	75	64	38	41	71	103	186	246
1997	5,734	10	57	89	51	46	30	75	103	177	223
1996	5,643	10	55	79	62	45	39	77	117	167	254
1995	5,526	11	46	79	48	36	34	64	129	174	230
1994	5,611	7	52	88	48	46	45	83	133	189	210
1993	5,442	6	64	84	51	51	53	84	138	165	207
1992	5,509	11	61	87	59	34	50	80	137	182	247
1991	5,521	8	72	86	54	39	59	88	142	171	232
1990	5,291	12	53	88	59	47	46	72	136	163	209
1989	5,084	9	52	105	63	37	71	84	120	157	186
1988	4,867	9	55	73	63	60	51	72	130	170	189
1987	5,009	10	50	76	40	48	48	87	134	148	183
1986	4,653	12	51	78	57	48	63	94	120	155	172
1985	4,685	5	53	79	55	50	65	78	128	158	156
1984	4,601	15	51	80	50	54	50	94	92	131	180
1983	4,432	7	60	80	54	44	72	73	115	129	155
1982	4,400	14	66	85	71	59	65	76	96	119	139
1981	4,248	7	54	80	68	58	57	89	104	119	134
1980	4,058	15	38	85	65	56	67	76	110	93	123
1979	3,964	12	58	82	79	59	63	62	112	105	133
Malignant neoplasms of meninges, brain and other parts of central nervous system (191-192)											
White, both sexes											
1998	11,718	19	71	127	123	99	80	140	256	425	542
1997	11,518	16	103	129	104	80	85	161	249	402	551
1996	11,523	26	102	152	109	86	83	147	264	402	551
1995	11,165	15	97	122	102	80	99	145	275	398	510
1994	11,465	10	99	145	101	90	95	177	304	429	525
1993	11,132	16	123	145	97	91	111	154	333	385	501
1992	11,132	14	89	135	116	90	101	158	311	400	546
1991	11,133	16	104	150	115	94	99	174	285	423	554
1990	10,814	13	103	154	117	84	104	163	284	377	486
1989	10,372	20	98	161	107	88	112	174	262	335	475
1988	10,161	20	94	121	112	103	92	180	278	361	466
1987	10,109	15	86	147	75	91	115	198	283	361	431
1986	9,605	25	98	137	105	105	124	195	269	359	395
1985	9,612	17	102	142	104	116	101	196	268	364	410
1984	9,476	20	105	127	108	108	111	180	237	321	413
1983	9,071	22	108	131	123	107	127	180	262	312	359
1982	9,001	28	118	151	129	121	125	166	250	296	340
1981	8,772	14	107	137	112	101	129	180	233	271	329
1980	8,727	19	96	150	114	115	162	185	263	244	319
1979	8,353	24	95	136	143	128	125	179	251	253	325

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of meninges, brain and other parts of central nervous system (191-192)											
White, male											
1998	6,415	8	39	68	69	66	52	86	165	255	317
1997	6,263	9	56	61	63	46	57	94	156	247	357
1996	6,287	16	60	87	63	51	51	77	159	252	318
1995	6,067	7	63	69	63	54	70	88	161	240	306
1994	6,246	6	59	73	65	52	58	109	180	257	337
1993	6,089	11	72	76	52	52	68	83	203	235	318
1992	6,014	5	41	62	67	62	60	93	185	233	314
1991	6,002	9	49	81	70	60	52	94	161	267	342
1990	5,890	3	57	83	65	47	65	102	166	225	301
1989	5,641	12	61	77	57	57	50	99	159	196	296
1988	5,659	12	49	63	63	54	53	120	159	208	290
1987	5,426	7	46	79	48	51	73	114	158	222	273
1986	5,288	15	61	76	61	66	73	113	163	213	250
1985	5,212	13	56	79	59	70	45	121	153	218	263
1984	5,145	5	61	62	69	62	65	95	148	199	241
1983	4,925	15	55	63	79	69	65	114	160	190	217
1982	4,883	14	61	80	71	72	73	100	162	187	213
1981	4,780	7	59	75	64	47	77	97	136	159	205
1980	4,933	7	65	83	60	67	104	122	163	157	209
1979	4,655	14	43	74	74	74	73	126	149	156	202
Malignant neoplasms of meninges, brain and other parts of central nervous system (191-192)											
White, female											
1998	5,303	11	32	59	54	33	28	54	91	170	225
1997	5,255	7	47	68	41	34	28	67	93	155	194
1996	5,236	10	42	65	46	35	32	70	105	150	233
1995	5,098	8	34	53	39	26	29	57	114	158	204
1994	5,219	4	40	72	36	38	37	68	124	172	188
1993	5,043	5	51	69	45	39	43	71	130	150	183
1992	5,118	9	48	73	49	28	41	65	126	167	232
1991	5,131	7	55	69	45	34	47	80	124	156	212
1990	4,924	10	46	71	52	37	39	61	118	152	185
1989	4,731	8	37	84	50	31	62	75	103	139	179
1988	4,502	8	45	58	49	49	39	60	119	153	176
1987	4,683	8	40	68	27	40	42	84	125	139	158
1986	4,317	10	37	61	44	39	51	82	106	146	145
1985	4,400	4	46	63	45	46	56	75	115	146	147
1984	4,331	15	44	65	39	46	46	85	89	122	172
1983	4,146	7	53	68	44	38	62	66	102	122	142
1982	4,118	14	57	71	58	49	52	66	88	109	127
1981	3,992	7	48	62	48	54	52	83	97	112	124
1980	3,794	12	31	67	54	48	58	63	100	87	110
1979	3,698	10	52	62	69	54	52	53	102	97	123

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of meninges, brain and other parts of central nervous system (191-192)											
All other, both sexes											
1998	949	3	19	41	22	16	25	31	26	45	61
1997	956	6	23	33	21	26	15	25	25	48	61
1996	853	1	26	28	27	21	22	22	26	35	50
1995	898	3	24	41	19	17	14	20	47	46	43
1994	848	4	23	39	28	18	18	24	33	44	52
1993	861	2	30	31	16	24	16	24	31	39	46
1992	809	3	29	30	20	20	16	28	31	35	46
1991	819	3	29	34	21	12	20	21	37	34	54
1990	816	7	14	36	16	24	19	27	37	38	49
1989	758	3	19	39	19	16	13	26	34	40	39
1988	782	4	20	34	29	25	22	27	24	37	32
1987	724	4	22	23	18	19	17	10	27	32	54
1986	717	2	21	28	26	18	18	23	32	26	46
1985	653	1	12	26	18	17	22	19	26	30	34
1984	640	2	15	29	21	19	12	16	20	32	26
1983	603	2	13	27	28	15	19	19	24	16	26
1982	623	3	15	29	21	25	19	22	21	19	29
1981	610	4	18	32	33	18	19	18	22	19	35
1980	573	3	15	33	28	17	16	21	24	25	19
1979	583	2	14	31	28	18	20	20	17	19	30
Malignant neoplasms of meninges, brain and other parts of central nervous system (191-192)											
All other, male											
1998	521	2	7	25	12	11	12	14	14	29	40
1997	477	3	13	12	11	14	13	17	15	26	32
1996	446	1	13	14	11	11	15	15	14	18	29
1995	470	-	12	15	10	7	9	13	32	30	17
1994	456	1	11	23	16	10	10	9	24	27	30
1993	462	1	17	16	10	12	6	11	23	24	22
1992	418	1	16	16	10	14	7	13	20	20	31
1991	429	2	12	17	12	7	8	13	19	19	34
1990	449	5	7	19	9	14	12	16	19	27	25
1989	405	2	4	18	6	10	4	17	17	22	32
1988	417	3	10	19	15	14	10	15	13	20	19
1987	398	2	12	15	5	11	11	7	18	23	29
1986	381	-	7	11	13	9	6	11	18	17	19
1985	368	-	5	10	8	13	13	16	13	18	25
1984	370	2	8	14	10	11	8	7	17	23	18
1983	317	2	6	15	18	9	9	12	11	9	13
1982	341	3	6	15	8	15	6	12	13	9	17
1981	354	4	12	14	13	14	14	12	15	12	25
1980	309	-	8	15	17	9	7	8	14	19	6
1979	317	-	8	11	18	13	9	11	7	11	20

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,
sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of meninges, brain and other parts of central nervous system (191-192)											
All other, female											
1998	428	1	12	16	10	5	13	17	12	16	21
1997	479	3	10	21	10	12	2	8	10	22	29
1996	407	-	13	14	16	10	7	7	12	17	21
1995	428	3	12	26	9	10	5	7	15	16	26
1994	392	3	12	16	12	8	8	15	9	17	22
1993	399	1	13	15	6	12	10	13	8	15	24
1992	391	2	13	14	10	6	9	15	11	15	15
1991	390	1	17	17	9	5	12	8	18	15	20
1990	367	2	7	17	7	10	7	11	18	11	24
1989	353	1	15	21	13	6	9	9	17	18	7
1988	365	1	10	15	14	11	12	12	11	17	13
1987	326	2	10	8	13	8	6	3	9	9	25
1986	336	2	14	17	13	9	12	12	14	9	27
1985	285	1	7	16	10	4	9	3	13	12	9
1984	270	-	7	15	11	8	4	9	3	9	8
1983	286	-	7	12	10	6	10	7	13	7	13
1982	282	-	9	14	13	10	13	10	8	10	12
1981	256	-	6	18	20	4	5	6	7	7	10
1980	264	3	7	18	11	8	9	13	10	6	13
1979	266	2	6	20	10	5	11	9	10	8	10
Malignant neoplasms of meninges, brain and other parts of central nervous system (191-192)											
Black, both sexes											
1998	747	3	15	36	17	8	19	20	21	29	45
1997	765	3	15	29	15	20	10	21	19	35	53
1996	695	1	18	23	26	18	18	16	23	26	39
1995	720	3	20	34	15	13	13	17	33	41	35
1994	685	2	18	30	24	16	13	16	28	38	37
1993	697	2	21	22	12	19	14	20	22	31	34
1992	680	3	24	21	16	16	11	21	28	29	37
1991	681	1	27	29	15	11	16	18	31	29	43
1990	691	6	11	29	14	20	15	26	26	31	41
1989	634	3	14	33	15	13	12	22	23	33	34
1988	669	3	18	31	25	22	18	22	16	33	28
1987	641	3	20	17	16	17	16	8	24	27	44
1986	616	2	17	24	25	18	15	18	27	18	39
1985	559	1	10	22	15	14	18	14	24	22	25
1984	557	2	11	26	16	16	11	14	15	27	19
1983	541	2	11	25	22	13	18	15	23	12	23
1982	563	1	15	26	18	21	18	20	16	15	28
1981	542	3	12	30	33	15	16	16	17	18	31
1980	527	2	14	27	26	14	15	18	22	22	18
1979	539	2	14	26	28	18	19	19	15	13	29

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of meninges, brain and other parts of central nervous system (191-192)											
Black, male											
1998	399	2	5	23	10	5	8	7	11	15	30
1997	381	2	11	9	7	11	8	16	11	21	27
1996	365	1	8	13	11	10	12	12	13	13	23
1995	377	-	12	13	8	6	8	11	23	27	15
1994	357	-	9	16	13	9	8	6	21	22	20
1993	379	1	12	10	8	10	6	10	16	20	15
1992	351	1	13	9	7	11	4	11	18	16	24
1991	350	-	11	14	8	7	5	11	17	16	26
1990	372	5	4	16	8	12	9	15	13	21	21
1989	335	2	4	15	5	7	4	15	7	20	27
1988	358	2	9	17	11	11	7	11	10	20	15
1987	351	1	11	9	4	10	10	6	16	20	25
1986	328	-	5	10	12	9	5	8	15	13	15
1985	309	-	3	8	7	11	9	12	12	12	20
1984	320	2	4	14	5	10	7	6	13	19	14
1983	277	2	4	14	15	7	8	8	11	7	12
1982	311	1	6	13	7	13	5	11	9	8	17
1981	308	3	6	13	13	12	12	11	13	12	23
1980	285	-	8	12	16	8	6	8	14	17	5
1979	292	-	8	9	18	13	8	11	5	9	20
Malignant neoplasms of meninges, brain and other parts of central nervous system (191-192)											
Black, female											
1998	348	1	10	13	7	3	11	13	10	14	15
1997	384	1	4	20	8	9	2	5	8	14	26
1996	330	-	10	10	15	8	6	4	10	13	16
1995	343	3	8	21	7	7	5	6	10	14	20
1994	328	2	9	14	11	7	5	10	7	16	17
1993	318	1	9	12	4	9	8	10	6	11	19
1992	329	2	11	12	9	5	7	10	10	13	13
1991	331	1	16	15	7	4	11	7	14	13	17
1990	319	1	7	13	6	8	6	11	13	10	20
1989	299	1	10	18	10	6	8	7	16	13	7
1988	311	1	9	14	14	11	11	11	6	13	13
1987	290	2	9	8	12	7	6	2	8	7	19
1986	288	2	12	14	13	9	10	10	12	5	24
1985	250	1	7	14	8	3	9	2	12	10	5
1984	237	-	7	12	11	6	4	8	2	8	5
1983	264	-	7	11	7	6	10	7	12	5	11
1982	252	-	9	13	11	8	13	9	7	7	11
1981	234	-	6	17	20	3	4	5	4	6	8
1980	242	2	6	15	10	6	9	10	8	5	13
1979	247	2	6	17	10	5	11	8	10	4	9

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of lymphoid, hematopoietic and related tissue (200-208)											
All races, both sexes											
1998	55,538	24	132	163	219	290	406	476	631	930	1,290
1997	55,835	35	140	208	231	289	412	524	692	965	1,336
1996	54,930	33	163	181	230	287	400	518	778	961	1,322
1995	54,367	23	171	224	231	292	372	533	814	1,032	1,366
1994	53,080	23	185	203	231	322	422	577	808	958	1,283
1993	51,627	32	174	242	250	315	407	578	840	988	1,294
1992	50,384	37	191	234	259	323	466	630	899	1,075	1,185
1991	49,590	22	189	259	233	348	455	600	813	1,004	1,270
1990	47,741	24	185	218	245	373	455	664	850	956	1,138
1989	46,751	35	184	262	266	341	466	632	828	956	1,167
1988	44,762	24	212	269	237	369	459	604	753	972	1,114
1987	43,599	39	210	295	258	386	471	608	740	869	995
1986	43,531	28	223	289	276	401	549	685	807	926	1,017
1985	42,478	36	207	286	300	383	527	660	749	846	1,045
1984	41,202	37	196	263	302	438	565	602	730	865	993
1983	40,311	39	265	321	306	454	531	633	686	813	876
1982	39,461	36	227	375	325	486	594	602	716	819	862
1981	37,826	22	261	372	337	504	547	631	677	724	807
1980	37,971	33	213	411	386	560	605	682	672	774	821
1979	36,445	38	243	436	377	536	588	615	638	688	751
Malignant neoplasms of lymphoid, hematopoietic and related tissue (200-208)											
All races, male											
1998	29,537	13	66	102	127	190	242	299	394	591	817
1997	29,754	14	77	118	139	174	262	346	441	580	823
1996	29,158	13	95	112	135	175	237	307	502	619	830
1995	28,887	11	105	143	139	187	226	342	535	668	872
1994	28,151	10	96	120	142	199	266	360	529	614	787
1993	27,146	20	104	140	164	193	240	347	550	635	826
1992	26,779	21	104	150	158	204	283	375	588	693	766
1991	25,977	11	101	154	156	220	279	399	512	640	803
1990	25,504	12	103	136	164	238	273	428	556	588	706
1989	24,801	12	102	159	172	211	300	403	543	612	724
1988	23,792	6	109	176	154	243	284	397	474	611	670
1987	22,939	20	110	194	154	231	300	374	462	561	613
1986	23,151	18	131	187	158	253	354	446	505	571	637
1985	22,542	14	126	174	180	249	327	396	462	543	645
1984	21,667	18	105	166	186	276	349	375	451	529	598
1983	21,509	17	160	196	185	286	326	388	432	469	533
1982	21,029	18	126	246	204	303	342	364	417	499	548
1981	20,100	12	139	236	204	307	342	396	408	424	479
1980	20,341	21	119	278	243	345	386	413	391	452	493
1979	19,826	21	138	281	234	348	377	377	380	408	448

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of lymphoid, hematopoietic and related tissue (200-208)											
All races, female											
1998	26,001	11	66	61	92	100	164	177	237	339	473
1997	26,081	21	63	90	92	115	150	178	251	385	513
1996	25,772	20	68	69	95	112	163	211	276	342	492
1995	25,480	12	66	81	92	105	146	191	279	364	494
1994	24,929	13	89	83	89	123	156	217	279	344	496
1993	24,481	12	70	102	86	122	167	231	290	353	468
1992	23,605	16	87	84	101	119	183	255	311	382	419
1991	23,613	11	88	105	77	128	176	201	301	364	467
1990	22,237	12	82	82	81	135	182	236	294	368	432
1989	21,950	23	82	103	94	130	166	229	285	344	443
1988	20,970	18	103	93	83	126	175	207	279	361	444
1987	20,660	19	100	101	104	155	171	234	278	308	382
1986	20,380	10	92	102	118	148	195	239	302	355	380
1985	19,936	22	81	112	120	134	200	264	287	303	400
1984	19,535	19	91	97	116	162	216	227	279	336	395
1983	18,802	22	105	125	121	168	205	245	254	344	343
1982	18,432	18	101	129	121	183	252	238	299	320	314
1981	17,726	10	122	136	133	197	205	235	269	300	328
1980	17,630	12	94	133	143	215	219	269	281	322	328
1979	16,619	17	105	155	143	188	211	238	258	280	303
Malignant neoplasms of lymphoid, hematopoietic and related tissue (200-208)											
White, both sexes											
1998	49,365	21	106	132	174	244	344	358	506	729	1,034
1997	49,769	30	108	165	193	237	328	403	555	744	1,057
1996	48,912	27	136	142	180	234	314	421	614	771	1,073
1995	48,557	18	128	185	166	226	294	425	629	842	1,148
1994	47,532	19	141	169	189	254	347	466	658	786	1,067
1993	46,071	25	140	198	212	258	304	466	677	813	1,070
1992	45,120	34	166	200	210	270	370	493	743	874	974
1991	44,288	14	154	219	196	280	383	491	654	825	1,044
1990	42,755	19	155	177	203	306	379	543	708	783	934
1989	41,906	33	143	222	218	270	386	532	671	796	987
1988	40,197	20	174	225	199	315	377	514	627	817	936
1987	39,147	34	173	252	218	301	399	514	623	713	860
1986	39,102	22	190	238	231	340	476	583	690	776	865
1985	38,227	28	173	243	240	330	446	548	642	725	900
1984	37,154	28	162	227	248	363	480	510	614	741	841
1983	36,303	36	226	271	254	393	452	542	565	693	755
1982	35,613	30	185	326	267	406	512	515	621	711	746
1981	34,109	18	217	314	285	429	482	542	587	612	667
1980	34,386	27	178	375	329	473	516	598	576	669	718
1979	33,069	31	202	393	327	460	512	521	566	591	649

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Malignant neoplasms of lymphoid, hematopoietic and related tissue (200-208)

White, male											
1998	26,348	11	51	83	103	161	209	229	318	465	666
1997	26,532	12	61	93	114	146	203	266	364	443	660
1996	25,978	8	82	87	110	144	187	253	396	506	680
1995	25,853	9	84	123	103	145	183	275	423	554	744
1994	25,227	9	76	99	114	163	218	292	430	507	654
1993	24,216	15	84	116	139	158	181	282	436	526	685
1992	23,980	19	94	125	130	170	228	298	487	560	642
1991	23,178	6	78	132	133	180	238	327	412	531	666
1990	22,812	10	89	110	137	199	225	357	472	480	586
1989	22,146	11	85	136	140	163	244	332	438	515	617
1988	21,375	5	93	150	132	209	235	340	404	509	567
1987	20,562	18	93	166	133	179	264	322	387	474	528
1986	20,751	15	115	155	131	212	306	388	435	480	544
1985	20,268	11	100	148	141	218	272	329	403	474	559
1984	19,486	13	85	143	155	228	296	311	386	456	512
1983	19,327	17	138	170	156	248	275	334	359	416	457
1982	18,953	16	106	213	169	249	298	315	363	443	482
1981	18,139	9	118	199	173	259	302	352	353	362	402
1980	18,386	17	101	258	208	290	332	368	341	395	437
1979	17,992	16	117	254	205	295	335	320	339	353	393

Malignant neoplasms of lymphoid, hematopoietic and related tissue (200-208)

White, female											
1998	23,017	10	55	49	71	83	135	129	188	264	368
1997	23,237	18	47	72	79	91	125	137	191	301	397
1996	22,934	19	54	55	70	90	127	168	218	265	393
1995	22,704	9	44	62	63	81	111	150	206	288	404
1994	22,305	10	65	70	75	91	129	174	228	279	413
1993	21,855	10	56	82	73	100	123	184	241	287	385
1992	21,140	15	72	75	80	100	142	195	256	314	332
1991	21,110	8	76	87	63	100	145	164	242	294	378
1990	19,943	9	66	67	66	107	154	186	236	303	348
1989	19,760	22	58	86	78	107	142	200	233	281	370
1988	18,822	15	81	75	67	106	142	174	223	308	369
1987	18,585	16	80	86	85	122	135	192	236	239	332
1986	18,351	7	75	83	100	128	170	195	255	296	321
1985	17,959	17	73	95	99	112	174	219	239	251	341
1984	17,668	15	77	84	93	135	184	199	228	285	329
1983	16,976	19	88	101	98	145	177	208	206	277	298
1982	16,660	14	79	113	98	157	214	200	258	268	264
1981	15,970	9	99	115	112	170	180	190	234	250	265
1980	16,000	10	77	117	121	183	184	230	235	274	281
1979	15,077	15	85	139	122	165	177	201	227	238	256

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of lymphoid, hematopoietic and related tissue (200-208)											
All other, both sexes											
1998	6,173	3	26	31	45	46	62	118	125	201	256
1997	6,066	5	32	43	38	52	84	121	137	221	279
1996	6,018	6	27	39	50	53	86	97	164	190	249
1995	5,810	5	43	39	65	66	78	108	185	190	218
1994	5,548	4	44	34	42	68	75	111	150	172	216
1993	5,556	7	34	44	38	57	103	112	163	175	224
1992	5,264	3	25	34	49	53	96	137	156	201	211
1991	5,302	8	35	40	37	68	72	109	159	179	226
1990	4,986	5	30	41	42	67	76	121	142	173	204
1989	4,845	2	41	40	48	71	80	100	157	160	180
1988	4,565	4	38	44	38	54	82	90	126	155	178
1987	4,452	5	37	43	40	85	72	94	117	156	135
1986	4,429	6	33	51	45	61	73	102	117	150	152
1985	4,251	8	34	43	60	53	81	112	107	121	145
1984	4,048	9	34	36	54	75	85	92	116	124	152
1983	4,008	3	39	50	52	61	79	91	121	120	121
1982	3,848	6	42	49	58	80	82	87	95	108	116
1981	3,717	4	44	58	52	75	65	89	90	112	140
1980	3,585	6	35	36	57	87	89	84	96	105	103
1979	3,376	7	41	43	50	76	76	94	72	97	102
Malignant neoplasms of lymphoid, hematopoietic and related tissue (200-208)											
All other, male											
1998	3,189	2	15	19	24	29	33	70	76	126	151
1997	3,222	2	16	25	25	28	59	80	77	137	163
1996	3,180	5	13	25	25	31	50	54	106	113	150
1995	3,034	2	21	20	36	42	43	67	112	114	128
1994	2,924	1	20	21	28	36	48	68	99	107	133
1993	2,930	5	20	24	25	35	59	65	114	109	141
1992	2,799	2	10	25	28	34	55	77	101	133	124
1991	2,799	5	23	22	23	40	41	72	100	109	137
1990	2,692	2	14	26	27	39	48	71	84	108	120
1989	2,655	1	17	23	32	48	56	71	105	97	107
1988	2,417	1	16	26	22	34	49	57	70	102	103
1987	2,377	2	17	28	21	52	36	52	75	87	85
1986	2,400	3	16	32	27	41	48	58	70	91	93
1985	2,274	3	26	26	39	31	55	67	59	69	86
1984	2,181	5	20	23	31	48	53	64	65	73	86
1983	2,182	-	22	26	29	38	51	54	73	53	76
1982	2,076	2	20	33	35	54	44	49	54	56	66
1981	1,961	3	21	37	31	48	40	44	55	62	77
1980	1,955	4	18	20	35	55	54	45	50	57	56
1979	1,834	5	21	27	29	53	42	57	41	55	55

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of lymphoid, hematopoietic and related tissue (200-208)											
All other, female											
1998	2,984	1	11	12	21	17	29	48	49	75	105
1997	2,844	3	16	18	13	24	25	41	60	84	116
1996	2,838	1	14	14	25	22	36	43	58	77	99
1995	2,776	3	22	19	29	24	35	41	73	76	90
1994	2,624	3	24	13	14	32	27	43	51	65	83
1993	2,626	2	14	20	13	22	44	47	49	66	83
1992	2,465	1	15	9	21	19	41	60	55	68	87
1991	2,503	3	12	18	14	28	31	37	59	70	89
1990	2,294	3	16	15	15	28	28	50	58	65	84
1989	2,190	1	24	17	16	23	24	29	52	63	73
1988	2,148	3	22	18	16	20	33	33	56	53	75
1987	2,075	3	20	15	19	33	36	42	42	69	50
1986	2,029	3	17	19	18	20	25	44	47	59	59
1985	1,977	5	8	17	21	22	26	45	48	52	59
1984	1,867	4	14	13	23	27	32	28	51	51	66
1983	1,826	3	17	24	23	23	28	37	48	67	45
1982	1,772	4	22	16	23	26	38	38	41	52	50
1981	1,756	1	23	21	21	27	25	45	35	50	63
1980	1,630	2	17	16	22	32	35	39	46	48	47
1979	1,542	2	20	16	21	23	34	37	31	42	47
Malignant neoplasms of lymphoid, hematopoietic and related tissue (200-208)											
Black, both sexes											
1998	5,222	2	20	26	30	34	51	100	103	173	216
1997	5,128	1	24	31	29	43	71	92	119	190	235
1996	5,148	4	17	33	36	43	69	80	138	156	216
1995	4,958	1	33	30	44	56	58	88	152	163	185
1994	4,746	4	31	24	29	57	60	84	116	145	180
1993	4,791	5	22	36	28	45	81	93	133	157	184
1992	4,575	2	14	26	35	38	77	117	132	179	190
1991	4,633	6	29	27	30	54	63	93	138	151	193
1990	4,364	2	20	30	29	53	63	99	123	142	170
1989	4,235	2	28	26	41	62	73	83	126	132	157
1988	4,022	4	27	27	26	44	73	83	113	129	150
1987	3,958	3	23	35	28	70	61	79	101	134	114
1986	3,973	6	29	42	36	51	69	92	101	127	129
1985	3,774	6	22	34	50	40	67	95	87	104	130
1984	3,643	6	26	30	47	67	74	88	105	104	141
1983	3,617	3	27	41	46	47	65	80	106	105	103
1982	3,494	5	34	42	49	67	69	76	87	99	101
1981	3,393	4	40	52	43	66	59	77	80	94	119
1980	3,271	6	29	32	50	73	79	77	88	86	89
1979	3,111	6	34	38	44	69	71	78	62	81	92

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malignant neoplasms of lymphoid, hematopoietic and related tissue (200-208)											
Black, male											
1998	2,677	1	12	17	14	21	28	66	65	106	125
1997	2,693	-	14	15	18	23	50	58	68	119	148
1996	2,700	4	7	20	18	23	41	44	98	96	132
1995	2,586	1	15	17	21	34	29	59	93	103	111
1994	2,473	1	13	16	19	32	38	53	79	86	110
1993	2,494	3	13	17	18	28	48	54	91	98	113
1992	2,391	1	5	19	19	23	42	65	89	119	113
1991	2,416	3	20	14	18	31	35	64	90	89	121
1990	2,346	1	9	20	20	31	38	56	76	89	97
1989	2,302	1	12	19	28	40	52	60	85	82	92
1988	2,121	1	13	16	17	32	42	54	62	85	88
1987	2,116	1	13	21	14	41	31	46	69	74	72
1986	2,124	3	14	28	24	34	45	51	62	79	75
1985	1,999	2	19	20	32	23	46	56	50	61	77
1984	1,953	2	13	19	28	42	44	61	61	63	80
1983	1,947	-	16	21	26	26	40	47	64	47	65
1982	1,865	1	15	28	32	46	39	43	48	49	59
1981	1,772	3	19	34	27	44	36	36	49	54	66
1980	1,772	4	16	18	30	47	50	43	47	46	51
1979	1,673	4	17	24	24	47	39	47	35	46	49
Malignant neoplasms of lymphoid, hematopoietic and related tissue (200-208)											
Black, female											
1998	2,545	1	8	9	16	13	23	34	38	67	91
1997	2,435	1	10	16	11	20	21	34	51	71	87
1996	2,448	-	10	13	18	20	28	36	40	60	84
1995	2,372	-	18	13	23	22	29	29	59	60	74
1994	2,273	3	18	8	10	25	22	31	37	59	70
1993	2,297	2	9	19	10	17	33	39	42	59	71
1992	2,184	1	9	7	16	15	35	52	43	60	77
1991	2,217	3	9	13	12	23	28	29	48	62	72
1990	2,018	1	11	10	9	22	25	43	47	53	73
1989	1,933	1	16	7	13	22	21	23	41	50	65
1988	1,901	3	14	11	9	12	31	29	51	44	62
1987	1,842	2	10	14	14	29	30	33	32	60	42
1986	1,849	3	15	14	12	17	24	41	39	48	54
1985	1,775	4	3	14	18	17	21	39	37	43	53
1984	1,690	4	13	11	19	25	30	27	44	41	61
1983	1,670	3	11	20	20	21	25	33	42	58	38
1982	1,629	4	19	14	17	21	30	33	39	50	42
1981	1,621	1	21	18	16	22	23	41	31	40	53
1980	1,499	2	13	14	20	26	29	34	41	40	38
1979	1,438	2	17	14	20	22	32	31	27	35	43

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Hodgkin's disease (201)											
All races, both sexes											
1998	1,311	-	-	1	7	22	60	102	78	106	75
1997	1,443	-	-	2	9	18	56	88	110	120	109
1996	1,408	-	1	1	7	27	75	91	105	102	101
1995	1,431	-	-	1	1	35	63	98	111	110	99
1994	1,440	-	2	1	8	20	62	84	129	96	99
1993	1,574	-	-	-	7	21	73	109	141	119	103
1992	1,639	-	-	1	12	28	88	139	160	123	103
1991	1,625	-	-	3	6	32	88	130	141	127	111
1990	1,632	-	1	2	5	38	82	153	162	125	108
1989	1,721	-	-	2	7	35	91	139	149	157	125
1988	1,608	-	-	4	10	39	87	126	153	143	103
1987	1,755	-	-	3	3	47	96	154	168	117	93
1986	1,828	-	1	2	12	41	122	168	157	136	106
1985	1,778	-	-	2	10	44	133	154	158	139	97
1984	1,960	-	2	2	14	62	133	150	181	137	102
1983	1,892	-	-	4	10	51	127	163	160	139	90
1982	1,930	-	1	-	9	47	127	155	164	135	98
1981	1,997	-	-	2	5	72	133	171	133	136	101
1980	2,064	-	-	4	18	74	125	157	150	126	101
1979	2,021	-	2	5	12	59	118	184	160	124	82
Hodgkin's disease (201)											
All races, male											
1998	767	-	-	1	3	14	40	63	50	68	52
1997	760	-	-	-	1	11	32	53	63	65	64
1996	764	-	1	1	3	9	47	50	69	62	67
1995	799	-	-	-	1	16	44	64	75	70	56
1994	773	-	1	-	6	8	32	38	71	52	55
1993	900	-	-	-	3	15	36	61	85	78	62
1992	949	-	-	1	4	15	42	73	102	80	68
1991	928	-	-	3	5	16	43	87	87	80	63
1990	956	-	-	1	4	25	49	92	113	84	65
1989	1,007	-	-	1	2	19	55	90	96	103	78
1988	945	-	-	3	4	20	48	79	94	93	65
1987	1,023	-	-	2	1	22	56	90	113	78	64
1986	1,069	-	1	-	7	22	67	108	103	88	75
1985	1,033	-	-	2	7	23	80	98	100	96	65
1984	1,204	-	1	2	8	35	86	101	110	85	68
1983	1,093	-	-	3	4	29	71	92	92	92	64
1982	1,090	-	1	-	4	21	81	94	105	86	66
1981	1,122	-	-	2	3	41	79	106	80	84	65
1980	1,174	-	-	4	8	42	72	90	96	74	67
1979	1,202	-	1	3	9	36	76	115	101	77	55

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Hodgkin's disease (201)											
All races, female											
1998	544	-	-	-	4	8	20	39	28	38	23
1997	683	-	-	2	8	7	24	35	47	55	45
1996	644	-	-	-	4	18	28	41	36	40	34
1995	632	-	-	1	-	19	19	34	36	40	43
1994	667	-	1	1	2	12	30	46	58	44	44
1993	674	-	-	-	4	6	37	48	56	41	41
1992	690	-	-	-	8	13	46	66	58	43	35
1991	697	-	-	-	1	16	45	43	54	47	48
1990	676	-	1	1	1	13	33	61	49	41	43
1989	714	-	-	1	5	16	36	49	53	54	47
1988	663	-	-	1	6	19	39	47	59	50	38
1987	732	-	-	1	2	25	40	64	55	39	29
1986	759	-	-	2	5	19	55	60	54	48	31
1985	745	-	-	-	3	21	53	56	58	43	32
1984	756	-	1	-	6	27	47	49	71	52	34
1983	799	-	-	1	6	22	56	71	68	47	26
1982	840	-	-	-	5	26	46	61	59	49	32
1981	875	-	-	-	2	31	54	65	53	52	36
1980	890	-	-	-	10	32	53	67	54	52	34
1979	819	-	1	2	3	23	42	69	59	47	27
Hodgkin's disease (201)											
White, both sexes											
1998	1,148	-	-	-	4	18	47	81	62	91	62
1997	1,262	-	-	2	7	11	45	69	89	96	86
1996	1,249	-	1	1	3	20	59	80	88	82	85
1995	1,262	-	-	1	1	22	42	79	91	97	81
1994	1,263	-	-	1	3	18	55	66	107	78	83
1993	1,405	-	-	-	6	16	58	94	124	101	90
1992	1,466	-	-	-	8	27	77	118	134	101	89
1991	1,422	-	-	3	5	22	71	106	114	107	94
1990	1,471	-	1	1	5	35	69	129	146	109	93
1989	1,533	-	-	-	5	29	77	121	121	142	113
1988	1,445	-	-	4	8	32	75	117	127	127	88
1987	1,574	-	-	3	2	38	86	139	144	101	82
1986	1,659	-	1	1	10	36	114	155	135	122	93
1985	1,588	-	-	1	7	34	114	140	136	122	86
1984	1,757	-	2	2	10	48	123	127	150	126	94
1983	1,730	-	-	3	6	43	112	145	138	122	83
1982	1,769	-	1	-	7	37	115	138	150	120	94
1981	1,820	-	-	2	3	62	120	154	120	124	89
1980	1,891	-	-	3	15	68	113	141	133	112	94
1979	1,854	-	2	4	9	52	104	159	145	114	74

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Hodgkin's disease (201)											
White, male											
1998	668	-	-	-	3	12	33	47	40	62	41
1997	661	-	-	-	1	9	27	44	48	47	50
1996	672	-	1	1	-	7	37	45	58	50	58
1995	692	-	-	-	1	9	30	50	62	61	48
1994	668	-	-	-	2	8	29	30	57	40	44
1993	794	-	-	-	3	12	27	52	76	66	53
1992	847	-	-	-	2	15	39	64	86	62	59
1991	806	-	-	3	4	14	36	69	68	64	55
1990	853	-	-	-	4	22	39	77	104	73	55
1989	892	-	-	-	1	15	45	76	78	94	72
1988	851	-	-	3	2	17	41	72	79	83	59
1987	915	-	-	2	1	18	51	81	99	69	56
1986	972	-	1	-	6	19	64	99	90	78	66
1985	922	-	-	1	4	18	68	91	86	84	58
1984	1,066	-	1	2	5	25	80	83	91	77	62
1983	994	-	-	3	4	24	64	82	80	82	57
1982	1,005	-	1	-	4	14	74	84	98	78	64
1981	1,025	-	-	2	2	34	72	99	71	77	57
1980	1,066	-	-	3	6	39	66	84	85	64	62
1979	1,093	-	1	3	7	29	66	99	92	71	52
Hodgkin's disease (201)											
White, female											
1998	480	-	-	-	1	6	14	34	22	29	21
1997	601	-	-	2	6	2	18	25	41	49	36
1996	577	-	-	-	3	13	22	35	30	32	27
1995	570	-	-	1	-	13	12	29	29	36	33
1994	595	-	-	1	1	10	26	36	50	38	39
1993	611	-	-	-	3	4	31	42	48	35	37
1992	619	-	-	-	6	12	38	54	48	39	30
1991	616	-	-	-	1	8	35	37	46	43	39
1990	618	-	1	1	1	13	30	52	42	36	38
1989	641	-	-	-	4	14	32	45	43	48	41
1988	594	-	-	1	6	15	34	45	48	44	29
1987	659	-	-	1	1	20	35	58	45	32	26
1986	687	-	-	1	4	17	50	56	45	44	27
1985	666	-	-	-	3	16	46	49	50	38	28
1984	691	-	1	-	5	23	43	44	59	49	32
1983	736	-	-	-	2	19	48	63	58	40	26
1982	764	-	-	-	3	23	41	54	52	42	30
1981	795	-	-	-	1	28	48	55	49	47	32
1980	825	-	-	-	9	29	47	57	48	48	32
1979	761	-	1	1	2	23	38	60	53	43	22

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Hodgkin's disease (201)											
All other, both sexes											
1998	163	-	-	1	3	4	13	21	16	15	13
1997	181	-	-	-	2	7	11	19	21	24	23
1996	159	-	-	-	4	7	16	11	17	20	16
1995	169	-	-	-	-	13	21	19	20	13	18
1994	177	-	2	-	5	2	7	18	22	18	16
1993	169	-	-	-	1	5	15	15	17	18	13
1992	173	-	-	1	4	1	11	21	26	22	14
1991	203	-	-	-	1	10	17	24	27	20	17
1990	161	-	-	1	-	3	13	24	16	16	15
1989	188	-	-	2	2	6	14	18	28	15	12
1988	163	-	-	-	2	7	12	9	26	16	15
1987	181	-	-	-	1	9	10	15	24	16	11
1986	169	-	-	1	2	5	8	13	22	14	13
1985	190	-	-	1	3	10	19	14	22	17	11
1984	203	-	-	-	4	14	10	23	31	11	8
1983	162	-	-	1	4	8	15	18	22	17	7
1982	161	-	-	-	2	10	12	17	14	15	4
1981	177	-	-	-	2	10	13	17	13	12	12
1980	173	-	-	1	3	6	12	16	17	14	7
1979	167	-	-	1	3	7	14	25	15	10	8
Hodgkin's disease (201)											
All other, male											
1998	99	-	-	1	-	2	7	16	10	6	11
1997	99	-	-	-	-	2	5	9	15	18	14
1996	92	-	-	-	3	2	10	5	11	12	9
1995	107	-	-	-	-	7	14	14	13	9	8
1994	105	-	1	-	4	-	3	8	14	12	11
1993	106	-	-	-	-	3	9	9	9	12	9
1992	102	-	-	1	2	-	3	9	16	18	9
1991	122	-	-	-	1	2	7	18	19	16	8
1990	103	-	-	1	-	3	10	15	9	11	10
1989	115	-	-	1	1	4	10	14	18	9	6
1988	94	-	-	-	2	3	7	7	15	10	6
1987	108	-	-	-	-	4	5	9	14	9	8
1986	97	-	-	-	1	3	3	9	13	10	9
1985	111	-	-	1	3	5	12	7	14	12	7
1984	138	-	-	-	3	10	6	18	19	8	6
1983	99	-	-	-	-	5	7	10	12	10	7
1982	85	-	-	-	-	7	7	10	7	8	2
1981	97	-	-	-	1	7	7	7	9	7	8
1980	108	-	-	1	2	3	6	6	11	10	5
1979	109	-	-	-	2	7	10	16	9	6	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Hodgkin's disease (201)											
All other, female											
1998	64	-	-	-	3	2	6	5	6	9	2
1997	82	-	-	-	2	5	6	10	6	6	9
1996	67	-	-	-	1	5	6	6	6	8	7
1995	62	-	-	-	-	6	7	5	7	4	10
1994	72	-	1	-	1	2	4	10	8	6	5
1993	63	-	-	-	1	2	6	6	8	6	4
1992	71	-	-	-	2	1	8	12	10	4	5
1991	81	-	-	-	-	8	10	6	8	4	9
1990	58	-	-	-	-	-	3	9	7	5	5
1989	73	-	-	1	1	2	4	4	10	6	6
1988	69	-	-	-	-	4	5	2	11	6	9
1987	73	-	-	-	1	5	5	6	10	7	3
1986	72	-	-	1	1	2	5	4	9	4	4
1985	79	-	-	-	-	5	7	7	8	5	4
1984	65	-	-	-	1	4	4	5	12	3	2
1983	63	-	-	1	4	3	8	8	10	7	-
1982	76	-	-	-	2	3	5	7	7	7	2
1981	80	-	-	-	1	3	6	10	4	5	4
1980	65	-	-	-	1	3	6	10	6	4	2
1979	58	-	-	1	1	-	4	9	6	4	5
Hodgkin's disease (201)											
Black, both sexes											
1998	147	-	-	1	3	3	12	20	16	14	12
1997	164	-	-	-	2	6	10	16	21	21	21
1996	142	-	-	-	4	6	13	10	16	18	15
1995	157	-	-	-	-	12	17	19	20	10	18
1994	152	-	1	-	4	2	6	12	20	17	14
1993	154	-	-	-	1	5	14	13	16	18	12
1992	163	-	-	1	4	1	11	21	26	21	14
1991	184	-	-	-	-	8	17	23	26	18	16
1990	148	-	-	1	-	2	12	22	15	16	14
1989	173	-	-	2	2	6	14	18	26	14	12
1988	150	-	-	-	2	7	12	8	26	15	13
1987	161	-	-	-	1	9	9	14	21	15	11
1986	155	-	-	1	2	5	8	13	21	10	12
1985	174	-	-	1	3	10	17	14	22	17	9
1984	187	-	-	-	2	12	10	23	30	11	8
1983	152	-	-	1	4	8	14	17	21	16	7
1982	151	-	-	-	1	10	10	16	14	15	4
1981	161	-	-	-	1	8	12	16	13	11	10
1980	160	-	-	1	3	5	12	14	16	14	6
1979	159	-	-	1	3	7	12	23	15	10	8

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Hodgkin's disease (201)											
Black, male											
1998	91	-	-	1	-	2	6	16	10	5	10
1997	92	-	-	-	-	2	5	8	15	15	13
1996	83	-	-	-	3	2	9	4	10	12	8
1995	98	-	-	-	-	6	11	14	13	8	8
1994	87	-	1	-	3	-	2	4	12	11	9
1993	94	-	-	-	-	3	8	8	9	12	8
1992	92	-	-	1	2	-	3	9	16	17	9
1991	110	-	-	-	-	1	7	17	19	14	7
1990	96	-	-	1	-	2	9	15	9	11	9
1989	107	-	-	1	1	4	10	14	17	9	6
1988	84	-	-	-	2	3	7	6	15	9	5
1987	98	-	-	-	-	4	5	9	13	8	8
1986	91	-	-	-	1	3	3	9	13	8	9
1985	104	-	-	1	3	5	11	7	14	12	5
1984	127	-	-	-	2	10	6	18	18	8	6
1983	90	-	-	-	-	5	6	9	11	9	7
1982	77	-	-	-	-	7	5	9	7	8	2
1981	85	-	-	-	1	5	6	6	9	7	7
1980	101	-	-	1	2	3	6	6	10	10	5
1979	102	-	-	-	2	7	8	15	9	6	3
Hodgkin's disease (201)											
Black, female											
1998	56	-	-	-	3	1	6	4	6	9	2
1997	72	-	-	-	2	4	5	8	6	6	8
1996	59	-	-	-	1	4	4	6	6	6	7
1995	59	-	-	-	-	6	6	5	7	2	10
1994	65	-	-	-	1	2	4	8	8	6	5
1993	60	-	-	-	1	2	6	5	7	6	4
1992	71	-	-	-	2	1	8	12	10	4	5
1991	74	-	-	-	-	7	10	6	7	4	9
1990	52	-	-	-	-	-	3	7	6	5	5
1989	66	-	-	1	1	2	4	4	9	5	6
1988	66	-	-	-	-	4	5	2	11	6	8
1987	63	-	-	-	1	5	4	5	8	7	3
1986	64	-	-	1	1	2	5	4	8	2	3
1985	70	-	-	-	-	5	6	7	8	5	4
1984	60	-	-	-	-	2	4	5	12	3	2
1983	62	-	-	1	4	3	8	8	10	7	-
1982	74	-	-	-	1	3	5	7	7	7	2
1981	76	-	-	-	-	3	6	10	4	4	3
1980	59	-	-	-	1	2	6	8	6	4	1
1979	57	-	-	1	1	-	4	8	6	4	5

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Non-Hodgkin's lymphoma (200,202)											
All races, both sexes											
1998	23,544	5	15	20	26	59	107	150	271	401	544
1997	23,693	3	6	31	31	58	118	182	304	443	638
1996	22,934	1	12	17	36	57	95	190	322	464	646
1995	22,522	1	16	27	30	60	86	165	367	506	664
1994	21,930	4	13	23	41	54	106	194	349	464	592
1993	20,631	1	19	33	38	65	92	200	336	436	555
1992	20,179	1	17	21	37	71	117	207	347	495	542
1991	19,700	2	13	34	35	75	122	184	329	462	568
1990	18,601	-	14	29	45	61	111	196	314	381	488
1989	18,197	3	24	35	54	66	108	194	275	372	493
1988	17,259	3	25	37	39	73	108	202	281	369	449
1987	16,419	8	18	33	40	84	114	162	223	325	372
1986	16,351	3	28	50	52	84	127	203	278	370	392
1985	15,562	4	25	34	39	79	129	190	242	304	413
1984	14,692	5	19	27	41	86	108	160	221	286	385
1983	14,298	2	29	48	57	104	117	156	180	250	310
1982	13,803	3	26	69	56	82	131	149	193	248	327
1981	12,827	4	27	54	67	107	118	140	184	222	283
1980	12,761	2	25	55	65	92	139	162	173	251	265
1979	12,022	4	31	71	63	100	113	151	144	194	258
Non-Hodgkin's lymphoma (200,202)											
All races, male											
1998	12,279	2	11	14	18	43	61	98	190	264	372
1997	12,369	1	5	24	18	39	76	135	218	294	436
1996	11,962	-	7	13	28	37	54	115	226	332	440
1995	11,694	1	12	22	21	47	55	120	265	363	454
1994	11,373	2	7	19	34	32	65	131	244	330	405
1993	10,560	-	13	26	27	42	58	133	245	313	396
1992	10,542	1	11	15	26	53	81	137	253	354	372
1991	10,157	-	9	26	29	47	87	130	237	346	397
1990	9,795	-	9	26	31	41	73	144	227	264	342
1989	9,420	1	18	28	40	43	79	136	208	272	319
1988	8,892	-	16	27	33	52	71	152	184	255	275
1987	8,348	6	11	27	29	59	78	112	149	230	248
1986	8,485	1	21	39	42	54	77	147	199	259	257
1985	8,132	1	14	23	28	61	89	123	165	212	266
1984	7,450	1	10	25	25	58	74	107	156	182	235
1983	7,382	2	16	38	46	62	82	108	132	159	202
1982	7,141	2	19	59	44	63	73	104	129	159	223
1981	6,523	2	16	41	42	66	75	94	127	136	182
1980	6,573	2	14	48	49	68	105	105	107	163	168
1979	6,398	4	19	57	51	75	79	92	83	134	168

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Non-Hodgkin's lymphoma (200,202)											
All races, female											
1998	11,265	3	4	6	8	16	46	52	81	137	172
1997	11,324	2	1	7	13	19	42	47	86	149	202
1996	10,972	1	5	4	8	20	41	75	96	132	206
1995	10,828	-	4	5	9	13	31	45	102	143	210
1994	10,557	2	6	4	7	22	41	63	105	134	187
1993	10,071	1	6	7	11	23	34	67	91	123	159
1992	9,637	-	6	6	11	18	36	70	94	141	170
1991	9,543	2	4	8	6	28	35	54	92	116	171
1990	8,806	-	5	3	14	20	38	52	87	117	146
1989	8,777	2	6	7	14	23	29	58	67	100	174
1988	8,367	3	9	10	6	21	37	50	97	114	174
1987	8,071	2	7	6	11	25	36	50	74	95	124
1986	7,866	2	7	11	10	30	50	56	79	111	135
1985	7,430	3	11	11	11	18	40	67	77	92	147
1984	7,242	4	9	2	16	28	34	53	65	104	150
1983	6,916	-	13	10	11	42	35	48	48	91	108
1982	6,662	1	7	10	12	19	58	45	64	89	104
1981	6,304	2	11	13	25	41	43	46	57	86	101
1980	6,188	-	11	7	16	24	34	57	66	88	97
1979	5,624	-	12	14	12	25	34	59	61	60	90
Non-Hodgkin's lymphoma (200,202)											
White, both sexes											
1998	21,603	3	13	16	22	50	91	108	219	313	435
1997	21,696	3	5	23	25	45	90	145	249	336	516
1996	21,062	1	9	10	30	52	74	145	247	378	531
1995	20,780	-	13	20	23	52	69	127	291	409	556
1994	20,269	3	10	20	34	40	81	160	280	390	498
1993	19,030	1	14	26	33	57	67	161	270	355	467
1992	18,608	1	17	19	30	60	88	161	282	396	451
1991	18,173	1	12	31	30	62	106	151	253	389	475
1990	17,185	-	11	25	38	50	85	164	254	318	407
1989	16,833	2	17	32	47	52	87	155	221	310	421
1988	16,006	3	21	32	35	63	87	175	230	315	387
1987	15,275	6	16	28	32	70	94	140	186	268	328
1986	15,178	3	22	40	42	69	106	170	241	315	341
1985	14,468	2	22	31	33	70	109	145	206	256	364
1984	13,718	2	15	26	36	71	90	133	181	251	335
1983	13,333	2	27	39	44	87	96	131	150	212	278
1982	12,890	2	23	59	47	69	117	120	164	218	296
1981	11,962	3	24	46	59	87	99	120	160	187	233
1980	11,909	1	20	53	51	79	117	141	151	217	243
1979	11,240	2	25	62	58	87	98	128	124	174	231

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Non-Hodgkin's lymphoma (200,202)											
White, male											
1998	11,253	1	9	12	15	36	53	74	159	212	300
1997	11,241	1	4	17	13	31	54	106	186	221	361
1996	10,909	-	6	8	24	35	40	91	170	276	363
1995	10,732	-	11	18	16	41	43	92	216	300	387
1994	10,490	2	7	17	27	28	45	108	197	283	338
1993	9,658	-	9	22	24	39	42	108	195	257	337
1992	9,673	1	11	13	22	45	61	108	206	282	317
1991	9,336	-	8	23	25	40	76	109	189	297	339
1990	9,005	-	8	23	26	33	55	124	184	223	290
1989	8,643	-	12	26	36	32	61	102	166	228	275
1988	8,177	-	13	24	29	45	58	132	156	215	233
1987	7,709	4	9	24	24	48	68	98	124	194	215
1986	7,795	1	16	32	32	43	62	127	177	220	223
1985	7,547	1	12	21	24	54	71	93	142	181	238
1984	6,926	-	7	24	21	49	62	87	131	162	201
1983	6,823	2	15	32	38	53	67	90	108	139	180
1982	6,624	1	16	50	37	53	66	85	107	141	201
1981	6,066	1	15	34	41	53	62	83	113	116	151
1980	6,090	1	12	46	40	59	89	93	96	144	156
1979	5,966	2	15	48	48	65	70	80	73	120	151
Non-Hodgkin's lymphoma (200,202)											
White, female											
1998	10,350	2	4	4	7	14	38	34	60	101	135
1997	10,455	2	1	6	12	14	36	39	63	115	155
1996	10,153	1	3	2	6	17	34	54	77	102	168
1995	10,048	-	2	2	7	11	26	35	75	109	169
1994	9,779	1	3	3	7	12	36	52	83	107	160
1993	9,372	1	5	4	9	18	25	53	75	98	130
1992	8,935	-	6	6	8	15	27	53	76	114	134
1991	8,837	1	4	8	5	22	30	42	64	92	136
1990	8,180	-	3	2	12	17	30	40	70	95	117
1989	8,190	2	5	6	11	20	26	53	55	82	146
1988	7,829	3	8	8	6	18	29	43	74	100	154
1987	7,566	2	7	4	8	22	26	42	62	74	113
1986	7,383	2	6	8	10	26	44	43	64	95	118
1985	6,921	1	10	10	9	16	38	52	64	75	126
1984	6,792	2	8	2	15	22	28	46	50	89	134
1983	6,510	-	12	7	6	34	29	41	42	73	98
1982	6,266	1	7	9	10	16	51	35	57	77	95
1981	5,896	2	9	12	18	34	37	37	47	71	82
1980	5,819	-	8	7	11	20	28	48	55	73	87
1979	5,274	-	10	14	10	22	28	48	51	54	80

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Non-Hodgkin's lymphoma (200,202)											
All other, both sexes											
1998	1,941	2	2	4	4	9	16	42	52	88	109
1997	1,997	-	1	8	6	13	28	37	55	107	122
1996	1,872	-	3	7	6	5	21	45	75	86	115
1995	1,742	1	3	7	7	8	17	38	76	97	108
1994	1,661	1	3	3	7	14	25	34	69	74	94
1993	1,601	-	5	7	5	8	25	39	66	81	88
1992	1,571	-	-	2	7	11	29	46	65	99	91
1991	1,527	1	1	3	5	13	16	33	76	73	93
1990	1,416	-	3	4	7	11	26	32	60	63	81
1989	1,364	1	7	3	7	14	21	39	54	62	72
1988	1,253	-	4	5	4	10	21	27	51	54	62
1987	1,144	2	2	5	8	14	20	22	37	57	44
1986	1,173	-	6	10	10	15	21	33	37	55	51
1985	1,094	2	3	3	6	9	20	45	36	48	49
1984	974	3	4	1	5	15	18	27	40	35	50
1983	965	-	2	9	13	17	21	25	30	38	32
1982	913	1	3	10	9	13	14	29	29	30	31
1981	865	1	3	8	8	20	19	20	24	35	50
1980	852	1	5	2	14	13	22	21	22	34	22
1979	782	2	6	9	5	13	15	23	20	20	27
Non-Hodgkin's lymphoma (200,202)											
All other, male											
1998	1,026	1	2	2	3	7	8	24	31	52	72
1997	1,128	-	1	7	5	8	22	29	32	73	75
1996	1,053	-	1	5	4	2	14	24	56	56	77
1995	962	1	1	4	5	6	12	28	49	63	67
1994	883	-	-	2	7	4	20	23	47	47	67
1993	902	-	4	4	3	3	16	25	50	56	59
1992	869	-	-	2	4	8	20	29	47	72	55
1991	821	-	1	3	4	7	11	21	48	49	58
1990	790	-	1	3	5	8	18	20	43	41	52
1989	777	1	6	2	4	11	18	34	42	44	44
1988	715	-	3	3	4	7	13	20	28	40	42
1987	639	2	2	3	5	11	10	14	25	36	33
1986	690	-	5	7	10	11	15	20	22	39	34
1985	585	-	2	2	4	7	18	30	23	31	28
1984	524	1	3	1	4	9	12	20	25	20	34
1983	559	-	1	6	8	9	15	18	24	20	22
1982	517	1	3	9	7	10	7	19	22	18	22
1981	457	1	1	7	1	13	13	11	14	20	31
1980	483	1	2	2	9	9	16	12	11	19	12
1979	432	2	4	9	3	10	9	12	10	14	17

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Non-Hodgkin's lymphoma (200,202)											
All other, female											
1998	915	1	-	2	1	2	8	18	21	36	37
1997	869	-	-	1	1	5	6	8	23	34	47
1996	819	-	2	2	2	3	7	21	19	30	38
1995	780	-	2	3	2	2	5	10	27	34	41
1994	778	1	3	1	-	10	5	11	22	27	27
1993	699	-	1	3	2	5	9	14	16	25	29
1992	702	-	-	-	3	3	9	17	18	27	36
1991	706	1	-	-	1	6	5	12	28	24	35
1990	626	-	2	1	2	3	8	12	17	22	29
1989	587	-	1	1	3	3	3	5	12	18	28
1988	538	-	1	2	-	3	8	7	23	14	20
1987	505	-	-	2	3	3	10	8	12	21	11
1986	483	-	1	3	-	4	6	13	15	16	17
1985	509	2	1	1	2	2	2	15	13	17	21
1984	450	2	1	-	1	6	6	7	15	15	16
1983	406	-	1	3	5	8	6	7	6	18	10
1982	396	-	-	1	2	3	7	10	7	12	9
1981	408	-	2	1	7	7	6	9	10	15	19
1980	369	-	3	-	5	4	6	9	11	15	10
1979	350	-	2	-	2	3	6	11	10	6	10
Non-Hodgkin's lymphoma (200,202)											
Black, both sexes											
1998	1,518	1	1	4	2	5	12	38	37	75	90
1997	1,583	-	-	6	6	11	24	26	47	94	110
1996	1,517	-	2	6	5	5	20	36	64	74	103
1995	1,399	-	2	7	5	8	11	34	62	87	95
1994	1,310	1	2	2	3	11	20	26	57	64	76
1993	1,312	-	4	6	3	6	18	34	57	73	73
1992	1,282	-	-	1	5	8	24	39	57	87	84
1991	1,260	1	1	3	3	11	16	28	66	64	78
1990	1,172	-	2	4	3	10	23	27	56	52	71
1989	1,135	1	5	2	7	12	19	33	46	56	65
1988	1,047	-	3	3	3	6	20	25	46	49	48
1987	971	1	2	4	4	12	18	22	33	49	42
1986	1,006	-	5	9	8	12	20	31	33	50	44
1985	926	2	2	2	6	7	15	39	29	41	45
1984	840	2	2	1	5	14	17	26	37	30	45
1983	841	-	-	7	12	13	15	22	27	33	28
1982	792	-	2	6	8	12	12	27	28	27	25
1981	761	1	3	8	6	19	18	15	22	29	44
1980	742	1	3	2	13	12	19	21	19	28	18
1979	682	2	6	9	5	13	14	17	18	17	24

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Non-Hodgkin's lymphoma (200,202)											
Black, male											
1998	801	-	1	2	2	4	6	23	22	44	58
1997	881	-	-	5	5	7	19	20	25	65	71
1996	851	-	1	4	3	2	13	19	51	48	70
1995	780	-	-	4	3	6	7	26	40	58	59
1994	692	-	-	2	3	4	15	20	41	40	53
1993	726	-	3	3	2	2	11	22	42	51	48
1992	704	-	-	1	3	5	16	26	43	64	53
1991	670	-	1	3	2	7	11	18	43	43	51
1990	651	-	-	3	2	8	16	16	39	32	45
1989	643	1	4	1	4	10	16	29	36	41	40
1988	600	-	3	2	3	6	12	19	24	35	35
1987	544	1	2	2	3	9	10	14	24	30	33
1986	576	-	4	7	8	9	14	18	20	35	28
1985	489	-	2	1	4	6	14	26	20	27	25
1984	453	-	1	1	4	8	11	20	25	16	29
1983	481	-	-	4	7	7	10	15	21	18	18
1982	437	-	2	6	7	9	6	17	21	16	19
1981	403	1	1	7	1	13	12	8	13	18	26
1980	421	1	1	2	8	8	14	12	10	16	11
1979	373	2	4	9	3	10	9	9	9	11	15
Non-Hodgkin's lymphoma (200,202)											
Black, female											
1998	717	1	-	2	-	1	6	15	15	31	32
1997	702	-	-	1	1	4	5	6	22	29	39
1996	666	-	1	2	2	3	7	17	13	26	33
1995	619	-	2	3	2	2	4	8	22	29	36
1994	618	1	2	-	-	7	5	6	16	24	23
1993	586	-	1	3	1	4	7	12	15	22	25
1992	578	-	-	-	2	3	8	13	14	23	31
1991	590	1	-	-	1	4	5	10	23	21	27
1990	521	-	2	1	1	2	7	11	17	20	26
1989	492	-	1	1	3	2	3	4	10	15	25
1988	447	-	-	1	-	-	8	6	22	14	13
1987	427	-	-	2	1	3	8	8	9	19	9
1986	430	-	1	2	-	3	6	13	13	15	16
1985	437	2	-	1	2	1	1	13	9	14	20
1984	387	2	1	-	1	6	6	6	12	14	16
1983	360	-	-	3	5	6	5	7	6	15	10
1982	355	-	-	-	1	3	6	10	7	11	6
1981	358	-	2	1	5	6	6	7	9	11	18
1980	321	-	2	-	5	4	5	9	9	12	7
1979	309	-	2	-	2	3	5	8	9	6	9

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Leukemia (204-208)											
All races, both sexes											
1998	20,324	19	116	142	186	209	238	222	273	385	544
1997	20,313	32	134	175	191	213	237	251	264	367	476
1996	20,340	32	150	163	187	202	228	236	335	352	462
1995	20,148	22	155	196	200	197	223	264	320	375	487
1994	19,669	19	170	179	182	248	252	299	321	356	470
1993	19,530	31	154	208	204	229	241	267	349	388	524
1992	19,272	36	174	212	210	224	257	279	376	408	440
1991	18,945	20	176	222	192	241	244	282	326	367	480
1990	18,574	24	170	187	195	274	261	309	359	420	452
1989	18,246	32	160	224	205	239	266	294	388	396	460
1988	17,577	21	187	228	188	257	261	271	309	427	472
1987	17,284	30	192	259	214	255	261	290	341	394	431
1986	17,365	25	194	236	212	276	298	313	356	386	424
1985	17,319	31	182	250	251	260	265	310	334	357	443
1984	17,080	32	175	233	245	289	322	291	320	404	426
1983	16,820	37	236	269	238	299	287	310	336	390	396
1982	16,704	33	200	306	260	356	333	294	347	404	358
1981	16,273	18	233	315	264	324	294	314	348	343	354
1980	16,533	31	188	352	303	394	341	358	338	365	379
1979	15,988	33	210	360	302	377	357	278	322	336	338
Leukemia (204-208)											
All races, male											
1998	11,201	11	55	87	106	133	140	137	149	236	315
1997	11,265	13	72	94	120	124	153	155	152	198	259
1996	11,179	13	87	98	104	128	134	142	196	200	253
1995	11,229	10	93	121	117	124	127	154	189	213	290
1994	10,840	8	88	101	102	159	168	191	209	209	247
1993	10,750	20	91	114	134	136	145	151	213	215	295
1992	10,609	20	93	134	128	136	157	160	223	226	268
1991	10,194	11	92	125	122	157	148	179	177	187	266
1990	10,192	12	94	109	129	172	150	190	207	223	238
1989	10,039	11	84	129	130	149	166	175	228	219	271
1988	9,724	6	93	146	117	171	162	162	190	245	278
1987	9,387	14	99	165	124	150	166	170	196	233	240
1986	9,565	17	109	148	109	177	208	190	196	203	245
1985	9,442	12	112	149	145	165	158	170	186	210	255
1984	9,276	17	94	138	152	183	188	167	184	237	241
1983	9,312	15	144	155	134	195	173	187	204	196	221
1982	9,244	16	106	187	156	219	185	163	174	234	210
1981	9,078	10	123	193	159	200	187	192	193	191	189
1980	9,193	19	105	226	186	235	209	214	180	197	209
1979	8,893	16	118	221	174	237	222	170	185	176	179

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Leukemia (204-208)											
All races, female											
1998	9,123	8	61	55	80	76	98	85	124	149	229
1997	9,048	19	62	81	71	89	84	96	112	169	217
1996	9,161	19	63	65	83	74	94	94	139	152	209
1995	8,919	12	62	75	83	73	96	110	131	162	197
1994	8,829	11	82	78	80	89	84	108	112	147	223
1993	8,780	11	63	94	70	93	96	116	136	173	229
1992	8,663	16	81	78	82	88	100	119	153	182	172
1991	8,751	9	84	97	70	84	96	103	149	180	214
1990	8,382	12	76	78	66	102	111	119	152	197	214
1989	8,207	21	76	95	75	90	100	119	160	177	189
1988	7,853	15	94	82	71	86	99	109	119	182	194
1987	7,897	16	93	94	90	105	95	120	145	161	191
1986	7,800	8	85	88	103	99	90	123	160	183	179
1985	7,877	19	70	101	106	95	107	140	148	147	188
1984	7,804	15	81	95	93	106	134	124	136	167	185
1983	7,508	22	92	114	104	104	114	123	132	194	175
1982	7,460	17	94	119	104	137	148	131	173	170	148
1981	7,195	8	110	122	105	124	107	122	155	152	165
1980	7,340	12	83	126	117	159	132	144	158	168	170
1979	7,095	17	92	139	128	140	135	108	137	160	159
Leukemia (204-208)											
White, both sexes											
1998	18,214	18	92	116	148	176	206	169	218	297	447
1997	18,283	27	103	140	161	181	192	186	211	290	381
1996	18,234	26	126	131	147	162	180	195	268	285	380
1995	18,109	18	115	164	142	152	183	216	237	311	422
1994	17,708	16	131	148	152	196	210	240	266	285	395
1993	17,504	24	125	171	172	185	178	209	272	320	430
1992	17,405	33	149	181	172	183	203	210	317	342	364
1991	17,064	13	142	185	161	196	205	230	276	299	396
1990	16,722	19	143	151	160	221	225	245	295	339	378
1989	16,434	31	126	189	166	188	222	252	321	325	387
1988	15,854	17	153	189	156	220	213	219	262	351	400
1987	15,569	27	157	221	183	193	219	234	288	322	375
1986	15,709	19	167	196	179	235	254	257	302	317	366
1985	15,703	26	151	211	200	226	223	258	290	309	383
1984	15,479	26	145	198	200	243	266	249	278	334	361
1983	15,231	34	199	229	203	263	244	263	272	332	336
1982	15,152	28	161	267	213	299	277	253	298	353	304
1981	14,786	15	192	266	222	279	261	263	297	286	295
1980	15,081	26	158	319	263	326	286	312	286	316	329
1979	14,607	28	175	327	260	321	310	233	288	278	293

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Leukemia (204-208)											
White, male											
1998	10,070	10	42	71	85	113	123	108	115	173	262
1997	10,171	11	57	76	100	106	121	113	125	159	207
1996	10,055	8	75	78	86	102	109	117	161	165	211
1995	10,143	9	73	105	86	95	110	131	141	180	257
1994	9,772	7	69	82	85	127	144	154	173	165	211
1993	9,658	15	75	94	112	107	111	120	159	178	241
1992	9,595	18	83	112	106	110	127	122	188	191	223
1991	9,165	6	70	106	104	126	125	146	147	151	217
1990	9,189	10	81	87	107	144	131	154	177	175	201
1989	9,011	11	73	109	103	116	138	152	188	181	226
1988	8,785	5	80	123	101	147	134	133	163	197	236
1987	8,480	14	84	140	108	113	145	142	162	196	209
1986	8,685	14	98	123	93	150	178	161	164	169	211
1985	8,548	10	88	126	113	146	133	141	166	190	219
1984	8,409	13	77	116	128	154	153	141	163	197	214
1983	8,461	15	123	135	113	171	144	161	169	174	186
1982	8,402	15	89	163	128	182	155	143	152	209	183
1981	8,276	8	103	163	130	172	167	166	163	159	160
1980	8,396	16	89	209	162	192	177	188	155	172	187
1979	8,138	13	101	203	150	201	199	141	166	145	154
Leukemia (204-208)											
White, female											
1998	8,144	8	50	45	63	63	83	61	103	124	185
1997	8,112	16	46	64	61	75	71	73	86	131	174
1996	8,179	18	51	53	61	60	71	78	107	120	169
1995	7,966	9	42	59	56	57	73	85	96	131	165
1994	7,936	9	62	66	67	69	66	86	93	120	184
1993	7,846	9	50	77	60	78	67	89	113	142	189
1992	7,810	15	66	69	66	73	76	88	129	151	141
1991	7,899	7	72	79	57	70	80	84	129	148	179
1990	7,533	9	62	64	53	77	94	91	118	164	177
1989	7,423	20	53	80	63	72	84	100	133	144	161
1988	7,069	12	73	66	55	73	79	86	99	154	164
1987	7,089	13	73	81	75	80	74	92	126	126	166
1986	7,024	5	69	73	86	85	76	96	138	148	155
1985	7,155	16	63	85	87	80	90	117	124	119	164
1984	7,070	13	68	82	72	89	113	108	115	137	147
1983	6,770	19	76	94	90	92	100	102	103	158	150
1982	6,750	13	72	104	85	117	122	110	146	144	121
1981	6,510	7	89	103	92	107	94	97	134	127	135
1980	6,685	10	69	110	101	134	109	124	131	144	142
1979	6,469	15	74	124	110	120	111	92	122	133	139

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Leukemia (204-208)											
All other, both sexes											
1998	2,110	1	24	26	38	33	32	53	55	88	97
1997	2,030	5	31	35	30	32	45	65	53	77	95
1996	2,106	6	24	32	40	40	48	41	67	67	82
1995	2,039	4	40	32	58	45	40	48	83	64	65
1994	1,961	3	39	31	30	52	42	59	55	71	75
1993	2,026	7	29	37	32	44	63	58	77	68	94
1992	1,867	3	25	31	38	41	54	69	59	66	76
1991	1,881	7	34	37	31	45	39	52	50	68	84
1990	1,852	5	27	36	35	53	36	64	64	81	74
1989	1,812	1	34	35	39	51	44	42	67	71	73
1988	1,723	4	34	39	32	37	48	52	47	76	72
1987	1,715	3	35	38	31	62	42	56	53	72	56
1986	1,656	6	27	40	33	41	44	56	54	69	58
1985	1,616	5	31	39	51	34	42	52	44	48	60
1984	1,601	6	30	35	45	46	56	42	42	70	65
1983	1,589	3	37	40	35	36	43	47	64	58	60
1982	1,552	5	39	39	47	57	56	41	49	51	54
1981	1,487	3	41	49	42	45	33	51	51	57	59
1980	1,452	5	30	33	40	68	55	46	52	49	50
1979	1,381	5	35	33	42	56	47	45	34	58	45
Leukemia (204-208)											
All other, male											
1998	1,131	1	13	16	21	20	17	29	34	63	53
1997	1,094	2	15	18	20	18	32	42	27	39	52
1996	1,124	5	12	20	18	26	25	25	35	35	42
1995	1,086	1	20	16	31	29	17	23	48	33	33
1994	1,068	1	19	19	17	32	24	37	36	44	36
1993	1,092	5	16	20	22	29	34	31	54	37	54
1992	1,014	2	10	22	22	26	30	38	35	35	45
1991	1,029	5	22	19	18	31	23	33	30	36	49
1990	1,003	2	13	22	22	28	19	36	30	48	37
1989	1,028	-	11	20	27	33	28	23	40	38	45
1988	939	1	13	23	16	24	28	29	27	48	42
1987	907	-	15	25	16	37	21	28	34	37	31
1986	880	3	11	25	16	27	30	29	32	34	34
1985	894	2	24	23	32	19	25	29	20	20	36
1984	867	4	17	22	24	29	35	26	21	40	27
1983	851	-	21	20	21	24	29	26	35	22	35
1982	842	1	17	24	28	37	30	20	22	25	27
1981	802	2	20	30	29	28	20	26	30	32	29
1980	797	3	16	17	24	43	32	26	25	25	22
1979	755	3	17	18	24	36	23	29	19	31	25

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Leukemia (204-208)											
All other, female											
1998	979	-	11	10	17	13	15	24	21	25	44
1997	936	3	16	17	10	14	13	23	26	38	43
1996	982	1	12	12	22	14	23	16	32	32	40
1995	953	3	20	16	27	16	23	25	35	31	32
1994	893	2	20	12	13	20	18	22	19	27	39
1993	934	2	13	17	10	15	29	27	23	31	40
1992	853	1	15	9	16	15	24	31	24	31	31
1991	852	2	12	18	13	14	16	19	20	32	35
1990	849	3	14	14	13	25	17	28	34	33	37
1989	784	1	23	15	12	18	16	19	27	33	28
1988	784	3	21	16	16	13	20	23	20	28	30
1987	808	3	20	13	15	25	21	28	19	35	25
1986	776	3	16	15	17	14	14	27	22	35	24
1985	722	3	7	16	19	15	17	23	24	28	24
1984	734	2	13	13	21	17	21	16	21	30	38
1983	738	3	16	20	14	12	14	21	29	36	25
1982	710	4	22	15	19	20	26	21	27	26	27
1981	685	1	21	19	13	17	13	25	21	25	30
1980	655	2	14	16	16	25	23	20	27	24	28
1979	626	2	18	15	18	20	24	16	15	27	20
Leukemia (204-208)											
Black, both sexes											
1998	1,752	1	19	21	25	26	26	40	48	74	78
1997	1,673	1	24	25	21	26	37	50	43	65	67
1996	1,763	4	15	27	27	31	35	34	54	50	65
1995	1,686	1	31	23	39	36	30	33	65	51	48
1994	1,634	3	28	22	22	44	33	46	35	56	60
1993	1,681	5	18	30	24	34	49	46	57	58	72
1992	1,587	2	14	24	26	29	41	56	45	58	65
1991	1,609	5	28	24	27	35	30	42	40	52	67
1990	1,591	2	18	25	26	41	27	49	50	63	53
1989	1,540	1	23	22	32	44	39	31	48	51	60
1988	1,478	4	24	24	21	31	40	48	39	56	61
1987	1,479	2	21	31	23	49	34	42	44	59	39
1986	1,460	6	24	32	26	34	41	48	44	55	45
1985	1,401	3	20	31	41	23	35	41	32	39	54
1984	1,407	4	24	29	40	41	46	39	36	56	59
1983	1,394	3	27	33	30	26	36	41	54	49	47
1982	1,378	5	32	36	40	45	47	33	42	46	46
1981	1,337	3	37	43	36	39	29	45	43	47	47
1980	1,310	5	26	29	34	56	48	41	48	36	45
1979	1,262	4	28	28	36	49	45	37	26	46	39

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Leukemia (204-208)											
Black, male											
1998	936	1	11	14	12	15	15	26	32	52	43
1997	905	-	14	10	13	14	26	30	25	34	43
1996	931	4	6	16	12	18	18	21	33	28	34
1995	908	1	15	13	18	22	11	18	38	29	26
1994	885	1	12	14	13	28	20	29	24	32	30
1993	906	3	10	14	16	23	29	24	39	31	40
1992	840	1	5	17	14	18	22	29	27	31	38
1991	869	3	19	11	16	23	17	29	25	25	41
1990	854	1	9	16	18	21	12	25	26	38	24
1989	868	-	8	17	23	26	26	17	28	27	36
1988	806	1	10	14	12	23	22	28	23	37	36
1987	781	-	11	19	11	28	16	22	30	31	19
1986	771	3	10	21	15	22	28	24	27	28	24
1985	769	1	17	18	25	12	21	22	14	17	34
1984	754	2	12	18	22	24	27	23	18	34	26
1983	741	-	16	17	19	14	24	23	30	19	28
1982	745	1	13	22	25	30	28	17	17	21	23
1981	709	2	18	27	25	26	18	22	25	27	24
1980	714	3	15	15	20	36	30	24	24	17	21
1979	677	2	13	15	19	30	22	23	14	25	22
Leukemia (204-208)											
Black, female											
1998	816	-	8	7	13	11	11	14	16	22	35
1997	768	1	10	15	8	12	11	20	18	31	24
1996	832	-	9	11	15	13	17	13	21	22	31
1995	778	-	16	10	21	14	19	15	27	22	22
1994	749	2	16	8	9	16	13	17	11	24	30
1993	775	2	8	16	8	11	20	22	18	27	32
1992	747	1	9	7	12	11	19	27	18	27	27
1991	740	2	9	13	11	12	13	13	15	27	26
1990	737	1	9	9	8	20	15	24	24	25	29
1989	672	1	15	5	9	18	13	14	20	24	24
1988	672	3	14	10	9	8	18	20	16	19	25
1987	698	2	10	12	12	21	18	20	14	28	20
1986	689	3	14	11	11	12	13	24	17	27	21
1985	632	2	3	13	16	11	14	19	18	22	20
1984	653	2	12	11	18	17	19	16	18	22	33
1983	653	3	11	16	11	12	12	18	24	30	19
1982	633	4	19	14	15	15	19	16	25	25	23
1981	628	1	19	16	11	13	11	23	18	20	23
1980	596	2	11	14	14	20	18	17	24	19	24
1979	585	2	15	13	17	19	23	14	12	21	17

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Multiple myeloma and immunoproliferative neoplasms (203)											
All races, both sexes											
1998	10,359	-	1	-	-	-	1	2	9	38	127
1997	10,386	-	-	-	-	-	1	3	14	35	113
1996	10,248	-	-	-	-	1	2	1	16	43	113
1995	10,266	-	-	-	-	-	-	6	16	41	116
1994	10,041	-	-	-	-	-	2	-	9	42	122
1993	9,892	-	1	1	1	-	1	2	14	45	112
1992	9,294	-	-	-	-	-	4	5	16	49	100
1991	9,320	-	-	-	-	-	1	4	17	48	111
1990	8,934	-	-	-	-	-	1	6	15	30	90
1989	8,587	-	-	1	-	1	1	5	16	31	89
1988	8,318	-	-	-	-	-	3	5	10	33	90
1987	8,141	1	-	-	1	-	-	2	8	33	99
1986	7,987	-	-	1	-	-	2	1	16	34	95
1985	7,819	1	-	-	-	-	-	6	15	46	92
1984	7,470	-	-	1	2	1	2	1	8	38	80
1983	7,301	-	-	-	1	-	-	4	10	34	80
1982	7,024	-	-	-	-	1	3	4	12	32	79
1981	6,729	-	1	1	1	1	2	6	12	23	69
1980	6,613	-	-	-	-	-	-	5	11	32	76
1979	6,414	1	-	-	-	-	-	2	12	34	73
Multiple myeloma and immunoproliferative neoplasms (203)											
All races, male											
1998	5,290	-	-	-	-	-	1	1	5	23	78
1997	5,360	-	-	-	-	-	1	3	8	23	64
1996	5,253	-	-	-	-	1	2	-	11	25	70
1995	5,165	-	-	-	-	-	-	4	6	22	72
1994	5,165	-	-	-	-	-	1	-	5	23	80
1993	4,936	-	-	-	-	-	1	2	7	29	73
1992	4,679	-	-	-	-	-	3	5	10	33	58
1991	4,698	-	-	-	-	-	1	3	11	27	77
1990	4,561	-	-	-	-	-	1	2	9	17	61
1989	4,335	-	-	1	-	-	-	2	11	18	56
1988	4,231	-	-	-	-	-	3	4	6	18	52
1987	4,181	-	-	-	-	-	-	2	4	20	61
1986	4,032	-	-	-	-	-	2	1	7	21	60
1985	3,935	1	-	-	-	-	-	5	11	25	59
1984	3,737	-	-	1	1	-	1	-	1	25	54
1983	3,722	-	-	-	1	-	-	1	4	22	46
1982	3,554	-	-	-	-	-	3	3	9	20	49
1981	3,377	-	-	-	-	-	1	4	8	13	43
1980	3,401	-	-	-	-	-	-	4	8	18	49
1979	3,333	1	-	-	-	-	-	-	11	21	46

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	
Multiple myeloma and immunoproliferative neoplasms (203)												
All races, female												
1998	5,069	-	1	-	-	-	-	-	1	4	15	49
1997	5,026	-	-	-	-	-	-	-	-	6	12	49
1996	4,995	-	-	-	-	-	-	-	1	5	18	43
1995	5,101	-	-	-	-	-	-	-	2	10	19	44
1994	4,876	-	-	-	-	-	-	1	-	4	19	42
1993	4,956	-	1	1	1	-	-	-	-	7	16	39
1992	4,615	-	-	-	-	-	-	1	-	6	16	42
1991	4,622	-	-	-	-	-	-	-	1	6	21	34
1990	4,373	-	-	-	-	-	-	-	4	6	13	29
1989	4,252	-	-	-	-	1	1	3	5	13	33	33
1988	4,087	-	-	-	-	-	-	-	1	4	15	38
1987	3,960	1	-	-	1	-	-	-	-	4	13	38
1986	3,955	-	-	1	-	-	-	-	-	9	13	35
1985	3,884	-	-	-	-	-	-	-	1	4	21	33
1984	3,733	-	-	-	1	1	1	1	1	7	13	26
1983	3,579	-	-	-	-	-	-	-	3	6	12	34
1982	3,470	-	-	-	-	1	-	-	1	3	12	30
1981	3,352	-	1	1	1	1	1	1	2	4	10	26
1980	3,212	-	-	-	-	-	-	-	1	3	14	27
1979	3,081	-	-	-	-	-	-	-	2	1	13	27
Multiple myeloma and immunoproliferative neoplasms (203)												
White, both sexes												
1998	8,400	-	1	-	-	-	-	-	-	7	28	90
1997	8,528	-	-	-	-	-	-	1	3	6	22	74
1996	8,367	-	-	-	-	-	-	1	1	11	26	77
1995	8,406	-	-	-	-	-	-	-	3	10	25	89
1994	8,292	-	-	-	-	-	-	1	-	5	33	91
1993	8,132	-	1	1	1	-	-	1	2	11	37	83
1992	7,641	-	-	-	-	-	-	2	4	10	35	70
1991	7,629	-	-	-	-	-	-	1	4	11	30	79
1990	7,377	-	-	-	-	-	-	-	5	13	17	56
1989	7,106	-	-	1	-	1	-	-	4	8	19	66
1988	6,892	-	-	-	-	-	-	2	3	8	24	61
1987	6,729	1	-	-	1	-	-	-	1	5	22	75
1986	6,556	-	-	1	-	-	-	2	1	12	22	65
1985	6,468	-	-	-	-	-	-	-	5	10	38	67
1984	6,200	-	-	1	2	1	1	1	1	5	30	51
1983	6,009	-	-	-	1	-	-	-	3	5	27	58
1982	5,802	-	-	-	-	1	3	4	4	9	20	52
1981	5,541	-	1	-	1	1	2	5	5	10	15	50
1980	5,505	-	-	-	-	-	-	-	4	6	24	52
1979	5,368	1	-	-	-	-	-	-	1	9	25	51

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Multiple myeloma and immunoproliferative neoplasms (203)

White, male

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
1998	4,357	-	-	-	-	-	-	-	4	18	63
1997	4,459	-	-	-	-	-	1	3	5	16	42
1996	4,342	-	-	-	-	-	1	-	7	15	48
1995	4,286	-	-	-	-	-	-	2	4	13	52
1994	4,297	-	-	-	-	-	-	-	3	19	61
1993	4,106	-	-	-	-	-	1	2	6	25	54
1992	3,865	-	-	-	-	-	1	4	7	25	43
1991	3,871	-	-	-	-	-	1	3	8	19	55
1990	3,765	-	-	-	-	-	-	2	7	9	40
1989	3,600	-	-	1	-	-	-	2	6	12	44
1988	3,562	-	-	-	-	-	2	3	6	14	39
1987	3,458	-	-	-	-	-	-	1	2	15	48
1986	3,299	-	-	-	-	-	2	1	4	13	44
1985	3,251	-	-	-	-	-	-	4	9	19	44
1984	3,085	-	-	1	1	-	1	-	1	20	35
1983	3,049	-	-	-	1	-	-	1	2	21	34
1982	2,922	-	-	-	-	-	3	3	6	15	34
1981	2,772	-	-	-	-	-	1	4	6	10	34
1980	2,834	-	-	-	-	-	-	3	5	15	32
1979	2,795	1	-	-	-	-	-	-	8	17	36

Multiple myeloma and immunoproliferative neoplasms (203)

White, female

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
1998	4,043	-	1	-	-	-	-	-	3	10	27
1997	4,069	-	-	-	-	-	-	-	1	6	32
1996	4,025	-	-	-	-	-	-	1	4	11	29
1995	4,120	-	-	-	-	-	-	1	6	12	37
1994	3,995	-	-	-	-	-	1	-	2	14	30
1993	4,026	-	1	1	1	-	-	-	5	12	29
1992	3,776	-	-	-	-	-	1	-	3	10	27
1991	3,758	-	-	-	-	-	-	1	3	11	24
1990	3,612	-	-	-	-	-	-	3	6	8	16
1989	3,506	-	-	-	-	1	-	2	2	7	22
1988	3,330	-	-	-	-	-	-	-	2	10	22
1987	3,271	1	-	-	1	-	-	-	3	7	27
1986	3,257	-	-	1	-	-	-	-	8	9	21
1985	3,217	-	-	-	-	-	-	1	1	19	23
1984	3,115	-	-	-	1	1	-	1	4	10	16
1983	2,960	-	-	-	-	-	-	2	3	6	24
1982	2,880	-	-	-	-	1	-	1	3	5	18
1981	2,769	-	1	-	1	1	1	1	4	5	16
1980	2,671	-	-	-	-	-	-	1	1	9	20
1979	2,573	-	-	-	-	-	-	1	1	8	15

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Multiple myeloma and immunoproliferative neoplasms (203)											
All other, both sexes											
1998	1,959	-	-	-	-	-	1	2	2	10	37
1997	1,858	-	-	-	-	-	-	-	8	13	39
1996	1,881	-	-	-	-	1	1	-	5	17	36
1995	1,860	-	-	-	-	-	-	3	6	16	27
1994	1,749	-	-	-	-	-	1	-	4	9	31
1993	1,760	-	-	-	-	-	-	-	3	8	29
1992	1,653	-	-	-	-	-	2	1	6	14	30
1991	1,691	-	-	-	-	-	-	-	6	18	32
1990	1,557	-	-	-	-	-	1	1	2	13	34
1989	1,481	-	-	-	-	-	1	1	8	12	23
1988	1,426	-	-	-	-	-	1	2	2	9	29
1987	1,412	-	-	-	-	-	-	1	3	11	24
1986	1,431	-	-	-	-	-	-	-	4	12	30
1985	1,351	1	-	-	-	-	-	1	5	8	25
1984	1,270	-	-	-	-	-	1	-	3	8	29
1983	1,292	-	-	-	-	-	-	1	5	7	22
1982	1,222	-	-	-	-	-	-	-	3	12	27
1981	1,188	-	-	1	-	-	-	1	2	8	19
1980	1,108	-	-	-	-	-	-	1	5	8	24
1979	1,046	-	-	-	-	-	-	1	3	9	22
Multiple myeloma and immunoproliferative neoplasms (203)											
All other, male											
1998	933	-	-	-	-	-	1	1	1	5	15
1997	901	-	-	-	-	-	-	-	3	7	22
1996	911	-	-	-	-	1	1	-	4	10	22
1995	879	-	-	-	-	-	-	2	2	9	20
1994	868	-	-	-	-	-	1	-	2	4	19
1993	830	-	-	-	-	-	-	-	1	4	19
1992	814	-	-	-	-	-	2	1	3	8	15
1991	827	-	-	-	-	-	-	-	3	8	22
1990	796	-	-	-	-	-	1	-	2	8	21
1989	735	-	-	-	-	-	-	-	5	6	12
1988	669	-	-	-	-	-	1	1	-	4	13
1987	723	-	-	-	-	-	-	1	2	5	13
1986	733	-	-	-	-	-	-	-	3	8	16
1985	684	1	-	-	-	-	-	1	2	6	15
1984	652	-	-	-	-	-	-	-	-	5	19
1983	673	-	-	-	-	-	-	-	2	1	12
1982	632	-	-	-	-	-	-	-	3	5	15
1981	605	-	-	-	-	-	-	-	2	3	9
1980	567	-	-	-	-	-	-	1	3	3	17
1979	538	-	-	-	-	-	-	-	3	4	10

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Multiple myeloma and immunoproliferative neoplasms (203)											
All other, female											
1998	1,026	-	-	-	-	-	-	1	1	5	22
1997	957	-	-	-	-	-	-	-	5	6	17
1996	970	-	-	-	-	-	-	-	1	7	14
1995	981	-	-	-	-	-	-	1	4	7	7
1994	881	-	-	-	-	-	-	-	2	5	12
1993	930	-	-	-	-	-	-	-	2	4	10
1992	839	-	-	-	-	-	-	-	3	6	15
1991	864	-	-	-	-	-	-	-	3	10	10
1990	761	-	-	-	-	-	-	1	-	5	13
1989	746	-	-	-	-	-	1	1	3	6	11
1988	757	-	-	-	-	-	-	1	2	5	16
1987	689	-	-	-	-	-	-	-	1	6	11
1986	698	-	-	-	-	-	-	-	1	4	14
1985	667	-	-	-	-	-	-	-	3	2	10
1984	618	-	-	-	-	-	1	-	3	3	10
1983	619	-	-	-	-	-	-	1	3	6	10
1982	590	-	-	-	-	-	-	-	-	7	12
1981	583	-	-	1	-	-	-	1	-	5	10
1980	541	-	-	-	-	-	-	-	2	5	7
1979	508	-	-	-	-	-	-	1	-	5	12
Multiple myeloma and immunoproliferative neoplasms (203)											
Black, both sexes											
1998	1,805	-	-	-	-	-	1	2	2	10	36
1997	1,708	-	-	-	-	-	-	-	8	10	37
1996	1,726	-	-	-	-	1	1	-	4	14	33
1995	1,716	-	-	-	-	-	-	2	5	15	24
1994	1,650	-	-	-	-	-	1	-	4	8	30
1993	1,644	-	-	-	-	-	-	-	3	8	27
1992	1,543	-	-	-	-	-	1	1	4	13	27
1991	1,580	-	-	-	-	-	-	-	6	17	32
1990	1,453	-	-	-	-	-	1	1	2	11	32
1989	1,387	-	-	-	-	-	1	1	6	11	20
1988	1,347	-	-	-	-	-	1	2	2	9	28
1987	1,347	-	-	-	-	-	-	1	3	11	22
1986	1,352	-	-	-	-	-	-	-	3	12	28
1985	1,273	1	-	-	-	-	-	1	4	7	22
1984	1,209	-	-	-	-	-	1	-	2	7	29
1983	1,230	-	-	-	-	-	-	-	4	7	21
1982	1,173	-	-	-	-	-	-	-	3	11	26
1981	1,134	-	-	1	-	-	-	1	2	7	18
1980	1,059	-	-	-	-	-	-	1	5	8	20
1979	1,008	-	-	-	-	-	-	1	3	8	21

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Multiple myeloma and immunoproliferative neoplasms (203)											
Black, male											
1998	849	-	-	-	-	-	1	1	1	5	14
1997	815	-	-	-	-	-	-	-	3	5	21
1996	835	-	-	-	-	1	1	-	4	8	20
1995	800	-	-	-	-	-	-	1	2	8	18
1994	809	-	-	-	-	-	1	-	2	3	18
1993	768	-	-	-	-	-	-	-	1	4	17
1992	755	-	-	-	-	-	1	1	3	7	13
1991	767	-	-	-	-	-	-	-	3	7	22
1990	745	-	-	-	-	-	1	-	2	8	19
1989	684	-	-	-	-	-	-	-	4	5	10
1988	631	-	-	-	-	-	1	1	-	4	12
1987	693	-	-	-	-	-	-	1	2	5	12
1986	686	-	-	-	-	-	-	-	2	8	14
1985	637	1	-	-	-	-	-	1	2	5	13
1984	619	-	-	-	-	-	-	-	-	5	19
1983	635	-	-	-	-	-	-	-	2	1	12
1982	606	-	-	-	-	-	-	-	3	4	15
1981	575	-	-	-	-	-	-	-	2	2	9
1980	536	-	-	-	-	-	-	1	3	3	14
1979	521	-	-	-	-	-	-	-	3	4	9
Multiple myeloma and immunoproliferative neoplasms (203)											
Black, female											
1998	956	-	-	-	-	-	-	1	1	5	22
1997	893	-	-	-	-	-	-	-	5	5	16
1996	891	-	-	-	-	-	-	-	-	6	13
1995	916	-	-	-	-	-	-	1	3	7	6
1994	841	-	-	-	-	-	-	-	2	5	12
1993	876	-	-	-	-	-	-	-	2	4	10
1992	788	-	-	-	-	-	-	-	1	6	14
1991	813	-	-	-	-	-	-	-	3	10	10
1990	708	-	-	-	-	-	-	1	-	3	13
1989	703	-	-	-	-	-	1	1	2	6	10
1988	716	-	-	-	-	-	-	1	2	5	16
1987	654	-	-	-	-	-	-	-	1	6	10
1986	666	-	-	-	-	-	-	-	1	4	14
1985	636	-	-	-	-	-	-	-	2	2	9
1984	590	-	-	-	-	-	1	-	2	2	10
1983	595	-	-	-	-	-	-	-	2	6	9
1982	567	-	-	-	-	-	-	-	-	7	11
1981	559	-	-	1	-	-	-	1	-	5	9
1980	523	-	-	-	-	-	-	-	2	5	6
1979	487	-	-	-	-	-	-	1	-	4	12

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

All other and unspecified malignant neoplasms (152,156,158-160,163-171,173,181,183.2-184,186-187,189.2-190,193-199)

All races, both sexes

1998	55,597	23	103	121	123	234	258	296	433	767	1,278
1997	56,301	19	129	138	103	224	260	313	475	767	1,212
1996	57,121	16	101	125	115	228	230	319	484	801	1,230
1995	57,150	19	146	106	117	214	270	325	482	825	1,226
1994	57,088	13	156	113	120	223	277	349	535	829	1,256
1993	57,122	27	158	123	118	210	288	358	500	819	1,211
1992	55,052	22	136	117	119	227	280	337	545	727	1,167
1991	54,264	26	160	97	130	221	280	373	546	765	1,158
1990	52,775	34	164	124	118	196	281	381	562	726	1,071
1989	54,502	32	160	128	105	235	276	386	526	751	1,118
1988	54,859	24	175	113	112	227	298	374	519	764	1,093
1987	54,652	34	183	133	122	230	313	427	537	689	1,043
1986	54,562	30	183	116	118	240	330	479	612	798	1,050
1985	53,420	37	176	110	115	238	380	461	617	772	1,035
1984	52,073	28	190	124	137	255	373	458	585	686	993
1983	51,521	44	194	113	152	286	363	396	485	663	944
1982	50,123	32	208	107	149	306	378	388	516	653	919
1981	48,746	29	204	122	159	310	377	395	470	555	846
1980	48,413	32	192	132	148	348	452	449	475	585	860
1979	46,531	32	176	122	167	343	399	403	398	543	808

All other and unspecified malignant neoplasms (152,156,158-160,163-171,173,181,183.2-184,186-187,189.2-190,193-199)

All races, male

1998	27,562	14	58	72	76	134	166	188	256	438	689
1997	27,665	10	74	75	46	131	167	206	311	417	691
1996	28,361	10	58	69	60	137	163	202	299	477	693
1995	28,370	13	92	59	63	134	189	201	305	469	688
1994	28,205	5	87	64	62	134	191	225	323	478	717
1993	28,505	18	89	74	59	123	190	212	307	502	671
1992	27,461	12	72	69	68	139	183	217	359	409	663
1991	27,174	14	96	58	73	127	192	248	351	475	656
1990	26,196	20	89	66	49	111	191	253	347	423	600
1989	27,534	15	87	65	53	132	189	255	338	447	625
1988	27,746	14	91	65	51	130	194	242	328	437	644
1987	27,594	17	106	75	66	142	215	286	335	395	600
1986	27,419	16	98	59	58	155	233	329	433	542	571
1985	27,049	22	97	64	62	154	261	313	419	492	582
1984	26,031	19	109	77	70	168	267	298	382	419	560
1983	26,053	24	110	61	82	174	257	265	320	390	506
1982	24,771	16	122	65	76	195	261	271	335	383	488
1981	24,064	15	118	65	84	211	260	261	293	320	464
1980	24,087	21	114	73	74	221	337	305	296	326	449
1979	23,132	17	96	72	100	221	281	280	252	295	458

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
All other and unspecified malignant neoplasms (152,156,158-160,163-171,173,181,183.2-184,186-187,189.2-190,193-199)											
All races, female											
1998	28,035	9	45	49	47	100	92	108	177	329	589
1997	28,636	9	55	63	57	93	93	107	164	350	521
1996	28,760	6	43	56	55	91	67	117	185	324	537
1995	28,780	6	54	47	54	80	81	124	177	356	538
1994	28,883	8	69	49	58	89	86	124	212	351	539
1993	28,617	9	69	49	59	87	98	146	193	317	540
1992	27,591	10	64	48	51	88	97	120	186	318	504
1991	27,090	12	64	39	57	94	88	125	195	290	502
1990	26,579	14	75	58	69	85	90	128	215	303	471
1989	26,968	17	73	63	52	103	87	131	188	304	493
1988	27,113	10	84	48	61	97	104	132	191	327	449
1987	27,058	17	77	58	56	88	98	141	202	294	443
1986	27,143	14	85	57	60	85	97	150	179	256	479
1985	26,371	15	79	46	53	84	119	148	198	280	453
1984	26,042	9	81	47	67	87	106	160	203	267	433
1983	25,468	20	84	52	70	112	106	131	165	273	438
1982	25,352	16	86	42	73	111	117	117	181	270	431
1981	24,682	14	86	57	75	99	117	134	177	235	382
1980	24,326	11	78	59	74	127	115	144	179	259	411
1979	23,399	15	80	50	67	122	118	123	146	248	350
All other and unspecified malignant neoplasms (152,156,158-160,163-171,173,181,183.2-184,186-187,189.2-190,193-199)											
White, both sexes											
1998	48,360	19	82	100	92	193	205	245	343	594	986
1997	48,983	11	98	114	87	173	200	243	390	604	951
1996	49,790	15	80	97	95	176	186	259	390	626	936
1995	49,734	16	116	81	90	170	211	265	382	637	943
1994	49,791	11	125	83	88	184	224	294	415	658	971
1993	49,776	20	131	103	97	170	231	276	394	647	929
1992	48,055	20	109	91	99	186	234	275	446	589	914
1991	47,291	22	124	78	104	184	230	310	435	599	913
1990	45,959	27	121	100	93	161	226	314	441	571	855
1989	47,539	26	132	108	79	192	223	319	420	600	872
1988	47,966	18	144	94	90	188	243	313	431	600	866
1987	47,712	30	152	109	99	180	245	348	452	557	836
1986	47,840	25	150	95	97	197	276	393	506	636	862
1985	46,658	31	149	92	95	200	321	399	511	623	812
1984	45,481	20	158	105	107	217	321	390	465	552	784
1983	45,108	33	157	93	119	253	296	338	403	531	780
1982	44,112	24	175	85	124	253	314	336	403	548	731
1981	42,922	26	173	94	132	256	322	335	385	460	656
1980	42,539	24	161	112	130	292	378	389	415	495	661
1979	40,962	24	149	108	134	295	348	354	332	464	647

Source: CDC/NCHS, National Vital Statistics System
See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

All other and unspecified malignant neoplasms (152,156,158-160,163-171,173,181,183.2-184,186-187,189.2-190,193-199)

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
White, male											
1998	24,039	12	47	60	56	108	134	160	209	349	555
1997	24,076	4	57	60	36	107	129	164	258	325	544
1996	24,728	9	47	57	48	107	135	171	246	377	537
1995	24,650	11	73	46	47	108	147	163	247	353	519
1994	24,625	3	69	43	49	115	157	193	256	389	563
1993	24,802	13	74	61	51	101	154	171	253	404	536
1992	24,014	12	58	54	57	114	156	187	292	344	524
1991	23,603	11	72	46	57	106	166	208	289	381	522
1990	22,681	17	63	51	38	92	155	213	287	337	475
1989	23,850	14	72	53	43	111	156	217	276	367	480
1988	24,203	12	76	58	44	112	159	202	283	351	514
1987	23,989	14	84	62	53	116	170	239	288	334	486
1986	23,980	13	80	45	52	124	202	278	367	436	476
1985	23,490	19	83	53	51	126	226	274	364	398	456
1984	22,619	14	89	67	54	142	237	261	304	351	442
1983	22,686	17	84	52	64	159	217	232	272	315	428
1982	21,638	13	102	54	66	163	219	235	270	324	386
1981	21,092	12	102	49	70	175	228	230	246	268	370
1980	21,088	15	96	60	69	188	291	274	262	275	344
1979	20,252	14	84	61	79	192	248	249	216	250	361

All other and unspecified malignant neoplasms (152,156,158-160,163-171,173,181,183.2-184,186-187,189.2-190,193-199)

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
White, female											
1998	24,321	7	35	40	36	85	71	85	134	245	431
1997	24,907	7	41	54	51	66	71	79	132	279	407
1996	25,062	6	33	40	47	69	51	88	144	249	399
1995	25,084	5	43	35	43	62	64	102	135	284	424
1994	25,166	8	56	40	39	69	67	101	159	269	408
1993	24,974	7	57	42	46	69	77	105	141	243	393
1992	24,041	8	51	37	42	72	78	88	154	245	390
1991	23,688	11	52	32	47	78	64	102	146	218	391
1990	23,278	10	58	49	55	69	71	101	154	234	380
1989	23,689	12	60	55	36	81	67	102	144	233	392
1988	23,763	6	68	36	46	76	84	111	148	249	352
1987	23,723	16	68	47	46	64	75	109	164	223	350
1986	23,860	12	70	50	45	73	74	115	139	200	386
1985	23,168	12	66	39	44	74	95	125	147	225	356
1984	22,862	6	69	38	53	75	84	129	161	201	342
1983	22,422	16	73	41	55	94	79	106	131	216	352
1982	22,474	11	73	31	58	90	95	101	133	224	345
1981	21,830	14	71	45	62	81	94	105	139	192	286
1980	21,451	9	65	52	61	104	87	115	153	220	317
1979	20,710	10	65	47	55	103	100	105	116	214	286

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
All other and unspecified malignant neoplasms (152,156,158-160,163-171,173,181,183.2-184,186-187,189.2-190,193-199)											
All other, both sexes											
1998	7,237	4	21	21	31	41	53	51	90	173	292
1997	7,318	8	31	24	16	51	60	70	85	163	261
1996	7,331	1	21	28	20	52	44	60	94	175	294
1995	7,416	3	30	25	27	44	59	60	100	188	283
1994	7,297	2	31	30	32	39	53	55	120	171	285
1993	7,346	7	27	20	21	40	57	82	106	172	282
1992	6,997	2	27	26	20	41	46	62	99	138	253
1991	6,973	4	36	19	26	37	50	63	111	166	245
1990	6,816	7	43	24	25	35	55	67	121	155	216
1989	6,963	6	28	20	26	43	53	67	106	151	246
1988	6,893	6	31	19	22	39	55	61	88	164	227
1987	6,940	4	31	24	23	50	68	79	85	132	207
1986	6,722	5	33	21	21	43	54	86	106	162	188
1985	6,762	6	27	18	20	38	59	62	106	149	223
1984	6,592	8	32	19	30	38	52	68	120	134	209
1983	6,413	11	37	20	33	33	67	58	82	132	164
1982	6,011	8	33	22	25	53	64	52	113	105	188
1981	5,824	3	31	28	27	54	55	60	85	95	190
1980	5,874	8	31	20	18	56	74	60	60	90	199
1979	5,569	8	27	14	33	48	51	49	66	79	161
All other and unspecified malignant neoplasms (152,156,158-160,163-171,173,181,183.2-184,186-187,189.2-190,193-199)											
All other, male											
1998	3,523	2	11	12	20	26	32	28	47	89	134
1997	3,589	6	17	15	10	24	38	42	53	92	147
1996	3,633	1	11	12	12	30	28	31	53	100	156
1995	3,720	2	19	13	16	26	42	38	58	116	169
1994	3,580	2	18	21	13	19	34	32	67	89	154
1993	3,703	5	15	13	8	22	36	41	54	98	135
1992	3,447	-	14	15	11	25	27	30	67	65	139
1991	3,571	3	24	12	16	21	26	40	62	94	134
1990	3,515	3	26	15	11	19	36	40	60	86	125
1989	3,684	1	15	12	10	21	33	38	62	80	145
1988	3,543	2	15	7	7	18	35	40	45	86	130
1987	3,605	3	22	13	13	26	45	47	47	61	114
1986	3,439	3	18	14	6	31	31	51	66	106	95
1985	3,559	3	14	11	11	28	35	39	55	94	126
1984	3,412	5	20	10	16	26	30	37	78	68	118
1983	3,367	7	26	9	18	15	40	33	48	75	78
1982	3,133	3	20	11	10	32	42	36	65	59	102
1981	2,972	3	16	16	14	36	32	31	47	52	94
1980	2,999	6	18	13	5	33	46	31	34	51	105
1979	2,880	3	12	11	21	29	33	31	36	45	97

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

All other and unspecified malignant neoplasms (152,156,158-160,163-171,173,181,183.2-184,186-187,189.2-190,193-199)

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
All other, female											
1998	3,714	2	10	9	11	15	21	23	43	84	158
1997	3,729	2	14	9	6	27	22	28	32	71	114
1996	3,698	-	10	16	8	22	16	29	41	75	138
1995	3,696	1	11	12	11	18	17	22	42	72	114
1994	3,717	-	13	9	19	20	19	23	53	82	131
1993	3,643	2	12	7	13	18	21	41	52	74	147
1992	3,550	2	13	11	9	16	19	32	32	73	114
1991	3,402	1	12	7	10	16	24	23	49	72	111
1990	3,301	4	17	9	14	16	19	27	61	69	91
1989	3,279	5	13	8	16	22	20	29	44	71	101
1988	3,350	4	16	12	15	21	20	21	43	78	97
1987	3,335	1	9	11	10	24	23	32	38	71	93
1986	3,283	2	15	7	15	12	23	35	40	56	93
1985	3,203	3	13	7	9	10	24	23	51	55	97
1984	3,180	3	12	9	14	12	22	31	42	66	91
1983	3,046	4	11	11	15	18	27	25	34	57	86
1982	2,878	5	13	11	15	21	22	16	48	46	86
1981	2,852	-	15	12	13	18	23	29	38	43	96
1980	2,875	2	13	7	13	23	28	29	26	39	94
1979	2,689	5	15	3	12	19	18	18	30	34	64

All other and unspecified malignant neoplasms (152,156,158-160,163-171,173,181,183.2-184,186-187,189.2-190,193-199)

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Black, both sexes											
1998	6,097	3	16	16	25	35	37	37	74	139	253
1997	6,281	7	23	16	13	40	52	60	70	141	224
1996	6,243	1	18	24	15	42	36	48	73	143	247
1995	6,419	2	24	20	20	33	52	49	82	160	246
1994	6,356	2	26	23	28	31	46	47	107	150	252
1993	6,352	5	21	18	18	34	42	74	90	146	236
1992	6,127	1	16	24	19	35	40	52	87	112	230
1991	6,114	4	31	15	25	26	37	55	94	138	214
1990	6,043	7	40	19	21	28	50	57	108	128	194
1989	6,200	6	25	19	21	34	49	53	93	132	221
1988	6,164	6	28	15	19	35	47	52	81	143	199
1987	6,275	4	27	23	19	44	56	66	72	116	181
1986	6,084	4	26	18	16	39	49	73	90	145	151
1985	6,093	6	22	17	16	32	52	54	95	127	194
1984	5,969	5	28	16	27	27	49	58	110	122	179
1983	5,813	9	33	20	28	27	55	46	66	121	144
1982	5,509	6	32	19	24	45	59	46	98	94	169
1981	5,355	2	28	24	23	49	47	51	77	87	172
1980	5,435	7	30	19	17	50	68	55	53	80	184
1979	5,177	7	25	12	33	42	45	44	54	73	145

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

All other and unspecified malignant neoplasms (152,156,158-160,163-171,173,181,183.2-184,186-187,189.2-190,193-199)**Black, male**

1998	2,956	2	9	8	16	20	23	20	34	68	117
1997	3,106	6	12	11	9	20	34	36	44	81	129
1996	3,108	1	10	10	10	26	22	23	42	80	140
1995	3,202	1	15	10	11	20	38	31	51	100	147
1994	3,127	2	17	16	11	15	28	26	61	77	139
1993	3,210	3	12	12	5	19	26	35	47	83	120
1992	3,026	-	9	13	10	23	22	24	59	51	129
1991	3,165	3	20	10	16	15	17	34	54	78	120
1990	3,130	3	24	10	9	13	33	32	56	74	112
1989	3,286	1	14	11	8	16	31	31	56	72	130
1988	3,181	2	13	6	5	16	28	33	41	76	115
1987	3,275	3	21	12	10	23	36	39	38	55	101
1986	3,109	2	12	13	4	28	27	44	58	96	81
1985	3,220	3	12	11	8	24	31	33	49	82	112
1984	3,098	3	18	7	15	19	27	29	72	61	104
1983	3,067	6	23	9	14	14	33	25	40	70	72
1982	2,867	2	19	9	9	26	38	32	57	53	91
1981	2,744	2	15	15	12	33	26	27	42	48	86
1980	2,773	5	18	12	4	30	42	27	32	44	98
1979	2,686	3	10	9	21	24	31	26	28	41	88

All other and unspecified malignant neoplasms (152,156,158-160,163-171,173,181,183.2-184,186-187,189.2-190,193-199)**Black, female**

1998	3,141	1	7	8	9	15	14	17	40	71	136
1997	3,175	1	11	5	4	20	18	24	26	60	95
1996	3,135	-	8	14	5	16	14	25	31	63	107
1995	3,217	1	9	10	9	13	14	18	31	60	99
1994	3,229	-	9	7	17	16	18	21	46	73	113
1993	3,142	2	9	6	13	15	16	39	43	63	116
1992	3,101	1	7	11	9	12	18	28	28	61	101
1991	2,949	1	11	5	9	11	20	21	40	60	94
1990	2,913	4	16	9	12	15	17	25	52	54	82
1989	2,914	5	11	8	13	18	18	22	37	60	91
1988	2,983	4	15	9	14	19	19	19	40	67	84
1987	3,000	1	6	11	9	21	20	27	34	61	80
1986	2,975	2	14	5	12	11	22	29	32	49	70
1985	2,873	3	10	6	8	8	21	21	46	45	82
1984	2,871	2	10	9	12	8	22	29	38	61	75
1983	2,746	3	10	11	14	13	22	21	26	51	72
1982	2,642	4	13	10	15	19	21	14	41	41	78
1981	2,611	-	13	9	11	16	21	24	35	39	86
1980	2,662	2	12	7	13	20	26	28	21	36	86
1979	2,491	4	15	3	12	18	14	18	26	32	57

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (210-239)											
All races, both sexes											
1998	7,933	60	53	52	32	62	59	63	112	123	208
1997	7,659	63	65	35	41	57	58	67	120	127	189
1996	7,647	60	70	47	38	55	43	59	105	147	210
1995	7,759	74	54	50	55	49	53	82	128	162	169
1994	7,517	67	79	54	47	52	58	68	121	173	211
1993	7,441	61	77	38	34	41	55	83	136	171	170
1992	7,070	62	61	53	44	39	62	82	115	133	188
1991	6,994	60	76	39	34	45	58	80	115	151	140
1990	6,752	71	75	53	47	45	48	86	127	142	154
1989	6,701	56	66	48	37	44	43	66	100	115	169
1988	6,735	60	69	54	49	47	53	92	102	138	135
1987	6,570	59	55	44	37	47	59	89	94	106	140
1986	6,730	78	56	47	43	55	77	75	128	131	131
1985	6,699	61	68	47	40	50	50	99	86	139	144
1984	6,436	78	49	44	36	47	52	82	104	124	134
1983	6,483	53	54	42	48	58	62	76	102	126	143
1982	6,460	60	56	57	36	60	73	82	94	122	122
1981	6,235	54	48	49	43	42	74	74	96	111	150
1980	6,193	67	38	52	52	62	68	83	112	112	152
1979	5,904	48	47	50	41	56	75	87	109	96	152
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (210-239)											
All races, male											
1998	3,516	29	28	30	16	35	37	42	63	68	106
1997	3,366	31	32	10	20	33	31	33	68	64	96
1996	3,412	26	39	24	15	33	27	36	61	84	114
1995	3,474	43	35	21	31	28	29	57	79	90	96
1994	3,404	33	44	32	20	30	30	37	76	110	119
1993	3,424	30	47	19	16	26	28	48	78	108	92
1992	3,256	34	34	24	27	16	36	53	62	75	100
1991	3,179	30	39	23	21	23	26	44	74	83	79
1990	3,012	31	35	23	22	24	23	47	71	87	78
1989	3,048	29	34	27	20	24	24	43	51	70	73
1988	3,012	26	36	27	22	30	29	48	53	82	74
1987	3,065	26	28	29	20	23	28	55	49	56	59
1986	3,114	37	28	17	29	34	46	45	72	75	71
1985	3,008	22	45	24	19	24	28	58	40	73	81
1984	2,920	34	23	18	16	25	25	53	54	68	77
1983	2,985	29	26	21	25	37	28	40	57	69	78
1982	2,977	28	31	30	14	27	37	44	46	65	61
1981	2,934	30	26	23	26	26	38	29	52	56	79
1980	2,879	36	22	22	33	34	38	39	57	51	81
1979	2,704	17	25	24	19	31	37	46	55	48	69

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (210-239)											
All races, female											
1998	4,417	31	25	22	16	27	22	21	49	55	102
1997	4,293	32	33	25	21	24	27	34	52	63	93
1996	4,235	34	31	23	23	22	16	23	44	63	96
1995	4,285	31	19	29	24	21	24	25	49	72	73
1994	4,113	34	35	22	27	22	28	31	45	63	92
1993	4,017	31	30	19	18	15	27	35	58	63	78
1992	3,814	28	27	29	17	23	26	29	53	58	88
1991	3,815	30	37	16	13	22	32	36	41	68	61
1990	3,740	40	40	30	25	21	25	39	56	55	76
1989	3,653	27	32	21	17	20	19	23	49	45	96
1988	3,723	34	33	27	27	17	24	44	49	56	61
1987	3,505	33	27	15	17	24	31	34	45	50	81
1986	3,616	41	28	30	14	21	31	30	56	56	60
1985	3,691	39	23	23	21	26	22	41	46	66	63
1984	3,516	44	26	26	20	22	27	29	50	56	57
1983	3,498	24	28	21	23	21	34	36	45	57	65
1982	3,483	32	25	27	22	33	36	38	48	57	61
1981	3,301	24	22	26	17	16	36	45	44	55	71
1980	3,314	31	16	30	19	28	30	44	55	61	71
1979	3,200	31	22	26	22	25	38	41	54	48	83
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (210-239)											
White, both sexes											
1998	6,940	44	39	34	24	45	46	53	88	93	156
1997	6,682	48	56	22	29	43	47	54	91	96	147
1996	6,657	51	49	33	28	39	33	43	71	114	162
1995	6,748	68	37	37	42	36	34	66	102	127	120
1994	6,595	51	62	43	36	40	49	56	97	138	163
1993	6,539	49	66	30	23	35	48	68	102	133	133
1992	6,191	47	51	43	39	31	50	68	89	106	158
1991	6,136	48	64	36	27	35	46	56	85	126	111
1990	5,908	57	62	47	38	35	36	70	110	114	120
1989	5,858	39	46	37	33	28	35	55	79	87	138
1988	5,870	53	53	45	38	34	40	73	76	118	117
1987	5,802	54	42	37	31	43	40	73	76	85	113
1986	5,895	65	44	38	36	38	65	65	109	105	111
1985	5,839	50	53	37	29	36	40	85	70	116	107
1984	5,656	61	42	34	29	37	45	69	87	101	112
1983	5,728	43	42	37	34	45	53	63	79	105	119
1982	5,654	42	45	45	25	52	54	67	75	97	99
1981	5,508	43	38	41	34	36	54	56	86	89	130
1980	5,383	53	30	39	41	50	60	76	87	94	129
1979	5,201	41	36	35	34	43	61	76	88	76	116

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (210-239)											
White, male											
1998	3,079	20	22	20	13	25	32	33	50	56	81
1997	2,926	20	27	7	11	26	26	27	54	54	77
1996	2,973	24	30	16	11	23	23	29	44	66	96
1995	3,025	39	24	16	21	22	19	45	69	73	67
1994	2,997	24	35	26	16	24	25	31	61	90	98
1993	2,997	24	40	15	11	21	25	41	56	85	72
1992	2,843	24	27	19	23	12	29	43	49	62	89
1991	2,783	23	33	21	17	17	24	31	54	72	68
1990	2,658	25	31	20	17	20	15	38	60	71	58
1989	2,685	24	21	24	18	11	17	38	46	57	65
1988	2,639	21	29	22	19	22	23	41	39	72	67
1987	2,683	25	20	26	17	21	20	45	40	42	46
1986	2,740	31	23	15	22	24	37	38	62	63	62
1985	2,632	17	38	21	13	17	22	50	32	64	59
1984	2,568	27	21	14	14	19	22	44	46	56	63
1983	2,639	26	20	16	18	29	23	34	47	58	66
1982	2,617	19	23	23	10	24	27	35	39	53	49
1981	2,625	25	21	21	20	23	30	22	47	51	70
1980	2,514	30	17	17	26	28	36	36	49	47	68
1979	2,406	14	21	19	16	27	31	39	42	37	46
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (210-239)											
White, female											
1998	3,861	24	17	14	11	20	14	20	38	37	75
1997	3,756	28	29	15	18	17	21	27	37	42	70
1996	3,684	27	19	17	17	16	10	14	27	48	66
1995	3,723	29	13	21	21	14	15	21	33	54	53
1994	3,598	27	27	17	20	16	24	25	36	48	65
1993	3,542	25	26	15	12	14	23	27	46	48	61
1992	3,348	23	24	24	16	19	21	25	40	44	69
1991	3,353	25	31	15	10	18	22	25	31	54	43
1990	3,250	32	31	27	21	15	21	32	50	43	62
1989	3,173	15	25	13	15	17	18	17	33	30	73
1988	3,231	32	24	23	19	12	17	32	37	46	50
1987	3,119	29	22	11	14	22	20	28	36	43	67
1986	3,155	34	21	23	14	14	28	27	47	42	49
1985	3,207	33	15	16	16	19	18	35	38	52	48
1984	3,088	34	21	20	15	18	23	25	41	45	49
1983	3,089	17	22	21	16	16	30	29	32	47	53
1982	3,037	23	22	22	15	28	27	32	36	44	50
1981	2,883	18	17	20	14	13	24	34	39	38	60
1980	2,869	23	13	22	15	22	24	40	38	47	61
1979	2,795	27	15	16	18	16	30	37	46	39	70

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (210-239)											
All other, both sexes											
1998	993	16	14	18	8	17	13	10	24	30	52
1997	977	15	9	13	12	14	11	13	29	31	42
1996	990	9	21	14	10	16	10	16	34	33	48
1995	1,011	6	17	13	13	13	19	16	26	35	49
1994	922	16	17	11	11	12	9	12	24	35	48
1993	902	12	11	8	11	6	7	15	34	38	37
1992	879	15	10	10	5	8	12	14	26	27	30
1991	858	12	12	3	7	10	12	24	30	25	29
1990	844	14	13	6	9	10	12	16	17	28	34
1989	843	17	20	11	4	16	8	11	21	28	31
1988	865	7	16	9	11	13	13	19	26	20	18
1987	768	5	13	7	6	4	19	16	18	21	27
1986	835	13	12	9	7	17	12	10	19	26	20
1985	860	11	15	10	11	14	10	14	16	23	37
1984	780	17	7	10	7	10	7	13	17	23	22
1983	755	10	12	5	14	13	9	13	23	21	24
1982	806	18	11	12	11	8	19	15	19	25	23
1981	727	11	10	8	9	6	20	18	10	22	20
1980	810	14	8	13	11	12	8	7	25	18	23
1979	703	7	11	15	7	13	14	11	21	20	36
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (210-239)											
All other, male											
1998	437	9	6	10	3	10	5	9	13	12	25
1997	440	11	5	3	9	7	5	6	14	10	19
1996	439	2	9	8	4	10	4	7	17	18	18
1995	449	4	11	5	10	6	10	12	10	17	29
1994	407	9	9	6	4	6	5	6	15	20	21
1993	427	6	7	4	5	5	3	7	22	23	20
1992	413	10	7	5	4	4	7	10	13	13	11
1991	396	7	6	2	4	6	2	13	20	11	11
1990	354	6	4	3	5	4	8	9	11	16	20
1989	363	5	13	3	2	13	7	5	5	13	8
1988	373	5	7	5	3	8	6	7	14	10	7
1987	382	1	8	3	3	2	8	10	9	14	13
1986	374	6	5	2	7	10	9	7	10	12	9
1985	376	5	7	3	6	7	6	8	8	9	22
1984	352	7	2	4	2	6	3	9	8	12	14
1983	346	3	6	5	7	8	5	6	10	11	12
1982	360	9	8	7	4	3	10	9	7	12	12
1981	309	5	5	2	6	3	8	7	5	5	9
1980	365	6	5	5	7	6	2	3	8	4	13
1979	298	3	4	5	3	4	6	7	13	11	23

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,
sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (210-239)											
All other, female											
1998	556	7	8	8	5	7	8	1	11	18	27
1997	537	4	4	10	3	7	6	7	15	21	23
1996	551	7	12	6	6	6	6	9	17	15	30
1995	562	2	6	8	3	7	9	4	16	18	20
1994	515	7	8	5	7	6	4	6	9	15	27
1993	475	6	4	4	6	1	4	8	12	15	17
1992	466	5	3	5	1	4	5	4	13	14	19
1991	462	5	6	1	3	4	10	11	10	14	18
1990	490	8	9	3	4	6	4	7	6	12	14
1989	480	12	7	8	2	3	1	6	16	15	23
1988	492	2	9	4	8	5	7	12	12	10	11
1987	386	4	5	4	3	2	11	6	9	7	14
1986	461	7	7	7	-	7	3	3	9	14	11
1985	484	6	8	7	5	7	4	6	8	14	15
1984	428	10	5	6	5	4	4	4	9	11	8
1983	409	7	6	-	7	5	4	7	13	10	12
1982	446	9	3	5	7	5	9	6	12	13	11
1981	418	6	5	6	3	3	12	11	5	17	11
1980	445	8	3	8	4	6	6	4	17	14	10
1979	405	4	7	10	4	9	8	4	8	9	13
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (210-239)											
Black, both sexes											
1998	855	14	11	16	8	16	11	8	21	27	45
1997	861	12	8	10	10	12	8	11	27	28	37
1996	855	6	20	11	10	14	8	15	29	28	44
1995	878	4	14	10	12	10	16	14	23	31	40
1994	804	7	14	10	10	6	9	10	23	32	44
1993	798	9	9	5	9	5	5	15	31	36	36
1992	778	12	9	9	3	7	11	14	23	24	25
1991	777	12	9	3	4	10	9	23	27	22	27
1990	747	14	10	6	7	8	10	14	15	23	32
1989	742	15	14	9	3	13	7	10	19	23	25
1988	784	4	14	8	10	9	11	14	23	19	15
1987	689	3	9	6	5	4	16	15	17	20	24
1986	756	11	12	9	5	11	10	8	17	18	19
1985	776	9	12	9	7	14	10	12	15	19	33
1984	697	12	6	9	6	10	5	11	13	23	21
1983	684	7	9	2	12	11	9	13	19	21	23
1982	748	14	9	11	10	8	18	15	18	21	21
1981	665	9	10	8	7	6	18	16	9	22	19
1980	749	12	8	12	10	12	8	7	20	15	20
1979	654	7	10	14	7	12	14	9	19	20	34

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (210-239)**Black, male**

1998	366	8	6	8	3	9	5	7	12	12	20
1997	376	8	5	3	7	5	3	5	12	8	18
1996	372	1	9	6	4	9	3	7	14	15	17
1995	394	2	9	3	9	5	8	12	9	14	24
1994	352	5	8	6	3	4	5	5	14	18	20
1993	374	4	7	3	3	4	2	7	21	22	20
1992	360	10	6	5	2	3	7	10	11	13	8
1991	354	7	5	2	1	6	-	12	17	9	10
1990	316	6	4	3	3	3	6	8	9	14	19
1989	321	5	8	3	2	11	7	5	4	12	7
1988	330	4	7	4	2	5	4	5	13	9	7
1987	339	1	5	2	2	2	6	9	9	14	11
1986	332	4	5	2	5	6	7	5	8	11	9
1985	332	4	5	3	4	7	6	6	8	7	19
1984	308	5	2	4	2	6	1	7	7	12	13
1983	307	3	3	2	6	6	5	6	9	11	11
1982	331	7	6	6	3	3	10	9	7	11	10
1981	273	4	5	2	5	3	7	5	4	5	9
1980	339	5	5	4	6	6	2	3	5	4	13
1979	276	3	3	4	3	3	6	6	12	11	21

In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (210-239)**Black, female**

1998	489	6	5	8	5	7	6	1	9	15	25
1997	485	4	3	7	3	7	5	6	15	20	19
1996	483	5	11	5	6	5	5	8	15	13	27
1995	484	2	5	7	3	5	8	2	14	17	16
1994	452	2	6	4	7	2	4	5	9	14	24
1993	424	5	2	2	6	1	3	8	10	14	16
1992	418	2	3	4	1	4	4	4	12	11	17
1991	423	5	4	1	3	4	9	11	10	13	17
1990	431	8	6	3	4	5	4	6	6	9	13
1989	421	10	6	6	1	2	-	5	15	11	18
1988	454	-	7	4	8	4	7	9	10	10	8
1987	350	2	4	4	3	2	10	6	8	6	13
1986	424	7	7	7	-	5	3	3	9	7	10
1985	444	5	7	6	3	7	4	6	7	12	14
1984	389	7	4	5	4	4	4	4	6	11	8
1983	377	4	6	-	6	5	4	7	10	10	12
1982	417	7	3	5	7	5	8	6	11	10	11
1981	392	5	5	6	2	3	11	11	5	17	10
1980	410	7	3	8	4	6	6	4	15	11	7
1979	378	4	7	10	4	9	8	3	7	9	13

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Anemias (280-285)											
All races, both sexes											
1998	4,544	23	31	20	26	30	63	84	84	109	111
1997	4,471	25	40	38	25	34	51	71	63	103	101
1996	4,332	31	40	29	25	35	57	75	90	97	107
1995	4,556	34	48	31	43	46	87	80	79	112	106
1994	4,380	28	48	38	27	39	62	97	132	117	121
1993	4,315	44	44	22	31	46	72	89	97	126	86
1992	4,246	48	65	30	32	42	85	87	112	112	110
1991	4,121	29	47	23	33	41	53	89	108	86	88
1990	4,092	29	51	28	23	47	77	84	103	111	84
1989	3,993	38	50	26	21	43	69	76	99	110	74
1988	3,816	27	43	27	27	41	69	66	78	83	62
1987	3,813	19	46	41	21	43	60	78	121	85	66
1986	3,708	21	61	38	22	41	73	74	102	71	47
1985	3,694	17	60	32	41	45	59	81	74	60	66
1984	3,527	33	65	36	36	49	73	69	59	65	49
1983	3,487	38	58	36	45	50	76	79	67	56	52
1982	3,292	35	69	31	30	56	71	73	61	59	58
1981	3,300	25	48	35	40	54	67	58	58	64	64
1980	3,238	24	63	45	34	45	88	83	74	50	48
1979	3,171	35	73	32	51	58	87	70	62	55	64
Anemias (280-285)											
All races, male											
1998	1,873	13	15	9	16	15	37	43	48	51	49
1997	1,805	11	25	19	14	15	27	38	32	57	53
1996	1,820	15	23	15	16	19	26	43	44	44	51
1995	1,855	18	25	15	19	19	52	46	47	56	52
1994	1,909	15	27	21	12	24	29	56	66	73	60
1993	1,789	28	23	14	15	25	39	53	54	63	41
1992	1,825	18	39	17	20	20	52	50	59	65	59
1991	1,758	19	25	8	19	32	30	42	57	49	46
1990	1,770	21	31	16	11	30	46	49	57	53	48
1989	1,688	22	30	8	10	27	38	41	54	56	41
1988	1,614	15	25	17	8	22	41	35	48	42	36
1987	1,670	9	27	19	9	20	30	53	68	51	37
1986	1,633	8	32	21	13	25	43	47	47	33	27
1985	1,633	13	29	17	21	25	34	47	45	30	34
1984	1,545	16	34	14	15	27	41	41	29	33	19
1983	1,571	18	30	20	28	22	49	37	39	32	29
1982	1,452	20	30	17	18	34	41	43	33	23	29
1981	1,519	14	26	17	25	31	38	31	34	26	37
1980	1,421	13	34	27	14	30	48	40	40	24	22
1979	1,475	24	40	18	29	34	47	38	26	31	32

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Anemias (280-285)											
All races, female											
1998	2,671	10	16	11	10	15	26	41	36	58	62
1997	2,666	14	15	19	11	19	24	33	31	46	48
1996	2,512	16	17	14	9	16	31	32	46	53	56
1995	2,701	16	23	16	24	27	35	34	32	56	54
1994	2,471	13	21	17	15	15	33	41	66	44	61
1993	2,526	16	21	8	16	21	33	36	43	63	45
1992	2,421	30	26	13	12	22	33	37	53	47	51
1991	2,363	10	22	15	14	9	23	47	51	37	42
1990	2,322	8	20	12	12	17	31	35	46	58	36
1989	2,305	16	20	18	11	16	31	35	45	54	33
1988	2,202	12	18	10	19	19	28	31	30	41	26
1987	2,143	10	19	22	12	23	30	25	53	34	29
1986	2,075	13	29	17	9	16	30	27	55	38	20
1985	2,061	4	31	15	20	20	25	34	29	30	32
1984	1,982	17	31	22	21	22	32	28	30	32	30
1983	1,916	20	28	16	17	28	27	42	28	24	23
1982	1,840	15	39	14	12	22	30	30	28	36	29
1981	1,781	11	22	18	15	23	29	27	24	38	27
1980	1,817	11	29	18	20	15	40	43	34	26	26
1979	1,696	11	33	14	22	24	40	32	36	24	32
Anemias (280-285)											
White, both sexes											
1998	3,503	11	13	11	15	8	14	13	13	25	33
1997	3,473	8	11	15	7	13	13	9	17	16	28
1996	3,340	15	11	16	15	9	16	13	19	19	33
1995	3,461	17	15	13	19	10	19	11	18	29	34
1994	3,332	13	16	19	14	12	12	26	34	31	41
1993	3,308	21	15	12	13	17	21	20	24	38	19
1992	3,241	20	25	13	15	16	20	17	26	30	39
1991	3,180	16	15	10	19	11	9	22	30	26	35
1990	3,136	16	17	10	9	12	23	16	20	29	34
1989	3,089	15	20	12	12	16	18	20	21	41	24
1988	3,034	10	8	12	14	16	24	21	24	23	27
1987	3,027	8	18	17	8	15	15	17	34	25	27
1986	2,949	6	23	18	13	18	22	12	23	25	18
1985	2,931	7	14	17	19	20	16	26	26	20	28
1984	2,844	17	23	21	21	19	27	23	13	25	27
1983	2,786	18	13	16	25	16	25	19	27	27	28
1982	2,620	16	25	18	17	24	22	23	18	23	31
1981	2,658	11	18	17	24	30	20	15	17	17	30
1980	2,550	7	26	29	19	23	36	22	20	16	19
1979	2,504	19	28	23	25	29	30	27	23	21	32

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Anemias (280-285)											
White, male											
1998	1,391	5	5	5	9	5	9	6	9	11	16
1997	1,353	4	3	9	4	4	6	5	7	8	19
1996	1,372	8	6	7	10	5	8	9	8	6	14
1995	1,362	9	6	6	8	3	13	6	11	15	15
1994	1,423	9	12	9	5	9	5	16	17	23	24
1993	1,336	12	7	8	8	9	11	13	15	18	11
1992	1,349	5	14	6	11	9	11	10	17	19	17
1991	1,305	11	8	5	12	7	6	8	15	14	17
1990	1,274	12	9	2	3	7	14	9	12	16	22
1989	1,267	6	14	6	6	14	10	8	8	22	16
1988	1,247	8	7	7	3	11	16	7	13	12	18
1987	1,269	4	10	8	4	8	4	9	15	16	15
1986	1,272	4	10	11	7	13	10	5	12	12	11
1985	1,264	4	8	9	9	7	8	17	17	11	17
1984	1,203	9	9	9	7	10	12	11	7	11	7
1983	1,217	6	7	11	16	9	15	8	14	16	16
1982	1,132	9	7	10	10	14	10	17	7	10	14
1981	1,193	7	10	10	16	20	11	6	8	5	17
1980	1,085	3	15	15	7	16	14	9	10	7	5
1979	1,163	14	13	13	13	18	14	15	8	12	18
Anemias (280-285)											
White, female											
1998	2,112	6	8	6	6	3	5	7	4	14	17
1997	2,120	4	8	6	3	9	7	4	10	8	9
1996	1,968	7	5	9	5	4	8	4	11	13	19
1995	2,099	8	9	7	11	7	6	5	7	14	19
1994	1,909	4	4	10	9	3	7	10	17	8	17
1993	1,972	9	8	4	5	8	10	7	9	20	8
1992	1,892	15	11	7	4	7	9	7	9	11	22
1991	1,875	5	7	5	7	4	3	14	15	12	18
1990	1,862	4	8	8	6	5	9	7	8	13	12
1989	1,822	9	6	6	6	2	8	12	13	19	8
1988	1,787	2	1	5	11	5	8	14	11	11	9
1987	1,758	4	8	9	4	7	11	8	19	9	12
1986	1,677	2	13	7	6	5	12	7	11	13	7
1985	1,667	3	6	8	10	13	8	9	9	9	11
1984	1,641	8	14	12	14	9	15	12	6	14	20
1983	1,569	12	6	5	9	7	10	11	13	11	12
1982	1,488	7	18	8	7	10	12	6	11	13	17
1981	1,465	4	8	7	8	10	9	9	9	12	13
1980	1,465	4	11	14	12	7	22	13	10	9	14
1979	1,341	5	15	10	12	11	16	12	15	9	14

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Anemias (280-285)											
All other, both sexes											
1998	1,041	12	18	9	11	22	49	71	71	84	78
1997	998	17	29	23	18	21	38	62	46	87	73
1996	992	16	29	13	10	26	41	62	71	78	74
1995	1,095	17	33	18	24	36	68	69	61	83	72
1994	1,048	15	32	19	13	27	50	71	98	86	80
1993	1,007	23	29	10	18	29	51	69	73	88	67
1992	1,005	28	40	17	17	26	65	70	86	82	71
1991	941	13	32	13	14	30	44	67	78	60	53
1990	956	13	34	18	14	35	54	68	83	82	50
1989	904	23	30	14	9	27	51	56	78	69	50
1988	782	17	35	15	13	25	45	45	54	60	35
1987	786	11	28	24	13	28	45	61	87	60	39
1986	759	15	38	20	9	23	51	62	79	46	29
1985	763	10	46	15	22	25	43	55	48	40	38
1984	683	16	42	15	15	30	46	46	46	40	22
1983	701	20	45	20	20	34	51	60	40	29	24
1982	672	19	44	13	13	32	49	50	43	36	27
1981	642	14	30	18	16	24	47	43	41	47	34
1980	688	17	37	16	15	22	52	61	54	34	29
1979	667	16	45	9	26	29	57	43	39	34	32
Anemias (280-285)											
All other, male											
1998	482	8	10	4	7	10	28	37	39	40	33
1997	452	7	22	10	10	11	21	33	25	49	34
1996	448	7	17	8	6	14	18	34	36	38	37
1995	493	9	19	9	11	16	39	40	36	41	37
1994	486	6	15	12	7	15	24	40	49	50	36
1993	453	16	16	6	7	16	28	40	39	45	30
1992	476	13	25	11	9	11	41	40	42	46	42
1991	453	8	17	3	7	25	24	34	42	35	29
1990	496	9	22	14	8	23	32	40	45	37	26
1989	421	16	16	2	4	13	28	33	46	34	25
1988	367	7	18	10	5	11	25	28	35	30	18
1987	401	5	17	11	5	12	26	44	53	35	22
1986	361	4	22	10	6	12	33	42	35	21	16
1985	369	9	21	8	12	18	26	30	28	19	17
1984	342	7	25	5	8	17	29	30	22	22	12
1983	354	12	23	9	12	13	34	29	25	16	13
1982	320	11	23	7	8	20	31	26	26	13	15
1981	326	7	16	7	9	11	27	25	26	21	20
1980	336	10	19	12	7	14	34	31	30	17	17
1979	312	10	27	5	16	16	33	23	18	19	14

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Anemias (280-285)											
All other, female											
1998	559	4	8	5	4	12	21	34	32	44	45
1997	546	10	7	13	8	10	17	29	21	38	39
1996	544	9	12	5	4	12	23	28	35	40	37
1995	602	8	14	9	13	20	29	29	25	42	35
1994	562	9	17	7	6	12	26	31	49	36	44
1993	554	7	13	4	11	13	23	29	34	43	37
1992	529	15	15	6	8	15	24	30	44	36	29
1991	488	5	15	10	7	5	20	33	36	25	24
1990	460	4	12	4	6	12	22	28	38	45	24
1989	483	7	14	12	5	14	23	23	32	35	25
1988	415	10	17	5	8	14	20	17	19	30	17
1987	385	6	11	13	8	16	19	17	34	25	17
1986	398	11	16	10	3	11	18	20	44	25	13
1985	394	1	25	7	10	7	17	25	20	21	21
1984	341	9	17	10	7	13	17	16	24	18	10
1983	347	8	22	11	8	21	17	31	15	13	11
1982	352	8	21	6	5	12	18	24	17	23	12
1981	316	7	14	11	7	13	20	18	15	26	14
1980	352	7	18	4	8	8	18	30	24	17	12
1979	355	6	18	4	10	13	24	20	21	15	18
Anemias (280-285)											
Black, both sexes											
1998	953	6	17	9	9	20	48	70	69	83	76
1997	927	11	28	23	17	18	36	59	45	85	72
1996	929	8	28	13	10	26	39	61	70	77	74
1995	1,014	8	31	17	23	36	67	68	59	82	72
1994	991	7	32	18	12	27	50	70	96	85	79
1993	947	15	28	10	18	26	50	69	73	87	66
1992	947	21	40	16	17	25	61	69	83	79	71
1991	883	10	31	13	14	26	40	64	77	57	52
1990	887	6	30	17	13	32	53	67	82	79	49
1989	852	17	29	9	9	27	51	55	76	69	49
1988	731	9	34	15	11	23	44	43	53	59	34
1987	739	8	28	24	12	24	43	59	86	60	39
1986	706	8	36	17	9	22	50	61	79	44	28
1985	717	7	45	14	21	24	42	53	47	39	37
1984	640	11	39	12	15	30	45	45	44	40	22
1983	665	14	44	19	17	34	50	59	40	29	23
1982	632	16	43	13	13	27	47	49	43	36	26
1981	615	12	30	18	14	23	46	43	41	46	30
1980	660	15	36	15	14	21	52	61	53	33	29
1979	637	10	45	9	22	28	57	41	38	34	31

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Anemias (280-285)											
Black, male											
1998	429	4	9	4	6	8	27	37	38	39	32
1997	423	5	21	10	9	9	20	30	24	48	33
1996	419	4	17	8	6	14	16	34	35	38	37
1995	450	2	18	9	10	16	39	39	36	40	37
1994	461	3	15	12	7	15	24	40	48	49	36
1993	424	12	15	6	7	13	28	40	39	44	30
1992	450	11	25	11	9	11	39	40	41	45	42
1991	420	8	16	3	7	21	20	32	42	32	29
1990	460	5	19	13	7	22	31	39	45	37	26
1989	401	13	16	2	4	13	28	32	46	34	25
1988	337	4	17	10	4	10	24	27	34	30	17
1987	378	4	17	11	5	10	26	42	53	35	22
1986	334	2	21	7	6	12	32	41	35	20	15
1985	345	7	21	7	12	18	25	29	27	19	17
1984	315	5	22	5	8	17	28	29	20	22	12
1983	334	9	23	8	10	13	33	29	25	16	12
1982	296	9	23	7	8	16	30	25	26	13	14
1981	308	5	16	7	7	10	26	25	26	21	18
1980	321	9	18	12	7	13	34	31	29	17	17
1979	298	8	27	5	13	15	33	22	17	19	14
Anemias (280-285)											
Black, female											
1998	524	2	8	5	3	12	21	33	31	44	44
1997	504	6	7	13	8	9	16	29	21	37	39
1996	510	4	11	5	4	12	23	27	35	39	37
1995	564	6	13	8	13	20	28	29	23	42	35
1994	530	4	17	6	5	12	26	30	48	36	43
1993	523	3	13	4	11	13	22	29	34	43	36
1992	497	10	15	5	8	14	22	29	42	34	29
1991	463	2	15	10	7	5	20	32	35	25	23
1990	427	1	11	4	6	10	22	28	37	42	23
1989	451	4	13	7	5	14	23	23	30	35	24
1988	394	5	17	5	7	13	20	16	19	29	17
1987	361	4	11	13	7	14	17	17	33	25	17
1986	372	6	15	10	3	10	18	20	44	24	13
1985	372	-	24	7	9	6	17	24	20	20	20
1984	325	6	17	7	7	13	17	16	24	18	10
1983	331	5	21	11	7	21	17	30	15	13	11
1982	336	7	20	6	5	11	17	24	17	23	12
1981	307	7	14	11	7	13	20	18	15	25	12
1980	339	6	18	3	7	8	18	30	24	16	12
1979	339	2	18	4	9	13	24	19	21	15	17

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Diabetes mellitus (250)											
All races, both sexes											
1998	64,751	2	6	9	11	43	94	197	439	707	1,178
1997	62,636	2	3	13	15	40	89	222	398	752	1,106
1996	61,767	-	6	6	20	40	105	207	440	713	1,166
1995	59,254	-	6	6	11	47	89	208	406	754	1,090
1994	56,692	1	4	5	14	32	94	228	454	690	1,095
1993	53,894	1	14	11	13	27	91	203	399	722	975
1992	50,067	4	4	14	12	36	97	234	424	666	934
1991	48,951	1	8	12	22	29	93	216	442	657	896
1990	47,664	4	7	7	17	29	86	244	430	617	893
1989	46,833	6	15	11	21	31	105	250	437	593	839
1988	40,368	1	8	15	16	31	88	237	419	641	754
1987	38,532	-	10	10	21	34	85	220	398	566	637
1986	37,184	2	9	10	15	30	110	223	411	542	632
1985	36,969	2	11	11	20	38	83	211	326	539	626
1984	35,787	4	5	10	17	28	91	225	353	501	571
1983	36,246	4	9	11	27	32	97	230	354	492	572
1982	34,583	11	12	13	27	37	97	200	333	421	501
1981	34,642	6	8	12	20	43	106	194	360	388	528
1980	34,851	4	12	15	22	33	95	244	328	415	485
1979	33,192	3	10	15	29	50	120	217	296	393	511
Diabetes mellitus (250)											
All races, male											
1998	29,584	-	2	4	8	20	42	105	251	419	732
1997	28,187	2	1	5	7	23	43	110	215	474	684
1996	27,646	-	4	2	6	18	64	106	261	452	687
1995	26,124	-	5	4	5	29	54	119	226	430	646
1994	24,758	1	4	3	9	18	46	121	265	419	675
1993	23,430	1	5	3	7	17	49	105	218	430	590
1992	21,672	4	2	6	7	18	59	136	246	423	542
1991	21,096	-	3	7	9	15	56	109	258	377	538
1990	20,266	3	1	6	8	9	41	125	248	379	535
1989	19,730	5	8	3	7	14	54	145	267	373	517
1988	16,975	-	3	5	7	18	49	123	268	386	456
1987	16,237	-	5	4	10	17	43	116	247	349	385
1986	15,369	-	5	4	6	15	57	117	238	317	363
1985	15,263	-	3	7	8	14	41	106	208	332	371
1984	14,859	-	3	4	9	15	45	117	201	296	338
1983	14,668	2	3	3	10	10	48	109	203	295	322
1982	14,171	6	4	3	12	15	58	100	189	242	295
1981	14,211	5	4	9	6	15	54	106	209	221	296
1980	14,325	2	7	8	13	15	48	118	201	243	263
1979	13,795	3	2	3	10	23	66	122	157	214	308

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Diabetes mellitus (250)											
All races, female											
1998	35,167	2	4	5	3	23	52	92	188	288	446
1997	34,449	-	2	8	8	17	46	112	183	278	422
1996	34,121	-	2	4	14	22	41	101	179	261	479
1995	33,130	-	1	2	6	18	35	89	180	324	444
1994	31,934	-	-	2	5	14	48	107	189	271	420
1993	30,464	-	9	8	6	10	42	98	181	292	385
1992	28,395	-	2	8	5	18	38	98	178	243	392
1991	27,855	1	5	5	13	14	37	107	184	280	358
1990	27,398	1	6	1	9	20	45	119	182	238	358
1989	27,103	1	7	8	14	17	51	105	170	220	322
1988	23,393	1	5	10	9	13	39	114	151	255	298
1987	22,295	-	5	6	11	17	42	104	151	217	252
1986	21,815	2	4	6	9	15	53	106	173	225	269
1985	21,706	2	8	4	12	24	42	105	118	207	255
1984	20,928	4	2	6	8	13	46	108	152	205	233
1983	21,578	2	6	8	17	22	49	121	151	197	250
1982	20,412	5	8	10	15	22	39	100	144	179	206
1981	20,431	1	4	3	14	28	52	88	151	167	232
1980	20,526	2	5	7	9	18	47	126	127	172	222
1979	19,397	-	8	12	19	27	54	95	139	179	203
Diabetes mellitus (250)											
White, both sexes											
1998	51,706	2	5	8	9	30	56	128	299	505	836
1997	49,850	2	3	10	9	28	55	135	279	549	777
1996	49,511	-	4	4	10	27	65	147	327	527	829
1995	47,475	-	5	5	7	31	52	134	291	548	806
1994	45,650	1	3	5	10	21	59	168	343	492	794
1993	43,461	1	9	9	8	16	59	141	301	528	696
1992	40,442	4	4	8	10	23	62	166	331	497	684
1991	39,600	1	8	8	14	20	62	161	334	498	638
1990	38,696	3	7	3	12	21	54	176	321	473	665
1989	38,053	6	13	8	19	17	71	181	345	439	645
1988	32,692	-	8	12	13	21	66	173	326	467	550
1987	31,395	-	6	8	14	28	67	162	312	450	485
1986	30,284	1	9	8	13	21	90	179	337	400	458
1985	30,305	1	11	10	11	25	53	167	257	426	468
1984	29,466	3	4	9	12	19	74	184	257	386	407
1983	29,987	3	6	9	19	27	71	186	269	387	418
1982	28,910	8	11	8	18	30	72	164	251	335	384
1981	28,750	6	6	8	15	32	74	150	286	300	380
1980	28,868	2	7	13	15	26	70	186	266	307	349
1979	27,624	3	8	12	21	40	91	175	232	289	359

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Diabetes mellitus (250)											
White, male											
1998	24,249	-	2	4	6	14	25	67	173	304	527
1997	22,968	2	1	4	3	15	27	61	140	357	493
1996	22,829	-	3	1	2	14	40	78	199	334	498
1995	21,407	-	5	3	4	20	30	75	164	315	487
1994	20,391	1	3	3	7	10	28	86	201	307	510
1993	19,311	1	2	2	6	9	32	74	160	307	440
1992	17,951	4	2	3	5	9	41	96	196	326	415
1991	17,473	-	3	5	6	10	38	80	198	289	387
1990	16,817	2	1	2	5	7	32	86	184	296	411
1989	16,282	5	7	1	6	7	35	102	207	283	402
1988	14,008	-	3	5	6	13	37	93	210	284	338
1987	13,553	-	3	3	7	15	35	84	204	286	297
1986	12,788	-	5	3	5	8	47	93	197	235	269
1985	12,758	-	3	6	2	8	26	88	165	268	276
1984	12,450	-	2	3	4	12	38	98	145	234	252
1983	12,337	2	3	3	7	8	36	85	154	231	243
1982	12,092	4	4	2	9	13	46	83	138	192	230
1981	12,066	5	3	8	4	11	36	83	164	177	214
1980	12,125	1	2	6	10	10	36	93	167	180	193
1979	11,688	3	1	2	8	17	50	98	123	170	222
Diabetes mellitus (250)											
White, female											
1998	27,457	2	3	4	3	16	31	61	126	201	309
1997	26,882	-	2	6	6	13	28	74	139	192	284
1996	26,682	-	1	3	8	13	25	69	128	193	331
1995	26,068	-	-	2	3	11	22	59	127	233	319
1994	25,259	-	-	2	3	11	31	82	142	185	284
1993	24,150	-	7	7	2	7	27	67	141	221	256
1992	22,491	-	2	5	5	14	21	70	135	171	269
1991	22,127	1	5	3	8	10	24	81	136	209	251
1990	21,879	1	6	1	7	14	22	90	137	177	254
1989	21,771	1	6	7	13	10	36	79	138	156	243
1988	18,684	-	5	7	7	8	29	80	116	183	212
1987	17,842	-	3	5	7	13	32	78	108	164	188
1986	17,496	1	4	5	8	13	43	86	140	165	189
1985	17,547	1	8	4	9	17	27	79	92	158	192
1984	17,016	3	2	6	8	7	36	86	112	152	155
1983	17,650	1	3	6	12	19	35	101	115	156	175
1982	16,818	4	7	6	9	17	26	81	113	143	154
1981	16,684	1	3	-	11	21	38	67	122	123	166
1980	16,743	1	5	7	5	16	34	93	99	127	156
1979	15,936	-	7	10	13	23	41	77	109	119	137

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Diabetes mellitus (250)											
All other, both sexes											
1998	13,045	-	1	1	2	13	38	69	140	202	342
1997	12,786	-	-	3	6	12	34	87	119	203	329
1996	12,256	-	2	2	10	13	40	60	113	186	337
1995	11,779	-	1	1	4	16	37	74	115	206	284
1994	11,042	-	1	-	4	11	35	60	111	198	301
1993	10,433	-	5	2	5	11	32	62	98	194	279
1992	9,625	-	-	6	2	13	35	68	93	169	250
1991	9,351	-	-	4	8	9	31	55	108	159	258
1990	8,968	1	-	4	5	8	32	68	109	144	228
1989	8,780	-	2	3	2	14	34	69	92	154	194
1988	7,676	1	-	3	3	10	22	64	93	174	204
1987	7,137	-	4	2	7	6	18	58	86	116	152
1986	6,900	1	-	2	2	9	20	44	74	142	174
1985	6,664	1	-	1	9	13	30	44	69	113	158
1984	6,321	1	1	1	5	9	17	41	96	115	164
1983	6,259	1	3	2	8	5	26	44	85	105	154
1982	5,673	3	1	5	9	7	25	36	82	86	117
1981	5,892	-	2	4	5	11	32	44	74	88	148
1980	5,983	2	5	2	7	7	25	58	62	108	136
1979	5,568	-	2	3	8	10	29	42	64	104	152
Diabetes mellitus (250)											
All other, male											
1998	5,335	-	-	-	2	6	17	38	78	115	205
1997	5,219	-	-	1	4	8	16	49	75	117	191
1996	4,817	-	1	1	4	4	24	28	62	118	189
1995	4,717	-	-	1	1	9	24	44	62	115	159
1994	4,367	-	1	-	2	8	18	35	64	112	165
1993	4,119	-	3	1	1	8	17	31	58	123	150
1992	3,721	-	-	3	2	9	18	40	50	97	127
1991	3,623	-	-	2	3	5	18	29	60	88	151
1990	3,449	1	-	4	3	2	9	39	64	83	124
1989	3,448	-	1	2	1	7	19	43	60	90	115
1988	2,967	-	-	-	1	5	12	30	58	102	118
1987	2,684	-	2	1	3	2	8	32	43	63	88
1986	2,581	-	-	1	1	7	10	24	41	82	94
1985	2,505	-	-	1	6	6	15	18	43	64	95
1984	2,409	-	1	1	5	3	7	19	56	62	86
1983	2,331	-	-	-	3	2	12	24	49	64	79
1982	2,079	2	-	1	3	2	12	17	51	50	65
1981	2,145	-	1	1	2	4	18	23	45	44	82
1980	2,200	1	5	2	3	5	12	25	34	63	70
1979	2,107	-	1	1	2	6	16	24	34	44	86

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Diabetes mellitus (250)											
All other, female											
1998	7,710	-	1	1	-	7	21	31	62	87	137
1997	7,567	-	-	2	2	4	18	38	44	86	138
1996	7,439	-	1	1	6	9	16	32	51	68	148
1995	7,062	-	1	-	3	7	13	30	53	91	125
1994	6,675	-	-	-	2	3	17	25	47	86	136
1993	6,314	-	2	1	4	3	15	31	40	71	129
1992	5,904	-	-	3	-	4	17	28	43	72	123
1991	5,728	-	-	2	5	4	13	26	48	71	107
1990	5,519	-	-	-	2	6	23	29	45	61	104
1989	5,332	-	1	1	1	7	15	26	32	64	79
1988	4,709	1	-	3	2	5	10	34	35	72	86
1987	4,453	-	2	1	4	4	10	26	43	53	64
1986	4,319	1	-	1	1	2	10	20	33	60	80
1985	4,159	1	-	-	3	7	15	26	26	49	63
1984	3,912	1	-	-	-	6	10	22	40	53	78
1983	3,928	1	3	2	5	3	14	20	36	41	75
1982	3,594	1	1	4	6	5	13	19	31	36	52
1981	3,747	-	1	3	3	7	14	21	29	44	66
1980	3,783	1	-	-	4	2	13	33	28	45	66
1979	3,461	-	1	2	6	4	13	18	30	60	66
Diabetes mellitus (250)											
Black, both sexes											
1998	11,378	-	1	1	2	12	37	68	125	190	317
1997	11,130	-	-	3	6	12	32	84	117	190	292
1996	10,800	-	2	1	7	13	39	53	97	168	298
1995	10,402	-	1	1	4	15	35	69	105	191	259
1994	9,849	-	1	-	4	11	35	57	108	186	279
1993	9,380	-	5	2	5	11	31	58	92	187	264
1992	8,653	-	-	6	2	12	34	68	86	163	232
1991	8,517	-	-	3	8	9	29	54	104	150	241
1990	8,114	1	-	3	5	7	30	67	105	134	207
1989	7,955	-	2	3	2	13	33	67	82	152	184
1988	6,972	1	-	3	3	8	20	62	89	164	195
1987	6,497	-	3	2	7	6	17	55	79	111	139
1986	6,299	1	-	2	2	9	20	39	72	135	160
1985	6,104	-	-	1	9	13	29	44	64	106	148
1984	5,810	1	1	1	4	8	16	39	92	112	157
1983	5,790	-	3	2	8	5	26	42	83	98	142
1982	5,227	2	1	5	9	6	22	36	77	83	109
1981	5,461	-	2	3	5	11	32	41	70	84	138
1980	5,544	1	5	2	7	7	24	52	61	106	121
1979	5,174	-	1	3	8	10	25	41	62	100	140

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Diabetes mellitus (250)											
Black, male											
1998	4,511	-	-	-	2	6	16	37	66	104	190
1997	4,440	-	-	1	4	8	14	49	73	110	169
1996	4,132	-	1	-	2	4	23	23	53	108	163
1995	4,110	-	-	1	1	9	23	42	58	108	142
1994	3,834	-	1	-	2	8	18	34	63	105	150
1993	3,648	-	3	1	1	8	17	29	53	121	142
1992	3,271	-	-	3	2	8	18	40	47	94	116
1991	3,267	-	-	1	3	5	16	28	58	85	138
1990	3,049	1	-	3	3	2	8	38	62	76	110
1989	3,072	-	1	2	1	7	18	41	53	89	108
1988	2,640	-	-	-	1	4	12	29	54	99	111
1987	2,388	-	1	1	3	2	7	32	39	60	79
1986	2,295	-	-	1	1	7	10	23	40	77	89
1985	2,230	-	-	1	6	6	15	18	41	59	87
1984	2,160	-	1	1	4	3	6	19	54	59	83
1983	2,123	-	-	-	3	2	12	22	47	58	72
1982	1,878	2	-	1	3	2	11	17	48	49	59
1981	1,925	-	1	1	2	4	18	21	42	43	74
1980	2,010	-	5	2	3	5	11	21	34	62	58
1979	1,915	-	1	1	2	6	14	23	34	40	77
Diabetes mellitus (250)											
Black, female											
1998	6,867	-	1	1	-	6	21	31	59	86	127
1997	6,690	-	-	2	2	4	18	35	44	80	123
1996	6,668	-	1	1	5	9	16	30	44	60	135
1995	6,292	-	1	-	3	6	12	27	47	83	117
1994	6,015	-	-	-	2	3	17	23	45	81	129
1993	5,732	-	2	1	4	3	14	29	39	66	122
1992	5,382	-	-	3	-	4	16	28	39	69	116
1991	5,250	-	-	2	5	4	13	26	46	65	103
1990	5,065	-	-	-	2	5	22	29	43	58	97
1989	4,883	-	1	1	1	6	15	26	29	63	76
1988	4,332	1	-	3	2	4	8	33	35	65	84
1987	4,109	-	2	1	4	4	10	23	40	51	60
1986	4,004	1	-	1	1	2	10	16	32	58	71
1985	3,874	-	-	-	3	7	14	26	23	47	61
1984	3,650	1	-	-	-	5	10	20	38	53	74
1983	3,667	-	3	2	5	3	14	20	36	40	70
1982	3,349	-	1	4	6	4	11	19	29	34	50
1981	3,536	-	1	2	3	7	14	20	28	41	64
1980	3,534	1	-	-	4	2	13	31	27	44	63
1979	3,259	-	-	2	6	4	11	18	28	60	63

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Nutritional deficiencies (260-269)											
All races, both sexes											
1998	4,077	11	5	-	3	4	3	6	6	18	25
1997	3,928	11	1	3	1	1	5	5	6	18	30
1996	3,706	12	3	2	1	2	4	9	6	11	15
1995	3,584	7	6	2	2	1	5	6	10	17	15
1994	3,451	19	3	1	-	5	6	3	15	12	18
1993	3,451	23	6	-	-	-	4	8	11	22	18
1992	3,135	22	5	6	-	4	3	11	11	13	20
1991	2,991	22	3	-	1	1	7	8	11	14	10
1990	3,017	16	4	-	1	4	5	2	12	20	11
1989	3,046	14	3	3	1	4	4	7	10	13	24
1988	2,985	27	4	4	-	2	3	8	11	17	23
1987	2,889	25	8	4	2	4	5	10	11	14	11
1986	2,862	24	-	2	1	1	5	8	9	10	24
1985	2,874	30	3	2	2	4	3	5	7	14	14
1984	2,600	18	7	2	2	-	2	8	11	5	15
1983	2,656	34	5	3	2	5	2	3	9	11	12
1982	2,430	31	9	2	1	5	2	7	8	8	11
1981	2,331	28	10	-	4	2	4	6	8	12	22
1980	2,364	29	9	1	2	1	8	9	9	11	15
1979	2,210	45	2	1	-	1	7	8	11	12	20
Nutritional deficiencies (260-269)											
All races, male											
1998	1,278	6	2	-	1	3	2	2	4	12	13
1997	1,213	5	1	-	1	-	1	1	-	5	15
1996	1,225	7	2	1	1	1	1	4	1	4	8
1995	1,193	3	6	2	1	-	4	5	6	13	8
1994	1,186	14	-	-	-	2	3	3	8	8	11
1993	1,257	16	4	-	-	-	1	3	6	11	7
1992	1,089	11	3	5	-	3	1	5	7	8	9
1991	1,085	15	1	-	1	1	4	1	7	5	6
1990	1,108	10	3	-	1	2	1	1	6	13	3
1989	1,098	9	1	2	-	2	1	4	5	7	11
1988	1,096	13	2	1	-	1	3	3	9	13	11
1987	1,107	16	6	2	1	4	3	3	6	5	6
1986	1,088	7	-	1	-	1	1	3	6	6	15
1985	1,086	14	1	1	-	3	1	2	4	9	8
1984	977	13	5	2	1	-	2	2	8	1	5
1983	1,065	18	1	1	2	4	1	3	6	6	6
1982	994	16	2	1	1	1	1	2	5	3	8
1981	941	19	5	-	3	1	3	3	3	3	8
1980	962	16	2	1	1	1	6	7	5	5	8
1979	927	34	1	1	-	1	2	5	6	8	9

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Nutritional deficiencies (260-269)											
All races, female											
1998	2,799	5	3	-	2	1	1	4	2	6	12
1997	2,715	6	-	3	-	1	4	4	6	13	15
1996	2,481	5	1	1	-	1	3	5	5	7	7
1995	2,391	4	-	-	1	1	1	1	4	4	7
1994	2,265	5	3	1	-	3	3	-	7	4	7
1993	2,194	7	2	-	-	-	3	5	5	11	11
1992	2,046	11	2	1	-	1	2	6	4	5	11
1991	1,906	7	2	-	-	-	3	7	4	9	4
1990	1,909	6	1	-	-	2	4	1	6	7	8
1989	1,948	5	2	1	1	2	3	3	5	6	13
1988	1,889	14	2	3	-	1	-	5	2	4	12
1987	1,782	9	2	2	1	-	2	7	5	9	5
1986	1,774	17	-	1	1	-	4	5	3	4	9
1985	1,788	16	2	1	2	1	2	3	3	5	6
1984	1,623	5	2	-	1	-	-	6	3	4	10
1983	1,591	16	4	2	-	1	1	-	3	5	6
1982	1,436	15	7	1	-	4	1	5	3	5	3
1981	1,390	9	5	-	1	1	1	3	5	9	14
1980	1,402	13	7	-	1	-	2	2	4	6	7
1979	1,283	11	1	-	-	-	5	3	5	4	11
Nutritional deficiencies (260-269)											
White, both sexes											
1998	3,539	7	2	-	2	4	3	6	6	14	16
1997	3,447	5	1	3	1	-	4	2	4	13	21
1996	3,255	7	1	2	1	1	3	6	4	7	11
1995	3,118	4	4	2	2	1	3	4	6	16	10
1994	3,007	8	2	-	-	2	5	1	10	6	8
1993	2,986	9	2	-	-	-	3	3	6	13	14
1992	2,642	12	2	3	-	2	2	6	10	9	14
1991	2,558	15	2	-	1	1	6	6	9	12	9
1990	2,546	11	4	-	1	3	4	2	9	12	7
1989	2,571	8	2	2	1	1	4	6	4	7	20
1988	2,526	15	1	2	-	1	2	5	8	12	13
1987	2,478	11	4	2	1	3	2	8	5	8	6
1986	2,438	12	-	2	1	1	4	4	6	7	17
1985	2,490	20	1	1	2	4	3	3	4	8	8
1984	2,231	12	5	2	1	-	2	7	9	4	9
1983	2,252	16	2	2	1	2	1	1	6	8	10
1982	2,049	19	4	1	-	4	1	7	7	6	7
1981	1,989	14	5	-	4	1	2	6	8	10	17
1980	2,008	9	4	1	-	1	6	7	6	7	10
1979	1,862	21	2	-	-	-	7	6	9	9	11

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Nutritional deficiencies (260-269)											
White, male											
1998	1,067	5	1	-	1	3	2	2	4	10	6
1997	1,003	1	1	-	1	-	1	-	-	3	9
1996	1,035	4	1	1	1	1	1	3	1	4	7
1995	999	2	4	2	1	-	3	3	3	12	4
1994	995	5	-	-	-	1	3	1	6	3	4
1993	1,046	6	2	-	-	-	-	1	3	8	5
1992	872	7	1	3	-	2	1	1	7	6	5
1991	868	10	1	-	1	1	3	1	5	3	5
1990	903	7	3	-	1	2	1	1	5	7	1
1989	895	6	1	2	-	-	1	3	3	5	8
1988	884	7	1	-	-	1	2	2	6	9	5
1987	901	8	2	1	1	3	1	3	3	3	2
1986	883	4	-	1	-	1	1	-	4	3	12
1985	916	9	1	1	-	3	1	-	3	6	6
1984	799	8	4	2	-	-	2	2	6	1	2
1983	853	9	-	-	1	1	1	1	3	4	5
1982	818	10	1	-	-	1	1	2	4	2	5
1981	786	9	4	-	3	-	2	3	3	2	6
1980	779	4	2	1	-	1	5	6	4	3	4
1979	750	15	1	-	-	-	2	4	5	6	5
Nutritional deficiencies (260-269)											
White, female											
1998	2,472	2	1	-	1	1	1	4	2	4	10
1997	2,444	4	-	3	-	-	3	2	4	10	12
1996	2,220	3	-	1	-	-	2	3	3	3	4
1995	2,119	2	-	-	1	1	-	1	3	4	6
1994	2,012	3	2	-	-	1	2	-	4	3	4
1993	1,940	3	-	-	-	-	3	2	3	5	9
1992	1,770	5	1	-	-	-	1	5	3	3	9
1991	1,690	5	1	-	-	-	3	5	4	9	4
1990	1,643	4	1	-	-	1	3	1	4	5	6
1989	1,676	2	1	-	1	1	3	3	1	2	12
1988	1,642	8	-	2	-	-	-	3	2	3	8
1987	1,577	3	2	1	-	-	1	5	2	5	4
1986	1,555	8	-	1	1	-	3	4	2	4	5
1985	1,574	11	-	-	2	1	2	3	1	2	2
1984	1,432	4	1	-	1	-	-	5	3	3	7
1983	1,399	7	2	2	-	1	-	-	3	4	5
1982	1,231	9	3	1	-	3	-	5	3	4	2
1981	1,203	5	1	-	1	1	-	3	5	8	11
1980	1,229	5	2	-	-	-	1	1	2	4	6
1979	1,112	6	1	-	-	-	5	2	4	3	6

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Nutritional deficiencies (260-269)											
All other, both sexes											
1998	538	4	3	-	1	-	-	-	-	4	9
1997	481	6	-	-	-	1	1	3	2	5	9
1996	451	5	2	-	-	1	1	3	2	4	4
1995	466	3	2	-	-	-	2	2	4	1	5
1994	444	11	1	1	-	3	1	2	5	6	10
1993	465	14	4	-	-	-	1	5	5	9	4
1992	493	10	3	3	-	2	1	5	1	4	6
1991	433	7	1	-	-	-	1	2	2	2	1
1990	471	5	-	-	-	1	1	-	3	8	4
1989	475	6	1	1	-	3	-	1	6	6	4
1988	459	12	3	2	-	1	1	3	3	5	10
1987	411	14	4	2	1	1	3	2	6	6	5
1986	424	12	-	-	-	-	1	4	3	3	7
1985	384	10	2	1	-	-	-	2	3	6	6
1984	369	6	2	-	1	-	-	1	2	1	6
1983	404	18	3	1	1	3	1	2	3	3	2
1982	381	12	5	1	1	1	1	-	1	2	4
1981	342	14	5	-	-	1	2	-	-	2	5
1980	356	20	5	-	2	-	2	2	3	4	5
1979	348	24	-	1	-	1	-	2	2	3	9
Nutritional deficiencies (260-269)											
All other, male											
1998	211	1	1	-	-	-	-	-	-	2	7
1997	210	4	-	-	-	-	-	1	-	2	6
1996	190	3	1	-	-	-	-	1	-	-	1
1995	194	1	2	-	-	-	1	2	3	1	4
1994	191	9	-	-	-	1	-	2	2	5	7
1993	211	10	2	-	-	-	1	2	3	3	2
1992	217	4	2	2	-	1	-	4	-	2	4
1991	217	5	-	-	-	-	1	-	2	2	1
1990	205	3	-	-	-	-	-	-	1	6	2
1989	203	3	-	-	-	2	-	1	2	2	3
1988	212	6	1	1	-	-	1	1	3	4	6
1987	206	8	4	1	-	1	2	-	3	2	4
1986	205	3	-	-	-	-	-	3	2	3	3
1985	170	5	-	-	-	-	-	2	1	3	2
1984	178	5	1	-	1	-	-	-	2	-	3
1983	212	9	1	1	1	3	-	2	3	2	1
1982	176	6	1	1	1	-	-	-	1	1	3
1981	155	10	1	-	-	1	1	-	-	1	2
1980	183	12	-	-	1	-	1	1	1	2	4
1979	177	19	-	1	-	1	-	1	1	2	4

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Nutritional deficiencies (260-269)											
All other, female											
1998	327	3	2	-	1	-	-	-	-	2	2
1997	271	2	-	-	-	1	1	2	2	3	3
1996	261	2	1	-	-	1	1	2	2	4	3
1995	272	2	-	-	-	-	1	-	1	-	1
1994	253	2	1	1	-	2	1	-	3	1	3
1993	254	4	2	-	-	-	-	3	2	6	2
1992	276	6	1	1	-	1	1	1	1	2	2
1991	216	2	1	-	-	-	-	2	-	-	-
1990	266	2	-	-	-	1	1	-	2	2	2
1989	272	3	1	1	-	1	-	-	4	4	1
1988	247	6	2	1	-	1	-	2	-	1	4
1987	205	6	-	1	1	-	1	2	3	4	1
1986	219	9	-	-	-	-	1	1	1	-	4
1985	214	5	2	1	-	-	-	-	2	3	4
1984	191	1	1	-	-	-	-	1	-	1	3
1983	192	9	2	-	-	-	1	-	-	1	1
1982	205	6	4	-	-	1	1	-	-	1	1
1981	187	4	4	-	-	-	1	-	-	1	3
1980	173	8	5	-	1	-	1	1	2	2	1
1979	171	5	-	-	-	-	-	1	1	1	5
Nutritional deficiencies (260-269)											
Black, both sexes											
1998	480	4	3	-	1	-	-	-	-	4	9
1997	429	6	-	-	-	1	1	3	2	4	8
1996	396	5	2	-	-	1	1	3	2	3	4
1995	418	3	2	-	-	-	2	2	4	1	5
1994	411	10	1	-	-	3	1	2	5	6	10
1993	424	13	4	-	-	-	1	5	4	9	4
1992	445	10	3	3	-	2	1	5	1	4	6
1991	393	7	1	-	-	-	1	2	2	2	1
1990	433	5	-	-	-	1	-	-	2	7	4
1989	443	6	1	-	-	3	-	1	6	6	4
1988	420	11	3	1	-	1	-	3	2	5	9
1987	383	14	4	2	1	1	3	2	6	6	5
1986	392	12	-	-	-	-	1	4	3	3	7
1985	349	10	2	1	-	-	-	2	3	6	6
1984	338	6	1	-	1	-	-	1	2	1	6
1983	372	16	3	1	1	3	1	2	3	3	2
1982	346	11	4	1	-	1	1	-	1	2	4
1981	310	14	5	-	-	-	2	-	-	2	5
1980	333	20	5	-	1	-	2	2	3	4	5
1979	325	23	-	1	-	-	-	1	2	3	8

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Nutritional deficiencies (260-269)											
Black, male											
1998	188	1	1	-	-	-	-	-	-	2	7
1997	185	4	-	-	-	-	-	1	-	1	5
1996	167	3	1	-	-	-	-	1	-	-	1
1995	176	1	2	-	-	-	1	2	3	1	4
1994	177	8	-	-	-	1	-	2	2	5	7
1993	193	9	2	-	-	-	1	2	3	3	2
1992	195	4	2	2	-	1	-	4	-	2	4
1991	193	5	-	-	-	-	1	-	2	2	1
1990	189	3	-	-	-	-	-	-	1	5	2
1989	188	3	-	-	-	2	-	1	2	2	3
1988	195	6	1	-	-	-	-	1	2	4	5
1987	194	8	4	1	-	1	2	-	3	2	4
1986	190	3	-	-	-	-	-	3	2	3	3
1985	149	5	-	-	-	-	-	2	1	3	2
1984	161	5	1	-	1	-	-	-	2	-	3
1983	199	8	1	1	1	3	-	2	3	2	1
1982	159	6	1	1	-	-	-	-	1	1	3
1981	137	10	1	-	-	-	1	-	-	1	2
1980	172	12	-	-	1	-	1	1	1	2	4
1979	165	18	-	1	-	-	-	-	1	2	3
Nutritional deficiencies (260-269)											
Black, female											
1998	292	3	2	-	1	-	-	-	-	2	2
1997	244	2	-	-	-	1	1	2	2	3	3
1996	229	2	1	-	-	1	1	2	2	3	3
1995	242	2	-	-	-	-	1	-	1	-	1
1994	234	2	1	-	-	2	1	-	3	1	3
1993	231	4	2	-	-	-	-	3	1	6	2
1992	250	6	1	1	-	1	1	1	1	2	2
1991	200	2	1	-	-	-	-	2	-	-	-
1990	244	2	-	-	-	1	-	-	1	2	2
1989	255	3	1	-	-	1	-	-	4	4	1
1988	225	5	2	1	-	1	-	2	-	1	4
1987	189	6	-	1	1	-	1	2	3	4	1
1986	202	9	-	-	-	-	1	1	1	-	4
1985	200	5	2	1	-	-	-	-	2	3	4
1984	177	1	-	-	-	-	-	1	-	1	3
1983	173	8	2	-	-	-	1	-	-	1	1
1982	187	5	3	-	-	1	1	-	-	1	1
1981	173	4	4	-	-	-	1	-	-	1	3
1980	161	8	5	-	-	-	1	1	2	2	1
1979	160	5	-	-	-	-	-	1	1	1	5

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malnutrition (260-263)											
All races, both sexes											
1998	3,881	11	5	-	3	3	3	5	6	18	23
1997	3,744	8	1	3	1	1	5	5	5	17	28
1996	3,531	8	1	1	1	1	4	7	6	9	14
1995	3,447	6	6	1	1	1	4	6	9	17	14
1994	3,274	14	3	1	-	2	6	3	14	11	18
1993	3,275	21	6	-	-	-	4	8	10	21	18
1992	2,998	19	3	4	-	4	2	11	10	12	19
1991	2,852	18	3	-	1	1	4	7	11	11	10
1990	2,868	15	3	-	1	3	4	2	10	20	9
1989	2,906	12	3	2	1	3	4	5	10	12	22
1988	2,842	24	3	4	-	2	3	8	11	16	22
1987	2,741	21	7	4	1	4	5	7	10	14	7
1986	2,692	21	-	2	1	1	4	7	9	9	21
1985	2,720	23	3	1	2	4	-	4	6	13	8
1984	2,465	14	4	2	2	-	2	7	10	5	13
1983	2,515	29	3	3	2	5	2	1	7	9	10
1982	2,314	28	8	2	1	4	2	5	6	6	11
1981	2,211	25	9	-	4	1	4	5	8	9	19
1980	2,275	26	9	1	2	1	7	7	9	11	14
1979	2,096	43	2	1	-	1	6	6	5	9	17
Malnutrition (260-263)											
All races, male											
1998	1,216	6	2	-	1	2	2	2	4	12	11
1997	1,159	5	1	-	1	-	1	1	-	5	15
1996	1,155	3	-	1	1	-	1	4	1	4	7
1995	1,131	2	6	1	1	-	3	5	5	13	7
1994	1,112	10	-	-	-	1	3	3	7	7	11
1993	1,186	15	4	-	-	-	1	3	5	10	7
1992	1,034	11	2	3	-	3	-	5	6	7	9
1991	1,027	12	1	-	1	1	2	1	7	3	6
1990	1,052	10	3	-	1	1	1	1	5	13	3
1989	1,047	8	1	1	-	2	1	3	5	7	9
1988	1,039	11	1	1	-	1	3	3	9	12	11
1987	1,049	13	5	2	-	4	3	1	5	5	5
1986	1,019	6	-	1	-	1	1	3	6	5	14
1985	1,013	10	1	1	-	3	-	1	3	9	4
1984	922	10	3	2	1	-	2	2	7	1	5
1983	1,003	15	-	1	2	4	1	1	6	5	5
1982	944	13	2	1	1	-	1	2	4	2	8
1981	890	17	4	-	3	1	3	3	3	3	7
1980	931	14	2	1	1	1	5	5	5	5	7
1979	866	32	1	1	-	1	2	3	2	5	7

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malnutrition (260-263)											
All races, female											
1998	2,665	5	3	-	2	1	1	3	2	6	12
1997	2,585	3	-	3	-	1	4	4	5	12	13
1996	2,376	5	1	-	-	1	3	3	5	5	7
1995	2,316	4	-	-	-	1	1	1	4	4	7
1994	2,162	4	3	1	-	1	3	-	7	4	7
1993	2,089	6	2	-	-	-	3	5	5	11	11
1992	1,964	8	1	1	-	1	2	6	4	5	10
1991	1,825	6	2	-	-	-	2	6	4	8	4
1990	1,816	5	-	-	-	2	3	1	5	7	6
1989	1,859	4	2	1	1	1	3	2	5	5	13
1988	1,803	13	2	3	-	1	-	5	2	4	11
1987	1,692	8	2	2	1	-	2	6	5	9	2
1986	1,673	15	-	1	1	-	3	4	3	4	7
1985	1,707	13	2	-	2	1	-	3	3	4	4
1984	1,543	4	1	-	1	-	-	5	3	4	8
1983	1,512	14	3	2	-	1	1	-	1	4	5
1982	1,370	15	6	1	-	4	1	3	2	4	3
1981	1,321	8	5	-	1	-	1	2	5	6	12
1980	1,344	12	7	-	1	-	2	2	4	6	7
1979	1,230	11	1	-	-	-	4	3	3	4	10
Malnutrition (260-263)											
White, both sexes											
1998	3,361	7	2	-	2	3	3	5	6	14	16
1997	3,284	3	1	3	1	-	4	2	4	12	19
1996	3,102	5	-	1	1	-	3	4	4	6	10
1995	3,002	4	4	1	1	1	3	4	5	16	10
1994	2,857	6	2	-	-	-	5	1	10	5	8
1993	2,833	9	2	-	-	-	3	3	5	12	14
1992	2,530	10	1	1	-	2	1	6	9	8	13
1991	2,434	12	2	-	1	1	3	5	9	10	9
1990	2,412	10	3	-	1	2	3	2	7	12	5
1989	2,452	6	2	1	1	1	4	5	4	7	18
1988	2,401	13	-	2	-	1	2	5	8	11	12
1987	2,349	10	3	2	-	3	2	5	4	8	4
1986	2,294	10	-	2	1	1	3	3	6	6	15
1985	2,364	18	1	1	2	4	-	3	3	8	5
1984	2,106	8	3	2	1	-	2	6	8	4	8
1983	2,133	13	1	2	1	2	1	-	4	6	8
1982	1,944	16	3	1	-	3	1	5	5	4	7
1981	1,890	11	5	-	4	-	2	5	8	8	14
1980	1,934	9	4	1	-	1	5	5	6	7	10
1979	1,760	20	2	-	-	-	6	4	4	6	8

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malnutrition (260-263)											
White, male											
1998	1,014	5	1	-	1	2	2	2	4	10	6
1997	959	1	1	-	1	-	1	-	-	3	9
1996	977	2	-	1	1	-	1	3	1	4	6
1995	951	2	4	1	1	-	3	3	2	12	4
1994	934	4	-	-	-	-	3	1	6	2	4
1993	985	6	2	-	-	-	-	1	2	7	5
1992	828	7	1	1	-	2	-	1	6	5	5
1991	817	7	1	-	1	1	1	1	5	2	5
1990	855	7	3	-	1	1	1	1	4	7	1
1989	853	5	1	1	-	-	1	3	3	5	6
1988	837	6	-	-	-	1	2	2	6	8	5
1987	853	8	1	1	-	3	1	1	2	3	2
1986	823	3	-	1	-	1	1	-	4	2	11
1985	860	8	1	1	-	3	-	-	2	6	3
1984	751	5	3	2	-	-	2	2	5	1	2
1983	805	7	-	-	1	1	1	-	3	3	4
1982	772	7	1	-	-	-	1	2	3	1	5
1981	743	7	4	-	3	-	2	3	3	2	5
1980	755	4	2	1	-	1	4	4	4	3	4
1979	697	14	1	-	-	-	2	2	2	3	3
Malnutrition (260-263)											
White, female											
1998	2,347	2	1	-	1	1	1	3	2	4	10
1997	2,325	2	-	3	-	-	3	2	4	9	10
1996	2,125	3	-	-	-	-	2	1	3	2	4
1995	2,051	2	-	-	-	1	-	1	3	4	6
1994	1,923	2	2	-	-	-	2	-	4	3	4
1993	1,848	3	-	-	-	-	3	2	3	5	9
1992	1,702	3	-	-	-	-	1	5	3	3	8
1991	1,617	5	1	-	-	-	2	4	4	8	4
1990	1,557	3	-	-	-	1	2	1	3	5	4
1989	1,599	1	1	-	1	1	3	2	1	2	12
1988	1,564	7	-	2	-	-	-	3	2	3	7
1987	1,496	2	2	1	-	-	1	4	2	5	2
1986	1,471	7	-	1	1	-	2	3	2	4	4
1985	1,504	10	-	-	2	1	-	3	1	2	2
1984	1,355	3	-	-	1	-	-	4	3	3	6
1983	1,328	6	1	2	-	1	-	-	1	3	4
1982	1,172	9	2	1	-	3	-	3	2	3	2
1981	1,147	4	1	-	1	-	-	2	5	6	9
1980	1,179	5	2	-	-	-	1	1	2	4	6
1979	1,063	6	1	-	-	-	4	2	2	3	5

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malnutrition (260-263)											
All other, both sexes											
1998	520	4	3	-	1	-	-	-	-	4	7
1997	460	5	-	-	-	1	1	3	1	5	9
1996	429	3	1	-	-	1	1	3	2	3	4
1995	445	2	2	-	-	-	1	2	4	1	4
1994	417	8	1	1	-	2	1	2	4	6	10
1993	442	12	4	-	-	-	1	5	5	9	4
1992	468	9	2	3	-	2	1	5	1	4	6
1991	418	6	1	-	-	-	1	2	2	1	1
1990	456	5	-	-	-	1	1	-	3	8	4
1989	454	6	1	1	-	2	-	-	6	5	4
1988	441	11	3	2	-	1	1	3	3	5	10
1987	392	11	4	2	1	1	3	2	6	6	3
1986	398	11	-	-	-	-	1	4	3	3	6
1985	356	5	2	-	-	-	-	1	3	5	3
1984	359	6	1	-	1	-	-	1	2	1	5
1983	382	16	2	1	1	3	1	1	3	3	2
1982	370	12	5	1	1	1	1	-	1	2	4
1981	321	14	4	-	-	1	2	-	-	1	5
1980	341	17	5	-	2	-	2	2	3	4	4
1979	336	23	-	1	-	1	-	2	1	3	9
Malnutrition (260-263)											
All other, male											
1998	202	1	1	-	-	-	-	-	-	2	5
1997	200	4	-	-	-	-	-	1	-	2	6
1996	178	1	-	-	-	-	-	1	-	-	1
1995	180	-	2	-	-	-	-	2	3	1	3
1994	178	6	-	-	-	1	-	2	1	5	7
1993	201	9	2	-	-	-	1	2	3	3	2
1992	206	4	1	2	-	1	-	4	-	2	4
1991	210	5	-	-	-	-	1	-	2	1	1
1990	197	3	-	-	-	-	-	-	1	6	2
1989	194	3	-	-	-	2	-	-	2	2	3
1988	202	5	1	1	-	-	1	1	3	4	6
1987	196	5	4	1	-	1	2	-	3	2	3
1986	196	3	-	-	-	-	-	3	2	3	3
1985	153	2	-	-	-	-	-	1	1	3	1
1984	171	5	-	-	1	-	-	-	2	-	3
1983	198	8	-	1	1	3	-	1	3	2	1
1982	172	6	1	1	1	-	-	-	1	1	3
1981	147	10	-	-	-	1	1	-	-	1	2
1980	176	10	-	-	1	-	1	1	1	2	3
1979	169	18	-	1	-	1	-	1	-	2	4

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malnutrition (260-263)											
All other, female											
1998	318	3	2	-	1	-	-	-	-	2	2
1997	260	1	-	-	-	1	1	2	1	3	3
1996	251	2	1	-	-	1	1	2	2	3	3
1995	265	2	-	-	-	-	1	-	1	-	1
1994	239	2	1	1	-	1	1	-	3	1	3
1993	241	3	2	-	-	-	-	3	2	6	2
1992	262	5	1	1	-	1	1	1	1	2	2
1991	208	1	1	-	-	-	-	2	-	-	-
1990	259	2	-	-	-	1	1	-	2	2	2
1989	260	3	1	1	-	-	-	-	4	3	1
1988	239	6	2	1	-	1	-	2	-	1	4
1987	196	6	-	1	1	-	1	2	3	4	-
1986	202	8	-	-	-	-	1	1	1	-	3
1985	203	3	2	-	-	-	-	-	2	2	2
1984	188	1	1	-	-	-	-	1	-	1	2
1983	184	8	2	-	-	-	1	-	-	1	1
1982	198	6	4	-	-	1	1	-	-	1	1
1981	174	4	4	-	-	-	1	-	-	-	3
1980	165	7	5	-	1	-	1	1	2	2	1
1979	167	5	-	-	-	-	-	1	1	1	5
Malnutrition (260-263)											
Black, both sexes											
1998	465	4	3	-	1	-	-	-	-	4	7
1997	411	5	-	-	-	1	1	3	1	4	8
1996	376	3	1	-	-	1	1	3	2	2	4
1995	398	2	2	-	-	-	1	2	4	1	4
1994	385	7	1	-	-	2	1	2	4	6	10
1993	403	12	4	-	-	-	1	5	4	9	4
1992	422	9	2	3	-	2	1	5	1	4	6
1991	378	6	1	-	-	-	1	2	2	1	1
1990	420	5	-	-	-	1	-	-	2	7	4
1989	425	6	1	-	-	2	-	-	6	5	4
1988	405	10	3	1	-	1	-	3	2	5	9
1987	365	11	4	2	1	1	3	2	6	6	3
1986	367	11	-	-	-	-	1	4	3	3	6
1985	323	5	2	-	-	-	-	1	3	5	3
1984	328	6	-	-	1	-	-	1	2	1	5
1983	351	14	2	1	1	3	1	1	3	3	2
1982	337	11	4	1	-	1	1	-	1	2	4
1981	292	14	4	-	-	-	2	-	-	1	5
1980	321	17	5	-	1	-	2	2	3	4	4
1979	315	22	-	1	-	-	-	1	1	3	8

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Malnutrition (260-263)											
Black, male											
1998	180	1	1	-	-	-	-	-	-	2	5
1997	177	4	-	-	-	-	-	1	-	1	5
1996	156	1	-	-	-	-	-	1	-	-	1
1995	163	-	2	-	-	-	-	2	3	1	3
1994	164	5	-	-	-	1	-	2	1	5	7
1993	184	9	2	-	-	-	1	2	3	3	2
1992	184	4	1	2	-	1	-	4	-	2	4
1991	186	5	-	-	-	-	1	-	2	1	1
1990	182	3	-	-	-	-	-	-	1	5	2
1989	181	3	-	-	-	2	-	-	2	2	3
1988	187	5	1	-	-	-	-	1	2	4	5
1987	184	5	4	1	-	1	2	-	3	2	3
1986	182	3	-	-	-	-	-	3	2	3	3
1985	133	2	-	-	-	-	-	1	1	3	1
1984	154	5	-	-	1	-	-	-	2	-	3
1983	186	7	-	1	1	3	-	1	3	2	1
1982	155	6	1	1	-	-	-	-	1	1	3
1981	130	10	-	-	-	-	1	-	-	1	2
1980	166	10	-	-	1	-	1	1	1	2	3
1979	159	17	-	1	-	-	-	-	-	2	3
Malnutrition (260-263)											
Black, female											
1998	285	3	2	-	1	-	-	-	-	2	2
1997	234	1	-	-	-	1	1	2	1	3	3
1996	220	2	1	-	-	1	1	2	2	2	3
1995	235	2	-	-	-	-	1	-	1	-	1
1994	221	2	1	-	-	1	1	-	3	1	3
1993	219	3	2	-	-	-	-	3	1	6	2
1992	238	5	1	1	-	1	1	1	1	2	2
1991	192	1	1	-	-	-	-	2	-	-	-
1990	238	2	-	-	-	1	-	-	1	2	2
1989	244	3	1	-	-	-	-	-	4	3	1
1988	218	5	2	1	-	1	-	2	-	1	4
1987	181	6	-	1	1	-	1	2	3	4	-
1986	185	8	-	-	-	-	1	1	1	-	3
1985	190	3	2	-	-	-	-	-	2	2	2
1984	174	1	-	-	-	-	-	1	-	1	2
1983	165	7	2	-	-	-	1	-	-	1	1
1982	182	5	3	-	-	1	1	-	-	1	1
1981	162	4	4	-	-	-	1	-	-	-	3
1980	155	7	5	-	-	-	1	1	2	2	1
1979	156	5	-	-	-	-	-	1	1	1	5

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other nutritional deficiencies (264-269)											
All races, both sexes											
1998	196	-	-	-	-	1	-	1	-	-	2
1997	184	3	-	-	-	-	-	-	1	1	2
1996	175	4	2	1	-	1	-	2	-	2	1
1995	137	1	-	1	1	-	1	-	1	-	1
1994	177	5	-	-	-	3	-	-	1	1	-
1993	176	2	-	-	-	-	-	-	1	1	-
1992	137	3	2	2	-	-	1	-	1	1	1
1991	139	4	-	-	-	-	3	1	-	3	-
1990	149	1	1	-	-	1	1	-	2	-	2
1989	140	2	-	1	-	1	-	2	-	1	2
1988	143	3	1	-	-	-	-	-	-	1	1
1987	148	4	1	-	1	-	-	3	1	-	4
1986	170	3	-	-	-	-	1	1	-	1	3
1985	154	7	-	1	-	-	3	1	1	1	6
1984	135	4	3	-	-	-	-	1	1	-	2
1983	141	5	2	-	-	-	-	2	2	2	2
1982	116	3	1	-	-	1	-	2	2	2	-
1981	120	3	1	-	-	1	-	1	-	3	3
1980	89	3	-	-	-	-	1	2	-	-	1
1979	114	2	-	-	-	-	1	2	6	3	3
Other nutritional deficiencies (264-269)											
All races, male											
1998	62	-	-	-	-	1	-	-	-	-	2
1997	54	-	-	-	-	-	-	-	-	-	-
1996	70	4	2	-	-	1	-	-	-	-	1
1995	62	1	-	1	-	-	1	-	1	-	1
1994	74	4	-	-	-	1	-	-	1	1	-
1993	71	1	-	-	-	-	-	-	1	1	-
1992	55	-	1	2	-	-	1	-	1	1	-
1991	58	3	-	-	-	-	2	-	-	2	-
1990	56	-	-	-	-	1	-	-	1	-	-
1989	51	1	-	1	-	-	-	1	-	-	2
1988	57	2	1	-	-	-	-	-	-	1	-
1987	58	3	1	-	1	-	-	2	1	-	1
1986	69	1	-	-	-	-	-	-	-	1	1
1985	73	4	-	-	-	-	1	1	1	-	4
1984	55	3	2	-	-	-	-	-	1	-	-
1983	62	3	1	-	-	-	-	2	-	1	1
1982	50	3	-	-	-	1	-	-	1	1	-
1981	51	2	1	-	-	-	-	-	-	-	1
1980	31	2	-	-	-	-	1	2	-	-	1
1979	61	2	-	-	-	-	-	2	4	3	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other nutritional deficiencies (264-269)											
All races, female											
1998	134	-	-	-	-	-	-	1	-	-	-
1997	130	3	-	-	-	-	-	-	1	1	2
1996	105	-	-	1	-	-	-	2	-	2	-
1995	75	-	-	-	1	-	-	-	-	-	-
1994	103	1	-	-	-	2	-	-	-	-	-
1993	105	1	-	-	-	-	-	-	-	-	-
1992	82	3	1	-	-	-	-	-	-	-	1
1991	81	1	-	-	-	-	1	1	-	1	-
1990	93	1	1	-	-	-	1	-	1	-	2
1989	89	1	-	-	-	1	-	1	-	1	-
1988	86	1	-	-	-	-	-	-	-	-	1
1987	90	1	-	-	-	-	-	1	-	-	3
1986	101	2	-	-	-	-	1	1	-	-	2
1985	81	3	-	1	-	-	2	-	-	1	2
1984	80	1	1	-	-	-	-	1	-	-	2
1983	79	2	1	-	-	-	-	-	2	1	1
1982	66	-	1	-	-	-	-	2	1	1	-
1981	69	1	-	-	-	1	-	1	-	3	2
1980	58	1	-	-	-	-	-	-	-	-	-
1979	53	-	-	-	-	-	1	-	2	-	1
Other nutritional deficiencies (264-269)											
White, both sexes											
1998	178	-	-	-	-	1	-	1	-	-	-
1997	163	2	-	-	-	-	-	-	-	1	2
1996	153	2	1	1	-	1	-	2	-	1	1
1995	116	-	-	1	1	-	-	-	1	-	-
1994	150	2	-	-	-	2	-	-	-	1	-
1993	153	-	-	-	-	-	-	-	1	1	-
1992	112	2	1	2	-	-	1	-	1	1	1
1991	124	3	-	-	-	-	3	1	-	2	-
1990	134	1	1	-	-	1	1	-	2	-	2
1989	119	2	-	1	-	-	-	1	-	-	2
1988	125	2	1	-	-	-	-	-	-	1	1
1987	129	1	1	-	1	-	-	3	1	-	2
1986	144	2	-	-	-	-	1	1	-	1	2
1985	126	2	-	-	-	-	3	-	1	-	3
1984	125	4	2	-	-	-	-	1	1	-	1
1983	119	3	1	-	-	-	-	1	2	2	2
1982	105	3	1	-	-	1	-	2	2	2	-
1981	99	3	-	-	-	1	-	1	-	2	3
1980	74	-	-	-	-	-	1	2	-	-	-
1979	102	1	-	-	-	-	1	2	5	3	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other nutritional deficiencies (264-269)											
White, male											
1998	53	-	-	-	-	1	-	-	-	-	-
1997	44	-	-	-	-	-	-	-	-	-	-
1996	58	2	1	-	-	1	-	-	-	-	1
1995	48	-	-	1	-	-	-	-	1	-	-
1994	61	1	-	-	-	1	-	-	-	1	-
1993	61	-	-	-	-	-	-	-	1	1	-
1992	44	-	-	2	-	-	1	-	1	1	-
1991	51	3	-	-	-	-	2	-	-	1	-
1990	48	-	-	-	-	1	-	-	1	-	-
1989	42	1	-	1	-	-	-	-	-	-	2
1988	47	1	1	-	-	-	-	-	-	1	-
1987	48	-	1	-	1	-	-	2	1	-	-
1986	60	1	-	-	-	-	-	-	-	1	1
1985	56	1	-	-	-	-	1	-	1	-	3
1984	48	3	1	-	-	-	-	-	1	-	-
1983	48	2	-	-	-	-	-	1	-	1	1
1982	46	3	-	-	-	1	-	-	1	1	-
1981	43	2	-	-	-	-	-	-	-	-	1
1980	24	-	-	-	-	-	1	2	-	-	-
1979	53	1	-	-	-	-	-	2	3	3	2
Other nutritional deficiencies (264-269)											
White, female											
1998	125	-	-	-	-	-	-	1	-	-	-
1997	119	2	-	-	-	-	-	-	-	1	2
1996	95	-	-	1	-	-	-	2	-	1	-
1995	68	-	-	-	1	-	-	-	-	-	-
1994	89	1	-	-	-	1	-	-	-	-	-
1993	92	-	-	-	-	-	-	-	-	-	-
1992	68	2	1	-	-	-	-	-	-	-	1
1991	73	-	-	-	-	-	1	1	-	1	-
1990	86	1	1	-	-	-	1	-	1	-	2
1989	77	1	-	-	-	-	-	1	-	-	-
1988	78	1	-	-	-	-	-	-	-	-	1
1987	81	1	-	-	-	-	-	1	-	-	2
1986	84	1	-	-	-	-	1	1	-	-	1
1985	70	1	-	-	-	-	2	-	-	-	-
1984	77	1	1	-	-	-	-	1	-	-	1
1983	71	1	1	-	-	-	-	-	2	1	1
1982	59	-	1	-	-	-	-	2	1	1	-
1981	56	1	-	-	-	1	-	1	-	2	2
1980	50	-	-	-	-	-	-	-	-	-	-
1979	49	-	-	-	-	-	1	-	2	-	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other nutritional deficiencies (264-269)											
All other, both sexes											
1998	18	-	-	-	-	-	-	-	-	-	2
1997	21	1	-	-	-	-	-	-	1	-	-
1996	22	2	1	-	-	-	-	-	-	1	-
1995	21	1	-	-	-	-	1	-	-	-	1
1994	27	3	-	-	-	1	-	-	1	-	-
1993	23	2	-	-	-	-	-	-	-	-	-
1992	25	1	1	-	-	-	-	-	-	-	-
1991	15	1	-	-	-	-	-	-	-	1	-
1990	15	-	-	-	-	-	-	-	-	-	-
1989	21	-	-	-	-	1	-	1	-	1	-
1988	18	1	-	-	-	-	-	-	-	-	-
1987	19	3	-	-	-	-	-	-	-	-	2
1986	26	1	-	-	-	-	-	-	-	-	1
1985	28	5	-	1	-	-	-	1	-	1	3
1984	10	-	1	-	-	-	-	-	-	-	1
1983	22	2	1	-	-	-	-	1	-	-	-
1982	11	-	-	-	-	-	-	-	-	-	-
1981	21	-	1	-	-	-	-	-	-	1	-
1980	15	3	-	-	-	-	-	-	-	-	1
1979	12	1	-	-	-	-	-	-	1	-	-
Other nutritional deficiencies (264-269)											
All other, male											
1998	9	-	-	-	-	-	-	-	-	-	2
1997	10	-	-	-	-	-	-	-	-	-	-
1996	12	2	1	-	-	-	-	-	-	-	-
1995	14	1	-	-	-	-	1	-	-	-	1
1994	13	3	-	-	-	-	-	-	1	-	-
1993	10	1	-	-	-	-	-	-	-	-	-
1992	11	-	1	-	-	-	-	-	-	-	-
1991	7	-	-	-	-	-	-	-	-	1	-
1990	8	-	-	-	-	-	-	-	-	-	-
1989	9	-	-	-	-	-	-	1	-	-	-
1988	10	1	-	-	-	-	-	-	-	-	-
1987	10	3	-	-	-	-	-	-	-	-	1
1986	9	-	-	-	-	-	-	-	-	-	-
1985	17	3	-	-	-	-	-	1	-	-	1
1984	7	-	1	-	-	-	-	-	-	-	-
1983	14	1	1	-	-	-	-	1	-	-	-
1982	4	-	-	-	-	-	-	-	-	-	-
1981	8	-	1	-	-	-	-	-	-	-	-
1980	7	2	-	-	-	-	-	-	-	-	1
1979	8	1	-	-	-	-	-	-	1	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other nutritional deficiencies (264-269)											
All other, female											
1998	9	-	-	-	-	-	-	-	-	-	-
1997	11	1	-	-	-	-	-	-	1	-	-
1996	10	-	-	-	-	-	-	-	-	1	-
1995	7	-	-	-	-	-	-	-	-	-	-
1994	14	-	-	-	-	1	-	-	-	-	-
1993	13	1	-	-	-	-	-	-	-	-	-
1992	14	1	-	-	-	-	-	-	-	-	-
1991	8	1	-	-	-	-	-	-	-	-	-
1990	7	-	-	-	-	-	-	-	-	-	-
1989	12	-	-	-	-	1	-	-	-	1	-
1988	8	-	-	-	-	-	-	-	-	-	-
1987	9	-	-	-	-	-	-	-	-	-	1
1986	17	1	-	-	-	-	-	-	-	-	1
1985	11	2	-	1	-	-	-	-	-	1	2
1984	3	-	-	-	-	-	-	-	-	-	1
1983	8	1	-	-	-	-	-	-	-	-	-
1982	7	-	-	-	-	-	-	-	-	-	-
1981	13	-	-	-	-	-	-	-	-	1	-
1980	8	1	-	-	-	-	-	-	-	-	-
1979	4	-	-	-	-	-	-	-	-	-	-
Other nutritional deficiencies (264-269)											
Black, both sexes											
1998	15	-	-	-	-	-	-	-	-	-	2
1997	18	1	-	-	-	-	-	-	1	-	-
1996	20	2	1	-	-	-	-	-	-	1	-
1995	20	1	-	-	-	-	1	-	-	-	1
1994	26	3	-	-	-	1	-	-	1	-	-
1993	21	1	-	-	-	-	-	-	-	-	-
1992	23	1	1	-	-	-	-	-	-	-	-
1991	15	1	-	-	-	-	-	-	-	1	-
1990	13	-	-	-	-	-	-	-	-	-	-
1989	18	-	-	-	-	1	-	1	-	1	-
1988	15	1	-	-	-	-	-	-	-	-	-
1987	18	3	-	-	-	-	-	-	-	-	2
1986	25	1	-	-	-	-	-	-	-	-	1
1985	26	5	-	1	-	-	-	1	-	1	3
1984	10	-	1	-	-	-	-	-	-	-	1
1983	21	2	1	-	-	-	-	1	-	-	-
1982	9	-	-	-	-	-	-	-	-	-	-
1981	18	-	1	-	-	-	-	-	-	1	-
1980	12	3	-	-	-	-	-	-	-	-	1
1979	10	1	-	-	-	-	-	-	1	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other nutritional deficiencies (264-269)											
Black, male											
1998	8	-	-	-	-	-	-	-	-	-	2
1997	8	-	-	-	-	-	-	-	-	-	-
1996	11	2	1	-	-	-	-	-	-	-	-
1995	13	1	-	-	-	-	1	-	-	-	1
1994	13	3	-	-	-	-	-	-	1	-	-
1993	9	-	-	-	-	-	-	-	-	-	-
1992	11	-	1	-	-	-	-	-	-	-	-
1991	7	-	-	-	-	-	-	-	-	1	-
1990	7	-	-	-	-	-	-	-	-	-	-
1989	7	-	-	-	-	-	-	1	-	-	-
1988	8	1	-	-	-	-	-	-	-	-	-
1987	10	3	-	-	-	-	-	-	-	-	1
1986	8	-	-	-	-	-	-	-	-	-	-
1985	16	3	-	-	-	-	-	1	-	-	1
1984	7	-	1	-	-	-	-	-	-	-	-
1983	13	1	1	-	-	-	-	1	-	-	-
1982	4	-	-	-	-	-	-	-	-	-	-
1981	7	-	1	-	-	-	-	-	-	-	-
1980	6	2	-	-	-	-	-	-	-	-	1
1979	6	1	-	-	-	-	-	-	1	-	-
Other nutritional deficiencies (264-269)											
Black, female											
1998	7	-	-	-	-	-	-	-	-	-	-
1997	10	1	-	-	-	-	-	-	1	-	-
1996	9	-	-	-	-	-	-	-	-	1	-
1995	7	-	-	-	-	-	-	-	-	-	-
1994	13	-	-	-	-	1	-	-	-	-	-
1993	12	1	-	-	-	-	-	-	-	-	-
1992	12	1	-	-	-	-	-	-	-	-	-
1991	8	1	-	-	-	-	-	-	-	-	-
1990	6	-	-	-	-	-	-	-	-	-	-
1989	11	-	-	-	-	1	-	-	-	1	-
1988	7	-	-	-	-	-	-	-	-	-	-
1987	8	-	-	-	-	-	-	-	-	-	1
1986	17	1	-	-	-	-	-	-	-	-	1
1985	10	2	-	1	-	-	-	-	-	1	2
1984	3	-	-	-	-	-	-	-	-	-	1
1983	8	1	-	-	-	-	-	-	-	-	-
1982	5	-	-	-	-	-	-	-	-	-	-
1981	11	-	-	-	-	-	-	-	-	1	-
1980	6	1	-	-	-	-	-	-	-	-	-
1979	4	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Meningitis (320-322)											
All races, both sexes											
1998	768	107	48	23	11	18	20	13	24	39	52
1997	781	97	44	15	18	12	11	27	29	41	44
1996	758	103	38	21	10	13	12	18	23	36	44
1995	761	121	37	15	13	16	22	22	26	35	33
1994	770	107	47	17	15	13	17	18	28	33	37
1993	788	107	39	16	15	13	16	30	27	32	39
1992	798	126	32	25	7	16	15	20	21	42	42
1991	887	128	39	19	16	11	18	19	35	46	36
1990	1,017	197	81	23	14	14	15	24	29	45	43
1989	1,068	229	99	12	9	13	11	22	43	44	47
1988	1,156	205	129	25	28	16	17	32	30	24	22
1987	1,161	214	139	25	12	10	11	33	41	49	34
1986	1,160	220	144	14	13	6	19	30	32	27	35
1985	1,206	257	159	21	20	13	14	31	35	22	25
1984	1,194	268	174	24	22	16	20	19	38	22	21
1983	1,287	318	197	24	15	11	22	25	25	25	32
1982	1,282	331	187	25	21	13	16	28	26	26	30
1981	1,405	422	165	30	18	21	18	35	33	26	27
1980	1,415	443	223	30	21	21	28	20	19	22	28
1979	1,393	441	183	36	20	12	15	17	33	33	32
Meningitis (320-322)											
All races, male											
1998	424	61	29	13	10	11	10	4	15	24	29
1997	403	40	20	11	8	7	4	12	15	25	27
1996	423	61	21	13	6	9	5	8	15	23	27
1995	408	63	23	10	9	9	13	14	17	20	22
1994	418	61	29	14	8	8	9	12	19	24	24
1993	420	62	20	11	10	7	10	18	16	19	24
1992	402	61	17	12	3	7	8	14	11	25	28
1991	442	68	23	9	9	6	9	13	24	26	25
1990	545	108	52	15	6	6	9	15	21	39	29
1989	588	126	69	6	6	8	7	11	29	31	37
1988	601	110	76	13	10	8	11	25	20	18	19
1987	645	120	78	16	8	6	9	22	32	30	24
1986	624	123	100	9	8	5	13	16	23	18	23
1985	634	142	101	6	13	10	9	24	23	12	16
1984	650	155	105	9	11	6	13	15	27	14	14
1983	670	177	108	15	7	6	16	18	16	15	19
1982	700	194	114	17	18	8	9	9	18	20	18
1981	776	253	97	18	9	13	13	22	20	13	21
1980	796	251	145	16	9	11	21	11	7	11	15
1979	765	252	107	18	8	8	12	9	19	17	23

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Meningitis (320-322)											
All races, female											
1998	344	46	19	10	1	7	10	9	9	15	23
1997	378	57	24	4	10	5	7	15	14	16	17
1996	335	42	17	8	4	4	7	10	8	13	17
1995	353	58	14	5	4	7	9	8	9	15	11
1994	352	46	18	3	7	5	8	6	9	9	13
1993	368	45	19	5	5	6	6	12	11	13	15
1992	396	65	15	13	4	9	7	6	10	17	14
1991	445	60	16	10	7	5	9	6	11	20	11
1990	472	89	29	8	8	8	6	9	8	6	14
1989	480	103	30	6	3	5	4	11	14	13	10
1988	555	95	53	12	18	8	6	7	10	6	3
1987	516	94	61	9	4	4	2	11	9	19	10
1986	536	97	44	5	5	1	6	14	9	9	12
1985	572	115	58	15	7	3	5	7	12	10	9
1984	544	113	69	15	11	10	7	4	11	8	7
1983	617	141	89	9	8	5	6	7	9	10	13
1982	582	137	73	8	3	5	7	19	8	6	12
1981	629	169	68	12	9	8	5	13	13	13	6
1980	619	192	78	14	12	10	7	9	12	11	13
1979	628	189	76	18	12	4	3	8	14	16	9
Meningitis (320-322)											
White, both sexes											
1998	545	66	39	16	8	10	11	6	15	22	35
1997	546	62	24	10	12	5	3	17	18	27	26
1996	529	57	27	16	5	9	4	9	11	19	31
1995	541	62	33	12	12	11	13	14	19	21	23
1994	542	57	31	12	11	9	10	9	17	25	22
1993	547	57	26	13	10	9	11	21	14	15	26
1992	569	80	21	18	5	11	8	14	15	26	17
1991	618	71	26	17	13	8	12	8	20	22	20
1990	705	111	56	20	8	10	8	17	20	28	26
1989	703	128	71	8	6	10	5	15	27	25	24
1988	808	135	89	20	17	10	16	20	20	14	10
1987	812	132	107	20	8	6	7	24	26	22	18
1986	827	135	104	11	8	6	14	23	22	16	16
1985	871	155	117	14	16	8	8	19	22	16	16
1984	846	172	124	18	14	11	13	12	27	16	12
1983	935	203	151	21	13	8	17	14	18	13	21
1982	912	207	146	20	17	9	9	18	12	11	24
1981	987	270	134	15	14	16	15	23	21	17	15
1980	1,020	294	170	25	19	12	22	16	13	12	18
1979	951	273	131	25	14	4	12	15	25	20	17

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Meningitis (320-322)											
White, male											
1998	297	36	25	10	8	5	6	2	8	15	21
1997	275	21	9	7	5	4	2	8	10	18	12
1996	294	37	15	9	2	6	2	5	5	12	21
1995	290	35	22	7	9	5	7	10	12	11	14
1994	285	34	21	10	5	5	5	7	12	17	14
1993	286	31	16	10	7	4	7	14	8	10	14
1992	280	44	10	9	1	4	3	10	8	16	13
1991	306	39	16	8	7	5	6	6	12	14	14
1990	371	65	36	12	3	4	5	12	14	25	17
1989	383	74	49	5	3	6	3	7	17	17	18
1988	402	74	49	10	8	6	10	14	12	9	7
1987	460	80	58	14	5	5	6	14	20	18	12
1986	445	77	77	7	5	5	9	14	14	10	9
1985	451	86	76	4	11	6	6	13	13	9	9
1984	472	107	80	8	9	3	9	9	20	11	9
1983	486	116	83	13	6	5	13	9	10	9	12
1982	492	125	90	13	14	5	6	6	7	10	15
1981	547	167	81	8	7	10	11	12	13	8	11
1980	577	171	109	13	8	5	16	10	4	5	11
1979	521	157	79	16	7	2	9	8	14	10	11
Meningitis (320-322)											
White, female											
1998	248	30	14	6	-	5	5	4	7	7	14
1997	271	41	15	3	7	1	1	9	8	9	14
1996	235	20	12	7	3	3	2	4	6	7	10
1995	251	27	11	5	3	6	6	4	7	10	9
1994	257	23	10	2	6	4	5	2	5	8	8
1993	261	26	10	3	3	5	4	7	6	5	12
1992	289	36	11	9	4	7	5	4	7	10	4
1991	312	32	10	9	6	3	6	2	8	8	6
1990	334	46	20	8	5	6	3	5	6	3	9
1989	320	54	22	3	3	4	2	8	10	8	6
1988	406	61	40	10	9	4	6	6	8	5	3
1987	352	52	49	6	3	1	1	10	6	4	6
1986	382	58	27	4	3	1	5	9	8	6	7
1985	420	69	41	10	5	2	2	6	9	7	7
1984	374	65	44	10	5	8	4	3	7	5	3
1983	449	87	68	8	7	3	4	5	8	4	9
1982	420	82	56	7	3	4	3	12	5	1	9
1981	440	103	53	7	7	6	4	11	8	9	4
1980	443	123	61	12	11	7	6	6	9	7	7
1979	430	116	52	9	7	2	3	7	11	10	6

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Meningitis (320-322)											
All other, both sexes											
1998	223	41	9	7	3	8	9	7	9	17	17
1997	235	35	20	5	6	7	8	10	11	14	18
1996	229	46	11	5	5	4	8	9	12	17	13
1995	220	59	4	3	1	5	9	8	7	14	10
1994	228	50	16	5	4	4	7	9	11	8	15
1993	241	50	13	3	5	4	5	9	13	17	13
1992	229	46	11	7	2	5	7	6	6	16	25
1991	269	57	13	2	3	3	6	11	15	24	16
1990	312	86	25	3	6	4	7	7	9	17	17
1989	365	101	28	4	3	3	6	7	16	19	23
1988	348	70	40	5	11	6	1	12	10	10	12
1987	349	82	32	5	4	4	4	9	15	27	16
1986	333	85	40	3	5	-	5	7	10	11	19
1985	335	102	42	7	4	5	6	12	13	6	9
1984	348	96	50	6	8	5	7	7	11	6	9
1983	352	115	46	3	2	3	5	11	7	12	11
1982	370	124	41	5	4	4	7	10	14	15	6
1981	418	152	31	15	4	5	3	12	12	9	12
1980	395	149	53	5	2	9	6	4	6	10	10
1979	442	168	52	11	6	8	3	2	8	13	15
Meningitis (320-322)											
All other, male											
1998	127	25	4	3	2	6	4	2	7	9	8
1997	128	19	11	4	3	3	2	4	5	7	15
1996	129	24	6	4	4	3	3	3	10	11	6
1995	118	28	1	3	-	4	6	4	5	9	8
1994	133	27	8	4	3	3	4	5	7	7	10
1993	134	31	4	1	3	3	3	4	8	9	10
1992	122	17	7	3	2	3	5	4	3	9	15
1991	136	29	7	1	2	1	3	7	12	12	11
1990	174	43	16	3	3	2	4	3	7	14	12
1989	205	52	20	1	3	2	4	4	12	14	19
1988	199	36	27	3	2	2	1	11	8	9	12
1987	185	40	20	2	3	1	3	8	12	12	12
1986	179	46	23	2	3	-	4	2	9	8	14
1985	183	56	25	2	2	4	3	11	10	3	7
1984	178	48	25	1	2	3	4	6	7	3	5
1983	184	61	25	2	1	1	3	9	6	6	7
1982	208	69	24	4	4	3	3	3	11	10	3
1981	229	86	16	10	2	3	2	10	7	5	10
1980	219	80	36	3	1	6	5	1	3	6	4
1979	244	95	28	2	1	6	3	1	5	7	12

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Meningitis (320-322)											
All other, female											
1998	96	16	5	4	1	2	5	5	2	8	9
1997	107	16	9	1	3	4	6	6	6	7	3
1996	100	22	5	1	1	1	5	6	2	6	7
1995	102	31	3	-	1	1	3	4	2	5	2
1994	95	23	8	1	1	1	3	4	4	1	5
1993	107	19	9	2	2	1	2	5	5	8	3
1992	107	29	4	4	-	2	2	2	3	7	10
1991	133	28	6	1	1	2	3	4	3	12	5
1990	138	43	9	-	3	2	3	4	2	3	5
1989	160	49	8	3	-	1	2	3	4	5	4
1988	149	34	13	2	9	4	-	1	2	1	-
1987	164	42	12	3	1	3	1	1	3	15	4
1986	154	39	17	1	2	-	1	5	1	3	5
1985	152	46	17	5	2	1	3	1	3	3	2
1984	170	48	25	5	6	2	3	1	4	3	4
1983	168	54	21	1	1	2	2	2	1	6	4
1982	162	55	17	1	-	1	4	7	3	5	3
1981	189	66	15	5	2	2	1	2	5	4	2
1980	176	69	17	2	1	3	1	3	3	4	6
1979	198	73	24	9	5	2	-	1	3	6	3
Meningitis (320-322)											
Black, both sexes											
1998	195	38	5	5	2	8	7	7	7	16	14
1997	204	27	17	5	6	5	8	9	11	13	16
1996	211	44	11	5	4	4	6	8	12	16	13
1995	197	53	3	3	1	5	7	8	7	13	8
1994	210	48	16	3	3	3	7	9	10	7	15
1993	216	49	9	3	5	4	5	7	12	17	10
1992	204	39	8	6	1	5	7	4	5	16	23
1991	245	49	13	2	3	2	4	10	15	23	14
1990	284	74	24	3	6	3	7	5	9	16	17
1989	331	87	25	4	2	2	6	7	16	18	22
1988	326	62	40	4	11	6	1	11	10	9	11
1987	319	69	30	4	4	4	4	9	14	26	14
1986	305	74	39	2	5	-	4	6	10	11	19
1985	301	87	38	5	4	5	6	10	11	6	9
1984	319	79	46	5	8	5	7	6	11	6	9
1983	332	106	44	2	2	3	5	10	7	12	11
1982	339	109	36	5	4	3	7	10	13	13	6
1981	380	140	29	15	4	4	2	11	10	9	10
1980	369	138	49	5	2	8	6	3	6	9	10
1979	404	151	48	11	5	8	3	2	7	13	14

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Meningitis (320-322)											
Black, male											
1998	114	24	2	2	1	6	3	2	5	8	7
1997	112	15	11	4	3	2	2	4	5	6	13
1996	119	24	6	4	3	3	2	2	10	10	6
1995	106	26	1	3	-	4	5	4	5	8	6
1994	122	26	8	2	2	3	4	5	6	6	10
1993	119	30	2	1	3	3	3	3	7	9	7
1992	107	15	5	2	1	3	5	3	2	9	14
1991	123	27	7	1	2	1	2	6	12	12	10
1990	159	37	16	3	3	1	4	2	7	13	12
1989	186	44	17	1	2	2	4	4	12	13	19
1988	185	34	27	2	2	2	1	10	8	8	11
1987	169	34	18	2	3	1	3	8	11	12	10
1986	165	40	22	1	3	-	3	2	9	8	14
1985	163	47	22	2	2	4	3	10	8	3	7
1984	164	39	24	1	2	3	4	6	7	3	5
1983	175	56	25	1	1	1	3	8	6	6	7
1982	196	63	22	4	4	3	3	3	10	9	3
1981	204	79	14	10	2	2	2	9	6	5	8
1980	203	75	32	3	1	5	5	1	3	5	4
1979	222	82	26	2	1	6	3	1	4	7	12
Meningitis (320-322)											
Black, female											
1998	81	14	3	3	1	2	4	5	2	8	7
1997	92	12	6	1	3	3	6	5	6	7	3
1996	92	20	5	1	1	1	4	6	2	6	7
1995	91	27	2	-	1	1	2	4	2	5	2
1994	88	22	8	1	1	-	3	4	4	1	5
1993	97	19	7	2	2	1	2	4	5	8	3
1992	97	24	3	4	-	2	2	1	3	7	9
1991	122	22	6	1	1	1	2	4	3	11	4
1990	125	37	8	-	3	2	3	3	2	3	5
1989	145	43	8	3	-	-	2	3	4	5	3
1988	141	28	13	2	9	4	-	1	2	1	-
1987	150	35	12	2	1	3	1	1	3	14	4
1986	140	34	17	1	2	-	1	4	1	3	5
1985	138	40	16	3	2	1	3	-	3	3	2
1984	155	40	22	4	6	2	3	-	4	3	4
1983	157	50	19	1	1	2	2	2	1	6	4
1982	143	46	14	1	-	-	4	7	3	4	3
1981	176	61	15	5	2	2	-	2	4	4	2
1980	166	63	17	2	1	3	1	2	3	4	6
1979	182	69	22	9	4	2	-	1	3	6	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Parkinson's disease (332)											
All races, both sexes											
1998	13,167	-	-	-	-	-	-	2	-	-	2
1997	12,361	2	-	-	-	-	-	1	-	1	4
1996	11,845	-	-	-	-	-	-	-	-	-	1
1995	10,820	-	-	-	-	1	1	-	2	3	6
1994	9,957	-	-	-	-	-	-	-	1	-	2
1993	9,107	-	-	-	-	-	-	-	-	1	3
1992	7,769	-	1	-	-	-	1	-	1	2	2
1991	7,455	-	-	-	-	-	-	-	1	2	4
1990	7,254	-	-	-	-	-	-	-	1	-	3
1989	6,984	-	-	-	-	-	-	2	1	-	1
1988	6,397	-	-	-	-	1	-	-	1	1	7
1987	6,288	-	-	-	-	-	1	-	-	1	1
1986	5,579	1	-	-	-	-	-	1	2	-	-
1985	5,173	-	1	-	-	-	-	-	-	1	3
1984	4,937	-	-	1	-	-	-	1	-	3	1
1983	4,567	-	-	2	-	-	-	-	1	-	2
1982	4,106	-	-	1	-	-	-	-	-	-	1
1981	3,948	1	-	-	1	-	-	1	-	2	1
1980	3,770	-	-	1	-	-	-	-	-	1	1
1979	3,510	-	-	-	-	-	-	-	-	-	3
Parkinson's disease (332)											
All races, male											
1998	7,494	-	-	-	-	-	-	2	-	-	1
1997	7,024	2	-	-	-	-	-	1	-	-	3
1996	6,908	-	-	-	-	-	-	-	-	-	1
1995	6,177	-	-	-	-	1	1	-	-	3	4
1994	5,807	-	-	-	-	-	-	-	-	-	2
1993	5,328	-	-	-	-	-	-	-	-	1	1
1992	4,541	-	-	-	-	-	1	-	1	2	1
1991	4,360	-	-	-	-	-	-	-	-	2	1
1990	4,244	-	-	-	-	-	-	-	-	-	-
1989	3,996	-	-	-	-	-	-	1	1	-	-
1988	3,661	-	-	-	-	1	-	-	-	-	6
1987	3,622	-	-	-	-	-	-	-	-	-	1
1986	3,185	-	-	-	-	-	-	-	2	-	-
1985	2,885	-	-	-	-	-	-	-	-	-	2
1984	2,782	-	-	1	-	-	-	1	-	3	-
1983	2,602	-	-	2	-	-	-	-	1	-	1
1982	2,320	-	-	1	-	-	-	-	-	-	1
1981	2,204	-	-	-	1	-	-	1	-	-	-
1980	2,094	-	-	1	-	-	-	-	-	1	1
1979	1,923	-	-	-	-	-	-	-	-	-	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Parkinson's disease (332)											
All races, female											
1998	5,673	-	-	-	-	-	-	-	-	-	1
1997	5,337	-	-	-	-	-	-	-	-	1	1
1996	4,937	-	-	-	-	-	-	-	-	-	-
1995	4,643	-	-	-	-	-	-	-	2	-	2
1994	4,150	-	-	-	-	-	-	-	1	-	-
1993	3,779	-	-	-	-	-	-	-	-	-	2
1992	3,228	-	1	-	-	-	-	-	-	-	1
1991	3,095	-	-	-	-	-	-	-	1	-	3
1990	3,010	-	-	-	-	-	-	-	1	-	3
1989	2,988	-	-	-	-	-	-	1	-	-	1
1988	2,736	-	-	-	-	-	-	-	1	1	1
1987	2,666	-	-	-	-	-	1	-	-	1	-
1986	2,394	1	-	-	-	-	-	1	-	-	-
1985	2,288	-	1	-	-	-	-	-	-	1	1
1984	2,155	-	-	-	-	-	-	-	-	-	1
1983	1,965	-	-	-	-	-	-	-	-	-	1
1982	1,786	-	-	-	-	-	-	-	-	-	-
1981	1,744	1	-	-	-	-	-	-	-	2	1
1980	1,676	-	-	-	-	-	-	-	-	-	-
1979	1,587	-	-	-	-	-	-	-	-	-	2
Parkinson's disease (332)											
White, both sexes											
1998	12,556	-	-	-	-	-	-	-	-	-	2
1997	11,838	1	-	-	-	-	-	1	-	1	4
1996	11,351	-	-	-	-	-	-	-	-	-	1
1995	10,349	-	-	-	-	1	1	-	1	1	2
1994	9,514	-	-	-	-	-	-	-	-	-	2
1993	8,723	-	-	-	-	-	-	-	-	1	3
1992	7,434	-	1	-	-	-	1	-	1	-	2
1991	7,125	-	-	-	-	-	-	-	1	1	4
1990	6,918	-	-	-	-	-	-	-	1	-	3
1989	6,652	-	-	-	-	-	-	1	1	-	1
1988	6,118	-	-	-	-	1	-	-	1	1	7
1987	6,024	-	-	-	-	-	1	-	-	1	1
1986	5,350	1	-	-	-	-	-	1	2	-	-
1985	4,974	-	1	-	-	-	-	-	-	-	3
1984	4,725	-	-	1	-	-	-	1	-	2	1
1983	4,347	-	-	2	-	-	-	-	1	-	2
1982	3,943	-	-	1	-	-	-	-	-	-	1
1981	3,805	1	-	-	-	-	-	1	-	2	1
1980	3,626	-	-	1	-	-	-	-	-	1	1
1979	3,361	-	-	-	-	-	-	-	-	-	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Parkinson's disease (332)											
White, male											
1998	7,155	-	-	-	-	-	-	-	-	-	1
1997	6,707	1	-	-	-	-	-	1	-	-	3
1996	6,620	-	-	-	-	-	-	-	-	-	1
1995	5,906	-	-	-	-	1	1	-	-	1	1
1994	5,528	-	-	-	-	-	-	-	-	-	2
1993	5,080	-	-	-	-	-	-	-	-	1	1
1992	4,338	-	-	-	-	-	1	-	1	-	1
1991	4,167	-	-	-	-	-	-	-	-	1	1
1990	4,042	-	-	-	-	-	-	-	-	-	-
1989	3,795	-	-	-	-	-	-	1	1	-	-
1988	3,494	-	-	-	-	1	-	-	-	-	6
1987	3,456	-	-	-	-	-	-	-	-	-	1
1986	3,030	-	-	-	-	-	-	-	2	-	-
1985	2,766	-	-	-	-	-	-	-	-	-	2
1984	2,661	-	-	1	-	-	-	1	-	2	-
1983	2,471	-	-	2	-	-	-	-	1	-	1
1982	2,221	-	-	1	-	-	-	-	-	-	1
1981	2,122	-	-	-	-	-	-	1	-	-	-
1980	2,005	-	-	1	-	-	-	-	-	1	1
1979	1,837	-	-	-	-	-	-	-	-	-	1
Parkinson's disease (332)											
White, female											
1998	5,401	-	-	-	-	-	-	-	-	-	1
1997	5,131	-	-	-	-	-	-	-	-	1	1
1996	4,731	-	-	-	-	-	-	-	-	-	-
1995	4,443	-	-	-	-	-	-	-	1	-	1
1994	3,986	-	-	-	-	-	-	-	-	-	-
1993	3,643	-	-	-	-	-	-	-	-	-	2
1992	3,096	-	1	-	-	-	-	-	-	-	1
1991	2,958	-	-	-	-	-	-	-	1	-	3
1990	2,876	-	-	-	-	-	-	-	1	-	3
1989	2,857	-	-	-	-	-	-	-	-	-	1
1988	2,624	-	-	-	-	-	-	-	1	1	1
1987	2,568	-	-	-	-	-	1	-	-	1	-
1986	2,320	1	-	-	-	-	-	1	-	-	-
1985	2,208	-	1	-	-	-	-	-	-	-	1
1984	2,064	-	-	-	-	-	-	-	-	-	1
1983	1,876	-	-	-	-	-	-	-	-	-	1
1982	1,722	-	-	-	-	-	-	-	-	-	-
1981	1,683	1	-	-	-	-	-	-	-	2	1
1980	1,621	-	-	-	-	-	-	-	-	-	-
1979	1,524	-	-	-	-	-	-	-	-	-	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Parkinson's disease (332)											
All other, both sexes											
1998	611	-	-	-	-	-	-	2	-	-	-
1997	523	1	-	-	-	-	-	-	-	-	-
1996	494	-	-	-	-	-	-	-	-	-	-
1995	471	-	-	-	-	-	-	-	1	2	4
1994	443	-	-	-	-	-	-	-	1	-	-
1993	384	-	-	-	-	-	-	-	-	-	-
1992	335	-	-	-	-	-	-	-	-	2	-
1991	330	-	-	-	-	-	-	-	-	1	-
1990	336	-	-	-	-	-	-	-	-	-	-
1989	332	-	-	-	-	-	-	1	-	-	-
1988	279	-	-	-	-	-	-	-	-	-	-
1987	264	-	-	-	-	-	-	-	-	-	-
1986	229	-	-	-	-	-	-	-	-	-	-
1985	199	-	-	-	-	-	-	-	-	1	-
1984	212	-	-	-	-	-	-	-	-	1	-
1983	220	-	-	-	-	-	-	-	-	-	-
1982	163	-	-	-	-	-	-	-	-	-	-
1981	143	-	-	-	1	-	-	-	-	-	-
1980	144	-	-	-	-	-	-	-	-	-	-
1979	149	-	-	-	-	-	-	-	-	-	-
Parkinson's disease (332)											
All other, male											
1998	339	-	-	-	-	-	-	2	-	-	-
1997	317	1	-	-	-	-	-	-	-	-	-
1996	288	-	-	-	-	-	-	-	-	-	-
1995	271	-	-	-	-	-	-	-	-	2	3
1994	279	-	-	-	-	-	-	-	-	-	-
1993	248	-	-	-	-	-	-	-	-	-	-
1992	203	-	-	-	-	-	-	-	-	2	-
1991	193	-	-	-	-	-	-	-	-	1	-
1990	202	-	-	-	-	-	-	-	-	-	-
1989	201	-	-	-	-	-	-	-	-	-	-
1988	167	-	-	-	-	-	-	-	-	-	-
1987	166	-	-	-	-	-	-	-	-	-	-
1986	155	-	-	-	-	-	-	-	-	-	-
1985	119	-	-	-	-	-	-	-	-	-	-
1984	121	-	-	-	-	-	-	-	-	1	-
1983	131	-	-	-	-	-	-	-	-	-	-
1982	99	-	-	-	-	-	-	-	-	-	-
1981	82	-	-	-	1	-	-	-	-	-	-
1980	89	-	-	-	-	-	-	-	-	-	-
1979	86	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Parkinson's disease (332)											
All other, female											
1998	272	-	-	-	-	-	-	-	-	-	-
1997	206	-	-	-	-	-	-	-	-	-	-
1996	206	-	-	-	-	-	-	-	-	-	-
1995	200	-	-	-	-	-	-	-	1	-	1
1994	164	-	-	-	-	-	-	-	1	-	-
1993	136	-	-	-	-	-	-	-	-	-	-
1992	132	-	-	-	-	-	-	-	-	-	-
1991	137	-	-	-	-	-	-	-	-	-	-
1990	134	-	-	-	-	-	-	-	-	-	-
1989	131	-	-	-	-	-	-	1	-	-	-
1988	112	-	-	-	-	-	-	-	-	-	-
1987	98	-	-	-	-	-	-	-	-	-	-
1986	74	-	-	-	-	-	-	-	-	-	-
1985	80	-	-	-	-	-	-	-	-	1	-
1984	91	-	-	-	-	-	-	-	-	-	-
1983	89	-	-	-	-	-	-	-	-	-	-
1982	64	-	-	-	-	-	-	-	-	-	-
1981	61	-	-	-	-	-	-	-	-	-	-
1980	55	-	-	-	-	-	-	-	-	-	-
1979	63	-	-	-	-	-	-	-	-	-	-
Parkinson's disease (332)											
Black, both sexes											
1998	454	-	-	-	-	-	-	1	-	-	-
1997	369	1	-	-	-	-	-	-	-	-	-
1996	370	-	-	-	-	-	-	-	-	-	-
1995	349	-	-	-	-	-	-	-	1	2	4
1994	342	-	-	-	-	-	-	-	1	-	-
1993	291	-	-	-	-	-	-	-	-	-	-
1992	252	-	-	-	-	-	-	-	-	2	-
1991	258	-	-	-	-	-	-	-	-	1	-
1990	245	-	-	-	-	-	-	-	-	-	-
1989	265	-	-	-	-	-	-	1	-	-	-
1988	216	-	-	-	-	-	-	-	-	-	-
1987	200	-	-	-	-	-	-	-	-	-	-
1986	184	-	-	-	-	-	-	-	-	-	-
1985	158	-	-	-	-	-	-	-	-	1	-
1984	166	-	-	-	-	-	-	-	-	1	-
1983	176	-	-	-	-	-	-	-	-	-	-
1982	141	-	-	-	-	-	-	-	-	-	-
1981	125	-	-	-	-	-	-	-	-	-	-
1980	123	-	-	-	-	-	-	-	-	-	-
1979	119	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Parkinson's disease (332)											
Black, male											
1998	251	-	-	-	-	-	-	1	-	-	-
1997	215	1	-	-	-	-	-	-	-	-	-
1996	209	-	-	-	-	-	-	-	-	-	-
1995	202	-	-	-	-	-	-	-	-	2	3
1994	210	-	-	-	-	-	-	-	-	-	-
1993	185	-	-	-	-	-	-	-	-	-	-
1992	149	-	-	-	-	-	-	-	-	2	-
1991	145	-	-	-	-	-	-	-	-	1	-
1990	146	-	-	-	-	-	-	-	-	-	-
1989	158	-	-	-	-	-	-	-	-	-	-
1988	129	-	-	-	-	-	-	-	-	-	-
1987	126	-	-	-	-	-	-	-	-	-	-
1986	121	-	-	-	-	-	-	-	-	-	-
1985	91	-	-	-	-	-	-	-	-	-	-
1984	96	-	-	-	-	-	-	-	-	1	-
1983	102	-	-	-	-	-	-	-	-	-	-
1982	83	-	-	-	-	-	-	-	-	-	-
1981	74	-	-	-	-	-	-	-	-	-	-
1980	78	-	-	-	-	-	-	-	-	-	-
1979	65	-	-	-	-	-	-	-	-	-	-
Parkinson's disease (332)											
Black, female											
1998	203	-	-	-	-	-	-	-	-	-	-
1997	154	-	-	-	-	-	-	-	-	-	-
1996	161	-	-	-	-	-	-	-	-	-	-
1995	147	-	-	-	-	-	-	-	1	-	1
1994	132	-	-	-	-	-	-	-	1	-	-
1993	106	-	-	-	-	-	-	-	-	-	-
1992	103	-	-	-	-	-	-	-	-	-	-
1991	113	-	-	-	-	-	-	-	-	-	-
1990	99	-	-	-	-	-	-	-	-	-	-
1989	107	-	-	-	-	-	-	1	-	-	-
1988	87	-	-	-	-	-	-	-	-	-	-
1987	74	-	-	-	-	-	-	-	-	-	-
1986	63	-	-	-	-	-	-	-	-	-	-
1985	67	-	-	-	-	-	-	-	-	1	-
1984	70	-	-	-	-	-	-	-	-	-	-
1983	74	-	-	-	-	-	-	-	-	-	-
1982	58	-	-	-	-	-	-	-	-	-	-
1981	51	-	-	-	-	-	-	-	-	-	-
1980	45	-	-	-	-	-	-	-	-	-	-
1979	54	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Alzheimer's disease (331.0)											
All races, both sexes											
1998	22,725	-	1	-	-	-	-	-	-	2	7
1997	22,475	-	1	-	-	-	1	-	1	3	3
1996	21,397	-	-	-	-	-	-	-	-	-	5
1995	20,606	-	-	1	-	-	-	-	-	1	6
1994	18,584	1	-	-	-	-	-	-	-	1	5
1993	16,754	-	1	-	-	-	-	1	2	-	1
1992	14,435	-	-	-	-	-	-	-	1	-	1
1991	14,112	-	-	-	-	-	-	1	-	2	6
1990	13,744	-	-	-	-	1	-	1	-	2	2
1989	13,110	-	-	-	-	-	-	-	-	-	2
1988	12,281	-	-	-	-	-	-	-	-	2	3
1987	11,311	-	-	-	-	-	-	-	-	-	3
1986	9,426	-	-	-	-	-	-	1	-	1	3
1985	8,258	1	-	-	-	-	-	-	1	1	2
1984	6,250	-	-	1	-	-	-	-	-	2	7
1983	4,434	-	-	-	-	-	-	-	-	-	5
1982	2,627	1	-	-	-	-	-	-	-	1	2
1981	1,757	-	-	-	-	-	-	-	-	-	3
1980	1,314	-	-	-	-	-	-	-	1	2	3
1979	857	-	-	-	-	-	-	-	1	-	2
Alzheimer's disease (331.0)											
All races, male											
1998	7,054	-	1	-	-	-	-	-	-	-	3
1997	7,038	-	1	-	-	-	-	-	-	2	1
1996	6,971	-	-	-	-	-	-	-	-	-	3
1995	6,999	-	-	-	-	-	-	-	-	-	2
1994	6,377	1	-	-	-	-	-	-	-	1	3
1993	5,821	-	1	-	-	-	-	-	2	-	1
1992	5,097	-	-	-	-	-	-	-	-	-	1
1991	5,070	-	-	-	-	-	-	-	-	-	3
1990	4,992	-	-	-	-	-	-	1	-	2	1
1989	4,970	-	-	-	-	-	-	-	-	-	2
1988	4,732	-	-	-	-	-	-	-	-	1	2
1987	4,545	-	-	-	-	-	-	-	-	-	1
1986	3,862	-	-	-	-	-	-	1	-	-	1
1985	3,523	-	-	-	-	-	-	-	1	1	-
1984	2,803	-	-	1	-	-	-	-	-	2	1
1983	2,021	-	-	-	-	-	-	-	-	-	3
1982	1,208	-	-	-	-	-	-	-	-	1	-
1981	831	-	-	-	-	-	-	-	-	-	2
1980	653	-	-	-	-	-	-	-	-	-	1
1979	429	-	-	-	-	-	-	-	1	-	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Alzheimer's disease (331.0)											
All races, female											
1998	15,671	-	-	-	-	-	-	-	-	2	4
1997	15,437	-	-	-	-	-	1	-	1	1	2
1996	14,426	-	-	-	-	-	-	-	-	-	2
1995	13,607	-	-	1	-	-	-	-	-	1	4
1994	12,207	-	-	-	-	-	-	-	-	-	2
1993	10,933	-	-	-	-	-	-	1	-	-	-
1992	9,338	-	-	-	-	-	-	-	1	-	-
1991	9,042	-	-	-	-	-	-	1	-	2	3
1990	8,752	-	-	-	-	1	-	-	-	-	1
1989	8,140	-	-	-	-	-	-	-	-	-	-
1988	7,549	-	-	-	-	-	-	-	-	1	1
1987	6,766	-	-	-	-	-	-	-	-	-	2
1986	5,564	-	-	-	-	-	-	-	-	1	2
1985	4,735	1	-	-	-	-	-	-	-	-	2
1984	3,447	-	-	-	-	-	-	-	-	-	6
1983	2,413	-	-	-	-	-	-	-	-	-	2
1982	1,419	1	-	-	-	-	-	-	-	-	2
1981	926	-	-	-	-	-	-	-	-	-	1
1980	661	-	-	-	-	-	-	-	1	2	2
1979	428	-	-	-	-	-	-	-	-	-	1
Alzheimer's disease (331.0)											
White, both sexes											
1998	21,366	-	1	-	-	-	-	-	-	2	7
1997	21,192	-	1	-	-	-	-	-	1	3	3
1996	20,198	-	-	-	-	-	-	-	-	-	3
1995	19,405	-	-	1	-	-	-	-	-	1	6
1994	17,550	-	-	-	-	-	-	-	-	1	3
1993	15,826	-	1	-	-	-	-	-	2	-	1
1992	13,634	-	-	-	-	-	-	-	1	-	1
1991	13,401	-	-	-	-	-	-	1	-	2	5
1990	13,020	-	-	-	-	1	-	1	-	2	2
1989	12,443	-	-	-	-	-	-	-	-	-	2
1988	11,730	-	-	-	-	-	-	-	-	1	3
1987	10,801	-	-	-	-	-	-	-	-	-	3
1986	9,037	-	-	-	-	-	-	1	-	1	3
1985	7,917	1	-	-	-	-	-	-	1	1	2
1984	6,032	-	-	1	-	-	-	-	-	2	7
1983	4,256	-	-	-	-	-	-	-	-	-	5
1982	2,533	1	-	-	-	-	-	-	-	1	2
1981	1,691	-	-	-	-	-	-	-	-	-	3
1980	1,258	-	-	-	-	-	-	-	1	2	3
1979	818	-	-	-	-	-	-	-	1	-	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Alzheimer's disease (331.0)											
White, male											
1998	6,643	-	1	-	-	-	-	-	-	-	3
1997	6,579	-	1	-	-	-	-	-	-	2	1
1996	6,564	-	-	-	-	-	-	-	-	-	2
1995	6,579	-	-	-	-	-	-	-	-	-	2
1994	6,000	-	-	-	-	-	-	-	-	1	1
1993	5,466	-	1	-	-	-	-	-	2	-	1
1992	4,795	-	-	-	-	-	-	-	-	-	1
1991	4,787	-	-	-	-	-	-	-	-	-	3
1990	4,675	-	-	-	-	-	-	1	-	2	1
1989	4,692	-	-	-	-	-	-	-	-	-	2
1988	4,515	-	-	-	-	-	-	-	-	1	2
1987	4,329	-	-	-	-	-	-	-	-	-	1
1986	3,708	-	-	-	-	-	-	1	-	-	1
1985	3,383	-	-	-	-	-	-	-	1	1	-
1984	2,712	-	-	1	-	-	-	-	-	2	1
1983	1,935	-	-	-	-	-	-	-	-	-	3
1982	1,166	-	-	-	-	-	-	-	-	1	-
1981	797	-	-	-	-	-	-	-	-	-	2
1980	619	-	-	-	-	-	-	-	-	-	1
1979	408	-	-	-	-	-	-	-	1	-	1
Alzheimer's disease (331.0)											
White, female											
1998	14,723	-	-	-	-	-	-	-	-	2	4
1997	14,613	-	-	-	-	-	-	-	1	1	2
1996	13,634	-	-	-	-	-	-	-	-	-	1
1995	12,826	-	-	1	-	-	-	-	-	1	4
1994	11,550	-	-	-	-	-	-	-	-	-	2
1993	10,360	-	-	-	-	-	-	-	-	-	-
1992	8,839	-	-	-	-	-	-	-	1	-	-
1991	8,614	-	-	-	-	-	-	1	-	2	2
1990	8,345	-	-	-	-	1	-	-	-	-	1
1989	7,751	-	-	-	-	-	-	-	-	-	-
1988	7,215	-	-	-	-	-	-	-	-	-	1
1987	6,472	-	-	-	-	-	-	-	-	-	2
1986	5,329	-	-	-	-	-	-	-	-	1	2
1985	4,534	1	-	-	-	-	-	-	-	-	2
1984	3,320	-	-	-	-	-	-	-	-	-	6
1983	2,321	-	-	-	-	-	-	-	-	-	2
1982	1,367	1	-	-	-	-	-	-	-	-	2
1981	894	-	-	-	-	-	-	-	-	-	1
1980	639	-	-	-	-	-	-	-	1	2	2
1979	410	-	-	-	-	-	-	-	-	-	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Alzheimer's disease (331.0)											
All other, both sexes											
1998	1,359	-	-	-	-	-	-	-	-	-	-
1997	1,283	-	-	-	-	-	1	-	-	-	-
1996	1,199	-	-	-	-	-	-	-	-	-	2
1995	1,201	-	-	-	-	-	-	-	-	-	-
1994	1,034	1	-	-	-	-	-	-	-	-	2
1993	928	-	-	-	-	-	-	1	-	-	-
1992	801	-	-	-	-	-	-	-	-	-	-
1991	711	-	-	-	-	-	-	-	-	-	1
1990	724	-	-	-	-	-	-	-	-	-	-
1989	667	-	-	-	-	-	-	-	-	-	-
1988	551	-	-	-	-	-	-	-	-	1	-
1987	510	-	-	-	-	-	-	-	-	-	-
1986	389	-	-	-	-	-	-	-	-	-	-
1985	341	-	-	-	-	-	-	-	-	-	-
1984	218	-	-	-	-	-	-	-	-	-	-
1983	178	-	-	-	-	-	-	-	-	-	-
1982	94	-	-	-	-	-	-	-	-	-	-
1981	66	-	-	-	-	-	-	-	-	-	-
1980	56	-	-	-	-	-	-	-	-	-	-
1979	39	-	-	-	-	-	-	-	-	-	-
Alzheimer's disease (331.0)											
All other, male											
1998	411	-	-	-	-	-	-	-	-	-	-
1997	459	-	-	-	-	-	-	-	-	-	-
1996	407	-	-	-	-	-	-	-	-	-	1
1995	420	-	-	-	-	-	-	-	-	-	-
1994	377	1	-	-	-	-	-	-	-	-	2
1993	355	-	-	-	-	-	-	-	-	-	-
1992	302	-	-	-	-	-	-	-	-	-	-
1991	283	-	-	-	-	-	-	-	-	-	-
1990	317	-	-	-	-	-	-	-	-	-	-
1989	278	-	-	-	-	-	-	-	-	-	-
1988	217	-	-	-	-	-	-	-	-	-	-
1987	216	-	-	-	-	-	-	-	-	-	-
1986	154	-	-	-	-	-	-	-	-	-	-
1985	140	-	-	-	-	-	-	-	-	-	-
1984	91	-	-	-	-	-	-	-	-	-	-
1983	86	-	-	-	-	-	-	-	-	-	-
1982	42	-	-	-	-	-	-	-	-	-	-
1981	34	-	-	-	-	-	-	-	-	-	-
1980	34	-	-	-	-	-	-	-	-	-	-
1979	21	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Alzheimer's disease (331.0)											
All other, female											
1998	948	-	-	-	-	-	-	-	-	-	-
1997	824	-	-	-	-	-	1	-	-	-	-
1996	792	-	-	-	-	-	-	-	-	-	1
1995	781	-	-	-	-	-	-	-	-	-	-
1994	657	-	-	-	-	-	-	-	-	-	-
1993	573	-	-	-	-	-	-	1	-	-	-
1992	499	-	-	-	-	-	-	-	-	-	-
1991	428	-	-	-	-	-	-	-	-	-	1
1990	407	-	-	-	-	-	-	-	-	-	-
1989	389	-	-	-	-	-	-	-	-	-	-
1988	334	-	-	-	-	-	-	-	-	1	-
1987	294	-	-	-	-	-	-	-	-	-	-
1986	235	-	-	-	-	-	-	-	-	-	-
1985	201	-	-	-	-	-	-	-	-	-	-
1984	127	-	-	-	-	-	-	-	-	-	-
1983	92	-	-	-	-	-	-	-	-	-	-
1982	52	-	-	-	-	-	-	-	-	-	-
1981	32	-	-	-	-	-	-	-	-	-	-
1980	22	-	-	-	-	-	-	-	-	-	-
1979	18	-	-	-	-	-	-	-	-	-	-
Alzheimer's disease (331.0)											
Black, both sexes											
1998	1,209	-	-	-	-	-	-	-	-	-	-
1997	1,148	-	-	-	-	-	1	-	-	-	-
1996	1,083	-	-	-	-	-	-	-	-	-	1
1995	1,086	-	-	-	-	-	-	-	-	-	-
1994	926	1	-	-	-	-	-	-	-	-	2
1993	827	-	-	-	-	-	-	1	-	-	-
1992	730	-	-	-	-	-	-	-	-	-	-
1991	660	-	-	-	-	-	-	-	-	-	1
1990	662	-	-	-	-	-	-	-	-	-	-
1989	618	-	-	-	-	-	-	-	-	-	-
1988	499	-	-	-	-	-	-	-	-	-	-
1987	463	-	-	-	-	-	-	-	-	-	-
1986	347	-	-	-	-	-	-	-	-	-	-
1985	310	-	-	-	-	-	-	-	-	-	-
1984	197	-	-	-	-	-	-	-	-	-	-
1983	156	-	-	-	-	-	-	-	-	-	-
1982	87	-	-	-	-	-	-	-	-	-	-
1981	61	-	-	-	-	-	-	-	-	-	-
1980	53	-	-	-	-	-	-	-	-	-	-
1979	33	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Alzheimer's disease (331.0)											
Black, male											
1998	352	-	-	-	-	-	-	-	-	-	-
1997	404	-	-	-	-	-	-	-	-	-	-
1996	350	-	-	-	-	-	-	-	-	-	-
1995	374	-	-	-	-	-	-	-	-	-	-
1994	329	1	-	-	-	-	-	-	-	-	2
1993	308	-	-	-	-	-	-	-	-	-	-
1992	267	-	-	-	-	-	-	-	-	-	-
1991	265	-	-	-	-	-	-	-	-	-	-
1990	281	-	-	-	-	-	-	-	-	-	-
1989	259	-	-	-	-	-	-	-	-	-	-
1988	193	-	-	-	-	-	-	-	-	-	-
1987	193	-	-	-	-	-	-	-	-	-	-
1986	130	-	-	-	-	-	-	-	-	-	-
1985	121	-	-	-	-	-	-	-	-	-	-
1984	81	-	-	-	-	-	-	-	-	-	-
1983	74	-	-	-	-	-	-	-	-	-	-
1982	37	-	-	-	-	-	-	-	-	-	-
1981	30	-	-	-	-	-	-	-	-	-	-
1980	31	-	-	-	-	-	-	-	-	-	-
1979	18	-	-	-	-	-	-	-	-	-	-
Alzheimer's disease (331.0)											
Black, female											
1998	857	-	-	-	-	-	-	-	-	-	-
1997	744	-	-	-	-	-	1	-	-	-	-
1996	733	-	-	-	-	-	-	-	-	-	1
1995	712	-	-	-	-	-	-	-	-	-	-
1994	597	-	-	-	-	-	-	-	-	-	-
1993	519	-	-	-	-	-	-	1	-	-	-
1992	463	-	-	-	-	-	-	-	-	-	-
1991	395	-	-	-	-	-	-	-	-	-	1
1990	381	-	-	-	-	-	-	-	-	-	-
1989	359	-	-	-	-	-	-	-	-	-	-
1988	306	-	-	-	-	-	-	-	-	-	-
1987	270	-	-	-	-	-	-	-	-	-	-
1986	217	-	-	-	-	-	-	-	-	-	-
1985	189	-	-	-	-	-	-	-	-	-	-
1984	116	-	-	-	-	-	-	-	-	-	-
1983	82	-	-	-	-	-	-	-	-	-	-
1982	50	-	-	-	-	-	-	-	-	-	-
1981	31	-	-	-	-	-	-	-	-	-	-
1980	22	-	-	-	-	-	-	-	-	-	-
1979	15	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Major cardiovascular diseases (390-434,436-448)											
All races, both sexes											
1998	940,159	932	277	197	231	501	807	1,433	2,727	6,021	11,053
1997	943,749	903	277	163	250	520	853	1,381	2,859	5,949	10,880
1996	949,769	881	272	176	261	493	722	1,378	2,933	6,070	10,666
1995	951,015	901	315	164	224	484	810	1,366	3,107	6,309	10,923
1994	940,326	902	350	164	258	459	799	1,484	3,111	6,207	10,500
1993	947,760	893	350	175	234	469	803	1,482	3,128	5,965	10,445
1992	913,588	897	347	160	203	429	827	1,467	3,027	5,605	10,388
1991	916,001	881	397	168	216	466	819	1,547	2,970	5,559	10,017
1990	915,671	963	335	162	239	439	784	1,515	2,965	5,267	9,490
1989	931,516	924	332	164	232	434	814	1,558	3,085	5,375	9,406
1988	969,028	1,033	412	180	228	506	928	1,677	3,124	5,592	9,462
1987	963,245	1,094	383	190	226	486	908	1,721	3,140	5,565	9,611
1986	967,866	1,116	415	179	223	507	944	1,720	3,151	5,721	9,530
1985	977,478	1,084	363	178	248	544	958	1,667	2,900	5,476	9,376
1984	973,011	1,084	411	223	246	508	998	1,615	2,849	5,233	9,351
1983	980,736	1,119	407	202	229	570	935	1,634	2,794	5,092	9,039
1982	967,546	922	363	223	272	532	960	1,645	2,736	5,030	8,960
1981	972,675	916	393	194	236	540	999	1,639	2,860	5,042	9,082
1980	988,196	984	407	192	258	664	1,086	1,587	2,691	4,912	9,164
1979	958,001	872	321	174	243	556	1,044	1,555	2,650	4,918	9,187
Major cardiovascular diseases (390-434,436-448)											
All races, male											
1998	441,133	501	142	119	130	328	485	859	1,709	3,985	7,650
1997	445,592	505	162	87	144	318	507	821	1,816	3,977	7,552
1996	448,717	473	137	85	151	296	461	843	1,861	4,070	7,405
1995	450,389	482	179	95	128	304	493	844	2,033	4,255	7,727
1994	447,097	493	190	80	147	287	485	882	1,934	4,187	7,363
1993	452,290	497	193	85	132	300	471	955	1,983	4,009	7,400
1992	439,184	501	180	94	116	284	512	876	1,962	3,856	7,402
1991	441,560	493	213	90	116	294	499	966	1,872	3,844	7,145
1990	442,609	541	165	86	129	288	469	918	1,906	3,680	6,864
1989	450,880	510	187	87	119	258	493	961	2,033	3,781	6,749
1988	470,728	576	207	91	144	329	566	1,013	2,128	3,936	6,810
1987	469,929	629	203	112	119	298	551	1,026	2,071	3,936	6,978
1986	475,446	639	217	94	121	319	566	1,033	2,117	4,079	6,907
1985	484,897	630	189	80	122	340	562	1,053	1,933	3,894	6,707
1984	484,863	598	219	121	124	294	599	994	1,919	3,696	6,760
1983	492,173	635	225	103	125	350	544	1,029	1,896	3,622	6,487
1982	489,049	549	204	111	140	339	547	1,042	1,813	3,537	6,428
1981	494,051	510	202	104	128	313	595	1,002	1,848	3,520	6,518
1980	503,599	566	216	90	138	398	677	957	1,750	3,444	6,562
1979	494,112	508	170	89	130	334	612	969	1,726	3,405	6,591

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Major cardiovascular diseases (390-434,436-448)											
All races, female											
1998	499,026	431	135	78	101	173	322	574	1,018	2,036	3,403
1997	498,157	398	115	76	106	202	346	560	1,043	1,972	3,328
1996	501,052	408	135	91	110	197	261	535	1,072	2,000	3,261
1995	500,626	419	136	69	96	180	317	522	1,074	2,054	3,196
1994	493,229	409	160	84	111	172	314	602	1,177	2,020	3,137
1993	495,470	396	157	90	102	169	332	527	1,145	1,956	3,045
1992	474,404	396	167	66	87	145	315	591	1,065	1,749	2,986
1991	474,441	388	184	78	100	172	320	581	1,098	1,715	2,872
1990	473,062	422	170	76	110	151	315	597	1,059	1,587	2,626
1989	480,636	414	145	77	113	176	321	597	1,052	1,594	2,657
1988	498,300	457	205	89	84	177	362	664	996	1,656	2,652
1987	493,316	465	180	78	107	188	357	695	1,069	1,629	2,633
1986	492,420	477	198	85	102	188	378	687	1,034	1,642	2,623
1985	492,581	454	174	98	126	204	396	614	967	1,582	2,669
1984	488,148	486	192	102	122	214	399	621	930	1,537	2,591
1983	488,563	484	182	99	104	220	391	605	898	1,470	2,552
1982	478,497	373	159	112	132	193	413	603	923	1,493	2,532
1981	478,624	406	191	90	108	227	404	637	1,012	1,522	2,564
1980	484,597	418	191	102	120	266	409	630	941	1,468	2,602
1979	463,889	364	151	85	113	222	432	586	924	1,513	2,596
Major cardiovascular diseases (390-434,436-448)											
White, both sexes											
1998	821,466	620	174	136	161	333	536	940	1,827	4,195	7,744
1997	827,096	632	183	110	182	377	538	899	1,996	4,120	7,628
1996	833,005	596	175	134	175	321	476	918	1,968	4,222	7,508
1995	834,009	622	191	120	148	314	492	899	2,128	4,384	7,719
1994	826,140	596	222	125	184	309	518	970	2,074	4,228	7,333
1993	832,732	601	229	117	169	331	517	959	2,131	4,069	7,348
1992	803,705	592	227	109	141	285	557	952	2,028	3,813	7,354
1991	805,982	575	251	118	153	333	541	1,028	1,989	3,734	7,192
1990	807,379	606	218	124	170	311	508	1,032	1,952	3,533	6,848
1989	820,516	619	214	116	157	293	551	1,059	2,068	3,634	6,807
1988	856,018	694	285	136	169	351	651	1,113	2,072	3,817	6,927
1987	853,140	775	255	141	162	345	617	1,172	2,090	3,831	7,166
1986	858,462	773	277	132	163	367	639	1,142	2,074	4,077	7,043
1985	868,777	752	235	134	177	376	668	1,122	1,936	3,922	6,991
1984	867,015	759	285	171	176	371	688	1,082	1,932	3,773	7,037
1983	874,744	762	292	149	165	410	648	1,119	1,915	3,734	6,801
1982	865,464	639	253	168	211	389	685	1,122	1,882	3,712	6,770
1981	870,013	647	282	157	168	389	693	1,074	2,002	3,707	6,836
1980	883,219	680	275	144	188	464	741	1,059	1,804	3,534	6,872
1979	858,578	574	219	142	184	412	742	1,031	1,870	3,587	6,951

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Major cardiovascular diseases (390-434,436-448)											
White, male											
1998	384,394	341	86	88	90	216	324	572	1,188	2,879	5,667
1997	389,572	361	97	65	107	239	317	542	1,307	2,892	5,577
1996	392,777	321	98	66	100	199	300	595	1,303	2,984	5,520
1995	393,746	335	108	69	86	206	295	568	1,421	3,098	5,727
1994	392,014	335	123	63	101	202	319	587	1,352	2,978	5,421
1993	396,730	345	131	53	97	213	297	635	1,388	2,888	5,452
1992	385,692	337	114	68	76	185	346	575	1,376	2,742	5,538
1991	387,689	325	128	62	82	214	332	658	1,304	2,672	5,373
1990	389,712	338	103	69	99	208	317	639	1,313	2,582	5,175
1989	396,606	356	119	61	89	184	342	693	1,412	2,662	5,108
1988	415,103	395	139	64	111	235	393	692	1,444	2,813	5,215
1987	415,268	452	138	92	81	215	382	715	1,435	2,779	5,391
1986	421,089	454	145	72	92	238	391	704	1,440	3,053	5,268
1985	430,629	442	126	59	91	238	404	728	1,321	2,872	5,225
1984	431,771	421	152	88	89	218	416	682	1,345	2,780	5,298
1983	438,960	436	160	77	88	254	391	728	1,340	2,791	5,074
1982	437,161	397	144	83	108	257	403	731	1,302	2,703	5,062
1981	441,923	358	144	83	97	230	412	682	1,308	2,677	5,111
1980	449,980	408	141	72	103	280	463	667	1,210	2,566	5,142
1979	442,730	342	115	77	103	251	450	679	1,269	2,577	5,185
Major cardiovascular diseases (390-434,436-448)											
White, female											
1998	437,072	279	88	48	71	117	212	368	639	1,316	2,077
1997	437,524	271	86	45	75	138	221	357	689	1,228	2,051
1996	440,228	275	77	68	75	122	176	323	665	1,238	1,988
1995	440,263	287	83	51	62	108	197	331	707	1,286	1,992
1994	434,126	261	99	62	83	107	199	383	722	1,250	1,912
1993	436,002	256	98	64	72	118	220	324	743	1,181	1,896
1992	418,013	255	113	41	65	100	211	377	652	1,071	1,816
1991	418,293	250	123	56	71	119	209	370	685	1,062	1,819
1990	417,667	268	115	55	71	103	191	393	639	951	1,673
1989	423,910	263	95	55	68	109	209	366	656	972	1,699
1988	440,915	299	146	72	58	116	258	421	628	1,004	1,712
1987	437,872	323	117	49	81	130	235	457	655	1,052	1,775
1986	437,373	319	132	60	71	129	248	438	634	1,024	1,775
1985	438,148	310	109	75	86	138	264	394	615	1,050	1,766
1984	435,244	338	133	83	87	153	272	400	587	993	1,739
1983	435,784	326	132	72	77	156	257	391	575	943	1,727
1982	428,303	242	109	85	103	132	282	391	580	1,009	1,708
1981	428,090	289	138	74	71	159	281	392	694	1,030	1,725
1980	433,239	272	134	72	85	184	278	392	594	968	1,730
1979	415,848	232	104	65	81	161	292	352	601	1,010	1,766

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Major cardiovascular diseases (390-434,436-448)											
All other, both sexes											
1998	118,693	312	103	61	70	168	271	493	900	1,826	3,309
1997	116,653	271	94	53	68	143	315	482	863	1,829	3,252
1996	116,764	285	97	42	86	172	246	460	965	1,848	3,158
1995	117,006	279	124	44	76	170	318	467	979	1,925	3,204
1994	114,186	306	128	39	74	150	281	514	1,037	1,979	3,167
1993	115,028	292	121	58	65	138	286	523	997	1,896	3,097
1992	109,883	305	120	51	62	144	270	515	999	1,792	3,034
1991	110,019	306	146	50	63	133	278	519	981	1,825	2,825
1990	108,292	357	117	38	69	128	276	483	1,013	1,734	2,642
1989	111,000	305	118	48	75	141	263	499	1,017	1,741	2,599
1988	113,010	339	127	44	59	155	277	564	1,052	1,775	2,535
1987	110,105	319	128	49	64	141	291	549	1,050	1,734	2,445
1986	109,404	343	138	47	60	140	305	578	1,077	1,644	2,487
1985	108,701	332	128	44	71	168	290	545	964	1,554	2,385
1984	105,996	325	126	52	70	137	310	533	917	1,460	2,314
1983	105,992	357	115	53	64	160	287	515	879	1,358	2,238
1982	102,082	283	110	55	61	143	275	523	854	1,318	2,190
1981	102,662	269	111	37	68	151	306	565	858	1,335	2,246
1980	104,977	304	132	48	70	200	345	528	887	1,378	2,292
1979	99,423	298	102	32	59	144	302	524	780	1,331	2,236
Major cardiovascular diseases (390-434,436-448)											
All other, male											
1998	56,739	160	56	31	40	112	161	287	521	1,106	1,983
1997	56,020	144	65	22	37	79	190	279	509	1,085	1,975
1996	55,940	152	39	19	51	97	161	248	558	1,086	1,885
1995	56,643	147	71	26	42	98	198	276	612	1,157	2,000
1994	55,083	158	67	17	46	85	166	295	582	1,209	1,942
1993	55,560	152	62	32	35	87	174	320	595	1,121	1,948
1992	53,492	164	66	26	40	99	166	301	586	1,114	1,864
1991	53,871	168	85	28	34	80	167	308	568	1,172	1,772
1990	52,897	203	62	17	30	80	152	279	593	1,098	1,689
1989	54,274	154	68	26	30	74	151	268	621	1,119	1,641
1988	55,625	181	68	27	33	94	173	321	684	1,123	1,595
1987	54,661	177	65	20	38	83	169	311	636	1,157	1,587
1986	54,357	185	72	22	29	81	175	329	677	1,026	1,639
1985	54,268	188	63	21	31	102	158	325	612	1,022	1,482
1984	53,092	177	67	33	35	76	183	312	574	916	1,462
1983	53,213	199	65	26	37	96	153	301	556	831	1,413
1982	51,888	152	60	28	32	82	144	311	511	834	1,366
1981	52,128	152	58	21	31	83	183	320	540	843	1,407
1980	53,619	158	75	18	35	118	214	290	540	878	1,420
1979	51,382	166	55	12	27	83	162	290	457	828	1,406

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Major cardiovascular diseases (390-434,436-448)											
All other, female											
1998	61,954	152	47	30	30	56	110	206	379	720	1,326
1997	60,633	127	29	31	31	64	125	203	354	744	1,277
1996	60,824	133	58	23	35	75	85	212	407	762	1,273
1995	60,363	132	53	18	34	72	120	191	367	768	1,204
1994	59,103	148	61	22	28	65	115	219	455	770	1,225
1993	59,468	140	59	26	30	51	112	203	402	775	1,149
1992	56,391	141	54	25	22	45	104	214	413	678	1,170
1991	56,148	138	61	22	29	53	111	211	413	653	1,053
1990	55,395	154	55	21	39	48	124	204	420	636	953
1989	56,726	151	50	22	45	67	112	231	396	622	958
1988	57,385	158	59	17	26	61	104	243	368	652	940
1987	55,444	142	63	29	26	58	122	238	414	577	858
1986	55,047	158	66	25	31	59	130	249	400	618	848
1985	54,433	144	65	23	40	66	132	220	352	532	903
1984	52,904	148	59	19	35	61	127	221	343	544	852
1983	52,779	158	50	27	27	64	134	214	323	527	825
1982	50,194	131	50	27	29	61	131	212	343	484	824
1981	50,534	117	53	16	37	68	123	245	318	492	839
1980	51,358	146	57	30	35	82	131	238	347	500	872
1979	48,041	132	47	20	32	61	140	234	323	503	830
Major cardiovascular diseases (390-434,436-448)											
Black, both sexes											
1998	103,422	266	85	54	62	151	237	452	820	1,651	3,045
1997	101,956	235	86	49	61	127	277	431	769	1,652	2,959
1996	102,588	248	81	36	73	158	222	423	877	1,677	2,878
1995	103,492	246	111	36	66	154	281	418	896	1,760	2,959
1994	101,164	271	115	33	64	133	246	472	947	1,811	2,899
1993	102,707	244	99	46	57	121	266	476	915	1,750	2,832
1992	98,267	278	107	42	53	130	241	474	911	1,660	2,799
1991	99,026	276	130	45	56	116	249	479	914	1,690	2,624
1990	98,043	309	103	30	60	117	255	436	940	1,599	2,443
1989	100,876	270	100	41	64	127	245	460	963	1,627	2,405
1988	103,407	300	110	39	52	149	258	525	988	1,667	2,364
1987	100,896	277	114	40	57	134	262	499	982	1,609	2,268
1986	100,875	311	121	39	54	125	277	534	1,010	1,536	2,335
1985	100,268	294	117	36	62	155	267	522	903	1,435	2,228
1984	98,136	297	107	47	61	131	277	499	847	1,366	2,163
1983	98,496	323	98	44	53	150	265	476	830	1,259	2,074
1982	95,057	240	100	48	55	125	263	487	793	1,236	2,044
1981	96,269	238	95	35	65	138	285	531	804	1,258	2,116
1980	98,478	280	117	43	60	185	318	497	842	1,288	2,158
1979	93,349	268	91	31	54	136	274	491	722	1,245	2,123

Source: CDC/NCHS, National Vital Statistics System
See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Major cardiovascular diseases (390-434,436-448)											
Black, male											
1998	48,372	139	48	28	35	104	141	259	466	975	1,787
1997	47,934	125	62	22	36	73	167	248	443	967	1,785
1996	48,175	133	34	15	43	90	145	226	495	964	1,681
1995	49,166	133	67	20	38	89	170	245	554	1,037	1,827
1994	47,813	139	58	14	40	75	145	258	522	1,104	1,754
1993	48,649	121	49	24	32	76	160	287	536	1,018	1,759
1992	46,954	153	60	20	35	88	144	275	529	1,027	1,697
1991	47,645	148	75	25	30	69	149	286	523	1,075	1,636
1990	47,194	175	56	14	27	70	138	246	546	999	1,549
1989	48,499	133	58	24	26	67	141	249	584	1,048	1,501
1988	50,080	158	57	24	30	88	159	297	640	1,053	1,472
1987	49,193	150	61	17	35	78	152	273	589	1,061	1,463
1986	49,371	170	65	18	25	74	157	297	629	951	1,529
1985	49,367	165	57	16	28	97	143	307	569	946	1,381
1984	48,482	161	57	29	30	72	158	291	527	862	1,354
1983	48,799	177	56	23	32	88	144	270	518	762	1,292
1982	47,623	129	52	24	29	73	137	287	473	778	1,258
1981	48,305	134	51	21	30	77	169	299	507	790	1,325
1980	49,603	145	68	17	33	106	197	273	514	812	1,323
1979	47,655	147	49	12	26	80	144	275	419	769	1,331
Major cardiovascular diseases (390-434,436-448)											
Black, female											
1998	55,050	127	37	26	27	47	96	193	354	676	1,258
1997	54,022	110	24	27	25	54	110	183	326	685	1,174
1996	54,413	115	47	21	30	68	77	197	382	713	1,197
1995	54,326	113	44	16	28	65	111	173	342	723	1,132
1994	53,351	132	57	19	24	58	101	214	425	707	1,145
1993	54,058	123	50	22	25	45	106	189	379	732	1,073
1992	51,313	125	47	22	18	42	97	199	382	633	1,102
1991	51,381	128	55	20	26	47	100	193	391	615	988
1990	50,849	134	47	16	33	47	117	190	394	600	894
1989	52,377	137	42	17	38	60	104	211	379	579	904
1988	53,327	142	53	15	22	61	99	228	348	614	892
1987	51,703	127	53	23	22	56	110	226	393	548	805
1986	51,504	141	56	21	29	51	120	237	381	585	806
1985	50,901	129	60	20	34	58	124	215	334	489	847
1984	49,654	136	50	18	31	59	119	208	320	504	809
1983	49,697	146	42	21	21	62	121	206	312	497	782
1982	47,434	111	48	24	26	52	126	200	320	458	786
1981	47,964	104	44	14	35	61	116	232	297	468	791
1980	48,875	135	49	26	27	79	121	224	328	476	835
1979	45,694	121	42	19	28	56	130	216	303	476	792

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Diseases of heart (390-398,402,404,410-429)											
All races, both sexes											
1998	724,859	609	214	156	170	415	642	1,086	2,121	4,700	8,893
1997	726,974	622	212	128	185	417	681	1,076	2,210	4,660	8,567
1996	733,361	625	217	129	205	407	562	1,072	2,278	4,739	8,478
1995	737,563	658	251	130	164	399	640	1,067	2,394	4,903	8,700
1994	732,409	685	285	129	198	376	616	1,155	2,365	4,909	8,334
1993	743,460	663	296	129	174	366	615	1,126	2,413	4,658	8,463
1992	717,706	716	286	130	154	333	635	1,119	2,304	4,350	8,348
1991	720,862	704	332	128	153	359	631	1,159	2,266	4,337	8,060
1990	720,058	794	282	124	184	344	573	1,089	2,201	4,068	7,687
1989	733,867	776	281	124	171	343	595	1,141	2,321	4,155	7,627
1988	765,156	871	352	146	178	394	696	1,230	2,345	4,387	7,683
1987	760,353	950	322	149	175	391	671	1,267	2,385	4,363	7,859
1986	765,490	982	366	150	160	391	705	1,274	2,417	4,523	7,892
1985	771,169	920	305	139	183	410	703	1,249	2,206	4,346	7,738
1984	765,114	953	346	168	172	370	729	1,150	2,164	4,142	7,665
1983	770,432	955	349	145	173	410	658	1,170	2,158	4,017	7,521
1982	755,592	769	311	166	194	394	718	1,202	2,021	3,993	7,457
1981	753,884	763	338	144	179	387	692	1,151	2,106	3,949	7,479
1980	761,085	806	338	142	188	487	736	1,102	1,978	3,872	7,561
1979	733,235	693	265	119	170	395	722	1,089	1,951	3,847	7,533
Diseases of heart (390-398,402,404,410-429)											
All races, male											
1998	353,897	312	114	99	92	273	399	689	1,382	3,275	6,450
1997	356,598	349	119	67	113	258	416	665	1,480	3,272	6,297
1996	360,075	335	111	59	122	251	365	688	1,533	3,371	6,173
1995	362,714	344	136	75	88	255	404	670	1,651	3,490	6,457
1994	361,276	369	146	64	110	246	385	715	1,556	3,504	6,128
1993	367,479	367	164	56	93	246	381	745	1,612	3,298	6,278
1992	357,545	383	151	73	87	231	395	693	1,581	3,181	6,274
1991	359,814	396	178	68	83	239	402	774	1,509	3,166	6,048
1990	360,788	442	141	65	104	233	355	706	1,514	3,008	5,893
1989	368,202	425	161	68	83	212	378	743	1,619	3,074	5,768
1988	385,402	486	176	80	115	269	440	782	1,683	3,261	5,811
1987	385,217	545	167	85	94	247	426	793	1,671	3,277	6,028
1986	390,912	563	189	80	90	257	439	812	1,706	3,418	6,031
1985	398,208	524	156	65	91	262	442	829	1,575	3,273	5,861
1984	397,097	524	183	92	86	225	450	752	1,565	3,115	5,848
1983	402,727	538	190	75	100	261	400	777	1,537	3,045	5,711
1982	398,570	453	175	84	94	258	429	800	1,435	2,987	5,653
1981	400,535	415	174	77	103	234	438	754	1,461	2,956	5,690
1980	405,661	460	183	65	105	301	481	712	1,375	2,922	5,715
1979	396,372	406	138	57	93	250	445	712	1,356	2,844	5,722

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,
sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Diseases of heart (390-398,402,404,410-429)											
All races, female											
1998	370,962	297	100	57	78	142	243	397	739	1,425	2,443
1997	370,376	273	93	61	72	159	265	411	730	1,388	2,270
1996	373,286	290	106	70	83	156	197	384	745	1,368	2,305
1995	374,849	314	115	55	76	144	236	397	743	1,413	2,243
1994	371,133	316	139	65	88	130	231	440	809	1,405	2,206
1993	375,981	296	132	73	81	120	234	381	801	1,360	2,185
1992	360,161	333	135	57	67	102	240	426	723	1,169	2,074
1991	361,048	308	154	60	70	120	229	385	757	1,171	2,012
1990	359,270	352	141	59	80	111	218	383	687	1,060	1,794
1989	365,665	351	120	56	88	131	217	398	702	1,081	1,859
1988	379,754	385	176	66	63	125	256	448	662	1,126	1,872
1987	375,136	405	155	64	81	144	245	474	714	1,086	1,831
1986	374,578	419	177	70	70	134	266	462	711	1,105	1,861
1985	372,961	396	149	74	92	148	261	420	631	1,073	1,877
1984	368,017	429	163	76	86	145	279	398	599	1,027	1,817
1983	367,705	417	159	70	73	149	258	393	621	972	1,810
1982	357,022	316	136	82	100	136	289	402	586	1,006	1,804
1981	353,349	348	164	67	76	153	254	397	645	993	1,789
1980	355,424	346	155	77	83	186	255	390	603	950	1,846
1979	336,863	287	127	62	77	145	277	377	595	1,003	1,811
Diseases of heart (390-398,402,404,410-429)											
White, both sexes											
1998	635,549	405	136	108	116	268	425	703	1,435	3,303	6,399
1997	639,225	442	140	86	135	293	425	685	1,551	3,297	6,235
1996	645,514	419	135	94	132	259	351	701	1,538	3,380	6,147
1995	649,089	450	153	92	104	252	377	697	1,641	3,467	6,357
1994	646,056	441	173	95	142	250	390	744	1,580	3,440	6,021
1993	655,365	432	190	85	130	250	385	724	1,650	3,240	6,115
1992	633,487	477	179	87	101	213	416	718	1,555	3,035	6,075
1991	636,805	463	210	87	103	252	407	774	1,540	2,978	5,961
1990	637,364	501	181	95	131	241	362	722	1,467	2,816	5,735
1989	648,866	517	179	87	110	233	398	775	1,571	2,894	5,683
1988	678,526	594	242	108	132	268	466	804	1,599	3,068	5,786
1987	675,732	676	206	110	120	271	456	862	1,596	3,083	6,006
1986	681,363	691	243	108	114	281	468	855	1,596	3,311	5,988
1985	688,152	642	192	102	122	279	481	829	1,495	3,182	5,932
1984	684,511	668	242	130	126	261	502	759	1,498	3,054	5,901
1983	689,749	650	244	105	128	282	449	785	1,499	3,035	5,799
1982	678,837	543	214	121	148	284	503	825	1,403	3,016	5,801
1981	677,449	546	239	114	126	272	471	747	1,500	2,971	5,789
1980	683,347	556	224	103	138	326	492	727	1,342	2,835	5,813
1979	660,154	459	178	98	125	291	506	727	1,401	2,889	5,845

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Diseases of heart (390-398,402,404,410-429)											
White, male											
1998	309,952	215	70	74	62	177	257	451	967	2,394	4,881
1997	313,316	257	71	50	85	190	256	436	1,064	2,428	4,780
1996	316,889	222	78	44	74	164	228	471	1,086	2,535	4,710
1995	318,751	236	82	51	55	170	234	447	1,157	2,588	4,933
1994	318,543	242	90	49	74	171	249	466	1,085	2,551	4,661
1993	323,802	251	110	34	72	170	241	485	1,126	2,405	4,750
1992	315,483	263	89	53	54	144	257	447	1,111	2,321	4,811
1991	317,642	265	108	45	54	170	256	526	1,061	2,248	4,692
1990	319,362	280	89	53	79	164	233	479	1,048	2,172	4,573
1989	325,397	298	102	48	60	151	256	534	1,124	2,226	4,487
1988	341,519	339	117	56	86	185	294	523	1,175	2,399	4,563
1987	342,063	388	108	71	60	175	295	553	1,161	2,382	4,766
1986	347,967	407	124	60	66	193	297	559	1,167	2,612	4,717
1985	355,374	371	103	45	62	177	313	564	1,085	2,476	4,663
1984	355,454	375	130	70	64	157	311	499	1,113	2,400	4,680
1983	360,951	369	128	54	73	178	285	538	1,097	2,411	4,571
1982	358,308	333	121	63	72	188	313	564	1,034	2,348	4,560
1981	360,386	294	123	59	76	169	299	501	1,056	2,303	4,580
1980	364,679	335	116	52	81	202	323	486	970	2,219	4,589
1979	357,378	278	93	51	71	186	322	499	1,020	2,227	4,622
Diseases of heart (390-398,402,404,410-429)											
White, female											
1998	325,597	190	66	34	54	91	168	252	468	909	1,518
1997	325,909	185	69	36	50	103	169	249	487	869	1,455
1996	328,625	197	57	50	58	95	123	230	452	845	1,437
1995	330,338	214	71	41	49	82	143	250	484	879	1,424
1994	327,513	199	83	46	68	79	141	278	495	889	1,360
1993	331,563	181	80	51	58	80	144	239	524	835	1,365
1992	318,004	214	90	34	47	69	159	271	444	714	1,264
1991	319,163	198	102	42	49	82	151	248	479	730	1,269
1990	318,002	221	92	42	52	77	129	243	419	644	1,162
1989	323,469	219	77	39	50	82	142	241	447	668	1,196
1988	337,007	255	125	52	46	83	172	281	424	669	1,223
1987	333,669	288	98	39	60	96	161	309	435	701	1,240
1986	333,396	284	119	48	48	88	171	296	429	699	1,271
1985	332,778	271	89	57	60	102	168	265	410	706	1,269
1984	329,057	293	112	60	62	104	191	260	385	654	1,221
1983	328,798	281	116	51	55	104	164	247	402	624	1,228
1982	320,529	210	93	58	76	96	190	261	369	668	1,241
1981	317,063	252	116	55	50	103	172	246	444	668	1,209
1980	318,668	221	108	51	57	124	169	241	372	616	1,224
1979	302,776	181	85	47	54	105	184	228	381	662	1,223

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Diseases of heart (390-398,402,404,410-429)											
All other, both sexes											
1998	89,310	204	78	48	54	147	217	383	686	1,397	2,494
1997	87,749	180	72	42	50	124	256	391	659	1,363	2,332
1996	87,847	206	82	35	73	148	211	371	740	1,359	2,331
1995	88,474	208	98	38	60	147	263	370	753	1,436	2,343
1994	86,353	244	112	34	56	126	226	411	785	1,469	2,313
1993	88,095	231	106	44	44	116	230	402	763	1,418	2,348
1992	84,219	239	107	43	53	120	219	401	749	1,315	2,273
1991	84,057	241	122	41	50	107	224	385	726	1,359	2,099
1990	82,694	293	101	29	53	103	211	367	734	1,252	1,952
1989	85,001	259	102	37	61	110	197	366	750	1,261	1,944
1988	86,630	277	110	38	46	126	230	426	746	1,319	1,897
1987	84,621	274	116	39	55	120	215	405	789	1,280	1,853
1986	84,127	291	123	42	46	110	237	419	821	1,212	1,904
1985	83,017	278	113	37	61	131	222	420	711	1,164	1,806
1984	80,603	285	104	38	46	109	227	391	666	1,088	1,764
1983	80,683	305	105	40	45	128	209	385	659	982	1,722
1982	76,755	226	97	45	46	110	215	377	618	977	1,656
1981	76,435	217	99	30	53	115	221	404	606	978	1,690
1980	77,738	250	114	39	50	161	244	375	636	1,037	1,748
1979	73,081	234	87	21	45	104	216	362	550	958	1,688
Diseases of heart (390-398,402,404,410-429)											
All other, male											
1998	43,945	97	44	25	30	96	142	238	415	881	1,569
1997	43,282	92	48	17	28	68	160	229	416	844	1,517
1996	43,186	113	33	15	48	87	137	217	447	836	1,463
1995	43,963	108	54	24	33	85	170	223	494	902	1,524
1994	42,733	127	56	15	36	75	136	249	471	953	1,467
1993	43,677	116	54	22	21	76	140	260	486	893	1,528
1992	42,062	120	62	20	33	87	138	246	470	860	1,463
1991	42,172	131	70	23	29	69	146	248	448	918	1,356
1990	41,426	162	52	12	25	69	122	227	466	836	1,320
1989	42,805	127	59	20	23	61	122	209	495	848	1,281
1988	43,883	147	59	24	29	84	146	259	508	862	1,248
1987	43,154	157	59	14	34	72	131	240	510	895	1,262
1986	42,945	156	65	20	24	64	142	253	539	806	1,314
1985	42,834	153	53	20	29	85	129	265	490	797	1,198
1984	41,643	149	53	22	22	68	139	253	452	715	1,168
1983	41,776	169	62	21	27	83	115	239	440	634	1,140
1982	40,262	120	54	21	22	70	116	236	401	639	1,093
1981	40,149	121	51	18	27	65	139	253	405	653	1,110
1980	40,982	125	67	13	24	99	158	226	405	703	1,126
1979	38,994	128	45	6	22	64	123	213	336	617	1,100

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Diseases of heart (390-398,402,404,410-429)											
All other, female											
1998	45,365	107	34	23	24	51	75	145	271	516	925
1997	44,467	88	24	25	22	56	96	162	243	519	815
1996	44,661	93	49	20	25	61	74	154	293	523	868
1995	44,511	100	44	14	27	62	93	147	259	534	819
1994	43,620	117	56	19	20	51	90	162	314	516	846
1993	44,418	115	52	22	23	40	90	142	277	525	820
1992	42,157	119	45	23	20	33	81	155	279	455	810
1991	41,885	110	52	18	21	38	78	137	278	441	743
1990	41,268	131	49	17	28	34	89	140	268	416	632
1989	42,196	132	43	17	38	49	75	157	255	413	663
1988	42,747	130	51	14	17	42	84	167	238	457	649
1987	41,467	117	57	25	21	48	84	165	279	385	591
1986	41,182	135	58	22	22	46	95	166	282	406	590
1985	40,183	125	60	17	32	46	93	155	221	367	608
1984	38,960	136	51	16	24	41	88	138	214	373	596
1983	38,907	136	43	19	18	45	94	146	219	348	582
1982	36,493	106	43	24	24	40	99	141	217	338	563
1981	36,286	96	48	12	26	50	82	151	201	325	580
1980	36,756	125	47	26	26	62	86	149	231	334	622
1979	34,087	106	42	15	23	40	93	149	214	341	588
Diseases of heart (390-398,402,404,410-429)											
Black, both sexes											
1998	78,294	166	64	41	48	134	191	348	638	1,264	2,297
1997	77,174	156	65	38	45	112	227	355	588	1,235	2,128
1996	77,641	179	67	30	62	135	193	346	676	1,235	2,130
1995	78,643	180	88	32	53	137	234	330	697	1,315	2,177
1994	76,852	214	104	29	48	113	196	380	714	1,346	2,124
1993	79,011	196	87	37	40	104	216	363	702	1,318	2,137
1992	75,600	215	95	36	46	110	195	372	681	1,219	2,091
1991	76,014	218	111	36	44	94	202	358	678	1,256	1,955
1990	75,111	254	90	24	46	95	195	334	690	1,154	1,802
1989	77,431	229	89	31	51	98	186	339	713	1,182	1,809
1988	79,466	246	96	34	40	120	216	399	700	1,238	1,776
1987	77,747	235	103	31	50	115	198	369	739	1,183	1,718
1986	77,726	265	109	35	41	98	218	388	768	1,137	1,786
1985	76,684	245	103	31	55	122	206	400	663	1,073	1,692
1984	74,698	259	92	35	42	104	206	366	615	1,026	1,645
1983	75,008	277	91	32	37	119	195	353	621	912	1,597
1982	71,468	191	87	40	41	93	204	349	570	918	1,538
1981	71,697	191	85	28	51	106	208	381	564	914	1,589
1980	72,956	231	103	35	42	147	221	349	604	966	1,639
1979	68,579	208	78	20	41	100	197	336	506	894	1,603

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Diseases of heart (390-398,402,404,410-429)											
Black, male											
1998	37,662	82	38	22	26	90	124	213	380	776	1,414
1997	37,212	80	45	17	27	62	142	205	361	752	1,376
1996	37,335	100	28	12	40	80	125	199	399	744	1,307
1995	38,389	96	51	19	30	79	148	198	455	812	1,404
1994	37,241	110	50	13	31	67	116	221	422	872	1,323
1993	38,357	91	42	17	20	67	131	231	439	818	1,365
1992	37,040	112	56	16	29	79	119	224	423	797	1,323
1991	37,454	115	63	20	25	60	132	232	412	841	1,252
1990	37,038	141	47	11	23	61	110	203	431	761	1,202
1989	38,321	108	53	18	20	55	114	196	470	794	1,174
1988	39,584	129	51	22	26	78	136	242	474	808	1,153
1987	38,934	132	56	12	32	68	121	211	474	816	1,160
1986	39,076	144	58	16	21	58	128	230	499	748	1,221
1985	38,982	134	48	15	26	81	117	249	456	735	1,114
1984	38,034	135	47	20	20	64	123	236	411	677	1,076
1983	38,311	152	54	18	22	75	110	213	409	581	1,038
1982	36,925	103	46	19	20	61	110	217	369	599	999
1981	37,188	106	45	18	26	62	129	237	378	604	1,041
1980	37,877	115	61	12	22	88	144	210	387	644	1,043
1979	36,122	111	41	6	21	62	109	200	305	569	1,037
Diseases of heart (390-398,402,404,410-429)											
Black, female											
1998	40,632	84	26	19	22	44	67	135	258	488	883
1997	39,962	76	20	21	18	50	85	150	227	483	752
1996	40,306	79	39	18	22	55	68	147	277	491	823
1995	40,254	84	37	13	23	58	86	132	242	503	773
1994	39,611	104	54	16	17	46	80	159	292	474	801
1993	40,654	105	45	20	20	37	85	132	263	500	772
1992	38,560	103	39	20	17	31	76	148	258	422	768
1991	38,560	103	48	16	19	34	70	126	266	415	703
1990	38,073	113	43	13	23	34	85	131	259	393	600
1989	39,110	121	36	13	31	43	72	143	243	388	635
1988	39,882	117	45	12	14	42	80	157	226	430	623
1987	38,813	103	47	19	18	47	77	158	265	367	558
1986	38,650	121	51	19	20	40	90	158	269	389	565
1985	37,702	111	55	16	29	41	89	151	207	338	578
1984	36,664	124	45	15	22	40	83	130	204	349	569
1983	36,697	125	37	14	15	44	85	140	212	331	559
1982	34,543	88	41	21	21	32	94	132	201	319	539
1981	34,509	85	40	10	25	44	79	144	186	310	548
1980	35,079	116	42	23	20	59	77	139	217	322	596
1979	32,457	97	37	14	20	38	88	136	201	325	566

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Acute rheumatic fever and chronic rheumatic heart diseases (390-398)											
All races, both sexes											
1998	4,792	2	1	1	3	8	25	38	44	78	117
1997	5,014	3	4	-	5	16	27	30	63	98	112
1996	5,006	9	7	2	2	16	16	37	44	92	117
1995	5,147	5	4	1	2	13	15	27	60	102	117
1994	5,415	6	6	7	15	13	20	29	73	85	119
1993	5,743	4	5	2	5	13	14	35	69	101	121
1992	5,702	2	7	2	4	13	23	41	60	86	136
1991	5,951	6	4	3	1	8	15	42	62	86	135
1990	6,018	7	2	4	4	16	19	36	66	109	144
1989	6,087	4	6	6	4	11	24	36	72	91	164
1988	6,421	6	4	2	8	16	38	40	70	111	111
1987	6,389	5	8	4	4	9	32	65	90	116	107
1986	6,441	5	2	2	4	14	38	53	85	103	145
1985	6,593	7	6	4	10	15	46	74	75	107	153
1984	6,912	5	9	4	8	23	48	51	90	99	179
1983	6,895	7	4	4	9	21	32	74	71	112	175
1982	7,053	6	7	8	7	24	39	63	77	98	163
1981	7,378	7	1	3	16	16	34	70	95	125	185
1980	7,836	4	6	6	17	31	55	61	92	136	205
1979	7,795	5	2	4	7	29	54	70	83	130	224
Acute rheumatic fever and chronic rheumatic heart diseases (390-398)											
All races, male											
1998	1,422	2	1	1	1	4	8	15	18	34	43
1997	1,553	-	3	-	2	12	12	14	33	32	40
1996	1,482	7	4	-	-	6	8	15	15	35	51
1995	1,534	3	3	1	1	5	6	9	29	43	48
1994	1,679	3	3	5	6	6	5	10	34	37	48
1993	1,790	2	3	-	1	6	8	18	31	44	52
1992	1,714	2	5	1	3	2	12	16	26	38	57
1991	1,786	1	3	3	1	4	8	16	22	32	69
1990	1,830	2	-	1	2	8	8	15	35	56	60
1989	1,877	2	3	4	1	3	7	16	35	32	77
1988	1,945	3	2	2	5	9	23	18	28	42	46
1987	1,934	3	2	4	3	5	10	25	41	58	44
1986	2,054	5	1	2	1	6	18	25	39	51	68
1985	2,142	4	6	2	4	9	23	35	38	43	65
1984	2,279	3	3	-	5	12	20	15	48	50	75
1983	2,199	5	3	1	7	15	15	40	35	48	71
1982	2,336	5	5	4	4	14	19	31	37	43	65
1981	2,469	2	1	1	7	9	22	27	39	48	79
1980	2,660	2	1	1	10	18	34	24	45	57	91
1979	2,651	3	1	1	6	19	29	31	38	58	102

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Acute rheumatic fever and chronic rheumatic heart diseases (390-398)											
All races, female											
1998	3,370	-	-	-	2	4	17	23	26	44	74
1997	3,461	3	1	-	3	4	15	16	30	66	72
1996	3,524	2	3	2	2	10	8	22	29	57	66
1995	3,613	2	1	-	1	8	9	18	31	59	69
1994	3,736	3	3	2	9	7	15	19	39	48	71
1993	3,953	2	2	2	4	7	6	17	38	57	69
1992	3,988	-	2	1	1	11	11	25	34	48	79
1991	4,165	5	1	-	-	4	7	26	40	54	66
1990	4,188	5	2	3	2	8	11	21	31	53	84
1989	4,210	2	3	2	3	8	17	20	37	59	87
1988	4,476	3	2	-	3	7	15	22	42	69	65
1987	4,455	2	6	-	1	4	22	40	49	58	63
1986	4,387	-	1	-	3	8	20	28	46	52	77
1985	4,451	3	-	2	6	6	23	39	37	64	88
1984	4,633	2	6	4	3	11	28	36	42	49	104
1983	4,696	2	1	3	2	6	17	34	36	64	104
1982	4,717	1	2	4	3	10	20	32	40	55	98
1981	4,909	5	-	2	9	7	12	43	56	77	106
1980	5,176	2	5	5	7	13	21	37	47	79	114
1979	5,144	2	1	3	1	10	25	39	45	72	122
Acute rheumatic fever and chronic rheumatic heart diseases (390-398)											
White, both sexes											
1998	4,334	2	-	1	3	6	21	29	33	55	83
1997	4,547	3	4	-	2	13	14	18	50	64	73
1996	4,534	8	5	2	2	10	13	29	35	52	86
1995	4,661	4	1	1	-	8	12	19	38	70	85
1994	4,923	5	6	5	10	11	13	21	48	56	80
1993	5,231	4	3	1	5	9	11	23	43	68	83
1992	5,161	2	6	-	3	10	18	28	47	59	92
1991	5,426	5	3	3	-	5	9	31	52	56	99
1990	5,483	6	2	4	2	10	12	24	48	72	96
1989	5,523	4	6	6	1	9	17	27	47	58	114
1988	5,874	5	3	1	3	13	27	28	47	65	79
1987	5,875	5	5	2	-	7	18	43	59	80	76
1986	5,872	3	2	1	-	5	18	32	56	64	99
1985	6,026	6	4	3	7	8	31	49	48	71	115
1984	6,355	3	8	4	5	16	34	22	62	67	134
1983	6,341	3	4	3	6	12	17	44	47	88	126
1982	6,504	5	7	4	4	14	26	39	50	75	131
1981	6,798	4	1	1	12	8	22	43	69	97	144
1980	7,203	3	5	4	6	15	28	33	59	105	160
1979	7,195	5	2	2	5	14	35	37	60	98	181

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Acute rheumatic fever and chronic rheumatic heart diseases (390-398)

White, male

1998	1,288	2	-	1	1	2	6	11	16	26	33
1997	1,389	-	3	-	1	10	5	9	30	19	24
1996	1,331	6	4	-	-	2	7	12	11	27	38
1995	1,375	2	1	1	-	4	3	5	19	30	31
1994	1,513	3	3	4	4	6	4	8	17	23	35
1993	1,621	2	1	-	1	4	6	11	17	34	35
1992	1,537	2	4	-	3	1	9	10	21	29	43
1991	1,607	1	2	3	-	3	5	12	19	26	54
1990	1,655	2	-	1	1	4	6	11	27	39	43
1989	1,674	2	3	4	-	2	5	11	21	16	51
1988	1,746	2	2	1	1	8	14	10	19	26	33
1987	1,767	3	2	2	-	5	6	18	28	42	31
1986	1,842	3	1	1	-	4	10	14	24	33	47
1985	1,934	4	4	2	3	5	18	24	25	29	50
1984	2,087	3	3	-	3	7	17	5	33	34	58
1983	1,996	1	3	-	5	8	9	25	21	38	54
1982	2,133	5	5	2	3	9	11	21	24	34	54
1981	2,254	2	1	-	6	3	13	17	30	39	62
1980	2,424	2	1	1	6	9	15	12	35	46	71
1979	2,414	3	1	1	4	10	19	18	26	38	82

Acute rheumatic fever and chronic rheumatic heart diseases (390-398)

White, female

1998	3,046	-	-	-	2	4	15	18	17	29	50
1997	3,158	3	1	-	1	3	9	9	20	45	49
1996	3,203	2	1	2	2	8	6	17	24	25	48
1995	3,286	2	-	-	-	4	9	14	19	40	54
1994	3,410	2	3	1	6	5	9	13	31	33	45
1993	3,610	2	2	1	4	5	5	12	26	34	48
1992	3,624	-	2	-	-	9	9	18	26	30	49
1991	3,819	4	1	-	-	2	4	19	33	30	45
1990	3,828	4	2	3	1	6	6	13	21	33	53
1989	3,849	2	3	2	1	7	12	16	26	42	63
1988	4,128	3	1	-	2	5	13	18	28	39	46
1987	4,108	2	3	-	-	2	12	25	31	38	45
1986	4,030	-	1	-	-	1	8	18	32	31	52
1985	4,092	2	-	1	4	3	13	25	23	42	65
1984	4,268	-	5	4	2	9	17	17	29	33	76
1983	4,345	2	1	3	1	4	8	19	26	50	72
1982	4,371	-	2	2	1	5	15	18	26	41	77
1981	4,544	2	-	1	6	5	9	26	39	58	82
1980	4,779	1	4	3	-	6	13	21	24	59	89
1979	4,781	2	1	1	1	4	16	19	34	60	99

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Acute rheumatic fever and chronic rheumatic heart diseases (390-398)											
All other, both sexes											
1998	458	-	1	-	-	2	4	9	11	23	34
1997	467	-	-	-	3	3	13	12	13	34	39
1996	472	1	2	-	-	6	3	8	9	40	31
1995	486	1	3	-	2	5	3	8	22	32	32
1994	492	1	-	2	5	2	7	8	25	29	39
1993	512	-	2	1	-	4	3	12	26	33	38
1992	541	-	1	2	1	3	5	13	13	27	44
1991	525	1	1	-	1	3	6	11	10	30	36
1990	535	1	-	-	2	6	7	12	18	37	48
1989	564	-	-	-	3	2	7	9	25	33	50
1988	547	1	1	1	5	3	11	12	23	46	32
1987	514	-	3	2	4	2	14	22	31	36	31
1986	569	2	-	1	4	9	20	21	29	39	46
1985	567	1	2	1	3	7	15	25	27	36	38
1984	557	2	1	-	3	7	14	29	28	32	45
1983	554	4	-	1	3	9	15	30	24	24	49
1982	549	1	-	4	3	10	13	24	27	23	32
1981	580	3	-	2	4	8	12	27	26	28	41
1980	633	1	1	2	11	16	27	28	33	31	45
1979	600	-	-	2	2	15	19	33	23	32	43
Acute rheumatic fever and chronic rheumatic heart diseases (390-398)											
All other, male											
1998	134	-	1	-	-	2	2	4	2	8	10
1997	164	-	-	-	1	2	7	5	3	13	16
1996	151	1	-	-	-	4	1	3	4	8	13
1995	159	1	2	-	1	1	3	4	10	13	17
1994	166	-	-	1	2	-	1	2	17	14	13
1993	169	-	2	-	-	2	2	7	14	10	17
1992	177	-	1	1	-	1	3	6	5	9	14
1991	179	-	1	-	1	1	3	4	3	6	15
1990	175	-	-	-	1	4	2	4	8	17	17
1989	203	-	-	-	1	1	2	5	14	16	26
1988	199	1	-	1	4	1	9	8	9	16	13
1987	167	-	-	2	3	-	4	7	13	16	13
1986	212	2	-	1	1	2	8	11	15	18	21
1985	208	-	2	-	1	4	5	11	13	14	15
1984	192	-	-	-	2	5	3	10	15	16	17
1983	203	4	-	1	2	7	6	15	14	10	17
1982	203	-	-	2	1	5	8	10	13	9	11
1981	215	-	-	1	1	6	9	10	9	9	17
1980	236	-	-	-	4	9	19	12	10	11	20
1979	237	-	-	-	2	9	10	13	12	20	20

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Acute rheumatic fever and chronic rheumatic heart diseases (390-398)											
All other, female											
1998	324	-	-	-	-	-	2	5	9	15	24
1997	303	-	-	-	2	1	6	7	10	21	23
1996	321	-	2	-	-	2	2	5	5	32	18
1995	327	-	1	-	1	4	-	4	12	19	15
1994	326	1	-	1	3	2	6	6	8	15	26
1993	343	-	-	1	-	2	1	5	12	23	21
1992	364	-	-	1	1	2	2	7	8	18	30
1991	346	1	-	-	-	2	3	7	7	24	21
1990	360	1	-	-	1	2	5	8	10	20	31
1989	361	-	-	-	2	1	5	4	11	17	24
1988	348	-	1	-	1	2	2	4	14	30	19
1987	347	-	3	-	1	2	10	15	18	20	18
1986	357	-	-	-	3	7	12	10	14	21	25
1985	359	1	-	1	2	3	10	14	14	22	23
1984	365	2	1	-	1	2	11	19	13	16	28
1983	351	-	-	-	1	2	9	15	10	14	32
1982	346	1	-	2	2	5	5	14	14	14	21
1981	365	3	-	1	3	2	3	17	17	19	24
1980	397	1	1	2	7	7	8	16	23	20	25
1979	363	-	-	2	-	6	9	20	11	12	23
Acute rheumatic fever and chronic rheumatic heart diseases (390-398)											
Black, both sexes											
1998	356	-	-	-	-	2	4	8	11	20	28
1997	353	-	-	-	2	3	8	11	9	25	31
1996	355	1	2	-	-	6	3	6	8	33	28
1995	368	1	2	-	2	5	2	6	21	28	25
1994	370	1	-	2	5	1	3	7	19	23	28
1993	410	-	2	1	-	4	3	12	25	25	33
1992	431	-	-	2	1	3	4	11	11	24	37
1991	413	1	1	-	-	3	6	10	10	26	28
1990	436	1	-	-	2	5	6	7	16	34	40
1989	448	-	-	-	3	1	4	7	20	28	42
1988	426	-	1	1	3	3	8	10	17	37	27
1987	412	-	3	2	2	1	10	21	29	34	23
1986	470	2	-	1	3	8	15	18	21	33	42
1985	472	1	2	1	3	6	12	21	23	32	31
1984	458	2	-	-	2	7	11	26	25	26	34
1983	465	4	-	1	2	8	13	24	21	18	43
1982	458	-	-	4	2	7	9	20	21	16	26
1981	479	3	-	1	4	4	6	23	22	23	36
1980	556	1	1	2	9	14	22	23	27	27	37
1979	531	-	-	1	2	14	17	28	19	27	39

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Acute rheumatic fever and chronic rheumatic heart diseases (390-398)

Black, male

1998	101	-	-	-	-	2	2	4	2	8	8
1997	124	-	-	-	1	2	5	5	2	10	13
1996	106	1	-	-	-	4	1	3	3	6	10
1995	123	1	2	-	1	1	2	3	10	12	12
1994	131	-	-	1	2	-	1	1	13	12	10
1993	133	-	2	-	-	2	2	7	13	7	14
1992	131	-	-	1	-	1	2	5	4	9	12
1991	138	-	1	-	-	1	3	3	3	5	11
1990	146	-	-	-	1	3	1	3	7	14	14
1989	168	-	-	-	1	1	-	4	12	14	22
1988	154	-	-	1	3	1	6	6	4	15	10
1987	132	-	-	2	2	-	3	7	12	16	11
1986	177	2	-	1	-	2	7	10	12	14	20
1985	174	-	2	-	1	4	3	10	12	12	13
1984	157	-	-	-	1	5	2	9	15	14	13
1983	166	4	-	1	1	6	6	11	13	7	15
1982	158	-	-	2	-	3	6	8	10	6	8
1981	173	-	-	1	1	4	4	8	9	6	16
1980	206	-	-	-	2	8	17	11	9	11	15
1979	211	-	-	-	2	9	8	11	9	17	18

Acute rheumatic fever and chronic rheumatic heart diseases (390-398)

Black, female

1998	255	-	-	-	-	-	2	4	9	12	20
1997	229	-	-	-	1	1	3	6	7	15	18
1996	249	-	2	-	-	2	2	3	5	27	18
1995	245	-	-	-	1	4	-	3	11	16	13
1994	239	1	-	1	3	1	2	6	6	11	18
1993	277	-	-	1	-	2	1	5	12	18	19
1992	300	-	-	1	1	2	2	6	7	15	25
1991	275	1	-	-	-	2	3	7	7	21	17
1990	290	1	-	-	1	2	5	4	9	20	26
1989	280	-	-	-	2	-	4	3	8	14	20
1988	272	-	1	-	-	2	2	4	13	22	17
1987	280	-	3	-	-	1	7	14	17	18	12
1986	293	-	-	-	3	6	8	8	9	19	22
1985	298	1	-	1	2	2	9	11	11	20	18
1984	301	2	-	-	1	2	9	17	10	12	21
1983	299	-	-	-	1	2	7	13	8	11	28
1982	300	-	-	2	2	4	3	12	11	10	18
1981	306	3	-	-	3	-	2	15	13	17	20
1980	350	1	1	2	7	6	5	12	18	16	22
1979	320	-	-	1	-	5	9	17	10	10	21

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Hypertensive heart disease (402)											
All races, both sexes											
1998	27,715	1	1	-	-	5	19	68	137	350	653
1997	26,607	2	-	-	1	5	23	39	139	345	608
1996	26,188	-	-	-	1	3	23	55	141	299	584
1995	25,014	1	-	-	-	5	14	41	134	289	578
1994	23,943	-	-	-	2	5	15	56	153	318	519
1993	23,037	2	1	-	1	2	14	45	125	263	488
1992	21,853	1	-	-	1	2	18	45	121	234	478
1991	21,365	1	1	2	2	1	17	48	99	232	432
1990	21,072	-	1	-	2	2	14	42	106	205	403
1989	20,963	2	2	-	2	3	8	34	110	212	374
1988	20,788	1	1	1	-	3	22	37	109	193	340
1987	20,678	1	-	1	-	1	13	42	69	207	336
1986	20,509	1	2	-	-	2	17	31	88	184	344
1985	20,882	1	-	-	1	5	17	44	85	184	331
1984	20,712	-	1	1	-	5	11	33	80	170	336
1983	20,984	1	2	-	-	1	6	38	97	182	303
1982	20,779	3	1	1	-	6	13	46	85	156	295
1981	20,793	-	-	2	1	2	12	36	93	148	326
1980	21,095	1	-	1	-	3	17	34	82	168	317
1979	20,992	1	-	-	1	4	10	53	91	159	326
Hypertensive heart disease (402)											
All races, male											
1998	11,937	-	-	-	-	3	16	47	97	244	458
1997	11,386	1	-	-	1	2	16	25	90	259	427
1996	11,129	-	-	-	1	2	20	37	101	209	390
1995	10,638	-	-	-	-	4	13	26	91	197	403
1994	10,055	-	-	-	1	2	10	44	103	221	351
1993	9,771	1	1	-	1	1	8	32	93	187	319
1992	9,211	1	-	-	1	2	10	26	82	170	339
1991	8,995	-	1	2	2	1	15	32	61	151	289
1990	8,822	-	-	-	-	2	11	28	75	139	279
1989	8,923	2	1	-	1	1	6	27	76	145	247
1988	8,850	1	1	-	-	2	17	27	75	134	212
1987	8,855	-	-	1	-	-	10	30	46	148	231
1986	8,614	-	1	-	-	1	14	16	70	120	220
1985	8,970	-	-	-	-	5	12	34	68	130	228
1984	8,892	-	1	1	-	4	8	25	61	115	229
1983	9,106	-	2	-	-	1	5	30	78	126	205
1982	8,896	1	-	-	-	5	6	32	57	102	190
1981	8,994	-	-	2	1	2	10	25	73	93	198
1980	8,870	1	-	-	-	2	8	22	54	110	194
1979	8,902	-	-	-	-	3	6	31	49	107	215

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	
Hypertensive heart disease (402)												
All races, female												
1998	15,778	1	1	-	-	2	3	21	40	106	195	
1997	15,221	1	-	-	-	3	7	14	49	86	181	
1996	15,059	-	-	-	-	1	3	18	40	90	194	
1995	14,376	1	-	-	-	1	1	15	43	92	175	
1994	13,888	-	-	-	1	3	5	12	50	97	168	
1993	13,266	1	-	-	-	1	6	13	32	76	169	
1992	12,642	-	-	-	-	-	8	19	39	64	139	
1991	12,370	1	-	-	-	-	2	16	38	81	143	
1990	12,250	-	1	-	2	-	3	14	31	66	124	
1989	12,040	-	1	-	1	2	2	7	34	67	127	
1988	11,938	-	-	1	-	1	5	10	34	59	128	
1987	11,823	1	-	-	-	1	3	12	23	59	105	
1986	11,895	1	1	-	-	1	3	15	18	64	124	
1985	11,912	1	-	-	1	-	5	10	17	54	103	
1984	11,820	-	-	-	-	1	3	8	19	55	107	
1983	11,878	1	-	-	-	-	1	8	19	56	98	
1982	11,883	2	1	1	-	1	7	14	28	54	105	
1981	11,799	-	-	-	-	-	2	11	20	55	128	
1980	12,225	-	-	1	-	1	9	12	28	58	123	
1979	12,090	1	-	-	1	1	4	22	42	52	111	
Hypertensive heart disease (402)												
White, both sexes												
1998	20,047	1	-	-	-	1	9	23	53	164	307	
1997	19,377	2	-	-	-	3	6	15	69	183	289	
1996	19,197	-	-	-	-	2	6	22	66	148	274	
1995	18,166	1	-	-	-	2	2	17	56	131	279	
1994	17,395	-	-	-	2	3	10	25	72	137	240	
1993	16,620	1	1	-	1	-	3	21	58	121	227	
1992	15,685	-	-	-	-	1	8	22	45	104	210	
1991	15,409	-	1	-	1	1	6	22	45	92	190	
1990	15,165	-	-	-	2	1	4	16	45	77	195	
1989	15,012	1	2	-	1	-	4	18	51	79	169	
1988	14,901	1	-	-	-	2	7	10	45	74	152	
1987	15,119	1	-	1	-	1	6	18	29	82	157	
1986	14,982	1	2	-	-	2	11	11	45	73	149	
1985	15,303	1	-	-	-	2	6	20	41	77	149	
1984	15,237	-	1	1	-	-	7	20	38	63	135	
1983	15,463	1	1	-	-	1	2	15	40	81	121	
1982	15,392	2	1	1	-	3	6	15	29	60	133	
1981	15,474	-	-	2	-	2	5	11	44	58	134	
1980	15,682	1	-	-	-	-	8	12	28	57	128	
1979	15,518	1	-	-	1	1	3	18	32	58	138	

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Hypertensive heart disease (402)											
White, male											
1998	8,223	-	-	-	-	1	8	21	41	135	241
1997	7,916	1	-	-	-	2	5	10	54	149	223
1996	7,735	-	-	-	-	2	6	17	53	115	203
1995	7,371	-	-	-	-	2	2	14	45	105	221
1994	6,996	-	-	-	1	2	6	20	60	110	191
1993	6,742	1	1	-	1	-	2	18	49	99	168
1992	6,312	-	-	-	-	1	4	15	35	85	165
1991	6,218	-	1	-	1	1	5	14	36	73	144
1990	6,077	-	-	-	-	1	4	15	36	62	152
1989	6,082	1	1	-	-	-	4	16	38	62	127
1988	6,099	1	-	-	-	2	6	8	35	56	116
1987	6,245	-	-	1	-	-	4	13	23	64	121
1986	6,043	-	1	-	-	1	10	7	38	52	115
1985	6,322	-	-	-	-	2	6	18	30	59	120
1984	6,302	-	1	1	-	-	6	17	33	47	101
1983	6,458	-	1	-	-	1	1	13	34	65	92
1982	6,341	-	-	-	-	2	4	12	21	42	85
1981	6,462	-	-	2	-	2	5	10	36	39	92
1980	6,386	1	-	-	-	-	4	10	20	41	88
1979	6,325	-	-	-	-	1	2	12	21	47	99
Hypertensive heart disease (402)											
White, female											
1998	11,824	1	-	-	-	-	1	2	12	29	66
1997	11,461	1	-	-	-	1	1	5	15	34	66
1996	11,462	-	-	-	-	-	-	5	13	33	71
1995	10,795	1	-	-	-	-	-	3	11	26	58
1994	10,399	-	-	-	1	1	4	5	12	27	49
1993	9,878	-	-	-	-	-	1	3	9	22	59
1992	9,373	-	-	-	-	-	4	7	10	19	45
1991	9,191	-	-	-	-	-	1	8	9	19	46
1990	9,088	-	-	-	2	-	-	1	9	15	43
1989	8,930	-	1	-	1	-	-	2	13	17	42
1988	8,802	-	-	-	-	-	1	2	10	18	36
1987	8,874	1	-	-	-	1	2	5	6	18	36
1986	8,939	1	1	-	-	1	1	4	7	21	34
1985	8,981	1	-	-	-	-	-	2	11	18	29
1984	8,935	-	-	-	-	-	1	3	5	16	34
1983	9,005	1	-	-	-	-	1	2	6	16	29
1982	9,051	2	1	1	-	1	2	3	8	18	48
1981	9,012	-	-	-	-	-	-	1	8	19	42
1980	9,296	-	-	-	-	-	4	2	8	16	40
1979	9,193	1	-	-	1	-	1	6	11	11	39

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Hypertensive heart disease (402)											
All other, both sexes											
1998	7,668	-	1	-	-	4	10	45	84	186	346
1997	7,230	-	-	-	1	2	17	24	70	162	319
1996	6,991	-	-	-	1	1	17	33	75	151	310
1995	6,848	-	-	-	-	3	12	24	78	158	299
1994	6,548	-	-	-	-	2	5	31	81	181	279
1993	6,417	1	-	-	-	2	11	24	67	142	261
1992	6,168	1	-	-	1	1	10	23	76	130	268
1991	5,956	1	-	2	1	-	11	26	54	140	242
1990	5,907	-	1	-	-	1	10	26	61	128	208
1989	5,951	1	-	-	1	3	4	16	59	133	205
1988	5,887	-	1	1	-	1	15	27	64	119	188
1987	5,559	-	-	-	-	-	7	24	40	125	179
1986	5,527	-	-	-	-	-	6	20	43	111	195
1985	5,579	-	-	-	1	3	11	24	44	107	182
1984	5,475	-	-	-	-	5	4	13	42	107	201
1983	5,521	-	1	-	-	-	4	23	57	101	182
1982	5,387	1	-	-	-	3	7	31	56	96	162
1981	5,319	-	-	-	1	-	7	25	49	90	192
1980	5,413	-	-	1	-	3	9	22	54	111	189
1979	5,474	-	-	-	-	3	7	35	59	101	188
Hypertensive heart disease (402)											
All other, male											
1998	3,714	-	-	-	-	2	8	26	56	109	217
1997	3,470	-	-	-	1	-	11	15	36	110	204
1996	3,394	-	-	-	1	-	14	20	48	94	187
1995	3,267	-	-	-	-	2	11	12	46	92	182
1994	3,059	-	-	-	-	-	4	24	43	111	160
1993	3,029	-	-	-	-	1	6	14	44	88	151
1992	2,899	1	-	-	1	1	6	11	47	85	174
1991	2,777	-	-	2	1	-	10	18	25	78	145
1990	2,745	-	-	-	-	1	7	13	39	77	127
1989	2,841	1	-	-	1	1	2	11	38	83	120
1988	2,751	-	1	-	-	-	11	19	40	78	96
1987	2,610	-	-	-	-	-	6	17	23	84	110
1986	2,571	-	-	-	-	-	4	9	32	68	105
1985	2,648	-	-	-	-	3	6	16	38	71	108
1984	2,590	-	-	-	-	4	2	8	28	68	128
1983	2,648	-	1	-	-	-	4	17	44	61	113
1982	2,555	1	-	-	-	3	2	20	36	60	105
1981	2,532	-	-	-	1	-	5	15	37	54	106
1980	2,484	-	-	-	-	2	4	12	34	69	106
1979	2,577	-	-	-	-	2	4	19	28	60	116

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Hypertensive heart disease (402)											
All other, female											
1998	3,954	-	1	-	-	2	2	19	28	77	129
1997	3,760	-	-	-	-	2	6	9	34	52	115
1996	3,597	-	-	-	-	1	3	13	27	57	123
1995	3,581	-	-	-	-	1	1	12	32	66	117
1994	3,489	-	-	-	-	2	1	7	38	70	119
1993	3,388	1	-	-	-	1	5	10	23	54	110
1992	3,269	-	-	-	-	-	4	12	29	45	94
1991	3,179	1	-	-	-	-	1	8	29	62	97
1990	3,162	-	1	-	-	-	3	13	22	51	81
1989	3,110	-	-	-	-	2	2	5	21	50	85
1988	3,136	-	-	1	-	1	4	8	24	41	92
1987	2,949	-	-	-	-	-	1	7	17	41	69
1986	2,956	-	-	-	-	-	2	11	11	43	90
1985	2,931	-	-	-	1	-	5	8	6	36	74
1984	2,885	-	-	-	-	1	2	5	14	39	73
1983	2,873	-	-	-	-	-	-	6	13	40	69
1982	2,832	-	-	-	-	-	5	11	20	36	57
1981	2,787	-	-	-	-	-	2	10	12	36	86
1980	2,929	-	-	1	-	1	5	10	20	42	83
1979	2,897	-	-	-	-	1	3	16	31	41	72
Hypertensive heart disease (402)											
Black, both sexes											
1998	7,158	-	1	-	-	3	10	41	76	178	332
1997	6,708	-	-	-	1	2	17	24	68	153	308
1996	6,564	-	-	-	1	-	16	33	70	145	299
1995	6,408	-	-	-	-	3	12	24	74	151	293
1994	6,160	-	-	-	-	2	4	31	79	170	271
1993	6,057	1	-	-	-	2	11	22	62	141	254
1992	5,854	1	-	-	1	1	10	22	73	126	264
1991	5,639	1	-	2	1	-	10	25	53	138	239
1990	5,636	-	1	-	-	1	10	26	60	124	203
1989	5,680	1	-	-	1	3	4	15	56	133	201
1988	5,626	-	1	1	-	1	14	27	62	117	184
1987	5,276	-	-	-	-	-	6	24	39	122	175
1986	5,312	-	-	-	-	-	6	19	43	108	192
1985	5,342	-	-	-	1	3	11	24	43	104	181
1984	5,276	-	-	-	-	4	4	13	41	107	192
1983	5,339	-	1	-	-	-	4	22	57	97	176
1982	5,197	1	-	-	-	3	7	31	56	91	160
1981	5,160	-	-	-	1	-	7	25	48	88	188
1980	5,228	-	-	-	-	3	9	21	52	109	182
1979	5,311	-	-	-	-	3	5	34	58	98	186

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Hypertensive heart disease (402)											
Black, male											
1998	3,463	-	-	-	-	2	8	23	49	102	206
1997	3,190	-	-	-	1	-	11	15	36	102	195
1996	3,160	-	-	-	1	-	13	20	44	91	178
1995	3,039	-	-	-	-	2	11	12	43	88	178
1994	2,855	-	-	-	-	-	3	24	42	104	154
1993	2,843	-	-	-	-	1	6	13	41	87	147
1992	2,724	1	-	-	1	1	6	10	44	82	171
1991	2,635	-	-	2	1	-	10	17	25	76	143
1990	2,608	-	-	-	-	1	7	13	38	75	123
1989	2,688	1	-	-	1	1	2	11	36	83	118
1988	2,607	-	1	-	-	-	10	19	39	77	92
1987	2,465	-	-	-	-	-	5	17	23	81	108
1986	2,465	-	-	-	-	-	4	8	32	65	102
1985	2,515	-	-	-	-	3	6	16	37	68	107
1984	2,474	-	-	-	-	3	2	8	27	68	124
1983	2,546	-	1	-	-	-	4	16	44	58	108
1982	2,449	1	-	-	-	3	2	20	36	57	103
1981	2,444	-	-	-	1	-	5	15	36	53	104
1980	2,388	-	-	-	-	2	4	11	34	67	100
1979	2,482	-	-	-	-	2	3	18	28	57	114
Hypertensive heart disease (402)											
Black, female											
1998	3,695	-	1	-	-	1	2	18	27	76	126
1997	3,518	-	-	-	-	2	6	9	32	51	113
1996	3,404	-	-	-	-	-	3	13	26	54	121
1995	3,369	-	-	-	-	1	1	12	31	63	115
1994	3,305	-	-	-	-	2	1	7	37	66	117
1993	3,214	1	-	-	-	1	5	9	21	54	107
1992	3,130	-	-	-	-	-	4	12	29	44	93
1991	3,004	1	-	-	-	-	-	8	28	62	96
1990	3,028	-	1	-	-	-	3	13	22	49	80
1989	2,992	-	-	-	-	2	2	4	20	50	83
1988	3,019	-	-	1	-	1	4	8	23	40	92
1987	2,811	-	-	-	-	-	1	7	16	41	67
1986	2,847	-	-	-	-	-	2	11	11	43	90
1985	2,827	-	-	-	1	-	5	8	6	36	74
1984	2,802	-	-	-	-	1	2	5	14	39	68
1983	2,793	-	-	-	-	-	-	6	13	39	68
1982	2,748	-	-	-	-	-	5	11	20	34	57
1981	2,716	-	-	-	-	-	2	10	12	35	84
1980	2,840	-	-	-	-	1	5	10	18	42	82
1979	2,829	-	-	-	-	1	2	16	30	41	72

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Hypertensive heart and renal disease (404)											
All races, both sexes											
1998	2,412	-	-	-	-	1	3	6	16	13	42
1997	2,424	-	-	1	1	-	3	7	15	20	29
1996	2,501	-	-	-	-	3	1	8	11	20	32
1995	2,484	-	-	-	-	-	5	8	8	23	26
1994	2,494	1	-	-	-	-	3	11	14	18	28
1993	2,464	-	-	-	-	1	7	9	14	19	29
1992	2,492	-	-	-	-	-	3	2	10	9	34
1991	2,445	-	-	-	-	-	3	6	15	22	24
1990	2,377	1	-	-	-	-	7	6	15	19	36
1989	2,385	-	-	-	-	-	5	7	10	13	17
1988	2,450	1	-	1	-	3	6	2	11	24	19
1987	2,521	-	-	-	1	1	1	6	12	28	25
1986	2,496	-	-	-	-	-	2	9	17	18	23
1985	2,800	-	-	-	-	-	4	4	9	11	13
1984	2,855	-	-	1	-	-	-	8	6	11	16
1983	3,073	-	-	-	-	-	4	6	7	15	14
1982	3,028	1	-	-	-	-	4	10	16	10	14
1981	3,347	-	1	-	-	2	3	8	15	9	26
1980	3,711	-	1	-	-	1	1	6	8	10	21
1979	3,649	-	-	-	2	1	3	4	13	13	32
Hypertensive heart and renal disease (404)											
All races, male											
1998	996	-	-	-	-	1	2	3	7	5	28
1997	1,051	-	-	1	-	-	3	6	11	15	19
1996	1,002	-	-	-	-	2	-	5	9	18	18
1995	997	-	-	-	-	-	4	6	5	12	13
1994	1,066	-	-	-	-	-	2	6	6	16	19
1993	1,023	-	-	-	-	1	6	8	7	10	22
1992	1,024	-	-	-	-	-	3	1	6	7	19
1991	996	-	-	-	-	-	2	4	8	17	17
1990	959	-	-	-	-	-	4	1	7	15	22
1989	954	-	-	-	-	-	4	4	7	11	10
1988	994	-	-	1	-	1	2	2	8	17	12
1987	997	-	-	-	-	1	1	4	5	22	14
1986	1,017	-	-	-	-	-	2	9	12	12	13
1985	1,152	-	-	-	-	-	1	3	6	7	8
1984	1,151	-	-	-	-	-	-	5	5	8	9
1983	1,221	-	-	-	-	-	4	2	4	11	8
1982	1,222	-	-	-	-	-	3	4	13	8	9
1981	1,351	-	-	-	-	2	-	5	10	4	18
1980	1,492	-	1	-	-	1	-	3	2	7	11
1979	1,507	-	-	-	1	-	3	3	7	5	22

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Hypertensive heart and renal disease (404)											
All races, female											
1998	1,416	-	-	-	-	-	1	3	9	8	14
1997	1,373	-	-	-	1	-	-	1	4	5	10
1996	1,499	-	-	-	-	1	1	3	2	2	14
1995	1,487	-	-	-	-	-	1	2	3	11	13
1994	1,428	1	-	-	-	-	1	5	8	2	9
1993	1,441	-	-	-	-	-	1	1	7	9	7
1992	1,468	-	-	-	-	-	-	1	4	2	15
1991	1,449	-	-	-	-	-	1	2	7	5	7
1990	1,418	1	-	-	-	-	3	5	8	4	14
1989	1,431	-	-	-	-	-	1	3	3	2	7
1988	1,456	1	-	-	-	2	4	-	3	7	7
1987	1,524	-	-	-	1	-	-	2	7	6	11
1986	1,479	-	-	-	-	-	-	-	5	6	10
1985	1,648	-	-	-	-	-	3	1	3	4	5
1984	1,704	-	-	1	-	-	-	3	1	3	7
1983	1,852	-	-	-	-	-	-	4	3	4	6
1982	1,806	1	-	-	-	-	1	6	3	2	5
1981	1,996	-	1	-	-	-	3	3	5	5	8
1980	2,219	-	-	-	-	-	1	3	6	3	10
1979	2,142	-	-	-	1	1	-	1	6	8	10
Hypertensive heart and renal disease (404)											
White, both sexes											
1998	1,648	-	-	-	-	1	-	1	7	3	9
1997	1,722	-	-	-	1	-	1	2	5	6	7
1996	1,748	-	-	-	-	2	-	-	2	7	7
1995	1,765	-	-	-	-	-	1	5	1	8	10
1994	1,757	1	-	-	-	-	1	8	4	6	9
1993	1,745	-	-	-	-	1	3	2	5	2	4
1992	1,743	-	-	-	-	-	1	-	1	1	4
1991	1,714	-	-	-	-	-	2	3	5	7	9
1990	1,648	1	-	-	-	-	2	1	5	2	8
1989	1,693	-	-	-	-	-	3	3	3	4	4
1988	1,771	1	-	-	-	1	3	1	3	2	5
1987	1,828	-	-	-	1	-	1	3	2	10	9
1986	1,831	-	-	-	-	-	1	4	6	7	5
1985	2,089	-	-	-	-	-	3	-	3	5	3
1984	2,165	-	-	-	-	-	-	5	3	6	5
1983	2,365	-	-	-	-	-	1	1	5	4	5
1982	2,354	1	-	-	-	-	1	2	6	4	2
1981	2,642	-	-	-	-	1	2	5	5	3	9
1980	2,909	-	-	-	-	-	-	5	2	5	6
1979	2,880	-	-	-	1	-	2	1	6	5	10

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Hypertensive heart and renal disease (404)											
White, male											
1998	669	-	-	-	-	1	-	-	4	1	7
1997	741	-	-	-	-	-	1	2	5	4	5
1996	680	-	-	-	-	2	-	-	1	7	5
1995	703	-	-	-	-	-	1	3	1	5	4
1994	744	-	-	-	-	-	1	5	1	5	8
1993	727	-	-	-	-	1	3	2	1	1	2
1992	701	-	-	-	-	-	1	-	1	-	2
1991	682	-	-	-	-	-	1	2	2	5	6
1990	648	-	-	-	-	-	1	-	3	1	6
1989	658	-	-	-	-	-	2	2	3	4	3
1988	702	-	-	-	-	-	1	1	3	2	3
1987	685	-	-	-	-	-	1	3	1	8	5
1986	721	-	-	-	-	-	1	4	4	3	3
1985	863	-	-	-	-	-	-	-	2	3	2
1984	853	-	-	-	-	-	-	4	2	4	3
1983	923	-	-	-	-	-	1	-	3	3	2
1982	948	-	-	-	-	-	1	-	5	4	1
1981	1,059	-	-	-	-	1	-	4	3	2	7
1980	1,175	-	-	-	-	-	-	3	-	3	2
1979	1,179	-	-	-	1	-	2	1	3	1	9
Hypertensive heart and renal disease (404)											
White, female											
1998	979	-	-	-	-	-	-	1	3	2	2
1997	981	-	-	-	1	-	-	-	-	2	2
1996	1,068	-	-	-	-	-	-	-	1	-	2
1995	1,062	-	-	-	-	-	-	2	-	3	6
1994	1,013	1	-	-	-	-	-	3	3	1	1
1993	1,018	-	-	-	-	-	-	-	4	1	2
1992	1,042	-	-	-	-	-	-	-	-	1	2
1991	1,032	-	-	-	-	-	1	1	3	2	3
1990	1,000	1	-	-	-	-	1	1	2	1	2
1989	1,035	-	-	-	-	-	1	1	-	-	1
1988	1,069	1	-	-	-	1	2	-	-	-	2
1987	1,143	-	-	-	1	-	-	-	1	2	4
1986	1,110	-	-	-	-	-	-	-	2	4	2
1985	1,226	-	-	-	-	-	3	-	1	2	1
1984	1,312	-	-	-	-	-	-	1	1	2	2
1983	1,442	-	-	-	-	-	-	1	2	1	3
1982	1,406	1	-	-	-	-	-	2	1	-	1
1981	1,583	-	-	-	-	-	2	1	2	1	2
1980	1,734	-	-	-	-	-	-	2	2	2	4
1979	1,701	-	-	-	-	-	-	-	3	4	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Hypertensive heart and renal disease (404)											
All other, both sexes											
1998	764	-	-	-	-	-	3	5	9	10	33
1997	702	-	-	1	-	-	2	5	10	14	22
1996	753	-	-	-	-	1	1	8	9	13	25
1995	719	-	-	-	-	-	4	3	7	15	16
1994	737	-	-	-	-	-	2	3	10	12	19
1993	719	-	-	-	-	-	4	7	9	17	25
1992	749	-	-	-	-	-	2	2	9	8	30
1991	731	-	-	-	-	-	1	3	10	15	15
1990	729	-	-	-	-	-	5	5	10	17	28
1989	692	-	-	-	-	-	2	4	7	9	13
1988	679	-	-	1	-	2	3	1	8	22	14
1987	693	-	-	-	-	1	-	3	10	18	16
1986	665	-	-	-	-	-	1	5	11	11	18
1985	711	-	-	-	-	-	1	4	6	6	10
1984	690	-	-	1	-	-	-	3	3	5	11
1983	708	-	-	-	-	-	3	5	2	11	9
1982	674	-	-	-	-	-	3	8	10	6	12
1981	705	-	1	-	-	1	1	3	10	6	17
1980	802	-	1	-	-	1	1	1	6	5	15
1979	769	-	-	-	1	1	1	3	7	8	22
Hypertensive heart and renal disease (404)											
All other, male											
1998	327	-	-	-	-	-	2	3	3	4	21
1997	310	-	-	1	-	-	2	4	6	11	14
1996	322	-	-	-	-	-	-	5	8	11	13
1995	294	-	-	-	-	-	3	3	4	7	9
1994	322	-	-	-	-	-	1	1	5	11	11
1993	296	-	-	-	-	-	3	6	6	9	20
1992	323	-	-	-	-	-	2	1	5	7	17
1991	314	-	-	-	-	-	1	2	6	12	11
1990	311	-	-	-	-	-	3	1	4	14	16
1989	296	-	-	-	-	-	2	2	4	7	7
1988	292	-	-	1	-	1	1	1	5	15	9
1987	312	-	-	-	-	1	-	1	4	14	9
1986	296	-	-	-	-	-	1	5	8	9	10
1985	289	-	-	-	-	-	1	3	4	4	6
1984	298	-	-	-	-	-	-	1	3	4	6
1983	298	-	-	-	-	-	3	2	1	8	6
1982	274	-	-	-	-	-	2	4	8	4	8
1981	292	-	-	-	-	1	-	1	7	2	11
1980	317	-	1	-	-	1	-	-	2	4	9
1979	328	-	-	-	-	-	1	2	4	4	13

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Hypertensive heart and renal disease (404)											
All other, female											
1998	437	-	-	-	-	-	1	2	6	6	12
1997	392	-	-	-	-	-	-	1	4	3	8
1996	431	-	-	-	-	1	1	3	1	2	12
1995	425	-	-	-	-	-	1	-	3	8	7
1994	415	-	-	-	-	-	1	2	5	1	8
1993	423	-	-	-	-	-	1	1	3	8	5
1992	426	-	-	-	-	-	-	1	4	1	13
1991	417	-	-	-	-	-	-	1	4	3	4
1990	418	-	-	-	-	-	2	4	6	3	12
1989	396	-	-	-	-	-	-	2	3	2	6
1988	387	-	-	-	-	1	2	-	3	7	5
1987	381	-	-	-	-	-	-	2	6	4	7
1986	369	-	-	-	-	-	-	-	3	2	8
1985	422	-	-	-	-	-	-	1	2	2	4
1984	392	-	-	1	-	-	-	2	-	1	5
1983	410	-	-	-	-	-	-	3	1	3	3
1982	400	-	-	-	-	-	1	4	2	2	4
1981	413	-	1	-	-	-	1	2	3	4	6
1980	485	-	-	-	-	-	1	1	4	1	6
1979	441	-	-	-	1	1	-	1	3	4	9
Hypertensive heart and renal disease (404)											
Black, both sexes											
1998	700	-	-	-	-	-	3	5	9	10	31
1997	653	-	-	1	-	-	2	5	10	14	22
1996	689	-	-	-	-	1	1	7	9	12	24
1995	672	-	-	-	-	-	4	3	6	15	16
1994	679	-	-	-	-	-	2	2	10	12	19
1993	683	-	-	-	-	-	4	6	9	16	24
1992	707	-	-	-	-	-	2	2	9	8	30
1991	695	-	-	-	-	-	1	2	10	14	15
1990	707	-	-	-	-	-	5	5	10	17	28
1989	656	-	-	-	-	-	2	4	7	8	12
1988	658	-	-	1	-	2	3	1	8	22	14
1987	662	-	-	-	-	1	-	3	9	18	16
1986	634	-	-	-	-	-	1	5	11	10	16
1985	675	-	-	-	-	-	1	4	6	5	10
1984	665	-	-	1	-	-	-	3	3	5	11
1983	686	-	-	-	-	-	3	5	2	11	9
1982	653	-	-	-	-	-	3	8	10	6	12
1981	683	-	1	-	-	1	1	3	10	6	15
1980	777	-	1	-	-	1	1	1	6	5	15
1979	748	-	-	-	1	1	-	3	7	8	22

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Hypertensive heart and renal disease (404)

Black, male

1998	293	-	-	-	-	-	2	3	3	4	19
1997	287	-	-	1	-	-	2	4	6	11	14
1996	298	-	-	-	-	-	-	4	8	10	12
1995	274	-	-	-	-	-	3	3	4	7	9
1994	294	-	-	-	-	-	1	1	5	11	11
1993	276	-	-	-	-	-	3	5	6	8	19
1992	294	-	-	-	-	-	2	1	5	7	17
1991	298	-	-	-	-	-	1	2	6	11	11
1990	300	-	-	-	-	-	3	1	4	14	16
1989	280	-	-	-	-	-	2	2	4	7	7
1988	277	-	-	1	-	1	1	1	5	15	9
1987	299	-	-	-	-	1	-	1	4	14	9
1986	279	-	-	-	-	-	1	5	8	8	9
1985	274	-	-	-	-	-	1	3	4	4	6
1984	287	-	-	-	-	-	-	1	3	4	6
1983	289	-	-	-	-	-	3	2	1	8	6
1982	266	-	-	-	-	-	2	4	8	4	8
1981	280	-	-	-	-	1	-	1	7	2	11
1980	305	-	1	-	-	1	-	-	2	4	9
1979	318	-	-	-	-	-	-	2	4	4	13

Hypertensive heart and renal disease (404)

Black, female

1998	407	-	-	-	-	-	1	2	6	6	12
1997	366	-	-	-	-	-	-	1	4	3	8
1996	391	-	-	-	-	1	1	3	1	2	12
1995	398	-	-	-	-	-	1	-	2	8	7
1994	385	-	-	-	-	-	1	1	5	1	8
1993	407	-	-	-	-	-	1	1	3	8	5
1992	413	-	-	-	-	-	-	1	4	1	13
1991	397	-	-	-	-	-	-	-	4	3	4
1990	407	-	-	-	-	-	2	4	6	3	12
1989	376	-	-	-	-	-	-	2	3	1	5
1988	381	-	-	-	-	1	2	-	3	7	5
1987	363	-	-	-	-	-	-	2	5	4	7
1986	355	-	-	-	-	-	-	-	3	2	7
1985	401	-	-	-	-	-	-	1	2	1	4
1984	378	-	-	1	-	-	-	2	-	1	5
1983	397	-	-	-	-	-	-	3	1	3	3
1982	387	-	-	-	-	-	1	4	2	2	4
1981	403	-	1	-	-	-	1	2	3	4	4
1980	472	-	-	-	-	-	1	1	4	1	6
1979	430	-	-	-	1	1	-	1	3	4	9

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Ischemic heart diseases (410-414,429.2)											
All races, both sexes											
1998	526,617	23	7	9	15	42	80	263	816	2,427	5,256
1997	533,061	24	4	7	13	43	94	277	876	2,368	5,158
1996	544,638	30	5	5	15	45	76	279	925	2,568	5,285
1995	552,464	24	6	7	6	39	89	295	944	2,572	5,392
1994	552,678	28	12	7	9	26	98	298	914	2,575	5,216
1993	562,703	32	13	5	10	36	98	295	957	2,438	5,389
1992	549,007	25	11	9	7	23	96	313	952	2,375	5,375
1991	554,817	27	15	6	11	36	99	324	917	2,368	5,280
1990	558,291	28	9	6	14	28	96	308	884	2,242	5,082
1989	568,901	33	6	3	12	31	89	302	974	2,244	5,126
1988	582,419	30	13	5	9	27	105	326	952	2,425	5,113
1987	584,580	29	11	8	10	31	107	333	1,024	2,499	5,428
1986	593,396	25	10	7	9	37	91	353	1,036	2,695	5,468
1985	608,372	26	10	6	9	32	115	378	997	2,602	5,439
1984	613,178	35	16	41	5	34	118	330	954	2,584	5,409
1983	624,910	41	27	33	12	36	87	347	995	2,508	5,422
1982	620,841	35	24	41	14	34	104	407	976	2,591	5,447
1981	624,254	29	11	37	11	34	117	349	978	2,573	5,474
1980	635,677	33	18	13	6	40	117	318	971	2,466	5,562
1979	617,454	27	12	6	8	39	114	337	1,040	2,566	5,561
Ischemic heart diseases (410-414,429.2)											
All races, male											
1998	267,182	15	3	8	8	33	54	197	585	1,870	4,073
1997	271,059	11	4	4	8	30	69	194	652	1,819	4,063
1996	276,545	10	1	1	11	35	54	202	699	1,984	4,119
1995	280,110	12	3	4	3	29	59	208	710	1,979	4,288
1994	280,975	15	3	4	6	14	67	208	669	2,012	4,117
1993	286,382	17	6	4	6	32	65	222	713	1,892	4,307
1992	280,945	15	6	4	6	12	68	221	727	1,890	4,267
1991	284,012	16	11	2	4	28	67	250	681	1,878	4,270
1990	286,592	16	3	2	9	16	70	231	686	1,802	4,171
1989	292,072	17	5	3	7	18	63	228	748	1,844	4,163
1988	299,808	16	4	2	6	22	82	232	758	1,984	4,131
1987	302,713	14	9	-	5	24	74	248	804	2,044	4,427
1986	309,249	14	5	4	9	25	62	276	808	2,227	4,444
1985	320,412	12	9	2	5	21	80	286	793	2,144	4,423
1984	323,878	17	10	29	3	22	80	258	779	2,119	4,407
1983	332,378	31	14	17	6	25	58	264	812	2,092	4,394
1982	333,524	23	10	22	7	23	76	334	800	2,127	4,415
1981	337,322	22	7	23	7	17	85	275	776	2,129	4,476
1980	344,600	17	13	3	2	29	93	246	791	2,048	4,516
1979	339,843	17	5	4	7	27	76	273	846	2,087	4,530

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Ischemic heart diseases (410-414,429.2)											
All races, female											
1998	259,435	8	4	1	7	9	26	66	231	557	1,183
1997	262,002	13	-	3	5	13	25	83	224	549	1,095
1996	268,093	20	4	4	4	10	22	77	226	584	1,166
1995	272,354	12	3	3	3	10	30	87	234	593	1,104
1994	271,703	13	9	3	3	12	31	90	245	563	1,099
1993	276,321	15	7	1	4	4	33	73	244	546	1,082
1992	268,062	10	5	5	1	11	28	92	225	485	1,108
1991	270,805	11	4	4	7	8	32	74	236	490	1,010
1990	271,699	12	6	4	5	12	26	77	198	440	911
1989	276,829	16	1	-	5	13	26	74	226	400	963
1988	282,611	14	9	3	3	5	23	94	194	441	982
1987	281,867	15	2	8	5	7	33	85	220	455	1,001
1986	284,147	11	5	3	-	12	29	77	228	468	1,024
1985	287,960	14	1	4	4	11	35	92	204	458	1,016
1984	289,300	18	6	12	2	12	38	72	175	465	1,002
1983	292,532	10	13	16	6	11	29	83	183	416	1,028
1982	287,317	12	14	19	7	11	28	73	176	464	1,032
1981	286,932	7	4	14	4	17	32	74	202	444	998
1980	291,077	16	5	10	4	11	24	72	180	418	1,046
1979	277,611	10	7	2	1	12	38	64	194	479	1,031
Ischemic heart diseases (410-414,429.2)											
White, both sexes											
1998	468,464	10	6	6	10	31	53	196	639	1,886	4,105
1997	475,163	17	3	6	9	32	67	191	685	1,835	4,053
1996	486,404	21	4	4	13	31	55	201	717	2,036	4,165
1995	493,296	16	5	4	4	32	56	221	746	2,015	4,270
1994	494,643	17	9	7	8	15	66	208	706	1,992	4,074
1993	503,363	27	11	3	7	27	59	224	721	1,876	4,196
1992	492,186	17	7	7	5	15	72	230	724	1,857	4,264
1991	497,675	19	11	4	7	23	66	239	689	1,806	4,236
1990	502,298	19	6	3	12	19	68	233	670	1,742	4,130
1989	511,513	18	4	2	11	20	57	231	731	1,741	4,139
1988	525,590	22	10	4	8	14	72	237	731	1,896	4,165
1987	528,434	24	9	6	8	21	80	247	766	1,963	4,443
1986	537,407	20	5	7	8	21	66	269	774	2,188	4,449
1985	552,122	19	9	5	8	23	80	275	758	2,084	4,467
1984	557,460	21	13	36	5	27	89	245	721	2,087	4,438
1983	568,342	30	22	26	8	30	67	261	767	2,078	4,451
1982	566,011	23	19	32	13	23	73	303	744	2,109	4,495
1981	569,198	20	7	29	11	20	81	244	754	2,091	4,511
1980	579,302	29	13	9	5	27	86	229	731	1,996	4,540
1979	563,868	20	6	5	6	31	82	243	801	2,088	4,565

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Ischemic heart diseases (410-414,429.2)											
White, male											
1998	238,049	6	2	5	6	23	37	154	462	1,483	3,287
1997	241,997	9	3	3	6	23	49	137	514	1,460	3,300
1996	247,601	9	1	1	10	24	40	147	551	1,616	3,356
1995	250,302	7	2	1	3	24	34	156	565	1,605	3,498
1994	251,859	9	3	4	5	10	48	149	530	1,603	3,336
1993	256,617	14	6	2	3	23	38	169	546	1,505	3,461
1992	252,261	11	4	3	4	10	49	164	560	1,526	3,506
1991	255,033	13	8	1	2	16	42	187	526	1,470	3,536
1990	258,198	11	2	2	8	13	48	178	529	1,447	3,478
1989	262,850	9	4	2	7	12	43	181	579	1,474	3,458
1988	270,835	12	3	1	6	10	55	168	589	1,610	3,461
1987	273,743	12	8	-	3	16	55	186	616	1,643	3,697
1986	280,429	12	2	4	8	14	43	210	626	1,855	3,685
1985	291,076	9	8	1	5	13	52	213	620	1,752	3,722
1984	294,776	10	9	25	3	16	59	189	600	1,761	3,719
1983	302,858	22	11	13	4	19	47	211	644	1,791	3,716
1982	304,373	16	7	17	6	14	52	254	625	1,777	3,746
1981	307,981	16	5	20	7	10	57	198	610	1,764	3,786
1980	314,490	15	9	3	2	19	66	178	615	1,710	3,805
1979	310,711	13	2	3	5	23	57	205	674	1,743	3,837
Ischemic heart diseases (410-414,429.2)											
White, female											
1998	230,415	4	4	1	4	8	16	42	177	403	818
1997	233,166	8	-	3	3	9	18	54	171	375	753
1996	238,803	12	3	3	3	7	15	54	166	420	809
1995	242,994	9	3	3	1	8	22	65	181	410	772
1994	242,784	8	6	3	3	5	18	59	176	389	738
1993	246,746	13	5	1	4	4	21	55	175	371	735
1992	239,925	6	3	4	1	5	23	66	164	331	758
1991	242,642	6	3	3	5	7	24	52	163	336	700
1990	244,100	8	4	1	4	6	20	55	141	295	652
1989	248,663	9	-	-	4	8	14	50	152	267	681
1988	254,755	10	7	3	2	4	17	69	142	286	704
1987	254,691	12	1	6	5	5	25	61	150	320	746
1986	256,978	8	3	3	-	7	23	59	148	333	764
1985	261,046	10	1	4	3	10	28	62	138	332	745
1984	262,684	11	4	11	2	11	30	56	121	326	719
1983	265,484	8	11	13	4	11	20	50	123	287	735
1982	261,638	7	12	15	7	9	21	49	119	332	749
1981	261,217	4	2	9	4	10	24	46	144	327	725
1980	264,812	14	4	6	3	8	20	51	116	286	735
1979	253,157	7	4	2	1	8	25	38	127	345	728

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Ischemic heart diseases (410-414,429.2)											
All other, both sexes											
1998	58,153	13	1	3	5	11	27	67	177	541	1,151
1997	57,898	7	1	1	4	11	27	86	191	533	1,105
1996	58,234	9	1	1	2	14	21	78	208	532	1,120
1995	59,168	8	1	3	2	7	33	74	198	557	1,122
1994	58,035	11	3	-	1	11	32	90	208	583	1,142
1993	59,340	5	2	2	3	9	39	71	236	562	1,193
1992	56,821	8	4	2	2	8	24	83	228	518	1,111
1991	57,142	8	4	2	4	13	33	85	228	562	1,044
1990	55,993	9	3	3	2	9	28	75	214	500	952
1989	57,388	15	2	1	1	11	32	71	243	503	987
1988	56,829	8	3	1	1	13	33	89	221	529	948
1987	56,146	5	2	2	2	10	27	86	258	536	985
1986	55,989	5	5	-	1	16	25	84	262	507	1,019
1985	56,250	7	1	1	1	9	35	103	239	518	972
1984	55,718	14	3	5	-	7	29	85	233	497	971
1983	56,568	11	5	7	4	6	20	86	228	430	971
1982	54,830	12	5	9	1	11	31	104	232	482	952
1981	55,056	9	4	8	-	14	36	105	224	482	963
1980	56,375	4	5	4	1	13	31	89	240	470	1,022
1979	53,586	7	6	1	2	8	32	94	239	478	996
Ischemic heart diseases (410-414,429.2)											
All other, male											
1998	29,133	9	1	3	2	10	17	43	123	387	786
1997	29,062	2	1	1	2	7	20	57	138	359	763
1996	28,944	1	-	-	1	11	14	55	148	368	763
1995	29,808	5	1	3	-	5	25	52	145	374	790
1994	29,116	6	-	-	1	4	19	59	139	409	781
1993	29,765	3	-	2	3	9	27	53	167	387	846
1992	28,684	4	2	1	2	2	19	57	167	364	761
1991	28,979	3	3	1	2	12	25	63	155	408	734
1990	28,394	5	1	-	1	3	22	53	157	355	693
1989	29,222	8	1	1	-	6	20	47	169	370	705
1988	28,973	4	1	1	-	12	27	64	169	374	670
1987	28,970	2	1	-	2	8	19	62	188	401	730
1986	28,820	2	3	-	1	11	19	66	182	372	759
1985	29,336	3	1	1	-	8	28	73	173	392	701
1984	29,102	7	1	4	-	6	21	69	179	358	688
1983	29,520	9	3	4	2	6	11	53	168	301	678
1982	29,151	7	3	5	1	9	24	80	175	350	669
1981	29,341	6	2	3	-	7	28	77	166	365	690
1980	30,110	2	4	-	-	10	27	68	176	338	711
1979	29,132	4	3	1	2	4	19	68	172	344	693

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Ischemic heart diseases (410-414,429.2)											
All other, female											
1998	29,020	4	-	-	3	1	10	24	54	154	365
1997	28,836	5	-	-	2	4	7	29	53	174	342
1996	29,290	8	1	1	1	3	7	23	60	164	357
1995	29,360	3	-	-	2	2	8	22	53	183	332
1994	28,919	5	3	-	-	7	13	31	69	174	361
1993	29,575	2	2	-	-	-	12	18	69	175	347
1992	28,137	4	2	1	-	6	5	26	61	154	350
1991	28,163	5	1	1	2	1	8	22	73	154	310
1990	27,599	4	2	3	1	6	6	22	57	145	259
1989	28,166	7	1	-	1	5	12	24	74	133	282
1988	27,856	4	2	-	1	1	6	25	52	155	278
1987	27,176	3	1	2	-	2	8	24	70	135	255
1986	27,169	3	2	-	-	5	6	18	80	135	260
1985	26,914	4	-	-	1	1	7	30	66	126	271
1984	26,616	7	2	1	-	1	8	16	54	139	283
1983	27,048	2	2	3	2	-	9	33	60	129	293
1982	25,679	5	2	4	-	2	7	24	57	132	283
1981	25,715	3	2	5	-	7	8	28	58	117	273
1980	26,265	2	1	4	1	3	4	21	64	132	311
1979	24,454	3	3	-	-	4	13	26	67	134	303
Ischemic heart diseases (410-414,429.2)											
Black, both sexes											
1998	50,116	11	1	3	5	11	24	64	163	472	1,037
1997	50,233	7	1	1	4	9	26	75	168	478	980
1996	50,748	8	1	1	2	12	18	71	183	464	997
1995	51,994	8	1	3	2	6	24	63	174	501	1,016
1994	51,016	11	3	-	1	11	27	79	182	522	1,024
1993	52,660	4	2	2	3	8	39	64	214	510	1,059
1992	50,284	8	3	2	2	8	22	77	200	476	984
1991	51,098	7	4	2	3	12	27	80	207	509	942
1990	50,381	7	2	2	2	9	26	69	195	453	857
1989	51,712	13	2	1	1	9	31	69	232	463	899
1988	51,518	8	2	-	1	12	31	77	205	496	878
1987	51,037	5	2	2	2	10	24	76	234	483	899
1986	51,215	5	5	-	1	12	22	73	241	473	937
1985	51,473	7	1	1	1	9	33	100	223	472	892
1984	51,169	9	2	4	-	7	29	79	212	468	899
1983	52,237	7	3	6	4	4	20	81	211	391	889
1982	50,692	5	4	7	1	7	30	93	206	451	873
1981	51,353	4	2	7	-	14	33	96	205	446	900
1980	52,653	3	4	3	1	12	28	87	226	431	951
1979	50,035	6	4	1	2	8	30	90	214	447	940

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Ischemic heart diseases (410-414,429.2)											
Black, male											
1998	24,398	9	1	3	2	10	16	40	112	324	683
1997	24,489	2	1	1	2	5	19	47	116	319	670
1996	24,530	1	-	-	1	9	11	49	127	309	654
1995	25,542	5	1	3	-	4	19	43	125	325	703
1994	24,923	6	-	-	1	4	15	49	119	357	681
1993	25,740	2	-	2	3	8	27	47	148	344	732
1992	24,794	4	2	1	2	2	17	53	143	329	653
1991	25,310	3	3	1	1	11	21	60	137	366	653
1990	25,060	4	-	-	1	3	20	47	141	320	608
1989	25,776	7	1	1	-	4	20	45	159	337	628
1988	25,676	4	1	-	-	11	25	53	155	346	610
1987	25,738	2	1	-	2	8	16	52	169	358	657
1986	25,853	2	3	-	1	8	16	56	162	342	690
1985	26,331	3	1	1	-	8	26	70	159	355	636
1984	26,240	4	-	3	-	6	21	64	159	336	625
1983	26,822	5	1	3	2	4	11	49	153	270	607
1982	26,457	3	2	3	1	6	23	71	156	325	600
1981	26,947	2	1	3	-	7	26	70	149	333	639
1980	27,625	1	3	-	-	9	24	66	165	303	652
1979	26,773	3	2	1	2	4	17	65	152	321	647
Ischemic heart diseases (410-414,429.2)											
Black, female											
1998	25,718	2	-	-	3	1	8	24	51	148	354
1997	25,744	5	-	-	2	4	7	28	52	159	310
1996	26,218	7	1	1	1	3	7	22	56	155	343
1995	26,452	3	-	-	2	2	5	20	49	176	313
1994	26,093	5	3	-	-	7	12	30	63	165	343
1993	26,920	2	2	-	-	-	12	17	66	166	327
1992	25,490	4	1	1	-	6	5	24	57	147	331
1991	25,788	4	1	1	2	1	6	20	70	143	289
1990	25,321	3	2	2	1	6	6	22	54	133	249
1989	25,936	6	1	-	1	5	11	24	73	126	271
1988	25,842	4	1	-	1	1	6	24	50	150	268
1987	25,299	3	1	2	-	2	8	24	65	125	242
1986	25,362	3	2	-	-	4	6	17	79	131	247
1985	25,142	4	-	-	1	1	7	30	64	117	256
1984	24,929	5	2	1	-	1	8	15	53	132	274
1983	25,415	2	2	3	2	-	9	32	58	121	282
1982	24,235	2	2	4	-	1	7	22	50	126	273
1981	24,406	2	1	4	-	7	7	26	56	113	261
1980	25,028	2	1	3	1	3	4	21	61	128	299
1979	23,262	3	2	-	-	4	13	25	62	126	293

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Acute myocardial infarction (410)											
All races, both sexes											
1998	203,551	12	6	6	7	21	36	128	360	1,035	2,454
1997	206,212	13	2	4	9	19	47	131	383	1,078	2,345
1996	213,532	13	3	1	8	22	37	113	441	1,157	2,468
1995	218,229	11	2	1	3	18	51	137	433	1,184	2,589
1994	222,399	16	4	4	7	12	51	148	444	1,238	2,500
1993	227,456	12	5	-	6	18	45	135	450	1,183	2,605
1992	229,383	19	7	4	3	14	45	158	466	1,154	2,714
1991	235,255	8	7	1	4	19	54	151	464	1,144	2,698
1990	239,008	16	5	2	8	14	57	161	446	1,148	2,597
1989	246,950	19	3	1	5	17	57	144	497	1,135	2,675
1988	247,950	17	4	1	4	12	66	169	486	1,260	2,765
1987	253,542	16	7	4	5	14	59	186	516	1,334	2,874
1986	261,002	16	4	4	6	19	43	194	560	1,451	3,028
1985	274,199	14	4	4	5	22	66	222	560	1,492	3,107
1984	279,122	21	5	17	3	19	68	178	539	1,420	3,187
1983	286,300	26	14	13	8	22	53	204	581	1,477	3,196
1982	291,031	20	11	16	10	20	70	241	575	1,548	3,359
1981	292,504	14	4	16	3	22	82	195	618	1,575	3,419
1980	299,584	20	13	6	5	25	71	193	587	1,529	3,489
1979	300,462	13	5	3	7	23	74	220	657	1,705	3,605
Acute myocardial infarction (410)											
All races, male											
1998	106,995	7	2	5	4	17	24	95	241	803	1,916
1997	109,171	7	2	2	6	12	31	86	280	811	1,827
1996	112,739	6	1	-	5	17	20	77	316	872	1,939
1995	115,987	3	-	-	1	13	32	90	309	916	2,067
1994	118,294	9	1	1	4	4	30	101	323	959	1,960
1993	121,732	6	3	-	4	17	30	100	316	913	2,084
1992	123,121	12	4	3	2	4	30	109	352	902	2,146
1991	126,144	3	4	-	3	14	35	117	332	892	2,179
1990	129,483	9	2	-	5	9	34	117	339	889	2,135
1989	134,298	11	3	1	3	11	41	110	381	936	2,151
1988	135,884	10	1	-	1	9	48	113	378	1,028	2,217
1987	140,252	8	5	-	3	12	39	135	393	1,076	2,356
1986	145,795	11	2	1	6	11	33	147	439	1,206	2,450
1985	155,860	7	4	2	2	14	44	168	450	1,225	2,513
1984	159,934	11	4	13	2	13	43	139	431	1,170	2,600
1983	165,679	19	6	6	4	16	30	150	471	1,228	2,582
1982	170,372	13	3	10	5	13	49	196	462	1,266	2,724
1981	172,898	10	1	11	2	10	61	146	498	1,310	2,846
1980	178,485	12	10	1	1	20	59	148	468	1,285	2,872
1979	181,054	6	2	2	7	14	53	179	535	1,397	2,958

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Acute myocardial infarction (410)											
All races, female											
1998	96,556	5	4	1	3	4	12	33	119	232	538
1997	97,041	6	-	2	3	7	16	45	103	267	518
1996	100,793	7	2	1	3	5	17	36	125	285	529
1995	102,242	8	2	1	2	5	19	47	124	268	522
1994	104,105	7	3	3	3	8	21	47	121	279	540
1993	105,724	6	2	-	2	1	15	35	134	270	521
1992	106,262	7	3	1	1	10	15	49	114	252	568
1991	109,111	5	3	1	1	5	19	34	132	252	519
1990	109,525	7	3	2	3	5	23	44	107	259	462
1989	112,652	8	-	-	2	6	16	34	116	199	524
1988	112,066	7	3	1	3	3	18	56	108	232	548
1987	113,290	8	2	4	2	2	20	51	123	258	518
1986	115,207	5	2	3	-	8	10	47	121	245	578
1985	118,339	7	-	2	3	8	22	54	110	267	594
1984	119,188	10	1	4	1	6	25	39	108	250	587
1983	120,621	7	8	7	4	6	23	54	110	249	614
1982	120,659	7	8	6	5	7	21	45	113	282	635
1981	119,606	4	3	5	1	12	21	49	120	265	573
1980	121,099	8	3	5	4	5	12	45	119	244	617
1979	119,408	7	3	1	-	9	21	41	122	308	647
Acute myocardial infarction (410)											
White, both sexes											
1998	181,298	6	5	4	7	15	22	93	276	811	1,969
1997	184,132	10	2	3	7	15	37	91	296	836	1,876
1996	191,235	9	3	1	6	15	29	81	337	933	2,011
1995	195,726	9	2	1	2	15	33	109	351	934	2,093
1994	199,856	10	3	4	7	6	34	102	346	990	2,007
1993	204,386	10	4	-	5	15	28	103	336	918	2,082
1992	206,629	13	5	3	2	7	33	115	357	904	2,228
1991	212,058	7	5	-	2	13	38	115	348	881	2,204
1990	216,252	12	3	1	8	11	40	118	343	905	2,166
1989	223,228	9	2	1	5	11	35	111	385	895	2,236
1988	225,262	11	4	1	3	7	48	123	381	998	2,322
1987	230,809	13	6	3	5	8	46	136	404	1,077	2,431
1986	238,218	12	3	4	5	10	28	151	424	1,214	2,541
1985	250,527	10	4	3	4	16	46	157	449	1,225	2,627
1984	255,496	14	5	15	3	16	48	125	416	1,184	2,686
1983	262,549	18	13	9	4	19	41	148	458	1,249	2,689
1982	267,971	13	8	13	9	13	47	179	453	1,290	2,864
1981	269,389	11	3	13	3	13	56	145	498	1,325	2,921
1980	275,957	19	10	4	4	17	51	145	452	1,269	2,944
1979	277,070	8	3	2	5	18	50	161	509	1,432	3,059

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Acute myocardial infarction (410)											
White, male											
1998	95,921	3	1	3	4	11	15	73	191	653	1,582
1997	98,238	5	2	1	5	10	24	61	216	654	1,516
1996	101,698	6	1	-	4	12	17	57	246	717	1,619
1995	104,716	2	-	-	1	11	18	72	250	750	1,722
1994	106,943	6	1	1	4	4	23	73	255	789	1,632
1993	110,131	5	3	-	3	14	20	77	244	727	1,713
1992	111,528	9	3	2	1	3	22	79	274	727	1,815
1991	114,431	3	3	-	1	9	24	91	262	701	1,838
1990	117,850	6	1	-	5	8	23	85	267	726	1,824
1989	122,228	6	2	1	3	6	27	83	309	757	1,845
1988	124,278	8	1	-	1	5	36	81	300	844	1,913
1987	128,433	7	5	-	3	7	31	101	313	885	2,035
1986	133,960	9	2	1	5	6	22	114	342	1,026	2,088
1985	143,311	5	4	1	2	9	29	125	366	1,029	2,180
1984	147,255	8	4	11	2	10	28	93	338	1,004	2,239
1983	152,898	13	6	4	2	13	25	115	385	1,072	2,241
1982	157,748	9	2	8	4	7	32	149	372	1,090	2,390
1981	160,102	9	1	10	2	5	41	112	406	1,119	2,484
1980	165,470	11	7	1	1	13	41	114	374	1,103	2,485
1979	167,890	4	1	1	5	11	36	137	425	1,206	2,580
Acute myocardial infarction (410)											
White, female											
1998	85,377	3	4	1	3	4	7	20	85	158	387
1997	85,894	5	-	2	2	5	13	30	80	182	360
1996	89,537	3	2	1	2	3	12	24	91	216	392
1995	91,010	7	2	1	1	4	15	37	101	184	371
1994	92,913	4	2	3	3	2	11	29	91	201	375
1993	94,255	5	1	-	2	1	8	26	92	191	369
1992	95,101	4	2	1	1	4	11	36	83	177	413
1991	97,627	4	2	-	1	4	14	24	86	180	366
1990	98,402	6	2	1	3	3	17	33	76	179	342
1989	101,000	3	-	-	2	5	8	28	76	138	391
1988	100,984	3	3	1	2	2	12	42	81	154	409
1987	102,376	6	1	3	2	1	15	35	91	192	396
1986	104,258	3	1	3	-	4	6	37	82	188	453
1985	107,216	5	-	2	2	7	17	32	83	196	447
1984	108,241	6	1	4	1	6	20	32	78	180	447
1983	109,651	5	7	5	2	6	16	33	73	177	448
1982	110,223	4	6	5	5	6	15	30	81	200	474
1981	109,287	2	2	3	1	8	15	33	92	206	437
1980	110,487	8	3	3	3	4	10	31	78	166	459
1979	109,180	4	2	1	-	7	14	24	84	226	479

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Acute myocardial infarction (410)											
All other, both sexes											
1998	22,253	6	1	2	-	6	14	35	84	224	485
1997	22,080	3	-	1	2	4	10	40	87	242	469
1996	22,297	4	-	-	2	7	8	32	104	224	457
1995	22,503	2	-	-	1	3	18	28	82	250	496
1994	22,543	6	1	-	-	6	17	46	98	248	493
1993	23,070	2	1	-	1	3	17	32	114	265	523
1992	22,754	6	2	1	1	7	12	43	109	250	486
1991	23,197	1	2	1	2	6	16	36	116	263	494
1990	22,756	4	2	1	-	3	17	43	103	243	431
1989	23,722	10	1	-	-	6	22	33	112	240	439
1988	22,688	6	-	-	1	5	18	46	105	262	443
1987	22,733	3	1	1	-	6	13	50	112	257	443
1986	22,784	4	1	-	1	9	15	43	136	237	487
1985	23,672	4	-	1	1	6	20	65	111	267	480
1984	23,626	7	-	2	-	3	20	53	123	236	501
1983	23,751	8	1	4	4	3	12	56	123	228	507
1982	23,060	7	3	3	1	7	23	62	122	258	495
1981	23,115	3	1	3	-	9	26	50	120	250	498
1980	23,627	1	3	2	1	8	20	48	135	260	545
1979	23,392	5	2	1	2	5	24	59	148	273	546
Acute myocardial infarction (410)											
All other, male											
1998	11,074	4	1	2	-	6	9	22	50	150	334
1997	10,933	2	-	1	1	2	7	25	64	157	311
1996	11,041	-	-	-	1	5	3	20	70	155	320
1995	11,271	1	-	-	-	2	14	18	59	166	345
1994	11,351	3	-	-	-	-	7	28	68	170	328
1993	11,601	1	-	-	1	3	10	23	72	186	371
1992	11,593	3	1	1	1	1	8	30	78	175	331
1991	11,713	-	1	-	2	5	11	26	70	191	341
1990	11,633	3	1	-	-	1	11	32	72	163	311
1989	12,070	5	1	-	-	5	14	27	72	179	306
1988	11,606	2	-	-	-	4	12	32	78	184	304
1987	11,819	1	-	-	-	5	8	34	80	191	321
1986	11,835	2	-	-	1	5	11	33	97	180	362
1985	12,549	2	-	1	-	5	15	43	84	196	333
1984	12,679	3	-	2	-	3	15	46	93	166	361
1983	12,781	6	-	2	2	3	5	35	86	156	341
1982	12,624	4	1	2	1	6	17	47	90	176	334
1981	12,796	1	-	1	-	5	20	34	92	191	362
1980	13,015	1	3	-	-	7	18	34	94	182	387
1979	13,164	2	1	1	2	3	17	42	110	191	378

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Acute myocardial infarction (410)											
All other, female											
1998	11,179	2	-	-	-	-	5	13	34	74	151
1997	11,147	1	-	-	1	2	3	15	23	85	158
1996	11,256	4	-	-	1	2	5	12	34	69	137
1995	11,232	1	-	-	1	1	4	10	23	84	151
1994	11,192	3	1	-	-	6	10	18	30	78	165
1993	11,469	1	1	-	-	-	7	9	42	79	152
1992	11,161	3	1	-	-	6	4	13	31	75	155
1991	11,484	1	1	1	-	1	5	10	46	72	153
1990	11,123	1	1	1	-	2	6	11	31	80	120
1989	11,652	5	-	-	-	1	8	6	40	61	133
1988	11,082	4	-	-	1	1	6	14	27	78	139
1987	10,914	2	1	1	-	1	5	16	32	66	122
1986	10,949	2	1	-	-	4	4	10	39	57	125
1985	11,123	2	-	-	1	1	5	22	27	71	147
1984	10,947	4	-	-	-	-	5	7	30	70	140
1983	10,970	2	1	2	2	-	7	21	37	72	166
1982	10,436	3	2	1	-	1	6	15	32	82	161
1981	10,319	2	1	2	-	4	6	16	28	59	136
1980	10,612	-	-	2	1	1	2	14	41	78	158
1979	10,228	3	1	-	-	2	7	17	38	82	168
Acute myocardial infarction (410)											
Black, both sexes											
1998	19,198	5	1	2	-	6	13	34	78	202	431
1997	19,244	3	-	1	2	4	10	34	78	216	422
1996	19,492	3	-	-	2	7	6	31	92	196	400
1995	19,766	2	-	-	1	2	15	23	76	227	441
1994	19,811	6	1	-	-	6	15	42	85	224	440
1993	20,399	2	1	-	1	3	17	28	104	246	461
1992	20,104	6	1	1	1	7	11	38	99	231	433
1991	20,654	-	2	1	1	5	12	35	106	242	436
1990	20,436	2	1	-	-	3	16	41	98	218	384
1989	21,198	9	1	-	-	4	21	32	106	215	401
1988	20,393	6	-	-	1	5	18	40	97	245	407
1987	20,453	3	1	1	-	6	13	45	102	234	396
1986	20,684	4	1	-	1	7	14	37	129	224	445
1985	21,447	4	-	1	1	6	20	63	103	237	437
1984	21,498	5	-	2	-	3	20	51	111	220	449
1983	21,775	5	1	4	4	2	12	54	115	206	460
1982	21,099	3	2	2	1	4	23	56	106	244	455
1981	21,363	2	-	3	-	9	24	47	112	225	461
1980	21,892	1	2	1	1	7	17	48	127	241	502
1979	21,714	4	2	1	2	5	22	57	134	255	515

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Acute myocardial infarction (410)											
Black, male											
1998	9,273	4	1	2	-	6	8	21	46	131	285
1997	9,215	2	-	1	1	2	7	20	55	143	281
1996	9,357	-	-	-	1	5	1	20	61	130	269
1995	9,594	1	-	-	-	1	12	14	54	145	298
1994	9,736	3	-	-	-	-	6	25	58	150	286
1993	9,933	1	-	-	1	3	10	20	63	169	318
1992	9,970	3	1	1	1	1	7	27	68	159	289
1991	10,158	-	1	-	1	4	9	26	62	175	292
1990	10,260	2	-	-	-	1	10	30	69	149	269
1989	10,545	5	1	-	-	3	14	26	66	157	273
1988	10,197	2	-	-	-	4	12	26	72	170	273
1987	10,344	1	-	-	-	5	8	29	72	173	282
1986	10,525	2	-	-	1	4	10	28	91	168	328
1985	11,103	2	-	1	-	5	15	41	77	171	302
1984	11,321	2	-	2	-	3	15	44	82	154	316
1983	11,529	3	-	2	2	2	5	33	80	140	302
1982	11,345	2	-	1	1	4	17	42	78	166	299
1981	11,638	1	-	1	-	5	19	31	85	170	332
1980	11,834	1	2	-	-	6	15	34	88	167	351
1979	12,016	1	1	1	2	3	15	41	100	180	350
Acute myocardial infarction (410)											
Black, female											
1998	9,925	1	-	-	-	-	5	13	32	71	146
1997	10,029	1	-	-	1	2	3	14	23	73	141
1996	10,135	3	-	-	1	2	5	11	31	66	131
1995	10,172	1	-	-	1	1	3	9	22	82	143
1994	10,075	3	1	-	-	6	9	17	27	74	154
1993	10,466	1	1	-	-	-	7	8	41	77	143
1992	10,134	3	-	-	-	6	4	11	31	72	144
1991	10,496	-	1	1	-	1	3	9	44	67	144
1990	10,176	-	1	-	-	2	6	11	29	69	115
1989	10,653	4	-	-	-	1	7	6	40	58	128
1988	10,196	4	-	-	1	1	6	14	25	75	134
1987	10,109	2	1	1	-	1	5	16	30	61	114
1986	10,159	2	1	-	-	3	4	9	38	56	117
1985	10,344	2	-	-	1	1	5	22	26	66	135
1984	10,177	3	-	-	-	-	5	7	29	66	133
1983	10,246	2	1	2	2	-	7	21	35	66	158
1982	9,754	1	2	1	-	-	6	14	28	78	156
1981	9,725	1	-	2	-	4	5	16	27	55	129
1980	10,058	-	-	1	1	1	2	14	39	74	151
1979	9,698	3	1	-	-	2	7	16	34	75	165

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other acute ischemic heart diseases (411)											
All races, both sexes											
1998	2,907	1	-	-	-	1	4	3	10	42	58
1997	3,046	-	-	-	-	3	1	3	13	34	65
1996	2,889	1	-	-	-	-	3	7	12	34	84
1995	2,740	3	-	-	-	1	-	1	14	30	54
1994	2,862	1	-	-	-	-	3	4	13	34	73
1993	2,968	-	-	-	-	2	1	9	17	40	80
1992	3,179	-	-	-	-	-	3	3	12	46	87
1991	3,300	1	1	-	-	3	3	6	20	44	81
1990	3,333	-	-	-	-	1	2	6	16	33	77
1989	3,376	2	-	-	-	-	5	9	15	28	68
1988	3,408	4	1	-	-	1	4	8	18	38	71
1987	3,532	1	-	-	-	-	2	6	21	27	77
1986	3,856	-	-	1	-	2	5	6	21	55	85
1985	3,969	-	1	-	-	1	5	11	15	29	75
1984	4,034	1	1	1	-	1	3	6	15	44	81
1983	4,059	1	1	1	-	2	-	7	11	36	86
1982	4,120	-	-	-	-	3	3	12	19	48	84
1981	4,549	2	-	-	-	2	2	11	16	58	84
1980	4,773	-	-	-	-	2	3	10	24	45	88
1979	4,762	3	-	-	-	2	5	8	25	45	79
Other acute ischemic heart diseases (411)											
All races, male											
1998	1,563	1	-	-	-	1	4	2	9	30	46
1997	1,691	-	-	-	-	1	1	3	12	25	51
1996	1,591	-	-	-	-	-	3	5	8	30	66
1995	1,517	2	-	-	-	1	-	-	11	23	39
1994	1,562	1	-	-	-	-	3	3	10	25	52
1993	1,662	-	-	-	-	2	-	7	14	29	61
1992	1,770	-	-	-	-	-	3	3	6	37	75
1991	1,941	1	1	-	-	3	3	5	16	37	73
1990	1,968	-	-	-	-	1	2	4	12	22	65
1989	1,902	1	-	-	-	-	4	8	12	19	53
1988	1,955	3	-	-	-	1	3	4	15	35	60
1987	2,073	1	-	-	-	-	1	6	16	20	54
1986	2,352	-	-	1	-	2	3	5	15	42	72
1985	2,381	-	1	-	-	1	4	6	12	24	58
1984	2,459	1	1	1	-	1	2	4	14	33	70
1983	2,501	1	1	-	-	1	-	5	7	27	65
1982	2,611	-	-	-	-	3	3	11	17	42	66
1981	2,801	2	-	-	-	1	1	7	11	48	57
1980	2,975	-	-	-	-	2	2	5	21	42	69
1979	2,992	3	-	-	-	1	2	7	21	35	69

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other acute ischemic heart diseases (411)											
All races, female											
1998	1,344	-	-	-	-	-	-	1	1	12	12
1997	1,355	-	-	-	-	2	-	-	1	9	14
1996	1,298	1	-	-	-	-	-	2	4	4	18
1995	1,223	1	-	-	-	-	-	1	3	7	15
1994	1,300	-	-	-	-	-	-	1	3	9	21
1993	1,306	-	-	-	-	-	1	2	3	11	19
1992	1,409	-	-	-	-	-	-	-	6	9	12
1991	1,359	-	-	-	-	-	-	1	4	7	8
1990	1,365	-	-	-	-	-	-	2	4	11	12
1989	1,474	1	-	-	-	-	1	1	3	9	15
1988	1,453	1	1	-	-	-	1	4	3	3	11
1987	1,459	-	-	-	-	-	1	-	5	7	23
1986	1,504	-	-	-	-	-	2	1	6	13	13
1985	1,588	-	-	-	-	-	1	5	3	5	17
1984	1,575	-	-	-	-	-	1	2	1	11	11
1983	1,558	-	-	1	-	1	-	2	4	9	21
1982	1,509	-	-	-	-	-	-	1	2	6	18
1981	1,748	-	-	-	-	1	1	4	5	10	27
1980	1,798	-	-	-	-	-	1	5	3	3	19
1979	1,770	-	-	-	-	1	3	1	4	10	10
Other acute ischemic heart diseases (411)											
White, both sexes											
1998	2,448	1	-	-	-	1	2	2	8	31	43
1997	2,596	-	-	-	-	3	1	3	11	25	56
1996	2,454	1	-	-	-	-	2	6	10	27	65
1995	2,356	-	-	-	-	1	-	1	9	23	37
1994	2,442	-	-	-	-	-	1	2	11	31	53
1993	2,541	-	-	-	-	1	-	7	11	32	56
1992	2,699	-	-	-	-	-	2	3	5	36	72
1991	2,807	-	1	-	-	1	2	5	16	34	57
1990	2,807	-	-	-	-	-	1	4	11	26	55
1989	2,843	-	-	-	-	-	2	7	10	24	57
1988	2,915	3	1	-	-	1	1	5	10	28	55
1987	3,007	-	-	-	-	-	1	3	14	19	59
1986	3,296	-	-	1	-	1	5	4	15	42	67
1985	3,394	-	-	-	-	-	1	8	9	19	55
1984	3,387	1	1	1	-	1	3	5	9	28	62
1983	3,405	1	1	1	-	2	-	5	9	30	64
1982	3,488	-	-	-	-	2	3	10	12	40	63
1981	3,835	1	-	-	-	2	2	9	14	45	59
1980	4,048	-	-	-	-	2	3	6	13	38	69
1979	4,020	3	-	-	-	2	4	4	17	33	67

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other acute ischemic heart diseases (411)											
White, male											
1998	1,293	1	-	-	-	1	2	1	7	22	36
1997	1,447	-	-	-	-	1	1	3	10	18	45
1996	1,342	-	-	-	-	-	2	4	7	23	51
1995	1,308	-	-	-	-	1	-	-	9	19	26
1994	1,331	-	-	-	-	-	1	2	9	24	42
1993	1,417	-	-	-	-	1	-	6	10	24	46
1992	1,495	-	-	-	-	-	2	3	3	28	63
1991	1,654	-	1	-	-	1	2	4	12	30	52
1990	1,667	-	-	-	-	-	1	3	8	19	49
1989	1,608	-	-	-	-	-	2	7	7	17	48
1988	1,661	2	-	-	-	1	-	3	9	26	47
1987	1,750	-	-	-	-	-	1	3	11	14	42
1986	2,014	-	-	1	-	1	3	3	12	36	56
1985	2,060	-	-	-	-	-	1	3	7	17	45
1984	2,081	1	1	1	-	1	2	4	8	23	56
1983	2,132	1	1	-	-	1	-	4	5	23	50
1982	2,230	-	-	-	-	2	3	10	11	35	50
1981	2,383	1	-	-	-	1	1	6	9	39	43
1980	2,522	-	-	-	-	2	2	2	12	35	55
1979	2,532	3	-	-	-	1	2	4	15	25	60
Other acute ischemic heart diseases (411)											
White, female											
1998	1,155	-	-	-	-	-	-	1	1	9	7
1997	1,149	-	-	-	-	2	-	-	1	7	11
1996	1,112	1	-	-	-	-	-	2	3	4	14
1995	1,048	-	-	-	-	-	-	1	-	4	11
1994	1,111	-	-	-	-	-	-	-	2	7	11
1993	1,124	-	-	-	-	-	-	1	1	8	10
1992	1,204	-	-	-	-	-	-	-	2	8	9
1991	1,153	-	-	-	-	-	-	1	4	4	5
1990	1,140	-	-	-	-	-	-	1	3	7	6
1989	1,235	-	-	-	-	-	-	-	3	7	9
1988	1,254	1	1	-	-	-	1	2	1	2	8
1987	1,257	-	-	-	-	-	-	-	3	5	17
1986	1,282	-	-	-	-	-	2	1	3	6	11
1985	1,334	-	-	-	-	-	-	5	2	2	10
1984	1,306	-	-	-	-	-	1	1	1	5	6
1983	1,273	-	-	1	-	1	-	1	4	7	14
1982	1,258	-	-	-	-	-	-	-	1	5	13
1981	1,452	-	-	-	-	1	1	3	5	6	16
1980	1,526	-	-	-	-	-	1	4	1	3	14
1979	1,488	-	-	-	-	1	2	-	2	8	7

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other acute ischemic heart diseases (411)											
All other, both sexes											
1998	459	-	-	-	-	-	2	1	2	11	15
1997	450	-	-	-	-	-	-	-	2	9	9
1996	435	-	-	-	-	-	1	1	2	7	19
1995	384	3	-	-	-	-	-	-	5	7	17
1994	420	1	-	-	-	-	2	2	2	3	20
1993	427	-	-	-	-	1	1	2	6	8	24
1992	480	-	-	-	-	-	1	-	7	10	15
1991	493	1	-	-	-	2	1	1	4	10	24
1990	526	-	-	-	-	1	1	2	5	7	22
1989	533	2	-	-	-	-	3	2	5	4	11
1988	493	1	-	-	-	-	3	3	8	10	16
1987	525	1	-	-	-	-	1	3	7	8	18
1986	560	-	-	-	-	1	-	2	6	13	18
1985	575	-	1	-	-	1	4	3	6	10	20
1984	647	-	-	-	-	-	-	1	6	16	19
1983	654	-	-	-	-	-	-	2	2	6	22
1982	632	-	-	-	-	1	-	2	7	8	21
1981	714	1	-	-	-	-	-	2	2	13	25
1980	725	-	-	-	-	-	-	4	11	7	19
1979	742	-	-	-	-	-	1	4	8	12	12
Other acute ischemic heart diseases (411)											
All other, male											
1998	270	-	-	-	-	-	2	1	2	8	10
1997	244	-	-	-	-	-	-	-	2	7	6
1996	249	-	-	-	-	-	1	1	1	7	15
1995	209	2	-	-	-	-	-	-	2	4	13
1994	231	1	-	-	-	-	2	1	1	1	10
1993	245	-	-	-	-	1	-	1	4	5	15
1992	275	-	-	-	-	-	1	-	3	9	12
1991	287	1	-	-	-	2	1	1	4	7	21
1990	301	-	-	-	-	1	1	1	4	3	16
1989	294	1	-	-	-	-	2	1	5	2	5
1988	294	1	-	-	-	-	3	1	6	9	13
1987	323	1	-	-	-	-	-	3	5	6	12
1986	338	-	-	-	-	1	-	2	3	6	16
1985	321	-	1	-	-	1	3	3	5	7	13
1984	378	-	-	-	-	-	-	-	6	10	14
1983	369	-	-	-	-	-	-	1	2	4	15
1982	381	-	-	-	-	1	-	1	6	7	16
1981	418	1	-	-	-	-	-	1	2	9	14
1980	453	-	-	-	-	-	-	3	9	7	14
1979	460	-	-	-	-	-	-	3	6	10	9

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other acute ischemic heart diseases (411)											
All other, female											
1998	189	-	-	-	-	-	-	-	-	3	5
1997	206	-	-	-	-	-	-	-	-	2	3
1996	186	-	-	-	-	-	-	-	1	-	4
1995	175	1	-	-	-	-	-	-	3	3	4
1994	189	-	-	-	-	-	-	1	1	2	10
1993	182	-	-	-	-	-	1	1	2	3	9
1992	205	-	-	-	-	-	-	-	4	1	3
1991	206	-	-	-	-	-	-	-	-	3	3
1990	225	-	-	-	-	-	-	1	1	4	6
1989	239	1	-	-	-	-	1	1	-	2	6
1988	199	-	-	-	-	-	-	2	2	1	3
1987	202	-	-	-	-	-	1	-	2	2	6
1986	222	-	-	-	-	-	-	-	3	7	2
1985	254	-	-	-	-	-	1	-	1	3	7
1984	269	-	-	-	-	-	-	1	-	6	5
1983	285	-	-	-	-	-	-	1	-	2	7
1982	251	-	-	-	-	-	-	1	1	1	5
1981	296	-	-	-	-	-	-	1	-	4	11
1980	272	-	-	-	-	-	-	1	2	-	5
1979	282	-	-	-	-	-	1	1	2	2	3
Other acute ischemic heart diseases (411)											
Black, both sexes											
1998	407	-	-	-	-	-	2	1	2	11	14
1997	396	-	-	-	-	-	-	-	2	8	6
1996	398	-	-	-	-	-	1	1	2	7	17
1995	351	3	-	-	-	-	-	-	4	7	17
1994	361	1	-	-	-	-	2	2	2	3	18
1993	386	-	-	-	-	1	1	2	6	7	22
1992	428	-	-	-	-	-	1	-	5	8	12
1991	450	1	-	-	-	2	1	1	2	7	24
1990	479	-	-	-	-	1	-	2	4	6	20
1989	496	2	-	-	-	-	3	2	5	3	11
1988	465	1	-	-	-	-	3	3	6	10	14
1987	482	1	-	-	-	-	1	3	5	7	15
1986	517	-	-	-	-	1	-	1	6	11	17
1985	549	-	1	-	-	1	3	3	6	9	19
1984	615	-	-	-	-	-	-	1	4	15	18
1983	624	-	-	-	-	-	-	2	2	6	18
1982	598	-	-	-	-	1	-	2	7	7	20
1981	673	-	-	-	-	-	-	1	2	13	23
1980	685	-	-	-	-	-	-	4	11	6	18
1979	709	-	-	-	-	-	1	4	7	11	11

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other acute ischemic heart diseases (411)											
Black, male											
1998	234	-	-	-	-	-	2	1	2	8	9
1997	210	-	-	-	-	-	-	-	2	6	3
1996	230	-	-	-	-	-	1	1	1	7	14
1995	190	2	-	-	-	-	-	-	1	4	13
1994	196	1	-	-	-	-	2	1	1	1	9
1993	216	-	-	-	-	1	-	1	4	4	14
1992	237	-	-	-	-	-	1	-	2	7	9
1991	259	1	-	-	-	2	1	1	2	5	21
1990	272	-	-	-	-	1	-	1	3	2	14
1989	271	1	-	-	-	-	2	1	5	2	5
1988	274	1	-	-	-	-	3	1	4	9	11
1987	290	1	-	-	-	-	-	3	4	5	10
1986	307	-	-	-	-	1	-	1	3	5	15
1985	304	-	1	-	-	1	2	3	5	6	12
1984	354	-	-	-	-	-	-	-	4	10	13
1983	350	-	-	-	-	-	-	1	2	4	12
1982	356	-	-	-	-	1	-	1	6	6	15
1981	394	-	-	-	-	-	-	1	2	9	12
1980	420	-	-	-	-	-	-	3	9	6	13
1979	435	-	-	-	-	-	-	3	5	9	8
Other acute ischemic heart diseases (411)											
Black, female											
1998	173	-	-	-	-	-	-	-	-	3	5
1997	186	-	-	-	-	-	-	-	-	2	3
1996	168	-	-	-	-	-	-	-	1	-	3
1995	161	1	-	-	-	-	-	-	3	3	4
1994	165	-	-	-	-	-	-	1	1	2	9
1993	170	-	-	-	-	-	1	1	2	3	8
1992	191	-	-	-	-	-	-	-	3	1	3
1991	191	-	-	-	-	-	-	-	-	2	3
1990	207	-	-	-	-	-	-	1	1	4	6
1989	225	1	-	-	-	-	1	1	-	1	6
1988	191	-	-	-	-	-	-	2	2	1	3
1987	192	-	-	-	-	-	1	-	1	2	5
1986	210	-	-	-	-	-	-	-	3	6	2
1985	245	-	-	-	-	-	1	-	1	3	7
1984	261	-	-	-	-	-	-	1	-	5	5
1983	274	-	-	-	-	-	-	1	-	2	6
1982	242	-	-	-	-	-	-	1	1	1	5
1981	279	-	-	-	-	-	-	-	-	4	11
1980	265	-	-	-	-	-	-	1	2	-	5
1979	274	-	-	-	-	-	1	1	2	2	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other forms of chronic ischemic heart disease (412-414,429.2)											
All races, both sexes											
1998	320,159	10	1	3	8	20	40	132	446	1,350	2,744
1997	323,803	11	2	3	4	21	46	143	480	1,256	2,748
1996	328,217	16	2	4	7	23	36	159	472	1,377	2,733
1995	331,495	10	4	6	3	20	38	157	497	1,358	2,749
1994	327,417	11	8	3	2	14	44	146	457	1,303	2,643
1993	332,279	20	8	5	4	16	52	151	490	1,215	2,704
1992	316,445	6	4	5	4	9	48	152	474	1,175	2,574
1991	316,262	18	7	5	7	14	42	167	433	1,180	2,501
1990	315,950	12	4	4	6	13	37	141	422	1,061	2,408
1989	318,575	12	3	2	7	14	27	149	462	1,081	2,383
1988	331,061	9	8	4	5	14	35	149	448	1,127	2,277
1987	327,506	12	4	4	5	17	46	141	487	1,138	2,477
1986	328,538	9	6	2	3	16	43	153	455	1,189	2,355
1985	330,204	12	5	2	4	9	44	145	422	1,081	2,257
1984	330,022	13	10	23	2	14	47	146	400	1,120	2,141
1983	334,551	14	12	19	4	12	34	136	403	995	2,140
1982	325,690	15	13	25	4	11	31	154	382	995	2,004
1981	327,201	13	7	21	8	10	33	143	344	940	1,971
1980	331,320	13	5	7	1	13	43	115	360	892	1,985
1979	312,230	11	7	3	1	14	35	109	358	816	1,877
Other forms of chronic ischemic heart disease (412-414,429.2)											
All races, male											
1998	158,624	7	1	3	4	15	26	100	335	1,037	2,111
1997	160,197	4	2	2	2	17	37	105	360	983	2,185
1996	162,215	4	-	1	6	18	31	120	375	1,082	2,114
1995	162,606	7	3	4	2	15	27	118	390	1,040	2,182
1994	161,119	5	2	3	2	10	34	104	336	1,028	2,105
1993	162,988	11	3	4	2	13	35	115	383	950	2,162
1992	156,054	3	2	1	4	8	35	109	369	951	2,046
1991	155,927	12	6	2	1	11	29	128	333	949	2,018
1990	155,141	7	1	2	4	6	34	110	335	891	1,971
1989	155,872	5	2	2	4	7	18	110	355	889	1,959
1988	161,969	3	3	2	5	12	31	115	365	921	1,854
1987	160,388	5	4	-	2	12	34	107	395	948	2,017
1986	161,102	3	3	2	3	12	26	124	354	979	1,922
1985	162,171	5	4	-	3	6	32	112	331	895	1,852
1984	161,485	5	5	15	1	8	35	115	334	916	1,737
1983	164,198	11	7	11	2	8	28	109	334	837	1,747
1982	160,541	10	7	12	2	7	24	127	321	819	1,625
1981	161,623	10	6	12	5	6	23	122	267	771	1,573
1980	163,140	5	3	2	1	7	32	93	302	721	1,575
1979	155,797	8	3	2	-	12	21	87	290	655	1,503

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other forms of chronic ischemic heart disease (412-414,429.2)											
All races, female											
1998	161,535	3	-	-	4	5	14	32	111	313	633
1997	163,606	7	-	1	2	4	9	38	120	273	563
1996	166,002	12	2	3	1	5	5	39	97	295	619
1995	168,889	3	1	2	1	5	11	39	107	318	567
1994	166,298	6	6	-	-	4	10	42	121	275	538
1993	169,291	9	5	1	2	3	17	36	107	265	542
1992	160,391	3	2	4	-	1	13	43	105	224	528
1991	160,335	6	1	3	6	3	13	39	100	231	483
1990	160,809	5	3	2	2	7	3	31	87	170	437
1989	162,703	7	1	-	3	7	9	39	107	192	424
1988	169,092	6	5	2	-	2	4	34	83	206	423
1987	167,118	7	-	4	3	5	12	34	92	190	460
1986	167,436	6	3	-	-	4	17	29	101	210	433
1985	168,033	7	1	2	1	3	12	33	91	186	405
1984	168,537	8	5	8	1	6	12	31	66	204	404
1983	170,353	3	5	8	2	4	6	27	69	158	393
1982	165,149	5	6	13	2	4	7	27	61	176	379
1981	165,578	3	1	9	3	4	10	21	77	169	398
1980	168,180	8	2	5	-	6	11	22	58	171	410
1979	156,433	3	4	1	1	2	14	22	68	161	374
Other forms of chronic ischemic heart disease (412-414,429.2)											
White, both sexes											
1998	284,718	3	1	2	3	15	29	101	355	1,044	2,093
1997	288,435	7	1	3	2	14	29	97	378	974	2,121
1996	292,715	11	1	3	7	16	24	114	370	1,076	2,089
1995	295,214	7	3	3	2	16	23	111	386	1,058	2,140
1994	292,345	7	6	3	1	9	31	104	349	971	2,014
1993	296,436	17	7	3	2	11	31	114	374	926	2,058
1992	282,858	4	2	4	3	8	37	112	362	917	1,964
1991	282,810	12	5	4	5	9	26	119	325	891	1,975
1990	283,239	7	3	2	4	8	27	111	316	811	1,909
1989	285,442	9	2	1	6	9	20	113	336	822	1,846
1988	297,413	8	5	3	5	6	23	109	340	870	1,788
1987	294,618	11	3	3	3	13	33	108	348	867	1,953
1986	295,893	8	2	2	3	10	33	114	335	932	1,841
1985	298,201	9	5	2	4	7	33	110	300	840	1,785
1984	298,577	6	7	20	2	10	38	115	296	875	1,690
1983	302,388	11	8	16	4	9	26	108	300	799	1,698
1982	294,552	10	11	19	4	8	23	114	279	779	1,568
1981	295,974	8	4	16	8	5	23	90	242	721	1,531
1980	299,297	10	3	5	1	8	32	78	266	689	1,527
1979	282,778	9	3	3	1	11	28	78	275	623	1,439

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other forms of chronic ischemic heart disease (412-414,429.2)											
White, male											
1998	140,835	2	1	2	2	11	20	80	264	808	1,669
1997	142,312	4	1	2	1	12	24	73	288	788	1,739
1996	144,561	3	-	1	6	12	21	86	298	876	1,686
1995	144,278	5	2	1	2	12	16	84	306	836	1,750
1994	143,585	3	2	3	1	6	24	74	266	790	1,662
1993	145,069	9	3	2	-	8	18	86	292	754	1,702
1992	139,238	2	1	1	3	7	25	82	283	771	1,628
1991	138,948	10	4	1	1	6	16	92	252	739	1,646
1990	138,681	5	1	2	3	5	24	90	254	702	1,605
1989	139,014	3	2	1	4	6	14	91	263	700	1,565
1988	144,896	2	2	1	5	4	19	84	280	740	1,501
1987	143,560	5	3	-	-	9	23	82	292	744	1,620
1986	144,455	3	-	2	3	7	18	93	272	793	1,541
1985	145,705	4	4	-	3	4	22	85	247	706	1,497
1984	145,440	1	4	13	1	5	29	92	254	734	1,424
1983	147,828	8	4	9	2	5	22	92	254	696	1,425
1982	144,395	7	5	9	2	5	17	95	242	652	1,306
1981	145,496	6	4	10	5	4	15	80	195	606	1,259
1980	146,498	4	2	2	1	4	23	62	229	572	1,265
1979	140,289	6	1	2	-	11	19	64	234	512	1,197
Other forms of chronic ischemic heart disease (412-414,429.2)											
White, female											
1998	143,883	1	-	-	1	4	9	21	91	236	424
1997	146,123	3	-	1	1	2	5	24	90	186	382
1996	148,154	8	1	2	1	4	3	28	72	200	403
1995	150,936	2	1	2	-	4	7	27	80	222	390
1994	148,760	4	4	-	-	3	7	30	83	181	352
1993	151,367	8	4	1	2	3	13	28	82	172	356
1992	143,620	2	1	3	-	1	12	30	79	146	336
1991	143,862	2	1	3	4	3	10	27	73	152	329
1990	144,558	2	2	-	1	3	3	21	62	109	304
1989	146,428	6	-	-	2	3	6	22	73	122	281
1988	152,517	6	3	2	-	2	4	25	60	130	287
1987	151,058	6	-	3	3	4	10	26	56	123	333
1986	151,438	5	2	-	-	3	15	21	63	139	300
1985	152,496	5	1	2	1	3	11	25	53	134	288
1984	153,137	5	3	7	1	5	9	23	42	141	266
1983	154,560	3	4	7	2	4	4	16	46	103	273
1982	150,157	3	6	10	2	3	6	19	37	127	262
1981	150,478	2	-	6	3	1	8	10	47	115	272
1980	152,799	6	1	3	-	4	9	16	37	117	262
1979	142,489	3	2	1	1	-	9	14	41	111	242

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other forms of chronic ischemic heart disease (412-414,429.2)											
All other, both sexes											
1998	35,441	7	-	1	5	5	11	31	91	306	651
1997	35,368	4	1	-	2	7	17	46	102	282	627
1996	35,502	5	1	1	-	7	12	45	102	301	644
1995	36,281	3	1	3	1	4	15	46	111	300	609
1994	35,072	4	2	-	1	5	13	42	108	332	629
1993	35,843	3	1	2	2	5	21	37	116	289	646
1992	33,587	2	2	1	1	1	11	40	112	258	610
1991	33,452	6	2	1	2	5	16	48	108	289	526
1990	32,711	5	1	2	2	5	10	30	106	250	499
1989	33,133	3	1	1	1	5	7	36	126	259	537
1988	33,648	1	3	1	-	8	12	40	108	257	489
1987	32,888	1	1	1	2	4	13	33	139	271	524
1986	32,645	1	4	-	-	6	10	39	120	257	514
1985	32,003	3	-	-	-	2	11	35	122	241	472
1984	31,445	7	3	3	-	4	9	31	104	245	451
1983	32,163	3	4	3	-	3	8	28	103	196	442
1982	31,138	5	2	6	-	3	8	40	103	216	436
1981	31,227	5	3	5	-	5	10	53	102	219	440
1980	32,023	3	2	2	-	5	11	37	94	203	458
1979	29,452	2	4	-	-	3	7	31	83	193	438
Other forms of chronic ischemic heart disease (412-414,429.2)											
All other, male											
1998	17,789	5	-	1	2	4	6	20	71	229	442
1997	17,885	-	1	-	1	5	13	32	72	195	446
1996	17,654	1	-	-	-	6	10	34	77	206	428
1995	18,328	2	1	3	-	3	11	34	84	204	432
1994	17,534	2	-	-	1	4	10	30	70	238	443
1993	17,919	2	-	2	2	5	17	29	91	196	460
1992	16,816	1	1	-	1	1	10	27	86	180	418
1991	16,979	2	2	1	-	5	13	36	81	210	372
1990	16,460	2	-	-	1	1	10	20	81	189	366
1989	16,858	2	-	1	-	1	4	19	92	189	394
1988	17,073	1	1	1	-	8	12	31	85	181	353
1987	16,828	-	1	-	2	3	11	25	103	204	397
1986	16,647	-	3	-	-	5	8	31	82	186	381
1985	16,466	1	-	-	-	2	10	27	84	189	355
1984	16,045	4	1	2	-	3	6	23	80	182	313
1983	16,370	3	3	2	-	3	6	17	80	141	322
1982	16,146	3	2	3	-	2	7	32	79	167	319
1981	16,127	4	2	2	-	2	8	42	72	165	314
1980	16,642	1	1	-	-	3	9	31	73	149	310
1979	15,508	2	2	-	-	1	2	23	56	143	306

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other forms of chronic ischemic heart disease (412-414,429.2)											
All other, female											
1998	17,652	2	-	-	3	1	5	11	20	77	209
1997	17,483	4	-	-	1	2	4	14	30	87	181
1996	17,848	4	1	1	-	1	2	11	25	95	216
1995	17,953	1	-	-	1	1	4	12	27	96	177
1994	17,538	2	2	-	-	1	3	12	38	94	186
1993	17,924	1	1	-	-	-	4	8	25	93	186
1992	16,771	1	1	1	-	-	1	13	26	78	192
1991	16,473	4	-	-	2	-	3	12	27	79	154
1990	16,251	3	1	2	1	4	-	10	25	61	133
1989	16,275	1	1	-	1	4	3	17	34	70	143
1988	16,575	-	2	-	-	-	-	9	23	76	136
1987	16,060	1	-	1	-	1	2	8	36	67	127
1986	15,998	1	1	-	-	1	2	8	38	71	133
1985	15,537	2	-	-	-	-	1	8	38	52	117
1984	15,400	3	2	1	-	1	3	8	24	63	138
1983	15,793	-	1	1	-	-	2	11	23	55	120
1982	14,992	2	-	3	-	1	1	8	24	49	117
1981	15,100	1	1	3	-	3	2	11	30	54	126
1980	15,381	2	1	2	-	2	2	6	21	54	148
1979	13,944	-	2	-	-	2	5	8	27	50	132
Other forms of chronic ischemic heart disease (412-414,429.2)											
Black, both sexes											
1998	30,511	6	-	1	5	5	9	29	83	259	592
1997	30,593	4	1	-	2	5	16	41	88	254	552
1996	30,858	5	1	1	-	5	11	39	89	261	580
1995	31,877	3	1	3	1	4	9	40	94	267	558
1994	30,844	4	2	-	1	5	10	35	95	295	566
1993	31,875	2	1	2	2	4	21	34	104	257	576
1992	29,752	2	2	1	1	1	10	39	96	237	539
1991	29,994	6	2	1	2	5	14	44	99	260	482
1990	29,466	5	1	2	2	5	10	26	93	229	453
1989	30,018	2	1	1	1	5	7	35	121	245	487
1988	30,660	1	2	-	-	7	10	34	102	241	457
1987	30,102	1	1	1	2	4	10	28	127	242	488
1986	30,014	1	4	-	-	4	8	35	106	238	475
1985	29,477	3	-	-	-	2	10	34	114	226	436
1984	29,056	4	2	2	-	4	9	27	97	233	432
1983	29,838	2	2	2	-	2	8	25	94	179	411
1982	28,995	2	2	5	-	2	7	35	93	200	398
1981	29,317	2	2	4	-	5	9	48	91	208	416
1980	30,076	2	2	2	-	5	11	35	88	184	431
1979	27,612	2	2	-	-	3	7	29	73	181	414

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other forms of chronic ischemic heart disease (412-414,429.2)											
Black, male											
1998	14,891	5	-	1	2	4	6	18	64	185	389
1997	15,064	-	1	-	1	3	12	27	59	170	386
1996	14,943	1	-	-	-	4	9	28	65	172	371
1995	15,758	2	1	3	-	3	7	29	70	176	392
1994	14,991	2	-	-	1	4	7	23	60	206	386
1993	15,591	1	-	2	2	4	17	26	81	171	400
1992	14,587	1	1	-	1	1	9	26	73	163	355
1991	14,893	2	2	1	-	5	11	33	73	186	340
1990	14,528	2	-	-	1	1	10	16	69	169	325
1989	14,960	1	-	1	-	1	4	18	88	178	350
1988	15,205	1	1	-	-	7	10	26	79	167	326
1987	15,104	-	1	-	2	3	8	20	93	180	365
1986	15,021	-	3	-	-	3	6	27	68	169	347
1985	14,924	1	-	-	-	2	9	26	77	178	322
1984	14,565	2	-	1	-	3	6	20	73	172	296
1983	14,943	2	1	1	-	2	6	15	71	126	293
1982	14,756	1	2	2	-	1	6	28	72	153	286
1981	14,915	1	1	2	-	2	7	38	62	154	295
1980	15,371	-	1	-	-	3	9	29	68	130	288
1979	14,322	2	1	-	-	1	2	21	47	132	289
Other forms of chronic ischemic heart disease (412-414,429.2)											
Black, female											
1998	15,620	1	-	-	3	1	3	11	19	74	203
1997	15,529	4	-	-	1	2	4	14	29	84	166
1996	15,915	4	1	1	-	1	2	11	24	89	209
1995	16,119	1	-	-	1	1	2	11	24	91	166
1994	15,853	2	2	-	-	1	3	12	35	89	180
1993	16,284	1	1	-	-	-	4	8	23	86	176
1992	15,165	1	1	1	-	-	1	13	23	74	184
1991	15,101	4	-	-	2	-	3	11	26	74	142
1990	14,938	3	1	2	1	4	-	10	24	60	128
1989	15,058	1	1	-	1	4	3	17	33	67	137
1988	15,455	-	1	-	-	-	-	8	23	74	131
1987	14,998	1	-	1	-	1	2	8	34	62	123
1986	14,993	1	1	-	-	1	2	8	38	69	128
1985	14,553	2	-	-	-	-	1	8	37	48	114
1984	14,491	2	2	1	-	1	3	7	24	61	136
1983	14,895	-	1	1	-	-	2	10	23	53	118
1982	14,239	1	-	3	-	1	1	7	21	47	112
1981	14,402	1	1	2	-	3	2	10	29	54	121
1980	14,705	2	1	2	-	2	2	6	20	54	143
1979	13,290	-	1	-	-	2	5	8	26	49	125

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Atherosclerotic cardiovascular disease, so described (429.2)											
All races, both sexes											
1998	66,776	4	-	-	1	1	10	29	114	365	783
1997	66,960	3	-	-	1	4	10	28	119	326	774
1996	68,514	6	-	-	1	3	5	45	122	338	765
1995	71,177	3	-	3	-	5	3	32	124	335	737
1994	71,220	2	1	2	1	3	9	40	124	352	718
1993	72,640	3	1	1	3	3	10	32	99	316	731
1992	68,956	4	2	1	-	1	13	36	130	307	654
1991	69,379	7	1	-	2	2	7	34	110	276	657
1990	69,120	2	-	1	-	3	8	37	92	249	600
1989	70,880	-	1	1	2	3	6	28	107	241	576
1988	72,827	1	1	-	-	1	6	19	94	239	506
1987	72,442	3	-	-	3	2	6	28	117	245	558
1986	72,667	2	2	-	-	2	7	31	86	238	507
1985	71,567	5	-	-	1	-	9	25	74	180	448
1984	71,890	2	1	5	-	2	4	22	95	212	463
1983	72,418	3	3	4	1	-	7	31	70	193	435
1982	68,055	5	3	9	-	1	6	23	65	193	389
1981	69,096	3	2	5	1	1	6	30	59	184	401
1980	69,922	4	2	2	-	2	10	20	66	161	395
1979	66,089	4	3	1	-	1	6	27	61	156	403
Atherosclerotic cardiovascular disease, so described (429.2)											
All races, male											
1998	33,808	3	-	-	1	-	6	27	97	285	621
1997	33,727	1	-	-	1	3	9	22	95	259	620
1996	34,509	2	-	-	1	2	4	32	98	286	611
1995	35,291	2	-	2	-	3	2	27	100	264	594
1994	35,625	1	1	2	1	2	7	30	87	265	580
1993	36,020	1	1	1	2	1	5	24	81	250	600
1992	34,032	3	1	1	-	1	10	24	101	256	527
1991	34,276	6	-	-	1	2	5	26	86	210	542
1990	33,995	1	-	1	-	-	8	29	75	204	500
1989	34,548	-	-	1	2	1	5	22	85	208	482
1988	35,303	1	-	-	-	1	6	14	77	195	412
1987	34,956	1	-	-	2	2	3	22	89	207	463
1986	35,065	-	2	-	-	1	5	27	61	202	411
1985	34,231	2	-	-	-	-	7	21	58	151	365
1984	34,417	1	1	2	-	2	3	21	80	178	383
1983	34,856	3	-	2	-	-	6	25	55	158	357
1982	32,704	5	-	6	-	-	5	20	54	164	325
1981	33,393	3	2	3	1	-	4	25	39	149	326
1980	33,826	-	2	-	-	-	8	17	53	128	315
1979	32,557	3	1	1	-	1	5	17	54	127	332

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Atherosclerotic cardiovascular disease, so described (429.2)											
All races, female											
1998	32,968	1	-	-	-	1	4	2	17	80	162
1997	33,233	2	-	-	-	1	1	6	24	67	154
1996	34,005	4	-	-	-	1	1	13	24	52	154
1995	35,886	1	-	1	-	2	1	5	24	71	143
1994	35,595	1	-	-	-	1	2	10	37	87	138
1993	36,620	2	-	-	1	2	5	8	18	66	131
1992	34,924	1	1	-	-	-	3	12	29	51	127
1991	35,103	1	1	-	1	-	2	8	24	66	115
1990	35,125	1	-	-	-	3	-	8	17	45	100
1989	36,332	-	1	-	-	2	1	6	22	33	94
1988	37,524	-	1	-	-	-	-	5	17	44	94
1987	37,486	2	-	-	1	-	3	6	28	38	95
1986	37,602	2	-	-	-	1	2	4	25	36	96
1985	37,336	3	-	-	1	-	2	4	16	29	83
1984	37,473	1	-	3	-	-	1	1	15	34	80
1983	37,562	-	3	2	1	-	1	6	15	35	78
1982	35,351	-	3	3	-	1	1	3	11	29	64
1981	35,703	-	-	2	-	1	2	5	20	35	75
1980	36,096	4	-	2	-	2	2	3	13	33	80
1979	33,532	1	2	-	-	-	1	10	7	29	71
Atherosclerotic cardiovascular disease, so described (429.2)											
White, both sexes											
1998	56,113	2	-	-	-	1	6	21	95	272	563
1997	56,622	3	-	-	1	3	4	16	87	253	577
1996	57,946	3	-	-	1	-	5	30	90	276	575
1995	59,967	2	-	1	-	3	2	22	100	251	550
1994	60,244	1	1	2	1	2	7	28	86	258	545
1993	61,027	1	1	-	1	3	6	22	67	238	528
1992	58,108	3	1	1	-	1	9	24	96	237	466
1991	58,519	6	1	-	2	1	2	25	80	190	499
1990	58,439	1	-	1	-	1	6	30	67	189	433
1989	59,705	-	-	-	2	3	2	21	70	174	419
1988	61,916	1	1	-	-	1	4	12	69	170	362
1987	61,744	3	-	-	1	2	3	19	72	169	408
1986	62,009	1	-	-	-	2	3	22	59	178	374
1985	61,607	4	-	-	1	-	7	19	45	137	335
1984	62,003	1	-	4	-	1	2	16	64	151	334
1983	62,415	3	2	4	1	-	3	22	49	145	328
1982	58,834	3	3	8	-	1	4	17	42	146	272
1981	59,847	2	1	3	1	-	2	16	39	131	290
1980	60,243	3	1	-	-	1	9	10	47	121	260
1979	56,935	4	1	1	-	1	4	18	46	108	270

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Atherosclerotic cardiovascular disease, so described (429.2)											
White, male											
1998	27,993	1	-	-	-	-	4	20	79	211	465
1997	28,063	1	-	-	1	3	4	15	72	207	481
1996	28,790	1	-	-	1	-	4	20	75	243	482
1995	29,230	1	-	-	-	2	1	19	82	207	453
1994	29,716	1	1	2	1	2	5	21	62	201	457
1993	29,810	-	1	-	-	1	2	17	57	199	445
1992	28,152	2	-	1	-	1	7	18	73	205	405
1991	28,349	5	-	-	1	1	1	17	63	151	435
1990	28,261	1	-	1	-	-	6	24	56	162	370
1989	28,485	-	-	-	2	1	2	19	57	157	362
1988	29,551	1	-	-	-	1	4	9	60	148	316
1987	29,282	1	-	-	-	2	1	16	59	145	349
1986	29,318	-	-	-	-	1	2	19	43	155	310
1985	28,937	1	-	-	-	-	5	17	36	115	285
1984	29,179	-	-	2	-	1	1	16	55	127	288
1983	29,612	3	-	2	-	-	3	19	40	124	275
1982	27,772	3	-	6	-	-	3	15	33	128	238
1981	28,379	2	1	2	1	-	1	14	29	112	247
1980	28,719	-	1	-	-	-	7	8	41	101	225
1979	27,543	3	-	1	-	1	3	11	40	94	236
Atherosclerotic cardiovascular disease, so described (429.2)											
White, female											
1998	28,120	1	-	-	-	1	2	1	16	61	98
1997	28,559	2	-	-	-	-	-	1	15	46	96
1996	29,156	2	-	-	-	-	1	10	15	33	93
1995	30,737	1	-	1	-	1	1	3	18	44	97
1994	30,528	-	-	-	-	-	2	7	24	57	88
1993	31,217	1	-	-	1	2	4	5	10	39	83
1992	29,956	1	1	-	-	-	2	6	23	32	61
1991	30,170	1	1	-	1	-	1	8	17	39	64
1990	30,178	-	-	-	-	1	-	6	11	27	63
1989	31,220	-	-	-	-	2	-	2	13	17	57
1988	32,365	-	1	-	-	-	-	3	9	22	46
1987	32,462	2	-	-	1	-	2	3	13	24	59
1986	32,691	1	-	-	-	1	1	3	16	23	64
1985	32,670	3	-	-	1	-	2	2	9	22	50
1984	32,824	1	-	2	-	-	1	-	9	24	46
1983	32,803	-	2	2	1	-	-	3	9	21	53
1982	31,062	-	3	2	-	1	1	2	9	18	34
1981	31,468	-	-	1	-	-	1	2	10	19	43
1980	31,524	3	-	-	-	1	2	2	6	20	35
1979	29,392	1	1	-	-	-	1	7	6	14	34

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Atherosclerotic cardiovascular disease, so described (429.2)											
All other, both sexes											
1998	10,663	2	-	-	1	-	4	8	19	93	220
1997	10,338	-	-	-	-	1	6	12	32	73	197
1996	10,568	3	-	-	-	3	-	15	32	62	190
1995	11,210	1	-	2	-	2	1	10	24	84	187
1994	10,976	1	-	-	-	1	2	12	38	94	173
1993	11,613	2	-	1	2	-	4	10	32	78	203
1992	10,848	1	1	-	-	-	4	12	34	70	188
1991	10,860	1	-	-	-	1	5	9	30	86	158
1990	10,681	1	-	-	-	2	2	7	25	60	167
1989	11,175	-	1	1	-	-	4	7	37	67	157
1988	10,911	-	-	-	-	-	2	7	25	69	144
1987	10,698	-	-	-	2	-	3	9	45	76	150
1986	10,658	1	2	-	-	-	4	9	27	60	133
1985	9,960	1	-	-	-	-	2	6	29	43	113
1984	9,887	1	1	1	-	1	2	6	31	61	129
1983	10,003	-	1	-	-	-	4	9	21	48	107
1982	9,221	2	-	1	-	-	2	6	23	47	117
1981	9,249	1	1	2	-	1	4	14	20	53	111
1980	9,679	1	1	2	-	1	1	10	19	40	135
1979	9,154	-	2	-	-	-	2	9	15	48	133
Atherosclerotic cardiovascular disease, so described (429.2)											
All other, male											
1998	5,815	2	-	-	1	-	2	7	18	74	156
1997	5,664	-	-	-	-	-	5	7	23	52	139
1996	5,719	1	-	-	-	2	-	12	23	43	129
1995	6,061	1	-	2	-	1	1	8	18	57	141
1994	5,909	-	-	-	-	-	2	9	25	64	123
1993	6,210	1	-	1	2	-	3	7	24	51	155
1992	5,880	1	1	-	-	-	3	6	28	51	122
1991	5,927	1	-	-	-	1	4	9	23	59	107
1990	5,734	-	-	-	-	-	2	5	19	42	130
1989	6,063	-	-	1	-	-	3	3	28	51	120
1988	5,752	-	-	-	-	-	2	5	17	47	96
1987	5,674	-	-	-	2	-	2	6	30	62	114
1986	5,747	-	2	-	-	-	3	8	18	47	101
1985	5,294	1	-	-	-	-	2	4	22	36	80
1984	5,238	1	1	-	-	1	2	5	25	51	95
1983	5,244	-	-	-	-	-	3	6	15	34	82
1982	4,932	2	-	-	-	-	2	5	21	36	87
1981	5,014	1	1	1	-	-	3	11	10	37	79
1980	5,107	-	1	-	-	-	1	9	12	27	90
1979	5,014	-	1	-	-	-	2	6	14	33	96

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Atherosclerotic cardiovascular disease, so described (429.2)											
All other, female											
1998	4,848	-	-	-	-	-	2	1	1	19	64
1997	4,674	-	-	-	-	1	1	5	9	21	58
1996	4,849	2	-	-	-	1	-	3	9	19	61
1995	5,149	-	-	-	-	1	-	2	6	27	46
1994	5,067	1	-	-	-	1	-	3	13	30	50
1993	5,403	1	-	-	-	-	1	3	8	27	48
1992	4,968	-	-	-	-	-	1	6	6	19	66
1991	4,933	-	-	-	-	-	1	-	7	27	51
1990	4,947	1	-	-	-	2	-	2	6	18	37
1989	5,112	-	1	-	-	-	1	4	9	16	37
1988	5,159	-	-	-	-	-	-	2	8	22	48
1987	5,024	-	-	-	-	-	1	3	15	14	36
1986	4,911	1	-	-	-	-	1	1	9	13	32
1985	4,666	-	-	-	-	-	-	2	7	7	33
1984	4,649	-	-	1	-	-	-	1	6	10	34
1983	4,759	-	1	-	-	-	1	3	6	14	25
1982	4,289	-	-	1	-	-	-	1	2	11	30
1981	4,235	-	-	1	-	1	1	3	10	16	32
1980	4,572	1	-	2	-	1	-	1	7	13	45
1979	4,140	-	1	-	-	-	-	3	1	15	37
Atherosclerotic cardiovascular disease, so described (429.2)											
Black, both sexes											
1998	9,519	2	-	-	1	-	3	8	17	77	199
1997	9,247	-	-	-	-	1	5	11	30	65	177
1996	9,456	3	-	-	-	2	-	13	27	53	169
1995	10,152	1	-	2	-	2	-	9	21	77	173
1994	9,927	1	-	-	-	1	1	9	36	88	155
1993	10,608	2	-	1	2	-	4	10	31	74	188
1992	9,887	1	1	-	-	-	4	12	32	64	160
1991	9,944	1	-	-	-	1	5	8	27	78	157
1990	9,810	1	-	-	-	2	2	7	23	56	145
1989	10,336	-	1	1	-	-	4	6	36	66	141
1988	10,099	-	-	-	-	-	1	6	22	65	137
1987	9,967	-	-	-	2	-	3	7	42	73	139
1986	10,014	1	2	-	-	-	4	9	25	58	123
1985	9,312	1	-	-	-	-	2	6	29	42	105
1984	9,307	-	-	1	-	1	2	5	28	59	126
1983	9,486	-	1	-	-	-	4	9	20	47	103
1982	8,780	-	-	1	-	-	1	6	21	44	106
1981	8,872	-	-	2	-	1	4	13	19	53	109
1980	9,288	1	1	2	-	1	1	10	19	39	129
1979	8,806	-	2	-	-	-	2	9	15	46	129

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Atherosclerotic cardiovascular disease, so described (429.2)											
Black, male											
1998	5,091	2	-	-	1	-	2	7	16	59	137
1997	4,996	-	-	-	-	-	4	6	21	44	121
1996	5,048	1	-	-	-	1	-	10	18	34	111
1995	5,420	1	-	2	-	1	-	7	15	51	128
1994	5,245	-	-	-	-	-	1	6	23	60	106
1993	5,610	1	-	1	2	-	3	7	23	47	141
1992	5,287	1	1	-	-	-	3	6	26	47	97
1991	5,344	1	-	-	-	1	4	8	21	52	106
1990	5,202	-	-	-	-	-	2	5	18	38	110
1989	5,533	-	-	1	-	-	3	2	27	50	104
1988	5,246	-	-	-	-	-	1	4	14	43	90
1987	5,217	-	-	-	2	-	2	4	27	60	105
1986	5,355	-	2	-	-	-	3	8	16	46	93
1985	4,906	1	-	-	-	-	2	4	22	36	72
1984	4,866	-	-	-	-	1	2	4	22	49	93
1983	4,911	-	-	-	-	-	3	6	14	33	78
1982	4,655	-	-	-	-	-	1	5	20	33	78
1981	4,763	-	-	1	-	-	3	10	9	37	77
1980	4,865	-	1	-	-	-	1	9	12	26	85
1979	4,795	-	1	-	-	-	2	6	14	31	93
Atherosclerotic cardiovascular disease, so described (429.2)											
Black, female											
1998	4,428	-	-	-	-	-	1	1	1	18	62
1997	4,251	-	-	-	-	1	1	5	9	21	56
1996	4,408	2	-	-	-	1	-	3	9	19	58
1995	4,732	-	-	-	-	1	-	2	6	26	45
1994	4,682	1	-	-	-	1	-	3	13	28	49
1993	4,998	1	-	-	-	-	1	3	8	27	47
1992	4,600	-	-	-	-	-	1	6	6	17	63
1991	4,600	-	-	-	-	-	1	-	6	26	51
1990	4,608	1	-	-	-	2	-	2	5	18	35
1989	4,803	-	1	-	-	-	1	4	9	16	37
1988	4,853	-	-	-	-	-	-	2	8	22	47
1987	4,750	-	-	-	-	-	1	3	15	13	34
1986	4,659	1	-	-	-	-	1	1	9	12	30
1985	4,406	-	-	-	-	-	-	2	7	6	33
1984	4,441	-	-	1	-	-	-	1	6	10	33
1983	4,575	-	1	-	-	-	1	3	6	14	25
1982	4,125	-	-	1	-	-	-	1	1	11	28
1981	4,109	-	-	1	-	1	1	3	10	16	32
1980	4,423	1	-	2	-	1	-	1	7	13	44
1979	4,011	-	1	-	-	-	-	3	1	15	36

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
All other forms of chronic ischemic heart disease (412-414)											
All races, both sexes											
1998	253,383	6	1	3	7	19	30	103	332	985	1,961
1997	256,843	8	2	3	3	17	36	115	361	930	1,974
1996	259,703	10	2	4	6	20	31	114	350	1,039	1,968
1995	260,318	7	4	3	3	15	35	125	373	1,023	2,012
1994	256,197	9	7	1	1	11	35	106	333	951	1,925
1993	259,639	17	7	4	1	13	42	119	391	899	1,973
1992	247,489	2	2	4	4	8	35	116	344	868	1,920
1991	246,883	11	6	5	5	12	35	133	323	904	1,844
1990	246,830	10	4	3	6	10	29	104	330	812	1,808
1989	247,695	12	2	1	5	11	21	121	355	840	1,807
1988	258,234	8	7	4	5	13	29	130	354	888	1,771
1987	255,064	9	4	4	2	15	40	113	370	893	1,919
1986	255,871	7	4	2	3	14	36	122	369	951	1,848
1985	258,637	7	5	2	3	9	35	120	348	901	1,809
1984	258,132	11	9	18	2	12	43	124	305	908	1,678
1983	262,133	11	9	15	3	12	27	105	333	802	1,705
1982	257,635	10	10	16	4	10	25	131	317	802	1,615
1981	258,105	10	5	16	7	9	27	113	285	756	1,570
1980	261,398	9	3	5	1	11	33	95	294	731	1,590
1979	246,141	7	4	2	1	13	29	82	297	660	1,474
All other forms of chronic ischemic heart disease (412-414)											
All races, male											
1998	124,816	4	1	3	3	15	20	73	238	752	1,490
1997	126,470	3	2	2	1	14	28	83	265	724	1,565
1996	127,706	2	-	1	5	16	27	88	277	796	1,503
1995	127,315	5	3	2	2	12	25	91	290	776	1,588
1994	125,494	4	1	1	1	8	27	74	249	763	1,525
1993	126,968	10	2	3	-	12	30	91	302	700	1,562
1992	122,022	-	1	-	4	7	25	85	268	695	1,519
1991	121,651	6	6	2	-	9	24	102	247	739	1,476
1990	121,146	6	1	1	4	6	26	81	260	687	1,471
1989	121,324	5	2	1	2	6	13	88	270	681	1,477
1988	126,666	2	3	2	5	11	25	101	288	726	1,442
1987	125,432	4	4	-	-	10	31	85	306	741	1,554
1986	126,037	3	1	2	3	11	21	97	293	777	1,511
1985	127,940	3	4	-	3	6	25	91	273	744	1,487
1984	127,068	4	4	13	1	6	32	94	254	738	1,354
1983	129,342	8	7	9	2	8	22	84	279	679	1,390
1982	127,837	5	7	6	2	7	19	107	267	655	1,300
1981	128,230	7	4	9	4	6	19	97	228	622	1,247
1980	129,314	5	1	2	1	7	24	76	249	593	1,260
1979	123,240	5	2	1	-	11	16	70	236	528	1,171

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
All other forms of chronic ischemic heart disease (412-414)											
All races, female											
1998	128,567	2	-	-	4	4	10	30	94	233	471
1997	130,373	5	-	1	2	3	8	32	96	206	409
1996	131,997	8	2	3	1	4	4	26	73	243	465
1995	133,003	2	1	1	1	3	10	34	83	247	424
1994	130,703	5	6	-	-	3	8	32	84	188	400
1993	132,671	7	5	1	1	1	12	28	89	199	411
1992	125,467	2	1	4	-	1	10	31	76	173	401
1991	125,232	5	-	3	5	3	11	31	76	165	368
1990	125,684	4	3	2	2	4	3	23	70	125	337
1989	126,371	7	-	-	3	5	8	33	85	159	330
1988	131,568	6	4	2	-	2	4	29	66	162	329
1987	129,632	5	-	4	2	5	9	28	64	152	365
1986	129,834	4	3	-	-	3	15	25	76	174	337
1985	130,697	4	1	2	-	3	10	29	75	157	322
1984	131,064	7	5	5	1	6	11	30	51	170	324
1983	132,791	3	2	6	1	4	5	21	54	123	315
1982	129,798	5	3	10	2	3	6	24	50	147	315
1981	129,875	3	1	7	3	3	8	16	57	134	323
1980	132,084	4	2	3	-	4	9	19	45	138	330
1979	122,901	2	2	1	1	2	13	12	61	132	303
All other forms of chronic ischemic heart disease (412-414)											
White, both sexes											
1998	228,605	1	1	2	3	14	23	80	260	772	1,530
1997	231,813	4	1	3	1	11	25	81	291	721	1,544
1996	234,769	8	1	3	6	16	19	84	280	800	1,514
1995	235,247	5	3	2	2	13	21	89	286	807	1,590
1994	232,101	6	5	1	-	7	24	76	263	713	1,469
1993	235,409	16	6	3	1	8	25	92	307	688	1,530
1992	224,750	1	1	3	3	7	28	88	266	680	1,498
1991	224,291	6	4	4	3	8	24	94	245	701	1,476
1990	224,800	6	3	1	4	7	21	81	249	622	1,476
1989	225,737	9	2	1	4	6	18	92	266	648	1,427
1988	235,497	7	4	3	5	5	19	97	271	700	1,426
1987	232,874	8	3	3	2	11	30	89	276	698	1,545
1986	233,884	7	2	2	3	8	30	92	276	754	1,467
1985	236,594	5	5	2	3	7	26	91	255	703	1,450
1984	236,574	5	7	16	2	9	36	99	232	724	1,356
1983	239,973	8	6	12	3	9	23	86	251	654	1,370
1982	235,718	7	8	11	4	7	19	97	237	633	1,296
1981	236,127	6	3	13	7	5	21	74	203	590	1,241
1980	239,054	7	2	5	1	7	23	68	219	568	1,267
1979	225,843	5	2	2	1	10	24	60	229	515	1,169

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
All other forms of chronic ischemic heart disease (412-414)											
White, male											
1998	112,842	1	1	2	2	11	16	60	185	597	1,204
1997	114,249	3	1	2	-	9	20	58	216	581	1,258
1996	115,771	2	-	1	5	12	17	66	223	633	1,204
1995	115,048	4	2	1	2	10	15	65	224	629	1,297
1994	113,869	2	1	1	-	4	19	53	204	589	1,205
1993	115,259	9	2	2	-	7	16	69	235	555	1,257
1992	111,086	-	1	-	3	6	18	64	210	566	1,223
1991	110,599	5	4	1	-	5	15	75	189	588	1,211
1990	110,420	4	1	1	3	5	18	66	198	540	1,235
1989	110,529	3	2	1	2	5	12	72	206	543	1,203
1988	115,345	1	2	1	5	3	15	75	220	592	1,185
1987	114,278	4	3	-	-	7	22	66	233	599	1,271
1986	115,137	3	-	2	3	6	16	74	229	638	1,231
1985	116,768	3	4	-	3	4	17	68	211	591	1,212
1984	116,261	1	4	11	1	4	28	76	199	607	1,136
1983	118,216	5	4	7	2	5	19	73	214	572	1,150
1982	116,623	4	5	3	2	5	14	80	209	524	1,068
1981	117,117	4	3	8	4	4	14	66	166	494	1,012
1980	117,779	4	1	2	1	4	16	54	188	471	1,040
1979	112,746	3	1	1	-	10	16	53	194	418	961
All other forms of chronic ischemic heart disease (412-414)											
White, female											
1998	115,763	-	-	-	1	3	7	20	75	175	326
1997	117,564	1	-	1	1	2	5	23	75	140	286
1996	118,998	6	1	2	1	4	2	18	57	167	310
1995	120,199	1	1	1	-	3	6	24	62	178	293
1994	118,232	4	4	-	-	3	5	23	59	124	264
1993	120,150	7	4	1	1	1	9	23	72	133	273
1992	113,664	1	-	3	-	1	10	24	56	114	275
1991	113,692	1	-	3	3	3	9	19	56	113	265
1990	114,380	2	2	-	1	2	3	15	51	82	241
1989	115,208	6	-	-	2	1	6	20	60	105	224
1988	120,152	6	2	2	-	2	4	22	51	108	241
1987	118,596	4	-	3	2	4	8	23	43	99	274
1986	118,747	4	2	-	-	2	14	18	47	116	236
1985	119,826	2	1	2	-	3	9	23	44	112	238
1984	120,313	4	3	5	1	5	8	23	33	117	220
1983	121,757	3	2	5	1	4	4	13	37	82	220
1982	119,095	3	3	8	2	2	5	17	28	109	228
1981	119,010	2	-	5	3	1	7	8	37	96	229
1980	121,275	3	1	3	-	3	7	14	31	97	227
1979	113,097	2	1	1	1	-	8	7	35	97	208

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
All other forms of chronic ischemic heart disease (412-414)											
All other, both sexes											
1998	24,778	5	-	1	4	5	7	23	72	213	431
1997	25,030	4	1	-	2	6	11	34	70	209	430
1996	24,934	2	1	1	-	4	12	30	70	239	454
1995	25,071	2	1	1	1	2	14	36	87	216	422
1994	24,096	3	2	-	1	4	11	30	70	238	456
1993	24,230	1	1	1	-	5	17	27	84	211	443
1992	22,739	1	1	1	1	1	7	28	78	188	422
1991	22,592	5	2	1	2	4	11	39	78	203	368
1990	22,030	4	1	2	2	3	8	23	81	190	332
1989	21,958	3	-	-	1	5	3	29	89	192	380
1988	22,737	1	3	1	-	8	10	33	83	188	345
1987	22,190	1	1	1	-	4	10	24	94	195	374
1986	21,987	-	2	-	-	6	6	30	93	197	381
1985	22,043	2	-	-	-	2	9	29	93	198	359
1984	21,558	6	2	2	-	3	7	25	73	184	322
1983	22,160	3	3	3	-	3	4	19	82	148	335
1982	21,917	3	2	5	-	3	6	34	80	169	319
1981	21,978	4	2	3	-	4	6	39	82	166	329
1980	22,344	2	1	-	-	4	10	27	75	163	323
1979	20,298	2	2	-	-	3	5	22	68	145	305
All other forms of chronic ischemic heart disease (412-414)											
All other, male											
1998	11,974	3	-	1	1	4	4	13	53	155	286
1997	12,221	-	1	-	1	5	8	25	49	143	307
1996	11,935	-	-	-	-	4	10	22	54	163	299
1995	12,267	1	1	1	-	2	10	26	66	147	291
1994	11,625	2	-	-	1	4	8	21	45	174	320
1993	11,709	1	-	1	-	5	14	22	67	145	305
1992	10,936	-	-	-	1	1	7	21	58	129	296
1991	11,052	1	2	1	-	4	9	27	58	151	265
1990	10,726	2	-	-	1	1	8	15	62	147	236
1989	10,795	2	-	-	-	1	1	16	64	138	274
1988	11,321	1	1	1	-	8	10	26	68	134	257
1987	11,154	-	1	-	-	3	9	19	73	142	283
1986	10,900	-	1	-	-	5	5	23	64	139	280
1985	11,172	-	-	-	-	2	8	23	62	153	275
1984	10,807	3	-	2	-	2	4	18	55	131	218
1983	11,126	3	3	2	-	3	3	11	65	107	240
1982	11,214	1	2	3	-	2	5	27	58	131	232
1981	11,113	3	1	1	-	2	5	31	62	128	235
1980	11,535	1	-	-	-	3	8	22	61	122	220
1979	10,494	2	1	-	-	1	-	17	42	110	210

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
All other forms of chronic ischemic heart disease (412-414)											
All other, female											
1998	12,804	2	-	-	3	1	3	10	19	58	145
1997	12,809	4	-	-	1	1	3	9	21	66	123
1996	12,999	2	1	1	-	-	2	8	16	76	155
1995	12,804	1	-	-	1	-	4	10	21	69	131
1994	12,471	1	2	-	-	-	3	9	25	64	136
1993	12,521	-	1	-	-	-	3	5	17	66	138
1992	11,803	1	1	1	-	-	-	7	20	59	126
1991	11,540	4	-	-	2	-	2	12	20	52	103
1990	11,304	2	1	2	1	2	-	8	19	43	96
1989	11,163	1	-	-	1	4	2	13	25	54	106
1988	11,416	-	2	-	-	-	-	7	15	54	88
1987	11,036	1	-	1	-	1	1	5	21	53	91
1986	11,087	-	1	-	-	1	1	7	29	58	101
1985	10,871	2	-	-	-	-	1	6	31	45	84
1984	10,751	3	2	-	-	1	3	7	18	53	104
1983	11,034	-	-	1	-	-	1	8	17	41	95
1982	10,703	2	-	2	-	1	1	7	22	38	87
1981	10,865	1	1	2	-	2	1	8	20	38	94
1980	10,809	1	1	-	-	1	2	5	14	41	103
1979	9,804	-	1	-	-	2	5	5	26	35	95
All other forms of chronic ischemic heart disease (412-414)											
Black, both sexes											
1998	20,992	4	-	1	4	5	6	21	66	182	393
1997	21,346	4	1	-	2	4	11	30	58	189	375
1996	21,402	2	1	1	-	3	11	26	62	208	411
1995	21,725	2	1	1	1	2	9	31	73	190	385
1994	20,917	3	2	-	1	4	9	26	59	207	411
1993	21,267	-	1	1	-	4	17	24	73	183	388
1992	19,865	1	1	1	1	1	6	27	64	173	379
1991	20,050	5	2	1	2	4	9	36	72	182	325
1990	19,656	4	1	2	2	3	8	19	70	173	308
1989	19,682	2	-	-	1	5	3	29	85	179	346
1988	20,561	1	2	-	-	7	9	28	80	176	320
1987	20,135	1	1	1	-	4	7	21	85	169	349
1986	20,000	-	2	-	-	4	4	26	81	180	352
1985	20,165	2	-	-	-	2	8	28	85	184	331
1984	19,749	4	2	1	-	3	7	22	69	174	306
1983	20,352	2	1	2	-	2	4	16	74	132	308
1982	20,215	2	2	4	-	2	6	29	72	156	292
1981	20,445	2	2	2	-	4	5	35	72	155	307
1980	20,788	1	1	-	-	4	10	25	69	145	302
1979	18,806	2	-	-	-	3	5	20	58	135	285

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
All other forms of chronic ischemic heart disease (412-414)											
Black, male											
1998	9,800	3	-	1	1	4	4	11	48	126	252
1997	10,068	-	1	-	1	3	8	21	38	126	265
1996	9,895	-	-	-	-	3	9	18	47	138	260
1995	10,338	1	1	1	-	2	7	22	55	125	264
1994	9,746	2	-	-	1	4	6	17	37	146	280
1993	9,981	-	-	1	-	4	14	19	58	124	259
1992	9,300	-	-	-	1	1	6	20	47	116	258
1991	9,549	1	2	1	-	4	7	25	52	134	234
1990	9,326	2	-	-	1	1	8	11	51	131	215
1989	9,427	1	-	-	-	1	1	16	61	128	246
1988	9,959	1	1	-	-	7	9	22	65	124	236
1987	9,887	-	1	-	-	3	6	16	66	120	260
1986	9,666	-	1	-	-	3	3	19	52	123	254
1985	10,018	-	-	-	-	2	7	22	55	142	250
1984	9,699	2	-	1	-	2	4	16	51	123	203
1983	10,032	2	1	1	-	2	3	9	57	93	215
1982	10,101	1	2	2	-	1	5	23	52	120	208
1981	10,152	1	1	1	-	2	4	28	53	117	218
1980	10,506	-	-	-	-	3	8	20	56	104	203
1979	9,527	2	-	-	-	1	-	15	33	101	196
All other forms of chronic ischemic heart disease (412-414)											
Black, female											
1998	11,192	1	-	-	3	1	2	10	18	56	141
1997	11,278	4	-	-	1	1	3	9	20	63	110
1996	11,507	2	1	1	-	-	2	8	15	70	151
1995	11,387	1	-	-	1	-	2	9	18	65	121
1994	11,171	1	2	-	-	-	3	9	22	61	131
1993	11,286	-	1	-	-	-	3	5	15	59	129
1992	10,565	1	1	1	-	-	-	7	17	57	121
1991	10,501	4	-	-	2	-	2	11	20	48	91
1990	10,330	2	1	2	1	2	-	8	19	42	93
1989	10,255	1	-	-	1	4	2	13	24	51	100
1988	10,602	-	1	-	-	-	-	6	15	52	84
1987	10,248	1	-	1	-	1	1	5	19	49	89
1986	10,334	-	1	-	-	1	1	7	29	57	98
1985	10,147	2	-	-	-	-	1	6	30	42	81
1984	10,050	2	2	-	-	1	3	6	18	51	103
1983	10,320	-	-	1	-	-	1	7	17	39	93
1982	10,114	1	-	2	-	1	1	6	20	36	84
1981	10,293	1	1	1	-	2	1	7	19	38	89
1980	10,282	1	1	-	-	1	2	5	13	41	99
1979	9,279	-	-	-	-	2	5	5	25	34	89

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other heart diseases (415-429.1,429.3-429.9)											
All races, both sexes											
1998	163,323	583	205	146	152	359	515	711	1,108	1,832	2,825
1997	159,868	593	204	120	165	353	534	723	1,117	1,829	2,660
1996	155,028	586	205	122	187	340	446	693	1,157	1,760	2,460
1995	152,454	628	241	122	156	342	517	696	1,248	1,917	2,587
1994	147,879	650	267	115	172	332	480	761	1,211	1,913	2,452
1993	149,513	625	277	122	158	314	482	742	1,248	1,837	2,436
1992	138,652	688	268	119	142	295	495	718	1,161	1,646	2,325
1991	136,284	670	312	117	139	314	497	739	1,173	1,629	2,189
1990	132,300	758	270	114	164	298	437	697	1,130	1,493	2,022
1989	135,531	737	267	115	153	298	469	762	1,155	1,595	1,946
1988	153,078	833	334	137	161	345	525	825	1,203	1,634	2,100
1987	146,185	915	303	136	160	349	518	821	1,190	1,513	1,963
1986	142,648	951	352	141	147	338	557	828	1,191	1,523	1,912
1985	132,522	886	289	129	163	358	521	749	1,040	1,442	1,802
1984	121,457	913	320	121	159	308	552	728	1,034	1,278	1,725
1983	114,570	906	316	108	152	352	529	705	988	1,200	1,607
1982	103,891	724	279	116	173	330	558	676	867	1,138	1,538
1981	98,112	727	325	102	151	333	526	688	925	1,094	1,468
1980	92,766	768	313	122	165	412	546	683	825	1,092	1,456
1979	83,345	660	251	109	152	322	541	625	724	979	1,390
Other heart diseases (415-429.1,429.3-429.9)											
All races, male											
1998	72,360	295	110	90	83	232	319	427	675	1,122	1,848
1997	71,549	337	112	62	102	214	316	426	694	1,147	1,748
1996	69,917	318	106	58	110	206	283	429	709	1,125	1,595
1995	69,435	329	130	70	84	217	322	421	816	1,259	1,705
1994	67,501	351	140	55	97	224	301	447	744	1,218	1,593
1993	68,513	347	154	52	85	206	294	465	768	1,165	1,578
1992	64,651	365	140	68	77	215	302	429	740	1,076	1,592
1991	64,025	379	163	61	76	206	310	472	737	1,088	1,403
1990	62,585	424	138	62	93	207	262	431	711	996	1,361
1989	64,376	404	152	61	74	190	298	468	753	1,042	1,271
1988	73,805	466	169	75	104	235	316	503	814	1,084	1,410
1987	70,718	528	156	80	86	217	331	486	775	1,005	1,312
1986	69,978	544	182	74	80	225	343	486	777	1,008	1,286
1985	65,532	508	141	61	82	227	326	471	670	949	1,137
1984	60,897	504	169	62	78	187	342	449	672	823	1,128
1983	57,823	502	171	57	87	220	318	441	608	768	1,033
1982	52,592	424	160	58	83	216	325	399	528	707	974
1981	50,399	391	166	51	88	204	321	422	563	682	919
1980	48,039	440	168	61	93	251	346	417	483	700	903
1979	43,469	386	132	52	79	201	331	374	416	587	853

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other heart diseases (415-429.1,429.3-429.9)											
All races, female											
1998	90,963	288	95	56	69	127	196	284	433	710	977
1997	88,319	256	92	58	63	139	218	297	423	682	912
1996	85,111	268	99	64	77	134	163	264	448	635	865
1995	83,019	299	111	52	72	125	195	275	432	658	882
1994	80,378	299	127	60	75	108	179	314	467	695	859
1993	81,000	278	123	70	73	108	188	277	480	672	858
1992	74,001	323	128	51	65	80	193	289	421	570	733
1991	72,259	291	149	56	63	108	187	267	436	541	786
1990	69,715	334	132	52	71	91	175	266	419	497	661
1989	71,155	333	115	54	79	108	171	294	402	553	675
1988	79,273	367	165	62	57	110	209	322	389	550	690
1987	75,467	387	147	56	74	132	187	335	415	508	651
1986	72,670	407	170	67	67	113	214	342	414	515	626
1985	66,990	378	148	68	81	131	195	278	370	493	665
1984	60,560	409	151	59	81	121	210	279	362	455	597
1983	56,747	404	145	51	65	132	211	264	380	432	574
1982	51,299	300	119	58	90	114	233	277	339	431	564
1981	47,713	336	159	51	63	129	205	266	362	412	549
1980	44,727	328	145	61	72	161	200	266	342	392	553
1979	39,876	274	119	57	73	121	210	251	308	392	537
Other heart diseases (415-429.1,429.3-429.9)											
White, both sexes											
1998	141,056	392	130	101	103	229	342	454	703	1,195	1,895
1997	138,416	420	133	80	123	245	337	459	742	1,209	1,813
1996	133,631	390	126	88	117	214	277	449	718	1,137	1,615
1995	131,201	429	147	87	100	210	306	435	800	1,243	1,713
1994	127,338	418	158	83	122	221	300	482	750	1,249	1,618
1993	128,406	400	175	81	117	213	309	454	823	1,173	1,605
1992	118,712	458	166	80	93	187	317	438	738	1,014	1,505
1991	116,581	439	195	80	95	223	324	479	749	1,017	1,427
1990	112,770	475	173	88	115	211	276	448	699	923	1,306
1989	115,125	494	167	79	97	204	317	496	739	1,012	1,257
1988	130,390	565	229	103	121	238	357	528	773	1,031	1,385
1987	124,476	646	192	101	111	242	351	551	740	948	1,321
1986	121,271	667	234	100	106	253	372	539	715	979	1,286
1985	112,612	616	179	94	107	246	361	485	645	945	1,198
1984	103,294	644	220	89	116	218	372	467	674	831	1,189
1983	97,238	616	217	76	114	239	362	464	640	784	1,096
1982	88,576	512	187	84	131	244	397	466	574	768	1,040
1981	83,337	522	231	82	103	241	361	444	628	722	991
1980	78,251	523	206	90	127	284	370	448	522	672	979
1979	70,693	433	170	91	112	245	384	428	502	640	951

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other heart diseases (415-429.1,429.3-429.9)											
White, male											
1998	61,723	207	68	68	55	150	206	265	444	749	1,313
1997	61,273	247	65	47	78	155	196	278	461	796	1,228
1996	59,542	207	73	43	64	134	175	295	470	770	1,108
1995	59,000	227	79	49	52	140	194	269	527	843	1,179
1994	57,431	230	84	41	64	153	190	284	477	810	1,091
1993	58,095	234	102	32	67	142	192	285	513	766	1,084
1992	54,672	250	81	50	47	132	194	258	494	681	1,095
1991	54,102	251	97	41	51	150	203	311	478	674	952
1990	52,784	267	87	50	70	146	174	275	453	623	894
1989	54,133	286	94	42	53	137	202	324	483	670	848
1988	62,137	324	112	54	79	165	218	336	529	705	950
1987	59,623	373	98	68	57	154	229	333	493	625	912
1986	58,932	392	120	55	58	174	233	324	475	669	867
1985	55,179	358	91	42	54	157	237	309	408	633	769
1984	51,436	362	117	44	58	134	229	284	445	554	799
1983	48,716	346	113	41	64	150	227	289	395	514	707
1982	44,513	312	109	44	63	163	245	277	359	491	674
1981	42,630	276	117	37	63	153	224	272	377	459	633
1980	40,204	317	106	48	73	174	238	283	300	419	623
1979	36,749	262	90	47	61	152	242	263	296	398	595
Other heart diseases (415-429.1,429.3-429.9)											
White, female											
1998	79,333	185	62	33	48	79	136	189	259	446	582
1997	77,143	173	68	33	45	90	141	181	281	413	585
1996	74,089	183	53	45	53	80	102	154	248	367	507
1995	72,201	202	68	38	48	70	112	166	273	400	534
1994	69,907	188	74	42	58	68	110	198	273	439	527
1993	70,311	166	73	49	50	71	117	169	310	407	521
1992	64,040	208	85	30	46	55	123	180	244	333	410
1991	62,479	188	98	39	44	73	121	168	271	343	475
1990	59,986	208	86	38	45	65	102	173	246	300	412
1989	60,992	208	73	37	44	67	115	172	256	342	409
1988	68,253	241	117	49	42	73	139	192	244	326	435
1987	64,853	273	94	33	54	88	122	218	247	323	409
1986	62,339	275	114	45	48	79	139	215	240	310	419
1985	57,433	258	88	52	53	89	124	176	237	312	429
1984	51,858	282	103	45	58	84	143	183	229	277	390
1983	48,522	270	104	35	50	89	135	175	245	270	389
1982	44,063	200	78	40	68	81	152	189	215	277	366
1981	40,707	246	114	45	40	88	137	172	251	263	358
1980	38,047	206	100	42	54	110	132	165	222	253	356
1979	33,944	171	80	44	51	93	142	165	206	242	356

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other heart diseases (415-429.1,429.3-429.9)											
All other, both sexes											
1998	22,267	191	75	45	49	130	173	257	405	637	930
1997	21,452	173	71	40	42	108	197	264	375	620	847
1996	21,397	196	79	34	70	126	169	244	439	623	845
1995	21,253	199	94	35	56	132	211	261	448	674	874
1994	20,541	232	109	32	50	111	180	279	461	664	834
1993	21,107	225	102	41	41	101	173	288	425	664	831
1992	19,940	230	102	39	49	108	178	280	423	632	820
1991	19,703	231	117	37	44	91	173	260	424	612	762
1990	19,530	283	97	26	49	87	161	249	431	570	716
1989	20,406	243	100	36	56	94	152	266	416	583	689
1988	22,688	268	105	34	40	107	168	297	430	603	715
1987	21,709	269	111	35	49	107	167	270	450	565	642
1986	21,377	284	118	41	41	85	185	289	476	544	626
1985	19,910	270	110	35	56	112	160	264	395	497	604
1984	18,163	269	100	32	43	90	180	261	360	447	536
1983	17,332	290	99	32	38	113	167	241	348	416	511
1982	15,315	212	92	32	42	86	161	210	293	370	498
1981	14,775	205	94	20	48	92	165	244	297	372	477
1980	14,515	245	107	32	38	128	176	235	303	420	477
1979	12,652	227	81	18	40	77	157	197	222	339	439
Other heart diseases (415-429.1,429.3-429.9)											
All other, male											
1998	10,637	88	42	22	28	82	113	162	231	373	535
1997	10,276	90	47	15	24	59	120	148	233	351	520
1996	10,375	111	33	15	46	72	108	134	239	355	487
1995	10,435	102	51	21	32	77	128	152	289	416	526
1994	10,070	121	56	14	33	71	111	163	267	408	502
1993	10,418	113	52	20	18	64	102	180	255	399	494
1992	9,979	115	59	18	30	83	108	171	246	395	497
1991	9,923	128	66	20	25	56	107	161	259	414	451
1990	9,801	157	51	12	23	61	88	156	258	373	467
1989	10,243	118	58	19	21	53	96	144	270	372	423
1988	11,668	142	57	21	25	70	98	167	285	379	460
1987	11,095	155	58	12	29	63	102	153	282	380	400
1986	11,046	152	62	19	22	51	110	162	302	339	419
1985	10,353	150	50	19	28	70	89	162	262	316	368
1984	9,461	142	52	18	20	53	113	165	227	269	329
1983	9,107	156	58	16	23	70	91	152	213	254	326
1982	8,079	112	51	14	20	53	80	122	169	216	300
1981	7,769	115	49	14	25	51	97	150	186	223	286
1980	7,835	123	62	13	20	77	108	134	183	281	280
1979	6,720	124	42	5	18	49	89	111	120	189	258

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other heart diseases (415-429.1,429.3-429.9)											
All other, female											
1998	11,630	103	33	23	21	48	60	95	174	264	395
1997	11,176	83	24	25	18	49	77	116	142	269	327
1996	11,022	85	46	19	24	54	61	110	200	268	358
1995	10,818	97	43	14	24	55	83	109	159	258	348
1994	10,471	111	53	18	17	40	69	116	194	256	332
1993	10,689	112	50	21	23	37	71	108	170	265	337
1992	9,961	115	43	21	19	25	70	109	177	237	323
1991	9,780	103	51	17	19	35	66	99	165	198	311
1990	9,729	126	46	14	26	26	73	93	173	197	249
1989	10,163	125	42	17	35	41	56	122	146	211	266
1988	11,020	126	48	13	15	37	70	130	145	224	255
1987	10,614	114	53	23	20	44	65	117	168	185	242
1986	10,331	132	56	22	19	34	75	127	174	205	207
1985	9,557	120	60	16	28	42	71	102	133	181	236
1984	8,702	127	48	14	23	37	67	96	133	178	207
1983	8,225	134	41	16	15	43	76	89	135	162	185
1982	7,236	100	41	18	22	33	81	88	124	154	198
1981	7,006	90	45	6	23	41	68	94	111	149	191
1980	6,680	122	45	19	18	51	68	101	120	139	197
1979	5,932	103	39	13	22	28	68	86	102	150	181
Other heart diseases (415-429.1,429.3-429.9)											
Black, both sexes											
1998	19,964	155	62	38	43	118	150	230	379	584	869
1997	19,227	149	64	36	38	98	174	240	333	565	787
1996	19,285	170	64	29	59	116	155	229	406	581	782
1995	19,201	171	85	29	49	123	192	234	422	620	827
1994	18,627	202	101	27	42	99	160	261	424	619	782
1993	19,201	191	83	34	37	90	159	259	392	626	767
1992	18,324	206	92	32	42	98	157	260	388	585	776
1991	18,169	209	106	32	40	79	158	241	398	569	731
1990	17,951	246	87	22	42	80	148	227	409	526	674
1989	18,935	215	87	30	46	85	145	244	398	550	655
1988	21,238	238	92	31	36	102	160	284	408	566	673
1987	20,360	230	98	27	46	103	158	245	428	526	605
1986	20,095	258	104	34	37	78	174	273	452	513	599
1985	18,722	237	100	29	50	104	149	251	368	460	578
1984	17,130	248	90	30	40	86	162	245	334	420	509
1983	16,281	266	87	25	31	107	155	221	330	395	480
1982	14,468	185	83	29	38	76	155	197	277	354	467
1981	14,022	184	82	20	46	87	161	234	279	351	450
1980	13,742	227	97	30	32	117	161	217	293	394	454
1979	11,954	202	74	18	36	74	145	181	208	314	416

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other heart diseases (415-429.1,429.3-429.9)											
Black, male											
1998	9,407	73	37	19	24	76	96	143	214	338	498
1997	9,122	78	44	15	23	55	105	134	201	310	484
1996	9,241	98	28	12	38	67	100	123	217	328	453
1995	9,411	90	48	16	29	72	113	137	273	380	502
1994	9,038	104	50	12	28	63	96	146	243	388	467
1993	9,365	89	40	15	17	56	93	159	231	372	453
1992	9,097	107	54	14	26	75	92	155	227	370	470
1991	9,073	112	59	17	23	48	97	150	241	383	434
1990	8,924	137	47	11	21	54	79	139	241	338	441
1989	9,409	100	52	17	18	49	90	134	259	353	399
1988	10,870	125	49	20	23	65	94	163	271	355	432
1987	10,300	130	55	10	28	59	97	134	266	347	375
1986	10,302	140	55	15	20	48	100	151	285	319	400
1985	9,688	131	45	14	25	66	81	150	244	296	352
1984	8,876	131	47	17	19	50	98	154	207	255	308
1983	8,488	143	52	14	19	65	86	135	198	238	302
1982	7,595	99	44	14	19	49	77	114	159	207	280
1981	7,344	104	44	14	24	50	94	143	177	210	271
1980	7,353	114	57	12	20	68	99	122	177	259	267
1979	6,338	108	39	5	17	47	81	104	112	170	245
Other heart diseases (415-429.1,429.3-429.9)											
Black, female											
1998	10,557	82	25	19	19	42	54	87	165	246	371
1997	10,105	71	20	21	15	43	69	106	132	255	303
1996	10,044	72	36	17	21	49	55	106	189	253	329
1995	9,790	81	37	13	20	51	79	97	149	240	325
1994	9,589	98	51	15	14	36	64	115	181	231	315
1993	9,836	102	43	19	20	34	66	100	161	254	314
1992	9,227	99	38	18	16	23	65	105	161	215	306
1991	9,096	97	47	15	17	31	61	91	157	186	297
1990	9,027	109	40	11	21	26	69	88	168	188	233
1989	9,526	115	35	13	28	36	55	110	139	197	256
1988	10,368	113	43	11	13	37	66	121	137	211	241
1987	10,060	100	43	17	18	44	61	111	162	179	230
1986	9,793	118	49	19	17	30	74	122	167	194	199
1985	9,034	106	55	15	25	38	68	101	124	164	226
1984	8,254	117	43	13	21	36	64	91	127	165	201
1983	7,793	123	35	11	12	42	69	86	132	157	178
1982	6,873	86	39	15	19	27	78	83	118	147	187
1981	6,678	80	38	6	22	37	67	91	102	141	179
1980	6,389	113	40	18	12	49	62	95	116	135	187
1979	5,616	94	35	13	19	27	64	77	96	144	171

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,
sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Acute and subacute endocarditis (421)											
All races, both sexes											
1998	1,055	3	-	1	-	3	5	12	28	44	61
1997	981	4	1	1	1	3	7	16	21	49	69
1996	843	5	4	-	2	4	5	11	19	43	66
1995	979	4	1	1	-	-	10	5	32	46	78
1994	820	2	-	-	-	3	5	15	26	65	60
1993	892	5	1	-	2	4	9	15	31	45	57
1992	886	2	-	1	-	4	9	13	37	51	54
1991	871	4	-	-	-	2	6	11	26	45	60
1990	921	7	-	1	4	2	11	27	35	37	58
1989	955	7	2	1	4	3	11	28	61	71	55
1988	962	3	4	2	1	7	15	26	52	60	63
1987	876	5	-	3	4	4	8	30	41	48	41
1986	886	2	1	-	-	5	10	30	57	38	47
1985	927	1	-	1	2	7	17	22	46	46	36
1984	883	4	-	2	1	7	13	27	41	34	44
1983	815	5	2	1	4	8	16	22	34	33	29
1982	861	6	-	1	4	9	18	34	41	31	36
1981	765	1	1	2	1	10	22	28	30	29	30
1980	743	2	5	-	5	12	15	23	32	28	28
1979	769	4	4	1	2	6	26	29	28	35	24
Acute and subacute endocarditis (421)											
All races, male											
1998	604	-	-	1	-	2	4	9	15	30	46
1997	550	3	1	1	1	2	4	9	10	30	55
1996	480	4	4	-	2	3	2	6	12	26	48
1995	552	3	1	1	-	-	4	5	20	30	58
1994	458	2	-	-	-	2	1	9	13	35	38
1993	471	3	1	-	-	2	3	8	19	28	36
1992	512	1	-	-	-	2	5	8	20	34	37
1991	502	3	-	-	-	-	4	6	17	30	47
1990	541	4	-	1	3	-	2	12	25	26	48
1989	535	4	2	1	2	-	7	19	35	46	40
1988	565	1	2	-	1	6	12	15	37	45	46
1987	519	3	-	2	3	2	3	14	27	39	29
1986	527	1	-	-	-	1	3	13	40	29	34
1985	555	-	-	-	1	3	7	15	36	36	23
1984	510	3	-	2	-	2	7	18	30	28	29
1983	490	3	2	-	-	4	6	21	24	25	20
1982	528	5	-	1	2	6	13	24	26	23	27
1981	459	-	1	2	-	5	12	25	20	21	17
1980	439	1	4	-	3	8	8	11	17	17	19
1979	485	4	3	1	2	4	16	21	20	24	13

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Acute and subacute endocarditis (421)											
All races, female											
1998	451	3	-	-	-	1	1	3	13	14	15
1997	431	1	-	-	-	1	3	7	11	19	14
1996	363	1	-	-	-	1	3	5	7	17	18
1995	427	1	-	-	-	-	6	-	12	16	20
1994	362	-	-	-	-	1	4	6	13	30	22
1993	421	2	-	-	2	2	6	7	12	17	21
1992	374	1	-	1	-	2	4	5	17	17	17
1991	369	1	-	-	-	2	2	5	9	15	13
1990	380	3	-	-	1	2	9	15	10	11	10
1989	420	3	-	-	2	3	4	9	26	25	15
1988	397	2	2	2	-	1	3	11	15	15	17
1987	357	2	-	1	1	2	5	16	14	9	12
1986	359	1	1	-	-	4	7	17	17	9	13
1985	372	1	-	1	1	4	10	7	10	10	13
1984	373	1	-	-	1	5	6	9	11	6	15
1983	325	2	-	1	4	4	10	1	10	8	9
1982	333	1	-	-	2	3	5	10	15	8	9
1981	306	1	-	-	1	5	10	3	10	8	13
1980	304	1	1	-	2	4	7	12	15	11	9
1979	284	-	1	-	-	2	10	8	8	11	11
Acute and subacute endocarditis (421)											
White, both sexes											
1998	827	2	-	1	-	2	4	8	20	29	41
1997	795	4	1	1	1	3	5	10	16	36	41
1996	659	5	3	-	1	1	4	10	14	28	45
1995	798	3	1	-	-	-	6	4	25	31	50
1994	655	1	-	-	-	2	4	10	16	40	38
1993	702	3	1	-	2	3	5	11	20	19	31
1992	699	1	-	1	-	3	7	12	23	29	31
1991	695	2	-	-	-	1	4	6	17	23	38
1990	724	4	-	1	2	1	5	20	22	18	28
1989	717	3	-	-	3	2	6	19	35	28	25
1988	744	2	2	1	1	4	9	14	24	35	38
1987	692	4	-	3	3	2	6	21	24	24	20
1986	710	2	1	-	-	3	5	19	31	20	27
1985	746	1	-	1	1	5	10	13	18	27	20
1984	714	2	-	2	1	5	8	16	20	15	27
1983	648	5	2	1	4	5	6	10	19	19	15
1982	698	5	-	1	4	6	13	22	26	19	21
1981	627	-	1	2	1	7	16	14	17	19	22
1980	628	1	4	-	5	12	8	11	21	19	17
1979	626	3	3	1	2	5	20	16	19	20	14

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Acute and subacute endocarditis (421)											
White, male											
1998	467	-	-	1	-	1	3	5	10	20	31
1997	448	3	1	1	1	2	3	5	8	23	31
1996	382	4	3	-	1	1	1	5	11	17	35
1995	432	2	1	-	-	-	2	4	15	21	36
1994	370	1	-	-	-	2	1	7	8	22	29
1993	362	1	1	-	-	1	2	6	11	13	19
1992	399	1	-	-	-	1	4	8	11	21	22
1991	400	1	-	-	-	-	2	3	9	13	28
1990	431	3	-	1	2	-	1	8	16	15	24
1989	393	1	-	-	2	-	2	13	24	20	18
1988	418	1	-	-	1	3	7	8	17	27	30
1987	403	2	-	2	2	1	1	10	19	20	12
1986	419	1	-	-	-	-	2	10	19	15	20
1985	438	-	-	-	-	3	7	9	14	24	12
1984	397	1	-	2	-	2	6	8	15	12	16
1983	387	3	2	-	-	2	3	9	13	14	9
1982	421	5	-	1	2	4	10	16	16	13	15
1981	370	-	1	2	-	3	10	13	12	15	12
1980	363	-	3	-	3	8	5	4	13	12	10
1979	386	3	2	1	2	4	13	12	14	13	7
Acute and subacute endocarditis (421)											
White, female											
1998	360	2	-	-	-	1	1	3	10	9	10
1997	347	1	-	-	-	1	2	5	8	13	10
1996	277	1	-	-	-	-	3	5	3	11	10
1995	366	1	-	-	-	-	4	-	10	10	14
1994	285	-	-	-	-	-	3	3	8	18	9
1993	340	2	-	-	2	2	3	5	9	6	12
1992	300	-	-	1	-	2	3	4	12	8	9
1991	295	1	-	-	-	1	2	3	8	10	10
1990	293	1	-	-	-	1	4	12	6	3	4
1989	324	2	-	-	1	2	4	6	11	8	7
1988	326	1	2	1	-	1	2	6	7	8	8
1987	289	2	-	1	1	1	5	11	5	4	8
1986	291	1	1	-	-	3	3	9	12	5	7
1985	308	1	-	1	1	2	3	4	4	3	8
1984	317	1	-	-	1	3	2	8	5	3	11
1983	261	2	-	1	4	3	3	1	6	5	6
1982	277	-	-	-	2	2	3	6	10	6	6
1981	257	-	-	-	1	4	6	1	5	4	10
1980	265	1	1	-	2	4	3	7	8	7	7
1979	240	-	1	-	-	1	7	4	5	7	7

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Acute and subacute endocarditis (421)											
All other, both sexes											
1998	228	1	-	-	-	1	1	4	8	15	20
1997	186	-	-	-	-	-	2	6	5	13	28
1996	184	-	1	-	1	3	1	1	5	15	21
1995	181	1	-	1	-	-	4	1	7	15	28
1994	165	1	-	-	-	1	1	5	10	25	22
1993	190	2	-	-	-	1	4	4	11	26	26
1992	187	1	-	-	-	1	2	1	14	22	23
1991	176	2	-	-	-	1	2	5	9	22	22
1990	197	3	-	-	2	1	6	7	13	19	30
1989	238	4	2	1	1	1	5	9	26	43	30
1988	218	1	2	1	-	3	6	12	28	25	25
1987	184	1	-	-	1	2	2	9	17	24	21
1986	176	-	-	-	-	2	5	11	26	18	20
1985	181	-	-	-	1	2	7	9	28	19	16
1984	169	2	-	-	-	2	5	11	21	19	17
1983	167	-	-	-	-	3	10	12	15	14	14
1982	163	1	-	-	-	3	5	12	15	12	15
1981	138	1	-	-	-	3	6	14	13	10	8
1980	115	1	1	-	-	-	7	12	11	9	11
1979	143	1	1	-	-	1	6	13	9	15	10
Acute and subacute endocarditis (421)											
All other, male											
1998	137	-	-	-	-	1	1	4	5	10	15
1997	102	-	-	-	-	-	1	4	2	7	24
1996	98	-	1	-	1	2	1	1	1	9	13
1995	120	1	-	1	-	-	2	1	5	9	22
1994	88	1	-	-	-	-	-	2	5	13	9
1993	109	2	-	-	-	1	1	2	8	15	17
1992	113	-	-	-	-	1	1	-	9	13	15
1991	102	2	-	-	-	-	2	3	8	17	19
1990	110	1	-	-	1	-	1	4	9	11	24
1989	142	3	2	1	-	-	5	6	11	26	22
1988	147	-	2	-	-	3	5	7	20	18	16
1987	116	1	-	-	1	1	2	4	8	19	17
1986	108	-	-	-	-	1	1	3	21	14	14
1985	117	-	-	-	1	-	-	6	22	12	11
1984	113	2	-	-	-	-	1	10	15	16	13
1983	103	-	-	-	-	2	3	12	11	11	11
1982	107	-	-	-	-	2	3	8	10	10	12
1981	89	-	-	-	-	2	2	12	8	6	5
1980	76	1	1	-	-	-	3	7	4	5	9
1979	99	1	1	-	-	-	3	9	6	11	6

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Acute and subacute endocarditis (421)											
All other, female											
1998	91	1	-	-	-	-	-	-	3	5	5
1997	84	-	-	-	-	-	1	2	3	6	4
1996	86	-	-	-	-	1	-	-	4	6	8
1995	61	-	-	-	-	-	2	-	2	6	6
1994	77	-	-	-	-	1	1	3	5	12	13
1993	81	-	-	-	-	-	3	2	3	11	9
1992	74	1	-	-	-	-	1	1	5	9	8
1991	74	-	-	-	-	1	-	2	1	5	3
1990	87	2	-	-	1	1	5	3	4	8	6
1989	96	1	-	-	1	1	-	3	15	17	8
1988	71	1	-	1	-	-	1	5	8	7	9
1987	68	-	-	-	-	1	-	5	9	5	4
1986	68	-	-	-	-	1	4	8	5	4	6
1985	64	-	-	-	-	2	7	3	6	7	5
1984	56	-	-	-	-	2	4	1	6	3	4
1983	64	-	-	-	-	1	7	-	4	3	3
1982	56	1	-	-	-	1	2	4	5	2	3
1981	49	1	-	-	-	1	4	2	5	4	3
1980	39	-	-	-	-	-	4	5	7	4	2
1979	44	-	-	-	-	1	3	4	3	4	4
Acute and subacute endocarditis (421)											
Black, both sexes											
1998	214	1	-	-	-	1	-	4	8	13	20
1997	165	-	-	-	-	-	2	6	5	11	24
1996	165	-	1	-	1	2	-	1	5	14	20
1995	162	1	-	1	-	-	4	1	7	14	27
1994	138	1	-	-	-	1	1	4	8	23	21
1993	173	2	-	-	-	1	3	3	11	24	24
1992	181	1	-	-	-	1	2	1	13	22	22
1991	160	2	-	-	-	1	1	4	9	22	22
1990	183	3	-	-	2	1	5	5	12	17	29
1989	220	4	2	1	-	-	5	7	23	42	29
1988	205	1	1	1	-	3	6	11	26	24	24
1987	174	1	-	-	1	2	2	9	17	22	20
1986	170	-	-	-	-	2	5	11	24	18	20
1985	169	-	-	-	1	2	7	7	27	18	16
1984	156	1	-	-	-	1	4	11	19	19	17
1983	153	-	-	-	-	2	8	11	15	13	12
1982	153	1	-	-	-	3	5	12	15	12	13
1981	133	1	-	-	-	3	6	14	12	10	8
1980	101	-	1	-	-	-	6	10	11	9	11
1979	131	-	1	-	-	1	6	13	8	13	10

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Acute and subacute endocarditis (421)											
Black, male											
1998	128	-	-	-	-	1	-	4	5	8	15
1997	92	-	-	-	-	-	1	4	2	6	21
1996	87	-	1	-	1	2	-	1	1	8	13
1995	107	1	-	1	-	-	2	1	5	8	21
1994	76	1	-	-	-	-	-	1	4	12	9
1993	96	2	-	-	-	1	-	2	8	14	15
1992	110	-	-	-	-	1	1	-	9	13	14
1991	94	2	-	-	-	-	1	2	8	17	19
1990	102	1	-	-	1	-	1	2	8	9	23
1989	132	3	2	1	-	-	5	5	9	26	21
1988	138	-	1	-	-	3	5	7	20	17	15
1987	110	1	-	-	1	1	2	4	8	18	16
1986	102	-	-	-	-	1	1	3	19	14	14
1985	108	-	-	-	1	-	-	4	21	11	11
1984	108	1	-	-	-	-	1	10	13	16	13
1983	95	-	-	-	-	1	3	11	11	10	9
1982	101	-	-	-	-	2	3	8	10	10	10
1981	86	-	-	-	-	2	2	12	8	6	5
1980	64	-	1	-	-	-	2	5	4	5	9
1979	89	-	1	-	-	-	3	9	5	9	6
Acute and subacute endocarditis (421)											
Black, female											
1998	86	1	-	-	-	-	-	-	3	5	5
1997	73	-	-	-	-	-	1	2	3	5	3
1996	78	-	-	-	-	-	-	-	4	6	7
1995	55	-	-	-	-	-	2	-	2	6	6
1994	62	-	-	-	-	1	1	3	4	11	12
1993	77	-	-	-	-	-	3	1	3	10	9
1992	71	1	-	-	-	-	1	1	4	9	8
1991	66	-	-	-	-	1	-	2	1	5	3
1990	81	2	-	-	1	1	4	3	4	8	6
1989	88	1	-	-	-	-	-	2	14	16	8
1988	67	1	-	1	-	-	1	4	6	7	9
1987	64	-	-	-	-	1	-	5	9	4	4
1986	68	-	-	-	-	1	4	8	5	4	6
1985	61	-	-	-	-	2	7	3	6	7	5
1984	48	-	-	-	-	1	3	1	6	3	4
1983	58	-	-	-	-	1	5	-	4	3	3
1982	52	1	-	-	-	1	2	4	5	2	3
1981	47	1	-	-	-	1	4	2	4	4	3
1980	37	-	-	-	-	-	4	5	7	4	2
1979	42	-	-	-	-	1	3	4	3	4	4

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,
sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Diseases of pericardium and acute myocarditis (420,422-423)											
All races, both sexes											
1998	818	34	27	14	7	24	25	21	30	40	44
1997	854	32	19	18	11	15	23	29	35	54	55
1996	726	24	18	11	13	12	14	18	24	44	39
1995	770	35	24	16	11	18	13	27	33	35	40
1994	785	45	25	12	11	9	21	30	42	42	46
1993	847	26	18	23	12	14	27	33	42	39	45
1992	811	39	37	10	8	17	18	18	44	56	40
1991	775	35	31	12	10	18	18	26	40	41	41
1990	815	46	30	8	11	15	22	29	46	40	41
1989	828	38	21	10	14	22	18	26	35	41	38
1988	847	38	31	9	6	19	23	30	41	38	45
1987	899	47	26	10	10	23	24	36	39	26	44
1986	966	45	23	19	13	22	29	37	41	46	41
1985	878	36	28	10	9	13	26	37	39	38	39
1984	929	41	29	7	13	11	25	53	44	38	42
1983	783	29	25	6	9	16	24	30	29	29	28
1982	803	31	27	11	12	20	27	36	33	28	37
1981	858	50	28	8	10	20	24	20	38	27	27
1980	876	40	25	13	11	24	31	39	33	38	36
1979	744	35	25	8	9	23	24	33	28	36	40
Diseases of pericardium and acute myocarditis (420,422-423)											
All races, male											
1998	405	13	15	6	4	15	12	13	15	17	27
1997	452	15	11	8	4	5	14	14	16	26	32
1996	383	15	6	5	6	9	8	13	14	25	24
1995	389	10	8	8	3	13	6	14	20	22	24
1994	404	20	12	5	7	5	15	16	21	27	19
1993	416	14	9	10	4	6	17	20	22	20	22
1992	444	19	19	5	3	14	12	11	28	37	24
1991	411	26	17	4	5	12	10	13	16	22	23
1990	449	24	14	3	6	11	11	15	22	22	23
1989	447	16	11	4	7	12	12	13	22	23	23
1988	447	16	17	5	4	14	10	16	27	22	23
1987	488	26	13	5	6	17	13	24	26	13	24
1986	505	17	9	10	5	12	17	24	26	29	24
1985	471	21	15	5	4	7	20	19	29	20	18
1984	472	16	15	4	6	7	16	28	15	17	26
1983	433	16	12	3	4	11	15	19	15	21	16
1982	453	16	16	2	8	12	18	22	20	14	24
1981	456	26	14	3	7	12	11	11	21	15	17
1980	491	18	11	4	6	17	22	23	17	17	24
1979	398	24	10	2	2	14	11	22	17	21	19

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Diseases of pericardium and acute myocarditis (420,422-423)											
All races, female											
1998	413	21	12	8	3	9	13	8	15	23	17
1997	402	17	8	10	7	10	9	15	19	28	23
1996	343	9	12	6	7	3	6	5	10	19	15
1995	381	25	16	8	8	5	7	13	13	13	16
1994	381	25	13	7	4	4	6	14	21	15	27
1993	431	12	9	13	8	8	10	13	20	19	23
1992	367	20	18	5	5	3	6	7	16	19	16
1991	364	9	14	8	5	6	8	13	24	19	18
1990	366	22	16	5	5	4	11	14	24	18	18
1989	381	22	10	6	7	10	6	13	13	18	15
1988	400	22	14	4	2	5	13	14	14	16	22
1987	411	21	13	5	4	6	11	12	13	13	20
1986	461	28	14	9	8	10	12	13	15	17	17
1985	407	15	13	5	5	6	6	18	10	18	21
1984	457	25	14	3	7	4	9	25	29	21	16
1983	350	13	13	3	5	5	9	11	14	8	12
1982	350	15	11	9	4	8	9	14	13	14	13
1981	402	24	14	5	3	8	13	9	17	12	10
1980	385	22	14	9	5	7	9	16	16	21	12
1979	346	11	15	6	7	9	13	11	11	15	21
Diseases of pericardium and acute myocarditis (420,422-423)											
White, both sexes											
1998	641	19	13	10	5	12	15	15	24	29	29
1997	694	18	8	11	8	11	14	20	25	40	43
1996	586	13	12	9	5	7	14	11	17	31	27
1995	594	19	11	10	8	11	5	16	21	28	31
1994	617	19	15	6	6	6	13	22	29	33	24
1993	660	16	11	17	9	8	17	28	27	22	34
1992	616	23	18	6	4	7	10	12	29	35	31
1991	587	16	17	6	5	12	12	17	30	26	29
1990	638	23	16	5	9	9	14	22	29	28	27
1989	651	21	10	7	7	13	16	18	24	31	24
1988	679	26	24	9	5	10	16	21	36	25	29
1987	719	31	13	6	6	20	16	24	27	16	33
1986	754	21	15	14	10	18	16	27	28	33	32
1985	678	17	14	4	5	11	20	18	23	31	34
1984	724	24	18	6	12	8	19	30	27	25	28
1983	621	16	17	4	5	11	18	20	17	19	25
1982	637	20	20	4	6	13	21	26	27	19	25
1981	694	33	22	6	5	14	16	15	31	21	18
1980	679	24	13	10	6	16	22	27	23	28	25
1979	591	23	16	8	7	15	20	24	23	27	24

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Diseases of pericardium and acute myocarditis (420,422-423)											
White, male											
1998	314	6	7	4	4	9	6	8	12	14	19
1997	371	7	3	5	3	4	9	10	13	20	26
1996	314	8	5	5	1	6	8	9	10	17	17
1995	298	8	3	4	2	10	3	9	11	17	19
1994	325	10	9	3	4	3	10	13	15	24	8
1993	320	9	5	6	4	2	8	15	15	10	17
1992	339	12	8	4	1	6	8	9	19	22	20
1991	317	11	11	3	3	8	7	10	12	12	19
1990	357	15	5	2	5	8	8	13	13	14	15
1989	350	10	5	2	2	8	11	9	14	16	14
1988	360	14	11	5	3	7	8	10	23	14	15
1987	390	18	5	5	4	14	10	15	18	8	18
1986	408	9	6	7	5	11	11	17	19	21	21
1985	369	11	5	4	2	6	17	10	16	18	17
1984	367	9	9	3	6	4	11	14	10	11	18
1983	348	9	8	2	3	9	11	15	8	14	14
1982	367	10	15	-	4	8	16	17	18	10	19
1981	366	17	10	2	3	8	6	9	17	13	11
1980	370	12	6	4	4	11	15	15	11	11	19
1979	303	16	6	2	1	11	9	16	13	14	9
Diseases of pericardium and acute myocarditis (420,422-423)											
White, female											
1998	327	13	6	6	1	3	9	7	12	15	10
1997	323	11	5	6	5	7	5	10	12	20	17
1996	272	5	7	4	4	1	6	2	7	14	10
1995	296	11	8	6	6	1	2	7	10	11	12
1994	292	9	6	3	2	3	3	9	14	9	16
1993	340	7	6	11	5	6	9	13	12	12	17
1992	277	11	10	2	3	1	2	3	10	13	11
1991	270	5	6	3	2	4	5	7	18	14	10
1990	281	8	11	3	4	1	6	9	16	14	12
1989	301	11	5	5	5	5	5	9	10	15	10
1988	319	12	13	4	2	3	8	11	13	11	14
1987	329	13	8	1	2	6	6	9	9	8	15
1986	346	12	9	7	5	7	5	10	9	12	11
1985	309	6	9	-	3	5	3	8	7	13	17
1984	357	15	9	3	6	4	8	16	17	14	10
1983	273	7	9	2	2	2	7	5	9	5	11
1982	270	10	5	4	2	5	5	9	9	9	6
1981	328	16	12	4	2	6	10	6	14	8	7
1980	309	12	7	6	2	5	7	12	12	17	6
1979	288	7	10	6	6	4	11	8	10	13	15

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Diseases of pericardium and acute myocarditis (420,422-423)											
All other, both sexes											
1998	177	15	14	4	2	12	10	6	6	11	15
1997	160	14	11	7	3	4	9	9	10	14	12
1996	140	11	6	2	8	5	-	7	7	13	12
1995	176	16	13	6	3	7	8	11	12	7	9
1994	168	26	10	6	5	3	8	8	13	9	22
1993	187	10	7	6	3	6	10	5	15	17	11
1992	195	16	19	4	4	10	8	6	15	21	9
1991	188	19	14	6	5	6	6	9	10	15	12
1990	177	23	14	3	2	6	8	7	17	12	14
1989	177	17	11	3	7	9	2	8	11	10	14
1988	168	12	7	-	1	9	7	9	5	13	16
1987	180	16	13	4	4	3	8	12	12	10	11
1986	212	24	8	5	3	4	13	10	13	13	9
1985	200	19	14	6	4	2	6	19	16	7	5
1984	205	17	11	1	1	3	6	23	17	13	14
1983	162	13	8	2	4	5	6	10	12	10	3
1982	166	11	7	7	6	7	6	10	6	9	12
1981	164	17	6	2	5	6	8	5	7	6	9
1980	197	16	12	3	5	8	9	12	10	10	11
1979	153	12	9	-	2	8	4	9	5	9	16
Diseases of pericardium and acute myocarditis (420,422-423)											
All other, male											
1998	91	7	8	2	-	6	6	5	3	3	8
1997	81	8	8	3	1	1	5	4	3	6	6
1996	69	7	1	-	5	3	-	4	4	8	7
1995	91	2	5	4	1	3	3	5	9	5	5
1994	79	10	3	2	3	2	5	3	6	3	11
1993	96	5	4	4	-	4	9	5	7	10	5
1992	105	7	11	1	2	8	4	2	9	15	4
1991	94	15	6	1	2	4	3	3	4	10	4
1990	92	9	9	1	1	3	3	2	9	8	8
1989	97	6	6	2	5	4	1	4	8	7	9
1988	87	2	6	-	1	7	2	6	4	8	8
1987	98	8	8	-	2	3	3	9	8	5	6
1986	97	8	3	3	-	1	6	7	7	8	3
1985	102	10	10	1	2	1	3	9	13	2	1
1984	105	7	6	1	-	3	5	14	5	6	8
1983	85	7	4	1	1	2	4	4	7	7	2
1982	86	6	1	2	4	4	2	5	2	4	5
1981	90	9	4	1	4	4	5	2	4	2	6
1980	121	6	5	-	2	6	7	8	6	6	5
1979	95	8	4	-	1	3	2	6	4	7	10

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Diseases of pericardium and acute myocarditis (420,422-423)											
All other, female											
1998	86	8	6	2	2	6	4	1	3	8	7
1997	79	6	3	4	2	3	4	5	7	8	6
1996	71	4	5	2	3	2	-	3	3	5	5
1995	85	14	8	2	2	4	5	6	3	2	4
1994	89	16	7	4	2	1	3	5	7	6	11
1993	91	5	3	2	3	2	1	-	8	7	6
1992	90	9	8	3	2	2	4	4	6	6	5
1991	94	4	8	5	3	2	3	6	6	5	8
1990	85	14	5	2	1	3	5	5	8	4	6
1989	80	11	5	1	2	5	1	4	3	3	5
1988	81	10	1	-	-	2	5	3	1	5	8
1987	82	8	5	4	2	-	5	3	4	5	5
1986	115	16	5	2	3	3	7	3	6	5	6
1985	98	9	4	5	2	1	3	10	3	5	4
1984	100	10	5	-	1	-	1	9	12	7	6
1983	77	6	4	1	3	3	2	6	5	3	1
1982	80	5	6	5	2	3	4	5	4	5	7
1981	74	8	2	1	1	2	3	3	3	4	3
1980	76	10	7	3	3	2	2	4	4	4	6
1979	58	4	5	-	1	5	2	3	1	2	6
Diseases of pericardium and acute myocarditis (420,422-423)											
Black, both sexes											
1998	158	13	12	3	2	12	9	6	6	11	12
1997	144	12	10	7	2	3	8	9	8	14	11
1996	119	9	3	2	7	3	-	6	7	13	9
1995	151	16	13	4	1	5	6	9	12	6	8
1994	147	24	10	6	3	1	5	7	11	8	21
1993	155	9	4	5	3	4	9	3	13	13	10
1992	171	14	16	3	4	10	8	6	15	16	8
1991	169	17	13	5	5	4	4	9	8	15	12
1990	156	17	12	3	2	5	8	5	15	11	14
1989	166	14	10	3	7	9	2	7	11	9	14
1988	154	10	7	-	1	9	7	8	4	9	16
1987	153	13	11	3	3	2	7	11	11	8	9
1986	193	23	7	5	2	3	11	9	12	11	7
1985	183	18	11	5	2	2	6	19	15	6	5
1984	188	16	10	1	1	2	6	20	17	12	10
1983	147	12	6	1	3	5	5	9	11	10	3
1982	153	9	7	6	5	6	6	9	6	9	11
1981	151	15	5	2	5	6	7	5	7	6	7
1980	178	16	9	3	5	7	8	12	9	9	10
1979	141	11	9	-	2	8	3	8	4	9	14

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Diseases of pericardium and acute myocarditis (420,422-423)											
Black, male											
1998	77	6	7	1	-	6	5	5	3	3	6
1997	75	7	7	3	1	1	4	4	2	6	6
1996	58	5	1	-	4	1	-	3	4	8	7
1995	75	2	5	2	-	2	1	3	9	5	5
1994	67	8	3	2	2	-	3	2	5	3	11
1993	76	4	2	3	-	3	8	3	6	6	5
1992	93	6	10	1	2	8	4	2	9	13	4
1991	86	13	6	1	2	4	3	3	3	10	4
1990	79	6	8	1	1	2	3	1	8	7	8
1989	91	4	6	2	5	4	1	4	8	6	9
1988	80	2	6	-	1	7	2	6	4	4	8
1987	87	5	8	-	2	2	3	8	8	3	6
1986	87	8	3	3	-	1	4	6	6	7	2
1985	92	9	8	-	1	1	3	9	12	2	1
1984	98	7	6	1	-	2	5	14	5	6	4
1983	78	6	3	1	1	2	4	3	6	7	2
1982	77	5	1	2	3	4	2	4	2	4	4
1981	83	7	4	1	4	4	4	2	4	2	5
1980	110	6	4	-	2	5	6	8	5	6	5
1979	87	8	4	-	1	3	2	5	3	7	9
Diseases of pericardium and acute myocarditis (420,422-423)											
Black, female											
1998	81	7	5	2	2	6	4	1	3	8	6
1997	69	5	3	4	1	2	4	5	6	8	5
1996	61	4	2	2	3	2	-	3	3	5	2
1995	76	14	8	2	1	3	5	6	3	1	3
1994	80	16	7	4	1	1	2	5	6	5	10
1993	79	5	2	2	3	1	1	-	7	7	5
1992	78	8	6	2	2	2	4	4	6	3	4
1991	83	4	7	4	3	-	1	6	5	5	8
1990	77	11	4	2	1	3	5	4	7	4	6
1989	75	10	4	1	2	5	1	3	3	3	5
1988	74	8	1	-	-	2	5	2	-	5	8
1987	66	8	3	3	1	-	4	3	3	5	3
1986	106	15	4	2	2	2	7	3	6	4	5
1985	91	9	3	5	1	1	3	10	3	4	4
1984	90	9	4	-	1	-	1	6	12	6	6
1983	69	6	3	-	2	3	1	6	5	3	1
1982	76	4	6	4	2	2	4	5	4	5	7
1981	68	8	1	1	1	2	3	3	3	4	2
1980	68	10	5	3	3	2	2	4	4	3	5
1979	54	3	5	-	1	5	1	3	1	2	5

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Heart failure (428)											
All races, both sexes											
1998	50,228	24	8	6	4	11	17	16	42	78	152
1997	48,930	34	10	-	6	19	11	28	43	82	166
1996	47,230	30	14	7	5	11	15	30	59	81	132
1995	46,484	26	13	8	7	9	18	21	48	77	137
1994	45,155	32	18	5	6	10	17	32	56	83	143
1993	45,613	33	21	2	7	19	17	26	50	88	144
1992	40,097	29	13	9	7	13	26	26	41	75	125
1991	39,206	45	23	1	11	11	14	33	48	75	139
1990	37,927	39	17	9	8	9	13	26	38	74	119
1989	38,817	43	20	2	6	13	17	25	40	75	113
1988	42,940	42	13	13	8	12	21	36	56	97	139
1987	41,210	47	20	8	5	14	22	41	61	92	125
1986	40,330	53	18	8	9	19	17	37	50	84	152
1985	37,747	63	11	9	5	16	18	43	58	80	141
1984	35,355	78	19	7	8	11	15	35	47	82	150
1983	33,227	63	19	5	9	17	28	33	54	86	125
1982	30,657	58	31	12	7	15	22	31	46	88	114
1981	28,972	57	22	4	14	16	29	43	57	95	122
1980	27,415	72	31	5	12	15	20	46	52	86	137
1979	25,074	60	19	6	9	16	24	40	50	74	136
Heart failure (428)											
All races, male											
1998	19,074	15	6	2	1	3	10	11	26	45	98
1997	18,621	15	6	-	4	9	7	19	32	48	126
1996	18,224	13	8	2	3	4	8	14	29	56	84
1995	17,752	16	7	4	3	4	10	9	30	41	84
1994	17,319	20	8	3	2	9	12	27	24	62	91
1993	17,586	14	6	2	2	11	8	11	28	55	88
1992	15,646	12	7	5	3	7	13	12	30	39	88
1991	15,348	18	10	-	6	7	11	24	22	51	84
1990	15,089	27	12	6	3	8	8	15	21	48	72
1989	15,556	22	9	1	2	9	8	13	26	48	68
1988	17,612	29	8	6	5	10	11	23	38	63	85
1987	16,941	30	9	8	5	7	16	18	42	66	76
1986	16,955	28	6	4	6	13	9	22	31	58	98
1985	15,860	34	5	6	2	13	11	29	40	54	78
1984	15,227	27	7	5	4	6	8	31	28	56	101
1983	14,515	33	9	5	4	12	16	18	30	57	77
1982	13,590	31	13	6	4	7	10	19	30	57	74
1981	13,049	29	14	1	10	9	22	30	38	60	75
1980	12,599	44	17	3	10	8	12	29	31	56	83
1979	11,664	36	8	2	6	11	15	25	31	49	82

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,
sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Heart failure (428)											
All races, female											
1998	31,154	9	2	4	3	8	7	5	16	33	54
1997	30,309	19	4	-	2	10	4	9	11	34	40
1996	29,006	17	6	5	2	7	7	16	30	25	48
1995	28,732	10	6	4	4	5	8	12	18	36	53
1994	27,836	12	10	2	4	1	5	5	32	21	52
1993	28,027	19	15	-	5	8	9	15	22	33	56
1992	24,451	17	6	4	4	6	13	14	11	36	37
1991	23,858	27	13	1	5	4	3	9	26	24	55
1990	22,838	12	5	3	5	1	5	11	17	26	47
1989	23,261	21	11	1	4	4	9	12	14	27	45
1988	25,328	13	5	7	3	2	10	13	18	34	54
1987	24,269	17	11	-	-	7	6	23	19	26	49
1986	23,375	25	12	4	3	6	8	15	19	26	54
1985	21,887	29	6	3	3	3	7	14	18	26	63
1984	20,128	51	12	2	4	5	7	4	19	26	49
1983	18,712	30	10	-	5	5	12	15	24	29	48
1982	17,067	27	18	6	3	8	12	12	16	31	40
1981	15,923	28	8	3	4	7	7	13	19	35	47
1980	14,816	28	14	2	2	7	8	17	21	30	54
1979	13,410	24	11	4	3	5	9	15	19	25	54
Heart failure (428)											
White, both sexes											
1998	45,260	17	6	6	2	6	13	10	24	49	95
1997	44,148	26	9	-	6	12	5	16	31	49	117
1996	42,563	22	9	4	4	8	11	20	34	60	81
1995	41,907	18	10	4	5	6	9	12	29	45	80
1994	40,729	16	12	5	4	8	12	20	41	46	87
1993	40,967	21	9	1	6	16	14	15	31	53	99
1992	35,953	16	7	7	4	12	12	17	25	45	72
1991	35,055	34	13	1	9	7	10	19	35	49	92
1990	33,802	22	11	7	6	4	9	10	27	49	90
1989	34,408	27	12	2	4	10	15	13	22	45	67
1988	38,237	33	11	10	7	11	16	22	40	59	89
1987	36,746	36	12	7	4	8	10	29	38	61	90
1986	35,712	35	12	4	5	15	10	21	26	55	94
1985	33,400	48	7	8	2	11	10	25	35	62	77
1984	31,308	55	17	6	5	9	7	25	28	56	95
1983	29,428	42	14	1	6	13	18	20	35	52	88
1982	27,162	42	20	10	5	10	17	22	35	57	75
1981	25,592	47	19	3	13	10	15	35	40	53	95
1980	24,009	49	20	4	8	13	14	35	31	51	86
1979	21,948	45	13	6	7	10	16	27	34	52	99

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Heart failure (428)											
White, male											
1998	17,035	12	4	2	1	2	7	6	15	28	64
1997	16,715	11	5	-	4	7	3	11	22	32	92
1996	16,317	9	6	1	2	3	7	11	18	45	52
1995	15,872	10	5	3	3	3	6	5	21	26	49
1994	15,481	9	5	3	1	7	8	16	17	35	58
1993	15,660	12	4	1	2	11	7	8	19	36	62
1992	13,921	4	4	4	1	7	6	9	19	24	54
1991	13,622	15	5	-	4	5	8	13	18	34	55
1990	13,314	15	6	5	1	4	6	7	16	33	53
1989	13,678	18	5	1	1	6	8	8	15	30	38
1988	15,570	26	8	4	5	9	9	16	28	37	57
1987	14,955	22	5	7	4	4	9	16	27	46	63
1986	14,932	17	4	2	3	11	6	12	20	37	57
1985	13,911	27	4	5	2	8	6	17	23	42	43
1984	13,396	21	7	4	3	6	5	21	16	42	69
1983	12,755	21	7	1	2	8	12	9	20	36	57
1982	11,967	24	7	5	4	5	9	12	21	35	48
1981	11,449	27	13	1	9	6	11	26	26	35	59
1980	10,965	31	9	2	8	6	7	23	20	34	57
1979	10,181	29	5	2	5	7	10	16	23	37	65
Heart failure (428)											
White, female											
1998	28,225	5	2	4	1	4	6	4	9	21	31
1997	27,433	15	4	-	2	5	2	5	9	17	25
1996	26,246	13	3	3	2	5	4	9	16	15	29
1995	26,035	8	5	1	2	3	3	7	8	19	31
1994	25,248	7	7	2	3	1	4	4	24	11	29
1993	25,307	9	5	-	4	5	7	7	12	17	37
1992	22,032	12	3	3	3	5	6	8	6	21	18
1991	21,433	19	8	1	5	2	2	6	17	15	37
1990	20,488	7	5	2	5	-	3	3	11	16	37
1989	20,730	9	7	1	3	4	7	5	7	15	29
1988	22,667	7	3	6	2	2	7	6	12	22	32
1987	21,791	14	7	-	-	4	1	13	11	15	27
1986	20,780	18	8	2	2	4	4	9	6	18	37
1985	19,489	21	3	3	-	3	4	8	12	20	34
1984	17,912	34	10	2	2	3	2	4	12	14	26
1983	16,673	21	7	-	4	5	6	11	15	16	31
1982	15,195	18	13	5	1	5	8	10	14	22	27
1981	14,143	20	6	2	4	4	4	9	14	18	36
1980	13,044	18	11	2	-	7	7	12	11	17	29
1979	11,767	16	8	4	2	3	6	11	11	15	34

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Heart failure (428)											
All other, both sexes											
1998	4,968	7	2	-	2	5	4	6	18	29	57
1997	4,782	8	1	-	-	7	6	12	12	33	49
1996	4,667	8	5	3	1	3	4	10	25	21	51
1995	4,577	8	3	4	2	3	9	9	19	32	57
1994	4,426	16	6	-	2	2	5	12	15	37	56
1993	4,646	12	12	1	1	3	3	11	19	35	45
1992	4,144	13	6	2	3	1	14	9	16	30	53
1991	4,151	11	10	-	2	4	4	14	13	26	47
1990	4,125	17	6	2	2	5	4	16	11	25	29
1989	4,409	16	8	-	2	3	2	12	18	30	46
1988	4,703	9	2	3	1	1	5	14	16	38	50
1987	4,464	11	8	1	1	6	12	12	23	31	35
1986	4,618	18	6	4	4	4	7	16	24	29	58
1985	4,347	15	4	1	3	5	8	18	23	18	64
1984	4,047	23	2	1	3	2	8	10	19	26	55
1983	3,799	21	5	4	3	4	10	13	19	34	37
1982	3,495	16	11	2	2	5	5	9	11	31	39
1981	3,380	10	3	1	1	6	14	8	17	42	27
1980	3,406	23	11	1	4	2	6	11	21	35	51
1979	3,126	15	6	-	2	6	8	13	16	22	37
Heart failure (428)											
All other, male											
1998	2,039	3	2	-	-	1	3	5	11	17	34
1997	1,906	4	1	-	-	2	4	8	10	16	34
1996	1,907	4	2	1	1	1	1	3	11	11	32
1995	1,880	6	2	1	-	1	4	4	9	15	35
1994	1,838	11	3	-	1	2	4	11	7	27	33
1993	1,926	2	2	1	-	-	1	3	9	19	26
1992	1,725	8	3	1	2	-	7	3	11	15	34
1991	1,726	3	5	-	2	2	3	11	4	17	29
1990	1,775	12	6	1	2	4	2	8	5	15	19
1989	1,878	4	4	-	1	3	-	5	11	18	30
1988	2,042	3	-	2	-	1	2	7	10	26	28
1987	1,986	8	4	1	1	3	7	2	15	20	13
1986	2,023	11	2	2	3	2	3	10	11	21	41
1985	1,949	7	1	1	-	5	5	12	17	12	35
1984	1,831	6	-	1	1	-	3	10	12	14	32
1983	1,760	12	2	4	2	4	4	9	10	21	20
1982	1,623	7	6	1	-	2	1	7	9	22	26
1981	1,600	2	1	-	1	3	11	4	12	25	16
1980	1,634	13	8	1	2	2	5	6	11	22	26
1979	1,483	7	3	-	1	4	5	9	8	12	17

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Heart failure (428)											
All other, female											
1998	2,929	4	-	-	2	4	1	1	7	12	23
1997	2,876	4	-	-	-	5	2	4	2	17	15
1996	2,760	4	3	2	-	2	3	7	14	10	19
1995	2,697	2	1	3	2	2	5	5	10	17	22
1994	2,588	5	3	-	1	-	1	1	8	10	23
1993	2,720	10	10	-	1	3	2	8	10	16	19
1992	2,419	5	3	1	1	1	7	6	5	15	19
1991	2,425	8	5	-	-	2	1	3	9	9	18
1990	2,350	5	-	1	-	1	2	8	6	10	10
1989	2,531	12	4	-	1	-	2	7	7	12	16
1988	2,661	6	2	1	1	-	3	7	6	12	22
1987	2,478	3	4	-	-	3	5	10	8	11	22
1986	2,595	7	4	2	1	2	4	6	13	8	17
1985	2,398	8	3	-	3	-	3	6	6	6	29
1984	2,216	17	2	-	2	2	5	-	7	12	23
1983	2,039	9	3	-	1	-	6	4	9	13	17
1982	1,872	9	5	1	2	3	4	2	2	9	13
1981	1,780	8	2	1	-	3	3	4	5	17	11
1980	1,772	10	3	-	2	-	1	5	10	13	25
1979	1,643	8	3	-	1	2	3	4	8	10	20
Heart failure (428)											
Black, both sexes											
1998	4,493	4	2	-	2	5	3	5	17	29	56
1997	4,292	6	1	-	-	7	6	10	9	29	45
1996	4,217	7	5	3	1	3	4	10	25	20	46
1995	4,156	6	3	4	2	3	9	8	19	29	56
1994	4,016	14	6	-	2	2	5	11	13	36	55
1993	4,247	10	9	-	1	3	2	10	18	34	44
1992	3,783	12	5	2	3	1	13	7	15	28	51
1991	3,800	11	9	-	2	4	3	11	13	24	46
1990	3,797	16	5	1	2	4	4	16	11	22	27
1989	4,082	16	8	-	2	3	2	12	18	30	45
1988	4,372	8	1	3	1	1	5	14	15	38	48
1987	4,164	9	8	1	1	6	12	12	23	28	34
1986	4,324	18	5	4	4	4	7	16	23	27	58
1985	4,077	12	3	1	3	3	8	17	21	16	62
1984	3,810	22	2	1	3	2	8	9	19	24	52
1983	3,561	19	5	4	2	3	9	12	19	33	36
1982	3,279	14	10	1	2	5	5	8	10	31	36
1981	3,183	9	2	1	1	6	13	8	15	40	24
1980	3,216	23	11	1	4	2	5	10	20	31	51
1979	2,949	13	5	-	2	6	7	13	15	21	35

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Heart failure (428)											
Black, male											
1998	1,817	2	2	-	-	1	2	4	10	17	34
1997	1,694	4	1	-	-	2	4	7	7	12	31
1996	1,707	3	2	1	1	1	1	3	11	10	29
1995	1,702	4	2	1	-	1	4	4	9	14	34
1994	1,654	9	3	-	1	2	4	10	6	26	32
1993	1,729	2	1	-	-	-	-	3	8	19	25
1992	1,555	8	3	1	2	-	6	2	10	13	33
1991	1,565	3	5	-	2	2	2	8	4	16	29
1990	1,631	11	5	1	2	3	2	8	5	12	19
1989	1,711	4	4	-	1	3	-	5	11	18	29
1988	1,889	3	-	2	-	1	2	7	9	26	27
1987	1,834	6	4	1	1	3	7	2	15	17	13
1986	1,869	11	2	2	3	2	3	10	11	20	41
1985	1,825	5	1	1	-	3	5	11	15	11	33
1984	1,706	6	-	1	1	-	3	9	12	13	31
1983	1,649	11	2	4	1	3	4	8	10	20	20
1982	1,509	6	6	1	-	2	1	6	8	22	24
1981	1,497	2	1	-	1	3	10	4	11	23	14
1980	1,522	13	8	1	2	2	4	6	11	19	26
1979	1,400	7	2	-	1	4	5	9	8	12	15
Heart failure (428)											
Black, female											
1998	2,676	2	-	-	2	4	1	1	7	12	22
1997	2,598	2	-	-	-	5	2	3	2	17	14
1996	2,510	4	3	2	-	2	3	7	14	10	17
1995	2,454	2	1	3	2	2	5	4	10	15	22
1994	2,362	5	3	-	1	-	1	1	7	10	23
1993	2,518	8	8	-	1	3	2	7	10	15	19
1992	2,228	4	2	1	1	1	7	5	5	15	18
1991	2,235	8	4	-	-	2	1	3	9	8	17
1990	2,166	5	-	-	-	1	2	8	6	10	8
1989	2,371	12	4	-	1	-	2	7	7	12	16
1988	2,483	5	1	1	1	-	3	7	6	12	21
1987	2,330	3	4	-	-	3	5	10	8	11	21
1986	2,455	7	3	2	1	2	4	6	12	7	17
1985	2,252	7	2	-	3	-	3	6	6	5	29
1984	2,104	16	2	-	2	2	5	-	7	11	21
1983	1,912	8	3	-	1	-	5	4	9	13	16
1982	1,770	8	4	-	2	3	4	2	2	9	12
1981	1,686	7	1	1	-	3	3	4	4	17	10
1980	1,694	10	3	-	2	-	1	4	9	12	25
1979	1,549	6	3	-	1	2	2	4	7	9	20

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
All other forms of heart disease (415-417,424-427,429.0-429.1,429.3-429.9)											
All races, both sexes											
1998	111,222	522	170	125	141	321	468	662	1,008	1,670	2,568
1997	109,103	523	174	101	147	316	493	650	1,018	1,644	2,370
1996	106,229	527	169	104	167	313	412	634	1,055	1,592	2,223
1995	104,221	563	203	97	138	315	476	643	1,135	1,759	2,332
1994	101,119	571	224	98	155	310	437	684	1,087	1,723	2,203
1993	102,161	561	237	97	137	277	429	668	1,125	1,665	2,190
1992	96,858	618	218	99	127	261	442	661	1,039	1,464	2,106
1991	95,432	586	258	104	118	283	459	669	1,059	1,468	1,949
1990	92,637	666	223	96	141	272	391	615	1,011	1,342	1,804
1989	94,931	649	224	102	129	260	423	683	1,019	1,408	1,740
1988	108,329	750	286	113	146	307	466	733	1,054	1,439	1,853
1987	103,200	816	257	115	141	308	464	714	1,049	1,347	1,753
1986	100,466	851	310	114	125	292	501	724	1,043	1,355	1,672
1985	92,970	786	250	109	147	322	460	647	897	1,278	1,586
1984	84,290	790	272	105	137	279	499	613	902	1,124	1,489
1983	79,745	809	270	96	130	311	461	620	871	1,052	1,425
1982	71,570	629	221	92	150	286	491	575	747	991	1,351
1981	67,517	619	274	88	126	287	451	597	800	943	1,289
1980	63,732	654	252	104	137	361	480	575	708	940	1,255
1979	56,758	561	203	94	132	277	467	523	618	834	1,190
All other forms of heart disease (415-417,424-427,429.0-429.1,429.3-429.9)											
All races, male											
1998	52,277	267	89	81	78	212	293	394	619	1,030	1,677
1997	51,926	304	94	53	93	198	291	384	636	1,043	1,535
1996	50,830	286	88	51	99	190	265	396	654	1,018	1,439
1995	50,742	300	114	57	78	200	302	393	746	1,166	1,539
1994	49,320	309	120	47	88	208	273	395	686	1,094	1,445
1993	50,040	316	138	40	79	187	266	426	699	1,062	1,432
1992	48,049	333	114	58	71	192	272	398	662	966	1,443
1991	47,764	332	136	57	65	187	285	429	682	985	1,249
1990	46,506	369	112	52	81	188	241	389	643	900	1,218
1989	47,838	362	130	55	63	169	271	423	670	925	1,140
1988	55,181	420	142	64	94	205	283	449	712	954	1,256
1987	52,770	469	134	65	72	191	299	430	680	887	1,183
1986	51,991	498	167	60	69	199	314	427	680	892	1,130
1985	48,646	453	121	50	75	204	288	408	565	839	1,018
1984	44,688	458	147	51	68	172	311	372	599	722	972
1983	42,385	450	148	49	79	193	281	383	539	665	920
1982	38,021	372	131	49	69	191	284	334	452	613	849
1981	36,435	336	137	45	71	178	276	356	484	586	810
1980	34,510	377	136	54	74	218	304	354	418	610	777
1979	30,922	322	111	47	69	172	289	306	348	493	739

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
All other forms of heart disease (415-417,424-427,429.0-429.1,429.3-429.9)											
All races, female											
1998	58,945	255	81	44	63	109	175	268	389	640	891
1997	57,177	219	80	48	54	118	202	266	382	601	835
1996	55,399	241	81	53	68	123	147	238	401	574	784
1995	53,479	263	89	40	60	115	174	250	389	593	793
1994	51,799	262	104	51	67	102	164	289	401	629	758
1993	52,121	245	99	57	58	90	163	242	426	603	758
1992	48,809	285	104	41	56	69	170	263	377	498	663
1991	47,668	254	122	47	53	96	174	240	377	483	700
1990	46,131	297	111	44	60	84	150	226	368	442	586
1989	47,093	287	94	47	66	91	152	260	349	483	600
1988	53,148	330	144	49	52	102	183	284	342	485	597
1987	50,430	347	123	50	69	117	165	284	369	460	570
1986	48,475	353	143	54	56	93	187	297	363	463	542
1985	44,324	333	129	59	72	118	172	239	332	439	568
1984	39,602	332	125	54	69	107	188	241	303	402	517
1983	37,360	359	122	47	51	118	180	237	332	387	505
1982	33,549	257	90	43	81	95	207	241	295	378	502
1981	31,082	283	137	43	55	109	175	241	316	357	479
1980	29,222	277	116	50	63	143	176	221	290	330	478
1979	25,836	239	92	47	63	105	178	217	270	341	451
All other forms of heart disease (415-417,424-427,429.0-429.1,429.3-429.9)											
White, both sexes											
1998	94,328	354	111	84	96	209	310	421	635	1,088	1,730
1997	92,779	372	115	68	108	219	313	413	670	1,084	1,612
1996	89,823	350	102	75	107	198	248	408	653	1,018	1,462
1995	87,902	389	125	73	87	193	286	403	725	1,139	1,552
1994	85,337	382	131	72	112	205	271	430	664	1,130	1,469
1993	86,077	360	154	63	100	186	273	400	745	1,079	1,441
1992	81,444	418	141	66	85	165	288	397	661	905	1,371
1991	80,244	387	165	73	81	203	298	437	667	919	1,268
1990	77,606	426	146	75	98	197	248	396	621	828	1,161
1989	79,349	443	145	70	83	179	280	446	658	908	1,141
1988	90,730	504	192	83	108	213	316	471	673	912	1,229
1987	86,319	575	167	85	98	212	319	477	651	847	1,178
1986	84,095	609	206	82	91	217	341	472	630	871	1,133
1985	77,788	550	158	81	99	219	321	429	569	825	1,067
1984	70,548	563	185	75	98	196	338	396	599	735	1,039
1983	66,541	553	184	70	99	210	320	414	569	694	968
1982	60,079	445	147	69	116	215	346	396	486	673	919
1981	56,424	442	189	71	84	210	314	380	540	629	856
1980	52,935	449	169	76	108	243	326	375	447	574	851
1979	47,528	362	138	76	96	215	328	361	426	541	814

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
All other forms of heart disease (415-417,424-427,429.0-429.1,429.3-429.9)											
White, male											
1998	43,907	189	57	61	50	138	190	246	407	687	1,199
1997	43,739	226	56	41	70	142	181	252	418	721	1,079
1996	42,529	186	59	37	60	124	159	270	431	691	1,004
1995	42,398	207	70	42	47	127	183	251	480	779	1,075
1994	41,255	210	70	35	59	141	171	248	437	729	996
1993	41,753	212	92	25	61	128	175	256	468	707	986
1992	40,013	233	69	42	45	118	176	232	445	614	999
1991	39,763	224	81	38	44	137	186	285	439	615	850
1990	38,682	234	76	42	62	134	159	247	408	561	802
1989	39,712	257	84	39	48	123	181	294	430	604	778
1988	45,789	283	93	45	70	146	194	302	461	627	848
1987	43,875	331	88	54	47	135	209	292	429	551	819
1986	43,173	365	110	46	50	152	214	285	417	596	769
1985	40,461	320	82	33	50	140	207	273	355	549	697
1984	37,276	331	101	35	49	122	207	241	404	489	696
1983	35,226	313	96	38	59	131	201	256	354	450	627
1982	31,758	273	87	38	53	146	210	232	304	433	592
1981	30,445	232	93	32	51	136	197	224	322	396	551
1980	28,506	274	88	42	58	149	211	241	256	362	537
1979	25,879	214	77	42	53	130	210	219	246	334	514
All other forms of heart disease (415-417,424-427,429.0-429.1,429.3-429.9)											
White, female											
1998	50,421	165	54	23	46	71	120	175	228	401	531
1997	49,040	146	59	27	38	77	132	161	252	363	533
1996	47,294	164	43	38	47	74	89	138	222	327	458
1995	45,504	182	55	31	40	66	103	152	245	360	477
1994	44,082	172	61	37	53	64	100	182	227	401	473
1993	44,324	148	62	38	39	58	98	144	277	372	455
1992	41,431	185	72	24	40	47	112	165	216	291	372
1991	40,481	163	84	35	37	66	112	152	228	304	418
1990	38,924	192	70	33	36	63	89	149	213	267	359
1989	39,637	186	61	31	35	56	99	152	228	304	363
1988	44,941	221	99	38	38	67	122	169	212	285	381
1987	42,444	244	79	31	51	77	110	185	222	296	359
1986	40,922	244	96	36	41	65	127	187	213	275	364
1985	37,327	230	76	48	49	79	114	156	214	276	370
1984	33,272	232	84	40	49	74	131	155	195	246	343
1983	31,315	240	88	32	40	79	119	158	215	244	341
1982	28,321	172	60	31	63	69	136	164	182	240	327
1981	25,979	210	96	39	33	74	117	156	218	233	305
1980	24,429	175	81	34	50	94	115	134	191	212	314
1979	21,649	148	61	34	43	85	118	142	180	207	300

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
All other forms of heart disease (415-417,424-427,429.0-429.1,429.3-429.9)											
All other, both sexes											
1998	16,894	168	59	41	45	112	158	241	373	582	838
1997	16,324	151	59	33	39	97	180	237	348	560	758
1996	16,406	177	67	29	60	115	164	226	402	574	761
1995	16,319	174	78	24	51	122	190	240	410	620	780
1994	15,782	189	93	26	43	105	166	254	423	593	734
1993	16,084	201	83	34	37	91	156	268	380	586	749
1992	15,414	200	77	33	42	96	154	264	378	559	735
1991	15,188	199	93	31	37	80	161	232	392	549	681
1990	15,031	240	77	21	43	75	143	219	390	514	643
1989	15,582	206	79	32	46	81	143	237	361	500	599
1988	17,599	246	94	30	38	94	150	262	381	527	624
1987	16,881	241	90	30	43	96	145	237	398	500	575
1986	16,371	242	104	32	34	75	160	252	413	484	539
1985	15,182	236	92	28	48	103	139	218	328	453	519
1984	13,742	227	87	30	39	83	161	217	303	389	450
1983	13,204	256	86	26	31	101	141	206	302	358	457
1982	11,491	184	74	23	34	71	145	179	261	318	432
1981	11,093	177	85	17	42	77	137	217	260	314	433
1980	10,797	205	83	28	29	118	154	200	261	366	404
1979	9,230	199	65	18	36	62	139	162	192	293	376
All other forms of heart disease (415-417,424-427,429.0-429.1,429.3-429.9)											
All other, male											
1998	8,370	78	32	20	28	74	103	148	212	343	478
1997	8,187	78	38	12	23	56	110	132	218	322	456
1996	8,301	100	29	14	39	66	106	126	223	327	435
1995	8,344	93	44	15	31	73	119	142	266	387	464
1994	8,065	99	50	12	29	67	102	147	249	365	449
1993	8,287	104	46	15	18	59	91	170	231	355	446
1992	8,036	100	45	16	26	74	96	166	217	352	444
1991	8,001	108	55	19	21	50	99	144	243	370	399
1990	7,824	135	36	10	19	54	82	142	235	339	416
1989	8,126	105	46	16	15	46	90	129	240	321	362
1988	9,392	137	49	19	24	59	89	147	251	327	408
1987	8,895	138	46	11	25	56	90	138	251	336	364
1986	8,818	133	57	14	19	47	100	142	263	296	361
1985	8,185	133	39	17	25	64	81	135	210	290	321
1984	7,412	127	46	16	19	50	104	131	195	233	276
1983	7,159	137	52	11	20	62	80	127	185	215	293
1982	6,263	99	44	11	16	45	74	102	148	180	257
1981	5,990	104	44	13	20	42	79	132	162	190	259
1980	6,004	103	48	12	16	69	93	113	162	248	240
1979	5,043	108	34	5	16	42	79	87	102	159	225

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
All other forms of heart disease (415-417,424-427,429.0-429.1,429.3-429.9)											
All other, female											
1998	8,524	90	27	21	17	38	55	93	161	239	360
1997	8,137	73	21	21	16	41	70	105	130	238	302
1996	8,105	77	38	15	21	49	58	100	179	247	326
1995	7,975	81	34	9	20	49	71	98	144	233	316
1994	7,717	90	43	14	14	38	64	107	174	228	285
1993	7,797	97	37	19	19	32	65	98	149	231	303
1992	7,378	100	32	17	16	22	58	98	161	207	291
1991	7,187	91	38	12	16	30	62	88	149	179	282
1990	7,207	105	41	11	24	21	61	77	155	175	227
1989	7,456	101	33	16	31	35	53	108	121	179	237
1988	8,207	109	45	11	14	35	61	115	130	200	216
1987	7,986	103	44	19	18	40	55	99	147	164	211
1986	7,553	109	47	18	15	28	60	110	150	188	178
1985	6,997	103	53	11	23	39	58	83	118	163	198
1984	6,330	100	41	14	20	33	57	86	108	156	174
1983	6,045	119	34	15	11	39	61	79	117	143	164
1982	5,228	85	30	12	18	26	71	77	113	138	175
1981	5,103	73	41	4	22	35	58	85	98	124	174
1980	4,793	102	35	16	13	49	61	87	99	118	164
1979	4,187	91	31	13	20	20	60	75	90	134	151
All other forms of heart disease (415-417,424-427,429.0-429.1,429.3-429.9)											
Black, both sexes											
1998	15,099	137	48	35	39	100	138	215	348	531	781
1997	14,626	131	53	29	36	88	158	215	311	511	707
1996	14,784	154	55	24	50	108	151	212	369	534	707
1995	14,732	148	69	20	46	115	173	216	384	571	736
1994	14,326	163	85	21	37	95	149	239	392	552	685
1993	14,626	170	70	29	33	82	145	243	350	555	689
1992	14,189	179	71	27	35	86	134	246	345	519	695
1991	14,040	179	84	27	33	70	150	217	368	508	651
1990	13,815	210	70	18	36	70	131	201	371	476	604
1989	14,467	181	67	26	37	73	136	218	346	469	567
1988	16,507	219	83	27	34	89	142	251	363	495	585
1987	15,869	207	79	23	41	93	137	213	377	468	542
1986	15,408	217	92	25	31	69	151	237	393	457	514
1985	14,293	207	86	23	44	97	128	208	305	420	495
1984	12,976	209	78	28	36	81	144	205	279	365	430
1983	12,420	235	76	20	26	97	133	189	285	339	429
1982	10,883	161	66	22	31	62	139	168	246	302	407
1981	10,555	159	75	17	40	72	135	207	245	295	411
1980	10,247	188	76	26	23	108	142	185	253	345	382
1979	8,733	178	59	18	32	59	129	147	181	271	357

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
All other forms of heart disease (415-417,424-427,429.0-429.1,429.3-429.9)											
Black, male											
1998	7,385	65	28	18	24	68	89	130	196	310	443
1997	7,261	67	36	12	22	52	96	119	190	286	426
1996	7,389	90	24	11	32	63	99	116	201	302	404
1995	7,527	83	41	12	29	69	106	129	250	353	442
1994	7,241	86	44	10	25	61	89	133	228	347	415
1993	7,464	81	37	12	17	52	85	151	209	333	408
1992	7,339	93	41	12	22	66	81	151	199	331	419
1991	7,328	94	48	16	19	42	91	137	226	340	382
1990	7,112	119	34	9	17	49	73	128	220	310	391
1989	7,475	89	40	14	12	42	84	120	231	303	340
1988	8,763	120	42	18	22	54	85	143	238	308	382
1987	8,269	118	43	9	24	53	85	120	235	309	340
1986	8,244	121	50	10	17	44	92	132	249	278	343
1985	7,663	117	36	13	23	62	73	126	196	272	307
1984	6,964	117	41	15	18	48	89	121	177	220	260
1983	6,666	126	47	9	17	59	75	113	171	201	271
1982	5,908	88	37	11	16	41	71	96	139	171	242
1981	5,678	95	39	13	19	41	78	125	154	179	247
1980	5,657	95	44	11	16	61	87	103	157	229	227
1979	4,762	93	32	5	15	40	71	81	96	142	215
All other forms of heart disease (415-417,424-427,429.0-429.1,429.3-429.9)											
Black, female											
1998	7,714	72	20	17	15	32	49	85	152	221	338
1997	7,365	64	17	17	14	36	62	96	121	225	281
1996	7,395	64	31	13	18	45	52	96	168	232	303
1995	7,205	65	28	8	17	46	67	87	134	218	294
1994	7,085	77	41	11	12	34	60	106	164	205	270
1993	7,162	89	33	17	16	30	60	92	141	222	281
1992	6,850	86	30	15	13	20	53	95	146	188	276
1991	6,712	85	36	11	14	28	59	80	142	168	269
1990	6,703	91	36	9	19	21	58	73	151	166	213
1989	6,992	92	27	12	25	31	52	98	115	166	227
1988	7,744	99	41	9	12	35	57	108	125	187	203
1987	7,600	89	36	14	17	40	52	93	142	159	202
1986	7,164	96	42	15	14	25	59	105	144	179	171
1985	6,630	90	50	10	21	35	55	82	109	148	188
1984	6,012	92	37	13	18	33	55	84	102	145	170
1983	5,754	109	29	11	9	38	58	76	114	138	158
1982	4,975	73	29	11	15	21	68	72	107	131	165
1981	4,877	64	36	4	21	31	57	82	91	116	164
1980	4,590	93	32	15	7	47	55	82	96	116	155
1979	3,971	85	27	13	17	19	58	66	85	129	142

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Essential (primary) hypertension and hypertensive renal disease (401,403)											
All races, both sexes											
1998	14,308	12	-	1	3	3	4	26	29	95	143
1997	13,534	5	1	1	3	2	6	27	32	78	162
1996	12,945	8	-	2	1	5	14	19	37	75	139
1995	12,483	4	1	-	3	2	10	21	42	84	170
1994	11,765	8	4	-	1	1	15	23	44	85	139
1993	11,243	4	2	1	-	4	12	23	43	104	142
1992	10,265	3	2	2	-	5	11	20	47	64	122
1991	9,524	2	3	2	-	5	8	24	32	72	121
1990	9,169	5	1	2	-	4	6	13	33	75	106
1989	8,766	3	3	3	2	3	13	28	42	72	102
1988	8,456	1	1	-	1	4	5	24	38	72	87
1987	8,139	2	1	1	-	3	12	16	31	58	98
1986	7,984	5	1	-	1	2	5	20	34	54	69
1985	7,751	4	-	-	2	2	7	16	28	61	76
1984	7,774	1	1	2	1	3	3	16	32	42	82
1983	7,739	4	1	2	-	3	7	19	27	43	88
1982	7,571	5	-	3	1	3	8	16	33	51	59
1981	7,587	3	1	1	-	7	6	27	36	47	92
1980	7,827	4	1	3	4	5	13	28	36	61	90
1979	7,275	4	5	2	3	1	10	23	26	59	90
Essential (primary) hypertension and hypertensive renal disease (401,403)											
All races, male											
1998	5,526	7	-	-	1	1	2	16	18	66	86
1997	5,419	2	1	1	-	-	2	14	17	55	105
1996	5,160	3	-	-	1	2	9	9	22	46	76
1995	5,025	3	1	-	2	2	5	17	30	52	105
1994	4,794	4	3	-	-	-	6	11	26	50	96
1993	4,512	3	-	-	-	1	9	11	25	62	97
1992	4,285	3	2	1	-	5	5	16	33	36	75
1991	3,956	2	1	2	-	3	5	16	23	42	73
1990	3,833	2	-	1	-	1	3	9	24	54	68
1989	3,771	3	1	2	-	2	8	20	34	45	63
1988	3,555	-	1	-	1	-	2	14	23	42	54
1987	3,530	1	-	-	-	3	4	10	18	40	63
1986	3,403	2	-	-	1	2	4	10	27	30	40
1985	3,385	4	-	-	1	1	3	9	16	39	43
1984	3,435	1	1	2	1	1	3	10	25	27	50
1983	3,476	3	1	1	-	2	4	14	20	32	52
1982	3,432	3	-	1	-	-	5	11	26	35	36
1981	3,477	1	-	1	-	4	2	14	19	26	54
1980	3,581	3	-	1	2	3	6	14	23	33	56
1979	3,377	3	2	1	-	-	8	18	17	34	53

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Essential (primary) hypertension and hypertensive renal disease (401,403)											
All races, female											
1998	8,782	5	-	1	2	2	2	10	11	29	57
1997	8,115	3	-	-	3	2	4	13	15	23	57
1996	7,785	5	-	2	-	3	5	10	15	29	63
1995	7,458	1	-	-	1	-	5	4	12	32	65
1994	6,971	4	1	-	1	1	9	12	18	35	43
1993	6,731	1	2	1	-	3	3	12	18	42	45
1992	5,980	-	-	1	-	-	6	4	14	28	47
1991	5,568	-	2	-	-	2	3	8	9	30	48
1990	5,336	3	1	1	-	3	3	4	9	21	38
1989	4,995	-	2	1	2	1	5	8	8	27	39
1988	4,901	1	-	-	-	4	3	10	15	30	33
1987	4,609	1	1	1	-	-	8	6	13	18	35
1986	4,581	3	1	-	-	-	1	10	7	24	29
1985	4,366	-	-	-	1	1	4	7	12	22	33
1984	4,339	-	-	-	-	2	-	6	7	15	32
1983	4,263	1	-	1	-	1	3	5	7	11	36
1982	4,139	2	-	2	1	3	3	5	7	16	23
1981	4,110	2	1	-	-	3	4	13	17	21	38
1980	4,246	1	1	2	2	2	7	14	13	28	34
1979	3,898	1	3	1	3	1	2	5	9	25	37
Essential (primary) hypertension and hypertensive renal disease (401,403)											
White, both sexes											
1998	10,818	6	-	1	1	3	2	10	11	47	63
1997	10,376	5	-	1	2	1	1	13	11	32	64
1996	9,864	5	-	2	-	1	6	6	16	35	59
1995	9,452	1	1	-	2	2	2	11	18	39	73
1994	8,902	6	3	-	1	1	3	8	19	30	60
1993	8,438	4	1	1	-	3	4	6	17	47	62
1992	7,750	2	2	2	-	2	4	6	16	27	53
1991	7,160	-	1	2	-	4	4	8	14	26	50
1990	6,960	3	-	2	-	1	-	4	13	24	43
1989	6,649	3	3	2	2	1	7	11	20	28	42
1988	6,433	-	1	-	1	2	3	11	14	40	43
1987	6,250	2	1	1	-	1	6	9	15	23	46
1986	6,171	4	1	-	1	-	2	6	15	18	29
1985	5,922	3	-	-	1	2	2	6	11	20	30
1984	5,998	-	1	1	-	3	2	7	10	14	39
1983	6,092	2	1	1	-	1	6	10	12	19	40
1982	6,006	1	-	2	1	2	5	8	13	24	29
1981	5,894	2	1	1	-	5	2	15	14	19	35
1980	6,130	4	-	3	2	4	6	15	19	26	37
1979	5,713	2	2	2	3	1	8	6	7	26	41

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Essential (primary) hypertension and hypertensive renal disease (401,403)											
White, male											
1998	4,105	3	-	-	1	1	1	5	7	36	43
1997	4,038	2	-	1	-	-	-	5	6	22	47
1996	3,814	2	-	-	-	-	3	3	9	24	32
1995	3,697	1	1	-	1	2	1	9	14	22	46
1994	3,547	4	2	-	-	-	-	4	11	15	45
1993	3,370	3	-	-	-	1	4	3	12	35	45
1992	3,228	2	2	1	-	2	2	6	13	20	40
1991	2,938	-	1	2	-	2	2	7	10	13	26
1990	2,862	1	-	1	-	-	-	2	11	20	25
1989	2,819	3	1	1	-	1	4	7	18	22	24
1988	2,749	-	1	-	1	-	1	7	7	21	28
1987	2,692	1	-	-	-	1	1	5	8	19	31
1986	2,639	2	-	-	1	-	2	2	12	14	18
1985	2,588	3	-	-	1	1	2	3	6	11	17
1984	2,651	-	1	1	-	1	2	3	9	10	26
1983	2,724	1	1	1	-	-	4	9	9	16	22
1982	2,740	1	-	-	-	-	3	6	11	17	17
1981	2,718	1	-	1	-	2	-	8	6	11	23
1980	2,813	3	-	1	1	3	3	10	12	17	23
1979	2,645	2	-	1	-	-	6	6	5	16	23
Essential (primary) hypertension and hypertensive renal disease (401,403)											
White, female											
1998	6,713	3	-	1	-	2	1	5	4	11	20
1997	6,338	3	-	-	2	1	1	8	5	10	17
1996	6,050	3	-	2	-	1	3	3	7	11	27
1995	5,755	-	-	-	1	-	1	2	4	17	27
1994	5,355	2	1	-	1	1	3	4	8	15	15
1993	5,068	1	1	1	-	2	-	3	5	12	17
1992	4,522	-	-	1	-	-	2	-	3	7	13
1991	4,222	-	-	-	-	2	2	1	4	13	24
1990	4,098	2	-	1	-	1	-	2	2	4	18
1989	3,830	-	2	1	2	-	3	4	2	6	18
1988	3,684	-	-	-	-	2	2	4	7	19	15
1987	3,558	1	1	1	-	-	5	4	7	4	15
1986	3,532	2	1	-	-	-	-	4	3	4	11
1985	3,334	-	-	-	-	1	-	3	5	9	13
1984	3,347	-	-	-	-	2	-	4	1	4	13
1983	3,368	1	-	-	-	1	2	1	3	3	18
1982	3,266	-	-	2	1	2	2	2	2	7	12
1981	3,176	1	1	-	-	3	2	7	8	8	12
1980	3,317	1	-	2	1	1	3	5	7	9	14
1979	3,068	-	2	1	3	1	2	-	2	10	18

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Essential (primary) hypertension and hypertensive renal disease (401,403)											
All other, both sexes											
1998	3,490	6	-	-	2	-	2	16	18	48	80
1997	3,158	-	1	-	1	1	5	14	21	46	98
1996	3,081	3	-	-	1	4	8	13	21	40	80
1995	3,031	3	-	-	1	-	8	10	24	45	97
1994	2,863	2	1	-	-	-	12	15	25	55	79
1993	2,805	-	1	-	-	1	8	17	26	57	80
1992	2,515	1	-	-	-	3	7	14	31	37	69
1991	2,364	2	2	-	-	1	4	16	18	46	71
1990	2,209	2	1	-	-	3	6	9	20	51	63
1989	2,117	-	-	1	-	2	6	17	22	44	60
1988	2,023	1	-	-	-	2	2	13	24	32	44
1987	1,889	-	-	-	-	2	6	7	16	35	52
1986	1,813	1	-	-	-	2	3	14	19	36	40
1985	1,829	1	-	-	1	-	5	10	17	41	46
1984	1,776	1	-	1	1	-	1	9	22	28	43
1983	1,647	2	-	1	-	2	1	9	15	24	48
1982	1,565	4	-	1	-	1	3	8	20	27	30
1981	1,693	1	-	-	-	2	4	12	22	28	57
1980	1,697	-	1	-	2	1	7	13	17	35	53
1979	1,562	2	3	-	-	-	2	17	19	33	49
Essential (primary) hypertension and hypertensive renal disease (401,403)											
All other, male											
1998	1,421	4	-	-	-	-	1	11	11	30	43
1997	1,381	-	1	-	-	-	2	9	11	33	58
1996	1,346	1	-	-	1	2	6	6	13	22	44
1995	1,328	2	-	-	1	-	4	8	16	30	59
1994	1,247	-	1	-	-	-	6	7	15	35	51
1993	1,142	-	-	-	-	-	5	8	13	27	52
1992	1,057	1	-	-	-	3	3	10	20	16	35
1991	1,018	2	-	-	-	1	3	9	13	29	47
1990	971	1	-	-	-	1	3	7	13	34	43
1989	952	-	-	1	-	1	4	13	16	23	39
1988	806	-	-	-	-	-	1	7	16	21	26
1987	838	-	-	-	-	2	3	5	10	21	32
1986	764	-	-	-	-	2	2	8	15	16	22
1985	797	1	-	-	-	-	1	6	10	28	26
1984	784	1	-	1	1	-	1	7	16	17	24
1983	752	2	-	-	-	2	-	5	11	16	30
1982	692	2	-	1	-	-	2	5	15	18	19
1981	759	-	-	-	-	2	2	6	13	15	31
1980	768	-	-	-	1	-	3	4	11	16	33
1979	732	1	2	-	-	-	2	12	12	18	30

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Essential (primary) hypertension and hypertensive renal disease (401,403)											
All other, female											
1998	2,069	2	-	-	2	-	1	5	7	18	37
1997	1,777	-	-	-	1	1	3	5	10	13	40
1996	1,735	2	-	-	-	2	2	7	8	18	36
1995	1,703	1	-	-	-	-	4	2	8	15	38
1994	1,616	2	-	-	-	-	6	8	10	20	28
1993	1,663	-	1	-	-	1	3	9	13	30	28
1992	1,458	-	-	-	-	-	4	4	11	21	34
1991	1,346	-	2	-	-	-	1	7	5	17	24
1990	1,238	1	1	-	-	2	3	2	7	17	20
1989	1,165	-	-	-	-	1	2	4	6	21	21
1988	1,217	1	-	-	-	2	1	6	8	11	18
1987	1,051	-	-	-	-	-	3	2	6	14	20
1986	1,049	1	-	-	-	-	1	6	4	20	18
1985	1,032	-	-	-	1	-	4	4	7	13	20
1984	992	-	-	-	-	-	-	2	6	11	19
1983	895	-	-	1	-	-	1	4	4	8	18
1982	873	2	-	-	-	1	1	3	5	9	11
1981	934	1	-	-	-	-	2	6	9	13	26
1980	929	-	1	-	1	1	4	9	6	19	20
1979	830	1	1	-	-	-	-	5	7	15	19
Essential (primary) hypertension and hypertensive renal disease (401,403)											
Black, both sexes											
1998	3,179	6	-	-	2	-	2	15	17	43	77
1997	2,919	-	1	-	1	-	5	12	21	44	91
1996	2,845	3	-	-	1	4	7	13	19	37	77
1995	2,804	3	-	-	1	-	8	9	22	43	93
1994	2,654	2	1	-	-	-	11	15	25	53	75
1993	2,622	-	1	-	-	1	8	17	26	56	79
1992	2,327	1	-	-	-	3	7	14	30	37	67
1991	2,224	2	2	-	-	1	3	16	18	46	65
1990	2,109	1	1	-	-	3	6	9	18	48	60
1989	1,997	-	-	1	-	2	6	15	22	43	59
1988	1,926	1	-	-	-	2	2	13	24	32	44
1987	1,804	-	-	-	-	2	6	6	16	34	49
1986	1,732	1	-	-	-	2	3	13	17	34	39
1985	1,757	-	-	-	-	-	4	10	17	40	44
1984	1,711	1	-	1	1	-	1	9	22	28	41
1983	1,582	1	-	1	-	2	1	9	14	22	48
1982	1,489	4	-	1	-	1	2	8	18	24	28
1981	1,633	-	-	-	-	2	4	11	22	28	56
1980	1,627	-	1	-	2	1	7	13	17	34	52
1979	1,509	2	2	-	-	-	2	17	19	31	47

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Essential (primary) hypertension and hypertensive renal disease (401,403)											
Black, male											
1998	1,276	4	-	-	-	-	1	10	10	27	41
1997	1,257	-	1	-	-	-	2	8	11	31	53
1996	1,233	1	-	-	1	2	5	6	11	19	41
1995	1,216	2	-	-	1	-	4	7	15	28	58
1994	1,147	-	1	-	-	-	6	7	15	33	49
1993	1,067	-	-	-	-	-	5	8	13	26	52
1992	969	1	-	-	-	3	3	10	20	16	33
1991	945	2	-	-	-	1	2	9	13	29	43
1990	919	1	-	-	-	1	3	7	12	31	40
1989	892	-	-	1	-	1	4	12	16	23	38
1988	747	-	-	-	-	-	1	7	16	21	26
1987	795	-	-	-	-	2	3	5	10	20	30
1986	719	-	-	-	-	2	2	7	14	15	21
1985	764	-	-	-	-	-	1	6	10	27	24
1984	750	1	-	1	1	-	1	7	16	17	23
1983	719	1	-	-	-	2	-	5	10	15	30
1982	650	2	-	1	-	-	1	5	14	15	17
1981	727	-	-	-	-	2	2	6	13	15	30
1980	728	-	-	-	1	-	3	4	11	16	32
1979	705	1	1	-	-	-	2	12	12	17	29
Essential (primary) hypertension and hypertensive renal disease (401,403)											
Black, female											
1998	1,903	2	-	-	2	-	1	5	7	16	36
1997	1,662	-	-	-	1	-	3	4	10	13	38
1996	1,612	2	-	-	-	2	2	7	8	18	36
1995	1,588	1	-	-	-	-	4	2	7	15	35
1994	1,507	2	-	-	-	-	5	8	10	20	26
1993	1,555	-	1	-	-	1	3	9	13	30	27
1992	1,358	-	-	-	-	-	4	4	10	21	34
1991	1,279	-	2	-	-	-	1	7	5	17	22
1990	1,190	-	1	-	-	2	3	2	6	17	20
1989	1,105	-	-	-	-	1	2	3	6	20	21
1988	1,179	1	-	-	-	2	1	6	8	11	18
1987	1,009	-	-	-	-	-	3	1	6	14	19
1986	1,013	1	-	-	-	-	1	6	3	19	18
1985	993	-	-	-	-	-	3	4	7	13	20
1984	961	-	-	-	-	-	-	2	6	11	18
1983	863	-	-	1	-	-	1	4	4	7	18
1982	839	2	-	-	-	1	1	3	4	9	11
1981	906	-	-	-	-	-	2	5	9	13	26
1980	899	-	1	-	1	1	4	9	6	18	20
1979	804	1	1	-	-	-	-	5	7	14	18

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Cerebrovascular diseases (430-434,436-438)											
All races, both sexes											
1998	158,042	296	57	35	46	65	113	233	436	978	1,670
1997	159,392	264	56	25	51	71	117	203	474	978	1,803
1996	159,547	233	49	42	42	60	106	218	500	1,028	1,691
1995	157,600	223	57	28	42	54	118	204	516	1,096	1,674
1994	152,939	197	53	28	46	63	120	235	566	1,016	1,697
1993	149,780	214	49	33	46	74	134	247	548	991	1,522
1992	143,449	166	50	27	37	67	130	252	541	994	1,594
1991	143,140	159	57	34	52	78	140	275	537	979	1,548
1990	143,752	148	45	33	40	73	160	334	603	956	1,456
1989	145,229	127	40	32	51	66	166	310	602	947	1,405
1988	150,145	152	55	31	39	78	188	341	627	964	1,458
1987	149,469	127	54	31	42	74	170	360	606	982	1,428
1986	149,269	109	37	25	48	80	182	362	597	983	1,365
1985	152,649	134	48	31	51	96	210	330	572	905	1,361
1984	153,920	111	53	46	59	112	216	361	561	901	1,388
1983	155,236	144	49	46	44	114	222	363	513	893	1,254
1982	157,388	133	42	42	68	106	187	361	580	864	1,290
1981	163,187	132	44	42	50	116	252	388	624	914	1,314
1980	169,876	155	59	44	51	141	277	389	573	860	1,326
1979	169,207	156	40	44	60	118	257	371	572	890	1,384
Cerebrovascular diseases (430-434,436-438)											
All races, male											
1998	61,000	174	25	17	31	45	64	107	220	485	891
1997	62,447	147	36	17	27	41	65	103	232	496	920
1996	62,344	125	24	26	22	32	64	106	244	515	928
1995	61,429	125	36	16	26	33	64	115	263	565	919
1994	60,089	115	35	13	29	29	69	111	267	515	952
1993	58,926	119	28	21	27	37	57	146	272	539	821
1992	56,522	109	23	19	21	36	82	129	271	521	842
1991	56,585	84	32	17	28	37	68	126	261	536	839
1990	56,569	88	22	18	18	44	83	155	300	503	756
1989	57,206	71	19	15	33	32	83	159	299	531	740
1988	59,630	83	28	10	20	45	99	174	347	523	788
1987	58,914	75	33	22	20	36	84	179	309	529	744
1986	59,019	64	20	12	23	42	99	176	313	533	727
1985	60,622	86	26	12	24	58	92	171	296	480	674
1984	61,541	65	27	24	31	56	118	186	280	466	711
1983	62,685	87	30	23	18	61	115	190	280	456	610
1982	63,725	82	24	20	40	62	88	196	289	438	635
1981	66,276	81	22	23	22	57	130	192	318	463	650
1980	69,823	90	28	22	24	79	161	189	293	418	676
1979	70,317	86	23	25	33	60	134	202	285	460	706

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Cerebrovascular diseases (430-434,436-438)											
All races, female											
1998	97,042	122	32	18	15	20	49	126	216	493	779
1997	96,945	117	20	8	24	30	52	100	242	482	883
1996	97,203	108	25	16	20	28	42	112	256	513	763
1995	96,171	98	21	12	16	21	54	89	253	531	755
1994	92,850	82	18	15	17	34	51	124	299	501	745
1993	90,854	95	21	12	19	37	77	101	276	452	701
1992	86,927	57	27	8	16	31	48	123	270	473	752
1991	86,555	75	25	17	24	41	72	149	276	443	709
1990	87,183	60	23	15	22	29	77	179	303	453	700
1989	88,023	56	21	17	18	34	83	151	303	416	665
1988	90,515	69	27	21	19	33	89	167	280	441	670
1987	90,555	52	21	9	22	38	86	181	297	453	684
1986	90,250	45	17	13	25	38	83	186	284	450	638
1985	92,027	48	22	19	27	38	118	159	276	425	687
1984	92,379	46	26	22	28	56	98	175	281	435	677
1983	92,551	57	19	23	26	53	107	173	233	437	644
1982	93,663	51	18	22	28	44	99	165	291	426	655
1981	96,911	51	22	19	28	59	122	196	306	451	664
1980	100,053	65	31	22	27	62	116	200	280	442	650
1979	98,890	70	17	19	27	58	123	169	287	430	678
Cerebrovascular diseases (430-434,436-438)											
White, both sexes											
1998	136,485	198	34	24	33	47	81	161	283	664	1,033
1997	137,954	179	36	17	37	60	76	145	322	630	1,091
1996	137,940	160	34	36	32	49	84	159	334	657	1,047
1995	136,124	161	34	23	32	40	79	141	358	700	1,010
1994	132,159	140	39	25	32	45	88	161	371	613	1,021
1993	129,690	154	35	22	31	57	102	168	376	638	952
1992	124,080	104	38	20	30	51	96	170	355	606	980
1991	123,400	103	37	25	41	59	102	181	346	600	989
1990	124,217	89	33	24	31	57	113	247	375	575	899
1989	125,222	84	27	24	38	44	116	211	385	571	878
1988	129,726	93	39	25	28	57	150	238	374	585	933
1987	129,707	86	42	23	33	60	118	247	388	608	945
1986	129,648	66	24	20	38	64	129	234	386	633	874
1985	132,661	89	33	26	44	64	155	233	364	591	874
1984	134,022	77	35	34	38	89	146	246	353	593	931
1983	135,263	99	40	38	30	90	156	259	338	582	831
1982	137,343	84	30	34	54	78	138	242	384	582	821
1981	142,472	83	35	35	38	88	182	256	427	627	869
1980	148,413	103	44	36	36	111	192	266	369	583	884
1979	148,157	97	31	35	50	93	189	256	388	574	928

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Cerebrovascular diseases (430-434,436-438)											
White, male											
1998	51,640	117	13	11	22	31	54	79	151	332	575
1997	53,052	99	21	12	19	35	42	69	167	332	585
1996	52,895	89	18	22	20	28	49	89	164	329	607
1995	51,929	93	22	15	21	24	43	84	187	363	565
1994	50,886	86	26	12	21	22	51	80	188	324	574
1993	50,106	84	20	13	18	30	38	109	199	364	514
1992	47,962	67	19	14	16	29	61	94	191	313	521
1991	47,720	55	18	12	23	31	57	85	175	330	528
1990	47,912	49	13	13	15	37	61	117	202	309	471
1989	48,459	45	12	11	26	23	61	116	201	313	462
1988	50,573	50	20	7	17	36	80	126	205	309	513
1987	50,099	56	27	16	16	29	61	123	209	312	481
1986	50,224	39	14	10	19	32	73	119	207	350	450
1985	51,816	56	16	11	22	43	67	125	196	305	434
1984	52,687	40	16	14	19	50	81	139	182	302	473
1983	53,822	62	27	19	12	53	82	137	190	300	398
1982	54,606	54	18	15	31	50	66	136	203	280	401
1981	56,857	51	17	20	18	44	93	135	214	309	417
1980	59,953	57	21	18	14	64	113	136	187	271	444
1979	60,501	52	18	20	29	47	104	149	193	279	454
Cerebrovascular diseases (430-434,436-438)											
White, female											
1998	84,845	81	21	13	11	16	27	82	132	332	458
1997	84,902	80	15	5	18	25	34	76	155	298	506
1996	85,045	71	16	14	12	21	35	70	170	328	440
1995	84,195	68	12	8	11	16	36	57	171	337	445
1994	81,273	54	13	13	11	23	37	81	183	289	447
1993	79,584	70	15	9	13	27	64	59	177	274	438
1992	76,118	37	19	6	14	22	35	76	164	293	459
1991	75,680	48	19	13	18	28	45	96	171	270	461
1990	76,305	40	20	11	16	20	52	130	173	266	428
1989	76,763	39	15	13	12	21	55	95	184	258	416
1988	79,153	43	19	18	11	21	70	112	169	276	420
1987	79,608	30	15	7	17	31	57	124	179	296	464
1986	79,424	27	10	10	19	32	56	115	179	283	424
1985	80,845	33	17	15	22	21	88	108	168	286	440
1984	81,335	37	19	20	19	39	65	107	171	291	458
1983	81,441	37	13	19	18	37	74	122	148	282	433
1982	82,737	30	12	19	23	28	72	106	181	302	420
1981	85,615	32	18	15	20	44	89	121	213	318	452
1980	88,460	46	23	18	22	47	79	130	182	312	440
1979	87,656	45	13	15	21	46	85	107	195	295	474

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Cerebrovascular diseases (430-434,436-438)											
All other, both sexes											
1998	21,557	98	23	11	13	18	32	72	153	314	637
1997	21,438	85	20	8	14	11	41	58	152	348	712
1996	21,607	73	15	6	10	11	22	59	166	371	644
1995	21,476	62	23	5	10	14	39	63	158	396	664
1994	20,780	57	14	3	14	18	32	74	195	403	676
1993	20,090	60	14	11	15	17	32	79	172	353	570
1992	19,369	62	12	7	7	16	34	82	186	388	614
1991	19,740	56	20	9	11	19	38	94	191	379	559
1990	19,535	59	12	9	9	16	47	87	228	381	557
1989	20,007	43	13	8	13	22	50	99	217	376	527
1988	20,419	59	16	6	11	21	38	103	253	379	525
1987	19,762	41	12	8	9	14	52	113	218	374	483
1986	19,621	43	13	5	10	16	53	128	211	350	491
1985	19,988	45	15	5	7	32	55	97	208	314	487
1984	19,898	34	18	12	21	23	70	115	208	308	457
1983	19,973	45	9	8	14	24	66	104	175	311	423
1982	20,045	49	12	8	14	28	49	119	196	282	469
1981	20,715	49	9	7	12	28	70	132	197	287	445
1980	21,463	52	15	8	15	30	85	123	204	277	442
1979	21,050	59	9	9	10	25	68	115	184	316	456
Cerebrovascular diseases (430-434,436-438)											
All other, male											
1998	9,360	57	12	6	9	14	10	28	69	153	316
1997	9,395	48	15	5	8	6	23	34	65	164	335
1996	9,449	36	6	4	2	4	15	17	80	186	321
1995	9,500	32	14	1	5	9	21	31	76	202	354
1994	9,203	29	9	1	8	7	18	31	79	191	378
1993	8,820	35	8	8	9	7	19	37	73	175	307
1992	8,560	42	4	5	5	7	21	35	80	208	321
1991	8,865	29	14	5	5	6	11	41	86	206	311
1990	8,657	39	9	5	3	7	22	38	98	194	285
1989	8,747	26	7	4	7	9	22	43	98	218	278
1988	9,057	33	8	3	3	9	19	48	142	214	275
1987	8,815	19	6	6	4	7	23	56	100	217	263
1986	8,795	25	6	2	4	10	26	57	106	183	277
1985	8,806	30	10	1	2	15	25	46	100	175	240
1984	8,854	25	11	10	12	6	37	47	98	164	238
1983	8,863	25	3	4	6	8	33	53	90	156	212
1982	9,119	28	6	5	9	12	22	60	86	158	234
1981	9,419	30	5	3	4	13	37	57	104	154	233
1980	9,870	33	7	4	10	15	48	53	106	147	232
1979	9,816	34	5	5	4	13	30	53	92	181	252

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Cerebrovascular diseases (430-434,436-438)											
All other, female											
1998	12,197	41	11	5	4	4	22	44	84	161	321
1997	12,043	37	5	3	6	5	18	24	87	184	377
1996	12,158	37	9	2	8	7	7	42	86	185	323
1995	11,976	30	9	4	5	5	18	32	82	194	310
1994	11,577	28	5	2	6	11	14	43	116	212	298
1993	11,270	25	6	3	6	10	13	42	99	178	263
1992	10,809	20	8	2	2	9	13	47	106	180	293
1991	10,875	27	6	4	6	13	27	53	105	173	248
1990	10,878	20	3	4	6	9	25	49	130	187	272
1989	11,260	17	6	4	6	13	28	56	119	158	249
1988	11,362	26	8	3	8	12	19	55	111	165	250
1987	10,947	22	6	2	5	7	29	57	118	157	220
1986	10,826	18	7	3	6	6	27	71	105	167	214
1985	11,182	15	5	4	5	17	30	51	108	139	247
1984	11,044	9	7	2	9	17	33	68	110	144	219
1983	11,110	20	6	4	8	16	33	51	85	155	211
1982	10,926	21	6	3	5	16	27	59	110	124	235
1981	11,296	19	4	4	8	15	33	75	93	133	212
1980	11,593	19	8	4	5	15	37	70	98	130	210
1979	11,234	25	4	4	6	12	38	62	92	135	204
Cerebrovascular diseases (430-434,436-438)											
Black, both sexes											
1998	18,201	90	20	11	11	15	26	67	130	282	582
1997	18,106	73	19	8	13	8	35	49	133	304	638
1996	18,447	63	14	5	9	11	18	49	151	334	582
1995	18,504	57	21	4	7	10	32	58	139	360	597
1994	17,996	53	10	3	13	16	28	65	179	365	612
1993	17,535	48	11	9	11	13	27	75	155	316	531
1992	17,016	59	11	5	6	13	30	72	170	355	573
1991	17,345	49	17	9	11	16	33	82	179	347	513
1990	17,382	52	10	6	9	13	42	74	206	353	515
1989	17,954	38	9	7	12	20	44	91	203	346	472
1988	18,460	52	14	5	10	21	34	94	236	354	479
1987	17,882	39	11	7	7	12	43	101	202	351	449
1986	17,936	38	10	4	9	15	44	117	204	324	461
1985	18,315	43	14	5	6	28	50	94	198	289	451
1984	18,346	32	14	10	17	23	60	106	191	280	430
1983	18,538	41	7	7	12	24	61	98	168	288	388
1982	18,676	42	12	7	13	27	49	114	187	264	446
1981	19,392	45	7	7	11	24	66	124	186	274	419
1980	20,111	47	11	7	14	29	81	118	192	262	420
1979	19,817	56	9	9	10	22	62	109	171	299	433

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Cerebrovascular diseases (430-434,436-438)											
Black, male											
1998	7,746	51	10	6	8	13	9	26	55	134	283
1997	7,785	41	15	5	8	6	19	30	57	142	294
1996	7,963	30	6	3	2	4	12	14	70	163	284
1995	7,994	30	14	1	4	7	16	28	63	177	307
1994	7,815	28	7	1	8	6	17	24	71	171	342
1993	7,592	30	7	7	7	6	15	34	64	152	289
1992	7,409	39	4	3	5	5	19	33	72	185	301
1991	7,676	25	12	5	5	5	8	35	81	186	286
1990	7,638	33	9	3	3	5	20	30	89	178	267
1989	7,730	24	4	4	6	8	20	38	89	204	248
1988	8,091	28	6	2	3	9	16	43	132	199	250
1987	7,844	17	5	5	3	6	19	47	90	205	246
1986	7,934	23	6	2	3	9	22	50	102	169	264
1985	7,992	28	9	1	2	14	22	44	94	164	227
1984	8,084	23	9	8	9	6	28	43	92	151	226
1983	8,126	21	2	4	6	8	31	48	85	143	196
1982	8,405	23	6	4	8	12	22	56	82	146	225
1981	8,750	27	4	3	4	10	34	53	99	150	222
1980	9,187	30	6	4	10	14	45	52	99	141	220
1979	9,176	33	5	5	4	12	27	52	85	173	244
Cerebrovascular diseases (430-434,436-438)											
Black, female											
1998	10,455	39	10	5	3	2	17	41	75	148	299
1997	10,321	32	4	3	5	2	16	19	76	162	344
1996	10,484	33	8	2	7	7	6	35	81	171	298
1995	10,510	27	7	3	3	3	16	30	76	183	290
1994	10,181	25	3	2	5	10	11	41	108	194	270
1993	9,943	18	4	2	4	7	12	41	91	164	242
1992	9,607	20	7	2	1	8	11	39	98	170	272
1991	9,669	24	5	4	6	11	25	47	98	161	227
1990	9,744	19	1	3	6	8	22	44	117	175	248
1989	10,224	14	5	3	6	12	24	53	114	142	224
1988	10,369	24	8	3	7	12	18	51	104	155	229
1987	10,038	22	6	2	4	6	24	54	112	146	203
1986	10,002	15	4	2	6	6	22	67	102	155	197
1985	10,323	15	5	4	4	14	28	50	104	125	224
1984	10,262	9	5	2	8	17	32	63	99	129	204
1983	10,412	20	5	3	6	16	30	50	83	145	192
1982	10,271	19	6	3	5	15	27	58	105	118	221
1981	10,642	18	3	4	7	14	32	71	87	124	197
1980	10,924	17	5	3	4	15	36	66	93	121	200
1979	10,641	23	4	4	6	10	35	57	86	126	189

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Atherosclerosis (440)											
All races, both sexes											
1998	15,279	1	1	-	-	-	2	4	6	16	25
1997	16,057	-	1	-	-	-	-	2	3	17	32
1996	16,740	2	-	-	-	-	1	2	8	17	43
1995	16,723	-	-	1	-	-	-	2	3	14	28
1994	17,116	-	-	1	-	-	1	2	5	21	37
1993	17,272	-	-	2	-	-	2	6	7	13	33
1992	16,831	-	-	-	-	-	1	3	6	18	30
1991	17,420	1	-	-	-	1	1	2	6	14	27
1990	18,047	1	-	-	1	-	1	3	11	11	22
1989	19,357	1	1	1	-	1	1	1	4	13	31
1988	22,086	1	1	-	-	2	-	3	4	20	34
1987	22,474	1	-	-	-	-	2	3	8	13	29
1986	22,706	-	-	-	-	-	1	2	8	12	28
1985	23,926	-	-	-	-	1	1	3	4	16	32
1984	24,462	-	3	3	-	-	3	-	5	10	34
1983	26,371	1	1	1	-	1	2	3	1	10	22
1982	26,823	1	3	4	-	-	2	2	7	17	25
1981	28,004	-	2	-	-	-	2	1	4	17	42
1980	29,449	2	-	-	-	1	1	1	8	13	31
1979	28,801	3	-	-	-	1	-	2	3	10	27
Atherosclerosis (440)											
All races, male											
1998	5,719	-	-	-	-	-	-	2	4	12	18
1997	6,019	-	1	-	-	-	-	1	3	12	22
1996	6,281	2	-	-	-	-	1	1	3	8	28
1995	6,404	-	-	1	-	-	-	1	3	12	22
1994	6,420	-	-	-	-	-	1	1	5	13	26
1993	6,410	-	-	1	-	-	1	6	3	8	25
1992	6,328	-	-	-	-	-	-	2	5	8	21
1991	6,636	1	-	-	-	-	1	2	3	9	20
1990	6,859	1	-	-	-	-	1	3	8	7	13
1989	7,254	-	1	1	-	-	1	1	3	11	24
1988	8,327	-	1	-	-	1	-	2	2	16	25
1987	8,428	-	-	-	-	-	2	2	4	10	19
1986	8,587	-	-	-	-	-	-	2	7	9	17
1985	9,062	-	-	-	-	-	1	2	3	10	25
1984	9,240	-	2	1	-	-	3	-	4	6	25
1983	10,042	-	-	1	-	-	1	2	-	10	14
1982	10,583	1	-	1	-	-	1	1	6	11	18
1981	10,969	-	-	-	-	-	1	1	3	11	29
1980	11,601	1	-	-	-	1	1	1	5	6	24
1979	11,426	2	-	-	-	-	-	-	3	7	19

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Atherosclerosis (440)											
All races, female											
1998	9,560	1	1	-	-	-	2	2	2	4	7
1997	10,038	-	-	-	-	-	-	1	-	5	10
1996	10,459	-	-	-	-	-	-	1	5	9	15
1995	10,319	-	-	-	-	-	-	1	-	2	6
1994	10,696	-	-	1	-	-	-	1	-	8	11
1993	10,862	-	-	1	-	-	1	-	4	5	8
1992	10,503	-	-	-	-	-	1	1	1	10	9
1991	10,784	-	-	-	-	1	-	-	3	5	7
1990	11,188	-	-	-	1	-	-	-	3	4	9
1989	12,103	1	-	-	-	1	-	-	1	2	7
1988	13,759	1	-	-	-	1	-	1	2	4	9
1987	14,046	1	-	-	-	-	-	1	4	3	10
1986	14,119	-	-	-	-	-	1	-	1	3	11
1985	14,864	-	-	-	-	1	-	1	1	6	7
1984	15,222	-	1	2	-	-	-	-	1	4	9
1983	16,329	1	1	-	-	1	1	1	1	-	8
1982	16,240	-	3	3	-	-	1	1	1	6	7
1981	17,035	-	2	-	-	-	1	-	1	6	13
1980	17,848	1	-	-	-	-	-	-	3	7	7
1979	17,375	1	-	-	-	1	-	2	-	3	8
Atherosclerosis (440)											
White, both sexes											
1998	14,050	-	-	-	-	-	2	2	3	12	22
1997	14,750	-	1	-	-	-	-	1	2	11	25
1996	15,379	2	-	-	-	-	1	2	6	9	35
1995	15,378	-	-	1	-	-	-	-	-	13	26
1994	15,660	-	-	-	-	-	-	2	3	20	25
1993	15,905	-	-	2	-	-	-	2	7	11	18
1992	15,493	-	-	-	-	-	1	3	5	15	24
1991	15,981	1	-	-	-	1	1	2	4	12	20
1990	16,547	1	-	-	-	-	1	3	9	9	18
1989	17,791	1	-	-	-	1	1	1	4	12	24
1988	20,261	1	1	-	-	2	-	2	3	16	29
1987	20,726	1	-	-	-	-	2	3	7	11	26
1986	20,858	-	-	-	-	-	-	1	7	9	25
1985	22,021	-	-	-	-	-	1	3	4	13	24
1984	22,645	-	1	3	-	-	2	-	5	9	26
1983	24,451	1	-	1	-	-	1	3	1	9	18
1982	24,789	-	3	4	-	-	2	2	7	14	18
1981	25,824	-	2	-	-	-	2	-	4	10	32
1980	27,069	2	-	-	-	1	1	1	5	10	21
1979	26,602	3	-	-	-	-	-	2	2	9	24

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Atherosclerosis (440)											
White, male											
1998	5,213	-	-	-	-	-	-	1	3	8	16
1997	5,506	-	1	-	-	-	-	-	2	9	18
1996	5,746	2	-	-	-	-	1	1	2	6	23
1995	5,840	-	-	1	-	-	-	-	-	11	21
1994	5,838	-	-	-	-	-	-	1	3	12	19
1993	5,853	-	-	1	-	-	-	2	3	7	15
1992	5,756	-	-	-	-	-	-	2	4	7	17
1991	6,033	1	-	-	-	-	1	2	3	8	14
1990	6,232	1	-	-	-	-	1	3	7	5	11
1989	6,652	-	-	-	-	-	1	1	3	10	19
1988	7,529	-	1	-	-	1	-	1	1	12	22
1987	7,686	-	-	-	-	-	2	2	4	9	18
1986	7,767	-	-	-	-	-	-	1	6	7	15
1985	8,251	-	-	-	-	-	1	2	3	9	20
1984	8,447	-	-	1	-	-	2	-	4	6	21
1983	9,165	-	-	1	-	-	-	2	-	9	11
1982	9,689	-	-	1	-	-	1	1	6	10	15
1981	10,028	-	-	-	-	-	1	-	3	8	25
1980	10,543	1	-	-	-	1	1	1	4	5	17
1979	10,460	2	-	-	-	-	-	-	2	6	17
Atherosclerosis (440)											
White, female											
1998	8,837	-	-	-	-	-	2	1	-	4	6
1997	9,244	-	-	-	-	-	-	1	-	2	7
1996	9,633	-	-	-	-	-	-	1	4	3	12
1995	9,538	-	-	-	-	-	-	-	-	2	5
1994	9,822	-	-	-	-	-	-	1	-	8	6
1993	10,052	-	-	1	-	-	-	-	4	4	3
1992	9,737	-	-	-	-	-	1	1	1	8	7
1991	9,948	-	-	-	-	1	-	-	1	4	6
1990	10,315	-	-	-	-	-	-	-	2	4	7
1989	11,139	1	-	-	-	1	-	-	1	2	5
1988	12,732	1	-	-	-	1	-	1	2	4	7
1987	13,040	1	-	-	-	-	-	1	3	2	8
1986	13,091	-	-	-	-	-	-	-	1	2	10
1985	13,770	-	-	-	-	-	-	1	1	4	4
1984	14,198	-	1	2	-	-	-	-	1	3	5
1983	15,286	1	-	-	-	-	1	1	1	-	7
1982	15,100	-	3	3	-	-	1	1	1	4	3
1981	15,796	-	2	-	-	-	1	-	1	2	7
1980	16,526	1	-	-	-	-	-	-	1	5	4
1979	16,142	1	-	-	-	-	-	2	-	3	7

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Atherosclerosis (440)											
All other, both sexes											
1998	1,229	1	1	-	-	-	-	2	3	4	3
1997	1,307	-	-	-	-	-	-	1	1	6	7
1996	1,361	-	-	-	-	-	-	-	2	8	8
1995	1,345	-	-	-	-	-	-	2	3	1	2
1994	1,456	-	-	1	-	-	1	-	2	1	12
1993	1,367	-	-	-	-	-	2	4	-	2	15
1992	1,338	-	-	-	-	-	-	-	1	3	6
1991	1,439	-	-	-	-	-	-	-	2	2	7
1990	1,500	-	-	-	1	-	-	-	2	2	4
1989	1,566	-	1	1	-	-	-	-	-	1	7
1988	1,825	-	-	-	-	-	-	1	1	4	5
1987	1,748	-	-	-	-	-	-	-	1	2	3
1986	1,848	-	-	-	-	-	1	1	1	3	3
1985	1,905	-	-	-	-	1	-	-	-	3	8
1984	1,817	-	2	-	-	-	1	-	-	1	8
1983	1,920	-	1	-	-	1	1	-	-	1	4
1982	2,034	1	-	-	-	-	-	-	-	3	7
1981	2,180	-	-	-	-	-	-	1	-	7	10
1980	2,380	-	-	-	-	-	-	-	3	3	10
1979	2,199	-	-	-	-	1	-	-	1	1	3
Atherosclerosis (440)											
All other, male											
1998	506	-	-	-	-	-	-	1	1	4	2
1997	513	-	-	-	-	-	-	1	1	3	4
1996	535	-	-	-	-	-	-	-	1	2	5
1995	564	-	-	-	-	-	-	1	3	1	1
1994	582	-	-	-	-	-	1	-	2	1	7
1993	557	-	-	-	-	-	1	4	-	1	10
1992	572	-	-	-	-	-	-	-	1	1	4
1991	603	-	-	-	-	-	-	-	-	1	6
1990	627	-	-	-	-	-	-	-	1	2	2
1989	602	-	1	1	-	-	-	-	-	1	5
1988	798	-	-	-	-	-	-	1	1	4	3
1987	742	-	-	-	-	-	-	-	-	1	1
1986	820	-	-	-	-	-	-	1	1	2	2
1985	811	-	-	-	-	-	-	-	-	1	5
1984	793	-	2	-	-	-	1	-	-	-	4
1983	877	-	-	-	-	-	1	-	-	1	3
1982	894	1	-	-	-	-	-	-	-	1	3
1981	941	-	-	-	-	-	-	1	-	3	4
1980	1,058	-	-	-	-	-	-	-	1	1	7
1979	966	-	-	-	-	-	-	-	1	1	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Atherosclerosis (440)											
All other, female											
1998	723	1	1	-	-	-	-	1	2	-	1
1997	794	-	-	-	-	-	-	-	-	3	3
1996	826	-	-	-	-	-	-	-	1	6	3
1995	781	-	-	-	-	-	-	1	-	-	1
1994	874	-	-	1	-	-	-	-	-	-	5
1993	810	-	-	-	-	-	1	-	-	1	5
1992	766	-	-	-	-	-	-	-	-	2	2
1991	836	-	-	-	-	-	-	-	2	1	1
1990	873	-	-	-	1	-	-	-	1	-	2
1989	964	-	-	-	-	-	-	-	-	-	2
1988	1,027	-	-	-	-	-	-	-	-	-	2
1987	1,006	-	-	-	-	-	-	-	1	1	2
1986	1,028	-	-	-	-	-	1	-	-	1	1
1985	1,094	-	-	-	-	1	-	-	-	2	3
1984	1,024	-	-	-	-	-	-	-	-	1	4
1983	1,043	-	1	-	-	1	-	-	-	-	1
1982	1,140	-	-	-	-	-	-	-	-	2	4
1981	1,239	-	-	-	-	-	-	-	-	4	6
1980	1,322	-	-	-	-	-	-	-	2	2	3
1979	1,233	-	-	-	-	1	-	-	-	-	1
Atherosclerosis (440)											
Black, both sexes											
1998	1,082	1	1	-	-	-	-	2	2	3	3
1997	1,171	-	-	-	-	-	-	-	-	6	7
1996	1,200	-	-	-	-	-	-	-	2	7	7
1995	1,199	-	-	-	-	-	-	1	3	1	2
1994	1,299	-	-	1	-	-	1	-	2	1	10
1993	1,238	-	-	-	-	-	2	3	-	1	14
1992	1,209	-	-	-	-	-	-	-	1	3	5
1991	1,306	-	-	-	-	-	-	-	1	2	7
1990	1,380	-	-	-	1	-	-	-	2	2	4
1989	1,436	-	-	1	-	-	-	-	-	1	6
1988	1,694	-	-	-	-	-	-	1	1	4	4
1987	1,622	-	-	-	-	-	-	-	1	2	3
1986	1,720	-	-	-	-	-	1	1	1	3	3
1985	1,780	-	-	-	-	1	-	-	-	3	7
1984	1,684	-	1	-	-	-	1	-	-	1	7
1983	1,807	-	-	-	-	1	1	-	-	1	3
1982	1,898	-	-	-	-	-	-	-	-	3	7
1981	2,062	-	-	-	-	-	-	1	-	7	10
1980	2,252	-	-	-	-	-	-	-	3	3	9
1979	2,057	-	-	-	-	-	-	-	1	1	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Atherosclerosis (440)											
Black, male											
1998	436	-	-	-	-	-	-	1	-	3	2
1997	451	-	-	-	-	-	-	-	-	3	4
1996	458	-	-	-	-	-	-	-	1	2	4
1995	489	-	-	-	-	-	-	-	3	1	1
1994	507	-	-	-	-	-	1	-	2	1	5
1993	490	-	-	-	-	-	1	3	-	1	10
1992	504	-	-	-	-	-	-	-	1	1	4
1991	543	-	-	-	-	-	-	-	-	1	6
1990	563	-	-	-	-	-	-	-	1	2	2
1989	547	-	-	1	-	-	-	-	-	1	5
1988	739	-	-	-	-	-	-	1	1	4	2
1987	680	-	-	-	-	-	-	-	-	1	1
1986	756	-	-	-	-	-	-	1	1	2	2
1985	758	-	-	-	-	-	-	-	-	1	4
1984	720	-	1	-	-	-	1	-	-	-	3
1983	823	-	-	-	-	-	1	-	-	1	2
1982	826	-	-	-	-	-	-	-	-	1	3
1981	880	-	-	-	-	-	-	1	-	3	4
1980	990	-	-	-	-	-	-	-	1	1	7
1979	888	-	-	-	-	-	-	-	1	1	2
Atherosclerosis (440)											
Black, female											
1998	646	1	1	-	-	-	-	1	2	-	1
1997	720	-	-	-	-	-	-	-	-	3	3
1996	742	-	-	-	-	-	-	-	1	5	3
1995	710	-	-	-	-	-	-	1	-	-	1
1994	792	-	-	1	-	-	-	-	-	-	5
1993	748	-	-	-	-	-	1	-	-	-	4
1992	705	-	-	-	-	-	-	-	-	2	1
1991	763	-	-	-	-	-	-	-	1	1	1
1990	817	-	-	-	1	-	-	-	1	-	2
1989	889	-	-	-	-	-	-	-	-	-	1
1988	955	-	-	-	-	-	-	-	-	-	2
1987	942	-	-	-	-	-	-	-	1	1	2
1986	964	-	-	-	-	-	1	-	-	1	1
1985	1,022	-	-	-	-	1	-	-	-	2	3
1984	964	-	-	-	-	-	-	-	-	1	4
1983	984	-	-	-	-	1	-	-	-	-	1
1982	1,072	-	-	-	-	-	-	-	-	2	4
1981	1,182	-	-	-	-	-	-	-	-	4	6
1980	1,262	-	-	-	-	-	-	-	2	2	2
1979	1,169	-	-	-	-	-	-	-	-	-	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other diseases of circulatory system (441-448)											
All races, both sexes											
1998	27,671	14	5	5	12	18	46	84	135	232	322
1997	27,792	12	7	9	11	30	49	73	140	216	316
1996	27,176	13	6	3	13	21	39	67	110	211	315
1995	26,646	16	6	5	15	29	42	72	152	212	351
1994	26,097	12	8	6	13	19	47	69	131	176	293
1993	26,005	12	3	10	14	25	40	80	117	199	285
1992	25,337	12	9	1	12	24	50	73	129	179	294
1991	25,055	15	5	4	11	23	39	87	129	157	261
1990	24,645	15	7	3	14	18	44	76	117	157	219
1989	24,297	17	7	4	8	21	39	78	116	188	241
1988	23,185	8	3	3	10	28	39	79	110	149	200
1987	22,810	14	6	9	9	18	53	75	110	149	197
1986	22,417	20	11	4	14	34	51	62	95	149	176
1985	21,983	26	10	8	12	35	37	69	90	148	169
1984	21,741	19	8	4	14	23	47	88	87	138	182
1983	20,958	15	7	8	12	42	46	79	95	129	154
1982	20,172	14	7	8	9	29	45	64	95	105	129
1981	20,013	18	8	7	7	30	47	72	90	115	155
1980	19,959	17	9	3	15	30	59	67	96	106	156
1979	19,483	16	11	9	10	41	55	70	98	112	153
Other diseases of circulatory system (441-448)											
All races, male											
1998	14,991	8	3	3	6	9	20	45	85	147	205
1997	15,109	7	5	2	4	19	24	38	84	142	208
1996	14,857	8	2	-	6	11	22	39	59	130	200
1995	14,817	10	6	3	12	14	20	41	86	136	224
1994	14,518	5	6	3	8	12	24	44	80	105	161
1993	14,963	8	1	7	12	16	23	47	71	102	179
1992	14,504	6	4	1	8	12	30	36	72	110	190
1991	14,569	10	2	3	5	15	23	48	76	91	165
1990	14,560	8	2	2	7	10	27	45	60	108	134
1989	14,447	11	5	1	3	12	23	38	78	120	154
1988	13,814	7	1	1	8	14	25	41	73	94	132
1987	13,840	8	3	5	5	12	35	42	69	80	124
1986	13,525	10	8	2	7	18	24	33	64	89	92
1985	13,620	16	7	3	6	19	24	42	43	92	104
1984	13,550	8	6	2	6	12	25	46	45	82	126
1983	13,243	7	4	3	7	26	24	46	59	79	100
1982	12,739	10	5	5	6	19	24	34	57	66	86
1981	12,794	13	6	3	3	18	24	41	47	64	95
1980	12,933	12	5	2	7	14	28	41	54	65	91
1979	12,620	11	7	6	4	24	25	37	65	60	91

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other diseases of circulatory system (441-448)											
All races, female											
1998	12,680	6	2	2	6	9	26	39	50	85	117
1997	12,683	5	2	7	7	11	25	35	56	74	108
1996	12,319	5	4	3	7	10	17	28	51	81	115
1995	11,829	6	-	2	3	15	22	31	66	76	127
1994	11,579	7	2	3	5	7	23	25	51	71	132
1993	11,042	4	2	3	2	9	17	33	46	97	106
1992	10,833	6	5	-	4	12	20	37	57	69	104
1991	10,486	5	3	1	6	8	16	39	53	66	96
1990	10,085	7	5	1	7	8	17	31	57	49	85
1989	9,850	6	2	3	5	9	16	40	38	68	87
1988	9,371	1	2	2	2	14	14	38	37	55	68
1987	8,970	6	3	4	4	6	18	33	41	69	73
1986	8,892	10	3	2	7	16	27	29	31	60	84
1985	8,363	10	3	5	6	16	13	27	47	56	65
1984	8,191	11	2	2	8	11	22	42	42	56	56
1983	7,715	8	3	5	5	16	22	33	36	50	54
1982	7,433	4	2	3	3	10	21	30	38	39	43
1981	7,219	5	2	4	4	12	23	31	43	51	60
1980	7,026	5	4	1	8	16	31	26	42	41	65
1979	6,863	5	4	3	6	17	30	33	33	52	62
Other diseases of circulatory system (441-448)											
White, both sexes											
1998	24,564	11	4	3	11	15	26	64	95	169	227
1997	24,791	6	6	6	8	23	36	55	110	150	213
1996	24,308	10	6	2	11	12	34	50	74	141	220
1995	23,966	10	3	4	10	20	34	50	111	165	253
1994	23,363	9	7	5	9	13	37	55	101	125	206
1993	23,334	11	3	7	8	21	26	59	81	133	201
1992	22,895	9	8	-	10	19	40	55	97	130	222
1991	22,636	8	3	4	9	17	27	63	85	118	172
1990	22,291	12	4	3	8	12	32	56	88	109	153
1989	21,988	14	5	3	7	14	29	61	88	129	180
1988	21,072	6	2	3	8	22	32	58	82	108	136
1987	20,725	10	6	7	9	13	35	51	84	106	143
1986	20,422	12	9	4	10	22	40	46	70	106	127
1985	20,021	18	10	6	10	31	29	51	62	116	131
1984	19,839	14	6	3	12	18	36	70	66	103	140
1983	19,189	10	7	4	7	37	36	62	65	89	113
1982	18,489	11	6	7	8	25	37	45	75	76	101
1981	18,374	16	5	7	4	24	36	56	57	80	111
1980	18,260	15	7	2	12	22	50	50	69	80	117
1979	17,952	13	8	7	6	27	39	40	72	89	113

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other diseases of circulatory system (441-448)											
White, male											
1998	13,484	6	3	3	5	7	12	36	60	109	152
1997	13,660	3	4	2	3	14	19	32	68	101	147
1996	13,433	6	2	-	6	7	19	31	42	90	148
1995	13,529	5	3	2	9	10	17	28	63	114	162
1994	13,200	3	5	2	6	9	19	36	65	76	122
1993	13,599	7	1	5	7	12	14	36	48	77	128
1992	13,263	5	4	-	6	10	26	26	57	81	149
1991	13,356	4	1	3	5	11	16	38	55	73	113
1990	13,344	7	1	2	5	7	22	38	45	76	95
1989	13,279	10	4	1	3	9	20	35	66	91	116
1988	12,733	6	-	1	7	13	18	35	56	72	89
1987	12,728	7	3	5	5	10	23	32	53	57	95
1986	12,492	6	7	2	6	13	19	23	48	70	68
1985	12,600	12	7	3	6	17	21	34	31	71	91
1984	12,532	6	5	2	6	10	20	41	37	62	98
1983	12,298	4	4	2	3	23	20	42	44	55	72
1982	11,818	9	5	4	5	19	20	24	48	48	69
1981	11,934	12	4	3	3	15	19	38	29	46	66
1980	11,992	12	4	1	7	10	23	34	37	54	69
1979	11,746	8	4	5	3	18	18	25	49	49	69
Other diseases of circulatory system (441-448)											
White, female											
1998	11,080	5	1	-	6	8	14	28	35	60	75
1997	11,131	3	2	4	5	9	17	23	42	49	66
1996	10,875	4	4	2	5	5	15	19	32	51	72
1995	10,437	5	-	2	1	10	17	22	48	51	91
1994	10,163	6	2	3	3	4	18	19	36	49	84
1993	9,735	4	2	2	1	9	12	23	33	56	73
1992	9,632	4	4	-	4	9	14	29	40	49	73
1991	9,280	4	2	1	4	6	11	25	30	45	59
1990	8,947	5	3	1	3	5	10	18	43	33	58
1989	8,709	4	1	2	4	5	9	26	22	38	64
1988	8,339	-	2	2	1	9	14	23	26	36	47
1987	7,997	3	3	2	4	3	12	19	31	49	48
1986	7,930	6	2	2	4	9	21	23	22	36	59
1985	7,421	6	3	3	4	14	8	17	31	45	40
1984	7,307	8	1	1	6	8	16	29	29	41	42
1983	6,891	6	3	2	4	14	16	20	21	34	41
1982	6,671	2	1	3	3	6	17	21	27	28	32
1981	6,440	4	1	4	1	9	17	18	28	34	45
1980	6,268	3	3	1	5	12	27	16	32	26	48
1979	6,206	5	4	2	3	9	21	15	23	40	44

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other diseases of circulatory system (441-448)											
All other, both sexes											
1998	3,107	3	1	2	1	3	20	20	40	63	95
1997	3,001	6	1	3	3	7	13	18	30	66	103
1996	2,868	3	-	1	2	9	5	17	36	70	95
1995	2,680	6	3	1	5	9	8	22	41	47	98
1994	2,734	3	1	1	4	6	10	14	30	51	87
1993	2,671	1	-	3	6	4	14	21	36	66	84
1992	2,442	3	1	1	2	5	10	18	32	49	72
1991	2,419	7	2	-	2	6	12	24	44	39	89
1990	2,354	3	3	-	6	6	12	20	29	48	66
1989	2,309	3	2	1	1	7	10	17	28	59	61
1988	2,113	2	1	-	2	6	7	21	28	41	64
1987	2,085	4	-	2	-	5	18	24	26	43	54
1986	1,995	8	2	-	4	12	11	16	25	43	49
1985	1,962	8	-	2	2	4	8	18	28	32	38
1984	1,902	5	2	1	2	5	11	18	21	35	42
1983	1,769	5	-	4	5	5	10	17	30	40	41
1982	1,683	3	1	1	1	4	8	19	20	29	28
1981	1,639	2	3	-	3	6	11	16	33	35	44
1980	1,699	2	2	1	3	8	9	17	27	26	39
1979	1,531	3	3	2	4	14	16	30	26	23	40
Other diseases of circulatory system (441-448)											
All other, male											
1998	1,507	2	-	-	1	2	8	9	25	38	53
1997	1,449	4	1	-	1	5	5	6	16	41	61
1996	1,424	2	-	-	-	4	3	8	17	40	52
1995	1,288	5	3	1	3	4	3	13	23	22	62
1994	1,318	2	1	1	2	3	5	8	15	29	39
1993	1,364	1	-	2	5	4	9	11	23	25	51
1992	1,241	1	-	1	2	2	4	10	15	29	41
1991	1,213	6	1	-	-	4	7	10	21	18	52
1990	1,216	1	1	-	2	3	5	7	15	32	39
1989	1,168	1	1	-	-	3	3	3	12	29	38
1988	1,081	1	1	-	1	1	7	6	17	22	43
1987	1,112	1	-	-	-	2	12	10	16	23	29
1986	1,033	4	1	-	1	5	5	10	16	19	24
1985	1,020	4	-	-	-	2	3	8	12	21	13
1984	1,018	2	1	-	-	2	5	5	8	20	28
1983	945	3	-	1	4	3	4	4	15	24	28
1982	921	1	-	1	1	-	4	10	9	18	17
1981	860	1	2	-	-	3	5	3	18	18	29
1980	941	-	1	1	-	4	5	7	17	11	22
1979	874	3	3	1	1	6	7	12	16	11	22

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other diseases of circulatory system (441-448)											
All other, female											
1998	1,600	1	1	2	-	1	12	11	15	25	42
1997	1,552	2	-	3	2	2	8	12	14	25	42
1996	1,444	1	-	1	2	5	2	9	19	30	43
1995	1,392	1	-	-	2	5	5	9	18	25	36
1994	1,416	1	-	-	2	3	5	6	15	22	48
1993	1,307	-	-	1	1	-	5	10	13	41	33
1992	1,201	2	1	-	-	3	6	8	17	20	31
1991	1,206	1	1	-	2	2	5	14	23	21	37
1990	1,138	2	2	-	4	3	7	13	14	16	27
1989	1,141	2	1	1	1	4	7	14	16	30	23
1988	1,032	1	-	-	1	5	-	15	11	19	21
1987	973	3	-	2	-	3	6	14	10	20	25
1986	962	4	1	-	3	7	6	6	9	24	25
1985	942	4	-	2	2	2	5	10	16	11	25
1984	884	3	1	1	2	3	6	13	13	15	14
1983	824	2	-	3	1	2	6	13	15	16	13
1982	762	2	1	-	-	4	4	9	11	11	11
1981	779	1	1	-	3	3	6	13	15	17	15
1980	758	2	1	-	3	4	4	10	10	15	17
1979	657	-	-	1	3	8	9	18	10	12	18
Other diseases of circulatory system (441-448)											
Black, both sexes											
1998	2,666	3	-	2	1	2	18	20	33	59	86
1997	2,586	6	1	3	2	7	10	15	27	63	95
1996	2,455	3	-	1	1	8	4	15	29	64	82
1995	2,342	6	2	-	5	7	7	20	35	41	90
1994	2,363	2	-	-	3	4	10	12	27	46	78
1993	2,301	-	-	-	6	3	13	18	32	59	71
1992	2,115	3	1	1	1	4	9	16	29	46	63
1991	2,137	7	-	-	1	5	11	23	38	39	84
1990	2,061	2	2	-	4	6	12	19	24	42	62
1989	2,058	3	2	1	1	7	9	15	25	55	59
1988	1,861	1	-	-	2	6	6	18	27	39	61
1987	1,841	3	-	2	-	5	15	23	24	39	49
1986	1,761	7	2	-	4	10	11	15	20	38	46
1985	1,732	6	-	-	1	4	7	18	25	30	34
1984	1,697	5	-	1	1	4	9	18	19	31	40
1983	1,561	4	-	4	4	4	7	16	27	36	38
1982	1,526	3	1	-	1	4	8	16	18	27	25
1981	1,485	2	3	-	3	6	7	14	32	35	42
1980	1,532	2	2	1	2	8	9	17	26	23	38
1979	1,387	2	2	2	3	14	13	29	25	20	37

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other diseases of circulatory system (441-448)											
Black, male											
1998	1,252	2	-	-	1	1	7	9	21	35	47
1997	1,229	4	1	-	1	5	4	5	14	39	58
1996	1,186	2	-	-	-	4	3	7	14	36	45
1995	1,078	5	2	-	3	3	2	12	18	19	57
1994	1,103	1	-	-	1	2	5	6	12	27	35
1993	1,143	-	-	-	5	3	8	11	20	21	43
1992	1,032	1	-	1	1	1	3	8	13	28	36
1991	1,027	6	-	-	-	3	7	10	17	18	49
1990	1,036	-	-	-	1	3	5	6	13	27	38
1989	1,009	1	1	-	-	3	3	3	9	26	36
1988	919	1	-	-	1	1	6	4	17	21	41
1987	940	1	-	-	-	2	9	10	15	19	26
1986	886	3	1	-	1	5	5	9	13	17	21
1985	871	3	-	-	-	2	3	8	9	19	12
1984	894	2	-	-	-	2	5	5	8	17	26
1983	820	3	-	1	4	3	2	4	14	22	26
1982	817	1	-	-	1	-	4	9	8	17	14
1981	760	1	2	-	-	3	4	2	17	18	28
1980	821	-	1	1	-	4	5	7	16	10	21
1979	764	2	2	1	1	6	6	11	16	9	19
Other diseases of circulatory system (441-448)											
Black, female											
1998	1,414	1	-	2	-	1	11	11	12	24	39
1997	1,357	2	-	3	1	2	6	10	13	24	37
1996	1,269	1	-	1	1	4	1	8	15	28	37
1995	1,264	1	-	-	2	4	5	8	17	22	33
1994	1,260	1	-	-	2	2	5	6	15	19	43
1993	1,158	-	-	-	1	-	5	7	12	38	28
1992	1,083	2	1	-	-	3	6	8	16	18	27
1991	1,110	1	-	-	1	2	4	13	21	21	35
1990	1,025	2	2	-	3	3	7	13	11	15	24
1989	1,049	2	1	1	1	4	6	12	16	29	23
1988	942	-	-	-	1	5	-	14	10	18	20
1987	901	2	-	2	-	3	6	13	9	20	23
1986	875	4	1	-	3	5	6	6	7	21	25
1985	861	3	-	-	1	2	4	10	16	11	22
1984	803	3	-	1	1	2	4	13	11	14	14
1983	741	1	-	3	-	1	5	12	13	14	12
1982	709	2	1	-	-	4	4	7	10	10	11
1981	725	1	1	-	3	3	3	12	15	17	14
1980	711	2	1	-	2	4	4	10	10	13	17
1979	623	-	-	1	2	8	7	18	9	11	18

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Aortic aneurysm and dissection (441)											
All races, both sexes											
1998	16,237	2	-	-	5	10	17	43	74	122	178
1997	16,724	-	1	1	3	11	22	38	79	117	193
1996	16,387	-	2	-	4	8	19	31	48	110	173
1995	16,440	1	1	3	8	15	15	42	82	130	197
1994	16,123	1	1	1	6	7	20	32	80	89	167
1993	16,475	1	1	2	8	12	27	44	61	104	143
1992	16,220	1	1	-	4	13	16	33	67	99	149
1991	16,696	-	-	1	5	11	17	35	70	84	138
1990	16,402	2	1	1	4	9	15	38	56	88	123
1989	16,229	2	-	2	2	10	18	31	56	98	141
1988	15,719	1	1	1	2	16	16	39	60	86	108
1987	15,637	2	1	2	4	9	29	38	65	77	114
1986	15,267	2	3	1	5	13	24	32	53	82	73
1985	15,112	6	-	3	6	19	20	32	37	85	78
1984	15,139	4	2	1	4	9	19	45	41	76	98
1983	14,576	1	1	3	6	19	19	35	44	61	78
1982	14,125	1	1	4	6	16	17	29	38	57	59
1981	14,082	2	1	2	3	15	21	36	40	48	75
1980	14,181	-	-	-	5	5	22	27	44	53	81
1979	14,031	3	2	-	4	16	18	29	41	52	75
Aortic aneurysm and dissection (441)											
All races, male											
1998	10,013	-	-	-	4	7	11	32	57	96	140
1997	10,311	-	-	1	3	10	15	27	62	97	147
1996	10,117	-	1	-	3	5	12	22	28	82	129
1995	10,328	1	1	2	7	9	13	28	53	96	152
1994	10,146	1	1	1	4	6	14	26	61	63	110
1993	10,664	1	-	2	8	8	17	31	49	69	108
1992	10,407	1	1	-	3	7	13	20	44	76	118
1991	10,776	-	-	-	3	9	14	23	48	64	109
1990	10,806	1	-	-	3	7	14	28	39	71	91
1989	10,708	1	-	1	2	8	14	22	51	75	107
1988	10,429	1	-	-	2	9	10	28	53	70	84
1987	10,383	1	-	2	2	6	21	24	50	51	88
1986	10,171	1	2	1	3	9	13	23	43	55	48
1985	10,208	2	-	1	5	11	16	25	24	62	64
1984	10,337	1	1	1	2	8	15	30	27	55	83
1983	10,024	-	-	1	5	11	16	24	31	47	57
1982	9,676	1	1	2	5	13	12	19	31	43	48
1981	9,779	1	-	1	2	13	15	28	27	35	55
1980	10,005	-	-	-	4	3	15	23	36	38	57
1979	9,779	2	1	-	2	14	7	21	35	37	58

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Aortic aneurysm and dissection (441)											
All races, female											
1998	6,224	2	-	-	1	3	6	11	17	26	38
1997	6,413	-	1	-	-	1	7	11	17	20	46
1996	6,270	-	1	-	1	3	7	9	20	28	44
1995	6,112	-	-	1	1	6	2	14	29	34	45
1994	5,977	-	-	-	2	1	6	6	19	26	57
1993	5,811	-	1	-	-	4	10	13	12	35	35
1992	5,813	-	-	-	1	6	3	13	23	23	31
1991	5,920	-	-	1	2	2	3	12	22	20	29
1990	5,596	1	1	1	1	2	1	10	17	17	32
1989	5,521	1	-	1	-	2	4	9	5	23	34
1988	5,290	-	1	1	-	7	6	11	7	16	24
1987	5,254	1	1	-	2	3	8	14	15	26	26
1986	5,096	1	1	-	2	4	11	9	10	27	25
1985	4,904	4	-	2	1	8	4	7	13	23	14
1984	4,802	3	1	-	2	1	4	15	14	21	15
1983	4,552	1	1	2	1	8	3	11	13	14	21
1982	4,449	-	-	2	1	3	5	10	7	14	11
1981	4,303	1	1	1	1	2	6	8	13	13	20
1980	4,176	-	-	-	1	2	7	4	8	15	24
1979	4,252	1	1	-	2	2	11	8	6	15	17
Aortic aneurysm and dissection (441)											
White, both sexes											
1998	14,775	2	-	-	5	9	13	35	57	94	136
1997	15,281	-	1	1	2	9	20	33	67	85	129
1996	14,956	-	2	-	4	3	17	25	37	77	125
1995	15,063	1	1	3	6	11	13	33	69	109	138
1994	14,798	1	1	1	4	4	16	25	66	67	117
1993	15,123	1	1	2	4	12	18	37	46	86	105
1992	14,955	1	1	-	4	12	15	29	53	74	111
1991	15,380	-	-	1	4	9	12	31	52	67	91
1990	15,119	-	1	1	3	7	15	30	44	61	85
1989	14,959	2	-	2	2	8	14	27	48	74	103
1988	14,528	-	1	1	2	13	14	34	52	71	73
1987	14,467	1	1	2	4	7	21	33	52	59	84
1986	14,177	1	2	1	3	10	21	27	42	64	55
1985	13,984	4	-	2	6	19	16	26	31	63	63
1984	14,034	3	1	1	4	8	17	40	32	57	77
1983	13,566	1	1	-	4	18	16	32	33	42	56
1982	13,166	1	1	4	6	16	15	23	29	41	44
1981	13,103	2	-	2	3	12	18	33	30	34	50
1980	13,165	-	-	-	5	4	22	22	34	43	58
1979	13,088	2	1	-	2	13	16	22	29	39	56

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Aortic aneurysm and dissection (441)											
White, male											
1998	9,208	-	-	-	4	6	10	26	41	77	109
1997	9,518	-	-	1	2	8	14	23	51	70	99
1996	9,316	-	1	-	3	2	10	18	23	60	98
1995	9,560	1	1	2	5	6	11	21	44	82	107
1994	9,417	1	1	1	3	4	11	21	53	49	87
1993	9,891	1	-	2	4	8	11	26	35	58	79
1992	9,677	1	1	-	3	7	12	17	36	57	90
1991	10,030	-	-	-	3	7	10	20	34	52	73
1990	10,068	-	-	-	2	5	14	24	30	48	62
1989	9,998	1	-	1	2	7	11	20	45	60	80
1988	9,758	-	-	-	2	8	8	25	46	56	57
1987	9,720	1	-	2	2	6	15	21	41	38	68
1986	9,559	-	2	1	2	8	13	18	34	46	34
1985	9,580	1	-	1	5	11	15	21	20	46	55
1984	9,685	1	-	1	2	7	13	28	23	42	64
1983	9,451	-	-	-	3	10	13	24	24	31	41
1982	9,111	1	1	2	5	13	10	14	24	31	38
1981	9,231	1	-	1	2	10	14	28	19	28	38
1980	9,418	-	-	-	4	2	15	19	28	32	41
1979	9,211	1	-	-	2	12	7	17	27	27	44
Aortic aneurysm and dissection (441)											
White, female											
1998	5,567	2	-	-	1	3	3	9	16	17	27
1997	5,763	-	1	-	-	1	6	10	16	15	30
1996	5,640	-	1	-	1	1	7	7	14	17	27
1995	5,503	-	-	1	1	5	2	12	25	27	31
1994	5,381	-	-	-	1	-	5	4	13	18	30
1993	5,232	-	1	-	-	4	7	11	11	28	26
1992	5,278	-	-	-	1	5	3	12	17	17	21
1991	5,350	-	-	1	1	2	2	11	18	15	18
1990	5,051	-	1	1	1	2	1	6	14	13	23
1989	4,961	1	-	1	-	1	3	7	3	14	23
1988	4,770	-	1	1	-	5	6	9	6	15	16
1987	4,747	-	1	-	2	1	6	12	11	21	16
1986	4,618	1	-	-	1	2	8	9	8	18	21
1985	4,404	3	-	1	1	8	1	5	11	17	8
1984	4,349	2	1	-	2	1	4	12	9	15	13
1983	4,115	1	1	-	1	8	3	8	9	11	15
1982	4,055	-	-	2	1	3	5	9	5	10	6
1981	3,872	1	-	1	1	2	4	5	11	6	12
1980	3,747	-	-	-	1	2	7	3	6	11	17
1979	3,877	1	1	-	-	1	9	5	2	12	12

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Aortic aneurysm and dissection (441)											
All other, both sexes											
1998	1,462	-	-	-	-	1	4	8	17	28	42
1997	1,443	-	-	-	1	2	2	5	12	32	64
1996	1,431	-	-	-	-	5	2	6	11	33	48
1995	1,377	-	-	-	2	4	2	9	13	21	59
1994	1,325	-	-	-	2	3	4	7	14	22	50
1993	1,352	-	-	-	4	-	9	7	15	18	38
1992	1,265	-	-	-	-	1	1	4	14	25	38
1991	1,316	-	-	-	1	2	5	4	18	17	47
1990	1,283	2	-	-	1	2	-	8	12	27	38
1989	1,270	-	-	-	-	2	4	4	8	24	38
1988	1,191	1	-	-	-	3	2	5	8	15	35
1987	1,170	1	-	-	-	2	8	5	13	18	30
1986	1,090	1	1	-	2	3	3	5	11	18	18
1985	1,128	2	-	1	-	-	4	6	6	22	15
1984	1,105	1	1	-	-	1	2	5	9	19	21
1983	1,010	-	-	3	2	1	3	3	11	19	22
1982	959	-	-	-	-	-	2	6	9	16	15
1981	979	-	1	-	-	3	3	3	10	14	25
1980	1,016	-	-	-	-	1	-	5	10	10	23
1979	943	1	1	-	2	3	2	7	12	13	19
Aortic aneurysm and dissection (441)											
All other, male											
1998	805	-	-	-	-	1	1	6	16	19	31
1997	793	-	-	-	1	2	1	4	11	27	48
1996	801	-	-	-	-	3	2	4	5	22	31
1995	768	-	-	-	2	3	2	7	9	14	45
1994	729	-	-	-	1	2	3	5	8	14	23
1993	773	-	-	-	4	-	6	5	14	11	29
1992	730	-	-	-	-	-	1	3	8	19	28
1991	746	-	-	-	-	2	4	3	14	12	36
1990	738	1	-	-	1	2	-	4	9	23	29
1989	710	-	-	-	-	1	3	2	6	15	27
1988	671	1	-	-	-	1	2	3	7	14	27
1987	663	-	-	-	-	-	6	3	9	13	20
1986	612	1	-	-	1	1	-	5	9	9	14
1985	628	1	-	-	-	-	1	4	4	16	9
1984	652	-	1	-	-	1	2	2	4	13	19
1983	573	-	-	1	2	1	3	-	7	16	16
1982	565	-	-	-	-	-	2	5	7	12	10
1981	548	-	-	-	-	3	1	-	8	7	17
1980	587	-	-	-	-	1	-	4	8	6	16
1979	568	1	1	-	-	2	-	4	8	10	14

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Aortic aneurysm and dissection (441)											
All other, female											
1998	657	-	-	-	-	-	3	2	1	9	11
1997	650	-	-	-	-	-	1	1	1	5	16
1996	630	-	-	-	-	2	-	2	6	11	17
1995	609	-	-	-	-	1	-	2	4	7	14
1994	596	-	-	-	1	1	1	2	6	8	27
1993	579	-	-	-	-	-	3	2	1	7	9
1992	535	-	-	-	-	1	-	1	6	6	10
1991	570	-	-	-	1	-	1	1	4	5	11
1990	545	1	-	-	-	-	-	4	3	4	9
1989	560	-	-	-	-	1	1	2	2	9	11
1988	520	-	-	-	-	2	-	2	1	1	8
1987	507	1	-	-	-	2	2	2	4	5	10
1986	478	-	1	-	1	2	3	-	2	9	4
1985	500	1	-	1	-	-	3	2	2	6	6
1984	453	1	-	-	-	-	-	3	5	6	2
1983	437	-	-	2	-	-	-	3	4	3	6
1982	394	-	-	-	-	-	-	1	2	4	5
1981	431	-	1	-	-	-	2	3	2	7	8
1980	429	-	-	-	-	-	-	1	2	4	7
1979	375	-	-	-	2	1	2	3	4	3	5
Aortic aneurysm and dissection (441)											
Black, both sexes											
1998	1,184	-	-	-	-	1	3	8	12	24	38
1997	1,183	-	-	-	1	2	2	4	10	29	59
1996	1,140	-	-	-	-	5	2	5	8	30	42
1995	1,146	-	-	-	2	2	1	8	9	17	54
1994	1,087	-	-	-	1	1	4	6	13	22	44
1993	1,107	-	-	-	4	-	8	7	15	14	30
1992	1,030	-	-	-	-	1	-	3	13	23	31
1991	1,104	-	-	-	1	1	5	4	16	17	45
1990	1,068	1	-	-	1	2	-	7	9	23	36
1989	1,085	-	-	-	-	2	4	4	7	22	36
1988	1,006	1	-	-	-	3	2	3	8	15	33
1987	985	-	-	-	-	2	6	5	11	16	26
1986	916	1	1	-	2	3	3	4	8	18	16
1985	954	2	-	-	-	-	3	6	4	20	14
1984	954	1	-	-	-	1	2	5	8	17	20
1983	863	-	-	3	2	1	1	3	9	17	19
1982	845	-	-	-	-	-	2	5	8	15	13
1981	866	-	1	-	-	3	1	2	10	14	24
1980	882	-	-	-	-	1	-	5	9	9	22
1979	823	1	1	-	1	3	1	6	11	11	16

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Aortic aneurysm and dissection (441)											
Black, male											
1998	620	-	-	-	-	1	1	6	12	16	28
1997	628	-	-	-	1	2	1	3	9	25	45
1996	616	-	-	-	-	3	2	3	3	19	27
1995	610	-	-	-	2	2	1	6	6	12	41
1994	571	-	-	-	-	1	3	4	7	14	20
1993	608	-	-	-	4	-	5	5	14	8	21
1992	564	-	-	-	-	-	-	2	7	18	23
1991	597	-	-	-	-	1	4	3	12	12	34
1990	589	-	-	-	1	2	-	3	7	19	28
1989	592	-	-	-	-	1	3	2	5	13	25
1988	545	1	-	-	-	1	2	2	7	14	25
1987	529	-	-	-	-	-	4	3	8	11	17
1986	494	1	-	-	1	1	-	4	7	9	12
1985	506	1	-	-	-	-	1	4	2	14	8
1984	550	-	-	-	-	1	2	2	4	12	18
1983	476	-	-	1	2	1	1	-	6	14	14
1982	488	-	-	-	-	-	2	5	6	12	8
1981	469	-	-	-	-	3	1	-	8	7	17
1980	485	-	-	-	-	1	-	4	7	5	15
1979	474	1	1	-	-	2	-	3	8	8	11
Aortic aneurysm and dissection (441)											
Black, female											
1998	564	-	-	-	-	-	2	2	-	8	10
1997	555	-	-	-	-	-	1	1	1	4	14
1996	524	-	-	-	-	2	-	2	5	11	15
1995	536	-	-	-	-	-	-	2	3	5	13
1994	516	-	-	-	1	-	1	2	6	8	24
1993	499	-	-	-	-	-	3	2	1	6	9
1992	466	-	-	-	-	1	-	1	6	5	8
1991	507	-	-	-	1	-	1	1	4	5	11
1990	479	1	-	-	-	-	-	4	2	4	8
1989	493	-	-	-	-	1	1	2	2	9	11
1988	461	-	-	-	-	2	-	1	1	1	8
1987	456	-	-	-	-	2	2	2	3	5	9
1986	422	-	1	-	1	2	3	-	1	9	4
1985	448	1	-	-	-	-	2	2	2	6	6
1984	404	1	-	-	-	-	-	3	4	5	2
1983	387	-	-	2	-	-	-	3	3	3	5
1982	357	-	-	-	-	-	-	-	2	3	5
1981	397	-	1	-	-	-	-	2	2	7	7
1980	397	-	-	-	-	-	-	1	2	4	7
1979	349	-	-	-	1	1	1	3	3	3	5

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other diseases of arteries, arterioles and capillaries (442-448)											
All races, both sexes											
1998	11,434	12	5	5	7	8	29	41	61	110	144
1997	11,068	12	6	8	8	19	27	35	61	99	123
1996	10,789	13	4	3	9	13	20	36	62	101	142
1995	10,206	15	5	2	7	14	27	30	70	82	154
1994	9,974	11	7	5	7	12	27	37	51	87	126
1993	9,530	11	2	8	6	13	13	36	56	95	142
1992	9,117	11	8	1	8	11	34	40	62	80	145
1991	8,359	15	5	3	6	12	22	52	59	73	123
1990	8,243	13	6	2	10	9	29	38	61	69	96
1989	8,068	15	7	2	6	11	21	47	60	90	100
1988	7,466	7	2	2	8	12	23	40	50	63	92
1987	7,173	12	5	7	5	9	24	37	45	72	83
1986	7,150	18	8	3	9	21	27	30	42	67	103
1985	6,871	20	10	5	6	16	17	37	53	63	91
1984	6,602	15	6	3	10	14	28	43	46	62	84
1983	6,382	14	6	5	6	23	27	44	51	68	76
1982	6,047	13	6	4	3	13	28	35	57	48	70
1981	5,931	16	7	5	4	15	26	36	50	67	80
1980	5,778	17	9	3	10	25	37	40	52	53	75
1979	5,452	13	9	9	6	25	37	41	57	60	78
Other diseases of arteries, arterioles and capillaries (442-448)											
All races, male											
1998	4,978	8	3	3	2	2	9	13	28	51	65
1997	4,798	7	5	1	1	9	9	11	22	45	61
1996	4,740	8	1	-	3	6	10	17	31	48	71
1995	4,489	9	5	1	5	5	7	13	33	40	72
1994	4,372	4	5	2	4	6	10	18	19	42	51
1993	4,299	7	1	5	4	8	6	16	22	33	71
1992	4,097	5	3	1	5	5	17	16	28	34	72
1991	3,793	10	2	3	2	6	9	25	28	27	56
1990	3,754	7	2	2	4	3	13	17	21	37	43
1989	3,739	10	5	-	1	4	9	16	27	45	47
1988	3,385	6	1	1	6	5	15	13	20	24	48
1987	3,457	7	3	3	3	6	14	18	19	29	36
1986	3,354	9	6	1	4	9	11	10	21	34	44
1985	3,412	14	7	2	1	8	8	17	19	30	40
1984	3,213	7	5	1	4	4	10	16	18	27	43
1983	3,219	7	4	2	2	15	8	22	28	32	43
1982	3,063	9	4	3	1	6	12	15	26	23	38
1981	3,015	12	6	2	1	5	9	13	20	29	40
1980	2,928	12	5	2	3	11	13	18	18	27	34
1979	2,841	9	6	6	2	10	18	16	30	23	33

Source: CDC/NCHS, National Vital Statistics System
See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other diseases of arteries, arterioles and capillaries (442-448)											
All races, female											
1998	6,456	4	2	2	5	6	20	28	33	59	79
1997	6,270	5	1	7	7	10	18	24	39	54	62
1996	6,049	5	3	3	6	7	10	19	31	53	71
1995	5,717	6	-	1	2	9	20	17	37	42	82
1994	5,602	7	2	3	3	6	17	19	32	45	75
1993	5,231	4	1	3	2	5	7	20	34	62	71
1992	5,020	6	5	-	3	6	17	24	34	46	73
1991	4,566	5	3	-	4	6	13	27	31	46	67
1990	4,489	6	4	-	6	6	16	21	40	32	53
1989	4,329	5	2	2	5	7	12	31	33	45	53
1988	4,081	1	1	1	2	7	8	27	30	39	44
1987	3,716	5	2	4	2	3	10	19	26	43	47
1986	3,796	9	2	2	5	12	16	20	21	33	59
1985	3,459	6	3	3	5	8	9	20	34	33	51
1984	3,389	8	1	2	6	10	18	27	28	35	41
1983	3,163	7	2	3	4	8	19	22	23	36	33
1982	2,984	4	2	1	2	7	16	20	31	25	32
1981	2,916	4	1	3	3	10	17	23	30	38	40
1980	2,850	5	4	1	7	14	24	22	34	26	41
1979	2,611	4	3	3	4	15	19	25	27	37	45
Other diseases of arteries, arterioles and capillaries (442-448)											
White, both sexes											
1998	9,789	9	4	3	6	6	13	29	38	75	91
1997	9,510	6	5	5	6	14	16	22	43	65	84
1996	9,352	10	4	2	7	9	17	25	37	64	95
1995	8,903	9	2	1	4	9	21	17	42	56	115
1994	8,565	8	6	4	5	9	21	30	35	58	89
1993	8,211	10	2	5	4	9	8	22	35	47	96
1992	7,940	8	7	-	6	7	25	26	44	56	111
1991	7,256	8	3	3	5	8	15	32	33	51	81
1990	7,172	12	3	2	5	5	17	26	44	48	68
1989	7,029	12	5	1	5	6	15	34	40	55	77
1988	6,544	6	1	2	6	9	18	24	30	37	63
1987	6,258	9	5	5	5	6	14	18	32	47	59
1986	6,245	11	7	3	7	12	19	19	28	42	72
1985	6,037	14	10	4	4	12	13	25	31	53	68
1984	5,805	11	5	2	8	10	19	30	34	46	63
1983	5,623	9	6	4	3	19	20	30	32	47	57
1982	5,323	10	5	3	2	9	22	22	46	35	57
1981	5,271	14	5	5	1	12	18	23	27	46	61
1980	5,095	15	7	2	7	18	28	28	35	37	59
1979	4,864	11	7	7	4	14	23	18	43	50	57

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other diseases of arteries, arterioles and capillaries (442-448)											
White, male											
1998	4,276	6	3	3	1	1	2	10	19	32	43
1997	4,142	3	4	1	1	6	5	9	17	31	48
1996	4,117	6	1	-	3	5	9	13	19	30	50
1995	3,969	4	2	-	4	4	6	7	19	32	55
1994	3,783	2	4	1	3	5	8	15	12	27	35
1993	3,708	6	1	3	3	4	3	10	13	19	49
1992	3,586	4	3	-	3	3	14	9	21	24	59
1991	3,326	4	1	3	2	4	6	18	21	21	40
1990	3,276	7	1	2	3	2	8	14	15	28	33
1989	3,281	9	4	-	1	2	9	15	21	31	36
1988	2,975	6	-	1	5	5	10	10	10	16	32
1987	3,008	6	3	3	3	4	8	11	12	19	27
1986	2,933	6	5	1	4	5	6	5	14	24	34
1985	3,020	11	7	2	1	6	6	13	11	25	36
1984	2,847	5	5	1	4	3	7	13	14	20	34
1983	2,847	4	4	2	-	13	7	18	20	24	31
1982	2,707	8	4	2	-	6	10	10	24	17	31
1981	2,703	11	4	2	1	5	5	10	10	18	28
1980	2,574	12	4	1	3	8	8	15	9	22	28
1979	2,535	7	4	5	1	6	11	8	22	22	25
Other diseases of arteries, arterioles and capillaries (442-448)											
White, female											
1998	5,513	3	1	-	5	5	11	19	19	43	48
1997	5,368	3	1	4	5	8	11	13	26	34	36
1996	5,235	4	3	2	4	4	8	12	18	34	45
1995	4,934	5	-	1	-	5	15	10	23	24	60
1994	4,782	6	2	3	2	4	13	15	23	31	54
1993	4,503	4	1	2	1	5	5	12	22	28	47
1992	4,354	4	4	-	3	4	11	17	23	32	52
1991	3,930	4	2	-	3	4	9	14	12	30	41
1990	3,896	5	2	-	2	3	9	12	29	20	35
1989	3,748	3	1	1	4	4	6	19	19	24	41
1988	3,569	-	1	1	1	4	8	14	20	21	31
1987	3,250	3	2	2	2	2	6	7	20	28	32
1986	3,312	5	2	2	3	7	13	14	14	18	38
1985	3,017	3	3	2	3	6	7	12	20	28	32
1984	2,958	6	-	1	4	7	12	17	20	26	29
1983	2,776	5	2	2	3	6	13	12	12	23	26
1982	2,616	2	1	1	2	3	12	12	22	18	26
1981	2,568	3	1	3	-	7	13	13	17	28	33
1980	2,521	3	3	1	4	10	20	13	26	15	31
1979	2,329	4	3	2	3	8	12	10	21	28	32

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other diseases of arteries, arterioles and capillaries (442-448)											
All other, both sexes											
1998	1,645	3	1	2	1	2	16	12	23	35	53
1997	1,558	6	1	3	2	5	11	13	18	34	39
1996	1,437	3	-	1	2	4	3	11	25	37	47
1995	1,303	6	3	1	3	5	6	13	28	26	39
1994	1,409	3	1	1	2	3	6	7	16	29	37
1993	1,319	1	-	3	2	4	5	14	21	48	46
1992	1,177	3	1	1	2	4	9	14	18	24	34
1991	1,103	7	2	-	1	4	7	20	26	22	42
1990	1,071	1	3	-	5	4	12	12	17	21	28
1989	1,039	3	2	1	1	5	6	13	20	35	23
1988	922	1	1	-	2	3	5	16	20	26	29
1987	915	3	-	2	-	3	10	19	13	25	24
1986	905	7	1	-	2	9	8	11	14	25	31
1985	834	6	-	1	2	4	4	12	22	10	23
1984	797	4	1	1	2	4	9	13	12	16	21
1983	759	5	-	1	3	4	7	14	19	21	19
1982	724	3	1	1	1	4	6	13	11	13	13
1981	660	2	2	-	3	3	8	13	23	21	19
1980	683	2	2	1	3	7	9	12	17	16	16
1979	588	2	2	2	2	11	14	23	14	10	21
Other diseases of arteries, arterioles and capillaries (442-448)											
All other, male											
1998	702	2	-	-	1	1	7	3	9	19	22
1997	656	4	1	-	-	3	4	2	5	14	13
1996	623	2	-	-	-	1	1	4	12	18	21
1995	520	5	3	1	1	1	1	6	14	8	17
1994	589	2	1	1	1	1	2	3	7	15	16
1993	591	1	-	2	1	4	3	6	9	14	22
1992	511	1	-	1	2	2	3	7	7	10	13
1991	467	6	1	-	-	2	3	7	7	6	16
1990	478	-	1	-	1	1	5	3	6	9	10
1989	458	1	1	-	-	2	-	1	6	14	11
1988	410	-	1	-	1	-	5	3	10	8	16
1987	449	1	-	-	-	2	6	7	7	10	9
1986	421	3	1	-	-	4	5	5	7	10	10
1985	392	3	-	-	-	2	2	4	8	5	4
1984	366	2	-	-	-	1	3	3	4	7	9
1983	372	3	-	-	2	2	1	4	8	8	12
1982	356	1	-	1	1	-	2	5	2	6	7
1981	312	1	2	-	-	-	4	3	10	11	12
1980	354	-	1	1	-	3	5	3	9	5	6
1979	306	2	2	1	1	4	7	8	8	1	8

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other diseases of arteries, arterioles and capillaries (442-448)											
All other, female											
1998	943	1	1	2	-	1	9	9	14	16	31
1997	902	2	-	3	2	2	7	11	13	20	26
1996	814	1	-	1	2	3	2	7	13	19	26
1995	783	1	-	-	2	4	5	7	14	18	22
1994	820	1	-	-	1	2	4	4	9	14	21
1993	728	-	-	1	1	-	2	8	12	34	24
1992	666	2	1	-	-	2	6	7	11	14	21
1991	636	1	1	-	1	2	4	13	19	16	26
1990	593	1	2	-	4	3	7	9	11	12	18
1989	581	2	1	1	1	3	6	12	14	21	12
1988	512	1	-	-	1	3	-	13	10	18	13
1987	466	2	-	2	-	1	4	12	6	15	15
1986	484	4	-	-	2	5	3	6	7	15	21
1985	442	3	-	1	2	2	2	8	14	5	19
1984	431	2	1	1	2	3	6	10	8	9	12
1983	387	2	-	1	1	2	6	10	11	13	7
1982	368	2	1	-	-	4	4	8	9	7	6
1981	348	1	-	-	3	3	4	10	13	10	7
1980	329	2	1	-	3	4	4	9	8	11	10
1979	282	-	-	1	1	7	7	15	6	9	13
Other diseases of arteries, arterioles and capillaries (442-448)											
Black, both sexes											
1998	1,482	3	-	2	1	1	15	12	21	35	48
1997	1,403	6	1	3	1	5	8	11	17	34	36
1996	1,315	3	-	1	1	3	2	10	21	34	40
1995	1,196	6	2	-	3	5	6	12	26	24	36
1994	1,276	2	-	-	2	3	6	6	14	24	34
1993	1,194	-	-	-	2	3	5	11	17	45	41
1992	1,085	3	1	1	1	3	9	13	16	23	32
1991	1,033	7	-	-	-	4	6	19	22	22	39
1990	993	1	2	-	3	4	12	12	15	19	26
1989	973	3	2	1	1	5	5	11	18	33	23
1988	855	-	-	-	2	3	4	15	19	24	28
1987	856	3	-	2	-	3	9	18	13	23	23
1986	845	6	1	-	2	7	8	11	12	20	30
1985	778	4	-	-	1	4	4	12	21	10	20
1984	743	4	-	1	1	3	7	13	11	14	20
1983	698	4	-	1	2	3	6	13	18	19	19
1982	681	3	1	-	1	4	6	11	10	12	12
1981	619	2	2	-	3	3	6	12	22	21	18
1980	650	2	2	1	2	7	9	12	17	14	16
1979	564	1	1	2	2	11	12	23	14	9	21

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other diseases of arteries, arterioles and capillaries (442-448)											
Black, male											
1998	632	2	-	-	1	-	6	3	9	19	19
1997	601	4	1	-	-	3	3	2	5	14	13
1996	570	2	-	-	-	1	1	4	11	17	18
1995	468	5	2	-	1	1	1	6	12	7	16
1994	532	1	-	-	1	1	2	2	5	13	15
1993	535	-	-	-	1	3	3	6	6	13	22
1992	468	1	-	1	1	1	3	6	6	10	13
1991	430	6	-	-	-	2	3	7	5	6	15
1990	447	-	-	-	-	1	5	3	6	8	10
1989	417	1	1	-	-	2	-	1	4	13	11
1988	374	-	-	-	1	-	4	2	10	7	16
1987	411	1	-	-	-	2	5	7	7	8	9
1986	392	2	1	-	-	4	5	5	6	8	9
1985	365	2	-	-	-	2	2	4	7	5	4
1984	344	2	-	-	-	1	3	3	4	5	8
1983	344	3	-	-	2	2	1	4	8	8	12
1982	329	1	-	-	1	-	2	4	2	5	6
1981	291	1	2	-	-	-	3	2	9	11	11
1980	336	-	1	1	-	3	5	3	9	5	6
1979	290	1	1	1	1	4	6	8	8	1	8
Other diseases of arteries, arterioles and capillaries (442-448)											
Black, female											
1998	850	1	-	2	-	1	9	9	12	16	29
1997	802	2	-	3	1	2	5	9	12	20	23
1996	745	1	-	1	1	2	1	6	10	17	22
1995	728	1	-	-	2	4	5	6	14	17	20
1994	744	1	-	-	1	2	4	4	9	11	19
1993	659	-	-	-	1	-	2	5	11	32	19
1992	617	2	1	-	-	2	6	7	10	13	19
1991	603	1	-	-	-	2	3	12	17	16	24
1990	546	1	2	-	3	3	7	9	9	11	16
1989	556	2	1	1	1	3	5	10	14	20	12
1988	481	-	-	-	1	3	-	13	9	17	12
1987	445	2	-	2	-	1	4	11	6	15	14
1986	453	4	-	-	2	3	3	6	6	12	21
1985	413	2	-	-	1	2	2	8	14	5	16
1984	399	2	-	1	1	2	4	10	7	9	12
1983	354	1	-	1	-	1	5	9	10	11	7
1982	352	2	1	-	-	4	4	7	8	7	6
1981	328	1	-	-	3	3	3	10	13	10	7
1980	314	2	1	-	2	4	4	9	8	9	10
1979	274	-	-	1	1	7	6	15	6	8	13

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other disorders of circulatory system (451-459)											
All races, both sexes											
1998	4,397	61	6	3	2	9	16	33	57	110	128
1997	4,264	55	5	5	5	6	26	37	66	88	152
1996	4,243	64	6	6	1	8	18	39	51	102	155
1995	4,185	66	12	1	2	12	21	37	55	105	134
1994	4,082	50	8	4	3	6	18	34	61	97	140
1993	4,122	52	11	3	4	9	16	39	68	117	140
1992	4,000	47	10	3	3	7	20	41	68	108	141
1991	4,140	58	11	7	1	10	23	41	62	106	138
1990	4,238	56	7	4	4	14	23	35	64	89	125
1989	4,319	42	9	2	5	10	20	24	60	86	129
1988	4,569	37	3	6	4	9	24	42	73	105	105
1987	4,823	43	10	5	5	7	25	47	56	114	131
1986	4,677	37	7	5	4	13	27	53	70	94	122
1985	4,860	68	7	3	3	14	24	53	61	95	138
1984	4,753	52	6	4	4	13	26	51	72	86	125
1983	5,034	37	10	5	8	14	29	56	71	101	121
1982	4,684	39	10	4	4	17	32	51	71	85	117
1981	4,702	48	6	3	6	9	27	42	72	85	126
1980	4,803	57	8	8	5	21	42	50	61	101	125
1979	4,755	47	9	3	6	24	33	59	56	86	143
Other disorders of circulatory system (451-459)											
All races, male											
1998	1,943	34	4	1	1	5	7	19	30	64	67
1997	1,978	29	1	2	1	4	12	13	40	57	88
1996	1,913	40	4	3	-	5	7	14	26	54	92
1995	1,929	38	4	-	1	4	7	18	27	60	81
1994	1,867	30	4	1	2	4	8	19	36	59	83
1993	1,940	26	6	-	3	6	6	25	43	60	83
1992	1,926	33	6	1	2	2	15	23	41	65	91
1991	1,984	35	4	2	-	6	12	18	33	53	85
1990	2,026	30	3	2	1	4	16	22	36	64	77
1989	2,062	30	6	1	1	2	7	12	35	54	86
1988	2,262	18	3	3	3	4	14	19	49	66	66
1987	2,369	26	5	3	-	5	17	25	28	68	86
1986	2,377	22	3	2	-	7	12	25	40	59	79
1985	2,398	37	5	2	-	8	12	27	39	56	99
1984	2,442	20	4	4	1	7	11	27	39	56	71
1983	2,506	23	6	2	4	8	14	27	40	61	69
1982	2,385	19	6	-	2	5	13	23	38	60	77
1981	2,386	22	5	1	1	1	16	23	42	53	74
1980	2,405	29	6	5	1	10	18	19	37	54	70
1979	2,442	27	4	-	6	10	18	33	35	54	78

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other disorders of circulatory system (451-459)											
All races, female											
1998	2,454	27	2	2	1	4	9	14	27	46	61
1997	2,286	26	4	3	4	2	14	24	26	31	64
1996	2,330	24	2	3	1	3	11	25	25	48	63
1995	2,256	28	8	1	1	8	14	19	28	45	53
1994	2,215	20	4	3	1	2	10	15	25	38	57
1993	2,182	26	5	3	1	3	10	14	25	57	57
1992	2,074	14	4	2	1	5	5	18	27	43	50
1991	2,156	23	7	5	1	4	11	23	29	53	53
1990	2,212	26	4	2	3	10	7	13	28	25	48
1989	2,257	12	3	1	4	8	13	12	25	32	43
1988	2,307	19	-	3	1	5	10	23	24	39	39
1987	2,454	17	5	2	5	2	8	22	28	46	45
1986	2,300	15	4	3	4	6	15	28	30	35	43
1985	2,462	31	2	1	3	6	12	26	22	39	39
1984	2,311	32	2	-	3	6	15	24	33	30	54
1983	2,528	14	4	3	4	6	15	29	31	40	52
1982	2,299	20	4	4	2	12	19	28	33	25	40
1981	2,316	26	1	2	5	8	11	19	30	32	52
1980	2,398	28	2	3	4	11	24	31	24	47	55
1979	2,313	20	5	3	-	14	15	26	21	32	65
Other disorders of circulatory system (451-459)											
White, both sexes											
1998	3,585	42	3	2	1	5	8	18	32	67	76
1997	3,509	38	5	3	4	3	14	23	37	53	117
1996	3,553	44	4	6	1	4	10	21	32	63	111
1995	3,444	47	10	-	1	5	11	19	38	74	90
1994	3,356	34	4	4	1	4	12	24	35	62	93
1993	3,452	32	10	3	4	6	9	21	37	80	99
1992	3,315	37	7	2	1	5	13	18	40	68	99
1991	3,434	42	6	7	1	6	13	27	42	68	102
1990	3,511	43	6	2	3	8	16	25	37	61	79
1989	3,574	28	8	1	3	8	12	16	39	60	87
1988	3,787	25	3	4	3	4	15	26	47	61	69
1987	3,981	28	8	5	4	6	15	30	32	75	80
1986	3,912	22	6	5	4	10	13	35	35	60	87
1985	4,044	47	6	1	1	9	19	39	36	62	93
1984	4,015	38	3	3	3	9	17	34	46	51	84
1983	4,243	28	10	5	8	10	20	35	36	66	95
1982	3,929	26	8	2	4	13	19	30	47	55	84
1981	3,998	31	2	2	5	6	17	28	49	56	92
1980	4,078	42	8	5	4	15	34	34	41	72	81
1979	4,035	34	7	2	5	20	23	36	36	63	107

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other disorders of circulatory system (451-459)											
White, male											
1998	1,599	24	1	1	1	3	4	10	19	45	43
1997	1,608	21	1	2	1	2	5	7	22	32	71
1996	1,584	28	3	3	-	1	5	10	17	37	69
1995	1,565	28	3	-	-	1	3	9	19	44	60
1994	1,506	20	1	1	1	3	6	12	19	40	59
1993	1,588	15	5	-	3	4	4	13	21	44	52
1992	1,589	25	5	-	1	2	10	12	25	43	67
1991	1,652	26	1	2	-	4	8	12	23	36	62
1990	1,644	24	2	2	1	4	11	15	25	42	49
1989	1,693	21	5	-	-	2	5	9	25	42	61
1988	1,852	14	3	2	3	1	9	9	35	39	46
1987	1,938	17	3	3	-	4	11	16	18	47	54
1986	1,966	11	2	2	-	5	8	15	24	40	57
1985	1,983	26	4	1	-	6	11	21	23	38	67
1984	2,055	15	2	3	1	5	6	15	24	34	50
1983	2,076	15	6	2	4	6	9	16	22	39	51
1982	1,992	12	4	-	2	4	9	16	26	41	55
1981	2,029	17	2	-	1	1	12	15	27	37	57
1980	2,017	18	6	2	1	9	16	14	26	37	46
1979	2,044	20	3	-	5	9	15	19	22	38	59
Other disorders of circulatory system (451-459)											
White, female											
1998	1,986	18	2	1	-	2	4	8	13	22	33
1997	1,901	17	4	1	3	1	9	16	15	21	46
1996	1,969	16	1	3	1	3	5	11	15	26	42
1995	1,879	19	7	-	1	4	8	10	19	30	30
1994	1,850	14	3	3	-	1	6	12	16	22	34
1993	1,864	17	5	3	1	2	5	8	16	36	47
1992	1,726	12	2	2	-	3	3	6	15	25	32
1991	1,782	16	5	5	1	2	5	15	19	32	40
1990	1,867	19	4	-	2	4	5	10	12	19	30
1989	1,881	7	3	1	3	6	7	7	14	18	26
1988	1,935	11	-	2	-	3	6	17	12	22	23
1987	2,043	11	5	2	4	2	4	14	14	28	26
1986	1,946	11	4	3	4	5	5	20	11	20	30
1985	2,061	21	2	-	1	3	8	18	13	24	26
1984	1,960	23	1	-	2	4	11	19	22	17	34
1983	2,167	13	4	3	4	4	11	19	14	27	44
1982	1,937	14	4	2	2	9	10	14	21	14	29
1981	1,969	14	-	2	4	5	5	13	22	19	35
1980	2,061	24	2	3	3	6	18	20	15	35	35
1979	1,991	14	4	2	-	11	8	17	14	25	48

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other disorders of circulatory system (451-459)											
All other, both sexes											
1998	812	19	3	1	1	4	8	15	25	43	52
1997	755	17	-	2	1	3	12	14	29	35	35
1996	690	20	2	-	-	4	8	18	19	39	44
1995	741	19	2	1	1	7	10	18	17	31	44
1994	726	16	4	-	2	2	6	10	26	35	47
1993	670	20	1	-	-	3	7	18	31	37	41
1992	685	10	3	1	2	2	7	23	28	40	42
1991	706	16	5	-	-	4	10	14	20	38	36
1990	727	13	1	2	1	6	7	10	27	28	46
1989	745	14	1	1	2	2	8	8	21	26	42
1988	782	12	-	2	1	5	9	16	26	44	36
1987	842	15	2	-	1	1	10	17	24	39	51
1986	765	15	1	-	-	3	14	18	35	34	35
1985	816	21	1	2	2	5	5	14	25	33	45
1984	738	14	3	1	1	4	9	17	26	35	41
1983	791	9	-	-	-	4	9	21	35	35	26
1982	755	13	2	2	-	4	13	21	24	30	33
1981	704	17	4	1	1	3	10	14	23	29	34
1980	725	15	-	3	1	6	8	16	20	29	44
1979	720	13	2	1	1	4	10	23	20	23	36
Other disorders of circulatory system (451-459)											
All other, male											
1998	344	10	3	-	-	2	3	9	11	19	24
1997	370	8	-	-	-	2	7	6	18	25	17
1996	329	12	1	-	-	4	2	4	9	17	23
1995	364	10	1	-	1	3	4	9	8	16	21
1994	361	10	3	-	1	1	2	7	17	19	24
1993	352	11	1	-	-	2	2	12	22	16	31
1992	337	8	1	1	1	-	5	11	16	22	24
1991	332	9	3	-	-	2	4	6	10	17	23
1990	382	6	1	-	-	-	5	7	11	22	28
1989	369	9	1	1	1	-	2	3	10	12	25
1988	410	4	-	1	-	3	5	10	14	27	20
1987	431	9	2	-	-	1	6	9	10	21	32
1986	411	11	1	-	-	2	4	10	16	19	22
1985	415	11	1	1	-	2	1	6	16	18	32
1984	387	5	2	1	-	2	5	12	15	22	21
1983	430	8	-	-	-	2	5	11	18	22	18
1982	393	7	2	-	-	1	4	7	12	19	22
1981	357	5	3	1	-	-	4	8	15	16	17
1980	388	11	-	3	-	1	2	5	11	17	24
1979	398	7	1	-	1	1	3	14	13	16	19

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other disorders of circulatory system (451-459)											
All other, female											
1998	468	9	-	1	1	2	5	6	14	24	28
1997	385	9	-	2	1	1	5	8	11	10	18
1996	361	8	1	-	-	-	6	14	10	22	21
1995	377	9	1	1	-	4	6	9	9	15	23
1994	365	6	1	-	1	1	4	3	9	16	23
1993	318	9	-	-	-	1	5	6	9	21	10
1992	348	2	2	-	1	2	2	12	12	18	18
1991	374	7	2	-	-	2	6	8	10	21	13
1990	345	7	-	2	1	6	2	3	16	6	18
1989	376	5	-	-	1	2	6	5	11	14	17
1988	372	8	-	1	1	2	4	6	12	17	16
1987	411	6	-	-	1	-	4	8	14	18	19
1986	354	4	-	-	-	1	10	8	19	15	13
1985	401	10	-	1	2	3	4	8	9	15	13
1984	351	9	1	-	1	2	4	5	11	13	20
1983	361	1	-	-	-	2	4	10	17	13	8
1982	362	6	-	2	-	3	9	14	12	11	11
1981	347	12	1	-	1	3	6	6	8	13	17
1980	337	4	-	-	1	5	6	11	9	12	20
1979	322	6	1	1	-	3	7	9	7	7	17
Other disorders of circulatory system (451-459)											
Black, both sexes											
1998	745	19	3	1	1	2	7	13	25	41	50
1997	695	13	-	2	1	3	11	14	28	35	33
1996	623	17	2	-	-	4	8	16	19	38	44
1995	672	16	2	1	1	7	9	18	17	30	39
1994	663	14	4	-	2	2	6	9	24	34	40
1993	604	18	1	-	-	3	7	17	31	32	34
1992	630	8	3	1	2	2	6	20	27	38	39
1991	657	14	4	-	-	4	10	14	19	36	32
1990	666	13	1	2	1	6	5	10	23	26	44
1989	695	13	1	-	2	1	8	8	20	25	40
1988	735	10	-	2	1	5	9	15	26	44	35
1987	798	14	2	-	1	1	10	16	22	37	48
1986	719	14	-	-	-	3	11	18	35	31	33
1985	757	19	1	2	2	4	5	13	24	31	45
1984	690	12	3	1	1	4	8	17	25	33	40
1983	742	8	-	-	-	4	7	18	33	34	26
1982	703	10	2	2	-	4	13	19	20	30	32
1981	668	16	3	-	1	3	8	11	23	27	31
1980	687	13	-	2	1	6	8	16	20	28	42
1979	682	12	2	1	1	4	9	22	20	23	34

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other disorders of circulatory system (451-459)											
Black, male											
1998	317	10	3	-	-	-	3	8	11	18	22
1997	336	7	-	-	-	2	7	6	17	25	16
1996	293	10	1	-	-	4	2	3	9	16	23
1995	331	7	1	-	1	3	4	9	8	15	17
1994	325	9	3	-	1	1	2	6	15	18	19
1993	314	10	1	-	-	2	2	11	22	14	27
1992	298	6	1	1	1	-	4	9	16	21	21
1991	309	7	3	-	-	2	4	6	9	16	20
1990	348	6	1	-	-	-	4	7	8	20	26
1989	339	8	1	-	1	-	2	3	10	12	24
1988	384	4	-	1	-	3	5	9	14	27	19
1987	404	8	2	-	-	1	6	8	9	19	32
1986	388	10	-	-	-	2	3	10	16	19	22
1985	388	10	1	1	-	2	1	5	15	18	32
1984	358	5	2	1	-	2	5	12	14	20	20
1983	400	7	-	-	-	2	3	11	17	22	18
1982	369	6	2	-	-	1	4	7	9	19	21
1981	338	5	2	-	-	-	4	6	15	15	16
1980	369	10	-	2	-	1	2	5	11	17	24
1979	368	7	1	-	1	1	2	13	13	16	18
Other disorders of circulatory system (451-459)											
Black, female											
1998	428	9	-	1	1	2	4	5	14	23	28
1997	359	6	-	2	1	1	4	8	11	10	17
1996	330	7	1	-	-	-	6	13	10	22	21
1995	341	9	1	1	-	4	5	9	9	15	22
1994	338	5	1	-	1	1	4	3	9	16	21
1993	290	8	-	-	-	1	5	6	9	18	7
1992	332	2	2	-	1	2	2	11	11	17	18
1991	348	7	1	-	-	2	6	8	10	20	12
1990	318	7	-	2	1	6	1	3	15	6	18
1989	356	5	-	-	1	1	6	5	10	13	16
1988	351	6	-	1	1	2	4	6	12	17	16
1987	394	6	-	-	1	-	4	8	13	18	16
1986	331	4	-	-	-	1	8	8	19	12	11
1985	369	9	-	1	2	2	4	8	9	13	13
1984	332	7	1	-	1	2	3	5	11	13	20
1983	342	1	-	-	-	2	4	7	16	12	8
1982	334	4	-	2	-	3	9	12	11	11	11
1981	330	11	1	-	1	3	4	5	8	12	15
1980	318	3	-	-	1	5	6	11	9	11	18
1979	314	5	1	1	-	3	7	9	7	7	16

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Influenza and pneumonia (480-487)											
All races, both sexes											
1998	91,871	441	146	70	51	75	140	183	348	538	862
1997	86,449	421	180	76	65	94	126	203	331	575	819
1996	83,727	496	168	72	64	89	114	204	364	593	868
1995	82,923	492	156	73	55	83	124	203	419	664	816
1994	81,473	559	178	57	46	89	132	199	448	678	830
1993	82,820	530	182	72	63	95	156	250	474	678	873
1992	75,719	600	188	53	51	85	144	223	431	607	743
1991	77,860	607	207	68	67	91	165	279	480	706	738
1990	79,513	634	171	76	58	85	146	285	477	687	729
1989	76,550	636	228	63	59	104	167	324	557	671	744
1988	77,662	641	186	66	61	92	174	294	551	657	691
1987	69,225	674	199	53	41	104	164	291	468	585	592
1986	69,812	663	199	76	71	117	159	269	467	574	626
1985	67,615	705	219	76	54	89	162	224	406	496	551
1984	58,894	685	211	94	77	104	147	257	393	424	499
1983	55,854	769	232	69	61	118	152	248	329	373	443
1982	48,886	756	230	66	76	127	183	234	317	343	432
1981	53,731	809	240	84	77	133	194	260	311	404	460
1980	54,619	1,012	267	101	93	137	211	261	302	404	500
1979	45,030	1,129	258	115	97	155	186	235	289	364	449
Influenza and pneumonia (480-487)											
All races, male											
1998	40,979	239	73	27	30	38	71	104	204	307	503
1997	39,284	257	89	38	33	55	64	115	198	353	498
1996	37,991	299	91	35	34	47	59	112	205	374	542
1995	37,787	280	69	34	24	54	65	115	262	417	508
1994	37,339	339	98	36	22	44	71	124	293	406	518
1993	37,996	310	93	39	33	48	79	141	281	439	573
1992	35,465	356	95	32	22	44	82	139	272	385	495
1991	36,214	328	125	38	31	57	94	177	312	465	481
1990	36,898	365	88	40	31	41	78	164	321	458	492
1989	35,701	383	119	35	29	56	91	186	337	440	491
1988	36,834	381	91	39	36	51	93	177	343	434	460
1987	33,562	381	109	23	22	56	93	182	317	404	395
1986	34,203	387	110	30	41	70	95	149	304	384	402
1985	33,159	412	111	36	28	55	95	144	255	331	343
1984	29,440	400	105	48	37	65	80	150	255	278	316
1983	28,007	442	124	33	32	54	94	147	213	236	292
1982	25,325	425	128	42	41	72	111	137	206	205	280
1981	27,059	468	136	45	35	83	112	152	185	255	295
1980	27,574	598	144	51	45	61	110	157	175	248	314
1979	23,725	628	138	61	49	87	103	136	185	241	279

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Influenza and pneumonia (480-487)											
All races, female											
1998	50,892	202	73	43	21	37	69	79	144	231	359
1997	47,165	164	91	38	32	39	62	88	133	222	321
1996	45,736	197	77	37	30	42	55	92	159	219	326
1995	45,136	212	87	39	31	29	59	88	157	247	308
1994	44,134	220	80	21	24	45	61	75	155	272	312
1993	44,824	220	89	33	30	47	77	109	193	239	300
1992	40,254	244	93	21	29	41	62	84	159	222	248
1991	41,646	279	82	30	36	34	71	102	168	241	257
1990	42,615	269	83	36	27	44	68	121	156	229	237
1989	40,849	253	109	28	30	48	76	138	220	231	253
1988	40,828	260	95	27	25	41	81	117	208	223	231
1987	35,663	293	90	30	19	48	71	109	151	181	197
1986	35,609	276	89	46	30	47	64	120	163	190	224
1985	34,456	293	108	40	26	34	67	80	151	165	208
1984	29,454	285	106	46	40	39	67	107	138	146	183
1983	27,847	327	108	36	29	64	58	101	116	137	151
1982	23,561	331	102	24	35	55	72	97	111	138	152
1981	26,672	341	104	39	42	50	82	108	126	149	165
1980	27,045	414	123	50	48	76	101	104	127	156	186
1979	21,305	501	120	54	48	68	83	99	104	123	170
Influenza and pneumonia (480-487)											
White, both sexes											
1998	81,659	255	98	48	41	45	94	118	223	358	571
1997	76,875	264	120	54	51	69	85	126	211	391	567
1996	74,194	310	109	55	46	59	75	133	241	379	561
1995	73,641	302	89	49	40	66	87	130	282	440	546
1994	72,605	342	118	39	34	65	95	120	294	428	528
1993	73,720	323	117	57	52	69	99	171	301	433	577
1992	67,456	357	116	42	38	63	101	138	271	383	458
1991	69,276	346	134	60	52	67	118	189	302	425	468
1990	70,806	375	118	58	42	64	90	177	267	413	451
1989	67,853	396	137	51	44	74	111	207	320	373	457
1988	69,570	387	134	49	46	63	120	188	321	397	449
1987	61,811	412	135	44	26	81	110	196	261	345	361
1986	62,323	421	133	55	62	94	111	176	297	327	385
1985	60,508	443	149	52	39	68	132	149	241	293	347
1984	52,514	441	135	76	68	74	108	157	231	254	307
1983	49,996	465	161	51	49	93	120	157	190	240	279
1982	43,515	458	150	47	56	93	131	143	190	215	264
1981	47,919	507	167	73	64	111	147	179	206	226	273
1980	48,369	593	195	75	76	104	142	173	199	270	307
1979	39,803	703	172	92	78	127	133	157	173	212	269

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Influenza and pneumonia (480-487)											
White, male											
1998	35,795	138	52	19	24	24	55	68	130	199	325
1997	34,386	168	56	28	26	40	46	75	131	237	346
1996	32,924	190	54	26	24	34	39	70	129	229	357
1995	32,948	170	41	23	17	46	50	70	175	283	339
1994	32,658	203	66	22	16	31	54	77	203	256	338
1993	33,151	186	61	31	25	34	51	101	187	282	382
1992	30,951	218	56	24	14	34	59	86	173	240	302
1991	31,589	196	79	34	26	42	67	120	198	285	313
1990	32,101	214	62	29	22	33	52	103	179	278	296
1989	30,892	246	70	28	22	43	58	121	207	240	298
1988	32,262	239	66	30	27	36	63	113	205	260	297
1987	29,284	235	73	17	14	43	66	122	183	233	242
1986	29,891	251	77	23	37	59	63	102	198	214	240
1985	29,028	256	74	24	20	46	79	95	151	197	198
1984	25,677	254	72	40	31	51	61	96	157	158	193
1983	24,463	258	87	22	26	41	81	92	115	142	170
1982	22,100	263	85	31	30	53	81	84	124	117	164
1981	23,531	296	92	38	30	68	86	108	119	129	172
1980	23,810	350	108	37	39	46	71	98	108	159	185
1979	20,544	394	93	50	39	73	77	101	111	128	160
Influenza and pneumonia (480-487)											
White, female											
1998	45,864	117	46	29	17	21	39	50	93	159	246
1997	42,489	96	64	26	25	29	39	51	80	154	221
1996	41,270	120	55	29	22	25	36	63	112	150	204
1995	40,693	132	48	26	23	20	37	60	107	157	207
1994	39,947	139	52	17	18	34	41	43	91	172	190
1993	40,569	137	56	26	27	35	48	70	114	151	195
1992	36,505	139	60	18	24	29	42	52	98	143	156
1991	37,687	150	55	26	26	25	51	69	104	140	155
1990	38,705	161	56	29	20	31	38	74	88	135	155
1989	36,961	150	67	23	22	31	53	86	113	133	159
1988	37,308	148	68	19	19	27	57	75	116	137	152
1987	32,527	177	62	27	12	38	44	74	78	112	119
1986	32,432	170	56	32	25	35	48	74	99	113	145
1985	31,480	187	75	28	19	22	53	54	90	96	149
1984	26,837	187	63	36	37	23	47	61	74	96	114
1983	25,533	207	74	29	23	52	39	65	75	98	109
1982	21,415	195	65	16	26	40	50	59	66	98	100
1981	24,388	211	75	35	34	43	61	71	87	97	101
1980	24,559	243	87	38	37	58	71	75	91	111	122
1979	19,259	309	79	42	39	54	56	56	62	84	109

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Influenza and pneumonia (480-487)											
All other, both sexes											
1998	10,212	186	48	22	10	30	46	65	125	180	291
1997	9,574	157	60	22	14	25	41	77	120	184	252
1996	9,533	186	59	17	18	30	39	71	123	214	307
1995	9,282	190	67	24	15	17	37	73	137	224	270
1994	8,868	217	60	18	12	24	37	79	154	250	302
1993	9,100	207	65	15	11	26	57	79	173	245	296
1992	8,263	243	72	11	13	22	43	85	160	224	285
1991	8,584	261	73	8	15	24	47	90	178	281	270
1990	8,707	259	53	18	16	21	56	108	210	274	278
1989	8,697	240	91	12	15	30	56	117	237	298	287
1988	8,092	254	52	17	15	29	54	106	230	260	242
1987	7,414	262	64	9	15	23	54	95	207	240	231
1986	7,489	242	66	21	9	23	48	93	170	247	241
1985	7,107	262	70	24	15	21	30	75	165	203	204
1984	6,380	244	76	18	9	30	39	100	162	170	192
1983	5,858	304	71	18	12	25	32	91	139	133	164
1982	5,371	298	80	19	20	34	52	91	127	128	168
1981	5,812	302	73	11	13	22	47	81	105	178	187
1980	6,250	419	72	26	17	33	69	88	103	134	193
1979	5,227	426	86	23	19	28	53	78	116	152	180
Influenza and pneumonia (480-487)											
All other, male											
1998	5,184	101	21	8	6	14	16	36	74	108	178
1997	4,898	89	33	10	7	15	18	40	67	116	152
1996	5,067	109	37	9	10	13	20	42	76	145	185
1995	4,839	110	28	11	7	8	15	45	87	134	169
1994	4,681	136	32	14	6	13	17	47	90	150	180
1993	4,845	124	32	8	8	14	28	40	94	157	191
1992	4,514	138	39	8	8	10	23	53	99	145	193
1991	4,625	132	46	4	5	15	27	57	114	180	168
1990	4,797	151	26	11	9	8	26	61	142	180	196
1989	4,809	137	49	7	7	13	33	65	130	200	193
1988	4,572	142	25	9	9	15	30	64	138	174	163
1987	4,278	146	36	6	8	13	27	60	134	171	153
1986	4,312	136	33	7	4	11	32	47	106	170	162
1985	4,131	156	37	12	8	9	16	49	104	134	145
1984	3,763	146	33	8	6	14	19	54	98	120	123
1983	3,544	184	37	11	6	13	13	55	98	94	122
1982	3,225	162	43	11	11	19	30	53	82	88	116
1981	3,528	172	44	7	5	15	26	44	66	126	123
1980	3,764	248	36	14	6	15	39	59	67	89	129
1979	3,181	234	45	11	10	14	26	35	74	113	119

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Influenza and pneumonia (480-487)											
All other, female											
1998	5,028	85	27	14	4	16	30	29	51	72	113
1997	4,676	68	27	12	7	10	23	37	53	68	100
1996	4,466	77	22	8	8	17	19	29	47	69	122
1995	4,443	80	39	13	8	9	22	28	50	90	101
1994	4,187	81	28	4	6	11	20	32	64	100	122
1993	4,255	83	33	7	3	12	29	39	79	88	105
1992	3,749	105	33	3	5	12	20	32	61	79	92
1991	3,959	129	27	4	10	9	20	33	64	101	102
1990	3,910	108	27	7	7	13	30	47	68	94	82
1989	3,888	103	42	5	8	17	23	52	107	98	94
1988	3,520	112	27	8	6	14	24	42	92	86	79
1987	3,136	116	28	3	7	10	27	35	73	69	78
1986	3,177	106	33	14	5	12	16	46	64	77	79
1985	2,976	106	33	12	7	12	14	26	61	69	59
1984	2,617	98	43	10	3	16	20	46	64	50	69
1983	2,314	120	34	7	6	12	19	36	41	39	42
1982	2,146	136	37	8	9	15	22	38	45	40	52
1981	2,284	130	29	4	8	7	21	37	39	52	64
1980	2,486	171	36	12	11	18	30	29	36	45	64
1979	2,046	192	41	12	9	14	27	43	42	39	61
Influenza and pneumonia (480-487)											
Black, both sexes											
1998	8,326	148	44	19	9	24	38	55	106	164	268
1997	7,920	141	50	18	14	19	37	67	110	170	234
1996	7,963	159	53	12	15	28	36	62	110	192	287
1995	7,803	166	58	23	13	11	36	71	121	211	244
1994	7,472	189	48	16	10	20	28	71	136	230	279
1993	7,724	176	54	10	10	22	53	66	168	231	269
1992	7,074	216	56	8	11	21	36	78	152	206	269
1991	7,372	234	68	8	15	23	43	87	164	270	248
1990	7,563	235	40	14	14	15	54	98	197	258	261
1989	7,585	210	75	10	15	28	52	112	232	283	273
1988	7,191	224	45	14	12	25	50	105	227	251	230
1987	6,565	227	52	7	14	20	51	89	204	232	217
1986	6,700	223	57	18	8	22	44	90	162	236	225
1985	6,338	237	63	22	14	20	29	70	155	190	192
1984	5,669	220	68	17	6	26	36	98	155	162	178
1983	5,234	279	62	16	10	23	29	85	133	124	150
1982	4,799	268	71	14	16	27	47	87	119	120	159
1981	5,276	274	62	9	11	21	43	78	99	171	180
1980	5,648	391	64	24	17	32	62	81	94	125	183
1979	4,740	395	83	22	17	25	46	69	109	142	169

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Influenza and pneumonia (480-487)											
Black, male											
1998	4,178	83	20	8	6	10	13	29	61	99	165
1997	3,978	75	28	8	7	13	15	34	60	108	139
1996	4,170	89	34	7	9	12	19	34	69	132	175
1995	4,019	96	22	10	6	3	15	43	80	125	156
1994	3,899	119	26	13	6	10	15	43	78	133	165
1993	4,051	105	27	4	7	12	25	36	93	150	172
1992	3,822	124	31	5	6	10	19	49	93	134	181
1991	3,938	117	42	4	5	15	24	56	105	173	156
1990	4,161	136	20	9	7	7	25	56	134	171	186
1989	4,168	121	40	6	7	12	31	63	128	190	183
1988	4,047	123	23	8	8	13	29	64	137	171	156
1987	3,795	127	29	4	7	11	26	56	132	166	144
1986	3,836	123	31	6	4	10	29	44	98	160	153
1985	3,664	141	34	10	8	8	15	47	96	126	140
1984	3,336	131	31	8	4	12	18	54	93	116	112
1983	3,190	172	32	10	5	12	11	53	95	87	112
1982	2,884	148	37	8	9	16	25	49	78	87	111
1981	3,201	155	37	5	3	14	23	41	64	122	120
1980	3,386	231	34	12	6	14	34	54	60	81	122
1979	2,884	218	44	11	8	12	23	30	70	108	114
Influenza and pneumonia (480-487)											
Black, female											
1998	4,148	65	24	11	3	14	25	26	45	65	103
1997	3,942	66	22	10	7	6	22	33	50	62	95
1996	3,793	70	19	5	6	16	17	28	41	60	112
1995	3,784	70	36	13	7	8	21	28	41	86	88
1994	3,573	70	22	3	4	10	13	28	58	97	114
1993	3,673	71	27	6	3	10	28	30	75	81	97
1992	3,252	92	25	3	5	11	17	29	59	72	88
1991	3,434	117	26	4	10	8	19	31	59	97	92
1990	3,402	99	20	5	7	8	29	42	63	87	75
1989	3,417	89	35	4	8	16	21	49	104	93	90
1988	3,144	101	22	6	4	12	21	41	90	80	74
1987	2,770	100	23	3	7	9	25	33	72	66	73
1986	2,864	100	26	12	4	12	15	46	64	76	72
1985	2,674	96	29	12	6	12	14	23	59	64	52
1984	2,333	89	37	9	2	14	18	44	62	46	66
1983	2,044	107	30	6	5	11	18	32	38	37	38
1982	1,915	120	34	6	7	11	22	38	41	33	48
1981	2,075	119	25	4	8	7	20	37	35	49	60
1980	2,262	160	30	12	11	18	28	27	34	44	61
1979	1,856	177	39	11	9	13	23	39	39	34	55

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Influenza (487)											
All races, both sexes											
1998	1,724	6	3	4	10	6	4	1	-	8	9
1997	720	12	10	6	7	3	1	3	4	11	7
1996	745	15	3	5	3	6	2	2	6	9	5
1995	606	7	7	6	1	4	2	-	1	8	6
1994	1,229	6	7	1	2	3	2	3	5	6	14
1993	1,044	10	14	6	7	3	5	4	4	11	8
1992	1,006	8	6	2	3	3	5	1	6	11	8
1991	1,137	16	15	4	7	7	3	6	9	9	12
1990	2,098	7	10	7	5	3	2	6	-	10	4
1989	1,593	12	8	7	7	5	11	7	8	17	14
1988	1,943	6	9	3	2	3	5	5	6	11	5
1987	632	8	6	1	-	3	3	5	3	12	4
1986	1,838	7	8	5	9	8	1	4	8	10	13
1985	2,054	7	6	5	2	3	4	3	5	5	10
1984	1,096	5	5	4	7	5	6	6	8	5	7
1983	1,431	6	8	1	2	6	1	5	4	6	8
1982	727	8	4	2	3	2	2	3	4	4	9
1981	3,006	13	8	4	8	9	9	14	17	9	10
1980	2,702	12	12	3	7	5	7	7	6	17	12
1979	604	9	8	3	5	6	3	5	3	3	3
Influenza (487)											
All races, male											
1998	584	2	2	1	5	2	2	-	-	3	2
1997	271	7	5	4	2	1	1	1	3	8	4
1996	269	9	1	3	1	3	2	1	1	2	1
1995	222	5	4	4	1	2	-	-	1	3	-
1994	426	4	2	-	1	2	1	1	4	3	5
1993	389	6	7	3	5	1	4	1	2	7	5
1992	338	6	2	1	-	2	2	1	3	7	6
1991	433	12	9	-	4	3	2	4	7	5	7
1990	799	5	2	6	2	2	1	2	-	3	1
1989	550	6	2	4	3	3	4	3	1	7	7
1988	673	3	7	1	1	2	3	3	2	3	3
1987	252	7	2	-	-	2	1	3	-	9	3
1986	676	5	5	4	5	3	1	1	4	2	3
1985	737	3	3	3	1	3	2	2	4	3	7
1984	416	1	2	-	6	4	4	3	6	4	4
1983	543	3	5	1	-	1	-	2	1	2	2
1982	295	3	3	2	1	-	1	1	1	2	5
1981	1,105	9	3	4	2	7	7	9	5	3	4
1980	993	7	6	1	6	4	5	3	3	7	6
1979	232	4	5	3	3	4	1	5	2	2	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Influenza (487)											
All races, female											
1998	1,140	4	1	3	5	4	2	1	-	5	7
1997	449	5	5	2	5	2	-	2	1	3	3
1996	476	6	2	2	2	3	-	1	5	7	4
1995	384	2	3	2	-	2	2	-	-	5	6
1994	803	2	5	1	1	1	1	2	1	3	9
1993	655	4	7	3	2	2	1	3	2	4	3
1992	668	2	4	1	3	1	3	-	3	4	2
1991	704	4	6	4	3	4	1	2	2	4	5
1990	1,299	2	8	1	3	1	1	4	-	7	3
1989	1,043	6	6	3	4	2	7	4	7	10	7
1988	1,270	3	2	2	1	1	2	2	4	8	2
1987	380	1	4	1	-	1	2	2	3	3	1
1986	1,162	2	3	1	4	5	-	3	4	8	10
1985	1,317	4	3	2	1	-	2	1	1	2	3
1984	680	4	3	4	1	1	2	3	2	1	3
1983	888	3	3	-	2	5	1	3	3	4	6
1982	432	5	1	-	2	2	1	2	3	2	4
1981	1,901	4	5	-	6	2	2	5	12	6	6
1980	1,709	5	6	2	1	1	2	4	3	10	6
1979	372	5	3	-	2	2	2	-	1	1	1
Influenza (487)											
White, both sexes											
1998	1,667	4	2	3	9	4	4	1	-	7	9
1997	681	10	8	4	7	2	1	1	4	9	4
1996	695	10	3	5	2	3	2	2	4	8	4
1995	566	3	7	4	1	3	2	-	1	7	4
1994	1,177	3	7	1	2	2	2	3	5	5	14
1993	992	6	12	5	6	3	4	3	4	10	8
1992	954	7	5	2	3	3	5	1	4	7	7
1991	1,069	12	12	3	4	6	2	6	7	5	10
1990	1,999	7	8	6	3	2	1	4	-	9	3
1989	1,509	10	7	6	6	5	11	6	6	15	12
1988	1,865	3	6	3	2	3	5	2	3	9	4
1987	595	5	6	1	-	2	3	5	3	12	4
1986	1,754	6	5	4	9	6	-	1	7	9	11
1985	1,947	4	4	4	2	3	4	3	4	5	7
1984	1,041	2	3	3	6	5	6	6	8	4	4
1983	1,380	5	6	-	1	5	1	4	3	4	8
1982	686	5	3	2	2	2	2	3	4	3	8
1981	2,840	9	5	3	8	7	8	12	13	6	9
1980	2,595	7	11	2	7	3	3	6	6	16	10
1979	550	4	8	2	5	6	3	4	3	-	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Influenza (487)											
White, male											
1998	560	1	1	1	5	1	2	-	-	2	2
1997	251	6	3	3	2	1	1	-	3	6	2
1996	246	6	1	3	1	2	2	1	1	2	-
1995	206	2	4	3	1	1	-	-	1	3	-
1994	406	2	2	-	1	1	1	1	4	2	5
1993	366	4	6	3	4	1	3	1	2	6	5
1992	314	6	2	1	-	2	2	1	2	4	5
1991	402	9	8	-	2	2	2	4	5	4	5
1990	751	5	1	5	1	2	-	1	-	3	-
1989	513	5	1	3	3	3	4	2	1	7	6
1988	640	2	4	1	1	2	3	-	1	3	2
1987	236	4	2	-	-	1	1	3	-	9	3
1986	644	5	3	3	5	3	-	-	4	2	3
1985	681	1	2	3	1	3	2	2	3	3	5
1984	388	1	1	-	5	4	4	3	6	4	3
1983	520	2	4	-	-	1	-	1	1	2	2
1982	273	3	2	2	1	-	1	1	1	2	4
1981	1,033	6	2	3	2	5	6	8	3	1	4
1980	951	4	6	1	6	2	1	2	3	7	5
1979	204	2	5	2	3	4	1	4	2	-	2
Influenza (487)											
White, female											
1998	1,107	3	1	2	4	3	2	1	-	5	7
1997	430	4	5	1	5	1	-	1	1	3	2
1996	449	4	2	2	1	1	-	1	3	6	4
1995	360	1	3	1	-	2	2	-	-	4	4
1994	771	1	5	1	1	1	1	2	1	3	9
1993	626	2	6	2	2	2	1	2	2	4	3
1992	640	1	3	1	3	1	3	-	2	3	2
1991	667	3	4	3	2	4	-	2	2	1	5
1990	1,248	2	7	1	2	-	1	3	-	6	3
1989	996	5	6	3	3	2	7	4	5	8	6
1988	1,225	1	2	2	1	1	2	2	2	6	2
1987	359	1	4	1	-	1	2	2	3	3	1
1986	1,110	1	2	1	4	3	-	1	3	7	8
1985	1,266	3	2	1	1	-	2	1	1	2	2
1984	653	1	2	3	1	1	2	3	2	-	1
1983	860	3	2	-	1	4	1	3	2	2	6
1982	413	2	1	-	1	2	1	2	3	1	4
1981	1,807	3	3	-	6	2	2	4	10	5	5
1980	1,644	3	5	1	1	1	2	4	3	9	5
1979	346	2	3	-	2	2	2	-	1	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Influenza (487)											
All other, both sexes											
1998	57	2	1	1	1	2	-	-	-	1	-
1997	39	2	2	2	-	1	-	2	-	2	3
1996	50	5	-	-	1	3	-	-	2	1	1
1995	40	4	-	2	-	1	-	-	-	1	2
1994	52	3	-	-	-	1	-	-	-	1	-
1993	52	4	2	1	1	-	1	1	-	1	-
1992	52	1	1	-	-	-	-	-	2	4	1
1991	68	4	3	1	3	1	1	-	2	4	2
1990	99	-	2	1	2	1	1	2	-	1	1
1989	84	2	1	1	1	-	-	1	2	2	2
1988	78	3	3	-	-	-	-	3	3	2	1
1987	37	3	-	-	-	1	-	-	-	-	-
1986	84	1	3	1	-	2	1	3	1	1	2
1985	107	3	2	1	-	-	-	-	1	-	3
1984	55	3	2	1	1	-	-	-	-	1	3
1983	51	1	2	1	1	1	-	1	1	2	-
1982	41	3	1	-	1	-	-	-	-	1	1
1981	166	4	3	1	-	2	1	2	4	3	1
1980	107	5	1	1	-	2	4	1	-	1	2
1979	54	5	-	1	-	-	-	1	-	3	1
Influenza (487)											
All other, male											
1998	24	1	1	-	-	1	-	-	-	1	-
1997	20	1	2	1	-	-	-	1	-	2	2
1996	23	3	-	-	-	1	-	-	-	-	1
1995	16	3	-	1	-	1	-	-	-	-	-
1994	20	2	-	-	-	1	-	-	-	1	-
1993	23	2	1	-	1	-	1	-	-	1	-
1992	24	-	-	-	-	-	-	-	1	3	1
1991	31	3	1	-	2	1	-	-	2	1	2
1990	48	-	1	1	1	-	1	1	-	-	1
1989	37	1	1	1	-	-	-	1	-	-	1
1988	33	1	3	-	-	-	-	3	1	-	1
1987	16	3	-	-	-	1	-	-	-	-	-
1986	32	-	2	1	-	-	1	1	-	-	-
1985	56	2	1	-	-	-	-	-	1	-	2
1984	28	-	1	-	1	-	-	-	-	-	1
1983	23	1	1	1	-	-	-	1	-	-	-
1982	22	-	1	-	-	-	-	-	-	-	1
1981	72	3	1	1	-	2	1	1	2	2	-
1980	42	3	-	-	-	2	4	1	-	-	1
1979	28	2	-	1	-	-	-	1	-	2	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Influenza (487)											
All other, female											
1998	33	1	-	1	1	1	-	-	-	-	-
1997	19	1	-	1	-	1	-	1	-	-	1
1996	27	2	-	-	1	2	-	-	2	1	-
1995	24	1	-	1	-	-	-	-	-	1	2
1994	32	1	-	-	-	-	-	-	-	-	-
1993	29	2	1	1	-	-	-	1	-	-	-
1992	28	1	1	-	-	-	-	-	1	1	-
1991	37	1	2	1	1	-	1	-	-	3	-
1990	51	-	1	-	1	1	-	1	-	1	-
1989	47	1	-	-	1	-	-	-	2	2	1
1988	45	2	-	-	-	-	-	-	2	2	-
1987	21	-	-	-	-	-	-	-	-	-	-
1986	52	1	1	-	-	2	-	2	1	1	2
1985	51	1	1	1	-	-	-	-	-	-	1
1984	27	3	1	1	-	-	-	-	-	1	2
1983	28	-	1	-	1	1	-	-	1	2	-
1982	19	3	-	-	1	-	-	-	-	1	-
1981	94	1	2	-	-	-	-	1	2	1	1
1980	65	2	1	1	-	-	-	-	-	1	1
1979	26	3	-	-	-	-	-	-	-	1	1
Influenza (487)											
Black, both sexes											
1998	33	1	1	1	-	2	-	-	-	1	-
1997	26	2	2	-	-	-	-	2	-	1	3
1996	34	3	-	-	-	2	-	-	1	1	1
1995	31	3	-	2	-	1	-	-	-	1	2
1994	39	3	-	-	-	-	-	-	-	1	-
1993	47	3	2	1	1	-	1	1	-	1	-
1992	40	-	-	-	-	-	-	-	2	4	1
1991	52	4	1	1	3	1	1	-	-	2	2
1990	90	-	2	1	2	1	1	2	-	1	1
1989	64	2	1	1	1	-	-	-	2	1	2
1988	69	2	3	-	-	-	-	3	3	2	1
1987	22	1	-	-	-	1	-	-	-	-	-
1986	69	1	2	1	-	2	-	3	1	1	2
1985	91	2	2	1	-	-	-	-	1	-	3
1984	43	2	2	1	-	-	-	-	-	-	3
1983	40	1	2	1	1	1	-	1	1	2	-
1982	27	2	-	-	1	-	-	-	-	1	1
1981	146	2	3	1	-	2	1	1	4	3	1
1980	88	5	1	1	-	1	4	1	-	1	2
1979	43	4	-	1	-	-	-	1	-	3	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Influenza (487)											
Black, male											
1998	13	1	1	-	-	1	-	-	-	1	-
1997	13	1	2	-	-	-	-	1	-	1	2
1996	14	1	-	-	-	1	-	-	-	-	1
1995	11	2	-	1	-	1	-	-	-	-	-
1994	15	2	-	-	-	-	-	-	-	1	-
1993	23	2	1	-	1	-	1	-	-	1	-
1992	18	-	-	-	-	-	-	-	1	3	1
1991	23	3	-	-	2	1	-	-	-	1	2
1990	46	-	1	1	1	-	1	1	-	-	1
1989	27	1	1	1	-	-	-	-	-	-	1
1988	28	-	3	-	-	-	-	3	1	-	1
1987	10	1	-	-	-	1	-	-	-	-	-
1986	24	-	2	1	-	-	-	1	-	-	-
1985	48	1	1	-	-	-	-	-	1	-	2
1984	22	-	1	-	-	-	-	-	-	-	1
1983	19	1	1	1	-	-	-	1	-	-	-
1982	15	-	-	-	-	-	-	-	-	-	1
1981	64	1	1	1	-	2	1	-	2	2	-
1980	37	3	-	-	-	1	4	1	-	-	1
1979	22	2	-	1	-	-	-	1	-	2	-
Influenza (487)											
Black, female											
1998	20	-	-	1	-	1	-	-	-	-	-
1997	13	1	-	-	-	-	-	1	-	-	1
1996	20	2	-	-	-	1	-	-	1	1	-
1995	20	1	-	1	-	-	-	-	-	1	2
1994	24	1	-	-	-	-	-	-	-	-	-
1993	24	1	1	1	-	-	-	1	-	-	-
1992	22	-	-	-	-	-	-	-	1	1	-
1991	29	1	1	1	1	-	1	-	-	1	-
1990	44	-	1	-	1	1	-	1	-	1	-
1989	37	1	-	-	1	-	-	-	2	1	1
1988	41	2	-	-	-	-	-	-	2	2	-
1987	12	-	-	-	-	-	-	-	-	-	-
1986	45	1	-	-	-	2	-	2	1	1	2
1985	43	1	1	1	-	-	-	-	-	-	1
1984	21	2	1	1	-	-	-	-	-	-	2
1983	21	-	1	-	1	1	-	-	1	2	-
1982	12	2	-	-	1	-	-	-	-	1	-
1981	82	1	2	-	-	-	-	1	2	1	1
1980	51	2	1	1	-	-	-	-	-	1	1
1979	21	2	-	-	-	-	-	-	-	1	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Pneumonia (480-486)											
All races, both sexes											
1998	90,147	435	143	66	41	69	136	182	348	530	853
1997	85,729	409	170	70	58	91	125	200	327	564	812
1996	82,982	481	165	67	61	83	112	202	358	584	863
1995	82,317	485	149	67	54	79	122	203	418	656	810
1994	80,244	553	171	56	44	86	130	196	443	672	816
1993	81,776	520	168	66	56	92	151	246	470	667	865
1992	74,713	592	182	51	48	82	139	222	425	596	735
1991	76,723	591	192	64	60	84	162	273	471	697	726
1990	77,415	627	161	69	53	82	144	279	477	677	725
1989	74,957	624	220	56	52	99	156	317	549	654	730
1988	75,719	635	177	63	59	89	169	289	545	646	686
1987	68,593	666	193	52	41	101	161	286	465	573	588
1986	67,974	656	191	71	62	109	158	265	459	564	613
1985	65,561	698	213	71	52	86	158	221	401	491	541
1984	57,798	680	206	90	70	99	141	251	385	419	492
1983	54,423	763	224	68	59	112	151	243	325	367	435
1982	48,159	748	226	64	73	125	181	231	313	339	423
1981	50,725	796	232	80	69	124	185	246	294	395	450
1980	51,917	1,000	255	98	86	132	204	254	296	387	488
1979	44,426	1,120	250	112	92	149	183	230	286	361	446
Pneumonia (480-486)											
All races, male											
1998	40,395	237	71	26	25	36	69	104	204	304	501
1997	39,013	250	84	34	31	54	63	114	195	345	494
1996	37,722	290	90	32	33	44	57	111	204	372	541
1995	37,565	275	65	30	23	52	65	115	261	414	508
1994	36,913	335	96	36	21	42	70	123	289	403	513
1993	37,607	304	86	36	28	47	75	140	279	432	568
1992	35,127	350	93	31	22	42	80	138	269	378	489
1991	35,781	316	116	38	27	54	92	173	305	460	474
1990	36,099	360	86	34	29	39	77	162	321	455	491
1989	35,151	377	117	31	26	53	87	183	336	433	484
1988	36,161	378	84	38	35	49	90	174	341	431	457
1987	33,310	374	107	23	22	54	92	179	317	395	392
1986	33,527	382	105	26	36	67	94	148	300	382	399
1985	32,422	409	108	33	27	52	93	142	251	328	336
1984	29,024	399	103	48	31	61	76	147	249	274	312
1983	27,464	439	119	32	32	53	94	145	212	234	290
1982	25,030	422	125	40	40	72	110	136	205	203	275
1981	25,954	459	133	41	33	76	105	143	180	252	291
1980	26,581	591	138	50	39	57	105	154	172	241	308
1979	23,493	624	133	58	46	83	102	131	183	239	277

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Pneumonia (480-486)											
All races, female											
1998	49,752	198	72	40	16	33	67	78	144	226	352
1997	46,716	159	86	36	27	37	62	86	132	219	318
1996	45,260	191	75	35	28	39	55	91	154	212	322
1995	44,752	210	84	37	31	27	57	88	157	242	302
1994	43,331	218	75	20	23	44	60	73	154	269	303
1993	44,169	216	82	30	28	45	76	106	191	235	297
1992	39,586	242	89	20	26	40	59	84	156	218	246
1991	40,942	275	76	26	33	30	70	100	166	237	252
1990	41,316	267	75	35	24	43	67	117	156	222	234
1989	39,806	247	103	25	26	46	69	134	213	221	246
1988	39,558	257	93	25	24	40	79	115	204	215	229
1987	35,283	292	86	29	19	47	69	107	148	178	196
1986	34,447	274	86	45	26	42	64	117	159	182	214
1985	33,139	289	105	38	25	34	65	79	150	163	205
1984	28,774	281	103	42	39	38	65	104	136	145	180
1983	26,959	324	105	36	27	59	57	98	113	133	145
1982	23,129	326	101	24	33	53	71	95	108	136	148
1981	24,771	337	99	39	36	48	80	103	114	143	159
1980	25,336	409	117	48	47	75	99	100	124	146	180
1979	20,933	496	117	54	46	66	81	99	103	122	169
Pneumonia (480-486)											
White, both sexes											
1998	79,992	251	96	45	32	41	90	117	223	351	562
1997	76,194	254	112	50	44	67	84	125	207	382	563
1996	73,499	300	106	50	44	56	73	131	237	371	557
1995	73,075	299	82	45	39	63	85	130	281	433	542
1994	71,428	339	111	38	32	63	93	117	289	423	514
1993	72,728	317	105	52	46	66	95	168	297	423	569
1992	66,502	350	111	40	35	60	96	137	267	376	451
1991	68,207	334	122	57	48	61	116	183	295	420	458
1990	68,807	368	110	52	39	62	89	173	267	404	448
1989	66,344	386	130	45	38	69	100	201	314	358	445
1988	67,705	384	128	46	44	60	115	186	318	388	445
1987	61,216	407	129	43	26	79	107	191	258	333	357
1986	60,569	415	128	51	53	88	111	175	290	318	374
1985	58,561	439	145	48	37	65	128	146	237	288	340
1984	51,473	439	132	73	62	69	102	151	223	250	303
1983	48,616	460	155	51	48	88	119	153	187	236	271
1982	42,829	453	147	45	54	91	129	140	186	212	256
1981	45,079	498	162	70	56	104	139	167	193	220	264
1980	45,774	586	184	73	69	101	139	167	193	254	297
1979	39,253	699	164	90	73	121	130	153	170	212	267

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Pneumonia (480-486)											
White, male											
1998	35,235	137	51	18	19	23	53	68	130	197	323
1997	34,135	162	53	25	24	39	45	75	128	231	344
1996	32,678	184	53	23	23	32	37	69	128	227	357
1995	32,742	168	37	20	16	45	50	70	174	280	339
1994	32,252	201	64	22	15	30	53	76	199	254	333
1993	32,785	182	55	28	21	33	48	100	185	276	377
1992	30,637	212	54	23	14	32	57	85	171	236	297
1991	31,187	187	71	34	24	40	65	116	193	281	308
1990	31,350	209	61	24	21	31	52	102	179	275	296
1989	30,379	241	69	25	19	40	54	119	206	233	292
1988	31,622	237	62	29	26	34	60	113	204	257	295
1987	29,048	231	71	17	14	42	65	119	183	224	239
1986	29,247	246	74	20	32	56	63	102	194	212	237
1985	28,347	255	72	21	19	43	77	93	148	194	193
1984	25,289	253	71	40	26	47	57	93	151	154	190
1983	23,943	256	83	22	26	40	81	91	114	140	168
1982	21,827	260	83	29	29	53	80	83	123	115	160
1981	22,498	290	90	35	28	63	80	100	116	128	168
1980	22,859	346	102	36	33	44	70	96	105	152	180
1979	20,340	392	88	48	36	69	76	97	109	128	158
Pneumonia (480-486)											
White, female											
1998	44,757	114	45	27	13	18	37	49	93	154	239
1997	42,059	92	59	25	20	28	39	50	79	151	219
1996	40,821	116	53	27	21	24	36	62	109	144	200
1995	40,333	131	45	25	23	18	35	60	107	153	203
1994	39,176	138	47	16	17	33	40	41	90	169	181
1993	39,943	135	50	24	25	33	47	68	112	147	192
1992	35,865	138	57	17	21	28	39	52	96	140	154
1991	37,020	147	51	23	24	21	51	67	102	139	150
1990	37,457	159	49	28	18	31	37	71	88	129	152
1989	35,965	145	61	20	19	29	46	82	108	125	153
1988	36,083	147	66	17	18	26	55	73	114	131	150
1987	32,168	176	58	26	12	37	42	72	75	109	118
1986	31,322	169	54	31	21	32	48	73	96	106	137
1985	30,214	184	73	27	18	22	51	53	89	94	147
1984	26,184	186	61	33	36	22	45	58	72	96	113
1983	24,673	204	72	29	22	48	38	62	73	96	103
1982	21,002	193	64	16	25	38	49	57	63	97	96
1981	22,581	208	72	35	28	41	59	67	77	92	96
1980	22,915	240	82	37	36	57	69	71	88	102	117
1979	18,913	307	76	42	37	52	54	56	61	84	109

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Pneumonia (480-486)											
All other, both sexes											
1998	10,155	184	47	21	9	28	46	65	125	179	291
1997	9,535	155	58	20	14	24	41	75	120	182	249
1996	9,483	181	59	17	17	27	39	71	121	213	306
1995	9,242	186	67	22	15	16	37	73	137	223	268
1994	8,816	214	60	18	12	23	37	79	154	249	302
1993	9,048	203	63	14	10	26	56	78	173	244	296
1992	8,211	242	71	11	13	22	43	85	158	220	284
1991	8,516	257	70	7	12	23	46	90	176	277	268
1990	8,608	259	51	17	14	20	55	106	210	273	277
1989	8,613	238	90	11	14	30	56	116	235	296	285
1988	8,014	251	49	17	15	29	54	103	227	258	241
1987	7,377	259	64	9	15	22	54	95	207	240	231
1986	7,405	241	63	20	9	21	47	90	169	246	239
1985	7,000	259	68	23	15	21	30	75	164	203	201
1984	6,325	241	74	17	8	30	39	100	162	169	189
1983	5,807	303	69	17	11	24	32	90	138	131	164
1982	5,330	295	79	19	19	34	52	91	127	127	167
1981	5,646	298	70	10	13	20	46	79	101	175	186
1980	6,143	414	71	25	17	31	65	87	103	133	191
1979	5,173	421	86	22	19	28	53	77	116	149	179
Pneumonia (480-486)											
All other, male											
1998	5,160	100	20	8	6	13	16	36	74	107	178
1997	4,878	88	31	9	7	15	18	39	67	114	150
1996	5,044	106	37	9	10	12	20	42	76	145	184
1995	4,823	107	28	10	7	7	15	45	87	134	169
1994	4,661	134	32	14	6	12	17	47	90	149	180
1993	4,822	122	31	8	7	14	27	40	94	156	191
1992	4,490	138	39	8	8	10	23	53	98	142	192
1991	4,594	129	45	4	3	14	27	57	112	179	166
1990	4,749	151	25	10	8	8	25	60	142	180	195
1989	4,772	136	48	6	7	13	33	64	130	200	192
1988	4,539	141	22	9	9	15	30	61	137	174	162
1987	4,262	143	36	6	8	12	27	60	134	171	153
1986	4,280	136	31	6	4	11	31	46	106	170	162
1985	4,075	154	36	12	8	9	16	49	103	134	143
1984	3,735	146	32	8	5	14	19	54	98	120	122
1983	3,521	183	36	10	6	13	13	54	98	94	122
1982	3,203	162	42	11	11	19	30	53	82	88	115
1981	3,456	169	43	6	5	13	25	43	64	124	123
1980	3,722	245	36	14	6	13	35	58	67	89	128
1979	3,153	232	45	10	10	14	26	34	74	111	119

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Pneumonia (480-486)											
All other, female											
1998	4,995	84	27	13	3	15	30	29	51	72	113
1997	4,657	67	27	11	7	9	23	36	53	68	99
1996	4,439	75	22	8	7	15	19	29	45	68	122
1995	4,419	79	39	12	8	9	22	28	50	89	99
1994	4,155	80	28	4	6	11	20	32	64	100	122
1993	4,226	81	32	6	3	12	29	38	79	88	105
1992	3,721	104	32	3	5	12	20	32	60	78	92
1991	3,922	128	25	3	9	9	19	33	64	98	102
1990	3,859	108	26	7	6	12	30	46	68	93	82
1989	3,841	102	42	5	7	17	23	52	105	96	93
1988	3,475	110	27	8	6	14	24	42	90	84	79
1987	3,115	116	28	3	7	10	27	35	73	69	78
1986	3,125	105	32	14	5	10	16	44	63	76	77
1985	2,925	105	32	11	7	12	14	26	61	69	58
1984	2,590	95	42	9	3	16	20	46	64	49	67
1983	2,286	120	33	7	5	11	19	36	40	37	42
1982	2,127	133	37	8	8	15	22	38	45	39	52
1981	2,190	129	27	4	8	7	21	36	37	51	63
1980	2,421	169	35	11	11	18	30	29	36	44	63
1979	2,020	189	41	12	9	14	27	43	42	38	60
Pneumonia (480-486)											
Black, both sexes											
1998	8,293	147	43	18	9	22	38	55	106	163	268
1997	7,894	139	48	18	14	19	37	65	110	169	231
1996	7,929	156	53	12	15	26	36	62	109	191	286
1995	7,772	163	58	21	13	10	36	71	121	210	242
1994	7,433	186	48	16	10	20	28	71	136	229	279
1993	7,677	173	52	9	9	22	52	65	168	230	269
1992	7,034	216	56	8	11	21	36	78	150	202	268
1991	7,320	230	67	7	12	22	42	87	164	268	246
1990	7,473	235	38	13	12	14	53	96	197	257	260
1989	7,521	208	74	9	14	28	52	112	230	282	271
1988	7,122	222	42	14	12	25	50	102	224	249	229
1987	6,543	226	52	7	14	19	51	89	204	232	217
1986	6,631	222	55	17	8	20	44	87	161	235	223
1985	6,247	235	61	21	14	20	29	70	154	190	189
1984	5,626	218	66	16	6	26	36	98	155	162	175
1983	5,194	278	60	15	9	22	29	84	132	122	150
1982	4,772	266	71	14	15	27	47	87	119	119	158
1981	5,130	272	59	8	11	19	42	77	95	168	179
1980	5,560	386	63	23	17	31	58	80	94	124	181
1979	4,697	391	83	21	17	25	46	68	109	139	168

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Pneumonia (480-486)											
Black, male											
1998	4,165	82	19	8	6	9	13	29	61	98	165
1997	3,965	74	26	8	7	13	15	33	60	107	137
1996	4,156	88	34	7	9	11	19	34	69	132	174
1995	4,008	94	22	9	6	2	15	43	80	125	156
1994	3,884	117	26	13	6	10	15	43	78	132	165
1993	4,028	103	26	4	6	12	24	36	93	149	172
1992	3,804	124	31	5	6	10	19	49	92	131	180
1991	3,915	114	42	4	3	14	24	56	105	172	154
1990	4,115	136	19	8	6	7	24	55	134	171	185
1989	4,141	120	39	5	7	12	31	63	128	190	182
1988	4,019	123	20	8	8	13	29	61	136	171	155
1987	3,785	126	29	4	7	10	26	56	132	166	144
1986	3,812	123	29	5	4	10	29	43	98	160	153
1985	3,616	140	33	10	8	8	15	47	95	126	138
1984	3,314	131	30	8	4	12	18	54	93	116	111
1983	3,171	171	31	9	5	12	11	52	95	87	112
1982	2,869	148	37	8	9	16	25	49	78	87	110
1981	3,137	154	36	4	3	12	22	41	62	120	120
1980	3,349	228	34	12	6	13	30	53	60	81	121
1979	2,862	216	44	10	8	12	23	29	70	106	114
Pneumonia (480-486)											
Black, female											
1998	4,128	65	24	10	3	13	25	26	45	65	103
1997	3,929	65	22	10	7	6	22	32	50	62	94
1996	3,773	68	19	5	6	15	17	28	40	59	112
1995	3,764	69	36	12	7	8	21	28	41	85	86
1994	3,549	69	22	3	4	10	13	28	58	97	114
1993	3,649	70	26	5	3	10	28	29	75	81	97
1992	3,230	92	25	3	5	11	17	29	58	71	88
1991	3,405	116	25	3	9	8	18	31	59	96	92
1990	3,358	99	19	5	6	7	29	41	63	86	75
1989	3,380	88	35	4	7	16	21	49	102	92	89
1988	3,103	99	22	6	4	12	21	41	88	78	74
1987	2,758	100	23	3	7	9	25	33	72	66	73
1986	2,819	99	26	12	4	10	15	44	63	75	70
1985	2,631	95	28	11	6	12	14	23	59	64	51
1984	2,312	87	36	8	2	14	18	44	62	46	64
1983	2,023	107	29	6	4	10	18	32	37	35	38
1982	1,903	118	34	6	6	11	22	38	41	32	48
1981	1,993	118	23	4	8	7	20	36	33	48	59
1980	2,211	158	29	11	11	18	28	27	34	43	60
1979	1,835	175	39	11	9	13	23	39	39	33	54

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other acute lower respiratory infections (466)											
All races, both sexes											
1998	452	44	18	1	1	1	5	2	4	4	5
1997	465	67	20	5	3	-	1	1	1	9	7
1996	486	65	25	2	4	-	1	-	4	2	4
1995	532	71	25	2	1	2	-	5	1	4	4
1994	578	84	24	3	1	-	-	1	-	5	6
1993	662	75	14	3	3	3	3	5	5	6	5
1992	577	92	16	5	2	-	1	6	9	4	10
1991	633	68	18	2	3	1	3	4	5	2	6
1990	633	75	18	3	3	4	1	3	2	7	10
1989	633	73	21	2	2	1	2	4	6	6	1
1988	635	72	22	4	1	1	4	1	7	5	6
1987	548	63	20	6	4	2	1	2	5	8	7
1986	588	59	14	3	2	1	5	-	4	5	5
1985	600	64	17	1	2	3	3	1	4	4	5
1984	544	57	24	2	2	5	3	3	5	5	8
1983	552	87	14	3	1	3	4	6	1	9	7
1982	503	74	27	4	2	3	5	7	9	4	8
1981	573	86	22	5	5	2	3	4	3	3	10
1980	642	87	34	6	1	7	7	9	4	4	5
1979	554	94	34	7	3	4	3	11	5	1	9
Other acute lower respiratory infections (466)											
All races, male											
1998	194	29	14	-	-	-	1	1	3	2	1
1997	194	40	10	3	-	-	1	1	1	3	3
1996	205	40	14	1	2	-	-	-	4	1	4
1995	224	40	12	1	1	1	-	4	1	2	1
1994	243	53	18	1	1	-	-	-	-	1	4
1993	286	45	8	-	2	3	2	5	3	6	2
1992	282	61	8	5	2	-	1	4	7	4	7
1991	288	45	12	1	-	1	-	3	3	2	5
1990	269	44	6	2	2	2	1	-	1	5	4
1989	288	48	10	1	1	1	2	3	3	2	-
1988	281	47	14	1	1	-	2	1	5	2	4
1987	267	39	9	4	1	2	1	2	4	4	5
1986	280	38	6	1	1	1	3	-	2	5	2
1985	303	44	10	1	1	3	2	1	2	2	4
1984	260	35	10	1	2	4	2	3	3	4	3
1983	273	57	6	2	1	2	2	2	-	6	2
1982	250	47	19	1	2	2	4	4	7	3	3
1981	277	52	8	1	2	1	2	4	1	2	5
1980	299	52	24	3	1	5	4	5	2	3	3
1979	283	57	15	4	2	3	2	6	2	-	5

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other acute lower respiratory infections (466)											
All races, female											
1998	258	15	4	1	1	1	4	1	1	2	4
1997	271	27	10	2	3	-	-	-	-	6	4
1996	281	25	11	1	2	-	1	-	-	1	-
1995	308	31	13	1	-	1	-	1	-	2	3
1994	335	31	6	2	-	-	-	1	-	4	2
1993	376	30	6	3	1	-	1	-	2	-	3
1992	295	31	8	-	-	-	-	2	2	-	3
1991	345	23	6	1	3	-	3	1	2	-	1
1990	364	31	12	1	1	2	-	3	1	2	6
1989	345	25	11	1	1	-	-	1	3	4	1
1988	354	25	8	3	-	1	2	-	2	3	2
1987	281	24	11	2	3	-	-	-	1	4	2
1986	308	21	8	2	1	-	2	-	2	-	3
1985	297	20	7	-	1	-	1	-	2	2	1
1984	284	22	14	1	-	1	1	-	2	1	5
1983	279	30	8	1	-	1	2	4	1	3	5
1982	253	27	8	3	-	1	1	3	2	1	5
1981	296	34	14	4	3	1	1	-	2	1	5
1980	343	35	10	3	-	2	3	4	2	1	2
1979	271	37	19	3	1	1	1	5	3	1	4
Other acute lower respiratory infections (466)											
White, both sexes											
1998	400	28	8	1	1	-	4	2	3	2	2
1997	404	46	14	3	2	-	-	1	1	6	6
1996	418	38	14	2	1	-	1	-	4	1	4
1995	477	44	16	2	1	2	-	5	1	3	4
1994	497	48	16	2	1	-	-	1	-	3	5
1993	583	49	7	3	3	3	3	5	4	6	3
1992	500	58	8	5	2	-	1	6	8	2	8
1991	560	53	10	2	2	1	2	3	4	2	6
1990	559	39	11	2	3	2	1	2	2	4	9
1989	544	37	13	1	2	1	1	3	4	4	1
1988	564	44	18	1	1	1	3	1	5	5	5
1987	485	37	14	6	4	2	1	1	3	5	4
1986	537	43	11	2	1	1	4	-	4	5	5
1985	532	49	8	-	1	3	2	1	2	4	4
1984	482	35	18	2	2	4	2	3	3	4	6
1983	481	56	11	2	-	3	4	4	1	6	7
1982	433	49	17	4	1	3	4	6	6	4	8
1981	507	57	12	5	5	2	3	4	3	2	10
1980	568	64	23	4	1	6	7	9	2	4	2
1979	482	63	24	6	3	3	3	10	2	1	7

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other acute lower respiratory infections (466)											
White, male											
1998	164	19	6	-	-	-	1	1	3	1	-
1997	161	28	8	2	-	-	-	1	1	2	3
1996	176	27	12	1	1	-	-	-	4	-	4
1995	197	27	8	1	1	1	-	4	1	2	1
1994	199	31	12	-	1	-	-	-	-	1	3
1993	242	31	4	-	2	3	2	5	2	6	1
1992	239	39	5	5	2	-	1	4	7	2	5
1991	248	35	7	1	-	1	-	3	3	2	5
1990	233	21	4	2	2	-	1	-	1	3	4
1989	241	24	7	1	1	1	1	2	2	2	-
1988	246	29	11	-	1	-	2	1	4	2	4
1987	236	26	7	4	1	2	1	1	2	3	3
1986	251	27	5	1	1	1	2	-	2	5	2
1985	258	33	4	-	1	3	1	1	1	2	4
1984	230	25	8	1	2	4	1	3	2	4	2
1983	229	38	4	2	-	2	2	1	-	3	2
1982	205	29	12	1	1	2	4	3	5	3	3
1981	242	34	5	1	2	1	2	4	1	1	5
1980	255	37	17	2	1	4	4	5	1	3	1
1979	243	40	10	3	2	2	2	5	1	-	5
Other acute lower respiratory infections (466)											
White, female											
1998	236	9	2	1	1	-	3	1	-	1	2
1997	243	18	6	1	2	-	-	-	-	4	3
1996	242	11	2	1	-	-	1	-	-	1	-
1995	280	17	8	1	-	1	-	1	-	1	3
1994	298	17	4	2	-	-	-	1	-	2	2
1993	341	18	3	3	1	-	1	-	2	-	2
1992	261	19	3	-	-	-	-	2	1	-	3
1991	312	18	3	1	2	-	2	-	1	-	1
1990	326	18	7	-	1	2	-	2	1	1	5
1989	303	13	6	-	1	-	-	1	2	2	1
1988	318	15	7	1	-	1	1	-	1	3	1
1987	249	11	7	2	3	-	-	-	1	2	1
1986	286	16	6	1	-	-	2	-	2	-	3
1985	274	16	4	-	-	-	1	-	1	2	-
1984	252	10	10	1	-	-	1	-	1	-	4
1983	252	18	7	-	-	1	2	3	1	3	5
1982	228	20	5	3	-	1	-	3	1	1	5
1981	265	23	7	4	3	1	1	-	2	1	5
1980	313	27	6	2	-	2	3	4	1	1	1
1979	239	23	14	3	1	1	1	5	1	1	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other acute lower respiratory infections (466)											
All other, both sexes											
1998	52	16	10	-	-	1	1	-	1	2	3
1997	61	21	6	2	1	-	1	-	-	3	1
1996	68	27	11	-	3	-	-	-	-	1	-
1995	55	27	9	-	-	-	-	-	-	1	-
1994	81	36	8	1	-	-	-	-	-	2	1
1993	79	26	7	-	-	-	-	-	1	-	2
1992	77	34	8	-	-	-	-	-	1	2	2
1991	73	15	8	-	1	-	1	1	1	-	-
1990	74	36	7	1	-	2	-	1	-	3	1
1989	89	36	8	1	-	-	1	1	2	2	-
1988	71	28	4	3	-	-	1	-	2	-	1
1987	63	26	6	-	-	-	-	1	2	3	3
1986	51	16	3	1	1	-	1	-	-	-	-
1985	68	15	9	1	1	-	1	-	2	-	1
1984	62	22	6	-	-	1	1	-	2	1	2
1983	71	31	3	1	1	-	-	2	-	3	-
1982	70	25	10	-	1	-	1	1	3	-	-
1981	66	29	10	-	-	-	-	-	-	1	-
1980	74	23	11	2	-	1	-	-	2	-	3
1979	72	31	10	1	-	1	-	1	3	-	2
Other acute lower respiratory infections (466)											
All other, male											
1998	30	10	8	-	-	-	-	-	-	1	1
1997	33	12	2	1	-	-	1	-	-	1	-
1996	29	13	2	-	1	-	-	-	-	1	-
1995	27	13	4	-	-	-	-	-	-	-	-
1994	44	22	6	1	-	-	-	-	-	-	1
1993	44	14	4	-	-	-	-	-	1	-	1
1992	43	22	3	-	-	-	-	-	-	2	2
1991	40	10	5	-	-	-	-	-	-	-	-
1990	36	23	2	-	-	2	-	-	-	2	-
1989	47	24	3	-	-	-	1	1	1	-	-
1988	35	18	3	1	-	-	-	-	1	-	-
1987	31	13	2	-	-	-	-	1	2	1	2
1986	29	11	1	-	-	-	1	-	-	-	-
1985	45	11	6	1	-	-	1	-	1	-	-
1984	30	10	2	-	-	-	1	-	1	-	1
1983	44	19	2	-	1	-	-	1	-	3	-
1982	45	18	7	-	1	-	-	1	2	-	-
1981	35	18	3	-	-	-	-	-	-	1	-
1980	44	15	7	1	-	1	-	-	1	-	2
1979	40	17	5	1	-	1	-	1	1	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other acute lower respiratory infections (466)											
All other, female											
1998	22	6	2	-	-	1	1	-	1	1	2
1997	28	9	4	1	1	-	-	-	-	2	1
1996	39	14	9	-	2	-	-	-	-	-	-
1995	28	14	5	-	-	-	-	-	-	1	-
1994	37	14	2	-	-	-	-	-	-	2	-
1993	35	12	3	-	-	-	-	-	-	-	1
1992	34	12	5	-	-	-	-	-	1	-	-
1991	33	5	3	-	1	-	1	1	1	-	-
1990	38	13	5	1	-	-	-	1	-	1	1
1989	42	12	5	1	-	-	-	-	1	2	-
1988	36	10	1	2	-	-	1	-	1	-	1
1987	32	13	4	-	-	-	-	-	-	2	1
1986	22	5	2	1	1	-	-	-	-	-	-
1985	23	4	3	-	1	-	-	-	1	-	1
1984	32	12	4	-	-	1	-	-	1	1	1
1983	27	12	1	1	-	-	-	1	-	-	-
1982	25	7	3	-	-	-	1	-	1	-	-
1981	31	11	7	-	-	-	-	-	-	-	-
1980	30	8	4	1	-	-	-	-	1	-	1
1979	32	14	5	-	-	-	-	-	2	-	2
Other acute lower respiratory infections (466)											
Black, both sexes											
1998	46	12	10	-	-	1	1	-	1	2	3
1997	53	18	6	1	1	-	1	-	-	3	1
1996	55	22	9	-	3	-	-	-	-	1	-
1995	49	25	7	-	-	-	-	-	-	1	-
1994	77	32	8	1	-	-	-	-	-	2	1
1993	69	25	7	-	-	-	-	-	1	-	1
1992	71	32	8	-	-	-	-	-	1	2	2
1991	57	11	6	-	1	-	1	1	1	-	-
1990	64	32	6	1	-	2	-	1	-	2	1
1989	79	30	8	1	-	-	1	1	2	1	-
1988	62	23	3	3	-	-	1	-	2	-	1
1987	56	22	6	-	-	-	-	1	1	3	3
1986	47	15	3	1	1	-	1	-	-	-	-
1985	63	15	8	1	1	-	1	-	2	-	1
1984	56	22	5	-	-	-	1	-	2	1	2
1983	59	25	2	1	1	-	-	2	-	3	-
1982	59	21	7	-	1	-	1	1	3	-	-
1981	56	25	7	-	-	-	-	-	-	1	-
1980	64	21	10	2	-	1	-	-	-	-	2
1979	69	30	9	1	-	1	-	1	3	-	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other acute lower respiratory infections (466)											
Black, male											
1998	27	8	8	-	-	-	-	-	-	1	1
1997	27	9	2	1	-	-	1	-	-	1	-
1996	24	12	1	-	1	-	-	-	-	1	-
1995	24	12	3	-	-	-	-	-	-	-	-
1994	41	19	6	1	-	-	-	-	-	-	1
1993	39	14	4	-	-	-	-	-	1	-	-
1992	38	21	3	-	-	-	-	-	-	2	2
1991	31	6	5	-	-	-	-	-	-	-	-
1990	33	20	2	-	-	2	-	-	-	2	-
1989	39	19	3	-	-	-	1	1	1	-	-
1988	32	16	2	1	-	-	-	-	1	-	-
1987	27	11	2	-	-	-	-	1	1	1	2
1986	27	10	1	-	-	-	1	-	-	-	-
1985	41	11	5	1	-	-	1	-	1	-	-
1984	28	10	2	-	-	-	1	-	1	-	1
1983	34	14	2	-	1	-	-	1	-	3	-
1982	36	15	5	-	1	-	-	1	2	-	-
1981	28	15	1	-	-	-	-	-	-	1	-
1980	35	13	6	1	-	1	-	-	-	-	1
1979	39	17	5	1	-	1	-	1	1	-	-
Other acute lower respiratory infections (466)											
Black, female											
1998	19	4	2	-	-	1	1	-	1	1	2
1997	26	9	4	-	1	-	-	-	-	2	1
1996	31	10	8	-	2	-	-	-	-	-	-
1995	25	13	4	-	-	-	-	-	-	1	-
1994	36	13	2	-	-	-	-	-	-	2	-
1993	30	11	3	-	-	-	-	-	-	-	1
1992	33	11	5	-	-	-	-	-	1	-	-
1991	26	5	1	-	1	-	1	1	1	-	-
1990	31	12	4	1	-	-	-	1	-	-	1
1989	40	11	5	1	-	-	-	-	1	1	-
1988	30	7	1	2	-	-	1	-	1	-	1
1987	29	11	4	-	-	-	-	-	-	2	1
1986	20	5	2	1	1	-	-	-	-	-	-
1985	22	4	3	-	1	-	-	-	1	-	1
1984	28	12	3	-	-	-	-	-	1	1	1
1983	25	11	-	1	-	-	-	1	-	-	-
1982	23	6	2	-	-	-	1	-	1	-	-
1981	28	10	6	-	-	-	-	-	-	-	-
1980	29	8	4	1	-	-	-	-	-	-	1
1979	30	13	4	-	-	-	-	-	2	-	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Acute bronchitis and bronchiolitis (466)											
All races, both sexes											
1998	452	44	18	1	1	1	5	2	4	4	5
1997	465	67	20	5	3	-	1	1	1	9	7
1996	486	65	25	2	4	-	1	-	4	2	4
1995	532	71	25	2	1	2	-	5	1	4	4
1994	578	84	24	3	1	-	-	1	-	5	6
1993	662	75	14	3	3	3	3	5	5	6	5
1992	577	92	16	5	2	-	1	6	9	4	10
1991	633	68	18	2	3	1	3	4	5	2	6
1990	633	75	18	3	3	4	1	3	2	7	10
1989	633	73	21	2	2	1	2	4	6	6	1
1988	635	72	22	4	1	1	4	1	7	5	6
1987	548	63	20	6	4	2	1	2	5	8	7
1986	588	59	14	3	2	1	5	-	4	5	5
1985	600	64	17	1	2	3	3	1	4	4	5
1984	544	57	24	2	2	5	3	3	5	5	8
1983	552	87	14	3	1	3	4	6	1	9	7
1982	503	74	27	4	2	3	5	7	9	4	8
1981	573	86	22	5	5	2	3	4	3	3	10
1980	642	87	34	6	1	7	7	9	4	4	5
1979	554	94	34	7	3	4	3	11	5	1	9
Acute bronchitis and bronchiolitis (466)											
All races, male											
1998	194	29	14	-	-	-	1	1	3	2	1
1997	194	40	10	3	-	-	1	1	1	3	3
1996	205	40	14	1	2	-	-	-	4	1	4
1995	224	40	12	1	1	1	-	4	1	2	1
1994	243	53	18	1	1	-	-	-	-	1	4
1993	286	45	8	-	2	3	2	5	3	6	2
1992	282	61	8	5	2	-	1	4	7	4	7
1991	288	45	12	1	-	1	-	3	3	2	5
1990	269	44	6	2	2	2	1	-	1	5	4
1989	288	48	10	1	1	1	2	3	3	2	-
1988	281	47	14	1	1	-	2	1	5	2	4
1987	267	39	9	4	1	2	1	2	4	4	5
1986	280	38	6	1	1	1	3	-	2	5	2
1985	303	44	10	1	1	3	2	1	2	2	4
1984	260	35	10	1	2	4	2	3	3	4	3
1983	273	57	6	2	1	2	2	2	-	6	2
1982	250	47	19	1	2	2	4	4	7	3	3
1981	277	52	8	1	2	1	2	4	1	2	5
1980	299	52	24	3	1	5	4	5	2	3	3
1979	283	57	15	4	2	3	2	6	2	-	5

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Acute bronchitis and bronchiolitis (466)											
All races, female											
1998	258	15	4	1	1	1	4	1	1	2	4
1997	271	27	10	2	3	-	-	-	-	6	4
1996	281	25	11	1	2	-	1	-	-	1	-
1995	308	31	13	1	-	1	-	1	-	2	3
1994	335	31	6	2	-	-	-	1	-	4	2
1993	376	30	6	3	1	-	1	-	2	-	3
1992	295	31	8	-	-	-	-	2	2	-	3
1991	345	23	6	1	3	-	3	1	2	-	1
1990	364	31	12	1	1	2	-	3	1	2	6
1989	345	25	11	1	1	-	-	1	3	4	1
1988	354	25	8	3	-	1	2	-	2	3	2
1987	281	24	11	2	3	-	-	-	1	4	2
1986	308	21	8	2	1	-	2	-	2	-	3
1985	297	20	7	-	1	-	1	-	2	2	1
1984	284	22	14	1	-	1	1	-	2	1	5
1983	279	30	8	1	-	1	2	4	1	3	5
1982	253	27	8	3	-	1	1	3	2	1	5
1981	296	34	14	4	3	1	1	-	2	1	5
1980	343	35	10	3	-	2	3	4	2	1	2
1979	271	37	19	3	1	1	1	5	3	1	4
Acute bronchitis and bronchiolitis (466)											
White, both sexes											
1998	400	28	8	1	1	-	4	2	3	2	2
1997	404	46	14	3	2	-	-	1	1	6	6
1996	418	38	14	2	1	-	1	-	4	1	4
1995	477	44	16	2	1	2	-	5	1	3	4
1994	497	48	16	2	1	-	-	1	-	3	5
1993	583	49	7	3	3	3	3	5	4	6	3
1992	500	58	8	5	2	-	1	6	8	2	8
1991	560	53	10	2	2	1	2	3	4	2	6
1990	559	39	11	2	3	2	1	2	2	4	9
1989	544	37	13	1	2	1	1	3	4	4	1
1988	564	44	18	1	1	1	3	1	5	5	5
1987	485	37	14	6	4	2	1	1	3	5	4
1986	537	43	11	2	1	1	4	-	4	5	5
1985	532	49	8	-	1	3	2	1	2	4	4
1984	482	35	18	2	2	4	2	3	3	4	6
1983	481	56	11	2	-	3	4	4	1	6	7
1982	433	49	17	4	1	3	4	6	6	4	8
1981	507	57	12	5	5	2	3	4	3	2	10
1980	568	64	23	4	1	6	7	9	2	4	2
1979	482	63	24	6	3	3	3	10	2	1	7

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Acute bronchitis and bronchiolitis (466)											
White, male											
1998	164	19	6	-	-	-	1	1	3	1	-
1997	161	28	8	2	-	-	-	1	1	2	3
1996	176	27	12	1	1	-	-	-	4	-	4
1995	197	27	8	1	1	1	-	4	1	2	1
1994	199	31	12	-	1	-	-	-	-	1	3
1993	242	31	4	-	2	3	2	5	2	6	1
1992	239	39	5	5	2	-	1	4	7	2	5
1991	248	35	7	1	-	1	-	3	3	2	5
1990	233	21	4	2	2	-	1	-	1	3	4
1989	241	24	7	1	1	1	1	2	2	2	-
1988	246	29	11	-	1	-	2	1	4	2	4
1987	236	26	7	4	1	2	1	1	2	3	3
1986	251	27	5	1	1	1	2	-	2	5	2
1985	258	33	4	-	1	3	1	1	1	2	4
1984	230	25	8	1	2	4	1	3	2	4	2
1983	229	38	4	2	-	2	2	1	-	3	2
1982	205	29	12	1	1	2	4	3	5	3	3
1981	242	34	5	1	2	1	2	4	1	1	5
1980	255	37	17	2	1	4	4	5	1	3	1
1979	243	40	10	3	2	2	2	5	1	-	5
Acute bronchitis and bronchiolitis (466)											
White, female											
1998	236	9	2	1	1	-	3	1	-	1	2
1997	243	18	6	1	2	-	-	-	-	4	3
1996	242	11	2	1	-	-	1	-	-	1	-
1995	280	17	8	1	-	1	-	1	-	1	3
1994	298	17	4	2	-	-	-	1	-	2	2
1993	341	18	3	3	1	-	1	-	2	-	2
1992	261	19	3	-	-	-	-	2	1	-	3
1991	312	18	3	1	2	-	2	-	1	-	1
1990	326	18	7	-	1	2	-	2	1	1	5
1989	303	13	6	-	1	-	-	1	2	2	1
1988	318	15	7	1	-	1	1	-	1	3	1
1987	249	11	7	2	3	-	-	-	1	2	1
1986	286	16	6	1	-	-	2	-	2	-	3
1985	274	16	4	-	-	-	1	-	1	2	-
1984	252	10	10	1	-	-	1	-	1	-	4
1983	252	18	7	-	-	1	2	3	1	3	5
1982	228	20	5	3	-	1	-	3	1	1	5
1981	265	23	7	4	3	1	1	-	2	1	5
1980	313	27	6	2	-	2	3	4	1	1	1
1979	239	23	14	3	1	1	1	5	1	1	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Acute bronchitis and bronchiolitis (466)											
All other, both sexes											
1998	52	16	10	-	-	1	1	-	1	2	3
1997	61	21	6	2	1	-	1	-	-	3	1
1996	68	27	11	-	3	-	-	-	-	1	-
1995	55	27	9	-	-	-	-	-	-	1	-
1994	81	36	8	1	-	-	-	-	-	2	1
1993	79	26	7	-	-	-	-	-	1	-	2
1992	77	34	8	-	-	-	-	-	1	2	2
1991	73	15	8	-	1	-	1	1	1	-	-
1990	74	36	7	1	-	2	-	1	-	3	1
1989	89	36	8	1	-	-	1	1	2	2	-
1988	71	28	4	3	-	-	1	-	2	-	1
1987	63	26	6	-	-	-	-	1	2	3	3
1986	51	16	3	1	1	-	1	-	-	-	-
1985	68	15	9	1	1	-	1	-	2	-	1
1984	62	22	6	-	-	1	1	-	2	1	2
1983	71	31	3	1	1	-	-	2	-	3	-
1982	70	25	10	-	1	-	1	1	3	-	-
1981	66	29	10	-	-	-	-	-	-	1	-
1980	74	23	11	2	-	1	-	-	2	-	3
1979	72	31	10	1	-	1	-	1	3	-	2
Acute bronchitis and bronchiolitis (466)											
All other, male											
1998	30	10	8	-	-	-	-	-	-	1	1
1997	33	12	2	1	-	-	1	-	-	1	-
1996	29	13	2	-	1	-	-	-	-	1	-
1995	27	13	4	-	-	-	-	-	-	-	-
1994	44	22	6	1	-	-	-	-	-	-	1
1993	44	14	4	-	-	-	-	-	1	-	1
1992	43	22	3	-	-	-	-	-	-	2	2
1991	40	10	5	-	-	-	-	-	-	-	-
1990	36	23	2	-	-	2	-	-	-	2	-
1989	47	24	3	-	-	-	1	1	1	-	-
1988	35	18	3	1	-	-	-	-	1	-	-
1987	31	13	2	-	-	-	-	1	2	1	2
1986	29	11	1	-	-	-	1	-	-	-	-
1985	45	11	6	1	-	-	1	-	1	-	-
1984	30	10	2	-	-	-	1	-	1	-	1
1983	44	19	2	-	1	-	-	1	-	3	-
1982	45	18	7	-	1	-	-	1	2	-	-
1981	35	18	3	-	-	-	-	-	-	1	-
1980	44	15	7	1	-	1	-	-	1	-	2
1979	40	17	5	1	-	1	-	1	1	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Acute bronchitis and bronchiolitis (466)											
All other, female											
1998	22	6	2	-	-	1	1	-	1	1	2
1997	28	9	4	1	1	-	-	-	-	2	1
1996	39	14	9	-	2	-	-	-	-	-	-
1995	28	14	5	-	-	-	-	-	-	1	-
1994	37	14	2	-	-	-	-	-	-	2	-
1993	35	12	3	-	-	-	-	-	-	-	1
1992	34	12	5	-	-	-	-	-	1	-	-
1991	33	5	3	-	1	-	1	1	1	-	-
1990	38	13	5	1	-	-	-	1	-	1	1
1989	42	12	5	1	-	-	-	-	1	2	-
1988	36	10	1	2	-	-	1	-	1	-	1
1987	32	13	4	-	-	-	-	-	-	2	1
1986	22	5	2	1	1	-	-	-	-	-	-
1985	23	4	3	-	1	-	-	-	1	-	1
1984	32	12	4	-	-	1	-	-	1	1	1
1983	27	12	1	1	-	-	-	1	-	-	-
1982	25	7	3	-	-	-	1	-	1	-	-
1981	31	11	7	-	-	-	-	-	-	-	-
1980	30	8	4	1	-	-	-	-	1	-	1
1979	32	14	5	-	-	-	-	-	2	-	2
Acute bronchitis and bronchiolitis (466)											
Black, both sexes											
1998	46	12	10	-	-	1	1	-	1	2	3
1997	53	18	6	1	1	-	1	-	-	3	1
1996	55	22	9	-	3	-	-	-	-	1	-
1995	49	25	7	-	-	-	-	-	-	1	-
1994	77	32	8	1	-	-	-	-	-	2	1
1993	69	25	7	-	-	-	-	-	1	-	1
1992	71	32	8	-	-	-	-	-	1	2	2
1991	57	11	6	-	1	-	1	1	1	-	-
1990	64	32	6	1	-	2	-	1	-	2	1
1989	79	30	8	1	-	-	1	1	2	1	-
1988	62	23	3	3	-	-	1	-	2	-	1
1987	56	22	6	-	-	-	-	1	1	3	3
1986	47	15	3	1	1	-	1	-	-	-	-
1985	63	15	8	1	1	-	1	-	2	-	1
1984	56	22	5	-	-	-	1	-	2	1	2
1983	59	25	2	1	1	-	-	2	-	3	-
1982	59	21	7	-	1	-	1	1	3	-	-
1981	56	25	7	-	-	-	-	-	-	1	-
1980	64	21	10	2	-	1	-	-	-	-	2
1979	69	30	9	1	-	1	-	1	3	-	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Acute bronchitis and bronchiolitis (466)											
Black, male											
1998	27	8	8	-	-	-	-	-	-	1	1
1997	27	9	2	1	-	-	1	-	-	1	-
1996	24	12	1	-	1	-	-	-	-	1	-
1995	24	12	3	-	-	-	-	-	-	-	-
1994	41	19	6	1	-	-	-	-	-	-	1
1993	39	14	4	-	-	-	-	-	1	-	-
1992	38	21	3	-	-	-	-	-	-	2	2
1991	31	6	5	-	-	-	-	-	-	-	-
1990	33	20	2	-	-	2	-	-	-	2	-
1989	39	19	3	-	-	-	1	1	1	-	-
1988	32	16	2	1	-	-	-	-	1	-	-
1987	27	11	2	-	-	-	-	1	1	1	2
1986	27	10	1	-	-	-	1	-	-	-	-
1985	41	11	5	1	-	-	1	-	1	-	-
1984	28	10	2	-	-	-	1	-	1	-	1
1983	34	14	2	-	1	-	-	1	-	3	-
1982	36	15	5	-	1	-	-	1	2	-	-
1981	28	15	1	-	-	-	-	-	-	1	-
1980	35	13	6	1	-	1	-	-	-	-	1
1979	39	17	5	1	-	1	-	1	1	-	-
Acute bronchitis and bronchiolitis (466)											
Black, female											
1998	19	4	2	-	-	1	1	-	1	1	2
1997	26	9	4	-	1	-	-	-	-	2	1
1996	31	10	8	-	2	-	-	-	-	-	-
1995	25	13	4	-	-	-	-	-	-	1	-
1994	36	13	2	-	-	-	-	-	-	2	-
1993	30	11	3	-	-	-	-	-	-	-	1
1992	33	11	5	-	-	-	-	-	1	-	-
1991	26	5	1	-	1	-	1	1	1	-	-
1990	31	12	4	1	-	-	-	1	-	-	1
1989	40	11	5	1	-	-	-	-	1	1	-
1988	30	7	1	2	-	-	1	-	1	-	1
1987	29	11	4	-	-	-	-	-	-	2	1
1986	20	5	2	1	1	-	-	-	-	-	-
1985	22	4	3	-	1	-	-	-	1	-	1
1984	28	12	3	-	-	-	-	-	1	1	1
1983	25	11	-	1	-	-	-	1	-	-	-
1982	23	6	2	-	-	-	1	-	1	-	-
1981	28	10	6	-	-	-	-	-	-	-	-
1980	29	8	4	1	-	-	-	-	-	-	1
1979	30	13	4	-	-	-	-	-	2	-	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Chronic lower respiratory diseases (490-494,496)											
All races, both sexes											
1998	112,559	39	49	54	98	98	141	155	173	337	547
1997	109,002	50	41	50	79	96	105	156	201	315	570
1996	105,988	38	51	55	110	111	126	162	188	305	547
1995	102,876	43	37	38	105	132	114	141	232	312	519
1994	101,601	54	44	41	86	120	112	158	206	304	433
1993	101,053	53	51	43	95	91	115	126	170	283	450
1992	91,924	45	63	38	62	90	99	103	175	268	432
1991	90,624	59	51	44	78	103	105	139	192	250	436
1990	86,653	55	55	34	81	82	96	133	166	222	385
1989	84,325	48	55	43	70	86	90	126	191	243	388
1988	82,839	55	44	32	71	74	103	136	163	236	394
1987	78,366	53	49	31	88	109	100	109	155	243	390
1986	76,544	60	34	29	77	94	96	116	130	205	337
1985	74,643	52	36	37	78	73	107	98	135	200	294
1984	69,079	56	46	36	58	64	95	106	119	179	313
1983	66,234	52	58	32	61	96	88	113	123	183	302
1982	59,861	61	59	35	51	92	108	94	129	169	278
1981	58,819	60	43	36	61	64	85	102	111	167	273
1980	56,040	57	46	25	60	63	78	91	111	142	268
1979	49,923	66	61	24	33	62	70	87	89	151	273
Chronic lower respiratory diseases (490-494,496)											
All races, male											
1998	56,999	24	33	26	62	56	93	87	89	169	259
1997	55,969	32	27	30	41	67	68	79	111	150	265
1996	54,460	25	34	36	61	64	67	76	84	142	257
1995	53,919	28	20	29	69	69	64	74	116	157	210
1994	53,707	34	26	26	56	75	68	82	106	151	221
1993	54,359	31	33	23	56	56	72	62	74	132	223
1992	50,455	34	35	20	35	51	55	61	97	134	224
1991	50,464	32	34	23	52	59	57	77	97	125	231
1990	49,397	32	40	24	47	43	48	70	84	120	201
1989	48,166	35	28	27	43	49	47	66	102	128	205
1988	48,930	33	25	24	39	42	57	70	87	124	205
1987	47,028	34	25	19	59	60	57	60	79	127	206
1986	47,046	43	19	15	43	59	54	64	54	107	183
1985	46,585	37	19	23	34	37	54	50	68	106	151
1984	43,995	35	19	17	43	35	55	54	49	91	161
1983	43,111	33	42	19	37	49	44	56	60	92	143
1982	39,696	40	29	19	23	54	66	50	74	92	132
1981	39,764	38	31	22	36	40	48	59	54	74	146
1980	38,620	34	29	12	30	34	44	49	57	70	144
1979	35,287	40	33	12	23	30	37	43	49	72	147

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Chronic lower respiratory diseases (490-494,496)											
All races, female											
1998	55,560	15	16	28	36	42	48	68	84	168	288
1997	53,033	18	14	20	38	29	37	77	90	165	305
1996	51,528	13	17	19	49	47	59	86	104	163	290
1995	48,957	15	17	9	36	63	50	67	116	155	309
1994	47,894	20	18	15	30	45	44	76	100	153	212
1993	46,694	22	18	20	39	35	43	64	96	151	227
1992	41,469	11	28	18	27	39	44	42	78	134	208
1991	40,160	27	17	21	26	44	48	62	95	125	205
1990	37,256	23	15	10	34	39	48	63	82	102	184
1989	36,159	13	27	16	27	37	43	60	89	115	183
1988	33,909	22	19	8	32	32	46	66	76	112	189
1987	31,338	19	24	12	29	49	43	49	76	116	184
1986	29,498	17	15	14	34	35	42	52	76	98	154
1985	28,058	15	17	14	44	36	53	48	67	94	143
1984	25,084	21	27	19	15	29	40	52	70	88	152
1983	23,123	19	16	13	24	47	44	57	63	91	159
1982	20,165	21	30	16	28	38	42	44	55	77	146
1981	19,055	22	12	14	25	24	37	43	57	93	127
1980	17,420	23	17	13	30	29	34	42	54	72	124
1979	14,636	26	28	12	10	32	33	44	40	79	126
Chronic lower respiratory diseases (490-494,496)											
White, both sexes											
1998	104,036	20	23	29	49	50	79	82	86	207	371
1997	100,743	29	17	20	40	56	69	87	115	191	399
1996	97,851	19	22	26	50	56	67	97	101	198	364
1995	95,056	29	24	16	51	77	61	84	148	192	351
1994	94,046	36	21	20	42	63	69	76	130	189	281
1993	93,592	35	24	22	51	53	67	68	102	180	272
1992	85,218	22	32	16	34	54	53	62	106	167	307
1991	83,927	34	26	20	45	60	58	83	113	145	303
1990	80,155	38	31	17	42	51	57	80	94	137	264
1989	77,863	33	36	21	41	59	53	67	119	146	250
1988	76,660	35	27	16	37	42	57	86	89	136	270
1987	72,655	39	31	17	42	64	58	68	90	152	292
1986	71,107	38	24	15	45	47	60	76	79	134	245
1985	69,419	37	21	18	40	39	60	60	78	139	216
1984	64,256	31	33	26	31	32	67	63	74	112	217
1983	61,697	38	31	18	30	54	60	70	63	120	209
1982	55,879	39	34	24	27	59	64	61	81	109	193
1981	54,971	45	25	25	38	35	57	63	70	110	204
1980	52,366	36	25	14	35	39	45	53	64	87	193
1979	46,682	50	48	17	25	39	46	51	53	96	204

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Chronic lower respiratory diseases (490-494,496)											
White, male											
1998	52,153	14	16	12	29	30	49	44	43	109	177
1997	51,169	18	9	11	23	43	41	41	62	84	197
1996	49,797	12	14	18	31	29	34	43	44	92	169
1995	49,302	20	11	12	28	35	31	41	69	97	146
1994	49,204	21	11	15	26	39	37	34	59	101	147
1993	49,800	20	17	15	24	31	40	31	48	86	134
1992	46,346	19	22	8	18	29	25	32	60	90	160
1991	46,297	19	16	11	30	33	27	46	58	71	157
1990	45,217	21	21	13	20	22	28	42	49	78	134
1989	44,035	25	18	11	27	31	24	31	61	76	121
1988	44,818	23	19	13	21	21	28	39	44	71	137
1987	43,279	24	14	7	26	35	34	33	46	74	157
1986	43,329	28	12	6	21	31	33	42	32	71	129
1985	43,063	30	10	16	13	18	24	26	37	70	103
1984	40,710	20	11	12	23	18	39	32	35	59	114
1983	39,970	22	22	10	17	26	30	34	29	59	99
1982	36,964	27	17	13	11	33	39	34	44	60	87
1981	36,983	29	15	17	23	17	30	39	30	50	108
1980	35,972	20	16	7	14	20	26	31	35	37	99
1979	32,934	29	27	8	18	21	25	26	32	44	105
Chronic lower respiratory diseases (490-494,496)											
White, female											
1998	51,883	6	7	17	20	20	30	38	43	98	194
1997	49,574	11	8	9	17	13	28	46	53	107	202
1996	48,054	7	8	8	19	27	33	54	57	106	195
1995	45,754	9	13	4	23	42	30	43	79	95	205
1994	44,842	15	10	5	16	24	32	42	71	88	134
1993	43,792	15	7	7	27	22	27	37	54	94	138
1992	38,872	3	10	8	16	25	28	30	46	77	147
1991	37,630	15	10	9	15	27	31	37	55	74	146
1990	34,938	17	10	4	22	29	29	38	45	59	130
1989	33,828	8	18	10	14	28	29	36	58	70	129
1988	31,842	12	8	3	16	21	29	47	45	65	133
1987	29,376	15	17	10	16	29	24	35	44	78	135
1986	27,778	10	12	9	24	16	27	34	47	63	116
1985	26,356	7	11	2	27	21	36	34	41	69	113
1984	23,546	11	22	14	8	14	28	31	39	53	103
1983	21,727	16	9	8	13	28	30	36	34	61	110
1982	18,915	12	17	11	16	26	25	27	37	49	106
1981	17,988	16	10	8	15	18	27	24	40	60	96
1980	16,394	16	9	7	21	19	19	22	29	50	94
1979	13,748	21	21	9	7	18	21	25	21	52	99

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Chronic lower respiratory diseases (490-494,496)											
All other, both sexes											
1998	8,523	19	26	25	49	48	62	73	87	130	176
1997	8,259	21	24	30	39	40	36	69	86	124	171
1996	8,137	19	29	29	60	55	59	65	87	107	183
1995	7,820	14	13	22	54	55	53	57	84	120	168
1994	7,555	18	23	21	44	57	43	82	76	115	152
1993	7,461	18	27	21	44	38	48	58	68	103	178
1992	6,706	23	31	22	28	36	46	41	69	101	125
1991	6,697	25	25	24	33	43	47	56	79	105	133
1990	6,498	17	24	17	39	31	39	53	72	85	121
1989	6,462	15	19	22	29	27	37	59	72	97	138
1988	6,179	20	17	16	34	32	46	50	74	100	124
1987	5,711	14	18	14	46	45	42	41	65	91	98
1986	5,437	22	10	14	32	47	36	40	51	71	92
1985	5,224	15	15	19	38	34	47	38	57	61	78
1984	4,823	25	13	10	27	32	28	43	45	67	96
1983	4,537	14	27	14	31	42	28	43	60	63	93
1982	3,982	22	25	11	24	33	44	33	48	60	85
1981	3,848	15	18	11	23	29	28	39	41	57	69
1980	3,674	21	21	11	25	24	33	38	47	55	75
1979	3,241	16	13	7	8	23	24	36	36	55	69
Chronic lower respiratory diseases (490-494,496)											
All other, male											
1998	4,846	10	17	14	33	26	44	43	46	60	82
1997	4,800	14	18	19	18	24	27	38	49	66	68
1996	4,663	13	20	18	30	35	33	33	40	50	88
1995	4,617	8	9	17	41	34	33	33	47	60	64
1994	4,503	13	15	11	30	36	31	48	47	50	74
1993	4,559	11	16	8	32	25	32	31	26	46	89
1992	4,109	15	13	12	17	22	30	29	37	44	64
1991	4,167	13	18	12	22	26	30	31	39	54	74
1990	4,180	11	19	11	27	21	20	28	35	42	67
1989	4,131	10	10	16	16	18	23	35	41	52	84
1988	4,112	10	6	11	18	21	29	31	43	53	68
1987	3,749	10	11	12	33	25	23	27	33	53	49
1986	3,717	15	7	9	22	28	21	22	22	36	54
1985	3,522	7	9	7	21	19	30	24	31	36	48
1984	3,285	15	8	5	20	17	16	22	14	32	47
1983	3,141	11	20	9	20	23	14	22	31	33	44
1982	2,732	13	12	6	12	21	27	16	30	32	45
1981	2,781	9	16	5	13	23	18	20	24	24	38
1980	2,648	14	13	5	16	14	18	18	22	33	45
1979	2,353	11	6	4	5	9	12	17	17	28	42

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Chronic lower respiratory diseases (490-494,496)											
All other, female											
1998	3,677	9	9	11	16	22	18	30	41	70	94
1997	3,459	7	6	11	21	16	9	31	37	58	103
1996	3,474	6	9	11	30	20	26	32	47	57	95
1995	3,203	6	4	5	13	21	20	24	37	60	104
1994	3,052	5	8	10	14	21	12	34	29	65	78
1993	2,902	7	11	13	12	13	16	27	42	57	89
1992	2,597	8	18	10	11	14	16	12	32	57	61
1991	2,530	12	7	12	11	17	17	25	40	51	59
1990	2,318	6	5	6	12	10	19	25	37	43	54
1989	2,331	5	9	6	13	9	14	24	31	45	54
1988	2,067	10	11	5	16	11	17	19	31	47	56
1987	1,962	4	7	2	13	20	19	14	32	38	49
1986	1,720	7	3	5	10	19	15	18	29	35	38
1985	1,702	8	6	12	17	15	17	14	26	25	30
1984	1,538	10	5	5	7	15	12	21	31	35	49
1983	1,396	3	7	5	11	19	14	21	29	30	49
1982	1,250	9	13	5	12	12	17	17	18	28	40
1981	1,067	6	2	6	10	6	10	19	17	33	31
1980	1,026	7	8	6	9	10	15	20	25	22	30
1979	888	5	7	3	3	14	12	19	19	27	27
Chronic lower respiratory diseases (490-494,496)											
Black, both sexes											
1998	7,205	16	24	23	41	47	58	68	75	126	160
1997	6,908	18	22	27	37	33	32	63	80	114	153
1996	6,923	17	25	25	53	52	52	59	77	102	168
1995	6,665	14	12	21	51	53	51	54	80	104	151
1994	6,511	16	20	20	41	52	38	76	72	113	139
1993	6,434	16	23	21	41	37	45	53	63	92	168
1992	5,856	21	28	21	26	35	45	37	63	92	119
1991	5,816	25	24	22	32	40	42	51	73	95	120
1990	5,654	15	22	16	37	27	36	49	68	80	111
1989	5,670	12	18	18	27	25	35	54	68	89	125
1988	5,475	18	16	13	31	29	40	44	70	97	116
1987	5,051	12	18	13	43	42	39	38	64	85	95
1986	4,856	19	9	14	32	40	36	38	46	64	85
1985	4,659	13	13	17	36	31	45	35	55	60	74
1984	4,292	23	12	9	25	31	27	37	44	60	90
1983	4,068	11	25	11	28	40	25	42	56	60	84
1982	3,631	21	24	10	24	31	40	33	44	57	82
1981	3,515	15	18	11	22	26	25	38	35	54	64
1980	3,379	20	18	11	25	22	32	35	44	52	71
1979	2,957	14	11	7	8	22	22	34	34	53	63

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Chronic lower respiratory diseases (490-494,496)											
Black, male											
1998	4,039	8	15	12	27	26	43	40	40	57	73
1997	3,966	12	18	16	17	18	24	34	44	61	61
1996	3,928	13	16	15	26	34	28	28	36	47	82
1995	3,916	8	8	17	38	33	31	31	47	51	54
1994	3,857	12	12	11	28	31	26	45	46	49	67
1993	3,913	9	12	8	30	24	31	29	24	42	81
1992	3,568	14	13	12	16	21	29	27	34	40	63
1991	3,621	13	17	10	21	24	25	28	36	47	69
1990	3,627	9	17	11	26	18	20	27	34	42	62
1989	3,592	9	9	14	14	17	21	32	39	47	75
1988	3,644	9	6	9	15	20	24	27	40	52	65
1987	3,319	8	11	11	30	23	23	26	32	48	47
1986	3,302	12	6	9	22	24	21	21	20	33	50
1985	3,154	6	9	5	20	17	29	21	30	36	46
1984	2,922	15	8	5	19	16	15	19	14	31	42
1983	2,813	8	19	8	18	22	13	21	30	32	41
1982	2,489	12	12	6	12	21	27	16	28	31	44
1981	2,544	9	16	5	12	20	16	20	20	22	38
1980	2,429	13	11	5	16	13	17	16	22	30	42
1979	2,166	10	6	4	5	8	11	16	17	27	37
Chronic lower respiratory diseases (490-494,496)											
Black, female											
1998	3,166	8	9	11	14	21	15	28	35	69	87
1997	2,942	6	4	11	20	15	8	29	36	53	92
1996	2,995	4	9	10	27	18	24	31	41	55	86
1995	2,749	6	4	4	13	20	20	23	33	53	97
1994	2,654	4	8	9	13	21	12	31	26	64	72
1993	2,521	7	11	13	11	13	14	24	39	50	87
1992	2,288	7	15	9	10	14	16	10	29	52	56
1991	2,195	12	7	12	11	16	17	23	37	48	51
1990	2,027	6	5	5	11	9	16	22	34	38	49
1989	2,078	3	9	4	13	8	14	22	29	42	50
1988	1,831	9	10	4	16	9	16	17	30	45	51
1987	1,732	4	7	2	13	19	16	12	32	37	48
1986	1,554	7	3	5	10	16	15	17	26	31	35
1985	1,505	7	4	12	16	14	16	14	25	24	28
1984	1,370	8	4	4	6	15	12	18	30	29	48
1983	1,255	3	6	3	10	18	12	21	26	28	43
1982	1,142	9	12	4	12	10	13	17	16	26	38
1981	971	6	2	6	10	6	9	18	15	32	26
1980	950	7	7	6	9	9	15	19	22	22	29
1979	791	4	5	3	3	14	11	18	17	26	26

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Bronchitis, chronic and unspecified (490-491)											
All races, both sexes											
1998	3,032	27	12	5	6	3	7	5	8	22	19
1997	3,055	39	10	2	4	8	4	7	6	13	26
1996	3,151	27	11	5	7	5	4	10	18	17	32
1995	3,333	26	13	-	6	11	4	11	11	15	23
1994	3,579	41	16	2	3	5	1	5	8	17	23
1993	3,777	41	12	8	7	3	6	8	9	17	29
1992	3,664	33	20	4	3	6	4	3	12	19	21
1991	3,727	45	19	7	5	4	10	10	7	17	22
1990	3,600	39	23	3	4	2	5	11	8	13	25
1989	3,759	30	26	4	6	1	8	8	9	17	13
1988	3,720	43	18	2	2	1	4	9	13	15	20
1987	3,581	36	23	10	4	4	12	9	10	11	15
1986	3,750	40	12	2	3	3	6	4	8	14	19
1985	3,615	40	12	5	5	7	2	4	10	14	10
1984	3,545	38	17	2	4	4	7	8	9	15	21
1983	3,578	36	23	3	1	8	5	6	4	9	16
1982	3,495	41	24	3	3	7	10	4	10	18	15
1981	3,685	44	24	5	9	3	11	8	6	13	14
1980	3,728	42	21	7	5	7	5	6	10	12	23
1979	3,650	57	37	10	4	5	9	12	5	9	18
Bronchitis, chronic and unspecified (490-491)											
All races, male											
1998	1,482	18	9	2	2	1	4	3	4	10	14
1997	1,460	27	6	1	2	5	3	4	3	4	15
1996	1,574	18	9	2	2	3	1	6	7	7	20
1995	1,667	22	5	-	2	7	3	5	4	8	9
1994	1,763	26	8	2	2	2	1	2	3	13	12
1993	1,888	24	8	4	4	3	4	4	6	9	14
1992	1,819	24	14	3	3	3	2	1	7	9	15
1991	1,957	23	14	3	2	3	5	7	4	7	13
1990	1,878	23	14	2	3	1	1	7	4	5	11
1989	1,956	22	16	3	3	1	4	4	7	13	9
1988	1,992	26	10	2	1	-	3	4	6	6	12
1987	1,884	22	11	7	4	3	6	5	5	7	11
1986	2,079	27	7	-	2	2	5	2	3	8	14
1985	2,041	28	6	4	-	4	1	2	7	5	6
1984	2,029	25	4	1	3	3	6	3	5	8	10
1983	2,139	22	16	2	-	4	3	4	2	3	10
1982	2,126	24	9	2	1	4	8	3	6	7	4
1981	2,344	31	18	1	7	1	7	6	4	8	7
1980	2,380	25	15	5	3	5	2	2	4	9	14
1979	2,405	34	22	6	3	4	5	8	4	3	8

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Bronchitis, chronic and unspecified (490-491)											
All races, female											
1998	1,550	9	3	3	4	2	3	2	4	12	5
1997	1,595	12	4	1	2	3	1	3	3	9	11
1996	1,577	9	2	3	5	2	3	4	11	10	12
1995	1,666	4	8	-	4	4	1	6	7	7	14
1994	1,816	15	8	-	1	3	-	3	5	4	11
1993	1,889	17	4	4	3	-	2	4	3	8	15
1992	1,845	9	6	1	-	3	2	2	5	10	6
1991	1,770	22	5	4	3	1	5	3	3	10	9
1990	1,722	16	9	1	1	1	4	4	4	8	14
1989	1,803	8	10	1	3	-	4	4	2	4	4
1988	1,728	17	8	-	1	1	1	5	7	9	8
1987	1,697	14	12	3	-	1	6	4	5	4	4
1986	1,671	13	5	2	1	1	1	2	5	6	5
1985	1,574	12	6	1	5	3	1	2	3	9	4
1984	1,516	13	13	1	1	1	1	5	4	7	11
1983	1,439	14	7	1	1	4	2	2	2	6	6
1982	1,369	17	15	1	2	3	2	1	4	11	11
1981	1,341	13	6	4	2	2	4	2	2	5	7
1980	1,348	17	6	2	2	2	3	4	6	3	9
1979	1,245	23	15	4	1	1	4	4	1	6	10
Bronchitis, chronic and unspecified (490-491)											
White, both sexes											
1998	2,817	15	8	5	5	2	7	4	6	16	15
1997	2,805	25	7	-	2	5	3	6	5	7	19
1996	2,889	16	9	3	4	4	3	9	11	11	22
1995	3,053	18	8	-	5	7	4	5	9	10	13
1994	3,323	27	11	1	3	4	1	3	5	13	18
1993	3,502	26	7	4	5	3	4	5	6	11	20
1992	3,421	17	13	4	2	6	4	2	10	13	16
1991	3,459	26	13	5	-	3	9	6	4	12	15
1990	3,365	27	14	-	2	1	3	7	8	11	20
1989	3,522	21	20	3	2	1	7	6	9	12	10
1988	3,491	29	12	2	1	-	3	5	9	9	14
1987	3,379	27	19	8	2	2	8	5	7	10	14
1986	3,531	27	9	2	2	1	6	3	6	13	16
1985	3,413	28	8	2	5	4	2	3	7	12	7
1984	3,359	21	15	2	2	3	7	6	7	13	14
1983	3,364	24	14	2	1	6	5	6	1	7	12
1982	3,311	28	16	3	3	5	9	4	10	12	9
1981	3,486	33	16	5	7	2	10	6	6	10	14
1980	3,513	27	12	6	5	6	4	5	9	9	17
1979	3,452	41	30	9	4	5	8	11	4	7	13

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Bronchitis, chronic and unspecified (490-491)											
White, male											
1998	1,359	11	5	2	2	1	4	2	3	7	10
1997	1,321	17	4	-	1	3	2	3	2	2	9
1996	1,435	10	8	2	1	2	1	5	5	5	14
1995	1,509	15	2	-	2	5	3	-	3	5	5
1994	1,618	16	5	1	2	1	1	2	3	11	9
1993	1,734	14	6	3	2	3	3	2	4	6	12
1992	1,685	14	10	3	2	3	2	1	6	7	11
1991	1,801	15	10	2	-	2	4	4	3	5	9
1990	1,726	15	8	-	1	-	1	5	4	5	7
1989	1,823	17	13	2	1	1	3	4	7	8	6
1988	1,850	19	8	2	-	-	2	2	3	4	9
1987	1,766	17	8	5	2	2	5	3	4	6	10
1986	1,931	19	6	-	1	1	5	2	1	7	11
1985	1,929	23	5	2	-	3	1	1	5	5	4
1984	1,912	14	3	1	1	2	6	2	3	6	6
1983	1,995	13	10	2	-	4	3	4	1	3	7
1982	2,010	16	6	2	1	3	7	3	6	4	2
1981	2,193	23	11	1	5	-	6	5	4	6	7
1980	2,231	16	9	5	3	4	2	2	3	6	11
1979	2,275	23	19	5	3	4	5	8	4	3	5
Bronchitis, chronic and unspecified (490-491)											
White, female											
1998	1,458	4	3	3	3	1	3	2	3	9	5
1997	1,484	8	3	-	1	2	1	3	3	5	10
1996	1,454	6	1	1	3	2	2	4	6	6	8
1995	1,544	3	6	-	3	2	1	5	6	5	8
1994	1,705	11	6	-	1	3	-	1	2	2	9
1993	1,768	12	1	1	3	-	1	3	2	5	8
1992	1,736	3	3	1	-	3	2	1	4	6	5
1991	1,658	11	3	3	-	1	5	2	1	7	6
1990	1,639	12	6	-	1	1	2	2	4	6	13
1989	1,699	4	7	1	1	-	4	2	2	4	4
1988	1,641	10	4	-	1	-	1	3	6	5	5
1987	1,613	10	11	3	-	-	3	2	3	4	4
1986	1,600	8	3	2	1	-	1	1	5	6	5
1985	1,484	5	3	-	5	1	1	2	2	7	3
1984	1,447	7	12	1	1	1	1	4	4	7	8
1983	1,369	11	4	-	1	2	2	2	-	4	5
1982	1,301	12	10	1	2	2	2	1	4	8	7
1981	1,293	10	5	4	2	2	4	1	2	4	7
1980	1,282	11	3	1	2	2	2	3	6	3	6
1979	1,177	18	11	4	1	1	3	3	-	4	8

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Bronchitis, chronic and unspecified (490-491)											
All other, both sexes											
1998	215	12	4	-	1	1	-	1	2	6	4
1997	250	14	3	2	2	3	1	1	1	6	7
1996	262	11	2	2	3	1	1	1	7	6	10
1995	280	8	5	-	1	4	-	6	2	5	10
1994	256	14	5	1	-	1	-	2	3	4	5
1993	275	15	5	4	2	-	2	3	3	6	9
1992	243	16	7	-	1	-	-	1	2	6	5
1991	268	19	6	2	5	1	1	4	3	5	7
1990	235	12	9	3	2	1	2	4	-	2	5
1989	237	9	6	1	4	-	1	2	-	5	3
1988	229	14	6	-	1	1	1	4	4	6	6
1987	202	9	4	2	2	2	4	4	3	1	1
1986	219	13	3	-	1	2	-	1	2	1	3
1985	202	12	4	3	-	3	-	1	3	2	3
1984	186	17	2	-	2	1	-	2	2	2	7
1983	214	12	9	1	-	2	-	-	3	2	4
1982	184	13	8	-	-	2	1	-	-	6	6
1981	199	11	8	-	2	1	1	2	-	3	-
1980	215	15	9	1	-	1	1	1	1	3	6
1979	198	16	7	1	-	-	1	1	1	2	5
Bronchitis, chronic and unspecified (490-491)											
All other, male											
1998	123	7	4	-	-	-	-	1	1	3	4
1997	139	10	2	1	1	2	1	1	1	2	6
1996	139	8	1	-	1	1	-	1	2	2	6
1995	158	7	3	-	-	2	-	5	1	3	4
1994	145	10	3	1	-	1	-	-	-	2	3
1993	154	10	2	1	2	-	1	2	2	3	2
1992	134	10	4	-	1	-	-	-	1	2	4
1991	156	8	4	1	2	1	1	3	1	2	4
1990	152	8	6	2	2	1	-	2	-	-	4
1989	133	5	3	1	2	-	1	-	-	5	3
1988	142	7	2	-	1	-	1	2	3	2	3
1987	118	5	3	2	2	1	1	2	1	1	1
1986	148	8	1	-	1	1	-	-	2	1	3
1985	112	5	1	2	-	1	-	1	2	-	2
1984	117	11	1	-	2	1	-	1	2	2	4
1983	144	9	6	-	-	-	-	-	1	-	3
1982	116	8	3	-	-	1	1	-	-	3	2
1981	151	8	7	-	2	1	1	1	-	2	-
1980	149	9	6	-	-	1	-	-	1	3	3
1979	130	11	3	1	-	-	-	-	-	-	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Bronchitis, chronic and unspecified (490-491)											
All other, female											
1998	92	5	-	-	1	1	-	-	1	3	-
1997	111	4	1	1	1	1	-	-	-	4	1
1996	123	3	1	2	2	-	1	-	5	4	4
1995	122	1	2	-	1	2	-	1	1	2	6
1994	111	4	2	-	-	-	-	2	3	2	2
1993	121	5	3	3	-	-	1	1	1	3	7
1992	109	6	3	-	-	-	-	1	1	4	1
1991	112	11	2	1	3	-	-	1	2	3	3
1990	83	4	3	1	-	-	2	2	-	2	1
1989	104	4	3	-	2	-	-	2	-	-	-
1988	87	7	4	-	-	1	-	2	1	4	3
1987	84	4	1	-	-	1	3	2	2	-	-
1986	71	5	2	-	-	1	-	1	-	-	-
1985	90	7	3	1	-	2	-	-	1	2	1
1984	69	6	1	-	-	-	-	1	-	-	3
1983	70	3	3	1	-	2	-	-	2	2	1
1982	68	5	5	-	-	1	-	-	-	3	4
1981	48	3	1	-	-	-	-	1	-	1	-
1980	66	6	3	1	-	-	1	1	-	-	3
1979	68	5	4	-	-	-	1	1	1	2	2
Bronchitis, chronic and unspecified (490-491)											
Black, both sexes											
1998	165	10	4	-	1	1	-	1	1	5	4
1997	196	12	2	2	2	2	1	-	1	5	6
1996	214	10	2	2	1	-	1	1	7	6	9
1995	222	8	4	-	1	4	-	5	1	4	9
1994	209	12	4	1	-	-	-	2	2	4	5
1993	222	13	3	4	2	-	1	2	3	5	9
1992	204	14	5	-	1	-	-	1	2	5	5
1991	224	19	6	1	5	1	1	3	3	4	6
1990	190	10	8	3	2	-	1	4	-	2	4
1989	207	7	6	1	3	-	1	2	-	4	2
1988	193	14	5	-	1	1	1	2	3	6	5
1987	169	7	4	2	2	2	3	3	3	1	1
1986	184	11	3	-	1	2	-	1	1	1	3
1985	167	10	3	1	-	3	-	1	3	2	2
1984	166	16	2	-	2	1	-	2	2	2	6
1983	180	9	8	1	-	2	-	-	3	2	3
1982	163	12	8	-	-	2	1	-	-	6	5
1981	178	11	8	-	2	1	1	2	-	3	-
1980	195	14	8	1	-	1	1	1	1	3	6
1979	170	14	6	1	-	-	1	-	1	2	4

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Bronchitis, chronic and unspecified (490-491)

Black, male

1998	94	5	4	-	-	-	-	1	-	2	4
1997	108	9	2	1	1	1	1	-	1	1	5
1996	108	8	1	-	-	-	-	1	2	2	6
1995	127	7	2	-	-	2	-	4	1	3	4
1994	118	9	2	1	-	-	-	-	-	2	3
1993	122	8	-	1	2	-	1	1	2	3	2
1992	115	9	4	-	1	-	-	-	1	2	4
1991	135	8	4	-	2	1	1	2	1	1	4
1990	125	6	5	2	2	-	-	2	-	-	3
1989	113	5	3	1	1	-	1	-	-	4	2
1988	121	7	2	-	1	-	1	1	2	2	3
1987	100	3	3	2	2	1	1	2	1	1	1
1986	121	6	1	-	1	1	-	-	1	1	3
1985	93	4	1	-	-	1	-	1	2	-	1
1984	105	11	1	-	2	1	-	1	2	2	3
1983	120	6	5	-	-	-	-	-	1	-	2
1982	102	7	3	-	-	1	1	-	-	3	2
1981	133	8	7	-	2	1	1	1	-	2	-
1980	136	8	5	-	-	1	-	-	1	3	3
1979	117	10	3	1	-	-	-	-	-	-	2

Bronchitis, chronic and unspecified (490-491)

Black, female

1998	71	5	-	-	1	1	-	-	1	3	-
1997	88	3	-	1	1	1	-	-	-	4	1
1996	106	2	1	2	1	-	1	-	5	4	3
1995	95	1	2	-	1	2	-	1	-	1	5
1994	91	3	2	-	-	-	-	2	2	2	2
1993	100	5	3	3	-	-	-	1	1	2	7
1992	89	5	1	-	-	-	-	1	1	3	1
1991	89	11	2	1	3	-	-	1	2	3	2
1990	65	4	3	1	-	-	1	2	-	2	1
1989	94	2	3	-	2	-	-	2	-	-	-
1988	72	7	3	-	-	1	-	1	1	4	2
1987	69	4	1	-	-	1	2	1	2	-	-
1986	63	5	2	-	-	1	-	1	-	-	-
1985	74	6	2	1	-	2	-	-	1	2	1
1984	61	5	1	-	-	-	-	1	-	-	3
1983	60	3	3	1	-	2	-	-	2	2	1
1982	61	5	5	-	-	1	-	-	-	3	3
1981	45	3	1	-	-	-	-	1	-	1	-
1980	59	6	3	1	-	-	1	1	-	-	3
1979	53	4	3	-	-	-	1	-	1	2	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Emphysema (492)											
All races, both sexes											
1998	17,555	1	-	-	-	-	4	4	8	22	60
1997	17,518	2	-	1	-	-	-	2	9	23	68
1996	17,286	2	1	-	-	-	1	5	4	17	53
1995	16,927	1	1	-	-	-	1	3	9	17	49
1994	17,215	2	-	-	1	1	1	7	3	24	56
1993	17,586	1	1	2	1	3	1	2	7	15	44
1992	16,363	1	2	-	-	1	2	-	8	20	55
1991	16,436	2	-	-	-	-	1	3	5	20	42
1990	15,706	-	1	-	-	-	1	3	10	14	57
1989	15,467	7	1	-	1	2	1	2	5	14	49
1988	15,513	3	-	-	-	-	1	6	10	23	51
1987	14,483	8	1	-	-	-	-	4	10	24	54
1986	14,471	4	-	-	1	-	2	5	6	15	48
1985	14,150	2	-	1	1	-	4	5	7	21	44
1984	13,263	6	1	1	-	-	4	9	8	15	52
1983	13,293	6	1	-	-	-	5	6	8	28	45
1982	12,793	2	-	-	-	3	2	2	7	19	51
1981	13,369	2	1	1	-	2	4	6	8	20	64
1980	13,877	3	-	-	2	3	3	5	14	18	58
1979	13,569	2	2	-	1	1	3	8	11	25	68
Emphysema (492)											
All races, male											
1998	9,333	-	-	-	-	-	3	3	4	10	42
1997	9,497	1	-	1	-	-	-	-	4	12	45
1996	9,422	-	1	-	-	-	1	2	2	11	35
1995	9,344	-	-	-	-	-	-	2	7	10	25
1994	9,622	-	-	-	1	-	1	6	2	15	34
1993	9,914	1	-	1	-	2	1	2	5	9	32
1992	9,422	1	1	-	-	-	2	-	7	15	37
1991	9,531	-	-	-	-	-	-	3	3	12	27
1990	9,408	-	1	-	-	-	-	2	7	13	38
1989	9,294	3	-	-	1	1	1	1	4	9	33
1988	9,686	2	-	-	-	-	1	3	8	17	34
1987	9,182	7	-	-	-	-	-	2	9	19	34
1986	9,396	2	-	-	1	-	1	5	4	13	33
1985	9,375	2	-	1	-	-	4	3	3	15	26
1984	8,926	3	-	1	-	-	3	5	3	12	35
1983	9,203	3	-	-	-	-	4	4	6	17	28
1982	9,037	1	-	-	-	2	2	2	5	14	28
1981	9,592	-	1	1	-	2	3	6	3	12	40
1980	10,133	1	-	-	2	2	3	3	13	10	38
1979	10,171	-	1	-	1	-	2	7	8	19	37

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	
Emphysema (492)												
All races, female												
1998	8,222	1	-	-	-	-	1	1	4	12	18	
1997	8,021	1	-	-	-	-	-	2	5	11	23	
1996	7,864	2	-	-	-	-	-	3	2	6	18	
1995	7,583	1	1	-	-	-	1	1	2	7	24	
1994	7,593	2	-	-	-	1	-	1	1	9	22	
1993	7,672	-	1	1	1	1	-	-	2	6	12	
1992	6,941	-	1	-	-	1	-	-	1	5	18	
1991	6,905	2	-	-	-	-	1	-	2	8	15	
1990	6,298	-	-	-	-	-	1	1	3	1	19	
1989	6,173	4	1	-	-	1	-	1	1	5	16	
1988	5,827	1	-	-	-	-	-	3	2	6	17	
1987	5,301	1	1	-	-	-	-	2	1	5	20	
1986	5,075	2	-	-	-	-	1	-	2	2	15	
1985	4,775	-	-	-	1	-	-	2	4	6	18	
1984	4,337	3	1	-	-	-	1	4	5	3	17	
1983	4,090	3	1	-	-	-	1	2	2	11	17	
1982	3,756	1	-	-	-	1	-	-	2	5	23	
1981	3,777	2	-	-	-	-	1	-	5	8	24	
1980	3,744	2	-	-	-	1	-	2	1	8	20	
1979	3,398	2	1	-	-	1	1	1	3	6	31	
Emphysema (492)												
White, both sexes												
1998	16,511	-	-	-	-	-	3	2	5	17	41	
1997	16,516	2	-	1	-	-	-	2	4	16	63	
1996	16,257	-	-	-	-	-	-	4	4	11	36	
1995	15,928	-	1	-	-	-	1	2	5	8	35	
1994	16,223	2	-	-	1	1	1	1	2	13	40	
1993	16,534	1	-	1	-	2	-	1	4	10	22	
1992	15,405	1	2	-	-	1	1	-	6	13	44	
1991	15,539	2	-	-	-	-	1	2	4	15	37	
1990	14,828	-	1	-	-	-	1	-	7	11	49	
1989	14,590	7	1	-	-	1	-	1	2	13	34	
1988	14,589	1	-	-	-	-	1	4	2	14	39	
1987	13,663	5	1	-	-	-	-	3	8	15	42	
1986	13,687	2	-	-	-	-	2	5	4	8	39	
1985	13,353	2	-	1	1	-	3	2	5	16	40	
1984	12,547	5	-	1	-	-	2	4	8	11	41	
1983	12,588	5	-	-	-	-	5	4	3	17	35	
1982	12,155	1	-	-	-	2	1	2	6	15	42	
1981	12,683	1	1	1	-	1	2	4	6	10	51	
1980	13,194	3	-	-	1	2	3	3	8	11	45	
1979	12,887	2	2	-	-	-	3	7	8	16	55	

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Emphysema (492)											
White, male											
1998	8,684	-	-	-	-	-	2	1	3	6	29
1997	8,823	1	-	1	-	-	-	-	3	9	42
1996	8,750	-	-	-	-	-	-	2	2	8	21
1995	8,656	-	-	-	-	-	-	1	4	4	17
1994	8,952	-	-	-	1	-	1	-	1	8	23
1993	9,202	1	-	1	-	1	-	1	3	6	17
1992	8,745	1	1	-	-	-	1	-	5	11	29
1991	8,904	-	-	-	-	-	-	2	2	8	23
1990	8,769	-	1	-	-	-	-	-	4	10	33
1989	8,665	3	-	-	-	-	-	1	1	8	22
1988	8,953	1	-	-	-	-	1	2	1	9	23
1987	8,566	4	-	-	-	-	-	1	7	10	24
1986	8,781	1	-	-	-	-	1	5	2	6	26
1985	8,766	2	-	1	-	-	3	-	2	12	22
1984	8,369	2	-	1	-	-	2	3	3	9	25
1983	8,653	2	-	-	-	-	4	2	2	10	20
1982	8,533	1	-	-	-	1	1	2	4	11	21
1981	9,026	-	1	1	-	1	1	4	1	5	31
1980	9,587	1	-	-	1	1	3	3	7	4	28
1979	9,625	-	1	-	-	-	2	7	6	11	28
Emphysema (492)											
White, female											
1998	7,827	-	-	-	-	-	1	1	2	11	12
1997	7,693	1	-	-	-	-	-	2	1	7	21
1996	7,507	-	-	-	-	-	-	2	2	3	15
1995	7,272	-	1	-	-	-	1	1	1	4	18
1994	7,271	2	-	-	-	1	-	1	1	5	17
1993	7,332	-	-	-	-	1	-	-	1	4	5
1992	6,660	-	1	-	-	1	-	-	1	2	15
1991	6,635	2	-	-	-	-	1	-	2	7	14
1990	6,059	-	-	-	-	-	1	-	3	1	16
1989	5,925	4	1	-	-	1	-	-	1	5	12
1988	5,636	-	-	-	-	-	-	2	1	5	16
1987	5,097	1	1	-	-	-	-	2	1	5	18
1986	4,906	1	-	-	-	-	1	-	2	2	13
1985	4,587	-	-	-	1	-	-	2	3	4	18
1984	4,178	3	-	-	-	-	-	1	5	2	16
1983	3,935	3	-	-	-	-	1	2	1	7	15
1982	3,622	-	-	-	-	1	-	-	2	4	21
1981	3,657	1	-	-	-	-	1	-	5	5	20
1980	3,607	2	-	-	-	1	-	-	1	7	17
1979	3,262	2	1	-	-	-	1	-	2	5	27

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Emphysema (492)											
All other, both sexes											
1998	1,044	1	-	-	-	-	1	2	3	5	19
1997	1,002	-	-	-	-	-	-	-	5	7	5
1996	1,029	2	1	-	-	-	1	1	-	6	17
1995	999	1	-	-	-	-	-	1	4	9	14
1994	992	-	-	-	-	-	-	6	1	11	16
1993	1,052	-	1	1	1	1	1	1	3	5	22
1992	958	-	-	-	-	-	1	-	2	7	11
1991	897	-	-	-	-	-	-	1	1	5	5
1990	878	-	-	-	-	-	-	3	3	3	8
1989	877	-	-	-	1	1	1	1	3	1	15
1988	924	2	-	-	-	-	-	2	8	9	12
1987	820	3	-	-	-	-	-	1	2	9	12
1986	784	2	-	-	1	-	-	-	2	7	9
1985	797	-	-	-	-	-	1	3	2	5	4
1984	716	1	1	-	-	-	2	5	-	4	11
1983	705	1	1	-	-	-	-	2	5	11	10
1982	638	1	-	-	-	1	1	-	1	4	9
1981	686	1	-	-	-	1	2	2	2	10	13
1980	683	-	-	-	1	1	-	2	6	7	13
1979	682	-	-	-	1	1	-	1	3	9	13
Emphysema (492)											
All other, male											
1998	649	-	-	-	-	-	1	2	1	4	13
1997	674	-	-	-	-	-	-	-	1	3	3
1996	672	-	1	-	-	-	1	-	-	3	14
1995	688	-	-	-	-	-	-	1	3	6	8
1994	670	-	-	-	-	-	-	6	1	7	11
1993	712	-	-	-	-	1	1	1	2	3	15
1992	677	-	-	-	-	-	1	-	2	4	8
1991	627	-	-	-	-	-	-	1	1	4	4
1990	639	-	-	-	-	-	-	2	3	3	5
1989	629	-	-	-	1	1	1	-	3	1	11
1988	733	1	-	-	-	-	-	1	7	8	11
1987	616	3	-	-	-	-	-	1	2	9	10
1986	615	1	-	-	1	-	-	-	2	7	7
1985	609	-	-	-	-	-	1	3	1	3	4
1984	557	1	-	-	-	-	1	2	-	3	10
1983	550	1	-	-	-	-	-	2	4	7	8
1982	504	-	-	-	-	1	1	-	1	3	7
1981	566	-	-	-	-	1	2	2	2	7	9
1980	546	-	-	-	1	1	-	-	6	6	10
1979	546	-	-	-	1	-	-	-	2	8	9

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Emphysema (492)											
All other, female											
1998	395	1	-	-	-	-	-	-	2	1	6
1997	328	-	-	-	-	-	-	-	4	4	2
1996	357	2	-	-	-	-	-	1	-	3	3
1995	311	1	-	-	-	-	-	-	1	3	6
1994	322	-	-	-	-	-	-	-	-	4	5
1993	340	-	1	1	1	-	-	-	1	2	7
1992	281	-	-	-	-	-	-	-	-	3	3
1991	270	-	-	-	-	-	-	-	-	1	1
1990	239	-	-	-	-	-	-	1	-	-	3
1989	248	-	-	-	-	-	-	1	-	-	4
1988	191	1	-	-	-	-	-	1	1	1	1
1987	204	-	-	-	-	-	-	-	-	-	2
1986	169	1	-	-	-	-	-	-	-	-	2
1985	188	-	-	-	-	-	-	-	1	2	-
1984	159	-	1	-	-	-	1	3	-	1	1
1983	155	-	1	-	-	-	-	-	1	4	2
1982	134	1	-	-	-	-	-	-	-	1	2
1981	120	1	-	-	-	-	-	-	-	3	4
1980	137	-	-	-	-	-	-	2	-	1	3
1979	136	-	-	-	-	1	-	1	1	1	4
Emphysema (492)											
Black, both sexes											
1998	890	1	-	-	-	-	1	2	3	5	18
1997	847	-	-	-	-	-	-	-	5	5	5
1996	882	1	1	-	-	-	1	1	-	6	17
1995	855	1	-	-	-	-	-	1	4	9	13
1994	858	-	-	-	-	-	-	5	1	11	15
1993	888	-	1	1	1	1	1	1	3	5	22
1992	831	-	-	-	-	-	1	-	1	7	11
1991	772	-	-	-	-	-	-	1	1	4	5
1990	763	-	-	-	-	-	-	3	3	3	7
1989	765	-	-	-	1	1	1	1	3	1	14
1988	816	2	-	-	-	-	-	1	8	8	12
1987	719	3	-	-	-	-	-	1	2	8	12
1986	704	2	-	-	1	-	-	-	2	7	8
1985	687	-	-	-	-	-	1	3	2	5	4
1984	627	1	1	-	-	-	2	4	-	4	10
1983	624	1	1	-	-	-	-	2	4	11	10
1982	579	1	-	-	-	1	1	-	1	4	9
1981	643	1	-	-	-	1	1	2	1	10	12
1980	625	-	-	-	1	1	-	2	6	7	13
1979	631	-	-	-	1	1	-	1	3	9	13

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Emphysema (492)											
Black, male											
1998	543	-	-	-	-	-	1	2	1	4	12
1997	562	-	-	-	-	-	-	-	1	2	3
1996	576	-	1	-	-	-	1	-	-	3	14
1995	578	-	-	-	-	-	-	1	3	6	7
1994	567	-	-	-	-	-	-	5	1	7	10
1993	601	-	-	-	-	1	1	1	2	3	15
1992	585	-	-	-	-	-	1	-	1	4	8
1991	536	-	-	-	-	-	-	1	1	3	4
1990	552	-	-	-	-	-	-	2	3	3	4
1989	547	-	-	-	1	1	1	-	3	1	10
1988	648	1	-	-	-	-	-	-	7	7	11
1987	543	3	-	-	-	-	-	1	2	8	10
1986	553	1	-	-	1	-	-	-	2	7	6
1985	523	-	-	-	-	-	1	3	1	3	4
1984	480	1	-	-	-	-	1	2	-	3	9
1983	484	1	-	-	-	-	-	2	4	7	8
1982	454	-	-	-	-	1	1	-	1	3	7
1981	531	-	-	-	-	1	1	2	1	7	9
1980	504	-	-	-	1	1	-	-	6	6	10
1979	506	-	-	-	1	-	-	-	2	8	9
Emphysema (492)											
Black, female											
1998	347	1	-	-	-	-	-	-	2	1	6
1997	285	-	-	-	-	-	-	-	4	3	2
1996	306	1	-	-	-	-	-	1	-	3	3
1995	277	1	-	-	-	-	-	-	1	3	6
1994	291	-	-	-	-	-	-	-	-	4	5
1993	287	-	1	1	1	-	-	-	1	2	7
1992	246	-	-	-	-	-	-	-	-	3	3
1991	236	-	-	-	-	-	-	-	-	1	1
1990	211	-	-	-	-	-	-	1	-	-	3
1989	218	-	-	-	-	-	-	1	-	-	4
1988	168	1	-	-	-	-	-	1	1	1	1
1987	176	-	-	-	-	-	-	-	-	-	2
1986	151	1	-	-	-	-	-	-	-	-	2
1985	164	-	-	-	-	-	-	-	1	2	-
1984	147	-	1	-	-	-	1	2	-	1	1
1983	140	-	1	-	-	-	-	-	-	4	2
1982	125	1	-	-	-	-	-	-	-	1	2
1981	112	1	-	-	-	-	-	-	-	3	3
1980	121	-	-	-	-	-	-	2	-	1	3
1979	125	-	-	-	-	1	-	1	1	1	4

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Asthma (493)											
All races, both sexes											
1998	5,438	7	33	43	88	92	122	133	144	214	273
1997	5,434	5	30	46	73	81	93	137	161	211	278
1996	5,667	8	34	48	101	102	112	141	147	206	290
1995	5,637	13	21	35	95	119	105	119	179	224	274
1994	5,487	5	24	37	81	109	106	140	164	207	214
1993	5,167	6	32	32	86	83	103	107	133	189	216
1992	4,964	9	38	33	55	81	87	92	140	168	205
1991	5,106	5	30	35	71	93	90	117	163	157	229
1990	4,819	12	24	28	74	76	84	107	130	152	180
1989	4,869	6	26	37	58	75	73	109	147	153	193
1988	4,597	7	19	26	67	70	92	113	118	152	191
1987	4,360	4	19	18	83	99	82	85	114	157	184
1986	3,955	13	17	23	69	84	82	94	103	130	121
1985	3,880	6	21	28	70	59	97	74	108	122	109
1984	3,564	10	17	25	54	54	78	73	86	101	126
1983	3,561	5	28	21	57	76	68	89	97	100	131
1982	3,154	8	26	24	46	76	86	76	93	78	98
1981	3,054	3	12	25	47	55	57	78	77	91	87
1980	2,891	8	21	14	47	41	64	64	66	62	83
1979	2,598	5	19	13	26	51	48	57	54	72	85
Asthma (493)											
All races, male											
1998	2,000	5	22	20	60	54	80	74	72	100	89
1997	1,986	3	20	28	38	59	59	70	90	95	92
1996	2,075	7	20	33	59	58	61	64	64	87	107
1995	2,079	5	15	27	64	60	58	61	86	104	92
1994	2,101	5	14	23	52	70	64	69	89	93	86
1993	1,928	2	20	18	51	49	63	47	51	78	85
1992	1,869	8	19	17	31	48	47	55	75	75	85
1991	1,927	5	19	18	48	54	48	62	77	67	112
1990	1,885	7	18	20	43	39	43	52	66	75	77
1989	1,848	6	11	22	36	42	40	57	74	69	77
1988	1,822	4	12	19	37	42	52	58	60	72	75
1987	1,730	2	12	10	54	53	47	46	53	69	76
1986	1,584	11	10	13	38	51	43	53	40	58	46
1985	1,551	4	12	16	33	29	47	33	53	58	38
1984	1,467	5	9	13	40	30	41	35	31	43	53
1983	1,455	5	23	13	35	38	31	40	45	44	48
1982	1,314	7	17	13	22	44	48	35	52	37	36
1981	1,287	1	9	16	26	36	28	40	34	30	37
1980	1,292	6	12	6	23	21	37	33	28	21	27
1979	1,133	4	9	6	17	23	26	25	26	24	40

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Asthma (493)											
All races, female											
1998	3,438	2	11	23	28	38	42	59	72	114	184
1997	3,448	2	10	18	35	22	34	67	71	116	186
1996	3,592	1	14	15	42	44	51	77	83	119	183
1995	3,558	8	6	8	31	59	47	58	93	120	182
1994	3,386	-	10	14	29	39	42	71	75	114	128
1993	3,239	4	12	14	35	34	40	60	82	111	131
1992	3,095	1	19	16	24	33	40	37	65	93	120
1991	3,179	-	11	17	23	39	42	55	86	90	117
1990	2,934	5	6	8	31	37	41	55	64	77	103
1989	3,021	-	15	15	22	33	33	52	73	84	116
1988	2,775	3	7	7	30	28	40	55	58	80	116
1987	2,630	2	7	8	29	46	35	39	61	88	108
1986	2,371	2	7	10	31	33	39	41	63	72	75
1985	2,329	2	9	12	37	30	50	41	55	64	71
1984	2,097	5	8	12	14	24	37	38	55	58	73
1983	2,106	-	5	8	22	38	37	49	52	56	83
1982	1,840	1	9	11	24	32	38	41	41	41	62
1981	1,767	2	3	9	21	19	29	38	43	61	50
1980	1,599	2	9	8	24	20	27	31	38	41	56
1979	1,465	1	10	7	9	28	22	32	28	48	45
Asthma (493)											
White, both sexes											
1998	3,947	2	13	20	43	45	63	65	68	114	168
1997	4,002	1	10	18	37	45	59	71	88	119	164
1996	4,110	2	10	22	45	49	57	82	73	121	167
1995	4,208	9	13	13	44	68	52	72	111	139	165
1994	4,134	3	8	17	37	54	64	66	97	123	119
1993	3,910	4	12	16	46	46	59	54	74	107	118
1992	3,789	4	15	11	28	45	44	55	76	102	139
1991	3,915	2	12	14	43	52	45	68	91	79	145
1990	3,696	7	11	14	39	47	47	63	66	85	107
1989	3,761	4	14	17	36	51	41	59	88	85	115
1988	3,473	4	10	11	34	40	49	71	61	83	114
1987	3,327	4	8	7	39	57	44	51	63	92	124
1986	3,036	7	11	10	39	39	47	59	61	78	77
1985	3,026	4	12	12	34	30	51	44	60	72	71
1984	2,779	4	10	15	29	25	53	43	48	54	74
1983	2,751	5	12	8	28	40	42	52	48	62	76
1982	2,450	5	11	14	22	48	45	44	49	43	54
1981	2,426	1	3	16	27	29	36	45	43	54	54
1980	2,291	5	10	5	25	22	34	37	30	40	51
1979	2,095	5	15	7	19	30	27	26	30	44	54

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Asthma (493)											
White, male											
1998	1,366	2	10	8	27	28	38	35	32	56	51
1997	1,383	-	5	10	21	37	34	33	46	47	57
1996	1,426	2	4	16	30	24	29	34	29	47	56
1995	1,454	4	9	10	24	28	25	36	47	65	51
1994	1,492	3	4	13	22	36	33	27	45	57	48
1993	1,384	2	7	11	22	25	33	20	30	42	44
1992	1,362	4	10	5	15	26	20	28	41	51	56
1991	1,388	2	5	8	28	29	20	36	43	33	70
1990	1,358	4	7	11	18	20	23	30	37	43	42
1989	1,352	4	5	8	25	26	19	26	43	36	42
1988	1,299	2	8	9	20	21	24	31	29	39	44
1987	1,244	2	5	1	23	29	25	23	30	36	53
1986	1,178	6	5	4	18	24	23	33	25	38	28
1985	1,140	3	5	11	13	12	18	17	26	28	20
1984	1,106	3	4	8	22	15	27	19	20	23	37
1983	1,084	5	9	4	16	17	19	21	21	26	31
1982	983	5	9	7	10	26	24	20	25	21	18
1981	977	1	1	12	15	15	16	24	16	17	23
1980	1,008	3	5	2	8	10	20	21	16	12	13
1979	898	4	7	3	13	15	15	9	16	14	25
Asthma (493)											
White, female											
1998	2,581	-	3	12	16	17	25	30	36	58	117
1997	2,619	1	5	8	16	8	25	38	42	72	107
1996	2,684	-	6	6	15	25	28	48	44	74	111
1995	2,754	5	4	3	20	40	27	36	64	74	114
1994	2,642	-	4	4	15	18	31	39	52	66	71
1993	2,526	2	5	5	24	21	26	34	44	65	74
1992	2,427	-	5	6	13	19	24	27	35	51	83
1991	2,527	-	7	6	15	23	25	32	48	46	75
1990	2,338	3	4	3	21	27	24	33	29	42	65
1989	2,409	-	9	9	11	25	22	33	45	49	73
1988	2,174	2	2	2	14	19	25	40	32	44	70
1987	2,083	2	3	6	16	28	19	28	33	56	71
1986	1,858	1	6	6	21	15	24	26	36	40	49
1985	1,886	1	7	1	21	18	33	27	34	44	51
1984	1,673	1	6	7	7	10	26	24	28	31	37
1983	1,667	-	3	4	12	23	23	31	27	36	45
1982	1,467	-	2	7	12	22	21	24	24	22	36
1981	1,449	-	2	4	12	14	20	21	27	37	31
1980	1,283	2	5	3	17	12	14	16	14	28	38
1979	1,197	1	8	4	6	15	12	17	14	30	29

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Asthma (493)											
All other, both sexes											
1998	1,491	5	20	23	45	47	59	68	76	100	105
1997	1,432	4	20	28	36	36	34	66	73	92	114
1996	1,557	6	24	26	56	53	55	59	74	85	123
1995	1,429	4	8	22	51	51	53	47	68	85	109
1994	1,353	2	16	20	44	55	42	74	67	84	95
1993	1,257	2	20	16	40	37	44	53	59	82	98
1992	1,175	5	23	22	27	36	43	37	64	66	66
1991	1,191	3	18	21	28	41	45	49	72	78	84
1990	1,123	5	13	14	35	29	37	44	64	67	73
1989	1,108	2	12	20	22	24	32	50	59	68	78
1988	1,124	3	9	15	33	30	43	42	57	69	77
1987	1,033	-	11	11	44	42	38	34	51	65	60
1986	919	6	6	13	30	45	35	35	42	52	44
1985	854	2	9	16	36	29	46	30	48	50	38
1984	785	6	7	10	25	29	25	30	38	47	52
1983	810	-	16	13	29	36	26	37	49	38	55
1982	704	3	15	10	24	28	41	32	44	35	44
1981	628	2	9	9	20	26	21	33	34	37	33
1980	600	3	11	9	22	19	30	27	36	22	32
1979	503	-	4	6	7	21	21	31	24	28	31
Asthma (493)											
All other, male											
1998	634	3	12	12	33	26	42	39	40	44	38
1997	603	3	15	18	17	22	25	37	44	48	35
1996	649	5	16	17	29	34	32	30	35	40	51
1995	625	1	6	17	40	32	33	25	39	39	41
1994	609	2	10	10	30	34	31	42	44	36	38
1993	544	-	13	7	29	24	30	27	21	36	41
1992	507	4	9	12	16	22	27	27	34	24	29
1991	539	3	14	10	20	25	28	26	34	34	42
1990	527	3	11	9	25	19	20	22	29	32	35
1989	496	2	6	14	11	16	21	31	31	33	35
1988	523	2	4	10	17	21	28	27	31	33	31
1987	486	-	7	9	31	24	22	23	23	33	23
1986	406	5	5	9	20	27	20	20	15	20	18
1985	411	1	7	5	20	17	29	16	27	30	18
1984	361	2	5	5	18	15	14	16	11	20	16
1983	371	-	14	9	19	21	12	19	24	18	17
1982	331	2	8	6	12	18	24	15	27	16	18
1981	310	-	8	4	11	21	12	16	18	13	14
1980	284	3	7	4	15	11	17	12	12	9	14
1979	235	-	2	3	4	8	11	16	10	10	15

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Asthma (493)											
All other, female											
1998	857	2	8	11	12	21	17	29	36	56	67
1997	829	1	5	10	19	14	9	29	29	44	79
1996	908	1	8	9	27	19	23	29	39	45	72
1995	804	3	2	5	11	19	20	22	29	46	68
1994	744	-	6	10	14	21	11	32	23	48	57
1993	713	2	7	9	11	13	14	26	38	46	57
1992	668	1	14	10	11	14	16	10	30	42	37
1991	652	-	4	11	8	16	17	23	38	44	42
1990	596	2	2	5	10	10	17	22	35	35	38
1989	612	-	6	6	11	8	11	19	28	35	43
1988	601	1	5	5	16	9	15	15	26	36	46
1987	547	-	4	2	13	18	16	11	28	32	37
1986	513	1	1	4	10	18	15	15	27	32	26
1985	443	1	2	11	16	12	17	14	21	20	20
1984	424	4	2	5	7	14	11	14	27	27	36
1983	439	-	2	4	10	15	14	18	25	20	38
1982	373	1	7	4	12	10	17	17	17	19	26
1981	318	2	1	5	9	5	9	17	16	24	19
1980	316	-	4	5	7	8	13	15	24	13	18
1979	268	-	2	3	3	13	10	15	14	18	16
Asthma (493)											
Black, both sexes											
1998	1,290	5	18	22	38	46	55	63	66	98	96
1997	1,200	3	19	25	34	30	31	62	67	85	100
1996	1,325	6	20	22	51	51	48	53	65	81	109
1995	1,247	4	8	21	48	49	51	47	65	75	96
1994	1,186	2	15	19	41	52	37	69	66	82	86
1993	1,112	2	18	16	37	36	42	49	55	74	90
1992	1,036	5	22	21	25	35	42	33	60	60	62
1991	1,043	3	17	21	27	38	41	45	67	72	76
1990	986	5	12	13	33	26	35	40	61	62	69
1989	984	2	11	16	21	22	30	46	55	64	71
1988	1,012	1	9	12	30	27	38	39	55	67	70
1987	920	-	11	11	41	39	36	33	50	62	59
1986	828	5	5	13	30	38	35	34	39	47	42
1985	778	2	9	16	34	26	44	28	46	49	37
1984	701	5	6	9	23	28	25	27	37	42	49
1983	732	-	15	10	26	35	24	36	48	36	49
1982	647	3	14	9	24	26	37	32	40	33	43
1981	576	2	9	9	19	23	21	32	29	34	31
1980	557	3	10	9	22	18	29	25	33	21	30
1979	470	-	4	6	7	21	19	31	24	27	26

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Asthma (493)											
Black, male											
1998	536	3	10	11	27	26	41	36	36	43	36
1997	498	2	15	15	16	17	23	34	39	45	31
1996	540	5	12	14	26	34	27	25	31	38	45
1995	538	1	6	17	37	31	31	25	39	35	32
1994	525	2	9	10	28	31	26	40	44	35	34
1993	465	-	11	7	27	23	29	26	20	32	35
1992	433	4	9	12	15	21	26	25	32	21	28
1991	472	3	13	10	19	23	24	24	32	30	38
1990	460	3	10	9	24	17	20	21	28	32	34
1989	434	2	5	12	10	15	19	29	29	31	30
1988	460	1	4	8	14	20	23	25	29	33	28
1987	428	-	7	9	28	22	22	22	22	30	22
1986	360	4	4	9	20	23	20	20	14	18	18
1985	371	1	7	5	19	15	28	14	26	30	18
1984	312	2	5	5	17	14	14	13	11	19	14
1983	336	-	14	8	17	20	12	18	24	18	15
1982	301	2	8	6	12	18	24	15	25	16	17
1981	281	-	8	4	10	18	12	16	15	11	14
1980	260	3	6	4	15	11	16	11	12	8	13
1979	214	-	2	3	4	8	10	16	10	9	11
Asthma (493)											
Black, female											
1998	754	2	8	11	11	20	14	27	30	55	60
1997	702	1	4	10	18	13	8	28	28	40	69
1996	785	1	8	8	25	17	21	28	34	43	64
1995	709	3	2	4	11	18	20	22	26	40	64
1994	661	-	6	9	13	21	11	29	22	47	52
1993	647	2	7	9	10	13	13	23	35	42	55
1992	603	1	13	9	10	14	16	8	28	39	34
1991	571	-	4	11	8	15	17	21	35	42	38
1990	526	2	2	4	9	9	15	19	33	30	35
1989	550	-	6	4	11	7	11	17	26	33	41
1988	552	-	5	4	16	7	15	14	26	34	42
1987	492	-	4	2	13	17	14	11	28	32	37
1986	468	1	1	4	10	15	15	14	25	29	24
1985	407	1	2	11	15	11	16	14	20	19	19
1984	389	3	1	4	6	14	11	14	26	23	35
1983	396	-	1	2	9	15	12	18	24	18	34
1982	346	1	6	3	12	8	13	17	15	17	26
1981	295	2	1	5	9	5	9	16	14	23	17
1980	297	-	4	5	7	7	13	14	21	13	17
1979	256	-	2	3	3	13	9	15	14	18	15

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other chronic lower respiratory diseases (494,496)											
All races, both sexes											
1998	86,534	4	4	6	4	3	8	13	13	79	195
1997	82,995	4	1	1	2	7	8	10	25	68	198
1996	79,884	1	5	2	2	4	9	6	19	65	172
1995	76,979	3	2	3	4	2	4	8	33	56	173
1994	75,320	6	4	2	1	5	4	6	31	56	140
1993	74,523	5	6	1	1	2	5	9	21	62	161
1992	66,933	2	3	1	4	2	6	8	15	61	151
1991	65,355	7	2	2	2	6	4	9	17	56	143
1990	62,528	4	7	3	3	4	6	12	18	43	123
1989	60,230	5	2	2	5	8	8	7	30	59	133
1988	59,009	2	7	4	2	3	6	8	22	46	132
1987	55,942	5	6	3	1	6	6	11	21	51	137
1986	54,368	3	5	4	4	7	6	13	13	46	149
1985	52,998	4	3	3	2	7	4	15	10	43	131
1984	48,707	2	11	8	-	6	6	16	16	48	114
1983	45,802	5	6	8	3	12	10	12	14	46	110
1982	40,419	10	9	8	2	6	10	12	19	54	114
1981	38,711	11	6	5	5	4	13	10	20	43	108
1980	35,544	4	4	4	6	12	6	16	21	50	104
1979	30,106	2	3	1	2	5	10	10	19	45	102
Other chronic lower respiratory diseases (494,496)											
All races, male											
1998	44,184	1	2	4	-	1	6	7	9	49	114
1997	43,026	1	1	-	1	3	6	5	14	39	113
1996	41,389	-	4	1	-	3	4	4	11	37	95
1995	40,829	1	-	2	3	2	3	6	19	35	84
1994	40,221	3	4	1	1	3	2	5	12	30	89
1993	40,629	4	5	-	1	2	4	9	12	36	92
1992	37,345	1	1	-	1	-	4	5	8	35	87
1991	37,049	4	1	2	2	2	4	5	13	39	79
1990	36,226	2	7	2	1	3	4	9	7	27	75
1989	35,068	4	1	2	3	5	2	4	17	37	86
1988	35,430	1	3	3	1	-	1	5	13	29	84
1987	34,232	3	2	2	1	4	4	7	12	32	85
1986	33,987	3	2	2	2	6	5	4	7	28	90
1985	33,618	3	1	2	1	4	2	12	5	28	81
1984	31,573	2	6	2	-	2	5	11	10	28	63
1983	30,314	3	3	4	2	7	6	8	7	28	57
1982	27,219	8	3	4	-	4	8	10	11	34	64
1981	26,541	6	3	4	3	1	10	7	13	24	62
1980	24,815	2	2	1	2	6	2	11	12	30	65
1979	21,578	2	1	-	2	3	4	3	11	26	62

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other chronic lower respiratory diseases (494,496)											
All races, female											
1998	42,350	3	2	2	4	2	2	6	4	30	81
1997	39,969	3	-	1	1	4	2	5	11	29	85
1996	38,495	1	1	1	2	1	5	2	8	28	77
1995	36,150	2	2	1	1	-	1	2	14	21	89
1994	35,099	3	-	1	-	2	2	1	19	26	51
1993	33,894	1	1	1	-	-	1	-	9	26	69
1992	29,588	1	2	1	3	2	2	3	7	26	64
1991	28,306	3	1	-	-	4	-	4	4	17	64
1990	26,302	2	-	1	2	1	2	3	11	16	48
1989	25,162	1	1	-	2	3	6	3	13	22	47
1988	23,579	1	4	1	1	3	5	3	9	17	48
1987	21,710	2	4	1	-	2	2	4	9	19	52
1986	20,381	-	3	2	2	1	1	9	6	18	59
1985	19,380	1	2	1	1	3	2	3	5	15	50
1984	17,134	-	5	6	-	4	1	5	6	20	51
1983	15,488	2	3	4	1	5	4	4	7	18	53
1982	13,200	2	6	4	2	2	2	2	8	20	50
1981	12,170	5	3	1	2	3	3	3	7	19	46
1980	10,729	2	2	3	4	6	4	5	9	20	39
1979	8,528	-	2	1	-	2	6	7	8	19	40
Other chronic lower respiratory diseases (494,496)											
White, both sexes											
1998	80,761	3	2	4	1	3	6	11	7	60	147
1997	77,420	1	-	1	1	6	7	8	18	49	153
1996	74,595	1	3	1	1	3	7	2	13	55	139
1995	71,867	2	2	3	2	2	4	5	23	35	138
1994	70,366	4	2	2	1	4	3	6	26	40	104
1993	69,646	4	5	1	-	2	4	8	18	52	112
1992	62,603	-	2	1	4	2	4	5	14	39	108
1991	61,014	4	1	1	2	5	3	7	14	39	106
1990	58,266	4	5	3	1	3	6	10	13	30	88
1989	55,990	1	1	1	3	6	5	1	20	36	91
1988	55,107	1	5	3	2	2	4	6	17	30	103
1987	52,286	3	3	2	1	5	6	9	12	35	112
1986	50,853	2	4	3	4	7	5	9	8	35	113
1985	49,627	3	1	3	-	5	4	11	6	39	98
1984	45,571	1	8	8	-	4	5	10	11	34	88
1983	42,994	4	5	8	1	8	8	8	11	34	86
1982	37,963	5	7	7	2	4	9	11	16	39	88
1981	36,376	10	5	3	4	3	9	8	15	36	85
1980	33,368	1	3	3	4	9	4	8	17	27	80
1979	28,248	2	1	1	2	4	8	7	11	29	82

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other chronic lower respiratory diseases (494,496)											
White, male											
1998	40,744	1	1	2	-	1	5	6	5	40	87
1997	39,642	-	-	-	1	3	5	5	11	26	89
1996	38,186	-	2	-	-	3	4	2	8	32	78
1995	37,683	1	-	2	2	2	3	4	15	23	73
1994	37,142	2	2	1	1	2	2	5	10	25	67
1993	37,480	3	4	-	-	2	4	8	11	32	61
1992	34,554	-	1	-	1	-	2	3	8	21	64
1991	34,204	2	1	1	2	2	3	4	10	25	55
1990	33,364	2	5	2	1	2	4	7	4	20	52
1989	32,195	1	-	1	1	4	2	-	10	24	51
1988	32,716	1	3	2	1	-	1	4	11	19	61
1987	31,703	1	1	1	1	4	4	6	5	22	70
1986	31,439	2	1	2	2	6	4	2	4	20	64
1985	31,228	2	-	2	-	3	2	8	4	25	57
1984	29,323	1	4	2	-	1	4	8	9	21	46
1983	28,238	2	3	4	1	5	4	7	5	20	41
1982	25,438	5	2	4	-	3	7	9	9	24	46
1981	24,787	5	2	3	3	1	7	6	9	22	47
1980	23,146	-	2	-	2	5	1	5	9	15	47
1979	20,136	2	-	-	2	2	3	2	6	16	47
Other chronic lower respiratory diseases (494,496)											
White, female											
1998	40,017	2	1	2	1	2	1	5	2	20	60
1997	37,778	1	-	1	-	3	2	3	7	23	64
1996	36,409	1	1	1	1	-	3	-	5	23	61
1995	34,184	1	2	1	-	-	1	1	8	12	65
1994	33,224	2	-	1	-	2	1	1	16	15	37
1993	32,166	1	1	1	-	-	-	-	7	20	51
1992	28,049	-	1	1	3	2	2	2	6	18	44
1991	26,810	2	-	-	-	3	-	3	4	14	51
1990	24,902	2	-	1	-	1	2	3	9	10	36
1989	23,795	-	1	-	2	2	3	1	10	12	40
1988	22,391	-	2	1	1	2	3	2	6	11	42
1987	20,583	2	2	1	-	1	2	3	7	13	42
1986	19,414	-	3	1	2	1	1	7	4	15	49
1985	18,399	1	1	1	-	2	2	3	2	14	41
1984	16,248	-	4	6	-	3	1	2	2	13	42
1983	14,756	2	2	4	-	3	4	1	6	14	45
1982	12,525	-	5	3	2	1	2	2	7	15	42
1981	11,589	5	3	-	1	2	2	2	6	14	38
1980	10,222	1	1	3	2	4	3	3	8	12	33
1979	8,112	-	1	1	-	2	5	5	5	13	35

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other chronic lower respiratory diseases (494,496)											
All other, both sexes											
1998	5,773	1	2	2	3	-	2	2	6	19	48
1997	5,575	3	1	-	1	1	1	2	7	19	45
1996	5,289	-	2	1	1	1	2	4	6	10	33
1995	5,112	1	-	-	2	-	-	3	10	21	35
1994	4,954	2	2	-	-	1	1	-	5	16	36
1993	4,877	1	1	-	1	-	1	1	3	10	49
1992	4,330	2	1	-	-	-	2	3	1	22	43
1991	4,341	3	1	1	-	1	1	2	3	17	37
1990	4,262	-	2	-	2	1	-	2	5	13	35
1989	4,240	4	1	1	2	2	3	6	10	23	42
1988	3,902	1	2	1	-	1	2	2	5	16	29
1987	3,656	2	3	1	-	1	-	2	9	16	25
1986	3,515	1	1	1	-	-	1	4	5	11	36
1985	3,371	1	2	-	2	2	-	4	4	4	33
1984	3,136	1	3	-	-	2	1	6	5	14	26
1983	2,808	1	1	-	2	4	2	4	3	12	24
1982	2,456	5	2	1	-	2	1	1	3	15	26
1981	2,335	1	1	2	1	1	4	2	5	7	23
1980	2,176	3	1	1	2	3	2	8	4	23	24
1979	1,858	-	2	-	-	1	2	3	8	16	20
Other chronic lower respiratory diseases (494,496)											
All other, male											
1998	3,440	-	1	2	-	-	1	1	4	9	27
1997	3,384	1	1	-	-	-	1	-	3	13	24
1996	3,203	-	2	1	-	-	-	2	3	5	17
1995	3,146	-	-	-	1	-	-	2	4	12	11
1994	3,079	1	2	-	-	1	-	-	2	5	22
1993	3,149	1	1	-	1	-	-	1	1	4	31
1992	2,791	1	-	-	-	-	2	2	-	14	23
1991	2,845	2	-	1	-	-	1	1	3	14	24
1990	2,862	-	2	-	-	1	-	2	3	7	23
1989	2,873	3	1	1	2	1	-	4	7	13	35
1988	2,714	-	-	1	-	-	-	1	2	10	23
1987	2,529	2	1	1	-	-	-	1	7	10	15
1986	2,548	1	1	-	-	-	1	2	3	8	26
1985	2,390	1	1	-	1	1	-	4	1	3	24
1984	2,250	1	2	-	-	1	1	3	1	7	17
1983	2,076	1	-	-	1	2	2	1	2	8	16
1982	1,781	3	1	-	-	1	1	1	2	10	18
1981	1,754	1	1	1	-	-	3	1	4	2	15
1980	1,669	2	-	1	-	1	1	6	3	15	18
1979	1,442	-	1	-	-	1	1	1	5	10	15

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other chronic lower respiratory diseases (494,496)											
All other, female											
1998	2,333	1	1	-	3	-	1	1	2	10	21
1997	2,191	2	-	-	1	1	-	2	4	6	21
1996	2,086	-	-	-	1	1	2	2	3	5	16
1995	1,966	1	-	-	1	-	-	1	6	9	24
1994	1,875	1	-	-	-	-	1	-	3	11	14
1993	1,728	-	-	-	-	-	1	-	2	6	18
1992	1,539	1	1	-	-	-	-	1	1	8	20
1991	1,496	1	1	-	-	1	-	1	-	3	13
1990	1,400	-	-	-	2	-	-	-	2	6	12
1989	1,367	1	-	-	-	1	3	2	3	10	7
1988	1,188	1	2	-	-	1	2	1	3	6	6
1987	1,127	-	2	-	-	1	-	1	2	6	10
1986	967	-	-	1	-	-	-	2	2	3	10
1985	981	-	1	-	1	1	-	-	3	1	9
1984	886	-	1	-	-	1	-	3	4	7	9
1983	732	-	1	-	1	2	-	3	1	4	8
1982	675	2	1	1	-	1	-	-	1	5	8
1981	581	-	-	1	1	1	1	1	1	5	8
1980	507	1	1	-	2	2	1	2	1	8	6
1979	416	-	1	-	-	-	1	2	3	6	5
Other chronic lower respiratory diseases (494,496)											
Black, both sexes											
1998	4,860	-	2	1	2	-	2	2	5	18	42
1997	4,665	3	1	-	1	1	-	1	7	19	42
1996	4,502	-	2	1	1	1	2	4	5	9	33
1995	4,341	1	-	-	2	-	-	1	10	16	33
1994	4,258	2	1	-	-	-	1	-	3	16	33
1993	4,212	1	1	-	1	-	1	1	2	8	47
1992	3,785	2	1	-	-	-	2	3	-	20	41
1991	3,777	3	1	-	-	1	-	2	2	15	33
1990	3,715	-	2	-	2	1	-	2	4	13	31
1989	3,714	3	1	1	2	2	3	5	10	20	38
1988	3,454	1	2	1	-	1	1	2	4	16	29
1987	3,243	2	3	-	-	1	-	1	9	14	23
1986	3,140	1	1	1	-	-	1	3	4	9	32
1985	3,027	1	1	-	2	2	-	3	4	4	31
1984	2,798	1	3	-	-	2	-	4	5	12	25
1983	2,532	1	1	-	2	3	1	4	1	11	22
1982	2,242	5	2	1	-	2	1	1	3	14	25
1981	2,118	1	1	2	1	1	2	2	5	7	21
1980	2,002	3	-	1	2	2	2	7	4	21	22
1979	1,686	-	1	-	-	-	2	2	6	15	20

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other chronic lower respiratory diseases (494,496)											
Black, male											
1998	2,866	-	1	1	-	-	1	1	3	8	21
1997	2,798	1	1	-	-	-	-	-	3	13	22
1996	2,704	-	2	1	-	-	-	2	3	4	17
1995	2,673	-	-	-	1	-	-	1	4	7	11
1994	2,647	1	1	-	-	-	-	-	1	5	20
1993	2,725	1	1	-	1	-	-	1	-	4	29
1992	2,435	1	-	-	-	-	2	2	-	13	23
1991	2,478	2	-	-	-	-	-	1	2	13	23
1990	2,490	-	2	-	-	1	-	2	3	7	21
1989	2,498	2	1	1	2	1	-	3	7	11	33
1988	2,415	-	-	1	-	-	-	1	2	10	23
1987	2,248	2	1	-	-	-	-	1	7	9	14
1986	2,268	1	1	-	-	-	1	1	3	7	23
1985	2,167	1	1	-	1	1	-	3	1	3	23
1984	2,025	1	2	-	-	1	-	3	1	7	16
1983	1,873	1	-	-	1	2	1	1	1	7	16
1982	1,632	3	1	-	-	1	1	1	2	9	18
1981	1,599	1	1	1	-	-	2	1	4	2	15
1980	1,529	2	-	1	-	-	1	5	3	13	16
1979	1,329	-	1	-	-	-	1	-	5	10	15
Other chronic lower respiratory diseases (494,496)											
Black, female											
1998	1,994	-	1	-	2	-	1	1	2	10	21
1997	1,867	2	-	-	1	1	-	1	4	6	20
1996	1,798	-	-	-	1	1	2	2	2	5	16
1995	1,668	1	-	-	1	-	-	-	6	9	22
1994	1,611	1	-	-	-	-	1	-	2	11	13
1993	1,487	-	-	-	-	-	1	-	2	4	18
1992	1,350	1	1	-	-	-	-	1	-	7	18
1991	1,299	1	1	-	-	1	-	1	-	2	10
1990	1,225	-	-	-	2	-	-	-	1	6	10
1989	1,216	1	-	-	-	1	3	2	3	9	5
1988	1,039	1	2	-	-	1	1	1	2	6	6
1987	995	-	2	-	-	1	-	-	2	5	9
1986	872	-	-	1	-	-	-	2	1	2	9
1985	860	-	-	-	1	1	-	-	3	1	8
1984	773	-	1	-	-	1	-	1	4	5	9
1983	659	-	1	-	1	1	-	3	-	4	6
1982	610	2	1	1	-	1	-	-	1	5	7
1981	519	-	-	1	1	1	-	1	1	5	6
1980	473	1	-	-	2	2	1	2	1	8	6
1979	357	-	-	-	-	-	1	2	1	5	5

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Pneumoconioses and chemical effects (500-506)											
All races, both sexes											
1998	1,118	-	1	-	-	-	-	2	-	2	4
1997	1,111	2	-	-	-	-	-	-	-	3	6
1996	1,140	-	-	-	-	-	1	-	2	3	4
1995	1,126	-	-	-	-	-	-	-	-	-	2
1994	1,109	-	1	-	-	1	-	-	-	2	4
1993	1,157	-	-	-	-	-	-	-	2	4	5
1992	1,148	1	-	-	-	-	2	-	2	2	1
1991	1,256	-	1	-	-	-	2	-	2	3	7
1990	1,358	-	1	-	2	1	-	1	4	2	5
1989	1,279	-	-	-	-	1	-	2	4	3	5
1988	1,242	-	1	-	-	2	2	2	2	1	6
1987	1,322	-	-	-	-	-	2	1	1	4	5
1986	1,334	1	2	1	-	1	2	2	3	2	3
1985	1,386	-	1	-	1	2	1	2	3	4	4
1984	1,380	1	2	-	-	-	2	2	1	2	4
1983	1,373	-	2	-	-	1	2	3	8	4	3
1982	1,438	2	4	-	-	2	1	-	2	5	1
1981	1,629	-	-	2	2	1	5	3	1	1	9
1980	1,625	1	2	1	1	2	8	4	3	4	3
1979	1,581	-	3	1	1	2	3	3	2	6	7
Pneumoconioses and chemical effects (500-506)											
All races, male											
1998	1,075	-	-	-	-	-	-	2	-	1	3
1997	1,069	1	-	-	-	-	-	-	-	2	4
1996	1,101	-	-	-	-	-	1	-	2	2	3
1995	1,098	-	-	-	-	-	-	-	-	-	2
1994	1,069	-	1	-	-	1	-	-	-	-	2
1993	1,117	-	-	-	-	-	-	-	1	3	5
1992	1,109	1	-	-	-	-	2	-	1	2	-
1991	1,216	-	1	-	-	-	1	-	1	2	7
1990	1,311	-	1	-	2	1	-	1	4	2	5
1989	1,238	-	-	-	-	1	-	2	3	3	4
1988	1,206	-	1	-	-	2	1	2	2	1	5
1987	1,281	-	-	-	-	-	2	-	1	3	4
1986	1,291	-	1	-	-	1	2	2	2	1	3
1985	1,342	-	-	-	1	1	1	2	2	2	3
1984	1,339	-	2	-	-	-	2	1	-	2	4
1983	1,343	-	2	-	-	1	2	2	8	4	3
1982	1,404	1	3	-	-	1	1	-	2	4	1
1981	1,586	-	-	-	1	1	4	2	1	1	9
1980	1,584	-	2	1	-	2	5	3	2	4	2
1979	1,545	-	2	1	1	2	1	2	1	5	7

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Pneumoconioses and chemical effects (500-506)											
All races, female											
1998	43	-	1	-	-	-	-	-	-	1	1
1997	42	1	-	-	-	-	-	-	-	1	2
1996	39	-	-	-	-	-	-	-	-	1	1
1995	28	-	-	-	-	-	-	-	-	-	-
1994	40	-	-	-	-	-	-	-	-	2	2
1993	40	-	-	-	-	-	-	-	1	1	-
1992	39	-	-	-	-	-	-	-	1	-	1
1991	40	-	-	-	-	-	1	-	1	1	-
1990	47	-	-	-	-	-	-	-	-	-	-
1989	41	-	-	-	-	-	-	-	1	-	1
1988	36	-	-	-	-	-	1	-	-	-	1
1987	41	-	-	-	-	-	-	1	-	1	1
1986	43	1	1	1	-	-	-	-	1	1	-
1985	44	-	1	-	-	1	-	-	1	2	1
1984	41	1	-	-	-	-	-	1	1	-	-
1983	30	-	-	-	-	-	-	1	-	-	-
1982	34	1	1	-	-	1	-	-	-	1	-
1981	43	-	-	2	1	-	1	1	-	-	-
1980	41	1	-	-	1	-	3	1	1	-	1
1979	36	-	1	-	-	-	2	1	1	1	-
Pneumoconioses and chemical effects (500-506)											
White, both sexes											
1998	1,052	-	1	-	-	-	-	2	-	2	3
1997	1,051	1	-	-	-	-	-	-	-	2	6
1996	1,079	-	-	-	-	-	1	-	2	3	4
1995	1,063	-	-	-	-	-	-	-	-	-	2
1994	1,042	-	-	-	-	1	-	-	-	2	3
1993	1,092	-	-	-	-	-	-	-	2	1	3
1992	1,072	1	-	-	-	-	1	-	2	1	-
1991	1,167	-	-	-	-	-	2	-	2	2	7
1990	1,266	-	-	-	2	1	-	-	4	2	1
1989	1,205	-	-	-	-	1	-	2	4	2	3
1988	1,166	-	-	-	-	1	2	2	1	1	1
1987	1,231	-	-	-	-	-	2	1	1	4	2
1986	1,251	1	2	-	-	1	2	2	3	2	3
1985	1,317	-	1	-	1	2	1	2	3	2	2
1984	1,303	1	1	-	-	-	2	-	1	2	2
1983	1,283	-	1	-	-	1	1	2	6	4	1
1982	1,338	1	3	-	-	2	-	-	2	2	-
1981	1,543	-	-	2	2	1	3	2	1	1	6
1980	1,530	1	2	-	1	2	7	4	1	3	2
1979	1,486	-	1	1	1	2	1	-	1	2	4

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Pneumoconioses and chemical effects (500-506)											
White, male											
1998	1,018	-	-	-	-	-	-	2	-	1	3
1997	1,014	-	-	-	-	-	-	-	-	1	4
1996	1,042	-	-	-	-	-	1	-	2	2	3
1995	1,035	-	-	-	-	-	-	-	-	-	2
1994	1,006	-	-	-	-	1	-	-	-	-	2
1993	1,055	-	-	-	-	-	-	-	1	1	3
1992	1,040	1	-	-	-	-	1	-	1	1	-
1991	1,131	-	-	-	-	-	1	-	1	1	7
1990	1,221	-	-	-	2	1	-	-	4	2	1
1989	1,167	-	-	-	-	1	-	2	3	2	2
1988	1,135	-	-	-	-	1	1	2	1	1	1
1987	1,194	-	-	-	-	-	2	-	1	3	2
1986	1,214	-	1	-	-	1	2	2	2	1	3
1985	1,278	-	-	-	1	1	1	2	2	2	1
1984	1,266	-	1	-	-	-	2	-	-	2	2
1983	1,256	-	1	-	-	1	1	1	6	4	1
1982	1,312	1	2	-	-	1	-	-	2	2	-
1981	1,506	-	-	-	1	1	3	1	1	1	6
1980	1,493	-	2	-	-	2	4	3	1	3	1
1979	1,460	-	1	1	1	2	-	-	-	2	4
Pneumoconioses and chemical effects (500-506)											
White, female											
1998	34	-	1	-	-	-	-	-	-	1	-
1997	37	1	-	-	-	-	-	-	-	1	2
1996	37	-	-	-	-	-	-	-	-	1	1
1995	28	-	-	-	-	-	-	-	-	-	-
1994	36	-	-	-	-	-	-	-	-	2	1
1993	37	-	-	-	-	-	-	-	1	-	-
1992	32	-	-	-	-	-	-	-	1	-	-
1991	36	-	-	-	-	-	1	-	1	1	-
1990	45	-	-	-	-	-	-	-	-	-	-
1989	38	-	-	-	-	-	-	-	1	-	1
1988	31	-	-	-	-	-	1	-	-	-	-
1987	37	-	-	-	-	-	-	1	-	1	-
1986	37	1	1	-	-	-	-	-	1	1	-
1985	39	-	1	-	-	1	-	-	1	-	1
1984	37	1	-	-	-	-	-	-	1	-	-
1983	27	-	-	-	-	-	-	1	-	-	-
1982	26	-	1	-	-	1	-	-	-	-	-
1981	37	-	-	2	1	-	-	1	-	-	-
1980	37	1	-	-	1	-	3	1	-	-	1
1979	26	-	-	-	-	-	1	-	1	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Pneumoconioses and chemical effects (500-506)											
All other, both sexes											
1998	66	-	-	-	-	-	-	-	-	-	1
1997	60	1	-	-	-	-	-	-	-	1	-
1996	61	-	-	-	-	-	-	-	-	-	-
1995	63	-	-	-	-	-	-	-	-	-	-
1994	67	-	1	-	-	-	-	-	-	-	1
1993	65	-	-	-	-	-	-	-	-	3	2
1992	76	-	-	-	-	-	1	-	-	1	1
1991	89	-	1	-	-	-	-	-	-	1	-
1990	92	-	1	-	-	-	-	1	-	-	4
1989	74	-	-	-	-	-	-	-	-	1	2
1988	76	-	1	-	-	1	-	-	1	-	5
1987	91	-	-	-	-	-	-	-	-	-	3
1986	83	-	-	1	-	-	-	-	-	-	-
1985	69	-	-	-	-	-	-	-	-	2	2
1984	77	-	1	-	-	-	-	2	-	-	2
1983	90	-	1	-	-	-	1	1	2	-	2
1982	100	1	1	-	-	-	1	-	-	3	1
1981	86	-	-	-	-	-	2	1	-	-	3
1980	95	-	-	1	-	-	1	-	2	1	1
1979	95	-	2	-	-	-	2	3	1	4	3
Pneumoconioses and chemical effects (500-506)											
All other, male											
1998	57	-	-	-	-	-	-	-	-	-	-
1997	55	1	-	-	-	-	-	-	-	1	-
1996	59	-	-	-	-	-	-	-	-	-	-
1995	63	-	-	-	-	-	-	-	-	-	-
1994	63	-	1	-	-	-	-	-	-	-	-
1993	62	-	-	-	-	-	-	-	-	2	2
1992	69	-	-	-	-	-	1	-	-	1	-
1991	85	-	1	-	-	-	-	-	-	1	-
1990	90	-	1	-	-	-	-	1	-	-	4
1989	71	-	-	-	-	-	-	-	-	1	2
1988	71	-	1	-	-	1	-	-	1	-	4
1987	87	-	-	-	-	-	-	-	-	-	2
1986	77	-	-	-	-	-	-	-	-	-	-
1985	64	-	-	-	-	-	-	-	-	-	2
1984	73	-	1	-	-	-	-	1	-	-	2
1983	87	-	1	-	-	-	1	1	2	-	2
1982	92	-	1	-	-	-	1	-	-	2	1
1981	80	-	-	-	-	-	1	1	-	-	3
1980	91	-	-	1	-	-	1	-	1	1	1
1979	85	-	1	-	-	-	1	2	1	3	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Pneumoconioses and chemical effects (500-506)											
All other, female											
1998	9	-	-	-	-	-	-	-	-	-	1
1997	5	-	-	-	-	-	-	-	-	-	-
1996	2	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-
1994	4	-	-	-	-	-	-	-	-	-	1
1993	3	-	-	-	-	-	-	-	-	1	-
1992	7	-	-	-	-	-	-	-	-	-	1
1991	4	-	-	-	-	-	-	-	-	-	-
1990	2	-	-	-	-	-	-	-	-	-	-
1989	3	-	-	-	-	-	-	-	-	-	-
1988	5	-	-	-	-	-	-	-	-	-	1
1987	4	-	-	-	-	-	-	-	-	-	1
1986	6	-	-	1	-	-	-	-	-	-	-
1985	5	-	-	-	-	-	-	-	-	2	-
1984	4	-	-	-	-	-	-	1	-	-	-
1983	3	-	-	-	-	-	-	-	-	-	-
1982	8	1	-	-	-	-	-	-	-	1	-
1981	6	-	-	-	-	-	1	-	-	-	-
1980	4	-	-	-	-	-	-	-	1	-	-
1979	10	-	1	-	-	-	1	1	-	1	-
Pneumoconioses and chemical effects (500-506)											
Black, both sexes											
1998	59	-	-	-	-	-	-	-	-	-	1
1997	53	1	-	-	-	-	-	-	-	1	-
1996	54	-	-	-	-	-	-	-	-	-	-
1995	59	-	-	-	-	-	-	-	-	-	-
1994	64	-	1	-	-	-	-	-	-	-	1
1993	59	-	-	-	-	-	-	-	-	3	2
1992	70	-	-	-	-	-	1	-	-	1	1
1991	88	-	1	-	-	-	-	-	-	1	-
1990	89	-	1	-	-	-	-	1	-	-	4
1989	69	-	-	-	-	-	-	-	-	1	2
1988	74	-	1	-	-	1	-	-	1	-	5
1987	89	-	-	-	-	-	-	-	-	-	3
1986	74	-	-	-	-	-	-	-	-	-	-
1985	66	-	-	-	-	-	-	-	-	2	2
1984	73	-	1	-	-	-	-	1	-	-	2
1983	89	-	1	-	-	-	1	1	2	-	2
1982	94	1	1	-	-	-	1	-	-	1	1
1981	81	-	-	-	-	-	1	1	-	-	3
1980	92	-	-	1	-	-	-	-	2	1	1
1979	94	-	2	-	-	-	2	3	1	4	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Pneumoconioses and chemical effects (500-506)

Black, male

1998	53	-	-	-	-	-	-	-	-	-	-
1997	48	1	-	-	-	-	-	-	-	1	-
1996	53	-	-	-	-	-	-	-	-	-	-
1995	59	-	-	-	-	-	-	-	-	-	-
1994	61	-	1	-	-	-	-	-	-	-	-
1993	56	-	-	-	-	-	-	-	-	2	2
1992	64	-	-	-	-	-	1	-	-	1	-
1991	84	-	1	-	-	-	-	-	-	1	-
1990	88	-	1	-	-	-	-	1	-	-	4
1989	66	-	-	-	-	-	-	-	-	1	2
1988	69	-	1	-	-	1	-	-	1	-	4
1987	85	-	-	-	-	-	-	-	-	-	2
1986	71	-	-	-	-	-	-	-	-	-	-
1985	61	-	-	-	-	-	-	-	-	-	2
1984	70	-	1	-	-	-	-	1	-	-	2
1983	86	-	1	-	-	-	1	1	2	-	2
1982	88	-	1	-	-	-	1	-	-	1	1
1981	76	-	-	-	-	-	1	1	-	-	3
1980	88	-	-	1	-	-	-	-	1	1	1
1979	84	-	1	-	-	-	1	2	1	3	3

Pneumoconioses and chemical effects (500-506)

Black, female

1998	6	-	-	-	-	-	-	-	-	-	1
1997	5	-	-	-	-	-	-	-	-	-	-
1996	1	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-
1994	3	-	-	-	-	-	-	-	-	-	1
1993	3	-	-	-	-	-	-	-	-	1	-
1992	6	-	-	-	-	-	-	-	-	-	1
1991	4	-	-	-	-	-	-	-	-	-	-
1990	1	-	-	-	-	-	-	-	-	-	-
1989	3	-	-	-	-	-	-	-	-	-	-
1988	5	-	-	-	-	-	-	-	-	-	1
1987	4	-	-	-	-	-	-	-	-	-	1
1986	3	-	-	-	-	-	-	-	-	-	-
1985	5	-	-	-	-	-	-	-	-	2	-
1984	3	-	-	-	-	-	-	-	-	-	-
1983	3	-	-	-	-	-	-	-	-	-	-
1982	6	1	-	-	-	-	-	-	-	-	-
1981	5	-	-	-	-	-	-	-	-	-	-
1980	4	-	-	-	-	-	-	-	1	-	-
1979	10	-	1	-	-	-	1	1	-	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Pneumonitis due to solids and liquids (507)											
All races, both sexes											
1998	12,674	11	8	7	8	11	12	23	28	47	63
1997	11,443	21	14	9	7	5	10	17	29	48	51
1996	10,310	16	14	7	6	5	20	24	32	42	53
1995	9,608	17	15	3	5	11	17	29	30	36	54
1994	8,969	19	15	5	9	7	24	29	34	41	54
1993	8,705	27	20	10	8	11	16	26	24	40	51
1992	8,196	19	17	9	5	11	12	21	30	57	45
1991	8,063	32	18	9	7	12	9	22	37	28	35
1990	7,702	20	19	10	10	6	17	20	24	35	40
1989	7,714	22	10	10	5	11	19	19	26	41	45
1988	7,755	38	14	9	3	8	14	21	36	35	43
1987	7,317	30	18	7	8	10	16	21	30	31	39
1986	6,783	37	19	6	6	9	11	17	22	36	40
1985	6,223	40	20	11	6	15	16	25	26	31	39
1984	5,448	44	30	6	5	15	14	18	25	28	38
1983	4,598	39	18	5	6	9	17	23	29	33	37
1982	3,998	41	23	5	10	12	12	17	26	26	43
1981	3,651	50	33	4	8	19	17	19	20	27	36
1980	3,355	56	17	7	5	8	15	19	22	37	32
1979	2,836	68	19	8	2	9	20	24	21	33	43
Pneumonitis due to solids and liquids (507)											
All races, male											
1998	6,190	5	7	4	4	5	6	11	18	25	33
1997	5,635	13	9	5	5	2	4	6	15	27	34
1996	4,986	10	7	3	3	1	14	12	17	28	27
1995	4,839	8	10	2	3	7	7	15	17	22	37
1994	4,512	11	11	4	6	2	16	17	20	24	38
1993	4,285	15	14	2	4	8	10	18	20	27	32
1992	4,049	10	11	4	3	6	6	11	16	34	28
1991	4,021	18	11	4	4	6	3	10	23	17	14
1990	3,795	9	11	4	6	4	11	10	15	18	28
1989	3,886	14	6	5	4	7	9	14	13	23	33
1988	3,945	21	7	4	1	8	8	11	23	23	27
1987	3,714	10	11	2	5	5	7	16	18	17	25
1986	3,625	26	8	2	3	1	8	9	15	27	27
1985	3,249	19	12	7	3	11	10	17	15	19	21
1984	2,967	30	14	3	4	9	8	11	10	12	30
1983	2,578	19	10	-	5	4	8	15	17	21	18
1982	2,268	23	10	-	8	6	3	11	16	18	29
1981	2,142	30	18	2	6	11	8	7	10	16	24
1980	1,912	25	9	3	4	2	9	13	14	15	20
1979	1,679	41	9	3	1	6	11	15	14	17	24

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Pneumonitis due to solids and liquids (507)											
All races, female											
1998	6,484	6	1	3	4	6	6	12	10	22	30
1997	5,808	8	5	4	2	3	6	11	14	21	17
1996	5,324	6	7	4	3	4	6	12	15	14	26
1995	4,769	9	5	1	2	4	10	14	13	14	17
1994	4,457	8	4	1	3	5	8	12	14	17	16
1993	4,420	12	6	8	4	3	6	8	4	13	19
1992	4,147	9	6	5	2	5	6	10	14	23	17
1991	4,042	14	7	5	3	6	6	12	14	11	21
1990	3,907	11	8	6	4	2	6	10	9	17	12
1989	3,828	8	4	5	1	4	10	5	13	18	12
1988	3,810	17	7	5	2	-	6	10	13	12	16
1987	3,603	20	7	5	3	5	9	5	12	14	14
1986	3,158	11	11	4	3	8	3	8	7	9	13
1985	2,974	21	8	4	3	4	6	8	11	12	18
1984	2,481	14	16	3	1	6	6	7	15	16	8
1983	2,020	20	8	5	1	5	9	8	12	12	19
1982	1,730	18	13	5	2	6	9	6	10	8	14
1981	1,509	20	15	2	2	8	9	12	10	11	12
1980	1,443	31	8	4	1	6	6	6	8	22	12
1979	1,157	27	10	5	1	3	9	9	7	16	19
Pneumonitis due to solids and liquids (507)											
White, both sexes											
1998	11,191	6	6	5	6	8	10	12	20	36	46
1997	10,116	10	9	8	4	3	10	11	23	28	36
1996	9,074	10	10	3	6	4	16	14	23	25	37
1995	8,418	13	11	2	2	4	11	26	19	28	35
1994	7,833	16	8	5	7	5	18	23	26	27	42
1993	7,663	17	14	8	8	10	11	17	16	31	38
1992	7,188	10	10	8	3	7	9	12	19	36	32
1991	7,043	19	11	9	3	8	5	14	20	22	27
1990	6,683	8	15	8	7	4	15	14	20	27	26
1989	6,650	14	6	10	4	10	13	16	15	23	28
1988	6,731	21	10	7	1	7	9	16	24	22	26
1987	6,331	25	12	4	7	5	13	16	18	16	23
1986	5,813	25	14	5	5	6	8	14	14	21	24
1985	5,363	33	16	8	5	12	12	21	21	22	21
1984	4,689	27	22	5	3	13	10	13	18	20	26
1983	3,930	29	13	2	4	9	12	17	24	23	19
1982	3,398	22	15	5	6	10	7	12	23	16	24
1981	3,077	34	21	2	6	13	14	13	12	20	24
1980	2,798	36	11	6	2	4	11	17	10	25	23
1979	2,384	37	15	4	2	6	17	18	14	24	27

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Pneumonitis due to solids and liquids (507)											
White, male											
1998	5,450	4	5	3	3	4	6	8	12	19	24
1997	4,958	6	7	4	3	1	4	4	14	15	25
1996	4,348	6	5	1	3	1	11	7	12	18	20
1995	4,217	6	7	1	2	4	4	13	12	18	22
1994	3,916	9	5	4	5	2	12	13	16	15	29
1993	3,727	10	11	2	4	7	6	14	13	19	24
1992	3,508	8	6	3	2	4	5	3	10	22	19
1991	3,478	10	8	4	1	4	3	5	13	14	10
1990	3,250	2	9	3	5	3	10	5	13	13	18
1989	3,282	10	5	5	4	6	7	13	9	11	19
1988	3,369	12	5	4	1	7	6	9	13	15	14
1987	3,165	8	7	1	5	3	7	12	7	10	14
1986	3,081	19	6	2	3	1	6	7	11	16	17
1985	2,748	17	9	5	2	9	6	14	13	12	8
1984	2,508	18	10	2	2	8	5	9	9	7	19
1983	2,162	15	7	-	3	4	6	12	15	14	8
1982	1,905	14	5	-	5	5	1	9	15	12	14
1981	1,792	19	11	-	4	8	8	6	6	12	15
1980	1,579	19	5	3	1	1	8	11	6	9	14
1979	1,388	23	7	1	1	4	9	12	9	12	13
Pneumonitis due to solids and liquids (507)											
White, female											
1998	5,741	2	1	2	3	4	4	4	8	17	22
1997	5,158	4	2	4	1	2	6	7	9	13	11
1996	4,726	4	5	2	3	3	5	7	11	7	17
1995	4,201	7	4	1	-	-	7	13	7	10	13
1994	3,917	7	3	1	2	3	6	10	10	12	13
1993	3,936	7	3	6	4	3	5	3	3	12	14
1992	3,680	2	4	5	1	3	4	9	9	14	13
1991	3,565	9	3	5	2	4	2	9	7	8	17
1990	3,433	6	6	5	2	1	5	9	7	14	8
1989	3,368	4	1	5	-	4	6	3	6	12	9
1988	3,362	9	5	3	-	-	3	7	11	7	12
1987	3,166	17	5	3	2	2	6	4	11	6	9
1986	2,732	6	8	3	2	5	2	7	3	5	7
1985	2,615	16	7	3	3	3	6	7	8	10	13
1984	2,181	9	12	3	1	5	5	4	9	13	7
1983	1,768	14	6	2	1	5	6	5	9	9	11
1982	1,493	8	10	5	1	5	6	3	8	4	10
1981	1,285	15	10	2	2	5	6	7	6	8	9
1980	1,219	17	6	3	1	3	3	6	4	16	9
1979	996	14	8	3	1	2	8	6	5	12	14

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Pneumonitis due to solids and liquids (507)											
All other, both sexes											
1998	1,483	5	2	2	2	3	2	11	8	11	17
1997	1,327	11	5	1	3	2	-	6	6	20	15
1996	1,236	6	4	4	-	1	4	10	9	17	16
1995	1,190	4	4	1	3	7	6	3	11	8	19
1994	1,136	3	7	-	2	2	6	6	8	14	12
1993	1,042	10	6	2	-	1	5	9	8	9	13
1992	1,008	9	7	1	2	4	3	9	11	21	13
1991	1,020	13	7	-	4	4	4	8	17	6	8
1990	1,019	12	4	2	3	2	2	6	4	8	14
1989	1,064	8	4	-	1	1	6	3	11	18	17
1988	1,024	17	4	2	2	1	5	5	12	13	17
1987	986	5	6	3	1	5	3	5	12	15	16
1986	970	12	5	1	1	3	3	3	8	15	16
1985	860	7	4	3	1	3	4	4	5	9	18
1984	759	17	8	1	2	2	4	5	7	8	12
1983	668	10	5	3	2	-	5	6	5	10	18
1982	600	19	8	-	4	2	5	5	3	10	19
1981	574	16	12	2	2	6	3	6	8	7	12
1980	557	20	6	1	3	4	4	2	12	12	9
1979	452	31	4	4	-	3	3	6	7	9	16
Pneumonitis due to solids and liquids (507)											
All other, male											
1998	740	1	2	1	1	1	-	3	6	6	9
1997	677	7	2	1	2	1	-	2	1	12	9
1996	638	4	2	2	-	-	3	5	5	10	7
1995	622	2	3	1	1	3	3	2	5	4	15
1994	596	2	6	-	1	-	4	4	4	9	9
1993	558	5	3	-	-	1	4	4	7	8	8
1992	541	2	5	1	1	2	1	8	6	12	9
1991	543	8	3	-	3	2	-	5	10	3	4
1990	545	7	2	1	1	1	1	5	2	5	10
1989	604	4	1	-	-	1	2	1	4	12	14
1988	576	9	2	-	-	1	2	2	10	8	13
1987	549	2	4	1	-	2	-	4	11	7	11
1986	544	7	2	-	-	-	2	2	4	11	10
1985	501	2	3	2	1	2	4	3	2	7	13
1984	459	12	4	1	2	1	3	2	1	5	11
1983	416	4	3	-	2	-	2	3	2	7	10
1982	363	9	5	-	3	1	2	2	1	6	15
1981	350	11	7	2	2	3	-	1	4	4	9
1980	333	6	4	-	3	1	1	2	8	6	6
1979	291	18	2	2	-	2	2	3	5	5	11

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Pneumonitis due to solids and liquids (507)											
All other, female											
1998	743	4	-	1	1	2	2	8	2	5	8
1997	650	4	3	-	1	1	-	4	5	8	6
1996	598	2	2	2	-	1	1	5	4	7	9
1995	568	2	1	-	2	4	3	1	6	4	4
1994	540	1	1	-	1	2	2	2	4	5	3
1993	484	5	3	2	-	-	1	5	1	1	5
1992	467	7	2	-	1	2	2	1	5	9	4
1991	477	5	4	-	1	2	4	3	7	3	4
1990	474	5	2	1	2	1	1	1	2	3	4
1989	460	4	3	-	1	-	4	2	7	6	3
1988	448	8	2	2	2	-	3	3	2	5	4
1987	437	3	2	2	1	3	3	1	1	8	5
1986	426	5	3	1	1	3	1	1	4	4	6
1985	359	5	1	1	-	1	-	1	3	2	5
1984	300	5	4	-	-	1	1	3	6	3	1
1983	252	6	2	3	-	-	3	3	3	3	8
1982	237	10	3	-	1	1	3	3	2	4	4
1981	224	5	5	-	-	3	3	5	4	3	3
1980	224	14	2	1	-	3	3	-	4	6	3
1979	161	13	2	2	-	1	1	3	2	4	5
Pneumonitis due to solids and liquids (507)											
Black, both sexes											
1998	1,311	5	1	2	2	3	1	9	7	7	16
1997	1,168	11	5	1	3	1	-	5	4	18	13
1996	1,080	5	4	4	-	-	2	9	7	17	11
1995	1,042	3	2	1	3	7	5	3	11	8	17
1994	1,004	2	5	-	2	2	4	5	6	14	12
1993	919	10	6	2	-	1	4	8	8	9	11
1992	913	8	6	1	2	4	3	8	11	21	12
1991	887	13	5	-	4	4	4	7	15	6	8
1990	913	10	4	2	3	2	2	6	4	7	11
1989	965	8	2	-	1	1	6	3	11	17	16
1988	924	14	4	1	2	1	5	4	12	12	16
1987	883	3	5	3	1	5	2	4	11	15	16
1986	876	12	5	1	1	2	3	3	8	13	15
1985	796	6	3	3	-	3	4	4	5	9	17
1984	689	14	7	1	1	2	2	5	6	8	12
1983	616	9	4	2	2	-	5	6	5	10	18
1982	537	18	7	-	4	2	5	4	2	9	19
1981	527	16	7	2	2	6	2	4	7	5	12
1980	511	20	6	1	3	4	2	1	12	12	9
1979	422	29	4	4	-	2	2	6	5	9	16

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Pneumonitis due to solids and liquids (507)											
Black, male											
1998	650	1	1	1	1	1	-	3	6	3	8
1997	586	7	2	1	2	1	-	2	1	10	8
1996	553	3	2	2	-	-	2	4	4	10	5
1995	526	2	1	1	1	3	2	2	5	4	14
1994	517	2	5	-	1	-	3	3	4	9	9
1993	479	5	3	-	-	1	3	3	7	8	8
1992	481	2	4	1	1	2	1	7	6	12	8
1991	470	8	2	-	3	2	-	4	8	3	4
1990	482	5	2	1	1	1	1	5	2	4	8
1989	535	4	-	-	-	1	2	1	4	11	13
1988	516	8	2	-	-	1	2	1	10	8	12
1987	491	1	3	1	-	2	-	3	10	7	11
1986	476	7	2	-	-	-	2	2	4	9	9
1985	463	1	2	2	-	2	4	3	2	7	12
1984	411	10	3	1	1	1	1	2	-	5	11
1983	382	3	2	-	2	-	2	3	2	7	10
1982	322	8	4	-	3	1	2	1	-	5	15
1981	317	11	4	2	2	3	-	-	3	3	9
1980	309	6	4	-	3	1	-	1	8	6	6
1979	270	16	2	2	-	1	2	3	4	5	11
Pneumonitis due to solids and liquids (507)											
Black, female											
1998	661	4	-	1	1	2	1	6	1	4	8
1997	582	4	3	-	1	-	-	3	3	8	5
1996	527	2	2	2	-	-	-	5	3	7	6
1995	516	1	1	-	2	4	3	1	6	4	3
1994	487	-	-	-	1	2	1	2	2	5	3
1993	440	5	3	2	-	-	1	5	1	1	3
1992	432	6	2	-	1	2	2	1	5	9	4
1991	417	5	3	-	1	2	4	3	7	3	4
1990	431	5	2	1	2	1	1	1	2	3	3
1989	430	4	2	-	1	-	4	2	7	6	3
1988	408	6	2	1	2	-	3	3	2	4	4
1987	392	2	2	2	1	3	2	1	1	8	5
1986	400	5	3	1	1	2	1	1	4	4	6
1985	333	5	1	1	-	1	-	1	3	2	5
1984	278	4	4	-	-	1	1	3	6	3	1
1983	234	6	2	2	-	-	3	3	3	3	8
1982	215	10	3	-	1	1	3	3	2	4	4
1981	210	5	3	-	-	3	2	4	4	2	3
1980	202	14	2	1	-	3	2	-	4	6	3
1979	152	13	2	2	-	1	-	3	1	4	5

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other diseases of respiratory system (034.0,460-465,470-478,495,508-519)											
All races, both sexes											
1998	20,330	283	92	50	36	42	62	81	113	206	335
1997	19,475	252	91	33	33	56	78	88	145	194	311
1996	18,727	255	101	39	38	56	55	92	136	209	286
1995	18,022	253	103	32	42	49	84	93	145	217	300
1994	17,802	271	95	42	38	50	57	90	170	218	293
1993	17,628	368	107	45	45	55	85	93	151	226	316
1992	16,752	359	108	43	55	66	72	113	153	236	285
1991	17,001	356	121	42	37	49	76	111	165	258	314
1990	16,355	389	127	44	47	44	83	127	200	211	319
1989	16,516	379	123	49	41	73	99	145	215	258	294
1988	16,882	414	136	44	45	66	105	150	205	238	277
1987	16,063	413	145	54	33	51	96	146	212	253	257
1986	15,883	478	137	41	36	76	93	143	222	267	250
1985	15,725	478	172	46	36	65	120	147	186	186	244
1984	14,346	477	144	43	55	73	104	139	199	189	225
1983	14,229	509	172	36	42	75	109	141	178	190	217
1982	13,076	459	148	48	43	80	113	130	176	163	190
1981	12,930	509	171	50	52	71	121	147	178	184	222
1980	12,552	514	148	51	46	111	118	149	179	161	230
1979	11,636	534	211	59	52	90	115	132	129	175	194
Other diseases of respiratory system (034.0,460-465,470-478,495,508-519)											
All races, male											
1998	10,172	170	51	25	22	21	36	49	66	113	180
1997	9,766	158	57	19	16	38	37	49	77	101	152
1996	9,421	149	49	24	17	34	29	51	79	114	160
1995	9,003	149	55	16	18	24	45	47	82	115	157
1994	9,035	173	60	28	22	25	33	43	95	109	166
1993	8,921	220	64	27	27	29	43	48	85	134	183
1992	8,618	218	57	24	31	36	37	70	85	134	166
1991	8,721	212	59	27	29	20	39	55	99	157	175
1990	8,410	237	63	25	19	21	42	72	103	119	197
1989	8,562	229	71	30	27	39	56	69	118	166	170
1988	8,796	235	77	25	21	40	63	79	116	140	164
1987	8,456	236	80	35	17	23	43	82	140	144	150
1986	8,423	303	84	25	25	42	51	88	144	165	153
1985	8,445	265	93	25	20	40	77	92	107	116	142
1984	7,719	269	83	21	25	45	67	83	131	109	126
1983	7,665	289	100	22	22	54	65	87	107	101	125
1982	7,252	273	82	21	25	47	67	67	94	102	115
1981	7,193	307	104	29	21	39	70	86	94	112	129
1980	7,205	304	87	27	30	60	76	92	108	89	129
1979	6,726	298	121	31	29	45	71	85	84	92	113

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other diseases of respiratory system (034.0,460-465,470-478,495,508-519)											
All races, female											
1998	10,158	113	41	25	14	21	26	32	47	93	155
1997	9,709	94	34	14	17	18	41	39	68	93	159
1996	9,306	106	52	15	21	22	26	41	57	95	126
1995	9,019	104	48	16	24	25	39	46	63	102	143
1994	8,767	98	35	14	16	25	24	47	75	109	127
1993	8,707	148	43	18	18	26	42	45	66	92	133
1992	8,134	141	51	19	24	30	35	43	68	102	119
1991	8,280	144	62	15	8	29	37	56	66	101	139
1990	7,945	152	64	19	28	23	41	55	97	92	122
1989	7,954	150	52	19	14	34	43	76	97	92	124
1988	8,086	179	59	19	24	26	42	71	89	98	113
1987	7,607	177	65	19	16	28	53	64	72	109	107
1986	7,460	175	53	16	11	34	42	55	78	102	97
1985	7,280	213	79	21	16	25	43	55	79	70	102
1984	6,627	208	61	22	30	28	37	56	68	80	99
1983	6,564	220	72	14	20	21	44	54	71	89	92
1982	5,824	186	66	27	18	33	46	63	82	61	75
1981	5,737	202	67	21	31	32	51	61	84	72	93
1980	5,347	210	61	24	16	51	42	57	71	72	101
1979	4,910	236	90	28	23	45	44	47	45	83	81
Other diseases of respiratory system (034.0,460-465,470-478,495,508-519)											
White, both sexes											
1998	18,012	193	59	35	23	35	43	55	83	145	232
1997	17,269	161	67	24	22	43	52	65	107	118	209
1996	16,555	163	73	31	28	39	39	59	89	139	193
1995	15,932	170	65	23	33	38	52	66	98	144	208
1994	15,664	181	51	32	25	36	41	59	123	140	194
1993	15,484	216	68	32	35	46	61	63	105	154	203
1992	14,642	230	76	28	42	43	49	88	105	147	187
1991	14,869	243	77	31	28	40	46	71	103	155	216
1990	14,172	261	79	34	37	29	53	81	121	133	202
1989	14,226	234	79	36	31	53	66	108	143	167	193
1988	14,626	260	101	32	36	53	76	101	133	145	187
1987	13,931	263	107	41	28	33	66	111	133	152	173
1986	13,751	300	97	29	27	53	68	96	143	174	182
1985	13,552	294	126	36	25	51	84	99	113	124	153
1984	12,431	323	106	33	44	58	78	97	127	118	163
1983	12,350	349	130	33	34	53	82	104	122	129	138
1982	11,221	293	108	35	31	65	72	89	105	109	137
1981	11,069	323	131	37	37	55	87	96	112	125	141
1980	10,704	337	118	33	39	92	80	109	115	102	153
1979	9,928	346	161	51	39	69	90	92	85	102	127

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other diseases of respiratory system (034.0,460-465,470-478,495,508-519)											
White, male											
1998	9,010	109	35	19	14	16	29	32	50	80	129
1997	8,666	99	40	15	11	30	25	40	61	65	101
1996	8,319	96	33	18	13	24	23	35	51	82	107
1995	7,952	104	37	12	15	17	33	35	54	78	112
1994	7,930	121	35	23	14	16	25	28	73	74	119
1993	7,827	135	41	19	22	26	32	35	60	94	123
1992	7,502	140	41	17	19	27	25	57	58	88	106
1991	7,587	142	34	19	22	19	23	39	58	97	124
1990	7,274	161	40	19	17	16	27	46	66	79	137
1989	7,298	142	46	22	20	31	37	49	86	102	118
1988	7,571	146	54	20	17	32	48	55	73	82	113
1987	7,265	153	56	26	15	17	31	64	86	84	106
1986	7,197	192	57	16	17	34	41	59	100	110	120
1985	7,233	162	67	19	15	32	57	67	70	76	90
1984	6,649	190	61	15	20	39	53	59	82	67	85
1983	6,585	201	75	20	19	36	55	70	75	68	79
1982	6,171	182	59	14	18	39	46	47	57	68	82
1981	6,120	197	85	20	14	29	54	54	62	72	78
1980	6,095	211	71	18	27	55	51	71	71	49	84
1979	5,680	206	92	23	20	31	57	60	50	51	71
Other diseases of respiratory system (034.0,460-465,470-478,495,508-519)											
White, female											
1998	9,002	84	24	16	9	19	14	23	33	65	103
1997	8,603	62	27	9	11	13	27	25	46	53	108
1996	8,236	67	40	13	15	15	16	24	38	57	86
1995	7,980	66	28	11	18	21	19	31	44	66	96
1994	7,734	60	16	9	11	20	16	31	50	66	75
1993	7,657	81	27	13	13	20	29	28	45	60	80
1992	7,140	90	35	11	23	16	24	31	47	59	81
1991	7,282	101	43	12	6	21	23	32	45	58	92
1990	6,898	100	39	15	20	13	26	35	55	54	65
1989	6,928	92	33	14	11	22	29	59	57	65	75
1988	7,055	114	47	12	19	21	28	46	60	63	74
1987	6,666	110	51	15	13	16	35	47	47	68	67
1986	6,554	108	40	13	10	19	27	37	43	64	62
1985	6,319	132	59	17	10	19	27	32	43	48	63
1984	5,782	133	45	18	24	19	25	38	45	51	78
1983	5,765	148	55	13	15	17	27	34	47	61	59
1982	5,050	111	49	21	13	26	26	42	48	41	55
1981	4,949	126	46	17	23	26	33	42	50	53	63
1980	4,609	126	47	15	12	37	29	38	44	53	69
1979	4,248	140	69	28	19	38	33	32	35	51	56

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other diseases of respiratory system (034.0,460-465,470-478,495,508-519)											
All other, both sexes											
1998	2,318	90	33	15	13	7	19	26	30	61	103
1997	2,206	91	24	9	11	13	26	23	38	76	102
1996	2,172	92	28	8	10	17	16	33	47	70	93
1995	2,090	83	38	9	9	11	32	27	47	73	92
1994	2,138	90	44	10	13	14	16	31	47	78	99
1993	2,144	152	39	13	10	9	24	30	46	72	113
1992	2,110	129	32	15	13	23	23	25	48	89	98
1991	2,132	113	44	11	9	9	30	40	62	103	98
1990	2,183	128	48	10	10	15	30	46	79	78	117
1989	2,290	145	44	13	10	20	33	37	72	91	101
1988	2,256	154	35	12	9	13	29	49	72	93	90
1987	2,132	150	38	13	5	18	30	35	79	101	84
1986	2,132	178	40	12	9	23	25	47	79	93	68
1985	2,173	184	46	10	11	14	36	48	73	62	91
1984	1,915	154	38	10	11	15	26	42	72	71	62
1983	1,879	160	42	3	8	22	27	37	56	61	79
1982	1,855	166	40	13	12	15	41	41	71	54	53
1981	1,861	186	40	13	15	16	34	51	66	59	81
1980	1,848	177	30	18	7	19	38	40	64	59	77
1979	1,708	188	50	8	13	21	25	40	44	73	67
Other diseases of respiratory system (034.0,460-465,470-478,495,508-519)											
All other, male											
1998	1,162	61	16	6	8	5	7	17	16	33	51
1997	1,100	59	17	4	5	8	12	9	16	36	51
1996	1,102	53	16	6	4	10	6	16	28	32	53
1995	1,051	45	18	4	3	7	12	12	28	37	45
1994	1,105	52	25	5	8	9	8	15	22	35	47
1993	1,094	85	23	8	5	3	11	13	25	40	60
1992	1,116	78	16	7	12	9	12	13	27	46	60
1991	1,134	70	25	8	7	1	16	16	41	60	51
1990	1,136	76	23	6	2	5	15	26	37	40	60
1989	1,264	87	25	8	7	8	19	20	32	64	52
1988	1,225	89	23	5	4	8	15	24	43	58	51
1987	1,191	83	24	9	2	6	12	18	54	60	44
1986	1,226	111	27	9	8	8	10	29	44	55	33
1985	1,212	103	26	6	5	8	20	25	37	40	52
1984	1,070	79	22	6	5	6	14	24	49	42	41
1983	1,080	88	25	2	3	18	10	17	32	33	46
1982	1,081	91	23	7	7	8	21	20	37	34	33
1981	1,073	110	19	9	7	10	16	32	32	40	51
1980	1,110	93	16	9	3	5	25	21	37	40	45
1979	1,046	92	29	8	9	14	14	25	34	41	42

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other diseases of respiratory system (034.0,460-465,470-478,495,508-519)											
All other, female											
1998	1,156	29	17	9	5	2	12	9	14	28	52
1997	1,106	32	7	5	6	5	14	14	22	40	51
1996	1,070	39	12	2	6	7	10	17	19	38	40
1995	1,039	38	20	5	6	4	20	15	19	36	47
1994	1,033	38	19	5	5	5	8	16	25	43	52
1993	1,050	67	16	5	5	6	13	17	21	32	53
1992	994	51	16	8	1	14	11	12	21	43	38
1991	998	43	19	3	2	8	14	24	21	43	47
1990	1,047	52	25	4	8	10	15	20	42	38	57
1989	1,026	58	19	5	3	12	14	17	40	27	49
1988	1,031	65	12	7	5	5	14	25	29	35	39
1987	941	67	14	4	3	12	18	17	25	41	40
1986	906	67	13	3	1	15	15	18	35	38	35
1985	961	81	20	4	6	6	16	23	36	22	39
1984	845	75	16	4	6	9	12	18	23	29	21
1983	799	72	17	1	5	4	17	20	24	28	33
1982	774	75	17	6	5	7	20	21	34	20	20
1981	788	76	21	4	8	6	18	19	34	19	30
1980	738	84	14	9	4	14	13	19	27	19	32
1979	662	96	21	-	4	7	11	15	10	32	25
Other diseases of respiratory system (034.0,460-465,470-478,495,508-519)											
Black, both sexes											
1998	1,902	78	27	12	9	5	18	21	27	57	95
1997	1,828	79	21	6	10	10	23	19	35	72	92
1996	1,831	85	24	8	8	17	15	28	43	63	87
1995	1,727	70	33	8	6	8	29	23	41	68	86
1994	1,786	78	38	9	9	11	12	26	43	74	92
1993	1,797	138	38	12	9	8	24	29	43	63	103
1992	1,792	118	27	14	10	22	19	24	47	81	90
1991	1,853	107	39	11	8	8	25	39	57	94	90
1990	1,902	117	39	10	7	14	29	45	76	73	110
1989	2,019	130	41	11	8	19	30	36	65	84	99
1988	1,995	133	32	12	6	13	27	45	68	90	83
1987	1,868	135	32	12	5	17	28	30	75	97	77
1986	1,902	156	35	10	9	21	24	44	75	89	65
1985	1,944	170	41	9	8	14	33	45	68	61	83
1984	1,725	141	34	10	10	14	24	41	67	65	57
1983	1,694	146	38	3	8	19	23	35	55	56	76
1982	1,692	154	38	10	10	14	37	40	67	53	50
1981	1,694	171	35	12	14	16	30	50	63	58	75
1980	1,662	166	27	14	7	14	33	40	60	57	68
1979	1,563	177	43	6	12	18	24	38	39	69	66

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other diseases of respiratory system (034.0,460-465,470-478,495,508-519)											
Black, male											
1998	940	54	12	5	6	4	7	14	15	32	47
1997	918	52	14	4	5	6	11	6	16	33	47
1996	919	50	13	6	4	10	5	15	25	28	48
1995	859	35	17	4	1	4	10	9	25	34	42
1994	896	45	20	5	7	7	6	13	20	33	42
1993	903	78	22	8	4	3	11	12	22	35	57
1992	941	69	14	7	9	8	9	12	26	39	57
1991	977	66	23	8	7	-	14	15	38	55	45
1990	976	69	18	6	2	4	15	26	37	37	53
1989	1,103	76	23	7	6	7	16	19	31	57	51
1988	1,091	78	21	5	3	8	13	23	42	56	45
1987	1,035	75	19	8	2	6	10	14	52	60	42
1986	1,097	99	23	7	8	8	9	26	41	52	32
1985	1,080	93	22	6	3	8	18	23	34	39	47
1984	956	71	20	6	5	5	13	24	47	38	37
1983	962	82	23	2	3	15	8	16	31	30	43
1982	981	85	21	6	6	7	18	20	34	33	31
1981	975	98	18	8	6	10	13	32	30	39	48
1980	998	86	14	6	3	4	22	21	34	39	41
1979	952	85	27	6	8	11	14	24	31	38	41
Other diseases of respiratory system (034.0,460-465,470-478,495,508-519)											
Black, female											
1998	962	24	15	7	3	1	11	7	12	25	48
1997	910	27	7	2	5	4	12	13	19	39	45
1996	912	35	11	2	4	7	10	13	18	35	39
1995	868	35	16	4	5	4	19	14	16	34	44
1994	890	33	18	4	2	4	6	13	23	41	50
1993	894	60	16	4	5	5	13	17	21	28	46
1992	851	49	13	7	1	14	10	12	21	42	33
1991	876	41	16	3	1	8	11	24	19	39	45
1990	926	48	21	4	5	10	14	19	39	36	57
1989	916	54	18	4	2	12	14	17	34	27	48
1988	904	55	11	7	3	5	14	22	26	34	38
1987	833	60	13	4	3	11	18	16	23	37	35
1986	805	57	12	3	1	13	15	18	34	37	33
1985	864	77	19	3	5	6	15	22	34	22	36
1984	769	70	14	4	5	9	11	17	20	27	20
1983	732	64	15	1	5	4	15	19	24	26	33
1982	711	69	17	4	4	7	19	20	33	20	19
1981	719	73	17	4	8	6	17	18	33	19	27
1980	664	80	13	8	4	10	11	19	26	18	27
1979	611	92	16	-	4	7	10	14	8	31	25

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Peptic ulcer (531-534)											
All races, both sexes											
1998	4,742	4	2	1	2	3	5	12	23	32	77
1997	5,178	8	-	3	2	3	8	7	18	44	93
1996	5,161	12	4	2	3	4	4	9	20	54	85
1995	5,522	7	1	3	3	6	6	11	25	56	82
1994	6,148	8	2	2	3	6	10	21	31	56	89
1993	6,000	5	5	3	-	3	10	9	26	57	96
1992	6,177	7	3	2	2	4	5	11	34	61	84
1991	6,168	6	5	-	2	-	6	13	26	57	94
1990	6,257	9	3	2	2	3	8	24	33	50	77
1989	6,526	12	3	3	1	5	6	19	21	59	86
1988	6,506	16	3	1	4	7	10	16	32	67	79
1987	6,427	10	5	3	3	3	4	22	37	49	86
1986	6,540	10	1	1	2	4	11	16	41	68	76
1985	6,715	12	5	-	1	3	9	19	21	54	69
1984	6,640	11	2	1	3	6	10	15	35	50	79
1983	6,445	11	3	1	3	3	9	16	29	45	79
1982	6,821	13	2	3	4	5	11	32	39	46	85
1981	6,579	14	5	3	2	8	15	24	39	63	72
1980	6,190	11	10	2	9	13	12	17	45	59	86
1979	6,004	16	4	1	2	7	22	25	36	61	106
Peptic ulcer (531-534)											
All races, male											
1998	2,261	2	-	1	-	2	3	6	18	18	57
1997	2,409	4	-	3	1	1	7	6	12	32	61
1996	2,432	5	2	2	2	2	1	8	9	38	67
1995	2,660	6	1	2	1	6	2	11	16	35	60
1994	2,964	5	1	2	2	5	8	18	26	41	58
1993	2,853	4	5	3	-	3	4	6	16	39	59
1992	2,948	6	1	1	1	2	3	9	29	40	63
1991	2,959	4	2	-	1	-	3	9	18	38	63
1990	3,011	3	2	2	1	2	5	17	25	39	54
1989	3,187	7	2	1	1	4	4	13	16	42	65
1988	3,221	8	2	1	3	5	6	13	26	49	53
1987	3,232	5	2	2	3	2	2	16	23	39	59
1986	3,140	6	1	1	1	3	5	8	25	52	48
1985	3,376	6	1	-	-	1	6	14	18	42	49
1984	3,262	5	-	1	1	4	7	8	26	36	44
1983	3,303	8	2	-	2	1	9	10	18	29	55
1982	3,465	6	1	2	3	2	9	16	23	31	55
1981	3,482	9	4	2	1	6	11	15	26	46	49
1980	3,448	7	5	1	6	9	6	7	25	44	58
1979	3,311	10	2	-	1	2	13	13	26	42	71

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Peptic ulcer (531-534)											
All races, female											
1998	2,481	2	2	-	2	1	2	6	5	14	20
1997	2,769	4	-	-	1	2	1	1	6	12	32
1996	2,729	7	2	-	1	2	3	1	11	16	18
1995	2,862	1	-	1	2	-	4	-	9	21	22
1994	3,184	3	1	-	1	1	2	3	5	15	31
1993	3,147	1	-	-	-	-	6	3	10	18	37
1992	3,229	1	2	1	1	2	2	2	5	21	21
1991	3,209	2	3	-	1	-	3	4	8	19	31
1990	3,246	6	1	-	1	1	3	7	8	11	23
1989	3,339	5	1	2	-	1	2	6	5	17	21
1988	3,285	8	1	-	1	2	4	3	6	18	26
1987	3,195	5	3	1	-	1	2	6	14	10	27
1986	3,400	4	-	-	1	1	6	8	16	16	28
1985	3,339	6	4	-	1	2	3	5	3	12	20
1984	3,378	6	2	-	2	2	3	7	9	14	35
1983	3,142	3	1	1	1	2	-	6	11	16	24
1982	3,356	7	1	1	1	3	2	16	16	15	30
1981	3,097	5	1	1	1	2	4	9	13	17	23
1980	2,742	4	5	1	3	4	6	10	20	15	28
1979	2,693	6	2	1	1	5	9	12	10	19	35
Peptic ulcer (531-534)											
White, both sexes											
1998	4,199	2	2	1	2	1	4	9	17	22	57
1997	4,541	4	-	1	-	2	4	4	11	31	67
1996	4,508	8	3	-	2	2	1	2	12	30	62
1995	4,889	6	-	3	3	4	5	4	17	35	53
1994	5,416	2	2	2	1	6	8	13	20	29	64
1993	5,317	3	5	2	-	2	6	6	18	39	70
1992	5,498	3	1	2	2	3	5	6	20	35	60
1991	5,501	5	4	-	2	-	4	8	16	39	68
1990	5,580	8	2	2	2	2	3	15	16	32	48
1989	5,728	6	1	2	1	4	2	11	11	42	51
1988	5,855	9	2	1	4	6	4	11	17	43	57
1987	5,805	4	3	3	-	2	2	15	25	30	60
1986	5,845	8	1	1	2	3	10	11	25	46	55
1985	6,049	9	3	-	1	2	8	7	12	40	51
1984	5,999	6	1	1	2	6	7	10	21	32	56
1983	5,817	8	2	1	3	1	7	15	15	35	58
1982	6,140	5	2	3	4	4	8	22	29	34	68
1981	5,916	7	3	3	1	5	12	19	20	46	52
1980	5,612	5	9	2	7	9	9	11	32	40	60
1979	5,426	7	4	1	1	5	16	18	21	43	87

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Peptic ulcer (531-534)											
White, male											
1998	1,980	1	-	1	-	1	3	5	14	15	41
1997	2,051	2	-	1	-	1	4	4	6	24	44
1996	2,074	3	2	-	2	1	-	2	4	23	49
1995	2,298	5	-	2	1	4	2	4	10	20	34
1994	2,556	1	1	2	-	5	6	10	15	22	38
1993	2,458	3	5	2	-	2	3	4	11	24	41
1992	2,560	2	1	1	1	1	3	4	19	21	40
1991	2,586	4	1	-	1	-	2	6	12	23	40
1990	2,627	2	2	2	1	1	2	10	11	24	35
1989	2,739	4	1	1	1	3	1	8	8	28	39
1988	2,843	5	1	1	3	5	2	8	12	27	39
1987	2,865	3	1	2	-	1	1	11	14	23	37
1986	2,752	4	1	1	1	2	5	5	16	35	35
1985	2,990	5	1	-	-	1	5	5	10	29	37
1984	2,897	3	-	1	-	4	5	4	15	21	30
1983	2,921	5	1	-	2	-	7	10	9	22	41
1982	3,072	3	1	2	3	2	7	9	17	23	42
1981	3,081	5	3	2	1	4	9	13	13	30	33
1980	3,075	2	5	1	4	7	5	4	16	29	38
1979	2,943	6	2	-	1	1	10	8	13	26	56
Peptic ulcer (531-534)											
White, female											
1998	2,219	1	2	-	2	-	1	4	3	7	16
1997	2,490	2	-	-	-	1	-	-	5	7	23
1996	2,434	5	1	-	-	1	1	-	8	7	13
1995	2,591	1	-	1	2	-	3	-	7	15	19
1994	2,860	1	1	-	1	1	2	3	5	7	26
1993	2,859	-	-	-	-	-	3	2	7	15	29
1992	2,938	1	-	1	1	2	2	2	1	14	20
1991	2,915	1	3	-	1	-	2	2	4	16	28
1990	2,953	6	-	-	1	1	1	5	5	8	13
1989	2,989	2	-	1	-	1	1	3	3	14	12
1988	3,012	4	1	-	1	1	2	3	5	16	18
1987	2,940	1	2	1	-	1	1	4	11	7	23
1986	3,093	4	-	-	1	1	5	6	9	11	20
1985	3,059	4	2	-	1	1	3	2	2	11	14
1984	3,102	3	1	-	2	2	2	6	6	11	26
1983	2,896	3	1	1	1	1	-	5	6	13	17
1982	3,068	2	1	1	1	2	1	13	12	11	26
1981	2,835	2	-	1	-	1	3	6	7	16	19
1980	2,537	3	4	1	3	2	4	7	16	11	22
1979	2,483	1	2	1	-	4	6	10	8	17	31

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Peptic ulcer (531-534)											
All other, both sexes											
1998	543	2	-	-	-	2	1	3	6	10	20
1997	637	4	-	2	2	1	4	3	7	13	26
1996	653	4	1	2	1	2	3	7	8	24	23
1995	633	1	1	-	-	2	1	7	8	21	29
1994	732	6	-	-	2	-	2	8	11	27	25
1993	683	2	-	1	-	1	4	3	8	18	26
1992	679	4	2	-	-	1	-	5	14	26	24
1991	667	1	1	-	-	-	2	5	10	18	26
1990	677	1	1	-	-	1	5	9	17	18	29
1989	798	6	2	1	-	1	4	8	10	17	35
1988	651	7	1	-	-	1	6	5	15	24	22
1987	622	6	2	-	3	1	2	7	12	19	26
1986	695	2	-	-	-	1	1	5	16	22	21
1985	666	3	2	-	-	1	1	12	9	14	18
1984	641	5	1	-	1	-	3	5	14	18	23
1983	628	3	1	-	-	2	2	1	14	10	21
1982	681	8	-	-	-	1	3	10	10	12	17
1981	663	7	2	-	1	3	3	5	19	17	20
1980	578	6	1	-	2	4	3	6	13	19	26
1979	578	9	-	-	1	2	6	7	15	18	19
Peptic ulcer (531-534)											
All other, male											
1998	281	1	-	-	-	1	-	1	4	3	16
1997	358	2	-	2	1	-	3	2	6	8	17
1996	358	2	-	2	-	1	1	6	5	15	18
1995	362	1	1	-	-	2	-	7	6	15	26
1994	408	4	-	-	2	-	2	8	11	19	20
1993	395	1	-	1	-	1	1	2	5	15	18
1992	388	4	-	-	-	1	-	5	10	19	23
1991	373	-	1	-	-	-	1	3	6	15	23
1990	384	1	-	-	-	1	3	7	14	15	19
1989	448	3	1	-	-	1	3	5	8	14	26
1988	378	3	1	-	-	-	4	5	14	22	14
1987	367	2	1	-	3	1	1	5	9	16	22
1986	388	2	-	-	-	1	-	3	9	17	13
1985	386	1	-	-	-	-	1	9	8	13	12
1984	365	2	-	-	1	-	2	4	11	15	14
1983	382	3	1	-	-	1	2	-	9	7	14
1982	393	3	-	-	-	-	2	7	6	8	13
1981	401	4	1	-	-	2	2	2	13	16	16
1980	373	5	-	-	2	2	1	3	9	15	20
1979	368	4	-	-	-	1	3	5	13	16	15

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Peptic ulcer (531-534)											
All other, female											
1998	262	1	-	-	-	1	1	2	2	7	4
1997	279	2	-	-	1	1	1	1	1	5	9
1996	295	2	1	-	1	1	2	1	3	9	5
1995	271	-	-	-	-	-	1	-	2	6	3
1994	324	2	-	-	-	-	-	-	-	8	5
1993	288	1	-	-	-	-	3	1	3	3	8
1992	291	-	2	-	-	-	-	-	4	7	1
1991	294	1	-	-	-	-	1	2	4	3	3
1990	293	-	1	-	-	-	2	2	3	3	10
1989	350	3	1	1	-	-	1	3	2	3	9
1988	273	4	-	-	-	1	2	-	1	2	8
1987	255	4	1	-	-	-	1	2	3	3	4
1986	307	-	-	-	-	-	1	2	7	5	8
1985	280	2	2	-	-	1	-	3	1	1	6
1984	276	3	1	-	-	-	1	1	3	3	9
1983	246	-	-	-	-	1	-	1	5	3	7
1982	288	5	-	-	-	1	1	3	4	4	4
1981	262	3	1	-	1	1	1	3	6	1	4
1980	205	1	1	-	-	2	2	3	4	4	6
1979	210	5	-	-	1	1	3	2	2	2	4
Peptic ulcer (531-534)											
Black, both sexes											
1998	417	1	-	-	-	2	1	3	4	9	17
1997	497	4	-	2	-	1	4	3	6	12	23
1996	526	3	1	1	1	2	3	6	7	20	22
1995	524	1	-	-	-	2	1	6	8	20	27
1994	584	5	-	-	2	-	2	7	8	27	23
1993	563	2	-	1	-	-	4	2	8	16	26
1992	570	4	-	-	-	-	-	5	13	26	22
1991	552	1	-	-	-	-	2	5	10	16	24
1990	589	1	1	-	-	1	5	8	15	17	26
1989	672	6	1	1	-	1	4	8	10	15	29
1988	562	7	1	-	-	1	6	5	15	22	21
1987	546	6	1	-	2	1	1	7	12	19	26
1986	612	2	-	-	-	1	1	4	16	21	20
1985	576	2	2	-	-	1	1	11	7	13	16
1984	565	5	-	-	1	-	1	5	14	17	22
1983	556	3	-	-	-	2	2	1	13	9	20
1982	598	7	-	-	-	1	3	10	10	11	16
1981	599	7	1	-	1	3	3	5	19	16	19
1980	516	5	1	-	1	4	3	6	12	19	25
1979	511	8	-	-	1	2	5	7	13	16	16

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Peptic ulcer (531-534)											
Black, male											
1998	208	1	-	-	-	1	-	1	3	2	13
1997	278	2	-	2	-	-	3	2	5	8	14
1996	284	1	-	1	-	1	1	5	5	13	17
1995	293	1	-	-	-	2	-	6	6	14	25
1994	318	3	-	-	2	-	2	7	8	19	18
1993	319	1	-	1	-	-	1	1	5	14	18
1992	325	4	-	-	-	-	-	5	9	19	21
1991	304	-	-	-	-	-	1	3	6	13	21
1990	336	1	-	-	-	1	3	6	12	14	19
1989	366	3	1	-	-	1	3	5	8	13	21
1988	326	3	1	-	-	-	4	5	14	20	13
1987	318	2	1	-	2	1	1	5	9	16	22
1986	339	2	-	-	-	1	-	2	9	16	12
1985	331	1	-	-	-	-	1	9	7	12	11
1984	315	2	-	-	1	-	1	4	11	14	13
1983	332	3	-	-	-	1	2	-	9	7	14
1982	341	3	-	-	-	-	2	7	6	8	12
1981	360	4	1	-	-	2	2	2	13	15	16
1980	335	4	-	-	1	2	1	3	9	15	19
1979	320	3	-	-	-	1	2	5	12	14	12
Peptic ulcer (531-534)											
Black, female											
1998	209	-	-	-	-	1	1	2	1	7	4
1997	219	2	-	-	-	1	1	1	1	4	9
1996	242	2	1	-	1	1	2	1	2	7	5
1995	231	-	-	-	-	-	1	-	2	6	2
1994	266	2	-	-	-	-	-	-	-	8	5
1993	244	1	-	-	-	-	3	1	3	2	8
1992	245	-	-	-	-	-	-	-	4	7	1
1991	248	1	-	-	-	-	1	2	4	3	3
1990	253	-	1	-	-	-	2	2	3	3	7
1989	306	3	-	1	-	-	1	3	2	2	8
1988	236	4	-	-	-	1	2	-	1	2	8
1987	228	4	-	-	-	-	-	2	3	3	4
1986	273	-	-	-	-	-	1	2	7	5	8
1985	245	1	2	-	-	1	-	2	-	1	5
1984	250	3	-	-	-	-	-	1	3	3	9
1983	224	-	-	-	-	1	-	1	4	2	6
1982	257	4	-	-	-	1	1	3	4	3	4
1981	239	3	-	-	1	1	1	3	6	1	3
1980	181	1	1	-	-	2	2	3	3	4	6
1979	191	5	-	-	1	1	3	2	1	2	4

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Diseases of appendix (540-543)											
All races, both sexes											
1998	439	9	5	5	10	5	7	5	6	16	13
1997	395	3	2	10	8	3	6	5	10	10	14
1996	424	1	2	11	14	11	7	5	6	19	9
1995	398	4	3	7	7	3	3	5	4	5	13
1994	380	1	5	5	5	9	6	6	8	18	5
1993	367	6	8	3	7	6	5	2	10	11	15
1992	413	4	2	6	3	10	6	9	8	11	14
1991	389	2	5	4	6	10	5	7	4	11	16
1990	438	5	7	6	7	5	6	5	7	8	22
1989	451	2	-	6	10	10	8	9	8	5	8
1988	473	3	7	6	13	4	3	6	7	12	11
1987	481	1	1	11	4	7	4	1	10	11	12
1986	512	6	6	14	3	10	6	5	10	6	10
1985	501	6	8	7	3	5	8	7	7	8	7
1984	493	3	8	8	10	2	8	8	7	6	11
1983	526	2	7	8	8	9	10	4	8	8	9
1982	529	7	9	10	19	9	3	4	5	10	11
1981	589	3	5	3	14	10	12	14	7	13	15
1980	701	10	12	11	12	14	14	8	14	11	14
1979	682	6	7	11	18	10	16	10	7	11	12
Diseases of appendix (540-543)											
All races, male											
1998	256	5	3	3	6	4	5	4	5	10	9
1997	228	1	-	5	4	2	3	5	9	7	10
1996	240	1	1	7	7	7	6	3	5	11	3
1995	229	3	1	4	5	3	3	5	2	3	9
1994	220	1	2	3	3	7	3	4	3	10	3
1993	217	6	6	2	4	3	3	2	6	7	10
1992	244	3	2	6	3	5	6	6	2	8	9
1991	207	2	2	1	4	9	3	4	4	10	9
1990	257	3	5	3	3	4	5	3	3	5	14
1989	237	1	-	6	6	6	5	7	7	4	4
1988	241	3	3	3	9	2	1	2	3	9	7
1987	255	-	1	6	4	7	2	1	5	8	10
1986	280	4	3	5	2	5	4	5	6	3	5
1985	276	4	4	4	2	3	6	4	6	6	6
1984	265	2	2	3	7	2	6	3	3	4	5
1983	292	1	6	8	5	7	6	3	6	3	6
1982	303	3	6	7	14	6	1	2	3	7	7
1981	329	1	3	1	9	4	10	10	3	10	11
1980	383	4	6	6	5	8	7	4	8	6	8
1979	373	4	2	8	10	6	10	6	5	7	8

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Diseases of appendix (540-543)											
All races, female											
1998	183	4	2	2	4	1	2	1	1	6	4
1997	167	2	2	5	4	1	3	-	1	3	4
1996	184	-	1	4	7	4	1	2	1	8	6
1995	169	1	2	3	2	-	-	-	2	2	4
1994	160	-	3	2	2	2	3	2	5	8	2
1993	150	-	2	1	3	3	2	-	4	4	5
1992	169	1	-	-	-	5	-	3	6	3	5
1991	182	-	3	3	2	1	2	3	-	1	7
1990	181	2	2	3	4	1	1	2	4	3	8
1989	214	1	-	-	4	4	3	2	1	1	4
1988	232	-	4	3	4	2	2	4	4	3	4
1987	226	1	-	5	-	-	2	-	5	3	2
1986	232	2	3	9	1	5	2	-	4	3	5
1985	225	2	4	3	1	2	2	3	1	2	1
1984	228	1	6	5	3	-	2	5	4	2	6
1983	234	1	1	-	3	2	4	1	2	5	3
1982	226	4	3	3	5	3	2	2	2	3	4
1981	260	2	2	2	5	6	2	4	4	3	4
1980	318	6	6	5	7	6	7	4	6	5	6
1979	309	2	5	3	8	4	6	4	2	4	4
Diseases of appendix (540-543)											
White, both sexes											
1998	356	4	4	3	8	3	5	4	5	11	11
1997	309	3	1	7	5	3	4	3	7	7	7
1996	352	1	2	8	13	7	4	3	5	14	7
1995	313	3	3	5	7	2	2	4	4	3	5
1994	305	-	3	2	4	7	5	5	4	9	4
1993	283	4	5	3	4	4	3	2	8	5	11
1992	326	3	2	5	2	9	2	4	2	7	11
1991	321	2	2	4	5	5	3	5	3	8	12
1990	357	5	7	4	6	3	4	3	5	7	16
1989	354	1	-	4	4	5	6	8	4	4	5
1988	368	3	5	1	11	1	3	5	6	10	7
1987	378	1	-	8	3	6	2	1	6	8	11
1986	394	5	2	9	2	5	3	4	6	3	6
1985	396	6	4	2	2	5	7	4	3	4	4
1984	403	2	7	6	6	1	7	6	4	3	8
1983	428	2	6	6	7	7	7	4	6	5	6
1982	413	6	8	8	14	7	3	2	5	7	7
1981	466	2	4	3	11	6	11	13	5	9	14
1980	566	7	11	8	9	7	12	5	13	8	9
1979	539	5	5	9	14	9	9	6	3	9	7

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Diseases of appendix (540-543)											
White, male											
1998	201	3	2	2	5	2	3	3	4	7	8
1997	167	1	-	4	2	2	1	3	6	6	4
1996	191	1	1	6	6	3	4	1	4	8	3
1995	168	2	1	3	5	2	2	4	2	2	3
1994	168	-	2	-	2	5	3	3	-	4	3
1993	159	4	4	2	2	2	1	2	5	4	7
1992	196	3	2	5	2	5	2	3	-	5	8
1991	163	2	1	1	3	4	2	2	3	8	7
1990	212	3	5	3	2	3	3	3	3	5	11
1989	185	1	-	4	2	2	4	6	4	3	2
1988	181	3	2	1	8	1	1	2	2	7	3
1987	203	-	-	4	3	6	1	1	4	5	9
1986	215	3	1	3	1	3	3	4	4	1	5
1985	217	4	2	1	2	3	5	2	3	3	4
1984	220	1	2	3	4	1	5	2	2	2	3
1983	238	1	5	6	4	5	5	3	6	2	5
1982	236	2	5	6	10	5	1	1	3	7	3
1981	260	-	2	1	7	3	9	9	3	7	10
1980	308	3	6	4	3	5	6	3	7	4	5
1979	292	3	1	7	10	6	5	4	2	6	6
Diseases of appendix (540-543)											
White, female											
1998	155	1	2	1	3	1	2	1	1	4	3
1997	142	2	1	3	3	1	3	-	1	1	3
1996	161	-	1	2	7	4	-	2	1	6	4
1995	145	1	2	2	2	-	-	-	2	1	2
1994	137	-	1	2	2	2	2	2	4	5	1
1993	124	-	1	1	2	2	2	-	3	1	4
1992	130	-	-	-	-	4	-	1	2	2	3
1991	158	-	1	3	2	1	1	3	-	-	5
1990	145	2	2	1	4	-	1	-	2	2	5
1989	169	-	-	-	2	3	2	2	-	1	3
1988	187	-	3	-	3	-	2	3	4	3	4
1987	175	1	-	4	-	-	1	-	2	3	2
1986	179	2	1	6	1	2	-	-	2	2	1
1985	179	2	2	1	-	2	2	2	-	1	-
1984	183	1	5	3	2	-	2	4	2	1	5
1983	190	1	1	-	3	2	2	1	-	3	1
1982	177	4	3	2	4	2	2	1	2	-	4
1981	206	2	2	2	4	3	2	4	2	2	4
1980	258	4	5	4	6	2	6	2	6	4	4
1979	247	2	4	2	4	3	4	2	1	3	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Diseases of appendix (540-543)											
All other, both sexes											
1998	83	5	1	2	2	2	2	1	1	5	2
1997	86	-	1	3	3	-	2	2	3	3	7
1996	72	-	-	3	1	4	3	2	1	5	2
1995	85	1	-	2	-	1	1	1	-	2	8
1994	75	1	2	3	1	2	1	1	4	9	1
1993	84	2	3	-	3	2	2	-	2	6	4
1992	87	1	-	1	1	1	4	5	6	4	3
1991	68	-	3	-	1	5	2	2	1	3	4
1990	81	-	-	2	1	2	2	2	2	1	6
1989	97	1	-	2	6	5	2	1	4	1	3
1988	105	-	2	5	2	3	-	1	1	2	4
1987	103	-	1	3	1	1	2	-	4	3	1
1986	118	1	4	5	1	5	3	1	4	3	4
1985	105	-	4	5	1	-	1	3	4	4	3
1984	90	1	1	2	4	1	1	2	3	3	3
1983	98	-	1	2	1	2	3	-	2	3	3
1982	116	1	1	2	5	2	-	2	-	3	4
1981	123	1	1	-	3	4	1	1	2	4	1
1980	135	3	1	3	3	7	2	3	1	3	5
1979	143	1	2	2	4	1	7	4	4	2	5
Diseases of appendix (540-543)											
All other, male											
1998	55	2	1	1	1	2	2	1	1	3	1
1997	61	-	-	1	2	-	2	2	3	1	6
1996	49	-	-	1	1	4	2	2	1	3	-
1995	61	1	-	1	-	1	1	1	-	1	6
1994	52	1	-	3	1	2	-	1	3	6	-
1993	58	2	2	-	2	1	2	-	1	3	3
1992	48	-	-	1	1	-	4	3	2	3	1
1991	44	-	1	-	1	5	1	2	1	2	2
1990	45	-	-	-	1	1	2	-	-	-	3
1989	52	-	-	2	4	4	1	1	3	1	2
1988	60	-	1	2	1	1	-	-	1	2	4
1987	52	-	1	2	1	1	1	-	1	3	1
1986	65	1	2	2	1	2	1	1	2	2	-
1985	59	-	2	3	-	-	1	2	3	3	2
1984	45	1	-	-	3	1	1	1	1	2	2
1983	54	-	1	2	1	2	1	-	-	1	1
1982	67	1	1	1	4	1	-	1	-	-	4
1981	69	1	1	-	2	1	1	1	-	3	1
1980	75	1	-	2	2	3	1	1	1	2	3
1979	81	1	1	1	-	-	5	2	3	1	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Diseases of appendix (540-543)											
All other, female											
1998	28	3	-	1	1	-	-	-	-	2	1
1997	25	-	1	2	1	-	-	-	-	2	1
1996	23	-	-	2	-	-	1	-	-	2	2
1995	24	-	-	1	-	-	-	-	-	1	2
1994	23	-	2	-	-	-	1	-	1	3	1
1993	26	-	1	-	1	1	-	-	1	3	1
1992	39	1	-	-	-	1	-	2	4	1	2
1991	24	-	2	-	-	-	1	-	-	1	2
1990	36	-	-	2	-	1	-	2	2	1	3
1989	45	1	-	-	2	1	1	-	1	-	1
1988	45	-	1	3	1	2	-	1	-	-	-
1987	51	-	-	1	-	-	1	-	3	-	-
1986	53	-	2	3	-	3	2	-	2	1	4
1985	46	-	2	2	1	-	-	1	1	1	1
1984	45	-	1	2	1	-	-	1	2	1	1
1983	44	-	-	-	-	-	2	-	2	2	2
1982	49	-	-	1	1	1	-	1	-	3	-
1981	54	-	-	-	1	3	-	-	2	1	-
1980	60	2	1	1	1	4	1	2	-	1	2
1979	62	-	1	1	4	1	2	2	1	1	3
Diseases of appendix (540-543)											
Black, both sexes											
1998	66	2	1	1	1	2	1	-	1	4	2
1997	76	-	-	3	3	-	2	2	3	3	7
1996	66	-	-	3	1	4	2	2	1	5	2
1995	79	1	-	2	-	1	1	1	-	2	8
1994	68	1	2	2	1	2	1	1	3	7	1
1993	71	2	2	-	3	2	1	-	2	6	4
1992	76	1	-	1	1	1	3	4	5	3	3
1991	65	-	2	-	1	5	2	2	1	3	4
1990	71	-	-	1	1	2	1	2	2	1	6
1989	89	1	-	2	5	4	2	1	3	1	3
1988	99	-	2	5	1	3	-	1	1	2	4
1987	95	-	1	2	1	1	2	-	4	3	1
1986	109	1	4	4	1	5	3	1	4	3	4
1985	99	-	4	5	1	-	1	3	4	4	2
1984	84	1	1	2	3	1	1	2	3	2	3
1983	91	-	1	2	-	2	3	-	-	2	3
1982	108	1	1	2	5	2	-	2	-	3	4
1981	117	1	1	-	3	4	1	1	2	4	1
1980	130	3	1	3	3	6	2	3	1	3	5
1979	136	1	1	2	4	1	7	3	4	2	5

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Diseases of appendix (540-543)											
Black, male											
1998	46	1	1	-	-	2	1	-	1	2	1
1997	56	-	-	1	2	-	2	2	3	1	6
1996	44	-	-	1	1	4	1	2	1	3	-
1995	57	1	-	1	-	1	1	1	-	1	6
1994	46	1	-	2	1	2	-	1	2	5	-
1993	48	2	1	-	2	1	1	-	1	3	3
1992	41	-	-	1	1	-	3	2	1	3	1
1991	42	-	-	-	1	5	1	2	1	2	2
1990	39	-	-	-	1	1	1	-	-	-	3
1989	47	-	-	2	3	3	1	1	3	1	2
1988	57	-	1	2	1	1	-	-	1	2	4
1987	47	-	1	1	1	1	1	-	1	3	1
1986	59	1	2	2	1	2	1	1	2	2	-
1985	57	-	2	3	-	-	1	2	3	3	1
1984	40	1	-	-	2	1	1	1	1	1	2
1983	51	-	1	2	-	2	1	-	-	1	1
1982	62	1	1	1	4	1	-	1	-	-	4
1981	64	1	1	-	2	1	1	1	-	3	1
1980	72	1	-	2	2	2	1	1	1	2	3
1979	75	1	-	1	-	-	5	1	3	1	2
Diseases of appendix (540-543)											
Black, female											
1998	20	1	-	1	1	-	-	-	-	2	1
1997	20	-	-	2	1	-	-	-	-	2	1
1996	22	-	-	2	-	-	1	-	-	2	2
1995	22	-	-	1	-	-	-	-	-	1	2
1994	22	-	2	-	-	-	1	-	1	2	1
1993	23	-	1	-	1	1	-	-	1	3	1
1992	35	1	-	-	-	1	-	2	4	-	2
1991	23	-	2	-	-	-	1	-	-	1	2
1990	32	-	-	1	-	1	-	2	2	1	3
1989	42	1	-	-	2	1	1	-	-	-	1
1988	42	-	1	3	-	2	-	1	-	-	-
1987	48	-	-	1	-	-	1	-	3	-	-
1986	50	-	2	2	-	3	2	-	2	1	4
1985	42	-	2	2	1	-	-	1	1	1	1
1984	44	-	1	2	1	-	-	1	2	1	1
1983	40	-	-	-	-	-	2	-	-	1	2
1982	46	-	-	1	1	1	-	1	-	3	-
1981	53	-	-	-	1	3	-	-	2	1	-
1980	58	2	1	1	1	4	1	2	-	1	2
1979	61	-	1	1	4	1	2	2	1	1	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Hernia (550-553)											
All races, both sexes											
1998	1,389	26	5	4	2	-	4	3	1	6	24
1997	1,433	36	5	1	1	4	1	-	5	11	25
1996	1,403	33	5	3	3	1	3	5	10	9	21
1995	1,335	31	6	2	2	4	2	7	3	11	12
1994	1,297	27	6	1	2	3	2	1	9	7	17
1993	1,315	42	9	-	1	3	1	3	9	8	12
1992	1,319	32	3	1	1	1	6	8	4	16	12
1991	1,301	48	10	3	1	2	-	6	5	14	17
1990	1,342	37	6	5	1	2	2	5	2	13	16
1989	1,343	47	10	1	3	3	2	6	7	7	10
1988	1,327	41	5	1	-	1	3	-	7	7	12
1987	1,357	48	9	4	-	1	5	5	11	15	6
1986	1,305	53	10	4	2	3	1	4	5	6	7
1985	1,391	48	5	1	-	1	5	5	7	9	13
1984	1,352	58	3	1	-	6	8	8	3	13	11
1983	1,399	68	15	2	4	2	2	3	3	4	13
1982	1,400	78	7	-	2	2	2	3	6	7	10
1981	1,590	89	4	3	2	3	1	3	5	5	18
1980	1,588	79	13	1	4	8	5	4	7	14	18
1979	1,643	114	4	3	1	1	7	7	12	11	16
Hernia (550-553)											
All races, male											
1998	555	17	3	4	1	-	2	1	1	5	15
1997	620	25	2	1	1	4	1	-	4	7	14
1996	576	16	3	3	1	1	2	2	6	7	8
1995	549	14	4	2	2	3	2	5	2	6	6
1994	527	15	4	-	1	3	1	1	7	6	11
1993	532	27	5	-	-	2	1	2	7	2	7
1992	515	15	3	1	-	-	2	7	1	8	5
1991	530	32	7	2	1	2	-	3	3	9	10
1990	548	25	5	3	1	1	1	4	1	7	9
1989	574	30	5	1	2	3	1	2	4	3	6
1988	530	20	5	1	-	1	1	-	5	4	3
1987	551	29	7	2	-	1	3	3	6	8	4
1986	591	39	8	2	1	3	1	3	3	2	5
1985	573	24	3	1	-	1	4	3	5	8	9
1984	607	41	1	-	-	5	2	5	3	9	10
1983	630	42	14	1	4	1	1	-	3	1	7
1982	617	52	5	-	2	-	1	2	4	6	7
1981	722	58	3	2	-	3	1	2	2	2	6
1980	729	48	9	1	3	4	3	3	4	5	8
1979	761	73	3	2	1	-	5	5	10	5	8

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Hernia (550-553)											
All races, female											
1998	834	9	2	-	1	-	2	2	-	1	9
1997	813	11	3	-	-	-	-	-	1	4	11
1996	827	17	2	-	2	-	1	3	4	2	13
1995	786	17	2	-	-	1	-	2	1	5	6
1994	770	12	2	1	1	-	1	-	2	1	6
1993	783	15	4	-	1	1	-	1	2	6	5
1992	804	17	-	-	1	1	4	1	3	8	7
1991	771	16	3	1	-	-	-	3	2	5	7
1990	794	12	1	2	-	1	1	1	1	6	7
1989	769	17	5	-	1	-	1	4	3	4	4
1988	797	21	-	-	-	-	2	-	2	3	9
1987	806	19	2	2	-	-	2	2	5	7	2
1986	714	14	2	2	1	-	-	1	2	4	2
1985	818	24	2	-	-	-	1	2	2	1	4
1984	745	17	2	1	-	1	6	3	-	4	1
1983	769	26	1	1	-	1	1	3	-	3	6
1982	783	26	2	-	-	2	1	1	2	1	3
1981	868	31	1	1	2	-	-	1	3	3	12
1980	859	31	4	-	1	4	2	1	3	9	10
1979	882	41	1	1	-	1	2	2	2	6	8
Hernia (550-553)											
White, both sexes											
1998	1,237	18	4	2	1	-	3	3	1	6	21
1997	1,289	26	4	1	1	2	-	-	5	8	23
1996	1,243	22	2	2	2	1	3	2	7	6	16
1995	1,184	22	5	-	1	2	1	6	3	9	9
1994	1,143	21	3	-	2	3	1	1	7	4	11
1993	1,177	35	5	-	1	2	1	3	3	7	8
1992	1,174	23	1	1	1	1	4	5	3	10	9
1991	1,139	31	5	2	1	2	-	5	3	11	16
1990	1,192	25	6	2	-	2	2	3	2	8	8
1989	1,189	30	6	-	2	2	2	4	5	6	7
1988	1,179	28	2	-	-	-	3	-	7	7	7
1987	1,211	27	5	2	-	1	4	5	6	11	6
1986	1,155	36	7	4	2	1	1	3	5	5	2
1985	1,260	39	3	1	-	1	4	3	5	5	10
1984	1,207	49	1	-	-	5	5	5	3	8	11
1983	1,232	49	11	2	2	1	2	1	2	4	9
1982	1,251	56	6	-	2	2	2	3	4	5	9
1981	1,427	70	4	2	2	1	-	3	5	4	13
1980	1,415	61	6	1	3	4	4	3	5	13	15
1979	1,482	84	4	2	1	-	6	6	8	5	11

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Hernia (550-553)											
White, male											
1998	496	9	2	2	1	-	1	1	1	5	14
1997	540	16	2	1	1	2	-	-	4	5	13
1996	499	12	1	2	-	1	2	1	4	5	5
1995	471	7	3	-	1	1	1	4	2	4	4
1994	460	12	2	-	1	3	-	1	6	3	8
1993	469	23	3	-	-	1	1	2	3	2	5
1992	446	8	1	1	-	-	2	5	1	4	3
1991	450	22	2	1	1	2	-	3	2	7	9
1990	480	16	5	-	-	1	1	3	1	4	5
1989	496	17	3	-	2	2	1	1	2	2	5
1988	459	11	2	-	-	-	1	-	5	4	3
1987	476	15	3	1	-	1	3	3	3	7	4
1986	521	26	7	2	1	1	1	2	3	1	2
1985	512	19	2	1	-	1	4	2	4	5	8
1984	534	34	1	-	-	4	2	2	3	7	10
1983	542	28	10	1	2	1	1	-	2	1	4
1982	531	34	5	-	2	-	1	2	2	4	6
1981	638	44	3	1	-	1	-	2	2	2	5
1980	625	35	5	1	2	1	2	2	3	5	7
1979	672	52	3	1	1	-	5	5	7	4	4
Hernia (550-553)											
White, female											
1998	741	9	2	-	-	-	2	2	-	1	7
1997	749	10	2	-	-	-	-	-	1	3	10
1996	744	10	1	-	2	-	1	1	3	1	11
1995	713	15	2	-	-	1	-	2	1	5	5
1994	683	9	1	-	1	-	1	-	1	1	3
1993	708	12	2	-	1	1	-	1	-	5	3
1992	728	15	-	-	1	1	2	-	2	6	6
1991	689	9	3	1	-	-	-	2	1	4	7
1990	712	9	1	2	-	1	1	-	1	4	3
1989	693	13	3	-	-	-	1	3	3	4	2
1988	720	17	-	-	-	-	2	-	2	3	4
1987	735	12	2	1	-	-	1	2	3	4	2
1986	634	10	-	2	1	-	-	1	2	4	-
1985	748	20	1	-	-	-	-	1	1	-	2
1984	673	15	-	-	-	1	3	3	-	1	1
1983	690	21	1	1	-	-	1	1	-	3	5
1982	720	22	1	-	-	2	1	1	2	1	3
1981	789	26	1	1	2	-	-	1	3	2	8
1980	790	26	1	-	1	3	2	1	2	8	8
1979	810	32	1	1	-	-	1	1	1	1	7

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Hernia (550-553)											
All other, both sexes											
1998	152	8	1	2	1	-	1	-	-	-	3
1997	144	10	1	-	-	2	1	-	-	3	2
1996	160	11	3	1	1	-	-	3	3	3	5
1995	151	9	1	2	1	2	1	1	-	2	3
1994	154	6	3	1	-	-	1	-	2	3	6
1993	138	7	4	-	-	1	-	-	6	1	4
1992	145	9	2	-	-	-	2	3	1	6	3
1991	162	17	5	1	-	-	-	1	2	3	1
1990	150	12	-	3	1	-	-	2	-	5	8
1989	154	17	4	1	1	1	-	2	2	1	3
1988	148	13	3	1	-	1	-	-	-	-	5
1987	146	21	4	2	-	-	1	-	5	4	-
1986	150	17	3	-	-	2	-	1	-	1	5
1985	131	9	2	-	-	-	1	2	2	4	3
1984	145	9	2	1	-	1	3	3	-	5	-
1983	167	19	4	-	2	1	-	2	1	-	4
1982	149	22	1	-	-	-	-	-	2	2	1
1981	163	19	-	1	-	2	1	-	-	1	5
1980	173	18	7	-	1	4	1	1	2	1	3
1979	161	30	-	1	-	1	1	1	4	6	5
Hernia (550-553)											
All other, male											
1998	59	8	1	2	-	-	1	-	-	-	1
1997	80	9	-	-	-	2	1	-	-	2	1
1996	77	4	2	1	1	-	-	1	2	2	3
1995	78	7	1	2	1	2	1	1	-	2	2
1994	67	3	2	-	-	-	1	-	1	3	3
1993	63	4	2	-	-	1	-	-	4	-	2
1992	69	7	2	-	-	-	-	2	-	4	2
1991	80	10	5	1	-	-	-	-	1	2	1
1990	68	9	-	3	1	-	-	1	-	3	4
1989	78	13	2	1	-	1	-	1	2	1	1
1988	71	9	3	1	-	1	-	-	-	-	-
1987	75	14	4	1	-	-	-	-	3	1	-
1986	70	13	1	-	-	2	-	1	-	1	3
1985	61	5	1	-	-	-	-	1	1	3	1
1984	73	7	-	-	-	1	-	3	-	2	-
1983	88	14	4	-	2	-	-	-	1	-	3
1982	86	18	-	-	-	-	-	-	2	2	1
1981	84	14	-	1	-	2	1	-	-	-	1
1980	104	13	4	-	1	3	1	1	1	-	1
1979	89	21	-	1	-	-	-	-	3	1	4

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,
sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Hernia (550-553)											
All other, female											
1998	93	-	-	-	1	-	-	-	-	-	2
1997	64	1	1	-	-	-	-	-	-	1	1
1996	83	7	1	-	-	-	-	2	1	1	2
1995	73	2	-	-	-	-	-	-	-	-	1
1994	87	3	1	1	-	-	-	-	1	-	3
1993	75	3	2	-	-	-	-	-	2	1	2
1992	76	2	-	-	-	-	2	1	1	2	1
1991	82	7	-	-	-	-	-	1	1	1	-
1990	82	3	-	-	-	-	-	1	-	2	4
1989	76	4	2	-	1	-	-	1	-	-	2
1988	77	4	-	-	-	-	-	-	-	-	5
1987	71	7	-	1	-	-	1	-	2	3	-
1986	80	4	2	-	-	-	-	-	-	-	2
1985	70	4	1	-	-	-	1	1	1	1	2
1984	72	2	2	1	-	-	3	-	-	3	-
1983	79	5	-	-	-	1	-	2	-	-	1
1982	63	4	1	-	-	-	-	-	-	-	-
1981	79	5	-	-	-	-	-	-	-	1	4
1980	69	5	3	-	-	1	-	-	1	1	2
1979	72	9	-	-	-	1	1	1	1	5	1
Hernia (550-553)											
Black, both sexes											
1998	138	7	1	2	-	-	1	-	-	-	3
1997	126	9	1	-	-	2	-	-	-	3	2
1996	147	9	2	1	1	-	-	3	3	2	5
1995	134	7	-	2	1	2	1	1	-	2	3
1994	143	5	1	1	-	-	1	-	2	3	6
1993	121	6	3	-	-	-	-	-	5	1	4
1992	133	7	2	-	-	-	2	3	1	6	3
1991	141	15	4	-	-	-	-	1	2	3	1
1990	136	12	-	2	1	-	-	2	-	4	7
1989	140	15	3	1	1	-	-	2	2	1	2
1988	136	12	3	1	-	1	-	-	-	-	5
1987	134	18	3	2	-	-	1	-	4	4	-
1986	136	14	3	-	-	2	-	1	-	1	5
1985	116	9	2	-	-	-	-	2	1	4	3
1984	132	8	2	1	-	1	3	2	-	5	-
1983	153	18	4	-	2	1	-	2	1	-	4
1982	144	21	1	-	-	-	-	-	2	2	1
1981	148	15	-	1	-	2	1	-	-	1	5
1980	160	14	7	-	1	3	1	1	2	1	3
1979	150	23	-	1	-	1	1	1	4	6	5

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Hernia (550-553)											
Black, male											
1998	54	7	1	2	-	-	1	-	-	-	1
1997	66	8	-	-	-	2	-	-	-	2	1
1996	71	3	1	1	1	-	-	1	2	2	3
1995	70	7	-	2	1	2	1	1	-	2	2
1994	63	2	1	-	-	-	1	-	1	3	3
1993	54	4	2	-	-	-	-	-	3	-	2
1992	61	5	2	-	-	-	-	2	-	4	2
1991	68	8	4	-	-	-	-	-	1	2	1
1990	63	9	-	2	1	-	-	1	-	3	4
1989	71	12	2	1	-	-	-	1	2	1	-
1988	64	9	3	1	-	1	-	-	-	-	-
1987	70	13	3	1	-	-	-	-	2	1	-
1986	66	12	1	-	-	2	-	1	-	1	3
1985	54	5	1	-	-	-	-	1	-	3	1
1984	62	6	-	-	-	1	-	2	-	2	-
1983	81	13	4	-	2	-	-	-	1	-	3
1982	82	17	-	-	-	-	-	-	2	2	1
1981	75	11	-	1	-	2	1	-	-	-	1
1980	97	12	4	-	1	2	1	1	1	-	1
1979	84	17	-	1	-	-	-	-	3	1	4
Hernia (550-553)											
Black, female											
1998	84	-	-	-	-	-	-	-	-	-	2
1997	60	1	1	-	-	-	-	-	-	1	1
1996	76	6	1	-	-	-	-	2	1	-	2
1995	64	-	-	-	-	-	-	-	-	-	1
1994	80	3	-	1	-	-	-	-	1	-	3
1993	67	2	1	-	-	-	-	-	2	1	2
1992	72	2	-	-	-	-	2	1	1	2	1
1991	73	7	-	-	-	-	-	1	1	1	-
1990	73	3	-	-	-	-	-	1	-	1	3
1989	69	3	1	-	1	-	-	1	-	-	2
1988	72	3	-	-	-	-	-	-	-	-	5
1987	64	5	-	1	-	-	1	-	2	3	-
1986	70	2	2	-	-	-	-	-	-	-	2
1985	62	4	1	-	-	-	-	1	1	1	2
1984	70	2	2	1	-	-	3	-	-	3	-
1983	72	5	-	-	-	1	-	2	-	-	1
1982	62	4	1	-	-	-	-	-	-	-	-
1981	73	4	-	-	-	-	-	-	-	1	4
1980	63	2	3	-	-	1	-	-	1	1	2
1979	66	6	-	-	-	1	1	1	1	5	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Chronic liver disease and cirrhosis (571)											
All races, both sexes											
1998	25,192	16	1	3	1	3	19	97	409	1,110	2,260
1997	25,175	15	4	-	2	7	18	91	425	1,186	2,322
1996	25,047	17	5	4	1	4	16	121	449	1,295	2,345
1995	25,222	23	6	3	4	8	25	134	470	1,341	2,364
1994	25,406	19	7	3	2	3	23	135	598	1,390	2,308
1993	25,209	19	11	4	4	9	30	166	555	1,469	2,287
1992	25,263	24	9	1	2	8	24	157	608	1,448	2,160
1991	25,429	15	4	3	3	8	30	191	667	1,452	2,139
1990	25,815	16	7	3	4	10	34	196	693	1,575	2,041
1989	26,694	18	6	4	3	9	48	211	770	1,586	2,017
1988	26,409	21	6	1	1	17	36	258	799	1,559	2,004
1987	26,201	16	4	4	6	14	57	261	879	1,543	1,879
1986	26,159	20	10	1	3	12	57	274	908	1,429	1,759
1985	26,767	13	15	2	-	10	55	283	961	1,370	1,744
1984	27,317	23	12	11	11	13	53	303	859	1,291	1,781
1983	27,266	23	13	5	8	16	50	339	869	1,192	1,759
1982	27,690	31	10	8	7	12	75	373	829	1,288	1,719
1981	29,308	28	12	8	6	14	87	388	802	1,359	1,873
1980	30,583	33	12	6	5	28	94	404	888	1,426	2,064
1979	29,720	34	10	5	10	22	72	409	815	1,412	2,078
Chronic liver disease and cirrhosis (571)											
All races, male											
1998	16,343	11	-	1	-	3	13	67	265	714	1,624
1997	16,260	6	2	-	2	3	12	59	278	800	1,663
1996	16,311	12	2	1	1	2	10	82	278	897	1,739
1995	16,525	14	2	3	2	4	22	92	322	924	1,781
1994	16,513	11	2	1	2	1	12	90	396	971	1,715
1993	16,276	15	6	1	1	5	17	114	365	1,027	1,705
1992	16,487	14	4	-	2	3	15	97	404	1,042	1,661
1991	16,269	10	2	1	1	5	18	118	424	1,029	1,564
1990	16,627	8	2	1	1	7	16	125	432	1,134	1,511
1989	17,310	11	3	3	3	3	25	140	532	1,201	1,515
1988	17,196	12	3	-	1	9	21	142	567	1,137	1,460
1987	17,051	8	3	3	3	7	35	159	600	1,110	1,358
1986	16,797	9	4	1	3	8	35	172	621	1,062	1,219
1985	17,244	8	6	1	-	5	38	182	645	960	1,246
1984	17,558	15	4	9	6	9	31	190	604	939	1,233
1983	17,530	13	9	3	-	7	20	219	600	825	1,233
1982	17,917	21	4	3	5	3	44	240	580	918	1,172
1981	18,894	14	8	3	1	7	48	252	562	910	1,302
1980	19,768	19	7	2	3	14	55	259	608	964	1,369
1979	19,369	19	7	2	4	9	47	279	568	961	1,404

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Chronic liver disease and cirrhosis (571)											
All races, female											
1998	8,849	5	1	2	1	-	6	30	144	396	636
1997	8,915	9	2	-	-	4	6	32	147	386	659
1996	8,736	5	3	3	-	2	6	39	171	398	606
1995	8,697	9	4	-	2	4	3	42	148	417	583
1994	8,893	8	5	2	-	2	11	45	202	419	593
1993	8,933	4	5	3	3	4	13	52	190	442	582
1992	8,776	10	5	1	-	5	9	60	204	406	499
1991	9,160	5	2	2	2	3	12	73	243	423	575
1990	9,188	8	5	2	3	3	18	71	261	441	530
1989	9,384	7	3	1	-	6	23	71	238	385	502
1988	9,213	9	3	1	-	8	15	116	232	422	544
1987	9,150	8	1	1	3	7	22	102	279	433	521
1986	9,362	11	6	-	-	4	22	102	287	367	540
1985	9,523	5	9	1	-	5	17	101	316	410	498
1984	9,759	8	8	2	5	4	22	113	255	352	548
1983	9,736	10	4	2	8	9	30	120	269	367	526
1982	9,773	10	6	5	2	9	31	133	249	370	547
1981	10,414	14	4	5	5	7	39	136	240	449	571
1980	10,815	14	5	4	2	14	39	145	280	462	695
1979	10,351	15	3	3	6	13	25	130	247	451	674
Chronic liver disease and cirrhosis (571)											
White, both sexes											
1998	21,771	11	-	2	1	2	15	76	325	892	1,845
1997	21,683	9	3	-	2	5	13	73	328	956	1,916
1996	21,422	16	4	4	1	4	13	91	361	992	1,868
1995	21,432	15	3	3	3	3	12	104	361	1,030	1,863
1994	21,476	13	7	2	1	2	15	94	454	1,080	1,789
1993	21,348	14	7	2	1	7	20	120	416	1,095	1,701
1992	21,286	19	8	1	2	7	13	109	439	1,091	1,636
1991	21,386	9	4	2	3	4	18	133	477	1,065	1,574
1990	21,478	13	4	2	3	8	23	132	470	1,103	1,482
1989	22,211	9	3	2	3	5	31	132	517	1,079	1,457
1988	21,924	15	3	1	1	12	23	168	533	1,052	1,450
1987	21,766	8	2	4	3	13	38	172	564	1,014	1,320
1986	21,916	12	8	1	2	10	37	166	565	969	1,242
1985	22,192	5	13	2	-	7	42	173	604	875	1,204
1984	22,909	11	11	10	7	8	36	172	531	852	1,270
1983	22,927	18	11	3	3	9	27	216	534	771	1,258
1982	23,409	19	7	7	5	7	44	217	512	856	1,248
1981	24,465	19	10	6	2	10	60	232	468	871	1,303
1980	25,240	22	9	4	4	21	54	219	505	901	1,402
1979	24,639	25	7	5	5	18	47	229	467	895	1,483

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Chronic liver disease and cirrhosis (571)											
White, male											
1998	14,096	8	-	1	-	2	12	55	214	586	1,359
1997	14,045	4	1	-	2	3	10	50	226	664	1,405
1996	13,992	11	2	1	1	2	10	61	227	711	1,427
1995	14,100	11	1	3	2	2	10	73	256	720	1,434
1994	14,015	7	2	1	1	1	7	71	319	791	1,362
1993	13,821	10	4	-	-	5	12	86	286	803	1,296
1992	13,910	11	4	-	2	3	7	72	303	813	1,288
1991	13,789	6	2	1	1	2	11	88	324	804	1,189
1990	13,889	6	2	1	1	6	13	86	314	828	1,138
1989	14,414	7	1	2	3	2	16	89	376	848	1,124
1988	14,381	7	1	-	1	6	15	102	392	801	1,089
1987	14,175	3	2	3	3	7	27	110	404	761	969
1986	14,099	4	3	1	2	6	26	111	407	750	872
1985	14,321	2	4	1	-	3	30	119	433	647	859
1984	14,783	6	4	8	3	7	24	118	402	644	904
1983	14,823	10	7	2	-	5	13	154	393	556	902
1982	15,249	13	3	3	4	3	29	158	380	638	873
1981	15,868	10	7	3	-	5	34	163	359	618	907
1980	16,407	15	7	1	3	10	38	157	363	621	948
1979	16,104	13	4	2	2	8	29	173	343	636	1,018
Chronic liver disease and cirrhosis (571)											
White, female											
1998	7,675	3	-	1	1	-	3	21	111	306	486
1997	7,638	5	2	-	-	2	3	23	102	292	511
1996	7,430	5	2	3	-	2	3	30	134	281	441
1995	7,332	4	2	-	1	1	2	31	105	310	429
1994	7,461	6	5	1	-	1	8	23	135	289	427
1993	7,527	4	3	2	1	2	8	34	130	292	405
1992	7,376	8	4	1	-	4	6	37	136	278	348
1991	7,597	3	2	1	2	2	7	45	153	261	385
1990	7,589	7	2	1	2	2	10	46	156	275	344
1989	7,797	2	2	-	-	3	15	43	141	231	333
1988	7,543	8	2	1	-	6	8	66	141	251	361
1987	7,591	5	-	1	-	6	11	62	160	253	351
1986	7,817	8	5	-	-	4	11	55	158	219	370
1985	7,871	3	9	1	-	4	12	54	171	228	345
1984	8,126	5	7	2	4	1	12	54	129	208	366
1983	8,104	8	4	1	3	4	14	62	141	215	356
1982	8,160	6	4	4	1	4	15	59	132	218	375
1981	8,597	9	3	3	2	5	26	69	109	253	396
1980	8,833	7	2	3	1	11	16	62	142	280	454
1979	8,535	12	3	3	3	10	18	56	124	259	465

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Chronic liver disease and cirrhosis (571)											
All other, both sexes											
1998	3,421	5	1	1	-	1	4	21	84	218	415
1997	3,492	6	1	-	-	2	5	18	97	230	406
1996	3,625	1	1	-	-	-	3	30	88	303	477
1995	3,790	8	3	-	1	5	13	30	109	311	501
1994	3,930	6	-	1	1	1	8	41	144	310	519
1993	3,861	5	4	2	3	2	10	46	139	374	586
1992	3,977	5	1	-	-	1	11	48	169	357	524
1991	4,043	6	-	1	-	4	12	58	190	387	565
1990	4,337	3	3	1	1	2	11	64	223	472	559
1989	4,483	9	3	2	-	4	17	79	253	507	560
1988	4,485	6	3	-	-	5	13	90	266	507	554
1987	4,435	8	2	-	3	1	19	89	315	529	559
1986	4,243	8	2	-	1	2	20	108	343	460	517
1985	4,575	8	2	-	-	3	13	110	357	495	540
1984	4,408	12	1	1	4	5	17	131	328	439	511
1983	4,339	5	2	2	5	7	23	123	335	421	501
1982	4,281	12	3	1	2	5	31	156	317	432	471
1981	4,843	9	2	2	4	4	27	156	334	488	570
1980	5,343	11	3	2	1	7	40	185	383	525	662
1979	5,081	9	3	-	5	4	25	180	348	517	595
Chronic liver disease and cirrhosis (571)											
All other, male											
1998	2,247	3	-	-	-	1	1	12	51	128	265
1997	2,215	2	1	-	-	-	2	9	52	136	258
1996	2,319	1	-	-	-	-	-	21	51	186	312
1995	2,425	3	1	-	-	2	12	19	66	204	347
1994	2,498	4	-	-	1	-	5	19	77	180	353
1993	2,455	5	2	1	1	-	5	28	79	224	409
1992	2,577	3	-	-	-	-	8	25	101	229	373
1991	2,480	4	-	-	-	3	7	30	100	225	375
1990	2,738	2	-	-	-	1	3	39	118	306	373
1989	2,896	4	2	1	-	1	9	51	156	353	391
1988	2,815	5	2	-	-	3	6	40	175	336	371
1987	2,876	5	1	-	-	-	8	49	196	349	389
1986	2,698	5	1	-	1	2	9	61	214	312	347
1985	2,923	6	2	-	-	2	8	63	212	313	387
1984	2,775	9	-	1	3	2	7	72	202	295	329
1983	2,707	3	2	1	-	2	7	65	207	269	331
1982	2,668	8	1	-	1	-	15	82	200	280	299
1981	3,026	4	1	-	1	2	14	89	203	292	395
1980	3,361	4	-	1	-	4	17	102	245	343	421
1979	3,265	6	3	-	2	1	18	106	225	325	386

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Chronic liver disease and cirrhosis (571)											
All other, female											
1998	1,174	2	1	1	-	-	3	9	33	90	150
1997	1,277	4	-	-	-	2	3	9	45	94	148
1996	1,306	-	1	-	-	-	3	9	37	117	165
1995	1,365	5	2	-	1	3	1	11	43	107	154
1994	1,432	2	-	1	-	1	3	22	67	130	166
1993	1,406	-	2	1	2	2	5	18	60	150	177
1992	1,400	2	1	-	-	1	3	23	68	128	151
1991	1,563	2	-	1	-	1	5	28	90	162	190
1990	1,599	1	3	1	1	1	8	25	105	166	186
1989	1,587	5	1	1	-	3	8	28	97	154	169
1988	1,670	1	1	-	-	2	7	50	91	171	183
1987	1,559	3	1	-	3	1	11	40	119	180	170
1986	1,545	3	1	-	-	-	11	47	129	148	170
1985	1,652	2	-	-	-	1	5	47	145	182	153
1984	1,633	3	1	-	1	3	10	59	126	144	182
1983	1,632	2	-	1	5	5	16	58	128	152	170
1982	1,613	4	2	1	1	5	16	74	117	152	172
1981	1,817	5	1	2	3	2	13	67	131	196	175
1980	1,982	7	3	1	1	3	23	83	138	182	241
1979	1,816	3	-	-	3	3	7	74	123	192	209
Chronic liver disease and cirrhosis (571)											
Black, both sexes											
1998	2,697	5	1	1	-	1	2	10	49	159	328
1997	2,820	5	1	-	-	2	4	13	54	168	325
1996	2,950	1	1	-	-	-	2	20	54	241	393
1995	3,073	5	1	-	1	5	9	17	77	243	411
1994	3,245	6	-	1	1	1	7	28	103	243	449
1993	3,228	4	4	2	2	2	8	37	110	300	495
1992	3,315	5	1	-	-	1	7	31	131	296	469
1991	3,464	6	-	1	-	4	9	44	159	338	504
1990	3,753	3	3	1	1	2	8	51	186	420	499
1989	3,851	7	3	2	-	3	15	67	210	444	492
1988	3,903	6	2	-	-	4	11	70	237	452	505
1987	3,916	7	1	-	3	1	13	76	290	492	508
1986	3,745	7	2	-	1	2	16	98	304	414	473
1985	4,055	5	2	-	-	3	12	96	321	449	485
1984	3,901	11	1	1	4	5	15	119	289	389	449
1983	3,883	3	2	1	4	6	20	108	304	390	445
1982	3,839	12	2	1	2	5	28	136	282	396	425
1981	4,349	7	2	2	4	4	22	134	300	439	512
1980	4,790	10	3	2	1	7	38	168	333	459	592
1979	4,567	6	2	-	5	3	23	154	300	474	527

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Chronic liver disease and cirrhosis (571)											
Black, male											
1998	1,804	3	-	-	-	1	-	7	28	94	217
1997	1,818	1	1	-	-	-	2	6	30	98	206
1996	1,923	1	-	-	-	-	-	16	27	153	261
1995	1,999	2	1	-	-	2	8	10	42	158	282
1994	2,097	4	-	-	1	-	5	15	56	146	309
1993	2,100	4	2	1	-	-	5	24	63	181	353
1992	2,181	3	-	-	-	-	6	15	81	193	334
1991	2,137	4	-	-	-	3	6	23	82	199	333
1990	2,393	2	-	-	-	1	2	34	103	272	330
1989	2,517	4	2	1	-	-	8	44	132	314	346
1988	2,476	5	2	-	-	2	6	33	160	304	336
1987	2,574	4	1	-	-	-	6	41	181	326	358
1986	2,404	4	1	-	1	2	6	54	195	285	319
1985	2,616	4	2	-	-	2	7	54	192	292	352
1984	2,458	8	-	1	3	2	5	62	179	265	296
1983	2,429	3	2	-	-	2	7	56	184	251	293
1982	2,408	8	1	-	1	-	13	73	176	259	272
1981	2,740	3	1	-	1	2	13	82	181	263	357
1980	3,020	4	-	1	-	4	16	91	219	302	380
1979	2,954	4	2	-	2	1	16	90	200	304	344
Chronic liver disease and cirrhosis (571)											
Black, female											
1998	893	2	1	1	-	-	2	3	21	65	111
1997	1,002	4	-	-	-	2	2	7	24	70	119
1996	1,027	-	1	-	-	-	2	4	27	88	132
1995	1,074	3	-	-	1	3	1	7	35	85	129
1994	1,148	2	-	1	-	1	2	13	47	97	140
1993	1,128	-	2	1	2	2	3	13	47	119	142
1992	1,134	2	1	-	-	1	1	16	50	103	135
1991	1,327	2	-	1	-	1	3	21	77	139	171
1990	1,360	1	3	1	1	1	6	17	83	148	169
1989	1,334	3	1	1	-	3	7	23	78	130	146
1988	1,427	1	-	-	-	2	5	37	77	148	169
1987	1,342	3	-	-	3	1	7	35	109	166	150
1986	1,341	3	1	-	-	-	10	44	109	129	154
1985	1,439	1	-	-	-	1	5	42	129	157	133
1984	1,443	3	1	-	1	3	10	57	110	124	153
1983	1,454	-	-	1	4	4	13	52	120	139	152
1982	1,431	4	1	1	1	5	15	63	106	137	153
1981	1,609	4	1	2	3	2	9	52	119	176	155
1980	1,770	6	3	1	1	3	22	77	114	157	212
1979	1,613	2	-	-	3	2	7	64	100	170	183

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Alcoholic liver disease (571.0-571.3)											
All races, both sexes											
1998	11,798	-	-	-	-	-	11	57	275	732	1,485
1997	11,945	-	-	-	-	-	6	60	302	811	1,534
1996	12,079	-	-	-	-	-	5	86	308	859	1,567
1995	12,211	1	-	-	-	1	11	89	327	880	1,596
1994	12,241	-	-	-	-	-	13	82	417	928	1,521
1993	11,653	-	-	-	-	-	13	98	357	973	1,453
1992	11,868	-	-	-	-	1	11	102	412	984	1,399
1991	11,688	1	-	-	-	-	12	118	424	982	1,396
1990	11,985	1	-	-	-	1	17	118	462	1,067	1,314
1989	12,308	-	-	-	-	-	23	132	518	1,042	1,260
1988	11,792	1	-	-	-	1	15	148	517	937	1,226
1987	11,265	-	-	-	-	-	27	148	517	937	1,096
1986	11,060	1	-	-	-	2	27	157	551	848	1,018
1985	11,288	-	-	-	-	-	17	164	561	822	995
1984	11,386	1	1	3	-	1	19	143	497	763	1,028
1983	11,076	1	-	2	-	2	17	181	472	654	971
1982	11,293	2	-	-	-	-	26	208	445	709	960
1981	12,085	1	-	1	-	1	32	202	428	756	1,016
1980	12,938	2	1	-	-	3	30	218	476	789	1,153
1979	12,547	1	-	-	-	4	23	211	441	770	1,097
Alcoholic liver disease (571.0-571.3)											
All races, male											
1998	8,708	-	-	-	-	-	9	39	180	472	1,053
1997	8,742	-	-	-	-	-	5	38	194	537	1,092
1996	8,853	-	-	-	-	-	4	59	192	585	1,160
1995	9,032	1	-	-	-	1	11	62	216	598	1,213
1994	8,988	-	-	-	-	-	8	53	289	642	1,135
1993	8,552	-	-	-	-	-	8	62	233	709	1,074
1992	8,777	-	-	-	-	1	7	65	276	701	1,091
1991	8,487	-	-	-	-	-	6	73	277	697	1,026
1990	8,676	1	-	-	-	1	12	77	290	768	977
1989	9,012	-	-	-	-	-	15	90	365	780	951
1988	8,530	-	-	-	-	1	10	86	356	675	894
1987	8,221	-	-	-	-	-	11	89	351	692	812
1986	7,931	1	-	-	-	2	19	102	380	630	723
1985	8,129	-	-	-	-	-	11	108	379	591	725
1984	8,107	1	-	3	-	1	14	95	353	564	742
1983	7,828	1	-	1	-	2	7	126	337	454	695
1982	7,997	2	-	-	-	-	19	129	310	515	681
1981	8,478	1	-	-	-	-	18	141	301	514	739
1980	9,088	-	-	-	-	-	18	139	334	558	795
1979	8,793	1	-	-	-	2	19	155	318	532	757

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Alcoholic liver disease (571.0-571.3)											
All races, female											
1998	3,090	-	-	-	-	-	2	18	95	260	432
1997	3,203	-	-	-	-	-	1	22	108	274	442
1996	3,226	-	-	-	-	-	1	27	116	274	407
1995	3,179	-	-	-	-	-	-	27	111	282	383
1994	3,253	-	-	-	-	-	5	29	128	286	386
1993	3,101	-	-	-	-	-	5	36	124	264	379
1992	3,091	-	-	-	-	-	4	37	136	283	308
1991	3,201	1	-	-	-	-	6	45	147	285	370
1990	3,309	-	-	-	-	-	5	41	172	299	337
1989	3,296	-	-	-	-	-	8	42	153	262	309
1988	3,262	1	-	-	-	-	5	62	161	262	332
1987	3,044	-	-	-	-	-	16	59	166	245	284
1986	3,129	-	-	-	-	-	8	55	171	218	295
1985	3,159	-	-	-	-	-	6	56	182	231	270
1984	3,279	-	1	-	-	-	5	48	144	199	286
1983	3,248	-	-	1	-	-	10	55	135	200	276
1982	3,296	-	-	-	-	-	7	79	135	194	279
1981	3,607	-	-	1	-	1	14	61	127	242	277
1980	3,850	2	1	-	-	3	12	79	142	231	358
1979	3,754	-	-	-	-	2	4	56	123	238	340
Alcoholic liver disease (571.0-571.3)											
White, both sexes											
1998	9,947	-	-	-	-	-	8	47	225	592	1,218
1997	10,061	-	-	-	-	-	5	48	235	664	1,260
1996	10,048	-	-	-	-	-	4	61	252	658	1,263
1995	10,067	1	-	-	-	1	4	70	249	684	1,272
1994	9,991	-	-	-	-	-	8	59	312	738	1,191
1993	9,560	-	-	-	-	-	10	77	269	720	1,085
1992	9,593	-	-	-	-	1	8	66	299	740	1,046
1991	9,393	-	-	-	-	-	7	82	312	704	1,016
1990	9,482	1	-	-	-	1	14	75	311	733	952
1989	9,689	-	-	-	-	-	13	76	351	692	878
1988	9,236	1	-	-	-	1	11	97	341	600	852
1987	8,852	-	-	-	-	-	14	94	322	602	752
1986	8,774	1	-	-	-	2	18	86	340	559	711
1985	8,821	-	-	-	-	-	13	98	326	498	674
1984	9,078	-	1	3	-	1	13	74	289	485	710
1983	8,937	1	-	1	-	-	8	112	280	410	684
1982	9,159	-	-	-	-	-	18	115	275	462	685
1981	9,657	1	-	1	-	1	19	113	247	483	687
1980	10,222	-	-	-	-	2	12	115	267	495	774
1979	9,967	-	-	-	-	3	12	104	245	489	767

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Alcoholic liver disease (571.0-571.3)											
White, male											
1998	7,417	-	-	-	-	-	8	34	150	390	885
1997	7,485	-	-	-	-	-	5	32	158	455	925
1996	7,484	-	-	-	-	-	4	40	158	458	967
1995	7,569	1	-	-	-	1	4	50	171	476	987
1994	7,464	-	-	-	-	-	5	46	229	536	909
1993	7,112	-	-	-	-	-	6	53	188	549	817
1992	7,211	-	-	-	-	1	5	47	209	545	836
1991	6,985	-	-	-	-	-	4	54	214	534	776
1990	7,001	1	-	-	-	1	10	50	210	557	735
1989	7,225	-	-	-	-	-	9	54	259	544	682
1988	6,806	-	-	-	-	1	7	60	246	454	644
1987	6,540	-	-	-	-	-	7	61	223	462	562
1986	6,369	1	-	-	-	2	14	61	245	437	510
1985	6,455	-	-	-	-	-	10	69	237	378	492
1984	6,579	-	-	3	-	1	11	57	229	370	531
1983	6,421	1	-	1	-	-	5	82	216	303	495
1982	6,593	-	-	-	-	-	14	84	204	356	499
1981	6,868	1	-	-	-	-	11	87	194	346	497
1980	7,285	-	-	-	-	-	8	80	200	351	539
1979	7,080	-	-	-	-	2	10	88	190	356	543
Alcoholic liver disease (571.0-571.3)											
White, female											
1998	2,530	-	-	-	-	-	-	13	75	202	333
1997	2,576	-	-	-	-	-	-	16	77	209	335
1996	2,564	-	-	-	-	-	-	21	94	200	296
1995	2,498	-	-	-	-	-	-	20	78	208	285
1994	2,527	-	-	-	-	-	3	13	83	202	282
1993	2,448	-	-	-	-	-	4	24	81	171	268
1992	2,382	-	-	-	-	-	3	19	90	195	210
1991	2,408	-	-	-	-	-	3	28	98	170	240
1990	2,481	-	-	-	-	-	4	25	101	176	217
1989	2,464	-	-	-	-	-	4	22	92	148	196
1988	2,430	1	-	-	-	-	4	37	95	146	208
1987	2,312	-	-	-	-	-	7	33	99	140	190
1986	2,405	-	-	-	-	-	4	25	95	122	201
1985	2,366	-	-	-	-	-	3	29	89	120	182
1984	2,499	-	1	-	-	-	2	17	60	115	179
1983	2,516	-	-	-	-	-	3	30	64	107	189
1982	2,566	-	-	-	-	-	4	31	71	106	186
1981	2,789	-	-	1	-	1	8	26	53	137	190
1980	2,937	-	-	-	-	2	4	35	67	144	235
1979	2,887	-	-	-	-	1	2	16	55	133	224

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Alcoholic liver disease (571.0-571.3)											
All other, both sexes											
1998	1,851	-	-	-	-	-	3	10	50	140	267
1997	1,884	-	-	-	-	-	1	12	67	147	274
1996	2,031	-	-	-	-	-	1	25	56	201	304
1995	2,144	-	-	-	-	-	7	19	78	196	324
1994	2,250	-	-	-	-	-	5	23	105	190	330
1993	2,093	-	-	-	-	-	3	21	88	253	368
1992	2,275	-	-	-	-	-	3	36	113	244	353
1991	2,295	1	-	-	-	-	5	36	112	278	380
1990	2,503	-	-	-	-	-	3	43	151	334	362
1989	2,619	-	-	-	-	-	10	56	167	350	382
1988	2,556	-	-	-	-	-	4	51	176	337	374
1987	2,413	-	-	-	-	-	13	54	195	335	344
1986	2,286	-	-	-	-	-	9	71	211	289	307
1985	2,467	-	-	-	-	-	4	66	235	324	321
1984	2,308	1	-	-	-	-	6	69	208	278	318
1983	2,139	-	-	1	-	2	9	69	192	244	287
1982	2,134	2	-	-	-	-	8	93	170	247	275
1981	2,428	-	-	-	-	-	13	89	181	273	329
1980	2,716	2	1	-	-	1	18	103	209	294	379
1979	2,580	1	-	-	-	1	11	107	196	281	330
Alcoholic liver disease (571.0-571.3)											
All other, male											
1998	1,291	-	-	-	-	-	1	5	30	82	168
1997	1,257	-	-	-	-	-	-	6	36	82	167
1996	1,369	-	-	-	-	-	-	19	34	127	193
1995	1,463	-	-	-	-	-	7	12	45	122	226
1994	1,524	-	-	-	-	-	3	7	60	106	226
1993	1,440	-	-	-	-	-	2	9	45	160	257
1992	1,566	-	-	-	-	-	2	18	67	156	255
1991	1,502	-	-	-	-	-	2	19	63	163	250
1990	1,675	-	-	-	-	-	2	27	80	211	242
1989	1,787	-	-	-	-	-	6	36	106	236	269
1988	1,724	-	-	-	-	-	3	26	110	221	250
1987	1,681	-	-	-	-	-	4	28	128	230	250
1986	1,562	-	-	-	-	-	5	41	135	193	213
1985	1,674	-	-	-	-	-	1	39	142	213	233
1984	1,528	1	-	-	-	-	3	38	124	194	211
1983	1,407	-	-	-	-	2	2	44	121	151	200
1982	1,404	2	-	-	-	-	5	45	106	159	182
1981	1,610	-	-	-	-	-	7	54	107	168	242
1980	1,803	-	-	-	-	-	10	59	134	207	256
1979	1,713	1	-	-	-	-	9	67	128	176	214

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Alcoholic liver disease (571.0-571.3)											
All other, female											
1998	560	-	-	-	-	-	2	5	20	58	99
1997	627	-	-	-	-	-	1	6	31	65	107
1996	662	-	-	-	-	-	1	6	22	74	111
1995	681	-	-	-	-	-	-	7	33	74	98
1994	726	-	-	-	-	-	2	16	45	84	104
1993	653	-	-	-	-	-	1	12	43	93	111
1992	709	-	-	-	-	-	1	18	46	88	98
1991	793	1	-	-	-	-	3	17	49	115	130
1990	828	-	-	-	-	-	1	16	71	123	120
1989	832	-	-	-	-	-	4	20	61	114	113
1988	832	-	-	-	-	-	1	25	66	116	124
1987	732	-	-	-	-	-	9	26	67	105	94
1986	724	-	-	-	-	-	4	30	76	96	94
1985	793	-	-	-	-	-	3	27	93	111	88
1984	780	-	-	-	-	-	3	31	84	84	107
1983	732	-	-	1	-	-	7	25	71	93	87
1982	730	-	-	-	-	-	3	48	64	88	93
1981	818	-	-	-	-	-	6	35	74	105	87
1980	913	2	1	-	-	1	8	44	75	87	123
1979	867	-	-	-	-	1	2	40	68	105	116
Alcoholic liver disease (571.0-571.3)											
Black, both sexes											
1998	1,410	-	-	-	-	-	1	3	21	95	202
1997	1,501	-	-	-	-	-	-	7	28	106	215
1996	1,644	-	-	-	-	-	1	16	26	151	243
1995	1,733	-	-	-	-	-	6	8	51	145	262
1994	1,867	-	-	-	-	-	4	13	70	138	280
1993	1,770	-	-	-	-	-	2	16	67	199	306
1992	1,917	-	-	-	-	-	1	21	83	193	316
1991	1,977	1	-	-	-	-	3	27	89	241	332
1990	2,202	-	-	-	-	-	1	32	122	291	324
1989	2,254	-	-	-	-	-	9	47	131	302	329
1988	2,238	-	-	-	-	-	3	37	153	297	333
1987	2,176	-	-	-	-	-	10	46	176	308	315
1986	2,058	-	-	-	-	-	7	63	180	255	288
1985	2,226	-	-	-	-	-	4	54	209	290	288
1984	2,051	-	-	-	-	-	5	63	180	242	276
1983	1,904	-	-	1	-	2	7	60	166	221	253
1982	1,903	2	-	-	-	-	7	78	143	221	244
1981	2,158	-	-	-	-	-	8	73	160	237	288
1980	2,406	2	1	-	-	1	17	91	173	248	331
1979	2,295	1	-	-	-	-	10	85	159	251	288

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Alcoholic liver disease (571.0-571.3)											
Black, male											
1998	1,003	-	-	-	-	-	-	2	12	58	132
1997	1,013	-	-	-	-	-	-	3	16	59	129
1996	1,119	-	-	-	-	-	-	14	13	98	155
1995	1,188	-	-	-	-	-	6	4	25	90	182
1994	1,289	-	-	-	-	-	3	5	42	81	194
1993	1,239	-	-	-	-	-	2	8	34	126	221
1992	1,333	-	-	-	-	-	1	9	52	127	227
1991	1,299	-	-	-	-	-	1	16	50	144	218
1990	1,493	-	-	-	-	-	1	24	68	182	216
1989	1,566	-	-	-	-	-	6	31	85	209	233
1988	1,527	-	-	-	-	-	3	20	101	199	223
1987	1,531	-	-	-	-	-	4	23	117	211	230
1986	1,412	-	-	-	-	-	4	35	119	173	199
1985	1,524	-	-	-	-	-	1	32	128	194	211
1984	1,365	-	-	-	-	-	2	33	109	173	189
1983	1,253	-	-	-	-	2	2	38	101	136	178
1982	1,256	2	-	-	-	-	4	39	88	144	162
1981	1,448	-	-	-	-	-	6	48	91	146	218
1980	1,601	-	-	-	-	-	9	50	115	176	227
1979	1,541	1	-	-	-	-	8	53	107	162	190
Alcoholic liver disease (571.0-571.3)											
Black, female											
1998	407	-	-	-	-	-	1	1	9	37	70
1997	488	-	-	-	-	-	-	4	12	47	86
1996	525	-	-	-	-	-	1	2	13	53	88
1995	545	-	-	-	-	-	-	4	26	55	80
1994	578	-	-	-	-	-	1	8	28	57	86
1993	531	-	-	-	-	-	-	8	33	73	85
1992	584	-	-	-	-	-	-	12	31	66	89
1991	678	1	-	-	-	-	2	11	39	97	114
1990	709	-	-	-	-	-	-	8	54	109	108
1989	688	-	-	-	-	-	3	16	46	93	96
1988	711	-	-	-	-	-	-	17	52	98	110
1987	645	-	-	-	-	-	6	23	59	97	85
1986	646	-	-	-	-	-	3	28	61	82	89
1985	702	-	-	-	-	-	3	22	81	96	77
1984	686	-	-	-	-	-	3	30	71	69	87
1983	651	-	-	1	-	-	5	22	65	85	75
1982	647	-	-	-	-	-	3	39	55	77	82
1981	710	-	-	-	-	-	2	25	69	91	70
1980	805	2	1	-	-	1	8	41	58	72	104
1979	754	-	-	-	-	-	2	32	52	89	98

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other chronic liver disease and cirrhosis (571.4-571.9)											
All races, both sexes											
1998	13,394	16	1	3	1	3	8	40	134	378	775
1997	13,230	15	4	-	2	7	12	31	123	375	788
1996	12,968	17	5	4	1	4	11	35	141	436	778
1995	13,011	22	6	3	4	7	14	45	143	461	768
1994	13,165	19	7	3	2	3	10	53	181	462	787
1993	13,556	19	11	4	4	9	17	68	198	496	834
1992	13,395	24	9	1	2	7	13	55	196	464	761
1991	13,741	14	4	3	3	8	18	73	243	470	743
1990	13,830	15	7	3	4	9	17	78	231	508	727
1989	14,386	18	6	4	3	9	25	79	252	544	757
1988	14,617	20	6	1	1	16	21	110	282	622	778
1987	14,936	16	4	4	6	14	30	113	362	606	783
1986	15,099	19	10	1	3	10	30	117	357	581	741
1985	15,479	13	15	2	-	10	38	119	400	548	749
1984	15,931	22	11	8	11	12	34	160	362	528	753
1983	16,190	22	13	3	8	14	33	158	397	538	788
1982	16,397	29	10	8	7	12	49	165	384	579	759
1981	17,223	27	12	7	6	13	55	186	374	603	857
1980	17,645	31	11	6	5	25	64	186	412	637	911
1979	17,173	33	10	5	10	18	49	198	374	642	981
Other chronic liver disease and cirrhosis (571.4-571.9)											
All races, male											
1998	7,635	11	-	1	-	3	4	28	85	242	571
1997	7,518	6	2	-	2	3	7	21	84	263	571
1996	7,458	12	2	1	1	2	6	23	86	312	579
1995	7,493	13	2	3	2	3	11	30	106	326	568
1994	7,525	11	2	1	2	1	4	37	107	329	580
1993	7,724	15	6	1	1	5	9	52	132	318	631
1992	7,710	14	4	-	2	2	8	32	128	341	570
1991	7,782	10	2	1	1	5	12	45	147	332	538
1990	7,951	7	2	1	1	6	4	48	142	366	534
1989	8,298	11	3	3	3	3	10	50	167	421	564
1988	8,666	12	3	-	1	8	11	56	211	462	566
1987	8,830	8	3	3	3	7	24	70	249	418	546
1986	8,866	8	4	1	3	6	16	70	241	432	496
1985	9,115	8	6	1	-	5	27	74	266	369	521
1984	9,451	14	4	6	6	8	17	95	251	375	491
1983	9,702	12	9	2	-	5	13	93	263	371	538
1982	9,920	19	4	3	5	3	25	111	270	403	491
1981	10,416	13	8	3	1	7	30	111	261	396	563
1980	10,680	19	7	2	3	14	37	120	274	406	574
1979	10,576	18	7	2	4	7	28	124	250	429	647

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other chronic liver disease and cirrhosis (571.4-571.9)											
All races, female											
1998	5,759	5	1	2	1	-	4	12	49	136	204
1997	5,712	9	2	-	-	4	5	10	39	112	217
1996	5,510	5	3	3	-	2	5	12	55	124	199
1995	5,518	9	4	-	2	4	3	15	37	135	200
1994	5,640	8	5	2	-	2	6	16	74	133	207
1993	5,832	4	5	3	3	4	8	16	66	178	203
1992	5,685	10	5	1	-	5	5	23	68	123	191
1991	5,959	4	2	2	2	3	6	28	96	138	205
1990	5,879	8	5	2	3	3	13	30	89	142	193
1989	6,088	7	3	1	-	6	15	29	85	123	193
1988	5,951	8	3	1	-	8	10	54	71	160	212
1987	6,106	8	1	1	3	7	6	43	113	188	237
1986	6,233	11	6	-	-	4	14	47	116	149	245
1985	6,364	5	9	1	-	5	11	45	134	179	228
1984	6,480	8	7	2	5	4	17	65	111	153	262
1983	6,488	10	4	1	8	9	20	65	134	167	250
1982	6,477	10	6	5	2	9	24	54	114	176	268
1981	6,807	14	4	4	5	6	25	75	113	207	294
1980	6,965	12	4	4	2	11	27	66	138	231	337
1979	6,597	15	3	3	6	11	21	74	124	213	334
Other chronic liver disease and cirrhosis (571.4-571.9)											
White, both sexes											
1998	11,824	11	-	2	1	2	7	29	100	300	627
1997	11,622	9	3	-	2	5	8	25	93	292	656
1996	11,374	16	4	4	1	4	9	30	109	334	605
1995	11,365	14	3	3	3	2	8	34	112	346	591
1994	11,485	13	7	2	1	2	7	35	142	342	598
1993	11,788	14	7	2	1	7	10	43	147	375	616
1992	11,693	19	8	1	2	6	5	43	140	351	590
1991	11,993	9	4	2	3	4	11	51	165	361	558
1990	11,996	12	4	2	3	7	9	57	159	370	530
1989	12,522	9	3	2	3	5	18	56	166	387	579
1988	12,688	14	3	1	1	11	12	71	192	452	598
1987	12,914	8	2	4	3	13	24	78	242	412	568
1986	13,142	11	8	1	2	8	19	80	225	410	531
1985	13,371	5	13	2	-	7	29	75	278	377	530
1984	13,831	11	10	7	7	7	23	98	242	367	560
1983	13,990	17	11	2	3	9	19	104	254	361	574
1982	14,250	19	7	7	5	7	26	102	237	394	563
1981	14,808	18	10	5	2	9	41	119	221	388	616
1980	15,018	22	9	4	4	19	42	104	238	406	628
1979	14,672	25	7	5	5	15	35	125	222	406	716

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other chronic liver disease and cirrhosis (571.4-571.9)											
White, male											
1998	6,679	8	-	1	-	2	4	21	64	196	474
1997	6,560	4	1	-	2	3	5	18	68	209	480
1996	6,508	11	2	1	1	2	6	21	69	253	460
1995	6,531	10	1	3	2	1	6	23	85	244	447
1994	6,551	7	2	1	1	1	2	25	90	255	453
1993	6,709	10	4	-	-	5	6	33	98	254	479
1992	6,699	11	4	-	2	2	2	25	94	268	452
1991	6,804	6	2	1	1	2	7	34	110	270	413
1990	6,888	5	2	1	1	5	3	36	104	271	403
1989	7,189	7	1	2	3	2	7	35	117	304	442
1988	7,575	7	1	-	1	5	8	42	146	347	445
1987	7,635	3	2	3	3	7	20	49	181	299	407
1986	7,730	3	3	1	2	4	12	50	162	313	362
1985	7,866	2	4	1	-	3	20	50	196	269	367
1984	8,204	6	4	5	3	6	13	61	173	274	373
1983	8,402	9	7	1	-	5	8	72	177	253	407
1982	8,656	13	3	3	4	3	15	74	176	282	374
1981	9,000	9	7	3	-	5	23	76	165	272	410
1980	9,122	15	7	1	3	10	30	77	163	270	409
1979	9,024	13	4	2	2	6	19	85	153	280	475
Other chronic liver disease and cirrhosis (571.4-571.9)											
White, female											
1998	5,145	3	-	1	1	-	3	8	36	104	153
1997	5,062	5	2	-	-	2	3	7	25	83	176
1996	4,866	5	2	3	-	2	3	9	40	81	145
1995	4,834	4	2	-	1	1	2	11	27	102	144
1994	4,934	6	5	1	-	1	5	10	52	87	145
1993	5,079	4	3	2	1	2	4	10	49	121	137
1992	4,994	8	4	1	-	4	3	18	46	83	138
1991	5,189	3	2	1	2	2	4	17	55	91	145
1990	5,108	7	2	1	2	2	6	21	55	99	127
1989	5,333	2	2	-	-	3	11	21	49	83	137
1988	5,113	7	2	1	-	6	4	29	46	105	153
1987	5,279	5	-	1	-	6	4	29	61	113	161
1986	5,412	8	5	-	-	4	7	30	63	97	169
1985	5,505	3	9	1	-	4	9	25	82	108	163
1984	5,627	5	6	2	4	1	10	37	69	93	187
1983	5,588	8	4	1	3	4	11	32	77	108	167
1982	5,594	6	4	4	1	4	11	28	61	112	189
1981	5,808	9	3	2	2	4	18	43	56	116	206
1980	5,896	7	2	3	1	9	12	27	75	136	219
1979	5,648	12	3	3	3	9	16	40	69	126	241

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other chronic liver disease and cirrhosis (571.4-571.9)											
All other, both sexes											
1998	1,570	5	1	1	-	1	1	11	34	78	148
1997	1,608	6	1	-	-	2	4	6	30	83	132
1996	1,594	1	1	-	-	-	2	5	32	102	173
1995	1,646	8	3	-	1	5	6	11	31	115	177
1994	1,680	6	-	1	1	1	3	18	39	120	189
1993	1,768	5	4	2	3	2	7	25	51	121	218
1992	1,702	5	1	-	-	1	8	12	56	113	171
1991	1,748	5	-	1	-	4	7	22	78	109	185
1990	1,834	3	3	1	1	2	8	21	72	138	197
1989	1,864	9	3	2	-	4	7	23	86	157	178
1988	1,929	6	3	-	-	5	9	39	90	170	180
1987	2,022	8	2	-	3	1	6	35	120	194	215
1986	1,957	8	2	-	1	2	11	37	132	171	210
1985	2,108	8	2	-	-	3	9	44	122	171	219
1984	2,100	11	1	1	4	5	11	62	120	161	193
1983	2,200	5	2	1	5	5	14	54	143	177	214
1982	2,147	10	3	1	2	5	23	63	147	185	196
1981	2,415	9	2	2	4	4	14	67	153	215	241
1980	2,627	9	2	2	1	6	22	82	174	231	283
1979	2,501	8	3	-	5	3	14	73	152	236	265
Other chronic liver disease and cirrhosis (571.4-571.9)											
All other, male											
1998	956	3	-	-	-	1	-	7	21	46	97
1997	958	2	1	-	-	-	2	3	16	54	91
1996	950	1	-	-	-	-	-	2	17	59	119
1995	962	3	1	-	-	2	5	7	21	82	121
1994	974	4	-	-	1	-	2	12	17	74	127
1993	1,015	5	2	1	1	-	3	19	34	64	152
1992	1,011	3	-	-	-	-	6	7	34	73	118
1991	978	4	-	-	-	3	5	11	37	62	125
1990	1,063	2	-	-	-	1	1	12	38	95	131
1989	1,109	4	2	1	-	1	3	15	50	117	122
1988	1,091	5	2	-	-	3	3	14	65	115	121
1987	1,195	5	1	-	-	-	4	21	68	119	139
1986	1,136	5	1	-	1	2	4	20	79	119	134
1985	1,249	6	2	-	-	2	7	24	70	100	154
1984	1,247	8	-	1	3	2	4	34	78	101	118
1983	1,300	3	2	1	-	-	5	21	86	118	131
1982	1,264	6	1	-	1	-	10	37	94	121	117
1981	1,416	4	1	-	1	2	7	35	96	124	153
1980	1,558	4	-	1	-	4	7	43	111	136	165
1979	1,552	5	3	-	2	1	9	39	97	149	172

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other chronic liver disease and cirrhosis (571.4-571.9)											
All other, female											
1998	614	2	1	1	-	-	1	4	13	32	51
1997	650	4	-	-	-	2	2	3	14	29	41
1996	644	-	1	-	-	-	2	3	15	43	54
1995	684	5	2	-	1	3	1	4	10	33	56
1994	706	2	-	1	-	1	1	6	22	46	62
1993	753	-	2	1	2	2	4	6	17	57	66
1992	691	2	1	-	-	1	2	5	22	40	53
1991	770	1	-	1	-	1	2	11	41	47	60
1990	771	1	3	1	1	1	7	9	34	43	66
1989	755	5	1	1	-	3	4	8	36	40	56
1988	838	1	1	-	-	2	6	25	25	55	59
1987	827	3	1	-	3	1	2	14	52	75	76
1986	821	3	1	-	-	-	7	17	53	52	76
1985	859	2	-	-	-	1	2	20	52	71	65
1984	853	3	1	-	1	3	7	28	42	60	75
1983	900	2	-	-	5	5	9	33	57	59	83
1982	883	4	2	1	1	5	13	26	53	64	79
1981	999	5	1	2	3	2	7	32	57	91	88
1980	1,069	5	2	1	1	2	15	39	63	95	118
1979	949	3	-	-	3	2	5	34	55	87	93
Other chronic liver disease and cirrhosis (571.4-571.9)											
Black, both sexes											
1998	1,287	5	1	1	-	1	1	7	28	64	126
1997	1,319	5	1	-	-	2	4	6	26	62	110
1996	1,306	1	1	-	-	-	1	4	28	90	150
1995	1,340	5	1	-	1	5	3	9	26	98	149
1994	1,378	6	-	1	1	1	3	15	33	105	169
1993	1,458	4	4	2	2	2	6	21	43	101	189
1992	1,398	5	1	-	-	1	6	10	48	103	153
1991	1,487	5	-	1	-	4	6	17	70	97	172
1990	1,551	3	3	1	1	2	7	19	64	129	175
1989	1,597	7	3	2	-	3	6	20	79	142	163
1988	1,665	6	2	-	-	4	8	33	84	155	172
1987	1,740	7	1	-	3	1	3	30	114	184	193
1986	1,687	7	2	-	1	2	9	35	124	159	185
1985	1,829	5	2	-	-	3	8	42	112	159	197
1984	1,850	11	1	1	4	5	10	56	109	147	173
1983	1,979	3	2	-	4	4	13	48	138	169	192
1982	1,936	10	2	1	2	5	21	58	139	175	181
1981	2,191	7	2	2	4	4	14	61	140	202	224
1980	2,384	8	2	2	1	6	21	77	160	211	261
1979	2,272	5	2	-	5	3	13	69	141	223	239

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other chronic liver disease and cirrhosis (571.4-571.9)											
Black, male											
1998	801	3	-	-	-	1	-	5	16	36	85
1997	805	1	1	-	-	-	2	3	14	39	77
1996	804	1	-	-	-	-	-	2	14	55	106
1995	811	2	1	-	-	2	2	6	17	68	100
1994	808	4	-	-	1	-	2	10	14	65	115
1993	861	4	2	1	-	-	3	16	29	55	132
1992	848	3	-	-	-	-	5	6	29	66	107
1991	838	4	-	-	-	3	5	7	32	55	115
1990	900	2	-	-	-	1	1	10	35	90	114
1989	951	4	2	1	-	-	2	13	47	105	113
1988	949	5	2	-	-	2	3	13	59	105	113
1987	1,043	4	1	-	-	-	2	18	64	115	128
1986	992	4	1	-	1	2	2	19	76	112	120
1985	1,092	4	2	-	-	2	6	22	64	98	141
1984	1,093	8	-	1	3	2	3	29	70	92	107
1983	1,176	3	2	-	-	-	5	18	83	115	115
1982	1,152	6	1	-	1	-	9	34	88	115	110
1981	1,292	3	1	-	1	2	7	34	90	117	139
1980	1,419	4	-	1	-	4	7	41	104	126	153
1979	1,413	3	2	-	2	1	8	37	93	142	154
Other chronic liver disease and cirrhosis (571.4-571.9)											
Black, female											
1998	486	2	1	1	-	-	1	2	12	28	41
1997	514	4	-	-	-	2	2	3	12	23	33
1996	502	-	1	-	-	-	1	2	14	35	44
1995	529	3	-	-	1	3	1	3	9	30	49
1994	570	2	-	1	-	1	1	5	19	40	54
1993	597	-	2	1	2	2	3	5	14	46	57
1992	550	2	1	-	-	1	1	4	19	37	46
1991	649	1	-	1	-	1	1	10	38	42	57
1990	651	1	3	1	1	1	6	9	29	39	61
1989	646	3	1	1	-	3	4	7	32	37	50
1988	716	1	-	-	-	2	5	20	25	50	59
1987	697	3	-	-	3	1	1	12	50	69	65
1986	695	3	1	-	-	-	7	16	48	47	65
1985	737	1	-	-	-	1	2	20	48	61	56
1984	757	3	1	-	1	3	7	27	39	55	66
1983	803	-	-	-	4	4	8	30	55	54	77
1982	784	4	1	1	1	5	12	24	51	60	71
1981	899	4	1	2	3	2	7	27	50	85	85
1980	965	4	2	1	1	2	14	36	56	85	108
1979	859	2	-	-	3	2	5	32	48	81	85

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Cholelithiasis and other disorders of gallbladder (574-575)											
All races, both sexes											
1998	2,822	2	5	1	-	2	6	11	18	23	33
1997	2,757	1	2	-	1	3	6	4	18	18	35
1996	2,816	4	1	3	-	2	5	7	15	24	25
1995	2,751	6	-	1	-	2	4	7	11	20	31
1994	2,855	9	4	-	1	2	6	4	18	21	38
1993	2,752	5	1	-	-	-	5	9	8	18	27
1992	2,915	2	-	1	1	2	3	11	11	18	32
1991	2,881	2	1	-	-	3	10	5	16	19	27
1990	3,022	3	-	-	1	1	4	10	12	24	19
1989	3,048	3	2	-	-	1	3	9	11	20	28
1988	3,115	4	1	-	1	1	4	15	8	15	32
1987	3,032	1	-	-	-	3	3	7	12	15	12
1986	2,956	4	1	1	1	4	3	9	7	10	23
1985	2,975	2	1	-	-	4	4	9	14	15	31
1984	3,023	4	-	-	-	1	6	5	15	18	28
1983	2,989	3	3	-	-	-	6	7	20	17	25
1982	2,941	2	-	2	1	2	6	5	10	16	26
1981	3,084	1	-	-	3	4	6	7	12	17	20
1980	3,285	1	-	-	-	-	13	13	18	27	22
1979	3,139	5	1	-	-	-	5	16	11	19	21
Cholelithiasis and other disorders of gallbladder (574-575)											
All races, male											
1998	1,216	1	3	-	-	1	2	6	10	11	18
1997	1,239	-	1	-	1	1	1	1	7	9	22
1996	1,213	2	1	1	-	1	1	4	6	10	15
1995	1,215	4	-	-	-	1	3	2	4	9	16
1994	1,245	5	-	-	1	-	2	1	7	8	29
1993	1,207	2	1	-	-	-	-	3	4	10	16
1992	1,252	2	-	1	-	1	2	4	7	7	18
1991	1,246	1	-	-	-	-	2	2	10	11	14
1990	1,280	2	-	-	1	-	3	3	6	16	8
1989	1,336	3	2	-	-	-	-	5	7	9	14
1988	1,385	4	-	-	-	1	2	5	6	5	18
1987	1,297	1	-	-	-	1	2	3	5	6	6
1986	1,344	1	-	-	1	2	-	2	3	4	10
1985	1,368	2	-	-	-	2	1	5	11	19	
1984	1,387	4	-	-	-	-	-	1	3	11	14
1983	1,385	-	2	-	-	-	1	3	12	11	16
1982	1,289	1	-	1	1	1	5	1	5	5	9
1981	1,345	1	-	-	1	-	-	1	4	8	8
1980	1,475	-	-	-	-	-	4	6	6	16	9
1979	1,383	5	-	-	-	-	-	7	2	8	8

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Cholelithiasis and other disorders of gallbladder (574-575)											
All races, female											
1998	1,606	1	2	1	-	1	4	5	8	12	15
1997	1,518	1	1	-	-	2	5	3	11	9	13
1996	1,603	2	-	2	-	1	4	3	9	14	10
1995	1,536	2	-	1	-	1	1	5	7	11	15
1994	1,610	4	4	-	-	2	4	3	11	13	9
1993	1,545	3	-	-	-	-	5	6	4	8	11
1992	1,663	-	-	-	1	1	1	7	4	11	14
1991	1,635	1	1	-	-	3	8	3	6	8	13
1990	1,742	1	-	-	-	1	1	7	6	8	11
1989	1,712	-	-	-	-	1	3	4	4	11	14
1988	1,730	-	1	-	1	-	2	10	2	10	14
1987	1,735	-	-	-	-	2	1	4	7	9	6
1986	1,612	3	1	1	-	2	3	7	4	6	13
1985	1,607	-	1	-	-	2	3	8	9	4	12
1984	1,636	-	-	-	-	1	6	4	12	7	14
1983	1,604	3	1	-	-	-	5	4	8	6	9
1982	1,652	1	-	1	-	1	1	4	5	11	17
1981	1,739	-	-	-	2	4	6	6	8	9	12
1980	1,810	1	-	-	-	-	9	7	12	11	13
1979	1,756	-	1	-	-	-	5	9	9	11	13
Cholelithiasis and other disorders of gallbladder (574-575)											
White, both sexes											
1998	2,474	-	1	1	-	1	5	7	15	16	24
1997	2,413	1	2	-	-	2	5	2	12	16	27
1996	2,440	2	1	2	-	1	5	6	12	15	15
1995	2,416	4	-	1	-	2	3	5	4	13	23
1994	2,525	6	2	-	1	1	5	3	12	11	29
1993	2,417	4	1	-	-	-	4	6	8	16	21
1992	2,589	2	-	-	1	-	3	7	9	11	24
1991	2,562	1	-	-	-	3	7	2	13	13	22
1990	2,722	3	-	-	-	-	3	8	10	16	14
1989	2,738	2	1	-	-	1	2	7	7	13	18
1988	2,789	4	1	-	1	1	1	12	7	12	21
1987	2,721	-	-	-	-	3	2	7	8	11	11
1986	2,673	2	-	-	-	2	3	6	4	9	18
1985	2,660	1	1	-	-	4	2	5	13	12	27
1984	2,752	3	-	-	-	1	6	4	12	13	22
1983	2,684	2	2	-	-	-	6	5	12	15	21
1982	2,663	1	-	1	1	1	3	3	8	11	16
1981	2,811	1	-	-	3	4	3	6	11	13	15
1980	2,995	1	-	-	-	-	5	9	12	18	16
1979	2,867	4	1	-	-	-	4	8	9	15	14

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Cholelithiasis and other disorders of gallbladder (574-575)

White, male

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
1998	1,074	-	1	-	-	-	2	3	8	8	12
1997	1,085	-	1	-	-	1	1	1	5	7	17
1996	1,064	1	1	1	-	-	1	3	5	7	9
1995	1,080	2	-	-	-	1	2	2	2	6	13
1994	1,109	3	-	-	1	-	2	1	4	5	23
1993	1,067	1	1	-	-	-	-	2	4	9	14
1992	1,140	2	-	-	-	-	2	4	6	6	16
1991	1,122	-	-	-	-	-	2	-	9	8	12
1990	1,156	2	-	-	-	-	2	2	5	10	5
1989	1,210	2	1	-	-	-	-	3	5	6	9
1988	1,243	4	-	-	-	1	-	4	5	4	13
1987	1,181	-	-	-	-	1	1	3	3	2	6
1986	1,224	-	-	-	-	1	-	2	3	4	10
1985	1,229	1	-	-	-	2	1	-	5	9	16
1984	1,272	3	-	-	-	-	-	1	3	8	11
1983	1,255	-	1	-	-	-	1	2	7	9	14
1982	1,177	1	-	-	1	-	2	1	3	4	6
1981	1,255	1	-	-	1	-	-	1	3	7	5
1980	1,356	-	-	-	-	-	2	4	3	8	7
1979	1,266	4	-	-	-	-	-	4	2	6	6

Cholelithiasis and other disorders of gallbladder (574-575)

White, female

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
1998	1,400	-	-	1	-	1	3	4	7	8	12
1997	1,328	1	1	-	-	1	4	1	7	9	10
1996	1,376	1	-	1	-	1	4	3	7	8	6
1995	1,336	2	-	1	-	1	1	3	2	7	10
1994	1,416	3	2	-	-	1	3	2	8	6	6
1993	1,350	3	-	-	-	-	4	4	4	7	7
1992	1,449	-	-	-	1	-	1	3	3	5	8
1991	1,440	1	-	-	-	3	5	2	4	5	10
1990	1,566	1	-	-	-	-	1	6	5	6	9
1989	1,528	-	-	-	-	1	2	4	2	7	9
1988	1,546	-	1	-	1	-	1	8	2	8	8
1987	1,540	-	-	-	-	2	1	4	5	9	5
1986	1,449	2	-	-	-	1	3	4	1	5	8
1985	1,431	-	1	-	-	2	1	5	8	3	11
1984	1,480	-	-	-	-	1	6	3	9	5	11
1983	1,429	2	1	-	-	-	5	3	5	6	7
1982	1,486	-	-	1	-	1	1	2	5	7	10
1981	1,556	-	-	-	2	4	3	5	8	6	10
1980	1,639	1	-	-	-	-	3	5	9	10	9
1979	1,601	-	1	-	-	-	4	4	7	9	8

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Cholelithiasis and other disorders of gallbladder (574-575)											
All other, both sexes											
1998	348	2	4	-	-	1	1	4	3	7	9
1997	344	-	-	-	1	1	1	2	6	2	8
1996	376	2	-	1	-	1	-	1	3	9	10
1995	335	2	-	-	-	-	1	2	7	7	8
1994	330	3	2	-	-	1	1	1	6	10	9
1993	335	1	-	-	-	-	1	3	-	2	6
1992	326	-	-	1	-	2	-	4	2	7	8
1991	319	1	1	-	-	-	3	3	3	6	5
1990	300	-	-	-	1	1	1	2	2	8	5
1989	310	1	1	-	-	-	1	2	4	7	10
1988	326	-	-	-	-	-	3	3	1	3	11
1987	311	1	-	-	-	-	1	-	4	4	1
1986	283	2	1	1	1	2	-	3	3	1	5
1985	315	1	-	-	-	-	2	4	1	3	4
1984	271	1	-	-	-	-	-	1	3	5	6
1983	305	1	1	-	-	-	-	2	8	2	4
1982	278	1	-	1	-	1	3	2	2	5	10
1981	273	-	-	-	-	-	3	1	1	4	5
1980	290	-	-	-	-	-	8	4	6	9	6
1979	272	1	-	-	-	-	1	8	2	4	7
Cholelithiasis and other disorders of gallbladder (574-575)											
All other, male											
1998	142	1	2	-	-	1	-	3	2	3	6
1997	154	-	-	-	1	-	-	-	2	2	5
1996	149	1	-	-	-	1	-	1	1	3	6
1995	135	2	-	-	-	-	1	-	2	3	3
1994	136	2	-	-	-	-	-	-	3	3	6
1993	140	1	-	-	-	-	-	1	-	1	2
1992	112	-	-	1	-	1	-	-	1	1	2
1991	124	1	-	-	-	-	-	2	1	3	2
1990	124	-	-	-	1	-	1	1	1	6	3
1989	126	1	1	-	-	-	-	2	2	3	5
1988	142	-	-	-	-	-	2	1	1	1	5
1987	116	1	-	-	-	-	1	-	2	4	-
1986	120	1	-	-	1	1	-	-	-	-	-
1985	139	1	-	-	-	-	-	1	-	2	3
1984	115	1	-	-	-	-	-	-	-	3	3
1983	130	-	1	-	-	-	-	1	5	2	2
1982	112	-	-	1	-	1	3	-	2	1	3
1981	90	-	-	-	-	-	-	-	1	1	3
1980	119	-	-	-	-	-	2	2	3	8	2
1979	117	1	-	-	-	-	-	3	-	2	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Cholelithiasis and other disorders of gallbladder (574-575)											
All other, female											
1998	206	1	2	-	-	-	1	1	1	4	3
1997	190	-	-	-	-	1	1	2	4	-	3
1996	227	1	-	1	-	-	-	-	2	6	4
1995	200	-	-	-	-	-	-	2	5	4	5
1994	194	1	2	-	-	1	1	1	3	7	3
1993	195	-	-	-	-	-	1	2	-	1	4
1992	214	-	-	-	-	1	-	4	1	6	6
1991	195	-	1	-	-	-	3	1	2	3	3
1990	176	-	-	-	-	1	-	1	1	2	2
1989	184	-	-	-	-	-	1	-	2	4	5
1988	184	-	-	-	-	-	1	2	-	2	6
1987	195	-	-	-	-	-	-	-	2	-	1
1986	163	1	1	1	-	1	-	3	3	1	5
1985	176	-	-	-	-	-	2	3	1	1	1
1984	156	-	-	-	-	-	-	1	3	2	3
1983	175	1	-	-	-	-	-	1	3	-	2
1982	166	1	-	-	-	-	-	2	-	4	7
1981	183	-	-	-	-	-	3	1	-	3	2
1980	171	-	-	-	-	-	6	2	3	1	4
1979	155	-	-	-	-	-	1	5	2	2	5
Cholelithiasis and other disorders of gallbladder (574-575)											
Black, both sexes											
1998	282	2	4	-	-	1	1	2	3	6	8
1997	272	-	-	-	1	1	-	2	6	1	6
1996	304	2	-	-	-	1	-	1	3	8	8
1995	268	1	-	-	-	-	1	2	7	5	5
1994	275	3	2	-	-	1	1	1	5	9	8
1993	272	1	-	-	-	-	1	2	-	2	6
1992	275	-	-	1	-	2	-	3	2	6	8
1991	260	1	-	-	-	-	3	2	2	5	5
1990	244	-	-	-	1	1	1	2	2	6	5
1989	255	1	1	-	-	-	1	2	4	6	8
1988	264	-	-	-	-	-	3	3	1	3	11
1987	263	1	-	-	-	-	1	-	4	4	1
1986	230	2	1	1	1	2	-	3	2	1	5
1985	270	1	-	-	-	-	2	4	1	3	3
1984	228	-	-	-	-	-	-	1	2	5	6
1983	262	1	1	-	-	-	-	1	8	2	4
1982	230	1	-	1	-	1	3	2	2	5	10
1981	215	-	-	-	-	-	1	1	-	4	4
1980	235	-	-	-	-	-	8	4	6	9	6
1979	226	1	-	-	-	-	1	8	2	4	6

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Cholelithiasis and other disorders of gallbladder (574-575)

Black, male

1998	109	1	2	-	-	1	-	2	2	3	5
1997	119	-	-	-	1	-	-	-	2	1	4
1996	122	1	-	-	-	1	-	1	1	2	5
1995	100	1	-	-	-	-	1	-	2	3	2
1994	111	2	-	-	-	-	-	-	2	2	6
1993	103	1	-	-	-	-	-	1	-	1	2
1992	92	-	-	1	-	1	-	-	1	-	2
1991	92	1	-	-	-	-	-	1	1	2	2
1990	96	-	-	-	1	-	1	1	1	5	3
1989	102	1	1	-	-	-	-	2	2	3	5
1988	107	-	-	-	-	-	2	1	1	1	5
1987	90	1	-	-	-	-	1	-	2	4	-
1986	92	1	-	-	1	1	-	-	-	-	-
1985	118	1	-	-	-	-	-	1	-	2	2
1984	89	-	-	-	-	-	-	-	-	3	3
1983	103	-	1	-	-	-	-	-	5	2	2
1982	87	-	-	1	-	1	3	-	2	1	3
1981	65	-	-	-	-	-	-	-	-	1	2
1980	89	-	-	-	-	-	2	2	3	8	2
1979	91	1	-	-	-	-	-	3	-	2	1

Cholelithiasis and other disorders of gallbladder (574-575)

Black, female

1998	173	1	2	-	-	-	1	-	1	3	3
1997	153	-	-	-	-	1	-	2	4	-	2
1996	182	1	-	-	-	-	-	-	2	6	3
1995	168	-	-	-	-	-	-	2	5	2	3
1994	164	1	2	-	-	1	1	1	3	7	2
1993	169	-	-	-	-	-	1	1	-	1	4
1992	183	-	-	-	-	1	-	3	1	6	6
1991	168	-	-	-	-	-	3	1	1	3	3
1990	148	-	-	-	-	1	-	1	1	1	2
1989	153	-	-	-	-	-	1	-	2	3	3
1988	157	-	-	-	-	-	1	2	-	2	6
1987	173	-	-	-	-	-	-	-	2	-	1
1986	138	1	1	1	-	1	-	3	2	1	5
1985	152	-	-	-	-	-	2	3	1	1	1
1984	139	-	-	-	-	-	-	1	2	2	3
1983	159	1	-	-	-	-	-	1	3	-	2
1982	143	1	-	-	-	-	-	2	-	4	7
1981	150	-	-	-	-	-	1	1	-	3	2
1980	146	-	-	-	-	-	6	2	3	1	4
1979	135	-	-	-	-	-	1	5	2	2	5

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Nephritis, nephrotic syndrome and nephrosis (580-589)											
All races, both sexes											
1998	26,182	138	12	12	8	17	26	52	97	177	259
1997	25,331	136	11	6	12	23	30	64	115	183	265
1996	24,304	144	16	14	13	17	42	65	88	188	288
1995	23,676	155	19	11	12	16	38	78	120	210	284
1994	22,976	175	10	5	9	21	26	63	124	189	241
1993	23,317	183	21	18	10	19	29	69	151	198	260
1992	22,162	189	17	9	11	14	42	84	152	234	246
1991	21,360	189	16	14	11	27	35	89	134	240	266
1990	20,764	151	24	9	11	17	40	75	140	252	279
1989	21,118	198	15	10	10	19	51	85	173	227	238
1988	22,392	218	21	10	10	31	52	96	175	219	260
1987	22,052	220	21	16	9	18	56	88	177	214	191
1986	21,767	251	28	13	20	16	63	79	162	195	240
1985	21,349	277	23	15	13	27	49	101	140	209	224
1984	20,126	273	22	21	19	29	54	115	132	188	204
1983	18,998	232	20	20	8	36	53	106	138	154	189
1982	18,102	260	28	16	16	26	55	85	140	161	204
1981	17,277	258	26	22	14	36	75	105	122	171	186
1980	16,753	225	26	12	19	39	72	103	143	159	203
1979	15,729	219	29	21	33	55	78	122	145	153	226
Nephritis, nephrotic syndrome and nephrosis (580-589)											
All races, male											
1998	12,561	69	7	7	4	13	8	31	52	101	175
1997	12,140	81	4	4	6	11	21	42	59	100	168
1996	11,642	91	8	9	5	10	24	46	49	113	174
1995	11,389	90	12	4	5	10	21	43	73	128	184
1994	10,866	104	5	1	6	12	11	34	75	119	154
1993	11,210	102	17	11	4	11	18	40	95	125	158
1992	10,816	94	6	5	7	8	23	53	100	155	167
1991	10,418	118	13	9	5	13	20	50	85	167	179
1990	10,005	82	14	6	4	8	27	48	92	165	178
1989	10,320	118	10	3	7	9	24	56	110	167	154
1988	10,880	113	9	4	7	20	23	58	109	150	161
1987	10,872	111	13	7	7	12	28	58	102	142	117
1986	10,863	150	14	4	9	11	35	48	89	123	139
1985	10,551	157	14	7	6	16	33	64	87	139	144
1984	10,051	163	11	11	7	11	35	65	83	114	124
1983	9,312	121	11	7	5	16	28	62	75	86	98
1982	9,165	157	11	11	8	12	32	47	82	93	123
1981	8,720	144	10	14	10	20	40	67	73	108	100
1980	8,638	128	12	4	13	16	36	61	90	99	125
1979	8,260	123	18	16	18	31	41	76	81	84	138

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Nephritis, nephrotic syndrome and nephrosis (580-589)											
All races, female											
1998	13,621	69	5	5	4	4	18	21	45	76	84
1997	13,191	55	7	2	6	12	9	22	56	83	97
1996	12,662	53	8	5	8	7	18	19	39	75	114
1995	12,287	65	7	7	7	6	17	35	47	82	100
1994	12,110	71	5	4	3	9	15	29	49	70	87
1993	12,107	81	4	7	6	8	11	29	56	73	102
1992	11,346	95	11	4	4	6	19	31	52	79	79
1991	10,942	71	3	5	6	14	15	39	49	73	87
1990	10,759	69	10	3	7	9	13	27	48	87	101
1989	10,798	80	5	7	3	10	27	29	63	60	84
1988	11,512	105	12	6	3	11	29	38	66	69	99
1987	11,180	109	8	9	2	6	28	30	75	72	74
1986	10,904	101	14	9	11	5	28	31	73	72	101
1985	10,798	120	9	8	7	11	16	37	53	70	80
1984	10,075	110	11	10	12	18	19	50	49	74	80
1983	9,686	111	9	13	3	20	25	44	63	68	91
1982	8,937	103	17	5	8	14	23	38	58	68	81
1981	8,557	114	16	8	4	16	35	38	49	63	86
1980	8,115	97	14	8	6	23	36	42	53	60	78
1979	7,469	96	11	5	15	24	37	46	64	69	88
Nephritis, nephrotic syndrome and nephrosis (580-589)											
White, both sexes											
1998	21,369	89	7	9	7	8	19	28	61	98	152
1997	20,678	96	9	4	8	18	23	41	64	109	164
1996	19,696	83	14	10	8	12	22	39	48	101	169
1995	19,117	92	12	8	6	10	21	51	71	116	146
1994	18,639	100	6	4	2	13	19	36	57	103	119
1993	18,795	113	16	14	7	15	20	32	69	97	143
1992	17,903	127	14	7	7	9	25	44	80	127	130
1991	17,165	126	13	9	7	17	14	45	72	114	158
1990	16,571	90	15	7	6	11	24	37	80	135	155
1989	16,607	130	10	6	4	12	29	54	80	116	121
1988	17,915	148	18	8	7	19	27	52	99	108	161
1987	17,764	126	14	10	5	11	32	57	88	113	132
1986	17,446	164	19	11	15	9	41	43	95	105	139
1985	17,046	185	18	14	8	21	28	58	70	106	147
1984	16,198	178	17	15	11	21	38	80	80	113	126
1983	15,334	157	16	16	6	25	38	64	89	85	117
1982	14,453	174	21	11	15	17	35	52	90	104	130
1981	13,828	184	21	20	10	29	55	63	79	106	111
1980	13,137	155	22	11	13	27	40	55	89	103	125
1979	12,534	158	25	15	25	39	47	79	99	95	140

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Nephritis, nephrotic syndrome and nephrosis (580-589)											
White, male											
1998	10,406	45	5	6	3	6	6	16	32	55	99
1997	10,002	52	4	2	4	6	17	24	32	56	99
1996	9,549	53	6	8	2	8	14	25	26	59	95
1995	9,288	53	6	4	2	5	10	27	40	67	94
1994	8,901	56	2	-	2	6	6	16	33	62	68
1993	9,110	62	13	8	2	9	12	17	38	60	81
1992	8,784	68	5	4	4	6	16	30	52	77	83
1991	8,403	82	11	5	2	10	9	23	38	79	112
1990	8,021	50	7	5	2	5	19	27	51	99	96
1989	8,093	78	7	2	3	6	12	37	49	84	75
1988	8,786	82	9	4	5	12	9	33	60	73	103
1987	8,800	66	9	5	4	7	16	36	48	68	79
1986	8,754	101	10	2	8	6	22	25	50	59	80
1985	8,482	111	10	6	6	12	20	40	37	70	89
1984	8,174	107	10	8	3	8	26	42	52	71	77
1983	7,548	86	8	5	3	11	23	37	46	46	56
1982	7,405	108	8	7	7	8	21	28	54	61	86
1981	7,018	101	7	13	8	19	30	43	46	73	58
1980	6,848	93	10	4	10	12	23	32	56	63	72
1979	6,630	83	15	11	13	19	25	52	56	48	87
Nephritis, nephrotic syndrome and nephrosis (580-589)											
White, female											
1998	10,963	44	2	3	4	2	13	12	29	43	53
1997	10,676	44	5	2	4	12	6	17	32	53	65
1996	10,147	30	8	2	6	4	8	14	22	42	74
1995	9,829	39	6	4	4	5	11	24	31	49	52
1994	9,738	44	4	4	-	7	13	20	24	41	51
1993	9,685	51	3	6	5	6	8	15	31	37	62
1992	9,119	59	9	3	3	3	9	14	28	50	47
1991	8,762	44	2	4	5	7	5	22	34	35	46
1990	8,550	40	8	2	4	6	5	10	29	36	59
1989	8,514	52	3	4	1	6	17	17	31	32	46
1988	9,129	66	9	4	2	7	18	19	39	35	58
1987	8,964	60	5	5	1	4	16	21	40	45	53
1986	8,692	63	9	9	7	3	19	18	45	46	59
1985	8,564	74	8	8	2	9	8	18	33	36	58
1984	8,024	71	7	7	8	13	12	38	28	42	49
1983	7,786	71	8	11	3	14	15	27	43	39	61
1982	7,048	66	13	4	8	9	14	24	36	43	44
1981	6,810	83	14	7	2	10	25	20	33	33	53
1980	6,289	62	12	7	3	15	17	23	33	40	53
1979	5,904	75	10	4	12	20	22	27	43	47	53

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Nephritis, nephrotic syndrome and nephrosis (580-589)											
All other, both sexes											
1998	4,813	49	5	3	1	9	7	24	36	79	107
1997	4,653	40	2	2	4	5	7	23	51	74	101
1996	4,608	61	2	4	5	5	20	26	40	87	119
1995	4,559	63	7	3	6	6	17	27	49	94	138
1994	4,337	75	4	1	7	8	7	27	67	86	122
1993	4,522	70	5	4	3	4	9	37	82	101	117
1992	4,259	62	3	2	4	5	17	40	72	107	116
1991	4,195	63	3	5	4	10	21	44	62	126	108
1990	4,193	61	9	2	5	6	16	38	60	117	124
1989	4,511	68	5	4	6	7	22	31	93	111	117
1988	4,477	70	3	2	3	12	25	44	76	111	99
1987	4,288	94	7	6	4	7	24	31	89	101	59
1986	4,321	87	9	2	5	7	22	36	67	90	101
1985	4,303	92	5	1	5	6	21	43	70	103	77
1984	3,928	95	5	6	8	8	16	35	52	75	78
1983	3,664	75	4	4	2	11	15	42	49	69	72
1982	3,649	86	7	5	1	9	20	33	50	57	74
1981	3,449	74	5	2	4	7	20	42	43	65	75
1980	3,616	70	4	1	6	12	32	48	54	56	78
1979	3,195	61	4	6	8	16	31	43	46	58	86
Nephritis, nephrotic syndrome and nephrosis (580-589)											
All other, male											
1998	2,155	24	2	1	1	7	2	15	20	46	76
1997	2,138	29	-	2	2	5	4	18	27	44	69
1996	2,093	38	2	1	3	2	10	21	23	54	79
1995	2,101	37	6	-	3	5	11	16	33	61	90
1994	1,965	48	3	1	4	6	5	18	42	57	86
1993	2,100	40	4	3	2	2	6	23	57	65	77
1992	2,032	26	1	1	3	2	7	23	48	78	84
1991	2,015	36	2	4	3	3	11	27	47	88	67
1990	1,984	32	7	1	2	3	8	21	41	66	82
1989	2,227	40	3	1	4	3	12	19	61	83	79
1988	2,094	31	-	-	2	8	14	25	49	77	58
1987	2,072	45	4	2	3	5	12	22	54	74	38
1986	2,109	49	4	2	1	5	13	23	39	64	59
1985	2,069	46	4	1	-	4	13	24	50	69	55
1984	1,877	56	1	3	4	3	9	23	31	43	47
1983	1,764	35	3	2	2	5	5	25	29	40	42
1982	1,760	49	3	4	1	4	11	19	28	32	37
1981	1,702	43	3	1	2	1	10	24	27	35	42
1980	1,790	35	2	-	3	4	13	29	34	36	53
1979	1,630	40	3	5	5	12	16	24	25	36	51

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Nephritis, nephrotic syndrome and nephrosis (580-589)											
All other, female											
1998	2,658	25	3	2	-	2	5	9	16	33	31
1997	2,515	11	2	-	2	-	3	5	24	30	32
1996	2,515	23	-	3	2	3	10	5	17	33	40
1995	2,458	26	1	3	3	1	6	11	16	33	48
1994	2,372	27	1	-	3	2	2	9	25	29	36
1993	2,422	30	1	1	1	2	3	14	25	36	40
1992	2,227	36	2	1	1	3	10	17	24	29	32
1991	2,180	27	1	1	1	7	10	17	15	38	41
1990	2,209	29	2	1	3	3	8	17	19	51	42
1989	2,284	28	2	3	2	4	10	12	32	28	38
1988	2,383	39	3	2	1	4	11	19	27	34	41
1987	2,216	49	3	4	1	2	12	9	35	27	21
1986	2,212	38	5	-	4	2	9	13	28	26	42
1985	2,234	46	1	-	5	2	8	19	20	34	22
1984	2,051	39	4	3	4	5	7	12	21	32	31
1983	1,900	40	1	2	-	6	10	17	20	29	30
1982	1,889	37	4	1	-	5	9	14	22	25	37
1981	1,747	31	2	1	2	6	10	18	16	30	33
1980	1,826	35	2	1	3	8	19	19	20	20	25
1979	1,565	21	1	1	3	4	15	19	21	22	35
Nephritis, nephrotic syndrome and nephrosis (580-589)											
Black, both sexes											
1998	4,329	42	5	3	1	9	6	22	34	74	101
1997	4,236	35	1	1	4	5	6	22	46	71	95
1996	4,144	59	2	4	5	4	17	23	36	80	115
1995	4,159	59	6	3	3	6	15	25	49	90	131
1994	3,980	69	3	1	6	8	7	27	66	83	113
1993	4,107	67	5	4	3	3	9	32	78	97	108
1992	3,889	56	3	2	4	5	13	37	67	104	107
1991	3,866	61	2	4	4	8	20	43	59	121	104
1990	3,855	54	9	2	5	5	16	37	56	113	116
1989	4,166	65	4	3	4	6	20	29	89	107	110
1988	4,157	64	3	2	3	11	23	39	73	109	91
1987	3,975	85	6	4	3	7	23	28	82	95	53
1986	4,020	82	8	2	4	7	19	35	60	88	95
1985	4,044	82	5	1	4	5	20	43	68	101	76
1984	3,666	91	4	5	7	8	14	32	49	68	73
1983	3,426	71	4	4	2	10	13	41	44	63	63
1982	3,417	84	6	4	1	8	15	28	45	53	66
1981	3,262	69	4	2	3	7	20	40	40	64	69
1980	3,416	67	3	1	5	10	28	47	49	51	72
1979	3,018	58	4	6	7	15	28	40	46	57	84

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Nephritis, nephrotic syndrome and nephrosis (580-589)											
Black, male											
1998	1,929	23	2	1	1	7	1	14	20	43	71
1997	1,941	25	-	1	2	5	3	17	27	43	67
1996	1,873	38	2	1	3	2	8	19	22	50	76
1995	1,916	37	5	-	2	5	10	16	33	58	86
1994	1,794	44	2	1	3	6	5	18	42	55	81
1993	1,879	39	4	3	2	2	6	20	55	62	71
1992	1,850	23	1	1	3	2	6	22	47	76	78
1991	1,849	35	1	3	3	2	10	26	45	87	65
1990	1,806	28	7	1	2	2	8	20	39	64	77
1989	2,047	39	2	1	2	3	11	18	59	82	75
1988	1,908	29	-	-	2	7	14	24	47	75	55
1987	1,905	41	3	2	2	5	12	21	51	68	36
1986	1,963	46	3	2	1	5	11	22	35	62	58
1985	1,935	41	4	1	-	4	12	24	48	68	54
1984	1,731	54	1	2	4	3	7	22	31	41	45
1983	1,648	33	3	2	2	5	5	24	27	38	39
1982	1,650	47	3	4	1	4	8	16	25	30	33
1981	1,609	41	2	1	2	1	10	22	26	35	40
1980	1,694	34	2	-	3	4	11	28	31	36	48
1979	1,525	38	3	5	5	12	14	22	25	36	50
Nephritis, nephrotic syndrome and nephrosis (580-589)											
Black, female											
1998	2,400	19	3	2	-	2	5	8	14	31	30
1997	2,295	10	1	-	2	-	3	5	19	28	28
1996	2,271	21	-	3	2	2	9	4	14	30	39
1995	2,243	22	1	3	1	1	5	9	16	32	45
1994	2,186	25	1	-	3	2	2	9	24	28	32
1993	2,228	28	1	1	1	1	3	12	23	35	37
1992	2,039	33	2	1	1	3	7	15	20	28	29
1991	2,017	26	1	1	1	6	10	17	14	34	39
1990	2,049	26	2	1	3	3	8	17	17	49	39
1989	2,119	26	2	2	2	3	9	11	30	25	35
1988	2,249	35	3	2	1	4	9	15	26	34	36
1987	2,070	44	3	2	1	2	11	7	31	27	17
1986	2,057	36	5	-	3	2	8	13	25	26	37
1985	2,109	41	1	-	4	1	8	19	20	33	22
1984	1,935	37	3	3	3	5	7	10	18	27	28
1983	1,778	38	1	2	-	5	8	17	17	25	24
1982	1,767	37	3	-	-	4	7	12	20	23	33
1981	1,653	28	2	1	1	6	10	18	14	29	29
1980	1,722	33	1	1	2	6	17	19	18	15	24
1979	1,493	20	1	1	2	3	14	18	21	21	34

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,
sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Acute and rapidly progressive nephritic and nephrotic syndrome (580-581)											
All races, both sexes											
1998	325	11	2	3	1	1	-	2	1	2	5
1997	324	8	-	1	2	3	-	4	3	3	6
1996	321	8	5	3	-	1	4	1	4	3	4
1995	292	6	7	4	1	1	3	1	2	4	5
1994	305	7	2	-	-	1	2	2	1	6	2
1993	292	7	4	5	-	1	2	1	2	6	4
1992	304	5	5	1	3	3	3	-	5	4	4
1991	320	5	5	2	-	-	3	2	5	7	8
1990	296	10	5	2	1	-	3	2	5	9	2
1989	310	8	3	-	4	1	3	1	6	8	6
1988	310	4	4	-	1	2	2	-	4	6	3
1987	277	9	3	4	1	1	1	3	4	6	3
1986	293	8	5	1	-	1	5	5	3	7	5
1985	348	9	5	1	-	2	2	5	7	2	7
1984	316	5	6	2	-	-	2	5	4	3	5
1983	354	8	2	3	-	3	2	1	6	6	3
1982	309	8	3	2	2	-	1	3	3	3	3
1981	302	9	6	3	1	1	2	1	4	4	6
1980	328	7	5	2	2	3	3	5	5	6	5
1979	338	7	9	1	2	9	1	2	1	6	5
Acute and rapidly progressive nephritic and nephrotic syndrome (580-581)											
All races, male											
1998	154	3	1	3	1	1	-	-	1	1	4
1997	154	2	-	1	1	2	-	3	1	-	5
1996	153	3	5	3	-	-	3	-	2	2	3
1995	133	4	5	1	-	-	1	1	1	1	4
1994	142	4	2	-	-	1	2	-	-	6	1
1993	124	3	4	3	-	-	2	1	1	4	2
1992	143	4	2	1	3	2	1	-	4	2	1
1991	154	2	3	1	-	-	3	-	4	3	3
1990	145	4	2	2	-	-	2	2	5	7	1
1989	160	3	-	-	4	1	2	-	4	6	5
1988	158	2	2	-	-	-	1	-	2	5	2
1987	133	2	2	1	-	1	-	2	3	4	1
1986	133	6	2	-	-	-	2	3	1	4	4
1985	159	4	3	1	-	1	2	4	3	2	4
1984	147	4	2	1	-	-	-	2	4	1	1
1983	171	4	1	1	-	2	2	1	3	4	2
1982	151	4	2	2	1	-	1	1	2	3	1
1981	142	5	3	1	-	1	1	1	1	2	4
1980	162	5	2	-	2	-	1	1	2	3	3
1979	182	6	5	1	1	8	1	1	1	5	4

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Acute and rapidly progressive nephritic and nephrotic syndrome (580-581)

All races, female

1998	171	8	1	-	-	-	-	2	-	1	1
1997	170	6	-	-	1	1	-	1	2	3	1
1996	168	5	-	-	-	1	1	1	2	1	1
1995	159	2	2	3	1	1	2	-	1	3	1
1994	163	3	-	-	-	-	-	2	1	-	1
1993	168	4	-	2	-	1	-	-	1	2	2
1992	161	1	3	-	-	1	2	-	1	2	3
1991	166	3	2	1	-	-	-	2	1	4	5
1990	151	6	3	-	1	-	1	-	-	2	1
1989	150	5	3	-	-	-	1	1	2	2	1
1988	152	2	2	-	1	2	1	-	2	1	1
1987	144	7	1	3	1	-	1	1	1	2	2
1986	160	2	3	1	-	1	3	2	2	3	1
1985	189	5	2	-	-	1	-	1	4	-	3
1984	169	1	4	1	-	-	2	3	-	2	4
1983	183	4	1	2	-	1	-	-	3	2	1
1982	158	4	1	-	1	-	-	2	1	-	2
1981	160	4	3	2	1	-	1	-	3	2	2
1980	166	2	3	2	-	3	2	4	3	3	2
1979	156	1	4	-	1	1	-	1	-	1	1

Acute and rapidly progressive nephritic and nephrotic syndrome (580-581)

White, both sexes

1998	272	10	2	2	1	1	-	-	-	1	3
1997	270	8	-	-	2	2	-	3	3	2	3
1996	257	7	4	3	-	1	2	1	2	-	3
1995	244	4	5	3	-	1	2	1	2	1	4
1994	248	5	1	-	-	1	-	2	-	3	1
1993	232	6	3	3	-	1	-	-	-	5	2
1992	252	4	4	1	2	1	2	-	2	-	3
1991	259	3	3	2	-	-	-	2	2	3	4
1990	249	8	2	1	1	-	3	1	2	8	-
1989	241	7	3	-	1	-	1	1	1	3	4
1988	249	4	3	-	-	2	1	-	2	3	2
1987	221	7	2	1	-	-	1	3	2	2	2
1986	243	8	2	1	-	-	2	3	1	3	3
1985	286	6	5	-	-	1	-	2	2	1	5
1984	262	4	5	1	-	-	2	4	2	1	-
1983	301	7	2	3	-	2	1	-	4	3	2
1982	247	4	2	1	2	-	1	1	1	2	1
1981	251	8	4	2	-	1	1	-	3	2	5
1980	270	7	5	2	1	2	2	3	-	5	4
1979	291	4	7	-	-	5	-	1	1	5	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Acute and rapidly progressive nephritic and nephrotic syndrome (580-581)

White, male

1998	133	3	1	2	1	1	-	-	-	1	2
1997	125	2	-	-	1	1	-	2	1	-	3
1996	125	2	4	3	-	-	2	-	1	-	2
1995	115	3	3	1	-	-	1	1	1	-	3
1994	108	2	1	-	-	1	-	-	-	3	1
1993	98	2	3	2	-	-	-	-	-	4	1
1992	119	4	2	1	2	1	1	-	2	-	1
1991	129	2	2	1	-	-	-	-	1	1	2
1990	118	3	-	1	-	-	2	1	2	6	-
1989	126	3	-	-	1	-	1	-	-	2	4
1988	131	2	2	-	-	-	-	-	1	3	1
1987	103	1	1	-	-	-	-	2	1	2	1
1986	107	6	1	-	-	-	1	2	-	1	2
1985	130	3	3	-	-	-	-	2	1	1	3
1984	125	4	2	1	-	-	-	2	2	1	-
1983	143	3	1	1	-	1	1	-	2	3	1
1982	120	1	1	1	1	-	1	-	1	2	1
1981	119	5	2	1	-	1	1	-	-	1	3
1980	131	5	2	-	1	-	1	-	-	2	2
1979	157	3	3	-	-	4	-	-	1	4	3

Acute and rapidly progressive nephritic and nephrotic syndrome (580-581)

White, female

1998	139	7	1	-	-	-	-	-	-	-	1
1997	145	6	-	-	1	1	-	1	2	2	-
1996	132	5	-	-	-	1	-	1	1	-	1
1995	129	1	2	2	-	1	1	-	1	1	1
1994	140	3	-	-	-	-	-	2	-	-	-
1993	134	4	-	1	-	1	-	-	-	1	1
1992	133	-	2	-	-	-	1	-	-	-	2
1991	130	1	1	1	-	-	-	2	1	2	2
1990	131	5	2	-	1	-	1	-	-	2	-
1989	115	4	3	-	-	-	-	1	1	1	-
1988	118	2	1	-	-	2	1	-	1	-	1
1987	118	6	1	1	-	-	1	1	1	-	1
1986	136	2	1	1	-	-	1	1	1	2	1
1985	156	3	2	-	-	1	-	-	1	-	2
1984	137	-	3	-	-	-	2	2	-	-	-
1983	158	4	1	2	-	1	-	-	2	-	1
1982	127	3	1	-	1	-	-	1	-	-	-
1981	132	3	2	1	-	-	-	-	3	1	2
1980	139	2	3	2	-	2	1	3	-	3	2
1979	134	1	4	-	-	1	-	1	-	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Acute and rapidly progressive nephritic and nephrotic syndrome (580-581)											
All other, both sexes											
1998	53	1	-	1	-	-	-	2	1	1	2
1997	54	-	-	1	-	1	-	1	-	1	3
1996	64	1	1	-	-	-	2	-	2	3	1
1995	48	2	2	1	1	-	1	-	-	3	1
1994	57	2	1	-	-	-	2	-	1	3	1
1993	60	1	1	2	-	-	2	1	2	1	2
1992	52	1	1	-	1	2	1	-	3	4	1
1991	61	2	2	-	-	-	3	-	3	4	4
1990	47	2	3	1	-	-	-	1	3	1	2
1989	69	1	-	-	3	1	2	-	5	5	2
1988	61	-	1	-	1	-	1	-	2	3	1
1987	56	2	1	3	1	1	-	-	2	4	1
1986	50	-	3	-	-	1	3	2	2	4	2
1985	62	3	-	1	-	1	2	3	5	1	2
1984	54	1	1	1	-	-	-	1	2	2	5
1983	53	1	-	-	-	1	1	1	2	3	1
1982	62	4	1	1	-	-	-	2	2	1	2
1981	51	1	2	1	1	-	1	1	1	2	1
1980	58	-	-	-	1	1	1	2	5	1	1
1979	47	3	2	1	2	4	1	1	-	1	2
Acute and rapidly progressive nephritic and nephrotic syndrome (580-581)											
All other, male											
1998	21	-	-	1	-	-	-	-	1	-	2
1997	29	-	-	1	-	1	-	1	-	-	2
1996	28	1	1	-	-	-	1	-	1	2	1
1995	18	1	2	-	-	-	-	-	-	1	1
1994	34	2	1	-	-	-	2	-	-	3	-
1993	26	1	1	1	-	-	2	1	1	-	1
1992	24	-	-	-	1	1	-	-	2	2	-
1991	25	-	1	-	-	-	3	-	3	2	1
1990	27	1	2	1	-	-	-	1	3	1	1
1989	34	-	-	-	3	1	1	-	4	4	1
1988	27	-	-	-	-	-	1	-	1	2	1
1987	30	1	1	1	-	1	-	-	2	2	-
1986	26	-	1	-	-	-	1	1	1	3	2
1985	29	1	-	1	-	1	2	2	2	1	1
1984	22	-	-	-	-	-	-	-	2	-	1
1983	28	1	-	-	-	1	1	1	1	1	1
1982	31	3	1	1	-	-	-	1	1	1	-
1981	23	-	1	-	-	-	-	1	1	1	1
1980	31	-	-	-	1	-	-	1	2	1	1
1979	25	3	2	1	1	4	1	1	-	1	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Acute and rapidly progressive nephritic and nephrotic syndrome (580-581)											
All other, female											
1998	32	1	-	-	-	-	-	2	-	1	-
1997	25	-	-	-	-	-	-	-	-	1	1
1996	36	-	-	-	-	-	1	-	1	1	-
1995	30	1	-	1	1	-	1	-	-	2	-
1994	23	-	-	-	-	-	-	-	1	-	1
1993	34	-	-	1	-	-	-	-	1	1	1
1992	28	1	1	-	-	1	1	-	1	2	1
1991	36	2	1	-	-	-	-	-	-	2	3
1990	20	1	1	-	-	-	-	-	-	-	1
1989	35	1	-	-	-	-	1	-	1	1	1
1988	34	-	1	-	1	-	-	-	1	1	-
1987	26	1	-	2	1	-	-	-	-	2	1
1986	24	-	2	-	-	1	2	1	1	1	-
1985	33	2	-	-	-	-	-	1	3	-	1
1984	32	1	1	1	-	-	-	1	-	2	4
1983	25	-	-	-	-	-	-	-	1	2	-
1982	31	1	-	-	-	-	-	1	1	-	2
1981	28	1	1	1	1	-	1	-	-	1	-
1980	27	-	-	-	-	1	1	1	3	-	-
1979	22	-	-	-	1	-	-	-	-	-	1
Acute and rapidly progressive nephritic and nephrotic syndrome (580-581)											
Black, both sexes											
1998	45	-	-	1	-	-	-	1	1	1	2
1997	49	-	-	1	-	1	-	1	-	1	3
1996	60	1	1	-	-	-	2	-	2	2	1
1995	45	1	2	1	-	-	1	-	-	3	1
1994	50	1	1	-	-	-	2	-	1	3	-
1993	55	1	1	2	-	-	2	1	2	1	2
1992	44	1	1	-	1	2	-	-	3	4	1
1991	59	2	2	-	-	-	3	-	3	3	3
1990	42	1	3	1	-	-	-	1	3	1	2
1989	66	1	-	-	2	1	2	-	4	4	2
1988	59	-	1	-	1	-	1	-	2	3	1
1987	48	1	-	1	1	1	-	-	1	4	-
1986	49	-	3	-	-	1	3	2	2	4	2
1985	58	2	-	1	-	1	2	3	5	1	2
1984	51	1	-	1	-	-	-	1	2	2	5
1983	49	1	-	-	-	1	1	1	2	2	1
1982	59	4	1	1	-	-	-	1	2	1	2
1981	47	-	1	1	-	-	1	1	1	2	1
1980	55	-	-	-	1	1	1	2	5	1	-
1979	44	3	2	1	2	4	1	1	-	1	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Acute and rapidly progressive nephritic and nephrotic syndrome (580-581)

Black, male

1998	19	-	-	1	-	-	-	-	1	-	2
1997	24	-	-	1	-	1	-	1	-	-	2
1996	26	1	1	-	-	-	1	-	1	1	1
1995	18	1	2	-	-	-	-	-	-	1	1
1994	30	1	1	-	-	-	2	-	-	3	-
1993	23	1	1	1	-	-	2	1	1	-	1
1992	18	-	-	-	1	1	-	-	2	2	-
1991	25	-	1	-	-	-	3	-	3	2	1
1990	24	1	2	1	-	-	-	1	3	1	1
1989	33	-	-	-	2	1	1	-	4	4	1
1988	27	-	-	-	-	-	1	-	1	2	1
1987	26	1	-	1	-	1	-	-	1	2	-
1986	25	-	1	-	-	-	1	1	1	3	2
1985	27	1	-	1	-	1	2	2	2	1	1
1984	21	-	-	-	-	-	-	-	2	-	1
1983	26	1	-	-	-	1	1	1	1	1	1
1982	30	3	1	1	-	-	-	1	1	1	-
1981	22	-	-	-	-	-	-	1	1	1	1
1980	28	-	-	-	1	-	-	1	2	1	-
1979	24	3	2	1	1	4	1	1	-	1	1

Acute and rapidly progressive nephritic and nephrotic syndrome (580-581)

Black, female

1998	26	-	-	-	-	-	-	1	-	1	-
1997	25	-	-	-	-	-	-	-	-	1	1
1996	34	-	-	-	-	-	1	-	1	1	-
1995	27	-	-	1	-	-	1	-	-	2	-
1994	20	-	-	-	-	-	-	-	1	-	-
1993	32	-	-	1	-	-	-	-	1	1	1
1992	26	1	1	-	-	1	-	-	1	2	1
1991	34	2	1	-	-	-	-	-	-	1	2
1990	18	-	1	-	-	-	-	-	-	-	1
1989	33	1	-	-	-	-	1	-	-	-	1
1988	32	-	1	-	1	-	-	-	1	1	-
1987	22	-	-	-	1	-	-	-	-	2	-
1986	24	-	2	-	-	1	2	1	1	1	-
1985	31	1	-	-	-	-	-	1	3	-	1
1984	30	1	-	1	-	-	-	1	-	2	4
1983	23	-	-	-	-	-	-	-	1	1	-
1982	29	1	-	-	-	-	-	-	1	-	2
1981	25	-	1	1	-	-	1	-	-	1	-
1980	27	-	-	-	-	1	1	1	3	-	-
1979	20	-	-	-	1	-	-	-	-	-	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,
sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (582-583,587)											
All races, both sexes											
1998	1,715	1	1	-	3	3	5	4	18	19	28
1997	1,652	4	-	-	5	6	7	11	22	27	35
1996	1,638	3	2	3	2	4	8	10	7	16	30
1995	1,504	4	2	1	4	2	7	16	16	23	34
1994	1,546	-	-	-	4	4	5	8	17	24	20
1993	1,588	3	2	1	1	4	7	7	21	28	22
1992	1,503	3	2	1	1	3	4	12	20	28	24
1991	1,512	6	2	2	3	10	7	6	13	32	29
1990	1,521	1	4	3	3	3	8	12	19	39	33
1989	1,517	4	3	1	3	4	9	20	16	28	29
1988	1,521	2	4	1	1	5	6	20	23	28	27
1987	1,509	4	-	3	2	3	13	4	19	35	18
1986	1,505	2	2	4	4	5	7	9	23	25	22
1985	1,565	1	1	4	1	4	6	19	15	23	29
1984	1,824	3	-	5	2	1	17	31	20	35	36
1983	1,887	6	4	3	1	9	14	23	20	29	23
1982	1,946	7	4	1	3	7	12	18	30	24	32
1981	2,055	5	2	2	3	5	22	25	22	30	34
1980	2,245	-	2	2	3	12	18	27	19	31	34
1979	2,363	6	2	4	9	11	21	35	32	31	45

Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (582-583,587)

All races, male

1998	831	1	1	-	2	2	1	3	8	10	19
1997	807	3	-	-	1	2	5	6	8	13	22
1996	800	2	-	-	-	2	3	8	2	9	19
1995	753	4	-	1	2	2	4	6	9	12	19
1994	728	-	-	-	4	3	2	5	8	15	14
1993	806	2	2	1	1	2	4	6	13	18	14
1992	776	3	1	-	1	3	3	7	14	15	16
1991	758	3	2	1	2	3	4	4	6	22	14
1990	763	1	-	1	1	1	5	10	14	27	22
1989	733	3	2	-	3	3	4	15	7	23	16
1988	793	1	2	-	-	4	2	12	16	19	14
1987	741	3	-	1	1	2	6	2	14	27	7
1986	785	2	2	2	1	5	5	6	14	20	12
1985	770	1	1	1	-	3	6	16	10	16	21
1984	911	2	-	4	-	1	10	22	11	25	17
1983	882	3	1	1	-	5	6	10	13	12	14
1982	984	4	2	-	-	-	8	13	19	14	26
1981	963	3	1	1	3	4	14	16	13	14	15
1980	1,138	-	2	1	3	2	12	15	13	16	21
1979	1,244	4	2	3	6	6	13	27	12	15	30

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,
sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (582-583,587)											
All races, female											
1998	884	-	-	-	1	1	4	1	10	9	9
1997	845	1	-	-	4	4	2	5	14	14	13
1996	838	1	2	3	2	2	5	2	5	7	11
1995	751	-	2	-	2	-	3	10	7	11	15
1994	818	-	-	-	-	1	3	3	9	9	6
1993	782	1	-	-	-	2	3	1	8	10	8
1992	727	-	1	1	-	-	1	5	6	13	8
1991	754	3	-	1	1	7	3	2	7	10	15
1990	758	-	4	2	2	2	3	2	5	12	11
1989	784	1	1	1	-	1	5	5	9	5	13
1988	728	1	2	1	1	1	4	8	7	9	13
1987	768	1	-	2	1	1	7	2	5	8	11
1986	720	-	-	2	3	-	2	3	9	5	10
1985	795	-	-	3	1	1	-	3	5	7	8
1984	913	1	-	1	2	-	7	9	9	10	19
1983	1,005	3	3	2	1	4	8	13	7	17	9
1982	962	3	2	1	3	7	4	5	11	10	6
1981	1,092	2	1	1	-	1	8	9	9	16	19
1980	1,107	-	-	1	-	10	6	12	6	15	13
1979	1,119	2	-	1	3	5	8	8	20	16	15
Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (582-583,587)											
White, both sexes											
1998	1,369	-	1	-	2	3	2	2	14	11	20
1997	1,343	2	-	-	2	6	4	7	13	14	27
1996	1,308	2	2	-	2	3	4	7	6	10	16
1995	1,206	2	2	1	2	1	3	10	12	13	17
1994	1,211	-	-	-	1	2	4	4	8	15	10
1993	1,251	3	1	1	1	3	2	3	10	12	16
1992	1,200	2	1	1	1	3	4	7	12	15	13
1991	1,199	3	1	-	2	5	4	2	9	23	20
1990	1,191	1	4	2	3	3	3	8	9	28	18
1989	1,201	4	1	1	2	3	7	13	9	19	17
1988	1,250	2	4	1	1	2	4	13	15	12	22
1987	1,204	-	-	3	1	3	8	2	10	15	12
1986	1,180	2	-	3	2	1	5	4	16	11	15
1985	1,256	-	-	4	-	3	2	9	10	12	21
1984	1,472	2	-	4	1	1	10	18	13	23	24
1983	1,497	2	4	2	1	4	12	11	10	20	14
1982	1,558	4	3	-	3	5	9	10	16	14	20
1981	1,670	5	1	2	2	4	17	18	13	18	16
1980	1,717	-	1	2	2	9	12	13	8	22	23
1979	1,847	5	2	4	7	6	12	19	22	16	32

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (582-583,587)

White, male											
1998	664	-	1	-	1	2	-	1	6	6	14
1997	657	2	-	-	-	2	4	3	4	7	15
1996	642	1	-	-	-	2	1	5	2	6	9
1995	599	2	-	1	1	1	2	4	8	5	9
1994	578	-	-	-	1	2	1	3	4	9	6
1993	639	2	1	1	1	2	1	2	6	9	10
1992	611	2	-	-	1	3	3	3	8	8	8
1991	605	1	1	-	1	2	3	1	3	17	9
1990	590	1	-	1	1	1	3	6	7	19	11
1989	590	3	1	-	2	2	3	11	5	15	8
1988	644	1	2	-	-	2	1	9	10	7	10
1987	587	-	-	1	-	2	3	1	7	10	4
1986	610	2	-	1	-	1	3	2	8	8	8
1985	607	-	-	1	-	2	2	7	6	9	15
1984	741	1	-	3	-	1	6	13	6	17	13
1983	675	1	1	-	-	2	5	4	6	7	7
1982	798	2	2	-	-	-	6	8	11	6	17
1981	785	3	-	1	2	4	10	12	7	10	8
1980	878	-	1	1	2	1	9	8	6	12	13
1979	972	3	2	3	5	3	9	15	10	6	20

Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (582-583,587)

White, female											
1998	705	-	-	-	1	1	2	1	8	5	6
1997	686	-	-	-	2	4	-	4	9	7	12
1996	666	1	2	-	2	1	3	2	4	4	7
1995	607	-	2	-	1	-	1	6	4	8	8
1994	633	-	-	-	-	-	3	1	4	6	4
1993	612	1	-	-	-	1	1	1	4	3	6
1992	589	-	1	1	-	-	1	4	4	7	5
1991	594	2	-	-	1	3	1	1	6	6	11
1990	601	-	4	1	2	2	-	2	2	9	7
1989	611	1	-	1	-	1	4	2	4	4	9
1988	606	1	2	1	1	-	3	4	5	5	12
1987	617	-	-	2	1	1	5	1	3	5	8
1986	570	-	-	2	2	-	2	2	8	3	7
1985	649	-	-	3	-	1	-	2	4	3	6
1984	731	1	-	1	1	-	4	5	7	6	11
1983	822	1	3	2	1	2	7	7	4	13	7
1982	760	2	1	-	3	5	3	2	5	8	3
1981	885	2	1	1	-	-	7	6	6	8	8
1980	839	-	-	1	-	8	3	5	2	10	10
1979	875	2	-	1	2	3	3	4	12	10	12

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,
sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (582-583,587)											
All other, both sexes											
1998	346	1	-	-	1	-	3	2	4	8	8
1997	309	2	-	-	3	-	3	4	9	13	8
1996	330	1	-	3	-	1	4	3	1	6	14
1995	298	2	-	-	2	1	4	6	4	10	17
1994	335	-	-	-	3	2	1	4	9	9	10
1993	337	-	1	-	-	1	5	4	11	16	6
1992	303	1	1	-	-	-	-	5	8	13	11
1991	313	3	1	2	1	5	3	4	4	9	9
1990	330	-	-	1	-	-	5	4	10	11	15
1989	316	-	2	-	1	1	2	7	7	9	12
1988	271	-	-	-	-	3	2	7	8	16	5
1987	305	4	-	-	1	-	5	2	9	20	6
1986	325	-	2	1	2	4	2	5	7	14	7
1985	309	1	1	-	1	1	4	10	5	11	8
1984	352	1	-	1	1	-	7	13	7	12	12
1983	390	4	-	1	-	5	2	12	10	9	9
1982	388	3	1	1	-	2	3	8	14	10	12
1981	385	-	1	-	1	1	5	7	9	12	18
1980	528	-	1	-	1	3	6	14	11	9	11
1979	516	1	-	-	2	5	9	16	10	15	13

Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (582-583,587)

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
All other, male											
1998	167	1	-	-	1	-	1	2	2	4	5
1997	150	1	-	-	1	-	1	3	4	6	7
1996	158	1	-	-	-	-	2	3	-	3	10
1995	154	2	-	-	1	1	2	2	1	7	10
1994	150	-	-	-	3	1	1	2	4	6	8
1993	167	-	1	-	-	-	3	4	7	9	4
1992	165	1	1	-	-	-	-	4	6	7	8
1991	153	2	1	1	1	1	1	3	3	5	5
1990	173	-	-	-	-	-	2	4	7	8	11
1989	143	-	1	-	1	1	1	4	2	8	8
1988	149	-	-	-	-	2	1	3	6	12	4
1987	154	3	-	-	1	-	3	1	7	17	3
1986	175	-	2	1	1	4	2	4	6	12	4
1985	163	1	1	-	-	1	4	9	4	7	6
1984	170	1	-	1	-	-	4	9	5	8	4
1983	207	2	-	1	-	3	1	6	7	5	7
1982	186	2	-	-	-	-	2	5	8	8	9
1981	178	-	1	-	1	-	4	4	6	4	7
1980	260	-	1	-	1	1	3	7	7	4	8
1979	272	1	-	-	1	3	4	12	2	9	10

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,
sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (582-583,587)											
All other, female											
1998	179	-	-	-	-	-	2	-	2	4	3
1997	159	1	-	-	2	-	2	1	5	7	1
1996	172	-	-	3	-	1	2	-	1	3	4
1995	144	-	-	-	1	-	2	4	3	3	7
1994	185	-	-	-	-	1	-	2	5	3	2
1993	170	-	-	-	-	1	2	-	4	7	2
1992	138	-	-	-	-	-	-	1	2	6	3
1991	160	1	-	1	-	4	2	1	1	4	4
1990	157	-	-	1	-	-	3	-	3	3	4
1989	173	-	1	-	-	-	1	3	5	1	4
1988	122	-	-	-	-	1	1	4	2	4	1
1987	151	1	-	-	-	-	2	1	2	3	3
1986	150	-	-	-	1	-	-	1	1	2	3
1985	146	-	-	-	1	-	-	1	1	4	2
1984	182	-	-	-	1	-	3	4	2	4	8
1983	183	2	-	-	-	2	1	6	3	4	2
1982	202	1	1	1	-	2	1	3	6	2	3
1981	207	-	-	-	-	1	1	3	3	8	11
1980	268	-	-	-	-	2	3	7	4	5	3
1979	244	-	-	-	1	2	5	4	8	6	3
Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (582-583,587)											
Black, both sexes											
1998	310	1	-	-	1	-	3	2	3	7	6
1997	276	2	-	-	3	-	3	4	8	13	8
1996	292	1	-	3	-	-	2	1	1	5	14
1995	266	2	-	-	1	1	3	4	4	9	15
1994	306	-	-	-	2	2	1	4	9	9	9
1993	309	-	1	-	-	-	5	4	9	15	6
1992	279	1	1	-	-	-	-	4	7	13	11
1991	285	2	-	2	1	4	3	4	3	9	9
1990	300	-	-	1	-	-	5	4	9	10	15
1989	295	-	1	-	-	1	2	7	6	9	11
1988	241	-	-	-	-	3	2	4	8	16	4
1987	277	4	-	-	-	-	5	2	9	17	6
1986	299	-	1	1	1	4	2	5	6	14	7
1985	288	1	1	-	1	1	3	10	5	9	8
1984	324	1	-	1	-	-	6	12	7	12	9
1983	366	4	-	1	-	5	2	11	10	9	5
1982	353	3	1	-	-	2	2	5	12	10	10
1981	359	-	1	-	1	1	5	7	8	12	15
1980	498	-	1	-	1	2	4	14	10	8	10
1979	484	-	-	-	2	4	7	14	10	15	12

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (582-583,587)

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Black, male											
1998	153	1	-	-	1	-	1	2	2	4	3
1997	135	1	-	-	1	-	1	3	4	6	7
1996	144	1	-	-	-	-	1	1	-	3	10
1995	139	2	-	-	1	1	1	2	1	6	8
1994	138	-	-	-	2	1	1	2	4	6	7
1993	153	-	1	-	-	-	3	4	7	8	4
1992	152	1	1	-	-	-	-	4	6	7	8
1991	136	1	-	1	1	-	1	3	2	5	5
1990	156	-	-	-	-	-	2	4	7	7	11
1989	137	-	-	-	-	1	1	4	2	8	8
1988	133	-	-	-	-	2	1	3	6	12	4
1987	139	3	-	-	-	-	3	1	7	14	3
1986	166	-	1	1	1	4	2	4	5	12	4
1985	155	1	1	-	-	1	3	9	4	6	6
1984	155	1	-	1	-	-	3	8	5	8	4
1983	194	2	-	1	-	3	1	5	7	5	5
1982	172	2	-	-	-	-	2	3	7	8	8
1981	166	-	1	-	1	-	4	4	5	4	6
1980	243	-	1	-	1	1	1	7	7	4	7
1979	252	-	-	-	1	3	3	10	2	9	9

Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (582-583,587)

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Black, female											
1998	157	-	-	-	-	-	2	-	1	3	3
1997	141	1	-	-	2	-	2	1	4	7	1
1996	148	-	-	3	-	-	1	-	1	2	4
1995	127	-	-	-	-	-	2	2	3	3	7
1994	168	-	-	-	-	1	-	2	5	3	2
1993	156	-	-	-	-	-	2	-	2	7	2
1992	127	-	-	-	-	-	-	-	1	6	3
1991	149	1	-	1	-	4	2	1	1	4	4
1990	144	-	-	1	-	-	3	-	2	3	4
1989	158	-	1	-	-	-	1	3	4	1	3
1988	108	-	-	-	-	1	1	1	2	4	-
1987	138	1	-	-	-	-	2	1	2	3	3
1986	133	-	-	-	-	-	-	1	1	2	3
1985	133	-	-	-	1	-	-	1	1	3	2
1984	169	-	-	-	-	-	3	4	2	4	5
1983	172	2	-	-	-	2	1	6	3	4	-
1982	181	1	1	-	-	2	-	2	5	2	2
1981	193	-	-	-	-	1	1	3	3	8	9
1980	255	-	-	-	-	1	3	7	3	4	3
1979	232	-	-	-	1	1	4	4	8	6	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Renal failure (584-586)											
All races, both sexes											
1998	24,111	126	9	9	4	13	21	46	78	154	223
1997	23,309	123	11	5	4	14	23	48	90	151	224
1996	22,303	133	9	8	11	11	30	52	76	167	253
1995	21,833	145	9	6	7	13	28	60	102	179	245
1994	21,074	167	8	5	5	15	19	53	105	159	219
1993	21,389	171	15	12	9	14	20	61	127	162	233
1992	20,312	181	10	7	7	8	35	71	125	200	217
1991	19,481	178	9	9	8	17	24	81	114	199	228
1990	18,896	139	15	4	7	14	29	60	116	201	243
1989	19,248	186	9	9	3	14	38	63	149	189	202
1988	20,514	212	13	9	7	23	42	76	146	183	230
1987	20,213	207	18	9	6	14	41	80	153	173	169
1986	19,923	241	21	8	16	10	50	65	132	160	211
1985	19,387	265	17	8	12	21	41	77	117	183	186
1984	17,947	264	16	14	17	28	35	79	108	150	161
1983	16,715	217	13	14	6	24	37	80	112	118	163
1982	15,796	243	21	13	11	19	41	63	104	130	164
1981	14,887	244	15	17	10	30	51	79	96	136	146
1980	14,136	217	16	8	14	24	51	71	117	122	162
1979	12,986	205	17	14	22	33	56	84	111	114	174
Renal failure (584-586)											
All races, male											
1998	11,569	65	5	4	1	10	7	28	43	89	152
1997	11,159	75	4	3	3	7	16	32	50	87	141
1996	10,671	86	3	6	5	8	18	37	45	100	152
1995	10,481	82	6	2	3	8	16	36	63	114	161
1994	9,975	99	3	1	2	8	7	29	66	98	139
1993	10,265	96	11	7	3	9	12	33	81	102	142
1992	9,882	87	3	4	3	3	19	46	82	137	149
1991	9,486	113	8	6	3	10	13	46	74	141	162
1990	9,076	77	12	3	3	7	20	35	73	130	154
1989	9,409	112	8	3	-	5	18	41	97	137	132
1988	9,908	110	5	4	6	15	20	46	89	125	145
1987	9,975	106	11	5	6	9	21	53	85	111	109
1986	9,927	142	10	2	8	6	27	39	71	99	122
1985	9,607	151	10	3	6	12	25	44	73	120	118
1984	8,979	157	9	6	7	10	25	41	68	88	105
1983	8,240	113	8	5	5	9	20	50	59	69	82
1982	8,004	148	7	9	7	12	22	32	61	74	94
1981	7,606	136	6	12	7	15	25	50	59	92	81
1980	7,317	122	5	3	8	14	23	45	73	80	100
1979	6,811	113	10	11	11	17	27	47	67	64	102

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Renal failure (584-586)											
All races, female											
1998	12,542	61	4	5	3	3	14	18	35	65	71
1997	12,150	48	7	2	1	7	7	16	40	64	83
1996	11,632	47	6	2	6	3	12	15	31	67	101
1995	11,352	63	3	4	4	5	12	24	39	65	84
1994	11,099	68	5	4	3	7	12	24	39	61	80
1993	11,124	75	4	5	6	5	8	28	46	60	91
1992	10,430	94	7	3	4	5	16	25	43	63	68
1991	9,995	65	1	3	5	7	11	35	40	58	66
1990	9,820	62	3	1	4	7	9	25	43	71	89
1989	9,839	74	1	6	3	9	20	22	52	52	70
1988	10,606	102	8	5	1	8	22	30	57	58	85
1987	10,238	101	7	4	-	5	20	27	68	62	60
1986	9,996	99	11	6	8	4	23	26	61	61	89
1985	9,780	114	7	5	6	9	16	33	44	63	68
1984	8,968	107	7	8	10	18	10	38	40	62	56
1983	8,475	104	5	9	1	15	17	30	53	49	81
1982	7,792	95	14	4	4	7	19	31	43	56	70
1981	7,281	108	9	5	3	15	26	29	37	44	65
1980	6,819	95	11	5	6	10	28	26	44	42	62
1979	6,175	92	7	3	11	16	29	37	44	50	72
Renal failure (584-586)											
White, both sexes											
1998	19,702	79	4	7	4	4	17	26	47	86	126
1997	19,029	86	9	4	3	10	19	30	48	92	134
1996	18,094	74	8	7	6	7	16	29	39	89	149
1995	17,634	86	5	4	4	8	16	39	57	100	125
1994	17,139	95	5	4	1	9	15	30	48	85	108
1993	17,280	103	12	10	6	11	18	29	59	79	125
1992	16,425	121	9	5	4	5	19	37	64	111	114
1991	15,673	120	9	6	5	12	10	41	59	88	133
1990	15,099	81	9	4	2	8	18	28	69	99	137
1989	15,130	119	6	5	1	9	20	39	69	93	99
1988	16,382	142	11	7	5	15	20	39	80	91	137
1987	16,299	119	12	6	4	8	23	51	76	96	118
1986	15,991	154	17	7	13	8	34	36	75	89	119
1985	15,469	178	13	8	8	17	26	47	57	93	120
1984	14,438	171	12	10	10	20	26	58	65	89	101
1983	13,503	147	10	11	4	19	25	51	75	61	101
1982	12,604	164	16	10	10	12	24	40	71	84	104
1981	11,882	171	14	16	8	24	37	45	63	85	90
1980	11,117	147	14	7	10	16	26	39	79	76	97
1979	10,365	149	15	10	18	26	35	58	75	72	104

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Renal failure (584-586)											
White, male											
1998	9,604	42	3	4	1	3	6	15	26	48	83
1997	9,204	48	4	2	2	3	13	18	27	49	81
1996	8,768	50	2	5	2	6	11	19	23	51	84
1995	8,557	48	3	2	1	4	7	22	31	62	82
1994	8,199	54	1	-	1	3	5	13	28	50	61
1993	8,362	58	9	5	1	7	11	15	32	46	70
1992	8,045	62	3	3	1	2	12	27	42	68	74
1991	7,652	79	8	3	1	8	6	22	33	61	101
1990	7,301	46	7	3	1	4	14	20	42	74	85
1989	7,362	72	6	2	-	4	8	26	43	67	62
1988	7,999	79	5	4	4	10	8	24	47	62	92
1987	8,093	65	8	4	4	5	13	32	40	56	74
1986	8,027	93	9	1	8	5	18	21	40	50	69
1985	7,736	107	7	3	6	10	18	31	29	60	71
1984	7,296	102	8	4	3	7	20	27	44	53	63
1983	6,716	81	6	4	3	8	17	32	38	35	48
1982	6,466	104	5	6	6	8	13	19	42	51	66
1981	6,107	93	5	11	6	14	19	31	39	62	47
1980	5,824	87	5	3	7	11	13	24	48	49	56
1979	5,483	77	9	8	8	12	16	36	44	38	63
Renal failure (584-586)											
White, female											
1998	10,098	37	1	3	3	1	11	11	21	38	43
1997	9,825	38	5	2	1	7	6	12	21	43	53
1996	9,326	24	6	2	4	1	5	10	16	38	65
1995	9,077	38	2	2	3	4	9	17	26	38	43
1994	8,940	41	4	4	-	6	10	17	20	35	47
1993	8,918	45	3	5	5	4	7	14	27	33	55
1992	8,380	59	6	2	3	3	7	10	22	43	40
1991	8,021	41	1	3	4	4	4	19	26	27	32
1990	7,798	35	2	1	1	4	4	8	27	25	52
1989	7,768	47	-	3	1	5	12	13	26	26	37
1988	8,383	63	6	3	1	5	12	15	33	29	45
1987	8,206	54	4	2	-	3	10	19	36	40	44
1986	7,964	61	8	6	5	3	16	15	35	39	50
1985	7,733	71	6	5	2	7	8	16	28	33	49
1984	7,142	69	4	6	7	13	6	31	21	36	38
1983	6,787	66	4	7	1	11	8	19	37	26	53
1982	6,138	60	11	4	4	4	11	21	29	33	38
1981	5,775	78	9	5	2	10	18	14	24	23	43
1980	5,293	60	9	4	3	5	13	15	31	27	41
1979	4,882	72	6	2	10	14	19	22	31	34	41

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Renal failure (584-586)											
All other, both sexes											
1998	4,409	47	5	2	-	9	4	20	31	68	97
1997	4,280	37	2	1	1	4	4	18	42	59	90
1996	4,209	59	1	1	5	4	14	23	37	78	104
1995	4,199	59	4	2	3	5	12	21	45	79	120
1994	3,935	72	3	1	4	6	4	23	57	74	111
1993	4,109	68	3	2	3	3	2	32	68	83	108
1992	3,887	60	1	2	3	3	16	34	61	89	103
1991	3,808	58	-	3	3	5	14	40	55	111	95
1990	3,797	58	6	-	5	6	11	32	47	102	106
1989	4,118	67	3	4	2	5	18	24	80	96	103
1988	4,132	70	2	2	2	8	22	37	66	92	93
1987	3,914	88	6	3	2	6	18	29	77	77	51
1986	3,932	87	4	1	3	2	16	29	57	71	92
1985	3,918	87	4	-	4	4	15	30	60	90	66
1984	3,509	93	4	4	7	8	9	21	43	61	60
1983	3,212	70	3	3	2	5	12	29	37	57	62
1982	3,192	79	5	3	1	7	17	23	33	46	60
1981	3,005	73	1	1	2	6	14	34	33	51	56
1980	3,019	70	2	1	4	8	25	32	38	46	65
1979	2,621	56	2	4	4	7	21	26	36	42	70
Renal failure (584-586)											
All other, male											
1998	1,965	23	2	-	-	7	1	13	17	41	69
1997	1,955	27	-	1	1	4	3	14	23	38	60
1996	1,903	36	1	1	3	2	7	18	22	49	68
1995	1,924	34	3	-	2	4	9	14	32	52	79
1994	1,776	45	2	1	1	5	2	16	38	48	78
1993	1,903	38	2	2	2	2	1	18	49	56	72
1992	1,837	25	-	1	2	1	7	19	40	69	75
1991	1,834	34	-	3	2	2	7	24	41	80	61
1990	1,775	31	5	-	2	3	6	15	31	56	69
1989	2,047	40	2	1	-	1	10	15	54	70	70
1988	1,909	31	-	-	2	5	12	22	42	63	53
1987	1,882	41	3	1	2	4	8	21	45	55	35
1986	1,900	49	1	1	-	1	9	18	31	49	53
1985	1,871	44	3	-	-	2	7	13	44	60	47
1984	1,683	55	1	2	4	3	5	14	24	35	42
1983	1,524	32	2	1	2	1	3	18	21	34	34
1982	1,538	44	2	3	1	4	9	13	19	23	28
1981	1,499	43	1	1	1	1	6	19	20	30	34
1980	1,493	35	-	-	1	3	10	21	25	31	44
1979	1,328	36	1	3	3	5	11	11	23	26	39

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Renal failure (584-586)											
All other, female											
1998	2,444	24	3	2	-	2	3	7	14	27	28
1997	2,325	10	2	-	-	-	1	4	19	21	30
1996	2,306	23	-	-	2	2	7	5	15	29	36
1995	2,275	25	1	2	1	1	3	7	13	27	41
1994	2,159	27	1	-	3	1	2	7	19	26	33
1993	2,206	30	1	-	1	1	1	14	19	27	36
1992	2,050	35	1	1	1	2	9	15	21	20	28
1991	1,974	24	-	-	1	3	7	16	14	31	34
1990	2,022	27	1	-	3	3	5	17	16	46	37
1989	2,071	27	1	3	2	4	8	9	26	26	33
1988	2,223	39	2	2	-	3	10	15	24	29	40
1987	2,032	47	3	2	-	2	10	8	32	22	16
1986	2,032	38	3	-	3	1	7	11	26	22	39
1985	2,047	43	1	-	4	2	8	17	16	30	19
1984	1,826	38	3	2	3	5	4	7	19	26	18
1983	1,688	38	1	2	-	4	9	11	16	23	28
1982	1,654	35	3	-	-	3	8	10	14	23	32
1981	1,506	30	-	-	1	5	8	15	13	21	22
1980	1,526	35	2	1	3	5	15	11	13	15	21
1979	1,293	20	1	1	1	2	10	15	13	16	31
Renal failure (584-586)											
Black, both sexes											
1998	3,970	41	5	2	-	9	3	19	30	64	93
1997	3,901	32	1	-	1	4	3	17	38	56	84
1996	3,787	57	1	1	5	4	13	22	33	73	100
1995	3,834	56	3	2	2	5	11	21	45	76	115
1994	3,615	67	2	1	4	6	4	23	56	71	104
1993	3,730	65	3	2	3	3	2	27	66	81	99
1992	3,549	54	1	2	3	3	13	32	57	86	94
1991	3,509	57	-	2	3	4	13	39	53	107	92
1990	3,494	52	6	-	5	5	11	31	44	99	98
1989	3,798	64	3	3	2	4	16	22	78	93	97
1988	3,845	64	2	2	2	7	20	35	63	90	86
1987	3,639	80	6	3	2	6	17	26	72	74	46
1986	3,658	82	4	1	3	2	13	28	51	69	86
1985	3,684	78	4	-	3	3	15	30	58	90	65
1984	3,278	89	4	3	7	8	8	19	40	54	58
1983	3,003	66	3	3	2	4	10	29	32	52	57
1982	2,998	77	4	3	1	6	13	22	30	42	54
1981	2,849	69	1	1	2	6	14	32	31	50	53
1980	2,853	67	1	1	3	7	23	31	34	42	61
1979	2,480	54	2	4	3	7	20	25	36	41	69

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Renal failure (584-586)											
Black, male											
1998	1,755	22	2	-	-	7	-	12	17	38	66
1997	1,778	23	-	-	1	4	2	13	23	37	58
1996	1,699	36	1	1	3	2	6	18	21	46	65
1995	1,754	34	2	-	1	4	9	14	32	50	77
1994	1,621	42	1	1	1	5	2	16	38	46	74
1993	1,699	37	2	2	2	2	1	15	47	54	66
1992	1,674	22	-	1	2	1	6	18	39	67	69
1991	1,685	34	-	2	2	2	6	23	40	79	59
1990	1,617	27	5	-	2	2	6	14	29	55	64
1989	1,874	39	2	1	-	1	9	14	52	69	66
1988	1,739	29	-	-	2	4	12	21	40	61	50
1987	1,735	37	3	1	2	4	8	20	43	52	33
1986	1,764	46	1	1	-	1	7	17	28	47	52
1985	1,747	39	3	-	-	2	7	13	42	60	46
1984	1,553	53	1	1	4	3	4	14	24	33	40
1983	1,423	30	2	1	2	1	3	18	19	32	33
1982	1,443	42	2	3	1	4	6	12	17	21	25
1981	1,419	41	1	1	1	1	6	17	20	30	33
1980	1,417	34	-	-	1	3	10	20	22	31	41
1979	1,244	35	1	3	3	5	10	11	23	26	39
Renal failure (584-586)											
Black, female											
1998	2,215	19	3	2	-	2	3	7	13	26	27
1997	2,123	9	1	-	-	-	1	4	15	19	26
1996	2,088	21	-	-	2	2	7	4	12	27	35
1995	2,080	22	1	2	1	1	2	7	13	26	38
1994	1,994	25	1	-	3	1	2	7	18	25	30
1993	2,031	28	1	-	1	1	1	12	19	27	33
1992	1,875	32	1	1	1	2	7	14	18	19	25
1991	1,824	23	-	-	1	2	7	16	13	28	33
1990	1,877	25	1	-	3	3	5	17	15	44	34
1989	1,924	25	1	2	2	3	7	8	26	24	31
1988	2,106	35	2	2	-	3	8	14	23	29	36
1987	1,904	43	3	2	-	2	9	6	29	22	13
1986	1,894	36	3	-	3	1	6	11	23	22	34
1985	1,937	39	1	-	3	1	8	17	16	30	19
1984	1,725	36	3	2	3	5	4	5	16	21	18
1983	1,580	36	1	2	-	3	7	11	13	20	24
1982	1,555	35	2	-	-	2	7	10	13	21	29
1981	1,430	28	-	-	1	5	8	15	11	20	20
1980	1,436	33	1	1	2	4	13	11	12	11	20
1979	1,236	19	1	1	-	2	10	14	13	15	30

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other disorders of kidney (588-589)											
All races, both sexes											
1998	31	-	-	-	-	-	-	-	-	2	3
1997	46	1	-	-	1	-	-	1	-	2	-
1996	42	-	-	-	-	1	-	2	1	2	1
1995	47	-	1	-	-	-	-	1	-	4	-
1994	51	1	-	-	-	1	-	-	1	-	-
1993	48	2	-	-	-	-	-	-	1	2	1
1992	43	-	-	-	-	-	-	1	2	2	1
1991	47	-	-	1	-	-	1	-	2	2	1
1990	51	1	-	-	-	-	-	1	-	3	1
1989	43	-	-	-	-	-	1	1	2	2	1
1988	47	-	-	-	1	1	2	-	2	2	-
1987	53	-	-	-	-	-	1	1	1	-	1
1986	46	-	-	-	-	-	1	-	4	3	2
1985	49	2	-	2	-	-	-	-	1	1	2
1984	39	1	-	-	-	-	-	-	-	-	2
1983	42	1	1	-	1	-	-	2	-	1	-
1982	51	2	-	-	-	-	1	1	3	4	5
1981	33	-	3	-	-	-	-	-	-	1	-
1980	44	1	3	-	-	-	-	-	2	-	2
1979	42	1	1	2	-	2	-	1	1	2	2
Other disorders of kidney (588-589)											
All races, male											
1998	7	-	-	-	-	-	-	-	-	1	-
1997	20	1	-	-	1	-	-	1	-	-	-
1996	18	-	-	-	-	-	-	1	-	2	-
1995	22	-	1	-	-	-	-	-	-	1	-
1994	21	1	-	-	-	-	-	-	1	-	-
1993	15	1	-	-	-	-	-	-	-	1	-
1992	15	-	-	-	-	-	-	-	-	1	1
1991	20	-	-	1	-	-	-	-	1	1	-
1990	21	-	-	-	-	-	-	1	-	1	1
1989	18	-	-	-	-	-	-	-	2	1	1
1988	21	-	-	-	1	1	-	-	2	1	-
1987	23	-	-	-	-	-	1	1	-	-	-
1986	18	-	-	-	-	-	1	-	3	-	1
1985	15	1	-	2	-	-	-	-	1	1	1
1984	14	-	-	-	-	-	-	-	-	-	1
1983	19	1	1	-	-	-	-	1	-	1	-
1982	26	1	-	-	-	-	1	1	-	2	2
1981	9	-	-	-	-	-	-	-	-	-	-
1980	21	1	3	-	-	-	-	-	2	-	1
1979	23	-	1	1	-	-	-	1	1	-	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other disorders of kidney (588-589)											
All races, female											
1998	24	-	-	-	-	-	-	-	-	1	3
1997	26	-	-	-	-	-	-	-	-	2	-
1996	24	-	-	-	-	1	-	1	1	-	1
1995	25	-	-	-	-	-	-	1	-	3	-
1994	30	-	-	-	-	1	-	-	-	-	-
1993	33	1	-	-	-	-	-	-	1	1	1
1992	28	-	-	-	-	-	-	1	2	1	-
1991	27	-	-	-	-	-	1	-	1	1	1
1990	30	1	-	-	-	-	-	-	-	2	-
1989	25	-	-	-	-	-	1	1	-	1	-
1988	26	-	-	-	-	-	2	-	-	1	-
1987	30	-	-	-	-	-	-	-	1	-	1
1986	28	-	-	-	-	-	-	-	1	3	1
1985	34	1	-	-	-	-	-	-	-	-	1
1984	25	1	-	-	-	-	-	-	-	-	1
1983	23	-	-	-	1	-	-	1	-	-	-
1982	25	1	-	-	-	-	-	-	3	2	3
1981	24	-	3	-	-	-	-	-	-	1	-
1980	23	-	-	-	-	-	-	-	-	-	1
1979	19	1	-	1	-	2	-	-	-	2	-
Other disorders of kidney (588-589)											
White, both sexes											
1998	26	-	-	-	-	-	-	-	-	-	3
1997	36	-	-	-	1	-	-	1	-	1	-
1996	37	-	-	-	-	1	-	2	1	2	1
1995	33	-	-	-	-	-	-	1	-	2	-
1994	41	-	-	-	-	1	-	-	1	-	-
1993	32	1	-	-	-	-	-	-	-	1	-
1992	26	-	-	-	-	-	-	-	2	1	-
1991	34	-	-	1	-	-	-	-	2	-	1
1990	32	-	-	-	-	-	-	-	-	-	-
1989	35	-	-	-	-	-	1	1	1	1	1
1988	34	-	-	-	1	-	2	-	2	2	-
1987	40	-	-	-	-	-	-	1	-	-	-
1986	32	-	-	-	-	-	-	-	3	2	2
1985	35	1	-	2	-	-	-	-	1	-	1
1984	26	1	-	-	-	-	-	-	-	-	1
1983	33	1	-	-	1	-	-	2	-	1	-
1982	44	2	-	-	-	-	1	1	2	4	5
1981	25	-	2	-	-	-	-	-	-	1	-
1980	33	1	2	-	-	-	-	-	2	-	1
1979	31	-	1	1	-	2	-	1	1	2	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other disorders of kidney (588-589)											
White, male											
1998	5	-	-	-	-	-	-	-	-	-	-
1997	16	-	-	-	1	-	-	1	-	-	-
1996	14	-	-	-	-	-	-	1	-	2	-
1995	17	-	-	-	-	-	-	-	-	-	-
1994	16	-	-	-	-	-	-	-	1	-	-
1993	11	-	-	-	-	-	-	-	-	1	-
1992	9	-	-	-	-	-	-	-	-	1	-
1991	17	-	-	1	-	-	-	-	1	-	-
1990	12	-	-	-	-	-	-	-	-	-	-
1989	15	-	-	-	-	-	-	-	1	-	1
1988	12	-	-	-	1	-	-	-	2	1	-
1987	17	-	-	-	-	-	-	1	-	-	-
1986	10	-	-	-	-	-	-	-	2	-	1
1985	9	1	-	2	-	-	-	-	1	-	-
1984	12	-	-	-	-	-	-	-	-	-	1
1983	14	1	-	-	-	-	-	1	-	1	-
1982	21	1	-	-	-	-	1	1	-	2	2
1981	7	-	-	-	-	-	-	-	-	-	-
1980	15	1	2	-	-	-	-	-	2	-	1
1979	18	-	1	-	-	-	-	1	1	-	1
Other disorders of kidney (588-589)											
White, female											
1998	21	-	-	-	-	-	-	-	-	-	3
1997	20	-	-	-	-	-	-	-	-	1	-
1996	23	-	-	-	-	1	-	1	1	-	1
1995	16	-	-	-	-	-	-	1	-	2	-
1994	25	-	-	-	-	1	-	-	-	-	-
1993	21	1	-	-	-	-	-	-	-	-	-
1992	17	-	-	-	-	-	-	-	2	-	-
1991	17	-	-	-	-	-	-	-	1	-	1
1990	20	-	-	-	-	-	-	-	-	-	-
1989	20	-	-	-	-	-	1	1	-	1	-
1988	22	-	-	-	-	-	2	-	-	1	-
1987	23	-	-	-	-	-	-	-	-	-	-
1986	22	-	-	-	-	-	-	-	1	2	1
1985	26	-	-	-	-	-	-	-	-	-	1
1984	14	1	-	-	-	-	-	-	-	-	-
1983	19	-	-	-	1	-	-	1	-	-	-
1982	23	1	-	-	-	-	-	-	2	2	3
1981	18	-	2	-	-	-	-	-	-	1	-
1980	18	-	-	-	-	-	-	-	-	-	-
1979	13	-	-	1	-	2	-	-	-	2	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other disorders of kidney (588-589)											
All other, both sexes											
1998	5	-	-	-	-	-	-	-	-	2	-
1997	10	1	-	-	-	-	-	-	-	1	-
1996	5	-	-	-	-	-	-	-	-	-	-
1995	14	-	1	-	-	-	-	-	-	2	-
1994	10	1	-	-	-	-	-	-	-	-	-
1993	16	1	-	-	-	-	-	-	1	1	1
1992	17	-	-	-	-	-	-	1	-	1	1
1991	13	-	-	-	-	-	1	-	-	2	-
1990	19	1	-	-	-	-	-	1	-	3	1
1989	8	-	-	-	-	-	-	-	1	1	-
1988	13	-	-	-	-	1	-	-	-	-	-
1987	13	-	-	-	-	-	1	-	1	-	1
1986	14	-	-	-	-	-	1	-	1	1	-
1985	14	1	-	-	-	-	-	-	-	1	1
1984	13	-	-	-	-	-	-	-	-	-	1
1983	9	-	1	-	-	-	-	-	-	-	-
1982	7	-	-	-	-	-	-	-	1	-	-
1981	8	-	1	-	-	-	-	-	-	-	-
1980	11	-	1	-	-	-	-	-	-	-	1
1979	11	1	-	1	-	-	-	-	-	-	1
Other disorders of kidney (588-589)											
All other, male											
1998	2	-	-	-	-	-	-	-	-	1	-
1997	4	1	-	-	-	-	-	-	-	-	-
1996	4	-	-	-	-	-	-	-	-	-	-
1995	5	-	1	-	-	-	-	-	-	1	-
1994	5	1	-	-	-	-	-	-	-	-	-
1993	4	1	-	-	-	-	-	-	-	-	-
1992	6	-	-	-	-	-	-	-	-	-	1
1991	3	-	-	-	-	-	-	-	-	1	-
1990	9	-	-	-	-	-	-	1	-	1	1
1989	3	-	-	-	-	-	-	-	1	1	-
1988	9	-	-	-	-	1	-	-	-	-	-
1987	6	-	-	-	-	-	1	-	-	-	-
1986	8	-	-	-	-	-	1	-	1	-	-
1985	6	-	-	-	-	-	-	-	-	1	1
1984	2	-	-	-	-	-	-	-	-	-	-
1983	5	-	1	-	-	-	-	-	-	-	-
1982	5	-	-	-	-	-	-	-	-	-	-
1981	2	-	-	-	-	-	-	-	-	-	-
1980	6	-	1	-	-	-	-	-	-	-	-
1979	5	-	-	1	-	-	-	-	-	-	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other disorders of kidney (588-589)											
All other, female											
1998	3	-	-	-	-	-	-	-	-	1	-
1997	6	-	-	-	-	-	-	-	-	1	-
1996	1	-	-	-	-	-	-	-	-	-	-
1995	9	-	-	-	-	-	-	-	-	1	-
1994	5	-	-	-	-	-	-	-	-	-	-
1993	12	-	-	-	-	-	-	-	1	1	1
1992	11	-	-	-	-	-	-	1	-	1	-
1991	10	-	-	-	-	-	1	-	-	1	-
1990	10	1	-	-	-	-	-	-	-	2	-
1989	5	-	-	-	-	-	-	-	-	-	-
1988	4	-	-	-	-	-	-	-	-	-	-
1987	7	-	-	-	-	-	-	-	1	-	1
1986	6	-	-	-	-	-	-	-	-	1	-
1985	8	1	-	-	-	-	-	-	-	-	-
1984	11	-	-	-	-	-	-	-	-	-	1
1983	4	-	-	-	-	-	-	-	-	-	-
1982	2	-	-	-	-	-	-	-	1	-	-
1981	6	-	1	-	-	-	-	-	-	-	-
1980	5	-	-	-	-	-	-	-	-	-	1
1979	6	1	-	-	-	-	-	-	-	-	-
Other disorders of kidney (588-589)											
Black, both sexes											
1998	4	-	-	-	-	-	-	-	-	2	-
1997	10	1	-	-	-	-	-	-	-	1	-
1996	5	-	-	-	-	-	-	-	-	-	-
1995	14	-	1	-	-	-	-	-	-	2	-
1994	9	1	-	-	-	-	-	-	-	-	-
1993	13	1	-	-	-	-	-	-	1	-	1
1992	17	-	-	-	-	-	-	1	-	1	1
1991	13	-	-	-	-	-	1	-	-	2	-
1990	19	1	-	-	-	-	-	1	-	3	1
1989	7	-	-	-	-	-	-	-	1	1	-
1988	12	-	-	-	-	1	-	-	-	-	-
1987	11	-	-	-	-	-	1	-	-	-	1
1986	14	-	-	-	-	-	1	-	1	1	-
1985	14	1	-	-	-	-	-	-	-	1	1
1984	13	-	-	-	-	-	-	-	-	-	1
1983	8	-	1	-	-	-	-	-	-	-	-
1982	7	-	-	-	-	-	-	-	1	-	-
1981	7	-	1	-	-	-	-	-	-	-	-
1980	10	-	1	-	-	-	-	-	-	-	1
1979	10	1	-	1	-	-	-	-	-	-	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other disorders of kidney (588-589)											
Black, male											
1998	2	-	-	-	-	-	-	-	-	1	-
1997	4	1	-	-	-	-	-	-	-	-	-
1996	4	-	-	-	-	-	-	-	-	-	-
1995	5	-	1	-	-	-	-	-	-	1	-
1994	5	1	-	-	-	-	-	-	-	-	-
1993	4	1	-	-	-	-	-	-	-	-	-
1992	6	-	-	-	-	-	-	-	-	-	1
1991	3	-	-	-	-	-	-	-	-	1	-
1990	9	-	-	-	-	-	-	1	-	1	1
1989	3	-	-	-	-	-	-	-	1	1	-
1988	9	-	-	-	-	1	-	-	-	-	-
1987	5	-	-	-	-	-	1	-	-	-	-
1986	8	-	-	-	-	-	1	-	1	-	-
1985	6	-	-	-	-	-	-	-	-	1	1
1984	2	-	-	-	-	-	-	-	-	-	-
1983	5	-	1	-	-	-	-	-	-	-	-
1982	5	-	-	-	-	-	-	-	-	-	-
1981	2	-	-	-	-	-	-	-	-	-	-
1980	6	-	1	-	-	-	-	-	-	-	-
1979	5	-	-	1	-	-	-	-	-	-	1
Other disorders of kidney (588-589)											
Black, female											
1998	2	-	-	-	-	-	-	-	-	1	-
1997	6	-	-	-	-	-	-	-	-	1	-
1996	1	-	-	-	-	-	-	-	-	-	-
1995	9	-	-	-	-	-	-	-	-	1	-
1994	4	-	-	-	-	-	-	-	-	-	-
1993	9	-	-	-	-	-	-	-	1	-	1
1992	11	-	-	-	-	-	-	1	-	1	-
1991	10	-	-	-	-	-	1	-	-	1	-
1990	10	1	-	-	-	-	-	-	-	2	-
1989	4	-	-	-	-	-	-	-	-	-	-
1988	3	-	-	-	-	-	-	-	-	-	-
1987	6	-	-	-	-	-	-	-	-	-	1
1986	6	-	-	-	-	-	-	-	-	1	-
1985	8	1	-	-	-	-	-	-	-	-	-
1984	11	-	-	-	-	-	-	-	-	-	1
1983	3	-	-	-	-	-	-	-	-	-	-
1982	2	-	-	-	-	-	-	-	1	-	-
1981	5	-	1	-	-	-	-	-	-	-	-
1980	4	-	-	-	-	-	-	-	-	-	1
1979	5	1	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Infections of kidney (590)											
All races, both sexes											
1998	828	5	-	-	-	-	2	5	2	14	17
1997	831	1	2	-	-	1	3	6	5	5	16
1996	896	6	4	1	-	1	4	8	7	9	16
1995	918	2	3	-	1	-	2	5	7	13	15
1994	973	6	1	-	1	1	2	5	7	8	16
1993	1,023	1	1	-	-	1	6	2	7	13	16
1992	1,083	1	1	-	2	-	2	4	8	14	21
1991	1,219	8	5	1	-	2	7	8	9	15	18
1990	1,296	6	1	-	-	1	8	3	5	15	19
1989	1,414	6	-	-	-	4	6	13	12	13	21
1988	1,610	5	3	-	2	-	6	8	10	12	25
1987	1,742	7	3	-	-	1	3	9	5	12	17
1986	1,870	4	3	1	-	1	3	8	10	16	12
1985	1,982	4	3	-	1	2	4	11	11	12	10
1984	2,077	5	1	-	1	4	9	10	11	14	23
1983	2,089	3	3	1	-	3	5	8	16	8	16
1982	2,218	8	1	2	1	2	5	8	14	12	15
1981	2,305	3	1	1	-	1	9	12	11	10	22
1980	2,732	6	-	4	-	2	4	13	15	12	30
1979	2,868	9	1	1	1	9	9	12	11	18	23
Infections of kidney (590)											
All races, male											
1998	214	2	-	-	-	-	1	2	1	7	7
1997	241	-	1	-	-	1	2	4	-	2	5
1996	255	3	3	-	-	-	2	1	1	5	5
1995	241	-	1	-	1	-	-	2	3	4	5
1994	261	1	-	-	-	-	-	1	-	3	6
1993	276	1	-	-	-	-	1	-	4	5	2
1992	327	1	1	-	1	-	1	1	5	4	8
1991	327	6	1	1	-	1	4	3	3	6	7
1990	404	5	-	-	-	-	2	1	4	6	5
1989	435	4	-	-	-	3	1	4	4	4	9
1988	496	3	1	-	-	-	2	3	4	3	12
1987	536	6	2	-	-	-	-	3	1	5	6
1986	562	1	-	-	-	1	1	2	5	4	3
1985	691	2	2	-	1	-	2	4	4	4	2
1984	713	3	-	-	1	2	1	3	6	6	7
1983	715	1	3	1	-	-	2	4	6	1	5
1982	733	5	-	1	-	-	-	1	3	7	3
1981	838	3	-	1	-	1	6	6	3	3	7
1980	960	2	-	-	-	1	2	6	5	4	11
1979	1,095	5	1	-	1	2	4	6	3	5	9

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Infections of kidney (590)											
All races, female											
1998	614	3	-	-	-	-	1	3	1	7	10
1997	590	1	1	-	-	-	1	2	5	3	11
1996	641	3	1	1	-	1	2	7	6	4	11
1995	677	2	2	-	-	-	2	3	4	9	10
1994	712	5	1	-	1	1	2	4	7	5	10
1993	747	-	1	-	-	1	5	2	3	8	14
1992	756	-	-	-	1	-	1	3	3	10	13
1991	892	2	4	-	-	1	3	5	6	9	11
1990	892	1	1	-	-	1	6	2	1	9	14
1989	979	2	-	-	-	1	5	9	8	9	12
1988	1,114	2	2	-	2	-	4	5	6	9	13
1987	1,206	1	1	-	-	1	3	6	4	7	11
1986	1,308	3	3	1	-	-	2	6	5	12	9
1985	1,291	2	1	-	-	2	2	7	7	8	8
1984	1,364	2	1	-	-	2	8	7	5	8	16
1983	1,374	2	-	-	-	3	3	4	10	7	11
1982	1,485	3	1	1	1	2	5	7	11	5	12
1981	1,467	-	1	-	-	-	3	6	8	7	15
1980	1,772	4	-	4	-	1	2	7	10	8	19
1979	1,773	4	-	1	-	7	5	6	8	13	14
Infections of kidney (590)											
White, both sexes											
1998	704	4	-	-	-	-	-	3	2	12	12
1997	725	-	2	-	-	1	3	5	4	3	10
1996	778	4	4	1	-	1	3	3	5	6	12
1995	783	1	3	-	1	-	1	2	4	10	12
1994	830	5	-	-	1	1	1	5	2	7	9
1993	881	1	1	-	-	1	4	1	3	11	12
1992	946	-	-	-	1	-	1	4	3	8	11
1991	1,041	4	3	1	-	1	5	7	5	10	12
1990	1,134	3	1	-	-	1	7	2	4	12	13
1989	1,203	3	-	-	-	3	3	7	8	6	16
1988	1,415	5	2	-	-	-	3	7	4	7	15
1987	1,526	5	2	-	-	-	1	7	3	10	9
1986	1,623	3	3	-	-	1	2	5	7	8	9
1985	1,708	3	2	-	1	2	3	7	7	10	4
1984	1,805	5	1	-	1	3	8	7	7	8	12
1983	1,821	2	3	1	-	3	3	5	9	5	9
1982	1,953	6	1	2	1	2	2	4	12	7	10
1981	2,022	2	1	1	-	1	8	7	7	7	16
1980	2,365	4	-	4	-	2	3	10	10	10	20
1979	2,493	6	1	1	1	8	6	10	8	13	12

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Infections of kidney (590)											
White, male											
1998	173	1	-	-	-	-	-	1	1	6	5
1997	203	-	1	-	-	1	2	3	-	2	2
1996	222	2	3	-	-	-	1	-	1	4	3
1995	201	-	1	-	1	-	-	1	1	3	4
1994	215	1	-	-	-	-	-	1	-	3	4
1993	226	1	-	-	-	-	1	-	2	4	2
1992	277	-	-	-	1	-	-	1	3	3	4
1991	274	2	-	1	-	-	3	3	3	5	4
1990	339	2	-	-	-	-	2	1	4	3	3
1989	358	1	-	-	-	3	1	2	3	2	7
1988	414	3	-	-	-	-	1	3	2	1	8
1987	458	4	1	-	-	-	-	2	-	5	4
1986	479	-	-	-	-	1	1	2	4	3	1
1985	582	1	1	-	1	-	1	4	3	3	1
1984	597	3	-	-	1	2	1	3	4	4	3
1983	613	1	3	1	-	-	2	3	3	1	4
1982	629	4	-	1	-	-	-	1	3	5	2
1981	741	2	-	1	-	1	5	3	1	3	6
1980	813	-	-	-	-	1	2	6	5	3	8
1979	935	3	1	-	1	2	4	5	2	5	6
Infections of kidney (590)											
White, female											
1998	531	3	-	-	-	-	-	2	1	6	7
1997	522	-	1	-	-	-	1	2	4	1	8
1996	556	2	1	1	-	1	2	3	4	2	9
1995	582	1	2	-	-	-	1	1	3	7	8
1994	615	4	-	-	1	1	1	4	2	4	5
1993	655	-	1	-	-	1	3	1	1	7	10
1992	669	-	-	-	-	-	1	3	-	5	7
1991	767	2	3	-	-	1	2	4	2	5	8
1990	795	1	1	-	-	1	5	1	-	9	10
1989	845	2	-	-	-	-	2	5	5	4	9
1988	1,001	2	2	-	-	-	2	4	2	6	7
1987	1,068	1	1	-	-	-	1	5	3	5	5
1986	1,144	3	3	-	-	-	1	3	3	5	8
1985	1,126	2	1	-	-	2	2	3	4	7	3
1984	1,208	2	1	-	-	1	7	4	3	4	9
1983	1,208	1	-	-	-	3	1	2	6	4	5
1982	1,324	2	1	1	1	2	2	3	9	2	8
1981	1,281	-	1	-	-	-	3	4	6	4	10
1980	1,552	4	-	4	-	1	1	4	5	7	12
1979	1,558	3	-	1	-	6	2	5	6	8	6

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Infections of kidney (590)											
All other, both sexes											
1998	124	1	-	-	-	-	2	2	-	2	5
1997	106	1	-	-	-	-	-	1	1	2	6
1996	118	2	-	-	-	-	1	5	2	3	4
1995	135	1	-	-	-	-	1	3	3	3	3
1994	143	1	1	-	-	-	1	-	5	1	7
1993	142	-	-	-	-	-	2	1	4	2	4
1992	137	1	1	-	1	-	1	-	5	6	10
1991	178	4	2	-	-	1	2	1	4	5	6
1990	162	3	-	-	-	-	1	1	1	3	6
1989	211	3	-	-	-	1	3	6	4	7	5
1988	195	-	1	-	2	-	3	1	6	5	10
1987	216	2	1	-	-	1	2	2	2	2	8
1986	247	1	-	1	-	-	1	3	3	8	3
1985	274	1	1	-	-	-	1	4	4	2	6
1984	272	-	-	-	-	1	1	3	4	6	11
1983	268	1	-	-	-	-	2	3	7	3	7
1982	265	2	-	-	-	-	3	4	2	5	5
1981	283	1	-	-	-	-	1	5	4	3	6
1980	367	2	-	-	-	-	1	3	5	2	10
1979	375	3	-	-	-	1	3	2	3	5	11
Infections of kidney (590)											
All other, male											
1998	41	1	-	-	-	-	1	1	-	1	2
1997	38	-	-	-	-	-	-	1	-	-	3
1996	33	1	-	-	-	-	1	1	-	1	2
1995	40	-	-	-	-	-	-	1	2	1	1
1994	46	-	-	-	-	-	-	-	-	-	2
1993	50	-	-	-	-	-	-	-	2	1	-
1992	50	1	1	-	-	-	1	-	2	1	4
1991	53	4	1	-	-	1	1	-	-	1	3
1990	65	3	-	-	-	-	-	-	-	3	2
1989	77	3	-	-	-	-	-	2	1	2	2
1988	82	-	1	-	-	-	1	-	2	2	4
1987	78	2	1	-	-	-	-	1	1	-	2
1986	83	1	-	-	-	-	-	-	1	1	2
1985	109	1	1	-	-	-	1	-	1	1	1
1984	116	-	-	-	-	-	-	-	2	2	4
1983	102	-	-	-	-	-	-	1	3	-	1
1982	104	1	-	-	-	-	-	-	-	2	1
1981	97	1	-	-	-	-	1	3	2	-	1
1980	147	2	-	-	-	-	-	-	-	1	3
1979	160	2	-	-	-	-	-	1	1	-	3

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Infections of kidney (590)											
All other, female											
1998	83	-	-	-	-	-	1	1	-	1	3
1997	68	1	-	-	-	-	-	-	1	2	3
1996	85	1	-	-	-	-	-	4	2	2	2
1995	95	1	-	-	-	-	1	2	1	2	2
1994	97	1	1	-	-	-	1	-	5	1	5
1993	92	-	-	-	-	-	2	1	2	1	4
1992	87	-	-	-	1	-	-	-	3	5	6
1991	125	-	1	-	-	-	1	1	4	4	3
1990	97	-	-	-	-	-	1	1	1	-	4
1989	134	-	-	-	-	1	3	4	3	5	3
1988	113	-	-	-	2	-	2	1	4	3	6
1987	138	-	-	-	-	1	2	1	1	2	6
1986	164	-	-	1	-	-	1	3	2	7	1
1985	165	-	-	-	-	-	-	4	3	1	5
1984	156	-	-	-	-	1	1	3	2	4	7
1983	166	1	-	-	-	-	2	2	4	3	6
1982	161	1	-	-	-	-	3	4	2	3	4
1981	186	-	-	-	-	-	-	2	2	3	5
1980	220	-	-	-	-	-	1	3	5	1	7
1979	215	1	-	-	-	1	3	1	2	5	8
Infections of kidney (590)											
Black, both sexes											
1998	102	1	-	-	-	-	2	-	-	2	4
1997	91	1	-	-	-	-	-	1	-	1	5
1996	106	1	-	-	-	-	-	3	2	3	4
1995	111	1	-	-	-	-	1	2	2	3	2
1994	125	1	-	-	-	-	1	-	4	1	6
1993	127	-	-	-	-	-	2	1	4	1	4
1992	119	1	-	-	1	-	1	-	3	4	9
1991	161	3	2	-	-	1	2	1	4	5	5
1990	138	3	-	-	-	-	1	1	1	2	4
1989	194	3	-	-	-	1	2	6	4	7	4
1988	175	-	1	-	2	-	3	1	4	5	8
1987	196	2	-	-	-	1	1	2	2	2	7
1986	223	-	-	1	-	-	1	3	2	8	3
1985	249	1	1	-	-	-	1	2	4	2	6
1984	248	-	-	-	-	1	1	3	4	6	11
1983	254	1	-	-	-	-	2	3	7	3	6
1982	249	1	-	-	-	-	2	4	2	5	5
1981	267	1	-	-	-	-	1	3	4	3	6
1980	350	2	-	-	-	-	1	3	5	2	10
1979	350	3	-	-	-	1	1	2	3	4	11

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Infections of kidney (590)											
Black, male											
1998	33	1	-	-	-	-	1	-	-	1	1
1997	33	-	-	-	-	-	-	1	-	-	3
1996	30	-	-	-	-	-	-	1	-	1	2
1995	36	-	-	-	-	-	-	1	2	1	1
1994	42	-	-	-	-	-	-	-	-	-	2
1993	44	-	-	-	-	-	-	-	2	1	-
1992	44	1	-	-	-	-	1	-	2	-	4
1991	50	3	1	-	-	1	1	-	-	1	2
1990	57	3	-	-	-	-	-	-	-	2	2
1989	68	3	-	-	-	-	-	2	1	2	1
1988	74	-	1	-	-	-	1	-	1	2	4
1987	74	2	-	-	-	-	-	1	1	-	2
1986	76	-	-	-	-	-	-	-	-	1	2
1985	103	1	1	-	-	-	1	-	1	1	1
1984	107	-	-	-	-	-	-	-	2	2	4
1983	96	-	-	-	-	-	-	1	3	-	1
1982	98	1	-	-	-	-	-	-	-	2	1
1981	93	1	-	-	-	-	1	1	2	-	1
1980	138	2	-	-	-	-	-	-	-	1	3
1979	153	2	-	-	-	-	-	1	1	-	3
Infections of kidney (590)											
Black, female											
1998	69	-	-	-	-	-	1	-	-	1	3
1997	58	1	-	-	-	-	-	-	-	1	2
1996	76	1	-	-	-	-	-	2	2	2	2
1995	75	1	-	-	-	-	1	1	-	2	1
1994	83	1	-	-	-	-	1	-	4	1	4
1993	83	-	-	-	-	-	2	1	2	-	4
1992	75	-	-	-	1	-	-	-	1	4	5
1991	111	-	1	-	-	-	1	1	4	4	3
1990	81	-	-	-	-	-	1	1	1	-	2
1989	126	-	-	-	-	1	2	4	3	5	3
1988	101	-	-	-	2	-	2	1	3	3	4
1987	122	-	-	-	-	1	1	1	1	2	5
1986	147	-	-	1	-	-	1	3	2	7	1
1985	146	-	-	-	-	-	-	2	3	1	5
1984	141	-	-	-	-	1	1	3	2	4	7
1983	158	1	-	-	-	-	2	2	4	3	5
1982	151	-	-	-	-	-	2	4	2	3	4
1981	174	-	-	-	-	-	-	2	2	3	5
1980	212	-	-	-	-	-	1	3	5	1	7
1979	197	1	-	-	-	1	1	1	2	4	8

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Hyperplasia of prostate (600)											
All races, both sexes											
1998	410	-	-	-	-	-	-	-	-	-	-
1997	420	-	-	-	-	-	-	-	-	-	-
1996	457	-	-	-	-	-	-	-	-	-	-
1995	406	-	-	-	-	-	-	-	-	-	-
1994	413	-	-	-	-	-	-	-	-	2	1
1993	410	-	-	-	-	-	-	1	-	-	-
1992	397	-	-	-	-	-	-	-	-	-	-
1991	428	-	-	-	-	-	-	-	-	-	-
1990	455	-	-	-	-	-	-	-	-	-	-
1989	449	-	-	-	-	-	-	-	-	1	2
1988	454	-	-	-	-	-	-	-	-	-	-
1987	461	-	-	-	-	-	-	-	-	-	-
1986	508	-	-	-	-	-	-	-	-	-	-
1985	479	-	-	-	-	-	-	-	-	-	-
1984	536	-	-	-	-	-	-	-	-	-	-
1983	572	-	-	-	-	-	-	-	-	-	-
1982	655	-	-	-	-	-	-	-	-	-	-
1981	693	-	-	-	-	-	-	-	-	-	-
1980	754	-	-	-	-	-	-	-	-	-	-
1979	810	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)											
All races, male											
1998	410	-	-	-	-	-	-	-	-	-	-
1997	420	-	-	-	-	-	-	-	-	-	-
1996	457	-	-	-	-	-	-	-	-	-	-
1995	406	-	-	-	-	-	-	-	-	-	-
1994	413	-	-	-	-	-	-	-	-	2	1
1993	410	-	-	-	-	-	-	1	-	-	-
1992	397	-	-	-	-	-	-	-	-	-	-
1991	428	-	-	-	-	-	-	-	-	-	-
1990	455	-	-	-	-	-	-	-	-	-	-
1989	449	-	-	-	-	-	-	-	-	1	2
1988	454	-	-	-	-	-	-	-	-	-	-
1987	461	-	-	-	-	-	-	-	-	-	-
1986	508	-	-	-	-	-	-	-	-	-	-
1985	479	-	-	-	-	-	-	-	-	-	-
1984	536	-	-	-	-	-	-	-	-	-	-
1983	572	-	-	-	-	-	-	-	-	-	-
1982	655	-	-	-	-	-	-	-	-	-	-
1981	693	-	-	-	-	-	-	-	-	-	-
1980	754	-	-	-	-	-	-	-	-	-	-
1979	810	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Hyperplasia of prostate (600)											
White, both sexes											
1998	356	-	-	-	-	-	-	-	-	-	-
1997	370	-	-	-	-	-	-	-	-	-	-
1996	408	-	-	-	-	-	-	-	-	-	-
1995	364	-	-	-	-	-	-	-	-	-	-
1994	372	-	-	-	-	-	-	-	-	-	1
1993	350	-	-	-	-	-	-	1	-	-	-
1992	358	-	-	-	-	-	-	-	-	-	-
1991	372	-	-	-	-	-	-	-	-	-	-
1990	402	-	-	-	-	-	-	-	-	-	-
1989	375	-	-	-	-	-	-	-	-	-	-
1988	391	-	-	-	-	-	-	-	-	-	-
1987	406	-	-	-	-	-	-	-	-	-	-
1986	439	-	-	-	-	-	-	-	-	-	-
1985	422	-	-	-	-	-	-	-	-	-	-
1984	474	-	-	-	-	-	-	-	-	-	-
1983	501	-	-	-	-	-	-	-	-	-	-
1982	565	-	-	-	-	-	-	-	-	-	-
1981	600	-	-	-	-	-	-	-	-	-	-
1980	654	-	-	-	-	-	-	-	-	-	-
1979	703	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)											
White, male											
1998	356	-	-	-	-	-	-	-	-	-	-
1997	370	-	-	-	-	-	-	-	-	-	-
1996	408	-	-	-	-	-	-	-	-	-	-
1995	364	-	-	-	-	-	-	-	-	-	-
1994	372	-	-	-	-	-	-	-	-	-	1
1993	350	-	-	-	-	-	-	1	-	-	-
1992	358	-	-	-	-	-	-	-	-	-	-
1991	372	-	-	-	-	-	-	-	-	-	-
1990	402	-	-	-	-	-	-	-	-	-	-
1989	375	-	-	-	-	-	-	-	-	-	-
1988	391	-	-	-	-	-	-	-	-	-	-
1987	406	-	-	-	-	-	-	-	-	-	-
1986	439	-	-	-	-	-	-	-	-	-	-
1985	422	-	-	-	-	-	-	-	-	-	-
1984	474	-	-	-	-	-	-	-	-	-	-
1983	501	-	-	-	-	-	-	-	-	-	-
1982	565	-	-	-	-	-	-	-	-	-	-
1981	600	-	-	-	-	-	-	-	-	-	-
1980	654	-	-	-	-	-	-	-	-	-	-
1979	703	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	
Hyperplasia of prostate (600)												
All other, both sexes												
1998	54	-	-	-	-	-	-	-	-	-	-	
1997	50	-	-	-	-	-	-	-	-	-	-	
1996	49	-	-	-	-	-	-	-	-	-	-	
1995	42	-	-	-	-	-	-	-	-	-	-	
1994	41	-	-	-	-	-	-	-	-	2	-	
1993	60	-	-	-	-	-	-	-	-	-	-	
1992	39	-	-	-	-	-	-	-	-	-	-	
1991	56	-	-	-	-	-	-	-	-	-	-	
1990	53	-	-	-	-	-	-	-	-	-	-	
1989	74	-	-	-	-	-	-	-	-	1	2	
1988	63	-	-	-	-	-	-	-	-	-	-	
1987	55	-	-	-	-	-	-	-	-	-	-	
1986	69	-	-	-	-	-	-	-	-	-	-	
1985	57	-	-	-	-	-	-	-	-	-	-	
1984	62	-	-	-	-	-	-	-	-	-	-	
1983	71	-	-	-	-	-	-	-	-	-	-	
1982	90	-	-	-	-	-	-	-	-	-	-	
1981	93	-	-	-	-	-	-	-	-	-	-	
1980	100	-	-	-	-	-	-	-	-	-	-	
1979	107	-	-	-	-	-	-	-	-	-	-	
Hyperplasia of prostate (600)												
All other, male												
1998	54	-	-	-	-	-	-	-	-	-	-	
1997	50	-	-	-	-	-	-	-	-	-	-	
1996	49	-	-	-	-	-	-	-	-	-	-	
1995	42	-	-	-	-	-	-	-	-	-	-	
1994	41	-	-	-	-	-	-	-	-	2	-	
1993	60	-	-	-	-	-	-	-	-	-	-	
1992	39	-	-	-	-	-	-	-	-	-	-	
1991	56	-	-	-	-	-	-	-	-	-	-	
1990	53	-	-	-	-	-	-	-	-	-	-	
1989	74	-	-	-	-	-	-	-	-	1	2	
1988	63	-	-	-	-	-	-	-	-	-	-	
1987	55	-	-	-	-	-	-	-	-	-	-	
1986	69	-	-	-	-	-	-	-	-	-	-	
1985	57	-	-	-	-	-	-	-	-	-	-	
1984	62	-	-	-	-	-	-	-	-	-	-	
1983	71	-	-	-	-	-	-	-	-	-	-	
1982	90	-	-	-	-	-	-	-	-	-	-	
1981	93	-	-	-	-	-	-	-	-	-	-	
1980	100	-	-	-	-	-	-	-	-	-	-	
1979	107	-	-	-	-	-	-	-	-	-	-	

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	
Hyperplasia of prostate (600)												
Black, both sexes												
1998	45	-	-	-	-	-	-	-	-	-	-	
1997	46	-	-	-	-	-	-	-	-	-	-	
1996	43	-	-	-	-	-	-	-	-	-	-	
1995	36	-	-	-	-	-	-	-	-	-	-	
1994	36	-	-	-	-	-	-	-	-	2	-	
1993	53	-	-	-	-	-	-	-	-	-	-	
1992	36	-	-	-	-	-	-	-	-	-	-	
1991	50	-	-	-	-	-	-	-	-	-	-	
1990	48	-	-	-	-	-	-	-	-	-	-	
1989	70	-	-	-	-	-	-	-	-	1	2	
1988	58	-	-	-	-	-	-	-	-	-	-	
1987	50	-	-	-	-	-	-	-	-	-	-	
1986	65	-	-	-	-	-	-	-	-	-	-	
1985	55	-	-	-	-	-	-	-	-	-	-	
1984	61	-	-	-	-	-	-	-	-	-	-	
1983	69	-	-	-	-	-	-	-	-	-	-	
1982	87	-	-	-	-	-	-	-	-	-	-	
1981	88	-	-	-	-	-	-	-	-	-	-	
1980	91	-	-	-	-	-	-	-	-	-	-	
1979	103	-	-	-	-	-	-	-	-	-	-	
Hyperplasia of prostate (600)												
Black, male												
1998	45	-	-	-	-	-	-	-	-	-	-	
1997	46	-	-	-	-	-	-	-	-	-	-	
1996	43	-	-	-	-	-	-	-	-	-	-	
1995	36	-	-	-	-	-	-	-	-	-	-	
1994	36	-	-	-	-	-	-	-	-	2	-	
1993	53	-	-	-	-	-	-	-	-	-	-	
1992	36	-	-	-	-	-	-	-	-	-	-	
1991	50	-	-	-	-	-	-	-	-	-	-	
1990	48	-	-	-	-	-	-	-	-	-	-	
1989	70	-	-	-	-	-	-	-	-	1	2	
1988	58	-	-	-	-	-	-	-	-	-	-	
1987	50	-	-	-	-	-	-	-	-	-	-	
1986	65	-	-	-	-	-	-	-	-	-	-	
1985	55	-	-	-	-	-	-	-	-	-	-	
1984	61	-	-	-	-	-	-	-	-	-	-	
1983	69	-	-	-	-	-	-	-	-	-	-	
1982	87	-	-	-	-	-	-	-	-	-	-	
1981	88	-	-	-	-	-	-	-	-	-	-	
1980	91	-	-	-	-	-	-	-	-	-	-	
1979	103	-	-	-	-	-	-	-	-	-	-	

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Inflammatory diseases of female pelvic organs (614-616)											
All races, both sexes											
1998	101	-	-	-	-	-	1	1	5	7	10
1997	109	-	-	-	-	2	4	3	6	6	2
1996	113	1	-	-	-	2	3	1	4	4	5
1995	139	-	-	-	-	-	3	3	13	6	10
1994	117	2	-	1	-	5	-	2	5	7	6
1993	124	1	-	-	-	3	1	4	3	7	9
1992	113	-	-	-	-	1	4	1	4	10	11
1991	128	-	-	-	-	1	2	3	5	7	6
1990	120	-	-	-	-	-	2	2	8	6	6
1989	118	-	-	-	-	-	2	2	5	8	7
1988	144	-	-	-	-	1	-	1	6	6	9
1987	130	-	-	-	-	2	3	2	4	5	5
1986	149	-	1	-	-	3	1	7	1	7	10
1985	152	-	-	-	1	1	2	6	6	10	4
1984	135	1	-	-	1	2	4	5	5	4	5
1983	149	-	-	-	-	2	6	3	6	9	10
1982	156	-	-	-	1	2	4	6	8	9	5
1981	153	-	-	-	-	1	4	7	9	11	10
1980	162	1	-	-	-	1	3	4	8	11	6
1979	164	-	-	-	1	2	1	5	5	14	12
Inflammatory diseases of female pelvic organs (614-616)											
All races, female											
1998	101	-	-	-	-	-	1	1	5	7	10
1997	109	-	-	-	-	2	4	3	6	6	2
1996	113	1	-	-	-	2	3	1	4	4	5
1995	139	-	-	-	-	-	3	3	13	6	10
1994	117	2	-	1	-	5	-	2	5	7	6
1993	124	1	-	-	-	3	1	4	3	7	9
1992	113	-	-	-	-	1	4	1	4	10	11
1991	128	-	-	-	-	1	2	3	5	7	6
1990	120	-	-	-	-	-	2	2	8	6	6
1989	118	-	-	-	-	-	2	2	5	8	7
1988	144	-	-	-	-	1	-	1	6	6	9
1987	130	-	-	-	-	2	3	2	4	5	5
1986	149	-	1	-	-	3	1	7	1	7	10
1985	152	-	-	-	1	1	2	6	6	10	4
1984	135	1	-	-	1	2	4	5	5	4	5
1983	149	-	-	-	-	2	6	3	6	9	10
1982	156	-	-	-	1	2	4	6	8	9	5
1981	153	-	-	-	-	1	4	7	9	11	10
1980	162	1	-	-	-	1	3	4	8	11	6
1979	164	-	-	-	1	2	1	5	5	14	12

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Inflammatory diseases of female pelvic organs (614-616)											
White, both sexes											
1998	77	-	-	-	-	-	-	1	3	5	5
1997	79	-	-	-	-	-	2	-	2	3	1
1996	81	1	-	-	-	-	2	1	1	3	3
1995	101	-	-	-	-	-	1	1	7	5	3
1994	86	1	-	1	-	4	-	1	3	3	2
1993	82	1	-	-	-	2	-	-	1	1	6
1992	81	-	-	-	-	-	1	-	1	5	6
1991	96	-	-	-	-	-	2	1	2	3	4
1990	92	-	-	-	-	-	-	2	4	4	3
1989	88	-	-	-	-	-	1	-	3	4	4
1988	99	-	-	-	-	-	-	-	2	2	6
1987	94	-	-	-	-	2	2	2	2	2	3
1986	103	-	-	-	-	2	1	2	-	2	4
1985	121	-	-	-	1	1	2	5	4	6	2
1984	97	1	-	-	1	-	1	4	2	3	3
1983	112	-	-	-	-	2	2	1	2	4	7
1982	114	-	-	-	1	2	3	3	1	7	4
1981	102	-	-	-	-	-	2	2	3	6	3
1980	119	1	-	-	-	1	2	1	2	8	1
1979	117	-	-	-	1	1	-	1	1	4	10
Inflammatory diseases of female pelvic organs (614-616)											
White, female											
1998	77	-	-	-	-	-	-	1	3	5	5
1997	79	-	-	-	-	-	2	-	2	3	1
1996	81	1	-	-	-	-	2	1	1	3	3
1995	101	-	-	-	-	-	1	1	7	5	3
1994	86	1	-	1	-	4	-	1	3	3	2
1993	82	1	-	-	-	2	-	-	1	1	6
1992	81	-	-	-	-	-	1	-	1	5	6
1991	96	-	-	-	-	-	2	1	2	3	4
1990	92	-	-	-	-	-	-	2	4	4	3
1989	88	-	-	-	-	-	1	-	3	4	4
1988	99	-	-	-	-	-	-	-	2	2	6
1987	94	-	-	-	-	2	2	2	2	2	3
1986	103	-	-	-	-	2	1	2	-	2	4
1985	121	-	-	-	1	1	2	5	4	6	2
1984	97	1	-	-	1	-	1	4	2	3	3
1983	112	-	-	-	-	2	2	1	2	4	7
1982	114	-	-	-	1	2	3	3	1	7	4
1981	102	-	-	-	-	-	2	2	3	6	3
1980	119	1	-	-	-	1	2	1	2	8	1
1979	117	-	-	-	1	1	-	1	1	4	10

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Inflammatory diseases of female pelvic organs (614-616)											
All other, both sexes											
1998	24	-	-	-	-	-	1	-	2	2	5
1997	30	-	-	-	-	2	2	3	4	3	1
1996	32	-	-	-	-	2	1	-	3	1	2
1995	38	-	-	-	-	-	2	2	6	1	7
1994	31	1	-	-	-	1	-	1	2	4	4
1993	42	-	-	-	-	1	1	4	2	6	3
1992	32	-	-	-	-	1	3	1	3	5	5
1991	32	-	-	-	-	1	-	2	3	4	2
1990	28	-	-	-	-	-	2	-	4	2	3
1989	30	-	-	-	-	-	1	2	2	4	3
1988	45	-	-	-	-	1	-	1	4	4	3
1987	36	-	-	-	-	-	1	-	2	3	2
1986	46	-	1	-	-	1	-	5	1	5	6
1985	31	-	-	-	-	-	-	1	2	4	2
1984	38	-	-	-	-	2	3	1	3	1	2
1983	37	-	-	-	-	-	4	2	4	5	3
1982	42	-	-	-	-	-	1	3	7	2	1
1981	51	-	-	-	-	1	2	5	6	5	7
1980	43	-	-	-	-	-	1	3	6	3	5
1979	47	-	-	-	-	1	1	4	4	10	2
Inflammatory diseases of female pelvic organs (614-616)											
All other, female											
1998	24	-	-	-	-	-	1	-	2	2	5
1997	30	-	-	-	-	2	2	3	4	3	1
1996	32	-	-	-	-	2	1	-	3	1	2
1995	38	-	-	-	-	-	2	2	6	1	7
1994	31	1	-	-	-	1	-	1	2	4	4
1993	42	-	-	-	-	1	1	4	2	6	3
1992	32	-	-	-	-	1	3	1	3	5	5
1991	32	-	-	-	-	1	-	2	3	4	2
1990	28	-	-	-	-	-	2	-	4	2	3
1989	30	-	-	-	-	-	1	2	2	4	3
1988	45	-	-	-	-	1	-	1	4	4	3
1987	36	-	-	-	-	-	1	-	2	3	2
1986	46	-	1	-	-	1	-	5	1	5	6
1985	31	-	-	-	-	-	-	1	2	4	2
1984	38	-	-	-	-	2	3	1	3	1	2
1983	37	-	-	-	-	-	4	2	4	5	3
1982	42	-	-	-	-	-	1	3	7	2	1
1981	51	-	-	-	-	1	2	5	6	5	7
1980	43	-	-	-	-	-	1	3	6	3	5
1979	47	-	-	-	-	1	1	4	4	10	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Inflammatory diseases of female pelvic organs (614-616)

Black, both sexes

1998	19	-	-	-	-	-	1	-	1	2	5
1997	27	-	-	-	-	1	1	3	3	3	1
1996	30	-	-	-	-	2	1	-	2	1	2
1995	32	-	-	-	-	-	2	2	5	1	5
1994	31	1	-	-	-	1	-	1	2	4	4
1993	39	-	-	-	-	1	1	4	1	6	3
1992	28	-	-	-	-	1	2	1	2	5	5
1991	29	-	-	-	-	1	-	1	2	4	2
1990	28	-	-	-	-	-	2	-	4	2	3
1989	29	-	-	-	-	-	1	2	2	4	3
1988	41	-	-	-	-	1	-	1	4	4	3
1987	36	-	-	-	-	-	1	-	2	3	2
1986	44	-	-	-	-	1	-	4	1	5	6
1985	31	-	-	-	-	-	-	1	2	4	2
1984	34	-	-	-	-	1	2	1	2	1	2
1983	36	-	-	-	-	-	4	2	4	4	3
1982	41	-	-	-	-	-	1	3	6	2	1
1981	51	-	-	-	-	1	2	5	6	5	7
1980	43	-	-	-	-	-	1	3	6	3	5
1979	45	-	-	-	-	1	1	4	4	9	2

Inflammatory diseases of female pelvic organs (614-616)

Black, female

1998	19	-	-	-	-	-	1	-	1	2	5
1997	27	-	-	-	-	1	1	3	3	3	1
1996	30	-	-	-	-	2	1	-	2	1	2
1995	32	-	-	-	-	-	2	2	5	1	5
1994	31	1	-	-	-	1	-	1	2	4	4
1993	39	-	-	-	-	1	1	4	1	6	3
1992	28	-	-	-	-	1	2	1	2	5	5
1991	29	-	-	-	-	1	-	1	2	4	2
1990	28	-	-	-	-	-	2	-	4	2	3
1989	29	-	-	-	-	-	1	2	2	4	3
1988	41	-	-	-	-	1	-	1	4	4	3
1987	36	-	-	-	-	-	1	-	2	3	2
1986	44	-	-	-	-	1	-	4	1	5	6
1985	31	-	-	-	-	-	-	1	2	4	2
1984	34	-	-	-	-	1	2	1	2	1	2
1983	36	-	-	-	-	-	4	2	4	4	3
1982	41	-	-	-	-	-	1	3	6	2	1
1981	51	-	-	-	-	1	2	5	6	5	7
1980	43	-	-	-	-	-	1	3	6	3	5
1979	45	-	-	-	-	1	1	4	4	9	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Pregnancy, childbirth and the puerperium (630-676)											
All races, both sexes											
1998	281	---	---	---	-	19	48	73	67	53	20
1997	327	---	---	---	3	25	62	84	74	52	22
1996	294	---	---	---	-	18	47	71	68	67	21
1995	277	---	---	---	1	19	55	64	66	50	21
1994	328	---	---	---	-	36	76	77	59	57	22
1993	302	---	---	---	1	22	61	67	69	64	18
1992	318	---	---	---	1	36	74	57	82	52	15
1991	323	---	---	---	3	33	64	72	78	51	17
1990	343	---	---	---	-	40	67	76	84	52	21
1989	320	---	---	---	-	30	69	85	84	39	11
1988	330	---	---	---	-	34	77	76	75	52	14
1987	251	---	---	---	1	23	52	64	68	32	10
1986	272	---	---	---	-	28	63	69	56	44	11
1985	295	---	---	---	2	31	62	77	62	42	16
1984	285	---	---	---	1	29	49	81	76	39	8
1983	290	---	---	---	-	27	87	76	57	36	7
1982	292	---	---	---	2	32	54	88	69	31	14
1981	309	---	---	---	1	40	79	74	66	33	15
1980	334	---	---	---	-	43	71	85	75	44	14
1979	336	---	---	---	2	33	89	81	66	45	15
Pregnancy, childbirth and the puerperium (630-676)											
All races, female											
1998	281	---	---	---	-	19	48	73	67	53	20
1997	327	---	---	---	3	25	62	84	74	52	22
1996	294	---	---	---	-	18	47	71	68	67	21
1995	277	---	---	---	1	19	55	64	66	50	21
1994	328	---	---	---	-	36	76	77	59	57	22
1993	302	---	---	---	1	22	61	67	69	64	18
1992	318	---	---	---	1	36	74	57	82	52	15
1991	323	---	---	---	3	33	64	72	78	51	17
1990	343	---	---	---	-	40	67	76	84	52	21
1989	320	---	---	---	-	30	69	85	84	39	11
1988	330	---	---	---	-	34	77	76	75	52	14
1987	251	---	---	---	1	23	52	64	68	32	10
1986	272	---	---	---	-	28	63	69	56	44	11
1985	295	---	---	---	2	31	62	77	62	42	16
1984	285	---	---	---	1	29	49	81	76	39	8
1983	290	---	---	---	-	27	87	76	57	36	7
1982	292	---	---	---	2	32	54	88	69	31	14
1981	309	---	---	---	1	40	79	74	66	33	15
1980	334	---	---	---	-	43	71	85	75	44	14
1979	336	---	---	---	2	33	89	81	66	45	15

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Pregnancy, childbirth and the puerperium (630-676)											
White, both sexes											
1998	158	---	---	---	-	10	23	43	36	33	13
1997	179	---	---	---	-	16	30	47	40	32	10
1996	159	---	---	---	-	10	19	35	37	40	16
1995	129	---	---	---	-	4	26	35	30	25	9
1994	193	---	---	---	-	22	36	54	38	31	12
1993	152	---	---	---	1	9	28	33	41	31	9
1992	161	---	---	---	-	15	38	30	47	24	7
1991	187	---	---	---	2	13	32	42	53	32	10
1990	177	---	---	---	-	19	33	50	37	28	9
1989	180	---	---	---	-	18	40	50	45	23	4
1988	180	---	---	---	-	12	44	46	47	23	8
1987	153	---	---	---	1	16	32	39	38	20	6
1986	146	---	---	---	-	13	32	36	31	26	8
1985	156	---	---	---	1	13	30	47	30	28	6
1984	159	---	---	---	-	14	18	55	43	24	4
1983	170	---	---	---	-	15	45	50	31	23	6
1982	171	---	---	---	-	15	30	53	46	19	7
1981	184	---	---	---	-	16	51	48	42	19	8
1980	193	---	---	---	-	23	42	51	43	24	9
1979	180	---	---	---	1	12	43	52	38	26	6
Pregnancy, childbirth and the puerperium (630-676)											
White, female											
1998	158	---	---	---	-	10	23	43	36	33	13
1997	179	---	---	---	-	16	30	47	40	32	10
1996	159	---	---	---	-	10	19	35	37	40	16
1995	129	---	---	---	-	4	26	35	30	25	9
1994	193	---	---	---	-	22	36	54	38	31	12
1993	152	---	---	---	1	9	28	33	41	31	9
1992	161	---	---	---	-	15	38	30	47	24	7
1991	187	---	---	---	2	13	32	42	53	32	10
1990	177	---	---	---	-	19	33	50	37	28	9
1989	180	---	---	---	-	18	40	50	45	23	4
1988	180	---	---	---	-	12	44	46	47	23	8
1987	153	---	---	---	1	16	32	39	38	20	6
1986	146	---	---	---	-	13	32	36	31	26	8
1985	156	---	---	---	1	13	30	47	30	28	6
1984	159	---	---	---	-	14	18	55	43	24	4
1983	170	---	---	---	-	15	45	50	31	23	6
1982	171	---	---	---	-	15	30	53	46	19	7
1981	184	---	---	---	-	16	51	48	42	19	8
1980	193	---	---	---	-	23	42	51	43	24	9
1979	180	---	---	---	1	12	43	52	38	26	6

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Pregnancy, childbirth and the puerperium (630-676)											
All other, both sexes											
1998	123	---	---	---	-	9	25	30	31	20	7
1997	148	---	---	---	3	9	32	37	34	20	12
1996	135	---	---	---	-	8	28	36	31	27	5
1995	148	---	---	---	1	15	29	29	36	25	12
1994	135	---	---	---	-	14	40	23	21	26	10
1993	150	---	---	---	-	13	33	34	28	33	9
1992	157	---	---	---	1	21	36	27	35	28	8
1991	136	---	---	---	1	20	32	30	25	19	7
1990	166	---	---	---	-	21	34	26	47	24	12
1989	140	---	---	---	-	12	29	35	39	16	7
1988	150	---	---	---	-	22	33	30	28	29	6
1987	98	---	---	---	-	7	20	25	30	12	4
1986	126	---	---	---	-	15	31	33	25	18	3
1985	139	---	---	---	1	18	32	30	32	14	10
1984	126	---	---	---	1	15	31	26	33	15	4
1983	120	---	---	---	-	12	42	26	26	13	1
1982	121	---	---	---	2	17	24	35	23	12	7
1981	125	---	---	---	1	24	28	26	24	14	7
1980	141	---	---	---	-	20	29	34	32	20	5
1979	156	---	---	---	1	21	46	29	28	19	9
Pregnancy, childbirth and the puerperium (630-676)											
All other, female											
1998	123	---	---	---	-	9	25	30	31	20	7
1997	148	---	---	---	3	9	32	37	34	20	12
1996	135	---	---	---	-	8	28	36	31	27	5
1995	148	---	---	---	1	15	29	29	36	25	12
1994	135	---	---	---	-	14	40	23	21	26	10
1993	150	---	---	---	-	13	33	34	28	33	9
1992	157	---	---	---	1	21	36	27	35	28	8
1991	136	---	---	---	1	20	32	30	25	19	7
1990	166	---	---	---	-	21	34	26	47	24	12
1989	140	---	---	---	-	12	29	35	39	16	7
1988	150	---	---	---	-	22	33	30	28	29	6
1987	98	---	---	---	-	7	20	25	30	12	4
1986	126	---	---	---	-	15	31	33	25	18	3
1985	139	---	---	---	1	18	32	30	32	14	10
1984	126	---	---	---	1	15	31	26	33	15	4
1983	120	---	---	---	-	12	42	26	26	13	1
1982	121	---	---	---	2	17	24	35	23	12	7
1981	125	---	---	---	1	24	28	26	24	14	7
1980	141	---	---	---	-	20	29	34	32	20	5
1979	156	---	---	---	1	21	46	29	28	19	9

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Pregnancy, childbirth and the puerperium (630-676)											
Black, both sexes											
1998	104	---	---	---	-	9	24	24	26	15	5
1997	125	---	---	---	3	8	28	33	31	13	8
1996	121	---	---	---	-	7	27	34	27	22	4
1995	133	---	---	---	1	15	28	28	30	22	8
1994	118	---	---	---	-	14	36	19	17	24	7
1993	135	---	---	---	-	13	30	32	26	26	8
1992	140	---	---	---	1	20	33	25	31	22	7
1991	125	---	---	---	1	18	29	27	23	19	6
1990	153	---	---	---	-	19	32	25	44	20	11
1989	124	---	---	---	-	11	29	30	32	14	6
1988	131	---	---	---	-	18	32	24	25	26	4
1987	91	---	---	---	-	6	20	23	27	11	4
1986	117	---	---	---	-	15	29	30	24	16	2
1985	124	---	---	---	1	16	29	28	28	12	9
1984	117	---	---	---	1	15	31	23	28	14	4
1983	107	---	---	---	-	10	41	23	22	10	1
1982	108	---	---	---	2	16	24	32	16	11	6
1981	120	---	---	---	1	24	27	25	23	13	6
1980	127	---	---	---	-	20	28	29	27	18	4
1979	145	---	---	---	1	21	46	26	26	17	5
Pregnancy, childbirth and the puerperium (630-676)											
Black, female											
1998	104	---	---	---	-	9	24	24	26	15	5
1997	125	---	---	---	3	8	28	33	31	13	8
1996	121	---	---	---	-	7	27	34	27	22	4
1995	133	---	---	---	1	15	28	28	30	22	8
1994	118	---	---	---	-	14	36	19	17	24	7
1993	135	---	---	---	-	13	30	32	26	26	8
1992	140	---	---	---	1	20	33	25	31	22	7
1991	125	---	---	---	1	18	29	27	23	19	6
1990	153	---	---	---	-	19	32	25	44	20	11
1989	124	---	---	---	-	11	29	30	32	14	6
1988	131	---	---	---	-	18	32	24	25	26	4
1987	91	---	---	---	-	6	20	23	27	11	4
1986	117	---	---	---	-	15	29	30	24	16	2
1985	124	---	---	---	1	16	29	28	28	12	9
1984	117	---	---	---	1	15	31	23	28	14	4
1983	107	---	---	---	-	10	41	23	22	10	1
1982	108	---	---	---	2	16	24	32	16	11	6
1981	120	---	---	---	1	24	27	25	23	13	6
1980	127	---	---	---	-	20	28	29	27	18	4
1979	145	---	---	---	1	21	46	26	26	17	5

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Pregnancy with abortive outcome (630-639)											
All races, both sexes											
1998	32	---	---	---	-	4	5	8	7	6	2
1997	41	---	---	---	1	5	7	8	11	7	2
1996	39	---	---	---	-	4	10	9	6	8	2
1995	28	---	---	---	-	3	11	5	4	5	-
1994	41	---	---	---	-	4	9	11	9	6	2
1993	47	---	---	---	-	5	14	9	13	5	1
1992	52	---	---	---	1	5	10	13	11	11	1
1991	54	---	---	---	1	7	13	13	5	10	4
1990	57	---	---	---	-	8	11	8	18	9	2
1989	50	---	---	---	-	6	13	15	10	4	2
1988	61	---	---	---	-	8	15	12	13	9	4
1987	44	---	---	---	-	3	9	13	16	2	1
1986	51	---	---	---	-	7	13	11	7	11	2
1985	49	---	---	---	1	8	12	12	10	5	1
1984	57	---	---	---	1	7	14	13	9	8	4
1983	50	---	---	---	-	6	12	15	11	5	1
1982	55	---	---	---	-	5	14	14	13	6	2
1981	47	---	---	---	-	6	11	11	12	5	2
1980	62	---	---	---	-	3	17	19	14	9	-
1979	61	---	---	---	-	5	21	16	12	7	-
Pregnancy with abortive outcome (630-639)											
All races, female											
1998	32	---	---	---	-	4	5	8	7	6	2
1997	41	---	---	---	1	5	7	8	11	7	2
1996	39	---	---	---	-	4	10	9	6	8	2
1995	28	---	---	---	-	3	11	5	4	5	-
1994	41	---	---	---	-	4	9	11	9	6	2
1993	47	---	---	---	-	5	14	9	13	5	1
1992	52	---	---	---	1	5	10	13	11	11	1
1991	54	---	---	---	1	7	13	13	5	10	4
1990	57	---	---	---	-	8	11	8	18	9	2
1989	50	---	---	---	-	6	13	15	10	4	2
1988	61	---	---	---	-	8	15	12	13	9	4
1987	44	---	---	---	-	3	9	13	16	2	1
1986	51	---	---	---	-	7	13	11	7	11	2
1985	49	---	---	---	1	8	12	12	10	5	1
1984	57	---	---	---	1	7	14	13	9	8	4
1983	50	---	---	---	-	6	12	15	11	5	1
1982	55	---	---	---	-	5	14	14	13	6	2
1981	47	---	---	---	-	6	11	11	12	5	2
1980	62	---	---	---	-	3	17	19	14	9	-
1979	61	---	---	---	-	5	21	16	12	7	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Pregnancy with abortive outcome (630-639)											
White, both sexes											
1998	15	---	---	---	-	2	2	3	5	3	-
1997	18	---	---	---	-	4	1	4	7	2	-
1996	24	---	---	---	-	4	6	3	3	6	2
1995	7	---	---	---	-	-	-	1	1	5	-
1994	24	---	---	---	-	4	2	6	6	4	2
1993	21	---	---	---	-	3	7	3	7	1	-
1992	25	---	---	---	-	1	6	5	6	6	1
1991	25	---	---	---	1	2	6	5	3	5	2
1990	23	---	---	---	-	4	4	4	6	5	-
1989	21	---	---	---	-	3	5	7	6	-	-
1988	23	---	---	---	-	1	8	5	6	2	1
1987	25	---	---	---	-	3	5	7	8	1	1
1986	24	---	---	---	-	2	9	6	1	5	1
1985	19	---	---	---	1	2	2	6	6	2	-
1984	25	---	---	---	-	2	5	7	5	3	2
1983	23	---	---	---	-	4	5	9	4	-	1
1982	27	---	---	---	-	2	7	7	6	3	1
1981	24	---	---	---	-	1	7	7	5	3	1
1980	27	---	---	---	-	1	9	10	4	3	-
1979	27	---	---	---	-	-	11	9	5	2	-
Pregnancy with abortive outcome (630-639)											
White, female											
1998	15	---	---	---	-	2	2	3	5	3	-
1997	18	---	---	---	-	4	1	4	7	2	-
1996	24	---	---	---	-	4	6	3	3	6	2
1995	7	---	---	---	-	-	-	1	1	5	-
1994	24	---	---	---	-	4	2	6	6	4	2
1993	21	---	---	---	-	3	7	3	7	1	-
1992	25	---	---	---	-	1	6	5	6	6	1
1991	25	---	---	---	1	2	6	5	3	5	2
1990	23	---	---	---	-	4	4	4	6	5	-
1989	21	---	---	---	-	3	5	7	6	-	-
1988	23	---	---	---	-	1	8	5	6	2	1
1987	25	---	---	---	-	3	5	7	8	1	1
1986	24	---	---	---	-	2	9	6	1	5	1
1985	19	---	---	---	1	2	2	6	6	2	-
1984	25	---	---	---	-	2	5	7	5	3	2
1983	23	---	---	---	-	4	5	9	4	-	1
1982	27	---	---	---	-	2	7	7	6	3	1
1981	24	---	---	---	-	1	7	7	5	3	1
1980	27	---	---	---	-	1	9	10	4	3	-
1979	27	---	---	---	-	-	11	9	5	2	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Pregnancy with abortive outcome (630-639)											
All other, both sexes											
1998	17	---	---	---	-	2	3	5	2	3	2
1997	23	---	---	---	1	1	6	4	4	5	2
1996	15	---	---	---	-	-	4	6	3	2	-
1995	21	---	---	---	-	3	11	4	3	-	-
1994	17	---	---	---	-	-	7	5	3	2	-
1993	26	---	---	---	-	2	7	6	6	4	1
1992	27	---	---	---	1	4	4	8	5	5	-
1991	29	---	---	---	-	5	7	8	2	5	2
1990	34	---	---	---	-	4	7	4	12	4	2
1989	29	---	---	---	-	3	8	8	4	4	2
1988	38	---	---	---	-	7	7	7	7	7	3
1987	19	---	---	---	-	-	4	6	8	1	-
1986	27	---	---	---	-	5	4	5	6	6	1
1985	30	---	---	---	-	6	10	6	4	3	1
1984	32	---	---	---	1	5	9	6	4	5	2
1983	27	---	---	---	-	2	7	6	7	5	-
1982	28	---	---	---	-	3	7	7	7	3	1
1981	23	---	---	---	-	5	4	4	7	2	1
1980	35	---	---	---	-	2	8	9	10	6	-
1979	34	---	---	---	-	5	10	7	7	5	-
Pregnancy with abortive outcome (630-639)											
All other, female											
1998	17	---	---	---	-	2	3	5	2	3	2
1997	23	---	---	---	1	1	6	4	4	5	2
1996	15	---	---	---	-	-	4	6	3	2	-
1995	21	---	---	---	-	3	11	4	3	-	-
1994	17	---	---	---	-	-	7	5	3	2	-
1993	26	---	---	---	-	2	7	6	6	4	1
1992	27	---	---	---	1	4	4	8	5	5	-
1991	29	---	---	---	-	5	7	8	2	5	2
1990	34	---	---	---	-	4	7	4	12	4	2
1989	29	---	---	---	-	3	8	8	4	4	2
1988	38	---	---	---	-	7	7	7	7	7	3
1987	19	---	---	---	-	-	4	6	8	1	-
1986	27	---	---	---	-	5	4	5	6	6	1
1985	30	---	---	---	-	6	10	6	4	3	1
1984	32	---	---	---	1	5	9	6	4	5	2
1983	27	---	---	---	-	2	7	6	7	5	-
1982	28	---	---	---	-	3	7	7	7	3	1
1981	23	---	---	---	-	5	4	4	7	2	1
1980	35	---	---	---	-	2	8	9	10	6	-
1979	34	---	---	---	-	5	10	7	7	5	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Pregnancy with abortive outcome (630-639)											
Black, both sexes											
1998	14	---	---	---	-	2	3	2	2	3	2
1997	21	---	---	---	1	1	6	4	4	3	2
1996	14	---	---	---	-	-	4	5	3	2	-
1995	21	---	---	---	-	3	11	4	3	-	-
1994	17	---	---	---	-	-	7	5	3	2	-
1993	25	---	---	---	-	2	7	6	6	4	-
1992	26	---	---	---	1	4	4	8	5	4	-
1991	27	---	---	---	-	4	7	7	2	5	2
1990	33	---	---	---	-	4	7	3	12	4	2
1989	26	---	---	---	-	3	8	6	3	4	2
1988	35	---	---	---	-	5	7	7	6	7	3
1987	18	---	---	---	-	-	4	5	8	1	-
1986	26	---	---	---	-	5	4	5	6	6	-
1985	28	---	---	---	-	5	10	6	4	2	1
1984	30	---	---	---	1	5	9	6	3	4	2
1983	26	---	---	---	-	2	7	6	7	4	-
1982	23	---	---	---	-	2	7	6	5	2	1
1981	22	---	---	---	-	5	4	4	7	1	1
1980	31	---	---	---	-	2	7	8	9	5	-
1979	30	---	---	---	-	5	10	5	6	4	-
Pregnancy with abortive outcome (630-639)											
Black, female											
1998	14	---	---	---	-	2	3	2	2	3	2
1997	21	---	---	---	1	1	6	4	4	3	2
1996	14	---	---	---	-	-	4	5	3	2	-
1995	21	---	---	---	-	3	11	4	3	-	-
1994	17	---	---	---	-	-	7	5	3	2	-
1993	25	---	---	---	-	2	7	6	6	4	-
1992	26	---	---	---	1	4	4	8	5	4	-
1991	27	---	---	---	-	4	7	7	2	5	2
1990	33	---	---	---	-	4	7	3	12	4	2
1989	26	---	---	---	-	3	8	6	3	4	2
1988	35	---	---	---	-	5	7	7	6	7	3
1987	18	---	---	---	-	-	4	5	8	1	-
1986	26	---	---	---	-	5	4	5	6	6	-
1985	28	---	---	---	-	5	10	6	4	2	1
1984	30	---	---	---	1	5	9	6	3	4	2
1983	26	---	---	---	-	2	7	6	7	4	-
1982	23	---	---	---	-	2	7	6	5	2	1
1981	22	---	---	---	-	5	4	4	7	1	1
1980	31	---	---	---	-	2	7	8	9	5	-
1979	30	---	---	---	-	5	10	5	6	4	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other complications of pregnancy, childbirth and the puerperium (640-676)											
All races, both sexes											
1998	249	---	---	---	-	15	43	65	60	47	18
1997	286	---	---	---	2	20	55	76	63	45	20
1996	255	---	---	---	-	14	37	62	62	59	19
1995	249	---	---	---	1	16	44	59	62	45	21
1994	287	---	---	---	-	32	67	66	50	51	20
1993	255	---	---	---	1	17	47	58	56	59	17
1992	266	---	---	---	-	31	64	44	71	41	14
1991	269	---	---	---	2	26	51	59	73	41	13
1990	286	---	---	---	-	32	56	68	66	43	19
1989	270	---	---	---	-	24	56	70	74	35	9
1988	269	---	---	---	-	26	62	64	62	43	10
1987	207	---	---	---	1	20	43	51	52	30	9
1986	221	---	---	---	-	21	50	58	49	33	9
1985	246	---	---	---	1	23	50	65	52	37	15
1984	228	---	---	---	-	22	35	68	67	31	4
1983	240	---	---	---	-	21	75	61	46	31	6
1982	237	---	---	---	2	27	40	74	56	25	12
1981	262	---	---	---	1	34	68	63	54	28	13
1980	272	---	---	---	-	40	54	66	61	35	14
1979	275	---	---	---	2	28	68	65	54	38	15
Other complications of pregnancy, childbirth and the puerperium (640-676)											
All races, female											
1998	249	---	---	---	-	15	43	65	60	47	18
1997	286	---	---	---	2	20	55	76	63	45	20
1996	255	---	---	---	-	14	37	62	62	59	19
1995	249	---	---	---	1	16	44	59	62	45	21
1994	287	---	---	---	-	32	67	66	50	51	20
1993	255	---	---	---	1	17	47	58	56	59	17
1992	266	---	---	---	-	31	64	44	71	41	14
1991	269	---	---	---	2	26	51	59	73	41	13
1990	286	---	---	---	-	32	56	68	66	43	19
1989	270	---	---	---	-	24	56	70	74	35	9
1988	269	---	---	---	-	26	62	64	62	43	10
1987	207	---	---	---	1	20	43	51	52	30	9
1986	221	---	---	---	-	21	50	58	49	33	9
1985	246	---	---	---	1	23	50	65	52	37	15
1984	228	---	---	---	-	22	35	68	67	31	4
1983	240	---	---	---	-	21	75	61	46	31	6
1982	237	---	---	---	2	27	40	74	56	25	12
1981	262	---	---	---	1	34	68	63	54	28	13
1980	272	---	---	---	-	40	54	66	61	35	14
1979	275	---	---	---	2	28	68	65	54	38	15

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other complications of pregnancy, childbirth and the puerperium (640-676)											
White, both sexes											
1998	143	---	---	---	-	8	21	40	31	30	13
1997	161	---	---	---	-	12	29	43	33	30	10
1996	135	---	---	---	-	6	13	32	34	34	14
1995	122	---	---	---	-	4	26	34	29	20	9
1994	169	---	---	---	-	18	34	48	32	27	10
1993	131	---	---	---	1	6	21	30	34	30	9
1992	136	---	---	---	-	14	32	25	41	18	6
1991	162	---	---	---	1	11	26	37	50	27	8
1990	154	---	---	---	-	15	29	46	31	23	9
1989	159	---	---	---	-	15	35	43	39	23	4
1988	157	---	---	---	-	11	36	41	41	21	7
1987	128	---	---	---	1	13	27	32	30	19	5
1986	122	---	---	---	-	11	23	30	30	21	7
1985	137	---	---	---	-	11	28	41	24	26	6
1984	134	---	---	---	-	12	13	48	38	21	2
1983	147	---	---	---	-	11	40	41	27	23	5
1982	144	---	---	---	-	13	23	46	40	16	6
1981	160	---	---	---	-	15	44	41	37	16	7
1980	166	---	---	---	-	22	33	41	39	21	9
1979	153	---	---	---	1	12	32	43	33	24	6
Other complications of pregnancy, childbirth and the puerperium (640-676)											
White, female											
1998	143	---	---	---	-	8	21	40	31	30	13
1997	161	---	---	---	-	12	29	43	33	30	10
1996	135	---	---	---	-	6	13	32	34	34	14
1995	122	---	---	---	-	4	26	34	29	20	9
1994	169	---	---	---	-	18	34	48	32	27	10
1993	131	---	---	---	1	6	21	30	34	30	9
1992	136	---	---	---	-	14	32	25	41	18	6
1991	162	---	---	---	1	11	26	37	50	27	8
1990	154	---	---	---	-	15	29	46	31	23	9
1989	159	---	---	---	-	15	35	43	39	23	4
1988	157	---	---	---	-	11	36	41	41	21	7
1987	128	---	---	---	1	13	27	32	30	19	5
1986	122	---	---	---	-	11	23	30	30	21	7
1985	137	---	---	---	-	11	28	41	24	26	6
1984	134	---	---	---	-	12	13	48	38	21	2
1983	147	---	---	---	-	11	40	41	27	23	5
1982	144	---	---	---	-	13	23	46	40	16	6
1981	160	---	---	---	-	15	44	41	37	16	7
1980	166	---	---	---	-	22	33	41	39	21	9
1979	153	---	---	---	1	12	32	43	33	24	6

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other complications of pregnancy, childbirth and the puerperium (640-676)											
All other, both sexes											
1998	106	---	---	---	-	7	22	25	29	17	5
1997	125	---	---	---	2	8	26	33	30	15	10
1996	120	---	---	---	-	8	24	30	28	25	5
1995	127	---	---	---	1	12	18	25	33	25	12
1994	118	---	---	---	-	14	33	18	18	24	10
1993	124	---	---	---	-	11	26	28	22	29	8
1992	130	---	---	---	-	17	32	19	30	23	8
1991	107	---	---	---	1	15	25	22	23	14	5
1990	132	---	---	---	-	17	27	22	35	20	10
1989	111	---	---	---	-	9	21	27	35	12	5
1988	112	---	---	---	-	15	26	23	21	22	3
1987	79	---	---	---	-	7	16	19	22	11	4
1986	99	---	---	---	-	10	27	28	19	12	2
1985	109	---	---	---	1	12	22	24	28	11	9
1984	94	---	---	---	-	10	22	20	29	10	2
1983	93	---	---	---	-	10	35	20	19	8	1
1982	93	---	---	---	2	14	17	28	16	9	6
1981	102	---	---	---	1	19	24	22	17	12	6
1980	106	---	---	---	-	18	21	25	22	14	5
1979	122	---	---	---	1	16	36	22	21	14	9
Other complications of pregnancy, childbirth and the puerperium (640-676)											
All other, female											
1998	106	---	---	---	-	7	22	25	29	17	5
1997	125	---	---	---	2	8	26	33	30	15	10
1996	120	---	---	---	-	8	24	30	28	25	5
1995	127	---	---	---	1	12	18	25	33	25	12
1994	118	---	---	---	-	14	33	18	18	24	10
1993	124	---	---	---	-	11	26	28	22	29	8
1992	130	---	---	---	-	17	32	19	30	23	8
1991	107	---	---	---	1	15	25	22	23	14	5
1990	132	---	---	---	-	17	27	22	35	20	10
1989	111	---	---	---	-	9	21	27	35	12	5
1988	112	---	---	---	-	15	26	23	21	22	3
1987	79	---	---	---	-	7	16	19	22	11	4
1986	99	---	---	---	-	10	27	28	19	12	2
1985	109	---	---	---	1	12	22	24	28	11	9
1984	94	---	---	---	-	10	22	20	29	10	2
1983	93	---	---	---	-	10	35	20	19	8	1
1982	93	---	---	---	2	14	17	28	16	9	6
1981	102	---	---	---	1	19	24	22	17	12	6
1980	106	---	---	---	-	18	21	25	22	14	5
1979	122	---	---	---	1	16	36	22	21	14	9

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Other complications of pregnancy, childbirth and the puerperium (640-676)

Black, both sexes

1998	90	---	---	---	-	7	21	22	24	12	3
1997	104	---	---	---	2	7	22	29	27	10	6
1996	107	---	---	---	-	7	23	29	24	20	4
1995	112	---	---	---	1	12	17	24	27	22	8
1994	101	---	---	---	-	14	29	14	14	22	7
1993	110	---	---	---	-	11	23	26	20	22	8
1992	114	---	---	---	-	16	29	17	26	18	7
1991	98	---	---	---	1	14	22	20	21	14	4
1990	120	---	---	---	-	15	25	22	32	16	9
1989	98	---	---	---	-	8	21	24	29	10	4
1988	96	---	---	---	-	13	25	17	19	19	1
1987	73	---	---	---	-	6	16	18	19	10	4
1986	91	---	---	---	-	10	25	25	18	10	2
1985	96	---	---	---	1	11	19	22	24	10	8
1984	87	---	---	---	-	10	22	17	25	10	2
1983	81	---	---	---	-	8	34	17	15	6	1
1982	85	---	---	---	2	14	17	26	11	9	5
1981	98	---	---	---	1	19	23	21	16	12	5
1980	96	---	---	---	-	18	21	21	18	13	4
1979	115	---	---	---	1	16	36	21	20	13	5

Other complications of pregnancy, childbirth and the puerperium (640-676)

Black, female

1998	90	---	---	---	-	7	21	22	24	12	3
1997	104	---	---	---	2	7	22	29	27	10	6
1996	107	---	---	---	-	7	23	29	24	20	4
1995	112	---	---	---	1	12	17	24	27	22	8
1994	101	---	---	---	-	14	29	14	14	22	7
1993	110	---	---	---	-	11	23	26	20	22	8
1992	114	---	---	---	-	16	29	17	26	18	7
1991	98	---	---	---	1	14	22	20	21	14	4
1990	120	---	---	---	-	15	25	22	32	16	9
1989	98	---	---	---	-	8	21	24	29	10	4
1988	96	---	---	---	-	13	25	17	19	19	1
1987	73	---	---	---	-	6	16	18	19	10	4
1986	91	---	---	---	-	10	25	25	18	10	2
1985	96	---	---	---	1	11	19	22	24	10	8
1984	87	---	---	---	-	10	22	17	25	10	2
1983	81	---	---	---	-	8	34	17	15	6	1
1982	85	---	---	---	2	14	17	26	11	9	5
1981	98	---	---	---	1	19	23	21	16	12	5
1980	96	---	---	---	-	18	21	21	18	13	4
1979	115	---	---	---	1	16	36	21	20	13	5

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,
sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Certain conditions originating in the perinatal period (760-771.2,771.4-779)											
All races, both sexes											
1998	13,428	13,294	75	16	10	4	2	2	6	6	2
1997	13,092	12,935	75	27	10	11	7	2	5	5	1
1996	13,069	12,955	60	16	8	6	2	2	2	6	1
1995	13,471	13,328	87	22	9	3	2	5	2	3	1
1994	14,487	14,315	114	21	7	5	3	4	5	2	-
1993	15,096	14,945	100	11	9	5	1	4	4	1	4
1992	15,730	15,562	113	17	14	2	-	2	3	5	2
1991	16,781	16,591	140	18	9	4	6	1	2	1	4
1990	17,674	17,482	134	25	4	5	-	4	2	2	-
1989	18,752	18,564	134	17	6	5	2	4	2	4	2
1988	18,220	18,036	129	17	5	5	4	5	4	2	-
1987	18,222	18,070	121	12	2	5	1	1	1	3	1
1986	18,391	18,226	132	8	5	5	1	5	2	-	1
1985	19,246	19,068	139	9	4	5	5	5	2	2	1
1984	18,880	18,681	144	21	5	7	2	4	1	1	1
1983	19,310	19,157	112	9	4	3	4	4	3	-	2
1982	20,794	20,685	77	5	2	7	2	3	2	1	1
1981	21,626	21,510	77	13	4	4	2	1	1	-	-
1980	22,866	22,745	84	10	2	4	6	1	2	-	1
1979	23,447	23,321	75	5	3	3	4	2	1	4	1
Certain conditions originating in the perinatal period (760-771.2,771.4-779)											
All races, male											
1998	7,496	7,429	37	4	7	4	1	1	2	3	1
1997	7,398	7,308	46	16	4	6	5	1	1	4	1
1996	7,303	7,230	44	8	5	3	2	1	2	3	1
1995	7,600	7,516	45	16	6	3	1	5	1	2	1
1994	8,156	8,057	67	10	5	4	3	1	3	1	-
1993	8,472	8,374	68	7	6	2	1	-	1	1	3
1992	8,817	8,727	62	12	8	-	-	-	1	-	2
1991	9,561	9,450	84	10	4	2	4	-	1	-	3
1990	10,056	9,936	91	12	2	2	-	3	-	-	-
1989	10,511	10,387	89	11	4	4	-	4	1	2	2
1988	10,393	10,280	79	13	3	4	2	1	3	-	-
1987	10,442	10,348	72	12	2	1	1	-	1	2	1
1986	10,563	10,465	83	3	-	3	1	4	2	-	-
1985	11,094	10,979	95	3	2	3	3	1	2	1	1
1984	10,658	10,546	84	12	2	3	-	3	1	1	-
1983	11,036	10,948	72	3	1	1	1	3	1	-	-
1982	11,876	11,811	47	3	1	4	1	1	2	-	-
1981	12,302	12,228	48	9	4	2	1	-	1	-	-
1980	13,051	12,984	46	4	2	4	4	-	1	-	-
1979	13,349	13,277	46	3	1	2	3	1	-	2	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Certain conditions originating in the perinatal period (760-771.2,771.4-779)											
All races, female											
1998	5,932	5,865	38	12	3	-	1	1	4	3	1
1997	5,694	5,627	29	11	6	5	2	1	4	1	-
1996	5,766	5,725	16	8	3	3	-	1	-	3	-
1995	5,871	5,812	42	6	3	-	1	-	1	1	-
1994	6,331	6,258	47	11	2	1	-	3	2	1	-
1993	6,624	6,571	32	4	3	3	-	4	3	-	1
1992	6,913	6,835	51	5	6	2	-	2	2	5	-
1991	7,220	7,141	56	8	5	2	2	1	1	1	1
1990	7,618	7,546	43	13	2	3	-	1	2	2	-
1989	8,241	8,177	45	6	2	1	2	-	1	2	-
1988	7,827	7,756	50	4	2	1	2	4	1	2	-
1987	7,780	7,722	49	-	-	4	-	1	-	1	-
1986	7,828	7,761	49	5	5	2	-	1	-	-	1
1985	8,152	8,089	44	6	2	2	2	4	-	1	-
1984	8,222	8,135	60	9	3	4	2	1	-	-	1
1983	8,274	8,209	40	6	3	2	3	1	2	-	2
1982	8,918	8,874	30	2	1	3	1	2	-	1	1
1981	9,324	9,282	29	4	-	2	1	1	-	-	-
1980	9,815	9,761	38	6	-	-	2	1	1	-	1
1979	10,098	10,044	29	2	2	1	1	1	1	2	-
Certain conditions originating in the perinatal period (760-771.2,771.4-779)											
White, both sexes											
1998	8,129	8,043	48	10	5	1	1	2	3	5	2
1997	7,981	7,877	40	16	8	10	5	2	5	4	1
1996	7,964	7,890	33	12	6	5	2	1	1	5	1
1995	8,155	8,065	47	14	7	3	1	5	1	3	1
1994	8,562	8,459	61	13	6	2	3	2	4	2	-
1993	8,830	8,731	58	9	8	3	1	4	4	-	4
1992	9,168	9,058	64	16	11	2	-	2	2	3	2
1991	9,889	9,771	88	7	7	3	2	-	2	1	3
1990	10,506	10,378	81	17	4	5	-	3	2	2	-
1989	11,306	11,181	85	12	2	5	1	4	1	4	2
1988	11,192	11,060	86	15	4	5	2	5	4	2	-
1987	11,412	11,300	86	10	1	4	1	1	1	3	1
1986	11,814	11,691	95	7	5	5	1	3	1	-	1
1985	12,634	12,520	85	7	1	4	5	5	1	2	1
1984	12,470	12,330	94	17	3	5	2	4	1	1	1
1983	12,816	12,715	73	5	4	-	4	4	3	-	2
1982	13,932	13,848	57	4	2	7	2	3	2	1	1
1981	14,551	14,472	49	10	4	4	2	1	-	-	-
1980	15,457	15,367	60	8	1	4	6	-	2	-	1
1979	16,033	15,932	59	4	3	1	4	2	1	3	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Certain conditions originating in the perinatal period (760-771.2,771.4-779)											
White, male											
1998	4,523	4,481	25	2	4	1	-	1	1	2	1
1997	4,538	4,479	22	11	4	5	4	1	1	4	1
1996	4,446	4,401	23	6	3	3	2	-	1	3	1
1995	4,676	4,624	23	9	4	3	1	5	-	2	1
1994	4,829	4,769	38	6	4	1	3	-	3	1	-
1993	4,956	4,891	39	7	6	1	1	-	1	-	3
1992	5,128	5,068	36	11	7	-	-	-	1	-	2
1991	5,654	5,587	51	5	3	1	1	-	1	-	2
1990	6,055	5,975	55	10	2	2	-	2	-	-	-
1989	6,426	6,339	60	8	2	4	-	4	-	2	2
1988	6,485	6,407	48	12	2	4	2	1	3	-	-
1987	6,560	6,491	50	10	1	1	1	-	1	2	1
1986	6,815	6,743	60	3	-	3	1	3	1	-	-
1985	7,404	7,329	61	3	1	2	3	1	1	1	1
1984	7,134	7,054	55	10	2	2	-	3	1	1	-
1983	7,417	7,358	47	3	1	-	1	3	1	-	-
1982	8,003	7,959	31	2	1	4	1	1	2	-	-
1981	8,380	8,326	34	7	4	2	1	-	-	-	-
1980	8,945	8,895	31	4	1	4	4	-	1	-	-
1979	9,261	9,202	38	2	1	1	3	1	-	2	1
Certain conditions originating in the perinatal period (760-771.2,771.4-779)											
White, female											
1998	3,606	3,562	23	8	1	-	1	1	2	3	1
1997	3,443	3,398	18	5	4	5	1	1	4	-	-
1996	3,518	3,489	10	6	3	2	-	1	-	2	-
1995	3,479	3,441	24	5	3	-	-	-	1	1	-
1994	3,733	3,690	23	7	2	1	-	2	1	1	-
1993	3,874	3,840	19	2	2	2	-	4	3	-	1
1992	4,040	3,990	28	5	4	2	-	2	1	3	-
1991	4,235	4,184	37	2	4	2	1	-	1	1	1
1990	4,451	4,403	26	7	2	3	-	1	2	2	-
1989	4,880	4,842	25	4	-	1	1	-	1	2	-
1988	4,707	4,653	38	3	2	1	-	4	1	2	-
1987	4,852	4,809	36	-	-	3	-	1	-	1	-
1986	4,999	4,948	35	4	5	2	-	-	-	-	1
1985	5,230	5,191	24	4	-	2	2	4	-	1	-
1984	5,336	5,276	39	7	1	3	2	1	-	-	1
1983	5,399	5,357	26	2	3	-	3	1	2	-	2
1982	5,929	5,889	26	2	1	3	1	2	-	1	1
1981	6,171	6,146	15	3	-	2	1	1	-	-	-
1980	6,512	6,472	29	4	-	-	2	-	1	-	1
1979	6,772	6,730	21	2	2	-	1	1	1	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Certain conditions originating in the perinatal period (760-771.2,771.4-779)											
All other, both sexes											
1998	5,299	5,251	27	6	5	3	1	-	3	1	-
1997	5,111	5,058	35	11	2	1	2	-	-	1	-
1996	5,105	5,065	27	4	2	1	-	1	1	1	-
1995	5,316	5,263	40	8	2	-	1	-	1	-	-
1994	5,925	5,856	53	8	1	3	-	2	1	-	-
1993	6,266	6,214	42	2	1	2	-	-	-	1	-
1992	6,562	6,504	49	1	3	-	-	-	1	2	-
1991	6,892	6,820	52	11	2	1	4	1	-	-	1
1990	7,168	7,104	53	8	-	-	-	1	-	-	-
1989	7,446	7,383	49	5	4	-	1	-	1	-	-
1988	7,028	6,976	43	2	1	-	2	-	-	-	-
1987	6,810	6,770	35	2	1	1	-	-	-	-	-
1986	6,577	6,535	37	1	-	-	-	2	1	-	-
1985	6,612	6,548	54	2	3	1	-	-	1	-	-
1984	6,410	6,351	50	4	2	2	-	-	-	-	-
1983	6,494	6,442	39	4	-	3	-	-	-	-	-
1982	6,862	6,837	20	1	-	-	-	-	-	-	-
1981	7,075	7,038	28	3	-	-	-	-	1	-	-
1980	7,409	7,378	24	2	1	-	-	1	-	-	-
1979	7,414	7,389	16	1	-	2	-	-	-	1	-
Certain conditions originating in the perinatal period (760-771.2,771.4-779)											
All other, male											
1998	2,973	2,948	12	2	3	3	1	-	1	1	-
1997	2,860	2,829	24	5	-	1	1	-	-	-	-
1996	2,857	2,829	21	2	2	-	-	1	1	-	-
1995	2,924	2,892	22	7	2	-	-	-	1	-	-
1994	3,327	3,288	29	4	1	3	-	1	-	-	-
1993	3,516	3,483	29	-	-	1	-	-	-	1	-
1992	3,689	3,659	26	1	1	-	-	-	-	-	-
1991	3,907	3,863	33	5	1	1	3	-	-	-	1
1990	4,001	3,961	36	2	-	-	-	1	-	-	-
1989	4,085	4,048	29	3	2	-	-	-	1	-	-
1988	3,908	3,873	31	1	1	-	-	-	-	-	-
1987	3,882	3,857	22	2	1	-	-	-	-	-	-
1986	3,748	3,722	23	-	-	-	-	1	1	-	-
1985	3,690	3,650	34	-	1	1	-	-	1	-	-
1984	3,524	3,492	29	2	-	1	-	-	-	-	-
1983	3,619	3,590	25	-	-	1	-	-	-	-	-
1982	3,873	3,852	16	1	-	-	-	-	-	-	-
1981	3,922	3,902	14	2	-	-	-	-	1	-	-
1980	4,106	4,089	15	-	1	-	-	-	-	-	-
1979	4,088	4,075	8	1	-	1	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Certain conditions originating in the perinatal period (760-771.2,771.4-779)											
All other, female											
1998	2,326	2,303	15	4	2	-	-	-	2	-	-
1997	2,251	2,229	11	6	2	-	1	-	-	1	-
1996	2,248	2,236	6	2	-	1	-	-	-	1	-
1995	2,392	2,371	18	1	-	-	1	-	-	-	-
1994	2,598	2,568	24	4	-	-	-	1	1	-	-
1993	2,750	2,731	13	2	1	1	-	-	-	-	-
1992	2,873	2,845	23	-	2	-	-	-	1	2	-
1991	2,985	2,957	19	6	1	-	1	1	-	-	-
1990	3,167	3,143	17	6	-	-	-	-	-	-	-
1989	3,361	3,335	20	2	2	-	1	-	-	-	-
1988	3,120	3,103	12	1	-	-	2	-	-	-	-
1987	2,928	2,913	13	-	-	1	-	-	-	-	-
1986	2,829	2,813	14	1	-	-	-	1	-	-	-
1985	2,922	2,898	20	2	2	-	-	-	-	-	-
1984	2,886	2,859	21	2	2	1	-	-	-	-	-
1983	2,875	2,852	14	4	-	2	-	-	-	-	-
1982	2,989	2,985	4	-	-	-	-	-	-	-	-
1981	3,153	3,136	14	1	-	-	-	-	-	-	-
1980	3,303	3,289	9	2	-	-	-	1	-	-	-
1979	3,326	3,314	8	-	-	1	-	-	-	1	-
Certain conditions originating in the perinatal period (760-771.2,771.4-779)											
Black, both sexes											
1998	4,841	4,796	26	6	4	2	1	-	3	1	-
1997	4,714	4,664	34	9	2	1	2	-	-	1	-
1996	4,711	4,679	22	3	1	-	-	1	1	1	-
1995	4,952	4,905	35	8	2	-	1	-	1	-	-
1994	5,515	5,455	46	6	1	3	-	2	1	-	-
1993	5,891	5,844	38	2	1	1	-	-	-	1	-
1992	6,176	6,125	43	1	3	-	-	-	1	1	-
1991	6,512	6,447	50	8	1	-	4	1	-	-	1
1990	6,744	6,688	48	7	-	-	-	-	-	-	-
1989	6,965	6,907	47	3	3	-	1	-	1	-	-
1988	6,614	6,566	39	2	1	-	2	-	-	-	-
1987	6,373	6,336	34	2	-	1	-	-	-	-	-
1986	6,149	6,109	35	1	-	-	-	2	1	-	-
1985	6,196	6,140	46	2	3	1	-	-	1	-	-
1984	6,002	5,950	44	4	2	1	-	-	-	-	-
1983	6,100	6,051	37	3	-	3	-	-	-	-	-
1982	6,464	6,443	18	1	-	-	-	-	-	-	-
1981	6,658	6,623	27	3	-	-	-	-	1	-	-
1980	6,961	6,933	23	2	-	-	-	1	-	-	-
1979	7,024	7,002	14	1	-	1	-	-	-	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Certain conditions originating in the perinatal period (760-771.2,771.4-779)											
Black, male											
1998	2,732	2,709	12	2	2	2	1	-	1	1	-
1997	2,624	2,595	23	4	-	1	1	-	-	-	-
1996	2,631	2,610	16	1	1	-	-	1	1	-	-
1995	2,731	2,703	18	7	2	-	-	-	1	-	-
1994	3,088	3,055	24	3	1	3	-	1	-	-	-
1993	3,309	3,278	27	-	-	1	-	-	-	1	-
1992	3,469	3,444	21	1	1	-	-	-	-	-	-
1991	3,711	3,672	32	3	-	-	3	-	-	-	1
1990	3,762	3,729	32	1	-	-	-	-	-	-	-
1989	3,813	3,778	28	2	2	-	-	-	1	-	-
1988	3,693	3,660	29	1	1	-	-	-	-	-	-
1987	3,608	3,584	22	2	-	-	-	-	-	-	-
1986	3,501	3,477	21	-	-	-	-	1	1	-	-
1985	3,458	3,423	29	-	1	1	-	-	1	-	-
1984	3,290	3,263	24	2	-	1	-	-	-	-	-
1983	3,401	3,373	24	-	-	1	-	-	-	-	-
1982	3,633	3,615	15	1	-	-	-	-	-	-	-
1981	3,688	3,670	13	2	-	-	-	-	1	-	-
1980	3,869	3,853	15	-	-	-	-	-	-	-	-
1979	3,871	3,859	7	1	-	1	-	-	-	-	-
Certain conditions originating in the perinatal period (760-771.2,771.4-779)											
Black, female											
1998	2,109	2,087	14	4	2	-	-	-	2	-	-
1997	2,090	2,069	11	5	2	-	1	-	-	1	-
1996	2,080	2,069	6	2	-	-	-	-	-	1	-
1995	2,221	2,202	17	1	-	-	1	-	-	-	-
1994	2,427	2,400	22	3	-	-	-	1	1	-	-
1993	2,582	2,566	11	2	1	-	-	-	-	-	-
1992	2,707	2,681	22	-	2	-	-	-	1	1	-
1991	2,801	2,775	18	5	1	-	1	1	-	-	-
1990	2,982	2,959	16	6	-	-	-	-	-	-	-
1989	3,152	3,129	19	1	1	-	1	-	-	-	-
1988	2,921	2,906	10	1	-	-	2	-	-	-	-
1987	2,765	2,752	12	-	-	1	-	-	-	-	-
1986	2,648	2,632	14	1	-	-	-	1	-	-	-
1985	2,738	2,717	17	2	2	-	-	-	-	-	-
1984	2,712	2,687	20	2	2	-	-	-	-	-	-
1983	2,699	2,678	13	3	-	2	-	-	-	-	-
1982	2,831	2,828	3	-	-	-	-	-	-	-	-
1981	2,970	2,953	14	1	-	-	-	-	-	-	-
1980	3,092	3,080	8	2	-	-	-	1	-	-	-
1979	3,153	3,143	7	-	-	-	-	-	-	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Congenital malformations, deformations and chromosomal abnormalities (740-759)											
All races, both sexes											
1998	11,934	6,212	564	198	173	216	234	223	229	276	269
1997	11,912	6,178	589	223	224	217	203	228	226	258	276
1996	11,836	6,381	638	241	216	191	191	194	198	255	279
1995	11,891	6,554	695	242	207	251	201	233	241	254	273
1994	12,030	6,854	714	241	193	217	246	218	238	237	258
1993	12,444	7,129	804	274	211	232	240	249	227	232	237
1992	12,491	7,449	856	245	203	224	226	230	236	263	216
1991	12,599	7,685	871	279	208	231	218	224	243	224	228
1990	13,085	8,239	896	286	182	224	267	236	237	236	218
1989	12,897	8,120	928	267	213	240	234	269	214	234	168
1988	12,753	8,141	913	281	218	237	237	246	219	220	191
1987	12,333	7,884	924	263	185	243	256	225	223	216	171
1986	12,638	8,244	879	259	194	259	252	195	203	203	180
1985	12,783	8,561	840	272	197	231	235	213	197	184	179
1984	13,039	8,548	946	242	242	239	277	232	213	178	170
1983	13,173	8,732	913	246	225	272	282	261	192	192	165
1982	13,604	9,024	1,028	288	265	279	281	248	205	186	145
1981	13,527	8,914	1,018	284	258	300	294	282	213	183	142
1980	13,938	9,220	1,026	303	258	287	313	245	237	182	153
1979	13,526	8,923	1,021	289	289	300	276	239	176	196	163
Congenital malformations, deformations and chromosomal abnormalities (740-759)											
All races, male											
1998	6,199	3,282	287	107	90	124	132	129	127	148	132
1997	6,261	3,266	317	119	113	134	107	127	132	151	136
1996	6,238	3,452	325	146	127	120	111	108	108	132	147
1995	6,243	3,585	374	126	104	143	115	122	124	131	137
1994	6,209	3,590	354	120	112	130	142	108	132	119	133
1993	6,610	3,886	388	139	125	136	141	132	140	125	130
1992	6,625	4,034	460	125	113	145	135	133	120	150	118
1991	6,800	4,202	469	147	116	134	124	126	124	136	126
1990	7,050	4,520	473	155	90	145	156	135	133	144	120
1989	6,812	4,387	436	144	112	142	139	160	121	130	80
1988	6,775	4,384	511	160	126	135	132	129	121	134	100
1987	6,604	4,232	492	159	106	154	151	135	129	124	89
1986	6,744	4,459	464	145	106	161	138	103	129	116	102
1985	6,895	4,709	451	142	104	138	150	116	107	102	91
1984	6,925	4,576	489	131	125	141	172	140	122	97	94
1983	7,013	4,711	487	136	118	158	154	146	111	102	88
1982	7,157	4,806	524	159	133	166	158	139	119	89	82
1981	7,128	4,769	527	141	137	183	172	164	119	98	72
1980	7,496	4,968	555	166	132	164	181	142	142	99	84
1979	7,309	4,903	551	152	155	195	183	136	99	100	80

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Congenital malformations, deformations and chromosomal abnormalities (740-759)											
All races, female											
1998	5,735	2,930	277	91	83	92	102	94	102	128	137
1997	5,651	2,912	272	104	111	83	96	101	94	107	140
1996	5,598	2,929	313	95	89	71	80	86	90	123	132
1995	5,648	2,969	321	116	103	108	86	111	117	123	136
1994	5,821	3,264	360	121	81	87	104	110	106	118	125
1993	5,834	3,243	416	135	86	96	99	117	87	107	107
1992	5,866	3,415	396	120	90	79	91	97	116	113	98
1991	5,799	3,483	402	132	92	97	94	98	119	88	102
1990	6,035	3,719	423	131	92	79	111	101	104	92	98
1989	6,085	3,733	492	123	101	98	95	109	93	104	88
1988	5,978	3,757	402	121	92	102	105	117	98	86	91
1987	5,729	3,652	432	104	79	89	105	90	94	92	82
1986	5,894	3,785	415	114	88	98	114	92	74	87	78
1985	5,888	3,852	389	130	93	93	85	97	90	82	88
1984	6,114	3,972	457	111	117	98	105	92	91	81	76
1983	6,160	4,021	426	110	107	114	128	115	81	90	77
1982	6,447	4,218	504	129	132	113	123	109	86	97	63
1981	6,399	4,145	491	143	121	117	122	118	94	85	70
1980	6,442	4,252	471	137	126	123	132	103	95	83	69
1979	6,217	4,020	470	137	134	105	93	103	77	96	83
Congenital malformations, deformations and chromosomal abnormalities (740-759)											
White, both sexes											
1998	9,651	4,794	406	141	134	158	166	177	182	220	220
1997	9,719	4,803	439	162	174	158	149	197	184	215	233
1996	9,556	4,951	456	179	159	151	151	150	169	204	223
1995	9,614	5,095	504	188	159	196	160	185	197	213	229
1994	9,660	5,304	515	185	153	164	196	183	190	200	214
1993	9,934	5,449	597	225	168	178	202	205	180	186	205
1992	9,890	5,666	613	190	153	183	186	192	187	214	188
1991	9,978	5,864	650	211	165	188	176	187	202	175	192
1990	10,502	6,418	686	226	146	176	206	197	197	205	183
1989	10,291	6,312	703	217	165	182	196	225	169	190	142
1988	10,334	6,442	727	213	180	187	206	206	176	173	160
1987	9,910	6,172	719	198	138	203	202	183	190	182	148
1986	10,188	6,519	684	204	155	204	199	155	158	165	152
1985	10,437	6,898	665	201	159	182	201	186	150	154	150
1984	10,662	6,875	771	187	205	193	229	175	169	155	149
1983	10,747	7,026	726	192	178	221	237	208	158	161	132
1982	11,129	7,281	810	227	226	231	229	203	163	151	114
1981	11,145	7,224	797	242	218	248	255	235	177	163	120
1980	11,471	7,442	819	251	212	240	256	205	192	158	132
1979	11,222	7,288	824	228	244	253	230	201	149	168	141

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Congenital malformations, deformations and chromosomal abnormalities (740-759)											
White, male											
1998	5,001	2,547	205	71	68	88	91	108	104	117	107
1997	5,123	2,567	237	90	89	97	78	104	106	123	114
1996	5,066	2,706	243	109	93	96	90	82	95	106	121
1995	5,047	2,809	273	94	80	109	94	102	100	111	116
1994	4,993	2,793	254	91	91	102	111	87	105	102	108
1993	5,281	2,987	293	109	98	104	118	107	111	102	115
1992	5,254	3,084	339	91	88	114	114	112	91	125	103
1991	5,378	3,220	343	111	91	107	100	106	104	111	101
1990	5,667	3,545	353	121	74	113	115	114	116	131	104
1989	5,444	3,437	333	114	89	100	116	131	96	105	66
1988	5,491	3,474	417	117	108	99	111	113	100	107	83
1987	5,364	3,370	392	120	78	125	121	112	108	105	75
1986	5,444	3,561	353	116	88	125	106	78	100	97	88
1985	5,674	3,836	359	100	83	108	126	104	86	84	83
1984	5,703	3,727	403	105	112	109	137	106	95	83	79
1983	5,718	3,803	381	107	91	127	135	116	93	86	72
1982	5,883	3,902	424	126	119	135	127	118	94	72	64
1981	5,906	3,902	419	123	121	151	147	138	97	87	63
1980	6,188	4,034	441	140	109	134	149	123	115	87	74
1979	6,106	4,025	459	124	134	163	153	121	85	88	71
Congenital malformations, deformations and chromosomal abnormalities (740-759)											
White, female											
1998	4,650	2,247	201	70	66	70	75	69	78	103	113
1997	4,596	2,236	202	72	85	61	71	93	78	92	119
1996	4,490	2,245	213	70	66	55	61	68	74	98	102
1995	4,567	2,286	231	94	79	87	66	83	97	102	113
1994	4,667	2,511	261	94	62	62	85	96	85	98	106
1993	4,653	2,462	304	116	70	74	84	98	69	84	90
1992	4,636	2,582	274	99	65	69	72	80	96	89	85
1991	4,600	2,644	307	100	74	81	76	81	98	64	91
1990	4,835	2,873	333	105	72	63	91	83	81	74	79
1989	4,847	2,875	370	103	76	82	80	94	73	85	76
1988	4,843	2,968	310	96	72	88	95	93	76	66	77
1987	4,546	2,802	327	78	60	78	81	71	82	77	73
1986	4,744	2,958	331	88	67	79	93	77	58	68	64
1985	4,763	3,062	306	101	76	74	75	82	64	70	67
1984	4,959	3,148	368	82	93	84	92	69	74	72	70
1983	5,029	3,223	345	85	87	94	102	92	65	75	60
1982	5,246	3,379	386	101	107	96	102	85	69	79	50
1981	5,239	3,322	378	119	97	97	108	97	80	76	57
1980	5,283	3,408	378	111	103	106	107	82	77	71	58
1979	5,116	3,263	365	104	110	90	77	80	64	80	70

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Congenital malformations, deformations and chromosomal abnormalities (740-759)											
All other, both sexes											
1998	2,283	1,418	158	57	39	58	68	46	47	56	49
1997	2,193	1,375	150	61	50	59	54	31	42	43	43
1996	2,280	1,430	182	62	57	40	40	44	29	51	56
1995	2,277	1,459	191	54	48	55	41	48	44	41	44
1994	2,370	1,550	199	56	40	53	50	35	48	37	44
1993	2,510	1,680	207	49	43	54	38	44	47	46	32
1992	2,601	1,783	243	55	50	41	40	38	49	49	28
1991	2,621	1,821	221	68	43	43	42	37	41	49	36
1990	2,583	1,821	210	60	36	48	61	39	40	31	35
1989	2,606	1,808	225	50	48	58	38	44	45	44	26
1988	2,419	1,699	186	68	38	50	31	40	43	47	31
1987	2,423	1,712	205	65	47	40	54	42	33	34	23
1986	2,450	1,725	195	55	39	55	53	40	45	38	28
1985	2,346	1,663	175	71	38	49	34	27	47	30	29
1984	2,377	1,673	175	55	37	46	48	57	44	23	21
1983	2,426	1,706	187	54	47	51	45	53	34	31	33
1982	2,475	1,743	218	61	39	48	52	45	42	35	31
1981	2,382	1,690	221	42	40	52	39	47	36	20	22
1980	2,467	1,778	207	52	46	47	57	40	45	24	21
1979	2,304	1,635	197	61	45	47	46	38	27	28	22
Congenital malformations, deformations and chromosomal abnormalities (740-759)											
All other, male											
1998	1,198	735	82	36	22	36	41	21	23	31	25
1997	1,138	699	80	29	24	37	29	23	26	28	22
1996	1,172	746	82	37	34	24	21	26	13	26	26
1995	1,196	776	101	32	24	34	21	20	24	20	21
1994	1,216	797	100	29	21	28	31	21	27	17	25
1993	1,329	899	95	30	27	32	23	25	29	23	15
1992	1,371	950	121	34	25	31	21	21	29	25	15
1991	1,422	982	126	36	25	27	24	20	20	25	25
1990	1,383	975	120	34	16	32	41	21	17	13	16
1989	1,368	950	103	30	23	42	23	29	25	25	14
1988	1,284	910	94	43	18	36	21	16	21	27	17
1987	1,240	862	100	39	28	29	30	23	21	19	14
1986	1,300	898	111	29	18	36	32	25	29	19	14
1985	1,221	873	92	42	21	30	24	12	21	18	8
1984	1,222	849	86	26	13	32	35	34	27	14	15
1983	1,295	908	106	29	27	31	19	30	18	16	16
1982	1,274	904	100	33	14	31	31	21	25	17	18
1981	1,222	867	108	18	16	32	25	26	22	11	9
1980	1,308	934	114	26	23	30	32	19	27	12	10
1979	1,203	878	92	28	21	32	30	15	14	12	9

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Congenital malformations, deformations and chromosomal abnormalities (740-759)											
All other, female											
1998	1,085	683	76	21	17	22	27	25	24	25	24
1997	1,055	676	70	32	26	22	25	8	16	15	21
1996	1,108	684	100	25	23	16	19	18	16	25	30
1995	1,081	683	90	22	24	21	20	28	20	21	23
1994	1,154	753	99	27	19	25	19	14	21	20	19
1993	1,181	781	112	19	16	22	15	19	18	23	17
1992	1,230	833	122	21	25	10	19	17	20	24	13
1991	1,199	839	95	32	18	16	18	17	21	24	11
1990	1,200	846	90	26	20	16	20	18	23	18	19
1989	1,238	858	122	20	25	16	15	15	20	19	12
1988	1,135	789	92	25	20	14	10	24	22	20	14
1987	1,183	850	105	26	19	11	24	19	12	15	9
1986	1,150	827	84	26	21	19	21	15	16	19	14
1985	1,125	790	83	29	17	19	10	15	26	12	21
1984	1,155	824	89	29	24	14	13	23	17	9	6
1983	1,131	798	81	25	20	20	26	23	16	15	17
1982	1,201	839	118	28	25	17	21	24	17	18	13
1981	1,160	823	113	24	24	20	14	21	14	9	13
1980	1,159	844	93	26	23	17	25	21	18	12	11
1979	1,101	757	105	33	24	15	16	23	13	16	13
Congenital malformations, deformations and chromosomal abnormalities (740-759)											
Black, both sexes											
1998	1,885	1,161	125	50	30	51	56	36	42	43	47
1997	1,797	1,125	111	54	41	54	42	25	34	33	38
1996	1,905	1,189	152	50	50	32	32	35	23	45	49
1995	1,887	1,204	168	39	39	50	31	36	36	37	35
1994	1,961	1,266	174	51	30	46	44	29	41	32	39
1993	2,104	1,403	174	42	32	48	27	41	39	44	25
1992	2,167	1,477	208	45	46	37	33	33	43	36	24
1991	2,202	1,524	181	55	34	36	33	31	37	43	34
1990	2,177	1,530	176	48	31	43	56	36	33	26	31
1989	2,179	1,498	191	42	35	48	32	39	42	39	24
1988	2,019	1,410	148	54	34	43	26	38	38	43	28
1987	2,076	1,453	173	56	43	37	50	38	31	28	21
1986	2,061	1,442	165	44	36	51	45	37	41	31	21
1985	2,008	1,419	144	60	33	44	32	25	45	26	23
1984	1,983	1,389	140	45	32	41	41	47	39	20	17
1983	2,088	1,443	159	49	43	47	41	48	32	28	29
1982	2,141	1,488	190	54	38	44	46	39	39	30	29
1981	2,064	1,443	193	40	36	47	34	44	33	16	21
1980	2,168	1,544	184	48	42	45	49	32	43	23	20
1979	2,040	1,434	180	57	41	42	39	31	26	26	19

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Congenital malformations, deformations and chromosomal abnormalities (740-759)

Black, male

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
1998	994	604	69	30	16	32	35	17	20	21	24
1997	921	567	59	26	19	32	23	18	22	20	18
1996	971	615	71	30	31	19	17	18	9	22	22
1995	996	643	87	26	19	31	14	15	22	17	17
1994	1,014	654	90	28	14	25	27	18	23	14	23
1993	1,116	743	84	24	21	28	16	22	24	23	13
1992	1,152	796	102	27	23	27	17	18	26	21	11
1991	1,206	833	101	30	21	23	20	17	19	21	23
1990	1,174	823	99	28	14	29	39	19	15	12	15
1989	1,143	789	83	27	17	34	20	25	24	23	12
1988	1,069	747	79	35	17	32	17	15	18	25	15
1987	1,087	751	83	36	26	26	29	20	19	16	13
1986	1,096	753	92	22	17	32	28	23	26	15	11
1985	1,046	745	75	38	19	28	23	11	20	15	6
1984	1,023	705	70	20	11	30	32	28	23	14	11
1983	1,108	770	86	26	25	28	17	27	17	14	12
1982	1,092	764	87	28	14	28	29	18	23	14	18
1981	1,064	748	94	18	13	28	22	23	19	9	9
1980	1,160	817	103	23	22	30	26	16	27	11	9
1979	1,068	770	83	27	20	30	26	11	14	12	8

Congenital malformations, deformations and chromosomal abnormalities (740-759)

Black, female

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
1998	891	557	56	20	14	19	21	19	22	22	23
1997	876	558	52	28	22	22	19	7	12	13	20
1996	934	574	81	20	19	13	15	17	14	23	27
1995	891	561	81	13	20	19	17	21	14	20	18
1994	947	612	84	23	16	21	17	11	18	18	16
1993	988	660	90	18	11	20	11	19	15	21	12
1992	1,015	681	106	18	23	10	16	15	17	15	13
1991	996	691	80	25	13	13	13	14	18	22	11
1990	1,003	707	77	20	17	14	17	17	18	14	16
1989	1,036	709	108	15	18	14	12	14	18	16	12
1988	950	663	69	19	17	11	9	23	20	18	13
1987	989	702	90	20	17	11	21	18	12	12	8
1986	965	689	73	22	19	19	17	14	15	16	10
1985	962	674	69	22	14	16	9	14	25	11	17
1984	960	684	70	25	21	11	9	19	16	6	6
1983	980	673	73	23	18	19	24	21	15	14	17
1982	1,049	724	103	26	24	16	17	21	16	16	11
1981	1,000	695	99	22	23	19	12	21	14	7	12
1980	1,008	727	81	25	20	15	23	16	16	12	11
1979	972	664	97	30	21	12	13	20	12	14	11

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (780-799)											
All races, both sexes											
1998	25,992	3,658	219	74	82	234	324	423	635	914	1,052
1997	25,752	3,773	241	79	92	280	371	488	659	955	1,099
1996	26,190	3,883	283	72	100	264	423	514	756	1,022	1,128
1995	27,283	4,381	315	102	105	295	463	643	957	1,219	1,327
1994	25,245	4,942	268	75	79	226	411	519	794	1,042	1,000
1993	26,540	5,659	297	93	101	208	408	569	921	1,106	1,064
1992	23,430	5,838	258	51	77	210	424	576	857	926	838
1991	24,342	6,268	336	66	76	225	434	705	912	1,039	934
1990	24,137	6,409	270	50	73	239	472	736	957	1,091	924
1989	26,988	6,627	285	90	91	244	492	857	1,112	1,211	1,020
1988	30,951	6,486	298	84	84	290	562	943	1,174	1,242	956
1987	31,261	6,137	305	87	72	264	616	976	1,254	1,227	939
1986	31,390	6,038	317	59	87	282	588	795	1,050	976	787
1985	30,960	5,945	277	56	60	266	484	774	881	805	685
1984	29,721	5,874	259	47	55	246	477	634	809	666	639
1983	29,628	5,927	290	64	64	258	515	723	704	645	619
1982	29,814	5,933	269	67	80	338	623	821	824	680	712
1981	29,472	5,954	280	75	85	312	604	763	738	630	626
1980	28,808	6,088	288	71	80	303	578	657	609	531	609
1979	27,578	5,899	259	56	67	322	563	607	608	532	609
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (780-799)											
All races, male											
1998	12,766	2,193	119	36	44	158	238	290	421	608	688
1997	13,065	2,268	146	46	45	197	260	347	437	649	750
1996	13,348	2,308	159	37	57	172	298	339	501	682	768
1995	14,244	2,578	168	60	68	209	332	449	654	819	918
1994	13,182	2,973	159	51	44	160	273	350	549	714	695
1993	14,179	3,463	162	40	63	124	285	405	644	783	759
1992	12,580	3,507	144	27	47	134	303	399	607	637	580
1991	13,407	3,823	195	35	38	147	311	467	659	752	651
1990	13,533	3,910	144	28	50	162	323	514	665	778	664
1989	15,205	4,025	155	51	50	151	344	580	806	891	721
1988	16,969	3,861	169	47	54	192	382	649	856	858	632
1987	17,440	3,685	161	54	42	170	433	678	876	859	645
1986	17,587	3,652	175	43	54	171	393	549	770	684	547
1985	17,470	3,643	166	33	30	156	318	537	596	588	453
1984	16,711	3,554	138	25	36	151	312	449	545	460	430
1983	16,666	3,483	162	43	40	166	349	480	475	435	403
1982	17,060	3,541	153	43	54	212	415	559	597	456	451
1981	17,127	3,553	168	48	49	191	383	523	492	412	407
1980	16,465	3,579	170	34	45	194	389	458	409	336	374
1979	16,012	3,517	131	30	40	201	387	440	384	332	384

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,
sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (780-799)											
All races, female											
1998	13,226	1,465	100	38	38	76	86	133	214	306	364
1997	12,687	1,505	95	33	47	83	111	141	222	306	349
1996	12,842	1,575	124	35	43	92	125	175	255	340	360
1995	13,039	1,803	147	42	37	86	131	194	303	400	409
1994	12,063	1,969	109	24	35	66	138	169	245	328	305
1993	12,361	2,196	135	53	38	84	123	164	277	323	305
1992	10,850	2,331	114	24	30	76	121	177	250	289	258
1991	10,935	2,445	141	31	38	78	123	238	253	287	283
1990	10,604	2,499	126	22	23	77	149	222	292	313	260
1989	11,783	2,602	130	39	41	93	148	277	306	320	299
1988	13,982	2,625	129	37	30	98	180	294	318	384	324
1987	13,821	2,452	144	33	30	94	183	298	378	368	294
1986	13,803	2,386	142	16	33	111	195	246	280	292	240
1985	13,490	2,302	111	23	30	110	166	237	285	217	232
1984	13,010	2,320	121	22	19	95	165	185	264	206	209
1983	12,962	2,444	128	21	24	92	166	243	229	210	216
1982	12,754	2,392	116	24	26	126	208	262	227	224	261
1981	12,345	2,401	112	27	36	121	221	240	246	218	219
1980	12,343	2,509	118	37	35	109	189	199	200	195	235
1979	11,566	2,382	128	26	27	121	176	167	224	200	225
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (780-799)											
White, both sexes											
1998	21,041	2,315	141	53	54	168	234	301	467	685	788
1997	20,790	2,428	159	48	71	210	268	341	482	705	822
1996	21,126	2,466	195	49	73	185	296	390	549	753	803
1995	21,837	2,859	211	73	76	200	337	471	710	917	977
1994	19,835	3,170	168	52	52	139	273	365	564	741	669
1993	20,529	3,652	185	66	69	137	277	398	632	755	694
1992	17,959	3,778	168	31	50	133	286	375	590	628	577
1991	18,499	4,075	225	43	52	158	276	462	619	693	616
1990	18,058	4,161	168	35	42	174	330	485	636	675	625
1989	20,597	4,323	173	51	63	170	349	584	744	795	709
1988	24,060	4,342	207	49	57	209	402	662	772	766	654
1987	24,184	4,168	195	59	48	192	424	674	819	788	681
1986	24,304	4,138	209	40	59	208	449	562	720	648	515
1985	23,836	4,118	179	38	41	196	364	526	587	548	469
1984	22,796	4,053	173	33	38	185	350	449	567	429	439
1983	22,387	3,981	177	53	38	200	381	550	490	442	414
1982	22,376	4,026	182	39	55	256	453	603	553	454	468
1981	22,036	4,089	165	47	60	247	449	557	474	418	417
1980	20,902	4,070	206	40	54	241	423	455	432	329	371
1979	19,898	3,835	174	42	49	248	400	409	404	343	392

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (780-799)

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (780-799)											
White, male											
Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
1998	10,045	1,409	73	27	30	114	174	212	320	461	523
1997	10,244	1,500	101	27	37	145	191	248	320	481	556
1996	10,516	1,490	114	23	42	125	217	263	364	516	554
1995	11,126	1,711	104	40	50	140	242	342	497	631	684
1994	10,022	1,932	102	38	30	94	183	250	398	523	458
1993	10,631	2,260	102	30	45	79	200	293	454	548	494
1992	9,424	2,335	94	16	32	83	206	265	431	442	402
1991	10,069	2,623	129	23	29	98	204	304	453	508	433
1990	9,951	2,620	96	18	30	120	221	344	456	501	431
1989	11,361	2,685	96	24	35	113	250	409	543	579	502
1988	12,947	2,680	119	24	35	145	288	463	579	544	427
1987	13,322	2,559	103	41	30	125	306	477	591	560	460
1986	13,465	2,566	118	29	37	136	311	398	543	455	350
1985	13,340	2,608	109	24	22	116	246	387	404	409	303
1984	12,682	2,541	88	19	26	114	237	322	392	295	295
1983	12,525	2,393	100	32	25	134	259	366	328	291	271
1982	12,753	2,462	112	27	38	170	312	417	400	295	296
1981	12,786	2,516	95	28	35	157	286	391	318	274	266
1980	11,992	2,468	126	19	31	154	289	323	282	213	222
1979	11,599	2,364	94	25	30	154	280	296	251	206	250

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (780-799)

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (780-799)											
White, female											
Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
1998	10,996	906	68	26	24	54	60	89	147	224	265
1997	10,546	928	58	21	34	65	77	93	162	224	266
1996	10,610	976	81	26	31	60	79	127	185	237	249
1995	10,711	1,148	107	33	26	60	95	129	213	286	293
1994	9,813	1,238	66	14	22	45	90	115	166	218	211
1993	9,898	1,392	83	36	24	58	77	105	178	207	200
1992	8,535	1,443	74	15	18	50	80	110	159	186	175
1991	8,430	1,452	96	20	23	60	72	158	166	185	183
1990	8,107	1,541	72	17	12	54	109	141	180	174	194
1989	9,236	1,638	77	27	28	57	99	175	201	216	207
1988	11,113	1,662	88	25	22	64	114	199	193	222	227
1987	10,862	1,609	92	18	18	67	118	197	228	228	221
1986	10,839	1,572	91	11	22	72	138	164	177	193	165
1985	10,496	1,510	70	14	19	80	118	139	183	139	166
1984	10,114	1,512	85	14	12	71	113	127	175	134	144
1983	9,862	1,588	77	21	13	66	122	184	162	151	143
1982	9,623	1,564	70	12	17	86	141	186	153	159	172
1981	9,250	1,573	70	19	25	90	163	166	156	144	151
1980	8,910	1,602	80	21	23	87	134	132	150	116	149
1979	8,299	1,471	80	17	19	94	120	113	153	137	142

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (780-799)											
All other, both sexes											
1998	4,951	1,343	78	21	28	66	90	122	168	229	264
1997	4,962	1,345	82	31	21	70	103	147	177	250	277
1996	5,064	1,417	88	23	27	79	127	124	207	269	325
1995	5,446	1,522	104	29	29	95	126	172	247	302	350
1994	5,410	1,772	100	23	27	87	138	154	230	301	331
1993	6,011	2,007	112	27	32	71	131	171	289	351	370
1992	5,471	2,060	90	20	27	77	138	201	267	298	261
1991	5,843	2,193	111	23	24	67	158	243	293	346	318
1990	6,079	2,248	102	15	31	65	142	251	321	416	299
1989	6,391	2,304	112	39	28	74	143	273	368	416	311
1988	6,891	2,144	91	35	27	81	160	281	402	476	302
1987	7,077	1,969	110	28	24	72	192	302	435	439	258
1986	7,086	1,900	108	19	28	74	139	233	330	328	272
1985	7,124	1,827	98	18	19	70	120	248	294	257	216
1984	6,925	1,821	86	14	17	61	127	185	242	237	200
1983	7,241	1,946	113	11	26	58	134	173	214	203	205
1982	7,438	1,907	87	28	25	82	170	218	271	226	244
1981	7,436	1,865	115	28	25	65	155	206	264	212	209
1980	7,906	2,018	82	31	26	62	155	202	177	202	238
1979	7,680	2,064	85	14	18	74	163	198	204	189	217
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (780-799)											
All other, male											
1998	2,721	784	46	9	14	44	64	78	101	147	165
1997	2,821	768	45	19	8	52	69	99	117	168	194
1996	2,832	818	45	14	15	47	81	76	137	166	214
1995	3,118	867	64	20	18	69	90	107	157	188	234
1994	3,160	1,041	57	13	14	66	90	100	151	191	237
1993	3,548	1,203	60	10	18	45	85	112	190	235	265
1992	3,156	1,172	50	11	15	51	97	134	176	195	178
1991	3,338	1,200	66	12	9	49	107	163	206	244	218
1990	3,582	1,290	48	10	20	42	102	170	209	277	233
1989	3,844	1,340	59	27	15	38	94	171	263	312	219
1988	4,022	1,181	50	23	19	47	94	186	277	314	205
1987	4,118	1,126	58	13	12	45	127	201	285	299	185
1986	4,122	1,086	57	14	17	35	82	151	227	229	197
1985	4,130	1,035	57	9	8	40	72	150	192	179	150
1984	4,029	1,013	50	6	10	37	75	127	153	165	135
1983	4,141	1,090	62	11	15	32	90	114	147	144	132
1982	4,307	1,079	41	16	16	42	103	142	197	161	155
1981	4,341	1,037	73	20	14	34	97	132	174	138	141
1980	4,473	1,111	44	15	14	40	100	135	127	123	152
1979	4,413	1,153	37	5	10	47	107	144	133	126	134

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,
sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (780-799)											
All other, female											
1998	2,230	559	32	12	14	22	26	44	67	82	99
1997	2,141	577	37	12	13	18	34	48	60	82	83
1996	2,232	599	43	9	12	32	46	48	70	103	111
1995	2,328	655	40	9	11	26	36	65	90	114	116
1994	2,250	731	43	10	13	21	48	54	79	110	94
1993	2,463	804	52	17	14	26	46	59	99	116	105
1992	2,315	888	40	9	12	26	41	67	91	103	83
1991	2,505	993	45	11	15	18	51	80	87	102	100
1990	2,497	958	54	5	11	23	40	81	112	139	66
1989	2,547	964	53	12	13	36	49	102	105	104	92
1988	2,869	963	41	12	8	34	66	95	125	162	97
1987	2,959	843	52	15	12	27	65	101	150	140	73
1986	2,964	814	51	5	11	39	57	82	103	99	75
1985	2,994	792	41	9	11	30	48	98	102	78	66
1984	2,896	808	36	8	7	24	52	58	89	72	65
1983	3,100	856	51	-	11	26	44	59	67	59	73
1982	3,131	828	46	12	9	40	67	76	74	65	89
1981	3,095	828	42	8	11	31	58	74	90	74	68
1980	3,433	907	38	16	12	22	55	67	50	79	86
1979	3,267	911	48	9	8	27	56	54	71	63	83
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (780-799)											
Black, both sexes											
1998	4,481	1,198	66	18	28	63	79	108	146	205	244
1997	4,505	1,206	77	26	20	65	91	133	154	230	257
1996	4,607	1,267	80	20	26	68	109	109	190	250	307
1995	4,958	1,377	91	26	24	82	110	158	225	274	326
1994	4,895	1,558	90	20	23	80	124	136	205	279	308
1993	5,499	1,802	105	24	28	66	117	151	265	321	345
1992	4,976	1,837	77	18	26	69	125	179	252	278	247
1991	5,306	1,963	100	17	23	59	138	217	275	328	290
1990	5,505	2,014	91	12	30	57	123	221	284	387	273
1989	5,835	2,017	98	33	25	61	130	247	340	385	299
1988	6,353	1,918	80	32	22	69	145	257	363	458	280
1987	6,562	1,762	99	22	19	64	171	270	412	413	247
1986	6,642	1,711	98	19	24	68	128	217	314	310	259
1985	6,626	1,606	84	16	19	64	113	232	280	238	204
1984	6,511	1,657	73	13	15	54	121	164	226	224	189
1983	6,787	1,748	100	9	21	49	121	169	197	189	194
1982	6,938	1,713	83	23	22	71	159	193	253	212	229
1981	6,886	1,686	106	19	22	48	131	184	231	195	196
1980	7,461	1,852	76	24	20	59	141	186	167	191	229
1979	7,242	1,879	77	12	18	63	154	178	194	176	207

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (780-799)

Black, male

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
1998	2,451	697	39	8	14	43	56	67	83	132	151
1997	2,560	694	43	15	7	47	64	91	100	152	183
1996	2,564	722	43	14	14	41	68	64	125	153	200
1995	2,839	788	59	18	15	63	80	94	139	171	220
1994	2,839	919	50	12	11	62	81	86	132	177	219
1993	3,235	1,081	56	10	17	43	74	97	170	216	247
1992	2,856	1,040	44	10	15	45	84	117	163	182	168
1991	3,020	1,067	59	9	9	45	94	142	191	228	200
1990	3,215	1,140	45	8	19	36	88	142	187	256	214
1989	3,496	1,160	52	22	12	35	85	154	240	293	210
1988	3,692	1,050	47	22	16	42	83	170	248	303	191
1987	3,817	1,004	53	11	11	40	112	178	269	285	178
1986	3,865	974	54	14	13	32	75	140	216	216	188
1985	3,829	913	48	8	8	35	65	137	183	167	140
1984	3,784	925	41	5	10	32	72	111	141	159	127
1983	3,879	988	55	9	13	27	79	111	135	135	126
1982	4,014	967	41	13	14	34	95	126	183	150	146
1981	3,982	929	67	13	12	21	77	118	149	128	130
1980	4,214	1,020	40	11	10	37	89	123	120	118	147
1979	4,163	1,059	32	5	10	40	102	129	125	115	128

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (780-799)

Black, female

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
1998	2,030	501	27	10	14	20	23	41	63	73	93
1997	1,945	512	34	11	13	18	27	42	54	78	74
1996	2,043	545	37	6	12	27	41	45	65	97	107
1995	2,119	589	32	8	9	19	30	64	86	103	106
1994	2,056	639	40	8	12	18	43	50	73	102	89
1993	2,264	721	49	14	11	23	43	54	95	105	98
1992	2,120	797	33	8	11	24	41	62	89	96	79
1991	2,286	896	41	8	14	14	44	75	84	100	90
1990	2,290	874	46	4	11	21	35	79	97	131	59
1989	2,339	857	46	11	13	26	45	93	100	92	89
1988	2,661	868	33	10	6	27	62	87	115	155	89
1987	2,745	758	46	11	8	24	59	92	143	128	69
1986	2,777	737	44	5	11	36	53	77	98	94	71
1985	2,797	693	36	8	11	29	48	95	97	71	64
1984	2,727	732	32	8	5	22	49	53	85	65	62
1983	2,908	760	45	-	8	22	42	58	62	54	68
1982	2,924	746	42	10	8	37	64	67	70	62	83
1981	2,904	757	39	6	10	27	54	66	82	67	66
1980	3,247	832	36	13	10	22	52	63	47	73	82
1979	3,079	820	45	7	8	23	52	49	69	61	79

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
All other diseases (Residual)											
All races, both sexes											
1998	179,495	1,016	624	389	455	727	871	1,146	1,874	3,091	4,461
1997	170,284	1,037	638	410	455	702	905	1,192	1,915	3,131	4,402
1996	161,868	1,041	698	434	439	684	883	1,247	1,994	3,203	4,268
1995	155,512	1,016	726	420	527	700	905	1,204	2,093	3,304	4,342
1994	149,106	1,045	719	431	489	688	873	1,256	2,154	3,174	4,079
1993	143,479	1,075	807	455	515	656	883	1,301	2,131	3,185	4,008
1992	134,119	1,136	789	438	469	638	904	1,352	2,119	3,172	3,863
1991	131,332	1,317	749	470	484	653	914	1,333	2,080	3,013	3,671
1990	127,401	1,242	727	471	459	697	878	1,377	2,120	2,895	3,302
1989	126,363	1,222	767	459	511	723	984	1,456	2,296	2,902	3,330
1988	123,717	1,208	742	446	408	673	949	1,510	2,276	3,061	3,126
1987	118,333	1,200	719	423	377	733	1,004	1,481	2,285	2,884	2,896
1986	119,140	1,185	776	414	480	767	1,241	2,296	3,666	4,092	3,631
1985	112,609	1,257	789	458	470	736	1,116	1,947	2,962	3,266	2,980
1984	104,934	1,270	776	461	501	779	1,168	1,624	2,220	2,534	2,731
1983	100,048	1,335	825	492	490	870	1,103	1,566	1,986	2,145	2,456
1982	94,190	1,325	821	487	510	866	1,152	1,454	1,795	1,983	2,239
1981	93,285	1,379	879	504	565	924	1,199	1,511	1,832	1,954	2,386
1980	92,114	1,520	815	598	592	948	1,278	1,474	1,825	1,993	2,306
1979	86,259	1,576	828	559	566	975	1,266	1,519	1,753	1,864	2,310
All other diseases (Residual)											
All races, male											
1998	72,852	544	321	216	258	422	520	645	1,080	1,839	2,690
1997	70,053	589	350	212	271	417	526	674	1,091	1,862	2,689
1996	67,536	607	388	260	237	432	507	752	1,207	1,939	2,726
1995	65,682	561	408	237	275	440	549	696	1,307	2,064	2,709
1994	63,626	594	382	250	271	421	510	740	1,311	2,008	2,587
1993	61,845	597	435	254	284	403	541	781	1,277	1,962	2,555
1992	58,852	651	410	245	253	409	516	821	1,291	2,037	2,453
1991	57,732	758	395	240	268	395	546	836	1,270	1,879	2,352
1990	56,120	711	428	278	244	432	519	809	1,318	1,859	2,098
1989	56,316	685	432	229	285	455	581	852	1,490	1,897	2,090
1988	55,694	678	405	215	219	420	581	882	1,472	2,055	2,038
1987	53,463	679	402	222	205	468	595	878	1,472	1,869	1,767
1986	57,115	647	424	221	275	467	815	1,603	2,716	3,025	2,531
1985	53,400	700	426	240	278	438	688	1,297	2,070	2,275	2,055
1984	48,950	744	418	248	279	453	711	994	1,485	1,635	1,730
1983	47,349	727	458	262	247	517	676	948	1,277	1,338	1,493
1982	44,115	761	427	251	278	533	669	926	1,115	1,206	1,316
1981	44,225	780	479	274	286	542	705	889	1,096	1,186	1,412
1980	44,302	862	446	296	318	573	755	917	1,076	1,184	1,337
1979	42,081	909	454	276	294	618	749	876	1,023	1,075	1,358

Source: CDC/NCHS, National Vital Statistics System
See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
All other diseases (Residual)											
All races, female											
1998	106,643	472	303	173	197	305	351	501	794	1,252	1,771
1997	100,231	448	288	198	184	285	379	518	824	1,269	1,713
1996	94,332	434	310	174	202	252	376	495	787	1,264	1,542
1995	89,830	455	318	183	252	260	356	508	786	1,240	1,633
1994	85,480	451	337	181	218	267	363	516	843	1,166	1,492
1993	81,634	478	372	201	231	253	342	520	854	1,223	1,453
1992	75,267	485	379	193	216	229	388	531	828	1,135	1,410
1991	73,600	559	354	230	216	258	368	497	810	1,134	1,319
1990	71,281	531	299	193	215	265	359	568	802	1,036	1,204
1989	70,047	537	335	230	226	268	403	604	806	1,005	1,240
1988	68,023	530	337	231	189	253	368	628	804	1,006	1,088
1987	64,870	521	317	201	172	265	409	603	813	1,015	1,129
1986	62,025	538	352	193	205	300	426	693	950	1,067	1,100
1985	59,209	557	363	218	192	298	428	650	892	991	925
1984	55,984	526	358	213	222	326	457	630	735	899	1,001
1983	52,699	608	367	230	243	353	427	618	709	807	963
1982	50,075	564	394	236	232	333	483	528	680	777	923
1981	49,060	599	400	230	279	382	494	622	736	768	974
1980	47,812	658	369	302	274	375	523	557	749	809	969
1979	44,178	667	374	283	272	357	517	643	730	789	952
All other diseases (Residual)											
White, both sexes											
1998	155,195	720	460	296	342	563	652	800	1,273	2,210	3,157
1997	147,115	742	478	303	348	537	665	816	1,308	2,174	3,156
1996	139,205	746	495	331	342	548	628	895	1,381	2,188	2,957
1995	133,283	716	527	313	414	563	657	839	1,459	2,232	2,979
1994	127,710	738	528	323	362	533	646	875	1,474	2,201	2,800
1993	122,337	751	574	348	399	502	634	912	1,473	2,127	2,740
1992	113,982	787	587	321	364	501	669	951	1,454	2,165	2,625
1991	111,397	901	541	365	384	489	676	934	1,362	2,025	2,492
1990	107,587	864	546	374	358	558	666	932	1,367	1,875	2,182
1989	106,213	835	591	359	397	550	745	1,033	1,432	1,829	2,218
1988	103,956	829	565	345	304	519	672	1,039	1,472	1,879	2,082
1987	99,587	838	549	335	304	590	722	1,053	1,425	1,798	1,913
1986	99,221	832	569	331	381	604	893	1,571	2,305	2,677	2,472
1985	94,270	872	572	361	383	584	791	1,305	1,822	2,159	1,983
1984	88,252	880	579	360	405	630	867	1,092	1,360	1,628	1,843
1983	84,328	963	632	402	393	703	832	1,033	1,253	1,397	1,673
1982	79,610	945	649	409	422	698	871	964	1,126	1,264	1,513
1981	78,477	966	668	423	457	750	919	994	1,126	1,213	1,623
1980	77,357	1,061	616	491	486	793	936	969	1,187	1,232	1,528
1979	72,712	1,113	619	465	469	817	966	1,029	1,148	1,201	1,517

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
All other diseases (Residual)											
White, male											
1998	61,862	384	234	167	191	342	406	470	782	1,381	1,969
1997	59,417	419	268	168	208	328	396	481	791	1,371	1,998
1996	56,916	443	288	201	186	353	384	565	878	1,375	1,928
1995	55,029	405	304	177	222	361	413	515	943	1,455	1,935
1994	53,380	416	285	194	203	342	397	549	958	1,447	1,787
1993	51,636	424	314	201	223	312	406	582	933	1,363	1,795
1992	49,001	456	303	180	199	335	390	606	934	1,476	1,732
1991	47,965	512	294	190	211	304	432	598	885	1,310	1,622
1990	46,248	507	320	224	196	357	404	565	882	1,248	1,383
1989	46,348	486	323	189	228	359	461	645	985	1,221	1,427
1988	45,567	472	310	166	168	339	430	644	975	1,294	1,334
1987	43,956	457	314	172	161	377	455	659	945	1,197	1,185
1986	46,326	450	316	178	221	374	612	1,136	1,777	2,043	1,760
1985	43,615	490	309	188	229	355	499	920	1,306	1,527	1,367
1984	40,294	524	313	193	229	384	556	703	941	1,055	1,171
1983	39,181	531	346	217	206	435	525	639	819	881	1,013
1982	36,503	537	332	212	229	441	531	624	717	755	871
1981	36,492	556	358	229	238	452	567	597	669	728	959
1980	36,448	604	332	231	264	490	567	634	693	729	894
1979	34,792	651	345	231	253	523	584	605	650	691	870
All other diseases (Residual)											
White, female											
1998	93,333	336	226	129	151	221	246	330	491	829	1,188
1997	87,698	323	210	135	140	209	269	335	517	803	1,158
1996	82,289	303	207	130	156	195	244	330	503	813	1,029
1995	78,254	311	223	136	192	202	244	324	516	777	1,044
1994	74,330	322	243	129	159	191	249	326	516	754	1,013
1993	70,701	327	260	147	176	190	228	330	540	764	945
1992	64,981	331	284	141	165	166	279	345	520	689	893
1991	63,432	389	247	175	173	185	244	336	477	715	870
1990	61,339	357	226	150	162	201	262	367	485	627	799
1989	59,865	349	268	170	169	191	284	388	447	608	791
1988	58,389	357	255	179	136	180	242	395	497	585	748
1987	55,631	381	235	163	143	213	267	394	480	601	728
1986	52,895	382	253	153	160	230	281	435	528	634	712
1985	50,655	382	263	173	154	229	292	385	516	632	616
1984	47,958	356	266	167	176	246	311	389	419	573	672
1983	45,147	432	286	185	187	268	307	394	434	516	660
1982	43,107	408	317	197	193	257	340	340	409	509	642
1981	41,985	410	310	194	219	298	352	397	457	485	664
1980	40,909	457	284	260	222	303	369	335	494	503	634
1979	37,920	462	274	234	216	294	382	424	498	510	647

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
All other diseases (Residual)											
All other, both sexes											
1998	24,300	296	164	93	113	164	219	346	601	881	1,304
1997	23,169	295	160	107	107	165	240	376	607	957	1,246
1996	22,663	295	203	103	97	136	255	352	613	1,015	1,311
1995	22,229	300	199	107	113	137	248	365	634	1,072	1,363
1994	21,396	307	191	108	127	155	227	381	680	973	1,279
1993	21,142	324	233	107	116	154	249	389	658	1,058	1,268
1992	20,137	349	202	117	105	137	235	401	665	1,007	1,238
1991	19,935	416	208	105	100	164	238	399	718	988	1,179
1990	19,814	378	181	97	101	139	212	445	753	1,020	1,120
1989	20,150	387	176	100	114	173	239	423	864	1,073	1,112
1988	19,761	379	177	101	104	154	277	471	804	1,182	1,044
1987	18,746	362	170	88	73	143	282	428	860	1,086	983
1986	19,919	353	207	83	99	163	348	725	1,361	1,415	1,159
1985	18,339	385	217	97	87	152	325	642	1,140	1,107	997
1984	16,682	390	197	101	96	149	301	532	860	906	888
1983	15,720	372	193	90	97	167	271	533	733	748	783
1982	14,580	380	172	78	88	168	281	490	669	719	726
1981	14,808	413	211	81	108	174	280	517	706	741	763
1980	14,757	459	199	107	106	155	342	505	638	761	778
1979	13,547	463	209	94	97	158	300	490	605	663	793
All other diseases (Residual)											
All other, male											
1998	10,990	160	87	49	67	80	114	175	298	458	721
1997	10,636	170	82	44	63	89	130	193	300	491	691
1996	10,620	164	100	59	51	79	123	187	329	564	798
1995	10,653	156	104	60	53	79	136	181	364	609	774
1994	10,246	178	97	56	68	79	113	191	353	561	800
1993	10,209	173	121	53	61	91	135	199	344	599	760
1992	9,851	195	107	65	54	74	126	215	357	561	721
1991	9,767	246	101	50	57	91	114	238	385	569	730
1990	9,872	204	108	54	48	75	115	244	436	611	715
1989	9,968	199	109	40	57	96	120	207	505	676	663
1988	10,127	206	95	49	51	81	151	238	497	761	704
1987	9,507	222	88	50	44	91	140	219	527	672	582
1986	10,789	197	108	43	54	93	203	467	939	982	771
1985	9,785	210	117	52	49	83	189	377	764	748	688
1984	8,656	220	105	55	50	69	155	291	544	580	559
1983	8,168	196	112	45	41	82	151	309	458	457	480
1982	7,612	224	95	39	49	92	138	302	398	451	445
1981	7,733	224	121	45	48	90	138	292	427	458	453
1980	7,854	258	114	65	54	83	188	283	383	455	443
1979	7,289	258	109	45	41	95	165	271	373	384	488

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
All other diseases (Residual)											
All other, female											
1998	13,310	136	77	44	46	84	105	171	303	423	583
1997	12,533	125	78	63	44	76	110	183	307	466	555
1996	12,043	131	103	44	46	57	132	165	284	451	513
1995	11,576	144	95	47	60	58	112	184	270	463	589
1994	11,150	129	94	52	59	76	114	190	327	412	479
1993	10,933	151	112	54	55	63	114	190	314	459	508
1992	10,286	154	95	52	51	63	109	186	308	446	517
1991	10,168	170	107	55	43	73	124	161	333	419	449
1990	9,942	174	73	43	53	64	97	201	317	409	405
1989	10,182	188	67	60	57	77	119	216	359	397	449
1988	9,634	173	82	52	53	73	126	233	307	421	340
1987	9,239	140	82	38	29	52	142	209	333	414	401
1986	9,130	156	99	40	45	70	145	258	422	433	388
1985	8,554	175	100	45	38	69	136	265	376	359	309
1984	8,026	170	92	46	46	80	146	241	316	326	329
1983	7,552	176	81	45	56	85	120	224	275	291	303
1982	6,968	156	77	39	39	76	143	188	271	268	281
1981	7,075	189	90	36	60	84	142	225	279	283	310
1980	6,903	201	85	42	52	72	154	222	255	306	335
1979	6,258	205	100	49	56	63	135	219	232	279	305
All other diseases (Residual)											
Black, both sexes											
1998	21,524	266	139	80	92	137	189	309	535	783	1,190
1997	20,557	249	130	90	85	139	203	334	532	857	1,148
1996	20,217	254	159	85	84	118	220	308	548	924	1,198
1995	19,989	255	166	97	96	115	215	339	579	985	1,244
1994	19,268	263	162	92	104	141	205	332	607	894	1,178
1993	19,095	295	197	94	99	124	204	347	603	977	1,158
1992	18,243	302	179	100	85	114	204	374	588	938	1,135
1991	18,234	380	176	93	80	141	221	360	669	913	1,090
1990	18,128	336	159	81	87	124	181	407	702	957	1,036
1989	18,521	341	141	83	108	150	218	389	798	998	1,048
1988	18,196	333	150	88	92	137	248	438	762	1,119	975
1987	17,362	314	142	71	62	127	256	395	813	1,037	933
1986	18,569	314	186	69	84	141	326	690	1,317	1,355	1,096
1985	17,077	335	189	85	82	130	298	607	1,081	1,060	938
1984	15,479	329	173	93	81	131	279	492	814	848	830
1983	14,517	321	164	80	86	144	253	498	689	700	737
1982	13,558	337	151	67	82	151	252	456	630	667	681
1981	13,778	370	184	74	99	148	255	483	663	689	706
1980	13,728	419	176	96	97	142	311	476	585	726	715
1979	12,569	408	187	80	90	143	276	451	561	619	737

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
All other diseases (Residual)											
Black, male											
1998	9,646	145	76	42	53	67	100	154	259	401	655
1997	9,338	143	66	40	48	74	108	168	265	424	634
1996	9,413	139	77	51	43	65	111	166	288	508	724
1995	9,488	134	88	54	46	65	117	172	329	554	698
1994	9,194	153	80	53	56	70	100	164	319	516	741
1993	9,179	157	105	45	56	71	113	169	311	548	703
1992	8,876	161	95	59	42	60	114	199	315	516	663
1991	8,871	225	87	45	44	78	101	206	357	524	675
1990	8,968	179	90	48	41	64	98	220	411	573	662
1989	9,095	173	86	34	54	80	105	190	464	623	627
1988	9,266	180	85	42	47	72	137	219	479	718	662
1987	8,790	192	76	38	40	81	124	202	490	641	555
1986	10,049	172	96	35	48	78	190	445	911	946	737
1985	9,114	181	102	43	45	69	170	360	734	719	649
1984	8,018	189	96	49	44	60	141	273	516	551	526
1983	7,523	171	95	40	33	69	140	289	431	432	459
1982	7,036	202	84	33	45	82	116	279	375	418	420
1981	7,149	202	107	41	42	74	120	276	403	428	422
1980	7,277	240	102	58	48	71	170	271	352	435	412
1979	6,711	230	99	38	37	83	150	250	353	356	456
All other diseases (Residual)											
Black, female											
1998	11,878	121	63	38	39	70	89	155	276	382	535
1997	11,219	106	64	50	37	65	95	166	267	433	514
1996	10,804	115	82	34	41	53	109	142	260	416	474
1995	10,501	121	78	43	50	50	98	167	250	431	546
1994	10,074	110	82	39	48	71	105	168	288	378	437
1993	9,916	138	92	49	43	53	91	178	292	429	455
1992	9,367	141	84	41	43	54	90	175	273	422	472
1991	9,363	155	89	48	36	63	120	154	312	389	415
1990	9,160	157	69	33	46	60	83	187	291	384	374
1989	9,426	168	55	49	54	70	113	199	334	375	421
1988	8,930	153	65	46	45	65	111	219	283	401	313
1987	8,572	122	66	33	22	46	132	193	323	396	378
1986	8,520	142	90	34	36	63	136	245	406	409	359
1985	7,963	154	87	42	37	61	128	247	347	341	289
1984	7,461	140	77	44	37	71	138	219	298	297	304
1983	6,994	150	69	40	53	75	113	209	258	268	278
1982	6,522	135	67	34	37	69	136	177	255	249	261
1981	6,629	168	77	33	57	74	135	207	260	261	284
1980	6,451	179	74	38	49	71	141	205	233	291	303
1979	5,858	178	88	42	53	60	126	201	208	263	281

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,
sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Accidents (unintentional injuries) (E800-E869,E880-E929)											
All races, both sexes											
1998	94,331	720	1,904	1,532	1,692	6,568	6,731	5,764	6,186	7,461	7,491
1997	92,353	736	1,968	1,514	1,824	6,581	6,737	6,105	6,414	7,248	7,095
1996	91,776	777	2,118	1,564	1,824	6,735	7,022	6,178	6,561	7,266	6,797
1995	90,402	761	2,249	1,598	1,916	6,598	7,198	6,344	6,993	7,424	6,632
1994	88,649	859	2,491	1,583	1,897	6,548	7,311	6,226	7,151	7,085	6,323
1993	87,598	864	2,562	1,576	1,850	6,420	7,503	6,464	7,458	7,113	6,000
1992	83,952	779	2,439	1,609	1,739	6,215	7,406	6,688	7,020	6,562	5,306
1991	86,711	916	2,643	1,719	1,907	6,917	8,318	7,299	7,408	6,288	5,335
1990	89,148	906	2,537	1,749	1,865	7,547	8,662	8,237	7,640	6,524	5,062
1989	92,036	947	2,748	2,047	2,012	7,874	8,818	8,627	7,869	6,478	5,232
1988	94,062	900	2,825	2,088	2,100	8,484	9,987	8,784	7,851	6,354	5,057
1987	91,988	918	2,886	2,055	2,127	8,515	10,139	9,009	7,507	6,179	4,566
1986	92,208	874	2,904	1,970	2,232	8,974	10,961	9,317	7,507	5,936	4,232
1985	90,605	851	2,839	1,970	2,239	8,188	10,934	8,804	6,998	5,552	4,373
1984	90,283	795	2,781	1,904	2,272	8,450	11,310	8,851	7,040	5,293	4,121
1983	89,828	918	3,009	1,978	2,322	8,557	11,145	8,805	6,781	5,179	4,042
1982	91,497	987	3,055	2,083	2,396	9,351	11,920	8,983	6,871	5,165	3,937
1981	98,155	954	3,128	2,227	2,617	10,516	13,018	9,912	7,478	5,160	4,152
1980	103,281	1,131	3,289	2,421	2,766	12,230	13,917	9,917	7,160	5,093	4,361
1979	102,670	1,050	3,327	2,690	2,966	12,664	13,841	9,608	6,771	5,222	4,310
Accidents (unintentional injuries) (E800-E869,E880-E929)											
All races, male											
1998	61,399	414	1,138	951	1,118	4,556	5,303	4,452	4,656	5,473	5,524
1997	60,404	416	1,170	924	1,169	4,567	5,194	4,683	4,866	5,393	5,339
1996	60,127	432	1,277	949	1,205	4,742	5,498	4,689	4,927	5,404	5,104
1995	60,066	406	1,337	1,005	1,268	4,625	5,662	4,927	5,345	5,661	5,030
1994	59,250	485	1,504	1,000	1,288	4,713	5,684	4,809	5,550	5,387	4,875
1993	58,773	481	1,532	972	1,256	4,653	5,930	5,015	5,809	5,501	4,614
1992	56,554	444	1,494	1,049	1,211	4,436	5,793	5,227	5,478	5,058	4,110
1991	58,578	531	1,558	1,112	1,363	4,983	6,530	5,735	5,802	4,818	4,108
1990	60,606	496	1,557	1,117	1,283	5,551	6,904	6,438	6,006	5,088	3,856
1989	62,480	513	1,657	1,310	1,393	5,647	6,971	6,738	6,078	5,023	3,937
1988	64,367	508	1,705	1,334	1,444	6,221	7,954	6,914	6,139	4,968	3,832
1987	63,342	506	1,774	1,338	1,566	6,253	8,038	7,081	5,947	4,830	3,451
1986	64,133	475	1,729	1,298	1,603	6,677	8,778	7,500	5,973	4,646	3,222
1985	62,755	462	1,745	1,268	1,600	6,042	8,727	7,088	5,623	4,316	3,306
1984	62,776	427	1,712	1,266	1,597	6,309	9,003	7,131	5,564	4,121	3,122
1983	62,605	524	1,834	1,295	1,639	6,470	8,880	7,085	5,399	4,078	3,079
1982	64,450	579	1,835	1,336	1,696	7,199	9,638	7,263	5,537	4,047	3,009
1981	69,626	526	1,906	1,474	1,894	8,007	10,542	8,059	6,009	4,033	3,182
1980	72,945	639	1,982	1,570	1,961	9,359	11,325	8,074	5,755	4,017	3,315
1979	73,048	595	1,987	1,787	2,130	9,709	11,269	7,803	5,462	4,096	3,297

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Accidents (unintentional injuries) (E800-E869,E880-E929)											
All races, female											
1998	32,932	306	766	581	574	2,012	1,428	1,312	1,530	1,988	1,967
1997	31,949	320	798	590	655	2,014	1,543	1,422	1,548	1,855	1,756
1996	31,649	345	841	615	619	1,993	1,524	1,489	1,634	1,862	1,693
1995	30,336	355	912	593	648	1,973	1,536	1,417	1,648	1,763	1,602
1994	29,399	374	987	583	609	1,835	1,627	1,417	1,601	1,698	1,448
1993	28,825	383	1,030	604	594	1,767	1,573	1,449	1,649	1,612	1,386
1992	27,398	335	945	560	528	1,779	1,613	1,461	1,542	1,504	1,196
1991	28,133	385	1,085	607	544	1,934	1,788	1,564	1,606	1,470	1,227
1990	28,542	410	980	632	582	1,996	1,758	1,799	1,634	1,436	1,206
1989	29,556	434	1,091	737	619	2,227	1,847	1,889	1,791	1,455	1,295
1988	29,695	392	1,120	754	656	2,263	2,033	1,870	1,712	1,386	1,225
1987	28,646	412	1,112	717	561	2,262	2,101	1,928	1,560	1,349	1,115
1986	28,075	399	1,175	672	629	2,297	2,183	1,817	1,534	1,290	1,010
1985	27,850	389	1,094	702	639	2,146	2,207	1,716	1,375	1,236	1,067
1984	27,507	368	1,069	638	675	2,141	2,307	1,720	1,476	1,172	999
1983	27,223	394	1,175	683	683	2,087	2,265	1,720	1,382	1,101	963
1982	27,047	408	1,220	747	700	2,152	2,282	1,720	1,334	1,118	928
1981	28,529	428	1,222	753	723	2,509	2,476	1,853	1,469	1,127	970
1980	30,336	492	1,307	851	805	2,871	2,592	1,843	1,405	1,076	1,046
1979	29,622	455	1,340	903	836	2,955	2,572	1,805	1,309	1,126	1,013
Accidents (unintentional injuries) (E800-E869,E880-E929)											
White, both sexes											
1998	79,297	488	1,368	1,030	1,285	5,562	5,567	4,634	5,038	6,091	6,054
1997	77,192	491	1,413	1,030	1,395	5,539	5,583	4,867	5,235	5,889	5,617
1996	76,818	530	1,492	1,094	1,406	5,644	5,715	5,025	5,306	5,909	5,499
1995	75,326	507	1,628	1,158	1,471	5,536	5,955	5,134	5,716	5,967	5,223
1994	73,611	562	1,729	1,091	1,445	5,515	5,997	5,114	5,785	5,692	5,016
1993	72,812	578	1,805	1,089	1,411	5,409	6,123	5,326	6,072	5,693	4,695
1992	70,072	505	1,773	1,149	1,319	5,233	6,193	5,532	5,718	5,235	4,239
1991	72,223	604	1,930	1,253	1,465	5,865	7,026	5,935	5,989	4,925	4,181
1990	74,558	592	1,842	1,270	1,447	6,461	7,343	6,808	6,177	5,238	4,050
1989	76,672	584	2,009	1,497	1,569	6,885	7,374	7,150	6,397	5,109	4,194
1988	78,574	607	2,056	1,515	1,638	7,411	8,452	7,283	6,354	5,049	4,046
1987	77,299	630	2,151	1,527	1,672	7,487	8,652	7,498	6,119	4,974	3,632
1986	77,762	575	2,171	1,396	1,759	7,982	9,459	7,761	6,112	4,783	3,444
1985	76,628	599	2,127	1,429	1,792	7,265	9,489	7,403	5,726	4,523	3,550
1984	77,030	555	2,042	1,410	1,836	7,542	9,879	7,554	5,821	4,354	3,373
1983	76,392	642	2,270	1,464	1,884	7,704	9,731	7,482	5,610	4,295	3,314
1982	78,249	684	2,301	1,538	1,966	8,378	10,533	7,684	5,673	4,274	3,248
1981	84,310	670	2,337	1,669	2,129	9,531	11,535	8,533	6,284	4,300	3,393
1980	88,069	795	2,479	1,783	2,250	11,059	12,290	8,476	5,981	4,213	3,561
1979	88,116	722	2,468	1,979	2,444	11,501	12,262	8,214	5,635	4,316	3,507

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Accidents (unintentional injuries) (E800-E869,E880-E929)											
White, male											
1998	51,026	291	823	642	815	3,788	4,429	3,581	3,793	4,500	4,503
1997	50,096	274	851	643	903	3,794	4,320	3,741	4,002	4,425	4,250
1996	49,863	290	910	652	909	3,939	4,489	3,814	4,024	4,456	4,166
1995	49,555	280	968	730	970	3,829	4,701	4,004	4,405	4,587	3,977
1994	48,776	325	1,050	692	973	3,917	4,670	3,971	4,560	4,374	3,888
1993	48,387	322	1,092	698	957	3,858	4,863	4,155	4,790	4,423	3,611
1992	46,810	308	1,123	756	907	3,684	4,848	4,335	4,518	4,058	3,308
1991	48,235	345	1,143	809	1,029	4,163	5,514	4,668	4,714	3,790	3,227
1990	50,235	323	1,135	817	986	4,718	5,848	5,349	4,879	4,074	3,078
1989	51,511	317	1,212	964	1,074	4,870	5,820	5,616	4,963	3,979	3,150
1988	53,226	340	1,242	977	1,135	5,396	6,737	5,745	5,020	3,965	3,067
1987	52,702	342	1,322	993	1,225	5,438	6,834	5,917	4,879	3,883	2,721
1986	53,678	312	1,303	938	1,252	5,895	7,560	6,268	4,901	3,727	2,627
1985	52,691	328	1,316	927	1,277	5,324	7,568	5,986	4,644	3,505	2,670
1984	53,153	293	1,270	925	1,279	5,599	7,866	6,102	4,622	3,374	2,539
1983	52,992	360	1,404	982	1,325	5,813	7,774	6,062	4,478	3,371	2,507
1982	54,820	404	1,398	999	1,391	6,446	8,530	6,256	4,570	3,364	2,468
1981	59,449	370	1,432	1,113	1,542	7,214	9,346	6,976	5,071	3,351	2,585
1980	61,929	448	1,506	1,144	1,607	8,426	9,992	6,935	4,816	3,312	2,703
1979	62,323	424	1,479	1,309	1,739	8,822	9,997	6,677	4,555	3,369	2,658
Accidents (unintentional injuries) (E800-E869,E880-E929)											
White, female											
1998	28,271	197	545	388	470	1,774	1,138	1,053	1,245	1,591	1,551
1997	27,096	217	562	387	492	1,745	1,263	1,126	1,233	1,464	1,367
1996	26,955	240	582	442	497	1,705	1,226	1,211	1,282	1,453	1,333
1995	25,771	227	660	428	501	1,707	1,254	1,130	1,311	1,380	1,246
1994	24,835	237	679	399	472	1,598	1,327	1,143	1,225	1,318	1,128
1993	24,425	256	713	391	454	1,551	1,260	1,171	1,282	1,270	1,084
1992	23,262	197	650	393	412	1,549	1,345	1,197	1,200	1,177	931
1991	23,988	259	787	444	436	1,702	1,512	1,267	1,275	1,135	954
1990	24,323	269	707	453	461	1,743	1,495	1,459	1,298	1,164	972
1989	25,161	267	797	533	495	2,015	1,554	1,534	1,434	1,130	1,044
1988	25,348	267	814	538	503	2,015	1,715	1,538	1,334	1,084	979
1987	24,597	288	829	534	447	2,049	1,818	1,581	1,240	1,091	911
1986	24,084	263	868	458	507	2,087	1,899	1,493	1,211	1,056	817
1985	23,937	271	811	502	515	1,941	1,921	1,417	1,082	1,018	880
1984	23,877	262	772	485	557	1,943	2,013	1,452	1,199	980	834
1983	23,400	282	866	482	559	1,891	1,957	1,420	1,132	924	807
1982	23,429	280	903	539	575	1,932	2,003	1,428	1,103	910	780
1981	24,861	300	905	556	587	2,317	2,189	1,557	1,213	949	808
1980	26,140	347	973	639	643	2,633	2,298	1,541	1,165	901	858
1979	25,793	298	989	670	705	2,679	2,265	1,537	1,080	947	849

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Accidents (unintentional injuries) (E800-E869,E880-E929)											
All other, both sexes											
1998	15,034	232	536	502	407	1,006	1,164	1,130	1,148	1,370	1,437
1997	15,161	245	555	484	429	1,042	1,154	1,238	1,179	1,359	1,478
1996	14,958	247	626	470	418	1,091	1,307	1,153	1,255	1,357	1,298
1995	15,076	254	621	440	445	1,062	1,243	1,210	1,277	1,457	1,409
1994	15,038	297	762	492	452	1,033	1,314	1,112	1,366	1,393	1,307
1993	14,786	286	757	487	439	1,011	1,380	1,138	1,386	1,420	1,305
1992	13,880	274	666	460	420	982	1,213	1,156	1,302	1,327	1,067
1991	14,488	312	713	466	442	1,052	1,292	1,364	1,419	1,363	1,154
1990	14,590	314	695	479	418	1,086	1,319	1,429	1,463	1,286	1,012
1989	15,364	363	739	550	443	989	1,444	1,477	1,472	1,369	1,038
1988	15,488	293	769	573	462	1,073	1,535	1,501	1,497	1,305	1,011
1987	14,689	288	735	528	455	1,028	1,487	1,511	1,388	1,205	934
1986	14,446	299	733	574	473	992	1,502	1,556	1,395	1,153	788
1985	13,977	252	712	541	447	923	1,445	1,401	1,272	1,029	823
1984	13,253	240	739	494	436	908	1,431	1,297	1,219	939	748
1983	13,436	276	739	514	438	853	1,414	1,323	1,171	884	728
1982	13,248	303	754	545	430	973	1,387	1,299	1,198	891	689
1981	13,845	284	791	558	488	985	1,483	1,379	1,194	860	759
1980	15,212	336	810	638	516	1,171	1,627	1,441	1,179	880	800
1979	14,554	328	859	711	522	1,163	1,579	1,394	1,136	906	803
Accidents (unintentional injuries) (E800-E869,E880-E929)											
All other, male											
1998	10,373	123	315	309	303	768	874	871	863	973	1,021
1997	10,308	142	319	281	266	773	874	942	864	968	1,089
1996	10,264	142	367	297	296	803	1,009	875	903	948	938
1995	10,511	126	369	275	298	796	961	923	940	1,074	1,053
1994	10,474	160	454	308	315	796	1,014	838	990	1,013	987
1993	10,386	159	440	274	299	795	1,067	860	1,019	1,078	1,003
1992	9,744	136	371	293	304	752	945	892	960	1,000	802
1991	10,343	186	415	303	334	820	1,016	1,067	1,088	1,028	881
1990	10,371	173	422	300	297	833	1,056	1,089	1,127	1,014	778
1989	10,969	196	445	346	319	777	1,151	1,122	1,115	1,044	787
1988	11,141	168	463	357	309	825	1,217	1,169	1,119	1,003	765
1987	10,640	164	452	345	341	815	1,204	1,164	1,068	947	730
1986	10,455	163	426	360	351	782	1,218	1,232	1,072	919	595
1985	10,064	134	429	341	323	718	1,159	1,102	979	811	636
1984	9,623	134	442	341	318	710	1,137	1,029	942	747	583
1983	9,613	164	430	313	314	657	1,106	1,023	921	707	572
1982	9,630	175	437	337	305	753	1,108	1,007	967	683	541
1981	10,177	156	474	361	352	793	1,196	1,083	938	682	597
1980	11,016	191	476	426	354	933	1,333	1,139	939	705	612
1979	10,725	171	508	478	391	887	1,272	1,126	907	727	639

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Accidents (unintentional injuries) (E800-E869,E880-E929)											
All other, female											
1998	4,661	109	221	193	104	238	290	259	285	397	416
1997	4,853	103	236	203	163	269	280	296	315	391	389
1996	4,694	105	259	173	122	288	298	278	352	409	360
1995	4,565	128	252	165	147	266	282	287	337	383	356
1994	4,564	137	308	184	137	237	300	274	376	380	320
1993	4,400	127	317	213	140	216	313	278	367	342	302
1992	4,136	138	295	167	116	230	268	264	342	327	265
1991	4,145	126	298	163	108	232	276	297	331	335	273
1990	4,219	141	273	179	121	253	263	340	336	272	234
1989	4,395	167	294	204	124	212	293	355	357	325	251
1988	4,347	125	306	216	153	248	318	332	378	302	246
1987	4,049	124	283	183	114	213	283	347	320	258	204
1986	3,991	136	307	214	122	210	284	324	323	234	193
1985	3,913	118	283	200	124	205	286	299	293	218	187
1984	3,630	106	297	153	118	198	294	268	277	192	165
1983	3,823	112	309	201	124	196	308	300	250	177	156
1982	3,618	128	317	208	125	220	279	292	231	208	148
1981	3,668	128	317	197	136	192	287	296	256	178	162
1980	4,196	145	334	212	162	238	294	302	240	175	188
1979	3,829	157	351	233	131	276	307	268	229	179	164
Accidents (unintentional injuries) (E800-E869,E880-E929)											
Black, both sexes											
1998	12,237	212	460	427	327	768	877	896	895	1,144	1,217
1997	12,161	217	445	403	344	796	880	938	933	1,126	1,226
1996	12,131	215	525	398	325	838	993	891	1,006	1,115	1,116
1995	12,296	229	506	362	364	824	913	939	1,028	1,226	1,202
1994	12,316	262	651	413	383	815	996	877	1,100	1,156	1,145
1993	12,246	251	650	407	360	773	1,081	893	1,142	1,222	1,153
1992	11,355	239	567	389	342	740	928	896	1,053	1,117	923
1991	12,066	265	632	403	377	833	1,023	1,103	1,171	1,155	982
1990	11,998	283	582	395	344	801	1,019	1,146	1,229	1,076	838
1989	12,907	320	607	480	366	742	1,130	1,201	1,255	1,164	881
1988	13,007	277	659	496	384	815	1,185	1,220	1,289	1,127	856
1987	12,292	261	638	454	376	800	1,167	1,240	1,157	1,026	789
1986	12,114	261	620	491	388	777	1,165	1,270	1,184	971	661
1985	11,779	217	592	452	383	709	1,133	1,143	1,066	879	692
1984	11,278	212	616	440	392	687	1,149	1,090	1,051	800	627
1983	11,469	255	660	439	384	676	1,101	1,102	992	747	614
1982	11,271	268	659	489	375	745	1,117	1,083	1,011	759	595
1981	11,919	251	701	487	420	778	1,211	1,147	988	741	641
1980	13,121	303	710	562	441	911	1,334	1,183	1,005	742	677
1979	12,582	302	747	643	461	926	1,260	1,157	983	770	698

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Accidents (unintentional injuries) (E800-E869,E880-E929)											
Black, male											
1998	8,544	113	272	269	248	605	675	710	685	807	866
1997	8,359	126	264	233	221	604	678	720	687	808	920
1996	8,409	119	311	248	234	618	768	671	732	779	822
1995	8,639	114	300	230	250	640	719	722	751	903	904
1994	8,632	139	387	258	267	641	773	661	808	844	876
1993	8,714	142	380	229	249	626	847	689	845	931	896
1992	8,021	113	313	246	248	585	734	685	783	846	701
1991	8,659	160	366	260	290	673	821	859	898	879	762
1990	8,561	155	346	244	249	624	827	874	954	853	652
1989	9,265	169	373	302	271	596	905	904	958	906	679
1988	9,381	158	398	314	262	644	943	942	968	874	658
1987	8,938	146	393	298	281	638	948	959	890	818	620
1986	8,808	141	350	303	291	618	951	1,017	919	795	507
1985	8,535	115	351	284	284	562	907	915	830	710	547
1984	8,211	119	370	301	290	539	917	868	821	639	490
1983	8,192	153	382	270	274	523	859	850	793	605	486
1982	8,235	152	389	300	267	577	911	849	825	591	477
1981	8,820	138	416	315	303	642	990	922	794	599	510
1980	9,516	170	417	380	314	731	1,097	948	813	602	525
1979	9,288	159	437	435	346	718	1,016	934	789	631	561
Accidents (unintentional injuries) (E800-E869,E880-E929)											
Black, female											
1998	3,693	99	188	158	79	163	202	186	210	337	351
1997	3,802	91	181	170	123	192	202	218	246	318	306
1996	3,722	96	214	150	91	220	225	220	274	336	294
1995	3,657	115	206	132	114	184	194	217	277	323	298
1994	3,684	123	264	155	116	174	223	216	292	312	269
1993	3,532	109	270	178	111	147	234	204	297	291	257
1992	3,334	126	254	143	94	155	194	211	270	271	222
1991	3,407	105	266	143	87	160	202	244	273	276	220
1990	3,437	128	236	151	95	177	192	272	275	223	186
1989	3,642	151	234	178	95	146	225	297	297	258	202
1988	3,626	119	261	182	122	171	242	278	321	253	198
1987	3,354	115	245	156	95	162	219	281	267	208	169
1986	3,306	120	270	188	97	159	214	253	265	176	154
1985	3,244	102	241	168	99	147	226	228	236	169	145
1984	3,067	93	246	139	102	148	232	222	230	161	137
1983	3,277	102	278	169	110	153	242	252	199	142	128
1982	3,036	116	270	189	108	168	206	234	186	168	118
1981	3,099	113	285	172	117	136	221	225	194	142	131
1980	3,605	133	293	182	127	180	237	235	192	140	152
1979	3,294	143	310	208	115	208	244	223	194	139	137

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Transport accidents (E800-E848,E929.0,E929.1)											
All races, both sexes											
1998	46,086	164	768	871	1,098	5,299	5,050	3,922	3,631	3,959	3,558
1997	46,287	167	784	885	1,184	5,363	5,184	4,200	3,837	3,844	3,463
1996	46,679	216	844	926	1,182	5,483	5,472	4,322	3,967	4,012	3,436
1995	46,216	180	848	947	1,237	5,323	5,657	4,409	4,240	3,938	3,269
1994	45,645	192	980	939	1,225	5,323	5,716	4,252	4,222	3,782	3,136
1993	44,805	194	920	929	1,167	5,111	5,804	4,425	4,456	3,709	2,994
1992	44,178	165	903	955	1,080	4,991	5,763	4,644	4,370	3,628	2,925
1991	46,629	174	933	986	1,173	5,546	6,617	5,152	4,645	3,661	2,990
1990	49,917	198	950	1,014	1,166	6,091	6,990	5,971	4,942	3,954	3,028
1989	50,731	220	1,032	1,179	1,230	6,425	6,980	6,087	4,929	3,781	3,147
1988	52,120	218	1,034	1,226	1,324	6,965	7,939	6,245	4,954	3,759	3,019
1987	51,642	208	1,025	1,189	1,346	7,028	8,004	6,470	4,815	3,822	2,822
1986	51,139	184	1,034	1,122	1,364	7,214	8,593	6,436	4,708	3,638	2,523
1985	49,445	183	1,057	1,121	1,364	6,524	8,431	6,068	4,401	3,447	2,672
1984	49,627	162	1,018	1,065	1,349	6,678	8,711	6,129	4,493	3,295	2,531
1983	48,050	195	1,073	1,085	1,315	6,647	8,339	6,039	4,309	3,201	2,402
1982	49,696	214	1,141	1,114	1,380	7,226	8,882	6,086	4,410	3,328	2,372
1981	55,190	224	1,067	1,251	1,517	8,238	9,923	7,034	5,062	3,396	2,548
1980	57,162	252	1,220	1,344	1,612	9,453	10,498	6,955	4,902	3,305	2,701
1979	57,757	225	1,274	1,551	1,656	9,879	10,377	6,811	4,631	3,384	2,624
Transport accidents (E800-E848,E929.0,E929.1)											
All races, male											
1998	31,107	89	423	514	689	3,514	3,868	2,931	2,629	2,771	2,482
1997	31,106	86	428	517	699	3,536	3,890	3,121	2,788	2,735	2,460
1996	31,518	109	469	526	735	3,687	4,177	3,177	2,851	2,839	2,444
1995	31,526	96	466	581	758	3,526	4,376	3,320	3,109	2,848	2,326
1994	31,215	97	546	586	765	3,649	4,331	3,187	3,143	2,751	2,267
1993	30,914	100	505	548	733	3,552	4,469	3,305	3,355	2,737	2,161
1992	30,656	94	514	603	712	3,393	4,425	3,514	3,331	2,647	2,127
1991	32,536	92	513	619	785	3,789	5,079	3,938	3,518	2,695	2,179
1990	35,046	101	532	629	725	4,308	5,455	4,573	3,773	2,953	2,197
1989	35,339	116	563	725	799	4,410	5,396	4,634	3,685	2,778	2,256
1988	36,863	120	563	767	861	4,915	6,208	4,825	3,746	2,842	2,196
1987	36,715	101	586	751	934	4,983	6,230	4,965	3,704	2,861	2,067
1986	36,879	95	588	722	908	5,183	6,771	5,085	3,655	2,765	1,864
1985	35,407	98	626	704	900	4,637	6,605	4,801	3,446	2,581	1,924
1984	35,824	80	610	679	869	4,826	6,828	4,848	3,460	2,454	1,876
1983	34,989	103	635	709	879	4,844	6,541	4,803	3,354	2,466	1,761
1982	36,529	115	643	688	913	5,367	7,067	4,837	3,464	2,568	1,794
1981	40,813	116	591	816	1,036	6,049	7,873	5,639	3,998	2,626	1,931
1980	42,198	135	694	846	1,071	7,011	8,387	5,540	3,891	2,550	2,015
1979	42,873	122	694	993	1,113	7,357	8,338	5,453	3,695	2,613	1,952

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Transport accidents (E800-E848,E929.0,E929.1)											
All races, female											
1998	14,979	75	345	357	409	1,785	1,182	991	1,002	1,188	1,076
1997	15,181	81	356	368	485	1,827	1,294	1,079	1,049	1,109	1,003
1996	15,161	107	375	400	447	1,796	1,295	1,145	1,116	1,173	992
1995	14,690	84	382	366	479	1,797	1,281	1,089	1,131	1,090	943
1994	14,430	95	434	353	460	1,674	1,385	1,065	1,079	1,031	869
1993	13,891	94	415	381	434	1,559	1,335	1,120	1,101	972	833
1992	13,522	71	389	352	368	1,598	1,338	1,130	1,039	981	798
1991	14,093	82	420	367	388	1,757	1,538	1,214	1,127	966	811
1990	14,871	97	418	385	441	1,783	1,535	1,398	1,169	1,001	831
1989	15,392	104	469	454	431	2,015	1,584	1,453	1,244	1,003	891
1988	15,257	98	471	459	463	2,050	1,731	1,420	1,208	917	823
1987	14,927	107	439	438	412	2,045	1,774	1,505	1,111	961	755
1986	14,260	89	446	400	456	2,031	1,822	1,351	1,053	873	659
1985	14,038	85	431	417	464	1,887	1,826	1,267	955	866	748
1984	13,803	82	408	386	480	1,852	1,883	1,281	1,033	841	655
1983	13,061	92	438	376	436	1,803	1,798	1,236	955	735	641
1982	13,167	99	498	426	467	1,859	1,815	1,249	946	760	578
1981	14,377	108	476	435	481	2,189	2,050	1,395	1,064	770	617
1980	14,964	117	526	498	541	2,442	2,111	1,415	1,011	755	686
1979	14,884	103	580	558	543	2,522	2,039	1,358	936	771	672
Transport accidents (E800-E848,E929.0,E929.1)											
White, both sexes											
1998	38,433	120	542	610	871	4,569	4,188	3,102	2,933	3,255	2,902
1997	38,510	122	553	646	945	4,562	4,321	3,306	3,105	3,147	2,815
1996	39,098	166	606	689	985	4,675	4,461	3,513	3,188	3,310	2,865
1995	38,730	133	623	711	999	4,555	4,699	3,563	3,490	3,211	2,680
1994	38,321	128	703	688	998	4,593	4,725	3,531	3,486	3,116	2,629
1993	37,723	140	657	690	930	4,445	4,808	3,692	3,727	3,064	2,446
1992	37,261	116	666	703	871	4,321	4,882	3,904	3,620	2,972	2,413
1991	39,552	120	710	751	942	4,835	5,693	4,273	3,855	3,006	2,446
1990	42,359	150	687	771	959	5,339	6,010	5,008	4,105	3,262	2,508
1989	43,250	156	788	905	1,032	5,739	5,938	5,144	4,112	3,086	2,622
1988	44,608	175	794	945	1,091	6,211	6,841	5,299	4,145	3,118	2,520
1987	44,486	160	795	922	1,134	6,331	6,945	5,490	4,067	3,223	2,345
1986	44,060	134	786	832	1,154	6,567	7,544	5,465	3,926	3,019	2,135
1985	42,830	130	811	871	1,156	5,934	7,415	5,194	3,688	2,906	2,268
1984	43,387	125	781	840	1,167	6,106	7,740	5,319	3,841	2,811	2,138
1983	42,072	162	838	835	1,136	6,132	7,412	5,281	3,691	2,758	2,041
1982	43,665	171	896	856	1,192	6,630	7,989	5,322	3,784	2,881	2,020
1981	48,850	185	842	977	1,323	7,657	8,958	6,229	4,409	2,952	2,159
1980	50,380	207	947	1,046	1,380	8,758	9,483	6,088	4,236	2,856	2,299
1979	51,057	195	1,004	1,212	1,454	9,165	9,384	6,000	4,013	2,901	2,232

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Transport accidents (E800-E848,E929.0,E929.1)											
White, male											
1998	25,822	71	297	353	526	2,980	3,245	2,303	2,120	2,277	2,034
1997	25,830	59	301	389	560	2,966	3,256	2,467	2,257	2,246	2,006
1996	26,299	81	337	382	598	3,118	3,418	2,569	2,303	2,354	2,046
1995	26,269	66	337	438	609	2,986	3,640	2,682	2,574	2,321	1,904
1994	26,163	68	390	431	623	3,116	3,590	2,657	2,634	2,287	1,896
1993	25,929	71	355	420	584	3,059	3,723	2,768	2,829	2,267	1,758
1992	25,763	71	404	445	561	2,901	3,741	2,957	2,782	2,169	1,765
1991	27,440	65	378	472	618	3,267	4,367	3,263	2,926	2,212	1,781
1990	29,581	78	379	469	590	3,753	4,678	3,839	3,128	2,433	1,813
1989	29,897	82	429	553	659	3,891	4,579	3,927	3,089	2,258	1,870
1988	31,368	94	433	597	711	4,364	5,340	4,085	3,156	2,347	1,837
1987	31,428	72	451	582	781	4,449	5,387	4,204	3,150	2,407	1,702
1986	31,607	65	434	541	755	4,691	5,934	4,329	3,054	2,289	1,577
1985	30,512	72	472	548	755	4,195	5,800	4,116	2,901	2,165	1,632
1984	31,122	61	470	524	752	4,395	6,048	4,208	2,956	2,083	1,563
1983	30,516	90	496	550	751	4,468	5,820	4,194	2,862	2,115	1,483
1982	32,020	91	501	531	788	4,930	6,357	4,253	2,972	2,225	1,523
1981	36,009	91	468	642	910	5,607	7,107	5,001	3,485	2,272	1,624
1980	37,039	107	533	647	922	6,470	7,562	4,876	3,371	2,187	1,709
1979	37,772	109	536	771	967	6,836	7,539	4,793	3,197	2,225	1,647
Transport accidents (E800-E848,E929.0,E929.1)											
White, female											
1998	12,611	49	245	257	345	1,589	943	799	813	978	868
1997	12,680	63	252	257	385	1,596	1,065	839	848	901	809
1996	12,799	85	269	307	387	1,557	1,043	944	885	956	819
1995	12,461	67	286	273	390	1,569	1,059	881	916	890	776
1994	12,158	60	313	257	375	1,477	1,135	874	852	829	733
1993	11,794	69	302	270	346	1,386	1,085	924	898	797	688
1992	11,498	45	262	258	310	1,420	1,141	947	838	803	648
1991	12,112	55	332	279	324	1,568	1,326	1,010	929	794	665
1990	12,778	72	308	302	369	1,586	1,332	1,169	977	829	695
1989	13,353	74	359	352	373	1,848	1,359	1,217	1,023	828	752
1988	13,240	81	361	348	380	1,847	1,501	1,214	989	771	683
1987	13,058	88	344	340	353	1,882	1,558	1,286	917	816	643
1986	12,453	69	352	291	399	1,876	1,610	1,136	872	730	558
1985	12,318	58	339	323	401	1,739	1,615	1,078	787	741	636
1984	12,265	64	311	316	415	1,711	1,692	1,111	885	728	575
1983	11,556	72	342	285	385	1,664	1,592	1,087	829	643	558
1982	11,645	80	395	325	404	1,700	1,632	1,069	812	656	497
1981	12,841	94	374	335	413	2,050	1,851	1,228	924	680	535
1980	13,341	100	414	399	458	2,288	1,921	1,212	865	669	590
1979	13,285	86	468	441	487	2,329	1,845	1,207	816	676	585

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Transport accidents (E800-E848,E929.0,E929.1)											
All other, both sexes											
1998	7,653	44	226	261	227	730	862	820	698	704	656
1997	7,777	45	231	239	239	801	863	894	732	697	648
1996	7,581	50	238	237	197	808	1,011	809	779	702	571
1995	7,486	47	225	236	238	768	958	846	750	727	589
1994	7,324	64	277	251	227	730	991	721	736	666	507
1993	7,082	54	263	239	237	666	996	733	729	645	548
1992	6,917	49	237	252	209	670	881	740	750	656	512
1991	7,077	54	223	235	231	711	924	879	790	655	544
1990	7,558	48	263	243	207	752	980	963	837	692	520
1989	7,481	64	244	274	198	686	1,042	943	817	695	525
1988	7,512	43	240	281	233	754	1,098	946	809	641	499
1987	7,156	48	230	267	212	697	1,059	980	748	599	477
1986	7,079	50	248	290	210	647	1,049	971	782	619	388
1985	6,615	53	246	250	208	590	1,016	874	713	541	404
1984	6,240	37	237	225	182	572	971	810	652	484	393
1983	5,978	33	235	250	179	515	927	758	618	443	361
1982	6,031	43	245	258	188	596	893	764	626	447	352
1981	6,340	39	225	274	194	581	965	805	653	444	389
1980	6,782	45	273	298	232	695	1,015	867	666	449	402
1979	6,700	30	270	339	202	714	993	811	618	483	392
Transport accidents (E800-E848,E929.0,E929.1)											
All other, male											
1998	5,285	18	126	161	163	534	623	628	509	494	448
1997	5,276	27	127	128	139	570	634	654	531	489	454
1996	5,219	28	132	144	137	569	759	608	548	485	398
1995	5,257	30	129	143	149	540	736	638	535	527	422
1994	5,052	29	156	155	142	533	741	530	509	464	371
1993	4,985	29	150	128	149	493	746	537	526	470	403
1992	4,893	23	110	158	151	492	684	557	549	478	362
1991	5,096	27	135	147	167	522	712	675	592	483	398
1990	5,465	23	153	160	135	555	777	734	645	520	384
1989	5,442	34	134	172	140	519	817	707	596	520	386
1988	5,495	26	130	170	150	551	868	740	590	495	359
1987	5,287	29	135	169	153	534	843	761	554	454	365
1986	5,272	30	154	181	153	492	837	756	601	476	287
1985	4,895	26	154	156	145	442	805	685	545	416	292
1984	4,702	19	140	155	117	431	780	640	504	371	313
1983	4,473	13	139	159	128	376	721	609	492	351	278
1982	4,509	24	142	157	125	437	710	584	492	343	271
1981	4,804	25	123	174	126	442	766	638	513	354	307
1980	5,159	28	161	199	149	541	825	664	520	363	306
1979	5,101	13	158	222	146	521	799	660	498	388	305

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Transport accidents (E800-E848,E929.0,E929.1)											
All other, female											
1998	2,368	26	100	100	64	196	239	192	189	210	208
1997	2,501	18	104	111	100	231	229	240	201	208	194
1996	2,362	22	106	93	60	239	252	201	231	217	173
1995	2,229	17	96	93	89	228	222	208	215	200	167
1994	2,272	35	121	96	85	197	250	191	227	202	136
1993	2,097	25	113	111	88	173	250	196	203	175	145
1992	2,024	26	127	94	58	178	197	183	201	178	150
1991	1,981	27	88	88	64	189	212	204	198	172	146
1990	2,093	25	110	83	72	197	203	229	192	172	136
1989	2,039	30	110	102	58	167	225	236	221	175	139
1988	2,017	17	110	111	83	203	230	206	219	146	140
1987	1,869	19	95	98	59	163	216	219	194	145	112
1986	1,807	20	94	109	57	155	212	215	181	143	101
1985	1,720	27	92	94	63	148	211	189	168	125	112
1984	1,538	18	97	70	65	141	191	170	148	113	80
1983	1,505	20	96	91	51	139	206	149	126	92	83
1982	1,522	19	103	101	63	159	183	180	134	104	81
1981	1,536	14	102	100	68	139	199	167	140	90	82
1980	1,623	17	112	99	83	154	190	203	146	86	96
1979	1,599	17	112	117	56	193	194	151	120	95	87
Transport accidents (E800-E848,E929.0,E929.1)											
Black, both sexes											
1998	5,928	41	188	222	172	549	638	639	527	574	510
1997	5,951	37	183	200	189	601	652	669	560	552	508
1996	5,827	42	187	199	150	614	767	611	599	538	453
1995	5,713	40	183	194	181	575	686	634	581	579	476
1994	5,657	56	225	214	188	564	735	557	564	515	407
1993	5,511	43	214	197	192	489	757	559	578	517	449
1992	5,345	42	195	207	175	481	670	554	580	521	412
1991	5,518	42	187	200	188	533	712	676	613	513	439
1990	5,860	40	206	190	162	537	735	742	673	559	397
1989	5,908	49	175	235	154	491	811	743	660	545	425
1988	5,940	39	187	241	188	558	820	736	657	523	400
1987	5,635	40	193	228	162	514	801	789	587	471	377
1986	5,593	38	192	234	160	489	797	768	635	491	305
1985	5,223	39	191	199	171	432	784	668	567	439	317
1984	5,053	30	184	196	159	411	774	655	538	392	320
1983	4,780	24	201	204	144	387	702	594	490	356	296
1982	4,867	29	203	234	157	443	695	616	518	362	286
1981	5,121	28	189	234	160	416	764	639	520	359	305
1980	5,469	36	225	258	182	501	796	681	541	360	324
1979	5,470	25	217	301	168	532	760	646	517	380	314

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Transport accidents (E800-E848,E929.0,E929.1)											
Black, male											
1998	4,203	15	109	141	125	418	473	511	400	401	349
1997	4,142	22	109	107	117	443	490	494	408	389	373
1996	4,109	21	106	121	106	432	577	456	434	379	331
1995	4,114	26	104	120	120	422	541	489	415	426	352
1994	3,969	25	130	132	118	422	555	409	401	365	308
1993	4,013	24	123	107	123	376	577	428	429	383	342
1992	3,849	16	87	128	126	360	532	417	432	388	294
1991	4,035	18	111	121	138	409	559	517	461	390	330
1990	4,311	18	117	125	110	405	596	566	523	429	299
1989	4,393	24	104	147	116	383	639	555	492	427	317
1988	4,418	23	106	150	126	420	653	572	485	411	299
1987	4,223	24	112	147	116	398	642	622	433	365	290
1986	4,248	23	119	149	119	375	644	608	497	395	231
1985	3,932	17	119	125	127	328	621	537	442	348	235
1984	3,865	16	110	132	106	312	628	521	424	303	257
1983	3,625	10	118	128	104	284	549	483	403	290	234
1982	3,718	15	122	141	102	328	573	478	418	287	232
1981	3,982	18	102	151	105	326	621	527	430	298	245
1980	4,252	21	135	176	124	396	654	537	433	298	259
1979	4,225	10	126	199	123	398	615	528	425	318	251
Transport accidents (E800-E848,E929.0,E929.1)											
Black, female											
1998	1,725	26	79	81	47	131	165	128	127	173	161
1997	1,809	15	74	93	72	158	162	175	152	163	135
1996	1,718	21	81	78	44	182	190	155	165	159	122
1995	1,599	14	79	74	61	153	145	145	166	153	124
1994	1,688	31	95	82	70	142	180	148	163	150	99
1993	1,498	19	91	90	69	113	180	131	149	134	107
1992	1,496	26	108	79	49	121	138	137	148	133	118
1991	1,483	24	76	79	50	124	153	159	152	123	109
1990	1,549	22	89	65	52	132	139	176	150	130	98
1989	1,515	25	71	88	38	108	172	188	168	118	108
1988	1,522	16	81	91	62	138	167	164	172	112	101
1987	1,412	16	81	81	46	116	159	167	154	106	87
1986	1,345	15	73	85	41	114	153	160	138	96	74
1985	1,291	22	72	74	44	104	163	131	125	91	82
1984	1,188	14	74	64	53	99	146	134	114	89	63
1983	1,155	14	83	76	40	103	153	111	87	66	62
1982	1,149	14	81	93	55	115	122	138	100	75	54
1981	1,139	10	87	83	55	90	143	112	90	61	60
1980	1,217	15	90	82	58	105	142	144	108	62	65
1979	1,245	15	91	102	45	134	145	118	92	62	63

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Motor vehicle accidents (E810-E825)											
All races, both sexes											
1998	43,501	162	759	834	1,034	5,161	4,865	3,724	3,408	3,682	3,281
1997	43,458	165	768	850	1,117	5,213	4,995	3,943	3,557	3,527	3,140
1996	43,649	215	820	879	1,101	5,329	5,247	4,063	3,666	3,654	3,099
1995	43,363	179	825	907	1,148	5,168	5,432	4,154	3,923	3,581	2,960
1994	42,524	187	952	893	1,133	5,160	5,500	3,937	3,843	3,404	2,782
1993	41,893	190	891	879	1,084	4,940	5,560	4,127	4,085	3,398	2,673
1992	40,982	160	860	907	997	4,818	5,487	4,275	3,954	3,274	2,568
1991	43,536	174	902	935	1,076	5,369	6,295	4,827	4,266	3,323	2,666
1990	46,814	195	928	970	1,089	5,918	6,689	5,606	4,564	3,608	2,710
1989	47,575	216	1,005	1,123	1,143	6,242	6,699	5,730	4,539	3,469	2,833
1988	49,078	215	1,005	1,176	1,247	6,785	7,621	5,872	4,561	3,441	2,706
1987	48,290	201	989	1,141	1,256	6,805	7,642	6,032	4,435	3,437	2,501
1986	47,865	183	1,005	1,069	1,281	6,997	8,230	6,030	4,328	3,243	2,243
1985	45,901	179	1,016	1,063	1,256	6,282	7,995	5,612	3,977	3,097	2,348
1984	46,263	161	977	1,016	1,247	6,495	8,243	5,693	4,122	2,966	2,255
1983	44,452	190	1,043	1,026	1,215	6,399	7,890	5,528	3,867	2,823	2,105
1982	45,779	210	1,090	1,032	1,269	6,940	8,384	5,556	3,935	2,913	2,065
1981	51,385	220	1,036	1,183	1,392	7,948	9,415	6,519	4,597	3,028	2,303
1980	53,172	247	1,179	1,276	1,471	9,100	9,940	6,397	4,388	2,960	2,388
1979	53,524	222	1,239	1,445	1,507	9,519	9,850	6,237	4,135	2,967	2,319
Motor vehicle accidents (E810-E825)											
All races, male											
1998	28,990	88	416	490	654	3,401	3,708	2,760	2,443	2,536	2,255
1997	28,770	84	419	493	661	3,421	3,746	2,902	2,545	2,464	2,178
1996	29,123	109	455	501	687	3,582	3,991	2,971	2,591	2,544	2,156
1995	29,164	96	454	555	700	3,406	4,188	3,109	2,832	2,543	2,063
1994	28,635	96	532	558	702	3,517	4,147	2,915	2,817	2,431	1,978
1993	28,531	97	489	516	686	3,424	4,263	3,058	3,028	2,468	1,889
1992	27,982	90	487	575	655	3,252	4,186	3,191	2,972	2,343	1,821
1991	29,947	92	491	586	713	3,656	4,812	3,654	3,186	2,407	1,895
1990	32,406	100	523	595	665	4,172	5,189	4,254	3,442	2,651	1,917
1989	32,704	114	548	682	739	4,262	5,167	4,313	3,344	2,523	1,989
1988	34,258	118	543	735	803	4,767	5,922	4,504	3,405	2,563	1,924
1987	33,904	97	561	716	873	4,798	5,921	4,603	3,370	2,532	1,790
1986	34,088	94	572	689	852	5,004	6,459	4,724	3,337	2,415	1,627
1985	32,443	95	601	657	824	4,441	6,239	4,407	3,068	2,282	1,646
1984	32,949	79	578	645	801	4,684	6,423	4,473	3,139	2,155	1,636
1983	31,907	100	619	666	807	4,638	6,169	4,356	2,964	2,130	1,504
1982	33,191	112	608	633	832	5,127	6,637	4,369	3,063	2,201	1,521
1981	37,533	116	571	771	935	5,802	7,435	5,181	3,591	2,304	1,717
1980	38,861	132	671	801	975	6,731	7,925	5,066	3,443	2,247	1,739
1979	39,309	120	675	924	1,003	7,070	7,879	4,963	3,268	2,251	1,693

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Motor vehicle accidents (E810-E825)											
All races, female											
1998	14,511	74	343	344	380	1,760	1,157	964	965	1,146	1,026
1997	14,688	81	349	357	456	1,792	1,249	1,041	1,012	1,063	962
1996	14,526	106	365	378	414	1,747	1,256	1,092	1,075	1,110	943
1995	14,199	83	371	352	448	1,762	1,244	1,045	1,091	1,038	897
1994	13,889	91	420	335	431	1,643	1,353	1,022	1,026	973	804
1993	13,362	93	402	363	398	1,516	1,297	1,069	1,057	930	784
1992	13,000	70	373	332	342	1,566	1,301	1,084	982	931	747
1991	13,589	82	411	349	363	1,713	1,483	1,173	1,080	916	771
1990	14,408	95	405	375	424	1,746	1,500	1,352	1,122	957	793
1989	14,871	102	457	441	404	1,980	1,532	1,417	1,195	946	844
1988	14,820	97	462	441	444	2,018	1,699	1,368	1,156	878	782
1987	14,386	104	428	425	383	2,007	1,721	1,429	1,065	905	711
1986	13,777	89	433	380	429	1,993	1,771	1,306	991	828	616
1985	13,458	84	415	406	432	1,841	1,756	1,205	909	815	702
1984	13,314	82	399	371	446	1,811	1,820	1,220	983	811	619
1983	12,545	90	424	360	408	1,761	1,721	1,172	903	693	601
1982	12,588	98	482	399	437	1,813	1,747	1,187	872	712	544
1981	13,852	104	465	412	457	2,146	1,980	1,338	1,006	724	586
1980	14,311	115	508	475	496	2,369	2,015	1,331	945	713	649
1979	14,215	102	564	521	504	2,449	1,971	1,274	867	716	626
Motor vehicle accidents (E810-E825)											
White, both sexes											
1998	36,182	118	535	582	819	4,458	4,027	2,935	2,737	3,017	2,664
1997	36,094	120	544	618	892	4,437	4,154	3,091	2,879	2,878	2,546
1996	36,452	165	588	646	913	4,549	4,269	3,289	2,939	2,992	2,563
1995	36,255	132	604	675	923	4,417	4,509	3,350	3,226	2,912	2,417
1994	35,619	125	681	651	919	4,460	4,526	3,262	3,167	2,801	2,323
1993	35,194	137	634	651	854	4,304	4,599	3,428	3,397	2,801	2,176
1992	34,439	112	627	666	806	4,173	4,638	3,579	3,254	2,664	2,100
1991	36,851	120	684	710	867	4,683	5,413	3,997	3,529	2,716	2,176
1990	39,651	148	668	736	893	5,187	5,745	4,686	3,777	2,979	2,234
1989	40,491	153	765	858	966	5,594	5,701	4,831	3,757	2,818	2,341
1988	41,974	172	770	903	1,035	6,051	6,569	4,974	3,810	2,845	2,241
1987	41,581	154	764	881	1,065	6,134	6,633	5,114	3,741	2,894	2,067
1986	41,189	133	762	784	1,086	6,376	7,227	5,115	3,594	2,680	1,889
1985	39,689	127	776	823	1,070	5,721	7,039	4,801	3,308	2,596	1,977
1984	40,429	124	747	794	1,077	5,939	7,331	4,939	3,518	2,535	1,901
1983	38,864	157	812	785	1,047	5,905	7,005	4,821	3,310	2,419	1,778
1982	40,191	167	852	789	1,103	6,381	7,547	4,862	3,364	2,508	1,749
1981	45,424	182	816	921	1,215	7,397	8,509	5,765	3,994	2,606	1,936
1980	46,863	204	910	988	1,264	8,451	8,989	5,582	3,792	2,546	2,020
1979	47,248	192	972	1,127	1,327	8,845	8,893	5,478	3,567	2,528	1,965

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Motor vehicle accidents (E810-E825)											
White, male											
1998	23,985	70	291	334	501	2,889	3,106	2,158	1,958	2,080	1,839
1997	23,834	57	295	368	529	2,869	3,128	2,281	2,059	2,017	1,775
1996	24,214	81	327	359	558	3,032	3,262	2,393	2,088	2,093	1,786
1995	24,229	66	328	415	559	2,878	3,484	2,509	2,343	2,065	1,684
1994	23,932	67	379	407	571	3,010	3,419	2,426	2,358	2,023	1,646
1993	23,874	69	343	396	541	2,952	3,547	2,547	2,539	2,044	1,533
1992	23,415	68	379	425	521	2,782	3,531	2,672	2,470	1,906	1,502
1991	25,183	65	360	445	563	3,152	4,135	3,023	2,642	1,965	1,545
1990	27,288	77	371	441	539	3,637	4,445	3,558	2,846	2,185	1,570
1989	27,621	80	417	517	618	3,777	4,391	3,645	2,778	2,046	1,635
1988	29,127	92	417	570	670	4,235	5,094	3,810	2,861	2,111	1,598
1987	29,017	68	430	554	735	4,287	5,123	3,900	2,867	2,128	1,463
1986	29,163	64	420	511	713	4,532	5,662	4,016	2,773	1,991	1,370
1985	27,894	70	452	509	692	4,024	5,484	3,779	2,564	1,900	1,384
1984	28,614	60	444	492	694	4,266	5,698	3,883	2,677	1,834	1,359
1983	27,781	87	482	514	686	4,279	5,485	3,793	2,528	1,814	1,258
1982	29,073	88	472	486	726	4,724	5,977	3,846	2,614	1,895	1,284
1981	33,067	91	452	605	824	5,387	6,723	4,587	3,124	1,971	1,430
1980	34,109	104	514	610	845	6,228	7,153	4,444	2,988	1,916	1,465
1979	34,579	107	518	716	872	6,585	7,113	4,354	2,811	1,905	1,422
Motor vehicle accidents (E810-E825)											
White, female											
1998	12,197	48	244	248	318	1,569	921	777	779	937	825
1997	12,260	63	249	250	363	1,568	1,026	810	820	861	771
1996	12,238	84	261	287	355	1,517	1,007	896	851	899	777
1995	12,026	66	276	260	364	1,539	1,025	841	883	847	733
1994	11,687	58	302	244	348	1,450	1,107	836	809	778	677
1993	11,320	68	291	255	313	1,352	1,052	881	858	757	643
1992	11,024	44	248	241	285	1,391	1,107	907	784	758	598
1991	11,668	55	324	265	304	1,531	1,278	974	887	751	631
1990	12,363	71	297	295	354	1,550	1,300	1,128	931	794	664
1989	12,870	73	348	341	348	1,817	1,310	1,186	979	772	706
1988	12,847	80	353	333	365	1,816	1,475	1,164	949	734	643
1987	12,564	86	334	327	330	1,847	1,510	1,214	874	766	604
1986	12,026	69	342	273	373	1,844	1,565	1,099	821	689	519
1985	11,795	57	324	314	378	1,697	1,555	1,022	744	696	593
1984	11,815	64	303	302	383	1,673	1,633	1,056	841	701	542
1983	11,083	70	330	271	361	1,626	1,520	1,028	782	605	520
1982	11,118	79	380	303	377	1,657	1,570	1,016	750	613	465
1981	12,357	91	364	316	391	2,010	1,786	1,178	870	635	506
1980	12,754	100	396	378	419	2,223	1,836	1,138	804	630	555
1979	12,669	85	454	411	455	2,260	1,780	1,124	756	623	543

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Motor vehicle accidents (E810-E825)											
All other, both sexes											
1998	7,319	44	224	252	215	703	838	789	671	665	617
1997	7,364	45	224	232	225	776	841	852	678	649	594
1996	7,197	50	232	233	188	780	978	774	727	662	536
1995	7,108	47	221	232	225	751	923	804	697	669	543
1994	6,905	62	271	242	214	700	974	675	676	603	459
1993	6,699	53	257	228	230	636	961	699	688	597	497
1992	6,543	48	233	241	191	645	849	696	700	610	468
1991	6,685	54	218	225	209	686	882	830	737	607	490
1990	7,163	47	260	234	196	731	944	920	787	629	476
1989	7,084	63	240	265	177	648	998	899	782	651	492
1988	7,104	43	235	273	212	734	1,052	898	751	596	465
1987	6,709	47	225	260	191	671	1,009	918	694	543	434
1986	6,676	50	243	285	195	621	1,003	915	734	563	354
1985	6,212	52	240	240	186	561	956	811	669	501	371
1984	5,834	37	230	222	170	556	912	754	604	431	354
1983	5,588	33	231	241	168	494	885	707	557	404	327
1982	5,588	43	238	243	166	559	837	694	571	405	316
1981	5,961	38	220	262	177	551	906	754	603	422	367
1980	6,309	43	269	288	207	649	951	815	596	414	368
1979	6,276	30	267	318	180	674	957	759	568	439	354
Motor vehicle accidents (E810-E825)											
All other, male											
1998	5,005	18	125	156	153	512	602	602	485	456	416
1997	4,936	27	124	125	132	552	618	621	486	447	403
1996	4,909	28	128	142	129	550	729	578	503	451	370
1995	4,935	30	126	140	141	528	704	600	489	478	379
1994	4,703	29	153	151	131	507	728	489	459	408	332
1993	4,657	28	146	120	145	472	716	511	489	424	356
1992	4,567	22	108	150	134	470	655	519	502	437	319
1991	4,764	27	131	141	150	504	677	631	544	442	350
1990	5,118	23	152	154	126	535	744	696	596	466	347
1989	5,083	34	131	165	121	485	776	668	566	477	354
1988	5,131	26	126	165	133	532	828	694	544	452	326
1987	4,887	29	131	162	138	511	798	703	503	404	327
1986	4,925	30	152	178	139	472	797	708	564	424	257
1985	4,549	25	149	148	132	417	755	628	504	382	262
1984	4,335	19	134	153	107	418	725	590	462	321	277
1983	4,126	13	137	152	121	359	684	563	436	316	246
1982	4,118	24	136	147	106	403	660	523	449	306	237
1981	4,466	25	119	166	111	415	712	594	467	333	287
1980	4,752	28	157	191	130	503	772	622	455	331	274
1979	4,730	13	157	208	131	485	766	609	457	346	271

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Motor vehicle accidents (E810-E825)											
All other, female											
1998	2,314	26	99	96	62	191	236	187	186	209	201
1997	2,428	18	100	107	93	224	223	231	192	202	191
1996	2,288	22	104	91	59	230	249	196	224	211	166
1995	2,173	17	95	92	84	223	219	204	208	191	164
1994	2,202	33	118	91	83	193	246	186	217	195	127
1993	2,042	25	111	108	85	164	245	188	199	173	141
1992	1,976	26	125	91	57	175	194	177	198	173	149
1991	1,921	27	87	84	59	182	205	199	193	165	140
1990	2,045	24	108	80	70	196	200	224	191	163	129
1989	2,001	29	109	100	56	163	222	231	216	174	138
1988	1,973	17	109	108	79	202	224	204	207	144	139
1987	1,822	18	94	98	53	160	211	215	191	139	107
1986	1,751	20	91	107	56	149	206	207	170	139	97
1985	1,663	27	91	92	54	144	201	183	165	119	109
1984	1,499	18	96	69	63	138	187	164	142	110	77
1983	1,462	20	94	89	47	135	201	144	121	88	81
1982	1,470	19	102	96	60	156	177	171	122	99	79
1981	1,495	13	101	96	66	136	194	160	136	89	80
1980	1,557	15	112	97	77	146	179	193	141	83	94
1979	1,546	17	110	110	49	189	191	150	111	93	83
Motor vehicle accidents (E810-E825)											
Black, both sexes											
1998	5,686	41	186	215	163	526	625	617	508	547	483
1997	5,666	37	181	197	180	584	642	646	518	519	462
1996	5,528	42	183	195	144	593	742	585	559	509	424
1995	5,423	40	180	191	173	564	663	602	543	532	437
1994	5,341	54	219	205	178	541	721	527	525	463	370
1993	5,217	42	211	193	187	469	732	531	545	479	408
1992	5,071	42	191	197	159	469	648	528	544	485	375
1991	5,205	42	185	190	166	513	680	643	569	476	393
1990	5,560	40	205	186	155	524	707	710	637	510	363
1989	5,611	48	172	227	137	473	781	713	634	510	401
1988	5,623	39	184	235	172	544	784	700	620	487	370
1987	5,287	39	189	224	146	495	765	736	554	425	344
1986	5,287	38	190	231	150	468	766	727	600	448	277
1985	4,916	39	187	194	156	408	739	622	532	410	292
1984	4,721	30	179	193	149	397	733	611	496	350	289
1983	4,472	24	199	198	134	373	671	557	445	325	266
1982	4,493	29	199	221	139	417	649	558	468	327	252
1981	4,809	27	185	224	146	391	714	601	481	340	287
1980	5,081	35	223	248	160	467	747	643	482	337	296
1979	5,132	25	214	284	146	497	735	606	480	344	287

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Motor vehicle accidents (E810-E825)											
Black, male											
1998	3,996	15	108	137	118	399	461	491	382	375	327
1997	3,895	22	107	106	111	432	481	476	372	359	328
1996	3,862	21	103	119	101	416	554	433	400	354	307
1995	3,863	26	102	118	113	415	520	460	384	383	315
1994	3,703	25	127	128	110	401	544	381	371	318	276
1993	3,752	23	121	104	119	361	555	403	399	347	303
1992	3,607	16	85	121	110	350	512	394	398	356	257
1991	3,771	18	109	115	121	395	532	488	422	358	288
1990	4,046	18	117	122	105	393	570	536	488	387	271
1989	4,120	24	102	141	100	365	612	528	468	393	293
1988	4,139	23	103	146	113	407	623	538	458	377	270
1987	3,913	24	109	143	104	382	610	573	401	323	262
1986	3,974	23	117	146	110	358	617	570	468	353	206
1985	3,659	17	116	121	117	305	582	493	409	324	212
1984	3,556	16	106	130	98	299	588	481	386	262	227
1983	3,349	10	116	124	98	272	521	449	363	263	206
1982	3,387	15	118	132	87	305	532	428	379	255	199
1981	3,702	18	98	145	93	304	574	492	394	280	229
1980	3,912	21	133	168	107	366	614	505	379	277	232
1979	3,929	10	125	186	108	367	593	488	394	283	227
Motor vehicle accidents (E810-E825)											
Black, female											
1998	1,690	26	78	78	45	127	164	126	126	172	156
1997	1,771	15	74	91	69	152	161	170	146	160	134
1996	1,666	21	80	76	43	177	188	152	159	155	117
1995	1,560	14	78	73	60	149	143	142	159	149	122
1994	1,638	29	92	77	68	140	177	146	154	145	94
1993	1,465	19	90	89	68	108	177	128	146	132	105
1992	1,464	26	106	76	49	119	136	134	146	129	118
1991	1,434	24	76	75	45	118	148	155	147	118	105
1990	1,514	22	88	64	50	131	137	174	149	123	92
1989	1,491	24	70	86	37	108	169	185	166	117	108
1988	1,484	16	81	89	59	137	161	162	162	110	100
1987	1,374	15	80	81	42	113	155	163	153	102	82
1986	1,313	15	73	85	40	110	149	157	132	95	71
1985	1,257	22	71	73	39	103	157	129	123	86	80
1984	1,165	14	73	63	51	98	145	130	110	88	62
1983	1,123	14	83	74	36	101	150	108	82	62	60
1982	1,106	14	81	89	52	112	117	130	89	72	53
1981	1,107	9	87	79	53	87	140	109	87	60	58
1980	1,169	14	90	80	53	101	133	138	103	60	64
1979	1,203	15	89	98	38	130	142	118	86	61	60

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other land transport accidents (E800-E807,E826-E829)											
All races, both sexes											
1998	750	-	4	16	33	60	66	70	77	91	74
1997	747	-	8	12	39	55	58	57	83	95	84
1996	767	-	7	5	34	65	64	58	82	107	87
1995	780	1	6	14	35	67	62	60	93	111	92
1994	830	2	10	14	49	78	60	66	100	113	97
1993	853	2	9	18	36	85	83	82	101	87	96
1992	865	1	13	24	37	68	89	91	137	82	93
1991	866	-	13	22	44	74	106	84	111	95	68
1990	883	-	11	22	35	77	109	126	93	91	94
1989	827	1	13	22	34	69	96	101	87	88	65
1988	762	1	11	19	33	79	80	90	103	76	61
1987	855	1	10	13	35	84	109	118	93	94	61
1986	790	-	6	17	34	86	104	90	90	91	47
1985	782	-	7	19	45	96	101	100	76	57	53
1984	760	-	14	24	45	51	131	92	82	63	47
1983	758	-	8	25	33	75	104	94	80	60	48
1982	727	-	8	25	40	80	99	78	63	57	45
1981	791	-	10	17	60	86	105	86	65	54	28
1980	864	-	10	19	56	103	109	104	94	59	47
1979	814	1	10	33	59	95	101	83	71	51	41
Other land transport accidents (E800-E807,E826-E829)											
All races, male											
1998	607	-	2	11	18	50	61	62	64	71	57
1997	635	-	5	7	22	48	46	50	76	83	76
1996	636	-	3	2	25	55	55	51	77	90	76
1995	654	-	4	11	23	54	55	55	80	98	78
1994	691	1	8	11	31	60	53	57	91	98	77
1993	681	1	4	12	19	66	76	72	86	75	85
1992	723	1	8	13	25	59	80	80	120	71	78
1991	720	-	10	13	34	57	92	72	95	81	57
1990	725	-	6	15	26	58	100	108	82	71	80
1989	696	-	7	17	24	58	81	92	79	73	57
1988	634	1	8	12	21	63	76	78	85	67	51
1987	715	1	7	10	20	72	94	95	85	84	49
1986	654	-	4	11	18	71	91	80	70	83	40
1985	644	-	5	17	30	80	88	88	62	47	46
1984	635	-	11	17	24	34	120	80	76	55	41
1983	616	-	4	17	22	59	84	76	72	53	39
1982	611	-	6	18	24	67	90	71	50	48	39
1981	662	-	8	11	46	71	92	73	55	48	26
1980	689	-	6	13	35	74	90	85	80	46	44
1979	633	1	4	21	36	70	85	67	57	42	34

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other land transport accidents (E800-E807,E826-E829)											
All races, female											
1998	143	-	2	5	15	10	5	8	13	20	17
1997	112	-	3	5	17	7	12	7	7	12	8
1996	131	-	4	3	9	10	9	7	5	17	11
1995	126	1	2	3	12	13	7	5	13	13	14
1994	139	1	2	3	18	18	7	9	9	15	20
1993	172	1	5	6	17	19	7	10	15	12	11
1992	142	-	5	11	12	9	9	11	17	11	15
1991	146	-	3	9	10	17	14	12	16	14	11
1990	158	-	5	7	9	19	9	18	11	20	14
1989	131	1	6	5	10	11	15	9	8	15	8
1988	128	-	3	7	12	16	4	12	18	9	10
1987	140	-	3	3	15	12	15	23	8	10	12
1986	136	-	2	6	16	15	13	10	20	8	7
1985	138	-	2	2	15	16	13	12	14	10	7
1984	125	-	3	7	21	17	11	12	6	8	6
1983	142	-	4	8	11	16	20	18	8	7	9
1982	116	-	2	7	16	13	9	7	13	9	6
1981	129	-	2	6	14	15	13	13	10	6	2
1980	175	-	4	6	21	29	19	19	14	13	3
1979	181	-	6	12	23	25	16	16	14	9	7
Other land transport accidents (E800-E807,E826-E829)											
White, both sexes											
1998	610	-	3	13	26	47	54	56	65	76	57
1997	589	-	5	10	33	47	54	49	60	77	60
1996	634	-	5	5	28	48	53	49	64	90	75
1995	606	1	5	12	31	56	48	38	66	83	67
1994	666	1	9	10	40	67	54	54	81	83	74
1993	681	2	7	14	30	72	66	69	80	66	68
1992	708	1	13	17	28	57	74	76	112	62	73
1991	690	-	11	19	28	60	87	62	86	71	49
1990	702	-	10	16	29	63	97	105	72	56	67
1989	676	-	10	18	26	53	81	85	70	64	55
1988	604	1	10	16	23	68	68	75	76	55	44
1987	686	1	8	11	30	71	93	92	73	67	45
1986	634	-	5	14	26	77	83	66	72	68	32
1985	636	-	5	16	40	81	76	75	61	47	39
1984	613	-	11	21	42	44	110	70	66	40	33
1983	612	-	6	22	29	66	93	69	57	51	33
1982	587	-	4	21	33	67	78	64	48	42	31
1981	644	-	8	16	53	79	80	68	44	44	22
1980	699	-	8	17	48	88	89	89	70	42	36
1979	686	1	10	27	52	78	88	74	60	35	33

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Other land transport accidents (E800-E807,E826-E829)

White, male

1998	485	-	2	9	12	38	49	50	53	56	42
1997	493	-	3	6	18	40	43	43	55	68	52
1996	523	-	1	2	19	42	45	44	61	74	65
1995	499	-	3	9	20	46	41	33	57	73	55
1994	547	1	7	8	24	52	48	45	74	68	59
1993	535	1	3	9	16	56	61	60	68	54	60
1992	586	1	8	7	17	50	66	68	97	54	58
1991	576	-	8	12	21	48	74	55	74	62	40
1990	570	-	6	10	21	45	90	89	61	42	57
1989	560	-	5	13	16	42	67	77	64	49	47
1988	490	1	7	9	13	52	65	64	64	47	34
1987	561	1	6	8	16	60	80	70	65	58	35
1986	518	-	3	9	11	63	74	60	57	61	25
1985	511	-	3	14	26	66	65	64	49	40	32
1984	503	-	9	15	22	29	99	58	62	35	28
1983	491	-	4	15	21	53	74	54	50	45	26
1982	490	-	2	16	19	57	71	57	39	35	26
1981	530	-	6	10	39	65	67	59	34	39	21
1980	547	-	4	12	28	63	73	70	57	31	33
1979	527	1	4	18	32	56	74	58	48	27	27

Other land transport accidents (E800-E807,E826-E829)

White, female

1998	125	-	1	4	14	9	5	6	12	20	15
1997	96	-	2	4	15	7	11	6	5	9	8
1996	111	-	4	3	9	6	8	5	3	16	10
1995	107	1	2	3	11	10	7	5	9	10	12
1994	119	-	2	2	16	15	6	9	7	15	15
1993	146	1	4	5	14	16	5	9	12	12	8
1992	122	-	5	10	11	7	8	8	15	8	15
1991	114	-	3	7	7	12	13	7	12	9	9
1990	132	-	4	6	8	18	7	16	11	14	10
1989	116	-	5	5	10	11	14	8	6	15	8
1988	114	-	3	7	10	16	3	11	12	8	10
1987	125	-	2	3	14	11	13	22	8	9	10
1986	116	-	2	5	15	14	9	6	15	7	7
1985	125	-	2	2	14	15	11	11	12	7	7
1984	110	-	2	6	20	15	11	12	4	5	5
1983	121	-	2	7	8	13	19	15	7	6	7
1982	97	-	2	5	14	10	7	7	9	7	5
1981	114	-	2	6	14	14	13	9	10	5	1
1980	152	-	4	5	20	25	16	19	13	11	3
1979	159	-	6	9	20	22	14	16	12	8	6

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other land transport accidents (E800-E807,E826-E829)											
All other, both sexes											
1998	140	-	1	3	7	13	12	14	12	15	17
1997	158	-	3	2	6	8	4	8	23	18	24
1996	133	-	2	-	6	17	11	9	18	17	12
1995	174	-	1	2	4	11	14	22	27	28	25
1994	164	1	1	4	9	11	6	12	19	30	23
1993	172	-	2	4	6	13	17	13	21	21	28
1992	157	-	-	7	9	11	15	15	25	20	20
1991	176	-	2	3	16	14	19	22	25	24	19
1990	181	-	1	6	6	14	12	21	21	35	27
1989	151	1	3	4	8	16	15	16	17	24	10
1988	158	-	1	3	10	11	12	15	27	21	17
1987	169	-	2	2	5	13	16	26	20	27	16
1986	156	-	1	3	8	9	21	24	18	23	15
1985	146	-	2	3	5	15	25	25	15	10	14
1984	147	-	3	3	3	7	21	22	16	23	14
1983	146	-	2	3	4	9	11	25	23	9	15
1982	140	-	4	4	7	13	21	14	15	15	14
1981	147	-	2	1	7	7	25	18	21	10	6
1980	165	-	2	2	8	15	20	15	24	17	11
1979	128	-	-	6	7	17	13	9	11	16	8
Other land transport accidents (E800-E807,E826-E829)											
All other, male											
1998	122	-	-	2	6	12	12	12	11	15	15
1997	142	-	2	1	4	8	3	7	21	15	24
1996	113	-	2	-	6	13	10	7	16	16	11
1995	155	-	1	2	3	8	14	22	23	25	23
1994	144	-	1	3	7	8	5	12	17	30	18
1993	146	-	1	3	3	10	15	12	18	21	25
1992	137	-	-	6	8	9	14	12	23	17	20
1991	144	-	2	1	13	9	18	17	21	19	17
1990	155	-	-	5	5	13	10	19	21	29	23
1989	136	-	2	4	8	16	14	15	15	24	10
1988	144	-	1	3	8	11	11	14	21	20	17
1987	154	-	1	2	4	12	14	25	20	26	14
1986	136	-	1	2	7	8	17	20	13	22	15
1985	133	-	2	3	4	14	23	24	13	7	14
1984	132	-	2	2	2	5	21	22	14	20	13
1983	125	-	-	2	1	6	10	22	22	8	13
1982	121	-	4	2	5	10	19	14	11	13	13
1981	132	-	2	1	7	6	25	14	21	9	5
1980	142	-	2	1	7	11	17	15	23	15	11
1979	106	-	-	3	4	14	11	9	9	15	7

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other land transport accidents (E800-E807,E826-E829)											
All other, female											
1998	18	-	1	1	1	1	-	2	1	-	2
1997	16	-	1	1	2	-	1	1	2	3	-
1996	20	-	-	-	-	4	1	2	2	1	1
1995	19	-	-	-	1	3	-	-	4	3	2
1994	20	1	-	1	2	3	1	-	2	-	5
1993	26	-	1	1	3	3	2	1	3	-	3
1992	20	-	-	1	1	2	1	3	2	3	-
1991	32	-	-	2	3	5	1	5	4	5	2
1990	26	-	1	1	1	1	2	2	-	6	4
1989	15	1	1	-	-	-	1	1	2	-	-
1988	14	-	-	-	2	-	1	1	6	1	-
1987	15	-	1	-	1	1	2	1	-	1	2
1986	20	-	-	1	1	1	4	4	5	1	-
1985	13	-	-	-	1	1	2	1	2	3	-
1984	15	-	1	1	1	2	-	-	2	3	1
1983	21	-	2	1	3	3	1	3	1	1	2
1982	19	-	-	2	2	3	2	-	4	2	1
1981	15	-	-	-	-	1	-	4	-	1	1
1980	23	-	-	1	1	4	3	-	1	2	-
1979	22	-	-	3	3	3	2	-	2	1	1
Other land transport accidents (E800-E807,E826-E829)											
Black, both sexes											
1998	106	-	1	3	6	11	8	10	8	11	10
1997	121	-	2	2	5	5	1	4	18	15	22
1996	103	-	2	-	4	14	7	6	12	15	10
1995	140	-	1	2	3	7	8	17	22	24	21
1994	128	1	1	4	8	7	4	7	15	25	20
1993	135	-	-	1	4	6	13	13	19	19	24
1992	125	-	-	7	8	6	13	10	21	17	19
1991	155	-	-	3	16	12	17	18	25	21	16
1990	155	-	1	4	5	10	11	18	19	29	23
1989	121	1	3	3	8	10	11	13	14	21	6
1988	127	-	1	3	8	9	10	11	20	17	16
1987	143	-	2	2	5	10	12	25	14	24	13
1986	123	-	1	2	7	8	15	18	16	16	13
1985	125	-	2	3	5	13	19	20	14	9	11
1984	119	-	3	3	2	6	16	19	14	16	11
1983	117	-	-	1	4	6	8	17	17	8	14
1982	125	-	3	4	7	11	20	12	14	14	12
1981	121	-	2	-	5	5	21	13	17	9	5
1980	136	-	1	2	8	11	15	12	23	9	8
1979	103	-	-	4	7	15	10	9	8	13	5

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Other land transport accidents (E800-E807,E826-E829)

Black, male

1998	93	-	-	2	5	10	8	9	8	11	9
1997	110	-	2	1	3	5	1	3	17	13	22
1996	90	-	2	-	4	11	7	5	10	15	10
1995	127	-	1	2	3	5	8	17	18	22	20
1994	117	-	1	3	6	6	4	7	13	25	18
1993	121	-	-	1	3	6	12	12	16	19	22
1992	111	-	-	6	8	4	12	9	19	14	19
1991	127	-	-	1	13	8	16	14	21	17	15
1990	132	-	-	3	4	9	10	17	19	23	19
1989	109	-	2	3	8	10	10	12	13	21	6
1988	114	-	1	3	6	9	9	10	14	16	16
1987	128	-	1	2	4	9	10	24	14	23	11
1986	108	-	1	2	6	7	11	16	12	16	13
1985	116	-	2	3	4	13	18	19	13	6	11
1984	109	-	2	2	1	5	16	19	13	15	10
1983	100	-	-	-	1	4	7	15	16	7	12
1982	108	-	3	2	5	8	18	12	11	12	12
1981	108	-	2	-	5	4	21	11	17	8	4
1980	120	-	1	1	7	10	12	12	22	8	8
1979	85	-	-	3	4	12	8	9	6	13	4

Other land transport accidents (E800-E807,E826-E829)

Black, female

1998	13	-	1	1	1	1	-	1	-	-	1
1997	11	-	-	1	2	-	-	1	1	2	-
1996	13	-	-	-	-	3	-	1	2	-	-
1995	13	-	-	-	-	2	-	-	4	2	1
1994	11	1	-	1	2	1	-	-	2	-	2
1993	14	-	-	-	1	-	1	1	3	-	2
1992	14	-	-	1	-	2	1	1	2	3	-
1991	28	-	-	2	3	4	1	4	4	4	1
1990	23	-	1	1	1	1	1	1	-	6	4
1989	12	1	1	-	-	-	1	1	1	-	-
1988	13	-	-	-	2	-	1	1	6	1	-
1987	15	-	1	-	1	1	2	1	-	1	2
1986	15	-	-	-	1	1	4	2	4	-	-
1985	9	-	-	-	1	-	1	1	1	3	-
1984	10	-	1	1	1	1	-	-	1	1	1
1983	17	-	-	1	3	2	1	2	1	1	2
1982	17	-	-	2	2	3	2	-	3	2	-
1981	13	-	-	-	-	1	-	2	-	1	1
1980	16	-	-	1	1	1	3	-	1	1	-
1979	18	-	-	1	3	3	2	-	2	-	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Water, air and space, and other and unspecified transport accidents and their sequelae (E830-E848,E929.0-E929.1)											
All races, both sexes											
1998	1,835	2	5	21	31	78	119	128	146	186	203
1997	2,082	2	8	23	28	95	131	200	197	222	239
1996	2,263	1	17	42	47	89	161	201	219	251	250
1995	2,073	-	17	26	54	88	163	195	224	246	217
1994	2,291	3	18	32	43	85	156	249	279	265	257
1993	2,059	2	20	32	47	86	161	216	270	224	225
1992	2,331	4	30	24	46	105	187	278	279	272	264
1991	2,227	-	18	29	53	103	216	241	268	243	256
1990	2,220	3	11	22	42	96	192	239	285	255	224
1989	2,329	3	14	34	53	114	185	256	303	224	249
1988	2,280	2	18	31	44	101	238	283	290	242	252
1987	2,497	6	26	35	55	139	253	320	287	291	260
1986	2,484	1	23	36	49	131	259	316	290	304	233
1985	2,762	4	34	39	63	146	335	356	348	293	271
1984	2,604	1	27	25	57	132	337	344	289	266	229
1983	2,840	5	22	34	67	173	345	417	362	318	249
1982	3,190	4	43	57	71	206	399	452	412	358	262
1981	3,014	4	21	51	65	204	403	429	400	314	217
1980	3,126	5	31	49	85	250	449	454	420	286	266
1979	3,419	2	25	73	90	265	426	491	425	366	264
Water, air and space, and other and unspecified transport accidents and their sequelae (E830-E848,E929.0-E929.1)											
All races, male											
1998	1,510	1	5	13	17	63	99	109	122	164	170
1997	1,701	2	4	17	16	67	98	169	167	188	206
1996	1,759	-	11	23	23	50	131	155	183	205	212
1995	1,708	-	8	15	35	66	133	156	197	207	185
1994	1,889	-	6	17	32	72	131	215	235	222	212
1993	1,702	2	12	20	28	62	130	175	241	194	187
1992	1,951	3	19	15	32	82	159	243	239	233	228
1991	1,869	-	12	20	38	76	175	212	237	207	227
1990	1,915	1	3	19	34	78	166	211	249	231	200
1989	1,939	2	8	26	36	90	148	229	262	182	210
1988	1,971	1	12	20	37	85	210	243	256	212	221
1987	2,096	3	18	25	41	113	215	267	249	245	228
1986	2,137	1	12	22	38	108	221	281	248	267	197
1985	2,320	3	20	30	46	116	278	306	316	252	232
1984	2,240	1	21	17	44	108	285	295	245	244	199
1983	2,466	3	12	26	50	147	288	371	318	283	218
1982	2,727	3	29	37	57	173	340	397	351	319	234
1981	2,618	-	12	34	55	176	346	385	352	274	188
1980	2,648	3	17	32	61	206	372	389	368	257	232
1979	2,931	1	15	48	74	217	374	423	370	320	225

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Water, air and space, and other and unspecified transport accidents and their sequelae (E830-E848,E929.0-E929.1)											
All races, female											
1998	325	1	-	8	14	15	20	19	24	22	33
1997	381	-	4	6	12	28	33	31	30	34	33
1996	504	1	6	19	24	39	30	46	36	46	38
1995	365	-	9	11	19	22	30	39	27	39	32
1994	402	3	12	15	11	13	25	34	44	43	45
1993	357	-	8	12	19	24	31	41	29	30	38
1992	380	1	11	9	14	23	28	35	40	39	36
1991	358	-	6	9	15	27	41	29	31	36	29
1990	305	2	8	3	8	18	26	28	36	24	24
1989	390	1	6	8	17	24	37	27	41	42	39
1988	309	1	6	11	7	16	28	40	34	30	31
1987	401	3	8	10	14	26	38	53	38	46	32
1986	347	-	11	14	11	23	38	35	42	37	36
1985	442	1	14	9	17	30	57	50	32	41	39
1984	364	-	6	8	13	24	52	49	44	22	30
1983	374	2	10	8	17	26	57	46	44	35	31
1982	463	1	14	20	14	33	59	55	61	39	28
1981	396	4	9	17	10	28	57	44	48	40	29
1980	478	2	14	17	24	44	77	65	52	29	34
1979	488	1	10	25	16	48	52	68	55	46	39

Water, air and space, and other and unspecified transport accidents and their sequelae (E830-E848,E929.0-E929.1)

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
White, both sexes											
1998	1,641	2	4	15	26	64	107	111	131	162	181
1997	1,827	2	4	18	20	78	113	166	166	192	209
1996	2,012	1	13	38	44	78	139	175	185	228	227
1995	1,869	-	14	24	45	82	142	175	198	216	196
1994	2,036	2	13	27	39	66	145	215	238	232	232
1993	1,848	1	16	25	46	69	143	195	250	197	202
1992	2,114	3	26	20	37	91	170	249	254	246	240
1991	2,011	-	15	22	47	92	193	214	240	219	221
1990	2,006	2	9	19	37	89	168	217	256	227	207
1989	2,083	3	13	29	40	92	156	228	285	204	226
1988	2,030	2	14	26	33	92	204	250	259	218	235
1987	2,219	5	23	30	39	126	219	284	253	262	233
1986	2,237	1	19	34	42	114	234	284	260	271	214
1985	2,505	3	30	32	46	132	300	318	319	263	252
1984	2,345	1	23	25	48	123	299	310	257	236	204
1983	2,596	5	20	28	60	161	314	391	324	288	230
1982	2,887	4	40	46	56	182	364	396	372	331	240
1981	2,782	3	18	40	55	181	369	396	371	302	201
1980	2,818	3	29	41	68	219	405	417	374	268	243
1979	3,123	2	22	58	75	242	403	448	386	338	234

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Water, air and space, and other and unspecified transport accidents and their sequelae (E830-E848,E929.0-E929.1)											
White, male											
1998	1,352	1	4	10	13	53	90	95	109	141	153
1997	1,503	2	3	15	13	57	85	143	143	161	179
1996	1,562	-	9	21	21	44	111	132	154	187	195
1995	1,541	-	6	14	30	62	115	140	174	183	165
1994	1,684	-	4	16	28	54	123	186	202	196	191
1993	1,520	1	9	15	27	51	115	161	222	169	165
1992	1,762	2	17	13	23	69	144	217	215	209	205
1991	1,681	-	10	15	34	67	158	185	210	185	196
1990	1,723	1	2	18	30	71	143	192	221	206	186
1989	1,716	2	7	23	25	72	121	205	247	163	188
1988	1,751	1	9	18	28	77	181	211	231	189	205
1987	1,850	3	15	20	30	102	184	234	218	221	204
1986	1,926	1	11	21	31	96	198	253	224	237	182
1985	2,107	2	17	25	37	105	251	273	288	225	216
1984	2,005	1	17	17	36	100	251	267	217	214	176
1983	2,244	3	10	21	44	136	261	347	284	256	199
1982	2,457	3	27	29	43	149	309	350	319	295	213
1981	2,412	-	10	27	47	155	317	355	327	262	173
1980	2,383	3	15	25	49	179	336	362	326	240	211
1979	2,666	1	14	37	63	195	352	381	338	293	198

Water, air and space, and other and unspecified transport accidents and their sequelae (E830-E848,E929.0-E929.1)

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
White, female											
1998	289	1	-	5	13	11	17	16	22	21	28
1997	324	-	1	3	7	21	28	23	23	31	30
1996	450	1	4	17	23	34	28	43	31	41	32
1995	328	-	8	10	15	20	27	35	24	33	31
1994	352	2	9	11	11	12	22	29	36	36	41
1993	328	-	7	10	19	18	28	34	28	28	37
1992	352	1	9	7	14	22	26	32	39	37	35
1991	330	-	5	7	13	25	35	29	30	34	25
1990	283	1	7	1	7	18	25	25	35	21	21
1989	367	1	6	6	15	20	35	23	38	41	38
1988	279	1	5	8	5	15	23	39	28	29	30
1987	369	2	8	10	9	24	35	50	35	41	29
1986	311	-	8	13	11	18	36	31	36	34	32
1985	398	1	13	7	9	27	49	45	31	38	36
1984	340	-	6	8	12	23	48	43	40	22	28
1983	352	2	10	7	16	25	53	44	40	32	31
1982	430	1	13	17	13	33	55	46	53	36	27
1981	370	3	8	13	8	26	52	41	44	40	28
1980	435	-	14	16	19	40	69	55	48	28	32
1979	457	1	8	21	12	47	51	67	48	45	36

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Water, air and space, and other and unspecified transport accidents and their sequelae (E830-E848,E929.0-E929.1)											
All other, both sexes											
1998	194	-	1	6	5	14	12	17	15	24	22
1997	255	-	4	5	8	17	18	34	31	30	30
1996	251	-	4	4	3	11	22	26	34	23	23
1995	204	-	3	2	9	6	21	20	26	30	21
1994	255	1	5	5	4	19	11	34	41	33	25
1993	211	1	4	7	1	17	18	21	20	27	23
1992	217	1	4	4	9	14	17	29	25	26	24
1991	216	-	3	7	6	11	23	27	28	24	35
1990	214	1	2	3	5	7	24	22	29	28	17
1989	246	-	1	5	13	22	29	28	18	20	23
1988	250	-	4	5	11	9	34	33	31	24	17
1987	278	1	3	5	16	13	34	36	34	29	27
1986	247	-	4	2	7	17	25	32	30	33	19
1985	257	1	4	7	17	14	35	38	29	30	19
1984	259	-	4	-	9	9	38	34	32	30	25
1983	244	-	2	6	7	12	31	26	38	30	19
1982	303	-	3	11	15	24	35	56	40	27	22
1981	232	1	3	11	10	23	34	33	29	12	16
1980	308	2	2	8	17	31	44	37	46	18	23
1979	296	-	3	15	15	23	23	43	39	28	30

Water, air and space, and other and unspecified transport accidents and their sequelae (E830-E848,E929.0-E929.1)

All other, male

1998	158	-	1	3	4	10	9	14	13	23	17
1997	198	-	1	2	3	10	13	26	24	27	27
1996	197	-	2	2	2	6	20	23	29	18	17
1995	167	-	2	1	5	4	18	16	23	24	20
1994	205	-	2	1	4	18	8	29	33	26	21
1993	182	1	3	5	1	11	15	14	19	25	22
1992	189	1	2	2	9	13	15	26	24	24	23
1991	188	-	2	5	4	9	17	27	27	22	31
1990	192	-	1	1	4	7	23	19	28	25	14
1989	223	-	1	3	11	18	27	24	15	19	22
1988	220	-	3	2	9	8	29	32	25	23	16
1987	246	-	3	5	11	11	31	33	31	24	24
1986	211	-	1	1	7	12	23	28	24	30	15
1985	213	1	3	5	9	11	27	33	28	27	16
1984	235	-	4	-	8	8	34	28	28	30	23
1983	222	-	2	5	6	11	27	24	34	27	19
1982	270	-	2	8	14	24	31	47	32	24	21
1981	206	-	2	7	8	21	29	30	25	12	15
1980	265	-	2	7	12	27	36	27	42	17	21
1979	265	-	1	11	11	22	22	42	32	27	27

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Water, air and space, and other and unspecified transport accidents and their sequelae (E830-E848,E929.0-E929.1)

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
All other, female											
1998	36	-	-	3	1	4	3	3	2	1	5
1997	57	-	3	3	5	7	5	8	7	3	3
1996	54	-	2	2	1	5	2	3	5	5	6
1995	37	-	1	1	4	2	3	4	3	6	1
1994	50	1	3	4	-	1	3	5	8	7	4
1993	29	-	1	2	-	6	3	7	1	2	1
1992	28	-	2	2	-	1	2	3	1	2	1
1991	28	-	1	2	2	2	6	-	1	2	4
1990	22	1	1	2	1	-	1	3	1	3	3
1989	23	-	-	2	2	4	2	4	3	1	1
1988	30	-	1	3	2	1	5	1	6	1	1
1987	32	1	-	-	5	2	3	3	3	5	3
1986	36	-	3	1	-	5	2	4	6	3	4
1985	44	-	1	2	8	3	8	5	1	3	3
1984	24	-	-	-	1	1	4	6	4	-	2
1983	22	-	-	1	1	1	4	2	4	3	-
1982	33	-	1	3	1	-	4	9	8	3	1
1981	26	1	1	4	2	2	5	3	4	-	1
1980	43	2	-	1	5	4	8	10	4	1	2
1979	31	-	2	4	4	1	1	1	7	1	3

Water, air and space, and other and unspecified transport accidents and their sequelae (E830-E848,E929.0-E929.1)

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Black, both sexes											
1998	136	-	1	4	3	12	5	12	11	16	17
1997	164	-	-	1	4	12	9	19	24	18	24
1996	196	-	2	4	2	7	18	20	28	14	19
1995	150	-	2	1	5	4	15	15	16	23	18
1994	188	1	5	5	2	16	10	23	24	27	17
1993	159	1	3	3	1	14	12	15	14	19	17
1992	149	-	4	3	8	6	9	16	15	19	18
1991	158	-	2	7	6	8	15	15	19	16	30
1990	145	-	-	-	2	3	17	14	17	20	11
1989	176	-	-	5	9	8	19	17	12	14	18
1988	190	-	2	3	8	5	26	25	17	19	14
1987	205	1	2	2	11	9	24	28	19	22	20
1986	183	-	1	1	3	13	16	23	19	27	15
1985	182	-	2	2	10	11	26	26	21	20	14
1984	213	-	2	-	8	8	25	25	28	26	20
1983	191	-	2	5	6	8	23	20	28	23	16
1982	249	-	1	9	11	15	26	46	36	21	22
1981	191	1	2	10	9	20	29	25	22	10	13
1980	252	1	1	8	14	23	34	26	36	14	20
1979	235	-	3	13	15	20	15	31	29	23	22

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Water, air and space, and other and unspecified transport accidents and their sequelae (E830-E848,E929.0-E929.1)

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Black, male											
1998	114	-	1	2	2	9	4	11	10	15	13
1997	137	-	-	-	3	6	8	15	19	17	23
1996	157	-	1	2	1	5	16	18	24	10	14
1995	124	-	1	-	4	2	13	12	13	21	17
1994	149	-	2	1	2	15	7	21	17	22	14
1993	140	1	2	2	1	9	10	13	14	17	17
1992	131	-	2	1	8	6	8	14	15	18	18
1991	137	-	2	5	4	6	11	15	18	15	27
1990	133	-	-	-	1	3	16	13	16	19	9
1989	164	-	-	3	8	8	17	15	11	13	18
1988	165	-	2	1	7	4	21	24	13	18	13
1987	182	-	2	2	8	7	22	25	18	19	17
1986	166	-	1	1	3	10	16	22	17	26	12
1985	157	-	1	1	6	10	21	25	20	18	12
1984	200	-	2	-	7	8	24	21	25	26	20
1983	176	-	2	4	5	8	21	19	24	20	16
1982	223	-	1	7	10	15	23	38	28	20	21
1981	172	-	2	6	7	18	26	24	19	10	12
1980	220	-	1	7	10	20	28	20	32	13	19
1979	211	-	1	10	11	19	14	31	25	22	20

Water, air and space, and other and unspecified transport accidents and their sequelae (E830-E848,E929.0-E929.1)

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Black, female											
1998	22	-	-	2	1	3	1	1	1	1	4
1997	27	-	-	1	1	6	1	4	5	1	1
1996	39	-	1	2	1	2	2	2	4	4	5
1995	26	-	1	1	1	2	2	3	3	2	1
1994	39	1	3	4	-	1	3	2	7	5	3
1993	19	-	1	1	-	5	2	2	-	2	-
1992	18	-	2	2	-	-	1	2	-	1	-
1991	21	-	-	2	2	2	4	-	1	1	3
1990	12	-	-	-	1	-	1	1	1	1	2
1989	12	-	-	2	1	-	2	2	1	1	-
1988	25	-	-	2	1	1	5	1	4	1	1
1987	23	1	-	-	3	2	2	3	1	3	3
1986	17	-	-	-	-	3	-	1	2	1	3
1985	25	-	1	1	4	1	5	1	1	2	2
1984	13	-	-	-	1	-	1	4	3	-	-
1983	15	-	-	1	1	-	2	1	4	3	-
1982	26	-	-	2	1	-	3	8	8	1	1
1981	19	1	-	4	2	2	3	1	3	-	1
1980	32	1	-	1	4	3	6	6	4	1	1
1979	24	-	2	3	4	1	1	-	4	1	2

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Nontransport accidents (E850-E869,E880-E928,E929.2-E929.9)											
All races, both sexes											
1998	48,245	556	1,136	661	594	1,269	1,681	1,842	2,555	3,502	3,933
1997	46,066	569	1,184	629	640	1,218	1,553	1,905	2,577	3,404	3,632
1996	45,097	561	1,274	638	642	1,252	1,550	1,856	2,594	3,254	3,361
1995	44,186	581	1,401	651	679	1,275	1,541	1,935	2,753	3,486	3,363
1994	43,004	667	1,511	644	672	1,225	1,595	1,974	2,929	3,303	3,187
1993	42,793	670	1,642	647	683	1,309	1,699	2,039	3,002	3,404	3,006
1992	39,774	614	1,536	654	659	1,224	1,643	2,044	2,650	2,934	2,381
1991	40,082	742	1,710	733	734	1,371	1,701	2,147	2,763	2,627	2,345
1990	39,231	708	1,587	735	699	1,456	1,672	2,266	2,698	2,570	2,034
1989	41,305	727	1,716	868	782	1,449	1,838	2,540	2,940	2,697	2,085
1988	41,942	682	1,791	862	776	1,519	2,048	2,539	2,897	2,595	2,038
1987	40,346	710	1,861	866	781	1,487	2,135	2,539	2,692	2,357	1,744
1986	41,069	690	1,870	848	868	1,760	2,368	2,881	2,799	2,298	1,709
1985	41,160	668	1,782	849	875	1,664	2,503	2,736	2,597	2,105	1,701
1984	40,656	633	1,763	839	923	1,772	2,599	2,722	2,547	1,998	1,590
1983	41,778	723	1,936	893	1,007	1,910	2,806	2,766	2,472	1,978	1,640
1982	41,801	773	1,914	969	1,016	2,125	3,038	2,897	2,461	1,837	1,565
1981	42,965	730	2,061	976	1,100	2,278	3,095	2,878	2,416	1,764	1,604
1980	46,119	879	2,069	1,077	1,154	2,777	3,419	2,962	2,258	1,788	1,660
1979	44,913	825	2,053	1,139	1,310	2,785	3,464	2,797	2,140	1,838	1,686
Nontransport accidents (E850-E869,E880-E928,E929.2-E929.9)											
All races, male											
1998	30,292	325	715	437	429	1,042	1,435	1,521	2,027	2,702	3,042
1997	29,298	330	742	407	470	1,031	1,304	1,562	2,078	2,658	2,879
1996	28,609	323	808	423	470	1,055	1,321	1,512	2,076	2,565	2,660
1995	28,540	310	871	424	510	1,099	1,286	1,607	2,236	2,813	2,704
1994	28,035	388	958	414	523	1,064	1,353	1,622	2,407	2,636	2,608
1993	27,859	381	1,027	424	523	1,101	1,461	1,710	2,454	2,764	2,453
1992	25,898	350	980	446	499	1,043	1,368	1,713	2,147	2,411	1,983
1991	26,042	439	1,045	493	578	1,194	1,451	1,797	2,284	2,123	1,929
1990	25,560	395	1,025	488	558	1,243	1,449	1,865	2,233	2,135	1,659
1989	27,141	397	1,094	585	594	1,237	1,575	2,104	2,393	2,245	1,681
1988	27,504	388	1,142	567	583	1,306	1,746	2,089	2,393	2,126	1,636
1987	26,627	405	1,188	587	632	1,270	1,808	2,116	2,243	1,969	1,384
1986	27,254	380	1,141	576	695	1,494	2,007	2,415	2,318	1,881	1,358
1985	27,348	364	1,119	564	700	1,405	2,122	2,287	2,177	1,735	1,382
1984	26,952	347	1,102	587	728	1,483	2,175	2,283	2,104	1,667	1,246
1983	27,616	421	1,199	586	760	1,626	2,339	2,282	2,045	1,612	1,318
1982	27,921	464	1,192	648	783	1,832	2,571	2,426	2,073	1,479	1,215
1981	28,813	410	1,315	658	858	1,958	2,669	2,420	2,011	1,407	1,251
1980	30,747	504	1,288	724	890	2,348	2,938	2,534	1,864	1,467	1,300
1979	30,175	473	1,293	794	1,017	2,352	2,931	2,350	1,767	1,483	1,345

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Nontransport accidents (E850-E869,E880-E928,E929.2-E929.9)											
All races, female											
1998	17,953	231	421	224	165	227	246	321	528	800	891
1997	16,768	239	442	222	170	187	249	343	499	746	753
1996	16,488	238	466	215	172	197	229	344	518	689	701
1995	15,646	271	530	227	169	176	255	328	517	673	659
1994	14,969	279	553	230	149	161	242	352	522	667	579
1993	14,934	289	615	223	160	208	238	329	548	640	553
1992	13,876	264	556	208	160	181	275	331	503	523	398
1991	14,040	303	665	240	156	177	250	350	479	504	416
1990	13,671	313	562	247	141	213	223	401	465	435	375
1989	14,164	330	622	283	188	212	263	436	547	452	404
1988	14,438	294	649	295	193	213	302	450	504	469	402
1987	13,719	305	673	279	149	217	327	423	449	388	360
1986	13,815	310	729	272	173	266	361	466	481	417	351
1985	13,812	304	663	285	175	259	381	449	420	370	319
1984	13,704	286	661	252	195	289	424	439	443	331	344
1983	14,162	302	737	307	247	284	467	484	427	366	322
1982	13,880	309	722	321	233	293	467	471	388	358	350
1981	14,152	320	746	318	242	320	426	458	405	357	353
1980	15,372	375	781	353	264	429	481	428	394	321	360
1979	14,738	352	760	345	293	433	533	447	373	355	341
Nontransport accidents (E850-E869,E880-E928,E929.2-E929.9)											
White, both sexes											
1998	40,864	368	826	420	414	993	1,379	1,532	2,105	2,836	3,152
1997	38,682	369	860	384	450	977	1,262	1,561	2,130	2,742	2,802
1996	37,720	364	886	405	421	969	1,254	1,512	2,118	2,599	2,634
1995	36,596	374	1,005	447	472	981	1,256	1,571	2,226	2,756	2,543
1994	35,290	434	1,026	403	447	922	1,272	1,583	2,299	2,576	2,387
1993	35,089	438	1,148	399	481	964	1,315	1,634	2,345	2,629	2,249
1992	32,811	389	1,107	446	448	912	1,311	1,628	2,098	2,263	1,826
1991	32,671	484	1,220	502	523	1,030	1,333	1,662	2,134	1,919	1,735
1990	32,199	442	1,155	499	488	1,122	1,333	1,800	2,072	1,976	1,542
1989	33,422	428	1,221	592	537	1,146	1,436	2,006	2,285	2,023	1,572
1988	33,966	432	1,262	570	547	1,200	1,611	1,984	2,209	1,931	1,526
1987	32,813	470	1,356	605	538	1,156	1,707	2,008	2,052	1,751	1,287
1986	33,702	441	1,385	564	605	1,415	1,915	2,296	2,186	1,764	1,309
1985	33,798	469	1,316	558	636	1,331	2,074	2,209	2,038	1,617	1,282
1984	33,643	430	1,261	570	669	1,436	2,139	2,235	1,980	1,543	1,235
1983	34,320	480	1,432	629	748	1,572	2,319	2,201	1,919	1,537	1,273
1982	34,584	513	1,405	682	774	1,748	2,544	2,362	1,889	1,393	1,228
1981	35,460	485	1,495	692	806	1,874	2,577	2,304	1,875	1,348	1,234
1980	37,689	588	1,532	737	870	2,301	2,807	2,388	1,745	1,357	1,262
1979	37,059	527	1,464	767	990	2,336	2,878	2,214	1,622	1,415	1,275

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Nontransport accidents (E850-E869,E880-E928,E929.2-E929.9)											
White, male											
1998	25,204	220	526	289	289	808	1,184	1,278	1,673	2,223	2,469
1997	24,266	215	550	254	343	828	1,064	1,274	1,745	2,179	2,244
1996	23,564	209	573	270	311	821	1,071	1,245	1,721	2,102	2,120
1995	23,286	214	631	292	361	843	1,061	1,322	1,831	2,266	2,073
1994	22,613	257	660	261	350	801	1,080	1,314	1,926	2,087	1,992
1993	22,458	251	737	278	373	799	1,140	1,387	1,961	2,156	1,853
1992	21,047	237	719	311	346	783	1,107	1,378	1,736	1,889	1,543
1991	20,795	280	765	337	411	896	1,147	1,405	1,788	1,578	1,446
1990	20,654	245	756	348	396	965	1,170	1,510	1,751	1,641	1,265
1989	21,614	235	783	411	415	979	1,241	1,689	1,874	1,721	1,280
1988	21,858	246	809	380	424	1,032	1,397	1,660	1,864	1,618	1,230
1987	21,274	270	871	411	444	989	1,447	1,713	1,729	1,476	1,019
1986	22,071	247	869	397	497	1,204	1,626	1,939	1,847	1,438	1,050
1985	22,179	256	844	379	522	1,129	1,768	1,870	1,743	1,340	1,038
1984	22,031	232	800	401	527	1,204	1,818	1,894	1,666	1,291	976
1983	22,476	270	908	432	574	1,345	1,954	1,868	1,616	1,256	1,024
1982	22,800	313	897	468	603	1,516	2,173	2,003	1,598	1,139	945
1981	23,440	279	964	471	632	1,607	2,239	1,975	1,586	1,079	961
1980	24,890	341	973	497	685	1,956	2,430	2,059	1,445	1,125	994
1979	24,551	315	943	538	772	1,986	2,458	1,884	1,358	1,144	1,011
Nontransport accidents (E850-E869,E880-E928,E929.2-E929.9)											
White, female											
1998	15,660	148	300	131	125	185	195	254	432	613	683
1997	14,416	154	310	130	107	149	198	287	385	563	558
1996	14,156	155	313	135	110	148	183	267	397	497	514
1995	13,310	160	374	155	111	138	195	249	395	490	470
1994	12,677	177	366	142	97	121	192	269	373	489	395
1993	12,631	187	411	121	108	165	175	247	384	473	396
1992	11,764	152	388	135	102	129	204	250	362	374	283
1991	11,876	204	455	165	112	134	186	257	346	341	289
1990	11,545	197	399	151	92	157	163	290	321	335	277
1989	11,808	193	438	181	122	167	195	317	411	302	292
1988	12,108	186	453	190	123	168	214	324	345	313	296
1987	11,539	200	485	194	94	167	260	295	323	275	268
1986	11,631	194	516	167	108	211	289	357	339	326	259
1985	11,619	213	472	179	114	202	306	339	295	277	244
1984	11,612	198	461	169	142	232	321	341	314	252	259
1983	11,844	210	524	197	174	227	365	333	303	281	249
1982	11,784	200	508	214	171	232	371	359	291	254	283
1981	12,020	206	531	221	174	267	338	329	289	269	273
1980	12,799	247	559	240	185	345	377	329	300	232	268
1979	12,508	212	521	229	218	350	420	330	264	271	264

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Nontransport accidents (E850-E869,E880-E928,E929.2-E929.9)											
All other, both sexes											
1998	7,381	188	310	241	180	276	302	310	450	666	781
1997	7,384	200	324	245	190	241	291	344	447	662	830
1996	7,377	197	388	233	221	283	296	344	476	655	727
1995	7,590	207	396	204	207	294	285	364	527	730	820
1994	7,714	233	485	241	225	303	323	391	630	727	800
1993	7,704	232	494	248	202	345	384	405	657	775	757
1992	6,963	225	429	208	211	312	332	416	552	671	555
1991	7,411	258	490	231	211	341	368	485	629	708	610
1990	7,032	266	432	236	211	334	339	466	626	594	492
1989	7,883	299	495	276	245	303	402	534	655	674	513
1988	7,976	250	529	292	229	319	437	555	688	664	512
1987	7,533	240	505	261	243	331	428	531	640	606	457
1986	7,367	249	485	284	263	345	453	585	613	534	400
1985	7,362	199	466	291	239	333	429	527	559	488	419
1984	7,013	203	502	269	254	336	460	487	567	455	355
1983	7,458	243	504	264	259	338	487	565	553	441	367
1982	7,217	260	509	287	242	377	494	535	572	444	337
1981	7,505	245	566	284	294	404	518	574	541	416	370
1980	8,430	291	537	340	284	476	612	574	513	431	398
1979	7,854	298	589	372	320	449	586	583	518	423	411
Nontransport accidents (E850-E869,E880-E928,E929.2-E929.9)											
All other, male											
1998	5,088	105	189	148	140	234	251	243	354	479	573
1997	5,032	115	192	153	127	203	240	288	333	479	635
1996	5,045	114	235	153	159	234	250	267	355	463	540
1995	5,254	96	240	132	149	256	225	285	405	547	631
1994	5,422	131	298	153	173	263	273	308	481	549	616
1993	5,401	130	290	146	150	302	321	323	493	608	600
1992	4,851	113	261	135	153	260	261	335	411	522	440
1991	5,247	159	280	156	167	298	304	392	496	545	483
1990	4,906	150	269	140	162	278	279	355	482	494	394
1989	5,527	162	311	174	179	258	334	415	519	524	401
1988	5,646	142	333	187	159	274	349	429	529	508	406
1987	5,353	135	317	176	188	281	361	403	514	493	365
1986	5,183	133	272	179	198	290	381	476	471	443	308
1985	5,169	108	275	185	178	276	354	417	434	395	344
1984	4,921	115	302	186	201	279	357	389	438	376	270
1983	5,140	151	291	154	186	281	385	414	429	356	294
1982	5,121	151	295	180	180	316	398	423	475	340	270
1981	5,373	131	351	187	226	351	430	445	425	328	290
1980	5,857	163	315	227	205	392	508	475	419	342	306
1979	5,624	158	350	256	245	366	473	466	409	339	334

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Nontransport accidents (E850-E869,E880-E928,E929.2-E929.9)											
All other, female											
1998	2,293	83	121	93	40	42	51	67	96	187	208
1997	2,352	85	132	92	63	38	51	56	114	183	195
1996	2,332	83	153	80	62	49	46	77	121	192	187
1995	2,336	111	156	72	58	38	60	79	122	183	189
1994	2,292	102	187	88	52	40	50	83	149	178	184
1993	2,303	102	204	102	52	43	63	82	164	167	157
1992	2,112	112	168	73	58	52	71	81	141	149	115
1991	2,164	99	210	75	44	43	64	93	133	163	127
1990	2,126	116	163	96	49	56	60	111	144	100	98
1989	2,356	137	184	102	66	45	68	119	136	150	112
1988	2,330	108	196	105	70	45	88	126	159	156	106
1987	2,180	105	188	85	55	50	67	128	126	113	92
1986	2,184	116	213	105	65	55	72	109	142	91	92
1985	2,193	91	191	106	61	57	75	110	125	93	75
1984	2,092	88	200	83	53	57	103	98	129	79	85
1983	2,318	92	213	110	73	57	102	151	124	85	73
1982	2,096	109	214	107	62	61	96	112	97	104	67
1981	2,132	114	215	97	68	53	88	129	116	88	80
1980	2,573	128	222	113	79	84	104	99	94	89	92
1979	2,230	140	239	116	75	83	113	117	109	84	77
Nontransport accidents (E850-E869,E880-E928,E929.2-E929.9)											
Black, both sexes											
1998	6,309	171	272	205	155	219	239	257	368	570	707
1997	6,210	180	262	203	155	195	228	269	373	574	718
1996	6,304	173	338	199	175	224	226	280	407	577	663
1995	6,583	189	323	168	183	249	227	305	447	647	726
1994	6,659	206	426	199	195	251	261	320	536	641	738
1993	6,735	208	436	210	168	284	324	334	564	705	704
1992	6,010	197	372	182	167	259	258	342	473	596	511
1991	6,548	223	445	203	189	300	311	427	558	642	543
1990	6,138	243	376	205	182	264	284	404	556	517	441
1989	6,999	271	432	245	212	251	319	458	595	619	456
1988	7,067	238	472	255	196	257	365	484	632	604	456
1987	6,657	221	445	226	214	286	366	451	570	555	412
1986	6,521	223	428	257	228	288	368	502	549	480	356
1985	6,556	178	401	253	212	277	349	475	499	440	375
1984	6,225	182	432	244	233	276	375	435	513	408	307
1983	6,689	231	459	235	240	289	399	508	502	391	318
1982	6,404	239	456	255	218	302	422	467	493	397	309
1981	6,798	223	512	253	260	362	447	508	468	382	336
1980	7,652	267	485	304	259	410	538	502	464	382	353
1979	7,112	277	530	342	293	394	500	511	466	390	384

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Nontransport accidents (E850-E869,E880-E928,E929.2-E929.9)											
Black, male											
1998	4,341	98	163	128	123	187	202	199	285	406	517
1997	4,217	104	155	126	104	161	188	226	279	419	547
1996	4,300	98	205	127	128	186	191	215	298	400	491
1995	4,525	88	196	110	130	218	178	233	336	477	552
1994	4,663	114	257	126	149	219	218	252	407	479	568
1993	4,701	118	257	122	126	250	270	261	416	548	554
1992	4,172	97	226	118	122	225	202	268	351	458	407
1991	4,624	142	255	139	152	264	262	342	437	489	432
1990	4,250	137	229	119	139	219	231	308	431	424	353
1989	4,872	145	269	155	155	213	266	349	466	479	362
1988	4,963	135	292	164	136	224	290	370	483	463	359
1987	4,715	122	281	151	165	240	306	337	457	453	330
1986	4,560	118	231	154	172	243	307	409	422	400	276
1985	4,603	98	232	159	157	234	286	378	388	362	312
1984	4,346	103	260	169	184	227	289	347	397	336	233
1983	4,567	143	264	142	170	239	310	367	390	315	252
1982	4,517	137	267	159	165	249	338	371	407	304	245
1981	4,838	120	314	164	198	316	369	395	364	301	265
1980	5,264	149	282	204	190	335	443	411	380	304	266
1979	5,063	149	311	236	223	320	401	406	364	313	310
Nontransport accidents (E850-E869,E880-E928,E929.2-E929.9)											
Black, female											
1998	1,968	73	109	77	32	32	37	58	83	164	190
1997	1,993	76	107	77	51	34	40	43	94	155	171
1996	2,004	75	133	72	47	38	35	65	109	177	172
1995	2,058	101	127	58	53	31	49	72	111	170	174
1994	1,996	92	169	73	46	32	43	68	129	162	170
1993	2,034	90	179	88	42	34	54	73	148	157	150
1992	1,838	100	146	64	45	34	56	74	122	138	104
1991	1,924	81	190	64	37	36	49	85	121	153	111
1990	1,888	106	147	86	43	45	53	96	125	93	88
1989	2,127	126	163	90	57	38	53	109	129	140	94
1988	2,104	103	180	91	60	33	75	114	149	141	97
1987	1,942	99	164	75	49	46	60	114	113	102	82
1986	1,961	105	197	103	56	45	61	93	127	80	80
1985	1,953	80	169	94	55	43	63	97	111	78	63
1984	1,879	79	172	75	49	49	86	88	116	72	74
1983	2,122	88	195	93	70	50	89	141	112	76	66
1982	1,887	102	189	96	53	53	84	96	86	93	64
1981	1,960	103	198	89	62	46	78	113	104	81	71
1980	2,388	118	203	100	69	75	95	91	84	78	87
1979	2,049	128	219	106	70	74	99	105	102	77	74

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Falls (E880-E888)											
All races, both sexes											
1998	16,274	20	46	26	29	94	142	159	192	293	402
1997	15,447	13	49	28	25	106	163	153	213	282	374
1996	14,986	11	46	32	22	97	138	160	234	273	357
1995	13,986	22	42	28	35	104	141	176	234	332	340
1994	13,450	19	62	26	30	100	130	178	210	279	374
1993	13,141	17	68	26	28	107	146	158	250	302	314
1992	12,646	26	63	21	30	93	149	169	229	263	259
1991	12,662	28	83	21	48	84	149	213	253	301	326
1990	12,313	25	85	18	24	123	169	236	304	263	291
1989	12,151	22	64	22	32	95	144	225	275	298	282
1988	12,096	39	65	27	31	103	219	218	277	305	268
1987	11,733	32	68	25	32	93	219	269	288	285	296
1986	11,444	35	82	22	33	150	249	245	273	273	244
1985	12,001	45	80	28	43	132	260	264	259	266	268
1984	11,937	28	86	27	41	146	253	252	254	223	234
1983	12,024	52	110	28	42	143	263	260	275	243	243
1982	12,077	54	83	45	58	180	273	248	286	227	215
1981	12,628	57	110	31	43	155	301	259	263	231	255
1980	13,294	44	111	48	41	209	306	300	231	245	290
1979	13,216	57	104	56	65	211	278	255	220	247	270
Falls (E880-E888)											
All races, male											
1998	8,035	15	35	19	25	74	119	140	155	250	324
1997	7,705	8	30	15	20	88	143	136	179	233	297
1996	7,429	8	25	26	19	80	121	140	188	224	297
1995	7,026	13	27	21	27	86	126	151	198	281	281
1994	6,889	17	42	21	21	86	120	152	182	236	307
1993	6,620	12	40	19	20	86	136	143	221	261	270
1992	6,315	21	40	16	22	75	128	141	189	213	209
1991	6,376	14	48	15	36	72	138	183	219	241	283
1990	6,311	17	55	13	17	105	156	212	254	220	253
1989	6,302	9	42	16	27	83	128	198	236	254	229
1988	6,303	24	40	20	26	84	197	190	232	257	222
1987	6,203	19	43	21	29	83	197	224	256	239	241
1986	6,043	25	52	19	29	130	213	210	234	223	194
1985	6,392	29	56	21	36	114	237	235	218	231	222
1984	6,210	15	57	22	32	122	226	221	224	199	184
1983	6,279	31	57	18	34	124	228	223	236	197	195
1982	6,354	34	44	33	40	156	239	206	252	191	179
1981	6,627	32	75	23	30	134	275	236	236	193	207
1980	7,036	27	63	26	33	185	276	272	207	197	228
1979	6,928	33	67	38	54	187	257	232	190	202	210

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Falls (E880-E888)											
All races, female											
1998	8,239	5	11	7	4	20	23	19	37	43	78
1997	7,742	5	19	13	5	18	20	17	34	49	77
1996	7,557	3	21	6	3	17	17	20	46	49	60
1995	6,960	9	15	7	8	18	15	25	36	51	59
1994	6,561	2	20	5	9	14	10	26	28	43	67
1993	6,521	5	28	7	8	21	10	15	29	41	44
1992	6,331	5	23	5	8	18	21	28	40	50	50
1991	6,286	14	35	6	12	12	11	30	34	60	43
1990	6,002	8	30	5	7	18	13	24	50	43	38
1989	5,849	13	22	6	5	12	16	27	39	44	53
1988	5,793	15	25	7	5	19	22	28	45	48	46
1987	5,530	13	25	4	3	10	22	45	32	46	55
1986	5,401	10	30	3	4	20	36	35	39	50	50
1985	5,609	16	24	7	7	18	23	29	41	35	46
1984	5,727	13	29	5	9	24	27	31	30	24	50
1983	5,745	21	53	10	8	19	35	37	39	46	48
1982	5,723	20	39	12	18	24	34	42	34	36	36
1981	6,001	25	35	8	13	21	26	23	27	38	48
1980	6,258	17	48	22	8	24	30	28	24	48	62
1979	6,288	24	37	18	11	24	21	23	30	45	60
Falls (E880-E888)											
White, both sexes											
1998	15,037	14	35	20	22	86	126	142	162	239	329
1997	14,277	8	37	19	22	93	144	133	180	237	293
1996	13,849	6	33	27	20	88	121	139	191	228	287
1995	12,850	12	36	19	26	93	124	154	194	268	262
1994	12,342	14	34	17	25	91	118	148	169	216	289
1993	12,014	10	45	14	24	100	128	122	198	233	243
1992	11,560	21	43	15	26	81	125	147	195	190	208
1991	11,556	18	59	15	40	78	131	188	201	225	242
1990	11,131	19	59	12	20	117	149	190	232	203	225
1989	10,961	14	45	14	27	87	128	190	204	216	212
1988	10,886	28	44	22	28	81	180	177	201	236	199
1987	10,532	21	47	21	27	84	188	216	210	219	218
1986	10,368	19	64	16	24	130	215	205	218	202	172
1985	10,798	27	49	17	35	121	225	218	199	199	195
1984	10,829	22	54	23	39	134	217	214	193	169	169
1983	10,877	33	73	20	30	136	231	214	209	184	193
1982	10,930	29	55	38	49	169	248	201	210	166	172
1981	11,417	35	63	21	37	142	265	215	206	179	192
1980	12,016	30	74	38	36	190	265	253	173	179	208
1979	11,999	40	67	39	60	196	247	213	153	182	188

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Falls (E880-E888)											
White, male											
1998	7,264	10	26	15	20	68	108	127	130	208	264
1997	6,977	5	22	10	17	76	126	119	149	200	225
1996	6,711	3	17	21	17	73	105	121	151	190	239
1995	6,308	9	23	14	19	77	110	130	166	229	215
1994	6,148	13	24	13	19	78	108	126	149	184	237
1993	5,885	7	26	10	18	79	119	112	179	201	208
1992	5,646	17	28	11	19	65	107	124	164	156	170
1991	5,671	10	36	13	29	66	122	162	175	179	209
1990	5,565	15	34	11	15	102	138	174	198	168	194
1989	5,524	5	29	12	22	75	116	167	169	188	172
1988	5,498	17	27	16	23	65	164	161	170	206	168
1987	5,391	13	28	17	24	76	170	186	187	180	175
1986	5,317	15	39	13	21	115	186	177	190	162	136
1985	5,579	16	37	13	31	106	207	195	165	171	165
1984	5,484	11	33	19	30	110	194	190	171	156	137
1983	5,529	19	37	13	24	120	202	192	181	148	152
1982	5,587	19	29	27	35	146	220	175	186	142	143
1981	5,786	21	42	16	27	121	242	197	187	150	151
1980	6,147	17	38	20	30	169	239	232	154	143	163
1979	6,112	22	45	25	51	175	227	195	134	153	147
Falls (E880-E888)											
White, female											
1998	7,773	4	9	5	2	18	18	15	32	31	65
1997	7,300	3	15	9	5	17	18	14	31	37	68
1996	7,138	3	16	6	3	15	16	18	40	38	48
1995	6,542	3	13	5	7	16	14	24	28	39	47
1994	6,194	1	10	4	6	13	10	22	20	32	52
1993	6,129	3	19	4	6	21	9	10	19	32	35
1992	5,914	4	15	4	7	16	18	23	31	34	38
1991	5,885	8	23	2	11	12	9	26	26	46	33
1990	5,566	4	25	1	5	15	11	16	34	35	31
1989	5,437	9	16	2	5	12	12	23	35	28	40
1988	5,388	11	17	6	5	16	16	16	31	30	31
1987	5,141	8	19	4	3	8	18	30	23	39	43
1986	5,051	4	25	3	3	15	29	28	28	40	36
1985	5,219	11	12	4	4	15	18	23	34	28	30
1984	5,345	11	21	4	9	24	23	24	22	13	32
1983	5,348	14	36	7	6	16	29	22	28	36	41
1982	5,343	10	26	11	14	23	28	26	24	24	29
1981	5,631	14	21	5	10	21	23	18	19	29	41
1980	5,869	13	36	18	6	21	26	21	19	36	45
1979	5,887	18	22	14	9	21	20	18	19	29	41

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Falls (E880-E888)											
All other, both sexes											
1998	1,237	6	11	6	7	8	16	17	30	54	73
1997	1,170	5	12	9	3	13	19	20	33	45	81
1996	1,137	5	13	5	2	9	17	21	43	45	70
1995	1,136	10	6	9	9	11	17	22	40	64	78
1994	1,108	5	28	9	5	9	12	30	41	63	85
1993	1,127	7	23	12	4	7	18	36	52	69	71
1992	1,086	5	20	6	4	12	24	22	34	73	51
1991	1,106	10	24	6	8	6	18	25	52	76	84
1990	1,182	6	26	6	4	6	20	46	72	60	66
1989	1,190	8	19	8	5	8	16	35	71	82	70
1988	1,210	11	21	5	3	22	39	41	76	69	69
1987	1,201	11	21	4	5	9	31	53	78	66	78
1986	1,076	16	18	6	9	20	34	40	55	71	72
1985	1,203	18	31	11	8	11	35	46	60	67	73
1984	1,108	6	32	4	2	12	36	38	61	54	65
1983	1,147	19	37	8	12	7	32	46	66	59	50
1982	1,147	25	28	7	9	11	25	47	76	61	43
1981	1,211	22	47	10	6	13	36	44	57	52	63
1980	1,278	14	37	10	5	19	41	47	58	66	82
1979	1,217	17	37	17	5	15	31	42	67	65	82
Falls (E880-E888)											
All other, male											
1998	771	5	9	4	5	6	11	13	25	42	60
1997	728	3	8	5	3	12	17	17	30	33	72
1996	718	5	8	5	2	7	16	19	37	34	58
1995	718	4	4	7	8	9	16	21	32	52	66
1994	741	4	18	8	2	8	12	26	33	52	70
1993	735	5	14	9	2	7	17	31	42	60	62
1992	669	4	12	5	3	10	21	17	25	57	39
1991	705	4	12	2	7	6	16	21	44	62	74
1990	746	2	21	2	2	3	18	38	56	52	59
1989	778	4	13	4	5	8	12	31	67	66	57
1988	805	7	13	4	3	19	33	29	62	51	54
1987	812	6	15	4	5	7	27	38	69	59	66
1986	726	10	13	6	8	15	27	33	44	61	58
1985	813	13	19	8	5	8	30	40	53	60	57
1984	726	4	24	3	2	12	32	31	53	43	47
1983	750	12	20	5	10	4	26	31	55	49	43
1982	767	15	15	6	5	10	19	31	66	49	36
1981	841	11	33	7	3	13	33	39	49	43	56
1980	889	10	25	6	3	16	37	40	53	54	65
1979	816	11	22	13	3	12	30	37	56	49	63

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Falls (E880-E888)											
All other, female											
1998	466	1	2	2	2	2	5	4	5	12	13
1997	442	2	4	4	-	1	2	3	3	12	9
1996	419	-	5	-	-	2	1	2	6	11	12
1995	418	6	2	2	1	2	1	1	8	12	12
1994	367	1	10	1	3	1	-	4	8	11	15
1993	392	2	9	3	2	-	1	5	10	9	9
1992	417	1	8	1	1	2	3	5	9	16	12
1991	401	6	12	4	1	-	2	4	8	14	10
1990	436	4	5	4	2	3	2	8	16	8	7
1989	412	4	6	4	-	-	4	4	4	16	13
1988	405	4	8	1	-	3	6	12	14	18	15
1987	389	5	6	-	-	2	4	15	9	7	12
1986	350	6	5	-	1	5	7	7	11	10	14
1985	390	5	12	3	3	3	5	6	7	7	16
1984	382	2	8	1	-	-	4	7	8	11	18
1983	397	7	17	3	2	3	6	15	11	10	7
1982	380	10	13	1	4	1	6	16	10	12	7
1981	370	11	14	3	3	-	3	5	8	9	7
1980	389	4	12	4	2	3	4	7	5	12	17
1979	401	6	15	4	2	3	1	5	11	16	19
Falls (E880-E888)											
Black, both sexes											
1998	929	5	10	3	6	3	9	9	24	44	62
1997	868	3	10	6	2	10	14	14	27	34	68
1996	892	3	12	4	2	2	11	16	33	40	61
1995	877	8	4	8	6	7	10	14	30	54	68
1994	871	3	26	7	3	5	9	23	30	53	73
1993	908	6	17	11	4	6	11	30	42	64	60
1992	875	3	17	5	3	8	14	19	26	67	47
1991	927	10	20	5	6	3	17	20	43	71	69
1990	1,005	5	24	6	4	5	17	41	64	53	59
1989	1,009	7	14	5	5	4	14	27	62	72	64
1988	1,017	10	19	3	2	12	28	37	68	65	64
1987	1,029	10	18	2	4	6	23	50	73	61	70
1986	922	15	14	6	6	13	25	37	52	62	66
1985	1,048	13	26	8	6	6	26	41	58	61	71
1984	976	6	26	3	2	11	30	33	55	48	55
1983	1,018	19	32	7	12	6	27	41	60	56	43
1982	1,027	23	23	6	6	9	23	41	70	57	40
1981	1,074	18	42	5	5	11	31	40	47	49	55
1980	1,124	12	32	8	5	13	36	40	54	59	71
1979	1,110	17	33	13	4	12	28	36	58	62	79

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Falls (E880-E888)											
Black, male											
1998	578	5	9	2	5	3	5	6	19	35	51
1997	542	1	7	3	2	9	13	13	25	25	59
1996	571	3	8	4	2	1	10	14	28	30	50
1995	544	3	3	7	5	5	9	13	22	43	56
1994	571	2	17	7	1	5	9	19	22	43	58
1993	595	4	10	8	2	6	10	27	33	57	52
1992	535	2	10	4	2	8	12	14	19	51	36
1991	586	4	11	1	6	3	15	17	39	57	62
1990	629	1	19	2	2	2	15	34	51	45	53
1989	659	3	9	3	5	4	10	24	58	58	53
1988	678	6	12	2	2	11	24	27	55	49	52
1987	706	5	14	2	4	6	20	35	66	54	62
1986	632	9	9	6	6	11	19	31	43	55	53
1985	711	10	15	5	3	4	21	35	51	54	56
1984	642	4	22	2	2	11	26	27	50	38	38
1983	665	12	19	5	10	4	22	26	50	47	36
1982	680	13	13	5	4	8	17	26	61	46	34
1981	750	9	29	4	3	11	29	36	41	40	51
1980	776	9	20	4	3	11	32	34	49	48	56
1979	739	11	18	10	3	9	27	32	47	47	60
Falls (E880-E888)											
Black, female											
1998	351	-	1	1	1	-	4	3	5	9	11
1997	326	2	3	3	-	1	1	1	2	9	9
1996	321	-	4	-	-	1	1	2	5	10	11
1995	333	5	1	1	1	2	1	1	8	11	12
1994	300	1	9	-	2	-	-	4	8	10	15
1993	313	2	7	3	2	-	1	3	9	7	8
1992	340	1	7	1	1	-	2	5	7	16	11
1991	341	6	9	4	-	-	2	3	4	14	7
1990	376	4	5	4	2	3	2	7	13	8	6
1989	350	4	5	2	-	-	4	3	4	14	11
1988	339	4	7	1	-	1	4	10	13	16	12
1987	323	5	4	-	-	-	3	15	7	7	8
1986	290	6	5	-	-	2	6	6	9	7	13
1985	337	3	11	3	3	2	5	6	7	7	15
1984	334	2	4	1	-	-	4	6	5	10	17
1983	353	7	13	2	2	2	5	15	10	9	7
1982	347	10	10	1	2	1	6	15	9	11	6
1981	324	9	13	1	2	-	2	4	6	9	4
1980	348	3	12	4	2	2	4	6	5	11	15
1979	371	6	15	3	1	3	1	4	11	15	19

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Accidental discharge of firearms (E922)											
All races, both sexes											
1998	866	-	19	34	68	141	119	69	68	83	60
1997	981	-	20	28	94	164	136	82	83	68	62
1996	1,134	2	15	27	94	238	163	105	78	76	73
1995	1,225	-	20	32	129	259	164	120	102	96	68
1994	1,356	2	32	25	126	327	213	121	122	84	71
1993	1,521	-	30	38	137	321	274	136	119	121	72
1992	1,409	1	35	48	132	285	234	128	129	89	67
1991	1,441	2	22	41	162	324	218	133	110	88	56
1990	1,416	3	31	56	146	305	195	154	125	85	78
1989	1,489	4	38	59	172	294	222	143	131	90	57
1988	1,501	-	41	51	185	266	200	142	122	113	100
1987	1,440	1	36	66	144	220	213	160	131	102	70
1986	1,452	3	31	57	143	238	205	165	134	92	80
1985	1,649	2	41	58	177	241	238	184	155	115	100
1984	1,668	-	34	66	187	265	250	185	144	113	72
1983	1,695	3	37	45	158	261	283	194	153	119	96
1982	1,756	1	43	81	154	271	272	223	163	106	96
1981	1,871	2	49	64	183	306	324	217	162	98	88
1980	1,955	3	42	77	194	373	329	241	174	107	82
1979	2,004	4	53	87	228	354	314	207	151	102	87
Accidental discharge of firearms (E922)											
All races, male											
1998	762	-	15	23	58	130	113	62	61	67	52
1997	856	-	11	21	86	159	123	74	67	56	55
1996	1,004	1	10	20	88	219	151	92	66	67	63
1995	1,055	-	14	22	114	247	145	106	80	76	51
1994	1,192	-	23	15	116	309	195	102	103	67	61
1993	1,328	-	28	30	126	291	250	115	101	99	56
1992	1,238	1	21	39	116	265	211	112	114	77	61
1991	1,304	1	12	31	152	305	202	123	98	75	55
1990	1,255	2	22	44	136	285	172	128	110	78	69
1989	1,317	4	23	49	154	268	203	127	116	76	47
1988	1,304	-	28	45	155	250	187	120	105	92	81
1987	1,249	1	26	47	129	204	192	132	112	89	63
1986	1,254	2	20	40	125	210	183	148	116	84	59
1985	1,415	-	26	40	164	217	213	161	125	93	81
1984	1,461	-	25	54	167	242	215	166	119	98	57
1983	1,465	2	22	32	138	244	250	167	122	103	84
1982	1,524	-	37	63	130	250	234	189	147	88	87
1981	1,592	2	33	46	163	274	276	190	128	72	81
1980	1,686	1	25	58	170	328	290	212	151	90	71
1979	1,715	1	42	61	203	321	268	182	128	87	78

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Accidental discharge of firearms (E922)											
All races, female											
1998	104	-	4	11	10	11	6	7	7	16	8
1997	125	-	9	7	8	5	13	8	16	12	7
1996	130	1	5	7	6	19	12	13	12	9	10
1995	170	-	6	10	15	12	19	14	22	20	17
1994	164	2	9	10	10	18	18	19	19	17	10
1993	193	-	2	8	11	30	24	21	18	22	16
1992	171	-	14	9	16	20	23	16	15	12	6
1991	137	1	10	10	10	19	16	10	12	13	1
1990	161	1	9	12	10	20	23	26	15	7	9
1989	172	-	15	10	18	26	19	16	15	14	10
1988	197	-	13	6	30	16	13	22	17	21	19
1987	191	-	10	19	15	16	21	28	19	13	7
1986	198	1	11	17	18	28	22	17	18	8	21
1985	234	2	15	18	13	24	25	23	30	22	19
1984	207	-	9	12	20	23	35	19	25	15	15
1983	230	1	15	13	20	17	33	27	31	16	12
1982	232	1	6	18	24	21	38	34	16	18	9
1981	279	-	16	18	20	32	48	27	34	26	7
1980	269	2	17	19	24	45	39	29	23	17	11
1979	289	3	11	26	25	33	46	25	23	15	9
Accidental discharge of firearms (E922)											
White, both sexes											
1998	672	-	12	19	53	102	81	50	55	68	52
1997	782	-	13	16	72	117	100	70	70	58	50
1996	868	-	8	17	70	153	115	84	61	62	62
1995	946	-	12	22	105	175	115	88	83	88	56
1994	998	1	12	15	95	212	141	89	94	70	62
1993	1,121	-	16	24	102	191	191	102	99	95	60
1992	1,071	1	21	27	102	180	174	97	105	76	55
1991	1,103	2	13	28	124	224	148	98	89	68	48
1990	1,113	3	22	41	115	226	144	121	100	73	65
1989	1,153	2	24	44	141	215	147	114	102	70	43
1988	1,188	-	28	36	145	205	154	106	98	86	81
1987	1,158	1	24	51	123	171	164	133	99	82	55
1986	1,210	2	21	40	127	201	165	130	111	72	64
1985	1,346	1	28	46	157	183	196	149	122	93	80
1984	1,401	-	26	55	167	219	195	149	115	95	62
1983	1,393	-	30	37	141	222	227	137	117	100	83
1982	1,457	1	31	65	145	215	226	180	128	85	78
1981	1,523	-	29	47	146	253	271	175	128	79	75
1980	1,582	3	30	57	170	315	263	185	128	80	70
1979	1,605	3	31	66	197	295	252	157	106	83	69

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Accidental discharge of firearms (E922)											
White, male											
1998	594	-	10	15	46	93	78	44	50	55	45
1997	680	-	6	12	67	114	88	64	58	47	44
1996	764	-	5	11	65	143	105	73	52	54	53
1995	801	-	7	15	90	164	99	76	65	70	43
1994	876	-	10	7	86	199	129	74	80	55	53
1993	978	-	14	21	95	170	174	88	85	79	47
1992	936	1	9	21	90	168	156	86	91	68	50
1991	988	1	9	19	117	208	132	90	78	57	47
1990	997	2	16	34	108	212	129	104	90	66	57
1989	1,023	2	14	39	127	195	133	101	89	60	36
1988	1,041	-	20	32	123	194	146	87	88	71	68
1987	1,007	1	17	35	111	160	148	111	85	70	51
1986	1,053	1	14	30	115	176	148	115	98	66	45
1985	1,160	-	15	33	145	166	175	131	101	76	62
1984	1,230	-	19	45	150	199	168	136	91	81	50
1983	1,208	-	17	26	124	208	200	120	94	87	73
1982	1,266	-	25	51	123	203	195	152	115	72	69
1981	1,316	-	20	35	132	228	237	159	100	59	69
1980	1,374	1	16	44	150	280	235	162	113	65	62
1979	1,390	1	23	47	178	270	216	141	90	71	60
Accidental discharge of firearms (E922)											
White, female											
1998	78	-	2	4	7	9	3	6	5	13	7
1997	102	-	7	4	5	3	12	6	12	11	6
1996	104	-	3	6	5	10	10	11	9	8	9
1995	145	-	5	7	15	11	16	12	18	18	13
1994	122	1	2	8	9	13	12	15	14	15	9
1993	143	-	2	3	7	21	17	14	14	16	13
1992	135	-	12	6	12	12	18	11	14	8	5
1991	115	1	4	9	7	16	16	8	11	11	1
1990	116	1	6	7	7	14	15	17	10	7	8
1989	130	-	10	5	14	20	14	13	13	10	7
1988	147	-	8	4	22	11	8	19	10	15	13
1987	151	-	7	16	12	11	16	22	14	12	4
1986	157	1	7	10	12	25	17	15	13	6	19
1985	186	1	13	13	12	17	21	18	21	17	18
1984	171	-	7	10	17	20	27	13	24	14	12
1983	185	-	13	11	17	14	27	17	23	13	10
1982	191	1	6	14	22	12	31	28	13	13	9
1981	207	-	9	12	14	25	34	16	28	20	6
1980	208	2	14	13	20	35	28	23	15	15	8
1979	215	2	8	19	19	25	36	16	16	12	9

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Accidental discharge of firearms (E922)											
All other, both sexes											
1998	194	-	7	15	15	39	38	19	13	15	8
1997	199	-	7	12	22	47	36	12	13	10	12
1996	266	2	7	10	24	85	48	21	17	14	11
1995	279	-	8	10	24	84	49	32	19	8	12
1994	358	1	20	10	31	115	72	32	28	14	9
1993	400	-	14	14	35	130	83	34	20	26	12
1992	338	-	14	21	30	105	60	31	24	13	12
1991	338	-	9	13	38	100	70	35	21	20	8
1990	303	-	9	15	31	79	51	33	25	12	13
1989	336	2	14	15	31	79	75	29	29	20	14
1988	313	-	13	15	40	61	46	36	24	27	19
1987	282	-	12	15	21	49	49	27	32	20	15
1986	242	1	10	17	16	37	40	35	23	20	16
1985	303	1	13	12	20	58	42	35	33	22	20
1984	267	-	8	11	20	46	55	36	29	18	10
1983	302	3	7	8	17	39	56	57	36	19	13
1982	299	-	12	16	9	56	46	43	35	21	18
1981	348	2	20	17	37	53	53	42	34	19	13
1980	373	-	12	20	24	58	66	56	46	27	12
1979	399	1	22	21	31	59	62	50	45	19	18
Accidental discharge of firearms (E922)											
All other, male											
1998	168	-	5	8	12	37	35	18	11	12	7
1997	176	-	5	9	19	45	35	10	9	9	11
1996	240	1	5	9	23	76	46	19	14	13	10
1995	254	-	7	7	24	83	46	30	15	6	8
1994	316	-	13	8	30	110	66	28	23	12	8
1993	350	-	14	9	31	121	76	27	16	20	9
1992	302	-	12	18	26	97	55	26	23	9	11
1991	316	-	3	12	35	97	70	33	20	18	8
1990	258	-	6	10	28	73	43	24	20	12	12
1989	294	2	9	10	27	73	70	26	27	16	11
1988	263	-	8	13	32	56	41	33	17	21	13
1987	242	-	9	12	18	44	44	21	27	19	12
1986	201	1	6	10	10	34	35	33	18	18	14
1985	255	-	11	7	19	51	38	30	24	17	19
1984	231	-	6	9	17	43	47	30	28	17	7
1983	257	2	5	6	14	36	50	47	28	16	11
1982	258	-	12	12	7	47	39	37	32	16	18
1981	276	2	13	11	31	46	39	31	28	13	12
1980	312	-	9	14	20	48	55	50	38	25	9
1979	325	-	19	14	25	51	52	41	38	16	18

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Accidental discharge of firearms (E922)											
All other, female											
1998	26	-	2	7	3	2	3	1	2	3	1
1997	23	-	2	3	3	2	1	2	4	1	1
1996	26	1	2	1	1	9	2	2	3	1	1
1995	25	-	1	3	-	1	3	2	4	2	4
1994	42	1	7	2	1	5	6	4	5	2	1
1993	50	-	-	5	4	9	7	7	4	6	3
1992	36	-	2	3	4	8	5	5	1	4	1
1991	22	-	6	1	3	3	-	2	1	2	-
1990	45	-	3	5	3	6	8	9	5	-	1
1989	42	-	5	5	4	6	5	3	2	4	3
1988	50	-	5	2	8	5	5	3	7	6	6
1987	40	-	3	3	3	5	5	6	5	1	3
1986	41	-	4	7	6	3	5	2	5	2	2
1985	48	1	2	5	1	7	4	5	9	5	1
1984	36	-	2	2	3	3	8	6	1	1	3
1983	45	1	2	2	3	3	6	10	8	3	2
1982	41	-	-	4	2	9	7	6	3	5	-
1981	72	-	7	6	6	7	14	11	6	6	1
1980	61	-	3	6	4	10	11	6	8	2	3
1979	74	1	3	7	6	8	10	9	7	3	-
Accidental discharge of firearms (E922)											
Black, both sexes											
1998	174	-	6	12	12	38	35	18	8	14	8
1997	173	-	7	9	17	41	33	12	12	8	10
1996	244	2	7	10	23	78	43	17	16	13	11
1995	245	-	8	4	21	74	46	30	14	6	11
1994	313	1	18	9	27	99	60	27	26	13	9
1993	360	-	13	9	32	120	77	30	17	20	12
1992	300	-	14	20	26	97	52	26	19	11	9
1991	290	-	8	10	31	88	62	31	16	16	7
1990	259	-	8	11	28	73	43	26	21	9	10
1989	276	2	12	10	27	67	58	22	24	16	12
1988	266	-	11	13	36	53	37	29	20	25	15
1987	247	-	9	13	18	46	42	20	28	19	14
1986	211	1	9	15	13	33	31	28	21	19	14
1985	251	1	13	8	17	50	29	27	29	18	16
1984	227	-	8	8	18	35	41	31	29	17	9
1983	255	3	7	7	15	30	39	52	32	17	11
1982	248	-	11	15	7	43	34	36	30	20	14
1981	305	2	18	16	35	44	41	39	27	18	11
1980	335	-	11	16	22	54	57	48	41	25	12
1979	354	1	21	19	28	50	51	45	40	16	18

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Accidental discharge of firearms (E922)											
Black, male											
1998	154	-	5	7	10	36	32	17	7	11	7
1997	152	-	5	7	15	39	32	10	8	7	9
1996	219	1	5	9	22	70	41	15	13	12	10
1995	225	-	7	4	21	74	44	28	10	4	7
1994	274	-	12	7	26	95	54	24	21	11	8
1993	317	-	13	7	28	112	71	23	14	15	9
1992	267	-	12	17	22	90	47	21	18	8	8
1991	270	-	3	9	28	85	62	29	15	14	7
1990	221	-	5	7	26	67	35	19	18	9	9
1989	246	2	8	7	23	63	55	20	23	13	10
1988	223	-	8	11	28	48	32	27	14	20	9
1987	214	-	8	11	15	41	37	15	23	19	12
1986	172	1	5	8	8	30	27	26	16	17	12
1985	213	-	11	4	16	45	27	23	21	14	16
1984	196	-	6	6	15	33	36	26	28	16	6
1983	215	2	5	5	12	28	35	43	24	14	9
1982	208	-	11	11	5	34	28	30	27	15	14
1981	245	2	13	11	30	38	29	29	23	12	10
1980	281	-	9	12	18	44	47	43	34	23	9
1979	283	-	18	13	22	43	41	36	34	13	18
Accidental discharge of firearms (E922)											
Black, female											
1998	20	-	1	5	2	2	3	1	1	3	1
1997	21	-	2	2	2	2	1	2	4	1	1
1996	25	1	2	1	1	8	2	2	3	1	1
1995	20	-	1	-	-	-	2	2	4	2	4
1994	39	1	6	2	1	4	6	3	5	2	1
1993	43	-	-	2	4	8	6	7	3	5	3
1992	33	-	2	3	4	7	5	5	1	3	1
1991	20	-	5	1	3	3	-	2	1	2	-
1990	38	-	3	4	2	6	8	7	3	-	1
1989	30	-	4	3	4	4	3	2	1	3	2
1988	43	-	3	2	8	5	5	2	6	5	6
1987	33	-	1	2	3	5	5	5	5	-	2
1986	39	-	4	7	5	3	4	2	5	2	2
1985	38	1	2	4	1	5	2	4	8	4	-
1984	31	-	2	2	3	2	5	5	1	1	3
1983	40	1	2	2	3	2	4	9	8	3	2
1982	40	-	-	4	2	9	6	6	3	5	-
1981	60	-	5	5	5	6	12	10	4	6	1
1980	54	-	2	4	4	10	10	5	7	2	3
1979	71	1	3	6	6	7	10	9	6	3	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Accidental drowning and submersion (E910)											
All races, both sexes											
1998	3,964	62	495	239	195	411	333	266	290	307	285
1997	3,561	60	454	226	210	319	277	252	277	248	245
1996	3,488	64	466	218	218	364	292	240	247	252	226
1995	3,790	59	530	212	223	402	291	244	308	297	260
1994	3,404	71	470	179	212	319	269	240	298	257	216
1993	3,807	76	546	176	225	387	343	306	331	278	230
1992	3,524	86	519	188	199	348	310	290	257	242	201
1991	3,967	105	573	221	205	408	382	352	372	251	201
1990	3,979	76	560	238	242	435	360	349	329	279	206
1989	4,015	93	583	259	222	402	383	354	340	263	189
1988	4,199	88	611	273	221	446	427	401	329	286	203
1987	4,360	104	652	294	268	484	466	432	351	246	174
1986	4,777	94	648	311	300	590	572	494	361	263	161
1985	4,407	88	587	257	275	554	581	438	333	225	175
1984	4,444	70	556	229	265	553	582	449	366	217	139
1983	5,254	85	660	317	350	680	740	551	402	273	186
1982	5,258	93	645	321	338	737	747	526	367	247	177
1981	5,233	73	672	329	367	774	734	526	377	226	169
1980	6,043	91	693	397	398	1,012	919	603	381	241	183
1979	5,678	76	680	383	440	932	790	514	294	258	203
Accidental drowning and submersion (E910)											
All races, male											
1998	3,161	37	325	173	156	366	299	234	250	264	234
1997	2,800	34	306	163	151	290	243	221	250	199	204
1996	2,771	34	315	164	162	325	257	210	218	213	183
1995	3,028	24	343	163	165	363	266	217	272	255	220
1994	2,688	38	301	136	172	287	251	217	264	219	172
1993	3,039	44	366	127	181	353	307	274	282	228	199
1992	2,791	51	324	140	145	321	280	257	225	209	169
1991	3,242	62	380	167	163	375	341	322	334	220	176
1990	3,203	44	376	166	193	400	330	314	289	248	174
1989	3,249	64	400	190	186	371	355	307	294	232	158
1988	3,346	51	417	194	167	403	387	357	282	252	171
1987	3,529	61	444	220	225	441	419	386	299	213	141
1986	3,856	47	433	229	246	548	524	436	320	227	142
1985	3,565	49	385	196	221	497	536	387	291	193	156
1984	3,543	31	370	175	217	496	512	391	307	194	113
1983	4,330	46	445	241	280	618	678	485	357	237	167
1982	4,274	58	432	244	283	669	667	468	318	204	145
1981	4,364	46	465	259	303	711	685	480	326	200	138
1980	5,012	63	458	320	322	912	846	544	324	203	151
1979	4,682	38	466	313	353	840	712	446	254	221	174

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Accidental drowning and submersion (E910)											
All races, female											
1998	803	25	170	66	39	45	34	32	40	43	51
1997	761	26	148	63	59	29	34	31	27	49	41
1996	717	30	151	54	56	39	35	30	29	39	43
1995	762	35	187	49	58	39	25	27	36	42	40
1994	716	33	169	43	40	32	18	23	34	38	44
1993	768	32	180	49	44	34	36	32	49	50	31
1992	733	35	195	48	54	27	30	33	32	33	32
1991	725	43	193	54	42	33	41	30	38	31	25
1990	776	32	184	72	49	35	30	35	40	31	32
1989	766	29	183	69	36	31	28	47	46	31	31
1988	853	37	194	79	54	43	40	44	47	34	32
1987	831	43	208	74	43	43	47	46	52	33	33
1986	921	47	215	82	54	42	48	58	41	36	19
1985	842	39	202	61	54	57	45	51	42	32	19
1984	901	39	186	54	48	57	70	58	59	23	26
1983	924	39	215	76	70	62	62	66	45	36	19
1982	984	35	213	77	55	68	80	58	49	43	32
1981	869	27	207	70	64	63	49	46	51	26	31
1980	1,031	28	235	77	76	100	73	59	57	38	32
1979	996	38	214	70	87	92	78	68	40	37	29
Accidental drowning and submersion (E910)											
White, both sexes											
1998	3,007	47	407	140	100	275	247	193	232	251	215
1997	2,723	45	383	126	123	233	196	182	204	192	194
1996	2,615	43	383	123	106	257	228	186	194	196	174
1995	2,901	39	439	137	123	291	229	191	220	235	203
1994	2,520	50	387	101	97	217	200	183	211	200	163
1993	2,874	51	448	111	125	268	250	227	250	216	164
1992	2,685	61	436	129	93	243	221	213	206	194	156
1991	2,939	76	490	138	116	275	285	249	272	176	147
1990	3,006	49	480	157	132	311	263	256	239	212	161
1989	3,046	67	495	159	113	288	291	261	250	201	151
1988	3,187	58	528	171	121	328	308	287	243	216	152
1987	3,242	80	566	194	143	324	325	323	250	177	135
1986	3,564	67	563	195	158	413	428	354	255	207	118
1985	3,331	70	514	164	146	407	426	323	254	157	128
1984	3,369	51	477	140	138	401	432	340	269	159	100
1983	4,052	72	583	222	207	501	568	412	297	210	140
1982	4,002	70	569	223	203	550	571	391	247	175	136
1981	3,958	51	585	238	219	559	553	371	277	159	121
1980	4,610	72	618	261	238	778	691	457	261	174	140
1979	4,302	54	579	253	280	711	587	375	207	196	137

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Accidental drowning and submersion (E910)											
White, male											
1998	2,361	29	264	105	75	240	219	167	196	213	177
1997	2,126	25	257	92	89	212	170	156	186	157	158
1996	2,057	20	262	94	73	227	199	162	172	165	139
1995	2,300	16	288	103	87	265	211	166	190	201	171
1994	1,968	28	246	76	75	191	186	164	186	168	129
1993	2,275	29	301	82	99	246	221	200	212	172	139
1992	2,126	38	279	96	70	231	201	185	182	163	127
1991	2,360	48	329	103	89	249	249	224	240	151	127
1990	2,390	28	315	111	106	285	238	231	207	183	133
1989	2,434	44	332	124	91	265	270	226	214	175	127
1988	2,507	29	357	124	95	290	280	254	209	192	126
1987	2,587	46	389	145	122	290	287	289	214	154	108
1986	2,845	31	381	148	130	382	387	311	227	174	103
1985	2,660	36	340	123	119	362	393	283	220	132	113
1984	2,636	18	317	105	111	352	379	290	221	141	83
1983	3,287	36	392	170	163	450	524	364	258	182	124
1982	3,217	44	381	170	167	503	507	344	211	145	110
1981	3,241	35	401	182	176	507	515	342	235	137	99
1980	3,782	47	406	208	196	699	637	409	218	148	113
1979	3,512	28	400	208	216	645	524	326	178	166	112
Accidental drowning and submersion (E910)											
White, female											
1998	646	18	143	35	25	35	28	26	36	38	38
1997	597	20	126	34	34	21	26	26	18	35	36
1996	558	23	121	29	33	30	29	24	22	31	35
1995	601	23	151	34	36	26	18	25	30	34	32
1994	552	22	141	25	22	26	14	19	25	32	34
1993	599	22	147	29	26	22	29	27	38	44	25
1992	559	23	157	33	23	12	20	28	24	31	29
1991	579	28	161	35	27	26	36	25	32	25	20
1990	616	21	165	46	26	26	25	25	32	29	28
1989	612	23	163	35	22	23	21	35	36	26	24
1988	680	29	171	47	26	38	28	33	34	24	26
1987	655	34	177	49	21	34	38	34	36	23	27
1986	719	36	182	47	28	31	41	43	28	33	15
1985	671	34	174	41	27	45	33	40	34	25	15
1984	733	33	160	35	27	49	53	50	48	18	17
1983	765	36	191	52	44	51	44	48	39	28	16
1982	785	26	188	53	36	47	64	47	36	30	26
1981	717	16	184	56	43	52	38	29	42	22	22
1980	828	25	212	53	42	79	54	48	43	26	27
1979	790	26	179	45	64	66	63	49	29	30	25

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Accidental drowning and submersion (E910)											
All other, both sexes											
1998	957	15	88	99	95	136	86	73	58	56	70
1997	838	15	71	100	87	86	81	70	73	56	51
1996	873	21	83	95	112	107	64	54	53	56	52
1995	889	20	91	75	100	111	62	53	88	62	57
1994	884	21	83	78	115	102	69	57	87	57	53
1993	933	25	98	65	100	119	93	79	81	62	66
1992	839	25	83	59	106	105	89	77	51	48	45
1991	1,028	29	83	83	89	133	97	103	100	75	54
1990	973	27	80	81	110	124	97	93	90	67	45
1989	969	26	88	100	109	114	92	93	90	62	38
1988	1,012	30	83	102	100	118	119	114	86	70	51
1987	1,118	24	86	100	125	160	141	109	101	69	39
1986	1,213	27	85	116	142	177	144	140	106	56	43
1985	1,076	18	73	93	129	147	155	115	79	68	47
1984	1,075	19	79	89	127	152	150	109	97	58	39
1983	1,202	13	77	95	143	179	172	139	105	63	46
1982	1,256	23	76	98	135	187	176	135	120	72	41
1981	1,275	22	87	91	148	215	181	155	100	67	48
1980	1,433	19	75	136	160	234	228	146	120	67	43
1979	1,376	22	101	130	160	221	203	139	87	62	66
Accidental drowning and submersion (E910)											
All other, male											
1998	800	8	61	68	81	126	80	67	54	51	57
1997	674	9	49	71	62	78	73	65	64	42	46
1996	714	14	53	70	89	98	58	48	46	48	44
1995	728	8	55	60	78	98	55	51	82	54	49
1994	720	10	55	60	97	96	65	53	78	51	43
1993	764	15	65	45	82	107	86	74	70	56	60
1992	665	13	45	44	75	90	79	72	43	46	42
1991	882	14	51	64	74	126	92	98	94	69	49
1990	813	16	61	55	87	115	92	83	82	65	41
1989	815	20	68	66	95	106	85	81	80	57	31
1988	839	22	60	70	72	113	107	103	73	60	45
1987	942	15	55	75	103	151	132	97	85	59	33
1986	1,011	16	52	81	116	166	137	125	93	53	39
1985	905	13	45	73	102	135	143	104	71	61	43
1984	907	13	53	70	106	144	133	101	86	53	30
1983	1,043	10	53	71	117	168	154	121	99	55	43
1982	1,057	14	51	74	116	166	160	124	107	59	35
1981	1,123	11	64	77	127	204	170	138	91	63	39
1980	1,230	16	52	112	126	213	209	135	106	55	38
1979	1,170	10	66	105	137	195	188	120	76	55	62

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Accidental drowning and submersion (E910)											
All other, female											
1998	157	7	27	31	14	10	6	6	4	5	13
1997	164	6	22	29	25	8	8	5	9	14	5
1996	159	7	30	25	23	9	6	6	7	8	8
1995	161	12	36	15	22	13	7	2	6	8	8
1994	164	11	28	18	18	6	4	4	9	6	10
1993	169	10	33	20	18	12	7	5	11	6	6
1992	174	12	38	15	31	15	10	5	8	2	3
1991	146	15	32	19	15	7	5	5	6	6	5
1990	160	11	19	26	23	9	5	10	8	2	4
1989	154	6	20	34	14	8	7	12	10	5	7
1988	173	8	23	32	28	5	12	11	13	10	6
1987	176	9	31	25	22	9	9	12	16	10	6
1986	202	11	33	35	26	11	7	15	13	3	4
1985	171	5	28	20	27	12	12	11	8	7	4
1984	168	6	26	19	21	8	17	8	11	5	9
1983	159	3	24	24	26	11	18	18	6	8	3
1982	199	9	25	24	19	21	16	11	13	13	6
1981	152	11	23	14	21	11	11	17	9	4	9
1980	203	3	23	24	34	21	19	11	14	12	5
1979	206	12	35	25	23	26	15	19	11	7	4
Accidental drowning and submersion (E910)											
Black, both sexes											
1998	758	13	68	80	81	107	70	62	45	40	51
1997	623	12	48	79	73	67	55	47	55	43	38
1996	648	18	61	75	85	80	42	39	42	45	38
1995	708	20	64	56	88	95	43	41	68	52	39
1994	685	19	66	59	101	83	50	41	65	45	44
1993	710	21	75	47	84	85	74	55	59	45	54
1992	655	23	61	49	81	87	68	58	42	37	37
1991	877	24	71	74	85	122	81	93	82	62	39
1990	777	25	57	65	94	91	80	76	76	46	40
1989	797	24	66	88	93	94	69	72	83	48	30
1988	821	30	64	80	82	99	97	91	73	50	43
1987	950	23	68	85	111	141	123	90	85	59	30
1986	1,004	21	58	104	128	154	117	112	90	44	37
1985	911	16	43	74	116	133	131	105	67	60	38
1984	898	14	56	82	122	134	122	89	83	47	30
1983	1,028	11	64	78	138	157	145	115	92	51	40
1982	1,074	19	59	81	123	165	152	121	98	60	35
1981	1,102	21	62	77	131	197	160	135	82	60	38
1980	1,247	17	56	122	150	202	199	123	107	55	37
1979	1,205	20	79	118	149	197	176	119	75	55	64

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Accidental drowning and submersion (E910)											
Black, male											
1998	651	7	48	57	72	102	67	58	42	37	42
1997	507	6	36	56	55	60	50	45	51	33	33
1996	549	12	41	54	71	74	40	35	37	40	36
1995	582	8	37	46	70	84	37	39	63	47	33
1994	558	9	42	44	83	78	47	39	60	40	36
1993	586	14	53	33	70	77	69	51	50	39	50
1992	533	12	35	38	59	79	62	53	37	36	35
1991	761	13	47	59	72	116	76	88	76	57	35
1990	655	15	47	44	72	84	76	71	70	45	38
1989	664	19	50	59	79	86	64	62	73	44	24
1988	685	22	46	57	61	96	88	81	61	44	38
1987	808	15	45	65	93	132	115	81	71	52	25
1986	836	13	31	69	106	144	110	101	79	41	33
1985	776	12	28	58	93	122	121	96	61	54	35
1984	767	9	39	65	102	126	108	83	76	44	24
1983	895	8	45	62	113	146	128	101	86	47	38
1982	914	12	42	63	109	147	139	111	87	48	30
1981	971	10	46	65	111	187	149	119	75	56	32
1980	1,083	14	40	102	121	186	184	114	96	45	32
1979	1,034	9	53	97	128	176	163	103	66	50	60
Accidental drowning and submersion (E910)											
Black, female											
1998	107	6	20	23	9	5	3	4	3	3	9
1997	116	6	12	23	18	7	5	2	4	10	5
1996	99	6	20	21	14	6	2	4	5	5	2
1995	126	12	27	10	18	11	6	2	5	5	6
1994	127	10	24	15	18	5	3	2	5	5	8
1993	124	7	22	14	14	8	5	4	9	6	4
1992	122	11	26	11	22	8	6	5	5	1	2
1991	116	11	24	15	13	6	5	5	6	5	4
1990	122	10	10	21	22	7	4	5	6	1	2
1989	133	5	16	29	14	8	5	10	10	4	6
1988	136	8	18	23	21	3	9	10	12	6	5
1987	142	8	23	20	18	9	8	9	14	7	5
1986	168	8	27	35	22	10	7	11	11	3	4
1985	135	4	15	16	23	11	10	9	6	6	3
1984	131	5	17	17	20	8	14	6	7	3	6
1983	133	3	19	16	25	11	17	14	6	4	2
1982	160	7	17	18	14	18	13	10	11	12	5
1981	131	11	16	12	20	10	11	16	7	4	6
1980	164	3	16	20	29	16	15	9	11	10	5
1979	171	11	26	21	21	21	13	16	9	5	4

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Accidental exposure to smoke, fire and flames (E890-E899)											
All races, both sexes											
1998	3,255	41	258	196	104	86	108	114	140	186	235
1997	3,490	51	348	178	99	86	111	124	164	187	222
1996	3,741	56	408	196	101	79	136	122	178	212	241
1995	3,761	64	446	224	99	68	130	149	187	223	213
1994	3,986	93	601	246	99	87	161	185	214	200	221
1993	3,900	117	584	224	90	90	141	163	233	216	198
1992	3,958	98	571	211	104	95	138	176	223	225	172
1991	4,120	114	608	263	119	104	152	197	260	219	208
1990	4,175	111	545	225	91	113	181	212	258	231	192
1989	4,716	108	608	298	169	126	183	265	276	241	220
1988	4,965	120	651	287	133	126	229	254	269	258	215
1987	4,710	116	704	278	114	119	216	226	249	219	205
1986	4,835	120	648	290	144	152	243	300	281	238	184
1985	4,938	111	613	303	150	134	246	267	262	212	188
1984	5,010	136	606	313	153	169	274	282	251	238	209
1983	5,028	114	638	262	160	143	267	302	269	241	175
1982	5,210	141	637	317	165	162	304	310	244	197	190
1981	5,697	135	728	312	169	175	331	321	263	212	212
1980	5,822	161	685	304	174	211	353	300	267	219	231
1979	5,991	134	693	348	204	222	381	290	255	237	220
Accidental exposure to smoke, fire and flames (E890-E899)											
All races, male											
1998	1,941	24	148	108	56	48	77	79	98	130	167
1997	2,086	28	196	96	54	55	77	84	112	122	164
1996	2,230	28	241	113	44	43	90	74	128	139	172
1995	2,232	28	268	117	56	44	68	100	124	151	146
1994	2,443	46	382	139	56	55	101	123	154	137	177
1993	2,326	61	354	120	47	52	89	111	168	159	135
1992	2,507	50	374	117	55	61	87	128	159	166	133
1991	2,511	59	356	149	66	70	102	129	175	152	144
1990	2,571	59	336	122	51	65	135	155	182	172	130
1989	2,817	45	355	170	82	81	123	174	181	172	163
1988	3,067	62	395	150	75	88	156	171	193	186	154
1987	2,863	59	427	161	66	73	153	156	170	163	144
1986	2,984	54	369	168	87	89	161	216	193	169	132
1985	3,008	61	353	166	79	85	159	179	194	140	131
1984	3,141	75	349	192	84	110	191	222	181	172	150
1983	3,066	63	361	133	82	87	159	217	196	172	121
1982	3,180	78	374	174	86	110	204	230	189	142	124
1981	3,493	67	424	164	90	112	227	211	186	138	142
1980	3,565	72	406	157	88	122	244	223	183	159	163
1979	3,712	71	408	201	105	134	242	224	184	172	158

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Accidental exposure to smoke, fire and flames (E890-E899)											
All races, female											
1998	1,314	17	110	88	48	38	31	35	42	56	68
1997	1,404	23	152	82	45	31	34	40	52	65	58
1996	1,511	28	167	83	57	36	46	48	50	73	69
1995	1,529	36	178	107	43	24	62	49	63	72	67
1994	1,543	47	219	107	43	32	60	62	60	63	44
1993	1,574	56	230	104	43	38	52	52	65	57	63
1992	1,451	48	197	94	49	34	51	48	64	59	39
1991	1,609	55	252	114	53	34	50	68	85	67	64
1990	1,604	52	209	103	40	48	46	57	76	59	62
1989	1,899	63	253	128	87	45	60	91	95	69	57
1988	1,898	58	256	137	58	38	73	83	76	72	61
1987	1,847	57	277	117	48	46	63	70	79	56	61
1986	1,851	66	279	122	57	63	82	84	88	69	52
1985	1,930	50	260	137	71	49	87	88	68	72	57
1984	1,869	61	257	121	69	59	83	60	70	66	59
1983	1,962	51	277	129	78	56	108	85	73	69	54
1982	2,030	63	263	143	79	52	100	80	55	55	66
1981	2,204	68	304	148	79	63	104	110	77	74	70
1980	2,257	89	279	147	86	89	109	77	84	60	68
1979	2,279	63	285	147	99	88	139	66	71	65	62
Accidental exposure to smoke, fire and flames (E890-E899)											
White, both sexes											
1998	2,316	22	132	104	73	63	80	91	105	133	177
1997	2,405	32	202	96	60	64	86	88	121	133	151
1996	2,602	32	225	114	60	57	107	90	128	159	177
1995	2,524	36	253	137	54	43	94	100	138	160	155
1994	2,686	60	349	138	57	63	129	140	160	133	157
1993	2,568	70	327	110	53	63	101	120	153	156	137
1992	2,696	66	357	119	67	70	110	133	156	157	124
1991	2,796	66	365	168	78	72	122	134	177	142	145
1990	2,848	64	315	127	60	79	148	153	182	153	128
1989	3,159	50	357	191	108	100	137	186	186	163	148
1988	3,305	72	356	158	73	95	166	193	184	189	149
1987	3,158	61	413	171	63	82	170	168	169	152	135
1986	3,289	60	387	175	94	109	180	206	196	157	132
1985	3,461	63	365	168	98	98	198	204	185	159	122
1984	3,436	79	349	180	100	125	216	215	182	170	147
1983	3,408	61	367	149	103	102	210	220	175	161	123
1982	3,659	73	359	192	109	131	237	249	179	133	135
1981	3,946	86	423	190	111	152	249	233	180	148	146
1980	4,155	94	397	163	127	169	286	236	200	155	157
1979	4,182	61	384	196	138	182	307	226	179	171	160

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Accidental exposure to smoke, fire and flames (E890-E899)											
White, male											
1998	1,383	14	81	61	41	38	59	63	74	98	127
1997	1,459	19	123	52	33	43	61	57	86	92	112
1996	1,568	16	141	68	27	32	73	54	94	107	130
1995	1,509	16	151	75	34	28	50	68	96	114	108
1994	1,670	29	230	82	34	44	83	95	122	97	129
1993	1,547	38	205	66	31	34	66	81	113	115	98
1992	1,715	35	237	70	34	46	69	95	116	118	97
1991	1,710	32	217	97	41	50	84	92	127	102	103
1990	1,765	34	204	76	35	46	113	111	129	113	83
1989	1,903	24	216	107	54	70	93	122	126	118	108
1988	2,025	36	219	79	43	66	112	138	135	142	102
1987	1,911	32	248	101	37	52	122	118	119	113	91
1986	2,048	31	232	108	58	65	119	146	138	108	95
1985	2,135	34	220	93	52	64	129	143	141	106	82
1984	2,186	46	206	108	52	87	160	168	136	128	103
1983	2,138	32	216	80	63	67	133	163	127	116	84
1982	2,246	39	223	112	59	88	156	185	138	97	88
1981	2,417	41	246	98	58	100	175	156	132	93	97
1980	2,556	38	246	76	67	100	203	181	136	119	106
1979	2,608	35	235	113	73	108	204	179	131	122	111
Accidental exposure to smoke, fire and flames (E890-E899)											
White, female											
1998	933	8	51	43	32	25	21	28	31	35	50
1997	946	13	79	44	27	21	25	31	35	41	39
1996	1,034	16	84	46	33	25	34	36	34	52	47
1995	1,015	20	102	62	20	15	44	32	42	46	47
1994	1,016	31	119	56	23	19	46	45	38	36	28
1993	1,021	32	122	44	22	29	35	39	40	41	39
1992	981	31	120	49	33	24	41	38	40	39	27
1991	1,086	34	148	71	37	22	38	42	50	40	42
1990	1,083	30	111	51	25	33	35	42	53	40	45
1989	1,256	26	141	84	54	30	44	64	60	45	40
1988	1,280	36	137	79	30	29	54	55	49	47	47
1987	1,247	29	165	70	26	30	48	50	50	39	44
1986	1,241	29	155	67	36	44	61	60	58	49	37
1985	1,326	29	145	75	46	34	69	61	44	53	40
1984	1,250	33	143	72	48	38	56	47	46	42	44
1983	1,270	29	151	69	40	35	77	57	48	45	39
1982	1,413	34	136	80	50	43	81	64	41	36	47
1981	1,529	45	177	92	53	52	74	77	48	55	49
1980	1,599	56	151	87	60	69	83	55	64	36	51
1979	1,574	26	149	83	65	74	103	47	48	49	49

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Accidental exposure to smoke, fire and flames (E890-E899)											
All other, both sexes											
1998	939	19	126	92	31	23	28	23	35	53	58
1997	1,085	19	146	82	39	22	25	36	43	54	71
1996	1,139	24	183	82	41	22	29	32	50	53	64
1995	1,237	28	193	87	45	25	36	49	49	63	58
1994	1,300	33	252	108	42	24	32	45	54	67	64
1993	1,332	47	257	114	37	27	40	43	80	60	61
1992	1,262	32	214	92	37	25	28	43	67	68	48
1991	1,324	48	243	95	41	32	30	63	83	77	63
1990	1,327	47	230	98	31	34	33	59	76	78	64
1989	1,557	58	251	107	61	26	46	79	90	78	72
1988	1,660	48	295	129	60	31	63	61	85	69	66
1987	1,552	55	291	107	51	37	46	58	80	67	70
1986	1,546	60	261	115	50	43	63	94	85	81	52
1985	1,477	48	248	135	52	36	48	63	77	53	66
1984	1,574	57	257	133	53	44	58	67	69	68	62
1983	1,620	53	271	113	57	41	57	82	94	80	52
1982	1,551	68	278	125	56	31	67	61	65	64	55
1981	1,751	49	305	122	58	23	82	88	83	64	66
1980	1,667	67	288	141	47	42	67	64	67	64	74
1979	1,809	73	309	152	66	40	74	64	76	66	60
Accidental exposure to smoke, fire and flames (E890-E899)											
All other, male											
1998	558	10	67	47	15	10	18	16	24	32	40
1997	627	9	73	44	21	12	16	27	26	30	52
1996	662	12	100	45	17	11	17	20	34	32	42
1995	723	12	117	42	22	16	18	32	28	37	38
1994	773	17	152	57	22	11	18	28	32	40	48
1993	779	23	149	54	16	18	23	30	55	44	37
1992	792	15	137	47	21	15	18	33	43	48	36
1991	801	27	139	52	25	20	18	37	48	50	41
1990	806	25	132	46	16	19	22	44	53	59	47
1989	914	21	139	63	28	11	30	52	55	54	55
1988	1,042	26	176	71	32	22	44	33	58	44	52
1987	952	27	179	60	29	21	31	38	51	50	53
1986	936	23	137	60	29	24	42	70	55	61	37
1985	873	27	133	73	27	21	30	36	53	34	49
1984	955	29	143	84	32	23	31	54	45	44	47
1983	928	31	145	53	19	20	26	54	69	56	37
1982	934	39	151	62	27	22	48	45	51	45	36
1981	1,076	26	178	66	32	12	52	55	54	45	45
1980	1,009	34	160	81	21	22	41	42	47	40	57
1979	1,104	36	173	88	32	26	38	45	53	50	47

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Accidental exposure to smoke, fire and flames (E890-E899)											
All other, female											
1998	381	9	59	45	16	13	10	7	11	21	18
1997	458	10	73	38	18	10	9	9	17	24	19
1996	477	12	83	37	24	11	12	12	16	21	22
1995	514	16	76	45	23	9	18	17	21	26	20
1994	527	16	100	51	20	13	14	17	22	27	16
1993	553	24	108	60	21	9	17	13	25	16	24
1992	470	17	77	45	16	10	10	10	24	20	12
1991	523	21	104	43	16	12	12	26	35	27	22
1990	521	22	98	52	15	15	11	15	23	19	17
1989	643	37	112	44	33	15	16	27	35	24	17
1988	618	22	119	58	28	9	19	28	27	25	14
1987	600	28	112	47	22	16	15	20	29	17	17
1986	610	37	124	55	21	19	21	24	30	20	15
1985	604	21	115	62	25	15	18	27	24	19	17
1984	619	28	114	49	21	21	27	13	24	24	15
1983	692	22	126	60	38	21	31	28	25	24	15
1982	617	29	127	63	29	9	19	16	14	19	19
1981	675	23	127	56	26	11	30	33	29	19	21
1980	658	33	128	60	26	20	26	22	20	24	17
1979	705	37	136	64	34	14	36	19	23	16	13
Accidental exposure to smoke, fire and flames (E890-E899)											
Black, both sexes											
1998	874	19	121	89	28	21	23	18	33	44	51
1997	972	18	130	72	33	20	19	25	37	47	61
1996	1,051	21	164	75	34	21	26	29	48	43	62
1995	1,131	27	169	83	44	20	30	42	45	57	50
1994	1,195	31	229	97	39	22	25	38	49	59	60
1993	1,235	45	239	108	30	23	36	35	74	56	56
1992	1,172	31	198	86	35	20	19	36	63	63	47
1991	1,252	44	232	88	40	29	23	56	77	73	60
1990	1,254	44	217	94	29	31	31	53	72	72	59
1989	1,467	55	227	102	56	24	37	73	85	77	65
1988	1,582	46	283	123	56	27	56	55	80	66	63
1987	1,455	53	273	97	49	33	41	53	74	61	62
1986	1,449	56	249	109	45	36	52	85	80	76	48
1985	1,400	46	232	132	51	32	40	59	72	44	63
1984	1,464	53	234	125	47	36	50	64	65	61	53
1983	1,530	52	258	110	55	37	50	79	88	70	47
1982	1,463	67	262	120	52	25	62	53	59	60	53
1981	1,678	47	296	119	55	23	76	76	73	61	64
1980	1,583	63	275	130	45	38	63	58	56	63	70
1979	1,719	69	287	145	64	36	66	60	73	61	59

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Accidental exposure to smoke, fire and flames (E890-E899)											
Black, male											
1998	510	10	62	46	13	8	13	13	23	24	36
1997	551	9	64	39	15	10	12	18	24	26	46
1996	616	9	89	40	15	11	16	19	33	25	41
1995	661	12	104	42	22	12	16	28	24	33	31
1994	712	15	136	53	21	10	15	23	29	33	47
1993	717	22	139	52	14	15	20	24	50	41	33
1992	731	14	125	44	20	11	11	26	41	45	36
1991	759	24	130	50	25	18	14	33	44	49	40
1990	755	24	121	42	16	18	21	38	51	53	42
1989	858	18	126	59	26	11	25	46	51	53	51
1988	986	24	165	69	30	19	39	30	54	43	49
1987	882	25	167	53	28	17	29	34	48	46	47
1986	870	22	128	55	25	19	34	64	51	58	35
1985	825	26	120	72	27	18	26	33	50	30	47
1984	885	26	131	79	29	18	26	52	42	39	41
1983	870	31	134	52	18	18	22	51	66	49	33
1982	883	38	144	58	25	19	44	40	47	44	35
1981	1,026	25	174	64	30	12	49	48	45	43	44
1980	953	33	151	73	19	19	38	39	40	40	53
1979	1,045	34	158	83	31	22	33	43	50	47	46
Accidental exposure to smoke, fire and flames (E890-E899)											
Black, female											
1998	364	9	59	43	15	13	10	5	10	20	15
1997	421	9	66	33	18	10	7	7	13	21	15
1996	435	12	75	35	19	10	10	10	15	18	21
1995	470	15	65	41	22	8	14	14	21	24	19
1994	483	16	93	44	18	12	10	15	20	26	13
1993	518	23	100	56	16	8	16	11	24	15	23
1992	441	17	73	42	15	9	8	10	22	18	11
1991	493	20	102	38	15	11	9	23	33	24	20
1990	499	20	96	52	13	13	10	15	21	19	17
1989	609	37	101	43	30	13	12	27	34	24	14
1988	596	22	118	54	26	8	17	25	26	23	14
1987	573	28	106	44	21	16	12	19	26	15	15
1986	579	34	121	54	20	17	18	21	29	18	13
1985	575	20	112	60	24	14	14	26	22	14	16
1984	579	27	103	46	18	18	24	12	23	22	12
1983	660	21	124	58	37	19	28	28	22	21	14
1982	580	29	118	62	27	6	18	13	12	16	18
1981	652	22	122	55	25	11	27	28	28	18	20
1980	630	30	124	57	26	19	25	19	16	23	17
1979	674	35	129	62	33	14	33	17	23	14	13

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Accidental poisoning and exposure to noxious substances (E850-E869,E924.1)											
All races, both sexes											
1998	10,808	9	28	11	22	261	599	817	1,336	2,003	2,238
1997	10,175	7	33	19	23	250	481	852	1,337	1,961	2,024
1996	9,519	16	42	18	34	190	449	796	1,297	1,826	1,809
1995	9,075	7	31	14	28	178	456	805	1,337	1,828	1,779
1994	9,001	13	39	21	35	148	414	814	1,504	1,809	1,664
1993	8,539	20	59	22	27	148	386	825	1,443	1,860	1,554
1992	7,088	12	41	15	21	155	403	752	1,211	1,485	1,083
1991	6,444	20	56	14	42	175	387	720	1,153	1,168	911
1990	5,815	15	55	12	32	191	329	692	1,033	1,064	696
1989	6,529	22	55	17	27	202	435	850	1,198	1,153	692
1988	6,232	17	61	21	32	191	425	871	1,198	999	595
1987	5,317	15	38	21	26	188	425	753	929	834	442
1986	5,747	24	69	24	30	219	455	927	1,036	793	475
1985	5,179	18	62	21	31	168	465	821	912	659	370
1984	4,917	21	77	22	34	184	506	815	840	524	337
1983	4,641	23	65	19	37	214	509	715	687	452	314
1982	4,740	20	84	21	26	217	570	777	676	425	294
1981	4,537	18	75	29	47	248	524	679	600	364	298
1980	4,343	22	83	23	29	293	549	674	516	314	289
1979	4,648	26	80	25	50	341	661	690	479	348	277
Accidental poisoning and exposure to noxious substances (E850-E869,E924.1)											
All races, male											
1998	7,911	5	15	6	13	198	494	642	1,012	1,475	1,683
1997	7,631	7	22	9	13	200	386	668	1,056	1,512	1,567
1996	7,021	9	28	12	23	148	370	613	994	1,402	1,390
1995	6,888	5	21	7	17	138	362	646	1,060	1,440	1,411
1994	6,765	7	19	10	21	115	321	653	1,196	1,406	1,346
1993	6,478	13	31	13	12	105	313	660	1,150	1,477	1,241
1992	5,350	9	24	12	14	110	309	605	946	1,194	891
1991	4,700	16	36	8	25	143	311	576	916	914	723
1990	4,210	7	33	6	23	144	260	507	813	853	553
1989	4,772	11	34	12	16	151	337	665	930	936	544
1988	4,463	11	39	8	21	141	318	661	967	791	442
1987	3,783	9	21	11	19	132	308	595	739	673	325
1986	4,112	11	40	14	21	154	335	743	825	624	348
1985	3,667	5	42	11	22	113	334	654	738	533	268
1984	3,425	14	46	10	25	120	371	632	658	416	236
1983	3,095	10	44	9	19	140	354	533	537	342	207
1982	3,232	10	47	10	18	143	444	611	536	311	187
1981	3,062	8	44	20	35	177	409	530	467	263	188
1980	2,901	12	51	13	17	200	404	527	391	220	197
1979	3,071	14	35	16	32	233	504	524	356	239	174

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Accidental poisoning and exposure to noxious substances (E850-E869,E924.1)											
All races, female											
1998	2,897	4	13	5	9	63	105	175	324	528	555
1997	2,544	-	11	10	10	50	95	184	281	449	457
1996	2,498	7	14	6	11	42	79	183	303	424	419
1995	2,187	2	10	7	11	40	94	159	277	388	368
1994	2,236	6	20	11	14	33	93	161	308	403	318
1993	2,061	7	28	9	15	43	73	165	293	383	313
1992	1,738	3	17	3	7	45	94	147	265	291	192
1991	1,744	4	20	6	17	32	76	144	237	254	188
1990	1,605	8	22	6	9	47	69	185	220	211	143
1989	1,757	11	21	5	11	51	98	185	268	217	148
1988	1,769	6	22	13	11	50	107	210	231	208	153
1987	1,534	6	17	10	7	56	117	158	190	161	117
1986	1,635	13	29	10	9	65	120	184	211	169	127
1985	1,512	13	20	10	9	55	131	167	174	126	102
1984	1,492	7	31	12	9	64	135	183	182	108	101
1983	1,546	13	21	10	18	74	155	182	150	110	107
1982	1,508	10	37	11	8	74	126	166	140	114	107
1981	1,475	10	31	9	12	71	115	149	133	101	110
1980	1,442	10	32	10	12	93	145	147	125	94	92
1979	1,577	12	45	9	18	108	157	166	123	109	103
Accidental poisoning and exposure to noxious substances (E850-E869,E924.1)											
White, both sexes											
1998	8,691	6	22	9	20	231	513	687	1,107	1,619	1,802
1997	8,065	5	21	8	16	224	410	712	1,132	1,569	1,552
1996	7,498	12	21	15	27	166	368	649	1,079	1,451	1,387
1995	7,017	4	16	14	22	154	384	652	1,091	1,409	1,302
1994	6,859	6	22	13	24	126	329	660	1,175	1,410	1,199
1993	6,564	13	37	15	23	121	303	673	1,130	1,412	1,141
1992	5,477	7	21	11	15	126	326	585	946	1,135	788
1991	4,834	12	23	10	32	147	297	555	892	825	636
1990	4,552	13	32	9	26	154	258	549	792	817	509
1989	5,047	9	33	14	20	170	341	670	948	841	503
1988	4,767	11	33	13	26	152	329	672	931	715	432
1987	4,126	8	24	11	19	162	353	588	722	582	316
1986	4,665	19	51	19	27	188	388	780	817	609	362
1985	4,196	14	40	19	28	145	405	684	720	500	284
1984	3,979	14	45	17	31	160	429	681	641	389	263
1983	3,815	14	43	13	31	191	439	583	564	355	237
1982	3,865	9	53	17	23	196	497	641	516	323	228
1981	3,692	10	46	18	41	218	464	556	473	265	220
1980	3,598	16	53	19	22	252	470	556	422	248	229
1979	3,800	15	49	18	35	305	570	544	364	266	218

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Accidental poisoning and exposure to noxious substances (E850-E869,E924.1)											
White, male											
1998	6,393	4	11	6	11	176	427	550	845	1,210	1,374
1997	6,096	5	13	4	10	183	333	556	905	1,237	1,225
1996	5,589	7	12	11	20	132	304	511	843	1,151	1,088
1995	5,371	3	12	7	15	118	312	541	881	1,133	1,050
1994	5,209	4	13	6	16	102	256	538	956	1,122	1,001
1993	5,014	6	22	8	12	84	248	554	932	1,140	920
1992	4,161	5	15	9	11	90	256	482	757	933	662
1991	3,564	9	17	5	19	121	245	452	723	667	516
1990	3,313	6	21	4	19	120	214	417	646	656	409
1989	3,703	4	23	11	13	126	264	538	748	711	398
1988	3,427	9	17	6	17	116	259	522	775	578	321
1987	2,951	6	12	4	15	118	261	485	583	479	229
1986	3,343	9	28	11	19	133	290	635	668	477	271
1985	3,003	5	28	11	20	101	294	555	603	412	203
1984	2,777	9	23	8	23	110	325	539	515	302	182
1983	2,583	5	30	8	14	128	312	456	464	267	157
1982	2,641	3	27	8	16	135	400	518	415	238	138
1981	2,515	5	33	15	31	157	367	447	377	194	139
1980	2,409	9	34	12	14	178	347	447	324	173	158
1979	2,509	8	18	12	22	216	443	419	281	180	136
Accidental poisoning and exposure to noxious substances (E850-E869,E924.1)											
White, female											
1998	2,298	2	11	3	9	55	86	137	262	409	428
1997	1,969	-	8	4	6	41	77	156	227	332	327
1996	1,909	5	9	4	7	34	64	138	236	300	299
1995	1,646	1	4	7	7	36	72	111	210	276	252
1994	1,650	2	9	7	8	24	73	122	219	288	198
1993	1,550	7	15	7	11	37	55	119	198	272	221
1992	1,316	2	6	2	4	36	70	103	189	202	126
1991	1,270	3	6	5	13	26	52	103	169	158	120
1990	1,239	7	11	5	7	34	44	132	146	161	100
1989	1,344	5	10	3	7	44	77	132	200	130	105
1988	1,340	2	16	7	9	36	70	150	156	137	111
1987	1,175	2	12	7	4	44	92	103	139	103	87
1986	1,322	10	23	8	8	55	98	145	149	132	91
1985	1,193	9	12	8	8	44	111	129	117	88	81
1984	1,202	5	22	9	8	50	104	142	126	87	81
1983	1,232	9	13	5	17	63	127	127	100	88	80
1982	1,224	6	26	9	7	61	97	123	101	85	90
1981	1,177	5	13	3	10	61	97	109	96	71	81
1980	1,189	7	19	7	8	74	123	109	98	75	71
1979	1,291	7	31	6	13	89	127	125	83	86	82

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Accidental poisoning and exposure to noxious substances (E850-E869,E924.1)											
All other, both sexes											
1998	2,117	3	6	2	2	30	86	130	229	384	436
1997	2,110	2	12	11	7	26	71	140	205	392	472
1996	2,021	4	21	3	7	24	81	147	218	375	422
1995	2,058	3	15	-	6	24	72	153	246	419	477
1994	2,142	7	17	8	11	22	85	154	329	399	465
1993	1,975	7	22	7	4	27	83	152	313	448	413
1992	1,611	5	20	4	6	29	77	167	265	350	295
1991	1,610	8	33	4	10	28	90	165	261	343	275
1990	1,263	2	23	3	6	37	71	143	241	247	187
1989	1,482	13	22	3	7	32	94	180	250	312	189
1988	1,465	6	28	8	6	39	96	199	267	284	163
1987	1,191	7	14	10	7	26	72	165	207	252	126
1986	1,082	5	18	5	3	31	67	147	219	184	113
1985	983	4	22	2	3	23	60	137	192	159	86
1984	938	7	32	5	3	24	77	134	199	135	74
1983	826	9	22	6	6	23	70	132	123	97	77
1982	875	11	31	4	3	21	73	136	160	102	66
1981	845	8	29	11	6	30	60	123	127	99	78
1980	745	6	30	4	7	41	79	118	94	66	60
1979	848	11	31	7	15	36	91	146	115	82	59
Accidental poisoning and exposure to noxious substances (E850-E869,E924.1)											
All other, male											
1998	1,518	1	4	-	2	22	67	92	167	265	309
1997	1,535	2	9	5	3	17	53	112	151	275	342
1996	1,432	2	16	1	3	16	66	102	151	251	302
1995	1,517	2	9	-	2	20	50	105	179	307	361
1994	1,556	3	6	4	5	13	65	115	240	284	345
1993	1,464	7	9	5	-	21	65	106	218	337	321
1992	1,189	4	9	3	3	20	53	123	189	261	229
1991	1,136	7	19	3	6	22	66	124	193	247	207
1990	897	1	12	2	4	24	46	90	167	197	144
1989	1,069	7	11	1	3	25	73	127	182	225	146
1988	1,036	2	22	2	4	25	59	139	192	213	121
1987	832	3	9	7	4	14	47	110	156	194	96
1986	769	2	12	3	2	21	45	108	157	147	77
1985	664	-	14	-	2	12	40	99	135	121	65
1984	648	5	23	2	2	10	46	93	143	114	54
1983	512	5	14	1	5	12	42	77	73	75	50
1982	591	7	20	2	2	8	44	93	121	73	49
1981	547	3	11	5	4	20	42	83	90	69	49
1980	492	3	17	1	3	22	57	80	67	47	39
1979	562	6	17	4	10	17	61	105	75	59	38

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Accidental poisoning and exposure to noxious substances (E850-E869,E924.1)

All other, female

1998	599	2	2	2	-	8	19	38	62	119	127
1997	575	-	3	6	4	9	18	28	54	117	130
1996	589	2	5	2	4	8	15	45	67	124	120
1995	541	1	6	-	4	4	22	48	67	112	116
1994	586	4	11	4	6	9	20	39	89	115	120
1993	511	-	13	2	4	6	18	46	95	111	92
1992	422	1	11	1	3	9	24	44	76	89	66
1991	474	1	14	1	4	6	24	41	68	96	68
1990	366	1	11	1	2	13	25	53	74	50	43
1989	413	6	11	2	4	7	21	53	68	87	43
1988	429	4	6	6	2	14	37	60	75	71	42
1987	359	4	5	3	3	12	25	55	51	58	30
1986	313	3	6	2	1	10	22	39	62	37	36
1985	319	4	8	2	1	11	20	38	57	38	21
1984	290	2	9	3	1	14	31	41	56	21	20
1983	314	4	8	5	1	11	28	55	50	22	27
1982	284	4	11	2	1	13	29	43	39	29	17
1981	298	5	18	6	2	10	18	40	37	30	29
1980	253	3	13	3	4	19	22	38	27	19	21
1979	286	5	14	3	5	19	30	41	40	23	21

Accidental poisoning and exposure to noxious substances (E850-E869,E924.1)

Black, both sexes

1998	1,901	3	4	2	1	19	65	109	190	345	413
1997	1,900	1	12	10	7	19	59	119	179	355	428
1996	1,839	4	21	3	6	17	67	128	192	348	397
1995	1,885	3	14	-	5	21	63	139	220	378	441
1994	1,971	6	15	6	7	19	77	136	298	368	442
1993	1,856	6	20	6	3	23	78	137	285	427	399
1992	1,493	5	17	4	3	21	69	155	240	329	284
1991	1,489	7	31	2	5	27	76	154	243	323	265
1990	1,158	2	20	3	3	31	64	131	221	230	179
1989	1,391	12	20	3	4	27	85	166	242	302	180
1988	1,367	6	26	7	4	32	84	183	257	270	155
1987	1,087	6	12	9	4	22	68	139	192	242	119
1986	995	5	17	4	3	21	59	135	201	176	99
1985	907	3	22	2	1	15	52	130	179	153	76
1984	868	6	30	5	2	19	65	128	184	127	70
1983	761	7	20	6	1	19	59	128	119	90	69
1982	797	9	29	4	3	18	69	126	141	96	63
1981	797	6	27	10	4	29	51	116	120	95	75
1980	697	5	26	3	5	38	72	111	88	61	59
1979	780	9	28	6	12	33	79	133	106	79	55

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Accidental poisoning and exposure to noxious substances (E850-E869,E924.1)

Black, male

1998	1,363	1	3	-	1	13	55	75	135	238	292
1997	1,387	1	9	4	3	13	44	93	130	252	311
1996	1,301	2	16	1	2	12	56	89	130	230	283
1995	1,381	2	9	-	1	17	43	92	160	269	335
1994	1,437	2	4	3	3	12	58	103	217	264	329
1993	1,370	6	7	4	-	17	63	93	198	318	308
1992	1,110	4	8	3	2	15	49	115	171	246	221
1991	1,057	6	18	2	3	22	59	116	179	231	199
1990	823	1	9	2	2	21	41	83	155	181	137
1989	1,009	6	10	1	2	22	66	115	176	218	141
1988	967	2	20	2	2	23	52	127	183	202	115
1987	760	3	8	6	1	12	44	91	145	187	90
1986	707	2	11	2	2	13	39	100	145	140	69
1985	615	-	14	-	1	8	33	95	126	118	59
1984	599	4	21	2	1	7	37	90	130	107	53
1983	471	3	14	1	1	9	36	76	70	69	45
1982	540	6	18	2	2	6	41	89	104	70	46
1981	516	3	9	4	3	19	36	78	84	68	46
1980	458	3	15	1	2	19	51	74	61	45	38
1979	516	5	16	3	8	15	54	93	69	57	35

Accidental poisoning and exposure to noxious substances (E850-E869,E924.1)

Black, female

1998	538	2	1	2	-	6	10	34	55	107	121
1997	513	-	3	6	4	6	15	26	49	103	117
1996	538	2	5	2	4	5	11	39	62	118	114
1995	504	1	5	-	4	4	20	47	60	109	106
1994	534	4	11	3	4	7	19	33	81	104	113
1993	486	-	13	2	3	6	15	44	87	109	91
1992	383	1	9	1	1	6	20	40	69	83	63
1991	432	1	13	-	2	5	17	38	64	92	66
1990	335	1	11	1	1	10	23	48	66	49	42
1989	382	6	10	2	2	5	19	51	66	84	39
1988	400	4	6	5	2	9	32	56	74	68	40
1987	327	3	4	3	3	10	24	48	47	55	29
1986	288	3	6	2	1	8	20	35	56	36	30
1985	292	3	8	2	-	7	19	35	53	35	17
1984	269	2	9	3	1	12	28	38	54	20	17
1983	290	4	6	5	-	10	23	52	49	21	24
1982	257	3	11	2	1	12	28	37	37	26	17
1981	281	3	18	6	1	10	15	38	36	27	29
1980	239	2	11	2	3	19	21	37	27	16	21
1979	264	4	12	3	4	18	25	40	37	22	20

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other and unspecified nontransport accidents and their sequelae (Residual)											
All races, both sexes											
1998	13,078	424	290	155	176	276	380	417	529	630	713
1997	12,412	438	280	150	189	293	385	442	503	658	705
1996	12,229	412	297	147	173	284	372	433	560	615	655
1995	12,349	429	332	141	165	264	359	441	585	710	703
1994	11,807	469	307	147	170	244	408	436	581	674	641
1993	11,885	440	355	161	176	256	409	451	626	627	638
1992	11,149	391	307	171	173	248	409	529	601	630	599
1991	11,448	473	368	173	158	276	413	532	615	600	643
1990	11,533	478	311	186	164	289	438	623	649	648	571
1989	12,405	478	368	213	160	330	471	703	720	652	645
1988	12,949	418	362	203	174	387	548	653	702	634	657
1987	12,786	442	363	182	197	383	596	699	744	671	557
1986	12,814	414	392	144	218	411	644	750	714	639	565
1985	12,986	404	399	182	199	435	713	762	676	628	600
1984	12,680	378	404	182	243	455	734	739	692	683	599
1983	13,136	446	426	222	260	469	744	744	686	650	626
1982	12,760	464	422	184	275	558	872	813	725	635	593
1981	12,999	445	427	211	291	620	881	876	751	633	582
1980	14,662	558	455	228	318	679	963	844	689	662	585
1979	13,376	528	443	240	323	725	1,040	841	741	646	629
Other and unspecified nontransport accidents and their sequelae (Residual)											
All races, male											
1998	8,482	244	177	108	121	226	333	364	451	516	582
1997	8,220	253	177	103	146	239	332	379	414	536	592
1996	8,154	243	189	88	134	240	332	383	482	520	555
1995	8,311	240	198	94	131	221	319	387	502	610	595
1994	8,058	280	191	93	137	212	365	375	508	571	545
1993	8,068	251	208	115	137	214	366	407	532	540	552
1992	7,697	218	197	122	147	211	353	470	514	552	520
1991	7,909	287	213	123	136	229	357	464	542	521	548
1990	8,010	266	203	137	138	244	396	549	585	564	480
1989	8,684	264	240	148	129	283	429	633	636	575	540
1988	9,021	240	223	150	139	340	501	590	614	548	566
1987	9,000	256	227	127	164	337	539	623	667	592	470
1986	9,005	241	227	106	187	363	591	662	630	554	483
1985	9,301	220	257	130	178	379	643	671	611	545	524
1984	9,172	212	255	134	203	393	660	651	615	588	506
1983	9,381	269	270	153	207	413	670	657	597	561	544
1982	9,357	284	258	124	226	504	783	722	631	543	493
1981	9,675	255	274	146	237	550	797	773	668	541	495
1980	10,547	329	285	150	260	601	878	756	608	598	490
1979	10,067	316	275	165	270	637	948	742	655	562	551

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other and unspecified nontransport accidents and their sequelae (Residual)											
All races, female											
1998	4,596	180	113	47	55	50	47	53	78	114	131
1997	4,192	185	103	47	43	54	53	63	89	122	113
1996	4,075	169	108	59	39	44	40	50	78	95	100
1995	4,038	189	134	47	34	43	40	54	83	100	108
1994	3,749	189	116	54	33	32	43	61	73	103	96
1993	3,817	189	147	46	39	42	43	44	94	87	86
1992	3,452	173	110	49	26	37	56	59	87	78	79
1991	3,539	186	155	50	22	47	56	68	73	79	95
1990	3,523	212	108	49	26	45	42	74	64	84	91
1989	3,721	214	128	65	31	47	42	70	84	77	105
1988	3,928	178	139	53	35	47	47	63	88	86	91
1987	3,786	186	136	55	33	46	57	76	77	79	87
1986	3,809	173	165	38	31	48	53	88	84	85	82
1985	3,685	184	142	52	21	56	70	91	65	83	76
1984	3,508	166	149	48	40	62	74	88	77	95	93
1983	3,755	177	156	69	53	56	74	87	89	89	82
1982	3,403	180	164	60	49	54	89	91	94	92	100
1981	3,324	190	153	65	54	70	84	103	83	92	87
1980	4,115	229	170	78	58	78	85	88	81	64	95
1979	3,309	212	168	75	53	88	92	99	86	84	78
Other and unspecified nontransport accidents and their sequelae (Residual)											
White, both sexes											
1998	11,141	279	218	128	146	236	332	369	444	526	577
1997	10,430	279	204	119	157	246	326	376	423	553	562
1996	10,288	271	216	109	138	248	315	364	465	503	547
1995	10,358	283	249	118	142	225	310	386	500	596	565
1994	9,885	303	222	119	149	213	355	363	490	547	517
1993	9,948	294	275	125	154	221	342	390	515	517	504
1992	9,322	233	229	145	145	212	355	453	490	511	495
1991	9,443	310	270	143	133	234	350	438	503	483	517
1990	9,549	294	247	153	135	235	371	531	527	518	454
1989	10,056	286	267	170	128	286	392	585	595	532	515
1988	10,633	263	273	170	154	339	474	549	552	489	513
1987	10,597	299	282	157	163	333	507	580	602	539	428
1986	10,606	274	299	119	175	374	539	621	589	517	461
1985	10,666	294	320	144	172	377	624	631	558	509	473
1984	10,629	264	310	155	194	397	650	636	580	561	494
1983	10,775	300	336	188	236	420	644	635	557	527	497
1982	10,671	331	338	147	245	487	765	700	609	511	479
1981	10,924	303	349	178	252	550	775	754	611	518	480
1980	11,728	373	360	199	277	597	832	701	561	521	458
1979	11,171	354	354	195	280	647	915	699	613	517	503

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other and unspecified nontransport accidents and their sequelae (Residual)											
White, male											
1998	7,209	163	134	87	96	193	293	327	378	439	482
1997	6,928	161	129	84	127	200	286	322	361	446	480
1996	6,875	163	136	65	109	214	285	324	409	435	471
1995	6,997	170	150	78	116	191	279	341	433	519	486
1994	6,742	183	137	77	120	187	318	317	433	461	443
1993	6,759	171	169	91	118	186	312	352	440	449	441
1992	6,463	141	151	104	122	183	318	406	426	451	437
1991	6,502	180	157	100	116	202	315	385	445	422	444
1990	6,624	160	166	112	113	200	338	473	481	455	389
1989	7,027	156	169	118	108	248	365	535	528	469	439
1988	7,360	155	169	123	123	301	436	498	487	429	445
1987	7,427	172	177	109	135	293	459	524	541	480	365
1986	7,465	160	175	87	154	333	496	555	526	451	400
1985	7,642	165	204	106	155	330	570	563	513	443	413
1984	7,718	148	202	116	161	346	592	571	532	483	421
1983	7,731	178	216	135	186	372	583	573	492	456	434
1982	7,843	208	212	100	203	441	695	629	533	445	397
1981	8,165	177	222	125	208	494	703	674	555	446	406
1980	8,622	229	233	137	228	530	769	628	500	477	392
1979	8,420	221	222	133	232	572	844	624	544	452	445
Other and unspecified nontransport accidents and their sequelae (Residual)											
White, female											
1998	3,932	116	84	41	50	43	39	42	66	87	95
1997	3,502	118	75	35	30	46	40	54	62	107	82
1996	3,413	108	80	44	29	34	30	40	56	68	76
1995	3,361	113	99	40	26	34	31	45	67	77	79
1994	3,143	120	85	42	29	26	37	46	57	86	74
1993	3,189	123	106	34	36	35	30	38	75	68	63
1992	2,859	92	78	41	23	29	37	47	64	60	58
1991	2,941	130	113	43	17	32	35	53	58	61	73
1990	2,925	134	81	41	22	35	33	58	46	63	65
1989	3,029	130	98	52	20	38	27	50	67	63	76
1988	3,273	108	104	47	31	38	38	51	65	60	68
1987	3,170	127	105	48	28	40	48	56	61	59	63
1986	3,141	114	124	32	21	41	43	66	63	66	61
1985	3,024	129	116	38	17	47	54	68	45	66	60
1984	2,911	116	108	39	33	51	58	65	48	78	73
1983	3,044	122	120	53	50	48	61	62	65	71	63
1982	2,828	123	126	47	42	46	70	71	76	66	82
1981	2,759	126	127	53	44	56	72	80	56	72	74
1980	3,106	144	127	62	49	67	63	73	61	44	66
1979	2,751	133	132	62	48	75	71	75	69	65	58

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other and unspecified nontransport accidents and their sequelae (Residual)											
All other, both sexes											
1998	1,937	145	72	27	30	40	48	48	85	104	136
1997	1,982	159	76	31	32	47	59	66	80	105	143
1996	1,941	141	81	38	35	36	57	69	95	112	108
1995	1,991	146	83	23	23	39	49	55	85	114	138
1994	1,922	166	85	28	21	31	53	73	91	127	124
1993	1,937	146	80	36	22	35	67	61	111	110	134
1992	1,827	158	78	26	28	36	54	76	111	119	104
1991	2,005	163	98	30	25	42	63	94	112	117	126
1990	1,984	184	64	33	29	54	67	92	122	130	117
1989	2,349	192	101	43	32	44	79	118	125	120	130
1988	2,316	155	89	33	20	48	74	104	150	145	144
1987	2,189	143	81	25	34	50	89	119	142	132	129
1986	2,208	140	93	25	43	37	105	129	125	122	104
1985	2,320	110	79	38	27	58	89	131	118	119	127
1984	2,051	114	94	27	49	58	84	103	112	122	105
1983	2,361	146	90	34	24	49	100	109	129	123	129
1982	2,089	133	84	37	30	71	107	113	116	124	114
1981	2,075	142	78	33	39	70	106	122	140	115	102
1980	2,934	185	95	29	41	82	131	143	128	141	127
1979	2,205	174	89	45	43	78	125	142	128	129	126
Other and unspecified nontransport accidents and their sequelae (Residual)											
All other, male											
1998	1,273	81	43	21	25	33	40	37	73	77	100
1997	1,292	92	48	19	19	39	46	57	53	90	112
1996	1,279	80	53	23	25	26	47	59	73	85	84
1995	1,314	70	48	16	15	30	40	46	69	91	109
1994	1,316	97	54	16	17	25	47	58	75	110	102
1993	1,309	80	39	24	19	28	54	55	92	91	111
1992	1,234	77	46	18	25	28	35	64	88	101	83
1991	1,407	107	56	23	20	27	42	79	97	99	104
1990	1,386	106	37	25	25	44	58	76	104	109	91
1989	1,657	108	71	30	21	35	64	98	108	106	101
1988	1,661	85	54	27	16	39	65	92	127	119	121
1987	1,573	84	50	18	29	44	80	99	126	112	105
1986	1,540	81	52	19	33	30	95	107	104	103	83
1985	1,659	55	53	24	23	49	73	108	98	102	111
1984	1,454	64	53	18	42	47	68	80	83	105	85
1983	1,650	91	54	18	21	41	87	84	105	105	110
1982	1,514	76	46	24	23	63	88	93	98	98	96
1981	1,510	78	52	21	29	56	94	99	113	95	89
1980	1,925	100	52	13	32	71	109	128	108	121	98
1979	1,647	95	53	32	38	65	104	118	111	110	106

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other and unspecified nontransport accidents and their sequelae (Residual)											
All other, female											
1998	664	64	29	6	5	7	8	11	12	27	36
1997	690	67	28	12	13	8	13	9	27	15	31
1996	662	61	28	15	10	10	10	10	22	27	24
1995	677	76	35	7	8	9	9	9	16	23	29
1994	606	69	31	12	4	6	6	15	16	17	22
1993	628	66	41	12	3	7	13	6	19	19	23
1992	593	81	32	8	3	8	19	12	23	18	21
1991	598	56	42	7	5	15	21	15	15	18	22
1990	598	78	27	8	4	10	9	16	18	21	26
1989	692	84	30	13	11	9	15	20	17	14	29
1988	655	70	35	6	4	9	9	12	23	26	23
1987	616	59	31	7	5	6	9	20	16	20	24
1986	668	59	41	6	10	7	10	22	21	19	21
1985	661	55	26	14	4	9	16	23	20	17	16
1984	597	50	41	9	7	11	16	23	29	17	20
1983	711	55	36	16	3	8	13	25	24	18	19
1982	575	57	38	13	7	8	19	20	18	26	18
1981	565	64	26	12	10	14	12	23	27	20	13
1980	1,009	85	43	16	9	11	22	15	20	20	29
1979	558	79	36	13	5	13	21	24	17	19	20
Other and unspecified nontransport accidents and their sequelae (Residual)											
Black, both sexes											
1998	1,673	131	63	19	27	31	37	41	68	83	122
1997	1,674	146	55	27	23	38	48	52	63	87	113
1996	1,630	125	73	32	25	26	37	51	76	88	94
1995	1,737	131	64	17	19	32	35	39	70	100	117
1994	1,624	146	72	21	18	23	40	55	68	103	110
1993	1,666	130	72	29	15	27	48	47	87	93	123
1992	1,515	135	65	18	19	26	36	48	83	89	87
1991	1,713	138	83	24	22	31	52	73	97	97	103
1990	1,685	167	50	26	24	33	49	77	102	107	94
1989	2,059	171	93	37	27	35	56	98	99	104	105
1988	2,014	146	69	29	16	34	63	89	134	128	116
1987	1,889	129	65	20	28	38	69	99	118	113	117
1986	1,940	125	81	19	33	31	84	105	105	103	92
1985	2,039	99	65	29	21	41	71	113	94	104	111
1984	1,792	103	78	21	42	41	67	90	97	108	90
1983	2,097	139	78	27	19	40	79	93	111	107	108
1982	1,795	121	72	29	27	42	82	90	95	104	104
1981	1,842	129	67	26	30	58	88	102	119	99	93
1980	2,666	170	85	25	32	65	111	122	118	119	104
1979	1,944	161	82	41	36	66	100	118	114	117	109

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other and unspecified nontransport accidents and their sequelae (Residual)											
Black, male											
1998	1,085	75	36	16	22	25	30	30	59	61	89
1997	1,078	87	34	17	14	30	37	47	41	76	89
1996	1,044	71	46	19	16	18	28	43	57	63	71
1995	1,132	63	36	11	11	26	29	33	57	81	90
1994	1,111	86	46	12	15	19	35	44	58	88	90
1993	1,116	72	35	18	12	23	37	43	71	78	102
1992	996	65	36	12	17	22	21	39	65	72	71
1991	1,191	95	46	18	18	20	36	59	84	81	89
1990	1,167	96	28	22	21	27	43	63	86	91	74
1989	1,436	97	66	26	20	27	46	82	85	93	83
1988	1,424	81	41	23	13	27	55	78	116	105	96
1987	1,345	74	39	14	24	32	61	81	104	95	94
1986	1,343	71	47	14	25	26	78	87	88	89	74
1985	1,463	50	44	20	17	37	58	96	79	92	99
1984	1,257	60	41	15	35	32	56	69	71	92	71
1983	1,451	87	47	17	16	34	67	70	94	89	91
1982	1,292	68	39	20	20	35	69	75	81	81	86
1981	1,330	71	43	16	21	49	77	85	96	82	82
1980	1,713	90	47	12	27	56	91	107	100	103	78
1979	1,446	90	48	30	31	55	83	99	98	99	91
Other and unspecified nontransport accidents and their sequelae (Residual)											
Black, female											
1998	588	56	27	3	5	6	7	11	9	22	33
1997	596	59	21	10	9	8	11	5	22	11	24
1996	586	54	27	13	9	8	9	8	19	25	23
1995	605	68	28	6	8	6	6	6	13	19	27
1994	513	60	26	9	3	4	5	11	10	15	20
1993	550	58	37	11	3	4	11	4	16	15	21
1992	519	70	29	6	2	4	15	9	18	17	16
1991	522	43	37	6	4	11	16	14	13	16	14
1990	518	71	22	4	3	6	6	14	16	16	20
1989	623	74	27	11	7	8	10	16	14	11	22
1988	590	65	28	6	3	7	8	11	18	23	20
1987	544	55	26	6	4	6	8	18	14	18	23
1986	597	54	34	5	8	5	6	18	17	14	18
1985	576	49	21	9	4	4	13	17	15	12	12
1984	535	43	37	6	7	9	11	21	26	16	19
1983	646	52	31	10	3	6	12	23	17	18	17
1982	503	53	33	9	7	7	13	15	14	23	18
1981	512	58	24	10	9	9	11	17	23	17	11
1980	953	80	38	13	5	9	20	15	18	16	26
1979	498	71	34	11	5	11	17	19	16	18	18

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Intentional self-harm (suicide) (E950-E959)											
All races, both sexes											
1998	30,575	---	---	7	317	1,737	2,398	2,608	2,757	3,439	3,398
1997	30,535	---	---	4	303	1,802	2,384	2,709	2,963	3,407	3,323
1996	30,903	---	---	4	298	1,817	2,541	2,816	3,045	3,476	3,265
1995	31,284	---	---	7	330	1,890	2,894	2,880	3,412	3,332	3,135
1994	31,142	---	---	4	318	1,948	3,008	3,026	3,328	3,397	2,978
1993	31,102	---	---	6	315	1,884	2,965	2,979	3,328	3,248	2,922
1992	30,484	---	---	10	304	1,847	2,846	2,864	3,308	3,177	2,832
1991	30,810	---	---	1	265	1,899	2,852	3,086	3,428	3,089	2,678
1990	30,906	---	---	6	258	1,979	2,890	3,192	3,358	3,098	2,619
1989	30,232	---	---	4	236	2,009	2,861	3,299	3,266	2,937	2,394
1988	30,407	---	---	6	237	2,059	2,870	3,355	3,355	2,909	2,296
1987	30,796	---	---	1	250	1,902	3,022	3,372	3,283	2,799	2,333
1986	30,904	---	---	5	250	1,896	3,224	3,429	3,282	2,852	2,161
1985	29,453	---	---	3	275	1,849	3,272	3,364	3,012	2,528	2,098
1984	29,286	---	---	7	225	1,692	3,334	3,380	3,012	2,560	2,042
1983	28,295	---	---	10	195	1,677	3,168	3,365	2,973	2,328	1,978
1982	28,242	---	---	2	198	1,730	3,295	3,444	2,872	2,373	1,942
1981	27,596	---	---	4	163	1,770	3,391	3,435	2,908	2,279	1,928
1980	26,869	---	---	3	139	1,797	3,442	3,228	2,692	2,150	1,785
1979	27,206	---	---	1	151	1,788	3,458	3,271	2,586	2,095	1,781
Intentional self-harm (suicide) (E950-E959)											
All races, male											
1998	24,538	---	---	7	234	1,463	2,069	2,182	2,222	2,663	2,633
1997	24,492	---	---	3	230	1,490	2,069	2,263	2,421	2,673	2,550
1996	24,998	---	---	3	222	1,496	2,228	2,361	2,487	2,781	2,519
1995	25,369	---	---	7	253	1,616	2,516	2,449	2,785	2,647	2,433
1994	25,174	---	---	4	230	1,649	2,653	2,555	2,740	2,662	2,308
1993	25,007	---	---	3	230	1,561	2,558	2,500	2,718	2,569	2,273
1992	24,457	---	---	8	224	1,560	2,484	2,435	2,667	2,522	2,158
1991	24,769	---	---	1	207	1,588	2,485	2,563	2,798	2,418	2,057
1990	24,724	---	---	4	191	1,656	2,504	2,667	2,672	2,413	2,011
1989	24,102	---	---	3	181	1,637	2,469	2,742	2,597	2,301	1,802
1988	24,078	---	---	5	176	1,668	2,475	2,779	2,684	2,279	1,696
1987	24,272	---	---	1	198	1,525	2,584	2,779	2,591	2,166	1,711
1986	24,226	---	---	3	196	1,552	2,724	2,825	2,625	2,190	1,552
1985	23,145	---	---	3	202	1,509	2,758	2,759	2,375	1,943	1,538
1984	22,689	---	---	6	171	1,365	2,784	2,767	2,358	1,931	1,470
1983	21,786	---	---	7	145	1,370	2,611	2,677	2,340	1,736	1,433
1982	21,625	---	---	1	159	1,422	2,739	2,749	2,190	1,716	1,391
1981	20,809	---	---	4	115	1,413	2,788	2,677	2,229	1,659	1,348
1980	20,505	---	---	3	113	1,483	2,853	2,589	2,009	1,572	1,252
1979	20,256	---	---	1	103	1,452	2,793	2,587	1,918	1,457	1,223

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Intentional self-harm (suicide) (E950-E959)											
All races, female											
1998	6,037	---	---	-	83	274	329	426	535	776	765
1997	6,043	---	---	1	73	312	315	446	542	734	773
1996	5,905	---	---	1	76	321	313	455	558	695	746
1995	5,915	---	---	-	77	274	378	431	627	685	702
1994	5,968	---	---	-	88	299	355	471	588	735	670
1993	6,095	---	---	3	85	323	407	479	610	679	649
1992	6,027	---	---	2	80	287	362	429	641	655	674
1991	6,041	---	---	-	58	311	367	523	630	671	621
1990	6,182	---	---	2	67	323	386	525	686	685	608
1989	6,130	---	---	1	55	372	392	557	669	636	592
1988	6,329	---	---	1	61	391	395	576	671	630	600
1987	6,524	---	---	-	52	377	438	593	692	633	622
1986	6,678	---	---	2	54	344	500	604	657	662	609
1985	6,308	---	---	-	73	340	514	605	637	585	560
1984	6,597	---	---	1	54	327	550	613	654	629	572
1983	6,509	---	---	3	50	307	557	688	633	592	545
1982	6,617	---	---	1	39	308	556	695	682	657	551
1981	6,787	---	---	-	48	357	603	758	679	620	580
1980	6,364	---	---	-	26	314	589	639	683	578	533
1979	6,950	---	---	-	48	336	665	684	668	638	558
Intentional self-harm (suicide) (E950-E959)											
White, both sexes											
1998	27,648	---	---	5	269	1,448	1,986	2,182	2,377	3,158	3,120
1997	27,513	---	---	3	252	1,509	1,947	2,306	2,581	3,066	3,043
1996	27,856	---	---	4	244	1,522	2,117	2,369	2,640	3,123	2,979
1995	28,187	---	---	5	284	1,587	2,416	2,443	2,977	2,985	2,857
1994	27,976	---	---	2	269	1,588	2,490	2,557	2,933	3,003	2,719
1993	28,035	---	---	4	258	1,594	2,443	2,504	2,940	2,902	2,665
1992	27,611	---	---	6	265	1,531	2,404	2,464	2,895	2,845	2,582
1991	27,996	---	---	-	228	1,628	2,450	2,629	3,045	2,799	2,470
1990	28,086	---	---	4	219	1,701	2,481	2,731	2,952	2,779	2,404
1989	27,424	---	---	2	196	1,743	2,399	2,847	2,850	2,628	2,189
1988	27,790	---	---	6	195	1,819	2,489	2,940	2,904	2,626	2,124
1987	28,217	---	---	1	218	1,679	2,649	2,940	2,910	2,517	2,157
1986	28,437	---	---	2	212	1,716	2,875	3,004	2,915	2,572	2,012
1985	27,087	---	---	3	243	1,643	2,866	2,985	2,674	2,316	1,948
1984	27,002	---	---	7	197	1,528	2,961	2,979	2,702	2,335	1,895
1983	26,157	---	---	9	161	1,491	2,800	3,016	2,682	2,131	1,844
1982	26,141	---	---	2	169	1,573	2,927	3,060	2,571	2,170	1,812
1981	25,452	---	---	3	153	1,607	3,024	3,056	2,585	2,080	1,779
1980	24,829	---	---	2	130	1,635	3,057	2,876	2,391	1,979	1,639
1979	24,945	---	---	-	139	1,602	3,000	2,865	2,292	1,904	1,646

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Intentional self-harm (suicide) (E950-E959)											
White, male											
1998	22,174	---	---	5	200	1,222	1,712	1,819	1,915	2,445	2,415
1997	22,042	---	---	2	192	1,252	1,689	1,923	2,103	2,393	2,327
1996	22,547	---	---	3	179	1,249	1,860	1,996	2,150	2,492	2,297
1995	22,853	---	---	5	218	1,360	2,099	2,084	2,430	2,370	2,214
1994	22,581	---	---	2	194	1,347	2,203	2,156	2,414	2,338	2,097
1993	22,524	---	---	3	183	1,313	2,120	2,104	2,402	2,293	2,061
1992	22,126	---	---	5	191	1,289	2,103	2,097	2,332	2,251	1,968
1991	22,452	---	---	-	175	1,351	2,125	2,191	2,472	2,190	1,895
1990	22,448	---	---	3	162	1,422	2,147	2,279	2,346	2,164	1,844
1989	21,858	---	---	1	151	1,424	2,074	2,368	2,254	2,062	1,647
1988	21,980	---	---	5	146	1,473	2,145	2,438	2,308	2,048	1,581
1987	22,188	---	---	1	173	1,352	2,265	2,419	2,291	1,940	1,573
1986	22,270	---	---	2	166	1,414	2,427	2,471	2,336	1,953	1,441
1985	21,256	---	---	3	180	1,339	2,414	2,436	2,099	1,782	1,427
1984	20,882	---	---	6	152	1,240	2,473	2,429	2,108	1,753	1,357
1983	20,097	---	---	6	129	1,219	2,311	2,388	2,095	1,587	1,339
1982	19,965	---	---	1	133	1,297	2,440	2,426	1,956	1,562	1,293
1981	19,166	---	---	3	110	1,288	2,487	2,373	1,988	1,510	1,247
1980	18,901	---	---	2	106	1,352	2,529	2,303	1,779	1,444	1,147
1979	18,504	---	---	-	94	1,305	2,422	2,260	1,691	1,309	1,121
Intentional self-harm (suicide) (E950-E959)											
White, female											
1998	5,474	---	---	-	69	226	274	363	462	713	705
1997	5,471	---	---	1	60	257	258	383	478	673	716
1996	5,309	---	---	1	65	273	257	373	490	631	682
1995	5,334	---	---	-	66	227	317	359	547	615	643
1994	5,395	---	---	-	75	241	287	401	519	665	622
1993	5,511	---	---	1	75	281	323	400	538	609	604
1992	5,485	---	---	1	74	242	301	367	563	594	614
1991	5,544	---	---	-	53	277	325	438	573	609	575
1990	5,638	---	---	1	57	279	334	452	606	615	560
1989	5,566	---	---	1	45	319	325	479	596	566	542
1988	5,810	---	---	1	49	346	344	502	596	578	543
1987	6,029	---	---	-	45	327	384	521	619	577	584
1986	6,167	---	---	-	46	302	448	533	579	619	571
1985	5,831	---	---	-	63	304	452	549	575	534	521
1984	6,120	---	---	1	45	288	488	550	594	582	538
1983	6,060	---	---	3	32	272	489	628	587	544	505
1982	6,176	---	---	1	36	276	487	634	615	608	519
1981	6,286	---	---	-	43	319	537	683	597	570	532
1980	5,928	---	---	-	24	283	528	573	612	535	492
1979	6,441	---	---	-	45	297	578	605	601	595	525

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Intentional self-harm (suicide) (E950-E959)											
All other, both sexes											
1998	2,927	---	---	2	48	289	412	426	380	281	278
1997	3,022	---	---	1	51	293	437	403	382	341	280
1996	3,047	---	---	-	54	295	424	447	405	353	286
1995	3,097	---	---	2	46	303	478	437	435	347	278
1994	3,166	---	---	2	49	360	518	469	395	394	259
1993	3,067	---	---	2	57	290	522	475	388	346	257
1992	2,873	---	---	4	39	316	442	400	413	332	250
1991	2,814	---	---	1	37	271	402	457	383	290	208
1990	2,820	---	---	2	39	278	409	461	406	319	215
1989	2,808	---	---	2	40	266	462	452	416	309	205
1988	2,617	---	---	-	42	240	381	415	451	283	172
1987	2,579	---	---	-	32	223	373	432	373	282	176
1986	2,467	---	---	3	38	180	349	425	367	280	149
1985	2,366	---	---	-	32	206	406	379	338	212	150
1984	2,284	---	---	-	28	164	373	401	310	225	147
1983	2,138	---	---	1	34	186	368	349	291	197	134
1982	2,101	---	---	-	29	157	368	384	301	203	130
1981	2,144	---	---	1	10	163	367	379	323	199	149
1980	2,040	---	---	1	9	162	385	352	301	171	146
1979	2,261	---	---	1	12	186	458	406	294	191	135
Intentional self-harm (suicide) (E950-E959)											
All other, male											
1998	2,364	---	---	2	34	241	357	363	307	218	218
1997	2,450	---	---	1	38	238	380	340	318	280	223
1996	2,451	---	---	-	43	247	368	365	337	289	222
1995	2,516	---	---	2	35	256	417	365	355	277	219
1994	2,593	---	---	2	36	302	450	399	326	324	211
1993	2,483	---	---	-	47	248	438	396	316	276	212
1992	2,331	---	---	3	33	271	381	338	335	271	190
1991	2,317	---	---	1	32	237	360	372	326	228	162
1990	2,276	---	---	1	29	234	357	388	326	249	167
1989	2,244	---	---	2	30	213	395	374	343	239	155
1988	2,098	---	---	-	30	195	330	341	376	231	115
1987	2,084	---	---	-	25	173	319	360	300	226	138
1986	1,956	---	---	1	30	138	297	354	289	237	111
1985	1,889	---	---	-	22	170	344	323	276	161	111
1984	1,807	---	---	-	19	125	311	338	250	178	113
1983	1,689	---	---	1	16	151	300	289	245	149	94
1982	1,660	---	---	-	26	125	299	323	234	154	98
1981	1,643	---	---	1	5	125	301	304	241	149	101
1980	1,604	---	---	1	7	131	324	286	230	128	105
1979	1,752	---	---	1	9	147	371	327	227	148	102

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Intentional self-harm (suicide) (E950-E959)											
All other, female											
1998	563	---	---	-	14	48	55	63	73	63	60
1997	572	---	---	-	13	55	57	63	64	61	57
1996	596	---	---	-	11	48	56	82	68	64	64
1995	581	---	---	-	11	47	61	72	80	70	59
1994	573	---	---	-	13	58	68	70	69	70	48
1993	584	---	---	2	10	42	84	79	72	70	45
1992	542	---	---	1	6	45	61	62	78	61	60
1991	497	---	---	-	5	34	42	85	57	62	46
1990	544	---	---	1	10	44	52	73	80	70	48
1989	564	---	---	-	10	53	67	78	73	70	50
1988	519	---	---	-	12	45	51	74	75	52	57
1987	495	---	---	-	7	50	54	72	73	56	38
1986	511	---	---	2	8	42	52	71	78	43	38
1985	477	---	---	-	10	36	62	56	62	51	39
1984	477	---	---	-	9	39	62	63	60	47	34
1983	449	---	---	-	18	35	68	60	46	48	40
1982	441	---	---	-	3	32	69	61	67	49	32
1981	501	---	---	-	5	38	66	75	82	50	48
1980	436	---	---	-	2	31	61	66	71	43	41
1979	509	---	---	-	3	39	87	79	67	43	33
Intentional self-harm (suicide) (E950-E959)											
Black, both sexes											
1998	1,977	---	---	2	29	191	297	273	273	202	186
1997	2,103	---	---	-	40	211	302	278	289	245	208
1996	2,164	---	---	-	36	195	328	301	289	267	209
1995	2,231	---	---	1	30	229	323	321	312	266	218
1994	2,271	---	---	2	39	263	366	325	282	296	201
1993	2,259	---	---	2	39	213	395	353	296	265	183
1992	2,143	---	---	1	33	223	313	303	331	257	194
1991	2,097	---	---	1	31	183	296	344	301	237	153
1990	2,111	---	---	2	29	183	282	357	318	252	171
1989	2,153	---	---	2	32	175	350	340	349	244	168
1988	2,022	---	---	-	29	167	298	325	360	226	131
1987	1,963	---	---	-	25	162	263	341	311	225	129
1986	1,892	---	---	2	25	128	252	332	303	218	113
1985	1,795	---	---	-	22	135	289	294	262	175	115
1984	1,760	---	---	-	19	107	273	322	259	179	116
1983	1,623	---	---	-	27	119	280	271	234	145	108
1982	1,639	---	---	-	22	113	270	305	235	169	105
1981	1,658	---	---	1	6	105	282	315	253	151	110
1980	1,607	---	---	1	9	108	307	278	245	133	128
1979	1,812	---	---	1	7	132	354	336	251	150	115

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Intentional self-harm (suicide) (E950-E959)											
Black, male											
1998	1,659	---	---	2	21	164	261	240	228	159	154
1997	1,764	---	---	-	28	171	276	243	249	201	172
1996	1,820	---	---	-	28	169	292	258	245	227	170
1995	1,878	---	---	1	24	197	295	273	262	218	173
1994	1,922	---	---	2	31	230	326	284	237	249	164
1993	1,905	---	---	-	33	194	342	308	251	216	153
1992	1,803	---	---	1	28	198	280	265	274	216	153
1991	1,782	---	---	1	27	164	271	283	266	193	126
1990	1,737	---	---	1	21	157	247	300	267	199	133
1989	1,771	---	---	2	23	144	303	285	294	196	132
1988	1,648	---	---	-	17	136	258	270	304	190	95
1987	1,635	---	---	-	21	125	229	286	253	190	107
1986	1,537	---	---	1	20	99	217	284	245	191	87
1985	1,481	---	---	-	17	114	253	254	221	135	90
1984	1,432	---	---	-	14	83	228	273	215	146	93
1983	1,321	---	---	-	12	94	227	230	201	118	77
1982	1,327	---	---	-	20	91	226	260	187	127	82
1981	1,315	---	---	1	4	81	235	260	197	119	78
1980	1,297	---	---	1	7	84	262	235	194	102	91
1979	1,428	---	---	1	4	100	289	271	198	116	89
Intentional self-harm (suicide) (E950-E959)											
Black, female											
1998	318	---	---	-	8	27	36	33	45	43	32
1997	339	---	---	-	12	40	26	35	40	44	36
1996	344	---	---	-	8	26	36	43	44	40	39
1995	353	---	---	-	6	32	28	48	50	48	45
1994	349	---	---	-	8	33	40	41	45	47	37
1993	354	---	---	2	6	19	53	45	45	49	30
1992	340	---	---	-	5	25	33	38	57	41	41
1991	315	---	---	-	4	19	25	61	35	44	27
1990	374	---	---	1	8	26	35	57	51	53	38
1989	382	---	---	-	9	31	47	55	55	48	36
1988	374	---	---	-	12	31	40	55	56	36	36
1987	328	---	---	-	4	37	34	55	58	35	22
1986	355	---	---	1	5	29	35	48	58	27	26
1985	314	---	---	-	5	21	36	40	41	40	25
1984	328	---	---	-	5	24	45	49	44	33	23
1983	302	---	---	-	15	25	53	41	33	27	31
1982	312	---	---	-	2	22	44	45	48	42	23
1981	343	---	---	-	2	24	47	55	56	32	32
1980	310	---	---	-	2	24	45	43	51	31	37
1979	384	---	---	-	3	32	65	65	53	34	26

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Intentional self-harm (suicide) by discharge of firearms (E955.0-E955.4)											
All races, both sexes											
1998	17,424	---	---	1	153	1,087	1,423	1,418	1,371	1,683	1,646
1997	17,566	---	---	1	126	1,135	1,452	1,477	1,533	1,706	1,615
1996	18,166	---	---	1	161	1,147	1,577	1,580	1,540	1,770	1,647
1995	18,503	---	---	1	183	1,266	1,802	1,627	1,768	1,698	1,580
1994	18,765	---	---	1	187	1,377	1,967	1,750	1,782	1,733	1,531
1993	18,940	---	---	1	186	1,273	1,940	1,771	1,840	1,671	1,523
1992	18,169	---	---	3	172	1,251	1,822	1,639	1,719	1,624	1,455
1991	18,526	---	---	-	156	1,280	1,829	1,779	1,821	1,604	1,423
1990	18,885	---	---	2	142	1,332	1,833	1,920	1,853	1,611	1,434
1989	18,178	---	---	1	138	1,241	1,775	1,856	1,776	1,552	1,331
1988	18,169	---	---	1	125	1,261	1,754	1,918	1,788	1,544	1,264
1987	18,136	---	---	1	151	1,129	1,793	1,900	1,729	1,494	1,245
1986	18,153	---	---	1	141	1,151	1,946	1,880	1,747	1,474	1,205
1985	17,363	---	---	-	139	1,117	1,964	1,918	1,591	1,329	1,159
1984	17,113	---	---	2	115	997	1,970	1,928	1,639	1,346	1,133
1983	16,600	---	---	1	103	1,046	1,935	1,911	1,612	1,262	1,069
1982	16,560	---	---	-	113	1,094	2,045	1,940	1,512	1,332	1,097
1981	16,139	---	---	2	91	1,120	2,127	1,970	1,602	1,225	1,061
1980	15,396	---	---	2	78	1,134	2,122	1,799	1,436	1,202	954
1979	15,543	---	---	-	84	1,136	2,080	1,789	1,392	1,145	991
Intentional self-harm (suicide) by discharge of firearms (E955.0-E955.4)											
All races, male											
1998	15,104	---	---	1	117	949	1,270	1,226	1,164	1,385	1,387
1997	15,194	---	---	1	98	975	1,309	1,281	1,297	1,418	1,321
1996	15,808	---	---	1	128	992	1,432	1,371	1,324	1,483	1,371
1995	16,060	---	---	1	136	1,120	1,609	1,435	1,505	1,432	1,314
1994	16,287	---	---	1	139	1,204	1,784	1,531	1,506	1,424	1,275
1993	16,381	---	---	1	145	1,103	1,743	1,530	1,561	1,384	1,268
1992	15,802	---	---	2	135	1,115	1,641	1,441	1,463	1,372	1,216
1991	16,120	---	---	-	125	1,126	1,660	1,539	1,549	1,327	1,192
1990	16,285	---	---	1	105	1,151	1,627	1,646	1,553	1,325	1,197
1989	15,680	---	---	1	113	1,077	1,571	1,619	1,482	1,305	1,079
1988	15,656	---	---	1	97	1,083	1,575	1,654	1,502	1,281	1,038
1987	15,539	---	---	1	122	964	1,564	1,616	1,448	1,240	1,015
1986	15,518	---	---	1	114	996	1,682	1,584	1,465	1,227	970
1985	14,809	---	---	-	111	951	1,699	1,621	1,328	1,104	944
1984	14,504	---	---	2	85	835	1,682	1,644	1,364	1,093	896
1983	13,959	---	---	1	80	878	1,625	1,578	1,365	1,018	860
1982	13,872	---	---	-	87	918	1,727	1,613	1,232	1,070	869
1981	13,378	---	---	2	61	917	1,792	1,604	1,310	984	826
1980	12,937	---	---	2	60	959	1,823	1,520	1,154	962	765
1979	12,906	---	---	-	53	965	1,740	1,478	1,138	911	784

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Intentional self-harm (suicide) by discharge of firearms (E955.0-E955.4)											
All races, female											
1998	2,320	---	---	-	36	138	153	192	207	298	259
1997	2,372	---	---	-	28	160	143	196	236	288	294
1996	2,358	---	---	-	33	155	145	209	216	287	276
1995	2,443	---	---	-	47	146	193	192	263	266	266
1994	2,478	---	---	-	48	173	183	219	276	309	256
1993	2,559	---	---	-	41	170	197	241	279	287	255
1992	2,367	---	---	1	37	136	181	198	256	252	239
1991	2,406	---	---	-	31	154	169	240	272	277	231
1990	2,600	---	---	1	37	181	206	274	300	286	237
1989	2,498	---	---	-	25	164	204	237	294	247	252
1988	2,513	---	---	-	28	178	179	264	286	263	226
1987	2,597	---	---	-	29	165	229	284	281	254	230
1986	2,635	---	---	-	27	155	264	296	282	247	235
1985	2,554	---	---	-	28	166	265	297	263	225	215
1984	2,609	---	---	-	30	162	288	284	275	253	237
1983	2,641	---	---	-	23	168	310	333	247	244	209
1982	2,688	---	---	-	26	176	318	327	280	262	228
1981	2,761	---	---	-	30	203	335	366	292	241	235
1980	2,459	---	---	-	18	175	299	279	282	240	189
1979	2,637	---	---	-	31	171	340	311	254	234	207
Intentional self-harm (suicide) by discharge of firearms (E955.0-E955.4)											
White, both sexes											
1998	15,968	---	---	-	131	907	1,182	1,197	1,193	1,579	1,533
1997	16,014	---	---	1	105	945	1,175	1,249	1,347	1,571	1,513
1996	16,523	---	---	1	133	946	1,293	1,334	1,377	1,601	1,515
1995	16,860	---	---	1	160	1,049	1,504	1,395	1,557	1,541	1,475
1994	17,007	---	---	-	163	1,105	1,650	1,484	1,591	1,559	1,404
1993	17,271	---	---	1	151	1,076	1,602	1,508	1,654	1,514	1,413
1992	16,606	---	---	2	148	1,015	1,544	1,441	1,517	1,472	1,349
1991	16,974	---	---	-	139	1,105	1,572	1,520	1,640	1,470	1,331
1990	17,344	---	---	2	119	1,147	1,580	1,680	1,662	1,457	1,335
1989	16,671	---	---	-	121	1,088	1,502	1,643	1,570	1,396	1,222
1988	16,725	---	---	1	107	1,117	1,524	1,709	1,554	1,410	1,172
1987	16,753	---	---	1	141	991	1,592	1,670	1,550	1,346	1,157
1986	16,836	---	---	1	125	1,049	1,750	1,668	1,569	1,338	1,130
1985	16,120	---	---	-	131	1,000	1,745	1,738	1,427	1,228	1,075
1984	15,928	---	---	2	109	910	1,790	1,708	1,488	1,236	1,056
1983	15,508	---	---	1	92	952	1,738	1,742	1,460	1,173	1,004
1982	15,489	---	---	-	100	1,022	1,855	1,749	1,367	1,229	1,019
1981	14,975	---	---	2	87	1,026	1,915	1,772	1,432	1,127	982
1980	14,286	---	---	2	73	1,045	1,912	1,602	1,284	1,102	876
1979	14,278	---	---	-	81	1,034	1,822	1,572	1,238	1,046	921

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Intentional self-harm (suicide) by discharge of firearms (E955.0-E955.4)											
White, male											
1998	13,836	---	---	-	102	789	1,051	1,033	1,006	1,297	1,291
1997	13,820	---	---	1	83	812	1,051	1,080	1,129	1,296	1,231
1996	14,383	---	---	1	105	809	1,174	1,162	1,177	1,342	1,262
1995	14,613	---	---	1	118	929	1,338	1,226	1,323	1,295	1,221
1994	14,751	---	---	-	118	964	1,496	1,294	1,348	1,277	1,164
1993	14,919	---	---	1	117	922	1,439	1,302	1,396	1,253	1,175
1992	14,408	---	---	1	114	901	1,387	1,261	1,286	1,233	1,124
1991	14,734	---	---	-	110	964	1,419	1,316	1,381	1,214	1,111
1990	14,949	---	---	1	87	987	1,399	1,435	1,390	1,197	1,111
1989	14,378	---	---	-	99	941	1,331	1,428	1,304	1,178	991
1988	14,406	---	---	1	84	954	1,370	1,470	1,296	1,171	961
1987	14,333	---	---	1	114	850	1,386	1,417	1,296	1,110	937
1986	14,404	---	---	1	102	911	1,506	1,403	1,320	1,106	907
1985	13,750	---	---	-	103	850	1,511	1,468	1,186	1,019	875
1984	13,499	---	---	2	81	765	1,526	1,453	1,234	1,000	834
1983	13,018	---	---	1	74	796	1,463	1,433	1,228	944	803
1982	12,958	---	---	-	76	854	1,567	1,448	1,111	982	805
1981	12,409	---	---	2	59	846	1,610	1,434	1,173	903	763
1980	11,991	---	---	2	57	880	1,642	1,348	1,027	881	703
1979	11,859	---	---	-	50	883	1,525	1,299	1,009	828	725
Intentional self-harm (suicide) by discharge of firearms (E955.0-E955.4)											
White, female											
1998	2,132	---	---	-	29	118	131	164	187	282	242
1997	2,194	---	---	-	22	133	124	169	218	275	282
1996	2,140	---	---	-	28	137	119	172	200	259	253
1995	2,247	---	---	-	42	120	166	169	234	246	254
1994	2,256	---	---	-	45	141	154	190	243	282	240
1993	2,352	---	---	-	34	154	163	206	258	261	238
1992	2,198	---	---	1	34	114	157	180	231	239	225
1991	2,240	---	---	-	29	141	153	204	259	256	220
1990	2,395	---	---	1	32	160	181	245	272	260	224
1989	2,293	---	---	-	22	147	171	215	266	218	231
1988	2,319	---	---	-	23	163	154	239	258	239	211
1987	2,420	---	---	-	27	141	206	253	254	236	220
1986	2,432	---	---	-	23	138	244	265	249	232	223
1985	2,370	---	---	-	28	150	234	270	241	209	200
1984	2,429	---	---	-	28	145	264	255	254	236	222
1983	2,490	---	---	-	18	156	275	309	232	229	201
1982	2,531	---	---	-	24	168	288	301	256	247	214
1981	2,566	---	---	-	28	180	305	338	259	224	219
1980	2,295	---	---	-	16	165	270	254	257	221	173
1979	2,419	---	---	-	31	151	297	273	229	218	196

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Intentional self-harm (suicide) by discharge of firearms (E955.0-E955.4)											
All other, both sexes											
1998	1,456	---	---	1	22	180	241	221	178	104	113
1997	1,552	---	---	-	21	190	277	228	186	135	102
1996	1,643	---	---	-	28	201	284	246	163	169	132
1995	1,643	---	---	-	23	217	298	232	211	157	105
1994	1,758	---	---	1	24	272	317	266	191	174	127
1993	1,669	---	---	-	35	197	338	263	186	157	110
1992	1,563	---	---	1	24	236	278	198	202	152	106
1991	1,552	---	---	-	17	175	257	259	181	134	92
1990	1,541	---	---	-	23	185	253	240	191	154	99
1989	1,507	---	---	1	17	153	273	213	206	156	109
1988	1,444	---	---	-	18	144	230	209	234	134	92
1987	1,383	---	---	-	10	138	201	230	179	148	88
1986	1,317	---	---	-	16	102	196	212	178	136	75
1985	1,243	---	---	-	8	117	219	180	164	101	84
1984	1,185	---	---	-	6	87	180	220	151	110	77
1983	1,092	---	---	-	11	94	197	169	152	89	65
1982	1,071	---	---	-	13	72	190	191	145	103	78
1981	1,164	---	---	-	4	94	212	198	170	98	79
1980	1,110	---	---	-	5	89	210	197	152	100	78
1979	1,265	---	---	-	3	102	258	217	154	99	70
Intentional self-harm (suicide) by discharge of firearms (E955.0-E955.4)											
All other, male											
1998	1,268	---	---	1	15	160	219	193	158	88	96
1997	1,374	---	---	-	15	163	258	201	168	122	90
1996	1,425	---	---	-	23	183	258	209	147	141	109
1995	1,447	---	---	-	18	191	271	209	182	137	93
1994	1,536	---	---	1	21	240	288	237	158	147	111
1993	1,462	---	---	-	28	181	304	228	165	131	93
1992	1,394	---	---	1	21	214	254	180	177	139	92
1991	1,386	---	---	-	15	162	241	223	168	113	81
1990	1,336	---	---	-	18	164	228	211	163	128	86
1989	1,302	---	---	1	14	136	240	191	178	127	88
1988	1,250	---	---	-	13	129	205	184	206	110	77
1987	1,206	---	---	-	8	114	178	199	152	130	78
1986	1,114	---	---	-	12	85	176	181	145	121	63
1985	1,059	---	---	-	8	101	188	153	142	85	69
1984	1,005	---	---	-	4	70	156	191	130	93	62
1983	941	---	---	-	6	82	162	145	137	74	57
1982	914	---	---	-	11	64	160	165	121	88	64
1981	969	---	---	-	2	71	182	170	137	81	63
1980	946	---	---	-	3	79	181	172	127	81	62
1979	1,047	---	---	-	3	82	215	179	129	83	59

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Intentional self-harm (suicide) by discharge of firearms (E955.0-E955.4)											
All other, female											
1998	188	---	---	-	7	20	22	28	20	16	17
1997	178	---	---	-	6	27	19	27	18	13	12
1996	218	---	---	-	5	18	26	37	16	28	23
1995	196	---	---	-	5	26	27	23	29	20	12
1994	222	---	---	-	3	32	29	29	33	27	16
1993	207	---	---	-	7	16	34	35	21	26	17
1992	169	---	---	-	3	22	24	18	25	13	14
1991	166	---	---	-	2	13	16	36	13	21	11
1990	205	---	---	-	5	21	25	29	28	26	13
1989	205	---	---	-	3	17	33	22	28	29	21
1988	194	---	---	-	5	15	25	25	28	24	15
1987	177	---	---	-	2	24	23	31	27	18	10
1986	203	---	---	-	4	17	20	31	33	15	12
1985	184	---	---	-	-	16	31	27	22	16	15
1984	180	---	---	-	2	17	24	29	21	17	15
1983	151	---	---	-	5	12	35	24	15	15	8
1982	157	---	---	-	2	8	30	26	24	15	14
1981	195	---	---	-	2	23	30	28	33	17	16
1980	164	---	---	-	2	10	29	25	25	19	16
1979	218	---	---	-	-	20	43	38	25	16	11
Intentional self-harm (suicide) by discharge of firearms (E955.0-E955.4)											
Black, both sexes											
1998	1,110	---	---	1	14	131	187	172	142	82	78
1997	1,209	---	---	-	19	148	214	174	150	99	79
1996	1,325	---	---	-	22	150	234	186	131	138	108
1995	1,304	---	---	-	17	175	225	181	164	122	85
1994	1,393	---	---	1	21	219	249	205	144	128	102
1993	1,365	---	---	-	23	164	286	208	155	122	88
1992	1,281	---	---	1	19	185	219	167	174	125	82
1991	1,253	---	---	-	16	130	198	203	146	114	70
1990	1,263	---	---	-	20	137	189	197	161	128	83
1989	1,241	---	---	1	14	110	217	160	174	125	95
1988	1,182	---	---	-	14	108	181	167	192	111	79
1987	1,143	---	---	-	7	107	152	183	154	126	71
1986	1,081	---	---	-	13	79	150	175	147	106	61
1985	1,032	---	---	-	6	83	166	148	137	87	72
1984	994	---	---	-	5	59	137	185	131	96	66
1983	906	---	---	-	8	64	155	138	130	71	58
1982	892	---	---	-	11	52	139	158	119	89	68
1981	960	---	---	-	2	65	164	167	139	79	68
1980	946	---	---	-	5	60	169	160	138	84	70
1979	1,053	---	---	-	2	70	199	182	134	76	62

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Intentional self-harm (suicide) by discharge of firearms (E955.0-E955.4)											
Black, male											
1998	983	---	---	1	10	116	171	154	129	72	67
1997	1,070	---	---	-	14	126	199	154	136	89	71
1996	1,162	---	---	-	17	136	216	160	120	119	90
1995	1,153	---	---	-	13	152	208	162	143	109	75
1994	1,226	---	---	1	19	193	229	184	122	111	87
1993	1,217	---	---	-	19	155	260	188	139	104	75
1992	1,145	---	---	1	17	168	202	154	151	113	74
1991	1,123	---	---	-	15	120	188	176	135	96	63
1990	1,102	---	---	-	15	120	171	174	143	106	72
1989	1,078	---	---	1	11	100	192	142	154	103	78
1988	1,015	---	---	-	9	95	160	144	171	93	66
1987	1,002	---	---	-	6	89	136	157	131	113	64
1986	919	---	---	-	10	65	136	153	123	96	50
1985	881	---	---	-	6	74	146	127	118	71	60
1984	840	---	---	-	3	48	115	160	111	82	54
1983	785	---	---	-	4	54	128	117	118	61	51
1982	763	---	---	-	9	47	118	138	99	75	57
1981	800	---	---	-	2	47	138	144	112	67	56
1980	813	---	---	-	3	51	149	143	116	71	55
1979	868	---	---	-	2	54	161	151	113	64	53
Intentional self-harm (suicide) by discharge of firearms (E955.0-E955.4)											
Black, female											
1998	127	---	---	-	4	15	16	18	13	10	11
1997	139	---	---	-	5	22	15	20	14	10	8
1996	163	---	---	-	5	14	18	26	11	19	18
1995	151	---	---	-	4	23	17	19	21	13	10
1994	167	---	---	-	2	26	20	21	22	17	15
1993	148	---	---	-	4	9	26	20	16	18	13
1992	136	---	---	-	2	17	17	13	23	12	8
1991	130	---	---	-	1	10	10	27	11	18	7
1990	161	---	---	-	5	17	18	23	18	22	11
1989	163	---	---	-	3	10	25	18	20	22	17
1988	167	---	---	-	5	13	21	23	21	18	13
1987	141	---	---	-	1	18	16	26	23	13	7
1986	162	---	---	-	3	14	14	22	24	10	11
1985	151	---	---	-	-	9	20	21	19	16	12
1984	154	---	---	-	2	11	22	25	20	14	12
1983	121	---	---	-	4	10	27	21	12	10	7
1982	129	---	---	-	2	5	21	20	20	14	11
1981	160	---	---	-	-	18	26	23	27	12	12
1980	133	---	---	-	2	9	20	17	22	13	15
1979	185	---	---	-	-	16	38	31	21	12	9

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Intentional self-harm (suicide) by other and unspecified means and their sequelae (E950-E954,E955.5-E959)											
All races, both sexes											
1998	13,151	---	---	6	164	650	975	1,190	1,386	1,756	1,752
1997	12,969	---	---	3	177	667	932	1,232	1,430	1,701	1,708
1996	12,737	---	---	3	137	670	964	1,236	1,505	1,706	1,618
1995	12,781	---	---	6	147	624	1,092	1,253	1,644	1,634	1,555
1994	12,377	---	---	3	131	571	1,041	1,276	1,546	1,664	1,447
1993	12,162	---	---	5	129	611	1,025	1,208	1,488	1,577	1,399
1992	12,315	---	---	7	132	596	1,024	1,225	1,589	1,553	1,377
1991	12,284	---	---	1	109	619	1,023	1,307	1,607	1,485	1,255
1990	12,021	---	---	4	116	647	1,057	1,272	1,505	1,487	1,185
1989	12,054	---	---	3	98	768	1,086	1,443	1,490	1,385	1,063
1988	12,238	---	---	5	112	798	1,116	1,437	1,567	1,365	1,032
1987	12,660	---	---	-	99	773	1,229	1,472	1,554	1,305	1,088
1986	12,751	---	---	4	109	745	1,278	1,549	1,535	1,378	956
1985	12,090	---	---	3	136	732	1,308	1,446	1,421	1,199	939
1984	12,173	---	---	5	110	695	1,364	1,452	1,373	1,214	909
1983	11,695	---	---	9	92	631	1,233	1,454	1,361	1,066	909
1982	11,682	---	---	2	85	636	1,250	1,504	1,360	1,041	845
1981	11,457	---	---	2	72	650	1,264	1,465	1,306	1,054	867
1980	11,473	---	---	1	61	663	1,320	1,429	1,256	948	831
1979	11,663	---	---	1	67	652	1,378	1,482	1,194	950	790
Intentional self-harm (suicide) by other and unspecified means and their sequelae (E950-E954,E955.5-E959)											
All races, male											
1998	9,434	---	---	6	117	514	799	956	1,058	1,278	1,246
1997	9,298	---	---	2	132	515	760	982	1,124	1,255	1,229
1996	9,190	---	---	2	94	504	796	990	1,163	1,298	1,148
1995	9,309	---	---	6	117	496	907	1,014	1,280	1,215	1,119
1994	8,887	---	---	3	91	445	869	1,024	1,234	1,238	1,033
1993	8,626	---	---	2	85	458	815	970	1,157	1,185	1,005
1992	8,655	---	---	6	89	445	843	994	1,204	1,150	942
1991	8,649	---	---	1	82	462	825	1,024	1,249	1,091	865
1990	8,439	---	---	3	86	505	877	1,021	1,119	1,088	814
1989	8,422	---	---	2	68	560	898	1,123	1,115	996	723
1988	8,422	---	---	4	79	585	900	1,125	1,182	998	658
1987	8,733	---	---	-	76	561	1,020	1,163	1,143	926	696
1986	8,708	---	---	2	82	556	1,042	1,241	1,160	963	582
1985	8,336	---	---	3	91	558	1,059	1,138	1,047	839	594
1984	8,185	---	---	4	86	530	1,102	1,123	994	838	574
1983	7,827	---	---	6	65	492	986	1,099	975	718	573
1982	7,753	---	---	1	72	504	1,012	1,136	958	646	522
1981	7,431	---	---	2	54	496	996	1,073	919	675	522
1980	7,568	---	---	1	53	524	1,030	1,069	855	610	487
1979	7,350	---	---	1	50	487	1,053	1,109	780	546	439

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Intentional self-harm (suicide) by other and unspecified means and their sequelae (E950-E954,E955.5-E959)											
All races, female											
1998	3,717	---	---	-	47	136	176	234	328	478	506
1997	3,671	---	---	1	45	152	172	250	306	446	479
1996	3,547	---	---	1	43	166	168	246	342	408	470
1995	3,472	---	---	-	30	128	185	239	364	419	436
1994	3,490	---	---	-	40	126	172	252	312	426	414
1993	3,536	---	---	3	44	153	210	238	331	392	394
1992	3,660	---	---	1	43	151	181	231	385	403	435
1991	3,635	---	---	-	27	157	198	283	358	394	390
1990	3,582	---	---	1	30	142	180	251	386	399	371
1989	3,632	---	---	1	30	208	188	320	375	389	340
1988	3,816	---	---	1	33	213	216	312	385	367	374
1987	3,927	---	---	-	23	212	209	309	411	379	392
1986	4,043	---	---	2	27	189	236	308	375	415	374
1985	3,754	---	---	-	45	174	249	308	374	360	345
1984	3,988	---	---	1	24	165	262	329	379	376	335
1983	3,868	---	---	3	27	139	247	355	386	348	336
1982	3,929	---	---	1	13	132	238	368	402	395	323
1981	4,026	---	---	-	18	154	268	392	387	379	345
1980	3,905	---	---	-	8	139	290	360	401	338	344
1979	4,313	---	---	-	17	165	325	373	414	404	351
Intentional self-harm (suicide) by other and unspecified means and their sequelae (E950-E954,E955.5-E959)											
White, both sexes											
1998	11,680	---	---	5	138	541	804	985	1,184	1,579	1,587
1997	11,499	---	---	2	147	564	772	1,057	1,234	1,495	1,530
1996	11,333	---	---	3	111	576	824	1,035	1,263	1,522	1,464
1995	11,327	---	---	4	124	538	912	1,048	1,420	1,444	1,382
1994	10,969	---	---	2	106	483	840	1,073	1,342	1,444	1,315
1993	10,764	---	---	3	107	518	841	996	1,286	1,388	1,252
1992	11,005	---	---	4	117	516	860	1,023	1,378	1,373	1,233
1991	11,022	---	---	-	89	523	878	1,109	1,405	1,329	1,139
1990	10,742	---	---	2	100	554	901	1,051	1,290	1,322	1,069
1989	10,753	---	---	2	75	655	897	1,204	1,280	1,232	967
1988	11,065	---	---	5	88	702	965	1,231	1,350	1,216	952
1987	11,464	---	---	-	77	688	1,057	1,270	1,360	1,171	1,000
1986	11,601	---	---	1	87	667	1,125	1,336	1,346	1,234	882
1985	10,967	---	---	3	112	643	1,121	1,247	1,247	1,088	873
1984	11,074	---	---	5	88	618	1,171	1,271	1,214	1,099	839
1983	10,649	---	---	8	69	539	1,062	1,274	1,222	958	840
1982	10,652	---	---	2	69	551	1,072	1,311	1,204	941	793
1981	10,477	---	---	1	66	581	1,109	1,284	1,153	953	797
1980	10,543	---	---	-	57	590	1,145	1,274	1,107	877	763
1979	10,667	---	---	-	58	568	1,178	1,293	1,054	858	725

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Intentional self-harm (suicide) by other and unspecified means and their sequelae (E950-E954,E955.5-E959)

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
White, male											
1998	8,338	---	---	5	98	433	661	786	909	1,148	1,124
1997	8,222	---	---	1	109	440	638	843	974	1,097	1,096
1996	8,164	---	---	2	74	440	686	834	973	1,150	1,035
1995	8,240	---	---	4	100	431	761	858	1,107	1,075	993
1994	7,830	---	---	2	76	383	707	862	1,066	1,061	933
1993	7,605	---	---	2	66	391	681	802	1,006	1,040	886
1992	7,718	---	---	4	77	388	716	836	1,046	1,018	844
1991	7,718	---	---	-	65	387	706	875	1,091	976	784
1990	7,499	---	---	2	75	435	748	844	956	967	733
1989	7,480	---	---	1	52	483	743	940	950	884	656
1988	7,574	---	---	4	62	519	775	968	1,012	877	620
1987	7,855	---	---	-	59	502	879	1,002	995	830	636
1986	7,866	---	---	1	64	503	921	1,068	1,016	847	534
1985	7,506	---	---	3	77	489	903	968	913	763	552
1984	7,383	---	---	4	71	475	947	976	874	753	523
1983	7,079	---	---	5	55	423	848	955	867	643	536
1982	7,007	---	---	1	57	443	873	978	845	580	488
1981	6,757	---	---	1	51	442	877	939	815	607	484
1980	6,910	---	---	-	49	472	887	955	752	563	444
1979	6,645	---	---	-	44	422	897	961	682	481	396

Intentional self-harm (suicide) by other and unspecified means and their sequelae (E950-E954,E955.5-E959)

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
White, female											
1998	3,342	---	---	-	40	108	143	199	275	431	463
1997	3,277	---	---	1	38	124	134	214	260	398	434
1996	3,169	---	---	1	37	136	138	201	290	372	429
1995	3,087	---	---	-	24	107	151	190	313	369	389
1994	3,139	---	---	-	30	100	133	211	276	383	382
1993	3,159	---	---	1	41	127	160	194	280	348	366
1992	3,287	---	---	-	40	128	144	187	332	355	389
1991	3,304	---	---	-	24	136	172	234	314	353	355
1990	3,243	---	---	-	25	119	153	207	334	355	336
1989	3,273	---	---	1	23	172	154	264	330	348	311
1988	3,491	---	---	1	26	183	190	263	338	339	332
1987	3,609	---	---	-	18	186	178	268	365	341	364
1986	3,735	---	---	-	23	164	204	268	330	387	348
1985	3,461	---	---	-	35	154	218	279	334	325	321
1984	3,691	---	---	1	17	143	224	295	340	346	316
1983	3,570	---	---	3	14	116	214	319	355	315	304
1982	3,645	---	---	1	12	108	199	333	359	361	305
1981	3,720	---	---	-	15	139	232	345	338	346	313
1980	3,633	---	---	-	8	118	258	319	355	314	319
1979	4,022	---	---	-	14	146	281	332	372	377	329

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Intentional self-harm (suicide) by other and unspecified means and their sequelae (E950-E954,E955.5-E959)											
All other, both sexes											
1998	1,471	---	---	1	26	109	171	205	202	177	165
1997	1,470	---	---	1	30	103	160	175	196	206	178
1996	1,404	---	---	-	26	94	140	201	242	184	154
1995	1,454	---	---	2	23	86	180	205	224	190	173
1994	1,408	---	---	1	25	88	201	203	204	220	132
1993	1,398	---	---	2	22	93	184	212	202	189	147
1992	1,310	---	---	3	15	80	164	202	211	180	144
1991	1,262	---	---	1	20	96	145	198	202	156	116
1990	1,279	---	---	2	16	93	156	221	215	165	116
1989	1,301	---	---	1	23	113	189	239	210	153	96
1988	1,173	---	---	-	24	96	151	206	217	149	80
1987	1,196	---	---	-	22	85	172	202	194	134	88
1986	1,150	---	---	3	22	78	153	213	189	144	74
1985	1,123	---	---	-	24	89	187	199	174	111	66
1984	1,099	---	---	-	22	77	193	181	159	115	70
1983	1,046	---	---	1	23	92	171	180	139	108	69
1982	1,030	---	---	-	16	85	178	193	156	100	52
1981	980	---	---	1	6	69	155	181	153	101	70
1980	930	---	---	1	4	73	175	155	149	71	68
1979	996	---	---	1	9	84	200	189	140	92	65

Intentional self-harm (suicide) by other and unspecified means and their sequelae (E950-E954,E955.5-E959)

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
All other, male											
1998	1,096	---	---	1	19	81	138	170	149	130	122
1997	1,076	---	---	1	23	75	122	139	150	158	133
1996	1,026	---	---	-	20	64	110	156	190	148	113
1995	1,069	---	---	2	17	65	146	156	173	140	126
1994	1,057	---	---	1	15	62	162	162	168	177	100
1993	1,021	---	---	-	19	67	134	168	151	145	119
1992	937	---	---	2	12	57	127	158	158	132	98
1991	931	---	---	1	17	75	119	149	158	115	81
1990	940	---	---	1	11	70	129	177	163	121	81
1989	942	---	---	1	16	77	155	183	165	112	67
1988	848	---	---	-	17	66	125	157	170	121	38
1987	878	---	---	-	17	59	141	161	148	96	60
1986	842	---	---	1	18	53	121	173	144	116	48
1985	830	---	---	-	14	69	156	170	134	76	42
1984	802	---	---	-	15	55	155	147	120	85	51
1983	748	---	---	1	10	69	138	144	108	75	37
1982	746	---	---	-	15	61	139	158	113	66	34
1981	674	---	---	1	3	54	119	134	104	68	38
1980	658	---	---	1	4	52	143	114	103	47	43
1979	705	---	---	1	6	65	156	148	98	65	43

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Intentional self-harm (suicide) by other and unspecified means and their sequelae (E950-E954,E955.5-E959)

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
All other, female											
1998	375	---	---	-	7	28	33	35	53	47	43
1997	394	---	---	-	7	28	38	36	46	48	45
1996	378	---	---	-	6	30	30	45	52	36	41
1995	385	---	---	-	6	21	34	49	51	50	47
1994	351	---	---	-	10	26	39	41	36	43	32
1993	377	---	---	2	3	26	50	44	51	44	28
1992	373	---	---	1	3	23	37	44	53	48	46
1991	331	---	---	-	3	21	26	49	44	41	35
1990	339	---	---	1	5	23	27	44	52	44	35
1989	359	---	---	-	7	36	34	56	45	41	29
1988	325	---	---	-	7	30	26	49	47	28	42
1987	318	---	---	-	5	26	31	41	46	38	28
1986	308	---	---	2	4	25	32	40	45	28	26
1985	293	---	---	-	10	20	31	29	40	35	24
1984	297	---	---	-	7	22	38	34	39	30	19
1983	298	---	---	-	13	23	33	36	31	33	32
1982	284	---	---	-	1	24	39	35	43	34	18
1981	306	---	---	-	3	15	36	47	49	33	32
1980	272	---	---	-	-	21	32	41	46	24	25
1979	291	---	---	-	3	19	44	41	42	27	22

Intentional self-harm (suicide) by other and unspecified means and their sequelae (E950-E954,E955.5-E959)

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Black, both sexes											
1998	867	---	---	1	15	60	110	101	131	120	108
1997	894	---	---	-	21	63	88	104	139	146	129
1996	839	---	---	-	14	45	94	115	158	129	101
1995	927	---	---	1	13	54	98	140	148	144	133
1994	878	---	---	1	18	44	117	120	138	168	99
1993	894	---	---	2	16	49	109	145	141	143	95
1992	862	---	---	-	14	38	94	136	157	132	112
1991	844	---	---	1	15	53	98	141	155	123	83
1990	848	---	---	2	9	46	93	160	157	124	88
1989	912	---	---	1	18	65	133	180	175	119	73
1988	840	---	---	-	15	59	117	158	168	115	52
1987	820	---	---	-	18	55	111	158	157	99	58
1986	811	---	---	2	12	49	102	157	156	112	52
1985	763	---	---	-	16	52	123	146	125	88	43
1984	766	---	---	-	14	48	136	137	128	83	50
1983	717	---	---	-	19	55	125	133	104	74	50
1982	747	---	---	-	11	61	131	147	116	80	37
1981	698	---	---	1	4	40	118	148	114	72	42
1980	661	---	---	1	4	48	138	118	107	49	58
1979	759	---	---	1	5	62	155	154	117	74	53

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Intentional self-harm (suicide) by other and unspecified means and their sequelae (E950-E954,E955.5-E959)

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Black, male											
1998	676	---	---	1	11	48	90	86	99	87	87
1997	694	---	---	-	14	45	77	89	113	112	101
1996	658	---	---	-	11	33	76	98	125	108	80
1995	725	---	---	1	11	45	87	111	119	109	98
1994	696	---	---	1	12	37	97	100	115	138	77
1993	688	---	---	-	14	39	82	120	112	112	78
1992	658	---	---	-	11	30	78	111	123	103	79
1991	659	---	---	1	12	44	83	107	131	97	63
1990	635	---	---	1	6	37	76	126	124	93	61
1989	693	---	---	1	12	44	111	143	140	93	54
1988	633	---	---	-	8	41	98	126	133	97	29
1987	633	---	---	-	15	36	93	129	122	77	43
1986	618	---	---	1	10	34	81	131	122	95	37
1985	600	---	---	-	11	40	107	127	103	64	30
1984	592	---	---	-	11	35	113	113	104	64	39
1983	536	---	---	-	8	40	99	113	83	57	26
1982	564	---	---	-	11	44	108	122	88	52	25
1981	515	---	---	1	2	34	97	116	85	52	22
1980	484	---	---	1	4	33	113	92	78	31	36
1979	560	---	---	1	2	46	128	120	85	52	36

Intentional self-harm (suicide) by other and unspecified means and their sequelae (E950-E954,E955.5-E959)

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Black, female											
1998	191	---	---	-	4	12	20	15	32	33	21
1997	200	---	---	-	7	18	11	15	26	34	28
1996	181	---	---	-	3	12	18	17	33	21	21
1995	202	---	---	-	2	9	11	29	29	35	35
1994	182	---	---	-	6	7	20	20	23	30	22
1993	206	---	---	2	2	10	27	25	29	31	17
1992	204	---	---	-	3	8	16	25	34	29	33
1991	185	---	---	-	3	9	15	34	24	26	20
1990	213	---	---	1	3	9	17	34	33	31	27
1989	219	---	---	-	6	21	22	37	35	26	19
1988	207	---	---	-	7	18	19	32	35	18	23
1987	187	---	---	-	3	19	18	29	35	22	15
1986	193	---	---	1	2	15	21	26	34	17	15
1985	163	---	---	-	5	12	16	19	22	24	13
1984	174	---	---	-	3	13	23	24	24	19	11
1983	181	---	---	-	11	15	26	20	21	17	24
1982	183	---	---	-	-	17	23	25	28	28	12
1981	183	---	---	-	2	6	21	32	29	20	20
1980	177	---	---	-	-	15	25	26	29	18	22
1979	199	---	---	-	3	16	27	34	32	22	17

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Assault (homicide) (E960-E969)											
All races, both sexes											
1998	17,893	322	399	170	287	2,283	3,148	2,483	1,964	1,874	1,575
1997	19,491	317	375	174	282	2,601	3,482	2,699	2,262	2,000	1,569
1996	20,634	332	420	179	334	2,894	3,582	2,838	2,479	2,197	1,605
1995	22,552	311	452	157	404	3,262	3,942	3,191	2,872	2,261	1,754
1994	24,547	313	473	156	413	3,532	4,481	3,548	3,206	2,641	1,806
1993	25,653	344	464	194	462	3,540	4,776	3,761	3,402	2,609	1,841
1992	25,144	326	429	146	439	3,275	4,659	3,858	3,377	2,540	1,832
1991	26,254	380	428	138	380	3,339	4,748	4,106	3,595	2,663	1,855
1990	24,614	332	377	156	356	3,020	4,254	4,118	3,402	2,594	1,749
1989	22,578	335	393	181	327	2,415	3,702	3,796	3,209	2,319	1,626
1988	21,784	315	381	179	279	2,119	3,599	3,783	3,105	2,235	1,548
1987	20,812	273	334	141	265	1,823	3,468	3,512	2,903	2,199	1,461
1986	21,462	278	382	134	245	1,838	3,614	3,762	3,042	2,247	1,486
1985	19,628	200	348	167	250	1,579	3,114	3,322	2,768	2,073	1,459
1984	19,510	237	341	155	274	1,536	3,206	3,359	2,591	1,988	1,414
1983	19,922	193	320	144	213	1,623	3,346	3,403	2,698	1,934	1,486
1982	22,073	243	377	166	237	1,909	3,693	3,719	2,983	2,124	1,557
1981	23,361	218	341	156	283	2,046	4,041	3,907	3,162	2,148	1,617
1980	23,967	210	319	153	262	2,222	4,315	4,066	3,093	2,215	1,609
1979	22,202	170	314	165	229	2,144	3,884	3,637	2,779	1,997	1,546
Assault (homicide) (E960-E969)											
All races, male											
1998	13,652	172	223	84	172	1,944	2,702	2,004	1,489	1,346	1,137
1997	15,107	182	209	95	199	2,220	3,021	2,228	1,732	1,470	1,159
1996	15,945	168	214	94	216	2,480	3,105	2,318	1,895	1,618	1,207
1995	17,408	175	253	87	286	2,746	3,399	2,564	2,178	1,664	1,306
1994	19,342	179	265	75	279	3,082	3,841	2,869	2,487	1,990	1,431
1993	19,945	193	274	105	303	3,043	4,056	2,961	2,613	2,003	1,391
1992	19,779	181	242	78	295	2,838	3,970	3,082	2,644	1,982	1,410
1991	20,518	206	235	71	265	2,876	3,976	3,313	2,789	2,082	1,440
1990	19,298	178	208	70	229	2,549	3,595	3,334	2,645	2,052	1,391
1989	17,366	165	215	89	209	2,012	3,033	3,000	2,523	1,813	1,265
1988	16,472	151	217	98	169	1,727	2,890	2,909	2,389	1,753	1,209
1987	15,571	155	164	79	166	1,427	2,735	2,695	2,221	1,707	1,120
1986	16,332	152	223	68	147	1,408	2,863	2,940	2,426	1,776	1,150
1985	14,806	106	184	84	161	1,223	2,466	2,590	2,160	1,606	1,143
1984	14,759	134	173	71	149	1,144	2,443	2,651	2,075	1,576	1,104
1983	15,253	92	181	80	140	1,236	2,636	2,681	2,179	1,534	1,176
1982	17,035	139	208	87	126	1,460	2,914	2,985	2,446	1,694	1,219
1981	18,288	106	183	88	158	1,587	3,216	3,203	2,571	1,759	1,310
1980	18,779	114	180	76	145	1,710	3,436	3,308	2,552	1,771	1,309
1979	17,288	104	154	91	145	1,634	3,062	2,952	2,293	1,618	1,241

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Assault (homicide) (E960-E969)											
All races, female											
1998	4,241	150	176	86	115	339	446	479	475	528	438
1997	4,384	135	166	79	83	381	461	471	530	530	410
1996	4,689	164	206	85	118	414	477	520	584	579	398
1995	5,144	136	199	70	118	516	543	627	694	597	448
1994	5,205	134	208	81	134	450	640	679	719	651	375
1993	5,708	151	190	89	159	497	720	800	789	606	450
1992	5,365	145	187	68	144	437	689	776	733	558	422
1991	5,736	174	193	67	115	463	772	793	806	581	415
1990	5,316	154	169	86	127	471	659	784	757	542	358
1989	5,212	170	178	92	118	403	669	796	686	506	361
1988	5,312	164	164	81	110	392	709	874	716	482	339
1987	5,241	118	170	62	99	396	733	817	682	492	341
1986	5,130	126	159	66	98	430	751	822	616	471	336
1985	4,822	94	164	83	89	356	648	732	608	467	316
1984	4,751	103	168	84	125	392	763	708	516	412	310
1983	4,669	101	139	64	73	387	710	722	519	400	310
1982	5,038	104	169	79	111	449	779	734	537	430	338
1981	5,073	112	158	68	125	459	825	704	591	389	307
1980	5,188	96	139	77	117	512	879	758	541	444	300
1979	4,914	66	160	74	84	510	822	685	486	379	305
Assault (homicide) (E960-E969)											
White, both sexes											
1998	9,008	188	199	98	168	986	1,251	1,049	985	998	876
1997	9,676	189	212	98	149	1,066	1,323	1,174	1,137	1,036	848
1996	10,088	201	225	112	183	1,136	1,370	1,170	1,227	1,153	872
1995	11,130	184	242	94	222	1,343	1,598	1,422	1,387	1,151	1,003
1994	11,718	170	266	91	198	1,329	1,728	1,529	1,540	1,346	967
1993	12,069	198	223	118	224	1,299	1,772	1,599	1,630	1,326	961
1992	12,233	189	223	79	214	1,296	1,836	1,682	1,632	1,336	1,000
1991	12,631	207	226	81	195	1,255	1,877	1,808	1,681	1,367	1,018
1990	11,953	181	189	88	179	1,158	1,765	1,830	1,585	1,283	984
1989	11,092	178	202	97	167	922	1,529	1,699	1,524	1,172	923
1988	10,902	180	221	108	138	816	1,527	1,700	1,485	1,113	898
1987	10,950	156	195	86	133	771	1,575	1,739	1,450	1,176	809
1986	11,528	160	194	68	155	908	1,764	1,834	1,555	1,198	905
1985	11,003	121	204	95	164	757	1,626	1,756	1,431	1,158	874
1984	10,952	133	208	80	170	812	1,720	1,740	1,355	1,129	824
1983	11,075	104	166	95	136	825	1,733	1,786	1,391	1,098	875
1982	12,272	146	203	103	150	1,033	1,968	1,898	1,475	1,193	952
1981	12,904	137	188	94	169	1,140	2,130	1,958	1,620	1,180	925
1980	13,360	125	181	100	172	1,309	2,255	2,017	1,614	1,208	927
1979	12,149	96	177	105	145	1,244	2,073	1,771	1,409	1,038	848

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Assault (homicide) (E960-E969)											
White, male											
1998	6,479	102	104	44	98	804	1,029	805	713	701	602
1997	7,118	121	119	52	105	856	1,091	932	843	740	623
1996	7,351	101	122	60	116	927	1,126	908	922	827	631
1995	8,109	110	133	51	152	1,070	1,307	1,086	1,026	829	727
1994	8,810	94	147	39	134	1,095	1,413	1,203	1,166	1,006	742
1993	8,845	110	138	60	141	1,058	1,420	1,211	1,222	983	685
1992	9,228	104	133	40	143	1,056	1,502	1,323	1,273	1,024	742
1991	9,437	121	131	43	133	1,013	1,497	1,432	1,286	1,050	766
1990	8,954	103	109	37	117	910	1,424	1,454	1,196	997	758
1989	8,127	91	115	45	100	690	1,194	1,301	1,167	894	687
1988	7,837	89	131	56	85	598	1,158	1,268	1,119	834	687
1987	7,804	94	107	47	70	553	1,196	1,284	1,074	859	604
1986	8,409	84	115	38	84	659	1,331	1,390	1,220	919	688
1985	7,963	58	111	49	101	556	1,250	1,338	1,082	875	659
1984	8,000	75	115	35	90	570	1,257	1,358	1,064	870	638
1983	8,198	50	97	52	83	603	1,342	1,377	1,111	858	672
1982	9,097	86	108	51	68	755	1,492	1,477	1,185	923	732
1981	9,779	69	90	50	81	848	1,673	1,568	1,300	955	729
1980	10,185	64	106	50	88	972	1,767	1,630	1,321	954	725
1979	9,210	58	93	58	89	927	1,622	1,400	1,155	837	648
Assault (homicide) (E960-E969)											
White, female											
1998	2,529	86	95	54	70	182	222	244	272	297	274
1997	2,558	68	93	46	44	210	232	242	294	296	225
1996	2,737	100	103	52	67	209	244	262	305	326	241
1995	3,021	74	109	43	70	273	291	336	361	322	276
1994	2,908	76	119	52	64	234	315	326	374	340	225
1993	3,224	88	85	58	83	241	352	388	408	343	276
1992	3,005	85	90	39	71	240	334	359	359	312	258
1991	3,194	86	95	38	62	242	380	376	395	317	252
1990	2,999	78	80	51	62	248	341	376	389	286	226
1989	2,965	87	87	52	67	232	335	398	357	278	236
1988	3,065	91	90	52	53	218	369	432	366	279	211
1987	3,146	62	88	39	63	218	379	455	376	317	205
1986	3,119	76	79	30	71	249	433	444	335	279	217
1985	3,040	63	93	46	63	201	376	418	349	283	215
1984	2,952	58	93	45	80	242	463	382	291	259	186
1983	2,877	54	69	43	53	222	391	409	280	240	203
1982	3,175	60	95	52	82	278	476	421	290	270	220
1981	3,125	68	98	44	88	292	457	390	320	225	196
1980	3,175	61	75	50	84	337	488	387	293	254	202
1979	2,939	38	84	47	56	317	451	371	254	201	200

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Assault (homicide) (E960-E969)											
All other, both sexes											
1998	8,885	134	200	72	119	1,297	1,897	1,434	979	876	699
1997	9,815	128	163	76	133	1,535	2,159	1,525	1,125	964	721
1996	10,546	131	195	67	151	1,758	2,212	1,668	1,252	1,044	733
1995	11,422	127	210	63	182	1,919	2,344	1,769	1,485	1,110	751
1994	12,829	143	207	65	215	2,203	2,753	2,019	1,666	1,295	839
1993	13,584	146	241	76	238	2,241	3,004	2,162	1,772	1,283	880
1992	12,911	137	206	67	225	1,979	2,823	2,176	1,745	1,204	832
1991	13,623	173	202	57	185	2,084	2,871	2,298	1,914	1,296	837
1990	12,661	151	188	68	177	1,862	2,489	2,288	1,817	1,311	765
1989	11,486	157	191	84	160	1,493	2,173	2,097	1,685	1,147	703
1988	10,882	135	160	71	141	1,303	2,072	2,083	1,620	1,122	650
1987	9,862	117	139	55	132	1,052	1,893	1,773	1,453	1,023	652
1986	9,934	118	188	66	90	930	1,850	1,928	1,487	1,049	581
1985	8,625	79	144	72	86	822	1,488	1,566	1,337	915	585
1984	8,558	104	133	75	104	724	1,486	1,619	1,236	859	590
1983	8,847	89	154	49	77	798	1,613	1,617	1,307	836	611
1982	9,801	97	174	63	87	876	1,725	1,821	1,508	931	605
1981	10,457	81	153	62	114	906	1,911	1,949	1,542	968	692
1980	10,607	85	138	53	90	913	2,060	2,049	1,479	1,007	682
1979	10,053	74	137	60	84	900	1,811	1,866	1,370	959	698
Assault (homicide) (E960-E969)											
All other, male											
1998	7,173	70	119	40	74	1,140	1,673	1,199	776	645	535
1997	7,989	61	90	43	94	1,364	1,930	1,296	889	730	536
1996	8,594	67	92	34	100	1,553	1,979	1,410	973	791	576
1995	9,299	65	120	36	134	1,676	2,092	1,478	1,152	835	579
1994	10,532	85	118	36	145	1,987	2,428	1,666	1,321	984	689
1993	11,100	83	136	45	162	1,985	2,636	1,750	1,391	1,020	706
1992	10,551	77	109	38	152	1,782	2,468	1,759	1,371	958	668
1991	11,081	85	104	28	132	1,863	2,479	1,881	1,503	1,032	674
1990	10,344	75	99	33	112	1,639	2,171	1,880	1,449	1,055	633
1989	9,239	74	100	44	109	1,322	1,839	1,699	1,356	919	578
1988	8,635	62	86	42	84	1,129	1,732	1,641	1,270	919	522
1987	7,767	61	57	32	96	874	1,539	1,411	1,147	848	516
1986	7,923	68	108	30	63	749	1,532	1,550	1,206	857	462
1985	6,843	48	73	35	60	667	1,216	1,252	1,078	731	484
1984	6,759	59	58	36	59	574	1,186	1,293	1,011	706	466
1983	7,055	42	84	28	57	633	1,294	1,304	1,068	676	504
1982	7,938	53	100	36	58	705	1,422	1,508	1,261	771	487
1981	8,509	37	93	38	77	739	1,543	1,635	1,271	804	581
1980	8,594	50	74	26	57	738	1,669	1,678	1,231	817	584
1979	8,078	46	61	33	56	707	1,440	1,552	1,138	781	593

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Assault (homicide) (E960-E969)											
All other, female											
1998	1,712	64	81	32	45	157	224	235	203	231	164
1997	1,826	67	73	33	39	171	229	229	236	234	185
1996	1,952	64	103	33	51	205	233	258	279	253	157
1995	2,123	62	90	27	48	243	252	291	333	275	172
1994	2,297	58	89	29	70	216	325	353	345	311	150
1993	2,484	63	105	31	76	256	368	412	381	263	174
1992	2,360	60	97	29	73	197	355	417	374	246	164
1991	2,542	88	98	29	53	221	392	417	411	264	163
1990	2,317	76	89	35	65	223	318	408	368	256	132
1989	2,247	83	91	40	51	171	334	398	329	228	125
1988	2,247	73	74	29	57	174	340	442	350	203	128
1987	2,095	56	82	23	36	178	354	362	306	175	136
1986	2,011	50	80	36	27	181	318	378	281	192	119
1985	1,782	31	71	37	26	155	272	314	259	184	101
1984	1,799	45	75	39	45	150	300	326	225	153	124
1983	1,792	47	70	21	20	165	319	313	239	160	107
1982	1,863	44	74	27	29	171	303	313	247	160	118
1981	1,948	44	60	24	37	167	368	314	271	164	111
1980	2,013	35	64	27	33	175	391	371	248	190	98
1979	1,975	28	76	27	28	193	371	314	232	178	105
Assault (homicide) (E960-E969)											
Black, both sexes											
1998	8,293	123	187	58	103	1,222	1,828	1,348	910	822	640
1997	9,147	110	147	64	115	1,435	2,073	1,447	1,062	889	663
1996	9,886	121	174	60	134	1,659	2,107	1,578	1,184	983	681
1995	10,689	120	192	55	160	1,796	2,232	1,670	1,398	1,041	694
1994	12,092	128	185	54	196	2,068	2,652	1,925	1,584	1,215	777
1993	12,811	132	217	68	224	2,125	2,881	2,051	1,669	1,216	811
1992	12,220	128	185	55	205	1,892	2,697	2,090	1,654	1,141	776
1991	12,859	159	184	50	176	1,992	2,760	2,180	1,800	1,199	787
1990	12,035	141	170	62	170	1,784	2,385	2,210	1,730	1,238	710
1989	10,858	142	172	66	148	1,438	2,076	2,003	1,595	1,077	650
1988	10,327	127	152	64	132	1,240	1,986	1,997	1,535	1,064	602
1987	9,383	109	130	49	120	1,005	1,815	1,704	1,402	969	604
1986	9,395	113	174	60	86	878	1,743	1,847	1,410	991	542
1985	8,189	75	136	60	77	775	1,423	1,499	1,289	859	550
1984	8,135	101	125	69	96	686	1,425	1,558	1,176	809	553
1983	8,387	81	142	43	73	755	1,540	1,528	1,253	800	575
1982	9,357	87	159	60	77	833	1,648	1,763	1,455	890	568
1981	10,019	71	147	57	106	865	1,834	1,890	1,491	923	655
1980	10,172	84	131	49	85	880	1,977	1,964	1,433	960	653
1979	9,656	70	132	56	82	865	1,743	1,796	1,313	929	667

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Assault (homicide) (E960-E969)											
Black, male											
1998	6,749	62	109	33	66	1,077	1,618	1,139	723	614	493
1997	7,496	51	84	34	82	1,281	1,858	1,232	842	675	496
1996	8,089	64	84	32	89	1,474	1,890	1,338	924	741	530
1995	8,757	61	109	32	118	1,568	2,003	1,405	1,089	790	544
1994	9,969	75	106	32	131	1,864	2,350	1,591	1,254	924	648
1993	10,516	76	122	39	151	1,883	2,532	1,674	1,316	971	652
1992	10,034	72	95	31	135	1,706	2,366	1,692	1,305	916	625
1991	10,531	77	97	25	125	1,788	2,387	1,788	1,424	964	644
1990	9,876	69	88	29	108	1,575	2,085	1,824	1,384	1,003	591
1989	8,789	69	91	36	100	1,279	1,762	1,630	1,290	868	540
1988	8,239	58	84	38	76	1,081	1,660	1,582	1,210	878	487
1987	7,418	56	53	28	89	839	1,483	1,357	1,111	805	482
1986	7,536	65	102	26	60	710	1,451	1,493	1,152	815	436
1985	6,527	46	70	30	55	634	1,160	1,197	1,050	691	451
1984	6,460	56	54	31	54	544	1,141	1,246	972	671	441
1983	6,720	39	77	26	54	605	1,235	1,245	1,025	651	477
1982	7,615	48	92	36	51	671	1,360	1,466	1,228	739	461
1981	8,195	33	90	35	71	705	1,495	1,589	1,236	775	553
1980	8,274	50	70	24	53	714	1,604	1,614	1,198	786	564
1979	7,787	43	60	29	55	683	1,394	1,501	1,095	759	568
Assault (homicide) (E960-E969)											
Black, female											
1998	1,544	61	78	25	37	145	210	209	187	208	147
1997	1,651	59	63	30	33	154	215	215	220	214	167
1996	1,797	57	90	28	45	185	217	240	260	242	151
1995	1,932	59	83	23	42	228	229	265	309	251	150
1994	2,123	53	79	22	65	204	302	334	330	291	129
1993	2,295	56	95	29	73	242	349	377	353	245	159
1992	2,186	56	90	24	70	186	331	398	349	225	151
1991	2,328	82	87	25	51	204	373	392	376	235	143
1990	2,159	72	82	33	62	209	300	386	346	235	119
1989	2,069	73	81	30	48	159	314	373	305	209	110
1988	2,088	69	68	26	56	159	326	415	325	186	115
1987	1,965	53	77	21	31	166	332	347	291	164	122
1986	1,859	48	72	34	26	168	292	354	258	176	106
1985	1,662	29	66	30	22	141	263	302	239	168	99
1984	1,675	45	71	38	42	142	284	312	204	138	112
1983	1,667	42	65	17	19	150	305	283	228	149	98
1982	1,742	39	67	24	26	162	288	297	227	151	107
1981	1,824	38	57	22	35	160	339	301	255	148	102
1980	1,898	34	61	25	32	166	373	350	235	174	89
1979	1,869	27	72	27	27	182	349	295	218	170	99

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Assault (homicide) by discharge of firearms (E965.0-E965.4)											
All races, both sexes											
1998	11,798	5	58	60	191	1,870	2,614	1,893	1,338	1,152	928
1997	13,252	9	53	77	207	2,216	2,894	2,093	1,613	1,269	948
1996	14,037	9	59	66	245	2,457	2,971	2,216	1,702	1,388	964
1995	15,551	8	74	70	310	2,787	3,257	2,439	2,009	1,437	1,110
1994	17,527	11	60	73	322	3,113	3,768	2,743	2,316	1,763	1,195
1993	18,253	14	71	99	359	3,082	4,023	2,880	2,415	1,790	1,200
1992	17,488	11	69	56	346	2,854	3,847	2,887	2,348	1,680	1,170
1991	17,746	10	71	52	287	2,827	3,815	2,983	2,453	1,740	1,174
1990	16,218	13	56	63	258	2,462	3,217	2,915	2,251	1,658	1,127
1989	14,464	12	67	77	227	1,984	2,745	2,621	2,095	1,468	1,041
1988	13,645	9	50	71	182	1,641	2,558	2,607	2,023	1,458	966
1987	12,657	7	41	55	173	1,297	2,451	2,327	1,866	1,437	887
1986	13,029	8	51	52	152	1,250	2,466	2,502	1,999	1,434	943
1985	11,836	6	53	58	141	1,064	2,053	2,218	1,776	1,324	934
1984	11,815	15	53	55	144	1,022	2,122	2,187	1,709	1,328	903
1983	12,040	7	34	60	109	1,028	2,162	2,236	1,826	1,285	968
1982	13,830	14	55	58	126	1,245	2,458	2,544	2,099	1,468	1,036
1981	15,089	13	48	55	150	1,394	2,819	2,766	2,223	1,481	1,099
1980	15,500	13	46	49	148	1,487	2,993	2,900	2,164	1,533	1,125
1979	14,491	7	42	67	119	1,416	2,710	2,585	1,994	1,410	1,060
Assault (homicide) by discharge of firearms (E965.0-E965.4)											
All races, male											
1998	9,771	2	34	23	129	1,662	2,334	1,628	1,104	891	724
1997	11,147	3	28	43	160	1,973	2,613	1,831	1,342	1,018	731
1996	11,735	5	32	35	180	2,181	2,686	1,920	1,404	1,089	742
1995	13,021	2	45	41	244	2,450	2,934	2,102	1,644	1,142	872
1994	14,766	7	31	36	238	2,790	3,351	2,360	1,908	1,419	985
1993	15,228	8	37	55	264	2,736	3,551	2,416	1,993	1,458	936
1992	14,747	7	39	39	255	2,556	3,419	2,445	1,970	1,376	937
1991	14,926	7	37	32	219	2,527	3,370	2,572	2,019	1,434	943
1990	13,629	7	32	30	188	2,177	2,869	2,497	1,870	1,389	916
1989	12,018	5	40	39	174	1,739	2,391	2,203	1,750	1,219	839
1988	11,134	5	29	39	124	1,440	2,208	2,147	1,668	1,177	765
1987	10,202	5	22	38	126	1,107	2,080	1,911	1,506	1,159	699
1986	10,656	3	29	32	111	1,043	2,093	2,076	1,675	1,176	754
1985	9,532	2	31	31	105	903	1,734	1,821	1,437	1,067	753
1984	9,615	11	29	29	98	833	1,753	1,840	1,422	1,090	728
1983	9,863	3	20	33	83	850	1,829	1,866	1,526	1,049	797
1982	11,402	10	32	33	81	1,049	2,066	2,151	1,779	1,215	818
1981	12,548	6	26	34	96	1,170	2,362	2,358	1,889	1,242	914
1980	12,878	8	30	33	100	1,239	2,532	2,472	1,849	1,256	928
1979	12,014	2	19	42	91	1,157	2,274	2,203	1,706	1,171	869

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,
sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Assault (homicide) by discharge of firearms (E965.0-E965.4)											
All races, female											
1998	2,027	3	24	37	62	208	280	265	234	261	204
1997	2,105	6	25	34	47	243	281	262	271	251	217
1996	2,302	4	27	31	65	276	285	296	298	299	222
1995	2,530	6	29	29	66	337	323	337	365	295	238
1994	2,761	4	29	37	84	323	417	383	408	344	210
1993	3,025	6	34	44	95	346	472	464	422	332	264
1992	2,741	4	30	17	91	298	428	442	378	304	233
1991	2,820	3	34	20	68	300	445	411	434	306	231
1990	2,589	6	24	33	70	285	348	418	381	269	211
1989	2,446	7	27	38	53	245	354	418	345	249	202
1988	2,511	4	21	32	58	201	350	460	355	281	201
1987	2,455	2	19	17	47	190	371	416	360	278	188
1986	2,373	5	22	20	41	207	373	426	324	258	189
1985	2,304	4	22	27	36	161	319	397	339	257	181
1984	2,200	4	24	26	46	189	369	347	287	238	175
1983	2,177	4	14	27	26	178	333	370	300	236	171
1982	2,428	4	23	25	45	196	392	393	320	253	218
1981	2,541	7	22	21	54	224	457	408	334	239	185
1980	2,622	5	16	16	48	248	461	428	315	277	197
1979	2,477	5	23	25	28	259	436	382	288	239	191
Assault (homicide) by discharge of firearms (E965.0-E965.4)											
White, both sexes											
1998	5,412	4	32	46	110	732	928	734	628	587	521
1997	6,025	3	36	49	105	852	982	830	775	656	523
1996	6,240	4	30	38	133	889	1,030	830	811	722	517
1995	7,144	4	41	46	154	1,063	1,209	1,027	956	737	640
1994	7,774	4	33	45	148	1,099	1,332	1,101	1,096	898	649
1993	7,918	6	39	58	160	1,041	1,344	1,149	1,141	872	627
1992	7,927	5	27	31	162	1,061	1,386	1,188	1,106	883	644
1991	7,944	7	40	32	133	969	1,379	1,231	1,128	896	634
1990	7,376	7	35	33	122	831	1,173	1,231	1,072	821	637
1989	6,718	7	42	47	106	670	1,033	1,131	980	755	609
1988	6,475	5	29	40	83	550	989	1,148	953	726	572
1987	6,374	6	24	38	83	479	1,024	1,127	930	776	508
1986	6,739	5	27	31	96	556	1,138	1,179	1,008	779	573
1985	6,491	4	32	40	89	470	1,041	1,154	916	766	567
1984	6,518	9	44	31	90	514	1,089	1,113	900	753	537
1983	6,567	6	24	45	64	489	1,070	1,163	963	732	581
1982	7,516	9	37	43	81	636	1,261	1,275	1,049	840	656
1981	8,053	8	33	38	82	729	1,416	1,350	1,139	817	644
1980	8,267	9	28	34	89	799	1,487	1,382	1,120	855	653
1979	7,657	4	26	43	70	770	1,373	1,254	998	753	583

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Assault (homicide) by discharge of firearms (E965.0-E965.4)

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
White, male											
1998	4,217	2	17	15	76	631	805	604	494	430	389
1997	4,783	1	20	28	83	731	853	697	620	495	387
1996	4,929	2	20	20	96	769	898	684	660	541	377
1995	5,674	2	23	25	121	908	1,050	848	753	569	485
1994	6,231	2	16	18	113	934	1,142	909	873	712	517
1993	6,233	3	19	29	114	892	1,132	921	910	685	461
1992	6,409	4	17	21	120	906	1,192	991	910	704	500
1991	6,350	5	20	19	101	826	1,171	1,039	907	716	483
1990	5,894	4	22	13	94	695	1,001	1,035	853	672	501
1989	5,315	2	27	22	79	547	868	915	796	613	474
1988	5,014	3	17	20	58	453	809	916	763	571	445
1987	4,907	5	12	26	55	392	836	900	724	596	386
1986	5,295	1	13	21	67	447	931	954	828	627	448
1985	5,005	1	19	25	63	382	852	924	713	598	442
1984	5,128	7	26	14	64	400	863	928	731	596	429
1983	5,193	3	16	25	46	384	888	945	794	587	469
1982	5,955	6	19	23	45	521	1,020	1,041	872	676	510
1981	6,528	4	17	22	49	595	1,176	1,115	942	674	523
1980	6,729	6	19	22	55	650	1,253	1,178	955	683	514
1979	6,201	1	13	28	57	620	1,139	1,041	845	617	456

Assault (homicide) by discharge of firearms (E965.0-E965.4)

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
White, female											
1998	1,195	2	15	31	34	101	123	130	134	157	132
1997	1,242	2	16	21	22	121	129	133	155	161	136
1996	1,311	2	10	18	37	120	132	146	151	181	140
1995	1,470	2	18	21	33	155	159	179	203	168	155
1994	1,543	2	17	27	35	165	190	192	223	186	132
1993	1,685	3	20	29	46	149	212	228	231	187	166
1992	1,518	1	10	10	42	155	194	197	196	179	144
1991	1,594	2	20	13	32	143	208	192	221	180	151
1990	1,482	3	13	20	28	136	172	196	219	149	136
1989	1,403	5	15	25	27	123	165	216	184	142	135
1988	1,461	2	12	20	25	97	180	232	190	155	127
1987	1,467	1	12	12	28	87	188	227	206	180	122
1986	1,444	4	14	10	29	109	207	225	180	152	125
1985	1,486	3	13	15	26	88	189	230	203	168	125
1984	1,390	2	18	17	26	114	226	185	169	157	108
1983	1,374	3	8	20	18	105	182	218	169	145	112
1982	1,561	3	18	20	36	115	241	234	177	164	146
1981	1,525	4	16	16	33	134	240	235	197	143	121
1980	1,538	3	9	12	34	149	234	204	165	172	139
1979	1,456	3	13	15	13	150	234	213	153	136	127

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Assault (homicide) by discharge of firearms (E965.0-E965.4)

All other, both sexes

1998	6,386	1	26	14	81	1,138	1,686	1,159	710	565	407
1997	7,227	6	17	28	102	1,364	1,912	1,263	838	613	425
1996	7,797	5	29	28	112	1,568	1,941	1,386	891	666	447
1995	8,407	4	33	24	156	1,724	2,048	1,412	1,053	700	470
1994	9,753	7	27	28	174	2,014	2,436	1,642	1,220	865	546
1993	10,335	8	32	41	199	2,041	2,679	1,731	1,274	918	573
1992	9,561	6	42	25	184	1,793	2,461	1,699	1,242	797	526
1991	9,802	3	31	20	154	1,858	2,436	1,752	1,325	844	540
1990	8,842	6	21	30	136	1,631	2,044	1,684	1,179	837	490
1989	7,746	5	25	30	121	1,314	1,712	1,490	1,115	713	432
1988	7,170	4	21	31	99	1,091	1,569	1,459	1,070	732	394
1987	6,283	1	17	17	90	818	1,427	1,200	936	661	379
1986	6,290	3	24	21	56	694	1,328	1,323	991	655	370
1985	5,345	2	21	18	52	594	1,012	1,064	860	558	367
1984	5,297	6	9	24	54	508	1,033	1,074	809	575	366
1983	5,473	1	10	15	45	539	1,092	1,073	863	553	387
1982	6,314	5	18	15	45	609	1,197	1,269	1,050	628	380
1981	7,036	5	15	17	68	665	1,403	1,416	1,084	664	455
1980	7,233	4	18	15	59	688	1,506	1,518	1,044	678	472
1979	6,834	3	16	24	49	646	1,337	1,331	996	657	477

Assault (homicide) by discharge of firearms (E965.0-E965.4)

All other, male

1998	5,554	-	17	8	53	1,031	1,529	1,024	610	461	335
1997	6,364	2	8	15	77	1,242	1,760	1,134	722	523	344
1996	6,806	3	12	15	84	1,412	1,788	1,236	744	548	365
1995	7,347	-	22	16	123	1,542	1,884	1,254	891	573	387
1994	8,535	5	15	18	125	1,856	2,209	1,451	1,035	707	468
1993	8,995	5	18	26	150	1,844	2,419	1,495	1,083	773	475
1992	8,338	3	22	18	135	1,650	2,227	1,454	1,060	672	437
1991	8,576	2	17	13	118	1,701	2,199	1,533	1,112	718	460
1990	7,735	3	10	17	94	1,482	1,868	1,462	1,017	717	415
1989	6,703	3	13	17	95	1,192	1,523	1,288	954	606	365
1988	6,120	2	12	19	66	987	1,399	1,231	905	606	320
1987	5,295	-	10	12	71	715	1,244	1,011	782	563	313
1986	5,361	2	16	11	44	596	1,162	1,122	847	549	306
1985	4,527	1	12	6	42	521	882	897	724	469	311
1984	4,487	4	3	15	34	433	890	912	691	494	299
1983	4,670	-	4	8	37	466	941	921	732	462	328
1982	5,447	4	13	10	36	528	1,046	1,110	907	539	308
1981	6,020	2	9	12	47	575	1,186	1,243	947	568	391
1980	6,149	2	11	11	45	589	1,279	1,294	894	573	414
1979	5,813	1	6	14	34	537	1,135	1,162	861	554	413

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Assault (homicide) by discharge of firearms (E965.0-E965.4)											
All other, female											
1998	832	1	9	6	28	107	157	135	100	104	72
1997	863	4	9	13	25	122	152	129	116	90	81
1996	991	2	17	13	28	156	153	150	147	118	82
1995	1,060	4	11	8	33	182	164	158	162	127	83
1994	1,218	2	12	10	49	158	227	191	185	158	78
1993	1,340	3	14	15	49	197	260	236	191	145	98
1992	1,223	3	20	7	49	143	234	245	182	125	89
1991	1,226	1	14	7	36	157	237	219	213	126	80
1990	1,107	3	11	13	42	149	176	222	162	120	75
1989	1,043	2	12	13	26	122	189	202	161	107	67
1988	1,050	2	9	12	33	104	170	228	165	126	74
1987	988	1	7	5	19	103	183	189	154	98	66
1986	929	1	8	10	12	98	166	201	144	106	64
1985	818	1	9	12	10	73	130	167	136	89	56
1984	810	2	6	9	20	75	143	162	118	81	67
1983	803	1	6	7	8	73	151	152	131	91	59
1982	867	1	5	5	9	81	151	159	143	89	72
1981	1,016	3	6	5	21	90	217	173	137	96	64
1980	1,084	2	7	4	14	99	227	224	150	105	58
1979	1,021	2	10	10	15	109	202	169	135	103	64
Assault (homicide) by discharge of firearms (E965.0-E965.4)											
Black, both sexes											
1998	6,053	1	24	11	68	1,075	1,637	1,110	669	537	377
1997	6,841	6	15	25	88	1,282	1,855	1,216	805	573	393
1996	7,403	5	25	22	102	1,493	1,866	1,334	853	628	418
1995	7,935	4	29	20	136	1,625	1,967	1,343	998	664	433
1994	9,302	7	26	26	159	1,903	2,368	1,582	1,172	820	509
1993	9,824	7	26	37	187	1,946	2,584	1,658	1,207	871	535
1992	9,151	6	41	22	166	1,726	2,370	1,648	1,194	761	490
1991	9,327	3	27	18	149	1,787	2,362	1,672	1,247	791	508
1990	8,497	6	19	26	133	1,571	1,972	1,641	1,136	806	459
1989	7,414	4	20	23	112	1,280	1,657	1,426	1,072	678	400
1988	6,875	4	19	26	92	1,053	1,518	1,412	1,022	697	373
1987	6,054	1	16	15	81	792	1,382	1,163	911	630	361
1986	6,040	3	21	18	55	666	1,280	1,284	945	630	348
1985	5,142	2	19	18	48	574	984	1,029	838	527	342
1984	5,085	5	9	20	48	491	1,002	1,045	773	549	346
1983	5,245	-	10	12	43	524	1,053	1,031	827	532	369
1982	6,082	5	15	15	40	585	1,153	1,233	1,023	604	357
1981	6,816	4	14	16	66	641	1,366	1,378	1,055	642	435
1980	7,028	4	18	15	56	669	1,465	1,471	1,016	663	456
1979	6,633	3	15	21	47	624	1,303	1,300	964	645	463

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Assault (homicide) by discharge of firearms (E965.0-E965.4)

Black, male

1998	5,298	-	15	5	46	976	1,489	984	579	444	311
1997	6,057	2	7	13	66	1,173	1,713	1,093	693	490	322
1996	6,484	3	11	13	76	1,352	1,724	1,194	715	516	338
1995	6,978	-	20	14	108	1,454	1,818	1,200	849	548	365
1994	8,171	5	15	17	112	1,753	2,155	1,404	993	671	442
1993	8,578	4	15	22	141	1,758	2,335	1,439	1,028	739	443
1992	8,005	3	22	17	119	1,589	2,147	1,413	1,023	646	409
1991	8,198	2	14	12	113	1,641	2,133	1,465	1,054	677	440
1990	7,453	3	9	14	92	1,431	1,804	1,428	983	691	389
1989	6,450	2	11	14	89	1,163	1,477	1,242	922	576	341
1988	5,893	2	12	16	60	955	1,352	1,201	868	583	302
1987	5,112	-	9	10	67	692	1,209	980	763	537	297
1986	5,176	2	15	8	43	575	1,126	1,097	811	530	290
1985	4,363	1	12	6	40	506	855	867	709	445	287
1984	4,325	3	3	11	29	418	867	888	665	472	286
1983	4,491	-	4	6	35	456	907	893	702	446	314
1982	5,259	4	10	10	32	508	1,010	1,081	889	518	290
1981	5,849	1	8	12	46	555	1,160	1,212	924	551	377
1980	5,989	2	11	11	43	575	1,247	1,257	870	561	403
1979	5,649	1	6	11	33	520	1,111	1,136	835	545	401

Assault (homicide) by discharge of firearms (E965.0-E965.4)

Black, female

1998	755	1	9	6	22	99	148	126	90	93	66
1997	784	4	8	12	22	109	142	123	112	83	71
1996	919	2	14	9	26	141	142	140	138	112	80
1995	957	4	9	6	28	171	149	143	149	116	68
1994	1,131	2	11	9	47	150	213	178	179	149	67
1993	1,246	3	11	15	46	188	249	219	179	132	92
1992	1,146	3	19	5	47	137	223	235	171	115	81
1991	1,129	1	13	6	36	146	229	207	193	114	68
1990	1,044	3	10	12	41	140	168	213	153	115	70
1989	964	2	9	9	23	117	180	184	150	102	59
1988	982	2	7	10	32	98	166	211	154	114	71
1987	942	1	7	5	14	100	173	183	148	93	64
1986	864	1	6	10	12	91	154	187	134	100	58
1985	779	1	7	12	8	68	129	162	129	82	55
1984	760	2	6	9	19	73	135	157	108	77	60
1983	754	-	6	6	8	68	146	138	125	86	55
1982	823	1	5	5	8	77	143	152	134	86	67
1981	967	3	6	4	20	86	206	166	131	91	58
1980	1,039	2	7	4	13	94	218	214	146	102	53
1979	984	2	9	10	14	104	192	164	129	100	62

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,
sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Assault (homicide) by other and unspecified means and their sequelae (E960-E964,E965.5-E969)											
All races, both sexes											
1998	6,095	317	341	110	96	413	534	590	626	722	647
1997	6,239	308	322	97	75	385	588	606	649	731	621
1996	6,597	323	361	113	89	437	611	622	777	809	641
1995	7,001	303	378	87	94	475	685	752	863	824	644
1994	7,020	302	413	83	91	419	713	805	890	878	611
1993	7,400	330	393	95	103	458	753	881	987	819	641
1992	7,656	315	360	90	93	421	812	971	1,029	860	662
1991	8,508	370	357	86	93	512	933	1,123	1,142	923	681
1990	8,396	319	321	93	98	558	1,037	1,203	1,151	936	622
1989	8,114	323	326	104	100	431	957	1,175	1,114	851	585
1988	8,139	306	331	108	97	478	1,041	1,176	1,082	777	582
1987	8,155	266	293	86	92	526	1,017	1,185	1,037	762	574
1986	8,433	270	331	82	93	588	1,148	1,260	1,043	813	543
1985	7,792	194	295	109	109	515	1,061	1,104	992	749	525
1984	7,695	222	288	100	130	514	1,084	1,172	882	660	511
1983	7,882	186	286	84	104	595	1,184	1,167	872	649	518
1982	8,243	229	322	108	111	664	1,235	1,175	884	656	521
1981	8,272	205	293	101	133	652	1,222	1,141	939	667	518
1980	8,467	197	273	104	114	735	1,322	1,166	929	682	484
1979	7,711	163	272	98	110	728	1,174	1,052	785	587	486
Assault (homicide) by other and unspecified means and their sequelae (E960-E964,E965.5-E969)											
All races, male											
1998	3,881	170	189	61	43	282	368	376	385	455	413
1997	3,960	179	181	52	39	247	408	397	390	452	428
1996	4,210	163	182	59	36	299	419	398	491	529	465
1995	4,387	173	208	46	42	296	465	462	534	522	434
1994	4,576	172	234	39	41	292	490	509	579	571	446
1993	4,717	185	237	50	39	307	505	545	620	545	455
1992	5,032	174	203	39	40	282	551	637	674	606	473
1991	5,592	199	198	39	46	349	606	741	770	648	497
1990	5,669	171	176	40	41	372	726	837	775	663	475
1989	5,348	160	175	50	35	273	642	797	773	594	426
1988	5,338	146	188	59	45	287	682	762	721	576	444
1987	5,369	150	142	41	40	320	655	784	715	548	421
1986	5,676	149	194	36	36	365	770	864	751	600	396
1985	5,274	104	153	53	56	320	732	769	723	539	390
1984	5,144	123	144	42	51	311	690	811	653	486	376
1983	5,390	89	161	47	57	386	807	815	653	485	379
1982	5,633	129	176	54	45	411	848	834	667	479	401
1981	5,740	100	157	54	62	417	854	845	682	517	396
1980	5,901	106	150	43	45	471	904	836	703	515	381
1979	5,274	102	135	49	54	477	788	749	587	447	372

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Assault (homicide) by other and unspecified means and their sequelae (E960-E964,E965.5-E969)

All races, female

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
1998	2,214	147	152	49	53	131	166	214	241	267	234
1997	2,279	129	141	45	36	138	180	209	259	279	193
1996	2,387	160	179	54	53	138	192	224	286	280	176
1995	2,614	130	170	41	52	179	220	290	329	302	210
1994	2,444	130	179	44	50	127	223	296	311	307	165
1993	2,683	145	156	45	64	151	248	336	367	274	186
1992	2,624	141	157	51	53	139	261	334	355	254	189
1991	2,916	171	159	47	47	163	327	382	372	275	184
1990	2,727	148	145	53	57	186	311	366	376	273	147
1989	2,766	163	151	54	65	158	315	378	341	257	159
1988	2,801	160	143	49	52	191	359	414	361	201	138
1987	2,786	116	151	45	52	206	362	401	322	214	153
1986	2,757	121	137	46	57	223	378	396	292	213	147
1985	2,518	90	142	56	53	195	329	335	269	210	135
1984	2,551	99	144	58	79	203	394	361	229	174	135
1983	2,492	97	125	37	47	209	377	352	219	164	139
1982	2,610	100	146	54	66	253	387	341	217	177	120
1981	2,532	105	136	47	71	235	368	296	257	150	122
1980	2,566	91	123	61	69	264	418	330	226	167	103
1979	2,437	61	137	49	56	251	386	303	198	140	114

Assault (homicide) by other and unspecified means and their sequelae (E960-E964,E965.5-E969)

White, both sexes

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
1998	3,596	184	167	52	58	254	323	315	357	411	355
1997	3,651	186	176	49	44	214	341	344	362	380	325
1996	3,848	197	195	74	50	247	340	340	416	431	355
1995	3,986	180	201	48	68	280	389	395	431	414	363
1994	3,944	166	233	46	50	230	396	428	444	448	318
1993	4,151	192	184	60	64	258	428	450	489	454	334
1992	4,306	184	196	48	52	235	450	494	526	453	356
1991	4,687	200	186	49	62	286	498	577	553	471	384
1990	4,577	174	154	55	57	327	592	599	513	462	347
1989	4,374	171	160	50	61	252	496	568	544	417	314
1988	4,427	175	192	68	55	266	538	552	532	387	326
1987	4,576	150	171	48	50	292	551	612	520	400	301
1986	4,789	155	167	37	59	352	626	655	547	419	332
1985	4,512	117	172	55	75	287	585	602	515	392	307
1984	4,434	124	164	49	80	298	631	627	455	376	287
1983	4,508	98	142	50	72	336	663	623	428	366	294
1982	4,756	137	166	60	69	397	707	623	426	353	296
1981	4,851	129	155	56	87	411	714	608	481	363	281
1980	5,093	116	153	66	83	510	768	635	494	353	274
1979	4,492	92	151	62	75	474	700	517	411	285	265

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Assault (homicide) by other and unspecified means and their sequelae (E960-E964,E965.5-E969)

White, male											
1998	2,262	100	87	29	22	173	224	201	219	271	213
1997	2,335	120	99	24	22	125	238	235	223	245	236
1996	2,422	99	102	40	20	158	228	224	262	286	254
1995	2,435	108	110	26	31	162	257	238	273	260	242
1994	2,579	92	131	21	21	161	271	294	293	294	225
1993	2,612	107	119	31	27	166	288	290	312	298	224
1992	2,819	100	116	19	23	150	310	332	363	320	242
1991	3,087	116	111	24	32	187	326	393	379	334	283
1990	3,060	99	87	24	23	215	423	419	343	325	257
1989	2,812	89	88	23	21	143	326	386	371	281	213
1988	2,823	86	114	36	27	145	349	352	356	263	242
1987	2,897	89	95	21	15	161	360	384	350	263	218
1986	3,114	83	102	17	17	212	400	436	392	292	240
1985	2,958	57	92	24	38	174	398	414	369	277	217
1984	2,872	68	89	21	26	170	394	430	333	274	209
1983	3,005	47	81	27	37	219	454	432	317	271	203
1982	3,142	80	89	28	23	234	472	436	313	247	222
1981	3,251	65	73	28	32	253	497	453	358	281	206
1980	3,456	58	87	28	33	322	514	452	366	271	211
1979	3,009	57	80	30	32	307	483	359	310	220	192

Assault (homicide) by other and unspecified means and their sequelae (E960-E964,E965.5-E969)

White, female											
1998	1,334	84	80	23	36	81	99	114	138	140	142
1997	1,316	66	77	25	22	89	103	109	139	135	89
1996	1,426	98	93	34	30	89	112	116	154	145	101
1995	1,551	72	91	22	37	118	132	157	158	154	121
1994	1,365	74	102	25	29	69	125	134	151	154	93
1993	1,539	85	65	29	37	92	140	160	177	156	110
1992	1,487	84	80	29	29	85	140	162	163	133	114
1991	1,600	84	75	25	30	99	172	184	174	137	101
1990	1,517	75	67	31	34	112	169	180	170	137	90
1989	1,562	82	72	27	40	109	170	182	173	136	101
1988	1,604	89	78	32	28	121	189	200	176	124	84
1987	1,679	61	76	27	35	131	191	228	170	137	83
1986	1,675	72	65	20	42	140	226	219	155	127	92
1985	1,554	60	80	31	37	113	187	188	146	115	90
1984	1,562	56	75	28	54	128	237	197	122	102	78
1983	1,503	51	61	23	35	117	209	191	111	95	91
1982	1,614	57	77	32	46	163	235	187	113	106	74
1981	1,600	64	82	28	55	158	217	155	123	82	75
1980	1,637	58	66	38	50	188	254	183	128	82	63
1979	1,483	35	71	32	43	167	217	158	101	65	73

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Assault (homicide) by other and unspecified means and their sequelae (E960-E964,E965.5-E969)											
All other, both sexes											
1998	2,499	133	174	58	38	159	211	275	269	311	292
1997	2,588	122	146	48	31	171	247	262	287	351	296
1996	2,749	126	166	39	39	190	271	282	361	378	286
1995	3,015	123	177	39	26	195	296	357	432	410	281
1994	3,076	136	180	37	41	189	317	377	446	430	293
1993	3,249	138	209	35	39	200	325	431	498	365	307
1992	3,350	131	164	42	41	186	362	477	503	407	306
1991	3,821	170	171	37	31	226	435	546	589	452	297
1990	3,819	145	167	38	41	231	445	604	638	474	275
1989	3,740	152	166	54	39	179	461	607	570	434	271
1988	3,712	131	139	40	42	212	503	624	550	390	256
1987	3,579	116	122	38	42	234	466	573	517	362	273
1986	3,644	115	164	45	34	236	522	605	496	394	211
1985	3,280	77	123	54	34	228	476	502	477	357	218
1984	3,261	98	124	51	50	216	453	545	427	284	224
1983	3,374	88	144	34	32	259	521	544	444	283	224
1982	3,487	92	156	48	42	267	528	552	458	303	225
1981	3,421	76	138	45	46	241	508	533	458	304	237
1980	3,374	81	120	38	31	225	554	531	435	329	210
1979	3,219	71	121	36	35	254	474	535	374	302	221
Assault (homicide) by other and unspecified means and their sequelae (E960-E964,E965.5-E969)											
All other, male											
1998	1,619	70	102	32	21	109	144	175	166	184	200
1997	1,625	59	82	28	17	122	170	162	167	207	192
1996	1,788	64	80	19	16	141	191	174	229	243	211
1995	1,952	65	98	20	11	134	208	224	261	262	192
1994	1,997	80	103	18	20	131	219	215	286	277	221
1993	2,105	78	118	19	12	141	217	255	308	247	231
1992	2,213	74	87	20	17	132	241	305	311	286	231
1991	2,505	83	87	15	14	162	280	348	391	314	214
1990	2,609	72	89	16	18	157	303	418	432	338	218
1989	2,536	71	87	27	14	130	316	411	402	313	213
1988	2,515	60	74	23	18	142	333	410	365	313	202
1987	2,472	61	47	20	25	159	295	400	365	285	203
1986	2,562	66	92	19	19	153	370	428	359	308	156
1985	2,316	47	61	29	18	146	334	355	354	262	173
1984	2,272	55	55	21	25	141	296	381	320	212	167
1983	2,385	42	80	20	20	167	353	383	336	214	176
1982	2,491	49	87	26	22	177	376	398	354	232	179
1981	2,489	35	84	26	30	164	357	392	324	236	190
1980	2,445	48	63	15	12	149	390	384	337	244	170
1979	2,265	45	55	19	22	170	305	390	277	227	180

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Assault (homicide) by other and unspecified means and their sequelae (E960-E964,E965.5-E969)											
All other, female											
1998	880	63	72	26	17	50	67	100	103	127	92
1997	963	63	64	20	14	49	77	100	120	144	104
1996	961	62	86	20	23	49	80	108	132	135	75
1995	1,063	58	79	19	15	61	88	133	171	148	89
1994	1,079	56	77	19	21	58	98	162	160	153	72
1993	1,144	60	91	16	27	59	108	176	190	118	76
1992	1,137	57	77	22	24	54	121	172	192	121	75
1991	1,316	87	84	22	17	64	155	198	198	138	83
1990	1,210	73	78	22	23	74	142	186	206	136	57
1989	1,204	81	79	27	25	49	145	196	168	121	58
1988	1,197	71	65	17	24	70	170	214	185	77	54
1987	1,107	55	75	18	17	75	171	173	152	77	70
1986	1,082	49	72	26	15	83	152	177	137	86	55
1985	964	30	62	25	16	82	142	147	123	95	45
1984	989	43	69	30	25	75	157	164	107	72	57
1983	989	46	64	14	12	92	168	161	108	69	48
1982	996	43	69	22	20	90	152	154	104	71	46
1981	932	41	54	19	16	77	151	141	134	68	47
1980	929	33	57	23	19	76	164	147	98	85	40
1979	954	26	66	17	13	84	169	145	97	75	41
Assault (homicide) by other and unspecified means and their sequelae (E960-E964,E965.5-E969)											
Black, both sexes											
1998	2,240	122	163	47	35	147	191	238	241	285	263
1997	2,306	104	132	39	27	153	218	231	257	316	270
1996	2,483	116	149	38	32	166	241	244	331	355	263
1995	2,754	116	163	35	24	171	265	327	400	377	261
1994	2,790	121	159	28	37	165	284	343	412	395	268
1993	2,987	125	191	31	37	179	297	393	462	345	276
1992	3,069	122	144	33	39	166	327	442	460	380	286
1991	3,532	156	157	32	27	205	398	508	553	408	279
1990	3,538	135	151	36	37	213	413	569	594	432	251
1989	3,444	138	152	43	36	158	419	577	523	399	250
1988	3,452	123	133	38	40	187	468	585	513	367	229
1987	3,329	108	114	34	39	213	433	541	491	339	243
1986	3,355	110	153	42	31	212	463	563	465	361	194
1985	3,047	73	117	42	29	201	439	470	451	332	208
1984	3,050	96	116	49	48	195	423	513	403	260	207
1983	3,142	81	132	31	30	231	487	497	426	268	206
1982	3,275	82	144	45	37	248	495	530	432	286	211
1981	3,203	67	133	41	40	224	468	512	436	281	220
1980	3,144	80	113	34	29	211	512	493	417	297	197
1979	3,023	67	117	35	35	241	440	496	349	284	204

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Assault (homicide) by other and unspecified means and their sequelae (E960-E964,E965.5-E969)											
Black, male											
1998	1,451	62	94	28	20	101	129	155	144	170	182
1997	1,439	49	77	21	16	108	145	139	149	185	174
1996	1,605	61	73	19	13	122	166	144	209	225	192
1995	1,779	61	89	18	10	114	185	205	240	242	179
1994	1,798	70	91	15	19	111	195	187	261	253	206
1993	1,938	72	107	17	10	125	197	235	288	232	209
1992	2,029	69	73	14	16	117	219	279	282	270	216
1991	2,333	75	83	13	12	147	254	323	370	287	204
1990	2,423	66	79	15	16	144	281	396	401	312	202
1989	2,339	67	80	22	11	116	285	388	368	292	199
1988	2,346	56	72	22	16	126	308	381	342	295	185
1987	2,306	56	44	18	22	147	274	377	348	268	185
1986	2,360	63	87	18	17	135	325	396	341	285	146
1985	2,164	45	58	24	15	128	305	330	341	246	164
1984	2,135	53	51	20	25	126	274	358	307	199	155
1983	2,229	39	73	20	19	149	328	352	323	205	163
1982	2,356	44	82	26	19	163	350	385	339	221	171
1981	2,346	32	82	23	25	150	335	377	312	224	176
1980	2,285	48	59	13	10	139	357	357	328	225	161
1979	2,138	42	54	18	22	163	283	365	260	214	167
Assault (homicide) by other and unspecified means and their sequelae (E960-E964,E965.5-E969)											
Black, female											
1998	789	60	69	19	15	46	62	83	97	115	81
1997	867	55	55	18	11	45	73	92	108	131	96
1996	878	55	76	19	19	44	75	100	122	130	71
1995	975	55	74	17	14	57	80	122	160	135	82
1994	992	51	68	13	18	54	89	156	151	142	62
1993	1,049	53	84	14	27	54	100	158	174	113	67
1992	1,040	53	71	19	23	49	108	163	178	110	70
1991	1,199	81	74	19	15	58	144	185	183	121	75
1990	1,115	69	72	21	21	69	132	173	193	120	49
1989	1,105	71	72	21	25	42	134	189	155	107	51
1988	1,106	67	61	16	24	61	160	204	171	72	44
1987	1,023	52	70	16	17	66	159	164	143	71	58
1986	995	47	66	24	14	77	138	167	124	76	48
1985	883	28	59	18	14	73	134	140	110	86	44
1984	915	43	65	29	23	69	149	155	96	61	52
1983	913	42	59	11	11	82	159	145	103	63	43
1982	919	38	62	19	18	85	145	145	93	65	40
1981	857	35	51	18	15	74	133	135	124	57	44
1980	859	32	54	21	19	72	155	136	89	72	36
1979	885	25	63	17	13	78	157	131	89	70	37

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Legal intervention (E970-E978)											
All races, both sexes											
1998	379	-	-	-	3	28	47	54	64	58	60
1997	355	-	-	-	1	17	46	48	66	67	41
1996	337	-	-	-	1	30	42	52	59	49	43
1995	343	-	-	-	1	30	50	36	63	52	51
1994	379	-	-	-	3	37	66	59	75	57	27
1993	356	-	-	-	-	36	72	50	65	59	28
1992	344	-	1	-	2	27	58	58	50	56	32
1991	259	-	-	-	1	26	46	51	49	28	25
1990	318	-	1	-	-	22	58	62	61	39	35
1989	331	-	-	-	2	27	41	68	62	38	36
1988	248	-	-	-	1	16	37	51	53	38	13
1987	291	-	-	-	1	15	48	70	61	46	16
1986	269	-	-	-	-	24	46	51	49	35	15
1985	265	-	-	-	-	23	56	63	37	33	16
1984	286	-	-	-	-	28	49	55	49	39	22
1983	269	-	-	-	-	19	49	50	50	31	26
1982	285	-	-	-	-	28	65	65	46	25	23
1981	285	-	-	-	1	25	60	59	51	37	15
1980	311	-	-	-	-	31	79	51	57	33	12
1979	348	-	-	-	-	47	81	78	51	29	13
Legal intervention (E970-E978)											
All races, male											
1998	371	-	-	-	1	27	47	54	64	56	60
1997	342	-	-	-	1	16	45	45	63	65	41
1996	324	-	-	-	1	29	41	51	58	47	41
1995	332	-	-	-	1	30	49	36	62	51	49
1994	365	-	-	-	3	36	65	57	72	54	27
1993	345	-	-	-	-	36	71	49	63	54	28
1992	336	-	-	-	2	27	56	58	48	56	31
1991	250	-	-	-	1	25	46	50	47	28	21
1990	306	-	-	-	-	22	56	58	59	38	35
1989	320	-	-	-	2	27	40	65	60	37	34
1988	240	-	-	-	1	16	35	48	51	37	13
1987	284	-	-	-	1	15	46	69	60	44	15
1986	263	-	-	-	-	24	46	50	49	34	15
1985	260	-	-	-	-	22	56	62	37	32	16
1984	279	-	-	-	-	28	47	55	49	37	22
1983	261	-	-	-	-	19	47	50	47	30	26
1982	280	-	-	-	-	28	65	61	46	24	23
1981	284	-	-	-	1	25	60	58	51	37	15
1980	309	-	-	-	-	31	78	50	57	33	12
1979	340	-	-	-	-	47	81	76	50	28	12

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Legal intervention (E970-E978)											
All races, female											
1998	8	-	-	-	2	1	-	-	-	2	-
1997	13	-	-	-	-	1	1	3	3	2	-
1996	13	-	-	-	-	1	1	1	1	2	2
1995	11	-	-	-	-	-	1	-	1	1	2
1994	14	-	-	-	-	1	1	2	3	3	-
1993	11	-	-	-	-	-	1	1	2	5	-
1992	8	-	1	-	-	-	2	-	2	-	1
1991	9	-	-	-	-	1	-	1	2	-	4
1990	12	-	1	-	-	-	2	4	2	1	-
1989	11	-	-	-	-	-	1	3	2	1	2
1988	8	-	-	-	-	-	2	3	2	1	-
1987	7	-	-	-	-	-	2	1	1	2	1
1986	6	-	-	-	-	-	-	1	-	1	-
1985	5	-	-	-	-	1	-	1	-	1	-
1984	7	-	-	-	-	-	2	-	-	2	-
1983	8	-	-	-	-	-	2	-	3	1	-
1982	5	-	-	-	-	-	-	4	-	1	-
1981	1	-	-	-	-	-	-	1	-	-	-
1980	2	-	-	-	-	-	1	1	-	-	-
1979	8	-	-	-	-	-	-	2	1	1	1
Legal intervention (E970-E978)											
White, both sexes											
1998	233	-	-	-	1	11	14	31	45	38	49
1997	237	-	-	-	-	14	25	32	39	44	28
1996	229	-	-	-	1	14	26	27	47	41	27
1995	234	-	-	-	-	16	28	28	38	40	34
1994	258	-	-	-	1	20	44	36	50	46	20
1993	217	-	-	-	-	16	41	24	45	41	17
1992	235	-	1	-	2	12	35	39	35	39	24
1991	151	-	-	-	1	10	24	27	30	18	16
1990	200	-	1	-	-	12	30	34	44	25	27
1989	216	-	-	-	1	14	24	41	36	26	26
1988	164	-	-	-	1	8	22	37	27	28	12
1987	178	-	-	-	1	10	28	34	37	30	11
1986	162	-	-	-	-	11	33	32	23	23	11
1985	160	-	-	-	-	11	33	34	24	17	12
1984	175	-	-	-	-	17	31	30	27	24	16
1983	160	-	-	-	-	8	27	31	29	19	19
1982	167	-	-	-	-	11	45	34	31	15	10
1981	162	-	-	-	1	16	38	29	26	21	8
1980	198	-	-	-	-	14	48	31	34	26	7
1979	185	-	-	-	-	30	43	40	28	14	5

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Legal intervention (E970-E978)											
White, male											
1998	228	-	-	-	-	11	14	31	45	36	49
1997	225	-	-	-	-	13	24	29	36	43	28
1996	219	-	-	-	1	13	25	27	46	40	25
1995	227	-	-	-	-	16	28	28	37	40	33
1994	245	-	-	-	1	19	43	34	47	43	20
1993	209	-	-	-	-	16	41	24	43	37	17
1992	228	-	-	-	2	12	34	39	33	39	23
1991	144	-	-	-	1	9	24	26	28	18	14
1990	193	-	-	-	-	12	29	30	44	25	27
1989	210	-	-	-	1	14	23	40	35	25	25
1988	157	-	-	-	1	8	20	34	25	28	12
1987	175	-	-	-	1	10	27	34	37	29	10
1986	158	-	-	-	-	11	33	31	23	22	11
1985	159	-	-	-	-	11	33	34	24	17	12
1984	171	-	-	-	-	17	30	30	27	23	16
1983	157	-	-	-	-	8	26	31	29	19	19
1982	163	-	-	-	-	11	45	31	31	14	10
1981	162	-	-	-	1	16	38	29	26	21	8
1980	196	-	-	-	-	14	47	30	34	26	7
1979	182	-	-	-	-	30	43	39	28	14	5
Legal intervention (E970-E978)											
White, female											
1998	5	-	-	-	1	-	-	-	-	2	-
1997	12	-	-	-	-	1	1	3	3	1	-
1996	10	-	-	-	-	1	1	-	1	1	2
1995	7	-	-	-	-	-	-	-	1	-	1
1994	13	-	-	-	-	1	1	2	3	3	-
1993	8	-	-	-	-	-	-	-	2	4	-
1992	7	-	1	-	-	-	1	-	2	-	1
1991	7	-	-	-	-	1	-	1	2	-	2
1990	7	-	1	-	-	-	1	4	-	-	-
1989	6	-	-	-	-	-	1	1	1	1	1
1988	7	-	-	-	-	-	2	3	2	-	-
1987	3	-	-	-	-	-	1	-	-	1	1
1986	4	-	-	-	-	-	-	1	-	1	-
1985	1	-	-	-	-	-	-	-	-	-	-
1984	4	-	-	-	-	-	1	-	-	1	-
1983	3	-	-	-	-	-	1	-	-	-	-
1982	4	-	-	-	-	-	-	3	-	1	-
1981	-	-	-	-	-	-	-	-	-	-	-
1980	2	-	-	-	-	-	1	1	-	-	-
1979	3	-	-	-	-	-	-	1	-	-	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Legal intervention (E970-E978)											
All other, both sexes											
1998	146	-	-	-	2	17	33	23	19	20	11
1997	118	-	-	-	1	3	21	16	27	23	13
1996	108	-	-	-	-	16	16	25	12	8	16
1995	109	-	-	-	1	14	22	8	25	12	17
1994	121	-	-	-	2	17	22	23	25	11	7
1993	139	-	-	-	-	20	31	26	20	18	11
1992	109	-	-	-	-	15	23	19	15	17	8
1991	108	-	-	-	-	16	22	24	19	10	9
1990	118	-	-	-	-	10	28	28	17	14	8
1989	115	-	-	-	1	13	17	27	26	12	10
1988	84	-	-	-	-	8	15	14	26	10	1
1987	113	-	-	-	-	5	20	36	24	16	5
1986	107	-	-	-	-	13	13	19	26	12	4
1985	105	-	-	-	-	12	23	29	13	16	4
1984	111	-	-	-	-	11	18	25	22	15	6
1983	109	-	-	-	-	11	22	19	21	12	7
1982	118	-	-	-	-	17	20	31	15	10	13
1981	123	-	-	-	-	9	22	30	25	16	7
1980	113	-	-	-	-	17	31	20	23	7	5
1979	163	-	-	-	-	17	38	38	23	15	8
Legal intervention (E970-E978)											
All other, male											
1998	143	-	-	-	1	16	33	23	19	20	11
1997	117	-	-	-	1	3	21	16	27	22	13
1996	105	-	-	-	-	16	16	24	12	7	16
1995	105	-	-	-	1	14	21	8	25	11	16
1994	120	-	-	-	2	17	22	23	25	11	7
1993	136	-	-	-	-	20	30	25	20	17	11
1992	108	-	-	-	-	15	22	19	15	17	8
1991	106	-	-	-	-	16	22	24	19	10	7
1990	113	-	-	-	-	10	27	28	15	13	8
1989	110	-	-	-	1	13	17	25	25	12	9
1988	83	-	-	-	-	8	15	14	26	9	1
1987	109	-	-	-	-	5	19	35	23	15	5
1986	105	-	-	-	-	13	13	19	26	12	4
1985	101	-	-	-	-	11	23	28	13	15	4
1984	108	-	-	-	-	11	17	25	22	14	6
1983	104	-	-	-	-	11	21	19	18	11	7
1982	117	-	-	-	-	17	20	30	15	10	13
1981	122	-	-	-	-	9	22	29	25	16	7
1980	113	-	-	-	-	17	31	20	23	7	5
1979	158	-	-	-	-	17	38	37	22	14	7

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Legal intervention (E970-E978)											
All other, female											
1998	3	-	-	-	1	1	-	-	-	-	-
1997	1	-	-	-	-	-	-	-	-	1	-
1996	3	-	-	-	-	-	-	1	-	1	-
1995	4	-	-	-	-	-	1	-	-	1	1
1994	1	-	-	-	-	-	-	-	-	-	-
1993	3	-	-	-	-	-	1	1	-	1	-
1992	1	-	-	-	-	-	1	-	-	-	-
1991	2	-	-	-	-	-	-	-	-	-	2
1990	5	-	-	-	-	-	1	-	2	1	-
1989	5	-	-	-	-	-	-	2	1	-	1
1988	1	-	-	-	-	-	-	-	-	1	-
1987	4	-	-	-	-	-	1	1	1	1	-
1986	2	-	-	-	-	-	-	-	-	-	-
1985	4	-	-	-	-	1	-	1	-	1	-
1984	3	-	-	-	-	-	1	-	-	1	-
1983	5	-	-	-	-	-	1	-	3	1	-
1982	1	-	-	-	-	-	-	1	-	-	-
1981	1	-	-	-	-	-	-	1	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-
1979	5	-	-	-	-	-	-	1	1	1	1
Legal intervention (E970-E978)											
Black, both sexes											
1998	127	-	-	-	2	16	29	21	17	16	8
1997	106	-	-	-	1	3	18	15	26	22	9
1996	97	-	-	-	-	14	15	22	11	7	16
1995	94	-	-	-	1	13	19	7	21	10	15
1994	115	-	-	-	1	16	22	23	23	9	7
1993	126	-	-	-	-	18	28	22	18	16	11
1992	98	-	-	-	-	14	22	18	13	14	7
1991	99	-	-	-	-	14	19	22	19	10	8
1990	109	-	-	-	-	10	22	27	17	13	8
1989	104	-	-	-	-	13	14	23	23	12	10
1988	76	-	-	-	-	8	13	12	23	10	1
1987	104	-	-	-	-	5	20	33	23	13	4
1986	100	-	-	-	-	11	12	18	25	10	4
1985	93	-	-	-	-	12	20	27	12	11	4
1984	105	-	-	-	-	10	16	25	21	14	6
1983	107	-	-	-	-	10	21	19	21	12	7
1982	116	-	-	-	-	16	19	31	15	10	13
1981	118	-	-	-	-	9	22	29	24	15	6
1980	111	-	-	-	-	17	30	19	23	7	5
1979	156	-	-	-	-	16	36	37	22	14	7

Source: CDC/NCHS, National Vital Statistics System
See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Legal intervention (E970-E978)											
Black, male											
1998	124	-	-	-	1	15	29	21	17	16	8
1997	105	-	-	-	1	3	18	15	26	21	9
1996	94	-	-	-	-	14	15	21	11	6	16
1995	90	-	-	-	1	13	18	7	21	9	14
1994	114	-	-	-	1	16	22	23	23	9	7
1993	124	-	-	-	-	18	28	21	18	15	11
1992	97	-	-	-	-	14	21	18	13	14	7
1991	97	-	-	-	-	14	19	22	19	10	6
1990	105	-	-	-	-	10	22	27	15	12	8
1989	99	-	-	-	-	13	14	21	22	12	9
1988	75	-	-	-	-	8	13	12	23	9	1
1987	100	-	-	-	-	5	19	32	22	12	4
1986	98	-	-	-	-	11	12	18	25	10	4
1985	89	-	-	-	-	11	20	26	12	10	4
1984	103	-	-	-	-	10	15	25	21	13	6
1983	102	-	-	-	-	10	20	19	18	11	7
1982	115	-	-	-	-	16	19	30	15	10	13
1981	117	-	-	-	-	9	22	28	24	15	6
1980	111	-	-	-	-	17	30	19	23	7	5
1979	151	-	-	-	-	16	36	36	21	13	6
Legal intervention (E970-E978)											
Black, female											
1998	3	-	-	-	1	1	-	-	-	-	-
1997	1	-	-	-	-	-	-	-	-	1	-
1996	3	-	-	-	-	-	-	1	-	1	-
1995	4	-	-	-	-	-	1	-	-	1	1
1994	1	-	-	-	-	-	-	-	-	-	-
1993	2	-	-	-	-	-	-	1	-	1	-
1992	1	-	-	-	-	-	1	-	-	-	-
1991	2	-	-	-	-	-	-	-	-	-	2
1990	4	-	-	-	-	-	-	-	2	1	-
1989	5	-	-	-	-	-	-	2	1	-	1
1988	1	-	-	-	-	-	-	-	-	1	-
1987	4	-	-	-	-	-	1	1	1	1	-
1986	2	-	-	-	-	-	-	-	-	-	-
1985	4	-	-	-	-	1	-	1	-	1	-
1984	2	-	-	-	-	-	1	-	-	1	-
1983	5	-	-	-	-	-	1	-	3	1	-
1982	1	-	-	-	-	-	-	1	-	-	-
1981	1	-	-	-	-	-	-	1	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-
1979	5	-	-	-	-	-	-	1	1	1	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Events of undetermined intent (E980-E989)											
All races, both sexes											
1998	3,746	75	43	15	51	139	203	307	427	638	648
1997	3,657	57	40	16	32	146	214	263	453	659	638
1996	3,463	58	54	23	25	166	201	266	497	618	545
1995	3,301	57	45	11	35	154	209	278	502	621	510
1994	3,419	47	47	22	49	175	248	327	492	579	482
1993	3,419	61	39	17	42	150	270	319	565	548	469
1992	2,895	41	34	12	33	137	204	328	434	503	406
1991	2,507	48	41	11	39	150	173	261	373	400	271
1990	2,376	53	31	18	35	125	185	285	362	327	253
1989	2,686	51	56	7	42	126	219	339	421	396	269
1988	3,018	42	55	22	51	157	292	414	483	387	246
1987	3,011	57	76	21	42	149	266	409	465	390	249
1986	3,108	51	53	11	38	149	316	407	457	375	237
1985	2,826	54	71	19	38	133	264	386	406	322	206
1984	2,996	60	56	25	50	154	341	409	367	297	215
1983	3,104	56	71	26	49	164	347	423	383	273	229
1982	3,201	73	67	23	40	186	373	431	402	312	183
1981	3,614	81	84	23	48	241	421	436	398	301	232
1980	3,663	68	100	34	48	250	452	508	386	278	252
1979	3,860	85	95	28	72	283	495	492	375	289	259
Events of undetermined intent (E980-E989)											
All races, male											
1998	2,597	53	27	9	44	112	159	214	295	452	469
1997	2,656	37	19	9	27	116	173	200	335	502	470
1996	2,523	29	26	15	22	143	165	198	379	452	419
1995	2,461	28	28	8	29	133	174	206	370	495	394
1994	2,508	24	21	12	39	155	201	242	359	438	374
1993	2,513	38	22	10	36	121	215	241	430	416	352
1992	2,105	24	18	7	29	113	169	254	324	379	302
1991	1,755	29	16	4	27	117	128	193	279	309	188
1990	1,719	30	20	13	27	99	150	220	279	249	188
1989	1,942	30	33	2	31	107	177	246	329	304	186
1988	2,193	28	26	15	43	123	218	308	379	307	174
1987	2,186	32	41	12	33	113	188	307	371	302	182
1986	2,258	30	33	5	32	121	238	319	335	282	171
1985	2,019	30	43	10	28	97	195	297	325	240	152
1984	2,151	36	27	14	39	126	251	317	294	208	158
1983	2,180	27	46	14	42	124	251	318	296	188	165
1982	2,298	43	40	15	33	139	278	346	305	232	129
1981	2,533	36	47	13	35	186	317	337	308	213	159
1980	2,620	44	60	21	39	192	357	399	296	195	169
1979	2,671	36	57	20	47	208	386	370	274	195	170

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Events of undetermined intent (E980-E989)											
All races, female											
1998	1,149	22	16	6	7	27	44	93	132	186	179
1997	1,001	20	21	7	5	30	41	63	118	157	168
1996	940	29	28	8	3	23	36	68	118	166	126
1995	840	29	17	3	6	21	35	72	132	126	116
1994	911	23	26	10	10	20	47	85	133	141	108
1993	906	23	17	7	6	29	55	78	135	132	117
1992	790	17	16	5	4	24	35	74	110	124	104
1991	752	19	25	7	12	33	45	68	94	91	83
1990	657	23	11	5	8	26	35	65	83	78	65
1989	744	21	23	5	11	19	42	93	92	92	83
1988	825	14	29	7	8	34	74	106	104	80	72
1987	825	25	35	9	9	36	78	102	94	88	67
1986	850	21	20	6	6	28	78	88	122	93	66
1985	807	24	28	9	10	36	69	89	81	82	54
1984	845	24	29	11	11	28	90	92	73	89	57
1983	924	29	25	12	7	40	96	105	87	85	64
1982	903	30	27	8	7	47	95	85	97	80	54
1981	1,081	45	37	10	13	55	104	99	90	88	73
1980	1,043	24	40	13	9	58	95	109	90	83	83
1979	1,189	49	38	8	25	75	109	122	101	94	89
Events of undetermined intent (E980-E989)											
White, both sexes											
1998	2,952	53	28	12	35	108	162	245	337	507	495
1997	2,839	38	22	9	28	103	153	195	355	523	501
1996	2,680	39	33	15	22	110	143	211	376	483	424
1995	2,475	34	26	8	26	102	147	213	393	475	385
1994	2,620	27	29	11	33	127	192	255	377	454	366
1993	2,575	30	20	12	31	106	211	231	432	399	344
1992	2,229	22	19	6	24	92	155	258	331	379	314
1991	1,942	27	28	6	28	107	126	201	287	309	214
1990	1,808	22	13	11	28	93	138	213	277	254	197
1989	1,961	25	40	4	37	97	166	231	306	258	200
1988	2,237	22	29	13	40	111	209	280	357	282	186
1987	2,185	40	37	9	35	113	191	286	331	258	180
1986	2,315	27	19	7	28	113	246	310	327	271	178
1985	2,148	26	42	11	29	109	208	300	287	233	157
1984	2,254	34	30	14	36	124	273	294	255	213	157
1983	2,316	20	38	15	36	128	253	313	286	204	168
1982	2,382	38	38	13	27	156	278	309	285	232	115
1981	2,727	47	45	16	38	192	319	344	272	219	156
1980	2,785	40	54	17	37	195	365	386	281	204	169
1979	2,902	41	52	15	55	211	373	353	279	210	192

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Events of undetermined intent (E980-E989)											
White, male											
1998	1,988	35	15	6	31	85	122	173	234	349	345
1997	2,039	25	11	6	24	78	123	148	263	398	363
1996	1,924	20	17	10	20	94	116	154	282	351	326
1995	1,833	16	14	6	23	89	123	159	295	385	293
1994	1,891	16	11	6	27	111	154	184	280	340	285
1993	1,876	20	12	7	28	85	169	175	329	304	253
1992	1,593	14	9	3	21	74	127	202	247	284	233
1991	1,357	16	12	1	19	84	94	150	212	244	153
1990	1,303	13	8	9	20	73	110	171	217	194	139
1989	1,402	12	23	1	28	81	134	175	238	199	134
1988	1,607	13	14	10	33	82	162	212	279	218	131
1987	1,557	24	23	8	27	85	137	208	263	201	124
1986	1,672	16	15	3	23	90	189	241	240	202	130
1985	1,532	14	24	7	22	80	154	233	235	174	116
1984	1,608	21	11	10	31	101	203	230	203	148	109
1983	1,623	9	23	8	31	100	186	237	220	145	115
1982	1,687	21	24	10	21	119	205	251	215	174	74
1981	1,893	22	27	8	27	153	234	262	214	149	105
1980	1,966	27	35	12	33	155	288	309	217	135	113
1979	2,001	20	32	12	35	158	303	267	204	136	125
Events of undetermined intent (E980-E989)											
White, female											
1998	964	18	13	6	4	23	40	72	103	158	150
1997	800	13	11	3	4	25	30	47	92	125	138
1996	756	19	16	5	2	16	27	57	94	132	98
1995	642	18	12	2	3	13	24	54	98	90	92
1994	729	11	18	5	6	16	38	71	97	114	81
1993	699	10	8	5	3	21	42	56	103	95	91
1992	636	8	10	3	3	18	28	56	84	95	81
1991	585	11	16	5	9	23	32	51	75	65	61
1990	505	9	5	2	8	20	28	42	60	60	58
1989	559	13	17	3	9	16	32	56	68	59	66
1988	630	9	15	3	7	29	47	68	78	64	55
1987	628	16	14	1	8	28	54	78	68	57	56
1986	643	11	4	4	5	23	57	69	87	69	48
1985	616	12	18	4	7	29	54	67	52	59	41
1984	646	13	19	4	5	23	70	64	52	65	48
1983	693	11	15	7	5	28	67	76	66	59	53
1982	695	17	14	3	6	37	73	58	70	58	41
1981	834	25	18	8	11	39	85	82	58	70	51
1980	819	13	19	5	4	40	77	77	64	69	56
1979	901	21	20	3	20	53	70	86	75	74	67

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Events of undetermined intent (E980-E989)											
All other, both sexes											
1998	794	22	15	3	16	31	41	62	90	131	153
1997	818	19	18	7	4	43	61	68	98	136	137
1996	783	19	21	8	3	56	58	55	121	135	121
1995	826	23	19	3	9	52	62	65	109	146	125
1994	799	20	18	11	16	48	56	72	115	125	116
1993	844	31	19	5	11	44	59	88	133	149	125
1992	666	19	15	6	9	45	49	70	103	124	92
1991	565	21	13	5	11	43	47	60	86	91	57
1990	568	31	18	7	7	32	47	72	85	73	56
1989	725	26	16	3	5	29	53	108	115	138	69
1988	781	20	26	9	11	46	83	134	126	105	60
1987	826	17	39	12	7	36	75	123	134	132	69
1986	793	24	34	4	10	36	70	97	130	104	59
1985	678	28	29	8	9	24	56	86	119	89	49
1984	742	26	26	11	14	30	68	115	112	84	58
1983	788	36	33	11	13	36	94	110	97	69	61
1982	819	35	29	10	13	30	95	122	117	80	68
1981	887	34	39	7	10	49	102	92	126	82	76
1980	878	28	46	17	11	55	87	122	105	74	83
1979	958	44	43	13	17	72	122	139	96	79	67
Events of undetermined intent (E980-E989)											
All other, male											
1998	609	18	12	3	13	27	37	41	61	103	124
1997	617	12	8	3	3	38	50	52	72	104	107
1996	599	9	9	5	2	49	49	44	97	101	93
1995	628	12	14	2	6	44	51	47	75	110	101
1994	617	8	10	6	12	44	47	58	79	98	89
1993	637	18	10	3	8	36	46	66	101	112	99
1992	512	10	9	4	8	39	42	52	77	95	69
1991	398	13	4	3	8	33	34	43	67	65	35
1990	416	17	12	4	7	26	40	49	62	55	49
1989	540	18	10	1	3	26	43	71	91	105	52
1988	586	15	12	5	10	41	56	96	100	89	43
1987	629	8	18	4	6	28	51	99	108	101	58
1986	586	14	18	2	9	31	49	78	95	80	41
1985	487	16	19	3	6	17	41	64	90	66	36
1984	543	15	16	4	8	25	48	87	91	60	49
1983	557	18	23	6	11	24	65	81	76	43	50
1982	611	22	16	5	12	20	73	95	90	58	55
1981	640	14	20	5	8	33	83	75	94	64	54
1980	654	17	25	9	6	37	69	90	79	60	56
1979	670	16	25	8	12	50	83	103	70	59	45

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Events of undetermined intent (E980-E989)											
All other, female											
1998	185	4	3	-	3	4	4	21	29	28	29
1997	201	7	10	4	1	5	11	16	26	32	30
1996	184	10	12	3	1	7	9	11	24	34	28
1995	198	11	5	1	3	8	11	18	34	36	24
1994	182	12	8	5	4	4	9	14	36	27	27
1993	207	13	9	2	3	8	13	22	32	37	26
1992	154	9	6	2	1	6	7	18	26	29	23
1991	167	8	9	2	3	10	13	17	19	26	22
1990	152	14	6	3	-	6	7	23	23	18	7
1989	185	8	6	2	2	3	10	37	24	33	17
1988	195	5	14	4	1	5	27	38	26	16	17
1987	197	9	21	8	1	8	24	24	26	31	11
1986	207	10	16	2	1	5	21	19	35	24	18
1985	191	12	10	5	3	7	15	22	29	23	13
1984	199	11	10	7	6	5	20	28	21	24	9
1983	231	18	10	5	2	12	29	29	21	26	11
1982	208	13	13	5	1	10	22	27	27	22	13
1981	247	20	19	2	2	16	19	17	32	18	22
1980	224	11	21	8	5	18	18	32	26	14	27
1979	288	28	18	5	5	22	39	36	26	20	22
Events of undetermined intent (E980-E989)											
Black, both sexes											
1998	708	16	15	3	14	28	34	47	82	116	141
1997	730	14	17	7	4	39	51	60	94	123	123
1996	713	19	19	7	2	55	51	51	110	126	110
1995	729	19	18	3	9	39	49	56	102	135	112
1994	718	18	17	11	14	47	44	63	106	112	112
1993	749	29	17	3	9	34	50	78	114	140	117
1992	598	17	15	5	8	39	41	61	93	117	86
1991	507	19	11	5	10	40	39	50	80	85	52
1990	492	29	15	7	7	20	41	60	79	67	53
1989	662	24	16	3	3	23	43	99	109	129	65
1988	713	19	23	8	11	38	75	124	114	97	56
1987	751	17	38	11	3	32	66	110	126	121	60
1986	683	24	33	3	7	29	52	78	112	92	53
1985	598	26	25	8	8	19	42	71	110	80	46
1984	660	24	24	9	12	26	53	102	106	78	53
1983	697	34	29	11	12	31	77	97	86	62	53
1982	718	32	26	9	13	25	77	104	108	72	61
1981	795	31	37	7	10	38	88	87	113	76	69
1980	795	26	46	16	10	44	79	108	95	65	77
1979	865	41	41	13	14	62	112	119	90	73	59

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Events of undetermined intent (E980-E989)											
Black, male											
1998	549	13	12	3	12	24	32	30	57	93	112
1997	556	9	7	3	3	35	44	46	69	95	95
1996	551	9	8	4	1	48	45	40	89	97	86
1995	560	10	13	2	6	32	41	39	71	106	93
1994	555	7	9	6	11	44	38	50	71	89	86
1993	562	16	9	2	6	28	38	57	86	105	95
1992	459	9	9	3	7	35	35	46	68	89	64
1991	359	12	4	3	7	30	27	38	63	60	33
1990	359	15	10	4	7	18	34	39	57	51	46
1989	490	16	10	1	2	23	34	63	86	98	49
1988	542	14	11	5	10	35	49	91	94	82	41
1987	569	8	17	3	3	24	45	89	100	93	51
1986	509	14	17	2	6	25	36	61	83	73	37
1985	432	14	18	3	6	15	31	51	84	59	33
1984	485	14	14	3	7	23	34	76	89	57	46
1983	490	17	21	6	10	20	51	72	66	39	44
1982	537	21	13	5	12	15	60	81	83	53	50
1981	581	13	18	5	8	27	74	73	82	60	50
1980	594	17	25	9	6	31	63	80	73	52	51
1979	606	14	24	8	10	43	75	92	65	54	41
Events of undetermined intent (E980-E989)											
Black, female											
1998	159	3	3	-	2	4	2	17	25	23	29
1997	174	5	10	4	1	4	7	14	25	28	28
1996	162	10	11	3	1	7	6	11	21	29	24
1995	169	9	5	1	3	7	8	17	31	29	19
1994	163	11	8	5	3	3	6	13	35	23	26
1993	187	13	8	1	3	6	12	21	28	35	22
1992	139	8	6	2	1	4	6	15	25	28	22
1991	148	7	7	2	3	10	12	12	17	25	19
1990	133	14	5	3	-	2	7	21	22	16	7
1989	172	8	6	2	1	-	9	36	23	31	16
1988	171	5	12	3	1	3	26	33	20	15	15
1987	182	9	21	8	-	8	21	21	26	28	9
1986	174	10	16	1	1	4	16	17	29	19	16
1985	166	12	7	5	2	4	11	20	26	21	13
1984	175	10	10	6	5	3	19	26	17	21	7
1983	207	17	8	5	2	11	26	25	20	23	9
1982	181	11	13	4	1	10	17	23	25	19	11
1981	214	18	19	2	2	11	14	14	31	16	19
1980	201	9	21	7	4	13	16	28	22	13	26
1979	259	27	17	5	4	19	37	27	25	19	18

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Discharge of firearms, undetermined intent (E985.0-E985.4)											
All races, both sexes											
1998	316	-	1	1	18	54	37	27	27	35	22
1997	367	-	2	1	11	61	54	40	36	34	29
1996	413	-	3	1	9	79	65	37	42	43	31
1995	394	-	3	4	18	90	74	42	34	29	26
1994	518	-	2	6	22	107	82	55	61	45	30
1993	563	-	1	3	18	82	101	57	72	52	25
1992	408	-	1	4	15	70	62	69	43	40	41
1991	364	-	-	1	8	86	51	45	38	27	31
1990	347	-	-	-	14	52	67	49	31	26	23
1989	340	-	-	1	18	51	55	37	40	26	20
1988	442	1	-	1	31	58	67	58	48	29	27
1987	405	-	-	4	16	59	58	57	47	35	19
1986	492	-	-	-	17	54	87	72	65	38	27
1985	476	-	2	4	13	53	71	74	47	54	25
1984	482	-	1	1	23	50	89	64	44	30	36
1983	507	1	1	2	9	57	95	81	62	46	28
1982	535	-	1	3	9	64	106	72	66	51	25
1981	679	1	2	2	14	93	116	100	78	51	42
1980	626	-	2	3	15	83	117	122	64	38	32
1979	640	1	2	3	16	91	134	85	64	45	45
Discharge of firearms, undetermined intent (E985.0-E985.4)											
All races, male											
1998	254	-	-	1	18	49	27	21	20	24	18
1997	302	-	1	1	9	55	46	36	30	21	20
1996	357	-	1	1	9	72	62	32	37	32	26
1995	312	-	2	3	14	82	64	27	28	19	17
1994	449	-	1	5	21	103	73	49	50	39	26
1993	466	-	-	3	17	73	90	43	56	38	20
1992	343	-	-	3	13	67	54	61	35	27	30
1991	301	-	-	-	8	76	40	37	28	23	24
1990	289	-	-	-	12	43	58	38	24	19	21
1989	286	-	-	1	15	49	50	29	29	24	14
1988	355	-	-	-	28	55	56	41	33	24	17
1987	327	-	-	3	11	53	37	45	42	27	15
1986	415	-	-	-	16	47	72	62	44	33	21
1985	388	-	2	4	9	43	57	59	39	40	23
1984	401	-	1	1	20	43	66	55	35	27	32
1983	409	-	1	-	9	47	69	69	47	34	25
1982	448	-	1	2	8	53	87	61	60	39	20
1981	554	-	2	1	13	80	93	79	62	41	30
1980	519	-	1	2	13	74	99	101	46	32	23
1979	508	-	1	3	11	74	110	68	52	33	32

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Discharge of firearms, undetermined intent (E985.0-E985.4)											
All races, female											
1998	62	-	1	-	-	5	10	6	7	11	4
1997	65	-	1	-	2	6	8	4	6	13	9
1996	56	-	2	-	-	7	3	5	5	11	5
1995	82	-	1	1	4	8	10	15	6	10	9
1994	69	-	1	1	1	4	9	6	11	6	4
1993	97	-	1	-	1	9	11	14	16	14	5
1992	65	-	1	1	2	3	8	8	8	13	11
1991	63	-	-	1	-	10	11	8	10	4	7
1990	58	-	-	-	2	9	9	11	7	7	2
1989	54	-	-	-	3	2	5	8	11	2	6
1988	87	1	-	1	3	3	11	17	15	5	10
1987	78	-	-	1	5	6	21	12	5	8	4
1986	77	-	-	-	1	7	15	10	21	5	6
1985	88	-	-	-	4	10	14	15	8	14	2
1984	81	-	-	-	3	7	23	9	9	3	4
1983	98	1	-	2	-	10	26	12	15	12	3
1982	87	-	-	1	1	11	19	11	6	12	5
1981	125	1	-	1	1	13	23	21	16	10	12
1980	107	-	1	1	2	9	18	21	18	6	9
1979	132	1	1	-	5	17	24	17	12	12	13
Discharge of firearms, undetermined intent (E985.0-E985.4)											
White, both sexes											
1998	245	-	1	-	15	33	24	21	19	30	18
1997	263	-	-	-	8	35	30	24	27	29	25
1996	288	-	2	1	8	42	38	20	29	34	27
1995	290	-	1	3	11	51	49	32	32	24	20
1994	394	-	2	3	16	71	53	42	50	36	22
1993	444	-	-	2	10	48	75	47	57	43	22
1992	309	-	1	1	9	41	42	57	35	32	32
1991	293	-	-	1	5	56	37	36	34	24	31
1990	284	-	-	-	11	39	51	40	24	23	19
1989	279	-	-	1	18	37	42	27	37	20	14
1988	350	-	-	1	23	35	51	41	41	25	24
1987	341	-	-	2	14	50	48	44	40	25	17
1986	406	-	-	-	13	43	70	58	51	28	23
1985	401	-	1	3	12	44	59	61	37	44	21
1984	418	-	-	-	19	43	78	55	37	26	29
1983	417	-	1	1	6	44	74	61	56	43	24
1982	447	-	-	2	8	55	82	52	55	44	20
1981	531	-	-	2	11	76	82	80	56	41	31
1980	524	-	2	2	14	67	99	101	52	33	28
1979	512	-	1	3	10	66	109	65	53	34	40

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Discharge of firearms, undetermined intent (E985.0-E985.4)											
White, male											
1998	192	-	-	-	15	30	17	16	13	19	14
1997	216	-	-	-	7	30	24	22	22	19	19
1996	248	-	1	1	8	39	35	16	25	25	23
1995	228	-	-	3	10	46	42	19	27	17	12
1994	331	-	1	2	15	68	45	37	40	30	18
1993	363	-	-	2	10	43	67	35	43	30	17
1992	254	-	-	-	8	39	36	49	28	21	24
1991	242	-	-	-	5	53	28	31	24	20	24
1990	233	-	-	-	9	30	43	31	20	17	17
1989	236	-	-	1	15	35	41	20	28	19	9
1988	275	-	-	-	21	33	42	27	27	21	14
1987	280	-	-	2	9	46	33	33	38	20	13
1986	344	-	-	-	13	36	59	50	36	24	17
1985	326	-	1	3	8	36	45	49	30	32	19
1984	347	-	-	-	16	37	57	49	29	23	26
1983	342	-	1	-	6	38	54	52	42	33	21
1982	373	-	-	2	7	46	66	44	49	34	16
1981	438	-	-	1	11	66	63	65	45	35	23
1980	431	-	1	2	13	58	82	83	36	27	21
1979	410	-	1	3	6	51	90	53	44	24	28
Discharge of firearms, undetermined intent (E985.0-E985.4)											
White, female											
1998	53	-	1	-	-	3	7	5	6	11	4
1997	47	-	-	-	1	5	6	2	5	10	6
1996	40	-	1	-	-	3	3	4	4	9	4
1995	62	-	1	-	1	5	7	13	5	7	8
1994	63	-	1	1	1	3	8	5	10	6	4
1993	81	-	-	-	-	5	8	12	14	13	5
1992	55	-	1	1	1	2	6	8	7	11	8
1991	51	-	-	1	-	3	9	5	10	4	7
1990	51	-	-	-	2	9	8	9	4	6	2
1989	43	-	-	-	3	2	1	7	9	1	5
1988	75	-	-	1	2	2	9	14	14	4	10
1987	61	-	-	-	5	4	15	11	2	5	4
1986	62	-	-	-	-	7	11	8	15	4	6
1985	75	-	-	-	4	8	14	12	7	12	2
1984	71	-	-	-	3	6	21	6	8	3	3
1983	75	-	-	1	-	6	20	9	14	10	3
1982	74	-	-	-	1	9	16	8	6	10	4
1981	93	-	-	1	-	10	19	15	11	6	8
1980	93	-	1	-	1	9	17	18	16	6	7
1979	102	-	-	-	4	15	19	12	9	10	12

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Discharge of firearms, undetermined intent (E985.0-E985.4)											
All other, both sexes											
1998	71	-	-	1	3	21	13	6	8	5	4
1997	104	-	2	1	3	26	24	16	9	5	4
1996	125	-	1	-	1	37	27	17	13	9	4
1995	104	-	2	1	7	39	25	10	2	5	6
1994	124	-	-	3	6	36	29	13	11	9	8
1993	119	-	1	1	8	34	26	10	15	9	3
1992	99	-	-	3	6	29	20	12	8	8	9
1991	71	-	-	-	3	30	14	9	4	3	-
1990	63	-	-	-	3	13	16	9	7	3	4
1989	61	-	-	-	-	14	13	10	3	6	6
1988	92	1	-	-	8	23	16	17	7	4	3
1987	64	-	-	2	2	9	10	13	7	10	2
1986	86	-	-	-	4	11	17	14	14	10	4
1985	75	-	1	1	1	9	12	13	10	10	4
1984	64	-	1	1	4	7	11	9	7	4	7
1983	90	1	-	1	3	13	21	20	6	3	4
1982	88	-	1	1	1	9	24	20	11	7	5
1981	148	1	2	-	3	17	34	20	22	10	11
1980	102	-	-	1	1	16	18	21	12	5	4
1979	128	1	1	-	6	25	25	20	11	11	5
Discharge of firearms, undetermined intent (E985.0-E985.4)											
All other, male											
1998	62	-	-	1	3	19	10	5	7	5	4
1997	86	-	1	1	2	25	22	14	8	2	1
1996	109	-	-	-	1	33	27	16	12	7	3
1995	84	-	2	-	4	36	22	8	1	2	5
1994	118	-	-	3	6	35	28	12	10	9	8
1993	103	-	-	1	7	30	23	8	13	8	3
1992	89	-	-	3	5	28	18	12	7	6	6
1991	59	-	-	-	3	23	12	6	4	3	-
1990	56	-	-	-	3	13	15	7	4	2	4
1989	50	-	-	-	-	14	9	9	1	5	5
1988	80	-	-	-	7	22	14	14	6	3	3
1987	47	-	-	1	2	7	4	12	4	7	2
1986	71	-	-	-	3	11	13	12	8	9	4
1985	62	-	1	1	1	7	12	10	9	8	4
1984	54	-	1	1	4	6	9	6	6	4	6
1983	67	-	-	-	3	9	15	17	5	1	4
1982	75	-	1	-	1	7	21	17	11	5	4
1981	116	-	2	-	2	14	30	14	17	6	7
1980	88	-	-	-	-	16	17	18	10	5	2
1979	98	-	-	-	5	23	20	15	8	9	4

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,
sex and year

	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Discharge of firearms, undetermined intent (E985.0-E985.4)											
All other, female											
1998	9	-	-	-	-	2	3	1	1	-	-
1997	18	-	1	-	1	1	2	2	1	3	3
1996	16	-	1	-	-	4	-	1	1	2	1
1995	20	-	-	1	3	3	3	2	1	3	1
1994	6	-	-	-	-	1	1	1	1	-	-
1993	16	-	1	-	1	4	3	2	2	1	-
1992	10	-	-	-	1	1	2	-	1	2	3
1991	12	-	-	-	-	7	2	3	-	-	-
1990	7	-	-	-	-	-	1	2	3	1	-
1989	11	-	-	-	-	-	4	1	2	1	1
1988	12	1	-	-	1	1	2	3	1	1	-
1987	17	-	-	1	-	2	6	1	3	3	-
1986	15	-	-	-	1	-	4	2	6	1	-
1985	13	-	-	-	-	2	-	3	1	2	-
1984	10	-	-	-	-	1	2	3	1	-	1
1983	23	1	-	1	-	4	6	3	1	2	-
1982	13	-	-	1	-	2	3	3	-	2	1
1981	32	1	-	-	1	3	4	6	5	4	4
1980	14	-	-	1	1	-	1	3	2	-	2
1979	30	1	1	-	1	2	5	5	3	2	1
Discharge of firearms, undetermined intent (E985.0-E985.4)											
Black, both sexes											
1998	62	-	-	1	3	19	11	4	7	5	3
1997	93	-	2	1	3	24	20	16	9	4	3
1996	119	-	1	-	-	36	27	16	13	8	3
1995	87	-	2	1	7	30	23	9	1	4	6
1994	112	-	-	3	5	35	24	13	10	6	8
1993	102	-	1	1	6	28	24	8	12	8	3
1992	90	-	-	2	6	28	18	9	8	8	7
1991	65	-	-	-	2	28	13	7	4	3	-
1990	58	-	-	-	3	12	14	8	7	3	3
1989	53	-	-	-	-	12	12	8	3	5	6
1988	82	1	-	-	8	20	14	15	7	4	2
1987	56	-	-	2	2	8	9	12	6	7	2
1986	70	-	-	-	3	9	9	13	13	10	3
1985	58	-	1	1	1	8	8	8	8	8	3
1984	50	-	-	-	3	7	7	6	7	3	7
1983	81	-	-	1	3	12	18	19	4	3	4
1982	81	-	1	1	1	9	21	18	10	7	5
1981	131	1	2	-	3	15	27	19	18	10	10
1980	85	-	-	1	1	12	15	16	10	5	3
1979	112	1	1	-	5	21	22	16	10	10	4

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Discharge of firearms, undetermined intent (E985.0-E985.4)

Black, male

1998	56	-	-	1	3	17	9	4	6	5	3
1997	79	-	1	1	2	23	19	14	8	2	1
1996	104	-	-	-	-	32	27	15	12	6	3
1995	70	-	2	-	4	27	20	7	1	1	5
1994	107	-	-	3	5	35	23	12	9	6	8
1993	88	-	-	1	5	25	21	6	11	7	3
1992	81	-	-	2	5	27	16	9	7	6	5
1991	54	-	-	-	2	21	11	5	4	3	-
1990	52	-	-	-	3	12	13	7	4	2	3
1989	42	-	-	-	-	12	8	7	1	4	5
1988	72	-	-	-	7	20	12	13	6	3	2
1987	40	-	-	1	2	6	4	11	3	4	2
1986	56	-	-	-	2	9	6	11	7	9	3
1985	48	-	1	1	1	7	8	5	7	7	3
1984	42	-	-	-	3	6	5	5	6	3	6
1983	59	-	-	-	3	8	12	16	3	1	4
1982	69	-	1	-	1	7	18	16	10	5	4
1981	104	-	2	-	2	13	25	14	13	6	7
1980	71	-	-	-	-	12	14	13	8	5	1
1979	84	-	-	-	4	19	17	12	8	8	3

Discharge of firearms, undetermined intent (E985.0-E985.4)

Black, female

1998	6	-	-	-	-	2	2	-	1	-	-
1997	14	-	1	-	1	1	1	2	1	2	2
1996	15	-	1	-	-	4	-	1	1	2	-
1995	17	-	-	1	3	3	3	2	-	3	1
1994	5	-	-	-	-	-	1	1	1	-	-
1993	14	-	1	-	1	3	3	2	1	1	-
1992	9	-	-	-	1	1	2	-	1	2	2
1991	11	-	-	-	-	7	2	2	-	-	-
1990	6	-	-	-	-	-	1	1	3	1	-
1989	11	-	-	-	-	-	4	1	2	1	1
1988	10	1	-	-	1	-	2	2	1	1	-
1987	16	-	-	1	-	2	5	1	3	3	-
1986	14	-	-	-	1	-	3	2	6	1	-
1985	10	-	-	-	-	1	-	3	1	1	-
1984	8	-	-	-	-	1	2	1	1	-	1
1983	22	-	-	1	-	4	6	3	1	2	-
1982	12	-	-	1	-	2	3	2	-	2	1
1981	27	1	-	-	1	2	2	5	5	4	3
1980	14	-	-	1	1	-	1	3	2	-	2
1979	28	1	1	-	1	2	5	4	2	2	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other and unspecified events of undetermined intent and their sequelae (E980-E984,E985.5-E989)											
All races, both sexes											
1998	3,430	75	42	14	33	85	166	280	400	603	626
1997	3,290	57	38	15	21	85	160	223	417	625	609
1996	3,050	58	51	22	16	87	136	229	455	575	514
1995	2,907	57	42	7	17	64	135	236	468	592	484
1994	2,901	47	45	16	27	68	166	272	431	534	452
1993	2,856	61	38	14	24	68	169	262	493	496	444
1992	2,487	41	33	8	18	67	142	259	391	463	365
1991	2,143	48	41	10	31	64	122	216	335	373	240
1990	2,029	53	31	18	21	73	118	236	331	301	230
1989	2,346	51	56	6	24	75	164	302	381	370	249
1988	2,576	41	55	21	20	99	225	356	435	358	219
1987	2,606	57	76	17	26	90	208	352	418	355	230
1986	2,616	51	53	11	21	95	229	335	392	337	210
1985	2,350	54	69	15	25	80	193	312	359	268	181
1984	2,514	60	55	24	27	104	252	345	323	267	179
1983	2,597	55	70	24	40	107	252	342	321	227	201
1982	2,666	73	66	20	31	122	267	359	336	261	158
1981	2,935	80	82	21	34	148	305	336	320	250	190
1980	3,037	68	98	31	33	167	335	386	322	240	220
1979	3,220	84	93	25	56	192	361	407	311	244	214
Other and unspecified events of undetermined intent and their sequelae (E980-E984,E985.5-E989)											
All races, male											
1998	2,343	53	27	8	26	63	132	193	275	428	451
1997	2,354	37	18	8	18	61	127	164	305	481	450
1996	2,166	29	25	14	13	71	103	166	342	420	393
1995	2,149	28	26	5	15	51	110	179	342	476	377
1994	2,059	24	20	7	18	52	128	193	309	399	348
1993	2,047	38	22	7	19	48	125	198	374	378	332
1992	1,762	24	18	4	16	46	115	193	289	352	272
1991	1,454	29	16	4	19	41	88	156	251	286	164
1990	1,430	30	20	13	15	56	92	182	255	230	167
1989	1,656	30	33	1	16	58	127	217	300	280	172
1988	1,838	28	26	15	15	68	162	267	346	283	157
1987	1,859	32	41	9	22	60	151	262	329	275	167
1986	1,843	30	33	5	16	74	166	257	291	249	150
1985	1,631	30	41	6	19	54	138	238	286	200	129
1984	1,750	36	26	13	19	83	185	262	259	181	126
1983	1,771	27	45	14	33	77	182	249	249	154	140
1982	1,850	43	39	13	25	86	191	285	245	193	109
1981	1,979	36	45	12	22	106	224	258	246	172	129
1980	2,101	44	59	19	26	118	258	298	250	163	146
1979	2,163	36	56	17	36	134	276	302	222	162	138

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Other and unspecified events of undetermined intent and their sequelae (E980-E984,E985.5-E989)

All races, female

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
1998	1,087	22	15	6	7	22	34	87	125	175	175
1997	936	20	20	7	3	24	33	59	112	144	159
1996	884	29	26	8	3	16	33	63	113	155	121
1995	758	29	16	2	2	13	25	57	126	116	107
1994	842	23	25	9	9	16	38	79	122	135	104
1993	809	23	16	7	5	20	44	64	119	118	112
1992	725	17	15	4	2	21	27	66	102	111	93
1991	689	19	25	6	12	23	34	60	84	87	76
1990	599	23	11	5	6	17	26	54	76	71	63
1989	690	21	23	5	8	17	37	85	81	90	77
1988	738	13	29	6	5	31	63	89	89	75	62
1987	747	25	35	8	4	30	57	90	89	80	63
1986	773	21	20	6	5	21	63	78	101	88	60
1985	719	24	28	9	6	26	55	74	73	68	52
1984	764	24	29	11	8	21	67	83	64	86	53
1983	826	28	25	10	7	30	70	93	72	73	61
1982	816	30	27	7	6	36	76	74	91	68	49
1981	956	44	37	9	12	42	81	78	74	78	61
1980	936	24	39	12	7	49	77	88	72	77	74
1979	1,057	48	37	8	20	58	85	105	89	82	76

Other and unspecified events of undetermined intent and their sequelae (E980-E984,E985.5-E989)

White, both sexes

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
1998	2,707	53	27	12	20	75	138	224	318	477	477
1997	2,576	38	22	9	20	68	123	171	328	494	476
1996	2,392	39	31	14	14	68	105	191	347	449	397
1995	2,185	34	25	5	15	51	98	181	361	451	365
1994	2,226	27	27	8	17	56	139	213	327	418	344
1993	2,131	30	20	10	21	58	136	184	375	356	322
1992	1,920	22	18	5	15	51	113	201	296	347	282
1991	1,649	27	28	5	23	51	89	165	253	285	183
1990	1,524	22	13	11	17	54	87	173	253	231	178
1989	1,682	25	40	3	19	60	124	204	269	238	186
1988	1,887	22	29	12	17	76	158	239	316	257	162
1987	1,844	40	37	7	21	63	143	242	291	233	163
1986	1,909	27	19	7	15	70	176	252	276	243	155
1985	1,747	26	41	8	17	65	149	239	250	189	136
1984	1,836	34	30	14	17	81	195	239	218	187	128
1983	1,899	20	37	14	30	84	179	252	230	161	144
1982	1,935	38	38	11	19	101	196	257	230	188	95
1981	2,196	47	45	14	27	116	237	264	216	178	125
1980	2,261	40	52	15	23	128	266	285	229	171	141
1979	2,390	41	51	12	45	145	264	288	226	176	152

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Other and unspecified events of undetermined intent and their sequelae (E980-E984,E985.5-E989)

White, male

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
1998	1,796	35	15	6	16	55	105	157	221	330	331
1997	1,823	25	11	6	17	48	99	126	241	379	344
1996	1,676	20	16	9	12	55	81	138	257	326	303
1995	1,605	16	14	3	13	43	81	140	268	368	281
1994	1,560	16	10	4	12	43	109	147	240	310	267
1993	1,513	20	12	5	18	42	102	140	286	274	236
1992	1,339	14	9	3	13	35	91	153	219	263	209
1991	1,115	16	12	1	14	31	66	119	188	224	129
1990	1,070	13	8	9	11	43	67	140	197	177	122
1989	1,166	12	23	-	13	46	93	155	210	180	125
1988	1,332	13	14	10	12	49	120	185	252	197	117
1987	1,277	24	23	6	18	39	104	175	225	181	111
1986	1,328	16	15	3	10	54	130	191	204	178	113
1985	1,206	14	23	4	14	44	109	184	205	142	97
1984	1,261	21	11	10	15	64	146	181	174	125	83
1983	1,281	9	22	8	25	62	132	185	178	112	94
1982	1,314	21	24	8	14	73	139	207	166	140	58
1981	1,455	22	27	7	16	87	171	197	169	114	82
1980	1,535	27	34	10	20	97	206	226	181	108	92
1979	1,591	20	31	9	29	107	213	214	160	112	97

Other and unspecified events of undetermined intent and their sequelae (E980-E984,E985.5-E989)

White, female

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
1998	911	18	12	6	4	20	33	67	97	147	146
1997	753	13	11	3	3	20	24	45	87	115	132
1996	716	19	15	5	2	13	24	53	90	123	94
1995	580	18	11	2	2	8	17	41	93	83	84
1994	666	11	17	4	5	13	30	66	87	108	77
1993	618	10	8	5	3	16	34	44	89	82	86
1992	581	8	9	2	2	16	22	48	77	84	73
1991	534	11	16	4	9	20	23	46	65	61	54
1990	454	9	5	2	6	11	20	33	56	54	56
1989	516	13	17	3	6	14	31	49	59	58	61
1988	555	9	15	2	5	27	38	54	64	60	45
1987	567	16	14	1	3	24	39	67	66	52	52
1986	581	11	4	4	5	16	46	61	72	65	42
1985	541	12	18	4	3	21	40	55	45	47	39
1984	575	13	19	4	2	17	49	58	44	62	45
1983	618	11	15	6	5	22	47	67	52	49	50
1982	621	17	14	3	5	28	57	50	64	48	37
1981	741	25	18	7	11	29	66	67	47	64	43
1980	726	13	18	5	3	31	60	59	48	63	49
1979	799	21	20	3	16	38	51	74	66	64	55

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Other and unspecified events of undetermined intent and their sequelae (E980-E984,E985.5-E989)											
All other, both sexes											
1998	723	22	15	2	13	10	28	56	82	126	149
1997	714	19	16	6	1	17	37	52	89	131	133
1996	658	19	20	8	2	19	31	38	108	126	117
1995	722	23	17	2	2	13	37	55	107	141	119
1994	675	20	18	8	10	12	27	59	104	116	108
1993	725	31	18	4	3	10	33	78	118	140	122
1992	567	19	15	3	3	16	29	58	95	116	83
1991	494	21	13	5	8	13	33	51	82	88	57
1990	505	31	18	7	4	19	31	63	78	70	52
1989	664	26	16	3	5	15	40	98	112	132	63
1988	689	19	26	9	3	23	67	117	119	101	57
1987	762	17	39	10	5	27	65	110	127	122	67
1986	707	24	34	4	6	25	53	83	116	94	55
1985	603	28	28	7	8	15	44	73	109	79	45
1984	678	26	25	10	10	23	57	106	105	80	51
1983	698	35	33	10	10	23	73	90	91	66	57
1982	731	35	28	9	12	21	71	102	106	73	63
1981	739	33	37	7	7	32	68	72	104	72	65
1980	776	28	46	16	10	39	69	101	93	69	79
1979	830	43	42	13	11	47	97	119	85	68	62
Other and unspecified events of undetermined intent and their sequelae (E980-E984,E985.5-E989)											
All other, male											
1998	547	18	12	2	10	8	27	36	54	98	120
1997	531	12	7	2	1	13	28	38	64	102	106
1996	490	9	9	5	1	16	22	28	85	94	90
1995	544	12	12	2	2	8	29	39	74	108	96
1994	499	8	10	3	6	9	19	46	69	89	81
1993	534	18	10	2	1	6	23	58	88	104	96
1992	423	10	9	1	3	11	24	40	70	89	63
1991	339	13	4	3	5	10	22	37	63	62	35
1990	360	17	12	4	4	13	25	42	58	53	45
1989	490	18	10	1	3	12	34	62	90	100	47
1988	506	15	12	5	3	19	42	82	94	86	40
1987	582	8	18	3	4	21	47	87	104	94	56
1986	515	14	18	2	6	20	36	66	87	71	37
1985	425	16	18	2	5	10	29	54	81	58	32
1984	489	15	15	3	4	19	39	81	85	56	43
1983	490	18	23	6	8	15	50	64	71	42	46
1982	536	22	15	5	11	13	52	78	79	53	51
1981	524	14	18	5	6	19	53	61	77	58	47
1980	566	17	25	9	6	21	52	72	69	55	54
1979	572	16	25	8	7	27	63	88	62	50	41

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Other and unspecified events of undetermined intent and their sequelae (E980-E984,E985.5-E989)

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
All other, female											
1998	176	4	3	-	3	2	1	20	28	28	29
1997	183	7	9	4	-	4	9	14	25	29	27
1996	168	10	11	3	1	3	9	10	23	32	27
1995	178	11	5	-	-	5	8	16	33	33	23
1994	176	12	8	5	4	3	8	13	35	27	27
1993	191	13	8	2	2	4	10	20	30	36	26
1992	144	9	6	2	-	5	5	18	25	27	20
1991	155	8	9	2	3	3	11	14	19	26	22
1990	145	14	6	3	-	6	6	21	20	17	7
1989	174	8	6	2	2	3	6	36	22	32	16
1988	183	4	14	4	-	4	25	35	25	15	17
1987	180	9	21	7	1	6	18	23	23	28	11
1986	192	10	16	2	-	5	17	17	29	23	18
1985	178	12	10	5	3	5	15	19	28	21	13
1984	189	11	10	7	6	4	18	25	20	24	8
1983	208	17	10	4	2	8	23	26	20	24	11
1982	195	13	13	4	1	8	19	24	27	20	12
1981	215	19	19	2	1	13	15	11	27	14	18
1980	210	11	21	7	4	18	17	29	24	14	25
1979	258	27	17	5	4	20	34	31	23	18	21

Other and unspecified events of undetermined intent and their sequelae (E980-E984,E985.5-E989)

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Black, both sexes											
1998	646	16	15	2	11	9	23	43	75	111	138
1997	637	14	15	6	1	15	31	44	85	119	120
1996	594	19	18	7	2	19	24	35	97	118	107
1995	642	19	16	2	2	9	26	47	101	131	106
1994	606	18	17	8	9	12	20	50	96	106	104
1993	647	29	16	2	3	6	26	70	102	132	114
1992	508	17	15	3	2	11	23	52	85	109	79
1991	442	19	11	5	8	12	26	43	76	82	52
1990	434	29	15	7	4	8	27	52	72	64	50
1989	609	24	16	3	3	11	31	91	106	124	59
1988	631	18	23	8	3	18	61	109	107	93	54
1987	695	17	38	9	1	24	57	98	120	114	58
1986	613	24	33	3	4	20	43	65	99	82	50
1985	540	26	24	7	7	11	34	63	102	72	43
1984	610	24	24	9	9	19	46	96	99	75	46
1983	616	34	29	10	9	19	59	78	82	59	49
1982	637	32	25	8	12	16	56	86	98	65	56
1981	664	30	35	7	7	23	61	68	95	66	59
1980	710	26	46	15	9	32	64	92	85	60	74
1979	753	40	40	13	9	41	90	103	80	63	55

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Other and unspecified events of undetermined intent and their sequelae (E980-E984,E985.5-E989)

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Black, male											
1998	493	13	12	2	9	7	23	26	51	88	109
1997	477	9	6	2	1	12	25	32	61	93	94
1996	447	9	8	4	1	16	18	25	77	91	83
1995	490	10	11	2	2	5	21	32	70	105	88
1994	448	7	9	3	6	9	15	38	62	83	78
1993	474	16	9	1	1	3	17	51	75	98	92
1992	378	9	9	1	2	8	19	37	61	83	59
1991	305	12	4	3	5	9	16	33	59	57	33
1990	307	15	10	4	4	6	21	32	53	49	43
1989	448	16	10	1	2	11	26	56	85	94	44
1988	470	14	11	5	3	15	37	78	88	79	39
1987	529	8	17	2	1	18	41	78	97	89	49
1986	453	14	17	2	4	16	30	50	76	64	34
1985	384	14	17	2	5	8	23	46	77	52	30
1984	443	14	14	3	4	17	29	71	83	54	40
1983	431	17	21	6	7	12	39	56	63	38	40
1982	468	21	12	5	11	8	42	65	73	48	46
1981	477	13	16	5	6	14	49	59	69	54	43
1980	523	17	25	9	6	19	49	67	65	47	50
1979	522	14	24	8	6	24	58	80	57	46	38

Other and unspecified events of undetermined intent and their sequelae (E980-E984,E985.5-E989)

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Black, female											
1998	153	3	3	-	2	2	-	17	24	23	29
1997	160	5	9	4	-	3	6	12	24	26	26
1996	147	10	10	3	1	3	6	10	20	27	24
1995	152	9	5	-	-	4	5	15	31	26	18
1994	158	11	8	5	3	3	5	12	34	23	26
1993	173	13	7	1	2	3	9	19	27	34	22
1992	130	8	6	2	-	3	4	15	24	26	20
1991	137	7	7	2	3	3	10	10	17	25	19
1990	127	14	5	3	-	2	6	20	19	15	7
1989	161	8	6	2	1	-	5	35	21	30	15
1988	161	4	12	3	-	3	24	31	19	14	15
1987	166	9	21	7	-	6	16	20	23	25	9
1986	160	10	16	1	-	4	13	15	23	18	16
1985	156	12	7	5	2	3	11	17	25	20	13
1984	167	10	10	6	5	2	17	25	16	21	6
1983	185	17	8	4	2	7	20	22	19	21	9
1982	169	11	13	3	1	8	14	21	25	17	10
1981	187	17	19	2	1	9	12	9	26	12	16
1980	187	9	21	6	3	13	15	25	20	13	24
1979	231	26	16	5	3	17	32	23	23	17	17

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Operations of war and their sequelae (E990-E999)											
All races, both sexes											
1998	17	-	-	-	-	-	-	-	-	-	-
1997	9	-	-	-	-	-	-	-	-	-	1
1996	13	-	-	-	-	-	-	-	-	-	-
1995	9	-	-	-	-	1	-	-	-	-	-
1994	16	-	-	-	-	-	-	-	-	-	-
1993	8	-	-	-	-	-	-	-	-	-	-
1992	11	-	-	-	-	-	-	-	-	-	-
1991	10	-	-	-	-	-	-	-	1	-	1
1990	14	-	-	-	-	-	-	-	-	-	2
1989	14	-	-	-	-	-	-	-	-	2	1
1988	15	-	-	-	-	-	-	-	1	-	3
1987	12	-	-	-	-	-	2	-	-	1	2
1986	12	-	-	-	-	-	-	-	-	3	2
1985	19	-	-	-	1	-	-	-	-	4	-
1984	23	-	-	-	-	-	1	-	1	4	-
1983	13	-	-	-	-	-	1	-	1	2	1
1982	11	-	-	-	-	-	-	-	-	2	-
1981	16	-	-	-	-	-	-	-	2	3	-
1980	23	-	-	-	-	-	-	-	1	-	1
1979	17	-	-	-	-	-	-	-	3	1	1
Operations of war and their sequelae (E990-E999)											
All races, male											
1998	17	-	-	-	-	-	-	-	-	-	-
1997	9	-	-	-	-	-	-	-	-	-	1
1996	13	-	-	-	-	-	-	-	-	-	-
1995	9	-	-	-	-	1	-	-	-	-	-
1994	16	-	-	-	-	-	-	-	-	-	-
1993	8	-	-	-	-	-	-	-	-	-	-
1992	10	-	-	-	-	-	-	-	-	-	-
1991	10	-	-	-	-	-	-	-	1	-	1
1990	14	-	-	-	-	-	-	-	-	-	2
1989	14	-	-	-	-	-	-	-	-	2	1
1988	15	-	-	-	-	-	-	-	1	-	3
1987	10	-	-	-	-	-	-	-	-	1	2
1986	12	-	-	-	-	-	-	-	-	3	2
1985	18	-	-	-	1	-	-	-	-	4	-
1984	23	-	-	-	-	-	1	-	1	4	-
1983	13	-	-	-	-	-	1	-	1	2	1
1982	11	-	-	-	-	-	-	-	-	2	-
1981	16	-	-	-	-	-	-	-	2	3	-
1980	23	-	-	-	-	-	-	-	1	-	1
1979	17	-	-	-	-	-	-	-	3	1	1

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Operations of war and their sequelae (E990-E999)											
All races, female											
1998	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-
1992	1	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-
1987	2	-	-	-	-	-	2	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-
1985	1	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-
Operations of war and their sequelae (E990-E999)											
White, both sexes											
1998	16	-	-	-	-	-	-	-	-	-	-
1997	7	-	-	-	-	-	-	-	-	-	-
1996	13	-	-	-	-	-	-	-	-	-	-
1995	9	-	-	-	-	1	-	-	-	-	-
1994	14	-	-	-	-	-	-	-	-	-	-
1993	6	-	-	-	-	-	-	-	-	-	-
1992	10	-	-	-	-	-	-	-	-	-	-
1991	9	-	-	-	-	-	-	-	-	-	1
1990	12	-	-	-	-	-	-	-	-	-	2
1989	12	-	-	-	-	-	-	-	-	2	1
1988	13	-	-	-	-	-	-	-	-	-	3
1987	9	-	-	-	-	-	-	-	-	-	2
1986	11	-	-	-	-	-	-	-	-	3	1
1985	17	-	-	-	-	-	-	-	-	4	-
1984	22	-	-	-	-	-	1	-	1	3	-
1983	11	-	-	-	-	-	-	-	1	1	1
1982	9	-	-	-	-	-	-	-	-	-	-
1981	14	-	-	-	-	-	-	-	1	2	-
1980	20	-	-	-	-	-	-	-	-	-	1
1979	15	-	-	-	-	-	-	-	2	-	1

Source: CDC/NCHS, National Vital Statistics System
See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Operations of war and their sequelae (E990-E999)											
White, male											
1998	16	-	-	-	-	-	-	-	-	-	-
1997	7	-	-	-	-	-	-	-	-	-	-
1996	13	-	-	-	-	-	-	-	-	-	-
1995	9	-	-	-	-	1	-	-	-	-	-
1994	14	-	-	-	-	-	-	-	-	-	-
1993	6	-	-	-	-	-	-	-	-	-	-
1992	9	-	-	-	-	-	-	-	-	-	-
1991	9	-	-	-	-	-	-	-	-	-	1
1990	12	-	-	-	-	-	-	-	-	-	2
1989	12	-	-	-	-	-	-	-	-	2	1
1988	13	-	-	-	-	-	-	-	-	-	3
1987	9	-	-	-	-	-	-	-	-	-	2
1986	11	-	-	-	-	-	-	-	-	3	1
1985	16	-	-	-	-	-	-	-	-	4	-
1984	22	-	-	-	-	-	1	-	1	3	-
1983	11	-	-	-	-	-	-	-	1	1	1
1982	9	-	-	-	-	-	-	-	-	-	-
1981	14	-	-	-	-	-	-	-	1	2	-
1980	20	-	-	-	-	-	-	-	-	-	1
1979	15	-	-	-	-	-	-	-	2	-	1
Operations of war and their sequelae (E990-E999)											
White, female											
1998	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-
1992	1	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-
1987	-	-	-	-	-	-	-	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-
1985	1	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System
See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Operations of war and their sequelae (E990-E999)

All other, both sexes

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
1998	1	-	-	-	-	-	-	-	-	-	-
1997	2	-	-	-	-	-	-	-	-	-	1
1996	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-
1994	2	-	-	-	-	-	-	-	-	-	-
1993	2	-	-	-	-	-	-	-	-	-	-
1992	1	-	-	-	-	-	-	-	-	-	-
1991	1	-	-	-	-	-	-	-	1	-	-
1990	2	-	-	-	-	-	-	-	-	-	-
1989	2	-	-	-	-	-	-	-	-	-	-
1988	2	-	-	-	-	-	-	-	1	-	-
1987	3	-	-	-	-	-	2	-	-	1	-
1986	1	-	-	-	-	-	-	-	-	-	1
1985	2	-	-	-	1	-	-	-	-	-	-
1984	1	-	-	-	-	-	-	-	-	1	-
1983	2	-	-	-	-	-	1	-	-	1	-
1982	2	-	-	-	-	-	-	-	-	2	-
1981	2	-	-	-	-	-	-	-	1	1	-
1980	3	-	-	-	-	-	-	-	1	-	-
1979	2	-	-	-	-	-	-	-	1	1	-

Operations of war and their sequelae (E990-E999)

All other, male

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
1998	1	-	-	-	-	-	-	-	-	-	-
1997	2	-	-	-	-	-	-	-	-	-	1
1996	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-
1994	2	-	-	-	-	-	-	-	-	-	-
1993	2	-	-	-	-	-	-	-	-	-	-
1992	1	-	-	-	-	-	-	-	-	-	-
1991	1	-	-	-	-	-	-	-	1	-	-
1990	2	-	-	-	-	-	-	-	-	-	-
1989	2	-	-	-	-	-	-	-	-	-	-
1988	2	-	-	-	-	-	-	-	1	-	-
1987	1	-	-	-	-	-	-	-	-	1	-
1986	1	-	-	-	-	-	-	-	-	-	1
1985	2	-	-	-	1	-	-	-	-	-	-
1984	1	-	-	-	-	-	-	-	-	1	-
1983	2	-	-	-	-	-	1	-	-	1	-
1982	2	-	-	-	-	-	-	-	-	2	-
1981	2	-	-	-	-	-	-	-	1	1	-
1980	3	-	-	-	-	-	-	-	1	-	-
1979	2	-	-	-	-	-	-	-	1	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Operations of war and their sequelae (E990-E999)

All other, female

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
1998	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-
1987	2	-	-	-	-	-	2	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-

Operations of war and their sequelae (E990-E999)

Black, both sexes

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
1998	1	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-
1994	1	-	-	-	-	-	-	-	-	-	-
1993	2	-	-	-	-	-	-	-	-	-	-
1992	1	-	-	-	-	-	-	-	-	-	-
1991	1	-	-	-	-	-	-	-	1	-	-
1990	2	-	-	-	-	-	-	-	-	-	-
1989	2	-	-	-	-	-	-	-	-	-	-
1988	2	-	-	-	-	-	-	-	1	-	-
1987	3	-	-	-	-	-	2	-	-	1	-
1986	1	-	-	-	-	-	-	-	-	-	1
1985	2	-	-	-	1	-	-	-	-	-	-
1984	1	-	-	-	-	-	-	-	-	1	-
1983	2	-	-	-	-	-	1	-	-	1	-
1982	2	-	-	-	-	-	-	-	-	2	-
1981	2	-	-	-	-	-	-	-	1	1	-
1980	2	-	-	-	-	-	-	-	1	-	-
1979	2	-	-	-	-	-	-	-	1	1	-

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Operations of war and their sequelae (E990-E999)											
Black, male											
1998	1	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-
1994	1	-	-	-	-	-	-	-	-	-	-
1993	2	-	-	-	-	-	-	-	-	-	-
1992	1	-	-	-	-	-	-	-	-	-	-
1991	1	-	-	-	-	-	-	-	1	-	-
1990	2	-	-	-	-	-	-	-	-	-	-
1989	2	-	-	-	-	-	-	-	-	-	-
1988	2	-	-	-	-	-	-	-	1	-	-
1987	1	-	-	-	-	-	-	-	-	1	-
1986	1	-	-	-	-	-	-	-	-	-	1
1985	2	-	-	-	1	-	-	-	-	-	-
1984	1	-	-	-	-	-	-	-	-	1	-
1983	2	-	-	-	-	-	1	-	-	1	-
1982	2	-	-	-	-	-	-	-	-	2	-
1981	2	-	-	-	-	-	-	-	1	1	-
1980	2	-	-	-	-	-	-	-	1	-	-
1979	2	-	-	-	-	-	-	-	1	1	-
Operations of war and their sequelae (E990-E999)											
Black, female											
1998	-	-	-	-	-	-	-	-	-	-	-
1997	-	-	-	-	-	-	-	-	-	-	-
1996	-	-	-	-	-	-	-	-	-	-	-
1995	-	-	-	-	-	-	-	-	-	-	-
1994	-	-	-	-	-	-	-	-	-	-	-
1993	-	-	-	-	-	-	-	-	-	-	-
1992	-	-	-	-	-	-	-	-	-	-	-
1991	-	-	-	-	-	-	-	-	-	-	-
1990	-	-	-	-	-	-	-	-	-	-	-
1989	-	-	-	-	-	-	-	-	-	-	-
1988	-	-	-	-	-	-	-	-	-	-	-
1987	2	-	-	-	-	-	2	-	-	-	-
1986	-	-	-	-	-	-	-	-	-	-	-
1985	-	-	-	-	-	-	-	-	-	-	-
1984	-	-	-	-	-	-	-	-	-	-	-
1983	-	-	-	-	-	-	-	-	-	-	-
1982	-	-	-	-	-	-	-	-	-	-	-
1981	-	-	-	-	-	-	-	-	-	-	-
1980	-	-	-	-	-	-	-	-	-	-	-
1979	-	-	-	-	-	-	-	-	-	-	-

Source: CDC/NCHS, National Vital Statistics System
See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Complications of medical and surgical care (E870-E879,E930-E949)											
All races, both sexes											
1998	3,504	34	31	12	18	22	28	34	61	73	102
1997	3,291	29	37	20	13	22	27	36	43	93	95
1996	3,172	27	29	24	21	21	31	30	56	93	111
1995	2,918	26	31	14	16	25	21	32	66	77	92
1994	2,788	30	26	12	16	17	22	26	49	70	82
1993	2,925	34	28	23	17	17	26	37	63	62	80
1992	2,825	40	28	19	21	19	22	31	59	63	79
1991	2,636	45	22	20	14	18	25	31	36	62	67
1990	2,835	24	29	22	14	14	18	27	46	56	71
1989	2,992	49	26	17	14	25	21	33	45	63	82
1988	3,038	36	33	14	13	14	22	39	54	72	68
1987	3,032	32	35	13	3	13	28	49	57	63	54
1986	3,069	35	30	13	11	14	26	34	48	55	72
1985	2,852	39	17	25	18	14	25	41	53	60	59
1984	2,628	43	33	11	11	16	25	33	43	53	64
1983	2,660	38	34	9	12	18	36	38	45	47	59
1982	2,585	37	29	12	13	13	22	40	47	39	53
1981	2,549	27	21	17	5	21	27	47	59	50	70
1980	2,437	35	24	19	18	29	30	39	45	54	53
1979	2,642	30	22	17	16	25	44	31	42	52	61
Complications of medical and surgical care (E870-E879,E930-E949)											
All races, male											
1998	1,643	19	17	6	11	11	17	17	29	40	41
1997	1,559	14	22	10	7	13	17	20	21	46	44
1996	1,462	16	13	16	13	13	20	16	26	44	63
1995	1,335	16	17	7	8	15	11	14	31	37	51
1994	1,259	20	14	9	8	8	12	13	20	34	41
1993	1,344	23	13	9	10	6	12	18	32	33	46
1992	1,308	19	19	9	11	14	10	18	23	31	36
1991	1,152	24	8	13	5	7	14	20	17	30	31
1990	1,332	13	17	12	6	7	8	14	21	34	34
1989	1,432	29	18	8	7	14	15	21	24	30	38
1988	1,454	22	23	8	6	10	10	21	28	35	36
1987	1,474	18	25	8	1	10	12	32	31	33	25
1986	1,437	17	15	6	7	3	8	15	23	29	35
1985	1,405	19	12	11	10	8	14	19	25	29	32
1984	1,277	22	25	9	6	6	11	14	20	23	35
1983	1,297	26	13	6	8	6	16	18	23	21	26
1982	1,304	23	17	7	6	5	14	17	20	20	19
1981	1,255	16	10	4	2	9	9	23	23	19	36
1980	1,235	20	15	10	10	20	15	16	16	24	25
1979	1,355	19	13	9	6	12	22	11	21	23	23

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Complications of medical and surgical care (E870-E879,E930-E949)											
All races, female											
1998	1,861	15	14	6	7	11	11	17	32	33	61
1997	1,732	15	15	10	6	9	10	16	22	47	51
1996	1,710	11	16	8	8	8	11	14	30	49	48
1995	1,583	10	14	7	8	10	10	18	35	40	41
1994	1,529	10	12	3	8	9	10	13	29	36	41
1993	1,581	11	15	14	7	11	14	19	31	29	34
1992	1,517	21	9	10	10	5	12	13	36	32	43
1991	1,484	21	14	7	9	11	11	11	19	32	36
1990	1,503	11	12	10	8	7	10	13	25	22	37
1989	1,560	20	8	9	7	11	6	12	21	33	44
1988	1,584	14	10	6	7	4	12	18	26	37	32
1987	1,558	14	10	5	2	3	16	17	26	30	29
1986	1,632	18	15	7	4	11	18	19	25	26	37
1985	1,447	20	5	14	8	6	11	22	28	31	27
1984	1,351	21	8	2	5	10	14	19	23	30	29
1983	1,363	12	21	3	4	12	20	20	22	26	33
1982	1,281	14	12	5	7	8	8	23	27	19	34
1981	1,294	11	11	13	3	12	18	24	36	31	34
1980	1,202	15	9	9	8	9	15	23	29	30	28
1979	1,287	11	9	8	10	13	22	20	21	29	38
Complications of medical and surgical care (E870-E879,E930-E949)											
White, both sexes											
1998	2,881	23	20	9	12	21	20	27	46	59	77
1997	2,730	24	25	15	9	14	19	23	32	66	71
1996	2,587	15	21	18	18	18	24	22	38	69	80
1995	2,422	16	20	10	13	19	14	23	49	58	72
1994	2,283	21	20	9	12	13	11	19	34	42	57
1993	2,406	21	16	16	11	12	18	28	45	44	62
1992	2,320	28	21	13	20	10	14	18	41	39	52
1991	2,190	34	13	17	12	15	17	25	28	45	45
1990	2,376	17	19	20	10	9	14	20	32	39	49
1989	2,467	30	21	13	12	18	13	27	29	41	63
1988	2,517	31	22	13	10	10	16	32	38	52	48
1987	2,511	20	26	10	2	10	18	33	40	36	37
1986	2,553	27	24	9	7	14	20	21	29	40	50
1985	2,383	27	9	16	13	13	18	30	33	41	42
1984	2,192	33	24	10	8	14	18	25	31	39	45
1983	2,215	25	23	8	8	11	25	25	34	28	40
1982	2,143	23	25	8	8	11	17	24	31	30	32
1981	2,122	19	15	13	1	15	19	32	36	31	49
1980	2,053	22	21	14	14	24	24	25	33	37	38
1979	2,194	22	19	14	15	13	33	18	29	39	44

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998
Cause of death, race,

sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Complications of medical and surgical care (E870-E879,E930-E949)											
White, male											
1998	1,372	13	10	4	7	10	12	13	22	35	32
1997	1,300	11	15	6	5	9	11	14	15	32	36
1996	1,198	12	11	13	11	11	15	11	21	36	48
1995	1,115	12	10	5	7	11	6	8	27	28	43
1994	1,033	14	11	6	5	5	8	9	16	23	25
1993	1,128	12	7	7	8	4	9	16	25	25	36
1992	1,069	12	13	7	10	7	7	10	17	21	27
1991	977	16	6	11	3	7	9	18	14	23	25
1990	1,113	10	11	11	4	3	7	11	13	26	25
1989	1,180	17	16	6	5	9	11	18	15	19	32
1988	1,209	20	17	7	5	8	6	19	20	24	27
1987	1,234	12	19	6	1	7	7	21	19	23	16
1986	1,186	12	10	5	5	3	6	8	17	19	24
1985	1,165	14	6	9	6	7	9	14	17	20	24
1984	1,074	17	18	8	4	6	7	11	14	16	26
1983	1,082	18	7	5	6	5	14	12	16	13	19
1982	1,076	13	14	5	6	5	11	12	14	15	12
1981	1,042	11	5	4	-	7	8	18	16	14	22
1980	1,034	12	13	7	7	16	12	10	13	16	21
1979	1,137	18	12	8	6	8	15	5	15	19	17
Complications of medical and surgical care (E870-E879,E930-E949)											
White, female											
1998	1,509	10	10	5	5	11	8	14	24	24	45
1997	1,430	13	10	9	4	5	8	9	17	34	35
1996	1,389	3	10	5	7	7	9	11	17	33	32
1995	1,307	4	10	5	6	8	8	15	22	30	29
1994	1,250	7	9	3	7	8	3	10	18	19	32
1993	1,278	9	9	9	3	8	9	12	20	19	26
1992	1,251	16	8	6	10	3	7	8	24	18	25
1991	1,213	18	7	6	9	8	8	7	14	22	20
1990	1,263	7	8	9	6	6	7	9	19	13	24
1989	1,287	13	5	7	7	9	2	9	14	22	31
1988	1,308	11	5	6	5	2	10	13	18	28	21
1987	1,277	8	7	4	1	3	11	12	21	13	21
1986	1,367	15	14	4	2	11	14	13	12	21	26
1985	1,218	13	3	7	7	6	9	16	16	21	18
1984	1,118	16	6	2	4	8	11	14	17	23	19
1983	1,133	7	16	3	2	6	11	13	18	15	21
1982	1,067	10	11	3	2	6	6	12	17	15	20
1981	1,080	8	10	9	1	8	11	14	20	17	27
1980	1,019	10	8	7	7	8	12	15	20	21	17
1979	1,057	4	7	6	9	5	18	13	14	20	27

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race,

sex and year

All ages < 1 year 1-4 years 5-9 years 10-14 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years

Complications of medical and surgical care (E870-E879,E930-E949)

All other, both sexes

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
1998	623	11	11	3	6	1	8	7	15	14	25
1997	561	5	12	5	4	8	8	13	11	27	24
1996	585	12	8	6	3	3	7	8	18	24	31
1995	496	10	11	4	3	6	7	9	17	19	20
1994	505	9	6	3	4	4	11	7	15	28	25
1993	519	13	12	7	6	5	8	9	18	18	18
1992	505	12	7	6	1	9	8	13	18	24	27
1991	446	11	9	3	2	3	8	6	8	17	22
1990	459	7	10	2	4	5	4	7	14	17	22
1989	525	19	5	4	2	7	8	6	16	22	19
1988	521	5	11	1	3	4	6	7	16	20	20
1987	521	12	9	3	1	3	10	16	17	27	17
1986	516	8	6	4	4	-	6	13	19	15	22
1985	469	12	8	9	5	1	7	11	20	19	17
1984	436	10	9	1	3	2	7	8	12	14	19
1983	445	13	11	1	4	7	11	13	11	19	19
1982	442	14	4	4	5	2	5	16	16	9	21
1981	427	8	6	4	4	6	8	15	23	19	21
1980	384	13	3	5	4	5	6	14	12	17	15
1979	448	8	3	3	1	12	11	13	13	13	17

Complications of medical and surgical care (E870-E879,E930-E949)

All other, male

Year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
1998	271	6	7	2	4	1	5	4	7	5	9
1997	259	3	7	4	2	4	6	6	6	14	8
1996	264	4	2	3	2	2	5	5	5	8	15
1995	220	4	7	2	1	4	5	6	4	9	8
1994	226	6	3	3	3	3	4	4	4	11	16
1993	216	11	6	2	2	2	3	2	7	8	10
1992	239	7	6	2	1	7	3	8	6	10	9
1991	175	8	2	2	2	-	5	2	3	7	6
1990	219	3	6	1	2	4	1	3	8	8	9
1989	252	12	2	2	2	5	4	3	9	11	6
1988	245	2	6	1	1	2	4	2	8	11	9
1987	240	6	6	2	-	3	5	11	12	10	9
1986	251	5	5	1	2	-	2	7	6	10	11
1985	240	5	6	2	4	1	5	5	8	9	8
1984	203	5	7	1	2	-	4	3	6	7	9
1983	215	8	6	1	2	1	2	6	7	8	7
1982	228	10	3	2	-	-	3	5	6	5	7
1981	213	5	5	-	2	2	1	5	7	5	14
1980	201	8	2	3	3	4	3	6	3	8	4
1979	218	1	1	1	-	4	7	6	6	4	6

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Complications of medical and surgical care (E870-E879,E930-E949)											
All other, female											
1998	352	5	4	1	2	-	3	3	8	9	16
1997	302	2	5	1	2	4	2	7	5	13	16
1996	321	8	6	3	1	1	2	3	13	16	16
1995	276	6	4	2	2	2	2	3	13	10	12
1994	279	3	3	-	1	1	7	3	11	17	9
1993	303	2	6	5	4	3	5	7	11	10	8
1992	266	5	1	4	-	2	5	5	12	14	18
1991	271	3	7	1	-	3	3	4	5	10	16
1990	240	4	4	1	2	1	3	4	6	9	13
1989	273	7	3	2	-	2	4	3	7	11	13
1988	276	3	5	-	2	2	2	5	8	9	11
1987	281	6	3	1	1	-	5	5	5	17	8
1986	265	3	1	3	2	-	4	6	13	5	11
1985	229	7	2	7	1	-	2	6	12	10	9
1984	233	5	2	-	1	2	3	5	6	7	10
1983	230	5	5	-	2	6	9	7	4	11	12
1982	214	4	1	2	5	2	2	11	10	4	14
1981	214	3	1	4	2	4	7	10	16	14	7
1980	183	5	1	2	1	1	3	8	9	9	11
1979	230	7	2	2	1	8	4	7	7	9	11
Complications of medical and surgical care (E870-E879,E930-E949)											
Black, both sexes											
1998	564	11	10	3	4	1	8	7	12	14	25
1997	504	4	10	3	3	6	6	12	11	27	22
1996	524	8	7	5	2	-	7	7	17	23	30
1995	452	9	9	4	3	6	6	9	15	18	20
1994	451	9	6	3	2	3	11	3	14	22	23
1993	461	8	10	6	4	4	7	9	16	17	14
1992	465	12	7	6	1	8	8	12	17	21	26
1991	406	11	9	3	-	3	7	5	8	15	18
1990	421	6	9	2	4	4	4	6	13	15	21
1989	497	15	4	4	2	6	8	6	16	22	17
1988	480	4	7	1	3	4	5	7	14	20	18
1987	485	11	9	3	1	2	8	16	15	25	16
1986	471	7	5	4	4	-	6	13	17	14	21
1985	428	10	7	9	5	1	6	11	20	16	15
1984	409	10	9	1	2	2	6	7	12	14	17
1983	414	12	10	1	4	6	9	13	10	19	18
1982	417	13	4	4	4	2	4	16	16	9	19
1981	391	8	6	4	2	6	8	14	21	18	20
1980	359	13	3	5	4	5	6	13	10	17	14
1979	418	7	3	3	1	12	9	12	12	12	15

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols

Table HIST002_1. Deaths for 113 selected causes, by 5-year age groups, race and sex: United States, 1979-1998

Cause of death, race, sex and year	All ages	< 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
Complications of medical and surgical care (E870-E879,E930-E949)											
Black, male											
1998	244	6	7	2	2	1	5	4	5	5	9
1997	223	2	5	2	1	2	4	5	6	14	7
1996	233	3	2	2	2	-	5	5	4	8	14
1995	195	4	6	2	1	4	4	6	4	8	8
1994	200	6	3	3	2	2	4	2	4	9	15
1993	186	6	5	1	1	1	2	2	6	8	8
1992	217	7	6	2	1	6	3	7	6	9	9
1991	162	8	2	2	-	-	5	2	3	6	5
1990	195	2	5	1	2	3	1	3	7	6	8
1989	238	10	1	2	2	4	4	3	9	11	6
1988	227	2	2	1	1	2	3	2	8	11	8
1987	221	6	6	2	-	2	5	11	10	9	9
1986	227	5	4	1	2	-	2	7	6	10	10
1985	217	3	5	2	4	1	4	5	8	8	7
1984	188	5	7	1	1	-	3	3	6	7	9
1983	193	7	6	1	2	1	2	6	6	8	7
1982	214	10	3	2	-	-	2	5	6	5	6
1981	194	5	5	-	1	2	1	4	7	5	13
1980	185	8	2	3	3	4	3	6	3	8	4
1979	201	1	1	1	-	4	5	6	5	4	5
Complications of medical and surgical care (E870-E879,E930-E949)											
Black, female											
1998	320	5	3	1	2	-	3	3	7	9	16
1997	281	2	5	1	2	4	2	7	5	13	15
1996	291	5	5	3	-	-	2	2	13	15	16
1995	257	5	3	2	2	2	2	3	11	10	12
1994	251	3	3	-	-	1	7	1	10	13	8
1993	275	2	5	5	3	3	5	7	10	9	6
1992	248	5	1	4	-	2	5	5	11	12	17
1991	244	3	7	1	-	3	2	3	5	9	13
1990	226	4	4	1	2	1	3	3	6	9	13
1989	259	5	3	2	-	2	4	3	7	11	11
1988	253	2	5	-	2	2	2	5	6	9	10
1987	264	5	3	1	1	-	3	5	5	16	7
1986	244	2	1	3	2	-	4	6	11	4	11
1985	211	7	2	7	1	-	2	6	12	8	8
1984	221	5	2	-	1	2	3	4	6	7	8
1983	221	5	4	-	2	5	7	7	4	11	11
1982	203	3	1	2	4	2	2	11	10	4	13
1981	197	3	1	4	1	4	7	10	14	13	7
1980	174	5	1	2	1	1	3	7	7	9	10
1979	217	6	2	2	1	8	4	6	7	8	10

Source: CDC/NCHS, National Vital Statistics System

See cover page at the beginning of this document for more information about this table and a description of symbols