

TABLE 7
NON-CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES
REPORTED TO CDC AND NVSL BY SEROTYPE AND SOURCE, 2001

SEROTYPE	NONHUMAN SOURCE											TOTAL		
	CHICKEN	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMALS/ ENVIRONMENT	FEED/FEED SUPPLEMENTS	OTHER BIRDS/WILD ANIMALS	REPTILES	ALL OTHER				
CAMBRIDGE	1	1
CANNSTATT	3	2	5
CERRO	20	1	16	36	.	17	19	109	
CHOLERAESUIS VAR KUN	.	3	1	2	6	
CUBANA	3	4	.	7	6	20	
DERBY	3	24	133	.	.	.	1	93	268	
DRYPOOL	.	1	1	1	3	
DUBLIN	.	.	.	5	8	13	
DURBAN	1	1	
ENTERITIDIS	158	16	5	.	.	17	1	4	.	.	.	72	273	
FRESNO	6	6	
GAMINARA	1	1	
GIVE	2	.	1	.	.	7	.	1	.	.	.	19	30	
GLOSTRUP	2	2	
GROUP 51	1	1	
GROUP 56	1	
GROUP 58	1	.	.	.	4	6	
GROUP 60	24	24	
GROUP 61	1	
GROUP 62	1	1	
GROUP 65	1	1	

(Continued)

TABLE 7
 NON-CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES
 REPORTED TO CDC AND NVSL BY SEROTYPE AND SOURCE, 2001

SEROTYPE	NONHUMAN SOURCE											TOTAL
	CHICKEN	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMALS/ ENVIRONMENT	FEED/FEED SUPPLEMENTS	OTHER BIRDS/WILD ANIMALS	REPTILES	ALL OTHER		
GROUP B	27	15	39	.	1	8	1	1	.	19	111	
GROUP C1	9	4	.	1	.	.	.	1	.	6	21	
GROUP C2	2	.	.	1	.	.	.	1	.	9	13	
GROUP D1	.	.	.	4	1	5	
GROUP E1	1	2	.	11	.	1	.	.	.	7	22	
GROUP E3	.	1	1	
GROUP E4	.	1	1	
GROUP H	1	.	1	
GROUP I	1	.	1	
GROUP K	.	14	10	24	
GROUP P	6	.	6	
GROUP T	.	.	1	1	1	3	
GROUP U	1	1	.	2	
GROUP W	1	.	1	
GROUP X	1	1	.	2	
GROUP Y	1	1	.	2	
GROUP Z	3	.	3	
HAARDT	2	2	
HADAR	2	220	44	266	
HALLE	5	.	5	
HARTFORD	1	.	12	.	.	.	1	4	.	6	24	

(Continued)

TABLE 7
NON-CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES
REPORTED TO CDC AND NVSL BY SEROTYPE AND SOURCE, 2001

SEROTYPE	NONHUMAN SOURCE											TOTAL
	CHICKEN	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMALS/ ENVIRONMENT	FEED/FEED SUPPLEMENTS	OTHER BIRDS/WILD ANIMALS	REPTILES	ALL OTHER		
HAVANA	1	4	8	4	•	•	•	1	•	•	5	23
HEIDELBERG	1636	536	34	3	•	78	1	4	•	163	2455	
HOUTEN	•	•	•	•	•	•	•	•	•	1	1	
ILLINOIS	•	•	•	•	•	•	1	•	•	•	1	
INFANTIS	56	7	48	•	•	6	4	12	•	42	175	
ISTANBUL	1	41	•	•	•	•	•	•	•	6	48	
JAVA	•	•	11	7	•	2	•	5	3	5	33	
JAVIANA	1	33	4	•	•	3	•	1	•	4	46	
JOHANNESBURG	52	16	•	•	•	•	2	•	•	22	92	
KENTUCKY	220	72	3	121	•	5	1	7	•	186	615	
KIAMBU	1	•	•	•	•	•	•	•	•	4	5	
KINSHASA	•	•	1	•	•	•	•	•	•	•	1	
KREFELD	•	•	•	•	•	•	•	•	•	1	1	
LEXINGTON	•	1	•	•	•	•	•	•	•	•	1	
LILLE	48	7	•	•	•	•	2	•	•	•	57	
LITCHFIELD	1	•	•	•	•	•	•	•	•	2	3	
LIVERPOOL	•	3	•	•	•	•	•	•	•	•	3	
LIVINGSTONE	85	1	11	•	•	•	3	•	•	2	102	
LOHBRUEGGE	•	•	•	•	•	•	•	•	2	•	2	
LOMALINDA	•	1	•	•	•	•	•	•	•	•	1	
LONDON	•	•	2	•	•	•	2	•	•	6	10	

(Continued)

TABLE 7
 NON-CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES
 REPORTED TO CDC AND NVSL BY SEROTYPE AND SOURCE, 2001

SEROTYPE	NONHUMAN SOURCE											TOTAL
	CHICKEN	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMALS/ ENVIRONMENT	FEED/FEED SUPPLEMENTS	OTHER BIRDS/WILD ANIMALS	REPTILES	ALL OTHER		
URBANA	•	2	•	•	•	•	•	•	1	•	3	
VIRGINIA	•	1	•	•	•	•	•	•	•	1	2	
WELTEVREDEN	•	•	•	•	•	•	•	•	•	2	2	
WIDEMARSH	•	1	•	•	•	•	•	•	•	•	1	
WORTHINGTON	6	28	65	•	•	•	•	•	•	18	117	
TOTAL	3146	2455	1011	977	40	303	65	181	44	2229	10451	