

TABLE 7

**Non-clinical Salmonella isolates from nonhuman sources
Reported to CDC and NSVL by serotype and source, 2006**

Serotype	Non-clinical Nonhuman Source										Total
	All Others	Bovine	Chicken	Equine	Feed/Feed Supplements	Other birds / Wild animals	Other Domestic Animals /Environment	Porcine	Reptile	Turkey	
Abaetetuba										1	1
Adelaide			2								2
Agona	2	27	50	1		2	24	37		61	204
Alabama			5								5
Alachua			30				2			1	33
Albany										11	11
Altona			1								1
Amager			1								1
Amsterdam var. 15+			3								3
Anatum	4	102	28	2	1		8	17	1	16	179
Anatum var. 15+	1	4					1				6
Anatum var. 15+,34+	5		1								6
Aqua									1		1
Arechavaleta										2	2
Bardo		8								3	11
Bareilly	1	9	32	1		1	6				50
Barranquilla			1			4					5
Bere							2				2
Berta		1	17				1			9	28
Bovismorbificans			1					2		1	4
Braenderup		1	65	1		8	4				79
Brandenburg		2						2		3	7
Bredeney		2	10			5		2		18	37
California			1								1
Cerro	9	210	19				1				239
Cholerasuis var. Kunzendorf								2		1	3
Cubana			34								34
Denver							3				3
Derby	1	27	3					79		19	129
Dublin	1	14					1	1			17
Enteritidis	8	4	185			6	5			14	222
Falkensee			2								2
Gaminara							6				6
Give		81	3				21		1		106
Give var. 15+		1	1								2
Godesberg			8								8
Hadar	2	5	7			2	2	1	1	418	438
Hannover							1				1
Hartford	1	49	1				37		1		89
Havana			18				2	3			23
Heidelberg	5	5	592			18	27	2		125	774
Indiana			8			9					17
Infantis		10	38				9	2		2	61

TABLE 7

*Non-clinical Salmonella isolates from nonhuman sources
Reported to CDC and NSVL by serotype and source, 2006*

Serotype	Non-clinical Nonhuman Source										Total
	All Others	Bovine	Chicken	Equine	Feed/Feed Supplements	Other birds / Wild animals	Other Domestic Animals /Environment	Porcine	Reptile	Turkey	
Inverness							1				1
Istanbul										3	3
Javiana			6			3	4			11	24
Johannesburg			10					15		1	26
Kentucky	7	37	630	1		21	20	1	1	14	732
Kiambu			11				5				16
Kralingen			2								2
Krefeld										1	1
Lexington var. 15+		2									2
Lille			13			1	2			1	17
Litchfield		1	5								6
Liverpool			3								3
Livingstone			16					1			17
Lockleaze										1	1
London		1	1				1			39	42
London var. 15+										1	1
Luciana							2		1		3
Manhattan	1						1				2
Mbandaka	2	3	105			3	4	4		16	137
Meleagridis		5	3								8
Miami				1							1
Minnesota			8				2				10
Mississippi							1				1
Molade			2								2
Montevideo	3	27	94	1		4	10	1		20	160
Muenchen		14	22	1			39	2		17	95
Muenster	4	3	3				4			71	85
Muenster var. 15+										3	3
Muenster var. 15+,34+										2	2
Newport	7	41	24	1			27	1	1	56	158
Nima	3		2				1				6
Norwich			4								4
Ohio			14			1	1	3		1	20
Oranienburg	2	86	22	3	1		4		1	1	120
Orion			14				1			15	30
Orion var 15+			3			1				3	7
Orion var. 15+,34+	2		6							1	9
Ouakam			7							2	9
Paratyphi B var. L(+) tartrate+	2			1			12			1	16
Pomona		1	3								4
Poona		3									3
Putten			4			1					5
Reading		4	1					2		14	21

TABLE 7

*Non-clinical Salmonella isolates from nonhuman sources
Reported to CDC and NSVL by serotype and source, 2006*

Serotype	Non-clinical Nonhuman Source										Total
	All Others	Bovine	Chicken	Equine	Feed/Feed Supplements	Other birds / Wild animals	Other Domestic Animals /Environment	Porcine	Reptile	Turkey	
Redlands							1				1
Rissen			1					1			2
Rubislaw	1		8	1			48			1	59
Saintpaul	1	1	2	1		2				86	93
Sandiego		2									2
Schwarzengrund	2	2	45			1	2	1		69	122
Senftenberg	4	24	211			4	9	3	1	299	555
Soerenga			2			4					6
Taksony			5								5
Tennessee		8	18			2	3	1		3	35
Thompson	2	1	41	1		4	2	5		3	59
Typhimurium	67	18	124	2		25	37	15	2	20	310
Typhimurium var. 5-	150	6	45			10	6	112		56	385
Uganda		23	10				2			2	37
Uganda var. 15+			3								3
Urbana	1		1								2
Virginia							1				1
Worthington	1		12			2	1			89	105
I 3,10:e,h:-										1	1
I 3,10:l,z13:-							1				1
I 3,15,34:z10:-			1								1
I 4,12:l,v:-										1	1
I 4,[5],12:-:1,2							1				1
I 4,[5],12:Nonmotile			7								7
I 4,[5],12:i:-	3	3	81	1		15	38				141
I 4,[5],12:r:-			1								1
I 6,7:-:1,5			5				2	1			8
I 6,7:-:e,n,z15			1								1
I 6,7:b:-							1				1
I 6,7:d:-			1								1
I 6,7:e,h:-				1							1
I 6,7:k:-			3								3
I 6,7:r:-							1				1
I 6,7:z10:-			2								2
I 6,8:-:1,2		1									1
I 6,8:d:-			1				1				2
I 8,20:-:z6			13								13
I 8,20:i:-			2								2
II 58:d:z6	1										1
IIIa 18:z4,z32:-										19	19
IIIa 43:z4,z23:-			1								1
IIIa 48:g,z51:-			1								1
IIIa 53:z4,z23:-										6	6

TABLE 7

**Non-clinical Salmonella isolates from nonhuman sources
Reported to CDC and NSVL by serotype and source, 2006**

Serotype	Non-clinical Nonhuman Source										Total
	All Others	Bovine	Chicken	Equine	Feed/Feed Supplements	Other birds / Wild animals	Other Domestic Animals /Environment	Porcine	Reptile	Turkey	
IIIb 38:(k):z35	1								1		2
IIIb 47:k:z35	1										1
IIIb 50:k:z53	1										1
IIIb 50:z52:z35									2		2
IIIb 53:k:e,n,x,z15									1		1
IIIb 61:-:1,5,7							1				1
IIIb 61:c:z35							1				1
IIIb 61:z52:1,5,7							1				1
IV 45:g,z51:-	3										3
Rough, mucoid, and/or nonmotile isolates		2	16			1		2		4	25
Total	312	881	2869	21	2	160	465	321	16	1659	6706