

TABLE 6
 CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES
 REPORTED TO CDC AND USDA BY SEROTYPE AND SOURCE, 1997

SEROTYPE	NONHUMAN SOURCE										TOTAL
	CHICKEN INCLUDING EGGS	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMAL / ENVIRONMENT	FEED AND FEED SUPPLY	OTHER BIRD/WILD ANIMAL	REPTILE / ENVIRONMENT	ALL OTHER	
ABAETE TUBA										2	2
ABERDEEN										1	1
ADELAIDE	1	1	1							35	38
AGONA	76	129	197	44		2	9			195	652
ALACHUA	8	5	3	2						12	30
ALBANY	4						3			13	20
ALEXANDERPLATZ									1		1
AMAGER	1										1
AMSTERDAM				1					1	1	3
ANATUM	29	49	344	86		3	7			238	756
APAPA										1	1
AQUA										2	2
ARECHAVALETA										1	1
ARKANSAS	12	3	1	1			8			6	31
BAHRENFELD										1	1
BANANA							1			4	5
BARDO	1		1							6	9
BAREILLY	1	2		2		1	1		1	5	13
BASEL										1	1
BERE							1			1	2
BERKELEY									1		1

(Continued)

TABLE 6
CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES
REPORTED TO CDC AND USDA BY SEROTYPE AND SOURCE, 1997

SEROTYPE	NONHUMAN SOURCE											TOTAL
	CHICKEN INCLUDING EGGS	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMAL / ENVIRONMENT	FEED AND FEED SUPPLY	OTHER BIRD/WILD ANIMAL	REPTILE / ENVIRONMENT	ALL OTHER		
BERN											1	1
BERTA	6	12	2	1							118	139
BIETRI	3	12					9				2	26
BINZA	3	7					1				19	30
BLIJDORP									2			2
BONAIRE											2	2
BOVISMORBIFICANS	1			9		1					10	21
BRAENDERUP	78	2		7					3		20	110
BRANDENBURG	6	42	19	9							67	143
BREDENEY	19	369	10	10		2	2				51	463
BRUNEI	1											1
BUDAPEST											1	1
BUZU											2	2
CARRAU				1								1
CERRO	14	9	4	53	1	1	8		1		26	117
CHAILEY			2								12	14
CHAMELEON						1					65	66
CHARITY											3	3
CHESTER		4									1	5
CHICAGO			1									1
CHOLERAESUIS			46	1								47

(Continued)

TABLE 6
 CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES
 REPORTED TO CDC AND USDA BY SEROTYPE AND SOURCE, 1997

SEROTYPE	NONHUMAN SOURCE										TOTAL
	CHICKEN INCLUDING EGGS	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMAL / ENVIRONMENT	FEED AND FEED SUPPLY	OTHER BIRD/WILD ANIMAL	REPTILE / ENVIRONMENT	ALL OTHER	
CHOLERAESUIS VAR KUN	1	1	302	3						42	349
CUBANA	8	14	3	1			9			17	52
DERBY	3	41	206	9			1			410	670
DRYPOOL	2		1	5			1				9
DUBLIN				603			1		1	10	615
EALING							1		1	1	3
EASTBOURNE										1	1
ELISABETHVILLE							1				1
ENTERITIDIS	364	1	11	20	1	1				166	564
FANN										1	1
FLINT									1	1	2
FLORIDA										1	1
FLUNTERN									1		1
FRESNO									1	1	2
GAMINARA	4	1		1						13	19
GAROLI										1	1
GERA		2					4				6
GIVE	3	3	2	52		1				34	95
GLOSTRUP										1	1
GODESBERG										1	1
GROUP 61						2					2

(Continued)

TABLE 6
 CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES
 REPORTED TO CDC AND USDA BY SEROTYPE AND SOURCE, 1997

SEROTYPE	NONHUMAN SOURCE											TOTAL
	CHICKEN INCLUDING EGGS	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMAL / ENVIRONMENT	FEED AND FEED SUPPLY	OTHER BIRD/WILD ANIMAL	REPTILE / ENVIRONMENT	ALL OTHER		
GROUP B											1	1
GROUP C2											1	1
GROUP H									1			1
GROUP K	1	1										2
GROUP Z									1			1
HAARDT	1										3	4
HADAR	78	242	2	10							299	631
HAGENBECK											2	2
HARTFORD		1		6						1	10	18
HATO				1								1
HAVANA	7	14	21	9			2	4			10	68
HEIDELBERG	905	210	166	21			2	2			610	1916
HIDALGO											1	1
HINDMARSH				1								1
HOLCOMB											8	8
HOUTEN											3	8
HVITTINGFOSS											2	2
IDIKAN											1	1
INDIANA	3	2	1	1							19	26
INFANTIS	99	27	92	14			3	2			150	389
INVERNESS				1							6	7

(Continued)

TABLE 6
 CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES
 REPORTED TO CDC AND USDA BY SEROTYPE AND SOURCE, 1997

SEROTYPE	NONHUMAN SOURCE											TOTAL
	CHICKEN INCLUDING EGGS	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMAL / ENVIRONMENT	FEED AND FEED SUPPLY	OTHER BIRD/WILD ANIMAL	REPTILE / ENVIRONMENT	ALL OTHER		
ISTANBUL	5	11									23	39
ITURI											1	1
JANGWANI											1	1
JAVA				8	1			2	3		8	22
JAVIANA	3	26								15		44
JOHANNESBURG	7	25	5	1			12			123		173
KEDUGOU											1	1
KENTUCKY	326	56	43	53						461		939
KIAMBU	6			2						4		12
KINGABWA											1	1
KINSHASA				3						3		6
KISARAWÉ										4		8
KRALENDYK										5		5
KRALINGEN										1		1
KREFELD		2	2							4		8
LEOBEN									1			1
LILLE	29	4		2						12		47
LISBOA									1			1
LITCHFIELD	11	2		5						16		34
LIVINGSTONE	14	3					4			10		31
LOHBRUEGGE									1			1

(Continued)

TABLE 6
CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES
REPORTED TO CDC AND USDA BY SEROTYPE AND SOURCE, 1997

SEROTYPE	NONHUMAN SOURCE										TOTAL
	CHICKEN INCLUDING EGGS	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMAL / ENVIRONMENT	FEED AND FEED SUPPLY	OTHER BIRD/WILD ANIMAL	REPTILE / ENVIRONMENT	ALL OTHER	
LOMALINDA										2	2
LOME									3		3
LONDON		2	29	5						40	76
MADELIA										1	1
MAKOMA										3	3
MANHATTAN			2	1						17	20
MANILA										3	3
MARICOPA				1							1
MARINA			1	1				1	2	25	30
MATADI										5	5
MBANDAKA	127	32	303	50		1	4			82	599
MELEAGRIDIS	4	2	1	42		2	1			36	88
MENHADEN										2	2
MIAMI										1	1
MINNEAPOLIS											1
MINNESOTA	1	3	11	3			2			13	33
MISSISSIPPI										1	1
MOLADE	2			1	1				1		5
MONTEVIDEO	55	106	6	66		3	37	1	1	175	450
MUENCHEN	6	7	10	22		2			4	84	135
MUENSTER	10	112	6	50	2	1				153	334

(Continued)

TABLE 6
 CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES
 REPORTED TO CDC AND USDA BY SEROTYPE AND SOURCE, 1997

SEROTYPE	NONHUMAN SOURCE											TOTAL
	CHICKEN INCLUDING EGGS	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMAL / ENVIRONMENT	FEED AND FEED SUPPLY	OTHER BIRD/WILD ANIMAL	REPTILE / ENVIRONMENT	ALL OTHER		
MUNDSBURG											1	1
NEWRUNSWICK		3	2	12					1		34	52
NEWHAW		1		1							4	6
NEWINGTON	2	1	3	28							14	48
NEWPORT	3	4	11	28	1		2		8		91	148
NIMA									1			1
NORWICH	1	1									6	8
NYANZA											2	2
OHIO	34	66	8	6			1				81	197
ORANIENBURG	13	18	16	22					4		37	114
ORION	2	3	2	2							5	14
OSLO											1	1
OUAKAM											6	6
PANAMA				1					3		4	8
PARERA									1		3	4
PLYMOUTH											1	1
POANO									1			1
POMONA	4			2					2		11	19
POONA		1		1							18	20
PULLORUM	3										3	6
PUTTEN		6	1								4	12

(Continued)

TABLE 6
 CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES
 REPORTED TO CDC AND USDA BY SEROTYPE AND SOURCE, 1997

SEROTYPE	NONHUMAN SOURCE											TOTAL
	CHICKEN INCLUDING EGGS	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMAL / ENVIRONMENT	FEED AND FEED SUPPLY	OTHER BIRD/WILD ANIMAL	REPTILE / ENVIRONMENT	ALL OTHER		
READING		85	1	3					1	104	194	
REDLANDS								1			1	
ROWBARTON										2	2	
RUBISLAW	1			6		2		3		34	46	
SAINTPAUL	3	96	6	1					1	112	219	
SANDIEGO				1					2	5	8	
SANJUAN										8	8	
SCHWARZENGRUND	40	48	4	7	1		8			164	272	
SEMINOLE									2	1	3	
SENEGAL										1	1	
SENFTEMBERG	90	337	12	5		1	10			193	648	
SHUBRA			1							4	5	
SOAHANINA										6	6	
STANLEY										2	2	
SUNDSVALL										8	8	
TAKSONY	7	3	1	1						7	19	
TALLAHASSEE	1	1								5	7	
TAUNTON									1		1	
TENNESSEE	6	10		2		1	4			13	36	
TEXAS						1					1	
THOMASVILLE	1	8		1			2				12	

(Continued)

TABLE 6
 CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES
 REPORTED TO CDC AND USDA BY SEROTYPE AND SOURCE, 1997

SEROTYPE	NONHUMAN SOURCE										TOTAL
	CHICKEN INCLUDING EGGS	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMAL / ENVIRONMENT	FEED AND FEED SUPPLY	OTHER BIRD/WILD ANIMAL	REPTILE / ENVIRONMENT	ALL OTHER	
THOMPSON	24	1	1	24	11					99	160
TILENE								1		3	4
TOGBA									1		1
TREFOREST									1		1
TUINDORP									1	2	3
TYPHIMURIUM	114	84	229	676	4	16	3	1	4	559	1690
TYPHIMURIUM VAR COPE	40	137	538	769	1	26	3	7	5	501	2027
TYPHISUIS			1								1
UGANDA	2	22	4	16		1				25	70
UPHILL									1		1
URBANA		9	1				5		2	5	22
UZARAMO										1	1
VIRGINIA	1			1						3	5
WANDSBEK										1	1
WASSENAAR									1	1	2
WELTEVREDEN			1					1		1	3
WORTHINGTON	15	47	103	3			5			76	249
TOTAL	2756	2591	2803	2921	24	83	182	19	90	6360	17829