

TABLE 6  
 CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES  
 REPORTED TO CDC AND NVSL BY SEROTYPE AND SOURCE, 2001

SEROTYPE	NONHUMAN SOURCE										TOTAL	
	CHICKEN	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMALS/ ENVIRONMENT	OTHER BIRDS/WILD ANIMALS	REPTILES	ALL OTHER			
ADELAIDE	1	.	5	.	.	2	.	2	.	2	.	10
AGO	.	.	.	.	.	.	.	.	.	1	.	1
AGONA	5	37	75	56	170	7	11	.	2	.	363	
ALACHUA	.	.	8	.	.	.	.	.	.	.	8	
ALBANY	.	1	.	4	.	.	.	.	.	.	5	
AMAGER	.	.	.	1	.	.	.	.	.	.	1	
AMSTERDAM	.	.	.	1	.	.	.	.	.	.	1	
ANATUM	1	2	39	55	28	6	8	.	4	.	143	
ARECHAVALETA	.	.	.	.	.	.	.	1	.	.	1	
BANANA	.	.	.	1	.	1	.	.	.	.	2	
BARDO	.	.	.	26	2	.	.	2	.	.	30	
BAREILLY	.	.	.	1	5	2	1	1	.	.	10	
BEAUDESERT	.	.	.	.	.	.	1	.	.	.	1	
BERTA	2	7	1	3	3	.	.	.	1	.	17	
BINZA	.	.	.	.	.	1	.	.	.	.	1	
BOVISMORBIFICANS	.	.	2	2	1	.	.	.	.	.	5	
BRAENDERUP	2	.	1	13	15	1	2	4	.	.	38	
BRANDENBURG	.	3	21	2	.	.	3	2	1	.	32	
BRENENEY	.	54	12	2	13	.	.	.	.	.	81	
CAMBRIDGE	.	.	.	1	.	.	.	.	.	.	1	
CARRAU	.	.	.	1	1	1	.	.	.	.	3	

(Continued)

TABLE 6  
 CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES  
 REPORTED TO CDC AND NVSL BY SEROTYPE AND SOURCE, 2001

SEROTYPE	NONHUMAN SOURCE										TOTAL
	CHICKEN	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMALS/ ENVIRONMENT	OTHER BIRDS/WILD ANIMALS	REPTILES	ALL OTHER		
CERRO	3	.	1	57	1	.	1	.	.	63	
CHAMELEON	.	.	.	.	.	.	.	2	.	2	
CHOLERAESUIS	.	.	1	.	.	.	.	.	.	1	
CHOLERAESUIS VAR KUN	.	.	253	.	.	.	1	.	1	255	
CLIFTON	.	.	.	.	.	.	.	1	.	1	
CUBANA	1	7	.	2	.	.	.	1	1	12	
DERBY	1	3	125	6	5	2	1	.	1	144	
DIBRA	.	.	.	.	.	1	.	.	.	1	
DRYPOOL	1	.	.	2	.	.	.	.	.	3	
DUBLIN	.	.	2	141	.	3	.	.	.	146	
EALING	.	.	.	.	.	.	.	1	.	1	
ENTERITIDIS	93	32	5	13	3	1	11	1	.	159	
FLUNTERN	.	.	.	.	.	.	.	2	.	2	
FRESNO	.	.	.	.	.	.	.	1	.	1	
GAMINARA	.	.	.	1	.	.	.	2	.	3	
GIVE	.	.	3	13	1	.	1	.	.	18	
GROUP 51	.	.	.	.	.	.	.	1	.	1	
GROUP 52	.	.	.	.	.	.	.	1	.	1	
GROUP 53	.	.	.	.	.	.	.	4	1	5	
GROUP 56	.	.	.	.	.	1	.	10	.	11	
GROUP 57	.	.	.	.	.	.	.	2	.	2	

(Continued)

TABLE 6  
 CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES  
 REPORTED TO CDC AND NVSL BY SEROTYPE AND SOURCE, 2001

SEROTYPE	NONHUMAN SOURCE											TOTAL
	CHICKEN	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMALS/ ENVIRONMENT	OTHER BIRDS/WILD ANIMALS	REPTILES	ALL OTHER			
GROUP 58	.	.	.	.	.	.	.	.	4	.	.	4
GROUP 60	.	.	.	.	1	.	.	.	2	.	.	3
GROUP 61	.	.	2	1	.	27	.	.	9	.	.	39
GROUP 62	.	.	.	.	.	.	.	.	.	.	6	6
GROUP 65	.	.	.	.	.	.	.	.	3	.	.	3
GROUP B	4	3	18	38	16	7	15	1	1	.	.	102
GROUP C1	.	2	9	4	2	.	.	.	3	.	.	20
GROUP C2	.	.	.	5	.	.	1	1	1	.	.	7
GROUP D1	.	.	.	30	.	.	1	.	.	.	.	31
GROUP E1	.	.	.	2	2	.	.	.	.	.	.	4
GROUP E3	.	.	.	3	.	.	1	.	.	.	.	4
GROUP E4	.	1	.	.	.	.	.	.	.	.	.	1
GROUP F	.	.	.	.	2	.	1	.	.	.	.	3
GROUP G	.	.	1	.	.	.	.	.	.	.	.	1
GROUP H	.	.	.	.	.	.	.	.	2	.	.	2
GROUP I	.	.	.	.	.	.	.	.	2	.	.	2
GROUP J	.	.	.	.	1	.	.	.	1	.	3	5
GROUP K	.	2	.	.	.	.	2	.	2	.	2	8
GROUP L	.	.	.	.	.	.	.	.	1	.	.	1
GROUP N	.	.	.	.	.	.	.	.	1	.	.	1
GROUP O	.	.	.	.	.	.	1	.	1	.	.	2

(Continued)

TABLE 6  
CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES  
REPORTED TO CDC AND NVSL BY SEROTYPE AND SOURCE, 2001

SEROTYPE	NONHUMAN SOURCE										TOTAL
	CHICKEN	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMALS/ ENVIRONMENT	OTHER BIRDS/WILD ANIMALS	REPTILES	ALL OTHER		
GROUP P	.	.	.	.	.	.	.	.	8	1	9
GROUP R	.	.	.	.	1	.	1	4	.	.	6
GROUP S	.	.	.	.	.	1	2	4	.	.	7
GROUP T	.	.	.	.	.	1	.	1	.	.	2
GROUP V	.	.	.	.	.	.	.	5	2	.	7
GROUP W	.	.	.	.	.	.	1	3	.	.	4
GROUP X	.	.	.	.	.	.	2	8	.	.	10
GROUP Y	.	.	.	.	.	2	1	15	.	.	18
GROUP Z	.	.	.	.	2	.	2	11	.	.	15
HADAR	6	43	.	2	3	1	3	.	6	.	64
HAGENBECK	.	.	.	.	.	.	.	1	.	.	1
HARMELEN	.	.	.	.	.	.	.	1	.	.	1
HARTFORD	.	1	2	1	2	1	1	.	2	.	10
HAVANA	1	.	5	4	5	1	2	1	.	.	19
HEIDELBERG	79	169	93	27	12	30	15	.	11	.	436
HOLCOMB	.	.	.	.	3	.	.	.	.	.	3
HOUTEN	.	.	.	2	.	.	1	1	.	.	4
IBADAN	.	.	.	.	.	.	.	1	.	.	1
INDIANA	.	.	.	.	.	.	3	.	.	.	3
INFANTIS	4	1	54	27	20	11	16	1	1	1	135
INVERNESS	.	.	.	.	.	.	.	.	1	.	1

(Continued)

TABLE 6  
 CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES  
 REPORTED TO CDC AND NVSL BY SEROTYPE AND SOURCE, 2001

SEROTYPE	NONHUMAN SOURCE										TOTAL		
	CHICKEN	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMALS/ ENVIRONMENT	OTHER BIRDS/WILD ANIMALS	REPTILES	ALL OTHER				
ISTANBUL	.	2	.	.	.	.	.	.	.	.	.	.	2
JAVA	.	.	.	7	12	3	1	1	2				26
JAVIANA	.	1	.	2	6	8	4	.	.				21
JOHANNESBURG	.	.	4	.	.	1	.	.	.				5
KENTUCKY	26	5	.	65	3	7	3	.	.				109
KIAMBU	.	.	.	5	.	2	2	.	.				9
KINSHASA	.	.	.	1	.	.	.	.	.				1
KISARAWA	.	.	.	.	.	.	.	.	2	.			2
KREFELD	.	.	4	.	.	.	.	.	.				4
LEXINGTON	.	.	.	1	.	.	.	.	.				1
LILLE	2	1	.	1	.	.	.	.	.				4
LITCHFIELD	2	2	1	2	2	.	3	.	.				12
LIVINGSTONE	3	.	2	4	.	.	.	.	.				9
LOHBRUEGGE	.	.	.	.	.	.	.	.	1	.			1
LONDON	.	.	7	4	1	.	1	.	.				13
MADELIA	.	.	.	.	.	1	.	.	.				1
MANHATTAN	.	.	6	.	.	.	.	.	.				6
MANILA	.	.	.	1	.	.	3	.	.				4
MARINA	.	.	.	.	.	.	.	3	.				3
MBANDAKA	4	1	11	17	16	4	2	6	3				64
MELEAGRIDIS	.	.	2	46	6	1	2	.	.				57

(Continued)

TABLE 6  
CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES  
REPORTED TO CDC AND NVSL BY SEROTYPE AND SOURCE, 2001

SEROTYPE	NONHUMAN SOURCE											TOTAL
	CHICKEN	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMALS/ ENVIRONMENT	OTHER BIRDS/WILD ANIMALS	REPTILES	ALL OTHER			
MENHADEN	.	.	.	.	1	.	.	.	.	.	.	1
MIAMI	.	.	.	.	6	.	.	.	1	.	.	8
MIDWAY	.	.	.	.	.	.	.	1	.	.	.	1
MINNEAPOLIS	.	.	.	1	1	.	.	.	.	.	.	2
MINNESOTA	1	7	.	3	3	1	.	.	1	.	1	17
MISSISSIPPI	.	.	.	.	2	.	.	.	.	.	.	2
MONTEVIDEO	2	47	4	110	12	9	4	2	2	1	1	191
MOWANJUM	.	.	.	.	.	.	.	1	.	.	.	1
MUENCHEN	2	.	24	17	15	2	5	3	.	.	.	68
MUENSTER	.	67	13	78	25	4	2	3	3	9	.	201
NEWBRUNSWICK	.	.	1	17	.	.	.	3	.	.	.	21
NEWINGTON	.	.	3	8	20	2	.	.	.	.	.	33
NEWPORT	.	10	25	643	202	77	17	8	4	.	.	986
NORWICH	.	.	2	.	1	1	2	.	.	.	.	6
OHIO	.	.	12	4	2	.	.	.	.	.	.	18
ONDERSTEPOORT	.	.	.	.	.	.	.	1	.	.	.	1
ORANIENBURG	2	.	2	24	18	5	2	5	.	.	.	58
ORION	.	.	8	2	.	1	.	.	.	.	.	11
OTHMARSCHEN	.	.	.	.	1	1	.	.	.	.	.	2
PANAMA	.	.	.	2	.	.	.	4	.	.	.	6
PENSACOLA	.	.	.	.	.	.	.	2	.	.	.	2

(Continued)

TABLE 6  
 CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES  
 REPORTED TO CDC AND NVSL BY SEROTYPE AND SOURCE, 2001

SEROTYPE	NONHUMAN SOURCE											TOTAL
	CHICKEN	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMALS/ ENVIRONMENT	OTHER BIRDS/WILD ANIMALS	REPTILES	ALL OTHER			
POMONA	.	.	.	1	.	1	.	.	1	.	.	3
POONA	.	.	.	3	3	1	1	.	1	.	.	9
PORTSMOUTH	.	.	1	.	.	.	.	.	.	.	.	1
PULLORUM	1	.	.	.	.	.	.	.	.	.	.	1
PUTTEN	.	.	2	1	.	2	.	.	.	.	.	5
READING	.	12	6	20	3	1	1	.	.	.	.	43
ROWBARTON	.	.	.	.	.	.	.	.	1	.	.	1
RUBISLAW	.	.	.	2	6	.	.	.	1	.	.	9
SAINTPAUL	1	18	2	3	8	2	5	.	.	2	.	41
SAPHRA	.	.	.	.	1	.	.	.	.	.	.	1
SCHWARZENGRUND	6	4	7	2	2	2	1	.	.	.	.	24
SENFTEMBERG	10	239	4	16	5	4	2	.	.	2	.	282
SINGAPORE	.	.	.	.	.	.	.	.	1	.	.	1
SOAHANINA	.	.	.	1	.	.	.	.	1	.	.	2
SUNDSVALL	.	.	.	.	.	.	.	.	1	.	.	1
TAKSONY	.	.	.	1	1	.	1	.	.	.	.	3
TENNESSEE	.	.	1	3	.	.	.	.	1	.	.	5
THOMASVILLE	3	.	1	1	.	1	.	.	.	.	.	6
THOMPSON	3	1	.	25	10	4	.	.	.	.	.	43
TRANOROA	.	.	.	.	.	.	.	.	.	2	.	2
TUINDORP	.	.	.	.	.	.	.	.	1	.	.	1

(Continued)

TABLE 6  
CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES  
REPORTED TO CDC AND NVSL BY SEROTYPE AND SOURCE, 2001

SEROTYPE	NONHUMAN SOURCE										TOTAL
	CHICKEN	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMALS/ ENVIRONMENT	OTHER BIRDS/WILD ANIMALS	REPTILES	ALL OTHER	TOTAL	
TYPHIMURIUM	21	74	106	403	135	35	78	2	8	862	
TYPHIMURIUM VAR COPE	5	53	454	492	52	67	41	5	12	1181	
UGANDA	.	.	9	76	2	2	.	.	.	89	
URBANA	.	.	.	1	.	.	.	1	.	2	
VIRCHOW	.	.	.	.	.	.	.	1	.	1	
VIRGINIA	.	1	.	1	.	1	.	.	.	3	
WANDSBEK	.	.	.	.	.	.	.	1	.	1	
WELTEVREDEN	.	.	.	.	.	.	.	2	.	2	
WESTHAMPTON	.	.	.	.	.	.	1	.	.	1	
WORTHINGTON	.	1	24	3	5	.	2	.	1	36	
TOTAL	298	914	1486	2670	908	364	303	207	93	7243	