

TABLE 7

**Non-Clinical Salmonella isolates from Nonhuman sources
Reported to CDC and NSVL by Serotype and Source, 2005**

Serotype	Non-Clinical Nonhuman Source										Total
	All Others	Bovine	Chicken	Equine	Feed/Feed Supplements	Other Birds /Wild Animals	Other Domestic Animals /Environment	Porcine	Reptile	Turkey	
Abony	1										1
Adelaide			3								3
Agona	2	1	72		1		50	16		71	213
Alabama			5								5
Alachua			7							1	8
Albany			1							21	22
Altona			2								2
Amager			14				1				15
Amsterdam			2								2
Amsterdam var. 15+			2								2
Anatum		10	34				16	6		28	94
Anatum var. 15+										1	1
Apapa			1								1
Arechavaleta							1				1
Babelsberg			1								1
Banana			1								1
Bareilly			15				5				20
Barranquilla			7								7
Bere			2								2
Berta	15		9							15	39
Blockley			2			2					4
Bovismorbificans			7								7
Braenderup	1		63			1	6	4			75
Brandenburg			4				1	1			6
Bredeney							1			20	21
Cerro	8	259	9				7			8	291
Choleraesuis var. Kunzendorf			1				1				2
Cubana		24	15				20			11	70
Daytona										1	1
Derby			2				2	192		13	209
Dublin		1									1
Ealing			2								2
Enteritidis	3	1	177			4	26			6	217
Gallinarum	4										4
Gaminara		3					3				6
Georgia			2								2
Gera			1								1
Give			1				3		3		7
Give var. 15+			2								2
Godesberg			2								2
Haardt			1				1				2
Hadar	2		20		1	1	1			624	649
Hartford							1				1
Havana			10				3			1	14

TABLE 7

**Non-Clinical Salmonella isolates from Nonhuman sources
Reported to CDC and NSVL by Serotype and Source, 2005**

Serotype	Non-Clinical Nonhuman Source										Total
	All Others	Bovine	Chicken	Equine	Feed/Feed Supplements	Other Birds /Wild Animals	Other Domestic Animals /Environment	Porcine	Reptile	Turkey	
Heidelberg	2		1013			39	38	43		126	1261
Indiana			1				6				7
Infantis	1	18	47				25		1	6	98
Istanbul			1							2	3
Javiana			15				1			5	21
Johannesburg	1		11				1	4		4	21
Kentucky	27	6	630			24	12			6	705
Kiambu			39								39
Lexington			3								3
Lille			8				1	2		2	13
Litchfield			2			1	1				4
Liverpool	1		2								3
Livingstone			9								9
Llandoff			1								1
London		1	1							15	17
London var. 15+										2	2
Luciana			1								1
Manhattan			1								1
Mbandaka	3	2	75			1	4	25	1	18	129
Meleagridis		4	1					2			7
Minnesota			3								3
Molade			2								2
Montevideo	3	17	97				7			56	180
Muenchen	3	1	48	2			5			4	63
Muenster		8	7			2	3			65	85
Muenster var. 15+, 34+			1								1
Newport	3	10	15				50	4		25	107
Norwich			3					1			4
Ohio	9		30		2	1	1	1		4	48
Oranienburg	5		12								17
Orion		1	10				1			2	14
Orion var. 15+			1							1	2
Orion var. 15+, 34+			4							2	6
Ouakam			9							6	15
Paratyphi B var. L(+) tartrate+				1			2		1		4
Pomona			8							1	9
Presov									2		2
Putten			1								1
Reading	1	1	1							17	20
Rissen			3								3
Rubislaw	2		4				3				9
Ruiru			2								2
Saintpaul	3			6			7	1		99	116
Sandiego			2								2

TABLE 7

**Non-Clinical Salmonella isolates from Nonhuman sources
Reported to CDC and NSVL by Serotype and Source, 2005**

Serotype	Non-Clinical Nonhuman Source										Total
	All Others	Bovine	Chicken	Equine	Feed/Feed Supplements	Other Birds /Wild Animals	Other Domestic Animals /Environment	Porcine	Reptile	Turkey	
Schwarzengrund	2	1	72				1			62	138
Senftenberg	1	3	219			7	10	1	1	298	540
Soerenga			1								1
Taksony			8								8
Tennessee			15				1		1	26	43
Thompson			75			1	2			8	86
Typhimurium	119	2	318	2			100	64		34	639
Typhimurium var. 5-	163	8	106			2	33	75		49	436
Uganda			27				9				36
Urbana			1							1	2
Westhampton			1							9	10
Widemarsh			2								2
Worthington			32					33		45	110
I 11:r:-							1				1
I 3,10:e,h:-			1							1	2
I 3,15,34:z10:-			2								2
I 3,15:z10:-			1								1
I 4,[5],12:-:1,2			5							1	6
I 4,[5],12:d:-			2								2
I 4,[5],12:i:-	1		140	2		1	16	9		1	170
I 4,[5],12:r:-			1								1
I 6,7:-:1,5			4				1				5
I 6,7:k:-			13								13
I 6,7:z10:-			1								1
I 6,8:-:1,2			1								1
I 8,20:-:z6	3		25								28
I 8,20:i:-			4								4
IIIa 18:z4,z23:-							1			2	3
IIIa 18:z4,z32:-										31	31
IIIa 40:z4,z24:-			10								10
IIIa 51:z4,z23:-									1		1
IIIa 53:z4,z23:-										2	2
IIIb 17:z10:e,n,x,z15							1				1
IIIb 47:l,v:e,n,x,z15	1										1
IIIb 61:r:z53	1										1
IV 11:z4,z23:-	1										1
IV 16:z4,z32:-									9		9
IV 40:z4,z32:-	1										1
IV 44:z36,[z38]:-			2								2
IV 45:g,z51:-					1						1
IV 48:g,z51:-									3		3
Rough or nonmotile		3	31				3			6	43
Total	393	385	3743	13	5	87	496	484	23	1865	7494