

ESTIMATED TOTAL NUMBER OF FISH CAUGHT (INCLUDING RELEASED ALIVE) WITH PSE (%) BY MARINE RECREATIONAL ANGLERS,
BY SPECIES AND FISHING AREA, 1981-1996 FOR THE ATLANTIC AND GULF COASTS

YEAR	ATLANTIC COD						ATLANTIC CROAKER					
	INLAND		OCEAN 0 TO 3MILES		OCEAN 3 TO 200 MILES		INLAND		OCEAN 0 TO 3MILES		OCEAN 3 TO 200 MILES	
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
-----NUMBER IN THOUSANDS-----												
1981.	303	33	1,380	34	2,998	21	5,500	14	3,526	14	374	36
1982.	222	90	942	49	2,320	17	6,199	13	8,088	16	227	18
1983.	90	28	849	17	2,401	16	9,764	10	6,719	13	2,861	24
1984.	55	53	453	16	1,088	10	10,998	9	8,107	12	1,092	17
1985.	252	61	631	31	2,932	44	8,380	9	6,421	11	1,962	63
1986.	61	48	333	16	1,073	17	22,515	10	6,950	11	602	23
1987.	30	31	932	36	2,134	18	11,598	9	3,971	15	818	16
1988.	84	24	275	17	2,449	17	11,459	9	4,648	23	1,470	25
1989.	533	22	255	17	1,548	10	7,419	6	2,431	8	382	16
1990.	75	18	356	13	1,880	12	12,168	6	2,467	20	194	30
1991.	130	28	208	18	1,917	15	22,787	6	2,834	12	312	25
1992.	21	38	103	15	726	12	13,547	5	2,901	14	505	20
1993.	80	22	263	14	2,350	11	17,594	5	2,702	7	721	19
1994.	297	25	318	15	1,247	9	21,197	4	4,945	6	528	15
1995.	63	29	154	19	1,725	15	14,126	5	2,853	7	774	25
1996.	29	36	89	15	962	11	12,590	6	3,435	8	841	13
YEAR	ATLANTIC MACKEREL						BLACK DRUM					
	INLAND		OCEAN 0 TO 3MILES		OCEAN 3 TO 200 MILES		INLAND		OCEAN 0 TO 3MILES		OCEAN 3 TO 200 MILES	
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
-----NUMBER IN THOUSANDS-----												
1981.	1,067	30	2,509	23	1,532	25	347	17	188	21	13	37
1982.	544	40	120	26	879	28	913	16	771	17	25	39
1983.	186	20	233	20	3,700	27	819	17	687	19	257	33
1984.	129	22	774	20	2,923	21	443	20	480	14	22	34
1985.	1,651	77	2,669	58	3,505	18	548	15	344	19	14	25
1986.	566	29	537	30	4,285	24	1,343	15	522	13	27	21
1987.	560	29	3,777	19	3,397	25	1,042	15	511	15	31	37
1988.	1,548	58	1,564	23	2,887	21	921	9	430	13	73	28
1989.	714	19	2,089	13	1,231	22	538	16	152	21	46	31
1990.	599	26	1,465	16	1,930	19	520	17	246	28	52	25
1991.	1,154	34	1,429	21	2,872	16	720	11	288	15	17	28
1992.	370	18	324	18	350	26	991	6	381	12	33	18
1993.	1,097	16	472	15	737	17	964	9	510	15	60	26
1994.	1,595	14	2,188	19	1,078	30	810	8	276	8	39	27
1995.	1,445	23	1,071	17	1,493	25	1,010	8	525	10	60	38
1996.	683	13	1,400	15	1,566	16	915	7	261	8	20	16

NOTE:--EST = ESTIMATE. PSE (%) = PROPORTIONAL STANDARD ERROR. "OCEAN TO 3 MILES" INCLUDES TRIPS OFF OF FLORIDA'S WEST COAST FROM 0 TO 10 MILES FROM SHORE (STATE TERRITORIAL WATERS) WHILE "OCEAN 3 TO 200 MILES" INCLUDES TRIPS OFF FLORIDA'S WEST COAST BEYOND 10 MILES FROM SHORE. ESTIMATES DO NOT INCLUDE TEXAS DATA.

ESTIMATED TOTAL NUMBER OF FISH CAUGHT (INCLUDING RELEASED ALIVE) WITH PSE (%) BY MARINE RECREATIONAL ANGLERS,
BY SPECIES AND FISHING AREA, 1981-1996 FOR THE ATLANTIC AND GULF COASTS

YEAR	BLACK SEA BASS						BLUEFISH					
	INLAND		OCEAN 0 TO 3MILES		OCEAN 3 TO 200 MILES		INLAND		OCEAN 0 TO 3MILES		OCEAN 3 TO 200 MILES	
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
----- NUMBER IN THOUSANDS -----												
1981.	1,999	14	1,799	25	2,581	15	10,782	8	12,606	35	8,366	8
1982.	1,609	13	9,372	37	4,955	12	12,517	10	8,624	9	6,578	12
1983.	2,570	20	1,955	13	6,628	13	14,412	7	10,083	10	7,980	19
1984.	1,499	14	1,831	17	4,322	9	14,333	10	8,023	8	4,712	9
1985.	3,359	9	2,744	14	7,429	12	11,896	7	6,576	7	4,521	15
1986.	8,938	9	12,935	33	10,952	16	14,664	7	10,559	6	6,076	9
1987.	2,395	14	4,001	10	4,148	7	12,088	6	11,098	6	5,305	7
1988.	4,553	9	4,399	9	6,842	9	6,018	9	5,607	6	2,810	7
1989.	3,118	5	4,317	8	6,629	6	9,574	5	6,790	4	3,152	7
1990.	6,070	7	2,636	8	5,018	7	8,823	4	6,274	5	1,776	6
1991.	5,270	6	4,306	10	6,283	7	10,864	5	6,353	5	2,034	8
1992.	3,415	6	2,690	6	5,654	7	5,603	5	4,776	4	1,612	7
1993.	2,892	7	4,429	24	5,437	10	5,382	4	3,736	4	1,184	8
1994.	4,208	6	2,241	6	5,443	8	6,726	5	4,774	4	904	9
1995.	5,652	7	2,662	7	9,479	9	5,201	4	4,862	5	876	8
1996.	3,705	9	1,755	7	7,289	8	5,676	5	3,406	4	1,289	11
YEAR	DOLPHIN						GAG					
	INLAND		OCEAN 0 TO 3MILES		OCEAN 3 TO 200 MILES		INLAND		OCEAN 0 TO 3MILES		OCEAN 3 TO 200 MILES	
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
----- NUMBER IN THOUSANDS -----												
1981.	2	100	27	37	1,098	16	4	71	106	42	132	23
1982.	5	45	755	17	571	24	5	52	164	22	219	18
1983.	0	0	204	22	990	15	23	92	502	33	255	16
1984.	2	100	350	31	755	26	5	54	192	46	141	17
1985.	2	74	477	26	659	21	11	43	71	29	277	17
1986.	2	100	617	18	920	10	28	32	79	37	137	15
1987.	2	72	333	15	1,219	10	21	29	154	22	225	16
1988.	22	96	515	18	1,152	10	33	39	80	21	221	15
1989.	2	100	574	16	2,348	7	227	22	143	17	186	12
1990.	2	56	561	24	1,363	9	114	26	118	17	426	22
1991.	9	25	395	13	2,738	7	273	18	505	19	426	18
1992.	29	32	233	15	1,221	6	197	20	337	13	561	9
1993.	40	33	265	14	1,620	6	284	15	466	12	988	7
1994.	24	28	220	35	2,206	5	583	10	744	9	905	7
1995.	1	100	315	9	2,297	4	386	10	566	10	1,588	6
1996.	12	29	179	12	1,714	6	364	10	399	9	827	6

NOTE:--EST = ESTIMATE. PSE (%) = PROPORTIONAL STANDARD ERROR. "OCEAN TO 3 MILES" INCLUDES TRIPS OFF OF FLORIDA'S WEST COAST FROM 0 TO 10 MILES FROM SHORE (STATE TERRITORIAL WATERS) WHILE "OCEAN 3 TO 200 MILES" INCLUDES TRIPS OFF FLORIDA'S WEST COAST BEYOND 10 MILES FROM SHORE. ESTIMATES DO NOT INCLUDE TEXAS DATA.

ESTIMATED TOTAL NUMBER OF FISH CAUGHT (INCLUDING RELEASED ALIVE) WITH PSE (%) BY MARINE RECREATIONAL ANGLERS,
BY SPECIES AND FISHING AREA, 1981-1996 FOR THE ATLANTIC AND GULF COASTS

YEAR	GRAY SNAPPER						GRAY TRIGGERFISH					
	INLAND		OCEAN 0 TO 3MILES		OCEAN 3 TO 200 MILES		INLAND		OCEAN 0 TO 3MILES		OCEAN 3 TO 200 MILES	
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
----- NUMBER IN THOUSANDS -----												
1981.	205	21	559	16	879	40	2	53	244	30	128	27
1982.	324	20	1399	14	309	32	0	0	144	17	551	21
1983.	365	21	3425	36	306	21	20	46	99	21	84	17
1984.	306	25	3817	22	250	27	9	84	159	73	80	21
1985.	198	24	1917	17	206	21	3	79	160	28	145	22
1986.	436	21	1464	18	193	20	13	48	250	26	397	27
1987.	442	16	1205	46	384	20	21	45	298	34	503	31
1988.	849	10	996	11	138	20	30	32	448	16	437	14
1989.	1448	8	1402	12	302	22	49	32	591	14	779	14
1990.	1273	11	1020	13	276	26	27	25	451	16	837	17
1991.	2551	10	4505	9	349	18	59	23	774	12	575	14
1992.	3196	8	1799	7	368	11	41	30	442	9	552	9
1993.	2530	5	2194	7	430	11	39	20	324	12	543	8
1994.	2445	6	1943	6	458	15	44	22	256	10	534	9
1995.	1972	8	2170	6	410	12	27	21	262	13	541	8
1996.	1998	8	1731	7	685	10	43	20	225	13	394	11
YEAR	GREATER AMBERJACK						KING MACKEREL					
	INLAND		OCEAN 0 TO 3MILES		OCEAN 3 TO 200 MILES		INLAND		OCEAN 0 TO 3MILES		OCEAN 3 TO 200 MILES	
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
----- NUMBER IN THOUSANDS -----												
1981.	4	47	102	31	84	30	220	79	243	61	240	17
1982.	1	100	140	26	408	22	1	50	899	52	592	15
1983.	9	100	30	28	232	25	5	75	484	23	455	23
1984.	2	100	46	25	116	15	3	100	417	24	569	17
1985.	9	59	44	34	203	16	6	53	255	20	737	28
1986.	10	53	120	20	651	16	0	61	275	12	602	12
1987.	6	80	162	29	644	19	8	34	511	11	564	10
1988.	0	0	75	19	318	17	24	24	389	9	628	10
1989.	3	71	492	19	339	17	3	66	439	23	409	9
1990.	5	45	45	23	203	19	7	46	544	14	520	8
1991.	4	50	313	20	392	12	47	37	777	9	612	7
1992.	9	38	298	41	385	9	8	28	493	7	789	9
1993.	16	36	814	16	311	10	31	24	545	6	448	5
1994.	19	50	41	19	272	10	54	21	464	6	631	6
1995.	4	61	43	24	116	13	52	20	474	6	726	6
1996.	2	52	69	16	187	9	25	24	467	9	742	5

NOTE:--EST = ESTIMATE. PSE (%) = PROPORTIONAL STANDARD ERROR. "OCEAN TO 3 MILES" INCLUDES TRIPS OFF OF FLORIDA'S WEST COAST FROM 0 TO 10 MILES FROM SHORE (STATE TERRITORIAL WATERS) WHILE "OCEAN 3 TO 200 MILES" INCLUDES TRIPS OFF FLORIDA'S WEST COAST BEYOND 10 MILES FROM SHORE. ESTIMATES DO NOT INCLUDE TEXAS DATA.

ESTIMATED TOTAL NUMBER OF FISH CAUGHT (INCLUDING RELEASED ALIVE) WITH PSE (%) BY MARINE RECREATIONAL ANGLERS,
BY SPECIES AND FISHING AREA, 1981-1996 FOR THE ATLANTIC AND GULF COASTS

YEAR	RED DRUM						RED SNAPPER					
	INLAND		OCEAN 0 TO 3MILES		OCEAN 3 TO 200 MILES		INLAND		OCEAN 0 TO 3MILES		OCEAN 3 TO 200 MILES	
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
-----NUMBER IN THOUSANDS-----												
1981. . .	793	13	848	17	63	48	1	100	568	29	1,388	22
1982. . .	1,419	13	1,812	13	104	25	0	0	690	33	826	19
1983. . .	2,553	15	2,650	17	453	23	0	100	145	22	2,678	16
1984. . .	2,135	12	2,600	14	127	19	16	100	130	25	1,069	12
1985. . .	2,098	12	1,482	15	78	25	80	48	74	25	1,292	11
1986. . .	2,125	7	1,942	9	131	18	4	67	220	18	831	14
1987. . .	3,952	8	2,275	10	143	15	7	52	304	38	716	21
1988. . .	4,458	6	1,207	8	140	22	113	28	187	30	883	12
1989. . .	3,037	7	1,219	16	151	36	55	34	158	22	968	14
1990. . .	1,735	7	1,112	11	168	23	2	60	201	21	745	16
1991. . .	5,570	9	2,366	9	134	37	102	39	295	18	1,203	11
1992. . .	6,356	4	1,981	6	345	14	40	23	346	11	1,639	6
1993. . .	5,905	4	1,494	8	250	16	45	32	205	16	2,296	6
1994. . .	5,916	4	1,560	6	132	17	32	24	223	12	1,756	6
1995. . .	6,803	4	2,296	5	137	12	17	32	226	16	1,365	6
1996. . .	5,524	4	1,409	5	152	13	12	35	358	17	1,363	6
YEAR	SAND SEATROUT						SCUP					
	INLAND		OCEAN 0 TO 3MILES		OCEAN 3 TO 200 MILES		INLAND		OCEAN 0 TO 3MILES		OCEAN 3 TO 200 MILES	
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
-----NUMBER IN THOUSANDS-----												
1981. . .	1,355	30	7,740	53	120	26	7,218	28	2,238	23	933	22
1982. . .	370	20	2,784	28	344	19	3,208	12	2,576	18	1,401	23
1983. . .	312	33	4,462	22	683	30	4,772	15	2,178	16	3,205	26
1984. . .	561	62	6,752	25	368	21	5,629	20	1,419	19	727	26
1985. . .	1,171	21	4,803	22	817	32	12,416	12	1,051	18	402	28
1986. . .	2,777	13	4,046	10	295	18	17,138	10	10,243	12	3,493	28
1987. . .	933	20	2,700	11	375	15	3,760	10	5,664	14	2,952	22
1988. . .	1,825	11	939	12	189	20	5,067	9	2,003	14	471	28
1989. . .	2,388	23	977	13	56	47	8,194	7	2,594	12	608	16
1990. . .	1,593	13	2,259	14	732	30	6,023	7	3,327	9	823	16
1991. . .	3,380	15	1,539	12	216	34	12,365	6	3,583	10	907	13
1992. . .	2,575	15	1,032	11	173	22	7,485	7	2,368	10	225	17
1993. . .	2,033	9	1,586	12	449	22	4,867	6	1,188	13	1,022	23
1994. . .	3,505	7	1,705	10	455	17	3,619	11	1,077	12	965	16
1995. . .	2,582	9	1,498	11	275	20	1,573	9	1,201	13	913	23
1996. . .	2,152	7	1,847	10	625	23	3,576	9	946	13	335	21

NOTE:--EST = ESTIMATE. PSE (%) = PROPORTIONAL STANDARD ERROR. "OCEAN TO 3 MILES" INCLUDES TRIPS OFF OF FLORIDA'S WEST COAST FROM 0 TO 10 MILES FROM SHORE (STATE TERRITORIAL WATERS) WHILE "OCEAN 3 TO 200 MILES" INCLUDES TRIPS OFF FLORIDA'S WEST COAST BEYOND 10 MILES FROM SHORE. ESTIMATES DO NOT INCLUDE TEXAS DATA.

ESTIMATED TOTAL NUMBER OF FISH CAUGHT (INCLUDING RELEASED ALIVE) WITH PSE (%) BY MARINE RECREATIONAL ANGLERS,
BY SPECIES AND FISHING AREA, 1981-1996 FOR THE ATLANTIC AND GULF COASTS

YEAR	SHEEPSHEAD						SOUTHERN FLOUNDER					
	INLAND		OCEAN 0 TO 3MILES		OCEAN 3 TO 200 MILES		INLAND		OCEAN 0 TO 3MILES		OCEAN 3 TO 200 MILES	
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
-----NUMBER IN THOUSANDS-----												
1981.	682	18	456	18	13	44	596	23	263	29	3	55
1982.	1,675	11	1,270	12	142	31	1,016	34	1,355	22	26	39
1983.	1,916	22	1,585	18	178	26	590	14	2,048	34	95	68
1984.	1,368	13	2,317	12	117	30	499	13	537	18	12	35
1985.	1,015	17	1,279	15	72	33	725	14	532	18	15	32
1986.	2,147	22	823	11	48	27	2,133	20	776	19	88	35
1987.	1,784	11	1,026	10	60	19	392	9	601	40	21	36
1988.	2,470	8	1,674	11	152	19	1,051	13	272	16	14	25
1989.	2,248	10	1,488	14	111	35	871	21	145	18	19	35
1990.	1,900	9	916	19	117	20	1,166	16	382	25	26	23
1991.	2,857	8	631	12	22	34	739	8	514	12	21	26
1992.	4,808	5	995	9	131	22	884	6	250	10	13	20
1993.	4,450	5	980	12	163	23	822	6	243	12	17	25
1994.	3,369	5	891	8	123	18	1,085	5	259	9	25	22
1995.	3,984	6	973	8	161	18	1,128	5	299	9	19	36
1996.	2,693	5	698	7	151	15	965	6	207	12	19	54
YEAR	SPANISH MACKEREL						SPOT					
	INLAND		OCEAN 0 TO 3MILES		OCEAN 3 TO 200 MILES		INLAND		OCEAN 0 TO 3MILES		OCEAN 3 TO 200 MILES	
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
-----NUMBER IN THOUSANDS-----												
1981.	494	29	1,531	15	428	18	6,999	13	20,275	19	2,276	22
1982.	174	46	2,908	20	914	23	8,250	12	11,497	10	140	31
1983.	370	51	1,777	39	1,295	23	12,795	22	10,038	14	2,644	23
1984.	71	63	702	18	1,022	30	6,116	11	4,815	13	970	23
1985.	166	28	1,022	14	463	14	10,779	9	11,565	11	260	27
1986.	204	26	10,177	12	1,124	12	13,707	7	5,456	15	178	22
1987.	91	16	2,374	7	816	10	9,731	7	2,915	8	375	18
1988.	478	16	2,397	7	1,046	9	6,755	9	3,991	14	69	32
1989.	456	14	1,926	7	549	8	9,269	5	3,561	7	227	15
1990.	1,580	16	2,697	9	778	8	14,399	6	2,719	12	254	21
1991.	941	11	3,199	8	647	9	20,801	6	3,926	6	317	49
1992.	1,686	9	3,294	4	595	6	11,994	7	2,880	12	100	23
1993.	1,040	8	2,208	6	404	9	10,186	7	4,058	9	19	43
1994.	1,122	7	2,251	4	477	12	9,816	4	8,556	7	119	21
1995.	396	9	1,659	6	513	23	4,695	6	6,759	7	113	23
1996.	1,121	10	1,330	6	537	8	3,139	8	4,128	11	97	30

NOTE:--EST = ESTIMATE. PSE (%) = PROPORTIONAL STANDARD ERROR. "OCEAN TO 3 MILES" INCLUDES TRIPS OFF OF FLORIDA'S WEST COAST FROM 0 TO 10 MILES FROM SHORE (STATE TERRITORIAL WATERS) WHILE "OCEAN 3 TO 200 MILES" INCLUDES TRIPS OFF FLORIDA'S WEST COAST BEYOND 10 MILES FROM SHORE. ESTIMATES DO NOT INCLUDE TEXAS DATA.

ESTIMATED TOTAL NUMBER OF FISH CAUGHT (INCLUDING RELEASED ALIVE) WITH PSE (%) BY MARINE RECREATIONAL ANGLERS,
BY SPECIES AND FISHING AREA, 1981-1996 FOR THE ATLANTIC AND GULF COASTS

YEAR	SPOTTED SEATROUT						STRIPED BASS					
	INLAND		OCEAN 0 TO 3MILES		OCEAN 3 TO 200 MILES		INLAND		OCEAN 0 TO 3MILES		OCEAN 3 TO 200 MILES	
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
	----- NUMBER IN THOUSANDS -----											
1981.	2,838	14	2,861	18	416	22	755	42	102	32	13	55
1982.	5,563	12	8,345	12	747	17	902	45	78	48	68	32
1983.	5,464	15	6,957	12	2,303	21	332	16	330	44	33	52
1984.	3,283	22	8,537	12	782	36	225	21	327	27	1	100
1985.	4,428	11	6,642	13	274	21	436	20	154	21	0	0
1986.	13,796	25	11,391	6	1,481	11	482	28	645	28	15	41
1987.	9,274	6	10,670	5	1,824	10	295	20	390	19	75	62
1988.	12,030	4	8,108	6	1,888	11	440	22	651	42	42	23
1989.	12,087	6	7,363	7	1,141	17	996	23	235	14	26	22
1990.	8,312	5	4,646	7	441	16	1,416	10	503	11	55	30
1991.	18,955	5	10,202	6	774	13	2,350	10	967	20	115	24
1992.	15,816	4	5,576	5	912	10	2,411	7	1,314	11	116	18
1993.	15,791	4	5,402	5	344	17	3,475	9	1,105	8	220	15
1994.	15,284	3	6,486	4	412	14	6,557	8	1,580	8	384	15
1995.	15,566	3	8,735	4	314	17	7,141	7	2,859	8	688	11
1996.	13,885	3	6,388	4	289	16	9,323	7	3,955	6	822	9
YEAR	SUMMER FLOUNDER						TAUTOG					
	INLAND		OCEAN 0 TO 3MILES		OCEAN 3 TO 200 MILES		INLAND		OCEAN 0 TO 3MILES		OCEAN 3 TO 200 MILES	
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
	----- NUMBER IN THOUSANDS -----											
1981.	8,039	8	4,968	16	596	15	884	18	893	29	273	19
1982.	8,362	7	14,098	44	1,132	30	1,183	14	1,212	18	884	17
1983.	18,860	7	11,044	17	2,207	13	1,346	14	1,356	16	673	22
1984.	15,377	9	13,526	10	997	19	1,066	12	1,573	12	125	20
1985.	4,864	9	6,554	19	2,108	26	1,740	15	736	22	748	36
1986.	14,433	7	10,048	8	835	13	2,723	8	3,146	17	2,257	34
1987.	10,563	6	9,626	6	892	13	2,170	15	1,276	13	1,286	15
1988.	9,657	4	5,927	6	1,639	8	2,526	11	1,092	13	653	22
1989.	1,357	6	1,239	9	98	13	2,221	7	811	13	562	14
1990.	5,114	4	3,575	6	425	12	2,182	7	836	9	718	11
1991.	9,311	5	6,468	5	432	11	2,891	6	1,566	9	731	11
1992.	7,913	4	3,749	6	256	11	2,397	7	918	10	880	14
1993.	14,724	4	7,648	7	547	14	2,904	7	771	17	540	11
1994.	11,963	4	5,326	6	452	15	1,682	9	366	17	605	13
1995.	12,401	5	3,172	7	665	14	1,992	9	1,155	14	668	15
1996.	12,936	4	5,969	5	896	10	1,054	8	543	18	683	10

NOTE:--EST = ESTIMATE. PSE (%) = PROPORTIONAL STANDARD ERROR. "OCEAN TO 3 MILES" INCLUDES TRIPS OFF OF FLORIDA'S WEST COAST FROM 0 TO 10 MILES FROM SHORE (STATE TERRITORIAL WATERS) WHILE "OCEAN 3 TO 200 MILES" INCLUDES TRIPS OFF FLORIDA'S WEST COAST BEYOND 10 MILES FROM SHORE. ESTIMATES DO NOT INCLUDE TEXAS DATA.

ESTIMATED TOTAL NUMBER OF FISH CAUGHT (INCLUDING RELEASED ALIVE) WITH PSE (%) BY MARINE RECREATIONAL ANGLERS,
BY SPECIES AND FISHING AREA, 1981-1996 FOR THE ATLANTIC AND GULF COASTS

YEAR	VERMILON SNAPPER						WEAKFISH					
	INLAND		OCEAN 0 TO 3MILES		OCEAN 3 TO 200 MILES		INLAND		OCEAN 0 TO 3MILES		OCEAN 3 TO 200 MILES	
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
----- NUMBER IN THOUSANDS -----												
1981.	0	0	92	24	59	27	1,570	12	6,937	47	1,122	26
1982.	0	0	124	27	745	19	671	20	1,140	22	234	31
1983.	0	0	65	21	391	32	3,584	13	1,566	34	766	25
1984.	0	0	66	25	394	16	1,165	26	1,812	19	792	21
1985.	3	78	305	44	720	23	924	14	1,061	18	790	14
1986.	25	35	140	25	549	26	5,351	9	3,645	14	1,978	20
1987.	1	100	129	37	701	33	3,537	14	1,111	16	1,072	14
1988.	0	89	255	23	827	14	3,851	15	1,382	29	1,213	20
1989.	0	0	204	28	658	15	1,163	9	435	16	77	25
1990.	10	57	146	25	627	20	1,026	8	413	12	233	17
1991.	0	0	522	22	711	15	1,855	7	368	15	379	33
1992.	28	81	213	19	709	8	1,394	8	149	14	125	30
1993.	10	50	159	17	1,059	8	1,738	7	346	15	135	27
1994.	2	100	142	23	683	8	3,687	6	744	10	498	17
1995.	8	53	351	15	841	9	4,553	6	898	12	288	19
1996.	0	100	93	19	374	9	6,217	6	974	10	402	14
YEAR	WINTER FLOUNDER						ALL FISHES					
	INLAND		OCEAN 0 TO 3MILES		OCEAN 3 TO 200 MILES		INLAND		OCEAN 0 TO 3MILES		OCEAN 3 TO 200 MILES	
	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)	EST	PSE (%)
----- NUMBER IN THOUSANDS -----												
1981.	14,786	9	2,316	16	358	23	97,473	4	133,452	7	38,749	4
1982.	11,456	19	6,859	37	271	26	104,216	3	165,075	6	36,090	4
1983.	10,467	9	2,523	14	173	18	139,072	3	163,839	4	66,469	5
1984.	17,084	9	2,691	14	111	30	115,355	3	165,984	3	37,986	4
1985.	18,431	14	3,090	20	45	66	119,924	3	132,949	5	47,429	6
1986.	8,700	11	1,362	10	222	32	181,632	3	172,025	3	53,662	5
1987.	7,772	10	3,808	14	689	31	113,731	2	124,334	3	48,013	3
1988.	9,673	9	1,058	12	388	19	141,473	2	100,617	3	48,564	3
1989.	6,822	23	1,191	12	55	26	126,239	2	82,726	4	40,148	3
1990.	3,486	8	1,068	8	78	21	140,921	2	75,288	2	34,194	3
1991.	3,915	10	589	9	58	26	213,416	2	127,207	3	44,358	3
1992.	1,280	9	232	11	32	25	170,260	2	87,933	2	33,692	2
1993.	3,120	21	382	14	81	20	187,752	2	91,952	2	37,080	2
1994.	2,038	12	233	13	29	32	204,137	2	100,690	1	37,028	2
1995.	2,106	9	152	17	66	52	163,466	2	100,462	3	47,598	4
1996.	2,739	13	155	15	19	25	161,205	2	80,685	2	37,838	2

NOTE:--EST = ESTIMATE. PSE (%) = PROPORTIONAL STANDARD ERROR. "OCEAN TO 3 MILES" INCLUDES TRIPS OFF OF FLORIDA'S WEST COAST FROM 0 TO 10 MILES FROM SHORE (STATE TERRITORIAL WATERS) WHILE "OCEAN 3 TO 200 MILES" INCLUDES TRIPS OFF FLORIDA'S WEST COAST BEYOND 10 MILES FROM SHORE. ESTIMATES DO NOT INCLUDE TEXAS DATA.