

TABLE 7
NON-CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES
REPORTED TO CDC AND NVSL BY SEROTYPE AND SOURCE, 2000

SEROTYPE	NONHUMAN SOURCE											TOTAL		
	CHICKEN	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMALS/ ENVIRONMENT	FEED/FEED SUPPLEMENTS	OTHER BIRDS/WILD ANIMALS	REPTILES	ALL OTHER				
ADELAIDE	.	1	4	5
AGONA	149	47	12	55	3	12	1	4	1	31	315	13	6	2
ALACHUA	7	3	3
ALBANY	1	2	2
AMAGER	.	2	3
AMSTERDAM	3	1
ANATUM	15	10	30	229	.	1	.	1	.	49	335	2	2	2
ARKANSAS	1	1
BABELSBERG	1	1
BARDO	1	.	1	1
BAREILLY	7	1	8
BARRANQUILLA	2	2
BERE	.	1	1
BERTA	450	63	11	1	.	20	545	4	3	5
BIETRI	.	.	3	1	4	.	.	4
BINZA	.	1	1	1	3	.	.	3
BOVISMORBIFICANS	.	1	4	5	.	.	5
BRAENDERUP	85	.	3	5	.	1	.	.	.	15	109	.	.	109
BRANDENBURG	6	5	4	.	.	24	39	.	.	39
BRENECY	18	15	.	3	4	40	.	.	40
CALIFORNIA	1	1	.	.	1

(Continued)

TABLE 7
 NON-CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES
 REPORTED TO CDC AND NVSL BY SEROTYPE AND SOURCE, 2000

SEROTYPE	NONHUMAN SOURCE										TOTAL	
	CHICKEN	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMALS/ ENVIRONMENT	FEED/FEED SUPPLEMENTS	OTHER BIRDS/WILD ANIMALS	REPTILES	ALL OTHER		
CAMBRIDGE	1	1
CARRAU	.	.	.	1	1
CERRO	61	2	3	35	.	10	1	1	.	.	32	145
CHAMELEON	9	.	.	9
CHOLERAESUIS VAR KUN	2	2
CUBANA	4	2	.	7	4	17
DERBY	6	14	101	73	194
DRYPOOL	.	1	.	15	.	.	1	.	.	.	1	18
DUBLIN	.	.	.	2	9	11
ENTERITIDIS	194	2	1	1	.	2	2	4	.	.	30	236
FERRUCH	1	1
FLORIDA	6	6
FRESNO	2	.	1	.	.	.	1	.	.	.	1	5
GAMINARA	1	.	2	1	.	.	2	6
GERA	1	1
GIVE	3	1	2	3	.	4	.	2	.	.	8	23
GROUP 58	1	.	.	1
GROUP 60	2	.	.	2
GROUP 61	1	.	.	1
GROUP 65	2	.	.	2
GROUP B	46	5	20	2	.	2	.	.	1	.	19	95

(Continued)

TABLE 7
NON-CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES
REPORTED TO CDC AND NVSL BY SEROTYPE AND SOURCE, 2000

SEROTYPE	NONHUMAN SOURCE											TOTAL	
	CHICKEN	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMALS/ ENVIRONMENT	FEED/FEED SUPPLEMENTS	OTHER BIRDS/WILD ANIMALS	REPTILES	ALL OTHER			
GROUP C1	2	3	1	.	3	9
GROUP C2	1	1	2
GROUP D1	2	.	.	3	1	.	.	.	8
GROUP E1	2	2	1	2	2	9
GROUP E3	2	1	3
GROUP H	1	.	.	1
GROUP K	.	15	6	21
GROUP P	2	.	.	2
GROUP V	2	.	.	2
GROUP W	1	.	.	1
GROUP X	1	.	.	1
GROUP Y	1	.	.	1
GROUP Z	5	.	.	5
HADAR	12	241	.	.	.	5	1	3	.	.	28	.	290
HAGENBECK	1	.	.	1
HARTFORD	.	.	2	.	.	1	.	1	.	.	23	.	27
HAVANA	3	2	3	4	1	.	13
HEIDELBERG	2589	237	15	3	.	71	2	7	.	.	135	.	3059
HOUTEN	2	.	.	2
INDIANA	.	1	1	.	2
INFANTIS	97	2	8	4	.	2	3	1	.	.	39	.	156

(Continued)

TABLE 7
NON-CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES
REPORTED TO CDC AND NVSL BY SEROTYPE AND SOURCE, 2000

SEROTYPE	NONHUMAN SOURCE											TOTAL
	CHICKEN	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMALS/ ENVIRONMENT	FEED/FEED SUPPLEMENTS	OTHER BIRDS/WILD ANIMALS	REPTILES	ALL OTHER		
ISTANBUL	13	2	1	4	20	
JAVA	2	.	11	1	.	1	.	1	.	9	25	
JAVIANA	.	47	1	4	52	
JOHANNESBURG	9	29	.	1	18	57	
KENTUCKY	494	28	21	128	.	4	1	3	.	128	807	
KIAMBU	.	2	2	
KINSHASA	1	1	2	
KOTTBUS	1	1	
LEXINGTON	1	1	.	.	.	2	
LILLE	2	2	
LINDERN	1	.	1	
LITCHFIELD	5	.	3	1	3	12	
LIVINGSTONE	36	1	1	.	.	.	8	.	.	.	46	
LOMITA	1	1	
LONDON	1	5	6	
MANHATTAN	1	5	6	
MANILA	.	.	.	2	2	
MBANDAKA	78	20	4	43	.	1	2	4	.	21	173	
MELEAGRIDS	2	.	.	13	12	27	
MEMPHIS	1	1	
MIAMI	1	.	1	

(Continued)

TABLE 7
NON-CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES
REPORTED TO CDC AND NVSL BY SEROTYPE AND SOURCE, 2000

SEROTYPE	NONHUMAN SOURCE											TOTAL	
	CHICKEN	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMALS/ ENVIRONMENT	FEED/FEED SUPPLEMENTS	OTHER BIRDS/WILD ANIMALS	REPTILES	ALL OTHER			
MIDWAY	1	1
MINNESOTA	1	1
MOLADE	1	5	1	.	.	.	1	8
MONTEVIDEO	57	25	4	305	.	.	1	9	.	.	4	80	485
MOREHEAD	.	1	1
MUENCHEN	4	38	3	7	.	12	.	.	2	.	.	14	80
MUENSTER	12	146	4	20	.	1	.	.	1	.	.	25	209
NEBRUNSWICK	.	2	3	4	9
NEWHAW	1	1	2
NEWINGTON	1	.	.	13	3	17
NEWPORT	5	6	17	67	2	1	.	.	3	1	.	44	146
NORWICH	1	1
OHIO	82	19	4	2	8	115
ONDERSTEPOORT	13	.	.	13
ORANJENBURG	29	.	8	1	.	11	1	4	54
ORION	14	.	.	1	15
OTHMARSCHEN	.	.	.	1	1
OUAKAM	.	2	2
PANAMA	2	2
PHOENIX	1	.	1
POMONA	6	.	6	.	.	.	1	13

(Continued)

TABLE 7
NON-CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES
REPORTED TO CDC AND NVSL BY SEROTYPE AND SOURCE, 2000

SEROTYPE	NONHUMAN SOURCE											TOTAL
	CHICKEN	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMALS/ ENVIRONMENT	FEED/FEED SUPPLEMENTS	OTHER BIRDS/WILD ANIMALS	REPTILES	ALL OTHER		
PUTTEN	1	2	1	4
READING	2	103	.	70	39	.	214
RUBISLAW	1	2	3
RUIRU	1	.	.	1
SAINTPAUL	1	86	1	.	.	1	.	.	.	18	.	107
SANDIEGO	1	.	.	14	1	.	16
SCHWARZENGRUND	38	108	12	1	.	.	2	.	.	21	.	182
SENFTEMBERG	127	298	.	7	.	.	1	.	2	69	.	504
STANLEY	3	.	4
STANLEYVILLE	11	11
TAKSONY	.	.	.	5	5
TENNESSEE	11	6	3	5	16	4	.	45
THOMASVILLE	6	3	9
THOMPSON	20	1	5	4	2	15	.	47
TYPHIMURIUM	155	26	42	270	32	33	.	16	4	202	.	780
TYPHIMURIUM VAR COPE	55	73	136	78	.	18	.	23	.	221	.	604
UGANDA	5	.	9	.	.	.	1	.	.	5	.	21
URBANA	1	.	1
VIRCHOW	2	.	2
VIRGINIA	1	1
WELTEVREDEN	1	.	1

(Continued)

TABLE 7
 NON-CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES
 REPORTED TO CDC AND NVSL BY SEROTYPE AND SOURCE, 2000

SEROTYPE	NONHUMAN SOURCE											TOTAL
	CHICKEN	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMALS/ ENVIRONMENT	FEED/FEED SUPPLEMENTS	OTHER BIRDS/WILD ANIMALS	REPTILES	ALL OTHER	TOTAL	
WORTHINGTON	4	11	1	.	.	6	22	
TOTAL	5064	1769	504	1433	37	194	70	115	66	1589	10841	