











































1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,297  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 ALL OTHER PSYCHOSES (292-299)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	30	58	110	240	546	1,199	2,214	3,021	2,478	1,143	250	-
WHITE-----MALE----	12	18	52	109	270	510	756	826	510	175	20	-
FEMALE--	14	31	39	90	207	584	1,288	2,001	1,832	893	206	-
ALL OTHER--MALE----	3	4	10	22	46	51	68	59	35	17	9	-
FEMALE--	1	5	9	19	23	54	102	135	101	58	15	-
BLACK---MALE----	3	4	9	19	43	43	58	56	27	16	9	-
FEMALE--	1	5	7	15	20	46	87	116	89	53	13	-
ALABAMA -----	2	1	3	6	12	29	40	42	36	12	3	-
WHITE-----MALE----	1	-	2	2	6	9	9	7	4	2	-	-
FEMALE--	-	1	1	2	5	14	25	25	24	10	3	-
ALL OTHER--MALE----	1	-	-	2	-	5	4	1	3	-	-	-
FEMALE--	-	-	-	-	1	1	2	9	5	-	-	-
BLACK---MALE----	1	-	-	2	-	5	4	1	3	-	-	-
FEMALE--	-	-	-	-	1	1	2	9	5	-	-	-
ALASKA -----	-	-	-	-	2	1	2	8	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	5	5	10	14	31	58	73	55	14	7	-
WHITE-----MALE----	-	3	1	3	5	17	22	20	18	1	2	-
FEMALE--	-	2	3	6	8	13	35	49	36	13	5	-
ALL OTHER--MALE----	-	-	1	1	1	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ARKANSAS -----	-	1	2	1	4	14	10	22	10	5	1	-
WHITE-----MALE----	-	1	1	-	2	4	3	8	1	1	-	-
FEMALE--	-	-	1	-	1	8	6	14	9	3	1	-
ALL OTHER--MALE----	-	-	-	1	-	2	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	2	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
CALIFORNIA -----	1	4	5	12	22	63	91	114	101	53	7	-
WHITE-----MALE----	1	1	3	5	14	34	32	24	23	7	1	-
FEMALE--	-	3	-	6	7	24	50	84	73	39	6	-
ALL OTHER--MALE----	-	-	-	-	-	2	2	1	2	2	-	-
FEMALE--	-	-	2	1	1	3	7	5	3	5	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	1	2	-	-
FEMALE--	-	-	1	-	1	1	3	4	3	4	-	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,298  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 ALL OTHER PSYCHOSES (292-299)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	1	1	2	6	13	41	57	62	16	1	-
WHITE-----MALE----	-	-	-	-	4	6	10	18	12	3	-	-
FEMALE--	1	1	1	2	2	7	31	39	48	13	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	-	1	2	3	7	24	30	43	53	18	8	-
WHITE-----MALE----	-	1	1	3	5	13	10	12	12	4	1	-
FEMALE--	-	-	1	-	2	11	20	30	40	12	7	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	1	-	-
DELAWARE -----	-	-	-	1	1	1	2	7	5	-	1	-
WHITE-----MALE----	-	-	-	1	1	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	4	4	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	-	1	1	1	2	3	6	10	7	2	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	3	5	-	-	-
ALL OTHER--MALE----	-	-	-	1	2	-	3	2	-	-	-	-
FEMALE--	-	1	-	-	-	1	3	3	1	2	-	-
BLACK---MALE----	-	-	-	1	2	-	3	2	-	-	-	-
FEMALE--	-	1	-	-	-	1	3	3	1	2	-	-
FLORIDA -----	2	1	7	16	34	77	147	186	144	60	13	-
WHITE-----MALE----	1	-	2	6	13	37	57	70	39	17	2	-
FEMALE--	1	1	3	7	16	32	82	108	96	40	10	-
ALL OTHER--MALE----	-	-	1	2	2	4	2	7	4	1	-	-
FEMALE--	-	-	1	1	3	4	6	1	5	2	1	-
BLACK---MALE----	-	-	1	2	2	4	2	7	4	1	-	-
FEMALE--	-	-	1	1	3	4	6	1	5	2	1	-
GEORGIA -----	-	1	3	12	23	36	83	89	62	30	2	-
WHITE-----MALE----	-	-	1	6	10	10	24	21	13	-	-	-
FEMALE--	-	1	-	2	7	14	45	54	44	20	1	-
ALL OTHER--MALE----	-	-	1	3	5	6	6	4	-	2	-	-
FEMALE--	-	-	1	1	1	6	8	10	5	8	1	-
BLACK---MALE----	-	-	1	3	4	6	6	4	-	2	-	-
FEMALE--	-	-	1	1	1	6	8	10	5	8	1	-









1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,300  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
ALL OTHER PSYCHOSES (292-299)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	2	-	1	1	9	24	25	55	37	13	2	-
WHITE-----MALE----	-	-	-	1	5	12	9	14	8	1	-	-
FEMALE--	2	-	1	-	3	10	16	39	28	9	2	-
ALL OTHER--MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	3	-	-
BLACK---MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	3	-	-
LOUISIANA -----	-	-	2	5	8	16	33	38	18	12	1	-
WHITE-----MALE----	-	-	1	1	4	6	10	12	7	1	-	-
FEMALE--	-	-	1	1	-	5	18	24	10	10	1	-
ALL OTHER--MALE----	-	-	-	3	4	2	2	1	-	1	-	-
FEMALE--	-	-	-	-	-	3	3	1	1	-	-	-
BLACK---MALE----	-	-	-	3	4	2	2	1	-	1	-	-
FEMALE--	-	-	-	-	-	3	3	1	1	-	-	-
MAINE -----	-	-	2	1	2	17	17	27	34	17	3	-
WHITE-----MALE----	-	-	1	-	-	7	7	6	4	1	2	-
FEMALE--	-	-	1	1	2	10	10	21	30	16	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	1	3	6	14	31	54	72	47	23	7	-
WHITE-----MALE----	-	-	1	2	3	12	19	17	4	-	1	-
FEMALE--	-	1	1	-	9	16	25	48	38	20	3	-
ALL OTHER--MALE----	1	-	1	1	2	2	4	3	1	1	1	-
FEMALE--	-	-	-	3	-	1	6	4	4	2	2	-
BLACK---MALE----	1	-	1	1	2	2	3	3	1	1	1	-
FEMALE--	-	-	-	2	-	1	6	4	3	2	2	-
MASSACHUSETTS -----	-	1	3	11	21	38	86	128	106	66	9	-
WHITE-----MALE----	-	-	3	6	16	18	28	25	15	9	-	-
FEMALE--	-	1	-	5	5	19	57	100	90	55	8	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	-	-	-	-	-	1	-	3	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	-	-	-	-	-	1	-	3	1	-	-	-
MICHIGAN -----	1	2	3	4	12	29	53	78	61	26	6	-
WHITE-----MALE----	-	-	1	1	6	15	14	24	13	4	2	-
FEMALE--	1	2	2	1	3	13	32	44	44	20	3	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	1	1	-	-	-
FEMALE--	-	-	-	2	1	-	7	9	3	2	1	-
BLACK---MALE----	-	-	-	-	2	1	-	1	1	-	-	-
FEMALE--	-	-	-	2	1	-	6	9	3	2	1	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,301  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 ALL OTHER PSYCHOSES (292-299)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	1	2	2	6	17	45	87	150	143	74	19	-
WHITE-----MALE----	1	-	1	2	9	18	33	44	25	13	-	-
FEMALE--	-	2	1	4	8	27	51	102	115	60	19	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	3	2	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	2	2	1	-	-
MISSISSIPPI -----	-	1	-	2	5	9	12	14	6	3	1	-
WHITE-----MALE----	-	-	-	2	1	4	2	2	2	-	-	-
FEMALE--	-	1	-	-	3	3	5	11	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	1	-	-	1	-
FEMALE--	-	-	-	-	-	1	4	-	2	2	-	-
BLACK---MALE----	-	-	-	-	1	1	1	1	-	-	1	-
FEMALE--	-	-	-	-	-	1	4	-	2	2	-	-
MISSOURI -----	-	3	4	5	8	26	63	68	49	27	7	-
WHITE-----MALE----	-	-	-	2	4	9	20	22	11	6	1	-
FEMALE--	-	2	4	3	4	14	38	41	35	21	6	-
ALL OTHER--MALE----	-	1	-	-	-	3	3	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	5	2	-	-	-
BLACK---MALE----	-	1	-	-	-	3	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	5	2	-	-	-
MONTANA -----	-	-	-	-	1	8	7	19	10	12	2	-
WHITE-----MALE----	-	-	-	-	1	4	4	8	1	-	-	-
FEMALE--	-	-	-	-	-	4	3	11	8	12	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	1	-	-	4	9	9	19	19	7	4	-
WHITE-----MALE----	-	-	-	-	4	5	4	9	1	-	-	-
FEMALE--	-	1	-	-	-	4	5	10	18	7	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	-	-	1	1	6	5	14	12	11	1	2	-
WHITE-----MALE----	-	-	1	-	1	-	6	7	3	-	-	-
FEMALE--	-	-	-	1	4	4	8	4	8	1	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-





1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,303  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
ALL OTHER PSYCHOSES (292-299)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	625	-	-	-	-	-	-	2	-	-	1	1
WHITE-----MALE----	200	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	375	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	37	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	37	-	-	-	-	-	-	-	-	-	-	1
OKLAHOMA -----	156	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	46	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	99	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	254	-	-	-	-	-	-	1	-	1	-	1
WHITE-----MALE----	78	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	170	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	560	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	149	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	375	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	76	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	53	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	145	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	36	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	80	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,303  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
ALL OTHER PSYCHOSES (292-299)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	3	3	7	17	29	64	133	143	148	60	14	-
WHITE-----MALE----	1	1	2	10	17	29	56	39	29	15	-	-
FEMALE--	1	-	5	5	10	32	68	94	108	43	8	-
ALL OTHER--MALE----	-	-	-	-	1	-	3	3	2	-	3	-
FEMALE--	1	2	-	2	1	3	6	7	9	2	3	-
BLACK---MALE----	-	-	-	-	1	-	3	3	2	-	3	-
FEMALE--	1	2	-	2	1	3	6	7	9	2	3	-
OKLAHOMA -----	-	1	-	2	10	9	33	46	36	15	3	-
WHITE-----MALE----	-	1	-	1	4	4	10	13	7	6	-	-
FEMALE--	-	-	-	-	4	5	21	31	28	7	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	1	-	-
FEMALE--	-	-	-	1	1	-	1	2	1	1	1	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	1	1	-
OREGON -----	-	1	1	4	15	23	42	72	67	22	4	-
WHITE-----MALE----	-	-	1	2	9	10	14	22	15	2	-	-
FEMALE--	-	1	-	1	6	13	26	48	52	19	4	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	2	6	13	27	54	103	151	123	58	18	-
WHITE-----MALE----	1	-	2	7	10	22	32	47	16	9	-	-
FEMALE--	1	1	3	3	15	26	69	97	100	45	15	-
ALL OTHER--MALE----	-	1	1	2	2	2	-	3	2	1	-	-
FEMALE--	-	-	1	1	-	4	2	4	5	3	3	-
BLACK---MALE----	-	1	1	2	2	2	-	3	2	1	-	-
FEMALE--	-	-	-	1	-	4	2	3	5	3	3	-
RHODE ISLAND -----	-	1	-	1	1	7	15	16	18	11	5	-
WHITE-----MALE----	-	-	-	1	-	3	6	5	2	3	1	-
FEMALE--	-	-	-	-	1	4	8	11	16	8	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
SOUTH CAROLINA -----	-	1	3	4	9	21	18	39	33	13	3	-
WHITE-----MALE----	-	-	1	2	3	5	6	11	5	3	-	-
FEMALE--	-	1	-	1	1	12	10	21	23	9	2	-
ALL OTHER--MALE----	-	-	1	-	3	3	-	3	1	-	1	-
FEMALE--	-	-	1	1	2	1	2	4	4	1	-	-
BLACK---MALE----	-	-	1	-	3	3	-	3	1	-	1	-
FEMALE--	-	-	1	1	2	1	2	4	4	1	-	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,304  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
 ALL OTHER PSYCHOSES (292-299)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	72	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	48	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	250	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	77	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	149	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	590	-	-	-	-	1	-	1	1	-	-	3
WHITE-----MALE----	163	-	-	-	-	1	-	1	1	-	-	3
FEMALE--	366	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	25	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	103	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	36	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	65	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	43	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	301	-	-	-	-	-	-	-	-	2	-	-
WHITE-----MALE----	78	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	180	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,304  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 ALL OTHER PSYCHOSES (292-299)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	1	-	-	3	-	7	14	21	17	9	-	-
WHITE-----MALE----	-	-	-	3	-	3	7	5	2	2	-	-
FEMALE--	1	-	-	-	-	4	6	16	14	7	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	2	4	6	26	27	62	59	42	14	4	-
WHITE-----MALE----	1	2	2	2	10	10	20	15	13	2	-	-
FEMALE--	1	-	2	3	11	16	34	41	25	11	3	-
ALL OTHER--MALE----	-	-	-	1	2	-	6	1	1	-	-	-
FEMALE--	-	-	-	-	3	1	2	2	3	1	1	-
BLACK---MALE----	-	-	-	1	2	-	6	1	1	-	-	-
FEMALE--	-	-	-	-	3	1	2	2	3	1	1	-
TEXAS -----	2	1	11	16	21	60	116	171	123	50	13	-
WHITE-----MALE----	1	-	5	6	9	25	41	40	21	8	1	-
FEMALE--	1	1	1	7	6	26	65	117	92	39	11	-
ALL OTHER--MALE----	-	-	1	2	4	5	4	7	2	1	1	-
FEMALE--	-	-	4	1	2	4	6	7	8	2	-	-
BLACK---MALE----	-	-	1	2	4	5	3	7	1	1	1	-
FEMALE--	-	-	3	1	1	4	5	7	8	2	-	-
UTAH -----	-	-	1	1	3	12	27	26	25	4	2	-
WHITE-----MALE----	-	-	1	-	2	5	10	5	8	3	-	-
FEMALE--	-	-	-	1	-	7	17	21	16	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
VERMONT -----	-	-	1	1	1	3	8	10	9	8	2	-
WHITE-----MALE----	-	-	1	1	1	-	2	3	3	1	-	-
FEMALE--	-	-	-	-	-	3	6	7	6	8	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	3	5	4	16	42	53	81	65	29	1	-
WHITE-----MALE----	-	2	2	1	7	14	15	19	15	3	-	-
FEMALE--	-	-	2	3	7	23	32	46	43	22	1	-
ALL OTHER--MALE----	-	-	1	-	2	1	3	4	1	1	-	-
FEMALE--	-	1	-	-	-	4	3	12	6	3	-	-
BLACK---MALE----	-	-	1	-	2	1	3	4	1	1	-	-
FEMALE--	-	1	-	-	-	4	2	12	5	2	-	-





1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,306  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALCOHOL DEPENDENCE SYNDROME (303)												
0 UNITED STATES --	5,264	-	-	-	-	2	9	71	179	421	633	771
WHITE-----MALE----	3,078	-	-	-	-	1	6	44	102	229	363	462
FEMALE--	906	-	-	-	-	-	2	11	29	86	100	111
ALL OTHER--MALE----	1,007	-	-	-	-	1	1	12	33	68	132	150
FEMALE--	273	-	-	-	-	-	-	4	15	38	38	48
BLACK---MALE----	871	-	-	-	-	1	1	6	22	58	113	127
FEMALE--	224	-	-	-	-	-	-	1	11	30	30	40
ALABAMA -----	101	-	-	-	-	-	-	2	3	10	13	15
WHITE-----MALE----	37	-	-	-	-	-	-	-	2	3	3	4
FEMALE--	10	-	-	-	-	-	-	2	-	-	1	2
ALL OTHER--MALE----	45	-	-	-	-	-	-	-	1	4	8	9
FEMALE--	9	-	-	-	-	-	-	-	-	3	1	-
BLACK---MALE----	45	-	-	-	-	-	-	-	1	4	8	9
FEMALE--	9	-	-	-	-	-	-	-	-	3	1	-
ALASKA -----	36	-	-	-	-	-	-	1	1	1	3	9
WHITE-----MALE----	15	-	-	-	-	-	-	1	1	1	1	4
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	143	-	-	-	-	-	-	1	6	15	29	18
WHITE-----MALE----	82	-	-	-	-	-	-	1	4	8	18	7
FEMALE--	28	-	-	-	-	-	-	-	-	3	4	4
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	1	3	5	4
FEMALE--	11	-	-	-	-	-	-	-	1	1	2	3
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	27	-	-	-	-	-	-	-	-	4	4	1
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
CALIFORNIA -----	672	-	-	-	-	-	2	5	24	57	75	89
WHITE-----MALE----	432	-	-	-	-	-	2	4	19	41	49	62
FEMALE--	154	-	-	-	-	-	-	-	1	11	15	15
ALL OTHER--MALE----	64	-	-	-	-	-	-	1	3	2	8	9
FEMALE--	22	-	-	-	-	-	-	-	1	3	3	3
BLACK---MALE----	52	-	-	-	-	-	-	1	2	1	6	5
FEMALE--	15	-	-	-	-	-	-	-	-	2	2	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,306  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
ALCOHOL DEPENDENCE SYNDROME (303)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	680	630	587	515	386	229	94	41	9	2	-	5
WHITE-----MALE----	375	372	360	303	219	147	55	28	6	2	-	4
FEMALE--	115	96	100	94	82	44	27	6	3	-	-	-
ALL OTHER--MALE----	159	127	108	98	69	32	11	5	-	-	-	1
FEMALE--	31	35	19	20	16	6	1	2	-	-	-	-
BLACK---MALE----	138	111	100	86	61	31	10	5	-	-	-	1
FEMALE--	26	30	17	16	15	5	1	2	-	-	-	-
ALABAMA -----	8	13	10	11	9	4	2	1	-	-	-	-
WHITE-----MALE----	3	9	5	4	2	2	-	-	-	-	-	-
FEMALE--	-	-	-	3	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	2	3	3	5	2	2	1	-	-	-	-
FEMALE--	-	2	2	1	-	-	-	-	-	-	-	-
BLACK---MALE----	5	2	3	3	5	2	2	1	-	-	-	-
FEMALE--	-	2	2	1	-	-	-	-	-	-	-	-
ALASKA -----	5	5	3	4	2	2	-	-	-	-	-	-
WHITE-----MALE----	2	2	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	1	1	1	-	-	-	-	-	-
FEMALE--	1	2	1	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	18	26	7	6	5	9	1	2	-	-	-	-
WHITE-----MALE----	8	15	5	4	4	5	1	2	-	-	-	-
FEMALE--	4	5	2	2	-	4	-	-	-	-	-	-
ALL OTHER--MALE----	3	5	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	5	-	4	4	2	1	-	1	1	-	-	-
WHITE-----MALE----	3	-	4	3	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	77	79	78	72	51	40	18	3	1	-	-	1
WHITE-----MALE----	43	48	56	47	22	25	9	3	1	-	-	1
FEMALE--	20	19	15	18	24	10	6	-	-	-	-	-
ALL OTHER--MALE----	13	8	6	5	2	4	3	-	-	-	-	-
FEMALE--	1	4	1	2	3	1	-	-	-	-	-	-
BLACK---MALE----	12	8	5	4	2	4	2	-	-	-	-	-
FEMALE--	1	4	1	-	3	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,307  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
 ALCOHOL DEPENDENCE SYNDROME (303)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	120	-	-	-	-	-	-	3	8	15	17	21
WHITE-----MALE----	73	-	-	-	-	-	-	2	2	7	12	16
FEMALE--	32	-	-	-	-	-	-	1	2	5	3	4
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	4	1	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	40	-	-	-	-	-	-	1	1	5	2	10
WHITE-----MALE----	28	-	-	-	-	-	-	1	-	4	2	7
FEMALE--	8	-	-	-	-	-	-	-	1	1	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
DELAWARE -----	9	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ----	25	-	-	-	-	-	-	-	1	1	-	4
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	5	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	5	-	-	-	-	-	-	-	1	1	-	-
FLORIDA -----	347	-	-	-	-	-	-	7	7	32	43	43
WHITE-----MALE----	215	-	-	-	-	-	-	5	2	21	29	27
FEMALE--	76	-	-	-	-	-	-	1	3	8	4	10
ALL OTHER--MALE----	39	-	-	-	-	-	-	-	-	1	5	4
FEMALE--	17	-	-	-	-	-	-	1	2	2	5	2
BLACK---MALE----	39	-	-	-	-	-	-	-	-	1	5	4
FEMALE--	16	-	-	-	-	-	-	-	2	2	5	2
GEORGIA -----	256	-	-	-	-	-	1	-	10	16	31	37
WHITE-----MALE----	99	-	-	-	-	-	-	-	4	6	10	13
FEMALE--	27	-	-	-	-	-	-	-	-	2	4	6
ALL OTHER--MALE----	107	-	-	-	-	-	1	-	4	5	13	14
FEMALE--	23	-	-	-	-	-	-	-	2	3	4	4
BLACK---MALE----	107	-	-	-	-	-	1	-	4	5	13	14
FEMALE--	23	-	-	-	-	-	-	-	2	3	4	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,307  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 ALCOHOL DEPENDENCE SYNDROME (303)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	14	14	5	8	12	2	-	-	1	-	-	-
WHITE-----MALE----	9	10	3	3	7	1	-	-	1	-	-	-
FEMALE--	4	2	2	3	5	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	2	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	4	4	5	1	3	4	-	-	-	-	-	-
WHITE-----MALE----	2	2	3	1	3	3	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	3	1	-	-	2	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	6	3	4	4	2	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	2	3	2	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	3	2	3	2	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
FLORIDA -----	45	46	37	28	30	13	11	4	-	-	-	1
WHITE-----MALE----	28	30	23	15	20	8	5	1	-	-	-	1
FEMALE--	7	8	9	7	8	3	6	2	-	-	-	-
ALL OTHER--MALE----	7	6	5	6	2	2	-	1	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	6	5	6	2	2	-	1	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	46	29	33	21	18	10	2	1	-	-	-	1
WHITE-----MALE----	21	10	12	9	7	5	1	-	-	-	-	1
FEMALE--	6	1	2	3	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	18	16	17	6	9	3	1	-	-	-	-	-
FEMALE--	1	2	2	3	1	-	-	1	-	-	-	-
BLACK---MALE----	18	16	17	6	9	3	1	-	-	-	-	-
FEMALE--	1	2	2	3	1	-	-	1	-	-	-	-







1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,309  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
ALCOHOL DEPENDENCE SYNDROME (303)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	63	-	-	-	-	-	-	1	-	8	5	8
WHITE-----MALE----	46	-	-	-	-	-	-	1	-	6	5	4
FEMALE--	11	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	85	-	-	-	-	-	2	2	5	14	10	
WHITE-----MALE----	46	-	-	-	-	-	1	1	1	8	5	
FEMALE--	14	-	-	-	-	-	1	-	2	2	2	
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	1	2	3	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	21	-	-	-	-	-	-	-	1	2	3	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	2
MAINE -----	36	-	-	-	-	-	-	-	1	1	3	4
WHITE-----MALE----	28	-	-	-	-	-	-	-	1	1	2	3
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	71	-	-	-	-	-	1	2	3	7	18	
WHITE-----MALE----	34	-	-	-	-	-	1	1	-	2	11	
FEMALE--	6	-	-	-	-	-	-	1	2	-	1	
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	-	5	5
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	25	-	-	-	-	-	-	-	-	-	5	5
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	1
MASSACHUSETTS -----	103	-	-	-	-	-	1	6	7	15	15	
WHITE-----MALE----	75	-	-	-	-	-	1	5	6	11	12	
FEMALE--	23	-	-	-	-	-	-	1	1	3	3	
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	174	-	-	-	-	-	1	1	10	16	25	32
WHITE-----MALE----	115	-	-	-	-	-	1	1	6	9	14	23
FEMALE--	29	-	-	-	-	-	-	-	2	5	4	4
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	1	2	5	4
FEMALE--	6	-	-	-	-	-	-	-	1	-	2	1
BLACK---MALE----	21	-	-	-	-	-	-	-	1	2	4	4
FEMALE--	5	-	-	-	-	-	-	-	1	-	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,309  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 ALCOHOL DEPENDENCE SYNDROME (303)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	8	5	7	5	8	6	1	1	-	-	-	-
WHITE-----MALE----	6	3	5	3	7	6	-	-	-	-	-	-
FEMALE--	2	2	-	1	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
LOUISIANA -----	6	8	11	12	8	5	1	1	-	-	-	-
WHITE-----MALE----	2	5	8	6	5	2	1	1	-	-	-	-
FEMALE--	1	-	2	3	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	1	2	2	3	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	1	2	2	3	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MAINE -----	2	6	4	6	7	2	-	-	-	-	-	-
WHITE-----MALE----	2	5	3	3	6	2	-	-	-	-	-	-
FEMALE--	-	1	1	3	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	13	7	5	7	5	3	-	-	-	-	-	-
WHITE-----MALE----	2	3	2	6	4	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	11	2	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	2	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	16	13	10	8	4	6	2	-	-	-	-	-
WHITE-----MALE----	12	9	7	4	4	3	1	-	-	-	-	-
FEMALE--	3	3	2	4	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
MICHIGAN -----	16	16	24	11	11	5	4	1	1	-	-	-
WHITE-----MALE----	11	12	17	5	9	3	3	1	-	-	-	-
FEMALE--	3	-	5	3	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	2	3	2	3	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	2	1	3	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-











1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,312  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALCOHOL DEPENDENCE SYNDROME (303)												
OHIO -----	127	-	-	-	-	-	-	1	-	8	14	16
WHITE-----MALE----	73	-	-	-	-	-	-	1	-	7	10	11
FEMALE--	22	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	23	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	1
OKLAHOMA -----	54	-	-	-	-	-	-	-	-	4	2	8
WHITE-----MALE----	38	-	-	-	-	-	-	-	-	1	2	7
FEMALE--	8	-	-	-	-	-	-	-	-	3	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	96	-	-	-	-	-	-	2	2	4	6	12
WHITE-----MALE----	70	-	-	-	-	-	-	-	1	3	5	11
FEMALE--	17	-	-	-	-	-	-	2	1	1	1	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	105	-	-	-	-	-	-	-	4	7	13	17
WHITE-----MALE----	68	-	-	-	-	-	-	-	2	6	6	8
FEMALE--	17	-	-	-	-	-	-	-	-	-	5	3
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	1	1	1	6
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	17	-	-	-	-	-	-	-	1	1	1	6
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	-
RHODE ISLAND -----	11	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	98	-	-	-	-	-	-	-	3	6	13	19
WHITE-----MALE----	36	-	-	-	-	-	-	-	-	2	3	8
FEMALE--	18	-	-	-	-	-	-	-	1	1	5	3
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	2	1	4	5
FEMALE--	11	-	-	-	-	-	-	-	-	2	1	3
BLACK---MALE----	33	-	-	-	-	-	-	-	2	1	4	5
FEMALE--	11	-	-	-	-	-	-	-	-	2	1	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,312  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
ALCOHOL DEPENDENCE SYNDROME (303)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	13	12	22	21	13	4	1	2	-	-	-	-
WHITE-----MALE----	6	4	14	11	6	2	-	1	-	-	-	-
FEMALE--	6	3	2	2	4	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	4	5	4	3	1	-	1	-	-	-	-
FEMALE--	-	1	1	4	-	1	-	-	-	-	-	-
BLACK---MALE----	1	4	5	4	3	1	-	1	-	-	-	-
FEMALE--	-	1	1	4	-	1	-	-	-	-	-	-
OKLAHOMA -----	8	8	6	7	6	2	2	1	-	-	-	-
WHITE-----MALE----	4	4	5	6	6	1	1	1	-	-	-	-
FEMALE--	1	2	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	3	2	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	8	10	14	16	8	6	4	3	1	-	-	-
WHITE-----MALE----	5	10	9	11	5	4	3	2	1	-	-	-
FEMALE--	1	-	3	2	3	1	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	2	2	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	10	17	14	9	7	4	2	-	-	1	-	-
WHITE-----MALE----	5	14	12	6	3	3	2	-	-	1	-	-
FEMALE--	2	2	1	2	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	3	1	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
RHODE ISLAND -----	-	3	1	2	2	1	-	-	-	-	-	-
WHITE-----MALE----	-	3	1	2	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	12	15	14	7	5	3	-	1	-	-	-	-
WHITE-----MALE----	2	6	6	5	2	2	-	-	-	-	-	-
FEMALE--	2	3	2	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	6	5	5	2	2	1	-	-	-	-	-	-
FEMALE--	2	1	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	6	5	5	2	2	1	-	-	-	-	-	-
FEMALE--	2	1	1	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,313  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALCOHOL DEPENDENCE SYNDROME (303)												
SOUTH DAKOTA -----	26	-	-	-	-	-	-	3	-	-	2	4
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	2	-	-	-	1	2
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	105	-	-	-	-	-	2	4	8	16	15	
WHITE-----MALE----	62	-	-	-	-	-	1	4	2	8	8	
FEMALE--	9	-	-	-	-	-	-	-	2	1	1	
ALL OTHER--MALE----	29	-	-	-	-	-	1	-	3	6	5	
FEMALE--	5	-	-	-	-	-	-	-	1	1	1	
BLACK---MALE----	29	-	-	-	-	-	1	-	3	6	5	
FEMALE--	5	-	-	-	-	-	-	-	1	1	1	
TEXAS -----	216	-	-	-	-	-	3	8	18	23	29	
WHITE-----MALE----	151	-	-	-	-	-	2	5	13	16	19	
FEMALE--	39	-	-	-	-	-	1	3	5	6	2	
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	1	7	
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	
BLACK---MALE----	21	-	-	-	-	-	-	-	-	1	6	
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	
UTAH -----	45	-	-	-	-	-	-	-	1	4	7	2
WHITE-----MALE----	29	-	-	-	-	-	-	-	1	4	4	2
FEMALE--	14	-	-	-	-	-	-	-	-	3	-	
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	
VERMONT -----	10	-	-	-	-	-	-	-	-	-	1	4
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	
VIRGINIA -----	106	-	-	-	-	-	1	-	2	9	9	17
WHITE-----MALE----	46	-	-	-	-	-	1	-	2	3	1	9
FEMALE--	10	-	-	-	-	-	-	-	1	1	1	5
ALL OTHER--MALE----	42	-	-	-	-	-	-	-	-	3	6	1
FEMALE--	8	-	-	-	-	-	-	-	-	2	1	2
BLACK---MALE----	42	-	-	-	-	-	-	-	-	3	6	1
FEMALE--	8	-	-	-	-	-	-	-	-	2	1	2

















































1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,324  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
 OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	6,256	5	4	3	6	34	75	151	276	417	432	361
WHITE-----MALE----	2,339	2	1	2	4	15	40	71	146	219	207	179
FEMALE--	2,938	1	-	-	1	6	20	38	55	76	80	45
ALL OTHER--MALE----	604	-	1	1	1	10	12	28	47	74	104	101
FEMALE--	375	2	2	-	-	3	3	14	28	48	41	36
BLACK---MALE----	543	-	1	1	-	7	11	26	39	67	96	95
FEMALE--	335	2	2	-	-	2	2	13	23	44	37	32
ALABAMA -----	143	-	-	-	-	1	3	1	3	2	6	9
WHITE-----MALE----	25	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	80	-	-	-	-	-	3	1	-	-	-	1
ALL OTHER--MALE----	25	-	-	-	-	1	-	-	1	1	3	6
FEMALE--	13	-	-	-	-	-	-	-	1	-	2	1
BLACK---MALE----	25	-	-	-	-	1	-	-	1	1	3	6
FEMALE--	13	-	-	-	-	-	-	-	1	-	2	1
ALASKA -----	25	-	-	-	-	2	-	-	1	3	3	5
WHITE-----MALE----	5	-	-	-	-	1	-	-	-	-	2	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	11	-	-	-	-	1	-	-	-	1	1	3
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	129	-	-	-	1	3	1	-	6	10	10	8
WHITE-----MALE----	44	-	-	-	1	1	1	-	1	5	3	4
FEMALE--	67	-	-	-	-	-	-	-	2	3	4	-
ALL OTHER--MALE----	13	-	-	-	-	2	-	-	3	1	3	2
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	67	-	-	-	-	-	-	1	1	3	3	2
WHITE-----MALE----	23	-	-	-	-	-	-	1	1	1	1	2
FEMALE--	36	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
CALIFORNIA -----	595	-	-	-	1	6	15	24	45	76	84	70
WHITE-----MALE----	301	-	-	-	1	3	8	16	27	49	44	53
FEMALE--	216	-	-	-	-	2	5	7	9	15	23	7
ALL OTHER--MALE----	48	-	-	-	-	-	1	-	6	4	13	8
FEMALE--	30	-	-	-	-	1	1	1	3	8	4	2
BLACK---MALE----	45	-	-	-	-	-	1	-	5	4	13	7
FEMALE--	24	-	-	-	-	1	-	-	2	8	3	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,324  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	200	160	141	203	269	429	744	1,018	853	372	98	5
WHITE-----MALE----	104	84	63	96	106	179	270	287	194	59	8	3
FEMALE--	39	35	49	73	129	209	421	670	615	294	82	-
ALL OTHER--MALE----	45	33	25	26	18	23	13	22	12	4	2	2
FEMALE--	12	8	4	8	16	18	40	39	32	15	6	-
BLACK---MALE----	40	31	20	22	15	20	12	22	11	3	2	2
FEMALE--	11	6	4	7	13	16	39	34	30	13	5	-
ALABAMA -----	3	3	1	4	4	14	20	30	28	11	-	-
WHITE-----MALE----	-	1	-	1	-	3	10	4	2	-	-	-
FEMALE--	1	-	-	1	2	10	8	23	20	10	-	-
ALL OTHER--MALE----	2	1	1	2	1	1	1	1	3	-	-	-
FEMALE--	-	1	-	-	1	-	1	2	3	1	-	-
BLACK---MALE----	2	1	1	2	1	1	1	1	3	-	-	-
FEMALE--	-	1	-	-	1	-	1	2	3	1	-	-
ALASKA -----	2	1	-	1	1	2	1	2	-	-	1	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	1	-
ALL OTHER--MALE----	1	1	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	2	-	2	3	10	12	25	19	8	6	1
WHITE-----MALE----	-	2	-	1	3	5	3	5	7	1	-	1
FEMALE--	-	-	-	-	-	5	9	19	12	7	6	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	3	-	4	10	13	12	13	1	-	-
WHITE-----MALE----	-	1	1	-	3	6	3	3	2	1	-	-
FEMALE--	-	-	1	-	4	6	5	8	11	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	1	-	-	-	-
CALIFORNIA -----	32	21	11	14	19	18	45	53	39	15	7	-
WHITE-----MALE----	17	12	6	4	9	9	14	17	10	-	2	-
FEMALE--	9	4	2	7	10	9	27	35	29	13	3	-
ALL OTHER--MALE----	3	5	3	3	-	-	-	1	-	-	1	-
FEMALE--	3	-	-	-	-	-	4	-	-	2	1	-
BLACK---MALE----	3	5	2	3	-	-	-	1	-	-	1	-
FEMALE--	3	-	-	-	-	-	4	-	-	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,325  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	60	-	-	-	-	-	1	1	2	4	4	4
WHITE-----MALE----	27	-	-	-	-	-	1	1	2	3	2	3
FEMALE--	32	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	49	-	-	-	-	-	-	2	2	4	3	1
WHITE-----MALE----	16	-	-	-	-	-	-	2	-	1	2	1
FEMALE--	28	-	-	-	-	-	-	-	2	2	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	12	-	-	-	-	-	-	1	2	1	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	1	1	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	18	-	-	-	-	-	1	1	-	4	-	2
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	1	1	-	3	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	11	-	-	-	-	-	1	1	-	2	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
FLORIDA -----	417	-	-	-	-	-	1	5	7	14	18	9
WHITE-----MALE----	146	-	-	-	-	-	-	2	2	7	9	4
FEMALE--	232	-	-	-	-	-	-	-	3	4	5	4
ALL OTHER--MALE----	27	-	-	-	-	-	1	3	1	2	4	1
FEMALE--	12	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	27	-	-	-	-	-	1	3	1	2	4	1
FEMALE--	12	-	-	-	-	-	-	-	1	1	-	-
GEORGIA -----	142	-	-	1	-	3	3	4	9	21	11	10
WHITE-----MALE----	39	-	-	1	-	-	-	1	3	5	2	2
FEMALE--	46	-	-	-	-	-	-	-	1	2	2	2
ALL OTHER--MALE----	35	-	-	-	-	2	3	2	1	6	6	5
FEMALE--	22	-	-	-	-	1	-	1	4	8	1	1
BLACK---MALE----	35	-	-	-	-	2	3	2	1	6	6	5
FEMALE--	22	-	-	-	-	1	-	1	4	8	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,325  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	3	-	-	3	2	9	5	7	7	7	1	-
WHITE-----MALE----	1	-	-	1	-	5	-	3	4	1	-	-
FEMALE--	2	-	-	2	2	4	5	4	3	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	2	1	-	5	4	2	12	8	2	1	-
WHITE-----MALE----	-	1	1	-	1	2	1	3	1	-	-	-
FEMALE--	-	-	-	-	4	2	-	9	6	2	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
DELAWARE -----	1	-	1	-	-	1	1	1	2	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	2	-	1	1	1	-	4	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	-	2	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	-	-	1	-
BLACK---MALE----	-	1	-	1	1	-	-	2	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	-	-	1	-
FLORIDA -----	11	6	11	11	25	34	68	94	60	34	8	1
WHITE-----MALE----	7	4	5	7	7	10	25	29	17	10	-	1
FEMALE--	2	1	6	3	15	20	41	58	40	23	7	-
ALL OTHER--MALE----	2	1	-	1	3	4	-	2	1	-	1	-
FEMALE--	-	-	-	-	-	-	2	5	2	1	-	-
BLACK---MALE----	2	1	-	1	3	4	-	2	1	-	1	-
FEMALE--	-	-	-	-	-	-	2	5	2	1	-	-
GEORGIA -----	5	2	5	6	15	2	11	15	12	6	-	1
WHITE-----MALE----	3	1	1	3	5	-	5	3	3	1	-	-
FEMALE--	-	1	2	1	8	2	3	11	7	4	-	-
ALL OTHER--MALE----	1	-	2	2	1	-	2	-	-	1	-	1
FEMALE--	1	-	-	-	1	-	1	1	2	-	-	-
BLACK---MALE----	1	-	2	2	1	-	2	-	-	1	-	1
FEMALE--	1	-	-	-	1	-	1	1	2	-	-	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,326  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	-	-	-	-	2	1	4	2	2	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	1	-	1	-	4	1	3	3	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	-	1	-	-
FEMALE--	-	-	1	-	1	-	2	1	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	6	4	5	6	13	24	43	59	48	18	7	-
WHITE-----MALE----	5	1	3	3	5	13	14	14	10	3	-	-
FEMALE--	-	3	1	2	8	11	26	44	36	15	7	-
ALL OTHER--MALE----	1	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	2	-	-	-
BLACK---MALE----	1	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	2	-	-	-
INDIANA -----	4	4	4	8	3	7	13	17	22	4	2	-
WHITE-----MALE----	2	2	3	3	3	1	5	4	5	-	-	-
FEMALE--	1	-	1	4	-	4	8	13	17	4	2	-
ALL OTHER--MALE----	1	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	1	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
IOWA -----	3	-	2	-	4	9	5	22	17	11	3	-
WHITE-----MALE----	2	-	1	-	1	4	4	7	8	1	1	-
FEMALE--	1	-	1	-	3	4	1	15	9	10	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	2	1	3	-	2	5	14	18	15	10	3	-
WHITE-----MALE----	1	1	2	-	2	3	6	5	2	3	1	-
FEMALE--	1	-	1	-	-	2	7	13	13	7	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,327  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
 OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	111	1	-	-	-	-	2	2	4	3	5	2
WHITE-----MALE----	46	1	-	-	-	-	2	-	3	3	2	2
FEMALE--	55	-	-	-	-	-	-	2	1	-	3	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	128	1	-	-	-	2	3	2	5	7	6	8
WHITE-----MALE----	39	1	-	-	-	1	-	1	1	3	1	3
FEMALE--	45	-	-	-	-	-	2	-	-	-	-	1
ALL OTHER--MALE----	24	-	-	-	-	1	1	1	1	4	4	3
FEMALE--	20	-	-	-	-	-	-	-	3	-	1	1
BLACK---MALE----	24	-	-	-	-	1	1	1	1	4	4	3
FEMALE--	20	-	-	-	-	-	-	-	3	-	1	1
MAINE -----	29	-	-	-	-	1	-	1	-	1	2	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	16	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	80	-	-	-	-	-	3	1	5	11	8	10
WHITE-----MALE----	18	-	-	-	-	-	2	-	1	1	4	3
FEMALE--	24	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	24	-	-	-	-	-	1	-	2	8	2	6
FEMALE--	14	-	-	-	-	-	-	1	2	2	-	1
BLACK---MALE----	23	-	-	-	-	-	1	-	2	7	2	6
FEMALE--	14	-	-	-	-	-	-	1	2	2	-	1
MASSACHUSETTS -----	166	-	-	-	-	-	4	2	5	3	5	3
WHITE-----MALE----	51	-	-	-	-	-	3	1	4	3	3	2
FEMALE--	113	-	-	-	-	-	1	1	1	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
MICHIGAN -----	318	-	-	-	1	1	5	16	28	50	72	39
WHITE-----MALE----	125	-	-	-	1	1	3	7	17	28	26	9
FEMALE--	85	-	-	-	-	-	-	4	5	8	10	6
ALL OTHER--MALE----	75	-	-	-	-	-	1	4	3	9	22	18
FEMALE--	33	-	-	-	-	-	1	1	3	5	14	6
BLACK---MALE----	74	-	-	-	-	-	1	4	3	9	21	18
FEMALE--	33	-	-	-	-	-	1	1	3	5	14	6

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,327  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	1	4	2	3	7	13	16	19	20	6	1	-
WHITE-----MALE----	-	2	1	3	2	5	6	11	3	-	-	-
FEMALE--	1	1	-	-	4	8	9	7	14	4	1	-
ALL OTHER--MALE----	-	1	1	-	1	-	-	-	2	1	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	1	-	-
BLACK---MALE----	-	1	1	-	1	-	-	-	2	1	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	1	-	-
LOUISIANA -----	4	3	3	4	9	9	25	17	17	1	2	-
WHITE-----MALE----	1	1	1	1	1	5	11	5	2	-	-	-
FEMALE--	-	-	1	-	4	2	9	10	13	1	2	-
ALL OTHER--MALE----	2	1	1	1	2	1	1	-	-	-	-	-
FEMALE--	1	1	-	2	2	1	4	2	2	-	-	-
BLACK---MALE----	2	1	1	1	2	1	1	-	-	-	-	-
FEMALE--	1	1	-	2	2	1	4	2	2	-	-	-
MAINE -----	1	-	-	2	3	2	3	4	6	2	1	-
WHITE-----MALE----	1	-	-	1	1	1	1	1	3	-	-	-
FEMALE--	-	-	-	1	1	1	2	3	3	2	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	3	2	1	2	5	1	15	6	1	3	-
WHITE-----MALE----	-	1	-	1	2	1	1	1	-	-	-	-
FEMALE--	1	-	2	-	-	2	-	10	5	-	2	-
ALL OTHER--MALE----	1	2	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	3	1	1	1	-
BLACK---MALE----	1	2	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	3	1	1	1	-
MASSACHUSETTS -----	4	2	3	-	8	10	21	39	33	20	4	-
WHITE-----MALE----	4	-	1	-	-	4	5	12	8	-	1	-
FEMALE--	-	2	1	-	8	6	16	27	25	20	3	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	18	9	3	7	3	13	9	15	18	9	1	1
WHITE-----MALE----	3	5	1	2	3	4	5	6	3	-	-	1
FEMALE--	6	-	1	2	-	7	4	9	14	8	1	-
ALL OTHER--MALE----	7	4	1	3	-	2	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	7	4	1	3	-	2	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-











1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,330  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
 OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	272	-	-	-	-	1	1	4	9	13	8	11
WHITE-----MALE----	100	-	-	-	-	-	1	2	4	8	3	4
FEMALE--	139	-	-	-	-	1	-	2	3	2	1	-
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	2	2	2	3
FEMALE--	13	-	-	-	-	-	-	-	-	1	2	4
BLACK---MALE----	18	-	-	-	-	-	-	-	2	2	2	3
FEMALE--	12	-	-	-	-	-	-	-	-	1	2	4
OKLAHOMA -----	64	-	1	-	-	-	1	1	5	5	2	3
WHITE-----MALE----	25	-	1	-	-	-	1	-	2	1	-	3
FEMALE--	30	-	-	-	-	-	-	-	2	2	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	1	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	106	-	-	-	1	1	1	4	3	7	4	4
WHITE-----MALE----	50	-	-	-	-	1	1	2	1	2	3	2
FEMALE--	50	-	-	-	1	-	-	2	-	4	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	218	-	-	-	-	-	1	4	9	11	9	12
WHITE-----MALE----	85	-	-	-	-	-	1	2	6	9	5	10
FEMALE--	124	-	-	-	-	-	-	1	2	2	2	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	1	-	2	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	1	1	-	2	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	13	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	82	-	1	-	-	1	1	2	-	5	4	8
WHITE-----MALE----	24	-	-	-	-	-	-	2	-	1	3	3
FEMALE--	30	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	14	-	-	-	-	1	-	-	-	2	-	4
FEMALE--	14	-	1	-	-	-	-	-	-	1	1	1
BLACK---MALE----	14	-	-	-	-	1	-	-	-	2	-	4
FEMALE--	14	-	1	-	-	-	-	-	-	1	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,330  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	9	9	2	11	4	26	42	55	43	17	7	-
WHITE-----MALE----	6	6	2	8	1	9	21	14	10	1	-	-
FEMALE--	1	2	-	3	2	14	20	36	31	14	7	-
ALL OTHER--MALE----	2	1	-	-	1	2	1	4	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	2	2	-	-
BLACK---MALE----	2	1	-	-	-	1	1	4	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	2	1	-	-
OKLAHOMA -----	3	1	2	-	2	4	9	11	9	5	-	-
WHITE-----MALE----	2	-	-	-	1	2	3	5	3	1	-	-
FEMALE--	-	1	2	-	1	1	5	5	6	4	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
OREGON -----	2	1	2	7	7	5	15	20	15	7	-	-
WHITE-----MALE----	1	1	2	2	5	2	8	6	8	3	-	-
FEMALE--	1	-	-	4	2	3	7	13	7	4	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
PENNSYLVANIA -----	-	3	-	4	7	20	33	48	38	17	2	-
WHITE-----MALE----	-	1	-	2	2	11	14	10	9	3	-	-
FEMALE--	-	2	-	2	5	9	16	37	29	14	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
RHODE ISLAND -----	-	-	1	-	-	-	1	4	3	2	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	2	1	-	-
FEMALE--	-	-	1	-	-	-	1	2	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	3	5	6	4	6	9	14	8	-	1	-
WHITE-----MALE----	1	2	2	2	-	2	4	2	-	-	-	-
FEMALE--	-	1	1	3	2	2	3	10	5	-	1	-
ALL OTHER--MALE----	2	-	2	1	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	2	2	2	1	2	-	-	-
BLACK---MALE----	2	-	2	1	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	2	2	2	1	2	-	-	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,331  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	1	1	2	-	1	6	3	3	1	1	-
WHITE-----MALE----	-	1	-	1	-	-	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	2	3	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	5	3	5	6	10	15	18	7	11	1	-
WHITE-----MALE----	5	3	2	4	3	3	6	5	-	1	-	-
FEMALE--	-	-	1	1	3	5	9	9	7	8	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	2	-	-	-	1	-	2	-	2	-	-
BLACK---MALE----	-	-	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	2	-	2	-	-
TEXAS -----	8	4	8	16	20	22	48	75	44	17	5	-
WHITE-----MALE----	5	1	-	7	9	11	18	24	8	6	-	-
FEMALE--	3	3	6	7	10	11	26	48	35	10	4	-
ALL OTHER--MALE----	-	-	2	2	1	-	2	2	-	1	-	-
FEMALE--	-	-	-	-	-	-	2	1	1	-	1	-
BLACK---MALE----	-	-	2	2	1	-	2	2	-	1	-	-
FEMALE--	-	-	-	-	-	-	2	1	1	-	1	-
UTAH -----	-	-	-	2	1	-	6	4	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	3	2	1	-	-	-
FEMALE--	-	-	-	2	1	-	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	2	1	1	-	7	4	3	2	-
WHITE-----MALE----	1	-	-	2	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	6	4	3	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	6	3	2	10	12	22	19	21	7	-	-
WHITE-----MALE----	-	2	-	-	5	3	7	3	3	3	-	-
FEMALE--	-	1	1	1	2	6	10	12	15	3	-	-
ALL OTHER--MALE----	1	3	-	-	1	-	1	1	1	-	-	-
FEMALE--	-	-	2	1	2	3	4	3	2	1	-	-
BLACK---MALE----	1	3	-	-	1	-	1	1	1	-	-	-
FEMALE--	-	-	2	1	2	3	4	3	2	1	-	-

































1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,339  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MENTAL RETARDATION (317-319)												
OHIO -----	19	-	-	-	-	2	-	-	1	2	1	3
WHITE-----MALE----	8	-	-	-	-	2	-	-	1	-	1	2
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
OKLAHOMA -----	8	-	-	-	-	1	-	-	1	-	2	2
WHITE-----MALE----	7	-	-	-	-	1	-	-	1	-	2	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	2	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	19	-	-	-	-	1	-	1	-	-	3	3
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	5	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
RHODE ISLAND -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	11	-	-	1	-	1	1	1	1	2	-	-
WHITE-----MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	1	-	-	-	1	1	2	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	1	-	-	-	1	1	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,339  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
MENTAL RETARDATION (317-319)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	2	-	-	-	1	3	2	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	2	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OKLAHOMA -----	1	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	2	-	2	2	1	2	-	-	-	-	-
WHITE-----MALE----	2	2	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	1	-	1	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,340  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MENTAL RETARDATION (317-319)												
SOUTH DAKOTA -----	2	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	11	-	-	-	-	-	1	-	-	1	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	27	-	-	-	2	1	3	4	-	1	1	2
WHITE-----MALE----	11	-	-	-	-	-	1	1	-	-	-	1
FEMALE--	11	-	-	-	1	-	1	3	-	1	1	1
ALL OTHER--MALE----	4	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	7	-	-	-	-	-	1	1	-	1	2	-
WHITE-----MALE----	4	-	-	-	-	-	1	1	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	7	-	-	-	1	-	-	-	1	-	2	2
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-







1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,342  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)												
0 UNITED STATES --	53,821	474	413	280	249	378	355	375	463	676	899	1,168
WHITE-----MALE----	22,113	208	169	136	105	221	179	192	213	302	384	496
FEMALE--	27,111	131	135	79	80	96	79	93	128	201	307	436
ALL OTHER--MALE----	2,155	74	56	40	35	37	54	50	68	108	114	114
FEMALE--	2,442	61	53	25	29	24	43	40	54	65	94	122
BLACK---MALE----	1,818	65	44	34	29	29	44	44	63	92	103	104
FEMALE--	2,173	54	45	21	27	24	33	33	47	60	90	109
ALABAMA -----	944	11	8	7	11	5	9	8	14	9	9	25
WHITE-----MALE----	333	5	3	1	5	4	3	4	9	3	3	10
FEMALE--	459	3	3	2	1	-	1	3	-	2	2	8
ALL OTHER--MALE----	67	2	1	3	3	-	3	1	3	4	1	3
FEMALE--	85	1	1	1	2	1	2	-	2	-	3	4
BLACK---MALE----	67	2	1	3	3	-	3	1	3	4	1	3
FEMALE--	84	1	1	1	2	1	2	-	2	-	3	4
ALASKA -----	71	2	-	2	-	1	3	1	1	4	1	3
WHITE-----MALE----	26	1	-	1	-	-	-	-	-	1	-	1
FEMALE--	25	-	-	-	-	-	1	-	1	-	1	1
ALL OTHER--MALE----	11	-	-	-	-	1	1	1	-	2	-	-
FEMALE--	9	1	-	1	-	-	1	-	-	1	-	1
BLACK---MALE----	2	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ARIZONA -----	1,059	11	12	7	6	10	5	5	7	7	18	23
WHITE-----MALE----	458	4	5	2	3	6	1	2	3	3	8	13
FEMALE--	559	6	5	3	1	3	-	2	2	3	8	8
ALL OTHER--MALE----	22	-	-	2	2	1	3	-	-	1	-	1
FEMALE--	20	1	2	-	-	-	1	1	2	-	2	1
BLACK---MALE----	6	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	2	-
ARKANSAS -----	481	7	5	4	-	3	5	2	5	7	12	17
WHITE-----MALE----	209	1	4	3	-	2	4	2	2	4	4	7
FEMALE--	230	4	1	1	-	-	-	-	1	1	3	5
ALL OTHER--MALE----	21	-	-	-	-	-	1	-	1	1	3	4
FEMALE--	21	2	-	-	-	1	-	-	1	1	2	1
BLACK---MALE----	21	-	-	-	-	-	1	-	1	1	3	4
FEMALE--	21	2	-	-	-	1	-	-	1	1	2	1
CALIFORNIA -----	4,897	53	53	37	22	37	48	41	56	62	84	125
WHITE-----MALE----	2,050	27	24	24	10	18	17	18	23	36	38	57
FEMALE--	2,428	16	19	10	6	11	19	14	26	12	30	49
ALL OTHER--MALE----	211	5	8	3	5	6	5	6	3	7	9	8
FEMALE--	208	5	2	-	1	2	7	3	4	7	7	11
BLACK---MALE----	121	5	6	2	3	4	3	4	3	6	7	5
FEMALE--	150	4	2	-	1	2	4	2	3	7	7	8

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,342  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)												
0 UNITED STATES --	1,186	1,383	1,993	3,112	5,207	8,249	10,343	9,422	5,258	1,628	303	7
WHITE-----MALE----	508	604	902	1,438	2,556	3,954	4,516	3,334	1,384	282	26	4
FEMALE--	492	578	855	1,373	2,232	3,781	5,290	5,623	3,617	1,250	254	1
ALL OTHER--MALE----	91	107	118	149	201	230	224	178	85	19	2	1
FEMALE--	95	94	118	152	218	284	313	287	172	77	21	1
BLACK---MALE----	82	98	101	121	174	185	191	134	62	16	2	1
FEMALE--	84	88	107	134	177	251	272	264	160	73	19	1
ALABAMA -----	18	24	30	52	102	156	196	156	72	20	2	-
WHITE-----MALE----	6	7	15	21	41	68	65	43	15	2	-	-
FEMALE--	8	12	6	18	51	73	111	91	47	16	1	-
ALL OTHER--MALE----	2	3	4	6	4	7	7	7	3	-	-	-
FEMALE--	2	2	5	7	6	8	13	15	7	2	1	-
BLACK---MALE----	2	3	4	6	4	7	7	7	3	-	-	-
FEMALE--	2	2	5	7	6	8	12	15	7	2	1	-
ALASKA -----	1	5	3	3	2	14	15	5	5	-	-	-
WHITE-----MALE----	-	3	1	3	1	5	7	2	-	-	-	-
FEMALE--	1	2	2	-	1	5	4	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	2	-	2	-	-	-
FEMALE--	-	-	-	-	-	2	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	22	17	31	48	89	156	221	191	122	40	10	1
WHITE-----MALE----	10	7	14	24	43	78	112	72	37	9	2	-
FEMALE--	11	10	17	23	41	75	106	116	81	30	8	-
ALL OTHER--MALE----	-	-	-	1	3	1	1	1	3	1	-	1
FEMALE--	1	-	-	-	2	2	2	2	1	-	-	-
BLACK---MALE----	-	-	-	-	2	1	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	1	1	-	-	-	-
ARKANSAS -----	10	11	24	28	55	70	86	88	36	5	1	-
WHITE-----MALE----	3	5	11	13	30	34	38	29	11	2	-	-
FEMALE--	6	5	11	14	23	30	43	54	24	3	1	-
ALL OTHER--MALE----	-	-	-	1	1	2	3	3	1	-	-	-
FEMALE--	1	1	2	-	1	4	2	2	-	-	-	-
BLACK---MALE----	-	-	-	1	1	2	3	3	1	-	-	-
FEMALE--	1	1	2	-	1	4	2	2	-	-	-	-
CALIFORNIA -----	108	107	165	272	472	681	933	828	523	155	35	-
WHITE-----MALE----	44	40	75	133	238	318	416	314	154	22	4	-
FEMALE--	40	55	70	114	194	313	467	466	343	125	29	-
ALL OTHER--MALE----	14	4	11	12	18	27	21	27	10	1	1	-
FEMALE--	10	8	9	13	22	23	29	21	16	7	1	-
BLACK---MALE----	10	2	7	2	10	12	13	13	3	-	1	-
FEMALE--	6	6	5	10	10	18	18	15	16	6	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,343  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)												
COLORADO -----	796	14	6	1	4	8	3	9	8	9	12	17
WHITE-----MALE----	330	8	5	1	2	6	1	6	6	4	11	9
FEMALE--	445	4	-	-	1	2	1	3	1	4	-	8
ALL OTHER--MALE----	9	2	1	-	-	-	1	-	-	1	1	-
FEMALE--	12	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	9	2	1	-	-	-	1	-	-	1	1	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	672	2	5	4	1	7	2	5	8	6	7	12
WHITE-----MALE----	296	1	3	1	1	4	2	4	6	3	3	6
FEMALE--	348	1	1	3	-	3	-	1	1	2	1	3
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	18	-	1	-	-	-	-	-	1	1	1	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	16	-	1	-	-	-	-	-	1	1	1	1
DELAWARE -----	137	2	-	-	1	-	-	2	1	2	1	7
WHITE-----MALE----	48	1	-	-	1	-	-	2	-	1	-	2
FEMALE--	68	-	-	-	-	-	-	-	-	1	1	4
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	1	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	1	-	-	-	-	-	-	1	-	-	1
DISTRICT OF COLUMBIA ----	126	2	1	-	-	1	3	1	1	1	4	9
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	39	1	1	-	-	1	1	1	1	1	3	4
FEMALE--	43	1	-	-	-	-	2	-	-	-	1	5
BLACK---MALE----	38	1	1	-	-	-	1	1	1	1	3	4
FEMALE--	42	1	-	-	-	-	2	-	-	-	1	5
FLORIDA -----	3,733	21	24	18	16	21	19	22	26	34	52	70
WHITE-----MALE----	1,655	8	9	6	9	10	12	11	13	13	17	36
FEMALE--	1,825	4	7	6	3	4	5	6	5	14	24	22
ALL OTHER--MALE----	108	5	2	5	1	3	-	3	5	6	7	2
FEMALE--	145	4	6	1	3	4	2	2	5	1	4	10
BLACK---MALE----	103	5	2	5	1	3	-	3	5	5	7	1
FEMALE--	144	4	6	1	3	4	2	2	5	1	4	10
GEORGIA -----	1,348	20	13	8	10	13	13	13	9	24	27	41
WHITE-----MALE----	432	3	4	2	3	4	8	6	1	10	8	11
FEMALE--	657	5	5	1	2	3	-	2	2	7	5	12
ALL OTHER--MALE----	122	8	2	2	2	4	5	2	3	4	5	7
FEMALE--	137	4	2	3	3	2	-	3	3	3	9	11
BLACK---MALE----	121	7	2	2	2	4	5	2	3	4	5	7
FEMALE--	135	4	2	3	3	2	-	3	3	3	9	11

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,343  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	8	10	31	41	74	126	156	134	89	28	8	-
WHITE-----MALE----	4	8	16	19	38	52	53	48	28	5	-	-
FEMALE--	3	2	15	21	35	71	101	84	60	22	7	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	1	-
FEMALE--	1	-	-	1	1	1	2	2	1	1	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	1	-
FEMALE--	1	-	-	1	-	1	2	2	1	1	-	-
CONNECTICUT -----	16	9	32	41	56	114	134	123	69	15	4	-
WHITE-----MALE----	4	2	14	17	29	61	59	51	23	2	-	-
FEMALE--	9	5	14	23	27	51	73	69	45	12	4	-
ALL OTHER--MALE----	1	-	3	-	-	1	1	-	-	-	-	-
FEMALE--	2	2	1	1	-	1	1	3	1	1	-	-
BLACK---MALE----	-	-	3	-	-	-	1	-	-	-	-	-
FEMALE--	2	2	-	1	-	1	1	3	-	1	-	-
DELAWARE -----	5	2	6	12	17	18	28	19	12	2	-	-
WHITE-----MALE----	1	-	1	5	5	10	10	4	5	-	-	-
FEMALE--	2	-	2	7	11	8	13	11	6	2	-	-
ALL OTHER--MALE----	1	-	2	-	1	-	1	1	-	-	-	-
FEMALE--	1	2	1	-	-	-	4	3	1	-	-	-
BLACK---MALE----	1	-	2	-	1	-	1	1	-	-	-	-
FEMALE--	-	2	1	-	-	-	4	3	-	-	-	-
DISTRICT OF COLUMBIA ----	2	6	3	9	13	15	18	16	13	5	3	-
WHITE-----MALE----	-	1	-	2	6	3	4	4	2	-	-	-
FEMALE--	-	1	1	-	1	1	4	6	3	3	2	-
ALL OTHER--MALE----	2	2	1	4	3	7	3	-	2	1	-	-
FEMALE--	-	2	1	3	3	4	7	6	1	1	1	-
BLACK---MALE----	2	2	1	4	3	7	3	-	2	1	-	-
FEMALE--	-	2	1	3	2	4	7	6	6	1	1	-
FLORIDA -----	55	74	120	201	363	627	735	706	398	99	31	1
WHITE-----MALE----	28	36	58	100	175	347	348	279	115	24	2	1
FEMALE--	15	29	51	82	164	254	358	406	269	69	28	-
ALL OTHER--MALE----	7	5	4	11	10	10	13	7	2	-	-	-
FEMALE--	5	4	7	8	14	16	16	14	12	6	1	-
BLACK---MALE----	7	5	4	10	10	9	12	7	2	-	-	-
FEMALE--	5	4	7	7	14	16	16	14	12	6	1	-
GEORGIA -----	27	46	41	62	125	223	257	229	106	35	6	-
WHITE-----MALE----	10	21	12	16	51	98	79	58	16	10	1	-
FEMALE--	9	10	19	31	53	92	143	153	81	20	2	-
ALL OTHER--MALE----	4	6	5	8	13	15	16	8	3	-	-	-
FEMALE--	4	9	5	7	8	18	19	10	6	5	3	-
BLACK---MALE----	4	6	5	8	13	15	16	8	3	-	-	-
FEMALE--	3	9	5	7	8	17	19	10	6	5	3	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,344  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)												
HAWAII -----	199	1	4	1	1	1	3	-	2	5	6	1
WHITE-----MALE----	46	-	-	-	-	1	1	-	-	2	2	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	67	-	2	1	-	-	2	-	1	3	3	-
FEMALE--	59	1	2	-	1	-	-	-	1	-	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	1	-	-	-
IDAHO -----	283	4	-	2	1	4	1	-	2	5	3	6
WHITE-----MALE----	124	3	-	1	1	2	1	-	1	1	2	1
FEMALE--	156	1	-	-	-	2	-	-	1	4	1	5
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2,476	19	16	14	10	22	13	13	20	28	53	43
WHITE-----MALE----	987	8	7	4	2	11	8	5	9	12	27	18
FEMALE--	1,262	7	6	4	5	7	2	4	6	7	14	13
ALL OTHER--MALE----	110	3	3	3	2	3	1	2	4	5	7	4
FEMALE--	117	1	-	3	1	2	2	2	1	4	5	8
BLACK---MALE----	101	3	3	2	1	3	1	2	4	5	6	4
FEMALE--	109	1	-	3	1	1	2	1	1	4	5	7
INDIANA -----	1,344	13	14	4	8	7	13	10	13	13	22	17
WHITE-----MALE----	557	9	7	2	5	5	10	9	6	7	8	9
FEMALE--	719	1	5	1	-	1	2	1	5	3	11	6
ALL OTHER--MALE----	28	1	1	-	1	-	1	-	1	1	2	2
FEMALE--	40	2	1	1	2	1	-	-	1	2	1	-
BLACK---MALE----	27	-	1	-	1	-	1	-	1	1	2	2
FEMALE--	39	1	1	1	2	1	-	-	1	2	1	-
IOWA -----	728	1	4	1	4	4	9	8	3	9	13	8
WHITE-----MALE----	306	1	3	1	2	4	5	6	2	5	8	5
FEMALE--	417	-	1	-	2	-	3	2	1	4	5	3
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	669	7	4	3	5	1	3	2	6	5	10	13
WHITE-----MALE----	282	5	1	3	4	1	2	-	5	3	5	7
FEMALE--	361	2	1	-	-	-	1	2	1	2	3	6
ALL OTHER--MALE----	10	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	1	-	1	-	-	-	-	-	2	-
BLACK---MALE----	8	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	1	-	1	-	-	-	-	-	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,344  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	4	5	10	13	18	33	36	31	18	6	-	-
WHITE-----MALE----	1	1	3	2	1	11	11	4	5	1	-	-
FEMALE--	3	-	1	1	-	4	5	7	4	2	-	-
ALL OTHER--MALE----	-	4	3	4	7	9	8	13	6	1	-	-
FEMALE--	-	-	3	6	10	9	12	7	3	2	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
IDAHO -----	8	11	13	9	22	41	59	57	29	5	1	-
WHITE-----MALE----	4	3	7	3	15	22	28	21	7	1	-	-
FEMALE--	4	8	6	6	6	18	31	36	22	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	49	68	84	138	229	367	465	470	247	91	17	-
WHITE-----MALE----	21	22	36	59	111	163	200	174	72	17	1	-
FEMALE--	15	31	38	61	94	181	248	277	160	67	15	-
ALL OTHER--MALE----	6	8	5	10	13	10	6	9	4	2	-	-
FEMALE--	7	7	5	8	11	13	11	10	11	5	1	-
BLACK---MALE----	6	8	5	8	12	10	6	8	3	1	-	-
FEMALE--	6	6	5	8	10	12	10	10	11	5	-	-
INDIANA -----	33	34	53	66	130	211	269	241	125	44	4	-
WHITE-----MALE----	9	14	28	43	60	96	105	91	27	6	1	-
FEMALE--	19	17	21	21	64	108	158	142	94	36	3	-
ALL OTHER--MALE----	4	2	2	-	1	3	2	3	1	-	-	-
FEMALE--	1	1	2	2	5	4	4	5	3	2	-	-
BLACK---MALE----	4	2	2	-	1	3	2	3	1	-	-	-
FEMALE--	1	1	2	2	5	4	4	5	3	2	-	-
IOWA -----	11	19	26	36	61	100	149	132	94	32	4	-
WHITE-----MALE----	7	10	13	18	31	52	71	38	20	3	1	-
FEMALE--	4	9	13	18	30	47	77	92	74	29	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
KANSAS -----	13	22	30	34	56	65	133	141	90	21	4	1
WHITE-----MALE----	5	12	14	13	24	27	61	54	31	5	-	-
FEMALE--	7	9	13	18	31	36	70	81	57	16	4	1
ALL OTHER--MALE----	-	1	1	1	1	1	1	3	-	-	-	-
FEMALE--	1	-	2	2	-	1	1	3	2	-	-	-
BLACK---MALE----	-	1	1	1	1	-	1	2	-	-	-	-
FEMALE--	1	-	2	2	-	-	1	2	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,345  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	888	4	4	5	1	5	4	9	14	12	8	18
WHITE-----MALE----	388	4	2	3	1	5	4	3	11	7	4	10
FEMALE--	456	-	1	1	-	-	-	3	1	5	4	6
ALL OTHER--MALE----	19	-	-	1	-	-	-	-	2	-	-	1
FEMALE--	25	-	1	-	-	-	-	3	-	-	-	1
BLACK---MALE----	19	-	-	1	-	-	-	-	2	-	-	1
FEMALE--	25	-	1	-	-	-	-	3	-	-	-	1
LOUISIANA -----	883	8	12	8	13	5	6	6	11	20	16	23
WHITE-----MALE----	280	-	2	1	4	2	1	4	1	5	7	8
FEMALE--	400	1	5	4	5	1	-	-	1	2	5	6
ALL OTHER--MALE----	92	5	1	3	3	1	2	-	6	8	2	4
FEMALE--	111	2	4	-	1	1	3	2	3	5	2	5
BLACK---MALE----	91	5	1	3	3	1	2	-	6	8	2	4
FEMALE--	109	2	4	-	1	1	1	2	3	5	2	5
MAINE -----	359	-	-	1	-	4	2	-	1	4	4	5
WHITE-----MALE----	160	-	-	1	-	3	2	-	-	2	-	2
FEMALE--	199	-	-	-	-	1	-	-	1	2	4	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,027	6	11	3	4	7	4	10	8	18	28	35
WHITE-----MALE----	353	3	2	2	1	2	2	1	2	2	4	9
FEMALE--	481	-	4	1	2	2	1	2	2	4	8	10
ALL OTHER--MALE----	84	2	1	-	-	-	1	4	4	8	6	7
FEMALE--	109	1	4	-	1	3	-	3	-	4	10	9
BLACK---MALE----	78	2	1	-	-	-	1	3	4	8	6	7
FEMALE--	105	1	3	-	1	3	-	3	-	3	10	9
MASSACHUSETTS -----	1,513	13	7	3	5	7	2	11	11	11	20	28
WHITE-----MALE----	617	5	4	2	3	4	2	5	6	5	10	13
FEMALE--	851	7	3	-	2	2	-	5	4	5	8	13
ALL OTHER--MALE----	26	-	-	-	-	1	-	-	1	1	1	-
FEMALE--	19	1	-	1	-	-	-	1	-	-	1	2
BLACK---MALE----	21	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	16	1	-	-	-	-	-	1	-	-	1	2
MICHIGAN -----	1,865	9	19	12	9	21	20	22	22	35	48	62
WHITE-----MALE----	754	5	5	3	3	14	11	7	10	15	19	26
FEMALE--	914	3	8	7	3	5	4	8	5	7	13	19
ALL OTHER--MALE----	97	1	3	-	2	1	3	4	5	6	9	7
FEMALE--	100	-	3	2	1	1	2	3	2	7	7	10
BLACK---MALE----	91	1	2	-	2	-	3	4	3	6	9	7
FEMALE--	93	-	2	2	1	1	1	2	2	7	6	10

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,345  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	26	25	28	49	92	146	157	151	94	30	6	-
WHITE-----MALE----	17	12	12	28	44	68	75	46	24	7	1	-
FEMALE--	6	12	14	20	41	75	76	100	68	19	4	-
ALL OTHER--MALE----	2	1	-	1	4	2	3	2	-	-	-	-
FEMALE--	1	-	2	-	3	1	3	3	2	4	1	-
BLACK---MALE----	2	1	-	1	4	2	3	2	-	-	-	-
FEMALE--	1	-	2	-	3	1	3	3	2	4	1	-
LOUISIANA -----	19	23	39	51	74	151	146	151	78	16	7	-
WHITE-----MALE----	6	11	15	19	36	60	46	34	17	1	-	-
FEMALE--	5	3	14	18	28	68	77	87	53	14	3	-
ALL OTHER--MALE----	4	5	5	5	4	10	10	11	3	-	-	-
FEMALE--	4	4	5	9	6	13	13	19	5	1	4	-
BLACK---MALE----	4	5	5	4	4	10	10	11	3	-	-	-
FEMALE--	4	4	5	9	6	13	13	19	5	1	4	-
MAINE -----	4	7	21	19	32	58	53	75	50	16	3	-
WHITE-----MALE----	2	5	7	10	16	32	22	30	22	2	2	-
FEMALE--	2	2	14	9	16	26	31	45	28	14	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	28	30	42	69	96	147	186	160	102	28	5	-
WHITE-----MALE----	8	12	17	27	37	72	66	59	22	3	-	-
FEMALE--	13	7	12	28	41	61	99	88	69	22	5	-
ALL OTHER--MALE----	3	6	8	7	8	3	8	4	3	1	-	-
FEMALE--	4	5	5	7	10	11	13	9	8	2	-	-
BLACK---MALE----	3	5	7	7	8	2	7	4	2	1	-	-
FEMALE--	4	5	5	7	9	10	13	9	8	2	-	-
MASSACHUSETTS -----	31	30	47	83	136	236	311	275	167	69	10	-
WHITE-----MALE----	11	10	22	39	69	121	143	96	35	11	1	-
FEMALE--	17	18	23	43	63	105	161	175	130	58	9	-
ALL OTHER--MALE----	3	1	1	1	4	7	2	3	-	-	-	-
FEMALE--	-	1	1	-	-	3	5	1	2	-	-	-
BLACK---MALE----	3	1	1	1	3	6	1	3	-	-	-	-
FEMALE--	-	1	1	-	-	3	4	1	1	-	-	-
MICHIGAN -----	53	66	79	135	161	319	305	277	139	45	7	-
WHITE-----MALE----	22	27	28	58	74	150	126	106	35	9	1	-
FEMALE--	24	28	42	61	73	149	156	162	98	33	6	-
ALL OTHER--MALE----	1	6	4	6	10	14	8	3	2	2	-	-
FEMALE--	6	5	5	10	4	6	15	6	4	1	-	-
BLACK---MALE----	1	6	3	6	9	14	8	3	2	2	-	-
FEMALE--	6	4	5	10	3	5	15	6	4	1	-	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,346  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	20	25	33	61	125	176	247	228	171	60	8	-
WHITE-----MALE----	14	13	19	36	69	96	130	88	55	9	2	-
FEMALE--	5	12	13	23	54	79	116	139	115	50	6	-
ALL OTHER--MALE----	-	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	1	1	1	1	1	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-
MISSISSIPPI -----	12	18	18	40	38	60	79	83	24	10	-	-
WHITE-----MALE----	4	8	7	12	22	25	27	29	4	-	-	-
FEMALE--	4	7	7	19	10	26	39	45	14	7	-	-
ALL OTHER--MALE----	3	2	3	3	3	4	5	5	2	-	-	-
FEMALE--	1	1	1	6	3	5	8	4	4	3	-	-
BLACK---MALE----	2	2	3	3	3	4	5	5	2	-	-	-
FEMALE--	1	1	1	6	2	5	8	4	4	3	-	-
MISSOURI -----	24	25	50	74	114	171	227	225	114	34	6	-
WHITE-----MALE----	13	7	27	28	50	88	82	79	35	7	-	-
FEMALE--	9	10	16	36	55	75	129	135	71	24	4	-
ALL OTHER--MALE----	1	6	5	7	5	1	8	4	4	-	-	-
FEMALE--	1	2	2	3	4	7	8	7	4	3	2	-
BLACK---MALE----	1	6	5	7	5	-	7	4	4	-	-	-
FEMALE--	1	2	2	3	3	7	8	7	3	3	2	-
MONTANA -----	4	7	12	10	31	38	37	43	24	8	1	-
WHITE-----MALE----	-	3	6	5	21	18	17	16	6	1	-	-
FEMALE--	4	4	6	5	10	20	20	27	18	7	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	13	14	15	23	51	73	89	80	56	25	2	-
WHITE-----MALE----	6	7	7	14	28	30	43	28	11	5	-	-
FEMALE--	6	7	8	7	22	41	46	52	44	20	2	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	-	1	-	-	-
NEVADA -----	5	7	16	15	37	50	58	39	19	4	1	-
WHITE-----MALE----	3	4	7	9	26	24	27	15	7	1	-	-
FEMALE--	1	3	8	6	9	25	27	22	12	3	1	-
ALL OTHER--MALE----	1	-	-	-	-	1	3	1	-	-	-	-
FEMALE--	-	-	1	-	2	-	1	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-







1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,348  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)												
OHIO -----	2,496	22	21	7	4	23	15	25	18	28	49	45
WHITE-----MALE----	1,027	12	8	5	1	16	10	12	7	15	22	18
FEMALE--	1,275	7	7	1	3	7	3	7	8	10	20	17
ALL OTHER--MALE----	85	2	3	1	-	-	2	4	1	2	5	6
FEMALE--	109	1	3	-	-	-	-	2	2	1	2	4
BLACK---MALE----	84	2	2	1	-	-	2	4	1	2	5	6
FEMALE--	105	1	3	-	-	-	-	1	1	1	2	4
OKLAHOMA -----	662	8	3	3	3	2	2	6	7	12	9	13
WHITE-----MALE----	301	-	1	-	2	2	-	3	6	7	3	5
FEMALE--	316	5	-	2	1	-	-	-	-	4	4	6
ALL OTHER--MALE----	21	1	1	1	-	-	1	1	-	1	1	2
FEMALE--	24	2	1	-	-	-	1	2	1	-	1	-
BLACK---MALE----	9	1	-	-	-	-	1	1	-	1	-	1
FEMALE--	13	2	-	-	-	-	-	1	-	-	-	-
OREGON -----	938	5	6	4	2	3	1	2	4	5	8	20
WHITE-----MALE----	408	2	1	2	1	3	-	2	3	4	8	8
FEMALE--	513	3	3	2	1	-	1	-	1	1	-	11
ALL OTHER--MALE----	8	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2,788	16	19	8	11	8	12	12	16	41	48	56
WHITE-----MALE----	1,191	6	4	3	6	6	6	8	6	12	26	19
FEMALE--	1,393	6	10	5	4	2	3	3	2	18	11	21
ALL OTHER--MALE----	88	1	3	-	1	-	1	1	3	7	6	9
FEMALE--	116	3	2	-	-	-	2	-	5	4	5	7
BLACK---MALE----	80	1	2	-	-	-	1	1	3	6	6	9
FEMALE--	113	2	2	-	-	-	2	-	5	4	5	7
RHODE ISLAND -----	242	1	1	1	-	-	1	-	1	1	3	4
WHITE-----MALE----	102	1	1	-	-	-	1	-	1	-	1	2
FEMALE--	133	-	-	-	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	4	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	828	4	7	5	5	7	11	6	8	11	15	13
WHITE-----MALE----	290	3	3	1	1	3	4	2	2	4	3	4
FEMALE--	371	-	1	-	2	3	1	1	1	4	4	5
ALL OTHER--MALE----	74	1	2	2	1	-	4	2	4	1	2	4
FEMALE--	93	-	1	2	1	1	2	1	1	2	6	-
BLACK---MALE----	74	1	2	2	1	-	4	2	4	1	2	4
FEMALE--	93	-	1	2	1	1	2	1	1	2	6	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,348  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	61	60	100	155	256	366	471	451	228	79	12	-
WHITE-----MALE----	21	33	58	64	130	173	212	146	52	11	1	-
FEMALE--	32	22	33	74	103	173	237	274	165	61	11	-
ALL OTHER--MALE----	5	3	4	9	9	7	10	8	3	1	-	-
FEMALE--	3	2	5	8	14	13	12	23	8	6	-	-
BLACK---MALE----	5	3	4	9	9	7	10	8	3	1	-	-
FEMALE--	3	2	5	8	14	12	11	23	8	6	-	-
OKLAHOMA -----	14	22	27	46	72	110	102	117	60	19	4	1
WHITE-----MALE----	10	14	14	26	33	62	48	36	21	6	1	1
FEMALE--	2	7	13	18	33	43	49	75	38	13	3	-
ALL OTHER--MALE----	-	-	-	2	3	-	3	3	1	-	-	-
FEMALE--	2	1	-	-	3	5	2	3	-	-	-	-
BLACK---MALE----	-	-	-	1	3	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	3	3	1	1	-	-	-	-
OREGON -----	16	20	25	40	90	142	232	180	96	29	8	-
WHITE-----MALE----	12	10	15	14	48	65	109	77	23	1	-	-
FEMALE--	3	9	10	25	40	72	120	103	73	27	8	-
ALL OTHER--MALE----	1	1	-	-	1	3	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	3	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	1	-	-
PENNSYLVANIA -----	64	94	99	179	281	454	549	494	234	80	13	-
WHITE-----MALE----	38	40	54	82	145	227	267	170	50	16	-	-
FEMALE--	20	42	33	85	115	198	258	306	178	61	12	-
ALL OTHER--MALE----	2	5	6	6	9	14	10	3	-	1	-	-
FEMALE--	4	7	6	6	12	15	14	15	6	2	1	-
BLACK---MALE----	2	5	6	5	8	12	10	2	-	1	-	-
FEMALE--	4	7	6	6	11	15	13	15	6	2	1	-
RHODE ISLAND -----	8	3	11	20	25	26	59	36	28	11	2	-
WHITE-----MALE----	5	2	4	8	11	19	28	12	4	1	1	-
FEMALE--	3	-	7	11	14	6	31	22	23	10	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
SOUTH CAROLINA -----	22	30	36	58	94	126	162	119	68	18	3	-
WHITE-----MALE----	7	11	15	21	45	46	58	34	21	2	-	-
FEMALE--	8	9	12	28	28	57	78	74	40	13	2	-
ALL OTHER--MALE----	2	5	2	4	7	10	13	4	4	-	-	-
FEMALE--	5	5	7	5	14	13	13	7	3	3	1	-
BLACK---MALE----	2	5	2	4	7	10	13	4	4	-	-	-
FEMALE--	5	5	7	5	14	13	13	7	3	3	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,349  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
 0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	179	-	-	1	2	1	-	-	1	-	5	1
WHITE-----MALE----	84	-	-	1	-	1	-	-	1	-	1	-
FEMALE--	89	-	-	-	1	-	-	-	-	-	1	1
ALL OTHER--MALE----	4	-	-	-	1	-	-	-	-	-	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,054	13	8	3	4	10	6	7	13	13	23	18
WHITE-----MALE----	412	7	5	1	2	7	2	4	10	4	9	11
FEMALE--	533	3	1	2	2	3	2	1	2	5	9	4
ALL OTHER--MALE----	59	2	1	-	-	-	-	2	1	3	4	3
FEMALE--	50	1	1	-	-	-	2	-	-	1	1	-
BLACK---MALE----	58	2	1	-	-	-	-	2	1	3	4	3
FEMALE--	50	1	1	-	-	-	2	-	-	1	1	-
TEXAS -----	3,440	34	26	32	18	30	23	25	26	43	44	65
WHITE-----MALE----	1,440	18	15	16	8	20	11	11	14	23	22	28
FEMALE--	1,749	7	7	9	7	5	5	5	8	12	14	28
ALL OTHER--MALE----	114	8	3	3	-	3	1	6	3	5	7	4
FEMALE--	137	1	1	4	3	2	6	3	1	3	1	5
BLACK---MALE----	104	5	3	3	-	3	1	6	3	4	6	4
FEMALE--	132	1	1	4	3	2	6	3	1	3	1	5
UTAH -----	349	4	3	-	4	5	4	5	2	5	3	8
WHITE-----MALE----	169	2	2	-	2	2	3	3	2	3	2	4
FEMALE--	171	2	1	-	2	3	-	1	-	2	1	4
ALL OTHER--MALE----	5	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	151	-	1	-	-	2	-	-	-	-	-	2
WHITE-----MALE----	59	-	-	-	-	2	-	-	-	-	-	1
FEMALE--	91	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,283	10	9	4	5	9	11	10	7	16	15	28
WHITE-----MALE----	503	2	1	4	2	5	4	5	5	5	4	14
FEMALE--	600	4	2	-	2	3	3	1	2	6	5	12
ALL OTHER--MALE----	78	1	4	-	-	1	2	2	-	3	5	1
FEMALE--	102	3	2	-	1	-	2	2	-	2	1	1
BLACK---MALE----	75	1	4	-	-	1	2	2	-	3	5	-
FEMALE--	99	3	2	-	1	-	2	2	-	2	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,349  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	5	4	9	7	10	25	31	44	23	9	1	-
WHITE-----MALE----	3	2	2	5	8	13	19	13	12	3	-	-
FEMALE--	-	2	7	2	2	12	12	31	11	6	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	25	31	44	66	101	173	190	173	102	25	6	-
WHITE-----MALE----	9	16	17	31	37	80	85	52	21	2	-	-
FEMALE--	10	14	20	27	49	82	99	107	67	19	5	-
ALL OTHER--MALE----	5	1	3	5	7	5	4	5	6	2	-	-
FEMALE--	1	-	4	3	8	6	2	9	8	2	1	-
BLACK---MALE----	5	1	2	5	7	5	4	5	6	2	-	-
FEMALE--	1	-	4	3	8	6	2	9	8	2	1	-
TEXAS -----	74	75	129	182	335	545	695	600	316	106	17	-
WHITE-----MALE----	30	39	64	91	167	266	303	191	81	22	-	-
FEMALE--	35	24	50	79	146	252	359	382	218	80	17	-
ALL OTHER--MALE----	6	7	9	6	11	5	13	8	5	1	-	-
FEMALE--	3	5	6	6	11	22	20	19	12	3	-	-
BLACK---MALE----	6	7	9	5	10	4	13	6	5	1	-	-
FEMALE--	3	5	5	5	11	22	19	18	11	3	-	-
UTAH -----	7	11	14	16	28	61	76	62	24	6	1	-
WHITE-----MALE----	2	5	4	6	14	35	39	31	6	1	1	-
FEMALE--	5	6	7	10	14	24	37	30	17	5	-	-
ALL OTHER--MALE----	-	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
VERMONT -----	5	3	7	7	10	29	27	31	20	7	-	-
WHITE-----MALE----	3	2	2	3	3	18	16	9	-	-	-	-
FEMALE--	2	1	4	4	7	11	11	22	20	7	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	33	31	49	93	148	204	219	232	103	41	5	1
WHITE-----MALE----	15	15	18	51	64	84	89	81	27	6	2	-
FEMALE--	9	6	20	26	63	96	106	133	67	31	3	-
ALL OTHER--MALE----	3	5	6	9	10	7	9	5	4	1	-	-
FEMALE--	6	5	5	7	11	17	15	13	5	3	-	1
BLACK---MALE----	3	5	5	8	10	7	9	5	4	1	-	-
FEMALE--	6	5	5	6	10	17	15	12	5	3	-	1





1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,351  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
DISEASES OF THE NERVOUS SYSTEM (320-359)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	53,734	464	409	280	249	378	353	373	461	672	896	1,166
WHITE-----MALE----	22,076	205	167	136	105	221	178	192	212	300	382	496
FEMALE--	27,077	130	134	79	80	96	79	92	127	199	306	434
ALL OTHER--MALE----	2,147	69	56	40	35	37	53	50	68	108	114	114
FEMALE--	2,434	60	52	25	29	24	43	39	54	65	94	122
BLACK---MALE----	1,811	60	44	34	29	29	43	44	63	92	103	104
FEMALE--	2,166	53	44	21	27	24	33	33	47	60	90	109
ALABAMA -----	942	11	8	7	11	5	9	8	13	9	9	25
WHITE-----MALE----	331	5	3	1	5	4	3	4	8	3	3	10
FEMALE--	459	3	3	2	1	-	1	3	-	2	2	8
ALL OTHER--MALE----	67	2	1	3	3	-	3	1	3	4	1	3
FEMALE--	85	1	1	1	2	1	2	-	2	-	3	4
BLACK---MALE----	67	2	1	3	3	-	3	1	3	4	1	3
FEMALE--	84	1	1	1	2	1	2	-	2	-	3	4
ALASKA -----	71	2	-	2	-	1	3	1	1	4	1	3
WHITE-----MALE----	26	1	-	1	-	-	-	-	-	1	-	1
FEMALE--	25	-	-	-	-	-	1	-	1	-	1	1
ALL OTHER--MALE----	11	-	-	-	-	1	1	1	-	2	-	-
FEMALE--	9	1	-	1	-	-	1	-	-	1	-	1
BLACK---MALE----	2	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ARIZONA -----	1,059	11	12	7	6	10	5	5	7	7	18	23
WHITE-----MALE----	458	4	5	2	3	6	1	2	3	3	8	13
FEMALE--	559	6	5	3	1	3	-	2	2	3	8	8
ALL OTHER--MALE----	22	-	-	2	2	1	3	-	-	1	-	1
FEMALE--	20	1	2	-	-	-	1	1	2	-	2	1
BLACK---MALE----	6	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	2	-
ARKANSAS -----	481	7	5	4	-	3	5	2	5	7	12	17
WHITE-----MALE----	209	1	4	3	-	2	4	2	2	4	4	7
FEMALE--	230	4	1	1	-	-	-	-	1	1	3	5
ALL OTHER--MALE----	21	-	-	-	-	-	1	-	1	1	3	4
FEMALE--	21	2	-	-	-	1	-	-	1	1	2	1
BLACK---MALE----	21	-	-	-	-	-	1	-	1	1	3	4
FEMALE--	21	2	-	-	-	1	-	-	1	1	2	1
CALIFORNIA -----	4,890	52	51	37	22	37	48	40	55	62	84	125
WHITE-----MALE----	2,048	27	22	24	10	18	17	18	23	36	38	57
FEMALE--	2,424	16	19	10	6	11	19	13	25	12	30	49
ALL OTHER--MALE----	210	4	8	3	5	6	5	6	3	7	9	8
FEMALE--	208	5	2	-	1	2	7	3	4	7	7	11
BLACK---MALE----	120	4	6	2	3	4	3	4	3	6	7	5
FEMALE--	150	4	2	-	1	2	4	2	3	7	7	8

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,351  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
DISEASES OF THE NERVOUS SYSTEM (320-359)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	1,182	1,380	1,990	3,108	5,199	8,239	10,334	9,417	5,254	1,623	300	7
WHITE-----MALE----	507	602	901	1,436	2,551	3,950	4,513	3,331	1,383	280	24	4
FEMALE--	490	578	854	1,371	2,231	3,775	5,286	5,621	3,614	1,247	253	1
ALL OTHER--MALE----	91	107	117	149	200	230	224	178	85	19	2	1
FEMALE--	94	93	118	152	217	284	311	287	172	77	21	1
BLACK---MALE----	82	98	101	121	173	185	191	134	62	16	2	1
FEMALE--	83	87	107	134	176	251	270	264	160	73	19	1
ALABAMA -----	18	24	30	52	102	156	196	156	71	20	2	-
WHITE-----MALE----	6	7	15	21	41	68	65	43	14	2	-	-
FEMALE--	8	12	6	18	51	73	111	91	47	16	1	-
ALL OTHER--MALE----	2	3	4	6	4	7	7	7	3	-	-	-
FEMALE--	2	2	5	7	6	8	13	15	7	2	1	-
BLACK---MALE----	2	3	4	6	4	7	7	7	3	-	-	-
FEMALE--	2	2	5	7	6	8	12	15	7	2	1	-
ALASKA -----	1	5	3	3	2	14	15	5	5	-	-	-
WHITE-----MALE----	-	3	1	3	1	5	7	2	-	-	-	-
FEMALE--	1	2	2	-	1	5	4	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	2	-	2	-	-	-
FEMALE--	-	-	-	-	-	2	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	22	17	31	48	89	156	221	191	122	40	10	1
WHITE-----MALE----	10	7	14	24	43	78	112	72	37	9	2	-
FEMALE--	11	10	17	23	41	75	106	116	81	30	8	-
ALL OTHER--MALE----	-	-	-	1	3	1	1	1	3	1	-	1
FEMALE--	1	-	-	-	2	2	2	2	1	-	-	-
BLACK---MALE----	-	-	-	-	2	1	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	1	1	-	-	-	-
ARKANSAS -----	10	11	24	28	55	70	86	88	36	5	1	-
WHITE-----MALE----	3	5	11	13	30	34	38	29	11	2	-	-
FEMALE--	6	5	11	14	23	30	43	54	24	3	1	-
ALL OTHER--MALE----	-	-	-	1	1	2	3	3	1	-	-	-
FEMALE--	1	1	2	-	1	4	2	2	-	-	-	-
BLACK---MALE----	-	-	-	1	1	2	3	3	1	-	-	-
FEMALE--	1	1	2	-	1	4	2	2	-	-	-	-
CALIFORNIA -----	108	107	165	271	471	681	933	828	523	155	35	-
WHITE-----MALE----	44	40	75	133	238	318	416	314	154	22	4	-
FEMALE--	40	55	70	113	193	313	467	466	343	125	29	-
ALL OTHER--MALE----	14	4	11	12	18	27	21	27	10	1	1	-
FEMALE--	10	8	9	13	22	23	29	21	16	7	1	-
BLACK---MALE----	10	2	7	2	10	12	13	13	3	-	1	-
FEMALE--	6	6	5	10	10	18	18	15	16	6	-	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,352  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
DISEASES OF THE NERVOUS SYSTEM (320-359)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	793	12	6	1	4	8	3	9	8	9	12	17
WHITE-----MALE----	328	7	5	1	2	6	1	6	6	4	11	9
FEMALE--	444	3	-	-	1	2	1	3	1	4	-	8
ALL OTHER--MALE----	9	2	1	-	-	-	1	-	-	1	1	-
FEMALE--	12	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	9	2	1	-	-	-	1	-	-	1	1	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	672	2	5	4	1	7	2	5	8	6	7	12
WHITE-----MALE----	296	1	3	1	1	4	2	4	6	3	3	6
FEMALE--	348	1	1	3	-	3	-	1	1	2	1	3
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	18	-	1	-	-	-	-	-	1	1	1	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	16	-	1	-	-	-	-	-	1	1	1	1
DELAWARE -----	136	1	-	-	1	-	-	2	1	2	1	7
WHITE-----MALE----	47	-	-	-	1	-	-	2	-	1	-	2
FEMALE--	68	-	-	-	-	-	-	-	-	1	1	4
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	1	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	1	-	-	-	-	-	-	1	-	-	1
DISTRICT OF COLUMBIA ----	126	2	1	-	-	1	3	1	1	1	4	9
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	39	1	1	-	-	1	1	1	1	1	3	4
FEMALE--	43	1	-	-	-	-	2	-	-	-	1	5
BLACK---MALE----	38	1	1	-	-	-	1	1	1	1	3	4
FEMALE--	42	1	-	-	-	-	2	-	-	-	1	5
FLORIDA -----	3,728	20	24	18	16	21	19	22	26	34	52	70
WHITE-----MALE----	1,652	8	9	6	9	10	12	11	11	13	17	36
FEMALE--	1,824	4	7	6	3	4	5	6	5	14	24	22
ALL OTHER--MALE----	107	4	2	5	1	3	-	3	5	6	7	2
FEMALE--	145	4	6	1	3	4	2	2	5	1	4	10
BLACK---MALE----	102	4	2	5	1	3	-	3	5	5	7	1
FEMALE--	144	4	6	1	3	4	2	2	5	1	4	10
GEORGIA -----	1,346	20	12	8	10	13	12	13	9	24	27	41
WHITE-----MALE----	431	3	4	2	3	4	7	6	1	10	8	11
FEMALE--	656	5	4	1	2	3	-	2	2	7	5	12
ALL OTHER--MALE----	122	8	2	2	2	4	5	2	3	4	5	7
FEMALE--	137	4	2	3	3	2	-	3	3	3	9	11
BLACK---MALE----	121	7	2	2	2	4	5	2	3	4	5	7
FEMALE--	135	4	2	3	3	2	-	3	3	3	9	11

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,352  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
DISEASES OF THE NERVOUS SYSTEM (320-359)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	8	10	31	41	74	126	156	134	89	27	8	-
WHITE-----MALE----	4	8	16	19	38	52	53	48	28	4	-	-
FEMALE--	3	2	15	21	35	71	101	84	60	22	7	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	1	-
FEMALE--	1	-	-	1	1	1	2	2	1	1	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	1	-
FEMALE--	1	-	-	1	-	1	2	2	1	1	-	-
CONNECTICUT -----	16	9	32	41	56	114	134	123	69	15	4	-
WHITE-----MALE----	4	2	14	17	29	61	59	51	23	2	-	-
FEMALE--	9	5	14	23	27	51	73	69	45	12	4	-
ALL OTHER--MALE----	1	-	3	-	-	1	1	-	-	-	-	-
FEMALE--	2	2	1	1	-	1	1	3	1	1	-	-
BLACK---MALE----	-	-	3	-	-	-	1	-	-	-	-	-
FEMALE--	2	2	-	1	-	1	1	3	-	1	-	-
DELAWARE -----	5	2	6	12	17	18	28	19	12	2	-	-
WHITE-----MALE----	1	-	1	5	5	10	10	4	5	-	-	-
FEMALE--	2	-	2	7	11	8	13	11	6	2	-	-
ALL OTHER--MALE----	1	-	2	-	1	-	1	1	-	-	-	-
FEMALE--	1	2	1	-	-	-	4	3	1	-	-	-
BLACK---MALE----	1	-	2	-	1	-	1	1	-	-	-	-
FEMALE--	-	2	1	-	-	-	4	3	-	-	-	-
DISTRICT OF COLUMBIA ----	2	6	3	9	13	15	18	16	13	5	3	-
WHITE-----MALE----	-	1	-	2	6	3	4	4	2	-	-	-
FEMALE--	-	1	1	-	1	1	4	6	3	3	2	-
ALL OTHER--MALE----	2	2	1	4	3	7	3	-	2	1	-	-
FEMALE--	-	2	1	3	3	4	7	6	6	1	1	-
BLACK---MALE----	2	2	1	4	3	7	3	-	2	1	-	-
FEMALE--	-	2	1	3	2	4	7	6	6	1	1	-
FLORIDA -----	55	74	120	201	363	625	735	706	397	99	30	1
WHITE-----MALE----	28	36	58	100	175	345	348	279	115	24	1	1
FEMALE--	15	29	51	82	164	254	358	406	268	69	28	-
ALL OTHER--MALE----	7	5	4	11	10	10	13	7	2	-	-	-
FEMALE--	5	4	7	8	14	16	16	14	12	6	1	-
BLACK---MALE----	7	5	4	10	10	9	12	7	2	-	-	-
FEMALE--	5	4	7	7	14	16	16	14	12	6	1	-
GEORGIA -----	27	46	41	62	125	223	257	229	106	35	6	-
WHITE-----MALE----	10	21	12	16	51	98	79	58	16	10	1	-
FEMALE--	9	10	19	31	53	92	143	153	81	20	2	-
ALL OTHER--MALE----	4	6	5	8	13	15	16	8	3	-	-	-
FEMALE--	4	9	5	7	8	18	19	10	6	5	3	-
BLACK---MALE----	4	6	5	8	13	15	16	8	3	-	-	-
FEMALE--	3	9	5	7	8	17	19	10	6	5	3	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,353  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
DISEASES OF THE NERVOUS SYSTEM (320-359)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	198	1	4	1	1	1	3	-	2	4	6	1
WHITE-----MALE----	45	-	-	-	-	1	1	-	-	1	2	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	67	-	2	1	-	-	2	-	1	3	3	-
FEMALE--	59	1	2	-	1	-	-	-	1	-	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	1	-	-	-
IDAHO -----	283	4	-	2	1	4	1	-	2	5	3	6
WHITE-----MALE----	124	3	-	1	1	2	1	-	1	1	2	1
FEMALE--	156	1	-	-	-	2	-	-	1	4	1	5
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2,473	19	16	14	10	22	13	12	20	27	52	43
WHITE-----MALE----	986	8	7	4	2	11	8	5	9	12	26	18
FEMALE--	1,261	7	6	4	5	7	2	4	6	6	14	13
ALL OTHER--MALE----	110	3	3	3	2	3	1	2	4	5	7	4
FEMALE--	116	1	-	3	1	1	2	1	1	4	5	8
BLACK---MALE----	101	3	3	2	1	3	1	2	4	5	6	4
FEMALE--	109	1	-	3	1	1	2	1	1	4	5	7
INDIANA -----	1,342	12	14	4	8	7	13	10	13	13	22	16
WHITE-----MALE----	556	8	7	2	5	5	10	9	6	7	8	9
FEMALE--	718	1	5	1	-	1	2	1	5	3	11	5
ALL OTHER--MALE----	28	1	1	-	1	-	1	-	1	1	2	2
FEMALE--	40	2	1	1	2	1	-	-	1	2	1	-
BLACK---MALE----	27	-	1	-	1	-	1	-	1	1	2	2
FEMALE--	39	1	1	1	2	1	-	-	1	2	1	-
IOWA -----	728	1	4	1	4	4	9	8	3	9	13	8
WHITE-----MALE----	306	1	3	1	2	4	5	6	2	5	8	5
FEMALE--	417	-	1	-	2	-	3	2	1	4	5	3
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	667	7	4	3	5	1	3	2	6	5	10	13
WHITE-----MALE----	281	5	1	3	4	1	2	-	5	3	5	7
FEMALE--	360	2	1	-	-	-	1	2	1	2	3	6
ALL OTHER--MALE----	10	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	1	-	1	-	-	-	-	-	2	-
BLACK---MALE----	8	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	1	-	1	-	-	-	-	-	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,353  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
DISEASES OF THE NERVOUS SYSTEM (320-359)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	4	5	10	13	18	33	36	31	18	6	-	-
WHITE-----MALE----	1	1	3	2	1	11	11	4	5	1	-	-
FEMALE--	3	-	1	1	-	4	5	7	4	2	-	-
ALL OTHER--MALE----	-	4	3	4	7	9	8	13	6	1	-	-
FEMALE--	-	-	3	6	10	9	12	7	3	2	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
IDAHO -----	8	11	13	9	22	41	59	57	29	5	1	-
WHITE-----MALE----	4	3	7	3	15	22	28	21	7	1	-	-
FEMALE--	4	8	6	6	6	18	31	36	22	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	49	68	84	138	229	367	465	470	247	91	17	-
WHITE-----MALE----	21	22	36	59	111	163	200	174	72	17	1	-
FEMALE--	15	31	38	61	94	181	248	277	160	67	15	-
ALL OTHER--MALE----	6	8	5	10	13	10	6	9	4	2	-	-
FEMALE--	7	7	5	8	11	13	11	10	11	5	1	-
BLACK---MALE----	6	8	5	8	12	10	6	8	3	1	-	-
FEMALE--	6	6	5	8	10	12	10	10	11	5	-	-
INDIANA -----	33	34	53	66	130	211	269	241	125	44	4	-
WHITE-----MALE----	9	14	28	43	60	96	105	91	27	6	1	-
FEMALE--	19	17	21	21	64	108	158	142	94	36	3	-
ALL OTHER--MALE----	4	2	2	-	1	3	2	3	1	-	-	-
FEMALE--	1	1	2	2	5	4	4	5	3	2	-	-
BLACK---MALE----	4	2	2	-	1	3	2	3	1	-	-	-
FEMALE--	1	1	2	2	5	4	4	5	3	2	-	-
IOWA -----	11	19	26	36	61	100	149	132	94	32	4	-
WHITE-----MALE----	7	10	13	18	31	52	71	38	20	3	1	-
FEMALE--	4	9	13	18	30	47	77	92	74	29	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
KANSAS -----	13	22	30	34	55	65	133	141	90	20	4	1
WHITE-----MALE----	5	12	14	13	23	27	61	54	31	5	-	-
FEMALE--	7	9	13	18	31	36	70	81	57	15	4	1
ALL OTHER--MALE----	-	1	1	1	1	1	1	3	-	-	-	-
FEMALE--	1	-	2	2	-	1	1	3	2	-	-	-
BLACK---MALE----	-	1	1	1	1	-	1	2	-	-	-	-
FEMALE--	1	-	2	2	-	-	1	2	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,354  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
 DISEASES OF THE NERVOUS SYSTEM (320-359)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	887	4	4	5	1	5	4	9	14	11	8	18
WHITE-----MALE----	388	4	2	3	1	5	4	3	11	7	4	10
FEMALE--	455	-	1	1	-	-	-	3	1	4	4	6
ALL OTHER--MALE----	19	-	-	1	-	-	-	-	2	-	-	1
FEMALE--	25	-	1	-	-	-	-	3	-	-	-	1
BLACK---MALE----	19	-	-	1	-	-	-	-	2	-	-	1
FEMALE--	25	-	1	-	-	-	-	3	-	-	-	1
LOUISIANA -----	883	8	12	8	13	5	6	6	11	20	16	23
WHITE-----MALE----	280	-	2	1	4	2	1	4	1	5	7	8
FEMALE--	400	1	5	4	5	1	-	-	1	2	5	6
ALL OTHER--MALE----	92	5	1	3	3	1	2	-	6	8	2	4
FEMALE--	111	2	4	-	1	1	3	2	3	5	2	5
BLACK---MALE----	91	5	1	3	3	1	2	-	6	8	2	4
FEMALE--	109	2	4	-	1	1	1	2	3	5	2	5
MAINE -----	359	-	-	1	-	4	2	-	1	4	4	5
WHITE-----MALE----	160	-	-	1	-	3	2	-	-	2	-	2
FEMALE--	199	-	-	-	-	1	-	-	1	2	4	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,027	6	11	3	4	7	4	10	8	18	28	35
WHITE-----MALE----	353	3	2	2	1	2	2	1	2	2	4	9
FEMALE--	481	-	4	1	2	2	1	2	2	4	8	10
ALL OTHER--MALE----	84	2	1	-	-	-	1	4	4	8	6	7
FEMALE--	109	1	4	-	1	3	-	3	-	4	10	9
BLACK---MALE----	78	2	1	-	-	-	1	3	4	8	6	7
FEMALE--	105	1	3	-	1	3	-	3	-	3	10	9
MASSACHUSETTS -----	1,511	13	7	3	5	7	2	11	11	11	20	28
WHITE-----MALE----	616	5	4	2	3	4	2	5	6	5	10	13
FEMALE--	850	7	3	-	2	2	-	5	4	5	8	13
ALL OTHER--MALE----	26	-	-	-	-	1	-	-	1	1	1	-
FEMALE--	19	1	-	1	-	-	-	1	-	-	1	2
BLACK---MALE----	21	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	16	1	-	-	-	-	-	1	-	-	1	2
MICHIGAN -----	1,859	9	19	12	9	21	20	22	22	35	48	62
WHITE-----MALE----	752	5	5	3	3	14	11	7	10	15	19	26
FEMALE--	912	3	8	7	3	5	4	8	5	7	13	19
ALL OTHER--MALE----	96	1	3	-	2	1	3	4	5	6	9	7
FEMALE--	99	-	3	2	1	1	2	3	2	7	7	10
BLACK---MALE----	90	1	2	-	2	-	3	4	3	6	9	7
FEMALE--	92	-	2	2	1	1	1	2	2	7	6	10

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,354  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
DISEASES OF THE NERVOUS SYSTEM (320-359)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	26	25	28	49	92	146	157	151	94	30	6	-
WHITE-----MALE----	17	12	12	28	44	68	75	46	24	7	1	-
FEMALE--	6	12	14	20	41	75	76	100	68	19	4	-
ALL OTHER--MALE----	2	1	-	1	4	2	3	2	-	-	-	-
FEMALE--	1	-	2	-	3	1	3	3	2	4	1	-
BLACK---MALE----	2	1	-	1	4	2	3	2	-	-	-	-
FEMALE--	1	-	2	-	3	1	3	3	2	4	1	-
LOUISIANA -----	19	23	39	51	74	151	146	151	78	16	7	-
WHITE-----MALE----	6	11	15	19	36	60	46	34	17	1	-	-
FEMALE--	5	3	14	18	28	68	77	87	53	14	3	-
ALL OTHER--MALE----	4	5	5	5	4	10	10	11	3	-	-	-
FEMALE--	4	4	5	9	6	13	13	19	5	1	4	-
BLACK---MALE----	4	5	5	4	4	10	10	11	3	-	-	-
FEMALE--	4	4	5	9	6	13	13	19	5	1	4	-
MAINE -----	4	7	21	19	32	58	53	75	50	16	3	-
WHITE-----MALE----	2	5	7	10	16	32	22	30	22	2	2	-
FEMALE--	2	2	14	9	16	26	31	45	28	14	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	28	30	42	69	96	147	186	160	102	28	5	-
WHITE-----MALE----	8	12	17	27	37	72	66	59	22	3	-	-
FEMALE--	13	7	12	28	41	61	99	88	69	22	5	-
ALL OTHER--MALE----	3	6	8	7	8	3	8	4	3	1	-	-
FEMALE--	4	5	5	7	10	11	13	9	8	2	-	-
BLACK---MALE----	3	5	7	7	8	2	7	4	2	1	-	-
FEMALE--	4	5	5	7	9	10	13	9	8	2	-	-
MASSACHUSETTS -----	31	30	47	83	135	236	311	274	167	69	10	-
WHITE-----MALE----	11	10	22	39	68	121	143	96	35	11	1	-
FEMALE--	17	18	23	43	63	105	161	174	130	58	9	-
ALL OTHER--MALE----	3	1	1	1	4	7	2	3	-	-	-	-
FEMALE--	-	1	1	-	-	3	5	1	2	-	-	-
BLACK---MALE----	3	1	1	1	3	6	1	3	-	-	-	-
FEMALE--	-	1	1	-	-	3	4	1	1	-	-	-
MICHIGAN -----	53	64	79	135	160	318	303	277	139	45	7	-
WHITE-----MALE----	22	25	28	58	74	150	126	106	35	9	1	-
FEMALE--	24	28	42	61	73	148	155	162	98	33	6	-
ALL OTHER--MALE----	1	6	4	6	9	14	8	3	2	2	-	-
FEMALE--	6	5	5	10	4	6	14	6	4	1	-	-
BLACK---MALE----	1	6	3	6	8	14	8	3	2	2	-	-
FEMALE--	6	4	5	10	3	5	14	6	4	1	-	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,355  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 DISEASES OF THE NERVOUS SYSTEM (320-359)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	20	25	33	61	125	176	246	227	171	60	7	-
WHITE-----MALE----	14	13	19	36	69	96	129	87	55	9	1	-
FEMALE--	5	12	13	23	54	79	116	139	115	50	6	-
ALL OTHER--MALE----	-	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	1	1	1	1	1	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-
MISSISSIPPI -----	12	18	18	40	38	60	79	83	24	10	-	-
WHITE-----MALE----	4	8	7	12	22	25	27	29	4	-	-	-
FEMALE--	4	7	7	19	10	26	39	45	14	7	-	-
ALL OTHER--MALE----	3	2	3	3	3	4	5	5	2	-	-	-
FEMALE--	1	1	1	6	3	5	8	4	4	3	-	-
BLACK---MALE----	2	2	3	3	3	4	5	5	2	-	-	-
FEMALE--	1	1	1	6	2	5	8	4	4	3	-	-
MISSOURI -----	24	25	50	73	114	171	226	225	114	33	6	-
WHITE-----MALE----	13	7	27	28	50	88	82	79	35	7	-	-
FEMALE--	9	10	16	35	55	75	128	135	71	23	4	-
ALL OTHER--MALE----	1	6	5	7	5	1	8	4	4	-	-	-
FEMALE--	1	2	2	3	4	7	8	7	4	3	2	-
BLACK---MALE----	1	6	5	7	5	-	7	4	4	-	-	-
FEMALE--	1	2	2	3	3	7	8	7	3	3	2	-
MONTANA -----	4	7	12	10	31	37	36	43	24	8	1	-
WHITE-----MALE----	-	3	6	5	21	17	17	16	6	1	-	-
FEMALE--	4	4	6	5	10	20	19	27	18	7	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	13	14	15	23	51	73	89	80	56	25	2	-
WHITE-----MALE----	6	7	7	14	28	30	43	28	11	5	-	-
FEMALE--	6	7	8	7	22	41	46	52	44	20	2	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	-	1	-	-	-
NEVADA -----	5	7	16	15	37	50	58	39	19	4	1	-
WHITE-----MALE----	3	4	7	9	26	24	27	15	7	1	-	-
FEMALE--	1	3	8	6	9	25	27	22	12	3	1	-
ALL OTHER--MALE----	1	-	-	-	-	1	3	1	-	-	-	-
FEMALE--	-	-	1	-	2	-	1	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-







1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,357  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
DISEASES OF THE NERVOUS SYSTEM (320-359)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	2,493	22	21	7	4	23	15	25	18	28	49	45
WHITE-----MALE----	1,027	12	8	5	1	16	10	12	7	15	22	18
FEMALE--	1,273	7	7	1	3	7	3	7	8	10	20	17
ALL OTHER--MALE----	85	2	3	1	-	-	2	4	1	2	5	6
FEMALE--	108	1	3	-	-	-	-	2	2	1	2	4
BLACK---MALE----	84	2	2	1	-	-	2	4	1	2	5	6
FEMALE--	104	1	3	-	-	-	-	1	1	1	2	4
OKLAHOMA -----	660	7	3	3	3	2	2	6	7	12	9	13
WHITE-----MALE----	301	-	1	-	2	2	-	3	6	7	3	5
FEMALE--	315	5	-	2	1	-	-	-	-	4	4	6
ALL OTHER--MALE----	20	-	1	1	-	-	1	1	-	1	1	2
FEMALE--	24	2	1	-	-	-	1	2	1	-	1	-
BLACK---MALE----	8	-	-	-	-	-	1	1	-	1	-	1
FEMALE--	13	2	-	-	-	-	-	1	-	-	-	-
OREGON -----	936	5	6	4	2	3	1	2	4	5	7	20
WHITE-----MALE----	406	2	1	2	1	3	-	2	3	4	7	8
FEMALE--	513	3	3	2	1	-	1	-	1	1	-	11
ALL OTHER--MALE----	8	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2,785	16	19	8	11	8	12	12	16	41	48	56
WHITE-----MALE----	1,189	6	4	3	6	6	6	8	6	12	26	19
FEMALE--	1,392	6	10	5	4	2	3	3	2	18	11	21
ALL OTHER--MALE----	88	1	3	-	1	-	1	1	3	7	6	9
FEMALE--	116	3	2	-	-	-	2	-	5	4	5	7
BLACK---MALE----	80	1	2	-	-	-	1	1	3	6	6	9
FEMALE--	113	2	2	-	-	-	2	-	5	4	5	7
RHODE ISLAND -----	241	1	1	1	-	-	1	-	1	1	3	4
WHITE-----MALE----	102	1	1	-	-	-	1	-	1	-	1	2
FEMALE--	132	-	-	-	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	4	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	826	4	7	5	5	7	10	6	8	11	15	13
WHITE-----MALE----	290	3	3	1	1	3	4	2	2	4	3	4
FEMALE--	370	-	1	-	2	3	1	1	1	4	4	5
ALL OTHER--MALE----	73	1	2	2	1	-	3	2	4	1	2	4
FEMALE--	93	-	1	2	1	1	2	1	1	2	6	-
BLACK---MALE----	73	1	2	2	1	-	3	2	4	1	2	4
FEMALE--	93	-	1	2	1	1	2	1	1	2	6	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,357  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
DISEASES OF THE NERVOUS SYSTEM (320-359)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	61	60	100	155	255	365	471	451	227	79	12	-
WHITE-----MALE----	21	33	58	64	130	173	212	146	52	11	1	-
FEMALE--	32	22	33	74	103	172	237	274	164	61	11	-
ALL OTHER--MALE----	5	3	4	9	9	7	10	8	3	1	-	-
FEMALE--	3	2	5	8	13	13	12	23	8	6	-	-
BLACK---MALE----	5	3	4	9	9	7	10	8	3	1	-	-
FEMALE--	3	2	5	8	13	12	11	23	8	6	-	-
OKLAHOMA -----	13	22	27	46	72	110	102	117	60	19	4	1
WHITE-----MALE----	10	14	14	26	33	62	48	36	21	6	1	1
FEMALE--	1	7	13	18	33	43	49	75	38	13	3	-
ALL OTHER--MALE----	-	-	-	2	3	-	3	3	1	-	-	-
FEMALE--	2	1	-	-	3	5	2	3	-	-	-	-
BLACK---MALE----	-	-	-	1	3	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	3	3	1	1	-	-	-	-
OREGON -----	16	20	25	39	90	142	232	180	96	29	8	-
WHITE-----MALE----	12	10	15	13	48	65	109	77	23	1	-	-
FEMALE--	3	9	10	25	40	72	120	103	73	27	8	-
ALL OTHER--MALE----	1	1	-	-	1	3	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	3	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	1	-	-
PENNSYLVANIA -----	64	94	99	179	280	453	549	493	234	80	13	-
WHITE-----MALE----	38	40	54	82	144	227	267	169	50	16	-	-
FEMALE--	20	42	33	85	115	197	258	306	178	61	12	-
ALL OTHER--MALE----	2	5	6	6	9	14	10	3	-	1	-	-
FEMALE--	4	7	6	6	12	15	14	15	6	2	1	-
BLACK---MALE----	2	5	6	5	8	12	10	2	-	1	-	-
FEMALE--	4	7	6	6	11	15	13	15	6	2	1	-
RHODE ISLAND -----	8	3	11	20	25	26	58	36	28	11	2	-
WHITE-----MALE----	5	2	4	8	11	19	28	12	4	1	1	-
FEMALE--	3	-	7	11	14	6	30	22	23	10	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
SOUTH CAROLINA -----	22	30	36	58	94	125	162	119	68	18	3	-
WHITE-----MALE----	7	11	15	21	45	46	58	34	21	2	-	-
FEMALE--	8	9	12	28	28	56	78	74	40	13	2	-
ALL OTHER--MALE----	2	5	2	4	7	10	13	4	4	-	-	-
FEMALE--	5	5	7	5	14	13	13	7	3	3	1	-
BLACK---MALE----	2	5	2	4	7	10	13	4	4	-	-	-
FEMALE--	5	5	7	5	14	13	13	7	3	3	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,358  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
 DISEASES OF THE NERVOUS SYSTEM (320-359)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	178	-	-	1	2	1	-	-	1	-	5	1
WHITE-----MALE----	84	-	-	1	-	1	-	-	1	-	1	-
FEMALE--	88	-	-	-	1	-	-	-	-	-	1	1
ALL OTHER--MALE----	4	-	-	-	1	-	-	-	-	-	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,052	13	8	3	4	10	6	7	13	13	23	18
WHITE-----MALE----	411	7	5	1	2	7	2	4	10	4	9	11
FEMALE--	532	3	1	2	2	3	2	1	2	5	9	4
ALL OTHER--MALE----	59	2	1	-	-	-	-	2	1	3	4	3
FEMALE--	50	1	1	-	-	-	2	-	-	1	1	-
BLACK---MALE----	58	2	1	-	-	-	-	2	1	3	4	3
FEMALE--	50	1	1	-	-	-	2	-	-	1	1	-
TEXAS -----	3,434	33	26	32	18	30	23	25	26	43	44	65
WHITE-----MALE----	1,438	18	15	16	8	20	11	11	14	23	22	28
FEMALE--	1,747	7	7	9	7	5	5	5	8	12	14	28
ALL OTHER--MALE----	113	7	3	3	-	3	1	6	3	5	7	4
FEMALE--	136	1	1	4	3	2	6	3	1	3	1	5
BLACK---MALE----	103	4	3	3	-	3	1	6	3	4	6	4
FEMALE--	131	1	1	4	3	2	6	3	1	3	1	5
UTAH -----	349	4	3	-	4	5	4	5	2	5	3	8
WHITE-----MALE----	169	2	2	-	2	2	3	3	2	3	2	4
FEMALE--	171	2	1	-	2	3	-	1	-	2	1	4
ALL OTHER--MALE----	5	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	151	-	1	-	-	2	-	-	-	-	-	2
WHITE-----MALE----	59	-	-	-	-	2	-	-	-	-	-	1
FEMALE--	91	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,282	10	9	4	5	9	11	10	7	16	15	28
WHITE-----MALE----	503	2	1	4	2	5	4	5	5	5	4	14
FEMALE--	600	4	2	-	2	3	3	1	2	6	5	12
ALL OTHER--MALE----	78	1	4	-	-	1	2	2	-	3	5	1
FEMALE--	101	3	2	-	1	-	2	2	-	2	1	1
BLACK---MALE----	75	1	4	-	-	1	2	2	-	3	5	-
FEMALE--	98	3	2	-	1	-	2	2	-	2	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,358  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 DISEASES OF THE NERVOUS SYSTEM (320-359)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	5	4	8	7	10	25	31	44	23	9	1	-
WHITE-----MALE----	3	2	2	5	8	13	19	13	12	3	-	-
FEMALE--	-	2	6	2	2	12	12	31	11	6	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	25	31	44	66	101	173	189	173	101	25	6	-
WHITE-----MALE----	9	16	17	31	37	80	84	52	21	2	-	-
FEMALE--	10	14	20	27	49	82	99	107	66	19	5	-
ALL OTHER--MALE----	5	1	3	5	7	5	4	5	6	2	-	-
FEMALE--	1	-	4	3	8	6	2	9	8	2	1	-
BLACK---MALE----	5	1	2	5	7	5	4	5	6	2	-	-
FEMALE--	1	-	4	3	8	6	2	9	8	2	1	-
TEXAS -----	73	75	129	182	334	544	695	599	316	106	16	-
WHITE-----MALE----	30	39	64	91	166	266	303	190	81	22	-	-
FEMALE--	35	24	50	79	146	251	359	382	218	80	16	-
ALL OTHER--MALE----	6	7	9	6	11	5	13	8	5	1	-	-
FEMALE--	2	5	6	6	11	22	20	19	12	3	-	-
BLACK---MALE----	6	7	9	5	10	4	13	6	5	1	-	-
FEMALE--	2	5	5	5	11	22	19	18	11	3	-	-
UTAH -----	7	11	14	16	28	61	76	62	24	6	1	-
WHITE-----MALE----	2	5	4	6	14	35	39	31	6	1	1	-
FEMALE--	5	6	7	10	14	24	37	30	17	5	-	-
ALL OTHER--MALE----	-	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
VERMONT -----	5	3	7	7	10	29	27	31	20	7	-	-
WHITE-----MALE----	3	2	2	3	3	18	16	9	-	-	-	-
FEMALE--	2	1	4	4	7	11	11	22	20	7	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	33	31	49	93	148	204	218	232	103	41	5	1
WHITE-----MALE----	15	15	18	51	64	84	89	81	27	6	2	-
FEMALE--	9	6	20	26	63	96	106	133	67	31	3	-
ALL OTHER--MALE----	3	5	6	9	10	7	9	5	4	1	-	-
FEMALE--	6	5	5	7	11	17	14	13	5	3	-	1
BLACK---MALE----	3	5	5	8	10	7	9	5	4	1	-	-
FEMALE--	6	5	5	6	10	17	14	12	5	3	-	1







1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,360  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MENINGITIS (320-322)												
0 UNITED STATES --	758	103	38	21	10	13	12	18	23	36	44	53
WHITE-----MALE----	294	37	15	9	2	6	2	5	5	12	21	21
FEMALE--	235	20	12	7	3	3	2	4	6	7	10	11
ALL OTHER--MALE----	129	24	6	4	4	3	3	3	10	11	6	14
FEMALE--	100	22	5	1	1	1	5	6	2	6	7	7
BLACK---MALE----	119	24	6	4	3	3	2	2	10	10	6	12
FEMALE--	92	20	5	1	1	1	4	6	2	6	7	7
ALABAMA -----	15	4	1	-	1	-	-	1	1	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	2	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	1	-	-	-
ALASKA -----	1	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	18	3	2	-	-	-	2	-	1	-	1	1
WHITE-----MALE----	8	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	2	2	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	4	2	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	103	17	7	-	2	2	3	-	3	5	5	14
WHITE-----MALE----	41	9	3	-	-	1	1	-	1	3	3	7
FEMALE--	40	7	2	-	-	1	1	-	1	1	-	4
ALL OTHER--MALE----	11	1	2	-	1	-	-	-	1	1	1	2
FEMALE--	11	-	-	-	1	-	1	-	-	-	1	1
BLACK---MALE----	9	1	2	-	1	-	-	-	1	1	1	1
FEMALE--	9	-	-	-	1	-	1	-	-	-	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,360  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MENINGITIS (320-322)												
0 UNITED STATES --	36	34	42	47	60	63	53	30	13	4	2	3
WHITE-----MALE----	22	13	18	23	25	29	17	5	5	-	-	2
FEMALE--	5	10	13	15	24	26	29	19	7	2	-	-
ALL OTHER--MALE----	6	6	9	4	5	2	4	2	1	-	1	1
FEMALE--	3	5	2	5	6	6	3	4	-	2	1	-
BLACK---MALE----	5	6	9	3	5	2	2	2	1	-	1	1
FEMALE--	3	3	2	4	5	5	3	4	-	2	1	-
ALABAMA -----	-	1	2	1	-	2	-	-	1	-	-	-
WHITE-----MALE----	-	-	2	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	1	2	3	-	-	-	1	-	-	1
WHITE-----MALE----	-	-	1	1	3	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	3	4	5	5	9	8	6	4	-	-	1	-
WHITE-----MALE----	1	2	2	-	3	-	3	2	-	-	-	-
FEMALE--	-	1	2	5	4	6	3	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	1	1	-	2	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	1	-	1	2	-	-	-	-	-	-







1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,362  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 0 MENINGITIS (320-322)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2	1	1	3	1	2	3	-	1	-	-	-
WHITE-----MALE----	1	-	1	2	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
INDIANA -----	1	-	-	1	2	1	1	2	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
IOWA -----	-	1	2	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	2	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1	-	1	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

















1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,366  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 0 MENINGITIS (320-322)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	5	2	1	3	1	-	1	1	1	1	-	-
WHITE-----MALE----	2	-	-	3	1	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
OKLAHOMA -----	1	1	-	-	-	2	2	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	1	5	2	7	2	2	1	-	1	-	-
WHITE-----MALE----	1	1	3	2	3	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	1	2	1	-	1	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	-	-	3	-	-	2	-	-	-	-
WHITE-----MALE----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,367  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MENINGITIS (320-322)												
SOUTH DAKOTA -----	1	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	16	5	1	1	1	-	-	1	1	-	2	1
WHITE-----MALE----	7	2	-	-	1	-	-	-	1	-	-	1
FEMALE--	6	1	1	1	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
TEXAS -----	58	7	2	1	-	1	2	2	-	4	4	3
WHITE-----MALE----	19	1	1	1	-	1	-	-	-	3	1	1
FEMALE--	23	2	-	-	-	-	-	-	-	-	3	2
ALL OTHER--MALE----	8	3	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	1	1	-	-	-	2	2	-	-	-	-
BLACK---MALE----	8	3	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	1	1	-	-	-	2	2	-	-	-	-
UTAH -----	3	-	-	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	23	3	2	-	-	-	-	-	1	1	-	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	9	1	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	5	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	5	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	-	1	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,367  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 0 MENINGITIS (320-322)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	1	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	3	2	5	5	7	4	3	2	1	-	-	-
WHITE-----MALE----	3	-	2	1	2	1	1	-	-	-	-	-
FEMALE--	-	-	1	4	4	3	2	2	-	-	-	-
ALL OTHER--MALE----	-	1	2	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	2	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	2	-	4	2	1	1	2	1	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	2	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-









1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,369  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PARKINSON'S DISEASE (332)												
0 UNITED STATES --	18	54	162	439	1,337	2,580	3,275	2,601	1,103	235	25	-
WHITE-----MALE----	10	28	85	268	864	1,594	1,856	1,348	478	74	6	-
FEMALE--	6	21	60	143	392	870	1,314	1,165	585	151	17	-
ALL OTHER--MALE----	2	4	11	17	56	69	60	47	19	2	1	-
FEMALE--	-	1	6	11	25	47	45	41	21	8	1	-
BLACK---MALE----	2	4	7	10	45	49	48	30	12	1	1	-
FEMALE--	-	1	5	9	18	35	34	35	16	7	1	-
ALABAMA -----	1	1	7	6	18	42	43	35	7	1	-	-
WHITE-----MALE----	-	-	4	5	11	29	27	18	4	-	-	-
FEMALE--	1	-	2	1	7	11	13	15	3	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	2	2	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	2	2	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
ALASKA -----	-	-	-	1	1	5	5	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	3	4	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	1	8	23	44	75	49	28	8	1	-
WHITE-----MALE----	-	1	1	4	13	27	51	29	13	3	-	-
FEMALE--	-	-	-	4	8	16	23	19	12	4	1	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	1	2	1	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	1	3	16	18	19	22	12	1	-	-
WHITE-----MALE----	-	-	-	2	11	10	7	10	7	-	-	-
FEMALE--	-	-	1	1	5	8	11	12	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	3	5	17	57	127	237	315	229	100	18	3	-
WHITE-----MALE----	1	3	7	32	83	134	189	128	45	4	2	-
FEMALE--	1	2	8	21	35	84	117	87	51	10	1	-
ALL OTHER--MALE----	1	-	1	4	4	14	4	8	3	1	-	-
FEMALE--	-	-	1	-	5	5	5	6	1	3	-	-
BLACK---MALE----	1	-	1	-	3	6	1	2	-	-	-	-
FEMALE--	-	-	-	-	2	2	4	3	1	3	-	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,370  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 PARKINSON'S DISEASE (332)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	2	6	19	50	51	43	21	3	2	-
WHITE-----MALE----	-	-	2	4	14	28	23	23	9	1	-	-
FEMALE--	-	-	-	2	5	21	28	20	12	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	1	6	5	14	35	55	46	17	2	-	-
WHITE-----MALE----	1	-	3	3	8	25	34	30	9	-	-	-
FEMALE--	-	1	2	2	6	8	21	16	8	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DELAWARE -----	-	-	-	4	5	7	4	4	-	1	-	-
WHITE-----MALE----	-	-	-	2	2	5	2	1	-	-	-	-
FEMALE--	-	-	-	2	3	2	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	1	-	3	4	3	5	5	2	-	1	-
WHITE-----MALE----	-	-	-	-	3	1	3	3	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	1	-
ALL OTHER--MALE----	1	1	-	2	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	1	-	-	-
BLACK---MALE----	1	1	-	2	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	1	-	-	-
FLORIDA -----	-	2	12	22	104	223	247	193	90	17	2	-
WHITE-----MALE----	-	-	2	17	70	158	145	114	47	8	1	-
FEMALE--	-	1	9	4	29	60	97	74	38	8	1	-
ALL OTHER--MALE----	-	1	1	1	4	3	3	2	1	-	-	-
FEMALE--	-	-	-	-	1	2	2	3	4	1	-	-
BLACK---MALE----	-	1	1	-	4	3	3	2	1	-	-	-
FEMALE--	-	-	-	-	1	2	2	3	4	1	-	-
GEORGIA -----	-	3	5	12	27	57	63	49	16	5	2	-
WHITE-----MALE----	-	-	1	5	14	30	28	18	4	3	1	-
FEMALE--	-	2	4	7	11	19	27	28	9	2	-	-
ALL OTHER--MALE----	-	-	-	-	2	3	5	2	1	-	-	-
FEMALE--	-	1	-	-	-	5	3	1	2	-	1	-
BLACK---MALE----	-	-	-	-	2	3	5	2	1	-	-	-
FEMALE--	-	1	-	-	-	5	3	1	2	-	1	-









1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,372  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PARKINSON'S DISEASE (332)												
KENTUCKY -----	-	3	1	8	21	47	45	35	15	5	-	-
WHITE-----MALE----	-	3	-	4	11	33	26	14	10	1	-	-
FEMALE--	-	-	1	4	8	13	17	18	5	4	-	-
ALL OTHER--MALE----	-	-	-	2	2	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	2	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
LOUISIANA -----	-	-	2	9	18	25	37	22	9	2	-	-
WHITE-----MALE----	-	-	-	4	16	12	18	8	4	1	-	-
FEMALE--	-	-	1	3	1	11	15	12	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	4	-	1	-	-	-
FEMALE--	-	-	1	2	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	1	2	4	-	1	-	-	-
FEMALE--	-	-	1	2	-	-	-	2	-	-	-	-
MAINE -----	-	1	1	2	7	15	11	18	12	1	-	-
WHITE-----MALE----	-	1	1	2	3	11	7	11	9	-	-	-
FEMALE--	-	-	-	-	4	4	4	7	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	7	10	19	49	52	45	24	6	-	-
WHITE-----MALE----	-	-	4	7	7	34	24	27	10	1	-	-
FEMALE--	-	-	1	2	8	10	22	15	13	4	-	-
ALL OTHER--MALE----	-	-	2	1	3	2	4	1	-	-	-	-
FEMALE--	-	-	-	-	1	3	2	2	1	1	-	-
BLACK---MALE----	-	-	1	1	3	1	3	1	-	-	-	-
FEMALE--	-	-	-	-	1	3	2	2	1	1	-	-
MASSACHUSETTS -----	-	-	1	14	35	65	94	72	40	10	-	-
WHITE-----MALE----	-	-	1	12	20	43	49	38	12	2	-	-
FEMALE--	-	-	-	2	15	20	40	32	27	8	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	2	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	2	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
MICHIGAN -----	-	2	2	13	39	101	107	80	29	10	1	-
WHITE-----MALE----	-	2	1	7	22	63	60	41	12	3	-	-
FEMALE--	-	-	1	5	14	35	43	38	16	7	1	-
ALL OTHER--MALE----	-	-	-	-	3	3	2	1	1	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	3	3	2	1	1	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-











1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,375  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 0 PARKINSON'S DISEASE (332)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	1	3	7	18	76	113	147	122	43	8	2	-
WHITE-----MALE----	1	2	6	10	54	67	79	61	17	4	-	-
FEMALE--	-	-	1	7	18	44	62	52	24	4	2	-
ALL OTHER--MALE----	-	-	-	1	2	2	3	3	1	-	-	-
FEMALE--	-	-	-	-	2	-	3	6	1	-	-	-
BLACK---MALE----	-	-	-	1	2	2	3	3	1	-	-	-
FEMALE--	-	-	-	-	2	-	2	6	1	-	-	-
OKLAHOMA -----	-	1	-	7	18	40	29	29	19	2	1	-
WHITE-----MALE----	-	-	-	6	11	23	21	13	9	1	-	-
FEMALE--	-	1	-	1	7	15	7	14	10	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OREGON -----	-	-	4	7	23	47	79	49	20	5	-	-
WHITE-----MALE----	-	-	3	5	19	35	44	28	9	1	-	-
FEMALE--	-	-	1	2	4	10	34	21	11	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	4	6	28	62	150	206	148	57	14	2	-
WHITE-----MALE----	1	3	4	17	40	104	129	72	20	4	-	-
FEMALE--	-	1	1	10	19	44	71	74	35	9	2	-
ALL OTHER--MALE----	-	-	1	1	2	1	3	2	-	-	-	-
FEMALE--	-	-	-	-	1	1	3	-	2	1	-	-
BLACK---MALE----	-	-	1	1	1	1	3	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	3	-	2	1	-	-
RHODE ISLAND -----	-	-	1	2	8	10	16	6	3	2	1	-
WHITE-----MALE----	-	-	1	1	4	8	13	2	2	-	1	-
FEMALE--	-	-	-	1	4	2	3	4	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	5	10	24	32	38	31	16	4	-	-
WHITE-----MALE----	-	-	4	4	18	14	20	14	7	2	-	-
FEMALE--	-	1	1	5	4	13	13	15	8	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	4	2	1	-	-	-
FEMALE--	-	-	-	1	1	3	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	2	4	2	1	-	-	-
FEMALE--	-	-	-	1	1	3	1	-	-	1	-	-





1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,376  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 PARKINSON'S DISEASE (332)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	2	6	10	14	5	2	-	-
WHITE-----MALE----	-	-	-	-	2	5	6	5	4	1	-	-
FEMALE--	-	-	-	-	-	1	4	9	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	2	19	25	51	62	38	17	4	-	-
WHITE-----MALE----	-	-	-	13	17	35	35	20	4	2	-	-
FEMALE--	-	1	1	6	6	14	26	17	12	2	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
TEXAS -----	-	2	12	18	107	156	206	150	58	17	-	-
WHITE-----MALE----	-	2	7	12	72	101	112	69	22	4	-	-
FEMALE--	-	-	4	6	28	48	91	78	35	13	-	-
ALL OTHER--MALE----	-	-	1	-	5	2	2	1	-	-	-	-
FEMALE--	-	-	-	-	2	5	1	2	1	-	-	-
BLACK---MALE----	-	-	1	-	4	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	5	1	2	-	-	-	-
UTAH -----	-	-	-	1	6	24	30	18	5	1	-	-
WHITE-----MALE----	-	-	-	1	4	14	20	15	2	-	-	-
FEMALE--	-	-	-	-	2	9	10	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	8	7	7	8	1	-	-
WHITE-----MALE----	-	-	-	-	1	7	5	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	5	8	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	6	10	40	67	69	69	22	4	-	-
WHITE-----MALE----	1	-	1	8	22	33	35	35	13	1	-	-
FEMALE--	-	-	4	1	13	29	31	29	8	3	-	-
ALL OTHER--MALE----	-	-	1	1	3	2	1	-	1	-	-	-
FEMALE--	-	-	-	-	2	3	2	5	-	-	-	-
BLACK---MALE----	-	-	-	1	3	2	1	-	1	-	-	-
FEMALE--	-	-	-	-	2	3	2	5	-	-	-	-





1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,378

0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
 0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	28,548	155	130	60	43	60	32	38	90	139	221	311
WHITE-----MALE----	9,898	80	50	27	17	29	16	25	44	84	106	148
FEMALE--	16,867	59	51	20	18	28	9	10	27	33	76	126
ALL OTHER--MALE----	695	9	13	7	3	1	5	2	9	14	19	14
FEMALE--	1,088	7	16	6	5	2	2	1	10	8	20	23
BLACK---MALE----	579	7	9	5	2	1	4	2	9	12	18	12
FEMALE--	983	5	13	4	5	2	2	1	10	7	19	21
ALABAMA -----	563	2	4	-	-	2	-	2	2	3	1	6
WHITE-----MALE----	152	2	1	-	-	2	-	2	1	1	-	3
FEMALE--	336	-	2	-	-	-	-	-	-	2	1	3
ALL OTHER--MALE----	25	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	50	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	25	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	49	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	31	-	-	1	-	-	1	-	-	-	-	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	4	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	602	5	6	1	1	1	-	1	1	1	6	7
WHITE-----MALE----	218	1	3	-	1	-	-	-	-	1	3	6
FEMALE--	371	3	1	-	-	1	-	1	1	-	2	1
ALL OTHER--MALE----	3	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	10	1	2	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	265	2	-	1	-	-	1	-	1	3	1	5
WHITE-----MALE----	109	-	-	1	-	-	1	-	1	3	1	-
FEMALE--	143	2	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
CALIFORNIA -----	2,651	18	16	7	4	6	3	2	9	9	21	33
WHITE-----MALE----	939	10	6	5	1	3	2	-	3	9	9	19
FEMALE--	1,537	6	8	2	2	3	1	2	5	-	8	13
ALL OTHER--MALE----	82	1	1	-	1	-	-	-	-	-	2	1
FEMALE--	93	1	1	-	-	-	-	-	1	-	2	-
BLACK---MALE----	42	1	-	-	-	-	-	-	-	-	2	-
FEMALE--	65	-	1	-	-	-	1	-	1	-	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,378  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	393	553	882	1,494	2,481	4,266	5,850	6,012	3,792	1,291	253	2
WHITE-----MALE----	185	278	415	670	1,090	1,764	2,152	1,709	810	182	15	2
FEMALE--	176	225	401	712	1,208	2,255	3,379	4,003	2,792	1,038	221	-
ALL OTHER--MALE----	15	27	33	58	78	101	116	100	56	15	-	-
FEMALE--	17	23	33	54	105	146	203	200	134	56	17	-
BLACK---MALE----	13	23	27	42	68	83	105	81	43	13	-	-
FEMALE--	14	21	27	49	87	136	179	184	128	54	15	-
ALABAMA -----	8	10	9	31	63	95	132	115	57	19	2	-
WHITE-----MALE----	4	3	5	10	21	31	31	23	10	2	-	-
FEMALE--	4	6	1	14	33	55	87	74	38	15	1	-
ALL OTHER--MALE----	-	1	2	3	3	3	4	4	3	-	-	-
FEMALE--	-	-	1	4	6	6	10	14	6	2	1	-
BLACK---MALE----	-	1	2	3	3	3	4	4	3	-	-	-
FEMALE--	-	-	1	4	6	6	9	14	6	2	1	-
ALASKA -----	-	3	1	1	1	7	9	4	3	-	-	-
WHITE-----MALE----	-	2	-	1	-	2	3	2	-	-	-	-
FEMALE--	-	1	1	-	1	3	3	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	10	9	17	23	44	88	127	131	87	28	8	-
WHITE-----MALE----	4	4	6	14	19	40	50	38	21	6	1	-
FEMALE--	5	5	11	9	23	48	75	91	65	22	7	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	1	-	2	2	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	-	-	-	-
ARKANSAS -----	7	7	12	17	29	40	53	59	22	4	1	-
WHITE-----MALE----	2	2	7	8	15	20	25	17	4	2	-	-
FEMALE--	5	5	4	9	13	18	26	38	18	2	1	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	3	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	1	3	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	1	-	-	-	-
CALIFORNIA -----	39	49	86	132	242	348	533	551	391	126	26	-
WHITE-----MALE----	20	24	39	67	117	135	185	164	101	18	2	-
FEMALE--	14	20	33	52	103	193	311	358	274	106	23	-
ALL OTHER--MALE----	4	3	7	6	11	11	15	15	4	-	-	-
FEMALE--	1	2	7	7	11	9	22	14	12	2	1	-
BLACK---MALE----	3	1	3	1	5	5	11	9	1	-	-	-
FEMALE--	-	2	4	5	5	7	13	11	12	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,379  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
 0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	400	2	1	1	2	-	1	1	2	1	3	6
WHITE-----MALE----	137	-	1	1	1	-	1	-	2	1	3	2
FEMALE--	255	2	-	-	1	-	-	1	-	-	-	4
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	321	-	2	-	-	1	-	1	5	-	1	3
WHITE-----MALE----	109	-	2	-	-	-	-	1	4	-	1	1
FEMALE--	199	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	1
DELAWARE -----	66	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	40	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	51	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	1,930	6	6	6	3	5	1	-	3	12	12	17
WHITE-----MALE----	690	2	1	2	2	1	1	-	1	5	5	7
FEMALE--	1,139	4	2	2	1	2	-	-	-	3	5	6
ALL OTHER--MALE----	35	-	-	2	-	1	-	-	-	4	2	1
FEMALE--	66	-	3	-	-	1	-	-	2	-	-	3
BLACK---MALE----	31	-	-	2	-	1	-	-	-	3	2	-
FEMALE--	66	-	3	-	-	1	-	-	2	-	-	3
GEORGIA -----	760	5	3	1	1	-	1	-	-	6	11	13
WHITE-----MALE----	222	2	3	1	1	-	1	-	-	2	5	3
FEMALE--	447	3	-	-	-	-	-	-	-	2	1	6
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	1	3	-
FEMALE--	57	-	-	-	-	-	-	-	-	1	2	4
BLACK---MALE----	34	-	-	-	-	-	-	-	-	1	3	-
FEMALE--	56	-	-	-	-	-	-	-	-	1	2	4

1           TABLE III.  DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996    PLT B  PG 1,379  
0           (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES.  EXCLUDES FETAL DEATHS.  CAUSE-OF-DEATH  
            CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES,  1975)  
CAUSE BY AREA, RACE, SEX    50-54    55-59    60-64    65-69    70-74    75-79    80-84    85-89    90-94    95-99    100+    N.S.  
0  OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)

COLORADO	3	6	12	19	34	48	91	77	62	22	6	-
WHITE	2	6	6	8	17	16	27	22	19	2	-	-
FEMALE	-	-	6	11	17	31	62	53	42	19	6	-
ALL OTHER	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	1	2	2	1	1	-	-
BLACK	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	1	2	2	1	1	-	-
CONNECTICUT	5	1	15	17	25	54	59	67	48	13	4	-
WHITE	1	-	5	9	10	25	17	18	13	2	-	-
FEMALE	3	1	7	7	15	29	41	47	34	10	4	-
ALL OTHER	-	-	2	-	-	-	1	-	-	-	-	-
FEMALE	1	-	1	1	-	-	-	2	1	1	-	-
BLACK	-	-	2	-	-	-	1	-	-	-	-	-
FEMALE	1	-	-	1	-	-	-	2	-	1	-	-
DELAWARE	2	-	2	6	7	5	19	13	10	1	-	-
WHITE	-	-	1	2	1	2	6	2	3	-	-	-
FEMALE	1	-	-	4	6	3	10	8	6	1	-	-
ALL OTHER	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE	1	-	-	-	-	-	2	3	1	-	-	-
BLACK	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE	-	-	-	-	-	-	2	3	-	-	-	-
DISTRICT OF COLUMBIA	-	1	1	1	4	7	10	8	10	4	2	-
WHITE	-	-	-	-	3	1	1	1	1	-	-	-
FEMALE	-	-	1	-	1	-	2	2	3	3	1	-
ALL OTHER	-	1	-	1	-	4	2	-	2	-	-	-
FEMALE	-	-	-	-	-	2	5	5	4	1	1	-
BLACK	-	1	-	1	-	4	2	-	2	-	-	-
FEMALE	-	-	-	-	-	2	5	5	4	1	1	-
FLORIDA	13	30	54	87	168	287	391	451	277	76	25	-
WHITE	7	19	32	39	66	131	156	142	59	12	-	-
FEMALE	5	10	19	43	89	144	216	293	210	60	25	-
ALL OTHER	1	-	1	2	5	4	6	5	1	-	-	-
FEMALE	-	1	2	3	8	8	13	11	7	4	-	-
BLACK	1	-	1	2	5	3	5	5	1	-	-	-
FEMALE	-	1	2	3	8	8	13	11	7	4	-	-
GEORGIA	8	19	13	26	67	137	172	157	87	30	3	-
WHITE	2	14	3	3	26	56	48	33	12	7	-	-
FEMALE	6	3	7	17	30	65	102	115	70	18	2	-
ALL OTHER	-	-	2	4	6	6	9	2	1	-	-	-
FEMALE	-	2	1	2	5	10	13	7	4	5	1	-
BLACK	-	-	2	4	6	6	9	2	1	-	-	-
FEMALE	-	2	1	2	5	9	13	7	4	5	1	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,380  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	83	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	24	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
IDAHO -----	149	2	-	-	-	1	-	-	-	2	-	2
WHITE-----MALE----	55	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	93	-	-	-	-	1	-	-	-	2	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,336	8	7	4	-	8	1	2	4	3	11	8
WHITE-----MALE----	450	5	3	1	-	5	1	2	2	2	8	4
FEMALE--	793	3	3	-	-	3	-	-	2	1	2	3
ALL OTHER--MALE----	37	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	56	-	-	2	-	-	-	-	-	-	1	1
BLACK---MALE----	32	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	54	-	-	2	-	-	-	-	-	-	1	1
INDIANA -----	748	4	3	-	3	-	-	-	4	5	5	4
WHITE-----MALE----	264	4	3	-	3	-	-	-	1	3	1	3
FEMALE--	462	-	-	-	-	-	-	-	3	1	4	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	1	-	-
IOWA -----	447	1	2	-	3	-	-	-	-	1	7	3
WHITE-----MALE----	147	1	1	-	1	-	-	-	-	1	5	1
FEMALE--	297	-	1	-	2	-	-	-	-	-	2	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	354	3	3	1	1	1	-	-	1	3	4	2
WHITE-----MALE----	129	2	-	1	-	1	-	-	1	2	2	-
FEMALE--	213	1	1	-	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	6	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	4	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	1	-	1	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,380  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	1	2	3	2	7	13	15	17	15	6	-	-
WHITE-----MALE----	-	1	2	-	1	5	5	1	4	1	-	-
FEMALE--	1	-	-	-	-	1	4	6	4	2	-	-
ALL OTHER--MALE----	-	1	-	1	2	4	1	5	5	1	-	-
FEMALE--	-	-	1	1	4	3	5	5	2	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	5	3	5	6	21	33	41	21	4	1	-
WHITE-----MALE----	1	2	1	2	3	12	16	11	5	-	-	-
FEMALE--	1	3	2	3	3	8	17	30	16	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	15	26	33	65	111	189	278	298	180	73	12	-
WHITE-----MALE----	7	9	14	22	53	76	100	90	38	8	-	-
FEMALE--	3	13	17	34	48	100	169	194	129	58	11	-
ALL OTHER--MALE----	3	1	1	6	5	7	2	5	3	2	-	-
FEMALE--	2	3	1	3	5	6	7	9	10	5	1	-
BLACK---MALE----	3	1	1	4	5	7	2	4	3	1	-	-
FEMALE--	2	3	1	3	5	6	6	9	10	5	-	-
INDIANA -----	7	15	26	35	63	118	170	153	92	37	4	-
WHITE-----MALE----	1	7	15	26	29	44	54	49	16	4	1	-
FEMALE--	5	8	10	8	31	72	111	100	73	32	3	-
ALL OTHER--MALE----	-	-	1	-	-	-	2	1	1	-	-	-
FEMALE--	1	-	-	1	3	2	3	3	2	1	-	-
BLACK---MALE----	-	-	1	-	-	-	2	1	1	-	-	-
FEMALE--	1	-	-	1	3	2	3	3	2	1	-	-
IOWA -----	7	14	9	24	39	51	86	95	72	30	3	-
WHITE-----MALE----	4	8	6	12	14	22	34	21	14	2	-	-
FEMALE--	3	6	3	12	25	28	52	72	58	28	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
KANSAS -----	4	11	18	16	33	32	78	69	57	14	3	-
WHITE-----MALE----	1	8	8	4	10	12	38	19	17	3	-	-
FEMALE--	3	3	9	11	23	19	39	47	38	11	3	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	3	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	2	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,381  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	490	2	2	1	-	-	-	1	4	4	2	3
WHITE-----MALE----	179	2	-	1	-	-	-	-	3	4	2	2
FEMALE--	295	-	1	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	1	-	-	-	-	1	-	-	-	-
LOUISIANA -----	531	2	3	2	3	-	-	2	-	3	4	7
WHITE-----MALE----	153	-	-	-	-	-	-	2	-	1	3	3
FEMALE--	287	-	2	2	2	-	-	-	-	-	-	1
ALL OTHER--MALE----	34	1	1	-	1	-	-	-	-	1	-	1
FEMALE--	57	1	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	33	1	1	-	1	-	-	-	-	1	-	1
FEMALE--	57	1	-	-	-	-	-	-	-	1	1	2
MAINE -----	233	-	-	-	-	1	-	-	1	1	1	1
WHITE-----MALE----	90	-	-	-	-	1	-	-	-	1	-	1
FEMALE--	143	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	506	1	4	1	-	1	-	-	3	5	10	5
WHITE-----MALE----	149	1	-	-	-	-	-	-	1	1	2	2
FEMALE--	301	-	2	1	-	1	-	-	-	2	4	2
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	2	2	1	1
FEMALE--	33	-	2	-	-	-	-	-	-	-	3	-
BLACK---MALE----	22	-	-	-	-	-	-	-	2	2	1	1
FEMALE--	31	-	1	-	-	-	-	-	-	-	3	-
MASSACHUSETTS -----	817	5	1	-	-	-	-	1	3	3	5	10
WHITE-----MALE----	286	2	1	-	-	-	-	1	2	-	2	5
FEMALE--	517	3	-	-	-	-	-	-	1	2	3	5
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	888	3	8	3	2	5	3	1	4	6	9	12
WHITE-----MALE----	310	2	1	-	-	3	2	1	4	1	6	6
FEMALE--	521	1	6	3	1	2	-	-	-	3	1	5
ALL OTHER--MALE----	22	-	-	-	1	-	1	-	-	1	1	-
FEMALE--	35	-	1	-	-	-	-	-	-	1	1	1
BLACK---MALE----	22	-	-	-	1	-	1	-	-	1	1	-
FEMALE--	33	-	1	-	-	-	-	-	-	1	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,381  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	13	6	12	26	44	70	98	110	67	19	6	-
WHITE-----MALE----	7	2	7	17	21	22	42	32	10	4	1	-
FEMALE--	6	4	5	9	19	47	53	76	56	13	4	-
ALL OTHER--MALE----	-	-	-	-	2	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	2	1	1	2	1	-
BLACK---MALE----	-	-	-	-	2	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	2	1	1	2	1	-
LOUISIANA -----	7	9	22	22	44	101	97	115	67	14	7	-
WHITE-----MALE----	3	5	8	12	15	41	24	24	12	-	-	-
FEMALE--	3	2	9	7	21	46	57	71	48	13	3	-
ALL OTHER--MALE----	-	2	3	1	3	5	5	8	2	-	-	-
FEMALE--	1	-	2	2	5	9	11	12	5	1	4	-
BLACK---MALE----	-	2	3	-	3	5	5	8	2	-	-	-
FEMALE--	1	-	2	2	5	9	11	12	5	1	4	-
MAINE -----	1	4	12	12	17	34	39	55	36	15	3	-
WHITE-----MALE----	-	3	4	6	8	18	15	17	12	2	2	-
FEMALE--	1	1	8	6	9	16	24	38	24	13	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	5	12	13	27	47	72	106	99	70	21	4	-
WHITE-----MALE----	1	6	8	9	19	27	31	28	11	2	-	-
FEMALE--	3	3	4	14	22	39	66	68	49	17	4	-
ALL OTHER--MALE----	1	2	-	3	3	-	3	1	3	1	-	-
FEMALE--	-	1	1	1	3	6	6	2	7	1	-	-
BLACK---MALE----	1	2	-	3	3	-	3	1	2	1	-	-
FEMALE--	-	1	1	1	2	6	6	2	7	1	-	-
MASSACHUSETTS -----	9	14	21	42	54	129	168	174	112	57	9	-
WHITE-----MALE----	3	7	10	17	28	61	71	48	18	9	1	-
FEMALE--	6	7	11	24	25	61	96	124	93	48	8	-
ALL OTHER--MALE----	-	-	-	1	1	4	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	3	1	1	1	-	-	-
BLACK---MALE----	-	-	-	1	1	3	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	3	1	1	1	-	-	-
MICHIGAN -----	19	22	41	65	73	157	151	169	100	29	6	-
WHITE-----MALE----	10	8	14	26	27	66	53	54	22	3	1	-
FEMALE--	8	8	23	35	41	87	87	108	74	23	5	-
ALL OTHER--MALE----	-	2	2	2	2	2	3	2	1	2	-	-
FEMALE--	1	4	2	2	3	2	8	5	3	1	-	-
BLACK---MALE----	-	2	2	2	2	2	3	2	1	2	-	-
FEMALE--	1	3	2	2	2	2	8	5	3	1	-	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,382  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	9	10	16	27	50	76	121	119	117	48	6	-
WHITE-----MALE----	5	4	8	15	23	27	59	33	35	8	1	-
FEMALE--	4	6	7	11	25	48	61	86	81	39	5	-
ALL OTHER--MALE----	-	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	1	1	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-
MISSISSIPPI -----	3	4	8	20	18	28	45	54	18	8	-	-
WHITE-----MALE----	2	3	2	6	8	14	16	14	2	-	-	-
FEMALE--	1	1	5	11	6	11	21	34	10	6	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	2	4	2	-	-	-
FEMALE--	-	-	-	3	3	2	6	2	4	2	-	-
BLACK---MALE----	-	-	1	-	1	1	2	4	2	-	-	-
FEMALE--	-	-	-	3	2	2	6	2	4	2	-	-
MISSOURI -----	12	10	17	42	60	76	123	145	75	22	6	-
WHITE-----MALE----	9	2	10	17	29	35	37	45	17	5	-	-
FEMALE--	2	5	7	21	24	39	74	92	54	15	4	-
ALL OTHER--MALE----	-	2	-	3	3	-	5	4	3	-	-	-
FEMALE--	1	1	-	1	4	2	7	4	1	2	2	-
BLACK---MALE----	-	2	-	3	3	-	5	4	3	-	-	-
FEMALE--	1	1	-	1	3	2	7	4	1	2	2	-
MONTANA -----	1	1	6	5	11	20	18	27	19	6	1	-
WHITE-----MALE----	-	1	3	3	5	6	7	10	4	-	-	-
FEMALE--	1	-	3	2	6	14	11	17	15	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	5	9	7	13	16	44	54	53	47	17	1	-
WHITE-----MALE----	4	4	3	8	6	18	26	21	7	3	-	-
FEMALE--	1	5	4	3	10	26	28	32	39	14	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	1	-	-	-
NEVADA -----	-	1	6	2	17	27	33	20	12	4	1	-
WHITE-----MALE----	-	-	3	-	11	12	11	6	2	1	-	-
FEMALE--	-	1	3	2	6	15	19	12	10	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-







1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,384  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	1,338	9	5	1	1	4	-	4	4	11	14	18
WHITE-----MALE----	461	5	2	1	1	1	-	1	1	8	8	7
FEMALE--	794	4	3	-	-	3	-	2	2	3	5	8
ALL OTHER--MALE----	33	-	-	-	-	-	-	1	1	-	1	2
FEMALE--	50	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	33	-	-	-	-	-	-	1	1	-	1	2
FEMALE--	50	-	-	-	-	-	-	-	-	-	-	1
OKLAHOMA -----	351	3	-	-	1	-	-	1	1	2	2	5
WHITE-----MALE----	133	-	-	-	-	-	-	-	1	2	1	3
FEMALE--	202	2	-	-	1	-	-	-	-	-	-	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	9	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	-
OREGON -----	537	1	1	1	-	-	-	-	-	1	3	8
WHITE-----MALE----	183	-	-	-	-	-	-	-	-	1	3	5
FEMALE--	348	1	1	1	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,332	10	8	1	2	1	-	2	4	8	14	15
WHITE-----MALE----	466	4	-	-	1	1	-	2	1	4	5	5
FEMALE--	797	6	5	1	1	-	-	-	-	3	5	6
ALL OTHER--MALE----	28	-	2	-	-	-	-	-	-	-	2	2
FEMALE--	41	-	1	-	-	-	-	-	3	1	2	2
BLACK---MALE----	24	-	1	-	-	-	-	-	-	-	2	2
FEMALE--	39	-	1	-	-	-	-	-	3	1	2	2
RHODE ISLAND -----	127	-	-	-	-	-	-	-	1	-	-	2
WHITE-----MALE----	41	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	83	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	448	3	3	2	1	-	2	-	-	2	4	4
WHITE-----MALE----	139	3	2	-	-	-	1	-	-	1	1	3
FEMALE--	230	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	29	-	-	1	-	-	1	-	-	-	-	1
FEMALE--	50	-	1	1	1	-	-	-	-	-	3	-
BLACK---MALE----	29	-	-	1	-	-	1	-	-	-	-	1
FEMALE--	50	-	1	1	1	-	-	-	-	-	3	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,384  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	17	27	35	68	126	197	260	293	169	65	10	-
WHITE-----MALE----	5	19	20	25	59	85	102	72	32	6	1	-
FEMALE--	11	8	13	35	60	99	142	205	129	53	9	-
ALL OTHER--MALE----	1	-	2	5	2	4	7	4	2	1	-	-
FEMALE--	-	-	-	3	5	9	9	12	6	5	-	-
BLACK---MALE----	1	-	2	5	2	4	7	4	2	1	-	-
FEMALE--	-	-	-	3	5	9	9	12	6	5	-	-
OKLAHOMA -----	6	9	14	21	36	50	61	80	39	16	3	1
WHITE-----MALE----	5	6	6	12	14	26	20	20	11	4	1	1
FEMALE--	1	2	8	8	20	22	39	56	27	12	2	-
ALL OTHER--MALE----	-	-	-	1	1	-	2	1	1	-	-	-
FEMALE--	-	1	-	-	1	2	-	3	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	2	-	1	-	-	-	-
OREGON -----	7	9	13	21	54	72	125	119	71	23	8	-
WHITE-----MALE----	4	3	5	4	25	24	52	44	13	-	-	-
FEMALE--	2	6	8	17	28	47	71	75	58	22	8	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
PENNSYLVANIA -----	15	28	37	79	124	201	265	287	159	61	11	-
WHITE-----MALE----	11	12	23	34	63	82	106	76	26	10	-	-
FEMALE--	4	15	12	42	57	106	147	198	130	49	10	-
ALL OTHER--MALE----	-	1	1	3	2	8	5	1	-	1	-	-
FEMALE--	-	-	1	-	2	5	7	12	3	1	1	-
BLACK---MALE----	-	1	1	2	2	6	5	1	-	1	-	-
FEMALE--	-	-	1	-	1	5	6	12	3	1	1	-
RHODE ISLAND -----	5	-	3	8	9	12	31	24	24	7	1	-
WHITE-----MALE----	4	-	1	3	5	7	9	8	2	-	-	-
FEMALE--	1	-	2	5	4	4	22	15	21	7	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
SOUTH CAROLINA -----	4	16	18	26	47	75	101	74	49	14	3	-
WHITE-----MALE----	2	6	8	10	18	21	32	19	12	-	-	-
FEMALE--	1	5	8	13	17	37	54	49	31	12	2	-
ALL OTHER--MALE----	1	2	1	1	2	8	8	-	3	-	-	-
FEMALE--	-	3	1	2	10	9	7	6	3	2	1	-
BLACK---MALE----	1	2	1	1	2	8	8	-	3	-	-	-
FEMALE--	-	3	1	2	10	9	7	6	3	2	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,385  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
 0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	97	-	-	-	1	-	-	-	-	-	1	-
WHITE-----MALE----	39	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	58	-	-	-	1	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	571	1	3	-	1	3	-	-	3	1	6	3
WHITE-----MALE----	167	1	1	-	-	2	-	-	1	-	2	2
FEMALE--	348	-	-	-	1	1	-	-	1	1	3	-
ALL OTHER--MALE----	26	-	1	-	-	-	-	-	1	-	-	1
FEMALE--	30	-	1	-	-	-	-	-	-	-	1	-
BLACK---MALE----	26	-	1	-	-	-	-	-	1	-	-	1
FEMALE--	30	-	1	-	-	-	-	-	-	-	1	-
TEXAS -----	1,939	11	7	6	5	5	1	1	2	8	9	18
WHITE-----MALE----	703	8	4	2	2	2	1	1	1	7	6	8
FEMALE--	1,136	2	2	3	2	3	-	-	1	1	2	9
ALL OTHER--MALE----	28	1	1	-	-	-	-	-	-	-	1	-
FEMALE--	72	-	-	1	1	-	-	-	-	-	-	1
BLACK---MALE----	26	1	1	-	-	-	-	-	-	-	1	-
FEMALE--	69	-	-	1	1	-	-	-	-	-	-	1
UTAH -----	174	3	1	-	-	-	-	1	2	1	1	4
WHITE-----MALE----	74	2	-	-	-	-	-	-	2	1	1	2
FEMALE--	96	1	1	-	-	-	-	1	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	89	-	1	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	26	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	63	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	684	2	4	2	1	2	3	1	3	1	2	10
WHITE-----MALE----	237	1	1	2	1	1	2	-	2	1	1	7
FEMALE--	377	1	1	-	-	1	-	1	1	-	1	3
ALL OTHER--MALE----	23	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	47	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	22	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	45	-	1	-	-	-	1	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,385  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	1	1	3	5	5	12	18	27	15	7	1	-
WHITE-----MALE----	1	-	1	4	3	6	10	7	5	2	-	-
FEMALE--	-	1	2	1	2	6	8	20	10	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	9	21	31	50	99	107	123	81	19	6	-
WHITE-----MALE----	2	8	8	13	8	35	42	26	16	-	-	-
FEMALE--	-	1	12	15	33	57	62	86	54	16	5	-
ALL OTHER--MALE----	2	-	-	1	5	4	2	3	5	1	-	-
FEMALE--	-	-	1	2	4	3	1	8	6	2	1	-
BLACK---MALE----	2	-	-	1	5	4	2	3	5	1	-	-
FEMALE--	-	-	1	2	4	3	1	8	6	2	1	-
TEXAS -----	26	31	63	100	147	317	426	416	240	86	14	-
WHITE-----MALE----	9	19	34	47	65	138	164	111	57	17	-	-
FEMALE--	16	9	28	47	76	165	239	283	169	65	14	-
ALL OTHER--MALE----	-	3	-	2	1	9	5	3	1	-	-	-
FEMALE--	1	-	1	4	5	13	14	17	11	3	-	-
BLACK---MALE----	-	3	-	1	1	9	4	3	1	-	-	-
FEMALE--	1	-	1	3	5	13	13	16	11	3	-	-
UTAH -----	5	4	3	10	10	27	39	39	18	5	1	-
WHITE-----MALE----	2	2	-	3	6	17	16	15	3	1	1	-
FEMALE--	3	2	1	7	4	10	23	23	14	4	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
VERMONT -----	1	1	2	6	5	15	17	23	11	6	-	-
WHITE-----MALE----	-	1	1	2	-	7	8	6	-	-	-	-
FEMALE--	1	-	1	4	5	8	9	17	11	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	14	11	29	41	70	112	123	138	75	35	5	-
WHITE-----MALE----	5	6	12	22	28	42	43	40	13	5	2	-
FEMALE--	6	4	12	14	34	58	67	88	55	27	3	-
ALL OTHER--MALE----	1	1	-	3	3	4	4	3	2	1	-	-
FEMALE--	2	-	5	2	5	8	9	7	5	2	-	-
BLACK---MALE----	1	1	-	2	3	4	4	3	2	1	-	-
FEMALE--	2	-	5	2	4	8	9	6	5	2	-	-





1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,387  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MULTIPLE SCLEROSIS (340)												
0 UNITED STATES --	2,292	-	-	-	1	1	7	22	38	97	180	294
WHITE-----MALE----	708	-	-	-	-	-	-	5	15	23	56	78
FEMALE--	1,358	-	-	-	1	1	4	11	17	55	94	163
ALL OTHER--MALE----	72	-	-	-	-	-	2	2	2	6	9	13
FEMALE--	154	-	-	-	-	-	1	4	4	13	21	40
BLACK---MALE----	69	-	-	-	-	-	1	2	2	6	9	13
FEMALE--	145	-	-	-	-	-	1	4	4	12	21	38
ALABAMA -----	22	-	-	-	-	-	-	-	-	-	1	6
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
ALASKA -----	6	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	42	-	-	-	-	1	1	-	-	2	8	6
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	26	-	-	-	-	1	-	-	-	2	4	5
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	15	-	-	-	-	-	-	-	-	1	2	3
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	2	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	225	-	-	-	-	-	2	5	1	10	20	30
WHITE-----MALE----	71	-	-	-	-	-	-	1	-	2	7	9
FEMALE--	130	-	-	-	-	-	2	3	-	3	12	17
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	18	-	-	-	-	-	-	1	1	4	1	3
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	16	-	-	-	-	-	-	1	1	4	1	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,387  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MULTIPLE SCLEROSIS (340)												
0 UNITED STATES --	288	254	259	260	242	188	102	45	12	1	-	1
WHITE-----MALE----	82	83	101	97	77	50	29	11	1	-	-	-
FEMALE--	174	144	142	150	159	132	68	32	10	-	-	1
ALL OTHER--MALE----	10	12	5	6	1	1	2	1	-	-	-	-
FEMALE--	22	15	11	7	5	5	3	1	1	1	-	-
BLACK---MALE----	8	12	5	6	1	1	2	1	-	-	-	-
FEMALE--	20	14	11	6	5	4	3	1	-	1	-	-
ALABAMA -----	4	1	2	1	3	1	2	1	-	-	-	-
WHITE-----MALE----	1	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	2	1	1	-	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALASKA -----	1	2	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6	-	2	8	3	3	1	1	-	-	-	-
WHITE-----MALE----	2	-	-	3	2	3	-	-	-	-	-	-
FEMALE--	4	-	2	5	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	1	3	1	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	34	20	20	26	23	17	12	3	2	-	-	-
WHITE-----MALE----	9	5	9	13	3	6	6	-	1	-	-	-
FEMALE--	18	13	11	11	20	10	6	3	1	-	-	-
ALL OTHER--MALE----	3	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	4	2	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	1	-	1	-	-	-	-	-	-





1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,388  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 0 MULTIPLE SCLEROSIS (340)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	3	6	2	6	2	-	-	-	-	-
WHITE-----MALE----	-	-	2	4	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	2	2	5	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	5	1	2	2	1	4	1	-	-	-	-	-
WHITE-----MALE----	1	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	3	1	1	1	1	3	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	2	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	2	-	2	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
FLORIDA -----	11	12	18	18	13	13	6	1	-	-	-	-
WHITE-----MALE----	6	3	8	9	4	5	1	-	-	-	-	-
FEMALE--	5	8	10	9	9	8	5	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	1	2	3	4	4	3	2	2	-	-	-	-
WHITE-----MALE----	-	1	1	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	2	2	2	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-





1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,390  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MULTIPLE SCLEROSIS (340)												
KENTUCKY -----	27	-	-	-	-	-	-	-	-	4	1	4
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	4	1	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	20	-	-	-	-	-	-	-	-	2	2	5
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	1	2	4
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	18	-	-	-	-	-	-	-	-	1	3	3
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	1	3	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	52	-	-	-	-	-	-	1	-	2	3	9
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	25	-	-	-	-	-	-	1	-	-	1	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	2	2	2
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	1	2	2
MASSACHUSETTS -----	71	-	-	-	-	-	-	1	1	1	4	8
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	45	-	-	-	-	-	-	1	1	1	1	6
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
MICHIGAN -----	112	-	-	-	-	-	-	3	1	3	15	22
WHITE-----MALE----	34	-	-	-	-	-	-	1	-	1	4	6
FEMALE--	59	-	-	-	-	-	-	-	-	1	7	9
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	16	-	-	-	-	-	-	1	1	1	3	6
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	16	-	-	-	-	-	-	1	1	1	3	6

















1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,394  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MULTIPLE SCLEROSIS (340)												
SOUTH DAKOTA -----	7	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	38	-	-	-	-	-	-	-	1	3	2	4
WHITE-----MALE----	11	-	-	-	-	-	-	-	1	2	1	2
FEMALE--	21	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
TEXAS -----	85	-	-	-	-	-	-	1	3	3	8	18
WHITE-----MALE----	24	-	-	-	-	-	-	-	2	-	4	3
FEMALE--	53	-	-	-	-	-	-	1	1	2	3	11
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	3
UTAH -----	24	-	-	-	-	-	-	-	-	3	1	3
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	15	-	-	-	-	-	-	-	-	2	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	9	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	53	-	-	-	-	-	1	2	-	2	5	6
WHITE-----MALE----	16	-	-	-	-	-	-	1	-	1	-	3
FEMALE--	26	-	-	-	-	-	1	-	-	1	3	3
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,394  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 MULTIPLE SCLEROSIS (340)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	1	1	-	1	1	2	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	8	6	2	3	5	3	-	1	-	-	-	-
WHITE-----MALE----	1	-	1	-	1	1	-	1	-	-	-	-
FEMALE--	6	6	1	2	3	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
TEXAS -----	13	9	9	9	7	3	1	-	1	-	-	-
WHITE-----MALE----	3	1	5	5	1	-	-	-	-	-	-	-
FEMALE--	10	6	4	4	6	3	1	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
UTAH -----	1	3	5	1	3	4	-	-	-	-	-	-
WHITE-----MALE----	-	2	2	-	-	2	-	-	-	-	-	-
FEMALE--	1	1	3	1	3	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	1	3	1	-	1	1	1	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	1	3	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5	4	3	10	9	4	1	1	-	-	-	-
WHITE-----MALE----	2	1	2	4	-	1	1	-	-	-	-	-
FEMALE--	2	2	1	3	8	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	1	1	1	-	-	-	-	-	-







1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,396  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INFANTILE CEREBRAL PALSY (343)												
0 UNITED STATES --	916	23	84	117	100	106	86	56	34	52	46	33
WHITE-----MALE----	440	8	28	56	46	51	43	26	14	29	25	17
FEMALE--	271	3	30	33	29	28	16	11	16	14	14	8
ALL OTHER--MALE----	118	7	15	15	13	15	13	13	3	7	4	4
FEMALE--	87	5	11	13	12	12	14	6	1	2	3	4
BLACK---MALE----	101	6	14	15	10	12	10	12	1	6	3	3
FEMALE--	81	5	10	12	11	12	11	6	1	2	3	4
ALABAMA -----	13	-	1	3	2	1	3	2	1	-	-	-
WHITE-----MALE----	5	-	1	-	1	-	1	1	1	-	-	-
FEMALE--	2	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	3	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	3	-	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	3	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	3	-	-	1	-	1	1	-	-	-	-	-
ALASKA -----	2	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	11	-	1	2	2	-	1	-	-	1	-	-
WHITE-----MALE----	3	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	4	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	2	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	10	-	-	1	-	2	1	2	1	-	1	-
WHITE-----MALE----	6	-	-	-	-	1	1	2	-	-	1	-
FEMALE--	3	-	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
CALIFORNIA -----	129	1	15	26	13	15	22	9	7	4	4	5
WHITE-----MALE----	66	-	8	18	7	6	11	2	3	3	1	2
FEMALE--	39	-	6	7	4	4	5	2	4	-	2	2
ALL OTHER--MALE----	15	-	-	1	2	4	1	4	-	1	1	1
FEMALE--	9	1	1	-	-	1	5	1	-	-	-	-
BLACK---MALE----	11	-	-	1	1	3	-	3	-	1	1	1
FEMALE--	7	1	1	-	-	1	3	1	-	-	-	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,397  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
0 INFANTILE CEREBRAL PALSY (343)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	16	-	-	-	1	3	1	2	-	1	2	-
WHITE-----MALE----	7	-	-	-	-	2	-	1	-	-	2	-
FEMALE--	7	-	-	-	-	1	-	1	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	9	-	-	3	1	4	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	1	1	3	-	-	-	-	-	-
FEMALE--	4	-	-	2	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	3	-	-	-	1	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	-	1	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
FLORIDA -----	45	3	4	5	5	3	5	4	-	2	4	-
WHITE-----MALE----	17	-	1	-	3	1	4	2	-	1	1	-
FEMALE--	14	-	2	4	-	1	-	1	-	-	3	-
ALL OTHER--MALE----	7	1	-	1	1	-	-	1	-	1	-	-
FEMALE--	7	2	1	-	1	1	1	-	-	-	-	-
BLACK---MALE----	7	1	-	1	1	-	-	1	-	1	-	-
FEMALE--	7	2	1	-	1	1	1	-	-	-	-	-
GEORGIA -----	30	3	2	3	3	4	3	2	-	1	1	2
WHITE-----MALE----	7	-	-	-	-	1	1	1	-	1	-	1
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	2	1	1	1	2	2	1	-	-	1	1
FEMALE--	6	1	-	2	2	1	-	-	-	-	-	-
BLACK---MALE----	14	2	1	1	1	2	2	1	-	-	1	1
FEMALE--	6	1	-	2	2	1	-	-	-	-	-	-







1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,399  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INFANTILE CEREBRAL PALSY (343)												
KENTUCKY -----	14	-	1	1	1	3	1	1	2	-	-	-
WHITE-----MALE----	12	-	1	1	1	3	1	-	2	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
LOUISIANA -----	23	1	4	2	4	2	2	1	1	1	1	-
WHITE-----MALE----	6	-	1	-	2	-	-	1	-	-	1	-
FEMALE--	6	-	2	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	1	-	2	1	1	1	-	-	1	-	-
FEMALE--	4	-	1	-	-	1	1	-	1	-	-	-
BLACK---MALE----	7	1	-	2	1	1	1	-	-	1	-	-
FEMALE--	3	-	1	-	-	1	-	-	1	-	-	-
MAINE -----	3	-	-	-	-	1	-	-	-	1	-	-
WHITE-----MALE----	3	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	14	-	-	1	1	3	1	2	-	2	-	1
WHITE-----MALE----	4	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	3	-	-	-	-	2	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	3	-	-	-	-	2	-	-	-	-	-	1
MASSACHUSETTS -----	12	-	-	1	3	2	-	-	-	2	2	1
WHITE-----MALE----	7	-	-	-	3	1	-	-	-	1	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	39	1	6	5	5	7	3	4	2	1	2	3
WHITE-----MALE----	13	-	-	2	2	3	2	-	-	-	1	3
FEMALE--	14	1	2	1	2	2	-	3	1	1	1	-
ALL OTHER--MALE----	7	-	3	-	-	1	1	1	1	-	-	-
FEMALE--	5	-	1	2	1	1	-	-	-	-	-	-
BLACK---MALE----	4	-	2	-	-	-	1	1	-	-	-	-
FEMALE--	4	-	-	2	1	1	-	-	-	-	-	-

















1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,403  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INFANTILE CEREBRAL PALSY (343)												
SOUTH DAKOTA -----	4	-	-	-	-	1	-	-	-	-	1	-
WHITE-----MALE----	4	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	28	-	2	2	1	2	5	2	2	2	2	1
WHITE-----MALE----	16	-	2	1	1	1	1	1	1	2	1	-
FEMALE--	8	-	-	1	-	1	2	-	1	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	2	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	2	-	-	-	-	-	2	-	-	-	-	-
TEXAS -----	78	-	4	20	12	9	3	6	-	5	3	3
WHITE-----MALE----	43	-	3	10	5	5	1	2	-	3	3	2
FEMALE--	18	-	-	5	5	1	1	1	-	2	-	1
ALL OTHER--MALE----	10	-	1	3	-	2	-	2	-	-	-	-
FEMALE--	7	-	-	2	2	1	1	1	-	-	-	-
BLACK---MALE----	10	-	1	3	-	2	-	2	-	-	-	-
FEMALE--	7	-	-	2	2	1	1	1	-	-	-	-
UTAH -----	3	-	1	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	18	-	3	-	2	2	1	3	-	-	2	-
WHITE-----MALE----	7	-	-	-	-	2	-	1	-	-	1	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	2	-	-	-	1	1	-	-	-	-
FEMALE--	4	-	1	-	1	-	-	1	-	-	1	-
BLACK---MALE----	5	-	2	-	-	-	1	1	-	-	-	-
FEMALE--	4	-	1	-	1	-	-	1	-	-	1	-









1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,405  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 EPILEPSY (345)												
0 UNITED STATES --	1,331	7	26	18	12	27	52	96	98	141	113	120
WHITE-----MALE----	541	3	11	13	1	13	20	47	48	69	45	61
FEMALE--	463	3	9	3	4	9	17	26	23	35	38	32
ALL OTHER--MALE----	183	-	-	1	3	4	5	13	19	25	19	16
FEMALE--	144	1	6	1	4	1	10	10	8	12	11	11
BLACK---MALE----	165	-	-	-	3	3	4	10	18	21	16	14
FEMALE--	129	1	4	1	4	1	7	7	7	11	10	9
ALABAMA -----	20	-	-	-	3	-	1	-	4	2	2	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	7	-	-	-	1	-	1	-	2	2	-	-
FEMALE--	3	-	-	-	2	-	-	-	1	-	-	-
BLACK---MALE----	7	-	-	-	1	-	1	-	2	2	-	-
FEMALE--	3	-	-	-	2	-	-	-	1	-	-	-
ALASKA -----	6	-	-	-	-	-	1	1	-	1	-	2
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	1	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ARIZONA -----	15	-	-	2	-	1	1	1	-	1	-	3
WHITE-----MALE----	10	-	-	1	-	-	1	1	-	1	-	2
FEMALE--	4	-	-	1	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	16	-	3	-	-	-	-	-	2	2	1	2
WHITE-----MALE----	4	-	2	-	-	-	-	-	-	1	-	1
FEMALE--	7	-	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
CALIFORNIA -----	141	1	-	-	-	4	9	14	11	15	16	15
WHITE-----MALE----	55	-	-	-	-	2	1	9	5	8	8	7
FEMALE--	59	-	-	-	-	1	5	2	6	4	5	4
ALL OTHER--MALE----	12	-	-	-	-	1	2	2	-	1	2	1
FEMALE--	15	1	-	-	-	-	1	1	-	2	1	3
BLACK---MALE----	8	-	-	-	-	1	1	1	-	-	2	-
FEMALE--	12	1	-	-	-	-	-	-	-	2	1	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,405  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 EPILEPSY (345)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	80	62	74	51	95	95	94	41	23	4	1	1
WHITE-----MALE----	35	22	32	16	32	31	27	9	4	2	-	-
FEMALE--	19	19	28	24	38	42	52	26	13	2	1	-
ALL OTHER--MALE----	15	16	7	6	13	10	6	2	3	-	-	-
FEMALE--	11	5	7	5	12	12	9	4	3	-	-	1
BLACK---MALE----	14	16	7	6	13	10	6	2	2	-	-	-
FEMALE--	11	5	7	5	10	12	9	4	3	-	-	1
ALABAMA -----	-	-	1	1	-	2	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	-	1	1	-	-	-	2	-	-	-	-
WHITE-----MALE----	2	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	2	-	-	-	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	2	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
CALIFORNIA -----	7	7	10	5	6	6	11	1	2	1	-	-
WHITE-----MALE----	2	-	4	2	1	1	5	-	-	-	-	-
FEMALE--	2	7	5	1	5	4	6	1	-	1	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	2	-	1	-	-	1	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	2	-	1	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,406  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 EPILEPSY (345)												
COLORADO -----	29	1	1	-	-	-	1	1	6	-	2	6
WHITE-----MALE----	16	1	1	-	-	-	-	1	4	-	2	5
FEMALE--	11	-	-	-	-	-	1	-	1	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	9	-	3	-	-	1	-	2	-	2	-	-
WHITE-----MALE----	4	-	1	-	-	-	-	2	-	1	-	-
FEMALE--	4	-	1	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	5	-	-	-	-	-	-	1	-	-	1	1
WHITE-----MALE----	2	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	9	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	128	-	2	2	2	3	2	8	8	10	11	12
WHITE-----MALE----	65	-	-	1	1	2	-	3	4	7	4	10
FEMALE--	35	-	1	-	1	-	2	3	-	3	3	2
ALL OTHER--MALE----	13	-	-	-	-	-	-	1	3	-	2	-
FEMALE--	15	-	1	1	-	1	-	1	1	-	2	-
BLACK---MALE----	13	-	-	-	-	-	-	1	3	-	2	-
FEMALE--	15	-	1	1	-	1	-	1	1	-	2	-
GEORGIA -----	44	1	-	1	-	1	1	1	-	6	4	1
WHITE-----MALE----	12	-	-	-	-	-	1	-	-	2	-	1
FEMALE--	15	1	-	1	-	1	-	-	-	2	1	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	9	-	-	-	-	-	-	1	-	-	3	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	9	-	-	-	-	-	-	1	-	-	3	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,406  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 EPILEPSY (345)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	1	3	-	-	2	3	1	1	-	-	-
WHITE-----MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	-	2	2	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
FLORIDA -----	13	5	9	5	9	15	5	6	1	-	-	-
WHITE-----MALE----	6	4	6	1	3	9	3	1	-	-	-	-
FEMALE--	1	-	2	2	4	3	2	5	1	-	-	-
ALL OTHER--MALE----	5	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	2	2	2	-	-	-	-	-	-
BLACK---MALE----	5	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	2	2	2	-	-	-	-	-	-
GEORGIA -----	4	4	4	1	6	5	2	1	1	-	-	-
WHITE-----MALE----	3	2	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	2	1	2	-	2	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	3	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	2	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	3	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	2	-	1	-	-	-	-







1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,408  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 EPILEPSY (345)												
KENTUCKY -----	31	-	1	1	-	-	-	3	3	1	2	2
WHITE-----MALE----	17	-	1	1	-	-	-	1	3	1	1	1
FEMALE--	12	-	-	-	-	-	-	2	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	21	-	-	-	1	-	1	1	1	5	2	2
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	3	-	-
FEMALE--	6	-	-	-	1	-	1	1	-	1	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	3	-	-
FEMALE--	6	-	-	-	1	-	1	1	-	1	-	1
MAINE -----	4	-	-	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	17	-	-	-	-	-	-	2	-	1	2	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	2	-	-	-	-
MASSACHUSETTS -----	26	-	-	-	-	2	-	3	-	1	-	1
WHITE-----MALE----	17	-	-	-	-	1	-	2	-	1	-	1
FEMALE--	8	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	107	1	1	-	1	3	5	7	10	13	13	15
WHITE-----MALE----	47	-	1	-	-	3	2	2	5	7	6	5
FEMALE--	24	1	-	-	-	-	2	3	1	1	1	3
ALL OTHER--MALE----	25	-	-	-	1	-	-	1	4	2	5	5
FEMALE--	11	-	-	-	-	-	1	1	-	3	1	2
BLACK---MALE----	24	-	-	-	1	-	-	1	3	2	5	5
FEMALE--	9	-	-	-	-	-	1	-	-	3	-	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,408  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 EPILEPSY (345)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	2	1	2	3	3	5	2	-	-	-	-	-
WHITE-----MALE----	1	1	1	1	2	2	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	3	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	1	1	1	2	3	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MAINE -----	-	1	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	2	-	1	1	2	1	1	1	-	1	-
WHITE-----MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	1	-	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
MASSACHUSETTS -----	1	1	2	2	6	3	4	-	-	-	-	-
WHITE-----MALE----	1	-	2	1	3	3	2	-	-	-	-	-
FEMALE--	-	-	-	1	3	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	3	5	3	4	4	8	6	3	1	1	-	-
WHITE-----MALE----	2	2	2	1	2	2	2	1	1	1	-	-
FEMALE--	1	1	1	3	1	1	2	2	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	1	4	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
BLACK---MALE----	-	2	-	-	1	4	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-









1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,411  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 EPILEPSY (345)												
OHIO -----	47	-	-	2	-	-	3	10	2	4	6	3
WHITE-----MALE----	23	-	-	2	-	-	3	6	1	3	3	1
FEMALE--	15	-	-	-	-	-	-	3	1	1	1	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	1	-
OKLAHOMA -----	18	-	1	1	-	-	-	2	1	3	3	3
WHITE-----MALE----	5	-	-	-	-	-	-	1	1	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	2	2	2
ALL OTHER--MALE----	3	-	-	1	-	-	-	-	-	-	1	1
FEMALE--	3	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	12	-	-	1	-	-	1	1	3	4	-	1
WHITE-----MALE----	8	-	-	1	-	-	-	1	2	3	-	-
FEMALE--	4	-	-	-	-	-	1	-	1	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	54	-	2	2	1	-	3	1	2	5	5	5
WHITE-----MALE----	16	-	1	1	-	-	2	1	1	-	3	1
FEMALE--	26	-	1	1	1	-	1	-	-	4	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	2
RHODE ISLAND -----	3	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	29	-	2	-	-	-	3	3	2	1	2	4
WHITE-----MALE----	5	-	1	-	-	-	1	-	1	-	-	1
FEMALE--	8	-	1	-	-	-	1	1	-	-	1	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	1	1	-	2
FEMALE--	9	-	-	-	-	-	1	1	-	-	1	-
BLACK---MALE----	7	-	-	-	-	-	-	1	1	1	-	2
FEMALE--	9	-	-	-	-	-	1	1	-	-	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,411  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 0 EPILEPSY (345)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	6	3	2	1	1	1	1	1	1	-	-	-
WHITE-----MALE----	2	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	2	-	2	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4	1	3	2	5	4	3	4	2	-	-	-
WHITE-----MALE----	1	-	-	1	2	-	1	1	-	-	-	-
FEMALE--	1	-	3	1	2	4	1	3	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	1	-	-	-
RHODE ISLAND -----	-	-	-	1	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	2	1	-	-	-	5	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	1	1	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	1	1	-	-	-	2	-	-	-	-	-





1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,412  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 EPILEPSY (345)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	2	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	3	1	-	3	3	4	-	-	-	-	-
WHITE-----MALE----	1	2	-	-	1	3	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
TEXAS -----	6	4	2	3	6	7	6	2	-	-	-	-
WHITE-----MALE----	2	3	-	-	2	3	1	2	-	-	-	-
FEMALE--	2	-	-	2	3	4	5	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	1	3	-	5	4	2	1	-	-	-	1
WHITE-----MALE----	2	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	3	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	-	-	-	1
BLACK---MALE----	-	-	2	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	-	-	-	1





1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,414  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	8,044	176	131	64	83	171	164	143	178	207	291	340
WHITE-----MALE----	3,575	77	63	31	39	122	97	84	86	83	128	163
FEMALE--	3,152	45	32	16	25	27	31	30	38	55	74	87
ALL OTHER--MALE----	662	29	22	13	12	14	25	17	25	45	57	53
FEMALE--	655	25	14	4	7	8	11	12	29	24	32	37
BLACK---MALE----	569	23	15	10	11	10	22	16	23	37	51	50
FEMALE--	575	22	12	3	6	8	8	9	23	22	30	30
ALABAMA -----	148	5	2	4	5	2	5	3	5	4	5	12
WHITE-----MALE----	62	3	1	1	4	2	2	1	5	2	2	4
FEMALE--	46	1	-	2	1	-	-	1	-	-	-	2
ALL OTHER--MALE----	21	1	-	1	-	-	2	1	-	2	1	3
FEMALE--	19	-	1	-	-	-	1	-	-	-	2	3
BLACK---MALE----	21	1	-	1	-	-	2	1	-	2	1	3
FEMALE--	19	-	1	-	-	-	1	-	-	-	2	3
ALASKA -----	12	1	-	1	-	1	1	-	-	2	-	-
WHITE-----MALE----	4	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	1	-	-	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	132	3	3	2	3	7	-	3	5	2	3	5
WHITE-----MALE----	62	2	2	-	2	6	-	1	2	1	2	3
FEMALE--	62	1	1	1	1	1	-	1	1	1	1	1
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	1	2	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ARKANSAS -----	79	3	2	2	-	1	3	-	1	1	7	7
WHITE-----MALE----	39	1	2	2	-	1	2	-	1	-	2	6
FEMALE--	22	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	1	-	-	-	3	1
FEMALE--	10	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE----	8	-	-	-	-	-	1	-	-	-	3	1
FEMALE--	10	-	-	-	-	-	-	-	-	1	2	-
CALIFORNIA -----	528	15	13	4	3	10	9	10	24	19	18	26
WHITE-----MALE----	247	8	5	1	2	6	2	6	11	11	10	12
FEMALE--	201	3	3	1	-	2	5	4	9	4	3	8
ALL OTHER--MALE----	44	2	5	2	1	1	2	-	2	3	3	2
FEMALE--	36	2	-	-	-	1	-	-	2	1	2	4
BLACK---MALE----	31	2	4	1	1	-	2	-	2	3	1	2
FEMALE--	26	2	-	-	-	1	-	-	1	1	2	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,414  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	342	403	535	791	964	1,019	946	681	308	88	19	-
WHITE-----MALE----	157	166	233	350	451	466	426	243	85	22	3	-
FEMALE--	102	151	198	316	402	440	436	375	204	54	14	-
ALL OTHER--MALE----	43	42	47	56	47	45	36	26	6	2	-	-
FEMALE--	40	44	57	69	64	68	48	37	13	10	2	-
BLACK---MALE----	40	37	41	52	41	38	28	18	4	2	-	-
FEMALE--	34	43	53	60	51	59	42	36	13	9	2	-
ALABAMA -----	5	11	9	12	18	14	18	4	5	-	-	-
WHITE-----MALE----	1	4	4	4	8	6	7	1	-	-	-	-
FEMALE--	1	5	1	3	9	5	10	1	4	-	-	-
ALL OTHER--MALE----	2	1	1	2	1	1	-	2	-	-	-	-
FEMALE--	1	1	3	3	-	2	1	-	1	-	-	-
BLACK---MALE----	2	1	1	2	1	1	-	2	-	-	-	-
FEMALE--	1	1	3	3	-	2	1	-	1	-	-	-
ALASKA -----	-	-	2	1	-	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	5	9	6	15	20	18	8	6	4	1	-
WHITE-----MALE----	2	2	6	1	5	7	11	4	2	-	1	-
FEMALE--	2	3	3	5	9	11	7	4	4	4	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	3	7	5	7	10	11	5	2	-	-	-
WHITE-----MALE----	1	3	3	1	4	3	5	2	-	-	-	-
FEMALE--	-	-	3	3	2	3	5	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	1	-	1	-	1	3	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	1	-	1	-	1	3	-	1	-	-	-	-
CALIFORNIA -----	22	22	25	45	62	64	54	40	28	10	5	-
WHITE-----MALE----	11	6	13	19	29	41	27	20	7	-	-	-
FEMALE--	5	12	10	22	26	16	23	15	17	8	5	-
ALL OTHER--MALE----	4	1	2	1	3	2	2	4	2	-	-	-
FEMALE--	2	3	-	3	4	5	2	1	2	2	-	-
BLACK---MALE----	3	1	2	-	2	1	1	2	1	-	-	-
FEMALE--	-	3	-	2	2	5	1	1	2	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,415  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	117	6	2	-	1	5	-	5	-	6	3	2
WHITE-----MALE----	51	4	2	-	1	4	-	4	-	3	3	2
FEMALE--	61	-	-	-	-	1	-	1	-	2	-	-
ALL OTHER--MALE----	3	2	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	2	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	125	2	-	1	-	1	2	2	2	3	5	7
WHITE-----MALE----	58	1	-	-	-	1	2	1	1	1	2	4
FEMALE--	60	1	-	1	-	-	-	1	1	1	1	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
DELAWARE -----	28	-	-	-	-	-	-	1	1	1	-	3
WHITE-----MALE----	13	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	26	1	-	-	-	1	1	1	-	-	1	4
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	1	-	-	-	1	-	1	-	-	1	3
FEMALE--	10	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	12	1	-	-	-	-	-	1	-	-	1	3
FEMALE--	9	-	-	-	-	-	1	-	-	-	-	1
FLORIDA -----	542	6	9	1	6	7	8	9	9	3	14	24
WHITE-----MALE----	255	4	5	1	3	4	6	6	5	-	5	15
FEMALE--	226	-	1	-	1	1	2	1	1	2	7	5
ALL OTHER--MALE----	27	1	2	-	-	1	-	1	1	1	2	1
FEMALE--	34	1	1	-	2	1	-	1	2	-	-	3
BLACK---MALE----	27	1	2	-	-	1	-	1	1	1	2	1
FEMALE--	33	1	1	-	2	1	-	1	2	-	-	3
GEORGIA -----	214	5	5	2	5	8	7	9	7	9	8	13
WHITE-----MALE----	71	-	1	1	2	3	4	4	1	4	3	3
FEMALE--	61	1	2	-	2	2	-	2	1	2	1	3
ALL OTHER--MALE----	42	2	1	1	-	2	3	1	2	1	1	4
FEMALE--	40	2	1	-	1	1	-	2	3	2	3	3
BLACK---MALE----	41	1	1	1	-	2	3	1	2	1	1	4
FEMALE--	39	2	1	-	1	1	-	2	3	2	3	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,415  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	4	3	11	8	18	17	7	12	5	2	-	-
WHITE-----MALE----	1	1	5	1	7	7	3	2	-	1	-	-
FEMALE--	3	2	6	6	10	10	4	10	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CONNECTICUT -----	4	5	9	16	15	20	17	10	4	-	-	-
WHITE-----MALE----	1	2	5	4	11	10	8	3	1	-	-	-
FEMALE--	3	1	4	12	4	10	9	6	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	1	-	-	-	-
DELAWARE -----	1	1	2	2	4	5	3	2	2	-	-	-
WHITE-----MALE----	-	-	-	1	1	3	2	1	2	-	-	-
FEMALE--	1	-	1	1	2	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	2	1	3	3	2	1	2	1	1	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	1	-	1	1	1	1	-	-	-	1	-	-
FEMALE--	-	1	-	2	2	1	-	-	1	-	-	-
BLACK---MALE----	1	-	1	1	1	1	-	-	-	1	-	-
FEMALE--	-	1	-	2	1	1	1	-	1	-	-	-
FLORIDA -----	12	23	21	66	67	83	83	54	28	6	3	-
WHITE-----MALE----	4	8	7	33	31	41	42	22	9	4	-	-
FEMALE--	4	10	9	23	32	37	37	32	18	1	2	-
ALL OTHER--MALE----	1	2	1	7	1	2	3	-	-	-	-	-
FEMALE--	3	3	4	3	3	3	1	-	1	1	1	-
BLACK---MALE----	1	2	1	7	1	2	3	-	-	-	-	-
FEMALE--	3	3	4	2	3	3	1	-	1	1	1	-
GEORGIA -----	11	16	13	18	21	17	17	20	2	-	1	-
WHITE-----MALE----	3	4	5	6	10	7	3	7	-	-	-	-
FEMALE--	2	4	4	3	8	5	10	8	1	-	-	-
ALL OTHER--MALE----	3	4	1	4	2	4	1	4	1	-	-	-
FEMALE--	3	4	3	5	1	1	3	1	-	-	1	-
BLACK---MALE----	3	4	1	4	2	4	1	4	1	-	-	-
FEMALE--	2	4	3	5	1	1	3	1	-	-	1	-





1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,416  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	1	3	6	6	3	4	7	4	-	-	-	-
WHITE-----MALE----	1	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	3	2	1	2	1	3	4	-	-	-	-
FEMALE--	-	-	2	3	1	2	3	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	1	5	3	4	7	6	5	3	1	-	-
WHITE-----MALE----	1	-	3	1	1	2	2	2	-	1	-	-
FEMALE--	1	1	2	2	3	5	4	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	15	20	26	35	44	43	36	31	9	4	2	-
WHITE-----MALE----	8	7	11	17	22	23	12	11	6	1	-	-
FEMALE--	4	7	9	14	17	14	19	18	2	3	2	-
ALL OTHER--MALE----	2	4	3	1	1	1	1	1	-	-	-	-
FEMALE--	1	2	3	3	4	5	4	1	1	-	-	-
BLACK---MALE----	2	4	3	1	1	1	1	1	-	-	-	-
FEMALE--	1	1	3	3	3	5	4	1	1	-	-	-
INDIANA -----	10	10	11	15	23	23	18	16	5	1	-	-
WHITE-----MALE----	4	5	6	10	7	9	11	8	2	-	-	-
FEMALE--	3	4	4	4	14	11	6	6	3	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	1	1	2	1	1	2	-	1	-	-
BLACK---MALE----	3	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	1	1	2	1	1	2	-	1	-	-
IOWA -----	2	-	4	6	8	11	17	6	5	-	1	-
WHITE-----MALE----	2	-	2	3	6	4	10	1	-	-	1	-
FEMALE--	-	-	2	3	2	7	7	5	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	3	2	6	6	7	12	21	11	17	1	1	-
WHITE-----MALE----	1	1	3	4	4	4	5	4	6	-	-	-
FEMALE--	1	-	2	1	3	7	15	6	11	1	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	1	-	1	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,417  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	133	1	-	1	-	2	3	4	5	2	3	9
WHITE-----MALE----	63	1	-	-	-	2	3	2	3	2	1	6
FEMALE--	55	-	-	-	-	-	-	1	-	-	2	1
ALL OTHER--MALE----	6	-	-	1	-	-	-	-	2	-	-	1
FEMALE--	9	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	6	-	-	1	-	-	-	-	2	-	-	1
FEMALE--	9	-	-	-	-	-	-	1	-	-	-	1
LOUISIANA -----	148	5	3	2	4	3	2	2	9	8	5	7
WHITE-----MALE----	49	-	1	-	2	2	1	1	1	3	1	4
FEMALE--	34	1	1	1	1	1	-	-	-	-	2	-
ALL OTHER--MALE----	31	3	-	1	1	-	-	-	6	2	1	3
FEMALE--	34	1	1	-	-	-	1	1	2	3	1	-
BLACK---MALE----	31	3	-	1	1	-	-	-	6	2	1	3
FEMALE--	33	1	1	-	-	-	-	1	2	3	1	-
MAINE -----	32	-	-	-	-	1	2	-	-	1	-	1
WHITE-----MALE----	15	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	209	3	7	1	3	3	3	4	4	7	12	18
WHITE-----MALE----	67	2	2	1	1	2	2	1	1	-	2	4
FEMALE--	63	-	2	-	1	-	-	-	2	2	1	3
ALL OTHER--MALE----	37	1	1	-	-	-	1	3	1	3	4	5
FEMALE--	42	-	2	-	1	1	-	-	-	2	5	6
BLACK---MALE----	35	1	1	-	-	-	1	2	1	3	4	5
FEMALE--	41	-	2	-	1	1	-	-	-	2	5	6
MASSACHUSETTS -----	239	8	5	1	2	3	2	4	7	4	9	6
WHITE-----MALE----	98	3	2	1	-	2	2	1	4	3	4	4
FEMALE--	127	4	3	-	2	1	-	3	2	1	3	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	1	-
MICHIGAN -----	305	3	4	3	1	6	9	6	5	9	8	9
WHITE-----MALE----	125	2	3	1	1	5	5	3	1	4	2	6
FEMALE--	127	-	-	2	-	1	2	2	3	1	3	2
ALL OTHER--MALE----	26	1	-	-	-	-	1	-	-	2	2	-
FEMALE--	27	-	1	-	-	-	1	1	1	2	1	1
BLACK---MALE----	24	1	-	-	-	-	1	-	-	2	2	-
FEMALE--	25	-	1	-	-	-	-	1	1	2	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,417  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	9	7	10	10	14	19	11	6	12	5	-	-
WHITE-----MALE----	7	2	3	5	5	8	7	-	4	2	-	-
FEMALE--	-	5	5	5	8	10	3	6	7	2	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	1	1	-	1	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	1	-	-	1	1	-	-
LOUISIANA -----	8	10	12	16	9	20	9	12	2	-	-	-
WHITE-----MALE----	3	4	6	3	3	7	4	2	1	-	-	-
FEMALE--	-	-	2	6	6	6	2	4	1	-	-	-
ALL OTHER--MALE----	2	2	2	2	-	3	1	2	-	-	-	-
FEMALE--	3	4	2	5	-	4	2	4	-	-	-	-
BLACK---MALE----	2	2	2	2	-	3	1	2	-	-	-	-
FEMALE--	3	4	2	5	-	4	2	4	-	-	-	-
MAINE -----	1	-	7	2	7	5	3	2	-	-	-	-
WHITE-----MALE----	1	-	2	1	5	1	-	2	-	-	-	-
FEMALE--	-	-	5	1	2	4	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	6	10	14	24	27	20	22	13	7	1	-	-
WHITE-----MALE----	2	3	2	8	10	8	11	4	1	-	-	-
FEMALE--	1	1	3	9	10	10	8	3	6	1	-	-
ALL OTHER--MALE----	2	2	6	2	2	1	1	2	-	-	-	-
FEMALE--	1	4	3	5	5	1	2	4	-	-	-	-
BLACK---MALE----	2	1	6	2	2	1	1	2	-	-	-	-
FEMALE--	1	4	3	5	5	-	2	4	-	-	-	-
MASSACHUSETTS -----	9	10	14	12	27	31	40	27	15	2	1	-
WHITE-----MALE----	4	2	4	4	10	13	20	10	5	-	-	-
FEMALE--	2	7	8	8	14	18	19	17	10	2	1	-
ALL OTHER--MALE----	3	-	1	-	3	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	3	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	-	-	-	-
MICHIGAN -----	18	18	19	37	34	44	37	22	8	5	-	-
WHITE-----MALE----	5	9	7	16	18	16	10	9	-	2	-	-
FEMALE--	8	7	8	12	12	20	22	12	7	3	-	-
ALL OTHER--MALE----	1	2	2	4	3	5	3	-	-	-	-	-
FEMALE--	4	-	2	5	1	3	2	1	1	-	-	-
BLACK---MALE----	1	2	1	4	2	5	3	-	-	-	-	-
FEMALE--	4	-	2	5	1	2	2	1	1	-	-	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,418  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	8	6	9	14	22	21	11	23	11	3	1	-
WHITE-----MALE----	7	3	6	9	9	14	4	10	3	-	-	-
FEMALE--	-	3	3	4	13	7	7	12	8	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	4	9	5	10	8	10	10	8	1	2	-	-
WHITE-----MALE----	1	3	2	2	5	4	2	4	-	-	-	-
FEMALE--	2	4	1	5	3	5	7	2	1	1	-	-
ALL OTHER--MALE----	1	1	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	1	1	2	-	1	-	-
BLACK---MALE----	1	1	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	1	1	2	-	1	-	-
MISSOURI -----	5	6	16	21	17	23	26	16	9	5	-	-
WHITE-----MALE----	2	2	8	9	6	11	12	2	4	1	-	-
FEMALE--	2	2	2	7	10	8	13	12	4	3	-	-
ALL OTHER--MALE----	1	1	4	3	1	1	-	-	-	-	-	-
FEMALE--	-	1	2	2	-	3	1	2	1	1	-	-
BLACK---MALE----	1	1	4	3	1	-	-	-	-	-	-	-
FEMALE--	-	1	2	2	-	3	1	2	1	1	-	-
MONTANA -----	-	-	3	3	9	1	2	-	1	1	-	-
WHITE-----MALE----	-	-	2	1	7	1	-	-	-	1	-	-
FEMALE--	-	-	1	2	2	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	4	2	7	2	16	6	6	5	1	2	-	-
WHITE-----MALE----	2	1	4	2	9	2	3	-	-	1	-	-
FEMALE--	1	1	3	-	6	4	3	5	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
NEVADA -----	3	4	7	10	9	8	7	4	3	-	-	-
WHITE-----MALE----	2	2	3	8	6	5	4	2	2	-	-	-
FEMALE--	-	2	3	2	1	2	2	2	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-







1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,420  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	387	7	9	-	2	16	5	6	9	6	18	14
WHITE-----MALE----	183	4	5	-	-	13	2	3	5	3	8	6
FEMALE--	152	1	2	-	2	3	3	1	3	1	7	3
ALL OTHER--MALE----	23	1	2	-	-	-	-	1	-	2	2	3
FEMALE--	29	1	-	-	-	-	-	1	1	-	1	2
BLACK---MALE----	22	1	1	-	-	-	-	1	-	2	2	3
FEMALE--	26	1	-	-	-	-	-	-	-	-	1	2
OKLAHOMA -----	100	2	2	1	1	2	1	2	2	4	-	3
WHITE-----MALE----	50	-	1	-	1	2	-	1	1	1	-	1
FEMALE--	35	1	-	1	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	6	-	1	-	-	-	-	-	-	1	-	1
FEMALE--	9	1	-	-	-	-	1	1	1	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	1	-	-	-	-	-	1	-	-	-	-
OREGON -----	104	3	2	1	1	2	-	-	-	-	3	6
WHITE-----MALE----	51	1	1	1	-	2	-	-	-	-	3	1
FEMALE--	46	2	-	-	1	-	-	-	-	-	-	4
ALL OTHER--MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	499	4	5	1	3	6	5	7	4	10	17	17
WHITE-----MALE----	232	2	3	-	1	5	2	4	3	3	10	5
FEMALE--	192	-	1	1	1	1	1	2	-	5	2	6
ALL OTHER--MALE----	30	1	1	-	1	-	1	1	-	2	3	5
FEMALE--	45	1	-	-	-	-	1	-	1	-	2	1
BLACK---MALE----	29	1	1	-	-	-	1	1	-	2	3	5
FEMALE--	44	-	-	-	-	-	1	-	1	-	2	1
RHODE ISLAND -----	39	-	-	1	-	-	-	-	-	1	2	1
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	145	-	1	1	3	2	5	2	4	5	3	3
WHITE-----MALE----	53	-	-	1	1	1	2	2	-	2	2	-
FEMALE--	53	-	-	-	1	-	-	-	1	1	-	2
ALL OTHER--MALE----	19	-	1	-	1	-	2	-	2	-	1	1
FEMALE--	20	-	-	-	-	1	1	-	1	2	-	-
BLACK---MALE----	19	-	1	-	1	-	2	-	2	-	1	1
FEMALE--	20	-	-	-	-	1	1	-	1	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,420  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	17	15	28	51	43	42	53	30	11	5	-	-
WHITE-----MALE----	7	8	18	23	13	21	27	13	3	1	-	-
FEMALE--	7	5	7	21	20	16	26	13	7	4	-	-
ALL OTHER--MALE----	2	1	-	3	5	1	-	-	-	-	-	-
FEMALE--	1	1	3	4	5	4	-	4	1	-	-	-
BLACK---MALE----	2	1	-	3	5	1	-	-	-	-	-	-
FEMALE--	1	1	3	4	5	3	-	4	1	-	-	-
OKLAHOMA -----	3	6	7	16	14	16	8	7	2	1	-	-
WHITE-----MALE----	1	4	3	6	8	10	5	3	1	1	-	-
FEMALE--	-	2	4	9	3	5	2	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	-	-	-	-	-
OREGON -----	7	9	6	8	9	14	20	9	3	1	-	-
WHITE-----MALE----	6	5	5	3	3	4	11	5	-	-	-	-
FEMALE--	1	3	1	4	5	8	9	4	3	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
PENNSYLVANIA -----	27	37	32	53	61	77	65	48	16	4	-	-
WHITE-----MALE----	17	16	18	23	30	35	29	20	4	2	-	-
FEMALE--	7	14	9	22	22	28	31	25	12	2	-	-
ALL OTHER--MALE----	-	2	2	2	2	5	2	-	-	-	-	-
FEMALE--	3	5	3	6	7	9	3	3	-	-	-	-
BLACK---MALE----	-	2	2	2	2	5	2	-	-	-	-	-
FEMALE--	3	5	3	6	7	9	3	3	-	-	-	-
RHODE ISLAND -----	2	2	2	6	3	3	8	5	1	2	-	-
WHITE-----MALE----	-	1	1	4	-	3	5	2	-	1	-	-
FEMALE--	2	-	1	2	3	-	3	2	1	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
SOUTH CAROLINA -----	10	6	9	21	20	18	18	11	3	-	-	-
WHITE-----MALE----	4	1	3	7	7	11	6	1	2	-	-	-
FEMALE--	4	2	2	9	7	6	8	9	1	-	-	-
ALL OTHER--MALE----	-	2	1	3	4	-	1	-	-	-	-	-
FEMALE--	2	1	3	2	2	1	3	1	-	-	-	-
BLACK---MALE----	-	2	1	3	4	-	1	-	-	-	-	-
FEMALE--	2	1	3	2	2	1	3	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,421  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	25	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	145	7	2	-	1	5	1	-	3	4	8	5
WHITE-----MALE----	66	4	2	-	-	4	1	-	3	-	4	3
FEMALE--	57	2	-	-	1	1	-	-	-	3	2	1
ALL OTHER--MALE----	13	1	-	-	-	-	-	-	-	1	2	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	1	-	-	-	-	-	-	-	1	2	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	471	15	12	5	1	13	14	9	12	12	15	19
WHITE-----MALE----	215	9	7	3	1	11	9	6	7	3	6	10
FEMALE--	185	3	4	1	-	-	3	2	3	4	3	5
ALL OTHER--MALE----	41	3	1	-	-	1	1	1	1	3	5	3
FEMALE--	30	-	-	1	-	1	1	-	1	2	1	1
BLACK---MALE----	36	-	1	-	-	1	1	1	1	2	4	3
FEMALE--	29	-	-	1	-	1	1	-	1	2	1	1
UTAH -----	56	1	1	-	3	3	3	2	-	1	1	1
WHITE-----MALE----	24	-	1	-	1	2	2	2	-	1	-	1
FEMALE--	29	1	-	-	2	1	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	19	-	-	-	-	2	-	-	-	-	-	1
WHITE-----MALE----	12	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	188	5	-	2	2	4	6	3	2	9	6	7
WHITE-----MALE----	80	1	-	2	1	1	2	2	1	1	2	4
FEMALE--	59	2	-	-	1	2	2	-	1	5	1	2
ALL OTHER--MALE----	26	-	-	-	-	1	1	1	-	2	3	1
FEMALE--	23	2	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	25	-	-	-	-	1	1	1	-	2	3	-
FEMALE--	22	2	-	-	-	-	1	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,421  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	3	1	3	1	2	5	3	2	3	-	-	-
WHITE-----MALE----	1	1	-	-	2	2	3	-	3	-	-	-
FEMALE--	-	-	3	1	-	3	-	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	9	17	13	16	16	16	11	3	2	-	-
WHITE-----MALE----	4	4	7	5	8	5	6	5	1	-	-	-
FEMALE--	1	5	6	4	6	11	9	4	-	1	-	-
ALL OTHER--MALE----	-	-	1	3	1	-	1	1	-	1	-	-
FEMALE--	1	-	3	1	1	-	-	1	2	-	-	-
BLACK---MALE----	-	-	-	3	1	-	1	1	-	1	-	-
FEMALE--	1	-	3	1	1	-	-	1	2	-	-	-
TEXAS -----	23	24	34	45	60	56	52	29	16	3	2	-
WHITE-----MALE----	11	12	14	24	24	23	24	8	2	1	-	-
FEMALE--	7	8	12	16	29	28	21	19	13	2	2	-
ALL OTHER--MALE----	4	1	4	3	4	1	2	2	1	-	-	-
FEMALE--	1	3	4	2	3	4	5	-	-	-	-	-
BLACK---MALE----	4	1	4	3	4	1	2	2	1	-	-	-
FEMALE--	1	3	3	2	3	4	5	-	-	-	-	-
UTAH -----	1	4	5	4	8	5	7	5	1	-	-	-
WHITE-----MALE----	-	1	1	2	4	1	3	1	1	-	-	-
FEMALE--	1	3	3	2	4	3	4	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
VERMONT -----	1	1	2	-	4	5	2	-	1	-	-	-
WHITE-----MALE----	-	1	1	-	2	4	2	-	-	-	-	-
FEMALE--	1	-	-	-	2	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	10	12	8	27	21	15	22	20	5	2	-	-
WHITE-----MALE----	5	6	3	16	13	7	7	5	1	-	-	-
FEMALE--	1	-	2	6	5	4	8	13	3	1	-	-
ALL OTHER--MALE----	1	3	3	2	1	1	4	1	1	-	-	-
FEMALE--	3	3	-	3	2	3	3	1	-	1	-	-
BLACK---MALE----	1	3	3	2	1	1	4	1	1	-	-	-
FEMALE--	3	3	-	2	2	3	3	1	-	1	-	-





























































1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,435  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 DISEASES OF THE EAR AND MASTOID PROCESS (380-389)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	-	-	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

















1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,439  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 DISEASES OF THE EAR AND MASTOID PROCESS (380-389)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	1	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-







1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,441  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
0 UNITED STATES --	954,407	945	278	182	262	502	740	1,419	2,984	6,173	10,823	18,378
WHITE-----MALE----	394,482	349	101	69	100	200	305	605	1,320	3,021	5,591	9,925
FEMALE--	442,432	291	78	71	76	125	181	335	680	1,265	2,030	3,603
ALL OTHER--MALE----	56,279	164	40	19	51	101	163	253	567	1,103	1,908	3,066
FEMALE--	61,214	141	59	23	35	76	91	226	417	784	1,294	1,784
BLACK---MALE----	48,477	143	35	15	43	94	147	230	504	980	1,704	2,732
FEMALE--	54,768	122	48	21	30	69	83	210	392	735	1,218	1,666
ALABAMA -----	17,346	34	7	1	11	18	20	40	81	152	279	438
WHITE-----MALE----	6,324	14	1	-	5	2	9	17	29	64	119	198
FEMALE--	6,846	3	1	1	4	5	4	8	20	21	41	73
ALL OTHER--MALE----	1,948	10	4	-	2	6	6	9	18	44	76	102
FEMALE--	2,228	7	1	-	-	5	1	6	14	23	43	65
BLACK---MALE----	1,929	10	4	-	2	6	6	9	18	44	75	101
FEMALE--	2,218	7	1	-	-	5	1	6	14	23	43	65
ALASKA -----	709	2	2	-	-	-	2	3	5	10	19	43
WHITE-----MALE----	305	1	-	-	-	-	1	1	-	7	11	21
FEMALE--	222	1	1	-	-	-	-	1	2	3	3	9
ALL OTHER--MALE----	91	-	-	-	-	-	1	-	3	-	3	8
FEMALE--	91	-	1	-	-	-	-	1	-	-	2	5
BLACK---MALE----	10	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	2
ARIZONA -----	13,549	9	3	3	4	3	12	30	46	86	158	267
WHITE-----MALE----	6,639	3	-	1	3	-	5	17	27	48	102	189
FEMALE--	6,273	4	1	2	-	3	2	8	15	24	35	53
ALL OTHER--MALE----	323	1	-	-	1	-	2	1	4	8	21	13
FEMALE--	314	1	2	-	-	-	3	4	-	6	-	12
BLACK---MALE----	136	1	-	-	-	-	-	1	-	5	13	6
FEMALE--	155	-	1	-	-	-	1	3	-	3	-	9
ARKANSAS -----	11,260	10	4	4	1	2	9	16	39	72	114	217
WHITE-----MALE----	4,641	4	2	2	-	1	4	8	24	38	50	116
FEMALE--	5,054	2	1	1	1	-	3	1	7	14	29	40
ALL OTHER--MALE----	713	2	1	1	-	1	-	4	5	9	18	34
FEMALE--	852	2	-	-	-	-	2	3	3	11	17	27
BLACK---MALE----	705	2	1	1	-	1	-	4	5	9	18	34
FEMALE--	847	2	-	-	-	-	2	3	3	11	17	27
CALIFORNIA -----	90,907	109	35	28	31	49	75	146	306	582	995	1,716
WHITE-----MALE----	37,143	42	19	9	12	26	32	75	144	307	508	939
FEMALE--	41,587	34	6	17	13	13	20	35	80	110	213	326
ALL OTHER--MALE----	6,204	15	1	1	3	6	16	22	53	94	170	296
FEMALE--	5,973	18	9	1	3	4	7	14	29	71	104	155
BLACK---MALE----	3,287	8	-	-	1	5	13	20	34	61	114	188
FEMALE--	3,608	11	6	-	2	3	5	12	21	62	87	120

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,441  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	24,600	32,458	49,052	73,831	108,396	139,885	164,421	157,805	107,246	43,171	10,762	94
WHITE-----MALE----	13,586	17,821	26,634	39,601	54,932	65,799	66,728	51,540	26,824	7,990	1,398	43
FEMALE--	5,226	7,587	12,787	22,391	38,589	58,410	82,357	93,717	72,546	31,910	8,152	25
ALL OTHER--MALE----	3,594	4,270	5,650	6,460	7,547	7,372	6,124	4,558	2,282	751	219	17
FEMALE--	2,194	2,780	3,981	5,379	7,328	8,304	9,212	7,990	5,594	2,520	993	9
BLACK---MALE----	3,196	3,776	4,975	5,653	6,526	6,268	5,135	3,677	1,811	627	189	17
FEMALE--	1,998	2,538	3,606	4,791	6,530	7,345	8,122	7,118	4,986	2,234	897	9
ALABAMA -----	560	708	1,111	1,589	2,031	2,499	2,924	2,535	1,572	596	140	-
WHITE-----MALE----	268	323	541	760	858	1,007	984	676	313	125	11	-
FEMALE--	95	166	258	446	657	950	1,323	1,372	967	355	76	-
ALL OTHER--MALE----	117	135	173	199	260	241	239	185	83	32	7	-
FEMALE--	80	84	139	184	256	301	378	302	209	84	46	-
BLACK---MALE----	113	132	172	197	259	238	239	183	82	32	7	-
FEMALE--	80	83	139	181	256	297	377	301	209	84	46	-
ALASKA -----	37	40	64	63	85	108	88	76	46	15	1	-
WHITE-----MALE----	22	21	30	40	31	49	37	20	10	3	-	-
FEMALE--	3	12	13	10	32	35	28	36	24	9	-	-
ALL OTHER--MALE----	5	7	10	6	14	12	10	5	6	-	1	-
FEMALE--	7	-	11	7	8	12	13	15	6	3	-	-
BLACK---MALE----	1	1	-	-	1	3	1	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	1	3	-	-	-	-
ARIZONA -----	339	458	722	1,051	1,668	2,133	2,333	2,202	1,422	480	116	4
WHITE-----MALE----	218	309	469	628	972	1,118	1,107	878	425	95	22	3
FEMALE--	86	116	192	344	624	926	1,159	1,265	959	372	82	1
ALL OTHER--MALE----	19	17	35	51	33	48	23	22	18	2	4	-
FEMALE--	16	16	26	28	39	41	44	37	20	11	8	-
BLACK---MALE----	6	8	14	23	17	17	8	9	7	1	-	-
FEMALE--	6	10	9	14	16	22	24	22	8	5	2	-
ARKANSAS -----	298	402	607	896	1,260	1,632	1,978	1,929	1,220	436	114	-
WHITE-----MALE----	153	238	338	478	665	767	761	601	315	65	11	-
FEMALE--	73	98	148	273	443	667	1,005	1,121	747	306	74	-
ALL OTHER--MALE----	44	38	59	66	80	86	97	80	57	22	9	-
FEMALE--	28	28	62	79	72	112	115	127	101	43	20	-
BLACK---MALE----	43	38	58	65	78	83	97	80	57	22	9	-
FEMALE--	28	27	61	77	71	112	115	127	101	43	20	-
CALIFORNIA -----	2,285	3,013	4,369	6,508	10,150	13,327	15,646	15,028	10,760	4,625	1,109	15
WHITE-----MALE----	1,293	1,619	2,310	3,344	4,959	6,205	6,476	5,039	2,741	879	158	7
FEMALE--	463	735	1,138	2,023	3,591	5,374	7,431	8,586	7,116	3,401	854	8
ALL OTHER--MALE----	340	399	564	678	845	895	775	609	327	77	18	-
FEMALE--	189	260	357	463	755	853	964	794	576	268	79	-
BLACK---MALE----	214	252	334	397	426	448	366	251	111	36	8	-
FEMALE--	135	187	231	276	443	503	516	443	340	158	47	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,442  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	9,192	12	-	-	2	3	4	9	30	71	103	206
WHITE-----MALE----	4,110	6	-	-	-	-	3	3	18	39	67	118
FEMALE--	4,728	6	-	-	2	-	1	4	9	23	17	70
ALL OTHER--MALE----	192	-	-	-	-	2	-	-	2	4	13	12
FEMALE--	162	-	-	-	-	1	-	2	1	5	6	6
BLACK---MALE----	148	-	-	-	-	1	-	-	2	3	12	11
FEMALE--	131	-	-	-	-	1	-	1	1	4	5	6
CONNECTICUT -----	12,626	16	6	-	4	7	14	20	28	69	121	197
WHITE-----MALE----	5,319	7	4	-	2	2	7	6	22	37	65	118
FEMALE--	6,592	6	-	-	-	2	4	7	4	14	29	44
ALL OTHER--MALE----	329	1	1	-	2	2	1	4	-	7	15	23
FEMALE--	386	2	1	-	-	1	2	3	2	11	12	12
BLACK---MALE----	313	1	1	-	2	2	1	4	-	6	14	21
FEMALE--	362	2	1	-	-	1	2	3	2	9	11	12
DELAWARE -----	2,505	5	2	-	-	-	3	8	14	17	26	59
WHITE-----MALE----	1,007	2	-	-	-	-	3	3	8	5	17	27
FEMALE--	1,115	2	1	-	-	-	-	-	-	4	1	14
ALL OTHER--MALE----	193	1	-	-	-	-	-	2	4	5	4	13
FEMALE--	190	-	1	-	-	-	-	3	2	3	4	5
BLACK---MALE----	185	1	-	-	-	-	-	2	4	5	4	12
FEMALE--	183	-	1	-	-	-	-	3	2	3	4	5
DISTRICT OF COLUMBIA ----	2,139	9	1	1	3	1	3	6	12	27	35	77
WHITE-----MALE----	243	1	-	-	-	-	-	1	2	-	1	6
FEMALE--	282	-	-	-	-	-	-	-	-	2	1	1
ALL OTHER--MALE----	785	4	-	-	3	-	-	3	5	16	15	40
FEMALE--	829	4	1	1	-	1	3	2	5	9	18	30
BLACK---MALE----	780	4	-	-	3	-	-	3	5	16	15	40
FEMALE--	824	4	-	1	-	1	3	2	5	9	18	30
FLORIDA -----	63,853	46	9	5	10	27	38	79	171	341	573	941
WHITE-----MALE----	29,235	21	3	1	3	12	12	30	74	166	325	522
FEMALE--	28,733	11	2	3	2	10	10	17	39	60	95	197
ALL OTHER--MALE----	2,781	6	2	-	2	2	11	15	30	69	83	142
FEMALE--	3,104	8	2	1	3	3	5	17	28	46	70	80
BLACK---MALE----	2,702	6	2	-	2	2	11	15	30	68	80	138
FEMALE--	3,015	7	2	1	3	3	5	17	26	46	70	78
GEORGIA -----	23,480	24	12	6	11	26	39	58	106	258	402	702
WHITE-----MALE----	8,226	5	-	2	4	8	6	14	33	90	164	280
FEMALE--	9,087	5	3	1	3	2	7	12	15	31	46	97
ALL OTHER--MALE----	2,793	10	4	1	2	11	12	14	37	82	109	189
FEMALE--	3,374	4	5	2	2	5	14	18	21	55	83	136
BLACK---MALE----	2,751	9	4	1	2	11	12	14	35	81	109	187
FEMALE--	3,338	4	5	2	2	4	14	18	21	55	79	134

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,442  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
COLORADO -----	236	301	430	654	999	1,358	1,519	1,555	1,128	455	117	-
WHITE-----MALE----	153	190	274	399	546	667	667	566	299	82	13	-
FEMALE--	67	91	120	223	411	643	807	956	810	365	103	-
ALL OTHER--MALE----	11	13	24	20	25	26	20	13	7	-	-	-
FEMALE--	5	7	12	12	17	22	25	20	12	8	1	-
BLACK---MALE----	9	12	19	16	16	20	14	10	3	-	-	-
FEMALE--	4	6	11	11	10	17	18	17	11	7	1	-
CONNECTICUT -----	269	356	527	842	1,345	1,848	2,319	2,185	1,577	669	207	-
WHITE-----MALE----	156	214	304	493	695	926	997	736	387	114	27	-
FEMALE--	65	92	143	286	548	838	1,246	1,392	1,155	543	174	-
ALL OTHER--MALE----	25	28	41	38	43	39	31	18	7	2	1	-
FEMALE--	23	22	39	25	59	45	45	39	28	10	5	-
BLACK---MALE----	24	26	40	36	42	36	30	17	7	2	1	-
FEMALE--	22	21	37	21	54	44	43	36	26	10	5	-
DELAWARE -----	68	117	126	202	329	360	406	382	247	111	23	-
WHITE-----MALE----	37	59	49	114	172	152	158	127	56	16	2	-
FEMALE--	13	25	48	58	98	154	199	226	169	87	16	-
ALL OTHER--MALE----	14	15	16	16	33	28	20	14	6	1	1	-
FEMALE--	4	18	13	14	26	26	29	15	16	7	4	-
BLACK---MALE----	14	15	15	15	32	28	18	12	6	1	1	-
FEMALE--	4	17	13	14	25	25	27	13	16	7	4	-
DISTRICT OF COLUMBIA -----	81	124	140	175	274	272	305	285	203	80	24	1
WHITE-----MALE----	4	9	16	24	34	35	37	37	28	7	1	-
FEMALE--	2	-	6	4	11	31	44	78	61	31	10	-
ALL OTHER--MALE----	44	81	69	84	119	104	98	56	35	6	2	1
FEMALE--	31	34	49	63	110	102	126	114	79	36	11	-
BLACK---MALE----	44	80	69	82	119	104	98	55	34	6	2	1
FEMALE--	31	34	49	63	109	100	126	114	79	35	11	-
FLORIDA -----	1,396	1,775	2,847	4,681	7,273	9,721	11,516	11,351	7,504	2,879	659	11
WHITE-----MALE----	823	998	1,610	2,721	4,092	5,086	5,298	4,337	2,307	674	114	6
FEMALE--	291	379	706	1,340	2,442	3,871	5,460	6,429	4,825	2,054	488	2
ALL OTHER--MALE----	173	251	307	332	358	352	307	186	109	32	10	2
FEMALE--	109	147	224	288	381	412	451	399	263	119	47	1
BLACK---MALE----	162	245	295	321	350	341	299	185	107	31	10	2
FEMALE--	108	141	215	276	362	399	440	393	257	118	47	1
GEORGIA -----	918	1,073	1,568	2,044	2,791	3,314	3,803	3,423	1,953	764	185	-
WHITE-----MALE----	396	480	746	926	1,220	1,312	1,207	877	350	93	13	-
FEMALE--	151	195	331	513	867	1,224	1,742	1,917	1,285	524	116	-
ALL OTHER--MALE----	216	247	271	313	329	351	313	181	67	27	7	-
FEMALE--	155	151	220	292	375	427	541	448	251	120	49	-
BLACK---MALE----	212	244	269	305	323	347	309	177	66	27	7	-
FEMALE--	154	151	217	285	370	424	536	444	251	120	48	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,443  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
 0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	3,255	2	3	-	2	3	1	10	15	33	48	89
WHITE-----MALE----	472	-	-	-	1	-	-	1	2	4	11	18
FEMALE--	371	-	-	-	-	-	-	-	-	-	2	6
ALL OTHER--MALE----	1,379	1	1	-	-	1	1	5	10	22	25	48
FEMALE--	1,033	1	2	-	1	2	-	4	3	7	10	17
BLACK---MALE----	9	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	3,324	5	1	1	1	3	5	4	5	22	41	48
WHITE-----MALE----	1,661	4	1	-	1	1	4	1	3	16	25	32
FEMALE--	1,615	1	-	1	-	2	1	1	1	6	14	13
ALL OTHER--MALE----	31	-	-	-	-	-	-	2	-	-	1	2
FEMALE--	17	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	7	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	44,435	51	16	7	15	27	30	71	135	313	528	866
WHITE-----MALE----	17,541	11	7	2	3	9	10	30	53	138	247	412
FEMALE--	20,733	16	3	-	3	7	7	9	21	62	83	157
ALL OTHER--MALE----	2,958	10	2	2	3	6	9	15	36	65	116	187
FEMALE--	3,203	14	4	3	6	5	4	17	25	48	82	110
BLACK---MALE----	2,757	10	2	2	3	6	8	15	32	63	112	172
FEMALE--	3,043	14	4	3	6	5	4	17	24	47	78	108
INDIANA -----	22,263	26	11	5	6	17	17	25	67	134	266	442
WHITE-----MALE----	9,600	11	2	1	3	8	7	15	43	71	159	257
FEMALE--	11,090	10	5	2	1	3	4	5	14	37	58	105
ALL OTHER--MALE----	741	2	-	2	2	4	5	3	3	14	26	50
FEMALE--	832	3	4	-	-	2	1	2	7	12	23	30
BLACK---MALE----	722	2	-	2	2	4	5	3	2	14	26	49
FEMALE--	815	3	4	-	-	2	1	2	6	12	21	28
IOWA -----	12,387	12	2	1	3	3	7	11	24	53	91	145
WHITE-----MALE----	5,494	6	1	-	2	2	5	5	10	33	58	102
FEMALE--	6,729	6	1	1	1	1	2	5	11	18	30	32
ALL OTHER--MALE----	85	-	-	-	-	-	-	1	2	2	1	10
FEMALE--	79	-	-	-	-	-	-	-	1	-	2	1
BLACK---MALE----	76	-	-	-	-	-	-	1	2	2	1	8
FEMALE--	63	-	-	-	-	-	-	-	1	-	2	1
KANSAS -----	9,926	8	3	4	-	7	3	17	16	42	95	154
WHITE-----MALE----	4,296	3	1	2	-	5	-	10	7	27	60	89
FEMALE--	5,116	2	1	2	-	-	1	5	4	7	18	37
ALL OTHER--MALE----	242	1	1	-	-	1	1	-	4	7	10	16
FEMALE--	272	2	-	-	-	1	1	2	1	1	7	12
BLACK---MALE----	207	1	1	-	-	1	1	-	4	6	10	12
FEMALE--	242	1	-	-	-	-	1	2	1	1	6	9

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,443  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)

HAWAII -----	86	137	183	273	379	469	532	507	294	149	40	-
WHITE-----MALE----	13	19	43	49	75	78	82	44	19	12	1	-
FEMALE--	6	8	13	22	42	46	70	78	52	20	6	-
ALL OTHER--MALE----	49	76	77	125	162	192	204	230	104	40	6	-
FEMALE--	18	34	50	77	100	153	176	155	119	77	27	-
BLACK---MALE----	1	-	2	1	2	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	1	-	-	-	-
IDAHO -----	72	119	167	228	355	488	575	593	393	168	30	-
WHITE-----MALE----	47	88	109	157	192	261	284	254	128	50	3	-
FEMALE--	25	29	52	67	159	218	287	336	261	116	25	-
ALL OTHER--MALE----	-	2	5	3	3	7	2	-	2	1	1	-
FEMALE--	-	-	1	1	1	2	2	3	2	1	1	-
BLACK---MALE----	-	-	2	1	1	-	-	-	-	1	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ILLINOIS -----	1,178	1,483	2,303	3,411	4,969	6,313	7,850	7,211	5,104	2,044	508	2
WHITE-----MALE----	572	722	1,184	1,750	2,423	2,823	3,154	2,283	1,274	368	66	-
FEMALE--	234	327	546	1,012	1,766	2,712	4,008	4,364	3,482	1,525	388	1
ALL OTHER--MALE----	243	265	343	363	371	370	238	185	86	36	7	-
FEMALE--	129	169	230	286	409	408	450	379	262	115	47	1
BLACK---MALE----	229	249	315	343	350	347	217	167	76	32	7	-
FEMALE--	127	161	220	276	389	383	420	357	247	108	44	1
INDIANA -----	585	759	1,127	1,715	2,585	3,272	3,804	3,710	2,438	1,011	240	1
WHITE-----MALE----	363	457	651	974	1,352	1,601	1,606	1,201	597	188	33	-
FEMALE--	151	217	351	592	1,006	1,471	2,003	2,358	1,729	772	196	-
ALL OTHER--MALE----	48	48	70	83	121	92	82	45	31	9	1	-
FEMALE--	23	37	55	66	106	108	113	106	81	42	10	1
BLACK---MALE----	46	47	67	80	117	91	80	44	31	9	1	-
FEMALE--	22	36	54	65	104	106	111	105	80	42	10	1
IOWA -----	226	306	494	811	1,194	1,699	2,181	2,331	1,753	818	222	-
WHITE-----MALE----	157	209	318	521	700	910	986	823	471	154	21	-
FEMALE--	60	89	156	279	474	768	1,173	1,495	1,273	653	201	-
ALL OTHER--MALE----	7	4	14	8	11	8	7	5	2	3	-	-
FEMALE--	2	4	6	3	9	13	15	8	7	8	-	-
BLACK---MALE----	6	4	13	8	11	5	6	4	2	3	-	-
FEMALE--	1	2	6	3	7	11	9	7	7	6	-	-
KANSAS -----	190	236	443	664	1,000	1,337	1,671	1,872	1,405	597	162	-
WHITE-----MALE----	120	141	277	379	554	716	731	694	361	96	23	-
FEMALE--	46	68	124	230	389	560	879	1,125	1,006	481	131	-
ALL OTHER--MALE----	12	17	19	32	35	30	23	21	9	1	2	-
FEMALE--	12	10	23	23	22	31	38	32	29	19	6	-
BLACK---MALE----	10	12	16	32	30	25	18	18	8	1	1	-
FEMALE--	12	9	19	21	21	24	35	31	24	19	6	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,444  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
KENTUCKY -----	15,355	11	4	-	5	11	12	27	69	115	210	352
WHITE-----MALE----	6,888	4	3	-	4	7	6	17	32	75	135	221
FEMALE--	7,423	4	1	-	-	4	6	6	20	22	47	82
ALL OTHER--MALE----	474	1	-	-	-	-	-	2	12	12	14	33
FEMALE--	570	2	-	-	1	-	-	2	5	6	14	16
BLACK---MALE----	462	1	-	-	-	-	-	2	12	12	13	31
FEMALE--	563	2	-	-	1	-	-	2	5	6	14	16
LOUISIANA -----	15,333	16	5	3	4	12	19	28	63	146	252	393
WHITE-----MALE----	5,214	3	2	-	1	2	4	9	15	51	99	137
FEMALE--	5,710	3	1	-	1	2	3	5	7	25	39	55
ALL OTHER--MALE----	2,059	6	1	2	1	5	10	5	28	37	66	106
FEMALE--	2,350	4	1	1	1	3	2	9	13	33	48	95
BLACK---MALE----	2,030	6	-	2	1	5	10	5	27	34	66	106
FEMALE--	2,320	4	1	1	1	3	2	8	13	33	48	93
MAINE -----	4,602	2	-	1	1	2	3	7	8	31	38	75
WHITE-----MALE----	2,147	1	-	-	-	-	2	5	7	24	31	63
FEMALE--	2,448	1	-	1	1	2	1	2	1	6	6	11
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	15,583	18	9	3	4	7	14	38	70	124	225	383
WHITE-----MALE----	5,697	3	2	-	-	1	5	8	17	37	71	163
FEMALE--	6,352	6	-	1	-	2	4	5	13	19	32	57
ALL OTHER--MALE----	1,737	5	5	-	3	2	5	11	22	36	64	104
FEMALE--	1,797	4	2	2	1	2	-	14	18	32	58	59
BLACK---MALE----	1,670	4	5	-	3	2	5	10	22	35	59	102
FEMALE--	1,744	4	2	2	-	2	-	14	18	32	56	59
MASSACHUSETTS -----	21,657	16	4	2	4	12	14	24	54	97	203	335
WHITE-----MALE----	9,268	6	3	2	2	7	8	15	35	64	140	245
FEMALE--	11,632	9	1	-	1	3	2	7	14	21	45	66
ALL OTHER--MALE----	366	-	-	-	-	2	2	1	3	7	13	13
FEMALE--	391	1	-	-	1	-	2	1	2	5	5	11
BLACK---MALE----	301	-	-	-	-	2	1	-	3	7	11	12
FEMALE--	322	-	-	-	1	-	2	1	2	4	5	9
MICHIGAN -----	36,164	36	8	5	10	17	20	57	112	242	502	732
WHITE-----MALE----	14,639	10	2	4	2	6	7	22	46	101	234	358
FEMALE--	16,569	13	5	1	3	6	4	17	24	58	95	142
ALL OTHER--MALE----	2,465	7	1	-	3	4	4	11	20	44	105	155
FEMALE--	2,491	6	-	-	2	1	5	7	22	39	68	77
BLACK---MALE----	2,323	7	1	-	2	4	4	11	15	41	102	146
FEMALE--	2,347	6	-	-	2	1	5	6	22	39	66	74

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,444  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)

KENTUCKY -----	435	588	977	1,271	1,851	2,132	2,574	2,422	1,533	611	145	-
WHITE-----MALE----	289	364	600	742	1,014	1,027	1,046	783	381	120	18	-
FEMALE--	104	172	297	438	721	960	1,397	1,502	1,078	449	113	-
ALL OTHER--MALE----	23	24	54	52	54	59	57	43	19	11	4	-
FEMALE--	19	28	26	39	62	86	74	94	55	31	10	-
BLACK---MALE----	23	23	52	51	54	58	55	42	19	11	3	-
FEMALE--	18	28	26	39	61	85	73	94	52	31	10	-
LOUISIANA -----	537	712	989	1,385	1,768	2,149	2,379	2,300	1,482	554	137	-
WHITE-----MALE----	229	301	419	638	727	825	753	616	289	83	11	-
FEMALE--	90	131	214	332	500	776	1,068	1,166	887	332	73	-
ALL OTHER--MALE----	134	163	210	218	276	237	212	200	90	36	16	-
FEMALE--	84	117	146	197	265	311	346	318	216	103	37	-
BLACK---MALE----	133	161	207	216	274	232	209	195	89	36	16	-
FEMALE--	82	115	145	194	264	307	341	315	212	101	37	-
MAINE -----	92	139	201	368	528	664	797	739	586	249	71	-
WHITE-----MALE----	61	96	142	236	313	326	368	268	153	41	10	-
FEMALE--	30	43	59	132	215	337	429	469	433	208	61	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
MARYLAND -----	459	666	867	1,286	1,880	2,345	2,474	2,395	1,530	626	150	10
WHITE-----MALE----	224	304	340	588	851	977	942	724	326	93	17	4
FEMALE--	64	97	199	332	608	901	1,124	1,326	1,004	445	111	2
ALL OTHER--MALE----	106	162	201	195	224	222	159	116	63	24	4	4
FEMALE--	65	103	127	171	197	245	249	229	137	64	18	-
BLACK---MALE----	101	154	195	187	217	215	154	110	59	23	4	4
FEMALE--	64	101	126	165	186	234	244	224	132	61	18	-
MASSACHUSETTS -----	472	567	891	1,458	2,312	3,185	3,860	3,765	2,770	1,236	376	-
WHITE-----MALE----	320	363	575	874	1,245	1,614	1,649	1,182	656	218	45	-
FEMALE--	103	163	261	495	968	1,449	2,133	2,510	2,069	992	320	-
ALL OTHER--MALE----	34	27	32	48	51	64	30	23	9	4	3	-
FEMALE--	15	14	23	41	48	58	48	50	36	22	8	-
BLACK---MALE----	27	26	29	41	42	51	19	19	6	2	3	-
FEMALE--	12	12	18	32	38	46	40	45	28	19	8	-
MICHIGAN -----	963	1,274	1,859	2,843	4,187	5,448	6,192	5,673	3,969	1,627	384	4
WHITE-----MALE----	517	672	960	1,465	2,092	2,492	2,515	1,783	995	306	48	2
FEMALE--	193	305	477	809	1,467	2,251	3,081	3,423	2,690	1,207	297	1
ALL OTHER--MALE----	158	172	254	326	326	342	245	172	93	19	4	-
FEMALE--	95	125	168	243	302	363	351	295	191	95	35	1
BLACK---MALE----	149	162	236	311	311	325	226	162	87	17	4	-
FEMALE--	86	115	157	232	285	333	330	282	180	91	34	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,445  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	14,230	12	6	4	5	6	9	24	26	72	126	237
WHITE-----MALE----	6,717	5	5	3	4	1	3	14	14	42	85	177
FEMALE--	7,230	5	-	-	1	3	4	6	8	23	27	46
ALL OTHER--MALE----	154	1	-	-	-	1	2	3	1	6	10	7
FEMALE--	129	1	1	1	-	1	-	1	3	1	4	7
BLACK---MALE----	73	1	-	-	-	1	1	2	-	4	6	4
FEMALE--	74	-	1	1	-	1	-	1	1	1	4	5
MISSISSIPPI -----	11,817	12	-	6	6	14	12	24	50	106	190	297
WHITE-----MALE----	3,790	2	-	-	-	2	2	4	14	39	61	97
FEMALE--	4,158	4	-	2	1	2	2	7	6	7	21	40
ALL OTHER--MALE----	1,812	3	-	1	4	5	5	6	21	31	67	105
FEMALE--	2,057	3	-	3	1	5	3	7	9	29	41	55
BLACK---MALE----	1,797	3	-	1	4	5	5	6	20	31	67	104
FEMALE--	2,042	3	-	3	1	5	3	7	9	28	41	55
MISSOURI -----	23,336	17	2	6	3	6	17	29	78	160	233	401
WHITE-----MALE----	9,588	4	-	4	1	1	10	13	34	92	118	216
FEMALE--	11,640	10	1	2	1	1	2	7	23	30	49	84
ALL OTHER--MALE----	933	2	1	-	1	1	4	4	15	22	37	56
FEMALE--	1,175	1	-	-	-	3	1	5	6	16	29	45
BLACK---MALE----	898	2	1	-	1	1	4	4	14	21	37	56
FEMALE--	1,144	1	-	-	-	3	1	5	6	14	29	45
MONTANA -----	2,907	4	-	1	1	-	5	4	-	18	25	48
WHITE-----MALE----	1,423	1	-	-	-	-	4	3	-	11	15	35
FEMALE--	1,388	2	-	-	1	-	1	1	-	4	9	8
ALL OTHER--MALE----	57	1	-	1	-	-	-	-	-	2	1	3
FEMALE--	39	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	6,649	10	-	1	1	4	4	4	8	24	68	96
WHITE-----MALE----	2,897	5	-	-	1	3	2	2	1	15	38	66
FEMALE--	3,529	4	-	1	3	1	2	1	5	5	20	23
ALL OTHER--MALE----	118	1	-	-	-	-	-	1	-	2	5	5
FEMALE--	105	-	-	-	-	-	-	-	2	2	5	2
BLACK---MALE----	91	-	-	-	-	-	-	1	-	1	4	4
FEMALE--	89	-	-	-	-	-	-	-	2	2	3	2
NEVADA -----	4,957	6	-	-	6	3	8	12	15	43	45	112
WHITE-----MALE----	2,510	2	-	-	3	-	1	6	8	24	28	80
FEMALE--	2,061	2	-	-	2	2	3	2	3	10	10	21
ALL OTHER--MALE----	212	1	-	-	1	-	2	2	3	7	6	8
FEMALE--	174	1	-	-	-	1	2	2	1	2	1	3
BLACK---MALE----	156	1	-	-	-	-	1	2	3	6	3	7
FEMALE--	125	1	-	-	-	-	2	1	-	2	1	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,445  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)

MINNESOTA -----	287	371	586	892	1,396	1,940	2,502	2,682	1,992	851	204	-
WHITE-----MALE----	189	255	387	573	875	1,064	1,186	1,024	599	185	27	-
FEMALE--	77	96	172	296	481	834	1,297	1,635	1,383	663	173	-
ALL OTHER--MALE----	18	9	18	13	23	23	9	5	3	-	2	-
FEMALE--	3	11	9	10	17	19	10	18	7	3	2	-
BLACK---MALE----	10	5	10	5	11	6	4	2	-	-	1	-
FEMALE--	-	4	4	6	13	6	7	13	2	2	2	-
MISSISSIPPI -----	393	524	752	991	1,364	1,729	1,904	1,718	1,144	450	130	1
WHITE-----MALE----	144	225	326	407	585	645	554	399	221	54	8	1
FEMALE--	59	85	141	235	346	582	817	856	620	266	59	-
ALL OTHER--MALE----	115	137	150	184	204	236	221	166	96	38	17	-
FEMALE--	75	77	135	165	229	266	312	297	207	92	46	-
BLACK---MALE----	114	136	147	179	204	234	221	165	96	38	17	-
FEMALE--	74	77	134	161	228	265	310	295	205	92	46	-
MISSOURI -----	514	754	1,130	1,733	2,492	3,311	3,998	4,170	2,922	1,081	277	2
WHITE-----MALE----	291	418	634	948	1,326	1,571	1,604	1,324	755	183	41	-
FEMALE--	130	213	355	588	911	1,490	2,118	2,587	1,999	827	212	-
ALL OTHER--MALE----	53	73	75	94	128	109	112	86	39	17	3	1
FEMALE--	40	50	66	103	127	141	164	173	129	54	21	1
BLACK---MALE----	51	71	73	87	125	105	105	82	38	16	3	1
FEMALE--	38	48	65	103	120	136	160	167	127	54	21	1
MONTANA -----	71	87	169	207	303	448	546	479	313	142	35	1
WHITE-----MALE----	39	58	116	141	192	233	259	187	96	29	4	-
FEMALE--	19	23	42	57	103	204	275	287	214	106	31	1
ALL OTHER--MALE----	9	6	8	5	5	8	5	1	1	1	-	-
FEMALE--	4	-	3	4	3	3	7	4	2	6	-	-
BLACK---MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
NEBRASKA -----	121	172	269	428	622	829	1,122	1,311	1,013	427	115	-
WHITE-----MALE----	68	109	162	269	360	435	491	479	282	93	16	-
FEMALE--	41	49	86	125	239	370	603	808	721	329	96	-
ALL OTHER--MALE----	6	11	8	18	14	16	10	14	5	1	1	-
FEMALE--	6	3	13	16	9	8	18	10	5	4	2	-
BLACK---MALE----	3	9	6	14	10	13	9	10	5	1	1	-
FEMALE--	6	3	10	11	7	7	16	10	4	4	2	-
NEVADA -----	192	237	390	563	672	796	763	600	327	142	21	4
WHITE-----MALE----	119	145	244	342	406	435	339	217	73	31	3	4
FEMALE--	47	68	92	157	215	318	396	356	236	105	16	-
ALL OTHER--MALE----	14	15	34	43	27	21	10	11	6	1	-	-
FEMALE--	12	9	20	21	24	22	18	16	12	5	2	-
BLACK---MALE----	10	12	29	29	19	17	6	6	5	-	-	-
FEMALE--	8	7	13	17	15	17	15	11	8	4	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,446  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
NEW HAMPSHIRE -----	3,912	2	2	1	2	-	-	1	4	16	27	77
WHITE-----MALE----	1,818	-	1	-	1	-	-	1	2	11	18	59
FEMALE--	2,073	2	-	1	1	-	-	-	2	5	9	16
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	8	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	6	-	1	-	-	-	-	-	-	-	-	-
NEW JERSEY -----	29,971	20	9	4	5	14	25	41	85	157	289	530
WHITE-----MALE----	12,384	7	3	2	2	7	13	14	34	83	148	288
FEMALE--	14,335	3	2	1	3	2	4	14	15	28	45	93
ALL OTHER--MALE----	1,540	3	2	-	-	3	5	6	21	35	56	93
FEMALE--	1,712	7	2	1	-	2	3	7	15	11	40	56
BLACK---MALE----	1,384	3	2	-	-	2	5	4	19	31	54	84
FEMALE--	1,596	6	2	1	-	2	3	6	14	10	38	52
NEW MEXICO -----	4,314	4	2	-	2	3	2	3	9	25	48	92
WHITE-----MALE----	2,068	2	1	-	1	-	-	-	4	12	30	57
FEMALE--	2,010	1	1	-	1	3	1	2	3	9	12	22
ALL OTHER--MALE----	139	1	-	-	-	-	1	1	2	2	5	10
FEMALE--	97	-	-	-	-	-	-	-	-	2	1	3
BLACK---MALE----	34	-	-	-	-	-	1	-	1	-	2	2
FEMALE--	21	-	-	-	-	-	-	-	-	-	1	2
NEW YORK -----	74,619	54	18	16	13	24	36	79	208	361	657	1,186
WHITE-----MALE----	28,988	10	3	8	7	9	17	31	79	167	319	610
FEMALE--	35,805	14	6	5	2	6	8	21	48	67	125	234
ALL OTHER--MALE----	4,429	13	4	2	1	3	7	14	36	71	123	209
FEMALE--	5,397	17	5	1	3	6	4	13	45	56	90	133
BLACK---MALE----	3,845	10	4	2	1	3	7	12	33	58	105	181
FEMALE--	4,899	14	4	1	3	6	2	13	43	53	86	125
NORTH CAROLINA -----	26,894	35	7	6	9	18	21	38	108	207	356	639
WHITE-----MALE----	9,975	16	5	2	4	5	5	15	41	88	142	322
FEMALE--	10,787	9	1	1	-	5	2	5	19	31	54	99
ALL OTHER--MALE----	2,904	7	-	-	5	5	11	11	34	42	95	148
FEMALE--	3,228	3	1	3	-	3	3	7	14	46	65	70
BLACK---MALE----	2,801	6	-	-	5	4	9	11	33	39	93	144
FEMALE--	3,113	3	1	2	-	3	3	7	14	42	65	69
NORTH DAKOTA -----	2,584	1	2	-	1	1	3	3	6	4	24	27
WHITE-----MALE----	1,223	-	1	-	1	-	2	2	4	3	14	19
FEMALE--	1,307	1	-	-	-	1	-	-	1	1	3	5
ALL OTHER--MALE----	30	-	1	-	-	-	-	1	-	-	4	3
FEMALE--	24	-	-	-	-	-	-	-	1	-	3	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,447  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	43,917	43	11	7	8	12	32	58	121	268	510	811
WHITE-----MALE----	18,476	21	5	2	2	6	11	26	78	149	297	474
FEMALE--	21,187	15	3	5	3	3	12	13	21	65	108	180
ALL OTHER--MALE----	2,061	5	1	-	2	-	8	9	12	33	62	92
FEMALE--	2,193	2	2	-	1	3	1	10	10	21	43	65
BLACK---MALE----	2,016	5	1	-	2	-	8	9	12	32	58	92
FEMALE--	2,145	2	2	-	1	3	1	10	10	21	43	63
OKLAHOMA -----	14,706	16	7	4	2	7	6	11	44	108	167	270
WHITE-----MALE----	6,189	6	5	2	1	4	2	3	22	51	89	169
FEMALE--	7,110	5	1	2	1	-	3	5	16	33	44	63
ALL OTHER--MALE----	657	2	-	-	-	1	-	1	5	19	24	25
FEMALE--	750	3	1	-	-	2	1	2	1	5	10	13
BLACK---MALE----	393	1	-	-	-	1	-	1	4	10	12	16
FEMALE--	482	3	-	-	-	1	-	1	1	3	7	9
OREGON -----	11,115	10	2	2	3	2	5	10	20	59	104	172
WHITE-----MALE----	5,244	7	2	2	-	1	4	5	16	37	69	107
FEMALE--	5,597	3	-	-	2	1	1	4	2	15	30	51
ALL OTHER--MALE----	151	-	-	-	1	-	-	-	1	4	4	9
FEMALE--	123	-	-	-	-	-	-	1	1	3	1	5
BLACK---MALE----	67	-	-	-	-	-	-	-	1	4	1	6
FEMALE--	55	-	-	-	-	-	-	1	1	2	1	3
PENNSYLVANIA -----	55,550	34	9	4	11	27	37	55	144	272	505	916
WHITE-----MALE----	23,485	17	1	2	2	12	15	25	78	140	279	527
FEMALE--	27,766	8	5	2	5	5	5	11	37	54	110	223
ALL OTHER--MALE----	2,015	8	1	-	3	7	10	11	15	42	63	112
FEMALE--	2,284	1	2	-	1	3	7	8	14	36	53	54
BLACK---MALE----	1,939	8	1	-	3	7	9	10	15	42	60	108
FEMALE--	2,219	1	1	-	1	3	7	8	14	36	50	53
RHODE ISLAND -----	4,088	5	2	-	1	-	1	5	3	16	50	53
WHITE-----MALE----	1,742	1	-	-	-	-	1	3	2	9	34	34
FEMALE--	2,237	4	1	-	-	-	-	-	1	4	14	13
ALL OTHER--MALE----	49	-	1	-	-	-	-	1	-	2	1	2
FEMALE--	60	-	-	-	1	-	-	1	-	1	1	4
BLACK---MALE----	41	-	-	-	-	-	-	1	-	2	-	2
FEMALE--	45	-	-	-	-	-	-	1	-	-	1	3
SOUTH CAROLINA -----	13,848	15	6	1	6	14	16	25	77	115	209	389
WHITE-----MALE----	4,749	6	1	-	-	3	5	6	22	43	83	154
FEMALE--	5,025	3	-	-	1	2	2	5	14	30	20	51
ALL OTHER--MALE----	1,932	4	3	-	1	6	6	11	18	24	59	122
FEMALE--	2,142	2	2	1	4	3	3	3	23	18	47	62
BLACK---MALE----	1,919	4	3	-	1	6	6	11	18	24	59	121
FEMALE--	2,137	2	2	1	4	3	3	3	23	18	47	62

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,447  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)

OHIO	-----	1,086	1,456	2,217	3,561	5,299	6,732	7,676	6,928	4,746	1,881	453	1
WHITE	-----MALE----	621	846	1,241	1,929	2,699	3,244	3,120	2,183	1,113	350	58	1
	FEMALE--	267	365	618	1,148	2,010	2,898	4,014	4,315	3,334	1,430	360	-
ALL OTHER	---MALE----	111	139	213	271	337	283	220	173	72	15	3	-
	FEMALE--	87	106	145	213	253	307	322	257	227	86	32	-
BLACK	---MALE----	110	138	207	264	330	277	214	169	71	15	2	-
	FEMALE--	87	106	141	205	246	303	311	250	223	85	32	-
OKLAHOMA	-----	405	518	801	1,142	1,652	2,095	2,421	2,453	1,714	666	192	5
WHITE	-----MALE----	221	303	464	636	886	973	982	778	424	140	26	2
	FEMALE--	102	124	224	381	587	943	1,260	1,519	1,169	479	146	3
ALL OTHER	---MALE----	55	60	63	61	93	81	61	50	41	10	5	-
	FEMALE--	27	31	50	64	86	98	118	106	80	37	15	-
BLACK	---MALE----	32	34	44	38	49	46	42	31	20	7	5	-
	FEMALE--	19	12	29	30	55	66	83	73	57	23	10	-
OREGON	-----	213	341	428	783	1,164	1,653	2,069	2,045	1,338	562	130	-
WHITE	-----MALE----	139	232	251	479	697	882	966	805	390	131	22	-
	FEMALE--	60	95	155	280	431	734	1,058	1,216	928	425	106	-
ALL OTHER	---MALE----	12	10	18	15	17	16	18	15	7	4	-	-
	FEMALE--	2	4	4	9	19	21	27	9	13	2	2	-
BLACK	---MALE----	7	7	8	9	6	3	6	6	2	1	-	-
	FEMALE--	2	3	1	2	12	4	9	6	8	-	-	-
PENNSYLVANIA	-----	1,168	1,626	2,601	4,212	6,659	8,611	10,144	9,402	6,147	2,393	569	4
WHITE	-----MALE----	713	949	1,513	2,354	3,502	4,106	4,227	3,001	1,503	440	76	3
	FEMALE--	269	417	714	1,383	2,573	3,946	5,404	5,968	4,346	1,829	452	-
ALL OTHER	---MALE----	115	147	215	253	284	271	198	148	69	34	8	1
	FEMALE--	71	113	159	222	300	288	315	285	229	90	33	-
BLACK	---MALE----	112	139	210	238	274	259	193	142	67	33	8	1
	FEMALE--	67	110	156	217	290	278	305	276	223	90	33	-
RHODE ISLAND	-----	72	105	139	276	461	615	708	764	507	233	72	-
WHITE	-----MALE----	49	70	84	159	258	329	312	232	109	47	9	-
	FEMALE--	19	31	52	103	190	270	378	520	391	183	63	-
ALL OTHER	---MALE----	3	3	1	4	9	9	5	7	1	-	-	-
	FEMALE--	1	1	2	10	4	7	13	5	6	3	-	-
BLACK	---MALE----	3	3	1	3	8	8	5	4	1	-	-	-
	FEMALE--	1	1	2	10	3	4	10	3	4	2	-	-
SOUTH CAROLINA	-----	554	640	942	1,298	1,765	2,152	2,203	1,810	1,108	396	107	-
WHITE	-----MALE----	242	295	407	547	726	840	689	432	184	57	7	-
	FEMALE--	81	111	202	321	511	720	947	1,007	704	230	63	-
ALL OTHER	---MALE----	156	138	186	237	263	286	208	130	47	21	6	-
	FEMALE--	75	96	147	193	265	306	359	241	173	88	31	-
BLACK	---MALE----	156	135	184	235	263	284	207	128	47	21	6	-
	FEMALE--	75	96	147	191	264	306	359	240	172	88	31	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,448  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
SOUTH DAKOTA -----	2,882	1	-	1	-	2	3	4	5	14	22	49
WHITE-----MALE----	1,382	-	-	1	-	-	3	3	3	9	13	40
FEMALE--	1,389	-	-	-	-	2	-	-	2	4	3	5
ALL OTHER--MALE----	62	-	-	-	-	-	-	1	-	1	5	4
FEMALE--	49	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	21,614	22	4	2	8	8	17	24	87	177	329	500
WHITE-----MALE----	8,559	6	1	1	6	4	5	7	34	85	161	251
FEMALE--	9,642	7	2	1	1	1	7	7	18	39	53	102
ALL OTHER--MALE----	1,572	5	-	-	-	2	4	7	19	31	71	92
FEMALE--	1,841	4	1	-	1	1	1	3	16	22	44	55
BLACK---MALE----	1,553	5	-	-	-	2	4	7	19	29	68	91
FEMALE--	1,830	4	1	-	-	1	1	3	16	22	44	55
TEXAS -----	55,809	75	21	18	14	45	59	124	217	447	722	1,308
WHITE-----MALE----	23,192	34	7	8	7	24	29	58	100	234	383	741
FEMALE--	25,298	22	10	6	4	9	19	34	49	89	131	247
ALL OTHER--MALE----	3,497	13	-	3	2	7	6	18	36	78	128	211
FEMALE--	3,822	6	4	1	1	5	5	14	32	46	80	109
BLACK---MALE----	3,334	11	-	2	2	7	5	17	33	74	124	200
FEMALE--	3,685	5	4	1	1	5	5	13	32	44	76	105
UTAH -----	4,017	8	2	3	2	2	4	8	9	26	30	77
WHITE-----MALE----	1,936	7	1	2	1	2	2	4	6	15	20	52
FEMALE--	2,011	1	1	1	1	-	2	4	3	10	7	21
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	36	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1,931	-	2	1	-	2	-	1	3	8	14	32
WHITE-----MALE----	888	-	1	-	-	1	-	1	2	5	12	23
FEMALE--	1,034	-	-	1	-	1	-	-	1	3	2	8
ALL OTHER--MALE----	6	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	21,289	31	6	4	7	10	18	42	72	181	311	462
WHITE-----MALE----	7,897	7	2	1	4	4	7	20	19	68	138	222
FEMALE--	8,873	12	4	2	1	3	5	8	20	39	54	85
ALL OTHER--MALE----	2,154	9	-	1	1	2	4	8	18	44	79	108
FEMALE--	2,365	3	-	-	1	1	2	6	15	30	40	47
BLACK---MALE----	2,071	9	-	1	-	2	3	7	18	44	75	102
FEMALE--	2,294	3	-	-	1	1	2	6	15	30	40	46

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,448  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)

SOUTH DAKOTA	62	68	118	178	316	416	493	505	383	196	46	-
WHITE	45	50	74	113	195	226	236	203	119	42	7	-
FEMALE	11	13	40	51	101	173	246	288	259	152	39	-
ALL OTHER	5	5	-	8	12	12	6	2	1	-	-	-
FEMALE	1	-	4	6	8	5	5	12	4	2	-	-
BLACK	-	-	-	-	-	1	-	2	-	-	-	-
FEMALE	-	-	-	1	-	-	-	-	1	1	-	-
TENNESSEE	673	890	1,268	1,787	2,479	3,199	3,642	3,366	2,199	752	181	-
WHITE	359	498	673	934	1,178	1,457	1,312	971	484	113	19	-
FEMALE	141	222	330	516	921	1,322	1,841	1,994	1,460	536	121	-
ALL OTHER	108	102	154	175	179	171	195	154	79	16	8	-
FEMALE	65	68	111	162	201	249	294	247	176	87	33	-
BLACK	107	101	152	173	177	170	193	153	78	16	8	-
FEMALE	64	68	111	162	200	248	292	245	173	87	33	-
TEXAS	1,699	2,280	3,321	4,524	6,263	7,703	9,088	8,980	6,062	2,235	595	9
WHITE	968	1,287	1,883	2,470	3,094	3,631	3,489	2,862	1,431	380	66	6
FEMALE	372	548	853	1,357	2,297	3,166	4,668	5,273	4,073	1,647	424	-
ALL OTHER	221	266	370	369	437	423	370	297	161	53	26	2
FEMALE	138	179	215	328	435	483	561	548	397	155	79	1
BLACK	209	250	353	350	422	406	351	281	158	52	25	2
FEMALE	133	173	208	306	414	462	547	531	389	152	78	1
UTAH	79	113	177	291	421	577	748	731	492	184	33	-
WHITE	59	78	115	187	225	313	349	298	150	43	7	-
FEMALE	18	32	54	97	187	251	389	428	338	140	26	-
ALL OTHER	1	1	6	3	2	9	6	2	-	-	-	-
FEMALE	1	2	2	4	7	4	4	3	4	1	-	-
BLACK	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE	-	2	1	2	1	1	2	1	2	-	-	-
VERMONT	49	47	90	150	208	274	344	353	223	108	22	-
WHITE	34	33	60	91	122	139	156	131	54	20	3	-
FEMALE	15	14	29	58	85	134	187	221	168	88	19	-
ALL OTHER	-	-	1	-	1	-	1	-	1	-	-	-
FEMALE	-	-	-	1	-	1	-	1	-	-	-	-
BLACK	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE	-	-	-	1	-	1	-	-	-	-	-	-
VIRGINIA	652	852	1,252	1,775	2,607	3,267	3,436	3,282	2,063	752	202	5
WHITE	341	422	599	865	1,124	1,355	1,176	920	445	136	21	1
FEMALE	119	178	271	459	865	1,245	1,652	1,876	1,333	509	131	2
ALL OTHER	121	143	221	247	314	325	242	176	63	24	4	-
FEMALE	71	109	161	204	304	342	366	310	222	83	46	2
BLACK	119	138	214	236	302	318	225	170	60	24	4	-
FEMALE	70	105	158	198	295	330	351	301	217	77	46	2



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,449  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
WASHINGTON -----	381	511	693	1,164	1,780	2,487	2,929	2,867	1,933	783	199	-
WHITE-----MALE----	263	355	445	685	1,015	1,324	1,357	1,077	544	176	33	-
FEMALE--	81	114	192	398	661	1,058	1,480	1,719	1,333	585	160	-
ALL OTHER--MALE----	29	27	37	40	60	57	40	34	24	7	1	-
FEMALE--	8	15	19	41	44	48	52	37	32	15	5	-
BLACK---MALE----	16	12	14	17	28	18	18	8	6	1	-	-
FEMALE--	2	8	11	15	28	24	21	19	12	3	-	-
WEST VIRGINIA -----	242	323	521	820	1,084	1,328	1,483	1,393	835	320	89	1
WHITE-----MALE----	171	213	329	485	597	631	588	456	200	59	12	-
FEMALE--	60	96	176	310	450	660	853	889	598	246	69	-
ALL OTHER--MALE----	4	8	8	16	15	16	18	13	6	6	2	1
FEMALE--	7	6	8	9	22	21	24	35	31	9	6	-
BLACK---MALE----	4	8	5	15	14	16	18	13	4	6	2	1
FEMALE--	7	5	8	9	22	20	24	35	30	9	6	-
WISCONSIN -----	390	549	851	1,324	1,962	2,799	3,445	3,361	2,507	1,043	256	-
WHITE-----MALE----	263	367	563	829	1,182	1,515	1,639	1,241	752	216	32	-
FEMALE--	91	133	213	433	705	1,206	1,751	2,068	1,726	816	218	-
ALL OTHER--MALE----	23	29	39	36	38	38	19	16	14	3	-	-
FEMALE--	13	20	36	26	37	40	36	36	15	8	6	-
BLACK---MALE----	21	21	28	30	29	31	14	11	13	2	-	-
FEMALE--	9	17	29	20	30	25	27	26	14	7	6	-
WYOMING -----	38	57	67	116	144	169	219	229	141	58	14	-
WHITE-----MALE----	23	41	50	78	75	88	101	76	39	11	1	-
FEMALE--	12	14	15	35	63	80	117	149	101	45	13	-
ALL OTHER--MALE----	-	2	1	1	4	-	1	1	-	1	-	-
FEMALE--	3	-	1	2	2	1	-	3	1	1	-	-
BLACK---MALE----	-	1	-	-	1	-	-	1	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	1	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,450  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	5,006	9	7	2	2	16	16	37	44	92	117	155
WHITE-----MALE----	1,331	6	4	-	-	2	7	12	11	27	38	39
FEMALE--	3,203	2	1	2	2	8	6	17	24	25	48	85
ALL OTHER--MALE----	151	1	-	-	-	4	1	3	4	8	13	9
FEMALE--	321	-	2	-	-	2	2	5	5	32	18	22
BLACK---MALE----	106	1	-	-	-	4	1	3	3	6	10	7
FEMALE--	249	-	2	-	-	2	2	3	5	27	18	19
ALABAMA -----	62	-	-	-	-	-	-	-	-	1	2	2
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	39	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	12	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	67	-	-	-	-	1	-	1	-	-	2	2
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	39	-	-	-	-	1	-	1	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS -----	33	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	589	1	2	-	1	3	3	4	10	8	16	12
WHITE-----MALE----	157	1	1	-	-	1	2	1	1	2	5	3
FEMALE--	365	-	1	-	1	1	1	2	8	3	8	6
ALL OTHER--MALE----	31	-	-	-	-	1	-	-	1	-	3	1
FEMALE--	36	-	-	-	-	-	-	1	-	3	-	2
BLACK---MALE----	15	-	-	-	-	1	-	-	-	-	1	1
FEMALE--	20	-	-	-	-	-	-	-	-	3	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,450  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	181	235	317	493	702	793	837	604	269	68	10	-
WHITE-----MALE----	63	65	96	145	193	236	211	118	49	9	-	-
FEMALE--	81	131	174	290	457	523	594	461	209	55	8	-
ALL OTHER--MALE----	13	10	13	22	22	10	8	9	1	-	-	-
FEMALE--	24	29	34	36	30	24	24	16	10	4	2	-
BLACK---MALE----	9	5	10	15	16	7	4	4	1	-	-	-
FEMALE--	19	24	25	23	19	17	19	10	10	3	2	-
ALABAMA -----	2	2	6	12	9	10	8	7	1	-	-	-
WHITE-----MALE----	-	-	1	2	4	1	1	1	-	-	-	-
FEMALE--	-	2	3	6	4	8	5	6	1	-	-	-
ALL OTHER--MALE----	1	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	2	1	1	2	-	-	-	-	-
BLACK---MALE----	1	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	2	1	1	2	-	-	-	-	-
ALASKA -----	-	-	1	1	3	3	1	3	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	-	5	6	11	15	8	6	4	1	-	-
WHITE-----MALE----	1	-	2	2	4	8	2	2	1	-	-	-
FEMALE--	3	-	2	3	7	7	6	4	3	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	2	2	6	1	11	1	4	4	-	-	-
WHITE-----MALE----	-	-	-	3	-	3	-	1	-	-	-	-
FEMALE--	-	-	1	2	1	7	1	3	4	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	-	1	-	-	-	-	-	-
CALIFORNIA -----	19	34	32	52	77	105	94	71	35	7	3	-
WHITE-----MALE----	8	9	10	13	22	30	27	16	3	2	-	-
FEMALE--	5	18	15	30	46	68	63	50	31	5	3	-
ALL OTHER--MALE----	3	3	2	5	5	3	2	2	-	-	-	-
FEMALE--	3	4	5	4	4	4	2	3	1	-	-	-
BLACK---MALE----	2	2	1	2	1	2	1	1	-	-	-	-
FEMALE--	3	4	2	1	2	3	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,451  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	108	-	-	-	-	-	-	-	-	3	3	5
WHITE-----MALE----	45	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	61	-	-	-	-	-	-	-	-	2	1	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	90	-	-	-	-	-	-	-	-	2	3	2
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	70	-	-	-	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	8	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	6	1	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	334	-	-	-	1	2	1	1	3	3	5	9
WHITE-----MALE----	94	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	219	-	-	-	1	-	1	1	2	1	3	4
ALL OTHER--MALE----	10	-	-	-	-	1	-	-	1	1	-	2
FEMALE--	11	-	-	-	-	1	-	-	-	1	1	1
BLACK---MALE----	10	-	-	-	-	1	-	-	1	1	-	2
FEMALE--	10	-	-	-	-	1	-	-	-	1	1	-
GEORGIA -----	66	-	-	-	-	1	-	-	-	2	3	2
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	38	-	-	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	2	1	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	2	1	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,451  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	6	8	9	6	17	17	17	11	5	1	-	-
WHITE-----MALE----	5	3	6	2	7	8	4	2	3	-	-	-
FEMALE--	1	5	3	3	10	8	13	9	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	7	4	13	5	18	11	17	4	2	-	-
WHITE-----MALE----	-	-	-	3	1	6	3	1	-	1	-	-
FEMALE--	2	7	3	9	4	11	8	16	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	2	2	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	2	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	15	19	17	29	52	62	56	45	11	3	-	-
WHITE-----MALE----	9	5	1	12	16	19	15	12	2	-	-	-
FEMALE--	6	12	13	17	33	40	40	33	9	3	-	-
ALL OTHER--MALE----	-	1	-	-	2	1	1	-	-	-	-	-
FEMALE--	-	1	3	-	1	2	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	2	1	1	-	-	-	-	-
FEMALE--	-	1	3	-	1	2	-	-	-	-	-	-
GEORGIA -----	2	2	6	5	9	11	9	10	2	1	1	-
WHITE-----MALE----	1	-	2	2	-	1	3	1	-	-	-	-
FEMALE--	-	2	3	2	6	7	5	9	1	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	2	2	1	-	1	-	1	-
BLACK---MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	1	1	-	1	-	1	-





1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,452  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	5	3	3	4	6	3	8	2	1	1	-	-
WHITE-----MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	2	2	4	-	1	-	-	-
ALL OTHER--MALE----	2	1	-	2	2	-	2	1	-	-	-	-
FEMALE--	2	1	3	2	2	-	1	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	2	1	3	2	5	4	1	2	1	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	1	-	-	-
FEMALE--	-	2	1	2	2	5	3	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	5	4	9	18	32	33	31	20	9	4	-	-
WHITE-----MALE----	-	-	3	5	9	8	6	8	2	-	-	-
FEMALE--	3	1	5	13	22	24	23	11	7	4	-	-
ALL OTHER--MALE----	1	2	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	1	1	-	1	1	1	1	-	-	-	-
BLACK---MALE----	1	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	1	1	-	-	-	-
INDIANA -----	4	8	11	2	19	11	18	12	7	-	-	-
WHITE-----MALE----	3	3	1	1	6	2	-	3	-	-	-	-
FEMALE--	1	5	10	-	13	9	17	9	7	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
IOWA -----	2	3	2	5	3	12	15	6	2	3	-	-
WHITE-----MALE----	-	-	1	2	-	3	3	2	-	-	-	-
FEMALE--	2	3	1	3	3	9	12	4	2	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	2	1	5	5	6	5	9	9	3	1	-	-
WHITE-----MALE----	1	-	3	3	2	2	1	3	-	-	-	-
FEMALE--	1	-	2	1	4	3	8	5	3	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,453  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)												
KENTUCKY -----	69	-	-	-	-	-	1	3	1	1	2	2
WHITE-----MALE----	16	-	-	-	-	-	1	1	-	-	2	-
FEMALE--	50	-	-	-	-	-	-	2	1	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
LOUISIANA -----	48	-	1	-	-	-	1	1	-	-	2	1
WHITE-----MALE----	14	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	11	-	1	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	11	-	1	-	-	-	-	-	-	-	1	-
MAINE -----	29	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	89	1	1	-	-	1	1	2	1	2	2	3
WHITE-----MALE----	24	1	-	-	-	-	-	2	-	1	1	-
FEMALE--	52	-	-	-	-	-	1	-	-	-	-	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	1	-	-	1	-	-	1	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	1	-	-	1	-	-	1	1	-	-
MASSACHUSETTS -----	127	-	-	-	-	-	-	-	-	-	1	3
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	93	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
MICHIGAN -----	170	-	1	-	-	1	-	1	2	3	7	8
WHITE-----MALE----	37	-	1	-	-	-	-	-	1	-	1	2
FEMALE--	111	-	-	-	-	1	-	-	-	1	2	4
ALL OTHER--MALE----	9	-	-	-	-	-	-	1	-	-	2	1
FEMALE--	13	-	-	-	-	-	-	-	1	2	2	1
BLACK---MALE----	8	-	-	-	-	-	-	1	-	-	2	1
FEMALE--	12	-	-	-	-	-	-	-	1	2	2	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,453  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	2	5	-	8	7	9	13	14	1	-	-	-
WHITE-----MALE----	-	1	-	2	2	2	1	4	-	-	-	-
FEMALE--	2	2	-	6	5	7	12	10	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	4	2	3	9	8	7	4	1	4	-	-	-
WHITE-----MALE----	-	1	1	4	4	1	1	-	-	-	-	-
FEMALE--	2	-	1	4	2	5	2	1	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	1	1	1	-	2	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	1	1	1	-	2	-	-	-
MAINE -----	1	3	1	4	4	5	8	1	1	-	-	-
WHITE-----MALE----	1	2	-	2	1	-	5	-	-	-	-	-
FEMALE--	-	1	1	2	3	5	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	5	6	9	5	14	18	7	6	2	-	-
WHITE-----MALE----	-	2	-	3	2	3	4	3	2	-	-	-
FEMALE--	1	2	5	4	2	11	14	4	4	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	1	1	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	1	-	-	-	-	-	1	-	-
MASSACHUSETTS -----	2	3	4	6	19	19	24	22	18	5	1	-
WHITE-----MALE----	1	1	1	1	6	4	7	1	4	-	-	-
FEMALE--	-	1	3	3	13	14	17	21	14	5	1	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
MICHIGAN -----	6	3	8	17	23	28	34	16	11	1	-	-
WHITE-----MALE----	3	1	3	2	2	8	9	2	1	1	-	-
FEMALE--	2	1	4	14	18	18	24	13	9	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	1	1	-	-	-
FEMALE--	-	1	-	1	2	2	1	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	-	-	-	1	-	-	-
FEMALE--	-	1	-	1	2	1	1	-	-	-	-	-











1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,456  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)												
OHIO -----	237	-	1	-	-	-	3	1	-	3	4	6
WHITE-----MALE----	59	-	1	-	-	-	1	-	-	-	2	2
FEMALE--	158	-	-	-	-	-	1	1	-	2	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	1	-	-	1	2	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	6	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	3
OKLAHOMA -----	51	-	1	-	-	1	-	1	2	-	2	1
WHITE-----MALE----	18	-	1	-	-	1	-	-	1	-	1	-
FEMALE--	28	-	-	-	-	-	-	1	1	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	86	-	-	-	-	-	-	2	-	-	1	2
WHITE-----MALE----	28	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	54	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	336	2	-	-	-	-	-	1	-	3	5	11
WHITE-----MALE----	82	2	-	-	-	-	-	-	-	1	-	2
FEMALE--	241	-	-	-	-	-	-	1	-	-	4	9
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	-
RHODE ISLAND -----	17	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	69	-	-	-	-	-	-	-	1	3	5	3
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	32	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	3	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	3	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,456  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	11	13	17	18	40	38	39	32	10	1	-	-
WHITE-----MALE----	2	6	3	5	9	13	8	5	2	-	-	-
FEMALE--	7	6	10	13	29	25	31	24	7	1	-	-
ALL OTHER--MALE----	-	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	2	1	2	-	1	-	-	3	1	-	-	-
BLACK---MALE----	-	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	2	1	2	-	1	-	-	2	1	-	-	-
OKLAHOMA -----	4	3	2	10	5	5	3	4	6	1	-	-
WHITE-----MALE----	3	1	1	2	2	3	1	-	1	-	-	-
FEMALE--	1	2	1	4	3	2	2	4	5	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	3	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	2	3	1	5	3	17	24	13	9	3	1	-
WHITE-----MALE----	-	1	-	3	-	5	9	2	4	2	-	-
FEMALE--	1	1	1	2	3	12	15	10	5	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	9	17	15	41	41	61	69	34	20	7	-	-
WHITE-----MALE----	4	6	4	19	6	15	17	3	1	2	-	-
FEMALE--	4	10	10	20	34	45	51	31	17	5	-	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	1	1	-	2	-	-	-
BLACK---MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	1	-	2	-	-	-
RHODE ISLAND -----	-	1	2	1	1	5	6	-	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	2	3	-	-	-	-	-
FEMALE--	-	1	1	-	1	3	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
SOUTH CAROLINA -----	2	1	7	9	12	10	7	7	2	-	-	-
WHITE-----MALE----	2	1	2	-	1	5	4	1	1	-	-	-
FEMALE--	-	-	2	5	8	4	3	6	1	-	-	-
ALL OTHER--MALE----	-	-	1	2	2	-	-	-	-	-	-	-
FEMALE--	-	-	2	2	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	2	2	-	-	-	-	-	-	-
FEMALE--	-	-	2	2	1	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,457  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	16	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	115	-	-	-	-	1	-	1	1	4	3	5
WHITE-----MALE----	26	-	-	-	-	-	-	1	-	2	1	-
FEMALE--	75	-	-	-	-	-	-	-	-	-	-	5
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	1	2	2	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	1	2	2	-
TEXAS -----	230	-	-	-	-	1	-	3	4	10	9	9
WHITE-----MALE----	67	-	-	-	-	-	-	2	1	3	3	5
FEMALE--	144	-	-	-	-	1	-	1	3	2	4	3
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	4	1	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	4	1	1
UTAH -----	58	-	-	-	-	-	-	-	-	2	1	5
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	39	-	-	-	-	-	-	-	-	1	1	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	10	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	97	-	-	-	-	-	-	2	1	3	3	1
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	57	-	-	-	-	-	-	1	-	-	3	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	3	-	-
BLACK---MALE----	4	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	3	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,457  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	4	-	4	4	3	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	2	1	2	-	-	-	-
FEMALE--	-	-	-	3	-	2	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	12	14	11	11	11	17	14	6	1	-	-
WHITE-----MALE----	-	1	5	3	1	3	5	2	2	-	-	-
FEMALE--	1	9	9	7	9	7	12	11	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	2	-	1	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	2	-	1	-	1	-	1	-	-	-	-
TEXAS -----	10	15	16	22	40	33	28	17	8	4	1	-
WHITE-----MALE----	2	4	6	9	13	11	5	1	2	-	-	-
FEMALE--	7	8	10	11	24	21	23	16	6	3	1	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	2	-	2	2	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	2	-	2	1	-	-	-	-	1	-	-
UTAH -----	-	3	2	8	8	11	9	9	-	-	-	-
WHITE-----MALE----	-	1	-	2	3	5	4	-	-	-	-	-
FEMALE--	-	2	2	6	5	5	9	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	1	-	2	1	3	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	3	9	11	15	13	17	11	5	1	-	-
WHITE-----MALE----	1	1	4	1	5	1	3	2	-	-	-	-
FEMALE--	1	2	2	6	9	12	8	8	4	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	3	1	-	6	1	1	1	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	2	1	-	6	1	1	1	-	-





1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,459  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE RHEUMATIC FEVER (390-392)												
0 UNITED STATES --	114	1	-	1	-	1	-	2	-	3	3	7
WHITE-----MALE----	42	1	-	-	-	-	-	1	-	1	2	2
FEMALE--	55	-	-	1	-	1	-	-	-	-	-	3
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	1	-	2	1	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	2	1	1
ALABAMA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	24	-	-	-	-	-	-	1	-	1	-	3
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-









































1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,468  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)												
0 UNITED STATES --	4,892	8	7	1	2	15	16	35	44	89	114	148
WHITE-----MALE----	1,289	5	4	-	-	2	7	11	11	26	36	37
FEMALE--	3,148	2	1	1	2	7	6	17	24	25	48	82
ALL OTHER--MALE----	144	1	-	-	-	4	1	3	4	8	13	8
FEMALE--	311	-	2	-	-	2	2	4	5	30	17	21
BLACK---MALE----	101	1	-	-	-	4	1	3	3	6	10	6
FEMALE--	241	-	2	-	-	2	2	3	5	25	17	18
ALABAMA -----	62	-	-	-	-	-	-	-	-	1	2	2
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	39	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	12	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	66	-	-	-	-	1	-	1	-	-	2	2
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	39	-	-	-	-	1	-	1	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS -----	32	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	565	1	2	-	1	3	3	3	10	7	16	9
WHITE-----MALE----	151	1	1	-	-	1	2	1	1	2	5	2
FEMALE--	353	-	1	-	1	1	1	2	8	3	8	5
ALL OTHER--MALE----	27	-	-	-	-	1	-	-	1	-	3	-
FEMALE--	34	-	-	-	-	-	-	-	-	2	-	2
BLACK---MALE----	11	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	19	-	-	-	-	-	-	-	-	2	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,468  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	177	226	308	476	692	778	815	597	266	68	10	-
WHITE-----MALE----	62	62	93	139	190	228	203	115	49	9	-	-
FEMALE--	79	128	171	281	451	516	581	457	206	55	8	-
ALL OTHER--MALE----	13	9	12	20	21	10	7	9	1	-	-	-
FEMALE--	23	27	32	36	30	24	24	16	10	4	2	-
BLACK---MALE----	9	4	9	15	15	7	3	4	1	-	-	-
FEMALE--	18	23	23	23	19	17	19	10	10	3	2	-
ALABAMA -----	2	2	6	12	9	10	8	7	1	-	-	-
WHITE-----MALE----	-	-	1	2	4	1	1	1	-	-	-	-
FEMALE--	-	2	3	6	4	8	5	6	1	-	-	-
ALL OTHER--MALE----	1	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	2	1	1	2	-	-	-	-	-
BLACK---MALE----	1	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	2	1	1	2	-	-	-	-	-
ALASKA -----	-	-	1	1	3	3	1	3	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	-	5	5	11	15	8	6	4	1	-	-
WHITE-----MALE----	1	-	2	1	4	8	2	2	1	-	-	-
FEMALE--	3	-	2	3	7	7	6	4	3	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	2	6	1	11	1	4	4	-	-	-
WHITE-----MALE----	-	-	-	3	-	3	-	1	-	-	-	-
FEMALE--	-	-	1	2	1	7	1	3	4	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	-	-	-	-
CALIFORNIA -----	18	32	32	49	76	99	90	70	34	7	3	-
WHITE-----MALE----	8	9	10	13	22	27	26	15	3	2	-	-
FEMALE--	4	17	15	27	46	65	61	50	30	5	3	-
ALL OTHER--MALE----	3	2	2	5	4	3	1	2	-	-	-	-
FEMALE--	3	4	5	4	4	4	2	3	1	-	-	-
BLACK---MALE----	2	1	1	2	-	2	-	1	-	-	-	-
FEMALE--	3	4	2	1	2	3	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,469  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	106	-	-	-	-	-	-	-	-	3	3	5
WHITE-----MALE----	44	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	60	-	-	-	-	-	-	-	-	2	1	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	88	-	-	-	-	-	-	-	-	2	3	2
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	69	-	-	-	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	8	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	6	1	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	330	-	-	-	1	2	1	1	3	3	5	8
WHITE-----MALE----	93	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	217	-	-	-	1	-	1	1	2	1	3	4
ALL OTHER--MALE----	10	-	-	-	-	1	-	-	1	1	-	2
FEMALE--	10	-	-	-	-	1	-	-	-	1	1	1
BLACK---MALE----	10	-	-	-	-	1	-	-	1	1	-	2
FEMALE--	9	-	-	-	-	1	-	-	-	1	1	-
GEORGIA -----	64	-	-	-	-	1	-	-	-	2	1	2
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	38	-	-	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	2	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,469  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	5	8	9	6	17	17	16	11	5	1	-	-
WHITE-----MALE----	4	3	6	2	7	8	4	2	3	-	-	-
FEMALE--	1	5	3	3	10	8	12	9	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	7	3	13	5	18	10	17	4	2	-	-
WHITE-----MALE----	-	-	-	3	1	6	2	1	-	1	-	-
FEMALE--	2	7	2	9	4	11	8	16	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	2	2	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	2	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	14	18	16	29	52	62	56	45	11	3	-	-
WHITE-----MALE----	9	5	1	12	16	19	15	12	2	-	-	-
FEMALE--	5	11	13	17	33	40	40	33	9	3	-	-
ALL OTHER--MALE----	-	1	-	-	2	1	1	-	-	-	-	-
FEMALE--	-	1	2	-	1	2	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	2	1	1	-	-	-	-	-
FEMALE--	-	1	2	-	1	2	-	-	-	-	-	-
GEORGIA -----	2	2	6	5	9	11	9	10	2	1	1	-
WHITE-----MALE----	1	-	2	2	-	1	3	1	-	-	-	-
FEMALE--	-	2	3	2	6	7	5	9	1	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	2	2	1	-	1	-	1	-
BLACK---MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	1	1	-	1	-	1	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,470  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	5	3	3	4	6	3	8	2	1	1	-	-
WHITE-----MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	2	2	4	-	1	-	-	-
ALL OTHER--MALE----	2	1	-	2	2	-	2	1	-	-	-	-
FEMALE--	2	1	3	2	2	-	1	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	2	1	3	1	5	4	1	2	1	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	1	-	-	-
FEMALE--	-	2	1	2	1	5	3	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	5	4	9	17	32	32	30	20	9	4	-	-
WHITE-----MALE----	-	-	3	4	9	7	5	8	2	-	-	-
FEMALE--	3	1	5	13	22	24	23	11	7	4	-	-
ALL OTHER--MALE----	1	2	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	1	1	-	1	1	1	1	-	-	-	-
BLACK---MALE----	1	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	1	1	-	-	-	-
INDIANA -----	4	8	11	2	19	11	18	12	7	-	-	-
WHITE-----MALE----	3	3	1	1	6	2	-	3	-	-	-	-
FEMALE--	1	5	10	-	13	9	17	9	7	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
IOWA -----	2	3	2	5	3	12	15	6	2	3	-	-
WHITE-----MALE----	-	-	1	2	-	3	3	2	-	-	-	-
FEMALE--	2	3	1	3	3	9	12	4	2	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	2	1	5	5	5	5	9	9	3	1	-	-
WHITE-----MALE----	1	-	3	3	2	2	1	3	-	-	-	-
FEMALE--	1	-	2	1	3	3	8	5	3	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,471  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)												
KENTUCKY -----	67	-	-	-	-	-	1	3	1	1	2	1
WHITE-----MALE----	15	-	-	-	-	-	1	1	-	-	2	-
FEMALE--	49	-	-	-	-	-	-	2	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
LOUISIANA -----	48	-	1	-	-	-	1	1	-	-	2	1
WHITE-----MALE----	14	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	11	-	1	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	11	-	1	-	-	-	-	-	-	-	1	-
MAINE -----	28	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	88	1	1	-	-	1	1	2	1	2	2	3
WHITE-----MALE----	23	1	-	-	-	-	-	2	-	1	1	-
FEMALE--	52	-	-	-	-	-	1	-	-	-	-	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	1	-	-	1	-	-	1	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	1	-	-	1	-	-	1	1	-	-
MASSACHUSETTS -----	120	-	-	-	-	-	-	-	-	-	1	3
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	90	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
MICHIGAN -----	166	-	1	-	-	1	-	1	2	3	7	8
WHITE-----MALE----	37	-	1	-	-	-	-	-	1	-	1	2
FEMALE--	107	-	-	-	-	1	-	-	-	1	2	4
ALL OTHER--MALE----	9	-	-	-	-	-	-	1	-	-	2	1
FEMALE--	13	-	-	-	-	-	-	-	1	2	2	1
BLACK---MALE----	8	-	-	-	-	-	-	1	-	-	2	1
FEMALE--	12	-	-	-	-	-	-	-	1	2	2	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,471  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	2	4	-	8	7	9	13	14	1	-	-	-
WHITE-----MALE----	-	-	-	2	2	2	1	4	-	-	-	-
FEMALE--	2	2	-	6	5	7	12	10	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	4	2	3	9	8	7	4	1	4	-	-	-
WHITE-----MALE----	-	1	1	4	4	1	1	-	-	-	-	-
FEMALE--	2	-	1	4	2	5	2	1	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	1	1	1	-	2	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	1	1	1	-	2	-	-	-
MAINE -----	1	3	1	3	4	5	8	1	1	-	-	-
WHITE-----MALE----	1	2	-	1	1	-	5	-	-	-	-	-
FEMALE--	-	1	1	2	3	5	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	5	6	9	5	14	18	6	6	2	-	-
WHITE-----MALE----	-	2	-	3	2	3	4	2	2	-	-	-
FEMALE--	1	2	5	4	2	11	14	4	4	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	1	1	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	1	-	-	-	-	-	1	-	-
MASSACHUSETTS -----	2	3	4	2	19	18	22	22	18	5	1	-
WHITE-----MALE----	1	1	1	-	6	3	6	1	4	-	-	-
FEMALE--	-	1	3	1	13	14	16	21	14	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
MICHIGAN -----	6	2	7	15	23	28	34	16	11	1	-	-
WHITE-----MALE----	3	1	3	2	2	8	9	2	1	1	-	-
FEMALE--	2	-	3	12	18	18	24	13	9	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	1	1	-	-	-
FEMALE--	-	1	-	1	2	2	1	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	-	-	-	1	-	-	-
FEMALE--	-	1	-	1	2	1	1	-	-	-	-	-











1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,474  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)												
OHIO -----	231	-	1	-	-	-	3	1	-	3	4	6
WHITE-----MALE----	56	-	1	-	-	-	1	-	-	-	2	2
FEMALE--	157	-	-	-	-	-	1	1	-	2	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	1	-	-	1	2	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	5	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	3
OKLAHOMA -----	51	-	1	-	-	1	-	1	2	-	2	1
WHITE-----MALE----	18	-	1	-	-	1	-	-	1	-	1	-
FEMALE--	28	-	-	-	-	-	-	1	1	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	85	-	-	-	-	-	-	2	-	-	1	2
WHITE-----MALE----	28	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	54	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	329	2	-	-	-	-	-	1	-	3	5	11
WHITE-----MALE----	81	2	-	-	-	-	-	-	-	1	-	2
FEMALE--	235	-	-	-	-	-	-	1	-	-	4	9
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	-
RHODE ISLAND -----	16	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	69	-	-	-	-	-	-	-	1	3	5	3
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	32	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	3	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	3	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,474  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 0 CHRONIC RHEUMATIC HEART DISEASE (393-398)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	10	12	15	18	40	36	39	32	10	1	-	-
WHITE-----MALE----	2	5	2	5	9	12	8	5	2	-	-	-
FEMALE--	7	6	10	13	29	24	31	24	7	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	2	-	1	-	-	3	1	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	2	-	1	-	-	2	1	-	-	-
OKLAHOMA -----	4	3	2	10	5	5	3	4	6	1	-	-
WHITE-----MALE----	3	1	1	2	2	3	1	-	1	-	-	-
FEMALE--	1	2	1	4	3	2	2	4	5	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	3	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	2	2	1	5	3	17	24	13	9	3	1	-
WHITE-----MALE----	-	1	-	3	-	5	9	2	4	2	-	-
FEMALE--	1	1	1	2	3	12	15	10	5	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	9	17	14	41	40	61	65	34	19	7	-	-
WHITE-----MALE----	4	6	3	19	6	15	17	3	1	2	-	-
FEMALE--	4	10	10	20	33	45	47	31	16	5	-	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	1	1	-	2	-	-	-
BLACK---MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	1	-	2	-	-	-
RHODE ISLAND -----	-	1	2	1	1	5	5	-	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	2	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	3	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
SOUTH CAROLINA -----	2	1	7	9	12	10	7	7	2	-	-	-
WHITE-----MALE----	2	1	2	-	1	5	4	1	1	-	-	-
FEMALE--	-	-	2	5	8	4	3	6	1	-	-	-
ALL OTHER--MALE----	-	-	1	2	2	-	-	-	-	-	-	-
FEMALE--	-	-	2	2	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	2	2	-	-	-	-	-	-	-
FEMALE--	-	-	2	2	1	1	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,475  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)												
SOUTH DAKOTA -----	15	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	113	-	-	-	-	1	-	-	1	4	3	5
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	74	-	-	-	-	-	-	-	-	-	-	5
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	1	2	2	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	1	2	2	-
TEXAS -----	221	-	-	-	-	1	-	3	4	9	8	9
WHITE-----MALE----	62	-	-	-	-	-	-	2	1	2	2	5
FEMALE--	140	-	-	-	-	1	-	1	3	2	4	3
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	4	1	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	4	1	1
UTAH -----	55	-	-	-	-	-	-	-	-	2	1	5
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	37	-	-	-	-	-	-	-	-	1	1	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	10	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	95	-	-	-	-	-	-	2	1	3	3	1
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	55	-	-	-	-	-	-	1	-	-	3	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	3	-	-
BLACK---MALE----	4	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	3	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,475  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	3	-	4	4	3	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	2	1	2	-	-	-	-
FEMALE--	-	-	-	2	-	2	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	12	14	11	11	11	17	13	6	1	-	-
WHITE-----MALE----	-	1	5	3	1	3	5	2	2	-	-	-
FEMALE--	1	9	9	7	9	7	12	10	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	2	-	1	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	2	-	1	-	1	-	1	-	-	-	-
TEXAS -----	10	15	16	20	39	30	28	17	7	4	1	-
WHITE-----MALE----	2	4	6	7	13	10	5	1	2	-	-	-
FEMALE--	7	8	10	11	23	19	23	16	5	3	1	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	2	-	2	2	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	2	-	2	1	-	-	-	-	1	-	-
UTAH -----	-	2	2	7	8	11	8	9	-	-	-	-
WHITE-----MALE----	-	-	-	2	3	5	4	-	-	-	-	-
FEMALE--	-	2	2	5	5	5	4	9	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	1	-	2	1	3	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	3	9	11	14	13	17	10	5	1	-	-
WHITE-----MALE----	1	1	4	1	5	1	3	2	-	-	-	-
FEMALE--	1	2	2	6	8	12	8	7	4	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	3	1	-	6	1	1	1	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	2	1	-	6	1	1	1	-	-







1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,477  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DISEASES OF MITRAL VALVE (394)												
0 UNITED STATES --	2,347	6	4	1	2	12	13	25	35	57	84	87
WHITE-----MALE----	597	5	2	-	-	2	5	7	8	19	25	24
FEMALE--	1,530	-	1	1	2	5	6	13	20	20	40	52
ALL OTHER--MALE----	65	1	-	-	-	3	1	2	3	2	8	1
FEMALE--	155	-	1	-	-	2	1	3	4	16	11	10
BLACK---MALE----	51	1	-	-	-	3	1	2	2	1	8	-
FEMALE--	121	-	1	-	-	2	1	3	4	14	11	7
ALABAMA -----	34	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	31	-	-	-	-	1	-	-	-	-	1	2
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS -----	19	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	283	1	2	-	1	3	2	2	9	5	12	4
WHITE-----MALE----	63	1	1	-	-	1	1	-	1	1	4	1
FEMALE--	190	-	1	-	1	1	1	2	7	2	7	2
ALL OTHER--MALE----	12	-	-	-	-	1	-	-	1	-	1	-
FEMALE--	18	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	7	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	2	-	-

1           TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996   PLT B   PG 1,477  
0           (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES.   EXCLUDES FETAL DEATHS.   CAUSE-OF-DEATH  
            CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX   50-54   55-59   60-64   65-69   70-74   75-79   80-84   85-89   90-94   95-99   100+   N.S.  
0    DISEASES OF MITRAL VALVE (394)

0	UNITED STATES --	100	134	139	253	317	380	364	222	90	17	5	-
	WHITE-----MALE----	35	36	39	74	82	93	89	34	16	2	-	-
	FEMALE--	43	81	81	149	214	274	259	182	71	13	3	-
	ALL OTHER--MALE----	8	6	6	10	7	3	2	1	1	-	-	-
	FEMALE--	14	11	13	20	14	10	14	5	2	2	2	-
	BLACK---MALE----	6	3	6	9	4	3	1	-	1	-	-	-
	FEMALE--	10	11	9	13	9	8	10	3	2	1	2	-
	ALABAMA -----	1	2	2	9	5	6	4	2	1	-	-	-
	WHITE-----MALE----	-	-	1	2	4	1	1	1	-	-	-	-
	FEMALE--	-	2	1	6	-	5	1	1	1	-	-	-
	ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE--	1	-	-	-	1	-	2	-	-	-	-	-
	BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE--	1	-	-	-	1	-	2	-	-	-	-	-
	ALASKA -----	-	-	-	-	-	-	1	1	-	-	-	-
	WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
	ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	ARIZONA -----	2	-	-	1	6	7	6	4	1	-	-	-
	WHITE-----MALE----	-	-	-	1	1	3	2	1	-	-	-	-
	FEMALE--	1	-	-	-	5	4	4	3	1	-	-	-
	ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	ARKANSAS -----	-	1	-	4	1	7	1	3	-	-	-	-
	WHITE-----MALE----	-	-	-	3	-	1	-	1	-	-	-	-
	FEMALE--	-	-	-	-	1	5	1	2	-	-	-	-
	ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
	BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
	CALIFORNIA -----	11	20	14	26	34	50	38	34	13	1	1	-
	WHITE-----MALE----	6	5	3	6	8	9	10	5	-	-	-	-
	FEMALE--	2	12	8	14	23	38	26	29	12	1	1	-
	ALL OTHER--MALE----	2	1	1	2	2	1	-	-	-	-	-	-
	FEMALE--	1	2	2	4	1	2	2	-	1	-	-	-
	BLACK---MALE----	1	1	1	1	-	1	-	-	-	-	-	-
	FEMALE--	1	2	-	1	-	1	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,478  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DISEASES OF MITRAL VALVE (394)												
COLORADO -----	62	-	-	-	-	-	-	-	-	3	2	5
WHITE-----MALE----	26	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	35	-	-	-	-	-	-	-	-	2	1	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	52	-	-	-	-	-	-	-	-	1	3	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	44	-	-	-	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	4	1	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	158	-	-	-	1	2	1	1	2	2	5	5
WHITE-----MALE----	34	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	115	-	-	-	1	-	1	1	2	1	3	4
ALL OTHER--MALE----	4	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	1	-	-	-	1	1	1
BLACK---MALE----	4	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	1	-	-	-	1	1	-
GEORGIA -----	33	-	-	-	-	1	-	-	-	1	1	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	20	-	-	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,478  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 0 DISEASES OF MITRAL VALVE (394)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	5	5	7	4	9	9	8	3	2	-	-	-
WHITE-----MALE----	4	2	4	2	3	4	2	-	1	-	-	-
FEMALE--	1	3	3	1	6	5	6	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	4	2	10	3	9	7	8	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	2	-	-	-	-	-
FEMALE--	1	4	1	9	2	7	5	8	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	7	12	7	13	23	32	28	13	4	-	-	-
WHITE-----MALE----	3	2	-	6	8	4	4	4	2	-	-	-
FEMALE--	4	9	7	7	15	26	23	9	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
GEORGIA -----	1	-	4	2	8	3	6	3	-	1	1	-
WHITE-----MALE----	1	-	1	2	-	-	2	1	-	-	-	-
FEMALE--	-	-	2	-	6	3	4	2	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	1	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	1	-







1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,480  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DISEASES OF MITRAL VALVE (394)												
KENTUCKY -----	29	-	-	-	-	-	1	3	1	-	1	-
WHITE-----MALE----	8	-	-	-	-	-	1	1	-	-	1	-
FEMALE--	21	-	-	-	-	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	29	-	1	-	-	-	-	1	-	-	2	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	6	-	1	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	6	-	1	-	-	-	-	-	-	-	1	-
MAINE -----	17	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	40	1	-	-	-	1	1	2	-	2	1	2
WHITE-----MALE----	12	1	-	-	-	-	-	2	-	1	1	-
FEMALE--	22	-	-	-	-	-	1	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	1	-	-	-	1	-	-
MASSACHUSETTS -----	55	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	46	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	73	-	-	-	-	1	-	-	2	3	6	4
WHITE-----MALE----	18	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	41	-	-	-	-	1	-	-	-	1	1	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	8	-	-	-	-	-	-	-	1	2	2	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	8	-	-	-	-	-	-	-	1	2	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,480  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 DISEASES OF MITRAL VALVE (394)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	-	-	-	4	4	4	6	5	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	1	1	-	-	-	-
FEMALE--	-	-	-	4	3	2	5	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	2	1	7	5	6	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	3	2	1	1	-	-	-	-	-
FEMALE--	1	-	1	3	2	4	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	-	-	-	-	-
MAINE -----	1	2	-	2	3	2	4	1	1	-	-	-
WHITE-----MALE----	1	2	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	2	3	2	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	1	3	4	-	7	9	2	2	-	-	-
WHITE-----MALE----	-	1	-	2	-	2	2	-	-	-	-	-
FEMALE--	-	-	2	1	-	5	7	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	1	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	1	1	-	11	10	8	14	6	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	2	-	2	-	-	-
FEMALE--	-	-	1	-	10	10	6	14	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	4	1	4	7	5	14	12	5	5	-	-	-
WHITE-----MALE----	1	1	1	1	1	4	4	-	1	-	-	-
FEMALE--	2	-	2	5	4	9	7	4	3	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-











1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,483  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 0 DISEASES OF MITRAL VALVE (394)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	6	8	6	11	16	13	22	12	2	1	-	-
WHITE-----MALE----	-	4	1	3	3	6	4	1	-	-	-	-
FEMALE--	6	4	4	8	12	7	18	10	2	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
OKLAHOMA -----	2	3	2	4	3	4	2	1	2	-	-	-
WHITE-----MALE----	1	1	1	-	2	2	-	-	-	-	-	-
FEMALE--	1	2	1	3	1	2	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	1	-	3	2	8	13	4	3	1	-	-
WHITE-----MALE----	-	1	-	2	-	2	6	1	1	1	-	-
FEMALE--	-	-	-	1	2	6	7	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	7	11	6	18	15	28	22	12	7	1	-	-
WHITE-----MALE----	3	3	-	8	-	6	5	1	1	-	-	-
FEMALE--	3	8	5	9	14	21	17	11	5	1	-	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	1	-	-	-
RHODE ISLAND -----	-	1	2	1	1	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	1	2	5	10	4	2	1	2	-	-	-
WHITE-----MALE----	1	1	-	-	1	2	1	-	1	-	-	-
FEMALE--	-	-	1	4	6	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	-	-	-	-	-	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,484  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DISEASES OF MITRAL VALVE (394)												
SOUTH DAKOTA -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	55	-	-	-	-	1	-	-	1	3	1	3
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	2	1	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	2	1	-
TEXAS -----	114	-	-	-	-	1	-	1	2	4	7	5
WHITE-----MALE----	29	-	-	-	-	-	-	1	1	1	2	2
FEMALE--	79	-	-	-	-	1	-	-	1	2	3	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	1	-
UTAH -----	16	-	-	-	-	-	-	-	-	2	1	4
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	11	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	59	-	-	-	-	-	-	2	1	2	3	1
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	1	-	-	3	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	4	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,484  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 DISEASES OF MITRAL VALVE (394)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	1	-	1	3	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	5	5	4	4	5	9	7	4	-	-	-
WHITE-----MALE----	-	-	2	1	-	1	4	1	1	-	-	-
FEMALE--	1	5	3	2	3	4	5	5	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	1	-	-	-	-
TEXAS -----	6	10	8	7	20	15	14	7	4	2	1	-
WHITE-----MALE----	1	2	2	2	7	5	2	-	1	-	-	-
FEMALE--	4	6	6	5	13	10	12	7	3	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	1	-	2	2	-	1	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	2	1	-	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	-	-	1	1	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	3	7	8	8	9	7	4	1	1	-	-
WHITE-----MALE----	1	1	4	1	4	1	1	1	-	-	-	-
FEMALE--	1	2	1	4	4	8	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	4	1	-	1	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	4	1	-	1	-	-











1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,487  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 0 DISEASES OF AORTIC VALVE (395)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	-	-	-	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	1	-	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	2	-	-	-	5	3	2	1	1	1	-	-
WHITE-----MALE----	2	-	-	-	1	3	2	-	-	-	-	-
FEMALE--	-	-	-	-	3	-	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
GEORGIA -----	-	-	1	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-



































1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,495  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 DISEASES OF MITRAL AND AORTIC VALVES (396)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	20	29	45	71	119	150	169	158	77	25	2	-
WHITE-----MALE----	7	12	15	29	45	58	53	38	11	6	-	-
FEMALE--	9	11	22	36	63	83	113	112	63	18	2	-
ALL OTHER--MALE----	2	1	3	2	7	3	1	3	-	-	-	-
FEMALE--	2	5	5	4	4	6	2	5	3	1	-	-
BLACK---MALE----	1	-	1	1	5	1	-	2	-	-	-	-
FEMALE--	2	4	3	2	3	5	1	1	3	1	-	-
ALABAMA -----	-	-	1	1	2	2	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	1	1	1	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	1	2	-	2	1	1	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	1	2	-	2	-	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	3	8	9	11	17	24	26	18	9	3	-	-
WHITE-----MALE----	-	2	4	5	9	9	10	2	-	1	-	-
FEMALE--	1	3	4	5	6	12	16	13	9	2	-	-
ALL OTHER--MALE----	1	1	-	1	2	1	-	-	-	-	-	-
FEMALE--	1	2	1	-	-	2	-	3	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	2	-	-	-	-	-	-





1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,496  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 DISEASES OF MITRAL AND AORTIC VALVES (396)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	1	1	-	1	4	2	3	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	1	-	2	-	-	-	-
FEMALE--	-	1	-	-	-	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	2	1	3	1	1	1	1	-	-
WHITE-----MALE----	-	-	-	2	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	1	3	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	2	-	1	9	10	14	14	16	2	2	-	-
WHITE-----MALE----	2	-	-	5	5	6	4	5	-	-	-	-
FEMALE--	-	-	1	4	4	7	10	11	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
GEORGIA -----	-	1	1	-	1	3	1	2	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-







1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,498  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 0 DISEASES OF MITRAL AND AORTIC VALVES (396)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	1	-	-	-	3	3	2	5	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	2	-	-	-	-
FEMALE--	1	-	-	-	2	3	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	1	-	1	-	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
MAINE -----	-	-	-	-	-	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	1	-	2	3	5	3	2	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	2	1	-	-	-
FEMALE--	1	-	-	2	2	5	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	1	-	-	2	1	5	4	3	2	1	-
WHITE-----MALE----	-	-	-	-	2	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	4	3	2	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	-	1	2	6	6	7	6	3	1	-	-
WHITE-----MALE----	1	-	1	-	-	2	4	-	-	1	-	-
FEMALE--	-	-	-	2	3	4	3	6	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-











1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,501  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
0 DISEASES OF MITRAL AND AORTIC VALVES (396)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	38	-	1	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	12	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	11	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	14	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	67	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	44	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
RHODE ISLAND -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	12	-	-	-	-	-	-	-	-	1	-	2
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1





1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,502  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 0 DISEASES OF MITRAL AND AORTIC VALVES (396)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	3	3	1	2	-	4	3	-	-	-	-
WHITE-----MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	2	2	-	2	-	4	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	1	4	3	7	5	4	5	3	2	-	-
WHITE-----MALE----	-	1	2	1	2	2	1	-	1	-	-	-
FEMALE--	-	-	2	1	5	3	3	5	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-
UTAH -----	-	-	2	-	2	1	3	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	2	-	1	1	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	-	1	1	2	3	4	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-









1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,504  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	54	57	108	140	227	226	238	189	79	21	3	-
WHITE-----MALE----	18	11	34	29	55	68	49	33	20	1	-	-
FEMALE--	26	33	59	93	155	148	179	145	56	20	3	-
ALL OTHER--MALE----	3	2	2	7	6	4	3	5	-	-	-	-
FEMALE--	7	11	13	11	11	6	7	6	3	-	-	-
BLACK---MALE----	2	1	2	5	5	3	1	2	-	-	-	-
FEMALE--	6	8	10	7	6	2	7	6	3	-	-	-
ALABAMA -----	1	-	3	2	2	2	3	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	1	3	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	1	-	-	-	-	-	-
ALASKA -----	-	-	1	-	2	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	-	3	2	5	5	1	1	1	1	-	-
WHITE-----MALE----	-	-	1	-	3	3	-	1	1	-	-	-
FEMALE--	2	-	2	1	2	2	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	2	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	4	3	5	9	20	19	19	16	9	3	2	-
WHITE-----MALE----	2	1	1	1	3	7	3	7	3	1	-	-
FEMALE--	1	2	2	7	14	11	15	7	6	2	2	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	2	-	-	-	-
FEMALE--	1	-	2	-	3	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	1	-	2	-	2	-	-	-	-	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,505  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
0 ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	29	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	23	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	3	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	84	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	55	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	20	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,505  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	2	1	2	7	3	4	5	3	1	-	-
WHITE-----MALE----	-	1	1	-	3	2	2	-	2	-	-	-
FEMALE--	-	1	-	2	4	1	2	5	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	3	1	-	1	6	2	7	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	5	-	-	-	-	-	-
FEMALE--	1	3	1	-	1	1	2	7	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	3	6	8	7	14	13	12	15	4	-	-	-
WHITE-----MALE----	2	3	1	1	2	6	5	3	-	-	-	-
FEMALE--	1	2	5	6	11	7	7	12	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	2	-	-	-	-	-	-	-	-	-
GEORGIA -----	1	1	-	3	-	5	2	5	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	3	1	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	-	-	-	-	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,506  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	1	1	2	2	2	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	2	1	-	-	1	-	-	-	-
FEMALE--	-	1	2	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	-	-	-	-	2	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2	1	2	6	9	7	8	6	3	1	-	-
WHITE-----MALE----	-	-	-	1	1	2	-	1	1	-	-	-
FEMALE--	1	-	1	5	8	5	8	5	2	1	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA -----	-	3	6	1	6	2	2	1	1	-	-	-
WHITE-----MALE----	-	-	1	-	2	-	-	1	-	-	-	-
FEMALE--	-	3	5	-	4	2	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
IOWA -----	1	2	1	1	-	2	9	1	1	1	-	-
WHITE-----MALE----	-	-	1	-	-	-	2	1	-	-	-	-
FEMALE--	1	2	-	1	-	2	7	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1	-	3	1	1	2	2	3	2	1	-	-
WHITE-----MALE----	-	-	2	1	1	1	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	1	2	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-



















1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,511  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
0 ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	35	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
TEXAS -----	61	-	-	-	-	-	-	1	2	5	1	2
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	33	-	-	-	-	-	-	1	2	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	3	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	3	-	1
UTAH -----	29	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	22	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,511  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	2	-	3	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	4	6	6	5	6	1	2	1	1	-	-
WHITE-----MALE----	-	-	2	1	1	2	-	-	1	-	-	-
FEMALE--	-	2	4	5	4	3	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	1	-	-	-	-	-	-
TEXAS -----	4	4	3	8	11	9	6	5	-	-	-	-
WHITE-----MALE----	1	1	2	2	4	2	2	1	-	-	-	-
FEMALE--	3	2	1	5	4	6	4	4	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
UTAH -----	-	1	-	5	4	10	4	4	-	-	-	-
WHITE-----MALE----	-	-	-	2	1	5	2	-	-	-	-	-
FEMALE--	-	1	-	3	3	4	2	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	2	2	4	3	8	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	3	3	6	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	-	-	-	-	-







1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,513  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
HYPERTENSIVE DISEASE (401-404)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	41,634	8	-	2	2	11	38	82	189	394	755	1,216
WHITE-----MALE----	12,229	2	-	-	-	4	9	20	63	146	240	436
FEMALE--	18,580	3	-	2	-	1	3	8	21	44	100	166
ALL OTHER--MALE----	5,062	1	-	-	2	2	20	31	69	127	244	364
FEMALE--	5,763	2	-	-	-	4	6	23	36	77	171	250
BLACK---MALE----	4,691	1	-	-	2	2	18	30	63	120	231	349
FEMALE--	5,407	2	-	-	-	3	6	23	35	74	169	244
ALABAMA -----	650	-	-	-	-	2	1	2	3	5	15	18
WHITE-----MALE----	122	-	-	-	-	-	-	-	2	-	2	3
FEMALE--	215	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	151	-	-	-	-	1	1	-	1	4	10	7
FEMALE--	162	-	-	-	-	1	-	2	-	1	2	7
BLACK---MALE----	151	-	-	-	-	1	1	-	1	4	10	7
FEMALE--	162	-	-	-	-	1	-	2	-	1	2	7
ALASKA -----	26	-	-	-	-	-	-	-	-	-	2	3
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	416	-	-	-	-	-	-	-	1	4	3	3
WHITE-----MALE----	127	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	260	-	-	-	-	-	-	-	-	2	2	2
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	337	-	-	-	-	-	-	2	1	4	4	12
WHITE-----MALE----	98	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	128	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	53	-	-	-	-	-	-	1	1	-	2	3
FEMALE--	58	-	-	-	-	-	-	1	-	3	1	2
BLACK---MALE----	53	-	-	-	-	-	-	1	1	-	2	3
FEMALE--	58	-	-	-	-	-	-	1	-	3	1	2
CALIFORNIA -----	4,900	-	-	1	-	1	7	16	21	49	79	132
WHITE-----MALE----	1,518	-	-	-	-	1	2	4	11	16	19	54
FEMALE--	2,246	-	-	1	-	-	-	1	1	6	21	22
ALL OTHER--MALE----	554	-	-	-	-	-	5	5	7	17	20	31
FEMALE--	582	-	-	-	-	-	-	6	2	10	19	25
BLACK---MALE----	378	-	-	-	-	-	3	5	6	13	16	26
FEMALE--	417	-	-	-	-	-	-	6	2	9	18	22

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,513  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
HYPERTENSIVE DISEASE (401-404)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	1,569	1,830	2,417	3,136	4,443	5,654	6,586	6,633	4,482	1,751	431	5
WHITE-----MALE----	591	723	906	1,216	1,572	1,833	1,866	1,556	791	213	41	1
FEMALE--	255	342	563	877	1,580	2,442	3,477	4,033	3,066	1,293	302	2
ALL OTHER--MALE----	444	461	521	533	607	601	431	353	188	52	9	2
FEMALE--	279	304	427	510	684	778	812	691	437	193	79	-
BLACK---MALE----	424	434	495	499	563	558	387	294	164	47	8	2
FEMALE--	270	297	400	480	638	721	752	640	402	178	73	-
ALABAMA -----	24	38	44	43	72	87	100	104	68	20	4	-
WHITE-----MALE----	5	10	15	13	9	14	18	16	11	4	-	-
FEMALE--	5	4	5	12	22	32	37	54	31	10	1	-
ALL OTHER--MALE----	12	10	13	10	23	18	15	16	8	2	-	-
FEMALE--	2	14	11	8	18	23	30	18	18	4	3	-
BLACK---MALE----	12	10	13	10	23	18	15	16	8	2	-	-
FEMALE--	2	14	11	8	18	23	30	18	18	4	3	-
ALASKA -----	2	1	5	-	3	3	1	3	1	2	-	-
WHITE-----MALE----	-	1	1	-	1	-	-	1	1	-	-	-
FEMALE--	1	-	3	-	1	2	-	2	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	8	11	23	26	43	71	75	67	52	23	5	1
WHITE-----MALE----	4	6	14	12	16	17	27	14	12	2	-	-
FEMALE--	1	2	4	11	26	50	45	49	40	20	5	1
ALL OTHER--MALE----	2	-	3	2	-	1	-	2	-	-	-	-
FEMALE--	1	3	2	1	1	3	2	2	-	1	-	-
BLACK---MALE----	1	-	1	2	-	1	-	1	-	-	-	-
FEMALE--	1	3	-	1	-	3	1	2	-	1	-	-
ARKANSAS -----	20	9	27	21	30	44	66	53	31	11	2	-
WHITE-----MALE----	5	5	7	10	11	12	20	18	2	2	-	-
FEMALE--	3	1	8	5	9	13	27	29	21	7	2	-
ALL OTHER--MALE----	6	2	7	2	6	8	12	2	1	-	-	-
FEMALE--	6	1	5	4	4	11	7	4	7	2	-	-
BLACK---MALE----	6	2	7	2	6	8	12	2	1	-	-	-
FEMALE--	6	1	5	4	4	11	7	4	7	2	-	-
CALIFORNIA -----	158	193	245	358	484	680	810	795	581	233	57	-
WHITE-----MALE----	67	83	114	136	179	233	246	194	118	36	5	-
FEMALE--	27	39	73	115	184	293	417	461	376	165	44	-
ALL OTHER--MALE----	44	44	25	52	60	80	57	68	32	7	-	-
FEMALE--	20	27	33	55	61	74	90	72	55	25	8	-
BLACK---MALE----	39	34	19	38	38	54	33	34	16	4	-	-
FEMALE--	17	24	26	39	39	51	64	46	33	16	5	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,514  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
 HYPERTENSIVE DISEASE (401-404)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	313	1	-	-	-	-	-	-	-	4	6	4
WHITE-----MALE----	98	-	-	-	-	-	-	-	-	1	3	-
FEMALE--	193	1	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	13	-	-	-	-	-	-	-	-	2	1	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	12	-	-	-	-	-	-	-	-	2	1	1
CONNECTICUT -----	417	-	-	-	-	-	-	1	2	6	9	13
WHITE-----MALE----	135	-	-	-	-	-	-	-	1	2	5	10
FEMALE--	215	-	-	-	-	-	-	-	1	1	-	2
ALL OTHER--MALE----	39	-	-	-	-	-	-	1	-	2	4	1
FEMALE--	28	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	39	-	-	-	-	-	-	1	-	2	4	1
FEMALE--	26	-	-	-	-	-	-	-	-	1	-	-
DELAWARE -----	119	-	-	-	-	-	-	1	1	1	2	3
WHITE-----MALE----	33	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	47	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	1	1	-	1	1
FEMALE--	23	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	16	-	-	-	-	-	-	1	1	-	1	1
FEMALE--	23	-	-	-	-	-	-	-	-	1	1	-
DISTRICT OF COLUMBIA ----	237	-	-	-	1	-	1	1	-	1	3	14
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	100	-	-	-	1	-	-	-	-	1	1	9
FEMALE--	104	-	-	-	-	-	1	1	-	-	2	5
BLACK---MALE----	99	-	-	-	1	-	-	-	-	1	1	9
FEMALE--	104	-	-	-	-	-	1	1	-	-	2	5
FLORIDA -----	3,146	-	-	-	-	-	1	8	9	35	52	79
WHITE-----MALE----	1,092	-	-	-	-	-	-	2	4	13	24	34
FEMALE--	1,336	-	-	-	-	-	-	-	-	4	7	17
ALL OTHER--MALE----	334	-	-	-	-	-	1	3	4	15	13	16
FEMALE--	384	-	-	-	-	-	-	3	1	3	8	12
BLACK---MALE----	328	-	-	-	-	-	1	3	4	14	13	16
FEMALE--	373	-	-	-	-	-	-	3	1	3	8	12
GEORGIA -----	1,150	-	-	-	-	-	2	-	7	15	29	56
WHITE-----MALE----	226	-	-	-	-	-	-	-	2	2	2	10
FEMALE--	336	-	-	-	-	-	-	-	-	1	3	5
ALL OTHER--MALE----	249	-	-	-	-	-	1	-	4	9	14	20
FEMALE--	339	-	-	-	-	-	1	-	1	3	10	21
BLACK---MALE----	248	-	-	-	-	-	1	-	4	9	14	20
FEMALE--	339	-	-	-	-	-	1	-	1	3	10	21

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,514  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
HYPERTENSIVE DISEASE (401-404)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	8	12	12	20	29	37	44	64	45	18	9	-
WHITE-----MALE----	4	10	4	9	12	15	14	18	5	2	1	-
FEMALE--	3	1	4	11	16	21	28	43	39	16	8	-
ALL OTHER--MALE----	-	1	2	-	-	-	1	-	1	-	-	-
FEMALE--	1	-	2	-	1	1	1	3	-	-	-	-
BLACK---MALE----	-	1	2	-	-	-	1	-	1	-	-	-
FEMALE--	1	-	2	-	-	1	3	-	-	-	-	-
CONNECTICUT -----	16	20	34	26	48	53	60	69	40	15	5	-
WHITE-----MALE----	7	8	13	9	18	23	11	15	9	4	-	-
FEMALE--	2	3	10	11	24	23	44	47	31	11	5	-
ALL OTHER--MALE----	3	6	7	3	2	5	2	3	-	-	-	-
FEMALE--	4	3	4	3	4	2	3	4	-	-	-	-
BLACK---MALE----	3	6	7	3	2	5	2	3	-	-	-	-
FEMALE--	4	3	4	2	4	2	3	3	-	-	-	-
DELAWARE -----	5	16	5	8	17	17	14	17	10	2	-	-
WHITE-----MALE----	2	5	-	4	9	4	1	4	2	-	-	-
FEMALE--	1	4	3	1	3	7	9	10	7	2	-	-
ALL OTHER--MALE----	1	4	-	-	3	3	1	-	-	-	-	-
FEMALE--	1	3	2	3	2	3	3	3	1	-	-	-
BLACK---MALE----	1	4	-	-	3	3	1	-	-	-	-	-
FEMALE--	1	3	2	3	2	3	3	3	1	-	-	-
DISTRICT OF COLUMBIA -----	10	15	16	22	36	30	30	29	20	6	2	-
WHITE-----MALE----	1	1	1	1	4	2	2	3	-	-	-	-
FEMALE--	-	-	-	-	2	1	2	4	6	3	-	-
ALL OTHER--MALE----	5	7	9	14	18	17	10	4	3	1	-	-
FEMALE--	4	7	6	7	12	10	16	18	11	2	2	-
BLACK---MALE----	5	7	9	13	18	17	10	4	3	1	-	-
FEMALE--	4	7	6	7	12	10	16	18	11	2	2	-
FLORIDA -----	116	155	226	248	343	440	504	489	307	103	31	-
WHITE-----MALE----	51	62	82	123	141	173	168	137	64	10	4	-
FEMALE--	20	26	48	59	123	183	262	282	204	81	20	-
ALL OTHER--MALE----	26	43	53	36	36	35	22	18	11	1	1	-
FEMALE--	19	24	43	30	43	49	52	52	28	11	6	-
BLACK---MALE----	24	42	53	35	35	35	22	18	11	1	1	-
FEMALE--	19	24	41	30	39	47	50	52	27	11	6	-
GEORGIA -----	69	58	79	113	106	163	179	162	73	32	7	-
WHITE-----MALE----	18	21	15	30	29	33	33	26	4	-	1	-
FEMALE--	6	6	15	24	19	49	69	76	42	19	2	-
ALL OTHER--MALE----	24	16	28	28	23	38	25	12	5	2	-	-
FEMALE--	21	15	21	31	35	43	52	48	22	11	4	-
BLACK---MALE----	24	16	27	28	23	38	25	12	5	2	-	-
FEMALE--	21	15	21	31	35	43	52	48	22	11	4	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,515  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
HYPERTENSIVE DISEASE (401-404)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	121	-	-	-	-	1	-	-	1	-	3	-
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	47	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	43	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	105	-	-	-	-	-	-	-	1	-	3	-
WHITE-----MALE----	27	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	74	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,850	1	-	-	-	-	3	3	7	25	38	70
WHITE-----MALE----	489	-	-	-	-	-	-	-	2	11	8	11
FEMALE--	829	1	-	-	-	-	-	-	-	1	1	10
ALL OTHER--MALE----	263	-	-	-	-	-	2	3	5	9	21	34
FEMALE--	269	-	-	-	-	-	1	-	-	4	8	15
BLACK---MALE----	249	-	-	-	-	-	2	3	4	9	21	33
FEMALE--	268	-	-	-	-	-	1	-	-	4	8	15
INDIANA -----	681	1	-	-	-	-	2	2	2	2	9	8
WHITE-----MALE----	182	-	-	-	-	-	-	-	1	1	4	4
FEMALE--	391	-	-	-	-	-	1	1	-	1	2	3
ALL OTHER--MALE----	50	-	-	-	-	-	1	1	-	-	2	1
FEMALE--	58	1	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	50	-	-	-	-	-	1	1	-	-	2	1
FEMALE--	58	1	-	-	-	-	-	-	1	-	1	-
IOWA -----	491	-	-	-	-	-	-	3	1	5	5	11
WHITE-----MALE----	199	-	-	-	-	-	-	-	-	3	3	5
FEMALE--	276	-	-	-	-	-	-	3	1	-	2	3
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	2	-	3
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	317	-	-	-	-	1	-	-	-	4	4	3
WHITE-----MALE----	99	-	-	-	-	1	-	-	-	1	-	1
FEMALE--	177	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	1	3	1
FEMALE--	21	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	17	-	-	-	-	-	-	-	-	1	3	-
FEMALE--	19	-	-	-	-	-	-	-	-	1	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,515  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
HYPERTENSIVE DISEASE (401-404)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	4	5	6	10	12	21	18	23	12	5	-	-
WHITE-----MALE----	2	1	1	1	1	2	3	1	2	-	-	-
FEMALE--	-	-	1	2	1	1	4	7	-	-	-	-
ALL OTHER--MALE----	1	4	1	3	6	8	5	7	7	2	-	-
FEMALE--	1	-	3	4	4	10	6	8	3	3	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	1	2	6	7	12	20	24	20	5	3	-
WHITE-----MALE----	-	-	-	4	1	3	5	6	4	1	1	-
FEMALE--	1	1	-	2	5	8	15	18	16	4	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ILLINOIS -----	78	67	118	132	235	221	268	290	181	85	28	-
WHITE-----MALE----	21	17	38	45	67	69	75	67	39	16	3	-
FEMALE--	11	17	27	36	88	91	151	185	132	57	21	-
ALL OTHER--MALE----	30	19	27	24	37	25	15	7	2	2	1	-
FEMALE--	16	14	26	27	43	36	27	31	8	10	3	-
BLACK---MALE----	29	18	25	23	35	22	13	7	2	2	1	-
FEMALE--	16	14	26	27	43	36	27	30	8	10	3	-
INDIANA -----	10	23	22	38	73	95	126	129	91	36	12	-
WHITE-----MALE----	1	7	8	17	22	32	37	30	13	3	2	-
FEMALE--	5	7	7	13	37	44	75	81	71	33	10	-
ALL OTHER--MALE----	3	6	5	4	8	9	5	3	2	-	-	-
FEMALE--	1	3	2	4	6	10	9	15	5	-	-	-
BLACK---MALE----	3	6	5	4	8	9	5	3	2	-	-	-
FEMALE--	1	3	2	4	6	10	9	15	5	-	-	-
IOWA -----	13	14	19	28	43	64	70	95	82	26	12	-
WHITE-----MALE----	9	8	10	16	22	39	25	30	26	2	1	-
FEMALE--	2	5	5	12	20	24	44	64	56	24	11	-
ALL OTHER--MALE----	1	1	4	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	1	1	4	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	1	-	-	-	-
KANSAS -----	7	5	16	22	20	43	60	57	54	15	6	-
WHITE-----MALE----	3	3	6	9	10	17	17	17	10	2	2	-
FEMALE--	1	2	5	7	9	19	41	35	40	12	4	-
ALL OTHER--MALE----	2	-	3	4	-	2	1	2	1	-	-	-
FEMALE--	1	-	2	2	1	5	1	3	3	1	-	-
BLACK---MALE----	2	-	3	4	-	2	-	1	1	-	-	-
FEMALE--	1	-	2	2	1	4	1	2	3	1	-	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,516  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HYPERTENSIVE DISEASE (401-404)												
KENTUCKY -----	482	1	-	-	-	-	-	1	1	4	5	11
WHITE-----MALE----	161	-	-	-	-	-	-	-	-	2	2	7
FEMALE--	248	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	39	1	-	-	-	-	-	1	-	-	1	4
FEMALE--	34	-	-	-	-	-	-	-	1	-	2	-
BLACK---MALE----	39	1	-	-	-	-	-	1	-	-	1	4
FEMALE--	34	-	-	-	-	-	-	-	1	-	2	-
LOUISIANA -----	1,160	-	-	-	1	-	-	2	5	6	31	39
WHITE-----MALE----	240	-	-	-	-	-	-	-	-	1	7	7
FEMALE--	371	-	-	-	-	-	-	1	1	1	2	5
ALL OTHER--MALE----	241	-	-	-	1	-	-	-	3	2	13	14
FEMALE--	308	-	-	-	-	-	-	1	1	2	9	13
BLACK---MALE----	239	-	-	-	1	-	-	-	3	2	13	14
FEMALE--	305	-	-	-	-	-	-	1	1	2	9	13
MAINE -----	145	-	-	1	-	-	-	-	-	1	-	4
WHITE-----MALE----	53	-	-	-	-	-	-	-	-	1	-	4
FEMALE--	92	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,011	-	-	-	-	-	1	-	4	12	22	39
WHITE-----MALE----	243	-	-	-	-	-	-	-	-	5	8	10
FEMALE--	359	-	-	-	-	-	-	-	-	-	-	5
ALL OTHER--MALE----	201	-	-	-	-	-	1	-	1	5	8	15
FEMALE--	208	-	-	-	-	-	-	-	3	2	6	9
BLACK---MALE----	197	-	-	-	-	-	1	-	1	5	7	15
FEMALE--	203	-	-	-	-	-	-	-	3	2	5	9
MASSACHUSETTS -----	589	-	-	-	-	-	-	2	2	5	8	14
WHITE-----MALE----	216	-	-	-	-	-	-	2	2	2	6	10
FEMALE--	330	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	27	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	16	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	24	-	-	-	-	-	-	-	-	1	-	1
MICHIGAN -----	1,524	-	-	-	-	-	2	3	10	16	34	66
WHITE-----MALE----	484	-	-	-	-	-	1	1	4	6	10	18
FEMALE--	702	-	-	-	-	-	-	1	2	2	4	9
ALL OTHER--MALE----	168	-	-	-	-	-	-	1	2	6	14	27
FEMALE--	170	-	-	-	-	-	1	-	2	2	6	12
BLACK---MALE----	163	-	-	-	-	-	-	1	2	6	14	26
FEMALE--	162	-	-	-	-	-	1	-	2	2	6	12

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,516  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
HYPERTENSIVE DISEASE (401-404)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	18	16	25	47	57	62	83	85	47	13	6	-
WHITE-----MALE----	10	7	10	26	21	20	25	19	10	2	-	-
FEMALE--	3	6	10	13	30	34	46	56	34	10	4	-
ALL OTHER--MALE----	1	2	4	6	4	5	6	3	-	1	-	-
FEMALE--	4	1	1	2	2	3	6	7	3	-	2	-
BLACK---MALE----	1	2	4	6	4	5	6	3	-	1	-	-
FEMALE--	4	1	1	2	2	3	6	7	3	-	2	-
LOUISIANA -----	39	50	72	90	130	161	174	199	100	52	9	-
WHITE-----MALE----	7	13	25	32	30	35	32	38	12	1	-	-
FEMALE--	2	5	11	10	29	58	67	85	59	32	3	-
ALL OTHER--MALE----	21	18	19	26	32	22	23	27	11	7	2	-
FEMALE--	9	14	17	22	39	46	52	49	18	12	4	-
BLACK---MALE----	21	17	19	26	31	22	23	27	11	7	2	-
FEMALE--	9	14	17	22	39	44	51	49	18	12	4	-
MAINE -----	3	6	2	11	11	11	35	32	17	10	1	-
WHITE-----MALE----	3	6	-	6	3	4	11	8	6	1	-	-
FEMALE--	-	-	2	5	8	7	24	24	11	9	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	55	44	68	84	114	132	146	162	88	25	14	1
WHITE-----MALE----	19	13	15	19	33	39	35	31	12	3	1	-
FEMALE--	6	7	13	22	33	49	67	79	53	16	9	-
ALL OTHER--MALE----	18	17	23	23	27	17	23	13	5	4	-	1
FEMALE--	12	7	17	20	21	27	21	39	18	2	4	-
BLACK---MALE----	18	17	22	22	27	17	22	13	5	4	-	1
FEMALE--	12	7	17	19	21	25	20	39	18	2	4	-
MASSACHUSETTS -----	22	30	20	33	55	65	96	102	79	45	11	-
WHITE-----MALE----	12	16	15	13	28	21	36	29	20	3	1	-
FEMALE--	7	7	2	15	25	38	59	68	57	39	10	-
ALL OTHER--MALE----	2	3	-	1	2	2	-	1	1	1	-	-
FEMALE--	1	4	3	4	-	4	1	4	1	2	-	-
BLACK---MALE----	2	3	-	1	2	2	-	1	1	1	-	-
FEMALE--	1	4	3	3	-	4	1	4	-	2	-	-
MICHIGAN -----	70	71	75	100	166	210	224	236	160	57	24	-
WHITE-----MALE----	27	26	28	39	76	72	84	59	24	8	1	-
FEMALE--	9	16	25	27	55	97	113	151	125	45	21	-
ALL OTHER--MALE----	21	12	10	12	16	19	11	12	5	-	-	-
FEMALE--	13	17	12	22	19	22	16	14	6	4	2	-
BLACK---MALE----	20	12	10	12	16	19	9	11	5	-	-	-
FEMALE--	13	17	10	22	17	20	14	14	6	4	2	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,517  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 HYPERTENSIVE DISEASE (401-404)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	10	13	28	31	47	50	101	121	87	36	8	-
WHITE-----MALE----	5	4	16	14	29	22	26	35	18	6	-	-
FEMALE--	2	5	7	16	17	26	74	82	69	29	7	-
ALL OTHER--MALE----	2	2	1	1	1	1	-	2	-	-	-	-
FEMALE--	1	2	4	-	-	1	1	2	-	1	1	-
BLACK---MALE----	2	2	1	1	1	-	-	1	-	-	-	-
FEMALE--	-	1	4	-	-	1	1	2	-	1	1	-
MISSISSIPPI -----	33	33	46	55	64	104	110	100	91	27	5	-
WHITE-----MALE----	2	9	12	16	16	23	15	14	8	1	-	-
FEMALE--	4	4	5	6	10	35	49	46	53	17	1	-
ALL OTHER--MALE----	16	13	15	12	14	24	17	15	8	1	1	-
FEMALE--	11	7	14	21	24	22	29	25	22	8	3	-
BLACK---MALE----	16	13	15	12	14	24	17	15	8	1	1	-
FEMALE--	11	7	14	21	24	22	28	25	21	8	3	-
MISSOURI -----	39	39	46	68	97	114	139	141	99	36	8	-
WHITE-----MALE----	8	8	13	26	31	35	39	33	15	2	-	-
FEMALE--	7	9	13	23	33	56	76	96	71	31	6	-
ALL OTHER--MALE----	12	16	11	8	9	10	8	1	4	1	-	-
FEMALE--	12	6	9	11	24	13	16	11	9	2	2	-
BLACK---MALE----	11	16	11	8	9	10	8	1	4	1	-	-
FEMALE--	12	6	9	11	24	13	16	11	9	2	2	-
MONTANA -----	2	4	3	2	7	10	17	14	12	7	3	-
WHITE-----MALE----	1	1	2	2	5	4	9	3	3	-	-	-
FEMALE--	-	3	1	-	2	6	8	11	9	7	3	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	7	8	16	21	17	36	48	34	11	1	-
WHITE-----MALE----	-	3	6	5	11	10	7	9	5	1	-	-
FEMALE--	-	4	1	7	9	5	25	38	29	9	-	-
ALL OTHER--MALE----	-	-	1	3	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	1	-	1	1	-
BLACK---MALE----	-	-	1	3	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	1	-	1	1	-
NEVADA -----	24	24	39	65	45	52	54	35	20	9	1	-
WHITE-----MALE----	14	11	27	31	27	25	15	9	3	2	-	-
FEMALE--	5	9	7	22	14	24	32	25	14	7	1	-
ALL OTHER--MALE----	2	3	2	11	1	1	2	1	1	-	-	-
FEMALE--	3	1	3	1	3	2	5	-	2	-	-	-
BLACK---MALE----	2	2	2	7	-	1	2	1	1	-	-	-
FEMALE--	3	1	1	1	2	1	4	-	2	-	-	-





1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,519  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
HYPERTENSIVE DISEASE (401-404)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	1,823	2	-	-	-	-	2	5	4	17	30	38
WHITE-----MALE----	526	1	-	-	-	-	-	2	1	8	11	12
FEMALE--	940	-	-	-	-	-	1	-	-	2	3	6
ALL OTHER--MALE----	165	-	-	-	-	-	1	1	1	3	11	15
FEMALE--	192	1	-	-	-	-	-	2	2	4	5	5
BLACK---MALE----	163	-	-	-	-	-	1	1	1	3	10	15
FEMALE--	189	1	-	-	-	-	-	2	2	4	5	5
OKLAHOMA -----	323	-	-	-	-	-	-	-	1	2	10	2
WHITE-----MALE----	83	-	-	-	-	-	-	-	-	2	3	-
FEMALE--	159	-	-	-	-	-	-	-	-	-	3	-
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	1	-	3	1
FEMALE--	47	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	28	-	-	-	-	-	-	-	1	-	3	1
FEMALE--	43	-	-	-	-	-	-	-	-	-	1	1
OREGON -----	405	-	-	-	-	-	-	-	1	1	2	6
WHITE-----MALE----	126	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	257	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,766	-	-	-	-	-	1	2	10	11	27	32
WHITE-----MALE----	557	-	-	-	-	-	-	1	6	4	11	15
FEMALE--	925	-	-	-	-	-	-	-	2	1	7	8
ALL OTHER--MALE----	120	-	-	-	-	-	1	-	2	4	3	2
FEMALE--	164	-	-	-	-	-	-	1	-	2	6	7
BLACK---MALE----	118	-	-	-	-	-	1	-	2	4	3	2
FEMALE--	160	-	-	-	-	-	-	1	-	2	6	7
RHODE ISLAND -----	163	-	-	-	-	-	-	-	-	-	3	7
WHITE-----MALE----	63	-	-	-	-	-	-	-	-	-	2	5
FEMALE--	90	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
SOUTH CAROLINA -----	695	-	-	-	-	1	1	1	3	6	13	24
WHITE-----MALE----	147	-	-	-	-	-	-	1	1	2	1	4
FEMALE--	219	-	-	-	-	-	-	-	1	1	-	5
ALL OTHER--MALE----	167	-	-	-	-	1	-	-	-	1	4	11
FEMALE--	162	-	-	-	-	-	1	-	1	2	8	4
BLACK---MALE----	166	-	-	-	-	1	-	-	-	1	4	11
FEMALE--	162	-	-	-	-	-	1	-	1	2	8	4

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,519  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
HYPERTENSIVE DISEASE (401-404)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	52	70	81	139	195	261	316	295	226	76	14	-
WHITE-----MALE----	24	27	29	51	77	82	100	65	32	4	-	-
FEMALE--	11	20	24	49	75	122	180	201	173	62	11	-
ALL OTHER--MALE----	6	16	19	17	24	21	8	15	6	1	-	-
FEMALE--	11	7	9	22	19	36	28	14	15	9	3	-
BLACK---MALE----	6	16	18	17	24	21	8	15	6	1	-	-
FEMALE--	11	7	9	22	19	36	25	14	15	9	3	-
OKLAHOMA -----	9	11	11	13	29	48	48	77	44	17	1	-
WHITE-----MALE----	4	4	3	4	13	11	17	10	9	3	-	-
FEMALE--	-	3	2	7	6	24	23	52	27	11	1	-
ALL OTHER--MALE----	3	3	2	-	5	2	1	10	3	-	-	-
FEMALE--	2	1	4	2	5	11	7	5	5	3	-	-
BLACK---MALE----	3	2	2	-	4	2	1	6	3	-	-	-
FEMALE--	1	1	2	2	5	11	7	5	5	2	-	-
OREGON -----	10	7	12	22	38	47	87	73	63	31	5	-
WHITE-----MALE----	3	5	6	13	21	17	23	16	13	4	-	-
FEMALE--	7	2	6	6	15	27	57	55	48	27	5	-
ALL OTHER--MALE----	-	-	-	3	1	1	2	1	1	-	-	-
FEMALE--	-	-	-	-	1	2	5	1	1	-	-	-
BLACK---MALE----	-	-	-	3	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	1	-	-	-	-
PENNSYLVANIA -----	52	64	91	109	201	260	315	307	180	94	9	1
WHITE-----MALE----	23	35	32	44	82	92	97	72	32	9	1	1
FEMALE--	5	8	27	41	81	129	181	216	133	79	7	-
ALL OTHER--MALE----	16	11	20	10	17	14	11	5	3	1	-	-
FEMALE--	8	10	12	14	21	25	26	14	12	5	1	-
BLACK---MALE----	16	11	20	10	17	13	11	4	3	1	-	-
FEMALE--	7	10	11	14	20	25	26	14	11	5	1	-
RHODE ISLAND -----	6	3	6	13	20	19	25	30	23	5	3	-
WHITE-----MALE----	1	2	2	6	11	6	10	13	5	-	-	-
FEMALE--	3	1	4	5	8	12	14	17	17	5	3	-
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	1	-	1	-	-	-
BLACK---MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	1	-	-	-
SOUTH CAROLINA -----	22	35	50	53	90	113	109	97	56	19	2	-
WHITE-----MALE----	6	7	12	9	23	30	29	16	5	1	-	-
FEMALE--	1	3	7	11	29	30	45	47	30	8	1	-
ALL OTHER--MALE----	12	18	19	23	18	28	10	16	3	3	-	-
FEMALE--	3	7	12	10	20	25	25	18	18	7	1	-
BLACK---MALE----	12	18	19	23	18	28	9	16	3	3	-	-
FEMALE--	3	7	12	10	20	25	25	18	18	7	1	-





1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,520  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
HYPERTENSIVE DISEASE (401-404)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	3	1	4	4	4	8	6	8	4	5	1	-
WHITE-----MALE----	2	-	4	1	2	2	1	-	2	1	-	-
FEMALE--	1	1	-	2	1	6	5	7	2	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
TENNESSEE -----	32	42	51	72	98	147	167	161	141	54	13	-
WHITE-----MALE----	5	17	13	14	23	43	38	21	22	6	5	-
FEMALE--	4	5	13	21	38	58	81	108	89	36	4	-
ALL OTHER--MALE----	13	12	12	23	16	16	16	10	8	1	1	-
FEMALE--	10	8	13	14	21	30	32	22	22	11	3	-
BLACK---MALE----	13	12	12	23	16	16	16	10	8	1	1	-
FEMALE--	10	8	13	14	21	30	32	22	22	11	3	-
TEXAS -----	130	151	186	228	273	385	426	423	310	112	22	-
WHITE-----MALE----	67	68	76	97	105	110	112	111	56	17	4	-
FEMALE--	23	27	40	59	99	181	227	253	203	71	10	-
ALL OTHER--MALE----	23	32	43	37	33	42	33	18	23	7	-	-
FEMALE--	17	24	27	35	36	52	54	41	28	17	8	-
BLACK---MALE----	23	31	41	36	32	42	33	17	23	7	-	-
FEMALE--	17	23	27	35	35	51	54	40	27	16	7	-
UTAH -----	4	13	5	7	16	17	27	27	19	12	2	-
WHITE-----MALE----	3	11	3	4	7	6	6	8	3	1	-	-
FEMALE--	1	2	2	3	9	11	21	18	15	11	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
VERMONT -----	-	5	3	11	12	21	12	8	14	7	-	-
WHITE-----MALE----	-	2	3	5	8	10	2	3	2	1	-	-
FEMALE--	-	3	-	6	4	11	10	5	12	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	22	24	46	59	103	116	131	126	106	33	7	-
WHITE-----MALE----	10	6	15	12	18	25	31	26	12	4	1	-
FEMALE--	1	4	6	18	36	47	67	71	61	17	2	-
ALL OTHER--MALE----	5	4	17	19	19	20	9	7	10	-	-	-
FEMALE--	6	10	8	10	30	24	24	22	23	12	4	-
BLACK---MALE----	5	4	15	19	19	20	9	7	10	-	-	-
FEMALE--	6	10	8	10	29	24	24	22	23	12	4	-





1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,522  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ESSENTIAL HYPERTENSION (401)												
0 UNITED STATES --	7,303	7	-	1	-	5	4	8	15	34	85	160
WHITE-----MALE----	2,068	2	-	-	-	-	2	2	2	11	23	57
FEMALE--	3,692	3	-	1	-	1	2	2	5	7	16	29
ALL OTHER--MALE----	647	1	-	-	-	2	-	2	6	6	28	34
FEMALE--	896	1	-	-	-	2	-	2	2	10	18	40
BLACK---MALE----	594	1	-	-	-	2	-	2	4	6	26	33
FEMALE--	843	1	-	-	-	2	-	2	2	10	18	40
ALABAMA -----	151	-	-	-	-	1	-	-	-	1	4	1
WHITE-----MALE----	39	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	44	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	36	-	-	-	-	1	-	-	-	-	3	-
FEMALE--	32	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	36	-	-	-	-	1	-	-	-	-	3	-
FEMALE--	32	-	-	-	-	-	-	-	-	1	-	-
ALASKA -----	4	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	105	-	-	-	-	-	-	-	1	-	2	-
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	78	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	86	-	-	-	-	-	-	1	-	1	-	4
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	1	-	1	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	1	-	1	-	1
CALIFORNIA -----	788	-	-	-	-	-	-	2	2	3	7	9
WHITE-----MALE----	220	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	415	-	-	-	-	-	-	1	-	1	2	1
ALL OTHER--MALE----	69	-	-	-	-	-	-	1	2	-	2	2
FEMALE--	84	-	-	-	-	-	-	-	-	1	1	3
BLACK---MALE----	40	-	-	-	-	-	-	1	1	-	2	1
FEMALE--	65	-	-	-	-	-	-	-	-	1	1	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,522  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ESSENTIAL HYPERTENSION (401)												
0 UNITED STATES --	229	277	362	572	782	1,027	1,209	1,236	820	358	112	-
WHITE-----MALE----	79	129	137	232	302	337	323	273	128	25	4	-
FEMALE--	49	53	98	190	310	483	704	778	580	293	88	-
ALL OTHER--MALE----	56	53	72	61	74	82	63	65	30	11	1	-
FEMALE--	45	42	55	89	96	125	119	120	82	29	19	-
BLACK---MALE----	51	51	68	55	68	78	57	57	26	8	1	-
FEMALE--	44	42	48	82	87	118	112	111	78	28	18	-
ALABAMA -----	5	12	10	13	17	20	24	23	17	3	-	-
WHITE-----MALE----	-	5	5	4	5	7	4	5	3	1	-	-
FEMALE--	2	-	1	3	6	4	11	9	4	2	-	-
ALL OTHER--MALE----	3	3	2	3	5	3	5	5	3	-	-	-
FEMALE--	-	4	2	3	1	6	4	4	7	-	-	-
BLACK---MALE----	3	3	2	3	5	3	5	5	3	-	-	-
FEMALE--	-	4	2	3	1	6	4	4	7	-	-	-
ALASKA -----	-	-	1	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	1	2	4	9	16	20	19	16	10	2	-
WHITE-----MALE----	2	-	1	2	3	3	5	4	1	-	-	-
FEMALE--	-	-	-	2	5	13	15	15	15	10	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	7	5	9	7	5	7	15	16	6	2	1	-
WHITE-----MALE----	3	3	2	2	1	4	5	8	-	1	-	-
FEMALE--	1	1	4	3	2	3	8	7	5	1	1	-
ALL OTHER--MALE----	2	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	1	1	2	1	2	-	1	1	1	-	-	-
BLACK---MALE----	2	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	1	1	2	1	2	-	1	1	1	-	-	-
CALIFORNIA -----	15	22	37	56	76	124	124	138	109	56	8	-
WHITE-----MALE----	9	8	13	21	26	47	32	32	20	6	-	-
FEMALE--	3	4	11	19	36	57	73	83	79	38	7	-
ALL OTHER--MALE----	3	5	5	7	4	13	5	11	5	4	-	-
FEMALE--	-	5	8	9	10	7	14	12	5	8	1	-
BLACK---MALE----	2	4	4	4	-	10	1	7	2	1	-	-
FEMALE--	-	5	5	6	6	5	11	9	5	7	1	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,523  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ESSENTIAL HYPERTENSION (401)												
COLORADO -----	66	1	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	43	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
CONNECTICUT -----	84	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	49	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	17	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	37	-	-	-	-	-	-	1	-	-	1	4
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	22	-	-	-	-	-	-	1	-	-	1	1
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	22	-	-	-	-	-	-	1	-	-	1	1
FLORIDA -----	464	-	-	-	-	-	-	-	-	3	2	5
WHITE-----MALE----	151	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	241	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	43	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	28	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	1
GEORGIA -----	301	-	-	-	-	-	-	-	1	5	9	17
WHITE-----MALE----	66	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	98	-	-	-	-	-	-	-	-	1	-	3
ALL OTHER--MALE----	49	-	-	-	-	-	-	-	1	1	4	2
FEMALE--	88	-	-	-	-	-	-	-	-	2	4	8
BLACK---MALE----	49	-	-	-	-	-	-	-	1	1	4	2
FEMALE--	88	-	-	-	-	-	-	-	-	2	4	8

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,523  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 ESSENTIAL HYPERTENSION (401)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	3	3	1	5	8	15	15	8	4	2	-
WHITE-----MALE----	-	3	-	1	2	5	4	3	1	-	-	-
FEMALE--	-	-	1	-	3	3	10	12	7	4	2	-
ALL OTHER--MALE----	-	-	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	4	3	8	4	8	14	14	11	11	1	4	-
WHITE-----MALE----	2	1	4	1	1	6	3	2	1	-	-	-
FEMALE--	1	-	1	2	6	7	10	7	10	1	4	-
ALL OTHER--MALE----	-	1	2	1	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	1	2	-	-	-	-
BLACK---MALE----	-	1	2	1	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	1	1	-	-	-	-
DELAWARE -----	-	1	1	2	2	3	2	4	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	1	3	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	-	-	-	-
DISTRICT OF COLUMBIA ----	1	1	-	6	6	1	2	8	4	-	2	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	4	2	-	1	2	1	-	-	-
FEMALE--	-	1	-	2	3	1	1	6	3	-	2	-
BLACK---MALE----	-	-	-	3	2	-	1	2	1	-	-	-
FEMALE--	-	1	-	2	3	1	1	6	3	-	2	-
FLORIDA -----	16	15	25	34	43	72	85	87	46	20	11	-
WHITE-----MALE----	7	7	11	16	25	26	25	18	9	1	1	-
FEMALE--	3	1	9	8	13	33	50	65	34	16	8	-
ALL OTHER--MALE----	3	5	3	6	-	6	2	1	-	-	-	-
FEMALE--	3	2	2	4	5	7	8	3	3	3	2	-
BLACK---MALE----	2	5	3	6	-	6	2	1	-	-	-	-
FEMALE--	3	2	2	4	4	7	8	3	3	3	2	-
GEORGIA -----	22	18	15	33	26	40	40	42	24	6	3	-
WHITE-----MALE----	6	9	5	14	9	7	6	3	1	-	-	-
FEMALE--	2	1	4	9	6	13	17	25	12	3	2	-
ALL OTHER--MALE----	5	5	3	3	4	11	6	4	-	-	-	-
FEMALE--	9	3	3	7	7	9	11	10	11	3	1	-
BLACK---MALE----	5	5	3	3	4	11	6	4	-	-	-	-
FEMALE--	9	3	3	7	7	9	11	10	11	3	1	-





1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,524  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 ESSENTIAL HYPERTENSION (401)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	-	1	5	3	1	2	4	3	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	1	-	1	1	1	-	-	-
FEMALE--	-	-	1	2	1	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	1	1	4	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	4	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	10	8	13	19	45	37	53	51	31	16	1	-
WHITE-----MALE----	4	2	3	10	13	14	16	12	6	-	-	-
FEMALE--	2	3	6	6	21	12	32	30	21	13	1	-
ALL OTHER--MALE----	2	2	2	-	4	6	3	2	1	-	-	-
FEMALE--	2	1	2	3	7	5	2	7	3	3	-	-
BLACK---MALE----	2	2	2	-	4	6	3	2	1	-	-	-
FEMALE--	2	1	2	3	7	5	2	6	3	3	-	-
INDIANA -----	5	7	3	14	15	20	27	21	23	10	7	-
WHITE-----MALE----	-	3	2	8	5	9	8	2	1	-	-	-
FEMALE--	1	3	-	3	7	9	18	18	21	10	7	-
ALL OTHER--MALE----	3	1	1	1	2	1	-	-	1	-	-	-
FEMALE--	1	-	-	2	1	1	1	1	-	-	-	-
BLACK---MALE----	3	1	1	1	2	1	-	-	1	-	-	-
FEMALE--	1	-	-	2	1	1	1	1	-	-	-	-
IOWA -----	1	-	1	2	1	5	4	15	8	8	3	-
WHITE-----MALE----	-	-	-	1	1	2	1	4	3	1	-	-
FEMALE--	-	-	1	1	-	3	2	11	5	7	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
KANSAS -----	3	1	6	7	9	8	18	11	7	3	1	-
WHITE-----MALE----	-	-	2	1	3	3	7	3	-	1	-	-
FEMALE--	1	1	3	4	5	4	11	7	6	2	1	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	1	1	-	1	1	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	1	-	-	1	1	-	-	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,525  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 ESSENTIAL HYPERTENSION (401)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	3	-	9	9	14	14	19	6	8	1	-	-
WHITE-----MALE----	-	-	5	7	7	4	3	1	1	-	-	-
FEMALE--	2	-	2	2	7	9	15	4	7	1	-	-
ALL OTHER--MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	-	-	-	-
LOUISIANA -----	3	3	5	3	8	23	20	25	17	6	1	-
WHITE-----MALE----	2	-	3	3	3	4	3	7	2	-	-	-
FEMALE--	1	1	-	-	1	7	12	6	13	4	1	-
ALL OTHER--MALE----	-	1	1	-	2	4	3	4	1	1	-	-
FEMALE--	-	1	1	-	2	8	2	8	1	1	-	-
BLACK---MALE----	-	1	1	-	2	4	3	4	1	1	-	-
FEMALE--	-	1	1	-	2	8	2	8	1	1	-	-
MAINE -----	-	-	1	2	4	4	4	6	7	3	1	-
WHITE-----MALE----	-	-	-	-	-	1	-	2	3	-	-	-
FEMALE--	-	-	1	2	4	3	4	4	4	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	6	10	9	15	15	21	27	11	2	4	-
WHITE-----MALE----	1	1	2	5	3	4	4	2	-	-	1	-
FEMALE--	1	1	4	4	6	6	11	14	8	1	2	-
ALL OTHER--MALE----	1	3	2	-	4	1	2	3	2	1	-	-
FEMALE--	1	1	2	-	2	4	4	8	1	-	1	-
BLACK---MALE----	1	3	2	-	4	1	2	3	2	1	-	-
FEMALE--	1	1	2	-	2	4	4	8	1	-	1	-
MASSACHUSETTS -----	10	8	7	11	19	22	33	31	20	11	4	-
WHITE-----MALE----	3	3	6	6	10	6	16	3	4	1	-	-
FEMALE--	5	1	1	4	9	14	16	24	15	8	4	-
ALL OTHER--MALE----	1	2	-	-	-	1	-	1	-	1	-	-
FEMALE--	1	2	-	1	-	1	1	3	1	1	-	-
BLACK---MALE----	1	2	-	-	-	1	-	1	-	1	-	-
FEMALE--	1	2	-	-	-	1	1	3	-	1	-	-
MICHIGAN -----	4	7	7	14	22	32	35	39	24	13	8	-
WHITE-----MALE----	1	2	4	7	8	12	12	7	4	-	-	-
FEMALE--	-	1	2	2	7	18	20	27	18	12	8	-
ALL OTHER--MALE----	2	1	-	-	4	-	1	2	1	-	-	-
FEMALE--	1	3	1	5	3	2	2	3	1	1	-	-
BLACK---MALE----	2	1	-	-	4	-	1	2	1	-	-	-
FEMALE--	1	3	-	5	3	2	2	3	1	1	-	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,526  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 0 ESSENTIAL HYPERTENSION (401)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	2	6	10	14	21	22	40	45	27	10	4	-
WHITE-----MALE----	-	2	8	4	11	11	10	12	6	1	-	-
FEMALE--	1	3	2	9	10	9	30	32	21	9	4	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
MISSISSIPPI -----	3	5	12	6	9	10	20	8	11	2	-	-
WHITE-----MALE----	1	3	1	4	-	2	2	2	2	-	-	-
FEMALE--	1	-	4	-	4	3	11	4	6	2	-	-
ALL OTHER--MALE----	-	-	5	-	1	2	2	1	-	-	-	-
FEMALE--	1	2	2	2	4	3	5	1	3	-	-	-
BLACK---MALE----	-	-	5	-	1	2	2	1	-	-	-	-
FEMALE--	1	2	2	2	4	3	5	1	3	-	-	-
MISSOURI -----	6	7	7	8	12	24	23	27	21	11	1	-
WHITE-----MALE----	1	2	3	4	6	8	4	9	4	1	-	-
FEMALE--	2	4	3	3	6	10	17	17	12	10	1	-
ALL OTHER--MALE----	1	1	1	-	-	3	1	-	2	-	-	-
FEMALE--	2	-	-	1	-	3	1	1	3	-	-	-
BLACK---MALE----	1	1	1	-	-	3	1	-	2	-	-	-
FEMALE--	2	-	-	1	-	3	1	1	3	-	-	-
MONTANA -----	-	2	1	-	2	4	6	2	1	3	2	-
WHITE-----MALE----	-	1	-	-	1	2	3	-	-	-	-	-
FEMALE--	-	1	1	-	1	2	3	2	1	3	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	3	2	5	8	3	12	9	7	3	1	-
WHITE-----MALE----	-	3	2	1	3	1	3	2	2	-	-	-
FEMALE--	-	-	-	4	5	1	9	7	5	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	1	-
NEVADA -----	1	-	-	3	2	4	4	9	5	-	1	-
WHITE-----MALE----	1	-	-	2	2	-	1	3	-	-	-	-
FEMALE--	-	-	-	1	-	3	2	5	5	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-









1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,528  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 0 ESSENTIAL HYPERTENSION (401)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	10	14	18	43	36	55	67	82	46	23	4	-
WHITE-----MALE----	6	4	7	18	15	19	19	17	8	3	-	-
FEMALE--	3	6	5	15	19	27	46	57	35	19	3	-
ALL OTHER--MALE----	-	2	6	4	2	3	-	5	-	-	-	-
FEMALE--	1	2	-	6	-	6	2	3	3	1	1	-
BLACK---MALE----	-	2	5	4	2	3	-	5	-	-	-	-
FEMALE--	1	2	-	6	-	6	2	3	3	1	1	-
OKLAHOMA -----	3	3	2	5	6	10	14	17	7	4	-	-
WHITE-----MALE----	1	2	-	2	5	2	6	1	2	-	-	-
FEMALE--	-	-	-	2	-	6	5	13	5	4	-	-
ALL OTHER--MALE----	1	1	-	-	1	1	1	2	-	-	-	-
FEMALE--	1	-	2	1	-	1	2	1	-	-	-	-
BLACK---MALE----	1	1	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	1	1	-	1	2	1	-	-	-	-
OREGON -----	1	1	3	6	13	14	25	13	13	7	3	-
WHITE-----MALE----	1	-	1	2	8	4	7	2	2	-	-	-
FEMALE--	-	1	2	3	4	9	17	11	10	7	3	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	9	14	15	28	53	48	59	67	37	20	4	-
WHITE-----MALE----	3	10	7	10	26	18	19	21	4	1	-	-
FEMALE--	2	1	3	14	22	24	32	41	30	19	4	-
ALL OTHER--MALE----	2	2	3	3	2	1	5	1	-	-	-	-
FEMALE--	2	1	2	1	3	5	3	4	3	-	-	-
BLACK---MALE----	2	2	3	3	2	1	5	1	-	-	-	-
FEMALE--	2	1	2	1	3	5	3	4	3	-	-	-
RHODE ISLAND -----	1	-	1	1	3	2	3	1	2	1	-	-
WHITE-----MALE----	-	-	-	1	2	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	2	1	2	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	9	10	10	14	17	22	14	21	12	4	-	-
WHITE-----MALE----	4	2	3	5	5	7	3	3	-	-	-	-
FEMALE--	-	2	1	3	3	9	8	11	8	1	-	-
ALL OTHER--MALE----	3	6	4	5	5	1	1	4	-	2	-	-
FEMALE--	2	-	2	1	4	5	2	3	4	1	-	-
BLACK---MALE----	3	6	4	5	5	1	1	4	-	2	-	-
FEMALE--	2	-	2	1	4	5	2	3	4	1	-	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,529  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 0 ESSENTIAL HYPERTENSION (401)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	2	2	-	4	-	-	1	1	1	-
WHITE-----MALE----	-	-	2	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	4	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
TENNESSEE -----	5	4	10	9	15	17	22	20	16	6	1	-
WHITE-----MALE----	1	3	3	1	6	6	3	4	3	-	-	-
FEMALE--	2	1	1	3	4	7	10	11	11	6	-	-
ALL OTHER--MALE----	1	-	5	4	2	1	5	1	-	-	1	-
FEMALE--	1	-	1	1	3	3	4	4	2	-	-	-
BLACK---MALE----	1	-	5	4	2	1	5	1	-	-	1	-
FEMALE--	1	-	1	1	3	3	4	4	2	-	-	-
TEXAS -----	7	18	19	37	44	60	51	66	49	21	3	-
WHITE-----MALE----	5	10	4	17	18	15	14	14	7	3	1	-
FEMALE--	2	5	4	14	15	28	27	45	30	17	-	-
ALL OTHER--MALE----	-	2	5	4	4	8	4	2	7	-	-	-
FEMALE--	-	1	6	2	7	9	6	5	5	1	2	-
BLACK---MALE----	-	2	4	4	4	8	4	2	7	-	-	-
FEMALE--	-	1	6	2	6	9	6	5	5	1	2	-
UTAH -----	-	2	1	1	1	3	8	7	6	7	1	-
WHITE-----MALE----	-	2	-	1	-	2	2	2	-	-	-	-
FEMALE--	-	-	1	-	1	1	6	4	6	7	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	5	-	4	2	2	1	1	-	-
WHITE-----MALE----	-	-	-	3	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	2	-	3	2	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	7	6	7	18	23	25	20	15	18	5	4	-
WHITE-----MALE----	3	2	2	4	5	6	5	4	1	-	1	-
FEMALE--	-	1	-	5	9	13	11	9	11	4	1	-
ALL OTHER--MALE----	3	2	4	4	3	2	-	1	-	-	-	-
FEMALE--	1	1	1	5	6	4	4	1	6	1	2	-
BLACK---MALE----	3	2	3	4	3	2	-	1	-	-	-	-
FEMALE--	1	1	1	5	5	4	4	1	6	1	2	-





1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,531  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HYPERTENSIVE HEART DISEASE (402)												
0 UNITED STATES --	26,188	-	-	-	1	3	23	55	141	299	584	909
WHITE-----MALE----	7,735	-	-	-	-	2	6	17	53	115	203	342
FEMALE--	11,462	-	-	-	-	-	-	5	13	33	71	123
ALL OTHER--MALE----	3,394	-	-	-	1	-	14	20	48	94	187	266
FEMALE--	3,597	-	-	-	-	1	3	13	27	57	123	178
BLACK---MALE----	3,160	-	-	-	1	-	13	20	44	91	178	254
FEMALE--	3,404	-	-	-	-	-	3	13	26	54	121	173
ALABAMA -----	369	-	-	-	-	-	1	2	3	3	11	13
WHITE-----MALE----	63	-	-	-	-	-	-	-	2	-	2	2
FEMALE--	127	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	83	-	-	-	-	-	1	-	1	3	7	5
FEMALE--	96	-	-	-	-	-	-	2	-	-	2	6
BLACK---MALE----	83	-	-	-	-	-	1	-	1	3	7	5
FEMALE--	96	-	-	-	-	-	-	2	-	-	2	6
ALASKA -----	17	-	-	-	-	-	-	-	-	-	2	2
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	212	-	-	-	-	-	-	-	-	3	-	3
WHITE-----MALE----	68	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	127	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	182	-	-	-	-	-	-	1	-	3	4	4
WHITE-----MALE----	49	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	70	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	30	-	-	-	-	-	-	1	-	-	2	-
FEMALE--	33	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	30	-	-	-	-	-	-	1	-	-	2	-
FEMALE--	33	-	-	-	-	-	-	-	-	2	1	-
CALIFORNIA -----	3,105	-	-	-	-	-	5	9	14	33	58	103
WHITE-----MALE----	975	-	-	-	-	-	2	4	9	11	15	46
FEMALE--	1,437	-	-	-	-	-	-	-	1	4	15	18
ALL OTHER--MALE----	340	-	-	-	-	-	3	2	3	12	15	21
FEMALE--	353	-	-	-	-	-	-	3	1	6	13	18
BLACK---MALE----	240	-	-	-	-	-	2	2	3	11	12	18
FEMALE--	266	-	-	-	-	-	-	3	1	5	12	16

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,531  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE HEART DISEASE (402)												
0 UNITED STATES --	1,193	1,337	1,699	2,020	2,759	3,297	3,857	3,884	2,782	1,088	252	5
WHITE-----MALE----	476	550	676	822	985	1,041	1,039	844	421	122	20	1
FEMALE--	185	240	373	527	930	1,441	2,077	2,459	1,992	808	183	2
ALL OTHER--MALE----	324	343	360	365	411	371	253	187	116	27	5	2
FEMALE--	208	204	290	306	433	444	488	394	253	131	44	-
BLACK---MALE----	309	320	343	340	383	344	232	154	101	26	5	2
FEMALE--	200	200	274	295	412	414	455	366	234	121	43	-
ALABAMA -----	14	21	29	24	41	45	56	54	39	10	3	-
WHITE-----MALE----	4	5	9	8	3	5	11	7	3	2	-	-
FEMALE--	2	3	3	5	12	20	19	35	23	4	1	-
ALL OTHER--MALE----	6	5	9	6	14	9	7	5	4	1	-	-
FEMALE--	2	8	8	5	12	11	19	7	9	3	2	-
BLACK---MALE----	6	5	9	6	14	9	7	5	4	1	-	-
FEMALE--	2	8	8	5	12	11	19	7	9	3	2	-
ALASKA -----	1	1	4	-	1	2	-	1	1	2	-	-
WHITE-----MALE----	-	1	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	2	-	1	2	-	1	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	8	16	21	24	30	35	32	23	11	3	1
WHITE-----MALE----	-	6	9	9	9	10	10	5	6	1	-	-
FEMALE--	1	1	4	9	15	16	24	24	17	9	3	1
ALL OTHER--MALE----	1	-	2	2	-	1	-	1	-	-	-	-
FEMALE--	-	1	1	1	-	3	1	2	-	1	-	-
BLACK---MALE----	1	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	3	-	2	-	1	-	-
ARKANSAS -----	12	3	10	8	18	24	37	33	17	7	1	-
WHITE-----MALE----	2	2	4	4	6	6	12	8	-	-	-	-
FEMALE--	2	-	2	1	7	5	14	20	12	5	1	-
ALL OTHER--MALE----	4	1	2	1	4	7	6	2	-	-	-	-
FEMALE--	4	-	2	2	1	6	5	3	5	2	-	-
BLACK---MALE----	4	1	2	1	4	7	6	2	-	-	-	-
FEMALE--	4	-	2	2	1	6	5	3	5	2	-	-
CALIFORNIA -----	126	145	176	231	310	389	488	476	359	142	41	-
WHITE-----MALE----	52	71	90	93	122	126	141	111	59	20	3	-
FEMALE--	21	27	49	71	116	177	263	290	246	106	33	-
ALL OTHER--MALE----	34	32	15	35	39	41	32	33	20	3	-	-
FEMALE--	19	15	22	32	33	45	52	42	34	13	5	-
BLACK---MALE----	30	24	12	25	25	28	20	13	12	3	-	-
FEMALE--	16	14	19	26	23	34	39	26	21	7	4	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,532  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HYPERTENSIVE HEART DISEASE (402)												
COLORADO -----	169	-	-	-	-	-	-	-	-	2	4	3
WHITE-----MALE----	51	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	108	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	-
CONNECTICUT -----	272	-	-	-	-	-	-	1	2	6	8	12
WHITE-----MALE----	96	-	-	-	-	-	-	-	1	2	4	9
FEMALE--	130	-	-	-	-	-	-	-	1	1	-	2
ALL OTHER--MALE----	32	-	-	-	-	-	-	1	-	2	4	1
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	32	-	-	-	-	-	-	1	-	2	4	1
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	-
DELAWARE -----	88	-	-	-	-	-	-	1	-	1	2	2
WHITE-----MALE----	26	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	18	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	12	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	18	-	-	-	-	-	-	-	-	1	1	-
DISTRICT OF COLUMBIA ----	176	-	-	-	1	-	-	-	-	-	1	10
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	74	-	-	-	1	-	-	-	-	-	-	6
FEMALE--	72	-	-	-	-	-	-	-	-	-	1	4
BLACK---MALE----	74	-	-	-	1	-	-	-	-	-	-	6
FEMALE--	72	-	-	-	-	-	-	-	-	-	1	4
FLORIDA -----	2,052	-	-	-	-	-	1	4	6	30	46	63
WHITE-----MALE----	723	-	-	-	-	-	-	1	3	12	22	30
FEMALE--	849	-	-	-	-	-	-	-	-	3	7	13
ALL OTHER--MALE----	232	-	-	-	-	-	1	2	2	12	12	11
FEMALE--	248	-	-	-	-	-	-	1	1	3	5	9
BLACK---MALE----	227	-	-	-	-	-	1	2	2	11	12	11
FEMALE--	240	-	-	-	-	-	-	1	1	3	5	9
GEORGIA -----	662	-	-	-	-	-	1	-	6	7	17	35
WHITE-----MALE----	126	-	-	-	-	-	-	-	2	1	1	5
FEMALE--	195	-	-	-	-	-	-	-	-	-	3	2
ALL OTHER--MALE----	153	-	-	-	-	-	-	-	3	5	8	16
FEMALE--	188	-	-	-	-	-	1	-	1	1	5	12
BLACK---MALE----	152	-	-	-	-	-	-	-	3	5	8	16
FEMALE--	188	-	-	-	-	-	1	-	1	1	5	12

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,532  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE HEART DISEASE (402)												
COLORADO -----	6	7	5	10	13	19	20	34	30	11	5	-
WHITE-----MALE----	3	6	2	4	4	8	5	11	2	2	1	-
FEMALE--	3	-	2	6	9	11	14	21	27	9	4	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	2	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	2	-	-	-	-
CONNECTICUT -----	12	16	21	17	32	32	35	42	22	13	1	-
WHITE-----MALE----	5	7	7	8	15	14	6	9	5	4	-	-
FEMALE--	1	3	8	6	14	13	26	28	17	9	1	-
ALL OTHER--MALE----	3	4	5	2	1	4	2	3	-	-	-	-
FEMALE--	3	2	1	1	2	1	1	2	-	-	-	-
BLACK---MALE----	3	4	5	2	1	4	2	3	-	-	-	-
FEMALE--	3	2	1	1	2	1	1	2	-	-	-	-
DELAWARE -----	5	14	4	5	13	11	11	10	9	-	-	-
WHITE-----MALE----	2	4	-	3	7	3	1	4	1	-	-	-
FEMALE--	1	4	2	-	2	4	8	4	7	-	-	-
ALL OTHER--MALE----	1	3	-	-	2	3	-	-	-	-	-	-
FEMALE--	1	3	2	2	2	1	2	2	1	-	-	-
BLACK---MALE----	1	3	-	-	2	3	-	-	-	-	-	-
FEMALE--	1	3	2	2	2	1	2	2	1	-	-	-
DISTRICT OF COLUMBIA -----	7	13	14	15	28	26	25	17	14	5	-	-
WHITE-----MALE----	-	1	1	1	3	2	2	3	-	-	-	-
FEMALE--	-	-	-	-	2	1	2	3	6	3	-	-
ALL OTHER--MALE----	3	7	7	9	15	16	6	2	2	-	-	-
FEMALE--	4	5	6	5	8	7	15	9	6	2	-	-
BLACK---MALE----	3	7	7	9	15	16	6	2	2	-	-	-
FEMALE--	4	5	6	5	8	7	15	9	6	2	-	-
FLORIDA -----	94	121	167	173	221	255	297	292	195	70	17	-
WHITE-----MALE----	42	47	66	89	86	95	100	79	41	8	2	-
FEMALE--	17	20	35	44	81	114	155	169	126	55	10	-
ALL OTHER--MALE----	20	36	37	19	29	20	12	9	9	-	1	-
FEMALE--	15	18	29	21	25	26	30	35	19	7	4	-
BLACK---MALE----	19	35	37	18	28	20	12	9	9	-	1	-
FEMALE--	15	18	27	21	23	24	29	35	18	7	4	-
GEORGIA -----	39	32	51	64	62	93	103	88	42	22	-	-
WHITE-----MALE----	12	11	9	14	18	20	15	16	2	-	-	-
FEMALE--	3	4	7	13	10	30	41	40	29	13	-	-
ALL OTHER--MALE----	14	9	20	18	14	22	16	3	4	1	-	-
FEMALE--	10	8	15	19	20	21	31	29	7	8	-	-
BLACK---MALE----	14	9	19	18	14	22	16	3	4	1	-	-
FEMALE--	10	8	15	19	20	21	31	29	7	8	-	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,533  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 HYPERTENSIVE HEART DISEASE (402)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	3	4	5	3	6	15	10	14	9	3	-	-
WHITE-----MALE----	2	1	1	1	-	1	2	1	1	-	-	-
FEMALE--	-	-	1	1	-	1	1	4	-	-	-	-
ALL OTHER--MALE----	1	3	1	1	4	7	3	3	6	1	-	-
FEMALE--	-	-	2	-	2	6	4	6	2	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	1	1	2	5	5	8	12	15	3	2	-
WHITE-----MALE----	-	-	-	1	-	1	3	3	3	-	-	-
FEMALE--	1	1	-	1	5	4	5	9	12	3	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	59	51	82	92	143	135	161	172	112	52	22	-
WHITE-----MALE----	16	12	30	33	43	34	44	40	18	9	-	-
FEMALE--	7	13	16	20	51	60	90	113	91	35	18	-
ALL OTHER--MALE----	24	14	20	21	24	17	9	4	1	2	1	-
FEMALE--	12	12	16	18	25	24	18	15	2	6	3	-
BLACK---MALE----	23	13	19	20	23	15	8	4	1	2	1	-
FEMALE--	12	12	16	18	25	24	18	15	2	6	3	-
INDIANA -----	4	12	12	17	37	54	69	72	44	16	4	-
WHITE-----MALE----	1	4	5	7	10	20	17	22	7	1	1	-
FEMALE--	3	4	3	7	19	26	43	43	33	15	3	-
ALL OTHER--MALE----	-	2	3	1	5	4	4	1	1	-	-	-
FEMALE--	-	2	1	2	3	4	5	6	3	-	-	-
BLACK---MALE----	-	2	3	1	5	4	4	1	1	-	-	-
FEMALE--	-	2	1	2	3	4	5	6	3	-	-	-
IOWA -----	12	14	15	22	36	37	43	47	53	14	7	-
WHITE-----MALE----	9	8	9	12	20	22	14	12	11	-	-	-
FEMALE--	2	5	4	10	15	14	29	34	42	14	7	-
ALL OTHER--MALE----	1	1	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	1	1	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
KANSAS -----	4	3	7	10	7	22	27	32	33	10	4	-
WHITE-----MALE----	3	2	4	7	6	9	7	8	3	1	2	-
FEMALE--	-	1	1	1	1	9	20	20	29	8	2	-
ALL OTHER--MALE----	1	-	1	2	-	1	-	2	1	-	-	-
FEMALE--	-	-	1	-	-	3	-	2	-	1	-	-
BLACK---MALE----	1	-	1	2	-	1	-	1	1	-	-	-
FEMALE--	-	-	1	-	-	3	-	1	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,534  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HYPERTENSIVE HEART DISEASE (402)												
KENTUCKY -----	264	-	-	-	-	-	-	1	-	3	3	9
WHITE-----MALE----	89	-	-	-	-	-	-	-	-	2	2	6
FEMALE--	134	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	24	-	-	-	-	-	-	1	-	-	1	3
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	24	-	-	-	-	-	-	1	-	-	1	3
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	888	-	-	-	-	-	-	2	4	4	27	28
WHITE-----MALE----	187	-	-	-	-	-	-	-	-	1	7	6
FEMALE--	281	-	-	-	-	-	-	1	1	1	1	4
ALL OTHER--MALE----	192	-	-	-	-	-	-	-	2	1	12	10
FEMALE--	228	-	-	-	-	-	-	1	1	1	7	8
BLACK---MALE----	190	-	-	-	-	-	-	-	2	1	12	10
FEMALE--	227	-	-	-	-	-	-	1	1	1	7	8
MAINE -----	70	-	-	-	-	-	-	-	-	1	-	3
WHITE-----MALE----	26	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	44	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	652	-	-	-	-	-	-	-	1	9	19	29
WHITE-----MALE----	162	-	-	-	-	-	-	-	-	4	8	6
FEMALE--	223	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	137	-	-	-	-	-	-	-	-	3	6	13
FEMALE--	130	-	-	-	-	-	-	-	1	2	5	7
BLACK---MALE----	135	-	-	-	-	-	-	-	-	3	6	13
FEMALE--	125	-	-	-	-	-	-	-	1	2	4	7
MASSACHUSETTS -----	299	-	-	-	-	-	-	2	2	3	7	11
WHITE-----MALE----	114	-	-	-	-	-	-	2	2	1	5	8
FEMALE--	169	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
MICHIGAN -----	1,019	-	-	-	-	-	-	3	7	15	28	51
WHITE-----MALE----	335	-	-	-	-	-	-	1	4	6	8	12
FEMALE--	468	-	-	-	-	-	-	1	2	2	4	7
ALL OTHER--MALE----	116	-	-	-	-	-	-	1	-	5	11	21
FEMALE--	100	-	-	-	-	-	-	-	1	2	5	11
BLACK---MALE----	114	-	-	-	-	-	-	1	-	5	11	20
FEMALE--	96	-	-	-	-	-	-	-	1	2	5	11

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,534  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE HEART DISEASE (402)												
KENTUCKY -----	12	12	10	23	28	35	43	51	24	6	4	-
WHITE-----MALE----	8	7	4	13	11	12	10	10	4	-	-	-
FEMALE--	1	4	5	5	13	17	25	36	19	6	2	-
ALL OTHER--MALE----	1	1	1	4	3	3	5	1	-	-	-	-
FEMALE--	2	-	-	1	1	3	3	4	1	-	2	-
BLACK---MALE----	1	1	1	4	3	3	5	1	-	-	-	-
FEMALE--	2	-	-	1	1	3	3	4	1	-	2	-
LOUISIANA -----	33	41	60	77	104	115	127	142	73	44	7	-
WHITE-----MALE----	5	13	22	28	25	25	20	25	9	1	-	-
FEMALE--	1	4	10	9	23	47	48	62	40	27	2	-
ALL OTHER--MALE----	19	12	15	24	25	13	19	22	10	6	2	-
FEMALE--	8	12	13	16	31	30	40	33	14	10	3	-
BLACK---MALE----	19	11	15	24	24	13	19	22	10	6	2	-
FEMALE--	8	12	13	16	31	29	40	33	14	10	3	-
MAINE -----	3	6	1	7	4	2	19	13	6	5	-	-
WHITE-----MALE----	3	6	-	5	1	-	6	-	1	-	-	-
FEMALE--	-	-	1	2	3	2	13	13	5	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	41	31	45	50	75	85	96	95	48	18	9	1
WHITE-----MALE----	16	10	10	12	24	23	22	19	6	2	-	-
FEMALE--	4	6	7	13	20	33	42	48	29	12	6	-
ALL OTHER--MALE----	12	11	17	15	20	13	17	6	1	2	-	1
FEMALE--	9	4	11	10	11	16	15	22	12	2	3	-
BLACK---MALE----	12	11	16	15	20	13	16	6	1	2	-	1
FEMALE--	9	4	11	9	11	14	14	22	12	2	3	-
MASSACHUSETTS -----	12	20	10	17	23	26	42	49	41	28	6	-
WHITE-----MALE----	9	13	8	7	12	10	10	17	8	1	1	-
FEMALE--	2	5	1	7	10	15	32	31	32	26	5	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	2	1	2	-	1	-	1	-	1	-	-
BLACK---MALE----	1	-	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	2	1	2	-	1	-	1	-	1	-	-
MICHIGAN -----	59	54	54	70	113	127	135	154	105	34	10	-
WHITE-----MALE----	23	21	21	27	54	44	56	41	13	4	-	-
FEMALE--	8	14	19	21	40	59	69	98	87	28	9	-
ALL OTHER--MALE----	17	8	7	10	11	12	5	6	2	-	-	-
FEMALE--	11	11	7	12	8	12	5	9	3	2	1	-
BLACK---MALE----	16	8	7	10	11	12	5	6	2	-	-	-
FEMALE--	11	11	7	12	7	10	4	9	3	2	1	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,535  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 0 HYPERTENSIVE HEART DISEASE (402)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	8	6	16	13	17	20	42	43	39	20	3	-
WHITE-----MALE----	5	2	6	8	14	9	13	12	6	4	-	-
FEMALE--	1	2	5	5	2	11	29	31	33	16	3	-
ALL OTHER--MALE----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	4	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	4	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	27	26	28	44	46	75	73	82	68	21	5	-
WHITE-----MALE----	1	6	10	10	14	18	11	8	4	1	-	-
FEMALE--	3	3	1	6	4	28	35	40	41	14	1	-
ALL OTHER--MALE----	14	13	7	11	11	16	9	14	6	1	1	-
FEMALE--	9	4	10	17	17	13	18	20	17	5	3	-
BLACK---MALE----	14	13	7	11	11	16	9	14	6	1	1	-
FEMALE--	9	4	10	17	17	13	17	20	16	5	3	-
MISSOURI -----	30	26	30	43	60	63	84	75	59	20	6	-
WHITE-----MALE----	7	6	8	14	16	16	25	10	5	-	-	-
FEMALE--	4	3	7	13	19	34	44	60	48	17	5	-
ALL OTHER--MALE----	9	14	9	7	6	5	3	-	1	1	-	-
FEMALE--	10	3	6	9	19	8	12	5	5	2	1	-
BLACK---MALE----	8	14	9	7	6	5	3	-	1	1	-	-
FEMALE--	10	3	6	9	19	8	12	5	5	2	1	-
MONTANA -----	2	2	1	2	4	3	6	6	10	4	1	-
WHITE-----MALE----	1	-	1	2	3	1	2	1	2	-	-	-
FEMALE--	-	2	-	-	1	2	4	5	8	4	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	2	4	10	9	7	15	26	18	5	-	-
WHITE-----MALE----	-	-	3	4	7	4	-	4	2	1	-	-
FEMALE--	-	2	-	3	1	2	12	22	16	4	-	-
ALL OTHER--MALE----	-	-	1	3	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	3	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
NEVADA -----	20	22	33	60	40	42	46	25	15	8	-	-
WHITE-----MALE----	11	11	25	27	25	22	12	6	3	2	-	-
FEMALE--	4	7	5	21	13	18	29	19	9	6	-	-
ALL OTHER--MALE----	2	3	2	11	-	1	1	-	1	-	-	-
FEMALE--	3	1	1	1	2	1	4	-	2	-	-	-
BLACK---MALE----	2	2	2	7	-	1	1	-	1	-	-	-
FEMALE--	3	1	-	1	2	-	4	-	2	-	-	-







1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,537  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HYPERTENSIVE HEART DISEASE (402)												
OHIO -----	1,024	-	-	-	-	-	1	3	4	13	24	27
WHITE-----MALE----	301	-	-	-	-	-	-	2	1	6	9	11
FEMALE--	511	-	-	-	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	94	-	-	-	-	-	1	-	1	2	9	9
FEMALE--	118	-	-	-	-	-	-	1	2	4	4	5
BLACK---MALE----	93	-	-	-	-	-	1	-	1	2	8	9
FEMALE--	116	-	-	-	-	-	-	1	2	4	4	5
OKLAHOMA -----	174	-	-	-	-	-	-	-	1	2	8	1
WHITE-----MALE----	35	-	-	-	-	-	-	-	-	2	2	-
FEMALE--	95	-	-	-	-	-	-	-	-	-	3	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	12	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	1	1
OREGON -----	207	-	-	-	-	-	-	-	-	1	1	4
WHITE-----MALE----	60	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	137	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,059	-	-	-	-	-	1	2	7	6	20	25
WHITE-----MALE----	325	-	-	-	-	-	-	1	4	2	8	12
FEMALE--	551	-	-	-	-	-	-	-	2	-	5	7
ALL OTHER--MALE----	71	-	-	-	-	-	1	-	1	2	2	1
FEMALE--	112	-	-	-	-	-	-	1	-	2	5	5
BLACK---MALE----	70	-	-	-	-	-	1	-	1	2	2	1
FEMALE--	109	-	-	-	-	-	-	1	-	2	5	5
RHODE ISLAND -----	114	-	-	-	-	-	-	-	-	-	3	7
WHITE-----MALE----	46	-	-	-	-	-	-	-	-	-	2	5
FEMALE--	62	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
SOUTH CAROLINA -----	347	-	-	-	-	-	1	-	3	3	8	10
WHITE-----MALE----	71	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	117	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	77	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	82	-	-	-	-	-	1	-	1	2	6	3
BLACK---MALE----	77	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	82	-	-	-	-	-	1	-	1	2	6	3

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,537  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 HYPERTENSIVE HEART DISEASE (402)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	38	46	49	74	110	143	167	141	137	39	8	-
WHITE-----MALE----	17	21	18	27	43	44	55	30	16	1	-	-
FEMALE--	7	11	14	27	36	69	92	102	109	32	7	-
ALL OTHER--MALE----	5	10	10	7	14	13	5	3	5	-	-	-
FEMALE--	9	4	7	13	17	17	15	6	7	6	1	-
BLACK---MALE----	5	10	10	7	14	13	5	3	5	-	-	-
FEMALE--	9	4	7	13	17	17	13	6	7	6	1	-
OKLAHOMA -----	4	7	8	4	14	27	21	39	27	10	1	-
WHITE-----MALE----	2	2	2	-	7	5	4	5	3	1	-	-
FEMALE--	-	2	2	3	3	15	14	27	19	6	1	-
ALL OTHER--MALE----	1	2	2	-	1	-	-	4	1	-	-	-
FEMALE--	1	1	2	1	3	7	3	3	4	3	-	-
BLACK---MALE----	1	1	2	-	1	-	-	3	1	-	-	-
FEMALE--	1	1	1	1	3	7	3	3	4	2	-	-
OREGON -----	8	6	9	11	11	19	29	45	45	17	1	-
WHITE-----MALE----	2	5	5	7	4	8	8	9	9	1	-	-
FEMALE--	6	1	4	2	7	10	19	34	35	16	1	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
PENNSYLVANIA -----	38	45	60	57	106	154	184	179	109	60	5	1
WHITE-----MALE----	18	24	18	24	45	50	56	38	17	6	1	1
FEMALE--	3	5	20	20	38	76	110	130	84	48	3	-
ALL OTHER--MALE----	11	8	14	4	10	9	4	2	1	1	-	-
FEMALE--	6	8	8	9	13	19	14	9	7	5	1	-
BLACK---MALE----	11	8	14	4	10	8	4	2	1	1	-	-
FEMALE--	5	8	8	9	12	19	14	9	6	5	1	-
RHODE ISLAND -----	4	2	5	9	10	12	20	22	16	1	3	-
WHITE-----MALE----	1	2	2	5	5	3	7	10	4	-	-	-
FEMALE--	3	-	3	4	4	8	12	12	11	1	3	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
SOUTH CAROLINA -----	8	13	26	23	45	51	57	46	38	13	2	-
WHITE-----MALE----	2	5	8	2	9	12	17	7	5	1	-	-
FEMALE--	-	1	4	6	17	9	24	24	21	7	1	-
ALL OTHER--MALE----	5	6	8	11	9	18	4	7	2	1	-	-
FEMALE--	1	1	6	4	10	12	12	8	10	4	1	-
BLACK---MALE----	5	6	8	11	9	18	4	7	2	1	-	-
FEMALE--	1	1	6	4	10	12	12	8	10	4	1	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,538  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 0 HYPERTENSIVE HEART DISEASE (402)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	3	1	2	2	3	-	5	6	1	1	-	-
WHITE-----MALE----	2	-	2	1	1	-	1	-	-	-	-	-
FEMALE--	1	1	-	1	1	-	4	5	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	26	34	34	51	58	90	112	100	103	40	9	-
WHITE-----MALE----	4	12	9	11	12	26	26	10	17	3	4	-
FEMALE--	2	3	11	15	20	37	59	73	64	28	2	-
ALL OTHER--MALE----	12	12	4	16	11	7	10	5	5	1	-	-
FEMALE--	8	7	10	9	15	20	17	12	17	8	3	-
BLACK---MALE----	12	12	4	16	11	7	10	5	5	1	-	-
FEMALE--	8	7	10	9	15	20	17	12	17	8	3	-
TEXAS -----	113	112	140	142	182	224	250	238	197	72	13	-
WHITE-----MALE----	59	51	62	61	71	65	66	58	32	12	2	-
FEMALE--	19	17	28	34	65	105	133	153	138	45	7	-
ALL OTHER--MALE----	20	26	33	26	23	26	17	11	10	4	-	-
FEMALE--	15	18	17	21	23	28	34	16	17	11	4	-
BLACK---MALE----	20	25	32	25	22	26	17	10	10	4	-	-
FEMALE--	15	17	17	21	23	28	34	16	17	11	4	-
UTAH -----	4	10	4	5	13	12	14	16	9	5	1	-
WHITE-----MALE----	3	8	3	2	5	3	4	4	1	1	-	-
FEMALE--	1	2	1	3	8	9	10	12	8	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	4	3	3	8	12	9	4	11	6	-	-
WHITE-----MALE----	-	2	3	1	7	6	2	-	2	1	-	-
FEMALE--	-	2	-	2	1	6	7	4	9	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	12	15	32	23	56	59	73	83	62	23	3	-
WHITE-----MALE----	7	3	12	8	11	12	15	15	7	3	-	-
FEMALE--	-	3	5	8	18	26	38	49	38	10	1	-
ALL OTHER--MALE----	2	2	11	5	9	9	5	4	7	-	-	-
FEMALE--	3	7	4	2	18	12	15	15	10	10	2	-
BLACK---MALE----	2	2	11	5	9	9	5	4	7	-	-	-
FEMALE--	3	7	4	2	18	12	15	15	10	10	2	-







1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,540  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HYPERTENSIVE RENAL DISEASE (403)												
0 UNITED STATES --	5,642	1	-	1	1	-	10	11	22	41	54	91
WHITE-----MALE----	1,746	-	-	-	-	-	1	1	7	13	9	19
FEMALE--	2,358	-	-	1	-	-	1	1	2	4	11	9
ALL OTHER--MALE----	699	-	-	-	1	-	6	4	7	16	16	43
FEMALE--	839	1	-	-	-	-	2	5	6	8	18	20
BLACK---MALE----	639	-	-	-	1	-	5	4	7	13	15	41
FEMALE--	769	1	-	-	-	-	2	5	6	8	18	19
ALABAMA -----	81	-	-	-	-	-	-	-	-	1	-	4
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	20	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	1
ALASKA -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	81	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	48	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	50	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	681	-	-	1	-	-	2	3	2	12	10	11
WHITE-----MALE----	236	-	-	-	-	-	-	-	2	4	1	2
FEMALE--	264	-	-	1	-	-	-	-	-	1	3	2
ALL OTHER--MALE----	97	-	-	-	-	-	2	1	-	4	2	5
FEMALE--	84	-	-	-	-	-	-	2	-	3	4	2
BLACK---MALE----	65	-	-	-	-	-	1	1	-	1	2	4
FEMALE--	51	-	-	-	-	-	-	2	-	3	4	1

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,540  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE RENAL DISEASE (403)												
0 UNITED STATES --	101	132	232	389	656	938	1,092	1,040	598	190	42	-
WHITE-----MALE----	24	27	61	121	220	338	356	320	173	44	12	-
FEMALE--	14	31	60	110	246	380	502	524	329	117	16	-
ALL OTHER--MALE----	46	42	54	79	91	97	83	73	31	8	2	-
FEMALE--	17	32	57	79	99	123	151	123	65	21	12	-
BLACK---MALE----	46	40	51	76	83	90	73	59	27	7	1	-
FEMALE--	17	30	55	72	89	110	135	114	59	20	9	-
ALABAMA -----	4	3	5	5	11	13	12	11	8	4	-	-
WHITE-----MALE----	1	-	1	1	1	2	2	2	3	-	-	-
FEMALE--	1	-	1	3	2	4	4	3	4	3	-	-
ALL OTHER--MALE----	2	1	2	1	4	4	1	1	1	-	-	-
FEMALE--	-	2	1	-	4	3	5	5	-	1	-	-
BLACK---MALE----	2	1	2	1	4	4	1	1	1	-	-	-
FEMALE--	-	2	1	-	4	3	5	5	-	1	-	-
ALASKA -----	1	-	-	-	1	-	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	1	4	1	9	21	16	14	8	2	-	-
WHITE-----MALE----	2	-	3	1	3	3	8	4	2	1	-	-
FEMALE--	-	-	-	-	6	18	6	9	6	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	1	1	6	5	6	10	8	4	5	2	-	-
WHITE-----MALE----	-	-	1	3	4	2	2	2	1	1	-	-
FEMALE--	-	-	1	1	-	4	3	2	2	1	-	-
ALL OTHER--MALE----	-	1	3	-	2	-	2	-	1	-	-	-
FEMALE--	1	-	1	1	-	4	1	-	1	-	-	-
BLACK---MALE----	-	1	3	-	2	-	2	-	1	-	-	-
FEMALE--	1	-	1	1	-	4	1	-	1	-	-	-
CALIFORNIA -----	8	14	21	45	72	118	140	123	73	22	4	-
WHITE-----MALE----	2	3	7	13	22	46	59	37	31	6	1	-
FEMALE--	1	3	9	19	26	47	52	57	27	14	2	-
ALL OTHER--MALE----	4	4	3	5	15	16	13	18	5	-	-	-
FEMALE--	1	4	2	8	9	9	16	11	10	2	1	-
BLACK---MALE----	4	3	2	4	12	10	9	11	1	-	-	-
FEMALE--	1	3	2	4	6	2	7	8	6	2	-	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,541  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 HYPERTENSIVE RENAL DISEASE (403)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	2	1	4	8	10	9	7	12	6	2	2	-
WHITE-----MALE----	1	1	2	4	5	2	4	3	2	-	-	-
FEMALE--	-	-	1	4	4	7	3	8	4	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	1	-	-	-	-
CONNECTICUT -----	-	-	-	4	7	6	8	10	4	1	-	-
WHITE-----MALE----	-	-	-	-	2	3	1	3	2	-	-	-
FEMALE--	-	-	-	2	4	3	6	7	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
DELAWARE -----	-	-	-	1	2	2	1	3	1	2	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	3	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	1	-	1	1	3	2	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	1	-	1	2	-	-	-	-	-
FEMALE--	-	1	-	-	1	2	-	2	-	-	-	-
BLACK---MALE----	2	-	-	1	-	1	2	-	-	-	-	-
FEMALE--	-	1	-	-	1	2	-	2	-	-	-	-
FLORIDA -----	5	13	22	37	58	89	104	76	53	9	3	-
WHITE-----MALE----	2	4	4	16	24	44	39	26	13	1	1	-
FEMALE--	-	4	3	6	21	28	46	32	33	6	2	-
ALL OTHER--MALE----	2	2	7	10	5	7	6	7	2	1	-	-
FEMALE--	1	3	8	5	8	10	13	11	5	1	-	-
BLACK---MALE----	2	2	7	10	5	7	6	7	2	1	-	-
FEMALE--	1	3	8	5	7	10	12	11	5	1	-	-
GEORGIA -----	3	5	6	10	9	17	24	24	4	2	2	-
WHITE-----MALE----	-	-	1	1	2	3	10	6	-	-	-	-
FEMALE--	-	1	1	1	1	4	5	7	1	2	-	-
ALL OTHER--MALE----	3	1	1	5	3	3	2	4	-	-	-	-
FEMALE--	-	3	3	3	3	7	7	7	3	-	2	-
BLACK---MALE----	3	1	1	5	3	3	2	4	-	-	-	-
FEMALE--	-	3	3	3	3	7	7	7	3	-	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,542  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HYPERTENSIVE RENAL DISEASE (403)												
HAWAII -----	17	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	28	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	252	-	-	-	-	-	2	-	1	1	3	7
WHITE-----MALE----	79	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	106	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	27	-	-	-	-	-	2	-	-	-	2	5
FEMALE--	40	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	26	-	-	-	-	-	2	-	-	-	2	5
FEMALE--	40	-	-	-	-	-	-	-	1	1	1	1
INDIANA -----	116	1	-	-	-	-	-	1	1	-	1	1
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	62	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	18	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	18	1	-	-	-	-	-	-	1	-	-	-
IOWA -----	87	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	40	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	45	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	49	-	-	-	-	-	-	-	-	2	-	1
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,542  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 HYPERTENSIVE RENAL DISEASE (403)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	1	1	-	1	2	3	4	4	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	2	-	1	-	-
FEMALE--	1	-	-	1	1	2	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	1	2	1	5	5	8	2	2	1	-
WHITE-----MALE----	-	-	-	2	-	2	1	2	-	1	1	-
FEMALE--	-	-	-	-	-	2	4	6	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ILLINOIS -----	7	4	16	14	37	36	38	47	28	8	3	-
WHITE-----MALE----	-	2	4	1	9	16	13	11	13	5	3	-
FEMALE--	2	1	4	6	13	15	18	31	14	2	-	-
ALL OTHER--MALE----	3	1	3	1	7	1	2	-	-	-	-	-
FEMALE--	2	-	5	6	8	4	5	5	1	1	-	-
BLACK---MALE----	3	1	3	1	7	-	2	-	-	-	-	-
FEMALE--	2	-	5	6	8	4	5	5	1	1	-	-
INDIANA -----	1	4	6	5	16	12	19	26	17	5	-	-
WHITE-----MALE----	-	-	1	1	4	1	8	5	5	1	-	-
FEMALE--	1	-	3	2	10	7	9	15	10	4	-	-
ALL OTHER--MALE----	-	3	1	2	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	3	2	6	2	-	-	-
BLACK---MALE----	-	3	1	2	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	3	2	6	2	-	-	-
IOWA -----	-	-	3	3	3	19	17	26	11	3	1	-
WHITE-----MALE----	-	-	1	2	-	12	7	10	6	1	1	-
FEMALE--	-	-	-	1	3	7	10	16	5	2	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	2	3	4	4	11	12	9	1	-	-
WHITE-----MALE----	-	-	-	1	1	2	2	5	4	-	-	-
FEMALE--	-	-	1	-	3	1	8	7	3	1	-	-
ALL OTHER--MALE----	-	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	2	-	-	-
BLACK---MALE----	-	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	2	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,543  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HYPERTENSIVE RENAL DISEASE (403)												
KENTUCKY -----	86	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	30	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	39	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA -----	82	-	-	-	1	-	-	-	1	-	1	3
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	17	-	-	-	1	-	-	-	1	-	1	3
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	17	-	-	-	1	-	-	-	1	-	1	3
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	29	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	144	-	-	-	-	-	1	-	3	3	1	2
WHITE-----MALE----	28	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	43	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	32	-	-	-	-	-	1	-	1	2	1	1
FEMALE--	41	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	30	-	-	-	-	-	1	-	1	2	-	1
FEMALE--	41	-	-	-	-	-	-	-	2	-	-	-
MASSACHUSETTS -----	88	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	34	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	47	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	202	-	-	-	-	-	1	-	2	-	2	7
WHITE-----MALE----	62	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	79	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	1	-	1	4
FEMALE--	32	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	27	-	-	-	-	-	-	-	1	-	1	4
FEMALE--	30	-	-	-	-	-	1	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,543  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 HYPERTENSIVE RENAL DISEASE (403)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	2	2	5	8	13	5	14	20	11	3	-	-
WHITE-----MALE----	2	-	1	3	3	3	7	6	3	1	-	-
FEMALE--	-	1	3	3	8	1	4	10	6	2	-	-
ALL OTHER--MALE----	-	-	1	1	1	1	1	2	-	-	-	-
FEMALE--	-	1	-	1	1	-	2	2	2	-	-	-
BLACK---MALE----	-	-	1	1	1	1	1	2	-	-	-	-
FEMALE--	-	1	-	1	1	-	2	2	2	-	-	-
LOUISIANA -----	-	3	3	5	11	13	13	21	6	1	-	-
WHITE-----MALE----	-	-	-	-	1	4	4	5	-	-	-	-
FEMALE--	-	-	1	1	3	3	3	12	4	-	-	-
ALL OTHER--MALE----	-	2	-	1	4	3	-	1	-	-	-	-
FEMALE--	-	1	2	3	3	3	6	3	2	1	-	-
BLACK---MALE----	-	2	-	1	4	3	-	1	-	-	-	-
FEMALE--	-	1	2	3	3	2	6	3	2	1	-	-
MAINE -----	-	-	-	2	2	5	6	10	2	2	-	-
WHITE-----MALE----	-	-	-	1	2	3	1	4	1	1	-	-
FEMALE--	-	-	-	1	-	2	5	6	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	6	4	6	15	14	20	18	27	20	4	-	-
WHITE-----MALE----	-	1	1	1	3	8	4	6	3	-	-	-
FEMALE--	-	-	1	-	3	4	9	10	12	3	-	-
ALL OTHER--MALE----	4	1	2	6	1	3	4	2	2	1	-	-
FEMALE--	2	2	2	8	7	5	1	9	3	-	-	-
BLACK---MALE----	4	1	2	5	1	3	4	2	2	1	-	-
FEMALE--	2	2	2	8	7	5	1	9	3	-	-	-
MASSACHUSETTS -----	-	2	2	5	13	13	16	18	13	4	1	-
WHITE-----MALE----	-	-	1	-	6	3	8	8	6	1	-	-
FEMALE--	-	1	-	4	6	7	8	10	7	3	1	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	-	-	-	-	-	-
MICHIGAN -----	5	8	9	9	23	38	38	27	21	8	4	-
WHITE-----MALE----	3	3	1	5	12	11	12	5	3	3	1	-
FEMALE--	-	1	2	1	5	16	16	17	14	4	2	-
ALL OTHER--MALE----	2	3	2	1	1	5	3	4	2	-	-	-
FEMALE--	-	1	4	2	5	6	7	1	2	1	1	-
BLACK---MALE----	2	3	2	1	1	5	2	3	2	-	-	-
FEMALE--	-	1	3	2	5	6	6	1	2	1	1	-













1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,546  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 HYPERTENSIVE RENAL DISEASE (403)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	4	8	7	18	36	42	60	53	28	6	2	-
WHITE-----MALE----	1	2	2	6	16	16	20	15	7	-	-	-
FEMALE--	1	3	3	6	14	15	31	29	19	4	1	-
ALL OTHER--MALE----	1	2	1	5	6	3	2	6	-	1	-	-
FEMALE--	1	1	1	1	-	8	7	3	2	1	1	-
BLACK---MALE----	1	2	1	5	6	3	2	6	-	1	-	-
FEMALE--	1	1	1	1	-	8	6	3	2	1	1	-
OKLAHOMA -----	2	1	-	3	5	6	11	19	7	3	-	-
WHITE-----MALE----	1	-	-	1	1	3	6	3	3	2	-	-
FEMALE--	-	1	-	2	1	2	3	11	2	1	-	-
ALL OTHER--MALE----	1	-	-	-	2	-	-	4	2	-	-	-
FEMALE--	-	-	-	-	1	1	2	1	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	2	2	-	-	-
FEMALE--	-	-	-	-	1	1	2	1	-	-	-	-
OREGON -----	1	-	-	4	11	9	24	12	4	5	-	-
WHITE-----MALE----	-	-	-	3	7	3	4	4	1	3	-	-
FEMALE--	1	-	-	1	3	5	17	8	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	4	3	11	16	32	42	53	33	23	7	-	-
WHITE-----MALE----	2	-	3	8	8	17	14	11	8	1	-	-
FEMALE--	-	2	4	5	16	24	30	20	13	6	-	-
ALL OTHER--MALE----	2	1	2	2	3	1	2	2	-	-	-	-
FEMALE--	-	-	2	1	5	-	7	-	2	-	-	-
BLACK---MALE----	2	1	2	2	3	1	2	1	-	-	-	-
FEMALE--	-	-	1	1	5	-	7	-	2	-	-	-
RHODE ISLAND -----	1	-	-	3	5	1	1	4	4	2	-	-
WHITE-----MALE----	-	-	-	-	4	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	3	4	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	5	7	9	11	22	28	32	24	4	1	-	-
WHITE-----MALE----	-	-	1	2	7	8	6	5	-	-	-	-
FEMALE--	1	-	1	-	7	9	11	11	1	-	-	-
ALL OTHER--MALE----	4	5	4	6	3	5	4	3	1	-	-	-
FEMALE--	-	2	3	3	5	6	11	5	2	1	-	-
BLACK---MALE----	4	5	4	6	3	5	3	3	1	-	-	-
FEMALE--	-	2	3	3	5	6	11	5	2	1	-	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,547  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 HYPERTENSIVE RENAL DISEASE (403)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	1	3	1	-	2	3	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	2	1	-	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	3	5	9	15	28	21	26	12	3	3	-
WHITE-----MALE----	-	2	1	1	3	8	6	5	1	1	1	-
FEMALE--	-	-	-	3	9	12	9	13	7	-	2	-
ALL OTHER--MALE----	-	-	2	2	2	5	-	3	3	-	-	-
FEMALE--	1	1	2	3	1	3	6	5	1	2	-	-
BLACK---MALE----	-	-	2	2	2	5	-	3	3	-	-	-
FEMALE--	1	1	2	3	1	3	6	5	1	2	-	-
TEXAS -----	7	14	23	35	34	77	99	87	46	14	4	-
WHITE-----MALE----	2	4	7	15	13	24	22	27	11	2	-	-
FEMALE--	1	4	7	7	15	36	58	38	25	6	2	-
ALL OTHER--MALE----	2	3	5	6	4	6	11	4	5	2	-	-
FEMALE--	2	3	4	7	2	11	8	18	5	4	2	-
BLACK---MALE----	2	3	5	6	4	6	11	4	5	2	-	-
FEMALE--	2	3	4	7	2	11	8	17	4	3	1	-
UTAH -----	-	1	-	1	2	1	3	3	3	-	-	-
WHITE-----MALE----	-	1	-	1	2	-	-	2	2	-	-	-
FEMALE--	-	-	-	-	-	1	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
VERMONT -----	-	-	-	3	2	4	-	2	2	-	-	-
WHITE-----MALE----	-	-	-	1	1	2	-	2	-	-	-	-
FEMALE--	-	-	-	2	1	2	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	1	5	14	15	21	26	18	17	-	-	-
WHITE-----MALE----	-	-	1	-	2	5	6	6	4	-	-	-
FEMALE--	1	-	1	3	5	6	14	7	6	-	-	-
ALL OTHER--MALE----	-	-	1	8	4	7	3	-	3	-	-	-
FEMALE--	1	1	2	3	4	3	3	5	4	-	-	-
BLACK---MALE----	-	-	-	8	4	7	3	-	3	-	-	-
FEMALE--	1	1	2	3	4	3	3	5	4	-	-	-







1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,549  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)												
0 UNITED STATES --	2,501	-	-	-	-	3	1	8	11	20	32	56
WHITE-----MALE----	680	-	-	-	-	2	-	-	1	7	5	18
FEMALE--	1,068	-	-	-	-	-	-	-	1	-	2	5
ALL OTHER--MALE----	322	-	-	-	-	-	-	5	8	11	13	21
FEMALE--	431	-	-	-	-	1	1	3	1	2	12	12
BLACK---MALE----	298	-	-	-	-	-	-	4	8	10	12	21
FEMALE--	391	-	-	-	-	1	1	3	1	2	12	12
ALABAMA -----	49	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	1	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	18	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	19	-	-	-	-	-	-	-	-	-	-	3
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
CALIFORNIA -----	326	-	-	-	-	1	-	2	3	1	4	9
WHITE-----MALE----	87	-	-	-	-	1	-	-	-	-	1	3
FEMALE--	130	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	48	-	-	-	-	-	-	1	2	1	1	3
FEMALE--	61	-	-	-	-	-	-	1	1	-	1	2
BLACK---MALE----	33	-	-	-	-	-	-	1	2	1	-	3
FEMALE--	35	-	-	-	-	-	-	1	1	-	1	2

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,549  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)												
0 UNITED STATES --	46	84	124	155	246	392	428	473	282	115	25	-
WHITE-----MALE----	12	17	32	41	65	117	148	119	69	22	5	-
FEMALE--	7	18	32	50	94	138	194	272	165	75	15	-
ALL OTHER--MALE----	18	23	35	28	31	51	32	28	11	6	1	-
FEMALE--	9	26	25	36	56	86	54	54	37	12	4	-
BLACK---MALE----	18	23	33	28	29	46	25	24	10	6	1	-
FEMALE--	9	25	23	31	50	79	50	49	31	9	3	-
ALABAMA -----	1	2	-	1	3	9	8	16	4	3	1	-
WHITE-----MALE----	-	-	-	-	-	-	1	2	2	1	-	-
FEMALE--	-	1	-	1	2	4	3	7	-	1	-	-
ALL OTHER--MALE----	1	1	-	-	-	2	2	5	-	1	-	-
FEMALE--	-	-	-	-	1	3	2	2	2	-	1	-
BLACK---MALE----	1	1	-	-	-	2	2	5	-	1	-	-
FEMALE--	-	-	-	-	1	3	2	2	2	-	1	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	1	-	1	4	4	2	5	-	-	-
WHITE-----MALE----	-	-	1	-	1	1	4	1	3	-	-	-
FEMALE--	-	1	-	-	-	3	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	2	1	1	3	6	-	3	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	1	2	-	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	3	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	3	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
CALIFORNIA -----	9	12	11	26	26	49	58	58	40	13	4	-
WHITE-----MALE----	4	1	4	9	9	14	14	14	8	4	1	-
FEMALE--	2	5	4	6	6	12	29	31	24	7	2	-
ALL OTHER--MALE----	3	3	2	5	2	10	7	6	2	-	-	-
FEMALE--	-	3	1	6	9	13	8	7	6	2	1	-
BLACK---MALE----	3	3	1	5	1	6	3	3	1	-	-	-
FEMALE--	-	2	-	3	4	10	7	3	1	-	-	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,550  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	1	-	1	1	1	2	3	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CONNECTICUT -----	-	1	5	1	1	1	3	6	3	-	-	-
WHITE-----MALE----	-	-	2	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	1	1	-	-	2	5	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	2	-	1	-	1	1	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	1	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	-	-	-
BLACK---MALE----	-	-	2	-	1	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	-	-	-
FLORIDA -----	1	6	12	4	21	24	18	34	13	4	-	-
WHITE-----MALE----	-	4	1	2	6	8	4	14	1	-	-	-
FEMALE--	-	1	1	1	8	8	11	16	11	4	-	-
ALL OTHER--MALE----	1	-	6	1	2	2	2	1	-	-	-	-
FEMALE--	-	1	4	-	5	6	1	3	1	-	-	-
BLACK---MALE----	1	-	6	1	2	2	2	1	-	-	-	-
FEMALE--	-	1	4	-	5	6	1	3	1	-	-	-
GEORGIA -----	5	3	7	6	9	13	12	8	3	2	2	-
WHITE-----MALE----	-	1	-	1	-	3	2	1	1	-	1	-
FEMALE--	1	-	3	1	2	2	6	4	-	1	-	-
ALL OTHER--MALE----	2	1	4	2	2	2	1	1	1	1	-	-
FEMALE--	2	1	-	2	5	6	3	2	1	-	1	-
BLACK---MALE----	2	1	4	2	2	2	1	1	1	1	-	-
FEMALE--	2	1	-	2	5	6	3	2	1	-	1	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,551  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 0 HYPERTENSIVE HEART AND RENAL DISEASE (404)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	-	-	1	1	2	2	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	2	-	1	3	3	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	1	-	1	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2	4	7	7	10	13	16	20	10	9	2	-
WHITE-----MALE----	1	1	1	1	2	5	2	4	2	2	-	-
FEMALE--	-	-	1	4	3	4	11	11	6	7	2	-
ALL OTHER--MALE----	1	2	2	2	2	1	1	1	-	-	-	-
FEMALE--	-	1	3	-	3	3	2	4	2	-	-	-
BLACK---MALE----	1	2	1	2	1	1	-	1	-	-	-	-
FEMALE--	-	1	3	-	3	3	2	4	2	-	-	-
INDIANA -----	-	-	1	2	5	9	11	10	7	5	1	-
WHITE-----MALE----	-	-	-	1	3	2	4	1	-	1	1	-
FEMALE--	-	-	1	1	1	2	5	5	7	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	3	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	3	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	2	-	-	-	-
IOWA -----	-	-	-	1	3	3	6	7	10	1	1	-
WHITE-----MALE----	-	-	-	1	1	3	3	4	6	-	-	-
FEMALE--	-	-	-	-	2	-	3	3	4	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	1	1	2	-	9	4	2	5	1	1	-
WHITE-----MALE----	-	1	-	-	-	3	1	1	3	-	-	-
FEMALE--	-	-	-	2	-	5	2	1	2	1	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-





1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,552  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	1	2	1	7	2	8	7	8	4	3	2	-
WHITE-----MALE----	-	-	-	3	-	1	5	2	2	1	-	-
FEMALE--	-	1	-	3	2	7	2	6	2	1	2	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	1	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	1	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
LOUISIANA -----	3	3	4	5	7	10	14	11	4	1	1	-
WHITE-----MALE----	-	-	-	1	1	2	5	1	1	-	-	-
FEMALE--	-	-	-	-	2	1	4	5	2	1	-	-
ALL OTHER--MALE----	2	3	3	1	1	2	1	-	-	-	-	-
FEMALE--	1	-	1	3	3	5	4	5	1	-	1	-
BLACK---MALE----	2	3	3	1	1	2	1	-	-	-	-	-
FEMALE--	1	-	1	3	3	5	3	5	1	-	1	-
MAINE -----	-	-	-	-	-	1	-	6	3	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	4	2	1	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	3	7	10	10	12	11	13	9	1	1	-
WHITE-----MALE----	2	1	2	1	3	4	5	4	3	1	-	-
FEMALE--	1	-	1	5	4	6	5	7	4	-	1	-
ALL OTHER--MALE----	1	2	2	2	2	-	-	2	-	-	-	-
FEMALE--	-	-	2	2	1	2	1	-	2	-	-	-
BLACK---MALE----	1	2	2	2	2	-	-	2	-	-	-	-
FEMALE--	-	-	2	2	1	2	1	-	2	-	-	-
MASSACHUSETTS -----	-	-	1	-	-	4	5	4	5	2	-	-
WHITE-----MALE----	-	-	-	-	-	2	2	1	2	-	-	-
FEMALE--	-	-	-	-	-	2	3	3	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	2	5	7	8	13	16	16	10	2	2	-
WHITE-----MALE----	-	-	2	-	2	5	4	6	4	1	-	-
FEMALE--	1	-	2	3	3	4	8	9	6	1	2	-
ALL OTHER--MALE----	-	-	1	1	-	2	2	-	-	-	-	-
FEMALE--	1	2	-	3	3	2	2	1	-	-	-	-
BLACK---MALE----	-	-	1	1	-	2	1	-	-	-	-	-
FEMALE--	1	2	-	3	2	2	2	1	-	-	-	-











1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,555  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	-	2	7	4	13	21	22	19	15	8	-	-
WHITE-----MALE----	-	-	2	-	3	3	6	3	1	-	-	-
FEMALE--	-	-	2	1	6	11	11	13	10	7	-	-
ALL OTHER--MALE----	-	2	2	1	2	2	1	1	1	-	-	-
FEMALE--	-	-	1	2	2	5	4	2	3	1	-	-
BLACK---MALE----	-	2	2	1	2	2	1	1	1	-	-	-
FEMALE--	-	-	1	2	2	5	4	2	3	1	-	-
OKLAHOMA -----	-	-	1	1	4	5	2	2	3	-	-	-
WHITE-----MALE----	-	-	1	1	-	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	2	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	1	-	-	-
OREGON -----	-	-	-	1	3	5	9	3	1	2	1	-
WHITE-----MALE----	-	-	-	1	2	2	4	1	1	-	-	-
FEMALE--	-	-	-	-	1	3	4	2	-	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	2	5	8	10	16	19	28	11	7	-	-
WHITE-----MALE----	-	1	4	2	3	7	8	2	3	1	-	-
FEMALE--	-	-	-	2	5	5	9	25	6	6	-	-
ALL OTHER--MALE----	1	-	1	1	2	3	-	-	2	-	-	-
FEMALE--	-	1	-	3	-	1	2	1	-	-	-	-
BLACK---MALE----	1	-	1	1	2	3	-	-	2	-	-	-
FEMALE--	-	1	-	3	-	1	2	1	-	-	-	-
RHODE ISLAND -----	-	1	-	-	2	4	1	3	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	2	1	2	1	-	-	-
FEMALE--	-	1	-	-	2	2	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	5	5	5	6	12	6	6	2	1	-	-
WHITE-----MALE----	-	-	-	-	2	3	3	1	-	-	-	-
FEMALE--	-	-	1	2	2	3	2	1	-	-	-	-
ALL OTHER--MALE----	-	1	3	1	1	4	1	2	-	-	-	-
FEMALE--	-	4	1	2	1	2	-	2	2	1	-	-
BLACK---MALE----	-	1	3	1	1	4	1	2	-	-	-	-
FEMALE--	-	4	1	2	1	2	-	2	2	1	-	-





1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,556  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 0 HYPERTENSIVE HEART AND RENAL DISEASE (404)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	1	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	2	3	10	12	12	15	10	5	-	-
WHITE-----MALE----	-	-	-	1	2	3	3	2	1	2	-	-
FEMALE--	-	1	1	-	5	2	3	11	7	2	-	-
ALL OTHER--MALE----	-	-	1	1	1	3	1	1	-	-	-	-
FEMALE--	-	-	-	1	2	4	5	1	2	1	-	-
BLACK---MALE----	-	-	1	1	1	3	1	1	-	-	-	-
FEMALE--	-	-	-	1	2	4	5	1	2	1	-	-
TEXAS -----	3	7	4	14	13	24	26	32	18	5	2	-
WHITE-----MALE----	1	3	3	4	3	6	10	12	6	-	1	-
FEMALE--	1	1	1	4	4	12	9	17	10	3	1	-
ALL OTHER--MALE----	1	1	-	1	2	2	1	1	1	1	-	-
FEMALE--	-	2	-	5	4	4	6	2	1	1	-	-
BLACK---MALE----	1	1	-	1	2	2	1	1	1	1	-	-
FEMALE--	-	2	-	5	4	3	6	2	1	1	-	-
UTAH -----	-	-	-	-	-	1	2	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	2	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	2	2	4	9	11	12	10	9	5	-	-
WHITE-----MALE----	-	1	-	-	-	2	5	1	-	1	-	-
FEMALE--	-	-	-	2	4	2	4	6	6	3	-	-
ALL OTHER--MALE----	-	-	1	2	3	2	1	2	-	-	-	-
FEMALE--	1	1	1	-	2	5	2	1	3	1	-	-
BLACK---MALE----	-	-	1	2	3	2	1	2	-	-	-	-
FEMALE--	1	1	1	-	2	5	2	1	3	1	-	-





1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,558  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ISCHEMIC HEART DISEASE (410-414)												
0 UNITED STATES --	476,124	24	5	5	14	42	71	234	803	2,230	4,520	8,608
WHITE-----MALE----	218,811	8	1	1	9	24	36	127	476	1,373	2,874	5,631
FEMALE--	209,647	10	3	3	3	7	14	44	151	387	716	1,413
ALL OTHER--MALE----	23,225	-	-	-	1	9	14	43	125	325	634	1,065
FEMALE--	24,441	6	1	1	1	2	7	20	51	145	296	499
BLACK---MALE----	19,482	-	-	-	1	8	11	39	109	275	543	922
FEMALE--	21,810	5	1	1	1	2	7	19	47	136	285	475
ALABAMA -----	6,663	-	-	-	-	1	3	10	10	49	98	167
WHITE-----MALE----	2,934	-	-	-	-	-	2	3	6	28	58	98
FEMALE--	2,421	-	-	-	-	1	1	1	1	6	10	24
ALL OTHER--MALE----	670	-	-	-	-	-	-	5	2	11	18	29
FEMALE--	638	-	-	-	-	-	-	1	1	4	12	16
BLACK---MALE----	659	-	-	-	-	-	-	5	2	11	17	29
FEMALE--	636	-	-	-	-	-	-	1	1	4	12	16
ALASKA -----	303	-	-	-	-	-	-	1	2	4	11	22
WHITE-----MALE----	147	-	-	-	-	-	-	1	-	4	8	13
FEMALE--	83	-	-	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	48	-	-	-	-	-	-	-	1	-	2	6
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ARIZONA -----	6,544	-	-	-	1	-	1	7	11	19	59	112
WHITE-----MALE----	3,515	-	-	-	1	-	-	5	8	10	43	89
FEMALE--	2,785	-	-	-	-	-	-	1	2	6	9	17
ALL OTHER--MALE----	128	-	-	-	-	-	1	-	1	3	7	4
FEMALE--	116	-	-	-	-	-	-	1	-	-	-	2
BLACK---MALE----	52	-	-	-	-	-	-	-	-	3	3	3
FEMALE--	54	-	-	-	-	-	-	1	-	-	-	2
ARKANSAS -----	5,647	-	1	-	-	-	-	4	15	25	59	124
WHITE-----MALE----	2,557	-	-	-	-	-	-	4	10	16	25	74
FEMALE--	2,359	-	1	-	-	-	-	-	2	3	18	20
ALL OTHER--MALE----	350	-	-	-	-	-	-	-	3	4	11	17
FEMALE--	381	-	-	-	-	-	-	-	-	2	5	13
BLACK---MALE----	348	-	-	-	-	-	-	-	3	4	11	17
FEMALE--	381	-	-	-	-	-	-	-	-	2	5	13
CALIFORNIA -----	45,992	1	-	2	-	4	9	17	61	174	345	704
WHITE-----MALE----	20,418	-	-	-	-	3	4	9	40	114	214	464
FEMALE--	20,333	-	-	2	-	-	2	4	12	21	60	112
ALL OTHER--MALE----	2,712	-	-	-	-	1	3	4	7	28	45	93
FEMALE--	2,529	1	-	-	-	-	-	-	2	11	26	35
BLACK---MALE----	1,312	-	-	-	-	1	3	4	3	14	23	54
FEMALE--	1,548	-	-	-	-	-	-	-	1	8	25	30

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,558  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
ISCHEMIC HEART DISEASE (410-414)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	12,537	17,028	26,573	40,053	58,155	72,654	81,885	75,866	49,798	19,956	5,032	31
WHITE-----MALE----	8,049	10,591	16,093	23,537	32,139	37,081	36,036	26,828	13,323	3,898	660	16
FEMALE--	2,326	3,595	6,484	11,484	19,613	28,738	39,296	43,692	33,106	14,709	3,846	7
ALL OTHER--MALE----	1,401	1,769	2,390	2,787	3,269	3,266	2,732	1,975	1,015	310	91	4
FEMALE--	761	1,073	1,606	2,245	3,134	3,569	3,821	3,371	2,354	1,039	435	4
BLACK---MALE----	1,201	1,517	2,050	2,367	2,766	2,721	2,233	1,579	803	254	79	4
FEMALE--	705	975	1,454	1,992	2,783	3,147	3,356	3,032	2,077	918	388	4
ALABAMA -----	242	320	504	704	853	1,006	1,106	878	487	190	35	-
WHITE-----MALE----	146	171	270	384	439	446	436	281	114	48	4	-
FEMALE--	29	71	121	186	243	381	475	443	298	112	18	-
ALL OTHER--MALE----	45	56	60	78	94	88	83	65	24	11	1	-
FEMALE--	22	22	53	56	77	91	112	89	51	19	12	-
BLACK---MALE----	42	53	60	77	94	86	83	64	24	11	1	-
FEMALE--	22	22	53	56	77	89	112	89	51	19	12	-
ALASKA -----	18	25	36	34	44	33	35	28	8	2	-	-
WHITE-----MALE----	15	12	20	22	14	18	14	5	1	-	-	-
FEMALE--	1	7	5	4	18	7	13	17	5	2	-	-
ALL OTHER--MALE----	2	6	6	4	9	4	4	2	2	-	-	-
FEMALE--	-	-	5	4	3	4	4	4	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	2	-	-	-	-
ARIZONA -----	162	224	372	555	882	1,057	1,107	1,036	687	205	46	1
WHITE-----MALE----	115	167	260	362	540	611	578	451	228	38	8	1
FEMALE--	32	45	93	155	304	411	502	568	446	162	32	-
ALL OTHER--MALE----	10	8	10	22	19	16	11	7	7	1	1	-
FEMALE--	5	4	9	16	19	19	16	10	6	4	5	-
BLACK---MALE----	3	3	4	7	9	5	4	4	3	1	-	-
FEMALE--	2	3	1	8	6	11	8	7	1	3	1	-
ARKANSAS -----	172	242	357	513	682	843	943	885	530	196	56	-
WHITE-----MALE----	104	150	222	293	397	426	362	302	140	27	5	-
FEMALE--	37	55	78	148	218	324	472	489	310	148	36	-
ALL OTHER--MALE----	20	21	30	35	35	39	49	39	31	9	7	-
FEMALE--	11	16	27	37	32	54	60	55	49	12	8	-
BLACK---MALE----	19	21	29	35	35	39	49	39	31	9	7	-
FEMALE--	11	16	27	37	32	54	60	55	49	12	8	-
CALIFORNIA -----	1,019	1,379	2,230	3,473	5,433	7,022	8,117	7,628	5,416	2,374	581	3
WHITE-----MALE----	653	827	1,314	1,932	2,834	3,609	3,657	2,723	1,448	480	92	1
FEMALE--	190	305	528	1,013	1,856	2,611	3,643	4,274	3,537	1,722	439	2
ALL OTHER--MALE----	127	153	249	329	398	421	382	279	150	36	7	-
FEMALE--	49	94	139	199	345	381	435	352	281	136	43	-
BLACK---MALE----	67	86	140	174	188	192	175	114	54	18	2	-
FEMALE--	36	67	93	124	210	228	235	216	164	83	28	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,559  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
ISCHEMIC HEART DISEASE (410-414)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	3,982	-	-	-	-	-	1	1	8	19	47	102
WHITE-----MALE----	2,127	-	-	-	-	-	1	1	6	13	35	69
FEMALE--	1,720	-	-	-	-	-	-	-	2	6	8	25
ALL OTHER--MALE----	84	-	-	-	-	-	-	-	-	-	3	7
FEMALE--	51	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	62	-	-	-	-	-	-	-	-	-	2	6
FEMALE--	43	-	-	-	-	-	-	-	-	-	1	1
CONNECTICUT -----	5,692	1	-	-	1	1	1	3	9	18	54	74
WHITE-----MALE----	2,625	-	-	-	1	1	-	1	9	17	34	52
FEMALE--	2,827	1	-	-	-	-	-	1	-	1	15	14
ALL OTHER--MALE----	97	-	-	-	-	-	1	-	-	-	2	4
FEMALE--	143	-	-	-	-	-	-	1	-	-	3	4
BLACK---MALE----	97	-	-	-	-	-	1	-	-	-	2	4
FEMALE--	136	-	-	-	-	-	-	1	-	-	3	4
DELAWARE -----	1,079	-	-	-	-	-	-	3	6	8	9	29
WHITE-----MALE----	496	-	-	-	-	-	-	2	5	5	8	14
FEMALE--	463	-	-	-	-	-	-	-	-	2	-	8
ALL OTHER--MALE----	71	-	-	-	-	-	-	-	1	-	1	7
FEMALE--	49	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	67	-	-	-	-	-	-	-	1	-	1	6
FEMALE--	48	-	-	-	-	-	-	1	-	1	-	-
DISTRICT OF COLUMBIA ----	735	-	-	-	-	-	-	1	1	4	12	19
WHITE-----MALE----	103	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	113	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	265	-	-	-	-	-	-	1	1	2	3	12
FEMALE--	254	-	-	-	-	-	-	-	-	2	7	5
BLACK---MALE----	262	-	-	-	-	-	-	1	1	2	3	12
FEMALE--	252	-	-	-	-	-	-	-	-	2	7	5
FLORIDA -----	35,000	1	-	-	1	7	3	10	55	123	222	440
WHITE-----MALE----	17,215	1	-	-	1	3	1	5	31	78	149	282
FEMALE--	15,243	-	-	-	-	3	-	2	13	18	30	90
ALL OTHER--MALE----	1,216	-	-	-	-	-	1	1	10	20	26	44
FEMALE--	1,326	-	-	-	-	1	1	2	1	7	17	24
BLACK---MALE----	1,167	-	-	-	-	-	1	1	10	20	24	41
FEMALE--	1,291	-	-	-	-	1	1	2	1	7	17	24
GEORGIA -----	9,521	-	1	-	-	2	4	9	23	76	155	267
WHITE-----MALE----	4,055	-	-	-	-	-	2	3	11	31	93	135
FEMALE--	3,478	-	-	-	-	-	-	1	3	8	15	37
ALL OTHER--MALE----	933	-	-	-	-	2	-	2	6	23	34	61
FEMALE--	1,055	-	1	-	-	-	2	3	3	14	13	34
BLACK---MALE----	916	-	-	-	-	2	-	2	6	23	34	60
FEMALE--	1,045	-	1	-	-	-	2	3	3	14	12	34

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,559  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
ISCHEMIC HEART DISEASE (410-414)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	117	155	231	346	509	657	670	585	389	117	28	-
WHITE-----MALE----	87	111	173	218	323	356	339	256	111	24	4	-
FEMALE--	27	35	44	114	170	276	310	317	270	92	24	-
ALL OTHER--MALE----	3	6	10	10	11	16	9	5	4	-	-	-
FEMALE--	-	3	4	4	5	9	12	7	4	1	-	-
BLACK---MALE----	2	5	7	8	7	14	5	5	1	-	-	-
FEMALE--	-	2	3	4	4	7	9	7	4	1	-	-
CONNECTICUT -----	108	153	241	385	624	871	1,064	978	702	308	96	-
WHITE-----MALE----	74	102	166	246	353	479	488	357	185	52	8	-
FEMALE--	25	36	49	114	233	361	545	596	501	252	83	-
ALL OTHER--MALE----	5	6	10	14	15	12	16	7	3	1	1	-
FEMALE--	4	9	16	11	23	19	15	18	13	3	4	-
BLACK---MALE----	5	6	10	14	15	12	16	7	3	1	1	-
FEMALE--	4	8	15	10	21	19	15	17	12	3	4	-
DELAWARE -----	37	55	62	95	136	164	169	163	94	44	5	-
WHITE-----MALE----	25	30	30	61	85	78	66	58	24	5	-	-
FEMALE--	4	14	23	24	34	66	88	93	64	38	5	-
ALL OTHER--MALE----	7	4	5	7	10	11	7	9	2	-	-	-
FEMALE--	1	7	4	3	7	9	8	3	4	1	-	-
BLACK---MALE----	7	4	5	6	10	11	6	8	2	-	-	-
FEMALE--	1	7	4	3	7	9	7	3	4	1	-	-
DISTRICT OF COLUMBIA ----	27	35	49	63	99	102	103	113	70	29	7	1
WHITE-----MALE----	-	2	7	13	13	16	17	19	8	4	1	-
FEMALE--	-	-	2	1	4	16	19	29	24	14	3	-
ALL OTHER--MALE----	16	25	25	26	52	37	33	19	10	1	1	1
FEMALE--	11	8	15	23	30	33	34	46	28	10	2	-
BLACK---MALE----	16	25	25	25	52	37	33	18	9	1	1	1
FEMALE--	11	8	15	23	29	32	34	46	28	10	2	-
FLORIDA -----	710	952	1,563	2,672	4,116	5,391	6,433	6,254	4,096	1,561	383	7
WHITE-----MALE----	476	592	985	1,649	2,482	3,002	3,142	2,561	1,334	371	65	5
FEMALE--	124	188	351	716	1,297	2,054	2,935	3,428	2,586	1,116	291	1
ALL OTHER--MALE----	74	113	125	162	166	161	146	89	59	16	3	-
FEMALE--	36	59	102	145	171	174	210	176	117	58	24	1
BLACK---MALE----	68	109	116	154	161	153	144	88	58	16	3	-
FEMALE--	36	56	97	136	164	168	207	175	116	58	24	1
GEORGIA -----	401	489	776	939	1,270	1,415	1,482	1,260	659	242	51	-
WHITE-----MALE----	223	248	436	499	650	643	541	378	127	34	1	-
FEMALE--	55	93	162	232	384	497	666	682	440	169	34	-
ALL OTHER--MALE----	83	91	99	110	102	125	109	63	20	2	1	-
FEMALE--	40	57	79	98	134	150	166	137	72	37	15	-
BLACK---MALE----	81	89	99	108	100	122	106	62	19	2	1	-
FEMALE--	40	57	77	96	133	148	166	135	72	37	15	-





1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,560  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 ISCHEMIC HEART DISEASE (410-414)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	33	53	76	122	155	191	209	185	107	48	14	-
WHITE-----MALE----	3	8	18	28	35	35	22	14	8	1	-	-
FEMALE--	3	3	9	8	16	21	27	26	13	4	1	-
ALL OTHER--MALE----	21	32	32	56	70	68	84	89	43	13	1	-
FEMALE--	6	10	17	30	34	67	76	56	43	30	12	-
BLACK---MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	42	77	113	135	216	242	267	226	158	69	12	-
WHITE-----MALE----	34	60	80	99	134	138	138	116	50	18	-	-
FEMALE--	8	16	31	33	80	100	127	108	106	51	10	-
ALL OTHER--MALE----	-	1	2	3	2	4	2	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	1	-
BLACK---MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	578	751	1,187	1,807	2,665	3,333	4,123	3,670	2,610	1,014	261	1
WHITE-----MALE----	345	437	691	1,026	1,436	1,590	1,760	1,203	689	190	30	-
FEMALE--	107	151	279	519	921	1,405	2,037	2,184	1,742	742	203	-
ALL OTHER--MALE----	77	98	126	138	136	167	127	92	40	19	1	-
FEMALE--	49	65	91	124	172	171	199	191	139	63	27	1
BLACK---MALE----	70	88	109	125	130	156	113	84	34	16	1	-
FEMALE--	48	62	87	116	159	159	185	181	130	59	25	1
INDIANA -----	380	443	674	1,032	1,475	1,729	1,846	1,709	1,051	468	111	-
WHITE-----MALE----	259	294	417	639	870	906	854	599	291	93	16	-
FEMALE--	81	113	192	317	510	734	905	1,058	710	351	88	-
ALL OTHER--MALE----	29	21	41	44	47	41	34	10	17	3	-	-
FEMALE--	11	15	24	32	48	48	53	42	33	21	7	-
BLACK---MALE----	27	20	39	42	46	40	32	10	17	3	-	-
FEMALE--	11	15	23	31	47	47	52	42	32	21	7	-
IOWA -----	130	155	277	468	648	859	1,115	1,110	838	381	99	-
WHITE-----MALE----	99	126	185	316	415	490	523	432	234	69	10	-
FEMALE--	28	26	85	144	224	361	582	674	600	309	89	-
ALL OTHER--MALE----	3	3	5	5	3	1	4	2	1	1	-	-
FEMALE--	-	-	2	3	6	7	6	2	3	2	-	-
BLACK---MALE----	3	3	5	5	3	1	3	2	1	1	-	-
FEMALE--	-	-	2	3	5	6	2	1	3	1	-	-
KANSAS -----	101	129	235	348	518	668	740	824	527	230	63	-
WHITE-----MALE----	74	88	170	228	308	386	354	327	160	43	9	-
FEMALE--	18	29	51	102	187	257	361	474	352	181	52	-
ALL OTHER--MALE----	5	9	7	12	15	14	6	9	3	-	-	-
FEMALE--	4	3	7	6	8	11	19	14	12	6	2	-
BLACK---MALE----	4	6	6	12	13	10	4	8	2	-	-	-
FEMALE--	4	3	6	6	8	7	18	14	11	6	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,561  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ISCHEMIC HEART DISEASE (410-414)												
KENTUCKY -----	7,486	-	-	-	-	1	3	11	21	54	119	221
WHITE-----MALE----	3,793	-	-	-	-	1	1	8	17	41	87	153
FEMALE--	3,262	-	-	-	-	-	2	2	2	8	23	50
ALL OTHER--MALE----	200	-	-	-	-	-	-	-	2	4	5	13
FEMALE--	231	-	-	-	-	-	-	1	-	1	4	5
BLACK---MALE----	196	-	-	-	-	-	-	-	2	4	5	12
FEMALE--	227	-	-	-	-	-	-	1	-	1	4	5
LOUISIANA -----	6,571	-	-	-	-	-	2	5	18	66	103	187
WHITE-----MALE----	2,699	-	-	-	-	-	1	4	7	31	49	87
FEMALE--	2,296	-	-	-	-	-	-	1	2	7	21	23
ALL OTHER--MALE----	791	-	-	-	-	-	1	-	6	18	21	39
FEMALE--	785	-	-	-	-	-	-	-	3	10	12	38
BLACK---MALE----	779	-	-	-	-	-	1	-	6	16	21	39
FEMALE--	775	-	-	-	-	-	-	-	3	10	12	36
MAINE -----	2,254	-	-	-	1	-	-	1	3	13	25	44
WHITE-----MALE----	1,167	-	-	-	-	-	-	1	3	9	21	38
FEMALE--	1,085	-	-	-	1	-	-	-	-	3	4	6
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	6,747	2	-	-	-	1	1	5	11	16	54	119
WHITE-----MALE----	2,869	-	-	-	-	1	1	2	3	6	25	64
FEMALE--	2,737	1	-	-	-	-	-	-	2	3	8	18
ALL OTHER--MALE----	558	-	-	-	-	-	-	2	6	3	14	25
FEMALE--	583	1	-	-	-	-	-	1	-	4	7	12
BLACK---MALE----	526	-	-	-	-	-	-	2	6	2	11	24
FEMALE--	565	1	-	-	-	-	-	1	-	4	7	12
MASSACHUSETTS -----	10,634	-	-	-	1	-	4	5	12	26	92	188
WHITE-----MALE----	5,078	-	-	-	1	-	2	3	8	18	66	150
FEMALE--	5,248	-	-	-	-	-	-	1	3	6	19	29
ALL OTHER--MALE----	156	-	-	-	-	-	2	1	1	2	6	6
FEMALE--	152	-	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	133	-	-	-	-	-	1	-	1	2	5	6
FEMALE--	127	-	-	-	-	-	-	-	-	-	1	3
MICHIGAN -----	18,062	-	-	-	-	2	1	8	27	83	178	297
WHITE-----MALE----	8,067	-	-	-	-	2	-	5	18	47	115	189
FEMALE--	8,272	-	-	-	-	-	1	1	6	19	32	50
ALL OTHER--MALE----	790	-	-	-	-	-	-	2	2	13	15	41
FEMALE--	933	-	-	-	-	-	-	-	1	4	16	17
BLACK---MALE----	721	-	-	-	-	-	-	2	-	11	12	35
FEMALE--	864	-	-	-	-	-	-	-	1	4	14	17

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,561  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 ISCHEMIC HEART DISEASE (410-414)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	258	326	574	698	1,004	1,092	1,202	1,019	589	239	55	-
WHITE-----MALE----	180	224	388	444	581	583	530	353	143	53	6	-
FEMALE--	58	81	151	212	371	444	617	605	416	173	47	-
ALL OTHER--MALE----	13	10	26	20	27	26	23	19	7	4	1	-
FEMALE--	7	11	9	22	25	39	32	42	23	9	1	-
BLACK---MALE----	13	9	25	19	27	26	23	19	7	4	1	-
FEMALE--	6	11	9	22	25	38	32	42	21	9	1	-
LOUISIANA -----	257	381	517	686	847	900	990	839	551	176	46	-
WHITE-----MALE----	139	193	251	367	409	397	349	240	136	37	2	-
FEMALE--	43	65	108	166	245	310	443	426	305	100	31	-
ALL OTHER--MALE----	49	77	98	79	108	104	76	72	28	8	7	-
FEMALE--	26	46	60	74	85	89	122	101	82	31	6	-
BLACK---MALE----	49	76	98	77	107	101	75	70	28	8	7	-
FEMALE--	25	45	60	74	84	89	120	100	81	30	6	-
MAINE -----	50	75	126	200	289	325	377	326	266	102	31	-
WHITE-----MALE----	34	53	97	137	190	176	184	124	74	21	5	-
FEMALE--	16	22	29	63	99	148	193	202	192	81	26	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MARYLAND -----	165	279	400	631	933	1,081	1,124	1,018	617	233	57	-
WHITE-----MALE----	105	149	196	341	485	504	462	345	142	32	6	-
FEMALE--	28	42	88	165	292	405	509	561	399	171	45	-
ALL OTHER--MALE----	19	56	67	67	87	78	51	42	29	11	1	-
FEMALE--	13	32	49	58	69	94	102	70	47	19	5	-
BLACK---MALE----	17	50	63	64	83	75	50	41	27	10	1	-
FEMALE--	13	31	48	58	66	92	99	66	45	17	5	-
MASSACHUSETTS -----	248	294	494	838	1,236	1,663	1,915	1,682	1,212	550	174	-
WHITE-----MALE----	183	201	336	557	722	921	879	586	322	100	23	-
FEMALE--	44	82	138	242	466	691	1,007	1,063	874	435	148	-
ALL OTHER--MALE----	16	7	10	19	27	28	14	12	3	2	-	-
FEMALE--	5	4	10	20	21	23	15	21	13	13	3	-
BLACK---MALE----	15	7	10	16	23	23	9	12	2	1	-	-
FEMALE--	4	2	8	16	19	17	14	18	11	11	3	-
MICHIGAN -----	465	633	944	1,497	2,202	2,851	3,115	2,785	1,952	822	200	-
WHITE-----MALE----	301	396	555	899	1,194	1,395	1,349	918	503	155	26	-
FEMALE--	94	137	255	415	787	1,181	1,540	1,656	1,330	616	152	-
ALL OTHER--MALE----	43	56	73	106	112	125	85	74	31	10	2	-
FEMALE--	27	44	61	77	109	150	141	137	88	41	20	-
BLACK---MALE----	37	49	65	99	106	119	79	67	29	9	2	-
FEMALE--	25	37	55	71	102	134	137	129	80	39	19	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,562  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
ISCHEMIC HEART DISEASE (410-414)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	159	217	327	478	761	949	1,166	1,096	739	281	64	-
WHITE-----MALE----	121	169	242	338	522	575	608	467	234	78	7	-
FEMALE--	33	39	75	132	226	356	548	620	499	203	56	-
ALL OTHER--MALE----	5	3	8	3	9	12	6	2	3	-	1	-
FEMALE--	-	6	2	5	4	6	4	7	3	-	-	-
BLACK---MALE----	1	1	4	-	3	2	3	-	-	-	-	-
FEMALE--	-	1	-	3	3	2	4	7	1	-	-	-
MISSISSIPPI -----	177	258	375	430	584	760	733	601	372	122	41	-
WHITE-----MALE----	82	137	190	213	290	332	253	148	84	18	2	-
FEMALE--	21	36	72	109	149	247	312	292	196	74	20	-
ALL OTHER--MALE----	48	54	61	56	62	90	72	53	36	11	8	-
FEMALE--	26	31	52	52	83	91	96	108	56	19	11	-
BLACK---MALE----	47	53	59	53	62	89	72	52	36	11	8	-
FEMALE--	26	31	52	51	83	91	96	107	56	19	11	-
MISSOURI -----	294	470	659	1,023	1,455	1,881	2,147	2,111	1,468	556	143	-
WHITE-----MALE----	199	288	410	587	835	976	921	731	386	105	20	-
FEMALE--	63	122	185	335	487	766	1,080	1,247	984	411	111	-
ALL OTHER--MALE----	21	34	34	47	71	60	65	43	21	11	2	-
FEMALE--	11	26	30	54	62	79	81	90	77	29	10	-
BLACK---MALE----	21	33	33	45	68	57	60	42	21	10	2	-
FEMALE--	10	25	29	54	57	74	79	86	75	29	10	-
MONTANA -----	37	48	101	103	144	182	211	171	103	34	10	-
WHITE-----MALE----	20	37	79	77	97	105	110	75	36	6	2	-
FEMALE--	10	8	17	22	44	70	99	96	66	27	8	-
ALL OTHER--MALE----	4	3	4	3	2	6	1	-	-	1	-	-
FEMALE--	3	-	1	1	1	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	60	87	137	219	332	374	475	526	394	136	44	-
WHITE-----MALE----	37	61	81	146	202	212	240	200	113	35	8	-
FEMALE--	15	18	47	56	119	152	226	317	276	100	36	-
ALL OTHER--MALE----	4	8	3	10	8	7	2	7	4	1	-	-
FEMALE--	4	-	6	7	3	3	7	2	1	-	-	-
BLACK---MALE----	2	7	2	8	7	5	2	6	4	1	-	-
FEMALE--	4	-	5	7	2	3	7	2	1	-	-	-
NEVADA -----	55	93	142	228	229	284	254	193	108	53	5	2
WHITE-----MALE----	38	57	89	152	152	168	122	75	25	10	-	2
FEMALE--	11	26	32	59	60	105	125	110	81	38	5	-
ALL OTHER--MALE----	4	6	13	11	9	7	4	3	-	1	-	-
FEMALE--	2	4	8	6	8	4	3	5	2	4	-	-
BLACK---MALE----	2	4	9	10	8	5	2	2	-	-	-	-
FEMALE--	1	2	7	2	4	4	3	5	2	3	-	-







1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,564  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ISCHEMIC HEART DISEASE (410-414)												
OHIO -----	22,957	2	1	-	1	3	2	10	41	107	240	424
WHITE-----MALE----	10,656	1	1	-	1	3	1	6	31	69	168	294
FEMALE--	10,454	1	-	-	-	-	-	3	6	25	38	81
ALL OTHER--MALE----	932	-	-	-	-	-	1	1	2	10	23	31
FEMALE--	915	-	-	-	-	-	-	-	2	3	11	18
BLACK---MALE----	911	-	-	-	-	-	1	1	2	9	22	31
FEMALE--	900	-	-	-	-	-	-	-	2	3	11	18
OKLAHOMA -----	7,506	1	-	-	-	-	-	2	13	47	79	152
WHITE-----MALE----	3,538	-	-	-	-	-	-	-	9	30	52	104
FEMALE--	3,285	1	-	-	-	-	-	1	1	9	14	32
ALL OTHER--MALE----	347	-	-	-	-	-	-	-	3	7	11	13
FEMALE--	336	-	-	-	-	-	-	1	-	1	2	3
BLACK---MALE----	189	-	-	-	-	-	-	-	3	4	3	6
FEMALE--	199	-	-	-	-	-	-	1	-	-	1	2
OREGON -----	5,125	1	-	-	-	-	1	1	7	30	64	94
WHITE-----MALE----	2,792	1	-	-	-	-	-	1	6	24	47	70
FEMALE--	2,227	-	-	-	-	-	1	-	1	6	13	19
ALL OTHER--MALE----	64	-	-	-	-	-	-	-	-	-	3	4
FEMALE--	42	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	22	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	27	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	27,105	-	-	-	1	1	4	13	36	87	189	419
WHITE-----MALE----	12,718	-	-	-	-	1	1	7	23	58	131	298
FEMALE--	12,902	-	-	-	1	-	1	3	11	16	33	77
ALL OTHER--MALE----	684	-	-	-	-	-	1	3	1	8	12	28
FEMALE--	801	-	-	-	-	-	1	-	1	5	13	16
BLACK---MALE----	656	-	-	-	-	-	-	3	1	8	12	27
FEMALE--	785	-	-	-	-	-	1	-	1	5	13	16
RHODE ISLAND -----	2,394	-	-	-	-	-	1	-	1	7	23	20
WHITE-----MALE----	1,084	-	-	-	-	-	1	-	-	5	18	17
FEMALE--	1,259	-	-	-	-	-	-	-	1	1	4	2
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	22	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	6,390	2	-	-	-	-	-	3	30	43	88	172
WHITE-----MALE----	2,724	-	-	-	-	-	-	-	17	20	48	90
FEMALE--	2,137	1	-	-	-	-	-	1	3	9	6	17
ALL OTHER--MALE----	743	-	-	-	-	-	-	2	6	9	22	45
FEMALE--	786	1	-	-	-	-	-	-	4	5	12	20
BLACK---MALE----	736	-	-	-	-	-	-	2	6	9	22	45
FEMALE--	784	1	-	-	-	-	-	-	4	5	12	20

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,564  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
ISCHEMIC HEART DISEASE (410-414)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	624	833	1,316	2,045	2,940	3,618	3,942	3,450	2,270	886	202	-
WHITE-----MALE----	415	542	790	1,185	1,604	1,882	1,717	1,159	569	191	27	-
FEMALE--	126	190	337	632	1,069	1,474	1,995	2,108	1,560	646	163	-
ALL OTHER--MALE----	44	54	114	136	146	140	110	74	39	7	-	-
FEMALE--	39	47	75	92	121	122	120	109	102	42	12	-
BLACK---MALE----	43	54	111	134	143	138	105	72	38	7	-	-
FEMALE--	39	47	73	89	118	121	117	107	101	42	12	-
OKLAHOMA -----	234	305	475	669	955	1,122	1,200	1,130	741	290	88	3
WHITE-----MALE----	137	191	292	397	550	547	538	402	207	71	10	1
FEMALE--	56	63	120	212	303	486	583	663	477	200	62	2
ALL OTHER--MALE----	32	33	38	36	56	41	28	22	17	6	4	-
FEMALE--	9	18	25	24	46	48	51	43	40	13	12	-
BLACK---MALE----	16	18	24	21	26	20	19	12	8	5	4	-
FEMALE--	7	5	12	11	26	31	32	29	27	7	8	-
OREGON -----	126	212	251	450	619	803	911	832	484	200	39	-
WHITE-----MALE----	99	162	170	289	393	471	479	376	147	51	6	-
FEMALE--	22	45	70	149	209	317	416	449	331	146	33	-
ALL OTHER--MALE----	5	5	9	7	8	8	8	4	1	2	-	-
FEMALE--	-	-	2	5	9	7	8	3	5	1	-	-
BLACK---MALE----	2	3	3	2	4	1	1	2	-	-	-	-
FEMALE--	-	-	1	2	7	3	5	3	5	-	-	-
PENNSYLVANIA -----	580	831	1,396	2,263	3,529	4,433	4,957	4,444	2,674	1,003	244	1
WHITE-----MALE----	404	547	921	1,386	2,016	2,249	2,238	1,540	667	203	27	1
FEMALE--	120	206	357	712	1,281	1,972	2,526	2,736	1,898	758	194	-
ALL OTHER--MALE----	35	43	62	86	109	102	82	59	32	17	4	-
FEMALE--	21	35	56	79	123	110	111	109	77	25	19	-
BLACK---MALE----	34	42	61	77	104	99	80	56	32	16	4	-
FEMALE--	21	35	55	76	119	107	109	106	77	25	19	-
RHODE ISLAND -----	40	70	90	161	303	383	413	427	274	133	48	-
WHITE-----MALE----	32	52	62	101	168	223	182	136	52	29	6	-
FEMALE--	7	16	27	52	125	151	223	285	220	103	42	-
ALL OTHER--MALE----	-	1	1	3	7	6	2	3	-	-	-	-
FEMALE--	1	1	-	5	3	3	6	3	2	1	-	-
BLACK---MALE----	-	1	1	2	6	6	2	2	-	-	-	-
FEMALE--	1	1	-	5	2	2	6	2	1	-	-	-
SOUTH CAROLINA -----	292	340	519	678	877	1,056	968	735	403	137	47	-
WHITE-----MALE----	150	189	271	344	423	473	377	209	84	27	2	-
FEMALE--	46	60	111	160	234	336	400	388	251	84	30	-
ALL OTHER--MALE----	60	53	79	95	109	111	81	43	19	5	4	-
FEMALE--	36	38	58	79	111	136	110	95	49	21	11	-
BLACK---MALE----	60	50	78	94	109	111	81	41	19	5	4	-
FEMALE--	36	38	58	78	110	136	110	95	49	21	11	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,565  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ISCHEMIC HEART DISEASE (410-414)												
SOUTH DAKOTA -----	1,491	-	-	-	-	-	1	2	1	6	11	35
WHITE-----MALE----	821	-	-	-	-	-	1	2	1	5	7	30
FEMALE--	608	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	39	-	-	-	-	-	-	-	-	1	2	4
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	10,774	-	-	-	1	1	-	4	29	74	145	244
WHITE-----MALE----	4,815	-	-	-	1	1	-	2	16	45	84	166
FEMALE--	4,623	-	-	-	-	-	-	1	7	14	25	40
ALL OTHER--MALE----	633	-	-	-	-	-	-	-	3	12	28	29
FEMALE--	703	-	-	-	-	-	-	1	3	3	8	9
BLACK---MALE----	624	-	-	-	-	-	-	-	3	11	27	28
FEMALE--	695	-	-	-	-	-	-	1	3	3	8	9
TEXAS -----	27,567	3	1	-	3	5	6	16	50	179	303	620
WHITE-----MALE----	12,773	2	-	-	1	3	3	8	26	107	189	401
FEMALE--	11,682	1	1	-	1	-	2	4	11	28	46	92
ALL OTHER--MALE----	1,567	-	-	-	1	1	1	2	9	31	52	91
FEMALE--	1,545	-	-	-	-	1	-	2	4	13	16	36
BLACK---MALE----	1,474	-	-	-	1	1	1	2	7	30	50	83
FEMALE--	1,496	-	-	-	-	1	-	1	4	13	15	35
UTAH -----	1,654	-	-	-	-	-	-	-	2	11	14	27
WHITE-----MALE----	896	-	-	-	-	-	-	-	1	7	10	23
FEMALE--	729	-	-	-	-	-	-	-	1	3	3	4
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	893	-	-	-	-	-	-	-	-	3	10	18
WHITE-----MALE----	456	-	-	-	-	-	-	-	-	3	8	15
FEMALE--	437	-	-	-	-	-	-	-	-	-	2	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	9,176	-	-	-	-	2	3	5	19	66	142	243
WHITE-----MALE----	4,007	-	-	-	-	-	-	3	6	38	80	135
FEMALE--	3,457	-	-	-	-	1	2	1	6	14	20	38
ALL OTHER--MALE----	870	-	-	-	-	1	1	1	3	9	35	53
FEMALE--	842	-	-	-	-	-	-	-	4	5	7	17
BLACK---MALE----	840	-	-	-	-	1	1	1	3	9	34	51
FEMALE--	822	-	-	-	-	-	-	-	4	5	7	17

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,565  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
ISCHEMIC HEART DISEASE (410-414)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	35	46	75	104	190	236	241	226	182	87	13	-
WHITE-----MALE----	25	35	54	71	124	145	129	105	63	21	3	-
FEMALE--	5	8	18	24	56	81	106	117	115	65	10	-
ALL OTHER--MALE----	4	3	-	5	8	7	4	-	1	-	-	-
FEMALE--	1	-	3	4	2	3	2	4	3	1	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
TENNESSEE -----	363	501	689	985	1,286	1,639	1,772	1,628	997	336	80	-
WHITE-----MALE----	234	320	404	562	675	824	685	514	228	46	8	-
FEMALE--	68	115	170	274	462	656	876	941	669	252	53	-
ALL OTHER--MALE----	39	40	66	75	73	65	86	70	38	6	3	-
FEMALE--	22	26	49	74	76	94	125	103	62	32	16	-
BLACK---MALE----	38	39	65	75	73	65	85	69	37	6	3	-
FEMALE--	21	26	49	74	75	93	124	101	60	32	16	-
TEXAS -----	903	1,251	1,823	2,467	3,393	4,017	4,384	4,288	2,625	978	248	4
WHITE-----MALE----	569	784	1,132	1,446	1,807	2,085	1,871	1,463	674	169	30	3
FEMALE--	167	260	434	719	1,173	1,539	2,134	2,450	1,719	725	176	-
ALL OTHER--MALE----	106	129	169	173	212	191	153	134	78	21	12	1
FEMALE--	61	78	88	129	201	202	226	241	154	63	30	-
BLACK---MALE----	98	122	159	162	202	181	144	124	75	20	11	1
FEMALE--	61	75	85	121	191	192	220	237	153	62	30	-
UTAH -----	46	58	95	138	208	245	292	285	156	67	10	-
WHITE-----MALE----	42	43	69	95	114	147	152	126	54	11	2	-
FEMALE--	2	14	22	41	89	92	135	158	101	56	8	-
ALL OTHER--MALE----	1	-	3	1	-	5	4	1	-	-	-	-
FEMALE--	1	1	1	1	5	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
VERMONT -----	26	29	51	81	110	125	151	143	94	42	10	-
WHITE-----MALE----	20	23	32	60	71	66	72	53	24	8	1	-
FEMALE--	6	6	19	21	39	59	79	90	70	34	9	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	315	448	623	887	1,239	1,517	1,425	1,239	699	242	59	3
WHITE-----MALE----	206	263	337	496	608	704	533	396	154	41	6	1
FEMALE--	47	78	135	206	393	540	647	661	464	164	39	1
ALL OTHER--MALE----	42	67	88	104	111	143	106	74	19	11	2	-
FEMALE--	20	40	63	81	127	130	139	108	62	26	12	1
BLACK---MALE----	42	65	86	100	107	140	98	71	18	11	2	-
FEMALE--	20	38	63	79	123	125	135	105	62	26	12	1



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,566  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
ISCHEMIC HEART DISEASE (410-414)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
WASHINGTON -----	169	241	351	577	834	1,143	1,267	1,131	680	252	65	-
WHITE-----MALE----	136	184	255	378	531	692	641	478	237	69	16	-
FEMALE--	25	45	81	167	266	406	580	629	427	174	48	-
ALL OTHER--MALE----	8	9	12	17	25	22	21	12	8	2	-	-
FEMALE--	-	3	3	15	12	23	25	12	8	7	1	-
BLACK---MALE----	3	1	-	6	12	6	9	3	1	1	-	-
FEMALE--	-	1	3	5	9	14	8	6	2	1	-	-
WEST VIRGINIA -----	129	168	320	455	602	716	735	636	357	127	33	-
WHITE-----MALE----	93	108	207	267	347	367	316	225	84	20	6	-
FEMALE--	29	55	108	172	240	325	398	386	260	101	23	-
ALL OTHER--MALE----	3	2	3	11	8	10	11	9	3	2	-	-
FEMALE--	4	3	2	5	7	14	10	16	10	4	4	-
BLACK---MALE----	3	2	2	10	7	10	11	9	2	2	-	-
FEMALE--	4	2	2	5	7	14	10	16	10	4	4	-
WISCONSIN -----	235	325	497	757	1,084	1,478	1,650	1,475	1,089	432	117	-
WHITE-----MALE----	175	243	353	506	678	853	837	577	366	103	12	-
FEMALE--	38	63	113	224	374	593	792	874	708	327	100	-
ALL OTHER--MALE----	13	11	17	17	18	20	8	8	10	-	-	-
FEMALE--	9	8	14	10	14	12	13	16	5	2	5	-
BLACK---MALE----	12	9	11	13	14	14	7	5	9	-	-	-
FEMALE--	7	6	10	7	13	7	10	13	4	2	5	-
WYOMING -----	24	32	41	78	72	83	92	93	44	19	4	-
WHITE-----MALE----	18	27	30	55	42	47	52	31	11	3	-	-
FEMALE--	5	4	9	22	26	36	40	62	32	16	4	-
ALL OTHER--MALE----	-	1	1	1	2	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	2	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,567  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE MYOCARDIAL INFARCTION (410)												
0 UNITED STATES --	213,532	13	3	1	8	22	37	113	441	1,157	2,468	4,825
WHITE-----MALE----	101,698	6	1	-	4	12	17	57	246	717	1,619	3,189
FEMALE--	89,537	3	2	1	2	3	12	24	91	216	392	797
ALL OTHER--MALE----	11,041	-	-	-	1	5	3	20	70	155	320	571
FEMALE--	11,256	4	-	-	1	2	5	12	34	69	137	268
BLACK---MALE----	9,357	-	-	-	1	5	1	20	61	130	269	492
FEMALE--	10,135	3	-	-	1	2	5	11	31	66	131	258
ALABAMA -----	3,909	-	-	-	-	1	1	7	7	37	63	123
WHITE-----MALE----	1,731	-	-	-	-	-	-	2	5	21	38	73
FEMALE--	1,359	-	-	-	-	1	1	1	1	5	7	19
ALL OTHER--MALE----	404	-	-	-	-	-	-	3	-	8	11	20
FEMALE--	415	-	-	-	-	-	-	1	1	3	7	11
BLACK---MALE----	397	-	-	-	-	-	-	3	-	8	10	20
FEMALE--	413	-	-	-	-	-	-	1	1	3	7	11
ALASKA -----	123	-	-	-	-	-	-	1	2	2	9	7
WHITE-----MALE----	57	-	-	-	-	-	-	1	-	2	6	4
FEMALE--	36	-	-	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2,843	-	-	-	1	-	1	3	5	12	26	58
WHITE-----MALE----	1,573	-	-	-	1	-	-	2	3	5	18	49
FEMALE--	1,157	-	-	-	-	-	-	1	1	4	5	6
ALL OTHER--MALE----	62	-	-	-	-	-	1	-	1	3	3	1
FEMALE--	51	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	24	-	-	-	-	-	-	-	-	3	2	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	2
ARKANSAS -----	3,583	-	1	-	-	-	-	3	10	20	47	98
WHITE-----MALE----	1,720	-	-	-	-	-	-	3	5	14	21	55
FEMALE--	1,371	-	1	-	-	-	-	-	2	3	13	19
ALL OTHER--MALE----	246	-	-	-	-	-	-	-	3	2	10	11
FEMALE--	246	-	-	-	-	-	-	-	-	1	3	13
BLACK---MALE----	245	-	-	-	-	-	-	-	3	2	10	11
FEMALE--	246	-	-	-	-	-	-	-	-	1	3	13
CALIFORNIA -----	17,395	1	-	-	-	3	3	5	32	73	181	335
WHITE-----MALE----	8,052	-	-	-	-	2	1	1	17	49	122	216
FEMALE--	7,153	-	-	-	-	-	1	2	7	11	27	51
ALL OTHER--MALE----	1,173	-	-	-	-	1	1	2	6	12	22	47
FEMALE--	1,017	1	-	-	-	-	-	-	2	1	10	21
BLACK---MALE----	564	-	-	-	-	1	1	2	2	6	9	32
FEMALE--	626	-	-	-	-	-	-	-	1	1	9	19

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,567  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE MYOCARDIAL INFARCTION (410)												
0 UNITED STATES --	7,104	9,471	14,320	20,505	28,433	33,663	35,826	30,547	17,147	5,991	1,424	13
WHITE-----MALE----	4,656	5,930	8,636	12,010	15,423	16,791	15,416	10,818	4,744	1,218	180	8
FEMALE--	1,326	2,043	3,636	5,976	9,917	13,696	17,519	17,437	11,105	4,292	1,046	1
ALL OTHER--MALE----	740	937	1,202	1,371	1,546	1,482	1,215	840	415	113	33	2
FEMALE--	382	561	846	1,148	1,547	1,694	1,676	1,452	883	368	165	2
BLACK---MALE----	624	821	1,027	1,189	1,323	1,243	1,009	687	331	93	29	2
FEMALE--	351	513	774	1,027	1,367	1,504	1,496	1,331	780	333	149	2
ALABAMA -----	159	219	327	455	496	553	609	498	253	89	12	-
WHITE-----MALE----	98	115	169	241	252	228	231	169	61	27	1	-
FEMALE--	20	50	86	125	142	203	269	235	143	45	6	-
ALL OTHER--MALE----	24	38	36	46	58	59	44	37	13	7	-	-
FEMALE--	17	16	36	43	44	63	65	57	36	10	5	-
BLACK---MALE----	22	37	36	45	58	58	44	36	13	7	-	-
FEMALE--	17	16	36	43	44	61	65	57	36	10	5	-
ALASKA -----	9	9	11	16	12	15	12	13	4	1	-	-
WHITE-----MALE----	7	3	7	11	3	6	4	2	1	-	-	-
FEMALE--	-	4	2	2	6	2	5	8	2	1	-	-
ALL OTHER--MALE----	2	2	1	2	2	3	1	1	1	-	-	-
FEMALE--	-	-	1	1	1	4	2	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ARIZONA -----	79	102	193	284	442	479	464	397	215	69	12	1
WHITE-----MALE----	56	71	138	188	270	273	228	170	83	13	4	1
FEMALE--	15	25	45	78	159	189	227	219	123	53	7	-
ALL OTHER--MALE----	5	4	5	11	7	9	5	2	5	-	-	-
FEMALE--	3	2	5	7	6	8	4	6	4	3	1	-
BLACK---MALE----	1	2	1	6	3	1	1	1	3	-	-	-
FEMALE--	1	1	-	3	2	3	4	5	1	2	-	-
ARKANSAS -----	142	193	268	368	439	549	586	498	256	79	26	-
WHITE-----MALE----	87	121	175	212	256	284	227	174	72	12	2	-
FEMALE--	29	43	52	106	140	199	292	260	138	56	18	-
ALL OTHER--MALE----	18	15	22	22	27	27	33	30	19	5	2	-
FEMALE--	8	14	19	28	16	39	34	34	27	6	4	-
BLACK---MALE----	17	15	22	22	27	27	33	30	19	5	2	-
FEMALE--	8	14	19	28	16	39	34	34	27	6	4	-
CALIFORNIA -----	516	681	1,054	1,519	2,316	2,782	2,999	2,613	1,495	638	149	-
WHITE-----MALE----	328	413	603	849	1,166	1,406	1,321	971	426	130	31	-
FEMALE--	91	145	269	435	808	1,062	1,349	1,407	926	456	106	-
ALL OTHER--MALE----	78	74	115	146	168	162	162	103	58	12	4	-
FEMALE--	19	49	67	89	174	152	167	132	85	40	8	-
BLACK---MALE----	38	44	59	82	76	71	72	42	22	4	1	-
FEMALE--	12	35	45	55	99	95	96	82	46	25	6	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,568  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE MYOCARDIAL INFARCTION (410)												
COLORADO -----	1,944	-	-	-	-	-	1	1	8	8	23	62
WHITE-----MALE----	1,042	-	-	-	-	-	1	1	6	5	16	40
FEMALE--	837	-	-	-	-	-	-	-	2	3	4	18
ALL OTHER--MALE----	43	-	-	-	-	-	-	-	-	-	3	4
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	29	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2,069	-	-	-	-	-	-	2	3	5	25	31
WHITE-----MALE----	966	-	-	-	-	-	-	1	3	4	15	17
FEMALE--	1,003	-	-	-	-	-	-	1	-	1	7	9
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	63	-	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	37	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	59	-	-	-	-	-	-	-	-	-	1	3
DELAWARE -----	531	-	-	-	-	-	-	-	2	5	3	15
WHITE-----MALE----	256	-	-	-	-	-	-	-	1	4	3	7
FEMALE--	219	-	-	-	-	-	-	-	-	1	-	5
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	29	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	295	-	-	-	-	-	-	-	-	2	6	6
WHITE-----MALE----	32	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	56	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	106	-	-	-	-	-	-	-	-	1	-	5
FEMALE--	101	-	-	-	-	-	-	-	-	1	4	1
BLACK---MALE----	104	-	-	-	-	-	-	-	-	1	-	5
FEMALE--	100	-	-	-	-	-	-	-	-	1	4	1
FLORIDA -----	13,152	1	-	-	-	1	2	6	26	59	106	194
WHITE-----MALE----	6,508	1	-	-	-	-	1	3	15	34	65	123
FEMALE--	5,595	-	-	-	-	-	-	1	6	11	17	45
ALL OTHER--MALE----	503	-	-	-	-	-	-	-	4	11	15	19
FEMALE--	546	-	-	-	-	1	1	2	1	3	9	7
BLACK---MALE----	483	-	-	-	-	-	-	-	4	11	15	17
FEMALE--	528	-	-	-	-	1	1	2	1	3	9	7
GEORGIA -----	4,837	-	-	-	-	1	3	4	11	39	88	170
WHITE-----MALE----	2,030	-	-	-	-	-	1	1	6	18	55	88
FEMALE--	1,705	-	-	-	-	-	-	-	1	3	10	24
ALL OTHER--MALE----	517	-	-	-	-	1	-	1	3	9	17	37
FEMALE--	585	-	-	-	-	-	2	2	1	9	6	21
BLACK---MALE----	508	-	-	-	-	1	-	1	3	9	17	37
FEMALE--	583	-	-	-	-	-	2	2	1	9	6	21

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,568  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 ACUTE MYOCARDIAL INFARCTION (410)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	64	80	132	192	256	319	337	271	154	30	6	-
WHITE-----MALE----	46	59	99	118	153	156	174	118	48	2	-	-
FEMALE--	16	19	21	70	91	154	153	150	102	28	6	-
ALL OTHER--MALE----	2	1	9	2	8	6	5	1	2	-	-	-
FEMALE--	-	1	3	2	4	3	5	2	2	-	-	-
BLACK---MALE----	2	1	6	2	5	4	3	1	-	-	-	-
FEMALE--	-	-	2	2	3	3	4	2	-	-	-	-
CONNECTICUT -----	50	73	107	165	239	358	385	328	198	80	20	-
WHITE-----MALE----	33	46	71	98	135	197	172	116	48	8	2	-
FEMALE--	11	21	25	56	91	148	199	204	146	69	15	-
ALL OTHER--MALE----	3	3	4	5	2	6	7	2	-	1	-	-
FEMALE--	3	3	7	6	11	7	7	6	4	2	3	-
BLACK---MALE----	3	3	4	5	2	6	7	2	-	1	-	-
FEMALE--	3	2	7	5	10	7	7	5	4	2	3	-
DELAWARE -----	18	29	36	56	68	82	95	82	27	12	1	-
WHITE-----MALE----	13	15	18	32	46	35	37	34	9	2	-	-
FEMALE--	1	9	14	18	16	35	52	43	14	10	1	-
ALL OTHER--MALE----	3	2	1	3	3	7	4	3	1	-	-	-
FEMALE--	1	3	3	3	3	5	2	2	3	-	-	-
BLACK---MALE----	3	2	1	2	3	7	4	3	1	-	-	-
FEMALE--	1	3	3	3	3	5	2	2	3	-	-	-
DISTRICT OF COLUMBIA ----	13	16	20	27	39	38	40	48	29	10	1	-
WHITE-----MALE----	-	-	1	2	4	6	8	7	2	1	-	-
FEMALE--	-	-	1	1	2	5	10	18	13	5	-	-
ALL OTHER--MALE----	6	10	11	13	22	13	14	7	3	1	-	-
FEMALE--	7	6	7	11	11	14	8	16	11	3	1	-
BLACK---MALE----	6	10	11	12	22	13	14	7	2	1	-	-
FEMALE--	7	6	7	11	11	13	8	16	11	3	1	-
FLORIDA -----	329	440	691	1,130	1,692	2,136	2,382	2,217	1,221	405	110	4
WHITE-----MALE----	225	263	423	686	970	1,146	1,137	861	435	102	15	3
FEMALE--	55	99	170	306	578	859	1,116	1,240	735	272	85	-
ALL OTHER--MALE----	35	54	57	72	62	60	51	42	10	9	2	-
FEMALE--	14	24	41	66	82	71	78	74	41	22	8	1
BLACK---MALE----	32	52	54	69	61	56	51	41	9	9	2	-
FEMALE--	14	23	40	62	76	68	77	73	40	22	8	1
GEORGIA -----	240	291	454	512	666	730	713	558	262	81	14	-
WHITE-----MALE----	136	143	236	260	308	317	237	157	57	10	-	-
FEMALE--	29	54	107	134	211	261	344	296	170	55	6	-
ALL OTHER--MALE----	55	54	62	59	59	64	50	39	6	1	-	-
FEMALE--	20	40	49	59	88	88	82	66	29	15	8	-
BLACK---MALE----	53	54	62	57	58	62	49	38	6	1	-	-
FEMALE--	20	40	48	59	88	87	82	66	29	15	8	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,569  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE MYOCARDIAL INFARCTION (410)												
HAWAII -----	18	23	30	53	56	93	96	61	33	9	3	-
WHITE-----MALE----	2	3	6	16	14	16	13	6	3	-	-	-
FEMALE--	2	2	3	2	5	9	18	5	1	1	-	-
ALL OTHER--MALE----	11	14	13	27	27	35	36	30	14	2	-	-
FEMALE--	3	4	8	8	10	33	29	20	15	6	3	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	40	59	78	89	128	137	133	102	46	15	5	-
WHITE-----MALE----	33	47	56	64	83	77	64	51	20	4	-	-
FEMALE--	7	12	20	23	44	58	68	50	26	11	4	-
ALL OTHER--MALE----	-	-	2	2	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	361	459	734	1,046	1,430	1,657	1,967	1,632	973	347	82	1
WHITE-----MALE----	213	281	427	595	748	792	828	507	266	75	10	-
FEMALE--	73	84	170	296	515	690	977	991	636	248	60	-
ALL OTHER--MALE----	48	58	81	77	64	75	62	37	16	2	-	-
FEMALE--	27	36	56	78	103	100	100	97	55	22	12	1
BLACK---MALE----	43	51	69	73	60	72	53	33	14	1	-	-
FEMALE--	27	34	52	73	95	92	94	91	52	21	10	1
INDIANA -----	207	265	359	512	725	787	842	678	368	138	30	-
WHITE-----MALE----	149	183	232	318	421	409	395	257	112	27	2	-
FEMALE--	45	70	106	159	270	345	426	408	238	101	27	-
ALL OTHER--MALE----	7	6	14	23	16	16	4	2	5	1	-	-
FEMALE--	6	6	7	12	18	17	17	11	13	9	1	-
BLACK---MALE----	6	5	13	22	16	16	4	2	5	1	-	-
FEMALE--	6	6	7	11	18	17	16	11	12	9	1	-
IOWA -----	82	95	158	262	359	416	497	452	270	107	19	-
WHITE-----MALE----	64	76	99	178	225	232	225	171	82	22	-	-
FEMALE--	15	17	54	78	130	180	271	279	187	85	19	-
ALL OTHER--MALE----	3	2	4	4	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	2	3	4	1	1	1	-	-	-
BLACK---MALE----	3	2	4	4	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	2	3	4	-	1	1	-	-	-
KANSAS -----	63	75	155	170	278	350	356	323	207	61	15	-
WHITE-----MALE----	47	55	109	109	158	196	167	132	60	14	3	-
FEMALE--	13	16	38	54	108	141	178	185	142	45	12	-
ALL OTHER--MALE----	2	3	4	4	8	9	3	2	2	-	-	-
FEMALE--	1	1	4	3	4	4	8	4	3	2	-	-
BLACK---MALE----	1	2	3	4	6	8	3	1	1	-	-	-
FEMALE--	1	1	3	3	4	1	7	4	3	2	-	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,570  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE MYOCARDIAL INFARCTION (410)												
KENTUCKY -----	4,503	-	-	-	-	1	3	7	13	28	84	152
WHITE-----MALE----	2,389	-	-	-	-	1	1	5	12	21	65	104
FEMALE--	1,853	-	-	-	-	-	2	2	1	5	15	37
ALL OTHER--MALE----	127	-	-	-	-	-	-	-	-	1	2	8
FEMALE--	134	-	-	-	-	-	-	-	-	1	2	3
BLACK---MALE----	123	-	-	-	-	-	-	-	-	1	2	7
FEMALE--	131	-	-	-	-	-	-	-	-	1	2	3
LOUISIANA -----	3,842	-	-	-	-	-	1	2	14	41	72	129
WHITE-----MALE----	1,602	-	-	-	-	-	1	2	4	18	36	61
FEMALE--	1,269	-	-	-	-	-	-	-	2	5	12	15
ALL OTHER--MALE----	491	-	-	-	-	-	-	-	5	9	16	28
FEMALE--	480	-	-	-	-	-	-	-	3	9	8	25
BLACK---MALE----	482	-	-	-	-	-	-	-	5	7	16	28
FEMALE--	476	-	-	-	-	-	-	-	3	9	8	25
MAINE -----	975	-	-	-	-	-	-	-	1	9	15	24
WHITE-----MALE----	517	-	-	-	-	-	-	-	1	5	13	21
FEMALE--	457	-	-	-	-	-	-	-	-	3	2	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3,533	1	-	-	-	1	-	2	6	9	33	79
WHITE-----MALE----	1,516	-	-	-	-	1	-	1	2	4	18	42
FEMALE--	1,394	-	-	-	-	-	-	-	1	2	8	11
ALL OTHER--MALE----	319	-	-	-	-	-	-	1	3	3	4	16
FEMALE--	304	1	-	-	-	-	-	-	-	-	3	10
BLACK---MALE----	300	-	-	-	-	-	-	1	3	2	3	15
FEMALE--	294	1	-	-	-	-	-	-	-	-	3	10
MASSACHUSETTS -----	4,638	-	-	-	1	-	1	2	5	10	39	93
WHITE-----MALE----	2,256	-	-	-	1	-	1	2	3	5	23	74
FEMALE--	2,236	-	-	-	-	-	-	-	1	5	13	15
ALL OTHER--MALE----	73	-	-	-	-	-	-	-	1	-	3	3
FEMALE--	73	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	59	-	-	-	-	-	-	-	1	-	2	3
FEMALE--	64	-	-	-	-	-	-	-	-	-	-	1
MICHIGAN -----	8,519	-	-	-	-	-	1	2	15	61	109	182
WHITE-----MALE----	3,959	-	-	-	-	-	-	1	10	35	73	115
FEMALE--	3,751	-	-	-	-	-	1	1	4	12	20	25
ALL OTHER--MALE----	373	-	-	-	-	-	-	-	1	11	8	30
FEMALE--	436	-	-	-	-	-	-	-	-	3	8	12
BLACK---MALE----	336	-	-	-	-	-	-	-	-	9	6	26
FEMALE--	396	-	-	-	-	-	-	-	-	3	7	12

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,570  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 ACUTE MYOCARDIAL INFARCTION (410)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	190	238	401	463	627	685	681	543	268	102	17	-
WHITE-----MALE----	131	165	276	298	351	363	303	199	63	28	3	-
FEMALE--	44	58	99	137	242	277	349	314	191	67	13	-
ALL OTHER--MALE----	8	8	19	13	20	18	10	12	5	2	1	-
FEMALE--	7	7	7	15	14	27	19	18	9	5	-	-
BLACK---MALE----	8	7	18	12	20	18	10	12	5	2	1	-
FEMALE--	6	7	7	15	14	26	19	18	8	5	-	-
LOUISIANA -----	179	270	336	415	512	497	552	448	283	76	15	-
WHITE-----MALE----	97	143	174	224	243	202	188	133	65	11	-	-
FEMALE--	31	47	59	96	139	176	247	224	159	49	8	-
ALL OTHER--MALE----	32	55	63	45	72	63	40	41	16	3	3	-
FEMALE--	19	25	40	50	58	56	77	50	43	13	4	-
BLACK---MALE----	32	55	63	43	71	61	40	39	16	3	3	-
FEMALE--	18	25	40	50	57	56	77	50	42	12	4	-
MAINE -----	28	39	73	101	126	144	159	130	88	29	9	-
WHITE-----MALE----	21	25	57	65	84	78	70	51	18	7	1	-
FEMALE--	7	14	16	36	42	66	89	79	70	22	8	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	113	187	227	352	520	567	563	495	251	104	23	-
WHITE-----MALE----	73	97	111	190	267	239	230	170	57	12	2	-
FEMALE--	19	27	53	89	160	235	257	270	165	78	19	-
ALL OTHER--MALE----	12	44	37	41	51	45	26	19	13	3	1	-
FEMALE--	9	19	26	32	42	48	50	36	16	11	1	-
BLACK---MALE----	10	40	33	39	50	44	26	18	13	2	1	-
FEMALE--	9	19	26	32	39	48	48	34	14	10	1	-
MASSACHUSETTS -----	145	159	260	404	600	776	818	680	417	177	51	-
WHITE-----MALE----	100	110	173	259	347	422	352	229	112	37	6	-
FEMALE--	31	44	78	121	227	334	451	437	299	137	43	-
ALL OTHER--MALE----	11	5	4	12	13	12	7	2	-	-	-	-
FEMALE--	3	-	5	12	13	8	8	12	6	3	2	-
BLACK---MALE----	10	5	4	10	10	9	3	2	-	-	-	-
FEMALE--	3	-	5	10	11	7	7	10	6	2	2	-
MICHIGAN -----	288	382	544	790	1,120	1,359	1,391	1,157	797	270	51	-
WHITE-----MALE----	190	250	324	464	601	638	612	378	207	51	10	-
FEMALE--	61	78	155	228	414	605	687	690	536	197	37	-
ALL OTHER--MALE----	24	31	34	55	49	46	35	28	15	6	-	-
FEMALE--	13	23	31	43	56	70	57	61	39	16	4	-
BLACK---MALE----	22	28	29	51	47	43	31	25	13	6	-	-
FEMALE--	12	19	28	38	53	60	54	58	32	16	4	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,571  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 ACUTE MYOCARDIAL INFARCTION (410)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	68	98	166	231	375	432	504	430	245	74	14	-
WHITE-----MALE----	55	76	126	166	249	256	269	181	86	24	1	-
FEMALE--	12	17	37	62	120	170	233	248	156	50	13	-
ALL OTHER--MALE----	1	1	3	1	4	4	1	1	2	-	-	-
FEMALE--	-	4	-	2	2	2	1	-	1	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	1	-	-	-	-	-
MISSISSIPPI -----	114	174	248	271	343	407	381	318	139	42	14	-
WHITE-----MALE----	53	98	125	131	161	164	131	76	29	4	-	-
FEMALE--	12	23	46	72	89	140	162	143	70	26	7	-
ALL OTHER--MALE----	32	34	43	31	40	53	38	38	21	5	3	-
FEMALE--	17	19	34	37	53	50	50	61	19	7	4	-
BLACK---MALE----	31	34	41	31	40	53	38	37	21	5	3	-
FEMALE--	17	19	34	36	53	50	50	61	19	7	4	-
MISSOURI -----	190	299	390	571	785	1,028	1,095	951	551	199	45	-
WHITE-----MALE----	127	184	246	339	448	529	467	338	144	42	7	-
FEMALE--	46	81	112	179	264	423	548	553	368	139	34	-
ALL OTHER--MALE----	11	16	14	27	41	35	38	16	14	6	-	-
FEMALE--	6	18	18	26	32	41	42	44	25	12	4	-
BLACK---MALE----	11	16	13	27	39	33	36	15	14	5	-	-
FEMALE--	6	17	18	26	29	39	42	41	23	12	4	-
MONTANA -----	22	32	54	64	77	96	92	66	34	14	2	-
WHITE-----MALE----	10	24	42	47	47	55	40	33	15	1	-	-
FEMALE--	7	6	11	15	28	36	51	33	18	12	2	-
ALL OTHER--MALE----	3	2	1	1	1	4	-	-	-	1	-	-
FEMALE--	2	-	-	1	1	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	31	37	70	104	163	161	212	195	121	31	11	-
WHITE-----MALE----	21	29	37	68	94	83	107	79	39	7	2	-
FEMALE--	7	6	28	28	63	72	105	114	80	24	9	-
ALL OTHER--MALE----	2	2	1	4	4	4	-	1	1	-	-	-
FEMALE--	1	-	4	4	2	2	-	1	1	-	-	-
BLACK---MALE----	1	2	1	3	4	3	-	1	1	-	-	-
FEMALE--	1	-	3	4	2	2	-	1	1	-	-	-
NEVADA -----	35	54	64	92	101	117	86	53	30	15	2	1
WHITE-----MALE----	22	37	43	53	62	69	45	28	9	4	-	1
FEMALE--	8	11	12	30	28	44	38	21	20	9	2	-
ALL OTHER--MALE----	3	2	5	4	7	3	2	3	-	1	-	-
FEMALE--	2	4	4	5	4	1	1	1	1	1	-	-
BLACK---MALE----	1	2	2	3	6	2	1	2	-	-	-	-
FEMALE--	1	2	3	1	2	1	1	1	1	1	-	-







1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,573  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE MYOCARDIAL INFARCTION (410)												
OHIO -----	9,867	2	1	-	1	2	1	7	24	66	127	241
WHITE-----MALE----	4,790	1	1	-	1	2	1	5	18	43	96	172
FEMALE--	4,339	1	-	-	-	-	-	2	3	14	22	48
ALL OTHER--MALE----	372	-	-	-	-	-	-	-	1	7	8	14
FEMALE--	366	-	-	-	-	-	-	-	2	2	1	7
BLACK---MALE----	360	-	-	-	-	-	-	-	1	6	8	14
FEMALE--	361	-	-	-	-	-	-	-	2	2	1	7
OKLAHOMA -----	2,927	-	-	-	-	-	-	1	5	17	31	61
WHITE-----MALE----	1,385	-	-	-	-	-	-	-	3	8	23	36
FEMALE--	1,247	-	-	-	-	-	-	1	1	4	5	15
ALL OTHER--MALE----	151	-	-	-	-	-	-	-	1	5	2	8
FEMALE--	144	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	74	-	-	-	-	-	-	-	1	2	-	2
FEMALE--	81	-	-	-	-	-	-	-	-	-	1	1
OREGON -----	2,054	1	-	-	-	-	1	-	2	7	23	34
WHITE-----MALE----	1,133	1	-	-	-	-	-	-	2	6	15	25
FEMALE--	881	-	-	-	-	-	1	-	-	1	6	8
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	13,570	-	-	-	1	-	3	5	21	57	122	273
WHITE-----MALE----	6,549	-	-	-	-	-	1	1	13	39	87	198
FEMALE--	6,231	-	-	-	1	-	1	2	8	10	20	47
ALL OTHER--MALE----	362	-	-	-	-	-	1	2	-	6	9	19
FEMALE--	428	-	-	-	-	-	-	-	-	2	6	9
BLACK---MALE----	348	-	-	-	-	-	-	2	-	6	9	18
FEMALE--	416	-	-	-	-	-	-	-	-	2	6	9
RHODE ISLAND -----	1,160	-	-	-	-	-	1	-	1	4	17	18
WHITE-----MALE----	579	-	-	-	-	-	1	-	-	2	13	15
FEMALE--	556	-	-	-	-	-	-	-	1	1	3	2
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3,524	2	-	-	-	-	-	2	16	24	58	104
WHITE-----MALE----	1,481	-	-	-	-	-	-	-	10	12	35	58
FEMALE--	1,119	1	-	-	-	-	-	-	-	4	2	8
ALL OTHER--MALE----	465	-	-	-	-	-	-	2	4	5	14	24
FEMALE--	459	1	-	-	-	-	-	-	2	3	7	14
BLACK---MALE----	462	-	-	-	-	-	-	2	4	5	14	24
FEMALE--	458	1	-	-	-	-	-	-	2	3	7	14

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,573  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 ACUTE MYOCARDIAL INFARCTION (410)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	354	395	665	1,002	1,366	1,585	1,635	1,370	725	246	52	-
WHITE-----MALE----	248	250	383	574	737	814	708	472	202	57	5	-
FEMALE--	75	100	188	323	527	682	839	826	472	174	43	-
ALL OTHER--MALE----	18	24	56	62	55	41	45	28	12	1	-	-
FEMALE--	13	21	38	43	47	48	43	44	39	14	4	-
BLACK---MALE----	17	24	54	61	54	40	43	26	11	1	-	-
FEMALE--	13	21	37	42	46	48	42	44	38	14	4	-
OKLAHOMA -----	97	126	205	282	432	461	466	394	245	82	21	1
WHITE-----MALE----	58	84	112	166	242	220	193	142	72	25	1	-
FEMALE--	24	19	62	90	140	204	240	232	145	51	13	1
ALL OTHER--MALE----	13	16	16	13	31	19	9	6	8	2	2	-
FEMALE--	2	7	15	13	19	18	24	14	20	4	5	-
BLACK---MALE----	5	10	9	7	14	9	6	2	4	1	2	-
FEMALE--	1	3	6	6	9	11	15	10	12	3	3	-
OREGON -----	42	92	102	193	289	349	369	314	171	55	10	-
WHITE-----MALE----	34	71	69	125	182	197	195	142	48	18	3	-
FEMALE--	7	20	28	64	102	143	166	170	121	37	7	-
ALL OTHER--MALE----	1	1	5	2	1	4	5	2	1	-	-	-
FEMALE--	-	-	-	2	4	5	3	-	1	-	-	-
BLACK---MALE----	1	-	2	2	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	3	2	2	-	1	-	-	-
PENNSYLVANIA -----	410	550	844	1,289	1,920	2,286	2,362	1,985	1,028	324	89	1
WHITE-----MALE----	297	348	556	785	1,066	1,126	1,034	673	246	67	11	1
FEMALE--	77	149	220	421	731	1,049	1,231	1,229	733	240	62	-
ALL OTHER--MALE----	21	31	29	37	56	59	43	26	15	7	1	-
FEMALE--	15	22	39	46	67	52	54	57	34	10	15	-
BLACK---MALE----	21	30	29	32	53	57	43	26	15	6	1	-
FEMALE--	15	22	38	44	63	50	52	56	34	10	15	-
RHODE ISLAND -----	28	42	53	112	175	198	194	166	97	42	12	-
WHITE-----MALE----	21	31	38	71	100	111	93	47	25	10	1	-
FEMALE--	7	9	14	38	70	82	98	116	72	32	11	-
ALL OTHER--MALE----	-	1	1	1	4	3	-	1	-	-	-	-
FEMALE--	-	1	-	2	1	2	3	2	-	-	-	-
BLACK---MALE----	-	1	1	1	4	3	-	1	-	-	-	-
FEMALE--	-	1	-	2	1	2	3	2	-	-	-	-
SOUTH CAROLINA -----	199	204	321	404	473	580	523	361	180	55	18	-
WHITE-----MALE----	98	115	159	206	204	254	180	99	39	12	-	-
FEMALE--	35	36	71	88	141	173	227	191	107	27	8	-
ALL OTHER--MALE----	45	30	49	67	64	72	53	20	10	3	3	-
FEMALE--	21	23	42	43	64	81	63	51	24	13	7	-
BLACK---MALE----	45	28	49	67	64	72	53	19	10	3	3	-
FEMALE--	21	23	42	42	64	81	63	51	24	13	7	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,574  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE MYOCARDIAL INFARCTION (410)												
SOUTH DAKOTA -----	852	-	-	-	-	-	-	-	1	5	6	25
WHITE-----MALE----	488	-	-	-	-	-	-	-	1	4	4	21
FEMALE--	319	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5,768	-	-	-	-	-	-	3	18	44	98	158
WHITE-----MALE----	2,714	-	-	-	-	-	-	2	10	27	60	114
FEMALE--	2,416	-	-	-	-	-	-	1	4	11	17	28
ALL OTHER--MALE----	304	-	-	-	-	-	-	-	2	5	16	10
FEMALE--	334	-	-	-	-	-	-	-	2	1	5	6
BLACK---MALE----	299	-	-	-	-	-	-	-	2	4	15	10
FEMALE--	332	-	-	-	-	-	-	-	2	1	5	6
TEXAS -----	14,392	2	-	-	3	4	4	11	29	87	166	368
WHITE-----MALE----	6,829	1	-	-	1	2	2	5	16	48	102	243
FEMALE--	5,931	1	-	-	1	-	2	2	6	16	30	58
ALL OTHER--MALE----	816	-	-	-	1	1	-	2	5	17	28	49
FEMALE--	816	-	-	-	-	1	-	2	2	6	6	18
BLACK---MALE----	774	-	-	-	1	1	-	2	4	16	27	43
FEMALE--	795	-	-	-	-	1	-	1	2	6	6	17
UTAH -----	780	-	-	-	-	-	-	-	1	6	8	12
WHITE-----MALE----	413	-	-	-	-	-	-	-	1	3	6	10
FEMALE--	351	-	-	-	-	-	-	-	-	2	1	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	402	-	-	-	-	-	-	-	-	1	6	11
WHITE-----MALE----	205	-	-	-	-	-	-	-	-	1	5	10
FEMALE--	197	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4,308	-	-	-	-	2	2	1	10	24	58	135
WHITE-----MALE----	1,925	-	-	-	-	-	-	1	2	13	38	85
FEMALE--	1,589	-	-	-	-	1	2	-	2	5	5	18
ALL OTHER--MALE----	408	-	-	-	-	1	-	-	2	4	13	24
FEMALE--	386	-	-	-	-	-	-	-	4	2	2	8
BLACK---MALE----	396	-	-	-	-	1	-	-	2	4	13	23
FEMALE--	371	-	-	-	-	-	-	-	4	2	2	8

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,574  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 ACUTE MYOCARDIAL INFARCTION (410)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	21	29	43	68	129	139	140	126	80	34	6	-
WHITE-----MALE----	14	21	31	45	86	86	72	63	31	7	2	-
FEMALE--	3	5	11	16	35	47	64	59	48	26	4	-
ALL OTHER--MALE----	3	3	-	4	6	4	2	-	1	-	-	-
FEMALE--	1	-	1	3	2	2	2	4	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
TENNESSEE -----	232	314	425	577	709	881	942	782	427	124	34	-
WHITE-----MALE----	170	210	247	338	377	439	355	244	96	22	3	-
FEMALE--	40	72	114	162	256	362	487	467	289	87	19	-
ALL OTHER--MALE----	13	17	38	43	40	32	44	27	14	2	1	-
FEMALE--	9	15	26	34	36	48	56	44	28	13	11	-
BLACK---MALE----	13	17	37	43	40	32	43	26	14	2	1	-
FEMALE--	9	15	26	34	35	47	56	44	28	13	11	-
TEXAS -----	497	695	1,059	1,388	1,859	2,141	2,329	2,072	1,180	396	100	2
WHITE-----MALE----	321	447	667	821	989	1,085	986	718	298	65	11	1
FEMALE--	96	146	259	406	640	842	1,122	1,172	768	294	70	-
ALL OTHER--MALE----	48	60	91	97	115	99	88	61	39	8	6	1
FEMALE--	32	42	42	64	115	115	133	121	75	29	13	-
BLACK---MALE----	44	59	86	90	111	96	85	57	38	8	5	1
FEMALE--	32	41	41	61	111	111	129	119	75	29	13	-
UTAH -----	24	26	47	72	107	130	123	127	67	27	3	-
WHITE-----MALE----	22	19	35	46	51	72	64	55	22	7	-	-
FEMALE--	1	6	10	24	53	57	57	71	44	20	3	-
ALL OTHER--MALE----	-	-	1	1	-	1	2	1	-	-	-	-
FEMALE--	1	1	1	1	3	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
VERMONT -----	11	13	32	43	52	63	73	51	32	12	2	-
WHITE-----MALE----	7	9	20	34	34	33	29	13	7	3	-	-
FEMALE--	4	4	12	9	18	30	44	38	25	9	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	159	234	324	455	627	700	665	525	287	77	22	1
WHITE-----MALE----	107	137	180	259	309	303	242	167	65	15	1	1
FEMALE--	27	41	69	105	208	268	303	281	190	52	12	-
ALL OTHER--MALE----	20	35	45	46	52	67	50	30	10	7	2	-
FEMALE--	5	21	30	45	58	62	70	47	22	3	7	-
BLACK---MALE----	20	34	44	43	50	65	48	30	10	7	2	-
FEMALE--	5	19	30	43	55	57	67	47	22	3	7	-









1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,576  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	156	185	231	289	318	391	327	375	251	97	22	2
WHITE-----MALE----	100	111	140	161	173	172	137	114	62	19	4	-
FEMALE--	29	33	43	88	96	160	159	226	157	66	16	1
ALL OTHER--MALE----	19	23	34	28	27	39	16	10	7	4	-	-
FEMALE--	8	18	14	12	22	20	15	25	25	8	2	1
BLACK---MALE----	18	19	33	25	26	37	13	9	7	4	-	-
FEMALE--	8	17	14	10	19	19	13	22	22	7	2	1
ALABAMA -----	4	2	2	8	4	2	2	1	1	-	-	-
WHITE-----MALE----	3	1	-	6	3	2	2	1	-	-	-	-
FEMALE--	-	-	2	2	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALASKA -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	4	12	12	17	15	18	8	2	-	-	-
WHITE-----MALE----	4	3	10	5	10	12	11	7	-	-	-	-
FEMALE--	1	1	2	5	6	3	6	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	1	-	1	2	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	6	3	5	3	10	10	6	6	3	6	-	-
WHITE-----MALE----	3	2	4	1	8	5	3	3	-	1	-	-
FEMALE--	3	-	1	2	1	4	3	3	3	4	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,577  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	2	1	4	7	1	4	7	2	1	-	-	-
WHITE-----MALE----	2	-	3	6	1	2	1	2	-	-	-	-
FEMALE--	-	1	1	1	-	2	6	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	2	-	1	2	1	1	1	-	-
WHITE-----MALE----	-	-	-	2	-	1	2	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	1	2	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	2	9	2	15	15	21	15	25	18	6	3	-
WHITE-----MALE----	1	8	2	8	8	10	6	11	6	3	1	-
FEMALE--	1	-	-	4	7	10	9	14	11	3	2	-
ALL OTHER--MALE----	-	1	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
GEORGIA -----	4	13	7	7	7	9	10	9	5	5	-	-
WHITE-----MALE----	1	5	2	1	3	3	6	3	-	1	-	-
FEMALE--	3	2	1	1	1	3	1	4	3	4	-	-
ALL OTHER--MALE----	-	4	2	5	1	3	1	-	-	-	-	-
FEMALE--	-	2	2	-	2	-	2	2	2	-	-	-
BLACK---MALE----	-	4	2	5	1	3	1	-	-	-	-	-
FEMALE--	-	2	2	-	2	-	2	2	2	-	-	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,578  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	-	-	-	1	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	1	2	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2	1	9	6	13	10	7	11	12	2	1	-
WHITE-----MALE----	1	1	8	4	8	2	4	2	3	1	-	-
FEMALE--	1	-	-	-	2	6	3	8	7	1	1	-
ALL OTHER--MALE----	-	-	-	2	2	2	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	2	2	2	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	1	-	-	-
INDIANA -----	1	-	2	3	3	3	2	3	1	-	1	-
WHITE-----MALE----	1	-	2	2	1	3	1	1	-	-	1	-
FEMALE--	-	-	-	1	2	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	1	-	-	-	-	2	-	1	2	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	-	-	1	3	2	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

















1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,582  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	-	2	6	4	5	5	13	9	14	3	-	-
WHITE-----MALE----	-	1	5	2	4	1	5	1	7	1	-	-
FEMALE--	-	1	1	1	1	4	7	8	7	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	35	56	71	92	88	113	107	125	74	31	13	1
WHITE-----MALE----	21	37	47	50	52	49	45	37	18	6	1	-
FEMALE--	7	9	15	31	29	57	57	79	51	24	11	1
ALL OTHER--MALE----	4	8	9	5	4	2	2	3	1	-	-	-
FEMALE--	3	2	-	6	3	5	3	6	4	1	1	-
BLACK---MALE----	3	5	9	5	3	2	1	2	1	-	-	-
FEMALE--	3	1	-	4	3	4	2	4	2	-	1	-
OREGON -----	-	1	1	-	-	2	-	4	2	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	1	-	-	1	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
PENNSYLVANIA -----	-	3	6	11	11	10	14	13	10	3	-	-
WHITE-----MALE----	-	2	2	6	6	6	8	4	1	-	-	-
FEMALE--	-	1	1	5	5	3	6	8	7	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	1	-	1	-	-
FEMALE--	-	-	2	-	-	-	-	-	2	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	1	-	1	-	-
FEMALE--	-	-	2	-	-	-	-	-	2	-	-	-
RHODE ISLAND -----	-	-	-	-	-	1	-	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	10	5	12	10	16	17	12	10	6	4	-	-
WHITE-----MALE----	4	4	5	5	6	3	4	1	1	1	-	-
FEMALE--	2	-	1	2	-	3	5	3	1	3	-	-
ALL OTHER--MALE----	2	-	4	2	4	6	2	-	1	-	-	-
FEMALE--	2	1	2	1	6	5	1	6	3	-	-	-
BLACK---MALE----	2	-	4	2	4	6	2	-	1	-	-	-
FEMALE--	2	1	2	1	5	5	1	6	3	-	-	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,583  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	-	-	-	2	-	4	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	1	3	5	4	-	9	4	8	3	1	-	-
WHITE-----MALE----	1	1	3	3	-	6	3	2	-	1	-	-
FEMALE--	-	1	2	1	-	2	1	4	3	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	39	45	40	50	56	70	50	60	40	16	2	1
WHITE-----MALE----	28	19	20	26	20	22	17	17	7	2	1	-
FEMALE--	5	11	6	14	21	26	23	32	22	7	-	-
ALL OTHER--MALE----	4	7	11	7	10	15	6	5	2	2	-	-
FEMALE--	2	8	3	3	5	7	4	6	9	5	1	1
BLACK---MALE----	4	7	10	7	10	15	5	5	2	2	-	-
FEMALE--	2	8	3	3	5	7	4	5	9	5	1	1









1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,585  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ANGINA PECTORIS (413)												
0 UNITED STATES --	11	28	25	55	93	104	153	157	123	41	8	-
WHITE-----MALE----	7	16	17	22	51	56	60	46	27	4	-	-
FEMALE--	3	7	5	20	29	38	79	103	85	37	8	-
ALL OTHER--MALE----	-	3	1	9	4	6	6	-	5	-	-	-
FEMALE--	1	2	2	4	9	4	8	8	6	-	-	-
BLACK---MALE----	-	3	1	8	4	6	5	-	5	-	-	-
FEMALE--	1	2	2	3	8	4	8	8	6	-	-	-
ALABAMA -----	-	-	1	-	1	3	-	3	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	2	-	-	2	2	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	1	2	-	3	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	-	2	1	1	8	6	14	6	6	2	-	-
WHITE-----MALE----	-	-	1	1	4	3	5	1	1	-	-	-
FEMALE--	-	1	-	-	4	1	6	5	5	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,586  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 ANGINA PECTORIS (413)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	-	1	-	-	-	3	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	3	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	4	1	1	2	4	2	1	6	4	-	-	-
WHITE-----MALE----	2	1	1	-	2	1	-	2	-	-	-	-
FEMALE--	2	-	-	1	2	1	1	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
DELAWARE -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	2	1	4	5	5	8	6	12	1	2	-
WHITE-----MALE----	-	1	-	1	3	3	5	1	3	-	-	-
FEMALE--	-	-	-	2	1	1	2	5	7	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	1	1	1	1	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	1	1	1	1	-	1	-	1	-	-	-
GEORGIA -----	-	-	-	2	3	3	10	8	2	1	-	-
WHITE-----MALE----	-	-	-	-	3	2	4	4	-	-	-	-
FEMALE--	-	-	-	2	-	1	3	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	1	-	-	-









1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,588  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ANGINA PECTORIS (413)												
KENTUCKY -----	1	1	2	-	3	3	2	1	1	-	-	-
WHITE-----MALE----	1	-	2	-	3	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	-	-	-	-
LOUISIANA -----	-	1	1	2	2	1	2	2	1	1	-	-
WHITE-----MALE----	-	-	1	-	1	1	1	-	-	1	-	-
FEMALE--	-	1	-	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	1	-	-	-
MAINE -----	-	-	-	-	1	1	1	3	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	1	-	4	2	1	1	2	3	2	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	1	-	-	-
FEMALE--	-	1	-	3	1	-	1	2	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	2	-	1	3	3	2	3	3	-	1	-
WHITE-----MALE----	-	2	-	-	-	1	2	1	1	-	-	-
FEMALE--	-	-	-	1	3	2	-	2	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	-	2	-	2	4	5	9	8	2	-	-
WHITE-----MALE----	-	-	2	-	1	3	1	2	1	-	-	-
FEMALE--	-	-	-	-	-	1	3	6	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-











1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,591  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 ANGINA PECTORIS (413)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	-	-	-	3	9	6	9	9	9	4	1	-
WHITE-----MALE----	-	-	-	-	5	4	4	1	2	-	-	-
FEMALE--	-	-	-	2	2	2	5	8	7	4	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	1	-	-	1	-	2	2	2	-	1	-	-
WHITE-----MALE----	1	-	-	1	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	1	1	4	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	4	3	2	4	6	9	7	3	2	1	-
WHITE-----MALE----	1	3	3	1	1	3	3	3	-	-	-	-
FEMALE--	-	-	-	1	3	2	6	4	3	2	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	2	-	2	4	4	1	1	-	-	-
WHITE-----MALE----	-	-	2	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	1	-	-	-





1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,592  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ANGINA PECTORIS (413)												
SOUTH DAKOTA -----	-	-	1	-	1	-	-	-	1	1	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	1	4	2	2	2	2	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	2	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
TEXAS -----	1	-	-	5	8	9	14	10	11	4	1	-
WHITE-----MALE----	1	-	-	3	6	4	8	1	3	1	-	-
FEMALE--	-	-	-	1	1	5	6	8	7	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
UTAH -----	-	-	1	-	-	-	-	1	-	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	1	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	1	-	1	4	4	6	6	-	-	-	-
WHITE-----MALE----	-	1	-	-	3	2	1	3	-	-	-	-
FEMALE--	-	-	-	-	1	-	4	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	-	-	-	-





1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,594  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
0 UNITED STATES --	258,874	10	2	4	6	20	30	113	349	1,029	1,960	3,669
WHITE-----MALE----	115,449	2	-	1	5	12	16	66	222	630	1,201	2,372
FEMALE--	118,576	6	1	2	1	4	2	17	57	163	307	602
ALL OTHER--MALE----	11,897	-	-	-	-	4	10	22	54	160	299	476
FEMALE--	12,952	2	1	1	-	-	2	8	16	76	153	219
BLACK---MALE----	9,859	-	-	-	-	3	9	18	47	135	260	414
FEMALE--	11,463	2	1	1	-	-	2	8	15	70	149	207
ALABAMA -----	2,712	-	-	-	-	-	1	3	3	12	32	42
WHITE-----MALE----	1,176	-	-	-	-	-	1	1	1	7	17	23
FEMALE--	1,054	-	-	-	-	-	-	-	-	1	3	5
ALL OTHER--MALE----	262	-	-	-	-	-	-	2	2	3	7	9
FEMALE--	220	-	-	-	-	-	-	-	-	1	5	5
BLACK---MALE----	258	-	-	-	-	-	-	2	2	3	7	9
FEMALE--	220	-	-	-	-	-	-	-	-	1	5	5
ALASKA -----	179	-	-	-	-	-	-	-	-	2	2	15
WHITE-----MALE----	90	-	-	-	-	-	-	-	-	2	2	9
FEMALE--	47	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	-	-	5
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ARIZONA -----	3,589	-	-	-	-	-	-	2	6	6	28	51
WHITE-----MALE----	1,868	-	-	-	-	-	-	1	5	4	21	37
FEMALE--	1,595	-	-	-	-	-	-	-	1	2	3	11
ALL OTHER--MALE----	64	-	-	-	-	-	-	-	-	-	4	3
FEMALE--	62	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	28	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	30	-	-	-	-	-	-	1	-	-	-	-
ARKANSAS -----	2,047	-	-	-	-	-	-	1	5	5	10	26
WHITE-----MALE----	830	-	-	-	-	-	-	1	5	2	2	19
FEMALE--	979	-	-	-	-	-	-	-	-	-	5	1
ALL OTHER--MALE----	103	-	-	-	-	-	-	-	-	2	1	6
FEMALE--	135	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE----	102	-	-	-	-	-	-	-	-	2	1	6
FEMALE--	135	-	-	-	-	-	-	-	-	1	2	-
CALIFORNIA -----	28,483	-	-	2	-	1	6	12	29	98	160	366
WHITE-----MALE----	12,311	-	-	-	-	1	3	8	23	62	89	245
FEMALE--	13,132	-	-	2	-	-	1	2	5	10	33	61
ALL OTHER--MALE----	1,531	-	-	-	-	-	2	2	1	16	22	46
FEMALE--	1,509	-	-	-	-	-	-	-	-	10	16	14
BLACK---MALE----	741	-	-	-	-	-	2	2	1	8	13	22
FEMALE--	919	-	-	-	-	-	-	-	-	7	16	11

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,594  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
0 UNITED STATES --	5,266	7,344	11,997	19,204	29,311	38,496	45,579	44,787	32,277	13,827	3,578	16
WHITE-----MALE----	3,286	4,534	7,300	11,344	16,492	20,062	20,423	15,850	8,490	2,657	476	8
FEMALE--	968	1,512	2,800	5,400	9,571	14,844	21,539	25,926	21,759	10,314	2,776	5
ALL OTHER--MALE----	642	806	1,153	1,379	1,692	1,739	1,495	1,125	588	193	58	2
FEMALE--	370	492	744	1,081	1,556	1,851	2,122	1,886	1,440	663	268	1
BLACK---MALE----	559	674	989	1,145	1,413	1,435	1,206	883	460	157	50	2
FEMALE--	345	443	664	952	1,389	1,620	1,839	1,671	1,269	578	237	1
ALABAMA -----	79	99	174	241	352	448	495	376	231	101	23	-
WHITE-----MALE----	45	55	101	137	184	214	203	111	52	21	3	-
FEMALE--	9	21	33	59	100	177	206	207	154	67	12	-
ALL OTHER--MALE----	20	17	23	32	35	29	39	28	11	4	1	-
FEMALE--	5	6	17	13	33	28	47	30	14	9	7	-
BLACK---MALE----	19	15	23	32	35	28	39	28	11	4	1	-
FEMALE--	5	6	17	13	33	28	47	30	14	9	7	-
ALASKA -----	9	16	25	17	32	18	23	15	4	1	-	-
WHITE-----MALE----	8	9	13	11	11	12	10	3	-	-	-	-
FEMALE--	1	3	3	2	12	5	8	9	3	1	-	-
ALL OTHER--MALE----	-	4	5	1	7	1	3	1	1	-	-	-
FEMALE--	-	-	4	3	2	-	2	2	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	1	-	-	-	-
ARIZONA -----	78	118	167	257	423	563	623	629	468	136	34	-
WHITE-----MALE----	55	93	112	168	260	326	338	274	145	25	4	-
FEMALE--	16	19	46	71	139	219	268	346	320	109	25	-
ALL OTHER--MALE----	5	4	5	9	12	7	6	5	2	1	1	-
FEMALE--	2	2	4	9	12	11	11	4	1	1	4	-
BLACK---MALE----	2	1	3	1	6	4	3	3	-	1	-	-
FEMALE--	1	2	1	5	4	8	4	2	-	1	1	-
ARKANSAS -----	30	49	89	143	241	293	352	386	271	116	30	-
WHITE-----MALE----	17	29	47	81	140	142	132	127	68	15	3	-
FEMALE--	8	12	26	41	77	124	178	229	169	91	18	-
ALL OTHER--MALE----	2	6	8	12	8	12	16	9	12	4	5	-
FEMALE--	3	2	8	9	16	15	26	21	22	6	4	-
BLACK---MALE----	2	6	7	12	8	12	16	9	12	4	5	-
FEMALE--	3	2	8	9	16	15	26	21	22	6	4	-
CALIFORNIA -----	497	693	1,170	1,950	3,099	4,224	5,098	5,003	3,912	1,728	432	3
WHITE-----MALE----	322	412	706	1,081	1,656	2,195	2,328	1,748	1,021	349	61	1
FEMALE--	96	159	258	576	1,043	1,544	2,285	2,859	2,603	1,260	333	2
ALL OTHER--MALE----	49	77	134	183	229	257	218	176	92	24	3	-
FEMALE--	30	45	72	110	171	228	267	220	196	95	35	-
BLACK---MALE----	29	40	81	92	111	119	102	72	32	14	1	-
FEMALE--	24	32	48	69	111	132	138	134	118	57	22	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,595  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	2,001	-	-	-	-	-	-	-	-	11	22	40
WHITE-----MALE----	1,061	-	-	-	-	-	-	-	-	8	17	29
FEMALE--	870	-	-	-	-	-	-	-	-	3	4	7
ALL OTHER--MALE----	41	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	29	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	33	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	1
CONNECTICUT -----	3,586	1	-	-	1	1	-	1	6	13	28	42
WHITE-----MALE----	1,641	-	-	-	1	1	-	-	6	13	18	34
FEMALE--	1,809	1	-	-	-	-	-	-	-	-	8	5
ALL OTHER--MALE----	57	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	79	-	-	-	-	-	-	1	-	-	2	1
BLACK---MALE----	57	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	76	-	-	-	-	-	-	1	-	-	2	1
DELAWARE -----	544	-	-	-	-	-	-	3	4	3	6	14
WHITE-----MALE----	236	-	-	-	-	-	-	2	4	1	5	7
FEMALE--	244	-	-	-	-	-	-	-	-	1	-	3
ALL OTHER--MALE----	40	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	24	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	38	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	23	-	-	-	-	-	-	1	-	1	-	-
DISTRICT OF COLUMBIA ----	439	-	-	-	-	-	-	1	1	2	6	13
WHITE-----MALE----	71	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	57	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	158	-	-	-	-	-	-	1	1	1	3	7
FEMALE--	153	-	-	-	-	-	-	-	-	1	3	4
BLACK---MALE----	157	-	-	-	-	-	-	1	1	1	3	7
FEMALE--	152	-	-	-	-	-	-	-	-	1	3	4
FLORIDA -----	21,664	-	-	-	1	6	1	4	28	63	114	243
WHITE-----MALE----	10,619	-	-	-	1	3	-	2	15	43	82	156
FEMALE--	9,566	-	-	-	-	3	-	1	7	7	13	45
ALL OTHER--MALE----	707	-	-	-	-	-	1	1	6	9	11	25
FEMALE--	772	-	-	-	-	-	-	-	-	4	8	17
BLACK---MALE----	679	-	-	-	-	-	1	1	6	9	9	24
FEMALE--	755	-	-	-	-	-	-	-	-	4	8	17
GEORGIA -----	4,566	-	1	-	-	1	-	4	11	34	64	93
WHITE-----MALE----	1,980	-	-	-	-	-	-	2	4	11	37	45
FEMALE--	1,737	-	-	-	-	-	-	-	2	5	4	13
ALL OTHER--MALE----	396	-	-	-	-	1	-	1	3	13	16	23
FEMALE--	453	-	1	-	-	-	-	1	2	5	7	12
BLACK---MALE----	388	-	-	-	-	1	-	1	3	13	16	22
FEMALE--	445	-	1	-	-	-	-	1	2	5	6	12

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,595  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	51	74	95	146	252	334	326	309	232	87	22	-
WHITE-----MALE----	39	52	71	93	169	198	164	133	62	22	4	-
FEMALE--	11	15	22	43	79	120	151	167	166	64	18	-
ALL OTHER--MALE----	1	5	1	8	3	10	4	4	2	-	-	-
FEMALE--	-	2	1	2	1	6	7	5	2	1	-	-
BLACK---MALE----	-	4	1	6	2	10	2	4	1	-	-	-
FEMALE--	-	2	1	2	1	4	5	5	2	1	-	-
CONNECTICUT -----	53	79	133	216	381	510	676	643	499	227	76	-
WHITE-----MALE----	39	55	94	146	216	280	314	238	136	44	6	-
FEMALE--	12	15	24	57	140	212	345	388	352	182	68	-
ALL OTHER--MALE----	1	3	6	8	13	6	9	5	3	-	1	-
FEMALE--	1	6	9	5	12	12	8	12	8	1	1	-
BLACK---MALE----	1	3	6	8	13	6	9	5	3	-	1	-
FEMALE--	1	6	8	5	11	12	8	12	7	1	1	-
DELAWARE -----	19	26	26	38	66	81	74	81	67	32	4	-
WHITE-----MALE----	12	15	12	28	37	42	29	24	15	3	-	-
FEMALE--	3	5	9	6	18	31	36	50	50	28	4	-
ALL OTHER--MALE----	4	2	4	4	7	4	3	6	1	-	-	-
FEMALE--	-	4	1	-	4	4	6	1	1	1	-	-
BLACK---MALE----	4	2	4	4	7	4	2	5	1	-	-	-
FEMALE--	-	4	1	-	4	4	5	1	1	1	-	-
DISTRICT OF COLUMBIA ----	14	19	29	36	60	63	63	65	41	19	6	1
WHITE-----MALE----	-	2	6	11	9	10	9	12	6	3	1	-
FEMALE--	-	-	1	-	2	11	9	11	11	9	3	-
ALL OTHER--MALE----	10	15	14	13	30	23	19	12	7	-	1	1
FEMALE--	4	2	8	12	19	19	26	30	17	7	1	-
BLACK---MALE----	10	15	14	13	30	23	19	11	7	-	1	1
FEMALE--	4	2	8	12	18	19	26	30	17	7	1	-
FLORIDA -----	379	501	869	1,523	2,404	3,229	4,028	4,006	2,845	1,149	268	3
WHITE-----MALE----	250	320	560	954	1,501	1,843	1,994	1,688	890	266	49	2
FEMALE--	68	89	181	404	711	1,184	1,808	2,169	1,833	840	202	1
ALL OTHER--MALE----	39	58	68	88	104	99	95	47	48	7	1	-
FEMALE--	22	34	60	77	88	103	131	102	74	36	16	-
BLACK---MALE----	36	57	62	83	100	95	93	47	48	7	1	-
FEMALE--	22	32	56	72	87	100	129	102	74	36	16	-
GEORGIA -----	157	185	315	418	594	673	749	685	390	155	37	-
WHITE-----MALE----	86	100	198	238	336	321	294	214	70	23	1	-
FEMALE--	23	37	54	95	172	232	318	379	266	109	28	-
ALL OTHER--MALE----	28	33	35	46	42	58	57	24	14	1	1	-
FEMALE--	20	15	28	39	44	62	80	68	40	22	7	-
BLACK---MALE----	28	31	35	46	41	57	55	24	13	1	1	-
FEMALE--	20	15	27	37	43	61	80	66	40	22	7	-





1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,596  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	15	30	46	69	98	98	111	124	74	39	11	-
WHITE-----MALE----	1	5	12	12	21	19	9	8	5	1	-	-
FEMALE--	1	1	6	6	11	12	8	21	12	3	1	-
ALL OTHER--MALE----	10	18	19	29	43	33	47	59	29	11	1	-
FEMALE--	3	6	9	22	23	34	47	36	28	24	9	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	18	34	44	88	104	134	123	111	54	7	-
WHITE-----MALE----	1	13	23	33	51	61	74	65	30	14	-	-
FEMALE--	1	4	11	10	36	41	59	57	79	40	6	-
ALL OTHER--MALE----	-	1	-	1	1	2	1	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	215	289	441	751	1,221	1,664	2,141	2,022	1,618	664	178	-
WHITE-----MALE----	131	154	254	427	679	795	926	693	418	114	20	-
FEMALE--	33	66	108	223	404	708	1,053	1,181	1,095	492	142	-
ALL OTHER--MALE----	29	40	45	56	70	90	64	55	22	17	1	-
FEMALE--	22	29	34	45	68	71	98	93	83	41	15	-
BLACK---MALE----	27	37	40	47	68	82	59	51	18	15	1	-
FEMALE--	21	28	34	42	63	67	90	89	77	38	15	-
INDIANA -----	172	177	312	514	746	935	996	1,023	677	330	80	-
WHITE-----MALE----	109	111	183	317	447	493	454	339	178	66	13	-
FEMALE--	36	42	85	156	238	387	477	645	467	250	61	-
ALL OTHER--MALE----	22	15	27	21	31	24	29	8	12	2	-	-
FEMALE--	5	9	17	20	30	31	36	31	20	12	6	-
BLACK---MALE----	21	15	26	20	30	23	27	8	12	2	-	-
FEMALE--	5	9	16	20	29	30	36	31	20	12	6	-
IOWA -----	47	60	119	205	289	441	613	657	564	272	80	-
WHITE-----MALE----	34	50	86	137	190	258	296	261	151	47	10	-
FEMALE--	13	9	31	66	94	179	308	394	410	222	70	-
ALL OTHER--MALE----	-	1	1	1	2	1	4	1	1	1	-	-
FEMALE--	-	-	1	1	3	3	5	1	2	2	-	-
BLACK---MALE----	-	1	1	1	2	1	3	1	1	1	-	-
FEMALE--	-	-	1	1	2	2	2	-	2	1	-	-
KANSAS -----	38	54	80	176	239	314	382	500	319	168	48	-
WHITE-----MALE----	27	33	61	117	150	187	186	195	100	29	6	-
FEMALE--	5	13	13	48	79	116	182	288	209	135	40	-
ALL OTHER--MALE----	3	6	3	8	7	4	3	7	1	-	-	-
FEMALE--	3	2	3	3	3	7	11	10	9	4	2	-
BLACK---MALE----	3	4	3	8	7	1	1	7	1	-	-	-
FEMALE--	3	2	3	3	3	6	11	10	8	4	2	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,597  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	2,941	-	-	-	-	-	-	4	8	25	35	69
WHITE-----MALE----	1,384	-	-	-	-	-	-	3	5	20	22	49
FEMALE--	1,391	-	-	-	-	-	-	-	1	2	8	13
ALL OTHER--MALE----	72	-	-	-	-	-	-	-	2	3	3	5
FEMALE--	94	-	-	-	-	-	-	1	-	-	2	2
BLACK---MALE----	72	-	-	-	-	-	-	-	2	3	3	5
FEMALE--	93	-	-	-	-	-	-	1	-	-	2	2
LOUISIANA -----	2,621	-	-	-	-	-	1	3	4	17	20	49
WHITE-----MALE----	1,043	-	-	-	-	-	-	2	3	9	8	21
FEMALE--	1,003	-	-	-	-	-	-	1	-	2	6	7
ALL OTHER--MALE----	279	-	-	-	-	-	1	-	1	5	2	9
FEMALE--	296	-	-	-	-	-	-	-	-	1	4	12
BLACK---MALE----	276	-	-	-	-	-	1	-	1	5	2	9
FEMALE--	291	-	-	-	-	-	-	-	-	1	4	11
MAINE -----	1,267	-	-	-	1	-	-	1	2	4	8	20
WHITE-----MALE----	646	-	-	-	-	-	-	1	2	4	7	17
FEMALE--	620	-	-	-	1	-	-	-	-	-	1	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3,179	1	-	-	-	-	1	3	5	7	20	40
WHITE-----MALE----	1,343	-	-	-	-	-	1	1	1	2	7	22
FEMALE--	1,322	1	-	-	-	-	-	-	1	1	-	7
ALL OTHER--MALE----	238	-	-	-	-	-	-	1	3	-	10	9
FEMALE--	276	-	-	-	-	-	-	1	-	4	3	2
BLACK---MALE----	225	-	-	-	-	-	-	1	3	-	8	9
FEMALE--	268	-	-	-	-	-	-	1	-	4	3	2
MASSACHUSETTS -----	5,968	-	-	-	-	-	3	3	7	16	53	94
WHITE-----MALE----	2,807	-	-	-	-	-	1	1	5	13	43	75
FEMALE--	2,999	-	-	-	-	-	-	1	2	1	6	14
ALL OTHER--MALE----	83	-	-	-	-	-	2	1	-	2	3	3
FEMALE--	79	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	74	-	-	-	-	-	1	-	-	2	3	3
FEMALE--	63	-	-	-	-	-	-	-	-	-	1	2
MICHIGAN -----	9,496	-	-	-	-	2	-	6	12	21	69	115
WHITE-----MALE----	4,090	-	-	-	-	2	-	4	8	11	42	74
FEMALE--	4,499	-	-	-	-	-	-	-	2	7	12	25
ALL OTHER--MALE----	413	-	-	-	-	-	-	2	1	2	7	11
FEMALE--	494	-	-	-	-	-	-	-	1	1	8	5
BLACK---MALE----	381	-	-	-	-	-	-	2	-	2	6	9
FEMALE--	465	-	-	-	-	-	-	-	1	1	7	5

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,597  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	65	87	166	233	371	402	517	473	314	135	37	-
WHITE-----MALE----	46	59	107	146	226	219	224	153	77	25	3	-
FEMALE--	14	23	50	73	128	164	267	290	221	104	33	-
ALL OTHER--MALE----	5	2	7	7	6	8	13	7	2	2	-	-
FEMALE--	-	3	2	7	11	11	13	23	14	4	1	-
BLACK---MALE----	5	2	7	7	6	8	13	7	2	2	-	-
FEMALE--	-	3	2	7	11	11	13	23	13	4	1	-
LOUISIANA -----	65	97	169	260	328	397	433	383	266	98	31	-
WHITE-----MALE----	32	40	72	138	163	192	158	107	71	25	2	-
FEMALE--	10	17	48	67	105	133	194	195	145	50	23	-
ALL OTHER--MALE----	17	22	29	32	34	39	36	31	12	5	4	-
FEMALE--	6	18	20	23	26	33	45	50	38	18	2	-
BLACK---MALE----	17	21	29	32	34	38	35	31	12	5	4	-
FEMALE--	6	17	20	23	26	33	43	49	38	18	2	-
MAINE -----	22	35	53	99	162	180	217	193	176	72	22	-
WHITE-----MALE----	13	27	40	72	106	98	113	72	56	14	4	-
FEMALE--	9	8	13	27	56	81	104	121	120	58	18	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MARYLAND -----	52	91	172	275	409	509	556	517	361	126	34	-
WHITE-----MALE----	32	52	84	150	217	261	231	174	84	20	4	-
FEMALE--	9	14	35	73	130	170	248	286	230	91	26	-
ALL OTHER--MALE----	7	12	30	26	36	33	25	23	16	7	-	-
FEMALE--	4	13	23	26	26	45	52	34	31	8	4	-
BLACK---MALE----	7	10	30	25	33	31	24	23	14	7	-	-
FEMALE--	4	12	22	26	26	43	51	32	31	7	4	-
MASSACHUSETTS -----	103	133	234	433	633	880	1,094	997	790	373	122	-
WHITE-----MALE----	83	89	163	298	375	495	524	354	208	63	17	-
FEMALE--	13	38	60	120	236	354	556	624	572	298	104	-
ALL OTHER--MALE----	5	2	6	7	14	16	7	10	3	2	-	-
FEMALE--	2	4	5	8	8	15	7	9	7	10	1	-
BLACK---MALE----	5	2	6	6	13	14	6	10	2	1	-	-
FEMALE--	1	2	3	6	8	10	7	8	5	9	1	-
MICHIGAN -----	175	251	397	707	1,077	1,486	1,717	1,616	1,147	549	149	-
WHITE-----MALE----	111	146	228	435	590	752	734	538	295	104	16	-
FEMALE--	33	59	100	187	373	575	850	957	788	416	115	-
ALL OTHER--MALE----	17	25	39	51	62	79	50	46	15	4	2	-
FEMALE--	14	21	30	34	52	80	83	75	49	25	16	-
BLACK---MALE----	13	21	36	48	58	76	48	42	15	3	2	-
FEMALE--	13	18	27	33	48	74	82	70	48	23	15	-



1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,598  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	91	117	159	242	378	508	657	661	492	206	49	-
WHITE-----MALE----	66	91	115	169	268	314	338	284	148	54	6	-
FEMALE--	21	22	37	68	103	182	311	369	341	152	42	-
ALL OTHER--MALE----	4	2	5	2	5	8	5	1	1	-	1	-
FEMALE--	-	2	2	3	2	4	3	7	2	-	-	-
BLACK---MALE----	1	1	3	-	2	2	3	-	-	-	-	-
FEMALE--	-	-	-	2	2	2	3	7	1	-	-	-
MISSISSIPPI -----	62	83	126	159	238	352	347	279	228	79	27	-
WHITE-----MALE----	29	39	65	82	129	168	121	72	54	14	2	-
FEMALE--	8	13	26	37	58	107	148	145	123	47	13	-
ALL OTHER--MALE----	16	19	18	25	22	36	33	15	15	6	5	-
FEMALE--	9	12	17	15	29	41	45	47	36	12	7	-
BLACK---MALE----	16	18	18	22	22	35	33	15	15	6	5	-
FEMALE--	9	12	17	15	29	41	45	46	36	12	7	-
MISSOURI -----	104	169	268	452	668	849	1,044	1,156	913	356	98	-
WHITE-----MALE----	72	104	164	248	386	444	450	390	242	63	13	-
FEMALE--	17	39	72	156	222	342	529	693	612	271	77	-
ALL OTHER--MALE----	10	18	20	20	30	25	27	27	7	5	2	-
FEMALE--	5	8	12	28	30	38	38	46	52	17	6	-
BLACK---MALE----	10	17	20	18	29	24	24	27	7	5	2	-
FEMALE--	4	8	11	28	28	35	36	45	52	17	6	-
MONTANA -----	15	16	47	39	67	86	118	104	69	20	8	-
WHITE-----MALE----	10	13	37	30	50	50	69	42	21	5	2	-
FEMALE--	3	2	6	7	16	34	48	62	48	15	6	-
ALL OTHER--MALE----	1	1	3	2	1	2	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	28	50	67	115	168	212	263	329	272	104	33	-
WHITE-----MALE----	15	32	44	78	108	128	133	119	74	28	6	-
FEMALE--	8	12	19	28	55	80	121	203	195	75	27	-
ALL OTHER--MALE----	2	6	2	6	4	3	2	6	3	1	-	-
FEMALE--	3	-	2	3	1	1	7	1	-	-	-	-
BLACK---MALE----	1	5	1	5	3	2	2	5	3	1	-	-
FEMALE--	3	-	2	3	-	1	7	1	-	-	-	-
NEVADA -----	20	39	78	135	126	167	166	140	76	38	3	1
WHITE-----MALE----	16	20	46	98	89	99	77	47	16	6	-	1
FEMALE--	3	15	20	29	31	61	85	89	59	29	3	-
ALL OTHER--MALE----	1	4	8	7	2	4	2	-	-	-	-	-
FEMALE--	-	-	4	1	4	3	2	4	1	3	-	-
BLACK---MALE----	1	2	7	7	2	3	1	-	-	-	-	-
FEMALE--	-	-	4	1	2	3	2	4	1	2	-	-







1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,600  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	12,977	-	-	-	-	1	1	3	17	41	112	182
WHITE-----MALE----	5,821	-	-	-	-	1	-	1	13	26	71	121
FEMALE--	6,052	-	-	-	-	-	-	1	3	11	16	33
ALL OTHER--MALE----	556	-	-	-	-	-	1	1	1	3	15	17
FEMALE--	548	-	-	-	-	-	-	-	-	1	10	11
BLACK---MALE----	547	-	-	-	-	-	1	1	1	3	14	17
FEMALE--	539	-	-	-	-	-	-	-	-	1	10	11
OKLAHOMA -----	3,712	-	-	-	-	-	-	1	7	26	34	59
WHITE-----MALE----	1,753	-	-	-	-	-	-	-	5	19	22	47
FEMALE--	1,649	-	-	-	-	-	-	-	-	4	5	9
ALL OTHER--MALE----	154	-	-	-	-	-	-	-	2	2	7	3
FEMALE--	156	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	82	-	-	-	-	-	-	-	2	2	2	3
FEMALE--	93	-	-	-	-	-	-	1	-	-	-	-
OREGON -----	3,051	-	-	-	-	-	-	1	5	22	41	60
WHITE-----MALE----	1,654	-	-	-	-	-	-	1	4	18	32	45
FEMALE--	1,332	-	-	-	-	-	-	-	1	4	7	11
ALL OTHER--MALE----	39	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	26	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	13,405	-	-	-	-	1	1	6	15	30	66	142
WHITE-----MALE----	6,110	-	-	-	-	1	-	5	10	19	43	96
FEMALE--	6,611	-	-	-	-	-	-	1	3	6	13	30
ALL OTHER--MALE----	316	-	-	-	-	-	-	-	1	2	3	9
FEMALE--	368	-	-	-	-	-	1	-	1	3	7	7
BLACK---MALE----	302	-	-	-	-	-	-	-	1	2	3	9
FEMALE--	364	-	-	-	-	-	1	-	1	3	7	7
RHODE ISLAND -----	1,229	-	-	-	-	-	-	-	-	3	6	2
WHITE-----MALE----	502	-	-	-	-	-	-	-	-	3	5	2
FEMALE--	701	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2,731	-	-	-	-	-	-	-	12	16	27	58
WHITE-----MALE----	1,198	-	-	-	-	-	-	-	6	7	12	28
FEMALE--	988	-	-	-	-	-	-	-	2	5	3	7
ALL OTHER--MALE----	251	-	-	-	-	-	-	-	2	2	8	18
FEMALE--	294	-	-	-	-	-	-	-	2	2	4	5
BLACK---MALE----	247	-	-	-	-	-	-	-	2	2	8	18
FEMALE--	294	-	-	-	-	-	-	-	2	2	4	5

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT B PG 1,600  
0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	270	436	645	1,036	1,560	2,022	2,285	2,062	1,522	633	149	-
WHITE-----MALE----	167	291	402	609	858	1,063	1,000	685	358	133	22	-
FEMALE--	51	89	148	306	539	786	1,144	1,266	1,074	466	119	-
ALL OTHER--MALE----	26	30	58	72	90	99	64	46	27	6	-	-
FEMALE--	26	26	37	49	73	74	77	65	63	28	8	-
BLACK---MALE----	26	30	57	71	88	98	61	46	27	6	-	-
FEMALE--	26	26	36	47	72	73	75	63	63	28	8	-
OKLAHOMA -----	101	123	199	294	435	546	625	609	422	176	54	1
WHITE-----MALE----	57	70	133	180	256	276	299	223	117	40	8	1
FEMALE--	25	35	43	91	134	225	285	350	281	124	38	-
ALL OTHER--MALE----	15	9	13	18	21	20	17	13	8	4	2	-
FEMALE--	4	9	10	5	24	25	24	23	16	8	6	-
BLACK---MALE----	8	3	6	9	9	9	12	8	3	4	2	-
FEMALE--	3	1	6	1	14	16	15	15	13	4	4	-
OREGON -----	84	119	148	257	330	451	541	510	309	144	29	-
WHITE-----MALE----	65	90	101	164	211	273	284	233	97	33	3	-
FEMALE--	15	25	41	85	107	172	249	272	209	108	26	-
ALL OTHER--MALE----	4	4	4	5	7	4	3	2	-	2	-	-
FEMALE--	-	-	2	3	5	2	5	3	3	1	-	-
BLACK---MALE----	1	3	1	-	3	1	1	1	-	-	-	-
FEMALE--	-	-	1	2	4	1	3	3	3	-	-	-
PENNSYLVANIA -----	169	274	543	961	1,594	2,131	2,572	2,439	1,633	674	154	-
WHITE-----MALE----	106	194	360	594	943	1,114	1,193	860	420	136	16	-
FEMALE--	43	56	136	285	542	918	1,283	1,495	1,155	514	131	-
ALL OTHER--MALE----	14	11	32	49	53	42	39	32	17	9	3	-
FEMALE--	6	13	15	33	56	57	57	52	41	15	4	-
BLACK---MALE----	13	11	31	45	51	41	37	29	17	9	3	-
FEMALE--	6	13	15	32	56	56	57	50	41	15	4	-
RHODE ISLAND -----	12	28	37	49	128	183	218	261	176	90	36	-
WHITE-----MALE----	11	21	24	30	68	110	89	89	26	19	5	-
FEMALE--	-	7	13	14	55	69	124	169	148	70	31	-
ALL OTHER--MALE----	-	-	-	2	3	3	2	2	-	-	-	-
FEMALE--	1	-	-	3	2	1	3	1	2	1	-	-
BLACK---MALE----	-	-	-	1	2	3	2	1	-	-	-	-
FEMALE--	1	-	-	3	1	-	3	-	1	-	-	-
SOUTH CAROLINA -----	83	131	184	264	386	455	429	363	216	78	29	-
WHITE-----MALE----	48	70	105	133	213	215	192	109	44	14	2	-
FEMALE--	9	24	39	70	92	159	165	194	143	54	22	-
ALL OTHER--MALE----	13	23	26	26	41	32	26	23	8	2	1	-
FEMALE--	13	14	14	35	40	49	46	37	21	8	4	-
BLACK---MALE----	13	22	25	25	41	32	26	22	8	2	1	-
FEMALE--	13	14	14	35	40	49	46	37	21	8	4	-

1 TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1996 PLT A PG 1,601  
 0 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)  
 CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49  
 0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	634	-	-	-	-	-	1	2	-	1	5	9
WHITE-----MALE----	331	-	-	-	-	-	1	2	-	1	3	9
FEMALE--	287	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4,984	-	-	-	1	1	-	1	10	30	47	86
WHITE-----MALE----	2,093	-	-	-	1	1	-	-	5	18	24	52
FEMALE--	2,196	-	-	-	-	-	-	-	3	3	8	12
ALL OTHER--MALE----	327	-	-	-	-	-	-	-	1	7	12	19
FEMALE--	368	-	-	-	-	-	-	1	1	2	3	3
BLACK---MALE----	323	-	-	-	-	-	-	-	1	7	12	18
FEMALE--	362	-	-	-	-	-	-	1	1	2	3	3